DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

RG 331, National Archives and Records Service

Allied Operational and Occupation
Headquarters, World War II

SUPREME COMMANDER FOR THE ALLIED POWERS

Civil Affairs Section
Kanto Civil Affairs Region
Public Health Activities File
1946-51

PH & W Tables to Books (Written in Japanese)

Box No. 2818

(Compiled by *National Diet Library*) 87

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 2818

(2) Folder title/number: (1)
Public Health and Welfaree in Japan - Tables

(3) Date: ?

(4) Subject:

Classification	Type of record
750	p

(5) Item description and comment:
Prepared by Public Health and Welfare Section, SCAP

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GENERAL HEADQUARTERS
SUPREME COMMANDER for the ALLIED POWERS
PUBLIC HEALTH and WELFARE SECTION

Public Health and Welfare in Japan

Tables

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GENERAL HEADQUARTERS
SUPREME COMMANDER for the ALLIED POWERS
PUBLIC HEALTH and WELFARE SECTION

Public Health and Welfare in Japan

Tables

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948

Prefecture	1948	1947	1946	1945	1944	1943	1942	1941	1940
All Japan	80,200,000	78,000,000	75,300,000	72,500,000	73,600,000	73,700,000	73,200,000	72,600,000	71,539,729
Aichi	3,226,000	3,118,900	3,006,000	2,877,321	3,330,526	3,387,513	3,252,875	3,194,973	3,122,939
Akita	1,283,000	1,255,800	1,232,000	1,220,438	1,064,858	1,011,690	1,037,943	1,039,571	1,037,769
Aomori	1,218,000	1,178,700	1,122,000	1,090,826	1,029,029	989,359	997,584	994,033	986,716
Chiba	2,140,000	2,110,200	2,069,000	1,980,629	1,687,222	1,602,976	1,582,151	1,578,521	1,566,528
Ehime	1,481,000	1,452,000	1,422,000	1,371,006	1,204,692	1,198,106	1,170,509	1,170,950	1,162,456
Fukui	733,000	725,300	716,000	729,925	631,398	642,744	635,531	635,952	635,027
Fukuoka	3,312,000	3,174,000	2,994,000	2,766,066	3,113,513	3,177,795	3,199,750	3,137,977	3,051,478
Fukushima	2,026,000	1,989,900	1,976,000	1,971,045	1,623,931	1,603,947	1,614,163	1,613,687	1,603,112
Gifu	1,524,000	1,491,700	1,487,000	1,529,270	1,285,447	1,315,586	1,260,654	1,257,087	1,247,585
Gunma	1,609,000	1,570,700	1,570,000	1,556,894	1,339,759	1,327,237	1,305,137	1,296,797	1,281,119
Hiroshima	2,046,000	2,008,900	1,958,000	1,898,657	1,992,555	2,023,381	1,879,295	1,867,356	1,843,732
Hokkaido	4,020,000	3,847,800	3,592,000	3,542,996	3,317,074	3,325,374	3,311,008	3,280,419	3,227,602
Hyogo	3,156,000	3,053,500	2,911,000	2,841,628	3,273,840	3,305,957	3,315,525	3,256,514	3,176,826
Ibaraki	2,044,000	2,011,100	1,999,000	1,958,173	1,682,092	1,650,551	1,623,688	1,616,156	1,597,667
Ishikawa	942,000	926,500	903,000	893,717	755,080	748,573	748,065	748,464	747,231
Iwate	1,294,000	1,261,100	1,254,000	1,236,375	1,120,986	1,106,840	1,096,959	1,092,222	1,080,687
Kagawa	934,000	916,500	898,000	869,592	724,071	713,620	713,696	719,323	720,325
Kagoshima	1,766,000	1,744,000	1,679,000	1,549,225	1,618,462	1,524,332	1,560,155	1,571,211	1,567,555
Kanagawa	2,317,000	2,215,200	2,080,000	1,878,715	2,512,337	2,628,259	2,311,067	2,242,329	2,158,798
Kochi	866,000	847,200	822,000	781,002	703,685	716,533	698,279	700,950	699,508
Kumamoto	1,786,000	1,763,400	1,681,000	1,567,236	1,392,037	1,311,702	1,341,862	1,349,744	1,349,318
Kyoto	1,784,000	1,736,800	1,670,000	1,615,014	1,660,618	1,815,606	1,723,849	1,720,568	1,706,144
Mie	1,451,000	1,414,700	1,413,000	1,404,037	1,227,817	1,238,884	1,188,970	1,189,817	1,182,257
Miyagi	1,596,000	1,564,800	1,506,000	1,471,536	1,292,301	1,243,738	1,259,672	1,260,051	1,253,713
Miyazaki	1,052,000	1,024,400	986,000	920,077	852,435	830,130	835,657	836,181	828,772

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1948	1947	1946	1945	1944	1943	1942	1941	1940
Cont'd:									
Nagano	2,079,000	2,057,300	2,089,000	2,135,783	1,675,830	1,644,725	1,680,741	1,688,958	1,687,146
Nagasaki	1,565,000	1,529,700	1,460,000	1,327,811	1,513,771	1,459,281	1,384,087	1,372,463	1,351,176
Nara	778,000	778,900	767,000	785,138	616,097	631,093	612,160	614,122	611,955
Niigata	2,435,000	2,415,100	2,396,000	2,406,366	2,025,100	2,056,392	2,054,871	2,052,077	2,035,943
Oita	1,245,000	1,232,100	1,184,000	1,132,378	988,644	954,407	956,930	961,633	959,562
Okayama	1,650,000	1,617,500	1,585,000	1,575,569	1,353,753	1,368,986	1,315,349	1,318,628	1,311,032
Osaka	3,515,000	3,330,300	3,065,000	2,820,547	4,480,650	4,479,789	4,958,950	4,860,125	4,726,893
Saga	931,000	916,600	882,000	836,238	716,476	706,824	697,591	696,999	691,846
Saitama	2,132,000	2,097,700	2,089,000	2,061,407	1,672,900	1,653,463	1,617,011	1,605,982	1,585,871
Shiga	873,000	857,300	856,000	866,932	702,587	703,911	688,754	693,048	693,978
Shimane	903,000	893,100	874,000	866,292	741,019	754,399	728,818	731,869	730,726
Shizuoka	2,407,000	2,350,000	2,328,000	2,235,887	2,058,964	2,040,857	2,019,226	2,010,984	1,990,043
Tochigi	1,558,000	1,532,300	1,549,000	1,557,170	1,222,153	1,168,978	1,189,952	1,193,867	1,190,023
Tokushima	869,000	853,700	854,000	841,608	714,050	707,795	704,858	709,149	708,809
Tokyo	5,417,000	4,994,300	4,308,000	3,512,680	7,383,054	7,497,385	7,696,782	7,499,258	7,253,579
Tottori	593,000	586,800	574,000	567,159	483,590	483,514	474,390	477,903	477,712
Toyama	998,000	978,000	961,000	960,505	832,187	836,926	823,971	819,092	811,229
Wakayama	980,000	958,800	961,000	942,552	860,391	887,414	854,216	856,629	853,149
Yamagata	1,346,000	1,333,900	1,334,000	1,335,626	1,100,191	1,062,178	1,096,370	1,102,791	1,103,907
Yamaguchi	1,505,000	1,477,300	1,417,000	1,366,027	1,378,191	1,514,623	1,323,500	1,305,688	1,276,400
Yamanashi	815,000	806,200	821,000	844,925	644,637	646,627	657,429	657,882	653,886

See footnotes at end of this table.

TABLE 1. - POPULATION BY PREFECTURE: JAPAN 1920 - 1948 - Cont'd

Prefecture	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930
All Japan	70,900,000	70,600,000	70,400,000	69,600,000	68,661,654	67,700,000	66,800,000	65,800,000	64,800,000	63,872,496
Aichi	3,026,729	3,001,793	2,974,763	2,921,772	2,862,701	2,768,424	2,720,237	2,668,121	2,616,202	2,567,413
Akita	1,055,083	1,053,467	1,054,793	1,047,258	1,037,744	1,029,997	1,020,402	1,009,170	997,929	987,706
Aomori	1,013,292	1,006,446	999,791	984,515	967,129	934,458	921,579	907,331	893,105	879,914
Chiba	1,573,452	1,570,786	1,572,425	1,560,896	1,546,394	1,528,622	1,515,519	1,499,936	1,484,241	1,470,121
Ehime	1,159,659	1,162,194	1,170,176	1,168,649	1,164,898	1,180,215	1,171,844	1,161,576	1,151,265	1,142,122
Fukui	655,515	654,831	656,132	652,014	646,659	635,123	631,525	626,951	622,243	618,144
Fukuoka	2,872,611	2,855,804	2,840,647	2,801,081	2,755,804	2,710,239	2,666,516	2,618,954	2,571,591	2,527,119
Fukushima	1,605,825	1,603,710	1,606,302	1,595,465	1,581,563	1,566,477	1,553,404	1,537,887	1,522,250	1,508,150
Gifu	1,237,552	1,237,210	1,241,021	1,234,590	1,225,799	1,216,568	1,208,226	1,198,026	1,187,573	1,178,405
Gumma	1,260,508	1,259,093	1,261,347	1,253,073	1,242,453	1,241,304	1,228,672	1,214,048	1,199,476	1,186,080
Hiroshima	1,854,022	1,847,879	1,845,140	1,826,857	1,804,916	1,753,849	1,740,126	1,723,639	1,706,993	1,692,136
Hokkaido	3,199,290	3,180,410	3,163,383	3,118,996	3,068,282	3,066,056	3,004,678	2,939,189	2,873,961	2,812,335
Hyogo	3,072,543	3,050,291	3,027,573	2,978,421	2,923,249	2,802,674	2,765,940	2,725,098	2,684,217	2,646,301
Ibaraki	1,565,309	1,564,576	1,569,037	1,560,496	1,548,991	1,551,455	1,536,767	1,519,763	1,502,646	1,487,097
Ishikawa	762,348	764,544	770,419	770,107	768,416	762,709	762,119	760,232	758,174	756,835
Iwate	1,078,235	1,074,069	1,071,532	1,059,847	1,046,111	1,036,707	1,022,306	1,006,466	990,528	975,771
Kagawa	746,161	747,590	752,484	751,324	748,656	759,704	753,801	746,513	739,270	732,816
Kagoshima	1,586,990	1,590,008	1,600,125	1,597,263	1,591,466	1,626,164	1,610,333	1,591,960	1,573,462	1,556,690
Kanagawa	1,968,115	1,948,031	1,924,753	1,884,405	1,840,005	1,783,392	1,743,533	1,701,309	1,659,382	1,619,606
Kochi	699,072	702,837	711,133	713,658	714,980	743,581	737,965	731,192	724,267	718,152
Kumamoto	1,385,195	1,387,437	1,395,762	1,392,747	1,387,054	1,402,038	1,391,439	1,378,571	1,365,614	1,353,993
Kyoto	1,780,839	1,769,413	1,758,453	1,732,242	1,702,508	1,671,630	1,643,207	1,612,388	1,581,664	1,552,832
Mie	1,165,055	1,168,306	1,177,450	1,177,141	1,174,595	1,198,642	1,189,483	1,178,499	1,167,368	1,157,407
Miyagi	1,279,441	1,273,288	1,268,521	1,252,873	1,234,801	1,222,978	1,203,916	1,183,106	1,162,267	1,142,784
Miyazaki	856,133	851,684	847,939	837,047	824,431	816,787	803,312	788,670	774,178	760,467

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930
Cont'd:										
Nagano	1,679,107	1,687,695	1,706,540	1,711,860	1,714,000	1,789,601	1,773,100	1,753,880	1,734,599	1,717,118
Nagasaki	1,319,271	1,317,055	1,318,541	1,309,023	1,296,883	1,290,376	1,277,282	1,262,313	1,247,187	1,233,362
Nara	626,575	626,343	628,332	624,938	620,471	606,982	604,965	601,917	598,738	596,225
Niigata	2,004,118	2,005,401	2,014,529	2,006,995	1,995,777	2,002,611	1,987,183	1,968,672	1,950,048	1,933,326
Oita	987,491	987,619	991,322	986,812	980,458	971,512	966,079	959,101	951,919	945,771
Okayama	1,343,305	1,343,276	1,348,034	1,341,593	1,332,647	1,322,022	1,313,864	1,303,569	1,293,097	1,283,962
Osaka	4,775,586	4,697,078	4,595,613	4,451,396	4,297,174	3,927,509	3,832,947	3,733,267	3,634,336	3,540,017
Saga	669,053	672,969	681,440	684,384	686,117	697,914	697,073	695,143	693,059	691,565
Saitama	1,551,379	1,549,494	1,552,198	1,542,013	1,528,854	1,512,999	1,500,986	1,486,618	1,472,139	1,459,172
Shiga	712,610	713,384	717,112	714,957	711,436	715,840	710,503	704,056	697,460	691,631
Shimane	738,607	741,084	747,602	748,027	747,119	754,196	751,295	747,214	742,971	739,507
Shizuoka	2,008,042	1,998,698	1,991,811	1,967,830	1,939,860	1,901,163	1,876,934	1,849,911	1,822,819	1,797,805
Tochigi	1,211,849	1,210,496	1,212,822	1,205,116	1,195,057	1,184,221	1,174,750	1,163,379	1,151,965	1,141,737
Tokushima	723,892	725,805	731,161	730,643	728,748	738,874	734,056	727,988	721,866	716,544
Tokyo	6,959,917	6,864,635	6,745,454	6,564,896	6,369,919	6,151,040	5,968,365	5,778,042	5,589,485	5,408,678
Tottori	482,071	484,198	489,234	490,259	490,461	503,532	500,429	496,574	492,713	489,266
Toyama	798,449	799,637	804,297	802,378	798,890	803,768	798,301	791,674	784,880	778,953
Wakayama	872,320	872,089	874,842	870,317	864,087	866,359	858,236	848,852	839,393	830,748
Yamagata	1,122,871	1,123,257	1,128,029	1,123,490	1,116,822	1,123,533	1,113,713	1,102,196	1,090,551	1,080,034
Yamaguchi	1,208,514	1,207,046	1,209,036	1,200,920	1,190,542	1,170,001	1,162,623	1,153,265	1,143,863	1,135,637
Yamanashi	645,999	647,044	650,950	649,416	646,727	656,154	650,467	643,774	637,046	631,042

See footnotes at end of this table.

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920
All Japan	62,900,000	62,100,000	61,100,000	60,200,000	59,179,200	58,300,000	57,600,000	56,800,000	56,100,000	55,391,481
Aichi	2,534,856	2,485,779	2,429,026	2,376,502	2,319,494	2,209,144	2,174,854	2,154,380	2,117,562	2,089,762
Akita	976,379	968,513	957,553	947,971	936,408	928,080	918,064	910,623	905,074	898,537
Aomori	867,904	855,958	841,215	827,906	812,977	787,842	777,757	769,585	763,344	756,454
Chiba	1,464,619	1,451,408	1,433,565	1,417,890	1,399,257	1,368,713	1,340,576	1,337,119	1,337,549	1,336,155
Ehime	1,147,763	1,137,345	1,123,262	1,111,002	1,096,366	1,073,696	1,065,436	1,056,537	1,052,093	1,046,720
Fukui	601,655	602,207	600,695	599,923	597,899	601,987	598,642	597,792	598,758	599,155
Fukuoka	2,417,408	2,393,698	2,362,058	2,334,338	2,301,668	2,431,653	2,371,085	2,305,371	2,245,517	2,188,249
Fukushima	1,513,312	1,497,599	1,477,003	1,458,849	1,437,596	1,432,159	1,409,137	1,392,260	1,378,371	1,362,750
Gifu	1,194,943	1,181,822	1,164,991	1,149,953	1,132,557	1,108,058	1,095,587	1,085,700	1,078,343	1,070,407
Gumma	1,184,660	1,170,627	1,152,925	1,137,003	1,118,858	1,110,747	1,091,109	1,077,539	1,065,069	1,052,610
Hiroshima	1,695,684	1,679,845	1,658,499	1,639,749	1,617,680	1,577,775	1,565,664	1,555,693	1,549,245	1,541,905
Hokkaido	2,638,291	2,609,024	2,571,206	2,537,525	2,498,679	2,819,797	2,703,243	2,582,868	2,467,794	2,359,183
Hyogo	2,605,426	2,573,120	2,532,594	2,496,165	2,454,679	2,483,943	2,430,591	2,384,798	2,343,531	2,301,799
Ibaraki	1,470,769	1,458,568	1,441,609	1,426,825	1,409,092	1,415,426	1,392,221	1,376,534	1,363,998	1,350,400
Ishikawa	759,933	759,541	756,450	754,522	750,854	758,460	751,785	748,882	748,472	747,360
Iwate	955,713	944,005	929,298	916,047	900,984	878,678	868,807	860,160	853,173	845,540
Kagawa	725,253	720,611	713,615	707,740	700,308	670,213	675,065	671,944	675,212	677,852
Kagoshima	1,532,568	1,520,897	1,504,152	1,489,769	1,472,193	1,490,326	1,471,131	1,451,582	1,433,666	1,415,582
Kanagawa	1,508,171	1,488,422	1,463,931	1,441,783	1,416,792	1,302,379	1,372,220	1,354,737	1,339,545	1,323,390
Kochi	707,308	703,970	698,231	693,586	687,478	684,158	680,040	676,224	673,915	670,895
Kumamoto	1,360,378	1,347,224	1,329,695	1,314,289	1,296,086	1,256,563	1,248,929	1,242,364	1,238,138	1,233,233
Kyoto	1,519,764	1,494,473	1,464,333	1,436,763	1,406,382	1,383,355	1,355,204	1,330,948	1,309,502	1,287,147
Mie	1,149,577	1,141,681	1,129,999	1,120,037	1,107,692	1,086,046	1,077,277	1,073,358	1,071,556	1,069,270
Miyagi	1,122,861	1,105,373	1,084,449	1,065,225	1,044,036	988,039	976,475	970,641	966,656	961,768
Miyazaki	730,898	722,527	711,704	702,119	691,094	697,504	685,214	673,337	662,037	651,097

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 1. POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Prefecture	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920
Cont'd:										
Nagano	1,699,313	1,685,493	1,666,241	1,649,387	1,629,217	1,636,839	1,612,234	1,594,112	1,579,188	1,562,722
Nagasaki	1,197,161	1,191,605	1,182,085	1,174,247	1,163,945	1,181,763	1,169,621	1,157,364	1,147,212	1,136,182
Nara	604,982	601,097	595,165	590,085	583,828	573,501	569,586	566,937	566,220	564,607
Niigata	1,927,555	1,912,417	1,890,873	1,872,350	1,849,807	1,819,805	1,793,116	1,788,698	1,783,399	1,776,474
Oita	969,524	957,923	943,275	930,101	915,136	871,108	866,817	863,146	862,255	860,282
Okayama	1,266,319	1,262,304	1,253,979	1,247,631	1,238,447	1,241,025	1,232,610	1,225,842	1,222,468	1,217,698
Osaka	3,487,747	3,386,316	3,274,867	3,169,874	3,059,502	2,984,536	2,875,492	2,775,463	2,680,288	2,587,847
Saga	699,747	697,616	693,203	689,771	684,831	673,699	671,582	671,446	672,817	673,895
Saitama	1,469,458	1,453,727	1,433,263	1,415,481	1,394,461	1,368,813	1,347,144	1,336,622	1,328,466	1,319,533
Shiga	677,568	675,327	670,881	667,384	662,412	655,871	652,277	650,942	651,457	651,050
Shimane	734,830	733,520	729,603	726,814	722,402	702,982	703,922	706,282	710,744	714,712
Shizuoka	1,788,130	1,762,546	1,731,298	1,702,894	1,671,217	1,649,588	1,618,304	1,594,411	1,572,700	1,550,387
Tochigi	1,136,875	1,127,763	1,114,917	1,103,874	1,090,428	1,104,771	1,084,143	1,070,273	1,058,781	1,046,479
Tokushima	712,147	708,205	701,850	696,597	689,814	677,783	674,766	672,740	671,519	670,212
Tokyo	5,194,016	5,024,810	4,841,059	4,666,569	4,485,144	3,970,784	4,030,685	3,915,807	3,806,341	3,699,428
Tottori	491,063	487,433	482,246	477,750	472,230	462,546	459,928	457,750	456,629	454,675
Toyama	776,668	771,543	763,891	757,332	749,243	739,934	731,685	728,279	726,614	724,276
Wakayama	825,663	817,936	807,430	798,291	787,511	775,292	768,204	761,623	756,357	750,411
Yamagata	1,085,560	1,073,301	1,057,502	1,043,440	1,027,297	994,414	984,933	978,802	974,242	968,925
Yamaguchi	1,149,275	1,138,051	1,123,061	1,109,998	1,094,544	1,061,346	1,052,798	1,048,973	1,045,406	1,041,013
Yamanashi	620,306	616,830	611,253	606,649	600,675	608,859	599,040	593,512	588,777	583,453

See footnotes at end of this table.

TABLE 1. - POPULATION BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

Population data refer to the total population including military personnel in Japan Proper each year. Estimates are as of 1 October for the period 1920 - 1945 and as of 1 July for 1946-1948.

The total population was estimated for each year, based upon census data, net natural increase and migration. Censuses were taken on 1 October 1920, 1925, 1930, 1935 and 1940, 22 February 1944, 1 November 1945, 26 April 1946 and 1 October 1947 and a ration count was made on 1 August 1948. The population counts of 1920, 1925, 1930 and 1935 were accepted as enumerated. Adjustments were made in the 1940 enumeration to exclude military personnel outside the country and adjustments for underenumeration were made in the figures for 1945 and 1946.

The estimated annual total populations for the period of 1920-1944 were distributed by prefecture according to the prefectural distribution at the last previous census. The estimated total population as of 1 October 1945 was distributed according to the census of 1 November and the estimated population as of 1 July 1946 was distributed according to the census of 26 April 1946. The estimated population as of 1 July 1947 was distributed by prefecture according to the census of October 1947. The estimated population as of 1 July 1948 was distributed by prefecture according to the ration count of 1 August 1948.

It should be noted that the estimated total population in Japan as of 1 October 1945 is the same as the estimated average total population for the year. This is not true of the estimated civilian population or the estimated military personnel in the country taken separately as of 1 October, 1 November or "on the average" due to the cessation of hostilities and demobilization during October.

Population for all Japan for 1941-1945 differ slightly from those published in July 1948 by the Economic and Scientific Section, GHQ, SCAP, due to differences in estimating annual migration.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 2. - 1/ POPULATION BY AGE: JAPAN, 1920 - 1947

Year	All Ages	0 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39
1947	78,627,000	9,727,000	9,160,000	8,872,000	8,319,000	7,109,000	5,529,000	5,183,000	4,915,000
1946	76,155,000	NA	NA	NA	NA	NA	NA	NA	NA
1945	72,410,000	NA	NA	NA	NA	NA	NA	NA	NA
1944	73,865,000	NA	NA	NA	NA	NA	NA	NA	NA
1943	73,980,000	9,470,000	8,815,000	8,551,000	7,954,000	5,663,000	4,862,000	5,226,000	4,426,000
1942	73,450,000	9,306,000	8,876,000	8,464,000	7,800,000	5,583,000	5,178,000	5,215,000	4,366,000
1941	72,750,000	9,115,000	8,834,000	8,391,000	7,594,000	5,621,000	5,396,000	5,148,000	4,328,000
1940	71,540,000	9,049,000	8,758,000	8,335,000	7,325,000	5,437,000	5,406,000	4,864,000	4,375,000
1939	70,930,000	9,013,000	8,721,000	8,353,000	7,438,000	5,355,000	4,974,000	4,762,000	4,392,000
1938	70,590,000	9,224,000	8,687,000	8,189,000	7,160,000	5,460,000	5,196,000	4,657,000	4,340,000
1937	70,360,000	9,300,000	8,590,000	8,045,000	6,924,000	5,805,000	5,435,000	4,585,000	4,275,000
1936	69,590,000	9,312,000	8,525,000	7,835,000	6,722,000	5,976,000	5,368,000	4,551,000	4,142,000
1935	69,254,148	9,328,501	8,531,419	7,685,247	6,640,917	6,071,071	5,240,083	4,632,637	4,045,846
1934	68,272,300	9,255,400	8,436,800	7,624,200	6,412,300	6,032,300	5,101,000	4,602,000	3,955,300
1933	67,318,400	9,195,000	8,253,400	7,356,400	6,480,600	5,985,700	4,930,000	4,540,000	3,888,100
1932	66,284,500	9,049,000	8,177,600	7,107,700	6,520,500	5,893,100	4,845,100	4,464,100	3,761,600
1931	65,371,100	9,038,000	7,988,200	6,913,200	6,564,300	5,760,900	4,783,900	4,336,400	3,699,200
1930	64,450,005	9,011,135	7,767,085	6,801,045	6,539,604	5,531,506	4,835,634	4,213,665	3,584,833
1929	63,563,800	8,974,000	7,712,900	6,585,600	6,471,600	5,384,800	4,794,000	4,128,300	3,511,300
1928	62,629,800	8,820,500	7,444,200	6,698,300	6,376,700	5,202,500	4,732,300	4,051,800	3,508,700
1927	61,677,600	8,660,000	7,222,400	6,751,700	6,252,400	5,100,000	4,656,500	3,916,600	3,506,800
1926	60,718,500	8,484,500	7,037,300	6,785,000	6,106,100	5,021,300	4,523,200	3,847,400	3,472,500
1925	59,736,822	8,264,583	6,924,432	6,735,030	5,885,277	5,060,527	4,393,471	3,716,087	3,449,377
1924	58,937,300	8,251,900	6,686,600	6,678,300	5,721,200	5,047,300	4,292,800	3,656,300	3,412,000
1923	58,207,300	8,015,900	6,793,600	6,592,000	5,520,600	4,991,900	4,223,500	3,662,200	3,354,700
1922	57,449,200	7,784,700	6,865,000	6,472,900	5,419,500	4,903,000	4,103,700	3,666,100	3,327,700
1921	56,687,500	7,581,700	6,906,600	6,325,900	5,357,200	4,755,400	4,045,000	3,636,200	3,325,800
1920	55,963,053	7,457,715	6,856,920	6,101,567	5,419,057	4,609,310	3,923,949	3,609,450	3,410,738

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 2. - 1/ POPULATION BY AGE: JAPAN, 1920 - 1947 - Cont'd.

Year	40 - 44	45 - 49	50 - 54	55 - 59	60 & Over
1947	4,220,000	3,885,000	3,153,000	2,662,000	5,893,000
1946	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA
1943	4,120,000	3,468,000	2,936,000	2,567,000	5,922,000
1942	4,052,000	3,349,000	2,929,000	2,489,000	5,843,000
1941	3,921,000	3,289,000	2,888,000	2,480,000	5,745,000
1940	3,799,000	3,175,000	2,859,000	2,536,000	5,622,000
1939	3,775,000	3,174,000	2,869,000	2,576,000	5,529,000
1938	3,704,000	3,165,000	2,807,000	2,584,000	5,417,000
1937	3,576,000	3,157,000	2,772,000	2,579,000	5,317,000
1936	3,503,000	3,118,000	2,753,000	2,560,000	5,225,000
1935.	3,406,011	3,112,834	2,832,875	2,571,137	5,155,570
1934	3,347,700	3,072,200	2,837,100	2,545,900	5,050,100
1933	3,346,100	3,012,600	2,851,400	2,487,500	4,951,600
1932	3,343,500	2,983,700	2,852,700	2,428,000	4,857,900
1931	3,314,200	2,975,300	2,842,900	2,351,200	4,803,400
1930	3,286,478	3,046,263	2,830,694	2,216,103	4,785,960
1929	3,251,200	3,050,700	2,807,700	2,109,300	4,782,400
1928	3,191,400	3,069,900	2,746,300	2,038,700	4,748,500
1927	3,163,400	3,075,200	2,684,900	2,033,400	4,654,300
1926	3,157,700	3,064,500	2,605,400	1,987,500	4,626,100
1925	3,221,765	3,055,149	2,450,903	1,990,817	4,589,404
1924	3,235,700	3,026,600	2,336,800	2,063,400	4,528,400
1923	3,257,300	2,960,600	2,263,500	2,085,600	4,485,900
1922	3,263,100	2,898,300	2,261,500	1,969,200	4,514,500
1921	3,251,500	2,815,200	2,221,900	1,915,800	4,549,300
1920	3,243,764	2,658,567	2,234,762	1,840,093	4,597,161

See footnotes next page.

TABLE 2. - 1/ POPULATION BY AGE: JAPAN, 1920 - 1947 - Cont'd.

FOOTNOTES:-

1/ All data are as of 1 October each year. Estimates by age are provisional. Years 1920-1935: Includes the population, both military and civilian, residing in the four main islands and the small outlying islands and Okinawa. Years 1936-1947: includes the population, both military and civilian, residing in the four main islands and the small outlying islands and excludes Okinawa. Totals for the population data shown on Tables No. 1 and No. 3 differ from those shown in this table for the years 1941-1945, because of certain adjustments contained in the estimates made and published by the Research and Programs Division, Economic and Scientific Section. Population estimates contained in Tables No. 1 and No. 3 are as originally computed and first used in August, 1947 by the Health Statistics Division, Public Health and Welfare Section.

2/ Census enumeration adjusted.

3/ Census enumeration excluding estimated overseas military population of one million.

4/ Census enumeration unadjusted.

"NA" indicates data are not available.

SOURCES:-

Totals (all ages) for years 1936-1947; Research and Programs Division, ESS, GHQ, SCAP.
Totals (all ages) for years 1920-1935 and estimates by age-group 1920-1943 and 1947; Institute of Population Problems, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 3. - POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES: JAPAN, 1872 - 1948

Year	1/Population	2/Live Births	3/Deaths	4/5/Infant Deaths	5/Stillbirths	5/Marriages	5/Divorces
*1948	80,200,000	2,709,871	959,092	166,649	144,095	960,275	79,415
*1947	78,000,000	2,714,786	1,138,238	206,877	124,075	945,207	80,612
1946	75,300,000	1,905,809	1,326,592	NA	80,262	NA	NA
1945	72,500,000	1,685,583	2,113,798	NA	NA	NA	NA
1944	73,600,000	2,149,843	1,279,639	NA	NA	NA	NA
1943	73,700,000	2,235,431	1,204,802	194,551	92,882	736,183	48,832
1942	73,200,000	2,216,271	1,157,845	190,162	95,446	671,680	45,529
1941	72,600,000	2,260,270	1,140,428	190,780	103,393	783,858	48,605
1940	71,539,729	2,100,164	1,176,517	189,809	102,033	660,184	47,804
1939	70,900,000	1,885,957	1,258,514	201,291	98,347	548,118	45,178
1938	70,600,000	1,911,966	1,250,093	219,943	99,527	532,103	43,832
1937	70,400,000	2,164,949	1,198,400	229,911	111,481	668,336	45,719
1936	69,600,000	2,086,355	1,220,023	244,558	111,050	543,518	45,399
1935	68,661,654	2,174,291	1,152,371	232,821	115,592	551,032	47,721
1934	67,700,000	2,028,289	1,225,402	254,213	113,039	506,937	47,806
1933	66,800,000	2,106,260	1,184,546	256,395	114,135	481,012	48,546
1932	65,800,000	2,168,026	1,166,167	255,701	119,575	510,603	50,728
1931	64,800,000	2,088,608	1,231,154	275,644	116,505	492,094	49,887
1930	63,872,496	2,070,765	1,161,504	257,846	117,729	501,831	50,516
1929	62,960,000	2,061,720	1,251,041	294,057	116,967	491,988	50,310
1928	62,100,000	2,120,493	1,227,570	293,026	120,186	494,345	48,235
1927	61,100,000	2,045,828	1,204,847	291,209	116,916	482,907	49,689
1926	60,200,000	2,089,237	1,151,163	288,301	124,036	497,559	49,224
1925	59,179,200	2,071,560	1,199,936	295,888	124,394	516,639	50,741

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 3. - POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES: JAPAN, 1872 - 1948 - Continued

Year	1/Population	2/Live Births	3/Deaths	4/5/Infant Deaths	5/Stillbirths	5/Marriages	5/Divorces
1924	58,300,000	1,984,326	1,245,343	311,357	125,631	508,660	50,904
1923	57,600,000	2,028,955	1,323,648	333,120	133,855	508,100	50,314
1922	56,800,000	1,953,560	1,278,120	326,684	132,230	510,385	52,082
1921	56,100,000	1,976,055	1,279,219	334,352	138,294	514,823	52,643
1920	55,391,481	2,011,634	1,409,371	334,381	144,035	541,542	54,671
1919	56,253,200	1,778,685	1,281,965	303,202	132,939	480,136	56,812
1918	55,662,900	1,791,992	1,493,162	337,919	142,507	500,580	56,474
1917	56,035,100	1,812,413	1,199,669	313,872	140,328	447,970	55,812
1916	55,235,000	1,804,822	1,187,832	307,283	139,998	433,680	60,254
1915	54,448,200	1,799,326	1,093,793	288,634	141,301	445,210	59,943
1914	53,675,700	1,808,402	1,101,815	286,678	145,692	452,932	59,992
1913	52,917,600	1,757,441	1,027,257	267,281	147,769	431,287	59,536
1912	52,167,000	1,737,674	1,037,016	268,025	147,545	430,422	59,143
1911	51,435,400	1,747,803	1,043,906	276,798	155,319	433,117	58,067
1910	50,504,900	1,712,857	1,064,234	276,136	157,392	441,222	59,432
1909	49,904,500	1,693,850	1,091,264	283,436	161,576	437,882	58,936
1908	49,318,300	1,662,815	1,029,447	262,801	162,676	461,254	60,226
1907	48,745,400	1,614,472	1,016,798	244,300	158,814	432,949	61,058
1906	48,187,500	1,394,295	955,256	214,148	149,731	352,857	65,398
1905	47,641,500	1,452,770	1,004,661	220,450	142,092	350,898	60,061
1904	47,108,300	1,440,371	955,400	218,756	147,058	398,930	63,913
1903	46,587,700	1,489,816	931,008	226,982	153,920	370,961	65,392
1902	45,990,000	1,510,835	959,126	232,652	157,708	394,165	64,139
1901	45,404,700	1,501,591	925,810	225,107	155,489	378,457	63,442
1900	44,831,300	1,420,534	910,744	220,211	137,987	346,528	63,628

TABLE 3. - POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES JAPAN, 1872 - 1948 - Cont'd.

Year	1/Population	2/Live Births	3/Deaths	4/5/Infant Deaths	5/Stillbirths	5/Marriages	5/Divorces
1899	44,269,900	1,386,981	932,087	213,359	135,727	297,372	66,545
1898	43,760,815	1,369,622	894,503	NA	125,841	471,298	99,464
1897	43,228,863	1,335,125	876,837	NA	130,237	365,207	124,075
1896	42,708,264	1,282,178	912,822	NA	127,213	501,777	115,654
1895	42,270,620	1,246,427	852,422	NA	117,215	365,633	110,838
1894	41,813,215	1,208,983	840,768	NA	113,168	361,319	114,436
1893	41,388,313	1,178,428	937,644	NA	108,871	358,389	116,775
1892	41,089,940	1,207,034	886,988	NA	105,552	349,489	112,498
1891	40,718,677	1,086,775	853,139	NA	91,389	325,651	112,411
1890	40,453,461	1,145,374	823,718	NA	91,752	325,141	109,088
1889	40,072,020	1,209,910	808,680	NA	85,251	340,445	107,478
1888	39,607,234	1,172,729	752,834	NA	77,495	330,246	109,175
1887	39,069,691	1,058,137	753,456	NA	60,865	334,149	110,859
1886	38,507,177	1,050,617	938,343	NA	58,350	315,311	117,964
1885	37,868,987	1,024,574	886,824	NA	NA	259,497	113,565
1884	37,451,764	975,252	705,126	NA	NA	287,743	109,896
1883	37,017,302	1,004,989	676,369	NA	NA	337,456	127,162
1882	36,700,118	922,715	668,342	NA	NA	NA	NA
1881	36,358,994	941,343	686,064	NA	NA	NA	NA
1880	35,925,313	883,584	603,055	NA	NA	NA	NA
1879	35,768,556	876,529	720,969	NA	NA	NA	NA
1878	34,898,540	874,883	603,277	NA	NA	NA	NA
1877	34,620,328	890,518	620,306	NA	NA	NA	NA
1876	34,338,404	902,946	613,022	NA	NA	NA	NA
1875	33,997,149	869,126	654,562	NA	NA	NA	NA
1874	33,625,678	836,113	696,653	NA	NA	NA	NA
1873	33,300,675	795,233	649,715	NA	NA	NA	NA
1872	33,110,825	569,034	405,404	NA	NA	NA	NA

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 3.- POPULATION, LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES AND DIVORCES: JAPAN, 1872 - 1948

* All 1948 data are provisional. All 1947 data are provisional except for deaths of all ages. Death data for 1947 have been corrected by the Final Annual Report, Ministry of Welfare.

1/ Data refer to the total population, including military personnel in the country. Data are for Japan Proper, 1872-1878 and for Japan Proper and Okinawa for the period 1879-1919. Data refer only to Japan Proper, 1920-1948. Population data for the period 1872-1876 are as of the beginning of each year, except for 1872, which is as of 29 January by the Lunar Calendar. From 1876 to 1898 they are based upon the population according to Honseki records. From 1899 to 1919 the populations were obtained from the customary additions and subtractions to the Honseki population and are stated as of the end of each year. Populations 1920-1948 are estimates based upon census data, not natural increase and migration to and from Japan Proper. Data for 1920-1945 are as of 1 October. Estimates for 1946-1948 are as of 1 July. Populations for 1941-1945 differ slightly from those published in July 1948 by the Economic and Scientific Section, GHQ, SCAP, due to differences in estimating annual migration.

2/ Data for the period 1872-1878 include births of Japanese nationals in Japan Proper and outside Japanese territory in so far as they were reported. Data for the period 1879-1898 include births of Japanese nationals in Japan Proper, Okinawa and outside Japanese territory. Data for 1899-1919 include births of Japanese nationals in Japan Proper and Okinawa. Data for 1920-1948 refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births of Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.

3/ Data for 1872-1878 refer to deaths of Japanese nationals in Japan Proper and outside Japanese territory in so far as they were reported. Data for the period 1879-1898 refer to deaths of Japanese nationals in Japan Proper, Okinawa and outside Japanese territory. Data for 1899 to 1919 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1920 to 1948 refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.

4/ Deaths under 1 year of age.

5/ Available data for the period 1893-1898 refer to events to Japanese nationals in Japan Proper, Okinawa and outside Japanese territory. Data for 1899 to 1919 refer to events to Japanese nationals in Japan Proper and Okinawa. Data for 1920 to 1948 refer only to events to Japanese nationals in Japan Proper. Prior to 1925, data include all stillbirths reported. Data for 1925-1948 refer to stillbirths after the third month.

"NA" indicates data are not available.

SOURCES:

1872-1919: Annual Report, Cabinet Bureau of Statistics, 1943.
1920-1943: Annual Reports, Cabinet Bureau of Statistics.

Footnotes Continued

Footnotes - Cont'd.

1944: Unpublished tabulations, Cabinet Bureau of Statistics.
1945: January-July: Unpublished tabulations Cabinet Bureau of Statistics.
1945: August-December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.
1946: January-June: Unpublished tabulations Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan Proper.
1946: July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan.
1946: October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.
1947: July-December; 1948: Monthly Schedule Report, Ministry of Welfare.
1947death data: Final Annual Report, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 4. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGE AND DIVORCE RATES: JAPAN, 1872 - 1948

Year	Live Births	Deaths	2/Infant Deaths	Stillbirths	Marriages	Divorces
*1948	33.8	12.0	61.5	53.2	12.0	1.0
*1947	34.8	14.6	76.2	45.7	12.1	1.0
1946	25.3	17.6	NA	42.1	NA	NA
1945	23.2	29.2	NA	NA	NA	NA
1944	29.2	17.4	NA	NA	NA	NA
1943	30.3	16.3	87.0	41.5	10.0	0.7
1942	30.3	15.8	85.8	43.1	9.2	0.6
1941	31.1	15.7	84.4	45.7	10.8	0.7
1940	29.4	16.4	90.4	48.6	9.2	0.7
1939	26.6	17.8	106.7	52.1	7.7	0.6
1938	27.1	17.7	115.0	52.1	7.5	0.6
1937	30.8	17.0	106.2	51.5	9.5	0.6
1936	30.0	17.5	117.2	53.2	7.8	0.7
1935	31.7	16.8	107.1	53.2	8.0	0.7
1934	30.0	18.1	125.3	55.7	7.5	0.7
1933	31.5	17.7	121.7	54.2	7.2	0.7
1932	32.9	17.7	117.9	55.2	7.8	0.8
1931	32.2	19.0	132.0	55.8	7.6	0.8
1930	32.4	18.2	124.5	56.9	7.9	0.8
1929	32.8	19.9	142.6	56.7	7.8	0.8
1928	34.1	19.8	138.2	56.7	8.0	0.8
1927	33.5	19.7	142.3	57.1	7.9	0.8
1926	34.7	19.1	138.0	59.4	8.3	0.8
1925	35.0	20.3	142.8	60.0	8.7	0.9

Table 4, Pg. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 4. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGE AND DIVORCE RATES: JAPAN: 1872 - 1948 - Cont'd.

Year	Live Births	Deaths	2/ Infant Deaths	Stillbirths	Marriages	Divorces
1924	34.0	21.4	156.9	63.4	8.7	0.9
1923	35.2	23.0	164.2	66.0	8.8	0.9
1922	34.4	22.5	167.2	67.7	9.0	0.9
1921	35.2	22.8	169.2	70.0	9.2	0.9
1920	36.3	25.4	166.2	71.6	9.8	1.0
1919	31.6	22.8	170.5	74.7	8.5	1.0
1918	32.2	26.8	188.6	79.5	9.0	1.0
1917	32.3	21.4	179.2	77.4	8.0	1.0
1916	32.7	21.5	170.3	77.6	7.9	1.1
1915	33.1	20.1	160.4	78.5	8.2	1.1
1914	33.7	20.5	158.5	80.6	8.4	1.1
1913	33.2	19.4	152.1	84.1	8.2	1.1
1912	33.3	19.9	154.2	84.9	8.3	1.1
1911	34.0	20.3	158.4	88.9	8.4	1.1
1910	33.9	21.1	161.2	91.9	8.7	1.2
1909	33.9	21.9	167.3	95.4	8.8	1.2
1908	33.7	20.9	158.0	97.8	9.4	1.2
1907	33.1	20.9	151.3	98.4	8.9	1.3
1906	28.9	19.8	153.6	107.4	7.3	1.4
1905	30.5	21.1	151.7	97.8	7.4	1.3
1904	30.6	20.3	151.9	102.1	8.5	1.4
1903	32.0	20.0	152.4	103.3	8.0	1.4
1902	32.9	20.9	154.0	104.4	8.6	1.4
1901	33.1	20.4	149.9	103.5	8.3	1.4
1900	31.7	20.3	155.0	97.1	7.7	1.4

TABLE 4. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGES AND DIVORCE RATES: JAPAN, 1872 - 1948 - Cont'd.

Year	Live Births	Deaths	2/Infant Deaths	Stillbirths	Marriages	Divorces
1899	31.3	21.1	153.8	97.9	6.7	1.5
1898	31.3	20.4	NA	91.9	10.8	2.3
1897	30.9	20.3	NA	97.5	8.5	2.9
1896	30.0	21.4	NA	99.2	11.8	2.7
1895	29.5	20.2	NA	94.0	8.7	2.6
1894	28.9	20.1	NA	93.6	8.6	2.7
1893	28.5	22.7	NA	92.4	8.7	2.8
1892	29.4	21.6	NA	87.4	8.5	2.8
1891	26.7	21.0	NA	84.1	8.0	2.8
1890	28.3	20.4	NA	80.1	8.0	2.7
1889	30.2	20.2	NA	70.5	8.5	2.7
1888	29.6	19.0	NA	66.1	8.3	2.8
1887	27.1	19.3	NA	57.5	8.6	2.8
1886	27.3	24.4	NA	55.5	8.2	3.1
1885	27.1	23.4	NA	NA	6.9	3.0
1884	26.0	18.8	NA	NA	7.7	2.9
1883	27.2	18.3	NA	NA	9.1	3.4
1882	25.1	18.2	NA	NA	NA	NA
1881	25.9	18.9	NA	NA	NA	NA
1880	24.6	16.8	NA	NA	NA	NA
1879	24.5	20.2	NA	NA	NA	NA
1878	25.1	17.3	NA	NA	NA	NA
1877	25.7	17.9	NA	NA	NA	NA
1876	26.3	17.9	NA	NA	NA	NA
1875	25.6	19.3	NA	NA	NA	NA
1874	24.9	20.7	NA	NA	NA	NA
1873	23.9	19.5	NA	NA	NA	NA
1872	17.2	12.2	NA	NA	NA	NA

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 4. - 1/ LIVE BIRTH, DEATH, INFANT DEATH, STILLBIRTH, MARRIAGE AND DIVORCE RATES: JAPAN, 1872 - 1948 - Continued.

* All 1948 data are provisional. All 1947 data are provisional except deaths. Death data for 1947 have been corrected by the Final Annual Report, Ministry of Welfare.

1/ Birth, death, marriage and divorce rates are the number of events per 1,000 population. Infant deaths and stillbirth rates are the number of events per 1,000 live births in the corresponding period.

Population data refer to the total population including military personnel in the country. Data are for Japan Proper, 1872-1878; Japan Proper and Okinawa, 1879-1919; Japan Proper, 1920-1948.

Tabulations of births, deaths, infant deaths, stillbirths, marriages and divorces include events to Japanese nationals in Japan Proper, and outside Japanese territory, 1879-1898; to Japanese nationals in Japan Proper and Okinawa, 1899-1919; to Japanese nationals in Japan Proper, 1920-1948 except as follows. A small number of births and deaths of foreigners in Japan Proper and of Japanese nationals outside Japan is included. January through July, 1945. A small number of births of Japanese nationals outside Japan is also included, August through December, 1945.

2/ Deaths under 1 year of age.

"NA" indicates that data are not available.

SOURCES:

Rates for the period 1920-1948 were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

1872-1919: Annual Report, Cabinet Bureau of Statistics, 1943.
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1944: Unpublished tabulations, Cabinet Bureau of Statistics.
1945, January-July: Unpublished tabulations Cabinet Bureau of Statistics.
1945, August-December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.
1946, January-June: Unpublished tabulations Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan Proper.
1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births and deaths of Japanese nationals outside Japan.
1946, October-December: 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.
1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.
1947 death data: Final Annual Report, Ministry of Welfare.

TABLE 5 - LIVE BIRTHS BY MONTH: JAPAN, 1920-1948

Year	Total Births	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
*1948	2,709,871	314,700	260,481	257,373	224,293	201,575	187,732	205,602	215,083	215,088	218,017	219,476	190,451
*1947	2,714,786	294,363	227,260	238,616	211,188	201,070	197,747	230,086	240,709	235,896	232,559	213,186	192,106
1946	1,905,809	154,302	140,101	136,375	121,785	123,692	134,564	160,738	175,423	192,171	188,738	194,891	189,029
1945	1,685,583	161,644	177,999	176,192	150,876	135,037	109,525	123,029	140,616	139,361	138,261	118,021	115,022
1944	2,149,843	267,988	228,286	222,372	190,640	164,078	145,768	157,087	165,575	168,113	163,847	148,513	127,576
1943	2,235,431	253,553	207,592	217,563	176,012	147,434	141,475	168,224	188,766	192,207	192,063	184,658	165,884
1942	2,216,271	285,871	217,385	217,925	173,269	154,365	147,694	169,299	176,726	175,561	174,172	169,898	154,106
1941	2,260,270	268,203	208,016	214,430	165,911	152,945	150,952	176,047	185,479	182,491	190,271	194,089	171,436
1940	2,100,164	258,945	197,722	208,721	160,180	142,478	140,922	153,282	160,722	171,266	172,681	179,205	154,040
1939	1,885,957	245,668	179,701	188,036	135,450	123,170	116,527	133,017	144,914	154,811	160,123	170,762	133,778
1938	1,911,966	266,549	200,548	213,568	155,871	133,557	115,584	131,332	138,549	138,541	143,239	149,559	125,069
1937	2,164,949	267,576	206,140	230,910	161,776	150,133	134,792	148,582	164,430	173,449	183,523	189,598	154,040
1936	2,086,355	281,904	210,962	222,847	158,073	146,460	133,268	153,366	160,354	160,212	158,969	162,930	137,010
1935	2,174,291	264,667	212,295	235,046	155,739	145,293	130,154	147,086	164,496	182,247	185,231	199,171	152,866
1934	2,028,289	251,918	198,212	230,952	151,651	143,470	129,883	145,426	156,553	159,131	159,796	164,823	136,474
1933	2,106,260	277,127	205,425	239,689	152,493	142,099	129,667	146,903	156,493	160,768	171,155	173,748	150,693
1932	2,168,026	249,962	208,319	254,133	159,222	155,192	138,751	152,827	161,938	170,421	184,740	191,915	140,606
1931	2,088,608	271,488	203,340	248,052	150,241	143,659	134,746	153,307	159,990	162,321	162,159	162,355	136,950
1930	2,070,765	246,218	198,538	240,845	145,512	135,552	129,830	148,399	159,228	173,430	169,061	182,399	141,753
1929	2,061,720	261,393	207,449	248,145	145,022	141,523	127,969	144,209	153,784	157,378	162,956	170,292	141,600
1928	2,120,493	252,914	206,541	254,685	143,463	141,528	135,082	154,857	161,654	171,307	176,487	181,495	140,480
1927	2,045,828	259,968	207,895	248,982	143,687	141,549	125,727	140,152	155,574	162,095	164,200	166,397	129,602
1926	2,089,237	249,006	203,349	256,453	146,470	156,039	134,319	141,625	153,500	158,142	168,881	179,175	142,278
1925	2,071,560	258,511	199,849	250,857	136,982	137,794	126,807	142,828	153,790	179,770	166,222	163,992	154,158
1924	1,984,326	257,038	206,821	243,573	129,519	122,726	110,962	134,628	152,253	156,467	169,333	170,550	136,456
1923	2,028,955	251,155	204,701	263,687	136,291	131,130	120,568	137,667	149,813	158,990	167,972	171,323	135,658
1922	1,953,560	250,081	202,565	249,233	129,173	130,368	118,218	132,572	145,004	155,318	159,104	156,916	125,008
1921	1,976,055	244,793	198,491	250,934	125,784	128,754	119,928	137,875	147,023	153,905	163,859	170,352	134,357
1920	2,011,634	252,060	205,910	258,405	133,905	136,834	124,888	140,520	153,673	174,586	144,041	157,800	129,012

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 5 - LIVE BIRTHS BY MONTH: JAPAN, 1920-1948 - Cont'd.

Footnotes

*Data for 1947 and 1948 are provisional.

Data refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births of Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.

Sources:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki Offices, and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon Numeric Reports transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 6 - LIVE BIRTH RATES BY MONTH: JAPAN, 1920-1948
(Rates per 1,000 population)

Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
*1948	33.8	46.3	41.0	37.9	34.1	29.7	28.6	30.3	31.7	32.7	32.1	33.4	28.0
*1947	34.8	44.4	38.0	36.0	32.9	30.4	30.8	34.7	36.3	36.8	35.1	33.3	29.0
1946	25.3	24.1	24.3	21.3	19.7	19.3	21.7	25.1	27.4	31.1	29.5	31.5	28.6
1945	23.2	26.3	32.0	28.6	25.3	21.9	18.4	20.0	22.8	23.4	22.5	19.8	18.7
1944	29.2	43.0	39.1	35.7	31.6	26.3	24.2	25.2	26.6	27.9	26.3	24.6	20.5
1943	30.3	40.5	36.7	34.8	29.1	23.6	23.4	26.9	30.2	31.7	30.7	30.5	26.5
1942	30.3	46.0	38.7	35.1	28.8	24.8	24.5	27.2	28.4	29.2	28.0	28.2	24.8
1941	31.1	43.5	37.4	34.8	27.8	24.8	25.3	28.6	30.1	30.6	30.9	32.5	27.8
1940	29.4	42.7	34.9	34.4	27.3	23.5	24.0	25.3	26.5	29.2	28.5	30.6	25.4
1939	26.6	40.8	33.0	31.2	23.2	20.5	20.0	22.1	24.1	26.6	26.6	29.3	22.2
1938	27.1	44.5	37.0	35.6	26.9	22.3	19.9	21.9	23.1	23.9	23.9	25.8	20.9
1937	30.8	44.8	38.2	38.6	28.0	25.1	23.3	24.8	27.5	30.0	30.7	32.8	25.8
1936	30.0	47.8	38.3	37.8	27.7	24.8	23.4	26.0	27.2	28.1	27.0	28.6	23.2
1935	31.7	45.4	40.3	40.3	27.6	24.9	23.1	25.2	28.2	32.3	31.8	35.3	26.2
1934	30.0	43.8	38.2	40.2	27.3	25.0	23.3	25.3	27.2	28.6	27.8	29.6	23.7
1933	31.5	48.8	40.1	42.2	27.8	25.0	23.6	25.9	27.6	29.3	30.2	31.6	26.6
1932	32.9	44.9	40.0	45.6	29.5	27.8	25.7	27.4	29.1	31.6	33.1	35.6	25.2
1931	32.2	49.3	40.9	45.1	28.2	26.1	25.3	27.9	29.1	30.5	29.5	30.5	24.9
1930	32.4	45.4	40.5	44.4	27.7	25.0	24.7	27.4	29.4	33.0	31.2	34.7	26.1
1929	32.8	48.9	43.0	46.5	28.1	26.5	24.8	27.0	28.8	30.4	30.5	32.9	26.5
1928	34.1	48.1	42.0	48.4	28.2	26.9	26.5	29.4	30.7	33.7	33.6	35.7	26.7
1927	33.5	50.1	44.4	48.0	28.6	27.3	25.0	27.0	30.0	32.3	31.6	33.1	25.0
1926	34.7	48.7	44.0	50.2	29.6	30.5	27.1	27.7	30.0	32.0	33.0	36.2	27.8
1925	35.0	51.4	44.0	49.9	28.2	27.4	26.1	28.4	30.6	37.0	33.1	33.8	30.7
1924	34.0	52.1	44.8	49.3	25.8	24.9	23.2	27.3	30.8	32.7	34.9	35.7	27.6
1923	35.2	51.3	46.3	53.9	28.8	26.8	25.5	28.1	30.6	33.6	34.3	36.2	27.7
1922	34.4	51.8	46.5	51.7	27.7	27.0	25.3	27.5	30.1	33.3	33.0	33.6	25.9
1921	35.2	51.4	46.1	52.7	27.3	27.0	26.0	28.9	30.9	33.4	34.4	36.9	28.2
1920	36.3	53.7	46.9	55.1	29.5	29.2	27.5	30.0	32.8	38.5	30.7	34.8	27.5

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 6 - LIVE BIRTH RATES BY MONTH: JAPAN, 1920-1948 - Cont'd.

Footnotes

*Data for 1947 and 1948 are provisional.

Rates are the number of births per 1,000 population and are computed on an annual basis. Birth data refer to births to Japanese nationals in Japan Proper, except in 1945. A small number of births to Japanese nationals outside Japan Proper is included for the year 1945 and a small number of births to foreigners in Japan Proper is included, January through July, 1945. Population data refer to the total population, including military personnel, in Japan Proper.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Populations were estimated by Public Health and Welfare Section, GHQ, SCAP. Estimates were based upon census data, net natural increase and migration to and from Japan Proper. Data for 1920-1945 are as of 1 October. Estimates for 1946-1948 are as of 1 July.

Sources of birth statistics are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki Offices, and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon Numeric Reports transmitted by Koseki Offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October-December; 1947, January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947, July-December; 1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 7. - LIVE BIRTHS BY PREFECTURES: JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gunma
*1948	2,709,871	110,905	44,005	47,064	67,326	53,501	26,106	119,550	72,032	53,319	52,414
*1947	2,714,786	105,110	48,212	49,242	74,706	53,195	25,543	111,508	72,361	51,626	55,106
1946	1,905,809	77,774	35,611	34,099	54,405	38,979	15,191	80,165	47,796	34,373	43,647
1945	1,685,583	71,448	33,828	31,770	40,553	36,772	14,978	60,547	47,103	34,841	36,111
1944	2,149,843	99,625	35,166	36,610	51,739	38,693	19,577	87,674	53,863	40,569	41,667
1943	2,235,431	98,621	36,761	38,566	50,557	34,899	20,291	87,192	53,834	39,110	42,548
1942	2,216,271	100,428	38,201	38,121	49,375	36,524	20,376	87,536	51,892	39,604	42,744
1941	2,260,270	98,730	36,794	37,409	49,675	38,679	19,389	95,411	52,886	39,385	42,488
1940	2,100,164	93,519	36,128	36,292	46,394	35,780	18,045	85,833	54,290	40,305	42,264
1939	1,885,957	82,235	33,787	32,191	43,532	33,367	16,338	77,801	48,270	35,485	36,358
1938	1,911,966	80,507	37,470	36,559	43,178	32,674	16,982	73,619	51,421	36,380	37,921
1937	2,164,949	90,905	39,669	41,898	50,830	39,000	20,399	85,722	56,596	42,270	41,997
1936	2,086,355	87,859	40,737	37,949	49,272	36,341	20,606	78,941	53,045	40,176	39,968
1935	2,174,291	89,574	41,722	41,046	50,917	38,367	20,550	83,422	56,059	41,446	42,171
1934	2,028,289	85,909	39,401	38,542	47,241	35,822	19,246	77,296	53,686	40,365	39,836
1933	2,106,260	86,140	40,185	39,367	49,171	38,291	21,132	79,060	54,202	40,740	40,172
1932	2,168,026	89,095	41,745	40,101	49,430	39,630	21,093	82,360	57,226	43,103	41,769
1931	2,088,608	83,333	40,277	37,756	51,206	38,304	21,056	79,887	53,739	40,063	39,921
1930	2,070,765	83,762	41,753	38,483	47,721	38,066	20,580	74,807	55,117	41,951	41,509
1929	2,061,720	83,811	38,190	36,291	48,097	38,523	20,784	76,955	54,433	41,804	40,167
1928	2,120,493	85,570	40,844	38,950	50,497	39,320	21,553	78,012	55,256	42,483	41,130
1927	2,045,828	80,863	40,866	37,225	48,710	37,534	20,870	73,708	54,490	41,911	40,442
1926	2,089,237	83,588	39,547	36,157	50,893	39,281	22,052	75,607	56,281	43,042	42,476
1925	2,071,560	80,979	39,754	36,778	50,544	38,560	21,781	74,958	54,679	42,289	41,405
1924	1,984,326	78,598	39,435	35,321	47,384	36,611	22,001	71,405	52,633	41,047	39,691
1923	2,028,955	80,087	39,367	36,184	49,403	39,931	21,814	73,726	54,062	42,353	40,602
1922	1,953,560	74,374	37,272	33,936	45,742	37,182	21,799	70,469	50,398	39,951	39,173
1921	1,976,055	74,855	38,676	35,170	49,208	37,846	23,323	70,341	52,089	40,612	38,242
1920	2,011,634	77,301	39,762	37,071	48,520	38,521	24,243	70,370	54,268	43,305	41,618

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 7. - LIVE BIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	62,385	154,763	103,478	67,624	34,501	47,301	33,968	63,746	73,661	27,460	61,264	54,783
*1947	68,311	143,372	99,289	70,358	37,504	46,655	34,616	59,783	76,110	28,920	62,135	54,471
1946	48,453	114,773	65,821	51,895	23,796	35,216	22,976	44,541	48,179	21,005	46,235	33,243
1945	46,397	93,415	60,429	45,005	20,923	32,348	20,895	39,898	38,525	18,692	39,204	29,726
1944	56,321	109,367	89,996	51,817	24,647	38,754	22,835	46,497	65,486	20,237	41,954	42,088
1943	54,273	118,626	90,780	51,556	24,032	40,505	21,131	48,668	74,661	18,703	41,067	45,269
1942	55,453	112,690	91,881	50,729	24,983	38,938	22,420	47,931	70,107	19,695	40,599	45,820
1941	55,306	114,429	93,749	51,712	23,463	39,771	22,290	52,388	70,810	20,162	42,832	46,897
1940	49,336	107,897	79,719	51,929	21,279	39,993	20,771	49,681	62,232	17,936	39,847	41,745
1939	42,818	98,146	69,165	45,148	19,398	35,503	19,303	48,505	53,062	16,917	37,306	35,965
1938	44,515	105,309	69,424	47,305	19,664	38,628	19,789	46,480	50,026	16,876	38,179	36,982
1937	51,934	107,609	81,145	53,391	22,862	40,860	24,165	53,652	55,113	19,896	44,140	43,636
1936	49,875	103,311	79,053	50,166	24,386	40,394	23,022	49,062	53,926	18,473	41,059	43,106
1935	53,426	109,941	82,133	53,532	23,958	40,429	24,502	52,386	55,404	20,867	43,424	44,449
1934	47,794	104,782	74,065	48,926	23,133	39,586	22,080	50,476	48,807	19,370	42,130	41,112
1933	52,434	103,074	79,658	50,346	25,520	38,157	25,295	51,765	52,278	21,468	43,650	43,098
1932	54,498	107,303	82,889	52,253	25,540	40,565	25,791	52,536	51,009	21,717	44,647	45,211
1931	52,424	103,478	79,111	50,860	25,115	37,462	25,315	51,100	51,904	21,153	43,006	42,598
1930	50,694	105,205	77,506	50,445	24,786	38,425	24,164	50,227	49,837	21,461	42,915	41,765
1929	52,871	100,005	77,459	51,015	24,920	37,804	24,900	51,048	49,423	22,000	43,364	42,313
1928	53,726	103,510	81,444	52,247	25,863	38,148	25,788	51,262	50,911	22,841	44,207	43,369
1927	52,696	99,544	76,452	50,439	25,468	37,489	24,346	51,528	48,362	22,077	43,203	40,547
1926	54,873	98,669	80,608	53,465	26,262	38,088	26,350	46,619	47,065	22,905	43,898	42,920
1925	54,559	98,182	77,232	50,937	26,851	37,017	24,485	51,247	50,549	22,715	43,602	41,654
1924	52,386	97,852	76,176	50,739	26,375	35,631	24,526	48,831	41,962	22,204	41,716	40,743
1923	54,614	97,222	78,991	51,506	25,376	36,810	26,069	50,498	43,093	23,338	43,360	40,860
1922	53,870	97,024	75,931	49,668	25,713	34,903	25,254	49,996	44,610	21,554	41,137	40,434
1921	54,714	95,208	78,292	49,439	28,550	35,281	25,982	46,661	45,300	21,765	40,559	39,615
1920	55,035	97,496	77,552	52,291	28,673	37,492	27,554	48,301	44,087	22,935	41,874	40,788

TABLE 7. - LIVE BIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
*1948	47,459	56,699	41,261	60,594	57,903	23,534	82,482	43,923	52,899	113,163	33,027	70,838
*1947	46,574	56,050	38,988	62,723	53,832	24,308	86,685	42,803	54,051	107,854	32,301	77,626
1946	32,561	37,046	27,193	46,273	40,388	15,640	59,466	32,250	40,023	65,982	24,590	56,544
1945	30,437	35,506	21,783	47,873	31,212	13,623	60,036	29,402	36,200	57,445	21,773	44,127
1944	38,246	41,640	27,040	51,711	43,175	16,359	63,302	31,129	39,427	110,372	21,800	53,387
1943	35,049	42,766	26,595	48,444	41,307	16,265	65,423	29,814	38,333	128,118	20,633	54,099
1942	34,941	41,748	26,686	50,218	42,956	16,313	64,451	29,909	37,540	126,294	21,592	51,047
1941	35,980	41,562	29,505	49,180	44,995	17,270	65,759	31,346	39,351	136,884	22,462	52,296
1940	35,163	42,219	26,063	51,236	41,348	16,521	63,825	28,758	34,063	113,912	21,003	49,211
1939	30,441	39,385	24,769	45,720	39,107	13,884	60,619	26,841	30,210	99,364	20,132	45,509
1938	32,627	41,323	25,172	47,859	37,924	14,614	63,459	27,449	32,051	95,184	19,050	45,960
1937	37,377	46,068	29,115	52,614	41,880	17,684	70,135	33,265	38,924	106,339	23,262	51,690
1936	36,744	43,922	26,759	50,891	39,876	17,260	69,946	29,989	37,389	103,130	21,211	50,777
1935	37,796	45,039	28,450	53,314	41,373	18,026	71,303	32,262	38,499	105,202	23,041	53,679
1934	36,409	44,812	26,080	51,351	39,138	17,340	66,071	30,587	34,322	94,505	21,963	47,860
1933	37,730	43,103	27,624	52,472	39,919	17,909	70,303	32,350	38,870	97,112	23,034	50,606
1932	39,344	46,126	27,349	55,324	41,483	18,871	71,798	32,025	40,557	102,608	24,037	50,731
1931	36,827	43,361	25,991	52,317	39,610	17,992	70,596	32,197	38,573	93,253	23,786	51,042
1930	38,797	43,118	25,515	55,193	33,310	18,028	71,021	30,778	37,447	92,973	22,856	49,640
1929	39,009	43,278	25,635	54,304	40,058	17,930	68,494	31,892	38,168	91,229	23,860	49,311
1928	39,625	43,195	24,949	55,451	38,663	19,531	71,458	31,607	38,772	96,194	24,030	51,455
1927	37,720	42,848	24,215	54,300	38,589	18,435	68,859	30,823	36,698	88,603	23,888	50,936
1926	40,082	43,267	24,612	56,908	38,368	19,760	70,399	32,169	39,861	92,384	24,084	53,467
1925	39,350	42,693	23,854	54,546	38,675	19,065	70,171	32,334	37,783	86,494	25,359	51,954
1924	37,296	40,967	22,721	54,061	37,345	19,070	68,787	30,423	36,631	85,284	23,369	49,857
1923	39,614	42,292	22,876	52,888	38,544	20,330	68,894	31,902	38,950	86,555	25,194	52,036
1922	37,714	38,757	22,479	51,902	37,623	19,278	67,571	29,835	36,710	82,128	23,604	48,915
1921	37,699	39,958	21,744	51,147	37,400	19,370	70,005	29,851	38,198	79,837	23,884	50,078
1920	39,297	41,325	23,162	55,201	37,167	20,494	70,141	30,936	39,726	78,622	24,811	51,375

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 7. - LIVE BIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
*1948	27,474	30,638	83,600	54,397	32,233	164,867	20,011	35,962	30,101	42,286	48,224	25,140
*1947	26,086	32,710	82,305	55,732	31,859	161,070	19,478	41,627	31,127	44,280	49,813	26,771
1946	19,561	21,579	56,164	41,109	21,172	102,030	13,432	25,871	20,001	33,051	36,991	18,719
1945	17,745	20,557	53,455	35,846	19,801	75,475	13,227	24,810	19,157	34,223	29,547	18,915
1944	19,613	21,947	66,499	38,506	22,515	170,711	13,836	29,441	23,349	35,173	35,582	19,901
1943	19,724	21,856	63,613	38,171	21,106	238,061	13,462	27,680	22,448	35,089	35,467	20,258
1942	19,721	22,301	63,080	37,474	23,189	223,583	13,063	28,406	23,489	35,744	36,269	20,210
1941	18,946	21,967	63,893	38,739	23,173	223,337	14,316	27,847	23,825	35,393	37,130	20,463
1940	19,222	20,161	63,516	38,842	21,193	198,555	12,980	25,805	21,253	36,384	33,002	20,714
1939	16,311	19,496	55,357	34,671	21,079	165,548	11,710	23,110	19,599	34,297	28,690	19,148
1938	17,590	19,489	56,902	36,107	20,594	157,466	12,799	23,052	20,519	36,442	28,794	19,652
1937	21,193	23,694	63,720	41,126	24,942	172,171	14,702	26,892	24,135	40,387	34,114	21,831
1936	20,521	22,292	63,244	39,735	23,513	170,620	14,584	28,231	23,397	39,214	32,041	20,342
1935	21,305	24,019	65,427	41,799	24,382	175,890	14,625	27,737	24,490	41,073	34,241	21,594
1934	20,349	22,219	63,624	39,219	23,473	154,044	13,907	26,636	23,084	39,438	31,881	20,372
1933	20,613	23,220	63,043	40,388	25,043	164,067	14,839	29,041	25,065	40,186	33,703	20,817
1932	21,984	24,264	65,150	41,235	25,284	161,178	15,483	29,298	25,952	42,179	34,656	21,599
1931	21,173	23,116	65,023	39,825	24,232	158,235	15,152	28,454	24,479	39,275	33,782	21,249
1930	21,334	22,276	62,301	40,726	24,132	151,493	14,900	28,399	24,744	42,403	32,287	20,925
1929	20,825	23,027	63,173	40,134	24,676	147,889	15,265	28,161	24,319	40,062	33,642	21,202
1928	22,319	23,372	66,374	41,308	24,926	152,251	14,994	29,092	26,390	41,824	34,088	21,694
1927	21,315	22,558	62,082	40,778	23,881	145,653	15,234	28,794	24,876	41,112	32,983	21,878
1926	21,948	23,542	64,655	41,500	25,932	137,856	15,817	29,305	25,977	42,584	34,342	19,772
1925	21,638	23,698	64,976	41,766	24,215	144,230	15,641	29,625	24,980	41,133	34,194	22,429
1924	21,913	22,173	61,061	40,155	23,530	123,526	15,387	29,006	24,333	40,931	31,957	21,276
1923	22,215	23,551	62,887	41,334	25,496	117,705	15,706	28,525	26,364	41,395	33,295	21,141
1922	21,674	22,735	58,395	40,703	23,525	120,670	15,345	27,386	24,890	38,653	32,292	20,386
1921	22,015	23,467	60,289	39,986	24,223	120,742	15,486	29,783	25,023	40,115	33,062	20,965
1920	22,524	23,703	59,318	41,337	25,378	110,131	15,428	30,201	26,267	40,685	33,039	21,909

See footnotes next page.

TABLE 7. - LIVE BIRTHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

* Data for 1947 and 1948 are provisional.

Data refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births of Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.

Sources:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1944 - 1945: Unpublished tabulations, Cabinet Bureau of Statistics.

1946, January - June: Unpublished tabulation, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October - December; 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948
(Rates per 1,000 population)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gumma
*1948	33.8	34.4	34.3	38.6	31.5	36.1	35.6	36.1	35.6	35.0	32.6
*1947	34.8	33.7	38.4	41.8	35.4	36.6	35.2	35.1	36.4	34.6	35.1
1946	25.3	25.9	28.9	30.4	26.3	27.4	21.2	26.8	24.2	23.1	27.8
1945	23.2	24.8	27.7	29.1	20.5	26.8	20.5	21.9	23.9	22.8	23.2
1944	29.2	29.9	33.0	35.6	30.7	32.1	31.0	28.2	30.2	31.6	31.1
1943	30.3	29.1	36.3	39.0	31.5	29.1	31.6	27.4	33.6	29.7	32.1
1942	30.3	30.9	36.8	38.2	31.2	31.2	32.1	27.4	32.1	31.4	32.8
1941	31.1	30.9	35.4	37.6	31.5	33.0	30.5	30.4	32.8	31.3	32.8
1940	29.4	29.9	34.8	36.8	29.6	30.8	28.4	28.1	33.9	32.3	33.0
1939	26.6	27.2	32.0	31.8	27.7	28.8	24.9	27.1	30.1	29.0	28.8
1938	27.1	26.8	35.6	36.3	27.5	28.1	25.9	25.8	32.1	29.4	30.1
1937	30.8	30.6	37.6	41.9	32.3	33.3	31.1	30.2	35.2	34.1	33.3
1936	30.0	30.1	38.9	38.5	31.6	31.1	31.6	28.2	33.3	32.5	31.9
1935	31.7	31.3	40.2	42.4	32.9	32.9	31.8	30.3	35.4	33.8	33.9
1934	30.0	31.0	38.3	41.2	30.9	30.4	30.3	28.5	34.3	33.2	32.1
1933	31.5	31.7	39.4	42.7	32.4	32.7	33.5	29.6	34.9	33.7	32.7
1932	32.9	33.4	41.4	44.2	33.0	34.1	33.6	31.4	37.2	36.0	34.4
1931	32.2	31.9	40.4	42.3	34.5	33.3	33.8	31.1	35.3	33.7	33.3
1930	32.4	32.6	42.3	43.7	32.5	33.3	33.3	29.6	36.5	35.6	35.0
1929	32.8	33.1	39.1	41.8	32.8	33.6	34.5	31.8	36.0	35.0	33.9
1928	34.1	34.4	42.2	45.5	34.8	34.6	35.8	32.6	36.9	35.9	35.1
1927	33.5	33.3	42.7	44.3	34.0	33.4	34.7	31.2	36.9	36.0	35.1
1926	34.7	35.2	41.7	43.7	35.9	35.4	36.8	32.4	38.6	37.4	37.4
1925	35.0	34.9	42.5	45.2	36.1	35.2	36.4	32.6	38.0	37.3	37.0
1924	34.0	35.6	42.5	44.8	34.6	34.1	36.5	29.4	36.8	37.0	35.7
1923	35.2	36.8	42.9	46.5	36.9	37.5	36.4	31.1	38.4	38.7	37.2
1922	34.4	34.5	40.9	44.1	34.2	35.2	36.5	30.6	36.2	36.8	36.4
1921	35.2	35.3	42.7	46.1	36.8	36.0	39.0	31.3	37.8	37.7	35.9
1920	36.3	37.0	44.3	49.0	36.3	36.8	40.5	32.2	39.8	40.5	39.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	30.5	38.5	32.8	33.1	36.6	36.6	36.4	36.1	31.8	31.7	34.3	30.7
*1947	34.0	37.3	32.5	35.0	40.5	37.0	37.8	34.3	34.4	34.1	35.2	31.4
1946	24.7	32.0	22.6	26.0	26.4	28.1	25.6	26.5	23.2	25.6	27.5	19.9
1945	24.4	26.4	21.3	23.0	23.4	26.2	24.0	25.8	20.5	23.9	25.0	18.4
1944	28.3	33.0	27.5	30.8	32.6	34.6	31.5	28.7	26.1	28.8	30.1	25.3
1943	26.8	35.7	27.5	31.2	32.1	36.6	29.6	31.9	28.4	26.1	31.3	24.9
1942	29.5	34.0	27.7	31.2	33.4	35.5	31.4	30.7	30.3	28.2	30.3	26.6
1941	29.6	34.9	28.8	32.0	31.3	36.4	31.0	33.3	31.6	28.8	31.7	27.3
1940	26.8	33.4	25.1	32.5	28.5	37.0	28.8	31.7	28.8	25.6	29.5	24.5
1939	23.1	30.7	22.5	28.8	25.4	32.9	25.9	30.6	27.0	24.2	26.9	20.2
1938	24.1	33.1	22.8	30.2	25.7	36.0	26.5	29.2	25.7	24.0	27.5	20.9
1937	28.1	34.0	26.8	34.0	29.7	38.1	32.1	33.5	28.6	28.0	31.6	24.8
1936	27.3	33.1	26.5	32.1	31.7	38.1	30.6	30.7	28.6	25.9	29.5	24.9
1935	29.6	35.8	28.1	34.6	31.2	38.6	32.7	32.9	30.1	29.2	31.3	26.1
1934	27.3	34.2	26.4	31.5	30.3	38.2	29.1	31.0	27.4	26.0	30.0	24.6
1933	30.1	34.3	38.8	32.8	33.5	37.3	33.6	32.1	30.0	29.1	31.4	26.2
1932	31.6	36.5	30.4	34.4	33.6	40.3	34.5	33.0	30.0	29.7	32.4	28.0
1931	30.7	36.0	29.5	33.8	33.1	37.8	34.2	32.5	31.3	29.2	31.5	26.9
1930	30.0	37.4	29.3	33.9	32.7	39.4	33.0	32.3	30.8	29.9	31.7	26.9
1929	31.2	37.9	29.7	34.7	32.8	39.6	34.3	33.3	32.8	31.1	31.9	27.8
1928	32.0	39.7	31.7	35.8	34.1	40.4	35.8	33.7	34.2	32.4	32.8	29.0
1927	31.8	38.7	30.2	35.0	33.7	40.3	34.1	34.3	33.0	31.6	32.5	27.7
1926	33.5	38.9	32.3	37.5	34.8	41.6	37.2	31.3	32.6	33.0	33.4	29.9
1925	33.7	39.3	31.5	36.1	35.8	41.1	35.0	34.8	35.7	33.0	33.6	29.6
1924	33.2	34.7	30.7	35.8	34.8	40.6	36.6	32.8	32.2	32.5	33.2	29.5
1923	34.9	36.0	32.5	37.0	33.8	42.4	38.6	34.3	31.4	34.3	34.7	30.2
1922	34.6	37.6	31.8	36.1	34.3	40.6	37.6	34.4	32.9	31.9	33.1	30.4
1921	35.3	38.6	33.4	36.2	38.1	41.4	38.5	32.5	33.8	32.3	32.8	30.3
1920	35.7	41.3	33.7	38.7	38.4	44.3	40.6	34.1	33.3	34.2	34.0	31.7

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
*1948	32.7	35.5	39.2	29.1	37.0	30.2	33.9	35.3	32.1	32.2	35.5	33.2
*1947	32.9	35.8	38.1	30.5	35.2	31.2	35.9	34.7	33.4	32.4	35.2	37.0
1946	23.0	24.6	27.6	22.2	27.7	20.4	24.8	27.2	25.3	21.5	27.9	27.1
1945	21.7	24.1	23.7	22.4	23.5	17.4	24.9	26.0	23.0	20.4	26.0	21.4
1944	31.1	32.2	31.7	30.9	28.5	26.6	31.3	31.5	29.1	24.6	30.4	31.9
1943	28.3	34.4	32.0	29.5	28.3	25.8	31.8	31.2	28.0	28.6	29.2	32.7
1942	29.4	33.1	31.9	29.9	31.0	26.6	31.4	31.3	28.5	25.5	31.0	31.6
1941	30.2	33.0	35.3	29.1	32.8	28.1	32.0	32.6	29.8	28.2	32.2	32.6
1940	29.7	33.7	31.4	30.4	30.6	27.0	31.3	30.0	26.0	24.1	30.4	31.0
1939	26.1	30.8	28.9	27.2	29.6	22.2	30.2	27.2	22.5	20.8	30.1	29.3
1938	27.9	32.5	29.6	28.4	28.8	23.3	31.6	27.8	23.9	20.3	28.3	29.7
1937	31.7	36.3	34.3	30.8	31.8	28.1	34.8	33.6	28.9	23.1	34.1	33.3
1936	31.2	35.1	32.0	29.7	30.5	27.6	34.9	30.4	27.9	23.2	31.0	32.9
1935	32.2	36.5	34.5	31.1	31.9	29.1	35.7	32.9	28.9	24.5	33.6	35.1
1934	30.4	36.6	31.9	28.7	30.3	28.6	33.0	31.5	26.0	24.1	31.5	31.6
1933	31.7	35.8	34.4	29.6	31.3	29.6	35.4	33.5	29.6	25.3	33.0	33.7
1932	33.4	39.0	34.7	31.5	32.9	31.4	36.5	33.4	31.1	27.5	34.6	34.1
1931	31.5	37.3	33.6	30.2	31.8	30.0	36.2	33.8	29.8	25.7	34.3	34.7
1930	33.5	37.7	33.6	32.1	27.0	30.2	36.7	32.5	29.2	26.3	33.0	34.0
1929	33.9	38.5	35.1	32.0	33.5	29.6	35.5	32.9	30.1	26.2	34.1	33.6
1928	34.7	39.1	34.5	32.9	32.4	32.5	37.4	33.0	30.7	28.4	34.4	35.4
1927	33.4	39.5	34.0	32.6	32.6	31.0	36.4	32.7	29.3	27.1	34.5	35.5
1926	35.8	40.6	35.1	34.5	32.7	33.5	37.6	34.6	31.9	29.1	34.9	37.8
1925	35.5	40.9	34.5	33.5	33.2	32.7	37.9	35.3	30.5	28.3	37.0	37.3
1924	34.3	41.5	32.6	33.0	31.6	33.3	37.8	34.9	29.5	28.6	34.7	36.4
1923	36.8	43.3	33.4	32.8	33.0	35.7	38.3	36.8	31.6	30.1	37.5	38.6
1922	35.1	39.9	33.4	32.6	32.5	34.0	37.8	34.6	29.9	29.6	35.2	36.6
1921	35.2	41.3	32.8	32.4	32.6	34.2	39.3	34.6	31.2	29.8	35.5	37.7
1920	36.8	43.0	35.6	35.3	32.7	36.3	39.5	36.0	32.6	30.4	36.8	38.9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd
(Rates per 1,000 population)

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
*1948	31.5	33.9	34.7	34.9	37.1	30.4	33.7	36.0	30.7	31.4	32.0	30.8
*1947	30.4	36.6	35.0	36.4	37.3	34.3	33.2	42.6	32.5	33.2	33.7	33.2
1946	22.9	24.7	24.1	26.5	24.8	23.7	23.4	26.9	20.8	24.8	26.1	22.8
1945	20.5	23.7	23.9	23.0	23.5	21.5	23.3	25.8	20.3	25.6	21.6	22.4
1944	27.9	29.6	32.3	31.5	31.5	23.1	28.6	35.4	27.1	32.0	25.8	30.9
1943	28.0	29.0	31.2	32.7	29.8	31.8	27.8	33.1	25.3	33.0	23.4	31.3
1942	28.6	30.6	31.2	31.5	32.9	29.0	27.5	34.5	27.5	32.6	27.4	30.7
1941	27.3	30.0	31.8	32.4	32.7	29.8	30.0	34.0	27.8	32.1	28.4	31.1
1940	27.7	27.6	31.9	32.6	29.9	26.5	27.2	31.8	24.9	33.0	25.9	31.7
1939	22.9	26.4	27.6	28.6	29.1	23.8	24.3	28.9	22.5	30.5	23.7	29.6
1938	24.7	26.3	28.5	29.8	28.4	22.9	26.4	28.8	23.5	32.4	23.9	30.4
1937	29.6	31.7	32.0	33.9	34.1	25.5	30.1	33.4	27.6	35.8	28.2	33.5
1936	28.7	29.8	32.1	33.0	32.2	26.0	29.7	35.2	26.9	34.9	26.7	31.3
1935	29.9	32.1	33.7	35.0	33.5	27.6	29.8	34.7	28.3	36.8	28.8	33.4
1934	28.4	29.5	33.5	33.1	31.8	25.0	27.6	33.1	26.6	35.1	27.2	31.0
1933	29.0	30.9	33.6	34.4	34.1	27.5	29.7	36.4	29.2	36.1	29.0	32.0
1932	31.2	32.5	35.2	35.4	34.7	27.9	31.2	37.0	30.6	38.3	30.1	33.6
1931	30.4	31.1	35.7	34.6	33.6	28.3	30.8	36.3	29.2	36.0	29.5	33.4
1930	30.8	30.1	34.7	35.7	33.7	28.0	30.5	36.5	29.8	39.3	28.4	33.2
1929	30.7	31.3	35.3	35.3	34.7	28.5	31.1	36.3	29.5	36.9	29.3	34.2
1928	33.0	31.9	37.7	36.6	35.2	30.3	30.8	37.7	32.3	39.0	30.0	35.2
1927	31.8	30.9	35.9	36.6	34.0	30.1	31.6	37.7	30.8	38.9	29.4	35.8
1926	32.9	32.4	38.0	37.6	37.2	29.5	33.1	38.7	32.5	40.8	30.9	32.6
1925	32.7	32.8	38.9	38.3	35.1	32.2	33.1	39.5	31.7	40.0	31.2	37.3
1924	33.4	31.5	37.0	36.3	34.7	31.1	33.3	39.2	31.4	41.2	30.1	34.9
1923	34.1	33.5	38.9	38.1	37.8	29.2	34.1	39.0	34.3	42.0	31.6	35.3
1922	33.3	32.2	36.6	38.0	35.0	30.8	33.5	37.6	32.7	39.5	30.8	34.3
1921	33.8	33.0	36.3	37.8	36.1	31.7	33.9	41.9	33.1	41.2	31.6	35.6
1920	35.2	33.2	38.3	39.5	37.9	29.8	33.9	41.7	35.0	42.0	31.7	37.6

See footnotes next page.

TABLE 8 - LIVE BIRTH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

FOOTNOTES:

*Data for 1947 and 1948 are provisional.

Rates are the number of births per 1,000 population.

Population data refer to the total population of Japan Proper including military personnel in the country.

Birth data refer only to births of Japanese nationals in Japan Proper except as follows. A small number of births to Japanese nationals outside Japan is included in the tabulations for 1945. A small number of births to foreigners in Japan Proper is included from January through July 1945.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original birth data are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1944 - 1945: Unpublished tabulations, Cabinet Bureau of Statistics.

1946, January - June: Unpublished tabulation, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated births of Japanese nationals outside Japan Proper.

1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated births of Japanese nationals outside Japan Proper.

1946, October - December; 1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December, 1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 9. - DEATHS BY MONTH: JAPAN, 1920-1948

Year	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
•1948	959,092	93,681	89,283	92,428	79,756	75,314	73,604	80,494	81,085	73,132	70,467	71,946	77,902	-
1947	1,138,238	109,940	115,405	116,996	99,403	92,456	84,516	96,451	95,290	79,305	77,592	78,563	92,232	89
1946	1,326,592	121,493	114,052	126,849	112,764	112,720	105,824	127,632	121,264	112,342	87,742	84,028	99,882	-
1945	2,113,798	142,512	166,329	181,235	184,418	176,952	163,260	186,805	232,214	215,130	178,130	147,546	139,267	-
1944	1,279,639	116,073	113,115	116,490	106,838	99,262	95,807	111,481	112,263	99,259	98,999	94,426	115,626	-
1943	1,204,802	114,328	104,561	120,129	106,169	98,981	92,631	100,298	99,472	89,152	89,165	88,585	101,331	-
1942	1,157,845	112,340	107,964	110,023	95,694	91,425	83,943	101,683	96,844	86,819	88,365	85,498	97,247	-
1941	1,140,428	105,781	103,890	103,370	92,402	90,361	88,915	100,763	98,700	89,762	87,949	83,711	94,824	-
1940	1,176,517	116,199	111,720	110,832	95,473	91,625	87,953	104,341	105,436	91,421	86,606	82,160	92,751	-
1939	1,258,514	118,247	108,129	123,933	102,418	96,257	93,832	107,044	113,653	100,491	97,462	90,957	106,060	31
1938	1,250,093	123,449	117,479	113,685	96,071	91,970	90,585	108,239	113,047	105,863	97,006	92,449	101,234	16
1937	1,198,400	103,363	94,909	103,155	95,296	93,382	91,671	103,990	115,949	101,110	97,309	90,313	107,935	18
1936	1,220,023	127,151	121,929	114,276	95,569	90,195	88,783	103,685	105,842	97,395	94,919	87,081	93,187	11
1935	1,152,371	104,184	96,372	100,852	91,408	90,117	89,470	100,620	106,838	94,429	91,749	86,834	99,474	24
1934	1,225,402	121,096	111,512	121,584	99,273	93,853	91,403	104,640	104,092	96,352	96,365	89,593	95,629	10
1933	1,184,546	106,735	102,267	113,868	93,855	91,775	90,904	104,597	108,235	96,321	92,943	86,920	96,111	15
1932	1,166,167	99,708	100,315	109,295	98,141	92,127	89,450	103,734	107,132	95,301	90,933	85,325	94,697	9
1931	1,231,154	114,720	114,199	118,770	101,892	98,178	94,068	101,795	106,696	98,352	98,330	88,010	96,129	15
1930	1,161,504	106,496	95,852	102,241	92,317	92,549	90,128	104,283	109,947	96,966	89,919	86,578	94,215	13
1929	1,251,041	112,657	107,105	119,641	104,341	97,883	94,807	111,366	121,468	102,431	96,146	90,987	92,200	9
1928	1,227,570	105,956	106,983	116,816	99,725	91,002	88,129	104,646	110,073	105,158	103,577	93,170	102,321	14
1927	1,204,847	105,673	104,753	115,092	95,687	95,926	91,278	106,498	114,684	102,886	94,128	85,190	93,032	20
1926	1,151,163	102,061	92,841	102,657	93,475	92,234	89,991	96,956	105,471	97,707	94,707	86,749	96,267	47
1925	1,199,936	111,047	121,948	121,313	97,095	93,566	90,911	102,327	99,441	93,943	93,515	82,950	91,828	52
1924	1,245,343	111,014	106,211	117,256	95,673	95,320	92,131	108,087	127,278	106,412	97,843	90,982	97,086	50
1923	1,323,648	108,977	101,132	108,917	96,841	93,113	96,073	112,995	125,307	168,517	115,894	95,403	100,410	69
1922	1,278,120	119,839	117,565	125,359	95,648	92,296	91,029	106,978	124,286	112,493	102,000	91,663	98,923	41
1921	1,279,219	104,131	100,223	110,314	95,640	93,597	91,768	110,914	127,570	122,380	113,880	104,098	104,673	31
1920	1,409,371	185,491	158,571	138,277	110,078	96,132	88,538	109,274	122,999	113,117	98,953	88,059	99,840	42

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 9. - DEATHS BY MONTH: JAPAN, 1920-1948

FOOTNOTES:

* Data for 1948 are provisional.

Data refers to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.

SOURCES:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki offices and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon numeric reports transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, October-December: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947: Final Annual Report, Ministry of Welfare.

1948: Monthly Schedule Report, Ministry of Welfare.

TABLE 10. - DEATH RATES BY MONTH: JAPAN, 1920-1948
(Rates per 1,000 population)

Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
*1948	12.0	13.8	14.1	13.6	12.1	11.1	11.2	11.8	11.9	11.1	10.4	10.9	11.5
1947	14.6	16.6	19.3	17.7	15.5	14.0	13.2	14.6	14.4	12.4	11.7	12.3	13.9
1946	17.6	19.0	19.7	19.8	18.2	17.6	17.1	20.0	19.0	18.2	13.7	13.6	15.6
1945	29.2	23.1	29.9	29.4	30.9	28.7	27.4	30.3	37.7	36.1	28.9	24.8	22.6
1944	17.4	18.6	19.4	18.7	17.7	15.9	15.9	17.9	18.0	16.5	15.9	15.7	18.5
1943	16.3	18.3	18.5	19.2	17.5	15.8	15.3	16.0	15.9	14.7	14.2	14.6	16.2
1942	15.8	18.1	19.2	17.7	15.9	14.7	14.0	16.4	15.6	14.4	14.2	14.2	15.6
1941	15.7	17.2	18.7	16.8	15.5	14.7	14.9	16.3	16.0	15.0	14.3	14.0	15.4
1940	16.4	19.2	19.7	18.3	16.3	15.1	15.0	17.2	17.4	15.6	14.3	14.0	15.3
1939	17.8	19.6	19.9	20.6	17.6	16.0	16.1	17.8	18.9	17.2	16.2	15.6	17.6
1938	17.7	20.6	21.7	19.0	16.6	15.3	15.6	18.1	18.7	18.2	16.2	15.9	16.9
1937	17.0	17.3	17.6	17.3	16.5	15.6	15.8	17.4	19.4	17.5	16.3	15.6	18.1
1936	17.5	21.6	22.1	19.4	16.8	15.3	15.6	17.6	18.0	17.1	16.1	15.3	15.8
1935	16.8	17.9	18.3	17.3	16.2	15.5	15.9	17.3	18.3	16.7	15.7	15.4	17.1
1934	18.1	21.1	21.5	21.1	17.8	16.3	16.4	18.2	18.1	17.3	16.8	16.1	16.6
1933	17.7	18.8	20.0	20.1	17.1	16.2	16.6	18.4	19.1	17.5	16.4	15.8	16.9
1932	17.7	17.9	19.2	19.6	18.2	16.5	16.6	18.6	19.2	17.7	16.3	15.8	17.0
1931	19.0	20.8	23.0	21.6	19.1	17.8	17.7	18.5	19.4	18.5	17.9	16.5	17.5
1930	18.2	19.6	19.6	18.8	17.6	17.1	17.2	19.2	20.3	18.5	16.6	16.5	17.4
1929	19.9	21.1	22.2	22.4	20.2	18.3	18.3	20.8	22.7	19.8	18.0	17.6	17.3
1928	19.8	20.1	21.7	22.2	19.6	17.3	17.3	19.9	20.9	20.7	19.7	18.3	19.5
1927	19.7	20.4	22.3	22.2	19.1	18.5	18.2	20.5	22.1	20.5	18.1	17.0	17.9
1926	19.1	20.0	20.1	20.1	18.9	18.0	18.2	19.0	20.6	19.7	18.5	17.5	18.8
1925	20.3	22.1	26.9	24.1	20.0	18.6	18.7	20.4	19.8	19.3	18.6	17.1	18.3
1924	21.4	22.5	23.0	23.7	20.0	19.3	19.3	21.9	25.8	22.3	19.8	19.0	19.7
1923	23.0	22.3	22.9	22.3	20.5	19.0	20.3	23.1	25.6	35.6	23.7	20.2	20.5
1922	22.5	24.8	27.0	26.0	20.5	19.1	19.5	22.2	25.8	24.1	21.1	19.6	20.5
1921	22.8	21.9	23.3	23.2	20.7	19.6	19.9	23.3	26.8	26.5	23.9	22.6	22.0
1920	25.4	39.5	36.1	29.5	24.2	20.5	19.5	23.3	26.2	24.9	21.1	19.4	21.3

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 10. - DEATH RATES BY MONTH, JAPAN, 1920-1948 - Cont'd.
(Rates per 1,000 population)

FOOTNOTES:

* Data for 1948 are provisional.

Rates are the number of deaths per 1,000 population and are computed on an annual basis. Deaths refer to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included. Population data refers to the total population, including military personnel, in Japan Proper.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Populations were estimated by Public Health and Welfare Section, GHQ, SCAP. Estimates were based upon census data, not natural increase and migration to and from Japan Proper. Data for 1920-1945 are as of 1 October. Estimates for 1946-1948 are as of 1 July.

Sources of death statistics are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon detailed tabulation of schedules transmitted by Koseki offices and refers only to Japanese nationals in Japan.

1945, January-July: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan, foreigners in Japan and Japanese nationals outside Japan.

1945, August-December: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon count of total schedules transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan.

1946, January-June: Unpublished tabulation, Cabinet Bureau of Statistics. Based upon numeric reports transmitted by Koseki offices and refers to Japanese nationals in Japan and outside Japan. Corrected by Public Health and Welfare Section to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics, Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan proper.

1946, October-December: Monthly Schedule Report, Cabinet Bureau of Statistics.

TABLE 10. - DEATH RATES BY MONTH, JAPAN, 1920-1948
(Rates per 1,000 population)

FOOTNOTES - Cont'd

1947: Final Annual Report, Ministry of Welfare.

1948: Monthly Schedule Report, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 11. - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gunma
•1948	959,092	35,519	18,599	18,161	26,337	17,439	13,685	37,500	23,961	18,584	18,481
1947	1,138,238	42,987	19,952	18,092	30,780	22,153	11,965	48,082	28,345	22,199	21,908
1946	1,326,592	49,259	23,281	20,006	34,170	23,808	14,616	53,722	32,713	26,798	24,948
1945	2,113,798	89,688	31,503	28,182	49,432	39,988	21,296	75,005	46,104	44,224	35,792
1944	1,279,639	49,823	21,952	21,637	29,903	20,890	13,672	52,044	28,625	24,740	22,380
1943	1,204,802	51,406	20,210	19,519	28,105	20,413	12,716	47,868	26,581	23,136	20,495
1942	1,157,845	45,788	19,973	18,976	28,332	19,041	11,932	47,418	26,186	20,921	19,929
1941	1,140,428	48,773	19,430	18,305	28,504	18,676	13,120	47,571	25,545	22,554	20,180
1940	1,176,517	48,918	21,408	19,462	29,044	19,634	14,090	46,443	27,332	23,095	21,837
1939	1,258,514	49,432	20,937	20,259	30,221	21,627	13,850	53,760	28,476	23,191	22,580
1938	1,250,093	52,344	19,580	19,415	31,697	21,057	14,722	53,874	28,549	25,099	22,465
1937	1,198,400	49,143	19,870	19,075	28,980	20,616	14,893	51,619	27,460	23,672	22,053
1936	1,220,023	49,454	20,427	21,714	29,364	21,282	15,480	52,092	27,381	24,842	21,077
1935	1,152,371	44,878	19,527	18,237	29,063	20,130	13,832	46,608	26,455	22,460	20,382
1934	1,225,402	53,546	20,173	19,356	29,577	21,281	16,295	47,236	28,257	25,948	22,450
1933	1,184,546	45,957	20,202	18,062	29,917	21,350	14,716	45,972	26,380	23,264	20,163
1932	1,166,167	46,936	20,635	19,396	29,578	20,499	15,192	45,031	27,621	23,395	20,939
1931	1,231,154	49,783	20,309	18,991	31,088	21,398	15,674	51,444	28,944	25,032	22,533
1930	1,161,504	45,732	20,164	19,556	29,752	20,901	14,824	47,390	27,515	23,744	20,735
1929	1,251,041	50,365	22,792	20,252	32,292	22,356	15,600	50,523	29,505	24,477	22,855
1928	1,227,570	52,733	20,958	19,674	33,270	21,402	15,069	47,827	29,085	26,318	23,419
1927	1,204,847	48,601	21,062	18,937	30,169	21,675	15,628	45,455	29,119	24,350	23,686
1926	1,151,163	45,213	21,870	18,570	30,002	21,698	14,526	45,695	27,462	22,604	20,643
1925	1,199,936	47,982	21,534	18,872	31,316	21,198	15,187	44,868	28,459	24,526	23,538
1924	1,245,343	48,981	22,752	19,439	32,242	23,601	15,458	46,770	30,031	24,840	23,701
1923	1,323,648	51,574	25,493	20,757	38,235	22,130	16,520	46,618	30,687	26,385	24,354
1922	1,278,120	46,855	24,796	23,298	34,311	23,011	17,480	45,502	31,918	25,139	24,194
1921	1,279,219	52,258	23,089	19,529	35,328	23,621	16,485	49,062	30,224	25,449	23,192
1920	1,409,371	54,561	23,439	22,215	38,218	25,925	17,869	56,407	35,401	27,638	25,837

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 11. - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	24,093	47,900	35,600	24,403	13,549	19,196	11,584	21,861	22,832	10,765	21,320	20,146
1947	30,212	51,472	44,814	28,475	15,185	19,619	13,986	26,721	26,826	12,988	26,498	25,686
1946	37,198	55,178	54,411	32,110	16,628	25,455	16,275	33,335	30,685	15,092	34,092	28,425
1945	98,426	67,584	83,965	48,436	27,698	32,089	28,515	56,796	48,140	22,834	49,630	47,677
1944	36,259	54,612	59,312	29,552	16,396	22,783	14,149	30,940	34,547	12,647	26,292	33,675
1943	32,967	50,573	52,763	26,586	16,091	22,642	13,317	28,144	32,663	11,383	24,039	28,369
1942	30,835	50,188	48,541	26,398	15,351	21,057	12,975	29,830	31,883	11,960	23,696	26,029
1941	29,283	48,577	47,035	26,791	15,659	20,128	12,069	26,307	30,961	12,139	23,102	25,937
1940	30,306	51,389	46,853	28,588	16,953	22,025	13,050	28,144	30,346	11,626	23,045	26,332
1939	34,697	55,560	53,140	29,101	17,559	21,443	14,677	28,837	31,844	12,468	24,600	28,285
1938	33,727	52,077	51,522	29,725	18,168	21,375	14,302	28,874	30,776	13,327	25,542	28,604
1937	30,686	51,828	49,466	27,334	18,322	21,613	13,190	27,270	28,465	12,902	24,921	26,924
1936	33,440	51,177	50,337	27,979	19,095	21,478	14,167	27,975	27,985	13,228	25,149	29,314
1935	29,892	48,878	47,639	27,274	17,698	19,194	13,155	26,654	27,877	12,320	23,738	26,262
1934	31,731	51,732	48,827	29,116	20,016	21,108	14,683	27,799	28,452	13,862	25,235	28,927
1933	30,627	50,934	49,431	27,596	17,711	22,648	14,338	25,911	28,011	13,669	24,288	27,869
1932	31,282	47,654	47,713	27,526	18,327	20,956	13,518	26,144	26,890	13,555	24,174	27,496
1931	31,519	48,494	49,037	29,916	18,829	19,753	14,821	27,804	27,523	13,307	26,809	29,941
1930	30,332	48,820	46,337	27,308	17,778	20,214	13,716	27,490	25,602	13,198	25,340	27,346
1929	31,920	50,545	50,797	30,081	19,924	19,781	15,310	27,183	29,145	14,501	26,431	28,739
1928	31,784	48,298	48,560	31,128	19,147	21,363	14,184	26,505	28,088	14,740	25,849	28,145
1927	32,983	49,904	48,434	29,304	19,663	20,251	14,912	25,689	26,712	14,133	24,931	30,994
1926	32,233	43,303	46,871	27,381	18,667	19,139	14,295	26,822	24,770	14,215	25,692	26,967
1925	33,252	48,053	48,412	31,034	19,062	20,362	13,864	26,445	27,259	14,238	24,363	27,943
1924	37,634	46,806	52,729	31,226	20,461	22,087	17,581	27,083	26,427	14,616	26,178	28,602
1923	35,590	48,624	51,281	32,597	21,368	20,979	14,949	26,956	45,243	15,385	25,344	30,949
1922	35,354	45,772	52,043	32,318	22,587	23,565	16,607	27,641	28,281	15,209	26,867	29,196
1921	34,661	45,059	51,175	31,743	20,329	21,262	15,696	27,738	30,142	14,940	28,300	32,009
1920	39,927	51,722	62,557	35,960	21,566	22,313	17,855	28,191	31,214	16,572	28,683	34,181

See footnotes at end of table.

TABLE 11 - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
*1948	17,704	18,801	12,252	23,787	19,674	9,775	32,895	16,907	21,309	37,624	12,715	24,832
1947	22,210	20,703	15,376	27,744	24,003	12,200	36,442	21,120	25,683	48,379	15,546	30,268
1946	26,017	24,763	17,434	36,560	28,319	14,376	40,186	22,417	29,849	56,228	16,970	32,402
1945	44,623	33,989	28,260	50,969	58,534	23,308	65,663	35,519	40,915	92,454	27,617	49,284
1944	23,215	21,671	14,807	28,704	26,850	13,021	40,869	19,867	26,260	78,775	14,195	30,136
1943	21,234	21,077	14,216	27,588	23,390	11,316	38,341	19,786	24,296	72,425	12,583	27,525
1942	21,074	20,379	13,907	26,047	23,735	10,477	36,272	18,898	22,301	65,134	12,591	26,844
1941	21,631	19,451	12,978	26,169	22,085	10,789	34,776	18,036	22,083	63,348	12,529	28,106
1940	20,963	20,793	13,008	27,310	23,091	10,613	38,098	18,400	22,865	64,299	12,480	30,463
1939	22,183	20,971	15,352	28,998	25,005	11,608	39,329	19,931	25,652	75,078	13,035	30,924
1938	24,413	20,826	14,351	28,532	25,258	11,437	38,299	20,014	25,458	66,409	13,601	31,027
1937	22,319	20,919	13,907	27,730	24,046	11,336	37,865	20,442	24,024	65,822	13,318	28,927
1936	23,347	21,004	14,114	28,787	24,432	11,780	38,965	20,354	25,309	63,821	14,603	28,222
1935	21,595	20,589	13,558	27,422	22,011	11,778	36,382	18,835	23,318	63,569	12,607	27,998
1934	24,293	20,778	13,180	29,164	22,550	12,690	41,669	19,930	24,586	64,268	13,606	29,863
1933	22,696	20,912	13,460	27,708	22,337	11,637	38,303	19,525	24,918	62,657	13,824	28,937
1932	22,157	20,403	13,423	28,246	22,899	11,728	38,085	20,154	23,368	58,600	14,040	29,191
1931	24,692	20,418	13,780	29,346	23,753	12,058	41,125	20,523	24,433	63,223	14,674	31,925
1930	22,104	21,104	12,882	28,841	22,764	11,094	37,989	19,045	22,813	57,211	14,816	27,897
1929	23,339	21,695	13,837	30,240	23,424	12,397	42,241	21,583	25,864	63,563	14,815	31,503
1928	25,366	21,809	12,449	30,454	23,008	11,479	40,786	19,944	24,322	59,105	14,264	32,106
1927	22,718	21,251	12,441	29,692	22,034	11,961	39,861	19,428	25,290	61,343	14,103	30,872
1926	21,723	20,347	12,244	28,365	20,999	11,153	40,267	19,655	24,506	55,736	14,540	27,880
1925	25,325	20,972	11,926	30,966	20,595	12,267	41,257	18,653	23,469	59,722	13,870	31,127
1924	23,462	22,420	12,566	32,043	22,034	12,385	44,747	20,094	26,902	61,387	14,567	31,444
1923	25,063	23,156	12,511	31,140	21,679	12,246	43,155	19,562	26,503	62,229	14,999	33,521
1922	24,129	23,213	12,702	32,821	22,685	12,214	46,665	20,304	26,411	64,227	15,333	32,090
1921	26,724	22,184	12,552	31,516	24,269	13,002	43,737	21,859	27,212	62,757	16,200	33,095
1920	27,949	25,047	13,026	36,723	25,693	14,820	49,899	22,482	28,823	69,268	16,892	36,778

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 11 - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Con'td.

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanshi
* 1948	11,323	12,178	24,844	17,624	11,400	52,923	7,706	14,102	11,185	18,290	18,646	9,071
1947	14,675	14,768	30,574	21,329	14,628	58,723	9,149	16,259	13,804	20,871	23,859	10,970
1946	17,006	17,167	42,536	24,645	17,094	68,732	11,194	17,729	19,464	23,530	26,650	13,119
1945	27,809	27,698	63,440	38,879	28,014	127,830	17,202	31,775	27,779	32,680	43,746	22,807
1944	15,031	15,478	32,897	21,579	13,978	85,409	9,697	17,315	15,730	21,600	24,622	11,103
1943	13,694	14,254	30,423	19,238	13,871	95,069	9,861	17,384	14,526	20,093	22,228	9,893
1942	12,702	13,901	30,140	19,802	13,155	91,862	8,452	16,446	14,107	19,292	22,826	10,320
1941	12,777	14,285	30,293	19,468	13,142	89,122	8,774	15,682	13,096	19,823	21,054	10,285
1940	13,023	14,747	30,839	20,338	13,373	89,584	8,450	17,886	13,839	20,807	20,926	10,402
1939	12,903	17,060	32,599	21,899	15,266	95,813	9,555	17,651	15,037	21,132	24,045	10,944
1938	14,428	16,430	33,931	21,315	14,755	94,202	9,344	18,487	14,554	20,673	24,198	11,330
1937	13,421	14,926	31,829	20,290	14,611	87,380	8,897	18,506	13,988	20,681	22,494	10,420
1936	14,205	15,962	33,847	20,353	14,614	85,312	9,071	17,723	14,627	20,941	23,436	10,757
1935	13,047	14,854	31,984	19,613	14,285	82,143	8,825	16,990	15,230	20,316	21,667	11,102
1934	15,333	15,931	33,223	21,409	15,134	84,108	9,571	19,601	15,059	21,932	21,835	10,882
1933	14,119	15,710	32,733	20,809	14,363	86,141	8,806	17,503	14,554	21,293	21,433	11,132
1932	13,614	16,386	31,918	19,830	14,679	78,575	9,231	17,445	14,543	21,312	21,061	10,822
1931	15,096	16,865	32,307	22,166	16,135	85,916	9,587	19,144	15,241	21,719	22,847	11,212
1930	13,605	17,153	32,056	20,021	13,823	76,697	9,409	17,293	14,357	21,804	22,104	10,828
1929	14,608	18,019	33,239	21,564	15,271	86,997	10,064	18,974	14,976	23,089	23,085	11,280
1928	14,332	16,389	34,175	21,773	15,339	84,759	9,069	18,205	15,061	22,387	21,675	11,768
1927	14,367	16,456	31,069	21,702	15,266	79,425	9,519	18,570	14,585	22,620	22,499	11,183
1926	13,812	16,175	30,659	19,437	14,496	72,933	8,989	19,089	14,076	22,576	22,039	10,829
1925	15,003	16,084	33,667	21,743	15,051	79,129	9,414	17,875	15,037	22,056	21,146	11,815
1924	14,623	17,519	32,510	21,264	16,670	75,136	9,964	20,022	15,119	22,446	24,297	12,477
1923	16,854	18,441	35,368	23,290	16,546	110,085	10,190	21,215	14,884	23,589	23,675	11,729
1922	15,572	17,332	33,196	22,713	16,536	81,105	9,773	20,412	16,034	24,909	22,924	12,876
1921	16,900	16,834	34,523	22,487	16,238	81,201	9,581	19,395	16,392	22,790	23,625	12,495
1920	18,655	17,928	37,943	25,368	20,109	88,572	10,745	20,776	16,479	26,374	25,481	15,290

See footnotes next page.

TABLE 11 - DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.

FOOTNOTES:

* Data for 1948 are provisional.

Data refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.

SOURCES:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulations, Cabinet Bureau of Statistics.

1945, January - July: Unpublished tabulations, Cabinet Bureau of Statistics.

1945, August - December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan.

1946, January - June: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.

1946, October - December: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947: Final Annual Report, Ministry of Welfare.

1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 12. - DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948
(Rates per 1,000 population)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gunma
*1948	12.0	11.0	14.5	14.9	12.3	11.8	18.7	11.3	11.8	12.2	11.5
1947	14.6	13.8	15.9	15.3	14.6	15.3	16.5	15.1	14.2	14.9	13.9
1946	17.6	16.4	18.9	17.8	16.5	16.7	20.4	17.9	16.6	18.0	15.9
1945	29.2	31.2	25.8	25.8	25.0	29.2	29.2	27.1	23.4	28.9	23.0
1944	17.4	15.0	20.6	21.0	17.7	17.3	21.7	16.7	17.6	19.2	16.7
1943	16.3	15.2	20.0	19.7	17.5	17.0	19.8	15.1	16.6	17.6	15.4
1942	15.8	14.1	19.2	19.0	17.9	16.3	18.8	14.8	16.2	16.6	15.3
1941	15.7	15.3	18.7	18.4	18.1	15.9	20.6	15.2	15.8	17.9	15.6
1940	16.4	15.7	20.6	19.7	18.5	16.9	22.2	15.2	17.0	18.5	17.0
1939	17.8	16.3	19.8	20.0	19.2	18.6	21.1	18.7	17.7	18.7	17.9
1938	17.7	17.4	18.6	19.3	20.2	18.1	22.5	18.9	17.8	20.3	17.8
1937	17.0	16.5	18.8	19.1	18.4	17.6	22.7	18.2	17.1	19.1	17.5
1936	17.5	16.9	19.5	22.1	18.8	18.2	23.7	18.6	17.2	20.1	16.8
1935	16.8	15.7	18.8	18.9	18.8	17.3	21.4	16.9	16.7	18.3	16.4
1934	18.1	19.3	19.6	20.7	19.3	18.0	25.7	17.4	18.0	21.3	18.1
1933	17.7	16.9	19.8	19.6	19.7	18.2	23.3	17.2	17.0	19.3	16.4
1932	17.7	17.6	20.4	21.4	19.7	17.6	24.2	17.2	18.0	19.5	17.2
1931	19.0	19.0	20.4	21.3	20.9	18.6	25.2	20.0	19.0	21.1	18.8
1930	18.2	17.8	20.4	22.2	20.2	18.3	24.0	18.8	18.2	20.1	17.5
1929	19.9	19.9	23.3	23.3	22.0	19.5	25.9	20.9	19.5	20.5	19.3
1928	19.8	21.2	21.6	23.0	22.9	18.8	25.0	20.0	19.4	22.3	20.0
1927	19.7	20.0	22.0	22.5	21.0	19.3	26.0	19.2	19.7	20.9	20.5
1926	19.1	19.0	23.1	22.4	21.2	19.5	24.2	19.6	18.8	19.7	18.2
1925	20.3	20.7	23.0	23.2	22.4	19.3	25.4	19.5	19.8	21.7	21.0
1924	21.4	22.2	24.5	24.7	23.6	22.0	25.7	19.2	21.0	22.4	21.3
1923	23.0	23.7	27.8	26.7	28.5	20.8	27.6	19.7	21.8	24.1	22.3
1922	22.5	21.7	27.2	30.3	25.7	21.8	29.2	19.7	22.9	23.2	22.5
1921	22.8	24.7	25.5	25.6	26.4	22.5	28.1	21.8	21.9	23.6	21.8
1920	25.4	26.1	26.1	29.4	28.6	24.8	29.8	25.8	26.0	25.8	24.5

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 12. - DEATH RATES BY PREFECTURE: JAPAN 1920-1948 - Cont'd.
(Rates per 1,000 population)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
*1948	11.8	11.9	11.3	11.9	14.4	14.8	12.4	12.4	9.9	12.4	11.9	11.3
1947	15.0	13.4	14.7	14.2	16.4	15.6	15.3	15.3	12.1	15.3	15.0	14.8
1946	19.0	15.4	18.7	16.1	18.4	20.3	18.1	19.9	14.8	18.4	20.3	17.0
1945	51.8	19.1	29.5	24.7	31.0	26.0	32.8	36.7	25.6	29.2	31.7	29.5
1944	18.2	16.5	18.1	17.6	21.7	20.3	19.5	19.1	13.8	18.0	18.9	20.3
1943	16.3	15.2	16.0	16.1	21.5	20.5	18.7	18.5	12.4	16.6	18.3	15.6
1942	16.4	15.2	14.6	16.3	20.5	19.2	18.2	19.1	13.8	17.1	17.7	15.1
1941	15.7	14.8	14.4	16.6	20.9	18.4	16.8	16.7	13.8	17.3	17.1	15.1
1940	16.4	15.9	14.7	17.9	22.7	20.4	18.1	18.0	14.1	16.6	17.1	15.4
1939	18.7	17.4	17.3	18.6	23.0	19.9	19.7	18.2	16.2	17.8	17.8	15.9
1938	18.3	16.4	16.9	19.0	23.8	19.9	19.1	18.2	15.8	19.0	18.4	16.2
1937	16.6	16.4	16.3	17.4	23.8	20.2	17.5	17.0	14.8	18.1	17.9	15.3
1936	18.3	16.4	16.9	17.9	24.8	20.3	18.9	17.5	14.9	18.5	18.1	16.9
1935	16.6	15.9	16.3	17.6	23.0	18.3	17.6	16.7	15.2	17.9	17.1	15.4
1934	18.1	16.9	17.4	18.8	26.2	20.4	19.3	17.1	16.0	17.6	18.0	17.3
1933	17.6	17.0	17.9	18.0	23.2	22.2	19.0	16.1	16.1	18.5	17.5	17.0
1932	18.1	16.2	17.5	18.1	24.1	20.8	18.1	16.4	15.8	18.5	17.5	17.1
1931	18.5	16.9	18.3	19.9	24.8	19.9	20.0	17.7	16.6	18.4	19.6	18.9
1930	17.9	17.4	17.5	18.4	23.5	20.7	18.7	17.7	15.8	18.4	18.7	17.6
1929	18.8	19.2	19.5	20.5	26.2	20.7	21.1	17.7	19.3	20.5	19.4	18.9
1928	18.9	18.5	18.9	21.3	25.2	22.6	19.7	17.4	18.9	20.9	19.2	18.8
1927	19.9	19.4	19.1	20.3	26.0	21.8	20.9	17.1	18.2	20.2	18.7	21.2
1926	19.7	17.1	18.8	19.2	24.7	20.9	20.2	18.0	17.2	20.5	19.5	18.8
1925	20.6	19.2	19.7	22.0	25.4	22.6	19.8	18.0	19.2	20.7	18.8	19.9
1924	23.9	16.6	21.2	22.1	27.0	25.1	26.2	18.2	20.3	21.4	20.8	20.7
1923	22.7	18.0	21.1	23.4	28.4	24.1	22.1	18.3	33.0	22.6	20.3	22.8
1922	22.7	17.7	21.8	23.5	30.2	27.4	24.7	19.0	20.9	22.5	21.6	21.9
1921	22.4	18.3	21.8	23.3	27.2	24.9	23.2	19.3	22.5	22.2	22.9	24.4
1920	25.9	21.9	27.2	26.6	28.9	26.4	26.3	19.9	23.6	24.7	23.3	26.6

See footnotes at end of table.

TABLE 12. - DEATH RATES BY PREFECTURE: JAPAN, 1920-1948 -Cont'd.
(Rates per 1,000 population)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
*1948	12.2	11.8	11.6	11.4	12.6	12.6	13.5	13.6	12.9	10.7	13.7	11.6
1947	15.7	13.2	15.0	13.5	15.7	15.7	15.1	17.1	15.9	14.5	17.0	14.4
1946	18.4	16.4	17.7	17.5	19.4	18.7	16.8	18.9	18.8	18.3	19.2	15.5
1945	31.8	23.1	30.7	23.9	44.1	29.7	27.3	31.4	26.0	32.8	33.0	23.9
1944	18.9	16.8	17.4	17.1	17.7	21.1	20.2	20.1	19.4	17.6	19.8	18.0
1943	17.1	16.9	17.1	16.8	16.0	17.9	18.6	20.7	17.7	16.2	17.8	16.6
1942	17.7	16.2	16.6	15.5	17.1	17.1	17.7	19.7	17.0	13.1	18.0	16.6
1941	18.2	15.4	15.5	15.5	16.1	17.6	16.9	18.8	16.7	13.0	18.0	17.5
1940	17.7	16.6	15.7	16.2	17.1	17.3	18.7	19.2	17.4	13.6	18.0	19.2
1939	19.0	16.4	17.9	17.3	19.0	18.5	19.6	20.2	19.1	15.7	19.5	19.9
1938	20.9	16.4	16.9	16.9	19.2	18.3	19.1	20.3	19.0	14.1	20.2	20.0
1937	19.0	16.5	16.4	16.2	18.2	18.0	18.8	20.6	17.8	14.3	19.5	18.6
1936	19.8	16.8	16.9	16.8	18.7	18.8	19.4	20.6	18.9	14.3	21.3	18.3
1935	18.4	16.7	16.4	16.0	17.0	19.0	18.2	19.2	17.5	14.8	18.4	18.3
1934	20.3	17.0	16.1	16.3	17.5	20.9	20.8	20.5	18.6	16.4	19.5	19.7
1933	19.1	17.4	16.8	15.6	17.5	19.2	19.3	20.2	19.0	16.3	19.8	19.3
1932	18.8	17.2	17.0	16.1	18.1	19.5	19.3	21.0	17.9	15.7	20.2	19.6
1931	21.2	17.6	17.8	16.9	19.0	20.1	21.1	21.6	18.9	17.4	21.2	21.7
1930	19.1	18.5	16.9	16.8	18.5	18.6	19.6	20.1	17.8	16.2	21.4	19.1
1929	20.3	19.3	18.9	17.8	19.6	20.5	21.9	22.3	20.4	18.2	21.2	21.4
1928	22.2	19.7	17.2	18.1	19.3	19.1	21.3	20.8	19.3	17.5	20.4	22.1
1927	20.1	19.6	17.5	17.8	18.6	20.1	21.1	20.6	20.2	18.7	20.3	21.5
1926	19.4	19.1	17.4	17.2	17.9	18.9	21.5	21.1	19.6	17.6	21.1	19.7
1925	22.9	20.1	17.3	19.0	17.7	21.0	22.3	20.4	19.0	19.5	20.3	22.3
1924	21.6	22.7	18.0	19.6	18.6	21.6	24.6	23.1	21.7	20.6	21.6	23.0
1923	23.3	23.7	18.3	19.3	18.5	21.5	24.0	22.6	21.5	21.6	22.3	24.9
1922	22.5	23.9	18.9	20.6	19.6	21.5	26.1	23.5	21.5	23.1	22.8	24.0
1921	24.9	22.9	19.0	20.0	21.2	23.0	24.5	25.4	22.3	23.4	24.1	24.9
1920	26.1	26.0	20.0	23.5	22.6	26.2	28.1	26.1	23.7	26.8	25.1	27.9

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 12. - DEATH RATES BY PREFECTURE: JAPAN, 1920-1948 - Cont'd.
(Rates per 1,000 population)

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
*1948	13.0	13.5	10.3	11.3	13.1	9.8	13.0	14.1	11.4	13.6	12.4	11.1
1947	17.1	16.5	13.0	13.9	17.1	11.8	15.6	16.6	14.4	15.6	16.2	13.6
1946	19.9	19.6	18.3	15.9	20.0	16.0	19.5	18.4	20.3	17.6	18.8	16.0
1945	32.1	32.0	28.4	25.0	33.3	36.4	30.3	33.1	29.5	24.5	32.0	27.0
1944	21.4	20.9	16.0	17.7	19.6	11.6	20.1	20.8	18.3	19.6	17.9	17.2
1943	19.5	18.9	14.9	16.5	19.6	12.7	20.4	20.8	16.4	18.9	14.7	15.3
1942	18.4	19.1	14.9	16.6	18.7	11.9	17.8	20.0	16.5	17.6	17.2	15.7
1941	18.4	19.5	15.1	16.3	18.5	11.9	18.4	19.1	15.3	18.0	16.1	15.6
1940	18.8	20.2	15.5	17.1	18.9	12.4	17.7	22.0	16.2	18.9	16.4	15.9
1939	18.1	23.1	16.2	18.1	21.1	13.8	19.8	22.1	17.2	18.8	19.9	16.9
1938	20.2	22.2	17.0	17.6	20.3	13.7	19.3	23.1	16.7	18.4	20.0	17.5
1937	18.7	20.0	16.0	16.7	20.0	13.0	18.2	23.0	16.0	18.3	18.6	16.0
1936	19.9	21.3	17.2	16.9	20.0	13.0	18.5	22.1	16.8	18.6	19.5	16.6
1935	18.3	19.9	16.5	16.4	19.6	12.9	18.0	21.3	17.6	18.2	18.2	17.2
1934	21.4	21.1	17.5	18.1	20.5	13.7	19.0	24.4	17.4	19.5	18.7	16.6
1933	19.9	20.9	17.4	17.7	19.6	14.4	17.6	21.9	17.0	19.1	18.4	17.1
1932	19.3	21.9	17.3	17.0	20.2	13.6	18.6	22.0	17.1	19.3	18.3	16.8
1931	21.6	22.7	17.7	19.2	22.4	15.4	19.5	24.4	18.2	19.9	20.0	17.6
1930	19.7	23.2	17.8	17.5	19.3	14.2	19.2	22.2	17.3	20.2	19.5	17.2
1929	21.6	24.5	18.6	19.0	21.4	16.7	20.5	24.4	18.1	21.3	20.1	18.2
1928	21.2	22.3	19.4	19.3	21.7	16.9	18.6	23.6	18.4	20.9	19.0	19.1
1927	21.4	22.6	17.9	19.5	21.8	16.4	19.7	24.3	18.1	21.4	20.0	18.3
1926	20.7	22.3	18.0	17.6	20.8	15.6	18.8	25.2	17.6	21.6	19.9	17.9
1925	22.6	22.3	20.1	19.9	21.8	17.6	19.9	23.9	19.1	21.5	19.3	19.7
1924	22.3	24.9	19.7	19.2	24.6	18.9	21.5	27.1	19.5	22.6	22.9	20.5
1923	25.8	26.2	21.9	21.5	24.5	27.3	22.2	29.0	19.4	24.0	22.5	19.6
1922	23.9	24.5	20.8	21.2	24.6	20.7	21.4	28.0	21.1	25.4	21.9	21.7
1921	25.9	23.7	22.0	21.2	24.2	21.3	21.0	26.7	21.7	23.4	22.6	21.2
1920	28.7	25.1	24.5	24.2	30.0	23.9	23.6	28.7	22.0	27.2	24.5	26.2

See footnotes next page.

TABLE 12. - DEATH RATES BY PREFECTURE: JAPAN, 1920-1948 - Cont'd.

FOOTNOTES:

* Data for 1948 are provisional.

Rates are the number of deaths per 1,000 population.

Population data refer to the total population of Japan Proper including military personnel in the country.

Birth data refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945 when a small number of deaths of foreigners in Japan and Japanese nationals outside Japan was included.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original death data are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1944: Unpublished tabulations, Cabinet Bureau of Statistics.

1945, January - July: Unpublished tabulations, Cabinet Bureau of Statistics.

1945, August - December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.

1946, January - June: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan Proper.

1946, July - September: Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan.

1946, October - December: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947: Final Annual Report, Ministry of Welfare.

1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948

Year	All Causes	2/ Typhoid fever (1)	Paratyphoid fever (2)	Plague (3)	Cholera (4)	Cerebrospinal (meningococcus) meningitis (6)	Anthrax (7)	3/ Scarlet fever (8)	Whooping cough (9)	4/ Diphtheria (10)
*1948	959,092	1,481	171	-	-	661	-	42	4,793	1,920
1947	1,138,238	2,926	316	-	-	1,187	2	71	17,001	3,390
*1946	1,326,592	5,388	474	-	528	424	NA	100	NA	3,891
1945	2,113,798	7,999	526	-	-	1,072	NA	82	NA	7,840
1944	1,279,639	7,844	564	-	-	396	NA	114	NA	6,192
1943	1,219,073	8,858	535	1	1	572	9	197	9,407	7,122
1942	1,166,630	6,432	282	-	-	443	15	217	9,510	5,153
1941	1,149,559	6,913	309	-	-	534	9	268	10,740	5,004
1940	1,186,595	7,117	315	-	5	725	15	389	8,792	4,744
1939	1,268,760	6,957	295	-	1	894	19	476	10,103	5,272
1938	1,259,805	7,819	297	-	10	580	10	398	8,871	4,135
1937	1,207,899	7,124	264	-	11	479	17	454	10,985	4,253
1936	1,230,278	6,871	277	-	-	604	18	467	9,751	4,332
1935	1,161,936	7,240	238	-	-	701	14	489	12,216	4,462
1934	1,234,684	8,149	322	-	-	603	16	505	8,520	5,235
1933	1,193,987	7,652	334	-	-	244	18	401	6,157	5,437
1932	1,175,344	6,954	372	-	1	165	9	336	14,657	4,522
1931	1,240,891	8,176	312	-	-	165	8	327	8,260	4,586
1930	1,170,867	8,350	373	-	2	169	12	303	7,437	4,079
1929	1,261,228	8,032	353	2	114	209	12	248	9,822	4,712
1928	1,236,711	8,780	453	-	1	171	17	220	11,440	4,410
1927	1,214,323	7,843	490	-	3	214	18	219	9,147	3,922
1926	1,160,734	9,783	433	6	13	236	11	300	7,312	3,631
1925	1,210,706	10,033	443	-	363	275	8	284	8,456	3,608
1924	1,254,946	14,063	597	3	-	1,334	15	130	10,256	3,561
1923	1,332,485	12,939	677	1	31	396	30	104	8,484	3,388
1922	1,286,941	12,439	767	67	542	592	13	107	6,273	3,539
1921	1,288,570	11,953	703	2	39	466	1	93	6,952	3,866
1920	1,422,096	12,106	784	14	3,426	533	6	102	7,922	3,827

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - CONT'D.

Year	Tetanus (12)	5/ Tuberculosis (all forms) (13-22)	Leprosy (23)	Glanders (26a)	Dysentery (27)	Malaria (28)	6/ Syphilis (30)	Influenza (33)	Smallpox (34)	Measles (35)
*1948	2,157	145,256	148	-	5,258	233	4,382	516	22	5,670
1947	2,221	146,241	189	-	9,573	456	4,444	1,903	85	20,939
*1946	NA	198,900	NA	NA	13,198	NA	NA	NA	2,823	NA
1945	NA	203,000	NA	NA	20,107	NA	NA	NA	253	NA
1944	NA	176,800	NA	NA	11,208	NA	NA	NA	44	NA
1943	1,984	171,473	131	-	12,641	245	7,854	3,412	74	21,881
1942	1,843	161,484	169	-	14,283	220	7,930	3,981	61	6,794
1941	1,778	154,344	208	-	16,325	153	7,772	4,351	92	14,616
1940	1,841	153,154	264	-	22,032	224	7,706	3,164	60	5,101
1939	1,702	154,371	312	-	24,907	222	8,067	5,848	33	14,680
1938	1,775	148,827	337	-	21,966	207	8,749	7,646	6	4,997
1937	1,926	144,620	400	-	19,726	65	9,440	2,991	8	10,889
1936	1,989	145,160	451	-	16,721	76	9,402	8,670	20	5,264
1935	2,127	132,151	482	1	15,921	51	9,323	3,070	16	9.816
1934	2,192	131,525	482	2	15,490	53	9,367	10,142	35	9,787
1933	2,296	126,703	514	-	14,880	74	9,553	4,765	55	8,442
1932	2,445	119,196	541	-	13,550	68	9,540	5,370	44	6,220
1931	2,430	121,875	669	1	13,005	63	9,868	15,673	8	13,691
1930	2,501	119,635	640	1	13,019	60	9,797	5,207	4	5,965
1929	2,668	123,490	637	-	13,427	97	10,313	8,480	11	16,070
1928	2,774	119,632	717	-	12,044	164	10,956	9,669	100	11,122
1927	2,756	119,439	759	-	10,217	172	10,884	8,151	90	13,472
1926	2,864	113,045	779	1	8,530	190	11,110	4,610	158	10,510
1925	2,901	115,956	789	5	7,515	122	10,722	10,806	69	15,438
1924	2,986	114,229	823	16	8,658	150	10,920	6,512	294	11,986
1923	3,183	118,216	920	21	9,400	169	11,410	6,520	399	13,277
1922	2,894	125,506	976	1	9,116	191	9,282	12,688	120	9,658
1921	3,059	120,719	1,094	2	7,879	219	10,416	10,304	203	13,894
1920	3,096	125,165	1,118	-	8,155	243	10,170	108,428	729	7,502

See footnotes at end of table.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	7/ Typhus fever and typhus-like diseases (39)	Cancer and other malignant tumors (45-55)	Diabetes mellitus (61)	Berberi (68)	8/ Simple Meningitis (81a)
*1948	2,621	-	40	110	55,933	1,804	6,362	10,485
1947	228	-	16	173	53,047	1,827	8,596	14,143
*1946	NA	NA	NA	2,909	NA	NA	NA	NA
1945	NA	NA	NA	259	NA	NA	NA	NA
1944	NA	NA	NA	622	NA	NA	NA	NA
1943	NA	7	6	183	52,678	2,477	6,480	30,088
1942	NA	1	3	66	52,936	2,619	6,684	29,723
1941	NA	-	4	37	51,972	2,657	6,677	30,014
1940	NA	-	6	41	50,940	2,762	7,186	31,609
1939	NA	-	2	38	51,129	2,795	9,567	35,631
1938	NA	-	3	39	50,447	3,043	12,712	36,748
1937	NA	1	4	32	50,648	2,812	10,627	36,188
1936	NA	-	3	25	49,212	2,629	11,097	36,905
1935	NA	-	4	38	49,111	2,527	10,062	37,615
1934	NA	-	2	47	47,972	2,718	11,494	39,924
1933	NA	1	3	47	46,879	2,589	13,828	42,546
1932	NA	-	4	33	45,258	2,331	11,805	43,586
1931	NA	1	1	22	44,541	2,209	17,767	46,296
1930	NA	2	4	16	44,902	2,247	15,419	47,532
1929	NA	1	12	18	43,734	2,300	15,456	54,097
1928	NA	-	22	14	44,534	2,171	19,036	53,388
1927	NA	2	30	31	42,835	2,173	12,058	55,420
1926	NA	-	80	20	42,588	2,046	12,109	56,759
1925	NA	-	143	26	41,744	1,979	13,909	58,540
1924	NA	2	235	14	41,312	1,963	18,333	68,466
1923	NA	5	174	39	41,810	1,873	26,796	73,489
1922	NA	NA	79	43	40,813	1,904	19,162	69,585
1921	NA	NA	54	77	40,578	1,890	22,675	68,293
1920	NA	NA	48	90	40,328	1,725	14,239	69,207

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	9/ Intracranial lesions of vascular origin (83)	10/ Diseases of the heart (90-95)	11/ Bronchitis (106)	12/ Pneumonia (all forms) (107-109)	Pleurisy not specified as tuberculosis (110)	13/ Ulcer of stomach or duodenum (117)
*1948	94,906	49,254	26,024	53,428	7,733	20,802
1947	101,095	48,575	34,923	101,601	10,822	25,908
*1946	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA
1943	120,985	45,428	23,268	116,494	17,929	17,106
1942	125,349	43,487	22,416	106,022	18,049	14,911
1941	125,124	42,543	22,047	104,073	18,081	12,900
1940	127,847	45,542	22,572	111,077	20,059	12,923
1939	130,826	47,442	25,115	131,542	21,681	13,222
1938	126,861	47,461	26,178	118,153	20,980	13,279
1937	118,761	42,822	24,030	108,256	18,842	12,322
1936	118,152	42,910	26,120	112,204	18,036	11,977
1935	114,554	39,902	24,240	105,078	17,025	11,276
1934	114,447	42,519	27,024	124,117	17,811	11,329
1933	110,719	40,111	25,397	106,247	17,577	10,524
1932	107,378	38,973	27,628	112,681	17,560	10,056
1931	107,352	41,867	30,364	129,380	17,677	9,701
1930	104,942	41,138	27,930	101,046	16,581	9,190
1929	108,439	41,532	31,875	121,181	17,189	8,689
1928	102,985	39,907	32,672	125,787	16,144	8,610
1927	101,705	38,971	33,308	119,960	16,003	8,030
1926	98,688	37,949	31,341	108,106	15,179	7,837
1925	96,293	39,895	35,520	129,129	16,278	7,769
1924	102,810	40,676	35,797	123,403	16,755	7,391
1923	94,615	42,184	36,188	119,263	16,115	7,142
1922	91,433	37,312	51,759	112,642	16,111	6,386
1921	90,523	37,420	52,049	113,709	14,903	6,704
1920	88,186	35,540	52,656	175,674	14,008	6,245

See footnotes at end of table.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	14/ Diarrhea, enteritis and ulceration of intestines (all ages) (119-120)	15/ Diarrhea, enteritis and ulceration of intestines (under 2 years) (119)	16/ Diarrhea, enteritis and ulceration of intestines (2 years and over) (120)	Appendicitis (121)	17/ Nephritis (130-132)
*1948	83,979	48,843	35,136	3,828	36,824
1947	101,454	55,485	45,969	4,424	45,017
*1946	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA
1943	105,811	53,057	52,754	2,291	49,708
1942	96,801	48,657	48,144	2,360	51,108
1941	96,724	47,098	49,626	2,237	49,900
1940	108,367	49,212	59,155	2,577	54,703
1939	112,828	52,965	59,863	2,701	58,799
1938	116,956	58,465	58,491	2,672	61,996
1937	119,991	66,698	53,293	2,695	56,285
1936	121,133	70,539	50,594	2,553	57,771
1935	112,113	64,298	47,815	2,440	56,026
1934	127,853	74,812	53,041	2,609	59,553
1933	130,751	79,914	50,837	2,532	59,986
1932	137,351	82,422	54,929	2,648	61,360
1931	140,062	83,482	56,580	2,530	64,241
1930	142,583	85,652	56,931	2,598	63,435
1929	156,736	93,500	63,236	2,661	65,391
1928	146,359	86,978	59,381	2,586	62,884
1927	149,793	91,087	58,706	2,646	60,034
1926	141,200	87,280	53,920	2,559	59,581
1925	142,161	84,857	57,304	2,626	59,873
1924	151,718	87,597	64,121	2,692	62,227
1923	165,082	93,172	71,910	2,763	62,574
1922	153,321	87,273	66,048	2,817	60,870
1921	154,679	87,991	66,688	2,879	59,788
1920	142,091	79,325	62,766	2,624	55,546

See footnotes at end of table

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

YEAR	18/ Diseases of pregnancy, childbirth, puerperium (140-150)	Congenital malformations (157)	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	19/ Senility (162)	Suicide (163-164)
*1948	4,480	5,781	38,323	13,754	1,007	64,503	12,921
1947	4,488	4,990	41,751	14,597	885	78,953	12,262
*1946	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA
1943	4,542	3,781	51,941	5,084	447	99,636	8,784
1942	4,586	3,897	52,096	5,152	459	96,488	9,393
1941	4,929	3,670	52,376	5,284	443	90,215	9,713
1940	5,070	3,507	54,939	5,267	291	90,098	9,877
1939	4,818	3,718	57,124	5,165	314	95,466	10,785
1938	4,877	3,916	60,568	5,410	381	98,772	12,223
1937	5,444	4,295	63,387	5,929	441	84,766	14,295
1936	5,384	4,308	67,986	6,328	407	91,936	15,423
1935	5,698	4,333	64,369	5,685	425	79,240	14,172
1934	5,709	4,198	68,604	5,654	401	87,323	14,554
1933	5,763	4,381	67,498	5,071	361	83,197	14,805
1932	5,530	2,785	59,389	NA	NA	77,529	14,746
1931	5,667	2,823	61,448	NA	NA	85,650	14,353
1930	5,681	2,815	59,288	NA	NA	76,591	13,942
1929	5,867	3,018	65,424	NA	NA	79,181	12,740
1928	5,997	3,070	63,901	NA	NA	77,251	13,032
1927	5,765	3,002	64,132	NA	NA	74,664	12,845
1926	5,721	3,353	67,227	NA	NA	67,576	12,484
1925	6,309	3,075	67,019	NA	NA	70,065	12,249
1924	6,273	2,797	69,551	NA	NA	74,003	11,261
1923	6,897	2,177	73,748	NA	NA	76,579	11,488
1922	6,565	1,284	NA	NA	NA	75,957	11,546
1921	7,181	1,306	NA	NA	NA	75,654	11,358
1920	7,158	1,251	NA	NA	NA	73,468	10,630

See footnotes at end of table.

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948-Cont'd.

Year	Homicide (165-168)	Accidental deaths (169-195)	20/ Ill-defined and unknown (200a and c)	All other causes
*1948	1,594	39,529	17,646	132,711
1947	1,314	38,471	20,147	157,587
*1946	NA	NA	NA	NA
1945	NA	NA	NA	NA
1944	NA	NA	NA	NA
1943	226	33,476	31,638	142,182
1942	282	31,087	31,738	140,100
1941	238	28,742	30,931	134,612
1940	259	28,328	33,008	142,092
1939	253	29,262	35,180	149,198
1938	435	31,637	36,255	151,173
1937	450	30,095	32,819	148,010
1936	468	30,080	37,838	149,320
1935	427	28,874	33,600	144,784
1934	423	31,830	37,339	146,805
1933	461	29,953	37,955	147,280
1932	451	26,637	40,992	144,643
1931	491	25,165	44,611	147,555
1930	395	26,176	41,137	147,723
1929	395	26,529	45,486	154,580
1928	422	25,939	45,485	151,845
1927	444	29,215	42,958	150,503
1926	457	25,526	39,115	149,711
1925	429	24,893	40,787	152,202
1924	419	25,699	43,243	161,373
1923	371	71,298	45,867	164,383
1922	441	25,436	72,611	234,093
1921	330	24,438	72,450	237,768
1920	365	26,056	73,809	237,736

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 13. - 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

*Data for 1946 and 1948 are provisional.

1/ Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Total deaths for the priod 1944-1946 refer to deaths of Japanese nationals in Japan. Data for specific causes of death, 1944-1946, refer to deaths among Japanese nationals and foreigners in Japan Proper and are limited to the civilian population only. All other death statistics include military personnel in the country. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper.
All data for 1920-1943, 1947 and 1948 are based upon tabulations of death certificates. Total deaths for the years 1944-1946 are also based upon death certificates. Specific cause data (except tuberculosis) for 1944-1946 are based upon follow-up reports on communicable disease cases. Data for tuberculosis deaths 1944-1946 are estimates prepared by the Ministry of Welfare.

2/ Typhoid fever. 1920-1943: includes typhoid pneumonia. 1944-1946, unknown whether typhoid pneumonia is included. 1947 and 1948, excludes typhoid pneumonia.

3/ Scarlet fever. 1920-1943: includes puerperal scarlet fever. 1944-1946: unknown whether puerperal scarlet fever is included. 1947 and 1948 excludes puerperal scarlet fever.

4/ Diphtheria. 1920-1922 and 1933-1943: excludes diphtheric endocarditis; includes croupous bronchitis and laryngeal croup. 1923-1932: excludes diphtheric endocarditis and croupous bronchitis; includes laryngeal croup. 1944-1946: unknow whether diphtheric endocarditis, croupous bronchitis, and laryngeal croup are included. 1947 and 1948 includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal croup.

5/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947 and 1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis. 1944-1946: are estimates of the Ministry of Welfare.

6/ Syphilis. 1920-1922: excludes general paralysis of the insane and aneurysm of the aorta. 1923-1932: includes general paralysis of the insane, a small amount of non-syphilitic paralytic psychosis, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1933-1943: includes general paralysis of the insane, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1947 and 1948: includes general paralysis of the insane and aneurysm of the aorta.

7/ Typhus fever and typhus-like diseases. 1920-1943 and 1947 and 1948: includes typhus-like diseases. 1944-1946: excludes typhus-like diseases.

8/ Simple meningitis. 1920-1943: includes acute cerobrospinal meningitis not due to meningococcus. 1947-1948: excludes acute cerobrospinal meningitis not due to meningococcus.

9/ Intracranial lesions of vascular origin. 1920-1932: includes alcoholic cerebral apoplexy congestion and a small amount of paralysis not due to intracranial lesions of vascular origin. 1933-1943: includes alcoholic cerebral apoplexy and congestion. 1947 and 1948: excludes alcoholic apoplexy and congestion.

TABLE 13. 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920-1948 - Cont'd.

10/ Diseases of the heart. 1920-1943: includes diphtheric endocarditis. 1947 and 1948: excludes diphtheric endocarditis.

11/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947 and 1948: includes croupous bronchitis.

12/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.

13/ Ulcer of stomach or duodenum. 1920-1922: excludes ulcer of duodenum. 1923-1943; 1947 and 1948: includes ulcer of duodenum.

14/ Diarrhea, enteritis and ulceration of the intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948: excludes malnutrition 1 year of age and over.

15/ Diarrhea, enteritis and ulceration of the intestines (under 2 years). 1920-1943: includes malnutrition 1 to 2 years of age. 1947 and 1948: excludes malnutrition 1 to 2 years of age.

16/ Diarrhea, enteritis and ulceration of the intestines (2 years and over). 1920-1943: includes malnutrition, 2 years of age and over. 1947 and 1948 excludes malnutrition, 2 years of age and over.

17/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.

18/ Diseases of pregnancy, childbirth and the puerperium. 1920-1943: excludes puerperal scarlet fever. 1947 and 1948: includes puerperal scarlet fever.

19/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 1947-1948: includes senility with mention of senile dementia.

20/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943, excludes malnutrition 1 year of age and over. Excludes sudden death and found dead. 1947 and 1948 includes malnutriti 1 year of age and over. Excludes sudden death and found dead.

"NA" indicates data are not available.

A dash (-) indicates no deaths were reported.

SOURCES:

Total deaths and deaths from selected causes:-
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947: Final Annual Report, Ministry of Welfare.
1948: Monthly Schedule Reports, Ministry of Welfare.

Total deaths:-
1944: Unpublished tabulations, Cabinet Bureau of Statistics.
1945 (Jan-Jul): Unpublished tabulation, Cabinet Bureau of Statistics.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 13. 1/ DEATHS FROM SELECTED CAUSES: JAPAN, 1920-1948 - Cont'd.

Total deaths:- Cont'd.
1945 (Aug-Dec): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan and of foreigners in Japan Proper.

1946 (Jan-Jun): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper.
1946 (Jul-Sep): Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper.
1946 (Oct-Dec): Monthly Schedule Reports, Cabinet Bureau of Statistics.

Deaths from Selected Causes:-
1944 and 1945: Unpublished Annual Reports, Ministry of Welfare.
1946: Weekly Reports, Ministry of Welfare.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948
(Per 100,000 population)

Year	All Causes	2/Typhoid Fever (1)	Paratyphoid Fever (2)	Plague (3)	Cholera (4)	Cerebrospinal (meningococcus) Meningitis (6)	Anthrax (7)	3/Scarlet Fever (8)	Whooping Cough (9)	4/ Diphtheria (10)
*1948	1,195.9	1.8	0.2	-	-	0.8	-	0.1	6.0	2.4
1947	1,459.3	3.8	0.4	-	--	1.5	0.0	0.1	21.8	4.3
*1946	1,761.7	7.2	0.6	-	0.7	0.6	NA	0.1	NA	5.2
1945	2,891.7	11.4	0.8	-	-	1.5	NA	0.1	NA	11.2
1944	1,738.6	10.8	0.8	-	-	0.5	NA	0.2	NA	8.5
1943	1,640.8	11.9	0.7	0.0	0.0	0.8	0.0	0.3	12.7	9.6
1942	1,580.8	8.7	0.4	-	-	0.6	0.0	0.3	12.9	7.0
1941	1,570.4	9.4	0.4	-	-	0.7	0.0	0.4	14.7	6.8
1940	1,645.4	9.9	0.4	-	0.0	1.0	0.0	0.5	12.2	6.6
1939	1,774.5	9.7	0.4	-	0.0	1.3	0.0	0.7	14.1	7.4
1938	1,769.4	11.0	0.4	-	0.0	0.8	0.0	0.6	12.5	5.8
1937	1,701.3	10.0	0.4	-	0.0	0.7	0.0	0.6	15.5	6.0
1936	1,752.5	9.8	0.4	-	-	0.9	0.0	0.7	13.9	6.2
1935	1,677.8	10.5	0.3	-	-	1.0	0.0	0.7	17.6	6.4
1934	1,807.7	11.9	0.5	-	-	0.9	0.0	0.7	12.5	7.7
1933	1,771.5	11.4	0.5	-	-	0.4	0.0	0.6	9.1	8.1
1932	1,770.1	10.5	0.6	-	0.0	0.2	0.0	0.5	22.1	6.8
1931	1,897.4	12.5	0.5	-	-	0.3	0.0	0.5	12.6	7.0
1930	1,816.7	13.0	0.6	-	0.0	0.3	0.0	0.5	11.5	6.3
1929	1,986.2	12.6	0.6	0.0	0.2	0.3	0.0	0.4	15.5	7.4
1928	1,972.4	14.0	0.7	-	0.0	0.3	0.0	0.4	18.2	7.0
1927	1,968.1	12.7	0.8	-	0.0	0.3	0.0	0.4	14.8	6.4
1926	1,909.1	16.1	0.7	0.0	0.0	0.4	0.0	0.5	12.0	6.0
1925	2,026.7	16.8	0.7	-	0.6	0.5	0.0	0.5	14.2	6.0
1924	2,130.6	23.9	1.0	0.0	-	2.3	0.0	0.2	17.4	6.0
1923	2,289.5	22.2	1.2	0.0	0.1	0.7	0.1	0.2	14.6	5.8
1922	2,242.1	21.7	1.3	0.1	0.9	1.0	0.0	0.2	10.9	6.2
1921	2,272.6	21.1	1.2	0.0	0.1	0.8	0.0	0.2	12.3	6.8
1920	2,541.1	21.6	1.4	0.0	6.1	1.0	0.0	0.2	14.2	6.8

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd
(Per 100,000 population)

Year	Tetanus	2/Tuberculosis (all forms) (13-22)	Leprosy (23)	Glanders (26 a)	Dysentery (27)	Malaria (28)	3/ Syphilis (30)	Influenza (33)	Smallpox (34)	Measles (35)
*1948	2.7	181.1	0.2	-	6.6	0.3	5.5	0.6	0.0	7.1
1947	2.8	187.5	0.2	-	12.3	0.6	5.7	2.4	0.1	26.8
*1946	NA	264.2	NA	NA	17.6	NA	NA	NA	3.8	NA
1945	NA	280.0	NA	NA	28.8	NA	NA	NA	0.4	NA
1944	NA	240.2	NA	NA	15.4	NA	NA	NA	0.1	NA
1943	2.7	230.8	0.2	-	17.0	0.3	10.6	4.6	0.1	29.4
1942	2.5	218.8	0.2	-	19.4	0.3	10.7	5.4	0.1	9.2
1941	2.4	210.9	0.3	-	22.3	0.2	10.6	5.9	0.1	20.0
1940	2.6	212.4	0.4	-	30.6	0.3	10.7	4.4	0.1	7.1
1939	2.4	215.9	0.4	-	34.8	0.3	11.3	8.2	0.0	20.5
1938	2.5	209.0	0.5	-	30.9	0.3	12.3	10.7	0.0	7.0
1937	2.7	203.7	0.6	-	27.8	0.1	13.3	4.2	0.0	15.3
1936	2.8	206.8	0.6	-	23.8	0.1	13.4	12.4	0.0	7.5
1935	3.1	190.8	0.7	0.0	23.0	0.1	13.5	4.4	0.0	14.2
1934	3.2	192.6	0.7	0.0	22.7	0.1	13.7	14.8	0.1	14.3
1933	3.4	188.0	0.8	-	22.1	0.1	14.2	7.1	0.1	12.5
1932	3.7	179.5	0.8	-	20.4	0.1	14.4	8.1	0.1	9.4
1931	3.7	186.4	1.0	0.0	19.9	0.1	15.1	24.0	0.0	20.9
1930	3.9	185.6	1.0	0.0	20.2	0.1	15.2	8.1	0.0	9.3
1929	4.2	194.5	1.0	-	21.1	0.2	16.2	13.4	0.0	25.3
1928	4.4	190.8	1.1	-	19.2	0.3	17.5	15.4	0.2	17.7
1927	4.5	193.6	1.2	-	16.6	0.3	17.6	13.2	0.1	21.8
1926	4.7	185.9	1.3	0.0	14.0	0.3	18.3	7.6	0.3	17.3
1925	4.9	194.1	1.3	0.0	12.6	0.2	17.9	18.1	0.1	25.8
1924	5.1	193.9	1.4	0.0	14.7	0.3	18.5	11.1	0.5	20.3
1923	5.5	203.1	1.6	0.0	16.2	0.3	19.6	11.2	0.7	22.8
1922	5.0	218.7	1.7	0.0	15.9	0.3	16.2	22.1	0.2	16.8
1921	5.4	212.9	1.9	0.0	13.9	0.4	18.4	18.2	0.4	24.5
1920	5.5	223.7	2.0	-	14.6	0.4	18.2	193.7	1.3	13.4

See footnotes at end of table.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd
(Per 100,000 population)

Year	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	4/ Typhus Fever & typhus-like diseases (39)	Cancer & other malignant tumors (45-55)	Diabetes Mellitus (61)	Beriberi (68)	Simple Meningitis (81a)	5/Intracranial lesions of vascular origin (83)	Diseases of the heart (90-95)
*1948	3.3	-	0.0	0.1	69.7	2.2	7.9	13.1	118.3	61.4
1947	0.3	-	0.0	0.2	68.0	2.3	11.0	18.1	129.6	62.3
*1946	NA	NA	NA	3.9	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	0.4	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	0.9	NA	NA	NA	NA	NA	NA
1943	NA	0.0	0.0	0.2	70.9	3.3	8.7	40.5	162.8	61.1
1942	NA	0.0	0.0	0.1	71.7	3.5	9.1	40.3	169.8	58.9
1941	NA	-	0.0	0.1	71.0	3.6	9.1	41.0	170.9	58.1
1940	NA	-	0.0	0.1	70.6	3.8	10.0	43.8	177.3	63.2
1939	NA	-	0.0	0.1	71.5	3.9	13.4	49.8	183.0	66.4
1938	NA	-	0.0	0.1	70.9	4.3	17.9	51.6	178.2	66.7
1937	NA	0.0	0.0	0.0	71.3	4.0	15.0	51.0	167.3	60.3
1936	NA	-	0.0	0.0	70.1	3.7	15.8	52.6	168.3	61.1
1935	NA	-	0.0	0.1	70.9	3.6	14.5	54.3	165.4	57.6
1934	NA	-	0.0	0.1	70.2	4.0	16.8	58.5	167.6	62.3
1933	NA	0.0	0.0	0.1	69.6	3.8	20.5	63.1	164.3	59.5
1932	NA	-	0.0	0.0	68.2	3.5	17.8	65.6	161.7	58.7
1931	NA	0.0	0.0	0.0	68.1	3.4	27.2	70.8	164.1	64.0
1930	NA	0.0	0.0	0.0	69.7	3.5	23.9	73.8	162.8	63.8
1929	NA	0.0	0.0	0.0	68.9	3.6	24.3	85.2	170.8	65.4
1928	NA	-	0.0	0.0	71.0	3.5	30.4	85.1	164.3	63.6
1927	NA	0.0	0.0	0.1	69.4	3.5	19.5	89.8	164.8	63.2
1926	NA	-	0.1	0.0	70.0	3.4	19.9	93.4	162.3	62.4
1925	NA	-	0.2	0.0	69.9	3.3	23.3	98.0	161.2	66.8
1924	NA	0.0	0.4	0.0	70.1	3.3	31.1	116.2	174.5	69.1
1923	NA	0.0	0.3	0.1	71.8	3.2	46.0	126.3	162.6	72.5
1922	NA	NA	0.1	0.1	71.1	3.3	33.4	121.2	159.3	65.0
1921	NA	NA	0.1	0.1	71.6	3.3	40.0	120.4	159.7	66.0
1920	NA	NA	0.1	0.2	72.1	3.1	25.4	123.7	157.6	63.5

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 14, pg. 4

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd
(Per 100,000 population)

Year	11/ Bronchitis (106)	12/Pneumonia (all forms) (107-109)	Pleurisy(not specified as tuberculosis) (110)	13/Ulcer of the stomach or duodenum (117)	14/Diarrhea, enteritis & ulceration of intestines (all ages)(119-120)	15/Diarrhea, enteritis & ulceration of intestines (under 2 years)(119)	16/Diarrhea, enteritis & ulceration of intestines (2 yrs.&over) (120)
*1948	32.4	66.6	9.6	25.9	104.7	60.9	43.8
1947	44.8	130.3	13.9	33.2	130.1	71.1	58.9
*1946	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA
1943	31.3	156.8	24.1	23.0	142.4	71.4	71.0
1942	30.4	143.7	24.5	20.2	131.2	65.9	65.2
1941	30.1	142.2	24.7	17.6	132.1	64.3	67.8
1940	31.3	154.0	27.8	17.9	150.3	68.2	82.0
1939	35.1	184.0	30.3	18.5	157.8	74.1	83.7
1938	36.8	165.9	29.5	18.7	164.3	82.1	82.2
1937	33.8	152.5	26.5	17.4	169.0	93.9	75.1
1936	37.2	159.8	25.7	17.1	172.6	100.5	72.1
1935	35.0	151.7	24.6	16.3	161.9	92.8	69.0
1934	39.6	181.7	26.1	16.6	187.2	109.5	77.7
1933	37.7	157.6	26.1	15.6	194.0	118.6	75.4
1932	41.6	169.7	26.4	15.1	206.9	124.1	82.7
1931	46.4	197.8	27.0	14.8	214.2	127.6	86.5
1930	43.3	156.8	25.7	14.3	221.2	132.9	88.3
1929	50.2	190.8	27.1	13.7	246.8	147.2	99.6
1928	52.1	200.6	25.7	13.7	233.4	138.7	94.7
1927	54.0	194.4	25.9	13.0	242.8	147.6	95.1
1926	51.5	177.8	25.0	12.9	232.2	143.6	88.7
1925	59.5	216.2	27.2	13.0	238.0	142.1	95.9
1924	60.8	209.5	28.4	12.5	257.6	148.7	108.9
1923	62.2	204.9	27.7	12.3	283.6	160.1	123.6
1922	90.2	196.2	28.1	11.1	267.1	152.0	115.1
1921	91.8	200.5	26.3	11.8	272.8	155.2	117.6
1920	94.1	313.9	25.0	11.2	253.9	141.7	112.2

See footnotes at end of table.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd

Year	Appendicitis (121)	17/ Nephritis (130-132)	18/Diseases of pregnancy, childbirth, puerperium (140-150)	Congenital malformations (157)	Congenital Debility (158)	Premature Birth (159)	Injury at birth (160)	19/ Senility (162)
*1948	4.8	45.9	5.6	7.2	47.8	17.1	1.3	80.4
1947	5.7	57.7	5.8	6.4	53.5	18.7	1.1	101.2
*1946	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA
1943	3.1	66.9	6.1	5.1	69.9	6.8	0.6	134.1
1942	3.2	69.3	6.2	5.3	70.6	7.0	0.6	130.7
1941	3.1	68.2	6.7	5.0	71.6	7.2	0.6	123.2
1940	3.6	75.9	7.0	4.9	76.2	7.3	0.4	124.9
1939	3.8	82.2	6.7	5.2	79.9	7.2	0.4	133.5
1938	3.8	87.1	6.8	5.5	85.1	7.6	0.5	138.7
1937	3.8	79.3	7.7	6.0	89.3	8.4	0.6	119.4
1936	3.6	82.3	7.7	6.1	96.8	9.0	0.6	131.0
1935	3.5	80.9	8.2	6.3	92.9	8.2	0.6	114.4
1934	3.8	87.2	8.4	6.1	100.4	8.3	0.6	127.9
1933	3.8	89.0	8.6	6.5	100.1	7.5	0.5	123.4
1932	4.0	92.4	8.3	4.2	89.4	NA	NA	116.8
1931	3.9	98.2	8.7	4.3	94.0	NA	NA	131.0
1930	4.0	98.4	8.8	4.4	92.0	NA	NA	118.8
1929	4.2	103.0	9.2	4.8	103.0	NA	NA	124.7
1928	4.1	100.3	9.6	4.9	101.9	NA	NA	123.2
1927	4.3	97.3	9.3	4.9	103.9	NA	NA	121.0
1926	4.2	98.0	9.4	5.5	110.6	NA	NA	111.1
1925	4.4	100.2	10.6	5.1	112.2	NA	NA	117.3
1924	4.6	103.6	10.7	4.7	118.1	NA	NA	125.6
1923	4.7	107.5	11.9	3.7	126.7	NA	NA	131.6
1922	4.9	106.0	11.4	2.2	NA	NA	NA	132.3
1921	5.1	105.4	12.7	2.3	NA	NA	NA	133.4
1920	4.7	99.3	12.8	2.2	NA	NA	NA	131.3

See footnotes at end of table.

Table 14, pg. 5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd
(Per 100,000 population)

Year	Suicide	Homicide (165-168)	Accidental Deaths (169-195)	20/ Ill-defined and unknown (200 a and c)	All other causes
* 1948	16.1	2.0	49.3	22.0	165.5
1947	15.7	1.7	49.3	25.8	202.0
* 1946	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA
1943	11.8	0.3	45.1	42.6	191.4
1942	12.7	0.4	42.1	43.0	189.8
1941	13.3	0.3	39.3	42.3	183.9
1940	13.7	0.4	39.3	45.8	197.0
1939	15.1	0.4	40.9	49.2	208.7
1938	17.2	0.6	44.4	50.9	212.3
1937	20.1	0.6	42.4	46.2	208.5
1936	22.0	0.7	42.8	53.9	212.7
1935	20.5	0.6	41.7	48.5	209.1
1934	21.3	0.6	46.6	54.7	214.9
1933	22.0	0.7	44.4	56.3	218.5
1932	22.2	0.7	40.1	61.7	217.8
1931	21.9	0.8	38.5	68.2	225.6
1930	21.6	0.6	40.6	63.8	229.2
1929	20.1	0.6	41.8	71.6	243.4
1928	20.8	0.7	41.4	72.5	242.2
1927	20.8	0.7	47.4	69.6	243.9
1926	20.5	0.8	42.0	64.3	246.2
1925	20.5	0.7	41.7	68.3	254.8
1924	19.1	0.7	43.6	73.4	274.0
1923	19.7	0.6	122.5	78.8	282.4
1922	20.1	0.8	44.3	126.5	407.8
1921	20.0	0.6	43.1	127.8	419.3
1920	19.0	0.7	46.6	132.0	424.8

See footnotes on next page.

TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Footnotes:

* Data for 1946 and 1948 are provisional.

1/ Rates are the number of deaths per 100,000 population, estimated as of 1 October 1920-1945 and 1 July 1946, 1947 and 1948. Estimated populations include civilian and military in Japan and Okinawa, 1920-1943. Death rates for "all causes", 1944-1945 are based upon the estimated total population (including military personnel) in Japan Proper. Rates for specific causes of death, 1944-1945 are based upon the estimated civilian population only. Rates for "all causes" and specific causes, 1946-1948 are based upon the estimated total population in Japan Proper. (There were no military personnel during this period).
2/ Typhoid fever, 1920-1943: includes typhoid pneumonia. 1944-1946, unknown whether typhoid pneumonia is included. 1947 and 1948 excludes typhoid pneumonia.
3/ Scarlet fever. 1920-1943: includes puerperal scarlet fever. 1944-1946: unknown whether puerperal scarlet fever is included. 1947 and 1948 excludes puerperal scarlet fever.
4/ Diphtheria. 1920-1922 and 1933-1943: excludes diphtheric endocarditis; includes croupous bronchitis and laryngeal croup. 1923-1932: excludes diphtheric endocarditis and croupous bronchitis; includes laryngeal croup. 1944-1946: unknown whether diphtheric endocarditis, croupous bronchitis and laryngeal croup are included. 1947 and 1948: includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal croup.
5/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia; excludes spondylitis; includes all adenopathy. 1947 and 1948: excludes chronic pleuro pneumonia; includes spondylitis; excludes nontubercular adenopathy. 1944-1946: are estimates of the Ministry of Welfare.
6/ Syphilis. 1920-1922: excludes general paralysis of the insane; excludes aneurysm of the aorta. 1923-1932: includes general paralysis of the insane, a small amount of non-syphilitic paralytic psychosis, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1933-1943: includes general paralysis of the insane, aneurysm of the aorta and a small amount of non-syphilitic aneurysm. 1947 and 1948: includes general paralysis of the insane and aneurysm of the aorta.
7/ Typhus fever and typhus-like diseases. 1920-1943 and 1947 and 1948: includes typhus-like diseases. 1944-1946: excludes typhus-like diseases.
8/ Simple meningitis. 1920-1943: includes acute cerebrospinal meningitis not due to meningoccus. 1947-1948: excludes acute cerebrospinal meningitis not due to meningoccus.
9/ Intracranial lesions of vascular origin. 1920-1932: includes alcoholic cerebral apoplexy and congestion and a small amount of paralysis not due to intracranial lesions of vascular origin. 1933-1943: includes alcoholic cerebral apoplexy and congestion. 1947 and 1948: excludes alcoholic apoplexy and congestion.
10/ Diseases of the heart. 1920-1943: includes diphtheric endocarditis. 1947 and 1948: excludes diphtheric endocarditis.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Footnotes - Cont'd. TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920-1948

11/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.
12/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
13/ Ulcer of stomach or duodenum. 1920-1922: excludes ulcer of duodenum. 1923-1943; 1947-1948: includes ulcer of duodenum.
14/ Diarrhea, enteritis and ulceration of the intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948 : excludes malnutrition 1 year of age and over.
15/ Diarrhea, enteritis and ulceration of the intestines (under 2 years). 1920-1943: includes malnutrition 1 to 2 years of age. 1947 and 1948: excludes malnutrition 1 to 2 years of age.
16/ Diarrhea, enteritis and ulceration of the intestines (2 years and over). 1920-1943: includes malnutrition, 2 years of age and over. 1947 and 1948: excludes malnutrition, 2 years of age and over.
17/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.
18/ Diseases of pregnancy, childbirth and the puerperium. 1920-1943: excludes puerperal scarlet fever. 1947 and 1948: includes puerperal scarlet fever.
19/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 and 1947-1948: includes senility with mention of senile dementia.
20/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943, excludes malnutrition 1 year of age and over. Excludes sudden death and found dead. 1947 and 1948: includes malnutrition 1 year of age and over. Excludes sudden death and found dead.

"NA" indicates data are not available.
A dash (-) indicates that no deaths were reported.
A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

Sources:
Rates computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data are as follows:

Total deaths:-
1944: Unpublished tabulations, Cabinet Bureau of Statistics.
1945 (Jan-Jul): Unpublished tabulations, Cabinet Bureau of Statistics.
1945 (Aug-Dec): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude estimated deaths of Japanese nationals outside Japan and of foreigners in Japan Proper.
1946 (Jan-Jun): Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude deaths of Japanese nationals outside Japan Proper.

Footnotes - Cont'd. TABLE 14. - 1/ DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920-1948

Total deaths - Cont'd.
1946 (Jul-Sep): Monthly Numeric Reports, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP to exclude deaths of Japanese nationals outside Japan Proper.
1946 (Oct-Dec): Monthly Schedule Reports, Cabinet Bureau of Statistics.

Total deaths and deaths from selected causes:-
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947: Final Annual Report, Ministry of Welfare
1948: Monthly Schedule Reports, Ministry of Welfare.

Deaths from selected causes:-
1944 and 1945: Unpublished Annual Reports, Ministry of Welfare.
1946: Weekly Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948.

List No.	Cause	••1948	1947	1943	1942	1941	1940	1939	1938	1937
13-22	2/Tuberculosis(all forms)	145,256	146,241	171,473	161,484	154,344	153,154	154,371	148,827	144,620
83	3/Intracranial lesions of vascular origin	94,906	101,095	120,985	125,349	125,124	127,847	130,826	126,861	118,761
119-120	4/Diarrhea, enteritis and ulceration of intestines	83,979	101,454	105,811	96,801	96,724	108,367	112,828	116,956	119,991
162	5/Senility	64,503	78,953	99,636	96,488	90,215	90,098	95,466	98,772	84,766
45-55	Cancer and other malignant tumors	55,933	53,047	52,678	52,936	51,972	50,940	51,129	50,447	50,648
107-109	6/Pneumonia(all forms)	53,428	101,601	116,494	106,022	104,073	111,077	131,542	118,153	108,256
90-95	7/Diseases of the heart	49,254	48,575	45,428	43,487	42,543	45,542	47,442	47,461	42,822
169-195	Accidental deaths	39,529	38,471	33,476	31,087	28,742	28,328	29,262	31,637	30,095
158	Congenital debility	38,323	41,751	51,941	52,096	52,376	54,939	57,124	60,568	63,387
130-132	8/Nephritis (all forms)	36,824	45,017	49,708	51,108	49,900	54,703	58,799	61,996	56,285
200a &c	9/Ill-defined and unknown causes	17,646	20,147	31,638	31,738	30,931	33,008	35,180	36,255	32,819
81a	10/Simple meningitis	10,485	14,143	30,088	29,723	30,014	31,609	35,631	36,748	36,188
106	11/Bronchitis	26,024	34,923	23,268	22,416	22,047	22,572	25,115	26,178	24,030
33	Influenza	516	1,903	3,412	3,981	4,351	3,164	5,848	7,646	2,991

See footnotes at end of table.

Table 15, pg. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948 - Cont'd.

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
13-22	2/Tuberculosis(all forms)	145,160	132,151	131,525	126,703	119,196	121,675	119,635	123,490	119,632
83	3/Intracranial lesions of vascular origin	118,152	114,554	114,447	110,719	107,378	107,352	104,942	108,439	102,985
119-120	4/Diarrhea, enteritis and ulceration of intestine	121,133	112,113	127,853	130,751	137,351	140,062	142,583	156,736	146,359
162	5/Senility	91,936	79,240	87,323	83,197	77,529	85,650	76,591	79,181	77,251
45-55	Cancer and other malignant tumors	49,212	49,111	47,972	46,879	45,258	44,541	44,902	43,734	44,534
107-109	6/Pneumonia(all forms)	112,204	105,078	124,117	106,247	112,681	129,380	101,046	121,181	125,787
90-95	7/Diseases of the heart	42,910	39,902	42,519	40,111	38,973	41,867	41,138	41,532	39,907
169-195	Accidental deaths	30,080	28,874	31,830	29,953	26,637	25,165	26,176	26,529	25,939
158	Congenital debility	67,986	64,369	68,604	67,498	59,389	61,448	59,288	65,424	63,901
130-132	8/Nephritis (all forms)	57,771	56,026	59,553	59,986	61,360	64,241	63,435	65,391	62,884
200a&c	9/Ill-defined and unknown causes	37,838	33,600	37,339	37,955	40,992	44,611	41,137	45,486	45,485
81a	10/Simple meningitis	36,905	37,615	39,924	42,546	43,586	46,296	47,532	54,097	53,388
106	11/Bronchitis	26,120	24,240	27,024	25,397	27,628	30,364	27,930	31,875	32,672
33	Influenza	8,670	3,070	10,142	4,765	5,370	15,673	5,207	8,480	9,669

See footnotes at end of table.

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948 - Cont'd.

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
13-22	2/Tuberculosis(all forms)	119,439	113,045	115,956	114,229	118,216	125,506	120,719	125,165
83	3/Intracranial lesions of vascular origin	101,705	98,688	96,293	102,810	94,615	91,433	90,523	88,186
119-120	4/Diarrhea, enteritis and ulceration of intestine	149,793	141,200	142,161	151,718	165,082	153,321	154,679	142,091
162	5/Senility	74,664	67,576	70,065	74,003	76,579	75,957	75,654	73,468
45-55	Cancer and other malignant tumors	42,835	42,588	41,744	41,312	41,810	40,813	40,578	40,328
107-109	6/Pneumonia (all forms)	119,960	108,106	129,129	123,403	119,263	112,642	113,709	175,674
90-95	7/Diseases of the heart	38,971	37,949	39,895	40,676	42,184	37,312	37,420	35,540
169-195	Accidental deaths	29,215	25,526	24,893	25,699	71,298	25,436	24,438	26,056
158	Congenital debility	64,132	67,227	67,019	69,551	73,748	NA	NA	NA
130-132	8/Nephritis (all forms)	60,034	59,581	59,873	62,227	62,574	60,870	59,788	55,546
200a &c	9/Ill-defined and unknown causes	42,958	39,115	40,787	43,243	45,867	72,611	72,450	73,899
81a	10/Simple meningitis	55,420	56,759	58,540	68,466	73,489	69,585	68,293	69,207
106	11/Bronchitis	33,308	31,341	35,520	35,797	36,188	51,759	52,049	52,656
33	Influenza	8,151	4,610	10,806	6,512	6,520	12,688	10,304	108,428

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 15. - 1/ DEATHS FROM THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948*

FOOTNOTES:

* Data for 1944-1946 are not available.
** Data for 1948 are provisional.
1/ Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper.
2/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy: excludes spondylitis. 1947 and 1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis.
3/ Intracranial lesions of vascular origin. 1920-1932: includes alcoholic cerebral apoplexy and congestion and a small amount of paralysis not due to intracranial lesions of vascular origin. 1933-1943: includes alcoholic cerebral apoplexy and congestion. 1947 and 1948: excludes alcoholic apoplexy and congestion.
4/ Diarrhea, enteritis and ulceration of intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948: excludes malnutrition 1 year of age and over.
5/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 and 1947-1948: includes senility with mention of senile dementia.
6/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
7/ Diseases of the heart. 1920-1943: includes diphtheric endocarditis. 1947 and 1948: excludes diphtheric endocarditis.
8/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.
9/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943: excludes malnutrition 1 year of age and over, sudden death and found dead. 1947 and 1948: includes malnutrition 1 year of age and over. Excludes sudden death and found dead.
10/ Simple meningitis. 1920-1943: includes acute cerebrospinal meningitis not due to meningococcus. 1947 and 1948: excludes acute cerebrospinal meningitis not due to meningococcus.
11/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.

*NA indicates data are not available.

SOURCES:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947: Final Annual Report, Ministry of Welfare.
1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 16 - 1/ DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948*
(Rates per 100,000 Population)

List No.	Cause	**1948	1947	1943	1942	1941	1940	1939	1938	1937
13-22	2/Tuberculosis (all forms)	181.1	187.5	230.8	218.8	210.9	212.4	215.9	209.0	203.7
83	3/Intracranial lesions of vascular origin	118.3	129.6	162.8	169.8	170.9	177.3	183.0	178.2	167.3
119-120	4/Diarrhea, enteritis and ulceration of intestines	104.7	130.1	142.4	131.2	132.1	150.3	157.8	164.3	169.0
162	5/Senility	80.4	101.2	134.1	130.7	123.2	124.9	133.5	138.7	119.4
45-55	Cancer and other malignant tumors	69.7	68.0	70.9	71.7	71.0	70.6	71.5	70.9	71.3
107-109	6/Pneumonia (all forms)	66.6	130.3	156.8	143.7	142.2	154.0	184.0	165.9	152.5
90-95	7/Diseases of the heart	61.4	62.3	61.1	58.9	58.1	63.2	66.4	66.7	60.3
169-195	Accidental deaths	49.3	49.3	45.1	42.1	39.3	39.3	40.9	44.4	42.4
158	Congenital debility	47.8	53.5	69.9	70.6	71.6	76.2	79.9	85.1	89.3
130-132	8/Nephritis (all forms)	45.9	57.7	66.9	69.3	68.2	75.9	82.2	87.1	79.3
200 a & c	9/Ill-defined and unknown causes	22.0	25.8	42.6	43.0	42.3	45.8	49.2	50.9	46.2
81a	10/Simple Meningitis	13.1	18.1	40.5	40.3	41.0	43.8	49.8	51.6	51.0
106	11/Bronchitis	32.4	44.8	31.3	30.4	30.1	31.3	35.1	36.8	33.8
33	Influenza	0.6	2.4	4.6	5.4	5.9	4.4	8.2	10.7	4.2

See footnotes at end of table

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 16 - 1/DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* - Cont'd
(Rates per 100,000 Population)

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
13-22	2/Tuberculosis (all forms)	206.8	190.8	192.6	188.0	179.5	186.4	185.6	194.5	190.8
83	3/Intracranial lesions of vascular origin	168.3	165.4	167.6	164.3	161.7	164.1	162.8	170.8	164.3
119-120	4/Diarrhea, enteritis and ulceration of intestines	172.0	161.9	187.2	194.0	206.9	214.2	221.2	246.8	233.4
162	5/Senility	131.0	114.4	127.9	123.4	116.8	131.0	118.8	124.7	123.2
45-55	Cancer and other malignant tumors	70.1	70.9	70.2	69.6	68.2	68.1	69.7	68.9	71.0
107-109	6/Pneumonia (all forms)	159.8	151.7	181.7	157.6	169.7	197.8	156.8	190.8	200.6
90-95	7/Diseases of the heart	61.1	57.6	62.3	59.5	58.7	64.0	63.8	65.4	63.6
169-195	Accidental deaths	42.8	41.7	46.6	44.4	40.1	38.5	40.6	41.8	41.4
158	Congenital debility	96.8	92.9	100.4	100.1	89.4	94.0	92.0	103.0	101.9
130-132	8/Nephritis (all forms)	82.3	80.9	87.2	89.0	92.4	98.2	98.4	103.0	100.3
200a & c	9/Ill-defined and unknown causes	53.9	48.5	54.7	56.3	61.7	68.2	63.8	71.6	72.5
81a	10/Simple meningitis	52.6	54.3	58.5	63.1	65.6	70.8	73.8	85.2	85.1
106	11/Bronchitis	37.2	35.0	39.6	37.7	41.6	46.4	43.3	50.2	52.1
33	Influenza	12.4	4.4	14.8	7.1	8.1	24.0	8.1	13.4	15.4

See footnotes at end of table

TABLE 16 - 1/DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* Cont'd
(Rates per 100,000 Population)

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
13-22	2/Tuberculosis (all forms)	193.6	185.9	194.1	193.9	203.1	218.7	212.9	223.7
83	3/Intracranial lesions of vascular origin	164.8	162.3	161.2	174.5	162.6	159.3	159.7	157.6
119-120	4/Diarrhea, enteritis and ulceration of intestines	242.8	232.2	238.0	257.6	283.6	267.1	272.8	253.9
162	5/Senility	121.0	111.1	117.3	125.6	131.6	132.3	133.4	131.3
45-55	Cancer and other malignant tumors	69.4	70.0	69.9	70.1	71.8	71.1	71.6	72.1
107-109	6/Pneumonia (all forms)	194.4	177.8	216.2	209.5	204.9	196.2	200.5	313.9
90-95	7/Diseases of the heart	63.2	62.4	66.8	69.1	72.5	65.0	66.0	63.5
169-195	Accidental deaths	47.4	42.0	41.7	43.6	122.5	44.3	43.1	46.6
158	Congenital debility	103.9	110.6	112.2	118.1	126.7	NA	NA	NA
130-132	8/Nephritis (all forms)	97.3	98.0	100.2	105.6	107.5	106.0	105.4	99.3
200a & c	9/Ill-defined and unknown causes	69.6	64.3	68.3	73.4	78.8	126.5	127.8	132.0
81a	10/Simple meningitis	89.8	93.4	98.0	116.2	126.3	121.2	120.4	123.7
106	11/Bronchitis	54.0	51.5	59.5	60.8	62.2	90.2	91.8	94.1
33	Influenza	13.2	7.6	18.1	11.1	11.2	22.1	18.2	193.7

See footnotes on next page

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 16. - 1/DEATH RATES FOR THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* Cont'd.
(Rates per 100,000 Population)

FOOTNOTES:

* Data for 1944-1946 are not available.
** Data for 1948 are provisional.
1/ Rates are the number of deaths per 100,000 population, estimated as of 1 October 1920-1943 and 1 July 1947 and 1948. Estimated populations include civilian and military in Japan and Okinawa, 1920-1943: Civilian population in Japan Proper, 1947 and 1948.
2/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947 and 1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis.
3/ Intracranial lesions of vascular origin. 1920-1932: includes alcoholic cerebral apoplexy and congestion and a small amount of paralysis not due to intracranial lesions of vacular origin. 1933-1943: includes alcoholic cerebral apoplexy and congestion. 1947 and 1948: excludes alcoholic apoplexy and congestion.
4/ Diarrhea, enteritis and ulceration of intestines (all ages). 1920-1943: includes malnutrition 1 year of age and over. 1947 and 1948: excludes malnutrition 1 year of age and over.
5/ Senility. 1920-1922: excludes senility with mention of senile dementia, psychosis and paresis. 1923-1943 and 1947-1948: includes senility with mention of senile dementia.
6/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
7/ Diseases of the heart. 1920-1943: includes diphtheric endocarditis. 1947 and 1948: excludes diphtheric endocarditis.
8/ Nephritis. 1920-1943: includes alcoholic nephritis. 1947 and 1948: excludes alcoholic nephritis.
9/ Ill-defined and unknown. 1920-1922: excludes malnutrition 1 year of age and over. Includes sudden death and found dead. 1923-1943, excludes malnutrition 1 year of age and over, sudden death and found dead. 1947 and 1948: includes malnutrition 1 year of age and over. Excludes sudden death and found dead.
10/ Simple meningitis. 1920-1943: includes acute cerebrospinal meningitis not due to meningococcus. 1947 and 1948: excludes acute cerebrospinal meningitis not due to meningococcus.
11/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.
"NA" indicates data are not available.

SOURCES:

Rates computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data are as follows:
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947: Final Annual Report, Ministry of Welfare.
1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 17. - RANK ORDER OF THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948*

List No.		** 1948	1947	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920
13-22	Tuberculosis (all forms)	1	1	1	1	1	1	1	1	1	1	1	1	2	2	3	2	2	3	3	2	3	3	3	2	2	3
83	Intracranial lesions of vascular origin	2	4	2	2	2	2	3	2	3	3	2	4	3	4	4	3	4	4	4	4	4	4	4	4	4	5
119-120	Diarrhea, enteritis and ulceration of intestines	3	3	4	4	4	4	4	4	2	2	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2
162	Senility	4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	7
45-55	Cancer and other malignant tumors	5	6	6	6	7	8	8	8	8	8	8	8	8	8	10	9	10	10	10	9	9	10		10	10	
107-109	Pneumonia (all forms)	6	2	3	3	3	3	2	3	4	4	4	3	4	3	2	4	3	2	2	3	2	2	2	3	3	1
90-95	Diseases of the heart	7	7	9	9	9	9	9	9	9	9	9	9	10			10										
169-195	Accidental deaths	8	10	10																				8			
158	Congenital debility	9	9	7	7	6	6	7	7	6	6	6	6	6	7	7	7	6	6	6	6	6	6	6			
130-132	Nephritis (all forms)	10	8	8	8	8	7	6	6	7	7	7	7	7	6	6	6	7	7	7	7	7	8	9	8	8	9
200a & c	Ill-defined and unknown causes				10	10	10				10				10	9		9	9	9	10	10	9	10	6	6	6
81a	Simple meningitis							10	10	10		10	10	9	9	8	8	8	8	8	8	8	7	7	7	7	8
106	Bronchitis																								9	9	10
33	Influenza																										4

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 17. - RANK ORDER OF THE TEN LEADING CAUSES OF DEATH: JAPAN, 1920 - 1948* - Cont'd.

FOOTNOTES:

*Data for 1944-1946 are not available.

**Data for 1948 are provisional.

"NA" indicates data are not available.

TABLE 18. - DEATHS BY AGE; JAPAN, 1920-1947

Year	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Unknown age
1947	1,138,238	328,663	30,103	16,553	36,556	55,246	43,131	38,989	38,002	36,819	41,186	46,531	56,201	369,021	237
1946	1,326,592	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	2,113,798	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	1,279,639	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	1,219,073	340,884	29,760	20,488	55,885	57,034	46,191	40,889	37,069	38,649	40,455	47,689	60,421	403,659	-
1942	1,166,630	311,084	29,978	21,030	55,829	56,310	46,099	39,224	35,689	37,195	38,635	46,102	59,155	390,300	-
1941	1,149,559	325,761	31,298	21,781	55,938	54,688	45,026	37,266	34,343	34,475	36,601	45,590	57,482	369,310	-
1940	1,186,595	325,307	34,895	25,606	61,010	55,987	47,567	38,128	36,115	35,651	38,030	49,278	60,062	378,959	-
1939	1,268,760	368,731	39,734	27,330	63,605	58,652	49,153	38,497	37,550	36,897	39,454	49,949	65,074	394,080	54
1938	1,259,805	365,852	36,552	27,172	62,117	60,499	49,478	37,599	37,195	36,303	39,265	48,967	64,697	394,051	58
1937	1,207,899	386,506	35,367	25,280	56,686	59,173	46,939	35,441	34,693	33,155	37,006	46,081	59,764	351,734	74
1936	1,230,278	388,633	33,358	25,173	55,511	60,707	46,838	36,527	34,367	33,443	37,976	47,449	61,523	368,696	77
1935	1,161,936	379,695	33,806	22,998	50,030	56,723	42,718	34,823	32,109	31,445	36,893	46,644	58,969	335,021	62
1934	1,234,684	413,175	35,229	24,086	50,780	58,536	43,659	36,785	33,854	33,058	38,070	48,417	61,105	357,316	614
1933	1,193,987	405,781	33,119	22,585	50,824	57,123	41,806	35,542	32,720	32,657	36,716	47,654	58,166	339,225	69
1932	1,175,344	409,581	33,108	21,758	49,238	54,555	39,921	34,689	31,982	32,046	36,781	47,477	56,479	327,667	62
1931	1,240,891	433,769	34,109	21,963	52,762	56,307	41,392	35,170	33,043	34,357	39,249	50,171	57,150	351,398	51
1930	1,170,867	404,088	33,023	21,961	52,133	53,147	40,389	32,787	30,463	32,702	38,136	47,719	52,415	331,856	48
1929	1,261,228	467,823	36,138	22,781	54,020	52,923	41,131	33,519	31,270	33,541	38,852	48,555	51,565	349,068	42
1928	1,236,711	458,933	33,375	22,425	52,704	51,345	40,754	33,149	31,251	33,085	39,533	47,872	49,779	342,456	50
1927	1,214,323	457,757	31,940	22,905	52,746	49,634	39,424	31,287	30,515	32,763	38,831	45,532	49,097	331,832	60
1926	1,160,734	438,419	30,167	22,475	49,733	47,510	37,497	30,378	30,368	32,638	38,038	43,126	47,753	312,523	109
1925	1,210,706	461,419	31,913	24,192	50,200	49,963	38,124	31,155	31,944	34,767	39,438	42,225	50,370	324,918	78
1924	1,254,946	475,615	32,595	25,726	50,927	52,504	39,301	32,267	32,782	36,088	40,148	42,041	54,277	340,539	136
1923	1,332,485	505,750	38,219	30,915	59,053	59,249	44,317	36,627	36,058	39,321	41,912	42,152	55,335	343,231	346
1922	1,286,941	492,060	34,832	27,444	54,368	55,996	40,695	34,064	34,255	37,123	39,279	41,492	51,853	343,453	27
1921	1,288,570	504,054	35,735	26,194	52,631	53,700	40,027	34,622	34,263	37,544	37,562	41,534	49,327	341,332	45
1920	1,422,096	517,822	45,914	29,835	66,424	70,906	59,762	53,189	48,152	47,137	41,572	47,057	50,882	343,393	51

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 18. - DEATHS BY AGE: JAPAN, 1920-1947

FOOTNOTES:

1/ Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1944-1947 refer to deaths of Japanese nationals in Japan Proper only.

All data include military personnel in the country.

"NA" indicates data are not available.

SOURCE:

1920-1943 and 1947: Special Report, Health Statistics, Ministry of Welfare.

1944-1946: Totals only are available. See source Table 3.

TABLE 19. - 1/ DEATH RATES BY AGE: JAPAN, 1920 - 1947
(Rates per 1,000 population)

Year	All Ages	0 - 4	5 - 9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
1947	14.5	33.8	3.3	1.9	4.4	7.8	7.8	7.5	7.7	8.7	10.6	14.8	21.1	62.6
1946	17.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	29.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	17.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	16.5	36.0	3.4	2.4	7.0	10.1	9.5	7.8	8.4	9.4	11.7	16.2	23.5	68.2
1942	15.9	33.4	3.4	2.5	7.2	10.1	8.9	7.5	8.2	9.2	11.5	15.7	23.8	66.8
1941	15.8	35.7	3.5	2.6	7.4	9.7	8.3	7.2	7.9	8.8	11.1	15.8	23.2	64.3
1940	16.6	35.9	4.0	3.1	8.3	10.3	8.8	7.8	8.3	9.4	12.0	17.2	23.7	67.4
1939	17.9	40.9	4.6	3.3	8.6	11.0	9.9	8.1	8.5	9.8	12.4	17.4	25.3	71.3
1938	17.8	39.7	4.2	3.3	8.7	11.1	9.5	8.1	8.6	9.8	12.4	17.4	25.0	72.7
1937	17.2	41.6	4.1	3.1	8.2	10.2	8.6	7.7	8.1	9.3	11.7	16.6	23.2	66.2
1936	17.7	41.7	3.9	3.2	8.3	10.2	8.7	8.0	8.3	9.5	12.2	17.2	24.0	70.6
1935	16.8	40.7	4.0	3.0	7.5	9.3	8.2	7.5	7.9	9.2	11.9	16.5	22.9	65.0
1934	18.1	44.6	4.2	3.2	7.9	9.7	8.6	8.0	8.6	9.9	12.4	17.1	24.0	70.8
1933	17.7	44.1	4.0	3.1	7.8	9.5	8.5	7.8	8.4	9.8	12.2	16.7	23.4	68.5
1932	17.7	45.3	4.0	3.1	7.6	9.3	8.2	7.8	8.5	9.6	12.3	16.6	23.3	67.5
1931	19.0	48.0	4.3	3.2	8.0	9.8	8.7	8.1	8.9	10.4	13.2	17.6	24.3	73.2
1930	18.2	44.8	4.3	3.2	8.0	9.6	8.4	7.8	8.5	10.0	12.5	16.9	23.7	69.3
1929	19.8	52.1	4.7	3.5	8.3	9.8	8.6	8.1	8.9	10.3	12.7	17.3	24.4	73.0
1928	19.7	52.0	4.5	3.3	8.3	9.9	8.6	8.2	8.9	10.4	12.9	17.4	24.4	72.1
1927	19.7	52.9	4.4	3.4	8.4	9.7	8.5	8.0	8.7	10.4	12.6	17.0	24.1	71.3
1926	19.1	51.7	4.3	3.3	8.1	9.5	8.3	7.9	8.7	10.3	12.4	16.6	24.0	67.6
1925	20.3	55.8	4.6	3.6	8.5	9.9	8.7	8.4	9.3	10.8	12.9	17.2	25.3	70.8
1924	21.3	57.6	4.9	3.9	8.9	10.4	9.2	8.8	9.6	11.2	13.3	18.0	26.3	75.2
1923	22.9	63.1	5.6	4.7	10.7	11.9	10.5	10.0	10.7	12.1	14.2	18.6	26.5	76.5
1922	22.4	63.2	5.1	4.2	10.0	11.4	9.9	9.3	10.3	11.4	13.6	18.3	26.3	76.1
1921	22.7	66.5	5.2	4.1	9.8	11.3	9.9	9.5	10.3	11.5	13.3	18.7	25.7	75.0
1920	25.4	69.4	6.7	4.9	12.3	15.4	15.2	14.7	14.1	14.5	15.6	21.1	27.7	74.7

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 19. - 1/ DEATH RATES BY AGE: JAPAN, 1920 - 1947
(Rates per 1,000 population)

FOOTNOTES - Table 19

1/ Rates are per 1,000 population as of 1 October each year. Population data (Table 2) and death data (Table 18) for the years 1920-1935 refer to comparable areas (Japan including Okinawa). On the other hand, a small, unavailable error will be found in the rates for the years 1936-1943 due to the fact that the death data for that period include Okinawa and the population data exclude Okinawa. All data for 1944-1947 refer only to Japan Proper.

"NA" indicates data are not available.

Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP. Sources of original data are as follows:
Population (all ages) for years 1936-1947; Research and Programs Division, ESS, GHQ, SCAP. Population (all ages) for years 1920-1935 and age-group distribution 1920-1943 and 1947; Institute of Population Problems, Ministry of Welfare. See footnotes on Table No. 2.
Death data: 1920-1943 and 1947; Special Report, Health Statistics, Ministry of Welfare.
1944-1946; Totals only are available. See source, Table 3.

TABLE 20. - 1/ DEATHS FROM TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1948

Year	All Ages	0 - 4	5 - 9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over	Unknown age
1948	145,256	6,029	3,194	3,264	14,539	29,592	22,532	16,815	12,994	9,570	7,903	6,366	5,143	7,223	92
1947	146,241	6,232	3,634	3,673	16,793	29,945	21,685	16,972	12,670	9,134	7,495	5,890	4,879	7,157	82
1946	198,900	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1945	203,000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1944	176,800	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1943	171,473	6,246	3,217	5,951	32,116	34,962	25,017	17,462	11,435	8,843	6,899	5,981	4,941	9,403	-
1942	161,484	4,913	3,109	6,519	31,988	33,536	24,164	16,199	10,354	7,893	5,809	5,183	4,392	7,425	-
1941	154,344	5,152	3,455	7,104	31,949	32,351	23,009	14,686	9,407	7,024	5,296	4,699	3,934	6,278	-
1940	153,154	5,014	3,823	8,008	33,170	31,080	22,924	13,965	9,074	6,378	5,164	4,565	3,695	6,294	-
1939	154,371	5,907	4,223	8,813	33,364	31,331	22,605	13,466	9,158	6,416	4,936	4,503	3,760	5,885	4
1938	148,827	5,287	3,939	8,726	31,457	30,630	22,081	12,768	8,875	6,250	5,042	4,386	3,835	5,551	-
1937	144,620	5,494	3,852	8,549	29,817	30,356	21,170	12,399	8,611	5,977	4,904	4,287	3,754	5,447	3
1936	145,160	5,290	3,950	8,629	28,754	30,477	21,306	12,775	8,421	6,235	5,132	4,504	4,016	5,667	4
1935	132,151	5,142	3,948	7,641	25,125	28,398	18,917	11,635	7,659	5,543	5,002	4,297	3,606	5,235	3
1934	131,525	5,210	3,715	7,356	24,747	28,374	18,625	11,851	7,711	5,655	4,858	4,451	3,734	5,236	2
1933	126,703	4,755	3,556	6,832	24,314	27,043	17,733	11,417	7,589	5,669	4,771	4,308	3,617	5,095	4
1932	119,196	4,619	3,425	6,546	23,199	25,308	16,337	10,751	6,906	5,362	4,564	4,022	3,329	4,826	2
1931	121,875	4,898	3,692	6,620	24,661	25,559	16,015	10,515	6,986	5,519	4,687	4,358	3,377	4,986	2
1930	119,635	4,751	3,740	6,973	24,849	24,473	16,187	9,936	6,495	5,436	4,627	4,175	3,108	4,882	3
1929	123,490	5,673	3,979	7,290	25,865	24,507	16,418	10,285	6,773	5,506	4,673	4,252	3,176	5,091	2
1928	119,632	5,251	3,650	7,098	24,852	23,173	16,317	9,945	6,608	5,354	4,841	4,247	3,111	5,184	1
1927	119,439	5,469	3,475	7,313	25,111	22,776	15,920	9,596	6,805	5,448	4,981	4,156	3,193	5,195	1
1926	113,045	5,260	3,445	6,987	23,304	21,176	14,754	9,096	6,485	5,332	4,882	4,091	3,101	5,128	4
1925	115,956	5,694	3,692	7,565	23,136	21,981	14,743	9,186	6,950	5,604	4,922	3,927	3,308	5,242	6
1924	114,229	5,968	3,749	7,783	22,034	21,661	14,490	9,153	6,736	5,522	4,944	3,783	3,375	5,023	8
1923	118,216	6,099	4,041	8,249	22,968	22,639	14,771	9,343	6,732	5,866	4,800	3,870	3,530	5,303	5
1922	125,506	7,481	4,473	8,930	23,672	23,673	15,274	9,943	7,276	6,152	5,151	4,090	3,582	5,808	1
1921	120,719	7,855	4,477	8,070	22,161	22,093	14,520	9,732	7,091	6,094	4,957	4,140	3,478	6,048	3
1920	125,165	8,041	4,871	8,482	23,848	22,067	14,620	10,149	7,641	6,466	4,792	4,290	3,404	6,492	2

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 20. - DEATHS FROM TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1948 [1/]

FOOTNOTES - Table 20

1/ Tuberculosis (all forms) (International List Number 13-22). 1920-1943: includes chronic pleuro-pneumonia and all adenopathy; excludes spondylitis. 1947-1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis. 1944-1946: estimates furnished by the Ministry of Welfare.

Data for 1920-1942 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1944-1948 refer to Japanese nationals in Japan Proper.

All data include military personnel in the country.

Source: Special Report, Health Statistics, Ministry of Welfare.

TABLE 21. - DEATH RATES FOR TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1947
(Rates per 100,000 population)

Year	All Ages	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60 and over
1947	186.0	64.1	39.7	41.4	201.9	421.2	392.2	327.5	257.8	216.4	192.9	186.8	183.3	121.4
1946	261.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	280.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	239.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	231.8	66.0	36.5	69.6	403.8	617.4	514.5	334.1	258.4	214.6	198.9	203.7	192.5	141.9
1942	219.9	52.8	35.0	77.0	410.1	600.7	466.7	310.6	237.2	194.8	173.5	177.0	176.5	127.1
1941	212.2	56.5	39.1	84.7	420.7	575.5	426.4	285.3	217.4	179.1	161.0	162.7	158.6	109.3
1940	214.1	55.4	43.7	96.1	452.8	571.6	424.0	287.1	207.4	167.9	162.6	159.7	145.7	112.0
1939	217.6	65.5	48.4	105.5	448.6	585.1	454.5	282.8	208.5	170.0	155.5	157.0	146.0	106.4
1938	210.8	57.3	45.3	106.6	439.3	561.0	425.0	274.2	204.5	168.7	159.3	156.3	148.4	102.5
1937	205.5	59.1	44.8	106.3	430.6	522.9	389.5	270.4	201.4	167.1	155.3	154.7	145.6	102.4
1936	208.6	56.8	46.3	110.1	427.8	510.0	396.9	280.7	203.3	178.0	164.6	163.6	156.9	108.5
1935	190.8	55.1	46.3	99.4	378.3	467.8	361.0	251.2	189.3	162.7	160.7	151.7	140.2	101.5
1934	192.6	56.3	44.0	96.5	385.9	470.4	365.1	257.5	195.0	168.9	158.1	156.9	146.7	103.7
1933	188.2	51.7	42.9	92.9	375.2	451.8	359.7	251.5	195.2	169.4	158.4	151.1	145.4	102.9
1932	179.8	51.0	41.9	92.1	355.8	429.5	337.2	240.8	183.6	160.4	153.0	141.0	137.1	99.3
1931	186.4	54.2	46.2	95.8	375.7	443.7	334.8	242.5	188.9	166.5	157.5	153.3	143.6	103.8
1930	185.6	52.7	48.2	102.5	380.0	442.4	334.7	235.8	181.2	165.4	151.9	147.5	140.2	102.0
1929	194.3	63.2	51.6	110.7	399.7	455.1	342.5	249.1	192.9	169.4	153.2	151.4	150.6	106.5
1928	191.0	59.5	49.0	106.0	389.7	445.4	344.8	245.4	188.3	167.8	157.7	154.6	152.6	109.2
1927	193.7	63.2	48.1	108.3	401.6	446.6	341.9	245.0	194.1	172.2	162.0	154.8	157.0	111.6
1926	186.2	62.0	49.0	103.0	381.7	421.7	326.2	236.4	186.8	168.9	159.3	157.0	156.0	110.8
1925	194.1	68.9	53.3	112.3	393.1	434.4	335.6	247.2	201.5	173.9	161.1	160.2	166.2	114.2
1924	193.8	72.3	56.1	116.5	385.1	429.2	337.5	250.3	197.4	170.7	163.4	161.9	163.6	110.9
1923	203.1	76.1	59.5	125.1	416.0	453.5	349.7	255.1	200.7	180.1	162.1	171.0	169.3	118.2
1922	218.5	96.1	65.2	138.0	436.8	482.8	372.2	271.2	218.6	188.5	177.7	180.9	181.9	128.7
1921	213.0	103.6	64.8	127.6	413.7	464.6	359.0	267.6	213.2	187.4	176.1	186.3	181.5	132.9
1920	223.7	107.8	71.0	139.0	440.1	478.7	372.6	281.2	224.0	199.3	180.2	192.0	185.0	141.2

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 21. - DEATH RATES FOR TUBERCULOSIS (ALL FORMS) BY AGE: JAPAN, 1920 - 1947
(Rates per 100,000 population)

FOOTNOTES:

1/ Rates are per 100,000 population as of 1 October each year.

Population data (Table 2) and tuberculosis death data (Table 20) for the years 1920-1935 refer to comparable areas (Japan including Okinawa). On the other hand, a small unavoidable error will be found in the rates for the years 1936-1943, due to the fact that the tuberculosis death data for that period include Okinawa and the population data exclude Okainawa. All data for 1944-1947 refer to Japan Proper only.

"NA" indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows: Population (all ages) for years 1936-1947; Research and Programs Division, ESS, GHQ, SCAP.

Population (all ages) for years 1920-1935 and age-group distribution 1920-1943 and 1947; Institute of Population Problems, Ministry of Welfare. See footnotes on Table No. 2.

Tuberculosis death data: Special Report, Health Statistics, Ministry of Welfare.

TABLE 22. - LIVE BIRTHS, MATERNAL DEATHS AND MATERNAL DEATH RATES: JAPAN, 1920 - 1948

Year	1/Live Births	2/Maternal Deaths	2/Maternal death rates per 1,000 live births
*1948	2,709,871	4,480	1.7
*1947	2,714,786	4,488	1.7
1946	1,905,809	NA	NA
1945	1,685,583	NA	NA
1944	2,149,843	NA	NA
1943	2,267,292	4,542	2.0
1942	2,216,271	4,547	2.1
1941	2,260,270	4,888	2.2
1940	2,100,164	5,023	2.4
1939	1,885,957	4,760	2.5
1938	1,911,966	4,812	2.5
1937	2,164,949	5,396	2.5
1936	2,086,355	5,324	2.6
1935	2,174,291	5,625	2.6
1934	2,028,289	5,648	2.8
1933	2,106,260	5,705	2.7
1932	2,168,026	5,475	2.5
1931	2,088,608	5,603	2.7
1930	2,070,765	5,616	2.7
1929	2,061,720	5,820	2.8
1928	2,120,493	5,930	2.8
1927	2,045,828	5,684	2.8
1926	2,089,237	5,665	2.7
1925	2,071,560	6,236	3.0
1924	1,984,326	6,215	3.1
1923	2,028,955	6,825	3.4
1922	1,953,560	6,476	3.3
1921	1,976,055	7,105	3.6
1920	2,011,634	7,078	3.5

FOOTNOTES:

*Live birth data for 1947 and 1948 are provisional. Maternal death data for 1948 are provisional. Rates for 1947 and 1948 are provisional.

1/ Live births of Japanese nationals in Japan Proper except in 1943. Data for 1943 include live births of Japanese nationals in Okinawa and Karafuto as well as Japan Proper. The number of births in Japan Proper only was 2,235,431.

2/ Maternal deaths of Japanese nationals in Japan Proper except in 1943. Data for 1943 include maternal deths of Japanese nationals in Okinawa and Karafuto as well as in Japan Proper. Maternal deaths in 1943, in Japan Proper are not available.

3/ Rates are the number of maternal deaths per 1,000 live births in the same period. Data refer to Japanese nationals in Japan Proper except for the year 1943 when data for Okinawa and Karafuto are also included.

"NA" indicates data are not available.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FOOTNOTES - Cont'd.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1944-1945: Unpublished tabulations, Cabinet Bureau of Statistics.

1946: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare Section, GHQ, SCAP.

1947: Birth data are provisional. January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics. July-December: Monthly Schedule Reports, Ministry of Welfare.

1947: Maternal Deaths: Final Annual Report, Ministry of Welfare.

1948: All data are provisional. Monthly Schedule Reports, Ministry of Welfare.

TABLE 23. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES: JAPAN, 1900 - 1948

Year	Population	Typhoid Fever	Para-typhoid Fever	Plague	Cholera	Epidemic Meningitis	Scarlet Fever	2/ Diph-theria	3/ Dysentery	Malaria	Smallpox	Japanese "B" Ence-phalitis	Typhus Fever
•1948	80,200,000	9,426	2,892	-	-	2,035	2,924	16,198	14,628	4,940	29	7,208	474
•1947	78,000,000	17,820	4,735	-	-	3,371	2,635	28,346	39,249	11,941	301	259	1,114
•1946	75,300,000	44,421	9,090	-	1,229	1,468	2,209	49,166	97,737	NA	17,900	NA	31,141
1945	69,900,000	57,933	10,269	-	-	4,384	2,405	85,833	96,462	NA	1,414	NA	2,461
1944	72,600,000	57,448	14,819	-	-	1,468	6,354	94,274	55,196	NA	311	NA	3,841
1943	72,700,000	52,519	12,382	-	-	1,113	9,891	63,761	50,199	NA	546	NA	1,374
1942	72,200,000	35,589	6,218	-	-	823	12,688	44,431	55,795	NA	381	NA	100
1941	71,700,000	40,595	6,233	-	-	1,160	14,997	40,442	58,803	NA	454	NA	87
1940	70,857,300	40,706	6,251	-	-	1,350	19,325	38,303	83,699	NA	575	NA	3
1939	70,400,000	37,837	5,227	-	-	1,632	19,907	35,801	97,259	NA	287	NA	5
1938	70,100,000	42,074	6,100	-	18	995	19,002	28,323	80,221	NA	60	NA	-
1937	69,900,000	38,124	4,439	-	57	837	17,603	28,001	78,286	NA	90	NA	17
1936	69,100,000	36,938	4,775	-	-	1,002	16,707	28,234	52,075	NA	178	NA	1
1935	68,174,556	38,357	4,207	-	-	1,304	16,509	28,200	48,048	NA	113	NA	18
1934	67,700,000	42,595	4,482	-	-	1,197	16,688	30,109	42,952	NA	320	NA	26
1933	66,800,000	38,529	5,305	-	-	359	12,631	28,545	38,040	NA	375	NA	4
1932	65,900,000	35,519	4,322	-	4	238	8,257	21,866	92,251	NA	305	NA	3
1931	64,800,000	38,259	4,094	-	-	280	6,480	21,087	29,655	NA	23	NA	3
1930	63,872,496	41,434	4,530	-	-	275	6,025	18,557	29,680	NA	7	NA	1
1929	62,900,000	37,345	4,211	-	205	359	5,663	19,728	30,253	NA	114	NA	15
1928	62,100,000	42,057	4,003	-	1	295	5,727	17,578	25,195	NA	723	NA	23
1927	61,100,000	37,050	4,747	-	2	332	4,148	15,211	21,380	NA	352	NA	7
1926	60,200,000	40,912	4,425	8	25	408	3,319	13,455	17,138	NA	1,256	NA	36
1925	59,179,200	45,779	5,042	-	421	445	2,572	13,858	14,719	NA	430	NA	28

See footnotes on end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 23. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES: JAPAN, 1900 - 1948 (Cont'd)

Year	Population	Typhoid Fever	Para-typhoid Fever	Plague	Cholera	Epidemic Meningitis	Scarlet Fever	2/ Diph-theria	3/ Dysentery	Malaria	Smallpox	Japanese "B" Ence-phalitis	Typhus Fever
1924	58,300,000	58,368	5,381	7	-	1,348	1,843	13,116	18,447	NA	1,702	NA	14
1923	57,600,000	52,628	5,315	1	4	709	1,562	12,776	20,266	NA	1,922	NA	14
1922	56,800,000	52,419	7,121	118	743	935	1,657	13,737	15,135	NA	679	NA	23
1921	56,100,000	50,133	6,291	2	29	772	1,589	14,522	12,445	NA	990	NA	171
1920	55,391,481	53,925	7,734	22	4,985	948	1,348	15,473	12,738	NA	3,167	NA	66
1919	56,253,200	54,706	7,435	3	2,912	2,458	1,325	14,280	12,915	NA	4,055	NA	225
1918	55,662,900	43,151	5,794	1	-	NA	1,019	15,748	13,098	NA	1,467	NA	229
1917	56,035,100	35,199	5,731	25	894	NA	1,257	17,487	14,942	NA	5,121	NA	219
1916	55,235,000	41,918	6,781	77	10,371	NA	1,056	16,249	22,452	NA	264	NA	606
1915	54,448,200	36,460	7,049	20	-	NA	1,145	19,701	21,137	NA	17	NA	400
1914	53,675,700	35,471	6,897	83	5	NA	1,250	18,343	26,127	NA	485	NA	7,309
1913	52,917,600	27,717	3,869	27	78	NA	1,293	19,137	16,779	NA	108	NA	-
1912	52,167,000	31,528	4,050	-	2,720	NA	1,207	19,251	25,667	NA	14	NA	1
1911	51,435,400	34,138	NA	-	9	NA	1,339	20,094	27,466	NA	202	NA	3
1910	50,504,900	35,387	NA	49	2,849	NA	2,359	19,099	31,961	NA	80	NA	5
1909	49,904,500	25,116	NA	389	328	NA	1,537	18,102	28,006	NA	106	NA	3
1908	49,318,300	24,501	NA	347	652	NA	860	17,790	32,809	NA	18,075	NA	3
1907	48,745,400	25,988	NA	646	3,632	NA	522	14,762	24,942	NA	1,034	NA	8
1906	48,187,500	25,178	NA	498	-	NA	255	14,188	22,277	NA	496	NA	4
1905	47,641,500	22,879	NA	282	-	NA	133	13,261	37,988	NA	278	NA	2
1904	47,108,300	19,635	NA	1	1	NA	102	12,649	22,772	NA	1,188	NA	35
1903	46,587,700	18,852	NA	58	177	NA	123	13,702	30,311	NA	72	NA	8
1902	45,990,000	21,094	NA	14	13,362	NA	125	15,005	34,996	NA	46	NA	22
1901	45,404,700	24,112	NA	3	101	NA	46	14,882	49,635	NA	92	NA	21
1900	44,831,300	23,855	NA	168	378	NA	77	17,975	46,255	NA	111	NA	73

See footnotes on next page.

TABLE 23. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES: JAPAN, 1900 - 1948 (Cont'd)

FOOTNOTES:

* Morbidity data for 1946, 1947, and 1948 are provisional.

1/ Data refers to cases of communicable disease among the civilian population. Data are for Japan Proper and Okinawa, 1900-1936, and for Japan Proper only 1937-1948. Case reporting for Okinawa was very incomplete and the total number of cases may be assumed to be for Japan Proper only. Population data refers to the total population in Japan and Okinawa, 1900-1919, and to the estimated civilian population only in Japan Proper, 1920-1948.

2/ Diptheria includes croup, 1905-1923.

3/ Dysentery includes ekiri, 1922-1948.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

SOURCES:

1900-1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.

1924-1934: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1937.

1935-1942: Annual Reports, Ministry of Welfare.

1943-1945: Unpublished Annual Reports, Ministry of Welfare.

1946-1948: Weekly Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 24. - [1] CASE RATES FOR SELECTED COMMUNICABLE DISEASES:
JAPAN, 1900 - 1948
(Rates per 100,000 population)

Year	Typhoid Fever	Paratyphoid Fever	Plague	Cholera	Epidemic Meningitis	Scarlet Fever	[2] Diphtheria	[3] Dysentery	Malaria	Smallpox	Japanese "B" Encephalitis	Typhus Fever
*1948	11.8	3.6	-	-	2.6	3.7	20.3	18.3	6.2	0.0	0.0	0.6
*1947	22.9	6.1	-	-	4.3	3.4	36.4	50.5	15.2	0.5	0.3	1.4
*1946	59.2	12.1	-	1.6	2.0	2.9	65.5	116.8	NA	23.7	NA	41.5
1945	82.9	14.7	-	-	6.3	3.4	122.8	138.0	NA	2.3	NA	3.5
1944	79.1	20.4	-	-	2.0	8.8	129.9	76.0	NA	0.4	NA	5.4
1943	72.2	17.0	-	-	1.5	13.6	87.7	69.0	NA	0.8	NA	1.9
1942	49.3	8.6	-	-	1.1	17.6	61.5	77.3	NA	0.5	NA	0.1
1941	56.6	8.7	-	-	1.6	20.9	56.4	82.0	NA	0.9	NA	0.1
1940	57.4	8.8	-	-	1.9	27.3	54.1	118.1	NA	0.8	NA	0.0
1939	53.7	7.4	-	-	2.3	28.3	50.9	138.2	NA	0.4	NA	0.0
1938	60.0	8.7	-	0.0	1.4	27.1	40.4	114.4	NA	0.1	NA	-
1937	54.5	6.4	-	0.1	1.2	25.2	40.1	112.0	NA	0.1	NA	0.0
1936	53.5	6.9	-	-	1.5	24.2	40.9	75.4	NA	0.3	NA	0.0
1935	56.3	6.2	-	-	1.9	24.2	41.4	71.8	NA	0.2	NA	0.0
1934	62.9	6.6	-	-	1.8	24.6	44.5	63.4	NA	0.5	NA	0.0
1933	57.7	7.9	-	-	0.5	18.9	42.7	57.0	NA	0.6	NA	0.0
1932	54.0	7.9	-	0.0	0.4	12.5	33.2	49.0	NA	0.5	NA	0.0
1931	59.0	6.3	-	-	0.4	10.0	32.5	45.8	NA	0.0	NA	0.0
1930	64.9	7.1	-	-	0.4	9.4	29.1	46.5	NA	0.0	NA	0.0
1929	59.4	6.7	-	0.3	0.6	9.0	31.4	48.1	NA	0.2	NA	0.0
1928	67.7	7.9	-	0.0	0.5	9.2	28.3	40.6	NA	1.2	NA	0.0
1927	61.5	7.8	-	0.0	0.5	6.8	24.9	35.0	NA	0.6	NA	0.0
1926	72.9	7.4	0.0	0.0	0.7	5.5	22.7	28.5	NA	2.1	NA	0.1
1925	77.4	8.6	-	1.1	0.8	4.3	23.4	24.9	NA	0.7	NA	0.0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 24. - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES: JAPAN, 1900 - 1948 (Cont'd)
(Rates per 100,000 population)

Year	Typhoid Fever	Paratyphoid Fever	Plague	Cholera	Epidemic Meningitis	Scarlet Fever	2/ Diptheria	3/ Dysentery	Malaria	Smallpox	Japanese "B" Encephalitis	Typhus Fever
1924	100.1	9.2	0.0	-	2.3	3.2	22.5	32.0	NA	2.9	NA	0.0
1923	91.4	9.2	0.0	0.0	1.2	2.7	22.2	35.2	NA	3.3	NA	0.0
1922	92.3	12.5	0.2	1.3	1.6	2.9	24.2	26.6	NA	1.2	NA	0.0
1921	89.4	11.2	0.0	0.1	1.4	2.8	25.9	22.2	NA	1.6	NA	0.3
1920	97.4	14.0	0.0	9.0	1.7	2.5	27.4	23.0	NA	5.7	NA	0.1
1919	97.3	13.2	0.0	5.2	4.4	2.4	25.4	23.0	NA	7.2	NA	0.4
1918	77.5	10.4	0.0	-	NA	1.8	28.3	25.1	NA	2.6	NA	0.4
1917	62.8	10.2	0.0	1.6	NA	2.2	31.2	26.7	NA	9.1	NA	0.4
1916	75.9	12.3	0.1	18.8	NA	1.9	29.4	40.6	NA	0.5	NA	1.1
1915	67.0	12.9	0.0	-	NA	2.1	36.2	38.8	NA	0.0	NA	0.9
1914	66.1	12.8	0.2	0.0	NA	2.3	34.2	48.7	NA	0.9	NA	13.6
1913	52.4	7.3	0.1	0.1	NA	2.4	36.2	31.7	NA	0.2	NA	-
1912	60.4	7.8	-	5.2	NA	2.3	36.9	49.2	NA	0.0	NA	0.0
1911	66.4	NA	-	0.0	NA	2.6	39.1	53.4	NA	0.4	NA	0.0
1910	70.1	NA	0.1	5.6	NA	4.7	37.8	63.3	NA	0.2	NA	0.0
1909	50.3	NA	0.8	0.7	NA	3.1	36.3	56.1	NA	0.2	NA	0.0
1908	49.7	NA	0.7	1.3	NA	1.7	36.1	66.5	NA	36.6	NA	0.0
1907	53.3	NA	1.3	7.5	NA	1.1	30.3	51.2	NA	2.1	NA	0.0
1906	52.2	NA	1.0	-	NA	0.5	29.4	46.2	NA	1.0	NA	0.0
1905	48.0	NA	0.6	-	NA	0.3	27.8	79.7	NA	0.6	NA	0.0
1904	41.7	NA	0.0	0.0	NA	0.2	26.9	48.3	NA	2.5	NA	0.1
1903	40.5	NA	0.1	0.4	NA	0.3	29.4	65.1	NA	0.2	NA	0.0
1902	45.9	NA	0.0	29.1	NA	0.3	32.6	80.4	NA	0.1	NA	0.0
1901	53.1	NA	0.0	0.2	NA	0.1	32.8	109.3	NA	0.2	NA	0.0
1900	53.2	NA	0.4	0.8	NA	0.2	39.9	103.2	NA	0.2	NA	0.2

See footnotes on next page.

TABLE 24. - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES: JAPAN, 1900 - 1948 (Cont'd)

FOOTNOTES:

* Data for 1946, 1947 and 1948 are provisional.

1/ Rates are the number of cases per 100,000 population. Case data refers to the civilian population in Japan Proper and Okinawa, 1900-1936 and to Japan Proper only, 1937-1948. Case data for Okinawa are very incomplete. Rates are based upon the total population in Japan and Okinawa, 1900-1919, and upon the estimated civilian population only in Japan Proper, 1920-1948.

2/ Diptheria includes croup, 1905-1923.

3/ Dysentery includes ekiri, 1922-1948.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

A rate of 0.0 indicates that there were some cases but the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of case data are as follows:

1900-1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.

1924-1934: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1937.

1935-1942: Annual Reports, Ministry of Welfare.

1943-1945: Unpublished Annual Reports, Ministry of Welfare.

1946-1948: Weekly Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/Unknown
TYPHOID FEVER														
*1948	9,426	3/ 553	403	358	425	3/ 928	802	3/ 1,596	1,244	1,013	3/ 895	548	661	-
*1947	17,820	1,100	828	3/ 817	733	3/1,372	1,280	1,733	3/3,812	2,767	1,487	3/ 1,196	698	-3
*1946	44,421	2,464	3,149	3/4,542	3,214	3,156	3/5,211	4,000	3/6,256	4,422	2,906	3/ 3,184	1,917	-
1945	57,933	1,699	1,159	1,529	1,838	2,697	3,688	4,895	7,206	10,599	9,716	7,757	5,150	-
1944	57,448	2,468	1,829	2,337	2,682	4,489	4,934	7,092	9,155	8,443	5,881	4,582	3,556	-
1943	52,519	1,882	1,836	2,079	2,296	3,519	4,402	5,793	8,318	8,274	6,281	4,287	3,552	-
1942	35,589	1,861	1,519	1,632	1,913	2,644	3,214	4,344	5,138	4,921	3,559	2,404	2,440	-
1941	40,395	2,155	1,899	2,176	2,261	3,205	4,149	4,777	5,391	4,925	3,710	3,094	2,853	-
1940	40,706	1,909	1,662	1,801	1,769	2,583	2,949	4,265	5,985	6,009	4,909	3,844	3,021	-
1939	37,837	1,751	1,541	1,498	1,803	3,031	3,665	3,623	5,087	5,233	4,409	3,532	2,664	-
1938	42,074	1,849	1,537	1,739	1,934	2,964	3,663	4,737	6,237	6,305	4,599	3,938	2,572	-
1937	38,124	1,854	1,842	2,116	2,009	3,165	3,335	3,877	5,293	5,310	3,904	3,206	2,213	-
1936	36,938	1,389	1,148	1,261	1,576	2,432	3,242	4,183	5,510	5,790	4,670	3,158	2,579	-
1935	38,357	2,169	1,772	1,548	1,574	2,509	3,123	4,510	5,455	5,480	4,721	3,262	2,234	-
1934	42,595	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1933	38,529	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	35,519	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	38,259	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	41,434	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	37,345	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	42,057	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	37,550	1,841	1,430	1,343	1,604	2,026	2,985	3,717	5,678	5,992	4,711	3,485	2,738	-
1926	43,912	4,511	3,520	2,322	1,847	2,340	3,301	4,237	5,300	6,270	4,669	3,302	2,293	-
1925	45,779	2,899	2,212	1,979	1,885	2,303	3,518	4,411	6,194	7,369	5,914	3,993	3,102	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
TYPHOID FEVER - Cont'd														
1924	58,368	3,752	3,509	2,874	2,581	3,265	4,378	6,351	8,462	8,042	6,228	4,323	4,603	-
1923	52,628	1,977	1,682	1,637	1,480	2,415	3,297	4,839	7,225	7,203	8,465	6,719	5,689	-
1922	52,419	1,816	1,475	1,819	2,029	3,012	4,090	5,305	8,353	9,231	7,255	4,892	3,142	-
1921	50,133	2,486	1,864	1,738	1,608	2,603	3,659	5,038	7,666	8,304	6,760	4,736	3,671	-
1920	53,925	1,492	987	1,095	1,257	2,019	3,489	5,961	8,527	10,827	8,128	5,900	4,243	-
1919	54,706	1,563	1,652	1,862	1,901	2,688	4,041	5,408	8,595	10,153	7,656	5,418	3,769	-
1918	43,151	1,610	1,491	2,615	2,924	2,827	2,878	4,096	6,652	8,008	6,381	2,321	1,348	-
1917	35,199	1,426	1,421	1,085	1,173	1,663	1,932	3,260	5,051	5,911	5,686	4,056	2,535	-
1916	41,918	1,953	1,796	1,304	1,372	2,076	2,975	4,867	6,732	7,835	5,326	3,126	2,556	-
1915	36,460	1,688	1,329	1,066	1,250	1,793	2,389	3,611	4,997	6,437	5,439	3,669	2,792	-
1914	35,471	1,317	1,342	2,049	2,104	2,608	2,660	3,381	4,174	5,412	4,591	3,213	2,620	-
1913	27,717	1,251	984	1,034	981	1,355	1,701	2,678	3,900	4,819	4,107	2,916	1,991	-
1912	31,528	1,877	1,388	1,309	1,236	1,633	1,908	3,176	4,747	5,216	4,130	2,803	2,105	-
1911	34,138	1,250	1,116	1,032	1,031	1,482	1,920	3,064	5,315	6,349	4,955	3,742	2,682	-
1910	35,387	1,430	985	1,073	1,522	2,490	2,582	3,205	4,615	6,729	5,380	3,362	2,014	-
1909	25,116	1,031	887	765	790	1,176	1,279	2,260	4,195	4,663	3,733	2,506	1,831	-
1908	24,501	1,066	1,096	845	835	968	1,351	2,328	3,628	4,537	3,672	2,456	1,719	-
1907	25,988	1,060	739	702	920	1,322	1,694	2,573	3,729	4,569	4,087	2,640	1,953	-
1906	25,178	1,173	1,140	984	1,010	1,295	1,656	2,275	3,652	4,011	3,629	2,602	1,751	-
1905	22,879	898	667	575	636	956	1,185	2,144	3,397	4,157	3,609	2,759	1,896	-
1904	19,635	886	756	843	802	1,134	1,227	1,713	2,855	3,035	3,070	2,043	1,271	-
1903	18,852	1,042	770	867	745	924	1,204	1,466	2,595	3,174	2,926	1,852	1,287	-
1902	21,094	1,115	650	760	796	1,065	1,367	2,251	2,638	3,468	3,223	2,163	1,598	-
1901	24,112	1,075	811	712	827	1,395	1,508	2,174	3,236	4,399	3,762	2,499	1,714	-
1900	23,855	1,077	772	586	625	1,233	1,725	2,064	2,996	4,408	3,891	2,651	1,827	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
PARATYPHOID FEVER														
*1948	2,892	3/ 191	117	109	145	3/ 321	298	3/ 458	401	311	3/ 248	120	173	-
*1947	4,735	224	185	3/ 234	240	3/ 332	398	559	3/ 979	685	418	3/ 275	201	15
*1946	9,090	254	383	596	528	620	3/1,027	1,083	3/1,435	1,185	752	3/ 706	521	-
1945	10,269	288	207	212	368	521	950	989	1,243	2,105	1,449	1,257	680	-
1944	14,819	738	494	428	523	1,096	1,325	2,068	2,723	2,404	1,542	924	554	-
1943	12,382	272	233	304	308	706	939	1,618	2,191	2,279	1,706	998	828	-
1942	6,218	203	142	169	265	371	546	908	981	1,469	577	279	308	-
1941	6,233	211	224	183	275	409	494	714	948	1,041	918	434	382	-
1940	6,251	128	129	148	161	317	682	830	1,093	969	806	620	368	-
1939	5,227	112	91	125	142	280	393	583	939	1,023	863	428	254	-
1938	6,100	85	71	109	114	325	537	622	1,162	1,076	876	879	244	-
1937	4,439	124	111	124	122	313	474	637	776	793	500	303	162	-
1936	4,775	115	63	74	105	215	614	735	970	885	516	288	195	-
1935	4,207	114	105	95	116	192	372	567	863	679	591	341	172	-
1934	4,482	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1933	5,305	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	4,822	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	4,094	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	4,530	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	4,211	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	4,903	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	4,747	145	107	106	108	194	418	619	944	996	565	336	209	-
1926	4,425	236	188	138	164	206	393	458	851	776	514	259	242	-
1925	5,062	122	94	85	127	220	524	546	813	1,136	727	400	268	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH, JAPAN, 1900 - 1948 - Cont'd

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
PARATYPHOID FEVER - Cont'd.														
1924	5,381	200	185	161	132	357	401	726	1,126	842	676	330	245	-
1923	5,315	146	107	126	124	235	374	636	1,031	727	944	527	338	-
1922	7,121	215	121	111	163	340	584	930	1,322	1,446	1,091	535	263	-
1921	6,291	219	163	117	186	326	452	761	1,085	1,341	819	539	283	-
1920	7,734	183	111	85	115	197	398	1,071	1,552	1,857	1,094	718	353	-
1919	7,435	112	108	117	205	316	415	872	1,329	1,695	1,187	722	357	-
1918	5,794	173	142	154	184	332	450	806	1,093	1,211	899	215	135	-
1917	5,731	161	135	95	148	229	343	594	1,009	1,185	962	558	312	-
1916	6,781	154	165	123	163	325	390	873	1,254	1,491	957	547	339	-
1915	7,049	179	136	123	163	506	338	870	1,121	1,343	1,366	556	348	-
1914	6,897	240	218	325	370	532	560	779	954	1,145	776	649	349	-
1913	3,869	115	65	107	93	206	325	423	582	747	584	361	261	-
1912	4,050	106	83	109	107	149	218	468	859	889	614	296	152	-
4/1911	NA	NA	NA	NA	NA	NA	NA	NA	573	611	479	271	190	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
PLAGUE														
*1948	-	3/-	-	-	-	3/-	-	3/-	-	-	3/-	-	-	-
*1947	-	-	-	3/-	-	3/-	-	-	3/-	-	-	3/-	-	-
*1946	-	-	-	3/-	-	-	3/-	-	3/-	-	-	3/-	-	-
1945	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1931	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1928	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1927	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1926	8	-	-	-	-	-	-	8	-	-	-	-	-	-
1925	-	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
PLAGUE - Cont'd.														
1924	7	-	-	-	-	-	3	1	-	1	2	-	-	-
1923	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1922	118	-	-	-	-	-	-	14	1	1	41	47	14	-
1921	2	-	-	-	-	-	-	-	-	1	-	1	-	-
1920	22	-	-	-	-	-	-	-	-	7	6	8	1	-
1919	3	-	-	-	-	-	1	-	-	-	-	1	1	-
1918	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1917	25	1	1	-	2	13	3	5	-	-	-	-	-	-
1916	77	-	-	-	-	-	-	-	-	-	36	19	22	-
1915	20	-	-	-	-	1	8	8	3	-	-	-	-	-
1914	83	1	-	-	18	20	27	12	4	-	-	-	1	-
1913	27	-	-	-	-	-	-	-	-	3	11	12	1	-
1912	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1911	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1910	49	4	2	3	6	1	5	1	1	-	11	15	-	-
1909	389	13	1	3	24	39	18	19	11	34	106	98	23	-
1908	347	19	12	4	15	22	21	5	10	63	73	48	55	-
1907	646	9	5	5	18	42	13	12	3	18	105	265	151	-
1906	498	28	4	7	17	47	73	51	36	30	102	93	10	-
1905	282	-	-	-	1	9	34	8	2	8	4	81	135	-
1904	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1903	58	6	-	-	-	6	7	3	3	11	14	8	-	-
1902	14	-	-	1	-	1	-	-	-	-	8	-	4	-
1901	3	1	-	-	1	-	1	-	-	-	-	-	-	-
1900	168	10	-	-	8	39	19	3	-	24	18	25	22	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
CHOLERA														
*1948	-	3/-	-	-	-	3/-	-	3/-	-	-	3/-	-	-	-
*1947	-	-	-	3/-	-	3/-	-	-	3/-	-	-	3/-	-	-
*1946	1,229	-	-	3/-	2	2	3/107	253	3/626	206	4	3/4	25	-
1945	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1938	18	-	-	1	-	-	-	10	1	-	6	-	-	-
1937	57	-	-	-	-	-	-	-	-	1	56	-	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	205	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1928	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1927	2	1	-	-	-	-	-	-	-	1	-	-	-	-
1926	25	18	-	-	-	-	-	-	1	-	-	6	-	-
1925	624	-	-	-	-	-	-	-	4	297	226	67	30	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 -Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
CHOLERA - Cont'd.														
1924	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1923	4	-	-	-	-	-	-	-	-	-	-	4	-	-
1922	743	-	-	-	-	-	-	-	-	214	525	4	-	-
1921	29	-	-	2	-	-	2	-	-	-	25	-	-	-
1920	4,985	-	-	-	-	-	487	1,880	1,441	874	281	20	2	-
1919	2,912	-	-	-	-	-	-	-	61	660	1,752	429	10	-
1918	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1917	894	149	216	16	4	-	-	-	46	327	121	15	-	-
1916	10,371	-	-	-	-	-	-	-	1,305	5,841	2,567	546	112	-
1915	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1914	5	-	-	-	-	-	-	-	-	4	1	-	-	-
1913	78	38	38	-	-	-	-	-	2	-	-	-	-	-
1912	2,720	-	-	-	-	-	-	82	26	903	972	623	114	-
1911	9	3	-	-	-	-	-	-	5	1	-	-	-	-
1910	2,849	-	-	-	-	-	-	-	-	217	2,121	467	44	-
1909	328	-	-	-	-	-	-	-	1	6	294	27	-	-
1908	652	6	2	-	4	-	1	-	16	125	240	254	4	-
1907	3,632	-	-	-	-	-	-	-	504	1,399	1,039	569	121	-
1906	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1905	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1904	1	-	-	-	1	-	-	-	-	-	-	-	-	-
1903	177	9	3	-	-	-	4	3	13	1	57	87	-	-
1902	13,362	-	-	-	-	-	69	496	4,582	5,803	2,094	260	58	-
1901	101	-	-	-	-	1	-	21	56	20	3	-	-	-
1900	378	-	-	1	4	4	19	75	185	76	11	2	1	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
EPIDEMIC MENINGITIS														
*1948	2,035	3/ 161	177	258	261	3/ 200	126	3/ 139	289	171	3/ 112	59	82	-
*1947	3,371	153	282	3/642	613	3/ 511	237	189	3/ 223	186	144	3/ 108	94	-11
*1946	1,468	53	143	3/197	179	162	3/194	83	3/ 121	94	78	3/ 80	84	-
1945	4,384	131	511	1,056	1,036	778	317	144	70	100	83	87	71	-
1944	1,468	89	132	214	270	225	131	89	79	61	54	51	73	-
1943	1,113	64	78	197	170	172	86	55	71	57	52	44	67	-
1942	823	63	73	103	105	85	74	56	66	72	43	48	35	-
1941	1,160	85	128	188	173	157	85	76	64	63	49	47	45	-
1940	1,350	72	118	206	225	217	120	69	76	68	61	56	62	-
1939	1,632	54	117	214	290	252	122	116	149	130	69	39	80	-
1938	995	60	78	117	123	130	99	57	90	86	65	42	48	-
1937	837	64	88	68	97	60	83	61	122	69	42	34	49	-
1936	1,002	99	118	135	142	95	76	45	89	75	54	28	46	-
1935	1,304	92	103	164	162	122	74	81	252	105	49	52	48	-
1934	1,187	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1933	359	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	238	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	275	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	359	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	295	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	332	22	23	36	28	34	27	23	40	45	18	19	17	-
1926	408	24	26	44	36	36	28	31	34	77	26	17	29	-
1925	445	31	35	54	82	55	39	27	31	39	23	12	17	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
	EPIDEMIC MENINGITIS - Cont'd.													
1924	1,348	35	42	56	61	38	40	25	641	301	65	16	28	-
1923	708	42	44	90	90	72	67	57	31	83	83	28	21	-
1922	935	27	66	77	47	84	67	47	132	292	38	24	34	-
1921	772	51	47	71	82	64	73	65	60	116	61	35	47	-
1920	948	75	81	113	125	111	76	57	116	80	26	44	44	-
1919	2,458	125	200	291	313	361	213	167	155	373	100	94	66	-
5/1918	NA	NA	NA	NA	148	258	211	120	103	71	66	.33	44	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
	SCARLET FEVER													
*1948	2,924	3/290	168	164	253	3/359	230	3/287	154	151	3/229	249	390	-
*1947	2,635	182	175	3/227	210	3/416	245	179	3/223	155	142	3/298	179	4
*1946	2,209	72	150	3/211	192	184	3/228	136	3/148	133	211	3/313	231	-
1945	2,405	255	192	225	263	271	204	156	132	153	192	194	168	-
1944	6,354	646	577	539	605	621	546	492	383	429	478	577	461	-
1943	9,891	1,082	927	1,017	898	927	716	666	475	539	777	999	868	-
1942	12,688	1,331	1,074	1,138	1,098	1,088	947	901	655	710	1,056	1,276	1,414	-
1941	14,997	1,467	1,197	1,384	1,325	1,245	1,112	855	804	949	1,409	1,663	1,587	-
1940	19,325	1,658	1,617	1,995	1,987	1,995	1,624	1,174	898	1,181	1,582	1,915	1,699	-
1939	19,907	1,645	1,615	1,676	1,564	1,768	1,684	1,313	1,072	1,217	2,009	2,254	2,090	-
1938	19,002	1,735	1,460	1,674	1,754	1,826	1,477	1,195	1,000	1,176	1,639	2,068	1,998	-
1937	17,603	1,512	1,508	1,629	1,549	1,675	1,561	1,050	737	968	1,576	2,017	1,821	-
1936	16,707	1,435	1,386	1,491	1,751	1,607	1,465	972	754	907	1,290	1,853	1,796	-
1935	16,509	1,591	1,336	1,453	1,460	1,427	1,230	1,081	897	967	1,553	1,818	1,756	-
1934	16,688	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1933	12,631	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	8,257	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	6,480	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	6,025	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	5,663	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	5,727	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	4,148	389	306	329	369	434	348	256	132	219	367	469	530	-
1926	3,319	247	256	287	308	269	297	349	165	153	245	357	386	-
1925	2,572	170	160	195	282	279	268	220	84	123	178	293	320	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASE BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
SCARLET FEVER - Cont'd.														
1924	1,843	133	149	169	188	195	185	115	72	97	156	149	235	-
1923	1,562	122	164	177	163	153	131	110	60	53	89	150	190	-
1922	1,657	143	120	136	153	180	152	139	58	73	126	211	166	-
1921	1,589	140	146	150	139	117	149	78	59	86	128	215	182	-
1920	1,368	122	115	112	149	133	129	66	51	79	130	142	140	-
1919	1,325	80	91	128	143	141	158	103	57	55	93	139	137	-
1918	1,019	88	104	123	141	119	93	61	36	39	59	76	80	-
1917	1,257	148	110	119	119	164	124	70	42	55	83	116	107	-
1916	1,056	104	83	90	114	108	102	67	48	37	82	109	112	-
1915	1,145	86	119	140	108	123	96	75	34	65	73	102	124	-
1914	1,250	111	127	152	136	153	85	73	45	48	99	121	100	-
1913	1,293	120	123	136	137	138	110	92	54	51	97	114	121	-
1912	1,207	87	88	123	132	119	110	90	59	52	111	119	117	-
1911	1,339	131	130	184	130	152	170	93	58	36	58	102	95	-
1910	2,359	199	220	356	419	291	220	144	81	61	106	117	145	-
1909	1,537	93	152	165	121	119	101	139	74	83	128	157	205	-
1908	860	88	76	78	80	88	72	42	33	28	53	110	112	-
1907	522	31	30	43	55	47	53	68	26	20	30	44	75	-
1906	255	12	11	19	11	24	22	34	18	12	20	33	39	-
1905	133	5	11	15	16	14	6	15	2	9	7	11	22	-
1904	102	5	15	10	14	7	6	7	3	5	2	17	11	-
1903	123	12	7	14	18	15	13	4	1	7	14	10	8	-
1902	125	2	11	13	17	20	19	17	2	2	9	8	5	-
1901	46	1	6	2	7	5	5	3	1	-	-	7	9	-
1900	77	14	6	6	8	7	8	7	5	2	3	10	1	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Diseases and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
6/ DIPHTHERIA														
*1948	16,198	3/2,101	1,596	1,590	1,401	3/1,510	927	3/736	594	799	3/1,713	1,565	1,666	-
*1947	28,346	2,810	2,662	3/3,651	2,800	3/3,201	2,189	1,486	3/1,349	1,433	1,909	3/2,892	2,027	-63
*1946	49,166	5,540	5,856	3/5,030	3,640	3,320	4,258	2,312	3/2,650	3,057	4,199	3/5,509	3,795	-
1945	85,833	9,768	8,461	8,691	7,548	6,727	5,157	3,702	3,335	5,154	7,795	10,286	9,209	-
1944	94,274	7,806	7,535	7,452	6,996	5,785	5,012	4,364	4,990	6,908	10,695	13,345	13,386	-
1943	63,761	5,055	4,993	5,642	4,923	4,370	3,236	2,903	2,926	3,943	7,274	8,910	9,586	-
1942	44,431	4,039	3,924	3,990	3,038	2,465	2,094	1,809	2,090	3,336	5,377	6,016	6,253	-
1941	40,442	4,025	3,653	3,408	3,032	2,790	2,211	2,016	2,081	2,997	4,394	4,796	5,039	-
1940	38,303	3,217	3,239	3,862	2,914	2,948	2,209	1,730	1,725	2,388	4,179	4,832	5,060	-
1939	35,801	3,168	3,733	3,722	3,109	3,056	2,408	1,806	1,610	2,021	3,249	4,009	3,910	-
1938	28,323	2,698	2,638	2,773	2,425	1,993	1,600	1,395	1,350	1,865	2,594	3,279	3,713	-
1937	28,001	2,973	2,776	3,103	2,612	2,403	1,974	1,372	1,134	1,491	2,373	2,793	2,997	-
1936	28,234	2,510	2,498	2,935	2,656	2,410	1,901	1,360	1,223	1,537	2,581	3,099	3,524	-
1935	28,200	2,769	2,871	3,092	2,723	2,599	1,972	1,466	1,257	1,405	2,381	2,686	2,979	-
1934	30,109	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	-
1933	28,545	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	21,866	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	21,087	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	18,557	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	19,728	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	17,578	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	15,211	1,612	1,558	1,679	1,458	1,305	1,032	629	492	765	1,202	1,558	1,921	-
1926	13,655	1,268	1,407	1,521	1,408	1,214	936	655	419	572	1,084	1,552	1,619	-
1925	13,858	1,550	1,626	1,720	1,501	1,162	930	604	467	583	943	1,251	1,521	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
6/ DIPHTHERIA - Cont'd.														
1924	13,116	1,328	1,341	1,538	1,299	1,053	830	557	414	689	1,082	1,341	1,644	-
1923	12,776	1,561	1,452	1,423	1,137	970	748	622	391	558	1,004	1,286	1,624	-
1922	13,737	1,389	1,426	1,436	1,016	969	776	593	421	736	1,228	1,693	2,054	-
1921	14,522	1,739	1,667	1,520	1,150	983	908	665	589	734	1,181	1,623	1,763	-
1920	15,173	1,730	1,466	1,508	1,212	1,061	902	645	513	866	1,409	1,837	2,024	-
1919	14,280	1,451	1,457	1,373	1,195	1,150	1,028	803	613	712	1,127	1,551	1,820	-
1918	15,748	1,804	1,678	1,814	1,421	1,304	1,019	715	564	731	1,163	1,853	1,682	-
1917	17,487	1,905	1,941	1,942	1,626	1,549	1,287	768	625	840	1,212	1,738	2,054	-
1916	16,249	1,916	1,753	1,569	1,303	1,207	920	792	637	950	1,407	1,777	2,018	-
1915	19,701	2,343	2,227	2,331	1,873	1,652	1,279	961	672	941	1,372	1,861	2,189	-
1914	18,343	1,880	1,791	1,769	1,494	1,318	1,062	796	730	1,161	1,807	2,058	2,477	-
1913	19,137	2,262	2,007	2,206	1,746	1,495	1,233	964	799	1,089	1,398	1,903	2,035	-
1912	19,251	2,122	2,050	1,935	1,510	1,433	1,138	877	818	1,002	1,791	2,154	2,421	-
1911	20,094	2,316	2,135	2,027	1,581	1,515	1,210	997	874	1,185	1,787	2,083	2,384	-
1910	19,099	1,972	1,829	2,082	1,762	1,375	1,128	978	883	1,090	1,596	2,049	2,355	-
1909	18,102	1,886	1,833	1,875	1,463	1,335	1,060	816	774	998	1,679	2,037	2,346	-
1908	17,790	1,899	1,788	1,761	1,615	1,438	1,164	952	664	951	1,573	1,838	2,147	-
1907	14,762	1,631	1,399	1,516	1,293	1,017	953	722	606	837	1,313	1,701	1,774	-
1906	14,188	1,387	1,373	1,557	1,332	1,168	969	640	526	743	1,248	1,523	1,722	-
1905	13,261	1,497	1,386	1,494	1,157	1,157	742	680	585	688	1,156	1,265	1,454	-
1904	12,649	1,530	1,425	1,374	1,106	1,010	764	471	429	655	969	1,417	1,499	-
1903	13,702	1,640	1,506	1,381	1,255	1,013	871	597	492	704	1,185	1,454	1,604	-
1902	15,005	1,884	1,614	1,584	1,314	1,095	911	725	616	812	1,182	1,484	1,784	-
1901	14,882	1,885	1,530	1,565	1,284	1,123	957	699	558	1,239	735	1,564	1,743	-
1900	17,875	2,347	1,788	1,840	1,511	1,363	1,215	849	650	943	1,543	1,798	2,028	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
7/ DYSENTERY														
*1948	14,628	3/126	154	292	290	3/600	1,093	3/3,852	3,925	2,547	3/1,228	342	179	-
*1947	39,249	232	229	3/354	352	3/1,091	1,703	5,958	3/17,331	7,344	3,320	3/1,087	251	-3
*1946	87,737	187	163	3/287	417	1,033	3/2,970	11,691	3/29,198	21,247	14,619	3/5,143	782	-
1945	96,462	309	320	492	571	1,068	2,665	13,465	27,886	27,844	14,366	5,696	1,780	-
1944	55,196	320	355	491	798	1,268	3,319	10,512	15,301	11,753	7,034	3,008	1,037	-
1943	50,188	583	717	934	1,067	2,075	4,145	10,782	13,911	9,042	4,763	1,586	583	-
1942	55,785	966	1,003	1,701	1,945	3,448	5,126	11,634	11,615	10,586	5,327	1,513	921	-
1941	58,803	1,202	1,144	1,815	2,148	3,925	6,212	12,165	13,410	8,623	4,487	2,317	1,355	-
1940	83,689	1,896	2,096	2,672	3,161	5,272	9,439	18,807	18,865	10,695	6,278	2,809	1,699	-
1939	97,259	1,765	1,841	2,434	2,772	4,935	8,140	16,801	23,946	16,125	10,615	5,050	2,835	-
1938	80,221	1,249	1,270	1,843	2,585	4,147	7,074	17,015	18,957	12,795	7,678	3,298	2,310	-
1937	78,286	1,281	1,309	1,815	2,269	3,805	5,733	11,580	13,812	21,087	10,041	3,680	1,874	-
1936	52,075	909	835	1,316	1,768	2,712	4,330	9,570	13,073	9,141	4,847	2,194	1,380	-
1935	48,968	1,885	1,028	1,359	1,837	2,943	4,725	10,464	10,573	6,747	4,228	1,984	1,195	-
1934	42,952	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1933	38,049	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	32,251	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	29,655	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	29,680	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	30,253	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	25,195	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	21,380	264	258	472	546	1,081	1,913	4,393	5,488	3,700	1,890	889	486	-
1926	17,132	197	196	261	367	728	1,245	2,927	4,128	3,781	2,068	894	340	-
1925	14,719	151	125	201	295	473	1,250	3,018	3,478	3,035	1,669	662	362	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
1/ DYSENTERY - Cont'd.														
1924	18,647	153	161	192	265	577	1,477	3,721	4,775	4,108	2,224	689	305	-
1923	20,266	131	104	144	254	546	1,439	3,645	4,375	4,462	3,571	1,253	331	-
1922	15,135	51	66	73	135	353	796	2,382	4,093	3,355	2,421	1,098	312	-
1921	12,445	101	72	90	86	266	647	1,824	3,224	3,327	1,938	682	188	-
1920	12,738	52	35	44	77	169	574	2,003	3,362	3,313	1,801	1,016	292	-
1919	12,915	38	40	62	75	241	1,137	2,247	3,419	2,342	1,680	1,371	263	-
1918	13,998	112	79	105	115	250	514	2,723	4,155	3,156	2,008	647	134	-
1917	14,942	84	66	76	116	223	577	2,875	4,577	3,377	2,134	658	179	-
1916	22,452	80	85	99	133	408	1,507	5,104	6,811	4,541	2,183	1,081	420	-
1915	21,137	87	86	96	123	264	1,088	3,579	6,242	4,804	2,865	1,429	474	-
1914	26,127	82	57	66	99	306	1,627	5,275	5,947	5,780	3,666	2,662	560	-
1913	16,779	72	59	57	115	282	1,039	3,366	4,269	3,705	2,370	1,079	366	-
1912	25,667	114	51	66	99	386	1,620	5,371	8,618	5,545	2,568	996	233	-
1911	27,466	64	59	58	73	256	1,125	4,688	9,263	7,403	2,968	1,082	427	-
1910	31,961	43	48	49	57	244	1,143	5,751	11,136	8,136	3,809	1,299	246	-
1909	28,006	37	35	42	76	148	645	3,499	8,105	8,597	4,796	1,657	369	-
1908	32,809	51	28	42	53	201	916	4,273	11,389	9,278	4,559	1,808	211	-
1907	24,942	64	18	71	71	150	558	2,859	6,291	7,674	4,711	2,099	376	-
1906	22,277	82	51	40	75	191	616	2,625	7,479	6,123	3,237	1,473	285	-
1905	37,988	67	57	123	91	193	1,162	7,143	12,092	8,559	5,396	2,540	565	-
1904	22,772	72	52	86	110	229	735	3,218	6,549	6,248	4,001	1,256	216	-
1903	30,311	88	67	75	121	205	793	3,264	7,394	8,785	7,226	2,073	220	-
1902	36,996	92	47	91	116	273	1,396	5,237	9,072	10,348	7,039	2,758	527	-
1901	49,635	125	81	103	128	363	1,176	4,810	11,139	14,913	13,123	3,168	506	-
1900	46,255	152	75	92	158	299	1,136	4,435	11,796	13,764	9,459	4,198	691	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
SMALLPOX														
• 1948	29	3/2	2	1	4	3/5	1	3/7	-	1	3/4	1	1	-
• 1947	391	67	49	3/67	61	3/88	34	8	3/2	6	5	3/3	1	-
• 1946	17,800	905	3,630	3/6,304	3,850	1,746	3/1,057	114	3/41	9	5	3/61	78	-
1945	1,614	69	26	65	209	219	254	138	105	46	48	84	351	-
1944	311	5	55	77	18	57	46	22	-	1	5	5	20	-
1943	546	42	53	44	91	206	77	6	-	1	3	6	17	-
1942	381	46	115	126	17	41	30	3	-	-	-	1	2	-
1941	654	84	60	78	66	172	136	33	13	1	-	1	10	-
1940	575	19	76	206	152	39	59	7	1	1	2	2	11	-
1939	287	29	70	55	43	57	7	15	1	-	-	-	10	-
1938	60	-	-	1	-	-	1	-	-	-	-	4	54	-
1937	90	3	9	10	45	18	1	3	-	1	-	-	-	-
1936	178	3	-	14	62	45	9	3	13	23	2	1	3	-
1935	113	21	7	4	5	45	27	3	-	-	-	-	1	-
1934	320	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1933	375	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	305	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	23	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	114	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	723	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	352	33	26	30	18	30	34	51	12	2	23	11	82	-
1926	1,256	25	59	267	230	486	101	49	11	1	1	3	23	-
1925	430	2	10	26	63	188	91	32	9	2	-	2	5	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
SMALLPOX - Cont'd.														
1924	1,702	462	451	282	297	83	67	51	1	2	1	-	5	-
1923	1,922	70	320	262	285	250	322	103	27	2	37	37	207	-
1922	679	39	87	82	100	170	153	38	2	1	1	-	6	-
1921	889	11	89	228	222	161	78	49	19	5	6	3	18	-
1920	3,167	211	347	572	720	695	437	142	27	4	6	6	-	-
1919	4,055	509	858	807	616	555	383	78	23	11	21	73	121	-
1918	1,467	157	182	335	192	216	86	9	6	10	11	72	191	-
1917	5,121	253	675	1,076	905	1,225	700	171	15	10	12	10	69	-
1916	264	1	8	15	52	101	17	1	-	-	-	16	53	-
1915	17	5	4	5	2	-	-	-	-	-	-	1	-	-
1914	485	1	15	40	81	101	113	64	8	2	25	18	17	-
1913	108	2	1	1	7	11	52	13	8	7	3	1	2	-
1912	14	-	4	1	-	3	3	1	-	1	-	1	-	-
1911	202	2	111	25	29	21	4	-	1	-	-	7	2	-
1910	80	5	5	18	24	8	13	5	-	-	1	1	-	-
1909	106	19	3	13	39	19	8	2	-	-	1	-	2	-
1908	18,075	4,484	5,437	4,687	1,815	926	526	121	36	2	8	5	28	-
1907	1,034	8	1	2	51	51	16	15	4	1	25	90	770	-
1906	496	31	72	122	89	77	50	41	3	2	8	1	-	-
1905	278	31	97	59	44	31	8	2	-	-	5	-	1	-
1904	1,188	2	58	171	537	237	124	40	9	-	5	1	4	-
1903	72	5	11	16	11	7	5	11	4	-	-	1	1	-
1902	46	-	3	1	2	6	7	8	7	1	1	3	7	-
1901	92	2	6	4	9	21	16	24	3	2	-	2	3	-
1900	111	6	6	6	5	15	32	16	8	5	4	4	4	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICAIBE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
TYPHUS FEVER														
*1948	474	3/73	58	34	138	3/36	54	3/23	2	3	3/3	13	37	-
*1947	1,114	240	155	3/105	138	3/105	126	91	3/34	12	10	3/19	88	-9
*1946	31,141	272	2,036	3/10,435	8,486	5,298	3/3,412	507	3/213	67	36	3/145	234	-
1945	2,461	24	114	143	303	655	512	206	105	117	44	285	153	-
1944	3,941	664	521	424	453	779	512	266	250	30	20	4	18	-
1943	1,374	1	2	33	69	215	239	68	58	11	89	163	426	-
1942	100	4	-	2	51	17	9	-	11	1	-	2	3	-
1941	67	1	20	12	1	15	23	6	-	-	-	9	-	-
1940	3	-	-	2	1	-	-	-	-	-	-	-	-	-
1939	5	-	-	-	-	-	5	-	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	17	13	3	1	-	-	-	-	-	-	-	-	-	-
1936	1	-	-	-	-	-	-	1	-	-	-	-	-	-
1935	18	-	-	-	-	-	15	2	-	-	1	-	-	-
1934	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1933	4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1932	3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1931	3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1930	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1929	15	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1928	23	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1927	7	2	-	-	-	-	2	1	1	-	-	1	-	-
1926	36	-	-	1	23	12	-	-	-	-	-	-	-	-
1925	28	-	1	-	-	-	8	19	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 -Cont'd.

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
TYPHUS FEVER - Cont'd.														
1924	14	-	-	-	-	1	5	2	3	1	1	-	1	-
1923	14	-	-	1	-	-	1	11	-	-	-	1	-	-
1922	23	-	-	-	-	1	3	13	2	2	1	1	-	-
1921	171	6	6	41	15	26	42	30	2	2	1	-	-	-
1920	66	1	1	-	1	7	15	35	2	3	1	-	-	-
1919	225	-	10	15	21	51	62	43	11	3	5	1	3	-
1918	229	-	15	21	32	57	36	48	7	7	6	-	-	-
1917	219	2	1	1	38	54	45	37	30	5	-	2	4	-
1916	606	19	22	119	132	123	99	12	23	52	4	-	1	-
1915	499	8	27	59	65	112	83	54	50	17	4	4	16	-
1914	7,309	-	-	1,497	1,919	1,997	1,142	555	108	44	31	11	5	-
1913	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1912	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1911	3	-	1	-	-	-	-	-	-	-	-	1	-	-
1910	5	2	-	-	-	-	-	2	-	-	1	-	-	-
1909	3	-	-	1	-	-	1	-	-	-	-	-	1	-
1908	3	-	-	1	2	-	-	-	-	-	-	-	-	-
1907	8	-	-	1	-	1	3	1	-	2	-	-	-	-
1906	4	-	-	-	1	-	-	1	1	-	-	1	-	-
1905	2	-	-	-	-	-	2	-	-	-	-	-	-	-
1904	35	-	-	1	2	12	10	6	-	1	-	-	3	-
1903	8	-	2	-	2	1	-	1	-	1	-	-	1	-
1902	22	2	-	1	-	3	9	3	3	-	-	1	-	-
1901	21	-	-	1	4	3	1	4	3	-	-	1	4	-
1900	73	6	1	4	3	2	10	7	15	16	6	1	2	-

See footnotes at end of table.

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
MALARIA														
*1948	4,940	3/262	212	232	293	3/429	661	3/1,003	788	514	3/322	116	108	-
*1947	11,841	635	581	3/1,027	682	3/1,074	1,257	1,521	3/2,268	1,231	746	3/519	290	-10
8/*1946	NA	NA	NA	NA	NA	NA	NA	6,467	6,772	4,541	2,566	1,746	837	-

TABLE 25. - 1/ CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

Disease and Year	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	2/ Unknown
JAPANESE "B" ENCEPHALITIS														
*1948	7,208	3/-	-	-	-	3/-	4	3/20	4,907	2,097	3/180	-	-	-
*1947	259	1	-	3/-	-	3/-	3	3	3/68	125	61	3/3	7	-12
9/*1946	NA	NA	NA	NA	NA	NA	NA	33	3/58	35	19	3/6	2	-

See footnotes next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 25. - CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

FOOTNOTES:-

* Data for 1946, 1947 and 1948 are provisional.

1/ Data refer to cases of communicable disease among the civilian population. Data are for Japan Proper and Okinawa, 1900-1936, and for Japan Proper only 1937-1948. Case reporting for Okinawa was very incomplete and the total number of cases may be assumed to be for Japan Proper only.

2/ The unknown column contains delays and corrections for the 12 month period not contained in any monthly summary.

3/ Monthly totals are for five-week periods. All other monthly totals for 1946, 1947 and 1948 are for four-week periods. Data for the years 1900-1945 refer to calendar months.

4/ Data for paratyphoid fever are not available prior to August 1911.

5/ Data for epidemic meningitis are not available prior to April 1918.

6/ Diphtheria includes croup, 1905-1923.

7/ Dysentery includes ekiri, 1922-1948.

8/ Data for malaria are not available prior to July 1946.

9/ Data for Japanese "B" encephalitis are not available prior to July 1946.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

TABLE 25. - CASES OF SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948

SOURCES:-

1900 - 1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.

1924 - 1934: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1937.

1935 - 1942: Annual Reports, Ministry of Welfare.

1943 - 1945: Unpublished Annual Reports, Ministry of Welfare.

1946 - 1948: Weekly Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER													
*1948	11.8	7.2	6.6	5.8	6.9	12.1	13.1	20.8	20.3	16.5	11.7	8.9	10.8
*1947	22.9	18.4	13.8	10.9	12.3	18.3	21.4	29.0	51.0	46.2	24.9	16.0	11.7
*1946	59.2	42.7	54.5	62.9	55.6	54.6	72.2	69.2	86.6	76.6	50.3	44.1	33.2
1945	82.9	29.0	21.9	26.1	32.4	46.0	65.0	83.5	123.0	186.9	157.8	130.2	83.6
1944	79.1	40.0	31.7	37.9	44.9	72.8	82.7	115.0	148.5	141.5	95.4	76.8	57.7
1943	72.2	30.5	32.9	33.7	38.4	57.0	73.7	93.8	134.7	138.5	101.7	71.7	57.5
1942	49.3	30.3	27.4	26.6	32.2	43.1	54.2	70.8	83.8	82.9	58.0	40.5	39.8
1941	56.6	35.4	34.5	35.7	38.4	52.6	70.4	78.4	88.5	83.6	60.9	52.5	46.9
1940	57.4	31.7	29.5	29.9	30.4	42.9	50.6	70.9	99.5	103.2	81.6	66.0	50.2
1939	53.7	29.3	28.5	25.1	31.2	50.7	63.3	60.6	85.1	90.4	73.7	61.0	44.6
1938	60.0	31.1	28.6	29.2	33.6	49.8	63.6	79.6	104.8	109.4	77.2	68.3	43.2
1937	54.5	31.2	34.4	35.6	35.0	53.3	58.0	65.3	89.2	92.4	65.8	55.8	37.3
1936	53.5	23.7	21.0	21.5	27.8	41.6	57.2	71.5	94.1	102.2	79.8	55.8	44.1
1935	56.3	37.5	33.9	26.7	28.1	43.3	55.7	77.9	94.2	97.8	81.5	58.2	38.6
1934	62.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	57.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	54.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	59.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	64.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	59.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	67.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	61.5	35.5	30.5	25.9	31.9	39.0	59.4	71.6	109.4	119.3	90.8	69.4	52.8
1926	72.9	88.2	76.2	45.4	37.3	45.8	66.7	82.9	103.7	126.7	91.3	66.7	44.8
1925	77.4	57.7	48.7	39.4	38.8	45.8	72.3	87.8	123.2	151.5	117.7	82.1	61.7

Table 26, pg. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
TYPHOID FEVER - Cont'd:													
1924	100.1	76.0	76.0	58.2	54.0	66.1	91.6	128.6	171.4	168.3	126.1	90.5	93.2
1923	91.4	40.4	38.1	33.5	31.3	49.4	69.6	98.9	147.7	152.1	173.0	141.9	116.3
1922	92.3	37.6	33.9	37.7	43.5	62.4	87.6	110.0	173.2	197.7	150.4	104.8	65.1
1921	89.4	52.2	43.3	36.5	34.9	54.6	79.4	105.7	160.9	180.1	141.9	102.7	77.0
1920	97.4	31.8	22.5	23.3	27.7	43.0	76.8	127.1	181.7	238.5	173.2	129.9	90.4
1919	97.3	32.7	38.3	39.0	41.1	56.3	87.4	113.2	179.9	219.6	160.2	117.2	78.9
1918	77.5	34.1	34.9	55.3	63.9	59.8	62.9	86.6	140.7	175.0	135.0	50.7	28.5
1917	62.8	30.0	33.1	22.8	25.5	34.9	41.9	68.5	106.1	128.3	119.5	88.1	53.3
1916	75.9	41.7	41.0	27.9	30.3	44.4	65.7	104.0	143.9	173.1	113.8	69.0	54.6
1915	67.0	36.5	31.8	23.1	27.9	38.8	53.4	78.1	108.1	143.8	117.6	82.0	60.4
1914	66.1	28.9	32.6	44.9	47.7	57.2	60.3	74.2	91.6	122.7	100.7	72.8	57.5
1913	52.4	27.8	24.2	23.0	22.6	30.1	39.1	59.6	86.8	110.8	91.4	67.0	44.3
1912	60.4	42.5	33.6	29.6	28.9	37.0	44.6	71.9	107.4	122.0	93.5	65.6	47.6
1911	66.4	28.6	28.3	23.6	24.4	33.9	45.4	70.1	121.7	154.9	113.4	88.5	61.4
1910	70.1	33.3	25.4	25.0	36.7	58.0	62.2	74.7	107.6	162.1	125.4	81.0	47.0
1909	50.3	24.3	23.2	18.0	19.3	27.7	31.2	53.3	99.0	113.7	88.1	61.1	43.2
1908	49.7	25.5	28.0	20.2	20.7	23.2	33.4	55.7	86.9	112.2	87.9	60.8	41.2
1907	53.3	25.6	19.8	17.0	23.0	31.9	42.3	62.1	90.1	114.0	98.7	65.9	47.2
1906	52.2	28.7	30.8	24.0	25.5	31.6	41.8	55.6	89.2	101.3	88.7	65.7	42.8
1905	48.0	22.2	18.3	14.2	16.2	23.6	30.3	53.0	84.0	106.2	89.2	70.5	46.9
1904	41.7	22.2	20.3	21.1	20.8	28.4	31.8	42.9	71.6	78.6	76.9	52.9	31.9
1903	40.5	26.3	21.5	21.9	19.5	23.4	31.4	37.1	65.6	82.9	73.9	48.4	32.5
1902	45.9	28.5	18.4	19.5	21.1	27.3	36.2	57.6	67.5	91.7	82.5	57.2	40.9
1901	53.1	27.9	23.3	18.5	22.2	36.2	40.4	56.4	83.9	117.9	97.6	67.0	44.4
1900	53.2	28.4	21.7	15.4	17.0	32.5	46.9	54.4	78.9	120.0	102.5	72.1	48.1

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN,1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER													
*1948	3.6	2.5	1.9	1.8	2.4	4.2	4.9	6.0	6.5	5.1	3.2	2.0	2.8
*1947	6.1	3.7	3.1	3.1	4.0	4.4	6.7	9.3	13.1	11.4	7.0	3.7	3.4
*1946	12.1	4.4	6.6	8.3	9.1	10.7	14.2	18.7	19.9	20.5	13.0	9.8	9.0
1945	14.7	4.9	3.9	3.6	6.5	8.9	16.8	16.9	21.2	37.1	23.5	21.1	11.0
1944	20.4	12.0	8.6	6.9	8.8	17.8	22.2	33.5	44.2	40.3	25.0	15.5	9.0
1943	17.0	4.4	4.2	4.9	5.2	11.4	15.7	26.2	35.5	38.1	27.6	16.7	13.4
1942	8.6	3.3	2.6	2.8	4.5	6.1	9.2	14.8	16.0	24.8	9.4	4.7	5.0
1941	8.7	3.5	4.1	3.0	4.7	6.7	8.4	11.7	15.6	17.7	15.1	7.4	6.3
1940	8.8	2.1	2.3	2.5	2.8	5.3	11.7	13.8	18.2	16.6	13.4	10.6	6.1
1939	7.4	1.9	1.7	2.1	2.5	4.7	6.8	9.8	15.6	17.7	14.4	7.4	4.2
1938	8.7	1.4	1.3	1.8	2.0	5.5	9.3	10.4	19.5	18.7	14.7	15.3	4.1
1937	6.4	2.1	2.1	2.1	2.1	5.3	8.3	10.7	13.1	13.8	8.4	5.3	2.7
1936	6.9	2.0	1.2	1.3	1.9	3.7	10.8	12.6	16.6	15.6	8.8	5.1	3.3
1935	6.2	2.0	2.0	1.6	2.1	3.3	6.6	9.8	14.9	12.1	10.2	6.1	3.0
1934	6.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	6.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	6.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	7.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	7.8	2.8	2.3	2.0	2.2	3.7	8.3	11.9	18.2	19.8	10.9	6.7	4.0
1926	7.4	4.6	4.1	2.7	3.3	4.0	7.9	9.0	16.6	15.7	10.1	5.2	4.7
1925	8.6	2.4	2.1	1.7	2.6	4.4	10.8	10.9	16.2	23.4	14.5	8.2	5.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PARATYPHOID FEVER - Cont'd:													
1924	9.2	4.1	4.0	3.3	2.8	7.2	8.4	14.7	22.8	17.6	13.7	6.9	5.0
1923	9.2	3.0	2.4	2.6	2.6	4.8	7.9	13.0	21.1	15.4	19.3	11.1	6.9
1922	12.5	4.5	2.8	2.3	3.5	7.0	12.5	19.3	27.4	31.0	22.6	11.5	5.5
1921	11.2	4.6	3.8	2.5	4.0	6.8	9.8	16.0	22.8	29.1	17.2	11.7	5.9
1920	14.0	3.9	2.5	1.8	2.5	4.2	8.8	22.8	33.1	40.9	23.3	15.8	7.5
1919	13.2	2.3	2.5	2.4	4.4	6.6	9.0	18.3	27.8	36.7	24.8	15.6	7.5
1918	10.4	3.7	3.3	3.3	4.0	7.0	9.8	17.0	23.1	26.5	19.0	4.7	2.9
1917	10.2	3.4	3.1	2.0	3.2	4.8	7.4	12.5	21.2	25.7	20.2	12.1	6.6
1916	12.3	3.3	3.8	2.6	3.6	6.9	8.6	18.7	26.8	32.9	20.5	12.1	7.2
1915	12.9	3.9	3.3	2.7	3.6	10.9	7.6	18.8	24.2	30.0	29.5	12.4	7.5
1914	12.8	5.3	5.3	7.1	8.4	11.7	12.7	17.1	20.9	26.0	17.0	14.7	7.7
1913	7.3	2.6	1.6	2.4	2.1	4.6	7.5	9.4	12.9	17.2	13.0	8.3	5.8
1912	7.8	2.4	2.0	2.5	2.5	3.4	5.1	10.6	19.4	20.3	13.9	6.9	3.4
2/1911	NA	NA	NA	NA	NA	NA	NA	NA	13.1	14.5	11.0	6.4	4.3

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PLAGUE													
*1948	-	-	-	-	-	-	-	-	-	-	-	-	-
*1947	-	-	-	-	-	-	-	-	-	-	-	-	-
*1946	-	-	-	-	-	-	-	-	-	-	-	-	-
1945	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	-	-	-	-	-	-	-	-	-	-	-	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	-	-	-	-	-	-	-	-	-	-	-	-	-
1931	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	-	-	-	-	-	-	-	-	-	-	-	-	-
1928	-	-	-	-	-	-	-	-	-	-	-	-	-
1927	-	-	-	-	-	-	-	-	-	-	-	-	-
1926	0.0	-	-	-	-	-	-	0.2	-	-	-	-	-
1925	-	-	-	-	-	-	-	-	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
PLAGUE - Cont'd:													
1924	0.0	-	-	-	-	-	0.1	0.0	-	0.0	0.0	-	-
1923	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-
1922	0.2	-	-	-	-	-	-	0.3	0.0	0.0	0.8	1.0	0.3
1921	0.0	-	-	-	-	-	-	-	-	0.0	-	0.0	-
1920	0.0	-	-	-	-	-	-	-	-	0.2	0.1	0.2	0.0
1919	0.0	-	-	-	-	-	0.0	-	-	-	-	0.0	0.0
1918	0.0	-	0.0	-	-	-	-	-	-	-	-	-	-
1917	0.0	0.0	0.0	-	0.0	0.3	0.1	0.1	-	-	-	-	-
1916	0.1	-	-	-	-	-	-	-	-	-	0.8	0.4	0.5
1915	0.0	-	-	-	-	0.0	0.2	0.2	0.1	-	-	-	-
1914	0.2	0.0	-	-	0.4	0.4	0.6	0.3	0.1	-	-	-	0.0
1913	0.1	-	-	-	-	-	-	-	-	0.1	0.2	0.3	0.0
1912	-	-	-	-	-	-	-	-	-	-	-	-	-
1911	-	-	-	-	-	-	-	-	-	-	-	-	-
1910	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	-	0.3	0.4	-
1909	0.8	0.3	0.0	0.1	0.6	0.9	0.4	0.4	0.3	0.8	2.5	2.4	0.5
1908	0.7	0.5	0.3	0.1	0.4	0.5	0.5	0.1	0.2	1.6	1.7	1.2	1.3
1907	1.3	0.2	0.1	0.1	0.4	1.0	0.3	0.3	0.1	0.4	2.5	6.6	3.6
1906	1.0	0.7	0.1	0.2	0.4	1.1	1.8	1.2	0.9	0.8	2.5	2.3	0.2
1905	0.6	-	-	-	0.0	0.2	0.9	0.2	0.0	0.2	0.1	2.1	3.3
1904	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0
1903	0.1	0.2	-	-	-	0.2	0.2	0.1	0.1	0.3	0.4	0.2	-
1902	0.0	-	-	0.0	-	0.0	-	-	-	-	0.2	-	0.1
1901	0.0	0.0	-	-	0.0	-	0.0	-	-	-	-	-	-
1900	0.4	0.3	-	-	0.2	1.0	0.5	0.1	-	0.7	0.5	0.7	0.6

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
CHOLERA													
*1948	-	-	-	-	-	-	-	-	-	-	-	-	-
*1947	-	-	-	-	-	-	-	-	-	-	-	-	-
*1946	1.6	-	-	-	0.0	0.0	1.5	4.4	8.7	3.6	0.1	0.1	0.4
1945	-	-	-	-	-	-	-	-	-	-	-	-	-
1944	-	-	-	-	-	-	-	-	-	-	-	-	-
1943	-	-	-	-	-	-	-	-	-	-	-	-	-
1942	-	-	-	-	-	-	-	-	-	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	-	-	-
1940	-	-	-	-	-	-	-	-	-	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	-	-	-
1938	0.0	-	-	0.0	-	-	-	0.2	0.0	-	0.1	-	-
1937	0.1	-	-	-	-	-	-	-	-	0.0	0.9	-	-
1936	-	-	-	-	-	-	-	-	-	-	-	-	-
1935	-	-	-	-	-	-	-	-	-	-	-	-	-
1934	-	-	-	-	-	-	-	-	-	-	-	-	-
1933	-	-	-	-	-	-	-	-	-	-	-	-	-
1932	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	-	-	-	-	-	-	-	-	-	-	-	-	-
1930	-	-	-	-	-	-	-	-	-	-	-	-	-
1929	0.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.0	0.0	-	-	-	-	-	-	-	0.0	-	-	-
1926	0.0	0.4	-	-	-	-	-	-	0.0	-	-	0.1	-
1925	1.1	-	-	-	-	-	-	-	0.1	6.1	4.5	1.4	0.6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
CHOLERA - Cont'd:													
1924	-	-	-	-	-	-	-	-	-	-	-	-	-
1923	0.0	-	-	-	-	-	-	-	-	-	-	0.1	-
1922	1.3	-	-	-	-	-	-	-	-	4.6	10.9	0.1	-
1921	0.1	-	-	0.0	-	-	0.0	-	-	-	0.5	-	-
1920	9.0	-	-	-	-	-	10.7	40.1	30.7	19.2	6.0	0.4	0.0
1919	5.2	-	-	-	-	-	-	-	1.3	14.3	36.7	9.3	0.2
1918	-	-	-	-	-	-	-	-	-	-	-	-	-
1917	1.6	3.1	5.0	0.3	0.1	-	-	-	1.0	7.1	2.5	0.3	-
1916	18.8	-	-	-	-	-	-	-	27.9	129.0	54.9	12.1	2.4
1915	-	-	-	-	-	-	-	-	-	-	-	-	-
1914	0.0	-	-	-	-	-	-	-	-	0.1	0.0	-	-
1913	0.1	0.8	0.9	-	-	-	-	-	0.0	-	-	-	-
1912	5.2	-	-	-	-	-	-	1.9	0.6	21.1	22.0	14.6	2.6
1911	0.0	0.1	-	-	-	-	-	-	0.1	0.0	-	-	-
1910	5.6	-	-	-	-	-	-	-	-	5.2	49.4	11.3	1.0
1909	0.7	-	-	-	-	-	-	-	0.0	0.1	6.9	0.7	-
1908	1.3	0.1	0.1	-	0.1	-	0.0	-	0.4	3.1	5.7	6.3	0.1
1907	7.5	-	-	-	-	-	-	-	12.2	34.9	25.1	14.2	2.9
1906	-	-	-	-	-	-	-	-	-	-	-	-	-
1905	-	-	-	-	-	-	-	-	-	-	-	-	-
1904	0.0	-	-	-	0.0	-	-	-	-	-	-	-	-
1903	0.4	0.2	0.1	-	-	-	0.1	0.1	0.3	0.0	1.4	2.3	-
1902	29.1	-	-	-	-	-	1.8	12.7	117.3	153.5	53.6	6.9	1.5
1901	0.2	-	-	-	-	0.0	-	0.5	1.5	0.5	0.1	-	-
1900	0.8	-	-	0.0	0.1	0.1	0.5	2.0	4.9	2.1	0.3	0.1	0.0

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS													
*1948	2.6	2.1	2.9	4.2	4.3	2.6	2.1	1.8	4.7	2.8	1.5	1.0	1.3
*1947	4.3	2.6	4.7	8.6	10.2	6.8	4.0	3.2	3.0	3.1	2.4	1.4	1.6
*1946	2.0	0.9	2.5	2.7	3.1	2.8	2.7	1.4	1.7	1.6	1.4	1.1	1.5
1945	6.3	2.2	9.7	18.0	18.3	13.3	5.6	2.5	1.2	1.8	1.3	1.5	1.2
1944	2.0	1.4	2.3	3.5	4.5	3.6	2.2	1.4	1.3	1.0	0.9	0.9	1.2
1943	1.5	1.0	1.4	1.7	2.8	2.8	1.4	0.9	1.1	1.0	0.8	0.7	1.1
1942	1.1	1.0	1.3	1.7	1.8	1.4	1.2	0.9	1.1	1.2	0.7	0.8	0.6
1941	1.6	1.4	2.3	3.1	2.9	2.6	1.4	1.2	1.1	1.1	0.8	0.8	0.7
1940	1.9	1.2	2.1	3.4	3.9	3.6	2.1	1.1	1.3	1.2	1.0	1.0	1.0
1939	2.3	0.9	2.2	3.6	5.0	4.2	2.1	1.9	2.5	2.2	1.2	0.7	1.3
1938	1.4	1.0	1.5	2.0	2.1	2.2	1.7	1.0	1.5	1.5	1.1	0.7	0.8
1937	1.2	1.1	1.6	1.1	1.7	1.0	1.4	1.0	2.1	1.2	0.7	0.6	0.8
1936	1.5	1.7	2.2	2.3	2.5	1.6	1.3	0.8	1.5	1.3	0.9	0.5	0.8
1935	1.9	1.6	2.0	2.8	2.9	2.1	1.3	1.4	4.4	1.9	0.8	0.9	0.8
1934	1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.5	0.4	0.5	0.7	0.6	0.7	0.5	0.4	0.8	0.9	0.3	0.4	0.3
1926	0.7	0.5	0.6	0.9	0.7	0.7	0.6	0.6	0.7	1.6	0.5	0.3	0.6
1925	0.8	0.6	0.8	1.1	1.7	1.1	0.8	0.5	0.6	0.8	0.5	0.2	0.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
EPIDEMIC MENINGITIS - Cont'd:													
1924	2.3	0.7	0.9	1.1	1.3	0.8	0.8	0.5	13.0	6.3	1.3	0.3	0.6
1923	1.2	0.9	1.0	1.8	1.9	1.5	1.4	1.2	0.6	1.8	1.7	0.6	0.4
1922	1.6	0.6	1.5	1.6	1.0	1.7	1.4	1.0	2.7	6.3	0.8	0.5	0.7
1921	1.4	1.1	1.1	1.5	1.8	1.3	1.6	1.4	1.3	2.5	1.3	0.8	1.0
1920	1.7	1.6	1.8	2.4	2.8	2.4	1.7	1.2	2.5	1.8	0.6	1.0	0.9
1919	4.4	2.6	4.6	6.1	6.8	7.6	4.6	3.5	3.2	8.1	2.1	2.0	1.4
3/ 1918	NA	NA	NA	NA	3.2	5.5	4.6	2.5	2.2	1.6	1.4	0.7	0.9

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER													
*1948	3.7	3.8	2.7	2.7	4.1	4.7	3.7	3.7	2.5	2.5	3.0	4.1	6.4
*1947	3.4	3.0	2.9	3.0	3.5	5.6	4.1	3.0	3.0	2.6	2.4	4.0	3.0
*1946	2.9	1.2	2.6	2.9	3.3	3.2	3.2	2.4	2.0	2.3	3.7	4.3	4.0
1945	3.4	4.4	3.6	3.8	4.6	4.6	3.6	2.7	2.3	2.7	3.1	3.3	2.7
1944	8.8	10.5	10.0	8.7	10.1	10.1	9.2	8.0	6.2	7.2	7.8	9.7	7.5
1943	13.6	17.5	16.6	16.5	15.0	15.0	12.0	10.8	7.7	9.0	12.6	16.7	14.1
1942	17.6	21.7	19.4	18.6	18.5	17.7	16.0	14.7	10.7	12.0	17.2	21.5	23.1
1941	20.9	24.1	21.8	22.7	22.5	20.4	18.9	14.0	13.2	16.1	23.1	28.2	26.1
1940	27.3	27.6	28.7	33.2	34.1	33.2	27.9	19.5	14.9	20.3	26.3	32.9	28.2
1939	28.3	27.5	29.9	28.0	27.0	29.6	29.1	22.0	17.9	21.0	33.6	39.0	35.0
1938	27.1	29.1	27.2	28.1	30.4	30.7	25.6	20.1	16.8	20.4	27.5	35.9	33.6
1937	25.2	25.5	28.1	27.4	27.0	28.2	27.2	17.7	12.4	16.8	26.5	35.1	30.7
1936	24.2	24.5	25.3	25.5	30.9	27.5	25.9	16.6	12.9	16.0	22.0	32.7	30.7
1935	24.2	26.4	25.5	25.1	26.1	24.6	22.0	18.7	15.5	17.3	26.8	32.4	30.3
1934	24.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	18.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	12.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	10.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	9.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	9.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	9.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	6.8	7.5	6.5	6.3	7.3	8.4	6.9	4.9	2.5	4.4	7.1	9.3	10.2
1926	5.5	4.8	5.5	5.6	6.2	5.3	6.0	6.8	3.2	3.1	4.8	7.2	7.5
1925	4.3	3.4	3.5	3.9	5.8	5.6	5.5	4.4	1.7	2.5	3.5	6.0	6.4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
SCARLET FEVER - Cont'd:													
1924	3.2	2.7	3.2	3.4	3.9	3.9	3.9	2.3	1.5	2.0	3.2	3.1	4.8
1923	2.7	2.5	3.7	3.6	3.4	3.1	2.8	2.2	1.2	1.1	1.8	3.2	3.9
1922	2.9	3.0	2.8	2.8	3.3	3.7	3.3	2.9	1.2	1.6	2.6	4.5	3.4
1921	2.8	2.9	3.4	3.1	3.0	2.5	3.2	1.6	1.2	1.9	2.7	4.7	3.8
1920	2.5	2.6	2.6	2.4	3.3	2.8	2.8	1.4	1.1	1.7	2.8	3.1	3.0
1919	2.4	1.7	2.1	2.7	3.1	3.0	3.4	2.2	1.2	1.2	1.9	3.0	2.9
1918	1.8	1.9	2.4	2.6	3.1	2.5	2.0	1.3	0.8	0.9	1.2	1.7	1.7
1917	2.2	3.1	2.6	2.5	2.6	3.4	2.7	1.5	0.9	1.2	1.7	2.5	2.2
1916	1.9	2.2	1.9	1.9	2.5	2.3	2.3	1.4	1.0	0.8	1.8	2.4	2.4
1915	2.1	1.9	2.8	3.0	2.4	2.7	2.1	1.6	0.7	1.5	1.6	2.3	2.7
1914	2.3	2.4	3.1	3.3	3.1	3.4	1.9	1.6	1.0	1.1	2.2	2.7	2.2
1913	2.4	2.7	3.0	3.0	3.1	3.1	2.5	2.0	1.2	1.2	2.2	2.6	2.7
1912	2.3	2.0	2.1	2.8	3.1	2.7	2.6	2.0	1.3	1.2	2.5	2.8	2.6
1911	2.6	3.0	3.3	4.2	3.1	3.5	4.0	2.1	1.3	0.9	1.3	2.4	2.2
1910	4.7	4.6	5.7	8.3	10.1	6.8	5.3	3.4	1.9	1.5	2.5	2.8	3.4
1909	3.1	2.2	4.0	3.9	2.9	2.8	2.5	3.3	1.7	2.0	3.0	3.8	4.8
1908	1.7	2.1	1.9	1.9	2.0	2.1	1.8	1.0	0.8	0.7	1.3	2.7	2.7
1907	1.1	0.7	0.8	1.0	1.4	1.1	1.3	1.6	0.6	0.5	0.7	1.1	1.8
1906	0.5	0.3	0.3	0.5	0.3	0.6	0.6	0.8	0.4	0.3	0.5	0.8	1.0
1905	0.3	0.1	0.3	0.4	0.4	0.3	0.2	0.4	0.0	0.2	0.2	0.3	0.5
1904	0.2	0.1	0.4	0.3	0.4	0.2	0.2	0.2	0.1	0.1	0.1	0.4	0.3
1903	0.3	0.3	0.2	0.4	0.5	0.4	0.3	0.1	0.0	0.2	0.4	0.3	0.2
1902	0.3	0.1	0.3	0.3	0.4	0.5	0.5	0.4	0.1	0.1	0.2	0.2	0.1
1901	0.1	0.0	0.2	0.1	0.2	0.1	0.1	0.1	0.0	-	-	0.2	0.2
1900	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.0

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
4/ DIPHTHERIA													
*1948	20.3	27.4	26.0	25.9	22.8	19.7	15.1	9.6	9.7	13.0	22.3	25.5	27.2
*1947	36.4	47.0	44.5	48.8	46.8	42.8	36.6	24.8	18.0	23.9	31.9	38.7	33.9
*1946	65.5	95.9	101.4	69.7	63.0	57.5	59.0	40.0	36.7	52.9	72.7	76.3	65.7
1945	122.8	166.7	159.8	148.3	133.1	114.8	90.9	63.2	56.9	90.9	126.6	172.6	149.6
1944	129.9	126.6	130.6	120.9	117.2	93.8	84.0	70.8	80.9	115.8	173.5	223.6	217.1
1943	87.7	81.9	89.5	91.4	82.4	70.8	54.2	47.0	47.4	66.0	117.8	149.1	155.3
1942	61.5	65.9	70.8	65.1	51.2	40.2	35.3	29.5	34.1	56.2	87.7	101.4	102.0
1941	56.4	66.1	66.4	56.0	51.4	45.8	37.5	33.1	34.2	50.9	72.2	81.4	82.7
1940	54.1	53.5	57.5	64.2	50.0	49.0	37.9	28.7	28.7	41.0	69.4	83.0	84.1
1939	50.9	53.0	69.1	62.2	53.7	51.1	41.6	30.2	26.9	34.9	54.3	69.3	65.4
1938	40.4	45.3	49.1	46.6	42.1	33.5	27.8	23.4	22.7	32.4	43.6	56.9	62.4
1937	40.1	50.1	51.8	52.3	45.5	40.5	34.4	23.1	19.1	26.0	40.0	48.6	50.5
1936	40.9	42.9	45.6	50.1	46.9	41.2	33.6	23.2	20.9	27.1	44.1	54.7	60.2
1935	41.4	47.8	54.9	53.4	48.6	44.9	35.2	25.3	21.7	25.1	41.1	47.9	51.4
1934	44.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	42.7	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	33.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	32.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	29.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	31.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	28.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	24.9	31.1	33.2	32.4	29.0	25.1	20.5	12.1	9.5	15.2	23.2	31.0	37.0
1926	22.7	24.8	30.5	29.7	28.5	23.7	18.9	12.8	8.2	11.6	21.2	31.4	31.7
1925	23.4	30.8	35.8	34.2	30.9	23.1	19.1	12.0	9.3	12.0	18.8	25.7	30.3

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
4/ DIPHTHERIA - Cont'd:													
1924	22.5	26.9	29.0	31.1	27.2	21.3	17.4	11.3	8.4	14.4	21.9	28.1	33.3
1923	22.2	31.9	32.9	29.1	24.0	19.8	15.8	12.7	8.0	11.8	20.5	27.2	33.2
1922	24.2	28.8	32.7	29.8	21.8	20.1	16.6	12.3	8.7	15.8	25.5	36.3	42.6
1921	25.9	36.5	38.7	31.9	24.9	20.6	19.7	14.0	12.4	15.9	24.8	35.2	37.0
1920	27.4	36.9	33.4	32.1	26.7	22.6	19.9	13.7	10.9	19.1	30.0	40.5	43.1
1919	25.4	30.4	33.8	28.7	25.8	24.1	22.2	16.8	12.8	15.4	23.6	33.5	38.1
1918	28.3	38.2	39.3	38.4	31.1	27.6	22.3	15.1	11.9	16.0	24.6	40.5	35.6
1917	31.2	40.0	45.2	40.8	35.3	32.5	27.9	16.1	13.1	18.2	25.5	37.7	43.2
1916	29.4	41.0	40.1	33.5	28.8	25.8	20.3	16.9	13.6	21.0	30.1	39.2	43.1
1915	36.2	50.7	53.3	50.4	41.9	35.7	28.6	20.8	14.5	21.0	29.7	41.6	47.3
1914	34.2	41.2	43.5	38.8	33.9	28.9	24.1	17.5	16.0	26.3	39.6	46.6	54.3
1913	36.2	50.3	49.4	49.1	40.1	33.3	28.3	21.4	17.8	25.0	31.1	43.8	45.3
1912	36.9	48.0	49.6	43.8	35.3	32.4	26.6	19.8	18.5	23.4	40.5	50.4	54.8
1911	39.1	53.0	54.1	46.4	37.4	34.7	28.6	22.8	20.0	28.0	40.9	49.3	54.6
1910	37.8	46.0	47.2	48.5	42.4	32.1	27.2	22.8	20.6	26.3	37.2	49.4	54.9
1909	36.3	44.5	47.9	44.2	35.7	31.5	25.8	19.3	18.3	24.3	39.6	49.7	55.4
1908	36.1	45.5	45.8	42.2	40.0	34.4	28.8	22.8	15.9	23.5	37.7	45.5	51.4
1907	30.3	39.4	37.4	36.6	32.3	24.6	23.8	17.4	14.6	20.9	31.7	42.5	42.9
1906	29.4	33.9	37.1	38.0	33.6	28.5	24.5	15.6	12.9	18.8	30.5	38.5	42.1
1905	27.8	37.0	37.9	36.9	29.5	28.6	18.9	16.8	14.5	17.6	28.6	32.3	35.9
1904	26.9	38.3	38.2	34.4	28.6	25.3	19.8	11.8	10.8	17.0	24.3	36.7	37.6
1903	29.4	41.4	42.1	34.9	32.8	25.6	22.7	15.1	12.4	18.4	29.9	38.0	40.5
1902	32.6	48.2	45.7	40.6	34.8	28.0	24.1	18.6	15.8	21.5	30.3	39.3	45.7
1901	32.8	48.9	43.9	40.6	34.4	29.1	25.6	18.1	14.5	33.2	19.1	41.9	45.2
1900	39.9	61.8	50.3	48.5	41.1	35.9	33.1	22.4	17.1	25.7	40.6	48.9	53.4

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
5/ DYSENTERY													
*1948	18.3	1.6	2.5	4.8	4.7	7.8	17.8	50.2	64.0	41.5	16.0	5.6	2.9
*1947	50.5	3.9	3.8	4.7	5.9	14.6	28.5	99.6	231.7	122.7	55.5	14.5	4.2
*1946	116.8	3.2	2.8	4.0	7.2	17.9	41.1	202.4	404.4	367.8	253.1	71.2	13.5
1945	138.0	5.3	6.0	8.4	10.1	18.2	47.0	229.8	475.8	491.0	233.3	95.6	28.9
1944	76.0	5.2	6.2	8.0	13.4	20.6	55.6	170.5	248.2	197.0	114.1	50.4	16.8
1943	69.0	9.4	12.9	15.1	17.9	33.6	69.4	174.6	225.3	151.3	77.1	26.5	9.4
1942	77.3	15.8	18.1	27.7	32.8	56.2	86.4	189.7	189.4	178.4	86.9	25.5	15.0
1941	82.0	19.7	20.8	29.8	36.4	64.5	105.4	199.8	220.2	146.3	73.7	39.3	22.3
1940	118.1	31.5	37.2	44.4	54.3	87.6	162.1	312.5	313.5	183.6	104.3	48.2	28.2
1939	138.2	29.5	34.1	40.7	47.9	82.5	140.7	281.0	400.5	278.7	177.5	87.3	47.4
1938	114.4	21.0	23.6	31.0	44.9	69.7	122.8	285.8	318.4	222.1	129.0	57.2	38.8
1937	112.0	21.6	24.4	30.6	39.5	64.1	99.8	195.1	232.7	367.0	169.1	64.1	31.6
1936	75.4	15.5	15.3	22.5	31.2	46.3	76.4	163.5	223.4	161.4	82.8	38.7	23.6
1935	71.8	32.6	19.7	23.5	32.8	50.8	84.3	180.7	182.6	120.4	73.0	35.4	20.6
1934	63.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	57.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	49.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	45.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	46.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	48.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	40.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	35.0	5.1	5.5	9.1	10.9	20.8	38.1	84.7	105.8	73.7	36.4	17.7	9.4
1926	28.5	3.9	4.2	5.1	7.4	14.2	25.2	57.2	80.7	76.4	40.4	18.1	6.6
1925	24.9	3.0	2.8	4.0	6.1	9.4	25.7	60.0	69.2	62.4	33.2	13.6	7.2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
5/ DYSENTERY - Cont'd:													
1924	32.0	3.1	3.5	3.9	5.5	11.7	30.9	75.4	96.7	86.0	45.0	14.4	6.2
1923	35.2	2.7	2.4	3.2	5.4	11.2	30.4	74.5	89.4	94.2	73.0	26.5	6.8
1922	26.6	1.1	1.5	1.5	2.9	7.3	17.1	49.4	84.8	71.9	50.2	23.5	6.5
1921	22.2	2.1	1.7	1.9	1.9	5.6	14.0	38.3	67.7	72.2	40.7	14.8	3.9
1920	23.0	1.1	0.8	0.9	1.7	3.6	12.6	42.7	71.7	73.0	38.4	22.4	6.2
1919	23.0	0.8	0.9	1.3	1.6	5.0	24.6	47.0	71.6	50.7	35.2	29.7	5.5
1918	25.1	2.4	1.9	2.2	2.5	5.3	11.2	57.6	87.9	69.0	42.5	14.1	2.8
1917	26.7	1.8	1.5	1.6	2.5	4.7	12.5	60.4	96.2	73.3	44.8	14.3	3.8
1916	40.6	1.7	1.9	2.1	2.9	8.7	33.3	109.1	145.6	100.3	46.7	23.9	9.0
1915	38.8	1.9	2.1	2.1	2.7	5.7	24.3	77.4	135.0	107.3	62.0	31.9	10.3
1914	48.7	1.8	1.4	1.4	2.2	6.7	36.9	115.7	130.5	131.0	80.4	60.3	12.3
1913	31.7	1.6	1.5	1.3	2.6	6.3	23.9	74.9	95.0	85.2	52.7	24.8	8.1
1912	49.2	2.6	1.2	1.5	2.3	8.7	37.9	121.6	195.0	129.7	58.1	23.3	5.3
1911	53.4	1.5	1.5	1.3	1.7	5.9	26.6	107.3	212.0	175.1	67.9	25.6	9.8
1910	63.3	1.0	1.2	1.1	1.4	5.7	27.5	134.1	259.6	196.0	88.8	31.3	5.7
1909	56.1	0.9	0.9	1.0	1.9	3.5	15.7	82.6	191.2	209.6	113.2	40.4	8.7
1908	66.5	1.2	0.7	1.0	1.3	4.8	22.7	102.3	272.6	229.5	109.1	44.7	5.1
1907	51.2	1.5	0.5	1.7	1.8	3.6	13.9	69.1	152.0	191.5	113.8	52.4	9.1
1906	46.2	2.0	1.4	1.0	1.9	4.7	15.6	64.1	182.7	154.6	79.1	37.2	7.0
1905	79.7	1.7	1.6	3.0	2.3	4.8	29.7	176.5	298.8	218.6	133.4	64.9	14.0
1904	48.3	1.8	1.4	2.2	2.8	5.7	19.0	80.7	164.1	161.8	100.3	32.5	5.4
1903	65.1	2.2	1.9	1.9	3.2	5.2	20.7	82.5	186.9	229.4	182.6	54.1	5.6
1902	80.4	2.4	1.3	2.3	3.1	7.0	36.9	134.1	232.3	273.8	180.2	73.0	13.5
1901	109.3	3.2	2.3	2.7	3.4	9.4	31.5	124.7	288.9	399.6	340.3	84.9	13.1
1900	103.2	4.0	2.1	2.4	4.3	7.9	30.9	116.8	310.7	374.6	249.1	114.2	18.2

See footnotes at end of table.

(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX													
*1948	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	-	0.0	0.1	0.0	0.0
*1947	0.5	1.1	0.8	0.9	1.0	1.2	0.6	0.1	0.0	0.1	0.1	0.0	0.0
*1946	23.7	15.7	62.8	87.3	66.7	30.2	14.6	2.0	0.6	0.2	0.1	0.8	1.4
1945	2.3	1.2	0.5	1.1	3.7	3.7	4.5	2.4	1.8	0.8	0.8	1.4	5.7
1944	0.4	0.1	1.0	1.2	0.3	0.9	0.8	0.4	-	0.0	0.1	0.1	0.3
1943	0.8	0.7	1.0	0.7	1.5	3.3	1.3	0.1	-	0.0	0.0	0.1	0.3
1942	0.5	0.8	2.1	2.1	0.3	0.7	0.5	0.0	-	-	-	0.0	0.0
1941	0.9	1.4	1.1	1.3	1.1	2.8	2.3	0.5	0.2	0.0	-	0.0	0.2
1940	0.8	0.3	1.3	3.4	2.6	0.6	1.0	0.1	0.0	0.0	0.0	0.0	0.2
1939	0.4	0.5	1.3	0.9	0.7	1.0	0.1	0.3	0.0	-	-	-	0.2
1938	0.1	-	-	0.0	-	-	0.0	-	-	-	-	0.1	0.9
1937	0.1	0.1	0.2	0.2	0.8	0.3	0.0	0.1	-	0.0	-	-	-
1936	0.3	0.1	-	0.2	1.1	0.8	0.2	0.1	0.2	0.4	0.0	0.0	0.1
1935	0.2	0.4	0.1	0.1	0.1	0.8	0.5	0.1	-	-	-	-	0.0
1934	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1933	0.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	0.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.6	0.6	0.6	0.6	0.4	0.6	0.7	1.0	0.2	0.0	0.4	0.2	1.6
1926	2.1	0.5	1.3	5.2	4.6	9.5	2.0	1.0	0.2	0.0	0.0	0.1	0.4
1925	0.7	0.0	0.2	0.5	1.3	3.7	1.9	0.6	0.2	0.0	-	0.0	0.1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
SMALLPOX - Cont'd:													
1924	2.9	9.4	9.8	5.7	6.2	1.7	1.4	1.0	0.0	0.0	0.0	-	0.1
1923	3.3	1.4	7.2	5.4	6.0	5.1	6.8	2.1	0.6	0.0	0.8	0.8	4.2
1922	1.2	0.8	2.0	1.7	2.1	3.5	3.3	0.8	0.0	0.0	0.0	-	0.1
1921	1.6	0.2	2.1	4.8	4.8	3.4	1.7	1.0	0.4	0.1	0.1	0.1	0.4
1920	5.7	4.5	7.9	12.2	15.9	14.8	9.6	3.0	0.6	0.1	0.1	0.1	-
1919	7.2	10.7	19.9	16.9	13.3	11.6	8.3	1.6	0.5	0.2	0.4	1.6	2.5
1918	2.6	3.3	4.3	7.1	4.2	4.6	1.9	0.2	0.1	0.2	0.2	1.6	4.0
1917	9.1	5.3	15.7	22.6	19.6	25.7	15.2	3.6	0.3	0.2	0.3	0.2	1.4
1916	0.5	0.0	0.2	0.3	1.1	2.2	0.4	0.0	-	-	-	0.4	1.1
1915	0.0	0.1	0.1	0.1	0.0	-	-	-	-	-	-	0.0	-
1914	0.9	0.0	0.4	0.9	1.8	2.2	2.6	1.4	0.2	0.0	0.5	0.4	0.4
1913	0.2	0.0	0.0	0.0	0.2	0.2	1.2	0.3	0.2	0.2	0.1	0.0	0.0
1912	0.0	-	0.1	0.0	-	0.1	0.1	0.0	-	0.0	-	0.0	-
1911	0.4	0.0	2.8	0.6	0.7	0.5	0.1	-	0.0	-	-	0.2	0.0
1910	0.2	0.1	0.1	0.4	0.6	0.2	0.3	0.1	-	-	0.0	0.0	-
1909	0.2	0.4	0.1	0.3	1.0	0.4	0.2	0.0	-	-	0.0	-	0.0
1908	36.6	107.3	139.1	112.2	44.9	22.2	13.0	2.9	0.9	0.0	0.2	0.1	0.7
1907	2.1	0.2	0.0	0.0	1.3	1.2	0.4	0.4	0.1	0.0	0.6	2.2	18.6
1906	1.0	0.8	1.9	3.0	2.2	1.9	1.3	1.0	0.1	0.1	0.2	0.0	-
1905	0.6	0.8	2.7	1.5	1.1	0.8	0.2	0.0	-	-	0.1	-	0.0
1904	2.5	0.1	1.6	4.3	13.9	5.9	3.2	1.0	0.2	-	0.1	0.0	0.1
1903	0.2	0.1	0.3	0.4	0.3	0.2	0.1	0.3	0.1	-	-	0.0	0.0
1902	0.1	-	0.1	0.0	0.1	0.2	0.2	0.2	0.2	0.0	0.0	0.1	0.2
1901	0.2	0.1	0.2	0.1	0.2	0.3	0.4	0.3	0.1	0.1	-	0.1	0.1
1900	0.2	0.2	0.2	0.2	0.1	0.4	0.9	0.4	0.2	0.1	0.1	0.1	0.1

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER													
*1948	0.6	1.0	0.9	0.6	2.2	0.5	0.9	0.3	0.0	0.0	0.0	0.2	0.6
*1947	1.4	4.0	2.6	1.4	2.3	1.4	2.1	1.5	0.5	0.2	0.2	0.3	1.5
*1946	41.5	4.7	35.2	144.5	146.9	91.7	47.3	8.8	2.9	1.2	0.6	2.0	4.1
1945	3.5	0.4	2.2	2.4	5.3	11.2	5.5	3.5	1.8	2.1	0.7	4.8	2.5
1944	5.4	10.8	9.0	6.9	7.6	12.6	8.6	4.3	4.1	0.5	0.3	0.1	0.3
1943	1.9	0.0	0.0	0.5	1.2	3.5	4.0	1.1	0.9	0.2	1.4	2.7	6.9
1942	0.1	0.1	-	0.0	0.9	0.3	0.2	-	0.2	0.0	-	0.0	0.0
1941	0.1	0.0	0.4	0.2	0.0	0.2	0.4	0.1	-	-	-	0.2	-
1940	0.0	-	-	0.0	0.0	-	-	-	-	-	-	-	-
1939	0.0	-	-	-	-	-	10.1	-	-	-	-	-	-
1938	-	-	-	-	-	-	-	-	-	-	-	-	-
1937	0.0	0.2	0.1	0.0	-	-	-	-	-	-	-	-	-
1936	0.0	-	-	-	-	-	-	-	-	-	-	-	-
1935	0.0	-	-	-	-	-	-	0.0	-	-	-	-	-
1934	0.0	NA	NA	NA	NA	NA	0.3	0.0	-	-	0.0	-	-
1933	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1932	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1931	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1930	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1929	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1928	0.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1927	0.0	0.0	-	-	-	-	0.0	0.0	0.0	-	-	0.0	-
1926	0.1	-	-	0.0	0.5	0.2	-	-	-	-	-	-	-
1925	0.0	-	0.0	-	-	-	0.2	10.4	-	-	-	-	-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
TYPHUS FEVER - Cont'd													
1924	0.0	-	-	-	-	0.0	0.1	0.0	0.1	0.0	0.0	-	0.0
1923	0.0	-	-	0.0	-	-	0.0	0.2	-	-	-	0.0	-
1922	0.0	-	-	-	-	0.0	0.1	0.3	0.0	0.0	0.0	0.0	-
1921	0.3	0.1	0.1	0.9	0.3	0.5	0.9	0.6	0.0	0.0	0.0	-	-
1920	0.1	0.0	0.0	-	0.0	0.1	0.3	0.7	0.0	0.1	0.0	-	-
1919	0.4	-	0.2	0.3	0.5	1.1	1.3	0.9	0.2	0.1	0.1	0.0	0.1
1918	0.4	-	0.4	0.4	0.7	1.2	0.8	1.0	0.1	0.2	0.1	-	-
1917	0.4	0.0	0.0	0.0	0.8	1.1	1.0	0.8	0.6	0.1	-	0.0	0.1
1916	1.1	0.4	0.5	0.5	2.9	2.6	2.2	0.3	0.5	1.1	0.1	-	0.0
1915	0.9	0.2	0.6	1.3	1.5	2.4	1.9	1.2	1.1	0.4	0.1	0.1	0.3
1914	13.6	-	-	32.8	43.5	43.8	25.9	12.2	2.4	1.0	0.7	0.2	0.1
1913	-	-	-	-	-	-	-	-	-	-	-	-	-
1912	0.0	-	-	-	-	-	-	-	-	-	-	-	-
1911	0.0	-	0.0	-	-	-	-	-	-	0.0	-	0.0	-
1910	0.0	0.0	-	-	-	-	-	0.0	-	-	0.0	-	-
1909	0.0	-	-	0.0	-	-	0.0	-	-	-	-	-	0.0
1908	0.0	-	-	0.0	0.0	-	-	-	-	-	-	-	-
1907	0.0	-	-	0.0	-	0.0	0.1	0.0	-	0.0	-	-	-
1906	0.0	-	-	-	0.0	-	-	0.0	0.0	-	-	0.0	-
1905	0.0	-	-	-	-	-	0.1	-	-	-	-	-	-
1904	0.1	-	-	0.0	0.1	0.3	0.3	0.2	-	0.0	-	-	0.1
1903	0.0	-	0.1	-	0.1	0.0	-	0.0	-	0.0	-	-	0.0
1902	0.0	0.1	-	0.0	-	0.1	0.2	0.1	0.1	-	-	0.0	-
1901	0.0	-	-	0.0	0.1	0.1	0.0	0.1	0.1	-	-	0.0	0.1
1900	0.2	0.2	0.0	0.1	0.1	0.1	0.3	0.2	0.4	0.4	0.2	0.0	0.1

See footnotes at end of table.

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
MALARIA													
*1948	6.2	3.4	3.5	3.8	4.8	5.6	10.8	13.1	12.8	8.4	4.2	1.9	1.8
*1947	15.2	10.6	9.7	13.7	11.4	14.4	21.0	25.4	30.3	20.6	12.5	6.9	4.8
6/ *1946	NA	NA	NA	NA	NA	NA	NA	112.0	93.8	78.6	44.4	24.2	14.5

TABLE 26 - 1/ CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd

Disease and Year	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
JAPANESE " B " ENCEPHALITIS													
*1948	9.0	-	-	-	-	-	0.1	0.3	80.0	34.2	2.3	-	-
*1947	0.3	0.0	-	-	-	-	0.1	0.1	0.9	2.1	1.0	0.0	0.1
7/ *1946	NA	NA	NA	NA	NA	NA	NA	0.6	0.8	0.6	0.3	0.1	0.0

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 26 - CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

FOOTNOTES:

* Data for 1946, 1947 and 1948 are provisional.

1/ Rates are the number of cases per 100,000 population and are computed on an annual basis. Case data refer to the civilian population in Japan Proper and Okinawa, 1900-1936, and to Japan Proper only, 1937-1948. Case data for Okinawa are very incomplete. Rates are based upon the total population in Japan Proper and Okinawa, 1900-1919, and on the estimated civilian population in Japan Proper, 1920-1948.

2/ Data for paratyphoid fever are not available prior to August 1911.

3/ Data for epidemic meningitis are not available prior to April 1918.

4/ Diphtheria includes croup, 1905-1923.

5/ Dysentery includes ekiri, 1922-1948.

6/ Data for malaria are not available prior to July 1946.

7/ Data for Japanese "B" encephalitis are not available prior to July 1946.

"NA" indicates that data are not available.

A dash (-) indicates that no cases were reported.

A rate of 0.0 indicates that there were some cases but the rate was less than 0.1.

TABLE 26 - CASE RATES FOR SELECTED COMMUNICABLE DISEASES BY MONTH: JAPAN, 1900 - 1948 - Cont'd
(Rates per 100,000 population)

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP. Sources of case data are as follows:

1900 - 1923: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1924.

1924 - 1934: Statistics of Notifiable Infectious Diseases, Sanitary Bureau, Home Department, 1937.

1935 - 1942: Annual Reports, Ministry of Welfare.

1943 - 1945: Unpublished Annual Reports, Ministry of Welfare.

1946 - 1948: Weekly Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 27
NATURAL INCREASE IN POPULATION : JAPAN, 1900-1948

Year	1/ Births	2/ Deaths	3/ Net Natural Increase	4/ Rate of Net Natural Increase per 1,000 Population
*1948	2,709,871	959,092	1,750,779	21.8
*1947	2,714,786	1,138,238	1,576,548	20.2
1946	1,905,809	1,326,592	579,217	7.7
1945	1,685,583	2,113,798	- 428,215	- 6.0
1944	2,149,843	1,279,639	870,204	11.8
1943	2,235,431	1,204,802	1,030,629	14.0
1942	2,216,271	1,157,845	1,058,426	14.5
1941	2,260,270	1,140,428	1,119,842	15.4
1940	2,100,164	1,176,517	923,647	12.9
1939	1,885,957	1,258,514	627,443	8.8
1938	1,911,966	1,250,093	661,873	9.4
1937	2,164,949	1,198,400	966,549	13.7
1936	2,086,355	1,220,023	866,332	12.4
1935	2,174,291	1,152,371	1,021,920	14.9
1934	2,028,289	1,225,402	802,887	11.9
1933	2,106,260	1,184,546	921,714	13.8
1932	2,168,026	1,166,167	1,001,859	15.2
1931	2,088,608	1,231,154	857,454	13.2
1930	2,070,765	1,161,504	909,261	14.2
1929	2,061,720	1,251,041	810,679	12.9
1928	2,120,493	1,227,570	892,923	14.4
1927	2,045,828	1,204,847	840,981	13.8
1926	2,089,237	1,151,163	938,074	15.6
1925	2,071,560	1,199,936	871,624	14.7
1924	1,984,326	1,245,343	738,983	12.7
1923	2,028,955	1,323,648	705,307	12.2
1922	1,953,560	1,278,120	675,440	11.9
1921	1,976,055	1,279,219	696,836	12.4
1920	2,011,634	1,409,371	602,263	10.9
1919	1,778,685	1,281,965	496,720	8.8
1918	1,791,992	1,493,162	298,830	5.4
1917	1,812,413	1,199,669	612,744	10.9
1916	1,804,822	1,187,832	616,990	11.2
1915	1,799,326	1,093,793	705,533	13.0
1914	1,808,402	1,101,815	706,587	13.2
1913	1,757,441	1,027,257	730,184	13.8
1912	1,737,674	1,037,016	700,658	13.4
1911	1,747,803	1,043,906	703,897	13.7
1910	1,712,857	1,064,234	648,623	12.8
1909	1,693,850	1,091,264	602,586	12.1
1908	1,662,815	1,029,447	633,368	12.8
1907	1,614,472	1,016,798	597,674	12.3
1906	1,394,295	955,256	439,039	9.1
1905	1,452,770	1,004,661	448,109	9.4
1904	1,440,371	955,400	484,971	10.3
1903	1,489,816	931,008	558,808	12.0
1902	1,510,835	959,126	551,709	12.0
1901	1,501,591	925,810	575,781	12.7
1900	1,420,534	910,744	509,790	11.4

See footnotes next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 27

Footnotes:-

*Birth data for 1947 and 1948 are provisional. Death data for 1948 are provisional. The rates for both 1947 and 1948 are provisional.

1/ Data for 1900-1919 refer to births of Japanese nationals in Japan Proper and Okinawa. Data for 1920-1948 refer only to births of Japanese nationals in Japan Proper, except as follows. A small number of births of Japanese nationals outside of Japan is included in the tabulations for 1945. A small number of births of foreigners in Japan Proper is included from January through July 1945.

2/ Data for 1900-1919 refer to deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1920-1948 refer only to deaths of Japanese nationals in Japan Proper except for the period January through July 1945, when a small number of deaths of foreigners in Japan and Japanese nationals outside of Japan was included.

3/ Excess births over deaths.

4/ The population data upon which rates are based refer to the total population, including military personnel in the country, in Japan Proper and Okinawa for the period 1900-1919 and to the total population in Japan Proper, 1920-1948.

Sources:

Rates were computed by the Public Health and Welfare Section, GHQ, SCAP. Sources of birth and death data are as follows:

1900-1919: Annual Report, Cabinet Bureau of Statistics, 1943.
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1944: Unpublished tabulations, Cabinet Bureau of Statistics.
1945, January-July: Unpublished tabulations, Cabinet Bureau of Statistics.
1945, August-December: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP, to exclude estimated deaths of Japanese nationals outside Japan Proper and of foreigners in Japan Proper.
1946, January-June: Unpublished tabulations, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP, to exclude and deaths of Japanese nationals outside Japan Proper.
1946, July-September: Monthly Numeric Report, Cabinet Bureau of Statistics. Corrected by Public Health and Welfare, GHQ, SCAP, to exclude estimated births and deaths of Japanese nationals outside Japan.
1946, October-December: Monthly Schedule Report, Cabinet Bureau of Statistics.

1947- Birth Data- January-June: Monthly Schedule Report, Cabinet Bureau of Statistics.
July-December: Monthly Schedule Reports. Ministry of Welfare.

Death Data- Final Annual Report, Ministry of Welfare.
1948, Monthly Schedule Reports, Ministry of Welfare.

TABLE 28. - 1/ INFANT DEATHS BY MONTH: JAPAN INCLUDING OKINAWA, 1937 - 1942
2/ INFANT DEATHS BY MONTH: JAPAN PROPER, JULY 1946 - 1948

Year	Total Japan including Okinawa	Japan Proper	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
*1948	NA	166,649	20,777	19,630	18,752	13,569	11,438	11,228	12,346	10,908	9,589	10,040	12,524	15,848	-
*1947	NA	206,877	21,229	24,277	24,280	18,067	15,293	13,987	16,551	15,493	11,122	11,434	14,734	20,410	-
1946	NA	NA	NA	NA	NA	NA	NA	NA	11,725	10,601	9,336	10,279	11,576	17,168	-
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1943	195,219	194,551	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1942	190,897	190,162	22,796	22,556	21,215	16,146	13,595	12,684	15,785	13,570	10,872	11,140	13,014	17,524	-
1941	191,420	190,780	19,903	22,184	21,707	16,944	15,075	14,439	15,004	12,956	11,264	11,653	12,953	17,338	-
1940	190,509	189,809	24,615	23,195	21,270	15,986	13,989	12,739	15,770	13,328	11,111	10,843	11,980	15,683	-
1939	202,018	201,291	24,711	21,886	22,385	16,994	14,769	13,826	15,309	13,845	11,638	12,250	13,844	20,559	2
1938	220,695	219,943	28,153	26,888	24,611	18,031	15,987	14,507	16,500	15,083	13,424	13,421	14,868	19,222	-
1937	230,701	229,911	24,300	22,765	23,387	19,626	17,539	16,428	18,500	17,854	14,745	15,291	16,616	23,650	-

FOOTNOTES:

*Data for 1947 and 1948 are provisional.
Infant deaths refer to deaths under 1 year of age.
"NA" indicates data are not available.
1/ Monthly data refer to Japanese nationals in Japan Proper and Okinawa.
2/ Monthly data refer to Japanese nationals in Japan Proper.

SOURCES:

Monthly data prior to 1937 are not available.
1937-1943: Annual Reports, Cabinet Bureau of Statistics.
1946, July-September: Monthly Numeric Reports, Cabinet Bureau of Statistics.
1946, October-December; 1947, January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947, July-December; 1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 29, pg. 1

TABLE 29. - 1/ INFANT DEATH RATES BY MONTH: JAPAN INCLUDING OKINAWA, 1937 - 1942
2/ INFANT DEATH RATES BY MONTH: JAPAN PROPER, JULY 1946 - 1948
(Rates per 1,000 live births each month)

Year	Annual Japan including Okinawa	Annual Japan Proper	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
*1948	NA	61.5	66.0	75.4	72.9	60.5	56.7	59.8	60.0	50.7	44.6	46.1	57.1	83.2
*1947	NA	76.2	72.1	106.8	101.8	85.5	76.1	70.7	71.9	64.4	47.1	49.2	69.1	106.2
1946	NA	NA	NA	NA	NA	NA	NA	NA	72.9	60.4	48.6	54.5	59.4	93.8
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	86.6	87.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1942	85.5	85.8	79.3	103.1	96.7	92.5	87.4	85.2	92.5	76.2	61.4	63.3	75.8	112.7
1941	84.1	84.4	73.8	106.0	100.6	101.5	97.8	95.0	84.6	69.4	61.3	60.7	66.0	100.2
1940	90.0	90.4	94.6	116.6	101.2	99.1	97.4	89.8	102.2	82.3	64.3	62.2	66.2	100.9
1939	106.2	106.7	99.9	120.8	118.1	124.6	118.9	117.7	114.2	94.8	74.5	75.8	80.2	152.1
1938	114.4	115.0	105.1	133.2	114.4	114.9	114.9	118.7	124.4	107.9	96.0	92.6	98.1	152.0
1937	105.8	106.2	90.3	109.8	100.6	120.6	116.0	121.0	123.7	107.8	84.4	82.6	86.7	152.1

FOOTNOTES:

* Data for 1947 and 1948 are provisional.
Rates are the number of infant deaths per 1,000 live births in the corresponding period and area.
"NA" indicates data are not available.
1/ Monthly data refer to Japanese nationals in Japan Proper and Okinawa.
2/ Monthly data refer to Japanese nationals in Japan Proper.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were as follows:
Monthly data prior to 1937 are not available.
1937-1943: Annual Reports, Cabinet Bureau of Statistics.
1946, July-September: Monthly Numeric Reports, Cabinet Bureau of Statistics.
1946, October-December; 1947, January-June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947, July-December; 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gumma
* 1948	166,649	6,354	4,068	4,570	4,361	3,024	2,395	6,061	4,644	3,418	2,861
* 1947	206,877	7,746	4,668	4,902	5,732	4,005	2,206	8,862	5,386	3,853	3,628
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	194,551	9,272	4,395	4,582	4,596	2,884	2,274	7,414	4,792	4,010	3,255
1942	190,162	8,005	4,538	4,755	4,605	3,003	2,083	7,225	4,841	3,579	3,133
1941	190,780	8,994	4,275	4,559	4,775	2,970	2,371	7,794	4,681	3,819	3,461
1940	189,809	8,378	4,885	5,034	5,046	3,051	2,512	7,244	5,005	4,025	3,503
1939	201,291	8,458	4,812	4,813	5,514	3,270	2,213	8,371	5,214	3,907	3,479
1938	219,943	9,682	4,929	5,514	6,087	3,358	2,813	9,398	5,682	4,667	3,721
1937	229,911	9,984	5,403	5,740	6,413	3,722	3,050	9,189	5,873	4,674	4,115
1936	244,558	10,501	5,864	7,368	6,412	4,008	3,432	10,369	6,043	5,030	3,798
1935	232,821	9,053	5,658	5,777	6,677	3,651	2,918	8,696	5,986	4,543	4,007
1934	254,213	12,446	5,847	6,206	6,523	4,048	3,586	9,457	6,537	5,614	4,449
1933	256,395	10,442	6,072	6,039	6,992	4,247	3,409	10,312	6,272	4,966	3,929
1932	255,701	10,938	6,162	6,647	7,127	4,193	3,492	9,889	6,760	5,137	4,149
1931	275,644	11,953	6,358	6,678	7,709	4,238	3,712	12,069	6,910	5,602	4,678
1930	257,846	11,049	6,259	6,957	7,370	4,305	3,477	9,911	6,655	5,406	4,181
1929	294,057	12,366	7,325	7,727	8,143	4,588	3,931	11,334	7,434	5,618	4,952
1928	293,026	13,542	6,927	7,207	8,680	4,430	3,823	10,867	7,367	6,148	5,331
1927	291,209	12,143	7,196	7,100	7,790	4,494	4,008	10,295	7,632	5,803	5,453
1926	288,301	11,693	7,436	7,114	8,148	4,786	3,843	10,812	7,233	5,750	4,728
1925	295,888	12,486	7,295	6,998	8,287	4,362	3,938	10,185	7,340	5,957	5,452
1924	311,357	13,127	7,767	7,404	8,555	5,210	4,104	11,042	7,849	5,965	5,566
1923	333,120	14,118	9,043	8,392	9,986	4,947	4,415	11,247	8,410	6,623	6,016
1922	326,684	12,025	8,392	8,559	8,868	5,123	4,805	10,792	8,194	6,371	5,947
1921	334,352	13,979	7,993	7,551	9,659	5,264	4,598	12,270	8,227	6,659	5,885
1920	334,381	13,352	7,358	7,827	9,792	5,395	4,705	12,642	8,867	6,858	6,409

Table 30, pg. 1

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
* 1948	3,523	10,457	5,721	4,384	3,031	4,344	2,265	3,674	3,280	1,736	3,321	2,879
* 1947	4,662	11,791	7,365	5,635	3,225	4,523	2,801	4,377	4,525	2,195	4,305	3,738
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	4,517	10,498	7,713	4,740	2,740	5,001	2,073	3,407	5,150	1,546	3,017	3,498
1942	4,258	10,280	7,290	4,754	2,750	4,976	2,208	4,187	4,846	1,636	3,121	3,518
1941	4,104	10,069	7,166	5,028	2,588	4,822	1,981	3,499	4,806	1,784	3,190	3,482
1940	4,048	10,313	6,530	5,455	2,756	5,316	2,105	3,990	4,163	1,599	2,981	3,232
1939	4,387	10,728	7,631	5,677	2,798	4,962	2,253	4,013	4,436	1,616	3,136	3,601
1938	5,000	11,183	7,826	6,376	3,226	5,690	2,590	4,486	4,741	2,189	3,671	4,172
1937	4,836	11,703	8,077	6,469	3,553	5,783	2,552	4,404	4,917	2,268	3,870	4,218
1936	5,894	11,521	9,012	6,712	4,123	6,155	3,101	4,504	4,686	2,434	3,962	5,199
1935	4,992	11,573	8,487	6,842	3,514	5,403	2,625	4,526	5,309	2,367	3,805	4,357
1934	5,687	12,213	8,984	7,083	4,460	5,663	3,058	4,935	5,050	2,526	4,336	5,257
1933	5,688	13,141	9,471	6,982	4,252	5,879	3,254	4,724	5,432	2,877	4,190	5,088
1932	5,886	12,071	9,635	7,022	4,356	5,835	3,191	4,579	5,241	2,828	4,277	5,240
1931	6,130	13,340	10,280	7,781	4,614	5,762	3,437	4,976	5,573	2,703	4,815	5,973
1930	5,683	13,030	9,288	7,280	4,185	5,676	3,103	4,857	5,241	2,697	4,238	5,495
1929	6,031	14,297	11,298	8,123	5,033	5,857	3,568	4,907	6,604	3,240	4,845	6,098
1928	6,413	13,728	10,847	8,859	4,897	6,441	3,531	4,944	6,673	3,460	4,638	5,856
1927	6,713	15,022	10,980	8,431	5,264	6,023	3,571	5,007	6,119	3,257	4,615	6,305
1926	6,846	12,752	11,300	7,994	4,944	5,905	3,736	5,188	5,960	3,286	4,823	6,415
1925	6,785	14,266	11,210	8,924	5,042	5,941	3,411	4,864	6,821	3,275	4,494	6,492
1924	7,644	14,907	13,168	9,136	5,357	6,623	4,316	5,114	6,382	3,312	5,027	6,807
1923	7,806	15,942	13,485	9,918	5,428	6,529	4,007	5,384	7,137	3,634	4,920	7,889
1922	7,673	15,067	13,818	9,641	5,788	7,071	4,090	5,287	6,970	3,368	5,230	7,350
1921	7,434	15,576	13,677	9,791	5,598	6,599	4,186	5,213	7,707	3,466	5,537	8,288
1920	7,934	15,511	13,824	10,588	5,760	6,363	4,353	4,952	7,078	3,839	5,109	7,767

See footnotes at end of table

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
* 1948	3,134	3,857	2,248	3,159	3,484	1,570	5,587	2,735	3,455	5,895	2,323	4,268
* 1947	4,121	4,213	2,851	3,822	4,336	2,207	6,285	3,734	4,325	8,385	3,095	5,651
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	3,425	4,070	2,016	3,879	3,307	1,747	5,984	2,867	3,525	10,840	2,087	4,715
1942	3,437	3,953	2,237	3,355	4,016	1,664	5,817	2,893	3,168	10,296	2,285	4,430
1941	3,535	3,731	2,125	3,615	3,417	1,908	5,527	2,820	3,263	10,809	2,234	4,786
1940	3,529	4,416	1,971	3,859	3,676	1,682	6,286	2,800	3,195	8,737	2,244	4,944
1939	3,715	4,309	2,453	3,875	3,826	1,899	6,253	3,048	3,484	11,355	2,353	5,300
1938	4,500	4,639	2,584	4,177	4,277	2,076	6,809	3,520	3,862	10,162	2,785	5,482
1937	4,495	5,103	2,647	4,453	4,344	2,207	7,290	3,967	4,166	11,260	2,940	5,795
1936	5,039	5,307	2,766	4,795	4,533	2,350	7,991	4,093	4,698	11,203	3,102	5,829
1935	4,496	5,443	2,528	4,769	4,015	2,424	7,498	3,578	4,163	11,764	2,618	6,053
1934	5,499	5,356	2,615	4,966	4,417	2,626	8,801	4,030	4,618	12,062	3,172	6,134
1933	5,241	5,489	2,982	4,737	4,377	2,648	8,163	4,071	4,866	12,927	3,295	6,372
1932	5,095	5,465	2,673	5,193	4,754	2,571	8,199	4,201	4,679	12,074	3,441	6,352
1931	5,723	5,405	2,896	5,332	4,535	2,718	9,733	4,250	4,910	13,897	3,497	6,947
1930	5,238	5,648	2,549	5,473	4,395	2,481	8,968	3,647	4,492	12,227	3,370	6,018
1929	5,799	6,135	3,010	5,972	4,913	3,004	10,256	4,524	5,416	14,865	3,654	7,203
1928	6,261	6,170	2,565	6,044	4,634	2,731	10,049	4,100	4,993	13,775	3,371	7,610
1927	5,674	6,095	2,508	6,051	4,393	3,054	9,835	4,054	5,058	15,682	3,470	7,557
1926	5,766	5,929	2,648	6,017	4,421	2,966	10,022	4,351	5,626	14,378	3,702	6,971
1925	6,364	6,062	2,484	6,652	4,259	3,117	9,919	4,038	4,859	15,533	3,445	7,753
1924	6,088	6,523	2,606	6,749	4,558	3,290	11,253	4,401	5,700	17,235	3,432	8,028
1923	6,594	7,039	2,730	6,672	4,439	3,324	10,895	4,383	5,846	18,923	3,661	8,921
1922	6,350	6,816	2,637	7,170	4,748	3,373	11,848	4,284	5,500	19,436	3,661	8,585
1921	7,160	6,681	2,656	7,182	5,270	3,590	11,333	4,762	5,979	18,344	4,122	9,203
1920	7,043	6,867	2,642	7,659	5,116	3,623	11,436	4,350	5,736	17,596	3,847	9,764

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
*1948												
*1947	2,263	2,488	5,390	3,808	2,727	9,977	1,517	3,990	2,195	4,079	3,575	1,683
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	2,084	2,125	5,085	2,861	2,084	15,385	1,326	3,497	1,953	3,831	2,943	1,541
1942	1,949	2,101	5,065	3,003	2,113	14,047	1,233	3,368	1,831	3,769	2,878	1,663
1941	1,906	2,153	5,109	3,113	2,101	13,882	1,314	3,237	1,769	3,800	2,776	1,632
1940	1,986	2,106	5,265	3,309	2,187	11,462	1,175	3,484	1,951	4,137	2,579	1,658
1939	1,920	2,409	5,572	3,517	2,369	12,652	1,333	3,292	1,993	4,418	2,869	1,788
1938	2,440	2,457	6,371	3,810	2,573	13,343	1,436	3,829	2,204	4,569	3,098	1,939
1937	2,490	2,644	6,561	3,911	2,759	13,725	1,531	4,270	2,273	5,082	3,212	2,024
1936	2,711	2,984	7,321	4,113	2,844	13,442	1,579	4,248	2,688	5,343	3,525	1,926
1935	2,359	2,814	7,299	4,078	2,715	13,970	1,567	4,222	2,545	5,347	3,435	2,356
1934	2,942	3,019	7,426	4,442	3,056	14,505	1,829	4,963	2,633	5,591	3,418	2,128
1933	2,770	3,047	7,645	4,630	3,022	15,651	1,653	4,736	2,796	5,824	3,579	2,216
1932	2,754	3,316	7,406	4,204	3,229	14,640	1,940	4,680	2,971	5,597	3,479	2,133
1931	3,014	3,249	7,480	4,884	3,312	16,739	1,842	5,098	2,930	5,796	3,961	2,205
1930	2,851	3,195	7,660	4,462	2,736	14,768	1,955	4,628	2,857	6,018	3,672	2,195
1929	3,137	3,568	8,066	5,113	3,199	19,256	2,111	5,514	3,198	6,507	3,981	2,337
1928	3,070	3,190	8,486	5,223	3,354	19,658	1,877	5,266	3,154	6,540	3,735	2,462
1927	3,203	3,261	7,756	5,626	3,157	17,754	2,045	5,491	3,168	6,837	3,895	2,364
1926	3,118	3,366	7,834	4,782	3,367	17,301	2,096	6,012	3,073	7,295	4,177	2,391
1925	3,468	3,294	8,770	5,512	3,194	19,188	2,111	5,472	3,306	6,840	3,641	2,782
1924	3,294	3,409	8,451	5,485	3,502	17,166	2,190	5,807	3,304	7,379	4,220	2,845
1923	4,016	3,646	8,793	6,418	3,770	20,679	2,249	6,259	3,605	7,989	4,139	2,604
1922	3,635	3,689	8,601	6,239	3,565	19,144	2,262	5,933	3,735	8,237	3,834	2,973
1921	3,881	3,665	9,201	6,226	3,688	19,745	2,233	5,718	3,924	7,465	4,342	2,825
1920	4,004	3,550	8,843	6,594	4,179	18,456	2,427	5,906	3,625	7,685	4,004	3,126

See footnotes next page.

TABLE 30 - INFANT DEATHS BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

*Data for 1947 and 1948 are provisional.
Infant deaths are deaths under one year of age.
Data refer only to deaths of Japanese nationals in Japan Proper.
'NA' indicates data are not available.

SOURCES:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.
1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947, July - December, 1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948
(Rates per 1,000 live births each year)

Year	All Japan	Aichi	Akita	Aomori	Chiba	Ehime	Fukui	Fukuoka	Fukushima	Gifu	Gumma
*1948	61.5	57.3	92.4	97.1	64.8	56.5	91.7	50.7	64.5	64.1	54.6
*1947	76.2	73.7	96.8	99.5	76.7	75.3	86.4	79.5	74.4	74.6	65.8
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	87.0	94.0	119.6	118.8	90.9	82.6	112.1	85.0	89.0	102.5	76.5
1942	85.8	79.7	118.8	124.7	93.3	82.2	102.2	82.5	93.3	90.4	73.3
1941	84.4	91.1	116.2	121.9	96.1	76.8	122.3	81.7	88.5	97.0	81.5
1940	90.4	89.6	135.2	138.7	108.8	85.3	139.2	84.4	92.2	99.9	82.9
1939	106.7	102.9	142.4	149.5	126.7	98.0	135.5	107.6	108.0	109.0	95.7
1938	115.0	120.3	131.5	150.8	141.0	102.8	165.6	127.7	110.5	128.3	98.1
1937	106.2	109.8	136.2	137.0	126.2	95.4	149.5	107.1	103.8	110.6	98.0
1936	117.2	119.5	143.9	94.2	130.1	110.3	166.6	131.4	113.9	125.2	95.0
1935	107.1	101.1	135.6	140.7	131.1	95.2	142.0	104.2	106.8	109.6	95.0
1934	125.3	144.9	148.4	161.0	138.1	113.0	186.3	122.3	121.8	139.1	111.7
1933	121.7	121.2	151.1	153.4	142.2	110.9	161.3	130.4	115.7	121.9	97.8
1932	117.9	122.8	147.6	165.8	144.2	105.8	165.6	120.1	118.1	119.2	99.3
1931	132.0	143.4	157.9	176.9	150.5	110.6	176.3	151.1	128.6	139.8	117.2
1930	124.5	131.9	149.9	180.8	154.4	113.1	169.0	132.5	120.7	128.9	100.7
1929	142.6	147.5	191.8	212.9	169.3	119.1	189.1	147.3	136.6	134.4	123.3
1928	138.2	158.2	169.6	185.0	171.9	112.7	177.4	139.3	133.3	144.7	129.6
1927	142.3	150.2	176.1	190.7	159.9	119.7	192.0	139.7	140.1	138.5	134.8
1926	138.0	139.9	188.0	196.8	160.1	121.8	174.3	143.0	128.5	133.6	111.3
1925	142.8	154.2	183.5	190.3	164.0	113.1	180.8	135.9	134.2	140.9	131.7
1924	156.9	167.0	197.0	209.6	180.5	142.3	186.5	154.6	149.1	145.3	140.2
1923	164.2	176.3	229.7	231.9	202.1	123.9	202.4	152.6	155.6	156.4	148.2
1922	167.2	161.7	225.2	252.2	193.9	137.8	220.4	153.1	162.6	159.5	151.8
1921	169.2	186.7	206.7	214.7	196.3	139.1	197.1	174.4	157.9	164.0	153.9
1920	166.2	172.7	185.1	211.1	201.8	140.1	194.1	179.7	163.4	158.4	154.0

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.
(Rates per 1,000 live births each year)

Year	Hiroshima	Hokkaido	Hyogo	Ibaraki	Ishikawa	Iwate	Kagawa	Kagoshima	Kanagawa	Kochi	Kumamoto	Kyoto
1948	56.5	67.6	55.3	64.8	87.9	91.8	66.7	57.6	44.5	63.2	54.2	52.6
1947	68.2	82.2	74.2	80.1	86.8	96.9	80.9	75.2	59.5	75.9	69.3	68.6
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	83.2	88.5	85.0	91.9	114.0	123.5	98.1	70.0	69.0	82.7	73.5	77.3
1942	76.8	91.2	79.3	93.7	110.1	127.8	98.5	87.4	69.1	83.1	76.9	76.8
1941	74.2	88.0	76.4	97.2	110.3	121.2	88.9	66.8	67.9	89.5	74.5	74.2
1940	82.0	95.6	81.9	105.0	129.5	132.9	101.3	80.3	66.9	89.2	74.8	77.4
1939	102.5	109.3	110.3	125.7	144.2	139.8	116.7	82.7	83.6	95.5	84.1	100.1
1938	112.3	106.2	112.7	134.8	164.1	147.3	130.9	96.5	94.8	129.7	96.2	112.8
1937	93.1	108.8	99.5	121.2	155.4	141.5	105.6	82.1	89.2	114.0	87.7	96.7
1936	118.2	111.5	114.0	133.8	169.1	152.4	134.7	91.8	86.9	131.8	96.5	120.6
1935	93.4	105.3	103.3	127.8	146.7	133.6	107.1	86.4	95.8	113.4	87.6	98.0
1934	119.0	116.6	121.3	144.8	192.8	143.1	138.5	97.8	103.5	130.4	102.9	127.9
1933	108.5	126.7	118.9	138.7	166.6	154.1	128.6	91.3	103.9	134.0	96.0	118.1
1932	108.0	112.5	116.2	134.4	170.6	143.8	123.7	87.2	102.7	130.2	95.8	115.9
1931	116.9	128.9	129.9	153.0	183.7	153.8	135.8	97.4	107.4	127.8	112.0	140.2
1930	112.1	123.9	119.8	144.3	168.8	147.8	128.4	96.7	105.2	125.7	98.8	131.6
1929	114.1	143.0	145.9	159.2	202.0	154.9	143.3	96.1	133.6	147.3	111.7	144.1
1928	119.4	132.6	133.2	169.6	189.3	168.8	136.9	96.4	131.1	151.5	104.9	135.0
1927	127.4	150.9	143.6	167.2	206.7	160.7	146.7	97.2	126.5	147.5	106.8	155.5
1926	124.8	129.2	140.2	149.5	188.3	155.0	141.8	111.3	126.6	143.5	109.9	149.5
1925	124.4	145.3	145.1	175.2	187.8	160.5	139.3	94.9	134.9	144.2	103.1	155.9
1924	145.9	152.3	172.9	180.1	203.1	185.9	176.0	104.7	152.1	149.2	120.5	167.1
1923	142.9	164.0	170.7	192.6	213.9	177.4	153.7	106.6	165.6	166.4	113.5	193.1
1922	142.4	155.3	182.0	194.1	225.1	202.6	162.0	105.7	156.2	156.3	127.1	181.8
1921	135.9	163.6	174.7	198.0	196.1	187.0	161.1	111.7	170.1	159.2	136.5	209.2
1920	144.2	159.1	178.3	202.5	201.6	169.7	158.0	102.5	160.5	167.4	122.0	190.4

See footnotes at end of table.

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948 -Cont'd.
(Rates per 1,000 live births each year)

Year	Mie	Miyagi	Miyazaki	Nagano	Nagasaki	Nara	Niigata	Oita	Okayama	Osaka	Saga	Saitama
1948	66.0	68.0	54.5	52.1	60.2	66.7	67.7	62.3	65.3	52.1	70.3	60.3
1947	88.5	75.2	73.1	60.9	80.5	90.8	72.5	87.2	80.0	77.7	95.8	72.8
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	97.7	95.2	75.8	80.1	80.1	107.4	91.5	96.2	92.0	84.6	101.1	87.2
1942	98.4	94.7	89.8	66.8	93.5	102.0	90.3	96.7	84.4	81.5	105.8	86.8
1941	98.2	89.8	72.0	73.5	75.9	110.5	84.0	90.0	82.9	79.0	99.5	91.5
1940	100.4	104.6	75.6	75.3	88.9	101.8	98.5	97.4	93.8	76.7	106.8	100.5
1939	122.0	109.4	99.0	84.8	97.8	136.8	103.2	113.6	115.3	114.3	116.9	116.5
1938	137.9	112.3	102.7	87.3	112.8	142.1	107.3	128.2	120.5	106.8	146.2	119.3
1937	120.3	110.8	90.9	84.6	103.7	124.8	103.9	119.3	105.7	105.9	126.4	112.1
1936	137.1	120.8	103.4	94.2	113.7	136.1	114.2	136.5	125.7	108.6	146.2	114.8
1935	119.2	120.8	88.9	89.5	97.0	134.5	105.2	110.9	108.1	111.8	113.6	112.8
1934	151.0	119.5	100.3	96.7	112.9	151.4	133.2	131.8	134.5	127.6	144.4	128.2
1933	138.9	127.3	107.9	90.3	109.6	147.9	116.1	125.8	125.2	133.1	143.0	125.9
1932	129.5	118.5	97.7	93.9	114.6	136.2	114.2	131.2	115.4	117.7	143.2	125.2
1931	155.4	124.7	111.4	101.9	114.5	151.1	137.9	132.0	127.3	149.0	147.0	136.1
1930	135.0	131.0	99.9	99.2	131.9	137.6	126.3	118.5	120.0	131.5	147.4	121.2
1929	148.7	141.8	117.4	110.0	122.6	167.5	149.7	141.9	141.9	162.9	153.1	146.1
1928	158.0	142.8	102.8	109.0	119.9	144.9	140.6	129.7	128.8	143.2	140.3	147.9
1927	150.4	142.2	103.6	111.4	113.8	165.7	142.8	131.5	137.8	177.0	145.3	148.4
1926	143.9	137.0	107.6	105.7	115.2	150.1	142.4	135.3	141.1	155.6	153.7	130.4
1925	161.7	142.0	104.1	122.0	110.1	163.5	141.4	124.9	128.6	170.6	135.8	149.2
1924	163.2	159.2	114.7	124.8	122.1	172.5	163.6	144.7	155.6	202.1	149.4	161.0
1923	166.5	166.4	119.3	126.2	115.2	163.5	158.1	137.4	150.1	218.6	145.3	171.4
1922	168.4	175.9	117.3	138.1	126.2	175.0	175.3	143.6	149.8	236.7	155.1	175.5
1921	189.9	167.2	122.1	140.4	140.9	185.3	161.9	159.5	156.5	229.8	172.6	183.8
1920	179.2	166.2	114.1	138.7	137.6	176.8	163.0	140.6	144.4	223.8	155.1	190.1

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd

Year	Shiga	Shimane	Shizuoka	Tochigi	Tokushima	Tokyo	Tottori	Toyama	Wakayama	Yamagata	Yamaguchi	Yamanashi
* 1948	64.9	67.3	53.1	52.1	66.3	47.0	65.4	87.0	57.9	82.1	53.7	52.2
* 1947	86.8	76.1	65.5	68.3	85.6	61.9	77.9	95.9	70.5	92.1	71.8	62.9
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	105.7	97.2	79.9	75.0	98.7	64.6	98.5	126.3	87.0	109.2	83.0	76.1
1942	98.8	94.2	80.3	80.1	91.1	62.8	94.4	118.6	78.0	105.4	79.4	82.3
1941	100.6	98.0	80.0	80.4	90.7	62.2	91.8	116.2	74.2	107.4	74.8	79.8
1940	103.3	104.5	82.9	85.2	103.2	59.5	90.5	135.0	91.8	113.7	78.1	80.0
1939	117.7	123.6	100.7	101.4	112.4	76.4	113.8	142.4	101.7	128.8	100.0	93.4
1938	138.7	126.1	112.0	105.5	124.9	84.7	112.2	166.1	107.4	125.4	107.6	98.7
1937	117.5	111.6	103.0	95.1	110.6	79.7	104.1	158.8	94.2	125.8	94.2	92.7
1936	132.1	133.9	115.8	103.5	121.0	78.8	108.3	150.5	114.9	136.3	110.0	94.7
1935	110.7	117.2	111.6	97.6	111.4	79.4	107.1	152.2	103.9	130.2	100.3	109.1
1934	144.6	135.9	116.7	113.3	130.2	94.2	131.5	186.3	114.1	141.8	107.2	104.5
1933	134.4	131.2	121.3	114.6	120.7	95.4	111.4	163.1	111.5	144.9	106.2	106.5
1932	125.3	136.7	113.7	102.0	127.7	90.8	125.3	159.7	114.5	132.7	100.4	98.8
1931	142.4	140.6	115.0	122.6	136.7	105.8	121.6	179.2	119.7	147.6	117.3	103.8
1930	133.6	143.4	123.0	109.6	113.4	97.5	131.2	163.0	115.5	141.9	113.7	104.9
1929	150.6	154.9	127.7	127.4	129.6	130.2	138.3	195.8	131.5	162.4	118.3	110.2
1928	137.6	136.5	127.9	126.4	134.6	129.1	125.2	181.0	119.5	156.4	109.6	113.5
1927	150.3	144.6	124.9	138.0	132.2	121.9	134.2	190.7	127.4	166.3	118.1	108.1
1926	142.1	143.0	121.2	115.2	129.8	125.5	132.5	205.2	118.3	171.3	121.6	120.9
1925	160.3	139.0	135.0	132.0	131.9	133.0	135.0	184.7	132.3	166.3	106.5	124.0
1924	150.3	153.7	138.4	136.6	148.8	139.0	142.3	200.2	135.8	180.3	132.1	133.7
1923	180.8	154.8	139.8	155.3	147.9	175.7	149.2	219.4	136.7	193.0	124.3	123.2
1922	167.7	162.3	147.3	153.3	151.5	158.6	147.4	216.6	150.1	213.1	118.7	145.8
1921	176.3	156.2	152.6	155.7	152.3	163.5	144.2	192.0	156.8	186.1	131.3	134.7
1920	174.7	149.8	149.1	159.5	164.7	167.6	157.3	195.6	138.0	188.9	121.2	142.7

See footnotes next page.

TABLE 31 - INFANT DEATH RATES BY PREFECTURE: JAPAN, 1920 - 1948 - Cont'd.
(Rates per 1,000 live births each year)

FOOTNOTES:

* Data for 1947 and 1948 are provisional.

Rates are the number of infant deaths per 1,000 live births in the corresponding period.

Data refer only to events to Japanese nationals in Japan Proper.

"NA" indicates data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data on infant deaths are as follows:

1920 - 1943: Annual Reports, Cabinet Bureau of Statistics.

1947, January - June: Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947, July - December; 1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES; JAPAN, 1920 - 1948

Year	All Causes	2/Typhoid Fever (1)	Paratyphoid Fever (2)	Cholera (4)	Cerebrospinal (meningococcus) Meningitis (6)	Anthrax (7)	4/Scarlet Fever (8)	Whooping Cough (9)	5/ Diptheria (10)	Erysipelas (11)
*1948	166,649	5	-	-	90	-	5	2,595	356	447
*1947	206,877	3/ 6	3/ 1	3/ -	116	3/ 1	10	8,610	543	NA
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	196,311	12	-	-	86	-	16	4,695	722	1,173
1942	190,897	11	1	-	80	-	21	5,195	530	1,116
1941	191,420	9	2	-	67	-	25	5,763	416	1,275
1940	190,509	16	-	2	74	1	25	4,849	358	1,379
1939	202,018	4	1	-	75	-	22	4,919	348	1,445
1938	220,695	9	-	-	59	-	22	4,752	317	1,647
1937	230,701	9	1	-	54	1	20	5,774	326	2,272
1936	245,357	8	1	-	63	-	25	5,313	321	2,341
1935	233,706	6	-	-	76	-	14	6,560	321	2,280
1934	255,063	9	1	-	59	-	19	4,502	354	2,356
1933	257,251	7	-	-	29	1	17	3,442	339	2,501
1932	256,505	5	2	-	21	1	16	8,100	235	2,539
1931	276,584	8	-	-	22	-	10	4,585	284	2,378
1930	258,703	14	1	2	20	1	8	4,115	223	2,184
1929	295,178	12	1	1	16	-	12	5,229	295	2,419
1928	293,881	10	1	-	20	1	7	6,270	264	2,465
1927	292,084	17	1	-	18	-	9	4,947	275	2,688
1926	289,275	10	-	-	19	1	23	4,153	274	2,833
1925	297,008	20	-	-	26	-	14	4,585	267	2,663
1924	312,267	19	3	-	29	5	3	5,861	296	2,665
1923	333,930	20	2	7	27	10	7	4,790	305	2,769
1922	327,604	25	1	1	36	6	5	3,547	330	1,749
1921	335,143	29	2	1	34	-	3	3,862	373	1,883
1920	335,413	32	3	23	27	1	2	4,533	391	1,721

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	Tetanus (12)	7/ Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (nonpuerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	8/ Syphilis (30)	Influenza (33)
*1948	1,013	1,236	-	1,045	-	101	3	1,152	134
*1947	767	1,096	3/ -	NA	3/ -	193	3/ 5	609	411
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	986	1,117	1	1,359	-	201	1	1,465	825
1942	897	988	-	1,491	-	169	3	1,518	1,231
1941	927	900	-	1,876	-	176	1	1,636	1,340
1940	936	966	3	1,918	-	225	1	1,610	884
1939	930	921	-	1,775	-	197	3	1,696	1,358
1938	1,023	1,019	-	1,874	-	197	4	2,129	2,093
1937	1,232	992	-	2,013	-	186	1	2,733	974
1936	1,254	1,048	-	2,090	-	138	-	2,991	2,243
1935	1,358	975	-	1,867	1	169	2	3,010	972
1934	1,429	1,040	-	2,041	-	149	4	3,119	2,642
1933	1,552	988	-	2,054	-	175	5	3,298	1,386
1932	1,692	1,074	-	1,860	-	142	3	3,456	1,404
1931	1,721	1,144	-	1,914	-	147	-	3,580	3,789
1930	1,791	1,084	-	1,823	-	150	1	3,512	1,434
1929	1,944	1,393	-	1,869	-	146	3	3,834	2,197
1928	2,033	1,303	-	1,974	-	135	6	4,233	2,522
1927	2,016	1,367	-	1,386	-	125	11	4,326	2,385
1926	2,151	1,404	-	1,406	-	110	9	4,629	1,161
1925	2,104	1,579	-	1,245	-	108	7	4,578	2,262
1924	2,192	1,696	1	1,257	-	140	8	4,627	1,346
1923	2,320	1,844	-	1,329	1	171	15	5,118	1,375
1922	2,169	2,519	-	1,353	-	173	11	5,388	2,399
1921	2,320	2,674	-	1,193	1	160	15	6,175	1,517
1920	2,281	2,663	1	1,077	-	170	11	6,041	9,317

See footnotes at end of table.

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	Measles (35)	Japanese "B" Encephalitis (37b)	Yellow Fever (38a)	Rabies (38b)	Typhus Fever & Typhus-like Diseases (99)	Beriberi (68)	Meningitis (not due to meningococcus) (81)	Convulsions (86)	10/ Bronchitis (106)
*1948	1,937	45	-	-	-	3,794	2,799	1,310	8,851
*1947	6,169	3/ 9	3/ -	3/ -	3/ -	4,890	3,457	NA	11,589
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	7,589	NA	-	-	2	4,279	7,188	1,460	6,292
1942	2,251	NA	-	-	-	4,470	7,137	1,414	6,383
1941	4,878	NA	-	-	1	4,434	6,783	1,864	6,518
1940	1,632	NA	-	-	1	4,434	6,532	2,106	6,559
1939	4,117	NA	-	-	-	5,249	6,872	2,109	6,834
1938	1,728	NA	-	-	-	6,437	8,326	2,423	7,714
1937	3,583	NA	-	-	-	5,789	8,628	2,652	7,852
1936	1,770	NA	-	-	-	6,496	9,389	3,073	8,099
1935	3,104	NA	-	1	1	5,767	9,507	2,880	7,967
1934	3,085	NA	-	-	-	6,418	11,157	3,214	8,729
1933	3,083	NA	1	-	-	7,733	12,622	3,445	8,561
1932	2,063	NA	-	-	-	6,834	12,612	3,541	9,746
1931	4,682	NA	-	-	-	9,398	14,386	3,886	10,376
1930	1,872	NA	-	-	-	7,897	14,776	3,971	10,116
1929	5,333	NA	-	-	-	8,267	17,716	4,498	11,635
1928	3,522	NA	-	-	-	9,582	18,088	4,708	12,529
1927	4,309	NA	-	-	-	6,143	18,603	4,804	13,028
1926	3,149	NA	-	-	-	6,696	20,167	5,064	12,274
1925	4,570	NA	-	3	-	7,153	20,745	5,179	13,077
1924	3,587	NA	-	26	1	8,320	24,680	5,681	13,939
1923	4,132	NA	1	2	-	11,373	28,035	6,213	14,221
1922	2,876	NA	NA	-	-	8,205	26,449	5,593	23,398
1921	4,148	NA	NA	-	1	9,057	26,251	5,595	24,940
1920	3,073	NA	NA	-	1	5,856	25,236	5,740	24,615

See footnotes at end of table

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	11/ Pneumonia (all forms) (107-109)	Diarrhea, enteritis and ulceration of intestines (119)	Congenital malformations (157)	Congenital debility (158)	Premature Birth (159)	Injury at Birth (160)	Other diseases peculiar to first year of life. (161)
*1948	22,937	31,436	4,596	38,323	13,754	1,007	8,836
*1947	35,438	35,034	3,851	41,597	14,581	826	9,895
1946	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA
1943	39,854	28,939	3,048	51,941	5,084	447	NA
1942	37,946	29,365	3,164	52,096	5,152	459	NA
1941	39,862	27,343	3,012	52,376	5,284	443	NA
1940	36,258	30,279	2,833	54,939	5,267	291	NA
1939	40,215	30,551	2,954	57,124	5,165	314	NA
1938	42,540	36,860	3,122	60,568	5,410	381	NA
1937	41,770	39,908	3,487	63,387	5,929	441	NA
1936	41,971	44,723	3,533	67,986	6,328	407	NA
1935	41,270	40,012	3,519	64,369	5,685	425	NA
1934	45,623	46,036	3,396	68,604	5,654	401	NA
1933	42,925	50,704	3,583	67,498	5,071	361	NA
1932	42,623	54,348	2,785	59,389	NA	NA	NA
1931	47,749	57,711	2,823	61,448	NA	NA	NA
1930	40,972	58,250	2,815	59,288	NA	NA	NA
1929	48,811	64,421	3,018	65,424	NA	NA	NA
1928	50,769	60,511	3,070	63,901	NA	NA	NA
1927	50,487	62,119	3,002	64,132	NA	NA	NA
1926	61,048	61,048	3,353	67,227	NA	NA	NA
1925	49,649	60,296	3,075	67,019	NA	NA	NA
1924	50,968	63,521	2,797	69,551	NA	NA	NA
1923	52,159	67,110	2,177	73,748	NA	NA	NA
1922	43,298	62,039	1,284	NA	NA	NA	NA
1921	44,974	60,506	1,306	NA	NA	NA	NA
1920	47,725	56,398	1,251	NA	NA	NA	NA

See footnotes on next page.

TABLE 32. - 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	Accidental Deaths (169-195)	Ill-defined and Unknown Causes (199-200)	All Other Causes
*1948	2,184	2,789	13,869
*1947	1,889	3,164	22,120
1946	NA	NA	NA
1945	NA	NA	NA
1944	NA	NA	NA
1943	1,743	7,307	18,480
1942	1,694	7,463	18,652
1941	1,515	6,873	16,321
1940	1,207	7,419	17,505
1939	1,028	8,120	17,672
1938	1,233	9,114	19,694
1937	1,268	8,576	20,843
1936	1,283	10,121	22,342
1935	1,273	8,910	21,405
1934	1,400	10,286	23,336
1933	1,443	10,784	23,643
1932	2,012	12,787	27,215
1931	2,012	14,137	28,394
1930	1,945	12,710	27,728
1929	2,061	14,110	30,513
1928	2,048	13,989	29,920
1927	2,324	13,741	29,821
1926	2,186	12,374	31,119
1925	2,057	12,558	32,169
1924	2,204	13,152	33,692
1923	3,784	14,243	36,622
1922	2,163	34,631	97,956
1921	2,214	35,063	100,846
1920	2,094	35,251	101,079

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 32. 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948

FOOTNOTES:

* Data for 1947 and 1948 are provisional

1/ Data for 1920-1942 refer to infant deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to infant deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 refers to Japanese nationals in Japan Proper. All data are based upon tabulations of death certificates.

2/ Typhoid fever, 1920-1943: includes typhoid pneumonia. 1947-1948: excludes typhoid pneumonia.

3/ Data are for nine months, excluding January through March.

4/ Scarlet fever. 1920-1943: includes puerperal scarlet fever. 1947-1948: excludes puerperal scarlet fever.

5/ Diptheria. 1920-1922 and 1933-1943: excludes diptheric endocarditis, includes croupous bronchitis and laryngeal croup. 1923-1932: excludes diptheric endocarditis and croupous bronchitis; includes laryngeal croup. 1947-1948: includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal croup.

6/ Data are for seven months, exclud ng January through May.

7/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopothy; excludes spondylitis. 1947-1948: excludes chronic pleuro pneumonia and nontubercular adenopothy; includes spondylitis.

8/ Syphilis. 1920-1922: excludes general paralysis of the insane and aneurysm of the aorta. 1923-1932: includes general paralysis of the insane, a small amount of nonsyphilitic paralytic psychosis, aneurysm of the aorta and a small amount of nonsyphilitic aneurysm. 1933-1943: includes general paralysis of the insane, aneurysm of the aorta and a small amount of nonsyphilitic aneurysm. 1947-1948: includes general paralysis of the insane and aneurysm of the aorta.

9/ Data are for eight months, excluding January through April.

10/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.

11/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947-1948: includes typhoid pneumonia.

"NA" indicates that data are not available.

A dash (-) indicates that no infant deaths were reported.

TABLE 32. 1/ INFANT DEATHS FROM SELECTED CAUSES: JAPAN, 1920 - 1948

SOURCE:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.

1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.

1947 (July-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948
(Rates per 1,000 live births each year)

Year	All Causes	2/Typhoid fever (1)	Paratyphoid fever (2)	Cholera (4)	Cerebrospinal (meningococcus) meningitis (6)	Anthrax (7)	4/Scarlet fever (8)	Whooping cough (9)	5/ Diphtheria (10)	Erysipelas (11)	Tetanus (12)
* 1948	61.5	0.0	-	-	0.0	-	0.0	1.0	0.1	6/ 0.3	0.4
* 1947	76.2	3/0.0	3/0.0	3/ -	0.0	3/0.0	0.0	3.2	0.2	NA	3/0.4
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	86.6	0.0	-	-	0.0	-	0.0	2.1	0.3	0.5	0.4
1942	85.5	0.0	0.0	-	0.0	-	0.0	2.3	0.2	0.5	0.4
1941	84.1	0.0	0.0	-	0.0	-	0.0	2.5	0.2	0.6	0.4
1940	90.0	0.0	-	0.0	0.0	0.0	0.0	2.3	0.2	0.7	0.4
1939	106.2	0.0	0.0	-	0.0	-	0.0	2.6	0.2	0.8	0.5
1938	114.4	0.0	-	-	0.0	-	0.0	2.5	0.2	0.9	0.5
1937	105.8	0.0	0.0	-	0.0	0.0	0.0	2.6	0.1	1.0	0.6
1936	116.7	0.0	0.0	-	0.0	-	0.0	2.5	0.2	1.1	0.6
1935	106.7	0.0	-	-	0.0	-	0.0	3.0	0.1	1.0	0.6
1934	124.8	0.0	0.0	-	0.0	-	0.0	2.2	0.2	1.2	0.7
1933	121.3	0.0	-	-	0.0	0.0	0.0	1.6	0.2	1.2	0.7
1932	117.5	0.0	0.0	-	0.0	0.0	0.0	3.7	0.1	1.2	0.8
1931	131.5	0.0	-	-	0.0	-	0.0	2.2	0.1	1.1	0.8
1930	124.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.1	1.0	0.9
1929	142.1	0.0	0.0	0.0	0.0	-	0.0	2.5	0.1	1.2	0.9
1928	137.6	0.0	0.0	-	0.0	0.0	0.0	2.9	0.1	1.2	1.0
1927	141.7	0.0	0.0	-	0.0	-	0.0	2.4	0.1	1.3	1.0
1926	137.5	0.0	-	-	0.0	0.0	0.0	2.0	0.1	1.3	1.0
1925	142.4	0.0	-	-	0.0	-	0.0	2.2	0.1	1.3	1.0
1924	156.2	0.0	0.0	-	0.0	0.0	0.0	2.9	0.1	1.3	1.1
1923	163.4	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.1	1.4	1.1
1922	166.4	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.2	0.9	1.1
1921	168.3	0.0	0.0	0.0	0.0	-	0.0	1.9	0.2	0.9	1.2
1920	165.7	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.2	0.8	1.1

See footnotes at end of table.

Table 33, pg. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

Year	2/Tuberculosis (all forms) (13-22)	Leprosy (23)	Septicemia and purulent infection (nonpuerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	8/ Syphilis (30)	Influenza (33)	Measles (35)	Japanese "B" encephalitis (37b)	Yellow fever (38a)
*1948	0.5	-	0.4	-	0.0	0.0	0.4	0.0	0.7	0.0	-
*1947	0.4	3/ -	NA	3/-	0.1	0.0	9/0.3	0.2	2.3	3/0.0	3/-
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	0.5	0.0	0.6	-	0.1	0.0	0.6	0.4	3.3	NA	-
1942	0.4	-	0.7	-	0.1	0.0	0.7	0.6	1.0	NA	-
1941	0.4	-	0.8	-	0.1	0.0	0.7	0.6	2.1	NA	-
1940	0.5	0.0	0.9	-	0.1	0.0	0.8	0.4	0.8	NA	-
1939	0.5	-	0.9	-	0.1	0.0	0.9	0.7	2.2	NA	-
1938	0.5	-	1.0	-	0.1	0.0	1.1	1.1	0.9	NA	-
1937	0.5	-	0.9	-	0.1	0.0	1.3	0.4	1.6	NA	-
1936	0.5	-	1.0	-	0.1	-	1.4	1.1	0.8	NA	-
1935	0.4	-	0.9	0.0	0.1	0.0	1.4	0.4	1.4	NA	-
1934	0.5	-	1.0	-	0.1	0.0	1.5	1.3	1.5	NA	-
1933	0.5	-	1.0	-	0.1	0.0	1.6	0.7	1.5	NA	-
1932	0.5	-	0.9	-	0.1	0.0	1.6	0.6	0.9	NA	-
1931	0.5	-	0.9	-	0.1	-	1.7	1.8	2.2	NA	-
1930	0.5	-	0.9	-	0.1	0.0	1.7	0.7	0.9	NA	-
1929	0.7	-	0.9	-	0.1	0.0	1.8	1.1	2.6	NA	-
1928	0.6	-	0.9	-	0.1	0.0	2.0	1.2	1.6	NA	-
1927	0.7	-	0.7	-	0.1	0.0	2.1	1.2	2.1	NA	-
1926	0.7	-	0.7	-	0.1	0.0	2.2	0.6	1.5	NA	-
1925	0.8	-	0.6	-	0.1	0.0	2.2	1.1	2.2	NA	-
1924	0.8	0.0	0.6	-	0.1	0.0	2.3	0.7	1.8	NA	-
1923	0.9	-	0.7	0.0	0.1	0.0	2.5	0.7	2.0	NA	0.0
1922	1.3	-	0.7	-	0.1	0.0	2.7	1.2	1.5	NA	NA
1921	1.3	-	0.6	0.0	0.1	0.0	3.1	0.8	2.1	NA	NA
1920	1.3	0.0	0.5	-	0.1	0.0	3.0	4.6	1.0	NA	NA

See footnotes at endof table.

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 -Cont'd.
(Rates per 1,000 live births each year)

Year	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (68)	Meningitis (not due to meningococcus (81)	Convulsions (86)	10/ Bronchitis (106)	11/Pneumonia (all forms) (107-109)	Diarrhea, enteritis and ulceration of intestines (119)	Congenital malformations (157)
*1948	-	-	1.4	1.0	0.5	3.3	8.5	11.6	1.7
*1947	3/-	3/-	1.8	1.3	NA	4.3	13.1	12.9	1.4
1946	NA	NA	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA
1943	-	0.0	1.9	3.2	0.6	2.8	17.6	12.8	1.3
1942	-	-	2.0	3.2	0.6	2.9	17.0	13.1	1.4
1941	-	0.0	1.9	3.0	0.8	2.9	17.3	12.0	1.3
1940	-	0.0	2.1	3.1	1.0	3.1	17.1	14.3	1.3
1939	-	-	2.8	3.6	1.1	3.6	21.1	16.1	1.6
1938	-	-	3.3	4.3	1.3	4.0	22.1	19.1	1.6
1937	-	-	2.7	4.0	1.2	3.6	19.2	18.3	1.6
1936	-	-	3.1	4.5	1.5	3.9	20.0	21.3	1.7
1935	0.0	0.0	2.6	4.3	1.3	3.6	18.8	18.3	1.6
1934	-	-	3.1	5.5	1.6	4.3	22.3	22.5	1.7
1933	0.0	-	3.6	6.0	1.6	4.0	20.2	23.9	1.7
1932	-	-	3.1	5.8	1.6	4.5	19.5	24.9	1.3
1931	-	-	4.5	6.8	1.8	4.9	22.7	27.4	1.3
1930	-	-	3.8	7.1	1.9	4.9	19.6	27.9	1.4
1929	-	-	4.0	8.5	2.2	5.6	23.5	31.0	1.5
1928	-	-	4.5	8.5	2.2	5.9	23.8	28.3	1.4
1927	-	-	3.0	9.0	2.3	6.3	24.5	30.1	1.5
1926	-	-	3.2	9.6	2.4	5.8	22.1	29.0	1.6
1925	0.0	-	3.4	9.9	2.5	6.3	23.8	28.9	1.5
1924	0.0	0.0	4.2	12.3	2.8	7.0	25.5	31.8	1.4
1923	0.0	-	5.6	13.7	3.0	7.0	25.5	32.8	1.1
1922	-	-	4.2	13.4	2.8	11.9	22.0	31.5	0.7
1921	-	0.0	4.5	13.2	2.8	12.5	22.6	30.4	0.7
1920	-	0.0	2.9	12.5	2.8	12.2	23.6	27.8	0.6

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 -Cont'd.
(Rates per 1,000 live births each year)

Year	Congenital debility (158)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to first year of life (161)	Accidental deaths (169-195)	Ill-defined and unknown causes (199-200)	All Other Causes
*1948	14.1	5.1	0.4	3.3	0.8	1.0	5.1
*1947	15.3	5.4	0.3	3.6	0.7	1.2	8.1
1946	NA	NA	NA	NA	NA	NA	NA
1945	NA	NA	NA	NA	NA	NA	NA
1944	NA	NA	NA	NA	NA	NA	NA
1943	22.9	2.2	0.2	NA	0.8	3.2	8.2
1942	23.3	2.3	0.2	NA	0.8	3.3	8.4
1941	23.0	2.3	0.2	NA	0.7	3.0	7.2
1940	26.0	2.5	0.1	NA	0.6	3.5	8.3
1939	30.0	2.7	0.2	NA	0.5	4.3	9.3
1938	31.4	2.8	0.2	NA	0.6	4.7	10.2
1937	29.1	2.7	0.2	NA	0.6	3.9	9.6
1936	32.3	3.0	0.2	NA	0.6	4.8	10.6
1935	29.4	2.6	0.2	NA	0.6	4.1	9.8
1934	33.6	2.8	0.2	NA	0.7	5.0	11.4
1933	31.8	2.4	0.2	NA	0.7	5.1	11.1
1932	27.2	NA	NA	NA	0.9	5.9	12.5
1931	29.2	NA	NA	NA	1.0	6.7	13.5
1930	28.4	NA	NA	NA	0.9	6.1	13.3
1929	31.5	NA	NA	NA	1.0	6.8	14.7
1928	29.9	NA	NA	NA	1.0	6.5	14.0
1927	31.1	NA	NA	NA	1.1	6.7	14.5
1926	31.9	NA	NA	NA	1.0	5.9	14.8
1925	32.1	NA	NA	NA	1.0	6.0	15.4
1924	34.8	NA	NA	NA	1.1	6.6	16.9
1923	36.1	NA	NA	NA	1.9	7.0	17.9
1922	NA	NA	NA	NA	1.1	17.6	49.7
1921	NA	NA	NA	NA	1.1	17.6	50.7
1920	NA	NA	NA	NA	1.0	17.4	49.9

See footnotes on next page.

TABLE 33. - 1/ INFANT DEATH RATES FOR SELECTED CAUSES: JAPAN, 1920 - 1948 - Cont'd.

FOOTNOTES:

* Data for 1947 and 1948 are provisional.
1/ Rates are the number of infant deaths per 1,000 live births in each year. Data for 1920-1942 refer to Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper. Rates are computed from data based upon tabulations of birth and death certificates.
2/ Typhoid fever, 1920-1943: includes typhoid pneumonia. 1947-1948: excludes typhoid pneumonia.
3/ Data are for nine months, excluding January through March. Rate is computed on an annual basis.
4/ Scarlet fever. 1920-1943: includes puerperal scarlet fever. 1947-1948: excludes puerperal scarlet fever.
5/ Diphtheria. 1920-1922 and 1933-1943: excludes diphtheric endocarditis; includes croupous bronchitis and laryngeal croup. 1923-1932: excludes diphtheric endocarditis and croupous bronchitis; includes laryngeal croup. 1947-1948: includes diphtheric endocarditis; excludes croupous bronchitis and laryngeal croup.
6/ Data are for seven months, excluding January through May.
7/ Tuberculosis (all forms). 1920-1943: includes chronic pleuro pneumonia and all adenopathy; excludes spondylitis. 1947-1948: excludes chronic pleuro pneumonia and nontubercular adenopathy; includes spondylitis.
8/ Syphilis. 1920-1922: excludes general paralysis of the insane and aneurysm of the aorta. 1923-1932: includes general paralysis of the insane, a small amount of nonsyphilitic paralytic psychosis, aneurysm of the aorta and a small amount of nonsyphilitic aneurysm. 1933-1943: includes general paralysis of the insane, aneurysm of the aorta and small amount of nonsyphilitic aneurysm. 1947-1948: includes general paralysis of the insane and aneurysm of the aorta.
9/ Data are for eight months, excluding January through April. Rate is computed on an annual basis.
10/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.
11/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947-1948: includes typhoid pneumonia.

"NA" indicates that data are not available.
A dash (-) indicates that there were no infant deaths reported.
A rate of 0.0 indicates that there were some infant deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947 (Jul-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948*

List No.	Cause	**1948	**1947	1943	1942	1941	1940	1939	1938	1937
158	Congenital debility	38,323	41,597	51,941	52,096	52,376	54,939	57,124	60,568	63,387
119	Diarrhea, enteritis & ulceration of intestines	31,436	35,034	28,939	29,365	27,343	30,279	30,551	36,860	39,908
107-109	2/Pneumonia(all forms)	22,937	35,438	39,854	37,946	39,362	36,258	40,215	42,540	41,770
159	Premature birth	13,754	14,581	5,084	5,152	5,284	5,267	5,165	5,410	5,929
106	3/Bronchitis	8,851	11,589	6,292	6,383	6,518	6,559	6,834	7,714	7,852
161	Other diseases peculiar to first year of life	8,836	9,895	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	4,596	3,851	3,048	3,164	3,012	2,833	2,954	3,122	3,487
68	Beriberi	3,794	4,890	4,279	4,470	4,434	4,434	5,249	6,437	5,789
81	Meningitis (not due to meningococcus)	2,799	3,457	7,188	7,137	6,783	6,532	6,872	8,326	8,628
9	Whooping cough	2,595	8,610	4,695	5,195	5,763	4,849	4,919	4,752	5,774

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948* -Cont'd.

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
158	Congenital debility	67,986	64,369	68,604	67,498	59,389	61,448	59,288	65,424	63,901
119	Diarrhea, enteritis & ulceration of intestines	44,723	40,012	46,036	50,704	54,348	57,711	58,250	64,421	60,511
107-109	2/Pneumonia(all forms)	41,971	41,270	45,623	42,925	42,623	47,749	40,972	48,811	50,769
159	Premature birth	6,328	5,685	5,654	5,071	NA	NA	NA	NA	NA
106	3/Bronchitis	8,099	7,967	8,729	8,561	9,746	10,376	10,116	11,635	12,529
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	3,533	3,519	3,396	3,583	2,785	2,823	2,815	3,018	3,070
68	Beriberi	6,496	5,767	6,418	7,733	6,834	9,398	7,897	8,267	9,582
81	Meningitis (not due to meningococcus)	9,389	9,507	11,157	12,622	12,612	14,386	14,776	17,716	18,088
9	Whooping cough	5,313	6,560	4,502	3,442	8,100	4,585	4,115	5,229	6,270

See footnotes at end of table.

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948* - Cont'd.

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
158	Congenital debility	64,132	67,227	67,019	69,551	73,748	NA	NA	NA
119	Diarrhea, enteritis & ulceration of intestines	62,119	61,048	60,296	63,521	67,110	62,039	60,506	56,398
107-109	2/Pneumonia (all forms)	50,487	46,435	49,649	50,968	52,159	43,298	44,974	47,725
159	Premature birth	NA	NA	NA	NA	NA	NA	NA	NA
106	3/Bronchitis	13,028	12,274	13,077	13,939	14,221	23,398	24,940	24,615
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	3,002	3,353	3,075	2,797	2,177	1,284	1,306	1,251
68	Beriberi	6,143	6,696	7,153	8,320	11,373	8,205	9,057	5,856
81	Meningitis (not due to meningococcus)	18,603	20,167	20,745	24,680	28,035	26,449	26,251	25,236
9	Whooping cough	4,947	4,153	4,585	5,861	4,790	3,547	3,862	4,533

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 34. - 1/ INFANT DEATHS FROM THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948* - Cont'd.

FOOTNOTES:-

* Data are not available for 1944-1946.
** Data for 1947 and 1948 are provisional.
1/ Data for 1920-1942 refer to infant deaths of Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to infant deaths of Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper. All data are based upon tabulations of death certificates.
2/ Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia. 1947 and 1948: includes typhoid pneumonia.
3/ Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947 and 1948 includes croupous bronchitis.
"NA" indicates that data are not available.

SOURCES:-

1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947 (Jul-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948*
(Rates per 1,000 live births each year)

List No.	Cause	** 1948	**1947	1943	1942	1941	1940	1939	1938	1937
158	Congenital debility	14.1	15.3	22.9	23.3	23.0	26.0	30.0	31.4	29.1
119	Diarrhea, enteritis and ulceration of intestines	11.6	12.9	12.8	13.1	12.0	14.3	16.1	19.1	18.3
107-109	2/Pneumonia (all forms)	8.5	13.1	17.6	17.0	17.3	17.1	21.1	22.1	19.2
159	Premature birth	5.1	5.4	2.2	2.3	2.3	2.5	2.7	2.8	2.7
106	3/Bronchitis	3.3	4.3	2.8	2.9	2.9	3.1	3.6	4.0	3.6
161	Other diseases peculiar to first year of life	3.3	3.6	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	1.7	1.4	1.3	1.4	1.3	1.3	1.6	1.6	1.6
68	Beriberi	1.4	1.8	1.9	2.0	1.9	2.1	2.8	3.3	2.7
81	Meningitis (not due to meningococcus)	1.0	1.3	3.2	3.2	3.0	3.1	3.6	4.3	4.0
9	Whooping cough	1.0	3.2	2.1	2.3	2.5	2.3	2.6	2.5	2.6

See footnotes at end of table.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948* - Cont'd
(Rates per 1,000 live births each year)

List No.	Cause	1936	1935	1934	1933	1932	1931	1930	1929	1928
158	Congenital debility	32.3	29.4	33.6	31.8	27.2	29.2	28.4	31.5	29.9
119	Diarrhea, enteritis and ulceration of intestines	21.3	18.3	22.5	23.9	24.9	27.4	27.9	31.0	28.3
107-109	2/Pneumonia (all forms)	20.0	18.8	22.3	20.2	19.5	22.7	19.6	23.5	23.8
159	Premature birth	3.0	2.6	2.8	2.4	NA	NA	NA	NA	NA
106	3/Bronchitis	3.9	3.6	4.3	4.0	4.5	4.9	4.9	5.6	5.9
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital Malformations	1.7	1.6	1.7	1.7	1.3	1.3	1.4	1.5	1.4
68	Beriberi	3.1	2.6	3.1	3.6	3.1	4.5	3.8	4.0	4.5
81	Meningitis (not due to meningococcus)	4.5	4.3	5.5	6.0	5.8	6.8	7.1	8.5	8.5
9	Whooping cough	2.5	3.0	2.2	1.6	3.7	2.2	2.0	2.5	2.9

See footnotes at end of table.

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948* - Cont'd.
(Rates per 1,000 live births each year)

List No.	Cause	1927	1926	1925	1924	1923	1922	1921	1920
158	Congenital debility	31.1	31.9	32.1	34.8	36.1	NA	NA	NA
119	Diarrhea, enteritis and ulceration of intestines	30.1	29.0	28.9	31.8	32.8	31.5	30.4	27.8
107-109	2/ Pneumonia (all forms)	24.5	22.1	23.8	25.5	25.5	22.0	22.6	23.6
159	Premature birth	NA	NA	NA	NA	NA	NA	NA	NA
106	3/ Bronchitis	6.3	5.8	6.3	7.0	7.0	11.9	12.5	12.2
161	Other diseases peculiar to first year of life	NA	NA	NA	NA	NA	NA	NA	NA
157	Congenital malformations	1.5	1.6	1.5	1.4	1.1	0.7	0.7	0.6
68	Beriberi	3.0	3.2	3.4	4.2	5.6	4.2	4.5	2.9
81	Meningitis (not due to meningococcus)	9.0	9.6	9.9	12.3	13.7	13.4	13.2	12.5
9	Whooping cough	2.4	2.0	2.2	2.9	2.3	1.8	1.9	2.2

See footnotes on next page.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TABLE 35. - 1/ INFANT DEATH RATES FOR THE TEN LEADING CAUSES OF INFANT DEATHS IN 1948: JAPAN, 1920 - 1948* - Cont'd.
(Rates per 1,000 live births each year)

FOOTNOTES:

* Data are not available for 1944-1946.
**Data for 1947 and 1948 are provisional.
1/Rates are the number of infant deaths per 1,000 live births in each year. Data for 1920-1942 refer to Japanese nationals in Japan Proper and Okinawa. Data for 1943 refer to Japanese nationals in Japan Proper, Okinawa and Karafuto. Data for 1947 and 1948 refer to Japanese nationals in Japan Proper.
2/Pneumonia (all forms). 1920-1943: excludes typhoid pneumonia, 1947 and 1948: includes typhoid pneumonia.
3/Bronchitis. 1920-1922 and 1933-1943: excludes croupous bronchitis. 1923-1932 and 1947-1948: includes croupous bronchitis.
"NA" indicates that data are not available.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:
1920-1943: Annual Reports, Cabinet Bureau of Statistics.
1947 (Jan-Jun): Monthly Schedule Reports, Cabinet Bureau of Statistics.
1947 (Jul-Dec); 1948: Monthly Schedule Reports, Ministry of Welfare.

TABLE 36. - STILLBIRTHS BY MONTH: JAPAN, 1920-1948

Year	Total Stillbirths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Unknown
*1948	144,095	12,286	12,171	12,427	11,304	11,402	10,400	11,139	11,852	12,479	12,915	12,273	13,447	
*1947	124,075	9,994	9,856	10,280	9,474	9,071	9,251	10,588	10,742	10,668	10,986	10,525	11,740	-
1946	80,262	5,409	5,034	5,286	5,181	5,424	5,665	7,245	7,532	7,379	8,188	8,609	9,310	-
1945	NA	NA	NA	NA	NA	NA	NA	NA	4,372	4,327	4,330	4,439	4,071	-
1944	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1943	92,882	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
1942	95,446	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
**1941	103,393	9,874	8,919	9,128	8,284	7,973	7,793	8,430	8,541	8,359	8,842	8,421	8,836	-
1940	102,033	9,976	9,109	9,365	7,972	7,750	7,383	8,233	8,324	8,256	8,466	8,148	9,051	-
1939	98,347	9,662	8,400	8,501	7,328	7,156	6,942	7,649	8,002	8,433	8,583	8,654	9,034	3
1938	99,527	10,618	9,483	9,089	7,905	7,235	6,680	7,694	7,740	7,889	8,380	8,157	8,655	2
1937	111,481	10,605	9,661	10,086	8,618	8,432	7,921	8,661	9,050	9,278	9,785	9,527	9,845	12
1936	111,050	11,355	10,552	10,284	8,939	8,435	7,972	8,380	8,680	8,769	8,956	8,995	9,728	5
1935	115,592	11,183	9,843	10,035	9,001	8,586	8,177	8,913	9,498	9,751	10,358	9,886	10,346	15
1934	113,039	11,418	9,933	10,668	9,160	8,699	7,961	8,374	8,928	9,011	9,698	9,203	9,982	4
1933	114,135	11,470	10,262	10,539	9,080	8,550	8,307	8,736	9,052	9,207	9,618	9,342	9,970	2
1932	119,575	10,729	10,573	11,183	9,685	9,284	8,463	9,411	9,524	9,792	10,370	9,969	10,587	5
1931	116,505	11,834	10,771	11,069	9,464	9,057	8,292	9,032	9,166	9,178	9,555	8,976	10,109	2
1930	117,729	11,373	10,284	10,778	9,379	8,945	8,174	9,193	9,306	9,449	10,029	10,157	10,658	4
1929	116,967	11,515	10,608	11,198	9,548	8,916	8,274	9,087	9,200	9,367	9,602	9,659	9,989	4
1928	120,186	11,131	11,169	11,355	9,537	8,934	8,398	9,254	9,669	9,954	10,203	9,689	10,890	3
1927	116,916	11,722	10,699	11,269	9,739	9,297	8,230	8,893	9,016	9,116	9,598	9,285	10,051	1
1926	124,036	12,357	10,953	11,805	10,328	9,873	8,642	9,221	9,588	9,865	10,263	10,207	10,931	3
1925	124,394	12,610	11,834	11,977	9,942	9,420	8,693	9,346	9,437	9,900	10,395	9,847	10,992	1
1924	125,831	13,007	11,487	11,840	9,528	9,119	8,626	9,735	9,939	10,221	10,674	10,474	11,178	3
1923	133,855	13,764	12,428	12,747	10,446	9,598	9,259	10,369	10,594	10,951	11,329	10,830	11,517	23
1922	132,230	14,325	12,195	12,627	10,328	9,789	8,918	9,732	10,293	10,633	10,898	10,722	11,767	3
1921	138,294	13,656	12,485	13,050	10,781	10,059	9,312	10,545	10,930	11,501	11,856	11,648	12,469	2
1920	144,035	16,620	14,850	14,178	11,835	10,503	9,564	10,331	10,482	11,301	11,191	10,767	12,409	4

See footnotes on next page.