



Class SH365

Book M3

1912 c

DEPARTMENT OF COMMERCE AND LABOR
COAST AND GEODETIC SURVEY
O. H. TITTMANN, Superintendent


SURVEY OF OYSTER BARS

TALBOT COUNTY MARYLAND

DESCRIPTION OF BOUNDARIES AND LANDMARKS AND
REPORT OF WORK OF UNITED STATES COAST
AND GEODETIC SURVEY IN COOPERATION
WITH UNITED STATES BUREAU OF
FISHERIES AND MARYLAND
SHELL FISH COMMISSION

By C. C. YATES

CHIEF OF COAST AND GEODETIC SURVEY PARTY
ASSISTANT, COAST AND GEODETIC SURVEY



WASHINGTON
GOVERNMENT PRINTING OFFICE
1912

2
DEPARTMENT OF COMMERCE AND LABOR

COAST AND GEODETIC SURVEY

O. H. TITTMANN, Superintendent

SURVEY OF OYSTER BARS


TALBOT COUNTY MARYLAND

567
5

DESCRIPTION OF BOUNDARIES AND LANDMARKS AND
REPORT OF WORK OF UNITED STATES COAST
AND GEODETIC SURVEY IN COOPERATION
WITH UNITED STATES BUREAU OF
FISHERIES AND MARYLAND
SHELL FISH COMMISSION

By C. C. YATES

CHIEF OF COAST AND GEODETIC SURVEY PARTY
ASSISTANT, COAST AND GEODETIC SURVEY



WASHINGTON
GOVERNMENT PRINTING OFFICE
1912

SH 34-1
MB
1912C

D. OF D.
DEC 5 1912

12

LETTER OF SUBMITTAL.

DEPARTMENT OF COMMERCE AND LABOR,
COAST AND GEODETIC SURVEY,

Washington, July 20, 1912.

SIR: I have the honor to transmit herewith a report of the officer detailed from the Coast and Geodetic Survey to cooperate with the Bureau of Fisheries and the Maryland Shell Fish Commission in surveying the oyster bars of the State of Maryland, together with certain technical results which are necessary for the interpretation and use of the plats of the survey made by the Government.

This work has been done under the provisions of the act of Congress entitled "An act to authorize the Secretary of Commerce and Labor to cooperate, through the Bureau of the Coast and Geodetic Survey and the Bureau of Fisheries, with the Shell Fish Commissioners of the State of Maryland in making surveys of the natural oyster beds, bars, and rocks in the waters within the State of Maryland," approved May 26, 1906, and of the acts of Congress making appropriations for sundry civil expenses of the Government for the fiscal years ending June 30, 1907, 1908, 1909, 1910, 1911, and 1912.

Respectfully,

O. H. TITTMANN, *Superintendent.*

TO HON. CHARLES NAGEL,
Secretary of Commerce and Labor.

CERTIFICATION.

BALTIMORE, MD., *May 4, 1912.*

The following publication is certified to contain correct technical descriptions of all boundaries and landmarks established in Talbot County by the Maryland Shell Fish Commission in cooperation with the United States Coast and Geodetic Survey.

C. C. YATES,

Chief of Coast and Geodetic Survey Party,

Assistant, Coast and Geodetic Survey.

BALTIMORE, MD., *May 4, 1912.*

Examined and certified to be correct.

WALTER J. MITCHELL,

CASWELL GRAVE,

BENJAMIN K. GREEN,

Maryland Shell Fish Commission.

SWEPSON EARLE,

Hydrographic Engineer.

NOTE.—Certified copies of this publication and of the charts of the natural oyster bars of Talbot County were filed in the office of the clerk of the circuit court of Talbot County and in the office of the Board of Shell Fish Commissioners on July 20, 1912.

CONTENTS.

	Page.
PROGRESS MAP.....	follows 250
LETTER OF SUBMITTAL.....	3
CERTIFICATION.....	5
INTRODUCTION.....	19
Publications.....	19
Cooperation of the Coast and Geodetic Survey.....	20
Cooperation of the Bureau of Fisheries.....	20
General statement of work of Coast and Geodetic Survey.....	20
REPORT OF THE WORK OF THE COAST AND GEODETIC SURVEY:	
Instructions.....	22
Organization and equipment.....	23
Chronological statement of work.....	23
Statistics.....	25
General remarks.....	25
CHARTS AND MAPS.....	27
Charts of natural oyster bars.....	27
Leasing charts.....	28
Projections.....	29
Progress maps.....	29
BOUNDARIES OF THE COUNTY WATERS.....	30
Waters within territorial limits of county.....	30
Waters contiguous to county.....	31
LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS).....	33
Explanation.....	33
Method of describing triangulation stations.....	33
Descriptions of triangulation stations in county and adjacent waters.....	36
<i>Chart No. 31</i> (entrance to Eastern Bay and vicinity)—	
Thomas Point Shoal Light.....	36
Bloody Point Bar Light.....	36
Tenk.....	36
Straight.....	37
Mouth.....	37
Matta.....	38
Batts.....	38
Turkey.....	39
Needle.....	39
Cox.....	39
Rich Neck Water Tank (<i>see also</i> Chart No. 32).....	40
Kemp Tower.....	40
Kemp.....	40
End (<i>see also</i> Charts Nos. 32 and 34).....	41
Lawn (<i>see also</i> Charts Nos. 32 and 34).....	41

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS)—Continued.

Descriptions of triangulation stations in county and adjacent waters—Continued.

Chart No. 32 (Eastern Bay and tributaries)—

	Page.
Parsons.....	42
Parsons Island Water Tank.....	42
Norman.....	42
Alley.....	43
Bonnet.....	43
Brian Reference Station.....	44
Green.....	44
Benn.....	45
Hough.....	45
Won.....	45
Nose.....	46
Snout.....	46
South.....	47
Flat.....	47
Albert.....	48
Le Seur.....	48
Attila.....	49
Tobine.....	49
Sang.....	49
Turn.....	50
Go.....	50
Divide.....	51
Princess.....	51
Philip.....	52
Granary.....	52
Morn.....	52
Bush.....	53
Nub.....	53
Wheel.....	54
Pick.....	54
Corner (Wye River).....	55
Right.....	55
Chew.....	55
Whale.....	56
Matter.....	56
Deck.....	57
Quarter.....	57
Nodim.....	57
Gusta.....	58
Sylvia.....	58
Baldwins.....	58
Cousin.....	59
Lloyd.....	59
Edward.....	60
Colonel.....	60
Shaw.....	60
Bruffs.....	61
Law.....	61
James (Miles River).....	62
Frank.....	62
Wood.....	63

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS)—Continued.
 Descriptions of triangulation stations in county and adjacent waters—Continued.

	Page.
<i>Chart No. 32 (Eastern Bay and tributaries)—Continued.</i>	
Herr.....	63
Ollie.....	64
Swing.....	64
Fair.....	65
Second.....	65
But.....	65
Aber.....	66
Two.....	66
Face.....	67
Mais.....	67
Beak.....	68
Rieman.....	68
Leeds.....	68
Johnson (<i>see also</i> Chart No. 34).....	69
Lowmdes.....	69
Draw.....	70
Chap.....	70
Villa.....	71
Easton.....	71
Henderson (<i>see also</i> Chart No. 34).....	71
St. Michaels Water Tank (<i>see also</i> Chart No. 34).....	72
Millwind.....	72
Deewat.....	72
Spar.....	73
Sara.....	73
Seth.....	74
Rich Neck Water Tank (<i>see also</i> Chart No. 31).....	40
Pearson.....	74
Dixon.....	75
Lawn (<i>see also</i> Charts Nos. 31 and 34).....	41
End (<i>see also</i> Charts Nos. 31 and 34).....	41
Rod (<i>see also</i> Chart No. 34).....	75
Otto (<i>see also</i> Chart No. 34).....	75
<i>Chart No. 33 (Chesapeake Bay, Poplar Island to Sharps Island)—</i>	
Haddaway.....	76
Valliant.....	76
Poplar South.....	77
Great.....	77
Front.....	77
Wap.....	78
Southern M. E. Church.....	78
Black (<i>see also</i> Chart No. 36).....	78
Sharps Island Light (<i>see also</i> Chart No. 36).....	79
Jere (<i>see also</i> Chart No. 36).....	79
Bar.....	79
M. E. Church.....	80
Avalon.....	80
Schoolhouse Cupola.....	81
Peoples Chapel.....	81
Narrows.....	81
Eagle.....	81

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS)—Continued.

Descriptions of triangulation stations in county and adjacent waters—Continued.

Chart No. 33 (Chesapeake Bay, Poplar Island to Sharps Island)—Continued.

	Page.
Dunk.....	82
Hawk.....	82
Smith.....	83
Briary.....	83
Vine (<i>see also</i> Chart No. 34).....	83
Cummings (<i>see also</i> Chart No. 34).....	84
Dan (<i>see also</i> Chart No. 34).....	84
Edmond.....	85
Warrior.....	85
Ball.....	86
Hen.....	86
Change 1910 (<i>see also</i> Chart No. 74).....	86
Chef (<i>see also</i> Charts Nos. 36 and 37).....	87

Chart No. 34 (Choptank River and tributaries)

Cummings (<i>see also</i> Chart No. 33).....	87
Dog.....	84
Rabbit.....	87
Grace.....	88
Mink.....	88
Harrison.....	89
Clump.....	89
Lawn (<i>see also</i> Charts Nos. 31 and 32).....	89
End (<i>see also</i> Charts Nos. 31 and 32).....	41
Rod (<i>see also</i> Chart No. 32).....	41
Otto (<i>see also</i> Chart No. 32).....	75
Miller.....	75
Pink.....	90
Bozman.....	90
Bozman M. E. Church Spire.....	91
Koof.....	91
Fox.....	91
Dan (<i>see also</i> Chart No. 33).....	92
Change 1910 (<i>see also</i> Chart No. 74).....	84
Nelson 3.....	86
Annette.....	92
Myrtle.....	93
Coal.....	93
Tobe.....	93
Wire.....	94
Blanco.....	94
Ned.....	95
Caulk.....	95
Fairbanks.....	95
Pine.....	96
Luna.....	96
Cabin.....	97
Skinner.....	97
Bald.....	97
Rose.....	98
Gram.....	98
Bengal.....	98

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS)—Continued.
 Descriptions of triangulation stations in county and adjacent waters)— Continued.

Chart No. 34 (Choptank River and tributaries)—Continued.

	Page.
Eastman.....	99
Woodhill.....	99
Delta.....	100
Marion.....	100
Willis.....	100
Neptune.....	101
Venus.....	101
Mars.....	101
Royal.....	102
Grave.....	102
Ray.....	102
Willy.....	103
Judge.....	103
Thelma.....	104
Elmore.....	104
Beverly.....	104
Samuel.....	105
Ansley.....	105
Harper.....	106
Taft.....	106
Hopkins.....	106
Spencer.....	107
Marshall.....	107
Clark.....	108
Holly.....	108
Marsh.....	109
Cedar.....	109
Ross.....	100
Cook.....	110
Peary.....	110
Irish.....	111
Roys.....	111
Pont.....	112
Sticky.....	112
Vue.....	113
Ila.....	113
Creek.....	113
Benoni 2.....	114
Mutton.....	114
Tred.....	115
Bellevue.....	115
Tar.....	115
Peck.....	116
Tall.....	116
Plain.....	116
Spin.....	117
Martin.....	117
Neva.....	118
Robertson.....	118
Stretch.....	119
May.....	119

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS)—Continued.
 Descriptions of triangulation stations in county and adjacent waters—Continued.

<i>Chart No. 34—(Choptank River and tributaries)—Continued.</i>	Page.
Peebee.....	110
Neck.....	120
Stab.....	120
Water.....	120
Radcliffe.....	121
Bateman.....	121
Melon.....	121
Gash.....	122
Camden.....	122
Blossom.....	123
Wall.....	123
Aye.....	123
Hunter.....	124
Weave.....	124
Twin.....	125
Toe.....	125
Tripped.....	125
Venture.....	126
Plow.....	126
Higher.....	127
All.....	127
Cam.....	127
Deux.....	128
Crack.....	128
Mistle.....	129
Layor.....	129
Borough.....	129
Golds.....	130
Mud.....	130
Town.....	131
Riverview (<i>see also</i> Chart No. 35).....	131
Weather Bureau Staff (<i>see also</i> Chart No. 35).....	131
First (<i>see also</i> Chart No. 35).....	132
Bach (<i>see also</i> Chart No. 35).....	132
Boone (<i>see also</i> Chart No. 35).....	132
Enter (<i>see also</i> Chart No. 35).....	133
Straw (<i>see also</i> Chart No. 35).....	133
Delahay (<i>see also</i> Chart No. 35).....	134
Kent (<i>see also</i> Chart No. 35).....	134
Harry (<i>see also</i> Chart No. 35).....	134
Charles (<i>see also</i> Chart No. 35).....	135
Potato (<i>see also</i> Chart No. 35).....	135
Ritter (<i>see also</i> Chart No. 35).....	139
Show (<i>see also</i> Chart No. 35).....	139
Kit (<i>see also</i> Chart No. 35).....	136
Moke (<i>see also</i> Chart No. 35).....	137
Poco (<i>see also</i> Chart No. 35).....	137
Healey (<i>see also</i> Chart No. 35).....	137
Maslin (<i>see also</i> Chart No. 35).....	138
Mean (<i>see also</i> Chart No. 35).....	138
Jay (<i>see also</i> Chart No. 35).....	139

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS) —Continued.

Descriptions of triangulation stations in county and adjacent waters—Continued.

<i>Chart No. 34</i> (Choptank River and tributaries) —Continued.	Page.
Berry (<i>see also</i> Chart No. 35).....	139
Landeye (<i>see also</i> Chart No. 35).....	139
Choptank River Light (<i>see also</i> Charts Nos. 35 and 37).....	140
St. Michaels Water Tank (<i>see also</i> Chart No. 32).....	140
St. Michaels P. E. Church Spire.....	72
Margo.....	140
Gibbs.....	141
Long.....	141
Beg.....	141
Search.....	142
Tug.....	142
Hunting.....	143
Spree.....	143
Whit.....	144
Dorrance.....	144
Tang.....	145
Johnson (<i>see also</i> Chart No. 32).....	69
Henderson (<i>see also</i> Chart No. 32).....	71
Bethel.....	145
Fig.....	145
Doctor.....	146
McConnell.....	146
Kirk.....	147
Ham.....	147
Comb.....	148
Hall.....	148
Barnett.....	149
Maiden.....	149
Stony.....	150
<i>Chart No. 35</i> (Upper Choptank River)—	
Riverview (<i>see also</i> Chart No. 34).....	131
Weather Bureau Staff (<i>see also</i> Chart No. 34).....	131
First (<i>see also</i> Chart No. 34).....	132
Bach (<i>see also</i> Chart No. 34).....	132
Boone (<i>see also</i> Chart No. 34).....	132
Enter (<i>see also</i> Chart No. 34).....	133
Straw (<i>see also</i> Chart No. 34).....	133
Delahay (<i>see also</i> Chart No. 34).....	124
Kent (<i>see also</i> Chart No. 34).....	134
Harry (<i>see also</i> Chart No. 34).....	134
Charles (<i>see also</i> Chart No. 34).....	135
Potato (<i>see also</i> Chart No. 34).....	135
Ritter (<i>see also</i> Chart No. 34).....	136
Show (<i>see also</i> Chart No. 34).....	136
Kit (<i>see also</i> Chart No. 34).....	136
Moke (<i>see also</i> Chart No. 34).....	137
Poco (<i>see also</i> Chart No. 34).....	137
Healey (<i>see also</i> Chart No. 34).....	137
Maslin (<i>see also</i> Chart No. 34).....	138
Mean (<i>see also</i> Chart No. 34).....	138
Jay (<i>see also</i> Chart No. 34).....	139

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS)—Continued.

Descriptions of triangulation stations in county and adjacent waters—Continued.

Chart No. 35 (Upper Choptank River)—Continued.

	Page
Berry (<i>see also</i> Chart No. 34).....	139
Landeye (<i>see also</i> Chart No. 34).....	139
Choptank River Light (<i>see also</i> Charts Nos. 34 and 37).....	140
Chlora.....	150
Trappe.....	151
Lan.....	151
Rice.....	152
Inez.....	152
Gis.....	153
Crubin.....	153
Black Beacon.....	153
Howells.....	154
Red.....	154
Double.....	155
Boling.....	155
Rear.....	156
Chancellor.....	156
Barber.....	157
Duck.....	157
Jam.....	158
Spindle.....	158
Bank.....	158
Raccoon.....	159
Blind.....	159
Up.....	159
Myrtle.....	160
Hut.....	160
House.....	161
Saw.....	161
Wick.....	161
War.....	162
Gander.....	162
Chief.....	163
Shell.....	163
Whitehall.....	164
Ferry.....	164
Shoal.....	165
E. Cambridge Tall Stack.....	165
E. Cambridge Spire.....	165
Cambridge Stand Pipe.....	165
Cambridge.....	165
Hambrooks Bar Beacon.....	166
Command.....	166
Dicks Water Tank.....	167
Howard.....	167
Toot.....	167
Le Compte.....	168
Large Water Tank.....	168
Castle.....	168

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS)—Continued.
 Descriptions of triangulation stations in county and adjacent waters—Continued.

<i>Chart No. 36</i> (Chesapeake Bay, vicinity of Little Choptank River)—	Page.
Sharps Island Light (<i>see also</i> Chart No. 33).....	79
Jere (<i>see also</i> Chart No. 33).....	79
Black (<i>see also</i> Chart No. 33).....	78
Chef (<i>see also</i> Charts Nos. 33 and 37).....	87
Cook Point Windmill (<i>see also</i> Chart No. 37).....	169
Brannock (<i>see also</i> Chart No. 37).....	170
Robins (<i>see also</i> Chart No. 37).....	169
James (Little Choptank River) (<i>see also</i> Chart No. 37).....	170
<i>Chart No. 37</i> (Little Choptank River and tributaries)—	
Choptank River Light (<i>see also</i> Charts Nos. 34 and 35).....	140
Corner (Choptank River).....	170
Dot.....	171
Chef (<i>see also</i> Charts Nos. 33 and 36).....	87
Cook Point Windmill (<i>see also</i> Chart No. 36).....	169
Brannock (<i>see also</i> Chart No. 36).....	170
Robins (<i>see also</i> Chart No. 36).....	169
James (Little Choptank River) (<i>see also</i> Chart No. 36).....	170
BOUNDARIES OF OYSTER BARS:	
Explanation.....	172
Method of describing boundaries.....	173
Surveying methods for relocation of boundaries.....	174
Boundaries of natural oyster bars in county ¹ —	
<i>Chart No. 31</i> (entrance to Eastern Bay and vicinity)—	
Poplar Island (<i>see also</i> Chart No. 33).....	177
Lows Point (<i>see also</i> Chart No. 33).....	178
Marys Delight.....	178
Wades Point.....	179
Sedge Marsh.....	179
Rich Neck.....	180
Tighmans Point (<i>see also</i> Chart No. 32).....	180
Upper Harris Creek (<i>see also</i> Charts Nos. 32 and 34).....	181
<i>Chart No. 32</i> (Eastern Bay and tributaries)—	
Tighmans Point (<i>see also</i> Chart No. 31).....	180
Upper Hill.....	181
Aldridges Discovery.....	182
Horseshoe.....	182
Turtle Back.....	182
Sea Turtle.....	183
Bozman Neck.....	183
Hambleton Hill.....	184
West End.....	184
Hambleton.....	185
Tidemill.....	185
Scotland.....	186
Deep Water Point.....	186
Ash Craft.....	187
Second Point (<i>see also</i> Chart No. 34).....	187
Wild Ground.....	188
Sycamore.....	188
East End.....	189

¹ See separate publications for boundaries of natural bars in adjacent counties.

BOUNDARIES OF OYSTER BARS—Continued.

Boundaries of natural oyster bars in county—Continued.

Chart No. 32 (Eastern Bay and tributaries)—Continued.

	Page
Herring Island.....	189
Wye Town.....	190
Bruffs Island.....	190
Shaw Bay Hill.....	191
Race Horse (Talbot County).....	191
Winders Bank.....	192
Poplar Point.....	192
Juniper.....	193
Upper Harris Creek (<i>see also</i> Charts Nos. 31 and 34).....	181

Chart No. 33 (Chesapeake Bay, Poplar Island to Sharps Island)—

Poplar Island (<i>see also</i> Chart No. 31).....	177
Lows Point (<i>see also</i> Chart No. 31).....	178
Poplar Island Narrows.....	193
Bay Hundred.....	194
Pone.....	195
Stone (<i>see also</i> Chart No. 36).....	195
Clay Bank (<i>see also</i> Chart No. 36).....	190
Sharps (<i>see also</i> Charts Nos. 36 and 37).....	196
Black Walnut (<i>see also</i> Charts Nos. 36 and 37).....	197
Sands.....	197
Pleasant Hill (<i>see also</i> Charts Nos. 34 and 36).....	198
Church Hill (<i>see also</i> Chart No. 34).....	198
Wild Cherry Tree.....	199
Turnrow (<i>see also</i> Chart No. 34).....	199
Tilghman Wharf.....	200
Change.....	200
Eagle Point.....	201
Turkey Neck.....	201
Mill Point.....	202
Hunts.....	202
Seths Point.....	203
Lodges.....	203
Walnut.....	204
Smith Point.....	204
Little Neck (<i>see also</i> Chart No. 34).....	205

Chart No. 34 (Choptank River and tributaries)—

Little Neck (<i>see also</i> Chart No. 33).....	205
Rabbit Island.....	205
Upper Harris Creek (<i>see also</i> Charts Nos. 31 and 32).....	181
Pleasant Hill (<i>see also</i> Charts Nos. 33 and 36).....	198
Dawson.....	206
Church Hill (<i>see also</i> Chart No. 33).....	198
France.....	206
Great Marsh.....	207
Turnrow (<i>see also</i> Chart No. 33).....	199
Long Point Woods.....	207
Great Bar.....	208
Brown.....	208
Deep Neck.....	209
Mulberry Point.....	209
Broad Creek Middleground.....	210

BOUNDARIES OF OYSTER BARS—Continued.

Boundaries of natural oyster bars in county—Continued.

Chart No. 34 (Choptank River and tributaries)—Continued.

	Page.
Well Point.....	210
Pompes.....	211
Coopers Point.....	211
Judys Point.....	212
Brushy Point.....	212
Willeys Island Flats.....	212
Holland Point.....	213
Harrison.....	214
Cedar Point.....	214
Drum Point.....	214
Joe Harris Flats.....	215
Pin Cushion.....	215
Willeys Island.....	216
Fox.....	216
Royston.....	217
Irish Creek.....	217
Choptank Lumps (<i>see also</i> Chart No. 37).....	218
Benoni (<i>see also</i> Chart No. 37).....	219
Light House (<i>see also</i> Charts Nos. 35 and 37).....	219
Back Shore (<i>see also</i> Charts Nos. 35 and 37).....	220
Bachelor Point (<i>see also</i> Chart No. 35).....	220
Fox Hole.....	221
Stone Church (<i>see also</i> Chart No. 35).....	221
Town Point.....	222
Stewart Island.....	222
Goose Neck.....	223
Pecks Point.....	223
Mares Point.....	224
Louis Cove.....	224
Bamings Cove.....	225
Old House Point.....	225
Trippe.....	226
Bakers Cove.....	226
Marshy.....	227
Flatty.....	227
Orem.....	228
Double Mills.....	228
Johnston.....	229
Camden Point.....	229
Watermelon Point.....	229
Hopkins (<i>see also</i> Chart No. 35).....	230
Willis (<i>see also</i> Chart No. 35).....	230
Island Creek (<i>see also</i> Chart No. 35).....	231
Matthews (<i>see also</i> Chart No. 35).....	232
Second Point (<i>see also</i> Chart No. 32).....	187
Old Orchard.....	232
Gibsons Flats.....	233
Bazzles Hill.....	233
Long Point.....	234
Barnett.....	234
Cox.....	235

BOUNDARIES OF OYSTER BARS—Continued.

Boundaries of natural oyster bars in county—Continued.

	Page.
<i>Chart No. 35</i> (Upper Choptank River)—	
Stone Church (<i>see also</i> Chart No. 34).....	221
Bachelor Point (<i>see also</i> Chart No. 34).....	220
Light House (<i>see also</i> Charts Nos. 34 and 37).....	219
Back Shore (<i>see also</i> Charts Nos. 34 and 37).....	220
Hopkins (<i>see also</i> Chart No. 34).....	230
Willis (<i>see also</i> Chart No. 34).....	230
Island Creek (<i>see also</i> Chart No. 34).....	231
Matthews (<i>see also</i> Chart No. 34).....	232
Chlora Point.....	235
Beacons.....	236
La Trappe.....	236
Howells Point.....	237
Dickinson.....	238
Kirby.....	238
Scraping Line.....	239
Bollingbroke Sand.....	239
The Black Buoy.....	239
Sugar Loaf.....	240
Chancellor Point.....	240
British Harbour.....	241
Goose Point.....	241
Mill Dam.....	242
Jamaica Point.....	242
Spar Buoy.....	242
<i>Chart No. 36</i> (Chesapeake Bay, vicinity of Little Choptank River)—	
Clay Bank (<i>see also</i> Chart No. 33).....	196
Sharps (<i>see also</i> Charts Nos. 33 and 37).....	196
Stone (<i>see also</i> Chart No. 33).....	195
Black Walnut (<i>see also</i> Charts Nos. 33 and 37).....	197
<i>Chart No. 37</i> (Little Choptank River and tributaries)—	
Sharps (<i>see also</i> Charts Nos. 33 and 36).....	196
Black Walnut (<i>see also</i> Charts Nos. 33 and 36).....	197
Choptank Lumps (<i>see also</i> Chart No. 34).....	218
Benoni (<i>see also</i> Chart No. 34).....	219
Light House (<i>see also</i> Charts Nos. 34 and 35).....	219
Back Shore (<i>see also</i> Charts Nos. 34 and 35).....	220

APPENDIXES:

Appendix A.—Laws relating to the cooperation of the Coast and Geodetic Survey and Bureau of Fisheries with the Maryland Shell Fish Commission.....	243
Appendix B.—“The Haman Oyster Culture Law” (extract from Second Report of Shell Fish Commission).....	247
Appendix C.—Summary of the particular surveying operations which constitute an “oyster survey” as now being carried on in Maryland.....	248
Appendix D.—Statistics of results of the combined operations of the Government and State..	250

SURVEY OF OYSTER BARS, TALBOT COUNTY, MD.

INTRODUCTION.

PUBLICATIONS.

The preparation of publications relating to the survey of the oyster bars of Maryland has been divided between the Government and the State in accordance with the laws¹ authorizing the work and the natural division of the surveying operations² of the cooperating forces.

The publications prepared and issued by the Government under the direction of the Superintendent of the Coast and Geodetic Survey consist of a series of charts and a technical report for each county surveyed.³ The charts show all legal boundaries of oyster bars within the adopted boundaries of the waters opened up for leasing with each county, and the location of all landmarks (Coast and Geodetic Survey triangulation stations) used as a foundation for the delineation of these various boundaries. The technical report gives technical and legal descriptions of all oyster bar and other boundaries, and descriptions of all landmarks shown on the charts, and includes the report of the representative of the Coast and Geodetic Survey in charge of the work of that service in cooperation with the Bureau of Fisheries and the Maryland Shell Fish Commission. These charts and technical reports are prepared and certified for file with the courts and the Commission, as required by the laws of the State, and contain all information necessary to make a permanent record of the work of the Commission and the Government for all future requirements of the courts, or for any resurveys that may become necessary.⁴

The publications prepared and issued by the State under the direction of the Shell Fish Commission consist of annual reports⁵ of all the operations of the Commission performed under the provisions of the laws of Maryland,⁶ including results of biological

¹ See Appendix A for laws relating to the cooperation of the Coast and Geodetic Survey and Bureau of Fisheries with the Maryland Shell Fish Commission.

² See Appendix C for a summary of the particular surveying operations which constitute an "oyster survey" as now being carried on in Maryland.

³ These charts and technical reports can be obtained by application to the Superintendent of the Coast and Geodetic Survey at Washington, D. C. The publications now ready for issue are those for Anne Arundel, Somerset, Wicomico, Worcester, Calvert, Charles, St. Marys, Baltimore, Kent, Queen Annes, and Talbot Counties.

⁴ The technical records and charts for each county are published separately on account of the requirements of the oyster-culture laws of the State and the practical considerations which make it desirable to have each county "opened up" for oyster culture as soon as practicable after the completion of its survey. For these reasons and the fact that these reports are each arranged for distribution and use in one county only without reference to other published records, much of the text of this publication is of necessity identical with similar previous publications for other counties.

⁵ These reports can be obtained by application to the Shell Fish Commission, Marine Bank Building, Baltimore, Md. They are issued annually in October, and the first, second, third, and fourth reports are now available for distribution.

⁶ See Appendix B for an extract from the "Second Report of the Maryland Shell Fish Commission," giving a concise summary of the "Haman oyster-culture law."

and economic oyster investigations, methods and results of the hydrographic survey of the boundaries of oyster bars and crab bottoms, the administrative report and financial statement of the Commission, information relating to oyster culture, methods of surveying and leasing of oyster lots, and much other important matter of legal and scientific value.

These two sets of publications are planned and arranged to supplement each other without unnecessary duplication, and when combined they form a complete report of operations, methods, and results of the work of both the Government and State.¹

COOPERATION OF THE COAST AND GEODETIC SURVEY.

The work of the Coast and Geodetic Survey, as the name of the service indicates, includes a survey of the coasts of the United States made on a geodetic basis. This has involved the gradual construction of a great framework of interstate triangulation for use as a foundation for detail hydrographic and topographic surveys, from which there has been compiled and published a complete set of charts of the coasts of the United States, including all waters of Maryland where oysters grow. This existing triangulation, hydrography, and topography is essential as a foundation for a correct and practical survey of natural oyster bars; and it being one of the fundamental functions of the Coast and Geodetic Survey to furnish such data, the cooperation of the Coast and Geodetic Survey with the Bureau of Fisheries and the Maryland Shell Fish Commission is a practical and natural development of Government work leading to the conservation and increase of the supply of food.

COOPERATION OF THE BUREAU OF FISHERIES.

The Bureau of Fisheries has cooperated with the Coast and Geodetic Survey and the Maryland Shell Fish Commission principally as an adviser in matters relating to the biological and economic survey of oyster bars and the methods to be employed for that purpose.² A steam launch, rowing boat, and certain apparatus have also been furnished.

The primary function of the Bureau of Fisheries is to increase the productiveness of marine and fresh waters by such measures as may be best suited to the purpose, and the services rendered in connection with the survey of the oyster bars of Maryland are strictly in line with the fundamental law under which it acts. In certain States other than Maryland similar work has been conducted by the bureau acting independently, the same ends being attained at greater expense to the Government.

GENERAL STATEMENT OF WORK OF COAST AND GEODETIC SURVEY.³

The results obtained from the work of the Coast and Geodetic Survey in cooperation with the Bureau of Fisheries and the Maryland Shell Fish Commission need very little other summary than is indicated by the published "Charts of Natural Oyster Bars" and the index of hydrographic projections and triangulation stations shown on the county progress maps attached to each report.

¹ See Appendix D of this publication for "Statistics of results of combined operations of the Government and State."

² Hon. George M. Bowers, Commissioner of Fisheries, has detailed for this service Dr. H. F. Moore, assistant, Bureau of Fisheries.

³ For a detail statement of the very large amount of excellent oyster-survey work of the Maryland Shell Fish Commission see the "Annual Reports of the Maryland Shell Fish Commission."

The triangulation has been carried on in accordance with the standard methods of the Coast and Geodetic Survey, making this work and that of the "Descriptions of Triangulation Stations" of permanent value, not only to the State of Maryland in the survey of her oyster bars but also to the Government for any future work it may do in the regions covered by the oyster-survey operations.

The hydrographic projections and published charts are prepared with all the accuracy permitted by their large scale, especially as to the boundaries of the various shellfish bottoms in relation to landmarks, but this accuracy of location on the charts is further added to and permanently fixed by published technical descriptions which should minimize the probability of any future dispute as to either landmarks or boundaries.

Stated another way, and quoting from the report of the "Survey of Oyster Bars of Anne Arundel County":

The geographic positions of the permanent landmarks and signals have been determined with the usual precision of a trigonometric survey, and their locations at all points necessary to provide ample foundation for the surveying and charting operations permitted great accuracy of definition and location for the natural oyster-bar and other boundaries established. At the same time the very important element of permanency of the positions of boundaries has been secured, as the relocation of geodetic positions can always be accomplished by a competent surveyor, even though the original landmarks and monuments have been washed away, as has been the fate of hundreds of such points established by the Coast and Geodetic Survey on the shores of the Chesapeake Bay during the last 65 years.

REPORT OF THE WORK OF THE COAST AND GEODETIC SURVEY IN TALBOT COUNTY.

INSTRUCTIONS.

The following letters, together with the laws¹ of the United States relating to the subject, constitute the "instructions" received by the chief of the Coast and Geodetic Survey party engaged on work in connection with the Maryland Shell Fish Commission. They are short and definite, but furnish ample authority and leeway for all legitimate development of the cooperation of the Government and the State in the survey of oyster bars. The "free hand" permitted by these orders, together with the aid and many valuable suggestions received from the officers of the survey at Washington, have proved very beneficial to the work and are greatly appreciated:

DEPARTMENT OF COMMERCE AND LABOR,
OFFICE OF THE SECRETARY,
Washington, June 2, 1906.

SIR: In reply to your letter of May 28, requesting me to designate officers of the Coast and Geodetic Survey and of the Bureau of Fisheries to cooperate with the State of Maryland in making survey of and locating the natural oyster beds. I have the honor to inform you that Mr. C. C. Yates will be designated to cooperate on the part of the Coast and Geodetic Survey as soon as Congress makes the provisions of the act effective by providing an appropriation for the purpose.

Respectfully,

LAWRENCE O. MURRAY, *Assistant Secretary.*

His Excellency HON. EDWIN WARFIELD,
Governor of Maryland, Annapolis, Md.

DEPARTMENT OF COMMERCE AND LABOR,
COAST AND GEODETIC SURVEY,
Washington, July 3, 1906.

SIR: Upon the receipt of these instructions you will surrender the command, accounts, etc., of the steamer *Endeavor* to the Hydrographic Inspector * * *.

As soon as this transfer is completed you will enter upon the duties of Coast Survey representative on the Shell Fish Commission of Maryland.

You will consult the Commissioners, prepare a program of work, and submit estimates in the usual form.

You are authorized to come to Washington for consultation from time to time as may be necessary.

* * * * *

Very respectfully,

O. H. TITTMANN, *Superintendent.*

Capt. C. C. YATES,
U. S. C. & G. S. Steamer "Endeavor," Baltimore, Md.

¹ For these laws see Appendix A.

ORGANIZATION AND EQUIPMENT.

The personnel and occupation of the party of the Coast and Geodetic Survey have remained practically unchanged since the beginning of the "oyster survey." Besides the chief of party, it consists of the necessary triangulators, computers, draftsmen, and temporary employees required to carry on both the surveying operations in the field and the preparation for publication of oyster charts and technical records in the office at Washington.

The equipment for the work of the party has been ample and satisfactory. The large living and office quarters furnished the Government on the Maryland Shell Fish Commission house-boat *Oyster* have been very convenient for the work, besides facilitating efficient cooperation with the surveying and oyster investigation parties of the State. In addition to the accommodations on the *Oyster*, the Coast and Geodetic Survey party has had the constant use of the large launch *Inspector* and several other boats furnished by its own service, and the occasional use of the Bureau of Fisheries launch *Canwasback*¹ and the steamer *Governor McLane*² of the State Fishery Force.

The greater part of the equipment of instruments for the operations of both the Government and State has been furnished by the Coast and Geodetic Survey, and consists of all necessary theodolites, levels, sextants, drafting instruments, hydrometers, etc., required for all field and office work.

CHRONOLOGICAL STATEMENT OF WORK.

The field work of the Coast and Geodetic Survey in Talbot County³ dates from July 6, 1909, when the Maryland Shell Fish Commission house-boat *Oyster* was towed by the State Fishery Force steamer *Governor McLane* to an anchorage in the northern part of Prospect Bay near the southern entrance to Kent Narrows. From this harbor as headquarters a few additional triangulation observations were made in Kent County, although the greater part of the work was confined to Talbot and Queen Annes Counties.

On July 22, 1909, the house-boat was moved to the vicinity of Rockhall, and all field work in Talbot County was discontinued until August 13, 1909, when the *Oyster* was shifted back to Eastern Bay side of Kent Narrows, where she remained only two weeks. During this period Governor Crothers and party visited the house-boat and thoroughly examined into the manner and methods of the work of the Maryland oyster survey.

On August 28, 1909, the *Oyster* was towed to Haddaway Cove in Talbot County, where she stayed for only three days on account of the exposed position of the anchorage.

On August 31, 1909, the *Oyster* changed her anchorage to the very snug harbor inside of Poplar Island, where she remained until all the open Chesapeake Bay work was practically completed as far south as Tilghmans Island. While at this anchorage, one subparty living on shore was engaged on triangulation in Harris Creek with hired boats and an extra party of hands.

¹ By courtesy of Dr. H. F. Moore, United States Bureau of Fisheries.

² By courtesy of Capt. James A. Turner, commanding.

³ The field work of Talbot County was so intermixed with that of Queen Annes and Dorchester Counties that the chronological statement of the work in one of these counties necessarily includes a considerable part of the work of the other two counties.

On September 22, 1909, the house-boat was towed to Dun Cove in Harris Creek. From this anchorage the triangulation of Harris Creek, as well as a considerable part of Broad Creek, was completed.

On October 16, 1909, the house-boat was moved back to Eastern Bay and tied up at the railway wharf at Claiborne. From this point the triangulation of Eastern Bay and its northern tributaries west of Kent Narrows was practically completed.

On October 29, 1909, the *Oyster* was moved to an anchorage in Tilghmans Creek, which is a branch of the Miles River. The next day completed a month's field work, which was notable as far as triangulation was concerned, on account of the number of stations which were established, marked, described, and located by observations. This number was 108, which is considerably larger than any previous month's record. A good part of this work was carried on by subparty living on shore at Cambridge.

On December 1, 1909, the house-boat *Oyster* was moved from Tilghmans Creek, where she had been for over a month, to an anchorage off St. Michaels. From this harbor the remaining triangulation of Wye River and Miles River was practically completed.

On December 21, 1909, active field work in Talbot County for the calendar year was closed at St. Michaels, but a signal-building subparty continued field work from quarters on shore at Oxford for two days longer.

On December 24, 1909, the field season for the Government parties was officially closed, but the monthly employees remained on the house-boat at Baltimore preparing launches and boats for the winter. All officers were on leave from the 25th to 31st.

On January 3, 1910, which was the first working day of the year, the winter's office work commenced, and the repairs to launches and construction of triangulation monuments were taken up on the house-boat *Oyster* by the foreman and two men.

The office work, which consisted of the completion of records, revising descriptions of location of triangulation stations, triangulation computations, oyster-bar computations, preparation of manuscripts of technical publications, drafting and sealing boundaries of oyster bars, etc., continued without a break, except as noted in the following paragraph.

During the period covered by the winter's office work the Maryland Legislature was in session, and as the consideration of oyster legislation formed a very important and prominent part of its proceedings, considerable time of the chief of party and his officers was expended in gathering and imparting information requested by various State officials.

On March 14, 1910, a subparty was organized and put in the field to complete certain necessary details of triangulation in Talbot and Dorchester Counties. This party first went to St. Michaels, then to Cambridge, and finally to Oxford, where the main party on the house-boat was joined at the end of April.

On April 30, 1910, the house-boat *Oyster* was towed from Baltimore by the State steamer *McLane* to an anchorage in Tar Creek, near Bellevue. While at this harbor the house-boat was cleaned, painted, and generally overhauled for the season's work, and at the same time triangulation was being carried on to completion in Tred Avon River, Island Creek, and other tributaries of lower Choptank River.

On May 30, 1910, the house-boat shifted her anchorage to Tred Avon River off Oxford, where she remained until the practical completion of all the remaining triangulation and other oyster survey work in Talbot County except in the upper Choptank River.

On June 30, 1910, the *Oyster* was towed to an anchorage off Cambridge, and from this point the oyster survey work of Talbot County in upper Choptank River was carried on to completion, together with that of Dorchester County in the adjacent region.

On July 20, 1910, the house-boat *Oyster* was moved to the Patuxent River off Solomons Island, and no further field work was done in Talbot County except from June 20 to June 21, 1912, when a small party was put in the field to complete certain necessary details of triangulation in Talbot and Dorchester Counties.

The office work connected with the oyster survey of Talbot County, including the computation of geographic information and the drafting necessary for the preparation for publication of the oyster charts and the technical records of that county, was carried on intermittently with the office work of other counties from the beginning of the field work in Talbot County on July 6, 1909, to the time of filing of the certified oyster charts and technical records in the archives of the Maryland Shell Fish Commission and with the clerk of the circuit court of Talbot County on July 20, 1912.

STATISTICS.¹

Landmarks and triangulation signals erected.....	315
Monuments planted to mark triangulation stations.....	311
Triangulation stations occupied for observations of horizontal angles.....	308
Old triangulation stations recovered.....	30
New triangulation stations established.....	306
Total old and new triangulation stations marked and described.....	336
Linear miles of shore line covered by triangulation (approximate).....	230
Square miles covered by triangulation (approximate).....	240
Hydrographic projections prepared and completed as records of oyster boundaries.....	14
Triangles computed.....	672
Geographic positions computed.....	330
Corners of oyster boundaries established by computation.....	671
Back azimuths and distances computed from corners of boundaries to triangulation stations.....	2, 013
Descriptions of triangulation stations prepared for publication.....	336
Descriptions of oyster boundaries prepared for publication.....	132
"Charts of Natural Oyster Bars" prepared for publication.....	7
Progress map prepared for publication.....	1

GENERAL REMARKS.

Before ending this report the representative of the Coast and Geodetic Survey wishes to renew his statement of appreciation of the courteous assistance received from various Government and State officials and others interested in the oyster industry of Maryland, especially to the following:

¹ These statistics only include field and office work directly performed by the party of the Coast and Geodetic Survey in connection with the oyster survey of this county, and do not include the many thousands of soundings and examinations of the character of the bottom made by the engineers of the Commission, which are of considerable value to the Coast and Geodetic Survey as hydrographic records for future use in connection with the preparation of new editions of charts of the waters of Maryland. See Appendix D of this publication for "Statistics of results of combined operations of the Government and the State."

To his colleague from the Department of Commerce and Labor, Dr. H. F. Moore, of the Bureau of Fisheries, whose well-known scientific knowledge of all matters relating to oysters has been of great value to the work.

To Mr. Walter J. Mitchell, chairman of the Maryland Shell Fish Commission, who, by his administrative ability in carrying out the complicated requirements of the oyster laws and by his unflinching tact, has made the cooperation of the various services engaged on the work both agreeable and effective.

To Dr. Caswell Grave, secretary of the Commission, who, as editor of the Commission's annual report and commissioner in charge of the biological and economic oyster investigations, has been brought into constant contact with the Government work and aided its operations in every way.

To Mr. Benjamin K. Green, treasurer of the Commission, who has looked after the equipment and commissary of the house-boat in such a way as to add greatly to the comfort and convenience of the party of the Coast and Geodetic Survey.

To Mr. Swepson Earle, hydrographic engineer to the Commission, whose knowledge of the work from former service in the Coast and Geodetic Survey has greatly facilitated his practical use of the technical data furnished by the Government.

And to the many others connected with the Commission or who as residents in the locality where the work was being carried on have greatly assisted by furnishing important information or willing services.

CHARTS AND MAPS.¹

CHARTS OF NATURAL OYSTER BARS.

The charts of the natural oyster bars of Talbot County published by the Coast and Geodetic Survey from results of the surveys of the Government in cooperation with the Maryland Shell Fish Commission consist of seven sheets covering all the oyster-producing waters of that county. They are published on the large scale of 1 part in 20,000 (approximately $3\frac{1}{16}$ inches to a statute mile) and are constructed on polyconic projections; and all information shown on them is based on the United States standard datum of the Coast and Geodetic Survey.

These charts show all oyster bars and other boundaries established by the Commission, and are certified for the purpose of filing in the office of the clerk of the circuit court of Talbot County and in the office of the Maryland Shell Fish Commission, as required by the oyster laws of Maryland.

In addition to the oyster bar and other boundaries, the charts show the location and name of all landmarks (United States Coast and Geodetic Survey triangulation stations) used in making the survey, together with the hydrography and topography² necessary to make the technical definitions and delineations of boundaries readily understandable both by the people engaged in the oyster industry and the general public who may become interested through leasing of barren bottoms for oyster culture.

The names of the oyster bars are those used locally, as nearly as could be ascertained by the hydrographic engineer of the Commission. When there was no local name in common use, a name was selected from one of the prominent features of the vicinity. By the use of recognized names or those that would naturally suggest certain sections of water, it is believed that much confusion will be avoided in the location on the charts of the oyster bars, especially by those not familiar with the use of maps.

The corners of the oyster bars are numbered from 1 to the total number of corners in each area under consideration. Where boundaries adjoin, making one point a corner of two or more oyster bars, these points have two or more numbers, each number corresponding to the bar in which the figure is located. The numbers of the corners correspond with the technical and legal descriptions of this publication under the heading "Boundaries of natural oyster bars."

The landmarks and oyster bars have been grouped in the "Contents" of this publication in accordance with the charts upon which they are shown. To find a particular oyster bar or landmark which is only known by name, consult the "Contents" and

¹ These charts can be obtained by application to the Superintendent of the Coast and Geodetic Survey, at Washington, D. C.

² Much of the detail of the inshore topography was obtained from the excellent map of Talbot County, prepared and published by the Maryland Geological Survey under the direction of Dr. William Bullock Clark from surveys of the Maryland Geological Survey in cooperation with the United States Geological Survey.

the desired chart and general location will be indicated. To find the name of a bar or landmark which is only known by location, consult the progress map at the end of this publication for the number of the chart on which it is to be found, and then examine the known locality on the chart for the name of the bar or landmark in question.

The contours on the charts showing the depth of water at mean low tide have been taken from the hydrographic sheets of former work of the Coast and Geodetic Survey. Four curves were selected as being the most convenient for taking off from the original hydrographic sheets and the ones of greatest value to those interested in shell fish industries. The 1-fathom contour (6 feet) and the 5-fathom curve (30 feet) correspond in a general way to the inner and outer limits of all the oyster bars surveyed. The 3-fathom contour (18 feet) furnishes the curve of about the average depth of water on the oyster bars, and the 10-fathom contour (60 feet) serves in a general way to indicate the outer limits of probable oyster culture.

The boundaries of the waters within the "territorial limits of the county" and the boundaries of the "waters contiguous to the county" opened up for the leasing with Talbot County are plainly indicated on the charts. A full technical description of these boundaries is given in this publication under the heading "Boundaries of county waters."

The areas in acres of the oyster bars were determined under the direction of the hydrographic engineer of the Commission by two independent planimeter measurements of the areas as delineated on the smooth projections of the Coast and Geodetic Survey. These areas are given in small figures in parentheses on the face of the chart within the boundaries of the different shell fish bottoms.

The symbols used on the charts for the different kinds of boundaries, triangulation stations, contours of depth of water, etc., require no other explanation than that given in the legend and other notes on the face of the charts.

LEASING CHARTS.

The leasing charts of Talbot County, like those for Anne Arundel, Somerset, Wicomico, Worcester, Calvert, Charles, St. Marys, Baltimore, Kent, and Queen Annes Counties, have been prepared under the direction of the hydrographic engineer of the Commission. They are constructed on polyconic projections on the scales of 1 part in 5,000 or 1 part in 10,000, as the needs of oyster culture may require, and the information shown on them is based on the United States standard datum of the Coast and Geodetic Survey.

These charts show all the oyster bars, crab bottoms, and clam beds and other boundaries established by the Commission, and also all boundaries of oyster lots leased for the purpose of oyster culture, thus making them comprehensive and valuable records of the results of the operations of the oyster-culture laws.

The lots leased under the provision of the "old 5-acre law" are frequently of irregular shape, but the lots leased under the provision of the new oyster laws must be of rectangular shape by the terms of that act. For this latter purpose the leasing charts have been divided by parallels of latitude and meridians of longitude into small rectangles of 1 acre or 5 acres, as may be best suited to the area under consideration, and

prospective leaseholders by the rules of the Commission are compelled to select whole rectangles as far as possible.

For reasons of the present changeable nature of the number of lots leased and the large number of charts required, the leasing charts are not likely to be published for some years, but they can be seen at any time on file at the offices of the Commission, in the Marine Bank Building at Baltimore.

PROJECTIONS.

The polyconic projections¹ covering Talbot County waters are 14 in number and on the scale of 1 part in 10,000. They were constructed by draftsmen of the Coast and Geodetic Survey, but the sextant positions which determine the location of the legal boundaries of the oyster bars as delineated by the Shell Fish Commission were plotted by the draftsman of the Commission.

A copy of each of these projections, with all the plotted positions of triangulation stations, shore line, sextant positions, and boundaries of oyster bars, was made under the direction of the hydrographic engineer of the Commission by pricking through with a sharp needle the intersections of the projection lines and all other points as plotted on the original sheets.

These projections (in duplicate) are the original records of all oyster bar and other boundaries established by the Commission, one set being filed in the archives of the Coast and Geodetic Survey, at Washington, and the other set in the archives of the Shell Fish Commission.

PROGRESS MAPS.

The progress map to be found at the end of this publication is on a scale of 1 part in 100,000, and shows in outline the work accomplished by the United States Coast and Geodetic Survey in Talbot County and contiguous waters. It gives the scheme of all the charts and smooth projections constructed in connection with the survey, the location and names of all triangulation stations used as a basis for the surveying work, and the "boundaries of county waters" established by the Commission for the purpose of carrying out the laws of Maryland relating to oyster culture.

Besides indicating the amount of work done by the Coast and Geodetic Survey in connection with the work of the Shell Fish Commission, this progress map will be of special value for index purposes to engineers and others searching for the particular chart or projection covering the locality of the oyster bars or landmarks that may be under consideration.

The progress maps² accompanying the first and second annual reports of the Maryland Shell Fish Commission were prepared under the direction of the hydrographic engineer of the Commission. They are on the scale of 1 part in 400,000, and show the outline of the tide-water counties of Maryland, with shaded areas to indicate the waters already covered by the operations of the oyster survey.

¹ For the scheme of these projections see the progress map at the end of this publication.

² These maps and reports can be obtained by application to Maryland Shell Fish Commission, Marine Bank Building, Baltimore, Md.

BOUNDARIES OF THE COUNTY WATERS.¹

WATERS WITHIN TERRITORIAL LIMITS OF COUNTY.

The laws of Maryland relating to oyster culture provide that "no person shall be permitted, by lease, assignment, or in any other manner, to acquire a greater amount of land than ten acres situated within the territorial limits of any of the counties, or one hundred acres in any other place."

The boundary line² between the waters "within the territorial limits" of Talbot County and the waters in "any other place," as established by the Shell Fish Commission for the purpose of carrying out the oyster laws, and delineated on the "oyster" charts and the smooth projections of the Coast and Geodetic Survey, is technically described and defined as follows:

Commencing at the head of the oyster-producing waters of Wye River on the channel boundary line between Talbot County and Queen Annes County; thence following the channel boundary line between Talbot County and Queen Annes County down the upper Wye River to a point situated in the vicinity of the eastern end of Wye Island; thence continuing down the channel of the branch of Wye River running south of Wye Island along the boundary line between Talbot County and Queen Annes County, as laid down on "Chart No. 32, Natural Oyster Bars, Maryland," to the mouth of Wye River; thence continuing along the boundary line between Talbot County and Queen Annes County, as laid down on "Chart No. 32, Natural Oyster Bars, Maryland," passing into Miles River in a curved line about half way between Herring Island and Bennett Point and then down Miles River to a point situated about 1½ miles northeast of Tilghmans Point in the Eastern Bay entrance of Miles River; thence continuing on the boundary line between Talbot County and Queen Annes County in Eastern Bay as laid down on "Charts Nos. 31 and 32, Natural Oyster Bars, Maryland," to a point situated in the Chesapeake Bay entrance of Eastern Bay defined by the intersection of the boundary line between Talbot County and Queen Annes County and a straight line between a point on Kent Point on the southern extremity of Kent Island defined by³ latitude 38° 56' 05.1" and longitude 76° 22' 06.2" and a point situated on Wades Point on the eastern side of the entrance of Eastern Bay defined by latitude 38° 49' 34.2" and longitude 76° 18' 04.5"; thence in a straight line across the eastern half of the Chesapeake Bay entrance of Eastern Bay to a point on Wades Point defined by latitude 38° 49' 34.2" and longitude 76° 18' 04.5"; thence in a southerly direction along the mean low water line or across the mouth of all inlets less than 100 yards in width, as the case may be, of the eastern shore of Chesapeake Bay to a point situated on Lows Point defined by latitude 38° 46' 33.4" and longitude 76° 20' 07.4"; thence in a straight line across the northern entrance of Poplar Island Narrows to a point situated on the northern end of Poplar Island defined by latitude 38° 46' 42.8" and longitude 76° 22' 25.0"; thence along the mean low water line or across the mouth of all inlets less than 100 yards in width, as the case may be, of the western shore of

¹ For a complete historical and legal description of the boundaries of the counties of Maryland, the valuable publication entitled "The Counties of Maryland—Their Origin, Boundaries, and Election Districts," prepared by Dr. Edward B. Mathews and published by the Maryland Geological Survey under the direction of Dr. William Bullock Clark, superintendent, should be consulted, as the boundaries described in this publication have been established and technically defined for the purpose of carrying out the oyster laws of the State, and may or may not be correct for other purposes.

² See "Charts of Natural Oyster Bars," published by the Coast and Geodetic Survey, and the progress map at the end of this publication.

³ Latitudes and longitudes based on the United States standard datum of the United States Coast and Geodetic Survey.

Poplar Island to a point situated on the southern end of the main part of Poplar Island defined by latitude $38^{\circ} 45' 17.5''$ and longitude $76^{\circ} 22' 43.6''$; thence in a straight line across an inlet into Poplar Island Harbor to a point situated on the western extremity of the detached part of Poplar Island known as Coaches Neck defined by latitude $38^{\circ} 45' 08.8''$ and longitude $76^{\circ} 22' 35.3''$; thence along the mean low water line or across the mouth of all inlets less than 100 yards in width, as the case may be, of the western and southern shore of a detached part of Poplar Island known as Coaches Neck to a point situated on its eastern extremity defined by latitude $38^{\circ} 44' 59.4''$ and longitude $76^{\circ} 21' 46.5''$; thence in a straight line across the southern entrance of Poplar Island Narrows to a point situated on the mainland on Great Marsh Point defined by latitude $38^{\circ} 44' 56.0''$ and longitude $76^{\circ} 20' 34.2''$; thence in a southerly direction along the mean low water line or across the mouth of all inlets less than 100 yards in width, as the case may be, of the eastern shore of Chesapeake Bay to a point situated on the northern side of the entrance to Front Creek defined by latitude $38^{\circ} 43' 47.5''$ and longitude $76^{\circ} 20' 34.0''$; thence in a straight line across the Chesapeake Bay entrance of Front Creek and Knapps Narrows to a point situated on the southern side of Chesapeake Bay entrance of Knapps Narrows defined by latitude $38^{\circ} 43' 14.8''$ and longitude $76^{\circ} 20' 27.6''$; thence in a southerly direction along the mean low water line or across the mouth of all inlets less than 100 yards in width, as the case may be, of the eastern shore of Chesapeake Bay to a point situated on Blackwalnut Point on the northwestern side of the Chesapeake Bay entrance of lower Choptank River defined by latitude $38^{\circ} 40' 06.6''$ and longitude $76^{\circ} 20' 24.7''$; thence in a straight line ending at a point situated on Cook Point on the southeastern side of the Chesapeake Bay entrance of lower Choptank River defined by latitude $38^{\circ} 37' 55.7''$ and longitude $76^{\circ} 17' 28.7''$ to a point on this line defined by its intersection with boundary line in lower Choptank River between Talbot County and Dorchester County as laid down on "Charts Nos. 33, 36, and 37, Natural Oyster Bars, Maryland;" thence along the boundary line in lower Choptank River between Talbot County and Dorchester County as laid down on "Charts Nos. 33, 34, 36, and 37, Natural Oyster Bars, Maryland," to the entrance of upper Choptank River between Castle Haven Point and Island Creek; thence continuing along the boundary line between Talbot County and Dorchester County up the channel of upper Choptank River pass the city of Cambridge around Chancellors Point and pass the town of Choptank, all as laid down on "Chart No. 35, Natural Oyster Bars, Maryland;" thence continuing up the channel boundary line of upper Choptank River between Talbot County and Dorchester County to the head of the oyster-producing waters.

WATERS CONTIGUOUS TO COUNTY.

The oyster laws of Maryland provide that a true and accurate delineation of all natural oyster bars shall be made on copies of charts of the United States Coast and Geodetic Survey, "which said copies shall be filed in the office of the said commissioners in the city of Baltimore," and "in the office of the clerks of the circuit courts for the respective counties wherein the grounds so designated may lie."

For the purpose of carrying out the latter part of this section of the law and for the purpose of establishing the limits of the oyster-culture area to be opened up for leasing with each county surveyed, it is necessary for the Shell Fish Commission to establish a boundary line between the waters contiguous to but not within the territorial limits of each county and the waters contiguous to but not within the territorial limits of adjacent counties.

This boundary line has been delineated on the "Charts of Natural Oyster Bars," published by the Coast and Geodetic Survey, and is technically described and defined as follows:

Commencing at a point in the Chesapeake Bay entrance of Eastern Bay defined by the intersection of the boundary line between Talbot County and Queen Annes County, as laid down on "Chart No. 31, Natural Oyster Bars, Maryland," with a straight line across the Chesapeake Bay entrance of Eastern Bay,

defined at its western end by a point situated on the southern extremity of Kent Island in latitude $38^{\circ} 50' 05.1''$ and longitude $76^{\circ} 22' 06.2''$ and defined at its eastern end by a point situated on Wades Point on the eastern side of the entrance of Eastern Bay in latitude $38^{\circ} 49' 34.2''$ and longitude $76^{\circ} 18' 04.5''$; thence along the boundary line between Talbot County and Queen Annes County, passing into Chesapeake Bay between Kent Island and Poplar Island, as laid down on "Chart No. 31, Natural Oyster Bars, Maryland," to a point situated in Chesapeake Bay about $3\frac{1}{2}$ miles southwest of Bloody Point Bar Light defined by latitude $38^{\circ} 46' 06.6''$ and longitude $76^{\circ} 26' 37.1''$; thence in a straight line in a southerly direction with Chesapeake Bay to a point situated in Chesapeake Bay about $3\frac{5}{8}$ miles east of Hog Point and $5\frac{3}{4}$ miles southwest of Poplar Island, defined by latitude $38^{\circ} 42' 33.4''$ and longitude $76^{\circ} 27' 40.0''$; thence in a straight line in a southerly direction with Chesapeake Bay to a point situated in Chesapeake Bay about $5\frac{1}{2}$ miles southwest of Sharps Island Light and $5\frac{3}{4}$ miles northwest of James Island, defined by latitude $38^{\circ} 34' 29.6''$ and longitude $75^{\circ} 26' 17.0''$; thence along the boundary line between Talbot County and Dorchester County, passing south of Sharps Island into the Chesapeake Bay entrance of the lower Choptank River, as laid down on "Charts Nos. 33, 36, and 37, Natural Oyster Bars, Maryland," to a point defined by the intersection of this boundary line with a straight line across the entrance of lower Choptank River, defined at its northwestern end by a point situated on Blackwalnut Point in latitude $38^{\circ} 40' 06.6''$ and longitude $76^{\circ} 25' 24.7''$ and defined at its southeastern end by a point situated on Cook Point in latitude $38^{\circ} 37' 55.7''$ and longitude $76^{\circ} 17' 28.7''$.¹

¹Latitudes and longitudes based on the United States standard datum of the United States Coast and Geodetic Survey.

LANDMARKS (U. S. COAST AND GEODETIC SURVEY TRIANGULATION STATIONS).

EXPLANATION.

The oyster laws of Maryland authorizing the survey to be made by the Shell Fish Commission provide for "an accurate report of said survey, setting forth such a description of landmarks as may be necessary to enable the said board, or their successors, to find and ascertain the boundary lines of said natural oyster beds, bars, and rocks, as shown by delineation on the maps and charts." The law of the United States authorizing the cooperation of the Department of Commerce and Labor in the survey of natural oyster bars of Maryland provides for the erection of "such structures as may be necessary to mark the points of triangulation, so that the same may be used for such future work of the Coast and Geodetic Survey as the said bureau may be hereafter required to perform in prosecuting the Government coast survey of the navigable waters of the United States located within the State of Maryland."

Under the provisions of the sections of the laws stated above, the markings and descriptions of landmarks must be sufficient for the present and future needs of both the Government and the State. With this end in view, considerable work has been expended in erecting permanent monuments at the triangulation stations and in the proper description of their location.

An effort has been made to arrange the descriptions of location and character of landmarks in a uniform and logical manner. The descriptions start with the assumption that the individual seeking a landmark has only an indefinite idea of its location. They gradually proceed from description of the general locality of a landmark to the descriptions of its immediate surroundings. This is followed by specific details of the character of the center and reference marks and a "round" of reference angles and distances which in themselves frequently contain enough information to furnish an independent and reliable location of the triangulation station.

METHOD OF DESCRIBING TRIANGULATION STATIONS.

The separate descriptions of triangulation stations should not be used without reading the following explanation of the method of describing the triangulation stations, as it contains certain details that are common to all the landmarks described in this publication and which are omitted in the separate descriptions as being needless repetitions:

Name.—The title at the top of each separate description is the name by which the landmark or triangulation station is known and designated in all work and published oyster records or oyster charts of both the Government and State. The selection of the name is usually left to the triangulator establishing the station, and it may or may not have geographic or other significance in reference to the locality.

General locality.—Under this heading is given the general locality of the landmark in reference to well-known and prominent natural or artificial features, such as the nearest body of water, town, river, steamer wharf, well-defined point of land, church, or any other feature that is likely to remain both permanent and prominent.

This heading also covers a reference to the published chart or map which shows the location of the station most clearly. Nearly all the triangulation stations described in this publication are plainly indicated by name and a triangulation symbol on the published charts of oyster bars of Maryland. In this case they are referred to by serial number only, the words "charts of oyster bars of Maryland" being omitted to avoid needless repetition. These published oyster charts are on the large scale of 1 part in 20,000 (approximately $3\frac{1}{4}$ inches to a statute mile) and show the locations of the triangulation stations so clearly that in many cases the written descriptions will not be required to find them.

Immediate locality.—Under this heading is given the description of the "observed station" in reference to its immediate surroundings. This is supposed to include a statement of the station's estimated elevation above high water or some other well-defined level of the locality, such as a road or house; the character of the ground on which it is located, such as marsh land, sand beach, cultivated field, or meadow; estimated bearings in points of the compass and estimated distances in yards *from* (not *to*) easily recognized features, such as extreme end of point, edge of bluff, bank of creek, line of telephone poles, shore line, barn, house, fence, ditch, trees, or any other definite detail, such as being on range with the tangent of an island and a church, etc.

When a standard monument has been established near the station as a "reference station," this heading also covers a statement of the true bearing of the monument in degrees and minutes and its measured distance in meters, as it is the first object that is likely to catch the eye when the immediate vicinity of the desired station is reached and might be mistaken for the center mark of the "observed station" unless special attention is called to it.

The distinction between the "observed station" and "reference station" should be carefully noted by anyone making use of the description of stations for any future surveying operations.

The "observed station" is located at the particular triangulation point covered by the description of stations, and is the one whose geographic position is first computed, as it is the point which was "occupied" and "observed on" for horizontal angles. However, in spite of the primary importance of the location of the "observed station," it will be noted from the description of stations that frequently it is not marked as well as the "reference station," and in some instances has only a pine stub to indicate its position. This is the case for the reason that the necessity of intervisibility of landmarks usually made it compulsory to locate "observed stations" on edges of banks and ends of points of land, which in the tide-water section of Maryland generally means they will be washed away in a short period of years. The past experience of the Coast and Geodetic Survey in this region has shown the great need of "reference stations," if the frequent reestablishment of a new framework of triangulation is to be avoided.

The chief reason and need for the establishment of the "reference station," or secondary station, as it might be well named, is explained in the preceding paragraph,

but in several instances other reasons, such as the location of the "observed station" on an unstable sand dune, in a cultivated field, in front of a residence, or other places objectionable to the landowner, have led to establishment of "reference stations." The location of the "reference station" in relation to the "observed station" is fixed for plotting on charts or for computation of its geographic position by checked measurements of its distances and azimuth from the "observed station."¹

Marks.—Under this heading is given a description of the character of the permanent monuments or other marks of the location of the "observed station," and of the "reference station" where one has been established.

All the marks designated in the descriptions as "the center point of triangle on standard cement monument" are exactly alike. These monuments are made of cement, sand, and gravel, and are 2 feet long and 8 inches square at top and bottom. Their tops are all marked with the same brass mold and show a center hole surrounded by a triangle, with the letters "M. S. F. C." arranged around the vertex and the letters "U. S. C. S." underneath the base of the triangle. The center hole is always in the center of the top of the monument by construction, and if this is found to have been broken off without disturbing the bottom, the center of its square section can be used as the location of the station.

All the "standard cement monuments," whether used for marking the "observed station" or "reference station," have been planted upright in exactly the same manner, with their tops projecting 3 or 4 inches above the surface of the ground, unless otherwise stated.

Therefore, as the above facts in reference to the "standard cement monuments" are a constant element in all cases, the repetition of these facts in the description of stations is made needless by this one statement.

References.—Under this heading are given the "rounds" of directions and distances to all objects that might be useful in locating the stations when the surface marks can not be found. It is also contemplated that for general purposes of topography, hydrography, or location of boundaries of oyster bars these references will be sufficient in many cases to relocate the position of an "observed station" or "reference station" when both of them have been destroyed.

The first reference object given in the descriptions is always a triangulation station visible from the station being described, this, if possible, being a lighthouse, church spire, or other permanent and prominent point. Its direction is taken as being $0^{\circ} 00' 00''$ and the directions of all other objects are measured from it as an initial point, the angles being taken in a clockwise direction (left to right).

The true bearing² of the initial object is always given in parentheses alongside its name. This furnishes means for the calculation of the bearings of any of the other reference objects for the purposes of locating a station by horizontal angles or for the relocation of corner buoys of oyster-bar boundaries by the method of compass directions described in this publication under the heading of "Boundaries of oyster bars."

¹ Geographic coordinates (latitude, longitude, distance, and azimuth) relating to any of the "observed stations" or of the "reference stations" described in this publication can be obtained by application to the Superintendent of the Coast and Geodetic Survey, at Washington, D. C.

² The mean magnetic variation for Talbot County was $6^{\circ} 10'$ west of north in 1911 and increasing at the rate of $5'$ yearly.

The distances in the last column under "References" are given in three different units, which vary according to their accuracy. The "miles" are statute miles, and may be considered only as rough estimates. The "yards" are more accurate, but must be looked on as results generally obtained by pacing or careful estimating. The "meters," however, are accurate to the degree indicated by their decimals and in every case have been measured with a steel tape. In the same manner, the accuracy of the directions are indicated by the refinement of angular measure with which they are recorded.

THOMAS POINT SHOAL LIGHT.

General locality.—Western side of Chesapeake Bay offshore about $1\frac{1}{4}$ miles southeast of Thomas Point and 3 miles south of entrance to channel to Annapolis. (See Chart No. 31.)

Immediate locality.—Observed station is on a hexagonal screw-pile structure known as Thomas Point Shoal Lighthouse.

Marks.—Observed station is center point of lantern on Thomas Point Shoal Lighthouse.

References.—

"Thomas 3" (N $56^{\circ} 07' W$)..... 0 00 00 $1\frac{1}{4}$ miles.

BLOODY POINT BAR LIGHT.

General locality.—Offshore of southwestern end of Kent Island on northern side of entrance to Eastern Bay about $1\frac{1}{8}$ miles southwest of Bloody Point and $1\frac{1}{4}$ miles west of Kent Point. (See Chart No. 31.)

Immediate locality.—Observed station is on tower on caisson structure known as Bloody Point Bar Lighthouse.

Marks.—Observed station is center point of lantern on Bloody Point Bar Lighthouse.

References.—

"Valiant" (S $4^{\circ} 59' E$)..... 0 00 00 $4\frac{1}{2}$ miles.

TENK.

General locality.—Northern side of entrance to Eastern Bay on Kent Point about $1\frac{1}{2}$ miles east of Bloody Point Bar Light. (See Chart No. 31.)

Immediate locality.—Observed station is in about 2 feet of water 18 yards offshore of Kent Point, 50 yards southwest of point of land, and 65 yards south-southeast of another point of land. Cement monument marking reference station is 35.94 meters N $36^{\circ} 15' W$ of observed station.

Marks.—Observed station is nail in center of 3-inch square stub in water with top about on level with high water. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—

"Bloody Point Bar Light" (S $86^{\circ} 34' W$)..... 0 00 00 $1\frac{1}{4}$ miles.

REFERENCE STATION..... 57 11 30 35.94 meters.

Chimney of house on Tilghmans Point Farm.. 169 26 $5\frac{1}{8}$ miles.

"Rich Neck Water Tank"..... 175 48 10 $5\frac{1}{4}$ miles.

Flagpole on Claiborne train shed..... 181 14 $4\frac{1}{2}$ miles.

Right chimney of house..... 188 34 $4\frac{1}{2}$ miles.

"Kemp Tower"..... 190 21 30 $3\frac{3}{8}$ miles.

Right chimney of brick house..... 206 17 $3\frac{3}{4}$ miles.

Right chimney of house..... 240 12 $4\frac{1}{2}$ miles.

Chimney left of house among trees on Poplar

Island..... 278 26 $3\frac{3}{4}$ miles.

STRAIGHT.

General locality.—Northern shore of Eastern Bay on Long Point about $2\frac{1}{4}$ miles northeast of Kent Point, $2\frac{7}{8}$ miles northwest of Wades Point and $\frac{1}{8}$ mile northeast of entrance to Long Point Creek. (See Chart No. 31.)

Immediate locality.—Observed station is in a cultivated field about 8 feet above high water, 35 yards west of edge of bank, 45 yards northwest of edge of bank near a tree, 80 yards south-southwest of fence corner, 245 yards south-southeast of fence corner at gate, and 175 yards east-southeast of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	/	"	
"Needle" (N 48° 15' E).....	0	00	00	4 $\frac{3}{8}$ miles.
Left tangent of Tilghmans Point.....	35	07	..	4 $\frac{5}{8}$ miles.
Chimney of house on Tilghmans Point Farm..	42	27	..	4 $\frac{3}{8}$ miles.
"Kemp Tower".....	83	46	00	2 $\frac{7}{8}$ miles.
Nail in blaze in red oak tree (22 inches diameter).....	113	59	00	31.06 meters.
Right tangent of woods on Poplar Island....	155	30	..	5 $\frac{3}{4}$ miles.
Left tangent of woods on Kent Point.....	179	48	..	
South peak of building.....	264	18	..	$\frac{1}{2}$ mile.
East peak of barn.....	317	48	..	$\frac{3}{4}$ mile.
South chimney of house.....	330	10	..	$\frac{1}{4}$ mile.

MOUTH.

General locality.—Northern shore of Eastern Bay on eastern shore of Kent Island about $1\frac{1}{4}$ miles north of Long Point, $3\frac{5}{8}$ miles northwest of Claiborne Wharf, and $3\frac{1}{4}$ miles southwest of Bodkin Island. (See Chart No. 31.)

Immediate locality.—Observed station is in a cultivated field about 8 feet above high water, 10 yards west of top of a bank with uniform slope to shore, 50 yards south of a small cove, and 20 yards south of a group of cedar trees near shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	/	"	
"Matta" (N 5° 49' W).....	0	00	00	2 $\frac{1}{4}$ miles.
South gable of barn.....	26	41	..	4 $\frac{1}{4}$ miles.
West gable of house.....	33	35	..	2 $\frac{1}{4}$ miles.
Right tangent of woods on Turkey Point....	50	25	..	3 miles.
"Parsons Island Water Tank".....	66	43	..	5 $\frac{3}{8}$ miles.
North gable of barn.....	74	49	..	6 $\frac{1}{4}$ miles.
Left tangent of woods on Tilghmans Point... 103	05	4 $\frac{1}{4}$ miles.
South chimney of house on Tilghmans Point Farm.....	112	19	..	4 miles.
"Rich Neck Water Tank".....	124	48	40	3 $\frac{7}{8}$ miles.
South gable of Claiborne Wharf house.....	137	41	..	3 $\frac{1}{2}$ miles.
"Kemp Tower".....	154	09	..	3 $\frac{1}{2}$ miles.
East chimney of Legg house.....	224	59	..	$\frac{3}{8}$ mile.
Chimney of small house.....	286	35	..	1 $\frac{1}{2}$ miles.
South gable of barn.....	342	46	..	1 $\frac{3}{8}$ miles.

MATTA.

General locality.—Northern shore of Eastern Bay on eastern shore of Kent Island at western side of entrance to Shipping Creek about 2 miles west of Turkey Point. (See Chart No. 31.)

Immediate locality.—Observed station is in cultivated field about 15 feet above high water, 125 yards southwest of extreme end of point, 25 yards northwest of dry ditch, and 200 yards northwest of lone cedar tree near shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Batts" (N 67° 45' E).....	0	00	00	1 mile.
North chimney of house.....	17	54	2 miles.
Left tangent of woods on Tilghmans Point..	54	30	5¾ miles.
North chimney of house on Tilghmans Point				
Farm.....	62	34	5¾ miles.
"Rich Neck Water Tank".....	71	31	5½ miles.
Left tangent of woods on Long Point.....	105	49	2½ miles.
Chimney of Creeve house.....	124	53	¾ mile.
South chimney of house.....	231	14	¾ mile.
South cupola on barn.....	247	39	¾ mile.
East chimney of house.....	273	58	1½ miles.
Chimney of small house.....	296	12	1¼ miles.
West chimney of house.....	305	45	1¼ miles.

BATTS.

General locality.—Northern shore of Eastern Bay on southern end of Batts Neck between Shipping and Cox Creeks about 1¼ miles northwest of Turkey Point. (See Chart No. 31.)

Immediate locality.—Observed station is in cultivated field about 2 feet above high water, 21 yards north of shore, and 100 yards west of a wire fence extending 100 yards into bay.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument. Station "COXES CREEK," 1899, is 87.70 meters N 72° E of observed station and is marked by the center of a cross in the top of a granite post about 12 inches square in the rough and about 27 inches long projecting 5 inches above surface of ground. The top of the granite post is dressed to a 6-inch cube marked with a square cross and the letters U. S. Subsurface mark is center of neck of a bottle buried with top 3 inches below base of granite post.

References.—

	°	'	"	
"Turkey" (S 58° 24' E).....	0	00	00	1¼ miles.
North chimney of house on Tilghmans Point				
Farm.....	19	25	5 miles.
"Rich Neck Water Tank".....	28	26	5¼ miles.
Nail in blaze in one of twin persimmon trees				
(4 inches diameter).....	37	36	40	3.94 meters.
Left tangent of woods on Long Point.....	69	48	3¼ miles.
East gable of house.....	76	30	2½ miles.
Nail in blaze in persimmon tree (6 inches				
diameter).....	91	13	50	9.76 meters.
South chimney of house.....	202	08	¾ mile.
South chimney of house.....	242	32	¾ mile.
South gable of barn.....	271	54	1½ miles.
North chimney of house.....	293	22	1¾ miles.
"Coxes Creek, 1899" (granite post).....	310	44	20	87.70 meters.
North chimney of house.....	341	07	1¾ miles.

TURKEY.

General locality.—Northern shore of Eastern Bay on southern end of Cox Neck on Turkey Point about 1 mile west of the north end of Bodkin Island. (See Chart No. 31.)

Immediate locality.—Observed station is in marsh meadow about 2 feet above high water, 40 yards northeast of shore, 200 yards south of a group of three pine trees near shore, and in center of triangle formed by three pine stubs driven flush with marsh to support theodolite.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Mouth" (S 40° 32' W).....	0	00	00	2¾ miles.
Chimney of house.....	23	19		2¾ miles.
Chimney of Greeve house.....	49	14		2½ miles.
South cupola on barn.....	68	20		2¾ miles.
North chimney of house.....	72	30		2½ miles.
South chimney of house.....	103	39		1¾ miles.
South chimney of house.....	113	22		2½ miles.
West pine tree of group.....	132	12		200 yards.
Right tangent of Bodkin Island.....	254	46		1 mile.
Left tangent of Tilghmans Point.....	275	23		3¼ miles.
North chimney of house on Tilghmans Point Farm.....	286	38		3¾ miles.
"Rich Neck Water Tank".....	297	25		4¼ miles.
Left tangent of woods on Long Point.....	352	26		3 miles.

NEEDLE.

General locality.—Northern part of Eastern Bay on Bodkin Island at entrance to Crab Alley Bay about 1½ miles west of the south end of Parsons Island and 1 mile east-southeast of Turkey Point. (See Chart No. 31.)

Immediate locality.—Observed station is near south end of Bodkin Island, about 12 feet above high water, 50 yards north by west of shore, 60 yards northeast by east of shore, 115 yards west-southwest of shore, and in center of radial lines of sight cut in bushes.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Straight" (S 48° 17' W).....	0	00	00	4¾ miles.
Nail in blaze in pine tree (6 inches diameter).....	5	51	30	22. 78 meters.
Nail in blaze in pine tree (8 inches diameter).....	27	56	10	17. 17 meters.
Right chimney of large house.....	64	29		3½ miles.
Nail in blaze in pine tree (6 inches diameter).....	82	06	50	11. 54 meters.
Chimney of house on Parsons Island.....	194	43		2½ miles.
Near chimney of Starr, large, brick house.....	262	54		6½ miles.
Cupola on left barn of Tilghmans Point Farm.....	289	40		3 miles.
Chimney of bungalow.....	324	57		5½ miles.
Nail in blaze in pine tree (7 inches diameter).....	345	25	00	18. 20 meters.

COX.

General locality.—Western shore of Crab Alley Bay on Cox Neck about ¾ mile north of Eastern Bay and 1 mile northwest of Bodkin Island. (See Chart No. 31.)

Immediate locality.—Observed station is at edge of a cultivated field on narrow neck of land about 3 feet above high water, 16 yards west of shore, 18 yards east of shore, and 80 yards northwest of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	''	
"Tull" (N 12° 34' E).....	0	00	00	1½ miles.
Chimney of small house.....	12	54		2½ miles.
Chimney of house.....	21	19		2½ miles.
Cupola on barn.....	30	09		2¾ miles.
Right corner of old barn.....	49	27		2½ miles.
East chimney of large brick house.....	54	32		2½ miles.
Right tangent of Normans Point.....	61	40		2 miles.
North gable of barn on Parsons Island.....	79	50		2½ miles.
Left tangent of Bodkin Island.....	123	47		¾ mile.
East gable of barn.....	227	02		¾ mile.
Chimney of house.....	232	44		3 miles.
Chimney of house.....	255	50		2¾ miles.

RICH NECK WATER TANK.

General locality.—On neck of land about halfway between Eastern Bay and Miles River about 1¾ miles south-southwest of Tilghmans Point. (See Charts Nos. 31 and 32.)

Immediate locality.—Observed station is on large water tank on steel tower on Rich Neck Farm.

Marks.—Observed station is spindle on center of water tank.

References.—

None necessary.

KEMP TOWER.

General locality.—Southern shore of Eastern Bay on Wades Point about 1 mile southwest of Claiborne Wharf and 5½ miles east of Bloody Point Bar Light. (See Chart No. 31.)

Immediate locality.—Observed station is on tower or cupola of Wades Point Hotel, which is a large, square, frame structure adjoining a brick house.

Marks.—Observed station is center of top of roof of cupola.

References.—

None necessary.

KEMP.

General locality.—Southern shore of Eastern Bay on Wades Point about 1¾ miles southwest of Claiborne Wharf and 4¾ miles east by south of Bloody Point Bar Light. (See Chart No. 31.)

Immediate locality.—Observed station is in cultivated land about 8 feet above high water, 30 yards east by north of a wire fence and several trees, 55 yards south-southeast of edge of bank, 90 yards east-northeast of a bungalow, 130 yards north by west of a wire and wood fence corner, 130 yards north-northwest of wooden fence, and 400 yards west by south of Wades Point Hotel.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	''	
"Bloody Point Bar Light" (N 83° 37' W)....	0	00	00	4¾ miles.
Nail in blaze in locust tree (14 inches diameter).....	1	41	30	35.07 meters.
Left tangent of Kent Point.....	3	11		3¾ miles.
Chimney on middle of house.....	17	12		3¾ miles.
Left peak of barn.....	25	21		4¾ miles.
Chimney of house.....	31	04		3½ miles.
Left chimney of house.....	45	27		3 miles.
Peak of main part of house.....	63	15		5½ miles.

References—Continued.

	°	'	''	
Left tangent of Tilghmans Point.....	128	06	..	3½ miles.
"Dixon" (center of house).....	130	07	50	2¾ miles.
"Kemp Tower".....	139	06	40	¼ mile.
Fence corner (wood and wire).....	244	43	..	132 yards.
Near corner of cook house.....	288	40	..	110 yards.
Nail in blaze in locust tree (7 inches diam- eter).....	300	20	20	27.23 meters.
Right corner post of piazza.....	306	24	..	90 yards.
Nail in blaze in cedar tree (6 inches diameter).....	210	43	30	26.97 meters.

END.

General locality.—Western shore of Harris Creek on southwestern side of entrance to Northwest Branch. (See Charts Nos. 31, 32, and 34.)

Immediate locality.—Observed station is in a cultivated field about 5 feet above high water, and 4 yards west of shore. Cement monument marking reference station is 14.76 meters S 83° 58' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 5 inches above surface of ground. Reference station is center point of triangle on standard cement monument projecting 3 inches above surface of ground.

References.—

	°	'	''	
"Rod" (S 79° 51' E).....	0	00	00	¾ mile.
West gable of barn.....	11	40	..	¾ mile.
North chimney of Miller house.....	45	37	..	1¼ miles.
REFERENCE STATION.....	163	48	20	14.76 meters.
South gable of barn.....	208	51	..	200 yards.
South chimney of Kirby house.....	218	48	..	200 yards.
South chimney of house.....	259	20	..	½ mile.
West gable of tin-roofed barn.....	262	00	..	¾ mile.
South chimney of Harrison house.....	345	20	..	¾ mile.

LAWN.

General locality.—Western shore of upper Harris Creek about ½ mile south of junction of Northeast Branch and Northwest Branch. (See Charts Nos. 31, 32, and 34.)

Immediate locality.—Observed station is in northeast corner of a lawn about 5 feet above high water, 10 feet southwest of top of vertical bank washed by high water, and 16 yards northwest of bathhouse and wharf.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"End" (N 17° 03' W).....	0	00	00	¾ mile.
Nail in locust stump.....	24	10	..	0.84 meter.
Cupola on barn.....	39	41	..	2½ miles.
South chimney of Harrison house.....	54	34	..	½ mile.
North chimney of house.....	95	46	..	¾ mile.
North chimney of house.....	139	33	..	1¼ miles.
North chimney of Miller house.....	143	27	..	¾ mile.
Nail in blaze in walnut tree (18 inches diameter).....	199	25	40	2.55 meters.
Nail in blaze in cherry tree (24 inches diameter).....	264	30	30	5.96 meters.

PARSONS.

General locality.—In northern side of Eastern Bay on western side of Parsons Island about 3 miles north of Tilghmans Point. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land on highest part of island about 15 feet above high water, 110 yards southeast of shore, 270 yards south-southwest of Parsons Island water tank, 350 yards southwest of a house, 380 yards west-southwest of a large barn, 145 yards northeast of a wire fence, 155 yards northwest of wire fence at farm road, 195 yards southeast of a fence, and on the range of the west edge of the south chimney on the lower gable of the house with the west side of a window in the center of the south side of the house. Cement monument marking reference station is 26.10 meters N 21° 43' E of observed station.

Marks.—Observed station is center of cross cut on rough granite stone about 35 inches long and 12 inches square with top cut to 6-inch cube and marked "U. S." in lower half of cross. Subsurface mark is the mouth of a bottle 3 inches below base of monument. Reference station is center point of triangle on standard cement monument with top 5 inches above the surface of the ground.

References.—

	o	'	"	
"Alley" (N 2° 12' W).....	0	00	00	1¼ miles.
REFERENCE STATION.....	23	55	30	26.10 meters.
"Parsons Island Water Tank".....	24	04	20	268 yards.
Near peak of house.....	35	13		400 yards.
Right corner of barn.....	61	27		382 yards.
Walnut tree.....	148	17		300 yards.
Cupola of left barn of Tilghmans Point farm.....	192	07		3½ miles.
Right tangent of Claiborne train shed.....	202	57		5 miles.
Right end of woods on Poplar Island.....	220	27		12 miles.
Left tangent of Kent Point.....	234	23		8¼ miles.
Left chimney of house.....	297	57		3 miles.
Side peak of 2½-story house.....	314	35		3½ miles.
Middle chimney of large brick house.....	336	44		1¼ miles.
"New Barn Cupola".....	349	10		2¼ miles.

PARSONS ISLAND WATER TANK.

General locality.—Northern part of Eastern Bay between Crab Alley and Prospect bays on Parsons Island about half way between the north and south end of the island. (See Chart No. 32.)

Immediate locality.—Observed station is on a water tank on wooden structure near a house.

Marks.—Observed station is center of spindle on center of water tank.

References.—

None necessary.

NORMAN.

General locality.—Eastern shore of Crab Alley Bay on southwestern extremity of Crab Alley Neck about ¼ mile west of Normans Point, 2 miles northeast of Turkey Point, and ⅓ mile northwest of Parsons Island. (See chart No. 32.)

Immediate locality.—Observed station is in a cultivated field on a rapidly washing, narrow neck of land, about 6 feet above high water, 20 yards north of vertical bank at shore, 30 yards south of vertical bank at shore, and 40 yards northeast of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Parsons" (S 38° 40' E).....	0	00	00	1¼ miles.
Right tangent of Parsons Island.....	16	46	..	1¼ miles.
Left tangent of woods on Tilghmans Point...	30	30	..	4 miles.
Left tangent of woods on Bodkin Island.....	68	28	..	2 miles.
Right tangent of Bodkin Island.....	78	39	..	2 miles.
Right tangent of woods on Turkey Point.....	93	17	..	2 miles.
Nail in blaze in hackberry tree (6 inches diameter).....	112	42	30	22.49 meters.
Chimney of small house.....	154	22	..	1¾ miles.
East chimney of house.....	167	41	..	2¼ miles.
South gable of house.....	205	38	..	1 mile.
West chimney of large brick house.....	271	53	..	¼ mile.
Chimney of small house.....	292	22	..	3 miles.
"Parsons Island Water Tank".....	353	41	40	1 mile.

ALLEY.

General locality.—Western shore of Prospect Bay on Crah Alley Neck, about ¾ mile north of Parsons Island, and ⅜ mile north of Narrows Point. (See Chart No. 32.)

Immediate locality.—Observed station is on hard ground in a marsh at northeast end of clump of 12 persimmon trees about 1 foot above high water and 75 yards southwest of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Dnl1" (N 2° 35' W).....	0	00	00	¾ mile.
Near peak of "Fishermans Inn".....	6	48	..	3 miles.
Nail in blaze in persimmon tree (4 inches diameter).....	30	41	20	3.99 meters.
Left chimney of old house with two dormer windows.....	48	29	..	2¾ miles.
Left peak of barn.....	79	42	..	2¾ miles.
Left chimney of large house.....	113	34	..	2¾ miles.
"Parsons Island Water Tank".....	177	35	30	1½ miles.
Nail in blaze in persimmon tree (3 inches diameter).....	194	56	00	4.88 meters.
Nail in blaze in persimmon tree (2½ inches diameter).....	238	25	00	3.70 meters.
East chimney of brick house.....	246	02	..	½ mile.
Nail in blaze in persimmon tree (3 inches diameter).....	298	21	30	3.29 meters.
Chimney of house among trees.....	317	54	..	1½ miles.
"New Barn Cnpola".....	335	41	40	1 mile.

BONNET.

General locality.—Eastern shore of Prospect Bay on Hood Point about 1½ miles southeast of Hog Island and ½ mile west of Piney Point. (See Chart No. 32.)

Immediate locality.—Observed station is on marsh ground about 1 foot above high water, 21 yards west of shore, 12 yards west of inlet, and 55 yards northeast of the extreme end of Hoods Point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"New Barn Cupola" (S 79° 29' W).....	0	00	00	1½ miles.
Chimney of house.....	24	11		1¼ miles.
East gable of barn.....	28	24		1¼ miles.
North chimney of house.....	04	04		2 miles.
South gable of barn.....	90	43		2½ miles.
Chimney on small house.....	137	57		¾ mile.
West gable of house.....	199	06		1⅝ miles.
Chimney of small house.....	239	13		2½ miles.
Chimney of small house.....	258	39		4¾ miles.
South chimney of house on Kent Island.....	323	24		1¾ miles.
Cupola on barn.....	353	09		1¾ miles.

BRIAN REFERENCE STATION.

General locality.—Eastern shore of Prospect Bay on Brian Point, about 1 mile southeast of Piney Point, 2 miles northeast of Parsons Island, and ¾ mile west of entrance to Hog Hole Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 13 yards east of edge of marsh, 14 yards northwest of edge of marsh, 18 yards north of extreme end of point, and 40 yards southwest of a cultivated field.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—	°	'	''	
"Green" (S 8° 55' E).....	0	00	00	2¾ miles.
Left tangent of woods on Bennett Point....	4	55		4 miles.
Right tangent of woods on Parsons Island....	65	33		2¾ miles.
Middle chimney of large brick house.....	84	37		2¼ miles.
Cupola of barn.....	102	34		2¾ miles.
"New Barn Cupola".....	109	56	20	2½ miles.
Left peak of large house.....	112	08		2⅝ miles.
Near peak of house.....	282	47		½ mile.
Chimney of house.....	344	42		1¼ miles.

GREEN.

General locality.—Eastern shore of Prospect Bay on point at northern side of entrance to Greenwood Creek, about ¾ miles northeast of Tilghmans Point, and 2¾ miles north of Bennett Point. (See Chart No. 32.)

Immediate locality.—Observed station is on a sanded marsh point about 2 feet above high water, 5 yards northwest of shore, 26 yards northeast of shore, 53 yards east by north of a point of shore, 37 yards southeast by east of a point of shore, and 105 yards south-southwest of a point of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Benn" (S 0° 45' W).....	0	00	00	2¾ miles.
Cupola of barn.....	19	16	10	6 miles.
Right tangent of woods on Tilghmans Point....	52	01		3¾ miles.
"Parsons Island Water Tank".....	115	03	50	2½ miles.
East chimney of brick house.....	124	42		3½ miles.
Peak of small house.....	155	05		4 miles.
Chimney outside of house.....	165	43		4 miles.
Near peak of barn.....	178	20		3 miles.
Peak of house.....	235	45		1 mile.
Chimney of house behind barn.....	316	01		¾ mile.
Square chimney of house.....	345	41		1½ miles.

BENN.

General locality.—Eastern shore of Miles River on Bennett Point at western side of entrance to Wye River. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 75 yards northeast of extreme end of point, 100 yards southwest from edge of wood, and in center of triangle formed by three pine stubs driven flush with marsh to support theodolite.

Marks.—Observed station is center point of triangle on standard cement monument projecting 1 foot above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Hough" (N 57° 41' E).....	0	00	00 ¾ mile.
Cupola of barn.....	70	45 1 mile.
"Rich Neck Water Tank".....	203	33 3½ miles.
South chimney of house on Tilghmans Point Farm.....	215	59 3 miles.
"Parsons Island Water Tank".....	271	55 4½ miles.
Right tangent of house.....	288	21 6¾ miles.

HOUGH.

General locality.—Northwestern side of entrance to Wye River on a point about ¾ mile northeast of Miles River and ½ mile southwest of north end of Bruffs Island. (See Chart No. 32.)

Immediate locality.—Observed station is on a grass point about 1 foot above high water, 16 yards north of shore, 22 yards south of shore, 15 yards west of extreme end of point, 11 yards east of small pool in marsh, and 200 yards east of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Won" (N 9° 29' E).....	0	00	00 ¾ mile.
Near peak of building.....	7	22 2¾ miles.
Right side of chimney of house.....	17	20 2¾ miles.
Near peak of long barn.....	28	43 1¼ miles.
Piazza post of house in woods.....	62	14 ½ mile.
Windmill.....	128	24 ¾ mile.
Windmill.....	181	48 4¼ miles.
Tall, slender tree in woods.....	271	57 200 yards.
Black walnut tree.....	339	23 200 yards.

WON.

General locality.—Western shore of the branch of Wye River bounding Wye Island on the west about ½ mile northwest of northern end of Bruffs Island, and ¼ mile northeast of southern end of Bennett Point. (See Chart No. 32.)

Immediate locality.—Observed station is on small marsh point, about 1 foot above high water, 4 yards northwest of shore, 4 yards west of shore, 4 yards north of shore, and 40 yards southeast of large, lone, black walnut tree. Cement monument marking reference station is 22.80 meters S 15° 31' W of observed station.

Marks.—Observed station is nail in center of 2-inch stub projecting 5 inches above 2-inch tile pipe with top flush with surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—	°	'	"	
"Nose" (N 28° 05' E).....	0	00	00 ½ mile.
Near peak of large barn.....	23	20	⅜ mile.
Side peak of roof of house.....	25	18	⅜ mile.
Near peak of house.....	47	26	1⅞ miles.
Left large chimney of house in woods.....	81	08	½ mile.
Right corner of building on Bruffs Island.....	98	41	½ mile.
Windmill.....	126	52	40 1¼ miles.
Near peak of fisherman shanty.....	161	03	100 yards.
REFERENCE STATION.....	167	25	50 22.80 meters.
Nail in blaze in cedar tree (2 inches diameter).....	210	23	00 12.54 meters.
Nail in blaze in walnut tree (3 inches diameter).....	262	30	10 10.81 meters.
Nail in blaze in walnut tree (30 inches diameter).....	290	06	10 38.12 meters.
Right corner of right chimney of house.....	337	19	½ mile.

NOSE.

General locality.—Western shore of the branch of Wye River bounding Wye Island on the west on a point about ⅝ mile north-northwest of Bruffs Island. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 4 yards southwest of shore, 6 yards north of shore, 14 yards west-northwest of extreme end of point, and 34 yards east of a row of locust trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Stop" (N 12° 09' E).....	0	00	00 ¾ mile.
Church cross.....	1	55	2 miles.
Chimney of cottage.....	3	03	1¾ miles.
Near peak of house.....	37	22	¾ mile.
Left peak of house.....	67	25	½ mile.
Right corner of house on Bruffs Island.....	152	55	¾ mile.
"St. Michaels P. E. Church Spire".....	183	28	10 5⅞ miles.
"St. Michaels Water Tank".....	184	51	20 5⅞ miles.
Nail in blaze in locust tree (8 inches diameter).....	237	58	50 34.45 meters.
Nail in blaze in locust tree (9 inches diameter).....	256	32	10 28.31 meters.
Near peak of large house between two chimneys.....	266	09	¼ mile.
Nail in blaze in locust tree (7 inches diameter).....	280	50	50 31.44 meters.
Tangent of point.....	316	16	100 yards.

SNOUT.

General locality.—On Wye Island on the eastern shore of the branch of Wye River, bounding Wye Island on the west about ¾ mile north of Bruffs Island and ½ mile north of Bordley Point. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land about 12 feet above high water, 30 yards east by south of edge of bank, 65 yards south of large cherry tree in side of bank at fence, 65 yards southwest of rail fence, 70 yards northeast of a small clump of trees at edge of bank, and 400 yards west by north of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"South" (S 20° 34' E).....	0	00	00 ½ mile.
Left peak of boat house.....	19	10 ¾ mile.
"St. Michaels P. E. Church Spire".....	38	07	30 6¼ miles.
"St. Michaels Water Tank".....	39	30	10 6½ miles.
Nail in blaze in locust tree (10 inches diameter).....	49	21	30 64.78 meters.
Peak of house between two chimneys.....	99	02 ½ mile.
Near peak of small house.....	111	45 ½ mile.
Nail in blaze in tree (8 inches diameter).....	179	42	10 34.39 meters.
Near peak of barn.....	186	34 1¼ miles.
Left corner of house.....	203	36 1¾ miles.
Nail in blaze in fence post.....	246	50	10 63.29 meters.
Near peak of house.....	249	00 ¾ mile.
Left peak of house.....	296	41	50 ¼ mile.

SOUTH.

General locality.—On southwestern end of Wye Island on Bordley Point on the northern shore of the junction of the two branches of Wye River bounding Wye Island about ¾ mile north-northeast of Bruffs Island. (See Chart No. 32.)

Immediate locality.—Observed station is in a pasture on a rounded point about 10 feet above high water, 11 yards northeast of edge of field, 13 yards north of edge of field, 22 yards northwest of edge of field, 30 yards southeast of cut in cliff, and 50 yards southwest of point of water bushes at gully.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Flat" (N 55° 27' E).....	0	00	00 ½ mile.
Right chimney of house.....	19	30 1¼ miles.
Windmill.....	64	34	30 1¼ miles.
Spindle on barn cupola.....	134	55	20 1¼ miles.
Left chimney of house in woods.....	153	45 ½ mile.
Left peak of building.....	173	45 4½ miles.
Peak between two chimneys of house.....	244	27 ¾ mile.
Left chimney of house.....	317	37 ¾ mile.
Near peak of house.....	343	21 2 miles.

FLAT.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on a point between two coves about 1 mile northeast of Bruffs Island and ½ mile northeast of Bordley Point. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 8 yards north of shore, 8 yards southwest of shore, 12 yards west of extreme end of point, 17 yards east of south end of line of several trees on edge of bank 3 feet high, and 45 yards east of a black gum tree 5 feet in diameter at ground.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Albert" (N 84° 31' E).....	0	00	00 ¼ mile.
Left corner of tower of house	30	33 1¼ miles.
Windmill	62	55	40 1¾ miles.
Spindle on barn cupola	119	34 1¾ miles.
Front peak of boat house.....	134	02 1 mile.
Left tangent of black gum tree.....	158	06	40 44 yards.
Near peak of house.....	249	34 ¾ mile.
Spindle on cupola.....	351	11	10 ¾ mile.
Windmill.....	352	15	30 ¾ mile.
Near peak of Baldwin house.....	354	50 ¾ mile.

ALBERT.

General locality.—On Wye Island on the northwestern shore of the branch of Wye River bounding Wye Island on the south on a point about 1¼ miles east-northeast of north end of Bruffs Island, and opposite entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 17 yards northwest of shore, 28 yards east of shore, 35 yards south of shore, and 75 yards north-northeast of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Le Seur" (N 1° 03' E).....	0	00	00 300 yards.
Baldwin windmill.....	65	11	40 ¾ mile.
Flagstaff on Baldwin boat house.....	67	59 400 yards.
Windmill on wooden tower.....	125	16	30 1 mile.
Peak of house with several chimneys.....	127	08 1 mile.
Chimney outside near end of old house.....	170	05 1 mile.
Front peak of boat house.....	231	10 1¼ miles.
Peak between two chimneys of house.....	260	40 1¾ miles.
Left peak of house.....	274	45 ¾ mile.
Peak of house.....	347	47 ¾ mile.

LE SEUR.

General locality.—On Wye Island on the northwestern shore of the branch of Wye River bounding Wye Island on the south about ½ mile north of a prominent point opposite entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in a clump of small trees about 3 feet above high water, 11 yards east of shore, 12 yards southwest of shore on line to next point, and 12 yards north by east of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Attila" (N 31° 07' E).....	0	00	00 ¼ mile.
Near peak of large barn.....	56	55 ¾ mile.
Spindle on cupola.....	61	52	50 ¼ mile.
Right corner of chimney of Baldwin house ..	72	24 ¼ mile.
Nail in blaze in walnut tree (4 inches diam- eter).....	140	45	50 4.11 meters.
Nail in blaze in walnut tree (5 inches diam- eter).....	201	19	40 7.60 meters.
Nail in blaze in walnut tree (3 inches diam- eter).....	255	56	30 6.74 meters.
Nail in blaze in walnut tree (3 inches diam- eter).....	304	08	10 7.27 meters.

ATTILA.

General locality.—On Wye Island on the northwestern shore of the branch of Wye River bounding Wye Island on the south about $\frac{3}{4}$ mile north of entrance to Lloyd Creek at north side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is on slope of a point about 3 feet above high water, 10 yards west of shore, 10 yards north-northeast of shore, and 11 yards northwest of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

"Tobiae" (N 15° 18' E).....	0	00	00	$\frac{1}{4}$ mile.
Near peak of very large barn.....	97	30	$\frac{3}{8}$ mile.
Near peak of house.....	104	53	$\frac{5}{8}$ mile.
Spindle on cupola.....	128	31	50	$\frac{1}{4}$ mile.
Left corner of Baldwin house.....	132	48	$\frac{1}{4}$ mile.
Flagpole on wharf house.....	146	43	$\frac{1}{4}$ mile.
Windmill.....	163	31	$1\frac{1}{4}$ miles.
Nail in blaze in cedar stump (10 inches diameter).....	197	07	20	8.36 meters.
Nail in blaze in cedar tree (8 inches diameter).....	347	34	10	38.64 meters.

TOBINE.

General locality.—On Wye Island on the northwestern shore of the branch of Wye River bounding Wye Island on the south about $\frac{3}{4}$ mile north of entrance to Lloyd Creek on point at north side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is on point of a cultivated field about 6 feet above high water, 4 yards north of edge of field, 4 yards southwest of edge of field, 5 yards west-northwest of point of field, and $\frac{1}{4}$ mile east-southeast of a barn with cupola.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

"Sang" (N 6° 21' W).....	0	00	00	$\frac{1}{4}$ mile.
Right corner of house.....	16	19	$\frac{5}{8}$ mile.
Near peak of large barn.....	143	19	$\frac{1}{2}$ mile.
Cupola of Baldwin barn.....	173	35	10	$\frac{1}{2}$ mile.
Right peak of Baldwin house.....	175	17	$\frac{1}{2}$ mile.
Windmill.....	187	35	$1\frac{1}{2}$ miles.
Near peak of house.....	249	12	$1\frac{1}{8}$ miles.
Cupola of building.....	304	50	$\frac{1}{4}$ mile.

SANG.

General locality.—On Wye Island on the northwestern shore of the branch of Wye River bounding Wye Island on the south about $1\frac{1}{4}$ miles north of entrance to Lloyd Creek and $\frac{5}{8}$ mile west of entrance to Dividing Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on bank about 12 feet above high water between two cuts in bank, 2 yards west of edge of bank, 3 yards northwest of edge of bank, 4 yards southwest of edge of bank, 32 yards from bottom of northern cut in bank, 52 yards from bottom of southern cut in bank, and 95 yards south-southwest of tree-lined gully.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Turn" (N 48° 08' E).....	0	00	00	1/4 mile.
Tangent of woods.....	41	45		2 miles.
Tangent of point.....	56	52		3/8 mile.
Right peak of large barn.....	100	25		3/4 mile.
Baldwin windmill.....	121	06		3/4 mile.
Peak of near gable of Baldwin house.....	122	05		3/4 mile.
Near peak of ell of house.....	199	14		3/8 mile.
Left corner of house.....	256	56		3/4 mile.
Left peak of house.....	281	53		1/4 mile.

TURN.

General locality.—On Wye Island on the northwestern shore of the branch of Wye River bounding Wye Island on the south about 1/2 mile west of entrance to Dividing Creek on point at western side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is on bank in a cultivated field about 8 feet above high water, 5 yards northwest of edge of bank, 6 yards north of edge of bank, 7 yards west of edge of bank, 50 yards south-southwest of entrance to a small creek, and 55 yards east of a dead sycamore tree in field.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Go" (S 84° 55' E).....	0	00	00	1/8 mile.
Near peak of small house.....	32	18		1 1/8 miles.
Right peak of large barn.....	67	07		3/4 mile.
Baldwin windmill.....	85	55		7/8 mile.
Near peak of gable of Baldwin house.....	86	21		3/8 mile.
Nail in blaze in wild cherry tree (3 inches diameter).....	128	20	10	23.08 meters.
Chimney outside, near end of house.....	179	44		3/4 mile.
Nail in blaze in locust tree (4 inches diameter).....	255	50	00	18.85 meters.
Nail in blaze in chestnut stump with second growth (14 inches diameter).....	279	53	10	12.93 meters.

GO.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on a point between two coves about 1/4 mile west of entrance to Dividing Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on grassy beach at high water, about 2 yards south of foot of bank 4 feet high covered with dense growth of young trees, and 37 yards from entrance to a small creek. Cement monument marking reference station is 19.06 meters N 22° 35' E of observed station.

Marks.—Observed station is nail in center of 2-inch pine stub projecting 2 inches above 2-inch tile pipe with top 2 inches below surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—	°	'	''	
"Divide" (N 89° 24' E).....	0	00	00	3/8 mile.
Near peak of shanty.....	48	16		7/8 mile.
Chimney of house.....	51	46		3/8 mile.
Peak of gable on Baldwin house.....	104	12		7/8 mile.
Baldwin windmill.....	104	13	30	7/8 mile.

References—Continued.

	°	'	"	
Near corner of square chimney of house.....	159	10	..	¾ mile.
Cupola on barn.....	164	20	..	¾ mile.
Nail in blaze in gum tree (4 inches diameter).....	249	05	50	6.68 meters.
Nail in blaze in gum tree (2 inches diameter).....	272	16	30	5.73 meters.
REFERENCE STATION.....	293	11	20	19.06 meters.
Nail in blaze in gum tree (4 inches diameter).....	313	07	10	4.15 meters.

DIVIDE.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on point at eastern side of entrance to Dividing Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in point of woods about 4 feet above high water, 2 yards west-northwest of edge of bank, 8 yards east-northeast of edge of bank, and 11 yards north-northeast of point of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Princess" (N 53° 04' E).....	0	00	00	¾ mile.
Right tangent of old wharf.....	12	44	..	¼ mile.
Near peak of large barn.....	50	24	..	1¾ miles.
Chimney of house.....	141	53	..	¾ mile.
Baldwin windmill.....	162	18	30	1 mile.
Right chimney of house.....	189	13	20	2 miles.
Peak of house between two chimneys.....	195	40	..	2½ miles.
Nail in blaze in oak tree (14 inches diameter).....	232	30	30	4.05 meters.
Nail in blaze in gnarled oak tree (8 inches diameter).....	280	24	50	9.98 meters.
Nail in blaze in oak tree (30 inches diameter).....	316	39	20	8.41 meters.

PRINCESS.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south about ½ mile northeast of entrance to Dividing Creek and ¾ mile west of entrance to Granary Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in marsh land about 1 foot above high water, 4 yards north of shore, 18 yards east by north of a large oak tree at shore, 4 yards south of foot of bank 10 feet high covered with vegetation, and 10 yards west by south of a white oak tree on bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Philip" (S 83° 05' E).....	0	00	00	¾ mile.
Chimney of house on Pickerings Creek.....	15	16	..	1¾ miles.
Right peak of large barn.....	110	22	..	1 mile.
Baldwin windmill.....	121	01	..	1¼ miles.
Cupola of Baldwin stable.....	121	40	..	1¼ miles.
Nail in blaze in white oak tree (3 inches diameter).....	163	26	00	5.65 meters.
Nail in blaze in cedar tree (14 inches diameter).....	255	36	20	3.01 meters.
Right tangent of old wharf.....	351	19	..	150 yards.

PHILIP.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on western side of entrance to Granary Creek and $\frac{1}{2}$ mile east of entrance to Dividing Creek. (See Chart No. 32.)

Immediate locality.—Observed station is about 1 foot above high water, 3 yards north of shore, 9 yards south-southwest of shore of creek, 9 yards west of extreme end of point, and 6 yards southeast of point of bank 4 feet high. Cement monument marking reference station is 4.62 meters N $18^{\circ} 12'$ E of observed station.

Marks.—Observed station is nail in center of 2-inch cedar stub projecting 2 inches above 2-inch tile pipe with top flush with surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—

	°	'	''	
"Granary" (S $63^{\circ} 59'$ E).....	0	00	00 $\frac{1}{4}$ mile.
Baldwin windmill.....	113	44	20 $1\frac{3}{8}$ miles.
Near peak of ell of house.....	141	49 $1\frac{1}{4}$ miles.
Nail in blaze in cedar tree (3 inches diameter).....	169	10	50 9.33 meters.
Nail in blaze in pine tree (6 inches diameter).....	210	13	30 18.09 meters.
Nail in blaze in oak tree (7 inches diameter).....	238	45	30 4.41 meters.
REFERENCE STATION.....	262	11	40 4.62 meters.
Tangent of point.....	321	20 $\frac{1}{4}$ mile.
Near peak of large building.....	358	32 2 miles.

GRANARY.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on point at eastern side of entrance to Granary Creek. (See Chart No. 32.)

Immediate locality.—Observed station is among water bushes on marsh land, about 1 foot above high water, 10 yards northeast of shore, 11 yards west of shore, 12 yards north by west of extreme end of point, and 50 yards from trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Morn" (N $89^{\circ} 30'$ E).....	0	00	00 $\frac{1}{8}$ mile.
Large chimney of building.....	24	48 $1\frac{1}{4}$ miles.
Right tangent of point.....	85	34 $\frac{1}{4}$ mile.
Left end of barn.....	176	08 $1\frac{1}{2}$ miles.
Left tangent of old wharf.....	199	54 $\frac{1}{2}$ mile.

MORN.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south, about 300 yards east of entrance to Granary Creek and $\frac{3}{4}$ mile northwest of entrance to Pickerings Creek. (See Chart No. 32.)

Immediate locality.—Observed station is about 1 foot above high water, 4 yards northwest of shore, 4 yards northeast of shore, and 6 yards southeast of foot of wooded slope to field 12 feet above high water. Cement monument marking reference station is 3.82 meters N $33^{\circ} 52'$ W of observed station.

Marks.—Observed station is nail in center of 2-inch cedar stub projecting 2 inches above 2-inch tile pipe with top flush with surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—

	°	'	''	
"Bush" (N 83° 20' E).....	0	00	00	¼ mile.
Tangent of point.....	4	01		¼ mile.
Near peak of building.....	32	42		1½ miles.
Tangent of foot of slope.....	56	33		¼ mile.
Right tree on point.....	120	06		¼ mile
Tangent of woods.....	182	21		⅝ mile.
Nail in blaze in locust tree (6 inches diameter)	202	15	50	2.49 meters.
Nail in blaze in cedar tree (4 inches diameter).	241	37	00	5.47 meters.
REFERENCE STATION.....	242	48	00	3.82 meters.
Nail in blaze in locust tree (7 inches diameter)	244	46	50	6.68 meters.

BUSH.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on north side of entrance to a small cove, about ½ mile east of entrance to Granary Creek and ⅝ mile northwest of entrance to Pickerings Creek. (See Chart No. 32.).

Immediate locality.—Observed station is in cultivated land, about 7 feet above high water, 4 yards northeast of edge of bank, 9 yards northwest of point of curve of land, 22 yards west of tangent of land at tree, 30 yards west-northwest of scattering trees, and 50 yards northwest of a point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Nub" (S 83° 55' E).....	0	00	00	¼ mile.
Tangent of point.....	46	27	00	¼ mile..
Largest cedar tree on point of high bank.....	96	41		¼ mile.
Nail in blaze in locust tree (2 inches diameter)	102	18	10	3.81 meters.
Tangent of point.....	166	18		¼ mile.
Nail in blaze in hackberry tree (5 inches diameter).....	180	06	00	8.65 meters.
Nail in blaze in walnut tree (10 inches diameter).....	348	25	20	20.04 meters.

NUB.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on eastern side of entrance to a creek about ⅝ mile east of entrance to Granary Creek and ½ mile north of entrance to Pickerings Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 2 yards east of shore, 20 yards southwest of shore, 45 yards west of shore, 20 yards south of extreme end of point, and 16 yards north-northwest of woods. Cement monument marking reference station is 15.10 meters N 83° 01' E of observed station.

Marks.—Observed station is nail in center of 2-inch cedar stub set in 2-inch tile pipe with top flush with surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	°	'	''	
"Wheel" (S 4° 10' E).....	0	00	00	¼ mile.
Chimney on house.....	30	02		⅜ mile.
Largest cedar on point of high bank.....	47	16		⅜ mile.
Large oak tree.....	94	55		⅜ mile.
Large oak tree.....	143	43		⅜ mile.
Large oak tree.....	226	17		150 yards.
REFERENCE STATION.....	267	11	20	15.10 meters.
Nail in blaze in cedar tree (8 inches diameter).....	296	57	30	16.81 meters.
Nail in blaze in oak tree (5 inches diameter).....	333	04	40	19.64 meters.
Nail in blaze in oak tree (4 inches diameter).....	349	37	20	20.87 meters.

WHEEL.

General locality.—On Wye Island on the northern shore of the branch of Wye River bounding Wye Island on the south on a point about $\frac{3}{4}$ mile southeast by east of entrance to Granary Creek and $\frac{1}{2}$ mile northwest of entrance to Pickerings Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on marsh point south of woods, about 1 foot above high water, 2 yards east of shore, 4 yards southeast of point at slight cut in marsh, and 40 yards north of square point of shore. Cement monument marking reference station is 5.26 meters S $86^{\circ} 47'$ E of observed station.

Marks.—Observed station is nail in center of 2-inch cedar stub set in 2-inch tile pipe projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	°	'	''	
"Pick" (S $12^{\circ} 31'$ E).....	0	00	00	$\frac{3}{4}$ mile.
Left peak of building.....	0	04	$\frac{3}{8}$ mile.
Right tangent of woods.....	111	05	1 mile.
Large oak tree.....	129	21	$\frac{1}{2}$ mile.
Nail in blaze in oak tree (14 inches diameter).....	219	10	40	21.66 meters.
Nail in blaze in oak tree (9 inches diameter).....	230	46	50	18.74 meters.
Nail in blaze in cedar tree (6 inches diameter).....	262	26	00	19.26 meters.
REFERENCE STATION.....	285	44	00	5.26 meters.
Left peak of large building.....	299	31	$\frac{1}{4}$ mile.
Chimney showing over fence.....	308	54	$\frac{1}{4}$ mile.
Right peak of large barn.....	359	34	$\frac{1}{2}$ mile.

PICK.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south on western side of entrance to Pickerings Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land about 15 feet above high water, 25 yards southwest of edge of field at line of cedar trees, 22 yards west of gully, 40 yards south-southeast of a small clump of trees beyond small gully, and 300 yards east-southeast of fringe of cedar trees along edge of field northeast to east of gully.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Corner" (N $77^{\circ} 40'$ W).....	0	00	00	$\frac{1}{4}$ mile.
Nail in blaze in cherry tree (6 inches diameter).....	42	54	00	36.64 meters.
Left peak of barn.....	58	21	$\frac{1}{4}$ miles.
Front peak of house.....	104	57	$1\frac{1}{8}$ miles.
Nail in blaze in cedar tree (6 inches diameter).....	110	11	50	27.24 meters.
Nail in blaze in cedar tree (6 inches diameter).....	134	46	00	26.37 meters.
Near peak of house.....	152	11	$\frac{5}{8}$ mile.
Nail in blaze in hackberry tree (5 inches diameter).....	169	37	50	23.00 meters.
Left peak of large barn.....	243	36	$\frac{1}{4}$ mile.
Right peak of house.....	314	37	$\frac{1}{4}$ mile.

CORNER (Wye River).

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south about $\frac{1}{4}$ mile west of entrance to Pickerings Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land about 15 feet above high water, 50 yards southwest of edge of bank, 55 yards south of gully, 70 yards north-northwest of trees in depression, and 120 yards west of point of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Right" (N 20° 45' W).....	0	00	00 $\frac{1}{4}$ mile.
Nail in blaze in large elm tree.....	16	18	00 50.41 meters.
Near peak of building.....	18	21 1 mile.
Nail in blaze in one of twin elm trees.....	63	58	40 47.11 meters.
Near peak of house.....	101	49 $1\frac{1}{4}$ miles.
Left peak of house with two chimneys.....	113	02 $1\frac{1}{2}$ miles.
Nail in blaze in oak tree (14 inches diameter). ..	162	16	00 61.44 meters.
Near peak of large barn.....	238	11 $\frac{3}{4}$ mile.
Right corner of large house.....	275	51 $1\frac{1}{2}$ miles.
Chimney on middle of large house.....	280	01 1 mile.

RIGHT.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south on a point about $\frac{1}{2}$ mile southeast of entrance to Granary Creek and $\frac{1}{2}$ mile northwest of entrance to Pickerings Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in tree-fringed cultivated land about 15 feet above high water, 7 yards south of edge of bank, 9 yards from point of bank at path, 15 yards northwest of edge of bank, and 120 yards east of fence in depression.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Chew" (N 71° 45' W).....	0	00	00 $\frac{1}{4}$ mile.
Left chimney of long house in woods.....	33	06 1 mile.
Nail in blaze in cedar tree (8 inches diameter) ..	76	18	00 8.25 meters.
Left one of two large chimneys showing over the trees.....	131	03 1 mile.
Left corner of building.....	168	32 $1\frac{1}{8}$ miles.
Nail in blaze in hickory tree (10 inches diameter).....	182	29	40 10.80 meters.
Nail in blaze in elm tree (10 inches diameter).....	243	35	00 20.80 meters.
Right peak of house.....	269	37 $\frac{1}{2}$ mile.
Windmill to right of two large cupolas.....	287	12 $\frac{5}{8}$ mile.

CHEW.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south about $\frac{3}{8}$ mile southeast of entrance to Granary Creek and $\frac{5}{8}$ mile west-northwest of entrance to Pickerings Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 6 yards north-east of foot of bank 12 feet high, 12 yards west of point of shore, and 10 yards northwest of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—		5	4	''	
"Whale" (N 77° 32' W)	0	00	00	00	1/4 mile.
Large oak tree	72	58			1/4 mile.
Tangent of point	131	18			3/8 mile.
Left end of building	348	47	10		9.57 meters.
Near peak of building	175	22			1 1/4 miles.
Near peak of large barn	179	07			1 mile.
Nail in blaze in cedar tree (10 inches diameter)	284	33			18.19 meters.
Nail in blaze in cedar tree (6 inches diameter)	348	47	10		9.57 meters.
Nail in blaze in cedar tree (5 inches diameter)	358	58	20		21.82 meters.

WHALE.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south on a point at western side of entrance to a small cove about 1/4 mile south of entrance to Granary Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on a sand-and-grass point about 2 feet above high water, 2 yards south-southeast of shore, 4 yards west-northwest of shore, 9 yards southwest of extreme end of point, and 7 yards east by north of foot of a terraced bank about 15 feet high.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—		5	4	''	
"Matter" (N. 77° 03' W)	0	00	00	00	1/2 mile.
Near peak of larger barn	52	33			3/4 mile.
Large oak tree	115	39			1/2 mile.
Near corner of building	175	40			1 1/4 miles.
Near peak of large barn	178	45			1 1/2 miles.
Nail in blaze in cedar tree (10 inches diameter)	286	06	30		9.40 meters.
Nail in blaze in cedar tree (7 inches diameter)	309	33	10		5.50 meters.
Nail in blaze in cedar tree (5 inches diameter)	315	23	40		9.49 meters.

MATTER.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south about 7/8 mile east-southeast of entrance to Dividing Creek and 3/8 mile west-southwest of entrance to Granary Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on small grassy point about 1 foot above high water, 3 yards south of shore, and 2 yards north of foot of tree-fringed bank 5 feet high. Cement monument marking reference station is 5.58 meters S 0° 32' E of observed station.

Marks.—Observed station is nail in center of 2-inch cedar stub set in 2-inch tile pipe with top flush with surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—		5	4	''	
"Deek" (N 75° 05' W)	0	00	00	00	200 yards
Left tangent of wharf	62	43			1/4 mile
Near peak of large barn on Pickerings Creek	180	05			1 1/8 miles
Nail in blaze in cedar tree (14 inches diameter)	204	10	50		2.31 meters
REFERENCE STATION	257	32	20		8.58 meters.
Nail in blaze in one of twin cedar trees (8 inches diameter)	276	33	10		8.72 meters
Nail in blaze in cedar tree (8 inches diameter)	305	43	30		2.42 meters

DECK.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south on a point about ½ mile southeast of entrance to Dividing Creek. (See Chart No. 32.)

Immediate locality.—Observed station is at edge of water bushes on a grass point about 1 foot above high water, 4 yards south of shore, 10 yards west of a round point, 20 yards east of shore, and 30 yards north of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Quarter" (S 38° 13' W).....	0	00	00	¼ mile.
Chimney of house.....	43	11		1¼ miles.
Tangent of point of land.....	74	32		¼ mile.
Left tangent of old wharf.....	149	46		400 yards.
South peak of large barn.....	170	47		¾ mile.
Tangent of point of land.....	206	49		500 yards.
Left cedar tree on point.....	243	41		200 yards.

QUARTER.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south about ¾ mile south-southeast of entrance to Dividing Creek and at east side of entrance to a cove. (See Chart No. 32.)

Immediate locality.—Observed station is on bank in a cultivated field about 12 feet above high water, 2 yards southeast of edge of bank, 100 yards south of trees and break in bluff, and 120 yards north of edge of bank at point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Nodim" (N 87° 45' W).....	0	00	00	½ mile.
Near peak of barn.....	1	18		1¾ miles.
Chimney outside near end of house.....	10	34		1¾ miles.
Near corner of barn.....	53	27		¾ mile.
Right tangent of old wharf.....	112	25		¾ mile.
Right peak of large barn.....	304	41		¾ mile.
Baldwin windmill.....	317	20		¾ mile.
Near peak of house.....	354	43		1¼ miles.

NODIM.

General locality.—Southeastern shore of the branch of Wye River bounding Wye Island on the south about ¾ mile southwest of entrance to Dividing Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land about 4 feet above high water, 4 yards south of shore, 8 yards southeast of shore, 25 yards southwest of shore of marsh, and 13 yards south of corner of marsh.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Gusta" (S 21° 08' W).....	0	00	00	¾ mile.
Near peak of house.....	42	04		1¾ miles.
Left peak of house.....	63	19		1 mile.
Chimney outside left end of house.....	134	07		¾ mile.
Right corner of house.....	152	55		¾ mile.
Right tangent of wharf.....	220	29		¾ mile.
Baldwin windmill.....	354	18		¾ mile.

GUSTA.

General locality.—Southeastern shore of the branch of Wye River bounding Wye Island on the south about $\frac{7}{8}$ mile north-northeast of entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in a cultivated field about 10 feet above high water, 8 yards east of edge of bank, 12 yards southeast of edge of bank, 17 yards northeast of edge of bank, 35 yards north-northeast of a depression, and 65 yards southwest of end of cut in bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sylvia" (S 22° 57' W).....	0	00	00 $\frac{3}{8}$ mile.
Left tangent of house on Bruffs Island.....	26	06	2 miles.
Left chimney of house.....	45	15	1 $\frac{3}{8}$ miles.
Peak between two chimneys of house.....	51	42	2 miles.
Right peak of house.....	80	53	1 mile.
Cupola of barn.....	88	46	$\frac{5}{8}$ mile.
Left corner of house.....	155	40	$\frac{3}{4}$ mile.
Right peak of large barn.....	312	09	$\frac{3}{8}$ mile.
Baldwin windmill.....	350	13	$\frac{3}{8}$ mile.

SYLVIA.

General locality.—Southeastern shore of the branch of Wye River bounding Wye Island on the south on second prominent point north of entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in a cultivated field about 10 feet above high water, 11 yards east by south of edge of bluff, 22 yards northeast of lone locust tree 2 feet in diameter at the edge of the bank, and 400 yards northwest of a large barn.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Baldwins" (S 27° 13' W).....	0	00	00 $\frac{1}{4}$ mile.
Nail in blaze in locust tree (24 inches diameter).....	24	12	20 19.90 meters.
Very large lone tree.....	40	21	22 yards.
Nail in blaze in locust tree (6 inches diameter).....	53	42	20 13.37 meters.
Left peak of barn.....	73	23	$\frac{5}{8}$ mile.
Cupola of building.....	106	19	$\frac{5}{8}$ mile.
Near peak of large house.....	156	37	1 mile.
Near peak of large barn.....	273	21	$\frac{5}{8}$ mile.
Baldwin windmill.....	334	37	$\frac{1}{4}$ mile.
Peak of near gable of Baldwin house.....	336	06	$\frac{1}{4}$ mile.
Spindle on cupola.....	336	51	$\frac{1}{4}$ mile.

BALDWINS.

General locality.—Southeastern shore of the branch of Wye River, bounding Wye Island on the south on a point about $\frac{3}{8}$ mile north of entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on a short, sharp point of marsh about 100 yards north of a yacht landing, 7 yards northeast of shore, 10 yards southeast of shore, 12 yards east of extreme end of point, and 8 yards west of foot of bank 8 feet high.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Cousin" (S 25° 13' E).....	0	00	00	1/4 mile.
Flagstaff on yacht-landing house.....	11	27	..	100 yards.
Windmill.....	27	44	..	1 3/8 miles.
Left peak of bell cupola.....	27	55	..	1 1/2 miles.
Spindle on barn cupola.....	62	53	..	2 miles.
Front peak of boathouse on Bruffs Island.....	77	51	..	1 1/2 miles.
Near corner of left chimney of house.....	111	37	..	3/4 mile.
Near peak of barn with cupola.....	175	20	..	5/8 mile.
Near peak of barn.....	215	40	..	1 mile.
Nail in blaze in cedar tree (6 inches diameter).....	248	59	50	7.91 meters.
Nail in blaze in locust tree (5 inches diameter).....	311	47	20	5.36 meters.
Nail in blaze in locust tree (4 inches diameter).....	324	04	50	13.45 meters.

COUSIN.

General locality.—Southeastern shore of the branch of Wye River bounding Wye Island on the south, about 1 1/2 miles east-northeast of north end of Bruffs Island and at northern side of entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in a pasture about 9 feet above high water, 25 yards east of edge of bank, 65 yards south-southeast of a small clump of trees in bottom land, 65 yards north of trees, 60 yards north of edge of a field, and 200 yards south of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Lloyd" (S 36° 07' W).....	0	00	00	1/2 mile.
Spindle on barn cupola.....	8	04	50	2 miles.
Front peak of boathouse.....	26	05	..	1 1/2 miles.
Left peak of house.....	63	13	..	1 1/8 miles.
Chimney of house.....	91	31	..	3/4 mile.
Peak of near gable of Baldwin house.....	135	42	..	200 yards.
Windmill on large barn.....	187	08	..	1/4 mile.
Right peak of house.....	209	44	..	350 yards.
Left peak of bell cupola.....	333	34	..	1 mile.
Windmill.....	334	19	..	1 mile.

LLOYD.

General locality.—Southern shore of the branch of East Wye River bounding Wye Island on the south, at western side of entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land about 12 feet above high water, 70 yards southwest of edge of bank, 65 yards south of edge of bank, 65 yards north-northeast of point of woods and bottom land, and 120 yards northwest of an oak tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Edwards" (N 84° 02' W).....	0	00	00	3/8 mile.
Near peak of house.....	32	43	..	1 mile.
Left peak of barn.....	52	18	..	1 1/4 miles.
Near peak of house.....	76	14	..	3/8 mile.
Peak of near gable of Baldwin house.....	109	28	..	3/4 mile.
Near peak of barn.....	122	59	..	7/8 mile.
Right peak of large house.....	132	01	..	1 mile.
Large oak tree.....	208	57	30	120 yards.

EDWARD.

General locality.—Southern shore of the branch of Wye River bounding Wye Island on the south on a point at eastern side of entrance to Shaw Bay, about $\frac{3}{4}$ mile east-northeast of north end of Bruffis Island and $\frac{3}{8}$ mile west of entrance to Lloyd Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land about 8 feet above high water, 8 yards southeast of edge of a bluff which is washing away, and 30 yards southwest of a line of large trees at edge of bank and field.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Colonel" (S 0° 10' W).....	0	00	00 $\frac{1}{2}$ mile.
Windmill.....	33	28	20 $1\frac{1}{4}$ miles.
Front peak of boathouse.....	64	02	$\frac{3}{4}$ mile.
Peak between two chimneys of house.....	114	10	$1\frac{3}{8}$ miles.
Near peak of house.....	146	12	$\frac{3}{8}$ mile.
Chimney of house.....	170	06	$1\frac{1}{4}$ miles.
Nail in blaze in walnut tree (13 inches diameter).....	201	56	40 26.40 meters.
Nail in blaze in locust tree (4 inches diameter).....	216	09	10 26.95 meters.
Nail in blaze in locust tree (10 inches diameter).....	235	55	40 31.55 meters.
Windmill.....	309	41	00 $\frac{7}{8}$ mile.

COLONEL.

General locality.—Southern shore of Shaw Bay on a point at entrance to a small cove about $\frac{1}{2}$ mile from the branch of Wye River bounding Wye Island on the south and $\frac{5}{8}$ mile east of Bruffis Island. (See Chart No. 32.)

Immediate locality.—Observed station is in a field about 10 feet above high water, 6 yards southeast of edge of bank which is washing away, 9 yards south-southwest of point of bank, and 3 yards west of top of bank lined with cedar, walnut, and oak trees. Cement monument marking reference station is 18.69 meters S 24° 06' E of observed station.

Marks.—Observed station is nail in center of 2-inch stub projecting 4 inches above 2-inch tile pipe with top flush with surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

<i>References.</i> —	°	'	"	
"Shaw" (N 68° 12' W).....	0	00	00 $\frac{3}{4}$ mile.
Peak of roof between two chimneys of house..	19	29	$1\frac{5}{8}$ miles.
Near peak of house.....	48	21	$1\frac{1}{8}$ miles.
Peak of near gable of house.....	100	57	$1\frac{1}{4}$ miles.
Nail in blaze in oak tree (20 inches diameter)..	110	47	00 5.21 meters.
Nail in blaze in oak tree (6 inches diameter)..	183	33	40 6.46 meters.
Nail in blaze in oak tree (7 inches diameter)..	213	01	40 13.45 meters.
REFERENCE STATION.....	224	05	50 18.69 meters.
Near corner of house on Bruffis Island.....	355	07	$\frac{3}{4}$ mile.

SHAW.

General locality.—Southern shore of entrance to the branch of Wye River bounding Wye Island on the south on northern end of Bruffis Island about $\frac{3}{8}$ mile southwest of Bordley Point. (See Chart No. 32.)

Immediate locality.—Observed station is in walnut, pine, and cedar woods, about 15 feet above high water, 7 yards southwest of edge of bank, and 100 yards north-northwest of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Won" (N 69° 43' W).....	0	00	00 ½ mile.
Peak of house between two chimneys.....	39	56 ⅞ mile.
Chimney on right end of house.....	77	44 1¼ miles.
Near peak of large barn.....	88	54 1½ miles.
Near peak of house.....	137	02 1½ miles.
Chimney of house.....	174	08 1¼ miles.
Right corner of left piazza post.....	234	04	10 100 yards.
Nail in blaze in walnut tree (28 inches diameter).....	235	00	00 29.32 meters.
Nail in blaze in walnut tree (24 inches diameter).....	268	35	20 24.30 meters.
Nail in blaze in walnut tree (15 inches diameter).....	291	48	10 15.98 meters.

BRUFFS.

General locality.—Eastern shore of Wye River on northwest point of Bruffs Island about ⅜ mile northeast of Bennett Point and ½ mile southwest of Bordley Point. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 10 yards east of shore, 14 yards southwest of shore, 20 yards southeast of point of marsh, and 18 yards west of point of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 7 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Law" (S 2° 07' W).....	0	00	00 ½ mile.
"St. Michaels P. E. Church Spire".....	17	35	20 5½ miles.
"St. Michaels Water Tank".....	17	50	20 5¼ miles.
Cupola of barn.....	38	15	00 4½ miles.
Near peak of large barn.....	54	30 3¾ miles.
Large walnut tree.....	118	55 ½ mile.
Peak between two chimneys of house.....	156	15 ⅞ mile.
Near corner of house.....	184	29 2½ miles.
Right peak of house.....	208	24 ⅞ mile.
Nail in blaze in tree (4 inches diameter).....	257	20	30 17.38 meters.
Nail in blaze in walnut tree (3 inches diameter).....	278	43	50 27.96 meters.
Nail in blaze in cedar tree (4 inches diameter).....	310	49	30 41.27 meters.
Smokepipe of building in woods.....	314	28 200 yards.

LAW.

General locality.—Southeastern shore of Wye River about ¼ mile east of Bennett Point and ⅝ mile southwest of south end of Bruffs Island. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated land about 15 feet above high water, 8 yards southeast of edge of a bluff, 45 yards southwest of a wire fence, 100 yards northeast of a clump of trees, and 150 yards northwest of a black walnut tree at edge of field.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"James" (S 36° 41' W)	0	00	00	1/2 mile.
"Rich Neck Water Tower"	47	20	10	4 1/8 miles.
Chimney of house on Tilghmans Point Farm	57	48		3 3/4 miles.
Cupola of right barn	58	51		3 3/4 miles.
Near peak of large barn	128	41		1 1/4 miles.
Right corner of building in woods	169	31		3/8 mile.
Nail in blaze in cedar tree (4 inches diameter)	182	21	50	38.67 meters.
Left peak of house	199	10		2 miles.
Nail in blaze in black walnut tree (7 inches diameter)	206	30	30	45.23 meters.
Nail in blaze in cedar tree (4 inches diameter)	224	46	40	59.06 meters.
Black walnut tree (18 inches diameter)	284	14		150 yards.
Right corner of barn	297	53		1/4 mile.
Large cedar tree	338	23		100 yards.

JAMES (MILES RIVER).

General locality.—Eastern shore of Miles River at southern side of entrance to Wye River, about 5/8 mile southwest of Bruffs Island and 5/8 mile southeast of Bennett Point. (See Chart No. 32.)

Immediate locality.—Observed station is in a cultivated field about 20 feet above high water, 17 yards east of edge of a bluff at shore, and 14 yards south of edge of a bluff 18 feet high, with uniform slope to shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Frank" (S 3° 18' W)	0	00	00	1/4 mile.
"St. Michaels P. E. Church Spire"	15	09		4 1/2 miles.
"St. Michaels Water Tank"	17	06		4 3/8 miles.
South chimney of house	63	16		4 miles.
South chimney of house on Tilghmans Point farm	97	14		3 1/2 miles.
Right tangent of Tilghmans Point	109	08		3 1/4 miles.
Chimney of small cabin	174	03		1 3/8 miles.
West gable of barn	190	22		2 3/4 miles.
Cupola of barn	297	26		5/8 mile.

FRANK.

General locality.—Eastern shore of Miles River about 1/2 mile south of entrance to Wye River and 1 mile northeast of Herring Island. (See Chart No. 32.)

Immediate locality.—Observed station is in cultivated field about 18 feet above high water, 8 yards east of a bluff washed by high water, and 125 yards south of a ditch. Cement monument marking reference station is 25.51 meters S 87° 47' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—	°	'	"	
"Wood" (S 12° 55' E)	0	00	00	1/4 mile.
"St. Michaels P. E. Church Spire"	32	13		4 1/4 miles.
"St. Michaels Water Tank"	34	18		4 1/8 miles.
East gable of barn	59	33		3 miles.

References—Continued.

	°	'	"	
"Rich Neck Water Tank".....	105	14		3 $\frac{7}{8}$ miles.
South chimney of house on Tilghmans Point farm.....	117	24		3 $\frac{1}{2}$ miles.
Right tangent of Tilghmans Point.....	129	22		3 $\frac{1}{4}$ miles.
South gable of small house.....	185	22		1 $\frac{1}{4}$ miles.
REFERENCE STATION.....	285	08	10	25.51 meters.
Cupola on barn.....	289	06		3 $\frac{3}{8}$ mile.
East chimney of house.....	335	53		1 $\frac{1}{2}$ miles.

WOOD.

General locality.—Eastern shore of Miles River about 1 $\frac{1}{2}$ miles southeast of Bennett Point, 1 $\frac{1}{4}$ miles east-northeast of Herring Island and $\frac{5}{8}$ mile north-northwest of entrance to Woodland Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in a cultivated field about 18 feet above high water, 18 yards east of shore and top of vertical bank 18 feet high, and 3 yards south of a wire fence.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Pearson" (N 65° 24' W).....	0	00	00	3 $\frac{1}{4}$ miles.
Right tangent of Tilghmans Point.....	5	29		3 $\frac{1}{2}$ miles.
Left tangent of marsh on Bennett Point.....	36	49		1 $\frac{1}{8}$ miles.
West gable of barn.....	127	56		$\frac{1}{2}$ mile.
"St. Michaels P. E. Church Spire".....	266	53		4 miles.
"St. Michaels Water Tank".....	269	09		3 $\frac{7}{8}$ miles.
North chimney of house.....	321	42		3 miles.
South chimney of house on Tilghmans Point farm.....	353	51		3 $\frac{5}{8}$ miles.

HERR.

General locality.—In Miles River, on Herring Island, about 1 $\frac{1}{4}$ miles southwest of entrance to Wye River. (See Chart No. 32.)

Immediate locality.—Observed station is on sandy ground in the center of Herring Island, about 2 feet above high water, 30 yards northeast of shore, and 30 yards southwest of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Rich Neck Water Tank" (N 77° 26' W).....	0	00	00	3 miles.
North chimney of house on Tilghmans Point farm.....	16	28		2 $\frac{7}{8}$ miles.
Right tangent of Tilghmans Point.....	31	07		2 $\frac{7}{8}$ miles.
South gable of barn.....	81	37		7 miles.
North chimney of small house.....	108	50		2 $\frac{3}{4}$ miles.
Cupola of barn.....	149	17		1 $\frac{1}{2}$ miles.
North gable of barn.....	198	40		1 $\frac{3}{4}$ miles.
East gable of barn.....	209	40		3 miles.
Left chimney of Seth house.....	333	42		2 miles.
North chimney of house.....	345	25		2 $\frac{3}{8}$ miles.

OLLIE.

General locality.—Eastern shore of Miles River about 1 mile north of entrance to Leeds Creek, and $\frac{3}{4}$ mile northeast of Deep Water Point. (See Chart No. 32.)

Immediate locality.—Observed station is in woods about 8 feet above high water, 6 yards west of edge of bank which is washing rapidly, and 8 yards northeast of large pine tree at edge of bank. Cement monument marking reference station is 14.42 meters N $74^{\circ} 15'$ W of observed station.

Marks.—Observed station is center of 2-inch tile pipe with top flush with surface of ground. Sub-surface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of the ground.

<i>References.</i> —	°	'	''	
"Swing" (S $1^{\circ} 20'$ W).....	0	00	00 $\frac{3}{4}$ mile.
Nail in blaze in pine tree (3 feet diameter)...	25	56	00 7.62 meters.
"St. Michaels Water Tank".....	37	58	20 $2\frac{1}{2}$ miles.
Weather vane on house on Deep Water Point farm.....	57	10 1 mile.
Near peak of house.....	91	55 $1\frac{3}{8}$ miles.
Chimney of house on Tilghmans Point farm.....	130	38 $4\frac{1}{2}$ miles.
Right tangent on Tilghmans Point.....	140	03 $4\frac{1}{2}$ miles.
"Parsons Island Water Tank".....	157	19	40 $7\frac{1}{4}$ miles.
Left tangent of main woods on Bennett Point.....	172	00 3 miles.
Chimney on right end of house in woods.....	180	00 4 miles.
Nail in blaze in pine tree (8 inches diameter).....	240	27 10.56 meters.
REFERENCE STATION.....	284	24	40 14.42 meters.
Nail in blaze in pine tree (7 inches diameter).....	285	22	10 10.55 meters.
Nail in blaze in pine tree (7 inches diameter).....	316	39 12.52 meters.

SWING.

General locality.—Eastern shore of Miles River about $\frac{1}{4}$ mile northwest of entrance to Leeds Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on marsh land between river and small pond about 4 yards east of shore, 18 yards west of pond, 100 yards south of point of woods, and 100 yards northwest of another point of woods. Cement monument marking reference station is 54.35 meters N $62^{\circ} 04'$ E of observed station.

Marks.—Observed station is center of 2-inch tile pipe with top flush with surface of ground. Sub-surface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

<i>References.</i> —	°	'	''	
"Fair" (S $35^{\circ} 08'$ E).....	0	00	00 $\frac{1}{4}$ mile.
Between two chimneys of large house.....	14	25 $2\frac{1}{2}$ miles.
Right one of two dormer windows on old house.....	29	54
Peak between two chimneys of Mulligan house.....	45	39 $1\frac{3}{4}$ miles.
"St. Michaels P. E. Church Spire".....	83	50	20 $1\frac{3}{4}$ miles.
"St. Michaels Water Tank".....	90	00	50 $1\frac{3}{4}$ miles.
Square chimney of large house.....	114	25 $1\frac{1}{4}$ miles.
Weather vane on house on Deep Water Point farm.....	141	42 $\frac{3}{4}$ mile.
Chimney on house on Tilghmans Point farm.....	173	38 5 miles.
Tangent of Tilghmans Point.....	181	51 $5\frac{3}{8}$ miles.
REFERENCE STATION.....	277	12	30 54.35 meters.

FAIR.

General locality.—Eastern shore of Miles River on Fairview Point at northwestern side of entrance to Leeds Creek. (See Chart No. 32.)

Immediate locality.—Observed station is about 2 feet above high water, 9 yards northeast of shore, 16 yards northwest of shore, and 13 yards north of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch file pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Second" (N 36° 37' E)	0	00	00 ¼ mile.
West peak of Oliver house	8	01 1 mile.
Peak of tower on Norris house	19	05 ¾ mile.
Corner post of porch of Rieman house	86	51 ¾ mile.
Near peak of gable on house at Pebbly Beach	125	46 3¼ miles.
Large tree near several buildings in yard	152	40 1¾ miles.
North peak of large house	160	30 1¾ miles.
West chimney of house	181	37 1¾ miles.
"St. Michaels Water Tank"	207	14	50 1¾ miles.
Weather vane on square tower of house on Deep Water Point farm	258	58 1 mile.
Nail in blaze in cedar tree (10 inches diam- eter)	286	52	40 17.37 meters.
Nail in blaze in cedar tree (14 inches diam- eter)	296	47	30 11.15 meters.
Nail in blaze in cedar tree	334	59	10 15.48 meters.

SECOND.

General locality.—Northwestern shore of Leeds Creek about ¼ mile northeast of Miles River. (See Chart No. 32.)

Immediate locality.—Observed station is on small marsh point just east of cedar woods about 1 foot above high water, 5 yards west of shore, 13 yards north of shore, and 25 yards south of bend in shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe, buried with top 2 inches below base of monument.

References.—

	°	'	''	
"But" (N 15° 49' E)	0	00	00 ¾ mile.
South peak of barn	7	50 1 mile.
Near corner of house	24	19 1¼ miles.
Brick smokestack at Tunis Mills	32	27 2½ miles.
Spindle on tower of house	46	46 ¾ mile.
Northeast peak of large building	60	02 ¾ mile.
Cupola on barn	141	11 ½ mile.
Nail in blaze in cedar tree (7 inches diameter)	222	10	10 9.31 meters.
Nail in blaze in cedar tree (8 inches diameter)	249	34	40 5.78 meters.
Nail in blaze in cedar tree (10 inches diam- eter)	281	50	10 6.57 meters.

BUT.

General locality.—Northwestern shore of Leeds Creek, about ¾ mile north of Miles River, and at northeastern side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is on a small marsh point, about 1 foot above high water, 11 yards south-southwest of shore, 8 yards west of point of shore, 7 yards north of shore, 7 yards east of pasture land, 100 yards southwest of a clump of trees, and 6 yards from a line of cedar trees extending north and south.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Aber" (N 54° 17' E)	0	00	00 ¼ mile.
Right corner of large brick house	25	51 ¼ mile.
Spindle on tower of house	45	52 ½ mile.
Right peak of house with two chimneys	93	38 ½ mile.
Right corner of Riemann house	119	04 ¾ mile.
Nail in blaze in cedar tree (4 inches diameter)	190	15	50 9.17 meters.
Nail in blaze in hackberry tree (3 inches diameter)	211	46	00 8.03 meters.
Nail in blaze in water bush (3 inches diameter)	264	34	30 5.42 meters.
Chimney of house	305	01 ½ mile.
South peak of large barn	336	35 ¾ mile.

ABER.

General locality.—Northwestern shore of Leeds Creek, about ¾ mile northeast of Miles River, on point at western side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is on a point covered with cedar trees, about 2 feet above high water, 8 yards southwest of shore, 9 yards north of shore, and 9 yards northwest of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Two" (N 52° 56' E)	0	00	00 ¼ mile.
Near peak of barn cupola	34	49 ¾ mile.
Right corner of large brick house	39	47 ½ mile.
Spindle on tower of house	81	41 ¾ mile.
Weather vane on water tank	113	43 1¼ miles.
Nail in blaze in cedar tree (8 inches diameter)	219	11	50 2.27 meters.
Nail in blaze in cedar tree (4 inches diameter)	242	01	40 7.90 meters.
Nail in blaze in cedar tree (17 inches diameter)	275	09	10 16.97 meters.
South peak of large barn	308	20 ¼ mile.

TWO.

General locality.—Northwestern shore of Leeds Creek on a point, about 1 mile northeast of Miles River, and at southern side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 5 yards west of shore, 6 yards northeast of shore, 7 yards north of extreme end of point, and 25 yards southeast of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Face" (S 51° 58' E).....	0	00	00	¼ mile.
Right peak of barn cupola.....	30	37	..	½ mile.
Peak of tower on house.....	45	25	..	⅜ mile.
Nail in blaze in water bush (2 inches diameter).....	149	46	00	6.23 meters.
Nail in blaze in water bush (2 inches diameter).....	206	13	00	3.02 meters.
Nail in blaze in water bush (2½ inches diameter).....	228	32	50	4.53 meters.
Left peak of large barn.....	277	05	..	⅜ mile.
Cupola on large house.....	301	00	..	1¼ miles.
Near peak of building.....	317	34	..	¼ mile.
Left corner of large brick house.....	348	31	..	⅜ mile.

FACE.

General locality.—Southeastern shore of Leeds Creek, about 1 mile northeast of Miles River, and near northeastern side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is in a field about 5 feet above high water, 130 yards east of bank, 150 yards south of bank, 300 yards west-northwest of large brick house, and 110 yards north-northwest of two very large cedar trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Mais" (S 38° 30' W).....	0	00	00	¼ mile.
Tangent of woods.....	8	57	..	1 mile.
Left corner of house.....	81	46	..	⅜ mile.
Right one of three large cedar trees.....	107	49	..	111 yards.
Near peak of house.....	168	33	..	½ mile.
Brick smokestack at Tunis Mills.....	188	18	40	1½ miles.
West peak of large barn.....	233	34	..	400 yards.
Right corner of large brick house.....	250	38	..	300 yards.
Left peak of barn cupola.....	314	32	..	¼ mile.
Spindle on tower of house.....	342	36	..	⅜ mile.

MATS.

General locality.—Southeastern shore of Leeds Creek about ¾ mile northeast of Miles River and near point at southwestern side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is in western corner of an orchard about 3 feet above high water, 10 yards southeast of top of bank, and 140 yards northwest of a large house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Beak" (S 40° 55' W).....	0	00	00	¼ mile.
Nail in blaze in apple tree (6 inches diameter).....	25	09	40	4.78 meters.
South peak of large barn.....	115	22	..	⅜ mile.
Nail in blaze in apple tree (6 inches diameter).....	155	59	30	8.19 meters.
Nail in blaze in apple tree (5 inches diameter).....	244	28	30	3.72 meters.
Spindle on tower of house.....	264	56	30	137 yards.
Nail in blaze in poplar tree (8 inches diameter).....	302	00	30	14.08 meters.
Weather vane on water tank.....	313	52	30	¾ mile.

BEAK.

General locality.—Southeastern shore of Leeds Creek about $\frac{1}{2}$ mile northeast of Miles River at southwestern side of entrance to a small cove. (See Chart No. 32.)

Immediate locality.—Observed station is near edge of pasture land about 3 feet above high water, 6 yards southwest of edge of bank, 12 yards south of point of bank, 10 yards southeast of edge of bank, 60 yards west of a small cove, and 25 yards northeast of a line of five poplar trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Rieman" (S 35° 51' W).....	0	00	00 $\frac{1}{4}$ mile.
Cupola on St. Michaels primary school.....	18	43 $2\frac{1}{4}$ miles.
Nail in blaze in poplar tree (6 inches diameter).....	118	53	20 7.70 meters.
Weather vane on water tank.....	123	17 1 mile.
South peak of large barn.....	145	12 $\frac{3}{4}$ mile.
Nail in blaze in hackberry tree (5 inches diameter).....	190	23	20 7.77 meters.
Spindle on tower of house.....	200	49 $\frac{1}{4}$ mile.
Southwest peak of large building.....	227	41 $\frac{5}{8}$ mile.
Nail in blaze in cedar tree (4 inches diameter). ..	241	19	50 13.42 meters.
Weather vane on tower.....	302	55 $1\frac{1}{2}$ miles.

RIEMAN.

General locality.—Southeastern shore of Leeds Creek about $\frac{1}{4}$ mile northeast of Miles River. (See Chart No. 32.)

Immediate locality.—Observed station is on small marsh point about 1 foot above high water, 3 yards south of shore, 3 yards northeast of shore, 6 yards east-southeast of extreme end of point, 12 yards west of large cedar tree on point 2 feet higher than station, and 13 yards west-southwest of two large cedar trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Leeds" (S 11° 28' W).....	0	00	00 $\frac{1}{4}$ mile.
"St. Michaels P. E. Church Spire".....	48	11	30 2 miles.
"St. Michaels Water Tank".....	53	23	40 2 miles.
Left piazza post of Fogg cottage.....	57	38 $1\frac{1}{2}$ miles.
Left corner of chimney.....	157	41 $\frac{3}{4}$ mile.
Near corner of house.....	201	57 $1\frac{1}{4}$ miles.
Right corner of house.....	215	58 $\frac{3}{4}$ mile.
Nail in blaze in cedar tree (20 inches diameter).....	246	12	00 11.31 meters.
Nail in blaze in cedar tree (8 inches diameter). ..	274	45	10 16.86 meters.
Left corner of Rieman house.....	340	27 $\frac{1}{4}$ mile.

LEEDS.

General locality.—Eastern shore of Miles River at southern side of entrance to Leeds Creek. (See Chart No. 32.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 11 yards southeast of shore, 23 yards northeast of shore, 27 yards east-northeast of extreme end of point, and 200 yards west-northwest of a large house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Stony" (S 13° 40' W).....	0	00	00	1½ miles.
Near peak of large house.....	13	07	..	1½ miles.
Cupola on schoolhouse.....	49	19	..	1¾ miles.
"St. Michaels Water Tank".....	57	40	20	1¾ miles.
Weather vane on Dodson house.....	103	40	..	1¾ miles.
Chimney of small house.....	166	12	..	¾ mile.
Near peak of Rieman house.....	287	07	..	¾ mile.
Tangent of point.....	347	12	..	27 yards.

JOHNSON.

General locality.—Northwestern shore of Miles River on a point about ¾ mile west-southwest of Miles River Bridge. (See Charts Nos. 32 and 34.)

Immediate locality.—Observed station is on a lawn about 10 feet above high water, 3 yards north-northwest of top of bank, 60 yards northeast of cedar tree 20 inches in diameter in clump of six cedar trees near boat landing, and 74 meters southeast of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Lowndes" (N 72° 02' E).....	0	00	00	½ mile.
Windmill on tower.....	11	40	..	¾ mile.
Left corner of large chimney outside of house.....	35	09	..	¾ mile.
Nail in blaze in pine tree (14 inches diameter).....	48	12	30	11.03 meters.
Spindle on left cupola of barn.....	101	51	..	½ mile.
Right corner of Mumford house.....	114	49	..	½ mile.
Nail in blaze in elm tree (6 inches diameter).....	142	55	10	10.58 meters.
Left side of cedar tree (20 inches diameter).....	136	40	..	57 yards.
Near peak of Dorrance house.....	154	16	..	¾ mile.
Southeast peak of Crown house.....	182	45	..	¾ mile.
Left corner of second story of Lowndes house.....	226	54	..	74 meters.
Right corner of house.....	263	09
Nail in blaze in elm tree (5 inches diameter).....	298	45	40	16.11 meters.
Windmill on tower.....	340	31	..	1 mile.
Windmill on tower.....	346	53	..	¾ mile.

LOWNDES.

General locality.—Northwestern shore of Miles River about ¼ mile southwest of Miles River Bridge. (See Chart No. 32.)

Immediate locality.—Observed station is on a rounded point of marsh about 1 foot above high water, 7 yards northwest of shore, 8 yards west of shore, 9 yards north of shore, 16 yards east-northeast of shore, and 65 yards east-southeast of small locust trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Draw" (N 35° 59' E).....	0	00	00	¼ mile.
Right corner of Lockwood house.....	27	45	..	¾ mile.
Right corner of drawtender's house.....	51	42	..	¾ mile.
Henderson windmill.....	68	50	..	¾ mile.
Near peak of large house.....	116	51	..	½ mile.
Right corner of large house.....	200	22	..	2 miles.
Nail in blaze in locust tree (6 inches diameter).....	294	42	30	19.17 meters.
Windmill at "The Anchorage".....	342	47	..	¾ mile.
Near corner of "The Anchorage".....	348	50	..	¾ mile.
Left corner of second story of Goldsborough house.....	359	59	..	¾ mile.

DRAW.

General locality.—Northwestern shore of Miles River at northwest end of Miles River Bridge and near old Episcopal Church. (See Chart No. 32.)

Immediate locality.—Observed station is on lawn of "The Anchorage" about 4 feet above high water, 9 yards west of plank sea wall, 40 yards southwest of approach to bridge, 60 yards north of corner of plank sea wall, and 85 yards east of a house.

Marks.—Observed station is center point of triangle on standard cement monument with top 5 inches below surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Chap" (N 59° 04' E).....	0	00	00	¼ mile.
Spike in sea wall post.....	7	12	10	7.72 meters.
Near peak of Lockwood boat landing.....	10	15	..	½ mile.
Right corner of second story of Lockwood house.....	15	54	..	½ mile.
Spindle on barn cupola.....	54	46	..	¾ mile.
Spike in sea wall post.....	78	53	00	12.03 meters.
Right corner of second story of Henderson house.....	87	00	..	¼ mile.
Nail in blaze in maple tree (12 inches diameter).....	131	48	50	14.15 meters.
Left corner of log cabin.....	193	18	..	112 yards.
Nail in blaze in maple tree (12 inches diameter).....	195	05	20	14.61 meters.
Right corner main house at "The Anchorage".....	218	17	..	84 yards.
Nail in blaze in pear tree (10 inches diameter).....	254	46	30	7.65 meters.
Right corner of old Episcopal Church.....	302	34	..	120 yards.
Spike in sea-wall post.....	325	20	10	15.32 meters.
Windmill on tower.....	331	51	..	¼ mile.
Lightning rod on tower of Goldsborough house.....	338	00	..	¼ mile.
Corner of stone bridge abutment.....	354	09	..	43 yards.

CHAP.

General locality.—Northwestern shore of Miles River opposite point between Glebe Creek and Goldsboro Creek, about ¼ mile northeast of Miles River Bridge. (See Chart No. 32.)

Immediate locality.—Observed station is on point about 2 feet above high water, 5 yards west of shore, 7 yards northeast of shore, and 9 yards north-northwest of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Villa" (S 61° 08' E).....	0	00	00	¾ mile.
Right corner of 2½-story house.....	48	27	..	¼ mile.
Left peak of boathouse at "The Anchorage".....	112	11	..	¼ mile.
Left corner of "The Anchorage".....	123	26	..	¼ mile.
Left corner of old Episcopal Church.....	129	12	..	¼ mile.
Nail in blaze in locust tree (5 inches diameter).....	165	37	50	13.65 meters.
Left corner of Goldsborough house.....	203	39	..	¾ mile.
Nail in blaze in locust tree (8 inches diameter).....	205	20	00	9.07 meters.
Windmill on tower.....	210	27	..	¾ mile.
Nail in blaze in locust tree (8 inches diameter).....	234	21	30	13.39 meters.
Right peak of brick house.....	275	28	..	¾ mile.
Near peak of wharf house.....	329	55	..	¾ mile.

VILLA.

General locality.—Southeastern shore of Miles River at northern side of entrance to Glebe Creek, about ¾ mile east of Miles River Bridge. (See Chart No. 32.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 11 yards northwest of shore, 17 yards southeast of shore, 30 yards west by south of extreme end of point of marsh, 75 yards northeast of shore, and southwest of a few small trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	''	
"Easton" (S 70° 44' W).....	0	00	00 ¾ mile.
Spindle on cupola of barn near "The Anchorage".....	16	25 ⅝ mile.
Windmill at "The Anchorage".....	20	25 ⅝ mile.
Left corner of tower of old Episcopal Church.....	25	13 ⅝ mile.
Left corner of modern house.....	54	07 ⅝ mile.
Windmill on tower.....	57	49 ½ mile.
Nail in blaze in locust tree (8 inches diameter).....	67	52	00 17.83 meters.
Left corner of "The Villa".....	103	42 ⅝ mile.
Nail in blaze in locust tree (4 inches diameter).....	119	43	00 19.86 meters.
Nail in blaze in persimmon tree (8 inches diameter).....	169	12	00 26.23 meters.
Right corner of large house.....	223	26 ⅝ mile.
Tongue of bell.....	278	19 ½ mile.
Right corner of Henderson house.....	347	37 ⅝ mile.

EASTON.

General locality.—Southeastern side of Miles River on southeastern approach to Miles River Bridge. (See Chart No. 32.)

Immediate locality.—Observed station is on southwest side of cribwork retaining a shell road, 6 inches from downstream edge of cribwork, 7 yards southwest of upstream edge of cribwork, 25 yards southeast of corner of cribwork abutment, 30 yards northwest of extended line of Henderson sea wall, 9 yards southwest by south of nails in side of telephone pole on upstream side of bridge, and 45 yards northwest by west of first telephone pole southeast of bridge on northeastern side of road.

Marks.—Observed station is spindle, 1 inch diameter, on top of 3-inch square timber.

References.—None necessary.

HENDERSON.

General locality.—Southeastern shore of Miles River on a point about ¼ mile southwest of Miles River Bridge. (See Charts Nos. 32 and 34.)

Immediate locality.—Observed station is on a hard marsh point about 1 foot above high water, 6 yards southeast of shore, 8 yards south of shore, 13 yards east of shore, 23 yards north-northeast of point of higher land, and 15 yards north of trees along bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	''	
"Bethel" (S 65° 49' W).....	0	00	00 ¾ mile.
Left corner of second story of Lowndes house.....	25	54 ⅝ mile.
Peak of near gable of house.....	40	54 ⅝ mile.
Windmill at "The Anchorage".....	101	51 ⅝ mile.
Right corner of old Episcopal Church tower.....	112	06 ⅝ mile.
Left corner of Goldsborough house.....	129	54 ⅝ mile.

References—Continued.	°	'	"	
Henderson windmill.....	174	47 1/8 mile.
Nail in blaze in wild-cherry tree (5 inches diameter).....	258	17	30 16.25 meters.
Nail in blaze in locust tree (5 inches diameter).....	306	43	40 13.76 meters.
Nail in blaze in wild-cherry tree (7 inches diameter).....	336	10	10 21.71 meters.

ST. MICHAELS WATER TANK.

General locality.—Western side of Miles River in town of St. Michaels, on north side of Railroad Avenue, near African M. E. Church. (See Charts Nos. 32 and 34.)

Immediate locality.—Observed station is on top of a 60,000-gallon water tank on a steel tower 90 feet high.

Marks.—Observed station is spindle on center of top of water tank.

References.—None necessary.

MILLWIND.

General locality.—Western shore of Miles River at south side of entrance to Long Haul Creek, about 7/8 mile northeast of St. Michaels Water Tank and 5/8 mile south of Deep Water Point. (See Chart No. 32.)

Immediate locality.—Observed station is on edge of cultivated field about 8 feet above high water, 2 yards west of edge of bank, 17 yards south of edge of bluff, and 18 yards south by west of junction of bush-covered bank and washed bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"St. Michaels Water Tank" (S 49° 19' W)....	0	00	00 7/8 mile.
Largest one of group of 3 cherry trees.....	26	45 80 yards.
Nail in blaze in cedar tree (12 inches diameter).....	69	00	00 38.94 meters.
Square chimney of Barnard house.....	88	46 1/2 mile.
Weather vane on square tower on house on Deep Water Point farm.....	125	13 3/4 mile.
North peak of house.....	168	00 1 3/4 miles.
Left chimney of Rieman house.....	221	09 1 1/4 miles.
Right chimney of large modern house on Hunting Creek.....	246	41 2 1/2 miles.
Steeple on building.....	272	37 4 miles.
Nail in blaze in cedar tree (10 inches diameter).....	310	07	00 5.28 meters.
Union M. E. Church spire.....	358	26	20 3/4 mile.

DEEWAT.

General locality.—Western shore of Miles River on Deep Water Point, about 7/8 mile west-northwest of Fairview Point. (See Chart No. 32.)

Immediate locality.—Observed station is on sand and grass point about 2 feet above high water, 8 yards southwest of shore, 7 yards northwest of shore, and 10 yards west of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"St. Michaels Water Tank" (S 33° 08' W)	0	00	00	1½ miles.
Weather vane on Dodson house	53	13		¼ mile.
Tangent of Tilghmans Point	117	58		4¾ miles.
Right tangent of Parsons Island	133	28		7¼ miles.
Large square chimney of Starr house	179	59		2½ miles.
Large chimney of house	212	08		1¾ miles.
Cupola on Rieman house	271	59		1¼ miles.
Tangent of Long Point	287	02		¾ miles.
Steeple	295	04		4½ to 5 miles.
Large chimney of house	297	41		2¾ miles.
Large chimney of house	309	30		2¾ miles.
"St. Michaels P. E. Church spire"	353	40	40	1¾ miles.

SPAR.

General locality.—Southwestern shore of Miles River, about 1 mile southeast of entrance to Hambleton Creek and ¾ mile northwest of Deep Water Point. (See Chart No. 32.)

Immediate locality.—Observed station is on cedar and locust fringed shore, about 4 feet above high water, 11 yards west of shore, 12 yards southwest of shore, and 15 yards south of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sara" (N 39° 19' W)	0	00	00	1 mile.
Chimney of house on Tilghmans Point farm	1	19		4 miles.
Near peak of barn beyond Herring Island	42	38		8¾ miles.
Nail in blaze in oak tree (3 inches diameter)	54	59	00	4.52 meters.
Right tangent of chimney	125	32		1¼ miles.
Tangent of Deep Water Point	181	22		¾ mile.
Nail in blaze in locust tree (3 inches diameter)	240	08	40	6.84 meters.
Nail in blaze in locust tree (4 inches diameter)	279	53	30	3.58 meters.

SARA.

General locality.—Southwestern shore of Miles River, about ¾ miles south-southeast of northern end of Tilghmans Point, 1¼ miles southwest of Herring Island, and on point at eastern side of entrance to Hambleton Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in a cultivated field about 15 feet above high water, 16 yards southwest of a bluff 12 feet high with uniform slope to shore, and 20 yards east of depression 4 feet deep.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Wood" (N 52° 14' E)	0	00	00	2 miles.
West chimney of house	127	40		½ mile.
Nail in blaze in hackberry tree (12 inches diameter)	158	58	50	22.02 meters.
Nail in blaze in cedar tree (12 inches diameter)	204	12	50	12.66 meters.
Right tangent of Tilghmans Point	282	58		¾ miles.
"Parsons Island Water Tank"	297	11		6¾ miles.
South gable of barn	315	40		8 miles.
South gable of house	323	03		6 miles.
South gable of barn	340	49		4 miles.

SETH.

General locality.—Southwestern shore of Miles River, on a point about $2\frac{1}{2}$ miles south of northern end of Tilghmans Point and $\frac{3}{4}$ mile northwest of entrance to Porters Creek. (See Chart No. 32.)

Immediate locality.—Observed station is in clump of cedar trees about 12 feet above high water, 9 yards southwest of top of vertical bank, washed by high water, 50 yards northwest of extreme end of point, and 400 yards northeast of a house. Cement monument marking reference station is 9.56 meters S $67^{\circ} 41'$ W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 12 inches above surface of ground.

<i>References.</i> —	°	'	''	
"Herr" (N $79^{\circ} 07'$ E).....	0	00	00 2 miles.
Nail in blaze in cedar tree (12 inches diameter).....	145	20	20 10.89 meters.
REFERENCE STATION.....	168	34	30 9.56 meters.
Nail in blaze in cedar tree (6 inches diameter).....	219	59	45 4.44 meters.
South gable of house.....	282	12 $5\frac{1}{2}$ miles.
South gable of barn.....	305	34 6 miles.
West gable of house.....	312	30 6 miles.
Cupola on barn.....	356	52 3 miles.

PEARSON.

General locality.—Western shore of Miles River on Tilghmans Point about $\frac{3}{8}$ mile south-southeast of northern end of point. (See Chart No. 32.)

Immediate locality.—Observed station is on wooded bluff about 20 feet above high water, 5 yards west of top of vertical bank at shore, and 100 yards north of first point south of northern end of Tilghmans Point. Cement monument marking reference station is 12.66 meters N $86^{\circ} 03'$ W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

<i>References.</i> —	°	'	''	
"Green" (N $45^{\circ} 46'$ E).....	0	00	00 $3\frac{3}{8}$ miles.
South gable of barn.....	1	14 5 miles.
South chimney of house.....	11	48 $3\frac{1}{2}$ miles.
West chimney of house.....	26	31 $2\frac{1}{8}$ miles.
West gable of barn.....	62	31 $3\frac{1}{2}$ miles.
East gable of barn.....	76	09 4 miles.
West chimney of house.....	111	30 $3\frac{1}{4}$ miles.
North chimney of house.....	125	20 $3\frac{1}{8}$ miles.
Chimney of house.....	130	36 $2\frac{1}{2}$ miles.
Nail in blaze in white oak tree (8 inches diameter).....	178	09	40 5.31 meters.
REFERENCE STATION.....	228	11	00 12.66 meters.
Nail in blaze in white oak tree (12 inches diameter).....	239	19	20 9.99 meters.
South gable of house on Parsons Island.....	317	17 $3\frac{1}{2}$ miles.
South gable of barn.....	350	02 $4\frac{3}{8}$ miles.

DIXON.

General locality.—Southeastern side of Eastern Bay on Tilghmans Point about half way between Eastern Bay and Miles River $\frac{3}{4}$ mile southwest of northern end of point and $1\frac{5}{8}$ miles northeast of Claiborne Wharf. (See Chart No. 32.)

Immediate locality.—Observed station is on top of a 2-story square frame house on Tilghmans Point farm.

Marks.—Observed station is center of upright staff, 3 inches square, set in the center of trapdoor at apex of square roof.

References.—None necessary.

ROD.

General locality.—Eastern shore of the upper part of Harris Creek on southeastern side of entrance to Northeast Branch. (See Charts Nos. 32 and 34.)

Immediate locality.—Observed station is in a cultivated field about 10 feet above high water, 5 yards southeast of shore, and 2 yards southeast of top of bank with uniform slope to shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Otto" (S 0° 41' W).....	0	00	00	$\frac{3}{8}$ mile.
North chimney of house.....	5	31	..	$1\frac{1}{4}$ miles.
East chimney of house at Bozman.....	14	01	..	$2\frac{1}{4}$ miles.
East gable of small barn.....	92	12	..	$\frac{3}{4}$ mile.
North chimney of Warner House.....	108	42	..	$\frac{3}{4}$ mile.
Cupola on tin-roofed barn.....	139	52	..	$\frac{3}{4}$ mile.
Right tangent of barn.....	186	26	..	$1\frac{1}{2}$ miles.
South chimney on Harrison house.....	218	06	..	250 yards.
West gable of barn.....	300	37	..	$\frac{3}{4}$ mile.
Lone persimmon tree (12 inches diameter)...	355	01	..	250 yards.

OTTO.

General locality.—Eastern shore of upper Harris Creek about $\frac{1}{2}$ mile south of junction of Northeast Branch and Northwest Branch. (See Charts Nos. 32 and 34.)

Immediate locality.—Observed station is in a cultivated field about 8 feet above high water, 18 yards east of top of vertical bank 6 feet high washed by high water, and 100 yards north of old fence covered with vines.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Miller" (S 11° 56' E).....	0	00	00	$\frac{1}{4}$ mile.
Nail in blaze of locust tree (4 inches diameter)	18	18	10	28.03 meters.
North chimney of Bridges house.....	43	27	..	$2\frac{1}{2}$ miles.
East chimney of Harrison house.....	56	53	..	1 mile.
Nail in blaze in one of twin locust trees (15 inches diameter).....	70	39	40	12.67 meters.
Left tangent of Seth bathhouse.....	92	43	..	$\frac{1}{4}$ mile.
South gable of Warner barn.....	145	31	..	1 mile.
East chimney of house.....	158	52	..	$1\frac{3}{4}$ miles.
Cupola on tin-roofed barn.....	166	16	..	1 mile.
South chimney of Marion Harrison house....	204	00	..	$\frac{3}{4}$ mile.
North chimney of house.....	264	37	..	$\frac{3}{4}$ mile.
North gable of barn.....	357	54	..	$\frac{1}{4}$ mile.

HADDAWAY.

General locality.—Eastern shore of Chesapeake Bay on Lows Point between Harbor Cove and Haddaway Cove about 2 miles east of north end of Poplar Island. (See chart No. 33.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 65 yards north of shore, 100 yards south of shore, 140 yards east of shore, and 25 yards west of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Valliant" (S 82° 08' W).....	0	00	00 2½ miles.
Left peak of barn on Poplar Island.....	0	21 2¾ miles.
"Bloody Point Bar Light".....	60	23	10 5 miles.
Left chimney on large house.....	80	54 6 miles.
Chimney on middle of large house.....	87	14 5¾ miles.
Peak of house between two chimneys.....	109	00 9½ miles.
Chimney of two-story house.....	125	55 4 miles.
"Kemp Tower".....	127	16	50 4½ miles.
Nail in blaze in pine tree (14 inches diameter).....	139	39	50 36.78 meters.
Nail in blaze in pine tree (12 inches diameter).....	164	52	10 28.77 meters.
Nail in blaze in pine tree (8 inches diameter).....	213	45	20 24.66 meters.
Chimney on ell of house.....	275	10 1¾ miles.
Chimney of house on Poplar Island.....	330	29 2¼ miles.
Chimney of house on Poplar Island.....	359	01 2¾ miles.

VALLIANT.

General locality.—Eastern side of Chesapeake Bay on western shore of Poplar Island about ¾ mile southwest of extreme north end of island. (See Chart No. 33.)

Immediate locality.—Observed station is in cultivated land about 5 feet above high water, 15 yards north by east of a line of small trees, 72 yards east by south of shore at end of line of trees, and 210 yards south by west of point of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Bloody Point Bar Light" (N 4° 58' W)....	0	00	00 4½ miles.
Near peak of large building.....	14	07 5 miles.
Near chimney of large house.....	19	57 6⅞ miles.
Near corner of shanty in field.....	81	17 200 yards.
Chimney of house.....	94	31 ¼ mile.
Flagstaff on Lows Wharf.....	100	59 3 miles.
Chimney of house on point behind trees.....	122	35 2¾ miles.
Chimney of small house.....	164	34 ¾ mile.
Nail in blaze in peach tree (4 inches diameter).....	176	13	44 15.14 meters.
Nail in blaze in persimmon tree (3 inches diameter).....	230	44	00 11.90 meters.
Nail in blaze in peach tree (2½ inches diameter).....	262	51	30 17.83 meters.

POPLAR SOUTH.

General locality.—Eastern side of Chesapeake Bay on Poplar Island on a point of land at southern side of Poplar Island Harbor. (See Chart No. 33.)

Immediate locality.—Observed station is on a sandy marsh about 1 foot above high water, 7 yards west-southwest of shore of harbor, 16 yards east-northeast of bay shore, 60 yards north-northwest of extreme point of largest one of the group of islands known as Poplar Island, and 11 yards north of a lone pine tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sharps Island Light" (S 1° 06' E).....	0	00	00	8 miles.
Near peak of house.....	49	34		11 $\frac{1}{8}$ miles.
Left tower of hotel.....	61	47		9 $\frac{1}{2}$ miles.
Left tangent of house.....	79	30		9 $\frac{1}{2}$ miles.
Left tangent of house.....	101	47		9 miles.
East peak of Howeth house.....	157	38		5 $\frac{3}{8}$ mile.
Lightning rod near east chimney of house....	189	25		1 $\frac{1}{2}$ miles.
Right chimney of Valliant house.....	208	11		3 $\frac{1}{4}$ mile.
"Kemp Tower".....	221	57	10	6 $\frac{1}{2}$ miles.
Left corner of left oyster house at Lowes				
Wharf.....	254	53		2 $\frac{7}{8}$ miles.
Chimney of house.....	262	14		2 $\frac{3}{4}$ miles.
Square cupola.....	336	05		5 miles.
High cupola.....	336	16		5 miles.
Nail in blaze in pine tree (12 inches diam-				
eter).....	345	01	30	10.89 meters.

GREAT.

General locality.—Eastern shore of Chesapeake Bay on Great Marsh Point about 1 mile east of south-east end of Poplar Island. (See Chart No. 33.)

Immediate locality.—Observed station is on marsh point about 2 feet above high water, 40 yards east of shore, 40 yards southeast of shore, 50 yards northeast of shore, and 250 yards from woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sharps Island Light" (S 13° 18' W).....	0	00	00	7 $\frac{3}{4}$ miles.
Howeth house.....	101	17		2 $\frac{3}{8}$ miles.
Near peak of house on Poplar Island.....	121	51		2 $\frac{1}{2}$ miles.
"Bloody Point Bar Light".....	142	18	30	6 $\frac{1}{2}$ miles.
Right end of house.....	295	39		1 mile.
Near peak of house.....	324	02		1 $\frac{1}{2}$ mile.
Chimney of house.....	340	51		3 $\frac{1}{4}$ mile.

FRONT.

General locality.—Eastern shore of Chesapeake Bay about $\frac{1}{4}$ mile north of entrance to Front Creek, $\frac{3}{8}$ mile north of Knapps Narrows, and 1 $\frac{1}{2}$ miles southeast of southeast end of Poplar Island. (See Chart No. 33.)

Immediate locality.—Observed station is about 3 feet above high water, 13 yards north-northeast of shore, 18 yards southeast of shore, 25 yards east of extreme end of point, and near several dead trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sharps Island Light" (S 15° 04' W).....	0	00	00	6½ miles.
Chimney of house.....	127	59		3¼ miles.
Right peak of Valliant house.....	120	49		2¾ miles.
"Bloody Point Bar Light".....	144	10	30	7¾ miles.
Nail in blaze in pine tree (5 inches diameter).....	223	49	20	14.54 meters.
Nail in blaze in pine tree (4 inches diameter).....	274	37	40	11.82 meters.
Nail in blaze in pine tree (4 inches diameter).....	317	37	20	11.95 meters.
Near peak of large barn.....	334	58		1 mile.

WAP.

General locality.—Eastern shore of Chesapeake Bay on a point about 4¾ miles north by east of Sharps Island Light and 1 mile south of Knapps Narrows. (See Chart No. 33.)

Immediate locality.—Observed station is on a point about 3 feet above high water, 56 yards east of extreme end of point, 68 yards north by east of shore, 83 yards south by west of shore, and 3 yards west-northwest of edge of cultivated land.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sharps Island Light" (S 18° 04' W).....	0	00	00	4¾ miles.
Nail in blaze in pine tree (6 inches diameter).....	16	57	00	32.99 meters.
East chimney of Howeth house.....	136	00		4¾ miles.
Chimney of house.....	181	12		1½ miles.
Near peak of house showing over woods.....	200	01		½ mile.
Nail in blaze in persimmon tree (10 inches diameter).....	203	54	50	61.80 meters.
Nail in blaze in persimmon tree (5 inches diameter).....	279	10	00	61.23 meters.
West peak of large house.....	305	27		¾ mile.
Square cupola.....	322	20	20	1 mile.
High cupola.....	323	05	30	1 mile.
Chimney of house with three side gables.....	335	49		¾ mile.
Right tangent of point.....	347	09		1¾ miles.
Left tangent of old hotel building on Sharps Island.....	350	35	40	6 miles.

SOUTHERN M. E. CHURCH.

General locality.—Eastern shore of Chesapeake Bay on Tilghman Island about 1¾ miles north of Blackwalnut Point and 2 miles south of Knapps Narrows. (See Chart No. 33.)

Immediate locality.—Observed station is about ¼ mile inshore from Chesapeake Bay on west side of main road on building known as the St. Johns Chapel (Southern M. E. Church).

Marks.—Observed station is center of bell cupola on church.

References.—None necessary.

BLACK.

General locality.—Eastern shore of Chesapeake Bay on Blackwalnut Point at north side of entrance to Chopstank River about 2¾ miles northeast of Sharps Island Light. (See Charts Nos. 33 and 36.)

Immediate locality.—Observed station is in cultivated land about 8 feet above high water, 35 yards east-northeast of edge of bank, 45 yards west of edge of bank, 65 yards northwest of edge of bank, and 130 yards south of a lone apple tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sharps Island Light" (S 43° 37' W).....	0	00	00	2¼ miles.
Near peak of old house.....	123	10		½ mile.
Lone apple tree.....	133	16		131 yards.
Chimney of house among trees.....	145	38		1¾ miles.
Right chimney of house near water.....	163	31		1 mile.
Right chimney of large house.....	211	27		7 miles.
"Choptank River Light".....	232	11	30	8½ miles.
Near peak of barn.....	253	22		6 miles.
Left chimney of house.....	270	12		3¾ miles.
Chimney outside left end of house.....	283	35		7 miles.
Near peak of old hotel building on Sharps Island.....	337	47		3½ miles.

SHARPS ISLAND LIGHT.

General locality.—Eastern side of Chesapeake Bay off entrance to Choptank River, about 1 mile north-northwest of Sharps Island and 2½ miles southwest of Blackwalnut Point. (See Charts Nos. 33 and 36.)

Immediate locality.—Observed station is on structure with a cylindrical foundation known as Sharps Island Light.

Marks.—Observed station is center point of lantern on Sharps Island Light.

References.—

	°	'	"	
"Black" (N 43° 36' E).....	0	00	00	2¼ miles.

JERE.

General locality.—Eastern side of Chesapeake Bay on Sharps Island, about 1½ miles south-southeast of Sharps Island Light. (See Charts Nos. 33 and 36.)

Immediate locality.—Observed station is on hard ground about 7 feet above high water, 95 yards south-southeast of old hotel building, 95 yards west-southwest of shore, 150 yards southwest of a point, and in such a position that Sharps Island Light shows to the right of the old hotel building.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sharps Island Light" (N 24° 06' W).....	0	00	00	1¼ miles.
Church cupola.....	46	35	50	5¼ miles.
Chimney on left end of roof of large house...	47	44		5 miles.
Chimney of large house.....	104	25		4¼ miles.
Large chimney of large house.....	115	46		4¾ miles.
Chimney on right end of large house.....	142	21		5¾ miles.
Near corner of house.....	346	59		95 yards.

BAR.

General locality.—Western shore of entrance to Harris Creek on Upper Bar Neck Point about 1¾ miles north-northeast of Blackwalnut Point and 1¼ miles south-southeast of Tighman Island Wharf. (See Chart No. 33.)

Immediate locality.—Observed station is in cultivated field about 6 feet above high water, 3 yards west of edge of bank, and 60 yards north of line of trees at edge of marsh. Cement monument marking reference station is 45.81 meters S 83° 00' W of observed station, nearly on line to large lone persimmon tree 15 inches diameter.

Marks.—Observed station is center of 4-inch tile pipe with top about 6 inches below surface of ground. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—	°	'	''	
"Large Water Tank" (S 61° 46' E)	0	00	00	9¼ miles.
Nail in blaze in oak stump	63	18	00	51.17 meters.
Nail in blaze in wild cherry tree	78	58	40	46.66 meters.
Nail in blaze in cedar tree	88	35	30	47.69 meters.
Nail in blaze in lone persimmon tree	144	33	10	49.48 meters.
REFERENCE STATION	144	46	00	45.81 meters.
Right chimney of first house to right of woods	205	39	..	¾ mile.
Schoolhouse cupola	213	11	40	1¾ miles.
Stack of cannery	216	19	..	1¼ miles.
Stack of cannery	227	10	..	1¾ miles.
Right chimney of house showing over woods	239	07	..	2½ miles.
Neavitt schoolhouse cupola	269	25	..	3¼ miles.
Chimney of house	276	58	..	2½ miles.

M. E. CHURCH.

General locality.—Eastern shore of Chesapeake Bay on Tilghman Island, about 2¾ miles north of Blackwalnut Point and ¾ mile south of Knapps Narrows. (See Chart No. 33.)

Immediate locality.—Observed station is on main road about halfway between the shores of Chesapeake Bay and Harris Creek, about ¼ mile east of Tilghman Island Wharf on building known as Tilghman Island M. E. Church.

Marks.—Observed station is center of small square cupola on church.

References.—None necessary.

AVALON.

General locality.—Western shore of Harris Creek on Tilghman Island on point about 100 yards north of shore end of Tilghman Island Wharf. (See Chart No. 33.)

Immediate locality.—Observed station is on marsh and clay point, about 1 foot above high water, 9 yards south of shore, 12 yards northwest of shore, 20 yards north-northwest of northeast corner of a house, about 1 yard east of produced line of end of house, 10 yards north of 2 pine trees, and 6 yards north-northwest of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Narrows" (N 34° 29' E)	0	00	00	¾ mile.
Near peak of house with 2 chimneys	2	47	..	3¼ miles.
Stack of cannery on wharf	8	34	..	¼ mile.
Near peak of house with 2 chimneys	35	40	..	2½ miles.
Chimney next to skylight on highest house on Tilghman Island Wharf	80	38	..	¼ mile.
Stack of cannery	150	07	..	¼ mile.
Nail in blaze in pine tree (14 inches diam- eter)	154	00	30	10.21 meters.
Northeast corner of a house	161	11	50	17.24 meters.
Nail in blaze in northwest side of pine tree (15 inches diameter)	181	14	00	9.81 meters.
Nail in blaze in cherry tree (12 inches diam- eter)	224	12	30	10.66 meters.
Lightning rod on east peak of house	243	47	..	150 yards.
Weather vane on schoolhouse	270	59	10	¼ mile.
Near peak of house with chimney	322	18	..	300 yards.

SCHOOLHOUSE CUPOLA.

General locality.—Eastern shore of Chesapeake Bay on Tilghman Island about 3 miles north of Blackwalnut Point and ½ mile south of Knapps Narrows. (See Chart No. 33.)

Immediate locality.—Observed station is on main road about halfway between the shores of Chesapeake Bay and Harris Creek about ¾ mile northwest of Tilghman Island Wharf on schoolhouse building.

Marks.—Observed station is center of bell cupola on schoolhouse.
References.—None necessary.

PEOPLES CHAPEL.

General locality.—Eastern shore of Chesapeake Bay on Tilghman Island about ¾ miles north of Blackwalnut Point and ¼ mile south of Knapps Narrows. (See Chart No. 33.)

Immediate locality.—Observed station is in the town of Tilghman about ½ mile north of Tilghman Island Wharf on building known as Peoples Chapel.

Marks.—Observed station is center of small square cupola on chapel.
References.—None necessary.

NARROWS.

General locality.—Western shore of Harris Creek about ¼ mile northeast of east entrance to Knapps Narrows, and 1¼ miles west of Change Point. (See Chart No. 33.)

Immediate locality.—Observed station is in cultivated field back of a fringe of trees about 6 feet above high water, 45 yards west-northwest of shore, 15 yards west-northwest of edge of field, 90 yards south-southwest of corner of field, and 145 yards northeast of a point of bank where wire fence meets trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	/	''	
"Eagle" (N 37° 30' E).....	o	oo	oo 1 mile.
Near peak of Morris House with two chimneys	o	41 2¾ miles.
Nail in blaze in wild-cherry tree (6 inches diameter).....	23	33	40 22.07 meters.
Near peak of Wayman house.....	56	08 1½ miles.
Nail in blaze in mulberry tree (7 inches diameter).....	80	59	10 12.90 meters.
"Choptank River Light".....	88	32	oo 8¾ miles.
Nail in blaze in pine tree (12 inches diameter)	110	15	oo 17.83 meters.
Near corner peak of house on Tilghman Island Wharf.....	160	59 ¾ mile.
Left stack of cannery.....	172	51 1 mile;
Near peak of hotel with chimney almost in range.....	183	53 ¾ mile.
"Peoples Chapel".....	206	48	40 ¾ mile.
Near peak of house with one chimney.....	284	38 ¾ mile.
Left peak of house.....	326	02 ¼ mile.

EAGLE.

General locality.—Western shore of Harris Creek on Bald Eagle Point about ¾ mile west of Turkey Neck Point, and 2 miles north-northeast of Tilghman Island Wharf. (See Chart No. 33.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 2 yards west of shore, 45 yards north by west of point of marsh, 150 yards south by east of point of marsh, and 120 yards east of woods. Cement monument marking reference station is 15.41 meters S 88° 35' W of observed station.

Marks.—Observed station is a nail in a cedar stub 4 inches diameter projecting 2 inches above surface of ground. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—

	°	'	''	
"Dunk" (N 0° 42' E).....	0	00	00	1 mile.
Near peak of house on Indian Point.....	20	44	..	1 3/8 miles.
Square chimney of house with ell.....	46	03	..	1 3/8 miles.
Center of chimney of house among trees.....	86	17	..	1 3/4 miles.
Large chimney of house.....	112	42	..	1 1/2 miles.
Right chimney of house.....	131	57	..	1 1/4 miles.
Stack of cannery.....	213	34	..	1 7/8 miles.
REFERENCE STATION.....	267	52	50	15.41 meters.
Near peak of house.....	342	51	..	3/8 mile.

DUNK.

General locality.—Western shore of Harris Creek on Seths Point at northeast side of entrance to Dnn Cove, about 3 miles from the Choptank River. (See Chart No. 33.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 6 yards northwest of shore, 23 yards north-northeast of point, 26 yards northeast of shore of Duns Cove, 12 yards west of shore of Harris Creek, 100 yards east of bushes extending north and south, and 250 yards east of woods. Cement monument marking reference station is 11.22 meters N 78° 54' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of marsh. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—

	°	'	''	
"Hawk" (N 2° 48' W).....	0	00	00	1/2 mile.
Near peak of house with square chimneys....	1	50	..	1 3/8 miles.
Near peak of roof of house with three chimneys	18	22	..	2 miles.
Weathervane on right end of house with two				
chimneys.....	41	35	..	1 3/4 miles.
Near peak of large barn.....	57	14	..	1 mile.
Cupola on Neavitt School.....	129	32	30	1 3/8 miles.
Weathervane on middle of house with two				
chimneys.....	151	00	..	1 3/4 miles.
Chimney on left end of house among trees...	155	53	..	2 miles.
Chimney at left of house among trees.....	204	26	..	1 1/2 miles.
REFERENCE STATION.....	283	54	20	11.22 meters.
Brick house.....	338	06	..	1/2 mile.
Left peak of old house.....	352	04	..	3/8 mile.

HAWK.

General locality.—Western shore of Harris Creek about 1/2 mile north of Seths Point and 1/2 mile west of Indian Point. (See Chart No. 33.)

Immediate locality.—Observed station is in cultivated field about 4 feet above high water and 22 yards northwest of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Dunk" (S 2° 48' E).....	0	00	00	1/2 mile.
Nail in blaze in mulberry tree (8 inches diam-				
eter).....	21	00	30	13.53 meters.
North chimney of Harrison house.....	47	04	..	400 yards.
Dead pine tree with hawk nest in top.....	141	11	..	1/4 mile.
Cupola on house.....	168	35	..	1 1/4 miles.

References—Continued.	°	'	"	
South chimney of house.....	182	46	..	1½ miles.
Chimney of McQuay oyster house.....	227	23	..	1¾ miles.
South gable of barn.....	252	12	..	1¼ miles.
North chimney of house.....	275	58	..	1 mile.
Nail in blaze in hackberry tree (10 inches diameter).....	304	34	..	8.62 meters.
Chimney of house.....	312	35	..	1½ miles.
North gable of barn.....	330	40	..	2¼ miles.

SMITH.

General locality.—Eastern shore of Harris Creek on Smith Point between Briary Cove and Waterhole Cove and about ¾ mile west-southwest of Little Neck Point. (See Chart No. 33.)

Immediate locality.—Observed station is on marsh point, about 1 foot above high water, and 6 yards west of shore. Cement monument marking reference station is 13.44 meters N 62° 39' W of observed station.

Marks.—Observed station is nail in center of 3-inch stub projecting 1 foot above surface of ground. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—	°	'	"	
"Hawk" (S 12° 31' W).....	0	00	00	¾ mile.
Chimney of small house.....	3	01	..	1¼ miles.
North gable of barn.....	21	32	..	1 mile.
North chimney of house.....	26	39	..	½ mile.
North edge of Lamdin house.....	73	32	..	½ mile.
REFERENCE STATION.....	104	49	40	13.44 meters.
South chimney of house.....	140	28	..	¾ mile.
East chimney of house.....	174	38	..	¾ mile.
Chimney of house.....	206	27	..	2 miles.
West gable of McQuay oyster house.....	242	43	..	¾ mile.
Chimney of McQuay house.....	247	39	..	¾ mile.
Chimney of small house.....	270	46	..	¾ mile.
South chimney of Edmonds house.....	288	13	..	¾ mile.
North chimney of house.....	308	16	..	1 mile.

BRIARY.

General locality.—Western shore of Harris Creek, on a point at northeastern side of entrance to Briary Cove, about ¾ mile west of Little Neck Point. (See Chart No. 33.)

Immediate locality.—Observed station is on a marsh point about 10 yards from extreme end of point.

Marks.—Observed station is center of 3-inch cedar stub projecting 8 inches above surface of ground.

References.—

NOTE.—This station was established in 1900 and was not reoccupied or re-marked during oyster survey, although relocated by concluded angles.

VINE.

General locality.—Western shore of Harris Creek about ¼ mile north-northwest of Little Neck Point. (See Charts Nos. 33 and 34.)

Immediate locality.—Observed station is in cultivated field about 7 feet above high water, 6 yards northwest of shore, and 3 yards northwest of top of vertical bank. Cement monument marking reference station is 15.86 meters N 67° 54' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—	°	'	''	
"Smith" (S 58° 54' W).....	0	00	00	7/8 mile.
REFERENCE STATION.....	53	11	50	15.86 meters.
Cupola on barn.....	59	52		1 mile.
South gable of barn.....	91	31		3/4 mile.
Large pine tree.....	182	00		100 yards.
North chimney of house.....	190	50		1 1/4 miles.
West chimney of house.....	210	28		1 3/8 miles.
"Bozman M. E. Church Spire".....	213	43		1 3/8 miles.
Chimney of Bridges kitchen.....	217	27		3/4 mile.
West chimney of house.....	250	29		1/2 mile.
North chimney of house.....	295	45		1/2 mile.
West chimney of Edmonds house.....	309	43		3/4 mile.
Lomax windmill.....	326	00		3 1/2 miles.

CUMMINGS.

General locality.—Western shore of Harris Creek, on point on western side of entrance to Cummings Creek, about 1/2 mile north-northeast of Little Neck Point. (See Charts Nos. 33 and 34.)

Immediate locality.—Observed station is in a cultivated field about 10 feet above high water, 70 yards north of extreme end of point, and 50 yards northwest of lone pine tree near shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Dog" (N 49° 51' E).....	0	00	00	3/8 mile.
West gable of barn at Bozman.....	52	24		1 1/4 miles.
"Bozman M. E. Church spire".....	56	36		1 1/8 miles.
West gable of house.....	60	30		1 1/4 miles.
Lone pine tree near shore.....	75	31		50 yards.
South chimney of house.....	122	51		1 1/2 miles.
West gable of McQuay oysterhouse.....	149	15		1/2 mile.
Cupola on barn.....	225	28		1 1/4 miles.
Cupola on barn.....	286	52		1 1/2 miles.
West chimney of house.....	297	13		1 mile.
West chimney of house.....	337	32		1 1/4 miles.

DAN.

General locality.—Eastern shore of Harris Creek on Little Neck Point about 3/4 mile east-northeast of Smith Point. (See Charts Nos. 33 and 34.)

Immediate locality.—Observed station is on narrow neck of oyster shells, about 35 yards east of south-west corner of McQuay's oysterhouse, 60 yards east of the extreme west end of point, 25 yards west of bank at edge of woods, and 3 yards south of shell path to oysterhouse. Cement monument marking reference station is 21.37 meters S 69° 28' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 5 inches above surface of ground. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—	°	'	''	
"Fox" (N 64° 54' E).....	0	00	00	1/2 mile.
REFERENCE STATION.....	45	37	45	21.37 meters.
Nail in blaze in persimmon tree (4 inches diameter).....	50	32	00	21.84 meters.
Nail in blaze in persimmon tree (6 inches diameter).....	75	34	00	22.99 meters.

References—Continued.	°	'	"	
North chimney of Edmonds house	134	20	..	5/8 mile.
North gable of barn	166	20	..	2 miles.
Stack of cannery at Sherwood	190	40	..	1 1/4 miles.
Cupola on house	210	55	..	1 1/4 miles.
Chimney of small house	227	04	..	1 1/4 miles.
East gable of McQuay oysterhouse	237	37	..	35 yards.
Church spire at Wittman	292	46	..	2 1/2 miles.
Chimney of small house	321	41	..	1 1/2 miles.
Chimney of small house	355	49	..	1 1/2 miles.

EDMOND.

General locality.—Eastern shore of Harris Creek, about 5/8 mile south-southwest of Little Neck Point, and 5/8 mile north-northeast of Indian Point. (See Chart No. 33.)

Immediate locality.—Observed station is in southwest corner of yard of a house about 15 feet above high water, 7 yards southeast of top of bank 15 feet high, and nearly on line with south side of house. Cement monument marking reference station is 16.56 meters S 59° 29' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument.

References.—	°	'	"	
"Dan" (N 21° 25' E)	0	00	00	5/8 mile.
Southwest corner of Edmonds house	83	52	..	35 yards.
REFERENCE STATION	99	06	10	16.56 meters.
North chimney on house	149	51	..	3/4 mile.
North chimney of house	217	13	..	1 1/4 miles.
Chimney of house	245	25	..	1 1/4 miles.
Stack of cannery at Sherwood	261	14	..	1 1/4 miles.
Cupola on house	281	45	..	1 1/8 miles.
East gable of tin-roof barn	316	25	..	1 1/4 miles.
East gable of McQuay's oysterhouse	357	49	..	5/8 mile.

WARRIOR.

General locality.—Western shore of Harris Creek on Indian Point, about 2 1/2 miles north of Change Point. (See Chart No. 33.)

Immediate locality.—Observed station is in cultivated field about 7 feet above high water, 20 yards southeast of shore, 14 yards southeast of top of bank with uniform slope to shore, and 40 yards northeast of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Edmond" (N 29° 15' E)	0	00	00	5/8 mile.
South gable of barn	14	20	..	1/2 mile.
East chimney of house	18	11	..	1 mile.
North chimney of house	55	57	..	3/8 mile.
South chimney of house	99	22	..	1/2 mile.
Chimney of house	119	02	..	1 mile.
North gable of barn	131	35	..	2 miles.
North chimney of house	234	03	..	3/4 mile.
Cupola on house	297	12	..	1 3/4 miles.
South chimney of house	307	56	..	2 miles.
West gable of tin-roof barn	323	41	..	2 1/4 miles.
Chimney on McQuay oysterhouse	354	38	..	1 1/4 miles.

BALL.

General locality.—Eastern shore of Harris Creek about $\frac{3}{4}$ mile south-southeast of Indian Point and 1 mile north of Turkey Neck Point. (See Chart No. 33.)

Immediate locality.—Observed station is in cultivated field about 10 feet above high water, 15 yards east of shore, 8 yards from top of bank, and 50 yards north of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	''	
"Eagle" (S 45° 39' W).....	0	00	00	1 $\frac{1}{4}$ miles.
North chimney of house.....	13	27	..	1 $\frac{1}{8}$ miles.
South chimney of brick house.....	72	08	..	1 $\frac{1}{4}$ miles.
Chimney of house.....	91	35	..	1 $\frac{3}{4}$ miles.
Stack of cannery at Sherwood.....	93	42	..	1 $\frac{3}{4}$ miles.
Cupola on house.....	101	21	..	2 $\frac{1}{2}$ miles.
North gable of barn.....	168	26	..	400 yards.
Northwest corner of Ball house.....	294	38	..	49 yards.
North gable of house.....	310	45	..	$\frac{3}{8}$ mile.
Right tangent of Turkey Point.....	322	24	..	1 $\frac{1}{8}$ miles.
Stack of cannery at Tilghman Island.....	353	02	..	3 $\frac{1}{8}$ miles.

HEN.

General locality.—Eastern shore of Harris Creek on Turkey Neck Point about $\frac{3}{4}$ mile north of Change Point. (See Chart No. 33.)

Immediate locality.—Observed station is in a cultivated field about 8 feet above high water, 9 yards southeast of edge of bank, 17 yards east by north of point of bank at line of trees, and 16 yards east-northeast of edge of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	''	
"Change" (S 6° 09' E).....	0	00	00	$\frac{5}{8}$ mile.
Nail in blaze in cedar tree.....	26	39	10	15.57 meters.
Nail in blaze in cedar tree.....	53	33	50	15.29 meters.
Stack of cannery.....	64	03	..	2 $\frac{1}{4}$ miles.
Lomax windmill.....	87	47	20	1 $\frac{1}{2}$ miles.
Left peak of house with two chimneys.....	129	47	..	1 mile.
Left chimney of brick house.....	157	58	..	1 $\frac{7}{8}$ miles.
Tower of house.....	166	56	..	3 miles.
Near chimney of house.....	193	46	..	1 $\frac{3}{8}$ miles.
Near peak of house.....	245	28	..	$\frac{3}{8}$ mile.
Right peak of house.....	308	30	..	$\frac{3}{8}$ mile.
Nail in blaze in locust tree.....	350	22	00	22.85 meters.

CHANGE, 1910.

General locality.—Eastern shore of Harris Creek on Change Point about 1 $\frac{1}{2}$ miles east of Knapps Narrows. (See Charts Nos. 33 and 34.)

Immediate locality.—Observed station is in cultivated field about 8 feet above high water, 45 yards north-northeast of extreme end of point, 55 yards northwest of edge of bank, 35 yards east of edge of bank, 70 yards southeast by south of corner of wire fence, and 70 yards south-southwest of wire fence.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Nelson 3" (S 53° 21' E).....	0	00	00	1 1/4 miles.
"Windmill".....	5	53	50	9 1/4 miles.
Near peak of house.....	25	43		7 miles.
Chimney of house.....	89	04		2 1/2 miles.
Near peak of house.....	117	29		2 1/2 miles.
Near peak of storehouse on Tilghman Island				
Wharf.....	123	16		1 3/4 miles.
Near peak of house.....	131	01		2 1/2 miles.
Near chimney of brick house.....	210	58		2 1/2 miles.
Right chimney of house.....	278	54		1/4 mile.
Near peak of house.....	307	44		1/8 mile.

CHEF.

General locality.—Eastern shore of Chesapeake Bay on Cook Point at southern side of entrance to Choptank River about 4 miles east of Sharps Island. (See Charts Nos. 33, 36, and 37.)

Immediate locality.—Observed station is in cultivated field about 8 feet above high water, 30 yards inside of fringe of trees parallel with shore, 45 yards southwest of eastern end of fringe of trees, 70 yards east of western end of fringe of trees, and 190 yards northwest by north of gate in fence running east and west.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Sharps Island Light" (N 84° 01' W).....	0	00	00	4 1/2 miles.
Nail in blaze in wild-cherry tree (4 inches diameter).....	18	41	10	31.43 meters.
Nail in blaze in locust tree (5 inches diameter).....	46	09	20	28.53 meters.
Large chimney of house.....	51	57		4 3/4 miles.
Nail in blaze in locust tree (5 inches diameter).....	79	02	50	29.94 meters.
Left peak of house.....	81	21		5 miles.
Near peak of barn.....	98	22		7 1/2 miles.
Nail in blaze in locust tree (6 inches diameter).....	99	50	30	43.16 meters.
Near chimney on largest building in group.....	127	24		6 miles.
Left end of house.....	150	48	30	7 1/2 miles.
"Choptank River Light".....	158	02	10	5 1/2 miles.
Lone persimmon tree.....	165	47		231 yards.
"Large Water Tank".....	177	43	10	6 3/8 miles.
Right chimney outside house.....	194	02		2 1/4 miles.
Chimney on right one of two houses.....	222	37		1/4 mile.
Right peak of barn.....	251	19		1/4 mile.
Right peak of hotel on Sharps Island.....	341	27		4 miles.

DOG.

General locality.—Eastern shore of Cummings Creek about 3/8 mile north of Harris Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about on level with high water, and 16 yards west of clump of myrtle bushes. Cement monument marking reference station is 14.43 meters S 65° 30' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—	°	'	"	
"Cummings" (S 49° 51' W).....	0	00	00 ¾ mile.
East gable of old barn.....	75	03 ¾ mile.
West chimney of house.....	110	30 1¼ miles.
South chimney of house.....	129	00 ¾ mile.
South chimney of house.....	133	50 ¾ mile.
Nail in blaze in pine tree (12 inches diameter).....	136	59	30 35.70 meters.
REFERENCE STATION.....	244	38	10 14.43 meters.
West chimney of house.....	325	16 1¼ miles.
East chimney of house.....	332	55 1¼ miles.
East edge of McQuay's oysterhouse.....	342	26 ⅞ mile.
Chimney of house.....	348	58 2¼ miles.

RABBIT.

General locality.—Western shore of Harris Creek on eastern side of entrance to Cummings Creek about ¾ mile northeast of Little Neck Point. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field, about 8 feet above high water, 6 yards north of shore, 2 yards north of top of bank, and 50 yards east of the extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Koot" (S 52° 52' E).....	0	00	00 ¼ mile.
Nail in blaze in pine tree (6 inches diameter).	20	16	00 3.17 meters.
North gable of barn.....	67	14 ½ mile.
North chimney of house.....	86	05 1 mile.
Stack of cannery at Sherwood.....	118	15 2 miles.
Nail in blaze in pine tree (6 inches diameter).	123	04	30 8.73 meters.
Left edge of barn.....	182	34 1¼ miles.
Left gable of old barn.....	281	42 400 yards.
Chimney of small house.....	315	28 1¼ miles.
Flagstaff on Bozman Hall.....	346	26 ⅞ mile.

GRACE.

General locality.—Northwestern shore of Harris Creek about ⅝ mile east of entrance to Cummings Creek, and 1 mile northeast of Little Neck Point. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, and 5 yards north of the extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Rabbit" (S 82° 20' W).....	0	00	00 ¼ mile.
Nail in blaze in locust tree (12 inches diameter).....	85	01	10 4.64 meters.
North chimney of Miller house.....	145	33 1 mile.
Chimney of small house.....	165	31 ¾ mile.
South chimney of house.....	176	05 ½ mile.
North chimney of house.....	183	08 ¾ mile.
East chimney of house.....	220	03 ½ mile.
West chimney of house.....	249	24 ¾ mile.
North chimney of Bridges house.....	295	26 ¾ mile.
East gable of McQuay's oysterhouse.....	335	44 1 mile.

MINK.

General locality.—Western shore of Harris Creek about 1/2 mile northeast of entrance to Cummings Creek and 1/2 mile northwest of town of Bozman. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 2 yards northwest of shore, and 40 yards northeast of wire and board fence. Cement monument marking reference station is 8.73 meters N 53° 51' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—

	°	'	''	
"Harrison" (N 16° 58' E).....	0	00	00	1/4 mile.
South chimney of Harrison house.....	10	03		2 miles.
South chimney of Miller house.....	32	35		2/3 mile.
North chimney of house.....	45	04		1/2 mile.
Chimney of house.....	86	35		1/2 mile.
Flagpole on Bozman Hall.....	135	42		1/2 mile.
East chimney of house.....	155	07		3/4 mile.
Chimney of small house.....	182	28		3/4 mile.
North chimney of Bridges house.....	190	39		1 mile.
Nail in blaze in locust tree (5 inches diameter).....	240	57	10	12.21 meters.
REFERENCE STATION.....	289	10	20	8.73 meters.
Nail in blaze in mulberry tree (12 inches diameter).....	298	59	30	9.41 meters.

HARRISON.

General locality.—Western shore of upper Harris Creek about 3/4 mile north-northwest of town of Bozman. (See Chart No. 34.)

Immediate locality.—Observed station is in edge of marsh in northeast corner of old apple orchard about 2 feet above high water, 11 yards northwest of shore, 23 yards west of extreme end of point, and 80 yards south-southeast of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Clump" (N 32° 34' E).....	0	00	00	3/8 mile.
North chimney of Miller house.....	30	14		1/2 mile.
South chimney of house.....	51	15		3/4 mile.
North chimney of house.....	58	30		3/8 mile.
Chimney of house.....	107	57		3/8 mile.
Chimney of small house.....	120	55		7/8 mile.
North gable of barn.....	137	19		3/4 mile.
Nail in blaze in apple tree (8 inches diameter).....	173	47	20	9.24 meters.
Center of old gristmill burr partly embedded in ground and about 4 feet diameter.....	270	32		4.87 meters.
Northeast corner of Harrison house.....	301	51		80 yards.

CLUMP.

General locality.—Western shore of upper Harris Creek on a point about 3/4 mile north of town of Bozman. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 2 feet above high water, 6 yards west of shore, and 15 yards east of fringe of locust trees and vines.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	o	'	"	
"Lawn" (N 0° 56' W).....	0	00	00	1/4 mile.
South chimney of Harrison house.....	28	44		1 1/4 miles.
South gable of Harrison barn.....	31	41		1 1/4 miles.
South chimney of small house.....	97	09		1/4 mile.
South chimney of house.....	108	42		1 1/2 miles.
North chimney of house.....	150	09		3/8 mile.
North chimney of house.....	172	07		1/2 mile.
"Bozman M. E. Church spire".....	178	12		1 mile.
South chimney of Harrison lower house.....	221	48		1/4 mile.
Nail in blaze in hackberry tree (6 inches diameter).....	280	58	50	17.75 meters.

MILLER.

General locality.—Eastern shore of upper Harris Creek about 1 mile north of town of Bozman. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 15 feet above high water, 65 yards east of shore, and half way between a barn and a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	o	'	"	
"Pink" (S 30° 58' W).....	0	00	00	3/8 mile.
East gable of barn.....	50	20		1 1/4 miles.
Left corner of Seth bathhouse.....	92	44		3/8 mile.
South chimney of house.....	106	48		1 1/2 miles.
Southwest corner of Miller barn.....	151	31		25.28 meters.
West gable of barn.....	245	51		3/4 mile.
South chimney of Harrison house.....	270	45		1/4 mile.
Northwest corner of Miller house.....	327	46		29.23 meters.
West chimney of house.....	333	51		1 mile.

PINK.

General locality.—Eastern shore of upper Harris Creek about 5/8 mile north of town of Bozman. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 6 yards southwest of shore, 12 yards southeast of extreme end of point, and 200 yards southwest of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 7 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	o	'	"	
"Miller" (N 30° 57' E).....	0	00	00	3/8 mile.
North chimney of Miller house.....	1	44		3/8 mile.
Nail in blaze in twin oak tree (18 inches diameter).....	54	42		9.63 meters.
North chimney of Bridges house.....	191	10		1 mile.
East gable of barn.....	271	02		3/4 mile.
South chimney of house.....	280	19		1 mile.
Cupola on tin-roof barn.....	319	36		1 3/4 miles.
South gable of house.....	335	51		2 1/2 miles.
South chimney of Harrison house.....	342	23		1 1/4 miles.

BOZMAN.

General locality.—Eastern shore of Harris Creek, about $\frac{1}{4}$ mile northwest of town of Bozman and $\frac{3}{4}$ mile east of entrance to Cummings Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in a cleared space about 8 feet above high water, 25 feet southeast of top of vertical bank 8 feet high, and 16 yards north of pine woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 7 inches above surface ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Koot" (S 71° 40' W).....	0	00	00 $\frac{1}{2}$ mile.
South chimney of house.....	74	22 1 mile.
South chimney of house.....	77	10 $1\frac{3}{8}$ miles.
North chimney of Harrison house.....	93	19 $\frac{1}{2}$ mile.
Cupola on tin-roof barn.....	106	41 2 miles.
Chimney of house.....	145	31 $\frac{1}{4}$ mile.
South chimney of house.....	176	17 $\frac{1}{4}$ mile.
Nail in blaze in locust tree (4 inches diameter).....	225	41	30 24.93 meters.
Nail in blaze in pine tree (12 inches diameter).....	238	40	10 22.47 meters.
North chimney of Bridges house.....	347	31 1 mile.

BOZMAN M. E. CHURCH SPIRE.

General locality.—Southeastern shore of Harris Creek in the town of Bozman, on the northwest side of county road leading to Neavitt. (See Chart No. 34.)

Immediate locality.—Observed station is on edifice known as Bozman M. E. Church.

Marks.—Observed station is center of spire on Bozman M. E. Church.

References.—None necessary.

KOOT.

General locality.—Southeastern shore of Harris Creek on a point of land between two coves, about $\frac{3}{8}$ mile southeast of entrance to Cummings Creek, and $\frac{1}{2}$ mile west of town of Bozman. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 6 feet above high water, 10 yards south of shore, 6 yards south of edge of bank 6 feet high, and 200 yards north of a graveyard.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Fox" (S 71° 28' W).....	0	00	00 $\frac{1}{4}$ mile.
Nail in blaze in oak tree (6 inches diameter).....	34	03 7.86 meters.
North chimney of house.....	68	34 $1\frac{1}{4}$ miles.
South gable of old barn.....	86	28 $\frac{1}{4}$ mile.
South chimney of Miller house.....	150	42 $1\frac{1}{8}$ miles.
Chimney of small house.....	161	30 $\frac{3}{4}$ mile.
West chimney of house.....	178	14 1 mile.
Chimney of small house.....	193	32 1 mile.
Flagstaff on Bozman Hall.....	214	42 $\frac{1}{2}$ mile.
Lone cherry tree in Bridges graveyard.....	282	30 200 yards.
North chimney of Bridges house.....	307	06 300 yards.
Nail in blaze in locust tree (6 inches diameter).....	347	25	50 15.29 meters.

FOX.

General locality.—Southeastern shore of Harris Creek on a point of land between two coves about $\frac{1}{4}$ mile south of entrance to Cummings Creek, and $\frac{1}{4}$ mile northeast of Little Neck Point. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, and 26 yards south of the extreme north end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 7 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Koot" (N 71° 28' E)	0	00	00 $\frac{3}{8}$ mile.
North chimney of Bridges kitchen	26	46	 $\frac{1}{4}$ mile.
North chimney of house	150	04	 $\frac{3}{4}$ mile.
East gable of McQuay oyster house	175	43	 $\frac{1}{2}$ mile.
Smoke stack at Sherwood	181	13	 $2\frac{1}{4}$ miles.
East gable of barn	217	41	 1 mile.
North chimney of house	234	01	 $1\frac{1}{4}$ miles.
South chimney of house	265	55	 1 mile.
South chimney of house	289	43	 $1\frac{3}{8}$ miles.
North chimney of old house	321	09	 $1\frac{3}{8}$ miles.
Chimney of small house	347	12	 $1\frac{1}{4}$ miles.
North chimney of house	358	58	 1 mile.

NELSON 3.

General locality.—Northern shore of Choptank River on Nelson Island, between the entrances to Harris and Broad Creeks. (See Chart No. 34.)

Immediate locality.—Observed station is on southwest point of island on marsh about 2 feet above high water, 28 yards north-northeast of extreme end of point, 45 yards northwest of edge of marsh, and 14 yards east of marsh. Cement monument marking reference station is 32.27 meters N $32^{\circ} 05'$ E of observed station.

Marks.—Observed station is center of nail in 3-inch square stub in tile pipe flush with ground. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—

	°	'	''	
"Choptank River Light" (S 56° 09' E)	0	00	00 $5\frac{1}{2}$ miles.
"Large Water Tank"	10	09	50 $7\frac{1}{2}$ miles.
Right chimney of house	31	48	 7 miles.
Near chimney outside of house	45	44	 $5\frac{3}{4}$ miles.
Near peak of barn on Cook Point	67	40	 $5\frac{1}{4}$ miles.
Left peak of hotel on Sharps Island	98	03	 $7\frac{5}{8}$ miles.
"Sharps Island Light"	109	04	20 $7\frac{1}{8}$ miles.
Chimney of house	137	36	 4 miles.
Stack of cannery at Tilghman Island	153	43	 $3\frac{1}{2}$ miles.
Windmill at Tilghman Island	155	12	 $3\frac{1}{2}$ miles.
Chimney of house on Change Point	185	37	 $1\frac{3}{4}$ miles.
Left peak of house	197	50	 $1\frac{1}{2}$ miles.
Chimney of house	254	10	 $2\frac{5}{8}$ miles.
"St. Michaels Church Spire"	259	55	10 $6\frac{1}{4}$ miles.
REFERENCE STATION	268	13	20 32.27 meters.
Left peak of building	293	43	 $2\frac{1}{2}$ miles.
Near peak of house with three chimneys	335	18	 3 miles.

ANNETTE.

General locality.—Western shore of Broad Creek about $\frac{3}{4}$ mile north of Nelson Point, and on south side of entrance to Balls Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, and 4 yards west of shore. Cement monument marking reference station is 9.39 meters N $75^{\circ} 59'$ W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 3 inches above surface of ground.

References.—

	°	'	"	
"Myrtle" (N $15^{\circ} 29'$ E).....	0	00	00 $\frac{5}{8}$ mile.
South chimney of house.....	18	39 $3\frac{3}{8}$ miles.
South chimney of house.....	29	53 $3\frac{3}{4}$ miles.
South gable of barn.....	35	01 $3\frac{1}{2}$ miles.
Chimney of house.....	36	35 $3\frac{1}{2}$ miles.
South gable of barn.....	72	54 2 miles.
West chimney of house.....	102	19 $3\frac{3}{8}$ miles.
"Choptank River Light".....	116	34	40 $6\frac{1}{4}$ miles.
Water tank at Castle Haven.....	123	54 $8\frac{1}{4}$ miles.
North gable of barn on Todd Point.....	148	31 $6\frac{1}{2}$ miles.
Nail in blaze in cedar tree (10 inches diameter)	187	26	00 11.37 meters.
Nail in blaze in cedar tree (10 inches diameter)	235	06	30 16.81 meters.
REFERENCE STATION.....	268	29	40 9.39 meters.

MYRTLE.

General locality.—Western shore of Broad Creek about $1\frac{1}{4}$ miles north of Nelson Point and $\frac{1}{4}$ mile north of Balls Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water and 4 yards northwest of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Annette" (S $15^{\circ} 29'$ W).....	0	00	00 $\frac{5}{8}$ mile.
East gable of house.....	18	33 $\frac{5}{8}$ mile.
Nail in blaze in pine tree (4 inches diameter).	99	49	00 11.51 meters.
Nail in blaze in locust tree (4 inches diameter).....	169	57 5.09 meters.
South chimney of house.....	215	04 $3\frac{1}{4}$ miles.
Chimney of house.....	225	21 $3\frac{1}{2}$ miles.
Chimney of house.....	241	26 2 miles.
West gable on barn.....	255	40 $2\frac{1}{2}$ miles.
North chimney of house.....	268	45 $2\frac{1}{2}$ miles.
Largest tree on Royston Island.....	300	41 $2\frac{3}{4}$ miles.
Water tank at Castle Haven.....	307	09 $8\frac{1}{4}$ miles.

COAL.

General locality.—Western shore of Broad Creek about 2 miles north of Nelson Point and 1 mile west of Deep Neck Point. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 4 feet above high water, 12 yards northwest of shore, 4 yards north of small lone cedar tree, and 200 yards north of pine woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

Survey of Oyster Bars, Talbot County, Md.

References.—	°	'	''	
"Myrtle" (S 44° 23' W).....	0	00	00 7/8 mile.
South gable of Bridges barn.....	136	22 1/4 mile.
South chimney of Bridges house.....	152	03 1/4 mile.
North chimney of house.....	167	18 1 1/2 miles.
South chimney of house.....	170	31 2 1/4 miles.
Chimney of small house.....	203	48 2 3/8 miles.
Chimney of small house.....	209	52 2 3/8 miles.
Chimney of small house.....	272	47 1 1/2 miles.
Largest tree on Royston Island.....	288	22 3 miles.
Left tangent of Nelson Island.....	331	41 2 3/8 miles.

TOBE.

General locality.—Western shore of Broad Creek on point at southern side of entrance to Leadentham Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in edge of cultivated field about 2 feet above high water, 19 yards south of shore, and back of a fringe of myrtle bushes.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Ross" (S 68° 15' E).....	0	00	00 1 1/8 miles.
North edge of house.....	6	29 1 1/4 miles.
South chimney of Bridges house.....	43	44 1/4 mile.
North gable of Bridges barn.....	52	02 3/8 mile.
East chimney of house.....	179	12 1/2 mile.
South chimney of old deserted house.....	264	38 3/4 mile.
Cupola on "Beverly" house.....	297	12 2 1/2 miles.
North chimney of house.....	342	28 3 miles.

WIRE.

General locality.—Southern shore of Leadentham Creek about 1 mile southwest of Mulberry Point, and 1/4 mile southwest of Broad Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 5 feet above high water, 4 yards southeast of shore at top of a vertical bank 5 feet high, and 125 yards west of board fence and row of cedar trees. Cement monument marking reference station is 18.90 meters S 23° 36' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

References.—	°	'	''	
"Tobe" (N 64° 26' E).....	0	00	00 1/4 mile.
South chimney of Bridges house.....	55	31 3/8 mile.
REFERENCE STATION.....	91	58	00 18.90 meters.
North gable of barn.....	160	41 1/2 mile.
Chimney of house.....	238	19 3/4 mile.
North chimney of Fairbank house.....	249	00 3/8 mile.
South chimney of house.....	256	04 1 mile.
South chimney of house.....	320	50 1 mile.
Chimney of small cabin.....	343	22 7/8 mile.

BLANCO.

General locality.—Southern shore of Leadenham Creek about $\frac{3}{8}$ mile west of Broad Creek entrance to creek and $\frac{3}{4}$ mile southwest of entrance to Grace Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in a cultivated field about 9 feet above high water and 13 yards south of edge of vertical bank at shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Fairbanks" (N 30° 58' E).....	0	00	00 $\frac{3}{8}$ mile.
West chimney of house.....	28	00 $1\frac{1}{4}$ miles.
West gable of house.....	37	03 3 miles.
North gable of barn.....	136	49 $\frac{1}{4}$ mile.
South chimney of house.....	308	51 $\frac{1}{2}$ mile.
East chimney of house.....	322	07 $\frac{3}{4}$ mile.
Chimney of house.....	328	19 $\frac{3}{4}$ mile.
West chimney of house.....	356	26 $\frac{3}{8}$ mile.

NED.

General locality.—Southern shore of Leadenham Creek about $1\frac{1}{2}$ miles west of Broad Creek entrance to creek and opposite entrance to Caulk Cove. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 5 yards east of shore, 19 yards south of the extreme end of marsh point, and north of a heavy pine woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Caulk" (N 53° 48' E).....	0	00	00 $\frac{1}{4}$ mile.
West chimney of house.....	15	23 $\frac{3}{8}$ mile.
Nail in blaze in pine tree (12 inches diameter).....	123	06	50 10.47 meters.
Nail in blaze in pine tree (12 inches diameter).....	177	59	10 7.52 meters.
East chimney of house.....	226	43 $\frac{3}{8}$ mile.
Chimney of small house.....	262	10 $\frac{1}{2}$ mile.
East chimney of house.....	286	20 $\frac{3}{4}$ mile.

CAULK.

General locality.—Northern shore of Leadenham Creek about $\frac{3}{4}$ mile west of Broad Creek entrance to creek and $\frac{1}{4}$ mile east-southeast of entrance to Caulk Cove. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh on a wooded shore about 1 foot above high water and 3 yards north of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Fairbanks" (N 84° 28' E).....	0	00	00 $\frac{3}{8}$ mile.
North gable of Bridges barn.....	28	28 1 mile.
West chimney of house.....	125	30 $1\frac{3}{8}$ miles.
East chimney of house.....	172	52 $\frac{5}{8}$ mile.
Nail in blaze in pine tree (5 inches diameter).....	216	17	00 9.74 meters.
Nail in blaze in pine tree (6 inches diameter).....	339	45	20 24.77 meters.
West chimney of house.....	356	03 $\frac{3}{8}$ mile.

FAIRBANKS.

General locality.—Northern shore of Leadenham Creek about $\frac{1}{2}$ mile west of Broad Creek entrance to creek and on first point southwest of entrance to Grace Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 75 yards south of a house and 13 yards north of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is cement of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Pine" (N 50° 00' E).....	0	00	00 $\frac{3}{8}$ mile.
South corner of small house.....	33	48 3 miles.
West gable of Bridges barn.....	80	22 $\frac{3}{4}$ mile.
West chimney of house.....	138	27 $\frac{1}{2}$ mile.
South gable of corn crib.....	257	04 100 yards.
East chimney of house.....	300	34 75 yards.
South gable of barn.....	317	19 300 yards.

PINE.

General locality.—Northern shore of Leadenham Creek on point between entrances to Leadenham Creek and Grace Creek, and about $\frac{1}{2}$ mile west of Broad Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on wooded shore about 5 feet above high water, 5 yards west of shore, 60 yards north of the extreme end of point, and at intersection of two lanes cut through woods. Cement monument marking reference station is 9.52 meters N 67° 25' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument.

References.—

	o	'	"	
"Fairbanks" (S 50° 00' W).....	0	00	00 $\frac{3}{8}$ mile.
REFERENCE STATION.....	52	35	00 9.52 meters.
"Cabin" (staff on west end of cabin).....	161	49	00 $\frac{3}{8}$ mile.
West chimney of house.....	207	11 $\frac{3}{8}$ mile.
North chimney of house.....	219	50 $2\frac{3}{8}$ miles.
South gable of small house.....	235	06 $3\frac{3}{4}$ miles.
South gable of house.....	274	20 $2\frac{1}{2}$ miles.
South chimney of Bridges house.....	284	24 $\frac{3}{4}$ mile.
North gable of Bridges barn.....	290	34 $\frac{3}{4}$ mile.
East chimney of house.....	336	13 $\frac{3}{4}$ mile.

LUNA.

General locality.—Western shore of Grace Creek on a prominent point about $\frac{1}{2}$ mile northwest of Broad Creek entrance to creek. (See Chart No. 34.)

Immediate locality.—Observed station is about 5 feet above high water, 5 yards north of shore, 11 yards west of the extreme end of point, and 3 yards east of a dense growth of small pine trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Cabin" (N 80° 51' E).....	0	00	00 $\frac{1}{4}$ mile.
North chimney of house.....	19	07 $\frac{3}{8}$ mile.
South gable of barn.....	37	30 $\frac{3}{8}$ mile.
North gable of Bridges barn.....	92	10 1 mile.
Nail in blaze in pine tree (5 inches diameter). ..	188	48	10 3.29 meters.
Nail in blaze in pine tree (5 inches diameter). ..	256	00	00 2.61 meters.
West chimney of house.....	287	57 $\frac{1}{4}$ mile.

CABIN.

General locality.—Eastern shore of Grace Creek about 1/2 mile north of Broad Creek entrance to creek. (See Chart No. 34.)

Immediate locality.—Observed station is on west gable of deserted cabin about 10 feet above high water, and 17 yards east of shore.

Marks.—Observed station is a twenty-penny wire nail driven 2 feet below the peak of west gable of a deserted cabin, and surmounted by a staff erected over nail.

References.—None necessary.

SKINNER.

General locality.—Western shore of Broad Creek at eastern side of entrance to Grace Creek, about 3/4 mile west of Mulberry Point. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 3 yards north-east of shore, 42 yards east of the extreme end of point, and 40 yards southwest of a small clump of trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Ross" (S 45° 32' E).....	0	00	00	1 3/4 miles.
South chimney of house.....	5	48	..	2 1/4 miles.
North gable of house.....	21	10	..	2 1/4 miles.
West chimney of Bridges house.....	45	46	..	3/4 mile.
North gable of Bridges barn.....	51	32	..	3/4 mile.
East chimney of house.....	108	33	..	5/8 mile.
North chimney of house.....	163	55	..	1/2 mile.
South chimney of house.....	212	06	..	3/4 mile.
Chimney of cabin.....	228	36	..	1/2 mile.
South gable of barn.....	272	26	..	1/4 mile.
West chimney of house.....	318	07	..	2 miles

BALD.

General locality.—Western shore of Broad Creek on Mulberry Point on northern side of entrance to Leadenham Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 2 yards north of shore, 50 yards west of extreme east end of point, and 40 yards southeast of a rail fence. Cement monument marking reference station is 16.84 meters N 40° 26' W of observed station. Cedar stub marking old triangulation station "Mulberry" is 22.46 meters N 52° 57' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 7 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Old triangulation station "Mulberry" is nail in 2-inch cedar stub projecting 2 inches above surface of ground.

References.—

	°	'	"	
"Tobe" (S 57° 09' W).....	0	00	00	7/8 mile.
East gable of house.....	19	19	..	1 1/4 miles.
East chimney of house.....	47	05	..	1/4 mile.
REFERENCE STATION.....	118	25	00	16.84 meters.
South chimney of Willey house.....	158	43	..	1 1/2 miles.
Cupola on "Beverly" house.....	166	28	..	1 1/4 miles.
OLD TRIANGULATION STATION MULBERRY.....	175	48	40	22.46 meters.
Right tangent of north end of Willey Island..	215	38	..	3/4 mile.
Right tangent of marsh at Deep Neck Point..	286	05	..	1 1/2 miles.
North gable of Bridges barn.....	344	46	..	1 mile.

ROSE.

General locality.—Western shore of upper Broad Creek on a very prominent point about $\frac{3}{8}$ mile north-northeast of Mulberry Point and $\frac{5}{8}$ mile west-northwest of the south end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 2 feet above high water, 4 yards west of end of point, and 20 yards east of point of pine woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Gram" (N 5° 29' W).....	0	00	00 $\frac{1}{2}$ mile.
South chimney of house.....	4	32	 $1\frac{1}{4}$ miles.
South chimney of Willis house.....	42	53	 $\frac{3}{4}$ mile.
Cupola on "Beverly" house.....	53	03	 1 mile.
West chimney of "Beverly" tenant house.....	60	50	 $1\frac{1}{2}$ miles.
West gable of house.....	111	08	 $1\frac{3}{8}$ miles.
North chimney of house.....	136	32	 $2\frac{1}{2}$ miles.
Right tangent of woods on Deep Neck Point.....	179	32	 $1\frac{1}{8}$ miles.
Left tangent of Nelson Island.....	208	24	 $3\frac{3}{4}$ miles.
West gable on Bridges barn.....	225	04	 $1\frac{3}{8}$ miles.
South chimney of house.....	232	29	 $\frac{3}{8}$ mile.
North chimney of house.....	259	06	 $\frac{3}{8}$ mile.
Cupola on barn.....	359	21	 $1\frac{1}{4}$ miles.

GRAM.

General locality.—Western shore of upper Broad Creek about $\frac{3}{4}$ mile north of Mulberry Point and about $\frac{1}{2}$ mile west of upper end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 2 feet above high water, 10 yards west of extreme east end of point, and about $\frac{1}{4}$ mile northeast of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Royal" (N 8° 49' E).....	0	00	00 $\frac{3}{8}$ mile.
North chimney of house.....	12	31	 $\frac{5}{8}$ mile.
North chimney of Price house.....	41	36	 $\frac{3}{4}$ mile.
South chimney of Willey house.....	63	08	 $\frac{1}{2}$ mile.
Cupola on "Beverly" house.....	66	45	 $\frac{3}{4}$ mile.
West chimney of house.....	96	11	 $1\frac{1}{8}$ miles.
Right tangent of woods on Deep Neck Point.....	165	22	 $1\frac{3}{8}$ miles.
North chimney of house.....	231	02	 $\frac{1}{4}$ mile.
South gable of Miller barn.....	313	28	 2 miles.
South chimney of Harrison house.....	316	54	 $1\frac{7}{8}$ miles.
Cupola on barn.....	344	40	 $\frac{3}{4}$ mile.
South chimney of house.....	353	26	 $\frac{3}{4}$ mile.

BENGAL.

General locality.—Western shore of upper Broad Creek about $\frac{3}{4}$ mile west of north end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on narrow marsh point about 1 foot above high water, 4 yards south of shore, 55 yards west of extreme end of point, and north of a fringe of pine and cedar trees along bank. Cement monument marking reference station is 8.81 meters S 52° 34' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	°	'	"	
"Gram" (S 51° 52' E).....	0	00	00	1/2 mile.
Nail in blaze in pine tree (18 inches diameter).....	06	33	50	11.68 meters.
REFERENCE STATION.....	104	26	10	8.81 meters.
Nail in blaze in cedar stump 1 foot high (10 inches diameter).....	109	01	00	9.43 meters.
East chimney of Jump house.....	169	00		1/2 mile.
Belfry on Harrison outhouse.....	201	55		1 1/2 miles.
South chimney of Harper house.....	216	54		3/4 mile.
Cupola on barn.....	251	54		1/2 mile.
South chimney of house.....	266	18		3/4 mile.
"St. Michaels Water Tank".....	268	51		2 miles.
North chimney of house.....	293	15		5/8 mile.
Cupola on "Beverly" house.....	326	00		1 1/4 miles.
North chimney of house.....	343	15		1 1/2 miles.

EASTMAN.

General locality.—Western shore of upper Broad Creek about 1 1/4 miles west-northwest of north end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 2 feet above high water, 12 yards south of extreme end of point, 3 yards northeast of clump of myrtle bushes, and 200 yards east of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Woodill" (N 23° 46' W).....	0	00	00	3/8 mile.
Belfry on Harrison outhouse.....	4	06		1 mile.
South gable of barn.....	12	36		2 miles.
South chimney of Willis house.....	18	31		1 1/4 miles.
Chimney of Burke house.....	22	59		3/4 mile.
North chimney of Harper house.....	38	29		1/2 mile.
North chimney of house.....	82	43		1 mile.
North chimney of house.....	124	09		1 1/8 miles.
Chimney of Sutton house.....	297	13		200 yards.
East chimney of Jump house.....	327	23		1/2 mile.

WOODILL.

General locality.—Western shore of upper Broad Creek about 3/4 mile east of Bozman and 1 1/2 miles northwest of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on wooded shore about 6 feet above high water, 8 yards southwest of shore, and 5 yards north of a pile of oyster shells.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Mars" (S 77° 03' E).....	0	00	00	3/8 mile.
South chimney of house.....	8	38		2 1/8 miles.
Nail in blaze in pine tree (12 inches diameter).....	104	16	20	23.70 meters.
Nail in blaze in pine tree (12 inches diameter).....	166	31	20	16.21 meters.
Belfry on Harrison outhouse.....	238	54		1/8 mile.
South chimney of house.....	251	54		2 miles.

References—Continued.

	°	'	"	
South chimney of Willis house.....	258	51		¾ mile.
Chimney of Burke house.....	272	07		½ mile.
North chimney of Harper house.....	305	59		¾ mile.
Cupola on barn.....	327	48		¾ mile.
North chimney of house.....	350	00		1 mile.

DELTA.

General locality.—Western shore of upper Broad Creek about ¾ mile northeast of Bozman, and 1¼ miles northwest of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 10 yards west of shore, and about 100 yards east of an orchard.

Marks.—Observed station is center point of triangle on standard cement monument projecting 7 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Willis" (N 13° 54' E).....	0	00	00	½ mile.
North chimney of Harper house.....	92	01		½ mile.
Cupola on "Beverly" house.....	103	01		2½ miles.
North chimney of house.....	109	34		2¼ miles.
North chimney of Jump house.....	209	09		¾ mile.
South gable of barn.....	341	14		1 mile.

MARION.

General locality.—Western shore of upper Broad Creek about 2½ miles northwest of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on east side of a tenant house in a cultivated field about 8 feet above high water, 12 yards south of shore, and 12 yards northwest of old open well.

Marks.—Observed station is center of hole drilled in east face of center one of three posts supporting east front of a tenant house, and surmounted by spindle erected over hole.

References.—None necessary.

WILLIS.

General locality.—Eastern shore of upper Broad Creek, on a point at northern side of entrance to a small creek about 2½ miles west of St. Michaels. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point at west edge of yard of a house about 1 foot above high water, 8 yards east of shore, 5 yards west of top of slope, about 4 feet higher than station, and 65 yards southwest of the southwest corner of a house.

Marks.—Observed station is center of 2-inch tile pipe projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe.

References.—

	°	'	"	
"Neptune" (S 15° 36' E).....	0	00	00	¾ mile.
North chimney of house.....	37	51		½ mile.
North gable of house.....	41	18		½ mile.
"Marion" (staff on east side of house).....	70	53	10	¼ mile.
Chimney on Harrison tenant house.....	70	55		¾ mile.
South chimney of Harrison house.....	113	36		¼ mile.
South chimney of Miller house.....	125	01		¾ mile.
South chimney of Harrison house.....	105	07		1¼ miles.
Nail in blaze in cedar tree (15 inches diameter).....	174	34	50	16.59 meters.
South chimney of house.....	182	18		½ mile.
Southwest corner of Willis house.....	246	43		63 yards.
Nail in blaze in cedar tree (5 inches diameter).....	302	55	50	11.81 meters.
Chimney of house.....	356	35		¾ mile.

NEPTUNE.

General locality.—Eastern shore of upper Broad Creek about 2 miles north of Mulberry Point and 2 miles west of St. Michaels. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated garden about 7 feet above high water, 10 yards north of shore, 20 yards east of the extreme end of point, 2 yards north of top of bank with uniform slope to shore, and 40 yards west of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	0	1	''	
"Venus" (S 17° 02' E)	0	00	00	1/8 mile.
North chimney of house	72	41	..	1/2 mile.
Nail in blaze in locust tree (5 inches diameter)	101	55	00	8.67 meters.
Chimney of Harrison tenant house	141	01	..	3/8 mile.
Belfry on Harrison outhouse	153	54	..	5/8 mile.
South gable of house	171	23	..	1 1/4 miles.
West chimney of Willis house	186	57	..	3/4 mile.
North chimney of house	222	44	..	2 miles.
Chimney of Burke house	287	38	..	40 yards.

VENUS.

General locality.—Eastern shore of upper Broad Creek about 1/2 mile north of entrance to Edgar Cove. (See Chart No. 34.)

Immediate locality.—Observed station is on wooded point about 6 feet above high water and 3 yards northeast of edge of a vertical bank 6 feet high. Cement monument marking reference station is 13.28 meters S 79° 28' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument.

References.—

	0	1	''	
"Delta" (N S3° 41' W)	0	00	00	1/4 mile.
South chimney of Miller house	38	50	..	1 mile.
Belfry on Harrison outhouse	45	34	..	3/4 mile.
South gable of barn	55	58	..	1 1/4 miles.
Chimney of Burke house	77	11	..	1/8 mile.
Nail in blaze of twin oak tree (24 inches diameter)	136	06	10	14.17 meters.
REFERENCE STATION	184	13	25	13.28 meters.
Nail in blaze of oak tree (5 inches diameter)	195	36	50	3.48 meters.
West gable of Sutton barn	280	11	..	3/4 mile.
South chimney of house	336	30	..	1/2 mile.

MARS.

General locality.—Eastern shore of upper Broad Creek about 1 mile northwest of north end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 2 feet above high water and 7 yards east of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

Survey of Oyster Bars, Talbot County, Md.

References.—

	°	'	''	
"Royal" (S 69° 17' E)	0	00	00	1/2 mile.
North chimney of house	3	51		1 mile.
North gable of cornerib	105	52		1/2 mile.
West chimney of Sutton house	136	00		1/2 mile.
Right corner of Eastman bungalow	147	10		5/8 mile.
South chimney of house	183	24		3/4 mile.
Chimney of Harrison tenant house	210	33		1 mile.
South chimney of house	232	05		3/8 mile.
North chimney of house	333	35		1 1/2 mile.

ROYAL.

General locality.—Eastern shore of upper Broad Creek about 1/2 mile northwest of north end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 5 yards northeast of shore, 45 yards south of a lone leaning cedar tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Mars" (N 69° 16' W)	0	00	00	1 1/2 mile.
North chimney of house	1	57		1 1/4 miles.
Nail in blaze in red oak tree (3 feet diameter)	92	31	00	76.08 meters.
West chimney of house	113	59		1 1/4 mile.
South chimney of "Beverly" house	178	12		1 mile.
Right tangent of woods on Deep Neck Point	247	53		2 miles.
North chimney of house	273	53		5/8 mile.
North chimney of Sutton house	338	54		1 mile.
West chimney of Jump house	348	18		1 mile.

GRAVE.

General locality.—Eastern shore of upper Broad Creek on point of mainland between Broad Creek and Back Creek about 1/8 mile west of north end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 2 feet above high water, 11 yards northeast of shore, and about 1/4 mile southwest of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Ray" (S 26° 29' E)	0	00	00	1/2 mile.
Right tangent of woods Deep Neck Point	31	14		1 3/4 miles.
North chimney of house	83	25		5/8 mile.
South gable of barn	123	29		1 1/4 miles.
North chimney of Jump house	132	30		1 3/8 miles.
South chimney of house	172	29		3/8 mile.
South chimney of Preece house	249	57		1/4 mile.
Cupola on "Beverly" house	300	07		3/4 mile.
North chimney of Willey house	309	23		1/4 mile.

RAY.

General locality.—Eastern shore of Broad Creek on western side of Hambleton Island about 1/2 mile north of the south end of island, and 5/8 mile northeast of Mulberry Point. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 4 yards east of shore, and 13 yards west of fringe of small trees at top of bank near edge of cultivated field.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of marsh. Subsurface mark is center of a 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Willey" (S 7° 15' E).....	0	00	00	3/8 mile.
Right tangent of woods Deep Neck Point....	23	27		1 1/8 miles.
West gable of Bridges barn.....	55	34		2 miles.
East chimney of house.....	73	30		1 mile.
North chimney of house.....	100	33		3/4 mile.
North chimney of house.....	126	25		1 3/4 miles.
South chimney of house.....	159	58		1 1/4 miles.
Nail in blaze in cedar tree (6 inches diameter).....	245	59	10	11.08 meters.
Nail in blaze in wild cherry tree (7 inches diameter).....	303	17	50	20.52 meters.

WILLEY.

General locality.—Eastern shore of Broad Creek on southern end of Hambleton Island about 5/8 mile north of Cedar Point. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 15 feet above high water, and 50 yards north of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Bald" (S 87° 48' W).....	0	00	00	3/4 mile.
North chimney of house.....	39	42		1 mile.
Chimney of house.....	57	22		2 miles.
South chimney of house.....	75	32		1 1/8 miles.
Chimney of "Beverly" tenant house.....	117	34		7/8 mile.
Cupola on outhouse.....	180	21		3/4 mile.
Chimney of house.....	194	37		1 1/2 miles.
West chimney of house.....	208	32		1 1/2 miles.
North gable of barn.....	230	19		2 1/2 miles.
Left tangent of Nelson Island.....	304	30		3 3/8 miles.
East chimney of house.....	353	02		1 7/8 miles.

JUDGE.

General locality.—Western shore of Back Creek on a prominent point on eastern side of Hambleton Island about 1/2 mile north of Edge Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 2 feet above high water, 7 yards west of the extreme end of point, and 8 yards east of a cut inshore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Willey" (S 14° 47' W).....	0	00	00	1/2 mile.
Lone cedar tree.....	51	09		95 yards.
South chimney of Willey house.....	136	07		1/2 mile.
North chimney of house.....	142	22		3/4 mile.
West chimney of "Beverly" house.....	164	37		1/2 mile.
East chimney of "Beverly" tenant house.....	204	55		3/8 mile.
Chimney of house.....	238	00		1/2 mile.
East chimney of house.....	265	10		3/8 mile.
North chimney of house.....	290	54		3/4 mile.
Right edge of small house.....	328	18		3 miles.

THELMA.

General locality.—Western shore of Back Creek on northern part of Hambleton Island, about 1 mile north of Edge Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in front yard of a house about 6 feet above high water, 3 yards west of shore, 20 yards southeast of a house, and nearly on line with south side of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Elmore" (N 23° 18' E).....	0	00	00 3/8 mile.
Chimney on oyster house.....	17	11 1 1/8 miles.
Cupola on "Beverly" house.....	59	33 1/4 mile.
West chimney of house.....	105	48 3/4 mile.
North chimney of house.....	225	57 1 1/4 miles.
Nail in cherry tree (12 inches diameter).....	235	51	50 14.47 meters.
Northeast corner of Willey house.....	296	30	30 17.78 meters.
North chimney of house.....	324	01 1/4 mile.
"St. Michaels P. E. Church spire".....	352	44	20 1 5/8 miles.

ELMORE.

General locality.—Western shore of Back Creek, about 3/8 mile north of north end of Hambleton Island and 1 1/4 miles south of St. Michaels. (See Chart No. 34.)

Immediate locality.—Observed station is near edge of a cultivated field, about 6 feet above high water, 5 yards south of edge of vertical bank at shore, and 20 yards west of extreme end of point of marsh.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Beverly" (N 29° 48' E).....	0	00	00 1/4 mile.
Chimney of house.....	11	31 1 mile.
Chimney of oyster house.....	20	30 3/4 mile.
Chimney of house.....	27	51 1/2 mile.
Nail in blaze in cedar tree (12 inches diameter).....	118	21	20 5.40 meters.
Cupola on "Beverly" house.....	136	42 1/4 mile.
Nail in blaze in locust tree (5 inches diameter).....	155	41	50 5.39 meters.
South chimney of Willey house.....	175	20 3/8 mile.
North chimney of house.....	211 1/4 mile.
"St. Michaels Water Tank".....	338	25 1 3/8 miles.
"St. Michaels P. E. Church spire".....	344	08	30 1 1/4 miles.

BEVERLY.

General locality.—Eastern shore of Back Creek, about 3/4 mile south of St. Michaels, and 5/8 mile north of north end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on sandy marsh point about 1 foot above high water, 8 yards northeast of shore and south of a heavy growth of small pine trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Ansley" (S 9° 09' E).....	0	00	00	1/4 mile.
North chimney of "Beverly" house.....	15	53	..	1/2 mile.
North chimney of Willey house.....	36	43	..	5/8 mile.
North gable of barn.....	51	28	..	3/8 mile.
East gable of house.....	110	02	..	1 mile.
Chimney of small deserted house.....	114	57	..	3/4 mile.
Nail in root of cedar stump.....	154	50	..	1.56 meters.
Nail in blaze in cedar tree (10 inches diameter).....	243	21	20	5.65 meters.
Chimney of house.....	277	31	..	1/4 mile.
North chimney of house.....	293	12	..	3/8 mile.
Northeast peak of small outhouse.....	313	02	..	1/2 mile.

SAMUEL.

General locality.—Eastern side of Back Creek on northern side of small creek, about 1 mile south of St. Michaels and 3/4 mile northeast of north end of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is on point near edge of cultivated field, about 6 feet above high water, 15 yards north of shell covered shore, and 30 yards northwest of extreme end of marsh point, and near a number of small cedar and locust trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Ansley" (S 20° 10' W).....	0	00	00	1/4 mile.
West chimney of "Beverly" kitchen.....	0	48	..	5/8 mile.
North chimney of Willey house.....	16	12	..	3/4 mile.
North chimney of house.....	31	57	..	1/2 mile.
Nail in blaze in locust tree (5 inches diameter).....	99	48	20	6.47 meters.
Nail in blaze in cedar tree (12 inches diameter).....	188	22	00	13.64 meters.
Chimney of small house.....	215	22	..	3/8 mile.
Chimney of oyster house.....	252	12	..	250 yards.
North chimney of house.....	276	00	..	1/4 mile.
Chimney of old deserted house.....	317	21	..	3/4 mile.

ANSLEY.

General locality.—Eastern shore of Back Creek, about 1 mile south of St. Michaels, 1/2 mile northeast of north end of Hambleton Island, and 1/8 mile south of entrance to a small creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 3 yards south of shore and in center of triangle formed by three pine stubs driven flush with marsh to support theodolite. Cement monument marking reference station is 21.25 meters N 71° 13' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument.

References.—	°	'	"	
"Samuel" (N 20° 10' E).....	0	00	00	1/4 mile.
Nail in blaze in pine tree (12 inches diameter).....	35	33	50	18.74 meters.
REFERENCE STATION.....	51	02	40	21.25 meters.
Nail in blaze in pine tree (18 inches diameter).....	66	12	00	12.72 meters.

References—Continued.

	°	'	"	
Cupola on "Beverly" house.....	179	34	..	¼ mile
North chimney of Willey house.....	205	52	..	½ mile.
North chimney of house.....	253	19	..	¾ mile.
South gable of barn.....	323	55	..	¾ mile.

HARPER.

General locality.—Eastern shore of Back Creek on a prominent point opposite north end of Hambleton Island about 1½ miles south of St. Michaels. (See Chart No. 34.)

Immediate locality.—Observed station is in the northwest corner of yard of a house about 4 feet above high water, 13 yards south of edge of a stone sea wall, and 55 yards northwest of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Judge" (S 3° 05' E).....	0	00	00	¾ mile.
Left tangent of Nelson Point.....	34	24	..	4¼ miles.
North chimney of Willey house.....	81	54	..	¼ mile.
East chimney of house.....	115	40	..	2½ miles.
South chimney of house.....	128	25	..	¼ mile.
South gable of barn.....	180	40	..	1¼ miles.
"St. Michaels Water Tank".....	188	28	..	1¾ miles.
Nail in pecan tree (24 inches diameter).....	237	42	40	20.29 meters.
Northwest corner of "Beverly" kitchen.....	315	47	..	54 yards.
Nail in leaning locust tree.....	348	34	..	18.72 meters.

TAFT.

General locality.—Eastern shore of Back Creek about 2 miles south of St. Michaels, ½ mile north of Edge Creek, and nearly opposite extreme eastern point of Hambleton Island. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 7 feet above high water, 12 yards east of shore, 15 yards north of edge of a bank 6 feet above marsh, and 5 yards east of edge of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Hopkins" (S 9° 00' E).....	0	00	00	¾ mile.
Nail in blaze in cedar tree (10 inches diameter).....	34	26	00	13.43 meters.
South chimney of Willey house.....	144	19	..	¾ mile.
North chimney of house.....	153	14	..	¾ mile.
North chimney of "Beverly" house.....	164	54	..	½ mile.
East chimney of "Beverly" tenant house.....	160	23	..	¾ mile.
Chimney of house.....	239	16	..	¼ mile.
West chimney of Hopkins house.....	283	21	..	300 yards.
Nail in blaze in cedar tree (15 inches diameter).....	356	21	..	21.59 meters.

HOPKINS.

General locality.—Northern shore of Edge Creek on eastern side of entrance to Back Creek about ¾ mile north-northeast of Cedar Point. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 8 feet above high water, 15 yards north of shore, 20 yards from three small cedar trees near shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Spencer" (S 43° 22' E).....	0	00	00	¾ mile.
North gable of barn.....	25	30		2¼ miles.
Right tangent of pine woods on Deep Neck Point.....	84	37		1¼ miles.
Left edge of barn roof.....	107	32		2 miles.
Chimney of house.....	137	23		1½ miles.
South chimney of house.....	195	15		1¼ miles.
West chimney of "Beverly" house.....	205	21		¾ mile.
West chimney of house.....	234	13		¾ mile.
Chimney of house.....	336	04		1 mile.
South chimney of house.....	343	28		¾ mile.

SPENCER.

General locality.—Northern shore of Edge Creek at western side of entrance to Solitude Creek about 1 mile east of Broad Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 4 yards north-east of shore, and 21 yards northwest of extreme end of point, with a long bar of oyster shells extending 65 yards into creek. Cement monument marking reference station is 11.22 meters N 8° 44' E of observed station.

Marks.—Observed station is nail in 3-inch cedar stub projecting 4 inches above surface of marsh. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	o	'	"	
"Hopkins" (N 43° 22' W).....	0	00	00	¾ mile.
South gable of barn.....	36	01		¼ mile.
REFERENCE STATION.....	52	05	10	11.22 meters.
Chimney of house.....	96	18		¾ mile.
West chimney of house.....	110	51		¾ mile.
South chimney of house.....	180	45		1¼ miles.
West chimney of house.....	201	47		1¼ miles.
Chimney of small house.....	243	19		1½ miles.
East chimney of house.....	306	49		2¼ miles.
East gable of house.....	316	57		2¾ miles.
South chimney of house.....	345	29		2 miles.

MARSHALL.

General locality.—Northern shore of Edge Creek opposite Elberts Cove about 1¼ miles east of Cedar Point at Broad Creek entrance to creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 6 feet above high water, 16 yards northeast of shore, 3 yards northeast of an old row of fence posts, 13 yards northwest of wire fence and line of cedar trees, and 125 yards west of an old deserted house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 7 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Holly" (S 13° 25' E).....	0	00	00	½ mile.
West chimney of house.....	21	00		¾ mile.
North gable of house.....	62	58		1 mile.
North gable of barn.....	75	45		1¼ miles.

Survey of Oyster Bars, Talbot County, Md.

References—Continued.

	°	'	"	
East chimney of house.....	120	35	..	2¼ miles.
Chimney of house.....	162	45	..	1½ miles.
East chimney of house.....	176	04	..	¾ mile.
Lone dead tree (18 inches diameter).....	206	48	..	125 yards.
West chimney of old deserted house.....	288	17	..	125 yards.
Nail in blaze in cedar tree (5 inches diameter).....	214	43	10	12.55 meters.
West chimney of house.....	340	56	..	1½ miles.

CLARK.

General locality.—Northern shore of Edge Creek on western side of entrance to Spencer Creek about 1½ miles east of Cedar Point. (See Chart No. 34.)

Immediate locality.—Observed station in cultivated field behind a fringe of locust and cedar trees about 6 feet above high water, 17 yards north of shore, and 35 yards northwest of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Holly" (S 26° 12' W).....	0	00	00	¾ mile.
East chimney of house.....	12	39	..	¾ mile.
Nail in blaze in locust tree (7 inches diameter).....	72	11	..	7.58 meters.
East chimney of deserted house.....	97	34	..	¼ mile.
South chimney of house.....	142	23	..	½ mile.
West gable of Hammond wharf house.....	180	40	..	¾ mile.
North chimney of house.....	216	23	..	¾ mile.
South gable of house.....	255	52	..	¾ mile.
North chimney of house.....	276	48	..	1 mile.
West chimney of house.....	295	05	..	¾ mile.
West chimney of house.....	314	52	..	¾ mile.
Nail in blaze in cedar tree (6 inches diameter).....	323	03	40	3.67 meters.

HOLLY.

General locality.—Southern shore of Edge Creek about 2 miles east of Broad Creek and nearly opposite entrance to Spencer Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about on level with high water, 13 yards north of a fringe of cedar trees and 100 yards west of a cove. Cement monument marking reference station is 11.68 meters S 14° 24' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	°	'	"	
"Marsh" (N 62° 58' W).....	0	00	00	¾ mile.
East gable of barn.....	3	14	..	2¾ miles.
South chimney of house.....	28	36	..	1¼ miles.
Chimney of small house.....	44	51	..	¾ mile.
Chimney of deserted house.....	54	38	..	½ mile.
Chimney of large house.....	125	00	..	¾ mile.
South chimney of house.....	162	20	..	1¼ miles.
Nail in blaze in holly tree (8 inches diameter).....	256	50	40	12.88 meters.
REFERENCE STATION.....	257	21	50	11.68 meters.
Nail in blaze in tree (6 inches diameter).....	293	42	00	14.35 meters.
East chimney of house.....	303	31	..	½ mile.

MARSH.

General locality.—Southern shore of Edge Creek at eastern side of entrance to Elbert Cove about 1½ miles east of Broad Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 18 yards west of shore, 27 yards south of extreme north end of point, and 35 yards north of an old fence line with a row of cedars. Cement monument marking reference station is 13.58 meters S 14° 47' W of observed station.

Marks.—Observed station is nail in 3-inch cedar stub projecting 5 inches above surface of ground. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—

	°	'	''	
"Clark" (N 66° 24' E).....	0	00	00 ½ mile.
Chimney of house.....	11	54 1 mile.
West gable of barn.....	19	43 1¾ miles.
South chimney of house.....	37	31 1½ miles.
REFERENCE STATION.....	128	23	10 13.58 meters.
South chimney of house.....	195	10 1 mile.
East gable of barn.....	234	19 2¾ miles.
South chimney of house.....	260	24 2½ miles.
East chimney of house.....	296	34 ¾ mile.

CEDAR.

General locality.—Eastern shore of Broad Creek on Cedar Point at southern side of entrance to Edge Creek about ⅝ mile south of south end of Hambleton Island and ⅓ mile east-northeast of Deep Neck Point. (See Chart No. 34.)

Immediate locality.—Observed station is on a hard oyster shell bank about 3 feet above high water, 3 yards south of shore, and in front of a thicket of cedar and oak trees. Cement monument marking reference station is 11.16 meters S 27° 55' E of observed station.

Marks.—Observed station is nail in center of 2-inch cedar stub projecting 2 inches above surface of ground. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	°	'	''	
"Willey" (N 4° 24' W).....	0	00	00 ⅝ mile.
"St. Michaels Water Tank".....	8	03 3¼ miles.
West chimney on house.....	26	29 1¾ miles.
Cupola on house.....	52	10 1 mile.
East chimney of house.....	54	03 1¼ miles.
North chimney of house.....	79	29 1½ miles.
REFERENCE STATION.....	150	28	10 11.16 meters.
Nail in blaze in twin oak tree (12 inches diameter).....	168	20	00 6.14 meters.
Nail in blaze in elm tree (12 inches diameter).....	213	09	50 4.13 meters.
North chimney of house.....	270	59 1¾ miles.
East gable of house.....	284	43 1½ miles.
East chimney of house.....	308	11 1¼ miles.
East chimney of house.....	330	38 1¾ miles.
South chimney of house.....	351	51 2 miles.

ROSS.

General locality.—Eastern shore of Broad Creek on Deep Neck Point about 1 mile south-southeast of Mulberry Point and ½ mile west-southwest of Cedar Point. (See Chart No. 34.)

Immediate locality.—Observed station is on wooded shore about 10 feet above high water, and 6 yards southeast of top of vertical bank which is washing rapidly. Cement monument marking reference station is 14.94 meters S 61° 43' E of observed station.

Survey of Oyster Bars, Talbot County, Md.

Marks.—Observed station is center of 2 inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below bottom of surface pipe. Reference station is center point of triangle on standard cement monument.

<i>References.</i> —	o	1	''	
"Cedar" (N 65° 14' E).....	0	00	00	1½ miles.
Nail in blaze in pine tree (18 inches diameter).....	22	11	30	16.32 meters.
REFERENCE STATION.....	53	03	10	14.94 meters.
Nail in blaze in pine tree (15 inches diameter).....	81	02	20	11.81 meters.
Left tangent of Nelson Point.....	156	27	..	2¾ miles.
South gable of Bridges barn.....	212	06	..	1 mile.
South gable of house.....	226	21	..	1½ miles.
South chimney of house.....	243	18	..	1¾ miles.
South chimney of house.....	263	21	..	1 mile.
Cupola on barn.....	288	25	..	2½ miles.
"St. Michaels Water Tank".....	306	04	..	3½ miles.
"St. Michaels P. E. Church Spire".....	308	18	..	3¾ miles.
East chimney of house.....	320	33	..	1¾ miles.

COOK.

General locality.—Eastern shore of Broad Creek about 1¾ miles north of Choptank River and ½ mile south of entrance to Bridge Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on point of marsh about 1 foot above high water and 2 yards east of shore. Cement monument marking reference station is 11.63 meters N 61° 29' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

<i>References.</i> —	o	1	''	
"Ross" (N 4° 06' E).....	0	00	00	1¼ miles.
East chimney of house.....	11	56	..	1¼ miles.
Nail in blaze in cedar tree (6 inches diameter).....	54	02	20	13.79 meters.
REFERENCE STATION.....	57	23	00	11.63 meters.
Nail in blaze in persimmon tree (8 inches diameter).....	73	37	30	9.79 meters.
Left tangent of Nelson Island.....	228	18	..	2 miles.
North gable of barn.....	293	09	..	2¼ miles.
South gable of Bridges barn.....	321	47	..	1½ miles.
South chimney of house.....	343	04	..	2½ miles.
South chimney of house.....	354	47	..	3½ miles.

PEARY.

General locality.—Eastern shore of Broad Creek about 1 mile north of entrance to Broad Creek, 1¾ miles north of Royston Island, and 1¾ miles east-northeast of Nelson Point. (See Chart No. 34.)

Immediate locality.—Observed station is on wooded shore about 6 feet above high water. 3 yards east of vertical bank, which is washed by high water, 100 yards south of north end of pine woods. Cement monument marking reference station is 20.93 meters N 43° 30' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 3 inches above surface of ground. Reference station is center point of triangle on standard cement monument.

References.—	°	'	''	
"Roys'" (S 17° 35' E).....	0	00	00	1½ miles.
Left tangent of Cook Point.....	44	53	..	6¾ miles.
Right tangent of Nelson Point.....	96	09	..	1¾ miles.
East chimney of house.....	117	03	..	2 miles.
East gable of Parlett house.....	131	52	..	2¾ miles.
South gable of barn.....	168	59	..	1¾ miles.
Nail in blaze in pine tree (15 inches diameter).....	233	25	40	17.49 meters.
REFERENCE STATION.....	241	04	50	20.03 meters.
Nail in blaze in pine tree (15 inches diameter).....	307	35	10	15.45 meters.

IRISH.

General locality.—Northeastern shore of Choptank River on west side of entrance to Irish Creek, about ¾ mile northeast of Royston Island. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land, about 5 feet above high water, 13 yards east-northeast of edge of bank, 5 yards north of foot of bank, 4 yards north of a cedar tree, 10 yards west of a small cedar tree at west end of line of locust trees, and 23 yards east-southeast of rounded point of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Pont'" (N 13° 04' E).....	0	00	00	½ mile.
Near peak of building.....	25	49	..	1¾ miles.
Nail in blaze in locust tree (2 inches diameter).....	68	52	50	16.33 meters.
Left peak of house.....	98	15	..	5¾ miles.
Left peak of barn.....	123	13	..	1 mile.
Nail in blaze in cedar tree (7 inches diameter).....	152	52	10	4.29 meters.
Near peak of house.....	185	06	..	5 miles.
Nail in blaze in cedar tree (2 inches diameter).....	206	33	40	6.24 meters.
"Sharps Island Light".....	230	10	20	9 miles.
Near peak of house.....	291	12	..	3¾ miles.
Near peak of barn.....	348	54	..	300 yards.

ROYS.

General locality.—Northeastern side of Choptank River on southern end of Royston Island, about ½ mile southwest of entrance to Irish Creek. (See Chart No. 34.)

Immediate locality.—Observed station is about 5 feet above high water, 15 yards north of shore, 25 yards east of shore, and 25 yards northeast of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Choptank River Light'" (S 44° 37' E).....	0	00	00	3⅝ miles.
"Large Water Tank".....	9	09	00	5⅝ miles.
Peak of large barn.....	49	44	..	4½ miles.
Right peak of barn.....	71	08	..	5¾ miles.
Windmill.....	71	16	..	5¾ miles.
"Sharps Island Light".....	109	16	30	8¾ miles.
Church spire.....	134	43	..	6 miles.

Survey of Oyster Bars, Talbot County, Md.

References—Continued.

	°	'	"	
Church spire	134	47	..	6 miles.
Large spire	134	57	..	6 miles.
Windmill	146	07	..	5¾ miles.
Chimney of house	170	03	..	3 miles.
Near peak of large barn	200	28	..	3½ miles.
Nail in blaze in oak tree (3 inches diameter)	215	43	10	10.64 meters.
Nail in blaze in oak tree (3 inches diameter)	281	24	20	6.22 meters.
Nail in blaze in cedar tree (5 inches diameter)	358	28	40	15.92 meters.

PONT.

General locality.—Western shore of Irish Creek on point about ½ mile north of Choptank River entrance to creek. (See Chart No. 34.)

Immediate locality.—Observed station is in pasture land, about 5 feet above high water, 3 yards west of edge of bank, 30 yards south-southwest of point of bank, 35 yards north by west of point of bank, and ⅛ mile northeast of 2½-story frame house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Sticky" (N 14° 01' W)	0	00	00	¼ mile.
Nail in blaze in locust tree (5 inches diameter)	25	36	50	24.71 meters.
Right peak of barn	43	34	..	⅝ mile.
Left peak of house	80	10	..	1 mile.
Near peak of barn	143	06	..	⅝ mile.
Near peak of 2½-story house	231	32	..	⅞ mile.

STICKY.

General locality.—Western shore of Irish Creek about ¾ mile from Choptank River entrance to creek. (See Chart No. 34.)

Immediate locality.—Observed station is on small marsh point about 1 foot above high water, 8 yards east of shore, 8 yards west of shore, 4 yards south of a 3-foot terrace covered with small cedar and pine trees, and 23 yards north-northeast of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Vue" (N 89° 43' E)	0	00	00	½ mile.
Left peak of large house	2	04	..	1 mile.
Right corner of house	47	19	..	⅞ mile.
Near peak of house	92	58	..	⅞ mile.
Nail in blaze in pine tree (6 inches diameter)	231	25	40	8.72 meters.
Nail in blaze in pine tree (4 inches diameter)	244	49	10	9.85 meters.
Nail in blaze in pine tree (4 inches diameter)	269	21	30	8.63 meters.
Near peak of barn	317	55	..	½ mile.

VUE.

General locality.—Northern shore of Irish Creek, about $\frac{3}{4}$ mile from Choptank River entrance to creek. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 4 yards west-northwest of shore, 5 yards northeast of shore, and 8 yards north of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Ila" (S 2° 45' W)	0	00	00 $\frac{1}{4}$ mile.
Right peak of barn	49	28 $\frac{5}{8}$ mile.
Right peak of house	52	30 $\frac{5}{8}$ mile.
Nail in blaze in cedar tree (4 inches diameter)	160	52	10 24.91 meters.
Nail in blaze in cedar tree (12 inches diameter)	186	14	40 45.03 meters.
Left corner of house	265	31 400 yards.
Left peak of house	271	30 $\frac{3}{8}$ mile.
Near peak of house	311	21 $\frac{1}{2}$ mile.
Right corner of house	352	34 $\frac{5}{8}$ mile.

IIA.

General locality.—Eastern shore of Irish Creek, about $\frac{1}{2}$ mile from Choptank River entrance to creek, on a point at north side of entrance to a cove. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 5 feet above high water, 3 yards south-southwest of edge of bank, 20 yards northeast of edge of bank at trees, 17 yards southeast of point of bank, and 23 yards east by north of point of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Creek" (S 16° 51' W)	0	00	00 $\frac{1}{2}$ mile.
Nail in blaze in locust tree (3 inches diameter)	13	57	30 16.07 meters.
Nail in blaze in locust tree (4 inches diameter)	28	06	10 10.32 meters.
Nail in blaze in locust tree (3 inches diameter)	53	06	20 21.36 meters.
Left corner of barn	59	17 $\frac{1}{2}$ mile.
Near peak of barn	130	36 $\frac{3}{4}$ mile.
Left corner of left chimney of house	155	18 $\frac{5}{8}$ mile.
Left peak of house	191	36 $\frac{5}{8}$ mile.
Left peak of house	222	01 $\frac{1}{2}$ mile.
Left corner of left chimney of large house	265	09 $\frac{3}{8}$ mile.
Right peak of house	334	56 $\frac{5}{8}$ mile.

CREEK.

General locality.—Northeastern shore of Choptank River on east side of entrance to Irish Creek, about $\frac{5}{8}$ mile east-northeast of Royston Island. (See Chart No. 34.)

Immediate locality.—Observed station on marsh point about 1 foot above high water, 11 yards south-east of shore, 11 yards east of shore, 17 yards north-northeast of shore and 14 yards south of cut in shore.

Survey of Oyster Bars, Talbot County, Md.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	''	
"Dot" (S 17° 34' W)	0	00	00	4½ miles.
Right corner of house	118	45		¾ mile.
Right corner of house	146	12		1¼ miles.
Left peak of house	184	09		1½ miles.
Left corner of large chimney	230	02		¾ mile.
Near peak of large building	354	09		5¾ miles.

BENONI 2.

General locality.—Northern shore of Choptank River on Benoni Point at western side of entrance to Tred Avon River, about 1¾ miles northwest of Choptank River Light. (See Chart No. 34.)

Immediate locality.—Observed station is about 5 feet above high water, 9 yards south-southwest of foot of knoll and edge of marsh, 4 yards northeast of edge of bank, 25 yards east-southeast of point of bank, 30 yards north by west of point of marsh, and 100 yards southwest of a cove. Cement monument marking reference station is 7.45 meters N 42° 02' E of observed station.

Marks.—Observed station is nail in center of stub projecting 4 inches above a 4-inch tile pipe with top of pipe flush with surface of ground. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

<i>References.</i> —	°	'	''	
"Choptank River Light" (S 40° 01' E)	0	00	00	1¼ miles.
"Large Water Tank"	13	10	20	3½ miles.
Left corner of house	65	40		4½ miles.
Nail in blaze in water bush	181	09	10	7.68 meters.
Nail in blaze in water bush	231	34	40	4.54 meters.
Near peak of small house	245	50		1¾ miles.
Left corner of burnt house	261	14		2 miles.
REFERENCE STATION	262	02	40	7.45 meters.
Peak of near gable of large house	277	30		1¾ miles.
Nail in blaze in water bush	288	09	40	10.40 meters
Left corner of house	306	56		1¾ miles

MUTTON.

General locality.—Western shore of Tred Avon River opposite town of Oxford, about 1¼ miles north-northeast of Benoni Point. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 5 feet above high water, 13 yards west of edge of tree-fringed bank at edge of strip of marsh, 20 yards southwest of edge of bank, and 25 yards northeast of edge of bank at bend.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	''	
"Choptank River Light" (S 6° 44' E)	0	00	00	2¼ miles.
Right corner of barn	70	54		¼ mile.
Near corner of barn	108	44		600 yards.
Center of chimney outside of house	161	53		¼ mile.
Near corner of house	214	32		½ mile.
Nail in blaze in persimmon tree (12 inches diameter)	223	57	20	18.44 meters.
Nail in blaze in cedar tree (8 inches diameter)	242	32	30	13.48 meters.
Nail in blaze in cedar tree (10 inches diameter)	279	04	40	11.80 meters.
Nail in blaze in locust tree (6 inches diameter)	354	18	20	17.18 meters.

TRED.

General locality.—Western shore of Tred Avon River about ½ mile west of Oxford. (See Chart No. 34.)

Immediate locality.—Observed station is about on level with high water, 2 yards west of shore of marsh strip, 6 yards east of foot of a bank, 6 feet high, 30 yards south by east of small house among trees, 13 yards south by east of end of fence, and 20 yards north of small point of marsh strip. Cement monument marking reference station is 4.98 meters N 68° 24' W of observed station and at foot of bank.

Marks.—Observed station is nail in center of cypress stub projecting 5 inches above 4-inch tile pipe with top of pipe flush with surface of ground. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	°	'	''	
"Choptank River Light" (S 0° 22' E).....	0	00	00 2½ miles.
REFERENCE STATION.....	111	59	00 4.98 meters.
Near peak of small house.....	171	43 29 yards.
Windmill on wooden tower.....	212	46 1¾ miles.
Left peak between two chimneys of large house.....	238	08 1½ miles.
Left peak of Oxford wharf house.....	277	22 ¾ mile.
Windmill.....	324	51 1 mile.

BELLEVUE.

General locality.—Western shore of Tred Avon River at Bellevue steamboat landing about ¾ mile northwest of Oxford steamboat landing. (See Chart No. 34.)

Immediate locality.—Observed station is on south side of roadway pier to Bellevue wharf, about 16 yards south by west of a crab house, and 25 yards west of wharf house.

Marks.—Observed station is center of 3-inch square staff 12 feet high.

References.—

Right corner of storehouse.....	N. E.	16.00 meters.
Left corner of wharf house.....	E. by N.	24.25 meters.
Right corner of wharf house.....	E. by S.	24.18 meters.
Center one of four nails in plank.....	N. by E.	3.42 meters.
Center one of four nails in plank.....	E. by S.73 meters.
Center one of four nails in plank.....	W. by N.82 meters.

TAR.

General locality.—Western shore of Tred Avon River on point between Tar Creek and Plaindealing Creek about 1½ miles north of Oxford steamboat wharf. (See Chart No. 34.)

Immediate locality.—Observed station is on a long point about 4 feet above high water, 10 yards east-northeast of Tar Creek, 9 yards north by west of point of bank, 10 yards northwest by west of edge of bank, 6 yards west-southwest of edge of bank, and 60 yards west by north of extreme end of point of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Peck" (S 55° 15' E).....	0	00	00 ½ mile.
Spindle on left cupola of long barn.....	10	35 1½ miles.
Stack of ice plant at Oxford.....	52	20 1¾ miles.
Weather vane on barn cupola.....	105	41 ¾ mile.
Left peak of 2½-story frame house.....	128	04 ½ mile.
Right corner of frame house.....	203	00 127 yards.
Front peak of frame house.....	246	08 ½ mile.
Left peak of cupola.....	337	08 ¾ mile.

PECK.

General locality.—Northeastern shore of Tred Avon River on Peck Point about 1 mile northeast of Oxford Steamboat wharf. (See Chart No. 34.)

Immediate locality.—Observed station is in woods about 8 feet above high water, 4 yards north of edge of bank, 4 yards northwest of edge of bank, and 8 yards east of edge of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Tall" (S 82° 32' E).....	0	00	00 ½ mile.
Spindle on left cupola on long barn.....	41	55 1¾ miles.
Right peak of building with cupola.....	82	05 ¾ mile.
Nail in blaze in locust tree (6 inches diameter).....	83	59	10 2.80 meters.
Left corner of large 2½-story house.....	150	40 1¾ miles.
Spindle on barn cupola.....	160	35 1¾ miles.
Nail in blaze in cherry tree (4 inches diameter).....	200	59	20 5.65 meters.
Nail in blaze in persimmon tree (3 inches diameter).....	314	22	30 3.93 meters.

TALL.

General locality.—Northwestern shore of Tred Avon River on a prominent point 1¾ miles northeast of Oxford steamboat wharf. (See Chart No. 34.)

Immediate locality.—Observed station is among cedar and wild pear trees about 2 feet above high water 7 yards northwest of shore, 40 yards east by north of shore, and 50 yards north-northeast of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of the ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Plain" (N 25° 25' E).....	0	00	00 ¾ mile.
Right peak of house.....	37	35 1¾ miles.
Top of roof of tower.....	65	17 ¾ mile.
Nail in blaze in cedar tree (6 inches diameter).....	79	02	30 2.62 meters.
Spindle on barn cupola.....	105	15 1¾ miles.
Spindle on left cupola of large barn.....	135	04 1 mile.
Nail in blaze in cedar tree (5 inches diameter).....	162	48	30 4.65 meters.
Right peak of Oxford wharf house.....	211	08 1¾ miles.
Nail in blaze in cedar tree (5 inches diameter).....	218	45	30 6.90 meters.
Spindle on top of water tank.....	240	35 1½ miles.
Nail in blaze in cedar tree (8 inches diameter).....	308	46	40 3.08 meters.

PLAIN.

General locality.—Western shore of Tred Avon River about ½ mile west of north side of entrance to Trippe Creek, and 1¾ miles south-southwest of Double Mills wharf. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 3 feet above high water, 5 yards southwest of shore, 10 yards west of shore at first water bush, and 150 yards northwest of point of shore. Cement monument marking reference station is 17.90 meters S 55° 16' E of observed station.

Marks.—Observed station is nail in center of 2-inch stub in center of 2-inch tile pipe with top of stub projecting 12 inches above surface of ground. Subsurface mark is another 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 2 inches above surface of ground.

<i>References.</i> —	°	'	''	
"Spin" (N 1° 18' W).....	0	00	00 5/8 mile.
Near peak of very large house.....	7	50	 3/4 mile.
Center of cupola on wharf house at Double Mills.....	19	00	 1 3/8 miles.
Spindle on barn cupola.....	34	02	 1 1/2 miles.
REFERENCE STATION.....	126	01	20 17.90 meters.
Spindle on left cupola on long barn.....	174	45	 1 3/8 miles.
Windmill.....	205	40	 1 1/8 miles.
Near peak of large house.....	246	46	 5/8 mile.
Near peak of house.....	318	18	 5/8 mile.

SPIN.

General locality.—Western shore of Tred Avon River on a point of land between two small creeks about 3/4 mile north-west of entrance to Trippe Creek, and 7/8 mile south-southwest of Double Mills wharf. (See Chart No. 34.)

Immediate locality.—Observed station is in pasture land near 4 large trees about 10 feet above high water, 20 yards north by west of bank edge, 30 yards west by north of point of bank and 90 yards north-east of a slight cut in the bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	''	
"Martin" (N 32° 01' E).....	0	00	00 3/8 mile.
Left corner of large frame house.....	12	37	 1 mile.
Nail in blaze in pine tree (34 inches diameter).....	23	28	00 9.74 meters.
Near corner of brick house.....	45	26	 1/2 mile.
Nail in blaze in cedar tree (14 inches diameter).....	10	47	50 10.45 meters.
Nail in blaze in holly tree (17 inches diameter).....	180	28	 6.90 meters.
Nail in blaze in mulberry tree (30 inches diameter).....	213	54	20 7.01 meters.
Windmill.....	231	53	 3/8 mile.
Right corner of house.....	278	13	 3/8 mile.
Right corner of very long frame house.....	350	46	 3/8 mile.
Cupola on Double Mills wharf house.....	358	18	 3/8 mile.

MARTIN.

General locality.—Western shore of Tred Avon River about 1 mile north-northwest of entrance to Trippe Creek, and 1/2 mile southwest of Double Mills wharf. (See Chart No. 34.)

Immediate locality.—Observed station is on a long narrow point about 2 feet above high water, 8 yards southwest of shore, 11 yards north of piling protecting shore, 30 yards northwest of extreme end of point, and 14 yards east of middle one of three apple trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center point of 2-inch tile pipe buried with top 2 inches below base of monument.

Survey of Oyster Bars, Talbot County, Md.

References.—	°	'	"	
"Neva" (N 24° 39' E).....	0	00	00 ¾ mile.
Spindle on cupola of Double Mills wharf house	4	12 ¾ mile.
Left peak of large 2½-story house.....	29	27 ½ mile.
Right corner of brick house.....	96	51 ¾ mile.
Nail in blaze in apple tree.....	224	29	50 21.72 meters.
Nail in blaze in apple tree (8 inches diameter).....	234	06	20 16.72 meters.
Left corner large house.....	247	10 146 yards.
Nail in blaze in apple tree (6 inches diameter).....	250	47	20 12.89 meters.
Left corner house.....	313	03 ¼ mile.
Left peak of roof of house.....	347	41 ¾ mile.

NEVA.

General locality.—Western shore of Tred Avon River at Double Mills wharf about 1¾ miles north of entrance to Trippe Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in southeast corner of a pasture about 3 feet above high water 100 yards west-southwest of Double Mills wharf 5 yards west-southwest of wire and lath fence at road, 14 yards north of bank 1 foot high at river, and 14 yards northwest of corner post of fence.

Marks.—Observed station is center of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Robertson" (N 11° 57' E).....	0	00	00 ¾ mile.
Spindle on cupola on Double Mills wharf house.....	63	00 100 yards.
Nail in blaze in horse chestnut tree (8 inches diameter).....	89	03	40 5.86 meters.
Right corner of right chimney outside of house.	92	03 ¼ mile.
Right corner of brick house.....	152	08 ¾ mile.
Spindle on left cupola on long barn.....	173	02 2¾ miles.
Right corner of house.....	267	40 250 yards.
Nail in blaze in linden tree (10 inches diameter).....	315	58	30 20.30 meters.

ROBERTSON.

General locality.—Northwestern shore of Tred Avon River about ¾ mile north of Double Mills Wharf and ¾ mile west of end of Long Point. (See Chart No. 34.)

Immediate locality.—Observed station is on grassy land about 2 feet above high water, 7 yards north of shore, 2 yards south of fence, 3 yards east of a few very small cedar trees, and 40 yards west of cedar trees on high land beyond gully.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Stretch" (S 88° 57' E).....	0	00	00 ¼ mile.
Windmill on wooden tower.....	9	47 1 mile.
Right corner of building.....	40	22 ½ mile.
"Aye" (weather vane on largest barn cupola)	46	18	26 ½ mile.
Right corner of house.....	60	22 ½ mile.
Weather vane on Double Mills Wharf house..	93	29 ¾ mile.
Right peak of large house.....	116	33 ¾ mile.
Nail in blaze in fence post.....	175	05	10 4.47 meters.
Nail in blaze in fence post.....	214	15	20 2.27 meters.
Nail in blaze in fence post.....	306	04	50 1.80 meters.

STRETCH.

General locality.—Western shore of upper Tred Avon River on Long Point at south side of entrance to Maxmore Creek about ½ mile northeast of Double Mills Wharf. (See Chart No. 34.)

Immediate locality.—Observed station is on a rounded marsh point about 1 foot above high water, 16 yards west-northwest of shore, and 22 yards west-southwest of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	o	'	"	
"May" (N 71° 30' E).....	0	00	00 ¾ mile.
Near peak of barn cupola.....	34	22 ⅝ mile.
"Aye" (weather vane on largest barn cupola).....	100	20	10 ¾ mile.
Right corner of quarter house.....	100	39 ¾ mile.
Right corner of large house.....	120	16 ¾ mile.
Weather vane on Double Mills Wharf house..	154	44 ½ mile.
Chimney among trees.....	275	51 ¾ mile.

MAY.

General locality.—Northwestern shore of upper Tred Avon River about ⅜ mile east of entrance to Maxmore Creek and ⅞ mile northeast of Double Mills wharf. (See Chart No. 34.)

Immediate locality.—Observed station is at point of woods on marsh about 1 foot above high water, 10 yards west-northwest of shore, 11 yards north of shore, and 20 yards east of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	o	'	"	
"Peebee" (N 48° 14' E).....	0	00	00 ¾ mile.
Left corner of house.....	10	43 ¾ mile.
Left corner of large house.....	56	43 1 mile.
Spindle on barn cupola.....	75	59 ½ mile.
"Aye" (weather vane on largest barn cupola).....	165	46	40 ⅝ mile.
Weather vane on Double Mills Wharf house..	190	15 ⅞ mile.
Nail in blaze in pine tree (8 inches diameter).....	269	50	00 6.81 meters.
Nail in blaze in pine tree (4 inches diameter).....	290	09	50 9.39 meters.
Nail in blaze in cedar tree (6 inches diameter).....	316	15	00 6.44 meters.

PEEBEE.

General locality.—Western shore of upper Tred Avon about ¼ miles northeast of Double Mills Wharf and ⅜ mile northwest of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 4 feet above high water, 6 yards southwest of edge of bank, 14 yards west-northwest of edge of bank, 16 yards northwest of extreme point of bank, 50 yards northeast of a clump of cedar trees, and 400 yards east of dense woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	o	'	"	
"Neck" (N 28° 58' E).....	0	00	00 ¼ mile.
Spindle on barn cupola.....	32	39 ½ mile.
Nail in blaze in cedar tree (16 inches diameter).....	68	50	10 9.08 meters.
Left corner of house among trees.....	114	40 ¾ mile.
Left corner of frame building showing through cedar trees.....	193	46 1 mile.
Nail in blaze in cedar tree (7 inches diameter).....	305	54	00 16.90 meters.
Nail in blaze in cedar tree (12 inches diameter).....	328	43	00 9.83 meters.
Peak of building.....	358	14 2 miles.

NECK.

General locality.—Western shore of upper Tred Avon River on Neck Point opposite Camden Point and about $\frac{1}{2}$ mile north-northwest of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is about 1 foot above high water, 5 yards west-southwest of shore, 12 yards north of shore, and 8 yards northwest of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Stab" (N 11° 49' W).....	0	00	00 $\frac{3}{8}$ mile.
Near peak of barn.....	14	33	 $\frac{7}{8}$ mile.
Near peak of large house.....	66	06	 $\frac{3}{4}$ mile.
Right peak of large house.....	100	13	 $\frac{1}{2}$ mile.
Left corner of large house among trees.....	170	24	 $\frac{3}{4}$ mile.
Windmill on wooden tower.....	175	32	 $\frac{3}{4}$ mile.
Near peak of house.....	246	31	 $1\frac{1}{2}$ miles.

STAB.

General locality.—Western shore of upper Tred Avon River, on first point north of Neck Point, about $\frac{1}{8}$ mile north-northwest of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land, about 8 feet above high water, 3 yards northwest of edge of bank, 25 yards northeast of an oak tree at ravine, and 6 yards west of point of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Water" (N 21° 19' E).....	0	00	00 $\frac{3}{8}$ mile.
Left peak of barn.....	15	02	 $1\frac{1}{8}$ miles.
Peak of dormer window of house.....	29	34	 $\frac{3}{4}$ mile.
Spindle on barn cupola.....	99	43	 $\frac{5}{8}$ mile.
Left corner of large house among trees.....	140	32	 $1\frac{1}{8}$ miles.
Windmill on wooden tower.....	143	50	 $1\frac{1}{8}$ miles.
Nail in blaze in oak tree (30 inches diameter).....	199	15	10 22.06 meters.
Right peak of large barn.....	249	17	 $\frac{3}{8}$ mile.
Nail in blaze in cedar tree (12 inches diameter).....	351	13	10 23.61 meters.

WATER.

General locality.—Western shore of upper Tred Avon River, opposite Watermelon Point, about $\frac{3}{4}$ mile north of Neck Point, and $1\frac{1}{4}$ miles north of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field west of a broad marsh about 6 feet above high water, 2 yards west of edge of bank, 35 yards north-northwest of point of bank, 20 yards south of point of bank, and 45 yards east-northeast of inside curve of cut.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Melon" (N 83° 37' E).....	0	00	00 $\frac{1}{4}$ mile.
Left large chimney of house.....	59	15	 $\frac{3}{4}$ mile.
Spindle on barn cupola.....	65	10	 $\frac{7}{8}$ mile.
Center of cedar tree.....	198	39	 120 yards.
Left corner of house.....	251	33	 $\frac{5}{8}$ mile.
Right corner of house.....	293	02	 $\frac{1}{2}$ mile.

RADCLIFFE.

General locality.—Northwestern shore of Tred Avon River, on point of land between Dixon Creek and Tred Avon River. (See Chart No. 34.)

Immediate locality.—Observed station is on small piece of fast land at end of marsh point, about 2 feet above high water, 11 yards northeast by north of shore, 15 yards north of shore, 40 yards southeast of shore, and among several pine and oak trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Bateman" (S 70° 22' E).....	0	00	00 ¼ mile.
End of stable.....	24	55 ⅜ mile.
Left end of boat house roof.....	103	19 ¼ mile.
Near peak of barn.....	122	55 ¼ mile.
Left chimney of house.....	173	21 ⅜ mile.
Nail in blaze in pine tree (20 inches diameter).....	192	56	50 12.59 meters.
Near peak of house.....	206	02 ¼ mile.
Nail in blaze in oak tree (12 inches diameter).....	290	06	10 5.01 meters.
Near peak of barn.....	337	43 ½ mile.
Nail in blaze in pine tree (20 inches diameter).....	339	07	20 9.77 meters.

BATEMAN.

General locality.—Southeastern shore of upper Tred Avon River, about ⅜ mile east of entrance to Dixon Creek, and 1½ miles southwest of Easton Point Wharf. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 5 yards southeast of shore, 12 yards southwest of shore, and 20 yards northeast of high land.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2-inches below base of monument.

References.—

	°	'	"	
"Melon" (S 41° 10' W).....	0	00	00 ⅜ mile.
Left end of boathouse roof.....	25	18 ½ mile.
Peak of barn.....	37	06 ½ mile.
Near peak of corn house.....	38	37 ½ mile.
Left chimney of large house.....	63	45 ⅜ mile.
Weather vane on large house.....	77	28 ¼ mile.
Middle dormer window of large house.....	139	25 ⅜ mile.
Peak of barn.....	162	05 ⅜ mile.
Windmill.....	263	34 ¼ mile.

MELON.

General locality.—Eastern shore of upper Tred Avon River, on Watermelon Point, about ½ mile south of entrance to Dixon Creek, ¾ mile north of Camden Point, and 1½ miles north of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is about 9 feet above high water, 30 yards south-southeast of edge of bank, 60 yards east by south of point of bank at large cedar tree, 35 yards east of edge of bank, 150 yards northwest of a cove, and 100 yards west by south of small cedar tree at cut in bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

Survey of Oyster Bars, Talbot County, Md.

References.—

	°	'	"	
"Stab" (S 47° 10' W).....	0	00	00	1/4 mile.
Peak of porch of house	79	03	..	1/2 mile.
Weather vane on barn	112	04	..	3/8 mile.
Near peak of large barn	127	37	..	3/8 mile.
Peak of left dormer window of large house	156	56	..	3/4 mile.
Right side of right porch pillar on house	192	56	..	1/4 mile.
Left corner of large chimney of house	305	26	..	3/8 mile.

GASH.

General locality.—Eastern shore of upper Tred Avon River on point of land between Camden Point and Watermelon Point, about 3/4 mile north of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is about 5 feet above high water, 16 yards north of shore, 25 yards east-northeast of point of shore, 18 yards east-southeast of bank, 10 yards west of field, and near several large pine trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Camden" (S 11° 43' W).....	0	00	00	3/8 mile.
Left corner of near chimney of house.....	84	18	..	3/4 mile.
Nail in blaze in pine tree (24 inches diameter).....	123	43	50	8.30 meters.
Nail in blaze in locust tree (5 inches diameter).....	203	43	50	11.93 meters.
Nail in blaze in oak tree (12 inches diameter).....	298	35	00	7.24 meters.
Weather vane on barn cupola.....	318	38	..	3/8 mile.
Spindle on barn cupola.....	351	44	..	3/8 mile.

CAMDEN.

General locality.—Eastern shore of upper Tred Avon River on Camden Point at north side of entrance to a small cove, and about 3/4 mile north of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on sandy grass land about 2 feet above high water, 8 yards north-northeast of sandy shore, 22 yards south-southeast of shore of Tred Avon River, 30 yards east of extreme end of point, 10 yards southeast of a mudhole, and 30 yards southwest of clump of cedar and hackberry trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Blossom" (S 6° 31' E).....	0	00	00	1/4 mile.
Windmill on wooden tower.....	1	29	..	3/4 mile.
Left peak of long building.....	55	07	..	1 1/4 miles.
Near peak of barn	179	21	..	3/8 mile.
Nail in blaze in cedar tree (7 inches diameter).....	212	39	20	27.27 meters.
Nail in blaze in hackberry tree (3 inches diameter).....	224	03	00	26.84 meters.
Nail in blaze in cedar tree (14 inches diameter).....	239	40	40	27.81 meters.
Left corner of roof of house.....	329	14	..	3/4 mile.

BLOSSOM.

General locality.—Eastern shore of Tred Avon River at north side of entrance to Peachblossom Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 14 yards east by south of shore of river, 12 yards west-northwest of shore of small elliptical cove, and 40 yards north by west of entrance to cove.

Marks.—Observed station is center point of triangle on standard cement monument with top projecting 4 inches above the surface of the ground. Subsurface mark is center of 2-inch tile pipe 24 inches long buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Wall" (S 50° 07' W).....	0	00	00 ½ mile.
Weather vane on Double Mills Wharf house..	17	03 1¾ miles.
Near peak of barn.....	122	51 1¼ miles.
Near peak between two large chimneys on large house.....	157	49 ½ mile.
Left corner of steps on large house among trees.....	259	40 ¾ mile.
Left corner of left porch post on large house among trees.....	208	23 ¾ mile.
Windmill on wooden tower.....	305	38 ¾ mile.

WALL.

General locality.—Southeastern shore of Tred Avon River on a point of land at west side of entrance to a small creek about 1 mile east-northeast of Double Mills Wharf. (See Chart No. 34.)

Immediate locality.—Observed station is in pasture land about 5 feet above high water, 20 yards south of extreme edge of bank, 4 yards west of terrace, 20 yards west of shore, 18 yards south-southeast of edge of bank, and 20 yards east of gully.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Aye" (weather vane on largest barn cupola) (S 61° 00' W).....	0	00	00 ¾ mile.
Right corner of house.....	7	59 ¾ mile.
Weather vane on Double Mills Wharf house..	14	49 1 mile.
Nail in blaze in locust tree (30 inches diameter).....	37	36	50 17.37 meters.
Nail in blaze in hackberry tree (14 inches diameter).....	154	55	20 5.03 meters.
Windmill on wooden tower.....	231	09 ¾ mile.
Nail in blaze in cedar tree (28 inches diameter).....	255	31	40 32.13 meters.
Nail in blaze in oak tree (30 inches diameter).....	340	33	40 20.96 meters.

AYE.

General locality.—Southeastern shore of Tred Avon River about ½ mile east of Double Mills Wharf. (See Chart No. 34.)

Immediate locality.—Observed station is on cupola on largest barn.

Marks.—Observed station is spindle on cupola.

References.—None necessary.

HUNTER.

General locality.—Eastern shore of Tred Avon River at south side of entrance to a cove about $\frac{1}{2}$ mile south-southeast of Double Mills Wharf, and 1 mile north of entrance to Trippe Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 3 yards southwest of shore, 5 yards east-northeast of shore, 6 yards southeast of point of marsh, and 10 yards west of a clump of wild cherry, hackberry, and cedar trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	o	'	"	
"Weave" (S 27° 35' W).....	o	oo	oo $\frac{1}{2}$ mile.
Near peak between two chimneys of large house.....	18	39 $1\frac{3}{8}$ miles.
Near peak of cupola on building.....	35	36 $1\frac{1}{4}$ miles.
Right peak of large house.....	69	07 $\frac{1}{2}$ mile.
Peak of dormer window of large house.....	116	34 $\frac{1}{2}$ mile.
Weather vane on wharf house at Double Mills.....	128	57 $\frac{1}{2}$ mile.
Left corner of large house.....	157	40 $\frac{3}{8}$ mile.
"Aye" (weather vane on largest barn copola).....	175	18	20 $\frac{3}{8}$ mile.
Nail in blaze in wild-cherry tree (5 inches diameter).....	208	35	20 10.70 meters.
Nail in blaze in hackberry tree (6 inches diameter).....	232,	14	oo 11.18 meters.
Nail in blaze in leaning cedar tree (8 inches diameter).....	263	50	50 9.02 meters.
Nail in blaze in cedar tree (20 inches diameter).....	272	40	50 13.34 meters.
Near peak of brick house.....	352	45 $\frac{1}{4}$ mile.

WEAVE.

General locality.—Eastern shore of Tred Avon River about $\frac{1}{2}$ mile north of entrance to Trippe Creek, and 1 mile south of Double Mills Wharf. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 20 yards east of shore, 16 yards south of shore at small inlet, 6 yards west of small point on inlet, and 20 yards northeast of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	o	'	"	
"Twin" (S 7° 23' E).....	o	oo	oo $\frac{3}{8}$ mile.
Spindle on left cupola on long barn.....	15	04 $1\frac{1}{2}$ miles.
Stack of ice plant at Oxford.....	51	05 2 miles.
Near peak between two chimneys of large house.....	61	35 $1\frac{1}{4}$ miles.
Left corner of chimney outside left end of house.....	92	28 $\frac{7}{8}$ mile.
Left corner of large house.....	157	58 $\frac{1}{2}$ mile.
Peak of near gable of large house.....	181	16 1 mile.
Weather vane on wharf house at Double Mills.....	189	42 $\frac{7}{8}$ mile.
Left corner of large house.....	205	26 $\frac{7}{8}$ mile.
Left peak of house.....	237	58 300 yards.

TWIN.

General locality.—Eastern shore of Tred Avon River on point of land on north side of entrance to Trippe Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 4 feet above high water, 45 yards east-southeast of shore of Tred Avon River, and 110 yards northwest of shore of Trippe Creek.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Toe" (N 69° 34' E).....	0	00	00 ½ mile.
Near peak of house.....	4	52	 1¾ miles.
Top of roof of tower.....	87	15	 ½ mile.
Spindle on left cupola on large barn.....	121	32	 1¼ miles.
Right corner of large house.....	189	12	 ¾ mile.
Left peak of house.....	297	01	 ½ mile.
Near peak of house in trees.....	345	37	 1 mile.

TOE.

General locality.—Northern shore of Trippe Creek on a point of land about ½ mile northeast of point at north side of entrance to Trippe Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 10 yards northwest of shore, 14 yards southwest of shore, 12 yards north of round point of shore, 12 yards west of round point of shore, and 30 yards southeast of cedar and persimmon trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Trippe" (N 64° 19' E).....	0	00	00 ¼ mile.
Near peak of house.....	16	03	 1¼ miles.
Near peak of house.....	33	06	 1¾ miles.
Near peak of barn.....	126	49	 1 mile.
Top of tower of house.....	137	52	 ¾ mile.
"Weather Bureau Staff".....	166	59	50 2¾ miles.
Nail in blaze in persimmon tree (7 inches diameter).....	227	21	20 25.74 meters.
Nail in blaze in cedar tree (6 inches diameter).....	250	42	30 21.68 meters.
Right corner of house.....	327	07	 ½ mile.

TRIPPE.

General locality.—Northern shore of Trippe Creek about ⅝ mile east of Tred Avon River and ⅙ mile east of entrance to a small creek. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 23 yards northwest of shore at entrance to slough, 30 yards east-northeast of shore, and 50 yards north by east of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Venture" (S 72° 55' E).....	0	00	00	3/8 mile.
Near peak of dormer window on large house...	3	17		1 1/2 miles.
Left corner of large chimney.....	31	06		3/4 mile.
Left peak of house.....	93	10		1 mile.
Stack of ice plant.....	128	54		2 3/4 miles.
Near peak of barn.....	274	07		1/8 mile.
Near peak of large house.....	323	15		1/2 mile.
Right corner of house.....	335	44		5/8 mile.

VENTURE.

General locality.—Northern shore of Trippe Creek on a point on the west side of a cove about 1 mile east of Tred Avon River. (See Chart No. 34.)

Immediate locality.—Observed station is about 1 foot above high water on the inner edge of a strip of marsh at bottom of a bank 4 feet high, 4 yards north of shore of marsh, 8 yards north-northwest of point of marsh, 3 yards south by west of top of bank, 7 yards west of point of bank, and 6 yards west of a lone cedar tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Plow" (N 87° 47' E).....	0	00	00	1/4 mile.
Nail in blaze in cedar tree (18 inches diameter).....	6	16	30	5.74 meters.
Peak of dormer window of large house.....	23	38		1 mile.
Right peak of right barn.....	51	10		3/4 mile.
Left corner of left chimney of house.....	72	08		1/2 mile.
Left peak of barn.....	246	17		1/4 mile.
Spindle on right cupola of barn.....	314	10		3/8 mile.

PLOW.

General locality.—Northern shore of Trippe Creek on a point of land between two coves about 1 1/4 miles from Tred Avon River. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 15 yards west-northwest of shore, 25 yards north of shore, 20 yards east of extreme end of point, and 5 yards south of foot of bank 7 feet high.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Higher" (N 70° 14' E).....	0	00	00	1/4 mile.
Right corner of porch underpinning.....	32	14		3/8 mile.
Left peak of barn.....	54	52		1 mile.
Near peak of barn.....	103	30		1/2 mile.
Left corner of large chimney.....	117	10		1/2 mile.
Nail in blaze in persimmon tree (2 1/2 inches diameter).....	257	46	40	12.76 meters.
Nail in blaze in oak tree (5 inches diameter).....	267	47	10	14.53 meters.
Nail in blaze in persimmon tree (2 1/2 inches diameter).....	284	57	00	15.85 meters.
Near peak of barn.....	345	07		5/8 mile.

HIGHER.

General locality.—Northern shore of Trippe Creek at east side of entrance to a cove about $1\frac{3}{4}$ miles from Tred Avon River entrance to Trippe Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 8 feet above high water, 30 yards northeast of edge of bank, 35 yards southeast by east of row of trees, 50 yards east-southeast of point of bank and trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"All" (S 20° 17' E).....	0	00	00 $\frac{1}{4}$ mile.
Near peak of house.....	9	45 $\frac{3}{4}$ mile.
Near peak of large barn.....	45	04 $\frac{5}{8}$ mile.
Left corner of large chimney.....	55	31 $\frac{5}{8}$ mile.
Nail in blaze in sassafras tree ($2\frac{1}{2}$ inches diameter).....	138	19	00 31.63 meters.
Nail in blaze in locust tree (5 inches diameter).....	142	20	50 31.96 meters.
Spindle on left one of four barn cupolas.....	155	19 $\frac{3}{8}$ mile.
Nail in blaze in locust tree (5 inches diameter).....	173	32	30 30.93 meters.
Spindle on cupola.....	288	25 1 mile.

ALL.

General locality.—Northern shore of Trippe Creek about $1\frac{3}{4}$ miles from Tred Avon River entrance to Trippe Creek, and 300 yards west by north of a colonial house. (See Chart No. 34.)

Immediate locality.—Observed station is about 1 foot above high water, 35 yards southeast of shore, 35 yards east of round point of shore, 80 yards northwest of cut in shore, and 40 yards south by east of left one of nine large pine trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Cam" (S 70° 56' W).....	0	00	00 $\frac{1}{4}$ mile.
Left peak of barn.....	38	26 $1\frac{1}{4}$ miles.
Spindle on left one of four cupolas.....	74	48 $\frac{1}{2}$ mile.
Left corner of underpinning of Goldsborough house.....	184	18 300 yards.
Right corner of large chimney.....	226	04 $\frac{1}{8}$ mile.
Right peak of long barn.....	294	59 $\frac{1}{2}$ mile.
Left peak of house.....	333	38 $\frac{1}{4}$ mile.

CAM.

General locality.—Southern shore of Trippe Creek on a prominent point about $1\frac{1}{2}$ miles from Tred Avon River entrance to Creek. (See Chart No. 34.)

General locality.—Observed station is on marsh point about 10 yards southeast of shore, 20 yards south-southwest of point of shore, and 15 yards northeast by east of point of bank at marsh.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Deux" (S 56° 11' W).....	0	00	00 $\frac{1}{4}$ mile.
Left peak of barn showing through trees.....	58	53 $\frac{3}{8}$ mile.
"Aye" (weather vane on large barn cupola).....	83	01	20 $1\frac{3}{4}$ miles.
Right peak of barn with cupola.....	112	56 $\frac{1}{2}$ mile.

Survey of Oyster Bars, Talbot County, Md.

References—Continued.

Left corner of underpinning of Goldsborough house.....	196	26	3/8 mile.
Right corner large chimney.....	224	09	5/8 mile.
Left peak of house.....	243	42	5/8 mile.
Nail in blaze in persimmon tree (4 inches diameter).....	287	28	40 23.51 meters.
Nail in blaze in oak tree (5 inches diameter).....	313	59	30 15.77 meters.
Nail in blaze in oak tree (5 inches diameter).....	331	03	50 16.93 meters.
Left corner of large chimney.....	356	39	1/4 mile.

DEUX.

General locality.—Southern shore of Trippe Creek about 1 1/4 miles from Tred Avon River. (See Chart No. 34.)

Immediate locality.—Observed station is in an orchard about 8 feet above high water, 50 yards north-northwest of rambling house, 20 yards southeast of top of bank, 14 yards southwest of top of bank, 13 yards south of point of bank at ditch, and 3 yards east of a drainage ditch.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Crack" (S 72° 51' W).....	0	00	00 1/4 mile.
Left peak of barn.....	52	55	1 mile.
Nail in blaze in pear tree (10 inches diameter).....	55	26	20 7.43 meters.
Near peak of barn.....	81	49	3/4 mile.
Left peak of large barn.....	114	08	5/8 mile.
Nail in blaze in twin locust tree.....	119	52	20 11.66 meters.
Nail in blaze in pear tree (6 inches diameter).....	193	56	50 6.29 meters.
Right corner of house.....	256	20	1/8 mile.
Near corner of house.....	312	55	51 yards.

CRACK.

General locality.—Southern shore of Trippe Creek on point at west side of entrance to a small creek, about 1 1/4 miles from Tred Avon River entrance to creek. (See Chart No. 34.)

Immediate locality.—Observed station is about 3 feet above high water, 13 yards south of edge of bank 15 yards northeast of shore, 40 yards east of extreme end of point, and among scattering locust trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Mistle" (N 31° 34' W).....	0	00	00 1/2 mile.
Near peak of shed.....	24	45	3/4 mile.
Spindle on right one of four cupolas.....	55	41	3/8 mile.
Near peak between two chimneys on large house.....	78	08	1 1/2 miles.
Left corner of house.....	109	03	1/4 mile.
Right peak of barn.....	135	14	3/4 mile.
Near peak of barn.....	181	59	3/4 mile.
Nail in blaze in cedar tree (3 inches diameter).....	258	17	20 13.98 meters.
Nail in blaze in locust tree (3 inches diameter).....	292	11	50 9.98 meters.
Nail in blaze in locust tree (2 inches diameter).....	349	50	40 7.78 meters.

MISTLE.

General locality.—Southern shore of Trippe Creek on a very long point, about ½ mile east-northeast of Tred Avon River. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 10 yards south-southeast of shore, 14 yards west by north of shore, 24 yards southwest of extreme end of point, 4 yards south of a cedar tree, and 12 yards north of a cedar tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Layor" (S 50° 38' W)	0	00	00	¾ mile.
Near peak of house	135	45		¼ mile.
Nail in blaze in cedar tree (6 inches diameter)	163	22	40	3.45 meters.
Near peak of large house	183	36		5/8 mile.
Right corner of house	222	45		1 mile.
Left corner of large chimney	254	06		5/8 mile.
Nail in blaze in cedar tree (12 inches diameter)	302	11	20	11.11 meters.
Nail in blaze in cedar tree (6 inches diameter)	331	27	00	13.42 meters.

LAYOR.

General locality.—Southern shore of Trippe Creek, about ¼ mile east of Tred Avon River. (See Chart No. 34.)

Immediate locality.—Observed station is in edge of cultivated land about 5 feet above high water, 50 yards south of shore, 17 yards east of bank, 2 yards south-southwest of water bushes, and 200 yards west of large lone tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Borough" (S 39° 05' W)	0	00	00	5/8 mile.
Near peak of large house	11	13		1½ miles.
Near peak of large frame house	44	27		1¾ miles.
Near peak of ell of house	166	22		7/8 mile.
Right peak of house	300	30		½ mile.
Top of roof of tower	348	21		¾ mile.

BOROUGH.

General locality.—Southeastern shore of Tred Avon River, about ¼ mile north-northeast of entrance to Goldsboro Creek, and ½ mile south-southwest of entrance to Trippe Creek. (See Chart No. 34.)

Immediate locality.—Observed station is about 3 feet above high water in cultivated land, 17 yards east-southeast of shore, 25 yards south of shore, 30 yards southwest of shore, ⅛ mile northwest of house in trees, and ⅛ mile west-southwest of large lone tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Golds" (S 38° 07' W).....	0	00	00	3/8 mile.
Spindle on barn cupola.....	52	57		2 1/8 miles.
Near peak of large house.....	70	07		1 mile.
Left corner of very large house.....	130	22		1 1/2 miles.
Near peak of wharf house at Double Mills.....	138	20		1 7/8 miles.
Right corner of large building.....	172	49		1 1/2 miles.
Large lone tree.....	202	34		1/8 mile.
Right corner of house among trees.....	283	17		300 yards.
Spindle on left cupola on long barn.....	340	52		3/8 mile.

GOLDS.

General locality.—Eastern shore of Tred Avon River on a point of land between Goldsboro Creek and Mud Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on hard marsh about 1 foot above high water, 30 yards south of shore, 60 yards west-southwest of shore, and 60 yards south-southeast of point of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Mud" (N 78° 58' W).....	0	00	00	5/8 mile
Right peak between two chimneys of large house.....	28	43		1 mile.
Near peak of large house.....	76	38		1 7/8 miles.
Near peak of large barn.....	92	36		1 5/8 miles.
Right corner of old house.....	107	39		1/2 mile.
Left corner of large house.....	212	35		1/2 mile.
Near peak of large house.....	259	21		1/2 mile.
Church spire.....	320	06	40	1 5/8 miles.
Stack of iceplant at Oxford.....	338	06		1 3/8 miles.

MUD.

General locality.—Southeastern shore of Tred Avon River at western side of entrance to Mud Creek. (See Chart No. 34.)

Immediate locality.—Observed station is among trees on northeast point of a pasture about 4 feet above high water, 13 yards southwest of shore of pond on point, 20 yards north of end of pond, 25 yards northwest of shore of pond, and 45 yards south-southeast of a lone tree at shore of river.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Town" (N 85° 59' W).....	0	00	00	1/4 mile.
Spindle on barn cupola.....	5	14		1 3/8 miles.
Near peak of 2 1/2-story house.....	42	28		1 1/2 miles.
Right corner of 2 1/2-story house.....	71	42		1/2 mile.
Nail in blaze in hackberry tree (24 inches diameter).....	87	08	10	5.51 meters.
Center of roof of tower.....	157	45		1 1/8 miles.
Nail in blaze in twin elm tree.....	210	59	10	8.98 meters.
Spindle on cupola of long barn.....	220	40		7/8 mile.
Nail in blaze in elm tree (7 inches diameter).....	249	42	20	13.44 meters.
"Weather Bureau Staff".....	315	13	40	1 1/2 miles.

TOWN.

General locality.—Southeastern shore of Tred Avon River about $\frac{1}{4}$ mile northeast of east side of entrance to Town Creek, and $\frac{3}{4}$ mile northeast of Oxford steamboat wharf. (See Chart No. 34.)

Immediate locality.—Observed station is in northwest corner of a cultivated field about 6 feet above high water, 10 yards south of edge of bank, 12 yards east-southeast of point of bank, 25 yards west-southwest of edge of bank, 3 yards northeast of a fence, and 4 yards northeast of gully.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Riverview" (S 56° 27' W).....	0	00	00 $\frac{7}{8}$ mile.
Nail in blaze in cedar tree (6 inches diameter).....	11	23	40 5.02 meters.
Weather vane on barn cupola.....	44	12	1 $\frac{1}{4}$ miles.
Near peak of 2 $\frac{1}{2}$ -story house.....	92	35	1 mile.
Left peak of large house.....	141	06	$\frac{1}{2}$ mile.
Near peak of house.....	184	59	2 $\frac{3}{4}$ miles.
Top of roof of tower.....	199	40	1 $\frac{3}{8}$ miles.
Spindle on left cupola of long barn.....	248	05	1 $\frac{1}{2}$ miles.
Right peak of large house.....	283	35	$\frac{1}{2}$ mile.
Right of steamboat wharf house.....	359	41	$\frac{3}{4}$ mile.

RIVERVIEW.

General locality.—Eastern shore of Tred Avon River about $\frac{1}{8}$ mile west by south of Oxford steamboat wharf. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is about 3 feet above high water, 3 yards east of shore, 23 yards south-southwest of a fisherman's shanty, and 50 yards north by west of west end of "Lovers Lane."

Marks.—Observed station is center of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"First" (S 17° 40' E).....	0	00	00 $\frac{1}{2}$ mile.
"Choptank River Light".....	27	31	20 2 $\frac{1}{2}$ miles.
Left peak of building.....	82	54	$\frac{3}{4}$ mile.
Spindle on barn cupola.....	171	17	$\frac{7}{8}$ mile.
Left corner of fisherman's shanty.....	206	21	50 25.82 meters.
Right corner of fisherman's shanty.....	224	12	40 21.61 meters.
Left peak of large house.....	239	57	1 $\frac{1}{4}$ miles.
Right corner of steamboat wharf house.....	263	06	$\frac{1}{8}$ mile.
Stack of iceplant.....	273	00	$\frac{3}{8}$ mile.
Nail in blaze in oak tree (18 inches diameter).....	342	44	40 44.25 meters.

WEATHER BUREAU STAFF. •

General locality.—Eastern side of Tred Avon River in the town of Oxford. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in park south of High and Primary Schools, 55 yards east of shore of Tred Avon River, 55 yards west of Morris Street, and in center of circle of trees.

Marks.—Observed station is center of galvanized iron staff on square galvanized angle-iron tower.

References. None necessary.

FIRST.

General locality.—Eastern shore of Tred Avon River in town of Oxford about $\frac{1}{8}$ mile north of railroad wharves. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is about 8 feet above high water, 2 yards east-southeast of edge of bank, 4 yards east by north of point of bank, 4 yards northeast of edge of bank at small gully, 2 yards south of corner fence post, and 35 yards west of house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Bach" (S 17° 38' W).....	0	00	00	$\frac{1}{8}$ mile.
Right peak of small house.....	51	50		1 $\frac{3}{8}$ miles.
Right peak of modern house.....	67	10		1 $\frac{3}{8}$ miles.
Left peak of small house.....	128	37		1 $\frac{3}{8}$ miles.
Nail in blaze in fence post.....	207	52	00	4.98 meters.
Nail in blaze in apple tree (20 inches diameter).....	237	43	30	11.94 meters.
Nail in blaze in apple tree (12 inches diameter).....	266	24	50	14.56 meters.
Windmill.....	346	43		$\frac{1}{4}$ mile.

BACH.

General locality.—Eastern shore of entrance to Tred Avon River on Bachelor Point about $1\frac{3}{8}$ miles north-northeast of Choptank River Light. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated field about 6 feet above high water, 30 yards east of edge of bank, 70 yards north-northeast of edge of bank on range with Choptank River Light, and 100 yards south by west of edge of bank of trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Choptank River Light" (S 16° 59' W).....	0	00	00	1 $\frac{3}{8}$ miles.
Tangent of Benoni Point.....	55	29		1 $\frac{1}{4}$ miles.
Left peak of roof of house.....	147	25		1 $\frac{3}{8}$ miles.
Left corner of burnt house.....	166	05		1 $\frac{1}{8}$ miles.
Right corner of house.....	211	35		$\frac{1}{4}$ mile.
Left corner of left chimney on very large house.....	240	46		$\frac{5}{8}$ mile.
"Large water tank".....	338	00	20	2 $\frac{3}{4}$ miles.

BOONE.

General locality.—Northeastern shore of Choptank River about $\frac{3}{8}$ mile northwest of entrance to Boone Creek, $\frac{1}{2}$ mile southeast of Bachelor Point, and $1\frac{1}{8}$ miles northeast of Choptank River Light. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is about 5 feet above high water, 13 yards northeast of edge of tree-fringed bank, 60 yards south-southwest of right corner of house, and 50 yards south-southeast of large apple tree.

Marks.—Observed station is center point of triangle on standard cement monument with top 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Choptank River Light" (S 33° 54' W).....	0	00	00	1¼ miles.
Nail in blaze in locust tree (5 inches diam- eter).....	21	01	40	10.26 meters.
Nail in blaze in locust tree (10 inches diam- eter).....	65	31	10	20.59 meters.
Near peak of house.....	107	59		¼ mile.
Right corner of house.....	159	12		57 yards.
Near peak of house.....	195	28		¾ mile.
Nail in blaze in locust tree (4 inches diam- eter).....	323	14	00	13.02 meters.

ENTER.

General locality.—Northern shore of Island Creek on point at east side of entrance to a small cove, about ⅓ mile northeast of Choptank River and 1¾ miles east-northeast of Choptank River Light. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 6 feet above high water, 16 yards north of edge of bank of creek, 18 yards south-southeast of edge of bank of cove, 30 yards east-northeast of outlet of cove, and 250 yards west by south of frame house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Choptank River Light" (S 72° 00' W).....	0	00	00	1¾ miles.
Nail in blaze in locust tree (6 inches diam- eter).....	67	05	40	39.96 meters.
Nail in blaze in cedar tree (10 inches diam- eter).....	100	17	20	16.91 meters.
Left corner of left chimney of house.....	117	35		2 miles.
Left corner of house.....	173	35		¼ mile.
Near corner of house.....	204	11		1½ miles.
"Large water tank".....	301	37	00	2½ miles.
Nail in blaze in locust tree (4 inches diam- eter).....	357	13	40	23.93 meters.

STRAW.

General locality.—Northern shore of Island Creek ¾ mile east-northeast of Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is about 6 feet above high water, 3 yards northeast of edge of bank, 18 yards east of bank, 4 yards west of wire fence, 8 yards northwest by west of point where bank meets fence, and 5 yards south of southeast corner of a small house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Delahay" (N 66° 10' E).....	0	00	00	¼ mile.
Nail in blaze in locust tree (4 inches diam- eter).....	15	43	00	4.33 meters.
Nail in blaze in locust tree (14 inches diam- eter).....	72	08	10	7.89 meters.
Left peak of barn.....	130	54		¾ mile.
Nail in blaze in locust tree (8 inches diam- eter).....	221	41	10	14.86 meters.
Left corner of small house.....	240	26		5.94 meters.
Near corner of small house.....	287	16		4.04 meters.
Spindle on barn cupola.....	349	22		½ mile.

DELAHAV.

General locality.—Northern shore of Island Creek about 1 mile east-northeast of Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 5 feet above high water, 2 yards northwest of edge of bank, 100 yards east of edge of bank of inlet, 27 yards northeast of point of bank, and 75 yards southwest of farm buildings.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

"Kent" (N 75° 56' E).....	0	00	00	3½ mile.
Left corner of house.....	15	16		¾ mile.
Near peak of barn.....	25	17		¾ mile.
Near peak of large modern house.....	122	02		1 mile.
Near peak of large barn.....	137	38		1¼ miles.
Nail in blaze in apple tree (10 inches diameter).....	165	30	40	21.08 meters.
Nail in blaze in apple tree (10 inches diameter).....	183	52	40	21.36 meters.
Nail in blaze in apple tree (7 inches diameter).....	269	51	50	10.12 meters.
Spindle on barn cupola.....	313	09		250 yards.

KENT.

General locality.—Northern shore of Island Creek on a point about 1¼ miles northeast of Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in a cultivated field about 5 feet above high water, 50 yards northwest of top of bank, 80 yards east of bank, 75 yards north-northeast of point and 110 yards east-south-east of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

"Harry" (N 36° 27' E).....	0	00	00	¾ mile.
Left corner of chimney outside left end of house.....	44	41		½ mile.
Near peak of barn.....	80	50		5⁄8 mile.
Peak of ell of large house.....	187	03		1¼ miles.
Near peak of building.....	217	54		¾ mile.
Spindle on barn cupola.....	240	41		¼ mile.
Near peak of large house.....	309	12		½ mile.

HARRY.

General locality.—Northern shore of Island Creek about 1½ miles from Choptank River. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is about 6 feet above high water, 9 yards northwest of edge of bank at cedar trees, 20 yards northeast of cut in bank, and 50 yards south-southwest of bank at cut in shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Charles" (N 55° 36' E).....	0	0	00	3/4 mile.
Nail in blaze in locust tree (4 inches diameter).....	11	57	00	17.38 meters.
Nail in blaze in locust tree (4 inches diameter).....	39	23	00	8.81 meters.
Nail in blaze in cedar tree (4 inches diameter).....	78	04	30	8.04 meters.
Left chimney outside of left end of house.....	92	16		3/8 mile.
Right corner of building.....	131	06		3/8 mile.
Spindle on barn cupola.....	186	37		1/2 mile.
Near peak of building.....	263	45		3/8 mile.

CHARLES.

General locality.—Northern shore of Island Creek about 2 miles from Choctank River. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in southwest corner of truck garden about 6 feet above high water, 6 yards north of edge of bank, 25 yards west of top of bank near locust tree, and 3 yards east of edge of a 12-foot hole 6 feet deep.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Potato" (N 78° 01' E).....	0	00	00	1/4 mile.
Nail in blaze in locust tree (4 inches diameter).....	23	23	00	12.97 meters.
Nail in blaze in locust tree (4 inches diameter).....	32	29	00	9.19 meters.
Near peak of small building.....	53	18		3/4 mile.
Nail in blaze in cherry tree (12 inches diameter).....	112	20	20	4.17 meters.
Right corner of chimney on quarter house.....	125	27		1/2 mile.
Near peak of large barn.....	213	02		3/8 mile.
Nail in blaze in locust tree (5 inches diameter).....	216	27	20	4.82 meters.
Left corner of barn.....	265	14		100 yards.

POTATO.

General locality.—Northern shore of Island Creek about 2 1/4 miles northeast of Choctank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 8 feet above high water, 50 yards northwest of edge of bank, 70 yards west of shore at lowest point of bank, 70 yards north of edge of bank and 400 yards south of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Ritter" (N 72° 30' E).....	0	00	00	1/4 mile.
Right corner of Ritter house.....	4	55		3/8 mile.
Right peak of large barn.....	56	11		3/4 mile.
Near peak of large barn.....	134	51		3/8 mile.
Near peak of house.....	162	28		1 5/8 miles.
Right corner of chimney of house.....	194	53		1/4 mile.
Left peak of outhouse.....	321	08		1/4 mile.

RITTER.

General locality.—Northern side of Island Creek about 2½ miles from Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 8 feet above high water, 120 yards north-northwest of nearest point of shore, 160 yards southwest by west of shore of small creek at lowest part of bank, 50 yards east of a wire fence, and 120 yards south of a fence.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Show" (N 50° 41' E).....	0	00	00	¼ mile.
Near peak of barn.....	17	51		½ mile.
Left corner of large chimney of house.....	22	44		½ mile.
Right corner of vine-covered chimney.....	66	25		⅝ mile.
Left side of tall chimney.....	179	43		1 mile.
Near peak of large barn.....	236	48		350 yards.
Left peak of long barn.....	317	43		¾ mile.

SHOW.

General locality.—Northern shore of upper Island Creek on a point of land between two coves about 2¾ miles east of Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is about 9 feet above high water, 6 yards northwest of top of bank, and 35 yards east by north of a large cherry tree in clump of large trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Kit" (S 33° 29' E).....	0	00	00	⅓ mile.
Nail in blaze in locust tree (5 inches diameter).....	19	01	30	7.98 meters.
Nail in blaze in locust tree (5 inches diameter).....	66	41	00	16.48 meters.
Left peak large house.....	204	52		¼ mile.
Left corner of house.....	300	27		⅜ mile.
Nail in blaze in locust tree (4 inches diameter).....	311	32		10.13 meters.
Right corner of vine-covered house.....	348	00		½ mile.

KIT.

General locality.—Southeastern shore of Island Creek on a prominent point extending into a bend in the creek about 2¾ miles from Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 8 feet above high water, 13 yards east of top of bank at trees, 20 yards southeast of point of bank, and 30 yards south of top of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Moke" (S 46° 04' W).....	0	00	00	¼ mile.
Nail in blaze in oak tree (8 inches diameter).....	32	44	00	11.27 meters.
Nail in blaze in oak tree (10 inches diameter).....	48	48	50	11.73 meters.
Right peak of large house.....	116	07		½ mile.
Right peak of barn.....	184	27		⅜ mile.
Right corner of vine-covered house.....	262	41		⅜ mile.
Nail in blaze in oak tree (5 inches diameter).....	328	59	30	14.97 meters.

MOKE.

General locality.—Northern shore of Island Creek on a prominent point extending into a bend in the creek, about $2\frac{1}{2}$ miles from Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in a pasture about 8 feet above high water, 23 yards north-northwest of edge of bank, 100 yards northeast of edge of bank at point, and 100 yards southeast of edge of bank at cedar tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Poco" (S $74^{\circ} 55'$ W).....	0	00	00 $\frac{1}{4}$ mile.
Right corner of large chimney.....	27	28	$\frac{3}{4}$ mile.
Left corner of Ritter house.....	51	23	$\frac{1}{4}$ mile.
Left peak of large house.....	107	01	$\frac{3}{4}$ mile.
Nail in blaze in locust tree (6 inches diameter).....	199	04	00 29.58 meters.
Left peak of large barn.....	208	51	$\frac{1}{2}$ mile.
Nail in blaze in locust tree (4 inches diameter).....	209	47	10 34.39 meters.
Nail in blaze in locust tree (5 inches diameter).....	270	56	40 22.86 meters.

POCO.

General locality.—Southern shore of upper Island Creek on point about $2\frac{1}{4}$ miles from Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated field about 9 feet above high water, 70 yards east-southeast of shore at low bank, 80 yards south by east of edge of bank, 100 yards west of a point of bank, and 130 yards south by west of a point of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Healey" (S $74^{\circ} 26'$ W).....	0	00	00 $\frac{1}{4}$ mile.
Windmill on wooden tower.....	35	36	$\frac{7}{8}$ mile.
Left corner of chimney at left end of house..	246	15	$\frac{1}{2}$ mile.
Peak of ell of house.....	318	08	$\frac{5}{8}$ mile.
Left peak of barn.....	331	48	$\frac{1}{2}$ mile.
Left peak of building.....	346	40	$\frac{5}{8}$ mile.

HEALEY.

General locality.—Southern shore of Island Creek at west side of entrance to a cove, about $1\frac{7}{8}$ miles from Choptank River. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated field about 10 feet above high water, 11 yards west-southwest of bank fringed with trees, and 150 yards south of a point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of tile pipe buried with top 2 inches below base of monument.

References.—	o	'	''	
"Maslin" (S 53° 47' W).....	0	00	00	3/8 mile.
Left peak of large barn.....	60	32		3/4 mile.
Nail in blaze in oak tree (3 inches diameter).....	126	39	50	15.68 meters.
Peak of house at chimney.....	159	37		1/2 mile.
Nail in blaze in wild cherry tree (5 inches diameter).....	174	27	00	9.89 meters.
Nail in blaze in wild cherry tree (5 inches diameter).....	231	16	00	19.37 meters.
Near peak of barn.....	317	40		1/2 mile.
Right side of right chimney of house.....	356	06		3/8 mile.

MASLIN.

General locality.—Southeastern side of Island Creek about 1 1/2 miles northeast of Choptank River entrance to creek. (See Charts No. 34 and 35.)

Immediate locality.—Observed station is about 8 feet above high water, 95 yards southeast of shore near rail fence, 30 yards north by west of quarter buildings, 9 yards west of fence corner, 6 yards northwest by west of wire fence, 7 yards southwest by west of wire fence, and 25 yards northwest by north of a graveyard.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	o	'	''	
"Mean" (S 37° 19' W).....	0	00	00	1/4 mile.
Spindle on barn cupola.....	48	25		5/8 mile.
Left peak of barn.....	160	18		1/2 mile.
Left corner of house.....	204	59		68 yards.
Nail in blaze in walnut tree (3 feet in diameter).....	308	17	00	12.82 meters.
Near corner of brick outhouse.....	338	37	40	21.38 meters.

MEAN.

General locality.—Southern shore of Island Creek on a point at north side of entrance to a south fork of creek, about 1 1/4 miles east-northeast of Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 5 feet above high water, 13 yards east of edge of bank, 10 yards north of line of trees at edge of bank, and 12 yards northeast of point of trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	o	'	''	
"Choptank River Light" (S 77° 07' W).....	0	00	00	2 3/4 miles.
Spindle on barn cupola.....	39	34		1/2 mile.
Near peak of house.....	80	17		1/2 mile.
Near peak of barn.....	206	41		3/8 mile.
Nail in blaze in cherry tree (3 inches diameter).....	241	53	40	13.48 meters.
Nail in blaze in locust tree (3 inches diameter).....	286	16	40	8.12 meters.
Nail in blaze in locust tree (3 inches diameter).....	334	39	20	12.35 meters.

JAY.

General locality.—Southern shore of Island Creek about 1 mile east of Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in northeast corner of cultivated field about 5 feet above high water, 3 yards southwest of point of bank, 3 yards south-southeast of edge of bank, 3 yards west-southwest of edge of bank, and 30 yards east-northeast of scattering trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Choptank River Light" (S 78° 47' E).....	0	00	00	2 ³ / ₈ miles.
Near peak of barn.....	40	38		7 ³ / ₈ mile.
Spindle on barn cupola.....	85	29		3 ³ / ₈ mile.
Near peak of house.....	103	54		3 ¹ / ₄ mile.
Left corner of chimney outside left end of house.....	153	40		5 ³ / ₈ mile.
Left peak of barn.....	186	13		5 ³ / ₈ mile.
Near peak of large barn.....	284	23		1 ¹ / ₂ mile.

BERRY.

General locality.—Southern shore of Island Creek on a prominent point about 1/2 mile east of Choptank River entrance to creek. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 6 feet above high water, 17 yards south-southwest of edge of bank, 17 yards west-southwest of edge of bank, 21 yards southeast of edge of bank, 20 yards southeast of a small house, and 3 yards west of a line of four trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Choptank River Light" (S 79° 08' W).....	0	00	00	2 miles.
Right corner of house.....	23	03		1 ¹ / ₂ mile.
Right corner of house.....	52	15		3 ³ / ₈ mile.
Nail in blaze in apple tree (8 inches diameter).....	100	30	10	14.62 meters.
Nail in blaze in apple tree (12 inches diameter).....	119	11	30	5.92 meters.
Spindle on barn cupola.....	139	01		1 ¹ / ₂ mile.
Left peak on long barn.....	170	43		1 mile.
Near corner of house.....	233	42		18.33 meters.
Nail in blaze in apple tree (14 inches diameter).....	252	23	30	6.94 meters.
Right corner of house.....	282	07		5 ³ / ₈ mile.

LANDEYE.

General locality.—Northeastern shore of Choptank River on point at south side of entrance to Island Creek, about 1 1/2 miles east of Choptank River Light. (See Charts Nos. 34 and 35.)

Immediate locality.—Observed station is in cultivated land about 5 feet above high water, 15 yards east-southeast of edge of bank, 50 yards southwest of fringe of trees and bushes, 55 yards south-southwest of point of field and end of fringe of trees and bushes.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

Survey of Oyster Bars, Talbot County, Md.

References.—

	°	'	''	
"Choptank River Light" (S 83° 39' W).....	0	00	00	1½ miles.
Chimney of house near Bachelors Point.....	48	33		1¼ miles.
Left corner of barn.....	122	21		¾ mile.
Left corner of barn.....	230	18		¾ mile.
"Large water tank".....	297	25	50	2¾ miles.

CHOPTANK RIVER LIGHT.

General locality.—In Choptank River about 1¼ miles southeast of Benoni Point, 1 mile south of entrance to Tred Avon River, and 8½ miles east of Blackwalnut Point. (See Charts Nos. 34, 35, and 37.)

Immediate locality.—Observed station is on hexagonal screw-pile structure known as Choptank River Lighthouse.

Marks.—Observed station is center of lantern on Choptank River Lighthouse.

References.—

	°	'	''	
Chlora (S 57° 04' E).....	0	00	00	2¾ miles.

ST. MICHAELS P. E. CHURCH SPIRE.

General locality.—Western side of Miles River in town of St. Michaels at southeast corner of Talbot and Mill Streets. (See Chart No. 34.)

Immediate locality.—Observed station is on stone edifice known as St. Michaels Protestant Episcopal Church.

Marks.—Observed station is center point of steeple on St. Michaels Protestant Episcopal Church.

References.—None necessary.

MARGO.

General locality.—Northeastern shore of Miles River, about 1¼ miles north-northwest of Long Point and 2 miles east of St. Michaels. (See Chart No. 34.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 30 yards north of edge of marsh, 35 yards east of extreme point, and 55 yards west of bushes at edge of marsh. Cedar stub marking old triangulation station "Marengo 1899" is at edge of marsh, 29.61 meters S 57° 11' W of observed station.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument. Reference station "Marengo 1899" is center of five copper nails in top of 5-inch cedar stub 5 feet long with top flush with the surface of the ground.

References.—

	°	'	''	
"St. Michaels Water Tank" (N 86° 02' W).....	0	00	00	2½ miles.
Right chimney of Fogg house.....	8	04		1¾ miles.
Peak of near gable of house.....	17	01		2 miles.
Weather vane on square tower on Dodson house.....	37	54		2 miles.
Right tangent of point.....	46	46		3¼ miles.
Persimmon tree.....	72	03		120 yards.
Left of trees on narrowest part of Long Point.....	202	46		¾ mile.
Near peak of large house with large square chimney.....	288	20		1¼ miles.
Large square chimney on Dodson tenant house.....	298	21		1 mile.
"Marengo, 1899".....	323	12	50	29.61 meters.
Spindle on M. E. Church cupola.....	354	51		2 miles.
"St. Michaels P. E. Church spire".....	355	53	20	2 miles.

GIBBS.

General locality.—Northeastern shore of Miles River about ½ mile northwest of extreme end of Long Point, and 1½ miles south-southeast of entrance to Leeds Creek. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 17 yards north of shore, 25 yards east of shore, 20 yards northeast of extreme end of point, 35 yards west-northwest of point of woods, and 35 yards southwest of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Long" (S 44° 29' E).....	0	00	00 ½ mile.
Chimney on side of roof of large building.....	21	03 1¾ miles.
West peak of long building.....	33	20 1¾ miles.
Southeast chimney of house.....	61	44 1 mile.
Chimney outside of northeast end of Slater house.....	102	28 1 mile.
Near peak of Leonard house.....	134	31 1½ miles.
"St. Michaels Water Tank".....	151	57	40 2¾ miles.
Right chimney of house.....	171	17 3 miles.
Weather vane on Dodson house.....	181	10 2¾ miles.
Right tangent of Tilghman Point.....	191	41 7¼ miles.
Left tangent of Fairview Point.....	192	55 2 miles.
Nail in blaze in pine tree.....	265	45	40 44.35 meters.
Nail in blaze in pine tree.....	301	38	50 29.15 meters.
Nail in blaze in pine tree.....	327	58	40 30.44 meters.

LONG.

General locality.—Northern shore of Miles River on Long Point about ¼ mile southwest of entrance to Hunting Creek, and 1¼ miles north of railroad bridge across entrance to Oak Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cedar and pine woods about 6 feet above high water, 10 yards east-southeast of edge of bank protected by log breakwater, 11 yards northeast of point of bank, 4 yards northwest of edge of bank, and 30 yards northwest of point of sandy marsh.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Hunting" (N 56° 23' E).....	0	00	00 ½ mile.
Nail in blaze in cedar tree (8 inches diameter).....	6	25	00 4.45 meters.
Left peak of roof of house.....	23	21 1¾ miles.
Spindle on barn cupola.....	193	47 1¾ miles.
Smoke pipe of Royal Oak railroad station.....	131	37 1¾ miles.
Nail in blaze in cedar tree (6 inches diameter).....	181	35	10 2.53 meters.
"St. Michaels Water Tank".....	235	30	40 3 miles.
Nail in blaze in twin cedar tree (16 inches diameter).....	286	15	30 4.47 meters.
Left corner of roof of house.....	358	32 5¾ mile.

BEG.

General locality.—Southwestern shore of Hunting Creek on first prominent point north of Miles River entrance to Hunting Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in scant pine woods about 5 feet above high water, 3 yards south of bank, 9 yards northwest of bank, and 11 yards west of point of bank.

Mark. Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	—	—	—
"Search" (N 20° 58' W).....	0	00	00
Spindle on barn cupola.....	10	11	
Nail in blaze in pine tree (10 inches diameter).....	22	49	50
Front peak of large house.....	46	16	
Peak of rear gable of house.....	90	13	
Left peak of roof of house.....	108	29	
Nail in blaze in pine tree (7 inches diameter).....	164	32	30
Nail in blaze in pine tree (2 inches diameter).....	240	49	10

SEARCH.

General locality.—Western shore of Hunting Creek about ½ mile north of Miles River. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 11 yards northwest of shore, 40 yards south-southwest of shore, 35 yards west-southwest of point of shore, 3 yards east of water bushes, 20 yards south of bushes, and 25 yards southwest of water bushes.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	0	00	00
"Tug" (N 50° 43' E).....	0	00	00
Spindle on barn cupola.....	47	45	
Lightning rod on house.....	52	01	
Peak of front gable of house.....	74	09	
Nail in blaze in pine tree (14 inches diameter).....	154	11	10

TUG.

General locality.—Eastern shore of Hunting Creek about ½ mile north of Miles River. (See Chart No. 34.)

Immediate locality. Observed station is in cultivated land about 6 feet above high water, 10 yards east of edge of bank, 32 yards north of extreme point of shore, 7 yards northeast of a shanty, 14 yards northwest of shore, and trees along shore.

Marks. Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	0	00	00
"Hunting" (S 33° 40' E).....	0	00	00
Nail in blaze in cedar tree (4 inches diameter).....	20	41	00
Left corner of shanty.....	53	38	
Right corner of shanty.....	83	08	
"St. Michaels Water Tank".....	132	20	00
Left corner of house behind very large oak tree.....	185	12	
Left peak of ell of house.....	272	52	
Nail in blaze in birch tree (15 inches diameter).....	288	04	00
Nail in blaze in birch tree (9 inches diameter).....	304	51	10
Right peak of barn with cupola.....	350	50	

HUNTING.

General locality.—Northwestern shore of Miles River on east side of entrance to Hunting Creek and $\frac{1}{2}$ mile northeast of Long Point. (See Chart No. 34.)

Immediate locality.—Observed station is in south corner of cultivated field, about 5 feet above high water, 2 yards northwest of edge of bank with bushes, 6 yards west of edge of bank, 7 yards northeast of point of bank, 50 yards north of edge of lower land, and 200 yards south of a large barn with a cupola.

Marks.—Observed station is center point of triangle on standard cement ground projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Spree" (N 79° 09' E).....	0	00	00 $\frac{1}{4}$ mile.
Left peak of house.....	3	42	 1 mile.
Near peak of large barn.....	46	35	 $\frac{3}{4}$ mile.
Nail in blaze in persimmon tree (6 inches diameter).....	100	17	50 5.87 meters.
Spindle on barn cupola.....	105	03	 $1\frac{1}{2}$ miles.
Left peak of building near railroad bridge.....	119	46	 $1\frac{1}{2}$ miles.
Left tree on Long Point.....	154	17	 $\frac{1}{2}$ mile.
Near peak of large building.....	240	35	 $1\frac{1}{2}$ miles.
Spindle on barn cupola.....	271	29	 200 yards.
Peak of near gable on house.....	337	27	 $\frac{1}{4}$ mile.
Nail in blaze in cherry tree (3 inches diameter).....	339	21	10 7.98 meters.

SPREE.

General locality.—Northwestern shore of Miles River, about $\frac{1}{2}$ mile east of entrance to Hunting Creek, and $\frac{3}{4}$ mile northeast of Long Point. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 2 yards north of shore, 15 yards west-southwest of wire fence, and 25 yards south of trees. Cement monument marking reference station is 10.57 meters N 2° 18' E of observed station and on line with cherry tree.

Marks.—Observed station is center of 2-inch tile pipe with top flush with surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—

	°	'	''	
"Whit" (N 60° 48' E).....	0	00	00 $\frac{1}{2}$ mile.
Left corner of boathouse.....	1	07	 $\frac{1}{4}$ mile.
Near corner of large house.....	3	50	 1 mile.
Left peak of roof of house.....	38	17	 $\frac{5}{8}$ mile.
Spindle on barn cupola.....	115	26	 $\frac{3}{4}$ mile.
Spindle on barn cupola.....	135	22	 $\frac{7}{8}$ mile.
Left corner of roof of house.....	166	42	 2 miles.
Nail in blaze in hackberry tree (5 inches diameter).....	265	58	00 22.08 meters.
Nail in blaze in cherry tree (6 inches diameter).....	300	33	 23.17 meters.
REFERENCE STATION.....	301	30	30 10.57 meters.
Right peak of colonial house.....	354	15	 $\frac{1}{4}$ mile.
Nail in blaze in fence post.....	358	52	30 15.04 meters.

WHIT.

General locality.—Northwestern shore of Miles River on east side of entrance to a small cove about 1¼ miles northeast of Long Point. (See Chart No. 34.)

Immediate locality.—Observed station is on a small marsh point near a small clump of cedar and hackberry trees about 1 foot above high water, 5 yards northwest of shore, 4 yards northeast of shore, and 6 yards north of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Dorrance" (N 25° 25' E)	0	00	00	¾ mile.
Nail in blaze in leaning hackberry tree (4 inches diameter)	2	56	10	8.07 meters.
Left corner of house	6	39		⅝ mile.
Center of windmill tower	19	49		1⅝ miles.
Center of windmill tower	32	32		1⅝ miles.
Near peak of house	42	55		⅝ mile.
Left peak of roof of house	126	31		¾ mile.
Left corner of square house	186	34		1 mile.
Left corner of roof of house	220	51		¼ mile.
Near peak of large house	257	10		¾ mile.
Nail in blaze in twin hackberry tree (20 inches diameter)	291	51	40	4.49 meters.
Nail in blaze in hackberry tree (5 inches diameter)	325	35	10	4.98 meters.
Near peak of Dorrance house	350	02		¾ mile.

DORRANCE.

General locality.—Northwestern shore of Miles River about 1⅝ miles southwest of Miles River bridge and 1⅝ miles northeast of Long Point. (See Chart No. 34.)

Immediate locality.—Observed station is about 5 feet above high water, 2 yards northwest of edge of bank, 9 yards west-southwest of a large tree on point of bank, 11 yards west of point of bank, and 12 yards southwest of edge of bank.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe, buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Tang" (N 40° 20' E)	0	00	00	¼ mile.
Center of windmill tower	9	50		1¾ miles.
Left corner of large house	18	06		2 miles.
Near corner of Henderson house	24	22		1⅝ miles.
Center of windmill on tower	25	18		1⅝ miles.
Nail in blaze in hickory tree (20 inches diameter)	27	42	50	8.58 meters.
Spindle on barn cupola	62	42		½ mile.
Right peak of house	70	39		¾ mile.
Near peak of house	136	04		¾ mile.
Nail in blaze in hickory tree (18 inches diameter)	153	18	00	5.79 meters.
Right corner of house	207	10		300 yards.
Left peak of small tenant house	259	04		300 yards.
Near corner of Dorrance house	328	55		300 yards.
Right corner of house	355	57		½ mile.

TANG.

General locality.—Northwestern shore of Miles River at south side of entrance to a cove, about $1\frac{1}{2}$ miles southwest of Miles River bridge. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh point about 1 foot above high water, 20 yards northwest of shore, 25 yards north of point of shore, 35 yards west-southwest of another point of shore, and 150 yards southeast of wire fence.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Johnson" (N 40° 46' E)	0	00	00 $\frac{1}{4}$ mile.
Center of windmill tower	12	31	$\frac{3}{4}$ mile.
Right eave of Goldsborough house	21	26	$1\frac{1}{8}$ miles.
Center of windmill tower	31	37	$1\frac{1}{2}$ miles.
Near corner of large chimney of mansion	48	50	1 mile.
Right peak of Mumford house	119	57	$\frac{3}{8}$ mile.
Near peak of roof	149	05	$\frac{1}{8}$ mile.
Near peak of Dorrance house	193	47	$\frac{1}{4}$ mile.
Near peak of house	288	44	$\frac{1}{4}$ mile.
Right corner of house	351	46	$\frac{1}{4}$ mile.

BETHEL.

General locality.—Southeastern shore of Miles River at north side of entrance to a small creek, about $\frac{3}{4}$ mile southwest of Miles River bridge. (See Chart No. 34.)

Immediate locality.—Observed station is in a clump of pine trees about 3 feet above high water, 9 yards south of shore of rounded point, and 20 yards east of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Figs" (S 38° 40' W)	0	00	00 $\frac{3}{8}$ mile.
Near peak of Dorrance house	36	02	$\frac{3}{4}$ mile.
Nail in blaze in cedar tree (14 inches diameter)	56	38	00 5.76 meters.
Left corner of second story of Lowndes house	87	26	$\frac{3}{8}$ mile.
Nail in blaze in persimmon tree (6 inches diameter)	125	54	30 4.91 meters.
Center of windmill on tower	173	33	$\frac{1}{2}$ mile.
Left corner of Goldsborough house	174	39	1 mile.
Nail in blaze in locust tree (10 inches diameter)	197	25	40 4.74 meters.
Center of windmill on tower	205	39	$\frac{3}{8}$ mile.
Left corner of large chimney	267	50	$\frac{1}{2}$ mile.

FIG.

General locality.—Southeastern shore of Miles River, about 1 mile southwest of Miles River bridge. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 12 feet above high water, 4 yards southeast of edge of tree-covered bank, and 150 yards north-northwest of large barn with two cupolas.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Doctor" (S 51° 35' W).....	0	00	00 ¼ mile.
Near peak of house.....	33	44	5/8 mile.
Nail in blaze in hackberry tree.....	35	07	10 8.66 meters.
Left corner of Dorrance house.....	52	05	½ mile.
Nail in blaze in cedar tree (4 inches diameter).....	111	57	20 9.39 meters.
Spindle on cupola on hip roof on house.....	149	46	¾ mile.
Center of windmill on tower.....	162	56	7/8 mile.
Point of tower on house.....	166	12	7/8 mile.
Left corner of Henderson house.....	182	21	1 mile.
Center of windmill on tower.....	183	42	1 mile.
Near peak of tenant house.....	209	37	¼ mile.
Spindle on left one of two cupolas on barn.....	289	54	150 yards.
Near peak of large barn.....	333	00	¼ mile.
Nail in blaze in oak tree (8 inches diameter).....	354	32	00 19.14 meters.

DOCTOR.

General locality.—Southeastern shore of Miles River, about 1¼ miles west-southwest of Miles River bridge and 1¾ miles northeast by east of Long Point. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land back of bushes about 4 feet above high water, 4 yards southeast of edge of bank, 55 yards southwest of a wire fence, 80 yards west of corner of wire fence, 100 yards west by south of a house, and 100 yards west-southwest of a marsh point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"McConnell" (S 31° 17' W).....	0	00	00 ¼ mile.
Spindle on barn cupola.....	3	57	¾ mile.
Near peak of house.....	36	41	5/8 mile.
Peak of house.....	113	30	¾ mile.
Nail in blaze in bush (3 inches diameter).....	136	19	00 6.66 meters.
Nail in blaze in apple tree (8 inches diameter).....	154	11	30 17.93 meters.
Left corner of house.....	159	17	½ mile.
Center of tower.....	186	31	1 1/8 miles.
Left corner of shed.....	213	28	100 yards.
Nail in blaze in fence post.....	228	15	50 71.35 meters.
Right peak of large barn.....	344	54	¾ mile.
Near peak of roof of house.....	350	02	5/8 mile.

McCONNELL.

General locality.—Southeastern shore of Miles River, near west side of entrance to a small cove about 1½ miles east-northeast of Long Point and 1 5/8 miles southwest of Miles River bridge. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 6 feet above high water, 15 yards southeast of edge of bank, 20 yards south of point of bank, and 40 yards west of edge of field at trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Kirk" (S 51° 55' W).....	0	00	00 5/8 mile.
Left peak of roof of house.....	3	39	2½ miles.
Left peak of large house.....	28	52	¾ mile.
Front peak of house.....	45	04	½ mile.
"St. Michaels Water Tank".....	46	40	20 4¼ miles.
Spindle on barn cupola.....	114	02	½ mile.

References—Continued.

	°	'	"	
Left corner of plastered house.....	120	37		1/2 mile.
Right corner of large house.....	145	16		3/8 mile.
Right corner of house.....	169	12		7/8 mile.
Nail in blaze in cherry tree (5 inches diameter).....	190	40	30	39.78 meters.
Nail in blaze in cherry tree (8 inches diameter).....	213	24	40	37.57 meters.
Nail in blaze in cherry tree (10 inches diameter).....	237	57	00	53.92 meters.
Right peak of barn.....	311	22		1/4 mile.

KIRK.

General locality.—Southeastern shore of Miles River, between two creeks about 1 mile east of Long Point. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field, 7 feet above high water, 15 yards south-east of edge of bank, 35 yards west-southwest of point of bank covered with trees, and 40 yards west-northwest of a large sycamore tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Ham" (S 42° 29' W).....	0	00	00	1/2 mile.
Near peak of large house.....	5	30		1 3/4 miles.
Left corner of large house.....	76	08		1/2 mile.
Highest near peak of house.....	94	49		3/8 mile.
Right front peak of large house.....	135	52		3/8 mile.
Nail in blaze in cedar tree (6 inches diameter).....	158	58	20	28.33 meters.
Left corner of large house.....	167	33		1 1/2 miles.
Center of windmill tower.....	178	17		2 1/8 miles.
Spindle on right barn cupola.....	189	36		3/4 mile.
Nail in blaze in cedar tree (5 inches diameter).....	203	16	10	37.05 meters.
Left peak of roof of large house.....	213	58		3/8 mile.
Nail in blaze in sycamore tree (3 feet diameter).....	234	24	30	34.98 meters.
Spindle on barn cupola.....	346	07		1/2 mile.
Left corner of square house.....	355	12		1/2 mile.

HAM.

General locality.—Southeastern shore of Miles River, about 5/8 mile east-southeast of Long Point, 1/2 mile southeast of entrance to Hunting Creek, and 1/2 mile northeast of entrance to Newcomb Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated land about 6 feet above high water, 12 yards south-southeast of edge of bank, 20 yards west-southwest of wooden fence at orchard, 65 yards north-northwest of fence at road, 70 yards west-northwest of large, square house, and 70 yards northwest of corner of fence.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Comb" (S 29° 52' W).....	0	00	00 3 ⁵ / ₈ mile.
Left peak of house.....	32	17	1 ⁵ / ₈ miles.
Near peak of large house.....	62	08	1 ³ / ₄ miles.
"St. Michaels P. E. Church spire".....	80	30	50 3 ¹ / ₂ miles.
"St. Michaels Water Tank".....	82	09	20 3 ³ / ₄ miles.
Near peak of house.....	113	17	1 ³ / ₄ miles.
Left corner of house.....	146	00	5 ⁸ / ₈ mile.
Front peak of large colonial house.....	175	06	3 ¹ / ₄ mile.
Nail in blaze in fence post.....	187	33	20 17.32 meters.
Near corner of large house.....	195	43	3 miles.
Nail in blaze in cherry tree (24 inches diameter).....	230	54	00 21.67 meters.
Left corner of house.....	250	47	73 yards.
Nail in blaze in cherry tree (24 inches diameter).....	253	51	50 36.78 meters.
Spindle on barn cupola.....	305	51	5 ⁸ / ₈ mile.
Large, long sycamore tree.....	359	17	1 ¹ / ₄ mile.

COMB.

General locality.—Southeastern shore of Miles River about $\frac{1}{8}$ mile north of entrance to Newcomb Creek and $\frac{3}{4}$ mile northeast of railroad bridge across entrance to Oak Creek. (See Chart No. 34.)

Immediate locality.—Observed station is in cultivated field about 6 feet above high water, 35 yards southeast of edge of bank, 30 yards east of edge of bank, 45 yards north of edge of bank on range with point, and 300 yards southwest of large lone sycamore tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above the surface of the ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Hall" (S 42° 06' W).....	0	00	00 3 ¹ / ₄ mile.
Left peak of house.....	31	22	1 ¹ / ₈ miles.
"St. Michaels Water Tank".....	75	56	30 3 ⁵ / ₈ miles.
Chimney outside of left end of Fogg cottage.....	80	56	3 ⁵ / ₈ miles.
Weather vane on tower of Dodson house.....	95	57	4 miles.
Cupola on barn.....	122	11	1 ⁵ / ₈ miles.
Left corner of house.....	146	52	1 mile.
Large lone sycamore tree.....	168	36	300 yards.
Windmill in range with house.....	187	18	1 ¹ / ₄ miles.
Stack of cannery.....	317	48	3 ¹ / ₄ mile.
Spindle on barn cupola.....	325	59	1 ¹ / ₂ mile.

HALL.

General locality.—Southern shore of Miles River about 100 yards west of west end of railroad trestle across entrance to Oak Creek, and 100 yards east of Royal Oak railway station. (See Chart No. 34.)

Immediate locality.—Observed station is in marsh about 1 foot above high water, 30 yards southwest of shore, 40 yards south of shore, 85 yards west-northwest of shore at corner of shed, and 35 yards north-northeast of near rail of railway track.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above the surface of the ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Barnett" (N 39° 14' W).....	0	00	00	¾ mile.
Center of tower on Dodson house.....	7	37		4¾ miles.
Chimney of middle of Hall Building.....	28	03		2¾ miles.
Near chimney of Speck house.....	62	40		1¾ miles.
Chimney of Dorrance house.....	71	47		2½ miles.
Chimney on southeast end of house.....	108	32		½ mile.
Left tangent of shed.....	147	08		85 yards.
Northwest peak of barn.....	165	55		¼ mile.
North peak of Kirby house.....	234	38		¼ mile.
Chimney of house.....	281	37		¼ mile.
Chimney on railroad station.....	299	12		100 yards.
Left chimney of house.....	330	38		¼ mile.

BARNETT.

General locality.—Southern shore of Miles River about ¾ mile northwest of entrance to Oak Creek, and ⅞ mile southeast of entrance to Spencers Cove. (See Chart No. 34.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 9 yards southwest of shore, 12 yards northwest of shore, 18 yards west-northwest of extreme end of point, and 8 yards north-east of foot of a bank 6 feet high.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Maiden" (N 26° 26' W).....	0	00	00	½ mile.
Cupola of Rieman barn.....	16	16		2¾ miles.
Left chimney of Hall house.....	25	57		2 miles.
Near chimney of house.....	76	47		1½ miles.
Windmill.....	85	05		2 miles.
Left chimney of house.....	93	46		2 miles.
Near chimney of square roof house.....	102	21		1½ miles.
Spindle on cupola on barn.....	140	28		1 mile.
Southwest peak of barn.....	162	36		¾ mile.
Nail in blaze in oak tree (26 inches diameter).....	177	12	50	9.22 meters.
Nail in blaze in cedar tree (8 inches diameter).....	228	16	40	5.04 meters.
Nail in blaze in pine tree (16 inches diameter).....	256	11	20	10.29 meters.

MAIDEN.

General locality.—Southwestern shore of Miles River about ½ mile west of Long Point and 2½ miles southeast of St. Michaels. (See Chart No. 34.)

Immediate locality.—Observed station is just outside of a fringe of trees near a small marsh skirting the shore on a point about 3 feet above high water, 3 yards south of shore, 5 yards northeast of foot of bank, 7 yards east of point of bank. Cement monument marking reference station is 4.34 meters S 16° 57' W of observed station. Stone monument marking "Miles River" (1899) is 38.22 meters S 48° 29' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. New reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Old triangulation station (Miles River, 1899) is center of cross lines on 6-inch square top stone monument.

References.—	°	'	''	
"Stony" (N 48° 53' W).....	0	00	00 7/8 mile.
Right chimney of house.....	5	01	2 3/8 miles.
Weather vane on Dodson house.....	18	25	27/8 miles.
Left tangent of woods on Fairview Point.....	32	34	2 1/2 miles.
Cupola on Rieman barn.....	42	46	2 miles.
Northwest chimney of house.....	55	21	1 5/8 miles.
Weather vane on barn cupola.....	69	32	1 3/4 miles.
North chimney of house.....	128	13	2 1/4 miles.
Large square chimney on old house.....	143	04	1 1/2 miles.
"Miles River 1899," stone monument.....	180	24	00 38.22 meters.
Chimney on near side of roof of large building.....	190	48	1 3/8 miles.
West peak of large building near draw.....	198	07	1 1/2 miles.
REFERENCE STATION (cement monument).....	245	50	40 4.34 meters.
Nail in blaze in cherry tree (22 inches diameter).....	259	04	50 4.86 meters.
Nail in blaze in cedar tree (5 inches diameter).....	310	27	20 3.37 meters.
Nail in blaze in cedar tree (8 inches diameter).....	335	15	20 3.73 meters.
Chimney of Slater house.....	353	23	3/4 mile.

STONY.

General locality.—Southwestern shore of Miles River on point at east side of entrance to Spencer Cove about 1 1/4 miles southeast of St. Michaels. (See Chart No. 34.)

Immediate locality.—Observed station is in clump of large oak and birch trees about 8 feet above high water, 14 yards south of shore, 16 yards south-southwest of a point and 12 yards west of another point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe with top 2 inches below base of monument.

References.—	°	'	''	
"Millwind" (N 31° 16' W).....	0	00	00 1 1/2 miles.
Weather vane on tower of Dodson house.....	7	41	2 1/4 miles.
Near peak of cupola on Rieman barn.....	50	21	1 5/8 miles.
Peak of west gable of Hall house.....	63	47	1 3/8 miles.
Spindle on cupola of house.....	80	10	1 1/4 miles.
Tangent of trees.....	162	22	1/4 mile.
Nail in blaze in white oak tree (9 inches diameter).....	213	25	20 4.51 meters.
Nail in blaze in holly tree (13 inches diameter).....	242	33	00 9.43 meters.
Nail in blaze in pine tree (10 inches diameter).....	317	04	10 12.34 meters.
Flagstaff on water tank.....	334	33	1 1/2 miles.
Left chimney of house.....	342	59	1 5/8 miles.

CHLORA.

General locality.—Northeastern shore of Choptank River, on Chlora Point, about 1 1/2 miles south-southeast of entrance to Island Creek, 1 1/2 miles northwest of entrance to La Trappe Creek, and 2 3/8 miles southeast of Choptank River Light. (See Chart No. 35.)

Immediate locality.—Observed station is about 8 feet above high water, 6 yards east-northeast of edge of bank, 9 yards south of wire fence, and 18 yards north of edge of bank at walnut tree. Cement monument marking reference station is 6.91 meters N 78° 43' E of observed station.

Marks.—Observed station is hole in center of cement-filled tile pipe 4 inches diameter with top about 2 inches below surface of ground. Reference station is center point of triangle on standard cement monument projecting 4 inches above the surface of the ground.

References.—

“Choptank River Light” (N 57° 03' W)	0	00	00	2 3/8 miles.
Nail in blaze in wild-cherry tree (3 inches diameter)	74	39	10	3.11 meters.
Nail in blaze in cedar tree (4 inches diameter)	129	31	00	9.01 meters.
REFERENCE STATION	135	46	10	6.91 meters.
Nail in blaze in walnut tree (14 inches diameter)	220	12	10	16.70 meters.
Near peak of house	254	53	3 miles.
Spindle on cupola	267	24	2 3/8 miles.
“Large Water Tank”	294	46	30	1 1/2 miles.

TRAPPE.

General locality.—Northern shore of Choptank River, at west side of entrance to La Trappe Creek, about 1 1/2 miles southeast of Chlora Point. (See Chart No. 35.)

Immediate locality.—Observed station is on grassy gravel point about 3 feet above high water, 4 yards north of shore, 6 yards east-northeast of shore, and 17 yards south by east of large cedar tree. Cement monument marking reference station is 12.62 meters N 47° 40' E of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 2 inches above surface of ground.

References.—

“Lan” (N 25° 07' E)	0	00	00	1/2 mile.
Cedar tree	11	95	35 yards.
Red beacon	96	50	00	1/4 mile.
Right chimney of house	130	16	3 miles.
“Black Beacon”	145	54	40	1/4 mile.
Northerly peak of Travers Wharf house	196	15	2 1/2 miles.
Center of smaller water tank	241	02	2 5/8 miles.
“Large Water Tank”	241	44	30	2 5/8 miles.
Nail in blaze in cedar tree (20 inches diameter)	294	50	50	7.23 meters.
REFERENCE STATION	350	06	40	12.62 meters.
Nail in blaze in cedar tree (22 inches diameter)	353	23	40	15.99 meters.

LAN.

General locality.—Northwestern shore of La Trappe Creek, about 3/4 mile north of Choptank River. (See Chart No. 35.)

Immediate locality.—Observed station is on tree-fringed high land about 10 feet above high water, 8 yards southeast of shore, 85 yards north of shore, and 105 yards northeast of extreme end of point.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Rice" (N 00° 09' E).....	0	00	00 3/8 mile.
Near peak of barn.....	16	13	3/4 mile.
Chimney of abandoned house.....	41	40	3/8 mile.
Chimney of 1 1/2-story house.....	47	44	3/8 mile.
Peak of metal-roofed barn.....	62	58	1/2 mile.
Chimney of house in trees.....	69	00	1/2 mile.
Nail in blaze in locust tree (4 inches diameter).....	185	07	30 12.46 meters.
"Large Water Tank" (Castlehaven).....	198	40	00 2 7/8 miles.
Chimney on small house.....	235	52	1/4 mile.
Nail in blaze in locust tree (6 inches diameter).....	292	39	00 26.39 meters.
Near peak of barn.....	336	14	1/4 mile.

RICE.

General locality.—Northwestern shore of La Trappe Creek, about 1/8 mile northeast of a wharf and 3/4 mile north-northeast of Choptank River. (See Chart No. 35.)

Immediate locality.—Observed station is on tree-fringed cultivated land, about 3 feet above high water, 28 yards south of shore, 15 yards south of edge of marsh and cultivated land, and 50 yards west of a small creek.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Gis" (S 14° 38' W).....	0	00	00 3/8 mile.
Nail in blaze in locust tree (5 inches diameter).....	12	23	30 21.00 meters.
Chimney between two 1-story houses.....	57	22	125 yards.
Near peak of barn.....	91	01	1/4 mile.
Chimney of small house.....	205	01	150 yards.
Near peak of barn.....	254	34	3/8 mile.
Nail in blaze in locust tree (5 inches diameter).....	255	54	40 19.23 meters.
Nail in blaze in locust tree (3 inches diameter).....	314	02	20 11.99 meters.

INEZ.

General locality.—Eastern shore of La Trappe Creek, on southwestern shore of a small cove about 3/4 mile northeast of Choptank River. (See Chart No. 35.)

Immediate locality.—Observed station is on high land in pasture field about 10 feet above high water 3 yards south of edge of tree-fringed bank, and 125 yards northeast of small house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top about 2 inches below base of monument.

References.—	°	'	"	
"Gis" (S 60° 27' W).....	0	00	00 1/8 mile.
Chimney of 1 1/2-story house.....	3	22	125 yards.
Near peak of abandoned house.....	19	36	125 yards.
Nail in blaze in hackberry tree (3 inches diameter).....	41	31	20 11.11 meters.
Point of dairy roof.....	82	20	1/4 mile.
Chimney of 1 1/2-story house.....	87	28	1/4 mile.
Peak of roof of small house.....	122	59	1/4 mile.

References.—Continued.

	°	'	"	
Peak of barn.....	130	00		7/8 mile.
Nail in blaze in locust tree (4 inches diam- eter).....	151	19	40	3.44 meters.
Peak of barn.....	282	34		7/8 mile.
Right chimney of house in trees.....	302	19		1/4 mile.
"Black Beacon".....	339	49	40	7/8 mile.

GIS.

General locality.—Southeastern shore of LaTrappe Creek, about 1/4 mile south of a wharf, and 1/2 mile northeast of Choptank River. (See Chart No. 35.)

Immediate locality.—Observed station is on sand and marsh point about 1 foot above high water, 11 yards southeast of shore, 13 yards north of shore, 20 yards northeast of shore, and 30 yards north of high cultivated land.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Grubin" (S 20° 49' W).....	0	00	00	3/8 mile.
"Black Beacon".....	14	34	50	5/8 mile.
Red Beacon.....	20	09	30	5/8 mile.
Chimney of house.....	93	09		1/2 mile.
Left chimney on house.....	149	29		3/8 mile.
Chimney between two small houses.....	161	51		1/4 mile.
Near peak of 1 1/2-story house.....	180	36		3/8 mile.

GRUBIN.

General locality.—Northern shore of Choptank River on east side of entrance to La Trappe Creek. (See Chart No. 35.)

Immediate locality.—Observed station is on grassy marsh back of gravel beach, about 1 foot above high water, 13 yards east of shore, 13 yards south of shore, 20 yards southeast of extreme end of point, and 100 yards northwest of pond.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Howard" (S 1° 21' W).....	0	00	00	2 3/8 miles.
South peak of Travers Wharf house.....	45	02		3 miles.
"Black Beacon".....	51	56	10	1/4 mile.
Center of smaller water tower.....	86	56		3 miles.
"Large water tank".....	87	49	30	2 3/8 miles.
Red Beacon.....	90	47	10	1/4 mile.
South peak of shed.....	153	07		5/8 mile.
Near peak of barn.....	181	58		5/8 mile.
Nail in blaze in stump (7 inches diameter)....	194	47	40	12.17 meters.
Chimney of house.....	199	51		3/8 mile.
Nail in blaze in cedar tree (5 inches diameter). 225	34	30		12.04 meters.

BLACK BEACON.

General locality.—Northeastern shore of Choptank River off entrance to LaTrappe Creek, about 1 5/8 miles northeast of Horn Point. (See Chart No. 35.)

Immediate locality.—Observed station is on a cylindrical foundation known as LaTrappe Creek outer light.

Marks.—Observed station is center point of lantern on LaTrappe Creek outer light.

References.—None necessary.

HOWELLS.

General locality.—Northern shore of Choptank River on Howells Point about $1\frac{5}{8}$ miles east of Horn Point, 2 miles north of entrance to Jenkins Creek, and 2 miles northwest of Hambrooks Bar Beacon. (See Chart No. 35.)

Immediate locality.—Observed station is on a long grassy gravel point about 3 feet above high water, 50 yards south-southeast of old fish shanty and trees, 25 yards south of highest level part of land, 11 yards west of shore, 3 yards east of shore, and $\frac{1}{4}$ mile north of extreme end of point. Cement monument marking reference station is 22.82 meters N $17^{\circ} 53'$ E of observed station.

Marks.—Observed station is nail in center of cedar stub in center of 4-inch tile pipe with top of pipe 4 inches below surface of ground. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

<i>References.</i> —	°	'	''	
"Red" (N $78^{\circ} 26'$ E)	0	00	00	1 $\frac{5}{8}$ miles.
South peak of Kirby Wharf house	12	35	..	2 miles.
"Hambrooks Bar Beacon"	44	16	50	2 miles.
Flagstaff on boathouse	57	19	..	1 $\frac{5}{8}$ miles.
"Dicks Water Tank"	62	22	10	1 $\frac{3}{4}$ miles.
"Cambridge Standpipe"	60	41	10	3 $\frac{1}{4}$ miles.
Spindle on barn cupola	137	22	..	1 $\frac{3}{4}$ miles.
"Large water tank"	209	51	40	3 $\frac{3}{8}$ miles.
"Black Beacon"	251	22	20	1 $\frac{1}{8}$ miles.
Nail in blaze in dead locust tree (15 inches diameter)	285	21	50	9.83 meters.
Nail in blaze in locust tree (3 inches diameter)	294	01	40	13.67 meters.
Nail in blaze in pin oak tree (11 inches diameter)	297	59	10	27.28 meters.
REFERENCE STATION	299	26	40	22.82 meters.

RED.

General locality.—Northern shore of Choptank River at eastern side of Dickinsons Bay, about $1\frac{5}{8}$ miles east-northeast of Howells Point and $\frac{3}{4}$ mile northwest of Kirby Wharf. (See Chart No. 35.)

Immediate locality.—Observed station is on cultivated land on first high bluff upstream from Howells Point, about 12 feet above high water, 8 yards northeast of edge of bank, 10 yards north of edge of bank, and 10 yards east of edge of bank. Cement monument marking reference station is 23.65 meters N $89^{\circ} 58'$ E of observed station and almost on line with east chimney of house.

Marks.—Observed station is nail in stub in center of 2-inch tile pipe with top of pipe 6 inches below surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

<i>References.</i> —	°	'	''	
"Hambrooks Bar Beacon" (S $3^{\circ} 39'$ E)	0	00	00	1 $\frac{3}{8}$ miles.
"Cambridge Standpipe"	0	30	10	3 miles.
"Dicks Water Tank"	19	34	50	1 $\frac{3}{4}$ miles.
Center of silo tower	51	38	..	3 miles.
"Large Water Tank"	102	32	50	4 $\frac{3}{4}$ miles.
Near peak of barn with two cupolas	148	28	..	1 mile.
REFERENCE STATION	220	16	20	23.63 meters.
East chimney of house	220	38	..	$\frac{1}{4}$ mile.
Near peak of large barn	282	07	..	$\frac{3}{4}$ mile.
Right peak of Kirby Wharf house	308	26	..	$\frac{5}{8}$ mile.
Near peak of hospital	348	39	..	3 $\frac{1}{4}$ miles.
"East Cambridge Tall Stack"	351	07	40	3 miles.

DOUBLE.

General locality.—Northern shore of Choptank River nearly opposite Cambridge about 1 mile north-west of entrance to Bolingbroke Creek and 1½ miles east of Hambrooks Bar Beacon. (See Chart No. 35.)

Immediate locality.—Observed station is on point of marsh separated from field by a row of locust trees about 12 yards northeast of shore, 20 yards north of shore, 14 yards east of shore, and 30 yards south of a large wild-cherry tree.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"East Cambridge tall stack" (S 32° 33' W) . . .	0	00	00	1¾ miles.
"Dicks Water Tank"	51	44	20	2 miles.
"Hambrooks Bar Beacon"	60	01	00	1½ miles.
"Large Water Tank"	76	25	40	6¾ miles.
Chimney of house	107	34		2½ miles.
Nail in blaze in wild-cherry tree (24 inches diameter)	142	08	30	26.69 meters.
Nail in blaze in locust tree (5 inches diameter)	177	10	40	24.92 meters.
Chimney outside of near end of house	177	29		½ mile.
Nail in blaze in wild-cherry tree (4 inches diameter)	207	20	40	34.66 meters.
Spindle on barn cupola	248	23		½ mile.
Chimney of house	320	47		2¼ miles.
Spindle on cupola	347	55		2 miles.
Near peak of hospital	354	52		1¾ miles.

BOLING.

General locality.—Northern shore of Choptank River on an island in entrance to Bolingbroke Creek about ¾ mile northwest of Chancellors Point and 2 miles east-northeast of Cambridge. (See Chart No. 35.)

Immediate locality.—Observed station is in rushes on a sandy marsh about 3 feet above high water, 6 yards northeast of shore, 7 yards north of shore, 8 yards east of shore, and 160 yards northwest by north of entrance to Bolingbroke Creek.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"East Cambridge Tall Stack" (S 60° 19' W) . . .	0	00	00	1¾ miles.
Chimney outside of left end of mansard-roof house	33	11		2¾ miles.
Flagpole on boathouse	37	05		2¾ miles.
"Hambrooks Bar Beacon"	44	30	00	2¾ miles.
Nail in blaze in cedar tree (8 inches diameter)	134	40	30	26.53 meters.
Nail in blaze in old cedar stump (13 inches diameter)	191	39	00	5.29 meters.
Near peak of barn cupola	249	14		1¾ miles.
Near peak of barn	270	14		1½ miles.
Chimney of house	294	34		1½ miles.
Nail in blaze in cedar tree (11 inches diameter)	300	25	40	4.56 meters.
Chimney of house	313	10		1¾ miles.

REAR.

General locality.—Northern shore of Choptank River about $\frac{1}{8}$ mile northwest of Chancellors Point and $\frac{1}{2}$ mile southeast of entrance to Bolingbroke Creek. (See Chart No. 35.)

Immediate locality.—Observed station is in cultivated field on bluff about 12 feet above high water, 65 yards north of edge of bank, 110 yards northeast of edge of bank and trees, 160 yards east of edge of bank, and 95 yards northwest of bottom of gully.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Barber" (N 35° 22' E).....	0	00	00	1 mile.
Near corner of square cupola.....	27	51	..	$\frac{1}{4}$ mile.
Chimney of house.....	78	16	..	$1\frac{1}{2}$ miles.
Near peak of barn cupola.....	105	00	..	$1\frac{1}{4}$ miles.
Near peak of large barn.....	136	08	..	$1\frac{3}{8}$ miles.
Left peak of large barn.....	177	19	..	$1\frac{3}{4}$ miles.
Barn cupola.....	214	22	..	2 miles.
"Cambridge Standpipe".....	221	13	50	$2\frac{3}{4}$ miles.
"Hambrooks Bar Beacon".....	255	40	50	3 miles.
"Large Water Tank".....	257	19	00	$8\frac{1}{4}$ miles.
Chimney of house.....	280	15	..	$1\frac{1}{4}$ miles.
Chimney outside near end of house.....	288	83	..	$1\frac{3}{4}$ miles.

CHANCELLOR.

General locality.—Northern shore of Choptank River on Chancellors Point about $\frac{3}{4}$ mile north of entrance to Hurst Creek and $\frac{3}{4}$ mile southeast of entrance to Bolingbroke Creek. (See Chart No. 35.)

Immediate locality.—Observed station is on sand and grass point about 1 foot above high water, 35 yards west of shore, 35 yards northeast of shore, 60 yards north by west of extreme end of point, 13 yards south of line of cedar stumps, 27 yards southeast of large lone pine tree, and almost on range of Cambridge Standpipe and left peak of hospital. Cement monument marking reference station is 4.70 meters N 31° 31' W of observed station and almost on line to large lone pine tree.

Marks.—Observed station is nail in cedar stub in center of 4-inch tile pipe with top flush with surface of ground. Reference station is center point of triangle on standard cement monument projecting 6 inches above surface of ground.

<i>References.</i> —	°	'	"	
"Cambridge Standpipe" (S 78° 00' W).....	0	00	00	$2\frac{7}{8}$ miles.
REFERENCE STATION.....	70	29	10	4.70 meters.
Nail in blaze in lone pine tree (16 inches diameter).....	71	00	00	24.74 meters.
Southeast corner of square cupola.....	115	45	..	350 yards.
Nail in blaze in cedar stump (16 inches diameter).....	122	32	50	12.40 meters.
Chimney of house.....	216	38	..	$1\frac{1}{4}$ miles.
Near peak of house.....	245	53	..	$1\frac{1}{8}$ miles.
Chimney on left end of house.....	282	44	..	$1\frac{1}{4}$ miles.
Chimney of house.....	328	52	..	$1\frac{3}{8}$ miles.
Nail in blaze in small pine tree.....	350	04	40	23.26 meters.
Left peak of hospital.....	359	06	..	$2\frac{1}{4}$ miles.

BARBER.

General locality.—Northwestern shore of upper Choptank River about 1 mile north-northeast of Chancellors Point and about $\frac{7}{8}$ mile west-southwest of Goose Point. (See Chart No. 35.)

Immediate locality.—Observed station is on marsh about 2 feet above high water, 12 yards north-northwest of county road and shore, 45 yards west-southwest of a cabin on the county road, 25 yards west of two cedar trees just across road, and 65 yards south of a wire fence.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe with top 2 inches below base of monument.

<i>References.</i> —	o	l	''	
"Duck" (N 75° 49' E).....	0	00	00 $\frac{7}{8}$ mile.
Nail in blaze in cedar tree (10 inches diameter).....	5	04	50 19.17 meters.
Smokepipe on wharf house.....	35	48	1 $\frac{1}{2}$ miles.
Near peak of house.....	57	06	1 $\frac{1}{2}$ miles.
Northwest peak of house.....	92	22	1 $\frac{3}{4}$ miles.
Chimney on left end of house.....	116	41	2 $\frac{1}{4}$ miles.
Near peak of house with square cupola.....	133	33	$\frac{7}{8}$ mile.
Large lone tree.....	208	40	350 yards.
Nail in blaze in cedar tree (5 inches diameter).....	209	58	40 36.42 meters.
Nail in blaze in persimmon tree (5 inches diameter).....	323	12	30 36.01 meters.
Near corner of barn.....	347	15	21.96 meters.
Nail in blaze in cedar tree (10 inches diameter).....	359	16	50 20.12 meters.

DUCK.

General locality.—Northern shore of Choptank River on Goose Point $\frac{3}{4}$ mile north of Oyster Shell Point and 1 $\frac{3}{4}$ miles northeast of Chancellors Point. (See Chart No. 35.)

Immediate locality.—Observed station is on edge of sand beach on lower part of point about on level with high water, 15 to 20 yards southeast of a group of cedar and persimmon trees. Cement monument marking reference station is 12.61 meters N 28° 10' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

<i>References.</i> —	o	l	''	
"Jam" (N 35° 54' E).....	0	00	00 1 $\frac{3}{8}$ miles.
Left peak of large barn.....	46	01	1 $\frac{3}{4}$ miles.
Center of roof of house.....	82	31	1 $\frac{3}{8}$ miles.
Smoke pipe on wharf house.....	115	52	$\frac{7}{8}$ mile.
Left peak of barn cupola.....	160	21	2 miles.
Near corner of square chimney of house.....	174	03	2 $\frac{3}{4}$ miles.
Chimney of house.....	192	50	4 miles.
Near corner of square cupola on house.....	197	16	1 $\frac{5}{8}$ miles.
Nail in blaze in persimmon tree (2 inches diameter).....	238	59	40 21.22 meters.
REFERENCE STATION.....	295	47	30 12.61 meters.
Nail in blaze in persimmon tree (3 inches diameter).....	297	48	50 15.20 meters.
Nail in blaze in cedar tree (3 inches diameter).....	332	27	20 14.28 meters.

JAM.

General locality.—Western shore of Choptank River on Jamaica Point opposite entrance to Warwick River. (See Chart No. 35.)

Immediate locality.—Observed station is on marsh point about 3 feet above high water, 25 yards west-northwest of end of wharf, 7 yards north of county road, 11 yards northeast of county road, 13 yards south of shore, 8 yards west-southwest of shore, and 30 yards north by east of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Spindle" (N 14° 53' W).....	0	00	00 3/8 mile.
Chimney outside near end of house.....	16	33	2 miles.
Chimney of large house.....	19	46	00 2 miles.
"Wick".....	76	04	3/4 mile.
Chimney of house.....	82	48	1 1/8 miles.
Left chimney of large brick house.....	90	07	1 1/2 miles.
Left corner of wharf house.....	95	57	20 49.81 meters.
Right corner of wharf house.....	108	14	46.85 meters.
Nail in first plank on level part of wharf.....	110	03	50 24.94 meters.
Near peak of large barn.....	144	56	1 1/2 miles.
Chimney of house.....	171	30	2 miles.
Near peak of house.....	202	51	2 1/4 miles.
Near peak of house near wharf.....	211	21	2 miles.
Right peak of barn cupola.....	218	30	2 1/2 miles.
Near corner of fence.....	260	38	1 1/4 mile.

SPINDLE.

General locality.—Western shore of upper Choptank River about 3/8 mile north of Jamaica Point Wharf. (See Chart No. 35.)

NOTE.—This triangulation landmark was destroyed before this publication was prepared, and therefore it is not described, although its name and location are shown on Chart No. 35.

BANK.

General locality.—Western shore of upper Choptank River about 1 mile north-northwest of Jamaica Point and 1 1/4 miles southwest of entrance to Cabin Creek. (See Chart No. 35.)

Immediate locality.—Observed station is in a cultivated field on a tree-fringed bluff about 20 feet above high water, 10 yards northwest of edge of bluff, 10 yards west of edge of bluff, and 12 yards north of edge of bluff.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	°	'	"	
"Raccoon" (N 19° 26' E).....	0	00	00 5/8 mile.
Left chimney of modern house.....	5	55	1 1/4 miles.
Nail in blaze in branch of double oak tree (12 and 18 inches diameter).....	34	56	40 7.03 meters.
Chimney of house in woods.....	54	30	1 1/2 miles.
Chimney of shanty in woods.....	86	07	1 1/8 miles.
Chimney of house.....	103	23	1 3/4 miles.
Nail in blaze in oak tree (8 inches diameter).....	124	13	10 8.55 meters.
Nail in blaze in cedar tree (7 inches diam- eter).....	161	00	10 21.11 meters.
Front peak of house.....	168	29	1 1/8 mile.

RACCOON.

General locality.—Western shore of upper Choptank about $\frac{3}{8}$ mile south of entrance to a small creek, $1\frac{1}{2}$ miles north of Jamaica Point, and 1 mile west of entrance to Cabin Creek. (See Chart No. 35.)

Immediate locality.—Observed station is between 2 clumps of trees on sandy marsh about 2 feet above high water, 8 yards northwest of shore, 12 yards west of shore, 16 yards north of shore, and 200 yards south-west of woods beyond marsh.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Blind" (N 52° 15' E).....	0	00	00 $\frac{3}{4}$ mile.
Chimney outside near end of house.....	34	22 $1\frac{1}{4}$ miles.
Near peak of modern house.....	41	07 $1\frac{1}{8}$ miles.
Chimney of house.....	77	59 $1\frac{3}{4}$ miles.
Near peak of house.....	105	09 2 miles.
Chimney of house.....	113	14 $3\frac{1}{8}$ miles.
Near peak of Jamaica Point Wharf house.....	120	42 $1\frac{1}{2}$ miles.
Left corner of house.....	144	31 1 mile.
Nail in blaze in oak tree (10 inches diameter).....	155	21	50 12.66 meters.
Nail in blaze in large pine tree (12 inches diameter).....	204	45	40 37.12 meters.
Nail in blaze in oak tree (10 inches diameter).....	329	46	20 26.50 meters.
Chimney outside near end of house.....	350	04 $\frac{5}{8}$ mile.

BLIND.

General locality.—Northwestern shore of Choptank River about $\frac{1}{2}$ mile west-north west of entrance to Cabin Creek, and 2 miles north of Jamaica Point. (See Chart No. 35.)

Immediate locality.—Observed station is on a marsh point between river and line of locust trees about 1 foot above high water, 11 yards north of shore, 15 yards west of shore, 16 yards northeast of shore at duck blind, and 25 yards east by north of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Up" (N 61° 44' E).....	0	00	00 $\frac{3}{4}$ mile.
Chimney outside of near end of old house.....	47	17 1 mile.
Peak of side gable of modern house.....	57	24 $1\frac{1}{4}$ miles.
Right peak of Jamaica Point wharf house.....	131	24 2 miles.
Chimney on house.....	162	44 $1\frac{1}{4}$ miles.
Nail in blaze in locust tree (4 inches diameter).....	201	23	50 10.28 meters.
Nail in blaze in locust tree (4 inches diameter).....	226	52	20 7.53 meters.
Nail in blaze in locust tree (6 inches diameter).....	270	06	10 5.72 meters.
Nail in blaze in locust tree (10 inches diameter).....	322	04	50 14.25 meters.

UP.

General locality.—Northwestern shore of upper Choptank River about $\frac{3}{4}$ mile north of entrance to Cabin Creek and $2\frac{1}{2}$ miles north-northeast of Jamaica Point. (See Chart No. 35.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 55 yards northwest of extreme end of point, 25 yards west of shore, and 20 yards north of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 8 inches above surface of marsh. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Myrtle" (S 60° 25' E).....	0	00	00	3/8 mile.
Peak of side gable of modern house.....	34	14		1 mile.
Chimney of old house.....	36	10		5/8 mile.
Tangent of point.....	77	45		1 mile.
House.....	111	45		1 7/8 miles.
Tangent of point.....	122	02		5/8 mile.
House.....	273	00		1 1/2 miles.
Tangent of point.....	305	15		175 yards.

MYRTLE.

General locality.—Eastern shore of upper Choptank River about 1/2 mile north of entrance to Cabin Creek. (See Chart No. 35.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 17 yards east of shore, 20 yards south of extreme end of point, 15 yards southwest of small gut, and 250 yards west of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Hut" (S 7° 47' W).....	0	00	00	3/8 mile.
Left peak of old barn.....	6	41		7/8 mile.
Tangent of point.....	32	14		7/8 mile.
Chimney of house.....	53	01		2 miles.
Chimney outside east end of house.....	78	42		1 1/2 miles.
Near peak of shanty.....	157	18		3/4 mile.
Stack of cannery at Choptank.....	180	51		2 3/4 miles.
Left peak of house.....	194	19		2 1/4 miles.
Tangent of point.....	203	56		1/4 mile.
Right peak of roof showing over woods.....	314	37		3/4 mile.
Large lone pine tree.....	333	11		300 yards.

HUT.

General locality.—Eastern shore of upper Choptank River on north side of entrance to Cabin Creek. (See Chart No. 35.)

Immediate locality.—Observed station is on a marsh point about 1 foot above high water, 15 yards east of shore, 50 yards northwest of shore, 20 yards northeast of extreme end of point, 90 yards southwest of a hut, and 80 yards south-southwest of trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"House" (S 46° 38' W).....	0	00	00	3/4 mile.
Chimney of house.....	25	27		1 3/4 miles.
Chimney outside of house.....	60	33		1 3/4 miles.
Cupola on barn.....	132	48		2 1/2 miles.
Right corner of hut.....	173	53	20	90 yards.
Chimney outside near end of old house.....	242	13		1/2 mile.
Peak of near gable of modern house.....	281	42		1/2 mile.
Right peak of old barn.....	337	43		3/8 mile.

HOUSE.

General locality.—Eastern shore of Choptank River about $\frac{1}{4}$ mile south of entrance to Cabin Creek, 1 mile north of entrance to Warwick River, and on south side of a small cove. (See Chart No. 35.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 14 yards south of shore, 26 yards southeast of shore, 35 yards southwest by west of shore and mouth of small creek in marsh and 175 yards north of woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Saw" (S 6° 22' W).....	0	00	00 $\frac{3}{8}$ mile.
Two pine trees.....	5	49
Left peak of slanty.....	126	49 $1\frac{1}{2}$ miles.
Chimney outside near end of house.....	131	06 $1\frac{1}{2}$ miles.
Near peak of house.....	137	29 $1\frac{1}{2}$ miles.
Tangent of point.....	172	07 $\frac{1}{4}$ mile.
Stack of cannery at Choptank.....	189	09 4 miles.
Near peak of house.....	193	59 $4\frac{1}{2}$ miles.
Near peak of shack.....	219	48 $\frac{7}{8}$ mile.
Cut in woods.....	348	16 $\frac{1}{2}$ mile.

SAW.

General locality.—Eastern shore of Choptank River about $\frac{1}{2}$ mile northeast of entrance to Warwick River, and 1 mile northeast by east of Jamaica Point. (See Chart No. 35.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 22 yards east of shore, 26 yards southeast of shore, 37 yards northeast of shore, 200 yards west-northwest of dense woods.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe, buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Wick" (S 10° 01' W).....	0	00	00 $\frac{1}{2}$ mile.
Right peak of Jamaica Point Wharf house....	24	57 1 mile.
Left corner of very wide chimney on brick house.....	32	14 $1\frac{1}{4}$ miles.
Right corner of railing on roof of house.....	70	36 $1\frac{1}{2}$ miles.
Chimney of house.....	86	44 $1\frac{1}{4}$ miles.
Near peak of house.....	135	04 $1\frac{1}{4}$ miles.
Chimney outside left end of house.....	152	42 2 miles.
Cupola or steeple.....	181	04	00 5 miles.
Near corner of brick house.....	311	51 $\frac{1}{2}$ mile.

WICK.

General locality.—Eastern shore of upper Choptank River on northern side of entrance to Warwick River, about $\frac{3}{4}$ mile northeast of Jamaica Point. (See Chart No. 35.)

Immediate locality.—Observed station is on sandy ridge between beach and marsh, about 2 feet above high water, 8 yards northeast of shore, 10 yards north of shore, 9 yards east of shore, 100 yards southeast by east of extreme end of point, and 35 yards northwest of two pine trees. Cement monument marking reference station is 8.26 meters N 25° 00' E of observed station.

Marks.—Observed station is nail in cedar stub with top flush with the surface of the ground. Reference station is center point of triangle on standard cement monument projecting 4 inches above surface of ground.

References.—	°	'	"	
"War" (S 2° 08' E)	0	00	00	5/8 mile.
Near peak of house in trees	2	21		5/8 mile.
Smoke pipe on wharf house	27	13		2 3/4 miles.
Tangent of Goose Point	45	55		1 1/2 miles.
Right peak of Jamaica Point Wharf house	62	20		5/8 mile.
Right corner of very wide chimney on brick house	68	42		3/4 mile.
Left corner of cupola on roof	115	10		1 1/4 miles.
Near peak of house	167	00		2 3/4 miles.
REFERENCE STATION	207	07	20	8.26 meters.
Nail in blaze in pine tree (12 inches diameter)	296	59	10	30.06 meters.
Right pine tree	325	53	20	400 yards.

WAR.

General locality.—Eastern shore of upper Choptank River on southern side of entrance to Warwick River, about 3/4 mile east-southeast of Jamaica Point. (See Chart No. 35.)

Immediate locality.—Observed station is on northern side of point of marsh about 1 foot above high water, 45 yards south of shore, 35 yards southeast of shore, 45 yards east of shore, and 35 to 45 yards southwest to west of woods. Cement monument marking reference station is 4.05 meters S 12° 18' E of observed station.

Marks.—Observed station is nail in center of cedar stub with top flush with surface of ground. Reference station is center point of triangle on standard monument projecting 4 inches above surface of ground.

References.—	°	'	"	
"Gander" (S 11° 26' W)	0	00	00	3/4 mile.
Chimney of house	17	12		2 miles.
Smoke pipe on wharf house	23	00		1 3/4 miles.
Left chimney of small house	26	05		2 miles.
Square cupola on large house	45	53		3 1/4 miles.
Left peak of house	66	11		1 1/2 miles.
Right corner of very wide chimney on brick house	96	11		1 mile.
Left peak of Jamaica Point Wharf house	105	01		5/8 mile.
Chimney of house	132	50		1 3/4 miles.
Near peak of house	157	00		2 3/4 miles.
Nail in blaze in pin oak tree (10 inches diameter)	186	09	50	42.26 meters.
Nail in blaze in pine tree (11 inches diameter)	212	30	40	41.75 meters.
Nail in blaze in pine tree (12 inches diameter)	245	18	30	31.45 meters.
Nail in blaze in pine tree (12 inches diameter)	267	08	30	30.11 meters.
REFERENCE STATION	336	16	20	4.95 meters.
Chimney of house	353	07		1 mile.

GANDER.

General locality.—Southeastern shore of Choptank River 3/8 mile southwest of entrance to Goose Creek about 1 3/8 miles east-northeast of Oystershell Point and about 1 1/8 miles south-southeast of Jamaica Point. (See Chart No. 35.)

Immediate locality.—Observed station is in an uncultivated field on bank about 6 feet above high water, 19 yards east of edge of bank, 33 yards northeast of edge of bank, 33 yards southeast of edge of bank, and 155 yards west of two large cedar trees at a paling fence.

Marks.—Observed station is center point of triangle on standard cement monument projecting 6 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Chief" (S 9° 44' W)	0	00	00	5/8 mile.
Chimney of house	28	22		1 1/4 miles.
Smokepipe on wharf house	40	14		1 1/8 miles.
Chimney of house	50	00		4 1/2 miles.
"Cambridge Stand Pipe"	62	46	50	5 3/4 miles.
Chimney outside of house	113	30		1 3/4 miles.
Right chimney of house	135	48		1 1/4 miles.
Near peak of Jamaica Point Wharf house	147	14		1 1/8 miles.
Chimney of house	148	54		2 3/8 miles.
Chimney of house	164	24		3 3/4 miles.
Tangent of point	172	50		3/4 mile.
Right end of roof of long barn	235	04		5/8 mile.
Black walnut tree	282	36		200 yards.
Chimney of house	344	59		1/4 mile.

CHIEF.

General locality.—Southeast shore of Choptank River on a narrow neck of land between Choptank River and Indian Creek, about 1 mile east of Oystershell Point. (See Chart No. 35.)

Immediate locality.—Observed station is on a grass strip between Choptank River and Indian Creek about 2 feet above high water, 15 yards south of river shore, 11 yards north of creek shore, 20 yards south-east of river shore, and 25 yards southwest of river shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	''	
"Shell" (S 85° 11' W)	0	00	00	1 mile.
Smoke pipe on wharf house	0	42		3/4 mile.
Nail in blaze in locust tree (3 inches diam- eter)	13	37	10	11.76 meters.
Right corner of railing on house	78	32		2 miles.
Near peak of house	91	47		3 3/8 miles.
Right corner of square chimney	114	47		1/2 mile.
Near corner of barn	144	05		1/4 mile.
Nail in blaze in cedar tree (6 inches diam- eter)	167	07	10	22.07 meters.
Stack of cannery	208	56	20	3/8 mile.
Peak of house between two chimneys	253	32		1/4 mile.
Nail in blaze in cedar tree (8 inches diam- eter)	348	04	50	13.81 meters.
Near peak of cottage	358	38		1 mile.

SHELL.

General locality.—Southeastern shore of Choptank River on Oyster Shell Point about 3/4 mile south of Goose Point and 1 1/2 miles east-northeast of Chancellors Point. (See Chart No. 35.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 100 yards north of rail fence, 55 yards southwest of shore, 75 yards south of shore, 400 yards west of a wharf, 250 yards west by north of a small house near the shore, 50 yards west by north of corner of fence. Cement monument marking reference station is 2.27 meters N 83° 07' W of observed station.

Marks.—Observed station is nail in cedar stub flush with surface of ground. Reference station is center point of triangle on standard cement monument projecting 5 inches above the surface of the ground.

References.—	°	'	"	
"Whitehall" (S 41° 55' W).....	0	00	00	5/8 mile.
Lone tree.....	29	12	..	225 yards.
"Cambridge Standpipe".....	35	39	00	4 1/2 miles.
Right corner of square cupola.....	39	24	..	1 1/2 miles.
REFERENCE STATION.....	54	57	50	2.27 meters.
Chimney on left end of house.....	83	10	..	1 1/2 miles.
Near peak of large house.....	150	53	..	1 1/2 miles.
Near peak of Jamaica Point Wharf house.....	158	17	..	1 1/2 miles.
Right peak of building.....	177	29	..	2 3/8 miles.
Chimney on house.....	205	20	..	1 1/4 miles.
Smoke pipe on wharf house.....	221	13	..	1/4 mile.
Near peak of shed.....	265	40	..	150 yards.
Near peak of house.....	280	06	..	300 yards.

WHITEHALL.

General locality.—Southeastern shore of Choptank River about 5/8 mile southwest of Oystershe Point, and 1 1/8 miles east of Chancellor Point. (See Chart No. 35.)

Immediate locality.—Observed station is on a marsh point among water bushes about 12 yards south-southeast of shore, 13 yards south-southwest of shore, and 15 yards east-southeast of shore.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	"	
"Ferry" (S 55° 08' W).....	0	00	00	1 1/4 miles.
Chimney of house.....	10	50	..	2 3/4 miles.
"Cambridge Stand Pipe".....	27	22	40	4 miles.
Right of square cupola.....	46	16	..	1 1/2 miles.
Left chimney on long house.....	99	58	..	1 1/4 miles.
Chimney outside near end of house.....	137	20	..	1 1/2 miles.
Near peak of large building.....	144	31	..	2 3/8 miles.
Front peak of Jamaica Point Wharf house.....	150	00	..	2 1/2 miles.

FERRY.

General locality.—Southern shore of Choptank River near east side of entrance to Hurst Creek about 2 1/2 miles east of Cambridge. (See Chart No. 35.)

Immediate locality.—Observed station is on a sand beach about on level with high water, 92 yards east-northeast of Hurst Creek, 1 yard southeast of shore, and 6 to 10 yards northwest to north of several low cedar trees. Cement monument marking reference station is 16.74 meters S 50° 12' E of observed station.

Marks.—Observed station is nail in pine stub in center of 2-inch tile pipe with top of pipe 6 inches below surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument.

References.—	°	'	"	
"E. Cambridge Tall Stack" (N 84° 21' W).....	0	00	00	2 1/2 miles.
"Hambrooks Bar Beacon".....	24	05	10	3 1/2 miles.
Near peak of large house with cupola.....	70	37	..	1 mile.
Near peak of barn cupola.....	99	22	..	2 miles.
Near peak of Jamaica Point Wharf house.....	116	23	..	3 5/8 miles.
Nail in blaze in cedar tree (11 inches diameter).....	193	07	00	6.82 meters.
REFERENCE STATION.....	211	09	00	16.74 meters.
Nail in blaze in cedar tree (8 inches diameter).....	242	42	50	8.32 meters.
Nail in blaze in cedar tree (16 inches diameter).....	279	49	00	9.76 meters.
Chimney of house.....	338	10	..	1 3/4 miles.

SHOAL.

General locality.—Southern shore of Choptank River near entrance to a small creek about 1 mile east-southeast of Cambridge and $1\frac{3}{4}$ miles west-southwest of Chancellors Point. (See Chart No. 35.)

Immediate locality.—Observed station is in woods on a point of land about 10 feet above high water, 50 yards east of edge of bank, 6 yards southwest of wire fence at edge of high land, 7 yards south of wire fence, 11 yards west of wire fence, 13 yards west-southwest of large double oak tree, and 90 yards east of a marsh point at a creek. Cement monument marking reference station is 6.08 meters S $23^{\circ} 44'$ W of observed station.

Marks.—Observed station is center of tile pipe with top 6 inches below surface of ground. Reference station is center point of triangle on standard cement monument projecting 5 inches above surface of ground.

References.—

	0	1	2	3	4	5	6	7	8	9	Miles
"Cambridge" (N $46^{\circ} 31'$ W).....	0	00	00	1	3	4	1	3	$\frac{1}{4}$ miles.
Large chimney of house	25	55	3	5	8	3	5	8	miles.
Spindle on barn cupola.....	61	31	1	3	4	1	3	4	miles.
Left chimney of house.....	84	09	2	2	2	2	miles.
Near peak of barn with cupola.....	106	11	1	3	4	1	3	4	miles.
Nail in blaze in large double oak tree.....	120	03	20	11	37	11	37	meters.
Nail in blaze in black walnut tree (8 inches diameter).....	205	53	40	10	96	10	96	meters.
Nail in blaze in cedar tree (6 inches diameter).....	224	26	30	8	05	8	05	meters.
REFERENCE STATION.....	250	15	40	6	08	6	08	meters.
Nail in blaze in black walnut tree (17 inches diameter).....	304	19	20	3	19	3	19	meters.
Flagstaff on boathouse.....	358	43	2	5	2	5	2	$\frac{1}{2}$ miles.

E. CAMBRIDGE TALL STACK.

General locality.—Southern shore of Choptank River in the town of Cambridge on the east side of Cambridge Creek. (See Chart No. 35.)

Immediate locality.—Observed station is tall square brick smokestack at plant of Cambridge Manufacturing Co.

Marks.—Observed station is center of stack.

References.—None necessary.

E. CAMBRIDGE SPIRE.

General locality.—Southern shore of Choptank River in town of Cambridge on the east side of Cambridge Creek and the south side of Maryland Avenue. (See Chart No. 35.)

NOTE.—This triangulation landmark was torn down before this publication was prepared and therefore it is not described, although its name and location are shown on Chart No. 35.

CAMBRIDGE STAND PIPE.

General locality.—Southwestern side of Choptank River in the town of Cambridge. (See Chart No. 35.)

Immediate locality.—Observed station is on standpipe on the north side of High Street near Pine Street.

Marks.—Observed station is center of cylindrical water standpipe with ornamental railing on top.

References.—None necessary.

CAMBRIDGE.

General locality.—Southern shore of Choptank River on a point about $\frac{3}{4}$ mile southeast of Ham-brooks Bar Beacon and $\frac{1}{2}$ mile northwest of Cambridge steamer wharf. (See Chart No. 35.)

Immediate locality.—Observed station is on a marsh point about 1 foot above above high water, 30 yards west of shore, 35 yards south of shore at cut, 40 yards southwest of shore, and 3 yards southwest of barbed-wire fence running northwest and southeast.

Marks.—Observed station is center point of triangle on standard cement monument projecting 3 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	o	'	''	
"Command" (N 50° 20' W).....	0	00	00 ⅓ mile.
"Hambrooks Bar Beacon".....	36	12	00 ¾ mile.
Southwest peak of Kirby Wharf house.....	58	27 1¾ miles.
Chimney outside of south end of house.....	107	00 1½ miles.
Near one of four chimneys on large square house.....	133	26 2¼ miles.
Right chimney of large house on Chancellors Point.....	146	27 2¾ miles.
Weather vane on hotel.....	235	36 ½ mile.
Chimney of house.....	328	03 ¾ mile.
Flagpole.....	354	09 ¾ mile.
Flagpole on boathouse.....	359	24 ¾ mile.

HAMBROOKS BAR BEACON.

General locality.—Southern side of Choptank River about ¼ mile offshore from point of land known as Hambrooks Bar, about 2 miles southeast of Howells Point, and 1½ miles northwest of Cambridge. (See Chart No. 35.)

Immediate locality.—Observed station is on a cylindrical foundation known as Hambrooks Bar Beacon.

Marks.—Observed station is center point of lantern on Hambrooks Bar Beacon.

References.—None necessary.

COMMAND.

General locality.—Southern shore of Choptank River about ½ mile west-southwest of Hambrooks Bar Beacon and about 1½ miles northwest of Cambridge Wharf. (See Chart 35.)

Immediate locality.—Observed station is on a marsh point inside of a fence line about 2 feet above high water, 18 yards southeast of shore, 16 yards south of shore, 25 yards southwest of shore, and 150 yards northwest of a boathouse.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

<i>References.</i> —	o	'	''	
"Choptank River Light" (N 49° 40' W)....	0	00	00 6¾ miles.
Nail in blaze in fence post.....	5	33	30 10.85 meters.
Near peak of large building.....	16	45 2¼ miles.
Nail in blaze in fence post.....	65	08	20 11.01 meters.
Left chimney of house with three dormer windows.....	68	28 1⅞ miles.
Near peak of Kirby Wharf house.....	86	40 1½ miles.
"Hambrooks Bar Beacon".....	121	17	50 ½ mile.
Near peak of large house.....	153	10 3 miles.
Flagstaff on boathouse.....	183	20 150 yards.
"Dicks Water Tank".....	266	29	30 ⅞ mile.
Nail in blaze in fence post.....	328	25	40 17.23 meters.
Left chimney of old house.....	331	53 2¾ miles.
"Large Water Tank".....	347	03	10 5 miles.

DICKS WATER TANK.

General locality.—Southern shore of Choptank River near Hambrooks Bar about $\frac{5}{8}$ mile southwest of Hambrooks Bar Beacon, and $\frac{1}{2}$ mile west of extreme end of Hambrooks Bar. (See Chart No. 35.)

Immediate locality.—Observed station is on water tank.

Marks.—Observed station is spindle on top of water tank.

References.—None necessary.

HOWARD.

General locality.—Southern shore of Choptank River, 2 miles southeast of Horn Point, and about $\frac{1}{4}$ mile northwest of entrance to Jenkins Creek. (See Chart No. 35.)

Immediate locality.—Observed station is on cultivated land on bluff about 12 feet above high water, 25 yards southwest of edge of bluff, 30 yards south of edge of bluff, 35 yards west of edge of bluff, 45 yards west-northwest of corner of fence dividing field from marsh, and 65 yards northeast of the south one of two small poplar trees in field.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	'	"	
"Choptank River Light" (N 36° 14' W)	0	00	00	6 miles.
Near peak of barn	30	20	..	3½ miles.
"Black Beacon"	32	16	50	2½ miles.
Red Beacon	34	11	30	2¾ miles.
Near peak of low house in trees	79	52	..	3¼ miles.
Near peak of Kirby Wharf house	90	53	..	3 miles.
"Dicks Water Tank"	109	57	40	1½ miles.
Left chimney of house	115	00	..	1 mile.
Nail in blaze in locust tree (8 inches diameter)	125	51	50	37.49 meters.
Nail in blaze in locust tree	144	34	50	45.66 meters.
Nail in blaze in locust tree	188	22	40	63.83 meters.
Near peak of barn	245	03	..	¼ mile.
Right peak of house	317	02	..	¼ mile.
Right peak of old house	351	02	..	1½ miles.

TOOT.

General locality.—Southern shore of Choptank River on Horn Point about $1\frac{5}{8}$ miles west of Howells Point, and at eastern side of entrance to Lecomptes Bay. (See Chart No. 35.)

Immediate locality.—Observed station is in woods about 7 feet above high water, 15 yards south of shore, 13 yards southwest of shore, and 20 yards west of shore, and near but not on highest point of ground. Cement monument marking reference station is 12.38 meters S 33° 34' W of observed station.

Marks.—Observed station is nail in center of stub in 2-inch tile pipe projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument projecting 4 inches above the surface of the ground.

References.—

	o	'	"	
"Choptank River Light" (N 34° 15' W)	0	00	00	4½ miles.
East peak of large barn	57	02	..	2¼ miles.
Large chimney of house	68	24	..	2½ miles.
Red Beacon	71	28	00	2 miles.
"Black Beacon"	73	17	30	1¾ miles.
Near peak of house	88	38	..	2 miles.
Nail in blaze in elm tree	147	42	40	5.48 meters.
Nail in blaze in oak tree (24 inches diameter)	200	47	10	4.70 meters.
Nail in blaze in oak tree (20 inches diameter)	246	58	10	16.89 meters.

References—Continued.

	°	'	"	
REFERENCE STATION.....	247	49	00	12.38 meters.
Chimney of house.....	293	21	..	1½ miles.
Chimney outside of house.....	331	19	..	1½ miles.
"Large Water Tank".....	344	41	10	2½ miles.
Near corner of boathouse.....	351	52	..	2½ miles.

LE COMPTE.

General locality.—Southern shore of Choptank River on southwestern side of Lecomptes Bay about 1½ miles west-southwest of Horn Point, ⅝ mile northwest of Travers Wharf, and ¼ mile southwest of mouth of Lecomptes Creek. (See Chart No. 35.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 18 yards west of point of shore, 14 yards south-southeast of shore, 5 yards east-southeast of turn in shore at beach, 7 yards northeast of a pool, 10 yards northwest of cut in shore, and 115 yards southeast of near one of two large cedar trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Grubin" (W 56° 00' E).....	0	00	00	3½ miles.
"Black Beacon".....	0	12	10	2¾ miles.
Barn cupola.....	9	10
North peak of wharf house.....	69	02	..	½ mile.
North peak of house.....	106	43	..	¾ mile.
Left one of two large cedar trees.....	248	12	..	117 yards.
Spindle on barn cupola.....	280	48	..	½ mile.
Chimney outside of house.....	303	44	..	¾ mile.
Red Beacon.....	358	07	20	3½ miles.

LARGE WATER TANK.

General locality.—Southwestern shore of Choptank River at Castle Haven about 2½ miles south of Choptank River Light. (See Chart No. 35.)

Immediate locality.—Observed station is on water tank on high steel tower near barns at Castle Haven.

Marks.—Observed station is center point of windmill on water tank.

References.—None necessary.

CASTLE.

General locality.—Southern shore of Choptank River on Castle Haven Point on north side of Castle Haven Creek about 2 miles south-southwest of Choptank River Light. (See Chart No. 35.)

Immediate locality.—Observed station is on a narrow neck of land, about 25 yards south-southwest of shore of Choptank River, 20 yards north of shore of cove, 22 yards west of bathhouse, and 100 yards east-northeast of three poplar trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	°	'	"	
"Choptank River Light" (N 25° 41' W).....	0	00	00	2 miles.
Right corner of house near Bachelor Point....	19	27	..	3 miles.
Left corner of bathhouse.....	95	31	20	21.42 meters.
Near corner of bathhouse.....	109	32	20	19.83 meters.
Near peak of house.....	122	56	..	3 miles.
Right peak of boathouse at Castle Haven				
Wharf.....	215	04	..	½ mile.
Right corner of chimney of brick house.....	254	18	..	½ mile.

COOK POINT WINDMILL.

General locality.—Eastern shore of Chesapeake Bay on Cook Point between Tripps Bay and Cook Point Cove about $1\frac{1}{4}$ miles southeast of end of point. (See Charts Nos. 36 and 37.)

Immediate locality.—Observed station is on windmill over smaller and west one of two water tanks west of a barn on Cook Point farm.

Marks.—Observed station is center of windmill over smaller tank.

References.—None necessary.

BRANNOCK.

General locality.—Eastern shore of Chesapeake Bay between Choptank River and Little Choptank River on the southern shore of Brannock Bay about 7 miles southeast of Sharps Island Light. (See Charts Nos. 36 and 37.)

Immediate locality.—Observed station is on high land about 8 feet above high water, 11 yards south of shore, 7 yards south of edge of bluff, 8 yards north of rail fence on far side of county road, 50 yards east of bend where road leaves shore and runs toward farmhouse and 150 yards northeast of a farmhouse.

Marks.—Observed station is center point of triangle on standard cement monument with top projecting about 4 inches above surface of ground. Subsurface mark is 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	0	'	"	
Sharps Island Light (N 54° 34' W).....	0	00	00	7 miles.
Near peak of house on Cook Point.....	38	18	..	3½ miles.
"Cook Point Windmill".....	45	33	30	2½ miles.
Right chimney of house in trees.....	83	15	..	2 miles.
Between two chimneys on large part of house.....	104	31	..	1 mile.
Outside chimney on near end of house.....	108	06	..	1 mile.
Center one of three chimneys of house.....	142	03	..	1 mile.
Tangent of right end of barn roof.....	150	49	..	1 mile.
Center one of three chimneys on house.....	163	16	..	¾ mile.
Right peak of house.....	203	34	..	2 miles.
Left chimney of 1½-story house across creek.....	210	47	..	2 miles.
Near peak of barn.....	285	11	..	¾ mile.
Tangent of Mills Point.....	343	43	..	¾ mile.
Tangent of left end of Sharps Island Hotel.....	352	12	..	5½ miles.

ROBINS.

General locality.—Eastern shore of Chesapeake Bay on Hills Point at northeast side of entrance to Little Choptank River about 6 miles south-southeast of Sharps Island Light. (See Charts Nos. 36 and 37.)

Immediate locality.—Observed station is in cultivated field about 8 feet above high water, 40 yards northeast by north of edge of bluff, 45 yards east by north of point of bluff, 65 yards south by east of edge of bluff in range with Sharps Island Light, and 140 yards north by west of wire fence at bluff.

Marks.—Observed station is center point of triangle on standard cement monument projecting 4 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	0	'	"	
"Sharps Island Light" (N 34° 11' W).....	0	00	00	6 miles.
Nail in blaze in cedar tree (8 inches diameter).....	5	43	20	37.11 meters.
Left chimney of house.....	76	25	..	¼ mile.
Near peak of barn.....	87	14	..	¼ mile.
Tallest chimney of house.....	91	22	..	¾ mile.
Near peak of barn.....	222	52	..	5¼ miles.
Tangent of end of woods on Taylor Island ..	229	14	..	5¼ miles.

References—Continued.	°	'	''	
Chimney of house on James Point.....	247	10	..	3½ miles.
Tangent of James Point.....	248	3 miles.
Nail in blaze in cedar tree (8 inches diameter).....	336	32	30	28.22 meters.
Nail in blaze in cedar tree (8 inches diameter).....	353	18	50	30.90 meters.
Tangent of right side of hotel on Sharps Island.....	350	39	..	4½ miles.

JAMES (LITTLE CHOPTANK RIVER).

General locality.—Eastern side of Chesapeake Bay on northeast end of James Island at south side of entrance to Little Choptank River. (See Charts Nos. 36 and 37.)

Immediate locality.—Observed station is on marsh about 1 foot above high water, 8 yards west of shore, 11 yards northwest of shore, 85 yards south of shore, and 75 yards east of pine woods. Cement monument marking reference station is 19.48 meters S 84° 17' W of observed station.

Marks.—Observed station is center of 2-inch tile pipe projecting 2 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of surface pipe. Reference station is center point of triangle on standard cement monument.

References.—	°	'	''	
"Robins" (N 23° 14' E).....	0	00	00	2¾ miles.
Near peak of house.....	12	37	..	3½ miles.
Chimney on near end of house.....	48	42	..	3¼ miles.
Near peak of barn.....	89	01	..	4¼ miles.
Near chimney of house on Hooper Point.....	100	36	..	3 miles.
Left peak of long barn.....	107	05	..	3½ miles.
Near peak of barn.....	146	09	..	2½ miles.
REFERENCE STATION.....	241	03	00	19.48 meters.
"Sharps Island Light".....	320	02	40	7¾ miles.
Right edge of old hotel on Sharps Island.....	321	43	..	6¼ miles.
Left tangent of woods on Cook Point.....	357	29	..	7 miles.

CORNER (Choptank River).

General locality.—Southern shore of Choptank River on east side of entrance to Chapel Creek about 2 miles southeast of Todd Point, and 3 miles south-southwest of Choptank River Light. (See Chart No. 37.)

Immediate locality.—Observed station is on grassy land about 3 feet above high water, 30 yards east of shore, 30 yards south of shore, 35 yards southeast of extreme end of point, and west of small clump of small pine trees.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—	°	'	''	
"Dot" (N 58° 43' W).....	0	00	00	2½ miles.
Nail in blaze in holly tree (14 inches diameter).....	35	13	40	13.81 meters.
"Choptank River Light".....	75	55	20	3 miles.
Nail in blaze in pine tree (4 inches diameter).....	105	03	00	3.57 meters.
Right corner of new house.....	108	42	..	½ mile.
Nail in blaze in pine tree (5 inches diameter).....	187	20	10	8.21 meters.
Near peak of 2½-story house.....	308	25	..	¾ mile.
Chimney outside right end of house.....	340	33	..	2 miles.
Chimney outside near end of house.....	356	46	..	2¼ miles.

DOT.

General locality.—Southern shore of Choptank River on Todd Point about 3 miles east of Cook Point and $3\frac{1}{2}$ miles southwest of Choptank River Light. (See Chart No. 37.)

Immediate locality.—Observed station is about 4 feet above high water, 55 yards west-southwest of shore, 30 yards south-southwest of edge of bank, 40 yards south by east of point where bank meets marsh, 70 yards south by west of extreme end of point, and 200 yards northeast by north of a house.

Marks.—Observed station is center point of triangle on standard cement monument projecting 5 inches above surface of ground. Subsurface mark is center of 2-inch tile pipe buried with top 2 inches below base of monument.

References.—

	o	/	/	
"Choptank River Light" (N 56° 26' E).....	0	00	00 3¼ miles.
"Large Water Tank".....	37	36	00 3½ miles.
Near peak of house.....	42	45 2¾ miles.
Near peak of building.....	72	49 2¼ miles.
Chimney outside right end of house.....	102	18 1¾ miles.
Chimney outside near end of house.....	175	25 200 yards.
Left chimney of house on Cook Point.....	212	24 2¾ miles.
"Sharps Island Light".....	218	32	40 7½ miles.
Church spire.....	250	04	40 7¼ miles.
Left peak of house.....	277	10 7¼ miles.
Near peak of barn.....	290	09 7½ miles.
Cupola on house.....	333	02 3¾ miles.

BOUNDARIES OF OYSTER BARS.

EXPLANATION.

The law of the United States authorizing the cooperation of the Department of Commerce and Labor in the survey of natural oyster bars of Maryland provides for the designation and employment by the Department of Commerce and Labor of such officers, experts, and other technically qualified persons "as may be necessary to cooperate with the Maryland State Board of Shell Fish Commissioners in making a survey of and locating the natural oyster beds, bars, and rocks in the waters within the State of Maryland." The oyster laws of Maryland provide that the Maryland Shell Fish Commissioners, with the aid of such persons as may be designated by the Government, shall proceed "to have laid out, surveyed, and designated on the said charts the natural beds and bars, and shall cause to be marked and defined as accurately as practicable the limits and boundaries of the natural beds, bars, and rocks as established by said survey, and they shall take true and accurate notes of said survey in writing, and make an accurate report of said survey, setting forth such a description of landmarks as may be necessary to enable the said board, or their successors, to find and ascertain the boundary lines of the said natural oyster beds, bars, and rocks, as shown by a delineation on the maps and charts." The oyster laws of Maryland also provide in another section that there shall "be made a true and accurate survey of the natural oyster beds, bars, and rocks * * * with reference to fixed and permanent objects on the shore, giving courses and distances, to be fully described and set out in a written report of said survey."

Under the provisions of the laws quoted above the State of Maryland, in cooperation with the Department of Commerce and Labor, must define the boundaries of the natural oyster bars "as accurately as practicable" and also "with reference to fixed and permanent objects on the shore, giving courses and distances." The requirement of "as accurately as practicable" is easily fulfilled by definition of the location of the corners of the oyster bars by latitude and longitude. In fact, this method is probably the most satisfactory and accurate one that could be used for all purposes of legal definition or for relocation of the oyster-bar boundaries by competent engineers. Therefore the additional requirement of "giving courses and distances" is superfluous and is only fulfilled in the published definitions on account of the specific provisions of the law making it compulsory. This part of the description of boundaries has involved an immense amount of extra computations in order to prevent technical discrepancies between the latitude and longitude of a corner of an oyster bar and its distance and bearing from objects on shore of known latitude and longitude without adding anything to the accuracy and very little to the convenience of practical use of the descriptions of the oyster-bar boundaries.

As provided by law the boundaries of the oyster bars are all straight lines, but in the work already completed they have inclosed areas of all shapes from triangles to complicated 14-sided figures, and of all sizes from 4 acres to 7,548 acres. The sides have varied in length from 93 to 7,529 yards, and in some cases the corners of the boundaries have been practically at the triangulation stations from which they are located, while in other instances they were over 13,600 yards from the landmarks most available for the purpose of fixing their position.

The varied characteristics of the legal boundaries of the oyster bars indicated by the above statement, together with the complicated requirements of the law under which the survey has been made, and the magnitude of the work with the consequent need of fixed and uniform methods, have made the problem of describing the boundaries one of considerable difficulty and great importance.

The boundaries of the oyster bars of Maryland, as established by the Shell Fish Commission and delineated on the Coast and Geodetic Survey charts and projections and on the leasing charts of the Commission, are technically defined and described by a method somewhat different from that used in other oyster surveys. But it is believed that the forms finally adopted will fulfill all needs of the survey for both the present and the future.

METHOD OF DESCRIBING BOUNDARIES.

The descriptions have been arranged in tabular form, thus avoiding many hundred repetitions of the same words by making one explanation of the tables sufficient for all oyster bars in each county.

Title.—At the top of each tabular form is given the legal name of the oyster bar to be described, and the one by which it is known and designated in the published oyster records and on the oyster charts. The adopted name of the oyster bar is the one used locally, as nearly as could be ascertained by the hydrographic engineer of the Commission; and when there was no local name in common use a name was selected from one of the prominent features of the vicinity that would naturally suggest the section of the waters where the oyster bar was located.

Underneath the name, in parentheses, is given the general locality of the oyster bar and the serial number of the "Maryland Oyster Chart" on which its legal boundaries are shown.¹

First column.—This column, under the heading of "Corner of bar," gives the number corresponding to the corner of the boundary as shown on the charts and to the number on the buoy marking the actual corner of the bar. The numbers of the corners have been assigned by naming the southernmost point No. 1, thence proceeding in a clockwise direction around the bar. Where a corner of one oyster bar is identical with the corner of the boundaries of one or more other oyster bars, only the number of the corner of the oyster bar being described in the table is given in this column.

Second and third columns.—These two columns, under the headings of "Latitude" and "Longitude," give the geographic positions of the corners. These positions have been adopted by the Commission as the primary technical definition of the location of

¹ These charts can be obtained by application to the Superintendent of the Coast and Geodetic Survey, at Washington, D. C.

the corners, and should be considered as final in case of a dispute arising from discrepancies caused by other means of location. The latitudes and longitudes given in these columns are based on the United States standard datum of the Coast and Geodetic Survey, and the points thus defined can be relocated from distant triangulation stations of the survey, even though all the landmarks and buoys originally used for their location have been destroyed by natural or other causes.

Fourth and fifth columns.—These two columns, under the general heading of "True bearing"¹ and the specific headings "Forward" and "Back," give bearings measured from a true north-and-south line. The three "Forward" bearings are from the corner of the boundary designated in the first column to the triangulation stations named on the corresponding lines in the last column, and the three "Back" bearings are from these same stations in the last column to the corresponding corner of boundary in the first column. The difference in minutes of arc between the forward and back bearings shown in some cases is actual and not accidental, and is due to the fact that the computations took into account the spheroidal shape of the earth.

Sixth column.—This column, under the heading of "Distance," gives the three computed distances in yards from the corner of the bar noted in the first column to the three triangulation stations named on the corresponding lines in the last column, and vice versa.

Seventh column.—This column, under the heading of "U. S. C. & G. S. triangulation station,"² gives the names of the landmarks from which were computed the corresponding "Latitude," "Longitude," "True bearing" and "Distance" of the "Corner of bar" designated in the first column. A full description of the location and markings of these triangulation stations is given in another part of this publication under the heading of "Descriptions of triangulation stations."

SURVEYING METHODS FOR RELOCATION OF BOUNDARIES.

There are a number of methods that can be used in the relocation of the actual boundaries of the natural oyster bars as technically described in this publication and delineated on the published charts of the Coast and Geodetic Survey and the leasing charts of the Shell Fish Commission.

The following brief descriptions of five of these more or less different methods assume a certain amount of experience and knowledge on the part of the engineer in the particular kind of surveying under consideration, and are only intended as reminders of ways and means that can be used.

There are two problems that are likely to present themselves to those interested in the boundaries of natural oyster bars: one, to determine whether the buoys marking the corners have been dragged or otherwise moved from their correct positions, and the other, to relocate or reestablish a buoy at the point from which it was removed. The different ways of solving these two problems partly depend upon the instruments possessed by the engineer and his assistants and partly on his training and experience.

¹ The mean magnetic variation for Talbot County was 6° 10' west of north in 1911 and increasing at the rate of 5' yearly.

² Geographic positions of these triangulation stations can be obtained by application to the Superintendent of the Coast and Geodetic Survey, Washington, D. C.

(1) *Triangulation.*—This method is the one that will give the greatest accuracy, but on account of its requiring special data and instruments, and being an operation rarely used by engineers not engaged in geodetic surveying, it is recommended only for cases in dispute that can not be settled satisfactorily by some other method. An explanation of this class of work would be too long for a report of this sort, and those not familiar with this method are referred to the publications on the subject by the Coast and Geodetic Survey.

(2) *Hydrographic.*—This method is the most simple and satisfactory one that can be adopted if the surveyor can obtain the use of the necessary instruments and assistants. It is the one best suited for the work of the engineers of the Commission in relocating corners of boundaries, as it gives results of the accuracy ordinarily required and is rapid in execution. Besides, it has the advantage of being available whenever three triangulation stations of suitable relative positions are visible from the offshore points needing relocation.

Most navigators and others familiar with the use of a sextant are well acquainted with the graphic three-point method of fixing a position on water, and only a brief description of the operation will be stated.

In the case where there is only one engineer having a single sextant, the three-point method can be used if the two angles determining the position of a buoy are first derived from the "Forward" bearings given in the tabular forms describing the boundaries of the oyster bars. For example, take "Poplar Island" oyster bar, which is the first one described in this publication, and assume that "Corner No. 3," is to be examined as to its position. The angle between the two landmarks "Valiant" and "Haddaway," as determined from right to left from the forward bearings from this corner, is $58^{\circ} 17'$, and the angle between "Haddaway" and "Bloody Point Bar Light" is $120^{\circ} 05'$. Having these two angles, the engineer proceeds to the buoy of doubtful location and measures the actual sextant angles between the landmarks for which the calculations were made. If the measured and calculated angles do not agree, the buoy is not in its correct position and the boundary corner must be relocated. This is accomplished by moving the boat about until a point is reached where the angles do agree, and this point being the desired location, the buoy can be placed in its correct position.

If the engineer can obtain the use of both a sextant and a three-arm protractor (position finder), the availability of the hydrographic method is increased, as the use of the protractor is essential in case of the washing away or destruction of one or more of the landmarks originally used in describing the boundaries. Under these circumstances any three landmarks of suitable relative position that are visible from the point to be located can be utilized. For example, the engineer can proceed to the buoy of doubtful position and measure the two adjacent sextant angles between the three landmarks selected. These two angles are set off on the three-arm protractor and the actual position of the buoy plotted on the chart by shifting the protractor about until the edge of each of the three arms passes through the center of the symbols on the chart marking the position of the three landmarks selected. The center of the hub of the protractor will indicate on the chart the actual position of the buoy, and if the point thus obtained does not coincide with the true position of the corner of the boundary as given on the chart, the surveyor can proceed to locate the buoy correctly by reversing the operation.

This is done by placing the center point of the hub of the protractor over the corner of the boundary in question and measuring on the chart the two adjacent protractor angles between the three selected landmarks. One of the angles thus obtained is set on the sextant and the boat moved about until the two landmarks are shown by the sextant to subtend the same angle obtained from the protractor. The second angle is then placed on the sextant and the same operation gone through, and so on, first using one angle on the sextant, then the other, until a point is reached where both observed sextant angles are practically identical with the protractor angles. The point thus located is the desired one and the buoy can be placed to mark the true position of the corner of the boundary in question.

If the engineer possesses two sextants and a protractor, this problem is far easier of solution, as the two angles can be set off on separate sextants and the observer can quickly find the desired point where they agree with the protractor angles by using one sextant after the other without the need of resetting either.

If there are two observers, two sextants, and a protractor, it can be seen that the best conditions for both rapid and accurate hydrographic location of a point is attained. In fact, this is the method by which the buoys at the corners of the boundaries were originally placed by the hydrographic engineer to the Commission.

(3) *Magnetic bearings from offshore.*—This method of fixing a position on water is a simple and well-known one in navigation. It is available to anyone having a boat compass and will be of special use to the State Fishery Force in investigating cases where buoys are supposed to have been moved for illegal purposes.

In the case where a buoy is supposed to have been moved from its true position the observer can take compass bearings to the three landmarks given in the last column of the tables opposite the boundary corner in question. These bearings are then corrected for the local declination,¹ and if the results agree with the published bearings the buoy is correctly located.

In the case where the buoy is not in its correct position, or has disappeared altogether, the desired point can be determined by maneuvering the vessel until the corrected bearings agree with the ones in the tabular descriptions, when the buoy can be anchored in its proper location.

In the case where the landmarks for which the bearings are published have been destroyed or washed away, any landmarks whose positions are indicated on the charts can be used. This can be done by getting their bearings directly from the chart by parallel rulers or a protractor and then applying these new bearings in the same manner as the ones published in the tables.

(4) *Magnetic bearings from shore.*—This method will be of special value to engineers having an ordinary surveyor's compass. The compass can be set over the point marking a "triangulation station" on shore, the name of which is given in the last column opposite the "corner" in question. The instrument is then set at the corresponding "back" bearing (corrected for local magnetic declination) given in the fifth column of the tables opposite the "corner" in question. The direction thus determined will give one range on which the desired point must be located. The compass can then be moved to a

¹ The mean magnetic variation for Talbot County is 6° 10' west of north in 1911 and increasing at the rate of 5' yearly.

second triangulation station and another range located in a similar manner. The intersection of these two range lines will give the desired point; but in general it should be checked by an additional range line determined from a third station.

(5) *Horizontal angles measured at landmarks.*—This process is a modification of the triangulation method, and will be useful to engineers who have a transit and desire considerable accuracy.

The instrument is placed over a "triangulation station," the name of which appears in the last column of the tabular description opposite the "corner" in question. The telescope is then pointed to the landmark indicated in the "Descriptions of landmarks" as having a direction of $0^{\circ} 00' 00''$ from the triangulation station being occupied by the transit. The tabular description of the boundaries is next examined and the "back" bearing of the questionable boundary "corner" from the landmark being occupied is taken out. The angle calculated from this "back" bearing and the bearing given in parentheses alongside the zero landmark in the "Descriptions of landmarks" is then set off on the transit and a range line established on which the desired point must be located. A similar process is then carried on at a second station, and so on until the position of the buoy is satisfactorily fixed.

BOUNDARIES OF NATURAL OYSTER BARS.

POPLAR ISLAND.

(Chesapeake Bay—Off Poplar Island—Charts Nos. 31 and 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' / "	° / ' / "		
	° / ' / "	° / ' / "	° / ' / "	° / ' / "	Yards.	
1	38 45 43.52	76 23 47.66	S 62 30 E N 47 03 E N 2 53 E	N 62 29 W S 47 03 W S 2 53 W	1,902 1,510 8,697	Poplar South. Valliant. Bloody Point Bar Light.
2	38 45 53.47	76 24 19.45	S 64 20 E N 70 22 E N 8 41 E	N 64 19 W S 70 23 W S 8 42 W	2,801 2,065 8,448	Poplar South. Valliant. Bloody Point Bar Light.
3	38 47 45.44	76 23 17.97	S 5 57 E S 64 14 E N 4 19 W	N 5 57 W N 64 12 W S 4 19 E	3,099 5,587 4,580	Valliant. Haddaway. Bloody Point Bar Light.
4	38 47 32.65	76 22 13.67	S 26 26 E S 59 04 E N 22 11 W	N 26 26 W N 59 04 W S 22 12 E	5,807 3,833 5,408	Great. Haddaway. Bloody Point Bar Light.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

LOWS POINT.

(Eastern Bay—Charts Nos. 31 and 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 47 09.33	76 21 17.76	S 14 20 E	N 14 20 W	Yards.	Great. Haddaway. Kemp Tower.
			S 50 52 E	N 50 52 W	4,630	
			N 46 41 E	S 46 43 W	2,219	
2	38 47 41.86	76 21 16.85	S 38 27 E	N 38 27 W	2,949	Haddaway. Kemp. Bloody Point Bar Light.
			N 53 15 E	S 53 16 W	6,332	
			N 37 00 W	S 37 02 E	5,882	
3	38 48 26.00	76 19 35.90	N 46 20 E	S 46 21 W	3,331	Kemp. Bloody Point Bar Light. Haddaway.
			N 62 38 W	S 62 41 E	6,084	
			S 12 20 W	N 12 20 E	3,888	
4	38 48 07.05	76 18 50.23	N 10 02 W	S 10 03 E	0,979	Straight. Bloody Point Bar Light. Haddaway
			N 62 32 W	S 62 35 E	8,349	
			S 32 48 W	N 32 47 E	3,759	
5	38 47 16.80	76 20 36.40	S 27 37 E	N 27 37 W	1,654	Haddaway. Kemp Tower. Bloody Point Bar Light.
			N 41 42 E	S 41 44 W	6,497	
			N 39 44 W	S 39 46 E	7,802	

MARYS DELIGHT.

(Eastern Bay—Chart No. 31.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 48 54.24	76 19 00.67	N 47 42 E	S 47 43 W	Yards.	Kemp. Bloody Point Bar Light. Haddaway.
			N 72 26 W	S 72 29 E	2,001	
			S 20 20 W	N 20 10 E	7,481	
2	38 40 01.03	76 19 31.72	N 64 42 E	S 64 42 W	2,544	Kemp. Bloody Point Bar Light. Haddaway.
			N 72 26 W	S 72 28 E	6,622	
			S 10 38 W	N 10 38 E	5,097	
3	38 40 32.84	76 19 33.63	N 81 19 W	S 81 22 E	6,335	Bloody Point Bar Light. Haddaway. Kemp.
			S 8 22 W	N 8 22 E	6,118	
			N 88 54 E	S 88 54 W	2,351	
4	38 40 05.28	76 18 55.97	N 54 08 E	S 54 09 W	1,664	Kemp. Bloody Point Bar Light. Haddaway.
			N 75 27 W	S 75 29 E	7,505	
			S 20 17 W	N 20 16 E	5,461	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WADES POINT.

(Eastern Bay—Chart No. 31.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 50 03.28	76 18 29.62	S 52 41 E	N 52 41 W	Yards. 1,242 3,836 3,890	Kemp Tower. Rich Neck Water Tank. Straight.
			N 70 04 E	S 70 06 W		
			N 46 27 W	S 46 26 E		
2	38 50 15.25	76 18 55.22	S 55 11 E	N 55 10 W	2,026 4,375 3,127	Kemp Tower. Rich Neck Water Tank. Straight.
			N 78 06 E	S 78 06 W		
			N 43 18 W	S 43 19 E		
3	38 50 53.78	76 18 28.07	N 71 10 W	S 71 11 E	3,023 2,632 3,587	Straight. Kemp Tower. Rich Neck Water Tank.
			S 21 06 E	N 21 05 W		
			S 83 39 E	N 83 38 W		
4	38 50 23.54	76 17 59.43	N 61 05 W	S 61 07 E	4,129 1,440 2,878	Straight. Kemp Tower. Rich Neck Water Tank.
			S 7 37 E	N 7 37 W		
			N 77 29 E	S 77 31 W		
5	38 50 06.52	76 18 12.44	S 31 49 E	N 31 49 W	1,015 3,373 4,161	Kemp Tower. Rich Neck Water Tank. Straight.
			N 69 13 E	S 69 13 W		
			N 51 51 W	S 51 52 E		

SEDGE MARSH.

(Eastern Bay—Chart No. 31.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 50 45.88	76 17 35.05	N 73 43 W	S 73 45 E	Yards. 4,436 2,235 2,166	Straight. Kemp Tower. Rich Neck Water Tank.
			S 11 38 W	N 11 38 E		
			S 86 34 E	N 86 33 W		
2	38 50 50.10	76 17 51.70	N 73 55 W	S 73 57 E	3,975 2,432 2,015	Straight. Kemp Tower. Rich Neck Water Tank.
			S 0 18 W	N 0 18 E		
			S 84 02 E	N 84 01 W		
3	38 51 09.90	76 17 29.38	N 84 23 W	S 84 25 E	4,429 3,059 2,225	Straight. Kemp Tower. Rich Neck Water Tank.
			S 11 19 W	N 11 19 E		
			S 65 01 E	N 65 01 W		
4	38 51 04.26	76 17 20.17	N 82 22 W	S 82 23 E	4,693 2,934 1,927	Straight. Kemp Tower. Rich Neck Water Tank.
			S 16 43 W	N 16 42 E		
			S 67 06 E	N 67 04 W		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

RICH NECK.

(Eastern Bay—Chart No. 31.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 51 32.93	76 17 03.04	N 71 12 W S 18 56 W S 37 38 E	S 71 14 E N 18 55 E N 37 38 W	4,844 3,993 2,166	Mouth. Kemp Tower. Rich Neck Water Tank.
2	38 51 59.14	76 17 42.52	N 79 11 W S 3 07 W S 67 31 E	S 79 12 E N 3 07 E N 67 30 W	3,609 4,667 3,445	Mouth. Kemp Tower. Dixon.
	Thence along county boundary as delineated on Chart No. 31 to corner No. 3.					
3	38 52 11.20	76 17 26.07	N 86 08 W S 7 44 W S 57 54 E	S 86 10 E N 7 44 E N 57 55 W	3,987 5,114 3,246	Mouth. Kemp Tower. Dixon.
4	38 51 46.33	76 16 48.83	N 77 24 W S 21 33 W S 23 38 E	S 77 26 E N 21 32 E N 23 38 W	5,083 4,540 2,367	Mouth. Kemp Tower. Rich Neck Water Tank.

TILGHMANS POINT.

(Eastern Bay—Charts Nos. 31 and 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 51 30.20	76 16 15.27	S 34 45 W S 2 14 E S 68 50 E	N 34 44 E N 2 14 W N 68 49 W	4,484 1,625 947	Kemp Tower. Rich Neck Water Tank. Dixon.
2	38 51 45.94	76 16 26.10	S 28 18 W S 9 12 E S 53 15 E	N 28 17 E N 9 12 W N 53 14 W	4,788 2,183 1,459	Kemp Tower. Rich Neck Water Tank. Dixon.
3	38 52 12.40	76 15 41.00	N 14 45 E N 30 40 W S 15 25 W	S 14 46 W S 30 41 E N 15 25 E	4,898 3,653 3,101	Parsons Island Water Tank. Needle. Rich Neck Water Tank.
4	38 52 39.22	76 15 25.84	N 11 52 E N 45 19 W S 8 57 W	S 11 52 W S 45 20 E N 8 57 E	3,603 3,181 2,702	Parsons. Needle. Dixon.
5	38 52 31.74	76 15 11.38	N 5 35 E N 46 43 W S 18 21 W	S 5 35 W S 46 44 E N 18 21 E	3,884 3,631 2,547	Parsons. Needle. Dixon.
6	38 52 11.48	76 15 10.40	N 7 23 E N 37 28 W S 18 48 W	S 7 23 W S 37 29 E N 18 48 E	4,588 3,997 1,832	Parsons. Needle. Dixon.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

UPPER HARRIS CREEK.

(Harris Creek—Charts Nos. 31, 32, and 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' / "	° / ' / "		
1	38 46 20.52	76 16 36.33	N 6 14 W	S 6 14 E	Yards. 622 478 478	Mink. Grace. Koot.
			N 49 45 W	S 49 46 E		
			S 81 33 W	N 81 34 E		
2	38 46 21.22	76 16 56.08	N 28 49 E	S 28 50 W	326 410 536	Grace. Rabbit. Fox.
			N 59 05 W	S 59 05 E		
			S 60 13 W	N 60 13 E		
3	38 46 25.20	76 16 56.02	S 49 22 W	N 49 22 E	615 233 773	Fox. Koot. Bozman.
			S 11 43 E	N 11 43 W		
			N 89 03 E	S 89 03 W		
4	38 46 40.40	76 16 34.90	S 34 34 W	N 34 34 E	900 545 568	Koot. Bozman. Pink.
			S 23 21 E	N 23 21 W		
			N 64 51 E	S 64 52 W		
5	38 46 45.96	76 16 34.38	S 16 26 E	N 16 26 W	716 503 711	Bozman. Pink. Clump.
			N 83 53 E	S 83 53 W		
			N 25 52 E	S 25 52 W		
6	38 47 08.22	76 16 17.43	S 4 19 E	N 4 19 W	699 414 423	Pink. Miller. Otto.
			S 71 55 E	N 71 55 W		
			N 46 04 E	S 46 05 W		
7	38 47 35.76	76 16 22.00	N 83 08 W	S 83 08 E	215 662 441	End. Lawn. Rod.
			S 1 51 W	N 1 51 E		
			S 78 00 E	N 78 00 W		
8	38 47 34.78	76 16 09.12	N 83 54 W	S 83 54 E	586 752 668	End. Lawn. Otto.
			S 28 49 W	N 28 49 E		
			S 8 03 E	N 8 03 W		
9	38 47 03.04	76 16 08.03	N 43 32 W	S 43 32 E	568 392 558	Lawn. Clump. Pink.
			N 80 40 W	S 80 40 E		
			S 20 32 W	N 20 32 E		

UPPER HILL.

(Eastern Bay—Chart No. 32.)

1	38 51 52.53	76 15 12.90	N 4 36 E	S 4 37 W	Yards. 5,206 4,616 1,334	Parsons. Needle. Dixon.
			N 34 20 W	S 34 21 E		
			S 34 50 W	N 34 49 E		
2	38 52 03.54	76 15 17.66	N 6 26 E	S 6 27 W	4,848 4,240 1,599	Parsons. Needle. Dixon.
			N 35 46 W	S 35 47 E		
			S 23 28 W	N 23 27 E		
3	38 52 05.52	76 15 10.08	N 4 08 E	S 4 09 W	4,763 4,308 1,747	Parsons. Needle. Dixon.
			N 38 26 W	S 38 26 E		
			S 28 37 W	N 28 36 E		
4	38 51 54.60	76 15 05.40	N 2 28 E	S 2 28 W	5,124 4,674 1,509	Parsons. Needle. Dixon.
			N 36 49 W	S 36 50 E		
			S 39 29 W	N 39 29 E		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

ALDRIDGES DISCOVERY.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 51 31.38	76 14 40.48	S 74 32 W	N 74 31 E	1,432	Dixon.
			S 4 16 W	N 4 16 E	3,503	Seth.
			S 22 10 E	N 22 18 W	5,019	Sara.
2	38 51 43.26	76 14 40.48	S 64 11 W	N 64 10 E	1,796	Dixon.
			S 7 17 W	N 7 17 E	3,925	Seth.
			S 18 18 E	N 18 18 W	5,313	Sara.
3	38 51 33.94	76 14 32.18	S 75 42 W	N 75 42 E	1,894	Dixon.
			S 11 20 W	N 11 19 E	3,650	Seth.
			S 17 02 E	N 17 02 W	4,946	Sara.

HORSESHOE.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 51 30.28	76 14 25.02	S 87 39 W	N 87 39 E	1,019	Pearson.
			S 14 41 W	N 14 41 E	3,573	Seth.
			S 15 18 E	N 15 18 W	4,776	Sara.
2	38 51 38.50	76 14 25.80	S 72 16 W	N 72 16 E	1,048	Pearson.
			S 13 21 W	N 13 20 E	3,836	Seth.
			S 14 42 E	N 14 42 W	5,049	Sara.
3	38 51 39.40	76 14 08.86	S 76 24 W	N 76 24 E	1,486	Pearson.
			S 19 30 W	N 19 20 E	3,992	Seth.
			S 0 38 E	N 9 38 W	4,985	Sara.
4	38 51 31.18	76 14 08.08	S 87 11 W	N 87 10 E	1,467	Pearson.
			S 21 13 W	N 21 12 E	3,739	Seth.
			S 9 57 E	N 0 57 W	4,797	Sara.

TURTLE BACK.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 50 55.28	76 14 15.54	N 48 05 W	S 48 06 E	1,705	Pearson.
			S 26 56 W	N 26 55 E	2,552	Seth.
			S 16 26 E	N 16 20 W	3,572	Sara.
2	38 50 56.28	76 14 22.26	N 44 39 W	S 44 39 E	1,553	Pearson.
			S 22 58 W	N 22 58 E	2,508	Seth.
			S 18 57 E	N 18 57 W	3,657	Sara.
3	38 51 16.84	76 14 13.96	N 72 34 W	S 72 34 E	1,374	Pearson.
			S 21 45 W	N 21 44 E	3,233	Seth.
			S 13 08 E	N 13 08 W	4,205	Sara.
4	38 51 11.18	76 13 58.00	N 70 49 W	S 70 49 E	1,833	Pearson.
			S 29 56 W	N 29 55 E	3,244	Seth.
			S 7 52 E	N 7 52 W	3,999	Sara.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

SEA TURTLE.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° ' "	° ' "		
1	38 51 02.58	76 15 23.66	N 30 37 E	S 30 37 W	Yards. 1,037 759 1,471	Pearson. Dixon. Rich Neck Water Tank.
			S 39 03 W	S 39 03 E		
			S 61 55 W	N 61 54 E		
2	38 51 07.98	76 15 26.28	N 40 03 W	S 40 03 E	927 577 1,598	Pearson. Dixon. Rich Neck Water Tank.
			S 45 07 W	S 45 07 E		
			S 54 33 W	N 54 33 E		
3	38 51 13.84	76 15 06.67	N 8 52 E	S 8 52 W	519 949 2,048	Pearson. Dixon. Rich Neck Water Tank.
			N 77 14 W	S 77 15 E		
			S 58 27 W	N 58 26 E		
4	38 51 08.58	76 15 03.15	N 1 04 W	S 1 04 E	690 1,089 2,045	Pearson. Dixon. Rich Neck Water Tank.
			N 69 12 W	S 69 12 E		
			S 64 03 W	N 64 03 E		

BOZMAN NECK.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 50 31.80	76 15 13.30	N 7 31 E	S 7 31 W	Yards. 1,947 1,792 1,609	Pearson. Dixon. Rich Neck Water Tank.
			N 24 47 W	S 24 47 E		
			N 77 36 W	S 77 37 E		
2	38 50 47.10	76 15 33.18	N 28 51 E	S 28 51 W	1,615 1,135 1,061	Pearson. Dixon. Rich Neck Water Tank.
			N 11 33 W	S 11 33 E		
			S 80 44 W	N 80 44 E		
3	38 50 53.06	76 15 23.76	N 24 09 E	S 24 09 W	1,296 1,001 1,356	Pearson. Dixon. Rich Neck Water Tank.
			N 28 23 W	S 28 23 E		
			S 72 45 W	N 72 45 E		
4	38 50 44.02	76 15 10.12	N 6 25 E	S 6 25 W	1,528 1,474 1,656	Pearson. Dixon. Rich Neck Water Tank.
			N 34 30 W	S 34 30 E		
			S 87 41 W	N 87 41 E		
5	38 50 35.58	76 15 06.92	N 2 45 E	S 2 45 W	1,804 1,760 1,753	Pearson. Dixon. Rich Neck Water Tank.
			N 31 31 W	S 31 31 E		
			N 82 51 W	S 82 52 E		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

HAMBLETON HILL.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 49 54.92	76 14 28.06	N 16 28 W S 73 50 W N 80 53 E	S 16 28 E N 73 49 E S 80 54 W	3,309 860 2,579	Pearson. Seth. Herr.
2	38 50 10.40	76 14 47.90	N 8 54 W S 21 39 W S 87 53 E	S 8 54 E N 21 39 E N 87 52 W	2,685 819 3,071	Pearson. Seth. Herr.
3	38 50 40.48	76 14 09.46	N 41 06 W S 36 33 W S 61 14 E	S 41 07 E N 36 32 E N 61 14 W	2,173 2,210 2,345	Pearson. Seth. Herr.
4	38 50 44.92	76 13 48.08	N 53 15 W S 44 19 W S 49 24 E	S 53 15 E N 44 18 E N 49 24 W	2,487 2,601 1,964	Pearson. Seth. Herr.
5	38 50 31.34	76 13 45.54	N 46 37 W S 53 00 W S 60 04 E	S 46 38 E N 52 59 E N 60 03 W	2,834 2,439 1,644	Pearson. Seth. Herr.
6	38 50 15.46	76 14 13.72	N 27 57 W S 52 15 W S 82 32 E	S 27 57 E N 52 14 E N 82 31 W	2,808 1,522 2,186	Pearson. Seth. Herr.

WEST END.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 49 43.94	76 12 45.04	N 51 08 E N 12 25 W S 53 28 W	S 51 08 W S 12 25 E N 53 27 E	1,993 797 1,714	Wood. Herr. Sara.
2	38 49 57.00	76 13 59.42	S 78 55 W S 21 51 E N 79 18 E	N 78 54 E N 21 50 W S 79 19 W	1,611 1,574 1,822	Seth. Sara. Herr.
3	38 50 36.08	76 13 06.98	S 61 14 W S 22 34 E S 87 50 E	N 61 13 E N 22 34 W N 87 50 W	3,381 1,061 1,949	Seth. Herr. Frank.
4	38 50 07.02	76 12 51.54	N 59 31 E N 20 33 E S 79 08 W	S 59 32 W S 20 33 W N 79 07 E	1,787 2,270 3,433	Frank. Benn. Seth.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

HAMBLETON.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' / "	° / ' / "	° / ' / "	° / ' / "	Yards.	
1	38 49 23.80	76 14 15.36	S 71 17 E	N 71 16 W	1,062	Sara.
			N 56 36 E	S 56 37 W	2,049	Herr.
			N 55 06 W	S 55 06 E	1,415	Seth.
2	38 49 28.52	76 14 39.72	S 73 07 E	N 73 07 W	1,722	Sara.
			N 65 32 E	S 65 33 W	3,135	Herr.
			N 38 32 W	S 38 32 E	832	Seth.
3	38 49 38.20	76 14 40.12	S 63 31 E	N 63 31 W	1,854	Sara.
			N 71 16 E	S 71 17 W	3,024	Herr.
			N 57 26 W	S 57 27 E	601	Seth.
4	38 49 37.82	76 13 13.44	N 30 24 E	S 30 24 W	1,142	Herr.
			N 83 08 W	S 83 09 E	2,815	Seth.
			S 37 39 W	N 37 38 E	1,028	Sara.
5	38 49 32.02	76 13 09.72	S 49 35 W	N 49 34 E	954	Spar.
			S 10 16 E	N 10 19 W	1,965	Herr.
			N 22 07 E	S 22 07 W	1,274	

TIDEMILL.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' / "	° / ' / "	° / ' / "	° / ' / "	Yards.	
1	38 48 37.48	76 13 02.00	S 61 09 E	N 61 09 W	197	Spar.
			N 5 40 E	S 5 40 W	3,035	Herr.
			N 36 34 W	S 36 34 E	1,520	Sara.
Thence from corner No. 1 along the mean low-water line of the shore to corner No. 2, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
2	38 49 14.48	76 13 35.54	N 63 03 W	S 63 04 E	2,480	Seth.
			S 59 08 W	N 59 08 E	51	Sara.
			S 37 35 E	N 37 35 W	1,694	Spar.
3	38 49 18.46	76 13 41.28	S 33 36 E	N 33 36 W	194	Sara.
			N 38 42 E	S 38 43 W	2,099	Herr.
			N 64 26 W	S 64 20 E	2,286	Seth.
Thence from corner No. 3 along the mean low-water line of the shore to corner No. 4, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
4	38 49 14.74	76 14 14.88	S 87 57 E	N 87 57 W	964	Sara.
			N 51 16 E	S 51 17 W	2,818	Herr.
			N 46 27 W	S 46 28 E	1,619	Seth.
5	38 49 19.10	76 14 15.08	S 79 39 E	N 79 38 W	1,015	Sara.
			N 53 44 E	S 53 45 W	2,733	Herr.
			N 50 17 W	S 50 17 E	1,518	Seth.
6	38 49 25.66	76 13 36.92	N 71 02 W	S 71 03 E	2,300	Seth.
			S 0 57 W	N 0 57 E	402	Sara.
			S 31 53 E	N 31 54 W	2,025	Spar.
7	38 48 48.26	76 12 49.34	N 55 50 W	S 55 50 E	1,528	Sara.
			S 22 04 W	N 22 04 E	494	Spar.
			S 13 48 E	N 13 48 W	1,065	Deewat.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

SCOTLAND.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 48 27.86	76 12 50.08	S 38 19 E	N 38 19 W	Yards.	Deewat. Ollie. Herr.
			N 68 47 E	S 68 48 W	441	
			N 0 40 W	S 0 40 E	1,447	
Thence from corner No. 1 along the mean low-water line of the shore to corner No. 2, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
2	38 48 37.48	76 13 02.90	S 61 09 E	N 61 09 W	107	Spar.
			N 5 40 E	S 5 40 W	3,035	Herr.
			N 36 34 W	S 36 34 E	1,520	Sara.
3	38 48 48.26	76 12 49.34	N 55 50 W	S 55 50 E	1,528	Sara.
			S 22 04 W	N 22 04 E	494	Spar.
			S 13 48 E	N 13 48 W	1,065	Deewat.
4	38 48 41.30	76 12 31.26	N 57 53 W	S 57 54 E	2,055	Sara.
			S 71 22 W	N 71 21 E	700	Spar.
			S 15 35 W	N 15 35 E	830	Deewat.

DEEP WATER POINT.

(Miles River—Chart No. 32.)

1	38 48 00.00	76 12 40.70	N 82 19 E	S 82 20 W	Yards.	Swing. Deewat. Millwind.
			N 2 31 E	S 2 31 W	1,079	
			S 22 13 W	N 22 13 E	594	
2	38 48 10.35	76 12 49.02	S 0 08 W	N 0 08 E	951	Millwind.
			S 81 09 E	N 81 08 W	1,330	Swing.
			N 47 49 E	S 47 50 W	363	Deewat.
3	38 48 13.76	76 12 45.06	S 6 59 W	N 6 59 E	1,074	Millwind.
			S 74 54 E	N 74 54 W	1,228	Swing.
			N 47 32 E	S 47 32 W	191	Deewat.
4	38 48 03.59	76 12 32.86	S 32 04 W	N 32 03 E	853	Millwind.
			N 88 28 E	S 88 28 W	864	Swing.
			N 20 57 W	S 20 57 E	505	Deewat.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

ASH CRAFT.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 47 29.22	76 12 37.86	N 36 19 W	S 36 19 E	541	Millwind.
			S 69 19 W	N 69 19 E	1,579	St. Michaels Water Tank.
			S 30 02 E	N 30 02 W	2,198	Stony.
2	38 47 36.30	76 12 50.26	N 1 55 E	S 1 55 W	198	Millwind.
			S 55 18 W	N 55 18 E	1,400	St. Michaels Water Tank.
			S 33 41 E	N 33 41 W	2,573	Stony.
3	38 47 51.46	76 12 34.16	N 64 17 E	S 64 18 W	996	Swing.
			N 9 26 W	S 9 26 E	893	Deewat.
			S 53 08 W	N 53 09 E	523	Millwind.
4	38 47 44.54	76 12 22.04	N 72 06 E	S 72 06 W	897	Fair.
			N 22 42 W	S 22 42 E	1,208	Deewat.
			S 83 48 W	N 83 47 E	743	Millwind.

SECOND POINT.

(Miles River—Charts Nos. 32 and 34.)

	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 47 13.02	76 12 07.27	N 48 56 W	S 48 57 E	1,496	Millwind.
			S 89 43 W	N 89 42 E	2,286	St. Michaels Water Tank.
			S 12 11 E	N 12 11 W	1,388	Stony.
2	38 47 25.98	76 12 21.26	N 54 17 W	S 54 17 E	935	Millwind.
			S 76 50 W	N 76 49 E	1,967	St. Michaels Water Tank.
			S 20 16 E	N 20 16 W	1,912	Stony.
3	38 47 52.66	76 12 09.96	N 89 49 E	S 89 49 W	534	Fair.
			N 43 02 W	S 43 03 E	1,150	Deewat.
			S 71 29 W	N 71 28 E	1,114	Millwind.
4	38 47 19.28	76 11 54.46	N 32 37 E	S 32 37 W	1,005	Leeds.
			N 62 15 W	S 62 15 E	1,657	Millwind.
			S 1 40 W	N 1 40 E	1,568	Stony.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WILD GROUND.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 48' 47.60"	76° 12' 39.90"	N 6 29 W	S 6 29 E	Yards.	Herr. Sara. Spar.
			N 59 49 W	S 59 49 E	2,606	
			S 44 55 W	N 44 55 E	1,750 616	
2	38° 49' 15.62"	76° 12' 56.20"	N 4 03 E	S 4 03 W	1,738	Herr. Sara. Spar.
			S 86 34 W	N 86 33 E	1,085	
			S 0 12 W	N 0 12 E	1,381	
3	38° 49' 49.44"	76° 12' 22.26"	N 27 08 E	S 27 08 W	1,684	Frank. Herr. Sara.
			N 52 29 W	S 52 30 E	973	
			S 58 39 W	N 58 38 E	2,316	
4	38° 49' 41.90"	76° 12' 09.46"	N 23 16 E	S 23 16 W	1,375	Wood. Herr. Sara.
			N 52 39 W	S 52 39 E	1,397	
			S 67 40 W	N 67 39 E	2,593	

SYCAMORE.

(Miles River—Chart No. 32.)

1	38° 49' 41.90"	76° 12' 09.46"	N 23 16 E	S 23 16 W	1,375	Wood. Herr. Sara.
			N 52 39 W	S 52 39 E	1,397	
			S 67 40 W	N 67 39 E	2,593	
2	38° 49' 49.44"	76° 12' 22.26"	N 27 08 E	S 27 08 W	1,684	Frank. Herr. Sara.
			N 52 29 W	S 52 30 E	973	
			S 58 39 W	N 58 38 E	2,316	
3	38° 50' 20.14"	76° 12' 06.56"	S 69 33 W	N 69 32 E	1,266	Herr. Wood. Frank.
			S 86 44 W	N 86 44 E	467	
			N 37 21 E	S 37 21 W	583	
4	38° 50' 19.38"	76° 11' 48.90"	N 12 52 W	S 12 52 E	502	Frank. Herr. Ollie.
			S 75 50 W	N 75 50 E	1,704	
			S 4 42 W	N 4 41 E	3,249	
5	38° 49' 46.54"	76° 11' 32.30"	N 21 34 W	S 21 34 E	1,100	Wood. Herr. Ollie.
			N 71 43 W	S 71 44 E	2,201	
			S 18 17 W	N 18 17 E	2,243	

Thence from corner No. 4 along the mean low water line of the shore to corner No. 5, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

EAST END.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 49 43.94	76 12 45.04	N 51 08 E N 12 25 W S 53 28 W	S 51 08 W S 12 25 E N 53 27 E	1,903 797 1,714	Wood. Herr. Sara.
2	38 50 07.02	76 12 51.54	N 59 31 E N 20 33 E S 79 08 W	S 59 32 W S 20 33 W N 79 07 E	1,787 2,270 3,433	Frank. Benn. Seth.
3	38 50 13.58	76 12 35.30	N 10 57 E S 62 41 W S 17 29 E	S 10 57 W N 62 41 E N 17 29 W	1,940 482 3,189	Benn. Herr. Ollie.
4	38 49 57.98	76 12 30.18	S 13 49 W N 50 31 E N 5 29 E	N 13 49 E S 50 31 W S 5 29 W	2,894 1,306 2,442	Spar. Wood. Benn.

HERRING ISLAND.

(Miles River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 50 07.02	76 12 51.54	N 59 31 E N 20 33 E S 79 08 W	S 59 32 W S 20 33 W N 79 07 E	1,787 2,270 3,433	Frank. Benn. Seth.
2	38 50 36.08	76 13 06.98	S 61 14 W S 22 34 E S 87 50 E	N 61 13 E N 22 34 W N 87 50 W	3,381 1,061 1,949	Seth. Herr. Frank.
3	38 50 48.30	76 13 17.28	S 9 22 W S 77 40 E N 63 33 E	N 9 22 E N 77 39 W S 63 34 W	3,234 2,271 1,648	Sara. Frank. Benn.
Thence along county boundary as delineated on Chart No. 32 to corner No. 4.						
4	38 50 39.24	76 12 20.10	S 35 12 W S 75 46 E N 71 09 E	N 35 11 E N 75 45 W S 71 09 W	3,530 734 778	Sara. Frank. James.
5	38 50 13.58	76 12 35.30	N 10 57 E S 62 41 W S 17 29 E	S 10 57 W N 62 41 E N 17 29 W	1,940 482 3,189	Benn. Herr. Ollie.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WYE TOWN.

(Wye River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° /	° /		
1	38 50 19.38	76 11 48.90	N 12 52 W	S 12 52 E	502	Frank. Herr. Ollie.
			S 75 50 W	N 75 50 E	1,704	
			S 4 42 W	N 4 41 E	3,249	
2	38 50 20.14	76 12 06.50	S 60 33 W	N 60 32 E	1,266	Herr. Wood. Frank.
			S 86 44 W	N 86 44 E	467	
			N 37 21 E	S 37 21 W	583	
3	38 50 42.68	76 12 10.64	S 57 17 E	N 57 18 W	549	Frank. James. Benn.
			N 74 25 E	S 74 26 W	505	
			N 16 59 W	S 16 59 E	966	
4	38 51 07.40	76 11 52.90	S 80 02 E	N 80 02 W	483	Law. Bruffs. Benn.
			N 31 36 E	S 31 36 W	973	
			N 83 11 W	S 83 11 E	755	
5	38 51 02.72	76 11 45.58	N 75 19 E	S 75 19 W	293	Law. Bruffs. Benn.
			N 17 48 E	S 17 49 W	1,037	
			N 75 17 W	S 75 18 E	975	
6	38 50 46.70	76 11 52.20	N 36 41 E	S 36 41 W	767	Law. Benn. Herr.
			N 44 17 W	S 44 17 E	1,100	
			S 49 29 W	N 49 28 E	2,050	

Thence from corner No. 6 along the mean low water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.

BRUFFS ISLAND.

(Wye River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° /	° /		
1	38 51 02.72	76 11 45.58	N 75 19 E	S 75 19 W	293	Law. Bruffs. Benn.
			N 17 48 E	S 17 49 W	1,037	
			N 75 17 W	S 75 18 E	975	
2	38 51 07.40	76 11 52.90	S 80 02 E	N 80 02 W	483	Law. Bruffs. Benn.
			N 31 36 E	S 31 36 W	973	
			N 83 11 W	S 83 11 E	755	
3	38 51 41.96	76 11 39.82	N 2 29 E	S 2 29 W	888	Nose. Won. Hough.
			N 89 01 W	S 89 01 E	431	
			S 37 04 W	N 37 04 E	921	
4	38 51 43.96	76 11 25.88	S 85 42 W	N 85 42 E	801	Won. Shaw. South.
			S 1 15 W	N 1 15 E	352	
			N 62 46 E	S 62 46 W	482	
5	38 51 35.46	76 11 13.80	N 74 55 E	S 74 55 W	1,001	Edward. South. Shaw.
			N 12 14 E	S 12 14 W	519	
			S 78 40 W	N 78 39 E	332	
6	38 51 30.00	76 11 20.90	S 70 58 E	N 70 57 W	1,217	Colonel. Edward. Shaw.
			N 68 55 E	S 68 55 W	1,236	
			N 49 30 W	S 49 30 E	183	
Thence from corner No. 6 along the mean low water line of the shore to corner No. 7, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
7	38 51 20.02	76 11 32.06	N 5 36 W	S 5 36 E	466	Bruffs. Hough. Law.
			N 89 36 W	S 89 36 E	759	
			S 8 12 W	N 8 12 E	514	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

SHAW BAY HILL.

(Wye River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 51 08.66	76 11 18.45	N 73 27 E	S 73 27 W	Yards. 1 133 1,430 1,650	Colonel. South. Benn.
			N 9 22 E	S 9 22 W		
			N 88 22 W	S 88 23 E		
2	38 51 14.64	76 11 18.42	N 83 38 E	S 83 38 W	1,091 2,037 1,231	Colonel. Flat. South.
			N 30 21 E	S 30 21 W		
			N 10 51 E	S 10 51 W		
3	38 51 14.62	76 11 11.94	N 82 25 E	S 82 25 W	922 1,958 1,212	Colonel. Flat. South.
			N 26 01 E	S 26 01 W		
			N 2 53 E	S 2 53 W		
4	38 51 08.78	76 11 12.28	N 70 57 E	S 70 57 W	977 1,400 1,821	Colonel. South. Benn.
			N 2 51 E	S 2 51 W		
			N 88 39 W	S 88 40 E		

RACE HORSE (Talbot County).

(Wye River—Chart No. 32.)

Corner of bar	Latitude	Longitude	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	U. S. C. & G. S. triangulation station							
									1	38 51 21.58	76 10 55.52	S 76 47 E	N 76 47 W	493 875 1,039	Colonel. Edward. South.
												N 33 35 E	S 33 35 W		
N 20 53 W	S 20 53 E														
2	38 51 41.04	76 10 59.44	N 82 59 E	S 83 00 W	592 417 740	Edward. South. Shaw.									
			N 40 06 W	S 40 06 E											
			S 70 13 W	N 70 12 E											
Thence along county boundary as delineated on Chart No. 32 to corner No. 3.															
3	38 51 56.76	76 10 34.74	S 8 00 W	N 8 00 E	463 753 560	Edward. Albert. Flat.									
			N 57 01 E	S 57 02 W											
			N 19 54 W	S 19 54 E											
4	38 51 53.40	76 10 16.98	S 57 06 W	N 57 05 E	634 440 549	Edward. Lloyd. Albert.									
			S 19 07 E	N 19 07 W											
			N 17 25 E	S 17 25 W											
5	38 51 44.00	76 10 18.00	N 47 24 E	S 47 25 W	1,001 862 953	Cousin. Albert. Flat.									
			N 12 49 E	S 12 49 W											
			N 36 16 W	S 36 16 E											
Thence from corner No. 5 along the mean low water line of the shore to corner No. 6, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide															
6	38 51 43.18	76 10 37.18	N 38 44 E	S 38 44 W	1,113 798 890	Albert. Flat. South.									
			N 4 09 W	S 4 09 E											
			N 73 53 W	S 73 54 E											
7	38 51 29.42	76 10 39.24	N 6 41 E	S 6 41 W	467 1,072 381	Edward. South. Colonel.									
			N 48 25 W	S 48 26 E											
			S 7 48 E	N 7 48 W											

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WINDERS BANK.

(Wye River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / "	° / "	° / "	° / "	Yards.	
1	38 51 49.42	76 10 01.20	N 30 43 E N 20 56 W S 44 03 W	S 30 43 W S 20 57 E N 44 03 E	575 704 392	Cousin. Albert. Lloyd.
2	38 51 55.86	76 10 00.00	S 7 36 W N 60 57 E N 5 59 W	N 7 36 E S 60 57 W S 5 59 E	503 572 443	Lloyd. Cousin. Albert.
3	38 52 10.38	76 10 01.42	Thence along county boundary as delineated on Chart No. 32 to Corner No. 3.		367 226 329	Cousin. Baldwins. Le Seur.
4	38 52 10.62	76 09 57.20	S 54 43 E N 28 00 E N 47 03 W	N 54 43 W S 28 00 W S 47 04 E	367 226 329	Cousin. Baldwins. Le Seur.
5	38 51 59.68	76 09 48.34	S 40 34 E N 1 35 W S 80 56 W	N 40 34 W S 1 35 E N 80 56 E	290 191 362	Cousin. Baldwins. Albert.
			N 16 52 W N 62 10 W S 44 15 W	S 16 52 E S 62 10 E N 44 15 E	155 668 876	Cousin. Albert. Lloyd.

POPLAR POINT.

(Wye River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / "	° / "	° / "	° / "	Yards.	
1	38 52 18.68	76 09 56.06	N 28 19 E N 29 06 W S 23 40 W	S 28 19 W S 29 06 E N 23 40 E	287 344 87	Sylvia. Attila. Baldwins.
2	38 52 20.62	76 10 01.72	N 4 25 W S 62 33 W S 37 57 E	S 4 25 E N 62 33 E N 37 57 W	236 262 185	Attila. Le Seur. Baldwins.
3	38 52 26.50	76 09 57.10	Thence along county boundary as delineated on Chart No. 32 to corner No. 3.		344 163 490	Baldwins. Sylvia. Gusta.
4	38 52 52.64	76 09 45.28	Thence along county boundary as delineated on Chart No. 32 to corner No. 4.		396 265 280	Sang. Nodim. Go.
5	38 52 52.48	76 09 30.12	Thence along county boundary as delineated on Chart No. 32 to corner No. 5.		523 294 362	Divide. Go. Nodim.
6	38 52 47.54	76 09 30.62	S 80 45 E N 51 59 E N 27 25 W	N 80 45 W S 51 59 W S 27 25 E	611 621 422	Quarter. Divide. Go.
7	38 52 48.08	76 09 41.54	S 14 04 E N 14 39 E N 31 06 W	N 14 04 W S 14 39 W S 31 06 E	86 369 451	Nodim. Go. Turn.
8	38 52 32.68	76 09 47.50	N 23 59 E N 53 18 W S 22 12 W	S 23 59 W S 53 18 E N 22 12 E	174 359 237	Gusta. Tobins. Sylvia.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

JUNIPER.

(Wye River—Chart No. 32.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 52 46.56	76 09 09.86	N 61 11 W	S 61 11 E	Yards. 846 85 387	Go. Quarter. Deck.
			S 40 31 E	N 40 31 W		
			N 50 45 E	S 50 45 W		
2	38 52 49.82	76 09 12.98	N 65 41 W	S 65 41 E	724 223 495	Go. Quarter. Deck.
			S 38 14 E	N 38 14 W		
			N 70 33 E	S 70 33 W		
3	38 52 57.10	76 09 01.18	N 9 40 W	S 9 49 E	247 293 131	Princess. Divide. Deck.
			N 78 11 W	S 78 11 E		
			S 32 40 E	N 32 40 W		
4	38 52 54.80	76 08 58.88	N 17 45 W	S 17 45 E	338 374 34	Princess. Divide. Deck.
			N 68 24 W	S 68 24 E		
			S 17 17 E	N 17 17 W		

POPLAR ISLAND NARROWS.

(Chesapeake Bay—Vicinity Poplar Island—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Yards.	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 44 39.07	76 20 37.00	N 7 13 E	S 7 13 W	577 5,069 1,280	Great. Valliant. Front.
			S 50 49 W	N 50 51 E		
			S 0 30 E	N 0 30 W		
2	38 44 43.23	76 20 53.90	S 17 51 E	N 17 51 W	1,492 076 3,012	Front. Great. Haddaway.
			N 50 12 E	S 50 12 W		
			N 18 18 E	S 18 18 W		
3	38 44 50.35	76 21 22.52	S 36 10 E	N 36 10 W	2,056 1,289 4,000	Front. Great. Haddaway.
			N 81 25 E	S 81 26 W		
			N 29 44 E	S 29 44 W		
4	38 45 32.22	76 22 03.07	S 65 03 W	N 65 03 E	1,179 2,643 3,685	Poplar South. Great. Haddaway.
			S 62 32 E	N 62 31 W		
			N 55 58 E	S 56 00 W		
5	38 47 09.33	76 21 17.76	S 14 20 E	N 14 20 W	4,639 2,219 7,455	Great. Haddaway. Kemp Tower.
			S 56 52 E	N 56 52 W		
			N 46 41 E	S 46 43 W		
6	38 47 16.80	76 20 36.40	S 27 37 E	N 27 37 W	1,654 6,497 7,208	Haddaway. Kemp Tower. Bloody Point Bar Light.
			N 41 42 E	S 41 44 W		
			N 39 44 W	S 39 46 E		
7	38 46 06.70	76 20 50.90	S 60 48 W	N 60 47 E	3,402 2,422 1,459	Poplar South. Great. Haddaway.
			S 10 28 E	N 10 28 W		
			N 51 58 E	S 51 58 W		
8	38 46 03.46	76 20 20.90	N 19 31 E	S 19 31 W	1,070 4,068 2,300	Haddaway. Poplar South. Great.
			S 67 36 W	N 67 34 E		
			S 8 49 W	N 8 49 E		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

POPLAR ISLAND NARROWS—Continued.

(Chesapeake Bay—Vicinity Poplar Island—Chart No. 33)—Continued.

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
9	38 45 45.58	76 20 17.42	N 9 21 E S 76 11 W S 14 54 W	S 9 21 W N 76 13 E N 14 54 E	1,633 3,968 1,728	Haddaway. Poplar South. Great.
10	38 45 04.40	76 20 39.70	N 15 53 E N 58 40 W S 2 12 E	S 15 53 W S 58 41 E N 2 12 W	3,110 4,515 2,135	Haddaway. Valliant. Front.

BAY HUNDRED.

(Chesapeake Bay—Vicinity Poplar Island—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 42 40.30	76 21 17.02	S 36 04 E N 24 16 E N 24 19 W	N 36 04 W S 24 16 W S 24 20 E	1,124 2,057 5,483	Wap. Front. Poplar South.
2	38 43 14.68	76 22 06.60	S 47 50 E N 56 37 E N 13 16 W	N 47 50 W S 56 38 W S 13 16 E	2,628 2,848 4,254	Wap. Front. Poplar South.
3	38 44 20.44	76 21 22.35	S 61 41 E N 46 37 E N 48 09 W	N 61 41 W S 46 37 W S 48 09 E	1,374 1,748 2,882	Front. Great. Poplar South.
4	38 44 50.35	76 21 22.52	S 36 10 E N 81 25 E N 29 44 E	N 36 10 W S 81 26 W S 29 44 W	2,050 1,280 4,000	Front. Great. Haddaway.
5	38 44 43.23	76 20 53.00	S 17 51 E N 50 12 E N 18 18 E	N 17 51 W S 50 12 W S 18 18 W	1,492 676 3,912	Front. Great. Haddaway.
6	38 43 28.42	76 20 41.93	N 7 17 E N 41 05 W S 7 24 W	S 7 17 W S 41 06 E N 7 24 E	1,112 4,880 2,246	Front. Poplar South. Wap.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

PONE.

(Chesapeake Bay—Off Tilghman Island—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 40 32.40	76 21 36.58	S 18 42 W S 65 21 E N 17 18 E	N 18 41 E N 65 20 W S 17 18 W	4,602 2,000 3,883	Sharps Island Light Black. Wap.
2	38 41 18.60	76 22 39.92	S 1 38 E S 55 48 E N 52 46 E	N 1 38 W N 55 47 W S 52 47 W	6,004 4,321 3,553	Sharps Island Light. Black. Wap.
3	38 43 14.68	76 22 06.60	S 47 50 E N 56 37 E N 13 16 W	N 47 50 W S 56 38 W S 13 16 E	2,628 2,848 4,254	Wap. Front. Poplar South.
4	38 42 49.30	76 21 17.92	S 36 04 E N 24 16 E N 24 19 W	N 36 04 W S 24 16 W S 24 20 E	1,124 2,657 5,483	Wap. Front. Poplar South.

STONE.

(Chesapeake Bay—Vicinity Sharps Island—Charts Nos. 33 and 36.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 37 35.72	76 24 17.16	S 75 41 E N 86 28 E N 29 11 E	N 75 40 W S 86 32 W S 29 13 W	3,986 10,825 11,070	Jere. Chef. Wap.
2	38 38 33.84	76 24 01.16	S 49 25 E S 79 07 E N 32 51 E	N 49 24 W N 79 06 W S 32 53 W	4,529 2,363 9,172	Jere. Sharps Island Light. Wap.
3	38 40 14.30	76 22 52.76	S 7 36 E S 86 11 E N 36 16 E	N 7 36 W N 86 09 W S 36 17 W	3,867 3,022 5,355	Sharps Island Light. Black. Wap.
4	38 40 04.04	76 21 54.70	S 16 22 W N 87 57 E N 19 18 E	N 16 22 E S 87 58 W S 19 19 W	3,635 2,382 4,942	Sharps Island Light. Black. Wap.
5	38 38 44.36	76 22 11.12	S 36 24 W S 9 05 E N 45 25 E	N 36 23 E N 9 05 W S 45 26 W	994 3,342 3,949	Sharps Island Light. Jere. Black.
6	38 38 54.12	76 21 13.58	S 15 19 W S 71 39 E N 27 54 E	N 15 19 E N 71 36 W S 27 55 W	3,763 6,266 2,758	Jere. Chef. Black.
7	38 38 34.48	76 21 08.08	N 20 15 E S 78 18 W S 21 01 W	S 20 15 W N 78 17 E N 21 01 E	3,309 2,305 3,178	Black. Sharps Island Light. Jere.
8	38 37 41.36	76 21 56.68	N 86 07 E N 26 24 E N 36 17 W	S 86 10 W S 26 25 W S 36 18 E	7,104 5,467 1,646	Chef. Black. Sharps Island Light.
9	38 37 39.48	76 22 45.64	S 52 21 E N 86 18 E N 17 21 E	N 52 20 W S 86 21 W S 17 22 W	1,816 8,400 9,993	Jere. Chef. Wap.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

CLAY BANK.

(Chesapeake Bay—Vicinity Sharps Island—Charts Nos. 33 and 36.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 35' 41.40"	76° 23' 14.60"	N 75° 15' E	S 75° 19' W	Yards.	Cook Point Windmill. Jere. Sharps Island Light.
			N 37° 44' E	S 37° 44' W	10,593	
			N 11° 28' E	S 11° 28' W	3,606	
2	38° 36' 37.96"	76° 24' 10.30"	N 86° 10' E	S 86° 14' W	11,743	Cook Point Windmill. Jere. Sharps Island Light.
			N 75° 22' E	S 75° 23' W	3,805	
			N 36° 31' E	S 36° 32' W	4,397	
3	38° 37' 35.72"	76° 24' 17.16"	S 75° 41' E	N 75° 40' W	3,986	Jere. Chef. Wap.
			N 86° 28' E	S 86° 32' W	10,825	
			N 29° 11' E	S 29° 13' W	11,070	
4	38° 37' 39.48"	76° 22' 45.64"	S 52° 21' E	N 52° 20' W	1,816	Jere. Chef. Wap.
			N 86° 18' E	S 86° 21' W	8,400	
			N 17° 21' E	S 17° 22' W	0,093	
5	38° 36' 51.72"	76° 22' 33.70"	N 87° 58' E	S 88° 02' W	0,168	Cook Point Windmill. Jere. Sharps Island Light.
			N 66° 07' E	S 66° 07' W	1,231	
			N 00° 08' E	S 00° 08' W	3,000	

SHARPS.

(Outer Choptank River—Charts Nos. 33, 36, and 37.)

1	38° 36' 39.40"	76° 20' 43.16"	S 62° 38' E	N 62° 30' W	Yards.	Brannock. Chef. Sharps Island Light.
			N 63° 26' E	S 63° 28' W	7,797	
			N 40° 31' W	S 40° 32' E	5,750	
2	38° 36' 58.92"	76° 21' 10.24"	N 71° 57' E	S 72° 00' W	0,162	Chef. Sharps Island Light. Jere.
			N 38° 37' W	S 38° 38' E	3,526	
			N 76° 43' W	S 76° 44' E	1,112	
3	38° 36' 58.72"	76° 20' 27.22"	S 56° 56' E	N 56° 53' W	7,761	Brannock. Chef. Sharps Island Light.
			N 67° 52' E	S 67° 54' W	5,096	
			N 50° 24' W	S 50° 26' E	4,332	
Thence along county boundary as delineated on charts Nos. 33, 36, and 37 to corner No. 1.						

BOUNDARIES OF NATURAL OYSTER BARS—continued.

BLACK WALNUT.

(Outer Choptank River—Charts Nos. 33, 36, and 37.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 39 19.32	76 18 25.64	N 18 55 W	S 18 55 E	Yards. 4,354 3,529 6,847	Bar. Black. Sharps Island Light.
			N 03 10 W	S 03 12 E		
			S 73 11 W	N 73 13 E		
2	38 39 32.44	76 19 53.16	N 13 47 E	S 13 47 W	3,786 1,422 4,882	Bar. Black. Sharps Island Light.
			N 35 58 W	S 35 58 E		
			S 60 15 W	N 60 13 E		
3	38 40 30.48	76 20 13.35	N 13 01 W	S 13 01 E	2,224 861 6,798	Southern M. E. Church. Black. Chef.
			S 20 30 W	N 20 30 E		
			S 39 50 E	N 39 48 W		
4	38 40 30.20	76 18 36.52	N 33 01 W	S 33 02 E	2,061 2,970 7,640	Bar. Black. Sharps Island Light.
			S 74 26 W	N 74 25 E		
			S 55 06 W	N 55 03 E		
5	38 40 05.28	76 17 58.64	N 39 36 W	S 39 37 E	3,333 3,864 8,081	Bar. Black. Sharps Island Light.
			N 89 22 W	S 89 23 E		
			S 64 05 W	N 64 02 E		
6	38 39 29.24	76 17 58.36	N 29 27 W	S 29 28 E	4,336 4,069 7,636	Bar. Black. Sharps Island Light.
			N 71 59 W	S 72 01 E		
			S 72 20 W	N 72 17 E		

SANDS.

(Outer Choptank River—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 40 05.28	76 17 58.64	N 39 36 W	S 39 37 E	Yards. 3,333 3,864 8,081	Bar. Black. Sharps Island Light.
			N 89 22 W	S 89 23 E		
			S 64 05 W	N 64 02 E		
2	38 40 30.20	76 18 36.52	N 33 01 W	S 33 02 E	2,061 2,970 7,640	Bar. Black. Sharps Island Light.
			S 74 26 W	N 74 25 E		
			S 55 06 W	N 55 03 E		
3	38 41 30.48	76 18 56.80	N 28 10 E	S 28 11 W	3,599 2,799 662	Change 1910. Avalon. Bar.
			N 37 16 W	S 37 17 E		
			S 62 38 W	N 62 38 E		
4	38 41 48.84	76 17 59.20	N 78 54 E	S 78 56 W	2,791 2,478 2,394	Nelson 3. Change 1910. Bar.
			N 3 07 E	S 3 07 W		
			S 66 20 W	N 66 20 E		
5	38 40 56.92	76 17 58.88	N 1 43 E	S 1 43 W	4,227 2,274 4,214	Change 1910. Bar. Black.
			N 68 40 W	S 68 41 E		
			S 66 14 W	N 66 12 E		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

PLEASANT HILL.

(Outer Choptank River—Charts Nos. 33, 34, and 36.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 40 04.20	76 17 01.08	N 16 28 E N 54 28 W N 89 10 W	S 16 29 W S 54 29 E S 89 11 E	4,240 4,480 5,385	Nelson 3. Bar. Black.
2	38 40 05.28	76 17 58.04	N 39 36 W N 89 22 W S 64 05 W	S 39 37 E S 89 23 E N 04 02 E	3,353 3,864 8,681	Bar. Black. Sharps Island Light.
3	38 40 56.02	76 17 58.88	N 1 43 E N 68 40 W S 66 14 W	S 1 43 W S 68 41 E N 66 12 E	4,227 2,274 4,214	Change 1910. Bar. Black.
4	38 40 57.06	76 17 00.88	N 27 40 E N 77 19 W S 72 27 W	S 27 41 W S 77 20 E N 72 25 E	2,578 3,743 5,053	Nelson 3. Bar. Black.
5	38 40 14.76	76 17 01.00	N 17 56 E N 58 21 W S 87 03 W	S 17 56 W S 58 23 E N 87 01 E	3,899 4,286 5,394	Nelson 3. Bar. Black.

CHURCH HILL.

(Outer Choptank River—Charts Nos. 33 and 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 40 56.02	76 17 58.88	N 1 43 E N 68 40 W S 66 14 W	S 1 43 W S 68 41 E N 66 12 E	4,227 2,274 4,214	Change 1910. Bar. Black.
2	38 41 48.84	76 17 59.20	N 78 54 E N 3 07 E S 66 20 W	S 78 56 W S 3 07 W N 66 20 E	2,791 2,478 2,304	Nelson 3. Change 1910. Bar.
3	38 41 54.74	76 17 00.72	N 74 10 E N 31 48 W S 72 55 W	S 74 11 W S 31 48 E N 72 54 E	1,240 2,677 3,824	Nelson 3. Change 1910. Bar.
4	38 40 57.06	76 17 00.88	N 27 40 E N 77 19 W S 72 27 W	S 27 41 W S 77 20 E N 72 25 E	2,578 3,743 5,053	Nelson 3. Bar. Black.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WILD CHERRY TREE.

(Entrance Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / "	° / "	° / "	° / "	Yards.	
1	38 41 30.48	76 18 56.80	N 28 10 E N 37 16 W S 62 38 W	S 28 11 W S 37 17 E N 62 38 E	3,500 2,709 662	Change 1910. Avalon. Bar.
2	38 42 38.54	76 18 45.48	N 50 33 E N 47 25 W S 85 52 W	S 50 33 W S 47 25 E N 85 52 E	1,575 1,534 1,944	Change 1910. Narrows. Avalon.
3	38 42 49.28	76 18 17.20	S 64 58 E N 54 32 E N 20 47 W	N 64 57 W S 54 32 W S 20 47 E	3,540 751 2,232	Nelson 3. Change 1910. Eagle.
4	38 42 16.70	76 18 07.44	S 82 15 E N 12 56 E N 50 16 W	N 82 13 W S 12 56 W S 50 16 E	2,990 1,575 2,776	Nelson 3. Change 1910. Narrows.
5	38 41 48.84	76 17 59.20	N 78 54 E N 3 07 E S 60 20 W	S 78 56 W S 3 07 W N 60 20 E	2,791 2,478 2,304	Nelson 3. Change 1910. Bar.

TURNROW.

(Entrance Harris Creek—Charts Nos. 33 and 34.)

	° / "	° / "	° / "	° / "	Yards.	
1	38 42 16.70	76 18 07.44	S 82 15 E N 12 56 E N 50 16 W	N 82 13 W S 12 56 W S 50 16 E	2,990 1,575 2,770	Nelson 3. Change 1910. Narrows.
2	38 42 49.28	76 18 17.20	S 64 58 E N 54 32 E N 20 47 W	N 64 57 W S 54 32 W S 20 47 E	3,549 751 2,232	Nelson 3. Change 1910. Eagle.
3	38 42 44.24	76 17 39.02	N 33 19 W N 73 40 W S 43 26 W	S 33 20 E S 73 41 E N 43 25 E	725 3,007 3,845	Change 1910. Narrows. Bar.
4	38 42 23.58	76 17 32.14	S 72 35 E N 24 00 W N 63 18 W	N 72 34 W S 24 01 E S 63 19 E	2,120 1,426 3,433	Nelson 3. Change 1910. Narrows.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

TILGHMAN WHARF.

(Entrance Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 41 30.48	76 18 56.80	N 28 10 E N 37 16 W S 02 38 W	S 28 11 W S 37 17 E N 02 38 E	3,500 2,799 662	Change 1910. Avalon. Bar.
2	38 41 55.62	76 19 44.20	S 30 00 E N 52 20 E N 16 32 W	N 30 00 W S 52 21 W S 16 32 E	1,330 3,674 1,364	Bar. Change 1910. Avalon.
3	38 42 15.82	76 19 50.27	S 24 15 E N 03 00 E N 19 59 W	N 24 15 W S 03 01 W S 19 59 E	2,010 3,445 666	Bar. Change 1910. Avalon.
4	38 42 45.90	76 19 41.50	S 49 46 W S 11 47 E S 79 02 E	N 49 46 E N 11 47 W N 79 03 W	601 2,909 2,890	Avalon. Bar. Change 1910.
5	38 43 00.63	76 19 11.75	S 46 20 W S 83 02 E N 24 48 E	N 46 20 E N 83 01 W S 24 48 W	1,721 2,067 1,543	Avalon. Change 1910. Eagle.
6	38 42 38.54	76 18 45.48	N 59 33 E N 47 25 W S 85 52 W	S 59 33 W S 47 25 E N 85 52 E	1,575 1,534 1,044	Change 1910 Narrows. Avalon.

CHANGE.

(Harris Creek—Chart No. 33.)

	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 42 38.54	76 18 45.48	N 59 33 E N 47 25 W S 85 52 W	S 59 33 W S 47 25 E N 85 52 E	1,575 1,534 1,044	Change 1910. Narrows. Avalon.
2	38 43 31.82	76 18 32.34	S 45 20 E N 77 36 E N 27 57 E	N 45 20 W S 77 36 W S 27 58 W	1,421 993 2,442	Change 1910. Hen. Ball.
3	38 43 39.24	76 18 18.86	S 27 39 E S 83 53 E N 22 28 E	N 27 39 W N 83 53 W S 22 29 W	1,410 528 2,064	Change 1910. Hen. Ball.
4	38 43 22.44	76 18 02.20	N 8 02 E N 50 50 W S 78 50 W	S 8 02 W S 50 51 E N 78 58 E	2,498 1,534 2,315	Ball. Eagle. Narrows.
5	38 42 49.28	76 18 17.26	S 64 58 E N 54 32 E N 20 47 W	N 64 57 W S 54 32 W S 20 47 E	3,549 751 2,232	Nelson 3. Change 1910. Eagle.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

EAGLE POINT.

(Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 43 31.82	76 18 32.34	S 45 20 E	N 45 20 W	Yards.	Change 1910. Hen. Ball.
			N 77 36 E	S 77 36 W	1,421	
			N 27 57 E	S 27 58 W	2,442	
2	38 43 32.42	76 19 00.68	S 59 55 E	N 59 54 W	2,033	Change 1910. Hen. Ball.
			N 83 55 E	S 83 56 W	1,639	
			N 41 33 E	S 41 33 W	2,854	
3	38 43 42.08	76 18 58.40	S 51 01 E	N 51 00 W	2,185	Change 1910. Hen. Ball.
			S 83 22 E	N 83 22 W	1,580	
			N 45 50 E	S 45 51 W	2,550	
4	38 43 47.54	76 18 33.20	S 34 03 E	N 34 03 W	1,845	Change 1910. Hen. Ball.
			S 60 37 E	N 60 36 W	965	
			N 35 40 E	S 35 40 W	2,002	
5	38 44 11.83	76 18 36.80	S 40 52 E	N 40 52 W	1,528	Hen. Ball. Warrior.
			N 57 23 E	S 57 24 W	1,400	
			N 16 32 E	S 16 32 W	2,001	
6	38 44 09.12	76 18 21.80	S 29 33 E	N 29 33 W	1,224	Hen. Ball. Dunk.
			N 43 56 E	S 43 56 W	1,249	
			N 28 46 W	S 28 46 E	1,351	
7	38 43 39.24	76 18 18.86	S 27 39 E	N 27 39 W	1,410	Change 1910. Hen. Ball.
			S 83 53 E	N 83 53 W	528	
			N 22 28 E	S 22 29 W	2,064	

TURKEY NECK.

(Harris Creek—Chart No. 33.)

1	38 43 39.24	76 18 18.86	S 27 39 E	N 27 39 W	Yards.	Change 1910. Hen. Ball.
			S 83 53 E	N 83 53 W	1,410	
			N 22 28 E	S 22 29 W	2,064	
2	38 44 09.12	76 18 21.80	S 29 33 E	N 29 33 W	1,224	Hen. Ball. Dunk.
			N 43 56 E	S 43 56 W	1,249	
			N 28 46 W	S 28 46 E	1,351	
3	38 44 04.26	76 17 55.44	N 44 57 W	S 44 58 E	1,906	Dunk. Eagle. Hen.
			S 72 08 W	N 72 08 E	1,438	
			S 5 54 W	N 5 54 E	904	
4	38 43 45.80	76 18 06.96	N 27 52 W	S 27 52 E	2,230	Dunk. Eagle. Change 1910.
			N 80 18 W	S 80 19 E	1,079	
			S 13 01 E	N 13 01 W	1,500	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

MILL POINT.

(Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 44 04.26	76 17 55.44	N 44 57 W	S 44 58 E	Yards. 1,966 1,438 904	Dunk. Eagle. Hen.
			S 72 08 W	N 72 08 E		
			S 5 54 W	N 5 54 E		
2	38 44 09.12	76 18 21.80	S 29 33 E	N 29 33 W	1,224 1,249 1,351	Hen. Ball. Dunk.
			N 43 56 E	S 43 56 W		
			N 28 46 W	S 28 46 E		
3	38 44 47.38	76 18 25.46	S 67 55 E	N 67 55 W	1,039 769 1,041	Ball. Warrior. Hawk.
			N 20 34 E	S 20 34 W		
			N 35 13 W	S 35 13 E		
4	38 44 51.00	76 18 00.90	N 59 44 W	S 59 45 E	1,446 1,224 2,360	Hawk. Dunk. Eagle.
			S 79 17 W	N 79 16 E		
			S 31 15 W	N 31 15 E		
5	38 44 36.98	76 17 55.72	N 40 04 W	S 49 05 E	1,834 1,362 2,059	Hawk. Dunk. Eagle.
			N 79 37 W	S 79 38 E		
			S 41 23 W	N 41 23 E		

HUNTS.

(Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 44 09.12	76 18 21.80	S 29 33 E	N 29 33 W	Yards. 1,224 1,249 1,351	Hen. Ball. Dunk.
			N 43 56 E	S 43 56 W		
			N 28 46 W	S 28 46 E		
2	38 44 11.83	76 18 36.80	S 40 52 E	N 40 52 W	1,528 1,499 2,001	Hen. Ball. Warrior.
			N 57 23 E	S 57 24 W		
			N 16 32 E	S 16 32 W		
3	38 44 19.42	76 18 54.98	S 40 22 E	N 46 21 W	2,043 1,828 1,966	Hen. Ball. Warrior.
			N 72 26 E	S 72 27 W		
			N 32 16 E	S 32 16 W		
4	38 44 25.50	76 18 42.80	S 35 37 E	N 35 37 W	1,988 1,463 1,029	Hen. Ball. Warrior.
			N 70 17 E	S 76 17 W		
			N 26 32 E	S 26 32 W		
5	38 44 33.24	76 18 44.02	S 32 23 E	N 32 22 W	2,223 1,456 1,417	Hen. Ball. Warrior.
			N 86 37 E	S 86 37 W		
			N 32 26 E	S 32 26 W		
6	38 44 38.50	76 18 55.12	S 35 50 E	N 35 49 W	2,534 1,749 1,465	Hen. Ball. Warrior.
			S 87 00 E	N 86 59 W		
			N 45 57 E	S 45 57 W		
Thence from corner No. 6 along the mean low-water line of the shore to corner No. 7, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
7	38 44 44.25	76 18 46.42	S 79 21 E	N 79 20 W	1,543 1,166 958	Ball. Warrior. Hawk.
			N 44 57 E	S 44 57 W		
			N 2 48 W	S 2 48 E		
8	38 44 47.38	76 18 25.46	S 67 55 E	N 67 55 W	1,039 769 1,041	Ball. Warrior. Hawk.
			N 20 34 E	S 20 34 W		
			N 35 13 W	S 35 13 E		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

SETHS POINT.

(Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 44 44.25	76 18 46.42	S 79 21 E	N 79 20 W	Yards. 1,543 1,166 958	Ball. Warrior. Hawk.
			N 44 57 E	S 44 57 W		
			N 2 48 W	S 2 48 E		
2	38 45 06.30	76 18 44.22	S 54 48 E	N 54 48 W	1,785 770 1,575	Ball. Warrior. Smith.
			N 83 55 E	S 83 55 W		
			N 7 06 E	S 7 06 W		
3	38 45 01.47	76 18 27.00	S 49 13 E	N 49 13 W	1,325 396 1,744	Ball. Warrior. Smith.
			N 51 47 E	S 51 47 W		
			N 8 34 W	S 8 34 E		
4	38 44 51.00	76 18 00.90	N 59 44 W	S 59 45 E	1,446 1,224 2,366	Hawk. Dunk. Eagle.
			S 79 17 W	N 79 16 E		
			S 31 15 W	N 31 15 E		
5	38 44 47.38	76 18 25.46	S 67 55 E	N 67 55 W	1,039 760 1,041	Ball. Warrior. Hawk.
			N 20 34 E	S 20 34 W		
			N 35 13 W	S 35 13 E		

LODGES.

(Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 45 01.47	76 18 27.00	S 49 13 E	N 49 13 W	Yards. 1,325 396 1,744	Ball. Warrior. Smith.
			N 51 47 E	S 51 47 W		
			N 8 34 W	S 8 34 E		
2	38 45 06.30	76 18 44.22	S 54 48 E	N 54 48 W	1,785 770 1,575	Ball. Warrior. Smith.
			N 83 55 E	S 83 55 W		
			N 7 06 E	S 7 06 W		
3	38 45 39.46	76 18 54.80	S 45 13 E	N 45 13 W	1,472 1,531 2,054	Warrior. Edmond. Dan.
			S 82 54 E	N 82 54 W		
			N 67 38 E	S 67 39 W		
4	38 45 20.25	76 18 10.74	N 32 12 W	S 32 12 E	1,292 1,020 1,537	Smith. Hawk. Dunk.
			S 75 22 W	N 75 22 E		
			S 37 49 W	N 37 49 E		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WALNUT.

(Harris Creek—Chart No. 33.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 45' 20.25"	76° 18' 10.74"	N 32 12 W	S 32 12 E	Yards.	Smith. Hawk. Dunk.
			S 75 22 W	N 75 22 E	1,292	
			S 37 49 W	N 37 49 E	1,020 1,537	
2	38° 45' 39.46"	76° 18' 54.80"	S 45 13 E	N 45 13 W	1,472	Warrior. Edmond. Dan.
			S 82 54 E	N 82 54 W	1,531	
			N 67 38 E	S 67 39 W	2,954	
3	38° 45' 52.64"	76° 18' 36.85"	S 12 31 W	N 12 31 E	1,382	Hawk. Edmond. Dan.
			S 58 47 E	N 58 47 W	1,223	
			N 76 41 E	S 76 41 W	1,465	
4	38° 45' 53.40"	76° 17' 53.60"	N 11 49 E	S 11 49 W	775	Vine. Smith. Warrior.
			S 88 43 W	N 88 42 E	1,142	
			S 20 46 W	N 20 46 E	1,612	

SMITH POINT.

(Harris Creek—Chart No. 33.)

1	38° 45' 52.64"	76° 18' 36.85"	S 12 31 W	N 12 31 E	Yards.	Hawk. Edmond. Dan.
			S 58 47 E	N 58 47 W	1,382	
			N 76 41 E	S 76 41 W	1,223 1,465	
2	38° 46' 14.47"	76° 18' 17.00"	S 21 33 W	N 21 33 E	2,243	Hawk. Edmond. Dan.
			N 20 50 E	S 20 50 W	1,465	
			S 66 10 E	N 66 09 W	986	
3	38° 46' 00.00"	76° 17' 59.00"	S 2 59 E	N 2 59 W	884	Edmond. Dan. Cummings.
			N 78 11 E	S 78 11 W	436	
			N 34 33 E	S 34 33 W	1,215	
4	38° 45' 53.40"	76° 17' 53.60"	N 11 49 E	S 11 49 W	775	Vine. Smith. Warrior.
			S 88 43 W	N 88 42 E	1,142	
			S 20 46 W	N 20 46 E	1,612	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

LITTLE NECK.

(Harris Creek—Charts Nos. 33 and 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / '	° / '	Yards.	
1	38 45 53.40	76 17 53.60	N 11 49 E S 88 43 W S 20 46 W	S 11 49 W N 88 42 E N 20 46 E	775 1,142 1,012	Vine. Smith. Warrior.
2	38 46 00.00	76 17 50.00	S 2 59 E N 78 11 E N 34 33 E	N 2 59 W S 78 11 W S 34 33 W	884 436 1,215	Edmond. Dan. Cummings
3	38 46 15.00	76 17 47.59	S 58 54 W S 15 43 E S 84 29 E	N 58 54 E N 15 43 W N 84 28 W	1,519 464 899	Smith. Dan. Fox.
4	38 46 13.74	76 17 35.30	N 6 45 E N 77 21 W S 28 00 W	S 6 45 W S 77 21 E N 28 00 E	541 332 423	Cummings. Vine. Dan.

RABBIT ISLAND.

(Harris Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	° / '	° / '	Yards.	
1	38 46 13.74	76 17 35.30	N 6 45 E N 77 21 W S 28 00 W	S 6 45 W S 77 21 E N 28 00 E	541 332 423	Cummings. Vine. Dan.
2	38 46 25.28	76 17 24.06	S 31 44 W S 36 26 E S 74 08 E	N 31 43 E N 36 26 W N 74 07 W	898 501 843	Dan. Fox. Koot.
3	38 46 23.38	76 17 00.15	S 46 32 W S 43 10 E N 85 12 E	N 46 31 E N 43 10 W S 85 12 W	492 229 886	Fox. Koot. Bozman.
4	38 46 16.70	76 17 00.10	N 31 01 E N 34 32 W S 88 46 W	S 31 01 W S 34 32 E N 88 46 E	510 447 1,254	Grace. Rabbit. Vine.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

DAWSON.

(Outer Choptank River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station	
			Forward	Back			
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.		
1	38 39 58.32	76 15 41.88	N 41 38 E	S 41 39 W	4,344	Roys.	
			N 11 48 W	S 11 48 E		4,356	Nelson 3.
			N 63 59 W	S 64 01 E		6,387	Bar.
2	38 40 14.76	76 17 01.00	N 17 56 E	S 17 56 W	3,809	Nelson 3.	
			N 58 21 W	S 58 23 E	4,286	Bar.	
			S 87 03 W	N 87 01 E	5,394	Black.	
3	38 40 57.06	76 17 00.88	N 27 40 E	S 27 41 W	2,578	Nelson 3.	
			N 77 19 W	S 77 20 E	3,743	Bar.	
			S 72 27 W	N 72 25 E	5,653	Black.	
4	38 40 57.08	76 16 00.60	N 70 50 E	S 70 52 W	3,831	Roys.	
			N 03 58 W	S 03 58 E	2,289	Nelson 3.	
			N 80 41 W	S 80 43 E	5,073	Bar.	

FRANCE.

(Outer Choptank River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station	
			Forward	Back			
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.		
1	38 40 57.06	76 17 00.88	N 27 40 E	S 27 41 W	2,578	Nelson 3.	
			N 77 19 W	S 77 20 E		3,743	Bar.
			S 72 27 W	N 72 25 E		5,653	Black.
2	38 41 54.74	76 17 00.72	N 74 10 E	S 74 11 W	1,240	Nelson 3.	
			N 31 48 W	S 31 48 E	2,077	Change 1010.	
			S 72 55 W	N 72 54 E	3,824	Bar.	
3	38 41 55.12	76 16 10.76	S 70 09 E	N 70 08 W	3,716	Roys.	
			N 21 22 W	S 21 23 E	349	Nelson 3.	
			S 77 08 W	N 77 06 E	5,104	Bar.	
4	38 40 57.08	76 16 00.60	N 70 50 E	S 70 52 W	3,831	Roys.	
			N 03 58 W	S 03 58 E	2,289	Nelson 3.	
			N 80 41 W	S 80 43 E	5,073	Bar.	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

GREAT MARSH

(Outer Choptank River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing				Distance	U. S. C. & G. S. triangulation station
			Forward		Back			
			° ' "	° ' "	° ' "	° ' "		
1	38 41 54.74	76 17 00.72	N 74 10 E N 31 48 W S 72 55 W	S 74 11 W S 31 48 E N 72 54 E	Yards. 1,240 2,677 3,824	Nelson 3. Change 1910. Bar.		
2	38 42 07.41	76 17 16.12	S 86 49 E N 28 30 W S 64 30 W	N 86 48 W S 28 31 E N 64 28 E	1,602 2,103 3,599	Nelson 3. Change 1910. Bar.		
3	38 42 44.00	76 17 04.80	N 65 52 W S 51 35 W S 43 52 E	S 65 52 E N 51 33 E N 43 51 W	1,427 4,520 1,877	Change 1910. Bar. Nelson 3.		
4	38 42 27.90	76 16 37.15	N 60 22 W S 62 21 W S 36 10 E	S 60 23 E N 62 19 E N 36 09 W	2,339 4,830 967	Change 1910. Bar. Nelson 3.		
5	38 41 55.12	76 16 10.76	S 70 09 E N 21 22 W S 77 08 W	N 70 08 W S 21 23 E N 77 06 E	3,716 340 5,104	Roys. Nelson 3. Bar.		

LONG POINT WOODS.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing				Distance	U. S. C. & G. S. triangulation station
			Forward		Back			
			° ' "	° ' "	° ' "	° ' "		
1	38 41 44.94	76 15 29.76	S 82 06 E N 41 17 E N 61 05 W	N 82 05 W S 41 17 W S 61 06 E	Yards. 2,501 2,732 1,383	Roys. Peary. Nelson 3.		
2	38 42 29.78	76 16 05.00	S 61 53 E N 78 48 E N 16 07 W	N 61 52 W S 78 49 W S 16 07 E	3,965 2,786 1,130	Roys. Peary. Annette.		
3	38 42 57.80	76 16 04.68	S 0 09 W N 81 55 E N 2 20 W	N 0 09 E S 81 56 W S 2 20 E	1,811 2,633 1,140	Nelson 3. Cook. Myrtle.		
4	38 42 38.10	76 15 41.50	N 62 35 E N 49 15 W S 38 42 W	S 62 35 W S 49 16 E N 38 42 E	2,247 1,234 1,440	Cook. Annette. Nelson 3.		
5	38 41 54.64	76 15 07.08	S 70 51 E N 34 52 E N 79 19 W	N 70 50 W S 34 53 W S 79 20 E	2,082 2,104 1,843	Roys. Peary. Nelson 3.		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

GREAT BAR.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 42' 16.56"	76° 14' 46.24"	S 44 53 E	N 44 52 W	Yards.	Roys. Peary. Annette.
			N 33 28 E	S 33 28 W	2,007	
			N 57 24 W	S 57 25 E	1,183	
2	38° 42' 38.10"	76° 15' 41.50"	N 62 35 E	S 62 35 W	2,247	Cook. Annette. Nelson 3.
			N 49 15 W	S 49 16 E	1,234	
			S 38 42 W	N 38 42 E	1,440	
3	38° 43' 23.66"	76° 14' 58.42"	N 27 22 W	S 27 23 E	1,547	Coal. Myrtle. Annette.
			N 81 35 W	S 81 36 E	1,816	
			S 70 34 W	N 70 33 E	2,168	
4	38° 43' 26.45"	76° 14' 27.40"	N 50 06 W	S 50 06 E	1,906	Coal. Myrtle. Nelson 3.
			N 86 15 W	S 86 16 E	2,621	
			S 46 04 W	N 46 03 E	2,970	
5	38° 42' 40.56"	76° 14' 45.00"	S 31 48 E	N 31 47 W	2,625	Roys. Peary. Cook.
			N 74 00 E	S 74 00 W	645	
			N 27 48 E	S 27 48 W	1,076	
6	38° 42' 25.02"	76° 14' 37.76"	S 54 40 E	N 54 39 W	1,908	Irish Peary. Annette.
			N 31 24 E	S 31 24 W	822	
			N 04 33 W	S 04 34 E	2,900	

BROWN.

(Broad Creek—Chart No. 34.)

1	38° 43' 06.34"	76° 15' 50.75"	N 25 59 W	S 25 59 E	Yards.	Myrtle. Annette. Nelson 3.
			S 77 59 W	N 77 58 E	945	
			S 17 32 W	N 17 32 E	795	
					2,177	
2	38° 43' 21.80"	76° 16' 15.06"	S 46 06 E	N 46 04 W	5,223	Roys. Cook. Ross.
			S 81 21 E	N 81 20 W	2,914	
			N 61 28 E	S 61 30 W	3,449	
3	38° 43' 57.80"	76° 15' 12.66"	S 30 43 E	N 36 43 W	2,061	Cook. Ross. Bald.
			N 72 35 E	S 72 36 W	1,448	
			N 23 04 E	S 23 04 W	2,122	
4	38° 43' 37.40"	76° 15' 17.94"	N 12 08 W	S 12 08 E	932	Coal. Myrtle. Annette.
			S 81 15 W	N 81 14 E	1,296	
			S 52 31 W	N 52 30 E	1,902	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

DEEP NECK.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing				Distance	U. S. C. & G. S. triangulation station
			Forward		Back			
			° / '	° / '	° / '	° / '		
1	38 43 23.66	76 14 58.42	N 27 22 W N 81 35 W S 70 34 W	S 27 23 E S 81 36 E N 70 33 E	Yards. 1,547 1,816 2,198	Coal. Myrtle. Annette.		
2	38 43 37.40	76 15 17.04	N 12 08 W S 81 15 W S 52 31 W	S 12 08 E N 81 14 E N 52 30 E	932 1,206 1,962	Coal. Myrtle. Annette.		
3	38 43 57.80	76 15 12.66	S 36 43 E N 72 35 E N 23 04 E	N 36 43 W S 72 36 W S 23 04 W	2,061 1,448 2,122	Cook. Ross. Bald.		
4	38 44 31.00	76 14 56.40	S 54 14 E N 25 46 E N 35 55 W	N 54 13 W S 25 46 W S 35 55 E	1,173 925 1,063	Ross. Bald. Skinner.		
5	38 44 40.66	76 14 31.02	N 62 05 E N 27 54 W S 78 55 W	S 62 06 W S 27 54 E N 78 54 E	1,190 573 1,540	Willey. Bald. Tobe.		
6	38 44 11.72	76 14 28.66	N 32 51 E N 12 34 W N 66 38 W	S 32 51 W S 12 34 E S 66 39 E	1,825 1,519 1,715	Willey. Bald. Tobe.		
7	38 43 26.45	76 14 27.40	N 50 06 W N 86 15 W S 46 04 W	S 50 06 E S 86 16 E N 46 03 E	1,996 2,621 3,970	Coal. Myrtle. Nelson 3.		

MULBERRY POINT.

(Broad Creek—Chart No. 34.)

1	° / '	° / '	° / '		Yards.	
			° / '			
			° / '	° / '		
1	38 44 31.00	76 14 56.40	S 54 14 E N 25 46 E N 35 55 W	N 54 13 W S 25 46 W S 35 55 E	1,173 925 1,063	Ross. Bald. Skinner.
2	38 44 45.90	76 15 25.00	S 76 30 W S 10 16 W S 55 10 E	N 76 30 E N 10 16 E N 55 09 W	911 480 2,081	Fairbanks. Tobe. Ross.
3	38 44 54.54	76 15 23.72	S 61 16 W S 8 53 W S 48 30 E	N 61 16 E N 8 53 E N 48 30 W	1,048 773 2,235	Fairbanks. Tobe. Ross.
4	38 44 47.98	76 14 38.43	S 67 34 W S 20 47 E S 57 13 E	N 67 34 E N 20 47 W N 57 12 W	1,424 1,346 1,591	Tobe. Ross. Cedar.
5	38 44 40.66	76 14 31.02	N 62 05 E N 27 54 W S 78 55 W	S 62 06 W S 27 54 E N 78 54 E	1,190 573 1,540	Willey. Bald. Tobe.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

BROAD CREEK MIDDLEGROUND.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / //	° / //	° /	° /	Yards.	
1	38 44 11.72	76 14 28.66	N 32 51 E N 12 34 W N 66 38 W	S 32 51 W S 12 34 E S 66 39 E	1,825 1,519 1,715	Willey. Bald. Tobe.
2	38 44 40.66	76 14 31.02	N 62 05 E N 27 54 W S 78 55 W	S 62 06 W S 27 54 E N 78 54 E	1,190 573 1,540	Willey. Bald. Tobe.
3	38 44 46.36	76 13 55.44	S 28 39 W S 14 05 E S 74 22 E	N 28 38 E N 14 05 W N 74 21 W	1,372 832 1,822	Ross. Cedar. Spencer.
4	38 44 22.42	76 13 47.77	N 4 24 W N 51 30 W S 65 14 W	S 4 23 E S 51 30 E N 65 14 E	1,177 1,862 947	Willey. Bald. Ross.

WELL POINT.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / //	° / //	° /	° /	Yards.	
1	38 44 31.88	76 15 28.24	S 68 15 E N 14 39 E N 26 21 W	N 68 14 W S 14 39 W S 26 21 E	1,931 860 734	Ross. Skinner. Pine.
2	38 44 43.80	76 15 36.14	S 12 05 W S 27 26 E N 44 47 E	N 12 05 E N 27 26 W S 44 47 W	571 453 605	Wire. Tobe. Skinner.
3	38 44 47.90	76 15 38.16	S 5 25 W S 25 52 E N 58 44 E	N 5 25 E N 25 51 W S 58 44 W	699 600 560	Wire. Tobe. Skinner.
4	38 45 02.62	76 15 35.10	S 9 55 E S 62 44 E N 38 00 E	N 9 55 W N 62 44 W S 38 00 W	1,052 448 713	Tobe. Skinner. Cabin.
5	38 44 35.80	76 15 24.82	N 59 48 E N 10 18 E N 38 22 W	S 59 49 W S 10 18 W S 38 22 E	1,334 711 670	Bald. Skinner. Pine.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

POMPES.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 44 37.46	76 15 57.38	S 37 56 W	N 37 56 E	Yards. 518 560 793	Blanco. Wire. Tobe.
			S 52 05 E	N 52 05 W		
			S 76 16 E	N 76 15 W		
2	38 44 44.24	76 15 53.42	S 33 35 W	N 33 34 E	764 665 785	Blanco. Wire. Tobe.
			S 30 29 E	N 30 29 W		
			S 57 55 E	N 57 55 W		
3	38 44 47.90	76 15 38.16	S 5 25 W	N 5 25 E	699 600 560	Wire. Tobe. Skinner.
			S 25 52 E	N 25 51 W		
			N 58 44 E	S 58 44 W		
4	38 44 43.80	76 15 36.14	S 12 05 W	N 12 05 E	571 453 605	Wire. Tobe. Skinner.
			S 27 26 E	N 27 26 W		
			N 44 47 E	S 44 47 W		

COOPERS POINT.

(Broad Creek—Chart No. 34.)

1	38 44 24.64	76 16 06.39	N 82 36 E	S 82 36 W	Yards. 686 546 673	Wire. Fairbanks. Caulk.
			N 22 24 E	S 22 24 W		
			N 49 46 W	S 49 46 E		
2	38 44 36.58	76 16 24.00	S 59 27 W	N 59 27 E	552 540 681	Ned. Blanco. Fairbanks.
			S 45 28 E	N 45 27 W		
			N 81 24 E	S 81 24 W		
3	38 44 42.40	76 16 12.09	S 58 53 W	N 58 53 E	923 580 974	Ned. Blanco. Wire.
			S 6 58 E	N 6 58 W		
			S 58 24 E	N 58 24 W		
4	38 44 39.60	76 16 04.04	S 69 07 W	N 69 07 E	1,073 501 745	Ned. Blanco. Wire.
			S 16 30 W	N 16 30 E		
			S 56 01 E	N 56 01 W		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

JUDYS POINT.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 44 28.26	76 16 38.26	S 82 39 E	N 82 39 W	768	Blanco. Wire. Caulk.
			S 88 44 E	N 88 43 W	1,521	
			N 46 23 E	S 46 23 W	453	
2	38 44 29.01	76 16 48.78	S 81 58 E	N 81 58 W	185	Ned. Blanco. Caulk.
			S 83 14 E	N 83 13 W	1,047	
			N 64 38 E	S 64 38 W	670	
3	38 44 37.06	76 16 46.79	S 23 05 E	N 23 05 W	323	Ned. Blanco. Caulk.
			S 68 11 E	N 68 11 W	1,063	
			N 88 22 E	S 88 22 W	553	
4	38 44 35.92	76 16 36.46	S 29 32 W	N 29 32 E	297	Ned. Blanco. Caulk.
			S 63 28 E	N 63 28 W	798	
			N 79 03 E	S 79 03 W	285	

BRUSHY POINT.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 45 02.62	76 15 35.10	S 9 55 E	N 9 55 W	1,052	Tobe. Skinner. Cabin.
			S 62 44 E	N 62 44 W	448	
			N 38 00 E	S 38 00 W	713	
2	38 45 03.90	76 15 42.63	S 10 23 E	N 10 23 W	1,145	Tobe. Skinner. Cabin.
			S 67 25 E	N 67 24 W	647	
			N 50 53 E	S 50 53 W	822	
3	38 45 12.80	76 15 36.64	S 9 08 E	N 9 08 W	1,398	Tobe. Skinner. Cabin.
			S 38 11 E	N 38 40 W	702	
			N 65 32 E	S 65 32 W	527	
4	38 45 14.68	76 15 28.24	S 22 32 W	N 22 32 E	851	Pine. Skinner. Cabin.
			S 19 33 E	N 19 33 W	650	
			N 58 57 E	S 58 58 W	301	

WILLEYS ISLAND FLATS.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 44 46.36	76 13 55.44	S 28 39 W	N 28 38 E	1,372	Ross. Cedar Spencer.
			S 14 05 E	N 14 05 W	832	
			S 74 22 E	N 74 21 W	1,822	
2	38 45 04.60	76 14 27.20	S 75 17 E	N 75 17 W	983	Willey. Ray. Grave.
			N 57 53 E	S 57 53 W	1,005	
			N 17 20 E	S 17 20 W	1,445	
3	38 45 18.92	76 14 28.74	S 51 14 E	N 51 14 W	1,170	Willey. Ray. Grave.
			N 88 38 E	S 88 39 W	814	
			N 23 37 E	S 23 37 W	978	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WILLEYS ISLAND FLATS—Continued.

(Broad Creek—Chart No. 34)—Continued.

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' / "	° / ' / "		
4	38 45 19.58	76 14 38.14	S 58 40 E	N 58 39 W	1,452	Willey. Ray.
			N 88 32 E	S 88 32 W	1,141	
			N 39 27 E	S 39 27 W	1,132	
5	38 45 34.03	76 14 32.14	S 5 20 E	N 5 29 W	708	Rose. Ray. Grave.
			S 64 59 E	N 64 59 W	1,084	
			N 55 26 E	S 55 26 W	681	
6	38 45 40.86	76 14 39.10	N 78 08 E	S 78 08 W	761	Grave. Royal. Mars.
			N 30 24 E	S 30 24 W	589	
			N 33 48 W	S 33 48 E	1,001	
7	38 45 54.63	76 14 37.10	N 58 55 W	S 58 55 E	712	Mars. Bengal. Gram.
			S 65 37 W	N 65 37 E	524	
			S 10 41 E	N 10 41 W	706	
8	38 45 45.50	76 14 10.90	N 51 44 W	S 51 44 E	569	Royal. Gram. Ray.
			S 55 26 W	N 55 26 E	681	
			S 26 29 E	N 26 29 W	944	
9	38 45 14.38	76 13 58.24	N 53 29 W	S 53 30 E	1,113	Gram. Rose. Ross.
			S 80 51 W	N 80 51 E	827	
			S 15 10 W	N 15 09 E	2,227	

HOLLAND POINT.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' / "	° / ' / "		
1	38 45 49.42	76 14 52.34	N 71 15 E	S 71 16 W	684	Royal. Mars. Woodill.
			N 20 53 W	S 20 53 E	582	
			N 51 23 W	S 51 24 E	1,115	
2	38 45 54.52	76 15 12.46	N 87 40 E	S 87 41 W	1,180	Royal. Mars. Woodill.
			N 41 06 E	S 41 06 W	492	
			N 33 01 W	S 33 02 E	626	
3	38 46 10.07	76 15 25.37	S 23 46 E	N 23 46 W	575	Eastman. Mars. Venus.
			S 77 03 E	N 77 03 W	682	
			N 22 52 E	S 22 53 W	616	
4	38 46 24.96	76 15 24.56	S 44 29 E	N 44 29 W	919	Mars. Venus. Willis.
			N 73 27 E	S 73 27 W	227	
			N 2 06 W	S 2 06 E	949	
5	38 46 28.39	76 15 33.69	S 19 35 E	N 19 35 W	656	Woodill. Venus. Neptune.
			S 83 42 E	N 83 41 W	461	
			N 66 00 E	S 66 00 W	428	
6	38 46 32.30	76 15 24.60	N 44 40 W	S 44 40 E	605	Marion. Delta. Woodill.
			S 61 13 W	N 61 13 E	273	
			S 1 33 W	N 1 33 E	750	
7	38 46 05.53	76 15 00.19	S 49 14 W	N 49 14 E	572	Eastman. Bengal. Royal.
			S 12 43 E	N 12 43 W	590	
			S 69 17 E	N 69 16 W	914	

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

HARRISON.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° /	° /		
1	38 46 41.52	76 15 34.40	S 2 25 E	N 2 25 W	443	Delta. Neptune. Willis.
			S 56 39 E	N 56 39 W	489	
			N 29 58 E	S 29 58 W	451	
2	38 46 47.08	76 15 30.33	S 75 58 W	N 75 57 E	282	Marion. Neptune. Willis.
			S 33 26 E	N 33 26 W	548	
			N 30 06 E	S 30 06 W	234	
3	38 46 41.62	76 15 25.40	N 74 01 W	S 74 01 E	420	Marion. Delta. Neptune.
			S 26 08 W	N 26 08 E	496	
			S 32 10 E	N 32 10 W	322	

CEDAR POINT.

(Broad Creek—Chart No. 34.)

1	° / //	° / //	° /		Yards.	
			Forward	Back		
			° /	° /		
1	38 44 15.78	76 13 22.37	S 69 00 E	N 69 00 W	1,417	Marsh. Spencer. Hopkins.
			N 58 29 E	S 58 29 W	1,035	
			N 01 46 W	S 01 46 E	1,524	
2	38 44 22.42	76 13 47.77	N 4 24 W	S 4 23 E	1,177	Willey. Bald. Ross.
			N 51 30 W	S 51 30 E	1,802	
			S 65 14 W	N 65 14 E	947	
3	38 44 46.36	76 13 55.44	S 28 39 W	N 28 38 E	1,372	Ross. Cedar. Spencer.
			S 14 05 E	N 14 05 W	852	
			S 74 22 E	N 74 21 W	1,822	
4	38 44 19.25	76 12 54.44	S 43 09 E	N 43 08 W	856	Marsh. Spencer. Hopkins.
			N 18 44 E	S 18 44 W	447	
			N 29 09 W	S 29 10 E	1,611	

DRUM POINT.

(Broad Creek—Chart No. 34.)

1	° / //	° / //	° /		Yards.		
			Forward	Back			
			° /	° /			
1	38 44 10.25	76 12 54.44	S 43 09 E	N 43 08 W	856	Marsh. Spencer. Hopkins.	
			N 18 44 E	S 18 44 W	447		
			N 29 09 W	S 29 10 E	1,611		
2	38 44 46.36	76 13 55.44	S 28 39 W	N 28 38 E	1,372	Ross. Cedar. Spencer.	
			S 14 05 E	N 14 05 W	832		
			S 74 22 E	N 74 21 W	1,822		
3	38 44 53.66	76 13 09.80	N 83 47 W	S 83 47 E	1,099	Willey. Cedar. Marsh.	
			S 43 35 W	N 43 35 E	1,454		
			S 29 03 E	N 29 02 W	2,042		
4	38 44 31.81	76 12 49.00	Thence from corner No. 3 along the mean low-water line of the shore to corner No. 4, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.				
			N 43 22 W	S 43 22 E	1,352	Hopkins. Cedar. Marsh.	
			S 78 28 W	N 78 28 E	1,585		
			S 22 51 E	N 22 51 W	1,137		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

JOE HARRIS FLATS.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 43' 50.78"	76° 12' 49.30"	N 53 18 E	S 53 19 W	Yards. 561 1,386 2,539	Marsh. Spencer. Hopkins.
			N 0 20 E	S 0 20 W		
			N 21 15 W	S 21 15 E		
2	38° 44' 00.20"	76° 13' 02.34"	N 88 44 E	S 88 44 W	795 1,123 2,128	Marsh. Spencer. Hopkins.
			N 18 17 E	S 18 18 W		
			N 15 42 W	S 15 42 E		
3	38° 44' 19.25"	76° 12' 54.44"	S 43 09 E	N 43 08 W	856 447 1,611	Marsh. Spencer. Hopkins.
			N 18 44 E	S 18 44 W		
			N 29 09 W	S 29 10 E		
4	38° 44' 00.72"	76° 12' 32.27"	N 66 24 E	S 66 24 W	932 749 1,137	Clark. Marshall. Spencer.
			N 24 13 E	S 24 13 W		
			S 22 51 E	N 22 51 W		
Thence from corner No. 4 along the mean low-water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						

PIN CUSHION.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 43' 58.18"	76° 12' 14.41"	N 39 45 E	S 39 45 W	596 786 1,457	Clark. Marshall. Spencer.
			N 12 04 W	S 12 05 E		
			N 38 51 W	S 38 52 E		
2	38° 44' 17.84"	76° 12' 30.00"	N 46 48 W	S 46 49 E	688 580 974	Spencer. Marsh. Holly.
			S 5 56 W	N 5 56 E		
			S 29 12 E	N 29 12 W		
3	38° 44' 20.18"	76° 12' 28.20"	N 54 29 W	S 54 29 E	675 665 1,024	Spencer. Marsh. Holly.
			S 9 18 W	N 9 18 E		
			S 24 43 E	N 24 43 W		
4	38° 44' 08.74"	76° 12' 04.52"	N 56 29 W	S 56 30 E	1,409 781 579	Spencer. Marsh. Holly.
			S 69 45 W	N 69 45 E		
			S 19 58 W	N 19 58 E		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

WILLEYS ISLAND.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station		
			Forward	Back				
			° / ' "	° / ' "				
1	38 44 56.38	76 13 44.48	S 60 31 E	N 60 30 W	Yards. 1,684	Spencer.		
			N 73 57 E	S 73 57 W			559	Hopkins.
			N 2 54 E	S 2 54 W			864	Judge.
2	38 45 11.68	76 13 45.60	S 57 27 E	N 57 27 W	671	Hopkins.		
			N 61 30 E	S 61 30 W			534	Taft.
			N 1 35 E	S 1 35 W			1,129	Harper.
3	38 45 21.40	76 13 37.45	S 27 00 E	N 27 00 W	773	Hopkins.		
			S 73 55 E	N 73 55 W			264	Taft.
			N 12 57 W	S 12 57 E			821	Harper.
4	38 45 26.42	76 13 46.56	S 34 35 E	N 34 34 W	1,043	Hopkins.		
			S 63 52 E	N 63 52 W			550	Taft.
			N 5 07 E	S 5 07 W			634	Harper.
5	38 45 36.14	76 13 34.96	N 69 17 W	S 69 18 E	621	Thelma.		
			S 23 29 W	N 23 29 E			521	Judge.
			S 18 15 E	N 18 15 W			600	Taft.
6	38 45 33.40	76 13 29.96	N 66 22 W	S 66 22 E	778	Thelma.		
			S 41 19 W	N 41 19 E			514	Judge.
			S 6 41 E	N 6 41 W			481	Taft.
7	38 44 56.96	76 13 33.60	N 16 06 W	S 16 06 E	878	Judge.		
			N 89 03 W	S 89 03 E			464	Willey.
			S 17 49 W	N 17 49 E			1,224	Cedar.

FOX.

(Broad Creek—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station		
			Forward	Back				
			° / ' "	° / ' "				
1	38 45 57.50	76 13 42.78	S 5 56 W	N 5 56 E	Yards. 419	Harper.		
			N 66 25 E	S 66 25 W			226	Ansley.
			N 14 13 E	S 14 13 W			553	Beverly.
2	38 46 04.16	76 13 42.68	S 4 06 W	N 4 06 E	643	Harper.		
			S 50 52 E	N 50 52 W			245	Ansley.
			N 48 23 E	S 48 23 W			594	Samuel.
3	38 46 08.04	76 13 36.80	S 46 30 W	N 46 30 E	381	Elmore.		
			S 10 40 E	N 10 40 W			209	Ansley.
			N 47 23 E	S 47 23 W			302	Samuel.
4	38 46 05.96	76 13 31.08	N 14 28 E	S 14 28 W	283	Samuel.		
			N 34 30 W	S 34 30 E			305	Beverly.
			S 65 49 W	N 65 49 E			468	Elmore.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

ROYSTON.

(Outer Choptank River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 40 08.08	76 14 26.04	N 87 14 E	S 87 15 W	Yards. 3,832 3,041 4,884	Benoni 2. Roys. Nelson 3.
			N 16 51 E	S 16 52 W		
			N 36 21 W	S 36 22 E		
2	38 41 12.32	76 15 33.00	N 74 19 E	S 74 20 W	2,754 2,096 5,982	Roys. Nelson 3. Bar.
			N 32 28 W	S 32 28 E		
			N 87 04 W	S 87 06 E		
3	38 42 06.98	76 14 28.92	S 60 29 E	N 69 28 W	1,413 1,324 2,810	Irish. Peary. Nelson 3.
			N 8 27 E	S 8 27 W		
			S 88 29 W	N 88 28 E		
4	38 42 05.74	76 14 09.20	S 89 26 W	N 89 24 E	3,340 1,144 921	Nelson 3. Roys. Irish.
			S 22 28 E	N 22 27 W		
			S 60 30 E	N 60 30 W		
5	38 41 48.26	76 13 52.96	N 81 36 W	S 81 38 E	3,810 467 397	Nelson 3. Roys. Irish.
			S 00 56 E	N 00 56 W		
			N 69 53 E	S 69 54 W		
6	38 41 39.16	76 13 56.66	N 46 41 E	S 46 41 W	646 2,342 3,771	Irish. Peary. Nelson 3.
			N 16 18 W	S 16 19 E		
			N 76 46 W	S 76 48 E		
7	38 40 44.14	76 13 52.40	S 70 41 E	N 70 39 W	3,113 1,694 4,659	Benoni 2. Roys. Nelson 3.
			N 00 14 W	S 00 14 E		
			N 54 18 W	S 54 20 E		

IRISH CREEK.

(Outer Choptank River—Chart No. 34.)

1	38 39 44.96	76 13 11.10	S 76 23 E	N 76 23 W	Yards. 3,412 2,083 3,851	Choptank River Light. Benoni 2. Roys.
			N 62 23 E	S 62 23 W		
			N 16 35 W	S 16 35 E		
2	38 40 26.10	76 13 50.38	S 81 41 E	N 81 40 W	2,916 2,304 5,079	Benoni 2. Roys. Nelson 3.
			N 1 30 W	S 1 30 E		
			N 49 05 W	S 49 06 E		
3	38 40 44.14	76 13 52.40	S 70 41 E	N 70 39 W	3,113 1,694 4,659	Benoni 2. Roys. Nelson 3.
			N 00 14 W	S 00 14 E		
			N 54 18 W	S 54 20 E		
4	38 41 16.80	76 13 21.94	N 11 24 E	S 11 24 W	1,142 1,006 4,865	Creek. Roys. Nelson 3.
			N 53 54 W	S 53 51 E		
			N 70 36 W	S 70 37 E		
5	38 41 52.04	76 13 16.44	N 24 04 E	S 24 05 W	772 593 1,128	Ila. Irish. Roys.
			N 89 09 W	S 89 09 E		
			S 58 09 W	N 58 09 E		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

IRISH CREEK—Continued.

(Outer Choptank River—Chart No. 34)—Continued.

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
6	38° 41' 19.58"	76° 13' 04.64"	N 12 43 W	S 12 43 E	Yards.	Creek. Pont. Roys.
			N 21 18 W	S 21 18 E	1,951	
			N 68 31 W	S 68 31 E	2,003 1,365	
7	38° 41' 00.00"	76° 13' 03.46"	N 8 51 W	S 8 52 E	1,706	Creek. Pont. Roys.
			N 16 43 W	S 16 43 E	2,638	
			N 48 16 W	S 48 17 E	1,743	
8	38° 40' 41.02"	76° 12' 44.32"	S 50 55 E	N 50 54 W	1,467	Benoni 2. Creek. Roys.
			N 18 17 W	S 18 17 E	2,450	
			N 45 06 W	S 45 07 E	2,550	
9	38° 40' 18.30"	76° 12' 52.02"	S 55 48 E	N 55 47 W	3,403	Choptank River Light. Benoni 2. Roys.
			S 83 16 E	N 83 15 W	1,352	
			N 31 59 W	S 32 00 E	3,026	

CHOPTANK LUMPS.

(Outer Choptank River—Charts Nos. 34 and 37.)

	Latitude	Longitude	Forward	Back	Yards.	
1	38° 39' 08.00"	76° 13' 46.22"	N 83 52 E	S 83 54 W	4,273	Choptank River Light. Benoni 2. Roys.
			N 51 26 E	S 51 27 W	3,549	
			N 1 59 W	S 1 59 E	4,940	
Thence along county boundary as delineated on Charts Nos. 34 and 37 to corner No. 2.						
2	38° 39' 58.32"	76° 15' 41.88"	N 41 38 E	S 41 39 W	4,344	Roys. Nelson 3. Bar.
			N 11 48 W	S 11 48 E	4,356	
			N 63 59 W	S 64 01 E	6,387	
3	38° 39' 43.30"	76° 13' 45.60"	S 80 10 E	N 80 08 W	4,295	Choptank River Light. Benoni 2. Roys.
			N 69 41 E	S 69 42 W	2,941	
			N 2 51 W	S 2 51 E	3,751	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

BENONI.

(Outer Choptank River—Charts Nos. 34 and 37.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station		
			Forward	Back				
1	38 38 48.40	76 11 45.22	S 49 58 E	N 49 57 W	Yards. 3,479	Castle.		
			N 43 09 E	S 43 10 W			1,533	Choptank River Light.
			N 8 24 W	S 8 24 E			2,905	Benoni 2.
2	38 39 05.04	76 13 38.98	Thence along county boundary as delineated on chart No. 37 to corner No. 2.		6,512	Chef.		
			S 68 56 W	N 68 54 E			2,764	Dot.
			S 16 26 W	N 16 25 E			4,094	Choptank River Light.
3	38 39 44.96	76 13 11.10	S 76 23 E	N 76 23 W	3,412	Choptank River Light.		
			N 62 23 E	S 62 23 W			2,083	Benoni 2.
			N 16 35 W	S 16 35 E			3,851	Roys.
4	38 40 18.30	76 12 52.02	S 55 48 E	N 55 47 W	3,403	Choptank River Light.		
			S 83 16 E	N 83 15 W			1,352	Benoni 2.
			N 31 59 W	S 32 00 E			3,026	Roys.
5	38 39 45.15	76 12 00.66	S 61 23 E	N 61 22 W	1,660	Choptank River Light.		
			N 17 40 E	S 17 40 W			3,275	Mutton.
			N 00 57 W	S 00 57 E			959	Benoni 2.

LIGHTHOUSE.

(Outer Choptank River—Charts Nos. 34, 35, and 37.)

1	38 38 48.40	76 11 45.22	S 49 58 E	N 49 57 W	Yards. 3,479	Castle.		
			N 43 09 E	S 43 10 W			1,533	Choptank River Light.
			N 8 24 W	S 8 24 E			2,905	Benoni 2.
2	38 39 45.15	76 12 00.66	S 61 23 E	N 61 22 W	1,660	Choptank River Light.		
			N 17 40 E	S 17 40 W			3,275	Mutton.
			N 0 57 W	S 0 57 E			959	Benoni 2.
3	38 39 42.88	76 10 50.00	S 80 11 E	N 80 11 W	2,403	Landeye.		
			N 36 36 E	S 36 36 W			1,261	Boone.
			N 61 12 W	S 61 12 E			2,150	Benoni 2.
4	38 39 16.14	76 10 19.78	S 47 34 E	N 47 33 W	3,957	Chlora.		
			N 72 34 E	S 72 35 W			1,645	Landeye.
			N 1 24 W	S 1 24 E			1,915	Boone.
5	38 38 48.64	76 11 18.98	S 73 27 E	N 73 25 W	3,986	Chlora.		
			N 17 43 E	S 17 43 W			1 166	Choptank River Light.
			N 21 19 W	S 21 19 E			3,275	Benoni 2.
Thence along county boundary as delineated on chart No. 37 to corner No. 1.								

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

BACK SHORE.

(Outer Choptank River—Charts Nos. 34, 35, and 37.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 37 52.86	76 09 25.36	N 47 35 E	S 47 36 W	1,106	Chlora. Landeye. Large Water Tank.
			N 2 15 E	S 2 15 W	3,304	
			S 64 59 W	N 64 58 E	1,538	
Thence along county boundary as delineated on charts Nos. 34 and 35 to corner No. 2.						
2	38 38 27.80	76 10 07.48	S 2 53 E	N 2 53 W	1,544	Castle. Chlora. Landeye.
			S 77 23 E	N 77 22 W	1,978	
			N 30 22 E	S 30 22 W	2,461	
3	38 39 16.14	76 10 19.78	S 47 34 E	N 47 33 W	3,057	Chlora. Landeye. Boone.
			N 72 34 E	S 72 35 W	1,645	
			N 1 24 W	S 1 24 E	1,915	
4	38 39 42.88	76 10 50.00	S 80 11 E	N 80 11 W	2,403	Landeye. Boone. Benoni 2.
			N 36 36 E	S 36 36 W	1,261	
			N 61 12 W	S 61 12 E	2,150	
5	38 40 04.36	76 10 09.62	N 47 36 W	S 47 36 E	428	Boone. Benoni 2. Choptank River Light.
			N 83 59 W	S 84 00 E	2,068	
			S 45 43 W	N 45 42 E	2,067	
Thence from corner No. 5 along the mean low-water line of the shore to corner No. 6, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
6	38 39 39.52	76 09 43.38	N 41 52 W	S 41 53 E	1,512	Boone. Choptank River Light. Castle.
			S 74 26 W	N 74 25 E	2,256	
			S 8 03 W	N 8 02 E	4,000	
7	38 39 25.86	76 09 21.68	N 34 54 W	S 34 54 E	744	Enter. Choptank River Light. Castle.
			S 86 59 W	N 86 58 E	2,750	
			S 17 57 W	N 17 56 E	3,680	
Thence from corner No. 7 along the mean low-water line of the shore to corner No. 8, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
8	38 38 14.98	76 08 54.49	N 57 03 W	S 57 04 E	4,131	Choptank River Light. Castle. Toot.
			S 59 05 W	N 59 04 E	2,160	
			S 10 18 E	N 10 18 W	3,944	

BACHELOR POINT.

(Entrance Tred Avon River—Charts Nos. 34 and 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 39 42.88	76 10 50.00	S 80 11 E	N 80 11 W	2,403	Landeye. Boone. Benoni 2.
			N 36 36 E	S 36 36 W	1,261	
			N 61 12 W	S 61 12 E	2,150	
2	38 40 31.52	76 11 46.04	S 74 18 E	N 74 17 W	2,321	Boone. Bach. Mutton.
			N 89 07 E	S 89 07 W	1,799	
			N 21 18 E	S 21 19 W	1,672	
3	38 40 41.52	76 10 47.16	N 37 52 W	S 37 53 E	1,545	Mutton. Benoni 2. Choptank River Light.
			S 64 19 W	N 64 19 E	2,174	
			S 10 14 W	N 10 14 E	2,739	
4	38 40 11.94	76 10 33.64	S 26 25 W	N 26 25 E	1,897	Choptank River Light. Boone. Bach.
			N 84 09 E	S 84 09 W	320	
			N 9 29 W	S 9 29 E	999	
5	38 40 04.36	76 10 09.62	N 47 36 W	S 47 36 E	428	Boone. Benoni 2. Choptank River Light.
			N 83 59 W	S 84 00 E	2,068	
			S 45 43 W	N 45 42 E	2,067	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

FOX HOLE.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 40 31.52	76 11 46.04	S 74 18 E	N 74 17 W	Yards. 2,321 1,799 1,672	Boone. Bach. Mutton.
			N 80 07 E	S 89 07 W		
			N 21 18 E	S 21 10 W		
2	38 40 34.55	76 11.49.50	S 25 16 E	N 25 16 W	2,721 1,892 1,614	Choptank River Light. Bach. Mutton.
			S 87 46 E	N 87 45 W		
			N 25 39 E	S 25 40 W		
3	38 41 34.84	76 11 00.60	S 43 53 E	N 43 52 W	1,375 646 1,208	First. Riverview. Bellevue.
			S 87 38 E	N 87 38 W		
			N 13 43 E	S 13 43 W		
4	38 41 30.20	76 10 39.72	N 11 16 W	S 11 16 E	1,357 793 1,220	Bellevue. Tred. Mutton.
			N 64 02 W	S 64 02 E		
			S 69 48 W	N 69 47 E		
5	38 41 05.50	76 10 54.52	N 15 15 W	S 15 15 E	1,224 860 2,485	Tred. Mutton. Bedoni 2.
			N 61 24 W	S 61 24 E		
			S 45 14 W	N 45 13 E		

STONE CHURCH.

(Tred Avon River—Charts Nos. 34 and 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 40 51.43	76 10 40.10	N 23 01 W	S 23 01 E	Yards. 1,795 1,440 2,497	Tred. Mutton. Benoni 2.
			N 52 02 W	S 52 03 E		
			S 59 16 W	N 59 15 E		
2	38 41 30.20	76 10 39.72	N 11 16 W	S 11 16 E	1,357 793 1,220	Bellevue. Tred. Mutton.
			N 64 02 W	S 64 02 E		
			S 69 48 W	N 69 47 E		
3	38 41 14.64	76 10 30.56	N 15 17 W	S 15 17 E	1,924 1,391 1,439	Bellevue. Mutton. Bach.
			N 85 45 W	S 85 45 E		
			S 7 51 W	N 7 51 E		
4	38 40 52.62	76 10 27.52	N 32 40 W	S 32 41 E	1,918 1,694 2,806	Tred. Mutton. Benoni 2.
			N 60 03 W	S 60 04 E		
			S 62 01 W	N 62 00 E		

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

TOWN POINT.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station	
			Forward	Back			
1	38 41 30.20	76 10 39.72	N 11 16 W	S 11 16 E	Yards. 1,357	Bellevue. Tred.	
			N 64 02 W	S 64 02 E			793
			S 69 48 W	N 69 47 E			1,220
2	38 41 34.84	76 11 00.60	S 43 53 E	N 43 52 E	1,375	First. Riverview.	
			S 87 38 E	N 87 38 W			646
			N 13 43 E	S 13 43 W			1,208
3	38 41 57.86	76 10 56.40	S 24 56 W	N 24 56 E	646	Tred. Riverview.	
			S 33 40 E	N 33 39 W			965
			N 23 50 E	S 23 50 W			435
4	38 41 59.18	76 10 41.36	N 27 16 E	S 27 16 W	1,437	Tar. Bellevue.	
			N 32 06 W	S 32 06 E			417
			S 46 45 W	N 46 45 E			020
5	38 41 40.68	76 10 37.32	N 16 11 E	S 16 11 W	1,979	Tar. Bellevue.	
			N 18 35 W	S 18 35 E			1,031
			S 89 33 W	N 89 33 E			776

STEWART ISLAND.

(Tred Avon River—Chart No. 34.)

1	38 41 39.80	76 10 14.42	N 1 35 W	S 1 34 E	Yards. 1,931	Tar. Bellevue.	
			N 42 50 W	S 42 51 E			1,374
			N 89 01 W	S 89 02 E			1,382
2	38 41 53.54	76 10 27.80	N 11 33 E	S 11 33 W	1,498	Tar. Bellevue.	
			N 46 51 W	S 46 52 E			795
			S 66 51 W	N 66 50 E			1,118
3	38 42 11.24	76 10 15.34	N 1 56 W	S 1 56 E	872	Tar. Bellevue.	
			S 86 39 W	N 86 38 E			911
			S 52 38 W	N 52 37 E			1,708
4	38 41 50.16	76 09 50.90	N 18 02 W	S 18 02 E	1,663	Tar. Bellevue.	
			N 64 46 W	S 64 46 E			1,542
			S 36 04 W	N 36 04 E			1,269
5	38 41 47.34	76 10 03.06	N 11 55 W	S 11 55 E	1,714	Tar. Bellevue.	
			N 58 37 W	S 58 37 E			1,446
			S 32 11 W	N 32 11 E			1,009

Thence from corner No. 5 along the mean low-water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

GOOSE NECK.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 41 53.54	76 10 27.80	N 11 33 E N 46 51 W S 66 51 W	S 11 33 W S 46 52 E N 66 50 E	1,498 795 1,118	Tar. Bellevue. Tred.
2	38 42 09.66	76 10 43.56	S 09 14 E S 76 37 E N 37 47 E	N 09 14 W N 76 30 W S 37 47 W	1,216 1,517 1,169	Riverview. Town. Tar.
3	38 42 22.78	76 10 25.04	S 10 09 W S 51 11 E N 25 14 E	N 10 09 E N 51 10 W S 25 14 W	1,669 1,266 533	Riverview. Town. Tar.
4	38 42 27.00	76 10 35.42	S 00 38 W S 53 24 E N 55 55 E	N 00 38 E N 53 24 W S 55 55 W	1,786 1,579 666	Riverview. Town. Tar.
5	38 42 38.44	76 10 27.60	S 5 57 W S 38 34 E S 81 01 W	N 5 57 E N 38 34 W N 81 01 W	2,184 1,691 297	Riverview. Town. Tar.
6	38 42 32.28	76 10 00.40	S 59 41 W S 16 45 E S 36 23 E	N 59 40 E N 16 45 W N 36 23 W	1,511 1,164 1,428	Bellevue. Town. Mud.
7	38 42 11.24	76 10 15.34	N 1 56 W S 86 39 W S 52 38 W	S 1 56 E N 86 38 E N 52 37 E	872 911 1,708	Tar. Bellevue. Tred.

PECKS POINT.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 41 50.16	76 09 56.96	N 18 02 W N 64 46 W S 36 04 W	S 18 02 E S 64 46 E N 36 04 E	1,663 1,542 1,269	Tar. Bellevue. Weather Bureau Staff.
2	38 42 11.24	76 10 15.34	N 1 56 W S 86 39 W S 52 38 W	S 1 56 E N 86 38 E N 52 37 E	872 911 1,708	Tar. Bellevue. Tred.
3	38 42 32.28	76 10 00.40	S 59 41 W S 16 45 E S 36 23 E	N 59 40 E N 16 45 W N 36 23 W	1,511 1,164 1,428	Bellevue. Town. Mud.
4	38 42 18.38	76 09 47.40	S 79 52 W S 00 37 W S 36 33 E	N 79 52 E N 00 37 E N 36 33 W	1,672 645 848	Bellevue. Town. Mud.
5	38 42 19.34	76 09 34.80	S 26 43 W S 13 27 E S 53 53 E	N 26 43 E N 13 27 W N 53 52 W	759 734 1,575	Town. Mud. Golds.
6	38 41 59.24	76 09 47.71	N 0 07 W N 77 54 W S 56 27 W	S 0 07 E S 77 55 E N 56 26 E	749 1,676 1,537	Peck. Bellevue. Riverview.

Thence from corner No. 6 along the mean low-water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

MARES POINT.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' / "	° / ' / "		
	° / ' / "	° / ' / "	° / ' / "	° / ' / "	Yards.	
1	38 41 59.38	76 00 33.54	S 78 21 E N 43 29 E N 26 48 W	N 78 21 W S 43 29 W S 26 48 E	1,265 852 834	Golds. Tall. Peck.
2	38 42 06.20	76 00 34.06	S 68 49 E N 57 01 E N 35 09 W	N 68 49 W S 57 02 W S 35 09 E	1,343 715 630	Golds. Tall. Peck.
3	38 42 15.28	76 00 12.56	S 35 52 W S 40 51 E S 76 41 E	N 35 52 E N 40 51 W N 76 40 W	712 1,047 1,132	Mud. Golds. Borough.
4	38 42 30.20	76 08 54.60	S 09 12 E S 39 21 E N 86 10 W	N 09 12 W N 39 21 W S 86 10 W	1,311 988 1,321	Golds. Borough. Layor.
Thence from corner No. 4 along the mean low-water line of the shore to corner No. 5, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
5	38 42 39.38	76 00 00.22	S 35 49 E N 80 12 E N 45 05 E	N 35 49 W S 80 12 W S 45 05 W	1,323 825 1,039	Borough. Twin. Weave.
6	38 42 42.08	76 08 44.00	S 16 10 E N 87 11 E N 26 38 E	N 16 09 W S 87 11 W S 26 38 W	1,243 384 685	Borough. Twin. Weave.
7	38 42 29.82	76 08 32.40	N 28 30 W N 68 01 W S 16 23 W	S 28 30 E S 68 01 E N 16 23 E	1,518 756 1,335	Spin. Plain. Golds.
8	38 41 59.60	76 00 18.92	N 78 04 E N 18 08 E N 45 58 W	S 78 05 W S 18 08 W S 45 58 E	1,297 643 1,061	Borough. Tall. Peck.

LOUIS COVE.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' / "	° / ' / "		
	° / ' / "	° / ' / "	° / ' / "	° / ' / "	Yards.	
1	38 41 44.84	76 08 57.82	N 42 53 E N 17 53 W N 46 54 W	S 42 54 W S 17 53 E S 46 55 E	1,045 1,165 1,808	Borough. Tall. Peck.
2	38 41 52.00	76 00 21.56	N 68 37 E N 17 15 E N 34 53 W	S 68 37 W S 17 15 W S 34 53 E	1,438 908 1,212	Borough. Tall. Peck.
3	38 41 59.60	76 00 18.92	N 78 04 E N 18 08 E N 45 58 W	S 78 05 W S 18 08 W S 45 58 E	1,297 643 1,061	Borough. Tall. Peck.
4	38 42 29.82	76 08 32.40	N 28 30 W N 68 01 W S 16 23 W	S 28 30 E S 68 01 E N 16 23 E	1,518 756 1,335	Spin. Plain. Golds.
5	38 42 17.79	76 08 21.60	N 29 12 E N 13 30 W N 55 04 W	S 29 13 W S 13 30 E S 55 05 E	1,369 803 1,203	Toe. Twin. Plain.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

BAMINGS COVE.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 42 29. 10	76 08 12. 06	N 27 05 E	S 27 05 W	Yards. 914 670 1, 275	Toe. Twin. Plain.
			S 43 24 W	S 43 24 E		
			N 76 04 W	S 76 04 E		
2	38 42 38. 25	76 08 26. 32	S 6 40 W	N 6 40 E	1, 042 590 940	Borough. Layor. Toe.
			S 72 13 E	N 72 13 W		
			N 57 30 E	S 57 31 W		
3	38 42 54. 24	76 08 13. 62	S 16 10 W	N 16 10 E	1, 639 760 863	Borough. Layor. Mistle.
			S 18 02 E	N 18 02 W		
			S 74 14 E	N 74 14 W		
4	38 42 48. 86	76 08 00. 52	S 76 49 W	N 76 48 E	786 552 487	Twin. Layor. Mistle.
			S 11 36 W	N 11 36 E		
			S 83 45 E	N 83 45 W		
5	38 42 33. 25	76 08 06. 42	N 21 37 E	S 21 37 W	702 702 1, 082	Toe. Twin. Borough.
			N 60 21 W	S 60 21 E		
			S 36 44 W	N 36 44 E		

OLD HOUSE POINT.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 42 34. 73	76 07 48. 46	N 12 20 E	S 12 20 W	Yards. 827 657 1, 124	Trippe. Toe. Twin.
			N 18 25 W	S 18 25 E		
			N 74 40 W	S 74 41 E		
2	38 42 48. 86	76 08 00. 52	S 76 49 W	N 76 48 E	786 552 487	Twin. Layor. Mistle.
			S 11 36 W	N 11 36 E		
			S 83 45 E	N 83 45 W		
3	38 42 58. 40	76 07 47. 76	S 27 27 W	N 27 27 E	972 402 795	Layor. Mistle. Venture.
			S 21 25 E	N 21 25 W		
			S 76 59 E	N 76 58 W		
4	38 42 56. 28	76 07 38. 36	S 77 44 W	N 77 44 E	486 319 536	Toe Mistle. Venture.
			S 18 50 W	N 18 30 E		
			S 78 26 E	N 78 26 W		
5	38 42 39. 14	76 07 35. 50	S 67 38 E	N 67 37 W	846 651 681	Deux. Venture. Trippe.
			N 43 45 E	S 43 45 W		
			N 14 04 W	S 14 04 E		
6	38 42 38. 80	76 07 38. 40	S 70 07 E	N 70 07 W	913 714 677	Deux. Venture. Trippe.
			N 47 33 E	S 47 33 W		
			N 7 33 W	S 7 34 E		
7	38 42 47. 29	76 07 42. 20	N 1 43 E	S 1 43 W	385 423 770	Trippe. Toe. Layor.
			N 61 50 W	S 61 50 E		
			S 50 38 W	N 50 38 E		

Thence from corner No. 6 along the mean low water line of the shore to corner No. 7, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

OLD HOUSE POINT—Continued.

(Tred Avon River—Chart No. 34)—Continued.

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
8	38 42 45.40	76 07 45.94	N 13 48 E	S 13 48 W	Yards. 461 381 653	Trippe. Toe. Layor.
			N 46 07 W	S 46 07 E		
			S 49 28 W	N 49 28 E		
9	38 42 36.80	76 07 46.46	N 9 32 E	S 9 32 W	749 611 501	Trippe. Toe. Layor.
			N 25 12 W	S 25 12 E		
			S 74 27 W	N 74 27 E		

TRIPPE.

(Tred Avon River—Chart No. 34.)

	Latitude	Longitude	Forward	Back	Distance	
1	38 42 46.45	76 07 25.76	S 2 20 E	N 2 20 W	Yards. 723 775 988	Crack. Deux. Cam.
			S 42 52 E	N 42 52 W		
			S 72 58 E	N 72 58 W		
2	38 42 52.98	76 07 25.60	S 1 22 E	N 1 22 W	943 945 1,067	Crack. Deux. Cam.
			S 33 20 E	N 33 26 W		
			S 61 29 E	N 61 28 W		
3	38 42 52.92	76 07 15.85	S 14 03 W	N 14 03 E	969 830 849	Crack. Deux. Cam.
			S 18 30 E	N 18 30 W		
			S 53 16 E	N 53 15 W		
4	38 42 46.78	76 07 15.85	S 17 47 W	N 17 47 E	770 636 744	Crack. Deux. Cam.
			S 24 25 E	N 24 25 W		
			S 66 09 E	N 66 09 W		

BAKERS COVE.

(Tred Avon River—Chart No. 34.)

	Latitude	Longitude	Forward	Back	Distance	
1	38 42 24.60	76 07 30.20	N 67 03 E	S 67 03 W	Yards. 1,147 1,000 1,100	Cam. Venture. Trippe.
			N 17 54 E	S 17 54 W		
			N 14 53 W	S 14 53 E		
2	38 42 27.52	76 07 31.92	N 72 28 E	S 72 28 W	1,158 933 1,083	Cam. Venture. Trippe.
			N 22 25 E	S 22 25 W		
			N 13 54 W	S 13 54 E		
3	38 42 .00	76 07 09 12	N 28 12 E	S 28 12 W	640 596 940	Plow. Venture. Mistlc.
			N 24 27 W	S 24 28 E		
			N 68 21 W	S 68 21 E		
4	38 42 30.34	76 07 06.10	N 15 45 E	S 15 46 W	819 834 1,112	Plow. Venture. Mistlc.
			N 23 03 W	S 23 04 E		
			N 59 01 W	S 59 01 E		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

MARSHY.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 42. 42. 98	76 08 44. 00	S 16 10 E	N 16 09 W	Yards. 1,243 384 685	Borough. Twin. Weave.
			N 87 11 E	S 87 11 W		
			N 26 38 E	S 26 38 W		
2	38 43 00. 78	76 08 46. 58	S 37 50 E	N 37 50 W	736 375 911	Twin. Weave. Martin.
			N 88 15 E	S 88 15 W		
			N 2 25 E	S 2 25 W		
3	38 43 03. 12	76 08 58. 00	S 48 46 E	N 48 46 W	1,002 680 899	Twin. Weave. Martin.
			S 84 18 E	N 84 17 W		
			N 22 14 E	S 22 14 W		
4	38 43 11. 90	76 08 57. 40	S 37 38 E	N 37 38 W	1,207 752 626	Twin. Weave. Martin.
			S 61 08 E	N 61 07 W		
			N 31 10 E	S 31 10 W		
5	38 43 09. 80	76 08 37. 38	N 18 39 W	S 18 39 E	641 594 1,208	Martin. Spin. Plain.
			S 88 38 W	N 88 38 E		
			S 28 07 W	N 28 07 E		
6	38 42 52. 44	76 08 32. 56	N 15 34 W	S 15 34 E	1,238 020 845	Martin. Spin. Plain.
			N 51 35 W	S 51 35 E		
			S 55 26 W	N 55 26 E		
7	38 42 44. 64	76 08 36. 46	N 36 30 W	S 36 30 E	1,038 632 1,259	Spin. Plain. Borough.
			S 69 56 W	N 69 56 E		
			S 6 42 E	N 6 42 W		

FLATTY.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 43 18. 50	76 08 20. 96	N 16 59 W	S 16 59 E	Yards. 1,070 712 1,072	Neva. Martin. Spin.
			N 63 49 W	S 63 49 E		
			S 73 19 W	N 73 19 E		
2	38 43 18. 96	76 08 26. 54	N 9 18 W	S 9 18 E	1,023 574 937	Neva. Martin. Spin.
			N 58 46 W	S 58 46 E		
			S 69 50 W	N 69 49 E		
3	38 43 37. 76	76 08 23. 26	N 7 59 W	S 7 59 E	949 451 668	Robertson. Neva. Martin.
			N 33 58 W	S 33 58 E		
			S 59 48 W	N 59 48 E		
4	38 43 37. 22	76 08 17. 94	N 15 53 W	S 15 53 E	996 554 786	Robertson. Neva. Martin.
			N 45 02 W	S 45 02 E		
			S 66 07 W	N 66 07 E		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

OREM.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 43 20.38	76 08 39.86	S 16 54 E	N 16 54 W	Yards. 679 640 978	Weave. Hunter. Neva.
			N 75 34 E	S 75 34 W		
			N 11 01 E	S 11 01 W		
2	38 43 35.52	76 08 45.46	S 16 35 E	N 16 34 W	1,211 844 1,110	Weave. Hunter. Aye.
			S 65 26 E	N 65 25 W		
			N 71 40 E	S 71 41 W		
3	38 43 37.06	76 08 41.60	S 11 21 E	N 11 21 W	1,237 779 1,008	Weave. Hunter. Aye.
			S 58 49 E	N 58 48 W		
			N 72 39 E	S 72 39 W		
4	38 43 22.64	76 08 33.48	N 1 11 E	S 1 11 W	884 353 827	Neva. Martin. Spin.
			N 60 34 W	S 60 34 E		
			S 57 17 W	N 57 16 E		

DOUBLE MILLS.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 43 40.22	76 08 20.35	N 19 57 E	S 19 58 W	Yards. 901 439 778	Stretch. Neva. Martin.
			N 48 30 W	S 48 30 E		
			S 57 22 W	N 57 22 E		
2	38 43 43.28	76 08 40.15	S 45 41 E	N 45 41 W	877 930 1,115	Hunter. Aye. Stretch.
			N 84 23 E	S 84 23 W		
			N 48 00 E	S 48 09 W		
3	38 43 48.27	76 08 29.34	S 23 38 E	N 23 38 W	852 643 793	Hunter. Aye. Stretch.
			S 83 07 E	N 83 06 W		
			N 43 26 E	S 43 26 W		
4	38 44 04.00	76 08 23.56	S 8 12 E	N 8 12 W	1,325 779 395	Hunter. Aye. Stretch.
			S 38 40 E	N 38 40 W		
			N 83 23 E	S 83 23 W		
5	38 44 02.62	76 08 10.48	S 51 45 W	N 51 44 E	750 579 1,078	Neva. Aye. Wall.
			S 14 05 E	N 14 05 W		
			S 87 40 E	N 87 45 W		
6	38 44 05.04	76 08 06.64	S 51 40 W	N 51 39 E	880 643 983	Neva. Aye. Wall.
			S 3 30 E	N 3 30 W		
			S 82 46 E	N 82 46 W		
7	38 43 49.83	76 07 54.60	N 59 23 E	S 59 24 W	764 642 1,037	Wall. Stretch. Robertson.
			N 35 26 W	S 35 26 E		
			N 59 04 W	S 59 04 E		
8	38 43 51.61	76 08 07.14	N 71 36 E	S 71 36 W	1,042 465 732	Wall. Stretch. Robertson.
			N 5 05 W	S 5 05 E		
			N 49 43 W	S 49 43 E		
9	38 43 50.98	76 08 15.40	N 73 49 E	S 73 49 W	1,257 516 599	Wall. Stretch. Robertson.
			N 20 04 E	S 20 04 W		
			N 34 31 W	S 34 31 E		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

JOHNSTON.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 43 53.00	76 07 41.02	N 35 11 E N 3 37 W N 60 20 W	S 35 12 W S 3 37 E S 60 20 E	1,551 648 842	Camden. May. Stretch.
2	38 44 05.14	76 07 43.44	N 67 46 E N 5 31 E N 80 24 W	S 67 46 W S 5 31 W S 80 24 E	1,089 239 667	Blossom. May. Stretch.
3	38 44 13.09	76 07 32.32	S 43 29 W S 9 58 E N 78 35 E	N 43 29 E N 9 58 W S 78 36 W	1,260 401 729	Aye. Wall. Blossom
4	38 44 06.96	76 07 27.20	N 58 48 E N 3 51 E S 87 10 W	S 58 49 W S 3 51 W N 87 09 E	678 575 1,098	Blossom. Peebee. Stretch.

CAMDEN POINT.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	Forward	Back	Yards.	U. S. C. & G. S. triangulation station
1	38 44 16.20	76 07 14.46	N 21 37 E N 48 40 W S 79 55 W	S 21 37 W S 48 40 E N 79 54 E	522 397 753	Camden. Peebee. May.
2	38 44 17.27	76 07 20.14	N 37 19 E N 33 13 W S 73 52 W	S 37 19 W S 33 13 E N 73 52 E	564 270 617	Camden. Peebee. May.
3	38 44 36.25	76 07 13.58	N 24 00 W S 63 17 W S 19 04 E	S 24 00 E N 63 17 E N 19 04 W	652 143 674	Stab. Neck. Blossom.
4	38 44 35.32	76 07 08.40	N 32 40 W S 82 56 W S 07 50 E	S 32 40 E N 82 56 E N 07 50 W	745 267 611	Stab. Neck. Blossom.

WATERMELON POINT.

(Tred Avon River—Chart No. 34.)

Corner of bar	Latitude	Longitude	Forward	Back	Yards.	U. S. C. & G. S. triangulation station
1	38 44 53.40	76 07 12.58	S 10 30 E S 85 08 E N 29 47 E	N 10 30 W N 85 08 W S 29 47 W	782 297 705	Camden. Gash. Melon.
2	38 44 53.76	76 07 17.54	S 19 18 E S 85 00 E N 38 44 E	N 19 18 W N 85 00 W S 38 44 W	828 430 770	Camden. Gash. Melon.
3	38 45 22.30	76 07 04.92	S 34 22 W S 22 15 E N 73 00 E	N 34 22 E N 22 15 W S 73 00 W	496 392 666	Water. Melon. Bateman.
4	38 45 19.90	76 07 01.18	S 40 03 W S 09 58 E N 62 52 E	N 40 02 E N 09 57 W S 62 52 W	502 285 604	Water. Melon. Bateman.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

HOPKINS.

(Island Creek—Charts Nos. 34 and 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 39' 25.86"	76° 09' 21.68"	N 34 54 W	S 34 54 E	Yards. 744 2,750 3,680	Enter. Choptank River Light. Castle.
			S 86 59 W	N 86 58 E		
			S 17 57 W	N 17 56 E		
2	38° 39' 39.52"	76° 09' 43.38"	N 41 52 W	S 41 53 E	1,512 2,256 4,000	Boone. Choptank River Light. Castle.
			S 74 26 W	N 74 25 E		
			S 8 03 W	N 8 02 E		
Thence from corner No. 2 along the mean low-water line of the shore to corner No. 3, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
3	38° 39' 43.22"	76° 09' 32.62"	S 37 26 E	N 37 25 W	530 945 1,729	Landeye. Berry. Jay.
			S 85 18 E	N 85 17 W		
			N 86 39 E	S 86 40 W		
4	38° 39' 35.08"	76° 09' 09.60"	N 59 26 E	S 59 26 W	387 1,147 803	Berry. Delahay. Enter.
			N 46 58 E	S 46 58 W		
			N 68 07 W	S 68 08 E		
Thence from corner No. 4 along the mean low-water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						

WILLIS.

(Island Creek—Charts No. 34 and 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 39' 47.13"	76° 09' 04.78"	S 36 53 W	N 36 52 E	Yards. 691 294 270	Landeye. Berry. Straw.
			S 44 32 E	N 44 31 W		
			N 53 55 E	S 53 55 W		
2	38° 39' 48.80"	76° 09' 19.60"	S 2 07 W	N 2 07 E	609 654 619	Landeye. Berry. Straw.
			S 66 02 E	N 66 02 W		
			N 80 26 E	S 80 26 W		
3	38° 39' 52.46"	76° 09' 18.72"	S 3 35 W	N 3 35 E	734 694 587	Landeye. Berry. Straw.
			S 55 53 E	N 55 53 W		
			S 88 00 E	N 87 59 W		
Thence from corner No. 3 along the mean low-water line of the shore to corner No. 4, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
4	38° 39' 51.36"	76° 09' 03.92"	S 32 10 W	N 32 10 E	821 397 982	Landeye. Berry. Jay.
			S 27 30 E	N 27 30 W		
			N 79 49 E	S 79 49 W		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

ISLAND CREEK.

(Island Creek—Charts Nos. 34 and 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station	
			Forward	Back			
	° ' "	° ' "	° ' "	° ' "	Yards.		
1	38 39 34.20	76 08 45.72	N 38 41 E N 14 19 E N 25 38 W	S 38 41 W S 14 19 W S 25 38 E	1,219 839 659	Kent. Delahay. Straw.	
2	38 39 51.85	76 08 56.52	S 76 17 W S 1 50 W S 76 08 E	N 76 17 E N 1 50 E N 76 08 W	1,123 369 794	Enter. Berry. Jay.	
	Thence from corner No. 2 along the mean low water line of the shore to corner No. 3, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
3	38 40 01.02	76 08 45.80	S 23 35 W S 44 19 E S 76 15 E	N 23 35 E N 44 18 W N 76 14 W	739 098 1,051	Berry. Jay. Mean.	
4	38 40 00.84	76 08 39.00	S 35 18 W S 31 57 E S 73 50 E	N 35 18 E N 31 57 W N 73 49 W	823 582 876	Berry. Jay. Mean.	
	Thence from corner No. 4 along the mean low water line of the shore to corner No. 5, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
5	38 40 00.68	76 08 28.02	S 48 50 W S 02 03 E S 66 35 E	N 48 58 E N 02 03 W N 66 35 W	1,051 488 600	Berry. Jay. Mean.	
6	38 40 02.45	76 08 21.56	S 52 13 W S 15 39 W S 51 52 E	N 52 13 E N 15 39 E N 51 52 W	1,184 570 482	Berry. Jay. Mean.	
	Thence from corner No. 6 along the mean low water line of the shore to corner No. 7, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
7	38 40 06.18	76 08 12.61	S 18 39 E N 89 13 E N 34 18 E	N 18 39 W S 89 13 W S 34 18 W	447 471 424	Mean. Maslin. Harry.	
8	38 40 01.04	76 08 02.30	N 03 40 W N 83 08 W S 52 57 W	S 03 40 E S 83 08 E N 52 57 E	525 388 830	Harry. Kent. Jay.	
	Thence from corner No. 8 along the mean low water line of the shore to corner No. 9, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
9	38 39 53.70	76 08 02.25	N 24 46 E N 52 48 W S 69 10 W	S 24 46 W S 52 48 E N 69 10 E	470 487 711	Maslin. Kent. Jay.	
10	38 39 46.72	76 08 04.80	N 15 17 W N 31 09 W S 88 21 W	S 15 17 E S 31 09 E N 88 21 E	241 619 597	Mean. Kent. Jay.	
	Thence from corner No. 10 along the mean low water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

MATTHEWS.

(Island Creek—Charts Nos. 34 and 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / '	° / '	Yards.	
1	38 40 10.06	76 07 57.76	N 33 03 E	S 33 04 W	690	Charles. Harry. Kent.
			N 34 59 W	S 34 59 E	268	
			S 63 01 W	N 63 01 E	568	
2	38 40 11.20	76 07 59.18	N 37 25 E	S 27 25 W	680	Charles. Harry. Kent.
			N 32 39 W	S 32 39 E	214	
			S 57 42 W	N 57 42 E	554	
3	38 40 22.80	76 07 47.98	S 18 01 W	N 18 01 E	583	Maslin. Healey. Potato.
			S 53 52 E	N 53 52 W	358	
			N 66 43 E	S 66 43 W	650	
4	38 40 19.60	76 07 41.18	N 48 49 E	S 48 40 W	553	Potato. Charles. Harry.
			N 12 12 W	S 12 12 E	272	
			S 80 12 W	N 80 12 E	600	

Thence from corner No. 4 along the mean low water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.

OLD ORCHARD.

(Miles River—Chart No. 34.)

	Latitude	Longitude	Forward	Back	Yards.	
1	38 46 44.08	76 12 00.46	S 40 29 E	N 40 29 W	540	Stony. Gibbs. Millwind.
			S 78 19 E	N 78 18 W	2,200	
			N 29 02 W	S 29 02 E	2,200	
2	38 47 00.58	76 12 34.28	N 20 42 W	S 20 42 E	1,175	Millwind. St. Michaels Water Tank. Stony.
			N 86 12 W	S 86 12 E	1,576	
			S 39 02 E	N 39 02 W	1,597	
3	38 47 13.00	76 12 26.40	N 32 54 W	S 32 54 E	1,147	Millwind. St. Michaels Water Tank. Stony.
			S 88 59 W	N 88 59 E	1,780	
			S 30 06 E	N 30 06 W	1,590	
4	38 46 50.94	76 11 53.28	S 7 08 W	N 7 08 E	617	Stony. Gibbs. Fair.
			S 69 31 E	N 69 31 W	1,855	
			N 2 35 E	S 2 35 W	2,085	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

GIBSONS FLATS.

(Miles River—Chart No. 34).

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / //	° / //	° /	° /	Yards.	
1	38 46 21.94	76 11.00.00	S 33 18 W S 71 49 E N 45 12 E	N 33 18 E N 71 49 W S 45 12 W	705 1,015 467	Maiden. Long. Gibbs.
2	38 46 53.50	76 11 46.12	S 20 50 W S 64 36 E N 10 37 E	N 20 50 E N 64 35 W S 10 37 W	747 1,715 1,746	Stony. Gibbs. Leeds.
3	38 47 02.06	76 12 00.00	N 26 13 E N 44 57 W S 5 40 E	S 26 13 W S 44 58 E N 5 40 W	1,557 1,868 1,023	Leeds. Millwind. Stony.
4	38 47 11.24	76 11 37.88	N 61 18 W S 20 26 W S 44 56 E	S 61 19 E N 20 26 E N 44 56 W	2,171 1,383 1,884	Millwind. Stony. Gibbs.
5	38 47 01.30	76 11 27.66	N 57 37 W S 38 04 W S 46 45 E	S 57 38 E N 38 04 E N 46 44 W	2,573 1,220 1,457	Millwind. Stony. Gibbs.
6	38 46 50.92	76 11 00.00	N 59 15 W S 67 36 W S 27 03 E	S 59 16 E N 67 36 E N 27 03 W	3,380 1,004 728	Millwind. Stony. Gibbs.

BAZZLES HILL.

(Miles River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / //	° / //	° /	° /	Yards.	
1	38 46 21.94	76 11 00.00	S 33 18 W S 71 49 E N 45 12 E	N 33 18 E N 71 49 W S 45 12 W	705 1,015 467	Maiden. Long. Gibbs.
2	38 46 44.98	76 12 09.46	S 40 26 E S 78 19 E N 29 02 W	N 40 29 W N 78 18 W S 29 02 E	540 2,200 2,206	Stony. Gibbs. Millwind.
3	38 46 50.94	76 11 53.28	S 7 08 W S 69 31 E N 2 35 E	N 7 08 E N 69 31 W S 2 35 W	617 1,855 2,085	Stony. Gibbs. Fair.
4	38 46 53.50	76 11 46.12	S 20 50 W S 64 36 E N 10 37 E	N 20 50 E N 64 35 W S 10 37 W	747 1,715 1,746	Stony. Gibbs. Leeds.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

LONG POINT.

(Miles River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38° 45' 44".84	76° 10' 37".48	N 56° 02' W	S 56° 03' E	Yards.	Maiden. Barnett. Comb.
			S 85° 09' W	N 85° 08' E	1,184	
			S 85° 05' E	N 85° 05' W	629	
2	38° 45' 50".45	76° 10' 47".28	N 56° 52' W	S 56° 52' E	864	Maiden. Barnett. Comb.
			S 56° 38' W	N 56° 37' E	441	
			S 78° 07' E	N 78° 06' W	1,370	
3	38° 45' 57".80	76° 11' 00".00	N 59° 56' W	S 59° 56' E	447	Maiden. Barnett. Comb.
			S 3° 46' W	N 3° 46' E	491	
			S 72° 28' E	N 72° 28' W	1,760	
4	38° 46' 21".94	76° 11' 00".00	S 33° 18' W	N 33° 18' E	705	Maiden. Long. Gibbs.
			S 71° 49' E	N 71° 49' W	1,015	
			N 45° 12' E	S 45° 12' W	407	
5	38° 46' 01".44	76° 10' 23".04	S 47° 03' E	N 47° 03' W	958	Comb. Long. Maiden.
			N 1° 39' W	S 1° 39' E	374	
			N 85° 44' W	S 85° 45' E	1,397	

BARNETT.

(Miles River—Chart No. 34.)

1	38° 45' 40".04	76° 10' 57".24	S 38° 36' E	N 38° 36' W	Yards.	Hall. Comb. Barnett.
			N 87° 33' E	S 87° 33' W	1,159	
			N 44° 04' W	S 44° 04' E	1,605	
2	38° 45' 46".02	76° 11' 03".90	S 37° 15' E	N 37° 15' W	117	Barnett. Long. Maiden.
			N 50° 03' E	S 50° 04' W	1,393	
			N 24° 35' W	S 24° 35' E	684	
3	38° 45' 57".80	76° 11' 00".00	N 59° 56' W	S 59° 56' E	447	Maiden. Barnett. Comb.
			S 3° 46' W	N 3° 46' E	491	
			S 72° 28' E	N 72° 28' W	1,760	
4	38° 45' 50".45	76° 10' 47".28	N 56° 52' W	S 56° 52' E	864	Maiden. Barnett. Comb.
			S 56° 38' W	N 56° 37' E	441	
			S 78° 07' E	N 78° 06' W	1,370	

BOUNDARIES OF NATURAL OYSTER BARS—continued.

COX.

(Miles River—Chart No. 34.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 46 16.13	76 09 22.88	N 27 10 E	S 27 10 W	Yards. 1,052 911 1,603	Whit. Hunting. Long.
			N 64 12 W	S 64 13 E		
			S 85 40 W	N 85 40 E		
2	38 46 28.88	76 09 26.79	S 24 11 W	N 24 11 E	1,074 347 1,056	Ham. Kirk. McConnell.
			S 33 37 E	N 33 37 W		
			N 71 02 E	S 71 03 W		
3	38 46 30.98	76 09 19.61	S 30 56 W	N 30 56 E	1,225 360 854	Ham. Kirk. McConnell.
			S 00 25 E	N 00 25 W		
			N 71 24 E	S 71 24 W		
4	38 46 24.46	76 09 07.19	N 5 46 E	S 5 46 W	658 756 1,857	Whit. Spree. Beg.
			N 73 35 W	S 73 35 E		
			S 88 03 W	N 88 02 E		
5	38 46 20.94	76 09 14.50	N 47 50 E	S 47 50 W	911 816 627	McConnell. Whit. Spree.
			N 18 31 E	S 18 31 W		
			N 57 59 W	S 57 59 E		

Thence from corner No. 5 along the mean low-water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.

CHLORA POINT.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
1	38 37 17.02	76 08 23.70	S 45 23 W	N 45 22 E	Yards. 3,580 1,929 2,994	Le Compte. Toot. Howells.
			S 3 16 W	N 3 16 E		
			S 63 42 E	N 63 41 W		
Thence along county boundary as delineated on chart No. 35 to corner No. 2.						
2	38 37 52.86	76 09 25.36	N 47 35 E	S 47 36 W	1,106 3,304 1,538	Chlora. Landeye. Large water tank.
			N 2 15 E	S 2 15 W		
			S 64 59 W	N 64 58 E		
3	38 38 14.98	76 08 54.49	N 57 03 W	S 57 04 E	4,131 2,160 3,944	Choptank River Light. Castle. Toot.
			S 59 05 W	N 59 04 E		
			S 10 18 E	N 10 18 W		
4	38 37 35.40	76 08 18.40	S 52 35 E	N 52 34 W	3,203 1,516 1,641	Howells. Trappe. Chlora.
			N 82 34 E	S 82 35 W		
			N 35 34 W	S 35 35 E		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

BEACONS.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 37 13.20	76 06 50.78	N 40 47 W	S 40 48 E	1,248	Trappe. Chlora. Toot.
			N 57 31 W	S 57 33 E	3,879	
			S 55 02 W	N 55 01 E	3,134	
2	38 37 21.58	76 07 45.12	S 48 20 E	N 48 19 W	2,228	Howells. Trappe. Chlora.
			N 43 14 E	S 43 15 W	909	
			N 45 33 W	S 45 33 E	2,571	
3	38 37 58.10	76 07 52.94	N 70 44 W	S 70 44 E	1,725	Chlora. Toot. Howells.
			S 15 36 W	N 15 35 E	3,437	
			S 34 36 E	N 34 35 W	3,295	
4	38 38 06.04	76 07 40.13	N 81 52 W	S 81 51 E	1,987	Chlora. Toot. Howells.
			S 19 20 W	N 19 20 E	3,813	
			S 27 03 E	N 27 02 W	3,368	
Thence from corner No. 4 along the mean low-water line of the shore to corner No. 5, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
5	38 37 41.21	76 07 21.59	N 65 08 W	S 65 09 E	2,709	Chlora. Large water tank. Toot.
			S 86 52 W	N 86 50 E	4,674	
			S 32 36 W	N 32 36 E	3,253	
6	38 37 36.75	76 07 01.72	N 20 49 E	S 20 49 W	684	Gis. Trappe. Howard.
			N 74 00 W	S 74 01 E	547	
			S 1 21 W	N 1 21 E	5,098	
Thence from corner No. 6 along the mean low-water line of the shore to corner No. 1, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						

LA TRAPPE.

(La Trappe Creek—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 37 49.10	76 06 57.42	N 19 22 E	S 19 22 W	832	Rice. Lan. Trappe.
			N 33 35 W	S 33 35 E	546	
			S 67 24 W	N 67 24 E	692	
2	38 38 00.36	76 07 06.94	S 9 50 E	N 9 50 W	808	Grubin. Gis. Rice.
			S 67 35 E	N 67 35 W	412	
			N 52 26 E	S 52 27 W	666	
Thence from corner No. 2 along the mean low-water line of the shore to corner No. 3, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
3	38 38 02.40	76 07 03.16	S 2 31 E	N 2 31 W	866	Grubin. Gis. Rice.
			S 51 12 E	N 51 11 W	391	
			N 51 46 E	S 51 46 W	545	
4	38 38 18.30	76 06 35.39	S 57 01 W	N 57 01 E	366	Rice. Trappe. Inez.
			S 44 20 W	N 44 20 E	1,749	
			S 17 42 W	N 17 42 E	647	
5	38 38 11.96	76 06 31.00	N 87 59 W	S 87 59 E	423	Rice. Lan. Inez.
			S 72 26 W	N 72 26 E	1,050	
			S 37 51 W	N 37 51 E	510	

BOUNDARIES OF NATURAL OYSTER BARS—CONTINUED.

LA TRAPPE—Continued.

(La Trappe Creek—Chart No. 35)—Continued.

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
6	38 38 00.08	76 06 53.96	N 23 58 E N 77 56 W S 14 37 W	S 23 58 W S 77 57 E N 14 37 E	455 402 814	Rice. Lan. Grubin.
7	38 37 49.40	76 06 52.64	N 10 56 E N 43 56 W S 70 10 W	S 10 56 W S 43 57 E N 70 10 E	700 617 815	Rice. Lan. Trappe.

HOWELLS POINT.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° ' "	° ' "	° ' "	° ' "	Yards.	
1	38 36 08.62	76 06 41.68	N 60 42 E N 00 25 W N 82 15 W	S 60 43 W S 00 25 E S 82 16 E	3,153 680 2,827	Red. Howells. Toot.
2	38 36 17.00	76 06 47.70	N 60 31 E N 11 41 E N 87 52 W	S 60 32 W S 11 41 W S 87 53 E	3,163 712 2,652	Red. Howells. Toot.
3	38 36 21.46	76 07 24.53	S 63 26 E N 63 57 E N 1 39 E	N 63 25 W S 63 57 W S 1 39 W	3,578 1,246 2,600	Command. Howells. Trappe.
4	38 36 38.20	76 07 55.21	S 22 33 E S 80 28 E N 22 43 E	N 22 32 W N 80 27 W S 22 43 W	3,380 1,030 2,303	Howard. Howells. Trappe.
5	38 37 04.47	76 07 41.54	S 13 07 E S 60 04 E N 23 04 E	N 13 07 W N 60 03 W S 23 05 W	4,115 1,810 1,340	Howard. Howells. Trappe.
6	38 36 55.18	76 06 52.64	N 26 16 W S 64 44 W S 5 34 W	S 26 16 E N 64 44 E N 5 34 E	1,731 2,785 3,713	Trappe. Toot. Howard.
Thence from corner No. 6 along the mean low-water line of the shore to corner No. 7, excluding any creek, cove, or inlet less than 100 yards in width at its mouth at low tide.						
7	38 36 23.08	76 06 39.78	N 68 35 E N 7 34 W S 87 52 W	S 68 36 W S 7 34 E N 87 51 E	2,890 496 2,862	Red. Howells. Toot.
8	38 36 30.34	76 06 37.90	S 14 43 W S 45 59 E N 72 56 E	N 14 43 E N 45 59 W S 72 57 W	2,954 2,734 2,762	Howard. Command. Red.
9	38 36 13.20	76 06 25.27	N 58 57 E N 28 33 W N 86 01 W	S 58 58 W S 28 34 E S 86 02 E	2,692 940 3,251	Red. Howells. Toot.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

DICKINSON.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / "	° / "	° / "	° / "	Yards.	
1	38 35 58.78	76 05 55.86	N 39 11 E N 43 06 W S 46 06 W	S 39 12 W S 43 06 E N 46 05 E	2,419 1,797 2,586	Red. Howells. Howard.
2	38 36 46.24	76 06 33.60	S 38 25 W S 14 17 W N 83 48 E	N 38 25 E N 14 17 E S 83 49 W	369 3,502 2,543	Howells. Howard. Red.
3	38 36 55.65	76 06 31.08	S 26 00 W S 14 05 W S 80 00 E	N 26 00 E N 14 05 E N 88 59 W	675 3,825 2,401	Howells. Howard. Red.
4	38 36 20.84	76 05 41.78	N 54 24 E N 80 37 W S 38 12 W	S 54 24 W S 80 38 E N 38 11 E	1,422 1,622 3,615	Red. Howells. Howard.
5	38 36 40.84	76 04 43.15	S 88 03 W S 25 25 W S 49 18 E	N 88 02 E N 25 25 E N 49 17 W	3,153 2,495 3,215	Howells. Command. Double.
6	38 36 24.38	76 04 53.36	N 81 10 W S 25 14 W S 60 20 E	S 81 11 E N 25 14 E N 60 19 W	2,916 1,878 3,117	Howells. Command. Double.
7	38 36 10.60	76 05 12.54	N 71 30 E N 14 32 E N 68 58 W	S 71 31 W S 14 32 W S 68 59 E	3,391 1,526 2,544	Double. Red. Howells.
8	38 36 09.56	76 05 20.90	Thence along county boundary as delineated on chart No. 35 to corner No. 8.			
			N 26 40 E N 04 34 W S 50 39 W	S 26 40 W S 64 35 E N 50 38 E	1,693 2,208 3,101	Red. Howells. Howard.
			Thence along county boundary as delineated on chart No. 35 to corner No. 1.			

KIRBY.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	Forward	Back	Yards.	U. S. C. & G. S. triangulation station
1	38 35 36.96	76 04 11.95	S 87 00 W S 36 03 W N 87 58 E	N 86 59 E N 36 03 E S 87 58 W	1,900 1,289 1,613	Command. Cambridge. Double.
			Thence along county boundary as delineated on Chart No. 35 to corner No. 2.			
2	38 36 10.60	76 05 12.54	N 71 30 E N 14 32 E N 68 58 W	S 71 31 W S 14 32 W S 68 59 E	3,391 1,526 2,544	Double. Red. Howells.
3	38 36 24.38	76 04 53.36	N 81 10 W S 25 14 W S 60 20 E	S 81 11 E N 25 14 E N 60 19 W	2,916 1,878 3,117	Howells. Command. Double.
4	38 35 53.98	76 03 49.22	N 41 49 W S 76 36 W S 40 05 W	S 41 48 E N 76 35 E N 40 05 E	2,708 1,714 2,113	Red. Hambrooks Bar Beacon. Cambridge.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

SCRAPING LINE.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
			° / ' "	° / ' "		
1	38 35 03.79	76 03 26.50	S 88 27 E	N 88 26 W	1,670	Boling.
			N 19 15 E	S 19 16 W	1,246	Double.
			N 60 16 W	S 60 17 E	2,618	Hambrooks Bar Beacon.
2	38 35 04.16	76 03 51.00	S 88 34 E	N 88 33 W	2,317	Boling.
			N 42 16 E	S 42 17 W	1,573	Double.
			N 51 38 W	S 51 38 E	2,067	Hambrooks Bar Beacon.
Thence along county boundary as delineated on Chart No. 35 to corner No. 3.						
3	38 35 19.74	76 04 02.77	S 77 20 E	N 77 28 W	2,601	Boling.
			N 05 01 E	S 05 01 W	1,510	Double.
			N 24 38 W	S 24 38 E	3,512	Red.
4	38 35 11.64	76 03 14.60	S 77 06 E	N 77 05 W	1,388	Boling.
			N 5 54 E	S 5 54 W	016	Double.
			N 08 16 W	S 08 17 E	2,781	Hambrooks Bar Beacon.

BOLINGBROKE SAND.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	Forward	Back	Yards.			
							° / ' "	° / ' "
							1	38 34 34.04
N 44 54 E	S 44 55 W	1,353	Boling.					
N 7 56 W	S 7 56 E	2,200	Double.					
Thence along county boundary as delineated on Chart No. 35 to corner No. 2.								
2	38 34 40.44	76 03 12.48	N 85 32 E	S 85 33 W	2,314	Rear.		
			N 00 13 E	S 00 13 W	1,404	Boling.		
			N 1 07 E	S 1 07 W	1,993	Double.		
3	38 35 13.08	76 02 45.08	S 85 34 W	N 85 32 E	3,068	Cambridge.		
			S 19 14 W	N 19 14 E	2,497	Shoal.		
			S 57 53 E	N 57 53 W	675	Boling.		
4	38 35 03.27	76 02 35.10	N 88 24 W	S 88 25 E	3,323	Cambridge.		
			S 28 12 W	N 28 12 E	2,299	Shoal.		
			S 05 55 E	N 05 55 W	1,444	Rear.		

THE BLACK BUOY.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	Forward	Back	Yards.			
							° / ' "	° / ' "
							1	38 34 18.74
N 20 53 E	S 20 53 W	977	Rear.					
N 24 13 W	S 24 13 E	1,616	Boling.					
Thence along county boundary as delineated on Chart No. 35 to corner No. 2.								
2	38 34 24.13	76 02 28.08	N 57 10 E	S 57 10 W	1,347	Rear.		
			N 5 22 E	S 5 22 W	1,298	Boling.		
			S 00 58 W	N 00 58 E	1,450	Shoal.		
3	38 34 46.00	76 02 20.24	S 89 35 E	N 89 35 W	925	Rear.		
			N 8 51 W	S 8 51 E	562	Boling.		
			N 79 42 W	S 79 43 E	3,776	Cambridge.		
4	38 34 32.08	76 01 52.26	N 84 15 E	S 84 16 W	2,403	Whitehall.		
			N 21 41 E	S 21 41 W	498	Rear.		
			N 38 55 W	S 38 55 E	1,317	Boling.		

BOUNDARIES OF NATURAL OYSTER BARS—continued.

SUGAR LOAF.

(Middle Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / "	° / "	° / "	° / "	Yards.	
1	38 34 18.74	76 01 58.46	S 49 58 E N 20 53 E N 24 13 W	N 49 58 W S 20 53 W S 24 13 E	926 977 1,616	Ferry. Rear. Boling.
2	38 34 32.08	76 01 52.26	N 84 15 E N 21 41 E N 38 55 W	S 84 16 W S 21 41 W S 38 55 E	2,403 498 1,317	Whitehall. Rear. Boling.
3	38 34 26.46	76 01 27.88	N 76 09 E N 35 17 W S 74 37 W	S 76 10 W S 35 17 E N 74 36 E	1,798 799 2,960	Whitehall. Rear. Shoal.
4	38 34 20.32	76 01 26.22	N 69 29 E N 30 28 W S 78 46 W	S 69 30 W S 30 28 E N 78 45 E	1,820 996 2,967	Whitehall. Rear. Shoal.
Thence along county boundary as delineated on Chart No. 35						to corner No. 1.

CHANCELLOR POINT.

(Upper Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / "	° / "	° / "	° / "	Yards.	
1	38 34 20.32	76 01 26.22	N 69 29 E N 30 28 W S 78 46 W	S 69 30 W S 30 28 E N 78 45 E	1,820 996 2,967	Whitehall. Rear. Shoal.
2	38 34 26.46	76 01 27.88	N 76 09 E N 35 17 W S 74 37 W	S 76 10 W S 35 17 E N 74 36 E	1,798 799 2,960	Whitehall. Rear. Shoal.
3	38 34 42.38	76 01 18.55	S 14 00 W S 85 57 E N 43 53 E	N 14 00 E N 85 56 W S 43 54 W	1,436 1,503 2,824	Ferry. Whitehall. Duck.
4	38 35 05.22	76 01 23.00	S 6 03 W S 61 32 E N 58 38 E	N 6 03 E N 61 32 W S 58 39 W	2,175 1,839 2,430	Ferry. Whitehall. Duck.
5	38 35 07.06	76 00 48.15	S 27 23 W S 36 36 E N 43 46 E	N 27 22 E N 36 35 W S 43 47 W	2,595 1,169 1,667	Ferry. Whitehall. Duck.
6	38 34 39.53	76 01 03.10	N 1 17 W N 79 17 W S 30 15 W	S 1 17 E S 79 18 E N 30 15 E	1,731 1,137 1,502	Barber. Rear. Ferry.
Thence along county boundary as delineated on chart No. 35						to corner No. 1.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

BRITISH HARBOR.

(Upper Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 35 14.68	76 00 30.08	N 72 03 E N 35 29 E N 59 07 W	S 72 04 W S 35 29 W S 59 07 E	3,994 1,162 1,063	Gander. Duck. Barber.
2	38 35 25.36	76 00 55.80	S 29 58 E S 64 00 E N 66 36 E	N 29 57 W N 63 59 W S 66 37 W	1,796 1,775 1,476	Whitehall. Shell. Duck.
3	38 35 32.84	76 00 48.36	S 21 09 E S 53 37 E N 73 54 E	N 21 09 W N 53 36 W S 73 55 W	1,939 1,737 1,206	Whitehall. Shell. Duck.
4	38 35 38.06	76 00 19.50	S 52 11 W S 27 44 E S 66 47 E	N 52 11 E N 27 43 W N 66 46 W	2,875 1,363 2,671	Rear. Shell. Chief.
5	38 35 33.88	76 00 01.76	S 59 24 W S 8 46 E S 65 19 E	N 59 23 E N 8 46 W N 65 18 W	3,185 1,078 2,184	Rear. Shell. Chief.
6	38 35 29.35	75 59 58.01	N 77 38 E N 21 05 W N 88 21 W	S 77 39 W S 21 05 E S 88 21 E	2,144 484 1,762	Gander. Duck. Barber.
Thence along county boundary as delineated on chart No. 35 to corner No. 1.						

GOOSE POINT.

(Upper Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station
			Forward	Back		
	° / ' "	° / ' "	° / ' "	° / ' "	Yards.	
1	38 35 29.35	75 59 58.01	N 77 38 E N 21 05 W N 88 21 W	S 77 39 W S 21 05 E S 88 21 E	2,144 484 1,762	Gander. Duck. Barber.
2	38 35 33.88	76 00 01.76	S 59 24 W S 8 46 E S 65 19 E	N 59 23 E N 8 46 W N 65 18 W	3,185 1,078 2,184	Rear. Shell. Chief.
3	38 35 47.52	75 59 45.76	S 48 42 E S 85 02 E N 59 11 E	N 48 42 W N 85 01 W S 59 12 W	2,078 1,777 2,385	Chief. Gander. War.
4	38 35 46.40	75 59 12.80	S 27 19 E S 82 40 E N 43 01 E	N 27 19 W N 82 39 W S 43 02 W	1,502 906 1,724	Chief. Gander. War.

Survey of Oyster Bars, Talbot County, Md.

BOUNDARIES OF NATURAL OYSTER BARS—continued.

MILL DAM.

(Upper Choptank River—Chart No. 35.)

Corner of bar	Latitude	Longitude	True bearing		Distance	U. S. C. & G. S. triangulation station	
			Forward	Back			
1	38° 35' 46.40"	75° 59' 12.80"	S 27 19 E	N 27 19 W	Yards.		
			S 82 40 E	N 82 39 W	1,502	Chief.	
			N 43 01 E	S 43 02 W	906	Gander.	
2	38° 36' 00.58"	75° 59' 35.54"	S 35 28 E	N 35 28 W	1,724	War.	
			S 68 24 E	N 68 23 W	2,224	Chief.	
			N 66 16 E	S 66 17 W	1,613	Gander.	
3	38° 36' 19.46"	75° 59' 25.95"	S 45 21 E	N 45 21 W	1,941	War.	
			N 84 34 E	S 84 34 W	1,751	Gander.	
			N 48 42 E	S 48 43 W	1,530	War.	
4	38° 36' 29.37"	75° 59' 02.88"	S 22 06 E	N 22 05 W	1,971	Wick.	
			S 78 18 E	N 78 17 W	1,689	Gander.	
			N 42 00 E	S 42 00 W	933	War.	
5	38° 36' 26.90"	75° 58' 57.27"	S 18 11 E	N 18 11 W	1,300	Wick.	
			S 82 07 E	N 82 07 W	1,559	Gander.	
			N 34 31 E	S 34 31 W	772	War.	
Thence along county boundary as delineated on Chart No. 35 to corner No. 1.						1,274	Wick.

JAMAICA POINT.

(Upper Choptank River—Chart No. 35.)

1	38° 36' 32.47"	75° 58' 58.80"	S 17 32 E	N 17 31 W	Yards.		
			S 69 58 E	N 69 57 W	1,751	Gander.	
			N 41 29 E	S 41 30 W	857	War.	
2	38° 36' 34.74"	75° 59' 10.36"	S 25 31 E	N 25 30 W	1,150	Wick.	
			S 71 34 E	N 71 34 W	1,935	Gander.	
			N 53 40 E	S 53 41 W	1,171	War.	
3	38° 36' 43.05"	75° 59' 07.98"	S 20 49 E	N 20 49 W	1,325	Wick.	
			S 58 11 E	N 58 10 W	2,168	Gander.	
			N 63 19 E	S 63 19 W	1,234	War.	
4	38° 36' 41.02"	75° 58' 56.60"	S 13 28 E	N 13 28 W	1,124	Wick.	
			S 52 05 E	N 52 04 W	2,013	Gander.	
			N 50 50 E	S 50 50 W	947	War.	
Thence along county boundary as delineated on Chart No. 35 to corner No. 1.						908	Wick.

SPAR BUOY.

(Upper Choptank River—Chart No. 35.)

1	38° 37' 46.60"	75° 58' 57.78"	N 21 41 E	S 21 42 W	Yards.		
			N 61 00 W	S 61 00 E	1,322	Blind.	
			S 58 18 W	N 58 18 E	732	Raccoon.	
2	38° 38' 03.92"	75° 58' 55.44"	S 41 13 W	N 41 12 E	1,150	Bank.	
			S 50 52 E	N 50 52 W	1,580	Bank.	
			N 86 59 E	S 87 00 W	1,300	House.	
3	38° 38' 07.18"	75° 58' 37.02"	N 42 31 E	S 42 22 W	1,990	Hut.	
			N 6 26 W	S 6 26 E	1,506	Up.	
			S 74 06 W	N 74 05 E	538	Blind.	
Thence along county boundary as delineated on Chart No. 35 to corner No. 1.						1,237	Raccoon.

APPENDIXES.

APPENDIX A.—LAWS RELATING TO THE COOPERATION OF THE COAST AND GEODETIC SURVEY AND BUREAU OF FISHERIES WITH THE MARYLAND SHELL FISH COMMISSION.

The work of the Coast and Geodetic Survey and of the Bureau of Fisheries, in cooperation with the Maryland Shell Fish Commission, in surveying the oyster bars, establishing permanent landmarks at triangulation stations, and preparing for publication the necessary charts and technical and legal descriptions of boundaries and landmarks shown on these charts, has been executed in compliance with a request from the governor of the State of Maryland to the Secretary of Commerce and Labor, and by the authority of the following laws of the United States and Maryland:

[Act of Congress approved May 26, 1906.]

AN ACT To authorize the Secretary of Commerce and Labor to cooperate, through the Bureau of the Coast and Geodetic Survey and the Bureau of Fisheries, with the shellfish commissioners of the State of Maryland in making surveys of the natural oyster beds, bars, and rocks in the waters within the State of Maryland.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the Secretary of Commerce and Labor be, and he is hereby, authorized and directed, upon the request of the governor of the State of Maryland, to designate such officers, experts, and employees of the Bureau of the Coast and Geodetic Survey and of the Bureau of Fisheries as may be necessary to cooperate with the Maryland State board of shellfish commissioners in making a survey of and locating the natural oyster beds, bars, and rocks in the waters within the State of Maryland; and the Secretary of Commerce and Labor is hereby authorized and directed to furnish to the officers, experts, and employees of said Bureaus so detailed as aforesaid such instruments, appliances, and steam launches as may be necessary to make the survey aforesaid, and the Secretary of Commerce and Labor is hereby authorized to have made in the Bureau of the Coast and Geodetic Survey all the plats necessary to show the results of the aforesaid survey and the locations of the said natural oyster beds, bars, and rocks in the waters within the State of Maryland, and to furnish to the board of shellfish commissioners of the State of Maryland such copies as may be necessary, and for this purpose to employ, in the District of Columbia and elsewhere, such technically qualified persons as may be necessary to carry out the purpose of this act.

SEC. 2. That the Secretary of Commerce and Labor is hereby further authorized to have erected or constructed by the officers so detailed as aforesaid, while making such survey, such structures as may be necessary to mark the points of triangulation, so that the same may be used for such future work of the Coast and Geodetic Survey as the said Bureau may be hereafter required to perform in prosecuting the Government coast survey of the navigable waters of the United States located within the State of Maryland.

* * * * *
SEC. 4. That this act shall take effect from the date of its passage.

[Act of Congress approved June 30, 1906.]

AN ACT Making appropriations for sundry civil expenses of the Government for the fiscal year ending June thirtieth, nineteen hundred and seven, and for other purposes.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the following sums be, and the same are hereby, appropriated, for the objects hereinafter expressed, for the fiscal year ending June thirtieth, nineteen hundred and seven, namely: * * *

Survey of Oyster Bars, Talbot County, Md.

COAST AND GEODETIC SURVEY: * * * For any special surveys * * * including the expenditures authorized under Public Act Numbered One hundred and eighty-one, approved May twenty-six, nineteen hundred and six, and contingent expenses incident thereto, five thousand dollars, together with the unexpended balance under this appropriation for nineteen hundred and six and prior years which is hereby reappropriated and made available on this account for the fiscal year nineteen hundred and seven * * *.

[Act of Congress approved March 4, 1907.]

AN ACT Making appropriations for sundry civil expenses of the Government for the fiscal year ending June thirtieth, nineteen hundred and eight, and for other purposes.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the following sums be, and the same are hereby, appropriated, for the objects hereinafter expressed, for the fiscal year ending June thirtieth, nineteen hundred and eight, namely: * * *

COAST AND GEODETIC SURVEY: * * * For any special surveys * * * including expenses of surveys in aid of the shellfish commission of the State of Maryland, to be immediately available and to continue available until expended, twenty-five thousand dollars * * *.

[Act of Congress approved May 27, 1908.]

AN ACT Making appropriations for sundry civil expenses of the Government for the fiscal year ending June thirtieth, nineteen hundred and nine, and for other purposes.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the following sums be, and the same are hereby, appropriated, for the objects hereinafter expressed, for the fiscal year ending June thirtieth, nineteen hundred and nine, namely: * * *

COAST AND GEODETIC SURVEY: * * * For any special surveys * * * including expenses of surveys in aid of the shellfish commission of the State of Maryland, which expenses, including cost of plats and charts, shall not exceed fifteen thousand dollars in any one year, to be immediately available, twenty thousand dollars.

[Act of Congress approved March 4, 1909.]

AN ACT Making appropriation for sundry civil expenses of the Government for the fiscal year ending June thirtieth, nineteen hundred and ten, and for other purposes.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the following sums be, and the same are hereby, appropriated, for the objects hereinafter expressed, for the fiscal year ending June thirtieth, nineteen hundred and ten, namely: * * *

COAST AND GEODETIC SURVEY: * * * For any special surveys * * * including expenses of surveys in aid of the shellfish commission of the State of Maryland, which expenses, including cost of plats and charts, shall not exceed fifteen thousand dollars in any one year, to be immediately available, twenty thousand dollars.

[Act of Congress approved June 25, 1910.]

AN ACT Making appropriations for sundry civil expenses of the Government for the fiscal year ending June thirtieth, nineteen hundred and eleven, and for other purposes.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the following sums be, and the same are hereby, appropriated, for the objects hereinafter expressed, for the fiscal year ending June thirtieth, nineteen hundred and eleven, namely: * * *

COAST AND GEODETIC SURVEY: * * * For any special surveys, * * * including expenses of surveys in aid of the shellfish commission of the State of Maryland, to be immediately available fifteen thousand dollars.

Survey of Oyster Bars, Talbot County, Md.

[Act of Congress approved March 4, 1911.]

AN ACT Making appropriation for sundry civil expenses of the Government for the fiscal year ending June thirtieth, nineteen hundred and twelve, and for other purposes.

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That the following sums be, and the same are hereby, appropriated, for the objects herein-after expressed, for the fiscal year ending June thirtieth, nineteen hundred and twelve, namely: * * *

COAST AND GEODETIC SURVEY: * * * For any special surveys * * * including expenses of surveys in aid of the shellfish commission of the State of Maryland, to be immediately available, thirteen thousand dollars.

[Act of the Legislature of Maryland approved April 2, 1906.]

AN ACT To establish and promote the industry of oyster culture in Maryland, to define and mark natural oyster beds, bars and rocks lying under the waters of this State, to prescribe penalties for the infringement of the provisions of this Act, and * * *

SECTION 1. Be it enacted by the General Assembly of Maryland, That the following sections be, and they are hereby, added to article 72 of the Code of Public General Laws, title "Oysters," * * *

SEC. 86. The Board of Shell Fish Commissioners shall, as soon as practicable after the passage of this Act, cause to be made a true and accurate survey of the natural oyster beds, bars and rocks of this State, said survey to be made with reference to fixed and permanent objects on the shore, giving courses and distances, to be fully described and set out in a written report of said survey, as hereinafter required. A true and accurate delineation of the same shall be made on copies of published maps and charts of the United States coast and geodetic survey, which said copies shall be filed in the office of the said commissioners in the city of Annapolis, and the said commissioners shall further cause to be delineated upon copies of the published maps and charts of the United States coast and geodetic survey, of the largest scale, one copy for each of the counties of this State in the waters of which there are natural oyster beds, bars and rocks, all natural beds, bars and rocks lying within the waters of such county, which maps shall be filed in the offices of the clerks of the Circuit Court for the respective counties wherein the grounds so designated may lie. * * *

SEC. 87. The Governor of this State is hereby requested to ask the assistance of the United States coast and geodetic survey, and of the United States Fish Commissioner, to aid in the carrying out of the provisions of the preceding section.

* * * * *
SEC. 89. As soon as practicable after the first day of April, 1906, the said commissioners shall organize, and shall at once proceed, with the assistance of such person or persons as may be detailed by the United States coast and geodetic survey and the United States Fish Commissioner, to aid them in their work, and of such persons as may be appointed under the preceding section, to have laid out, surveyed and designated on the said charts, the natural beds and bars, and shall cause to be marked and defined as accurately as practicable the limits and boundaries of the natural beds, bars, and rocks as established by said survey, and they shall take true and accurate notes of said survey in writing, and make an accurate report of said survey, setting forth such a description of landmarks as may be necessary to enable the said board, or their successors, to find and ascertain the boundary lines of the said natural oyster beds, bars and rocks, as shown by a delineation on the maps and charts provided in this Act; said report shall be completed and filed in the office of the board in the city of Annapolis within ninety days after the completion of the survey of any county. Said commissioners shall cause the same to be published in pamphlet form, and transmit copies of the same to the Clerks of the Circuit court for the respective counties, where the charts have been filed or directed to be filed as hereinafter provided; the said report to be filed by the clerks of the several counties in a book kept for that purpose. And the said survey and report, when filed, subject to the right of appeal hereafter provided for in this Act, shall be taken in all of the courts of this State as conclusive evidence of the boundaries and limits of all natural oyster beds, bars and rocks, lying within the waters of the county wherein such survey and report are filed, and shall be construed to mean in all of the said courts that there are no natural oyster beds, bars or rocks lying within the waters of the counties wherein such report and survey are filed other than those embraced in the survey authorized by this Act, and that all areas of the Chesapeake Bay and its tributaries within the State of Maryland, not shown in the survey to be natural

oyster beds, bars or rocks shall be construed in all the courts of the State to be barren bottoms and open for disposal by the State for the purpose of private planting or propagation of oysters thereon under the provisions of this Act, provided, that the said survey and report shall not be construed as to affect in any manner the holdings by citizens of this State in any lot which may have been appropriated or taken up under the laws of this State prior to the approval of this Act.

The law of the State of Maryland, passed March 9, 1842, authorizing officers of the United States Coast and Geodetic Survey to enter upon the lands within the State limits for the purposes of the survey, is as follows:

AN ACT Concerning the Survey of the Coast of Maryland.

SECTION 1. *Be it enacted by the General Assembly of Maryland,* That it shall and may be lawful for any person or persons employed under and by virtue of an act of the Congress of the United States, * * * at any time hereafter to enter upon lands within this State for the purpose of exploring, surveying, triangulating, or leveling, or doing any other matter or thing which may be necessary to effect the objects of said act, and to erect any works, stations, buildings, or appendages requisite for that purpose, doing no unnecessary injury to private or other property.

SEC. 2.¹ *And be it enacted,* That in case the person or persons employed under the act of Congress aforesaid, can not agree with the owners or possessors of the land so entered upon and used as to the amount of damage done thereto by reason of the removal of fences, cutting of trees or injury to the crop or crops growing on the same, it shall and may be lawful for the said parties or either of them to apply to the chief justice for the time being or one of the associate judges of the judicial district in which such land may be situated, who shall thereupon appoint three disinterested and judicious freeholders, residents of the same judicial district, to proceed with as much despatch as possible to the examination of the matter in question, and the faithful assessment of the damages sustained by the owners or possessors aforesaid, and the said freeholders or a majority of them, having first taken and subscribed an oath or affirmation before the chief or associate justice aforesaid or other person duly authorized to administer the same, that they will well and truly examine and assess as aforesaid, and having given five days' notice to both parties of the time of their meeting, shall proceed to the spot, and then and there upon their own view and if required, upon the evidence of witnesses (to be by them sworn or affirmed and examined), shall assess the said damages, and shall afterward make report thereof and of their proceedings in writing under their hands and seals and file the same within five days thereafter in the office of the clerk of the county in which the land aforesaid is situated, subject to an appeal by either party to the county court of the said county within ten days after filing as aforesaid, and the said report so made as aforesaid if no appeal as aforesaid be taken, shall be held to be final and conclusive as between the said parties, and the amount so assessed and reported shall be paid to the said owners or possessors of the land so damaged within twenty days after the filing of said report, and the said chief or associate justice as aforesaid, shall have authority to tax and allow upon the filing of said report, such costs, fees and expenses to the said freeholders for the performance of their duty as he shall think equitable and just, which allowance shall be paid by the person or persons employed under the act of congress aforesaid, within the time last above limited, but if an appeal as aforesaid be taken, the case shall be set down for hearing at the first term of county court aforesaid, ensuing upon and after appeal, and it shall be lawful for either party immediately after the entry of such appeal, to take out summons for such witnesses as may be necessary to be examined upon the hearing aforesaid, and the said court shall have power in its discretion to award costs against which ever the final judgment shall be entered, and such appeal at the option of either party may and shall be heard before and the damage assessed by a jury of twelve men to be taken from the regular panel and elected as in other cases.

SEC. 3. *And be it enacted,* That if any person or persons shall wilfully injure or deface or remove any signal, monument or building or any appendage thereto, erected, used or constructed under and by virtue of the act of congress aforesaid, such person or persons so offending shall severally forfeit and pay the sum of fifty dollars with costs of suit to be sued for and recovered by any person who shall first

¹ Under the rulings of the Comptroller of the Treasury no damages can be collected except through the United States Court of Claims unless an agreement has been made in advance.

prosecute the same before any justice of the peace of the county where the person so offending may reside, and shall also be liable to pay the amount of damages thereby sustained, to be recovered with costs of suit in an action on the case, in the name and for the use of the United States of America, in any court of competent jurisdiction.

APPENDIX B.—THE HAMAN OYSTER CULTURE LAW.

[Extract from Second Report of Shell Fish Commission.]

OBJECT.

"The legislature in placing chapter 711 of the acts of 1906, better known as the Haman oyster culture law, upon the statute books of Maryland, had a twofold object in view:

"1. To encourage an industry in oyster culture upon the barren bottoms beneath the tidewaters of the State.

"2. To prevent the leasing of natural oyster bars for the purpose of oyster culture."

SURVEY.

"To make the leasing of barren bottoms possible and the leasing of natural bars impossible, provision was made for a survey of the natural bars for the purpose of accurately locating and marking the same. It was definitely provided that no barren bottoms should be leased in any part of the State until the natural bars of that region had been surveyed, charted, and marked with buoys."

DEFINITION OF A NATURAL OYSTER BAR.

NATURAL BAR NOT DEFINED.

"The Shell Fish Commission is instructed by section 90 of the Haman oyster culture law to exercise its judgment liberally in favor of the natural bars when surveying, charting, and buoying them, but other than this the commission is uninstructed in this important matter. The responsibility of defining a natural bar is placed upon the commission.

DIVERSITY OF OPINION.

"No definition of a natural oyster bar could be formulated by any man or body of men which would meet with the approval of all parties concerned. Oystermen, as a rule, hold that all bottoms where oysters grow or have grown naturally, even though now practically barren of oysters, should be considered natural bars. Other citizens of the State, who are not directly interested in the oyster business but interested in the oyster industry from the standpoint of revenue, hold, as a rule, that no bottoms should be excluded from leasing for oyster culture which by methods known to oyster culturists may be made to yield a greater number of oysters than they now produce.

"It should be evident to everyone that neither of these definitions could be adopted by the commission as a working basis for determining which of the grounds surveyed are natural oyster bars."

THE GOLDSBOROUGH DEFINITION.

The definition of a natural oyster bar which very nearly approaches a reasonable and satisfactory compromise between the views of the subject held by oystermen on one hand and by oyster culturists on the other is that contained in an opinion rendered by Judge Charles F. Goldsborough in the circuit court for Dorchester County in the July term, 1881, in the case of William T. Windsor and George R. Todd *v.* Job T. Moore.

This definition has been adopted by the Shell Fish Commission as the basis for the determination of the status of the various oyster bottoms surveyed, and is as follows:

What, then, is a natural bar or bed of oysters? It would be a palpable absurdity for the State to attempt to promote the propagation and growth of oysters and to encourage its citizens, by a grant of land, to engage in their culture, if the lands authorized to be taken up were only those upon which oysters do not and can not be made to grow. That there may be lands covered by water in the State

where no oysters can be found, but where, if planted, they could be cultivated successfully, may be possible; but if so, I imagine that their extent must be too limited for them to be of much practical general advantage for the purposes of such a law as the one under discussion; but there are thousands of acres of hard and shifting sands where oysters not only are not found, but where it would be folly to plant them, and these latter it can not be supposed that the State intended to offer to give away, for the simple reason that the State could not help knowing that nobody would have them.

Upon the other hand there are large and numerous tracts where oysters of natural growth may be found in moderate numbers, but not in quantities sufficient to make it profitable to catch them, and yet where oysters may be successfully planted and propagated. In my opinion these can not be called natural bars or beds of oysters within the meaning of the act of assembly, and it is just such lands as these that the State meant to allow to be taken up under the provisions of the above-mentioned section of the act.

But there is still another class of lands where oysters grow naturally and in large quantities and to which the public are now and have been for many years in the habit of resorting with a view to earning a livelihood by catching this natural growth, and here, I think, is the true test of the whole question. Land can not be said to be a natural oyster bar or bed merely because oysters are scattered here and there upon it and because if planted they will readily live and thrive there; but whenever the natural growth is so thick and abundant that the public resort to it for a livelihood, it is a natural oyster bar or bed and comes within the above-quoted restriction in the law, and can not be located or appropriated by any individual.

APPLICATION OF DEFINITION.

Before this definition may be of use in determining accurately and scientifically the status of an oyster ground, its central idea, "livelihood," must be expanded into accurately determinable factors, and these factors must be combined into a practical scheme of investigating the condition of the ground under consideration.

Stated briefly, a livelihood is represented by a sum of money obtained from the sale, at a fixed price, of a certain quantity of oysters gathered in a given time from an allotted area of ground.

Knowing the value of each of these factors, it becomes possible to calculate the number of oysters an oyster ground must produce per square yard in order that oystermen may secure a livelihood by working upon it.

NOTE.—The factors into which the commission resolved the livelihood problem, the value assigned to each factor, and the scheme devised for practical use in examining and applying the definition to oyster bottoms are given in outline in their second report under the heading of the preceding extract, and in detail in their first report on pages 32 to 69.

APPENDIX C.—SUMMARY OF THE PARTICULAR SURVEYING OPERATIONS WHICH CONSTITUTE AN "OYSTER SURVEY" AS NOW BEING CARRIED ON IN MARYLAND.

Explanation.—A brief account of the particular surveying operations which constitute an "oyster survey" as now being carried on in Maryland, will assist in the interpretation of records contained in the technical part of this report, and will be of interest to many who may not understand the necessity for the great amount of work being done or its complicated character.

To those familiar with methods used in surveying and charting the characteristic features of large bodies of water there is an evident necessity for the various operations performed, especially when it is known that the boundaries of the public oyster bars and of the private lots leased for purposes of oyster culture must be surveyed and charted with the greatest practical accuracy. To others it will be sufficient to state that the actual experience gained from oyster surveys in other States has proven that in order to avoid endless dissatisfaction and litigation it is necessary to accurately locate and permanently establish oyster boundaries as is now being done in Maryland.

Triangulation survey.—Such refinement of survey work as that demanded by the conditions of an oyster survey when carried on at considerable distances offshore can only be obtained by the use of a system of triangulation as a framework or foundation. Therefore, a triangulation survey, including the permanent marking of the positions of landmarks with monuments, and a record of the descriptions of their locations for future recovery is a necessary operation of a complete oyster survey.

Topographic survey.—The technical records which establish the relation between the offshore oyster boundaries and triangulation landmarks are sufficient for the requirements of engineers in making resurveys, but do not supply the needs of others who are interested in the same boundaries by reason of their occupation as oystermen concerned as to the public oyster bars, or oyster culturists concerned as to the leasable bottoms. For these it is necessary to have the charts of the survey show the relation of the shore line and other topographic features to the boundaries of the public oyster bars and private oyster farms. Therefore a topographic survey is a necessary operation of a complete oyster survey.

Hydrographic survey.—In the settlement of the important question of what is or what is not a natural oyster bar, and in the consideration of bottoms to be selected for purposes of oyster culture, information as to the depth of water and the character of the bottom is required. Therefore a hydrographic survey is a necessary operation of a complete oyster survey.

Necessary foundation for an oyster survey.—Consequently, the necessary components of a satisfactory foundation for a complete oyster survey are the three classes of survey operations technically named triangulation, topography, and hydrography, or, stated in another way, the foundation of a practical oyster survey includes the surveying operations usually followed by the Coast and Geodetic Survey leading up to the preparation and publication of nautical charts.

Special surveys and investigations pertaining to oysters.—Having obtained this cartographic survey for a foundation, partly by new work and partly from records of previous work of the Government, the combined operations¹ making up an "oyster survey" are completed by superimposing on this foundation special surveys and investigations pertaining particularly to oysters or other shell fish.

The special surveys pertaining to oysters furnish information as to the location and outline of oyster-shell bottoms, and are carried on by the sounding-boat party in addition to the usual hydrographic work.² This operation consists of the observation and record of the character of vibration of a wire and chain apparatus which is dragged over the bottom, the vibrations or lack of vibrations indicating the presence and quantity of shells or absence of shells.

The special oyster investigations³ consist of the actual determination of the kind and quantity of oysters on the bottom, and such economic and biological studies of the supply of oyster food, density of water, character of the bottom, and other important matters as affect the growth of oysters. In this work the oyster investigation stations are located and buoyed by the hydrographic party while engaged in the survey of the oyster-shell limits. They are selected with the view of obtaining characteristic data which can be used for the interpretation of the recorded vibrations of the chain apparatus at all other points covered by the survey.

Preparation of results.—The actual surveying operations and oyster investigations having been completed for any one county, there still remains technical work of nearly equal magnitude to that described.⁴ This work consists of the preparation of charts and technical descriptions of boundaries and landmarks for publication by the Government, the preparation of that part of the annual report of the commission covering the special oyster surveys and investigations, the making of the leasing charts and finished projections, and finally the filing of the oyster charts and records with the courts and the commission, thus opening a county for oyster culture.

Summary.—From the foregoing account it can be seen that a complete oyster survey properly conducted so as to answer all practical requirements of the present and permanency of results for the future is a very complicated affair, involving many lines of surveying and other scientific work, and requiring the professional services of experts in the various operations of cartographic surveying and shell-fish investigations.

¹ See Appendix D of this publication for "Statistics of results of combined operations of the Government and State."

² See pp. 104 to 123 of "First Annual Report of Maryland Shell Fish Commission."

³ See pp. 30 to 67 and 129 to 199 of "First Annual Report of Maryland Shell Fish Commission."

⁴ No mention is made here of the large amount of administrative work of the commission, which is greatly complicated and increased by the effect of the oyster-survey operations on many thousands of people whose interests are more or less involved; or of the large amount of survey work involved in the survey and record of the boundaries of oyster lots leased from the State by private individuals for the purposes of oyster culture.

Survey of Oyster Bars, Talbot County, Md.

APPENDIX D.—STATISTICS OF RESULTS OF THE COMBINED OYSTER SURVEY OPERATIONS OF THE GOVERNMENT AND STATE.¹

Operations	Anne Arundel County	Somerset County	Wicomico County	Worcester County	Calvert County	Charles County
Beginning of field work	June 29, 1906	May 2, 1907	Aug. 27, 1907	Nov. 8, 1907	May 2, 1908	Aug. 18, 1908
Filing of certified charts and reports	June 29, 1907	July 1, 1908	Dec. 1, 1908	Apr. 12, 1909	Dec. 14, 1909	Jan. 27, 1911
Natural oyster bars surveyed and delineated ²	91	37	15	28	41	15
Acres of natural oyster bars	33,577	27,566	2,038	1,655	12,303	2,285
Crab bottoms surveyed and delineated	54	3				
Acres of crab bottoms	32,108	3				
Clam beds surveyed and delineated	3					
Acres of clam beds	506					
Boundary buoys located and planted	362	154	53	104	149	51
Triangulation landmarks established	123	86	30	48	78	42
Miles of shore line covered by triangulation	110	125	46	95	95	32
Square miles of water covered by triangulation	220	375	44	110	157	20
Miles of examination of shell bottom with chain apparatus	425	340	59	63	250	38
Oyster investigation stations occupied	440	679	162	147	667	113
Tide stations established	4	3	1	1	2	1
Number of soundings over shell bottoms	37,049	17,904	3,387	3,649	11,292	1,631
Square miles covered by soundings and chain apparatus	58	55	3	3	30	4
Projections prepared and plotted	9	13	2	5	8	3
Leasing charts prepared	13	12	2	3	5	2
Oyster charts published	4	6	2	3	5	1
Reports published	2	2	2	2	2	2
Progress maps published	2	2	2	2	2	2

Operations	St. Marys County	Baltimore County	Kent County	Queen Annes County	Talbot County	Total ³
Beginning of field work	May 2, 1908	Apr. 14, 1909	Apr. 14, 1909	Apr. 14, 1909	July 6, 1909	
Filing of certified charts and reports	July 6, 1911	Aug. 10, 1911	Oct. 5, 1911	Nov. 29, 1911	July 20, 1912	
Natural oyster bars surveyed and delineated ²	124	3	64	98	132	648
Acres of natural oyster bars	25,755	3,010	12,809	24,721	36,564	182,283
Crab bottoms surveyed and delineated						54
Acres of crab bottoms						32,108
Clam beds surveyed and delineated						3
Acres of clam beds						506
Boundary buoys located and planted	375	12	211	340	529	2,340
Triangulation landmarks established	238	15	147	199	336	1,022
Miles of shore line covered by triangulation	160	12	110	240	230	1,070
Square miles of water covered by triangulation	180	50	130	500	240	1,710
Miles of examination of shell bottom with chain apparatus	400	33	164	288	511	2,571
Oyster investigation stations occupied	1,472	64	1,151	1,949	1,975	8,819
Tide stations established	7	1	3	3	5	26
Number of soundings over shell bottoms	19,344	1,080	8,123	13,880	20,213	137,552
Square miles covered by soundings and chain apparatus	57	6	21	47	77	361
Projections prepared and plotted	15	4	10	12	14	69
Leasing charts prepared	10	1	4	11	12	53
Oyster charts published	8	1	3	4	7	35
Reports published	2	2	2	2	2	15
Progress maps published	2	1	1	1	1	13

¹ These statistics do not include the large amount of triangulation, topography, and hydrography resulting from previous work of the Coast and Geodetic Survey, which was utilized in the preparation of the published oyster charts and records. Work in Kent, Queen Annes, Talbot, and Dorchester Counties has been finished, but final statistics of results will not be published until these counties are opened for oyster culture.

² Less quantities covered by statistics of more than one county.

³ Total area of natural oyster bars of Connecticut, 5,770 acres.



CHART No.31

CHART No.32

COAST AND GEODETIC SURVEY PROGRESS MAP TALBOT COUNTY MARYLAND

To accompany report of work of United States
Coast and Geodetic Survey in cooperation
with the Maryland Shell Fish Commission

- Landmarks (Coast Survey Triangulation Stations)
- Waters contiguous to county
- - - Waters within territorial limits of county
- ==== Limits of projections on file at Washington
- ==== Limits of charts published by Coast and Geodetic Survey





CHART No.36

CHART No.37



LIBRARY OF CONGRESS



0 002 896 799 8

