

DATE: 11-14-2017

JFK Assassination System
Identification Form

Date: 6/11/201

Agency Information

AGENCY : FBI
RECORD NUMBER : 124-10206-10185
RECORD SERIES : HQ
AGENCY FILE NUMBER : 92-2781-643

Document Information

ORIGINATOR : FBI
FROM : SAC, MM
TO : DIRECTOR, FBI
TITLE :
DATE : 11/16/1962
PAGES : 8
SUBJECTS :
LST, ADMIN, MISUR, RECOMMENDATION
DOCUMENT TYPE : PAPER, TEXTUAL DOCUMENT
CLASSIFICATION : Unclassified
RESTRICTIONS : 1B
CURRENT STATUS : Redact
DATE OF LAST REVIEW : 10/13/1998
OPENING CRITERIA : INDEFINITE
COMMENTS : INC MEMO

DATE: 11-14-2017

SAC, Miami (92-88 Sub 2)

11-23-62

REC-9

JUNE

EX-103

Director, FBI (92-2781) 68B

**SANTO TRAFFICANTE, JR., aka
AR**

- 1 - J. D. Donohue
- 1 - Mrs. Buck
- 1 - Mr. Brooks
- 1 - Bufile 166-79

Re your FD-142 dated 11-16-62.

Bureau authority is granted for the installation of a misur at the office of Dino Vincent Cellini at the Caribbean Linen Service, 1085 N. W. 62nd Street, Miami, Florida, for a period of ninety days commencing the time of activation providing maximum security is assured.

The Bureau should be immediately advised at the time this source is activated and the symbol number should be furnished as well. In the event authority is desired for continuance beyond the authorized period, submit appropriate recommendation by FD-143 to reach the Bureau at least five days prior to expiration of this period. Make certain, however, that the productivity of this source is evaluated during the authorized period in order to fully justify its operation over the ninety-day period. In the event it is not productive, it should be discontinued and the Bureau advised in order to insure an economical and efficient operation of these sources.

A weekly airtel summary of pertinent information received from this source should be submitted to the Bureau. In the event information of an immediate interest or significance is received, it should be immediately forwarded to the Bureau by appropriate separate communication. All leads arising from this source should be afforded immediate attention and appropriate inquiry promptly made to fully round out the picture where this is appropriate. Information developed directly relating to Dino Cellini and his operations should be submitted in proper form under the caption of the case involving Cellini.

NOTE: Cellini was employed in gambling casinos in Havana, Cuba, and was associated with Trafficante and Meyer Lansky. Cellini is attempting to re-establish gambling operations in the United States, the Caribbean area and South America. He is in contact with Trafficante and this source should develop information concerning efforts of Trafficante to re-enter gambling operations on a large scale. Trafficante is designated for intensive investigation.

- Tolson _____
- Belmont _____
- Mohr _____
- Casper _____
- Callahan _____
- Conrad _____
- DeLoach _____
- Evans _____
- Gale _____
- Rosen _____
- Sullivan _____
- Tavel _____
- Trotter _____
- Tele. Room _____
- Holmes _____
- Gandy _____

PRS:erw
(8)

MAIL ROOM TELETYPE UNIT

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 8/28/81 BY [Signature]

MAILED 3
NOV 26 1962
COMM-FBI

UNRECORDED COPY FILED IN 166-79-

DATE: 11-14-2017

Letter to Miami
RE: SANTO TRAFFICANTE

NOTE CONTINUED:

He is reportedly the Florida member of the "commission," attended the Apalachin meeting and visited notorious hoodlum Albert Anastasia shortly before his gangland execution. This source should be a valuable assistance in developing information on the activities of Trafficante and Cellini. Cellini is the subject of an ITAR violation which Miami is office of origin. This installation will be monitored at the Miami Office and the lease lines will cost approximately \$20 per month.

DATE: 11-14-2017
FD-142 (Rev. 6-2-51)
OPTIONAL FORM NO. 10

UNITED STATES GOVERNMENT

Memorandum

JUNE

TO : Director, FBI (Bufile 92-2781) DATE: November 16, 1962

FROM : SAC, Miami (92-88 Sub II)

SUBJECT: RECOMMENDATION FOR INSTALLATION OF ~~TECHNICAL OR~~ MICROPHONE SURVEILLANCE

RE: Title **SANTO TRAFFICANTE, JR., aka**

Character of Case **Anti-Racketeering**
Field Office **Miami**
Symbol Number
Type of Surveillance (~~Technical or~~ Microphone)

1. Name and address of subject:

SANTO TRAFFICANTE, JR., 523 N. E. 71st St., Miami, Florida

2. Location of technical operation:

**Office of DINO VINCENT CELLINI at Caribbean Linen Service,
1085 N. W. 62nd St., Miami, Florida**

3. Other technical surveillances on same subject:

MM 834-C* in TRAFFICANTE's residence, however, this source currently inoperative, probably due to electrical storm, and the opportunity to repair or re-establish same has not occurred as yet.

4. Cost and manpower involved:

1 - GS-7 Clerk	EX-103	\$5540
1 - GS-7 Clerk		5540
1 - GS-7 Clerk (Night differential)		6101
1 - GS-7 Clerk (Night differential)		6101
		<u>\$23282</u>

(See attached)

5. Adequacy of security:

Full security assured ✓

① - Bureau
2 - Miami (1 - 66-1266 Sub A)

WFK:amc
Registered Mail
(3)

5 NOV 19 1962

92-2781-643

Handwritten signatures and stamps:
- "EX-103" stamp
- "REC-9" stamp
- "5 NOV 19 1962" stamp
- "SPECIAL MAIL RM." stamp
- "NIDE" stamp
- "Noted" stamp
- "A" handwritten mark

DATE: 11-14-2017

4. Cost and manpower involved: (Continued)

Instant installation, if approved and effected, will be the 7th installation being monitored at the Central Technical Plant of the Miami Office. Figuring 1/7 of the total salary cost, plus approximately \$20.00 per month for leased lines, the total cost is estimated to be approximately \$3566.00 per annum or \$297.00 per month.

DATE: 11-14-2017

15. Remarks:

Miami has completed the survey of the office of DINO CELLINI at the Caribbean Linen Service in Miami. It was found to be a small panelled room measuring approximately 8'x15'. There is acoustical tile on the ceiling and the room contains one desk and several leather upholstered chairs facing the desk. It is felt that microphone coverage there can be accomplished by means of the installation of a mite appropriately concealed in the acoustical tile. It will be necessary to install about 300 feet of lead in wire which will be adequately concealed in the open lattice work of rafters and girders in the warehouse type roof.

It is felt that this installation is feasible; that it can be accomplished with full security; and that it may provide a

16. (Continued next page)
Recommendation of Assistant Director: