

2287 _ H. Mus. Paris Apit 1x69

Alipseli enimeth HOSK = 147

has lamelanem flat joints
much like \$13 isometers. Sam for Consenters, Dougle.



MISSOURI BOTANICAL GARDEN.


GEORGE ENGELMANN PAPERS



Ahipmlis a Centre puller (HOSA) In.
Buipers Carryte Nov Grand. HOSK Carter (Mejenles) mirmther HOSK. hjen. VI. 65. i arbonibus Olleros Guitensiu Strupl. The same for Consider of Somple is similar the Migselier "Cerempantier Lin. an old engreus. " Dupin fil. s. g. Mil II Cents. Du. & pl. o Har Migs. Compthe of any time flower spring stant ? Be Hert Gune Mus Pan's April 12 7869 2288



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS





2200 Cachen. Hert reg. Dent. effuir Bist Caela, Operation, License i the True Grunte verlgans 1 Cactus deutster, en Poneza aliisque nemoribus 11 Anj. " a Shipsalis? with saule berty and liken elonget Sembelo om gene brack, afferment at longe 0 1 2 3 4 5

7 8 9 10 MISSOURI BOTANICAL Opyright reserved GARDEN MISSOURI BOTANICAL GARDEN GE GOE FNOTANICAL GARDEN




Mhopeles promotor melsye mag 8 1862 goebels gærden, of men grandy do as some frankly 5-7 72.9 fer pale shawolven with pendy less to Gorbeli gard - And 27 1865 same - section of fruit lake Hore of March 30 1861 2200



M. W. ALEXANDER,

THEAST CORNER OF FOURTH AND MARKET STREETS, ST. LOUIS.

MISSOURI BOTANICAL GARDEN GEORGE ENG AMN PAPERS



144

TRANS. OF THE ACAD. OF SCIENCE.

Meteoriten von Shalka, Futtehpore, Pegu, Assam, und Segowlee in dem K. K. Hof. Min.-Cab. von W. Haidinger,—Der Meteorit von Shalka in Bancoorah u. der Piddingtonit, von W. Haidinger, from the Author; Jour. Frank. Inst, Dec. 1860, from the Institute; Canadian Journal, Nov. 1860, from the Canadian Inst; Proc. Acad. Nat. Sci. Philad., Nov. 1860, from the Academy; Jour. of Education, Nos. 10 & 11, Montreal, 1860, from Capt. Huguet-La our.

Dr. E. R. Morerod, of Silver Top, Tenn., was elected a Corresponding Member.

January 7, 1861.

Vice-President Engelmann in the chair.

Thirteen members present.

Letters were read from I. A. Lapham, Milwaukie, Wis., Dec. 17, 1860, acknowledging receipt of Transactions; Smithson. Inst. Washington, D. C., Dec. 3, 1860, transmitting publications; E. R. Morerod, M.D., Silver Top, Tenn., acknowledging receipt of notice of his election as a Corresponding Member.

The following letter was read from Lieut. G. K. Warren, dated West Point, Dec. 19, 1860:

NATHANIEL HOLMES, A.M.,

Cor. Sec. Acad. Science St. Louis.

Dear Sir: In looking carefully over the table given by Dr. Engelmann, p. 666, Vol. I., No. 4, calculated from Nicollet's data, I see one rather important error, and that is in taking the low water elevation of the Mississippi at New Orleans at 10 feet above the Gulf. This is the level of the pavement in front of the Cathedral. A note in Mr. Nicollet's table, taken from Albert Stein, gives this low water elevation 5.10ths of a foot, and consequently a slope of only about 5-1000ths of a foot thence to the mouth; and not 9-10ths, as in Dr. Engelmann's table. This very slight fall in so long a distance could scarcely be credited were it not a well established fact.

Respectfully, your ob't serv't,

G. K. Warren, Lieut. Top. Eng'rs.

The following publications were received:

Beobacht. u. Betracht. über Scotophis Lindheimeri, S. Alleghaniensis und andere Schlangen von Dr. Benno Maithes, Dresden, from the Author; Smithsonian Report for 1859, from the Smithson. Inst.; Catalogue of Lepidoptera of North America, prepared for the Smithson. Instit. by John G. Morris, Washington, 1860,—Catalogue of Diptera of North America, prepared for Smithson. Inst. by R. Oste -Sacken, Washington, 1860,-Catalogue of Publications of Societies (Foreign Works) in the Library of the Smithson. Inst. Washington, 1859,—Instructions in reference to Nests and Eggs of North American Birds,—Directions for Collecting and Preserving Specimens in Natural History, from the Smithson. Inst.; Acad. Roy. Sci. à Amsterdam, Verlsagen en Med. Afd. Naturk. Dl. X. Letter k. Dl. V., 1860,—Catalogus Dl. I. St. 2,—Jaarboek, 1859, from the Royal Academy; Erster Bericht des Offenbacher Vereins für Naturk. 1860, from the Society; Ergebnisse Meteorol. Beob.—Sternschuppen und Feuerkugeln von Dr. Rudolph Wolf-Jahresbericht über die Konigliche Blinden-Anstalt zu Dresden, 1859,-Nachrichten von dem Taubstummen-Inst. zu

gesch. von Brückner, from C. Witter; Med. Statistics of U. S. Army during the years 1855-59, from Dr. Leigh. Dr. Engelmann laid on the table a Latin translation of his monograph on Cuscuta (Trans. Acad. Sci. St. Louis, Vol. I., p. 453,) presented by the translator, Dr. Acherson, of Berlin.

Mr. Holmes presented, in the name of Mr. Bandelier, several slabs of coal shale with fossil plants from Illinois.

Prof. Holtzman, of Heidelberg, Germ., was elected a Corresponding Member.

December 3, 1860.

The President, Dr. Prout, in the chair.

Nine members present.

Letters were read from Wm. W. Jeffries, dated West Chester, Penn., proposing exchange of minerals, and from Prof. E. W. Hilgard, State Geologist, Oxford, Miss., acknowledging his election as a Corresponding Member.

Additions to the library were received as follows:

Observations upon the Geology and Palæontology of Burlington, Iowa, and its vicinity, by Chas. A. White, 1860, from the Author; Report on the Economical Geology of the Route of the Ashtabula and New Lisbon Railroad,—Catalogue of Flowering Plants and Ferns of Ohio, by J. S. Newberry, M.D., from the Author; Amer. Jour. Sci. & Arts, Nov. 1860, purchased.

Dr. Prout presented, in the name of S. S. Lyon, Esq., a collection of Devonian and Upper Silurian fossils from the Falls of the Ohio and vicinity.

MISSOURI BOTANICAL GARDEN

December 18, 1860.

The President, Dr. Prout, in the chair.


Seven members present.

Letters were read from L'Acad. Roy. des Sciences de Lisbonne, Mai, 1860, transmitting publications; and from Prof. Wm. Haidinger, dated Vienna, Aug. 1, 1860.

Donations to the library were received from the following Societies:

Bull. Soc. Imp. zool. d'Acclim. Paris, Oct. 1860,—Proc. Acad. Nat. Sci. Phil., Oct. 1860,—Mem. Acad. Real Sci. Lisboa, Classe Math. Phys. e Nat., 2d Ser., T. I., Pt. 1, 1843,—Nov. Ser., T. I. p. 1-2, T. II. p. 1, 1854-7, from the Royal Academy; Neuere Nachrichten über Meteoriten, namentlich die von Bokkeveld, New Concord, Trenzano; die Meteoreisen von Mebraska, Brazos, Oregon, von W. Haidinger, July, 1860,—Neuere Untersuch ungen über die Bestandtheile des Meteorsteines von Copland, schreiben von R. Wöhler an W. Haidinger, July, 1860,—Die Calcutta






M. ALEXANDER,

SOUTH-EAST CORNER FOURTH AND MARKET STREETS,

STOUTS.

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS





BOTANICAL copyright reserved GARDEN


M. ALEXANDER.

OUTH-EAST CORNER FOURTH AND MARKET STREETS,

STUOTIES

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS






BOTANICAL copyright reserved GARDEN

M. ALEXANDER,

OUTH-EAST CORNER FOURTH AND MARKET STREETS,

ST. LOUIS.

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS




Mipseles pandoxa X415 Har gordel dan 11 flowers and some you fruits 0.022 en donn. but none with seeds ovalla fril) måkur - no repals on it - you full flath. broadly und Litely. anther, orbitelen - nun foronly in line - Namute umpe find X4 stig - 4 - 5. Grand - short


0 1 2 3 4 5 6 7 8 9 10

Copyright reserved


GARDEN

MISSOURI
BOTANICAL
GARDEN





MISSOURI BOTANICAL GARDEN




0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Output

Copyright reserved

MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS





America in Ante-historic Times, by Adolph Zestermann of Leipzic, with Critical Observations by E. G. Squier, 1851,—Volcanoes of Cent. America, by E. G. Squier, 1850, from the Author; Canad. Journal of Industry, Science and Art, Sept. 1860, from the Canadian Institute; Notes d'un Voyage dans l'Amérique Centrale,—Lettres à M. Alfred Maury, Bibliot. de l'Inst. (Ext. des Nouvelles Annales des Voyages, Paris, Août, 1855,—Lettre de M. E. G. Squier, à propos de la lettre de M. Brasseur de Bourbourg, à M. Alf. Maury, Paris, 1855, from E. G. Squier, Esq.; Proc. Acad. Nat. Sci. Philad., Sept. 1860, from the Academy; Observations upon the Form of the Occiput in the Various Races of Men, by J. Aitken Meigs, Philad. 1860, from the Author; Proc. Boston Society Nat. Hist., Sep. & Oct., 1860, from the Society; Original Communications from the N. Orleans Med. & Surg. Journal, Nov. 1860, from Bennett Dowler, M.D.; Bull. de la Soc. Imp. zool. d'Acclim. Paris, from the Society.

Mr. Holmes presented, in the name of A. F. Bandelier, a series of fossils from Illinois, and Mr. Reid specimens of as-

phaltum, petroleum, and fossils, from Canada West.

The committee to whom was referred the paper of Prof. Swallow on New Fossils from the Carboniferous and Devonian Rocks of Missouri, reported the same for publication in the Transactions.

November 19, 1860.

The President, Dr. Prout, in the chair.

Eleven members present.

Letters were read from the Essex Institute. Salem, Mass., Nov. 6, 1860, acknowledging receipt of No. 4 of Transactions; Sec. of the Smithson. Inst. Wash., D. C., Nov. 1860, enclosing list of shells presented to the Academy by the Smithsonian Institution; Soc. Roy. des Sciences, Upsal; Société Imperiale des Sciences Naturelles de Cherbourg, transmitting publications; Naturk. Verein in Augsburg, Aug. 27, 1860,—Nat. Hist. Society of Northumberland, Durham and Newcastle-upon-Tyne, Oct. 6, 1860, acknowledging receipt of Transactions; Lem. T. Wells, Cincinnati, O., acknowledging notice of his election as a Corresponding Member of the Academy.

The following donations to the library were received:

The Rock and Coal Oils of Ohio, by J. S. Newberry, M.D., 1829, frcm the Author; Der Zool. Garten, Organ der Zool. Gesellsch. in Frankfurt a M., Herausg. von Dr. D. F. Weinland, No. 7-12, 1860, from the Editor; N. Orl. Med. & Surg. Jour., No. 6, Nov. 1860, from the Editors; Journal Frank. Inst., No. 5, Nov. 1860, from the Institute; Nova Acta, Roy. Soc. Sci. Uspal Ser. III., Vol. I. & II., - Arsskrift of same, 1, from the Royal Society; Dritter Jahres-bericht des naturf. Vereins in Passau, for 1859, 1860, from the Society; Mém. Soc. Imp. Sci. Nat. Cherbourg, T. VI. & VII., 1858-9, from the Society; Tab. Method. et Descrip. des Mollusques terrestres et d'eau douce de l'Agenais, par M. J. B. Gassies, Paris, 1849,-Catalog. raisonné des Mollusques terrestres et d'eau douce de la Gironde, par M. J. B. Gassies, Paris, 1859, from the Author; XIII. Jahresb. des Naturhist. Vereins in Augsburg, 1860, from the Society; Actes de la Socié é Linn. de Bordeaux, Tome XXII., 3e. Ser., T. II., Paris, 1860, from the Society; List of Shells collected in the Grand River Valley, Michigan, by A. O. Currier, 1860, from the Author; Amerika, Geograph. und Naturchiefly derived from the destruction of Cretaceous strata, and in places abound in fossil bones and plants, usually in a fine state of preservation. The bones have been usually found in excavations for wells, at depths varying from twenty to sixty feet below the surface, and consist of genera closely allied to, or identical with *Titanotherium*, *Rhinoceros*, *Equus*, and *Crocodilus*. Among the plants are several species of palms, a fine collection of which has been made by Dr. Gideon Lincecum, of Long Point, Washington Co., and by him presented to the State cabinet.


The Miocene beds are surmounted at some localities, as at Hidalgo Falls, with a pebbly deposit cemented with ferruginous matter into a coarse pudding-stone or conglomerate. This deposit has yielded in more or less abundance the bones of Mastodon, Elephas, Megalonyx, Equus

(E. fossilis), Crocodilus, and Testudo.

The collections of the Texas Survey are rapidly increasing in all the departments. The series of Cretaceous and Tertiary fossils are already very extensive, and when properly studied will throw much light on some disputed points in the Geology of Texas and New Mexico.

Donations to the library were received as follows:

Bull. Amer. Ethnolog. Soc., and Report on the Huacas or Ancient Graveyards of Chiriqui, read before the Ethnolog. Soc. by J. King Merrit, M.D., N. York, 1860,—from the Ethnolog. Soc.; Bull. de la Soc. Imp. zoolog. d'Acclimation, Paris, No. 9, Sept. 1860, from the Society; Sitzungsberichte der K. K. Akad. der Wissensch, Wien, Nos. 3-5, 7-8, 10, Band XXXIV.-XL., Jan. to Ap. 1860, from the Imperial Academy; Jahrb. der K. K Geol. Reichs., Wien, 1859, X. Jahrg., Nos. 3-4, from ihe Imperial Society; Mem. Lit. & Philos. Soc. of Machester, Eng., 2d Ser., Vol. XV., Pt. 2, 1860,—Proc. of same, 1858-9, Nos. 1-16, and 1859-60, Nos. 1 -14, from the Society; Geolog. Uebersicht der Bergbaue der Oestr. Monarchie von Franz Ritter von Hauer u. Franz Fætterle mit einem Vorworte von Wilhelm Haidinger, Wien, 1855, - Bericht, über die erste Allgemeine Versammlung von Berg und Hüttenmännern zu Wien, (10 bis 15 Mai, 1858) Wien, 1859,—from Dr. Franz Fætterle; 7-8 Bericht der Oberhessischen Gesellsch für Natur. und Heilkunde, Giessen, 1859, from the Society; Attidell I. R. Istit. Veneto, Tomo V., Serie III., 1-7, 1859-60, from the Institute; Verhand. K. K. zool.-bot. Gesellsch. Wien, 1859, IX. Band, from the Society; Archiv. der Ver. d. Freunde der Naturgeschichte in Mecklenburg, 14 Jahrg., Neubrandenburg, 1860, from the Society; Mittheil. aus dem Osterlande, XV. Band, Heft 1-2, 1860, Altenburg, from the Society; Ueber die Wärme-Entwicklung in der Pflanzen, deren Gefrieren und die Schutzmittel gegen dasselbe, von H. R. Goeppert, Breslau, 1830,-Uber die Flora der Silur. Devon. und unteren Kohlen Form. oder des sogenannten Uebergangs-Gebirges, von Göppert, Dec. 1859, from Prof. von Göppert; Sitzungsb. der Dorpater Naturforsch. Gesel., 1853-6, Dorpat, from the Society; Nachrichten von der Georg. August. Univ. u. d. König!. Gesellsch. d. Wiss. zu Gættingen, 1859, No. 1-20, from the Royal Society; Verhand. u. Mittheil. des Siebenbergischen Vereins für Nat. zu Hermanstadt, Jahrg. X., No. 7-12, 1859, from the Society; Ueber die Wohnsitze der Brachiopoden, von Prof. Ed. Suess, Wien, 1860, from the Author; Annual Rep. of the Leeds Phil. & Lit. Soc. for 1859-60,—Proc. Geol. & Polytech. Soc. of the West Riding of Yorkshire for 1859, Leeds, 1860,—The Physical Condition of the People in its bearing upon their Social and Moral Welfare, by the Rt. Rev. R. Bickersteth, Leeds, 1860,—Sensorial Vision, by Sir J. F. W. Herschel, Bart., Leeds, 1858, from the Society; Archiv. für die Naturkunde, Ser. I. Bd. I., Lf. 1-3, Bd. II. Lf. 1-2, Ser. II. Bd. I. Lf. 1-5, 1854 59, Dorpat, from the Dorpater Naturforsch. Gesellsch.; Jahresbericht der Naturf. Gesellsch. in Emden, 1859, Kleine Schriften VI.-VII., 1860, from the Society; Mém. de l'Académie Imp. des Sciences de St. Petershourg, 7e. Ser., T. II., No. 1-3, 1859,—Billetin, T. I., Feuilles, 7-36, from the Imperial Academy; Proc. of the Histor. Soc. of New York, Oct. 1853,-Ruins of Terrampua, by E. G. Squier,—Memoir on the European Civilization of





Kew Sept 1269 This samuelara Otto But May 5/36 terete, medicand, morest with spinishens anstal Hamilton Howers 3 mil Sam. tinge ovigitet ante, 4 petule, Thymat apparel 6 or 6 sepaler segnt, sale on overy. Ah. mesembrattem D., Shopil M. gm. Horn = fundis Bot May 2740 ust good. Ah. samtered Ohnens Agnes & Swith Brazil cole tente obliganzalo, angulis 4-8 passen prominentibert, arcoles confertes Minuter anden pour (8-120th) Delarers surgenelis rester horris (Com lumbriroides Low) - - pelels Carrolat aruniale ON May 1889 nd. 85- pl. 5736 very non M. finilet he sorg. Things puhy, Ashint MISSOURI

copyright reserved

BOTANICAL GARDEN MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



MISSOURI BOTANICAL GARDEN

SELECT AZALEA INDICA (1876-77).

			~ 3
507.	Emilie Le Febvre (Van Houtte). Very double salmon-coloured flowers,	s. a.	s. d.
	very large blotch	1 3	2 ,,
25.	Etendard de Flandre (D. Vervaene) (Flore, XIII, 23). White, flaked and		
104	dotted with rosy carmine, very free-flowering	» 10	1 3
	Eugène Mazel (D. Vervaene). Rosy salmon, upper lobes violet, fine form.		1 3
455.	Ferd. Kegeljan (Van Houtte). Light orange salmon, with rich crimson,		
118	amaranth blotch	" 10	1 3
110.	Flag of Truce (F. et A. Smith). White, very large and double, a splendid variety	10	1 0
521.	Fleur de mai (Van Houtte). New variety of fine form and very floriferous.	» 1U	1 0
	Flowers white and very double, large green blotch, flaked with ver-		
	milion.	, 10	1 8
461.	François De Taye (Van Houtte). Orange, upper lobes maroon, edged with		
	carmine. One of the finest varieties in cultivation.	, 10	1 3
210.	François De Vos (A. Verschaffelt). Orange red, semi-double, free-flowering	" 10	"
20.	Gloire de Belgique (D. Vervaene) (FLORE, XIII, 21). White, striped and		
171.	Grossfürstin Helene (Schulz). Very large fringed flowers of shaded salmon,	,, 10	1 3
CI	large and rich very deep amaranth blotch, splendid variety	10	1 2
228.	Hermann Seidel (Liebig). Very bright rose with poppy red shade, double	n 10	1 3
	flowers, well-rounded lobes on two rows, of the most brilliant colour.	- 10	1 8
36.	Hermine (Van Houtte). White with carmine bands, very double, a char-		
	ming variety.	. 10	1 3
801.	Imbricata (Schulz). Perfect imbricated flower, very double, of a tender		
	white colouring, very lightly flesh-coloured, ornated with rare pink		
	stripes and dots, borne upon short peduncles with an upright bearing,		
	very suitable for bouquets; this variety forms heads naturally without	A SYDY TO	
	being topped; even small plants form themselves to a perfect bouquet		
37.	Iveryana (Ivery). Rose, lobes often edged and festooned with pure white.	10	1 3
443.	Jean Van Geert (Van Houtte). Very bright glossy rose, upper segments	77 14	1 0
C. J. C. S.			
	of fine rich crimson and saffron.	, 10	1 3
477.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks	, 10	1 3
477.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy	, 10	1 3
	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener	, 10	1 3
	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large	"10 "10	1 3
	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of	" 10 " 10	1 3
449.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch	"10 "10	1 3
449.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class.	" 10 " 10	1 3 1 3
449. 837. 206.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double	"10 "10	1 3 1 3
449. 837. 206.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double . Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double.	"10 "10	
449. 206. 484.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour	"10 "10	
449. 206. 484.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished	"10 "10 "10	2 "
449. 206. 484.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class	" 10 " 10 " 10 " 10	2 "
449. 206. 484.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower L'Éclatant (J. Vervaene). Fiery orange with amaranth blotch, medium	"10 "10 "10 "10	2 ,
449. 837. 206. 484. 212.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class . grafts . 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower L'Éclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour	"10 "10 "10 "10	2 ,
449. 837. 206. 484. 212.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class . grafts . 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower. L'Éclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour. Mad. Alex. Hardy (Van Houtte). Very large reddish orange flowers with	"10 "10 "10 "10 "10	2 "
449. 206. 484. 212. 482.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double	 " 10 	2 "
449. 206. 484. 212. 482.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class . grafts . 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower L'Éclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour. Mad. Alex. Hardy (Van Houtte). Very large reddish orange flowers with broad amaranth violet blotch upon the three upper lobes. Mad. Alex. Van Langenhove (Van Houtte). Charming variety, very effective. Ground white with transparent edges, the whole flower broadly	 " 10 	2 "
449. 206. 484. 212. 482.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower L'Eclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour Mad. Alex. Hardy (Van Houtte). Very large reddish orange flowers with broad amaranth violet blotch upon the three upper lobes. Mad. Alex. Van Langenhove (Van Houtte). Charming variety, very effective. Ground white with transparent edges, the whole flower broadly flaked, like a carnation, barred and speckled with bright rose, shading	 " 10 	2 "
449. 837. 206. 484. 212. 501.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class . grafts . 4/. Josef Mardner (Schulz). Red flower, double . Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower. L'Eclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour. Mad. Alex. Hardy (Van Houtte). Very large reddish orange flowers with broad amaranth violet blotch upon the three upper lobes. Mad. Alex. Van Langenhove (Van Houtte). Charming variety, very effective. Ground white with transparent edges, the whole flower broadly flaked, like a carnation, barred and speckled with bright rose, shading off to deep red, blotch light green.	 " 10 " 10 " 10 " 10 " 10 " 10 1 3 	2 "
449. 837. 206. 484. 212. 501.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower. L'Eclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour. Mad. Alex. Hardy (Van Houtte). Very large reddish orange flowers with broad amaranth violet blotch upon the three upper lobes. Mad. Alex. Van Langenhove (Van Houtte). Charming variety, very effective. Ground white with transparent edges, the whole flower broadly flaked, like a carnation, barred and speckled with bright rose, shading off to deep red, blotch light green. Mad. Alfred De Man (Van Houtte). Flower large, double, rosette-shaped.	" 10 " 10 " 10 " 10 " 10 " 10 " 10	2 n 1 3 2 n
449. 837. 206. 484. 212. 501.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class . grafts . 4/. Josef Mardner (Schulz). Red flower, double Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower L'Eclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour Mad. Alex. Hardy (Van Houtte). Very large reddish orange flowers with broad amaranth violet blotch upon the three upper lobes. Mad. Alex. Van Langenhove (Van Houtte). Charming variety, very effective. Ground white with transparent edges, the whole flower broadly flaked, like a carnation, barred and speckled with bright rose, shading off to deep red, blotch light green Mad. Alfred De Man (Van Houtte). Flower large, double, rosette-shaped, lively rose. Good and floriflerous novelty	 " 10 " 13 	2 n 1 3 2 n
449. 837. 206. 484. 212. 501.	Jean Van Volxem (Van Houtte). A new kind, exceedingly, rich in streaks of all shades and especially in well-defined bands of beautiful rosy orange, which clearly distinguish it from its congener. Jean Verschaffelt (Van Houtte). Deep orange, shaded with buff, large handsome flower with broad and well-rounded lobes, the edges of which are crisped, rich blotch. Jean Vervaene (J. Vervaene). Large and fine flower, rose ground, striped with lively red. Handsome novelty of first class grafts 4/. Josef Mardner (Schulz). Red flower, double. Juliette (Van Houtte). Excellent habit, fine dark foliage. Flowers double, large, of excellent form and of an intense rose colour. La Victoire (Vandercruyssen). Excellent habit, fine orange, varnished flowers, rather dark blotch, flat flower. L'Eclatant (J. Vervaene). Fiery orange with amaranth blotch, medium flower, brilliant colour. Mad. Alex. Hardy (Van Houtte). Very large reddish orange flowers with broad amaranth violet blotch upon the three upper lobes. Mad. Alex. Van Langenhove (Van Houtte). Charming variety, very effective. Ground white with transparent edges, the whole flower broadly flaked, like a carnation, barred and speckled with bright rose, shading off to deep red, blotch light green. Mad. Alfred De Man (Van Houtte). Flower large, double, rosette-shaped.	 " 10 " 13 " 13 " 13 	2 n 1 3 2 n

MISSOURI BOTANICAL CAPPEN GEZALEAGE INDICALERS

A selection of the best varieties.


The prices quoted in the first column are for medium-sized plants, the greater part of which are set with buds; those in the second volumn are for bushy plants all with buds.

for bushy plants all with buds.			
Bibnolds a felduch bus anisk with addity. Hillson, 'A' an 'A' anish bus anisk with a still and 'A' an 'A' anish	s. d.	s. d	
493. Adolphe Thiers (Van Houtte). Very double, rose, dark saffron blotch, fine		1 17	
dark green foliage	n 10	1	3
157. Alba illustrata (A. Verschaffelt). Pure white, sometimes flaked with rosy			
lilac	, 10	1	3
706. Alba illustrata flore pleno. Flowers white, very double	n 10	1	8
445. Alexis Dallière (Van Houtte). Very large, salmon-coloured flowers with			
broad blotch of a shining chocolate colour	n 10	1	3
458. Ambroise Verschaffelt (Van Houtte). Deep rich red, upper segment crim-			
son, shaded with clear amaranth, fine form	n 10	27	"
1. Amæna. Small red flower, very pretty; a very floriferous variety.	27 27	1	3
150. Antoinette Thelemann (Thelemann). Deep rich red with lilac amaranth			
blotch. Good form and substance		1	
510. Apollon. Large pure white flower; a very floriferous variety	1 3	2	6
459. Auguste Van Geert (Van Houtte). Broad petals of satiny rose, very fine			
cochineal blotch, semi-double	n 10	1	3
468. Baron Ed. Osy (Van Houtte). Very bright orange with broad wavy lobes,			
amaranth blotch	n 10	1	3
453. Baron Hruby (Van Houtte). Clear lilac, tinted with white, fine form, very			
free-flowering	n 10	1	44. All 18
708. Beauty of Surrey (Ivery). Fine form, white, sometimes blotched with rose.	1 3	2	0
92. Belle Gantoise (D. Vervaene). Clear lilac, edged with white, fine carmine			•
blotch; of very easy culture	n 10	1	3
12. Bernhard Andreas (Mardner). Bright rose with star-shaped flowers, very			2
double and free-flowering, producing a fine effect	n 10	1	
268. Bernhard Andreas alba (A. Verschaffelt). Flower white, double	1 3	2	0
195. Bijou de Paris (Vandercruyssen). White, striped and ribboned with rose			•
and rosy salmon, large flower of fine form	3 - 45 - T T T T T T T T T T T T T T T T T T		3
164. Borsig (Mardner). Pure white, large handsome flower	n 10	1	8
103. Charles Enke (A. Verschaffelt). Rose, edged with white, upper lobes	n 10	1	3
violet, free bloomer	7 10		
123. Charles Van Eeckhaute (Van Houtte). Orange, upper lobes largely spotted	10	"	-
with deep amaranth, crisped round the edges	"	7	77
528. Cinti striatella (Van Houtte). Great display of colours: white ground with flesh shine, barred, striped and speckled flesh-rose, large well-formed			
blotch; a very free-flowering variety.	. 10	1	8
197. Comtesse de Flandre (D. Vervaene). Flower flat, light rose.	» 10	1	3
742. Comtesse de Ribaucourt (A. Verschaffelt). Double white	1 3		6
474. Constant Van Keirsbilck (Van Houtte). Large double flowers of bright rose,			
shaded with deep red, large, intense saffron blotch; very free-flowering	» 10	1	3
19. Criterion (Ivery) (Flore, VIII, 129). Rose, edged with white	n 10	7 357	"
660. Dame Mélanie (Van de Male). Very bright rose, edged with pure white,			
blotch carmine.	» 10	1	3
328. Dr Augustin. Large deep red flower with broad black blotch	n 10	1	3
700. Dr J. Lindley. Orange with fine rich maroon blotch	1 3	2	6
163. Dona Maria (Van Coppenolle). Tender rose, edged with white	n 10	1	3
23. Duc de Nassau (Mardner). Dark rosy carmine, very large semi-double			
flowers, broad and fine flame-coloured blotch, a handsome variety.	» 10	1	3
24. Duchesse Adelaïde de Nassau (Mardner). Large flowers of very fine form,	THE RELIGIONS		
the upper lobes amaranth, the lower ones vermilion orange	» 10	1	3

Mijssei formiet Har. Suppl. p. 83 Mr. parities Har. M. St. Sur. 1869 Bot my. 58 (1831) 4. 3079. Barlike pin - len perteptibl å old Emnhay petats granish white book 6_ stigmen 2 lobert. lobes spreading. Comy similar to Mr. comytha - probably for Bright. Hunch 1831 June i fr. - 04. grams &c. 4. 59 A small anola on ovary figured 2 or 3 small green 24 t. 3080 - i Poh Carretts. with 4 petales Thymate 4. 3078 Mi. Mesenbryanthen) fr. a skit beny H. Munh 1×31 pe. 15" " " " 4 sound Thyant petet 6 or 7 aprile externelly greensh I st tip Ou my 1849 69. 4039 Ab-paller Brushicker Horth is Segermin , for Buenos thyres "in. fe. ferme on the acts ordated putate and 4 16-9MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

Marin Commence of the State of

A Transfer of the second secon





AZALEA INDICA.

Novelties of 1872.

Fine plants, with buds,	of 3	to	5 inches in	diameter.	YES IN.	1/8 each.
Strong plants, with buds,	of 6	to	9		180	4/ "

The set of 12 varieties:

Fine plants, with buds.	TIX (map. 11) (shi not) by agont an	16/.
Strong plants, with buds	teory lead out to sexing both my brown	29/.

- 494. Alice (Van Houtte). Awarded a first class certificate by the Royal Horticultural Society, April 19th 1871; also prized in Ghent and Brussels. Splendid very double flowers of the most intense rose, large rich vermilion blotch; leaves similar to those of the Duc de Nassau, from which it derives and of which it has also the habit. One of the best Azaleas. Extra strong specimen: 20/.
- 503. Ami Gustave Guilmot (Van Houtte). Awarded a first class certificate in London, April 19th 1871. One of the most free-flowering and earliest varieties. Its flower-trusses of perfect form are white with green blotch; all flowers are striped, striated and dotted with rose and carmine; being the first to smile to us in the spring, are they the emblem of the attachment and friendship, proved, since many years in our establishment, by our fellow-workman.
- 551. Baronne de Vrière (Van Houtte). Prized in Brussels. Flowers enormous, snow-white, lobes very large with undulated edges. They are of a very delicate texture and ornated with some red stripes and sulphur yellow blotch. Extra strong specimen: 20/.
- 572. Comtesse de Beaufort (Van Houtte). Awarded a first class certificate by the Royal Horticultural Society, in London, April 19th 1871. Extra lively rose, blotch deep crimson with maroon reflex on the upper lobes. Λ very rich colouring. Extra strong specimen: 20/.
- 570. Daphné (Van Houtte). One of the 6 seedlings prized in Ghent. Flower white, large, semidouble; blotch apple green with red stripes. Extra strong specimen: 20/.
- 531. Jules Van Loo (Van Houtte). One of the 6 seedlings prized in Ghent and in Brussels. Flowers exceedingly large, well-shaped, semi-double, lively orange, ornated with large saffron amaranth blotch, bordered with rich violet.
- 596. Marquis of Lorne (Van Houtte). Awarded a first class certificate in London, April 19th 1871. It is the most beautiful orange with large lobes and saffron yellow blotch. Very strong specimen: 20/.
- 514. Mrs William Bull (Van Houtte). Flowers white with extremely large and round lobes of the most exquisite form.
- 547. Oswald de Kerchove (Van Houtte). One of the six seedlings prized in Brussels. Fine foliage, beautiful habit, well-formed, very large lobes of a very lively lake rose with fiery red blotch. Very strong specimen: 20/.
- 483. Président Éd. de Ghellinck de Walle (Van Houtte). Awarded first class certificates in Ghent, London and Brussels. Flower double, very large, intense rose; blotch very large, lake, emitting crimson red rays to the outlines. It has been an impossibility to our artists to paint it for the Flore. Very strong specimen, covered with buds: 20/.
- 566. Vuurwerk (Van Houtte). "Oh yes! true fire works! " was often said about this plant at the London Exhibitions. The plant is early and rich-flowering, of a fine habit and foliage. Flower well-shaped, bright orange red; its splendid blotch is violet crimson with mahogany reflex and of uncommon size.
- 481. Wilhelmine (Van Houtte). Flowers of best form, white with green blotch, sometimes striped with lively carmine and adorned with very straight stamens.

STATES OF THE PARTY OF THE VALUE OF THE PARTY OF THE PART

AZALEA INDICA.

Novelties of 1874.

	140 verties of 1014.
665.	Dr D. Moore (Van Houtte). Awarded a first class certificate at the Regent's Park Show. Flowers of the most intense rose with white and violet reflex. Perfect form.
	Medium size, with buds
594.	Madem. Louise de Kerchove (Van Houtte) (Flore, XIX, 131). One of the most admired varieties that were awarded prizes at the last great Ghent Exhibition. Large snow-white festoons encircle the bright flesh-coloured flowers, flaked with orange; blotches finely worked with maroon, shaded with carmine, a quite new colouring.
	Medium size, with buds
587.	Sigismond Rucker (Van Houtte) (Flore, XIX, 135). Awarded a first class certificate at the Kensington Exhibition. Was in Louis Van Houtte's three Azalea groups, which have three times been awarded the first prize. Flowers lilac rose, strongly netted and bordered with white; blotch splendid, bright saffron.
	Medium size
	MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS
SI.	AZALEA INDICA.
TI	Novelties of 1873.
con	
four	
Sunn	Fine plants of 3 to 5 inches in diameter, with buds
supp ther T	Fine plants of 3 to 5 inches in diameter, with buds
tic th598 e	Baron George de St-Genois (Van Houtte). Flowers large, double, of very fine, round form, with rich papils. A late variety, splendid in May. Charles Leirens (Van Houtte) (Flore, XIX, 63). Flowers semi-double, very dark salmon, blotch large black, most beautiful and lively, lobes firm, large, of very beautiful form. First class certificate for seedlings at the Ghent Exhibition. — Extra strong speci-
tic 598. e. 1 524.	Baron George de St-Genois (Van Houtte). Flowers large, double, of very fine, round form, with rich papils. A late variety, splendid in May. Charles Leirens (Van Houtte) (Flore, XIX, 63). Flowers semi-double, very dark salmon, blotch large black, most beautiful and lively, lobes firm, large, of very beautiful form. First class certificate for seedlings at the Ghent Exhibition. — Extra strong specimen: 20/. Cocarde orange (Van Coppenolle) (Flore, XIX, 133). Pure orange with amaranth red blotch, form round, exquisite. A fellow of mine, M. Van Coppenolle, from whom I
tic 598. e: 524.	Baron George de St-Genois (Van Houtte). Flowers large, double, of very fine, round form, with rich papils. A late variety, splendid in May. Charles Leirens (Van Houtte) (Flore, XIX, 63). Flowers semi-double, very dark salmon, blotch large black, most beautiful and lively, lobes firm, large, of very beautiful form. First class certificate for seedlings at the Ghent Exhibition. — Extra strong specimen: 20/. Cocarde orange (Van Coppenolle) (Flore, XIX, 133). Pure orange with amaranth red blotch, form round, exquisite. A fellow of mine, M. Van Coppenolle, from whom I bought this variety, exhibited it in Brussels and it was awarded a first class certificate. Comtesse Eugénie de Kerchove (Van Houtte) (Flore, XIX, 57). Awarded certificates at the London and Brussels Exhibitions. Flowers pure white, striated and striped with
tic 598 th 598 e. 524 v 5699	 Baron George de St-Genois (Van Houtte). Flowers large, double, of very fine, round form, with rich papils. A late variety, splendid in May. Charles Leirens (Van Houtte) (FLORE, XIX, 63). Flowers semi-double, very dark salmon, blotch large black, most beautiful and lively, lobes firm, large, of very beautiful form. First class certificate for seedlings at the Ghent Exhibition. — Extra strong specimen: 20/. Cocarde orange (Van Coppenolle) (FLORE, XIX, 133). Pure orange with amaranth red blotch, form round, exquisite. A fellow of mine, M. Van Coppenolle, from whom I bought this variety, exhibited it in Brussels and it was awarded a first class certificate. Comtesse Eugénie de Kerchove (Van Houtte) (FLORE, XIX, 57). Awarded certificates at the London and Brussels Exhibitions. Flowers pure white, striated and striped with lively cherry and of exquisite form. Mrs. Wright (Van Houtte) (FLORE, XIX, 129). This variety is the most richly striped of all on white ground. The flower is double, of exquisite form. — Extra strong
tic 598 th 594 5699 525	 Baron George de St-Genois (Van Houtte). Flowers large, double, of very fine, round form, with rich papils. A late variety, splendid in May. Charles Leirens (Van Houtte) (Flore, XIX, 63). Flowers semi-double, very dark salmon, blotch large black, most beautiful and lively, lobes firm, large, of very beautiful form. First class certificate for seedlings at the Ghent Exhibition. — Extra strong specimen: 20/. Cocarde orange (Van Coppenolle) (Flore, XIX, 133). Pure orange with amaranth red blotch, form round, exquisite. A fellow of mine, M. Van Coppenolle, from whom I bought this variety, exhibited it in Brussels and it was awarded a first class certificate. Comtesse Eugénie de Kerchove (Van Houtte) (Flore, XIX, 57). Awarded certificates at the London and Brussels Exhibitions. Flowers pure white, striated and striped with lively cherry and of exquisite form. Mrs. Wright (Van Houtte) (Flore, XIX, 129). This variety is the most richly striped
tic 598 th 594 5699 525	Baron George de St-Genois (Van Houtte). Flowers large, double, of very fine, round form, with rich papils. A late variety, splendid in May. Charles Leirens (Van Houtte) (Flore, XIX, 63). Flowers semi-double, very dark salmon, blotch large black, most beautiful and lively, lobes firm, large, of very beautiful form. First class certificate for seedlings at the Ghent Exhibition. — Extra strong specimen: 20/. Cocarde orange (Van Coppenolle) (Flore, XIX, 133). Pure orange with amaranth red blotch, form round, exquisite. A fellow of mine, M. Van Coppenolle, from whom I bought this variety, exhibited it in Brussels and it was awarded a first class certificate. Comtesse Engénie de Kerchove (Van Houtte) (Flore, XIX, 57). Awarded certificates at the London and Brussels Exhibitions. Flowers pure white, striated and striped with lively cherry and of exquisite form. Mrs. Wright (Van Houtte) (Flore, XIX, 129). This variety is the most richly striped of all on white ground. The flower is double, of exquisite form. — Extra strong specimen: 20/. Princess Louise (Van Houtte) (Flore, XIX, 71). A magnificent shining tender rose colouring, all the outline elegantly festooned with pure white, very rich and large spot carmine red, with a dark red ribbon. Its flower may be regarded as the summit of perfection and the lobes are of a very good consistence. Medium-sized plants, with buds 6/6. Stronger plants, with buds
tic 598 th 594 5699 525	Baron George de St-Genois (Van Houtte). Flowers large, double, of very fine, round form, with rich papils. A late variety, splendid in May. Charles Leirens (Van Houtte) (Flore, XIX, 63). Flowers semi-double, very dark salmon, blotch large black, most beautiful and lively, lobes firm, large, of very beautiful form. First class certificate for seedlings at the Ghent Exhibition. — Extra strong specimen: 20/. Cocarde orange (Van Coppenolle) (Flore, XIX, 133). Pure orange with amaranth red blotch, form round, exquisite. A fellow of mine, M. Van Coppenolle, from whom I bought this variety, exhibited it in Brussels and it was awarded a first class certificate. Comtesse Engénie de Kerchove (Van Houtte) (Flore, XIX, 57). Awarded certificates at the London and Brussels Exhibitions. Flowers pure white, striated and striped with lively cherry and of exquisite form. Mrs. Wright (Van Houtte) (Flore, XIX, 129). This variety is the most richly striped of all on white ground. The flower is double, of exquisite form. — Extra strong specimen: 20/. Princess Louise (Van Houtte) (Flore, XIX, 71). A magnificent shining tender rose colouring, all the outline elegantly festooned with pure white, very rich and large spot carmine red, with a dark red ribbon. Its flower may be regarded as the summit of perfection and the lobes are of a very good consistence. Medium-sized plants, with buds 6/6.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

