

20818/15/1


E- 11

N è

105(42)

## Digitized by the Internet Archive in 2017 with funding from Wellcome Library

https://archive.org/details/b29347427




## A SHORT ACCOUNT

OF

Mortifications, &c.

HACKER HACKING ACKER



À SHORT

## ACCOUNT

O F

## MORTIFICATIONS,

### A N D

Of the Surprizing EFFECT of the BARK, in putting a Stop to their Progress, Ge.


By JOHN DOUGLAS, Surgeon, F.R.S.


Quod non sanat Medicamentum, Ferrum Sanat, quod Ferrum non sanat, Ignis Sanat, quod Ignis non sanat, Cortex sanat Quod non sanat Cortex, Insanabile est.



### LONDON

Printed for JOHN NOURSE, at the Lamb without Temple-Bar: 1732,





#### ΤO

## AMBROSE DICKINS, And CLAUDIUS AMYAND, Efqs.

Serjeant-Surgeons to His MAJESTY.

Gentlemen,



OUR Introduction of the New Method of Curing Mortifications, has laid me under a double Obligation,

which demands a publick and grateful Acknowledgement, first for the Information I receiv'd by it my felf; secondly and more especially for communicating it to me at the Critical Time, when I had the last Branch

### DEDICATION.

Branch of a very ancient and confiderable Family under my Care, who was then past all Hopes of Recovery by the Common Means, as will appear by the History of that Remarkable Case I here present you with; the Impersections of which, I hope you will pardon, and forget to be Criticks, by remembring you are Friends. I am with the greatest Respect and Esteem,

GENTLEMEN,

Your most Obedient Humble Servant,

Lad-Lane, Dec. 25, 1732.

John Douglas.

ي المحمد الم

### ADVERTISEMENT.

### Speedily will be Published,


HE Ancient and Modern Hiftory of SURGERY, after the Plan of the late Eminently Learned Charles Bernard, Efq; Serjeant-Surgeon to Queen ANNE. Wherein it will be confider'd, whether Mankind have not loft as much by the Difufe of feveral of the Ancient Operations, as they have got by the Improvements of the Moderns: And whether they have got or loft by the Division of Physick into Internal and External Operators? To which will be annexed, A Compedious and Effectual Method of Educating Surgeons, whereby the Dignity of the Ancienteft and Certaineft Branch of Medicine will be reftored &c. &c.

Ex duabus partibus, in quas Medicina diducta est, Ea sanè, quæ manu curat, est non folum Antiquissima, Sed etiam maximè certa & evidens.

A. C. Celfus.

Though Surgery is at present looked upon as inferior to Physick, yet it was much the Ancientest, and is still the Certainest Part of Medicine. Wotton.





# A SHORT A C C O U N T

# Mortifications, &c.

OF



MORTIFICATION Mortificais an entire Lols of the Natural Heat, Colour, and Sense of the Parts affected.

PHYSICIANS and Surgeons have been at a great deal of Pains, to explain the Difference between what they call a Gangrene and a Sphacelus; yet all they have faid amounts to no more than this, viz. That a Gangrene is a Superficial, and a Sphacelus a Deep Mortification: The Caufe the fame, the Cure the fame, and they differ only fecundum Majus & Minus.

Mor.

Caufes. MORTIFICATIONS proceed either from External or Internal Caufes. The External Caufes are, The Actual or Potential Cautery. [E.g. A bit of Common Cauftick applied to make an Iffue, makes as perfect a Mortification as any, *i. e.* it deftroys the Natural Heat, Colour, and Senfe of the Parts.] Great Inflammations, an Anafarca, exceffive Cold, ftrict Ligatures, large Wounds, Fractures, Luxations,  $\mathfrak{Sc}$ .

THE Internal Causes are, A bad Habit of Body, *i. e.* a Poorness of the Blood and Juices, Old Age, &c.

D. Signs. THE Diagnostick Signs are fo evident, they want no Explanation.

P. Signs. CERTISSIMUM eft Gangrænam a Caufâ internâ Lethalem effe: Auferatur enim licet Membrum, iterum regerminabit malum & neceffario mortem post se trahit. Etmuller.

GAN-

[3]

GANGRÆNÆ illicò succurrendum, Sphacelus illicò extirpandus. Boerhaave.

SIDERATUM Membrum Amputandum, ne pars sincera trahatur. Nihil interest, an satis tutum sit præsidium, quod est Unicum. Satius est anceps auxilium experiri, quam nullum. Melior est dubia spes, guam desperata salus. Municks.

BUT fhould the Gangrene refift your utmost Skill, and bid Defiance, as it were, to your best Endeavours, getting still more Ground, and spreading or turning into an Absolute Mortification, what then remains? why truly nothing, that I know of, unless, with the Poet, to pronounce,

> ————Immedicabile Vulnus Ense rescindendum est.—

> > Turner.

THE Internal Medicines effablifhed by the Common Confent of Phyficians, are Sudorificks and Alexipharmicks.

B 2

THE

THE External Medicines ordered by Etmuller, are,

Decost. Calc. Viv. Cataplasm. De Fim. Equin. &c.

MUNICKS orders, Spt. Vin. in quo Ther. dissolut. est. Spt. Vin. cum ungt. Ægypt. Aq. Contra Gangrænam, &c.

RIVERIUS orders, Spt. Sulphur, &c.

DR. Turner gives us his Method as follows. "An Elderly Gentlewoman, up-" wards of Seventy, of a thin dry Habit, " yet all her Life-time ftrong and healthy, " being feiz'd with a Fever, but unac-" quainted with Medicine, intending the " fame fhould take its Courfe, went on " in her own Way, with Poffet-drink, and " other fuitable diluting Liquors, for her " Thirft; but without any Alexipharmick " Medicines whatfoever, that might have " affifted Nature in promoting a Diapho-" refis, or expelling the Febrile Matter " through the Porcs. After a few Days, " the

## [4]

" the same being translated to one of her " Legs, raised fuddenly a Tumour with In-" flammation, of the Phlegmonoide Kind, or therewith partaking of the Erysipelas; " which encreasing with great Pain and " " Throbbing, as if tending to Apostemate, she sent for me. Considering its Cause, 66 which was Internal, together with the ٢٢ " Subject, a Person so far advanced in Years, I was apprehensive of some ill Conse-" quence, but endeavour'd what I could to \*\* assist Nature. But (to be short) it mor-22 tified next Day; so that scarrifying in 56 " feveral Parts, till some little Effusion of Blood was thereby obtained, and washing 40 the Incifions with an arm'd Probe dipped 66 in a hot Mixture of Ol. Tereb. Tinct. •• Myrrh. and a little of the Ægyptiac. £¢ melted down therewith, I applied a Wad 66 of Tow expressed from the hot Campho-" rated Spirit, and rolled up the whole " Leg upon a Stuph, wrung out scalding çc hot from the faid Fotus. This done, I " " told her Friends there were no Hopes of " her Life, but by the Lofs of her Leg, " and confidering all Circumstances, fo very se little even that way, that I could by no « means

57

[6]

means perfuade her to fuch an Enterprize; Nature being, as we fay, worn
out, the Principles of Life diffolved, and
the Lamp upon its Extinction, through
the want of proper Pabulum to continue
the fame. " He gave internally a Morfel of Mitbridate in a Glass of Canary, &c."

THUS, you see, Mortifications from an internal Cause, are given up by Physicians as Incurable; and those from an external Cause left doubtful, unless cured by Amputation. Durum Telum!

### Observation of a Mortification stopped by the Bark.

April 22, 1732. WAS fent for about 15 Miles out of Town, to visit a Gentleman, a little turn'd of Fifty; where I met Dr. Newington of Greenwich, and Mr. Wade, Surgeon and Apothecary, of Brómley. Upon Examination, I found the Back Back of his Right Foot mortified near the middle Toes, about the breadth of a Shilling, the Small of the fame Leg being pretty much tumified, and pitted a little in some Places; his Pulse quick, and his Tongue dry. Upon Enquiry whether he had received any Bruife, Wrench, or Wound, he answer'd, not as he remember'd; but some Persons about him talk'd of a firait Shoe, which he had complain'd of fome time before, which there was no Strefs to be laid on : Therefore we were all of Opinion that it proceeded from an internal Caufe. The Dreffings being prepared, I began to scarify on the mortify'd Part, and cut to the Bones without giving him any Pain. I then continued the Incifions through the Skin, all over the Back of the Foot, which was a little tumified; without his discovering the least Sense of feeling; which did not a little surprize me, the Skin looking perfectly fair : I then went on all over the Fore Part of the Small of his Leg, whence we had aconsiderable Discharge of a sort of bloody Water, but there was still no Sensation; therefore I proceeded as high as the Gartering below Knee, when he began to complain

plain a little, and pure Blood follow'd the Knife: His Limb was then well ftuped with a ftrong Fomentation, and the Wounds drefs'd with Pledgets armed with Digeftive, and dip'd in hot Ol. Tereb. over them was apply'd a Pultife made of Oatmeal, Stale Beer, and Ther. Lond.

HE was then carried to Bed, and the Doctor wrote thus:

Rad. Serp. v. aà 3ſs Pulv. e Chil. C. C. Rad. Serp. v. aà 3ſs. Conf. Alkerm. q. s. f. Bol. 4<sup>ta.</sup> quaq; hora fumend. fuperbibend. Coch. 4. Julap. Sequent.

R Aq. Lact. Cerafor Nig. Theriacal. aà ziij Syr. Croc. zvj. m. f. Julap. Bibat feri lact. Aq. Ther. Alterat. Copiosê.

As foon as we withdrew into another. Room, the Company ask'd me what I thought of the Gentleman's Cafe? I told them, I thought he was in very great Danger, not only as it proceeded from an internal Caufe, but becaufe it had fpread fo far in fo little Time. Upon which they reply'd, We hope you will not take it amifs, if we fend to London.

London, for farther Advice: I answer'd, No not I, far from it, I desire you would. Upon which, being defired to Name the Person to be sent for, I wrote down several Surgeons Names of the best Note in London, viz. Serjeant Dickins, William Cheselden, Esq; Mr. Fern, Mr. Petty &c. and told them they might choose any of them they thought fit.

THIS Morning Serjeant Dickins April 23. and Mr. Cheselden came down, and after they had feen and examined the Patient, they told him that every Thing had been done for him which was proper; that the Progress of his Disease appear'd to be stop'd, and that he had nothing to do but to go on in the fame Method.

HIS Pulse was much the fame 24. as before, and the Mortification did not feem to spread.

DR. Newington wrote as follows: B Conf. Raleigh. Lap. Contrayerv. ad Di. Syr. Croc. q. s. f. Bol. 5ta. quaq; hora sumend. Superbibend. Coch. iv. Julap. Prescript.

HIS

[ 10 ]

April 25. H18 Fever was high, his Tongue dry, and the Mortification began to fpread a little. I fearified it deep, and drefs'd warm.

26. I COULD not perceive that the Mortification had made any further Progrefs.

THE Doctor wrote thus:

- Be Decost. Commun. Glysterii Zviij. Ol. Chamæm. Syr. Violar. aà zij. f. Enema hoc Vespére Injiciend.
- R Pulv. e Chel. c. c. Jj. Croc. Anglican. Confect. Raleigh. aà. Jß. Syr. Caryoph. q. s. f. Bol. Sextâ quaq; horâ fumend. Superbib. Coch. iv. Julap. Seq.
- R Aq. Latt. Alex. Menth. aà ziv. Theriacal. ziij. ' Syr. Croc. 3vj. f. Julap.

27. His Fever increas'd, and the Mortification fpread crofs the Toes, towards the Ball of the Foot, which I fcarified deep, and drefs'd as before. THE Mortification still got April 28. Ground, therefore I had Recourse to the Actual Cautery, with which I burned where-ever it was corrupted.

I FOUND no Benefit from the 29. Actual Cautery, for the Mortification &c. increased, fo that I told those about him, I had no Hopes of his Life: They immediately reply'd, What ! Would not taking off his Limb fave him ? No, I said, I did not think it would: But advised them to fend for the two Gentlemen they had confulted before, and if they thought taking off the Leg would give him any better Chance for his Life, I would do it : So I was defired to bring them next Day.

THIS Morning, Dr. Newing. 30. ton, Serjeant Dickins, Mr. Chefelden, Mr. Wade, and myfelf, met in his Chamber, and found his Fever very high, his Tongue dry enough to grate a Nutmeg, his Vifage wild, a great Drought upon him, very reftlefs, the Mortification fpread as far as the Tend. Achill. C 2 and and he complain'd alfo of a Hardnefs and Pain in one Side of his Belly. After withdrawing, we were all of Opinion, that taking off his Limb would be of no Ufe, and that in all Probability he could not live 24 Hours longer.

UPON this Sergeant Dickins said, Gentlemen, you see we can do nothing in this deplorable Cafe, with warm Applications, Incisions, or Fire; Mr. Douglas has already used them sufficiently, and the Doctor has directed the internal Medicines ufually prescribed by Physicians in these Cafes; nevertheless, the Disease, instead of abating, gets Ground: I would therefore recommend the Trial of the Bark, which has had furprizing Effects in Mortifications, as I am inform'd by Serjeant Amyand, a Gentleman, you all know, of the greatest Integrity and Honour, who has experienced it several Times in very desperate Cases: It has also been fuccessfully given for the same Purpose by Mr. Rushworth, a Surgeon in Northampton; but I can fay nothing to it from my own Knowledge or Experience: however, I think, in our present Case, bad

as

[ 12 ]

### [ 13 ]

as it is, if it does no Good, it can do no Harm. Mr. Chefelden was of Opinion that it would do no Harm; but added, that he had never heard of its being ferviceable in fuch Complaints; nor did he believe that This, or any Other Medicine, would fucceed in the prefent Cafe: Nay, fays he, if the Bark has ever done good in Mortifications, it is not giving it fair Play, to expect any thing from it in fuch a one as This.

I TOLD Serjeant Dickins, I had never heard that the *Bark* was administer'd in Mortifications before; but, fince he had so good Authority for it, which, in my Opinion, was much the same as his own Experience, and fince it was the Extreme Remedy, I was for having it given as soon as possible.

DR. Newington said, we might give him what we pleas'd; but, in his Opinion, he would not live till the next Day.

HOWEVER, Mr. Wade being also defirous of making Trial of the Bark, did a little

### [14]

little Time afterwards defire the Doctor to write down a Form for that Purpofe; which the Doctor refus'd, alledging it to be a Practice fo much out of the Way, that he would not have it feen under his Hand. Which is not at all ftrange, confidering it was a Medicine cook'd up by a Parcel of Surgeons, who had no Authority to alter the eftablifb'd Practice. However, it was given that fame Evening, in the following Manner:

R Cort. Peruvian. opt. Subtilifs. pulv. 35s. Conf. Alkerm. q. s. f. Bol.' 4<sup>ta.</sup> quaq; hor. fumend.

WHEN I went Home, I desir'd the Servants, if he died in the Night, to acquaint me with it early next Morning.

May I. I RETURN'D about Noon, but inftead of finding him dead, as I expected, they told me at the Door, he had had a fine Night: I went immediately up to his Chamber, and found a furprizing Alteration for the better. His Pulfe was calm, his Tongue moifter, the Wildnefs of his Countenance gone, and he faid he had refted rested much better than any other Night from the beginning of his Disorder. When I open'd his Leg, I found the Mortification had made no further Progress. He had then taken but four or five Doses of the *Bark*. The Doctor, supposing him to be dead, did not comé.

HE was still better, and we had May 2. a small Discharge from the Sore. He had had five or fix small Stools. Therefore Mr. Wade and I agreed to add three Drops of Land. Liq. to each Bolus of the Bark, which soon answer'd the End.

I FOUND two large *Abfceffes* form'd, one on each Ankle. The innermoft being biggeft, I open'd it firft, and had about four or five Ounces of good Pus: Then I open'd the other, and found near the fame Quantity of Matter. I could now thruft my fore Finger with Eafe, through from the Internal to the External Wound, between the *Tend. Achill.* and the Bones of the *Tarfus*, notwithftanding the outermoft Tumour fubfided but very little after opening the innermoft.

THUS

[ 16 ]

THUS the Violence of the Fever being taken off by the *Bark*, Nature was enabled to form these *Abscesses*, which was an infallible Sign that the Progress of the Mortification was stop'd. We then order'd the *Bark* should be given only every fix Hours.

THIS Morning Serjeant Dickins May 4. and Mr. Cheselden called at my House, and I acquainted them with the extraordinary Change in our Patient, fince he had taken the Bark: They were both agreeably furprized, and pleafed to hear of that wonderful and fpeedy Alteration for the better : Nay, Mr. Cheselden could not but own, that the Bark had refcued him from the Jaws of Death. Soon after I parted from them, I set out to visit my Patient: When I got thither, I found his Pulse higher, his Tongue a little dry, and the Difcharge rather less than the Day before : Therefore we order'd the Bark to be given again every four Hours, and a Glass of dry Madera Wine after it.

IFOUND

## [ 17 ]

I FOUND his Pulse regular, the Digestion plentiful and laudable, his Countenance serene &c.

I FOUND him very uneafy, and 6. his Pulse quicker than the Day before; therefore enquir'd whether he had taken the Bark, as directed : Yes, yes, faid they, he has not miss'd taking it once; that is not the Cause of his Disorder, he has been talk'd to too much, and upon a very improper Subject. Upon Enquiry by whom, and about what, I found that a Limb of the Law had thrust himself into his Room, whether his Attendants would or no, and when there, had Modesty enough to tell him, notwithstanding the weak Condition he was in, That he had brought a Gentleman to his House, who, in his Opinion, had the best Title to his Estate, &c. Pretty Discourse indeed! People that are in perfect Health, do not care to hear of Heirs, especially strange ones, much less when dangeroufly ill. I then gave ftrict Charge to those about him, that no body fhould'be admitted

tÖ

## 

to talk to him about any Thing but his Health.

May 7. I FOUND his Pulse in good Order, the Digestion plentiful & c.

8. His four little Toes being entirely mortified, I cut them off.

9. I CUT off his great Toe, and defir'd him to eat and drink more freely, and continue the *Bark* as before.

II. DR. Newington, who had not been to visit him fince the 30th of April, call'd, and was very well pleas'd to find such an Alteration in our Patient, and defir'd us to go on in the same Way.

14. MR. Chefelden came to my Houfe, and acquainted me, that he was going to vifit my Patient. I ask'd him who gave him fuch Inftructions, without my Knowledge or Defire? He replied, One of the Heirs to my Patient's Effate (who, I fuppofe, was afraid he was not taken fufficient Care of) had defired him to go. I affur'd [ 19 ]

assur'd him that there was at present no need of a Confultation, otherwife I'should have fent to Serjeant Dickins, and him too: Therefore I hoped, he that fent him would pay him; and, if so, he might send half a Score every Day, if he thought fit. So we went together. When the Patient's Leg was undress'd, and Mr. Cheselden saw a plentiful and laudable Discharge, from all the Wounds which had been made, a total Separation between the living and the dead Parts, and the Sloughs hanging like Tatters of Rags all about; he could not help fhewing his Surprize at a Sight he had fo little Expectation of when there last, viz. on the 30th of April. He then told the Gentleman, his Leg was in as good a Way as poffible, and there was no more to be done but to go on.

HE had two large Stools in the May 18. Morning, and a great Difcharge from his Wounds, which I thought weaken'd him a little, therefore we order'd a Mixture with Conf. Fracastor, to be taken, in Case he had any more Stools, and also to add Laud. Liq. to his Bolus's of the Bark.

I LAID

### [ 20 ]

May 20. I LAID open a large Sinus above the inner Ankle.

21. THE Doctor call'd again to fee him, and was very glad to find he went on fo well.

<sup>24.</sup> MR. Wade and I agreed to give him the Bark every fix Hours only.

28. THEY shewed me an Oedematous Tumour on the Back of his other Foot; upon which we order'd him to take no more Bark, and drink a little more freely of Wine. He had now taken the Bark every four Hours for twenty-three Days, and every fix Hours for five Days, *i.e.* about Ten Ounces of the Bark.

29. I ORDER'D his Left Foot to be wash'd well with hot Water, Bran, and Soap, every Morning, to get off the Dirt and scaly foulness, which obstructed Perspiration &c. We also order'd him fome Bitter Draughts to be taken three times a Day.

IFOUND

IFOUND the Oedematous Swel-May 30.<sup>3</sup> ling of the Left Foot leffen'd, and I defign'd to have purged him, but that he had had two or three natural Stools.

[ 21 ]

I FOUND him hearty and the 31. Wound in good Order, therefore took off the Bone of the Metatarfus which fuftains the little Toe.

AN old Gentleman made our June 2. Patient a Visit, and was weak enough to tell him, " That he heard his " Surgeons had been making Experiments " upon him, which might as well have " killed him as cured him; and that they " were daily cutting and flashing his Leg, " under Pretence of Taving it; but he was " fatisfied, from what he had heard from " others of the same Profession, that it was " only prolonging the Time; for nothing " would do but taking the Leg off; it is as " good, Sir, (faid he) to tell you of it at first, as at last. " What do you mean? fays our " Patient, Mr. Douglas says I am out of all Danger

Danger now. " He may tell you fo, Sir, " (reply'd the old Gentleman) but I know " better : If he cures you without taking " off your Leg, I fhould be as forward as " as any Man to own he had done fome-" thing extraordinary; but I know how " Things will turn out as well as any of " them " &c. Our Patient then began to be very uneafy, therefore he was defir'd to change the Difcourfe &c.

[ 22 ]

June 3. I FOUND an Impossibulation about the fore and middle Part of his Leg, but durst not mention opening it, I found he was so frightened at what had been said to him the Day before, about cutting and flashing; therefore I took an Occasion to acquaint those about him, that I would bring Serjeant Dickins next Day, to satisfy him that it was absolutely necessary to lay it open.

4. SERJEANT Dickins made him a Vifit, and was very well pleas'd to fee him in fo good a Way, confidering how he was when he faw him laft, and agreed with me, that it ought to be open'd imme-

3

immediately: Accordingly, tho' with more Difficulty than ever before, he fubmitted to it, and I made an Incifion about two Inches long, and had a Difcharge of three or four Ounces of Matter.

I CARRIED him fome Spaw Fune 5. Water to drink with his Wine, by the Advice of Serjeant Dickins: I also inlarged the Incision I had made the Day before, with my Scissers, before he was aware of it.

6.

ALL promis'd well, and the Waters agreed with him.

I CUT off another of the Metatarsal Bones.

I CUT into the Joint of one of the Metatarsal Bones, to hasten its Separation.

I CUT into the Sloughs in the hollow of his Foot, and let out a great deal of glairy Matter, and then fnipped off all the loofe Rags of Sloughs, upon which

## [ 24 ]

which I difcover'd a large Fungus, which had thrust forth under the Sloughs, from the *Tarfal* Bones.

June 16. I CUT off the Remainder of the Metatarsal Bones, and sprinkled the Fungus with Precip. Rub.

19. I PERCEIV'D the Tibia bare about the Middle, a large Sinus, and a confiderable Difcharge; therefore advifed them to have a Confultation with Serjeant Dickins and Mr. Chefelden.

21. SERJEANT Dickins and Mr. Cheselden went along with me, and I laid open that large Sinus, and dress'd as before.

I LAID open a small Sinus on the back of his Foot: There was a large Discharge from his Wounds, which weaken'd him, and lessen'd his Appetite.

23. THE Discharge was very sætid, and in too large a Quantity.

THE

## [ 25 ]

THE Discharge seem'd rather to June 24. increase, and his Strength to decrease; nevertheless, I laid open two more Sinus's.

THE Discharge rather increas'd; 25. however, I laid open one more Sinus, and then told them, I was weary of opening daily one Sinus after another, without gaining my Point, viz. leffening the Discharge; and that I suspected the Tibia was Carious farther than we perceiv'd it, which might be the Cause of that great and constant Discharge, and that, in my Opinion, he could not bear so large a Drain long, and that it was better to have his Limb off before it was too late; Therefore defir'd another Consultation with the two Gentlemen before-mention'd.

N. B. The Ulcer reach'd then, from the Origin of the Soleus, i. e. just below the Knee, all along the infide of the *Tibia*, as far as the Heel; and in fome Places it was very broad, and in others very deep; all the Bones of the Toes and Metatarfus were gone, and all those of the Tarfus Carious.

E

I COULD

### [ 26 ]

I COULD not visit him the June 27. 26th, but on the 27th I took Serjeant Dickins and Mr. Cheselden along with me, and Dr. Newington met us there. We were very well pleas'd to hear from Mr. Wade, as foon as we came in, that the Discharge was very much lessen'd the Day before, occasion'd, no Doubt, by the Sinus's being all open'd: And when his Leg was undress'd, we found the Discharge considerably leffen'd, and could difcover no more Sinus's; therefore, instead of taking his Leg off, we agreed to proceed as before, only to drefs twice a Day, for fome Time. The Doctor order'd nothing, but desir'd us to go on with the Bitter Draughts &c. he was then taking.

28. I FOUND the Ulcer in good Order, and the Discharge lessen'd.

July 1: WE order'd him an Infusion of the Bark, to be taken twice or thrice a Day.

## [ 27 ]

HE was carried out into his July 8. Garden, for the first Time, in his Three-wheeled Coach, for the Benefit of the Air.

I тоок off the Os Cuböides, and the three fmall Bones of the Tarfus.

I SEPARATED the Os Navicu-16. lare, and left only the Aftragalus and Os Calcis.

I CUT off with a Knife, that August 5. large Fungus which sprung from the Os Calcis, and had plagued him so long, and then apply'd the Actual Cautery to stop the Blood, and consume the Roots of the Fungus. N. B. I had before this tried Præcip. Rub. Vitriol. Rom. Butyr. Antimon. nay, the Potential Cautery, several Times, one after the other, but could not destroy it.

PART of the Os Calcis came 29. away.

E 2

I TOOK

Sept. 4. I TOOK away the Aftragalus whole, and the Remainder of the Os Calcis, as I thought. When these two Bones came out, they left a Hollow big enough to receive a Duck's Egg; the back Part was formed by a horny fort of an Excrescence which seem'd to spring from the Tend. Achill., the fore Part of it by the Remainder of the Flesh which made the back of the Foot, and the upper Part by the hollow End of the Tibia. There was a pretty deal of Blood followed these Bones, therefore I crammed this Hollow full of Lint, and rolled it up tight.

6. I CUT off this large horny Excrefcence (which made a half Moon round the End of the *Tibia*) with a Knife; there was no Appearance of any Bone in it, yet my Knife ftopp'd when about half way through, which furprized me a little, becaufe I concluded the Os Calcis was entirely gone, yet there was a pretty large Piece of it in the middle of the Fungus; I therefore cut a little higher towards the Tend. Achill. and it feparated with cafe all round.

#### [ 29 ]

round. It bled very fresh, so I tied one Vessel which spurted out, and stopped the rest with the Actual Cautery, which at the same time confumed the Roots of the Excrescence. It was very remarkable, that the End of the *Tibia* was not Carious, notwithstanding these foul Bones had remain'd there so long.

1 FOUND all the Sloughs fepasept. 13. rated, the End of the *Tibia* cover'd with a fine grainy Flesh, the Lips thin, and the Discharge moderate and laudable.

OUR Patient lay at my House, Nov. 8. and Serjeant Dickins called next Day to see him, and found that long Ulcer, which reached from his Knee to the Heel, (mentioned Page 25) perfectly cica. triz'd; and though all the Bones of his Foot were taken away, yet the Ulcer on the End of the Tibia was not above the Breadth of a Shilling, and otherwise as well condition'd as could be wished; and that he was healthy and hale in every other respect. I then got that

## [ 30 ]

that ingenious Mechanick Mr. Dappé, to make him a Wooden Leg, to clap his Knee on, and walk about for Exercife, until this little Ulcer fhould be cicatriz'd.

Remarks on the foregoing History.

DOUBT not but it is evident from the foregoing Hlftory, that the Violence of the Fever, which increased upon us, in spight of all the Means we could use, both internally and externally, for eight Days running, and which brought our Patient to the very brink of the Grave, in the Opinion of all concern'd, was, in a few Hours, taken away by the Bark, whereby a Stop was put to the Progress of the Mortification, and Nature was enabled to form the fore-mentioned Imposthumations, and make a Separation between the living and dead Parts: Which being done, we were left to choose either to wait for the falling of the Sloughs, SepaSeparation or Exfoliation of the Bones, Or to proceed to Amputation, as we judged proper. But to Amputate before the Mortification is entirely ftopped, efpecially when it proceeds from an internal Caufe, (as has hitherto been too frequently done) is only haftening the Patient's Death; for the *Sphacelus* breaks out anew in the Stump, and then the poor Patient is in a worfe Condition than at firft.

[ 3-1 ]

NOTWITHSTANDING what has been faid, I doubt not it will be objected, That granting the Bark had fuch an extraordinary Effect in the fore-mention'd Cafe; yet one Swallow makes no Summer; which I fhall anfwer by the Accounts given of it by Mr. Rushworth and Serjeant Amyand.

MR. Rushworth a Surgeon, in Northampton, fent a printed Letter to the Master and Governours of the Surgeon's-Hall in London, dated October 18, 1731, in which he gives the following Account of his using the Bark in Mortifications.

« IN

[ 32 ]

" In the Year 1715, I was fent for to a " Man who had a Mortification on the " Foot from an internal Caufe: The Fever " was very high, attended with the irre-" gular Pulse that is usual in the Case. I made deep Incisions in the\_mortified Part 66 to the Bone, and fcarrified all round as 66 far as there was any Inflammation, and 66 " used the common Applications; upon " which the Fever abated, the Pulfe became " not only calm, but also regular, and in a few Days I had a Digestion at the 66 " Edges: I was obliged to leave it to the " Care of an Apothecary, but in a short " Time I was sent for again, the Fever be-" ing return'd, and the Part mortified higher : I used the same Method as before, with 66 the fame Success; but all the former " " Symptoms return'd the third Time; but upon repeating the fame Method again, 66 « ceased : I thought it to no Purpose to " take off the Leg, having too often found " Returns after it, the Fault being in the " Blood and Juices. But Providence now if first directed me to order the Bark in " this

## [ 33 ]

" this Cafe, (whilft there was a Remiffion " of the Fever,) it anfwer'd beyond what I " expected, the Fever no more return'd; " the Leg was taken off, and I faw the " Perfon well and lufty many Years after-" wards; and I have fince feveral Times " had the Experience of the good Effects " of it in the like Cafes, which has been " no fmall Satisfaction to me.—

QUERT, Whither a Surgeon, thus directed by Providence, had not as good an Authority to prefcribe internal Medicines as any Alma-Mater Houfe in Europe could give him? Nay, the Succefs was extraordinary as well as his Authority; for though he order'd a Common Medicine in an Uncommon Cafe, yet he faved his Patient by it; who would infallibly have drop'd through his Fingers, had he perfifted in the Method eftablifhed by Law.

IN October last, Mr. Rushworth reprinted the fore-mention'd Letter, with Additions, viz. a Letter to Serjeant Amyand, Aug. 5. 1732 & c. in which he fays, " I beg Leave " just to mention, that leaving off the Bark F " too er too soon, a Patient of mine had a Re-" turn of the Mortification, (vide Page 16.) " in about five Days Time, but scarifying and repeating it, I prefently had the good " Effect of it again, and fhe is now per-" " feetly recover'd; and though the had a " very ill Habit of Body before, is now " much better than fhe had been for feveral. "Years, and her Looks fhew it to all that " knew her before, though she is Fifty "Years of Age." In Page 35. of the fame Pamphlet, he fays, " It is neceffary " that I intimate to all Surgeons what I " have mention'd to our Company, that I " would not be misunderstood by my " printed Letter, as if the Bark would an-" fwer in Mortifications from all internal " Causes; for in some it is not proper, as " Surgeons may eafily fuggeft to themfelves."

34 ]

PHYSICIANS and Surgeons both would have been much more oblig'd to him, if he had inftanced the Cafes in which it would not anfwer, inftead of leaving them to guefs.

IN

[ 35 ]

In the fame Pamphlet there is a Letter from Serjeant Amyand to Mr. Rusboworth, dated July 29, 1732. in which he gives the following Account of his Success in giving the Bark in Mortifications. " I am now " to acknowledge yours of the 17th Instant, 66 and to acquaint you, that from your Ex-" ample I have given the Bark in all Mor-" tifications with fuch Success, as has en-" couraged the Gentlemen you mention " to administer it. I have now under my " Care a Gentleman of 78, who owes his " Life to that Medicine. His Cafe was at " first a Gangrene after a Phlegmon: The " ufual Means feem'd to have removed the " Danger, but the Fever continuing without " Remission or Intermission, a Sphacelus " soon appear'd, which nothing did stop " the Progress of till the Bark was used, " and in twenty-four Hours, and lefs, the " Separation begun, with a laudable Pus. " The fame Thing happen'd to a Jew, " whose Sphacelus had got ground for three "Weeks, in spite of all Means, where se-« veral Surgeons were concern'd.

"I HAVE

[36]

" I HAVE now used it in seven Cases, " the Circumstances in each being different, " and yet in all the Bark has taken Effect: Even within these few Days, to Mr. De-66 " lenor, who kept the Bagnio in St. James's-" Street, in whom a Mortification happen'd, " after several Punctures in Dropfical Legs, " the Bark ftop'd the Progress in less than-" twenty-four Hours, and the Sloughs be-" gan to separate; but the Patient having a " Jaundice, and fpent with Evacuations, it " reviv'd and came into the other Leg; of ¢6 which, though he died, yet the Power of the Bark was so plain, that from this and ec " the other Cafes, I think it evident, that « we may be as fure of getting the better " of, or at least of stopping a Mortification " from an internal Caufe by the Bark, as " conquering an Ague thereby.

I am, &c.

Claud. Amyand,

N.B. MR. Russworth gave the Bark in the Remission of the Fever, Mr. Amyand, and we, in the Height of the Fever, yet it had had the fame Effect; which shews the Difference between these Sorts of Fevers and Agues, in which last it is known to every body that the Bark does Harm, if given in the Fit. Mr. Rusbworth fays, the Bark will not answer in all internal Mortifications: Serjeant Amyand afferts, from Experience, that it will answer in all internal Mortifications. Mr. Rusbworth discover'd this extraordinary Effect of the Bark in the Year 1715, and communicated it, as he fays, to feveral Phyficians and Surgeons; yet we never heard any thing of it, till it was lately brought into Practice by Serjeant Amyand. Neither Serjeant Amyand nor Mr. Rusbworth, have given any Account of the Dose they gave of the Bark, how often they repeated it, or how long they continued it; which Defect I have carefully supply'd in this Account.

EVER fince I had the agreeable Sight of a Perfon's being fayed by the *Bark* from the Power of a raging Mortification, from an internal Caufe, when all other Means had proved ineffectual, I have pleafed myfelf with

#### [ 38 ]

with the Thought that it may also be of Use in Mortifications from external Causes. E. g. after all great Operations, as Cutting for the Stone, Trepaning, Amputations &c. we always have a Symptomatick Fever, which, when moderate, is ufeful, but it too often rifes to fuch a Heighth, that it can be quell'd by no Means yet made use of; whence a Mortification in the Wound enfues, the Patient grows delirious, and soon after dics. Now whether the Bark may not also be of Use in putting a Stop to this, as well as the other Fever, Time and Experience must determine; yet the Analogy of the Cafes makes me apprehend that it bids very fair for it.

THE late Doctor *Richard Morton*, in his Treatife of Intermitting Fevers, gives a long and particular Account of the Cabals that were form'd by a Sett of Phyficians and Apothecaries, to oppose the Introduction of the *Bark* into the Practice of Phyfick at first, to which I referr.

THE

## [ 39 ]

THE principal Arguments made Use of against it, fays he, were, that as soon as ever this short and succinct Method of cureing Fevers was introduc'd, every one would be their own Doctor, and confequently the Apothecary's as well as the Doctor's Gain would be lost cc. And I doubt not but this New Use of the Bark will meet with the same Fate, from a Sett of Men, who, though they never made any useful Discovery or Improvement of their own, yet are always ready to oppose those that do.

SIR Hans Sloane, Bar. First Physician to His Majesty, President of the Royal Society, and of the College of Physicians, three Dignities never before posses of by one Person, in the Presace to the 21st Volume of the Philosophical Transactions of the Royal Society, published by him, (then Secretary,) in the Year 1699, gives the following Account of the Opposition made by Physicians to the Introduction of the Bark.

" Тне Mischiefs Hypotheses and their "Authors have done, by hindering People "from

#### [ 40 ]

" from further Search, putting them out of the " Way, and making them wrest Matters of " Fact to their own Fancies, have been very " great. There is a very remarkable Inftance " of this in the Jesuit's Bark, which was " opposed by Physicians from 1640, or there-" abouts, till about 20 Years fince. The " Arguments used against it were drawn " from its being no Alterer or Voider of " those Humours, which the most part of " Physicians had then settled by their Hy-" potheses to be the Cause of these Distem-" pers. A poor Indian, who first taught " the Cure of an Ague, of which the Lady " of the Count de Chincon (Governor of " Peru, in 1633,) was fick, overthrew, with " one fimple Medicine, without any Prepa-" ration, all the Hypotheses and Theories " of Agues, which were Supported by So " many Scores, not to Say Hundreds of " Volumes, and, it is plain, did Mischief, " by hindering the Advantage Men might " have receiv'd fooner from fo innocent and " beneficial a Remedy.

PHY-

## $\begin{bmatrix} 41 \end{bmatrix}$

PHYSICIANS may settle by their Hypotheses what they please to be the Cause and Cure of Diseases, yet Nature will still be the fame. E. g. Physicians have for many Years, not to fay Ages, fettled by their Hypotheses and Theories of Mortifications, that the best Method of putting a Stop to their Progress, was to give Sudorifick and Alexipharmick Medicines; yet now a Plain, Plodding, Country Surgeon, has overthrown, with one fimple Medicine, without any Preparation, all the Hypotheses and Theories as well as *Practice* in Mortifications, which had been establish'd for so many Years, and were supported by so many Scores, not to fay Hundreds of Volumes, and, it is plain, did Mischief.

BUT as foon as Phyficians can fettle by their Hypothefes, Theories, or any other way, what are the Real (inftead of the Imaginary) Caufes of Difeafes, and account, with certainty, for the Modus Operandi of the Medicines they preferibe, to Alter or Void the peccant Humours, then there will G be

## [ 42 ]

be no more Danger of Indians or Surgeons encroaching, as it is call'd, on their Province.

DR. Allen has the fame Opinion of Hypotheses and Theories as Sir Hans Sloane, in the Preface to his Synopfis Universe Medicinæ Practicæ. " Origines (fays he) & « Cause proxime Morborum plerumq; longe " Abstructiores sunt quam ut nostra mentis " acies eousq; penetrare possit, & revera si " dissimulare nolimus, agnoscendum est, quod " hæ usq; adeo nos lateant, ut in iisdem " pervidendis hactenus Talpæ Sumus: IN « ALTO NAVIGAMUS LONGITUDINIS " IGNARI. Interim loco Sanioris praxeos, « & melioris medendi Methodi, Hypotheses " Nova & Theoria Nova, quotannis ad " Nauseam usq; nobis obtruduntur, qua " Ostentationis multum Utilitatis parum « habent. "

DR. Michelotti has much the fame Opinion of Hypothefes, when he fays, "Theo-" rema ad fuam Hypothefin accomodavit, " fabulam eligantem & Venustam, concin-" navit, fabulam tamen."

« Ratio-

L (T

" Ratiocinium Decoratum, sed omnino inefficax fabricavit.—Conjecturas ingenio-Sas, ad probandum verò nullatenus Valentes, stabilivit.—Tam hallucinari, quam. verè nugari, quis non Videat ?"

DR. Sydenham (Medicorum Sagacissimus) afferts, that " Indicatio à Juvan-" tibus & Lædentibus sumenda."

FROM all which I may conclude, that Experience is the only fure Guide in the Practice of both Phyfick and Surgery; and that until industrious, prudent, and knowing Men are allowed to make feasible Experiments, and are rewarded, instead of being roasted, when they discover any Thing really Useful, little Improvement can be expected either in PHYSICK or SURGERY.

G 2

POST-

# POSTSCRIPT.

44



BOUT fix Weeks ago, a Brother-Surgeon, to whom I had communicated the fore-mentioned Cafe, came to my

House, and told me, he had a Patient about 65, who had a Black infenfible Spot on the Back of his Foot, which he took to be a Mortification from an Internal Caufe. His Phyfician, he faid, gave him warm Things inwardly, and he applied warm Things outwardly, nevertheless the Disease increased, therefore he defir'd my Opinion about the Bark. After examining what other Complaints he had &c. I told him, in my Opinion, the Bark was the only Internal Medicine in the Apothecary's Shop, that was likely to be of any Service to him. Then I shewed him, for his farther Confirmation, the Accounts of Scricant Amyand's and Mr. Rusbworth's Rusbourth's Success, (Page 31 to 36.) and defired he would communicate them to the Doctor. He returned next Day, told me he had acquainted the Doctor with every Thing I had faid, nevertheless he could not prevail on him to prescribe the Bark, but he would go on his own Way, (like the Old Woman, Page 4.) notwithstanding the Difease hourly increased. I faid, I could not help his Bigottry to his own Way, but thought I had done my Duty in freely communicating to him every Thing I knew about the New Method of Cure. He faid, he thought fo too, and was very much obliged to me for it; and affur'd me, he would not only infift upon it again at the next Meeting, but also that I should be called in.

| 45 ]

WHEN they met again, he faid, You fee, Doctor, the Mortification fpreads apace, notwithstanding what we do, and undoubtedly will continue to do fo, in Cafe you will not be perfwaded to order the *Bark*: You know, by long Experience, that Mortifications from an Internal Caufe (fuch as this is) are always Mortal, in Perfons of an advanced

vanced Age: why then fhould we persift in a Method which we never faw fucceed, especially when there is a New, Easy, and Successful Method proposed to us by Gentlemen of known Veracity and Honour? If the Bark cured their Patients, though to all Appearance in worse Circumstances, why should it not also relieve ours? Then the Doctor faid, The Apothecary may give it him, if he pleafed, but he would not write for it. Some time after this, he called on me again, and faid, he found the Apothecary was as much against exchanging the Cordial and Alexipharmick Bolus's for the Bark as the Doctor; therefore defir'd I would go with him to fee the Gentleman, and if I thought it was not too late to give him the Bark, he would fee him take every Dose himself, to be sure it was given him regularly, which he could not otherwife depend upon.

[-46]

WHEN I came there, I found a Mortification on the Back of his Foot, the breadth of Half a Crown, and another on the infide of the fame Foot, about the bignefs of a Shilling; [ 47 ]

Shilling; his Pulse high, his Tongue dry, and his Head a little diforder'd. As foon as we withdrew, I ask'd the Surgeon, How it came he had not scarified those two mortified Places? He faid, the Doctor would not confent to it. Why fo, faid I? Because, reply'd he, he did not think he would live, if it was scarified and cauterized both. I agree, faid I, that fcarifying and cauterizing will not put an intire Stop to an Internal Mortification; but constant Experience shews, either of them will hinder its encreasing fo fast as it otherwise does, which is often of great Consequence in Peoples Affairs, as well as in preferving their Lives. I then told him, the mortified Parts ought to be fcarified immediately, and drefs'd as before directed, and the Bark given every four Hours &c. Upon this, the Apothecary faid, That he had given him one Dose of the Bark, and he found it stuffed up his Breast, and made him breathe with more Difficulty; To which I replied, If he gave him more of it, it would unstuff his Breast &c. Upon which, we were interrupted by some of the Family, who faid they would have nothing thing done till the Doctor came: I told them, I was not going to do any thing; I had given these Gentlemen my Advice; if they pleased to follow it, I thought it was probable that the Gentleman might recover, otherwise he would furely die, and so I left them. When the Doctor came, he persisted in his former Opinion, that the *Bark* appear'd to him a very unlikely Medicine to have any good Effect in this Case; so the poor Gentleman expir'd (S. A.) in less than 24 Hours.

"Unlefs a Phyfician has a great Love for the Art, and is withall a Man of *Probity* and *Sagacity*, it is not to be wonder'd at, if he fhould jog on, as others have done before him, without once thinking of going out of the Way for the fake of *Improvements*.

Dr. Clifton's State of Phylick.

# FINIS:

ERRATUM. Page 14. Line 8. after Authority, read, (except Experience)

Alegi

\*

·

•

, .

.

.

. .

