



MBL Systematics Ecology
Program

MBL/WHOI



0 0301 0015597 4

INDEX ANIMALIUM

London: C. J. CLAY AND SONS,
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,
AVE MARIA LANE.

Glasgow: 50, WELLINGTON STREET.

AND

H. K. LEWIS,
136, GOWER STREET, W.C.



Leipzig: F. A. BROCKHAUS.

New York: THE MACMILLAN COMPANY.

Bombay and Calcutta: MACMILLAN AND CO., LTD

INDEX ANIMALIUM

SIVE


INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN

CONFECTUS



SECTIO PRIMA

*A KALENDIS IANUARIIS, MDCCLVIII
USQUE AD FINEM DECEMBRIS, MDCCC*

CANTABRIGIAE

E. TYPOGRAPHIO ACADEMICO

M DCCCC II

1702

MELINDA 80181

THE UNIVERSITY OF CHICAGO
LIBRARY

PHYSIOLOGICAL LABORATORY

THE UNIVERSITY OF CHICAGO

TO

MY MOTHER.



THE UNIVERSITY OF CHICAGO
LIBRARY

THE UNIVERSITY OF CHICAGO
LIBRARY

INTRODUCTION.

IN a book of reference, the first pages which should be studied are those containing the "corrigenda" (p. lvii), as they represent the sum of the compiler's labours after the main work has passed the press.

The objects of this work are (*a*) to provide zoologists with a complete list of all the generic and specific names that have been applied by authors to animals since January the first, 1758¹; (*b*) to give an exact date for each page quotation; (*c*) to give a quotation for each reference sufficiently exact to be intelligible alike to the specialist and to the layman.

Similar works have been produced before, but no one book has yet appeared attempting to supply references to all names given to both fossil and recent animals, nor has any definite attempt been made to fix an accurate date to each name.

Notices of the details of the scheme have appeared in *Nature*, 15 May, 1890, p. 54; *La Feuille des Jeunes Naturalistes*, Nov. 1890, p. 19; *Nature*, 2 July, 1891, p. 207; *Natural Science*, iii. 1893, p. 379; *Proc. Zool. Soc.* 1896, p. 610; *Reports Brit. Assoc.* from 1892-1902.

Work was commenced on 1 July, 1890. After two years recording, an unfortunate breakdown in health, which has frequently recurred, laid me aside for three years, and thus the actual time spent on the manuscript has amounted to eight years.

In 1892 the British Association first assisted the venture and in 1894 appointed a committee, consisting of Sir William Flower (Chairman), Dr Sclater, Dr H. Woodward, and Mr George Brook (Secretary), to watch the work. The Rev. T. R. R. Stebbing, Mr R. McLachlan, and Mr W. E. Hoyle, were afterwards added to the Committee, and Mr W. L. Sclater became the Secretary on Mr Brook's death. This Committee has remained in force, Dr Woodward succeeding the late Sir William Flower as Chairman, and

¹ See "An Index to...Linnaeus...Systema Naturae," *Manchester Museum Handbook*, No. 25, 1899, p. vi, f.-n.

Dr F. A. Bather succeeding Mr W. L. Sclater as Secretary. The kindness of the members of the Committee has been considerable, and I am much indebted to them for their advice and interest. The British Association has consistently supported the finances, and valuable help has been received in this direction from the Zoological Society and the Royal Society.

In 1897 Dr Sclater suggested to the Committee that, in view of the long time that must elapse before the completion of the whole manuscript, which it was proposed should embrace the period from 1758 to 1900, it would be well if a portion were prepared and published as a specimen of the whole. This suggestion has been acted upon, and there is now offered to the consideration of zoologists that part of the work covering the years 1758–1800 inclusive. During the progress of this earlier portion of the manuscript it became apparent that a great deal of the literature required was not to be found in England, and it is satisfactory to be able to say that, with a few unimportant exceptions, the bulk of the 1300 volumes required have either been seen, or else seen and acquired for some one or other of the libraries accessible to the public. The search for these volumes has been not the least interesting part of my labours. Such as have eluded my search are mentioned in "Libri desiderati": while a complete enumeration of the books consulted has been given in a second list, this seeming to be advisable and useful; and at the same time such notes are given on them as would be of use to those who might wish to consult or purchase them.

The following remarks will be of service to those who use this volume:—

Nomina nuda are distinguished by the letters [*n. n.*].

Nomina nuda accompanied by figures, by the letters [*n. et f.*].

In those cases where an author has described and figured a species some time after printing his *nomen nudum*, a reference is also given to the *nomen nudum*, when possible.

Species "indett.," if figured, are included in the index.

Misprints are quoted only if considered liable to cause confusion.

The date of publication of a species is taken to be that date on which the print in which the name appears is offered for public sale or public distribution.

No author's copy, or excerpt from any publication distributed privately before such publication was offered for public sale or public distribution has been accepted.

In the case of privately printed books, entries taken from them are distinguished by the words [*auct. typ.*].

In all cases where the date is doubtful and cannot be definitely ascertained, the date figures are enclosed in brackets [], or have some other distinguishing mark—*e.g.*, ?—placed against them¹.

In the case of plates appearing before the text, the date of each is given if ascertainable (*e.g.*, Schreber's 'Säugethiere'), but in no case is the date of a plate accepted in preference to the date of text, for the reasons which follow:—

The figure depicted on a plate may, or may not, be the drawing intended by the author; it is the work of the artist, who is also responsible for the descriptive legend. In numerous instances the descriptive legend on a plate is quite erroneous, and has been repudiated by the author in his text. Until the text descriptive of a plate appears, the names on the plate must be considered as *nomina nuda*, and it is open to anyone to describe and rename such *nomina nuda*.

The following are the reasons for arranging the work under species and not under genera, as in the 'Index Kewensis':—

1. No synonymy of species is attempted: that depends on the idiosyncrasy of the systematist.
2. Any attempt at specific synonymy would be opposed to progress, as experience shows that vast changes may take place in a single year.
3. An arrangement under species permits of a generic synonymy, for by running the eye down the second column of the printed work, it will be possible to ascertain the various generic names with which a particular species name has been connected.

It is likely that many cases of apparently duplicate entries will turn out to be so in fact, but the entries are given because it is by no means clear from the diagnoses or remarks of the authors that they are treating of a genus or species that has appeared before in literature. It is for the specialist to decide.

All trivial names are entered as if they were masculine, *e.g.*

nigra	will be found under	niger
afrum	„	afer
abdominale	„	abdominalis.

It is obvious that no other arrangement is possible if we wish to preserve the history of a species; but cross-references are given when the feminine and neuter forms of the trivial word vary so much as to obscure it to those, who, like myself, are unfamiliar with the dead languages.

¹ It must be remembered that in every case the date given in the entries refers to the *page*, so far as the compiler's researches have enabled him to decide it.

The following abbreviations have been commonly used :—

=	equal to
<i>id. ac</i> (idem ac)	the same as
<i>v. et.</i> (vide etiam)	see also
?	query
<i>cf.</i> (confer)	compare
<i>errore</i>	in error
<i>err. pro</i> (errore pro)	error for
<i>apud</i>	according to
<i>auct.</i> (auctorum)	of authors
<i>auct. typ.</i> (auctoris typis)	privately printed
<i>ant. om.</i> (antea omnia)	first of all
<i>olim</i> or <i>antea</i>	formerly
<i>q. v. sp.</i>	which see for species
<i>n. n.</i> (nomen nudum)	name only
<i>n. et f.</i> (nomen et figura)	name and figure only
<i>me jūdice</i>	in my opinion
<i>ascr.</i> (ascriptum)	ascribed to
<i>genus caelebs</i>	genus to which no specific name has been attached
<i>nom. fictum</i> (nomen fictum)	altogether fictitious name, <i>e.g.</i> Unclesambocrinus, Botheratiotherium

There now remains the pleasing duty of thanking those who have so cordially given me their advice or assistance, and thus helped to bring the first part of my work to a successful termination. Among them are the late Sir William Flower, Dr Günther, Dr Sclater and Dr Henry Woodward, the latter of whom provided the space and the cabinets in the British Museum (Nat. Hist.) and so ensured the safety of the manuscripts against fire and other damage (which privileges have been continued by Dr A. Smith Woodward, his successor); the Hof-naturalien Kabinet of Vienna, Dr Eduard Suess, and Dr Steindachner; Dr F. A. Jentink, of Leyden; Akademiker F. Schmidt, of St Petersburg; the Stadt-Bibliothek of Zürich, Dr Eschner, and Professor Renevier; the Hon. Walter Rothschild and Mr Hartert; Sir Edmund Loder; Mr Du Cane Godman and the late Mr Osbert Salvin; Lord Walsingham and Mr J. H. Durrant; Professor and Madame Amalitzky, of Warsaw; Professor Anton Fritsch and Dr Jan Perner, of Prague; Professor Newton; Mr W. E. de Winton; Mr Gerrit S. Miller, of Washington; Mr A. C. Seward, of Cambridge; Professor H. A. Miers, of Oxford; Dr Philippe Dautzenberg, of Paris; M. Henri Gadeau de Kerville; Dr Rudolph Burckhardt, of Basle; Dr J. C. Reeve of Dayton; Miss E. R. and Miss A. S. Cutter,

of Cleveland; Dr C. W. Stiles; Mr F. H. Waterhouse; Dr J. S. Palmer; Mr A. W. Kappel; Mr W. Rupert Jones; Rev. Canon Norman; Mr L. B. Prout; Dr C. W. Richmond; Mr John Locke, of Barbados; Professor J. Perez, of Bordeaux; Mr Justen and Mr F. A. Justen; Mr A. E. Shipley; and many others to whom I am indebted for help and assistance.

I would also thank especially Mr B. B. Woodward, Prof. Jeffrey Bell, Mr Gahan, Mr Kirby, Mr Pocock, Mr Crick, and all other friends at the British Museum (Natural History); and Mr W. R. Wilson of the British Museum, and the Reading Room Staff in general, to whose courtesy many are so constantly indebted.

My thanks are also due to my sister who has undertaken the weary task of comparing all the numerals with the manuscript.

Finally I would like to say that with the exception of some fifty entries kindly made for me by my friend Dr Bather in Stockholm, and by Prof. Perez in Bordeaux, every entry has been recorded from the original, arranged, sorted, checked, and passed for press by myself. I therefore beg the indulgence of those who use this book for any error of commission or omission that may be found. And I may add that a note of any such error will be especially valuable for inclusion in the second part of my "Index Animalium."

C. DAVIES SHERBORN

LONDON.

1 *October* 1902.

LIBRI DESIDERATI.

BOOKS NOT SEEN BY THE COMPILER AND WHICH MAY POSSIBLY
CONTAIN SOME BINOMINALS.

- Allgem. Magazijn van Wetenschap. 5 vols. 8vo. *Amsterdam*, 1789-93.
Nieuwe, etc. 5 vols. *Ibid.* 1794-98.
Allgem. Helvetisches Mag. 1 vol. 8vo. *Winterthur*, 1799.
Grossinger, J. B. Hist. Nat. Hongrie. 8vo. *Buda*, 1794.
Guidetti, G. Verm. umani. 4to. *Firenze*, 1783.
Humphrey, G. Museum Humfredianum. 8vo. *London*, 1779.
Leipzigher Magazin für Nat. 1785, 7-8.
Levaillant, F. Naturg. afrik. Vögeln (Forster's ed.). 8vo. *Halle*, 1798.
Linnaeus. Systema Naturae. Fortgesetzt. 13 Ausgabe mit Erklärungen von Müller.
2 parts. 8vo. *Nürnberg*, 1796 & 1809.
— — ed. 13. Ed. by Panzer. 8vo. *Berlin*, 1791.
Lichtenstein, A. A. H. Comment. Phasma. 4to. *Hamburg*, 1796.
Magazin der neuesten ausländ. Insekten. 1 no. 8vo. *Erlangen*, 1794.
Meyer, F. A. A. Versuch vierfüssiger Thiere. 8vo. *Leipzig*, 1796.
Nau, B. S. Naturg. Mainzerlandes. 8vo. *Mainz*, 1787-8.
Pezold, C. P. Lepidopt. Anfangsgründe. 8vo. *Coburg*, 1796.
Schneider, F. G. Amphib. Physiol. Spec. III. 4to. *Trajecti*, 1797.
Turk, C. W. C. Verz. meiner Insect. Sammlung. 4to. *Neu Strelitz*, 1799.
Wagner, P. C. Abbild. Nat. Kab. Bayreuth. 2 pts. fo. *Nürnberg*, 1763.
Wartel, C. P. Mém. limaçons Artois. 12mo. *Arras*, 1758: ed. 2, 1768.
Wolff, E. J. De Verm. intest. 4to. *Giessen*, 1763.

BIBLIOGRAPHY.

BEING A

ROUGH LIST OF BOOKS REFERRED TO IN THE COMPILATION OF THIS INDEX.

- No sp. nn. = no specific names
 No n. spp. = no new species
 n. b. = not consistently binominal
 n. L. = no Linnean names
 n. z. = no systematic zoology

- “J. M. A.” Besch. Naturalienkab. Meerspurg. 8vo. *Bregenz*, 1786. [No sp. nn.]
 Aaskow, U. B. Tent. Tetrapod. Danicae. 8vo. *Havniae* I. 1764; II. 1766. [Names not used in a generic sense.]
 Abbot, J. N. H. Lepid. Ins. Georgia. 2 vols. fo. *Lond.* 1797. [Names by J. E. Smith.]
 Abel, J. C. A. M. Conch. Nat.-Kab. B. von Konstanz. 8vo. *Bregenz*, 1787. [n. b.]
 Abhandl. v. d. Wickel-Raupe. 8vo. *Berl.* 1779. [No sp. nn.]
 Abildgaard, S. Besch. Stevens Klint. 8vo. *Copen.* 1764.
 Acharius, E. *See* Rosenblad, E.
 Acosta, J. de. Hist. Nat. Indias. 2 vols. 4to. *Madrid*, 1792. [No sp. nn.]
 Acta (N.) eruditorum. 4to. *Leipz.* → 1782. [All reviews.]
 Acta Helvetica. *See* Basel.
 Acta Med. Suecica. 1 vol. 8vo. *Upsala*, 1783.
 Adams, G. Microgr. illust. Ed. 4. 8vo. *Lond.* 1771. [No sp. nn.]
 Adams, G. (fil.). Essays Microscope. 4to. *Lond.* 1787.
 ——— ——— Ed. 2, by Kanmacher. 4to. *Lond.* 1798.
 Adanson, M. Voy. to Senegal. 8vo. *Lond.* 1759. [No sp. nn.]
 Admiral, J. L'. Naauwk. Waarn. Insekten. fo. *Amsterdam*, n. d. [? 1762]; fo. *Amsterdam*, 1774. [No sp. nn.]
 Afzelius, A. Account Nat. Prod. Sierra Leone. 8vo. *Lond.* 1794. [No sp. nn.]
 Aikin, A. Journ. Tour N. Wales. 8vo. *Lond.* 1797. [No sp. nn.]
 Albin, E. *See* Martyn, T., Aranei.
 ——— Nat. Hist. English Song-birds. New ed. 8vo. *Lond.* 1799. [No sp. nn.]
 Albinus, B. S. Acad. Annot. 2 vols. 4to. *Leidae*, 1754-68. [No sp. nn.]
 Alessandri, J., & P. Scattaglia. Descr. degli Anim. 4 vols. fo. *Venez.* 1771-75. [No sp. nn.]
 Alexander, W. Tent. med. Cantharid. 8vo. *Edin.* 1769. [No sp. nn.]
 Algemeene Konst- en Letter-bode. 4to. *Haarlem*, 1788-93.
 ——— (Nieuwe) ——— 1794-1800. [Reviews only.]
 Algemeene Vaderland Letteroefmingin. 8vo. *Amst.* 1761 → [Reviews.]
 Allamand, J. N. S. *See* Buffon.
 ——— Hist. Nat. Gnau, etc. 4to. *Amst.* 1776. [Engelmann, Bibl. H. N. 1846, p. 367— probably a reprint from the foregoing.]
 Allean-Dulac. Mélanges Hist. Nat. 6 vols. 8vo. *Lyon*, 1763-65. [No sp. nn.]
 ——— Mém. Hist. Nat. Lyonnais. 2 vols. 8vo. *Lyon*, 1765. [n. b.]
 Allgem. deutsch. Bibliothek. 8vo. *Berlin* → 1800.
 American Museum. 9 vols. 8vo. *Philad.* 1787-91. [No sp. nn.]
 Ammann, J. C. Cat. Syst. Coll. Petref. 8vo. *Nurmb.* [1790]. [No sp. nn.]

- Amoreux, P. J. Tent. noxa Anim. 4to. *Avenione*, 1762.
 — Notice Insectes...venimeux. 8vo. *Paris*, 1789. [No n. spp.]
Amsterdam. Genoot. bevord. Heelkunde. Prijs Verh. 8vo. *Amst.* 1791-1807. [All medical.]
 Analecta transalpina. See *Stockholm*.
 Anales Historia Nat. 2 vols. 8vo. *Madrid*, 1799-1800.
 Anderson, Jas. Letters to Sir J. Banks on Cochineal Insects. 4to. *Madras*, 1788-1790.
 [No sp. nn.]
 — Corresp. Cochineal Insects. 8vo. *Madras*, 1791. [No sp. nn.]
 — Letters on various subjects. 8vo. *Madras*, 1793-96. [No sp. nn.]
 — Recreations in Agriculture. 6 vols. 8vo. *Lond.* 1799-1802. [No n. spp.]
 Andreae, J. G. R. Briefe Schweiz. Ed. 2. 4to. *Zurich*, 1776. [n. b.]
 Animals. Account of 300 animals [? by T. Boreman]. 12mo. *Lond.* 1791. [n. L.]
 Annalen der Naturges. [H. F. Link.] 1 pt. 8vo. *Gött.* 1791. [n. z.]
 Anon. See *Cape of Good Hope*.
 — See *New Holland*.
 Anschutz, J. M. U. d. Gebirgs Chursachs-Henneberg. 8vo. *Leipz.* 1788. [Mineral.]
 Anthologia Hibernica. 4 vols. 8vo. *Dublin*, 1793-4. [No n. spp.]
Antwerp. Genoot. occidit qui non servat. Verhand. 1798-1800. [n. z.]
 Archiv der Insectenges (Fuessly's). 8 pts. 4to. *Zürich*, 1781-86.
 Archiv f. d. Physiologie (Reil's). 12 vols. 8vo. *Halle*, 1795-1815.
 Archiv f. Zool. (Wiedermann's). 5 vols. 8vo. *Berlin*, 1800-1806.
 Argenville, D. d'. See *Desalliers*.
 Armstrong, J. Gesch. Insel Minorca (Praetorius' ed.) 8vo. *Altona*, 1781. [n. z.]
 Artedi, P. Ichthyologia. 8vo. *Lugd.* 1738. [Genera used by Linnaeus quoted from this book are referred to.]
 — Syn. Piscium. (Ed. Schneider.) 4to. *Lips.* 1789.
 — Ichthyologia. (Ed. Wallbaum.) 4to. *Gryph.* 1788-93.
 Arzneikundige Annalen (Tode's). 13 pts. 12mo. *Kopen.* 1787-92. [Medical.]
 Ascanius, P. Icones rerum nat. Ed. 1. obl. fo. *Copen.* 1767. (Cahir 1 only.) [Has binominals not found in ed. 2.]
 — — I. (ed. 2) 1767.
 — — II. 1772.
 — — III. 1775.
 — — IV. 1777.
 — — V. 1805 (by Rathke).
 [Another ed. of I. III. IV. in 1806.]
 Asiatick Researches. See *Calcutta*.
 Assman, C. G. De Foss. Volutatis. 4to. *Viterb.* 1795. [Mineral.]
 Asso y del Rio, J. Introd. oryct. zool. Aragoniae. 8vo. [*Madrid*], 1784. [New spp. diagnosed but not named.]
 — Abhandl. Heuschrecken...aus Spanisch von O. G. Tytsen. 8vo. *Rostock*, 1787.
 [The n. spp. are by T.; they do not occur in original Spanish.]
 Audebert, J. B. Hist. Nat. Singes. fo. *Paris*, 1799-1800. [Livr. 1-6 reviewed 2 Dec. 1799; 7-10, 24 May 1800—Livr. 7 began with "Sixième Famille."]
- Back, A. See *Linnaeus*.
 Bacheister, J. Essai sur Bibl. et Cabinet Hist. Nat. Ac. Sci. St Petersburg. 8vo. [*St P.*], 1776. [No sp. nn.]
 Bajér, J. J. Oryct. Norica. Ed. 2. fo. *Norimb.* 1758. [No sp. nn.]
 Bajon, — Mém. Hist. Cajenne. 2 vols. 8vo. *Paris*, 1777-78. [No sp. nn.]
 Baker, H. Employment for the Microscope. Ed. 2. 8vo. *Lond.* 1764. [No. sp. nn.]
 — Of Microscopes. 8vo. *Lond.* 1785. [No. sp. nn.]
 Bancroft, E. Nat. Hist. Guiana. 8vo. *Lond.* 1769. [No. sp. nn.] [Frankfort ed. 1769 not seen.]
 Barbut, J. Gen. Insect. Linn. 4to. *Lond.* 1781.
 — — Ed. 2, 1783.
 — Gen. Vermium. 2 vols. 4to. *Lond.* 1783, 1788.

- Barbut, J. Helminth. portugeza. 4to. *Lisboa*, 1799. [Not quoted, as Latin and vernacular generic words are mixed up.]
- Barral, — Mém. H. N. Corse. 8vo. *Lond.* 1783. [No sp. nn.]
- Barry, M. de, Mém. Fourmis canne à sucre. [Original not seen, but long extract in F. le Breton, *Traité du sucre*, 12mo. *Paris*, 1789, shows no sp. nn.]
- Barton, B. S. Obs. parts Nat. Hist. 8vo. *Lond.* 1787.
- Fragments N. H. Pennsylv. fo. *Philad.* 1799.
- Bartram, W. Trav. Carolina. 8vo. *Philad.* 1791. [n. b.]
- — 8vo. *Dublin*, 1793. [n. b.]
- — (Ed. Zimmermann.) 8vo. *Berlin*, 1793. [n. b., few notes by Z.]
- — Ed. 2. *Lond.* 1794. [Same as *Dublin*, 1793.]
- — 2 vols. 8vo. *Paris*, 1799. (Benoist's trans.) [n. b.]
- Basel.* Soc. Phys. Med. Acta Helvetica. 8 vols. 4to. 1751-77. Nova Acta. 1 vol. 4to. 1787.
- Baster, J. Opusc. subseciva. 2 vols. 4to. *Harlemi*, 1759-1765. [No sp. nn.]
- Natuurk. Uitspann. 2 vols. 4to. *Haarlem*, 1762, 1765. [No sp. nn.]
- Verh. Voort. dieren en planten. 8vo. *Haarlem*, 1768. [No sp. nn.]
- Batavia. Besch. u. Gesch. Batavia. (Anonymous work translated by J. J. Ebert.) 4 vols. 8vo. *Leipz.* 1785-86. [No sp. nn.]
- Batavia.* Batav. Genoot.-Verhand. vols. I.-VI. (Vol. VII. is 1814.)
- Bath.* Bath and W. of England Soc. Agric.—Letters and Papers, vol. I—IX (1799). [No sp. nn.]
- Batsch, A. J. G. C. Naturg. Bandwurm-gattung. 8vo. *Halle*, 1786.
- Versuch Anleit. Thiere. 2 vols. 8vo. *Jena*, 1788-89.
- Sechs Kupfertafeln. 4to. *Jena*, 1791.
- Umriss Gesammt. Naturges. 8vo. *Jena*, 1796. [Full of misprints and of no apparent value.]
- Taschenb. topog. excurs. *Jena*. 2 vols. 8vo. *Weimar*, 1800—2. [Mineral.]
- Battarra, J. A. Epist....de re naturali. 4to. *Arimini*, 1774. [No sp. nn.]
- Bauder, J. F. Beschr. Altdorf. Ammoniten....Marmors. 4to. *Altdorf*, 1771. [No sp. nn.]
- Nachr. Versteinen. Körpern. 8vo. *Jena*, 1772. [No sp. nn.]
- Relation fossiles Altdorf. 8vo. *Altdorf*, 1772. [No sp. nn.]
- Baumer, J. P. (Defend. J. F. E. Albrecht.) De Apum cultura...Thuringia. 4to. *Erford.* 1770. [No sp. nn.]
- Bayly, G. [Sale Catalogue.] 8vo. *Lond.* 1799. [No sp. nn.]
- Becher, J. P. Min. Beschr. Oranien-nassau. 8vo. *Marburg*, 1789. [Mineral.]
- Bechstein, J. M. Gemein. Nat. Deutschl. 4 vols. 8vo. *Leipz.* 1789-91-93-95.
- Kurz Musterung getödteten Thiere. 8vo. *Gotha*, 1792. [No n. spp.]
- Getreue Abbild. N. H. Gegenstände. 8vo. *Nürnberg*, 1793 etc. [The first 200 plates and texts only seen.]
- Naturg. Stuben-Vögel. 8vo. *Gotha*, 1795.
- Naturg. Stuben-Thiere. 8vo. *Gotha*, 1797.
- Becker, W. G. Plauische Grunde. fo. *Nürnberg*, 1799. (Insects by L. H. v. Bloch.)
- Beckmann, J. De Hist. Nat. Veterum. 8vo. *Petrop.* 1766.
- Anfangsgr. Naturhist. 8vo. *Gött.* 1767. [n. b.]
- C. Linné Syst. Nat....in Epitomen. 2 vols. 8vo. *Gött.* 1772. [No n. spp.]
- Beddeus, S. G. Diss. de Verm. Taenia. 8vo. *Vienne*, 1767. [No n. spp.]
- Bee (The) (Anderson's.) 16 vols. 8vo. *Edinb.* 1791-93. [No sp. nn.]
- Beitrage zur Insecten-Geschichte (Scriba's.) 3 pts. 4to. *Frankfort*, 1790-91-93.
- Beitrage d. Gesch. d. Kieferraupen. 8vo. *Dresden*, 1800. [No sp. nn.]
- Bening, B. F. De Hirudinibus. 4to. *Harder*, 1776.
- Benvenuti, G. Ist. Mineralgia. 8vo. *Parma*, 1790. [Mineral.]
- Bergen, C. A. de. Classes Conchyl. 4to. *Norimb.* 1760.
- Bergmann, Jos. Anfangsgr. Naturges. 3 pts. 8vo. *Mainz*, (Zool. 1778).
- Was die Thiere gewiss nicht, &c. 8vo. *Mainz*, 1784. [n. z.]
- Bergman, T. Huru konna Maskar. See Stockholm.
- Huru maskar. See Stockholm.
- Medit. de Syst. foss. Nat. 8vo. *Oxon.* 1788. [Mineral.]

- Bergmann, T. Opus. Chem.-Phys. 3 vols. 8vo. *Holmiae*, &c. 1779-83. [Mineral.]
- Bergstraesser, H. W. Sphing. europ. larvae. 4to. *Hanau*, 1782.
- Bergstraesser, J. A. B. Icones Papil. 3 pts. 4to. *Hanoviae*, 1779-80-81.
 — Nomencl. und Beschr. Insecten. 4 pts. 4to. *Hanau*, 1778-80.
 — Entom. scholarum. 8vo. *Hanoviae*, 1776; ed. 2, 1784.
- Beringer, J. B. A. Lithogr. Wirceburgensis. fo. *Frankf.* 1767. [No sp. nn.; new T.P. to 1726 ed.]
- Berkenhout, J. Outlines Nat. Hist. of Gt. Brit. 3 vols. 8vo. *Lond.* 1769-70-72. [No n. spp.]
 — Synopsis Nat. Hist. Gt. Brit. 2 vols. 8vo. *Lond.* 1789. [Ed. 2 of "Outlines"; another ed. 1795.]
- Berkhey, F. J. v. Nat. Hist. Holland. 8vo. *Amst.* 1769-1811. [Seen up to Deel IV., Stk. 1; no sp. nn.]
 — Naturg. Hollande. 2 vols. 8vo. *Leipz.* 1779, 83. [No sp. nn.]
 — Hist. Nat. Hollande. 4 vols. 12mo. *Bouillon*, 1782. [No sp. nn.]
- Berlin.* Acad. Roy. Sci.
 Samml. deutsch. Abh. 6 vols. 4to. 1788-1803.
 Histoire → 1769 (1771).
 Nouv. Mém. 1770-1786 (1788).
 Mém. 1787-1801 (1804).
 — Ges. Nat. Freunde.
 Beschr. 4 vols. 1775-79.
 Schriften. 6 vols. } 1780-93.
 Beobacht. 5 vols. }
 Neue Schrift. 4 vols. 1794-1803.
- Berlinisches Magazin. 4 vols. 8vo. *Berlin*, 1765, 6, 7, 7.
- Berlinisches Samml. beförd. Arzneiwiss. 10 vols. 8vo. *Berlin*, 1768-79. [Medical.]
- Bern.* Schweizerische Gesellschaft.
 Abh. u. Beobacht. oekonom. Ges. 22 vols. 8vo. 1762-68. [Econ. and agric.]
 Mém. Soc. Econom. 33 pts. 1762-76. [Agric.]
 Neue Samml. 3 vols. 1779-85. [Agric.]
- Bernard, — Mém. Hist. Nat. Province. 2 vols. 8vo. *Paris*, 1787, 88. [No sp. nn.]
- Bernerisches Magazin d. Natur. I.—III. (1) 8vo. *Bern*, 1775-79. [No sp. nn.]
- Berthoud van Berchem, J. P. Itin. vallée Chamounix. 8vo. *Laus.* 1790. [Bot. and Min.]
- Bertrand, E. Dict. Univ. 2 vols. *a la Haye*, 1763. [No sp. nn.]
 — Rec. de divers Traités. 4to. *Avignon*, 1766. [No sp. nn.]
- Bertuch, F. J. U. de Mittel Naturges. 4to. *Weimar*, 1799. [No sp. nn.]
- Besançon.* Soc. libre Agric.
 Rapport des trav. 1800. 8vo. [No sp. nn.]
- Beseke, J. M. G. Ein Zuruf a. d. Naturf. 8vo. *Leipz.* 1786. [*Leipz. Mag.* 1786, p. 126; n. z.]
 — Beytr. Nat. Vögel Kurlands. 8vo. *Mitau*, [1792]. [Reissue 8vo. *Berlin* [1821] with new T.P.]
- Betti, Z. Il Baco da Seta. 4to. *Verona*, 1756. [Poetry.]
 — Nem. Ruca de' Meli. 8vo. *Verona*, 1760. [No sp. nn.]
- [Beuth, F.] Juliae et Montium subter. 8vo. *Dusseldorf*, 1776. [No sp. nn.]
- Bewick, T. Gen. Hist. Quad. 8vo. *Newcastle*, 1790. [No n. spp.; several other editions.]
 — Hist. Brit. Birds. Vol. 1. 8vo. *Newcastle*, 1797. [No n. spp.]
- Bibl. Britannique. Sciences et Arts. 60 vols. 8vo. *Genève*, 1796-1815.
 — — Agric. Anglaise. 20 vols. 8vo. *Genève*, 1796-1816.
- Bibl. d. Ges. Naturg. (Fibig and Nau). 2 vols. 8vo. *Frankf.* 1789-91. [Reviews.]
- Bibl. des Sciences. 6 vols. 8vo. *La Haye*, [1754-80]. [Reviews.]
- Bibl. fisica d'Europa (Brugnatelli's). 10 vols. 8vo. *Pavia*, 1788-9. [Physics mainly.]
- Bibl. med.-phys. Nord. (Vicat's). 3 vols. 8vo. *Lausanne*, 1783-4. [No sp. nn.]
- Bijdragen bevord. schoone Kunsten en Wetensch. (Feith's). 3 pts. 8vo. *Amst.* 1793-96. [No sp. nn.]
- Binnell, R. Descr. river Thames. 8vo. *Lond.* 1758. [No sp. nn.]
- Binninger, L. R. Oryct. agri Buxovillani. 4to. *Argent.* 1762. [No sp. nn.]
- Birkholz, J. C. Oek. Beschr. Fische Churmark. 8vo. *Berlin*, 1770. [No sp. nn.]

- Blackhall, A. (Sale Catal. of Museum.) 8vo. *Lond.* 1781. [No sp. nn.]
- Bloch, M. E. Abh. Erzeug. Eingeweidewürmer. 4to. *Berlin*, 1782.
- Oecon. Naturg. Fische Deutschl. 3 vols. 4to. *Berlin*, 1782-3-4.
- Naturg. ausl. Fische. 9 pts. 4to. *Berlin*, 1785-6-7-90-1-2-3-4-5.
- Ichthyologie. 12 pts. fo. *Berlin*, 1785-97. [Identical with two preceding works ; few more references in synonymy.]
- Hist. Nat. Poissons. See Buffon (Deterville's ed.)
- Traité général. Vers intestins. 8vo. *Strassburg*, 1788. [Trans. from the German.]
- Verz. Merkw. Insecten. [pp. 95-120 of Becker's Plausischen Grunde.]
- Blumenbach, J. F. De gen. humani. 8vo. *Gött.* 1776.
- Handb. d. Naturg. 8vo. *Gött.* 1779 and 1780.
- — Ed. 2. 8vo. *Gött.* 1782. [Additions.]
- — Ed. 3. 8vo. *Gött.* 1788. [Many additions.]
- — Ed. 4. 8vo. *Gött.* 1791. [Further additions.]
- Haandbog i Natur. 8vo. *Kiøb.* 1793. [A trans. of 4th ed.]
- — [Russian]. 8vo. *St Petersburg.* 1796. ["enthalt nichts neues gegenüber des deutschen Ausgabe." Friedr. Schmidt *in litt.*]
- — Ed. 5. 8vo. *Gött.* 1797. [Further additions.]
- — Ed. 6. 8vo. *Gött.* 1799. [Contains first names of fossil vertebrata.]
- Coll. suae craniorum. 4to. *Gött.* 1790-1828.
- Beytr. Naturges., I. 8vo. *Gött.* 1790.
- Inst. physiol. 8vo. *Gött.* 1787.
- Ordines Mamm. single sheet 1795. [A list of genera.]
- Abbild. Nat. Gegenstände. 8vo. *Gött.* 1796-1810. [The heften often reprinted and redated without apparent change.]
- Natur. Versch. Menschens Ges. 8vo. *Leipz.* 1798.
- Kleine Schriften. 8vo. *Leipz.* 1800. [No sp. nn.]
- Bock, F. S. Nachr. Preussisch. Naturalien cabinet. 8vo. *Königsb.* 1764. [No sp. nn.]
- Vers. d. Heringe. 8vo. *Königsb.* 1769. [No sp. nn.]
- Vers. Wirthschaft. Naturg. K. O. u. Westpreussen. 5 vols. 8vo. *Dessau*, 1782-5.
- Boddaert, P. De Testudine cartilag. 4to. *Amst.* 1770. [No sp. nn.]
- De Chaetodonte argo. 4to. *Amst.* 1770.
- Brief oorsprong Koraal. 8vo. *Utrecht*, 1771. [No sp. nn.]
- De Chaetodonte diacanthus. 4to. *Amst.* 1772.
- De Rana bicolor. 4to. *Amst.* 1772.
- Nat. beschouwing d. Dieren. 8vo. *Utrecht*, 1778. [No sp. nn.]
- Natuurbeschouwer. 8vo. 's *Grav.* I. 1779, II. 1781. [No n. spp.]
- Kortbegrip Natuur. 8vo. *Amst.* 1783. [? also 1772 and 1773: n. b.]
- Table des Planches Enluminées. fo. *Utrecht*, 1783.
- Elenchus Anim. 8vo. *Rott.* 1785.
- Boere (De) Studeerkamer. 1 no. 8vo. 's *Grav.* 1763. [n. z.]
- Boerner, I. C. H. Samml. a. d. Naturg. 8vo. *Dresden*, 1774. [No sp. nn.]
- Boers, W. S. Catal. syst. Coll. Oiseaux &c. vendu à la Haye 14 Aug. 1797. [n. b.]
- Bohadsch, J. B. De quibusdam Anim. 4to. *Dresd.* 1761.
- Beschr. Seethiere; aus Latein von N. G. Leske. 4to. *Dresd.* 1776.
- Boissy, C. de. Auteur de la Nature. 3 vols. 8vo. *Paris*, 1782. [n. z.]
- Bologna.* Acad. Sci.
- Mém. 4to. *Paris*, 1773. [No sp. nn.]
- Istituto.
- Commentario. Vols. IV.—VII. (1757-91) 4to. [No n. spp.]
- Bolten, J. F. Epist. novo zooph. gen. 4to. *Hamb.* 1770.
- Nachr. neuen Thierpflanze. 4to. *Hamb.* 1770.
- Add. illust. Syst. Nat. de novo zooph. gen. 4to. *Hamb.* 1770; 4to. *Amst.* 1771; and in Dutch, 1771.
- Museum Boltenianum. Pars prima. 8vo. *Hamb.* [1798.]
- — Pars secunda. 8vo. *Hamb.* [1798.] Peter Friedrich Röding added the references to the Mollusca.
- Bolton, J. Harmonia ruralis. 4to. *Lond.* 1794. [n. b.]

- Bonaveri, G. F. Della Citta di Comacchio stor. nat. 4to. *Cesena*, 1761. [No sp. nn.]
- Bonnet, C. Consid. corps organ. 2 vols. 8vo. *Amst.* 1762.
- Contemp. de la Nature. Ed. 2. 8vo. *Amst.* 1769.
- Betracht. ü. d. Nature. 8vo. *Leipz.* 1772.
- Insecttheologie. 8vo. *Halle*, 1773.
- ——— (Zusätze von Goeze). 8vo *Halle*, 1774.
- Betracht. ü. d. organ. Körper (Zusätze von Goeze). 8vo. *Lemgo*, 1775.
- Oeuvres complets. 6 vols. 8vo. *Neuchatel*, 1779-81.
- ——— 8 vols. 4to. *Berne*, 1779-83.
- Oeuvres Hist. Nat. et Philos. 9 vols. 8vo. *Neuch.* 1779-81.
- ——— 8vo. *Amst.* 1780.
- [Bonnet does not use binominals.]
- Bonsdorff, G. Hist. Nat. Curculionum Suecicae. 4to. *Upsala*, 1785.
- Organa sensoria Insect. 4to. *Aboe*, 1789.
- Diff. capituli Insect. 4to. *Aboe*, 1789.
- Fabricum, usum et diff. antenn. in Insectis. 4to. *Aboe*, 1790.
- ——— palporum in Insectis. 4to. *Aboe*, 1792.
- Borkhausen, M. B. Naturg. europ. Schmett. 5 vols. 4to. *Frankf.* 1788-9-90-92-94.
- [After vol. I., Schneider's "Syst. Beschr." was amalgamated with the work, Borkhausen remaining the author of the n. spp.]
- Versuch ... zool. terminologie. 8vo. *Frankf.* 1790.
- Deutsch. Fauna, I. 8vo. *Frankf.* 1797.
- See Rheinisches Mag.
- Borlase, W. Nat. Hist. Cornwall. fo. *Oxford*, 1758. [No sp. nn.]
- Antiq. Hist. &c. Cornwall. fo. *Lond.* 1769. [n. z.]
- Born, I. von. Lithophyl. Bornianum. 2 pts. 8vo. *Prag*, 1772, 1775. [n. b.]
- Trav. through the Bannat of Temesvar. 8vo. *Lond.* 1777. [No sp. nn.]
- Index Mus. Caes. Vind. Pars I. Testacea. 8vo. *Vindob.* 1778.
- Voy. min. Hongrie. 8vo. *Paris*, 1780. [n. z.]
- Testac. Mus. Caes. Vind. fo. *Vindob.* 1780.
- Phys. Arb. Freunde Wien. 4to. *Wien*.
- I. (1) 1783 (2) 1784 (3 & 4) 1785
- II. (1) 1786 (2) 1787 (3) 1788 (ends).
- See Raab.
- Borowski, G. H. Syst. Tab. Naturg. 8vo. *Berl.* 1775. [No sp. nn.]
- Gemein. Naturg. Thierreichs. 10 vols. 8vo. *Berlin*, 1780-89.
- I.—IV. Mamm., Aves, and Reptilia, by Borowski; V. Pisces, Anonymous; VI.—X. Insecta and Vermes, by Herbst.—Herbst portion afterwards separately issued as "Einleitung Kennt. Insect." &c.
- Bossi, L. Dei basilischi. 8vo. *Milano*, 1792. [No sp. nn.]
- Bossu, L. Trav. Louisiana (Forster's ed.). 2 vols. 8vo. *Lond.* 1771. [No sp. nn.]
- Nouv. Voy. Amer. septent. 8vo. *Amst.* 1777. [No sp. nn.]
- Boston.* American Acad.
- Memoirs. Vol. I. 1785. (II. 1804.)
- Botta, C. G. Stor. Nat. Corfu. 8vo. *Milano*, 1774; 2 vols. 8vo. *Milano*, 1799. [No sp. nn.]
- Bouchard, M. See Rec. 133 Oiseaux, 1775.
- Bougainville, L. de. Voy. Autour du Monde.—Boudeuse et l'Etoile. 4to. *Paris*, 1771.
- [No n. spp.]
- Supplement au Voyage. 8vo. *Paris*, 1772. [No n. spp.]
- Voyage (Forster's ed.). 4to. *Lond.* 1772. [No n. spp.]
- Bourguet, L. Traité des Pétrif. 8vo. *Paris*, 1778. [n. b.]
- Bournon, — de. Essai lithol. St Etienne-en-Forez. 12mo. *Paris*, 1785. [Mineral.]
- Bovi, R. Diss. sopra la prod. de' Coralli. 8vo. *Firenze*, 1769. [No sp. nn.]
- Bowles, G. Introd. Hist. Nat. España. 4to. *Madrid*, 1775. [No sp. nn.]
- ——— (French ed. by Flavigny). 4to. *Paris*, 1776. [No sp. nn.]
- ——— 4to. *Madrid*, 1782. [No sp. nn.]
- ——— (Ital. ed. by Milizia with notes by Azara.) 2 vols. 4to. *Parma*, 1783.
- [No sp. nn.]

- Bowles, G. Introd. Hist. Nat. España. 4to. *Madrid*, 1789. [No sp. nn.]
- Brahm, N. J. Insect. Kalendar. 8vo. *Mainz*, I. (1) 1790; I. (2) 1791; II. (1) 1791.
- Brander, G. v. Solander, D.
- Breidenstein, J. P. Naturg. Sperlings. 8vo. *Giessen*, 1779. [No sp. nn.]
- Bremisches Magazin. 7 vols. 8vo. *Hannover, Bremen & Leipz.* 1757-65; as Neues Brem. Mag., 1766-69.
- Brez, J. La Flore des Insectophiles. 8vo. *Utrecht*, 1791. [No sp. nn.]
- Brisson, M. J. Ornithologia. 6 vols. and suppl. 4to. *Paris*, 1760.
- — 8vo. *Lugd. Bat.* 1763. [No additions to genera.]
- — Regnum animale. 8vo. *Lugd. Bat.* 1762.
- [N.B. The *Genera* of Brisson are given in his Indices. Words in the text as “*Ara*,” “*Querquedula*,” “*Tadorna*,” “*Leopardus*,” &c. are *not* used by Brisson in a generic sense.]
- British Museum. Besch. nat. u. ant. Samml. Hans Sloane. 8vo. *Berl.* 1764. [No sp. nn.]
- British Zoological Museum. A Catal. of Brit. Quad. and Birds contained in the B. Z. Mus., Oxford St. 8vo. *Lond.* 1795. 24 pp. [Anonymous—no n. spp.]
- Broussonet, P. M. A. Ophid. barbatum. [Phil. Trans. 1781.]
- — Ichthyologia. 4to. *Lond.* [1782].
- Brown, P. New Illust. Zool. 4to. *Lond.* 1776.
- Brown, T. Obs. on Zoonomia of Darwin. 8vo. *Edinb.* 1798. [No sp. nn.]
- Browne, P. Nat. Hist. Jamaica. Ed. 2. fo. *Lond.* 1789.
- Browne, W. G. Trav. in Africa. 4to. *Lond.* 1799.
- Bru, J. B. Coleccion anim. y monstruos Gabin. Madrid. fo. *Madrid*, 1784 &c. [No n. spp.]
- Bruce, J. Trav. source of the Nile. 5 vols. 4to. *Edinb.* 1790. [No sp. nn.]
- — Reisen... (with Anhang zur Naturges. by J. F. Gmelin). 2 vols. 8vo. *Rinteln*, 1791.
- Bruceknier, D. Vers. Besch. Merkwürd. Basel. 23 pts. 8vo. *Basel*, 1748-63. [No sp. nn.]
- Brugman, S. J. Lith. Groningana. 8vo. *Grön.* 1781. [Mineral.]
- Bruguière, J. G. See Ency. Méth.
- Brunnich, M. T. Prod. Nat. Siaelland. 8vo. *Havn.* 1761. [No n. spp.]
- — Ederfuglens beskrivelse. 8vo. *Kiob.* 1763.
- — Hist. Nat. Eider-Vogels. 8vo. *Köpen.* 1763.
- — Tillaeg til Edelfuglens Beskriv. 8vo. *Kiob.* 1763. [No n. spp.]
- — Entomologia. 8vo. *Hafn.* 1764.
- — Ornith. borealis. 8vo. *Hafn.* 1764.
- — Ichthyol. Massil. 8vo. *Hafn.* 1768.
- — Anim. Genera—Dyrenes Slaegter. 8vo. *Hafniae*, 1771. [No new names in the incomplete copy of 16 pp. seen by me.]
- — Fund. Zool. 8vo. *Hafn.* 1772.
- — Dyrenes Historie. fo. *Kiob.* 1782. [All published; xxxviii, 76 pp. and 7 pls. :—n. spp.]
- Bruxelles.* Acad. Roy. Sci.
- — Mém. 5 vols. 4to. 1777-88.
- — Nouv. Mém. 1 vol. 4to. 1788.
- — Mém. sur la Question... For 1769-87. [n. z.]
- Buchholtz, F. H. De Hepatomphedococe congenita. 4to. *Argent.* 1768. [No sp. nn.]
- Buchoz, P. J. Aldrovandus Lotharingiae. 12mo. *Paris*, 1771.
- — La Nature consid. 47 vols. 12mo. *Paris*, 1771 etc.
- — Amusements Innocens. 12mo. *Paris*, 1774: ed. 2, 12mo. *Paris*, 1785.
- — [2] Centurie de Planches enluminées. fo. *Paris*, [1775] 1778-81.
- — Traité écon. Oiseaux de basse-cour. 8vo. *Liège*, 1777.
- — Oek. phys. Abhand. von Federvieh. 8vo. *Münster*, 1777.
- — Dons merveilleux. 2 vols. fo. *Paris*, [1782-97].
- — Hist. Insect. nuisibles. Many eds.
- [There are many other works by Buchoz but I have not yet found one using binominals.]
- Buchwald, B. J. de. Diss. Insect. Danicae. 4to. *Hafn.* 1760. [No n. spp.]
- Bucquet, J. B. M. Introd. étude corps règne min. fo. *Paris*, 1771. [Mineral.]
- Büsching, A. F. Eigene Gedanken.....Tarantel. 8vo. *Berl.* 1772. [No sp. nn.]
- — Unter. i. d. Naturg. Ed. 4. 8vo. *Berl.* 1781. [No sp. nn.]

- Buffon, G. L. Le Clerc, *Comte de*. Hist. Nat. 1st ed. 44 vols. 4to. *Paris*, 1749-1804.
 [Contains Quad., Ovip., Serpens, Poissons, and Cétacés by Lacepède.]
 — 55 vols. and 12 vols. suppl. 12mo. *Paris*, 1750-86.
 — 90 vols. 12mo. *Paris*, 1752-1805.
 — 21 vols. 4to. *Amst.* 1766-86 [with Allamand and Camper's additions]. This edition is said to contain 38 vols. and to run to 1799, but I have not met with more than 21 vols.
 — 36 vols. 4to. *Paris*, 1777-1804.
 — 54 vols. 12mo. *Deux Points*, 1785-91.
 — 129 vols. (Sonnini's ed.) 8vo. *Paris*, 1798-1808.
 — 80 vols. (Castel's ed. "Cours complet.") 18mo. *Paris*, 1799-1802.
 — 76 vols. 18mo. *Paris* (Plassan & Didot), 1799-1809.
 — (German ed. by Haller and Oehme.) 22 vols. 4to. *Hamburg*, 1750-82.
 — (— by Martini.) 7 vols. 8vo. *Berlin*, 1771-74.
 — (— by Martini & Otto.) 23 vols. (Quad.) 8vo. *Berlin*, 1772-1801;
 35 vols. (Aves.) 8vo. *Berlin*, 1772-1809.
 — (English ed. by Smellie.) 9 vols. 8vo. *Edinb.* 1781-85.
 — (— —) 18 vols. 8vo. *Lond.* 1791-93.
 — (— —). 2 vols. 8vo. *Perth*, 1791.
 — Hist. Nat. Oiseaux. 10 vols. 4to. *Paris*, 1770-86.
 — See Daubenton; Boddaert; Pennant.
- Buonanni, P. See Kircher.
- Burtin, F. X. Oryct. Bruxelles. fo. *Bruxelles*, 1784. [No sp. nn.]
- C., S. L. P. See Cubières.
- Cairo. Institut d'Égypte.
 Proc.-Verb. des Sciences. 4to. *Paris*, An VII.
 Mém. sur l'Égypte. 4 vols. 8vo. *Paris*, An VIII—XI. [No n. spp.]
- Calcutta. Soc. Bengal.
 Asiatick Researches. Vols. I—VII. (1801).
- Caldiani, F. Osserv. transf. Insetto. 4to. *Padova*, 1796. (*Ex Mem. Soc. Ital. Sci.* VII.)
- Camper, P. Kort berigt Orangs. 8vo. *Amst.* 1778. [No sp. nn.]
 — Oven den Orang...Rhinoceros en Rendier. 4to. *Amst.* 1782. [No sp. nn.]
 — Kleinere Schriften. 3 vols. 8vo. *Leipz.* 1784-90. [No sp. nn.]
 — Kort berigt Dugon. 8vo. *Amst.* 1786. [No n. spp.]
 — Naturg. Orang. (Germ. ed. of 2.) 4to. *Düsseldorf*, 1791. [No sp. nn.]
 — Gesichtszüge im Menschen. 4to. *Berlin*, 1792. No. sp. nn.]
- Canals y Marti, J. P. Mem. Kermes España. 4to. *Madrid*, 1768. [No sp. nn.]
 — Mem. Purpura. 4to. *Madrid*, 1779. [No sp. nn.]
- Canavilles, A. J. Obs. Hist. Nat. reyno Valencia. 2 vols. fo. *Madrid*, 1795, 1797. [No sp. nn.]
- Cap François. Recherches...Cercle des Philadelphes. 8vo. *Cap François*, 1778. [No n. spp.]
- Cape of Good Hope. Nouv. descr. du Cap, etc. 8vo. *Amst.* 1778. [Made by order of Governor Tulbagh; exped. led by Henri Hop. Allamand did the Nat. Hist.; plates are important as well as text, but no sp. nn.]
- Cappeller, M. A. Pilati Montis Hist. 4to. *Basil.* 1767. [n. b.]
- Carlier, — Traité Bêtes à Laine. 2 vols. 4to. *Compiègne*, 1770. [No sp. nn.]
- Carlsson, G. Tal med strödde anmark. Foglarnes. 8vo. *Stock.* (K. Vet. Ak.), 1789. [No n. spp.]
 — Tal med utkast til Falk-Slägtets. 8vo. *Stock.* (K. Vet. Ak.), 1798.
- Carminati, B. De anim. ex mephit. 4to. *Lande Pomp.* 1777. [No sp. nn.]
- Carosi, J. P. v. Beyt. Nat. Niederlausitz. 8vo. *Leipz.* 1779. [No n. spp.]
- Carten, J. De Cantharid. 8vo. *Edin.* 1776. [An error for R. Forster, q. v.]
- Cartheuser, J. F. De Millepedis. [Is "diss. 3" in vol. 1 of the following ?]
 — Diss. Phys. Chem. 2 vols. 8vo. *Frankf. a. V.* 1774, 1775. [No sp. nn.]
- Cartwright, G. Journ....16 years Labrador. 3 vols. 4to. *Lond.* 1792, &c. [No. sp. nn.]
- Carver, J. Trav. interior N. Amer. 8vo. *Lond.* 1781. [No sp. nn.]

- Carver, J. Three years Trav. N. Amer. 8vo. *Philad.* 1796. [n. b.]
- Casal, G. Hist. nat. y med. Asturias. 4to. *Madrid*, 1762. [No sp. nn.]
- Catalogus Mus. Zool. dit. Hamburgi, 16 Majus, 1797. Pt. 3. [Full of n. spp. by A. A. H.]
- Lichtenstein, *see Ann. Mag. Nat. Hist.* [7] III. 1899, p. 272.]
- [Sale Catalogues of Minerals and Fossils. *Paris*, 1767-77-80-80-83. [No sp. nn.]
- Catcott, G. S. Descript....Penpark Hole. 8vo. *Bristol*, 1792. [n. z.]
- Catesby, M. Hist. Nat. Carolina. 2 vols. fo. *Lond.* 1771.
- Piscium Serpent. Insect. fo. *Norimb.* 1777.
- Cavolini, F. Mem. Polipi. 4to. *Napoli*, 1785.
- Abh. Erzeug. Fische u. Krebse. fo. *Berl.* 1792.
- Cederhielm, J. Fauna Ingrica. 8vo. *Leipz.* 1798.
- Cermelli, P. M. Carti Corograf. Patrimonio. 4to. *Nap.* 1782. [Mineral.]
- Cetti, F. Stor. Nat. Sardegna. 3 vols. 8vo. *Sassari*, 1774, 1776, 1777. [n. b.]
- Chabert, P. Traité malad. vermineux. 8vo. *Paris*, 1782. [No sp. nn.]
- Charpentier, J. F. W. v. Min. chursach. Länder. 4to. *Leipz.* 1778. [Mineral.]
- Chemnitz, J. H. Kleine Beytr. Testaceotheol. 4to. *Frankf.* 1760; *ibid.*, 4to. *Nürnb.* 1760. [No sp. nn.]
- Von einem Gesch....Chitons heiszeu. 4to. *Nürnb.* 1784. [n. b.]
- Ausfuhr Abh. Links Schnecken }
 — Abh. Land- u. Fluss-Schnecken } *See* vol. IX. of Martini und Chemnitz.
- Chenaye des Bois, F. A. A. de la. Dict. raisonné. 4 vols. 4to. *Paris*, 1759.
- Choix des Mémoires. *See* Journ. Hist. Nat. 1792.
- Christ, J. L. Naturg. Insekten. 4to. *Frankf.* 1791. [All published in 1791.]
- Christiania.* Topogr. Selskab.
 Topogr. Journ. for Norge. 34 pts. 8vo. *Christ.* 1792-1808. [No n. spp.]
- Clarette de la Tourette, A. L. Voy. Mont-Pilat. 8vo. *Aignon*, 1770.
- Clerck, C. Svenske Spindlar. 4to. *Stock.* 1757. [Quoted though before 1758, but a reference given to the succeeding author who uses the names.]
- Icon. Insect. rar. 2 pts. 4to. *Stock.* 1759, 1764.
- Nomen. extemp. rerum nat. 8vo. *Stock.* 1759. [67 pp. and 1 extra sign. of 6 un-paged pp. No sp. nn.]
- Tal innehållande...Insect. 8vo. *Stock.* (K. Vet. Ak.), 1764. [No sp. nn.]
- Cocchi, A. De Vermi cucurbit. 8vo. *Pistoja*, 1764. [No sp. nn.]
- Collini, C. Cerf du Cap. }
 — Encrinites du Cab. Palat. } *Ex Acta Theod. Palat.*
 — Zoolith. Cab. Palat. }
- Colombo, M. Mikroskop. Beob. Polyp. 8vo. *Leipz.* 1793. [No sp. nn.]
- Commercial and Agric. Mag. 8vo. *Lond.* I. 1799; II. 1800; III. 1800. [No n. spp.]
- Conrad, J. Phil. Hist. Nat. 8vo. *Viemae*, 1779. [No sp. nn.]
- Consett, M. Tour through Sweden. 4to. *Lond.* 1789. [No sp. nn. but good plates of birds.]
- Copenhagen.* K. Danske Vid. Selsk.
 Skrifter Kiøb. Selsk. Laerdoms. Vols. VII—X. 1758-70.
 Skrifter K. Vid. Selsk. Vols. XI—XII. 1777-79.
 Nye Samling K. Danske Skrifter. Vols I—V. 1781-99.
- Norske Vidensk. Selskab.
 Det Trondhiemske Selsk. Skrifter. Vols. I—III. 1761-65.
 Det K. Norske Vid. Selsk. Skrifter. Vols. IV—V. 1768, 1774.
 Nye Saml. K. Norske Vid. Selsk. Skrifter. Vols. I—II. 1784, 1788.
 Nyeste Saml.... Vol. I. 1798.
- Universitas Havniensis.
 Acta litteraria. 1 vol. 4to. 1778.
- Pesz Islenska Laerdoms-Lista Felags.
 Rit. Vols. I—XIV. 8vo. *Kaupmannskofn*, 1781-96. [Econ. & physics.]
- Naturhist. Selskab.
 Skrifter. Vols. I—VI. 1790-1810.
 Schriften. 1 vol. (2 pts.) 1793. [Trans. of above.]
- Coquebert, A. J. Illust. Icon. Insect. 3 pts. 4to. *Paris*, 1799, 1801, 1804.
- Cornide, J. Ensayo...hist...peces...Galicia. 8vo. [*Madrid* ?], 1788. [n. b.]

- Cortona*. Acad. Etrusca.
 Saggi: vol. VII. 1758; VIII. 1783; IX. 1791. [No sp. nn.]
- Costa, E. M. da. Elem. Conch. 8vo. *Lond.* 1776. [n. b.]
 — British Conch. 4to. *Lond.* 1778.
 — Number 1 of a Conchology. fo. *Lond.* [1770]. [6 nos. were published, 26 pp. 12 pls. No sp. nn.; some say this was issued by Geo. Humphrey.]
- Coxe, W. Obs. faites dans les Pyrénées. 8vo. *Paris*, 1789. [No sp. nn.]
 — Travels in Switzerland. 3 vols. 8vo. *London*, 1789. [Contains "Faunula Helvetica" by T. Pennant, Sprungli, Wytenbach, Van Berchem, and Studer, edited by Pulteney.]
- [Coyer, G. F.] Lettre au Dr. Maty...sur les géants Patagons. 12mo. *Brux.* 1767. [No sp. nn.]
- Cramer, J. A. Phys. Briefe. 8vo. *Hannover*, 1793. [No sp. nn.]
- Cramer, P. Uitland. Kapellen. 4to. *Amst.*
 [I. pp. 1—132, 1775; 133—156, 1776; II. 1777; III. pp. 1—128, 1779; pp. 129—176, 1780; IV. pp. 1—90, 1780; 91—164, 1781; 193—252, 1782. After IV. p. 32 all done by C. Stoll. Collated from a set in original wrappers.]
 — Papillons exotiques. [Apparently the same as the above; see Engelmann, *Bibl. Hist. Nat.* 1846, pp. 475, 485 (Happe), and 526.]
 — Aanhangsel...P. Cramer...Uitland. Kapellen. By C. Stoll. 4to. *Amst.* pp. 1—42, 1787; 43—end, 1790.
- Cranz, David. Hist. Grönland. 8vo. *Barby*, 1765. [Not seen but see following entries.]
 — Hist. Greenland. 2 vols. 8vo. *Lond.* 1767. [No sp. nn.]
 — Hist. Grönland. Ed. 2. 8vo. *Barby*, 1767. [No sp. nn.]
 — Fortsetzung Hist. Grönland. 8vo. *Barby*, 1770. [List of plants.]
 — Hist. Grönland. 8vo. *Nürnberg*. 1782. [No sp. nn.]
 — Annaerk. over Hist. Grönland. 8vo. *Kiob.* 1771. [No sp. nn.]
- Creutzer, C. Entom. Versuche. 8vo. *Wien*, 1799.
- Cubières, S. L. P. Hist. abrégée des Coquillages. 4to. *Versailles*, An vi. [No sp. nn.]
- Curtis, W. Fund. Entom. 8vo. *Lond.* 1772.
 — Hist. Brown-tailed Moth: 4to. *Lond.* 1782.
- Cuvier, G. Tabl. élément. 8vo. *Paris*, An vi.
 — Leçons d'Anat. Comp. 5 vols. 8vo. *Paris*, 1800—5.
- Cyrillus, D. Entom. Napol. fo. *Nap.* 1787. [The first issue of this book was 4 plates and text engraved on copper to correspond. Then the text was typographed and all issued in that form before 1793—see Meyer's *Zool. Ann.* 1793, p. 270—I do not know whether all the text was issued in the engraved form, but I have quoted all the spp. as 1787.]
- Czenpinski, P. de. Diss. Zool.-med. 8vo. *Viennae*, [1778].
- Dahl, A. Diss. Entom. 1775. See Linnaeus, *Bigae Insect.*
- Dallinger, P. P. Vollst. Gesch. Borkenkäfers. 8vo. *Weissenb.* 1798. [No n. spp.]
 — Nachr. Fichtenspinner. 8vo. *Weiss.* 1798. [No n. spp.]
- Dalrymple, A. Oriental repository. 2 vols. fo. *Lond.* 1793 and 1808. [No n. spp.]
- Dantzig*. Naturhist. Gesell.
 Neue Samml. 1 vol. 4to. 1778. [No sp. nn.]
- Darluc, M. Hist. Nat. Provence. 3 vols. 8vo. *Avignon*, 1782, 1784, and 1786. [n. b.]
- Daubenton [le jeune]. 1008 Planches enluminées [by Martinet]. fo. *Paris*, 1765. [Not seen; but there are no names to the 1770—1786 ed.]
 — Collect. Oiseaux natifs de notre pays. fo. *Nuremb.* (chez Wirsing), 1776 &c. [100 pls. in 16 éditions=livraisons describing 96 pls. *Zool. Soc. Lond.* Library; unknown to Engelmann, and only 36 pls. recorded by Hagen, *Bibl. Entom.*]
 — Planches enluminées—Index by T. Pennant. 8vo. *Lond.* 1786.
 — See Boddaert.
- Daudin, F. M. Traité élém. Ornith. 2 vols. 4to. *Paris*, 1800. [The entries in Daudin, though apparently binominal, seem in many cases to be trinominal (see "Table de renvoi" in the case of *Falco communis*). As many of the binominals have been brought forward from earlier authors, they have been quoted for facility of reference.]
 — Rec. des Mém. mollusques. 12mo. *Paris*, 1800.

- Davila, —. Catal. ... Cab. de M. Davila. 3 vols. 8vo. *Paris*, 1767. [No sp. nn.]
- Décade (La) Philosophique. 8vo. *Paris*. 40 vols. 1795-1800. [n. g. in An III.]
- Dehne, J. C. C. Vers. Maywürme. 2 pts. 8vo. *Leipz.* 1788. [No n. spp.]
- De la Faille, C. Vers. Naturg. Maulwurfes. 8vo. *Frankf.* 1778. No sp. nn.]
- Del Rio, A. M. Elem. Oricognosia. 4to. *Mexico*, 1795. [Mineral.]
- [Denis and Schiffermüller.] Ankündigung...Syst. Werk. Schmett. Wiener Gegend. 4to. *Wien*, 1775.
- Syst. Verz. Schmett. Wiener Gegend. 4to. *Wien*, 1776. [The second issue of above work with new T. P., see Ann. Mag. Nat. Hist. [7] VI. 1900, p. 158.]
- Denso, J. D. Physik. Bibliothek. 8vo. *Rostock*, 1754-61. [n. z.]
- Description (A) of three hundred animals. 12mo. *Lond.* 1791. [No sp. nn.]
- Detharding, G. C. De Insect. Coleopl. 4to. *Buetzlovi*, 1763. [No n. spp.]
- Deutsches Museum (H. C. Boie's). 8vo. *Leipz.* 1776 &c. [General.]
- Dezalliers D'Argenville and Favanne de Montceville. La Conchyliologie. 2 vols. 4to. *Paris*, 1780 (3rd ed. of "Zoomorphose"). [No sp. nn.]
- Conchyliologie. fo. *Wien*, 1772. [n. b.]
- Diesskau, C. J. F. von. Naturg. von Nachtigall. 8vo. *Römhild*, 1779. [No sp. nn.]
- Dietzschin, B. R. See Vogel, B. C.
- Dijon*. Académie.
- Mém. 2 vols. 1769-1774.
- Nouv. Mém. 4 vols. 1782-85.
- Dillon, J. T. Trav. through Spain. Ed. 2. 4to. *Lond.* 1782. [No sp. nn.]
- Doeveren, W. van. Obs. phys. med. Vers. 12mo. *Lyon*, 1764. [No sp. nn.]
- Abh. Würmern...mensch. Körpers. 8vo. *Leipz.* 1776. [No sp. nn.]
- Mus. Doevereniani Catal. 8vo. *Lugd.* 1785. [n. b.]
- Donati, V. Essai...Adriatique. 4to. *La Haye*, 1758.
- Donegal (Marquis of). Sale Catal. 8vo. *Lond.* 1800. [No sp. nn.]
- Donndorff, J. A. Zool. Beytr. 3 vols. 8vo. *Leipz.* 1792-98. [Amph. and Fische important.]
- Handb. Thierges. 8vo. *Leipz.* 1793.
- Donovan, E. Nat. Hist. Brit. Insects. 16 vols. 8vo. *Lond.* 1792-1813.
- Nat. Hist. Brit. Birds. 10 vols. 8vo. *Lond.* 1794-1819.
- Nat. Hist. Ins China. 4to. *Lond.* 1798-99. [Date of plates taken.]
- Nat. Hist. Ins. India. 4to. *Lond.* 1800-1804. [Date of plates taken.]
- Nat. Hist. Brit. Shells. 8vo. *Lond.* [Probably issued in 60 parts between 1799 and 1804. Actual date of part I required before exact dates can be fixed.]
- Dorfeuille, C. L. M. Sur l'existence des Dragons. 8vo. *St Maixent*, An VII. [No sp. nn.]
- Dresdnisches Mag. 2 vols. 8vo. *Dresden*, 1760-65.
- Drury, D. Illust. Nat. Hist. 3 vols. 4to. *Lond.* 1770, 1773, 1782.
- — (Panzer's ed.) 4to. *Nürnb.* 1785.
- Dublin*. R. Dublin Soc.
- Proc. 111 vols. 1764-1875(?). [Minutes of proceedings and of no scientific value.]
- Trans. Vols. I. and II. [1801].
- R. Irish Acad.
- Trans. Vols. I-VII. [1800].
- [Duchesne and Macquet]. Manuel Naturaliste. 8vo. *Paris*, 1770. [No sp. nn.]
- Due lettere Pesci Monte Bolca. See Fortis and Testa.
- Duhamel du Monceau. Traité gén. Pesches. 3 vols. fo. *Paris*, 1769, 1772, 1777. [n. b.]
- and De la Marre. Allg. Abh. Fischeregen. [Notes by J. D. G. Schreber.] 4to. *Leipz.* 1773. [No sp. nn.]
- and Tillet. Hist. Insecte qui dévore les grains. 8vo. *Paris*, 1762. [No sp. nn.]
- Duraeus, S. Utkast til Forel. ofver Natur-Kunnigheten. 8vo. *Ups.* 1759. [Physics.]
- Düsseldorf*. Ges. Nat. Freunde Westphalen. Neue Schrift. 1 vol. 4to. 1798.
- Eber, J. H. Obs. Helminth. 4to. *Gött.* n. d. [Read 27 Ap. 1798.] [No sp. nn.]
- Eberhard, J. P. Vers. Entwurfs Thierges. 8vo. *Halle*, 1768. [n. b.]
- Ebert, J. J. Batavia. See Batavia.

Edinburgh. Phil. Soc.

Essays and Observ. read before a society in E. 2 vols. 8vo. 1754, 1755.

— — — read before the Phil. Soc. in E. 1 vol. 1771.

— — — Royal Soc.

Trans. Vols. I—IV. [1798].

— — — Soc. Antiq.

Arch. Scotia. Vols. I. and II. [1792—1823].

— — — Soc. Physicians.

Med. and Phil. Comment. 20 vols. 8vo. *Lond.* 1774—1795.

Edwards, G. Gleanings Nat. Hist. 3 pts. 4to. *Lond.* 1758, 1760, 1764. [No sp. nn.]

— — — Essays. 8vo. *Lond.* 1770. [No sp. nn.]

— — — Besch. Sanglins. 4to. *Hamb.* 1773. [No sp. nn.]

— — — Elements of Fossilology. 8vo. *Lond.* 1776. [Mineral.]

— — — Life and Works of. 4to. *Lond.* 1776. [No sp. nn.]

— — — and Catesby. Samml. Vogel. 1749—1776. }

— — — Verzam. Utitland. Vogel. 1772—1781. } See Seligmann.

Egede, H. Descr. Groenland. [Trans. by D. R. D. P.] 8vo. *Copen.* and *Genève*, 1763.
[No sp. nn.]

— — — Besch. Grönland. [Trans. by Krünitz.] 8vo. *Berl.* 1763. [No sp. nn.]

Ehret, G. D. Plantae et Papiliones rariores. 15 pts. fo. 1748—1759 (Bibl. Banksi. See
Comm. Sci. Lips. I. Suppl. 1, 1763, p. 628). [No sp. nn.]

Ehrhart, F. Beitr. zur Naturk. 7 pts. 8vo. *Hannover*, 1787—1792. [n. z.]

Eichhorn, J. C. Beytr. Nat. Wasserthiere. 4to. *Danz.* [1775]. 94 pp. [No sp. nn.]

— — — 4to. *Berl.* 1781. [New T. P. only.]

— — — Zugabe. 4to. *Danz.* 1783. [No sp. nn.]

Ekeberg, A. G. and Tidbeck. Diss. de Mater. oleosis. 4to. *Upsal.* 1789. [No sp. nn.]

Ellis, J. Vers. Naturg. Corall-arten. [Kruniz's ed.] 4to. *Nürnb.* 1767. [n. b.]

— — — Letter to Linnaeus on Corallines. [*Ex Phil. Trans.*]

— — — and Solander. Nat. Hist. Zooph. 4to. *Lond.* 1786.

Encyclopédie Méthodique. 4to. *Paris*, 1788—1832. [For dates see Proc. Zool. Soc. *Lond.*
1893, p. 582 and 1899, p. 595.]

Engelen, C. van. Nat. Hist. Hippopotamus. 4to. *Amst.* 1775. [No sp. nn.]

Entomologische Bemerkungen. [By Hausmann.] 8vo. *Braunschweig*, 1790. 64 pp., in-
complete. [No n. spp.]

Epit. Entom. Fabricianae. 8vo. *Lips.* 1797.

Erfurt. Acad. Mogunt.

Acta. 2 vols. 1757—61. }

Acta. 12 vols. 1777—96. } [No n. spp.]

N. Acta. 4 vols. 1799—1809. }

Ernst and Engramelle. Papillons d'Europe. 8 vols. 4to. *Paris*, 1779—1793. [No n. spp.]

Erxleben, J. C. P. Diiudicatio Syst. Anim. Mamm. 4to. *Gött.* 1767. [No sp. nn.]

— — — Ed. 2. [Is in C. F. Ludwig, Delectus Opusculorum; no sp. nn.]

— — — Anfangsgrunde Naturges. 8vo. *Gött.* 1768. [No n. spp.]

— — — Ed. 3, by J. F. Gmelin. 8vo. *Gött.* 1782. [No n. spp.]

— — — Betracht. Naturg. 4to. *Gött.* 1773. [No sp. nn.]

— — — Syst. Regn. Anim. 8vo. *Lips.* 1777.

— — — Anfangsgr. Naturlehre. Ed. 6. 8vo. *Gött.* 1794. [Physics.]

— — — Erxleben's Physikalische Bibliothek. 4 vols. 8vo. *Gött.* 1775—1779. [Reviews.]

Escalona, G. Gaz. Reg. Peru. fo. *Matriti*, 1775. [No sp. nn.]

Esmark, J. Kurze Besch. min. Reise Ungarns. 8vo. *Freiburg*, 1798. [Mineral.]

Esper, E. J. C. Die Schmetterlinge. 5 vols. and suppl. 4to. *Erlangen*, 1777—1807. [For
dates see Ann. Mag. Nat. Hist. [7], vii, 1901, p. 137.]

— — — Die Pflanzenthiere. 17 pts. 4to. *Nürnb.* Vol. I. pp. 1—90, 1788; 97—192,
1789; 193—320, 1790. Vol. II. pp. 1—96, 1791; 97—180, 1792; 181—220, 1793;
221—304, 1799. Vol. III. pp. 1—24, 1805; 25—76, ?; 77—144, ?; 145—284 (by
Hammer), 1829; 285—end (by Hammer, 1830).

— — — Fortsetzungen. 10 pts. 4to. *Nürnb.* Vol. I. pp. 1—64, 1794; 65—116,
1795; 117—168, 1796; 169—230, 1797. Vol. II. pp. 1—24, 1798; 25—48, 1806.

- Esper, E. J. C. De var. spec. nat. prod. 4to. *Erlangen*, 1781-2. [No sp. nn.]
 — De anim. oviparis. 4to. *Erlangen*, 1783. [No. n. spp.]
 — Naturges. in Auszuge d. Linn. Syst. 8vo. *Nürnb.* 1784. [No n. spp.]
 — Die ausland. Schmett. 16 pts. 4to. *Erlangen*.
 [For dates see Ann. Mag. Nat. Hist. [7], vii, 1901, p. 137.]
 Esper, F. E. Beob. Zwitterphalaena. 4to. *Erlangen*, 1778. [No. n. spp.]
 Esper, J. F. Ausführ. Nachr. Zoolithen. fo. *Nürnb.* 1774. [No sp. nn.]
 Essays by a Society of Gentlemen. 1 vol. 8vo. *Exeter*, 1796. [No n. spp.]
- Fabroni, A. Del Bombice. 4to. *Perugia*, 1782. [No n. spp.]
 — Dell' Ariete gutturato. 8vo. *Firenze*, 1792. [*Vervox aethiopicus*, Jonston, but not used in Linnean sense.]
- Fabricius, J. C. Syst. Entom. 8vo. *Flensburg*. 1775.
 — Gen. Insect. 8vo. *Chilonii*, 1777.
 — Phil. Entom. 8vo. *Hamb.* 1778.
 — Reise Norwegen. 8vo. *Hamb.* 1779.
 — Betracht. Einrichtung Natur. 8vo. *Hamb.* 1781.
 — Spec. Insect. 8vo. *Hamb.* 1781.
 — Mant. Insect. 8vo. *Hafniae*, 1787.
 — Ent. Syst. 4 vols. 8vo. *Hafniae*, 1792-94. Suppl. *Ibid.* 1798.
 — Nomen. Entom. 12mo. *Mancuni*, 1795-96.
 — Syst. Piez. 1800. [Engelmann, Bibl. H. N. 1846, p. 497: I cannot trace this edition.]
 — See Epitome.
- Fabricius, O. Fauna Groenl. 8vo. *Hafn.* 1780.
- Falconer, Magnus. Sale Catal. 8vo. *Lond.* 1778. [No sp. nn.]
- Falk, J. P. Beytr. Russ. Reichs. [Falk's Reise in Russland.] 3 pts. 4to. *St Petersburg*, 1785, 1786, 1786.
- Faugeres (Baron de). Obs. Oiseau d'Abyssinie. [*Ex Assemb. publique Soc. Roy. Montpellier*, for 1779. No sp. n.]
 — Catal. des Oiseaux. 8vo. [n. p. or d.]. [No n. spp.]
- [Faujas de St Fond.] Mém. bois cerfs foss. 4to. *Grenoble*, 1776. [No sp. nn.]
 — Hist. Nat. Dauphiné. 8vo. *Grenoble*, 1781. [No sp. nn.]
 — Hist. Nat. Mont. St. Pierre. 2 vols. 4to. *Paris*, An VII. [No. sp. nn.]
- Favanne de Montcervelle. Catal. Cabinet M. de C. de ***. [Le Comte de la Tour d'Auvergne.] 8vo. *Paris*, 1784. [No sp. nn.]
- Favart d'Herbigny. Dict. H. N. Testacées. 3 vols. 12mo. *Paris*, 1775. [n. b.]
- Feige, C. T. L. Anweisung Blütenwicklers. 8vo. *Berl.* 1790. [No n. spp.]
- Feldmann, B. Diss. comp. anim. plantes. 8vo. *Berol.* 1780. [No n. spp.]
- Ferber, J. J. Briefe aus Wälschland [Italy]. 8vo. *Prag*, 1773. [Mineral.]
 — Trav. through Italy. 8vo. *Lond.* 1776. [Mineral.]
 — Orctogr. Derbyshire. 8vo. *Mittau*, 1776. [Geology.]
 — Anmerk. Kurland. See J. B. Fischer.
- Fermin, P. H. N. Hollande equinox. 8vo. *Amst.* 1765. [No sp. nn.]
 — Descr. Colonie Surinam. 8vo. *Amst.* 1769. [n. b.]
 — (Nieuwe). 8vo. *Harlingen*, 1770. [n. b.]
 — Abh. Surinam Kröte. 8vo. *Braunschweig*, 1776. [No sp. nn.]
 — Tabl. Hist. Surinam. 8vo. *Maestricht*, 1778. [n. z.]
 — 8vo. *Lond.* 1781. [n. z.]
- Ferryman, R. Catal. Brit. Quad. Birds in the Museum of R. Ferryman. 8vo. *Bristol*, 1789. [No. sp. nn.]
- Fibig, J. Stud. Naturg. 8vo. *Mainz*, 1784. [No n. spp.]
- Fibig and Nau. Bibl. gesammt. Nat. 8vo. *Frankf.* 1789-90. [A Record.]
- Fichtel, J. E. v. Beytr. min. Siebenburgen. 4to. *Nürnb.* 1780. [No sp. nn.]
 — Min. Bemerk. Karpath. 8vo. *Wien*, 1791. [No sp. nn.]
- Fichtel and Moll. Test. Microsc. 4to. *Wien*, 1798: ed. 2, 1803 (new T. P. only).
- Fischer, G. [de Waldheim]. Mém. respir. Anim. 8vo. *Paris*, An VI.

- Fischer, J. B. Vers. Naturg. Livland. 8vo. *Leipz.* 1778.
 ——— Ed. 2. 8vo. *Königsb.* 1791.
 ——— Zusätze. 8vo. *Riga*, 1784. [No n. spp.]
- Fischer, J. L. Obs. de Oestro Ovino. 4to. *Lips.* 1788. [No n. spp.]
 ——— Taeniae hydat. in plexu chor. 4to. *Lips.* 1789. [No sp. nn.]
 ——— Verm. intest. *See* Werner.
- Flad, J. D. Hist. Kirchenwurme. [*Ex* Comm. Ac. Palat. III.]
- Fleischer, E. Udførlig afhandl. om Bier. 8vo. *Kiøb.* 1777. [No sp. nn.]
 ——— Algern. Natur-Hist. 8vo. *Schleswig*, 1793. [Meteor. &c.]
- Flodin, C. M. Diss. Entom. Med. 4to. *Lund.* 1780.
Florence. Acad. Cimento.
 ——— Atti e Mem. 3 vols. 4to. 1780. [No sp. nn.]
 ——— Soc. Georgofili.
 Atti. 8 vols. 1791-1817.
- Flurl, M. Beschr. Gebirge Baiern. 8vo. *München*, 1792. [Geol.]
- Flushing.* Zeewwsch genoots. wetens. Vliissinge Verhand. 15 vols. 1769-92.
- Forcke, J. J. G. De verm. med. 4to. *Gött.* 1786. [No sp. nn.]
- Fornander, A. Diss. Obs. Zool. *See* Retzius.
- Forskal, P. Descript. Anim. 4to. *Hauniae*, 1775.
 ——— Icones rerum anim. 4to. *Hafniae*, 1776.
 ——— "Fauna Arabica" is "Descript. Anim."
- Forssander, M. E. Diss. de Genere in Hist. Nat. 4to. *Lond. Goth.* 1799. [No n. spp.]
- Forsten, R. Disq. med. Cantharid. Ed. alt. 8vo. *Argent.* 1776. [No sp. nn.]
- Forster, J. R. Catal. Brit. Insects. 8vo. *Warrington*, 1770.
 ——— Nov. Spec. Ins. 8vo *Lond.* 1771.
 ——— Catal. Anim. N. Amer. 8vo. *Lond.* 1771.
 ——— Liber de Byssos. 8vo. *Lond.* 1776.
 ——— Obs. made during Voy. round World. 4to. *Lond.* 1778.
 ——— Indische Zool. fo. *Halae*, 1781.
 ——— Enchiridion. 8vo. *Halae*, 1788.
 ——— ——— 8vo. *Edinb.* 1794. [A reset of the 1788 ed.]
 ——— Faunula Indica, 1795. *See* Latham and Davies.
 ——— Man. Hist. Nat. Oiseaux. 8vo. *Paris*, An VII.
- Forster, J. R. and Sprengel. Beytr. Landesk. 14 vols. 8vo. *Leipz.* 1781-1790.
 Fortgesetzte Beiträge Naturk. [Denso's.] 6 nos. 12mo. *Berlin*, 1765. [No n. spp.]
- Fortgesetzte Nachricht. wiss. K. Danske Reich. 4 vols. 8vo. *Kopen.* 1758-68. [No n. spp.]
- Fortis, A. Saggio...Cherso ed Osero. 4to. *Venez.* 1771. [No sp. nn.]
 ——— Viaggia Dalmatia. 2 vols. 4to. *Venez.* 1774. [No sp. nn.]
 ——— Reise Dalmatia. 2 vols. 8vo. *Bern*, 1776. [No sp. nn.]
 ——— Trav. Dalmatia. 4to. *Lond.* 1778. [No sp. nn.] [Other eds. not troubled about.]
 ——— Beschr. Thales Ronca. 8vo. *Heid.* 1779. [n. b.]
 ——— Ossa d'Elephantii. 8vo. *Vicenz.* 1786. [No sp. nn.]
- Fortis, J. B. Lettera al Testa...pesci monti di Bolca. 4to. [Venezia 10 Ap. 1793.]
 [No sp. nn.]
- Fothergill, C. Ornith. Britannica. fo. *York*, 1799. [12 pp. in Latin and English.]
- Fothergill, J. Works of. 2 vols. 8vo. *Lond.* 1783. [No sp. nn.]
 ——— ——— 4to. *Lond.* 1784. [No sp. nn.]
- Fourcher d'Obsonville. Essais phil. mœurs anim. 8vo. *Paris*, 1783. [No sp. nn.]
- Frocroy, A. F. de. Entom. Paris. 18mo. *Paris*, 1785.
 ——— Elem. Hist. Nat. 5 vols. 8vo. *Basle*, 1798. [No n. spp.]
- Francillon, J. Acc. of Scarabæus. 4to. *Lond.* 1795.
- Fränkische Samml. Naturlehre. 8 vols. 8vo. *Nürnb.* 1756-68. [Med.; no n. spp.]
- Freissleben, J. C. Bemerk. u. d. Harz. 8vo. *Leipz.* 1795. [Mineral.]
- Frenzel, D. Verz. Edelgest. &c. 8vo. *Chemn.* 1769. [Mineral.]
- Fréville, J. F. J. Hist. chiens célèbres. 18mo. *Paris*, 1796. [No sp. nn.]
 ——— Gesch. berühm. Hunde. 8vo. *Leipz.* 1797. [No sp. nn.]
- Frisch, J. Leonhard. Insecten Teutschlands, 1720-38. [A few parts of this book were re-issued later—it is not binominal.]

- Frisch, J. Leonhard. Vorst. Vögel Teutschlands. 12 pts. fo. *Berl.* 1743-63. [n. b.]
 Frisch, J. Leopold. Natur-Syst. vier-füssigen Thiere. 4to. *Glogau*, 1775. [n. b.]
 Fuchs, G. F. C. De Dracunculo. 4to. *Jena*, 1781. [No sp. nn.]
 Fuessly, J. C. Verz. Schweiz. Insect. 4to. *Zurich*, 1775.
 — Arch. Hist. Insect. 4to. *Winterthur*, 1794.
 — See Magazin and Archiv.
- G., D. Foss. Dauphiné. See Genton.
- Gadd, P. A. Chem. Entom. unders. 4to. *Abö*, 1762. [No n. spp.]
 — Diss. Insect. piscator. 4to. *Abö*, 1769. [No n. spp.]
 — Sjo Fogels. 4to. *Abö*, 1769. [No n. spp.]
 — Forsok Svenska Landtskotselen. 3 vols. 8vo. *Stock.* 1773-77. [Agric.]
- Garcia de la Lena, C. Hist. Malaqueños. 4 vols. 4to. *Malaga*, 1789-93. [No sp. nn.]
- Garnett, T. Tour through Highlands. 2 vols. 4to. *Lond.* 1800. [No sp. nn.]
- Garrard, G. Descr. Oxen Brit. Isles. fo. *Lond.* 1800. [Economic.]
- Garriga, J. Discr. Esqueleto Quad. fo. *Madrid*, 1796. [No n. spp.]
- Gatterer, C. W. J. Brev. Zool. 8vo. *Cött.* 1780. [Appears to be a copy of Erxleben.]
 — Abh. Nutzen Thiere. 2 vols. 8vo. *Leipz.* 1781-82. [Economic.]
- Gaudin, J. Voy. Corse. 8vo. *Paris*, 1787. [Political.]
 — Reise Corse. 8vo. *Leipz.* 1788. [Political.]
- Geer, C. de. Mém. Insectes. 7 vols. 4to. *Stock.* 1752-1778. [Vols. 3-7 accepted.]
 — Abh. Gesch. Insect. [Goetze's ed.]
 — Gen. Spec. Insect...A. J. Retzius. 8vo. *Lips.* 1783.
- Gehler, J. C. Fossil. physiogn. 4to. *Lips.* 1786. [No sp. nn.]
 — De charact. fossil. 1790. Ed. 2. [Ex Ludwig, C. F., Delectus opuscul.] [No sp. nn.]
 — Ordinis med. in acad. Lips. [Prefatio de...Lips. Petref.] 4to. [*Lips.*] 1793.
 [No sp. nn.]
- Gemeinnutz. Nat. und Kunst. Mag. 8vo. *Berlin.* 2 pts. 1764. [No sp. nn.]
- Genees Nat. Huishoud-Kundig. Jaarboeken.
 Vols. 1-5. 8vo. *Dordrecht*, 1778-81. } [Mainly reprints; rest chiefly
 Nieuwe...5 vols. 1782-84. } technical.]
 Allgemene...6 vols. 1785-89. }
- Genees Tijdschrift. 4 vols. 8vo. *Rotterdam*, 1768-71. [No n. spp.]
- General Mag. of Arts and Sci. See B. Martin, Nat. Hist. of England.
- Genssane, De. Hist. Nat. Languedoc. 5 vols. 8vo. *Montp.* 1776-79. [Geol., Min., Agric.]
- Genssler, C. J. Der Maikäfer. 8vo. *Gotha*, 1796. [No n. spp.]
- [Genton.] Mém. Foss. Dauphiné. 8vo. *Avignon*, 1781. [No sp. nn.]
- Geoffroy, E. L. Hist. abrégée Insectes. 2 vols. 4to. *Paris*, 1762. [Genera accepted.]
 — Ed. 2. 4to. *Paris*, An VII.
 — Descr. 719 Plantes, &c. 8vo. *Paris*, 1767. [Gen. nov.]
 — Traité de Coquilles. 12mo. *Paris*, 1767. [Gen. nov.]
 — Kurze Abh. Conchyl. [Martini's ed.] 8vo. *Nürnb.* 1767.
- Geoffroy, —. Abh. Gehörwerkzeuge. 8vo. *Leipz.* 1780. [No sp. nn.]
- Georgi, J. G. Bermerk. Reise Russ. 2 vols. 4to. *St Petersburg*, 1775.
 — Vers. Besch. Russ. K. Residenzstadt. 8vo. *Riga*, 1790 [1793]. [No n. spp.]
 — Geogr. phys. naturh. Russ. Reichs. 8vo. *Königsb.* [Vol. VI. pt. 3, 1800; no n. spp.]
- Gerbi, R. Stor. Nat. nuovo Insetti. 8vo. *Firenze*, 1794.
 — Ed. 2. 8vo. *Venez.* 1795. [*Rhinocyllus* quoted from this tract does not occur therein.]
- Germany.* Acad. Caes. Leop. Carol.
 Nova Acta. 4to. *Nuremberg.* Vols. II-VIII. (1791).
- Gesellschaftliche (N.) Erzähl. Lieb. Naturlehre. 25 pts. 8vo. *Leipz.* 1758. [No n. spp.]
- Gesenius, W. Vers. Lepid. Encyklop. 8vo. *Erfurt*, 1786. [No n. spp.]
- Gesner, J. Tract. phys. de Petrif. 8vo. *Lugd.* 1758. [Many of the early names applied to fossils date from this tract.]
- Gevens, N. G. Belust. Reiche Natur. 4to. *Hamb.* 1790.
- Gevers, —. See Museums.

- Giessen. Soc. Ac. Sci. Hassicae.
Acta. 1 vol. 4to. *Francof.* 1771. [No n. spp.]
- Gilibert, J. E. Indag. Nat. Lithuania. 8vo. *Vilnae*, 1781. [No n. spp.]
- Gilij, F. S. Saggio Stor. Americana. 4 vols. 8vo. *Roma*, 1780-84. [No sp. nn.]
— Agri Romana Hist. Nat. 8vo. *Romae*, 1781. [n. b.]
- Ginanni, F. Osserv. Insetti. See no. 2.
— Malattie del Grano. 4to. *Pesaro*, 1759. [No sp. nn.]
— Prod. nat. Mus. Ginanni. 4to. *Lucca*, 1762. [n. b.]
— Pinete Ravennati. 4to. *Roma*, 1774. [No sp. nn.]
- Gioeni, G. Descr. n. fam. e gen. Testacei. 8vo. *Nap.* 1783. [*Gioenia* does not occur.]
- Giorna, —. Cal. Entom. 8vo. *Torino*, 1791.
- Giraud-Soulavie, —. Hist. Nat. France mérid. 8 vols. 8vo. *Paris*, 1780-83. [Bot., Min., Geol.]
- Gladbach, G. J. Abbild. von Schmett. 4to. *Frankf.* 1774. [Hagen says this was the same work as the "Beschreibung,"]
— Beschr. europ. Schmett. 4to. *Frankf.* 1777. [No n. spp.]
— Namen u. Preiss Verz. Schmett. [Is pp. 112-158 of A. C. Kuehn, Kurz. Anleit. Insect., ed. 2, 1783; see also Stettin Ent. Zeit. xvi. 1855, p. 94.]
— Catal. Schmett. nicht in Roesel. &c. [Is pp. 159-182 of Kuehn, *ibid.*]
- Gläser, F. G. Beytr. Naturg. Bergpölicy. 4to. *Leipz.* 1780. [Mineral.]
- Glaser, J. F. Phys. Oek. Abh. schädli. Raupen. 8vo. *Leipz.* 1780. [No sp. nn.]
- Gleditsch, J. G. Verm. phys.-bot. 3 vols. 8vo. *Halle*, 1765, 1766, 1767.
— Syst. Einl. Forstwissen. 2 vols. 8vo. *Berl.* 1775. [No n. spp.]
- Gleichen, W. F. Gesch. Stubenfliege. 4to. *Nürnb.* 1764. [34 pp. 4 pls. No sp. nn.]
— — Ed. 2. 4to. *Nürnb.* 1790. [32 pp. 4 pls. No sp. nn.]
— Hist. mouche commune. 4to. *Nürnb.* 1766. [No sp. nn.]
— — Ed. 2. 4to. *Nürnb.* 1790. [No sp. nn.]
— Das neueste...Reiche Pflanzen, &c. fo. *Nürnb.* 1764. [No sp. nn.]
— Découvertes nouvelles règne végétal. fo. *Nuremb.* 1770. [No sp. nn.]
— Auserles. mikros. Entdeck. 4to. *Nürnb.* 1777-81. [No sp. nn.]
— Saamen und Infusionsthierchen. 4to. *Nürnb.* 1778. [No sp. nn.]
— Blatlause. 4to. *Nürnb.* 1787. [No sp. nn.]
— Diss. générat. anim. sperm. 4to. *Paris*, An VII. [No sp. nn.]
- Gmelin, J. F. Abh. Wurmtröcknis. 8vo. *Leipz.* 1787. [No n. spp.]
— Linné Vorlst. Natursyst. des Mineralreiches. 4 vols. 8vo. *Nürnberg*, 1777-85. [No sp. nn.]
— See J. Bruce.
— See Linnaeus.
- Gmelin, P. F. Onomatologia. 7 vols. 8vo. *Ulm*, 1758-77. [n. b.]
- Gmelin, S. G. Reise Russ. 4to. *St Petersburg*. I. 1770; II. and III. 1774; IV. 1784 [pp. 132-218 are by K. Hablitzl].
- Göttingen. Soc. Regia Sci.
N. Comm. I-VIII. 1771-1778.
Comm. I-XIV. 1779-1800.
Deutsche Schriften. 1 vol. 8vo. 1771.
- Göttingische Anzeigen von gelehrten Sachen. 111 vols. 8vo. *Gött.* 1753-1800. [Reviews.]
- Göttingische gelehrte Anzeigen. See previous entry.
- Göttingisches Journ. Naturwiss. 4 pts. 8vo. *Gött.* 1797-98. [Reprints from Ac. Svenska.]
- Göttingisches Mag. Wissen. 4 vols. 12mo. *Gött.* 1780-85.
- Goetz, G. F. Naturg. Vögel. 8vo. *Hanau*, 1782. [No n. spp.]
- Goeze, J. A. E. Entom. Beytr. 4 vols. 8vo. *Leipz.* 1777-83. [n. b.]
— Vers. Nat. Eingeweiderwürmer. 4to. *Blank.* 1782.
— Neueste Entdeck. Schweinfleisch. Blasenwürmer. 8vo. *Halle*, 1784.
— Nützl. allerley Natur. 6 vols. 8vo. *Leipz.* 1785-88. [General and popular.]
— — 3 vols. 8vo. *Leipz.* 1788.
— Ueber Quedlinburg Einhorn. 12mo. *Qued.* 1786. [No sp. nn.]
— Europ. Fauna. 9 vols. 8vo. *Leipz.* 1791-1803. [No n. spp.]
— Verz. Nat. meiner Cabinet. 8vo. *Leipz.* 1792. [No n. spp.]

- Goeze, J. A. E. Natur, Menschenleben, &c. Ed. 2. 7 vols. 8vo. *Leipz.* 1796. [General and popular.]
- Erster Nachtr. Eingeweidewürmer. [Zeder's ed.] 4to. *Leipz.* 1800.
- Görlitz.* Oberlausitz Ges. Wissen.
 Lausitzische Monatschrift. 32 vols. 8vo. 1793—1808.
- Gothaische Gelehrte Zeitung ausl. Literatur. 8vo. *Gotha*, 1787—94. [Reviews.]
- Gothaisches Mag. Kunst. Wiss. 2 vols. 8vo. *Gotha*, 1776—77. [No spp. nn.]
- Gotheborg.* Gotheborgs Wet. Witt. Samh.
 Handl. (wet. afdel.). 4 pts. 8vo. I. 1778; II. 1780; III. 1785; IV. 1788.
- Gotheborgska Mag. 8vo. *Goth.* 1759—62.
 Continued as—Bihang. Jan.—June, 1763.
 Nya Veckobladet. July—Dec. 1763.
 Goth. Wecko-bladet för Ar 1765.
- Gothenburg Mag. See Gotheborgska Mag.
- Gottwaldt, C. Bemerk. Schildkroten. 4to. *Nürnb.* 1781. [No sp. nn.]
- Bemerk. Biber. 4to. *Nürnb.* 1782.
- Gouan, A. Hist. Piscium. 4to. *Argent.* 1770.
- Gesch. Fische. [Meidinger's ed.] 8vo. *Wien*, 1781.
- Gould, G. Obs. Florida Keys. 4to. *Lond.* 1796. [No n. spp.]
- Graindorge, A. de. Traité...des macreuses. In Traités très rares &c. 12mo. *Paris*, 1780. [No sp. nn.]
- Graumann, P. B. C. Brevis introd. Hist. Nat. 8vo. *Rostock*, 1779.
- Gresalvi, S. Stor. Nat. Corsica. 8vo. *Firenze*, 1774. [No sp. nn.]
- Grisogono, P. N. Stor. Nat. Dalmazia. 4to. *Trevigi*, 1780. [No sp. nn.]
- Gronovius, L. T. Zoophylacium. fo. *Lugd.* I. 1763; II. 1764; III. 1781. [gen. nov.]
- Mus. Gronov. See Meuschen.
- Gros, B. F. De Moscho. 4to. *Tubingae*, 1790. [Medical.]
- Grossinger, J. B. Univ. Hist. Regn. Hungariae. 4 vols. 8vo. *Posenii*, 1793—94. [n. b. but excellent for reference.]
- Grubers, T. Briefe Krain. 8vo. *Wien*, 1781. [No sp. nn.]
- Grundig, C. G. N. Vers. Nat. Ober-Sachsen. 8vo. *Schneeberg.* Pts. 41—48, 1758—1765. [No sp. nn.]
- Gruner, G. S. Naturg. Helvet. in J. S. Wytttenbach, Beytr. Nat. Schweizerlands. 8vo. *Bern*, 1775. [No sp. nn.]
- Hist. Nat. Suisse. 8vo. *Neuchatel*, 1776. [No sp. nn.]
- Gualandris, A. Lettere oedepor. 8vo. *Ven.* 1780. [No sp. nn.]
- Gueldenstadt, J. A. Reise Russ. [Ed. Pallas.] 4to. *St Petersburg*, I. 1787; II. 1791.
- Guenther, F. C. Samml. Eyern Vogel Cab. Schmidels. fo. *Nürnb.* I. 1772; II. (by Leske) 1784.
- Guericke, J. E. T. De Moscho. 4to. *Erfordia*, 1776. [Medical.]
- Guettard, J. E. Mém. diff. part. Sci. 5 vols. 4to. *Paris*, I. 1768; II. III. 1770; IV. V. 1783. [gen. nov.]
- N. coll. Mém. diff. part. Sci. 4to. *Paris*, 1786.
- Gumilla, J. Hist. Nat. Orenoque. 3 vols. 12mo. *Avignon*, 1758. [No sp. nn.]
- Hist. Nat. Rio Orinoco. 2 vols. 4to. *Barcelona*, 1791. [No sp. nn.]
- Gunnerus, J. E. Flora Norvegica. 2 vols. fo. *Nidrosiae et Hafniae*, 1766. [Spongida.]
- Haarlem.* Bataaf. Maats. Wet.
 Nat. Verh. 8vo. *Amsterdam*, I. 1799.
- Holland. Maat. Wet.
 Verh. Vols. I—XXX (1759—1793).
 Abh. 2 vols. 8vo. *Altenburg*, 1758.
- Teylers Tweede Genoot.
 Verh. Vols. I—X (1781—1800).
- Haas, J. A. v. Beob. Rindenkäfer. 8vo. *Erlangen*, 1793. [No n. spp.]
- Habel, C. F. Beytr. Nat. Nassau-Länder. 8vo. *Dessau*, 1784. [No sp. nn.]
- [Hablizl, C.] Fiz. opis. Tavrich. fo. *St Petersburg*, 1785.

- [Hablizl, C.] Descr. phys. Tauride. 8vo. *La Haye*, 1788.
 — Phys. Besch. Taurisch. 8vo. *Hanover*, 1789.
 [—] Nat. Hist. Tartary. 8vo. *Lond.* 1789.
 Hacquet, B. Oryct. Carniol. 4to. *Leipz.* Pt. I, 1778; 2, 1781; 3, 1784; 4, 1789. [No sp. nn.]
 — Nachr. Verst. Schalthier. 8vo. *Weimar*, 1780. [n. b.]
 — Min. Bot. Reise Terglon. 8vo. *Wien*, 1784. [No sp. nn.]
 — Reise Dinarischen Alpen. 8vo. *Leipz.* 1785. [No n. spp.]
 — Reise Karpath. 4 vols. 8vo. *Nürnb.* I. 1790; II. 1791; III. 1794; IV. 1796.
 — Reise norischen Alpen. 8vo. *Nürnb.* 1791. [No n. spp.]
 Hagen, C. G. Diss. de Furia. 4to. *Regiom.* 1790. [No n. spp.]
Hague. Nat. Genees. corresp. Soc.
 Verh. 1783-94.
 Verh. omtrent. 1794. } [No n. spp.]
 Haidinger, C. Eintheil. Naturaliensamm. Wien. 8vo. *Wien*, 1782. [Mineral.]
 — Disp. rerum Nat. Mus. Caes. Vind. 4to. *Vind.* 1782. [Mineral.]
Halle. Nat. Gesell.
 Abh. 1 vol. 8vo. 1783.
 Haller, J. S. Naturges. 2 vols. 8vo. *Berl.* 1757, 1760. [n. b.]
Hamburg. Ges. beförd. Kunst, &c.
 Verh. and Schrift. 7 vols. 8vo. 1792-1807. [No n. spp.]
 Hamburgisches Mag. 8vo. *Hamburg.* Vol. XXI. (1758)-1771.
 Hamilton, W. Letters N. Coast Antrim. 8vo. *Dublin*, 1790. [Mineral.]
 Hammer, C. Fauna norwegica. 8vo. *Kiob.* 1775. [n. b.]
 Hanaisches Magazin. 8 vols. 8vo. *Hanau*, 1779-85. [Popular.]
 Hannoverische Beyträge. 4 vols. 8vo. *Hann.* 1759-62. [General.]
 Hanseatisches Magazin. 6 vols. 8vo. *Bremen*, 1799-1802. [Litt. phil.]
 Happ, C. F. Verm. intest. 4to. *Lips.* 1780. [No n. spp.]
 Happe, A. F. Abbild. Schmett. Afrika, &c. 2 pts. fo. *Berl.* 1783-84. [Not seen; apparently a German version of Cramer. See Engelmann, pp. 526 and 485.]
 Harrer, G. A. Besch. Schaeffer Icones. 8vo. *Regensburg*, 1784.
 — — 4to. *Regensburg*, 1791. [Differs from 1784 ed., more n. spp.]
 Harris, M. English Lepid. 8vo. *Lond.* 1775. [No n. spp.]
 — Expos. English Insects. 4to. *Lond.* 1776.
 — — Ed. 3. 4to. *Lond.* 1782. [Same as ed. 1, but with engraved T. P.]
 — — Aurelian. fo. *Lond.* 1766.
 — — Ed. 2. fo. *Lond.* 1778.
 — — Ed. 3. fo. *Lond.* 1794. [New T. P., and re-set Tables; otherwise same as 1778 ed.]
 Hartmann, J. B. Diss. Hirudine. 8vo. *Viennae*, 1777. [n. sp.]
 Hasse, J. G. Der aufgefunden. Eridanus. 8vo. *Riga*, 1796. [No n. spp.]
 Hasselquist, F. Reise Paläst. 8vo. *Rostock*, 1762.
 — — Voy. Levant. 8vo. *Lond.* 1766. }
 — — Voy. Levant. 12mo. *Paris*, 1769. } [Trans. of 1.]
 Hauf, F. J. Margaritologie. 8vo. *Müncb.* 1795. [No n. spp.]
 Hausmann, J. F. L. See Entom. Bemerck.
 Hausvater (Der). 5 vols. 8vo. *Hannover*, 1764-70. [General: Th. II. contains a Bibliothek of Botan., Zool., etc.]
 Hayes, W. Nat. Hist. Brit. Birds. fo. *Lond.* 1775.
 — — Portraits Birds Osterley Park. 4to. *Lond.* 1794.
 Hearne, S. Journ. from Prince of Wales Fort. 4to. *Lond.* 1795. [No sp. nn.]
 Heerkens, G. N. Aves Frisicae. 8vo. *Rott.* 1788.
 Heim, J. L. Kurz. Uebers. Thüringerwaldes. 8vo. *Nürnb.* 1796-1812. [Geology.]
 Helfrecht, I. T. B. Das Fichtelgebirge. 8vo. *Hoff*, 1799-1800. [Geology.]
 Helmuth, J. H. Volksnaturges. 7 vols. 8vo. *Leipz.* 1795-1805. [No n. spp.]
 Helvetische Monatschrift (Hopfner's). 8 pts. 8vo. *Winterthur*, 1799-1801. [No sp. nn.]
 Helvetisches Entom. See Schellenberg.
 Hennert, C. W. Ueber Raupenfrass. 4to. *Leipz.* 1795. [Not seen; see 2.]

- Hennert, C. W. Ueber Raupenfrass. Ed. 2. 4to. *Leipz.* 1798. [Forestry; no n. spp.]
- Hennings, J. C. Ahndungen d. Thiere. 8vo. *Leipz.* 1783. [No sp. nn.]
- Heppé, J. C. Drey Reihe Natur. 3 vols. 4to. *Nürnb.* 1776-80. [No sp. nn.]
- Abbild. Beschr. Fische. 3 pts. 8vo. [*Nürnberg*]. [? a piracy of Bloch—
- Pt. 1. 1787. pp. 1-36, pls. i-xi.
- Pt. 2. [1787.] pp. 37-72, pls. x-xix.
- Pt. 3. [1800.] pp. 72-104, pls. xx-xxix.
- The parts called "Ausgaben"; see Kayser, Index librorum; my copy is in original wrappers.]
- Herbst, J. F. W. Vers. Nat. Krabben. 3 vols. 4to. *Berl.* 1782-1804. I. (1) 1-86, 1782; (2-5) 87-182, 1783; (6) 183-206, 1785; (7) 207-238, 1788; (8) 239-274, 1790: II. (1) 1-48, 1791; (2) 49-78, 1792; (3) 79-98, 1793; (4) 99-146, 1793; (5) 147-162, 1794; (6) 163-225, 1796: III. (1) 1-66, 1799; (2) 1-46, 1801; (3) 1-54, 1803; (4) 1-50, 1804.
- Einleit. Kennt. Insect. 3 vols. 8vo. *Berl.* 1784-87. [A separate from Borowski, q. v.]
- Einleit. Kennt. Würmer. 2 vols. 8vo. *Berl.* 1787-88. [A separate from Borowski, q. v.]
- Natursyst. ungeflüg. Insekt. 4 pts. 4to. *Berl.* 1, 1797; 2, 1798; 3, 1799; 4, 1800.
- Hermann, B. F. Beytr. Phys. Oek. Min. 3 vols. 8vo. *Berl.* 1786-88. [Trav. and metal.]
- Hermann, J. Preisschrift K. Soc. Wiss. Gött. schädlichen Insect. 4to. *Hann.* 1775. [No n. spp.]
- Hermann, J. (of Strassburg). Affin. Anim. tab. 4to. *Argent.* 1777. [No n. gen. in this ed.]
- — Ed. 2. 4to. *Argent.* 1783. [gen. nov.]
- Progr. ad orat. inaug. and Progr. in exordio Reg. Acad. fo. *Argent.* 1782. [No sp. nn.]
- Amphib. virt. med....Scinci. 4to. *Argent.* 1789. [No n. spp.]
- Hermann, J. F. Etwas über Corallen. 8vo. *Strassb.* 1788. [*Ex N. Mag. Frauenzimmer.* No sp. nn.]
- Hernandez, F. Opera. [Ed. Ortega.] 3 vols. fo. *Matriti*, 1790. [No sp. nn.]
- Hessische Beitr. Gelehrt. Kunst. 2 vols. 8 pts. 8vo. *Frankf.* 1784-87. [No n. spp.]
- Hill, J. Fossils arranged, &c. 8vo. *Lond.* 1771. [Mineral.]
- Decade of curious Insects. 4to. *Lond.* 1773.
- Artif. arrang. Fossils. 8vo. *Lond.* 1774. [Mineral.]
- Hiller, J. F. De Papilione ferali...Ovid, Metam. X u. 372 sqq. 4to. *Vitemb.* 1761. [n. z.]
- Hiort, O. J. Um Hreindyr. [*Ex Rit pesz Islens.: see Copenhagen, Pesz.*]
- Hirsching, F. C. G. Allgem. Arch. Landes-Volk. 2 vols. 8vo. *Leipz.* 1790-91. [No n. spp.]
- Holandre, —. Hist. Nat. Quad. vivip. 4 vols. 8vo. *Deux Ponts*, 1790. [No sp. nn.]
- Holten, H. S. Danmarks og Norges Fauna. 8vo. *Kiøb.* 1800. [No n. spp.]
- Holthuisen, —. Mus. Holthuisen. 4to. *Hamburg*, 1795. [See *Annals Mag. Nat. Hist.* [7] III. 1899, p. 272.]
- Hoppe, D. H. Enum. Insect. 8vo. *Erlangen*, 1795.
- Entom. Taschenbuch. 2 vols. 8vo. *Regensb.* 1796-97.
- Horn, G. New treatise on Leeches. 8vo. *Lond.* 1798. [No n. spp.]
- Horrebow, N. Nat. Hist. Iceland. fo. *Lond.* 1758. [No sp. nn.]
- Descript. Hist. Islande. 2 vols. 12mo. *Paris*, 1766. [No sp. nn.]
- Höslin, P. See *Linnaeus*.
- Hotz, J. De Balneis infantum. 4to. *Tubing.* 1758. [Erroneously ascribed to Sigwart.]
- Houttuyn, M. Natuur. Hist. 37 vols. 8vo. *Amst.* 1761-1785.
- Mus. Houttuyniani. Pars I. 8vo. *Amst.* (1786). [Anonymous, a few n. spp. undescribed, therefore not recorded: *Insecta not binom.*]
- Huber, F. Obs. sur les Abeilles. 8vo. *Paris*, 1792. [No sp. nn.]
- J. Obs. vol oiseaux de proie. 4to. *Gen.* 1784. [No sp. nn.]
- Hubner, J. Beitr. Ges. Schmett. 2 vols. 8vo. *Augsburg.* I. (1) 1786; (2) [1787]; (3) [1788]; (4) 1789; II. 1790.
- Samml. auserl. Vogel u. Schmett. 8vo. *Augsb.* 1793.
- Samml. europ. Schmett. [See *Ann. Mag. Nat. Hist.* [7] II. 1898, p. 491.]
- Huebner, J. G. Gedanken...schädl. Raupen zu vertilgen. 8vo. *Dessau*, 1781. [No n. spp.]

- Hüpsch, J. W. C. A. F. Neue Naturg. Schaalthiere. 8vo. *Frankf.* 1768. [Names not used in a generic sense.]
 — Syn. Tab. Nat.-Kab. Hüpsch. 8vo. *Cöln*, 1797. [Mineral.]
 — Naturges. Niederdeutschlands. 4to. *Nürnb.* 1781. [No sp. nn.]
 [Humphrey, G.] I—VI. Numbers of a Conchology. fo. *Lond.* 1770—71. 26 pp. 12 pls. [No sp. nn.; some say this was published by Da Costa.]
 — Mus. Calonn. 8vo. *Lond.* 1797.
 Hunter, J. Disp. de Hominum. 8vo. *Edin.* 1775. [No n. spp.]
 Hunter, J. (Captain R.N.). Journ. trans. Port Jackson. 4to. *Lond.* 1793.
 Hurlley, T. Account Nat. Cur. Malham. 8vo. *Lond.* 1786. [Geology.]
 Hutchinson, T. Frog Fish of Surinam. 4to. *York* [1797].
- Imlay, G. Topogr. Descr. N. Amer. 8vo. *Lond.* 1792. [No n. spp.]
 — Nachr. Nordamerik. [Zimmerman's ed.] 8vo. *Berl.* 1793. [No n. spp.]
 — Topogr. Descr. N. Amer. Ed. 2. 8vo. *Lond.* 1793. [No n. spp.]
 Ingen-Hous, J. Vermischte Schriften. 8vo. *Wien*, 1782. [No sp. nn.]
 — Ed. 2. 8vo. *Wien*, 1784. [No sp. nn.]
 — Misc. Phys. Med. 8vo. *Viennae*, 1795. [No sp. nn.]
Ingoldstadt. Acad.
 — Annales. 4 pts. 4to. 1782. [No sp. nn.]
 Isert, P. E. Reis na Guinea. 8vo. *Dord.* 1790. [No sp. nn.]
 Iter Poseg. See Piller.
 Ittiologia Veronese. fo. *Verona.* Pt. 1, pp. i—lii, 1796; 2, pp. liii—cclxxxii (circa 1800); 3—end, 1809.
- Jablonsky & Herbst. Nat. Insekt., Schmett. 11 vols. 8vo. *Berl.* 1783—1804.
 — — Nat. Insekt., Käfer. 10 vols. 8vo. *Berl.* 1785—1806.
 Jacob, E. Fossil Shepeiana. In "Plantae Favershams." 8vo. *Lond.* 1777. [No sp. nn.]
 Jacquin, J. F. E. v. Beytr. Ges. Vögel. 4to. *Wien*, 1784.
 Jacquin, N. J. Misc. Aust. 2 vols. 4to. *Vind.* 1778, 1781.
 — Coll. Botan. 5 vols. 4to. *Vind.* 1786, 1788, 1789, 1790, 1796.
 Jäger, J. H. Kennt. Borkenkäfers. 8vo. *Jena*, 1784. [No n. spp.]
 Jägerschmid, K. F. V. Das Murgthal. 8vo. *Nürnb.* 1800. [No sp. nn.]
 Janisch, —. Verz. Nat. Kab. 8vo. *Hamb.* 1784. [No sp. nn.]
 Jansen, W. X. Reize Ital. 8vo. *Leyden*, 1793. [No sp. nn.]
 — Briefe aus Ital. 2 vols. 8vo. *Dusseldorf*, 1793, 1794. [No sp. nn.]
 Jauffret, L. F. Zoographie. 4to. *Paris*, An VIII.
Jena. Nat. Gesell.
 — Nachr. von Gründung.
 — Nachr. von Fortgange. 9 Jahrg. 8vo. 1794—1802. [No sp. nn.]
 Jirasek, J. *et alii.* Reisen Riesengebirge. 4to. *Dresden*, 1788—91. [No n. spp.]
 Jördens, J. H. Gesch. Fichtelraupe. 4to. *Hof*, 1798. [No n. spp.]
 Johansson, B. Cent. Ins. rar. See Linnaeus.
 Jolis, G. Saggio...Gran Chaco. 8vo. *Faenza*, 1789. [No sp. nn.]
 Jonaeus, W. De Piscatura...Balneis. 4to. *Hafn*, 1762. [No sp. nn.]
 Jonston, J. Theatr. Univ. 6 vols. fo. *Heilbron*, 1755—67.
 — Hist. Quad.
 De Avibus. }
 De Piscibus et Cetis. } fo. *Rothomagi*, 1768.
 Hist. Serpentinum. }
 Theatr. Univ. }
 — De exsanguinibus aquaticis. fo. *Heilbron*, 1767.
 — Hist. Nat....Oiseaux. 2 pts. fo. *Paris*, 1773—74. Suite à Hist. Insect. et Plantes par Merian. [Jonston is n. b.]
 Josephi, W. Anat. Säugth. 8vo. *Gött.* 1787. [No sp. nn.]

- Journ. Beaux Arts et Sci. 36 vols. 8vo. *Paris*, 1768-75. [n. z.]
 Journ. Encyclop. 306 vols. 8vo. *Liège*, 1756-1793. [No sp. nn.]
 Journ. Erfind. Theor. Natur- u. Arzneiwiss. 11 vols. 8vo. *Gotha*, 1795-1809. [Medical.]
 Journ. Hist. Nat. (Lamarck, Bruguière, &c.). 2 vols. 8vo. *Paris*, 1792. [This is "Choix des Mémoires."]
 Journ. (Ny) Hushallningen. *Stock.* 1796-97. [No sp. nn.]
 Journ. Liebh. Entom. (Scriba's). 3 pts. 8vo. *Frankf.* 1790, 1790, 1791.
 Journ. Liebh. Steinreiches (Schroeter's). 6 vols. 8vo. *Weimar*, 1774-80. Followed by:—
 Journ. Lit. Kennt. Naturges. 4 vols. 8vo. *Weimar*, 1782. Followed by:—
 Neue Lit. und Beitr. Kennt. Naturges. 4 vols. 8vo. *Leipz.* 1784-87.
 Journ. des Mines. 8vo. *Paris*. Vols. I—X (1794-1801).
 Journ. de Physique. See Observations.
 Journ. polytype des Sci. 6 vols. 8vo. *Paris*, 1784-87. [No sp. nn.]
 Journ. des Scavans. 4to. *Paris*, 1757-1800. [n. z.]
 Journ. de Santé et Hist. Nat. de Bordeaux. 3 vols. 8vo. *Bord.* 1796-8. [Kindly recorded for me by Prof. J. Perez of Bordeaux.]
 Joyeuse, J. B. X. Hist. Vers....Biscuit. 12mo. *Avignon*, 1773. [No sp. nn.]
 Juliae et Montium. See Beuth.
 Julin, J. Tal om Djur-Rikets. 8vo. *Stock.* (K. Vet. Ak.), 1793. [No sp. nn.]
 Jung, C. C. Verz. europ. Schmett. 8vo. *Frankf.* 1782.
 ——— Ed. 2. 4to. *Marktbreil*, 1791, 1792.
 Justi, J. H. G. v Grundr. Mineralreiches, &c. 8vo. *Gött.* 1765. [No sp. nn.]
- Kaemmerer, C. L. Conch. Cat. Schwarzburg-Rudolphstadt. 8vo. *Rudolst.* 1786. [No sp. nn.]
 ——— Nachtrag. 8vo. *Leipz.* 1791. [No sp. nn.]
 Kämpfer, E. Ges. Japan. 2 vols. 4to. *Lemgo*, 1777-79. [No sp. nn.]
 Kaiser, C. F. De Cantharid. 4to. *Tubingen*, 1769. [No sp. nn.]
 Kalm, P. Resa Norra Amerika. 3 vols. 8vo. *Stock.* [Vol. 3 is 1761. No n. spp.]
 ——— Reise nord. Amer. 8vo. *Gött.* 1754, 1757, 1764. [No n. spp.]
 ——— Trav. North Amer. 8vo. *Warrington*, 1770, 1771, 1771. [No n. spp.]
 ——— Reis door noord Amer. 4to. *Utrecht*, 1772. [No n. spp.]
 ——— Trav. North Amer. (Forster's ed.). 2 vols. 8vo. *Lond.* 1772. [No n. spp.]
 ——— Hist. Nat. Pennsylv. 12mo. *Paris*, 1768. [n. b.]
 ——— Om den sa kallada Gras-eller. 4to. *Abo*, 1766. [No n. spp.]
 ——— Stickelbars busken. 4to. *Abo*, 1778. [No sp. nn.]
 Karsten, D. E. G. Mus. Leskeanum. 2 pts. 8vo. *Leipz.* 1789. [N. spp. of Insecta by Zschach.]
 Kerner, J. S. Naturg. Coccus. 8vo. *Stutt.* 1778.
 Kerr, R. Anim. Kingdom. 4to. *Lond.* 1792.
 [Kircher, A.] Rerum Nat. Hist. (ed. Bonanni and Battara). 2 vols. fo. *Romae*, 1773, 1782. [No sp. nn.]
 Klapproth, M. H. Obs. fossil. Cornwall. 8vo. *Lond.* 1787. [Mineral.]
 Kleeman, C. F. C. Kurz. Vorbericht Nat. Insect. (Beytr. Nat. Insect.) 4to. [*Nürnb.*] 1761-1794. [Vol. 2, by C. Schwarz.—See Roesel and Schwarz.]
 Klein, J. T. Lucubrat. subterr. 4to. *Petrop.* 1758. [Mineral.]
 ——— Ed. 2, 1760. [Mineral.]
 ——— Stemmata avium. 4to. *Leipz.* 1759. [n. b.]
 ——— Verbess. u. Vollst. Hist. Vögel (ed. Reyger). 4to. *Danz.* 1760. [n. b.]
 ——— Verbess. u. Vollst. Vögel Hist. (ed. Behn). 8vo. *Leipz.* 1760. [n. b.]
 ——— Nat. Ordn. Vierfüss. Thiere (ed. Reyger). 4to. *Danz.* 1760. [n. b.]
 ——— Classif. Vierfüss. Thiere (ed. Behn). 8vo. *Lubeck*, 1760. [n. b.]
 ——— Dubia circa Plant. marin. 4to. *Petrop.* 1760. [No sp. nn.]
 ——— Ova avium. 4to. *Leipz.* 1766. [n. b.]
 ——— Spec. descript. Petrif. Gedan. fo. *Nürnb.* 1770. [n. b.]
 ——— Descr. tubul. marin. 4to. *Gedan.* 1773. [n. b.]
 ——— Nat. disp. Echinoderm. (ed. Leske). [The genera listed in "Tabula Synoptica" on

- pp. xvii—xx, have been accepted; many of the other specific binominals have been quoted to facilitate reference.]
- Klein, J. T. Ichthyol. (ed. Walbaum). 4to. *Lips.* 1793.
- Klein, M. Natur. K. Ungarn. 8vo. *Pressburg*, 1778. [No sp. nn.]
- Klockner, J. C. Waarn....Riverpaard. See Engelen.
- Klugel, G. S. Die gemein. Vernunft. Ed. 2. 8vo. *Berl.* 1791. [No n. spp.]
- Kniphof, J. H. De Pediculis. 4to. *Erf.* 1759.
- Knoch, A. W. Beitr. Insect. 3 pts. 8vo. *Leipz.* 1781, 1782, 1783.
- Knoll, F. Unterhalt. Naturwunder. 8vo. *Erf.* 1786. [Phys.]
- Knorr, G. W. Les Delices des yeux, ou Coll. gén. Coquill. 6 vols. 4to. *Nuremb.* 1760–1773. [No n. spp.]
- Delic. nat. Selectae. (Ed. Müller.) 2 pts. 8vo. *Münich*, 1766–67.
- — (Ed. Walch.) fo. *Nürnb.* 1778.
- Knorr, G. W., and Walch. Rec. des Monuments. 4 vols. fo. *Nuremb.* 1767–1778.
- — Naturges. Verstein. [Ed. 2.] fo. *Nürnb.* 1768–1773.
- Kob, J. A. Die wahre Ursache d. Baumtrockniss. 4to. *Erlangen*, 1793. [Pref. dated 1785; p. 46 dated 1768=1786. Banksian copy T. P. 1793, with a “Zwote Abth.” by Panzer containing n. spp.]
- Kölpin, A. B. Oratio Hist. Nat. 8vo. *Gryphis.* 1766. [No sp. nn.]
- Koelreuter, J. G. Descr. Buprestis. In Hotz, de Balneis.
- Koestlin, C. H. Lettres Hist. Nat. Elbe. 8vo. *Vienne*, 1780. [No n. spp.]
- Kofod, B. P. Om Slanger. 8vo. *Kjob.* 1799. [No n. spp.]
- Kramer, C. C. Dis. Insect. Danicae. 4to. *Hafn.* 1760. [No n. spp.]
- Kraschenninikov, S. Beschr. Kamshatka. [1st ed. 1755.]
- Hist. Kamtsch. 4to. *Gloucester*, 1764. [n. b.]
- Beschr. Kamsh. 8vo. *Lemgo*, 1766. [Not seen.]
- Hist. Kamsch. 2 vols. 8vo. *Lyon*, 1767. [n. b.]
- Hist. Kamtsch. 2 vols. 8vo. *Amst.* 1770, 1771. [n. b.]
- Opis. Kamtsch. 4to. *Lemgo*, 1789. [n. b.]
- Kreysig, F. L. Momenta vitae veget. etc. 4to. *Wittenb.* 1796. [No sp. nn.]
- Krüniz, J. G. See Ellis.
- Kuehn, J. A. C. Diss. Ascaridibus. 4to. *Jenae*, 1798. [No sp. nn.]
- Kugelann, J. G. Verz. Käfer Preuss. (Illiger). 8vo. *Halle*, 1798.
- Kuhn, A. C. Anleit. Insekt. 8vo. *Eisenach*, 1773. [No sp. nn.]
- — Ed. 2. 8vo. *Eisenach*, 1783.
- Lacepède, B. G. E. de. Hist. Nat. Quad. Ovip. et Serpens [=vols. 37 & 38 of Buffon, ed. 1]. Vol. I. 1788; II. 1789.
- Hist. Nat. Poissons [=vols. 39–43 of Buffon, ed. 1]. Vol. I. 1798; Vol. II. 1800.
- Discours—Tabl. méth. Mamm. et Oiseaux. 4to. *Paris*, An VII.
- Naturges. Fische (ed. Loos). 2 vols. 8vo. *Berlin*, 1779, 1803 & 1804. [No n. spp.]
- Naturges. Amphib. (ed. Bechstein). 5 vols. 8vo. *Weimar*, I. and II. 1800; III. 1801; IV. and V. 1802.
- La Faille. Versuch Naturg. Maulwurfes. 8vo. *Frankfurt*, 1778. [No sp. nn.]
- Laicharting, J. N. Verz. Tyroler Insekt. 2 vols. 8vo. *Zurich*, 1781–84. [Vol. II. (1) is 1784; all rest 1781.]
- Lammerus, M. De Ranis fossilibus. *Lund*, 1786–87. [Toads in holes.]
- Lamoignon-Malesherbes, C. W. Obs. Hist. Nat. Buffon. 2 vols. 8vo. *Paris*, 1798. [No — Bemerk. Allg. Nat. Buffons. 8vo. *Berlin*, 1800. [No sp. nn.] [sp. nn.]
- “Landmann.” Naturg. der Kohlraupe. 12 mo. *Mannheim*, 1768. [No sp. nn.]
- Lang, H. G. Verz. seiner Schmett. 8vo. *Augsb.* 1782. [No n. spp.]
- — Ed. 2. 8vo. *Augsb.* 1789.
- Lange, J. H. Briefe Versch. Naturg. 8vo. *Luneburg*, 1775. [n. b.]
- Langguth, G. A. De Torpedine. 4to. *Wittenb.* 1777. [No. sp. nn.]
- De Torpedinibus. 4to. *Wittenb.* 1777. [No. n. spp.]
- De Torpedine recent. 4to. *Wittenb.* 1778. [No n. spp.]
- Opuscula Hist. Nat. 4to. *Wittenb.* 1784. [No n. spp.] [is 1738.]
- Lanzoni, J. Zool. parva. 4to. *Lausanne*, 1788. [This tract is wrongly quoted as 1788; it

- Lapeirouse, P. P. de. De novis quib. Orthocer. fo. *Erlang.* 1781. [No sp. nn.]
 ——— (in French). fo. *Erlang.* 1781. [No sp. nn.]
- La Pérouse. Voy. de la Pérouse autour du Monde. 4 vols. 4to. *Paris*, An v (1797).
 [No n. spp.]
- Larda (Nya) Tidningar. 7 vols. 8vo. *Stock.* 1774-80. [No sp. nn.]
- Larruga, —. *See* Memorias politicas.
- Lasius, G. S. O. Verz. Cab. Harz. Gebirgsarten. 8vo. *Han.* 1789. [Min.]
- Latham, J. Gen. syn. Birds. 5 vols. 4to. *Lond.* 1782-1801.
 ——— Index Ornith. 3 vols. 4to. *Lond.* 1790 & 1801.
 ——— Uebers. d. Vögel (ed. Bechstein). 6 vols. 4to. *Nürnb.* 1792-1798. [New matter
 in "Zusätze" and "Anhang."]
- Latham, J., and H. Davies. Faunula Indica. fo. *Halae*, 1795. [The ed. 1 of this work
 was appended to ed. 2 of Pennant's Indian Zoology, 1791; this ed. was revised and
 added to by J. R. Forster.]
- Latreille, P. A. Précis caract. Insectes. 8vo. *Brive.* An v. [This was issued in 1796.]
 ——— Essai sur les Fourmis. 8vo. *Brive.* An vi (1798).
 ——— Hist. Nat. Salamandres. 8vo. *Paris.* An viii (1800).
- Launay, L. de. Mém. Foss. Belg. 4to. *Brux.* 1779 [ex Mém. Bruxelles].
 ——— Traité sur Hist. Nat. 8vo. *Lond.* 1780. [No sp. nn.]
- Laurenti, J. N. Syn. Reptil. 8vo. *Viennae*, 1768.
- Lausanne.* Soc. Sci. Phys.
 Mém. 3 vols. 1783-1790. [No sp. nn.]
- Lausitzisches Mag. 25 vols. 4to. *Görlitz*, 1768-92. [No n. spp.]
- Lautern.* Kurpfälz. phys.-oek. Gesell.
 * Vorlesung I—v. 8vo. *Mannheim*, 1785-91. [No sp. nn.]
 Staatswirth. Vorlesungen. 2 vols. 8vo. *Mannh.* 1791-92. [No sp. nn.]
 ——— Phys.-oek. und Bienengesell.
 Bemerk. Vols. for 1769-1783. [n. spp. Insects by Pollich in vol. for 1779
 (1781)].
- Laxmann, E. Sibirische Briefe (ed. Schlözer). 8vo. *Gött.* 1769. [n. spp.; and notes by
 Beckmann.]
- Ledermüller, M. F. Vers. gründ. Ver. Saamenthiergen. 4to. *Nürnb.* 1758. [No sp. nn.]
 ——— Mikros. Gemüths. 4to. *Nürnb.* 1761. [No sp. nn.]
 ——— Nachlese. 1792. [No sp. nn.]
 ——— Amusements Micros. 4to. *Nürnb.* 1764-68. [No sp. nn.]
 ——— Abgenoth. Vertheid. 4to. *Nürnb.* 1765. [No sp. nn.]
- Legrand, —. Voy. Auvergne. 8vo. *Paris*, 1794-95. [No n. spp.]
- Lehmann, J. C. Diss. Catal. Insect. Coleopt. 4to. *Gött.* 1796. [No sp. nn.]
- Lehmann, J. G. Kurtze Unters. Verst. Kornät. 4to. *Berl.* 1760. [No sp. nn.]
- Lehmann, M. C. G. Catal. Mamm. et Avium Goettingae auctionis. 8vo. *Gött.* 1799. [No
 sp. nn.]
- Leidenfrost, J. G. Opuscula phys. chem. 4 vols. 8vo. *Lemgo*, 1797-98. [No sp. nn.]
- Leipzig.* Naturf. Privatgesell.
 Nachricht. 8vo. *Leipz.* 1799. [No sp. nn.]
 ——— Sci. Nat. Comm.
 Comm. de rebus Sci. Nat. Vols. VII. (1758)—XXXVI. (1794). [Reviews.]
- Leipziger Mag. 8vo. *Leipz.* 1781-1784, 1786. [1785, 1787, 1788 not seen.]
- [Lelarge de Magnac, J. A.] Mém. Hist. Araignées aquat. Ed. 2. 8vo. *Paris*, 1799.
 [No n. spp.]
- Lempriere, W. Obs. Diseases Army Jamaica. 2 vols. 8vo. *Lond.* 1799. [No sp. nn.]
- Lengsfeld, J. Beschr. Bandwürme. 8vo. *Wien*, 1794. [n. b.]
- Lenz, J. G. Tabell. Verstein. 4to. *Jena*, 1780. [No sp. nn.]
 ——— Anfangsgr. Thierges. 8vo. *Jena*, 1783. [No n. spp.]
- Leonhardi, F. G. Naturges. 2 vols. 8vo. *Leipz.* 1791-92. [Min. and Bot.]
- Lepechin, I. Travels (Russicé). 3 vols. 4to. *St Petersburg*. 1771-1805. [n. b.]
 ——— Tagebuch Reise Russ. Reichs (Hasse's trans.) 3 vols. 4to. *Altenb.* 1774-83. [n. b.]
- Leske, N. G. Ichthy. Lips. 8vo. *Leipz.* 1774.
 ——— Phys. anim. commend. 4to. *Leipz.* 1775. [No sp. nn.]

- Leske, N. G. Anfangsgr. Naturges. 8vo. *Leipz.* 1779.
 ——— Ed. 2. 8vo. *Leipz.* 1784.
 ——— Drehen der Schafe. 8vo. *Leipz.* 1780. [No n. spp.]
 ——— Reise in Sachsen. 4to. *Leipz.* 1785.
 ——— Nestern und Eyern. *See* Günther.
 ——— Echinoderma. *See* Klein.
 Lesser, F. C. Insecto-theologie. 8vo. *Leipz.* 1758.—Other eds. not seen; the book is not systematic.
 Lettsom, J. C. Nat. & Trav. Companion. Ed. 3. 8vo. *Lond.* 1799. [No sp. nn.]
 Levaillant, F. Voy. intérieure Afrique. 2 vols. 8vo. *Paris*, 1790. [No sp. nn.]
 ——— Trav. Cape to Inner Africa (trans. Helme). 2 vols. 8vo. *Lond.* 1790. [Mere trans.]
 ——— Ed. 3. 2 vols. 8vo. *Lond.* 1791. [Nothing new.]
 ——— Erste Reise Innere von Afrika (ed. Forster). 8vo. *Berl.* 1792. [n. spp.]
 ——— Second Voyage Afrique. 3 vols. 8vo. *Paris*, An III (1795). [No sp. nn.]
 ——— Voyage intérieure Afrique. Nouv. ed. 4to. *Paris*, An IV (1795-96). [No sp. nn.]
 ——— New Trav. interior Africa. 3 vols. 8vo. *Lond.* 1796. [No. sp. nn.]
 ——— Hist. Nat. Oiseaux Afrique. 6 vols. 4to. *Paris*, An IV (1796)—1808. [No sp. nn.]
 ——— 2 vols. 12mo. *Paris*, An VI (1798). [No sp. nn.]
 ——— Naturges. Afrik. Vögel (ed. Bechstein). 4to. *Nürnb.* 1797-1802. [n. gen.]
 [Lever, Ashton.] Companion to the Museum of. 2 pts. 4to. *Lond.* 1790.
 [——] Short Hist. of Insects. 12mo. *Norwich* [1797]. [No n. spp.]
 Lewin, W. Papilios of Great Britain. 4to. *Lond.* 1795.
 ——— Birds of Great Britain. 7 vols. 4to. *Lond.* 1789-94. [No n. spp.]
 ——— 8 vols. 4to. *Lond.* 1795-1801. [Called ed. 2.]
 Lichtenstein, A. A. H. Comm. phil. de Simiarum. 8vo. *Hamb.* 1791.
 ——— Catal. rerum nat. 3 pts. 8vo. *Hamb.* 1793-94-96.
 [——] Catal. Mus. Zool. 8vo. *Hamb.* 1797. [For note to these two Catalogues see Ann. Mag. Nat. Hist. [7] III. 1899, p. 272.]
 Liebenroth, F. E. v. Geogn. Beobacht. Dresden. 4to. *Weissenfels*, 1798. [No sp. nn.]
 Liebknecht, J. G. Hassiae subter. 4to. *Frankf.* 1759. [No sp. nn.]
 Lier, J. v. Verh. Drentsche Slangen. 4to. *Amst.* 1781. [No sp. nn.]
 Linck, J. G. De Coccinellae. 4to. *Lips.* 1787.
 ——— De Raia Torped. 8vo. *Lips.* 1788. [No sp. nn.]
 ——— & F. A. Durr. Hist. Nat. Castoris. 4to. *Lips.* 1786. [No n. spp.]
 Linck, J. H. Index Mus. Linck. 8vo. *Lips.* 1783-86-87. [n. b.]
 Lindroth, P. G. Mus. Nat. Grillianum. 4to. *Holmiae*, 1788.
 Link, H. F. Beytr. Naturges. 8vo. *Rostock*, I. (1) 1794; (2) 1795; (3) 1797; II. (1) 1801.
 ——— Bemerk. Reise Frankr. Span. u. Portugal. 3 pts. 8vo. *Kiel*, 1800-1804. [Bot.]
 Linnaeus, C. Cent. Insect. rar. 4to. *Upsal.* 1758. [Cannot find this: ? the "Pandora" 1758 or "Centuria" 1763.]
 ——— Pandora Insect. 4to. *Upsal.* 1758. [No n. spp.]
 ——— Sus scrofa. 8vo. *Upsal.* 1759.
 ——— Generatio ambigua. 4to. *Upsal.* 1759.
 ——— Anim. composita. 4to. *Upsal.* 1759.
 ——— Anthropomorpha. 8vo. *Upsal.* 1760.
 ——— Meloe vesicatorius. 8vo. *Upsal.* 1762.
 ——— Centuria Insect. 4to. *Upsal.* 1763.
 ——— De Hirudine. 4to. *Upsal.* 1764.
 ——— Fundam. Ornith. 8vo. *Upsal.* 1765.
 ——— Hirudo medicinalis. 8vo. *Upsal.* 1765.
 ——— Necess. Hist. Nat. Rossiae. 8vo. *Upsal.* 1766.
 ——— Siren lacertina. 8vo. *Upsal.* 1766.
 ——— Mundus invisibilis. 4to. *Upsal.* 1767.
 ——— Fundam. Entom. 8vo. *Upsal.* 1767.
 ——— Fundam. Testac. 8vo. *Upsal.* 1771.
 ——— Pandora et Flora Rybyensis. 8vo. *Upsal.* 1771.
 ——— Termini Conchyl. (Ed. Beckmann.) 8vo. *Gött.* 1772.
 ——— (Ed. Schroeter.) 8vo. *Weimar*, 1782.

- Linnaeus, C. *Esca Avium domest.* 8vo. *Upsal.* 1774.
 — *Bigae Insect.* 8vo. *Upsal.* 1775.
 — *Systema Naturae.* Ed. 10. 8vo. *Holmiae*, 1758-59.
 — [—] *Anim. spec. in classis, ordines, ... deposito.* 8vo. *Lugd.* 1759. [Agrees with ed. 10; no n. spp.]
 — — (praefatus est J. J. Langius.) 8vo. *Halae Magd.* 1760. [A piracy of ed. 10; contains a few misprints.]
 — — 8vo. *Leips.* 1762. ["partim prodiit vitiosa. Nil additum."]
 — — fo. *Hague*, 1765. ["vera fraus bibliopolarum."]
 — — Ed. 12. 8vo. *Holmiae*, 1766-67-68.
 — — (Ed. Beckmann.) ("ed. 12 in epitoma.") 2 vols. 8vo. *Gött.* 1772. [No n. spp.]
 — — ("ed. 13, ad ed. 12 reform. Holmiensem"). 3 vols. 8vo. *Vindob.* 1767 and 1770 (II. and III.). [Reprint of ed. 12.]
 — [—] *Genera anim. ex ed. 12 Syst. Nat.* (Ed. Ramsay.) 8vo. *Edinb.* 1771.
 — — (P. L. S. Müller's ed.) 6 vols. in 9. 8vo. *Nürnb.* [Suppl. (1776) contains the n. spp.]
 — — Ed. 13, cura J. F. Gmelin. 8vo. *Lips.* 1788-93.
 — — Ed. 13, cura J. F. Gmelin. 8vo. *Lugd. Bat.* 1789-96 (published by Delamollière). [Reprint of last.]
 — — *See R. Kerr.*
 — — (Trans. from ed. 13 by Vanderstegn van Putte.) 8vo. *Bruxelles.* I (1) Quad. 1793; II (2, 3, 4) Oiseaux. [No n. spp.]
 — — (Lehrbuch n. d. Natur-Systems, by P. Höslin.) 2 vols. 8vo. *Nürnb.* 1781-82. [Précis of Müller's ed. with plenty of misprints.]
 — — *See Meidinger.*
 — *Fauna Suecica.* Ed. alt. 8vo. *Stock.* 1761.
 — — Ed. 3 by A. J. Retzius. 8vo. *Lips.* 1800.
 — *Mus. Ludov. Ulricae.* 8vo. *Holmiae*, 1764.
 — *Mus. Adolph. Frid.* 8vo. *Holmiae*, 1764.
 — *Reise durch Schwedische Provinzen.* (Ed. Schreber.) 2 vols. 8vo. *Halle*, 1764-65.
 — *Mantissa plantarum.* 8vo. *Holmiae*, pt. 1, 1767; pt. 2, pp. 445-588, 1771.
 — *Delic. Naturae.* 8vo. *Stock.* 1773.
 — *Abh. schädl. Insecten.* 2 pts. 8vo. *Salzburg*, 1783.
 — *Amoenitates Acad.* (Ed. Schreber.) 10 vols. 8vo. *Erlangen*, 1787-1790.
 [Other eds. are mere reprints of his separately published tracts.]
- Lisbon.* Acad. Real. Sci.
 — *Mem. agric.* 2 vols. 8vo. 1788, 91.
 — *Mem. econ.* 3 vols. 4to. 1789-91. } [No sp. nn.]
 — *Mem.* 2 vols. 4to. 1797-99. }
- Lister, M. *Hist. meth. Conchyl.* fo. *Oxonii*, 1770.
 — *Naturges. der Spinnen.* (Trans. and ed. by Martini and Goeze.) 8vo. *Qued.* 1778.
- Loefling, P. *Iter Hispan.* 8vo. *Stock.* 1758. [No sp. nn.]
 — *Reise Span. Ländern.* 8vo. *Berl.* 1776. [No sp. nn.]
- London.* Linnean Soc.
 — *Trans.* 4to. Vols. I-V, 1791-1800.
 — *Nordisk Selskab in London.*
 — *Sammling.* 1 vol. 8vo. *Kiob.* 1788. [No sp. nn.]
 — Royal Soc.
 — *Phil. Trans.* To vol. 92 (1802).
 — Soc. Antiquaries.
 — *Archaeologia.* 4to. Vols. I-XIII (1800).
 — Soc. Arts.
 — *Trans.* Vols. I-XVIII (1800). [No sp. nn.]
 — Soc. Phys. Experim.
 — *Minutes.* 1 vol. 8vo. 1795. [Physics.]
- Lonicer, A. *Kreuterbuch.* fo. *Ulm*, 1770. [n. b.]
 — — fo. *Ulm*, 1783. [n. b.]

- Lord, T. Syst. of Ornith. fo. *Lond.* 1791. [No sp. nn.]
- Lottinger, A. J. Le Coucou. 8vo. *Nancy*, 1775. [No sp. n.] [Reprinted in German, 8vo. *Strassb.* 1776.]
- Loy's de Cheseaux, —. Discours phil. Physique. 8vo. *Lausanne*, 1762; and in German, 8vo. *Augsb.* 1762. [No sp. nn.]
- Luc, D., and D. de Luc. Relat. diff. Voy. Alpes. 8vo. *Maestr.* 1776. [No sp. nn.]
- Luc, J. A. de. Reise Eisgebirge. 8vo. *Leipz.* 1777. [No sp. nn.]
- Ludwig, C. F. Diatribe de Antennis. 8vo. *Lips.* 1778. [No sp. nn.]
- Delectus Opusculorum. 1 vol. 8vo. *Lips.* 1790. [No n. spp.]
- Grundriss Naturges. Menschenspecies. 8vo. *Leipz.* 1796. [No n. spp.]
- Erste Aufz. Sachsen-Insekt. 8vo. *Leipz.* 1799.
- Luidius, E. Lithophyl. Brit. Ed. alt. 8vo. *Oxonii*, 1760. [No sp. nn.]
- Lumnitzer, S. Diss. de rer. nat. 8vo. *Posonii*, 1777. [No sp. nn.]
- Lund.* Physiogr. Salskapet.
 Handl. 1 vol. 8vo. 1776-86.
 Magazin. 1781-1784.
- Lyon.* Acad. Sci.
 Mém. cour. en 1786. 1 vol. 8vo. 1787. [n. z.]
- Lyonet, P. Catal. Cab. Coquille. 8vo. [*La Haye*], 1796. [No sp. nn.]
- Macquer and Duchesne. *See* Manuel du Nat.
- Maeri, S. N. oss. polmone marino. 8vo. *Nap.* 1778. [No sp. nn.]
- Mader, J. Raupenkalender. Ed. 2 by Kleemann. 8vo. *Nürnberg.* 1785. [No n. spp.]
- Madrid.* R. Soc. Econ.
 Mem. Vols. I—V. 4to. 1780-95. [Agric.]
- Magasin encyclopédique. 1 vol. 8vo. *Paris*, 1792-93. Followed by
 Magasin encyclopédique (Millin's). Vols. I—VI (6). 1795-1801.
- Magazin f. allgem. Natur. u. Thierges. (Müller's). 6 pts. 8vo. *Gött.* 1789-96. [No n. spp.]
- Magazin f. Freunde d. Naturlehre (Weigel's). 4 vols. 8vo. *Berlin*, 1794-97. [Vol. I. seen.]
- Magazin f. d. Liebhaber d. Entom. (Fuessly's). 2 vols. 8vo. *Zürich*, 1778-79. Followed by
 Neues Magazin... 3 vols. 8vo. *Zürich*, 1782-87.
- Magazin (N.) f. d. Liebhaber d. Entom. (Schneider's). 5 pts. 8vo. *Stralsund*, 1791-1794.
- Magazin f. Naturges. (Russicé). 10 vols. 8vo. *St Petersburg*, 1788-92. ["Ich habe den 9 u. 10 Band gesehen. Keine neuen Arten," Mag. F. Schmidt, *in litt.*]
- Magazin f. d. Naturges. d. Menschens (Grosse's). 3 vols. 8vo. *Zittau*, 1788-90. [No sp. nn.]
- Magazin f. d. naturk. Helvetiens (Höpfner's). 4 vols. 8vo. *Zürich*, 1787-89. [No sp. nn.]
- Magazin f. d. naturk. u. Oekon. Meklenburgs. 2 vols. 8vo. *Schwerin*, 1791-95.
- Magazin f. d. neueste aus der Physik (Lichtenburg and Voigt). 11 vols. 12mo. *Gotha*, 1781-99.
- Magazin f. d. neuesten Zustand d. Naturk. (Voigt's). 12 vols. 12mo. *Jena and Weimar*, 1797-1806.
- Magazin f. Thierges. Thieranat. u. Thierarzn. (Meyer's). 2 pts. 8vo. *Gött.* 1790-94.
- Manchester.* Lit. Phil. Soc.
 Mem. Vols. I—V. 1789-1802.
- Mangold, C. A. Opusc. Med.-Phys. 8vo. *Altenb.* 1769. [No n. spp.]
- Mannheim.* Acad. Theod. Palat.
 Acta (Hist. and Comm.). 11 vols. 4to. 1766-94. [No n. spp.]
- Kurpfälz. phys. oek. Ges.
 Vorlesungen. 5 vols. 1785-91. [No sp. nn.]
- Mannigfaltigkeiten. 4 vols. 8vo. *Berlin*, 1770-73.
 Continued as Neue Mannigf. 4 vols. 1774-77.
 as Neueste Mannigf. 4 vols. 1778-81.
 as Alle-neueste Mannigf. 4 vols. 1781-85. [No n. spp.]
- Mantova.* R. Accad. Sci.
 Mem. 1 vol. 4to. 1795. [No sp. nn.]
- Manuel du Naturaliste. [By Duchesne and Macquer.] 4 vols. 8vo. *Paris*, 1796. [Dict. of terms.]

- Maratti, J. F. De Plantis Zooph. 8vo. *Romae*, 1776.
- Marchi, F. Razze dei Cavalli Veneto. 12mo. *Venez.* 1770. [This is apparently an edition of "Libro de marchi de Cavalli." See Huth, Hippology, 1887, p. 9. Or a jest?]
- Marggraf, G. L. Diss. de morbis Vermibus. 4to. *Viteb.* 1799. [No sp. nn.]
Marseilles. Acad.
Rec. des pièces...pour les Prix. 8vo. 1777. [Botany.]
- Marsigli, L. F. Nat. Besch. Zeen. fo. 's *Grav.* 1786. [No sp. nn.]
- Martin, B. Nat. Hist. of England. 2 vols. 8vo. *Lond.* 1759-63. [No sp. nn.]
- Martin, M. Aurelians Vade Mecum. 8vo. *Exeter*, 1785. [No n. spp.]
— Obs. Marine Vermes. 4to. *Exeter*, 1786.
- Martinet, —. Dorades. See Savigny.
- Martini, F. H. W. Neues Syst. Conchyl.-Cabinet. Vols. I—III. 1769—77. Continued by J. H. Chemnitz. Vols. IV—XI. 1780—95. Continued by Schubert and Wagner. Vol. XII. 1829. [Last vol. only binominal.]
— Verz. Nat. Hof's Stahl Konchylienkab. 8vo. *Berl.* 1774. [n. b.]
— Allgem. Gesch. Natur. 11 vols. 8vo. *Berl.* 1774—93. [An encyclopedia of then existing names, binominal or otherwise.]
— Verz. ausserl. Samml. naturalien. 8vo. *Berlin*, 1774. [n. b.]
- Martini and Goeze. Spinnen. See Lister.
- Martyn, Thos. (Prof. at Cambridge). Elem. Nat. Hist. Pt. I. Mammalia. 4to. *Cambr.* 1775. [No n. spp.]
— Heads of Course of Lectures. 8vo. *Cambr.* 1782. [No sp. nn.]
- Martyn, Thos. (Zoologist). Univ. Conchologist. 4 vols. fo. *Lond.* With tables, &c.
I. 40 pls. & table. 1784 [not 1769 as often quoted].
II. 40 pls. & table. 1788.
III. 40 pls. & table. 1789.
IV. 40 pls., table & 2 pls. of medals. 1792(?)
[I have seen a unique example of this book, dated 1789, which contains 110 of the 160 plates, bound up with the engraved T. P. and the Dedication to the King. It is uncoloured, shows the plates to be highly finished mezzotints, and has a label on the cover which reads: "About 120 plates | of | figures | of | nondescript shells, | collected in the Different Voyages to the | South Seas | since the year 1764. | By | Thomas Martyn. | Price Two Guineas." |]
— Short account of a private establishment. 4to. *Lond.* 1789.
[This is the "Advert." found in his "Univ. Conch." and contains Born's letters and the plates of medals.]
— English Entomologist. fo. *Lond.* 1792. [No n. spp.]
— Aranei. 4to. *Lond.* 1793. [n. spp.]
— Psyche. 4to. *Lond.* 1797. [See Ann. Mag. Nat. Hist. [7] 1, 1898, pp. 106 & 184.]
- Martyn, W. F. New Diet. of Nat. Hist. 2 vols. fo. *Lond.* 1785. [No sp. nn.]
- Mastalirz, J. Diss. Api mellifica. 8vo. *Viennae*, 1783. [No n. spp.]
- Matani, A. Prod. Nat. Pistoyese. 4to. *Pistoja*, 1762. [No sp. nn.]
- Maton, W. G. Obs. Nat. Hist. Western Countries. 2 vols. 8vo. *Salisbury*, 1797.
- Maty, P. H. Account of the Giants. 8vo. *Lond.* 1766. [Not seen; but Coyer's reply shows it is useless for systematic purposes.]
- Maude, T. Obs. subject Nat. Hist. (Giraffe). 4to. *Lond.* 1792. [No sp. nn.]
- Mauduyt, P. J. E. D. 'Dict. Ornith.' and 'Discours prélim. du Dict. Insectes' are ex Ency. Méth.
- Mayer, J. Zuf. ... Fossilien Eberstadt. 4to. *Darmstadt*, 1784. [No sp. nn.]
- Mayer, J. F. Den Mayenkäfer. 12mo. *Schwabach*, 1786. [No sp. nn.]
- (La) Médecine éclairée (Fourcroy's). 4 vols. 8vo. *Paris*, 1791-2. [n. spp.]
- Medical and Physical Journ. 8vo. *Lond.* Vols. I.—VI, 1799-1801.
- Medical Repository. 8vo. *New York*, 1798-1812.
- Medicinisches-Chirurg. Journ. (Tode's). 5 vols. 8vo. *Köpen.* 1793-1804. [No sp. nn.]
- Medicinisches u. Phys. Journ. (Boldinger's). 12 vols. 8vo. *Gött.* 1784-1800. [n. z.]
- Medizinische Nat. Zeit. 4to. *Altenburg*, 1798-1801. [Med.]
- Meerburgh, N. Afbeeld. Zeldzame Gewassen. Fo. *Leyden*, 1775.
— Plantae rariores. fo. *Lugd. Bat.* 1789. [New issue of last; new T. P.]

- Meerburgh, N. *Plant. select. icones.* 1798. [n. z.]
- Meidinger, C. v. *Icones pisc. Austr.* 5 pts. *Viennae*, 1785-1794.
 — *Nomenclat. Linneisches Natursyst.* 8vo. *Wien*, 1787.
- Meigen, J. G. *Nouv. class. Mouches.* 8vo. *Paris*, An VIII (1800).
- Memorial Literario...Madrid. 4 vols. 8vo. *Madrid*, 1784-85. [n. z.]
- Memorias polit. y econ. España (Larruga's). 45 vols. 4to. *Madrid*, 1787-1800.
 [Econ. & agric.]
- Merian, M. S. *Birds.* See *Jonston.*
- Merck, J. H. 3 *Lettres* os foss. de Darmstadt. 4to. *Darmstadt*, 1782-84-86. [No sp. nn.]
- Mercurio Peruano. 12 vols. 4to. *Lima*, 1791-94. [n. z.]
- Merrem, B. *De anim. scythicis.* 4to. *Gött.* 1781.
 — *Verm. abh. Thierges.* 4to. *Gött.* 1781. [No sp. nn.]
 — *Beytr. Gesch. Vögel.* 2 pts. 4to. *Gött.* 1784-86.
 — *Avium rar. et minus cogn. Icones et descript.* 4to. *Lips.* I. 1786, II. 1786. [A Latin ed. of the foregoing but which contains n. gg. et spp.]
 — *Vers. grund. Gesch. Vögel.* 2 vols. fo. *Leipz.* 1787-88. [No n. spp.]
 — *Beytr. Naturges. Amphib.* 3 pts. *Duisberg*, 1790, *Lemgo*, 1790, and *Essen*, 1829. [There were other issues of pt. 2 in 1820, 1821 & 1829, and Duméril and Bibron say pt. 3 was first issued in 1821, but I have not seen a copy so dated.]
 — *Vers. syst. Amphib.* 8vo. *Marburg*, 1800. [?a "ghost"; Merrem says in the Preface to the 1820 ed. that he was asked in 1800 to contribute to Bechstein's ed. of Lacepède's *Buffon.*]
- Mesny, B. *Obs. dents foss. Elephants.* 8vo. *Toscane* [?1760]. [No sp. nn.]
- Metzger, C. *Furia infernalis.* 4to. *Regiom.* 1790.
- Meuschen, D. C. *Catal. Syst. Coquilles Oudaan.* 8vo. [?Rott. or *Amst.*, 1766.] [Not Linnean.]
 — *Catal. Syst. Coquilles Leers (Mus. Leersiani).* 8vo. [*Amst.* 1767.] [Not Linnean.]
 — *Mus. Gronovianum.* 8vo. *Lugd. Bat.* 1778. [n. spp.]
 — *Meuschenii schediasma syst. testaceorum.* See *Museum Geversianum.*
- Meyer, F. A. A. *Spinner d. Götting. Gegend.* 8vo. *Gött.* 1790.
 — *Tent. ord. Insect.* 4to. *Gött.* 1792.
 — *Gemein. Nat. Gift. Insekt.* 8vo. *Berl.* 1792.
 — *Vollst. Naturg. Hausthiere.* 8vo. *Gött.* 1792.
 — *Syst. Uebers. zool. Entdeck. New Holland.* 8vo. *Leipz.* 1793.
 — *Teut. Monogr. Meloes.* 8vo. *Gött.* 1793.
 — *Zool. Annalen.* 8vo. *Weimar*, 1793.
 — *Syn. Rept.* 8vo. *Gött.* 1795.
 — *Zool. Archiv.* 2 pts. 8vo. *Leipz.* 1796.
- Meyer, N. *Prod. Anat. Murium.* 4to. *Jenae*, 1800. [No n. spp.]
- Michaelis, J. D. *Fragen Gesell. gelehrten Männer.* 8vo. *Frankf.* 1762. [No n. spp.]
- Mikan, J. C. *Monogr. Bombyliorum.* 8vo. *Prag.* 1796.
Milan. *Soc. patriot.*
Atti. 3 vols. 4to. 1783-89-93. [No sp. nn.]
- Millar, G. H. *A new...body, or Syst. Nat. Hist.* fo. *Lond.* [17 . .] [No sp. nn.]
- Miller, J. *Icones Insect.* fo. *Lond.* 1759-60. [10 pls. & text; n. spp.]
- Miller, J. F. [*Icones anim. et plant.*] fo. [*Lond.*] 1776-82. [This is the "Various subjects of Nat. Hist." (Engelmann, *Bibl. Hist. Nat.* 1846, p. 182).]
- Millin [de G.] A. L. *Elém. Hist. Nat.* Ed. 2. 8vo. *Paris*, An v (1797). [No sp. nn.]
- Minassi, A. *Diss. de Timpanetti.* 8vo. *Nap.* 1775. [No sp. nn.]
- Miscelanea Instructiva. 9 vols. 8vo. I-III. *Alcala*; IV-IX. *Madrid*, 1796-1800. [n. z.]
- Mitchell, J. *Diss. Brevis de Princip. Bot. et Zool.* 4to. *Norimb.* 1769. [Bot. n. g.]
- Modeer, A. *Bibl. Helminth.* 8vo. *Erlang.* 1786. [Bibliogr.]
- Moehring, P. H. G. *Geschlachten d. Vogelen (Nozeman & Vosmaer's ed.).* 8vo. *Amst.* 1758.
- Mohr, N. *Forsog til en Islandsk Naturhist.* 8vo. *Kiøb.* 1786.
- Molina, G. I. *Compend. Stor. Nat. Chile.* 8vo. *Bologna*, 1776. [No sp. nn.]
 — *Saggio Stor. Nat. Chili.* 8vo. *Bologna*, 1782.
 — *Vers. Naturges. Chili.* 8vo. *Leipz.* 1786.

- Molina, G. I. Essai hist. nat. Chili. 8vo. *Paris*, 1789.
- Moller, C. H. Lexicon Entom. 8vo. *Erfurt*, 1795. [Techn. terms.]
- Moll, K. E. v. Oberdeutsche Beytr. Naturg. 8vo. *Salzburg*, 1787. [n. spp. by Schrank.]
— See Fichtel.
- Mongez, A. Mém. Cygnes qui chantent. 8vo. *Paris*, 1783. [ex Journ de Phys.]
- Monro, A. Struct. & Phys. Fishes. fo. *Edin.* 1785. [No sp. nn.]
— Baues u. Phys. Fische (ed. Schneider). 4to. *Leips.* 1787. [No sp. nn.]
- Monti, I. Dialoghi...le Lucertole. 8vo. *Pavia*, 1764. [No sp. nn.]
- Montpellier.* Soc. Roy. Sci.
Hist. et Mém. IV. 4to. *Lyon*, 1766. [No sp. nn.]
Assemblée publique. fo. 1774, 79, 80, 81, 88. [No sp. nn.]
- Moore, J. Treatise on Pigeons. 8vo. *Lond.* 1765. [See Treatise.]
- Moux di Loche, —. Mém. Entom. 8vo. *Turin*, 1790. [No sp. nn.]
- Mozo, A. Notic. Hist. Nat....Philipinos. 4to. *Madrid*, 1763. [No sp. nn.]
- Mueller, C. L. v. Entom. Taschenbuch. 8vo. *Breslau*, 1800.
- Mueller, J. Die vorzüglichsten Sing-Vögel Teutschlands. 4to. *Nürnb.* 1799. [No n. spp.]
— Lepidopt. Silesiaca. I (t) Papiliones. 4to. *Breslau*, 1773; III (t) Bombyces. 4to. *Breslau*, 1802.
- Mueller, P. L. S. Dubra Coralliorum. 4to. *Erlang.* 1770. [No sp. nn.]
— Delic. Nat. Selectae. See Knorr.
- Muller, O. F. Efterret...om Svampe. 4to. *Kiob.* 1763. [n. z.]
- Fauna Insect. Fridr. 8vo. *Havniae*, 1764.
— Flora Fridrickdal. 8vo. *Argent.* 1767. [Fauna on pp. 232-237.]
— Von Würmern. 4to. *Kopen.* 1771.
— Pile Larven. 4to. *Kiob.* 1772.
— Vermium terrest. 2 vols. 4to. *Havniae*, 1773, 1774.
— Zool. Dan. Prodr. 8vo. *Havniae*, 1776. [Many copies want the Addendum.]
— Zoologiae Danicae. Ed. 1. Pt. 1, fo. *Havniae*, 1777, 40 pls.; pt. 2, 1780, no text, 40 pls.
— — Text in 8vo. with fo. pls. *Havniae*, I. 1779; II. 1784.
— — (in Danish). Ed. 2. *Kiob.* 1781. [170 pp. & 40 pls.]
— — Ed. 3. fo. *Havniae*, I. 1788; II. 1788; III. 1789; IV. (by Ratke) 1806.
[Vols. I. & II. identical with previous issue; III. descr. et tab. add. Abildgaard; IV. descr. et tab. add. Ratke. Many copies of this ed. have part of the text supplied in photo-lithography.]
— Hydrachnae. 4to. *Lips.* 1781.
— Kleine Schriften (ed. Goeze). 8vo. *Dessau*, 1782.
— Entomostraca. 4to. *Lips.* 1785.
— Anim. Infusor. (ed. Fabricius). 4to. *Havniae*, 1786.
- Munich.* K. bay. Akad.
Abh. Churfürstl.-baier. Ak. Wiss. 10 vols. 4to. 1763-76. [No n. spp.]
Neue Phil. Abhand. 7 vols. 4to. 1778-97.
— Privatgesell. Nat. Oberdeutsch.
Abhand. (ed. Schrank). 1 vol. 8vo. 1792.
- Murray, J. A. De Verm. in Lepra. 8vo. *Gött.* 1769. [No sp. nn.]
— Opuscula. 2 vols. 8vo. *Gött.* 1785-86. [No sp. nn.]
- Museum Boltanium. See Boltan.
- Geversianum. 8vo. [à la Haye, 1787.] [Contains Meuschen's Schediasma syst. Testac. This part has been accepted, Meuschen's trinominals are his binominals plus "forma" = "varietas," and precisely similar to the trinominals used by mammalogists in the present day.]
— Gottwald. See Schroeter.
— Gronovianum. See Meuschen.
— Kirkeriani. fo. *Romae* (Coll. Soc. Romana), 1763-65. [Is a book on Greek mirrors, &c.]
— Leersianum. See Meuschen.
— Leskeanum. See Karsten.
— Oudaanum. See Meuschen.

- Nancy.* Soc. Sci.
Mém. 8vo. 1754-59. [No sp. nn.]
- Naples.* Accad. Sci.
Atti. 1 vol. 4to. 1788. [No sp. nn.]
- Nardo, J. D. De Cantharidibus [quoted as a separate work; but see *Isis*, 1834, p. 671].
- Nature (La) Considérée (or Journ. Hist. Nat.) (Bertholon's). 9 vols. 8vo. *Paris*, 1787-89.
— — (Buchoz'). 8 vols. 8vo. *Paris*, 1771-72. [No sp. nn.]
- Naturforscher. 30 vols. 8vo. *Halle*, 1774-1804.
- Naturgeschichte (Kurzgef.) schädli. Waldinsekten. 8vo. *München*, 1800. [No n. spp.]
- Natuurk. Verhandl. Verz. van Stubben de Natuurk. 5 vols. 8vo. *Amst.* 1772-77. [No n. spp.]
- Nau, B. S. N. Entdeck. Physik. 1 vol. 8vo. *Frankf.* 1791.
— Oek. Nat. Fische Mainz. 8vo. *Mainz*, 1787 (120 pp.).
- Naumann, J. A. Beschr. Wald- Feld- und Wasser-Vögel. 4 vols. & Nachtrag. 8vo. *Cöthen*, 1797-1805. [n. b.]
- Necker, N. J. de. Mém. animalcules. 4to. *Munich*, 1787. (ex Acta Theod. Palat.)
- New (A) System of Nat. Hist. 3 vols. 8vo. *Edinb.* 1791-92.
- New Holland. The Hist. of N. H....with a Discourse on Banishment by Wm. Eden. 8vo. *Lond.* 1787. [No sp. nn.]
- Nicolson, (Père). Essai Hist. Nat. St Dominique. 8vo. *Paris*, 1776. [No sp. nn.]
- Niebuhr, C. Beschr. Arabien. 4to. *Köpen.* 1772. [No sp. nn.]
— Descr. Arabie. 4to. *Cöpen.* 1773. [No sp. nn.]
— Reisebeschr. Arabien. 2 vols. 4to. *Köpen.* 1774, 1778. [No sp. nn.]
— Voy. Arabie. 2 vols. 8vo. "en Suisse," 1780. [No sp. nn.]
- [Niesen, C.] Naturges. Kohlraupe von eines Landmannes. 8vo. *Mannheim*, 1768. [No sp. nn.]
- "No. 6." See Rebenstichern.
- Noel de la Morinière, S. B. J. Hist. Eperlan Seine inf. 8vo. *Rouen*, An VI (1798). No n. spp.]
— Rapport...Hareng. 8vo. *Rouen*, An VII. (1799). [No sp. nn.]
- Nordische Beyträge Wachst. Naturk. 4 pts. 8vo. *Altona*, 1756-58. [No sp. nn.]
- Nordisches Archiv Nat. Arzney und Chir. 8vo. *Köpen.* & *Leipz.* vols. I-IV. 1799-1805. [Medical.]
- Nose, C. W. Orogr. Briefe Sauerland. 4to. *Frankf.* 1791. [Mineral.]
— Orogr. Briefe Siebengebirge. 4to. *Frankf.* 1789-90. [Geological.]
— Beschr. Samml. vulk. Fossil. fo. *Frankf.* 1797. [Mineral.]
- Nozemann, C., & Houuttuyn. Nederlandsche Vogelen. 5 vols. fo. *Amst.* 1779-1829. [Probably begun in 1770; dates unknown at present.]
- Observations sur la Physique. 18 vols. 12mo. *Paris*, 1770-72.
— Ed. 2. 2 vols. 4to. *Paris*, 1777.
Continued as: Obs. et Mém. sur la Physique. 1 vol. 4to. 1773.
" " Obs. sur la Physique. Vols. II-XLIII. 1773-1793.
" " Journ. de Physique. Vols. XLIV-LI. 1793-1800.
- Odmann, S. Djur-Rikets slagtskaper. 8vo. *Stock.* (K. Vet. Ak.), 1785. [No sp. nn.]
- Oehme, K. J. De Corp. Nat. 4to. *Lips.* 1772. [No sp. nn.]
- Olafsen, E. (& Porelsens). Reise Island. 4to. *Soroe*, 1772. [n. b.]
— Reise Island. 2 vols. 4to. *Köpen.* 1774-75. [n. b.]
- Olivi, G. Zool. Adriat. 4to. *Bassano*, 1792.
- Olivia, G. P. Amusemens Innocens. 12mo. *Paris*, 1774. [No sp. nn.]
- Olivier, A. G. Entomologie. 6 vols. 4to. *Paris*, 1789-1808.
— — (German by Illiger). 2 pts. 4to. *Braunschweig*, 1800 & 1802. [No n. spp.]
- Ornithologia Britannica [by M. Tunstall]. T. P. & 2 single sheets with an engraving of *Turdus cinctus*. [fo. *Lond.* 1771.]
- Ornith. method. Digesta. 5 vols. fo. *Florent.* 1767-76. [n. b.]
- Orrelius, M. Djur Känningen. 8vo. *Stock.* 1776. [No n. spp.]
- Osbeck, P. Reise nach. Ostindien. Ed. 2. 8vo. *Rostock*, 1765 [ed. 1 is 1757].

- Osbeck, P. Reise nach China, &c. (ed. Forster). 2 vols. 8vo. *Lond.* 1771.
- Oserezkowski & Svergin. Naturges. Thiere (Russicé). 7 vols. 8vo. *St Petersburg.* 1791-94.
[“In unserer Bibliothek nicht vorhanden,” Magr. F. Schmidt—possibly a translation of Buffon.]
- “Packischefsky, P. H.” *Catal. Mus. Zool. Hamburgi*, 1796. [In Linnean Soc. London : this is part 3 of Lichtenstein’s *Catal. rerum nat.*]
Padua. Ces. Imp. Reg. Acad. Sci.
Saggi Sci. Vols. I.-III. 4to. 1786-94. [No sp. nn.]
- Pallas, P. S. Diss. de Infestis. 4to. *Lugd.* 1760.
- Another ed. in Sandifort, Theo. Diss. Progr. I. 1768.
- *Miscell. Zool.* 4to. *Hagae Com.* 1766.
- *Elenchus Zoophyt.* 8vo. *Hagae Com.* 1766.
- *Syst. Plant. Dieren* (Boddaert’s trans.). 8vo. *Utrecht*, 1768.
- *Spicil. Zool.* 14 pts. 4to. *Berol.* 1767-1780.
- *Naturges. Merkw. Thiere.* 11 pts. only. 4to. *Berlin*, 1769-79.
- *Dierkund. Mengelwerk.* 6 pts. 4to. *Utrecht*, 1767-70.
- *Natuurlyke Hist. Dieren.* (Boddaert’s trans.). Ed. 2. 4to. *Amst.* 1779.
- *Reise Prov. Russ. Reichs.* 3 vols. 4to. *St Petersburg.* 1771, 1773, 1776.
- — — 3 vols. 8vo. *Frankf.* 1776-78. [No editor’s name; seems a reprint of ed. 1.]
- *Voyage de Pallas, Russie* (trans. by Gauthier de la Peyrouse). 5 vols. 4to. *Paris*, 1788-93. [A trans. of ed. 1, with notes on the spp. by Lacepède in French.]
- *Voyages du Prof. Pallas.. Russie.* 8 vols. 8vo. *Paris*, An II (1794). [Important ed. with notes throughout by Lamarck.]
- *Bemerk. Reise südlich. Statth. Russ. Reichs.* 2 vols. 4to. *Leipz.* 1799-1801. [No n. spp.]
- *Reise Prov. Russ. Reichs.* Vol. I. 4to. *St Petersburg.* 1801. [Seems to be a reprint of vol. I. of ed. 1, perhaps to make up for deficiency of ed. 1.]
- *Trav. prov. Russ. Empire.* 2 vols. 4to. *Lond.* 1802, 1803. [No n. spp.]
- *Neue nordische Beyträge* (the last 3 vols. Neueste...). 7 vols. 8vo. *St Petersburg.* 1781-96.
- *Icones Insectorum.* 4to. *Erlangae*, 1781-98. [See *Ann. Mag. Nat. Hist.* [6], vii, 1891, p. 236.]
- *Nov. Spec. Quad.* 2 pts. 4to. *Erlangae*, 1778, 1779. [See *Ann. Mag. Nat. Hist.* [6], vii, 1891, p. 236.]
- — — Ed. 2. 1784 [n. T. P. only; Eichwald refers to ed. 3, 1799, but this I cannot trace.]
- *Charact. Thierpflanzen.* 4to. *Nürnb.* 1787.
- *Account of diff. Sheep.* 8vo. *Edinb.* 1794. [No n. spp.]
- *Tabl. phys. topogr. Tauride.* 4to. *St Petersburg.* 1796. [No sp. nn.]
- *Tabl. Prov....mer Caspienne.* 4to. *St Petersburg.* 1798. [No n. spp.]
- Palmer, J. F. *Tent. Med. de Verm. Intest.* 4to. *Edinb.* 1766. [No n. spp.]
- Palteau, G. L. de F. de. *Ruche des Bois.* 12mo. *Metz*, 1777. [Beehives only.]
- Panzer, G. W. F. J. E. Voet’s *Beschr. Hartschaal. Insekten.* 5 pts. 4to. *Nürnb.* [Erlangen], 1782-1802. [The pts. 1-3 are a trans. of Voet’s ed. 1, there are no n. spp. and the work is as much multi-nominal as the original: pts. 4 & 5 are a new work by Panzer, pt. 4 is quoted as 1797, and the single n. sp. in pt 5 is quoted as 1801.]
- *Nov. Insect. Spec.* 1790 [is by Uddman, q. v.].
- *Fauna Insect. German.* 110 pts. 8vo. (in cases), *Nürnb.* 1792-1823. Continued by Herrich-Schäffer, pts. 111-190, 1829-1844. [Dates exceedingly difficult to discover, those printed may be taken as accurate; when completed I will put dates into print.]
- *Symbol. Entom.—Beytr. z. Ges. Insekten.* 4to. *Erlang.* 1794. [Fasc. 1, Bog. A-C, pls. I-VI. 1793, only one seen; n. spp. on plates.]
- *Fauna Insect. Amer. boreal.* 4to. *Norimb.* 1794.
- *Deutschlands Insectenfauna oder Entom. Taschenbuch*, f. 1795. 8vo. *Nürnb.* [n. d. but preface dated 19 Dec. 1794, so quote 1795].

Paris. Acad. Roy. Sci.

- Collect. Académique. Partie Etrangère. 13 vols.
 V. 1758 Swammerdam.
 VI. 1761 *ex* various Academies.
 VII. 1766 *ibid.* [Medical.]
 VIII. 1770 } Prussian Academies.
 IX. 1770 }
 X. 1773 Bologna Academy.
 XI. 1772 Stockholm Academy.
 XII. 1774 Prussian Academies.
 XIII. 1779 Turin Academy. [All are Translations of Mémoires.]
 Hist. avec Mém. 40 vols. 1754-1790.
 Mém. donnés à l'Acad....non imprimés dans leur temps. [Mathematical.]
 Mém. Math. Phys. présentés. 11 vols. 1750-86.
 Pièces qui ont remporté les prix. Vols. 7-9. 1769-1777.
 Rec. des Mém. ou Coll. des Pièces Académique. (L'abrégé de l'Hist.) Partie Française. Vols. I-XVI. 1754-1787. [By Berryat.]
 Suite des Mém. 7 vols. 1720-1764.
 Courtanvaux, — de. Journ. Voy. l'Aurore...par ordre de l'Académie. 1 vol. 4to. *Paris*, 1768.
 Institut National.—Mémoires I-III. 1798-1801.
 — Soc. Agric. de Paris.
 Compte Rendu. 1788-93. [By Lefebure.] 1 vol. 8vo. An VII. [No n. spp.]
 Mém. d'Agric. 25 vols. 8vo. *Paris*, 1785-91. [No n. spp.]
 — Soc. Agric. dép. Seine.
 Mém. d'Agric. Vols. I.-XVIII. An IX.—1815. 8vo.
 — Soc. Nat. Hist. Paris.
 Actes. Vol. I, pt. 1 (all issued). fo. 1792.
 Mém. 1 vol. 4to. An VII (1799).
 — Soc. Philom.
 Bull. des Sci. Nos. 1-96. 1797-1805. [In numbers as dated.]
 Bull. Soc. Philom. à ses Correspondans. 1 vol. pp. 1'-110'. [1803 *not* 1797.]
 Rapport général des Travaux. 4 vols. 1788-1800.
 Parizek, P. A. Kurz. Naturges. Böhmens. 8vo. *Prag*, 1784. [No sp. nn.]
 Parkinson, S. Journ. Voy. S. Seas. 4to. *Lond.* 1773. [No sp. nn.]
 Parra, A. Descrip. Piezas Hist. Nat....Ramo Maritimo.... 4to. *Havana*. 1787. [No sp. nn.]
 Passeri, G. Storia Fossile Agro Pesaresi. Ed. 2. 4to. *Bologna*, 1775. [No sp. nn.]
 Pasumont, F. Voy. Pyrenées. 8vo. *Paris*, 1797. [Mineral.]
 Paterson, W. Narrative 4 Journ. Country Hottentots. 4to. *Lond.* 1789. [No sp. nn.]
 [Pauw, C. de.] Rech. phil. sur les Americains...Hist. l'espèce humaine par Mr de P***.
 2 vols. 8vo. *Berl.* 1768, 1769. [No sp. nn.]
 Paykull, G. Monogr. Staphyl. 8vo. *Upsal*. 1789.
 — Monogr. Carab. 8vo. *Upsal*. 1790.
 — Monogr. Curcul. 8vo. *Upsal*. 1792.
 — Djur. Kännedomen Hist. for Linnes tid. 8vo. *Stock.* 1797. [No sp. nn.]
 — Fauna Suecica. Insecta. 3 vols. 8vo. *Upsal.*:
 I. [1798] [Lord Walsingham's copy of this vol. states that it was issued Nov. 1798.]
 II. [1799].
 III. [1800].
 Peck, W. D. Nat. Hist. Slug Worm. 8vo. *Boston*, 1799. [No sp. nn.]
 Peerboom, C. Descr. et Icon. Verm. Stomach. 8vo. *Amst.* 1780. [No sp. nn.]
 Pennant, T. The British Zoology. fo. *Lond.* 1766. [No sp. nn.]
 [—] Explan. of plates in first publication of the British Zoology. 8vo. *Lond.* 1763. [No sp. nn.]
 — British Zoology. Ed. 2. 2 vols. 8vo. *Lond.* 1768. [No sp. nn.]
 — — Ed. 3. 4 vols. 8vo. *Lond. & Chester*, 1768-1770. [No sp. nn.]
 — Zool. Brit. Tab. aeneis 132 illust. fo. *Augsb.* 1771-76. [Trans. from ed. 3 with

- add. and notes by Murr. Folio plates copied from ed. 1. The only copy (imperfect) I have seen has been used as a target! It is now in Brit. Mus. (N. H.).]
- Pennant, T. Brit. Zool. Ed. 4. 4 vols. 8vo. *Warrington*, 1776 & 1777. [In vol. 4 P. uses binominals.]
- Indian Zoology. fo. *Lond.* (14 pp., 12 pls.) [1769].
- Spec. Faunula India. See Forster.
- Indian Zoology. Ed. 2. 4to. *Lond.* 1790. [Pref. dated 1 March, 1791, and so quoted.]
- Syn. Quad. 8vo. *Chester*, 1771. [No sp. nn.]
- Hist. Quad. 2 vols. 4to. *Lond.* 1781. [No sp. nn.]
- — Ed. 3. 4to. *Lond.* 1793. [No sp. nn.]
- Allgem. Uebers. vierfüssigen Thiere (Bechstein's trans. of ed. 3, with add. & notes, many n. spp.). 2 vols. 4to. *Weimar*, 1799, 1800.
- Genera of Birds. 8vo. *Edinb.* 1773. [No sp. nn.]
- — 4to. *Lond.* 1781.
- Arctic Zoology. 2 vols. 4to. *Lond.* 1784, 85. [No sp. nn.]
- — Supplement. 4to. *Lond.* 1787. [No sp. nn., but contains a reprint of Forster's list.]
- Thierges. Polarlande. 2 vols. 4to. *Leipz.* 1787. [Zimmermann's ed. but not binominal.]
- Introd. Arctic Zool. Ed. 2. 3 vols. 4to. *Lond.* 1792. [No sp. nn.]
- [—] A Catalogue of British Birds. 8 pp., no place or date. [No sp. nn.]
- Index to Planches enlum. See Daubenton.
- Pennsylvania (The) Mag. 1 vol. 8vo. *Philad.* 1775. [No sp. nn.]
- Pereboom, N. E. Disq. de Ascaridibus. 4to. *Amst.* 1789, [No sp. nn.]
- Pernetty (Abbé). Hist. Voy. Malouines. Ed. 2. 8vo. *Paris*, 1770. [No sp. nn.]
- Perrault, C. Mém. Hist. Nat. Animaux. 3 vols. 4to. *Amst.* 1758. [Anatomical.]
- Petagna, V. Spec. Insect. Calabria. 4to. *Neap.* 1786.
- — 4to. *Francof.* 1787. [New T. P. & re-engraved plate, pagination as 1786 ed.]
- Institut. Entom. 8vo. *Neap.* 1792.
- Petersen, J. D. Balthischer Vögel. 4to. *Altona*, 1766.
- Petiver, J. Opera. *Lond.* 1764. [No sp. nn.]
- — *Lond.* 1767. [No sp. nn.]
- Pfeifer, J. B. Verz. europ. Schmett. 8vo. *Augsb.* 1800. [List.]
- Pfeiffer, C. L. Der Orang-Outang. 8vo. *Mannheim*, 1787. [No sp. nn.]
- Phelsum, M. V. Hist. phys. Ascarid. 8vo. *Leovard.* 1762. [No sp. nn.]
- Nat. Verhand. Wormen. 8vo. *Leeuwarden*, 1763. [No sp. nn.]
- Brief...aan Houttuyn. 8vo. *Leeuwarden*, 1770. [No sp. nn.]
- Brief aan...Nozemann...Zee-egelen. 8vo. *Rotterd.* 1774.
- [The genera *Echinoneus* and *Echinocyamus* occur; Louis Agassiz invented many others by Latinizing Dutch words; Alex. Agassiz has properly explained the matter in "Revision Echini," *Mus. Comp. Zool. Harvard.*]
- Naturg. Springwürmer (Weise's ed.). 2 vols. 8vo. *Gotha.* 1781-82. [No sp. nn.]
- Philadelphia.* Amer. Phil. Soc.
- Trans. Vols. I-V. 1771-1802, & vol I. ed 2, 1789.
- Phillip, A. Voy. to Botany Bay. 4to. *Lond.* 1789. [No sp. nn.]
- Philosophical Mag. 8vo. *Lond.* vols. I-VIII. 1798-1800.
- Phipps, C. J. Voy. North Pole. 4to. *Lond.* 1774.
- Physicalische (N.) Belustigungen. 2 vols. 8vo. *Prag*, 1770-71.
- Physik.-Oek. Bibliothek (Beckmann's). 23 vols. 8vo. *Gött.* 1770-1806. [Reviews.]
- Physik. Tagbuch Freunde Natur. (Hübner's). 4 vols. 8vo. *Salzburg*, 1784-88. [No sp. nn.]
- [Pichou, T.] Lettres et Mém...Cap Breton. 12mo. *La Haye*, 1760. [No sp. nn.]
- [—] Letters & Mem... 8vo. *Lond.* 1760. [No sp. nn.]
- Picot de la Peyrouse, P. Hist. Nat. Lagopède. 4to. *Toulouse*, 1774 [ex Mém. Toulouse].
- Tables Méth. Mamm. Oiseaux Garonne. *Toulouse*, An VII. [A review in Millin's Mag. Ency. An. VII (2), 1799, p. 278, says his order is the same as Cuvier's though he does not mention that author.]
- Pilati, C. Saggio Stor. nat. Bresciana. 4to. *Brescia*, 1769. [No sp. nn.]
- — 1773 ed. [Not seen.]

- Piller, M., & L. Mitterpacher. Iter Poseg. 4to. *Budae*, 1783.
- Pinera y Siles, B. Descr. Hist. nueva especie de Corea. 4to. *Madrid*, 1787. [No sp. nn.]
- Pini, E. Di alcuni fossili Lombardia. 8vo. *Milano*, 1790. [No sp. nn.]
- Plancus, J. De Conchis minus notis. Ed. 2. 4to. *Romae*, 1760. [No sp. nn.]
- Poda, N. Insect. Mus. Graec. 8vo. *Graecii*, 1761.
- Poli, J. X. Tert. utriusq. Siciliae. fo. *Parna*.
 I. pp. 1-90, 1-50, i-lxxiii, pls. i-viii. 1791.
 II. pp. 1-264, i-lxxvi, pls. ix-xxxix. 1795.
 III. By Chiaje. Pt. 1, pp. 1-44, i-xlvi. 1826. Pt. 2, pp. 1-56. 1827.
- Pontoppidan, E. Danske Atlas. 7 vols. 4to. *Kiob*. 1763-81. [Vol. 1 contains the n. spp. zool.]
 — Danischer Atlas (trans. Scheiben). 2 vols. 4to. *Kopen*. 1765-67.
 — Kurzgef. Nachr. Naturhist. Dännemark. 4to. *Kopen*. 1765.
 — Vers. Nat. Hist. Norwegen. 2 vols. 8vo. *Flensb*. 1769. [No sp. nn.]
- Porret [J. L. M.]. Voy. Barbarie. 2 vols. 8vo. *Paris*, 1789.
- Portland. Catal. of the Portland Museum. 4to. *Lond*. 1786.
 [Many nomina nuda of Testacea by Solander, which it seems inadvisable to introduce into literature.]
- Posselt, C. F. Ueber Grönland. Wallfischfang. 8vo. *Kiel*, 1796. [Econ.]
 — Diss. Forficulae. 4to. *Jenae*, 1800. [No sp. nn.]
- Potkoniczky, A. De Metallis petrif. 4to. *Jenae*, 1775. [Mineral.]
Prague. K. Böhmischen Ges. Wiss.
 Abh. Privates Gesellschaft. 6 vols. 8vo. 1775-84.
 Abh. Böhm. Ges. Wiss. 4 vols. 4to. 1785-88.
 Neuere Abh.... 3 vols. 4to. 1791-98.
 Drey Abhand. über Physic, &c. von Böhmen. 4to. *Prag & Dessau*, 1786.
- Preyssler, J. D. Verz. böhm. Insect. 4to. *Prag*, 1790.
- Pringle, J. Discourse on the Torpedo. 4to. *Lond*. 1775. [General.]
 — De Torpedine. 4to. *Witt*. 1779. [Probably a trans. of last.]
- Prochaska, G. Beob. wasserblasen Thiere. 4to. *Prag*, 1791. (ex N. Abh. böhm. Ges.)
- Prunner, L. v. Lepid. Pedemont. 8vo. *Aug. Taur*. 1798.
- Pulteney, R. Catal. Birds, Shell, &c. of Dorsetshire. fo. *Lond*. 1799. [ex Hutchin's Hist. of Dorset.]
- Quatremere-Disjonval, —. Aranéologie. 8vo. *Paris*, 1797. [No sp. nn.]
 — Araneologie. 8vo. *Frankf*. 1798. [No sp. nn.]
- Quensel, C. Diss. Ignotis Insect. 4to. *Lund*, 1790.
- R., F. S. C. (i.e. H. L. Fischer, q. v.).
- Raab. Catal. foss. Madlle. de Raab. [By I. v. Born.] 2 vols. 8vo. *Vienne*, 1790. [n. b.]
- Rackstrow. A Descr. Catal. of Rackstrow's Museum. 8vo. [*Lond*]. 1794. [Anat. & Med.]
 — Museum Sale Catal. 8vo. *Lond*. 1799.
- Ranieri, D. Mem. sopra Insetti. 1784. [Reprinted in Opus. Scelti, VII.]
- Raspe, R. E. Spec. hist. nat. globi terraquei. 8vo. *Amst*. 1763. [Geological.]
- Raub, D. C. De Ascaride lumbricoide. 8vo. *Gött*. 1779. [No n. spp.]
- Raulin, — Exam. Coquilles Touraine. 12mo. *Amst*. 1776. [No sp. nn.]
- Ray, P. A. F. Zool. Universelle. 4to. *Paris*, 1788. [No sp. nn.]
- Razoumouky, G. de. Voy. min. phys. Bruxelles. 8vo. *Lausanne*, 1783. [Mineral.]
 — Oeuvres: cont. Voy. min. Bruxelles. 2 vols. 8vo. *Lausanne*, 1784. [Mineral.]
 — Hist. Nat. Jorat. 2 vols. 8vo. *Lausanne*, 1789.
- “Rebenstichern, von den.” Vier Preisschriften...By Breuchel, Walther, Brauer, & “No. 6.”
 8vo. *Mannheim*, 1767. [No sp. nn.]
- Receuil 133 Oiseaux. fo. *Romae*, 1775. [No sp. nn.]
- Redi, F. Lettere. Ed. 2. 3 vols. 4to. *Firenze*, 1779-95. [No sp. nn.]
- Regenfuss, F. M. Auserlesene Schnecken-Muscheln. fo. *Copen*. 1758. [n. b.]
- Reguart, A. S. Dicc. hist. Artes Pesca Nacional. 5 vols. fo. *Madrid*, 1791-95. [No sp. nn.]

- Reich (Das) der Natur. 12 pts. 8vo. *Halle*, 1757-62. [General.]
- Reich, G. C. Mag. des Thierreiches. 4to. *Erlangen*, 1793. [Engelmann says 3 pts. 1793-4-5; I have only found 140 pp., all dated 1793.]
- Mant. Insectorum. 8vo. *Norib.* 1797.
- Reimarus, H. S. Die voorn. waarheid...Gods-Dienst. 8vo. *Leyden*, 1765.
- Betracht. thierischen Kunsttreibe. Ed. 3. 8vo. *Hamb.* 1773. [No sp. nn.]
- — — — — Ed. 4. 8vo. *Hamb.* 1798. [No sp. nn.]
- Reiner, J., & S. v. Hohenwarth. Botan. Reise Alpen. 2 vols. 8vo. *Klagenfurt*, 1792 & 1812.
- Renier, S. A. Lettere il Botrillo. [*ex Opus. scelti*, xvi. p. 256.]
- Renovantz, H. M. Min. geogr....Altai. 4to. *Reval*, 1788. [Mineral.]
- Repertorium f. d. öffentl. u. gerichtl. Arzneiwiss. 3 vols. 8vo. *Berl.* 1789-92. [Mainly Veterinary.]
- Retzius, A. J. Inled. Djur-Riket...Linné's Lärogr. 8vo. *Stock.* 1772. [No n. spp.]
- Lect. publ. de Verm. intest. 8vo. *Holmiae*, 1786.
- Diss. Nova Testac. gen. 4to. *Lundae*, 1788.
- Anim. Class. Mamm. Linn. 4to. *Lundae*, 1796.
- Anim. circa Crocodylum. 4to. *Lundae*, 1797.
- Diss. obs. Zool. 4to. *Lond. Gött.* 1798.
- Reuss, F. A. Ergo Spiritum Anim. Hypoth., &c. 4to. 1783. [*ex Klinckosch*, Diss. Prog. II.]
- Samm. Nat. Hist. Aufsätze. 8vo. *Prag*, 1796. [Mineral.]
- Reynier, —, and Struve. Mém. Hist. Nat. Suisse. 8vo. *Lausanne*, 1788. [Bot. and Min.]
- Rheinisches Magazin (Borkhausen's). 8vo. *Giessen*, 1793.
- Richard, J. Hist. Nat. Tonquin. 2 vols. 12mo. *Paris*, 1778. [n. b.]
- Richter, A. D. Lehrb. Nat. Hist. 8vo. *Leipz.* 1772. [No sp. nn.]
- — — — — 8vo. *Leipz.* 1775. [No sp. nn.]
- — — — — 8vo. *Frankf.* 1786. [No sp. nn.]
- — — — — 8vo. *Würzb.* 1791. [Not seen.]
- Richter, J. G. O. Vischkundige Onderwysen. 4to. *Dord.* 1780. [No sp. nn.]
- Riedel, G. F. Samml. f. Federvieh. fo. *Augsb.* 1773. [Econ.]
- Riedinger, J. E. Vorst. Beschr. Schul...Pferden. 4to. *Augsb.* 1760. [Econ.]
- — — — — 4to. *Aug. Vind.* [1775]. [Econ.]
- Vorst...Hirschen. fo. *Augsb.* [1740-61]. [No sp. nn.]
- Versch. arten Hunden. fo. *Augsb.* 1761. [Sport.]
- Riegels, N. D. De Erinaceo 1799 : De inspir. cutan. 1800. 8vo. *Hafniae*. [No sp. nn.]
- Roberts, W. Account of first discovery of Florida. 4to. *Lond.* 1763. [No sp. nn.]
- Rocca, — della. Traité des Abeilles. 2 vols. 8vo. *Paris*, 1790-92. [No sp. nn.]
- Roederer, J. G. De Taenia. See Trampel.
- and Wagler. Tractatus de Morbo mucosa... (ed. Wrisberg). 8vo. *Gött.* 1783.
- Roemer, J. J. Gen. Insect. 4to. *Vitoduri*, 1789.
- Roesel v. Rosenhof, A. J. Hist. Nat. Ranarum. fo. *Norimb.* 1758.
- Insecten Belustigungen. 4 pts. 4to. *Nurnb.* 1746-61. [No. sp. nn.]
- Natuur Hist. Insect. (Kleemann's ed.) 4 vols. 4to. *Haarlem*, [1764-68].
- — — — — 4 vols. 4to. *Haarlem* [1782].
- Romans, B. Concise Nat. Hist. of Florida. 8vo. *N. York*, 1775. [No sp. nn.]
- Romé Delisle, —. Lettre Polypes d'eau Douce. 12mo. *Paris*, 1766. [No sp. nn.]
- Roques de Maumont, J. E. Mém. Polypiers de Mer. 8vo. *Zelle*, 1782. [No sp. nn.]
- Seepolyngehausen. 8vo. *Zelle*, 1783. [No sp. nn.]
- Rosa, M. Delle Porpore. 4to. *Modena*, 1786. [No sp. nn.]
- Rosa, V. Lettere Zool. 4to. *Pavia*, 1794. [*ex Opus. scelti*, xvii.]
- Rosenblad, E. De Taenia. 4to. *Lund.* 1782. [n. b.]
- Rosenmüller, J. C. Quaedam de Ossibus, &c. 4to. *Lips.* 1794.
- Beitr. Kennt. foss. Knochen. 8vo. *Leipz.* 1795. [No n. spp.]
- and A. v. Tilesius. Beschr. merkw. Höhlen. 8vo. *Leipz.* 1799-1805. [Caves.]
- Roskoschnik, J. Nachr. Boutzhida Siebenburgen Zugheuschrecken. 8vo. *Pressburg*, 1782. [No sp. nn.]
- Rosler, G. F. Beytr. Naturg. Wirtemberg. 3 vols. 8vo. *Tubingen*, 1788-91. [No sp. nn.]
- Rossi, P. Fauna Etrusca. 2 vols. 4to. *Liburni*, 1790.

- Rossi, P. Fauna Etrusca. Ed. 2. 8vo. *Helmstadt*, 1795 and 1807, Nachricht 2 pp., 1808.
 [A reprint of ed. 1 and of vol. 1 of the Mantissa up to p. 103.]
 — Mant. Insect. 2 vols. 4to. *Pisis*, 1792 and 1794.
 — Obs. Entom. 8vo. *Pisa*, 1798. [Reprint from Mem. Soc. Stat. VIII.]
 [Roth v. Schreckenstein] Verz. Schmett. Donau. 8vo. *Tubingen*, 1800.
Rouen. Soc. Emul.
 — Mém. 3 vols. 1798–1800. [No sp. nn.]
 — Soc. Roy. Agric.
 Délibérations. 1 vol. 8vo. 1763.
 Roukens, T. L. Laus vespertilionis. 4to. *Noviomagi*, 1768. [No sp. nn.]
 Rousselot de Surgy, — Mélanges intéress. 10 vols. 8vo. *Paris*, 1763–66. [No sp. nn.]
 Rudolphi, C. A. Obs. Verm. Intest. 2 pts. 4to. *Gryph*. 1793–95.
 Rumpel, L. F. E. Prog. de Cantharid. [In Baldinger's Sylloge select. Opus., V. 1780.]
 [No sp. nn.]
 Rumphius, G. E. Amboin Raritäten-Kammer (Trans. by Müller,—emend. by Chemnitz).
 fo. *Wien*, 1766.
 Russell, A. Nat. Beschrift. Aleppo. 8vo. *Leyde*, 1762. [n. b.]
 — Nat. Hist. Aleppo. Ed. 2. 4to. *Lond.* 1794. [Few spp. by Solander.]
 — Naturg. Aleppo (ed. Gmelin). 2 vols. 8vo. *Gött.* 1797–98.
 Russell, P. Indian Serpents. fo. *Lond.* 1796. [No sp. nn.]
 Ruddy, T. Essay Nat. Hist. Dublin. 2 vols. 8vo. *Dublin*, 1772.
 Rymnsdyk, J. and A. Mus. Britan. fo. *Lond.* 1778. [No sp. nn.]
 — (ed. Bayle). Ed. 2. fo. *Lond.* 1791. [No sp. nn.]
- “A. v. P. S.” Schreiben...Dethmaris...Juliae et Montium. 8vo. *Frankf.* 1780. [No sp. nn.]
 St Amans, J. F. Phil. Entom. 8vo. *Agen*, An VII (1799). [No n. spp.]
St Petersburg. Acad. Sci.
 Nov. Comm. 1758–1776.
 Acta. 1777–1782.
 Nova Acta. 1782–1806 (vol. XV.)
- St Pierre, J. H. B. de. Etudes de la Nature. 3 vols. 8vo. *Paris*, 1784. [No sp. nn.]
 — Ed. 2, 12mo. *Paris*, 1787; ed. 3, 12mo. *Paris*, [1787]; ed. 4, 12mo.
Paris, 1791–92; ed. 5, 8vo. *Paris*, An XII (1804). [No sp. nn.]
 Salerne, F. Hist. Nat. Ornith. 4to. *Paris*, 1767. [No sp. nn.]
 Salis von Marschlins, C. U. v. Beitr. Nat. Sicilien. 2 vols. 8vo. *Zurich*, 1790. [No sp. nn.]
 — Reise Neapel. 8vo. *Zurich*, 1793.
 — Trav. Naples. 8vo. *Lond.* 1795.
- Salzburger gelehrte Zeitung. 4to. [Have seen parts of vol. II.; these were quite general,
 and n. z.]
- Samlinger (Suhm's). 2 vols. 8vo. *Kiob.* 1771–75. [No sp. n.]
 Sammler (Der). 8vo. *Chur*. 6 vols. 1779–84. [No sp. nn.]
 Sammlung phys. Aufsätze (Mayer's). 5 vols. 8vo. *Dresden*, 1791–98.
 Sammlung Physik und Naturg. 4 vols. 8vo. *Leipz.* 1779–92. [Some Zool. but chiefly physics.]
 Sanders, H. Naturg. Rusfolken. 8vo. *Carlsruhe*, 1778. [In his Kleine Schriften.]
 — Von Einhorn. 8vo. *Carlsruhe*, 1779. [*ibid.*]
 — Gesam. Kleine Schriften. 2 vols. 8vo. *Dessau*, 1784–85. [No n. spp.]
 Santi, G. Viag. Montamiata. 3 vols. 8vo. *Pisa*, 1795–1806. [No sp. nn.]
 — 2 vols. 8vo. *Lyon*, 1802. [No. sp. nn.]
 Sauri (Abbé). Précis Hist. Nat. 12mo. *Yverdon*, 1779. [No sp. nn.]
 Saussure, H. de. Voy. Alpes. 8vo. *Neuch.* 1779–96. [n. z.]
 — Reise Alpen. 4 vols. 8vo. *Leipz.* 1781–88. [n. z.]
 — Voy. Alpes. 8 vols. 8vo. *Genève et Neuchatel*, 1787–96. [n. z.]
 Sauvages, F. B. de. Nosologia. 8vo. *Amst.* 1768. [Med.]
 Savigny, M. J. C. L. de [Savigny]. Hist. Nat. Dorades. 4to. *Paris*, 1780. [Plates
 engraved by Martinet, to whom the book is often erroneously ascribed.]
 Scelta Opus. interess. 36 vols. 8vo. and 7 vols. 4to. *Milano*, 1775–84. [No n. spp.]
 Schacht, C. P. Orat. de utili...Hist. Nat. 4to. *Harder*, 1793. [No n. spp.]

- Schaeffer, J. C. Epist. Ichthyol. 4to. *Ratisb.* 1760. [No sp. nn.]
 — Pisc. Bavar.-Ratisbon. 4to. *Ratisb.* 1761.
 — Die Egelschnecken. Ed. 2. 4to. *Regensb.* 1762. [No sp. nn.]
 — Der Altenholzbock. Ed. 2. 4to. *Regensb.* 1763. [Ed. 1, 1755 seen; ed. 2 a reimpression of this; no sp. nn.]
 — Die armpolypen. 4to. *Regensb.* 1763; ed. 2, 1763. [No sp. nn.]
 — Erlaut. Vorschlage Nat. 4to. *Regensb.* 1763. [No spp. nn.]
 — Opus Entom. 4to. *Regensb.* 1764. [List of works.]
 — Abhandl. Insecten. 4to. *Regensb.* 1764-79. [No sp. nn.]
 — Zweifel u. Schwierigk. Insectenlehre. 4to. *Regensb.* 1766. [No n. spp.]
 — Fernere Zweifel... 4to. *Regensb.* 1766. [No n. spp.]
 — Elem. Entom. 4to. *Ratisb.* 1766.
 — — Appendix (the ed. 2). 4to. *Ratisb.* 1777.
 — — cum Appendice (the ed. 3). 4to. *Ratisb.* 1780.
 — Icones Insect. Ratisbon. 5 pts. 4to. *Regensb.* 1766-79.
 — Erstere Vers. Schnecken. 4to. *Regensb.* 1768. [No sp. nn.]
 — Fernere... 4to. *Regensb.* 1769. [No sp. nn.]
 — Nachtrag... 4to. *Regensb.* 1770. [No sp. nn.]
 — Erstere und Fernere...mit Nachtrage. Ed. 2 4to. *Regensb.* 1770. [No sp. nn.]
 — Elem. Ornith. 4to. *Ratisb.* 1774. [No sp. nn.]
 — — Ed. 2. 4to. *Ratisb.* 1779. [T. P. only new.]
 — Mayenwurmkäfers. 4to. *Regensb.* 1778. [No sp. n.]
 — Mus. Ornith. 4to. *Ratisb.* 1789. [T. P. M.D.CCLXXIXX.]
- Schellenberg, J. R. Helvet. Entom. 2 vols. 8vo. *Zurich*, 1798 and 1806. [French trans. by Clairville in same vol.]
 — Cicum in Helvet. 8vo. *Turici*, 1800.
- Scherffer, P. C. De Cellulis Apium. 4to. *Vien.* 1760. [No sp. nn.]
 Schinz, S. Abh. Nützen Naturw. 8vo. *Zurich*, 1780. [No sp. nn.]
 — Diss. Phys. de Itin. Helvet. 3 pts. 4to. *Turici*, 1781-84. [No sp. nn.]
- Schirach, A. G. Melitto-Theologia. 8vo. *Dresden*, 1767. [No sp. nn.]
 — Nat. Ges. Erd- Feld- oder Ackerschnecken. 8vo. *Leipz.* 1772. [Econ.]
- Schirow, J. J. De Cantharid. 4to. *Trajecti ad V.* 1794. [No n. spp.]
- Schloezer, A. J. Briefwechsel meist statist. Inhalts. 8vo. *Göttingen*, 1775.
 Continued as Schloezer's Briefwechsel, 10 Theile, *ibid.* 1776-82. [Contains Rothmann's *Mus gundi.*]
- Schlosser, J. A. De Lacerta amboin. 4to. *Amst.* 1768.
- Schluga, J. B. Primae lineae Insect. 8vo. *Vien.* 1767. [No n. spp.]
- Schmidel, C. C. Vorst. Verstein. 4to. *Nürnb.* 1780. [No sp. nn.]
 — Vorst. merkw. Verstein. 4to. *Erlangen*, 1793. [No sp. nn.]
 — Fortgez. Vorst. merkw. Verstein. 4to. *Erlang.* 1793. [No sp. nn.]
 — Descr. itin. Helvet. 4to. *Erlang.* 1794. [Bot.]
- Schmidt, F. C. Hist. Min. Jena. 8vo. *Gotha*, 1779. [Mineral.]
- Schmidt, F. W. Samml. phys. oek. Aufsätze. 8vo. *Prag*, 1795.
- Schmiedlein, G. B. Taschenbuch Insect. 8vo. *Leipz.* 1784. [No n. spp.]
 — Einleit. Kennt. Insect. 8vo. *Leipz.* 1786. [No n. spp.]
 — Insekt. Terminol. 8vo. *Leipz.* 1789. [No n. spp.]
 — Spec. Faun. Insect. Lips. 8vo. *Lips.* 1790. [No n. spp.]
 — Schediasma...Insect. 8vo. *Lips.* 1790. [No n. spp.]
 — Vollst. Lehrbuch Entom. 8vo. *Leipz.* 1795. [No n. spp.]
 — Tagebuch...Schmett. 8vo. *Leipz.* 1800.
- [Schneider, D. H.] Nomen. Entom. 4to. *Stralsund*, 1785.
 [—] Syst. Besch. europ. Schmett. 8vo. *Rostock*, 1785.
 [—] Verz. Parthei Insect. 8vo. [*Strals.*] 1800. [Some n. spp. by Holthuysen; all with diagnoses recorded.]
- Schneider, J. G. Solemn. Anniv. Natalis magin: praecedit Disput. de Achlide, &c. 4to. *Trajecti ad V.* 1781. [No. sp. nn.]
 — Ichthy. Vet. Spec. 4to. *Francof. ad V.* [1782]. [No sp. nn.]
 — Allg. Naturg. Schildkröten. 8vo. *Leipz.* 1783.

- Schneider, J. G. Erster Beytrage z. Nat. Schildkroten. 8vo. *Leipz.* 1787, 16 pp., 2 pls.
 ———— Zweiter.... 8vo. *Leipz.* 1789, 32 pp., 1 pl.
 ———— Samml. verm. Abh. Zool. 8vo. *Berlin*, 1784.
 ———— Amphib. Physiol. Spec. I. 4to. *Trajecti ad V.* 1790.
 ———— Spec. II. 4to. *Trajecti ad V.* 1792.
 ———— Spec. II. Ed. 2. 4to. *Zullich.* 1797.
 ———— Samml. Anat. &c. Fischkunde. 8vo. *Leipz.* 1795. [No n. spp.]
 ———— Beytr. Nat. Wallfischarten. 8vo. *Leipz.* 1795.
 ———— Hist. Amphib. 2 pts. 8vo. *Jenae*, 1799 and 1801.
 ———— See Artedi.
- Schönbauer, J. Consect. Ornith. Hungaricae. 4to. *Budae*, 1795. [No n. spp.]
- Schönbauer, J. A. Ges. Kolumbatezer Mücken. 4to. *Wien*, 1795.
- Schoepf, J. D. Reise N. Amer. 8vo. *Erlangen*, 1788.
 ———— Hist. Testudinum. 4to. *Erlang.* pp. 1—32, 1792; —80, 1793; —112, 1795; —136, 1801.
- Schrank, F. v. P. Beytr. Naturges. 8vo. *Leipz.* 1776. [pp. 59—120 contain 3 complete papers which are accepted as binominal.]
 ———— Weise Naturg. zu Studiren. 8vo. *Regensb.* 1780. [n. z.]
 ———— Enum. Insect. Austr. 8vo. *Aug. Vind.* 1781.
 ———— Allgem. Anleit. Naturges. 8vo. *Münch.* 1783. [No spp. nn.]
 ———— Baierische Reise. 8vo. *Münch.* 1786.
 ———— Verz. Eingeweidewürmer. 8vo. *Münch.* 1788.
 ———— Reise südl. Gebirge Baiern. 8vo. *Münch.* 1793.
 ———— Briefe Donaumoor. 4to. *Mannheim*, 1795.
 ———— Samml. nat. phys. Aufsätze. 8vo. *Nürnb.* 1796.
 ———— Nachr. berühm. Gelehrten. 8vo. *Nürnb.* 1797. [Valuable Biographies.]
 ———— Fauna Boica. 8vo. *Nürnb.; Ingolstadt; Landshut.* I, 1798; II (1) 1801; II (2) 1802; III (1 and 2) 1803.
 ———— Privatgesell. See *Münch.*
 ———— and K. E. v. Moll. Naturhist. Briefe Oesterreich. 2 vols. 8vo. *Salzburg*, 1785.
- Schreber, D. G. Reise Carlsbad. 8vo. *Leipz.* 1771. [No n. spp.]
- Schreber, J. C. D. Lithogr. Halensis. 4to. *Halae*, 1758. [No n. spp.]
 ———— Nov. Spec. Insect. 4to. *Halae Mag.* 1759.
 ———— Die Säugthiere. 4to. *Erlangen*. [For dates, see Proc. Zool. Soc., 1891, pp. 587—592.]
 ———— Hist. Nat. Quad. (trans. Isenflamme). I, 216 pp., 1775; II, 108 pp., 1776; III (1), 100 pp., 1780. [Mere translation.]
- Schreibers, K. Vers. Conchyl. Linnés Syst. 2 vols. 8vo. *Wien*, 1793.
- Schröckio, L. Hist. Moschi. 4to. *Aug. Vind.* 1782. [No n. spp.]
- Schoder, F. J. Hierozoici ex Bocharto. 3 pts. 8vo. *Tubingen*, 1784—5—6. [No n. spp.]
- Schroeder, T. G. De Hydatidibus. 8vo. *Rintelli*, 1790. [The names merely refer to place of habitat.]
- Schroeter, H. E. A. De Verm. corp. human. intest. 8vo. *Halae*, 1787. [Names not used specifically.]
- Schroeter, J. S. Lithogr. Beschr. Gegend. Thangelstedt. 8vo. *Jena*, 1768. [No sp. nn.]
 ———— Vers. Syst. Erdconchyl. 8vo. *Berl.* 1771. [No sp. nn.]
 ———— Vollst. Gesch. Steine. 4 vols. 4to. *Allenb.* 1774 &c. [No sp. nn.]
 ———— Etwas zu Nutzen...Naturges. 8vo. *Weimar*, 1775. [No sp. nn.]
 ———— Abh....Naturges. 2 vols. 8vo. *Halle*, 1776, 1777. [No sp. nn.]
 ———— Die Gesch. Flussconchyl. 4to. *Halle*, 1779. [Not binom.]
 ———— Lithol. Real- und Verballexicon. 4 vols. 8vo. *Frankfurt*, 1779—88. [Dictionary.]
 ———— Mus. Gottwald. fo. *Nürnb.* 1782. [No sp. nn.]
 ———— Innere Bau Flussschnecken. 4to. *Frankf.* 1783. [No n. spp.]
 ———— Einleit. Conchyl. Kennt. nach Linné. 3 vols. 8vo. *Halle*, 1783, 1784, 1786. [Not binom.]
 ———— Namen Register...Conch. Cabinets. 4to. *Nürnb.* 1788.
 ———— Unterhalt. Conchyl. 8vo. *Erlang.* 1789.
 ———— Namen Register...Thierpflanzen Pallas. 4to. *Nürnb.* 1798.

- Schroeter. *See* Journ. [Schroeter was not a binomialist, he quotes binominals and multinominals indiscriminately.]
- Schülte, J. H. Oryct. Jenensis. 8vo. *Jenae*, 1761. [No sp. nn.]
- Schütz, A. G. Besch. nordamerik. Fossilien. 8vo. *Leip.* 1791. [Min.]
- Schultes, J. A. Vers. naturges. Menschens. 8vo. *Regensb.* 1799. [No sp. nn.]
- [Schultz, E. C.] Taschen-Krebse. 4to. *Hamb.* [1780]. [No sp. n.]
- Espèce des Crabes. 4to. *Hamb.* [1780]. [No sp. n.]
- Schultze, C. F. Verst. Seesterne. 4to. *Warschau*, 1760. [Genera considered valid.]
- Schultze, J. D. Bemerk. Waschbären. 8vo. *Hamb.* 1787. [No n. spp.]
- Schwab, J. Petref. in ord. Syst. digesta. 8vo. *Heidelberg*, 1778. [No sp. nn.]
- Schwabisches Mag. gelehrt. Sachen. 8vo. *Stutt.* 1774-80. [Lit. and Gen.]
- Schwaegrichen, C. F. Topogr. Bot. et Entom. Lips. 2 pts. 8vo. *Lips.* 1799. [No n. spp.]
- Schwarz, C. Neuer Raupenkalender. 2 vols. 8vo. *Nürnb.* 1791.
- Nomencl. Roesel. 4to. *Nürnb.* Class 1, 1793; 2, 1810; 3, 1830.
- Beytr. Nat. Insect. Gesch. *See* Kleeman. [Schwarz' part came out pp. 1-84, 1793; 85-196, 1794.]
- Schwarzburg-Rudolstadt. Die Conchyl. in Cabin. des Herrn...S.-R. 8vo. *Rudolstadt*, 1786. [No sp. nn.]
- Schwedische Annal. Med. Nat. (Rudolphi's). 8vo. *Berl.* 1800. [No n. spp.]
- Schweighaeuser, J. F. Amphib. *See* Hermann, J.
- Schweizerisches Museum. 6 vols. 8vo. *Zurich*, 1783-90, contd. as:—
- Neues Schw. Mus. 3 vols. 8vo. *Zurich*, 1794-96. [Lit.]
- Scientific Receptacle (Whiting's). 2 vols. 8vo. *Lond.* 1791-1809. [No zool.]
- Scilla, A. De corp. marin. lapid. 4to. *Romae*, 1759. [No sp. nn.]
- Scopoli, J. A. Entom. Carn. 8vo. *Virid.* 1763.
- Introd. Nat. Hist. 8vo. *Pragae*, 1777.
- Einleit. Kennt. Fossilien. 8vo. *Riga*, 1769. [Min.]
- Anni 1-v. 8vo. *Lips.* 1769-72.
- Bemerk. Naturges. 8vo. *Wien*, 1770, 1781, 1781.
- Delic. Flor. et Faun. fo. *Ticini*, 1786, 1786, 1788.
- Abh. Bienen. 8vo. *Wien*, 1787. [ex Annus IV, 1770.]
- Scriba, A. G. Beytr. Insect. 3 pts. 4to. *Frankf.* 1790, 1791, 1793.
- Seba, A. Locuplet. rerum nat. 4 vols. fo. *Amst.* 1734-65. [Not binom.]
- Segovia*. R. Soc. Econ. Amig. Pais.
- Actes y Mem. 4 vols. 4to., 1785-93. [Agric.]
- Seligmann, J. M. Samml. Vögel. 9 pts. fo. *Nürnb.* 1749-76. [No sp. nn.]
- Selle, C. G. N. Beytr. zur nat. Arznei. 3 pts. 8vo. *Berlin*, 1782-86. [No z.]
- Semler, J. S. Vers. Diarium...Insect. im Winter. 8vo. *Halle*, 1782; Fortsetz. 1782. [No n. spp.]
- Nachlese Bonnet. Insect. 8vo. *Halle*, 1783. [No sp. nn.]
- Sepp. [Sepp & Sons, Snellen, & others.] Nederlandsche Insecten. 8 vols. 4to. *Amst.* 1762-1860. [No n. spp.]
- Serao di San Cipriano, F. Opuscula. 4to. *Nap.* 1766. [No sp. nn.]
- Sestini, D. Agric. Prod. Sicilia. 8vo. *Firenze*, 1771. [No sp. nn.]
- Descr. Mus. Biscari. 8vo. *Livorno*, 1776. [No sp. nn.]
- — Ed. 2. 8vo. *Livorno*, 1787. [No sp. nn.]
- Lettere...Sicilie e Turchia. 7 vols. 12mo. *Livorno & Firenze*, 1799-84. [No sp. nn.]
- Lettere...Cizico &c. 8vo. *Livorno*, 1785. [No sp. zool.]
- Opuscula. 12mo. *Firenze*, 1785. [No n. spp.]
- Descr. Prov. Sicilia. 8vo. *Firenze*, 1788. [No sp. nn.]
- Severini, J. Tent. Zool. Hungaricae. 8vo. *Posonii*, 1779. [No n. spp.]
- Seville*. R. Soc. Med. Cien.
- Mem. 7 vols. 8vo. 1766-89. [n. z.]
- R. Soc. patriotica.
- Mem. 2 pts. 4to. 1779. [Agric.]
- Shaw, G. Nat. Miscell. 24 vols. 8vo. *Lond.* [For dates see Ann. Mag. Nat. Hist. [6] xv, 1895, p. 375.]

- Shaw, G. Spec. Linn. 4to. *Lond.* 1790.
 — Mus. Leverianum. 4to. *Lond.* 1792-96.
 — Zool. New Holland. 4to. *Lond.* 1794.
 — Cimelia Physica. fo. *Lond.* 1796. [Previously issued as J. F. Miller, "Various Objects in Nat. Hist., 1785"; this is "Icones Anim." 1776-82. See Dryander, Cat. Bibl. Banks, i. p. 198.]
- Shaw, Th. Reisen...Bereberei. 4to. *Leipz.* 1765. [Not seen: see next entry.]
 — Reizen Barbaryen (ed. Boddaert). 2 vols. 4to. *Utrecht*, 1773. [n. b.]
 — Trav. Barbary. Sir T. H. Moore, Coll. of Travels. 2 vols. fo. *Edinb.* 1785. [No sp. nn.]
 — Trav. Barbary. 2 vols. 8vo. *Edinb.* 1808. [n. b.]
- [Sibbold, R.] Phalainologia. 8vo. *Lond.* 1773. [No sp. nn.]
- Siemssen, A. C. Beytr. Nat. Vogel Kurland. 8vo. *Mitau*, 1792. [Author's name should be Beseke, *q.v.*]
 — Handb. Mecklenb. Vogels. 8vo. *Rostock*, 1794.
 — Die Fische Mecklenb. 8vo. *Rostock*, 1794. [No n. spp.]
- Siena.* Acc. Sci. Fisiocritici.
 Atti. Vols. I—X. 1761-1841. [No sp. nn.]
- Sierstorpff, K. H. Insektenarten. 8vo. *Helms.* 1794.
- Sigwart, G. F. De Balneis. See Hotz.
 — and J. H. Weysser. De Verm. intest. 4to. *Tubingen*, 1770. [No sp. nn.]
- Slabber, M. Natuur. Verlust. 18 pts. 4to. *Haarl.* 1769-78.
 — Physik. Belust. 4to. *Nürnb.* 1781.
- Sloane, H. Britt. Mus. beschr. 8vo. *Berl.* 1764. [n. z.]
- Smeathman, H. Mém. Termes. 8vo. *Paris*, 1786. [Translated by Rigaud from Trans. Linn. Soc.]
 — Sendschreiben an Joseph Banks. 8vo. *Gött.* 1789. [Apparently a trans. of the same paper. See Fibig and Nau, Bibl. Gesamt. Naturges. I. (3) 1789, p. 556.]
- Smellie, W. Philos. Nat. Hist. 4to. *Edinb.* 1790. [No sp. nn.]
 — — [Zimmermann's trans.] 8vo. *Berl.* 1791. [No sp. nn.]
- Smith, C. Ancient and present state of Waterford. Ed. 2. 8vo. *Dublin*, 1774. [n. b.]
 — — Kerry. 8vo. *Dublin*, 1774. [No n. spp.]
- Smith, J. E. Sketch of a Tour on Continent. 3 vols. 8vo. *Lond.* 1793. [No sp. nn.]
 — — Ed. 2. 1807. [No sp. nn.]
 — — Tracts relating to Nat. Hist. 8vo. *Lond.* 1798. [No sp. nn.]
- Smith, L. Ueber Nat. Bestim. Thiere. 8vo. *Kopen.* 1790. [General.]
- Soemmering, S. T. Ueber Korp. versch. Negers. 8vo. *Frankf.* 1785. [No sp. nn.]
- Solander, D., and G. Brander. Foss. Hanton. 4to. *Lond.* 1766.
- Soldani, A. Saggio Oritt. 4to. *Siena*, 1780. [n. b.]
 — — Testaceographia. 4 vols. 4to. *Senis*, 1789-98. [n. b.]
- Sonnerat, P. Voy. Nouvelle Guinée. 4to. *Paris*, 1776. [No sp. nn.]
 — — Reise Neuguinea (trans. Ebeling). 4to. *Leipz.* 1777. [n. g. et spp.]
 — — Account of Voy. to Spice Islands and New Guinea. 8vo. *Bury St Ed.* 1781. [Latin diagnoses but no sp. nn.]
 — — Voy. Indes Orientales. 2 vols. 4to. *Paris*, 1782. [No sp. nn.]
- Sonnini, C. S. Voy. Egypte. 3 vols. 8vo. *Paris*, An. VII. (1798-99). [No sp. nn.]
- Sotzmann, D. Natur. Abbild. Insect. *Berlin*, 1785. 144 pls. [These plates are no doubt those used by Herbst in Borowski's Gemein. Nat. Thierreichs.]
- Spain.* R. Soc. Bascongada Amigos Pais de Vergara.
 Extr. Juntas Generales. 12 vols. 4to. *Vitoria*, 1773-84. [Mining, farming, &c.: a peripatetic Soc. like Brit. Assoc.]
- pallanzani, L. Saggio osserv. Micros. 4to. [*Modena*, 1766]. [No sp. nn.]
 — — Nouvelles Recherches. 2 vols. 8vo. *Londres*, 1769. [No sp. nn.]
 — — Opusc. fisica anim. 2 vols. 8vo. *Modena*, 1776. [No sp. nn.]
 — — Opusc. phys. anim. 2 vols. 8vo. *Genève*, 1777. [No sp. nn.]
 — — Opusc. fisica anim. 3 vols. 8vo. *Venez.* 1782. [No sp. nn.]
 — — Phys. Beobacht. Insel Cytherea. 8vo. *Strassb.* 1789. [No sp. nn.]
 — — Diss. relative to Nat. Hist. 2 vols. 8vo. *Lond.* 1784. [No sp. nn.]

- Spallanzani, L. Viag. due Sicilie. 3 vols. 8vo. *Pavia*, 1792-7. [No sp. nn.]
 — Reise beyde Sicilien. 5 pts. 8vo. *Leipz.* 1795-98. [No sp. nn.]
 — Trav. in two Sicilies. 4 vols. 8vo. *Lond.* 1798. [n. b.]
 — Voy. deux Siciles. 6 vols. 8vo. *Paris*, An VIII. (1800). [n. b.]
 — Opusc. supra diversi anim. [ex Viag. Sicilie.]
 — Tracts on Nat. Hist. of anim. 8vo. *Edinb.* 1799. [No sp. nn.]
 — — Ed. 2. 8vo. *Edinb.* 1803. [No sp. nn.]
- Spallowsky, J. J. N. Vorbote der Naturges. 4to. *Wien*, 17---. [No sp. nn.]
 — Beitr. Naturges. Vogel. 6 pts. 4to. *Wien*, 1790, 91, 92, 95, 95. [n. b.]
 — Erste Beitr. Nat. Vierfüß. Thiere. 4to. *Wien*, 1794. [n. b.]
 — Prod. Syst. Hist. Testac. fo. *Wien*, 1795.
 — Naturg. Vierfüß. Thiere, Vogel, Amph. und Conch. 10 vols. 4to. *Wien*. [Engelmann, Bibl. Hist. Nat. 1846, p. 310: I cannot hear of this: ? the circular of a projected work of which the above formed part.]
- Sparman, A. Resa till Goda Hopps Udden. 8vo. *Stock.* I. 1783; II. 1802; III. 1818. [No n. spp.]
 — Reisen (trans. Groskurd). 8vo. *Berlin*, 1784. [mere trans.]
 — Voyage. 2 vols. 4to. *Lond.* 1785. [trans. only.]
 — — Ed. 2. 2 vols. 4to. *Lond.* 1786.
 — Voyage au Cap. 2 vols. 4to. *Paris*, 1787. [trans. only.]
 — — 3 vols. 8vo. *Paris*, 1787. [trans. only by le Tourneur.]
 — Voyage. 2 vols. 12mo. *Perth*, 1789. [trans. only.]
 — Mus. Carlson. 4 pts. fo. *Holmiae*, 1786-89.
 — Utvalda allm. Merendels Rön Med. Nat. 2 vols. 8vo. *Stock.* 1797-1801. [The vol. 2 is the vol. 2 of his "Resa."]
- Speechly, W. Treatise on Pine-apple...Insects. 8vo. *York*, 1779. [No sp. nn.]
 — — Ed. 2. 8vo. *York*, 1796. [No sp. nn.]
- Stedman, J. G. Narrative...Negros of Surinam. 2 vols. 4to. *Lond.* 1796. [No sp. nn.]
 — Voy. à Suriname (trans. Henry). 3 vols. 8vo. *Paris*, An VII. [No sp. nn.]
 — Surinam Negers. 8vo. *Halle*, 1797. } [Not seen.]
 — — 8vo. *Hamburg*, 1797. }
 — Narrative... Ed. 2. 2 vols. 4to. *Lond.* 1806. [No sp. nn.]
- Steiner, J. F. R. Vers...Borkenkäfers. 8vo. *Jena*, 1785. [No n. spp.]
- Steinmetz, J. F. Phys. Unters....Bienen. 8vo. *Nürnb.* 1772. [No sp. nn.]
 — Nähre Aufklärung...Bienen. 8vo. *Breslau*, 1776. [No sp. nn.]
- Steller, G. W. Besch. Kamschatka. 8vo. *Frankf.* 1774. [No sp. nn.]
- Stephan, C. F. De Raiis. 8vo. *Leipz.* 1779.
- Stillingfleet, B. Misc. Tracts Nat. Hist. 8vo. *Lond.* 1762. [No sp. nn.]
 — — Ed. 3. 8vo. *Lond.* 1775. [No sp. nn.]
- Stockholm.* K. Vet. Akad.
 Handlingar. 1758-79. *Nya Handl.* 1780-1800. 44 vols.
 Tall halne i vidpraesid. aflaggnig. 1759-92.
 Svar på Fragan. 1761-73. [Replies to various questions propounded: I cannot see any n. spp. in the series.]
 — K. Vitterhets Hist. Antiq. Akad.
 Handl. Vols. I-VII. 1789-1800. [n. z.]
 — Regia Sci. Acad.
 Analecta transalpina. 2 vols. 8vo. *Venet.* 1762.
- Stoll, C. Natuurlijke...Cicaden. 4to. *Amst.* 1788 &c. [No sp. nn.]
 — Natuurlijke...Wantzen. 4to. *Amst.* 1788 &c. [No sp. nn.]
 — Nat....Spoken. 4to. *Amst.* 1788-1813. [The names in the Indexes are probably by Houttuyn, and were published in 1813.]
 — See Cramer.
- Storia Nat. Ucelli. See Ornith.
- Storr, G. K. C. Entwurf...Naturges. 8vo. *Frankf.* 1777. [Mineral.]
 — Bearbeit. Naturges. 8vo. *Stuttg.* 1780. [No sp. nn.]
 — Alpenreise vom Jahre 1781. 2 vols. 4to. *Leipz.* 1784-6.

- Storr, G. K. C. Prod. Meth. Anim. 4to. *Tubingae*, 1780. [This tract, dated "July 1780," predates Zimmermann, Geogr. Gesch., vol. II., by 2 months—that is dated "Sept."]
 [Stossich, —.] Elenco sist. Anim. Adriatico. 4to. [no place or date]. [No sp. nn.]
 Stralsundisches Magazin. 2 vols. 8vo. *Strals.* 1767-76. [No n. spp.]
 Strassgut, A. Diss. Med. Hist. Verm. 4to. *Vindob.* 1774. [No sp. nn.]
 Ström, H. Phys. Econ. Beskr. Søndmør. 2 vols. 4to. *Sorøe*, 1762, 1766. [n. b.]
 Struve, H. Meth. anal. fossiles. 8vo. *Paris*, 1799. [Mineral.]
 Stubner, J. C. Geogr. Nat. Harzgeb. 2 vols. 8vo. *Leipz.* 1800. [No sp. nn.]
 Stütz, A. N. Einrichtung...Nat. Samm. Wien. 8vo. *Wien*, 1793. [No sp. nn.]
 Sturm, J. Insecten Kabinet. 12mo. *Nürnb.* 1791-92.
 — Verz. mein. Insect. Sammlung. 8vo. *Nürnb.* 1796. [No n. spp.]
 — — 12mo. [*Nürnb.*] 1798. [No n. spp.]
 — — 8vo. *Nürnb.* 1800.
 — Verz. ein. z. Tausch. Insect. &c., being pp. 5-16 of *Nachr. aus des Entom. Publikum.* fo. *Nürnb.* Nov. 1799.
 — Deutschlands Fauna.
 II. Vogel. 1829-1834.
 III. Amphib. 1797-1828.
 VI. Würmer. 1803-1829.
 Suckow, G. A. Anfangsgr. Naturges. Thiere. 6 vols. 8vo. *Leipz.*
 I. Mamm. 1797.
 II. Birds 1800 & 1801. } [Apparently a compilation.]
 III. Amphib. 1798.
 IV. Fish 1799, 1799. }
 Sulzer, F. G. Vers. Naturges. Hamsters. 8vo. *Gött.* 1774. [No sp. n.]
 Sulzer, J. H. Kennzeich. Insekten. 4to. *Zürich*, 1761.
 — Geschichte Insekten. 4to. *Winterthur*, 1776. (32 pls.)
 — — Suppl. (of pls. 33-37). [Is in Roemer, *Genera Insect.*, 1789.]
 Swammerdam, J. Bibl. Natura: Hist. Nat. Insect. 4to. *Dijon and Paris*, 1758. [In Coll. Acad. Sci. Paris, no sp. nn.]
 — Book of Nature (Hill's ed.). fo. *Lond.* 1758. [No sp. nn.]
 — Nat. Hist. Insects. 8vo. *Perth*, 1792. [No sp. nn.]
 Swartz, O. Tal om Nat.-Hist. Sverige. 8vo. *Stock.* 1794. [No sp. nn.]
 — Tal om Hushalls-Nyttan...Daggande Djuren. 8vo. *Stock.* (K. Vet. Ak.), 1798. [No n. spp.]
- Targioni-Tozzetti, G. Relaz. Viag. Toscana. (Ed. 2.) 12 vols. 8vo *Firenza*, 1768-79. [n. b.]
 — Voy. min. Toscana. 8vo. *Paris*, 1792. [No sp. nn.]
 Taube, J. Beitr. Naturk. Zelle. 8vo. *Zelle*, 1766. [No n. spp.]
 — Beitr. Nat. Lüneburg. 8vo. *Zelle*, 1769. [No n. spp.]
 Taubenbuch, Nütliches und Vollst. 8vo. *Ulm*, 1790. [No sp. nn.]
 Terechowsky, M. Diss. de Chao. 4to. *Argent.* 1775. [No sp. nn.]
 Testa, D. (3) Lettere del Sig. Testa...pesci Mte Bolca. 4to. *Venez.* 1793. [No sp. nn.]
 Theil, M. Diss. de Vermibus canal. intest. 4to. *Erfordiae*, 1770. [No sp. nn.]
 — Abh. Würmern Gedarme mensch. Leibes. 8vo. *Berl.* 1786 (not 1766). [General and med.]
- Thibault de Chanvalon, —. Voy. Martinique. 4to. *Paris*, 1763. [No sp. nn.]
 Thiery de Menonville, N. J. Traité culture Nopal, &c. 2 vols. 8vo. *Cap Français*, 1787. [No sp. nn.]
 Thunberg, C. P. Diss. Nov. Spec. Insect. 6 pts. 4to. *Ups.* 1781-91.
 — Diss. Insect. Suecica. 9 pts. 4to. *Ups.* 1784-95.
 — D. D. Mus. Acad. Upsal. 35 Dissert. and 25 Appendices. 4to. *Upsal.* 1787-98, irregularly paged.
 — — Ed. 2. 8vo. *Gött.* 1799-1801. [Reprint of above.]
 — Diss. de Muraena. 4to. *Ups.* 1789.
 — Peric. Entom. 4to. *Ups.* 1789.

- Thunberg, C. P. Char. Gen. Insect. (Meyer's ed., the ed. 2 of preceding.) 8vo. *Gött.* 1791.
 — Char. Gen. Ins. (in Swedish by Törner). 8vo. *Ups.* 1793.
 — Resa Europa, &c. 4 vols. 8vo. *Ups.* 1788-93.
 — Reise... 2 vols. 8vo. *Berl.* 1792-3. [Trans. by Groskurd of preceding.]
 — Voyage... 8vo. *Paris*, 1794. [Selections from the "Resa."]
 — Travels... 4 vols. 8vo. *Lond.* [1794-95]. [Mere translation.]
 — Voyage... 4 vols. 8vo. *Paris*, An VI (1796). [Nat. Hist. revised by Lamarck.]
 — Beskr. Svenske Djur. 8vo. *Ups.* 1798.
 — De Falcone Canoro. 4to. *Ups.* 1799.
- Tilesius, W. G. Verz. merkw. Seeproducte. 8vo. *Leipz.* 1800.
- Titius, J. D. De divis. anim. gen. 4to. *Witt.* 1760. [No sp. nn.]
 — De Rebus petrif. 4to. *Witt.* 1766. [No sp. nn.]
 — Gemein. Abh....nat. Dinge. 8vo. *Leipz.* 1768. [No sp. nn.]
 — Lehrbegriff Naturges. 8vo. *Leipz.* 1777. [Mostly vernacular; not accepted.]
- Toderini, G. Diss....legno fossile. 8vo. *Modena*, 1770. [Botany.]
- Torre, G. M. della. N. osserv. Stor. Nat. 8vo. *Nap.* 1763. [No sp. nn.]
 — — 8vo. *Nap.* 1768. [No sp. nn.]
 — N. osserv. Micros. 4to. *Nap.* 1776. [No sp. nn.]
- Torrubia, J. Naturg. Spanien. 4to. *Halle*, 1773. [No sp. nn.]
- Toulouse.* Acad. Sci.
 Hist. et Mém. 4 vols. 4to. 1782-90. [No sp. nn.]
- Tours.* Soc. Roy. Agric.
 Recueil. 1 vol. 8vo. 1763. [Agriculture.]
- Townson, R. Trav. Hungary. 4to. *Lond.* 1797.
 — Voy. Hongrie. 3 vols. 8vo. *Paris*, 1799.
 — Tracts and Obs. Nat. Hist. 8vo. *Lond.* 1799. [Physiology.]
 — Obs. physiol. de Amphibiis. 2 pts. 4to. *Gött.* 1794-95. [No n. spp.]
- Trampel, J. E. Diss. de Taenia. 4to. *Gött.* 1760. [No sp. nn.]
- Treatise on Domestic Pigeons. 8vo. *Lond.* 1765. [No sp. nn.]
- Trembley, —. Abh. Gesch. Polypenart. [Trans. Goeze.] 8vo. *Qued.* 1775. [No sp. nn.]
- Treutler, F. A. De Echinorhynchorum. 8vo. *Lips.* 1791. [No sp. nn.]
 — Obs....Helminth. 4to. *Lips.* 1793.
- Troil, U. Resu til Island. 4to. *Ups.* 1777. [n. b.]
 — Letters on Iceland. 8vo. *Lond.* 1780. [No sp. nn.]
- Trotter, T. Med. Nautica. 3 vols. 8vo. *Lond.* 1797-1803. [No sp. nn.]
- Turin.* Accad. Sci.
 Miscell. Taurin. (Phil.-math.). 5 vols. 4to. 1759-74.
 Mém. Vols. VI—XI. 1784-1804.
 — Accad. Unanimiti.
 Saggi. 2 vols. 8vo. 1793. [No sp. nn.]
- Turner, G. Mem. on mammoth bones. 1799. [ex Mem. Phil. Soc. Philad.]
- Turpin, F. R. Hist....Siam. 2 vols. 12mo. *Paris*, 1771. [No sp. nn.]
- Tychsen, O. G. Physiol. Syrus. 8vo. *Rostochii*, 1795. [No sp. nn.]
- Uddman, J. Nov. Insect. Spec. Ed. 2 by Panzer. 4to. *Norimb.* 1790. [No n. spp.: ed. 1 was 1753.]
 — — Ed. 2 [3] by Panzer. 4to. *Erlangen*, 1793. [New T. P. only.]
- Uitgezogte Verhand. Soc. Wet. Europa. 10 vols. 8vo. *Amst.* 1757-65. [Reprints of papers in various academies.]
- Ulloa, A. de. Voy. S. America. 2 vols. 8vo. *Lond.* 1758. [No sp. nn.]
 — — 2 vols. 8vo. *Lond.* 1760. [No sp. nn.]
 — — 2 vols. 8vo. *Lond.* 1772. [These two editions are reprints of ed. 1.]
 — Noticias Americanas. 4to. *Madr.* 1772. [No sp. nn.]
 — Phys. Hist. America. 2 vols. 8vo. *Leipz.* 1781. [Not seen; see *infra*.]
 — Mém. phil....Amérique. 2 vols. 8vo. *Paris*, 1787. [No sp. nn.]
- Ungrisches Magazin. 4 vols. 8vo. *Pressburg*, 1781-88.

- Upsala.* Soc. Reg. Sci.
 Nova Acta. Vols. I—VI. 4to. 1773-99.
 Ure, D. Hist. of Rutherglen. 8vo. *Glasgow*, 1793. [n. b.]
 Uslar, J. v. *Pyralis Hercyniana*. 8vo. *Hannover*, 1798.
Utrecht. Prov. Utrechtsch Genoots.
 Verh. 10 vols. 8vo. 1781-1821. [No sp. nn.]
 — Soc. rhenotrajectina.
 Acta literaria. Vols. I—IV. 8vo. 1793-1803. [Lit.]
- Valencia.* Soc. Econ.
 Extract. de las actas. 4to. 1785-91. [No sp. nn.]
 Junta publica. 4to. 1799-1806. [No sp. nn.]
 Valentyn, F. Abh. Schnecken. fo. *Wien*, 1773. [No sp. nn.]
 Valmont de Bomare, —. Dict. raisonnée. 9 vols. 8vo. *Paris*, 1775.
 — — Ed. 3. 9 vols. 8vo. *Lyon*, 1776.
 — — Ed. 4. 8 vols. 4to. *Lyon*, 1791.
 — — (? Ed. 5.) 10 vols. 8vo. *Paris*, 1800.
 — Almind. Naturhist. (Danish ed. of above.) 8 vols. 8vo. *Kjob.* 1767-70. [V. de B. is not binom.]
- Vandelli, D. De Quibusdam Insect. Diss. tres. 8vo. *Patavii*, 1758. [No sp. nn.]
 — Epist. de Holothurio. 4to. *Pat.* 1761. [No sp. nn.]
 — Dicc. termos techn. Hist. Nat. 4to. *Coimbra*, 1788. [No sp. nn.]
 Veltheim, A. F. v. Goldgrab. Ameisen. 8vo. *Helms*. 1799. [No sp. nn.]
 Venegas, M. Nat. Hist. Californiae. 2 vols. 8vo. *Lond.* 1759. [No sp. nn.]
 — Hist. Nat. California. 3 vols. 12mo. *Paris*, 1767. [No sp. nn.]
 — Nat. Hist. California [in Dutch]. 2 vols. 8vo. *Amst.* 1777. [No sp. nn.]
- Verona.* Soc. Ital.
 Mem. Vols. I—X. 1782-1803.
 Verzeichniss Fische u. Krebse Adriat. Meerbusen. 12mo. *Triest*, 1796. [No n. spp.]
 Vetensk. Hand. Lakare och Faltskaur (Hedin's). 6 vols. 8vo. *Stock.* 1793-99. [Med.]
 [Vidaure, P.] Comp. Stor. Nat. Chili. 8vo. *Bologna*, 1776. [No sp. nn.]
- Vienna.* Theresianische Akad.
 Verz. foss. Gebäude. 8vo. 1776. [min.]
 — Phys. Arbeit Freunde in Wien. (Born's.) 4 vols. 4to. 1783-88.
 Viewveg, C. F. Tabell. Verz. Brandenburg. Schmett. 2 pts. 4to. *Berlin*, 1789, 90.
 Villers, C. de. Insectes de France. 4 vols. 4to. *Lyons*, 1781-83. [Never issued, *vide* Hagen.]
 — C. Linnæi Entom. 4 vols. 8vo. *Lugd.* 1789.
 — Nomenclat. Iconum Ent. Linn. 12 pts. fo. [1789], [is the Atlas to above].
- Vio, G. Della natura d. Spongie: [is pp. ix-xxxii of Olivi, Zool. Adriat.]
- Vittorio.* Soc. Bascongada Amigos Pais.
 Ensayo. 1 vol. 8vo. 1768. [No sp. nn.]
- Voet, J. E. Catal. Coleopt. 3 pts. 4to. *Amst.* 1766-1806. [n. b.]
 — *see* Panzer.
- Vogel, B. C. Samml. deutschen Vögel (illustr. by Dietzschin). 2 pts. fo. *Nürnb.* 1772-75. [n. b.]
- Voigt, G. De Piscibus fossil. 4to. *Witt.* 1767. [No sp. nn.]
 Voigt, J. C. W. Erklär. Verz. Cabinet Gebirgsarten. 8vo. *Weimar*, 1792. [min.]
 — ed. 2. 8vo. *Weimar*, 1797. [min.]
- Von der Hagen, T. P. Beschr. Kalkbrüche Rudersdorf. 4to. *Berl.* 1785. [Hist.]
- Vosmaer, A. Natuurk. berchr. Gedierten Prinz Orange. 31 pls. & descr. 4to. *Amst.* 1766-87. [No sp. nn.]
 — Descript. diff. anim. ... *ibid.* 1767-87. [same; in French.]
 — — 4to. *Amst.* 1804. [same as 2, with additions.]
 — Regnum Animale. [Another T. P. to above.]
- Vries, J. de. Natuurk. ... Martinet's Katechismus d. Natuur. 8vo. *Amst.* 1779-78-79. [No sp. nn.]

- Vroeg, A. Catalogus...Verzam....Vogelen...dieren...verz. door A. Vroeg. 8vo. 's *Grav.* 1764. [N. spp. in the "Adumbratiuncula."]
- Wad, G. Foss. Aegyptica. 4to. *Velit.* 1794. [min.]
 — Tab. syn. Oryct. Werner. fo. *Hafn.* 1798. [No sp. nn.]
- Walch, J. E. I. Das Steinreich. 8vo. *Halle*, I. 1762; II. 1764. [No sp. nn.]
 — Ed. 2. Th. I. 8vo. *Halle*, 1769. [No sp. nn.]
- Walcott, J. Petrif. Bath. 8vo. *Bath* [1779]. [No sp. nn.]
 — Exotic Anim. *Lond.* 1788. [No n. spp.]
 — Syn. Brit. Birds. 4to. *Lond.* 1789-92. [No n. spp.]
- Waldin, J. G. „Frankenburg. Verstein. 4to. *Marburg*, 1778. [No sp. nn.]
- Walker, G. & W. Boys. Tert. Min. rar. 4to. *Lond.* [1784].
- Walker, J. Classes Fossil. 8vo. *Edinb.* 1787. [Mineral.]
- Wallbaum, J. J. Beschr. Taubentäuchern. 8vo. *Lubeck*, 1778. [No sp. nn.]
 — Chelonographia. 4to. *Lubeck* [1782].
- Wallerius, J. G. Mineral. 8vo. *Berl.* 1763. [Ed. 2 by Denso, 1778, n. b.]
- Wallis, J. Nat. Hist. Northumb. 2 vols. 4to. *Lond.* 1769. [No sp. nn.]
- Wallmann, J. A. Abh. Alterthum...Quedlinburg. 8vo. *Qued.* 1776. [No sp. nn.]
- Walpurger, J. G. Der grosse Gott im Kleinen. 8vo. *Chennitz*, 1762. [A Book on Bees.]
- [Wartel, P.] Mém. foss. Artois. 12mo. *Arras*, 1765. [No n. spp.]
- Weber, F. Nomencl. Entom....Fabricii. 8vo. *Chil.* 1795.
- Wecko Skriften for Lakare och Naturf. 8vo. *Stock.* 1781-1805. [Med. & Reviews.]
- Weiler, J. F. De anim. nocivis Alsatie. 4to. *Argent.* 1768. [No n. spp.]
- Weissenborn, J. F. De Verm. Corp. human. 8vo. *Erford.* 1797. [No sp. nn.]
- Werner, A. G. Traité carac. fossil. 8vo. *Dijon.* 1790. [Mineral.]
 — Verz. Min. Kabinet Ohain. 8vo. *Freib.* 1791. [Mineral.]
 — Kennz. Fossil. *Wien*, 1795. [Mineral.]
- Werner, J. B. Diss. de Moscho. 4to. *Gött.* 1784. [No sp. nn.]
- Werner, P. C. F. Verm. intest. 8vo. *Lips.* I. 1782; Cont. 1782; Cont. 2, 1786; Cont. 3, 1788 (the last 2 by Fischer).
- West, H. Bidrag....Ste Croix. 8vo. *Kjob.* 1793. [No n. spp.]
 — Beytr....Ste Croix. 8vo. *Kjob.* 1794. [No n. spp.]
- White, G. Nat. Hist. Selborne. 4to. *Lond.* 1789.
 — Naturalists' Calendar. 8vo. *Lond.* 1795.
- White, J. Voy. to N. S. Wales. 4to. *Lond.* 1790. [See Ann. Mag. Nat. Hist. [6] VII. 1891.]
 — Voy. N. Galles de Sud. 8vo. *Paris*, An III. (1795). [No n. spp.]
- Whitehurst, J. Unters. Zustand u. Bildung d. Erde. 8vo. *Leipz.* 1788. [No sp. nn.]
- Widenmann, J. F. W. Handb. Oryct. 8vo. *Leipz.* 1794. [Mineral.]
 — La Oryctognosia. 8vo. *Madrid*, 1797-98. [Mineral.]
- Wilcke, S. G. Diss. Entomothologiae. 8vo. *Gryph.* 1763. [No sp. nn.]
- Wilckens, C. F. Nachr. Verstein. 8vo. *Berlin*, 1769. [No sp. nn.]
- Wild, F. S. Essai Mont salif. Aigle. 8vo. *Geneve*, 1788. [Geol.]
 — Vers. Salzgebirge. 8vo. *Nurem.* 1793. [Geol.]
- Wilhelm, G. T. Unterhalt. Naturges. 20 vols. 8vo. *Augsb.* 1796-1821. [Appears to be a compilation.]
- Wilkes, B. 120 copper plates of Moths &c. 4to. *Lond.* 1773. [Of various years, but no n. spp.]
- Willughby, F. Ichthographia. fo. *Augsb.* 1783, &c. [No sp. nn.]
- Winterschmidt, A. W. Stubenfliege. 20 pp. & 8 pp., 1765. [Usually forms part of Ledermüller's Mikros. Gemuths. ed. 1763.]
- Wissing, A. L. Nestern. See Günther.
- Wohlfahrt, J. A. De Verm. per nares excretis. 4to. *Halae*, 1768. [No sp. nn.]
- Wolf, J. & J. F. Frauenholz. Abbild. u. Beschr....Vogel. 3 pts. 4to. *Nürnb.* 1799, 1800, 1802.
- Wolf, J. C. Reise Zeilan. 2 pts. 8vo. *Berl.* 1782, 84. [No sp. nn.]
- Wolff, J. F. Icones Cimicum. 5 pts. 4to. *Erlangae*, 1800, I, 2, 4, 11.

- Wolff, J. F. Abbild. Wanzer. [Same place and date: trans.]
- Wrede, E. G. F. Geol. Result. Subbaltländer. 8vo. *Halle*, 1794. [Mineral.]
- Wright, T. Fossil moose horns in Ireland. [In pt. 3 of his *Louthiana*, 1758; no sp. nn.]
- Wrisberg, H. A. Anim. infusor. 8vo. *Gött.* 1765. [No sp. nn.]
- Wünsch, C. E. Unterhalt. Menschen. Ed. 2. 2 vols. 8vo. *Leipz.* 1796 & 1798. [No sp. nn.]
- Wulfen, F. X. Descr. Capen. Insect. 4to. *Erlang.* 1786.
- Abh. Kärnthenschen...Helminth. 4to. *Erlang.* 1793. [There seem to have been several issues of this book.] [n. b.]
- Wulff, J. C. Ichthyologia. 8vo. *Regiom.* 1765.
- Wytenbach, J. S. Beitr. Naturg. Schweiz. 8vo. *Bern*, 1775. [No sp. nn.]
- Xamarro, J. B. Conoc. Aves menores de jaula. 12mo. *Madrid*, 1772. [Cage birds.]
- Yeats, T. P. Inst. Entom. 8vo. *Lond.* 1773. [No sp. nn.]
- Catal. Coll. Birds and Quadr. Cayenne. 8vo. *Lond.* 1782. [No n. spp.]
- Zeder. Eingeweidewürmer. See Goeze.
- Zeno, F. Fossils of Prague. See Physic. (N.) Belust.
- Zimmermann, E. A. W. Spec. Zool. 4to. *Lugd.* 1777. [The words used in this book are not used in a generic sense. They signify "The Marmot," "The Rhinoceros" etc. Compare the "Geogr. Gesch." where *Marmotta*, *Rattus*, *Cricetus*, &c. are not used.]
- Geogr. Geschichte. 3 vols. 8vo. *Leipz.* 1778-80-83.
- Kurze Erklär. Zool. Weltcharte. "Anhang" to 2. 8vo. *Leipz.* 1783, paged 1-32.
- Zool. Geogr. 8vo. *Cassel*, 1784. [Consists of the article on Man from 2.]
- Zinke, G. G. Naturg...Nadelholzinsecten. 8vo. *Weimar*, 1798. [No n. spp.]
- Bemerk. schädli. Walddraupe. 8vo. *Jena*, 1797. [No sp. nn.]
- Zopf, C. Die Nonne. 8vo. *Leipz.* 1798. [No n. spp.]
- Zschach, J. J. Insecta Mus. Leske. See Karsten.
- Zückert, J. F. Naturges. Oberharzes. 8vo. *Berl.* 1762. [No n. spp.]
- Naturges. Unterharzes. 8vo. *Berl.* 1763. [No n. spp.]
- Zürich.* Helvet. Gesell.
- Verhand. 1764. [No n. spp.]
- Nat. Gesell.
- Abhand. 3 vols. 1761-66. [No n. spp.]

ADDITIONS AND CORRECTIONS.

References to "Cuvier, Leçons Anat. Comp.," refer to *table not page*.

Lacepède in a letter dated 1831 signed "b. g. é. l. cte de lacepède": this spelling and accentuation should be adhered to.

Zeber should read "Zeder."

-
- **Acus* (Pisces), P. L. S. Müller, Del. Nat. II. 1767, 141.
Aedemera A. G. Olivier, Entom. III. 1795,—see "Oedemera".
albicans Lanarius, Daudin :—should read "lanarius Falco, *var. albicans*".
albicollis Otus, Daudin :—should read "otus Strix, *var. albicollis*".
albus Buteo, Daudin :—should read "buteo Falco, *var. albus*".
albus Falco, Daudin :—should read "Chrysaetos Falco, *var. albus*".
americanus Sacer, Daudin :—should read "sacer Falco, *var. americanus*".
Anadema dele "*err. pro Diadema*".
- †*Anchyceros* A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.—Col.
annotata Tipula, Linnaeus, Syst. Nat., ed. 12, III. 1768, *errata*.
†*Anomala* L. H. von Bloch in Becker, Plau. Grund. 1799, 119.—Hym.
Antribus A. F. de Fourcroy, Ent. Paris, 1785, 136.—*vide* *Anthribus*.
**Aptenodyta* J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.
**Aptenodytes* J. F. Miller, Icon. Anim. pl. 23 (1778).
aruensis Vespa :—should read "I. 1787".
- †*Asper* J. C. Schaeffer, Pisc. Bavar. 1761, 69.—P.
ater Milvus, Daudin :—should read "milvus Falco, *var. ater*".
aureus Gypaetos, Daudin :—should read "alpinus Gypaetos, *var. aureus*".
austriacus Milvus, Daudin :—should read "milvus Falco, *var. austriacus*".
- **Balanus* Da Costa, Brit. Conch. 1778, 249; Bock in Boddart, Natuurbeschouwer, II. 1781, 44; F. C. Meuschen, Mus. Gevers. 1787, 478.
**B[ipes]* B. G. E. de Lacepède, Quad. Ovip. &c. I. 1788, Syn. Meth.
borealis Corax, Daudin :—should read "corax Corvus, *var. borealis*".
boschadis Festuca :—should read "Festucaria".
- **Brentus* Panzer in Drury, Exot. Ins. 1785, 159.
†*Calandra* B. S. Barton, N. H. Pennsylv. 1799, 19.—A.
candida Corone, Daudin :—should read "corone Corvus, *var. candida*".
candidus Corax, Daudin :—should read "corax Corvus, *var. candidus*".
castaneus Gypaetos, Daudin :—should read "alpinus Gypaetos, *var. castaneus*".
Cataphractus (Pisces), F. C. Meuschen, Mus. Gronov. 1778, 56.
Cateretes = *Kateretes* :—Illiger in Kugelann. Käfer Preuss. 1798, 395.
cayennensis Accipiter, Daudin :—should read "nisus Falco, *var. cayennensis*".

* The asterisk means that the reference is earlier than that given in the main index.

† The dagger means that the generic word was omitted in the main index; the species are therein included.

- †*Centrogaster* M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX. (2) 1782, 333.—P.
 †*Cete* J. G. Schneider, Beytr. nat. Wallfisch. 1795, 135.—M.
cinereus Buteo, Daudin :—should read “buteo Falco, *var. cinereus*”.
 **Clava* T. Martyn, Univ. Conch. I. 1784, fig. 12.—G.
clerica Corone, Daudin :—should read “corone Corvus, *var. clerica*”.
 †*Clytus* J. N. Laicharting, Tyrol, Ins. II. 1784, 88.—Col.
Colliurus should read *Colliuris*, C. de Geer, Hist. Ins. IV. 1774, v & 80.
 **Corallium* Marsigli in Müller, Del. Nat. I. 1766, 128.—Cor.
 **Cossyphus* A. G. Olivier, Ency. Meth. VI. (Ins.), 1791, 121.—Col.
crucirostra Corax, Daudin :—should read “corax Corvus, *var. crucirostra*”.
 **Cynocephalus* (Mamm.), E. Geoffroy & Cuvier, Mag. Ency. III. (12), 1795, 462.
- †*Dagysa* J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.—Moll.
decemmaculata Buprestis, P. Rossi, Mant. Ins. II. 1794, 101.
domestica Martes, Pinel :—delete this entry.
 **Dorippe* F. Weber, Nomen. Fabricii, 1795, 93.
 †*Dorylus* J. C. Fabricius, Ent. Syst. II. 1793, 365.—Hym.
dschindschicus v. gingicus.
- Elephorus* = *Elophorus* :—G. Paykull, Fauna Suec. I. 1798, 240.
 †*Euryala* F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
eurytus Papilio, Fab. 1793 :—should read “*eurytris*”.
- fulicaria* Columbus :—should read “*Columba*”.
Fungidora should read “*Fungivora*”.
 †*Fungites* Martini, Berlin Mag. I. 1765, 268.—Cor.
 **Fusus* P. L. S. Müller, Del. Nat. I. 1766, 129.
- Galleruca* = *Galeruca* :—J. C. Fabricius, Suppl. Ent. Syst. I. (2), 1792.
 †*Gallina* Linnaeus in Hasselquist, Palast. 1762, 327.—A.
gallinarius Buteo, Daudin :—should read “buteo Falco, *var. gallinarius*”.
 †*Gazella* P. S. Pallas, Nov. Comm. Petrop. XIII. 1769, 468.—[? used generically.]
Gobiomaroides should read “*Gobiomoroides*”.
Gobiomarus should read “*Gobiomorus*”.
graminis-canini Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783,
 155 [*n. n.*].
gravidus *Cataretus* should read “*Cateretes*”.
- **Harpa* P. S. Pallas, Spic. Zool. X. 1774, 33.
Helmintholithus it has been found convenient to quote these groups.
Helodes = *Elodes* :—G. Paykull, Fauna Suec. II. 1799, 84; III. 1800, 451.
 †*Hydroides* J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 52.—Ver.
- †*Ibex* P. S. Pallas, Spic. Zool. XI. 1776, 31.—M. [? used generically].
 **Idotea* F. Weber, Nomen. Fabricii, 1795, 94.
iomaculata Buprestis :—should read “*decemmaculata*”.
 **Ips* C. de Geer, Mem. Ins. V. 1775, 194.
italicus Otus, Daudin :—should read “*otus Strix, var. italicus*”.
Iulus *vide* *Julus*.
- Lacertus* = *Lacerta* :—B. G. E. de Lacepède, Quad. Ovip. &c. I. 1788, Syn. Meth.
lacteus Accipiter, Daudin :—should read “*nisus Falco, var. lacteus*”.
lasiurus Nycterus :—should read “*Nycterus*”.
 **Leucophra* O. F. Müller, Zool. Dan. II. 1784, 97.
 **Ligniperda* P. S. Pallas, Spic. Zool. IX. 1772, 6.
Lygdus = *Lyctus* :—J. C. Fabricius, Actes Soc. H. N. Paris I. (1), 1792, 33.
- **Machla* A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.

- Macrocephalus* Swederus, is an Hemipteron.
- **Milvus* C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I. (177-), 15.
miniata Serratula, C. F. Schulze, Dresdnisches Mag. II. 1765, 460.
minor Leopardus, T. Pennant :—delete this entry.
- †*Monotama* G. W. F. Panzer, Ins. Germ. I. 1792, no. 24.—Col.
Musidora should read "*Musivora*".
Myrmeleo = *Myrmeleon* :—P. S. Pallas, Reise Russ. I. 1771, 469.
- naevius* Buteo, Daudin :—should read "*buteo Falco, var. naevius*".
Necrophorus = *Nicrophorus* :—Hausmann, Entom. Bemerk. 1799, 33.
nigra Serratula, C. F. Schulze, Dresdnisches Mag. II. 1765, 460.
- **Notocanthus* M. E. Bloch, Abh. böhm. Ges. Wiss. 1787 (1788), 278.
- †*Nyctemene* J. M. Bechstein in Pennant, Uebers. 4 füss. Thiere, II. 1800, 615 & 736.—M.
- **Oliva* T. Martyn, Univ. Conch. III. 1789, fig. 111.
- **Orbis* P. L. S. Müller, Del. Nat. II. 1767, 141.—P.
- **Orthocera* (Rhiz.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 63.
- **Orycteropus* G. Cuvier, Tabl. élém. 1798, 144.
- **Otus* T. Pennant, Ind. Zool. 1769, 3.
- **Pecten* P. Osbeck, Reise Ost-Ind. China, 1765, 391.
pennatus Buteo, Daudin :—should read "*buteo Falco, var. pennatus*".
petosius should read "*petosiris*".
- †*Physis* J. A. Scopoli, Del. Insub. I, 1786, 46.—Ver.?
- **Pithecius* E. Geoffroy and Cuvier, Mag. Ency. III. (12), 1795, 462.
podae Aranea *vide* "R. P. Podae, p. 840".
prima Querquedula :—delete this entry.
- recticornis* Gazella :—should read "XIII. 1769, 468".—[? used generically.]
russicus Milvus, Daudin :—should read "*milvus Falco, var. russicus*".
- **Ruticilla* Bartram in Barton, N. H. Pennsylv. 1799, 19.—A.
- †*Sagra* J. F. W. Herbst, in Jablonsky, Nat. Ins. (Käfer), VII. 1797, 265.) Col.
Saphyga should read "*Sapyga*".
somaidia should read "*somacola*".
sorocensis should read "*soroensis*".
- **Spio* Koenig in O. F. Müller, Würm. 1771, 188.
surcitor Tetrao :—delete this entry.
- **Tapir* J. F. Blumenbach, Handb. Naturges. 1779, 129.
tortuosa Trisidos (Gm.), J. F. Bolten, Mus. Bolten. II. 1798, 175.—Arca.
- varia* Corone, Daudin :—should read "*corone Corvus, var. varia*".
varius Corax, Daudin :—should read "*corax Corvus, var. varius*".

INDEX

NOMINUM ANIMALIUM.

- aalge Colymbus, E. Pontoppidan, Danske Atlas, I. 1763, 621; & Danischer Atlas, I. abacus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 32. [1765, 401.
- abadonna Sphinx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 435.
- abaris [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 146.
- abas Bombyx (Cr.), J. C. Fabricius, Spec. Ins. II. 1781, 173.—Phalaena.
- abas [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 121.
- abasia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 103.
- abbadon Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 262.
- abbas Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 750.
- abbaticus Lituus, J. J. N. A. Spalowsky, Prod. Test. 1795, 9.
- abbreviana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 278.
- abbreviator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 153. [1787.
- abbreviator Molorchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 356.—Leptura abbreviata,
- abbreviatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3478.
- abbreviata Calendra (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 64.—Curculio.
- abbreviata Cantharis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1900.
- abbreviatus Carabus, J. C. Fabricius, Reise Norwegen, 1779, 263. [—Lymexylon.
- abbreviata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 147.
- abbreviata Cicada, J. C. Fabricius, Mant. II. 1787, 271.
- abbreviata Coccinella, J. C. Fabricius, Mant. I. 1787, 54.
- abbreviatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
- abbreviatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 436.
- abbreviatus Dytiscus, J. C. Fabricius, Mant. I. 1787, 191.
- abbreviata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 97.
- abbreviatus Hister, J. C. Fabricius, Syst. Ent. 1775, 53.
- abbreviatus Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 456.
- abbreviata Leptura, J. C. Fabricius, Syst. Ent. 1775, 199.
- abbreviata Leptura, J. C. Fabricius, Mant. I. 1787, 160.
- abbreviatus Lyctus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 21.
- abbreviatus Lymæus, J. C. Fabricius, Ent. Syst. IV. 1794, 150.
- abbreviata Lymexylon, J. C. Fabricius, Mant. I. 1787, 164.
- abbreviata Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 45.
- abbreviata Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 91.
- abbreviatus Ptinus, F. v. P. Schrank, F. Boica, I. 1798, 542. [Curculio.
- abbreviatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 11.—
- abbreviatus Scarabæus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
- abbreviatus Scarabæus, C. G. Jablonsky, Nat. Ins. (Käfer) II. 1789, 53. [Melolontha.
- abbreviatus Strongylus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 190.—
- abbreviatus Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256. [Nitidula.
- abbreviatus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 8.
- abbreviata Vespa, C. de Villers, Linn. Ent. III. 1789, 281.
- abdita Madrepora, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 162.
- abdominalis Aedemera, A. G. Olivier, Entom. III. 1795, 14.

- abdominale Anisotoma, G. Paykull, Faun. Suec. III. 1800, 436.—Sphaeridium, 1798.
- abdominalis Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 76.
- abdominale Callidium, A. G. Olivier, Entom. IV. 1795, 70.
- abdominalis Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 67.
- abdominalis Carabus, J. C. Fabricius, Mant. I. 1787, 201.
- abdominalis Ceria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 557.—Syrphus, 1794.
- abdominalis Cicada, E. Donovan, Ins. China, 1798.
- abdominalis Coccinella, C. P. Thunberg, Ins. Suecica (9), 1795, 111.
- abdominalis Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
- abdominalis Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151. [Crioceris.]
- abdominalis Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
- abdominalis Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 433.
- abdominalis Erotylus, J. C. Fabricius, Ent. Syst. I (2) 1792, 38.
- abdominalis Fasciola, J. A. E. Goeze, Eingeweidewürm. 1782, 187.
- abdominalis Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.—Crioceris.
- abdominalis Hemerobius, J. C. Fabricius, Syst. Ent. 1775, 310.
- abdominalis Hylaëus, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 18.
- abdominalis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 409.
- abdominalis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 183.
- abdominalis Lacerta, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 127.
- abdominalis Lacerta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 29.
- abdominalis Lagria, J. C. Fabricius, Mant. I. 1787, 93.
- abdominalis Ligula (Goeze), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3043.—
Fasciola. *varr.* cobitidis; cyprinorum; gobionis; trincæ; carassii; leucisci; alburni;
vimbae; bramae.
- abdominalis Malachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 71.
- abdominalis Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
- abdominalis Melolontha, J. C. Fabricius, Spec. Ins. II. 1781, 496.
- abdominalis Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 4.—Lagria.
- abdominalis Mordella, J. C. Fabricius, Syst. Ent. 1775, 264.
- abdominalis Necedalis, A. G. Olivier, Entom. IV. 1795, 8.
- abdominalis Oxyporus, J. C. Fabricius, Spec. Ins. II. 1781, 501.
- abdominalis Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Hemerobius, 1775.
- abdominalis Salamandra, P. A. Latreille, Salamand. France, 1800, 29 & 50.
- abdominalis Scarabæus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1559.—
- abdominale Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 79. [Melolontha.]
- abdominale Sphaeridium, G. Paykull, Faun. Suec. I. 1798, 71.
- abdominalis Sphex, D. Drury, Ill. Nat. Hist. I. 1770, index & 108. [Oxyporus.]
- abdominalis Staphylinus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2037.—
- abdominalis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 307.
- abdominalis Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 216.
- abdominalis Tiphia, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 5.
- abdominalis Thynnus, J. C. Fabricius, Ent. Syst. II. 1793, 245.
- abebalus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 145.
- abyssinicus *v.* abyssinicus.
- abiecta *v.* abjecta.
- abies Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1290. [Ellis.]
- abies Gorgonia, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 161.—[? abietina.]
- abietana Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 101. [*n. et f.*].
- abietana Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 160
- abietana Phalaena [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
- abietana Pyralis, J. C. Fabricius, Mant. II. 1787, 237.
- abietana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 532.
- abietella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
- abietinus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 367.
- abietina Gorgonia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 96.
- abietina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1307.
- abietina Sphex, Scopoli, Ent. Carn. 1763, 296.

- abietina Tenthredo, J. L. Christ, Nat. Ins. 1791, 447.
 abietis Anobium, J. C. Fabricius, Ent. Syst. I. (1) 1792, 238.
 abietis Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 55.
 abietis Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 728.
 abietis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
 abietis Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 154.
 abietis Coccus, A. Modeer, Götheborg Samhalle Hand. (Wet. Afd.) I. 1778, 27.
 abietis Cryptocephalus, G. Paykull, Faun. Suec. III. 1800, 356.—Dermestes, 1798.
 abietis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613.
 abietis Dermestes, G. Paykull, Faun. Suec. I. 1798, 291.
 abietis Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Cimex.
 abietis Phalaena Bombyx, J. Hübner, Beitr. Schmett. I (3) [1788], 3.
 abietis Psylla, O. F. Müller, Z. Dan. Prod. 1776, 109.
 abietis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 923.
 abildgaardii Sparus, M. E. Bloch, Nat. ausl. Fische. V. 1791, 22.
 abildgaardiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 274.
 abildgaardiana Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 90.
 abjecta Mantis, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 4.
 abiecta Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 176.
 ablectus Musca, M. Harris, Exp. Eng. Ins. 1776, 41.
 abolla Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 162.
 abrogator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 367.
 abrotani Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 73.
 abrotonoides Madrepora, Boerh., P. L. S. Müller, Del. Nat. I. 1766, 127.
 abruptaria Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 59.
 abruptaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 117.
 abruptella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
 abrupta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 absissa Silpha, J. N. Laicharting, Tyrol. Ins. I. 1781, 91.
 absconditus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 138.
 absinthiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me. judice 1796], fig. 34
 absinthiata [Phalaena], C. Clerck, Icones, I. 1759, pl. viii. 9. [n. et f.]
 absinthii Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
 absinthii Aphis, Scopoli, Ent. Carn. 1763, 137.
 absinthii Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
 apsinthii (*sic*) Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 9.
 absinthii Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.—Chrysomela.
 absinthii Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 610.—Phalaena.
 absinthii Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1763, 314.
 absinthii Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 44.
 absolon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 56.
 abstergens Hydrachna, O. F. Müller, Hydrachnae, 1781, 61.
 abstergens Trombidium (Muell.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
 abu-dafur Chaetodon, P. Forskal, Descr. Anim. 1775, 65; and *varr.* hanni; jahud.
 Abu-defduf P. Forskal, Descr. Anim. 1775, 59.—P.
 abu-kohhla Tetraodon, P. Forskal, Descr. Anim. 1775, xvii.—[n. n.]
 abu-mgaterin Sciaena, P. Forskal, Descr. Anim. 1775, 51.
 abu-samf Sciaena, P. Forskal, Descr. Anim. 1775, 49.
 abutilon Cimex, P. Rossi, Fauna Etrus. II. 1790, 242.
 abyssinicus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 358.
 abysinnica Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 379.
 abyssinica Coracias, F. M. Daudin, Traité élém. Orn. 1800, 260.
 abyssinicus Dipus, F. A. A. Meyer, Zool. Entdeck. 1793, 86.
 abessinicus Dipus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 711.
 abyssinica Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 927.
 abyssinica Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 860.
 abyssinicus Scirus, P. Boddaert, Elench. 1785, 117.
 abessinicus Scirus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 149.

- abyssinicus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
 abyssinus Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4)
 abyssinus Oniscus, O. Fabricius, F. Groen. 1780, 261. [1793, 141.—Oniscus.
 acachnoideus *v.* arachnoideus.
 acaciae Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 279.
 acaciae Papilio, J. C. Fabricius, Mant. II. 1787, 69.
 acadian Cottus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 393.
 acadica Muscivora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 947.
 acadica Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, p. 296.
 acadensis Strix, *id.* *ac* acadica, Gm., J. Latham, Index Orn. 1790, 65.
 acamas Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 8.
 Acantharis P. Browne, Hist. Jamaica, ed. 2, 1789, 434.—Hym.
 acantharis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
 acantharis Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 732.—Cimex.
 Acanthia J. C. Fabricius, Syst. Ent. 1775, 693.—Hem.
 acanthias Gasterosteus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1328.
 acanthias Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 397.
 acanthina Macerophyllum, F. C. Meuschen, Mus. Gever. 1787, 432.
 acanthinus Strombus, F. C. Meuschen, Mus. Gever. 1787, 292.
 Acanthis M. B. Borkhausen, Deutsch. Fauna, I. 1797, 248.—A.
 Acanthocephalus I. T. Koelreuter, Nov. Comm. Ac. Sci. Petrop. XV. 1771, 500 &
 acanthodes Syrphus, P. Rossi, Mant. Ins. II. 1794, 63. [503.—Ver.
 Acanthonotus G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [n. n.].—P.
 Acanthus E. Acharius, K. Vet. Ac. Nya Handl. I. 1780, 50.—Ver.
 Acanthurus P. Forskal, Descr. Anim. 1775, 59.—P.
 acanthurus Cancer, P. Forskal, Descr. Anim. 1775, 94.
 acanthurus Cancer (Astacus) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 67.
 acanthurus Erinaceus, P. Boddaert, Elench. 1785, 129.
 Acanthus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 105.—P.
 acanthus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 302.—Papilio.
 acantus [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (32) 1782, 179.
 Acarauna G. Edwards in M. Catesby, Carol. II. 1771, 31.—P.
 Acardo J. G. Bruguière, Ency. Méth. (Vers) (2) 1789, 1.—L. [see Arcardo.]
 Acardo Lamarck, Mem. Soc. H. N. Paris, 1799, 81.—L.
 acaroides Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 29.
 acaroides Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.
 acaroides Scorpio (L.), J. C. Fabricius, Spec. Ins. I. 1781, 552.—Phalangium.
 acarorum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 524.
 acarorum Ichneumon (L.), J. C. Fabricius, Syst. Ent. 1775, 344.—Mutilla.
 acarorum Ichneumon Mutilla (L.), J. L. Christ, Nat. Ins. 1791, 376.—Mutilla.
 acarorum Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 968.
 Acarus Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.—Ar.
 acarus Himantopus, O. F. Müller, An. Infus. 1786, 248.—Trichoda, 1773.
 acarus Trichoda, O. F. Müller, Verm. I (1) 1773, 79.
 acastus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 335.—Papilio.
 acastus [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 65.
 acastus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.—[P. (Danaus), ed.
 accedula Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus. [12].
 accedula Mus, P. S. Pallas, N. sp. Quad. II. 1779, 257.
 accentifer Prionus, A. G. Olivier, Entom. IV. 1795, 8.
 Accentor J. M. Bechstein, Getreue Abbild. heft 13 [? 1795], 47.—A.
 accessella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
 accinctus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 317.
 accinctum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
 Accipiter M. J. Brisson, Ornith. I. 1760, 310.—A.
 accipitrinus Curculio, G. C. Reich, Mant. Ins. 1797, 5.
 accipitrinus Falco, F. E. Daudin, Traité élém. Orn. 1800, 87.
 accipitrina Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.

- accipitrina Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 393.
- accipitrinus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 148.
- accipitrinus Psittacus, R. Kerr, Anim. Kingd. 1792, 606.—*var.* loricatus.
- accipitrina Stryx, P. S. Pallas, Reise Russ. I. 1771, 455.
- accius Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 45.
- accraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [mea sententia 1796], fig. 185
- accusator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 172. [n. et f.]
- acephala Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
- acephala Empis, C. de Villers, Linn. Ent. III. 1789, 572.
- acephala Empis, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 24.
- acephala Rana, J. G. Schneider, Hist. Amph. I. 1799, 146.
- aceraria Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
- aceraria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
- acerina Perca, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 455.
- aceris Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 262.
- aceris Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 739.
- aceris Coccus, H. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 22.
- aceris Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 225.
- aceris Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2652.
- aceris Papilio, Esper in H. G. Lang, Verz. Schmett., ed. 2, 1789, 31. [142.]
- aceris Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1783,
- aceris Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 846.
- acerosa Gorgonia, P. S. Pallas, Elench. 1766, 173.
- acerosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 159.
- acervorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
- acervorum Blatta, Bloch in G. W. F. Panzer, Ins. Germ. heft 68 [1799], tab. 24.
- acervorum Formica, J. C. Fabricius, Ent. Syst. II. 1793, 358.
- acesta Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
- acetabulum Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793.
- acetabulum Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1303.
- aceti Anguillula, O. F. Müller, An. Infus. 1786, 63.
- aceti Vibrio, O. F. Müller, Naturforscher, XIX. 1783, 162.
- acetimuscarius Ichneumon, J. L. Christ, Nat. Ins. 1791, 371.
- acetosae Aphis, Linnaeus, Syst. Nat., ed. 12, 1767, 734.
- acetosae Curculio, G. W. F. Panzer, Ins. Germ. heft 42 [1797], tab. 9.
- acetosellae Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
- achaeus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—Papilio acheus.
- achariana Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 168.
- acharia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 108.
- acharon Zygaena, J. C. Fabricius, Syst. Ent. 1775, 556.
- achataea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 266.
- achatalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. II. 1790, 15.
- achatalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [mea judice 1796], 6 & 5 [2].
- achatana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 418.
- achatana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 239.—Phalaena.
- achatana Tortrix [Denis and Schiffermüller], Schmett. Wien, 1775, 131.
- achatana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [mea judice 1796], fig. 49 [n. et f.]
- achatata Phalaena, J. J. Roemer, Gen. Ins. 1789, 75.
- achates Conus, F. C. Meuschen, Mus. Gever. 1787, 354.
- achates Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.
- achates [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 130.
- achates Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 141.
- achates Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 133.
- Achatina Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—G.
- achatinata Geometra, J. Hübner, Europ. Schmett. (Geom.) [mea judice 1796], fig. 301
[n. et f.]
- achatinata Phal. Geom., J. Hübner, Samml. Vogel u. Schmett. 1793, 14 [n. et f.]
- achatina Achatina (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—Bulla.

- achatina Ampulla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, p. 110.—Bulla.
 achatinum Buccinum (Linn.), O. F. Müller, Verm. II. 1774, 140.—Bulla.
 achatinus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 358.—Bulla.
 achatina Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728; ed. 12, 1767, 1186.
 achatinus Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
 achatinus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3386.
 achatinus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 43.—Conus.
 achatinum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 154.
 achatina Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
 achatina Noctua (Cr.), J. C. Fabricius, Ent. Syst. III. (2) 1794, 16.—Phalaena.
 achatina [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 145.
 achatina Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 153.
 achatina Phalaena Noct., J. H. Sulzer, Gesch. Ins. 1776, 160.
 achatina Rhinoceros, F. C. Meuschen, Mus. Gev. 1787, 264.
 achatina Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 110.
 achelous Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 172.—Phalaena.
 achelous [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 22.
 achemenides [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 53.
 achemon Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 51.
 achemon Zyaena, J. C. Fabricius, Spec. Ins. II. 1781, 162.
 acheronta Papilio, J. C. Fabricius, Syst. Ent. 1775, 501.
 Acheta J. C. Fabricius, Syst. Ent. 1775, 279.—Or.
 Acheta v. Gryllus.
 achetoides Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
 acheus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 121.
 achilleae Aphis, J. C. Fabricius, Gen. Ins. 1777, 302.
 achilleae Leptura, N. J. Brahm, Ins. Kal. I (2) 1791, 141.
 achilleae Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781] 189.
 achilles Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.
 achine Papilio, Scopoli, Ent. Carn. 1763, 156.
 achine [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 94.
 achirus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 268.
 aciculare Buccinum, O. F. Müller, Z. Dan. Prod. 1776, 243.
 acicularis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
 acicularis Ichneumon, A. F. de Fourcroy, Ent. Paris, 1785, 424.
 acicularis Nautilus (Lituus), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 16.
 aciculatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
 aciculatus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 123.
 acicula Ascaris, J. G. Bruguière, Ency. Méth. (Vers. Int. 1791), 94.
 acicula Buccinum, O. F. Müller, Verm. II. 1774, 150.
 acicula Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
 acicula Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers.) (1), 1789, 311.—Buccinum.
 acicula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
 acicula Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 252.
 acinacidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 46.
 acinaria Sertularia, P. S. Pallas, Elench. 1766, 123.
 acinosus Brachionus, P. S. Pallas, Elench. 1766, 100. [onus.
 acinosa Vorticella (Pall.), F. v. P. Schrank, Naturforscher, XXVII. 1793, 26.—Brachi-
 Acipenser Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.—Artedi, Ichth. 1738,
 gen. xliii. 65.
 acis Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 295.—Papilio.
 acis Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 2.
 acis Papilio, [Denis & Schiffermüller], Schmett. Wien, 1755, 182.
 acis Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 504.
 acis Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 56.
 acmon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 284.—Papilio.
 acmon [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 81.
 acmon Papilio, J. C. Fabricius, Mant. II. 1787, 70.

- acoli Falco, F. M. Daudin, *Traité élém. Orn.* 1800, 176.
- aconthea [Papilio], P. Cramer, *Uitl. Kapellen*, II (12) 1777, 59.
- acontia Coluber (Laur.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1093.—
[Vipera.]
- acontius Papilio (D.), Linnaeus, *Mant.* II. 1771, 537.
- acontia Vipera, J. N. Laurenti, *Syn. Rept.* 1768, 102.
- aconyta Bombyx (Cr.), A. G. Olivier, *Ency. Méth.* V (Ins.) 1790, 45.—Phalaena.
- aconyta [Phalaena], P. Cramer, *Uitl. Kapellen*, II (11) 1777, 51.
- acornis Copris, A. F. de Fourcroy, *Ent. Paris.* 1785, 14.
- acouchy Cavia, J. C. P. Erxleben, *Syst. Anim.* 1777, 354.
- akouchi Cavia, E. A. W. Zimmermann, *Spec. Zool.* 1777, 508.
- acuschy Cavia, J. F. Gmelin, *Linn. Syst. Nat.*, ed. 13, I. 1788, 121.
- acraensis Apis, J. C. Fabricius, *Ent. Syst.* II. 1793, 329.
- acrea Phalaena, D. Drury, *Ill. Nat. Hist.* I. 1770, index & 7.
- acredula Motacilla, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 189.
- acredula Mus, Pall. [*id. ac accedula*], J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788,
[137.]
- acredula Mus (Cricetus), R. Kerr, *Anim. Kingd.* 1792, 242.
- acredula Sylvia (L.), J. Latham, *Syn. Birds, Suppl.* I. 1787, 288.—Motacilla.
- acreon Hesperia, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 301.
- acreon Papilio, J. C. Fabricius, *Mant.* II. 1787, 76.
- acria Bombyx, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 451.
- Acrida *v.* Gryllus.
- acridea Mantis, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 80.
- Acridium E. L. Geoffroy, *Hist. Insect. Paris*, I. 1762, 390.—Or.
- Acrydium J. C. Fabricius, *Syst. Ent.* 1775, 278.—Or.
- acridulus Curculio, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 378; ed. 12, 1767, 607.
- acrión Papilio, E. Pontoppidan, *Danske Atlas*, I. 1763, 685.
- acrión Papilio, O. F. Müller, *Z. Dan. Prod.* 1776, 115.
- acris Apis, M. Harris, *Exp. Eng. Ins.* 1776, 135.
- Acrochordus C. F. Hornstedt, *K. Vet. Ac. Nya Handl.* VIII. 1787, 306.—R.
- Acrocordon G. Cuvier, *Leçons Comp. Anat.* I. 1800, 3 [*n. n.*].—R.
- acron [Phalaena], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 59.
- acropora Madrepora, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1276.
- Acrydium *v.* Acridium.
- actaeon Geotrupes, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 12.—Scarabaeus.
- actaeon Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 829.
- acteon Papilio, S. A. v. Rottemberg, *Naturforscher*, VI. 1775, 30.
- aktäon [Papilio], J. A. B. Bergstraesser, *Nom. Ins.* IV. 1780, 37.
- actaeon Scarabaeus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 345; ed. 12, 1767, 541.
- actaea Papilio (N. G.), E. J. C. Esper, *Die Schmett.* I (Bd. 2) *Forts. Tagschmett.* [1780], 37.
- actaea Papilio, H. G. Lang, *Verz. Schmett.*, ed. 2, 1789, 23.
- actea Papilio, L. Prunner, *Lep. Pedemont.* 1798, 72.
- acteus [Sphinx], P. Cramer, *Uitl. Kapellen*, III (21) 1779, 93.
- Actinia P. S. Pallas, *Misc. Zool.* 1766, 152.
- Actinia Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1088.—Coel.
- Actinophorus C. Creutzer, *Entom. Vers.* 1799, 79.—Col.
- actorion Papilio, Linnaeus, *Amoen. Acad.* VI. 1763, 409.
- actorion [Papilio], C. Clerck, *Icones*, II. 1764, pl. xxxvi.
- actoris Hesperia (Cr.), J. C. Fabricius, *Ent. Syst.* III (1) 1793, 316.—Papilio.
- actoris [Papilio], P. Cramer, *Uitl. Kapellen*, I (8) 1776, 146.
- aculeator Ichneumon, J. C. Fabricius, *Ent. Syst.* II. 1793, 159.
- aculeata Anomia, O. F. Müller, *Z. Dan. Prod.* 1776, 249.
- aculeata Aphrodita, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 655; ed. 12, 1767, 1084.
- aculeata Aphrodita, E. Pontoppidan, *Kurz. Nachr. N.-H. Dännemark* 1765, 194 [*n. n.*].
- [aculeatus Araneus, C. Clerck, *Aran. Svec.* 1757, 87.]
- aculeata Aranea, J. Fabricius, *Syst. Ent.* 1775, 435.
- aculeata Arca, J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 107.
- aculeata Asterias, Linnaeus, *Syst. Nat.*, ed. 12, 1767, p. 1101.
- aculeata Asterias, T. Pennant, *Brit. Zool.*, ed. 4, IV. 1777, 54.

- aculeatus Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 406.
aculeatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
aculeatus Cancer, O. Fabricius, F. Groen. 1780, 239.
aculeatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 248.
aculeatus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 464.
aculeatus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 63.
aculeatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, see emend. 824 (679).
aculeatum Cardium, Linnaeus, Syst. Nat., ed. 12, 1767, 1122.
aculeatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
aculeatum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—Cardium.
aculeata Chama, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 368.
aculeata Chama, J. X. Poli, Test. Sicil. II. 1795, 123.
aculeatus Chiton, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.
aculeatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
aculeata Conops, Linnaeus, Faun. Suec., ed. 2, 1761, 468.
aculeatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1804.
aculeata Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 498.
aculeatus Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 489.
aculeatus Gekko, M. Houttyn, Verh. Zeeuwisch Genoot. Wet. Vlissingen, IX. 1782, 324.
aculeata Helix, O. F. Müller, Verm. II. 1774, 81.
aculeatus Inachus, F. Weber, Nomen Fabricii, 1795, 93.—Cancer, 1793.
aculeata Lepas, P. G. Lindroth, Mus. Grill. 1788, 15 [*n. n.*].
aculeatus Lophius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 496.
aculeatus Macrogathus (Bl.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 283.—
aculeata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 669. [Ophidium.
aculeata Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
aculeata Myrmecophaga, G. Shaw, Nat. Misc. III. 1792, pl. 109.
aculeata Nerita, O. F. Müller, Verm. II. 1774, 193.
aculeata Nerita (*ex. Chem.*), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
aculeatus Oniscus, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (1), 1780, 247.
aculeatum Ophidium, M. E. Bloch, Nat. ausl. Fische, II. 1786, 72.
aculeata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
aculeata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3693.
aculeatus Porcus, P. L. S. Müller, Del. Nat. II. 1767, 142.
aculeatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 221.
aculeata Pterotrachea, P. Forskal, Descr. Anim. 1775, 118.
aculeata Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
aculeatus Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 51.
aculeatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 157.
aculeata Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1297.
aculeatus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.—
aculeatus Syngnathus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 8. [Nerita.
aculeata Thrips, T. Marsham, Tr. Linn. Soc. [Lond.] III. 1797, 247 [*n. n.*].
aculeata Tubipora, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 350.
aculeatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
aculeata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3293.
acuminator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
acuminator Ichneumon, J. C. Fabricius, Mant. I. 1787, 268.
acuminatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 501.
acuminata Akis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 129.—
acuminata Anguis, F. C. Meuschen, Mus. Gronov. 1778, 12. [Pimelia.
acuminata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
acuminata Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 12.
acuminata Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 376.
acuminata Buprestis, C. de Geer, Mém. Ins. IV. 1774, 133.
acuminata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. IV. 1787, 52.
acuminata Caecilia, F. C. Meuschen, Mus. Gronov. 1778, 17.
acuminatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 194.

- acuminatum** Callidium, J. C. Fabricius, Gen. Ins. 1777, 231.
acuminatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 340.
acuminatus Carabus, G. Paykull, Faun. Suec. I. 1798, 166.
acuminatum Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.—
acuminata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 50. [Callidium.
acuminatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 460.
acuminata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
acuminata Cicada (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2094.—
acuminata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 36. [Membracis.
acuminatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
acuminatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 688.
acuminatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 152.
acuminata Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 508.
acuminatus Dermestes (Kug.), G. Paykull, Faun. Suec. I. 1798, 299.—Latridium.
acuminata Eurychoira (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791,
acuminata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 571. [119.—Pimelia.
acuminata Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 47.
acuminatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767,
acuminatus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 37. [696.
acuminata Idotea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 303—Cymothoa, 1793.
acuminatus Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 575-
acuminata Leptura, A. G. Olivier, Entom. IV. 1795, 20.
acuminata Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 442.—Gryllus.
acuminata Membracis, J. C. Fabricius, Syst. Ent. 1775, 675.
acuminatus Murex, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 108.
acuminata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.
acuminatus Parnus, J. C. Fabricius, Ent. Syst. I (1) 1792, 246.
acuminata Pimelia, J. C. Fabricius, Mant. 1, 1787, 209.
acuminata Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 266.
acuminatus Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1573.—
acuminatus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 31. [Cetonia.
acuminatus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 361.—Pimelia.
acuminata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
acu-picta Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 145.
acu-pictus Nerita, T. Martyn, Univ. Conch. III. [1789], fig. 107.
acupunctatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
Acus G. Edwards in M. Catesby, Carol. II. 1771, 30.—P.
Acus [G. Humphreys], Mus. Calonn. 1797, 31.—G.
acus Ascaris, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 544.
acus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
acus Cimex, C. de Geer, Mém. Ins. III. 1773, 322.
acus Fusaria (Bloch), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 39.—
acus Gymnotus, M. T. Brünnich, Ich. Massil. 1768, 13. [Ascaris.
acus Murex, C. U. v. Salis, Reise Neapel, 1793, 373.
acus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 416.
acus Vibrio, O. F. Müller, An. Infus. 1786, 59.
acus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3451.
acuschy Cavia, Gm., v. *acouchy*.
acustris Nereis, v. *lacustris*, Linnaeus, Syst. Nat., ed. 12, 1767, 1085.
acutangulus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2147.
acutangulum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 92.—Turbo.
acutangulus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
acutangula Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
acutangulus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
acutauricularis Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 102.
acuti Cavia, P. S. Pallas, Misc. Zool. 1766, 31 [v. *et. aguti*].
acutipennis Caprimulgus, P. Boddaert, Tab. Planch. Enl. 1783, 46.
acutissimum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.

- acutissima Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 51.
acutissima Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 75.
acutorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 158.
acuta Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 202.
acuta Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 302.
acuta Ascaris, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 53.
acutus Bulimus (Müll.), J. G. Bruguière, Ency. Meth. (Vers) (1) 1789, 323.—Helix.
acuta Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
acuta Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 99.
acutus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1031.
acutus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 34.
acutus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 201.
acuta Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
acutus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
acutum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93.
acutus Gryllus (Locusta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2087.
acuta Helix, O. F. Müller, Verm. II. 1774, 100.
acuta Helix, E. M. da Costa, Brit. Conch. 1778, 55.
acuta Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1023.
acuta Leucophaea, O. F. Müller, An. Infus. 1786, 151.
acutum Paramecium, J. Hermann, Naturforscher, XX. 1784, 156.
acuta Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [n. n.].
ada [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 142.
adactylus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2994.—Hippra.
adactyla Hippra, J. C. Fabricius, Mant. I. 1787, 329.
adactila Idotea (Fab.), F. Weber, Nomen. Fabricii, 1795, 94.—Hippra.
adaena Bombyx v. advena.
adaequata Phalaena Geometra, M. B. Borkhausen, Nat. Eur. Schmett. V. 1794, 444.
adamanteus Crotalus, de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 368.
adamovichiana Meloides, M. Piller and L. Mitterpacher, Iter Poseg. 1783, 39.
adansonii Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 479.
adansonii Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
adansonii Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 35.
adansoniiella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 527.
Adela P. A. Latreille, Préc. Car. Ins. 1796, 147.—Lep.
adelais Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 345.
Adelphozion P. Osbeck, Reise Ostindien, 1765, 108.—Ver. [*gen. caelebs*].
adhaerens Scolopendra, P. Forskal, Descr. Anim. 1775, 87.
adiaphora Musca, Mayer, Abh. privat. Ges. Bohmen. IV. 1779, 184.
adiaphorus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
Adimonia J. N. Laicharting, Tyrol. Ins. I. 1781, 190.—Col.
adiposa Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
adiposa Ascidia, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 257.
adippe Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 786.
adippes [Papilio], J. A. B. Bergstraesser, Ic. Pap. III. 1781, 8.
adive Canis, R. Kerr, Anim. Kingd. 1792, 141.
adjutrix [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 144.
admetus Papilio, E. J. C. Esper, Die Schmett., Forts. Tagschmett. (1783—1785) 148.
admirabilis [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 11.
admirabilis Sphex, J. L. Christ, Nat. Ins. 1791, 298.
admirella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 526.
adnata Tubipora, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 349.
adonia [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 109.
adonidis Chrysomela, P. S. Pallas, Reise Russ. I. 1771, 462.
adonidum Chrysis, P. Rossi, Fauna Etrus. II. 1790, 79.
adonidum Coccus, Linnaeus, Syst. Nat., ed. 12, 1767, 740.
adonis Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 299.—Papilio.
adonis Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 184.

- adonis Papilio, P. Cramer, Utitl. Kapellen, I (6) 1775, 95.
 appendiculatus *v.* *appendiculatus*.
 adrastus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 62.
 adriatica Hirudo, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 255.
 adriaticus Labrus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1297.
 adriatica Nereis, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 272.
 adriatica Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
 adriatica Trigla, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1346.
 adscendens Cynips, J. C. Fabricius, Mant. I. 1787, 251.
 adscendens Fulgora, J. C. Fabricius, Mant. II. 1787, 260.
 adscensionis Cancer, P. Osbeck, Reise Ost-Ind. China, 1765, 389.
 adscensionis Diomedea, P. Osbeck, Reise Ost-Ind. China, 1765, 382.
 ascensionis Holocentrus (Osb.), G. A. Suckow, Naturges. IV. 1799, 532.—Perca.
 ascensionis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
 adscensionis Ostrea, P. Osbeck, Reise Ost-Ind. China, 1765, 389.
 adscensionis Pecten, P. Osbeck, Reise Ost-Ind. China, 1765, 391.
 adscensionis Perca, P. Osbeck, Reise Ost-Ind. China, 1765, 388.
 adscensionis Scomber, J. R. Forster in Osbecks Voy. China, II. 1771, 94 [said to be
 adscensionis Squalus, P. Osbeck, Reise Ost-Ind. China, 1765, 385. [O.'s sp.].
 adscensionis Trachinus, P. Osbeck, Reise Ost-Ind. China, 1765, 388.
 Adscita A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.—Lep.
 adscitella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
 adscitus Psittacus, J. Latham, Index Orn. 1790, 126.
 adsimilis Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
 adsociaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 78.
 adspargillus Crambus, Bosc., Bull. Sci. Soc. Philom. [Paris] no. 39, 1800, 114.
 adspersaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 496.
 adspersaria Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796] fig. 206
 adspersaria Phalaena, J. C. Fabricius, Mant. II. 1787, 189. [*n. et f.*].
 adspersus Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 332.
 adpersum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 265.
 adpersa Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
 adpersus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 264.
 adpersus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1968.
 adpersus Carabxy, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
 adpersus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 53.
 adpersus Curculio, J. C. Fabricius, Syst. Ent. 1775, 149.
 adpersus Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 18.
 adpersus Elater, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 37.
 adpersus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 254.
 adpersus Musca, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2865.
 adstrictor Dermestes, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 140.
 adstrictor Trixagus (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794.
 adulterator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 192. [535.—Dermestes.
 adumbrata Phalaena [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 adumbrata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 384.
 adumbrata Phalaena (Noct.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
 adumbrata Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 160.
 adunata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 488.
 adunata Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128 ; ed. 12, 1766, 206.
 adunca Anas, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
 adunca Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 5.
 aduncum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
 aduncus Nautilus, L. v. Fichtel & P. C. v. Moll, Test. Micr. 1798, 115.
 adunca Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 150.
 adustata Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
 adustata Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796], fig. 75
 adusta Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 20 [*n. n.*]. [*n. et f.*].

- adustus* Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
adustus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2185.
adusta Cioceris, C. Creutzer, Ent. Vers. 1799, 121.
adustus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
adusta Leptura, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1872.
adusta Necydalis, G. W. F. Panzer, Deutsch. Ins. [1795], 279.
adusta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 483.
advenaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 45
advenaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 70. [*n. et f.*].
[*advenus*]
adaena Bombyx, J. C. Fabricius, Mant. II. 1787, 123.
advena Bombyx, C. de Villers, Linn. Ent. IV. 1789, 451.
advena Elater, Scopoli, Ent. Carn. 1763, 94.
advena Elater, J. C. Fabricius, Mant. I. 1787, 174.
advena Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.
advena Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
advena Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 615.
adversata Phalaena, J. G. Schaller, Naturforscher, XXIII. 1788, 52. [—Noctua.
adversus Turbo, E. M. da Costa, Brit. Conch. 1778, 96.
aeacus Sphinx [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
aeacus Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 207.
aeacus Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 8.
aeas [Sphinx], P. Cramer, Utitl. Kapellen, III (19) 1779, 57.
aecas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 102.
aedea Papilio, Linnaeus, Amoen. Acad. VI. 1763, 403.
aedea Papilio, C. Clerck, Icones, II. 1764, pl. xli.
Aedemera *id. ac Oedemera*.
aedificator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 275.
aedilis Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, p. 628.
aedilis Lamia (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 23.—Cerambyx.
aedon Muscicapa, P. S. Pallas, Reise Russ. III. 1776, 695.
aegeon Geotrupes (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus.
aegaeon Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 54.
aegagropila Cancer, J. C. Fabricius, Mant. I. 1787, 322.
aegagropila Dromia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 360.—Cancer, 1787.
Aegagrus P. S. Pallas, Spic. Zool. XI. 1776, 43 & Zoogr. I. 1811, 226.—M.
aegagrus Capra, J. C. P. Erxleben, Syst. Anim. 1777, 260.
aegagrus Capra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 193.—*varr.* hircus,
angorensis, mambrica, depressa, reversa, capricornus.
aegagrus Hircus, P. Boddaert, Elench. 1785, 146.
aegagrus Tragus (Erx.), F. v. P. Schrank, F. Boica, I. 1798, 80.—Capra.
aegeria Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 771.
aegina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 52.—Phalaena.
aegina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 191.
aegisthus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 401.
aegisthus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 20.
aegistus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 69.
aegithalodes Pipra, H. Lichtenstein, Cat. rerum Nat. I. 1793, 52.
aegle Papilio, J. C. Fabricius, Gen. Ins. 1777, 255.
aegle Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 170.
aeglefini Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
aeglefinus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 251; ed. 12, 1766, 435.
aegocephala Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 246.
aegon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
aegon Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
aegon Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 130.
aegopthalmus Helix, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3614.
aegopodii Aphis, Scopoli, Ent. Carn. 1763, 137.

- aegrota Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 87.
 aegyptia Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 489.
 aegypti Culex, Linnaeus in Hasselquist, Palast. 1762, 470.
 aegypti Cynips, Linnaeus in Hasselquist, Palast. 1762, 466.
 aegyptiaca Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 512.
 aegyptiacus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 118.
 aegyptiaca Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
 aegyptiaca Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1928.
 aegyptiacum Callidium, J. C. Fabricius, Syst. Ent. 1775, 194. [—Callidium.
 aegyptiacus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.
 aegyptiacus Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2196.—Reduvius
 aegyptiacus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 124. [aegyptius, Fab.
 aegyptiaca Columba, J. Latham, Index Orn. 1790, 607.
 aegyptiaca Formica, J. C. Fabricius, Syst. Ent. 1775, 393.
 aegyptiacus Gryllus (Locusta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2074.
 aegyptiaca Numida, J. Latham, Index Orn. 1790, 622.
 aegyptiaca Perca, Linnaeus in Hasselquist, Palast. 1762, 401.
 aegyptiaca Tringa, Linnaeus in Hasselquist, Palast. 1762, 305.
 aegyptiacus (sic) Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
 aegyptiacus Vespertilio, Linnaeus in Hasselquist, Palast. 1762, 276.
 aegyptica Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 197.
 aegyptica Caudiverbera, J. N. Laurenti, Syn. Rept. 1768, 43.
 aegypticus Corvus, Linnaeus in Hasselquist, Palast. 1762, 296.
 aegyptica Simia, Linnaeus in Hasselquist, Palast. 1762, 269.
 aegyptius Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
 aegyptia Alcedo, Linnaeus in Hasselquist, Palast. 1762, 300.
 aegyptius Chameleo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 31.
 aegyptius Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 254.
 aegyptius Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 727.
 aegyptius Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 420.
 aegyptius Dipus, R. Kerr, Anim. Kingd. 1792, 274.
 aegyptius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 261.
 aegyptius Gryllus (Locusta), Linnaeus, Mus. Lud. Ulr. 1764, 138.
 aegyptia Lacerta, Linnaeus in Hasselquist, Palast. 1762, 353.
 aegyptius Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 155.—Cimex.
 aegyptius Merops, P. Forskal, Descr. Anim. 1775, 1.
 aegyptius Papilio, J. C. D. Schreber, Nov. Spec. Ins. 1759, 12.
 aegyptius Reduvius, J. C. Fabricius, Syst. Ent. 1775, 732.
 aegyptius Salmo, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1386.
 aegyptia SpheX, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942
 aegyptius Tenebrio, P. Forskal, Descr. Anim. 1775, 78.
 aegyptius Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
 aeilus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 56.
 aelianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 280.
 aelothorax v. aeolothorax.
 aemilia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 230.
 aemulella Tinea, J. Hubner, Europ. Schmett. 8 Horde [me judice 1796], 52.
 aemula Apis, P. Rossi, Mant. Ins. I. 1792, 140.
 aemullus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 322.
 aemula Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 314.
 aemula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 aenealis Pyralis [Denis & Schiffermüller], Schmett. Wien, 1775, 123. [789.—Noctua.
 aeneana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 417.
 aeneas Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 747.
 aeneas Scarabaeus, G. W. F. Panzer, Beytr. Ges. Ins. I. 1793, pl. v. [n. et f.].
 aeneella Phalaena, Scopoli, Ent. Carn. 1763, 255.
 aeneella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 aeneella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 31.

- aeneicollis Buprestis, C. de Villers, Linn. Ent. I. 1789, 340.
 aeneicollis Elater, G. A. Olivier, J. Nat. Hist. (Choix des Mém.), I. 1792, 264.
 aeneipennis Apis, C. de Geer, Mém. Ins. III. 1773, 573.
 aenipennis Galleruca, K. Illiger, Archiv. Zool. (Wiedemann), I (2) 1800, 134.
 aeneipennis Vespa, J. L. Christ, Nat. Ins. 1791, 244.
 aeneocephalus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 137.
 aeneocephalus Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 23.
 aeneo-niger Elater, C. de Geer, Mém. Ins. IV. 1774, 159.
 aeneo-oculatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 502.
 aeneopectinicornis Elater, C. de Geer, Mém. Ins. IV. 1774, 145.
 aeneopunctatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 88.
 aeneo-punctata Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 232.
 aenea Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 5.—Lagria.
 aenea Aedemera, A. G. Olivier, Entom. III. 1795, 14.
 aenea Alcedo, A. Vroeg, Catal. Vogél. 1764, Adumb. 1.
 aenea Altica, A. F. de Fourcroy, Ent. Paris. 1785, 102.
 aenea Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Apis.
 aeneus Anthribus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.—Nitidula.
 aenea Antipat[h]es (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 81.—Gorgonia.
 aeneum Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 101.—Attelabus.
 aenea Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 421.
 aenea Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 277.
 aeneus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio, 1787.
 aenea Bibio, J. C. Fabricius, Gen. Ins. 1777, 305.
 aeneus Bombylius, P. Rossi, Mant. Ins. II. 1794, 78.
 aeneus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
 aenea Buprestis, Linnaeus, Faun. Suec., ed. 2, 1761, 213.
 aenea Buprestis, J. A. Scopoli, Annus V. 1772, 106.
 aenea Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 275.
 aeneus Byrrhus, J. C. Fabricius, Syst. Ent. 1775, 60.
 aeneum Callidium, in Fuessly, Arch. Ins. V. 1784, 96.
 aeneum Callidium, J. C. Fabricius, Mant. I. 1787, 151.
 aeneus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
 aenea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
 aeneus Carabus, C. de Geer, Mém. Ins. IV. 1774, 98.
 aeneus Carabus, J. C. Fabricius, Syst. Ent. 1775, 245.
 aenea Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 391.
 aeneus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 89.
 aenea Certhia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxviii.
 aenea Cetonia, L. G. Schriba, J. Lieb. Ent. I. 1790, 69.
 aenea Cetonia, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 157.
 aenea Chalcis, P. Rossi, Fauna Etrus. II. 1790, 59.
 aenea Chrysis, J. C. Fabricius, Mant. I. 1787, 284.
 aenea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
 aenea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 61.
 aeneus Cimex, Scopoli, Ent. Carn. 1763, 122.
 aenea Cistela (Fab.), J. N. Laicharting, Tyrol. Ins. I. 1781, 73.—Byrrhus.
 aenea Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 604.
 aeneus Clerus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 134.—
 aenea Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283. [Lagria.
 aeneus Conops, Scopoli, Ent. Carn. 1763, 356.
 aeneus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.—Scarabaeus.
 aenea Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1729.—
 Lagria (1775).
 aeneus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 220.
 aeneus Kryptophagus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 173.—Ips.
 aeneus Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
 aeneus Dermestes, C. de Villers, Linn. Ent. I. 1789, 61.

- aenea Diaperis (Panz.), G. Paykull, Faun. Suec. III. 1800, 359.—Scolytus.
 aenea Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
 aenea Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.
 aenea Donacia, D. H. Hoppe, Ins. Elyt. 1795, 44.
 aeneus Dytiscus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 166.
 aeneus Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 16.
 aeneus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
 aenea Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1290.
 aeneus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 46.
 aeneus Hister, J. C. Fabricius, Syst. Ent. 1775, 53.
 aeneus Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 379.
 aenea Ips (Schaller), J. C. Fabricius, Mant. I. 1787, 46.—Silpha.
 aenea Lagria, J. C. Fabricius, Syst. Ent. 1775, 124.
 aenea Lagria, J. C. Fabricius, Mant. I. 1787, 94.
 aenea Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
 aenea Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 231.
 aenea Leptura, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 320.
 aenea Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia.
 aeneus Lethrus, J. C. Fabricius, Ent. Syst. I (1) 1792, 2.
 aenea Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.
 aeneus Lucanus, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781), 278.
 aeneus Malachius (L.), J. C. Fabricius, Syst. ent. 1775, 207.—Cantharis.
 aeneus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
 aenea Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.
 aeneus Melyris, A. G. Olivier, Entom. II. 1790, 11.
 aenea Melyris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
 aenea Musca, Scopoli, Ent. Carn. 1763, 347.
 aenea Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
 aenea Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 335.
 aeneus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 194.
 aenea Nitidula, J. C. Fabricius, Syst. Ent. 1775, 78.
 aenea Nitidula (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 116.—Ips.
 aenea Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
 aenea Patella, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 17.
 aenea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
 aenea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 10.
 aeneus Sargus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca, 1794.
 aeneus Scarabaeus, Linnaeus, Mus. Lud. Ulr. 1764, 29.
 aeneus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 277.
 aeneus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 34.
 aeneus Scolytus, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 2.
 aenea Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 254.
 aenea Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
 aenea Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
 aeneum Sphaeridium, J. C. Fabricius, Ent. Syst. I. (1) 1792, 83.
 aeneus Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 23.
 aeneus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
 aeneus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 168.
 aeneus Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 249.
 aeneus Staphylinus, A. G. Olivier, Entom. III. 1795, 10.
 aeneus Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 310.—Turdus.
 aeneus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 302.
 aeneus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 73.—Cantharis.
 aeneaus Telephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
 aeneus Tenebrio, Scopoli, Ent. Carn. 1763, 82.
 aeneus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 53.
 aeneus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 48.
 aenea Trogossita, A. G. Olivier, Entom. II. 1790, 7.

- aeneus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 818.
aenea Upis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 28.—Tenebrio.
aenipennis *v.* **aeneipennis**.
aenippa [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 13; & II (14) 1777, 95.
aenobarbus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus, 1792.
aenobarbus Scarabaeus, J. C. Fabricius, Ent. Syst. I. 1792, 13.
aenoburbus Scarabaeus *err. pro* aenobarbus, Fabr., J. C. Fabricius, Mant. I. 1787, 6.
aenobarus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 10.
aeolicum Cardium, I. v. Born, Index Mus. Caes. Vind. 1778, 36.
aeolicum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
Æolidia G. Cuvier, Tab. Elém. 1798, 388.—Nud.
“**Æolis**, Cuvier, 1798,” Herrmannsen; *v.* **Æolidia**.
aeolothorax Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
aeolothorax Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 25.
aeolothorax Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
aeolus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 284.
aeolus Papilio, J. C. Fabricius, Syst. Ent. 1775, 522.
aequalis Bombylius, J. C. Fabricius, Spec. Ins. II. 1781, 473.
aequalis Cimex, C. de Villers, Linn. Ent. I. 1789, 529.
aequatorialis Manatus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 17.
aequatus Attelabus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 388.—Curculio.
aequatus Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
aequatus Involulus (L.), F. v. P. Schrank, F. Boica, I. 1798, 477.—Curculio.
aequatus Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 132, sign.
aequilatera Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311. [I2.—Attelabus.
aequinoctialis Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
aequinoctialis Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 240.
aequinoctialis Buprestis, A. G. Olivier, Entom. II. 1790, 56.
aequinoctialis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 229.
aequinoctialis Carabus, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 1976.
aequinoctialis Cetonia, A. G. Olivier, Entom. I. 1789, 50.
aequinoctialis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 596.
aequinoctialis Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2112.
aequinoctialis Cicindela, Linnaeus, Amoen. Acad. VI. 1763, 395.
aequinoctialis Cimex, Scopoli, Ent. Carn. 1763, 132.
aequinoctialis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 265.
aequinoctialis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.
aequinoctialis Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 28.—Chrysomela.
aequinoct[ialis] Melolontha [D. H. Schneider], Nom. Ent. 1785, 2 [*n. n.*].
aequinoctialis Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 62.
aequinoctialis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 992.
aequinoctialis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 995.
aequinoctialis Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 207.—Musca.
aequinoctialis Procellaria, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 213.
aequinoctialis Procellaria, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 80.
aequinoctialis Scyllarus, N. T. Lund, Skr. nat. Selsk. [Copen.] II (2) 1793, 21.
aequinoctialis Scyllarus, F. Weber, Nomen. Fabricii, 1795, 94 [*n. n.*].
aequinoctialis Sphex, Scopoli, Ent. Carn. 1763, 292.
aequinoctialis Sylvia (Gm.), J. Latham, Index Orn., 1790, 541.—Motacilla.
aequinoctialis Sylvia, J. Latham, Index Orn. 1790, 553.
aequorea Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1097.
aequoreus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 417.
aerata Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 35.
aerata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 456.
aerata Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800] 468.
aeratus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1570.
aerdan Lacerta, P. Forskal, Descr. Anim. 1775, ix. [*n. n.*].
aerealis Phal. Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*n. et f.*].

- aerealis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 29.
- aerea Donacia, F. v. P. Schrank, F. Boica, I. 1798, 684.
- aereus Libellula, M. Harris, Exp. Eng. Ins. 1776, 98.
- aereus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
- aeropus [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 108.
- aeropa Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; P. (Danaus) ed. 12,
- aerosa Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1928. [1767, 768.]
- aerosa Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1690.
- aerubescens Phalaena, [D. H. Schneider] Nom. Ent. 1785, 44 [n. n.].
- aerugana Geometra, [Denis & Schiffermüller] Schmett. Wien, 1775, 101.
- aeruginalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 26.
- aeruginalis [Pyralis], J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], pl. 20,
f. 133 [n. et f.].
- aeruginaria Geometra, [Denis & Schiffermüller] Schmett. Wien, 1775, 314. [n. et f.].
- aeruginaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 46.
- aeruginaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 17.
- aeruginaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
- aerugineus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1986. [43.—Geometra.
- aeruginea Cetonia, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 156.
- aeruginea Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 216.
- aeruginea Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 330.
- aerugineus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 208.
- aeruginea Cistela, J. C. Fabricius, Syst. Ent. 1775, 117. [—Cistela.
- aerugineus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1715.
- aeruginea Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 96.—Cistela, 1775.
- aerugineus Scarabaeus, C. de Villers, Linn. Ent. IV. 1789, 209.
- aeruginosus Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 8.—Falco.
- aeruginosus Buprestis, J. F. W. Herbst, Schrift Berlin. Ges. Nat. Freunde, I. 1780, 91.
- aeruginosus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 54.
- aeruginosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
- aeruginosus Carabus (Four.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
- aeruginosa Cetonia (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 221.—Scara-
- aeruginosus Cimex, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5. [baeus.
- aeruginosus Cryptocephalus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789,
- aeruginosus Curculio, G. Bonsdorff, Curc. Succ. 1785, 23. [1725.—Luperus.
- aeruginosus Elater, [D. H. Schneider] Nom. Ent. 1785, 19 [n. n.].
- aeruginosus Elater, A. G. Olivier, Entom. II. 1790, 33.
- aeruginosus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
- aeruginosus Helops, J. C. Fabricius, Mant. I. 1787, 213.
- aeruginosa Leptura, O. F. Müller, Z. Dan. Prod. 1776, 95.
- aruginosa Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
- aeruginosus Luperus, O. F. Müller, Z. Dan. Prod. 1776, 84.
- aeruginosa Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
- aeruginosus Melolontha (L.), V. Petagna, Spec. Ins. ult. Calab. 1786, 4.—Scarabaeus.
- aeruginosus Milvus, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I [177-] 15.
- aeruginosus Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 396. [Helops.
- aeruginosa Pimelia (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2009.—
- aeruginosus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 142.
- aeruginosus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 558.
- aeruginosus Scarabaeus (Cetonia), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1581.
- aeruginosus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
- aerugula Phal. Bom., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [n. et f.].
- “Aesalon, Brisson, 1760,” Ag. [not used in a generic sense].
- aesalon Accipiter, J. C. Schaeffer, Mus. Orn. 1789, 8. [caribaeorum, falconariorum.
- aesalon Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 284, *varr. noveboracensis*,
- aesculapii Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
- aesculapii Natrx (Linn.), J. N. Laurenti, Syn. Rept. 1768, 76.—Coluber.
- aesculapius Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.

- aesculapius* Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 347.
aesculapius Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 154.
aescularia Geometra, [Denis & Schiffermüller] Schmett. Wien, 1775, 102. [*n. et f.*].
aescularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 189
aescularia Bombyx (L.), E. J. C. Esper, Die Schmett. III (25) 1786, 311.—Phalaena.
aesculi Bostrichus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 525.
aesculi Cossus (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 4.
aesculi Hepialus (L.), J. C. Fabricius, Syst. Ent. 1775, 590.—Phalaena.
aesculi Phalaena, J. A. Scopoli, Del. Insub. I. 1786, 54.
aesculi Phal. (Hepialus), Herbst, Einl. Ins. II. 1785, 103.
aesculi Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 833.
aesculus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
Aeshna J. C. Fabricius, Syst. Ent. 1775, 424.—Neur.
aesopus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
aesopus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 125.
aestivalis Naucoris, J. C. Fabricius, Ent. Syst. IV. 1794, 66. [*n. et f.*].
aestivaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 9
aestivaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 16.
aestivaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 22.
aestivationis Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 454.
aestivus Asilus, Scopoli, Ent. Carn. 1763, 365.
aestivus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
aestivus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 387.
aestivus Dermestes, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.
aestiva Melolontha, A. G. Olivier, Entom. I. 1789, 17.
aestiva Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 996.
aestiva Musca, O. F. Müller, F. Ins. Frid. 1764, 86.
aestiva Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 77.—Silpha.
aestiva Nitidula (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 445.—Strongylus.
aestiva Nitidula, Illiger in Kugelann, Käfer Preuss. 1798, 385.
aestiva Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
aestivus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 101; ed. 12, 1786, 146.
aestivus Psittacus (L.), R. Kerr, Anim. Kingd. 1792, *varr.* *jamaicensis* (598), *guianensis*
brasilienis, *varius*, *amazonicus* (599), *magnus*, *flavicollo*, *simulatus* (600).
aestiva Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.
aestivus Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 186.
aestiva Sylvia (Gm.), J. Latham, Index Orn. 1790, 551.—Motacilla.
aestiva Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 889.
aestivus Tenebrio, O. F. Müller, Z. Dan. Prod. 1776, 74.
aestuans Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 961.
aestuans Asilus, Linnaeus, Amoen. Acad. VI. 1763, 413.
aestuans Cerambyx, A. G. Olivier, Entom. IV. 1795, 123.
aestuans Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 593.
aestuans Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1684.
aestuans Curculio, J. C. Fabricius, Ent. Syst. I. (2) 1792, 445.
aestuans Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 27.
aestuans Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
aestuans Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 88.
aestuans Sciurus, P. B. C. Graumann, Introd. H. N. 1779, 66.
aestuans Sciurus (L.), R. Kerr, Anim. Kingd. 1792, *var.* *fasciatus* 263.
aestuans Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 20.
aestuans Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 462.
aestuata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 867
aethale Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 92.
aethale Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
aethalurus Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
aethereus Phaëthon, Linnaeus, Syst. Nat., ed. 10, 1758, 134; ed. 12, 1766, 219.
aethiopia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 136.

- aethiopata Phalaena, Scopoli, Ent. Carn. 1763, 231.
 aethiopicus Aper, P. S. Pallas, Misc. Zool. 1766, 16.
 aethiopica Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
 ethiopicus (*sic*) Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 563.
 aethiopicum Cymbium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 151.—Voluta.
 aethiopica Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 382.—Voluta.
 aethiopica Locusta, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 103.
 aethiopicus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1574.
 aethiopicus Sus, Linnaeus, Syst. Nat., ed. 12, III. 1768, App. 223.
 aethiopicus Tabanus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
 aethiopicus Tantalus, J. Latham, Index Orn. 1790, 706.
 aethiopicus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
 aethiopica Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1195.
 aethiopiassa Altica, F. v. P. Schrank, Naturforscher, XXIV. 1789, 69.
 aethiops Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.—Bibio, 1781.
 aethiops Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 130.
 aethiops Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
 aethiops Asilus, P. S. Pallas, Reise Russ. I. 1771, 474.
 aethiops Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 415.
 aethiops Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
 aethiops Cerambyx, Scopoli, Ent. Carn. 1763, 53.
 aethiops Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—Lamia.
 aethiops Cercopthecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 38.—Simia.
 aethiops Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 309.
 aethiops Cicada, F. v. P. Schrank, Ins. Aust. 1781, 255.
 aethiops Cimex, J. C. Fabricius, Mant. II. 1787, 296.
 aethiops Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 48.
 aethiops Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai
 Fourmis, 1798, 35.
 aethiops Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 10.
 aethiops Fulica, A. Sparrman, Mus. Carls. I. 1786, no. xiii.
 aethiops Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
 aethiops Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
 aethiops Lamia, J. N. Laicharting, Tyrol. Ins. II. 1784, 19.
 aethiops Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
 aethiops Merganser (Scop.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Mergus.
 aethiops Mergus, J. A. Scopoli, Annus I. 1769, 70.
 aethiops Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2831.—Bibio.
 aethiops Papilio, E. J. C. Esper, Die Schmett. I (9) 1779, 312.
 aethiops Papilio (Pleb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2360.
 aethiops minor Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
 aethiops Papio, E. A. W. Zimmermann, Geogr. Ges. Mensch, II. 1780, 180.
 aethiops Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28 [=cephus, ed. 12].
 aethiops Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 67 & *var.* torquatus.
 aethiops Tenthredo, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2662.
 aethiops Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 121.
 aethiops Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
 aethiops Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
 aetolus *v.* etolus.
 [afēr-ra-rum].
 afrum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 232.
 afra Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 258.
 afra Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
 afra Cantharis (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.—Meloe.
 afēr Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 73.
 afēr Cerambyx, Linnaeus, Mant. II. 1771, 532.
 afēr Cerambyx, *id.* ac ater, L., J. C. Fabricius, Syst. Ent. 1775, 166.
 afra Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.

- afra Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2101.
 afer Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 66.
 afra Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 284.
 afra Coracias, J. Latham, Index Orn. 1790, 172.
 afer Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 157.
 afra Crioceris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61.
 afer Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 418.
 afer Curculio, X. Wulfen, Descr. Cap. Ins. 1786, xv.
 afer Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 12.
 afer Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 121.
 afra Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 905.
 afer Gryllus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2057.
 afer Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 85.
 afra Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3651.
 afra Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 857.
 afra Lytta (L.), J. C. Fabricius, Syst. Ent. 1775, 260.—Meloe.
 afer Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 680.
 afra Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962.
 afer Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
 afra Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 940.
 afra Myrmecophaga, P. S. Pallas, Misc. Zool. 1766, 64.
 afer Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
 afra Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 155; ed. 12, 1766, 264.
 afer [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 49.
 afer Papilio, N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784],
 afer Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1010. [161.
 Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
 afra Perdix, J. Latham, Index Orn. 1790, 648.
 afer Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1578.
 afer Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1038.
 afra Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
 afer Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
 afer Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 119.
 afer Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
 afer Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
 afra Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
 afer Vernetus (Gm.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
- affiniaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 136.
 affiniata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 294.
 affinis Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.] IV. 1798, 201.
 affinis Apis, Linnaeus, Mus. Lud. Ulr. 1764, 417.
 affinis Bruchus, J. A. Frolich, Naturforscher, XXVIII. 1799, 55.
 affine Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
 affinis Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 450.
 affinis Carabus, F. v. P. Schrank, Ins. Aust. 1781, 212.
 affinis Cassida, J. C. Fabricius, Syst. Ent. 1775, 88.
 affinis Cetonia, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 152.
 affinis Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
 affinis Chrysomela, J. C. Fabricius, Mant. I. 1787, 67.
 affinis Clytra, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 611.
 affinis Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 153.
 affinis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
 affinis Copris, J. Sturm, Verz. Ins. Samml. 1800, 102.
 affinis Crabro, P. Rossi, Mant. Ins. I. 1792, 137.
 affinis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 121.
 affinis Curculio [D. H. Schneider], Nom. Ent. 1785, 12 [n. n.].
 affinis Curculio, G. Paykull, Mon. Curc. 1792, 68.
 affinis Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 15.

- affinis Cynips, P. Rossi, Mant. Ins. II. 1794, 107.
 affinis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
 affinis Doris, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3106.
 affinis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 211.
 affinis Echinorhynchus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3050.
 affinis Elater, G. Paykull, Faun. Suec. III. 1800, 12.
 affinis Galeruca, G. Paykull, Faun. Suec. II. 1799, 109.
 affinis Hallominus, G. Paykull, Faun. Suec. II. 1799, 181.
 affinis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3621.
 affinis Hydrophilus, C. P. Thunberg, Ins. Suecica (6) 1794, 73.
 affinis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 183.
 affinis Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 209.
 affinis Lycus, G. Paykull, Faun. Suec. II. 1799, 176.
 affinis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3532.
 affinis Mylabris, A. G. Olivier, Entom. III. 1795, 8.
 affinis Nerita, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3675.
 affinis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
 affinis Papilio, J. C. Fabricius, Syst. Ent. 1775, 511.
 affinis Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
 affinis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
 affinis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 848.
 affinis Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 10.
 affinis Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
 affinis Scarabaeus, N. J. Brahm, Ins. Kal. (1) 1790, 66.
 affinis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 203.
 affinis Sphinx, Panzer in Drury, Exot. Ins. 1785, 97.
 affinis Staphylinus, G. Paykull, Mon. Staph. 1789, 24.
 affinis Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
 affinis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
 affinis Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 232.
 affinis Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.—Syrphus, 1794.
 affinis Tubularia, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3834.
 affinis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
 affinis Vespa, J. C. Fabricius, Mant. I. 1787, 287.
 afra *v.* afer.
 africana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
 africana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
 africanus Anser, J. P. Bonnatere, Ency. Méth. (Orn.), 1790, 119.
 africana Apis, J. C. Fabricius, Spec. Ins. I. 1781, 477. [mota.
 africana Arctomis (Th.), Lamarck in Thunberg, Voy. Japon &c. IV. 1796, 348.—Mar-
 africana Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 182.—Salpa.
 africana Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 688.
 africanus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 359.
 africana Buphaga, Linnaeus, Syst. Nat., ed. 12, 1766, 154.
 africana Camelopardalis, B. G. E. de Lacépède, Tabl. Mamm. 1799, 14.
 africanus Carabus, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1787, 49.
 africanus Cerambyx, X. Wulfen, Descr. Cap. Ins. 1786, xvi.
 africanus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
 africana Cetonina (Drury), J. C. Fabricius, Syst. Ent. 1775, 48.—Scarabaeus.
 africanus Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
 africana Clupea, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 45.
 africanus Coluber, J. P. Bonnatere, Ency. Méth. (Oph.), 1790, 49.
 africanus Conus, F. C. Meuschen, Mus. Gev. 1787, 354.
 africana Coracias, G. Shaw, Nat. Misc. XI. 1799, pl. 401.
 africana Coronella, J. N. Laurenti, Syn. Rept. 1768, 87.
 africanus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 374.
 africanus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 240.
 africanus Crocodylus, J. N. Laurenti, Syn. Rept. 1768, 54.

- africanus Elephas, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 125.
 africana Emberiza, Linnaeus in Hasselquist, Palast. 1762, 336.
 africana Formica, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1788, 82.
 africanus Hippopotamus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 12. [Chameleo.
 africana Lacerta (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1069.—
 africana Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 856.
 africana Marmota, C. P. Thunberg, Resa Europa, etc. I. 1788, 293.
 africana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 958.
 africana Mylabris, A. G. Olivier, Entom. III. 1795, 12.
 africanus Numenius (Gm.), J. Latham, Index Orn. 1790, 712.—Scolopax.
 africana Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 709.
 africana Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
 africanus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 577.
 africanus Phasianus, J. Latham, Index Orn. 1790, 631.
 africanus Rhinoceros, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 126.
 africana Salpa, P. Forskal, Descr. Anim. 1775, 116.
 africanus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 54.
 africana Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 655.
 africana Solpuga, J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 44.
 africanus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1494.
 africana Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 605.
 africanus Sus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 220.
 africana Sylvia (Gm.), J. Latham, Index Orn. 1790, 518.—Motacilla.
 africanus Turdus, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 29.
 africana Viverra, H. F. Link, Beytr. Nat. I (2) 1795, 85.
 afrum *v. afer*.
 afzeliana Phalaena (Tinea), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 276.
 agama Iguana, F. C. Meuschen, Mus. Gronov. 1778, 8.
 agama Iguana (L.), F. A. A. Meyer, Syn. Rept. 1795, 16.—Lacerta.
 agama Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 207; ed. 12, 1766, 367.
 agamemnon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 748.
 agami Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 629.
 agapenor Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 26.
 agarici Ptinus, F. v. P. Schrank, F. Boica, I. 1798, 542.
 agarici Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
 agarici Tipula, C. de Villers, Linn. Ent. III. 1789, 393.
 agaricicola Opalium *id. ac* O. agricola, Fab., A. G. Olivier, Entom. III. 1795, 11.
 agariciformis Millepora, P. S. Pallas, Elench. 1766, 263.
 agaricinus Dermestes (Linn.), Scopoli, Ent. Carn. 1763, 16.—Silpha.
 agaricinum Scaphidium (L.), A. G. Olivier, Entom. II. 1790, 5.—Silpha.
 agaricinum Scaphidium, Hellwig in G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 2.
 agaricina Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
 agaricina Spongia, P. S. Pallas, Elench. 1766, 397.
 agaricites Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1274.
 agaricorum Acarus, Scopoli, Ent. Carn. 1763, 391.
 agaricum Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1294.
 agaricum Madrepora *id. ac* agaricites, L., J. F. Maratti, Plant. Zooph. Med. 1776, 48.
 agarista [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 112.
 agatha [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 76.
 agatha Papilio, J. C. Fabricius, Mant. II. 1787, 54.
 Agathidium Illiger in Kugelann, Käfer Preuss. 1798, 81.—Col.
 agathinus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 114.
 agathina [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 76.
 agathina [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 109.
 agave [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 31.
 agave Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 210.
 agave Papilio (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 14.
 agavus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 11.

- agavus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 144.
 agenor Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 747.
 agenor Scarabaeus, A. G. Olivier, Entom. I. 1789, 178.
 agestis Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 184.
 agestis Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 54.
 aggregata Sabella, L. T. Gronovius, Zooph. III. 1781, 352.
 aggressor Cimex, J. F. Fabricius, Syst. Ent. 1775, 706.
 agilis Ameiva (L.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
 agilis Apis, M. Harris, Exp. Eng. Ins. 1776, 163.
 agilis Aranea, F. A. A. Meyer in Schriba, J. Lieb. Ent. III. 1791, 256.
 agilis Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
 agilis Cancer, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 337.
 agilis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
 agilis Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 70.
 agilis Carabus, J. C. Fabricius, Mant. I. 1787, 204.
 agilis Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 82.—Coluber.
 agilis Cimex, Scopoli, Ent. Carn. 1763, 126.
 agilis Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 374.
 agilis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 381.
 agilis Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 194.
 agilis Gryllus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2071.
 agilis Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 344.
 agilis Ichneumon, J. L. Christ, Nat. Ins. 1791, 369.
 agilis Ichneumon Mutilla, J. L. Christ, Nat. Ins. 1791, 376.
 agilis Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 203; ed. 12, 1766, 363.
 agilis Locusta, C. de Geer, Mém. Ins. III. 1773, 457.
 agilis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.—Cimex, 1781.
 agilis Musca, M. Harris, Exp. Eng. Ins. 1776, 86.
 agilis Musca, P. Rossi, Fauna Etrus. II. 1790, 311.
 agilis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 948.
 agilis Oniscus, Persoon in G. W. F. Panzer, Ins. Germ. heft 9, 1793, tab. 24.
 agilis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 285.
 agilis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 143.
 agilis Ptomaphagus, Illiger in Kugelann, Käfer Preuss. 1798, 88.
 agilis Seps (L.), F. v. P. Schrank, F. Boica, I. 1798, 285.—Lacerta.
 agilissima Apis, J. A. Scopoli, Annus IV. 1770, 14.
 agilitas Musca, M. Harris, Exp. Eng. Ins. 1776, 108.
 agino Apis, M. Harris, Exp. Eng. Ins. 1776, 163.
 agis [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 34.
 agis [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 49.
 agitabilis Apis, M. Harris, Exp. Eng. Ins. 1776, 163.
 agitator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 179.
 Agkishodon *err. pro* Agkistrodon, de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 370.—R.
 Agkistrodon de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 381.—R.
 aglaja Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 465.
 aglaja Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 785.
 aglauros Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 95.
 aglaura [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 126.
 aglea [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 173.
 Aglossa P. A. Latreille, Préc. Car. Ins. 1796, 145.—Lep.
 agnatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.
 agnes [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 73.
 Agouti B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
 agraria Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 214.
 agrarius Mus, P. S. Pallas, Reise Russ. I. 1771, 454.
 agrarius Mus, R. Kerr, Anim. Kingd. 1792, 231, *var. americanus*.
 agrarius Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 507 & 716,
varr. albostriatus, maculatus.

- agresta** Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 52.—Phalaena.
agresta [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 32.
agrestis Alauda, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
agrestis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 446.
agreste Callidium, J. C. Fabricius, Mant. I. 1787, 152.
agrestis Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 344.
agrestis Carabus, C. Creutzer, Ent. Vers. 1799, 110.
agrestis Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Callidium.
agrestis Hirundo, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I. [177-], 33.
agrestis Hirundo, J. F. Blumenbach, Hand. Naturg., ed. 2, 1782, 238.
agrestis Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1082.
agrestis Mus, Linnaeus, Faun. Suec., ed. 2, 1761, 11.
agrestis Nomada, J. C. Fabricius, Mant. I. 1787, 306.
agrestis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
agrestorius Ichneumon, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 279.
agrestorius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
agricola Bolitophagus (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 106.—Opatrum.
agricola Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 337.
agricola Curculio, G. Paykull, Faun. Suec. III. 1800, 260.
agricola Melolontha (Poda), J. C. Fabricius, Syst. Ent. 1775, 37.—Scarabaeus.
agricola Melolontha, J. N. Laicharting, Tyrol. Ins. I. 1781, 39.
agricola Opatrum, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 35.
agricola Pimelia (Scop.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2002.—Tenebrio.
agricola Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 21.
agricola Silpha (Herbst), C. de Villers, Linn. Ent. IV. 1789, 233.—Opatrum.
agricola Tenebrio, J. A. Scopoli, Annus V. 1772, 108.
agricolator Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 937.
Agriion J. C. Fabricius, Syst. Ent. 1775, 425.—Neur.
agrippa Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 259.
agrippina [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 136.
agrius Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 39.
agrius Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 159.
agrorum Apis, F. v. P. Schrank, Ins. Aust. 1781, 397.
agrorum Apis, J. C. Fabricius, Mant. I. 1787, 301.
agrorum Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 44.
agrorum Carabus (Four.) C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
agrorum Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2869.—Syrphus.
agrorum Syrphus, J. C. Fabricius, Mant. II. 1787, 335.
agrotera [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 13.
agrotera [Papilio], J. A. B. Bergstraesser, Ic. Pap. III. 1781, 7.
agua Buffo, B. G. E. de Lacepède, Quad. Ovip. &c. I. 1788, Syn. méth.
aguti Cavia (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 353.—Mus.
aguti Cavia, E. A. W. Zimmermann, Spec. Zool. 1777, 507.
aguti Cavia, R. Kerr, Anim. Kingd. 1792, *varr.* cunicularis, 217; leporina, americana, 218.
aguti Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 80.
aguti *v. et acuti*.
Agyrtes J. A. Frolich, Naturforscher, XXVIII. 1799, 15.—Col.
agyrtus Papilio, Cramer, Uitl. Kapellen, II (11) 1777, 40.
ahaetulla Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
ahaetulla Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 79.—Coluber.
ahenella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
ahornerella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 55.
aiaia *v. ajaja*.
ain Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 337.
aivus Hesperia, *err. pro avius*, J. C. Fabricius, Ent. Syst. III (1) 1793, 301.
ajaja Platalea, Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 231.
aiaia Platalea, C. Cuvier, Tab. Elém. 1798, 259.
ajar Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 406.

- ajax Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 750.
 ajax Scarabaeus, A. G. Olivier, Entom. I. 1789, 27.
 ajereba Raja, J. G. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 535.
 ajugae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 172.
 Akera O. F. Müller, Z. Dan. Prod. 1776, xxix. & 242.—Moll.
 akera Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
 Akis Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 124.—Col.
 akouchi *v.* *acouchy*.
 aktäon *v.* *actäon*.
 ala-avis Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
 alabastrella Tinea [Denis & Schiffermüller], Schmiett. Wien, 1775, 139.
 alabastrina Coralina, W. G. Tilesius, Verz. Merkw. Seeprod. 1800, 6.
 alabastrina Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18 [*n. n.*].
 alabastrina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 284.
 alacer Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1967.
 alactacha [Mus], S. G. Gmelin, Reise Russ. I (1770) 26.
 alactaga Dipus, Olivier, Bull. Sci. Soc. Philom. [Paris] no. 40, 1800, 121.
 alandica Anas, A. Sparrman, Mus. Carls. III. 1788, no. lx.
 ala-papilionis Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
 ala-papilionis Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.
 ala-papilionis Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
 alaphasiani Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
 alapi Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
 alardus [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 171.
 Alaria F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, "Gattungen" & 52.—Ver.
 alario Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 179.
 alario Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 319.
 Alata F. C. Meuschen, Mus. Gever. 1787, 334 [*v. et.* Cat. Coll. Coq. Oudaan, 1766, 42].—G.
 Alatites J. Gesner, Tract. Petref. 1758, 56.—Moll.
 alatunga Scomber, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1330.
 Alatus [G. Humphreys], Mus. Calonn. 1797, 38 [*n. n.*].—G.
 alata Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 76.
 alata Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
 alatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
 alatus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2984.—Pagurus.
 alatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 106.
 alatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 6.
 alatum Distoma (Goeze), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
 alatus Murex, F. C. Meuschen, Mus. Gever. 1787, 322. [177.—Planaria.
 alatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
 alata Musca *id. ac* elata, Fab., J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2843.
 alata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3339.
 alatus Pagurus, J. C. Fabricius, Syst. Ent. 1775, 411.
 alata Prima, F. C. Meuschen, Mus. Gever. 1787, 410.
 alata Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 177.
 alata Ploiaria, J. A. Scopoli, Del. Insub. III. 1788, 51.
 alata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
 alatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 alatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3513.
 alata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
 alata Trigla, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 336.
 alata Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124 [*n. n.*].
 Alauda Linnaeus, Syst. Nat., ed. 10, 1758, 165; ed. 12, 1766, 287.—A.
 alauda Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
 alauda Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 411.
 alaudae Acanthus, F. v. P. Schrank, Ins. Aust. 1781, 515.
 alaudae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
 alaudae Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 1.

- alaudae *Pediculus*, F. v. P. Schrank, Beitr. Nat. 1776, 115.
 alaudaria *Phalaena*, [D. H. Schneider] Nom. Ent. 1785, 51 [*n. n.*].
 Alaudarius F. v. P. Schrank, Reise südl. Gebirg. Baiern, 1793, 40.—A.
 alaudarius *Accipiter*, J. C. Schaeffer, Mus. Orn. 1789, 7.
 alaudarius *Cacicus*, F. M. Daudin, Traité élém. Orn. 1800, 325.
 alaudarius *Falco*, F. W. Schmidt (*ex* Briss.), Samml. phys.-oek. Aufsätze, I. 1795, 33.
 alaudipes *Upupa*, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 504.
 alba *v. albus*.
 albacares *Scomber*, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 140.
 albacorus *Scomber*, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 599.
 albago *Noctua*, J. C. Fabricius, Ent. Syst. III (2) 1794, 74.
 albana *Phalaena* (*Tortrix*), O. F. Müller, F. Ins. Frid. 1764, 53.
 albana *Pyrallis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 476.
 albaria *Phalaena* *Geom.*, C. de Villers, Linn. Ent. II. 1789, 321.
 albastrata *Phalaena* *Geom.*, C. de Villers, Linn. Ent. II. 1789, 379.
 albator *Curculio*, P. S. Pallas, Icon. Ins. 1781, 36.
 albator *Hydrachna*, O. F. Müller, Z. Dan. Prod. 1776, 189.
 albator *Trombidium* (*Muell.*), J. C. Fabricius, Ent. Syst. II. 1793, 403.—*Hydrachna*.
 albatorius *Ichneumon*, O. F. Müller, Z. Dan. Prod. 1776, 152.
 albatorius *Ichneumon*, C. de Villers, Linn. Ent. III. 1789, 156.
 albatorius *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 137.
 albatrilineata *Phalaena*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 50.
 Albatrossa M. T. Brünnich, Fund. Zool. 1772, 80.—A.
 Albatrus M. J. Brisson, Ornith. VI. 1760, 126.—A.
 albatrus *Diomedea*, P. S. Pallas, Spic. Zool. V. 1769, 28.
 albatrus *Diomedea*, J. R. Forster, Mém. présentés Ac. Roy. Sci. [Paris] X. 1785, 569.
 albata *Phalaena* (*Geometra*), O. F. Müller, Z. Dan. Prod. 1776, 129.
 albella *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1242.
 albellus *Merganser* (*L.*), J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 104.—*Mergus*.
 albellus *Mergus*, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 209.
 albellus *Mergus*, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 111 [*M. minutus*, *L.*].
 albella *Phalaena* (*Tinea*), O. F. Müller, Z. Dan. Prod. 1776, 137.
 albella *Phalaena* (*Tinea*), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
 albellus *Scarabaeus*, P. S. Pallas, Reise Russ. I. 1771, 461.
 albella *Tinea*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.
 albens *Beroe*, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 41.
 albeolata *Phalaena* *Geom.*, C. de Villers, Linn. Ent. II. 1789, 381.
 albeola *Anas*, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 199.
 albeola *Colus*, J. F. Bolten, Mus. Bolten. (2) 1798, 117 [*n. n.*].
 albeolus *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
 albeola *Mutilla*, P. S. Pallas, Reise Russ. II. 1773, 730.
 albeola *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 289.
 alber *Tantalus*, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
 alberganus *Papilio*, L. Prunner, Lep. Pedemont. 1798, 71.
 albertiana [*Phalaena*], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 163.
 albertiana *Phal.* (*Tort.*), Herbst, Einl. Ins. II. 1785, 128.
 albescens *Cardium*, F. C. Meuschen, Mus. Gever. 1787, 442.
 albescens *Falco*, P. Boddaert, Tab. Planch. Enl. 1783, 25.
 albescens *Falco*, F. M. Daudin, Traité élém. Orn. 1800, 45.
 albicans *Anas*, J. F. Gmelin in Linn. Syst. Nat., I. 1788, 516.
 albicans *Apis*, O. F. Müller, Z. Dan. Prod. 1776, 166.
 albicans *Araneus*, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 125.
 albicans *Balaena*, O. F. Müller, Z. Dan. Prod. 1776, 7.
 albicans *Cantharis*, Linnaeus, Syst. Nat., ed. 12, 1767, 649.
 albicans *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 albicans *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1771.
 albicans *Delphinus*, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 25.
 albicans *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 276.

- albicans Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
- albicans Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
- albicans Lanarius, F. M. Daudin, *Traité élém.* Orn. 1800, 102.
- albicans Physter (*ex* Briss.), G. H. Borowski, *Gem. Nat. There*, II. 1781, 31.
- albicans Scomber, J. G. Walbaum, *Artedi, Ichth.* (3), ed. 2, 1792, 216.
- albicans Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
- albicans Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
- albicapilla Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 775.
- albicapilla Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
- albicapilla Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 532.—Motacilla.
- albicaudis Curculio, C. de Geer, *Mém. Ins.* V. 1775, 223.
- albicaudus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
- albicauda Falco (Aquila), R. Kerr, *Anim. Kingd.* 1792, 486. [*n. et f.*]
- albicollata Geometra, J. Hübner, *Europ. Schmett.* (Geom.) [me judice 1796] fig. 76.
- albicollata Phalaena (Geometra), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 527; ed. 12, 1767, 870.
- albicilla Aquila (L.), S. Odmann, *N. Acta Soc. Sci. Upsal.* V. 1792, 53.—Vultur.
- albicilla Falco, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 89.
- albicilla Falco (Gypaetus), R. Kerr, *Anim. Kingd.* 1792, 480.
- albicilla Nerita, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 778; ed. 12, 1767, 1254.
- albicilla Vultur, Linnaeus, *Syst. Nat.*, ed. 12, 1766, errata, end of vol. i.—[albiulla.]
- albicillae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
- albicincta Evania, P. Rossi, *Fauna Etrus.* II. 1790, 57.
- albicincta Musca, P. Rossi, *Mant. Ins.* II. 1794, 69.
- albicincta Phalaena Noctua, M. B. Borkhausen, *Nat. eur. Schmett.* IV. 1792, 257.
- albicincta Tenthredo, F. v. P. Schrank, *Beitr. Nat.* 1776, 85.
- albicincta Tenthredo, J. L. Christ, *Nat. Ins.* 1791, 455.
- albicollis Altica, J. C. Fabricius, *Syst. Ent.* 1775, 112.
- albicollis Altica (Fab.), A. G. Olivier, *Ency. Méth.* IV (Ins.) 1780, 105.—Chrysomela, 1787.
- albicollis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1030.
- albicollis Chrysomela, J. C. Fabricius, *Spec. Ins.* I. 1781, 133.—Altica, 1775.
- albicollis Chrysomela, J. C. Fabricius, *Mant. I.* 1787, 76.
- albicollis Cimex, J. C. Fabricius, *Spec. Ins.* II. 1781, 347.
- albicollis Corvus, J. Latham, *Index Orn.* 1790, 151.
- albicollis Falco, J. Latham, *Index Orn.* 1790, 36.
- albicollis Falco, F. M. Daudin, *Traité élém.* Orn. 1800, 112.
- albicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
- albicollis Galleruca, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 27.—Chrysomela, 1787.
- albicollis Galleruca, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 29.—Chrysomela, 1787.
- albicollis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 983.
- albicollis Noctua, J. C. Fabricius, *Spec. Ins.* II. 1781, 218.
- albicollis Noctua, C. F. Viewveg, *Tabl. Verz. Brand. Schmett.* II. 1790, 19.
- albicollis Otus, F. M. Daudin, *Traité élém.* Orn. 1800, 213.
- albicollis Saperda, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 48.
- albicollis Sphex, J. L. Christ, *Nat. Ins.* 1791, 260.
- albicollis Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 535.—Motacilla.
- albicollis Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
- albicornis Cervus, J. M. Bechstein in Pennant, *Uebers. 4füß. There*, I. 1799, 112.
- albicornis Cymothoa, J. C. Fabricius, *Ent. Syst.* II. 1793, 509.—Oniscus, 1787.
- albicornis Empis, P. Rossi, *Mant. Ins.* II. 1794, 77.
- albicornis Galleruca, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 96.
- albicornis Idotea, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 303.—Cymothoa, 1793.
- albicornis Oniscus, J. C. Fabricius, *Mant. I.* 1787, 241.
- albicornis Phryganea, Scopoli, *Ent. Carn.* 1763, 265.
- albicornis Sorex, J. C. Fabricius, *Spec. Ins.* I. 1781, 419.
- albicornis Tenthredo, J. C. Fabricius, *Spec. Ins.* I. 1781, 412.
- albicornis Tenthredo, A. F. de Fourcroy, *Ent. Paris.* 1785, 371.
- albidalis Phalaena (Pyr.), C. de Villers, *Linn. Ent.* II. 1789, 448.
- albidalis Pyralis, J. Hübner, *Europ. Schmett.* 6 Horde [me judice, 1796], 27.

- albidaria Phalaena, J. C. Fabricius, Mant. II. 1787, 188.
albidella Libellula, C. de Villers, Linn. Ent. III. 1789, 15.
albidella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
albida Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 391.
albidum Calopodium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
albidum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
albida Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2115.
albida Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.
albidus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 56.
albidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
albidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
albida Coccinella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1646.
albidus Curculio, J. C. Fabricius, Mant. I. 1787, 114.
albidus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
albida Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
albida Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
albidus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
albidus Gadus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1171.
albida Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
albidus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
albida Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62 [*n. n.*].
albida Motacilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 23.
albida Phalaena Bomb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
albida Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
albidus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
albidus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
albida Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
albida Uria, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 594.
albida Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
albifrons Anas, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
albifrons Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
albifrons Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 114.
albifrons Apis, J. R. Forster, N. Sp. Ins. 1771, 94.
albifrons Apis, J. L. Christ, Nat. Ins. 1791, 191.
albifrons Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2958.
albifrons Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
albifrons Bombylius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2904.
albifrons Branta, J. A. Scopoli, Annus I. 1769, 69.
albifrons Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
albifrons Gryllus (Tettig.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2066.
albifrons Gymnotus, Linnaeus, Syst. Nat., ed. 12, 1766, 428.
albifrons Lemur, E. Geoffrey, Mag. encyclop. I (1) 1796, 48.
albifrons Locusta, J. C. Fabricius, Syst. Ent. 1775, 286.
albifrons Malachius, A. G. Olivier, Entom. II. 1790, 13.
albifrons Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 583.
albifrons Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 452.
albifrons Muscicapa, A. Sparrman, Mus. Carls. I. 1786, no. xxiv.
albifrons Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 159.
albifrons Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
albifrons Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
albifrons Psittacus, A. Sparrman, Mus. Carls. III. 1788, no. lii.
albifrons Sphex, C. de Villers, Linn. Ent. III. 1789, 228.
albifrons Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 207.
albifrons Sterna, A. Vroeg, Catal. Vogel. 1764, Adumb. 6.
albifrons Strix, G. Shaw, Nat. Misc. V. 1794, pl. 171.
albifrons Tanagra, J. Latham, Index Orn. 1790, 431.
albifrons Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 822.
albifrons Vespa, J. C. Fabricius, Syst. Ent. 1775, 366.

- albifrons Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
- albigularis Falco, F. M. Daudin, Traité élém. Orn. 1800, 131.
- albiguttata Cetonia, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, p. 158.
- albilabris Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 23.
- albilabris Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 302.
- albilabris Hylaesus, J. C. Fabricius, Ent. Syst. II. 1793, 305.
- albilabris Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 349.
- albimacula Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 149.
- albimana Musca (Fabr.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2876.—Syrphus.
- albimanus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 434.
- albimana Tipula, J. C. Fabricius, Mant. II. 1787, 323.
- albinella [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 163.
- albinella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
- albinella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
- albinus Aranea, Scopoli, Ent. Carn. 1763, 396.
- albinigrella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
- albinus Anthribus (L.), J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 220.—Curculio.
- albina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
- albinus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 208.
- albinus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
- albina Helix, O. F. Müller, Verm. II. 1774, 25.
- albina [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 234.
- albina Vorticella, O. F. Müller, An. Infus. 1786, 272.
- albiocellaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 3.
- albipennis Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 524.
- albipennis Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
- albipennis Ephemera, J. C. Fabricius, Ent. Syst. II. 1793, 70.
- albipennis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 354.
- albipennis Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula, 1794.
- albipennis Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 250.
- albipes Acrydium, C. de Geer, Mém. Ins. III. 1773, 487.
- albipes Andrena (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.—Apis.
- albipes Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 280.
- albipes Apis, J. C. Fabricius, Spec. Ins. I. 1781, 486.
- albipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 345.
- albipes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
- albipes Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
- albipes Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 544.
- albipes Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 390.
- albipes Ephemera, Scopoli, Ent. Carn. 1763, 264.
- albipes Forficula, J. C. Fabricius, Mant. I. 1787, 224.
- albipes Gryllus (Locusta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2086.
- albipes Hylaesus, J. C. Fabricius, Ent. Syst. II. 1793, 306.—Apis, 1781.
- albipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 398.
- albipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
- albipes Musca, C. de Villers, Linn. Ent. III. 1789, 426.
- albipes Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 89.
- albipes Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 382.
- albipes Sciurus, R. Kerr, Anim. Kingd. 1792, 257.
- albipes Sorex, R. Kerr, Anim. Kingd. 1792, 208.
- albipes Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 468.
- albipes Tabanus, F. v. P. Schrank, Ins. Aust. 1781, 480.
- albipes Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 456.
- albipes Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 364.
- albipes Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 371.
- albipes Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
- albipes Tipula, H. Strom, K. Norske Vid. Selsk. Schrift. IV. 1768, 351.
- albipunctata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.

- albipunctata Phalaena, S. A. v. Rottemberg, Naturforscher, XI. 1777, 74.
 albipunctella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 albipunctella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
 albipuncta Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
 albirostris Alcedo, J. Latham, Index Orn. 1790, 245.
 albirostris Anthribus (Schaller), J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 220.
 albirostris Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 287. [—Curculio.
 albirostris Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 80.
 albirostris Lanius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [n. n.].
 albirostris Macrocephalus (Schaller), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 605.—
 albirostris Tanagra, Linnaeus, Mus. Adolph. Frid. II. 1764, 31. [Curculio.
 albiscutatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
 albiseta Musca, Scopoli, Ent. Carn. 1763, 341.
 albiulla Vultur, Linnaeus, Syst. Nat., ed. 12, 1766, 123.—*err. pro albicilla.*
 albiventer Phoca, P. Boddaert, Elench. 1785, 170.
 albiventris Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
 albiventris Apis, J. L. Christ, Nat. Ins. 1791, 171.
 albiventris Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 19.
 albiventris Fulica, J. A. Scopoli, Annus I. 1769, 105.
 albiventris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
 albiventris Pediculus, Scopoli, Ent. Carn. 1763, 385.
 albivittis Meloe, P. S. Pallas, Icon. Ins. 1798, 101.
 alboarcuata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 295.
 albodactylus Pterophorus, J. C. Fabricius, Ent. Syst. III (2) 1794, 348.
 albofasciata Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 287.
 albofasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 82.
 albofasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 106.
 albofasciatus Cimex, C. de Geer, Mém. Ins. III. 1773, 335.
 albofasciatus Cimex, J. C. Fabricius, Mant. Ins. II. 1787, 299.
 albofasciatus Crabro, P. Rossi, Mant. Ins. I. 1792, 138.
 albofasciatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 220.
 albofasciatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—Cimex, 1787.
 albofasciatus Pterophorus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
 albofasciatus Reduvius, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 6.
 albofasciata Vespa, P. Rossi, Fauna Etrus. II. 1790, 87.
 alboflava Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 51.
 albofulminata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
 albofuscus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 94.
 albogalerus Conulus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 162.
 albogalerus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii.
 albogalerus Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3181.—
 albogalerus Patella, F. C. Meuschen, Mus. Gev. 1787, 244. [Conulus.
 alboguttatus Carabus, C. de Geer, Mém. Ins. VII. 1778, 624.
 [albolinearia Phalaena (G.), MS.], T. Martyn, Psyche, 1797, fig. 80.
 albolineatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 342.
 albolineatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 490.
 albolineata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [n. n.].
 albolutata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 301.
 albomaculata Apis, C. de Geer, Mém. Ins. VII. 1778, 607.
 albomaculata Aranea, C. de Geer, Mém. Ins. VII. 1778, 257.
 albomaculata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 76.
 albomaculata [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 106.
 albomaculata Spheg, F. v. P. Schrank, Beitr. Nat. 1776, 91.
 albomaculata Tipula, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] I (3) 1782, 301.
 albomarginatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 480.
 albomarginatus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 80.
 albomarginatus Cimex, J. D. Preysler in Mayer's Samml. Phys. Aufsätze, III. 1793, 219.
 albomarginatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 123.

- albomarginatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 180.
 albomarginata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 174.
 albomarginellus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 123.
 albonigricans Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 299.
 albo-ochracea Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel. 1784, 19.
 albopictus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 17.
 albopunctata Apis, P. Rossi, Mant. Ins. I. 1792, 142.
 albopunctata Buprestis, C. de Geer, Mém. Ins. IV. 1774, 132.
 albopunctatus Byrrhus, J. C. Fabricius, Ent. Syst. I (1) 1792, 84.
 albopunctatus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 69.
 albopunctata Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 129.
 albopunctatus Cimex, C. de Geer, Mém. Ins. III. 1773, 331.
 albopunctatus Curculio, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1778.
 albopunctata Locusta, G. A. Harrer, Besch. Schaeffer Icones, 1784, 271.
 albopunctata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
 albopunctatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 301.
 albopunctatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 641.
 albopunctatus Scarabaeus, M. Piller & L. Mitterpacher, Iter. Poseg. 1783, 66.
 albopunctata Taenia, F. A. Treutler, Obs. Helminth. human. corp. 1793, 1.
 albor Cyprinus, J. A. Scopoli, Del. Insub. I. 1786, 73.
 alboradiata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
 albotorquatus Phasianus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 184.
 albovittatum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 126.—Curculio,
 albovittatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74. [1784.
 Albula L. T. Gronovius, Zooph. I. 1763, 102.—P.
 Albula J. F. Bolten, Mus. Bolten. (2) 1798, 20.—G. [N. Albula, D. & S.
 albulalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 7 & 8 [2].—
 albulata Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
 albulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 257
 albulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616. [n. et f].
 albula Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
 albula Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117 [n. n.].
 albulus Mergus, J. A. Scopoli, Annus I. 1769, 71.
 albula Mugil, Linnaeus, Syst. Nat., ed. 12, 1766, 520.
 albula Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
 albula [Papilio], P. Cramer, Utit. Kapellen, I (3) 1775, 43.
 albula Phal. Bom., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [n. et f.].
 albula Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 512.
 albulus Turbo, O. Fabricius, F. Groen. 1780, 394.
 albumen Albula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 20.—Nerita.
 albumen Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1252.
 albumen Neritaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 274.—Nerita.
 Albunea F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
 Alburnus G. Edwards in M. Catesby, Carol. II. 1771, 12.—P.
 alburnum Alcyoniuni, P. S. Pallas, Elench. 1766, 346.
 alburnus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 531.
 alburnus Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 482.
 alba Actinia (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3134.—Priapus
 alba Alauda, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 173 [n. n.].
 alba Amphisbaena, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.
 alba Anguis (Linn.), J. N. Laurenti, Syn. Rept. 1768, 73.—Coluber.
 alba Apis, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 223.
 alba Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2961.
 alba Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 239.
 alba Blatta, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 66.
 albus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 361.
 albus Buteo, F. M. Daudin, Traité élém. Orn. 1800, 155.
 albus Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151 [n. n.].

- albus Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1107.
 alba Ciconia, J. C. Schaeffer, Mus. Orn. 1789, 55.
 albus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218: ed. 12, 1766, 378.
 alba Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 780.
 albus Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
 albus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
 albus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
 albus Echinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 200.
 alba Ephemera, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 299.
 albus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.
 albus Falco, G. Shaw in White, Journ. N.S.W. 1790, 250.
 albus Falco, F. M. Daudin, Traité élém. Orn. 1800, 94.
 alba Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
 alba Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 38.—Motacilla.
 alba Fulica, G. Shaw in White, Journ. N.S.W. 1790, 238.
 alba Gallinula, J. Latham, Index Orn. 1790, 768.
 albus Gordius, J. Miller, Icones Insect. VI. 1759 & text.
 albus Gymnotus, B. Zuiew, Nova Acta Ac. Sci. Petrop. V. 1789, 270.
 albus Gymnotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1137 [?=Zuiew's sp.].
 albus Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3625.—Planorbis.
 albus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 911.
 alba Hirudo, W. Kirby, Tr. Linn. Soc. [Lond.] II. 1794, 316.
 albus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 423.
 albus Lanius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 71.
 albus Lanius, J. A. Scopoli, Del. Insub. II. 1786, 86.
 albus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
 albus Larus, J. A. Scopoli, Annus I. 1769, 80.
 albus Larus, J. F. Miller, Icon. Anim. pl. 12 (1776).
 albus Larus, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 108.
 albus Larus, J. C. Schaeffer, Mus. Orn. 1789, 65.
 alba Lima, G. Cuvier, Tab. Elém. 1798, 421.
 albus Limax, Linnaeus, Syst. Nat., ed. 12, 1767, 1081.
 albus Limax, O. F. Müller, Verm. II. 1774, 4.
 alba Meles, F. A. A. Meyer, Zool. Archiv, II. 1796, 44.
 alba Melolontha (Pall.), A. G. Olivier, Entom. I. 1789, 10.—Scarabaeus.
 albus Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
 alba Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 331.
 alba Muraena, B. Zuiew, Nova Acta Ac. Sci. Petrop. VII. 1793, 299.
 alba Muscicapa, A. Sparrmann, Mus. Carls. III. 1788, no. lxxiv.
 albus Mytilus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3356.
 alba Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
 alba Nerita, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
 alba Notonecta, P. Forskal, Descr. Anim. 1775, xxiii.
 alba Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 402.
 alba Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 84.
 alba Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 201.
 [alba Planaria] (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.] II. 1794, 320.—Hirudo.
 albus Planorbis, O. F. Müller, Verm. II. 1774, 164.
 alba Platea, J. A. Scopoli, Del. Insub. II. 1786, 92.
 albus Priapus, P. Forskal, Descr. Anim. 1775, 101.
 alba Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 565.
 albus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 76.
 albus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 357.
 alba Recurvirostra (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 694.—
 alba Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145. [Scolopax.
 alba Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 247.
 albus Scomber, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1334.
 albus Scarabeus, P. S. Pallas, Reise Russ. II. 1773, 718.

- albus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 155.
 alba Sterna, A. Sparman, Mus. Carls. I. 1786, no. xi.
 alba Strix, J. A. Scopoli, Annus I. 1769, 21.
 albus Strombiformis (Penn.), E. M. da Costa, Brit. Conch. 1778, 116.—Turbo.
 alba Talpa, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 37.
 albus Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766 [errata, end of vol. 1] [v. alber].
 alba Tellina, T. Martyn, Univ. Conch. IV. [1792] fig. 157.
 albus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 750.
 alba Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
 albus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
 alba Trynga, A. Vroeg, Catal. Vogel. 1764, adumb. 7.
 alba Tulipa, K. Schreibers, Vers. Conch. II. 1793, 347.
 albus Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 113.
 albus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
 albus Ursus, O. F. Müller, Z. Dan. Prod. 1776, 3.
 albus Ursus, E. A. W. Zimmermann, Spec. Zool. 1777, 489.
 alba Vaginalis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 705.
 alba Voluta, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 639.
 albus Vultur, F. M. Daudin, Traité élém. Orn. 1800, 21.
 Alca Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 210.—A.
 alcae Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214. [Ascaris.
 alcae Echinorhynchus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.—
 alcae Proboscidia (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791) 98.—Ascaris.
 alcae Taenia, O. Fabricius, F. Groen. 1780, 318.
 alcae-arcticae Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
 alcae-picae Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 45.
 alcandor [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 64.
 alcanor [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 107.
 Alcatras J. Hermann, Tab. aff. Anim. 1783, 156 & 235.—A.
 alcata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
 Alce G. Edwards in M. Catesby, Carol. I. 1771, xxvii.—M.
 Alce J. F. Blumenbach, Hand. Naturg., ed. 6, 1799, 697.—M.
 alce Alca, *err. pro alle*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 554.
 alce Ascaris, v. alcae, Müll., O. Fabricius, F. Groen. 1780, 276.
 alcae Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 351.—Papilio.
 alcae Musca, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 129.
 alcae Papilio, Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780] 4.
 Alcedo Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 178.—A.
 alcedo Galbula, *err. pro galbula* Alcedo, B. C. Otto in Buffon, Nat. Vögel. XXIV. 1796,
 alcella v. aleella. [244.
 alces Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 92.
 alces Cervus, R. Kerr, Anim. Kingd. 1792, 296, *var. fossilis*.
 alces Copris (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 92.—Scarabaeus.
 alces Lucanus, J. C. Fabricius, Syst. Ent. 1775, 1.
 alces Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
 alces Tenthredo, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 85.
 alcesta [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 175.
 alcestris Agrion, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
 alchata Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 276.
 alchimiella (*sic*) Phalaena, Scopoli, Ent. Carn. 1763, 254.
 alchemillae Phalaena *id. ac* alchemillata, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
 alchemillaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 379.
 alchemillata, L. *est*. [n. cf.]
 alchemillata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 261
 alchemillata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767,
 alchymista Noctua, [Denis & Schiffmüller], Schmett. Wien, 1775, 89. [869.
 alcibiades Papilio, J. C. Fabricius, Mant. II. 1787, 8.
 albicornis Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1282.

- alcicornis Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 248.
 alcidamas [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 62.
 alcides Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 8.—Scarabaeus, 1781.
 alcides Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 283.—Papilio.
 alcides [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 150.
 alcides Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 4.
 alcinoe Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 30.—Phalaena.
 alcinoe [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 67.
 alcionea [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 38.
 alciphron Papilio, S. A. Rottemburg, Naturforscher, VI. 1775, 11.
 alciphron [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 58.
 alcippus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 207.
 alcippus [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 45.
 alcithoe [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 126.
 alcmene [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 104.
 alcmeone [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 71.
 alcomon [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 120.
 alcon Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
alcon Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
alcyon Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 180.
alcyone [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 89.
alcyone Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
alcyone Papilio, J. C. Fabricius, Mant. II. 1787, 38.
alcyone Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 96.
Alcyonia=**Alcyonium** P. S. Pallas, Char. Thierpfl. II. 1787, 158.
Alcyonium Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1293.—Coel.
aldrovandella Phalaena (Tim.), C. de Villers, Linn. Ent. II. 1789, 526.
aldrovandi Aranea, Scopoli, Ent. Carn. 1763, 394.
aldrovandi Lucifer, Linnaeus, Amoen. Acad. VI. 1760, 70, pl.
alea Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
alecto Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
alecton [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 184.
“**Alector**, B. Merrem, Aves Rarior. 1786,” *Ag. errore*, the word is quoted in the synonymy in Merrem, Beytr. Gesch. Vögel, II. 1786, 42.
Alector F. v. P. Schrank, F. Boica, I. 1798, 135.—A.
alector Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 269.
aleella Phalaena (T.), J. D. Schulzens, Naturforscher, IX. 1776, 106.
alcella Tinea (Schulzens), J. C. Fabricius, Spec. Ins. II. 1781, 509.—Phalaena aleella.
aleella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 317.
alepecurus Noctua (*ex Esper tab.*), C. C. Jung, Alph. Verz. Schmett. I. 1791, 21.
alepidotus Chaetodon, Linnaeus, Syst. Nat., ed. 12, 1766, 460.
“alepidotus Cyprinus,” M. E. Bloch, Nat. Fische Deutschl. III. 1784, 178.
alepidotus Rhombus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 321.—
aleta [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 221. [Chaetodon.
alevarias Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 232.
alexandri Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
alexandri Psittacus, R. Kerr, Anim. Kingd. 1792, *varr.* roseocollari, purpureocollari,
duplocollari, 571; cyanocephalus, javanicus, 572.
alexandrina Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
alexandrinus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.
alexandrinus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 684, *varr.*
aegyptius and erythropus.
alexandrinus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1576.
alexandrinus Tenebrio, P. Forskal, Descr. Anim. 1775, 80.
alexis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 336.
alexis Papilio, Scopoli, Ent. Carn. 1763, 179.
alexis Papilio, S. A. Rottemburg, Naturforscher, VI. 1775, 10.
alexis Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.

- alexis Papilio, N. G., E. J. C. Esper, Die Schmett. I (9) 1779, 369.
- alexis [Papilio], C. Stoll, Aanhang. Cramer, Utitl. Kapellen, V. 1790, 167.
- alexis Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
- Aleyrodes P. A. Latreille, Préc. Car. Ins. 1796, 93.—Lep.
- alga Millepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3789.
- alga Uria, M. T. Brünnich, Orn. Boreal. 1764, 28.
- algae Noctua, J. C. Fabricius, Syst. Ent. 1775, 614.
- algae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 721.
- algerinus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 250.
- algoricus Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 681.
- algorica Mylabris (L.), J. C. Fabricius, Spec. Ins. I. 1781, 330.—Meloe.
- algora Ameiva (L.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
- algora Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 258.
- algorus Asilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1006.
- algorus Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.—Curculio.
- algorus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 364.
- algorus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 611.
- algorus Curculio, J. C. Fabricius, Mant. I. 1787, 120.
- algora Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
- algora Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 203; ed. 12, 1766, 363.
- algora Noctua (L.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.—Phalaena.
- algora Noctua (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 61.—Phal.
- algora Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2547.
- algora Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 836.
- algora Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
- allicina Sertularia, *err. pro* halecina, L., J. F. Maratti, Plant. Zooph. Med. 1776, 28.
- alidras Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
- alienata Noctua, J. C. Fabricius, Mant. II. 1787, 152.
- alimena Papilio (Nymphalis), Linnaeus, Syst. Nat.; ed. 10, 1758, 478; ed. 12, 1767, 780.
- alinda Bombyx (Dr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 26.—Phalaena.
- alinda Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 24.
- alle Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 131; ed. 12, 1766, 211.
- allevio Musca, M. Harris, Exp. Eng. Ins. 1776, 147.
- alliariae Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 104.—Curculio.
- alliariae Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
- alliariae Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 606.
- alliarius Mus, P. S. Pallas, N. sp. Quad. II. 1779, 252.
- alliciens Ammodytes, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 273.
- allica Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 244.
- allica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, III. 1768, app., 225.
- alligator Crocodilus, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 33.
- alligator Crocodylus (Bl.), F. A. A. Meyer, Syn. Rept. 1795, 21.—Lacerta.
- alligator Lacerta, J. F. Blumenbach, Hand. Naturg. 1779, 263.
- alligata Phalaena [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
- allionana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 262.
- allionella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 321.
- allioni Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2132.
- allioni Gryllus (Acheta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2062.
- allionia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 83.
- allobrox Scarabaeus, Giorna, Cal. Ent. 1791, 106.
- Allucita J. Hill, Decade Curious Insects, 1773, 21.
- almana Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
- almon [Sphinx], P. Cramer, Utitl. Kapellen, III (19) 1779, 52.
- alnella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 515.
- alneti Curculio, F. v. P. Schrank, Ins. Aust. 1781, 115.
- alneti Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 487.
- alneti Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 335.
- alneti Tenthredo, J. L. Christ, Nat. Ins. 1791, 443.

- alni Aphis, C. de Geer, Mém. Ins. III. 1773, 47.
- alni Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 195.—Leptura.
- alni Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.—Leptura
- alni Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
- alni Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
- alni Cimex, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 69.
- alni Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 23.
- alni Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 90.
- alni Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
- alni Curculio, J. C. Fabricius, Syst. Ent. 1775, 144.
- alni Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 16.—Chrysomela.
- alni Involvulus, F. v. P. Schrank, F. Boica, I. 1798, 474.
- alni Leptura, Linnaeus, Syst. Nat., ed. 12, 1767, 639.
- alni Luperus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 83.—Chrysomela.
- alni Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
- alni Musca, Scopoli, Ent. Carn. 1763, 332.
- alni Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 845.
- alni Psylla, O. F. Müller, Z. Dan. Prod. 1776, 109.
- alni Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91.
- alni Salix (L.), F. v. P. Schrank, F. Boica, I. 1798, 509.—Curculio.
- alni Stenocorus, J. A. Scopoli, Del. Insub. II. 1786, 42.
- alni Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 925.
- alniająa Tortrix [Denis & Schiffermüller], Schmett. Wien, 1775, 132. [*n. et f.*]
- alniaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 26
- alniaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 860.
- alnofoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796] 57.
- aloes Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- aloeus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 14.—Scarabaeus.
- aloëus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 542.
- aloëus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 3.
- alope Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
- alope [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 168.
- alope Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 58.
- alopecias Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 15.
- alopecuroides Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 102.
- alopecurus Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800] 473.
- alopex Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
- alopex Melolontha, J. C. Fabricius, Mant. I. 1787, 19.
- alopex Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1564.—Melo-
- alosa Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 523. [lontha.
- alosa Echinorhynchus, J. Hermann, Naturforscher, XVII. 1782, 179.
- alosa Fasciola, J. Hermann, Naturforscher, XIX. 1783, 46.
- alosa Mazocraes, J. Hermann, Naturforscher, XVII. 1782, 182.
- Alouatta B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
- alouina Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
- alpella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 254.—Tinea.
- alpella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
- alpestralis Phalaena, J. C. Fabricius, Mant. II. 1787, 217.
- alpestralis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 520.
- alpestris Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 289.
- alpestris Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena alpestralis.
- alpestris Hirundo, P. S. Pallas, Reise Russ. II. 1773, 709.
- alpestris Motacilla, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 58.
- alpestris Panorpa, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 325.
- alpestris Salamandra (Laur.), J. G. Schneider, Hist. Amph. I. 1799, 71.—Triton.
- alpestris Tipula, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 342.
- alpestris Triton, J. N. Laurenti, Syn. Rept. 1768, 38 & 142.
- alphaea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 573.

- alphaea [Papilio], D. Drury, III. Nat. Hist. III. 1782, index & 49.
 alphenor [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 141.
 alphenor Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 4.
 Alpheus F. Weber, Nomen. Fabricii, 1795, 91.—Cr.
 alpea [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 99.
 alpheus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 333.—Papilio.
 alpheus [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 131.
 alphinata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 197
 alphonsus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 308. [n. et f.]
 alpicola Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
 alpicola Phalaena, Scopoli, Ent. Carn. 1763, 205.
 alpinalis Pyralis [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
 alpinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 178
 alpinaria Phalaena, J. J. Roemer, Gen. Ins. 1789, 75. [n. et f.]
 alpinaria Phalaena Bombyx, M. B. Borkhausen in Schriba, Beitr. Ins. III. 1793, 215.
 alpinata Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 115.
 alpinata Phalaena, Scopoli, Ent. Carn. 1763, 228.
 alpina Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 961.
 alpina Arctomys, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
 alpina Cantharis, G. Paykull, Faun. Suec. I. 1798, 259.
 alpina Capra, D. Girtanner, Mag. Neuste Phys. u. Nat. IV (2) 1787, 30.
 alpinus Carabus, G. Paykull, Mon. Carab. 1790, 119.
 alpinus Carabus, G. Paykull, Mon. Curc. 1792, 150.
 alpinus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 628.
 alpinus Cimex, Scopoli, Ent. Carn. 1763, 129.
 alpina Cistela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, 176.
 alpinus Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 88.—Cerambyx.
 alpinus Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1716.
 alpinus Cuculus, S. L. B. de Hochenwart, Nova Acta Acad. Caes. VIII. 1791, 228.
 alpinus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 226.
 alpina Fasciola, Linnaeus, Syst. Nat., ed. 12, III. 1768, app., 227.
 alpina Fringilla, J. A. Scopoli, Del. Insub. III. 1788, 37.
 alpinus Gypaetos, F. M. Daudin, Traité élém. Orn. 1800, 25.
 alpina Hirudo, Rozier, Obs. sur la Phys. I (pt. 1) 1771, 165; & ed. 2, I. 1777, 54.
 alpina Hirundo, J. A. Scopoli, Annus I. 1769, 166.
 alpinus Lepus, P. S. Pallas, Reise Russ. II. 1773, 701.
 alpina Marmota, J. F. Blumenbach, Hand. Naturg. 1779, 80.
 alpina Melolontha, A. G. Olivier, Entom. I. 1789, 84.
 alpina Motacilla, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 117.
 alpinus Mus, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 50.
 alpina Ochotona (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 74.—Lepus.
 alpinus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 3.
 alpinus Parus, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 49.
 alpina Phalaena, Giorna, Cal. Ent. 1791, 105.
 alpina Phalaena Bomb., J. H. Sulzer, Gesch. Ins. 1776, 159.
 alpina Phal. Noct., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [n. et f.]
 alpinus Pika, B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.
 alpina Rana, J. N. Laurenti, Syn. Rept. 1768, 133.
 alpinus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
 alpinus Scarabaeus, Scopoli, Ent. Carn. 1763, 9.
 alpinus Scarabaeus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] I (2) 1782, 139.
 alpinus Staphylinus, G. Paykull, Mon. Carab. 1790, 134.
 alpinus Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 526.
 alpinus Syrphus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 14.
 alpinus Tabanus, Scopoli, Ent. Carn. 1763, 372.
 alpina Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 249.
 alpinus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita alpella, 1794
 = Tinea, D. & S.

- alpium Phalaena Noctua, P. Osbeck, Götheborg, Samhalle Hand. (Wet. Afd.) I. 1778, 52.
- alsarius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 343.
- alsines Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 114.
- alstromeriana [Phalaena], C. Clerck, Icones, I. 1759, pl. x. 1.
- alstroemeriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 879. [1761, 348.
- alstromiana Phalaena (Tort.)=alstromeriana, Clerck, Linnaeus, Faun. Succ., ed. 2,
- alstroemiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 653.—Phalaena.
- alsus Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 295.—Papilio.
- alsus Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 184.
- alsus Papilio, J. Hübner, Beitr. Schmett. I (1) 1786, 20.
- alsus Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 55.
- alsus [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 26.
- altajensis Leptura, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 597.
- altavela Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232.
- alterabilis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
- altercator Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
- alterna Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 287.
- alternans Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
- alternans Chrysomela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
- alternans Chrysomela, Creutzer, G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 16.
- alternans Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 85.
- alternans Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 434.
- alternans Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 303.
- alternata Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 106.
- alternatus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 87.
- alternata Musca, F. v. P. Schrank, Ins. Aust. 1781, 448.
- alternata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 285.
- alternata Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 51.
- alternatus Syrphus (Schr.), P. Rossi, Fauna Etrus. II. 1790, 297.—Musca.
- alternella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
- alternella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
- althaea Aphis, M. Harris, Exp. Eng. Ins. 1776, 66.
- althea [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 141.
- althaeae Papilio, Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- altica E. L. Geoffroy, Hist. Insect. Paris. I. 1762, 244.—Col. [1783, 149.
- altica Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 82.
- altica Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 84.
- altica Phalaena (Noct.), H. Sparrmann in Linn. Amoen. Acad. VII. 1769, 502.
- altica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 290.
- alti-collum Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 667.
- altivolans Vesperilio, G. White, N. H. Selborne, 1789, 93.
- altrix [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 36.
- altus Echinanthus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 189.
- altus Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3187.—Echinanthus
- Alucita J. C. Fabricius, Syst. Ent. 1775, 667.—Lep.
- Alucita *v.* Allucita.
- Alucita *v.* Phalaena (Alucita), Linnaeus.
- alucitella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
- [aluco.]
- alueo Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 174.
- aluco Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 476.—Murex
- aluco Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1225.
- aluco Noctua, J. C. Fabricius, Syst. Ent. 1775, 591.
- aluco Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 132.
- aluco Strombus (L.), F. C. Meuschen, Mus. Gev. 1787, 292.—Murex.
- alucoides Murex, G. Olivi, Zool. Adriat. 1792, 153.
- alucionis Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 86.
- alueo *v.* aluco.

- alurnoides Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
- Alurnus J. C. Fabricius, Syst. Ent. 1775, 94.—Col.
- alveare Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
- alvearifex Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 378.
- alvearifformis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 394.
- alvearia Galleria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 463.
- “alveatus Helmintholitus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
- alveolaris Lepas, P. G. Lindroth, Mus. Grill. 1788, 15 [*n. n.*].
- alveolata Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268.
- Alyselminthus J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 221.—Vers.
- amabilis [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 24.
- amabilis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 23.
- amadis Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
- amadis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
- amadis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 689.
- amadis Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.
- amadis [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 216.
- amalia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 129.
- amalia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 186.
- amalthea Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 78.
- amalthea Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
- amanda [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 186.
- amandava Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 319.
- amandava Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 437.—Fringilla.
- amando [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 92.
- amaranthina Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
- amarata Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.
- amarula Buccinum (Linn.), O. F. Müller, Verm. II. 1774, 137.—Helix.
- amarula Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 309.—Helix.
- amarula Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
- amarula Melania (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 75.—Helix.
- amarula Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Helix.
- amarula Thiara (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 109.—Helix.
- amarus Cyprinus, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 52.
- amarus Cyprinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1433.
- amaryllis [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 210.
- amaryllis Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 240.
- amaryllis Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 80.
- amaryllis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 189.
- amasene [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 68.
- Amasia J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
- amasia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 136.
- amasia Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 179.
- amasia Phalaena Noctua, E. J. C. Esper, Die Schmett. IV, Abschn. 2 [post 1796], 55.
- amasis Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 183.—Phalaena.
- amasis [Phalaena], P. Cramer, Uitl. Kapellen, III (18) 1779, 23. [*n. et f.*].
- amataria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 52
- amataria Phalaena, J. G. Gladbach in Kuehn, Kurz Anleit. Ins., ed. 2, 1783, 157 [*n. n.*].
- amataria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
- amataria Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 47.
- amathea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 779.
- amathonte [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 29.
- amathusia [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 124.
- amathusia Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- amator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 118. [1784], 170.
- amatorio Phalaena, E. Donovan, Brit. Ins. I. 1792, 74.
- amatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 151.
- amatorius Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1015.

- Amatotus** J. E. Guettard, Mém. diff. Sci. III. 1770, 65.
amata Papilio, J. C. Fabricius, Syst. Ent. 1775, 476.
amata [Phalaena], P. Cramer, Utit. Kapellen, III (19) 1779, 62.
amata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 458.
amata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524.
amazonicus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 147.
amazonicus Psittacus, J. Latham, Index Orn. 1790, 119.
amazonia Alcedo, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 292.
amazona Alcedo, J. Latham, Index Orn. 1790, 257.
amazona Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 311.
amazonus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 551.
ambidexter Cancer, P. Forskal, Descr. Anim. 1775, 93.
ambiguella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 64.
ambiguorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 157.
ambiguus Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 260.—Helix.
ambiguum Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 28 & 30.
ambiguum Buccinum, R. Pulteney, Cat. Birds &c. Dorset, 1799, 42.
ambigua Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3431.
ambiguus Carabus, G. Paykull, Mon. Carab. 1790, 130.
ambigua Cicada, E. Donovan, Ins. China, 1798.
ambiguus Coluber, C. Weigel, Abh. Hallisch. Nat. Ges. I. 1783, 62.
ambigua Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3409.
ambiguus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
ambigua Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1251.
ambigua Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 162.
ambigua Muraena, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 152.
ambiguus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 62.
ambigua Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
ambigua Patella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3712.
ambiguus Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 32.
ambigua Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
ambigua Trichoda, O. F. Müller, An. Infus. 1786, 200.
ambiguus Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1237.
amblecephala Boa, J. A. Donndorff, Zool. Beyt. III. 1798, 149.
amboinensis Carabus, Herbst, Einl. Ins. I. 1784, 169.
amboinense Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
amboinensis Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.
amboinensis Cœscoes, B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.
amboinensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 286.
amboinensis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 132.
amboinensis Iguana (Sch.), F. A. A. Meyer, Syn. Rept. 1795, 16.—Lacerta.
amboinensis Lacerta, J. A. Schlosser, De Lacerta amboinensi, 1768.
amboinensis Lacerta, J. F. Bolten, Mus. Bolten. (1) [1798], 8.
amboinensis Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
amboinensis Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 141.
amboinensis Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
amboinensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 896.
amboinensis Trigla, G. A. Suckow, Naturges. IV. 1799, 606.
amboinensis Trochilus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
amboinensis Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
amboinensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 820.
ambrosiaca Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1021.
ambulans Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Lagria.
ambulans Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1730.—
ambulans Lagria [D. H. Schneider], Nom. Ent. 1785, 11 [n. n.] [Lagria].
ambulans Lagria, J. C. Fabricius, Mant. I. 1787, 93.
ambulans Musca, O. F. Müller, Z. Dan. Prod. 1776, 177.
ambulans Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.

- ambulans Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
 ambulans Tillus, J. C. Fabricius, Ent. Syst. I (2) 1792, 78.—Lagria, 1787.
 ambulator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—
 ambulator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157. [Lamia.
 ambulator Lamia, J. C. Fabricius, Syst. Ent. 1775, 171.
 ambulatoria Crotophaga, Linnaeus, Syst. Nat., ed. 12, 1766, 155.
 ambulatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 329.
 ambustus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 252.
 ambustus Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 478.
 ambustus Gypaetos, F. M. Daudin, Traité élém. Orn. 1800, 26.
 ambusta Meloe, P. S. Pallas, Icon. Ins. 1798, 102.
 ambusta Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
 ambusta Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 ambustus Vultur (Gm.), J. Latham, Index Orn. 1790, 8.—Falco. [651.—Noctua.
 Ameiva F. A. A. Meyer, Syn. Rept. 1795, 27.—R.
 ameiva Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 362.
 amelia [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 61.
 amentaria Musca, Scopoli, Ent. Carn. 1763, 335.
 [amentatus Araneus, C. Clerck, Aran. Svec. 1757, 96.]
 amentatus Araneus, T. Martyn, Aranei, 1793, 44.
 amentorum Curculio, F. v. P. Schrank, F. Boica, I. 1798, 488.
 ameriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
 americana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 647.—Phalaena.
 americanorum Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
 americanus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
 americana Agrion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 287.
 americana Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 451.
 americana Ameiva, F. A. A. Meyer, Syn. Rept. 1795, 28.
 americana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 526.
 americana Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 234.
 americanus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1473.
 americanus Basiliscus, J. N. Laurenti, Syn. Rept. 1768, 50.
 americana Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 250.
 americana Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
 americana Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 433.
 americanus Bos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 204.
 americanus Callorhynchus, L. T. Gronov, Acta Helvet. VII. 1772, 49.
 americana Cantharis, J. R. Forster, N. Sp. Ins. 1771, 50.
 americanus Caprimulgus, Linnaeus, Syst. Nat., ed. 10, 1758, 193; ed. 12, 1766, 346.
 americanus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
 americanus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
 americanus Chelifer, C. de Geer, Mém. Ins. VII. 1778, 353.
 americana Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 592.
 americana Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2115.
 americanus Coluber, G. A. Suckow, Naturges. III. 1798, 249.
 americanus Crocodylus, J. N. Laurenti, Syn. Rept. 1768, 54.
 americanus Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1715.
 americanus Cucujus, A. G. Olivier, Entom. IV. 1795, 7.
 americanus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 170.
 americana Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 507.
 americanus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 321; ed. 12, 1766, 530.
 americanus Dipus, B. S. Barton, Trans. Amer. Phil. Soc. IV. 1799, 115.
 americanus Elephas, R. Kerr, Anim. Kingd. 1792, 116.
 americana Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 872.
 americanus Eques, M. E. Bloch, Nat. aüsl. Fische, VII. 1793, 91.
 americanus Esox, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1390.
 americanus Falco, B. Boddaert, Tab. Planch. Enl. 1783, 25.
 americanus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.

- americana Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
 americana Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 704.
 americanus Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 22.—Lacerta.
 americana Gorgonia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3799.
 americanus Gyrinus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
 americana Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1017.
 americana Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 345.—Oriolus.
 americana Idotea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 302.—Cymothoa, 1793.
 americana Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1065.—
 Salamandra.
 americanus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
 americanus Lanius, J. Latham, Index Orn. 1790, 69.
 americana Leptura, J. R. Forster, Cat. Anim. N. Amer. 1771, 27 [*n. n.*].
 americanus Lepus, J. C. P. Erxleben, Syst. Anim. 1777, 330.
 americana Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545 ; ed. 12, 1767, 904.
 americana Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 128.
 americana Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 863.
 americanus Malacopteryx, J. R. Forster, Cat. Anim. N. Amer. 1771, 26 [*n. n.*].
 americanum Megatherium, G. Cuvier, Mag. encyclop. 1796, I (3), 310. [Mylabris.
 americana Meloe (Herbst), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
 americana Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 66.
 americanus Merops, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 95.
 americanus Moschus, J. C. P. Erxleben, Syst. Anim. 1777, 324.
 americana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 960.
 americanus Mus, R. Kerr, Anim. Kingd. 1792, 227.
 americana Musca, J. C. Fabricius, Syst. Ent. 1775, 774.
 americana Musca (Syrphus), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 288.
 americana Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583 ; ed. 12, 1767, 966.
 americana Mycteria, Linnaeus, Syst. Nat., ed. 10, 1758, 140 ; ed. 12, 1766, 232.
 americana Mylabris, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 146.
 americanus Myrmelcon, D. Drury, Ill. Nat. Hist. I. 1770, index & 111.
 americanus Nicrophorus, A. G. Olivier, Entom. II. 1790, 6.
 americanus Noctilio, Linnaeus, Syst. Nat., ed. 12, 1766, 88 [leporinus Vespertilio, ed. 10].
 americana Notonecta, J. C. Fabricius, Syst. Ent. 1775, 690.
 americanus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 386.
 americana Panorpa, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 278.
 americanus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190 ; ed. 12, 1766, 341.
 americana Perca, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1308.
 americana Perca, F. v. P. Schrank, Abh. Privatges. Nat. Oberdeutschl. I. 1792, 100.
 americana Pipa, J. N. Laurenti, Syn. Rept. 1768, 25.
 americanus Pleuronectes, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 113.
 americana Recurvirostra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 693.
 americana Rhea, J. Latham, Index Orn. 1790, 665.
 americana Ruticilla, Bartram, B. S. Barton, N. H. Pennsylv. 1799, 19.
 americanus Sacer, F. M. Daudin, Traité élém. Orn. 1800, 97. [1782, 330.
 americana Salamandra, M. Houttyn, Verh. zeeuwsch genoot. Wet. Vlissingen, IX.
 americana Scorpaena, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1220.
 americanus Scorpio, *id. ac* americanus, L., J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790,
 americana Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360 ; ed. 12, 1767, 570. [2962.
 americanus Sorex, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 36.
 americana Sphex (L.), J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 383.—
 americanus Spondylus, J. Hermann, Naturforscher, XVI. 1781, 51. [Mutilla.
 americanus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1503.
 americana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 288.
 americanus Struthio, Linnaeus, Syst. Nat., ed. 10, 1758, 155.
 americana Sylvia (Gm.), J. Latham, Index Orn. 1790, 520.—Motacilla.
 americanus Tabanus, D. Drury, Ill. Nat. Hist. I. 1770, index & 104.
 americanus Tabanus, J. R. Forster, N. Sp. Ins. 1771, 100.

- americana* Talpa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 36.
americanus Tapir, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 216.
americanus Tapirus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 12.
americana Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
americanus Tragus, P. Boddaert, Elench. 1785, 132.
americanus Trichechus, H. F. Link, Beytr. Nat. I (2) 1795, 109 [*n. n.*].
americanus Triton, J. N. Laurenti, Syn. Rept. 1768, 40.
americanus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
americanus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
americanus Turdus, J. Latham, Index Orn. 1790, 342.
americanus Ursus, P. S. Pallas, Spic. Zool. XIV. 1780, 5.
americana Vespa, J. C. Fabricius, Syst. Ent. 1775, 370.
americanus Vespertilio, R. Kerr, Anim. Kingd. 1792, 100.
americus Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1038.
amerinae Cimbex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 768.—Tenthredo.
amerinae Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
amerinae Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 220.
amerinae Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
amesis [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 13.
amestris [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 26.
amethystea Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1174.
amethystea Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 398.—Cypraea.
amethystines Erotylus, J. C. Fabricius, Syst. Ent. 1775, 124.
amethystina Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
amethystina Buprestis, A. G. Olivier, Entom. II. 1790, 83.
amethystinum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 321.
amethystinus Carabus, J. C. Fabricius, Mant. I. 1787, 203.
amethystina Chrysis, J. C. Fabricius, Syst. Ent. 1775, 359.
amethystina Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1688.
amethystinus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
amethystinus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1728.—Erotylus.
amethystinus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 124.
amethystinus Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 47.—Erotylus.
amethystinus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1793.
amethystina Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
amethystina Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 210.
amethystinus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
amethystina Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
Amia Linnaeus, Syst. Nat., ed. 12, 1766, 500.—P.
Amia G. Cuvier, Leçons Comp. Anat. I. 1800, 4.—P. [*n. n.*].
amia Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.
amiatus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 347.
amictus Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 341.
amictus Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1793, 237.—Ichneumon, 1775.
amiculatus Chiton, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 241.
amicula Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
amica Musca, Linnaeus, Amoen. Acad. VIII. 1771, 91.
amica [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 158.
amica Phal. (Geom.), Herbst, Einl. Ins. II. 1785, 123.
amilia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 53.—Phalaena.
amilia [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 130.
amiralis *v.* *ammiralis*.
ammios Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1812.—Clerus.
ammios Clerus, J. C. Fabricius, Mant. I. 1787, 126.
ammiralis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 625.
ammiralis Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1167. *varr.*
summus; *ordinarius*; *occidentalis*; *cedonulli*.

- ammiralis** Conus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3378. *varr.* *larvatus*, *americanus* (3378); *anglicus*, *coronatus*, *regius* (3379); *guineensis*, *surinamensis* (3380).
- ammiralis** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.
- amiralis** Papilio, P. Forskal, Descr. Anim. 1775, xxiii.
- amiralis** Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
- Ammodytes** Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430 [Artedi, Ichth. Ammodytes L. T. Gronov, Acta Helvet. IV. 1760, 259.—P. [1738, gen. xiii, 16].—P.
- ammodytes** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 376.
- ammon** Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 97.
- ammon** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.—Scarabaeus.
- ammon** Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
- ammon** Ovis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 250.—Capra.
- ammon** Ovis, R. Kerr, Anim. Kingd. 1792, 331. *varr.* *europaea*.
- ammon** [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 79.
- ammon** Scarabaeus, P. S. Pallas, Reise Russ. III. 1776, 707.
- ammon** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 24.
- ammonia** [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 98.
- ammonita** Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
- Ammonites** J. Gesner, Tract. Petref. 1758, 47.—Ceph.
- Ammonites** H. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xvi & 28.—Ceph.
- Ammonites** Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—Ceph.
- “**Ammonoides** Da Costa, 1776”; Herrmannsen. [not binom.]—Ceph.
- ammonoides** Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3371.
- ammonoita** Sabella, K. Schreibers, Vers. Conch. I. 1793, 379.
- Amnophila** W. Kirby, Tr. Linn. Soc. [Lond.] IV. 1798, 199.—Hym.
- amnicum** Cardium (Müll.), R. Pulteney, Cat. Birds, &c. Dorset, 1799, 31.—Tellina.
- amnica** Tellina, O. F. Müller, Verm. II. 1774, 205.
- Amodytes** *v.* **Ammodytes** [Artedi, Ichth. 1738, gen. 16].—P.
- amoenissima** Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 188.
- amoenita** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 47.
- amoenus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 64.
- amoenus** Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 342.
- amoenus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 142.
- amoenus** Dytiscus, A. G. Olivier, Entom. III. 1795, 32.
- amoena** Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
- amoena** Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
- amoenus** Staphylinus, A. G. Olivier, Entom. III. 1795, 26.
- amor** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 260.
- amor** Papilio, J. C. Fabricius, Syst. Ent. 1775, 518.
- amorea** Gobius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 205.
- amorosus** Parus *id. ac* *amatorius* Gm., J. Latham, Index Orn. 1790, 568.
- amosis** [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 139.
- amouretta** Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- Ampelis** Moehring, Geslach. Vögel. (Nozem. & Vosm. ed.) 1758, 2 & 25.—A.
- Ampelis** Linnaeus, Syst. Nat., ed. 12, 1766, 297.—A.
- Ampelis** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
- ampelis** Lanius, P. Forskal, Descr. Anim. 1775, 7.
- “**Amphibiolithus**” Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.—R.
- amphibia** Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
- amphibius** Arvicola (L.), B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—Mus.
- amphibius** Blennius, J. A. Donndorff, Zool. Beyt. III. 1798, 314.
- amphibia** Cicada, E. Pontoppidan, Danske Atlas, I. 1763, 681.
- amphibius** Hippopotamus, Linnaeus, Syst. Nat., ed. 10, 1758, 74; ed. 12, 1766, 101.
- amphibius** Microtus (L.), F. v. P. Schrank, F. Boica, I. 1798, 72.—Mus.
- amphibius** Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 61; ed. 12, 1766, 82.
- amphibius** Mus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 132. *varr.* *terrestris*, *paludosus*, *niger*, *maculatus*.
- amphibius** Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 714. *varr.* *albus*, *rufus*, *canus*.

- amphibia Tipula, C. de Geer, Mém. Ins. VI. 1776, 380.
 amphicede [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 80.
 amphidamas Papilio P. R., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 amphimachus Papilio, J. C. Fabricius, Syst. Ent. 1775, 457. [1780], 46.
 amphimedon [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 2.
 [amphimedon Papilio, MS.], T. Martyn, Psyche, 1797, fig. 40 & 45.
 amphimede Bombyx, J. C. Fabricius, Syst. Ent. 1775, 563.
 Amphinome J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, viii & 44.—Moll.
 Amphinome J. G. Meigen, N. Class. Mouches, 1800, 15.—Dip.
 amphinome [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 68.
 amphinome Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12. 1767, 779.
 amphiochrus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
 amphion Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 301.
 amphion Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.
 amphion Papilio, Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 amphione Papilio, P. Cramer, Uitl. Kapellen, III (12) 1777, 68. [1780, 18.
 Amphipera F. C. Meuschen, Mus. Gronov. 1778, 109.—G.
 Amphiperas L. T. Gronovius, Zooph. III. 1781, 293.—G.
 Amphisbaena Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.—R.
 Amphisbasnae v. Amphisbaena, Linnaeus, Anim. Spec. disposit. 1759, 70.
 Amphisilen (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 582.—P.
 amphitriton [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 10.
 Amphitrite O. F. Müller, Würm. 1771, 8.—Ver.
 amphix [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 59.
 amphorata Clava, Bosc, Bull. Sci. Soc. Philom. [Paris], No. 2, 1797, 9.
 amphrysus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 43.
 amplana Tortrix, J. Hübnér, Europ. Schmett. (Tort.) [me judice 1796], fig. 24.
 amplexens Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2985.—
 amplexens Galathea, J. C. Fabricius, Ent. Syst. II. 1793, 473. [Pagurus.
 amplexens Ostrea, F. C. Meuschen, Mus. Gever. 1787, 420.
 amplexens Pagurus, J. C. Fabricius, Syst. Ent. 1775, 412.
 ampliata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 157.
 amplissimus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 69.
 amplus Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 34.
 ampla Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
 amplustre Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1184.
 "Ampulla Schroeter, Vollst. Einl. Verst. IV. 384," Hermannsen: *errore*.—G.
 Ampulla J. F. Bolten, Mus. Bolten. (2) 1798, 110.—G.
 ampulla Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 148.
 ampulla Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1183.
 ampulla striata Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
 ampulla Cancer, C. J. Phipps, Voy. N. Pole, 1774, 191. [—Cancer
 ampulla Cancer (Gammarellus) (Ph.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793, 116.
 ampulla Gammarus (Phipps), J. C. Fabricius, Spec. Ins. I. 1781, 515.—Cancer.
 ampulla Vorticella, O. F. Müller, An. Infus. 1786, 283.
 ampullacea Ampullaria (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—Helix.
 ampullaceus Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 256.—Helix; & *varr.*
 glaucus; costatus.
 ampullaceus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 297.—Helix.
 ampullacea Bulla, Linnaeus, Amoen. Acad. VIII. 1771, 142, II. 9.
 ampullacea Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
 ampullacea Nerita (Linn.), O. F. Müller, Verm. II. 1774, 172.—Helix.
 ampulacea Pila (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 146.—Helix.
 Ampullaria Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—G.
 ampullatum Buccinum (ex List.), P. L. S. Müller, Del. Nat. I. 1766, 129.
 ampullata Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
 amputator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 276.
 ampyx Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 11.

- amsteinii* Sph[inx], T. G. v. Scheven, N. Mag. Lieb. Ent. [Fuessly's] I (1) 1781, 54
- amulia* [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 128.
- amulia* Papilio, T. Martyn, Psyche, 1797, 5.
- amulius* Papilio E. T., E. J. C. Esper, Ausl. Schmett. (8) 1792, 113.
- Amusium* J. F. Bolten, Mus. Bolten. (2) 1798, 165.—L.
- amusium* Pecten, F. C. Meuschen, Mus. Gever. 1787, 414.
- amusus* Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
- amyclas* Papilio, P. Cramer, Utitl. Kapellen, III (17) 1777, 13.
- amycus* [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 60.
- "*Amygdala* v. *Phelsum* 1774," Ag.; does not occur: a Latinization by Leske in Klein, 1778, but not used generically.
- amygdala* Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
- amygdala* Echinus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3201.
- amydala* Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
- amygdali* Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
- amygdali* Chermes, J. C. Fabricius, Mant. II. 1787, 318.
- amygdalumtostum* Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
- Amygone* O. F. Müller, Z. Dan. Prod. 1776, xxvii & 198.—Cr.
- amynta* [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 100.
- amyntas* Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.
- amyntas* Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 285.—Papilio.
- amyntas* Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.
- amyntas* Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
- amyntas* Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 292.
- amyntas* Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 79.
- amyntas* Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 127.
- amyntor* Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 290.—Papilio.
- amyntor* [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 76.
- amyntor* Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 121.
- Anableps* [Artedi, Ichth. 1738, gen. xx, 25].—P.
- Anableps* F. C. Meuschen, Mus. Gronov. 1778, 36.—P.
- anableps* Anableps, F. C. Meuschen, Mus. Gronov. 1778, 36.
- anableps* Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499.
- anaca* Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 349.
- anacardi* Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 758.
- anachoreta* Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 56.
- anachoreta* Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 1.
- anacreon* Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 268.
- Anadema* *err. pro* Diadema, F. C. Meuschen, Mus. Gever. 1787, 480.—[Echinus, L.]
- Anaethetus* P. Browne, Hist. Jamaica, ed. 2, 1789, 481.—A.
- anaethetus* Sterna, J. A. Scopoli, Del. Insub. II. 1786, 92.
- anagnostes* Phalaena [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
- analis* Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
- analis* Apis, J. C. Fabricius, Syst. Ent. 1775, 384.
- analis* Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 377.
- analis* Attelabus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 616.
- analis* Bombylius, A. G. Olivier, Ency. Méth. IV. (Ins.) 1789, 327.
- analis* Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 408.
- analis* Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 75.
- analis* Bruchus, J. Latham in T. Pennant, Ind. Zool., ed. 2, 1791, 103 [*n. n.*].
- analis* Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 214.
- analis* Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 342.
- analis* Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 155.
- analis* Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—Saperda.
- analis* Cerambix, A. G. Olivier, Entom. IV. 1795, 37.
- analis* Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 49.
- analis* Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 592.
- analis* Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 39.

- analis Cistela, J. C. Fabricius, Syst. Ent. 1775, 117.
 analis Coccinella, J. C. Fabricius, Mant. I. 1787, 60.
 analis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 73.
 analis Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 144.—Scarabaeus.
 analis Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1714.—Cistela.
 analis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 489.
 analis Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 230.
 analis Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 187.
 analis Malachus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 6.
 analis Necydalis, A. G. Olivier, Entom. IV. 1795, 7.
 analis Oxyporus, J. C. Fabricius, Mant. I. 1787, 222.
 analis Phryganea, J. C. Fabricius, Syst. Ent. 1775, 306.
 analis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 246.—Sphex, 1793.
 analis Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 28.—Curculio.
 analis Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 233.
 analis Scarabaeus, J. C. Fabricius, Mant. I. 1787, 8.
 analis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 447.
 analis Staphylinus, J. C. Fabricius, Mant. I. 1787, 221.
 analis Staphylinus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 372.—Oxyporus.
 analis Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 115.
 analis Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.
 analis Vespa, J. C. Fabricius, Syst. Ent. 1775, 363.
 analis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 261.
 ananas Astroides, J. E. I. Walch, Naturforscher, V. 1775, 52.
 ananas Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
 ananas Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797; ed. 12, 1767, 1275.
 ananchytis Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3199.—
 ananchytis Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 243. [Spatangus.
 anaphus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 343.—Papilio.
 anaphus [Papilio], P. Cramer, Utit. Kapellen, II (15) 1777, 126.
 Anarchichas *v.* Anarhichas [Artedi, Ichth. 1738, gen. 23].—P.
 Anarhichas Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430 [Artedi, Ichth.
 1738, gen. xvii, 23].—P.
 Anarichas *v.* Anarhichas [Artedi, Ichth. 1738, gen. [86]].—P.
 Anarrhichas L. T. Gronov, Acta Helvet. IV. 1760, 259.—P.
 Anas Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 194.—A.
 anas Trichoda, O. F. Müller, Verm. I (1) 1773, 95.
 anas Vibrio, O. F. Müller, An. Infus. 1786, 72.
 Anaspis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 315.—Col.
 anastatica Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 54.
 anastatica Brachionus (Linn.), P. S. Pallas, Elench. 1766, 99.—Isis.
 anastatica Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 800.—[Vorticella, ed. 12.]
 anastatica Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1317.
 anastomosis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
 anastomosis Mylabris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 112.
 anastomosis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506; ed. 12, 1767, 1107.
 anastomozans Dityscus, J. Well in Jacquin, Misc. Aust. II. 1781, 386. [824.
 Anastomus Bonnatere, Ency. Méth. (Orn.) I. 1790, xciii.—A.
 anathema Sphex, P. Rossi, Fauna Etrus. II. 1790, 65.
 Anatifa J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii & 60.—Cirr.
 Anatifera F. C. Meuschen, Mus. Gever. 1787, 476. [*v. et.* Cat. Coll. Coq. Oudaan, 1766,
 anatifera Anatifa (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 91.—Lepas. [107.
 anatiferus Balanus (L.), E. M. da Costa, Brit. Conch. 1778, 253.—Lepas.
 anatifera Bernicla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Lepas.
 anatifera Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1109.
 anatifera Mya, J. P. Falk, Reise Russ. (5) 1786, 447 [*n. n.* = Lepas].
 anatinus Anodontites (L.), G. Cuvier, Tab. Elém. 1798, 425.—Mytilus.
 anatina Laternula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 155.—Solen.

- anatinum** *Limnaeoderma* (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—*Mytilus*.
anatinus *Musculus* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 157.—*Mytilus*.
anatina Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
anatinus *Mytilus*, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
anatina *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3333.
anatinus *Platypus*, G. Shaw, Nat. Misc. X. 1799, pl. 385.
anatina *Riparia* (L.), F. C. Meuschen, Mus. Gever. 1787, 468.—*Mytilus*.
anatinus *Solen*, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1115.
anati pennella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
anatis *Ascaris*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033. [—*Fasciola*.
anatis *Distoma* (Gm.), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 196.
anatis *Echinorhynchus*, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 26.
anatis *Fasciola*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
anatis *Pediculus*, F. v. P. Schrank, Ins. Aust. 1781, 503.
anatis *Pediculus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 571.
anatis *Taenia*, O. F. Müller, Naturforscher, XIV. 1780, 179.
anatis *Taenia*, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, *varr.* *fasciolaris*;
lineata; *malleus*; *avium*. 3076.
anatis *Trichocephalus*, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 119.
anator *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 169.
anatum *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 93.
anaxarete [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 148.
anaxibia *Papilio*, E. A., E. J. C. Esper, Ausl. Schmett. (15) 1798, 223.
[ancaeus]
anceus *Copris*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 158.
ancaea [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 93.
anceus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 48.
ancaeus *Papilio*, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 98.
ancaeus *Papilio* (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486 [P. (Nymphalis), ed. 12].
ancea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 72.
anceus *Scarabaeus* [Copris], A. G. Olivier, Entom. I. 1789, 116.
anceus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 124.
anceps *Coluber*, J. A. Scopoli, Del. Insub. III. 1788, 39.
anceps *Cucujus*, M. Piller & Mitterpacher, Iter Poseg. 1783, 85.
anceps *Gorgonia*, P. S. Pallas, Elench. 1766, 183.
anceps *Ichneumon*, C. de Villers, Linn. Ent. III. 1789, 204.
anceps *Noctua* [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
anceps *Paramecium*, J. Hermann, Naturforscher, XX. 1784, 157.
anceps *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
anceps *Phalaena* [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
anceta [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 136.
anceus *v.* **ancaeus**.
anchemolus [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 50.
anchilio *Papilio* (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
anchisiades *Papilio*, E. T., E. J. C. Esper, Ausl. Schmett. (4) 1788, 53.
anchora *v.* **ancora**.
anchorago *Brentus* (L.), J. C. Fabricius, Mant. Ins. I. 1787, 96.—*Curculio*.
anchorago *Cimex*, J. C. Fabricius, Syst. Ent. 1775, 699.
anchorago *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613 [co.].
anchorago *Sparus*, M. E. Bloch, Nat. ausl. Fische, V. 1791, 108.
anchusae *Galeruca*, G. Paykull, Faun. Suec. II. 1799, 101.
anchilioidea *Coluber*, F. C. Meuschen, Mus. Gronov. 1778, 14.
Ancilla F. C. Meuschen, Mus. Gever. 1787, 246.—[*Patella*, L.]
Ancilla Lamarck, Mem. Soc. H. N. Paris, 1799, 70.—G.
ancilla *Noctua* (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 51.—Phal.
ancilla *Noctua*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
ancilla [Phalaena], P. Cramer, Uitl. Kapellen, II (13) 1777, 84. [P. (Noctua).
ancilla *Phalaena* (Bomb.) (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2443.—

- ancilla Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 835.
 ancilla Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
 ancipites Gorgonia *id. ac* anceps, L., J. F. Maratti, Plant. Zooph. Med. 1776, 10.
 [ancora]
 anchora Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 120.
 anchora Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 47.
 ancora Tetratoma, J. C. Fabricius, N. Mag. Lieb. Ent. [Schneider's] I. 1791, 20.
 Ancylus E. L. Geoffroy, *Traité Coq.* 1767, 13.—G.
 Ancylus O. F. Müller, Verm. II. 1774, 199.—G.
 andalusica Perdix (Gm.), J. Latham, Index Orn., 1790, 656.—Tetrao.
 andalusicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 766.
 andalusica Turnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 7.
 andersonii Physeter, Borowski, Gem. Nat. Thiere, II. 1781, 33.
 andraenae Pediculus, J. C. Mikan, N. Abh. Böhm. Ges. Wiss. III. 1798, 136.
 andreae Buprestis, A. G. Olivier, Entom. II. 1790, 53.
 andreae Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 311.
 andreae Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 727.
 andreae Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 56.
 andremona [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 16.
 andremona [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 132.
 Andrena J. C. Fabricius, Syst. Ent. 1775, 376.—Hym.
 "androdamas Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 165.
 androgea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV. (26) 1780, 42.
 androgeos Papilio, P. Cramer, Uitl. Kapellen, I (8) 1776, 142.
 androgeus [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 24.
 androgynus Crabro, P. Rossi, Mant. Ins. I. 1792, 138.
 andromacha Papilio, J. C. Fabricius, Syst. Ent. 1775, 466.
 andromachus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 87.
 andromacha Zygæna, J. C. Fabricius, Syst. Ent. 1775, 830.
 andromeda Medusa, P. Forskal, Descr. Anim. 1775, 107.
 andromeda Papilio, J. C. Fabricius, Syst. Ent. 1775, 467.
 andromeda [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 149.
 andromeda Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 184.
 androsace Corallina, P. S. Pallas, Elench. 1766, 431.
 anella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 anella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 18.
 anella Tinea [Roth v. Schreckenstein], Schmett. Donau, 1800, 37 [*n. n.*].
 anelytra Blatta, F. v. P. Schrank, Beitr. Nat. 1776, 73. [1767, 436].
 anemone Actinia, Ellis & Solander, Nat. Hist. Zooph. 1786, 6 [v. Phil. Trans. LVII.
 anemone Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
 anethana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 91.
 aneus Johnius, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 135.
 Angaha G. Cuvier, Leçons Comp. Anat. I. 1800, 3 [*n. n.*].—R.
 angalla Sus, P. Boddaert, Elench. 1785, 158.
 Angaria J. F. Bolten, Mus. Bolten. (2) 1798, 71.—G.
 Angarius F. C. Meuschen, Mus. Gev. 1787, 254 [v. *et*. Cat. Coll. Coq. Oudaan, 1766,
 angaria Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109. [10].—[Helix, L.].
 angled Mugil, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1398.
 angelica [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 204.
 angelicae Musca, Scopoli, Ent. Carn. 1763, 329.
 anglicana Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1693.—Altica
 anglicana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 417. [anglica, Fab.
 anglica Altica, J. C. Fabricius, Syst. Ent. 1775, 114.
 anglicum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
 anglicum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
 anglicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1844.
 anglica Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 135.—Altica, 1775.
 anglica Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1689.

- anglica Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela, 1781.
 anglica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 319.
 anglica Pimelia, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2011.
 angulus Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776) 117.
 angulator Cerambix, A. G. Olivier, Entom. IV. 1795, 71.
 angolensis Capra, Linnaeus in Hasselquist, Palast. 1762, 285.
 angolensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 885.
 angolensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 252.
 angolensis Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 479.
 angolensis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 323.
 angolensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
 angolensis Gypaetos (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 27.—Falco.
 angolensis Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 303.
 angolensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 463.
 angolensis Vultur (Gm.), G. Shaw, Mus. Lever. I. 1792, 153.—Falco.
 angorensis Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
 angorensis Capra, G. Shaw, Mus. Lever. I. 1792, 46.—*var. hirci*.
 angorensis Cuniculus, E. A. W. Zimmermann, Spec. Zool. 1777, 190.
 anguiformis Coluber (Laur.), J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 60.—Coronella.
 anguiformis Coronella, J. N. Laurenti, Syn. Rept. 1768, 85.
 "Anguilla Thunberg, 1797, Ag." Does not occur: is Shaw, 1804.
 angvilla Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 245; ed. 12, 1766, 426.
 angvilla Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 11.—Muraena.
 anguillae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 anguillae Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
 anguillae Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 84.
 anguillae Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3056.
 anguillae Rhytelminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 215.
 anguillae Taenia, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3078.
 anguillaris Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 450.
 anguillaris Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
 anguillaris Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 61.
 anguillaris Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 502.
 anguilliformis Gobioides (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.—
 Gobius anguillaris.
 anguilloides Mormyrus, Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 522.
 Anguillula O. F. Müller, An. Infus. 1786, 63.—Ver.
 anguillula Chaos, J. F. Blumenbach, Hand. Naturg. 1779, 447.
 anguillula Vibrio, O. F. Müller, Verm. I (1) 1773, 41.
 Anguina J. A. Scopoli, Intr. Hist. Nat. 1777, 374.—Ver.
 anguinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 9 & 13 [2].
 anguina Cellularia (L.), P. S. Pallas, Elench. 1766, 78.—Sertularia.
 anguina Chalcida (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 31.—Lacerta.
 anguinus Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 610.
 anguina Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 371.
 anguina Lacerta, Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1079.
 anguina Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 167.
 anguinus Proteus, J. N. Laurenti, Syn. Rept. 1768, 37.
 anguina Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
 anguina Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1267.
 anguina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 816; ed. 12, 1767, 1317.
 anguina Siliquaria (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 79.—Serpula.
 anguina Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
 Anguis Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 390.—R.
 anguis [Helix], T. Martyn, Univ. Conch. II [1788], fig. 70.
 anguis Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602 [? Helix, Mart.].
 angulalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796] 4 [2].
 angulana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 417.

- angularis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3661.—Nerita.
angularis Nerita, O. F. Müller, Verm. II. 1774, 187.
angularis Staphylinus, G. Paykull, Faun. Suec. III. 1800, 395.
angularia Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 103.
angularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 22
angularia Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 59. [n. et f.]
angularia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 326.
angulatosus Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
angulatus Alpheus (Penn.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
angulata Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1154.
[angulatus Araneus, C. Clerck, Aran. Svec. 1757, 22.]
angulata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
angulata Arca, F. C. Meuschen, Mus. Gever. 1787, 426.
angulata Arca, Bruguière, Ency. Méth. (Vers) (1) 1789, 113.
angulatus Attelabus, J. C. Fabricius, Mant. I. 1787, 124.
angulata Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 481.
angulata Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136.
angulatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 192.
angulatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 335.
angulatus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
angulata Cantharis, J. C. Fabricius, Mant. I. 1787, 168.
angulata Capsa (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 84.—Tellina.
angulatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 302.
angulata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 53.
angulatus Chiton (L.), Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 71.
angulata Cicada, C. de Geer, Mém. Ins. VII. 1778, 613.
angulata Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 62.
angulatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 377.
angulata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185 [n. n.].
angulatus Cordylus (L.), F. A. A. Meyer, Syn. Rept., 1795, 17.—Lacerta.
angulatus Elater, D. Drury, Ill. Nat. Hist. III. 1782, index & 69.
angulata Fasciola, O. F. Müller, Verm. I (2) 1774, 58.
angulatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
angulatum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
angulatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
angulatus Hepialus, J. C. Fabricius, Spec. Ins. II. 1781, 506.
angulata Hispa, J. C. Fabricius, Mant. II. 1787, 379.
angulata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 364.
angulatus Malachus, J. C. Fabricius, Ent. Syst. I (1) 1792, 223.
angulata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 13.
angulata Melolontha, A. G. Olivier, Entom. I. 1789, 32.
angulatus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 24.
angulata Mya, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 35.
angulatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 113.
angulata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
angulata Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 443.
angulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 604.
angulata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 270.
angulata Phalaena, J. C. Fabricius, Mant. II. 1787, 196.
angulata Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 83.
angulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
angulata Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis, 1793.
angulata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
angulata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
angulatus Prionus, A. G. Olivier, Entom. IV. 1795, 31.
angulata Saperda, F. v. P. Schrank, Naturforscher, XXIV. 1789, 77.
angulatus Scutigera, F. C. Meuschen, Mus. Gever. 1787, 240.
angulata Serpula, P. Forskal, Descr. Anim. 1775, xxxiv.

- angulata Serpula, E. M. da Costa, Brit. Conch. 1778, 20.
angulata Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 19.
angulata Tellina, Linnaeus, Syst. Nat., ed. 12, 1767, 1116.
angulata Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187 [*n. n.*].
angulatus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 677.
angulata Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 49.—Cantharis, 1787.
angulella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
angulella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
angulella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
angulosa Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3315.
angulosa Asterias, O. F. Müller, Zool. Dan. II. 1784, 3.
angulosa Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 92, *var. minor* (94).
angulosus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
angulosus Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3170.—
angulosa Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 97. [Cidaris].
angulosa Madrepora; P. S. Pallas, Elench. 1766, 299.
angulosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
angulosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
angulosa [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 137.
angulosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 304.
angulosa Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 165.
angulosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
angulosa Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187.—angulata, L.
angulus Trichoda, O. F. Müller, Verm. I (1) 1773, 81.
angustalis Phalaena, J. C. Fabricius, Mant. II. 1787, 222.
angustalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120. [*n. cf.*].
angustana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796] fig. 74
angustata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 301.
angustatus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V 1793, 111.
angustatus Bostrichus, Hellwig in Sierstorpf, Insektenarten, 1794, 61.
angustata Calappa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 347.
angustatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 252.
angustatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 21 [*n. n.*].
angustatus Carabus, J. C. Fabricius, Mant. I. 1787, 205.
angustata Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
angustatus Cicindela, J. C. Fabricius, Ent. Syst. I (1) 1792, 169.—Carabus, 1787.
angustatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 59.
angustatus Cimex, J. C. Fabricius, Mant. II. 1787, 308.
angustata Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 148.
angustatus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789,
angustatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 135. [1715.—Cistela].
angustata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
angustata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]:
Essai Fourmis, 1798, 34.
angustata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315.
angustatus Gervis, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—Cimex, 1787.
angustatus Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
angustata Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3212.
angustatus Paederus, G. Paykull, Faun. Suec. III. 1800, 431.—Staphylinus, 1789.
angustata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
angustata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 253.
angustatus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 140.
angustatus Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 233.
angustatus Staphylinus, G. Paykull, Mon. Staph. 1789, 36.
angustata Stenosis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 161.—
angustatus Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396. [Pimelia].
angustella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 33.
angusticlavia Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.

- angustipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1790], 69.
 angustus Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2193.
 angustus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 201.
 angustus Coluber, G. A. Suckow, Naturges. III. 1798, 253.
 angustus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 45.
 angusta Helix, Studer in Coxe, Trav. Switz. III. 1789, 388 [*n. n.*].
 angusta Mantis, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2055.
 angustus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
 angusta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
 angusta Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
 angusta Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 anhelans Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxx.
 Anhima M. J. Brisson, Ornith. V. 1760, 518.—A.
 Anhima M. T. Brünnich, Fund. Zool. 1772, 74.—A.
 Anhinga M. J. Brisson, Ornith. VI. 1760, 476.—A.
 Anhinga M. T. Brünnich, Zool. Fund. 1772, 80.—A.
 anhinga Plotus, Linnaeus, Syst. Nat., ed. 12, 1766, 218.
 ani Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 12.
 ani Crotophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 154.
 ani Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 409.
 aniculus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2982.—Pagurus.
 aniculus Pagurus, J. C. Fabricius, Mant. I. 1787, 327.
 anifurca [Noctua], C. C. Jung, Alph. Verz. Schmett. 1791, 36.
 anilis Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 757.—Musca.
 anile Epitonium, J. F. Bolten, Mus. Bolten. (2) 1794, 95.
 anilis Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 442.
 anilis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 21.
 anilis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
 animosa Formica, P. Forskal, Descr. Anim. 1775, 85.
 Anisotoma Knoch in Kugelann, Käfer Preuss. 1798, 69.—Col.
 anius Papilio, C. C. Jung, Alph. Verz. Schmett. I. 1791, 36.—*err. pro avius*, Cr.
 anketeri Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 43.
 anna [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 158.
 annalicornis Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 annexa Musca, O. F. Müller, Z. Dan. Prod. 1776, 173.
 annonae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 358.
 annoni Cyprinus, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 32.
 annularis Apis, D. Drury, Ill. Nat. Hist. II. 1773, index & 71.
 annularis Aranea, C. de Villers, Linn. Ent. IV. 1789, 128.
 annulare Callidium, J. C. Fabricius, Mant. I. 1787, 156.
 annularis Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 164.
 annularis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.—
 annularis Chaetodon, M. E. Bloch, Nat. ausl. Fische III. 1787, 114. [Callidium.
 annularis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 215.
 annularis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
 annularis Eschara, P. S. Pallas, Elench. 1766, 48.
 annularis Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 568.
 annularis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 398.
 annularis Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat., III. 1796, 196.
 annularis Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 169.
 annularis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
 annularis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 262.
 annularis Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 558.
 annularis Podura, A. F. de Fourcroy, Ent. Paris. 1785, 524.
 annularis Saperda (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 120.—
 annularis Saperda, A. G. Olivier, Entom. IV. 1795, 11. [Callidium.
 annularis Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 467.
 annularis Sphex, N. Poda, Ins. Mus. Graec. 1761, 107.

- annularis Sphex, J. L. Christ, Nat. Ins. 1791, 315.
annularis Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 85.
annularis Tipula, C. de Geer, Mém. Ins. VI. 1776, 379.
annularis Vespa, Linnaeus, Amoen. Acad. VI. 1763, 413.
annularis Vorticella, O. F. Müller, Verm. I (1) 1773, 121.
annularis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 625.
annulatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 521.
annulator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
annulator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
annulator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 151.
annulatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 330.
annulatum Acrydium (Herbst), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
annulata Aeshna, J. C. Fabricius, Suppl. Ent. Syst. 1798, 286.
annulata Andrena (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
annulata Anguis, J. N. Laurenti, Syn. Rept. 1768, 69.
annulata Aphrodita, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 38.
annulata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 958.
annulata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 230.
annulatus Asilus, J. C. Fabricius, Syst. Ent. 1775, 794.
annulata Bombyx, J. C. Fabricius, Gen. Ins. 1777, 281.
annulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 113.
annulata Cellepora, O. Fabricius, F. Groen. 1780, 436.
annulatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—
annulatus Cerambix, A. G. Olivier, Entom. IV. 1795, 95.—Lamia, 1792. [Stenocorus.
annulata Chalcis, J. C. Fabricius, Ent. Syst. II. 1793, 197.
annulata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
annulatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 725.
annulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
annulatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
annulata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 579.
annulatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
annulata Conops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2895.
annulatus Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 362.
annulatus Crabro, P. Rossi, Mant. Ins. II. 1794, 123.
annulatus Culex, F. v. P. Schrank, Beitr. Nat. 1776, 97.
annulatus Culex, A. F. de Fourcroy, Ent. Paris. 1785, 516.
annulatus Culex, J. C. Fabricius, Mant. II. 1787, 363.
annulatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 613.
annulatum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
annulatus Echinorhynchus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3048.
annulata Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
annulata Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 4.
annulatus Gryllus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 195.
annulata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
annulatus Hylaeus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 305.—Apis.
annulatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2072.
annulatus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 179.
annulatus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 342.—Oriolus.
annulata Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 465.
annulata Muraena, C. P. Thunberg, De Muraena, 1789, 8.
annulatus Musca, M. Harris, Exp. Eng. Ins. 1776, 40.
annulata Musca, F. v. P. Schrank, Ins. Aust. 1781, 477.
annulata Musca, J. C. Fabricius, Mant. II. 1787, 348.
annulatus Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 418.—Nemotelus.
annulata Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 399.
annulatus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 104.
annulata Nepa, J. C. Fabricius, Spec. Ins. II. 1781, 333.
annulata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 47.

- annulatus** Oniscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 301.
annulatus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
annulata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3338.
annulatus Papilio Pleb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2359.
annulatus Perca, F. C. Meuschen, Mus. Gronov. 1778, 42.
annulata Phalaena, J. D. Schulzens, Naturforscher, VI. 1775, 92.
annulata Phalaena, J. C. Fabricius, Ent. Syst. III. (2) 1794, 212.
annulatum Phalangium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 459.
annulata Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 189.
annulata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
annulatus Pleuronectes, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 110.
annulata Podura, J. C. Fabricius, Syst. Ent. 1775, 302.
annulatus Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
annulatus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 364.
annulatus Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 730.—Cimex.
annulata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 314.
annulata Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 206.
annulata Simia, M. T. Brunnich, Dyr. Hist. 1782, 34.
annulata Simia, J. M. Bechstein in Pennant, Übers. 4füss. Thiere, II. 1800, 661.
annulata Sphex, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 1.
annulata Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
annulata Sphex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 245.
annulatus Spiroglyphus, F. M. Daudin, Rec. Mém. Moll. 1800, 50.
annulatus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 180.
annulatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
annulata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
annulatus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 296.
annulata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 373.
annulata Tenthredo, J. C. Fabricius, Mant. I. 1787, 253.
annularis Tenthredo, C. de Villers, Linn. Ent. III. 1789, 117.
annulata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
annulata Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 225.
annulata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 973 [no. 16].
annulata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 974 [no. 28].
annulatus Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 33.
annulatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
annulatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
annulata Vespa, P. Rossi, Fauna Etrus. II. 1790, 88.
annulata Vipera, F. C. Meuschen, Mus. Gronov. 1778, 16.
annulata Viverra, R. Kerr, Anim. Kingd. 1792, 168.
annulata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3441.
annulata Zygaena, J. C. Fabricius, Syst. Ent. 1775, 551.
annulifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 332.
annulosa Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 302.
annulosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
annulus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1781, 109.
annulus Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
annulus Cimex, J. C. Fabricius, Syst. Ent. 1775, 697.
annulus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44 [n. n.].
annulus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1179.
annulus Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 408.—Cypraea.
Anobium J. C. Fabricius, Syst. Ent. 1775, 62.—Col.
“Anodonta Brug. 1789, Ag.”; is Lamarck, 1799.
Anodonta Lamarck, Mem. Soc. H. N. Paris, 1799, 87.—L.
Anodontites J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 134.—L.
Anodontites G. Cuvier, Tab. Elém. 1798, 424.—L.
anomalipes Sphex, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 23. [Curculio.
anomaloceps Brentus (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 182.—

- anomaloceps** Curculio, P. S. Pallas, Icon. Ins. 1781, 24.
- anomalus** Bostrichus, F. v. P. Schrank, Briefe Donaumoor, 1795, 136.
- anomalus** Cancer, Linnaeus in Hasselquist, Palast. 1762, 474.
- anomalus** Cervus, R. Kerr, Anim. Kingd. 1792, 304.
- anomala** Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 106.
- anomala** Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
- anomalus** Fucus, P. S. Pallas, Misc. Zool. 1766, 197.
- anomala** Lampyrus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 157.
- anomala** Lernaea, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 58.
- anomala** Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
- anomala** Orbicula (Müll.), G. Cuvier, Tab. Elém. 1798, 436.—Patella.
- anomala** Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
- anomalus** Ramphastos, B. C. Otto in Buffon, Nat. Vögel. XXIII. 1796, 307.
- anomalus** Sciurus, Gueldenstadt in Schreber, Sauthg. IV (42), 781 (1785).
- anomalus** Sciurus, J. A. Donndorff, Zool. Beytr. I. 1792, 498.
- anomala** Simia, H. F. Link, Beytr. Nat. I (2) 1795, 60.
- anomala** Tellina, I. v. Born, Index Mus. Caes. Vind. 1778, 20.
- anomalus** Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 23.
- Anomia** Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1150.—Moll.
- Anomia** C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99.—Moll.
- anomia** Ehippium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
- “**anomites** Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 163.
- anonymus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [n. n.].
- anonyma** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
- anonymus** Sparus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 297.
- Anostomus** L. T. Gronovius, Zooph. I. 1763, 122.—P.
- anostomus** Anostomus, F. C. Meuschen, Mus. Gronov. 1778, 37.
- anostomus** Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 514.
- anquis** Libellula, M. Harris, Exp. Eng. Ins. 1776, 78.
- ansatus** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
- Anser** M. J. Brisson, Ornith. VI. 1760, 262.—A.
- Anser** P. S. Pallas, Spic. Zool. (6)-1769, 21.—A.
- anser** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 197.
- anser** Vibrio, O. F. Müller, Verm. I (1) 1773, 46.
- anserifera** Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1109.
- anserifera** Mya, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 32.
- anseris** Fasciola, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3055.
- anseris** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
- anseris** Strongylus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 81.
- anseris** Taenia, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 553.
- anta** Tapir, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 154.
- antaeus** Geotrupes (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus.
- antaeus** Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 74.
- antaeus** Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
- antaeus** Sphex, Holthuysen, D. H. Schneider, Verz. Parthei Ins. 1800, 22.
- antaeus** Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 43.
- Antalium** J. E. Guettard, Mém. diff. Sci. III. 1770, 74.
- antarctica** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
- antarctica** Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 134.
- antarcticus** Canis, J. M. Bechstein in Pennant, Ubers. 4füss. Thiere, I. 1799, 271.
- antarctica** Columba, G. Shaw, Zool. N. Holland, 1794, 15. [Aptenodytes.
- antarctica** Pinguinaria (Miller) [=Forst.], G. Shaw in Miller, Cim. Phys. 1796, 78.—
- antarctica** Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 565.
- antarcticus** Scyllarus, N. T. Lund, Skr. nat. Selsk. [Copen.] II (2) 1793, 22.
- antarcticus** Scyllarus, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.
- antarctica** Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 944.
- antarcticus** Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
- anteambulo** Musca, M. Harris, Exp. Eng. Ins. 1776, 60.

- antecessor** Gasterosteus, Daldorf, Skr. nat. Selsk. [Copen.] II (2) 1793, 166.
antidiluvianus (*sic*) Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 637.
antennalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 219.
 "Antennarius Lacép. Hist. Nat. Poiss. I. 1798, 323; Ag." Lacépède is merely quoting Commerson MS. in synonymy.
antennator Ichneumon, J. C. Fabricius, Mant. I. 1787, 265.
antennatus Cancer, P. Forskal, Descr. Anim. 1775, 89.
antennata Cistela, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 8.
antennatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—Phalaena antennalis,
antennata Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 345. [1794
antennata Scorpaena, M. E. Bloch, Nat. ausl. Fische, III. 1787, 21.
antenella Phal. Tin., J. Hübner, Samml. Vogel u. Schmett. 1793, 15 [*n. et f.*].
antennella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
antennella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 312.
antennina Pennatula, Linnaeus, Syst. Nat., ed. 12, 1767, 1323.
antennina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1310.
antennulata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 340.
antenor Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 152.
antenor [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 4.
antenor Papilio, J. Well in Jacquin, Misc. Aust. II. 1781, 387.
antenor Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 97.
Anthea G. Edwards in M. Catesby, Carol. II. 1771, 25.—P.
Anthea M. Catesby, Pisc. &c. Imag. 1777, 52 (= 25).—P.
antherinus Anthicus (L.), G. Paykull, Faun. Suec. I. 1798, 255.—Meloe.
antherinus Cryptocephalus (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1731.—
antherina Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 126.—Meloe. [Meloe.
antherinus Meloe, Linnaeus, Faun. Suec., ed. 2, 1761, 228.
antherinus Notoxus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.—Lagria.
antherinus Notoxus (L.), J. C. Fabricius, Ent. Syst. I (1) 1792, 212.—Meloe.
antheus [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 71.
Anthias M. E. Bloch, Nat. ausl. Fische, VI. 1792, 97.—P.
Anthias G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
anthias Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 474.
Anthicus G. Paykull, Faun. Suec. I. 1798, 253.—Col.
anthophyllites Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 151.
anthophyllum Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 143.
anthracinalis Phalaena, Scopoli, Ent. Carn. 1763, 239.
anthracinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 8.
anthracinaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (5) 1799, 127.
anthracinella Phalaena, Tinea, J. Hübner, Beitr. Schmett. I (1) 1786, 25.
anthracinella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
anthraciniformis Sphinx, E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1798], 29.
anthracinus Curculio, Scopoli, Ent. Carn. 1763, 30.
anthracina Phalaena Bombyx, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 345.
anthracina Sphinx, Scopoli, Ent. Carn. 1763, 294.
Anthrax Scopoli, Ent. Carn. 1763, 358.—Dip.
Anthrax J. C. Fabricius, Ent. Syst. IV. 1794, 256.—Dip.
Anthrax J. G. Meigen, N. Class. Mouches, 1800, 28.—Dip.
anthrax Musca, F. v. P. Schrank, Ins. Aust. 1781, 439.
Anthrenus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 113.—Col.
anthriboides Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 72.
Anthribus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 306.—Col.
Anthrocera J. A. Scopoli, Intr. Hist. Nat. 1777, 414.—Lep.
Anthropolithus Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 386.—M.
anthropomorpha Siren, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 359.
anticlea [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 36.
anticus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 420.
antidiluvianus *v.* antediluvianus.

- antigone Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 235.
- antigone [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 105.
- antigonus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.), X. 1800, 212.
- antiguanus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 301.
- antiguana Simia, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, I. 1799, 227.
- antiguensis Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
- antiguensis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 357.
- antiguensis Mutilla, J. C. Fabricius, Syst. Ent. 1775, 396.
- antillarum Nepa, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2123.
- antillarum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
- antillarum Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
- antillarum Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
- antillarum Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
- antillarum Trichechus, H. F. Link, Beytr. Nat. I (2) 1795, 109 [z. n.].
- antiloachus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 751.
- antilopae Oestrus, z. antilopum, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2811.
- Antilope P. S. Pallas, Misc. Zool. 1766, 1.—M.
- antilope Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 531.
- antilope Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 32.
- antilope [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 132.
- antilope Vespa, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 9.
- antilopus Lucanus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 186.
- antilopum Oestrus, P. S. Pallas, Reise Russ. I. 1771, 475.
- antimachus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 1.
- antiochus Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 1068.
- antiodontalgicus Curculio, R. Gerbi, Stor. Nat. nuovo Insetti, 1794, 92.
- antiodontalgicus Rhinomacer, R. Gerbi, Stor. Nat. Insetti, ed. 2, 1795, 44.—Curculio,
- Antioipa J. G. Meigen, N. Class. Mouches, 1800, 32.—Dip. [1794.]
- antiopa Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 776.
- antiorum Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 310.
- Antipathes P. S. Pallas, Elench. 1766, 205.—Coel.
- antipathes Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1291.
- antiphates [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 113.
- antiphus Papilio, J. C. Fabricius, Ent. Syst. III (I) 1793, 10.
- Antipus C. de Geer, Mém. Ins. VII. 1778, 659.—Col.
- antiquarius Trochus, F. C. Meuschen, Mus. Gever. 1787, 288.
- antiquata Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1141.
- antiquata Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1138.
- antiquatus Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 428.—Chama.
- antiquatum Limnaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Chama.
- antiquata Patella, Linnaeus, Syst. Nat., ed. 12, 1767, 1259.
- antiquata Patella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3735.
- antiquatus Spondylus, Linnaeus, Mant. II, 1771, 547.
- antiquitatis Rhinoceros, J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 697.
- antiquitatus Solen, R. Pulteney, Cat. Birds &c. Dorset, 1799, 28.
- antiquorum Pristis, J. Latham, Tr. Linn. Soc. [Lond.] II, 1794, 277.
- antiqua Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 554.
- antiqua Auriformis, F. C. Meuschen, Mus. Gever. 1787, 250.
- antiqua Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
- antiquus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 42.
- antiqua Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 111.
- antiquus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 390.
- antiquus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1222.
- antiqua Neptunea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 115.—Murex.
- antiqua Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 825.
- antiquum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Murex.
- antirrhini Curculio, G. Paykull, Faun. Suec. III. 1800, 257. [174.]
- antisepticus Chaoborus, A. A. H. Lichtenstein, Archiv Zool. (Wiedemann) I (1) 1800,

- antonoe [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 94.
 antonoe Papilio, P. Cramer, Uitl. Kapellen, II (16) 1777, 138.
 anubis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 180.
 anubus [Sphinx], P. Cramer, Uitl. Kapellen, II (11) 1777, 46.
 anulala Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
 Anus *v.* Anas, S. G. Gmelin, Reise Russ. II. 1774, 182.
 anus Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Murex.
 anus Distorsio (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 133.—Murex.
 anus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750; ed. 12, 1767, 1218.
 "Aodon Lacép., Hist. Nat. Poiss. I. 1798, 297; Ag." Vernacular: not accepted.
 aonidium Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.
 aonis Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
 aonalaschk- *v.* unalashk.
 Apalus J. C. Fabricius, Syst. Ent. 1775, 127.—Col.
 apancora Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 206.
 aparea *v.* aperea.
 aparines Aphis, J. C. Fabricius, Syst. Ent. 1775, 735.
 apastris [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 22.
 Apate J. C. Fabricius, Syst. Ent. 1775, 54.—Col.
 apedia Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 20.—Simia.
 apedia Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 35.
 apedia Simia (Papio) L., R. Kerr, Anim. Kingd. 1792, 59.
 apelina Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
 apella Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 50.—Simia.
 apella Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 42.
 apella Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 77.
 apelles Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.—Scarabaeus.
 apelles Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 290.
 apelles Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 26.—Scarabaeus, 1781.
 apelles Papilio, J. C. Fabricius, Syst. Ent. 1775, 524.
 apelles Papilio Rur., C. de Villers, Linn. Ent. II. 1789, 536.
 apelles Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 13.
 Aper P. S. Pallas, Misc. Zool. 1766, 16.—M.
 Aper E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 469.—M.
 aper Labrus, A. J. Retzius in Linnaeus, F. Suec. 1800, 335.
 aper Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, p. 267; ed. 12, 1766, 455.
 aperea Cavia, P. S. Pallas, Misc. Zool. 1766, 31.
 aparea Cuniculus, E. A. W. Zimmermann, Spec. Zool. 1777, 192.
 aperea Mus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 40.
 aperta Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1183.
 apertum Cardium (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 226.
 aperta Chama, J. Barbut, Gen. Verm. II. 1788, 47.
 aperta Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 399.
 apertus Trochus, D. Solander in G. Brander, Foss. Hant. 1766, 9.
 apex Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
 aphanes Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 59.
 aphanes Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
 aphidioides Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
 aphidioides Hemerobius, F. v. P. Schrank, Ins. Aust. 1781, 314.
 aphidioides Musca, Scopoli, Ent. Carn. 1763, 349.
 aphidius Acarus, C. de Geer, Mém. Ins. VII. 1778, 122.
 aphidivorus Hemerobius, F. v. P. Schrank, Ins. Aust. 1781, 313.
 aphidivora Musca, A. F. de Fourcroy, Ent. Paris. 1785, 481.
 aphidula Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 72.
 aphidum Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 388.
 aphidum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 378.—Ichneumon.
 aphidum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
 Aphis Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.—Hem.

- aphodioides** Melolontha, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 109.
Aphodius Illiger in Kugellann, Käfer Preuss. 1798, 15.—Col.
Aphrodita Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1084.—Ver.
aphrodite Papilio, J. C. Fabricius, Mant. II. 1787, 62.
aphroditoides Nereis, O. Fabricius, F. Groen. 1780, 296.
aphroditōis Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 229.
aphroditōis Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3114.—
aphya Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 528. [Nereis.
aphya Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 450.
apiarius Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 620.
apiarium Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
apiarius Clerus (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—Attelabus.
apiarius Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 21.—Attelabus.
apiaria Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2867.—Syrphus.
apiaria Sphex, Scopoli, Ent. Carn. 1763, 294.
apiarius Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 422.
apiarius Trichodes (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 156.—Attelabus.
Apiaster M. J. Brisson, Ornith. IV. 1760, 532.—A.
apiaster Merops, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 182.
apicalis Phalaena, J. C. Fabricius, Mant. II. 1787, 223.
apicaris Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 204.
apicaris Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 376.
apicarius Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 402.
apicatus Hister, F. v. P. Schrank, F. Boica, I. 1798, 452.
apicella Phalaena, E. Donovan, Brit. Ins. II. 1793, 54.
apicella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
apiciana Phal. Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [n. et f.].
apiciana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 87 [n. et f.].
apiciaria Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 104.
apiciaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 47 [n.
apiciaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (3) [1788], 21. [et f.].
Apiculum [G. Humphreys], Mus. Calonn. 1797, 26.—G. [n. n.].
apidania [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 103.
apidanus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 280.—Papilio.
apidanus [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 63.
apiella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
apifalco Sphex, J. L. Christ, Nat. Ins. 1791, 270.
apiformis Bombyx, P. Rossi, Fauna Etrus. II. 1790, 178.
apiformis Chalcis, J. C. Fabricius, Ent. Syst. II. 1793, 195.
apiformis Masaris, J. C. Fabricius, Ent. Syst. II. 1793, 284.
apiformis Musca, C. de Geer, Mém. Ins. VI. 1776, 128.
apiformis Musca, F. v. P. Schrank, Ins. Aust. 1781, 459.
apiformis Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 549.—Sphinx.
apiformis Sp[hinx], C. Clerck, Icones, I. 1759, pl. ix. 2.
apiformis Sphinx, Linnaeus, Faun. Suec., ed. 2, 1761, 289.
apiformis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 20.
apiformis Syrphus, P. Rossi, Fauna Etrus. II. 1790, 287.
apiformis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 300.
apilinguaria Vespa, J. L. Christ, Nat. Ins. 1791, 224.
Apion Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 100.—Col.
Apis Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 953.—Hym.
apis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
Apivora J. G. Meigen, Class. Mouches, 1800, 37.—Dip.
apivorus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
apivora Musca, C. de Geer, Mém. Ins. VI. 1776, 56.
apivorus Philanthus, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris] no. 31, 1799, 50.
aplustre Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 3.
aplustre-pacis Chama, F. C. Meuschen, Mus. Gev. 1787, 450.

- Aplysia* J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3103.—Moll. [v. *Laplysia*.]
apoda Coryphaena, G. S. Volta, Itt. Veron. (2) (circa 1800), cxlvii.
apoda Lacerta, P. S. Pallas, Nov. Comm. Sci. Petrop. XIX. 1775, 435.
apoda Paradisaea, Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 166.
apoda Perca, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
apollinus Papilio, Herbst in Jablonsky, Nat. Ins. [Schmett.] IX. 1798, 156.
apollo Papilio (*Heliconius*), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 754.
apollonia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 31.—Phalaena.
apollonia [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 97.
aponogetonis Patella, M. Vahl, Skr. nat. Selsk. [Copen.] IV (2) 1798, 154.
Apora J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 72.—Cor.
Aporrhais E. M. Da Costa, Brit. Conch. 1778, 136.—G.
Apos J. A. Scopoli, Intr. Hist. Nat. 1777, 404.—Cr.
apparens Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 37.
apparitor Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
apparitorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 143.
appellata Phalaena [D. H. Schneider] Nom. Ent. 1785, 51 [*n. n.*].
appendicens Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 212.
appendiculatus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 518.
appendiculatus Ascalaphus, J. C. Fabricius, Ent. Syst. II. 1793, 96.
appendiculata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 210.
appendiculatus Cimex, C. de Villers, Linn. Ent. I. 1789, 488.
appendiculata Donacia, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 17.
appendiculata Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
appendiculatus Malachus, F. v. P. Schrank, F. Boica, I. 1798, 586.
appendiculata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5 [*n. n.*].
appendiculata Phalaena [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
appendiculata Silpha, J. C. Fuessly, Schweitz. Ins. 1775, 6.
appendiculata Silpha, J. H. Sulzer, Gesch. Ins. 1776, 28.
appendiculata Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, [227].
Appendigaster P. Browne, Hist. Jamaica, ed. 2, 1789, 439.—Hym.
appendigaster Evania (L.), J. C. Fabricius, Syst. Ent. 1775, 345.—Sphex.
appendigaster Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566.
appendigaster Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 217.
appendigaster Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 943.—Ichneumon, 1758.
applanella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 484.—*Pyralis applana* 1777.
applana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—*Pyralis*.
applana *Pyralis*, J. C. Fabricius, Gen. Ins. 1777, 294.
applana Tortrix, C. P. Thunberg, Ins. Suecica (3) 1792, 52.
approximana *Pyralis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
approximator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 162.
apri *Ascaris*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
apri *Taenia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.
apri *Trichocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3038.
aprica *Apis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 273.
apricans Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 127.
apricans *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 201.
apricarium *Acrydium* (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.—*Gryllus*.
apricarius *Carabus*, G. Paykull, Mon. Carab. 1790, 125.
apricarius *Charadrius*, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 254.
apricarius *Gryllus*, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 174.
apricarius *Gryllus* (*Locusta*), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
aprilina *Locusta* (L.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.—*Gryllus*.
aprilina *Meloe*, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 21.
aprilina *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 614.—Phalaena.
aprilina *Noctua*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 71.
aprilina Phalaena (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 847.
aprilis Phalaena *id. ac aprilina*, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.

- aprinum Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1263.
- aprinum Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
- apronia [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 222.
- apsinthii *v.* absinthii.
- Aptenodyta J. P. Bonnatere, Ency. Méth. (Orn.), 1790, 66.—A.
- Aptenodytes J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 133.—A.
- Apterodita J. A. Scopoli, Del. Insub. II. 1786, 91.—A.
- Apteronotus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 208.—P.
- apterum Acrydium, C. de Geer, Mém. Ins. III. 1773, 474.
- aptera Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2046.
- apterus Brachycerus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.—Curculio
- apterus Bruchus, A. F. de Fourcroy, Ent. Paris. 1785, 57.
- aptera Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
- aptera Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 710.
- aptera Cicindela, A. G. Olivier, Entom. II. 1790, 7.
- aptera Cicindela, N. T. Lund, Skr. nat. Selsk. [Copen.] I (1) 1790, 76.
- apterus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 727.
- apterus Cimex, M. Harris, Exp. Eng. Ins. 1776, 91.
- aptera Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 154.
- apterus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 619
- apterus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 117.
- aptera Cynips, P. Forskal, Descr. Anim. 1775, 83.
- aptera Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 104.
- apterus Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 193^c
- apterus Hister, Scopoli, Ent. Carn. 1763, 13.
- apterus Ichneumon, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 225.
- apterus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 425.
- aptera Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 45.
- apterus Lucanus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 594.
- apterus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex.
- apterus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1608.
- apterus Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 546.
- apterygia Caecula, M. Vahl, Skr. nat. Selsk. [Copen.] III (2) 1794, 156.
- apua Bodianus, M. E. Bloch, Nat. ausl. Fische IV. 1790, 50.
- apuanus Cimex, P. Rossi, Mant. Ins. II. 1794, 54.
- apulus Bombylius, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 7.
- apulus [Sphinx], P. Cramer, Utit. Kapellen, I (8) 1776, 139.
- Apus (*ex* Bellon.), J. A. Scopoli, Intr. Hist. Nat. 1777, 483.—A.
- Apus G. Guvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
- Apus *v.* Apos.
- apus Binoculus (L.), A. F. de Fourcroy, Ent. Paris. 1785, 539.—Monoculus.
- apus Chalcida (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 31.—Lacerta.
- apus Coryphaena, M. T. Brünnich, Nye Saml. K. Danske Skrifter, II. 1783, 319.
- apus Curculio [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
- apus Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 344.
- apum Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
- apus Lacerta, J. G. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1079 [=apoda, Pall.].
- apus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
- apus Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
- aquaeitice Salamandra, F. C. Meuschen, Mus. Gronov. 1778, 8.
- aquana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 17 [*n. et f.*].
- Aquarius J. R. Schellenberg, Cimic. Helvet. 1800, 20.—Hem.
- aquarius Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
- aquaticus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
- aquaticus Accentor, J. M. Bechstein, Getreue Abbild. heft 13 [? 1795], 47.
- aquatica Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
- aquaticus Asellus, A. F. de Fourcroy, Ent. Paris. 1785, 541.
- aquaticus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.

- aquatica Buprestis, Scopoli, Ent. Carn. 1763, 64.
 aquaticus Calopus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
 aquaticus Canis, L. F. Jauffret, Zoograph. 1800, 16.
 aquatica Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 658.
 aquaticus Cimex, G. de Razoumowsky, Hist. Nat. Jorat. 1789, 186.
 aquaticus Coccus, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 199.
 aquaticus Corvus, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. I. no. 49 Inhoud
 aquaticus Crotalus, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 3. [eerste deel (1779)].
 aquaticus Cryptocephalus (Müll.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1725.
 —Galeruca.
 aquatica Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 505.—Oniscus.
 aquaticus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
 aquatica Donacia (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 118.—
 aquaticus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127. [Leptura.
 aquaticus Dytiscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 321.
 aquaticus Elaphrus (L.), J. C. Fabricius, Syst. Ent. 1775, 227.—Cicindela.
 aquaticus Elophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 66.—Silpha.
 aquaticus Erax, Scopoli, Ent. Carn. 1763, 362.
 aquatica Galeruca, O. F. Müller, Z. Dan. Prod. 1776, 83.
 aquatica Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
 aquaticus Gekko (L.), F. A. A. Meyer, Syn. Rept. 1795, 24.—Lacerta.
 aquaticus Gordius, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
 aquaticus Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.
 aquatica Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—Oniscus.
 aquatica Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 370.
 aquatica Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 637.
 aquatica aenea Leptura, C. de Villers, Linn. Ent. I. 1789, 259.
 aquatica fasciata Leptura, C. de Villers, Linn. Ent. I. 1789, 259.
 aquatica mutica Leptura, C. de Villers, Linn. Ent. I. 1789, 259.
 aquaticus Limnochares (L.), P. A. Latreille, Préc. Car. Ins. 1796, 181.—Acarus.
 aquatica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 953.
 aquatica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 478.
 aquatica Nitidula (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1628.—Silpha.
 aquaticus Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1061.
 aquaticus Pediculus, E. Pontoppidan, Danske Atlas, I. 1763, 699.
 aquatica Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 65.—Silpha.
 aquatica Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
 aquaticus Pulex, O. F. Müller, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 192.
 aquaticus Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 262.
 aquatica Salamandra (L.), F. C. Meuschen, Mus. Gronov. 1778, 8.—Lacerta.
 aquatica-nera Salamandra, G. I. Molina, Sag. stor. Nat. Chili, 1782, 217.
 aquaticus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353.
 aquaticus Scarabaeus, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 50.
 aquatica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 573.
 aquaticus Sorex, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 74.
 aquaticus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 88.
 aquatica Sylvia (Gm.), J. Latham, Index Orn. 1790, 510.—Motacilla.
 aquaticum Trombidium (L.), J. C. Fabricius, Syst. Ent. 1775, 431.—Acarus.
 aquatilis Elaphrus, Illiger in Kugellann, Käfer Preuss. 1798, 232.
 aquatilis Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
 aquea Acheta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 192.
 aquella Tinea [Denis & Schiffmüller], Schmett. Wien, 1775, 139.
 Aquila Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 3 & 34.
 Aquila M. J. Brisson, Ornith. I. 1760, 420.—A.
 Aquila R. Kerr, Anim. Kingd. 1792, 481.—A.
 Aquila B. G. E. Lacépède, Tabl. Oiseaux, 1799, 4.
 Aquila G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.].—A.
 aquila Falco, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 212.

- aquila Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 396.
 aquilae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
 aquilella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
 aquilinus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 280.
 aquilinus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
 aquilina Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 450.—Gryllus.
 aquilina Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 80. [381.—Noctua.
 aquilina Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 aquilus Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 133; ed. 12, 1766, 216.
 aquosa Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 131.
 "Ara Brisson, 1760," Ag. [not used in a generic sense].
 Ara B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 1.
 Ara G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.].—A.
 arabica Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
 arabica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
 arabicum Buccinum, T. Martyn, Univ. Conch. II. [1788], fig. 52.
 arabica Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
 arabicus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1102.
 arabicus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 13.
 arabica Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 718; ed. 12, 1767, 1173.
 arabicus Gobius, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1198.
 arabicus Gryllus, Linnaeus in Hasselquist, Palast. 1762, 452.
 arabica Helix, P. Forskal, Descr. Anim. 1775, 127.
 arabicus Lutjanus (Gm.), G. A. Suckow, Naturges. IV. 1799, 548.—Perca.
 arabica Meloe, P. S. Pallas, Icon. Ins. 1782, 89.
 arabicus Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
 arabica Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1312.
 arabica Phalaena, Hufnagel, Berl. Mag. III. 1767, 412.
 arabica Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
 arabica Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3461.
 arabs Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 716.
 arabs Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.
 arabs Scarites, J. C. Fabricius, Syst. Ent. 1775, 250.
 arabs Tenebrio (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1994.—Scarites.
 aracanga Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 313.
 aracari Ramphastos, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 151.
 arachne Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
 arachne [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 75.
 arachne Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
 arachnodes Solpuga, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 217.
 "Arachnoides Klein, Ag." J. T. Klein, Nat. Disp. Ech., ed. Leske, 1778, 26. The
 addit. only of this book accepted.—Ech.
 arachnoides Astroites, J. E. I. Walch, Naturforscher, V. 1775, 59.
 arachnoides Astrophyton, C. F. Schultze, Verst. Seest. 1760, 53.
 arachnoides Copris, A. F. de Fourcroy, Ent. Paris. 1785, 15.
 arachnoides Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 135.
 acachnoideus (sic) Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
 arachnoideus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 39.—Conus.
 arachnoidea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3674.
 arachnoidea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
 arachnoidea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
 aracanthus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 344.
 aracanthus Papilio, J. C. Fabricius, Gen. Ins. 1777, 271.
 arada Turdus, J. Latham, Index Orn. 1790, 358.
 aragonica Perdix, J. Latham, Index Orn. 1790, 645.
 aramaca Pleuronectes, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 121.
 aranacea Phalaena Bom., D. Drury, Ill. Nat. Hist. I. 1770, index.
 aranciaca Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.

- Aranea Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1030.—Ar.
 araneorum Acarus, J. A. E. Goeze, Beschaf. Ges. Nat. Freunde, II. 1776, 280.
 araneorum Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
 araneiformis Callidium, A. G. Olivier, Entom. IV. 1795, 61.
 araneiformis Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2984.—
 araneiformis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 625. [Pagurus.
 araneiformis Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 116.
 araneiformis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 125.
 araneiformis Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3173.
 araneiformis Lamia (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 271.
 araneiformis Pagurus, J. C. Fabricius, Syst. Ent. 1775, 411.
 araneodes Acarus, P. S. Pallas, Spic. Zool. IX. 1772, 41.
 araneoides Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2194.
 araneoides Galeodes (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 580.—Phalangium.
 araneoides Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 181.
 araneoides Phalangium, P. S. Pallas, Spic. Zool. IX. 1772, 37.
 araneosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 612.
 araneosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
 [Araneus C. Clerck, Aran. Svec. 1757, 22.]—Ar.
 araneus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1044.
 araneus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 433.
 aranea Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 368.
 araneus Inachus, F. Weber, Nomen Fabricii, 1795, 93.—Cancer.
 aranea Lamia [D. H. Schneider], Nom. Ent. 1785, 15 [n. n.].
 aranea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 97.
 aranea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 168.
 aranea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
 aranea Scopopendra, Scopoli, Ent. Carn. 1763, 418.
 araneus Scolop, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 74.
 aranipes Pimelia, A. G. Olivier, Entom. III. 1795, 17.
 ararauna Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 96; ed. 12, 1766, 139.
 ararauna Psittacus, R. Kerr, Anim. Kingd. 1792, var. caeruleus, 561.
 arator Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379.
 arator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 49.
 arator Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
 arator Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 9.
 arator Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 283.
 aratoria Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 344.
 aratrum Alata, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 1.
 aratrum Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
 arata Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
 aratus Elater, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 37.
 arata Ostrea, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3327.
 aratus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 144.
 araucanus Camelus, G. I. Molina, Sag. stor. nat. Chili, 1782, 316.
 arausiacus Conus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3392.
 arausiacus Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
 arausiaca Muscicapa, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 171.
 arausiacus Psittacus, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 79.
 arausiacus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
 arausiaca Voluta, G. Shaw, Nat. Misc. II. 1790, pl. 52.
 arbates [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 177.
 arbates [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 198.
 arbicola Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 171.
 arborator Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 51.
 arborescens Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 56.
 arborescens Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 137.
 arborescens Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.

- arborescens Spongia, G. Olivi, Zool. Adriat. 1792, 264.
 arboreti Curculio, J. C. Fabricius, Mant. I. 1787, 122.
 arborea Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 287.
 arboreum Alcyonium, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1293.
 arborea Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, 1766, 207.
 arboreus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 231.
 arboreus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 153.
 arboreus Carabus, C. Quesnel, Diss. ignotus insectorum species, 1790, 18.
 arborea Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 17.
 arboreus Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2160.
 arborea Gorgonia, F. C. Meuschen, Mus. Gev. 1787, 526.
 arboreus Gryllus, J. C. Fuessly, Schweiz. Ins. 1775, 23.
 arboreum Litophyton, P. Forskal, Descr. Anim. 1775, 139.
 arboreus Passer, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I. (177-), 79.
 arborea Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
 arborea Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
 arborea Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 213; ed. 12, 1766, 357.
 arboreus Tenebrio, F. v. P. Schrank, Ins. Aust. 1781, 219.
 arborum Coccus, F. v. P. Schrank, Ins. Aust. 1781, 295.
 arborum Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
 arbustella Phalaena, Scopoli, Ent. Carn. 1763, 256.
 arbustella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 293.
 arbustorum Apis, J. C. Fabricius, Gen. Ins. 1777, 246.
 arbustorum Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.
 arbustorum Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea arbustella, 1794.
 arbustorum Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1245.
 arbustorum Hylaëus, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 14.
 arbustorum Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
 arbustorum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
 arbustorum Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 765.—Musca.
 arbustorum Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
 arbustorum Tenthredo, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781),
 arbustorum Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 123. [275.
 arbustorum Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 5.
 arbutella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 889.
 arbutella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
 arbuti Noctua, J. C. Fabricius, Syst. Ent. 1775, 619.
 arbuti Phalaena Noctua (Fab.), E. J. C. Esper, Die Schmett. IV. [1797-1800], 555.—
 Arca Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.—L. [Noctua.
 arca Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [n. n.].
 arcadia [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 29.
 arcalaus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 211.
 arcania Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 206.
 arcania Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 273.
 Arcardo J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiii [see Acardo].—L.
 arcas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 311.
 arcas [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 38.
 arcas [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 127.
 arcas Papilio, E. J. C. Esper, Die Schmett. I (9) 1779, 338.
 arcas [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
 arcas [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 8.
 arcas Papilio, J. C. Fabricius, Mant. II. 1787, 30.
 arcas Papilio, J. C. Fabricius, Mant. II. 1787, 80.
 arcas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 174.
 arcas Scarabaeus, A. G. Olivier, Entom. I. 1789, 44.
 arcella Tinea, J. C. Fabricius, Gen. Ins. 1777, 295.
 arcensia [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 8.
 arcensis Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 132.

- arcesilaus Papilio, J. C. Fabricius, Mant. II. 1787, 28.
 arcesilaus Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 142.
 archada [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 55.
 archangelicae Aphis, Scopoli, Ent. Carn. 1763, 137.
 archesia [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 44.
 archesia [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 145.
 archias [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 129.
 archias [Sphinx], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 66.
 archiepiscopus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 747.
 archimedes Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
 archippus [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 24.
 archippus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 49.
 Architectonica J. F. Bolten, Mus. Bolten. (2) 1798, 78.—G.
 archithalassus indiae Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
 archyatas [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, I. 1787, 25.
 Arcidia F. C. Meuschen, Mus. Gronov. 1778, 50.
 arcinella Chama, Linnaeus, Syst. Nat., ed. 12, 1767, 1139.
 arcinella Macerophyllum (L.), F. C. Meuschen, Mus. Gever. 1787, 432.—Chama.
 arcinella Tridachnes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Chama.
 arcius Papilio, Linnaeus, Amoen. Acad. VI. 1763, 409.
 Arctica Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 53.—A.
 arctica Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 211.
 arctica Argonauta, O. Fabricius, F. Groen. 1780, 386.
 arcticus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 178.
 arcticus Carabus, A. G. Olivier, Entom. III. 1795, 97.
 arctica Cardita (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 411.—Mya.
 arctica Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 383.
 arctica Coccinella, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
 arcticus Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 221.
 arcticus Curculio, O. Fabricius, F. Groen. 1780, 188.
 arcticus Curculio, G. Paykull, Mon. Curc. 1792, 32.
 arctica Cypraea, R. Pulteney, Cat. Birds &c. Dorset, 1799, 39.
 arcticus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 201.
 arctica Emberiza, J. Latham, Index Orn. 1790, 414.
 arctica Fratercula (L.), J. C. Schaeffer, Mus. Orn. 1789, 61.—Alca.
 arcticus Gymnogaster, M. T. Brünnich, Nye Saml. K. Danske Skrifter, III. 1788, 408.
 arcticus Mergus (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 71.—Colymbus.
 arcticus Monoculus, P. S. Pallas, Reise Russ. III. 1776, 709.
 arctica Mya, Linnaeus, Syst. Nat., ed. 12, 1767, 1113.
 arcticus Salmo, O. Fabricius, F. Groen. 1780, 177.
 arcticus Salmo (Truttac.), P. S. Pallas, Reise Russ. III. 1776, 706.
 arcticus Scarites, G. Paykull, Faun. Suec. I. 1798, 85.
 arcticus Sorex, R. Kerr, Anim. Kingd. 1792, 206, and var. cinereus.
 arctica Strix, A. Sparrman, Mus. Carls. III. 1788, no. li.
 arcticus Tabanus, O. F. Müller, F. Ins. Frid. 1764, 86.
 arctii Musca, C. de Geer, Mém. Ins. VI. 1776, 42.
 Arctomys J. C. D. Schreber, Säugth. IV. 721 (1782); pl. 207 (1780).—M.
 Arctomys B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
 arctomys Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
 arctomys Mus, P. S. Pallas, N. sp. Quad. II. 1779, 75.
 arctophonon [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 8.
 arctophylax [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
 arctos Cancer, *errore* arctus, Linn., O. F. Müller, Z. Dan. Prod. 1776, 196.
 arctos Melolontha (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 138.—Scara-
 arctos Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 16. [baeus.
 arctos Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 47; ed. 12, 1766, 69.
 arctos Ursus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 100, varr. niger, fuscus,
 arctos Ursus, R. Kerr, Anim. Kingd. 1792, 184, var. griseus. [albus, variegatus.

- arctous Papilio, J. C. Fabricius, Syst. Ent. 1775, 489.
- arctus Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 14.—Cancer.
- arctus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1053.
- arctus Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 80.
- arctus Scyllarus (L.), J. C. Fabricius, Syst. Ent. 1775, 413.—Cancer.
- arcualis Phal. Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
- arcualis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 & 21.
- arcuanus Chaetodon *id. ac* aruanus, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, [1250].
- arcuana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 344.
- arcuana Phalaena (Tortrix), O. F. Müller, F. Ins. Frid. 1764, 52.
- arcuana Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (2) [1787], 18.
- arcuana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
- arcuana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 33 [*n. et f.*].
- arcuaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 137 [*n. et f.*].
- arcuaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
- arcuato-lineata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
- arcuata Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141. [294.]
- [arcuatus Araneus, C. Clerck, Aran. Svec. 1757, 125.]
- arcuata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 425.
- arcuatus Araneus, T. Martyn, Aranei, 1793, 59.
- arcuatus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 387.
- arcuatium Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 192.—Leptura.
- arcuata Cassida, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 193.
- arcuata Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 393.
- arcuatus Cerambyx (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1853.—Leptura
- arcuatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 462.
- arcuata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
- arcuata Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2094.
- arcuatus Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2181.
- arcuatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 83.
- arcuatus Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 95.—Leptura.
- arcuata Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
- arcuata Coccinella, P. Rossi, Mant. Ins. II. 1794, 88.
- arcuata Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 200.
- arcuatus Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 6.
- arcuatium Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
- arcuatus Dytiscus, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 1.
- arcuata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 912.
- arcuatus Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 208.
- arcuata Lepas, O. Fabricius, Skr. nat. Selsk. [Copen.] IV (2) 1798, 38.
- arcuata Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 640.
- arcuata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 80.
- arcuata Leptura, Hellwig in G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 12.
- arcuata Leptura, A. G. Olivier, Entom. IV. 1795, 32.
- arcuatus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst., 1798, 538.
- arcuata Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2019.
- arcuatus Mulio, (L.), J. C. Fabricius, Suppl. Ent. Syst., 1798, 558.—Musca.
- arcuata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
- arcuata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 451.
- arcuata Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 15.
- arcuata Noctua, J. C. Fabricius, Mant. II. 1787, 145.
- arcuata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 316.
- arcuata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 380.
- arcuata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
- arcuatus Prionus, J. C. Fabricius, Mant. I. 1787, 129.
- arcuatus Scarabaeus, K. E. v. Moll in Schrank & Moll, Nat. Briefe Oesterreich, I. 1785,
- arcuata Sphecx (Fab.), J. L. Christ, Nat. Ins. 1791, 312.—Vespa. [103.]

- arcuatus Stenocorus (Linn.), J. A. Scopoli, Annus V. 1772, 97.—Leptura.
 arcuatus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
 arcuata Tenthredo; J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
 arcuata Tenthredo, J. R. Forster, N. Sp. Ins. 1771, 79.
 arcuatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 829.
 arcuata Vespa, J. C. Fabricius, Syst. Ent. 1775, 371.
 arcucanus Camelus, *id. ac* araucanus, Mol.
 arcuella [Phalaena], C. Clerck, Icones I. 1759, pl. x. 8.
 arcuella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
 arcuinna Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 93.
 arcularia Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
 arcularia Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
 arcularia Distorsio (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 133.—Buccinum.
 arda Termes, P. Forskal, Descr. Anim. 1775, 96.
 arda Termes, J. C. Fabricius, Spec. Ins. I. 1781, 397.
 Ardea Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 233.—A.
 ardea Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 272.
 ardeae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
 ardeae Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
 ardeae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
 ardens Trochus, C. U. v. Salis, Reise Neapel, 1793, 376.
 arduinna Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagsschmett.
 area [Phalaena], P. Cramer, Utitl. Kapellen, I (5) 1775, 88. [1784], p. 169.
 areata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 50.
 areata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 327.
 areata Coccinella, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 7.
 areata Phalaena, *id. ac* area, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 256.
 areatus Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1572.—
 arenacearia Geometra [Denis & Schiffermüller], Schmett. Wien, 1775, 102. [Cetonia.
 arenacearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 114
 arenacea Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2432. [*n. et f.*]
 arenacea Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 828.
 Arenaria M. J. Brisson, Ornith. V. 1760, 132.—A.
 arenarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 22.—Scarabaeus.
 arenarius Aphodius, C. Creutzer, Ent. Vers. 1799, 18.
 arenarius Cancer, O. Toreen in P. Osbeck, Reise Ost-Ind. China, 1765, 479.
 arenaria Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
 arenarius Cancer, E. A. W. Zimmermann in Cavolini, Abh. Erzeug. Fische, 1792, 117.
 arenarius Cancer (Gammarellus) (O. Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4),
 1793, 133.—Oniscus.
 arenarius Cancer (Mantis), J. F. W. Herbst, Vers. Nat. Krab. II (3), 1792, 96.
 arenarius Carabus, Scopoli, Ent. Carn. 1763, 90.
 arenarius Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
 arenarius Cerambyx, Scopoli, Ent. Carn. 1763, 53.
 arenaria Chama (L.), E. M. da Costa, Brit. Conch. 1778, 232.—Mya.
 arenaria Cicindela, J. C. Fuessly, Schweiz. Ins. 1775, 17.
 arenaria Cicindela, J. C. Fabricius, Ent. Syst. I (1) 1792, 171.
 arenarius Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
 arenarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 152.—Scarabaeus.
 arenarius Crabro, J. C. Fabricius, Mant. I. 1787, 297.
 arenarius Cryptocephalus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab.
 Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 82. [19.
 arenarius Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 558.
 arenaria Formica, J. C. Fabricius, Mant. I. 1787, 310.
 arenarius Gordius, O. F. Müller, Verm. I (2) 1774, 33.
 arenaria Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3644.
 arenaria Helix, G. Oliv. Zool. Adriat. 1792, 178.
 arenarius Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.

- arenaria Lamia, J. N. Laicharting, Tyrol. Ins. II. 1784, 20.
 arenarius Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
 arenarius Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex.
 arenarius Mellinus, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 12.
 arenarius Mus, P. S. Pallas, Reise Russ. II. 1773, p. 704.
 arenarius Mus (Cricetus), K. Kerr, Anim. Kingd. 1792, 244.
 arenaria Mutilla, J. C. Fabricius, Mant. I. 1787, 312.
 arenaria Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1112.
 arenarius Oniscus, O. Fabricius, F. Groen. 1780, 259.
 arenarium Opatrum, J. C. Fabricius, Syst. Ent. 1775, 76.
 arenaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 518.
 arenarius Philanthus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 290.—SpheX.
 arenarius Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 225.—
 arenarius Scarabaeus, J. C. Fabricius, Mant. I. 1787, 11. [Crabro, 1787.
 arenarius Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 210.—Trox.
 arenarius Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.
 arenaria Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
 arenaria SpheX, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
 arenaria SpheX, J. C. Fabricius, Mant. I. 1787, 273.
 arenarius Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 172.
 arenarius Staphylinus, G. Paykull, Faun. Suec. III. 1800, 382.
 arenarius Tamarindiformis, F. C. Meuschen, Mus. Gev. 1787, 412.
 arenaria Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
 arenaria Teredo, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 230.
 arenaria Teredo, P. Forskal, Descr. Anim. 1775, 99.
 arenaria Tetrao, P. S. Pallas, Nov. Comm. Sci. Petrop. XIX. 1775, 418.
 arenaria Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 251.
 arenarius Trox, J. C. Fabricius, Mant. I. 1787, 18.
 arenarius Vermetus (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
 arenaria Vermiculus (L.), F. C. Meuschen, Mus. Gev. 1787, 236.—Serpula.
 arenaria Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
 arenatus Oniscus, M. Slabber, Nat. Verlust. 1769—78, 92.
 arenatus Conus, Hwass in J. G. Brugière, Ency. Méth. (Vers) (2), 1792, 621.
 arenatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
 arenata Phalaena, J. C. Fabricius, Mant. II. 1787, 197.
 arenata Voluta (*ex* Rumph), P. L. S. Müller, Del. Nat. I. 1766, 129.
 arenella Tinea [Denis & Schiffermüller], Schmett. Wien. 1775, 137.
 areneoides Julius, P. S. Pallas, Spic. Zool. IX. 1772, 85.
 arenosum Alcyonium, G. Shaw, Nat. Misc. VIII. 1796, pl. 272.
 arenosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, p. 1985 [arenarius,
 arenosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40. [Scop-].
 arenosa Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 17.
 arenosa Madrepora, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3766.
 arenosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
 arenosus Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1586 [arenarius
 arenosa SpheX, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2724. [Trox, Fab. *est*.
 arenosa Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 790.
 arenosa Vespa, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2764.
 areola Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
 areola Cassidea (L.), J. G. Brugière, Ency. Méth. (Vers) (2), 1792, 424.—Buccinum.
 areolus (*sic*) Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 392.—Buccinum.
 areola Madrepora *v.* areolata, Linnaeus, Syst. Nat., ed. 12, 1767, 1274.
 areola Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 448.
 areola Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
 areolatus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 31.
 areolatus Carabus, C. Creutzer, Ent. Vers. 1799, 115.
 areolatus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
 areolata Eschara, P. S. Pallas, Elench. 1766, 41.

- areolata* Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1274
areolata Madrepora=areola Linn., P. S. Pallas, Elench. 1766, 295. [areola].
areolatus Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 25.
areolata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3716.
areolata Perca, P. Forskal, Descr. Anim. 1775, 42.
areolata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 269.
areolata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 301.
areolata Testudo, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 29.
areolata T[estudo], C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 180.
aresiaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 303.
areta Papilio, J. C. Fabricius, Mant. II. 1787, 42.
arete [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 50.
arete Papilio (Nymphalis), O. F. Müller, F. Ins. Frid. 1764, p. 36.
Aretusa (*sic*) P. Browne, Hist. Jamaica, ed. 2, 1789, 386.—Acal.
arethusa [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 122.
arethusa Papilio [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
arithusa (*sic*) [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 35.
argali Ovis, P. Boddaert, Elench. 1785, 147.
argala Ardea, J. Latham, Index Orn. 1790, 676.
argalus [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 18.
argante Papilio, J. C. Fabricius, Syst. Ent. 1775, 470.
argante [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 19.
Argas P. A. Latreille, Mag. encyclop. III (13) 1795, p. 18.—Ar.
arge Bombyx (Dr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 93.—Phalaena.
arge Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 144.
arge Papilio, V. Petagna, Spec. Ins. ult. Calab. 1786, 36.
arge Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 35.
arge-russiae Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
argenissa [Papilio], C. Stoll, Anhang. Cramer's Utitl. Kapellen, IV. 1790, 130.
argentalis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 161.
argentalis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 275.
argentalis Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 442.—Phalaena.
argentana [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 14.
argentana Phalaena [D. H. Schneider], Nom. Ent. 1785, 53 [*n. n.*].
argentana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2517.
[argentana Phalaena (Tort.) MS.], T. Martyn, Psyche, 1797, figs. 95, 96.
argentana Tortrix [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
argentana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 86 [*n. et f.*].
argentatella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2607.
argentata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 336.
argentata Aranea, J. C. Fabricius, Syst. Ent. 1775, 433.
argentata Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 61.—Simia.
argentata Cebus (L.), H. F. Link, Beitr. Nat. I (2) 1795, 63.—Simia.
argentatus Centrogaster, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782,
argentatus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47. [334-
argentata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
argentata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 38.
argentatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
argentatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1779.
argentatus Larus, E. Pontoppidan, Danske Atlas, I. 1763, 622.
argentatus Larus, M. T. Brünnich, Orn. Boreal. 1764, 44.
argentata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
argentata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2843.
argentata Mutilla, C. de Villers, Linn. Ent. III. 1789, 343.
argentata Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 90.
argentata Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 86.
argentata Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 25.

- argentata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
 argentata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2636.
 argentea Sciaena, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1300.
 argentata Simia, Linnaeus, Mant. II. 1771, 521.
 argentatus Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 82.
 argentatus Sparus, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 319.
 argentata Sphex, J. C. Fabricius, Mant. I. 1787, 274.
 argentata Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 266.
 argentella [Phalaena], C. Clerck, Icones, I, 1759, pl. xi, 13.
 argentella [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 135.
 argentella Phalaena (Tinea), Linnaeus, Faun. Suec. ed. 2, 1761, 367.
 argentella Tinea, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
 argentella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
 argenteo-lineata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 51.
 argentea Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.] IV, 1798, 201.
 argentea Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2959.
 argentea Aranea, V. Petagna, Inst. Ent. 1792, 436.
 argentea Arca, J. X. Poli, Test. Sicil. II. 1795, 147.
 argenteus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 57.
 argenteus Canis, J. C. D. Schreber, Säugth. III. 360 (1776) & 585 (1777).
 argentea Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 84.
 argentea Cetonia, A. G. Olivier, Entom. I. 1789, 50.
 argenteus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 461.
 argentea Chimaera, P. Ascanius, Icon. II. 1772, 6.
 argentea Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
 argenteus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea argentella
 argenteus Culex, J. L. M. Poiret, Obs. sur la Physique, XXX. 1787, 245.
 argenteus Cuniculus, F. A. A. Meyer, Nat. Haushier. 1792, 94.
 argentea Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
 argenteus Esox, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1393.
 argentea Glycymeris, E. M. da Costa, Brit. Conch. 1778, 170.
 argenteus Gymnocephalus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 30.
 argenteus Lepidopus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 58.
 argentea Melolontha (Poda), J. C. Fabricius, Syst. Ent. 1775, 38.—Scarabaeus.
 argentea Melolontha (Petagn.), A. G. Olivier, Entom. I. 1789, 67.—Scarabaeus.
 argenteus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
 argentea Noctua (Herbst), J. C. Fabricius, Spec. Ins. II. 1781, 507.—Phalaena.
 argentea Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
 [argenteus] Papilio, MS.), T. Martyn, Psyche, 1797, fig. 34.
 argentea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
 argentea Pennatula, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 66.
 argentea Perca, Linnaeus, Syst. Nat., ed. 10, 1758, p. 294; ed. 12, 1766, 488.
 argenteus Petromyzon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 74.
 argentea Phalaena, J. F. W. Herbst in Fuessly, Arch. Ins. I. 1781.
 argentea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 242.
 argentea Phalaena (N.), A. W. Knoch, Beitr. Insektenges. I. 1781, 45.
 argentea Pleuronectes, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 77.
 argenteus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
 argenteus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 8.
 argentea Scarabaeus, V. Petagna, Ins. Calab. 1787, 4.
 argentea Sciaena, P. Forskal, Descr. Anim. 1775, 51. [var. of cupressina].
 argentea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308 [as
 argenteus Stromateus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. IX. 1788, 53.
 argenteus Sygnathus, P. Osbeck, Reise Ost-Indien China, 1765, 396.
 argenteus Syngnathus, Osb., J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 32.
 argentea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
 argenthona Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 200.
 argenticollis Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.

- [argentiflua Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 82 & 83.
- argenti-maculata Sciaena, P. Forskal, Descr. Anim. 1775, 47.
- Argentina Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 518 [Artedi, Ichth. 1738, gen. v, p. 8].—P.
- argentinae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
- argentinae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3049.
- argentinella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
- argentinetta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 341.
- argentina Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 62.
- argentinus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 73.
- argentina Noctua, J. C. Fabricius, Mant. II. 1787, 162.
- argentina Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 1796.—Noctua.
- argentinus Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 511.
- [argentomacularis Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 39.
- argentoratisensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
- argentula Phalaena Noctua, J. Hubner, Beitr. Schmett. I (2) [1787], 9.
- argentula Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 158.
- argus Coluber *v.* argus, Linnaeus, Syst. Nat., ed. 10, 1758, 227.
- argester [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 1.
- argia Papilio, J. C. Fabricius, Syst. Ent. 1775, 470.
- argiades Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 300.
- argiades Papilio, J. C. Fabricius, Mant. II. 1787, 76.
- argiades Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 472.
- argillacea Apis, Scopoli, Ent. Carn. 1763, 305.
- argillaceus Gordius, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
- argillacea Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569 [argillosa Apis, ed. 12].
- argillosa Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 957.
- argiolus Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
- argiolus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 295.—Papilio.
- argiolus Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 52.
- argiolus Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*v. n.*].
- argiolus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 790.
- argiopes Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
- argiphontes [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 1.
- “Argo Bohadsch, 1761,” Herrmannsen, *v.* Argus.
- argo Argonauta, Linnaeus, Syst. Nat., ed. 10, 1758, 708; ed. 12, 1767, 1161.
- argo Chaetodon, P. Boddaert, De Chaet. argo, 1770.
- argo Doris, Linnaeus, Syst. Nat., ed. 12, 1767, 1083.
- argo buccinum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
- Argoderma J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—L.
- Argonauta Linnaeus, Syst. Nat., ed. 10, 1758, 708; ed. 12, 1767, 1161.—Ceph.
- argonautaea Sepia, F. C. Meuschen, Mus. Gronov. 1778, 46.
- argopoeus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 3.
- argulata Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 172.—Phalaena.
- argulata Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 80.
- argulata [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 96.
- Argulus O. F. Müller, Entom. 1785, 121.—Cr.
- argulus Monoculus, J. C. Fabricius, Ent. Syst. II. 1793, 489.
- arguro metopa Sphex, C. de Villers, Linn. Ent. III. 1789, 250.
- Argus J. B. Bohadsch, Anim. Marin. 1761, 65.—Nud.
- Argus J. A. Scopoli, Intr. Hist. Nat. 1777, 432.—Lep.
- Argus J. X. Poli, Test. Sicil. I. 1791, Introd. 32. A generic term applied to fleshy parts of
- argus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 111. [Pectines, etc.]
- argus Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 170.
- argus Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
- argus Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 278.
- argus Chaetodon, Linnaeus, Syst. Nat., ed. 12, 1766, 464.
- argus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 67.

- argus Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 145.
 argus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 227 [argus]; ed. 12, 1766, 389.
 argus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 47.
 argus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1173.
 argus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 296.—Papilio.
 argus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 261.
 argus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547.
 argus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
 argus Natrix, J. N. Laurenti, Syn. Rept. 1768, 78.
 argus Papilio, Scopoli, Ent. Carn. 1763, 176.
 argus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 789.
 argus Phasianus, Linnaeus, Syst. Nat., ed. 12, 1766, 272.
 argus Pleuronectes, M. E. Bloch, Nat. Fische Deutschl. II. 1783, 51.
 argus Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
 argus Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 155.
 argus Seps, J. N. Laurenti, Syn. Rept. 1768, 61 & 161.
 arguta Ameiva (Pall.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
 arguta Lacerta, P. S. Pallas, Reise Russ. II. 1773, 718.
 argutus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 12.
 argyna Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
 argynellus Curculio *err. pro* argyrellus, Spar., J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3547.
 argynnis [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 13. [1789, 1794]
 argynnis Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 161.
 argyra [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 78.
 argyrana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me giudice 1796], fig. 46 [*u. et f.*].
 argyraspis Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.
 argyrata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 303.
 argyrellus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 56.
 argyrella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
 argyrella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 Argyreus J. A. Scopoli, Intr. Hist. Nat. 1777, 431.—Lep.
 argyreus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea argyrella, D. & S.
 argyreus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
 argyria Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
 argyrios Papilio Eques, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2248.
 argyritis Noctua, E. J. C. Esper, Die Schmett. IV (42) 1791, 218.
 argyrius Papilio, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 502.
 argyrobis [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
 argyrocapelus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 76.
 argyrocnemus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
 argyrocopus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 77.
 argyrodactyla Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
 argyroela [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 76.
 argyrognomon [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 76.
 argyrognomonis [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
 argyropeza Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
 argyrophalara [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
 argyrophalara [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 10.
 argyrophalax [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 4.
 argyrophthalmus Corvus, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 1.
 argyrops Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 471.
 argyrosticta Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
 argyrosticta Sphecx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
 argyrostoma Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
 argyrostoma Musca, F. v. P. Schrank, Ins. Aust. 1781, 460.
 argyrostoma Sphecx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
 argyrostomus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
 argyrostomus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764; ed. 12, 1767, 1236.

- argyrostoma Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
 argyrotoxus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 77.
 ariabilis Parra *err. pro* variabilis, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788,
 ariadne Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407. [708.]
 ariadne [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 128.
 ariarathes Papilio (E. T.), E. J. C. Esper, Ausl. Schmett. (4) 1788, 57.
 aricye [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 147.
 aridella Galeruca, G. Paykull, Faun. Suec. II. 1799, 111.
 aridella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
 aridella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
 Aries M. J. Brisson, Reg. Anim. 1762, 12.—M.
 Aries G. C. C. Storr, Prod. 1780, 41 & tab. C.—M.
 aries Adscita, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
 aries Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—Scarabaeus, 1781.
 aries Ichneumon, J. L. Christ, Nat. Ins. 1791, 339.
 aries Musmon (L.), F. v. P. Schrank, F. Boica, I. 1798, 81.—Ovis.
 aries Ovis, Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 97; & *varr.* *anglica* ;
africana ; *hispanica* ; *laticaudata* ; *polycerata* ; *rustica*.
 aries kirgisicus Ovis, P. S. Pallas, Spic. Zool. XI. 1776, 80.
 aries Ovis, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* *longicaudata* 249, *capensis* 250.
 aries Ovis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 198–9, *varr.* *guineensis*,
bucharica.
 aries Ovis, R. Kerr, Anim. Kingd. 1792, 326; & *varr.* *steatopyga* (328); *barbata* ; *jubata*
 aries Papilio, C. de Geer, Mém. Ins. VII. 1778, 591. [(330).]
 aries Scarabaeus, J. C. Fabricius, Spec. Ins. II. 1781, 495.
 arietinum Dentalium, O. F. Müller, Z. Dan. Prod. 1776, 236.
 arietinus Nautilus (Lituus), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 15.
 arietina Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 169.
 arietis Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 193.—Leptura.
 arietis Cerambyx (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1853.—Leptura.
 arietis Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 92.—Leptura.
 arietis Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 640.
 arietis Stenocorus (Linn.), J. A. Scopoli, Annus V. 1772, 96.—Leptura.
 arietis Vespa, J. C. Fabricius, Syst. Ent. 1775, 373.
 arietis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 676.
 ariminensis Helix, O. Fabricius, Nye Saml. K. Danske Skrifter, IV (1) 1793, 90.
 arinas [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 6.
 arinus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 336.—Papilio arinas.
 ariolator Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1832.—Lamia
 ariolator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
 ariolator Lamia, J. C. Fabricius, Syst. Ent. 1775, 172.
 arion Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
 arion Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
 arion Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 789.
 arion Turbinis, F. C. Meuschen, Mus. Gever. 1787, 280.
 arionis [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
 aristatus Labrus, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 505.
 aristella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
 aristella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 894.
 aristeus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 60.
 aristeus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 139.
 aristides Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 86.
 aristolochiae Papilio, J. C. Fabricius, Syst. Ent. 1775, 443.
 aristolochiae Papilio [D. H. Schneider], Besch. europ. Schmett. I. 1785, 50.
 aristolochiae Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 113.
 aristotelis Pelecanus, E. Pontoppidan, Danske Atlas, I. 1763, 621.
 aristus [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 170.
 aritheusa *v.* arethusa.

- arithmetica Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 13.
- arius [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 51.
- arlequinatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 427.
- arlequinetta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 321.
- “Armadillo Brisson, 1762:” Ag.—Not used as generic word, see pp. 12 & 13, Regn.
- Armadillo G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 27.—Cr. [Anim.—M.]
- armadillo Curculio, P. Rossi, Mant. Ins. I. 1792, 43.
- armadillo Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1062.
- armadillo Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 23.
- Armadillus Illiger in Kugelann, Käfer Preuss. 1798, 501.—Cr.
- armadillus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 139.
- armadillus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 220.
- armatorius Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [n. n.].
- armatorius Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 82.
- armatorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 260.
- armata Andrena, G. W. F. Panzer, Ins. Germ. heft 70 [1799], tab. 22.
- armatum Anisotoma, J. G. Kugelann, Käfer Preuss. 1798, 74.—Volvoxis, 1794.
- armata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
- armata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 326.
- armata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 205.
- armatus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 464.
- armatus Cerambyx, A. G. Olivier, Entom. IV. 1795, 121.
- armatus Chaetodon, G. Shaw in White, Journ. N. S. W. 1790, 254.
- armata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 748.
- armatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 702.
- armatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2189.
- armatus Cucullanus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 92.
- armatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 123.
- armata Donacia, G. Paykull, Faun. Suec. II. 1799, 194.
- armata Fasciola, C. A. Rudolphi, Obs. Ver. Intest. 1793, 26.
- armata Fulgora, D. Drury, Ill. Nat. Hist. III. 1782, index & 76.
- armata Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 101.
- armatus Macrogathus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 283.
- armata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
- armata Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
- armatum Opatrum, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 2.
- armata Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 202.
- armata Pemelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 76.
- armata Sciaena, P. Forskal, Descr. Anim. 1775, 53.
- armatum Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 27.—Tetratoma.
- armatus Staphylinus, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 17.
- armata Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 83.
- armata Vespa, J. H. Sulzer, Gesch. Ins. 1776, 196.
- armata Volvoxis (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
- armeniaca Curculio, J. C. Fabricius, Ent. Syst. I. (2) 1792, 405. [536.—Tetratoma.
- armida Bombyx, J. C. Fabricius, Mant. II. 1787, 109.
- armida [Phalaena], P. Cramer, Uitl. Kapellen, III (17) 1779, 6.
- Argulus, O. F. Müller, Entom. 1785, 124.
- armiger Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 196.
- armiger Cancer, J. C. Fabricius, Mant. I. 1787, 319.
- armiger Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 109.
- armiger Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 348.
- armiger Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.—Cimex, 1781.
- armiger Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 130.
- armiger Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
- armiger Lucanus, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 301.
- armiger Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 215.
- armiger Monoculus (Müll.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3005.—Argulus,

- armiger Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 368.—Cancer, 1787.
- armiger Scarabaeus, J. A. Scopoli, Annus V. 1772, 78.
- armiger Scarabaeus, S. v. Hochenwarth, Schrift. Berlin Ges. Nat. Freunde, VI. 1785, 358.
- armiger Sphex, J. L. Christ, Nat. Ins. 1791, 255.
- armigera Idotea, F. Weber, Nomen. Fabricii, 1795, 94.
- armilla Leucophaea, O. F. Müller, Zool. Dan. II. 1784, 99.
- armilla Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 156.
- armillaris Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- armillatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
- armillatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 622.
- armillata Certhia, A. Sparrman, Mus. Carls. II. 1787, no. xxxvi.
- armillatus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 44.
- armillatus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
- arminia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 35.—Phalaena.
- arminius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 155.
- arminia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 126.
- armipes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 164.
- “Armodilla Wagner, Mus. Baruth. 1763;” Ag.: Book not seen so cannot verify.—M.
- armoraciae Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 588.
- armus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1805.
- arnaca Papilio, J. C. Fabricius, Gen. Ins. 1777, 260.
- arnak Raja, P. Forskal, Descr. Anim. 1775, ix.
- arné [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 23.
- arnea [Phalaena], P. Cramer, Uitl. Kapellen, I (3) 1775, 59.
- arnee Bos, R. Kerr, Anim. Kingd. 1792, 336.
- arnicae Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
- arnicae Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 107.
- arnicae Staphylinus, Scopoli, Ent. Carn. 1763, 102.
- arnobia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 188.
- arogeus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 85.
- aromatica Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 778.
- aromatica Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
- aromator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- arontes [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 184.
- arquata Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 396.
- arquatus Numenius (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 291.—Scolopax.
- arquata Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145; ed. 12, 1766, 242.
- arria Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 84.
- arriaca Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
- arrian Vultur, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 105.
- arrianus Vultur, F. M. Daudin, Traité élém. Orn. 1800, 18.
- arrogans Musca, Linnaeus, Syst. Nat., ed. 12, I. 1767, 995.
- arrogator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 429.
- arrosor Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 170.
- arsalte Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 762.
- arsilache Papilio (N. Ph.), E. J. C. Esper, Die Schmett. (Bd. 2) Forts. Tagschmett. [1780],
- arsinoe [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 100. [35.]
- artaxerxes Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 297.
- artaxerxes [Papilio], W. Lewin, Papilios, 1795, 82.
- artemides Papilio, C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 211.
- Artemis v. Arthemis.
- artemis Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 322.
- artemisa [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, IV. 1790, 123.
- artemisaria Phalaena, J. F. W. Herbst in Fuessly, Arch. Ins. II. 1782.
- artemisia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 101.
- artemisia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 223.
- artemisiae Coccus, P. Rossi, Mant. Ins. II. 1794, 56.
- artemisiae Curculio, Hellwig in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 10.

- artemisiae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 101.
 artemisiae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 351.
 artemisiae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 312. [287.—Noctua.
 artemisiae Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 artenice [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 168.
 artenuatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 131.
 artesiaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
 artesiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 15 [n. et f.].
 Arthemiderma J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—L.
 Artemis J. X. Poli, Test. Sicil. I. 1791, Introd. 30. A generic term applied to the
 fleshy part of *Venus exoleta*.
 arthemis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 17.
 arthriticus Crabro, P. Rossi, Fauna Etrus. II. 1790, 93.
 arthritica Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
 arthritica Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
 arthriticus Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
 articcilla [Larus]? *id. ac atricilla*, S. G. Gmelin, Reise Russ. I (1770) 72. [Melolontha.
 articularius Psittacus, *err. pro* cubicularius in Forster's ed. of Toreen's Voy. (Osbeck's Voy.
 articulatus Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84. [II. 1771], 200.
 articulatus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
 articulata Corallina, F. C. Meuschen, Mus. Gever. 1787, 534.
 articulatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 461.
 articulata Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
 articulatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 408.
 articulata Mutilla, P. A. Latreille, J. Nat. Hist. (Choix des Mém.) II. 1792, 100.
 articulata Sertularia, P. S. Pallas, Elench. 1766, 137.
 artica Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 108.—?arctica.
 artifex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
 artificiosa Dromia, F. Weber, Nomen. Fabricii, 1795, 92.
 artificiosa Dromia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 360.
 Artocrea F. C. Meuschen, Mus. Gever. 1787, 488.—Ech.
 artocreas Echinanthus, F. C. Meuschen, Mus. Gronov. 1778, 91.
 artricilla Chrysomela, *err. pro* atricilla, L., J. C. Fabricius, Mant. I. 1787, 77.
 artriosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
 aruanus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 275; ed. 12, 1766, 464.
 aruanus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1222.
 aruana Syrinx (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 121.—Murex.
 aruensis Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 227.—Vespa, 1787.
 aruensis Vespa, J. C. Fabricius, Mant. Ins. II. 1787, 291.
 aruginosus *v. aeruginosus*.
 aruncella Phalaena, Scopoli, Ent. Carn. 1763, 254.
 arunci Cicada, Scopoli, Ent. Carn. 1763, 113.
 arunco Bufo, J. G. Schneider, Hist. Amph. I. 1799, 226.
 arunco Rana, G. I. Molina, Sag. stor. nat. Chili, 1782, 216.
 arundinacea Antilope, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, I. 1799, 81.
 arundinacea Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
 arundinacea Emberiza, S. G. Gmelin, Reise Russ. II. 1774, 175.
 arundinacea Motacilla, J. Lightfoot, Phil. Trans. LXXV (1) 1785, 11.
 arundinacea Pennatula, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 297.
 arundinacea Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
 arundinacea Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 288.—Motacilla.
 arundinaceus Tenebrio, P. Forskal, Descr. Anim. 1775, 78.
 arundinaceus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 296.
 arundinata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 61.
 arundineti Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 434.
 arundinis Aphis, J. C. Fabricius, Syst. Ent. 1775, 734.
 arundinis Curculio, G. Paykull, Mon. Curc. 1792, 47.
 arundinis Donacia, [D. H. Schneider] Nom. Ent. 1785, 16 [n. n.].

- arundinis* Noctua, J. C. Fabricius, Mant. II. 1787, 141.
arundinum Antilope, P. Boddaert, Elench. 1785, 141.
arusa Chaetodon, P. Forskal, Descr. Anim. 1775, 62.
arvalis Mus, P. S. Pallas, N. sp. Quad. II. 1779, 78.
arvalis Mus, R. Kerr, Anim. Kingd. 1792, 239, *var. nigricans*.
arvensis Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 165; ed. 12, 1766, 287.
arvensis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2786.
arvensis Callidium, G. W. F. Panzer, Naturforscher, XXIV. 1789, 30.
arvensis Carabus, J. C. Fabricius, Mant. I. 1787, 196.
arvensis Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
arvensis Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
arvensis Mellinus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 287.—*Vespa*.
arvensis Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2569.
arvensis Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
arvensis Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
arvensis Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
Arvicola B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
arvicola Callidium, A. G. Olivier, Entom. IV. 1795, 64.
arvicola Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 42. [Melolontha.
arvicola Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1559.—
arvorum Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2869.—*Syrphus*.
arvorum Syrphus, J. C. Fabricius, Mant. II. 1787, 335.
Asaphis A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 176.—L.
asbestinum Alcyonium, P. S. Pallas, Elench. 1766, 344.
Ascalaphus J. C. Fabricius, Syst. Ent. 1775, 313.—*Neur*.
ascanias Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 275.
ascanii Blennius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 173.
ascanii Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 610.
ascanii Gymnetrus, P. G. Lindroth, K. Vet. Ac. Nya Handl. XIX. 1798, 288.
ascanium Papilio, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 500.
ascanium [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 20.
ascanium Simia, J. B. Audebert, Hist. Nat. Singes, 1799, sign. V.
Ascaris Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1076.—*Ver*.
ascaroides Cucullanus, J. A. E. Goeze, Eingeweidewürm. 1782, 40 & 134.
ascensionis *v. adensionis*.
asceta Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
Ascia J. A. Scopoli, Intr. Hist. Nat. 1777, 434.—*Le*p.
Ascidia Linnaeus, Syst. Nat., ed. 12, 1767, 1087 [not 1758 as stated by Agassiz].—*Tun*.
ascidioides Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
Ascidium (*ex* Baster), L. T. Gronov, Acta Helvet. V. 1762, 379.—*Tun*.
Ascidium L. T. Gronov, Zooph. III. 1781, 245.—*Tun*.
ascillar Madrepora, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 160.
ascita Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
ascita Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 306; ed. 12, 1766, 505.
asclepiadea Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
asclepiadeus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.
asclepiadis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 91.
asclepiadis Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 46.
aselenos Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
aselliformis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 475.
aselliformis Sesia, P. Rossi, Mant. Ins. II. 1794, 16.
asellina Lernaes, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1093.
Asellus E. L. Geoffroy, Hist. Ins. II. 1762, 671.—*Cr*.
Asellus E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 401.—*Cr*.
asella Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 65.
asellus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
asellus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1178.
asellus Hepialus (D. & S.), J. C. Fabricius, Ent. Syst. III (2), 1794, 7.—*Bombyx*.

- asellus** Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1061.
asellus Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 23.
asella Phalaena Bombyx (Fab. *non* Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 450.—Bombyx.
asellus Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
asellus Squilla, C. de Geer, Mém. Ins. VII. 1778, 496.
asfur Chaetodon, P. Forskal, Descr. Anim. 1775, 61.
asiatica Blatta, P. S. Pallas, Reise Russ. II. 1773, 727.
asiaticus Caprimulgus, J. Latham, Index Orn. 1790, 588.
asiaticum Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 224.
asiatica Certhia, J. Latham, Index Orn. 1790, 288.
asiaticus Charadrius, P. S. Pallas, Reise Russ. II. 1773, 715.
asiatica Chrysomela, P. S. Pallas, Reise Russ. I. 1771, 462.
asiaticus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 94.
asiatica Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163.
asiatica Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
asiatica Columba, J. Latham, Index Orn. 1790, 597.
asiaticus Cursorius, J. Latham, Index Orn. 1790, 751.
asiaticus Elephas, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 124.
asiatica Emberiza, J. Latham, Index Orn. 1790, 419.
asiaticus Falco, J. Latham, Index Orn. 1790, 14.
asiatica Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
asiatica Fringilla, J. Latham, Index Orn. 1790, 447.
asiaticus Gymnotus, Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 428.
asiatica Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 283.
asiatica Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
asiaticus Mergus, S. G. Gmelin, Reise Russ. II. 1774, 188.
asiatica Myxeria, J. Latham, Index Orn. 1790, 670.
asiatica Perdix, J. Latham, Index Orn. 1790, 649.
asiaticus Psittacus, J. Latham, Index Orn. 1790, 130.
asiaticus Rhinoceros, J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 126.
asiatica Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.
asiatica Sylvia, J. Latham, Index Orn. 1790, 554.
asiatica Talpa, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 73.
asiatica Triglia, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
asiaticus Trogon, J. Latham, Index Orn. 1790, 201.
asiliformis Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2871.—Syrphus.
asiliformis Musca, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 99.
asiliformis Sphinx, J. C. Fabricius, Syst. Ent. 1775, 830.
asiliformis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 305.
asiliformis Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, p. 201.
asiliformis Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 395.
asiliformis Syrphus, J. C. Fabricius, Gen. Ins. 1777, 306.
asiloides Nematelus, C. de Geer, Mém. Ins. VI. 1776, 204.
Asilus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 28.—A.
Asilus Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1006.—Dip.
asilus Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 253.—Oniscus.
asilus Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 504.—Oniscus.
asilus Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1059.
asinana [Phalaena], C. Clerck, Icones, I. 1759, pl. ii. 4.
asinana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 101 [*n. et f.*]
asinata Geometra, C. de Villers, Linn. Ent. IV. 1789, 506.
asinella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 60.
asini Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, p. 1018.
asinina Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 250.
asinina Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
asinium Haliotis *err. pro* asinina Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
asinus Chama, J. Barbut, Gen. Verm. II. 1788, 47. [3688.

- asinus Equus, Linnaeus, Syst. Nat., ed. 10, 1758, 73; ed. 12, 1766, 100.
 asinus Equus, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* ferus 212, domesticus 213,
 mulus 215, hinnus 216.
 "asinus Hercocervus," A. v. P. S., Schreiben Dethmaris Juliae et Mont. 1780, 39.
 asina Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
 Asio M. J. Brisson, Ornith. I. 1760, 486.—A.
 asio Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
 Asiraca P. A. Latreille, Préc. Car. Ins. 1796, 202.—Hem.
 asius Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 5.
 asotus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 304; ed. 12, 1766, 501.
 aspalax Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
 aspalax Mus, P. S. Pallas, Reise Russ. III. 1776, 692.
 aspalax Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 247.
 "Aspalomys, Laxmann," Palmer—I cannot find this genus [see Gervais, Voy. Bonite,
 asparagi Attelabus (Linn.), Scopoli, Ent. Carn. 1763, 36.—Chrysomela. [Zool. II. 55.]
 asparagi Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 601.
 asparagi Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 121.—Chrysomela.
 asparagi Cryptocephalus (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1723.—
 Chrysomela.
 asparagi Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Chrysomela.
 asparagi Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 123 [*n. n.*].
 asparagi Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 288.
 aspasia Papilio, J. C. Fabricius, Mant. II. 1787, 15.
 aspasia Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 38.
 aspasia [Papilio], C. Stoll, Aanhang. Cramer's Util. Kapellen, V. 1790, 148.
 asper Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 21.—Scarabaeus.
 aspera Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
 asperum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
 asper Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 7.
 asper Cerambyx, J. H. Sulzer, Gesch. Ins. 1776, 44.
 asperum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 475.—Murex.
 asper Chaetodon, G. S. Volta, Itt. Veron. (2) (circa 1800), xc.
 asper Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
 asper Cyprinus, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 67.
 aspera Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3657.
 aspera Lamia, J. J. Roemer, Gen. Ins. 1789, 46.
 aspera Lamia (Sulz.), J. A. Frolich, Naturforscher, XXVI. 1792, 147.—Cerambyx.
 aspera Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 156.
 aspera Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1282.
 asper Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1226.
 asper Murex, D. Solander in G. Brander, Foss. Hant. 1766, 35.
 asper Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3543.
 aspera Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
 asper Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 482.
 asper Perca, P. S. Pallas, Reise Russ. I. 1771, p. 461.
 asper Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.
 aspera Sphex, J. L. Christ, Nat. Ins. 1791, 292.
 aspera Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
 asper Tenebrio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
 asper Trochus, F. C. Meuschen, Mus. Geyer. 1787, 286.
 asper Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
 asper Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
 asperalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
 asperana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 409.—Pyralis.
 asperana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 292.
 asperana Tortrix, [Denis & Schiffmüller], Schmett. Wien, 1775, 130.
 asperatus Curculio, G. Bonsdorff, Curc. Succ. 1785, 34.
 asperella Alucita (L.), J. C. Fabricius, Mant. II. 1787, 255.—Phalaena.

- asperella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
 "Aspergillum, Lamarck, 1799," Scudder: is 1818.
 aspernata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
 asperrimus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
 asperrimus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 55.
 aspersa Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
 aspersa Helix, O. F. Müller, Verm. II. 1774, 59.
 aspersa Madrepora, Ellis & Solander, H. N. Corall. 1786, 156.
 aspersa Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18 [*n. n.*]
 Asperulus J. C. Schäffer, Piscium Bavar. 1761, 58.—P.
 Asperulus J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
 Aspis J. N. Laurenti, Syn. Rept. 1768, 105.—R.
 Aspis G. Cuvier, Leçons Comp. Anat. I. 1800, 3 [*n. n.*].—R.
 aspis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
 aspis Coluber, P. A. Latreille, Salamand. France, 1800, xix.
 aspis Libellula, M. Harris, Exp. Eng. Ins. 1776, 92.
 aspius Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 530.
 Aspredo L. T. Gronovius, Zooph. I. 1763, 102.—P.
 aspredo Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 304; ed. 12, 1766, 502.
 assaricus [Papilio], P. Cramer, Utit. Kapellen, III (22) 1779, 120.
 assaricus [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 142.
 assasi Balistes, P. Forskal, Descr. Anim. 1775, 75.
 asseclana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
 asseclana Tortrix, J. Hübn. Europ. Schmett. (Tort.) [me judice 1796], fig. 19 [*n. et f.*].
 assectator Foenus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 240.—Ichneumon.
 assectator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 937.
 assertorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 140.
 assiduus Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
 assimilator Ichneumon, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 280.
 assimilis Acheta, J. C. Fabricius, Syst. Ent. 1775, 280.
 assimilis Brentus, J. C. Fabricius, Mant. I. 1787, 95.—Curculio, 1775.
 assimilis Cantharis, G. Paykull, Faun. Suec. I. 1798, 261.
 assimilis Carabus, G. Paykull, Mon. Carab. 1790, 53.
 assimilis Columba, H. Lichtenstein, Cat. rerum Nat. I. 1793, 40.
 assimilis Cryptocephalus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.
 assimilis Curculio, J. C. Fabricius, Syst. Ent. 1775, 134.
 assimilis Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 77.
 assimilis Curculio, G. A. Harrer, Besch. Schaeffer Icones, 1784, 184.
 assimilis Curculio, G. Paykull, Mon. Curc. 1792, 69.
 assimilis Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 510.—Oniscus.
 assimilis Dermestes, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.
 assimilis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 236.
 assimilis Gryllus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2060.—Acheta.
 assimilis Kolpoda, O. F. Müller, An. Infus. 1786, 101.
 assimilis Lamia, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 148.
 assimilis Leptura, F. v. P. Schrank, Ins. Aust. 1781, 156.
 assimilis Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 83.
 assimilis Oniscus, Linnaeus, Syst. Nat., ed. 12, 1767, 1061.
 Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
 assimilis Passalus, D. H. Schneider, Verz. Parthei Ins. 1800, 3.
 assimilis Scarabaeus, D. H. Hoppe, Ins. Elyt. 1795, 28.
 assimile Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 82.
 assimilis Sphex, J. C. Fabricius, Mant. I. 1787, 276.
 assimilis Staphylinus, G. Paykull, Faun. Suec. III. 1800, 409.
 assimilis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.—Sphex, 1787.
 assimilans Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 209.
 assio *err. pro asio*.
 associata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 372.

- assulatus* Echinus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3178.
astacaria Oscana, Bosc, Bull. Sci. Soc. Philom. [Paris], No. 2, 1797, 10.
Astacolithus Gesner, Tract. Petref. 1758, 59.—Cr.
Astacus L. T. Gronov, Acta Helvet. IV. 1760, 23.—Cr.
Astacus J. C. Fabricius, Syst. Ent. 1775, 413.—Cr.
astacus *Astacus* (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 15.—Cancer.
astacus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1051.
astarte [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 110.
Astatus P. A. Latreille, Préc. Car. Ins. 1796, 114.—Hym.
astenuous Papilio, J. C. Fabricius, Syst. Ent. 1775, 448.
aster Actinia, Ellis & Solander, H. N. Zooph. 1786, 6 [v. Phil. Trans. LVII. 1767, 436].
aster Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3868.—Actinia.
aster Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
aster Pentadactylus, C. F. Schultze, Verst. Seest. 1760, 51.
aster Rotula, F. C. Meuschen, Mus. Gever. 1787, 490.
“*asteria-columnaris* Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 168.
“*asteriae* Helmintholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 393.
Asterias Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1098.—Ech.
asterie Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
asteris Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 312.
asteris Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
asteria Encrinus, J. F. Blumenbach, Hand. Naturg. 1779, 435. [310.—Noctua.
asteria Isis, Linnaeus, Syst. Nat., ed. 12, 1767, 1288.
asterius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 194.
asterizans Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 141.
asterizans Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3178.—
asterizans Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 37. [Cidaris.
asteroides Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
astina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 81.
astiniax [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 91.
astinous Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 22.
astrachanensis Mus, J. C. P. Erxleben, Syst. Anim. 1777, 403.
“*Astraea*, Gmelin, 1789,” Agassiz *errone*. This genus was founded by Lamarck in 1801 ;
Astraea J. F. Bolten, Mus. Bolten. (2) 1798, 79.—G. [see *Astrea*.
astragali Attelabus, G. Paykull, Faun. Suec. III. 1800, 180.
astragali Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 14.
astralagi Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 98.
astrarche [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 4.
astrarche [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
Astrea P. Browne, Hist. Jamaica, ed. 2, 1789, 392.—Cor.
astrea Noctua (Drury), J. C. Fabricius, Syst. Ent. 1775, 594.—Sphinx.
astrea [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 33.
astrea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 11.
astreus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 49.
astrild Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 303.
“*astrion* Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
Astroites J. E. I. Walch, Naturforscher, V. 1775, 41 & 42.—Cor.
astroites Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1276.
astroites Madrepora, P. S. Pallas, Elench. 1766, 320.
astroites Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 299.
astroites Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 375.
astrolepas Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
Astropecten C. F. Schultze, Verst. Seest. 1760, 50.—Ech.
Astrophyton C. F. Schultze, Verst. Seest. 1760, 53.—Ech.
Astur B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A.
astur [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 35.
astuta Dorippe, F. Weber, Nomen. Fabricii, 1795, 93 [n. n.].
astuta Dorippe, J. C. Fabricius, Suppl. Ent. Syst. 1798, 361.

- astyagus [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 48.
 astyanax Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.
 astyanax Papilio, J. C. Fabricius, Syst. Ent. 1775, 447.
 astyanax Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 188.
 astylos [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 160.
 astylus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 45.
 astynome Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 43.
 asychis [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 87.
 asylas [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 62.
 Atagen Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1753, 8 & 74.—A.
 ataja Sciaena, P. Forskal, Descr. Anim. 1775, 48.
 atak Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
 Atalanta J. G. Meigen, N. Class. Mouches, 1800, 31.—Dip.
 atalanta Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 779.
 atalanta Papilio, P. Cramer, Utitl. Kapellen, I (7) 1775, 132.
 atalantae Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 106.
 atra Acanthia, J. C. Fabricius, Mant. II. 1787, 278.
 atra Altica, J. C. Fabricius, Syst. Ent. 1775, 115.
 atra Anguis, J. N. Laurenti, Syn. Rept. 1768, 71.
 atrum Anobium, C. Bjerkander, K. Vet. Ac. Nya Handl. IV. 1783, 247.
 atra Antipathes, F. C. Meuschen, Mus. Gever. 1787, 528.
 ater Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
 ater Aphodius (de G.), Illiger in Kugelann, Käfer Preuss. 1798, 19.—Scarabaeus.
 ater Aphodius, C. Creutzer, Ent. Vers. 1799, 18.
 atra Apis, Scopoli, Ent. Carn. 1763, 299.
 atra Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
 atra Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 641.
 ater Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
 ater Atelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 278.
 ater Bombylius, Scopoli, Ent. Carn. 1763, 376.
 ater Bombylius, A. Modeer, Physiogr. Sälsk. Handl. I. (4) 1786, 299.
 atra Bombyx (L.), P. Rossi, Fauna Etrus. II. 1790, 172.—Phalaena (Bombyx).
 ater Bostrichus, P. Rossi, Mant. Ins. I. 1792, 19.
 ater Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
 ater Bruchus, L. G. Schriba, J. Lieb. Ent. II. 1790, 162.
 ater Bulimus, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
 atra Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 663.
 ater Byrrhus, J. C. Fabricius, Spec. Ins. I. 1781, 69.
 atrum Callidium, A. G. Olivier, Entom. IV. 1795, 8.—Cerambyx, 1790.
 atra Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 649.
 ater Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
 ater Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
 ater Cerambyx (Scop.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1858.—Prionus.
 ater Cerambyx, J. L. M. Poirét, Voy. Barbarie, I. 1789, 300.
 ater Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 399.
 atra Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.
 atrum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 485.—Strombus.
 atra Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 137.—Altica, 1775.
 atra Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 719.
 atra Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2101.
 atra Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
 ater Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 725.
 ater Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 211.
 ater Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 398.—Acanthia.
 atra Cistela, A. F. de Fourcroy, Ent. Paris. 1785, 28.
 atra Cistela, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 6.
 atra Coccinella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1664.
 atra Coccinella (Kug.), Illiger in Kugelann, Käfer Preuss. 1798, 413.—Scymnus, 1794.

- ater Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
 atra Conops (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3894.—Myopa.
 ater Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
 ater Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea atrella, 1794.
 ater Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 34.
 ater Cucujus, A. G. Olivier, Entom. IV. 1795, 9.
 ater Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 30.
 ater Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 415.
 ater Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
 ater Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 332.
 atra Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
 ater Dermestes, C. de Geer, Mém. Ins. IV. 1774, 223.
 ater Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 4.
 ater Dermestes, A. G. Olivier, Entom. II. 1790, 9.
 ater Dermestes (Herbst), G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 9.—Kateretes.
 ater Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 96.—Megatoma.
 ater Dermestes, G. Paykull, Faun. Suec. I. 1798, 298.
 ater Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 54.
 ater Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 401.
 ater Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 15.
 ater Elater, A. F. de Fourcroy, Ent. Paris. 1785, 38.
 ater Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 262.
 atra Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
 atra Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
 atra Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.
 atra Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Altica, 1775.
 ater Gryllus, C. de Geer, Mém. Ins. III. 1773, 520.
 atra Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
 ater Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
 atra Hispa, Linnaeus, Syst. Nat., ed. 12, 1767, 603.
 ater Hister, C. de Geer, Mém. Ins. IV. 1774, 342.
 ater Hydrophilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1944.
 ater Hydrophilus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 125.
 ater Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 183.
 atra Ips, P. Rossi, Mant. Ins. I. 1792, 23.
 ater Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 15.
 atra Lagria, J. C. Fabricius, Mant. I. 1787, 94.
 atra Lampyris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1888.
 atra Lampyris, A. G. Olivier, Entom. II. 1790, 27.
 ater Latridius (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 577.
 atra Leptura, J. C. Fabricius, Syst. Ent. 1775, 197. [—Kateretes.
 atra Leucospis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 259.
 ater Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.
 atra Loxia, M. T. Brännich, Orn. Boreal. 1764, 67.
 ater Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex.
 atra Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 95.
 atra Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 84.
 ater Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 9.—Lagria.
 ater Milvus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 149.—Falco.
 atra Mordella, J. C. Fabricius, Ent. Syst. I (2) 1792, 115.
 ater Musca, M. Harris, Exp. Eng. Ins. 1776, 58.
 atra Musca, C. de Villers, Linn. Ent. III. 1789, 551.
 atra Muscicapa, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 169.
 atra Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 946.
 atra Myopa, J. C. Fabricius, Syst. Ent. 1775, 799.
 ater Mytilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 202.
 atra Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
 ater Nemotelus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 5.

- atra Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
 atra Nerita (Linn.), O. F. Müller, Verm. II. 1774, 188.—Strombus.
 atra Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 63.
 ater Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
 ater Notoxus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 15.
 ater [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 61.
 atra Paratisea, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 ater Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 341.
 atra Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
 atra Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 823.
 ater Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 292.
 atra Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 358.
 atra Pimelia (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2011.—Helops.
 atra Plotia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 95.—Strombus.
 atra Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1013 [atra of ed. 12 seems to be fusca of F. Suec. 1761, 473].
 ater Prionus, J. A. Scopoli, Annus V. 1772, 100.
 ater Prionus, A. G. Olivier, Entom. IV. 1795, 11.
 ater Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
 ater Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 314.
 ater Ptilinus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 9.
 atra Rana, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 9.
 atra Salamandra, J. N. Laurenti, Syn. Rept. 1768, 42 & 149.
 ater Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 270.
 ater Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 21.
 ater Sciurus, J. M. Bechstein in Pennant, Ubers. 4füss. Thiere, II. 1800, 463.
 ater Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 548.
 ater Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
 atrum Sphaeridium (Herbst), G. Paykull, Faun. Suec. I. 1798, 67.—Tetratoma.
 atra Sphex, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
 atra Stenosis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 164.
 ater Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.
 ater Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 188.
 ater Tabanus, P. Rossi, Fauna Etrus. II. 1790, 320.
 atra Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 898.
 ater Telephorus (L.), A. G. Olivier, Entom. II. 1790, 13.—Cantharis.
 ater Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
 atra Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
 atra Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 372.
 atra Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 86.
 atra Thrips, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 4.
 atra Tipula, O. Fabricius, F. Groen. 1780, 203.
 atra Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 508.
 atra Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 513.
 atra Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 673.
 ater Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 831.
 atra Vespa, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 2765.
 atra Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 674.
 aterea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 158.
 atereus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 240.
 aterrima Altica, F. v. P. Schrank, F. Boica, I. 1798, 561.
 aterrima Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 19.
 aterrima Apis, J. L. Christ, Nat. Ins. 1791, 189.
 aterrima Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 15.
 aterrima Blatta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 185.
 aterrimus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 140.
 aterrima Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 294.
 aterrimus Cimex, J. R. Forster, N. Sp. Ins. 1771, 71.

- aterrimus** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
aterrimus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 607.
aterrimus Cynips, F. v. P. Schrank, Ins. Aust. 1781, 320.
aterrimus Elater, Linnaeus, Faun. Suec. ed. 2, 1761, 206.
aterrima Fulica, Linnaeus, Syst. Nat., ed. 12, 1766, 258.
aterrimus Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
aterrimus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.
aterrima Musca, C. de Villers, Linn. Ent. III. 1789, 548.
aterrima Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 334.
aterrima Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3679.
aterrimus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
aterrimus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1579.
aterrima Sphecx, P. Rossi, Fauna Etrus. II. 1790, 63.
athalia Papilio, S. A. Rottemburg, Naturforscher, VI. 1775, 5.
athamantae Sphinx (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 61.
athamas Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 5.
athemon Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 318.—Papilio.
athemon Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 792.
athene [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 62.
Atherina Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 519.—P.
atherinoides Clupea, Linnaeus, Syst. Nat., ed. 12, 1766, 523.
atherinoides Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 48.
atheroma Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.
athleta Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 31.
athulia Papilio, J. C. Fabricius, Mant. II. 1787, 59.
atinga Diodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 67.
atlanticus Callorhynchus, L. T. Gronov, Acta Helvet. VII. 1772, 52.
atlanticus Glaucus, J. F. Blumenbach, Abb. nat. Gegen. no. 48, 1800.
atlantica Mya, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 39.
atlas Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 14.—Scarabaeus.
atlas Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 808.
atlas Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 495.—[P. (Attacus), ed. 12.]
atlas Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 542.
atlita Papilio, J. C. Fabricius, Mant. II. 1787, 37.
atlites Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407.
atomalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
atomana Phalaena (Tort.), A. W. Knoch, Beitr. Insektenges. III. 1783, 112.
atomaria Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
atomaria Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 212.
atomarium Callidium, Panzer in Drury, Exot. Ins. 1785, 156.
atomarium Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 332.
atomarius Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
atomarius Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 93.
atomarius Cerambyx, C. de Geer, Mém. Ins. V. 1775, 65.
atomarius Cerambyx (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796,
atomaria Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 37. [148.—Lamia.
atomarius Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
atomaria Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1005.
atomarius Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 183.
atomarius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
atomarius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
atomaria Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
atomarius Dermestes, C. de Geer, Mém. Ins. IV. 1774, 218.
atomarius Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 78.—Mycetophagus.
atomaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 136 [*n. et f.*].
atomarius Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] III. 1792, 305.
atomaria Ips, J. C. Fabricius, Mant. I. 1787, 46.

- atomaria** Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 271.
atomaria Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 43.
atomarius Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498.—Ips, 1787.
atomaria Notonecta, P. S. Pallas, Reise Russ. I. 1771, 469.
atomaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 510.
atomaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767,
atomaria Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637. [862.
atomaria Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 78.
atomaria Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
atomaria Saperda, R. Townson, Trav. Hungary, 1797, 470.
atomarius Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1564.—
atomaria Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 574. [Melolontha.
atomaria Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 231.—Ips.
atomaria Silpha (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1625.—
atomarium Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 67.—Silpha. [Sphaeridium.
atomaria Tipula, C. de Geer, Mém. Ins. VII. 1778, 602.
atomata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 190.
atomata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 379.
atomata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
atomata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 282.
atomata Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
atomella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
atomella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2614.
atomella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
atomella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
atomifera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 277.
atomos Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
atomos Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1056.
atomos Hister, P. Rossi, Mant. Ins. I. 1792, 15.
atomos Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 54.
atomosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 282.
Atomus P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Ar.
Atomus P. A. Latreille, Préc. Car. Ins. 1796, 177—Ar.
atomus Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
atomus Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.]; Essai
atomus Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 941. [Fourmis, 1798, 44.
atomus Monas, O. F. Müller, An. Infus. 1786, 2.
Atopa G. Paykull, Faun. Suec. II. 1799, 116.—Col.
atra *v.* ater.
atralis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 645.
atralis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (3) [1788], 16.
atralis Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 17.—Phalaena.
atralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
atramentarius Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 211.
atramentata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
atraxididis Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
atraxididis Clytra (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 33.—Chrysomela.
atraxididis Cryptocephalus (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 138.—Chrysomela.
atraria Holocentrus, F. C. Meuschen, Mus. Gronov. 1778, 25.
atrarius Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 547.—Perca.
atraria Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 485.
atratella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.—Tinea, Fourcroy.
atratella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 337.
atrator Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [n. n.].
atrator Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 84.
atrator Ichneumon, J. C. Fabricius, Mant. I. 1787, 266.
atratorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 142.
atratorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 134.

- atratura Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
 atrata Anas, J. Latham, Index Orn. 1790, 834.
 atrata Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 275.
 atratus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 380.
 atrata Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.—Lytta.
 atratus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
 atrata Cassida, J. C. Fabricius, Mant. I. 1787, 62.
 atratus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 624.
 atratus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.
 atratus Cerambyx, L. H. v. Bloch in Becker, Plau. Grund. 1799, 103.
 atratum Cerithium (Born), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 480.—Murex.
 atrata Chrysomela (Four.), C. de Villers, Linn. Ent. I. 1789, 165.—Cricocoris.
 atrata Cicada, J. C. Fabricius, Mant. II. 1787, 269.
 atrata Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.—Tettigonia.
 atrata Cicindela, P. S. Pallas, Reise Russ. I. 1771, 465.
 atratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2185.
 atratus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1103.
 atrata Cricocoris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
 atratus Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1718.
 atratus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 106.
 atratus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 50.
 atratus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1103.
 atratus Elaphrus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 63.
 atrata Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178.—[Tanagra, ed. 12.]
 atrata Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 965.
 atratus Hemerobius (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2638.—
 atratus Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 436. [Semblis.
 atratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
 atrata Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.
 atrata Lytta, J. C. Fabricius, Syst. Ent. 1775, 260.
 atrata Meloe, P. S. Pallas, Reise Russ. II. 1773, 722.
 atrata Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 132.
 atrata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 988.
 atratus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 329.
 atratus Musca, M. Harris, Exp. Eng. Ins. 1776, 37.
 atrata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 333.
 atrata Mutilla, Linnaeus, Syst. Nat., ed. 12, 1767, 966.
 atrata Mylabris (Pall.), A. G. Olivier, Entom. III. 1795, 15.—Meloe.
 atrata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
 atrata Nitidula, A. G. Olivier, Entom. II. 1790, 18.
 atrata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
 atrata Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 29.
 atrata Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha. [ed. 12.
 atrata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524.—[chaerophyllata,
 atrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 atrata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2634.
 atrata Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 78.
 atratus Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 421.
 atratus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 11.
 atratus Scaurus, J. C. Fabricius, Syst. Ent. 1775, 253.
 atrata Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
 atrata Semblis, J. C. Fabricius, Spec. Ins. I. 1781, 386.
 atrata Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 571.
 atrata Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Scolia.
 atrata Sylvia (Gm.), J. Latham, Index Orn. 1790, 514.—Motacilla.
 atratus Tabanus, J. C. Fabricius, Syst. Ent. 1775, 789.
 atrata Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
 atratus Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256.

- atrata* Tenthredo, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
atrata Tenthredo, J. R. Forster, N. Sp. Ins. 1771, 80.
atrata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
atrata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
atratus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
atrata Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
atrata Volucella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 570.
atrella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
atrella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
atrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 298.
atricapilla Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
atricapillus Charabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
atricapillus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 686.
atricapilla Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 875.
atricapilla Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 33.—Motacilla.
atricapillus Lanius, B. Merrem, Avium rar. Icones, II. 1786, 26.
atricapilla Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 332.
atricapilla Muscipapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
atricapillus Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 341.
atricapilla Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
atricapillus Psittacus, J. F. Miller, Icon. Anim. (1776), 4.
atricapillus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 317.
atricapillus Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
atricapillus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 267.
atricapilla Sylvia (L.), J. A. Scopoli, Annus I. 1769, 156.—Motacilla.
atricapilla Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 899.
atricapillus Todus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 19.
atricapilla Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
atricapilla Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
atricilla Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 114.—Chrysomela.
atricilla Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 166.
atricilla Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 31.—Chrysomela.
atricilla Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 225.
atricilloides Larus, J. P. Falk, Reise Russ. (5) 1786, 355.
atricollis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 135.
atricollis Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
atricornis Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 344.
atricornis Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 308.
atringa Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 412.
atriplicella Phalaena [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
atriplicis Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 262.
atriplicis Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
atriplicis Curculio, J. C. Fabricius, Gen. Ins. 1777, 225.
atriplicis Melolontha, J. C. Fabricius, Mant. I. 1787, 19.
atriplicis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 611.—Phalaena.
atriplicis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854.
atriplicis Scarabaeus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
atristostis Curculio, J. C. Fabricius, Spec. Ins. II. 1781, 499. [Melolontha.]
atro-apterus Curculio, C. de Geer, Mém. Ins. V. 1775, 243.
atromaculata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 141.
atrophica Mantis, P. S. Pallas, Spic. Zool. IX. 1772, 12.
atrophica Phasma (Pall.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
atrophica Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
atropos Bombylius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
atropos Cobra (Linn.), J. N. Laurenti, Syn. Rept. 1768, 104.—Coluber.
atropos Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
atropos Musca, F. v. P. Schrank, Beitr. Nat. 1776, 94.
atropos Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 799.

- atropos** Sphinx [? non L.], P. Cramer, Utitl. Kapellen, I (7) 1775, 123.
atropos Sphinx *var.* fuisluniana, H. W. Bergstrasser, Sphing. Europ. 1782, 6.
atropunctella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
atropurpureus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
atropurpureus Psittacus, G. Shaw, Mus. Lever. I. 1792, 140.
atro-reticulata Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 29.
atro-rubens Scarabaeus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 314.
atrorufus Carabus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 331.
atrovenatus Papilio Eques, C. C. Jung, Alph. Verz. Schmett. 1791, 65.
atro-viridis Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 197 [*n. n.*].
atrox Aranea, C. de Geer, Mém. Ins. VII. 1778, 253.
atrox Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
atrox Sphex, D. Drury, Ill. Nat. Hist. III. 1782, index & 57.
atrox Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
atrox Vipera (L.), J. N. Laurenti, Syn. Rept. 1768, 103.—Coluber.
Attacus *v.* **Phalaena**.
attelaboides Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 305.
attelaboides Cicindela, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
attelaboides Cimex (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2198.—
attelaboides Curculio, J. C. Fabricius, Syst. Ent. 1775, 156. [Reduvius.
attelaboides Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
attelaboides Reduvius, J. C. Fabricius, Syst. Ent. 1775, 731.
attelaboides Rhinomacer, J. C. Fabricius, Mant. I. 1787, 123.
Attelabus Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 619.—Col.
attenuata Buprestis, J. C. Fabricius, Ent. Syst. I. (2) 1792, 187.
attenuatus Cancer, P. Forskal, Descr. Anim. 1775, 89.
attenuata Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 154.
attenuatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 131.
attenuatus Cychrus, J. C. Fabricius, Ent. Syst. IV. 1794, 441.—Carabus, 1792.
attenuatus Cychrus, Zöcker in L. H. v. Bloch in Becker, Plau. Grund. 1799, 100.
attenuatus Cychrus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] III (2) 1794, 70.
attenuatus Echinorhynchus, O. F. Müller, Z. Dan. I. 1779, 89.
attenuata Hydra, P. S. Pallas, Elench. 1766, 31.
attenuata Ips, A. G. Olivier, Entom. II. 1790, 9.
attenuata Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
attenuata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
attenuatus Prionus (Linn.), J. A. Scopoli, Annus V. 1772, 99.—Leptura.
attenuata Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 314.—Vespa.
attenuatus Turbo, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 114.
attenuata Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
atthis Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
atthis Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 321.—Gracula.
aticus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
atthorax Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
atun Scomber, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XII. 1791, 315.
atymnus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 283.—Papilio.
atymnus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 82.
atymnus Papilio (Fab.), E. Donovan, Ins. China, 1798.—Hesperia.
atys Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 267.—Papilio.
atys [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 117.
atys Simia, J. B. Audebert, Hist. Nat. Singes, 1799, sign. S.
auarus *v.* **avarus**.
Auchenia C. P. Thunberg, Peric. Ent. 1789, 9.—Col.
aucta Chrysomela, J. C. Fabricius, Mant. I. 1787, 72.
auctus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.
auctus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 139.—Cimex, 1781.
auctus Musca, M. Harris, Exp. Eng. Ins. 1776, 126.
aucta Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 272.

- audaculus** Musca, M. Harris, Exp. Eng. Ins. 1776, 121.
audax Apis, M. Harris, Exp. Eng. Ins. 1776, 130.
audax Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
audax Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 934.
audens Apis, M. Harris, Exp. Eng. Ins. 1776, 130.
auge [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 141.
auge Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 248.
auge Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
auge Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
augias Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 327.—Papilio.
augias Papilio, Linnaeus, Amoen. Acad. VI. 1763, 410.
augias Scarabaeus, A. G. Olivier, Entom. I. 1789, 37.
augur Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 366.
augur Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 57.
augur Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 685.
augur Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex, 1781.
augur Musca, J. C. Fabricius, Syst. Ent. 1775, 777.
augur Noctua, J. C. Fabricius, Syst. Ent. 1775, 604.
augur Trichoda, O. F. Müller, An. Infus. 1786, 202.
augustif Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
augustus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 275.
augusta Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 42.
augusta Lampyrus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.
augusta [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 227.
augustus Psittacus, G. Shaw, Mus. Lever. I. 1792, 57.
avius *v.* **avius**.
aulacea Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
aulestes [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 47.
aulestes [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 161.
aulica Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 576.—Phalaena.
aulicum Callidium, J. C. Fabricius, Syst. Ent. 1775, 190.
aulicus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
aulica Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 54.
aulicus Cimex, J. C. Fabricius, Syst. Ent. 1775, 718.
aulicus *β* crocatus, Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 55.
aulica Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 148.
aulicus Clytus, J. N. Laicharting, Tyrol. Ins. II. 1784, 103.
aulicus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 381.
aulicus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1171.
aulica Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154.
aulicus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
aulicus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus. [Cistela].
aulicus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 151.—Cimex.
aulica Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 42.
aulicus Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 7.—Crioceris.
aulica Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 74.—Coluber.
aulica Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505; ed. 12, 1767, 829.
aulicus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 555.
aulicus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1566.—Melo-
aulumniceus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320. [lontha].
aunalaschk *v.* **unalaschk**.
aunus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 263.—Papilio.
aunus [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 36.
aunus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 134.
[aura; a breeze or gale.]
aura [Phalaena], P. Cramer, Uitl. Kapellen, I (5) 1775, 85.
aura Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 122.
aura Vultur, R. Kerr, Anim. Kingd. 1792, *var.* **niger**, 473.

- aurago Noctua, [Denis & Schiffermüller] Schmett. Wien, 1775, 86.
- aurana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 413.—Pyralis.
- aurana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 653.
- aurana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 248.
- aurana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 22 [*n. et f.*].
- aurantiaca Boa, J. N. Laurenti, Syn. Rept. 1768, 89.
- aurantiacum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [*n. n.*].
- aurantiaca Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—Ostrea aurantia.
- aurantiaca Hyla, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
- aurantiaca Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
- aurantiaca Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 287.
- aurantiacus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195.
- aurantiaca Strix, G. A. Suckow, Naturg. II (1) 1800, 214.
- aurantiaca Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 342.
- aurantiacus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
- aurantiagio Phalaena, E. Donovan, Brit. Ins. V. 1796, 15.
- aurantiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 184
- aurantiata Geometra, C. de Villers, Linn. Ent. IV. 1789, 504. [*n. et f.*].
- aurantiata Phalaena, J. C. Fabricius, Mant. II. 1787, 201.
- aurantica Hyla, J. N. Laurenti, Syn. Rept. 1768, 35.
- aurantiella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
- aurantii Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 386.
- aurantiomaculata Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 67.
- aurantium Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
- aurantium Alcyonium, P. S. Pallas, Elench. 1766, 357.
- aurantius Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
- aurantia Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 200.
- aurantium Ascidia, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 246.
- aurantius Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 59.
- aurantia Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
- aurantia Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 242.
- aurantius Cimex, J. H. Sulzer, Gesch. Ins. 1776, 96.
- aurantius Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 606.
- aurantium Cypraea, T. Martyn, Univ. Conch. II. [1788], fig. 59.
- aurantium Echinus, J. A. Gyllenahl, K. Vet. Ac. Handl. XXXIII. 1772, 245 & 260.
- aurantius Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- aurantius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 283.
- aurantius Falco, R. Kerr, Anim. Kingd. 1792, *varr.* minor; maculatus, 522.
- aurantia Hydra, J. F. Blumenbach, Hand. Naturg. 1779, 444.
- aurantia Isis, E. J. C. Esper, Pflanzenz., Forts., II (9) 1798, 3.
- aurantia Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
- aurantius Lanius, J. Latham, Index Orn. 1790, 79.
- aurantia Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 853.
- aurantia Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
- aurantia Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 932.
- aurantius Mycetophagus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
- aurantia Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
- aurantia Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3793.
- aurantius Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 174.
- aurantius Psittacus, J. F. Miller, Icon. Anim. 5 (1776).
- aurantius Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
- aurantius Reduvius, J. Latham in T. Pennant, Ind. Zool., ed. 2, 1791, 139.
- aurantius Reduvius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 31 [*n. n.*].
- aurantia Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—Motacilla.
- aurantia Trichoda, O. F. Müller, An. Infus. 1786, 185.
- aurantius Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 489.
- aurantius Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 832.
- aurantia Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 468.

- aurantia* Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
aurantia Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
Aurata G. Edwards in M. Catesby, Carol. II. 1771, 16.—P.
Aurata M. Catesby, Pisc. &c. Imag. 1777, 16.—P.
auratana Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [n. n.].
auratella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 138.
auratella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
auratus Acarus, G. Shaw, Nat. Misc. IV. 1793, pl. 128.
aurata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 107.
auratus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 387.
aurata Buprestis, P. S. Pallas, Reise Russ. II. 1773, 719.
aurata Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
aurata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
auratus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 219.
auratus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 635.
aurata Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
aurata Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 43.—Scarabaeus.
auratus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 122 (index).
auratus Chiton, J. J. N. A. Spalowsky, Prod. Test. 1795, 88.
aurata Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 414.
aurata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 101.
aurata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 711.
aurata Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 251.
auratus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 740.
auratus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50.
auratus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 112 [Picus, ed. 12].
auratus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 421.
auratus Curculio, Scopoli, Ent. Carn. 1763, 26.
auratus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 127.
aurata Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
auratus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 380.
aurata Cynips, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 1.
auratus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 527.
auratus Elater, D. Drury, Ill. Nat. Hist. II. 1773, index & 65.
aurata Empis, C. de Villers, Linn. Ent. III. 1789, 571.
auratus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 75.
auratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
auratus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 111.
auratus Ichneumon, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 1.
aurata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 368.
aurata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
aurata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
aurata Motacilla, G. Shaw in Miller, Cim. Phys. 1796, 73.
aurata Musca, O. F. Müller, F. Ins. Frid. 1764, 86.
aurata Musca, J. C. Fabricius, Mant. II. 1787, 347.
aurata Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
auratus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 202.
aurata Perca, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 35.
aurata Phalaena, Scopoli, Ent. Carn., 1763, 227.
aurata Phalaena, *id. ac* aura, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 259.
aurata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
aurata Phalaena (Tinea), H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 342.
auratus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 174 [Cuculus, ed. 10].
auratus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1793.
aurata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
auratus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 220.
auratus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
aurata Saperda, Boeber in Reich's Mag. Thierreichs, I. 1793, 135.

- auratus Sargus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca, 1787.
 auratus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 557.
 auratus Scarabaeus, O. F. Müller, F. Ins. Frid. 1764, 2.
 auratus Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
 auratus Scomber, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 331.
 auratus Sorex, G. Cuvier, Tab. Elém. 1798, 110.
 aurata Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 277; ed. 12, 1766, 467.
 auratus Sparus, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 318.
 aurata Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 572 [Chrysis, ed. 12].
 aurata Sphex, J. C. Fabricius, Mant. I. 1787, 276.
 auratus [Sphinx], P. Cramer, Uitl. Kapellen, III (22) 1779, 126.
 auratus Stincus (L.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
 auratus Stro[m]bus, J. J. N. A. Spalowsky, Prod. Test. 1795, 43.
 auratus Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 312.—Turdus.
 auratus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 288.
 auratus Trichius (L.), F. v. P. Schrank, F. Boica, I. 1798, 413.—Scarabaeus.
 auratus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 487.
 auratus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
 auratus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 819.
 aurata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
 aurata Vespa, J. C. Fabricius, Mant. I. 1787, 289.
 aurata Volucella, J. C. Fabricius, Ent. Syst. IV. 1794, 413.
 aureana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
 aureatella Phalaena, Scopoli, Ent. Carn. 1763, 254.
 aurelianense Blatta, A. F. de Fourcroy, Ent. Paris. 1785, 177.
 aurelius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
 aurelius [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 110.
 aurelia Paramoecium, O. F. Müller, Verm. I (1) 1773, 54.
 aurella Tinea, J. C. Fabricius, Syst. Ent. 1775, 666.
 aurella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
 aureoargentata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
 aureofasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
 aureolaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
 aureolaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 62 [*n. et f.*].
 aureolatus Acarus, P. S. Pallas, Spic. Zool. IX. 1772, 40.
 [aureolus Araneus, C. Clerck, Aran. Svec. 1757, 133.]
 aureolus Araneus, T. Martyn, Aranei, 1793, 63.
 aureola Emberiza, P. S. Pallas, Reise Russ. II. 1773, 711.
 aureola Melolontha (Pall.), J. A. Frolich, Naturforscher, XXVI. 1792, 85.—Scarabaeus.
 aureola Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 191 [Pipra, ed. 12].
 aureola Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 32.
 aureolus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 18.
 aureopolita Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 68.
 aurea Alcedo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 94.
 aurea Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
 aureus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.
 aureus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 378.
 aurea Buprestis, C. de Geer, Mém. Ins. VII. 1778, 634.
 aureus Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
 aureus Carabus, C. de Geer, Mém. Ins. IV. 1774, 91.
 aureus Chaetodon, G. I. Molina, Sag. stor. nat. Chili, 1782, 227.
 aureus Chaetodon, M. E. Bloch, Nat. ausl. Fische III. 1787, 49.
 aureus Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 118.
 aurea Cicada, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2103.
 aureus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 742.
 aurea Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 108.
 aureus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
 aurea Cytherea, J. C. Fabricius, Ent. Syst. IV. 1794, 414.

- aurea** Donacia, D. H. Hoppe, *Ins. Elyt.* 1795, 43.
aureus Gypaetos, F. M. Daudin, *Traité élém. Orn.* 1800, 25.
aurea Leptura, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1877.
aurea Leucophra, O. F. Müller, *An. Infus.* 1786, 145.
aurea Libellula, J. A. Scopoli, *Annus V.* 1772, 120.
aureus Limax, T. Martyn, *Univ. Conch. III.* [1789], fig. 115.
aureus Limax, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3102.
aurea Loxia, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 846.
aurea Meloe, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2019.
aureus Nemetelus, O. F. Müller, *Z. Dan. Prod.* 1776, 179.
aureus Oriolus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 163.
aurea Paradisea (L.), Borowski, *Gem. Nat. Thiere*, II. 1781, 122.—Oriolus.
aurea Paradisea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 402.
aurea Phalaena Tinea, H. Ström, *Nye Saml. K. Danske Skrifter*, II. 1783, 89.
aurea Pluvialis, J. C. Schaeffer, *Mus. Orn.* 1789, 48.
aureus Psittacus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 329.
aurea Scolia, J. C. Fabricius, *Ent. Syst. II.* 1793, 231.
aureus Scomber, *id. ac auratus*, Houtt., B. G. E. de Lacépède, *Hist. Nat. Poiss.* II. 1800,
aureus Staphylinus, J. C. Fabricius, *Mant. I.* 1787, 219. [599.]
aurea Talpa, P. S. Pallas in J. C. D. Schreber, *Säugeth. III.* 562 (1777).
aurea Tipula, O. F. Müller, *F. Ins. Frid.* 1764, 79.
aurea Venus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3288.
aureus Vultur, K. Hablitzl (*ex* Briss.) in P. S. Pallas, *N. nord. Beytr.* IV. 1783, 64.
auricapillus Ichneumon, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2699.
aurichalceus Carabus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1991.
aurichalceus Cerambyx, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1857.
aurichalcea Cetonia, J. C. Fabricius, *Syst. Ent.* 1775, 49.
aurichalceus Scarabaeus (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1573.
auricollis Motacilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 984. [—Cetonia.]
auricollis Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 536.—Motacilla.
auricoma Amphitrite, O. F. Müller, *Z. Dan. Prod.* 1776, 216.
auricomus Cerambyx, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 629.
auricomus Conus, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2) 1792, 742.
auricoma Noctua, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 67.
Auricula Lamarck, *Mem. Soc. H. N. Paris*, 1799, 76.—G.
auricula Buccinum (Linn.), O. F. Müller, *Verm.* II. 1774, 126.—*Helix auricularia*.
auricula Bulimus, J. G. Bruguière, *Ency. Méth. (Vers)* (1), 1789, 342.
auricula Cardium, P. Forskal, *Descr. Anim.* 1775, 122.
auricula Lucernaria, O. Fabricius, *F. Groen.* 1780, 341.
auricula Nautilus, L. v. Fichtel & J. P. C. v. Moll, *Test. Micr.* 1798, 108.
auricula Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3694.
auricularis Phalaena, [D. H. Schneider], *Nom. Ent.* 1785, 48 [*n. n.*].
auricularis Strongylus, J. G. H. Zeber in Goetze, *1 Nachttr. Eingeweidewürm.* 1800, 77.
auricularis Vultur, F. M. Daudin, *Traité élém. Orn.* 1800, 10.
auricularis Bulimus (L.), J. G. Bruguière, *Ency. Méth. (Vers)* (1), 1789, 304.—*Helix*.
auricularia Forficula, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 423; ed. 12, 1767, 686.
auricularia Helix, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 774; ed. 12, 1767, 1250.
auricularius Unio, L. Spengler, *Skr. nat. Selsk.* [Copen.] III (1) 1793, 54.
auriculatus Cimex, C. de Geer, *Mém. Ins.* III. 1773, 273.
auriculatus Dermestes, A. F. de Fourcroy, *Ent. Paris.* 1785, 20.
auriculata Doris, O. F. Müller, *Z. Dan. Prod.* 1776, 229.
auriculata Dryops (Fourc.), A. G. Olivier, *Ency. Méth. VI (Ins.)* 1791, 298.—*Dermestes*.
auriculata Limacia, O. F. Müller, *Zool. Dan.* (Danish ed.) 1781, 66.—*Doris*, 1776.
auriculata Membracis, B. E. Manuel, *Ency. Méth. VII (Ins.)* 1792, 668.
auriculatus Parnus, G. W. F. Panzer, *Ins. Germ. heft 38* [1796], tab. 23.
auriculata Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 319.
auriculata Planaria, O. F. Müller, *Zool. Dan.* II. 1784, 81.
auriculata Vorticella, O. F. Müller, *Verm.* I (1) 1773, 111.

- aurifer Buprestis, A. G. Olivier, Entom. II. 1790, 13.
 aurifer Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
 aurifer Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 68.
 aurifer Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
 auriferella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
 auriflamma Mullus, P. Forskal, Descr. Anim. 1775, 30.
 auriflua Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 52.
 auriflua Phalaena (D. & S.), E. Donovan, Brit. Ins. I. 1792, 25.—Bombyx.
 Auriformis F. C. Meuschen, Mus. Gever. 1787, 248.—[Haliotis, L.].
 aurifrons Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 aurifrons Musca, C. de Villers, Linn. Ent. III. 1789, 549.
 auriga Chaetodon, P. Forskal, Descr. Anim. 1775, 60.
 auriger Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
 aurinia Papilio, S. A. Rottemburg, Naturforscher, VI. 1775, 5.
 auripennis Sphecx, C. de Geer, Mém. Ins. III. 1773, 585.
 Auris F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 6 [n. n.].—G.
 auriscalpium Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
 auris-dianae Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
 auris diana (*sic*) Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 64.—Strombus.
 auris-dianae Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1209.
 auris-felis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 343.
 aurisiacus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
 aurisiacus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 47.—Conus arausiacus.
 aurisiacum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 154.
 aurisiaca Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
 aurisiacus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 158.
 auris-judae Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 344.—Bulla.
 auris-judae Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728 [Voluta, ed. 12].
 auris-judae Helix (Linn.), O. F. Müller, Verm. II. 1774, 109.—Voluta.
 auris-judae Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Voluta.
 auris-judae Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187 [z. Bulla].
 auris-leporis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 346.
 auris-malchi Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 319.—Helix.
 auris-malchi Helix, O. F. Müller, Verm. II. 1774, 112.
 auris-malchi Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3437.
 auris-midae Auricula (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 76.—Voluta.
 auris-midae Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 342.—Bulla.
 auris-midae Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728 [Voluta, ed. 12].
 auris-midae Bulla, O. F. Müller, Verm. II. 1774, 110.
 auris midae Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Voluta.
 auris-midae Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1186 [z. Bulla].
 Auris-mustelae [G. Humphreys], Mus. Calonn. 1797, 22.—G.
 auris-sileni Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 346.—Voluta.
 auris-sileni Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 197.
 Auris-veneris [G. Humphreys], Mus. Calonn. 1797, 20.—G.
 auritus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 aurita Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
 aurita Anas, P. Boddart, Tab. Planch. Enl. 1783, 48.
 aurita Anatifa (?) (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 66.—Lepas.
 aurita Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
 auritus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 331.—Nerita.
 auritus Cancer, J. C. Fabricius, Syst. Ent. 1775, 410.
 aurita Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 596.
 aurita Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 706.
 aurita Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 189.
 aurita Clythra (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Chrysomela.
 aurita Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 105.
 auritus Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 222.

- auritus Corvus, J. Latham, Index Orn. 1790, 160.
 auritus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 250.
 auritus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chrysomela.
 auritus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 202.
 auritus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.—
 Echinodiscus.
 auritus Erinaceus, S. G. Gmelin, Nov. Comm. Sci. Petrop. XIV (1) 1770, 519.
 auritus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 475.
 aurita Lacerta, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 1073.
 aurita Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1110.
 aurita Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 15.
 aurita Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
 aurita Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 43.—Chrysomela.
 aurita Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 676.—Cicada.
 aurita Nerita, O. F. Müller, Verm. II. 1774, 192.
 aurita Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 102.
 aurita Noctua, J. C. Fabricius, Mant. II. 1787, 179.
 auritus Ostracion, G. Shaw, Nat. Misc. IX. 1798, pl. 338.
 aurita Otis, J. Latham, Index Orn. 1790, 660.
 auritus Pediculus, Scopoli, Ent. Carn. 1763, 383.
 aurita Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 256.—
 aurita Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 189.—Mantis, 1793. [Noctua.
 auritus Philanthus, J. C. Fabricius, Ent. Syst. IV. 1794, 459.
 aurita Phoca, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 590.
 aurita Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2006.—Tenebrio.
 auritus Podiceps (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Colymbus.
 auritus Pulex, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 309.
 aurita Raia, G. A. Suckow, Naturges. IV. 1799, 78.
 auritus Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
 auritus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3522.—Nerita.
 auritus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 40.
 auritus Triton, A. Modeer, K. Vet. Ac. Nya Handl. X. 1789, 56.—Cr.?
 auritus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 493.
 auritus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 827.
 auritus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32; ed. 12, 1766, 47.
 aurita Viverra, F. A. A. Meyer, Zool. Entdeck. 1793, 91.
 aurita Vorticella, O. F. Müller, An. Infus. 1786, 288.
 aurocapilla Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
 aurocapillus Turdus (L.), J. Latham, Index Orn. 1790, 328.—Motacilla.
 auronitens Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 129.
 auronitens Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
 auropunctatus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 131.
 auropunctella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.
 aurora Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 82.—Coluber.
 aurora Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
 aurora Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
 aurora Coccinella, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 5.
 aurora Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
 aurora Curculio, [D. H. Schneider], Nom. Ent. 1785, 14 [n. n.].
 aurora Lampyrus (Herbst), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1887.—
 aurora Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 108. [Pyrochroa.
 aurora [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 18.
 aurora Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1784, 161.
 aurora Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
 aurora Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 173.
 aurora Psittacus, Linnaeus, Mant. II. 1771, 524.
 aurora Pyrochroa, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 105.
 aurorae Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100.

- auroralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
auroraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 63 [*u. et f.*].
auroraria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 27.
aureora Motacilla, P. S. Pallas, Reise Russ. III. 1776, 695.
aureora Sylvia (Pall.), J. Latham, Index Orn., 1790, 527.—Motacilla.
aerotus Bombyx, J. C. Fabricius, Mant. II. 1787, 108.
aurota Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 197.
aurota [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 11.
aurulenta Apis, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 22.
aurulentus Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 661.
aurulenta Buprestis, J. C. Fabricius, Mant. I. 1787, 182.
aurulenta Cicada, J. C. Fabricius, Mant. II. 1787, 269.
aurulentus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 13.
aurulenta Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 348.
aurulenta Sphex, J. C. Fabricius, Mant. I. 1787, 274.
ausonia [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 66.
auspex Constrictor, J. N. Laurenti, Syn. Rept. 1768, 108.
auspex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
austera Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
austera Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 310. [438.—Bombyx.
austera Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
austera Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797—1800], 452.
australasiae Blatta, J. C. Fabricius, Syst. Ent. 1775, 271.
australasiae Bombyx, J. C. Fabricius, Syst. Ent. 1775, 562.
australasiae Dromia, F. Weber, Nomen. Fabricii, 1795, 92.
australasiae Helix, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 96.
australasiae Murex, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 83.
australasiae Scorpio, J. C. Fabricius, Syst. Ent. 1775, 399.
australiaca Rana, G. Shaw, Nat. Misc. VI. 1795, pl. 200.
australis Ascalaphus, J. C. Fabricius, Mant. I. 1787, 250.
australis Atherina, G. Shaw in White, Journ. N.S.W. 1790, 296.
australe Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
australis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 347.
australis Cancrer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2994.—Scyllarus.
australis Casuarier, G. Shaw, Nat. Misc. III. 1792, pl. 99.
australis Cerambyx, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1849.
australis Cimex, J. C. Fabricius, Syst. Ent. 1775, 708.
australis Clio, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 507.
australis Columba, Linnaeus, Mant. II. 1771, 526.
australis Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 365.
australis Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 377.
australis Cottus, G. Shaw in White, Journ. N.S.W. 1790, 266.
australis Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1721.
australe Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
australis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.
australis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 487.
australis Formica, J. C. Fabricius, Syst. Ent. 1775, 393.
australis Fringilla, J. Latham, Index Orn. 1790, 466.
australis Gryllus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2064.
australis Gyrinus, J. C. Fabricius, Syst. Ent. 1775, 235.
australis Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3689.
australis Lampyrus, J. C. Fabricius, Syst. Ent. 1775, 201.
australis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 140.—Cimex, 1775.
australis Manatus, A. J. Retzius, K. Vet. Ac. Nya Handl. XV. 1794, 291.
australis Motacilla, G. Shaw in White, Journ. N.S.W. 1790, 239.
australis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
australis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
australis Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.

- australis Mycetera, G. Shaw, Tr. Linn. Soc. [Lond.] V. 1800, 34.
 australis Myrmeleon (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2645.—
 australis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675. [Ascalaphus.
 australis Petaurus, G. Shaw, Nat. Misc. II. 1791, pl. 60.
 australis Phoca, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 276.
 australis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
 australis Psittacus, J. Latham, Index Orn. 1790, 104.
 australis Rallus, A. Sparrman, Mus. Carls. I. 1786, no. xiv.
 australis Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 269.
 australis Scolopax, J. A. Scopoli, Annus I. 1769, 94.
 australis Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.
 australis Scyllarus, J. C. Fabricius, Spec. Ins. I. 1781, 509.
 australis Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2728.
 australis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 608.
 australis Trachichthys, G. Shaw, Nat. Misc. X. 1799, pl. 378.
 australis Trichechus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 60.
 australis Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 679.
 australis Turdus, A. Sparrman, Mus. Carls. III. 1788, no. lxix.
 australis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
 austriasiae Rana, J. G. Schneider, Hist. Amph. I. 1799, 150.
 austriaca Andrena, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 19.
 austriaca Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 661.
 austriaca Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 293.
 austriaca Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
 austriaca Cicindela, F. v. P. Schrank, Beitr. Nat. 1776, 69.
 austriacus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 78.
 austriaca Coccinella, F. v. P. Schrank, Beitr. Nat. 1776, 62. [Coronella.
 austriacus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
 austriaca Copris (Panz.), J. Sturm, Verz. Ins. Samml. 1800, 103.—Scarabaeus.
 austriaca Coronella, J. N. Laurenti, Syn. Rept., 1768, 84 & 184.
 austriacus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 123.
 austriacus Elater, F. v. P. Schrank, Ins. Aust. 1781, 186.
 austriacus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 262.
 austriaca Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
 austriaca Glareola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 695.
 austriacus Meloe, F. v. P. Schrank, Ins. Aust. 1781, 223.
 austriacus Meloe, C. de Villers, Linn. Ent. IV. 1789, 365.
 austriaca Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 16.
 austriacus Milvus (Gm.), F. M. Daudin, Trait   elem. Orn. 1800, 149.—Falco.
 austriaca Mutilla, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 20.
 austriacus Paederus, F. v. P. Schrank, F. Boica, I. 1798, 653.—Staphylinus, 1781.
 austriaca Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl. 3 Abschn. [1797], 39.
 austriacus Scarabaeus (Herbst), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1561.—
 Melolontha.
 austriacus Scarabaeus, Schneider in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 6.
 austriaca Sphex, F. v. P. Schrank, Ins. Aust. 1781, 380.
 austriacus Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 237.
 austriaca Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 2.
 ausus Musca, M. Harris, Exp. Eng. Ins. 1776, 85.
 automedon [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 65.
 automedon [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 204.
 autonoe Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784],
 autumnalis Acarus, G. Shaw, Nat. Misc. II. 1790, pl. 42. [167.
 autumnalis Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 205.
 autumnalis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 324.
 autumnalis Aranea, F. A. A. Meyer, Spinner G  tt. 1790, 12.
 autumnalis Charadrius, Linnaeus in Hasselquist, Palast. 1762, 308.
 autumnalis Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.

- autumnalis Meloe, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 650.
 autumnalis Musca, C. de Geer, Mém. Ins. VI. 1776, 83.
 autumnalis Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 85.
 autumnalis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 147.
 autumnalis Psittacus, R. Kerr, Anim. Kingd. 1792, *varr.* cyanocephalus, cocho, 605.
 autumnalis Salmo (Coreg.), P. S. Pallas, Reise Russ. III. 1776, 705.
 autumnalis Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 6.
 autumnalis Scarabaeus, D. E. Næzén, K. Vet. Ac. Nya Handl. XIII. 1792, 167.
 autumnalis Tabanus, Linnaeus, Faun. Suec., ed. 2, 1761, 462.
 autumnalis Tringa, Linnaeus in Hasselquist, Palast. 1762, 306.
 autumnalis Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.
 autumnata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 293.
 auwawa Balistes, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 464.
 auxo Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 805.
 avarus Alphaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 404.
 avarus Crangon, F. Weber, Nomen. Fabricii, 1795, 94.
 avarus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
 avarus Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
 avellana Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 297.
 avellana Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
 avellana Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
 avellana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
 avellana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
 avellanae Attelabus, Linnaeus, Syst. Nat., ed. 12, 1767, 619.
 avellanae Bombyx, J. C. Fabricius, Mant. II. 1787, 116.
 avellanae Bombyx, C. de Villers, Linn. Ent. IV. 1789, 447.
 avellanae Bruchus (L.), F. v. P. Schrank, Ins. Aust. 1781, 102.—Attelabus.
 avellanae Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2183.
 avellanae Curculio (L.), G. Paykull, Mon. Curc. 1792, 28.—Attelabus.
 avellanae Curculio, E. Donovan, Brit. Ins. VI. 1797, 63.
 avellanae Involulus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Attelabus.
 avellanae Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 468.—Bombyx.
 avellanae Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 91.—Attelabus.
 avellanarius Glis, J. F. Blumenbach, Hand. Naturg. 1779, 79.
 avellanarius Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 83.
 avellanarius Myoxus (L.), F. v. P. Schrank, F. Boica, I. 1798, 75.—Mus.
 avellanella Phal. Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
 avellanella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 18.
 avenacea Anomia, O. F. Müller, Z. Dan. Prod. 1776, 249.
 avenaceus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 355.
 avenae Aphis, J. C. Fabricius, Syst. Ent. 1775, 736.
 avenae Musca, C. Bjerkander, K. Vet. Ac. Nya Handl. II. 1781, 172.
 aventina [Papilio], P. Cramer, Utit. Kapellen, I (5) 1775, 92.
 aversalis Pyralis, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 170. [*n. et f.*].
 aversaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 56
 aversaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
 avicenniae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.
 Avicula J. C. Bruguière, Ency. Méth. (Tabl. Vers), pl. 177 (1791) [*n. et f.*].
 avicula Lamarck, Mem. Soc. H. N. Paris, 1799, 82.—L.
 avicularium Acarus, C. de Geer, Mém. Ins. VII. 1778, 107.
 avicularia Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
 avicularia Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 22.—Sertularia.
 avicularia Cellularia (Linn.), P. S. Pallas, Elench. 1766, 68.—Sertularia.
 avicularia Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.
 avicularia Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1315.
 avidus Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
 avida Noctua, J. C. Fabricius, Mant. II. 1787, 144.

- avidus** Syrphus, P. Rossi, Fauna Etrus. II. 1790, 292.
avitus Papilio, P. Cramer, Utitl. Kapellen, IV (30) 1781, 123.
avius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 301.—Papilio.
avium Ligula, M. E. Bloch, Eingeweidewürmer, 1782, 4.
avia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 111.
aius [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 144.
avia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 35.
avium Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 87.
Avocetta M. J. Brisson, Ornith. VI. 1760, 538.—A.
Avosetta M. T. Brunnich, Zool. Fund. 1772, 72.—A. [avoc.].
avosetta Recurvirostra, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 256
avosetta Scolopax (Linn.), J. A. Scopoli, Annus I. 1769, 92.—Recurvirostra.
awaou Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 537.
awatcha Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
awatcha Sylvia (Gm.), J. Latham, Index Orn. 1790, 553.—Motacilla.
axilella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 95.
axillaris Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 441.
axillaris Cistela, G. Paykull, Faun. Suec. II. 1799, 123.
axillaris Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 153.
Axinaea J. X. Poli, Test. Sicil. I. 1791, Introd. 32. A generic term applied to the fleshy part of certain *Arcae*.
Axinaeoderma J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—L.
Axine P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 60.—Ver.
axis Cervus, J. C. P. Erxleben, Syst. Anim. 1777, 312.
axis Cervus, R. Kerr, Anim. Kingd. 1792, *var.* maculatus; unicolor; albus; major, 300.
axyridis Coccinella, P. S. Pallas, Reise Russ. II. 1773, 726.
aya Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 45.
aye Sciurus, J. A. Scopoli, Del. Insub. II. 1786, 85.
Aye-aye B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.—M.
aygula Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 39.—Simia.
aygulus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.—Scarabaeus.
aygulus Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 25.—Scarabaeus, 1781.
aygulus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 15.
aygula Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 39.
aygula Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 68 & *var.* monea.
azaleae Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 53.
azureus Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.
azureus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 110.
azureus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 13.
azureus Cordylus (L.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
azureus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 621.
azurea Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 362.
azurea Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 41.
azureus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
azurea Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 380.
azurea Sphex, J. L. Christ, Nat. Ins. 1791, 256.
azurea Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.

baaderi Chrysomela, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 14; & 59 [1798],
baarula *v.* boarula. [tab. 2.
babel Araneus, T. Martyn, Aranei, 1793, 13.
babylonicum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—Murex babylonius.
babylonicus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [*n. n.*].
babylonica Turris, P. L. S. Müller, Del. Nat. I. 1766, 129.
babylonica Turris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 123.—Murex babylonius.
babylonius Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1220.
babylonius Pleurotoma (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—Murex.

- bablyrussa** Sus, Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 104.
bacarozzo Carabus, F. v. P. Schrank, Baier. Reise, 1786, 22.
baccarum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
baccarum Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
baccha Amymone, O. F. Müller, Entom. 1785, 46.
bacchus Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
bacchus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 171.—Scarabaeus.
bacchus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
bacha Falco, F. M. Daudin, Traité élém. Orn. 1800, 43.
bacchus Geofroia (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.—Scarabaeus.
bacchus Involvlus (L.), F. v. P. Schrank, F. Boica, I. 1798, 474.—Curculio.
bacchus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—
 Amymone.
bacchus Rhinomacer (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 238.—Curculio.
bachus Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 134.—Curculio.
bacchus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 32.
Baccillaria G. Cuvier, Tab. Elém. 1798, 662.—? Diatom.
bacha }
bachus } v. **bacchus**.
bacillaris Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1299.
bacillaris Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 359.
bacillus Vibrio, O. F. Müller, Verm. I (1) 1773, 40.
bactrianus Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 65; ed. 12, 1766, 90.
bactris Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
bactris Dermestes, Linnaeus, Amoen. Acad. VI. 1763, 392.
Baculites Lamarck, Mem. Soc. H. N. Paris, 1799, 80.—Ceph.
baculus Mantis, C. de Geer, Mém. Ins. III. 1773, 405.
badensis Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
badensis EMBERIZA, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 873.
badiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
badiata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.
badiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 291
badiella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me giudice 1796], 39. [u. et f.].
badierana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 263.
badia Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
badius Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1862.
badia Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
badius Elater, O. F. Müller, F. Ins. Frid., 1764, 17.
badius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 280.
badia Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
badius Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 258.
badius Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
badius Myoxus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 710.
badia Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3700.
badius Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 74.
badia Testudo, J. A. Donndorff, Zool. Beyt. III. 1798, 34.
badius Ursus, F. v. P. Schrank, F. Boica, I. 1798, 55.
badius Vespertilio, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 631.
badjing Sciurus, R. Kerr, Anim. Kingd. 1792, 262.
baelama Clupea, P. Forskal, Descr. Anim. 1775, 72.
baetaen Coluber, P. Forskal, Descr. Anim. 1775, 15.
Bagre G. Edwards in M. Catesby, Carol. II. 1771, 23.—P.
bagre Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
bagre Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 505.
bahamensis Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 199.
bahamensis Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 30.
baicalensis v. **baikalensis**.
baikal Anas, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 154.

- baikalensis** Callionymus, P. S. Pallas, Reise Russ. III. 1776, 707.
baicalensis Callionymus, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 349.
baikalensis Comephorus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 312.—
baikalensis Spongia, P. S. Pallas, Reise Russ. III. 1776, 710. [Callionymus.
baikalensis [Spongia], P. S. Pallas, Char. Thierpfl. II. 1787, 235.—[baikalensis, 1776.]
baiularia *v.* **bajularia**.
baja Leptura, F. v. P. Schrank, F. Boica, I. 1798, 692.
baja Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
bajad Silurus, P. Forskal, Descr. Anim. 1775, 66.
bajana Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
bajaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315 (linea 3).
bajaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 194 [*n. cf.*].
bajularia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 97.
bajularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 3 [*n. cf.*].
bajularia Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 213.—Phalaena.
bajularia Ph[alae]na, C. Clerck, Icones, II. 1764, pl. liv.
bajularia [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 115. [39.—Geometra.
baiularia Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
bajulus Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 187.—Cerambyx.
bajulus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
bajula Cetonina, A. G. Olivier, Entom. I. 1789, 82.
bajula Leptura (Linn.), Scopoli, Ent. Carn. 1763, 48.—Cerambyx.
bakeri Brachionus, O. F. Müller, An. Infus. 1786, 359.
bakkamoena Otus, T. Pennant, Ind. Zool. [1769], 3.
bakkamuna Strix (Penn.), J. R. Forster, Ind. Zool. 1781, 13.—Otus bakkamoena, 1769.
Balaena Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 105.—M.
balaena Balanus, E. M. da Costa, Brit. Conch. 1778, 251.
balaena Priapus, F. C. Meuschen, Mus. Gronov. 1778, 46.
balaenae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
balaenae Phalangium, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 21 [*n. n.*].
balaenaris Lepas, O. F. Müller, Z. Dan. Prod. 1776, 250.
balaenarum Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.
balaenarum Pycnogonum (L.), J. C. Fabricius, Spec. Ins. II. 1781, 475.—Phalangium.
balaeni Squilla, C. de Geer, Mém. Ins. VII. 1778, 541.
balaenus Manati, P. Boddaert, Elench. 1785, 173.
Balanites J. Gesner, Tract. Petref. 1758, 37.—Cirr.
“**Balanites** Brug. 1791,” Ag. Not used generically.
balanoides Balanus (L.), F. C. Meuschen, Mus. Gever. 1787, 478.—Lepas.
balanoides Lepas, Linnaeus, Faun. Suec., ed. 2, 1761, 515.
balanoides Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1108.
Balanus J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii & 158.—Cirr.
Balanus Lamarck, Mem. Soc. H. N. Paris, 1799, 90.—Cirr.
balanus Balanus (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 91.—Lepas.
balanus Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1107.
balaustina Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
balaustinus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
balbul Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 543.
balduus Papilio, J. C. Fabricius, Syst. Ent. 1775, 829.
Balearica M. J. Brisson, Ornith. V. 1760, 511.—A.
bali Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 120.
balicassius Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 157.
balista Cynpsichneumon, J. L. Christ, Nat. Ins. 1791, 386. [gen. xxxviii. 53].—P.
Balistes Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 404 [Artedi, Ichth. 1738,
ballan Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 259.
ballerus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 532.
ballus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 311.
ballus Papilio, J. C. Fabricius, Mant. II. 1787, 80.
balsaminthae Aphis, O. F. Müller, Z. Dan. Prod. 1776, 109.

- balsamitae** Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.—[A. balsamitae]
- balteatus** Cerambyx, C. de Geer, Mém. Ins. V. 1775, 111. [minthae, Müll.]
- balteatus** Cerambyx (*ex* De G.), Panzer in Drury, Exot. Ins. 1785, 143.
- balteatus** Cimex, Linnaeus, Mant. II. 1771, 534.
- balteatus** Cimex, C. de Geer, Mém. Ins. III. 1773, 334.
- balteatus** Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
- balteatus** Elater, Herbst, Einl. Ins. I. 1784, 150.
- balteatus** Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 142.
- baltheatus** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
- balteatus** Malachius, F. v. P. Schrank, F. Boica, I. 1798, 585.
- balteata** Meloe, P. S. Pallas, Icon. Ins. 1782, 88.
- balteata** Musca, C. de Geer, Mém. Ins. VI. 1776, 116.
- balteata** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
- balteatus** Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 642.
- balteatus** Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 18.
- balteatus** Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
- balteus** Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
- baltheatus** *v.* **balteatus**.
- balthicus** Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
- balthica** Alca, E. Pontoppidan, Danske Atlas, I. 1763, 621.
- balthica** Alca, M. T. Brünnich, Orn. Boreal. 1764, 25.
- balthica** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
- balticus** Larus, J. D. Petersen, Balth. Vögel, 1766, 8 [*n. n.*].
- balthicus** Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3370.
- balthicus** Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 66.
- balthica** Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
- balthica** Uria, M. T. Brünnich, Orn. Boreal. 1764, 28.
- balticus** *v.* **balthicus**.
- baltimore** Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 348.—Oriolus.
- baltimore** Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
- bambla** Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
- bambla** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 827.
- bamffius** Astacus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 14.
- bamffius** Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 58.
- bananivora** Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
- bananivora** Sylvia (Gm.), J. Latham, Index Orn. 1790, 544.—Motacilla.
- Banchus** J. C. Fabricius, Suppl. Ent. Syst. 1798, 209.—Hym.
- banckii** *v.* **banksii**.
- bancrofti** Sciurus, R. Kerr, Anim. Kingd. 1792, 265.
- bancrofti** Trochilus, J. Latham, Index Orn. 1790, 317.
- bandanus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 611.
- bandensis** Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- bandevillaea** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
- bandicota** Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 498.
- banian** Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 194.
- bankia** *v.* **banksia**.
- bankianus** *v.* **banksianus**.
- bankii** *v.* **banksi**.
- banksii** Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1834.—Lamia.
- bankii** [**banksi**] Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 95.
- banksi** Cimex, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2197.
- bankii** [**banksi**] Lamia, J. C. Fabricius, Syst. Ent. 1775, 176.
- banckii** [**banksi**] Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 223.—[*Id. ac* Syst. Ent. 176.]
- banksii** Psittacus, J. Latham, Index Orn. 1790, 107.
- banksii** Psittacus, R. Kerr, Anim. Kingd. 1792, 585.—*varr.* flavicollis; fuscus, 586.
- banksii** Scarabaeus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1566.
- bankia** [**banksia**] Papilio, J. C. Fabricius, Syst. Ent. 1775, 499. [Pyralis.
- bankiana** [**banksiana**] Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 404.—

- bankiana [banksiana] Pyralis, J. C. Fabricius, Syst. Ent. 1775, 645.
 banksiana Raja, B. G. E. Lacépède, Hist. Nat. Poiss. II. 1800, 105.
 bantamensis Columba, A. Sparman, Mus. Carls. III. 1788, no. lxvii.
 Baphia F. C. Meuschen, Mus. Gever. 1787, 472.—[Mya, L.]
 barabensis Glis, P. B. C. Graumann, Introd. H. N. 1779, 60.
 barabensis Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 728.
 barabensis Mus, P. S. Pallas, Reise Russ. II. 1773, 704.
 barallou Cervus, R. Kerr, Anim. Kingd. 1792, 304.
 barathrum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
 "Barbacou Levaillant, 1800," Ag., vernacular; is Cuvier, 1817.
 barbadensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 632.
 barbadensis Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
 barbadensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3729.
 barbadensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 339.
 barbadensis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
 Barbala [G. Humphreys], Mus. Calonn. 1797, 59.—L.
 barbalis [Phalaena], C. Clerck, Icones, I. 1759, pl. v. 3.
 barbalis Phalaena (Pyr.), Linnaeus, Faun. Suec., ed. 2, 1761, 350.
 barbalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 3 [2].
 barbarae Chrysochela, Linnaeus, Faun. Suec., ed. 2, 1761, 169. [Chrysomela.
 barbarae Cryptocephalus (L.), J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.—
 barbareus Canis, J. M. Bechstein in Pennant, Uebers. 4ftiss. Thiere, I. 1799, 274.
 barbarica Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1936.
 barbarica Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1683.
 barbaricus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
 barbaricus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 719.
 barbaricus Scarabaeus, F. C. Meuschen, Mus. Gronov. 1778, 58.
 barbaricus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 808.
 barbarossa Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus, 1775.
 barbarossa Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 12.
 Barbarus v. Papilio.
 barbara Agrion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 286.
 barbara Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 958.
 barbara Apis, J. C. Fabricius, Ent. Syst. II. 1793, 330.
 barbarus Ascalaphus (L.), J. C. Fabricius, Syst. Ent. 1775, 313.—Myrmeleon.
 barbarus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
 barbara Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 62.—Phalaena.
 barbarus Brachycerus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.—Curculio.
 barbara Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 237.
 barbara Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 326.
 barbarus Cryptocephalus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1731.
 barbarus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 617.
 barbarus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 534.
 barbarus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
 barbara Formica, Linnaeus, Syst. Nat., ed. 12, 1767, 962.
 barbarus Gobius, Linnaeus, Syst. Nat., ed. 12, 1766, 450.
 barbara Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1249.
 barbarus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
 barbarus Mus, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda, end of vol. i.].
 barbara Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 67.
 barbara Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 967.
 barbara Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 370.
 barbarum Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914.
 barbara Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 351.
 barbara Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 111.
 barbarus Papilio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2352.
 barbara Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
 barbara Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 208.

- barbara** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 151.
barbarus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 417.
barbarus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 675.
barbarus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 250.
barbastellus Vespertilio, J. C. D. Schreber, Säugth. I. 168 (1774), pl. lv (1774).
barbatella Phalaena, Scopoli, Ent. Carn. 1763, 251.
barbator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 171.
Barbatula H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 38.—P.
barbatula Barbatula (L.), H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 38.—
barbatulus Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 259. [Cobitis.
barbatula Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499.
barbata Antilope, B. Merrem, Anim. Scyth. 1781, 9.
barbata Aquila (Gm.), F. v. P. Schrank, F. Boica, I. 1798, 106.—Falco.
barbata Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.
barbatus Asilus, J. C. Fabricius, Mant. II. 1787, 358.
barbatus Balistes, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 464.
barbatus Blennius, G. A. Suckow, Naturges. IV. 1799, 259.
barbatus Bombylius, A. Modeer, Physiogr. Sölsk. Handl. I (4) 1786, 293.
barbatus Bombylius (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 330.—Tabanus.
barbatus Bos, R. Kerr, Anim. Kingd. 1792, 340.
barbatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
barbatum Callitricoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Mytilus.
barbatus Calolymus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.
barbatus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 460. [—Lymexylon.
barbata Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Lymexylon.
barbatus Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1816.—
barbatus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 300. [Prionus.
barbatus Cercopithecus, P. L. S. Müller, Del. Nat. II. 1767, 142.
barbata Cicada, J. C. Fabricius, Syst. Ent. 1775, 684.
barbata Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1305.
barbatus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—Phalaena barbalis.
barbatus Curculio, P. Rossi, Mant. Ins. II. 1794, 93.
barbatum Daphnoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—Arca.
barbata Dircaea (Schall.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.—Mordella.
barbata Echinorhynchus (L.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.] I (1) 1790,
barbata Emberiza, J. A. Scopoli, Annus I. 1769, 143. [38.—Fasciola.
barbatus Erax, Scopoli, Ent. Carn. 1763, 360. [Pimelia.
barbata Eurychora (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 38.—
barbatus Falco (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 252.—Vultur.
barbatus Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 479, & *varr.* aureus; persicus.
barbata Fasciola, Linnaeus, Faun. Suec., ed. 2, 1761, 505.
barbata Formica, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 225.
barbata Fringilla, G. I. Molina, Sag. stor. nat. Chili, 1782, 247.
barbatus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 437.
barbatus Gobius, G. S. Volta, Itt. Veron. (1) 1796, xlviij.
barbatus Helops, J. C. Fabricius, Mant. I. 1787, 213.
barbatus Lonchurus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 144.
barbatus Lophius, L. Montin, K. Vet. Ac. Handl. XL. 1779, 187.
barbatum Lymexylon (Schall.), J. C. Fabricius, Mant. I. 1787, 165.—Mordella.
barbata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 161.—Scarabaeus, 1775.
barbata Mordella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 322.
barbatus Mullus, Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.
barbata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
barbatus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
barbata Nais, O. F. Müller, Verm. I (2) 1774, 23.
barbata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 37. [Ophidium.]
barbatum Ophidion, Linnaeus, Syst. Nat., ed. 10, 1758, 259; ed. 12, 1766, 431.—
barbata Ovis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 640.

- barbatus Parus, J. A. Scopoli, Annus I. 1769, 161.
 barbatus Parus, S. G. Gmelin, Reise Russ. IV. 1784, 45 [*ibid.* II. 1774, 164, pl. x].
 barbata Phoca, O. F. Müller, Z. Dan. Prod. 1776, vii.
 barbata Pimelia (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
 barbata Pimelia, G. A. Olivier, Entom. III. 1795, 26.
 barbata Pipra, M. Vahl, Skr. nat. Selsk. [Copen.] IV (2) 1798, 157.
 barbatus Pleuronectes, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 74.
 barbatus Prionus, J. C. Fabricius, Spec. Ins. I. 1781, 208.
 barbatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19.
 barbata Scorpaena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 70.
 barbatus Serropalpus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 127.—Helops.
 barbata Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 213.
 barbatus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1493.
 barbata Strix, J. Latham, Index Orn. 1790, 62.
 barbatus Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 999.
 barbatus Tabanus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
 barbata Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 158.
 barbatus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 361.—Helops.
 barbata Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
 barbatus Turdus, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 500.
 barbatus Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 87; ed. 12, 1766, 123.
 barbella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
 barbella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 297.
 barbella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
 barbi Echinorhynchus, F. v. P. Schrank, Naturforscher, XVIII. 1782, 83.
 barbicornis Brentus, J. C. Fabricius, Mant. I. 1787, 95.—Curculio, 1775.
 barbicornis Cerambyx, Linnaeus, Mus. Lud. Ulr. 1764, 68.
 barbicornis Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.—
 barbicornis Curculio, J. C. Fabricius, Syst. Ent. 1775, 134. [Reduvius.
 barbicornis Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 145.
 barbicornis Reduvius, J. C. Fabricius, Syst. Ent. 1775, 730.
 barbicornis Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 311.
 barbicornis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 974.
 barbipes Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 148.
 barbipes Vespertilio, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115. [Curculio.
 barbirostris Brentus (Fab.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.—
 barbirostris Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 47.
 barbirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 135.
 barbosus Trox, J. N. Laicharting, Tyrol. Ins. I. 1781, 31.
 Barbus G. Cuvier, Tab. Elém. 1798, 234.—A.
 barbus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 525.
 barcelonicus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 45.
 bardana maxima Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
 bardanae Cimex, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 102.
 bardanae Curculio, J. C. Fabricius, Mant. I. 1787, 104.
 bardanae Curculio, R. Townson, Trav. Hungary, 1797, 474.—*var.* torquatus.
 bardus Musca, M. Harris, Exp. Eng. Ins. 1776, 106.
 Baristus P. Browne, Hist. Jamaica, ed. 2, 1789, 475.—A.
 barita Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
 barita Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 320.—Gracula.
 barletta Falco, F. M. Daudin, Traité élém. Orn. 1800, 129.
 baro Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 528.
 barracuda Esox, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
 bartholemica Certhia, A. Sparrman, Mus. Carls. III. 1788, no. lvii.
 bartholini Siren, Linnaeus, Amoen. Acad. VII. 1766, 325, v. 2.
 bartonii Astacus (Weber), J. C. Fabricius, Suppl. Ent. Syst. 1798, 407.—Homarus.
 bartonii Homarus, F. Weber, Nomen. Fabricii, 1795, 94.
 basilaris Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.

- basilea* [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 139.
basilia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 79.
basilinea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
basilinea Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 510.
Basiliscus J. N. Laurenti, Syn. Rept. 1768, 50.—R. [—Noctua.
basiliscus Iguana (Gm.), F. A. A. Meyer, Syn. Rept., 1795, 16.—Lacerta.
basiliscus Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 366.
basilissa [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 132.
basipunctata Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 32.
basipunctata Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 37.
bassani Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
bassanus Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 133; ed. 12, 1766, 217.
basta Spongia, P. S. Pallas, Elench. 1766, 379.
basteri Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 87.
B.-ata Phalaena Geom. (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 46.
batatas Lycarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1026.
batatas Argus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 540.
batavensis Psittacus, J. Latham, Index Orn. 1790, 126.
batavica Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 233.
batavica Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 49. [1788, 6.
bataviensis Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII.
bataviensis Cryptocephalus (Horn.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789,
 1710.—Chrysomela.
batavus Teredo, L. Spengler, Skr. nat. Selsk. [Copen.] II (1) 1792, 103.
bates Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 485.
bathis Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 272.—Papilio battus.
bathseba Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 235.
bathus Papilio *err pro* battus, D. & S., J. C. Fabricius, Mant. II. 1787, 76.
bathyllus Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 43.
batis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 597.—Phalaena.
batis Phalaena, E. Donovan, Brit. Ins. I. 1792, 73.
batis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 836.
batis Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 395.
baton [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 18.
baton [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 6.
Batrachoides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 451.—P.
Batrachus (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P.
batrachus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 502.
Battus J. A. Scopoli, Intr. Hist. Nat. 1777, 433.—Lep.
battus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 625.
battus Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 300.—Papilio.
battus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 81.
battus Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
baucis Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 15.
baumanniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 231.—Tortrix.
baumanniana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
bavarus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 483.
Bdella P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Ar.
Bdella P. A. Latreille, Préc. Car. Ins. 1796, 180.—Ar.
beatrice [Phalaena], C. Stoll, Anhang. Cramer's Uitl. Kapellen, V. 1790, 173.
baumanniana Tortrix (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 526 [v. baumanniana].
beccabungae Chrysomela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794.
beccabungae Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 179. [600.
beccabungae Helodes (Ill.), G. Paykull, Faun. Suec. III. 1800, 451.—Chrysomela.
beccari Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1162.
bedeguaris Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 379.
bedeguaris Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 382.—Ichneumon.
bedeguaris Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 392.

- bedeguaris Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
 bedeguaris Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 425.
 bedeguaris Pteromalus (L.), N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 219.—
 beelzebut *v.* belzebub. [Ichneumon.]
 begga [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 125.
 Beguina J. F. Bolten, Mus. Bolten. (2) 1798, 160.—L.
 behri Falco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [n. n.].
 belemia Papilio Dan., E. J. C. Esper, Die Schmett. Suppl. 1 Abschn. [1799], 92.
 belemnita Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3373.
 Belemnites J. Gesner, Tract. Petref. 1758, 40.—Ceph.
 Belemnites Lamarck, Mem. Soc. H. N. Paris, 1799, 81.—Ceph.
 "belemnites Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 170.
 belgaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 92. [et f.]
 belgiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 140 [n.
 belgica Amphitrite, J. G. Bruguière, Ency. Méth. (Vers.) (1), 1789, 56.—*vide* Nereis cylin-
 belgica Sabella, L. T. Gronovius, Zooph. III. 1781, 352. [draria *var.* belgica, Pall.
 belgica Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
 belgica Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 663.
 belia Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 761.
 belial Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 27.
 belinus Papilio, L. Prunner, Lep. Pedemont. 1798, 77.
 belis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
 belis Sphinx, P. Cramer, Utitl. Kapellen, I (8) 1776, 147.
 belisama [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 114.
 belisama Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 394.
 belise [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 171.
 belladonna Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 180.
 bellargus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
 bellargus Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 226.
 bellator Cimex, J. C. Fabricius, Mant. II. 1787, 286.
 bellator Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.—Cimex, 1787.
 bellator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
 bellatorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 169.
 bellatrix [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 32.
 bellicosa Aranea, F. A. A. Meyer, Zool. Entdeck. 1793, 77.
 bellicosus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 361.
 bellicosus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.
 bellicosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 48.
 bellicosus Falco, F. M. Daudin, Traité élém. Orn. 1800, 38.
 bellicosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 145.—Cimex, 1787.
 bellicosus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 103.
 bellicosus Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
 bellis Actinia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 2.
 bellis Hydra (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3868.—Actinia.
 bellis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 23.
 bellis Vorticella, O. F. Müller, Verm. I (1) 1773, 123.
 bellona [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 20.
 bellona Papilio, J. C. Fabricius, Syst. Ent. 1775, 517.
 bellone Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 517.
 bellones Axine, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 60.
 bellus Balistes, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 467.
 bella Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 585.—Phalaena.
 bella Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 79.
 bella Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 605.
 bella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 884.
 bella Tinea (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.—Bombyx.
 bella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 29.
 belone Esox, *v.* bellone; Linnaeus, Faun. Suec., ed. 2, 1761, 126.

- beltes [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 223.
- beluga Acipenser, J. R. Forster, Phil. Trans. LVII (2) 1768, 354.
- belus [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 23.
- [belzebub]
- beelzebut Alouatta, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- belzebul Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 260.
- belzebul Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 44.—Simia.
- belzebut Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.—Scarabaeus.
- belzebul Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 23.
- belzebul Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 37.
- beelzebut Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 75.
- Bembex J. C. Fabricius, Gen. Ins. 1777, 122.—Hym.
- bembiciformis Masaris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
- Bembyx J. C. Fabricius, Syst. Ent. 1775, 361.—Hym.
- bengalensis Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 450.
- bengalensis Canis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 273.
- bengalensis Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 110.
- bengalensis Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 118.
- bengalensis Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 159 [Corvus, ed. 10].
- benghalensis Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106 [Coracias, ed. 12].
- bengalensis Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 412.
- bengalensis Felis, R. Kerr, Anim. Kingd. 1792, 151.
- bengalensis Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 156.
- bengalensis Fringilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- bengalensis Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 102.
- benghalensis Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 305.
- bengalensis Noctua, P. Rossi, Mant. Ins. II. 1794, 22.
- bengalensis Otis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 724.
- benghalensis Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 175 [bengal.].
- bengalensis Picus, M. Vahl, Skr. nat. Selsk. [Copen.] IV (1) 1797, 4.
- bengalensis Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- benghalensis Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 263.
- bengalensis Scolopax, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
- bengalensis Tantalus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 31.
- bengalensis Tringa, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- bengalensis Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- bengalensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
- bengalensis Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 245.
- bengalus Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 323.
- bengalus Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 435.—Fringilla.
- benghalensis *v.* bengalensis.
- beon [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 61.
- berberata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- berberata Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796], fig. 287
- berberidis Cantharis, F. v. P. Schrank, Ins. Aust. 1781, 181. [*n. et f.*].
- berberiformis Brachionus, P. S. Pallas, Elench. 1766, 103 [= *berberina* Hydra, Linn.].
- berberina Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
- berberina Tipula, F. v. P. Schrank, Ins. Aust. 1781, 435.
- berberina Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
- berberina Vorticella, J. G. Bruguière, Ency. Méth. (Vers Inf.) 1791, 76.
- berbicea Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
- berbiceus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 227.
- berchtesgadensis Cryptocephalus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], [II (4) 1785, 319].
- berda Sparus, P. Forskal, Descr. Anim. 1775, 32.
- berecynthia [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 133.
- berecynthia Papilio (Nymphalis), N. Poda, Ins. Mus. Graec. 1761, 75.
- berenice Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 114.
- berenice [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 22.

- berenice Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 13.
 bergamotta Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
 berg-galt *v.* bergylta.
 bergmanniana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 5.
 bergmanniana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 531.
 bergmanniana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 652.—Phalaena. [878].
 bergstrasserella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 302.
 bergylta Labrus, P. Ascanius, Icon. I. 1767, 18.
 berg-galt Labrus, O. F. Müller, Z. Dan. Prod. 1776, 46.
 beringii Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 508.
 beringii Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 121.
 bernhardina Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
 bernardus Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 18.—Cancer.
 bernhardus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1049.
 bernhardus Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 410.—Cancer.
 bernardus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 72.
 "Bernicla Brisson, 1760," Ag.; not used in a generic sense.
 Bernicla J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Cirr.
 bernicla Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 198.
 bernicla Anser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 121.—Anas.
 bernicla Branta (Linn.), J. A. Scopoli, Annus I. 1769, 67.—Anas.
 bernouilliella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 75.
 Beroe (*ex* Browne, 1756) L. T. Gronov, Acta Helvet. IV. 1760, 36.—Coel.
 Beroe O. F. Müller, Z. Dan. Prod. 1776, xxix. & 232.—Coel.
 Beroe J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xi.—Coel.
 beroe Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660.
 beroe Medusa, P. Forskal, Descr. Anim. 1775, 111; *varr.* albens; densa; rufescens.
 beroe [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 125.
 beroe Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 111.
 beroe Volvox, Linnaeus, Syst. Nat., ed. 12, 1767, 1324 [Medusa, ed. 10].
 berolinensis Buprestis, J. F. W. Herbst, Beschäf. Ges. nat. Freunde, IV. 1779, 321.
 berolinensis Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1896.
 berolinensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
 berolinensis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1799.
 berolinensis Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 155.
 bertolis Papilio, L. Prunner, Lep. Pedemont. 1798, 75.
 berus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 377.
 beryllina Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
 beryllina Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
 beryllinus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
 beryllinus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
 beryllus Cimex, J. C. Fabricius, Mant. II. 1787, 292.
 betulae Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 695.—Cimex.
 betulae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
 betulae Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
 betulae Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620.
 betulae Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 280.—Curculio.
 betulae Bruchus (L.), F. v. P. Schrank, Ins. Aust. 1781, 101.—Attelabus.
 betulae Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
 betulae Chermes (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 442.—Coccus.
 betulae Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
 betulae Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 109.
 betulae Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
 betulae Cimex, C. de Geer, Mém. Ins. III. 1773, 261.
 betulae Cistela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 65.
 betulae Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 71.—Chrysomela.
 betulae Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
 betulae albae Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afld.) I. 1778, 23.

- betulae Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 5.
- betulae Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
- betulae Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611. [Cistela.
- betulae Curculio (L.), G. Paykull, Mon. Curc. 1792, 127.—Attelabus.
- betulae Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 17.—Chrysomela.
- betulae Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 277.—Papilio.
- betulae Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 278.
- betulae Involvlus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Attelabus.
- betulae Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 787.
- betulae Rhinomacer (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 239.—Curculio.
- betulae Rhinomacer (L.), O. F. Müller, Z. Dan. Prod. 1776, 91.—Attelabus.
- betulae Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 133, sign. I 3.—
Attelabus.
- betulae Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 927.
- betulae Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
- betulae Tenthredo, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 398.
- betulana Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (2) [1787], 3. [n. et f.]
- betularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 173
- betularia Phalaena, J. G. Gladbach, in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 158 [n. n.]
- betularia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767, 862.
- betuleti Attelabus, *id. ac* betulae, J. C. Fabricius, Ent. Syst. I (2) 1792, 387.
- betuleti Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 318.
- betuleti Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 136.—Curculio
- betulifolia Phalaena B., E. J. C. Esper, Die Schmett. III (17) 1783, 63. [betulae.
- betulinella Alucita, J. C. Fabricius, Mant. II. 1787, 255.
- betulinella Phalaena (Tinea), G. Pajikull, K. Vet. Ac. Nya Handl. VI. 1785, 57.
- betulinella Tinea (Fab.), C. de Villers, Linn. Ent. IV. 1789, 544.—Alucita.
- betulinus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
- betulinus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3384, & *var.* medusa.
- betulina Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
- betulinus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
- betulinus Hemerobius, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrifter, II. 1788, 387.
- betulina Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
- betulinus Luperus, A. F. de Fourcroy, Ent. Paris. 1785, 90.
- betulinus Mus, P. S. Pallas, N. sp. Quad. II. 1779, 332.
- betulinus Tetrao, J. A. Scopoli, Annus I. 1769, 119.
- betuliperda Phalaena (Tortrix), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 85.
- betulus Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
- bezoar Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1204.
- bezoartica Antilope, P. S. Pallas, Misc. Zool. 1766, 8.
- bezoartica Antilope (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 274.—Capra.
- bezoartica Capra, Linnaeus, Syst. Nat., ed. 12, 1766, 96.
- bezoarticus Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 67.
- biaculeatus Balistes, M. E. Bloch, Nat. ausl. Fische, II. 1786, 17.
- biaculeatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 11.
- biaculeatus Syngnathus, M. E. Bloch, Nat. ausl. Fische, I. 1785, 10.
- bianor [Papilio], P. Cramer, Utit. Kapellen, II (9) 1777, 10.
- biarcuata Leptura, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 112.
- biarmicus Lanius, Linnaeus, Faun. Succ., ed. 2, 1761, 29.
- biarmicus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 342.
- bias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
- bias Papilio, J. C. Fabricius, Mant. II. 1787, 79.
- bias Scarabaeus [Coprif], A. G. Olivier, Entom. I. 1789, 187.
- bibens Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 182.—Trichius.
- bibens Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1584.—
- bibens Trichius, J. C. Fabricius, Syst. Ent. 1775, 40. [Trichius.
- bibiana [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 134.
- Bibio E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 568.—Dip.

- Bibio** J. C. Fabricius, Syst. Ent. 1775, 756.—Dip.
bibioniformis Sphinx, E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1797], 30.
biblis Papilio, J. C. Fabricius, Syst. Ent. 1775, 505.
biblis [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 120.
bibula Argonauta, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
bibulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
bibus Gades, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 365.
bicalcaratus Pavo, Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 268.
bicalcarata Perdix, J. R. Forster, Ind. Zool. 1781, 25.
bicalcarata Perdix (L.), J. Latham, Index Orn. 1790, 643.—Tetrao.
bicalcaratus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
bicarinatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
bicarinatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 359.
bicarinata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 89.
bicarinatus Cordylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
bicarinata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 361.
bicarinatus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 110.
bicaudalis Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 408.
bicaudatus Brachionus, F. v. P. Schrank, Beitr. Nat. 1776, 105.
bicaudata Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.
bicaudatus Oniscus, Linnaeus, Faun. Suec., ed. 2, 1761, 500.
bicaudatus Oniscus, Scopoli, Ent. Carn. 1763, 413.
bicaudata Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
bicaudata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 36.
bicaudata Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 908.
bicaudata Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Phryganea.
bicaudatus Volvox, Linnaeus, Syst. Nat., ed. 12, 1767, 1325.
bicinctaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 325.
bicincta Apis, F. v. P. Schrank, Ins. Aust. 1781, 411.
bicincta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 338.
bicinctus Asilus, O. F. Müller, Z. Dan. Prod. 1776, 181.
bicinctus Cerambix, A. G. Olivier, Entom. IV. 1795, 46.
bicincta Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 75.
bicinctus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 299.
bicinctus Crabro, P. Rossi, Mant. Ins. II. 1794, 123.
bicinctus Dermestes, C. P. Thunberg, Ins. Suecica (6), 1794, 79.
bicinctus Ichneumon, J. C. Fuessly, Schweiz. Ins. 1775, 49.
bicinctus Ichneumon, J. L. Christ, Nat. Ins. 1791, 346.
bicincta Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 145.
bicinctus Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 557.—Musca.
bicincta Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
bicincta Phalaena (Noct.), A. Sparman in Linn. Aoen. Acad. VII. 1769, 503.
bicincta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 271.
bicincta Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
bicincta Spheg, J. A. Scopoli, Del. Insub. II. 1786, 61.
bicincta Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 268.—Scolia.
bicinctus Staphylinus, P. Rossi, Mant. Ins. I. 1792, 96.
bicinctus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
bicincta Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 925.
bicincta Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 217.
bicincta Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 465.
bicincta Vespa, C. de Villers, Linn. Ent. III. 1789, 280.
biclavatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 214.
biclavatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
biclipeata Vespa, J. L. Christ, Nat. Ins. 1791, 223.
biclis [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 9.
bicolor Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 451.
bicolor Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.

- bicolor Altica, A. F. de Fourcroy, Ent. Paris. 1785, 97.
 bicolor Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 142.
 bicolor Andrena, J. C. Fabricius, Syst. Ent. 1775, 376.
 bicolor Anisotoma (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 80.—Sphaeridium.
 bicolor Apis, F. v. P. Schrank, Ins. Aust. 1781, 400.
 bicolor Apis, J. C. Fabricius, Spec. Ins. I. 1781, 483.
 bicolor Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 230.
 bicolor Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 291.
 bicolor Ascaris, C. A. Rudolphi, Obs. Vers. Intest. 1793, 13.
 bicolor Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 267.
 bicolor Attelabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1809.
 bicolor Attelabus, P. Rossi, Mant. Ins. I. 1792, 44.
 bicolor Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 388.—Curculio, 1775.
 bicolor Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 116.
 bicolor Buprestis, J. C. Fabricius, Syst. Ent. 1775, 825.
 bicolor Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 44.
 bicolor Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
 bicolor Buprestis, F. v. P. Schrank, F. Boica, I. 1798, 603.
 bicolor Calamita, J. G. Schneider, Hist. Amph. I. 1799, 156.
 bicolor Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 258.
 bicolor Cantharis, Linnaeus, Amoen. Acad. VI. 1763, 395.
 bicolor Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 81.
 bicolor Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
 bicolor Cantharis, Creutzer, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 13.
 bicolor Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 69.
 bicolor Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
 bicolor Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
 bicolor Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 83.
 bicolor Cavia, P. Boddaert, Elench. 1785, 103.
 bicolor Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 132.
 bicolor Cerambyx, J. C. Fabricius, Mant. I. 1787, 134.
 bicolor Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 523.
 bicolor Cetonia, A. G. Olivier, Entom. I. 1789, 70.
 bicolor Cetonia, J. A. Frolich, Naturforscher, XXVI. 1792, 113.
 bicolor Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 94.
 bicolor Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
 bicolor Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 90.
 bicolor Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 593.
 bicolor Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 95.
 bicolor Chrysomela, C. de Villers, Linn. Ent. I. 1789, 163.
 bicolor Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
 bicolor Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 748.
 bicolor Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 40.
 bicolor Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 283.
 bicolor Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 722.
 bicolor Cistela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
 bicolor Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.
 bicolor Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 130.
 bicolor Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
 bicolor Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
 bicolor Colydium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 285.
 bicolor Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.—Scarabaeus.
 bicolor Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 165.
 bicolor Crioceris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 11.
 bicolor Crioceris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 89.
 bicolor Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1728.
 bicolor Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 94. [—Erotylus.
 bicolor Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.

- bicolor** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 75.
bicolor Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 4.
bicolor Denticollis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 86.
bicolor Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 64.
bicolor Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
bicolor Dytiscus, C. de Villers, Linn. Ent. I. 1789, 354.
bicolor Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 195.
bicolor Elater, G. A. Harrer, Besch. Schaeffer Icones, 1784, 76.
bicolor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
bicolor Elater (P. & M.), G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 11.—Denticollis.
bicolor Erotylus, J. C. Fabricius, Syst. Ent. 1775, 124.
bicolor Formica, J. C. Fabricius, Ent. Syst. II. 1793, 351.
bicolor Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]: Essai
bicolor Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 324. [Fourmis, 1798, 43.
bicolor Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 27.—Chrysomela.
bicolor Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1197.
bicolor Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
bicolor Gyrimus, J. C. Fabricius, Mant. I. 1787, 194.
bicolor Helix, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
bicolor Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 47.—Erotylus.
bicolor Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 118.
bicolor Hirudo, F. M. Daudin, Rec. Mém. Moll. 1800, 22.
bicolor Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
bicolor Hister, A. G. Olivier, Entom. I. 1789, 13.
bicolor Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 184.
bicolor Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 242.
bicolor Hypophlaeus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 501.—Ips.
bicolor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 204.
bicolor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 218.
bicolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2710.
bicolor Ips, A. G. Olivier, Entom. II. 1790, 12.
bicolor Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 646.—Cantharis, 1763.
bicolor Lanius, Linnaeus, Mant. II. 1771, 524.
bicolor Larus, J. A. Scopoli, Annus I. 1769, 81.
bicolor Latridium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's] V. 1794, 577.
bicolor Lemur, J. F. Miller, Icon. Anim., pl. 32 (1782).
bicolor Leptura, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.
bicolor Leptura, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 197.
bicolor Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia
bicolor Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 307. [bicolora.
bicolor Lucanus, A. G. Olivier, Entom. I. 1789, 22.
bicolor Lycus (L.), A. G. Olivier, Entom. II. 1790, 9.—Lampyrus.
bicolor Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
bicolor Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2021.
bicolor Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 111.
bicolor Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.
bicolor Mordella, J. C. Fuessly, Schweitz. Ins. 1775, 21.
bicolor Mordella, J. H. Sulzer, Gesch. Ins. 1776, 67.
bicolor Mordella, Herbst, Einl. Ins. I. 1784, 181.
bicolor Mulio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 559.—Syrphus, 1794.
bicolor Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 564.
bicolor Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 19.
bicolor Muscicapa, A. Sparrman, Mus. Carls. II. 1787, no. xlvi.
bicolor Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 946.
bicolor Mutilla, P. S. Pallas, Reise Russ. I. 1771, 474.
bicolor Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 497.
bicolor Mytilus, J. G. Bruguière, Actes Soc. H. N. Paris, 1 (1) 1792, 126.
bicolor Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 354.

- bicolor Nitidula, J. C. Fabricius, Gen. Ins. 1777, 216.
 bicolor Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 69.
 bicolor Notoxus, A. G. Olivier, Entom. III. 1795, 5.
 bicolor Oniscus, C. de Villers, Linn. Ent. IV. 1789, 188.
 bicolor Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 15.
 bicolor Oxyporus, P. Rossi, Fauna Etrus. I. 1790, 253.
 bicolor Paederus, A. G. Olivier, Entom. III. 1795, 7.
 bicolor Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2261.
 bicolor Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 340.
 bicolor Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 bicolor Phalangium, J. C. Fabricius, Ent. Syst. II. 1793, 429.
 bicolor Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 309.
 bicolor Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 438.
 bicolor Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
 bicolor Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 204.
 bicolor Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 203.—Lampyrus.
 bicolor Rana, P. Boddaert, De Rana bicolore, 1772, 19.
 bicolor Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 379.
 bicolor Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 274.
 bicolor Ripiphorus, A. G. Olivier, Entom. III. 1795, 5.
 bicolor Rynchitis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 131, sign. I 2.
 bicolor Saperda, A. G. Olivier, Entom. IV. 1795, 32. [—Attelabus.
 bicolor Scaphidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 179.
 bicolor Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 15.
 bicolor Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 9.
 bicolor Sciurus, A. Sparman, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 70.
 bicolor Scolopax, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
 bicolor Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.
 bicolor Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
 bicolor Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 bicolor Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 82.
 bicolor SpheX, J. C. Fabricius, Syst. Ent. 1775, 352.
 bicolor Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvi.
 bicolor Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
 bicolor Staphylinus, G. Paykull, Mon. Staph. 1789, 21.
 bicolor Stenocorus, A. G. Olivier, Entom. IV. 1795, 16.
 bicolor Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 311.—Turdus.
 bicolor Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 297.
 bicolor Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
 bicolor Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 84.
 bicolor Tenthredo, J. L. Christ, Nat. Ins. 1791, 431.
 bicolor Tritoma (Fab.), C. P. Thunberg, Ins. Suecica (8) 1794, 99.—Hypophlaeus.
 bicolor Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
 bicolor Trogositia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 50.
 bicolor Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 835.
 bicolor Vespa, J. C. Fabricius, Mant. I. 1787, 288.
 bicolorana Phalaena, J. C. Fuessly, Schweiz. Ins. 1775, 41.
 bicolorata Apis, P. Rossi, Fauna Etrus. II. 1790, 108.
 bicolorata Phalaena, Hufnagel, Berl. Mag. III. 1767, 410.
 bicolorata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 608.
 bicolorata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 454.
 bicolorata Phalaena *id. ac* bicolora, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 257.
 bicolorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
 bicolorata Phalaena Geom., M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 395.
 bicoloratus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569 [*est*
 bicolor Melolontha, Fab.]
 bicolorata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
 bicoloria Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.

- bicoloria** Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (2) 1785, 217.—
bicoloria Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 288. [Bombyx.
bicolora Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
bicolorus Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 938.
bicolora Noctua, J. C. Fabricius, Mant. II. 1787, 140.
bicolora Phalaena Noct., J. H. Sulzer, Gesch. Ins. 1776, 161.
bicordata Cicada, Scopoli, Ent. Carn. 1763, 114.
bicordatus Echinus (Leske), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3199.—
bicordata Mactra, J. F. Bolten, Mus. Bolten. (2) 1798, 171 [n. n.]. [Spatangites.
bicordatus Spatangites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 244.
bicordatus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xx [repaged issue].
bicornis Actinia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3135.
bicornis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
bicornis Apis, M. Harris, Exp. Eng. Ins. 1776, 162.
bicornis Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2959.
bicornis Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 410.
bicornis Bostrichus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 114.
bicornis Buceros, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.
bicornis Buceros, R. Kerr, Anim. Kingd. 1792, 620, var. erythrorhynchos.
bicornis Cassida, Linnaeus, Amoen. Acad. VI. 1763, 393.
bicornis Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1139.
bicornis Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 393.
bicornis Cottus, G. S. Volta, Itt. Veron. (2) [circa 1800], clxiv.
bicornis Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 180.
bicornis Cynips, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87.
bicornis Diaperis (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 273.—Hispa.
bicornis Geotrupes (Leske), J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus.
bicornis Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
bicornis Hispa, J. C. Fabricius, Gen. Ins. 1777, 215.
bicornis Hypophlaeus, J. C. Fabricius, Ent. Syst. I (2) 1792, 502.
bicornis Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[Gryllus, ed. 10.]
bicornis Planaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3089.
bicornis Rhinoceros, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.
bicornis Rhinoceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 57.—var. unicornis.
bicornis Saperda, A. G. Olivier, Entom. IV. 1795, 27.
bicornis Scarabaeus, N. G. Leske, Anfangs. Naturg. I. 1779, 418.
bicornis Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 235.
bicornis Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 633.
bicornis Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 118.
bicornis Terebella, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3114.
bicornuta Aranea *id. ac* bicornis (Gm.), S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799,
bicostatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 248. [148.
bicostatus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea bicostella.
bicostella [Phalaena], C. Clerck, Icones, I. 1759, pl. iii. 15.
bicostella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 368.
bicostella Tinea (Clerck), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
bicrucata Clytra, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 127.
bicruris Phalaena, Hufnagel, Berl. Mag. III. 1767, 302.
bicuspis Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 380.
bidactyla Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 336.
bidellana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 418.
bidella Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 320.
bidella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
bidens Apate, J. C. Fabricius, Suppl. Ent. Syst. 1798, 157.
bidens Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
bidens Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 352.—Helix.
bidens Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 112.
bidens Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Stenocorus.

- bidents** Cerion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 90.—Turbo.
bidents Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 62.—Trichius bibens.
bidents Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
bidents Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
bidents Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.
bidents Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
bidents Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 291.
bidents Forficula, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 466.
bidents Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
bidents Gyrimus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 702.
bidents Helix (Linn.), O. F. Müller, Verm. II. 1774, 116.—Turbo.
bidents Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 97.
bidents Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 73.
bidents Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 228.
bidents Lamia, J. C. Fabricius, Syst. Ent. 1775, 177.
bidents Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 123.
bidents Macrocephalus, A. G. Olivier, Entom. IV. 1795, 13.
bidents Mantis, J. C. Fabricius, Syst. Ent. 1775, 277.
bidents Mytilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1157.
bidents Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
bidents Ptinus, A. G. Olivier, Entom. II. 1790, 8.
bidents Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
bidents Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 130.
bidents Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 10.—Bostrichus.
bidents Spheg, Linnaeus, Syst. Nat., ed. 12, 1767, 943.
bidents Stenocorus, J. C. Fabricius, Mant. I. 1787, 143.
biden[s] Tabanus, J. C. Fabricius, Gen. Ins. 1777, 307.
bidents Trogosita, J. C. Fabricius, Ent. Syst. I (1) 1792, 116.
bidents Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
bidents Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 951.
bidentaria Phalaena *id. ac* bidentata, L., J. C. Fabricius, Ent. Syst. III (2) 1794, 133.
bidentator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
bidentata Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
bidentatum Anobium, A. G. Olivier, Entom. II. 1790, 11.
bidentata Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—
bidentata Apis, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 7. [Andrena.
bidentatus Bostrichus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 24.
bidentatus Bostrichus, A. G. Olivier, Entom. IV. 1795, 16.
bidentatus Bucco, G. Shaw, Nat. Misc. X. 1799, pl. 393.
bidentatus Cancer, P. Forskal, Descr. Anim. 1775, 90.
bidentatus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 165.
bidentata Chrysis, Linnaeus, Syst. Nat., ed. 12, 1767, 947.
bidentatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 196.
bidentata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151.
bidentatus Cryptocephalus (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1719.
bidentatus Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.) 1789, 25. [—Crioceris.
bidentatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 220.—Bostrichus.
bidentatus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 233.
bidentatus Falco, J. Latham, Index Orn. 1790, 38.
bidentata Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 589.—Crioceris.
bidentata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
bidentatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2685.
bidentata Musca, C. de Villers, Linn. Ent. III. 1789, 429.
bidentatus Oniscus, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 8.
bidendatus (*sic*) Pediculus, Scopoli, Ent. Carn. 1763, 385.
bidentata [Phalaena], C. Clerck, Icones, I. 1759, pl. vii. 2.
bidentata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 600.
bidentata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 329.

- bidentata** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
bidentata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 313.
bidentatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.] III (2) 1794, 104.
bidentatus Tabanus, J. C. Fabricius, Spec. Ins. II. 1781, 459.
bidentatus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
bidentatus Turbo, H. Ström, Trondhiemske Selsk. Skrift. III. 1765, 436.
bidentorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 331.
bierkandrana Pyralis (Thunb.), J. C. Fabricius, Mant. II. 1787, 236.—Tinea bierkandrella.
bierkandrana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 531.
bierkandrella Tinea, C. P. Thunberg, Ins. Suecica (1) 1784, 24.
bifasciana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
bifasciana Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (2) [1787], 16.
bifasciatum Acrydium, J. F. W. Herbst in Fuessly, Arch. Ins. VII, 1786, 190.
bifasciata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.
bifasciata Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
bifasciatum Anobium, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 9.
bifasciatus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 108.
bifasciatus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 263.
bifasciatus Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—
bifasciatus Bostrichus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603. [Clerus.
bifasciata Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3431.
bifasciata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
bifasciata Buprestis, A. G. Olivier, Entom. II. 1790, 46.
bifasciatum Callidium, J. C. Fabricius, Mant. I. 1787, 152.
bifasciata Cantharis, C. de Geer, Mém. Ins. VII. 1778, 647.
bifasciatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 347.
bifasciata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
bifasciatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 624.
bifasciatus Cerambyx (Fab.), J. H. Sulzer, Gesch. Ins. 1776, 45.—Rhagium.
bifasciatus Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 137.
bifasciatus Cerambix, A. G. Olivier, Entom. IV. 1795, 94.
bifasciata Cercopis (L.), J. C. Fabricius, Syst. Ent. 1775, 689.—Cicada.
bifasciatus Chaetodon, P. Forskal, Descr. Anim. 1775, 64.
bifasciata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
bifasciata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 664.
bifasciata Chrysomela, J. C. Fabricius, Mant. I. 1787, 68.
bifasciata Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII.
bifasciata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706. [1788, 3.
bifasciata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 73.
bifasciatus Cimex, O. F. Müller, F. Ins. Frid. 1764, 29.
bifasciatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
bifasciatus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 281.
bifasciatus Clerus, J. C. Fabricius, Spec. Ins. I. 1781, 202.
bifasciata Clytra, K. Illiger, Archiv. Zool. (Wiedemann), I (2) 1800, 130.
bifasciata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 95.
bifasciata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
bifasciatus Conops, J. A. Scopoli, Ent. Carn. 1763, 351.
bifasciatus Conus, F. C. Meuschen, Mus. Gever. 1787, 352.
bifasciatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3392.
bifasciatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.—Scarabaeus.
bifasciata Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
bifasciatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 145.
bifasciatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 44.—Conus.
bifasciatus Curculio, J. C. Fabricius, Gen. Ins. 1777, 225.
bifasciatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 368.
bifasciatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 388.
bifasciata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
bifasciatus Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 6.

- bifasciatus Dermestes, P. Rossi, Mant. Ins. II. 1794, 79.
 bifasciata Empis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 390.
 bifasciata Empis, P. Rossi, Mant. Ins. II. 1794, 77.
 bifasciatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 433.
 bifasciatus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 370.
 bifasciata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 27.
 bifasciatus Grillus, C. Allioni, Misc. Taurin. III. 1766, 190.
 bifasciata Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 49.
 bifasciatus Hypulus (Fab.), G. Paykull, Faun. Suec. I. 1798, 253.—Notoxus.
 bifasciatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 405.
 bifasciatus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 192.
 bifasciata Ips, J. C. Fabricius, Mant. I. 1787, 47.
 bifasciatus Ips, F. v. P. Schrank, F. Boica, I. 1798, 513.
 bifasciatus Kryptophagus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 175.
 bifasciatus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 131. [—Ips.
 bifasciata Lagria, P. Rossi, Fauna Etrus. I. 1790, 108.
 bifasciata Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
 bifasciata Larra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.
 bifasciata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.—Cricocoris, 1775.
 bifasciata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 93.
 bifasciata Leptura, F. v. P. Schrank, Ins. Aust. 1781, 159.
 bifasciata Leptura, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 520.
 bifasciata Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
 bifasciatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex, 1775.
 bifasciata Lytta, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 141.
 bifasciata Melasis, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 522.—
 Ptilinus, 1792.
 bifasciata Meloe (De G.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
 bifasciata Musca, J. C. Fabricius, Syst. Ent. 1775, 777. [Cantharis.
 bifasciata Musca, F. v. P. Schrank, Beitr. Nat. 1776, 95.
 bifasciata Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 285.
 bifasciatus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 500.—Ips, 1787.
 bifasciatus Mycetophagus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 31.—Ips,
 1787.
 bifasciata Mylabris (De G.), Herbst in Fuessly, Arch. Insect. VII. 1786, 179.—
 bifasciata Mylabris, A. G. Olivier, Entom. III. 1795, 5. [Cantharis.
 bifasciatus Necrophorus, [Hausmann] Entom. Bemerk. 1799, 33.
 bifasciata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
 bifasciata Noctua, V. Petagna, Spec. Ins. ult. Calab. 1786, 38.
 bifasciata Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 79.
 bifasciatus Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 210.
 bifasciatus Notoxus, P. Rossi, Mant. Ins. I. 1792, 48.
 bifasciatus Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2290.
 bifasciata Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 352.
 bifasciata [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 104.
 bifasciata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 300.
 bifasciata Phalaena B., C. de Villers, Linn. Ent. II. 1789, 173.
 bifasciata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
 bifasciata Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 558.
 bifasciatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.—Sphex, 1793.
 bifasciatus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
 bifasciatus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 11.
 bifasciatus Ptilinus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 492.
 bifasciatum Rhagium, J. C. Fabricius, Syst. Ent. 1775, 183.
 bifasciatum Rhagium (L.), F. v. P. Schrank, F. Boica, I. 1798, 661.—Cerambyx.
 bifasciatus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 25.
 bifasciata Scolia (Swed.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2738.—Sphex.
 bifasciata Scolia, P. Rossi, Mant. Ins. II. 1794, 120.

- bifasciatus** Serropalpus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 129.—Notoxus.
bifasciata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
bifasciata Sphex, O. F. Müller, Z. Dan. Prod. 1776, 162.
bifasciata Sphex (Scolia), N. S. Swederus, K. Vet. Ac Nya Handl. VIII. 1787, 281.
bifasciata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 212.
bifasciata Sphinx, E. Donovan, Ins. China, 1799.
bifasciatus Syrphus (Scop.), G. W. F. Panzer, Ins. Germ. heft 2 [1792], tab. 6.—Conops.
bifasciatus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 305.
bifasciatus Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 458.
bifasciata Tenthredo, C. Allioni, Misc. Taurin. III. 1766, 195.
bifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 366.
bifasciata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
bifasciatus Telephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 82.
bifasciata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 428.
bifasciatus Trichodes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 159.—
bifasciata Vespa, Linnaeus, Faun. Suec., ed. 2, 1761, 419. [Clerus.
bifasciata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
bifasciella Tinea, J. C. Fabricius, Mant. II. 1787, 249.
bifidialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 232.
bifida Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 42.
bifida Ascaris, O. Fabricius, F. Groen. 1780, 273.
bifida Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
bifida Cetonia, A. G. Olivier, Entom. I. 1789, 38.
bifidus Chameleo, Al. Brongniart, Bull. Sci. Philom. [Paris], no. 36, 1800, 90.
bifidus Cimex (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2200.—Reduvius.
bifidus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
bifidus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 126.
bifida Millepora, F. C. Meuschen, Mus. Gev. 1787, 512.
bifida Phalaena, Brahm, N. Mag. Lieb. Ent. [Fuessly's], III (2) 1787, 161.
bifida Phalaena Bombyx (Brahm), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 374.—Phalaena.
bifida Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 97.—Ascaris.
bifidus Reduvius, J. C. Fabricius, Mant. II. 1787, 312.
bifidus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 18 f.
bifissella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
biforis Echinus, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3188.
bifrons Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 40.
bifrons Brentus, J. C. Fabricius, Mant. I. 1787, 96.
bifrons Cetonia, A. G. Olivier, Entom. I. 1789, 82.
bifrons Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 314.
bifrons Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
bifrons Nereis, O. F. Müller, Z. Dan. Prod. 1776, 218.
bifrons Pholas, E. M. da Costa, Brit. Conch. 1778, 242.
bifurcata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 41.
bifurcatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2181.
bifurcatus Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1002
bifurcifer Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 22.
bifurca Lepisma, N. Poda, Ins. Mus. Graec. 1761, 120.
bifurcum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 40.
bifurca Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
bifurca Phalaena, Esper in Lang, Verz. Schmett., ed. 2, 1789, 124 [n. et f.].
bifurca Phalaena Noct., E. J. C. Esper, Die Schmett. IV (47) 1794, 359.
biglobatus Curculio, A. Sparman, K. Vet. Ac. Nya Handl. VI. 1785, 53.
biglumis Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 951.
bigramma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797—1800] 490.
biguttata Altica, J. C. Fabricius, Syst. Ent. 1775, 821.
biguttatus Bruchus, A. G. Olivier, Entom. IV. 1795, 21.
biguttata Buprestis, Scopoli, Ent. Carn. 1763, 65.

- biguttata Buprestis, J. C. Fabricius, Gen. Ins. 1777, 237.
biguttata Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 38.
biguttata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
biguttatus Carabus, J. C. Fabricius, Reise Norwegen, 1779, 232.
biguttatus Carabus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 269.
biguttata Cassida, J. C. Fabricius, Syst. Ent. 1775, 91.
biguttata Cercopis, J. C. Fabricius, Mant. II. 1787, 275.—Cicada, 1781.
biguttata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 89.
biguttata Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 278.
biguttatus Chrysomela, J. C. Fabricius, Mant. Ins. I. 1787, 76.
biguttata Chrysomela (Scop.), C. de Villers, Linn. Ent. I. 1789, 157.—Buprestis.
biguttata Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 325.
biguttata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2110.
biguttata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
biguttatus Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 288.
biguttata Cicindela, A. F. de Fourcroy, Ent. Paris, 1785, 62.
biguttatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 722.
biguttatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
biguttatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
biguttatus Cimex, J. C. Fabricius, Mant. Ins. II, 1787, 296.
biguttatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
biguttata Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.
biguttata Coccinella, J. C. Fabricius, Mant. I. 1787, 59.
biguttatus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 129.
biguttatus Cryptocephalus (Schr.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 53.—
biguttatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 130. [Chrysomela.
biguttatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
biguttatus Dytiscus, A. G. Olivier, Entom. III. 1795, 26.
biguttata Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 2.
biguttatus Elaphrus, J. C. Fabricius, Reise Norwegen, 1779, 231.
biguttatus Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 230.—Carabus.
biguttatus Elater, A. G. Olivier, Entom. II. 1790, 47.
biguttata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.—Chrysomela, 1787.
biguttatus Ichneumon, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 24.
biguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1787.
biguttatus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
biguttata Mordella, P. Rossi, Mant. Ins. II. 1794, 103.
biguttata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
biguttatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.
biguttatus Pteromalus, N. S. Swederus, K. Vet. Ac Nya Handl. XVI. 1795, 216.
biguttatus Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 731.—Cimex.
biguttatus Scarabaeus, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien, IV. 1776, 199.—
biguttata Scolia, J. C. Fabricius, Mant. I. 1787, 282. [not seen.]
biguttata Silpha, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 9.
biguttatus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
biguttatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 170.
biguttatus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 77.—Cantharis.
biguttatus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Cantharis.
biguttatus Trichius, J. C. Fabricius, Ent. Syst. IV. 1794, 449.
biguttata Vespa, J. C. Fabricius, Mant. I. 1787, 291.
biguttatorius Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
biguttulum Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 479.—Gryllus.
biguttulum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 101.
biguttulum Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
bigutta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797-1800], 562.
bihamata Formica, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
bihamata Hispa, Linnaeus, Syst. Nat., ed. 12, 1767, 604.
bilabiata Helix, G. Olivi, Zool. Adriat. 1792, 177.

- bilamellata Doris, Linnaeus, Syst. Nat., ed. 12, 1767, 1083.—Limax, 1761.
 bilamellatus Limax, Linnaeus, Faun. Suec., ed. 2, 1761, 508.
 [bilinearis Phalaena (N.) MS], T. Martyn, Psyche, 1797, figs. 54 & 55.
 bilineatus Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 3.
 bilineata Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
 bilineatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
 bilineata Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 81.
 bilineatus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 75.
 bilineata Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
 bilineatus Cerambyx (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1817.—
 bilineatus Cerambix, A. G. Olivier, Entom. IV. 1795, 17. [Prionus.
 bilineatus Chaetodon, J. A. Scopoli, Del. Insub. III. 1788, 45.
 bilineata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 597.
 bilineata Chrysomela, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 319.
 bilineata Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
 bilineatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 52.
 bilineatus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 88.
 bilineatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1709.—
 bilineatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 164. [Chrysomela.
 bilineatus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 235.
 bilineatus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 400.
 bilineatus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 72.
 bilineatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
 bilineata Forficula, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 183. [*n. et f.*].
 bilineata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 264
 bilineatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
 bilineata Lacerta, G. A. Suckow, Naturges. III. 1798, 135.
 bilineata Leptura, J. A. Scopoli, Annus V. 1772, 102.
 bilineata Leptura, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.
 bilineata Musca, C. de Villers, Linn. Ent. III. 1789, 550.
 bilineata Musca (Fab.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2830.—Bibio.
 bilineata Musca, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 2866.
 bilineata Mydas, J. C. Fabricius, Ent. Syst. IV. 1794, 253.
 bilineatus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 24.
 bilineata Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170.
 biliniata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 138.
 bilineata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767,
 bilineata Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 51. [868.
 bilineatum Phalangium, J. C. Fabricius, Reise Norwegen, 1779, 360.
 bilineata Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
 bilineatus Phlorbhis, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
 bilineatus Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 29.
 bilineatus Prionus, J. C. Fabricius, Syst. Ent. 1775, 163.
 bilineata Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
 bilinguis Linguatula, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 231.
 biliosata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 386.
 biliosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
 biliosa Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
 bilis Fasciola (Br.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3054.—Planaria.
 bilis Planaria, M. Braun, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 62.
 “Bilobites, Müll. 1775,” Scudder, does not occur.
 biloba Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1154.
 bilobus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 245.
 bilobus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 691.
 bilobus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 268.
 bilobus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
 bilobus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
 biloba Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 238.

- bilobus** Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 544.
bilocularis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
bilocularis Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 22.—Mytilus.
bilocularis Sphex, Scopoli, Ent. Carn. 1763, 296.
bilunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 73.
bilunis Trichoda, O. F. Müller, An. Infus. 1786, 204.
bimacularis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
bimacularia Geometra (*ex* Hübner tab.), Lang, Verz. Schmett., ed. 2, 1789, 196.
bimaculatum Acrydium, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 190.
bimaculatum Acridium, J. D. Preyssler in Mayer's Samml. Phys. Aufsätze, III. 1793, 351.
bimaculatus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
bimaculatus Apalus (L.), J. C. Fabricius, Syst. Ent. 1775, 127.—Meloe.
bimaculatus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 362.
bimaculatus Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 51.—Scarabaeus.
bimaculata Apis, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 17.
bimaculata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1033.
bimaculata Arca, J. X. Poli, Test. Sicil. II. 1795, 143.
bimaculatus Attelabus, P. S. Pallas, Reise Russ. I. 1771, 466.
bimaculatus Attelabus, A. F. de Fourcroy, Ent. Paris. 1785, 16.
bimaculatum Axinaeoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 260; = Arca of 143.
bimaculatus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 109.
bimaculatus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 33.
bimaculata Bruchus, A. G. Olivier, Entom. IV. 1795, 18.
bimaculata Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
bimaculata Buprestis, J. A. Scopoli, Annus V. 1772, 105.
bimaculatum Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 240.
bimaculatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 246.
bimaculata Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 259.
bimaculatus Carabus, Scopoli, Ent. Carn. 1763, 89.
bimacul[atus] Carabus, Linnaeus, Mant. II. 1771, 532.
bimaculatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 102.
bimaculatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78 [no. 840].
bimaculatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78 [no. 849].
bimaculata Cassida, C. de Geer, Mém. Ins. V. 1775, 182.
bimaculata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 86.
bimaculata Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 300.
bimaculata Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 88.
bimaculatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
bimaculatus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 263. [Callidium].
bimaculata Cetonia (De G.), A. G. Olivier, Entom. I. 1789, 14.—Scarabaeus.
bimaculatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 9.
bimaculata Chrysomela, O. F. Müller, F. Ins. Frid. 1764, 8.
bimaculata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 820. [1788, 4.
bimaculata Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII.
bimaculata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
bimaculata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
bimaculata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2106.
bimaculata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.
bimaculatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449.
bimaculatus Cimex, C. de Villers, Linn. Ent. I. 1789, 529.
bimaculata Coccinella, E. Pontoppidan, Danske Atlas, I. 1763, 669.
bimaculatus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 78.
bimaculata Conops, J. D. Preyssler in Mayer's Samml. Phys. Aufsätze, I. 1791, 133.
bimaculatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 147.—Scarabaeus.
bimaculatus Cordylus (Sparr.), F. A. A. Meyer, Syn. Rept. 1795, 18.—Lacerta.
bimaculatus Cryptocephalus, J. C. Fabricius, Spec. Ins. 1781, 141.
bimaculatus Cucujus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 242.
bimaculatus Curculio, J. C. Fabricius, Mant. I. 1787, 98.

- bimaculatus Cyclopterus, J. A. Donndorff, Zool. Beyt. III. 1798, 818.
 bimaculatus Dermestes, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 7.
 bimaculatus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
 bimaculatus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 715.
 bimaculatus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 38.
 bimaculatus Elater, P. Rossi, Fauna Etrus. I. 1790, 182.
 bimaculata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 12.—Chrysomela.
 bimaculatus Gryllus, C. de Geer, Mém. Ins. III. 1773, 521.
 bimaculatus Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 567.
 bimaculatus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 86.
 bimaculatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 340.
 bimaculatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
 bimaculatus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 186.
 bimaculatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
 bimaculata Lacerta, A. Sparrman, K. Vet. Ac. Nya Handl. V. 1784, 167.
 bimaculata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 95.
 bimaculata Macrocephalus, A. G. Olivier, Entom. IV. 1795, 14.
 bimaculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
 bimaculatus Meloe, Linnaeus, Faun. Suec., ed. 2, 1761, 228.
 bimaculatus Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 680.
 bimaculatus Meloe, F. A. A. Meyer, Nat. Gift. Insect. 1792, 49.
 bimaculata Melolontha, O. F. Müller, Z. Dan. Prod. 1776, 58.
 bimaculata Melolontha (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 44.—Crypto-
 bimaculata Melolontha, J. C. Fabricius, Mant. I. 1787, 19. [cephalus.
 bimaculata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 164.
 bimaculatus Melyris, P. Rossi, Fauna Etrus. I. 1790, 35.
 bimaculata Membracis, J. C. Fabricius, Ent. Syst. IV. 1794, 10.
 bimaculata Mordella, J. C. Fabricius, Mant. I. 1787, 218.
 bimaculata Mordella, P. Rossi, Fauna Etrus. I. 1790, 245.
 bimaculata Musca, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 290.
 bimaculata Nitidula (L.), A. G. Olivier, Entom. II. 1790, 6.—Silpha.
 bimaculatus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2), 1798, 25.
 bimaculatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 533.
 bimaculatus Pelecanus, E. Pontoppidan, Danske Atlas, I. 1763, 621.
 bimaculata Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 82.
 bimaculata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 635.
 bimaculata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 298.
 bimaculata Phalangium, J. C. Fabricius, Syst. Ent. 1775, 440.
 bimaculata Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
 bimaculata Phryganea, Scopoli, Ent. Carn. 1763, 266.
 bimaculatus Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxx.
 bimaculatus Psittacus, R. Kerr, Anim. Kingd. 1792, 577.
 bimaculatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 222.
 bimaculata Pyrochroa (L.), C. de Geer, Mém. Ins. V. 1775, 23.—Meloe.
 bimaculatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112.
 bimaculatus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 513.
 bimaculata Saperda, A. G. Olivier, Entom. IV. 1795, 21.
 bimaculatus Scarabaeus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 593.
 bimaculatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 639.
 bimaculatus Scarabaeus, J. C. Fabricius, Mant. I. 1787, 8.
 bimaculata Scarabaeus (Fab.) J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
 bimaculatus Scarabaeus, C. de Villers, Linn. Ent. IV. 1789, 207. [Melolontha.
 bimaculatus Scarabaeus, F. A. A. Meyer, Zool. Archiv (1) 1796, 201.
 bimaculata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 452.
 bimaculata Scolia, V. Petagna, Ins. Calab. 1787, 32.
 bimaculatus Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
 bimaculatus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 340.
 bimaculata Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 569.

- 2-maculata Silpha, V. Petagna, Spec. Ins. ult. Calab. 1786, 7.
 bimaculatus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 24.
 bimaculatum Sphaeridium, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 30.
 bimaculata Spheg, J. C. Fuessly, Schweitz. Ins. 1775, 50.
 bimaculata Spheg (Pet.), C. de Villers, Linn. Ent. IV. 1789, 551.—Scolia.
 bimaculata Spheg, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 4.
 bimaculatus Staphylinus, F. v. P. Schrank, F. Boica, I. 1798, 644.
 bimaculatus Telephorus, C. de Geer, Mém. Ins. IV. 1774, 71.
 bimaculata Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 11.—Cantharis.
 bimaculata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
 bimaculatus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 16.
 bimaculata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 368.
 bimaculata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 bimaculata Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 433 [? maculata, S. N., ed. 10].
 bimaculata Tritoma, A. F. de Fourcroy, Ent. Paris. 1785, 152.
 bimaculata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 433.
 bimaculata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 678.
 bimacullella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.
 bimaculosella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
 bimaculosa Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 160.
 bimaculosa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 856.
 bimaculosa Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 329.
 bimorpha Medusa, O. F. Müller, Z. Dan. Prod. 1776, 233.
 bimucronatus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 13.
 bimuricatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
 binarius Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 404.
 binaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516.
 binervosa Phryganea, C. de Villers, Linn. Ent. III. 1789, 44.
 binny Cyprinus, F. A. A. Meyer, Zool. Entdeck. 1793, 142.
 Binoculus E. L. Geoffroy, Hist. Insect. Paris. II. 1762, 658.—Cr.
 binodis Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
 binodis Formica, Linnaeus, Amoen. Acad. VI. 1763, 413.
 binodis Formica, P. Forskal, Descr. Anim. 1775, xxiii.
 binodis Spheg, J. C. Fabricius, Suppl. Ent. Syst. 1798, 243.
 binodis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
 binodulus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 247.
 binotatus Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 486.
 binotatus Carabus, J. C. Fabricius, Mant. I. 1787, 199.
 binotata Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 299.
 binotata Chrysomela, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1687.
 binotata Chrysomela, C. Quesnel, Diss. ignotus insect. species, 1790, 14.
 binotata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2094.
 binotatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.
 binotatus Curculio, P. Rossi, Mant. Ins. I. 1792, 39.
 binotatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 484.
 binotatus Elater, P. Rossi, Mant. Ins. I. 1792, 59.
 binotatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2059.
 binotatus Gryllus (Acheta), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 2062.
 binotatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 172.
 binotata Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 556.
 binotata Silpha, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1618.
 binotatus Staphylinus, C. P. Thunberg. D. D. Mus. Ac. Upsal. App. IV. 1796, 147.
 binotella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 95.
 binubeculosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797—1800], 528.
 biocellatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
 biocellatus Sparus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 298.
 bioculata Buprestis, A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 233.
 bioculatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 715.

- bioculata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154. [Crioceris.
 bioculatus Cryptocephalus (F.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
 bioculata Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 906.
 bioculata Hirudo, O. F. Müller, Verm. I (2) 1774, 41.
 bion Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 432.
 bipalium Brachionus, O. F. Müller, An. Infus. 1786, 336.
 bipartitus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 429.
 bipartita Leptura, F. v. P. Schrank, Beitr. Nat. 1776, 68.
 bipartita Necydalis, F. v. P. Schrank, Ins. Aust. 1781, 171.—Leptura, 1776.
 bipastulata Scarabaeus, *err. pro* bipustulatus, Fabr., J. C. Fabricius, Mant. I. 1787, 17.
 B[ipes] J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 68.—R.
 bipes Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 390 [bpes].
 bipes Cancer, O. Fabricius, F. Groen. 1780, 246 f.
 bipes Cancer (Gammarellus), Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 111.
 bipes Chalcida (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 31.—Lacerta.
 bipes Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1099.
 bipes Lacerta (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1079.—Anguis.
 Biphora J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, x. & 178.—Asc.
 biplicata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
 bipunctalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 232.
 bipunctana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
 bipunctana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 250.
 bipunctaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.
 bipunctaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 bipunctatulus Carabus, N. J. Brahm, Ins. Kal. I (1) 1790, 15.
 bipunctatum Acrydium (L.), J. C. Fabricius, Syst. Ent. 1775, 278.—Gryllus. [236.
 bipunctatus Alyselminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800.
 bipunctatus Anthribus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 161.—Nitidula.
 bipunctatus Aphodius (Fab.). Illiger in Kugelann, Käfer Preuss. 1798, 18.—Scarabaeus.
 bipunctata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2780.
 bipunctata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
 bipunctata Bitoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 28.—Dermes-
 bipunctatus Bombyx, C. C. Jung. Alph. Verz. Schmett. 1791, 80. [toides, 1783.
 bipunctatus Bruchus, J. C. Fuessly, Schweiz. Ins. 1775, 9.
 2-punctatus Bruchus, J. H. Sulzer, Gesch. Ins. 1776, 36.
 bipunctatus Bruchus, J. J. Roemer, Gen. Ins. 1789, 6.
 bipunctata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 228.
 bipunctata Buprestis, A. G. Olivier, Entom. II. 1790, 81.
 bipunctata Cantharis, J. C. Fabricius, Syst. Ent. 1775, 206.
 bipunctata Cantharis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 114.
 bipunctatus Carabus, Linnaeus, Syst. Nat., ed. 12, 1767, 672.
 bipunctata Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
 bipunctatus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 56.
 bipunctatus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.
 bipunctata Cetonia, A. G. Olivier, Entom. I. 1789, 48.
 bipunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 597.
 bipunctata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 127.
 bipunctata Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 152.
 bipunctata Cicada, Scopoli, Ent. Carn. 1763, 115.
 bipunctata Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 28.
 bipunctata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
 bipunctatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721
 bipunctatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 358.
 bipunctatus Cimex, P. Rossi, Mem. Soc. Ital. IV. 1788, 129.
 bipunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 580.
 bipunctatus Coccinella (Kugel.), G. W. F. Panzer, Ins. Germ. heft 24 [1794], tab. 11.—
 Scymnus.
 bipunctatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scarabaeus.

- bipunctatus Crabro, J. C. Fabricius, Mant. I. 1787, 296.
 bipunctatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 108.—Chrysomela.
 bipunctatus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 91.
 bipunctatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 609.
 bipunctatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 118.
 bipunctatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
 bipunctatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
 bipunctatus Cyprinus, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 50.
 bipunctatus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 197.
 bipunctatus Dermestes, F. v. P. Schrank, Beitr. Nat. 1776, 61.
 bipunctatus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 27.
 bipunctatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 18.
 bipunctatus Dermestes, C. de Villers, Linn. Ent. I. 1789, 55.
 bipunctatus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 231.
 bipunctatus Dermestoides, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 40.
 bipunctatus Dytiscus, O. F. Müller, F. Ins. Frid. 1764, 20.
 bipunctatus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 71.
 bipunctatus Dytiscus, J. C. Fabricius, Mant. I. 1787, 190.
 bipunctatus Elaphrus (L.), Illiger in Kugelann, Käfer Preuss. 1798, 228.—Carabus.
 bipunctatus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 140.
 bipunctata Flata (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—Cicada.
 bipunctata Forficula, J. C. Fabricius, Spec. Ins. I. 1781, 340. [mela.
 bipunctata Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 587.—Chryso-
 Geometra, J. Hübner, Eur. Schmett. (Geom.) [me judice 1796] fig. 276 [n. et f.].
 bipunctatus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693.
 bipunctatus Gryllus, C. de Geer, Mém. Ins. III. 1773, 523.
 bipunctatus Hallominius, G. Paykull, Faun. Suec. II. 1799, 179.
 bipunctatus Hemerobius, Linnaeus, Faun. Suec., ed. 2, 1761, 384.
 bipunctatus Hemerobius, F. v. P. Schrank, Baier. Reise, 1786, 252.
 bipunctata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
 bipunctata Hydrachna, F. v. P. Schrank, in Moll, Oberdeutsche Beyträge, I. 1787, 140.
 bipunctatus Hydrophilus, J. C. Fabricius, Syst. Ent. 1775, 229.
 bipunctatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
 bipunctata Ips, J. C. Fabricius, Mant. I. 1787, 45.
 bipunctatus Latridius (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 10.—
 bipunctata Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 245. [Dermestes].
 bipunctatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 172.—Cimex, 1781.
 bipunctatus Malachus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
 bipunctatus Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 227.—
 bipunctatus Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 265. [Crabro, 1787].
 bipunctata Melolontha (Fab.), A. G. Olivier, Entom. I. 1789, 37.—Trichius.
 bipunctata Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
 bipunctata Musca, Scopoli, Ent. Carn. 1763, 341.
 bipunctata Musca, O. F. Müller, Z. Dan. Prod. 1776, 174.
 bipunctata Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 10.
 bipunctata Nitidula, J. C. Fabricius, Mant. I. 1787, 52.
 bipunctatus Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 212.
 bipunctata Opatrum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1634.
 bipunctatus Papilio Pleb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2360.
 bipunctata Phalaena, J. A. Pollich, Bemerk. Kuhrpälz. phys.-oek. Ges. 1779 (1781),
 bipunctata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 267. [284.
 bipunctata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
 bipunctata Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 55.
 bipunctata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 316.
 bipunctatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—SpheX, 1793.
 bipunctatus Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Hemerobius.
 bipunctatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 205.
 bipunctatus Reduvius, J. C. Fabricius, Mant. II. 1787, 312.

- bipunctatus** Ryzophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 19.
bipunctata Saperda, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 16.
bipunctatus Scarabaeus, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, pl. [xvi].
bipunctatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
bipunctatus Scarabaeus, J. C. Fabricius, Mant. Ins. I. 1787, 10.
bipunctatus Scarabaeus, C. de Villers, Linn. Ent. IV. 1789, 209.
bipunctatus Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 547.
bipunctatus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 343.
bipunctata Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 359.
bipunctata Silpha, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, 181.
bipunctata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Ips.
bipunctata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula.
bipunctatum Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 102.
bipunctatus Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 214.
bipunctatus Staphylinus, A. G. Olivier, Entom. III. 1795, 31.
bipunctatum Steridium, J. D. Preyßler in Mayer, Samml. Phys. Aufsätze, III. 1793, 267.
bipunctata Synchita (Herbst), J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 405.—Dermestoides.
bipunctatus Telephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 83.
bipunctatus Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 15.—Cantharis.
bipunctata Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 149.
bipunctata Tenthredo, N. G. Leske, Reise Sachsen, 1785, 51.
bipunctata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
bipunctatus Trichius, J. C. Fabricius, Mant. I. 1787, 25.
bipunctata Vespa, J. C. Fabricius, Syst. Ent. 1775, 369.
bipunctata Vespa, P. Rossi, Fauna Etrus. II. 1790, 88.
bipunctatus Vibrio, O. F. Müller, An. Infus. 1786, 52.
bipunctella Alucita, J. C. Fabricius, Syst. Ent. 1775, 668.
bipunctella Phalaena (Tin.), (Fab.), C. de Villers, Linn. Ent. II. 1789, 504.—Alucita.
bipunctella Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
bipunctella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 481.—Alucita.
bipuncti-dactyla Phalaena, Scopoli, Ent. Carn. 1763, 257.
bipuncta Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 627.
bipustula Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
bipustula Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
bipustulatus Attelabus, J. C. Fabricius, Gen. Ins. 1777, 229.
bipustulata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
bipustulatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 247.
bipustulatus Carabus, F. v. P. Schrank, F. Boica, I. 1798, 623.
bipustulata Cassida, Linnaeus, Amoen. Acad. VI. 1763, 392.
bipustulata Cassida *id. ac.* bipustula (L.), J. C. Fabricius, Syst. Ent. 1775, 93.
bipustulata Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 13.
bipustulata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
bipustulata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—Cryptocicada, J. C. Fabricius, Ent. Syst. IV. 1794, 45. [cephalus].
bipustulata Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 61.
bipustulatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 719.
2-pustulatus Cimex, E. Pontoppidan, Danske Atlas, I. 1763, 684.
bipustulata Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 606.
bipustulatus Clerus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 134.—Hispa.
bipustulata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 585.
bipustulatus Coccinella (Scymnus), Schneider in G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 10.
bipustulatus Copris (Fab.), A. G. Olivier, Ency. Méth. V. (Ins.), 1790, 179.—Scarabaeus.
bipustulatus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 821.
bipustulatus Cucuius, Hellwig in G. W. F. Panzer, Ins. Germ. heft 4 [1792], tab. 13.
bipustulatus Curculio, P. Rossi, Mant. Ins. I. 1792, 39.

- bipustulatus Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1), 1781, 6.
 bipustulatus Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 4.
 bipustulatus Dermestes, J. C. Fabricius, Mant. I. 1787, 45.
 bipustulatus Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 54.—Sphaeridium.
 bipustulatus Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 72.
 bipustulatus Dermestes, G. Paykull, Faun. Suec. I. 1798, 286.
 bipustulatus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
 bipustulatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
 bipustulatus Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 652.
 bipustulatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
 bipustulata Hispa, J. C. Fabricius, Spec. Ins. I. 1781, 82.
 bipustulatus Hister, F. v. P. Schrank, Ins. Aust. 1781, 37.
 bipustulatus Hister, A. G. Olivier, Entom. I. 1789, 10.
 bipustulatus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 38.
 bipustulata Ips, J. C. Fabricius, Mant. I. 1787, 45.
 bipustulata Leptura, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 17.
 bipustulatus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 503.
 bipustulatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
 bipustulatus Lygus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
 bipustulata Malachius (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis.
 bipustulatus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
 bipustulata Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 77.—Silpha.
 bipustulatus Opatrum (ex Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, [1633].
 bipustulata Ostoma, J. N. Laicharting, Tyrol. Ins. I. 1781, 106.
 bipustulatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 533.
 bipustulata Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
 bipustulatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 379.
 bipustulatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 30.
 bipust[ulata] Scarabaeus, [D. H. Schneider], Nom. Ent. 1785, 1 [n. n.].
 bipustulatus Scarites, J. C. Fabricius, Suppl. Ent. Syst. 1798, 44.
 bipustulatus Scymnus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
 bipustulata Silpha, Linnaeus, Faun. Suec., ed. 2, 1761, 148. [1784, 79.—Nitidula.
 bipustulata Silpha (Fab.), J. F. W. Herbst in Borowski, Gem. Nat. Thiere, VI.
 bipustulata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Ips.
 bipustulatum Sphaeridium, J. C. Fabricius, Spec. Ins. I. 1781, 78.
 2-pustulatum Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 102.
 bipustulatus Staphylinus, Linnaeus, Faun. Suec., ed. 2, 1761, 232.
 bipustulatus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 75.—Cantharis.
 bipustulata Tritoma, J. C. Fabricius, Syst. Ent. 1775, 68.
 bipustulata Tritoma (Fab.), C. P. Thunberg, Ins. Suecica (8) 1794, 99.—Lyctus.
 bipustulata Vespa, C. de Villers, Linn. Ent. III. 1789, 280.
 biradiatum Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 231.
 biradiata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
 biradiata Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179.
 biradiata Donax, P. Forskall, Descr. Anim. 1775, xxxi.
 biramosa Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 286.
 bi-ren Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 81.
 Birita F. C. Meuschen, Mus. Gever. 1787, 490.—Ech.
 birita Madrepora, F. C. Meuschen, Mus. Gever. 1787, 496.
 birivia Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
 birivia Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 206.—
 birivia Phal. Noct., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [n. et f.]. [Noctua.
 biriviata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 384.
 birostris Buceros, J. A. Scopoli, Del. Insub. II. 1786, 87.
 birostris Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1182.
 birostris Raja, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 535.
 birostris Volva (Gm.), J. F. Bolten, Mus. Bolten. (2), 1798, 22.—Bulla.
 bisaltide [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 9.

- bisbipustulata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 288.
 bisbiverrucata Coccinella, G. W. F. Panzer, Ins. Germ., ed. 2, heft 24 [1799], tab. 8.
 biscutata Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
 biscutatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
 biselata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618.
 bisetis Psittacus, J. Latham, Index Orn. 1790, 102.
 bisignata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 164.
 bisissella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 bislineatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
 biso Lucanus, *err. pro* bison, A. G. Olivier, Ency. Méth. VII (Ins.), 1792, 579.
 Bison G. Edwards in M. Catesby, Carol. I. 1771, xxvii.—Mam.
 bison Bos, Linnaeus, Syst. Nat., ed. 10, 1758, 72; ed. 12, 1766, 99.
 bison americanus Bos, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 83.
 bison Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 160.—Scarabaeus.
 bison Lucanus, A. G. Olivier, Entom. I. 1789, 13.
 bison Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 547.
 bisperforatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 198.
 bispinosus Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
 bispinosus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.
 bispinosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 144.
 bispinosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
 bispinosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1859.
 bispinosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.
 bispinosus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
 bispinosa Crioceris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 89.
 bispinosa Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 502.
 bispinosus Gasterosteus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 450.
 bispinosa Mantis, J. C. Fabricius, Syst. Ent. 1775, 274.
 bispinosus Monoculus, C. de Geer, Mém. Ins. VII. 1778, 463.
 bispinosa Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
 bispinosus Tabanus, J. C. Fabricius, Gen. Ins. 1777, 308.
 bispinus Cimex, G. W. F. Panzer, Ins. Germ., heft 26 [1795], tab. 23.
 bispinus Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.—
 bispinus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91. [Rhinomacer.
 bis-quinquepunctatus Cryptocephalus, G. A. Harer, Beschr. Schaeffer's Abbild. 1791,
 133, *id. ac* C. 10-punctatus, Fuessly.
 bisseptemguttata Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 265.
 bissexguttata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 284.
 bissexpustulata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 303.
 bistri Bruchus *err. pro* cisti, Fabr., J. C. Fabricius, Mant. I. 1787, 42.
 bistigmata Phalaena Bom., C. de Villers, Linn. Ent. II. 1789, 184.
 bistortata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 81.
 bistriata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 222.
 bistriata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
 bistriatus Coluber, G. A. Suckow, Naturges. III. 1798, 243.
 bistriata Dorcatoma, G. Paykull, Faun. Succ. I. 1798, 319.
 bistriata Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3689.
 bistriata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 50.
 bistridentata Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 119.
 bistrigalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
 bistrigaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
 bistrigaria Phalaena, Giorna, Cal. Ent. 1791, 131.
 bistrigata Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 440.
 bistrigata Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 437.
 bistrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
 bistrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
 bistriguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.
 bistripunctata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 275.

- bistripustulata** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 256.
bisubulata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
bisulcata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 39.
bisulcatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 198.
bisulcus Cucujus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 119.
bisulcus Equus, G. I. Molina, Sag. stor. nat. Chili, 1782, 320.
bisulcus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
bitia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 69.
bitias [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 12.
bitin Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 22.
bitinctus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
bitis Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.—Vipera.
bitis Vipera, J. N. Laurenti, Syn. Rept. 1768, 102.
Bitoma Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 25.—Col.
biton Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 146.
bituberculata Cassida, J. C. Fabricius, Mant. II. 1787, 379.
bituberculatus Copris, L. G. Schriba, J. Lieb. Ent. I. 1790, 57.
bituberculatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.
bituberculata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151.
bituberculatus Cryptocephalus (F.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
bituberculatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 171. [1719.—Crioceris.
bituberculata Diaperis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 274.
bituberculata Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280. [Crioceris.
bituberculata Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 589.—
bituberculatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 29.
bituberculatus Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 131. [—Curculio.
biundularia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 162.—
biundulata Meloe, P. S. Pallas, Icon. Ins. 1782, 78. [P. G. biundulata, Vill. *est.*
biundulata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 337.
biungulatus Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
bivenis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
biverrucata Coccinella, G. W. F. Panzer, Ins. Germ., ed. 2, heft 24 [1799], tab. 11.
bivertex Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135 [*n. n.*].
bivittata Cantharis (Pall.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 281.—Meloe bivittis.
bivittata Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 69.
bivittatus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 59.
bivittata Chrysomela, F. v. P. Schrank, Naturforscher, XXIV. 1789, 66.
bivittata Chrysomela, S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799, 146.
bivittatus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
bivittatus Curculio, J. C. Fabricius, Mant. I. 1787, 118.
bivittatus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 133.
bivittatus Scarabaeus (Melolontha), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
bivittis Meloe, P. S. Pallas, Icon. Ins. 1782, 93. [189.
bivulnera Meloe, P. S. Pallas, Icon. Ins. 1782, 94.
bixae Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 344.—Papilio.
bixae Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
bizonata Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
bizonata Scolia, Holthuysen, D. H. Schneider, Verz. Parthei Ins. 1800, 22.
bjerkandrella *v.* bierkandrella.
bjoerkna Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 532.
blackburniae Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 977.
blackburniae Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
blackburnii Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 20.
blagrus Falco, F. M. Daudin, Traité élém. Orn. 1800, 70.
blancardella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 305.
blancardi Aranea, Scopoli, Ent. Carn. 1763, 402.
blandella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 499.
blandiata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.

- blandiata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 258 [*n. et*].
- blandina** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 76. [*f.*].
- blandina** Papilio, J. C. Fabricius, Mant. II. 1787, 41.
- blandina** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 129.
- blandula** Cicada, P. Rossi, Fauna Etrus. II. 1790, 217.
- blanda** Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 276.
- blandus** Calopus, J. C. Fabricius, Syst. Ent. 1775, 182.
- blandus** Musca, M. Harris, Exp. Eng. Ins. 1776, 106.
- blanda** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
- blanda** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- blanda** Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 323. [609.—Noctua.
- blapoides** Carabus, C. Creutzer, Ent. Vers. 1799, 112.
- blasus** J. C. Fabricius, Syst. Ent. 1775, 254.—Col.
- blasius** Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 426.
- Blatta** Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.—Or.
- blattariae** Cionus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 66.—Curculio.
- blattariae** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 435.
- blattinus** Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 236.
- blattoides** Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 34.
- blayensis** Ichneumon, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 76.
- blennii** Ascaris (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.—Fasciola.
- blennii** Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
- blennioides** Batrachoides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 451.
- blennioides** Gadus, P. S. Pallas, Spic. Zool. VIII. 1770, 47.
- Blennius** Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.—[Artedi, Ichth.
- blennioides** Gadus, M. T. Brünnich, Ich. Massil. 1768, 24. [1738, gen. xxii, 26.]—P.
- blennioides** Gymnocephalus (Walb.), G. A. Suckow, Naturges. IV. 1799, 562.—Perca.
- blennioides** Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 336.
- Blennus** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
- blicca** Cyprinus, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 65 & 193 (index).
- blochianus** Kurtus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 516.
- Blochius** G. S. Volta, Itt. Veron. (2) [circa 1800], liii.—P.
- blockiella** Tinea, P. Rossi, Mant. Ins. II. 1794, 46.
- blockii** Cryptocephalus, P. Rossi, Mant. Ins. II. 1794, 91.
- blockii** Cyprinus, B. S. Nau, Oek. Nat. Fische Mainz, 1787, 91.
- blomfieldia** [blomfieldia] Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 84.
- blomiana** Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 169.
- blonda** Buprestis *err. pro* blanda, Fabr., J. C. Fabricius, Mant. I. 1787, 178.
- Boa** Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 373.—R.
- boa** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
- boans** Calamita (L.), J. G. Schneider, Hist. Amph. I. 1799, 164.—Rana.
- boans** Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 213; ed. 12, 1766, 358.
- boarula** Motacilla, J. A. Scopoli, Annus I. 1769, 154.
- boas** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 12.—Scarabaeus, 1787.
- boas** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 8.
- boas** Scarabaeus, J. C. Fabricius, Mant. I. 1787, 14.
- bobac** Arctomys, J. C. D. Schreber, Säugth. IV. 738 (1782), pl. ccix (1780).
- bobac** Mus, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 40.
- boccamela** Mustela, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, II. 1800, 395.
- bocchus** Papilio, Bose, La médecine éclairée (Fourcroy's) I. 1791, 207.
- bochus** [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 210.
- boddaerti** Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1243.
- boddaerti** Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 59.
- boddarti** Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 11.
- boddaerti** Testudo, J. G. Schneider, Leipz. Mag. 1786, 265.
- boddarti** Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 265.
- Bodianus** M. E. Bloch, Nat. ausl. Fische, IV. 1790, 31.—P.
- bodianus** Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 33.

- bodoensis** Doris, J. E. Gunnerus, Skrifter Kiøbenh. Selskab, X. 1770, 170.
boebera Bombyx, Boeber in Reich's Mag. Thierreichs, I. 1793, 140.
boeberana Pyralis, J. C. Fabricius, Mant. II. 1787, 239.
boeberana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 534.
boeberi Coccinella, J. Cederhielm, F. Ingric. 1798, 50.
boenak Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 43.
boerhaviae Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.
boerhaviae Sphinx, J. C. Fabricius, Syst. Ent. 1775, 542.
boetica Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 280.—Papilio.
boeticus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 789.
boetonensis Loxia, J. Latham, Index Orn. 1790, 376.
bogaraveo Sparus, M. T. Brünnich, Ich. Massil. 1768, 49.
bohar Sciaena, P. Forskal, Descr. Anim. 1775, 46.
bohemicus Asilus, J. D. Preyßler, Verz. böhm. Ins. 1790, 67.
bohemicus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
bohemicus Coluber, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 62.
bohemicus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
bohemicus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 279.
bohemica Musca, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 203.
bohemus Curculio, Mayer, Abh. privat. Ges. Bohmen. IV. 1779, 183.
boiga Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 102.
boiquira Crotalus, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 130.
boiquira Crotalus, de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 368.
boja Cicindela, F. v. P. Schrank, F. Boica, I. 1798, 707.
bojobi Boa, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 128.
boletella Phalaena Tinea, J. Hubner, Beitr. Schmect. II. 1790, 123.
boletella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 287.
boleti Anobium (Scop.), J. C. Fabricius, Ent. Syst. I (1) 1792, 237.—Dermestes.
boleti Bostrichus (Scop.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 497.—Dermestes.
boleti Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
bolati Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 91.
boleti Dermestes, Scopoli, Ent. Carn. 1763, 17.
boleti Dermestes, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 52.
boleti Dermestes, C. de Villers, Linn. Ent. I. 1789, 56.
boleti Diaperis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 74.—Chrysomela.
boleti Noctua, J. C. Fabricius, Gen. Ins. 1777, 282.
boleti Noctua, J. C. Fabricius, Mant. II. 1787, 149.
boleti Phycis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 463.—Tinea boletella, 1794.
boleti Scaphidium, Persoon in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 16.
boleti Sylpha, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 113.
boleti Silphoides, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 41.
boleti Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 686.
boleti Tenebrio, Scopoli, Ent. Carn. 1763, 84.
boleti Tenebrio (L.), C. de Geer, Mém. Ins. V. 1775, 49.—Chrysomela.
boleti Tipula, Scopoli, Ent. Carn. 1763, 323.
boleti Tipula, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 223.
boletiformis Madrepora, E. J. C. Esper, Pflanzenth. Forts. I (2) 1794, 61.
boletus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
bolina Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 781.
bolina Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
Bolitophagus Illiger in Kugelann, Käfer Preuss. 1798, 100.—Col.
boloniensis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 282.
boltenii Encrinus, J. F. Blumenbach, Hand. Naturg. 1779, 436.
bolteni Vorticella, Linnaeus, Mant. II. 1771, 552.
boltenianus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
bomba Phoebea, A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 114 [*n. n.*].
bomba Trichoda, O. F. Müller, Verm. I (1) 1773, 78.

- bombarda** Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
bombarda Carabus, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 112.
bombarda Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [n. n.].
bombayus Sciurus, P. Boddaert, Elench. 1785, 117.
bombella Bombyx *err. pro* bombycella Tinea, D. & S., J. C. Fabricius, Mant. II. 1787, 132.
bombi- *v.* **bomby-**.
bombina Bufo (L.), F. v. P. Schrank, F. Boica, I. 1798, 272.—Rana.
bombina Curculio, J. C. Fabricius, Mant. I. 1787, 104.
bombina Rana, Linnaeus, Faun. Suec., ed. 2, 1761, 101.
bombinatrix Apis, L., for *varr. v.* J. L. Christ, Nat. Insekt. 1791, 108 et seqq.
bombycalis Crambus (D. & S.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Pyralis.
bombycalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
bombycata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 14.
bombycella Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 289.—Tinea.
bombycella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
bombiciformis Sphinx, A. F. de Fourcroy, Ent. Paris. 1785, 252.
bombiciformis Tipula, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 172.
bombacynus (*sic*) Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
bombycina Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 14.
bombycinus Pecten, T. Martyn, Univ. Conch. IV. [1792], fig. 153.
bombycina Phalaena, Hufnagel, Berl. Mag. III. 1767, 410.
bombycina Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 80.
bombicina Spongia, G. Olivi, Zool. Adriat. 1792, 265.
bombylans Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
bombilans Conops (Linn.), Scopoli, Ent. Carn. 1763, 353.—Musca.
bombylans Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 983.
bombylans Stromoxys, J. C. Fabricius, Suppl. Ent. Syst. 1798, 568.
bombylans Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 762.—Musca.
bombylans Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
bombyleus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2771 [bombylans, Fab.].
bombyliformis Melolontha, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 32.
bombyliformis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 479.
bombyliformis Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 17.
bombyliformis Sesia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 382.—Sphinx.
bombyliformis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
bombiliformis [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 241.
bombyliformis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 281.
Bombylius Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1009.—Dip.
bombilius Asilus, C. de Geer, Mém. Ins. VI. 1776, 238.
bombylius Asilus, C. de Villers, Linn. Ent. III. 1789, 604.
bombylius Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
bombylius Melolontha, J. C. Fabricius, Mant. I. 1787, 25.
bombylius Musca, C. de Geer, Mém. Ins. VI. 1776, 133.
bombylius Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
bombylius Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
bombilius Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 20. [Melolontha.
bombyloides Musca, J. H. Sulzer, Gesch. Ins. 1776, 216.
bombynae Monostoma, J. G. H. Zeyer in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 160.
Bombyx *v.* Phalaena, Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 812.—Lep.
Bombyx J. C. Fabricius, Syst. Ent. 1775, 556.—Lep.
Bombyx [G. Humphreys], Mus. Calonn. 1797, 62.—G.
bomilcar [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 170.
bonae spei Anomia, J. F. Bolten, Mus. Bolten. (2) 1798, 192.—capensis, Gm.
bonae-spei Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
bonana Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 332.—Oriolus.
bonana Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
bonariensis Alauda, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 317.

- bonariensis** Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 850.
bonariensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
bonariensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 543.—Motacilla.
bonariensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 898.
bonasia Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—Mem-
bonasia Lagopus (L.), J. C. Schaeffer, Mus. Orn. 1789, 3.—Tetrao. [bracis.
bonasia Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
bonasia Papilio, J. C. Fabricius, Syst. Ent. 1775, 464.
bonasia Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 275.
bonusus Bos, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 99.
bonusus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 160.—Scarabaeus.
bonusus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 23.
bonnetella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
bonnetella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
bononiensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 639.
bononiensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 919.
bononiensis Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 670.
bonsdorffii Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1795.
bontia Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
bontii Psittacus, J. Latham, Index Orn. 1790, 92.
bontii Troglodyta, Linnaeus, Amoen. Acad. VI. 1760, 72, pl.
boois Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 197.
boops Balaena, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 106.
boops Labrus, M. Houttyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 326.
boops Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 469.
boops Sphex, F. v. P. Schrank, Ins. Aust. 1781, 384.
borana Pyralis, J. C. Fabricius, Mant. II. 1787, 234.
borana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 530.
borbonica Certhia, P. Boddaert, Tab. Planch. Enl. 1783, 42.
borbonica (*sic*) Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
borbonica Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
borbonica Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1017.
borbonica Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
borbonica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 981.
borbonica Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
borbonica Sylvia, J. Latham, Index Orn., 1790, 533.
borbonicus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
borbonicus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
bordella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 84.
borealis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 512.
borealis Anser, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 122.
borealis Carabus, G. Paykull, Mon. Carab. 1790, 51.
borealis Chamaeformis (L.), F. C. Meuschen, Mus. Gev. 1787, 450.—Venus.
borealis Clio (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3148.—Clione.
borealis Clione, P. S. Pallas, Spic. Zool. X. 1774, 28.
borealis Coccinella, J. C. Fabricius, Syst. Ent. 1775, 82.
borealis Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
borealis Colymbus, M. T. Brunnich, Orn. Boreal. 1764, 39.
borealis Corax, F. M. Daudin, Traité élém. Orn. 1800, 226.
borealis Curculio, G. Paykull, Mon. Curc. 1792, 57.
borealis Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
borealis Elater, G. Paykull, Faun. Succ. III. 1800, 6.
borealis Empis, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
borealis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
borealis Manatus, H. F. Link, Beytr. Nat. I (2) 1795, 110.
borealis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
borealis Numenius (Forst.), J. Latham, Index Orn. 1790, 712.—Scolopax.
borealis Ostrea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 98 [*n. n.*].

- borealis** Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 83.
- borealis** Scolopax, J. R. Forster, Phil. Trans. LXII. 1772, 411 & 431.
- borealis** Sirene, H. F. Link, Beytr. Nat. I. 1794, 68.
- borealis** Spirorbis, F. M. Daudin, Rec. Mém. Moll. 1800, 38.
- borealis** Staphylinus, G. Paykull, Mon. Curc. 1792, 146.
- borealis** Sylvia (Gm.), J. Latham, Index Orn. 1790, 522.—Motacilla.
- borealis** Tabanus, J. C. Fabricius, Reise Norwegen, 1779, 192.
- borealis** Trichechus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 61.
- borealis** Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 674.
- borealis** Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1134.
- borealis** Vespertilio, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 20.
- boreas** Astacus (Phipps), J. C. Fabricius, Spec. Ins. I. 1781, 511.—Cancer.
- boreas** Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 170.—Phalaena.
- boreas** Cancer, C. J. Phipps, Voy. N. Pole, 1774, 190.
- boreas** Cancer (Astacus) Phipps, J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 73.
- boreas** Crangon (Phipps), J. C. Fabricius, Suppl. Ent. Syst. 1798, 409.—Cancer.
- boreas** [Phalaena], P. Cramer; Utitl. Kapellen, I (6) 1775, 110.
- boreus** Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155.
- boreus** Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 106.
- borin** Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 35.
- borkhausana** Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 446.
- bornella** Phalaena, J. A. Scopoli, Annus V. 1772, 118.
- borneo** Pongo, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- borneus** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
- borniana** Patella, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 106.
- bornii** Tellina, J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1790, 3231.
- Boros** Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 318.—Col.
- borowskiella** Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 84.
- borraginis** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 437.
- Bos** Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.—M.
- bosc** Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 536.
- boscana** Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 269.
- boschadis** Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 27.
- boschadis** Festuca, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 332.
- boschadis** Festucaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
- boschas** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 205.
- boschas** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 538; *varr.* *cirrhata*, *persica*, *major*, *grisea*, *naevia*, *nigra*, 539.
- boscii** Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
- bosquianus** Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 459.
- bostoniana** Apis, J. H. Sulzer, Gesch. Ins. 1776, 198.
- Bostrichus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 301.—Col.
- Bostrichus** J. C. Fabricius, Syst. Ent. 1775, 59.—Col.
- Bostrichus** *v.* **Bostrichus**, J. C. Fabricius, Mant. I. 1787, 36.
- bostrigata** [Phal. Noct.], Panzer in Drury, Exot. Ins. 1785, 89.
- “**Bostrychoides**, Lacép. 1800,” Ag.; is 1802.
- “**Bostrychus**, Lacép. 1800,” Ag.; is 1802.
- “**Botauris**, Herm. Tabl. affin. Anim., ed. 2, 1783, 135,” Waterh.; not used in a generic sense, see tabl. pp. 165 & 235.—A.
- botaurulus** Ardea, F. v. P. Schrank, F. Boica, I. 1798, 221.
- “**Botaurus**, Brisson, 1760,” Waterhouse; not used in a generic sense.
- botaurus** Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 636.
- botnica** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
- botnica** Coccinella, G. Paykull, Faun. Suec. II. 1799, 34.
- bothnicus** Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 108.—Chrysomela.
- botrana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- botroides** Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
- Botryllus** Gaertner in Pallas, Spic. Zool. (10) 1774, 35.—Asc.

- botryoides** Alcyonium, G. Shaw, Nat. Misc. X. 1799, pl. 376.
botryoides Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 154.
botryoides Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—
botryotes Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 172. [Cidaris.
botryoides Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 190.
botryotes *v.* **botryoides**.
botrys Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
bougainvillianus Triurus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 200.
boulboul Lanius, J. Latham, Index Orn. 1790, 80.
bulbul Lanius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
boulerot Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 536.
bourbonensis Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 154.
bourbonensis Muscicapa, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 171.
bouvreuil Loxia, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 154.
bovinus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 345.
bovinus Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 1000.
bovina Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.
bovis Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 969.
bovis Oestrus, C. de Geer, Mém. Ins. VI. 1776, 297.
bovis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
“bovis Zoolithus,” Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
bovistae Endomychus (Fab.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Galleruca.
bovistae Endomychus, G. W. F. Panzer, Ins. Germ., ed. 2, heft 8, 1796, tab. 4.
bovistae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 20.
bovistae Galleruca (Panz.), L. H. v. Bloch in Becker, Plau. Grund. 1799, 101.—Endo-
boysii Sterna, J. Latham, Index Orn. 1790, 806. [mychus.
braccatus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
braccatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705. [Prionus.
braccatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
braccatus Prionus, J. A. Scopoli, Annus V. 1772, 100.
braccata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
braccata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
brachiata Aranea, O. F. Müller, F. Ins. Frid. 1764, 94.
brachiata Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
brachiata Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1098.
Brachionus P. S. Pallas, Elench. 1766, 89.—Rot.
brachiurus *v.* **brachyurus**.
brachyacanthus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
brachyacanthus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
Brachycerus A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 36.—Col.
Brachycerus J. C. Fabricius, Ent. Syst. I (2) 1792, 379.—Col.
brachyotus Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
Brachypterus J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 560.—Col.
brachyptera Anas, J. Latham, Index Orn. 1790, 834.
brachyptera Apis, C. de Villers, Linn. Ent. III. 1789, 331.
brachyptera Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
brachypterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
brachypterus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
brachypterus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 235.
brachyterus Gryllus, Linnaeus, Faun. Suec., ed. 2, 1761, 237. [Dermestes.
brachypterus Kataretus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 13.—
brachyptera Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 434.—Gryllus.
brachypterus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
brachyptera Mantis, P. S. Pallas, Reise Russ. II. 1773, 728.
brachyptera Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 16.
brachyptera Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
brachypterus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 167.
brachypterus Serphus, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 307.

- brachyrhynchos Anas, J. M. G. Beseke, *Beitr. Vög. Kurlands*, 1792, 50.
- brachyterus *v.* brachypterus.
- brachyura Coracias (L.), M. Vahl, *Skr. nat. Selsk.* [Copen.] III (2) 1794, 78.—Corvus.
- brachyurus Corvus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 158. [gascariensis, 644.
- brachyurus Corvus, R. Kerr, *Anim. Kingd.* 1792; *varr.* philippensis, bengalensis, mada-
- brachyuros Didelphys, J. C. D. Schreber, *Säugeth.* III. 548 (1777), pl. cli. (1777).
- brachyura Didelphis, P. S. Pallas, *Acta Ac. Sci. Petrop.* 1780 (2), 1784, 235.
- brachyura Fringilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 920.
- brachiurus Gymnotus, M. E. Bloch, *Nat. ausl. Fische*, II. 1786 (61), pl. clvii, f. 1.
- brachyura Hystrix, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 57.
- brachyurus Ichneumon, F. v. P. Schrank, *Ins. Aust.* 1781, 352.
- brachyurus Lanius, P. S. Pallas, *Reise Russ.* III. 1776, 693.
- brachyurus Lynceus, O. F. Müller, *Z. Dan. Prod.* 1776, 199.
- brachyura Manis, J. C. P. Erxleben, *Syst. Anim.* 1777, 98.
- brachyurus Monoculus (Müll.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3007.
- brachyura Phalaena, D. Drury, *Ill. Nat. Hist.* III. 1782, index & 39. [—Lynceus.
- brachyurus Todus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 444.
- bracteata Cicada (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2093.—
- bracteatus Falco, G. A. Suckow, *Naturg.* II [1] 1800, 190. [Membracis.
- bracteata Locusta, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 84.
- bracteata Membracis, J. C. Fabricius, *Mant.* II. 1787, 263.
- bracteatus Monoculus (Müll.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3005.—
- bracteatus Nauplius, O. F. Müller, *Z. Dan. Prod.* 1776, 198. [Nauplius.
- bracteella Tinea, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 136.
- bractella Phalaena (Tinea), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 540; ed. 12, 1767, 894.
- bractella Tinea (L.), J. C. Fabricius, *Syst. Ent.* 1775, 662.—Phalaena.
- bractea Brachionus, O. F. Müller, *An. Infus.* 1786, 343.
- bractea Noctua, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 314. [—Noctua.
- bractea Phalaena Noctua (D. & S.), M. B. Borkhausen, *Nat. eur. Schmett.* IV. 1792, 775.
- Bradycebus—said to occur in Geoffroy & Cuvier, *Mag. Ency.* 1795, II. 164 &c.; but in error: I do not find this word in literature.
- Bradypus Linnaeus, *Syst. Nat.*, ed. 10, 1758, 34; ed. 12, 1766, 50.—M.
- Brama (*ex* Klein), J. G. Walbaum, *Artedi, Ichth.* (3), ed. 2, 1792, 586.—P.
- brama Cyprinus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 326; ed. 12, 1766, 531.
- brama Sparus, M. E. Bloch, *Nat. ausl. Fische*, V. 1791, 77.
- bramae Echinorhynchus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3050.
- bramae Fasciola, O. F. Müller, *Z. Dan. Prod.* 1776, 224.
- bramafama Papilio, L. Prunner, *Lep. Pedemont.* 1798, 76.
- braminea Libellula, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 284.
- branchialis Lernaea, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1092.
- branchialis Petromyzon, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 230; ed. 12, 1766, 394.
- branchiata Hirudo, H. Menzies, *Tr. Linn. Soc.* [Lond.] I. 1791, 188.
- “Branchiobdellion, Rudolphi,” Ag.; does not occur; quoted by Savigny, *Descr. Egypte*, H.N., I., Annelides, 107, from “Rudolphi collect.”
- branchiostega Coryphaena, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 448.
- brandaris Murex, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 747; ed. 12, 1767, 1214.
- brandaris Purpura (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 143.—Murex.
- branderi Cimex, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 724.
- branderiana Caecilia, B. G. E. de Lacépède, *Hist. Nat. Poiss.* II. 1800, 134.
- branderiana Phalaena (Tortrix), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 531; ed. 12, 1767, 877.
- branderiana Pyralis (L.), J. C. Fabricius, *Suppl. Ent. Syst.*, 1798, 476.—Phalaena.
- Branta J. A. Scopoli, *Annus Hist. Nat.* I. 1769, 67 & Bemerk. *Naturg.* I. 1770, 73.—A.
- bresilia (*sic*) Tanagra, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 314.
- brasiliae Coluber, B. G. E. de Lacépède, *Quad. Ovip. &c.* II. 1789, 90.
- brasilianorum Apis, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 961.
- brasilianus Caprimulgus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 1031.
- brasilianus Cerambyx, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1860.
- brasiliana Certhia, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 474.

- braziliana Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181.
 brasiliana Loxia, P. Boddaert, Tabl. Planch. Enl. 1783, 19.
 brasiliana Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 848.
 brasilianus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
 brasiliana Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 564.
 brasilianus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1556.
 brasiliana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
 brasiliana Strix, F. M. Daudin, Traité élém. Orn. 1800, 220.
 brasiliana Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 94.
 brasiliana Tinamus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 224.
 brasiliana Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 3289.
 brasiliensis Acheta, J. C. Fabricius, Syst. Ent. 1775, 280.
 brasiliensis Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 450.
 brasiliensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 517.
 brasiliensis Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 239.
 brasiliensis Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
 brasiliensis Bufo, J. N. Laurenti, Syn. Rept. 1768, 26.
 brasiliense Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
 brasiliensis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.
 brasiliensis Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 98.
 brasiliensis Cordylus, J. N. Laurenti, Syn. Rept. 1768, 52.
 brasiliensis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
 brasiliensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 872.
 brasiliensis Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 517.
 brasiliensis Esox, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 93.
 brasiliensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 262.
 brasiliensis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
 brasiliensis Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 76.
 brasiliensis Gryllus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 634.—Acheta.
 brasiliensis Hystrix, P. Boddaert, Elench. 1785, 128.
 brasiliensis Icterus (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 343.—Oriolus.
 brasiliensis Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 125.
 brasiliensis Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 78.
 brasiliensis Lutra, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 316.
 brasiliensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
 brasiliensis Momotus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 299.
 brasiliensis Momotus, R. Kerr, Anim. Kingd. 1792, 618; & var. variegatus, 619.
 brasiliensis Mustela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 93.
 brasiliensis Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
 brasiliensis Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
 brasiliensis Oriolus *id. ac* brasilianus, Gm., J. Latham, Index Orn. 1790, 177.
 brasiliensis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 708.
 brasiliensis Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 84.
 brasiliensis Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 80.
 brasiliensis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 147.
 brasiliensis Rana (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1049.—Bufo.
 brasiliensis Sorex, J. C. P. Erxleben, Syst. Anim. 1777, 127.
 brasiliensis Sorex, E. A. W. Zimmermann, Spec. Zool. 1777, 502.
 brasiliensis Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 34.
 brasiliensis Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
 brasiliensis Tinamus, J. Latham, Index Orn. 1790, 633.
 brasiliensis Trochilus, J. Latham, Index Orn. 1790, 308.
 brasiliensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 831.
 brassicæ Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
 brassicæ Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 111.—Chrysomela.
 brassicæ Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 734.
 brassicæ Chrysomela, J. C. Fabricius, Mant. I. 1787, 78.
 brassicæ Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 437.

- brassicæ Dermestes, Scopoli, Ent. Carn. 1763, 17.
 brassicæ Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 34.
 brassicæ Nitidula (Scop.), L. G. Scriba, J. Lieb. Ent. II. 1790, 175.—Dermestes.
 brassicæ Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 225.—Phalaena.
 brassicæ Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 759.
 brassicæ Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
 brassicæ Staphylinus, Scopoli, Ent. Carn. 1763, 102.
 brassicaria Musca, J. C. Fabricius, Syst. Ent. 1775, 778.
 brassicaria Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 97.
 brassicaria minor Papilio, P. Forskal, Descr. Anim. 1775, xxiii [*n. n.*].
 brassicariae Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
 brassicaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 brassolis Papilio, J. C. Fabricius, Gen. Ins. 1777, 254.
 brattensburgensis Crania, A. J. Retzius, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 73.
 brecciaeformis Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796],
 Brechites J. E. Guettard, Mém. diff. Sci. III. 1770, 154.—Cor. [79].
 brehna [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 223.
 brennis [Sphinx], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 233.
 "Brenta" Brisson, 1760," Ag.; not used in generic sense.
 brenta Anas, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179-), 197.
 brentoides Rhinomacer, P. Rossi, Fauna Etrus. I. 1790, 135.
 Brentus J. C. Fabricius, Mant. I. 1787, 95.—Col.
 brasilica *v.* brasilia.
 brevicauda Didelphis, P. Boddaert, Elench. 1785, 77.
 brevicauda Ephemera, J. C. Fabricius, Ent. Syst. II. 1793, 69.
 brevicauda Formucarius (*sic*), P. Boddaert, Tab. Planch. Enl. 1783, 44.
 brevicauda Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 6.
 brevicaudata Didelphis, J. C. P. Erxleben, Syst. Anim. 1777, 80.
 brevicaudata Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 66.
 brevicandata (*sic*) Indri, E. Geoffroy, Mag. encyclop. I (1) 1796, 46.
 brevicandata Testudo, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
 breviceps Rana, J. G. Schneider, Hist. Amph. I. 1799, 140.
 brevicollis Cantharis, G. Paykull, Faun. Suec. I. 1798, 269.
 brevicollis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 150.
 brevicollis Galleruca, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 603.
 brevicollis Meloe, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 23.
 brevicollis Meloe, Hellwig in G. W. F. Panzer, Ins. Germ. heft 10, 1793, tab. 15.
 brevicollis Staphylinus, G. Paykull, Faun. Suec. III. 1800, 398.
 brevicornis Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 297.—Tipula.
 brevicorne Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 261.
 brevicorne Callidium (Fab.), A. G. Olivier, Entom. IV. 1795, 24.—Cerambyx.
 brevicornis Catops, G. Paykull, Faun. Suec. I. 1798, 346.
 brevicornis Cebrio, A. G. Olivier, Entom. II. 1790, 5.
 brevicornis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 169.
 brevicornis Cimex, J. C. Fabricius, Mant. II. 1787, 294.
 brevicornis Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
 brevicornis Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 96.—Megatoma.
 brevicornis Eucera, J. C. Fabricius, Suppl. Ent. Syst. 1798, 278.
 brevicornis Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
 brevicornis Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 551.—Tipula.
 brevicornis Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
 brevicornis Mantis, C. de Geer, Mém. Ins. VII. 1778, 620.
 brevicornis Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 95.
 brevicornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
 brevicornis Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 643. [Cyclops].
 brevicornis Scarabaeus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 62.
 brevicornis Tiphia, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 6.
 brevicornis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.

- brevicornis** *Truxalis* (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—*Gryllus*.
brevimanus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
brevipennis *Cimex*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 536.
brevipennis *Sphex*, J. C. Fabricius, Ent. Syst. II. 1793, 218.
brevipes *Aranea*, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 286.
brevipes Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 177.
brevipes *Lacerta*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 21.
brevipes Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 98.
brevipes *Scarabaeus*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 10.
brevipes *Staphylinus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
brevirostris *Anthrribus*, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 9.
brevirostris Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 130.
brevirostris *Bombylius*, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
brevirostris *Cicada*, C. de Geer, Mém. Ins. III. 1773, 203.
brevirostris *Curculio*, P. Rossi, Mant. Ins. I. 1792, 42.
brevis *Bostrichus*, G. W. F. Panzer, Deutsch. Ins. [1795], 288.
brevis *Bostrichus*, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 20.
breve *Buccinum*, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 64.
brevis *Cerambyx*, J. H. Sulzer, Gesch. Ins. 1776, 45.
brevis *Cerambyx*, C. de Villers, Linn. Ent. I. 1789, 257.
brevis *Cistela*, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 608.
brevis *Curculio id. ac abbreviatus*, L., A. G. Olivier, Ency. Méth. V (Ins.) 1790, 549.
brevis *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 127.
brevis *Elophorus*, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 141.
breve *Epitonium*, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
brevis *Fusus*, P. L. S. Müller, Del. Nat. I. 1766, 129.
brevis *Lygaeus*, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 8.
brevis *Musca*, P. Rossi, Fauna Etrus. II. 1790, 306.
brevis *Sylvicola*, M. Harris, Exp. Eng. Ins. 1776, 104.
briareus *Gorgonia*, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 93.
brigitta [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 82.
brigitta *Papilio*, S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799, 147.
brino [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 122.
briseis *Papilio* (*Nymphalis*), Linnaeus, Mus. Lud. Ulr. 1764, 276.
brissoides *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3200.—
brissoides *Spatangus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 251. [*Spatangus*.
brissoni *Loxia*, F. M. Daudin, Traité élém. Orn. 1800, 414.
Brissus A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 14.—Ech.
brissus *Spatangus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 246. *varr. maculosus*
 (247); *unicolor* (248); *oratus* (249); *latecarinatus* (249).
britannicum *Buccinum*, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
britannica *Pennatula*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 61.
brizae *Sphinx* (Fab.), E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1797], 27.
brocatella *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 284.
bromelia *Coccus*, J. S. Kerner, Nat. Coccus bromelia, 1778, 52.
bromeliae *Reduvius*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
bromius [Papilio], C. Stoll, Anhang. Cramer's Utitl. Kapellen, I. 1787, 37.
bromius *Tabanus*, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
bromnus *Tabanus err. pro bromius*, L., J. C. Fabricius, Mant. II. 1787, 355.
bromus [*Sphinx*], P. Cramer, Utitl. Kapellen, I (3) 1775, 56.
bromus *Zygaena* (Cram.), J. C. Fabricius, Gen. Ins. 1777, 276.—*Sphinx*.
bronchialis *Ascaris*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
bronchialis *Sertularia*, W. G. Tilesius, Verz. merkW. Seeprod. 1800, 6.
brongniardella *Tinea*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 496.
bronte [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 4.
bronte *Phalaena*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
brontes *Hesperia*, J. C. Fabricius, Ent. Syst. III (1) 1793, 335.
brontes *Papilio*, [Denis & Schiffermüller], Schmett. Wien, 1775, 160.

- brontes [Papilio], J. C. Fabricius, Mant. II. 1787, 87.
- brontes Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 53.
- Brontias N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 143.—Ech.
- brosme Gadus, O. F. Müller, Z. Dan. Prod. 1776, 41.
- brotea [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (27) 1780, 68.
- broteas [Papilio], P. Cramer, Utit. Kapellen, III (24) 1780, 161.
- broussonnetii Gobioides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.
- brownella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 80.
- brownii Atherina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1397.
- bruante Fringilla, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 164.
- bruchoides Bostrichus, P. Rossi, Fauna Etrus. I. 1790, 38.
- bruchoides Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 85.
- Bruchus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 163.—Col.
- Bruchus Linnaeus, Syst. Nat., ed. 12, 1767, 604.—Col.
- bructeri Carabus, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 4.
- bructeri Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 243.
- brucus Squalus, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 11.
- bruinii *v.* brunii.
- brumalis Alauda, J. A. Scopoli, Annus I. 1769, 129.
- brumalis Emberiza, J. A. Scopoli, Annus I. 1769, 145. [brumata, L.]
- brumaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (?) [1799–1800], 208.—
- brumaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 214.
- brumata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 191 [*n. et f.*].
- brumata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 874.
- brunella Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
- brunii Didelphis, J. C. D. Schreber, Säugth. III. 551 (1777), pl. cliii (1777).
- bruinii Didelphis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 230. [—Didelphis.]
- brunii Gerbua (Schr.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 686.
- brunneago Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 66.
- brunnearia Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 162.
- brunnearia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 325.
- brunnearia Phalaena Geometra (Thun.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
- brunneator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 222. [563.—G. brunneata.]
- brunneata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 9.
- brunneata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 88.
- brunneata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 201.
- brunneolus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
- brunneus Anguis, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 60.
- brunneus Anobium, A. G. Olivier, Entom. II. 1790, 8.
- brunneus Asilus, J. C. Fabricius, Mant. II. 1787, 359.
- brunnea Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 436.
- brunneus Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 190.
- brunnea Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
- brunnea Cassida, C. P. Thunberg, Ins. Suecica (8) 1794, 104.
- brunnea Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 81.
- brunnea Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 30.
- brunneus Cerambyx (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796,
- brunneus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196. [148.—Saperda.]
- brunnea Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162.
- brunnea Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 123.
- brunnea Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
- brunnea Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
- brunneus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 45.
- brunneus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2168.
- brunnea Cistela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 38.
- brunnea Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 114.
- brunneus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1108.
- brunnea Columba, J. Latham, Index Orn. 1790, 603.

- brunneus Conus, F. C. Meuschen, Mus. Gev. 1787, 366.
 brunnea Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 6.
 brunneus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.
 brunneus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 175.
 brunneus Curculio, G. W. F. Panzer, Ent. Tasch. 1795, 308.
 brunneus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
 brunnea Dytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [n. n.].
 brunneus Dytiscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 64.
 brunneus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
 brunneus Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 15.
 brunneum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [n. n.].
 brunnea Fasciola, O. F. Müller, Verm. terrest. I (2) 1774, 54.
 brunnea Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [n. n.]; Essai
 brunnea Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 94. [Fourmis, 1798, 41.
 brunnea Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [n. n.].
 brunneus Hister, J. C. Fabricius, Syst. Ent. 1775, 52.
 brunnea Lamia (Forst.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.—Cerambyx
 brunnea Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 90.—Crioceris, 1792. [brunneus.
 brunneus Lemur, H. F. Link, Beitr. Nat. I (2) 1795, 64.
 brunnea Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
 brunneus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 503.
 brunneus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
 brunnea Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 36.—Scarabaeus.
 brunneus Merops, J. A. Scopoli, Del. Insub. II. 1786, 90.
 brunnea Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.
 brunnea Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
 brunneus Mycetophagus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 21.
 brunnea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
 brunneum Opatrum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1634.
 brunneus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.
 brunnea Peltis (Thun.), G. Paykull, Faun. Suec. I. 1798, 340.—Cassida.
 brunnea Phalaena, Hufnagel, Berl. Mag. III. 1767, 396.
 brunnea [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 171.
 brunnea Phalaena [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
 brunnea Pimelia, A. G. Olivier, Entom. III. 1795, 14.
 brunnea Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
 brunnea Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
 brunneus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
 brunnea Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [n. n.].
 brunnea Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 316.
 brunneus Scarabaeus *err. pro* brunneus, Linnaeus, Amoen. Acad. VIII. 1771, 77.
 brunneus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
 brunneus Scarabaeus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] I (2) 1782, 138.
 brunnea Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 202.
 brunneus Staphylinus, G. Paykull, Mon. Staph. 1789, 63.
 brunnea Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99 [n. n.].
 brunneus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
 brunnea Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 517.
 brunneus Trox (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 401.—Melolontha.
 brunneus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 32.
 brunnea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 264.
 brunnichana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1787, 880.
 brunnichana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
 brunnichella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 898.
 brunnichii Aranea, J. A. Scopoli, Annus V. 1772, 125.
 brunnipipes Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 384.
 brunnipipes Cetonia, A. G. Olivier, Entom. I. 1789, 77.
 brunnipipes Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.

- brunnipes *Cryptocephalus*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 618.
 brunnipes *Curculio*, G. W. F. Panzer, Deutsch. Ins. [1795], 329.
 brunnipes *Curculio*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.
 brunnipes *Hirtea*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—*Tipula*, 1794.
 brunnipes *Paederus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 537.
 brunnipes *Staphylinus*, J. C. Fabricius, Spec. Ins. I. 1781, 336.
 brunnipes *Tenebrio*, J. C. Fabricius, Mant. I. 1787, 212.
 brunnipes *Tipula*, J. C. Fabricius, Ent. Syst. IV. 1794, 250.
 brunnirostris *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 404.
 brunnus *Cerambyx*, J. R. Forster, N. Sp. Ins. 1771, 37.
 brunnus *Scarabaeus*, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
 brunnus *Scarabaeus* (*Melolontha*), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1568.
 brunnus *Sesia* (*Cram.*), J. C. Fabricius, Spec. Ins. II. 1781, 155.—*Sphinx*.
 brunnus [*Sphinx*], P. Cramer, Utit. Kapellen, II (13) 1777, 81.
 brunsvicensis *Meloe*, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 25.
 brutia *Mutilla*, V. Petagna, Spec. Ins. ult. Calab. 1786, 33.
 bruttia *Buprestis*, V. Petagna, Spec. Ins. ult. Calab. 1786, 22.
 brutus [*Papilio*], P. Cramer, Utit. Kapellen, III (21) 1779, 82.
 brutus *Papilio*, J. C. Fabricius, Spec. Ins. II. 1781, 13.
 Bryaxis J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 580.—*Col.*
 bryonia *Lambis* (*Gm.*), J. F. Bolten, Mus. Bolten. (2) 1798, 67.—*Strombus*.
 bryonia *Strombus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
 bryorum *Apis*, J. C. Fabricius, Syst. Ent. 1775, 381.
 bryorum *Apis*, F. v. P. Schrank, Ins. Aust. 1781, 402.
 bubali *Pediculus id. ac bufali*, De G., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2916.
 bubalinus *Psittacus*, K. Kerr, Anim. Kingd. 1792, 577.
 bubalis *v. bubalus*.
 bubalis (*sic*) *Antilope*, P. S. Pallas, Spic. Zool. I. 1767, 12.
 bubalus *Antilope id. ac bubalis*, auct., B. Merrem, Anim. Scyth. 1781, 9.
 bubalis (*sic*) *Bos*, Linnaeus, Syst. Nat., ed. 10, 1758, 72; ed. 12, 1766, 99.
 bubalus *Bos*, R. Kerr, Anim. Kingd. 1792, 339.—*var. seminudus*, *anoa*, *guavera*.
 bubalus *africanus* *Bos*, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 92.
 bubalis (*sic*) *Cottus*, B. A. Euphrasen, K. Vet. Ac. Nya Handl. VII. 1786, 65.
 bubalus *Lucanus*, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 187.
 bubalus *Membracis*, J. C. Fabricius, Ent. Syst. IV. 1794, 14.
 bubastus [*Papilio*], C. Stoll in Cramer, Utit. Kapellen, IV (28) 1780, 84.
 bubastus [*Sphinx*], P. Cramer, Utit. Kapellen, II (13) 1777, 84.
 bubil *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
 bubo *Asio* (*L.*), J. C. Schaeffer, Mus. Orn. 1789, 10.—*Strix*.
 bubo *Noctua*, J. C. Fabricius, Syst. Ent. 1775, 591.
 bubo *Strix*, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 131.
 bubo *Strix*, R. Kerr, Anim. Kingd. 1792, 526.—*var. atheniensis*; *nudipes*; *variegata*.
 bubo *Strix*, F. M. Daudin, Traité élém. Orn. 1800; *varr. sinensis*; *capensis* (209); *albus*; *ludovicianus*; *magellanicus* (210).
 bubo *Strombus*, F. C. Meuschen, Mus. Gever. 1787, 292.
 bubo *Strombus*, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
 Bucardium P. Browne, Hist. Jamaica, ed. 2, 1789, 415.—*L.*
 buccae *Conops*, M. Harris, Exp. Eng. Ins. 1776, 71.
 "Buccardites Schroet. 1779," Herm.; not used in a generic sense.
 buccardium *Venus*, I. v. Born, Index Mus. Caes. Vind. 1778, 49.
 buccatus *Coluber*, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 377.
 buccata *Conops*, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1006.
 buccata *Musca*, Scopoli, Ent. Carn. 1763, 342.
 buccata *Myopa* (*L.*), J. C. Fabricius, Syst. Ent. 1775, 799.—*Conops*.
 buccatus *Oestrus*, J. C. Fabricius, Gen. Ins. 1777, 305.
 buccatus *Sicus* (*Linn.*), Scopoli, Ent. Carn. 1763, 369.—*Conops*.
 buccinator *Ardea* (*Gm.*), P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 110.
 buccinator *Hydrachna*, O. F. Müller, Z. Dan. Prod. 1776, 188.

- Buccinities** J. Gesner, Tract. Petref. 1758, 56.—G.
buccinoidea Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
"Buccinula Beuth, 1776"; Herm.; not used in a generic sense.
buccinulum Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109.
buccinulum Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [*n. n.*].
buccinulum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
Buccinum Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1196.—G.
Buccinum Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
Bucco M. J. Brisson, Ornith. IV. 1760, 92.—A.
Bucco Linnaeus, Syst. Nat., ed. 12, I. 1766, 168.—A.
bucco Corvus, G. A. Suckow, Naturg. II (1) 1800, 393.
"Buccodus Guett. 1774," Herm. ?*err. pro* Bunodus, *q. v.*—L.
[bucculentus Araneus, C. Clerck, Aran. Svec. 1757, 63.]
bucculentus Araneus, T. Martyn, Aranei, 1793, 29.
bucephala Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 200.
bucephala Apis, J. C. Fabricius, Ent. Syst. II. 1793, 339.
bucephala Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 571.—Phalaena.
bucephalus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
bucephala Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 276 (S 2).
bucephala Clythra, J. C. Fabricius, Suppl. Ent. Syst., 1798, 114.—**Cryptocephalus**, 1787.
bucephalus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 153.—**Scarabaeus**.
bucephalus **Cryptocephalus** (Schall.), J. C. Fabricius, Mant. I. 1787, 82.—**Chrysomela**.
bucephala Phalaena (Bombyx), Linnaeus, Faun. Suec. ed. 2, 1761, 295.—[P. (Noctua)
bucephala Phalaena (Bombyx), O. F. Müller, F. Ins. Frid. 1764, 40. [S.N. ed. 10].
bucephala Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 598.
bucephala Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
bucephalus Scarites, A. G. Olivier, Entom. III. 1795, 12.
bucephalus **Scarabaeus**, J. C. Fabricius, Syst. Ent. 1775, 24.
bucephalus **Tenebrio** (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1994.—
Buceros Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.—A. [Carabus.
bucida Carabus, P. S. Pallas, Reise Russ. III. 1776, 707.
budensis Cerambyx, G. F. Goetz, Naturforscher, XIX. 1783, 72.
bufali Pediculus, C. de Geer, Mém. Ins. VII. 1778, 68.
Buffo *v.* Bufo.
buffoni Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 277.
buffoni Macrotarsus, H. F. Link, Beytr. Nat. I (2) 1795, 66.
bufina Bufo (Müll.), J. P. Bonnaterre, Ency. Méth. (Exp.) 1789, 17.—Rana.
bufina Rana, O. F. Müller, Z. Dan. Prod. 1776, 35.
Bufo A. J. Roessel v. Rosenhof, Hist. Nat. Ranarum, 1758, 69.—Am.
Bufo J. N. Laurenti, Syn. Rept. 1768, 25.—Am.
Buffo B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.—Am.
bufo Bombyx, J. C. Fabricius, Mant. II. 1787, 121.
bufo Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 242.
bufo Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 165.
bufo Hepialus, J. C. Fabricius, Ent. Syst. III (2) 1794, 7.—Bombyx, 1787.
bufo Murex, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
bufo Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 354.
bufo Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
"Bufocephalus Gm. 1779," Scudd.; not used in a generic sense.
bufoides Rana, F. C. Meuschen, Mus. Gronov. 1778, 10.
bufonia Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
bufonis Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 11.
bufonis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3077.
"bufonites Ichthyolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
bufonius Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3195.
bufonius Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3534.
buggenhagii Cyprinus, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 137.
Bugo M. T. Brännich, Zool. Fund. 1772, 202.—Hym.

- bulatmai Cyprinus, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 6.
- Bulbocerus E. Acharius, K. Vet. Ac. Nya Handl. II. 1781, 246.—Col.
- bulbosa Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
- bulbul *v.* boulboul.
- Bulbus [G. Humphreys], Mus. Calonn. 1797, 31.—G.
- bulbus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 27.
- bulgarensis Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 70.
- bulgharensis Chrysomela, [Schrank sp.], J. C. Fabricius, Suppl. Ent. Syst. 1798, 88.
- Bulimus J. A. Scopoli, Intr. Hist. Nat. 1777, 392.—Moll.
- Bulimus A. G. Bruguère, Ency. Méth. (Vers) (1), 1789, xvi & 286.—G.
- Bulla Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.—G.
- Bulla O. F. Müller, Z. Dan. Prod. 1776, xxix & 242.—G.
- Bulla J. G. Bruguère, Ency. Méth. (Vers) (1) 1789, xvi.—G.
- Bulla *v.* Gryllus.
- bulla Bulla, E. M. da Costa, Brit. Conch. 1778, 30.
- bulla Bursaria, O. F. Müller, Z. Dan. Prod. 1776, 280.
- bulla Cyclidium, O. F. Müller, Verm. I (1) 1773, 49.
- bulla Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
- bulla Planorbis, O. F. Müller, Verm. II. 1774, 167.
- bulla Trichoda, O. F. Müller, An. Infus. 1786, 222.
- bulla Volvox, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3906.
- bullaris Ameiva (L.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
- bullaris Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
- bullata Akera, O. F. Müller, Z. Dan. Prod. 1776, 242.
- bullatus Carabus, F. v. P. Schrank, F. Boica, I. 1798, 623.
- bullatus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1172.
- bullatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 51.—Conus.
- bullata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
- bullata Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 16.
- bullata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 95.
- bullata Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3367.
- bullatus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1115.
- bullatus Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 38.
- bullata Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 205.
- bulliens Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 167.
- bullina Bursaria, O. F. Müller, An. Infus. 1786, 116.
- “Bullites Walch, 1768,” Herm.; not used in a generic sense.
- bullosa Voluta, C. U. v. Salis, Reise Neapel, 1793, 366.
- bulzanensis Prionus, J. N. Laicharting, Tyrol. Ins. II. 1784, 1.
- Bumbyx *v.* Bombyx, J. C. Fabricius, Gen. Ins. 1777, 277.
- Bunodus J. E. Guettard, Mém. diff. Sci. III. 1770, 76.—?L.
- buoliana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 230.—Tortrix.
- buoliana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
- buparia Pimelia (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2012.—Tenebrio.
- buparius Tenebrio, J. R. Forster, N. Sp. Ins. 1771, 61.
- Buphaga Linnaeus, Syst. Nat., ed. 12, I. 1766, 154.—A.
- Buphagus Moehring, Gesl. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 54.—A.
- Buphagus M. J. Brisson, Ornith. II. 1760, 437.—A.
- buphthalmi Musca, Linnaeus in Hasselquist, Palast. 1762, 471.
- buphthalmus Prionus, J. C. Fabricius, Ent. Syst. I (2) 1792, 246.
- buphthalmos Staphylinus, F. v. P. Schrank, Beitr. Nat. 1776, 72.
- bupleuraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 97.
- bupleuraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 8
- Buprestis Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.—Col. [*v. et f.*]
- Buprestoides J. C. Schaeffer, Elem. Entom. 1777, pl. 136.—Col.
- buprestoides Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
- buprestoides Blaps (Pall.), J. C. Fabricius, Ent. Syst. I (1) 1792, 107.—Tenebrio.
- buprestoides Carabus, Linnaeus, Syst. Nat., ed. 12, 1767, 670.

- buprestoides** Clytris (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 113.—Attelabus.
buprestoides Elater, Linnaeus, Faun. Suec., ed. 2, 1761, 209.
buprestoides Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 234.
buprestoides Melasis (L.), A. G. Olivier, Entom. II. 1790, 4.—Elater.
buprestoides Ptilinus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
buprestoides Scarabaeus, J. A. Scopoli, Bemerck. Naturg. II. 1781, 3. [490.—Spondylis.
buprestoides Spondylis (L.), J. C. Fabricius, Syst. Ent. 1775, 159.—Attelabus.
buprestoides Tenebrio, Scopoli, Ent. Carn. 1763, 82.
buprestoides Tenebrio, P. S. Pallas, Reise Russ. II. 1773, 719.
buprestoides Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 323.
buprestoides Tenebrio (L.), F. v. P. Schrank, Ins. Aust. 1781, 219.—Attelabus.
buprestoides Xylita (Fab.), G. Paykull, Faun. Suec. I. 1798, 249.—Elater.
burbonica *v.* **borbonica**.
buris Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
burmaniana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 164.
burmanniana Pyralis (Cram.), J. C. Fabricius, Mant. II. 1787, 226.—Phalaena.
Bursa J. F. Bolten, Mus. Bolten. (2) 1798, 128.—G.
bursa Alcyonium, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1295.
bursa Lamarckia, G. Olivi, Zool. Adriat. 1792, 258.
Bursaria O. F. Müller, Verm. I (1) 1773, 62.—Inf.
bursaria Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
bursaria Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 25.—Sertularia.
bursarius Mus, G. Shaw, Tr. Linn. Soc. [Lond.] V. 1800, 227.
bursaria Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 814; ed. 12, 1767, 1314.
bursata Leucophaea, O. F. Müller, An. Infus. 1786, 143.
bursata Vorticella, O. F. Müller, An. Infus. 1786, 257.
busarellus Falco, F. M. Daudin, Traité élém. Orn. 1800, 168.
buselaphus Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
busiris Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 345.
busirus [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 119.
buson Falco, F. M. Daudin, Traité élém. Orn. 1800, 168.
Busycon J. F. Bolten, Mus. Bolten. (2) 1798, 149.—G.
butanensis Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
Buteo Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 69.—A.
Buteo B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A.
buteo Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 9.—Falco.
buteo Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 127.
buteonis Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
buteonis Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.
buteonis Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 23.
buteonis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3054.
buteonis Pediculus, J. C. Fabricius, Gen. Ins. 1777, 309.
butes Papilio, C. Clerck, Icones, II. 1764, pl. xlvi.
butes Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 794 [=arcus, *q. v.*].
butskopf Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 25.
butus [Sphinx], P. Cramer, Utitl. Kapellen, II (13) 1777, 88.
butus Sphinx, J. C. Fabricius, Mant. II. 1787, 98.
butus Zygaena, J. C. Fabricius, Mant. II. 1787, 105.
butyracea Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 321.
butyracea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 304.
buxi Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
buxi Scatopse, A. F. de Fourcroy, Ent. Paris. 1785, 503.
buxi Tipula, F. v. P. Schrank, Ins. Aust. 1781, 433.
buxi Tipula, C. de Villers, Linn. Ent. III. 1789, 399.
buxtus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
bynni Cyprinus, P. Forskal, Descr. Anim. 1775, 71.
byringerana Phal. Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
byringerana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 61 [*n. et f.*].

- byrron Ramphastos, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 82.
 byrrhinus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 42.
 Byrrhus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 108.—Col.
 Byrrhus Linnaeus, Syst. Nat., ed. 12, 1767, 568.—Col.
 byssifera Mya, O. Fabricius, F. Groen. 1780, 408.
 byssina Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 21.
 byssinus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 Byturus P. A. Latreille, Préc. Car. Ins. 1796, 69.—Col.
 byzas [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 79.
 byze [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 79.
 byzenus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 8.
- caballus Equus, Linnaeus, Syst. Nat., ed. 10, 1758, 73; ed. 12, 1766, 100.
 caballus Equus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 210; *varr. ferus*,
 cabaret Fringilla, P. L. S. Müller in Linn. Syst. Nat. Suppl. (1776), 165. [domesticus].
 Cabestana J. F. Bolten, Mus. Bolten. (2) 1798, 130.—G.
 cabiai Mus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 40.
 cabrilla Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 488.
 cacaliae Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 317.
 cacao Bruchus, J. C. Fabricius, Syst. Ent. 1775, 64.
 cacao Macrocephalus (Fab.), A. G. Olivier, Entom. IV. 1795, 15.—Bruchus.
 cacatotol Fringilla *id. ac* catotol, Gm., J. Lathau, Index Orn. 1790, 453.
 "Cacatua Briss. 1760," Ag.; not used in a generic sense.
 cachinnans Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 128.
 cachinnans Tetrao, A. J. Retzius in Linnaeus, F. Suec. 1800, 210.
 cachrus Papilio, J. C. Fabricius, Mant. II. 1787, 78.
 cachrys Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 306.
 Caecius B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
 caecius Cetonia, A. G. Olivier, Entom. I. 1789, 8.
 cacti Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 584.
 cacti Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 742.
 cactus Madrepora, P. Forskal, Descr. Anim. 1775, 134.
 cacta Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 116.
 cacuminata Medusa, A. Modeer, K. Vet. Ac. Nya Handl. XII. 1791, 255.
 cacus [Sphinx], P. Cramer, Utitl. Kapellen, I (4) 1775, 73.
 cadaverinus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 55.
 cadaverina Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
 cadaverina Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
 cadaverinus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 113.
 cadaverina Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
 cadaverum Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
 cadaverum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 512.
 cadiga Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
 cadma [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 32.
 cadmus [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 33.
 cadmus Scarabaeus, A. G. Olivier, Entom. I. 1789, 43.
 Cadus J. F. Bolten, Mus. Bolten. (2) 1798, 150.—G.
 Caecilia Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.—R.
 Caecilia B. G. E. de Lacépède, H. N. Poiss. II. 1800, 134.—P.
 cecilia Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 348.
 caecilia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 34.
 caecimacula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
 coecimacula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 565.—Noctua.
 caecimaculana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 27
 Caecula M. Vahl, Skr. nat. Selsk. [Copen.] III (2) 1794, 149.—P. [n. et f.].
 caeculus Tabanus, O. F. Müller, Z. Dan. Prod. 1776, 180.

[caecus]—

- coeca Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 190.
 caecus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1104.
 coecus Curculio, G. C. Reich, Mant. Ins. 1797, 12.
 coeca Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 25.
 coecus Elater, J. C. Fabricius, Gen. Ins. 1777, 234.
 coecus Gastrobranchus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 67.
 caecus Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 45.—Elater.
 coecus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 112.
 caeca Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 245; ed. 12, 1766, 426.
 coeca Nais, O. F. Müller, Z. Dan. Prod. 1776, 219.
 caeca Nereis, O. Fabricius, F. Groen. 1780, 304.
 caecus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 245.
 caeca Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
 coecutiens Apis, J. C. Fabricius, Syst. Ent. 1775, 387.
 caecutiens Sorex, E. Laxmann, Nova Acta Ac. Sci. Petrop. III. 1788, 285.
 caecutiens Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
 caedemadens Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
 caedemadens Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
 caelatum Buccinum, T. Martyn, Univ. Conch. III. [1789], fig. 94.
 caelatus Cerambyx, A. G. Olivier, Entom. IV. 1795, 99.
 caelata Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Trochus.
 caelata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.
 caelata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [n. n.].
 caelatus Scarabaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 435.
 caelatus Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 8.
 caelatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.

[caelebs]—

- coelebs Cimex, J. C. Fabricius, Syst. Ent. 1775, 711.
 coelebs Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 318.
 coeleps (*sic*) Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 26.—Fringilla.
 [coelebs Phalaena (B), MS.], T. Martyn, Psyche, 1797, fig. 25.
 caelebs Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 21.
 caelebs Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
 coelestinus Curculio, Scopoli, Ent. Carn. 1763, 31.
 coelestina [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 107.
 coelestis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 427.
 coelestis Saperda, R. Townson, Trav. Hungary, 1797, 469.
 caelibare Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
 caelipeta Alauda, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
 caelodioon Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
 Coelogaster F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 303.—Hym.
 coelogaster Leucospis, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785,
 coelum-pensile Medusa, A. Modeer, K. Vet. Ac. Nya Handl. XII. 1791, 106. [344]
 coelus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 102.
 caementaria Aranea, P. A. Latreille, Mem. Soc. H. N. Paris, 1799, 121.
 caementarius Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 208.
 coementaria Sphex, D. Drury, Ill. Nat. Hist. I. 1770, index & 105.
 caeneus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 766.—ceneus, 1764.
 caeneus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 796.
 caenea [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 27.
 caenguru *v.* kanguru.
 caenis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 33.

[caepa]—

- cepa Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
 cepa Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
 cepa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
 caepa Echionoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.

- cepa Fenestella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 193.—Anomia.
 cepa Helix, O. F. Müller, Verm. II. 1774, 74.
 cepae Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 421.
 Caepola G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
 caerulans Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 225.—Gryllus.
 caerulans Chrysomela, L. G. Schriba, J. Lieb. Ent. III. 1791, 286.
 caerulans Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.—Cryptocephalus.
 coerulans Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 143.
 caerulans Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 12, 1767, 701.
 caerulata Libellula, D. Drury, Ill. Nat. Hist. III. 1782, index & 75.
 coerulata Patella, E. M. da Costa, Brit. Conch. 1778, 7.
 coerulata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.
 caeruleana (*sic*) Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 74.
 coeruleator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
 caeruleipenne Acrydium, C. de Geer, Mém. Ins. III. 1773, 473.
 coeruleipennis Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
 caeruleocephala Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 449. [culio.
 caeruleocephalus Attelabus (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Cur-
 caeruleocephala Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 572.—Phalaena.
 caeruleocephala Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 18.
 caeruleocephala Columba, J. Latham, Index Orn. 1790, 610.
 caeruleocephalus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 282.
 caeruleocephala Melolontha, A. G. Olivier, Entom. I. 1789, 36.
 caeruleocephalus Merops, J. Latham, Index Orn. 1790, 274.
 caeruleocephala Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 95. [1767, 826.
 caeruleocephala Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 504; ed. 12,
 caeruleocephalus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
 caeruleocephalus Rhynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797,
 130, sign. I 1.—Attelabus.
 caeruleo-maculata Libellula, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 58.
 caeruleopennis Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.
 caeruleoophthalmica Musca, Scopoli, Ent. Carn. 1763, 331.
 caeruleo-punctatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 94.
 caeruleo-striata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 343.
 caeruleo-violacea Chrysomela, C. de Geer, Mém. Ins. V. 1775, 316.
 caerulescens Acridium (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 264.—Gryllus.
 caerulescens Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 12.—Necydalis.
 caerulescens Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 198.
 caerulescens Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Apis.
 caerulescens Anser, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 114.
 caerulescens Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955.
 caerulescens Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
 caerulescens Ardea, J. Latham, Index Orn. 1790, 690.
 caerulescens Astacus, J. C. Fabricius, Syst. Ent. 1775, 414.
 caerulescens Baphia, F. C. Meuschen, Mus. Gever. 1787, 472.
 caerulescens Buprestis, Scopoli, Ent. Carn. 1763, 65.
 caerulescens Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 27. [Astacus.
 caerulescens Cancer Fabr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2986.—
 caerulescens Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
 caerulescens Cerambyx (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 144.—Leptura.
 caerulescens Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 257.
 caerulescens Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
 caerulescens Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 389.
 caerulescens Coluber, F. C. Meuschen, Mus. Gronov. 1778, 13.
 caerulescens Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
 caerulescens Corvus, L. Bosc, Mag. encyclop. 1796, II (5), 26.
 caerulescens Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.
 caerulescens Curculio, Scopoli, Ent. Carn. 1763, 29.
 caerulescens Dermestes, Scopoli, Ent. Carn. 1763, 18.

- caerulescens Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
caerulescens Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
caerulescens Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
caerulescens Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
caerulescens Lacerta (Laur.), J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 46.—Seps.
caerulescens Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 95; ed. 12, 1766, 134.
coerulescens Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 191.
caerulescens Leptura, Scopoli, Ent. Cam. 1763, 49.
coerulescens Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
caerulescens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 960.
caerulescens Musca, C. de Villers, Linn. Ent. III. 1789, 464.
caerulescens Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 77.—Coluber.
coerulescens Necydalis (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis coerulea.
caerulescens Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 716.
caerulescens Salmo, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 65 [n. n.].
coerulescens Saperda (Scop.), J. N. Laicharting, Tyrol. Ins. II. 1784, 45.—Leptura.
coerulescens Saperda (Schrank), J. A. Frolich, Naturforscher, XXVII. 1793, 145.—
coerulescens Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 189. [Cerambyx].
caerulescens Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 171.
caerulescens Sylvia (Gm.), J. Latham, Index Orn. 1790, 520.—Motacilla.
coerulescens Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 321.
coerulescens Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 373.
coerulescens Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 108.
caerulescens Vipera, J. N. Laurenti, Syn. Rept. 1768, 101.
caerulea Aedemera (L.), A. G. Olivier, Entom. III. 1795, 13.—Necydalis.
caerulea Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 454.
caerulea Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
cerulea Anguis, J. N. Laurenti, Syn. Rept. 1768, 71.
caeruleum Anobium, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 10.
coeruleum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 123.
caerulea Apis, C. de Villers, Linn. Ent. III. 1789, 319.
caerulea Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 238.
coeruleus Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
caerulea Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 91.
caerulea Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 218.
caerulea Buprestis, A. G. Olivier, Entom. II. 1790, 21.
caeruleus [Buprestis], Giorna, Cal. Ent. 1791, 84.
caerulea Buprestis, P. Rossi, Mant. Ins. I. 1792, 62.
caeruleum Callitricoderma, J. X. Poli, Test. Sicil. II. 1795, 259.
caerulea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 650.
caerulea Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—Cucujus.
coerulea Cantharis, Giorna, Cal. Ent. 1791, 113.
caeruleus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
caeruleus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 299.
caeruleus Cerambyx, A. G. Olivier, Entom. IV. 1795, 33.
caerulea Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 185.
caerulea Certhia, A. Sparman, Mus. Carls. IV. 1789, no. lxxxii.
coerulea Cetonina, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 19.
coerulea Chrysis, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 66.
caerulea Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
caerulea Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 718.
coerulea Cicindela, P. S. Pallas, Reise Russ. II. 1773, 724.
caeruleus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 722.
coeruleus Cistela, J. C. Fabricius, Mant. I. 1787, 85.
caeruleus Clerus, C. de Geer, Mém. Ins. V. 1775, 164.
coerulea Coccinella, [D. H. Schneider], Nom. Ent. 1785, 8 [n. n.].
caeruleus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 377.
coerulea Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.

- caeruleus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 30.
 caerulea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 776.
 caerulea Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 380.
 coerulea Coryphaena, G. Edwards in M. Catesby, Carol. II. 1771, Cat. 1.
 coerulea Coryphaena, M. E. Bloch, Nat. ausl. Fische, II. 1786, 148.
 coeruleus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 92.
 coeruleus Cryptocephalus *id. ac* coeruleans, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 81.
 caeruleus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 616.
 coeruleus Cucuius, J. C. Fabricius, Mant. I. 1787, 166.
 caeruleus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
 caeruleus Curculio, C. de Geer, Mém. Ins. V. 1775, 251.
 caeruleus Curculio (Fourc.), C. de Villers, Linn. Ent. IV. 1789, 288.—Rhinomacer.
 caeruleus Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
 coeruleus Dasys (Fab.), G. Paykull, Faun. Suec. II. 1799, 157.—Lagria.
 caeruleus Dermestes (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1594.—
 caerulea Donacia, J. J. Zschach, Mus. Lesk. 1788, 27. [Anobium].
 caerulea Donacia, A. G. Olivier, Entom. IV. 1795, 10.
 coeruleus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 111.
 caerulea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 876.
 caeruleus Falco, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 503.
 coerulea Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 167.
 caerulea Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.
 coerulea Galeruca, G. Paykull, Faun. Suec. II. 1799, 97.
 caeruleus Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 537.
 caerulea Gracula, J. A. Scopoli, Del. Insub. II. 1786, 88.
 caeruleus Grillus, C. Allioni, Misc. Taurin. III. 1766, 190.
 coeruleus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 79.
 coerulea Helops (L.), J. C. Fabricius, Syst. Ent. 1775, 257.—Tenebrio.
 coerulea Hispa, J. C. Fabricius, Syst. Ent. 1775, 70.
 caeruleus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 339.—Oriolus.
 coeruleus Labrus, P. Ascanius, Icon. II. 1772, 5.
 coerulea Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.
 caerulea Leptura, J. A. Scopoli, Annus V. 1772, 102. [Donacia].
 caerulea Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—
 caerulea Libellula, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 90.
 caerulea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 306.
 caerulea Madrepora (Pall.), E. J. C. Esper, Pflanzenth. Forts. I (1) 1794, 3.—Millepora.
 caeruleus Malacopteryx, J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].
 coerulea Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
 caerulea Melolontha, A. G. Olivier, Entom. I. 1789, 36.
 coerulea Melolontha (Dru.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 121.—
 caeruleus Melyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46. [Scarabaeus].
 caerulea Melyris (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 308.—Lagria.
 caeruleus Mergus, J. Latham, Index Orn. 1790, 833.
 coerulea Millepora, P. S. Pallas, Elench. 1766, 256.
 coeruleus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
 caerulea Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 337. [Cyclops].
 caerulea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
 caerulea Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
 caerulea Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1086.
 caeruleus Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
 caeruleus Notoxus, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 102.
 coeruleus Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
 caeruleus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393.
 caeruleus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 341.
 caerulea Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
 caerulea Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—
 caerulea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33. [Tenebrio].

- caerulea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
caeruleus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
caeruleus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 314.
caeruleus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 357.
caerulea Rana, G. Shaw in White, Journ. N. S. W. 1790, 248.
coeruleus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 114.
caeruleus Rhinomacer, V. Petagna, Spec. Ins. ult. Calab. 1786, 14.
caereuleus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 59.
caeruleus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1557.
caeruleus Scarabaeus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1582.—
caeruleus Seps, J. N. Laurenti, Syn. Rept. 1768, 63. [Cetonia].
caeruleus Sorex, R. Kerr, Anim. Kingd. 1792, 207.
caerulea Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
coeruleus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 164.
caerulea Sylvia (L.), J. Latham, Index Orn. 1790, 540.—Motacilla.
caerulea Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 891.
caeruleus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 76.—Cantharis.
caeruleus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 677.
coerulea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
caeruleus Telephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
caeruleus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
caeruleus Trochilus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
caerulea Trogossita, A. G. Olivier, Entom. II. 1790, 6.
caeruleus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
caerulea Upupa, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
caesar Chrysis, J. L. Christ, Nat. Ins. 1791, 397.
caesar Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 340.
caesar Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
caesar Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
caesarea Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 93.
caesareus Staphylinus, J. Cederhielm, F. Ingric. 1798, 335.
caesarina Musca, Scopoli, Ent. Carn. 1763, 327.
caesiata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
caesiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 275 [*n. et f.*].
caesiella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 64.
“Caesio Lacép. 1800,” Ag.; is 1802.
caesio Musca, M. Harris, Exp. Eng. Ins. 1776, 75.
“Caesiomorus Lacép. 1800,” Ag.; is 1802.
caesia Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
caesius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
caesia Musca, P. Rossi, Fauna Etrus. II. 1790, 310.
caesia Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
caesia Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
caesia Phalaena Noctua (D. & S.), M. B. Borkhausen, Ent. eur. Schmett. IV. 1792, 279.
caesia Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36. [—Noctua].
caespitosa Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1278.
caespitum Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 963.
caesus Aphodius (Creutz.), J. Sturm, Verz. Ins. Samml. 1800, 57.—Scarabaeus.
caesus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 40.
caesus Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 2.
caetata Cochlea, T. Martyn, Univ. Conch. IV. [1792], fig. 137.
cafer *v.* caffer.
[caffer]—
caffra Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 959.
caffer Bos, A. Sparrman, K. Vet. Ac. Handl. XL. 1779, 79.
caffra Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
cafer Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1825.
caffer Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58

- caffra* (*sic*) *Certhia*, Linnaeus, Mant. II. 1771, 525.
caffra *Certhia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 484 [*v. supra*].
caffra *Cicada*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
caffra *Cimex*, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 59.
caffra *Coracias*, Linnaeus, Syst. Nat., ed. 10, 1758, 107; ed. 12, 1766, 159.
cafer *Corvus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 9.
caffer *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
cafer *Cuculus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 14.
caffer *Curculio*, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 42.
cafer *Curculio*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 475.
cafer *Dermestes*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1598.
cafer *Dipus* (Pall.), P. Boddaert, Elench. 1785, 115.—Mus.
cafer *Glis*, G. C. C. Storr, Prod. 1780, 39.
cafer *Gryllus* (*Locusta*), Linnaeus, Mus. Lud. Ulr. 1764, 148.
caffra *Loxia*, C. P. Thunberg, K. Vet. Ac. Nya Handl. V. 1784, 288.
cafer *Merops*, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.
caffra *Motacilla*, Linnaeus, Mant. II. 1771, 527.
cafer *Mus*, P. S. Pallas, N. sp. Quad. II. 1779, 87.
caffra *Otis*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 36.
caffra *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
caffra *Phalaena*, D. Drury, Ill. Nat. Hist. III. 1782, index & 5.
cafer *Picus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 431.
cafer *Psittacus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 6.
cafer *Rynchophorus* (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 28.—*Curculio*.
cafer *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1678.
caffra *Scolopax*, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin, 1792), 22.
caffra *Simia*, J. M. Bechstein in Pennant, Uebers. 4ftüss. Thiere, II. 1800, 663.
caffra *Sitta*, A. Sparrman, Mus. Carls. I. 1786, no. iv.
caffra *Sphinx*, Linnaeus, Mus. Lud. Ulr. 1764, 362.
caffra *Sphinx*, E. J. C. Esper, Die Schmett. II. 1781, 152.
caffra *Sylvia* (L.), J. Latham, Index Orn. 1790, 514.—*Motacilla*.
cafer *Turdus*, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
caffra *Vespa*, Linnaeus, Syst. Nat., ed. 12, 1767, 951.
caffrum *Vexillum* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 139.—*Voluta*.
caffra *Viverra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 85.
caffra *Voluta*, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1192.
caffra *Zygaena* (L.), J. C. Fabricius, Syst. Ent. 1775, 551.—*Sphinx*.
caffra *v. caffer*.
caffraria [*Phalaena*], P. Cramer, Uitl. Kapellen, II (13) 1777, 82.
[*caffraria*] *Phalaena* (*Geometra*), Linnaeus, Mus. Lud. Ulr. 1764, 393.
caffraria *Phalaena* (*Geometra*), Linnaeus, Syst. Nat., ed. 12, 1767, 865.
caffrella *Apis*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
caffrella *Apis*, Holthuysen, D. H. Schneider, Verz. Parthei Ins. 1800, 21.
[*caffrensis*]—
caffrensis *Tantalus*, H. Lichtenstein, Cat. rerum Nat. I. 1793, 31.
caffrum *v. caffer*.
caffra *v. caffer*.
caffrensis *v. caffrensis*.
cagennensis *v. cayennensis*.
cahirinus *Coluber*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1115.
caïca *Psittacus*, J. Latham, Index Orn. 1790, 128.
caicus [*Sphinx*], P. Cramer, Uitl. Kapellen, II (11) 1777, 42.
caijensis *v. cayensis*.
[*caius*]—
caja *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 581.—*Phalaena*.
cajus *Hesperia* (Cr.), J. C. Fabricius, Syst. Ent. III (1) 1793, 296.—*Papilio*.
caia *Libellula*, D. Drury, Ill. Nat. Hist. II. 1773, index & 82.
cajus [*Papilio*], P. Cramer, Uitl. Kapellen, II (13) 1777, 80.

- caja Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 819.
 [c]aja Phalaena (B.) MS., T. Martyn, Psyche, 1797, figs. 57 & 63.
 cajus Sphinx, P. Cramer, Uitl. Kapellen, II (13) 1777, 80.
 caja *v.* caius.
 cajaneus }
 cajeneus } *v.* cayaneus.
 cajennensis *v.* cayennensis.
 cajeta [Phalaena], P. Cramer, Uitl. Kapellen, I (3) 1775, 48.
 cajetanus Chiton, J. X. Poli, Test. Sicil. I. 1791, xvii.
 cajopolin *v.* cayopolin.
 cajus *v.* caius.
 calabra Phalaena, V. Petagna, Spec. Ins. ult. Calab. 1786, 38.
 calabrararia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 49
 calabrararia Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 92. [*n. et f.*].
 calais [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 84.
 [calamariensis]—
 calmariensis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 600.
 calamariensis Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 119.—Chrysomela.
 calmariensis Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 1719.—Chrysomela.
 calmariensis Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 23.—Chrysomela.
 calamariensis Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 430.
 calamaris Cidaris (Pall.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 115.—Echinus.
 calamaris Echinus, P. S. Pallas, Spic. Zool. X. 1774, 31.
 calamaris Tubularia, P. S. Pallas, Elench. 1766, 81.
 calamaria Anguis (Linn.), J. N. Laurenti, Syn. Rept. 1768, 68.—Coluber.
 calamarius Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
 calamarius Echinus=calamaris, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 calamis Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 13. [3173].
 Calamita J. G. Schneider, Hist. Amph. I. 1799, 151.—R.
 calamita Bufo, J. N. Laurenti, Syn. Rept. 1768, 27 & 119.
 calamita Bufo, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
 Calamites J. E. Guettard, Mém. diff. Sci. II. 1770, 404.—Cor.
 calamitosa Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 32.
 calamoxenus Turdus, C. Nozeman in Nozeman & Houuttuyn, Ned. Vogel. II. (178—), 97.
 calamus Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 13.
 calamus Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis, 1793.
 “Calandra Schell.” Ag.; *v.* Calendra.—Col.
 calandra Alauda, Linnaeus, Syst. Nat., ed. 12, 1766, 288.
 calandra Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 176.
 calandre (*sic*) Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
 calandrotte Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
 Calao Bonnatte, Ency. Méth. (Orn.) I. 1790, lxxxviii.—A.
 Calappa F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
 Calappa J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 10.—Cr.
 calappa Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
 calappoides Cancer (*ex* Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
 C-album Curculio, Scopoli, Ent. Carn. 1763, 32.
 c-album Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
 C-album Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 778.
 C-album Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 288.
 calcar Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
 calcar Buccinum, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 10.
 calcar Curculio, J. C. Fabricius, Mant. I. 1787, 110.
 calcar Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1162.
 calcar Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 calcar Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 55.
 calcar Trochus (L.), F. C. Meuschen, Mus. Gev. 1787, 288.—Turbo.

- calcar Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1234.
- calcarata Apis, Scopoli, Ent. Carn. 1763, 301.
- calcarata Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 46.
- calcaratus Bucco, J. Latham, Index Orn. 1790, 206.
- calcarata Buprestis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 310. [Stenocorus.
- calcaratus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
- calcaratus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
- calcaratus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 109.
- calcaratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 420.
- calcaratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 485.
- calcarata Fringilla, P. S. Pallas, Reise Russ. II. 1773, 710.
- calcarata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 19.
- calcaratus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 52.
- calcaratus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 111.
- calcarata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 347.
- calcaratus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 162.—Cimex.
- calcarata Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 133.
- calcaratus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
- calcaratus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 551.
- calcaratus Scaurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 42.
- calcaratus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
- calcaratus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 301.
- calcarata Testudo, J. G. Schneider, Samml. verm. Abh. 1784, 317.
- calcareus Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 328.—Helix.
- calcareo Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 402.
- calcareo Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
- calcareo Millepora, P. S. Pallas, Elench. 1766, 265.
- calcareo Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 186.
- calcareo Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
- calcareum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
- calcarifer Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 100.
- calcar-longum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 50.
- calcar mediterraneo Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
- calicator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- calcatrippa Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
- calcatrippae Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 71.
- calceata Apis, Scopoli, Ent. Carn. 1763, 301.
- calceata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 427.
- calceatus Crabro, P. Rossi, Mant. Ins. II. 1794, 122.
- Calceola Lamarck, Mem. Soc. H. N. Paris, 1799, 89.—Cor.
- calchas [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 26.
- calcitrans Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004.
- calcitrans Empis (L.), Scopoli, Ent. Carn. 1763, 368.—Conops.
- calcitrans Musca (L.), M. Harris, Exp. Eng. Ins. 1776, 141.—Conops.
- calcitrans Stomoxys (L.), J. C. Fabricius, Syst. Ent. 1775, 798.—Conops.
- calcographus *v.* chalcographus.
- calculator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
- caledonica Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 626.
- caledonicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 634.
- caledonicus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 367.
- caledonica Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
- caledonicus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
- Calendra J. R. Schellenberg, Helvet. Entom. I. 1798, 62.—Col.
- “Calendula Briss. 1760,” Waterh.; not used in a generic sense.
- calendula Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 7.
- calendula Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
- calendula Madrepora, J. Hermann, Naturforscher. XVIII. 1782, 122.
- calendula Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 337.

- calendula Sylvia (L.), J. Latham, Index Orn. 1790, 549.—Motacilla.
 calens Chrysis, J. C. Fabricius, Spec. Ins. I. 1781, 455.
 calens Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
 calens Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
 calens Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 1000.
 calfat Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
 calibatus Attelabus, R. Townson, Trav. Hungary, 1797, 473.
 caliciformis *v.* calyciformis.
 "Calidris Briss. 1760," Waterh.; not used in a generic sense.
 Calidris G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.].—A.
 calidris Charadrius, Linnaeus, Syst. Nat., ed. 12, 1766, 255.
 calidris Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
 calidris Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 245.
 calidris Sylvia (L.), J. Latham, Index Orn. 1790, 543.—Motacilla.
 calidris Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
 calidus Asilus, J. C. Fabricius, Mant. II. 1787, 358.
 calidus Carabus, J. C. Fabricius, Syst. Ent. 1775, 237.
 calidus Cimex, J. C. Fabricius, Mant. II. 1787, 292.
 calidus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 285.
 calidus Falco, J. Latham, Index Orn. 1790, 41.
 calida Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 28.
 calida Meloe, P. S. Pallas, Icon. Ins. 1782, 85.
 calida Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
 californianus Vultur, G. Shaw, Nat. Misc. IX. 1797, pl. 301.
 californicus Tetrao, G. Shaw, Nat. Misc. IX. 1798, pl. 345.
 caliginosata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 387.
 caliginosa Bombyx, E. J. C. Esper, Die Schmett. III (26) 1786, 323.
 caliginosus Carabus, J. C. Fabricius, Syst. Ent. 1775, 240.
 caliginosus Curculio, J. C. Fabricius, Syst. Ent. 1775, 137.
 caliginosa Lamproyris, A. G. Olivier, Entom. II. 1790, 20.
 caliginosa Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
 caliginosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 284.
 Caligus O. F. Müller, Entom. 1785, 128.—Cr.
 calipso *v.* calypso.
 calipyga Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 55.
 Calirrhoe *v.* Callirrhoe.
 caliscertula Lacerta, J. P. Bonnaterre, Ency. Méth. (Exp.) 1789, 47.
 caliste Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
 calisto [Papilio], P. Cramer, Util. Kapellen, I (2) 1775, 37.
 Callaeas J. R. Forster, Ench. 1788, 35.—A.
 Callaeas Bonnaterre, Ency. Méth. (Orn.) I. 1790, xci.—A.
 Callarias (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 583.—P.
 callarias Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 436.
 Callichthys L. T. Gronovius, Zooph. I. 1763, 127.—P.
 callichthys Callichthys, F. C. Meuschen, Mus. Gronov. 1778, 39.
 callichthys Loricaria (L.), G. A. Suckow, Naturges. IV. 1799, 655.—Silurus.
 callichthys Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 506.
 Callidium J. C. Fabricius, Syst. Ent. 1775, 187.—Col.
 callidus Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 386.
 callida Dorippe, F. Weber, Nomen. Fabricii, 1795, 93.
 callidus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 193.
 callida Motacilla, B. S. Barton, Frag. N. H. Pennsyl. 1799, 12.
 calligrapha Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 172.
 calligrapha Phal. Noct., J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [n. et f.].
 Calliodon Gron. *v.* Callyodon.
 Calliomorus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 343.—P.
 Callionymus Linnaeus, Syst. Nat., ed. 10, 1758, 249; ed. 12, 1766, 433.—P.
 calliope Motacilla, P. S. Pallas, Reise Russ. III. 1776, 697.

- calliope *Papilio* (*Heliconius*), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 755.
- calliope *Turdus* (Pall.), J. Latham, Index Orn. 1790, 331.—*Motacilla*.
- Calirrhoe (*sic*) J. G. Meigen, N. Class. Mouches, 1800, 39.—*Dip*.
- calirrhoe *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 473.
- Callista J. X. Poli, Test. Sicil. I. 1791, Introd. 30.—A generic term applied to the fleshy
- Callistoderma J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—L. [parts of certain *Veneres*.
- callitheia [*?Papilio*, Cram.] *v.* C. C. Jung, Alph. Verz. Schmett. 1791, 96.
- Callithrix J. C. P. Erxleben, Syst. Anim. 1777, 55.—M.
- Callitriche J. X. Poli, Test. Sicil. I. 1791, Introd. 32.—A generic term applied to fleshy
"Callitrichus Poli, 1791," Herm.; see *Callitriche*. [parts of *Mytili*, etc.
- Callitricoderma J. X. Poli, Test. Sicil. II. 1795, 254 & 259.—L.
- Callitrix G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [*n. n.*].—M.
- Callorynchus L. T. Gronovius, Zooph. I. 1763, 31.—P.
- callorynchus *Callorynchus*, F. C. Meuschen, Mus. Gronov. 1778, 19.
- callorhynchus *Chimaera*, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402.
- callosa *Apis*, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
- callosa *Cassis*, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
- callosus *Musca*, M. Harris, Exp. Eng. Ins. 1776, 61.
- callosus *Solen*, G. Olivi, Zool. Adriat. 1792, 98.
- callosus *Trochus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
- callycopis [*Papilio*], P. Cramer, Uitl. Kapellen, II (16) 1777, 143.
- Callyodon L. T. Gronovius, Zooph. I. 1763, 72.—P.
- callyodon *Perca*, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 354.
- calmar- *v.* *calamar-*.
- calodactyla *Alucita*, [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
- calodactylus *Pterophorus* (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—*Alucita*.
- "*Calohymus* Thun. 1789," Ag.; see *Calolymus*.
- caloitium *Trichoda* *err. pro calvitium*, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
- Calolymus C. P. Thunberg, Peric. Ent. 1789, 10.—*Col*. [1790, 3886.
- Calopodium J. F. Bolten, Mus. Bolten. (2) 1798, 166.—L.
- Calopus J. C. Fabricius, Syst. Ent. 1775, 182.—*Col*.
- calotes *Iguana* (Linn.), J. N. Laurenti, Syn. Rept. 1768, 49.—*Lacerta*.
- calotes *Lacerta*, Linnaeus, Syst. Nat., ed. 10, 1758, 207; ed. 12, 1766, 367.
- calthae *Chermes*, Linnaeus, Faun. Suec., ed. 2, 1761, 263.
- calthae *Dermestes*, Scopoli, Ent. Carn. 1763, 18.
- calthella *Alucita*, J. C. Fabricius, Mant. II. 1787, 256.
- calthella *Phalaena* (*Tinea*), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
- calthella *Tinea* (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—*Phalaena*.
- calumniator *Coccus*, J. C. Fabricius, Ent. Syst. IV. 1794, 131.
- calvaria *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 71. [168.—*Noctua*.
- calvarialis *Phalaena* *Noctua* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- calviger *Pyralis*, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
- calviger *Scarabaeus* *err. pro claviger*, Fabr., J. C. Fabricius, Mant. I. 1787, 4.
- calvipalpis *Phalaena*, Scopoli, Ent. Carn. 1763, 213.
- calvitium *Kerona*, O. F. Müller, An. Infus. 1786, 245.—*Trichoda*, 1773.
- calvitium *Trichoda*, O. F. Müller, Verm. I (1) 1773, 89.
- calva *Amia*, Linnaeus, Syst. Nat., ed. 12, 1766, 500.
- calvus *Corvus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
- calvus *Curculio*, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 55.
- calvus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 46.
- calva *Gracula*, Linnaeus, Syst. Nat., ed. 12, 1766, 164.
- calva *Mutilla*, C. de Villers, Linn. Ent. III. 1789, 343.
- calva *Mutilla*, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 10.
- calvus *Tantalus*, P. Boddaert, Tab. Planch. Enl. 1783, 52.
- calvus *Tantalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 649.
- calvus *Turdus*, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- calvus *Vultur*, J. A. Scopoli, Del. Insub. II. 1786, 85.
- calybia *Buprestis*, C. de Villers, Linn. Ent. I. 1789, 339.

- calycanthata* Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 207.
calyciflorus Brachionus, P. S. Pallas, Elench. 1766, 93.
caliciformis Asilus *err. pro* culiciformis, Fabr. 1775, J. C. Fabricius, Mant. II. 1787, 361.
caliciformis Spongia, E. J. C. Esper, Pflanzenth. Forts. I (8) 1797, 202.
calycina Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1030.
calycinus Notoxus, G. W. F. Panzer, Ins. Germ. heft 3, 1793, tab. 3.
calycularis Astroides (Pall.), J. E. I. Walch, Naturforscher, V. 1775, 49.—Madrepora.
calycularis calyculata Madrepora, P. S. Pallas, Elench. 1766, 318.
calyculata Cardita (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 408.—Chama.
calyculata Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1138.
calyculata Gorgonia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 95.
calyculatus Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 428.—Chama.
calyculatum Limnaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Chama.
calydonius Carabus (Ross.), J. C. Fabricius, Ent. Syst. I (1) 1792, 144.—Scarites.
calydonius Scarites, P. Rossi, Fauna Etrus. I. 1790, 228.
calipso Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 91.
calypso Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 30.
Calyptra [G. Humphreys], Mus. Calonn. 1797, 5 [*n. n.*].—G.
calyptra Patella, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 18.
Calyptraea Lamarck, Mem. Soc. H. N. Paris, 1799, 78.—G.
camaena [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 12.
cambayae Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
cambayae Muscicapa, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
cambayensis Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 779.
cambaiensis Muscicapa, J. Latham, Index Orn. 1790, 490.
cambaiensis Perdix, J. Latham, Index Orn. 1790, 655.
cambaiensis Sylvia, J. Latham, Index Orn. 1790, 554.
cameleon *v.* chameleon.
cameli Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
camelina Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
camelinus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
camelina Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 832.
camellifolia Locusta, J. C. Fabricius, Syst. Ent. 1775, 283.
camellii Mytilus, G. Shaw, Nat. Misc. IX. 1797, pl. 315.
camellinum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [*n. n.*].
Camellus *v.* Camelus, G. I. Molina, Sag. stor. nat. Chili, 1782, 313.
camelogigas Sirex, J. L. Christ, Nat. Ins. 1791, 411.
Camelopardalis J. C. D. Schreber, Säugth. IV (40, 41) 1784, pl. 255 [*n. et f.*].—M.
Camelopardalis P. Boddaert, Elench. 1785, 133.—M.
camelopardalis Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 92.
camelopardalis Giraffa, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 125.
Camelus Linnaeus, Syst. Nat., ed. 10, 1758, 65; ed. 12, 1766, 90.—M.
camelus Copris (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 44.—Scarabaeus.
camelus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 406.
camelus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 560.—[Sirex, ed. 12.]
camelus Lucanus, A. G. Olivier, Entom. I. 1789, 22.
camelus Scarabaeus, J. C. Fabricius, Mant. I. 1787, 13.
camelus Sirex, Linnaeus, Faun. Suec. ed. 2, 1761, 397.
camelus Struthio, Linnaeus, Syst. Nat., ed. 10, 1758, 155; ed. 12, 1766, 265.
camelus Trichoda, O. F. Müller, Verm. I (1) 1773, 80.
Camerina J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xvi.—Rh.
camerta [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 10.
camertus [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 53.
camillifolia Gryllus (Locusta) (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—Locusta camellifolia.
camilla Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 172.
camilla Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 304.

- camilla* Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780],
camillus [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 20. [50.]
camilla [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 8.
camillus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 11.
caminator Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
camoena Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 16.
 "Campana v. Phelsum, 1774," Ag.; does not occur: a latinization by Leske in Klein, 1778,
 but not used in a generic sense.
campanella Medusa, G. Shaw, Nat. Misc. VI. 1795, pl. 196.
campanella Turdus, J. Latham, Index Orn. 1790, 359.
campanicus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
campaniformis Sphecx (Fab.), J. L. Christ, Nat. Ins. 1791, 312.—Vespa.
campaniformis Vespa, J. C. Fabricius, Syst. Ent. 1775, 371.
campanisona Rana, J. N. Laurenti, Syn. Rept. 1768, 30 & 133.
campanula Medusa, O. Fabricius, F. Groen. 1780, 366.
campanula Tubularia, *id. ac* campanulata, L., J. F. Maratti, Plant. Zooph. Med. 1776, 21.
campanulae Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
campanulae Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 90.—Curculio.
campanulator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
campanulatus Brachionus, P. S. Pallas, Elench. 1766, 97.
campanulata Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817.
campanulata Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1303.—Hydra, 1758.
campanulata Vorticella, G. Adams, Ess. Micr. 1787, 449.
campechiensis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
campechiense Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 191.
campechiensis Pholias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
campechiensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
campella Phal. Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [*n. cf.*].
campella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judge 1796], 28.
campestris Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 75.
campestris Acheta (L.), J. C. Fabricius, Syst. Ent. 1775, 281.—Gryllus.
campestris Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
campestris Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 48.
campestre Callidium, A. G. Olivier, Entom. IV. 1795, 65.
campestris Carabus, J. Sturm in D. H. Hoppe, Ent. Taschenbuch, 1797, 248 [*n. n.*].
campestris Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 602.
campestris Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.
campestris Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
campestris Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 48.
campestris Croceris (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 188.—Chrysomela.
campestris Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1723.
 —Chrysomela.
campestris Cuniculus, F. A. A. Meyer, Mag. Thiergesch. I (1) 1790, 52. *varr.* domesticus, angorensis, argenteus, russicus, dauricus (Lepus, Erx.) 53; and brasiliensis (Lepus, Erx.) 54.
campestris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 36.
campestris Fringilla, F. v. P. Schrank, F. Boica, I. 1798, 181.
campestris Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 695.
campestris Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 94.—Chrysomela.
campestris Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex.
campestris Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 226.—Vespa,
campestris Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 15. [1787].
campestris Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
campestris Passer, J. C. Schaeffer, Mus. Orn. 1789, 25.
campestris Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
campestris Sylvia (L.), J. Latham, Index Orn. 1790, 544.—Motacilla.
campestris Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
campestris Vespa, Linnaeus, Faun. Suec., ed. 2, 1761, 417.

- campestris* Vespa, J. C. Fabricius, Mant. Ins. I. 1787, 291.
campoliliana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
Campsirus H. F. Link, Beytr. Nat. I (2) 1795, 52.—M.
Campulotus J. E. Guettard, Mém. diff. Sci. III. 1770, 94.—G.
campyloceros Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
Kampylodon O. Fabricius, Skr. nat. Selsk. [Copen.] IV (2) 1798, 22.—P.
campyloperus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 499.
 “*Campylotus* Guett. 1786,” Herm.; *v.* *Campulotus*.
camtschatk- *v.* *kamtschatk-*.
camulus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 41.
cana v. canus.
canace Papilio, Linnaeus, Amoen. Acad. VI. 1763, 406.
canace Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
canadensis Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 198.
canadensis Anser, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 114.
canadensis Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 234.
canadensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 284.
canadensis Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
canadensis Dipus, T. Davies, Tr. Linn. Soc. [Lond.] IV. 1798, 157.
canadensis Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88.
canadensis Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 157.
canadensis Fringilla, J. Latham, Index Orn. 1790, 434.
canadensis Glis, J. C. P. Erxleben, Syst. Anim. 1777, 363.
canadensis Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
canadensis Lanius, J. Heckewelder, Trans. Amer. Phil. Soc. IV. 1799, 126.
canadensis Leptura, A. G. Olivier, Entom. IV. 1795, 8.
canadensis Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 304.
canadensis Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334, no. 27.
canadensis Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 336, no. 42.
canadensis Mus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 490.
canadensis Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
canadensis Mustela, J. C. D. Schreber, Säugth. III. 492 (1777), pl. cxxxiv (1776).
canadensis Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 173.
canadensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 437.
canadensis Sitta, Linnaeus, Syst. Nat., ed. 12, 1766, 177.
canadensis Sylvia (L.), J. Latham, Index Orn. 1790, 539.—*Motacilla* (42).
canadensis Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 274.
canadensis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
canadensis Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
canadensis Vespertilio, E. A. W. Zimmermann, Spec. Zool. 1777, 457.
canadus Gasterosteus, Linnaeus, Syst. Nat., ed. 12, 1766, 491.
canalicularis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 142.
canalicularis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
canaliculatus B [ipes], B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
canaliculatus Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 191.
canaliculatum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—*Murex*.
canaliculatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
canaliculata Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1185.
canaliculata Buprestis, P. S. Pallas, Icon. Ins. 1782, 65.
canaliculata Buprestis, J. C. Fabricius, Mant. I. 1787, 181.
canaliculatum Busycon (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 149.—*Murex*.
canaliculata Cassida, J. N. Laicharting, Tyrol. Ins. I. 1781, 109.
canaliculata Cassidea, J. G. Břuguière, Ency. Méth. (Vers) (2), 1792, 423. [Prionus.
canaliculatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.—
canaliculatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 497.
canaliculata Cetonina, A. G. Olivier, Entom. I. 1789, 69.
canaliculatus Chaetodon, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 33.
canaliculata Cicada, C. de Villers, Linn. Ent. I. 1789, 472.

- canaliculatus* Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40 [*n. n.*].
canaliculatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 471.
canaliculatus Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
canaliculata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
canaliculata Eurychora (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI.
canaliculatus Helops, J. C. Fabricius, Mant. I. 1787, 213. [1798, 116.—Helops.
canaliculatus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.
canaliculatus Lygus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.
canaliculatus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1222.
canaliculata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
canaliculatum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 42.
canaliculata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [*n. n.*]. [1785, 336.
canaliculata Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI.
canaliculata Pimelia (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.
canaliculatus Prionus, J. C. Fabricius, Mant. I. 1787, 130. [—Helops.
canaliculata Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 144.
canaliculatus Serropalpus (Fabr.), Illiger in Kugelann, Käfer Preuss. 1798, 127.—Helops.
canaliculatus Staphylinus, J. C. Fabricius, Mant. I. 1787, 221.
canaliculata Synchrona, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
canaliculatus Tenebrio (Fabr.), C. de Villers, Linn. Ent. IV. 1789, 361.—Helops. [405.
canaliculatus Trochus, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 32.
canaliculatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
canaliculatus Turbo, J. Hermann, Naturforscher, XVI. 1781, 52.
canaliculatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
canaliculata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 672.
canaliculata Vorticella, O. F. Müller, Verm. I (1) 1773, 104.
canaliculus Mytilus, T. Martyn, Univ. Conch. II [1788], fig. 78.
canaliculus Mytilus (*ex* Mart.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3363.
canalis Bruchus, J. F. Gmelin, *err. pro.* analis, Fab.
“Canalites, Vogel, 1762,” Herm.; not used in a generic sense.
canalium Spongia, J. S. Schroeter, Naturforscher, XXIII. 1788, 149.
canariensis Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65. [*n. n.*]
canarium Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 336.—Strombus.
canaria Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 321.
canarium Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
canaria Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65 [*n. n.*].
canarius Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 27.—Fringilla.
canaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 99.
canaria Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 524.
canarium Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
Cancellaria Lamarck, Mem. Soc. H. N. Paris, 1799, 71.—G.
cancellata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
cancellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.
cancellatus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
cancellatus Carabus, Illiger in Kugelann, Käfer Preuss. 1798, 154.
cancellatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
cancellata Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 30.—Buccinum.
cancellata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
cancellata Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—Venus.
cancellata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450. [Cryptoccephalus.
cancellata Chrysomela (Gm.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62.—
cancellata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
cancellatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 712.
cancellatus Cryptoccephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.
cancellata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
cancellatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
cancellata Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
cancellata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.

- cancellata* Mantis, J. C. Fabricius, Syst. Ent. 1775, 276.
cancellata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
cancellatus Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
cancellatus Murex, D. L. G. Karsten, Mus. Lesk. I. 1789, 266.
cancellatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
cancellata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [n. n.].
cancellata Nerita, J. Hermann, Naturforscher, XVI. 1781, 56.
cancellata Patella, F. C. Meuschen, Mus. Gever, 1787, 240.
cancellata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
cancellatus Phalaropus (Gm.), J. Latham, Index Orn. 1790, 777.—Tringa.
cancellatus Phalaropus, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 60.
cancellata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.
cancellata Serpula, O. Fabricius, F. Groen. 1780, 383.
cancellata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1622.
cancellatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 162.
cancellata Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1297.
cancellatus Strombus, J. F. Bolten, Mus. Bolten. (2), 1798, 98.
cancellata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
cancellata Thiara, J. F. Bolten, Mus. Bolten. (2), 1798, 109.
cancellata Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 675.
cancellatus Turbo, E. M. da Costa, Brit. Conch. 1778, 104.
cancellata Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1130.
cancellata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
cancellata Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1191.
Cancellus G. Edwards, in M. Catesby, Carol. II. 1771, 33.—Cr.
cancellus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 94. [125.—Oniscus.
cancellus Cancer (Gammarellus), (Pall.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793,
cancellus Gammarus (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 516.—Oniscus.
cancellus Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 52.
Cancer Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.—Cr.
cancharus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1053.
cancharus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2), 1792, 66.
“*cancri* Entomolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 160.
cancriformis Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.
cancriformis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 165.
cancriformis Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 272.
cancriforme Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
cancrivorus Campsiurus, H. F. Link, Beytr. Nat. I (2), 1795, 87. [222.
cancrivora Didelphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 108.
cancrivorus Ursus, G. Cuvier, Tab. Elém. 1798, 113.
cancrivora Viverra, Al. Brongniart, Actes Soc. H. N. Paris, I (1), 1792, 115.
Cancroides C. de Geer, Mém. Ins. VII. 1778, 297.—Ar.
cancroides Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616.—[Phalangium, ed. 12.]
cancroides Chelifer, A. F. de Fourcroy, Ent. Paris. 1785, 526.
cancroides Lucanus, J. C. Fabricius, Mant. I. 1787, 2.
cancroides Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 177.
cancroides Obiscum (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 501.—Scorpio.
cancroides Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.
cancroides Scorpio (L.), J. C. Fabricius, Syst. Ent. 1775, 400.—Phalangium.
Cancroma Linnaeus, Syst. Nat., ed. 12, 1766, 233.—A.
Cancroma B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
“*Cancrophagus* Briss. 1760,” Waterh.; not used in a generic sense.
cancrophaga Alcedo, J. Latham, Index Orn. 1790, 249.
cancrophaga Cancroma, Linnaeus, Syst. Nat., ed. 12, 1766, 233.
candaon [Papilio], J. A. B. Bergstrasser, Ic. Pap. I. 1779, 5.
candelabraria Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 405.
candelabrum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2179.
candelaria Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.

- candelaria Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 703.—Cicada, 1758.
- candelaria Laternaria, Linnaeus, Mus. Lud. Ulr. 1764, 153.
- candelsequa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.
- candelsequa Phalaena Noctua, J. Hübner, Vögel u. Schmett. 1793, 11 [*n. et f.*].
- candelsequa Phalaena Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 39.—Noctua.
- candens Buprestis, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 9.
- candens Chrysis, J. D. Preyßler, in Mayer's Samml. Phys. Aufsätze, I. 1791, 136.
- candens Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
- candens Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
- candicans Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 275; *var. islandicus*.
- candicans Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
- candidae Scarabaeus, V. Petagna, Spec. Ins. ult. Calab. 1786, 3.
- candidana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 245.
- candidaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 101 [*n.*].
- candidatus Curculio, P. S. Pallas, Reise Russ. I. 1771, 462. [*et f.*].
- candidata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
- candidata Geometra, C. de Villers, Linn. Ent. IV. 1789, 513.
- candidata Phalaena, J. C. Fabricius, Mant. II. 1787, 215. [327.—Geometra.
- candidata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
- candidissima Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 633.
- candidissimus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 86.
- candidissima Nerita, C. U. v. Salis, Reise Neapel, 1793, 380.
- candidissima Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3709.
- candidissima Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
- candidulus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 82.
- candidula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
- candidula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- candida Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231. [196.—Noctua.
- candida Alca, M. T. Brännich, Orn. Boreal. 1764, 26.
- candida Arca, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 129.
- candida Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311.
- candida Bombyx, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
- candidum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 257.
- candidum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
- candidus Cancer, G. Olivi, Zool. Adriat. 1792, 51.
- candidus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.—
- candidus Cerastes, J. N. Laurenti, Syn. Rept. 1768, 83. [Saperda.
- candidus Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
- candidus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
- candidus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 130.
- candidus Corax, F. M. Daudin, Traité élém. Orn. 1800, 226.
- candida Corone, F. M. Daudin, Traité élém. Orn. 1800, 229.
- candidus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50 [*n. n.*].
- candidus Curculio, J. C. Fabricius, Syst. Ent. 1775, 146.
- candidus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 83.
- candida Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
- candida Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3266.
- candidus Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 214.
- candida Empis, P. Rossi, Fauna Etrus. II. 1790, 335.
- candidus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
- candida Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
- candida Fasciola, O. F. Müller, Verm. I (2) 1774, 71.
- candida Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.
- candida Fringilla, A. Sparman, Mus. Carls. I. 1786, no. xx.
- candida Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3616.
- candidus Hemerobius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 202.
- candidus Himantopus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 24.

- candidus Julus, O. F. Müller, Z. Dan. Prod. 1776, 201.
 candida Leucophra, O. F. Müller, An. Infus. 1786, 153.
 candida Melolontha, A. G. Olivier, Entom. I. 1789, 15.
 candidus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
 candidus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3528. [Cypris.
 candidus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
 candida Natrix, J. N. Laurenti, Syn. Rept. 1768, 74.
 candida [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 82.
 candidus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
 candida Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
 candidus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1111.
 candidus Picus, B. C. Otto in Buffon, Natg. Vögel, XXIII. 1796, 191.
 candida Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
 candida Salamandra, J. N. Laurenti, Syn. Rept. 1768, 41.
 candida Saperda, J. C. Fabricius, Mant. I. 1787, 147.
 candida Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 247.
 candida Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 607.
 candida Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
 candida Tringa, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179—), 267.
 candida Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
 candiope [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 78.
 candidatum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
 candybus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 78.
 Canellus W. Hayes, Nat. Hist. Brit. Birds, 1775, 7 [? *err. pro Vanellus*].—A.
 canella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 canente [Phalaena], P. Cramer, Uitl. Kapellen, III (21), 1779, 98.
 canescens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
 canescens Bombylius, J. C. Mikán, Mon. Bomb. 1796, 54.
 canescens Cantharis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 302.
 canescens Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 460.
 canescens Curculio, P. Rossi, Mant. Ins. I. 1792, 40.
 canescens Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 240.
 canescens Gryllus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
 canescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
 canescens Larus, Linnaeus in Hasselquist, Palast. 1762, 325.
 canescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
 canescens Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2536.
 canescens Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 668.
 canescens Sphex, J. A. Scopoli, Del. Insub. II. 1786, 66.
 canescens Sylvia, J. Latham, Index Orn. 1790, 553.
 canescens Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
 canescens Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
 cangura (canguru) v. kanguru.
 canicula Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
 canicula Vorticella, O. F. Müller, An. Infus. 1786, 300.
 caniculae Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 10.
 canicularis Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 454.
 canicularis Musca, M. Houttuyn, Nat. Hist. I (12) 1768, 506.
 canicularis Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
 canicularis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 323.
 canicularis Scarabaeus, J. A. Scopoli, Annus V. 1772, 77.
 canidia Papilio (Dan.), A. Sparrman in Linn. Amoen. Acad. VII. 1769, 504.
 canina Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
 canina Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 373.
 caninus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (1) 1782, 78.
 canina Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 16.
 canina Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 107.
 caninus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 467.

- canina* Musca, J. C. Fabricius, Spec. Ins. II. 1781, 440.
caninum Myrmeleon, J. C. Fabricius, Ent. Syst. II. 1793, 94.
canina Noctua, J. C. Fabricius, Ent. Syst. III (2), 1794, 43.
caninus Squalus, P. Osbeck, Reise Ost-Indien China, 1765, 102.
canina Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 23.
canina Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1324.
Canis Linnaeus, Syst. Nat., ed. 10, 1758, 38; ed. 12, 1766, 56.—M.
canis Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 7.
canis Pediculus (De G.), C. de Villers, Linn. Ent. IV. 1789, 33.—*Ricinus*.
canis Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 202.
canis-familiaris Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 184.
canis-marinus Squalus, P. Forskal, Descr. Anim. 1775, x.
canis-volans Vespertilio, J. F. Blumenbach, Hand. Naturg., ed. 2, 1782, 73.
canitia [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 28.
Canix v. *Canis*, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App. 223.—M.
cannabina Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 255.—*Fringilla*.
cannabina Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
cannabina Musca, Scopoli, Ent. Carn., 1763, 344.
cannabina Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 272.
cannabis Ichneumon, Scopoli, Ent. Carn. 1763, 288.
cannelletto Serpula, G. Olivi, Zool. Adriat. 1792, 195.
canonicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 749.
canonicus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
canora Certhia, J. A. Scopoli, Del. Insub. II. 1786, 90.
canorus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 168.
canorus Cuculus, J. C. Schaeffer, Mus. Orn. 1789, 45.—*varr.* junior & rufus.
canorus Falco, C. P. Thunberg, De Falcone canoro, 1799.
canora Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
canora Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 896.
canorus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 293.
canrena Cochlis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 146.—*Nerita*.
canrena Natica (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 77.—*Nerita*.
canrena Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1251.
canthabriensis Scolopax, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
cantans Gryllus, J. C. Fuessly, Schweiz. Ins. 1775, 23.
cantans Loxia, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1788, 859.
cantans Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 20.
cantans Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 247.
cantans Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
cantatar Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
cantator Ichneumon, C. de Geer, Mém. Ins. VII. 1778, 594.
cantatrix Muscicapa, Bartram, B. S. Barton, N. H. Pennsylv. 1799, 18.
cantatrix Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 271.
cantharellus Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 685.
“*Cantharidium* Linn. 1759,” Ag.; does not occur.
cantharinum Callidium, J. C. Fabricius, Spec. Ins. II. 1781, 500.
cantharinus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 637.
cantharinus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
cantherina Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 95.—*Cerambyx*.
cantharinum Rhagium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 93.
Cantharis Linnaeus, Syst. Nat., ed. 10, 1758, 400; ed. 12, 1767, 647.—*Col*.
Cantharis E. L. Geoffroy, Hist. Ins. I. 1762, 339.—*Col*.
cantharoides Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 165.—*Crioceris*.
cantharoides Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
cantharoides Cryptocephalus (F.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
cantharoides Elater, A. G. Olivier, Entom. II. 1790, 36. [—*Crioceris*.]
cantharoides Leptura, Scopoli, Ent. Carn. 1763, 49.
cantharoides Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 108.

- cantharoides *Necydalis*, F. v. P. Schrank, *Ins. Aust.* 1781, 167.
- Cantharus J. F. Bolten, *Mus. Bolten.* (2) 1798, 132.—G.
- cantharus *Sparus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 280; ed. 12, 1766, 470.
- canthus *Papilio* (*Danaus*), Linnaeus, *Syst. Nat.*, ed. 12, 1767, 768.
- cantiaica *Sterna*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 606.
- cantilenosus *Murex*, F. C. Meuschen, *Mus. Gever.* 1787, 326.
- cantillans *Certhia*, J. Latham, *Index Orn.* 1790, 299.
- cantillans *Motacilla*, A. Vroeg, *Catal. Vogel.* 1764, Adumb. 4.
- cantonensis *Cyprinus*, P. Osbeck, *Reise Ost-Ind. China*, 1765, 155.
- cantonensis *Fringilla*, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, 9 [*n. n.*].
- cantor *Cerambyx* (*Fab.*), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1829.—*Lamia*.
- cantor *Lamia*, J. C. Fabricius, *Mant. I.* 1787, 142.
- cantor *Turdus*, E. Pontoppidan, *Danske Atlas*, I. 1763, 627 [*n. n.*].
- cantor *Turdus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 837.
- cana *Anas*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 510.
- cana *Apis*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2791.
- cana *Aranea*, O. F. Müller, *Z. Dan. Prod.* 1776, 194.
- cana *Ardea*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 643.
- canus *Chaetodon*, G. S. Volta, *Itt. Veron.* (2) [circa 1800], cclxx.
- canus *Coluber*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 221; ed. 12, 1766, 382.
- cana *Columba*, J. R. Forster in Latham & Davies, *Faun. Ind.*, ed. 2, 1795, 10 [*n. n.*].
- canus *Curculio*, J. F. W. Herbst in Fuessly, *Arch. Ins. V.* 1784, 73.
- cana *Fringilla*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 920.
- canus *Larus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 136; ed. 12, 1766, 224.
- cana *Loxia*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 175; ed. 12, 1766, 305.
- cana *Motacilla*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 973.
- canus *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 114.
- cana *Muscicapa*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 940.
- cana *Neritaeformis*, F. C. Meuschen, *Mus. Gever.* 1787, 276.
- cana *Phalaena*, Scopoli, *Ent. Carn.* 1763, 236.
- cana *Phalaena Noct.*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2580.
- canus *Picus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 434.
- canus *Psittacus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 350.
- [cana *Sphinx*, MS.], T. Martyn, *Psyche*, 1797, fig. 46.
- cana *Sylvia* (*Gm.*), J. Latham, *Index Orn.* 1790, 543.—*Motacilla*.
- canus *Tetrao*, A. Sparrman, *Mus. Carls. I.* 1786, no. xvi.
- canusina *Tellina*, F. C. Meuschen, *Mus. Gever.* 1787, 458.
- “Canutus *Briss.* 1760,” *Waterh.*; not used in a generic sense.
- canutus *Tringa*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 149; ed. 12, 1766, 251.
- caouana *Testudo*, B. G. E. de Lacépède, *Quad. Ovip. &c. I.* 1788, *Syn. méth.*
- capanea [Papilio], P. Cramer, *Uitl. Kapellen*, III (20) 1779, 74.
- caparoch *Strix*, P. L. S. Müller in *Linn. Syst. Nat.*, *Suppl.* (1776), 69.
- capelanus *Gadus*, B. G. E. de Lacépède, *Hist. Nat. Poiss. II.* 1800, 366.
- capella *Vanellus*, J. C. Schaeffer, *Mus. Orn.* 1789, 49.
- capensis *Acheta*, J. C. Fabricius, *Syst. Ent.* 1775, 281.
- capensis *Alauda*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 288.
- capensis *Alauda*, P. Boddaert, *Tab. Planch. Enl.* 1783, 45.
- capensis *Alcedo*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 180. [drica, var. capensis, Pall.]
- capensis *Amphitrite*, J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 55.—*v. Nereis cylin-*
- capensis *Anas*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 527.
- capense *Anobium*, C. P. Thunberg, *Nov. Ins. Spec.* (1) 1781, 9.
- capense *Anobium*, J. C. Fabricius, *Mant. II.* 1787, 378.
- capensis *Anomia*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3347.
- capensis *Ascalaphus*, J. C. Fabricius, *Spec. Ins. I.* 1781, 400.
- capensis *Blatta*, C. P. Thunberg, *Nov. Ins. Spec.* (4) 1784, 76.
- capensis *Blennius*, J. R. Forster in Levaillant, *Erste Reise Afrika* (*Berlin*, 1792), 21 [*n. n.*].
- capensis *Bombylius*, Linnaeus, *Mus. Lud. Ulr.* 1764, 423.
- capensis *Bombyx* (*L.*), J. C. Fabricius, *Syst. Ent.* 1775, 562.—*Phalaena*.

- capensis Bucco, Linnaeus, Syst. Nat., ed. 12, 1766, 168.
- capensis Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 49.
- capensis Cantharis (L.), C. de Geer, Mém. Ins. VII. 1778, 648.—Meloe.
- capensis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
- capensis Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 336.
- capensis Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 278.
- capensis Cavia, P. S. Pallas, Misc. Zool. 1766, 30.
- capensis Cerambyx, Linnaeus, Mus. Lud. Ulr. 1764, 74.
- capensis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
- capensis, var. melanura Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 473.
- capensis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 46.—Scarabaeus.
- capensis Chameleo, J. P. Bonnatere, Ency. Méth. (Erp.), 1789, 32.
- capensis Chrysochloris, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
- capensis Cicada, Linnaeus, Mus. Lud. Ulr. 1764, 158.
- capensis Cicindela, Linnaeus, Mus. Lud. Ulr. 1764, 84.
- capensis Cicindela, C. de Villers, Linn. Ent. IV. 1789, 332.
- capensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2158.
- capensis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 16.
- capensis Coccus, Linnaeus, Amoen. Acad. VI. 1763, 401.
- capensis Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 31.
- capensis Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 842.
- capensis Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
- capensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 286.
- capensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.
- capensis Cuculus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 90.
- capensis Curculio, Linnaeus, Mus. Lud. Ulr. 1764, 59.
- capensis Dermestes (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1598.—
- capensis Elephas, G. Cuvier, Mém. Inst. [Paris], II (1798), 21. [Anobium.
- capensis Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 310.
- capensis Felis, J. R. Forster, Phil. Trans. LXXI (1) 1781, 4.
- capensis Felis, G. Shaw in Miller, Cim. Phys. 1796, 76.
- capensis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
- capensis Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—Acheta.
- capensis Gyrinus, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 27.
- capensis Gyrinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
- capensis Helops, J. C. Fabricius, Ent. Syst. IV. 1794, 440.
- capensis Hirudo, A. Sparrman, Resa till Goda Hopps-Udden, I. 1783, 701.
- capensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1019.
- capensis Hispa, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 66.
- capensis Hyaena, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 675.
- capensis Hyrax (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 166.—Cavia.
- capensis Hyrax (Pall.), J. C. D. Schreber, Säugth. IV. 920 (1792), pl. ccxl (1783).—
- capensis Jerboa, J. F. Miller, Icon. Anim., pl. 31 (1781). [Cavia.
- capensis Lacerta, A. Sparrman, Resa till Goda Hopps-Udden, I. 1783, 749.
- capensis Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
- capensis Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 173.—Cerambyx.
- capensis Lampyrus, J. C. Fabricius, Syst. Ent. 1775, 201.
- capensis Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 78.
- capensis Libellula, Linnaeus, Syst. Nat., ed. 12, 1767, 904.
- capensis Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 306.
- capensis Lucanus, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 5.
- capensis Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
- capensis Marmotta (Pall.), Lamarck in Thunberg, Voy. Japon &c. I. 1796, 320.—Mus.
- capensis Meloe, Linnaeus, Mus. Lud. Ulr. 1764, 104.
- capensis Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
- capensis Mus, P. S. Pallas, N. sp. Quad. II. 1779, 172.
- capensis Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 246.
- capensis Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.

- capensis Mylabris (L.), J. C. Fabricius, Syst. Ent. 1775, 261.—Meloe.
 capensis Myrmecophaga, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 53.
 capense Myrmeleon, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 79.
 capensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.
 capensis Orycteropus (Gm.), G. Cuvier, Tab. Elém. 1798, 144.—Myrmecophaga.
 capensis Panorpa, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 67.
 capensis Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1011.
 capensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
 capensis Pelecanus, A. Sparrman, Mus. Carls. III. 1788, no. lxi.
 capensis Perdix (Gm.), J. Latham, Index Orn. 1790, 643.—Tetrao.
 capensis [Phalaena], P. Cramer, Uitl. Kapellen, II (14) 1777, 109.
 capensis [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 24. [P. (Bombyx) Linn.]
 capensis Phalaena (Attacus) Linn., H. G. Lang, Verz. Schmett., ed. 2, 1789, 82.—
 capensis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 813.
 capensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 430.
 capensis Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
 capensis Procellaria, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 213.
 capensis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
 capensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 350.
 capensis Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.—Anobium.
 capensis Raja, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1512.
 capensis Rallus, Linnaeus, Mant. II. 1771, 525.
 capensis Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
 capensis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
 capensis Sciurus, R. Kerr, Anim. Kingd. 1792, 266.
 capensis Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 246.
 capensis Scorpaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1219.
 capensis Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 62.
 capensis Sphex, Linnaeus, Mus. Lud. Ulr. 1764, 407.
 capensis Sphinx, Linnaeus, Mus. Lud. Ulr. 1764, 349.
 capensis Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 53.
 capensis Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 802.
 capensis Sylvia, J. A. Scopoli, Del. Insub. II. 1786, 96.
 capensis Tanagra, A. Sparrman, Mus. Carls. II. 1787, no. xlv.
 capensis Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1997.
 capensis Termes, C. de Geer, Mém. Ins. VII. 1778, 47.
 capensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
 capensis Trochilus, Linnaeus, Mant. II. 1771, 525.
 capensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
 capensis Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
 capensis Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 466.
 capensis Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 952.
 capensis Viverra, J. C. D. Schreber, Säugth. III. 450 (1777), pl. cxxv (1776).
 capensis Viverra, J. C. P. Erxleben, Syst. Anim. 1777, 493.
 capensis Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113 & 116.
 caperans Brachycerus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 55.
 caperans Brachycerus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 88.—[? Lichten-
 caperata Ancilla, F. C. Meuschen, Mus. Gever. 1787, 246. [stein sp.]
 caperata Chama, F. C. Meuschen, Mus. Gever. 1787, 452.
 capicola Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46. [Melolontha.
 capicola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
 capillacea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.—[capillaris, Gm.]
 capillaceus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 187.
 Capillaria J. G. H. Zeder, 1 Nachtr. Goeze's Naturg. Eingew. 1800, 5.—Ver.
 capillaris Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 121.
 capillaris Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
 capillaris Gordius, O. Fabricius, F. Groen. 1780, 270.
 capillaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 180.—Cimex, 1775.

- capillaris* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
capillata Amphinome, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 45.
capillata Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
capillitiana Phalaena, Scopoli, Ent. Carn. 1763, 238.
Capisterium F. C. Meuschen, Mus. Gever. 1787, 462.—L.
capistratus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 275; ed. 12, 1766, 465.
capistratus Crabro, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 128.
capistrata Curculio, J. C. Fabricius, Mant. I. 1787, 120.
capistratus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
capistratus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 473.
capistrata Zygaena, J. C. Fabricius, Syst. Ent. 1775, 554.
capitalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 229.
capitalis Tanagra, J. Latham, Index Orn. 1790, 432.
capitaneus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1166.
capitaneus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 43.—Conus.
capitator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
capitator Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
capitatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 52.
capitatus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
capitata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
capitata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1799, 754.
capitata Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 79.
capitatus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 90.
capitatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena *capitalis*,
capitatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 51 [*n. n.*]. [1794
capitatus Curculio, C. de Geer, Mém. Ins. V. 1775, 245.
capitata Fasciola, O. F. Müller, Verm. I (2) 1774, 70.
capitata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
 Fourmis, 1798, 46.
capitatus Gryllus (Tettig.) (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
capitatus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 82. [2071.—Locusta.
capitata Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 117.
capitata Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
capitata Locusta, C. de Geer, Mém. Ins. III. 1773, 455.
capitatus Lumbricus, O. Fabricius, F. Groen. 1780, 279.
capitatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 169.
capitata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (4) 1795, 102.
capitata Musca, C. de Geer, Mém. Ins. VI. 1776, 23.
capitata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
capitata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
capitatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 263.
capitata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 440. [1794
capitatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita *capitella*,
capite-bifurcatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
capite-niger Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 118.
capite-planus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
capite-rufo Buprestis, J. A. Scopoli, Annus V. 1772, 106.
capite-rufo Meloe, J. A. Scopoli, Annus V. 1772, 103.
capite-triangularis Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 112.
capitella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 330.
capitellum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750.
capittella (*sic*) [Phalaena], C. Clerck, Icones, I. 1759, pl. xi. 1.
capitella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 356.
capitella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
capitellum Vasum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 56.—Voluta.
capitellum Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.
capitellum Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 221.
capito Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.

- capito Cyprinus, A. I. Gueldenstaedt, Acta Ac. Sci. Petrop. 1778 (2), 1781, 248.
- capito Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
- capito Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.
- capitolina Anas, F. v. P. Schrank, F. Boica, I. 1798, 241.
- capoeta Cyprinus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVII. 1773, 508.
- caponica Lampyris, J. C. Fabricius, Mant. I. 1787, 162.
- caponis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
- cappa Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
- cappana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 416.
- Capparis P. E. Isert, Schr. Berlin. Ges. nat. Freunde, IX. 1789, 334.—A.
- cappatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 216.
- cappata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 303.
- Capra Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.—M.
- capra Copris (Fab.), L. G. Schriba, J. Lieb. Ent. I. 1790, 52.—Scarabaeus.
- capra Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 168.—Scarabaeus.
- capra Lucanus, A. G. Olivier, Entom. I. 1789, 11.
- capra Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 514.
- capra Scarabaeus, J. C. Fabricius, Mant. I. 1787, 15.
- caprana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 475.
- caprata Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 335.
- caprata Sylvia (L.), J. Latham, Index Orn. 1790, 524.—Motacilla.
- capraea Lucanus, C. de Geer, Mém. Ins. IV. 1774, 335.
- capraea Taenia, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 52.
- [capraeae].
- capraea Adimonia (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 557.—Crioceris.
- capraea Aphis, J. C. Fabricius, Syst. Ent. 1775, 734.
- capraea Coccus, Linnaeus, Syst. Nat., ed. 12, 1767, 741. [cupraea S.N. XII. 600.
- capraea Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 118.—Chrysomela capraea,
- capraea Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
- capraea Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 168. [Chrysomela.
- capraea Cynips, Linnaeus, Faun. Suec., ed. 2, 1761, 388.
- capraeae Galeruca, O. F. Müller, Z. Dan. Prod. 1776, 83.
- capraea Galeruca (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 591.—Chrysomela.
- capraea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Crioceris, 1775.
- capraea Noctua, J. C. Fabricius, Mant. II. 1787, 140.
- capraea Pteromalus (L.), N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 221.—
- capraea Tenebrio, Scopoli, Ent. Carn. 1763, 83. [Cynips.
- capraea Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
- Caprea G. Edwards in M. Catesby, Carol. I. 1771, xxviii.—M. [capraea erratis.]
- caprea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376.—[cupraea, ed. 12, sed v.
- caprearia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 350.
- capreolaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 105.
- capreolaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 204 [n.
- capreolicornis Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 38. [et f.].
- capreolus Antilope, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin, 1792), 71.
- capreolus Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.
- capreolus Lucanus, J. C. Fuessly, Schweiz. Ins. 1775, 3.
- capreolus Scarabaeus, Linnaeus, Amoen. Acad. VI. 1763, 391.
- Capricerva E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 448.—M.
- capricornis Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- capricornus Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
- caprifolii Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 54.
- Caprimulgus Linnaeus, Syst. Nat., ed. 10, 1758, 193; ed. 12, 1766, 346.—A.
- caprimulgus Noctua, J. C. Fabricius, Syst. Ent. 1775, 591.
- caprina Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.
- caprina Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.—[capraea,
- Capriscus [P. Artedi, Ichth. 1738, syn. 114].—P. [Abild. est.]
- Capriscus (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P.

- capriscus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1471.
 caprius Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 40.
 caprotina Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 7.
 caprotina Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 36.
 Capsa [G. Humphreys], Mus. Calonn. 1797, 59.—L.
 Capsa J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 231 (1797) [*n. et f.*].—L.
 Capsa Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
 capsa Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 912.
 capsincola Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
 capsincola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
 capsincola Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 19.
 Capsularia A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 256.—Pol.
 Capsularia J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 5 & 7.—Verm.
 Capsularia G. Cuvier, Leçons Comp. Anat. I. 1800, 9 [*n. n.*].
 capsularius Bruchus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 70.
 capsuliflorus Brachionus, P. S. Pallas, Elench. 1766, 91.
 captivum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 230.—Gryllus.
 captivus Cyclops, O. F. Müller, Entom. 1785, 116.
 captiva Gryllus, J. C. Fabricius, Syst. Ent. 1775, 293. [Cyclops.
 captivus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
 capucinella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 45.
 capucina Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.—Bibio, 1781.
 capucinus Apate, J. C. Fabricius, Spec. Ins. I. 1781, 62.
 capucinus Apate (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 493.
 capucina Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 415. [—Bostrichus.
 capucina Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
 capucinus Bostrichus, J. C. Fabricius, Mant. I. 1787, 36.
 capucinus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 48.—Simia.
 capucina Cetonia, J. C. Fabricius, Mant. I. 1787, 28.
 capucina Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [*n. n.*].
 capucinus Conus, F. C. Meuschen, Mus. Gever. 1787, 354.
 capucinus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
 capucinus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
 capucinus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 283.
 capucinus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
 capucinus Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 46.—Bostrichus.
 capucinus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
 capucinus Ligniperda (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 34.—Dermestes.
 capucina Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 183.—
 capucina Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136. [Cetonia.
 capucina Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2831.—Bibio.
 capucinus Papilio, J. E. I. Walch, Naturforscher, VI. 1775, 129.
 capucina Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 832.
 capucina Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
 capucinus Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.
 capucinus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 25.
 capucina Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 42.
 capucinus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 78 & var. albulus.
 capucinus Synodendron, J. C. Fabricius, Ent. Syst. I (2) 1792, 359.—Bostrichus, 1787.
 caput bovis Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28 [*n. n.*].
 caput equinum Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
 caput medusae Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1101.
 caput-mortuum Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1050.
 caput mortuum Dromia (L.), F. Weber, Nomen Fabricii, 1795, 92.—Cancer.
 caput mortuum Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 411.—Cancer.
 caput-mortuum Sphinx, Linnaeus in Hasselquist, Palast. 1762, 456.
 caput-serpentis Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1153.
 caput-serpentis Criopoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.

- caput-serpentis Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
- caput serpentis Porcellana (L.), F. C. Menschen, Mus. Gever. 1787, 408.—Cypraea.
- caput serpentis Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 13.—
[Anomia.]
- capybara Cavia, P. S. Pallas, Misc. Zool. 1766, 31.
- capybara Hydrochaerus, J. C. P. Erxleben, Syst. Anim. 1777, 193.
- capys [Sphinx], P. Cramer, Utitl. Kapellen, I (5) 1775, 88.
- capys Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 166.—Sphinx.
- carabi Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
- caraboides Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
- caraboides Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 173. [Stenocorus.]
- caraboides Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 110.
- caraboides Cicindela, F. v. P. Schrank, Ins. Aust. 1781, 193. [Chrysomela.]
- caraboides Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.—
- caraboides Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.
- caraboides Elaphrus (Schr.), A. G. Olivier, Entom. II. 1790, 5.—Cicindela.
- caraboides Helops, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 3.
- caraboides Hydrophilus (L.), J. C. Fabricius, Syst. Ent. Upsal. 1755, 228.—Dytiscus.
- caraboides Hydrous, C. P. Thunberg, D. D. Mus. Ac. 1787, 38.
- caraboides Lucanus (Linn.), Scopoli, Ent. Carn. 1763, 2.—Scarabaeus.
- caraboides Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 3.
- caraboides Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[Lucanus, ed. 12.]
- caraboides Serropalpus (L.), A. G. Olivier, Entom. III. 1795, 5.—Chrysomela.
- caraboides Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
- caraboides Stenocorus, J. A. Scopoli, Annus V. 1772, 99.
- caraboides Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 677.
- caraboides Trogositia (L.), J. C. Fabricius, Ent. Syst. I (1) 1792, 115.—Tenebrio.
- caraborum Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 433.
- caraborum Acarus, F. v. P. Schrank, Briefe Donaumoor, 1795, 149.
- Carabus Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.—Col.
- carabus Astacus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 345.—Cancer.
- carabus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1052.
- carabus Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (2), 1792, 67.
- caracal Felis, A. I. Gueldenstaedt, N. Comm. Ac. Sci. Petrop. XX. 1776, 500.
- caracal Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
- caracal Felis (Lynx) Schr. [Gueld.], R. Kerr, Anim. Kingd. 1792, 156.
- caracara Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
- caracaras Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1117.
- caraco Mus, P. S. Pallas, N. sp. Quad. II. 1779, 335.
- characteristica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 494.
- characteristica Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 506.
- caraganae Meloe, P. S. Pallas, Icon. Ins. 1798, 97.
- Carallina v. Corallina, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xvii.
- caranea Phalaena, P. Cramer, Utitl. Kapellen, III (23) 1780, 140.
- carangus Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 69.
- “Caranx Lacép. 1800,” Ag.; is 1802.
- “Caranxomorus Lacép. 1800,” Ag.; is 1802.
- caranus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 84.
- carapo Gymnotus, Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 427.
- cararia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 38 [n. et f.].
- cararia Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 77.
- carasius Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 321; ed. 12, 1766, 526.
- caravella Medusa, O. F. Müller, Beschäft. Ges. Nat. Freunde, II. 1776, 297.
- carbasa Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 14.
- carbasus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
- carbasus Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.
- Carbo B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 15.—A.
- carbo Lanius, A. Vroeg, Catal. Vogel. 1764, Adumb. 2.
- carbo Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 133; ed. 12, 1766, 216.

- carbonaria Andrena (L.), J. C. Fabricius, Ent. Syst. II. 1793, 312.—Apis.
carbonaria Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 954.
carbonarius Carabus, P. Rossi, Fauna Etrus. I. 1790, 216.
carbonarius Cerambyx, Scopoli, Ent. Carn. 1763, 56.
carbonaria Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
carbonarius Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 217.
carbonarius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
carbonarius Cimex, P. Rossi, Fauna Etrus. II. 1790, 244.
carbonarius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 612.
carbonarius Dermestes, Scopoli, Ent. Carn. 1763, 15.
carbonarius Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
carbonarius Elater, F. v. P. Schrank, Ins. Aust. 1781, 184.
carbonarius Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 438.
carbonaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
carbonaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 151 [n.
carbonarius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719. [et f.].
carbonarius Ichneumon, J. L. Christ, Nat. Ins. 1791, 365.
carbonaria Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
carbonaria Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 15.
carbonaria [Phalaena], C. Clerck, Icones, I. 1759, pl. i. 11.
carbonaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 327.
carbonaria Saperda (Cop.), F. v. P. Schrank, F. Boica, I. 1798, 670.—Cerambyx.
carbonarius Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 324.
carbonarius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.
carbonaria Sphex, Scopoli, Ent. Carn. 1763, 294.
carbonaria Tenthredo, Scopoli, Ent. Carn. 1763, 279.
carbonaria Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 926.
carbonaria Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
carbonaria Vespa, C. de Geer, Mém. Ins. VII. 1778, 609.
carbunculus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
carbunculus Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 440.
carcharias Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 631.
carcharias Leptura (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 206.—Cerambyx.
carcharias Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 77.
carcharias Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 184.—Cerambyx.
carcharias Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 400.
karkinophaga (sic) Didelphis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 226.
carcinophaga Didelphis, P. Boddaert, Elench. 1785, 77.
Carcinus P. A. Latreille, Préc. Car. Ins. 1796, 197.—Cr.
carcinus Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 414.—Cancer.
carcinus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1051.
carcinus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 58.
carcinus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
carcinus Palaemon (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 402.—Cancer.
cardamines Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 761.
cardeci Melolontha, J. C. Fabricius, Mant. I. 1787, 21.
cardiacae Cantharis, Linnaeus, Faun. Suec., ed. 2, 1761, 205.
cardiacae Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
"Cardinalis Briss. 1760," Waterh.; not used in a generic sense.
cardinalis Acarus, P. S. Pallas, Spic. Zool. IX. 1772, 44.
cardinalis Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
cardinalis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.
cardinalis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 632.
cardinalis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
cardinalis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
cardinalis Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 300.
cardinalis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
cardinalis Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.

- cardinalis* Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 438.
cardinalis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
cardiniger Curculio, N. Host in Jacquin, Coll. Bot. III. 1789, 295.
cardiodeum Gafrariano, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
cardioides Venus, W. G. Maton, Nat. Hist. West. Count. I. 1797, 178.
 "Cardissa Walch, 1768," Herm.; does not occur.
cardissa Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.
cardissa Corculum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 188.—Cardium.
Cardita J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 401.—L.
Cardita Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—L.
Cardium Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.—L.
Carduelis M. J. Brisson, Ornith. III. 1760, 53.—A.
Carduelis G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
carduelis Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 248.
carduelis Acarus, F. v. P. Schrank, Ins. Aust. 1781, 522.
carduelis Carduelis (L.), J. C. Schaeffer, Mus. Orn. 1789, 23.—Fringilla.
carduelis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
carduelis Emberiza (Linn.), J. A. Scopoli, Annus I. 1769, 144.—Fringilla.
carduelis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 318.
carduelis [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 40.—[=Cardui, L.]
cardui Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 696.—Cimex.
cardui Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
cardui Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
cardui Cassida, C. de Geer, Mém. Ins. V. 1775, 174.
cardui Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 632.
cardui Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
cardui Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 79.
cardui Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 118.
cardui Curculio, P. Rossi, Fauna Etrus. I. 1790, 111.
cardui Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
cardui Ichneumon, F. v. P. Schrank, Baier. Reise, 1786, 124.
cardui Leptura, J. A. Scopoli, Annus V. 1772, 101.
cardui Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 168.—(*non cardeci*, Mant. I. 21,
cardui Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998. [1787.]
cardui Musca, A. F. de Fourcroy, Ent. Paris. 1785, 471.
cardui Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 774.
cardui Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 84.
cardui Phalaena Tortrix, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 87.
cardui Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 186.—Cerambyx.
cardui Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—[cardeci
 Melolontha, Fab. *est.*]
cardui-virginiensis [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 10.
cardunculus Millepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3790.
 "Carduum Leske, 1778," Scudder; not used in a generic sense.
carduus Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 153.
carecti Leptura, D. H. Hoppe, Ins. Elyt. 1795, 59.
carenea [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 140.
caretta Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 185.
caretta Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 197; ed. 12, 1766, 351.
cariacou Cervus, R. Kerr, Anim. Kingd. 1792, 304.
Cariama M. J. Brisson, Ornith. V. 1760, 516.—A.
Cariama M. T. Brünnich, Fund. Zool. 1772, 74.—A.
cariama Psophia, Geoffroy, Bull. Sci. Soc. Philom. [Paris], no. 7, 1797, 51.
caribaeorum Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
caribaea Columba, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 30.
caribaeus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 374.
caribbaeus Corvus *id. ac* caribaeus, Gm., J. Latham, Index Orn. 1790, 163.
caribaeus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 300.

- carica* Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3545.
caricae Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 225.
caricae Cynips, Linnaeus in Hasselquist, Palast. 1762, 465.
caricae Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—Papilio.
caricae Noctua, J. C. Fabricius, Syst. Ent. 1775, 596.
caricae Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 792.
caricae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
caricis Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 111.
caricis Ips, A. G. Olivier, Entom. II. 1790, 15.
Caricoides J. E. Guettard, Mém. diff. Sci. II. 1770, 317.—Cor.
carina-spectabilis Anas, Linnaeus, Mus. Adolph. Frid. II. 1764, 25.
carinator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
carinatus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
carinatus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
carinatum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—Gryllus.
carinata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 36.
carinata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 218.
carinatus Astacus, J. C. Fabricius, Spec. Ins. I. 1781, 512.
carinatum Buccinum, C. J. Phipps, Voy. N. Pole, 1774, 197.
carinatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
carinatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers.) (1), 1789, 301.
carinatus Cancer, M. T. Brünnich, Ich. Massil. 1768, 102.
carinatus Cancer (Astacus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 64.—
carinata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 409. [Astacus.
carinata Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 438.
carinatus Cerambyx, P. S. Pallas, Reise Russ. I. 1771, 465.
carinatus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 237.—Lamia.
carinata Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 119.
carinata Cicada, J. R. Forster, Cat. Anim. N. Amer. 1771, 28 [*n. n.*].
carinata Cicada, J. R. Forster, N. Sp. Ins. 1771, 67.
carinatus Cimex, J. R. Forster, N. Sp. Ins. 1771, 72.
carinatus Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 68.
carinatus Cimex, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
carinatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
carinatus Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 1066.
carinatus Curculio, C. de Geer, Mém. Ins. V. 1775, 241.
carinatus Curculio, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1806.
carinatus Curculio, G. Paykull, Mon. Curc. 1792, 83.
carinatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153. [Spatangites.
carinatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3199.—
carinata Eurychora (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. 1, 1791,
carinatus Gammarus, J. C. Fabricius, Ent. Syst. II. 1793, 515. [119.—Pimelia.
carinatus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693.
carinatus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 288.
carinata Helix, E. Jacob in G. Adams, Ess. Micr. ed. 2, 1798, 635.
carinata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
carinata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
carinata Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 222.
carinatus Lucanus, Linnaeus, Syst. Nat., ed. 12, I (2) 1767, 560.
carinata Machla, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 156.
carinatus Murex, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 107.
carinata Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
carinata Nicrophorus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 34.
carinatum Opilio *id. ac* Phalangium tricarinatum, L., J. F. W. Herbst, Nat. ungefl. Ins.
carinatum Phalangium, J. C. Fabricius, Mant. I. 1787, 347. [(3) 1799, 13.
carinata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
carinatus Planorbis, O. F. Müller, Verm. II. 1774, 157.
carinata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73.

- carinatus* Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 545.
carinata Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
carinatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354 [Lucanus, ed 12].—Col.
carinata Silpha, Herbst in Fuessly, Arch. Insect. IV. 1783, 34.
carinatus Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 504.
carinatus Sorex, J. Hermann in E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 383.
carinatus Spatangites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 245.
carinatus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xx. [re-paged issue].
carinatus Spirorbis, F. M. Daudin, Rec. Mém. Moll. 1800, 48.
carinatus Staphylinus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 24.
carinata Tellina, C. U. v. Salis, Reise Neapel, 1793, 384.
carinata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 110.
carinatus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 360.—Pimelia.
carinata Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 353.
carinata Tudicla, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
carinatus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 361.
carinatus Turbo, E. M. da Costa, Brit. Conch. 1778, 102.
carinenta [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 18.
carinenta [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 47.
carinthiacus Ripiphorus, G. W. F. Panzer, Ins. Germ. heft 22, 1794, tab. 7.
carinula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
cariophyllites *v.* *caryoph.*
Carios P. A. Latreille, Préc. Car. Ins. 1796, 177.—Ar.
cariosa Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 959.
cariosa Buprestis, P. S. Pallas, Reise Russ. III. 1776, 708.
cariosa Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. 1, 1791, 119.
cariosus Curculio, Scopoli, Ent. Carn. 1763, 27.
cariosus Curculio, P. S. Pallas, Icon. Ins. 1781, 33.
cariosa Lepas, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 240.
cariosus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1220.
carlsoni Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 847.
carmelita Cetonia, J. C. Fabricius, Mant. I. 1787, 28.
carmelita Helix, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 99.
carmelita Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
carmelita Phalaena Bom., E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1799], 65.
carmellita Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1572.—
carmelitella Phal. Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [*n. et f.*]. [Cetonia.
carmelitella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
carminaris Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 214.
carminatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
carna Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 310.
carna Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (30) 1786, 31.—Bombyx.
carna Hepialus (D. & S.), J. C. Fabricius, Mant. II. 1787, 134.—Bombyx.
carna Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 160.—
carnarius Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 121. [Hepialus.
carnaria Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
carnaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 990.
carnaria Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 257.
carnaria Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
carnaria Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
carnatica Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 284.
carnatica Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 261.
carnella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 887.
carnella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
carneola Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1174.
carneola Cypraea, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 14.
carneola Leptura, F. v. P. Schrank, F. Boica, I. 1798, 696.
carneola Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 69.

- carneola* Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—Cypraea.
carneola Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
carneolus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3443.
carneosum Cardium, E. M. da Costa, Brit. Conch. 1778, 181.
carnea Angarius, F. C. Meuschen, Mus. Gever. 1787, 254.
carnea Bulla, J. L. M. Poiret, Voy. Barbarie, II. 1789, 21.
carnea Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
carnea minor Chrysis, Giorna, Cal. Ent. 1791, 73.
carneus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2134.
carnea Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—*Tinea carnella*.
carnea Hydra, O. F. Müller, Nova Acta Acad. Caes. VII. 1783, 116.
carneus Labrus, P. Ascanius, Icon. II. 1772, 6.
carnea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
carnea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
carnea Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
carnea Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3365.
carneus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
carnea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
carnifex Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
carnifex Aranea, J. C. Fabricius, Syst. Ent. 1775, 436.
carnifex Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 163.
carnifex Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.
carnifex Cercopis, J. C. Fabricius, Syst. Ent. 1775, 688.
carnifex Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 53.
carnifex Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 325.
carnifex Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.—*Cercopis*.
carnifex Cimex, J. C. Fabricius, Syst. Ent. 1775, 721.
carnifex Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
carnifex Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 165.—*Scarabaeus*.
carnifex Gekko (Laur.), F. A. A. Meyer, Syn. Rept. 1795, 23.—*Triton*.
carnifex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
carnifex Iulus, J. C. Fabricius, Syst. Ent. 1775, 428.
carnifex Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94.
carnifex Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 160.—*Cimex*, 1775.
carnifex Salamandra (Laur.), J. G. Schneider, Hist. Amph. I. 1799, 71.—*Triton*.
carnifex Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 546.
carnifex Triton, J. N. Laurenti, Syn. Rept., 1768, 38 & 145.
carnifex Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
carniforus *v. carnivorus*.
carniolicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.
carniolica Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2110.
carniolicus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
carniolicus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803.
carniolica Sphinx, Scopoli, Ent. Carn. 1763, 189.
carniolica Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 290.
carniolica Zygæna (Scop.), J. C. Fabricius, Gen. Ins. 1777, 275.—*Sphinx*.
carniforus (sic) Dermestes, J. C. Fabricius, Syst. Ent. 1775, 55.
carnivora Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 313.
carnea Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvii.
carocolla Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
carocolla Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 258.—*Helix*.
carocolla Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1243.
carocolla Lampadion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 77.—*Helix*.
carolinensis Ampelis, J. F. Miller, Icon. Anim. pl. 8 (1776).
carolinensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 533.
carolinensis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1028.
caroliniensis Cerambix, A. G. Olivier, Entom. IV. 1795, 85.—*Lamia*, 1792.
carolinensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 286.

- carolinensis** Cuculus, Bartram, B. S. Barton, N. H. Pennsylv. 1799, 19.
carolinensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 69.
carolinensis Fringilla, J. Latham, Index Orn. 1790, 435.
carolinensis Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.
carolinensis Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
carolinensis Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
carolinensis Podiceps, J. Latham, Index Orn. 1790, 785.
carolinensis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
carolinensis Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 148.
carolinensis Sitta, J. Latham, Index Orn. 1790, 262.
carolinensis Sylvia, J. Latham, Index Orn. 1790, 551.
caroliniana Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chrysomela.
caroliniana Chrysomela, J. C. Fabricius, Mant. I. 1787, 75.—Crioceris, 1775.
caroliniana Crioceris, J. C. Fabricius, Syst. Ent. 1775, 122.
caroliniana Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 24.—Chrysomela, 1787.
carolinum Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 491.—Gryllus.
carolina Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 959.
carolina Argentina, Linnaeus, Syst. Nat., ed. 12, 1766, 519.
carolina Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 249.
carolinus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 126.
carolina Cicindela, Linnaeus, Amoen. Acad. VI. 1763, 395.
carolinus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.—Scarabaeus.
carolina Gallinula (L.), J. Latham, Index Orn. 1790, 771.—Rallus.
carolinus Gasterosteus, Linnaeus, Syst. Nat., ed. 12, 1766, 490.
carolinus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 396.
carolinus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 701.
carolina Libellula, Linnaeus, Amoen. Acad. VI. 1763, 411.
carolina Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—Gryllus, 1763.
carolinus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 174.
carolinus Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 263.
carolinus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 545.
carolina Silpha, Linnaeus, Mant. II. 1771, 530.
carolina Sphinx, Linnaeus, Mus. Lud. Ulr. 1764, 346.
carolina Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 352.
carolina Trigla, Linnaeus, Mant. II. 1771, 528.
carolinus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
carolina Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 948.
caronsex Ampelis, *L. err. pro* carnifex, P. Boddaert, Tab. Planch. Enl. 1783, 23.
carota Cucullus, J. F. Bolten, Mus. Bolten. (2), 1798, 47.
Carpais P. A. Latreille, Préc. Car. Ins. 1796, 184.—Ar.
carpathicus Scorpio, Linnaeus, Syst. Nat., ed. 12, 1767, 1038. [et f.]
carpinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 27 [n].
carpinata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 295.
carpini Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 58.
carpini Bombyx, [Denis & Schiffermuller], Schmett. Wien, 1775, 50.
carpini Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
carpini Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 191.
carpini Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 144.
carpini Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
carpini Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 409.
carpini Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 424.
carpini Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 34.
carpinaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 22.
carpio Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 525.
carpio Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
carpionis Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
carpophaga Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1), 1791, 474.
carpophaga Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 422.

- carrucaria Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 474.
 cartacea Flustra, J. F. Maratti, Plant. Zooph. Med. 1776, 18.
 cartagenensis *v.* carthag-
 carthagena Fulica, Linnaeus, Syst. Nat., ed. 12, 1776, 258.
 carthagena Gallinula (L.), J. Latham, Index Orn. 1790, 767.—Fulica.
 cartagenensis Coracias, J. A. Scopoli, Annus I. 1769, 40.
 carthaginensis Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
 carthagenensis Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 8.
 carthesiana Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 278.
 carthusianus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 212.
 cartusiana Helix, O. F. Müller, Verm. II. 1774, 15.
 cartilaginea Spongia, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 23.
 cartilaginea Testudo, P. Boddaert, De Testud. cartilag. 1770, 29.
 "Cartissa, Baier, 1758," Herm.; not used in Linnaean sense.
 cartusianus *v.* carthus-
 carunculata Ampelis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 841.
 carunculata Amphinome (Pall.), J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 46.—
 Aphrodita, P. S. Pallas, Misc. Zool. 1766, 102. [Aphrodita.
 carunculata Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 643.
 carunculata Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
 carunculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2135.
 carunculata Gracula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 399.
 carunculata Gracula (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 292.—Sturnus.
 carunculatus Merops, J. Latham, Index Orn. 1790, 276.
 carunculatus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
 carunculatus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
 carunculata Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—
 carutta Johnius, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 133. [Aphrodita.
 Carychium O. F. Müller, Verm. II. 1774, 125.—G.
 carychium Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
 Caryocatactes Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 1 & 14.—A.
 caryocatactes Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 157.
 caryocactates Nucifraga (L.), J. C. Schaeffer, Mus. Orn. 1789, 14.—Corvus.
 caryocatactis Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 168.
 caryocactatis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3070.
 caryophyllacea Anas, J. Latham, Index Orn. 1790, 866.
 caryophyllacea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
 caryophyllacea Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla. [3052.
 Caryophyllaeus *err. pro* Chariophyllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 Caryophyllinus F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, "Vorrede & Gattun-
 "Caryophyllites, Walsh, 1768," Herm.; not used in a generic sense. [gen."—Verm.
 "caryophyllites Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
 caryophyllites Madrepora, P. S. Pallas, Elench. 1766, 313.
 Caryophylloides J. E. Guettard, Mém. diff. Sci. II. 1770, 384.—Cor.
 "Caryophyllus, Bloch, 1782," Ag.; does not occur, the spelling is Chariophyllus: Ru-
 dolphi, Entoz. II (2), 1809, 9 seems to have been the first to change the spelling to
 Caryophyllus.
 caryophyllus Actinia, M. Martin, Obs. mar. Verm. 1786, 1.
 casarca Anas, Linnaeus, Syst. Nat., ed. 12, III. 1768, App. 224.
 casarka Anser (Linn.), S. G. Gmelin, Reise Russ. II. 1774, 177.—Anas.
 caschive Mormyrus, Linnaeus in Hasselquist, Palast. 1762, 440.
 casei Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 527.
 casei Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597.
 casertanum Cardium, J. X. Poli, Test. Sicil. II. 1795, 65.
 "Casida, Humph. 1797," Ag.; probably misprint for Cassida.
 casina Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
 caspica Ardea, S. G. Gmelin, Reise Russ. II. 1774, 193.
 caspica Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1896.

- caspicus* Colymbus, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 9.
caspicus Parus, S. G. Gmelin, Reise Russ. III. 1774, 104.
caspica Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2007.—Tenebrio.
caspicus Podiceps (Habl.), J. Latham, Index Orn. 1790, 784.—Colymbus.
caspica Rana, J. P. Falk, Reise Russ. (5) 1786, 412 [*n. n.*].
caspica Sterna, A. Sparrman, Mus. Carls. III. 1788, lxii.
caspicus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 47.
caspica Testudo, S. G. Gmelin, Reise Russ. III. 1774, 59 & pl. [for name].
caspica Testudo, J. G. Schneider, Nat. Schildkr. 1783, 344.
caspia Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2959.
caspicus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1112.
caspicus Culex, P. S. Pallas, Reise Russ. I. 1771, 475.
caspicus Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 244.
caspicus Oniscus, P. S. Pallas, Reise Russ. I. 1771, 477.
caspia Perdix (S. G. Gm.), J. Latham, Index Orn. 1790, 655.—Tetrao.
caspia Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
caspia Sterna, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 582.
caspicus Tetrao, S. G. Gmelin, Reise Russ. IV. 1784, 67.
caspia Tubularia, P. S. Pallas, Reise Russ. I. 1771, 479.
cassander Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 337.
cassandra Bombyx, J. C. Fabricius, Mant. II. 1787, 111.
cassandra [Phalaena], P. Cramer, Utitl. Kapellen, III (17) 1779, 7.
cassandra Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 806.
cassandra Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 552.—Sphinx.
cassiae Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 767.
cassiatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
 "Cassicus Briss. 1760," Waterh.; not used in a generic sense.
cassicus Ramphastos, P. Boddaert, Tab. Planch. Enl. 1783, 38.
Cassida Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.—Col.
Cassida M. T. Brunnich, Fund. Zool. 248.—G.
cassida Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 427.
cassidata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 235.
Cassidea J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
cassideus Cancer, J. R. Forster, Naturforscher, XVII. 1782, 213.
cassideus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 148.
cassidea Coccinella, J. C. Fabricius, Syst. Ent. 1775, 82.
cassidoidea Coccinella, E. Donovan, Brit. Ins. VII. 1798, 74.
cassidoidea Lycus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 23.
cassidoideum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [*n. n.*].
Cassidula [G. Humphreys], Mus. Calonn. 1797, 32.—G.
cassimilis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1710.
cassinia Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
cassinia Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 251.
cassioides Papilio, Reiner & Hohenwarth, Botan. Reise Alpen, I. 1792, 262.
cassiope [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 88.
cassiope Papilio, J. C. Fabricius, Mant. II. 1787, 42.
cassiopea [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 14.
Cassis J. A. Scopoli, Del. Insub. II. 1786, 76.—G.
Cassis F. C. Meuschen, Mus. Gevers. 1787, 386.—G.
Cassis J. F. Bolten, Mus. Bolten. (2) 1798, 28.—G.
Cassis Lamarck, Mem. Soc. H. N. Paris, 1799, 72.—G.
cassis Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
cassis Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
cassis Conus, F. C. Meuschen, Mus. Gever. 1787, 360.
cassis Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 184.
cassis Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 95.
cassius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 316.—Papilio
cassius [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 36.

- cassivelaunus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
 cassus Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 269.
 casta Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
 casta Phalaena, P. S. Pallas, Nova Acta Acad. Caes. III. 1767, 437.
 casta Phalaena Bom., E. J. C. Esper, Die Schmett. III (20) 1785, 177.
 casta Phalaena Noctua, M. B. Borkhausen in Schriba, Beitr. Ins. III. 1793, 212.
 casta Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
 casta Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
 castalia Bombyx, J. C. Fabricius, Syst. Ent. 1775, 559.
 castalia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 188.
 castaneae Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2116.
 castaneae Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 9.
 castaneus Agyrtes, J. A. Frolich, Naturforscher, XXVIII. 1790, 19.
 castaneum Anisotoma (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 77.—Tetratoma.
 castaneum Anobium, A. G. Olivier, Entom. II. 1790, 7.
 [castaneus Araneus, C. Clerck, Aran. Svec. 1757, 49.]
 castaneus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 151.
 castaneus Araneus, T. Martyn, Aranei, 1793, 22.
 castanea Ardea, S. G. Gmelin, Reise Russ. I (1770) 165.
 castanea Buprestis, A. G. Olivier, Entom. II. 1790, 25.
 castanea Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 219.
 castaneum Callidium (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 81.—Cerambyx.
 castaneus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
 castanea Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2214.
 castanea Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394.
 castanea Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 castaneum Colydidium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 282.
 castaneus Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
 castaneus Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 95.
 castaneus Curculio, C. de Geer, Mém. Ins. V. 1775, 231.
 castanea Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23. [134.—Mycetophagus.
 Dermestes (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794,
 castaneus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 104.—Kateretes.
 castaneus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
 castaneus Elater, Herbst, Einl. Ins. I. 1784, 150.
 castaneus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 36.
 castaneus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 226.
 castaneus Gypaetos, F. M. Daudin, Traité élém. Orn. 1800, 26.
 castanea Helix, O. F. Müller, Verm. II. 1774, 67.
 castaneus Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 223.
 castaneus Icterus, F. M. Daudin, Traité élém. Orn. 1800, 353.
 castaneus Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 17.
 castaneus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 297.
 castanea Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 94.—Cerambyx.
 castanea Melolontha, A. G. Olivier, Entom. I. 1789, 79.
 castanea Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 82.
 castaneus Merops, J. Latham, Index Orn. 1790, 273.
 castanea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
 castaneus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499. [1792, 400.
 castaneus Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV.
 csstaneus Notoxus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 16.
 castaneus Oriolus, J. Latham, Index Orn. 1790, 181.
 castanea Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
 castanea Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
 castaneus Prionus, A. G. Olivier, Entom. IV. 1795, 23.
 castaneum Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 28.—Tetra-
 castaneus Tantalus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 112. [toma.
 castanea Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 85.]

- castaneus* Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
castanea Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
castaneus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
castaneum Vasum, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
castanea Volvoxis (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V.
castanipes Elater, G. Paykull, Faun. Suec. III. 1800, 23. [1794, 538.—Tetratoma.
castigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
castiglionei Stenocorus, J. A. Scopoli, Del. Insub. II. 1786, 40.
castilianus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 22.
Castor Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 78.—M.
castor Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 408.
castor Merganser (L.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Mergus.
castor Mergus, Linnaeus, Syst. Nat., ed. 12, I (1) 1766, 209.
castor [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 61.
castor Papilio, D. F., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett, 1781, 98.
castoreus Mus, G. C. C. Storr, Prod. 1780, 39.
castrator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 223.
castrensis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 568.—Phalaena.
castrensis Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 446.—Venus.
castrensis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [n. n.].
castrensis Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 141.
castrensis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [n. n.].
castrensis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 818.
castrensis Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 110.
castrensis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
castrensis Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1132.
Casuarium M. J. Brisson, Ornith. V. 1760, 10.—A.
Casuarium J. Latham, Index Orn. 1790, 664.—A.
casuarium Struthio, Linnaeus, Syst. Nat., ed. 10, 1758, 155; ed. 12, 1766, 265.
catanensis Mutilla, P. Rossi, Mant. Ins. II. 1794, 126.
catapetasma Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
Cataphractus M. J. Brisson, Reg. Anim. 1762, 12 & 23.—M.
Cataphractus L. T. Gronovius, Zooph. I. 1763, 2.—M.
Cataphractus Storr, Prod. Meth. Anim. 1780, 40.—M.
Cataphractus M. Catesby, Pisc. &c. Imag. 1777, Suppl. 9.—P.
Cataphractus (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 583.—P.
Cataphractus M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 80.—P.
Cataphractus G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [n. n.].—P.
cataphractus Callichthys, F. C. Meuschen, Mus. Gronov. 1778, 39.
cataphractus Cancer, G. Olivi, Zool. Adriat. 1792, 50.
cataphractus Coccus, G. Shaw, Nat. Misc. V. 1794, pl. 182.
cataphractus Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451.
cataphracta Loricaria, Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 508.
cataphracta Plecostomus, F. C. Meuschen, Mus. Gronov. 1778, 39.
cataphracta Sciaena, C. P. Thunberg, K. Vet. Ac. Nya Handl. XI. 1790, 108.
cataphractus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 506.
cataphracta Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
Catarractes Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 5 & 56.—A.
Catarractes M. J. Brisson, Ornith. VI. 1760, 102.—A.
catarractes Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 135.
catarractes Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 226. [1788, 603.
catarrhactes Larus *id.* ac *catarractes* Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
catarrhacta Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
catax Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—Phalaena.
catax Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 822; ed. 12, 1767, 815.
catellina Cercaria, O. F. Müller, An. Infus. 1786, 130.
catellus Cercaria, O. F. Müller, Verm. I (1) 1773, 65. [gonia.
catena Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.—Tetti-

- catena* Cicindela, J. C. Fabricius, Syst. Ent. 1775, 226.
catena Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 65.
catena Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 84.
catena Helix, E. M. da Costa, Brit. Conch. 1778, 83.
catena Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 679.
catenaria Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 17.
catenata Cicada, D. Drury, Ill. Nat. Hist. II. 1773, index & 69.
catenatus Coluber, Solander in Russell, N. H. Aleppo, ed. 2, II. 1794, 232.
catenatus Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 84.
catenata Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 327.
cateniformis Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 306.
cateniformis Taenia, Goeze, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, *varr.*
canina, lupi, 3066; vulpis, litterata, felis, sciuri, glirium, 3067.
catenularia Tubipora, Linnaeus, Syst. Nat., ed. 12, 1767, 1270.
catenulatus Carabus, Scopoli, Ent. Carn. 1763, 86.
catenulatus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 330.
catenulatus Fungites, [Martini], Berl. Mag. I. 1765, 268.
catenulata Tubipora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3753.
Cateretes *v.* *Kateretes*.
catesbaei Aranea, Scopoli, Ent. Carn. 1763, 401.
catesbeji Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 55 & 66.
cathae Dermestes, *err. pro calthae*, Scop., C. de Villers, Linn. Ent. I. 1789, 55.
Catharacta M. T. Brännich, Orn. Boreal. 1764, 32.—A.
Catharacta J. D. Petersen, Balth. Vögel, 1766, 8 [*n. n.*].—A.
cathariæ Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 203.
cati Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 8.
catilina Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 304.
catilina [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 126.
catilinaria Phalaena, *id. ac* catilina, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 250.
catilla [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 64.
Catillus [G. Humphreys] Mus. Calonn. 1797, 57.—G.
catillus [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 119.
catla Scarabaeus, *err. pro catta*, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, [1534].
cato Papilio, J. C. Fabricius, Mant. II. 1787, 12.
Catodon Linnaeus, Faun. Suec., ed. 2, 1761, 18.—M.
Catodon P. Browne, Hist. Jamaica, ed. 2, 1789, 459.—M.
catodon Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.
catodon Physeter, O. Fabricius, F. Groen. 1780, 44.
Catops Paykull, Faun. Suec. I. 1798, 342.—Col.
catoptrica Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
catostomus Cyprinus, J. R. Forster, Phil. Trans. LXIII (1) 1773, 158.
catotol Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 914.
catta Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.—Scarabaeus.
catta Dermestes, G. W. F. Panzer, Naturforscher, XXIV. 1789, 10.
catta Lemur, Linnaeus, Syst. Nat., ed. 10, 1758, 30; ed. 12, 1766, 45.
catta Myrmeleon, J. C. Fabricius, Syst. Ent. 1775, 312.
catta Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.
catta Scarabaeus, J. C. Fabricius, Mant. I. 1787, 12.
catullus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 348.
catullus Papilio (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 47.—Hesperia.
Catulus J. H. Kniphof, De Pedic. 1759, 16.—Ver.
catulus Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 400.
catulus Umbra, F. C. Meuschen, Mus. Gronov. 1778, 35.
catulus Vorticella, O. F. Müller, Verm. I (1) 1773, 108.
“*Catus*, Briss. 1760,” Ag., not used in a generic sense.—M. [Coronella].
catus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
catus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 707.
catus Coronella, J. N. Laurenti, Syn. Rept. 1768, 88.

- catus Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 42; ed. 12, 1766, 62.
 catus Felis, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* ferus, 518; domesticus, 520;
 hispanicus, 522; caeruleus, 522. [ruber.]
 catus Felis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 80, 81, *varr.* angorensis,
 catus Felis, R. Kerr, Anim. Kingd. 1792, *varr.* sinensis, aureus, 154; madagascarensis,
 155.
 catus Felis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 678, *varr.*
 longiceps, striatus.
 catus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 504.
 caucasi Capra, J. A. Gueldenstaedt, Reisen, I. 1787, xii.—[caucasica, 1779.]
 caucasica Capra, Gueldenstaedt & Pallas, Acta Ac. Sci. Petrop. 1779 (2) 1783, 273.
 caucasica Meloe, P. S. Pallas, Icon. Ins. 1782, 94.
 caucus Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 225.
 caudacuta Fringilla, J. Latham, Index Orn. 1790, 459.
 caudacutus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 354.—Oriolus.
 caudacutus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
 caudacutus Psittacus, A. Vroeg. Catal. Vogel. 1764, Adumb. 1.
 caudacutus Tetrao, S. G. Gmelin, Reise Russ. III. 1774, 93.
 caudacyaneus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
 caudana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—Pyralis.
 caudana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 651.
 caudaplana Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
 caudator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
 caudatus Acarus, C. de Geer, Mém. Ins. VII. 1778, 139.
 caudatus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 509.
 caudatus Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 52.
 caudatus Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 201.
 caudatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3471.
 caudata Cantharis, Scopoli, Ent. Carn. 1763, 40.
 caudatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 86.
 caudata Clio, Linnaeus, Syst. Nat., ed. 12, 1767, 1094.
 caudata Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
 caudatus Curculio, P. Rossi, Mant. Ins. I. 1792, 40.
 caudatum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
 caudata Enchelis, O. F. Müller, An. Infus. 1786, 34.
 caudata Ephemera, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 91.
 caudata Fasciola, O. F. Müller, Verm. I (2) 1774, 70.
 caudata Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1090.
 caudatus Lanius, Linnaeus, Faun. Suec., ed. 2, 1761, 28.
 caudata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 149.
 caudatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3535.
 caudata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 480.
 caudata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 168.
 caudatum Paramecium, J. Hermann, Naturforscher, XX. 1784, 157.
 caudatus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 342.
 caudata Patella, F. C. Meuschen, Mus. Gev. 1787, 242.
 caudata Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 196.
 caudatum Phalangium, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1029.
 caudata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
 caudata Pipra, G. Shaw, Nat. Misc. V. 1793, pl. 153.
 caudata Rana, J. A. Donndorff, Zool. Beyt. III. 1798, 67.
 caudatus Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 57.
 caudata Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 497.
 caudata Tarantula (L.), J. C. Fabricius, Ent. Syst. II. 1793, 433.—Phalangium.
 caudatus Trichiurus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. IX. 1788, 52.
 caudatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 392.
 caudatum Trombidium (De Geer), J. C. Fabricius, Spec. Ins. I. 1781, 535.—Acarus.
 caudatus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.

- caudata* Zygaena, J. C. Fabricius, Gen. Ins. 1777, 277.
caudella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
caudella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 894.
caudex Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
Caudisona J. N. Laurenti, Syn. Rept., 1768, 92.—R.
Caudiverbera J. N. Laurenti, Syn. Rept. 1768, 43.—R.
caudiverbera Cordylus (L.), F. A. A. Meyer, Syn. Rept. 1795, 18.—Lacerta.
caudiverbera Crocodilus (L.), J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 35.—Lacerta.
caudiverbera Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 359.
caudivolvula Didelphis, R. Kerr, Anim. Kingd. 1792, 196.
caudivolvula Kinkajou, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
caudivolvulus Ursus (Pall.), G. Cuvier, Tab. Elém. 1798, 113.—Viverra.
caudivolvula Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. 453 (1777),
 [pl. cxxv. B (1777)].
caunus [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 52.
C-aureum Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 778.
C-aureum Phalaena (N.), A. W. Knoch, Beitr. Insektenges. I. 1781, 7.
caurica Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1179.
causia Millepora, [J. E. Gunnerus], K. Norske Vid. Selsk. Skrift. IV. 1768, pl. iv. f. 10 [68].
cautus Musca, M. Harris, Exp. Eng. Ins. 1776, 60.
cavanna Testudo, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
cavator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
cavator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
cavata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 167.
cavernosa Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1276.
cavernosa Spongia, P. S. Pallas, Elench. 1766, 394.
Cavia P. S. Pallas, Misc. Zool. 1766, 30.—M.
Cavia B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
caviae Pediculus, P. S. Pallas, Misc. Zool. 1766, 46 & 204.
 [caviae Taenia], P. S. Pallas, Misc. Zool. 1766, 46 & 204.
 "Cavolina, Gioeni," does not occur.
Cavolina J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 85 (1791) [*n. et f.*].—Med.
cavolina Papilio Helic., Herbst in Jablonsky, Nat. Ins. (Schmett.) IV. 1790, 131.
cavolini Scarabaeus, V. Petagna, Inst. Ent. 1792, 140.
cavus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 15.
cayanensis *v.* cayenn-.
 [cayaneus]—
cajanea Fulica, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 119.
cajenneus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
cajenneus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 81.
cajaneus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 139.
 [cayanus]
cayana Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
cayanus Caprimulgus, *id. ac* cayannensis, Gm., J. Latham, Index Orn. 1790, 587.
cayana Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
cayanus Charadrius, J. Latham, Index Orn. 1790, 749.
cayana Coracias, *id. ac* cayanensis, (Gm.), J. Latham, Index Orn. 1790, 172.
cayana Coracias, F. M. Daudin, Traité élém. Orn. 1800, 265.
cayanus Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 157.
cayanus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
cayanus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
cayanus Lanius, R. Kerr, Anim. Kingd. 1792, *varr.* naevius, minor, 550.
cayana Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 336.
cayanus Podiceps (Gm.), J. Latham, Index Orn. 1790, 781.—Colymbus cayannensis.
cayana Sterna, *id. ac* cayennensis, Gm., J. Latham, Index Orn. 1790, 804.
cayana Sylvia (L.), J. Latham, Index Orn. 1790, 545.—Motacilla.
cayana Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315, no. 8.
cayana Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316, no. 14.

- cayanus *Turdus*, *id. ac* *cayennensis*, Gm., J. Latham, Index Orn. 1790, 332.
 [cayennensis]—
- cajennensis *Acarus*, J. C. Fabricius, Mant. II. 1787, 372.
 cayennensis *Accipiter*, F. M. Daudin, *Traité élém.* Orn. 1800, 81.
 cayennensis *Alcedo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 452.
 cajennensis *Apis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 273.
 cayennensis *Ardea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 626.
 cajennensis *Ascalaphus*, J. C. Fabricius, Mant. I. 1787, 250.
 cajennensis *Asilus*, J. C. Fabricius, Mant. II. 1787, 360.
 cayennensis *Bucco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 405.
 cayennensis *Buprestis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1931.
 cayennensis *Caprimulgus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1031.
 cajennensis *Carabus*, A. G. Olivier, Entom. III. 1795, 53.
 cayennensis *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
 cayennensis *Charadrius*, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 22.
 cajennensis *Chrysomela*, J. C. Fabricius, Mant. I. 1787, 74.
 cajennensis *Chrysomela*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 87.
 cayennensis *Cicada*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2105.
 cajennensis *Cicindela*, J. C. Fabricius, Mant. I. 1787, 187.
 cayennensis *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
 cayennensis *Coccinella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1659.
 cayennensis *Columba*, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 234.
 cayennensis *Colymbus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 593.
 cayennensis *Coracias*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
 cajennensis *Crioceris*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
 cayennensis *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.
 cayennensis *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 269.
 cayennensis *Falco*, F. M. Daudin, *Traité élém.* Orn. 1800, 69.
 cayennensis *Falco*, F. M. Daudin, *Traité élém.* Orn. 1800, 74.
 cayennensis *Fulica*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 700.
 cajennensis *Galleruca*, J. C. Fabricius, Ent. Syst. I (2) 1792, 14.
 cayanensis *Gallinula* (Gm.), J. Latham, Index Orn. 1790, 767.—*Fulica*.
 cayennensis *Gracula*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 399.
 cayennensis *Hirundo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1024.
 cayanensis *Icterus* (L.), F. M. Daudin, *Traité élém.* Orn. 1800, 336.—*Oriolus*.
 cajennensis *Lampyrus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 124.
 cayanensis *Mellisuga*, J. C. Schaeffer, Mus. Orn. 1789, 42.
 cayennensis *Merops*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
 cayanensis *Muscicapa*, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
 cagennensis *Mustela*, H. F. Link, Beytr. Nat. I (2) 1795, 83.
 cayennensis *Myrmeleon* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2645.—
 cayanensis *Oriolus*, Linnaeus, Syst. Nat., ed. 12, 1766, 163. [Ascalaphus].
 cayennensis *Parra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 706.
 cayennensis *Picus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
 cayanensis *Rallus*, P. Boddaert, Tab. Planch. Enl. 1783, 22.
 cayennensis *Rallus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.
 cayennensis *Scolopax*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
 cayennensis *Sterna*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 604.
 cajennensis *Strix*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 70.
 cajennensis *Tabanus*, J. C. Fabricius, Mant. II. 1787, 355.
 cayennensis *Tanagra*, *id. ac* *cayana* Linn. (ed. 12, no. 14), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 894.
 cayennensis *Tantalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 652.
 cayanensis *Tringa* (Gm.), J. Latham, Index Orn. 1790, 727.—*Parra*.
 cayennensis *Turdus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
 cayennensis *Ursus*, J. M. Bechstein in Pennant, Uebers. Thiere, II. 1800, 336.
 cayanensis *Venus*, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
 cajennensis *Vespa*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 265.

- cayman *Crocodilus*, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 35.
- cajopolin *Didelphis*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 35.
- cayopollin *Didelphis*, J. C. D. Schreber, Säugth. III. 544 (1777), pl. cxlviii. (1777).
- C-duplex *Stenocorus*, J. A. Scopoli, Del. Insub. II. 1786, 46.
- Cebambyx *v.* *Cerambyx*, Linnaeus, Mant. II. 1771, 532.
- cebraria *Geometra*, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796], fig. 129
- cebreus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 127. [*n. et f.*]
- Cebrio A. G. Olivier, Entom. II. 1790, no. 30 bis.—Col.
- Cebus J. C. P. Erxleben, Syst. Anim. 1777, 44.—M.
- Cebus G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [*n. n.*].—M.
- cecilia *v.* *caecilia*.
- ceclanensis *v.* *ceylonensis*.
- cecropia *Phalaena* (*Attacus*), Linnaeus, Syst. Nat., ed. 12, 1767, 809.
- cecropia *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 496, [P. (*attacus*), ed. 12].
- cecrops *Hesperia*, J. C. Fabricius, Ent. Syst. III (1) 1793, 270.
- cecrops [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 57.
- ceculus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 80.
- cedaris *v.* *cidaris*.
- cedica [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 42.
- cedonulli *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 157.
- cedo nulli *Chamaeformis*, F. C. Meuschen, Mus. Gever. 1787, 448.
- cedonulli *Conus*, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 602.—[*see* *ammiralis*.]
- cedo nulli *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 44 [*n. n.*].
- cedo-nulli *Papilio*, F. C. Meuschen, Mus. Gronov. 1778, 75.
- cedonulli [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 108.
- cedrina *Sertularia*, Linnaeus, Syst. Nat., ed. 10, 1758, 814; ed. 12, 1767, 1313.
- cedrus *Parus*, Bartram, B. S. Barton, N. H. Pennsylv. 1799, 20.
- ceilon- or ceilan- *v.* *ceylon-*.
- Cela *Moehring*, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 4 & 43.—A.
- cela *Parus*, Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.
- celadon [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 55.
- celaeno *Sphinx*, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 203.
- celaenus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 214.
- celaenus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 177.
- celatum *Cardium*, J. F. Bolten, Mus. Bolten. (2) 1798, 191 [*n. n.*].
- celeno [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 51.
- celer *Carabus*, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 1984.
- celer *Carabus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
- celer *Carabus*, A. G. Olivier, Entom. III. 1795, 114.
- celer *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
- celer *Ichneumon*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 205.
- celerio *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 265.—*Papilio celeno*.
- celerio *Papilio*, J. C. Fabricius, Mant. Ins. II. 1787, 66.
- celerio *Sphinx*, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
- celia [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 83.
- celia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 109.
- celimene [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 169.
- celinde [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 164.
- Cellaria J. Ellis and D. Solander, Nat. Hist. Zool. 1786, 18.—Pol.
- cellaria *Helix*, O. F. Müller, Verm. II. 1774, 28.
- cellaris *Cryptocephalus* (Fab.), G. Paykull, Faun. Suec. III. 1800, 356.—*Dermestes*.
- cellare *Cylonium* (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.—*Ips*.
- cellaris *Dermestes*, Scopoli, Ent. Carn. 1763, 16.
- cellaris *Dermestes*, J. C. Fabricius, Ent. Syst. I (1) 1792, 234.
- cellaris *Ips* (Scop.), A. G. Olivier, Entom. II. 1790, 10.—*Dermestes*.
- cellaris *Musca*, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
- cellaris *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 499.
- cellaris *Oxyporus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 832.

- cellaris Staphylinus (Fab.), G. Paykull, Faun. Suec. III. 1800, 421.—Oxyporus.
 Cellepora Linnaeus, Syst. Nat., ed. 12, 1767, 1285.—Pol.
 [cellulanus Araneus, C. Clerck, Aran. Svec. 1757, 62.]
 Cellularia P. S. Pallas, Elench. 1766, 58.—Pol.
 cellularia Aranea, F. A. A. Meyer, Spinner Gött. 1790, 11.
 cellularioides Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxiv.
 cellulata Millepora, P. Forskal, Descr. Anim. 1775, 138.
 cellulinus Araneus, T. Martyn, Aranei, 1793, 28.
 cellulosa Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 25.
 cellulosa Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 790; ed. 12, 1767, 1284.
 cellulosa Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 206.
 cellulosaes Hydatis, J. J. Virey, Journ. de Phys. IV. 435 (1798).
 cellulosaes Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3059.
 Cellularia *v.* Cellularia, Pallas, Syst. Plant-Dier. 1768, 648.
 celmus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 87.
 celsia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 831.
 celsias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
 celsus Musca, M. Harris, Exp. Eng. Ins. 1776, 125.
 celtis Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1783–85],
 celtis Papilio, J. C. Fabricius, Mant. II. 1787, 56. [168.]
 cembrae Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 182.
 cembrella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 365.
 coemiteriorum *v.* coemiteriorum.
 cenaria Phalaena, *id. ac* cenis, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 251.
 cenchoa Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 389.
 Cenchrasmus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 3 & 36.—A.
 cenchria Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
 cenchris L. T. Gronovius, Zooph. I. 1763, 25.—R.
 cenchris Boa, *id. ac* cenchria, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1083.
 cenchrus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 22.
 cenchrus Curculio, P. S. Pallas, Icon. Ins. 1781, 29.
 cenco Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 82.
 ceneus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 302.—Papilio.
 ceneus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487; ed. 12, 1767, 766
 [P. (Danaus) caeneus].
 ceneus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 94.
 cenea [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 134.
 cenis [Phalaena], P. Cramer, Uitl. Kapellen, II (13) 1777, 82.
 centaureae Curculio, Scopoli, Ent. Caru. 1763, 26.
 centaureae Curculio, C. Allioni, Misc. Taurin. III. 1766, 187.
 centaureae [Curculio], Giorna, Cal. Ent. 1791, 81.
 centaureae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 360.
 centaureata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
 centauroata (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig.
 centaurii Chrysomela, J. C. Fabricius, Mant. I. 1787, 68. 240 [*n. et f.*].
 centaurea Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 56.
 centaurus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 8.—Scarabaeus, 1775.
 centaurus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 275.
 centaurus Papilio, J. C. Fabricius, Syst. Ent. 1775, 520.
 centaurus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 8.
 centifoliae Tenthredo, G. W. F. Panzer, Ins. Germ. heft 49 [1798], tab. 18.
 centonalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796] 7 & 8 [2].
 centralis Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.
 centralis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 45.
 centralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 233.
 centralis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 450.
 centrana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 273.
 centrata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 290.

- centricornis Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 33.
 centrina Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 398.
 Centricus Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 415.—P.
 Centricus G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
 centroleina Bombyx, J. C. Fabricius, Mant. II. 1787, 126.
 centroleineatus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 1.
 centummaculatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 345.
 centumnotata Phalaena, J. D. Schulzens, Naturforscher, VI. 1775, 93.
 centumpunctata Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 45.
 centuncularis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 953.
 centuriella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 centurio Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 133.
 centurio Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 78.
 Cepa [G. Humphreys], Mus. Calonn. 1797, 45 [*n. n.*].—L.
 cepa *v.* caepa.
 caepae *v.* caepae.
 cephalator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 195.
 cephalo Testudo, J. G. Schneider, Nat. Schildkr. 1783, 303.
 kephalopterus Cercopithecus, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 185.
 kephalopterus Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 196.
 cephalopteros Simia [*v.* kephalopt- 1799, *supra*], J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 657.
 Cephalopus (*ex* Nozeman), L. T. Gronov, Acta Helvet. V. 1762, 377.—Ver.
 cephalotes Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.
 cepalotes Bulbocerus (Pall.), E. Acharius, K. Vet. Ac. Nya Handl. II. 1781, 248.—Scarabaeus.
 cephalotes Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
 cephalotes Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 513.
 cephalotes Crabro, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 16.
 cephalotes Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 50.
 cephalotes Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
 cephalotes europaea Formica, J. L. Christ, Nat. Ins. 1791, 511.
 cephalotes Horia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 102.
 cephalotes Lethrus (Pall.), J. C. Fabricius, Mant. I. 1787, 2.—Scarabaeus.
 cephalotes Malachus, A. G. Olivier, Entom. II. 1790, 12.
 cephalotes Musca, Bosc, J. Nat. Hist. (Choix des Mém.), II. 1792, 55.
 cepalotes Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 284.
 cephalotes Nyctemene (Pall.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 736.—Vespertilio.
 cephalotes Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2003.—
 cephalotes Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461. [Tenebrio.
 cephalotes Scarites (L.), A. G. Olivier, Entom. III. 1795, 8.—Carabus.
 cephalotes Scarites, [Hausmann], Entom. Bemerck. 1799, 25.
 cephalotes Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 cephalotes Tenebrio, P. S. Pallas, Icon. Ins. 1781, 49.
 cephalotes Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 408.
 cephalotes Vespertilio, P. S. Pallas, Spic. Zool. III. 1767, 10.
 cephalotes Vespertilio, R. Kerr, Anim. Kingd. 1792, 98, *var.* melinus.
 “Cephalus, Bloch,” Ag.; occurs only in the synonymy.—P.
 cephalus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 527.
 cephalus Erythrinus, F. C. Meuschen, Mus. Gronov. 1778, 35.
 cephalus Gobiesox, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 595.
 cephalus Mugil, Linnaeus, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520.
 cephalus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 241.
 cephea Medusa, P. Forskal, Descr. Anim. 1775, 108.
 cepheus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.
 cephise [Phalaena], P. Cramer, Utitl. Kapellen, III (19) 1779, 59.
 cephise [Phalaena], P. Cramer, Utitl. Kapellen, IV (32) 1782, 182.

[cephus]—

- cepphus** Catharacta, M. T. Brünnich, Orn. Boreal. 1764, 36.
cephus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 37.—Simia.
cephus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 315.
cephus Papilio, J. C. Fabricius, Syst. Ent. 1775, 528.
cepha Papilio, J. C. Fabricius, Mant. II. 1787, 15.
cephus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
cephus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 39.
cephus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 67.
cephus [Sphinx], P. Cramer, Uitl. Kapellen, III (17) 1779, 8.
Cepola Linnaeus, Mus. Adolph. Frid. II. 1764, 63.—P.
Cepphus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 5 & 57.—A.
Cepphus P. S. Pallas, Spic. Zool. (5), 1769, 33.—A.
cepphus *v.* **cephus**.
cerago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
cerago Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 681.—
Cerambyx *v.* **Cerambyx**, O. F. Müller, F. Ins. Frid., 1764, xv. [Noctua.
ceramboides Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
ceramboides Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
ceramboides Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—Chrysomela.
ceramboides Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
 Chrysomela.
ceramboides Helops (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.—Chryso-
ceramboides Necydalis, J. R. Forster, Cat. Brit. Ins. 1770, 8 [*u. n.*]. [mela.
ceramboides Necydalis, J. R. Forster, N. Sp. Ins. 1771, 47.
ceramboides Necydalis, C. de Geer, Mém. Ins. V. 1775, 151.
ceramboides Necydalis, P. Rossi, Mant. Ins. II. 1794, 99.
ceramboides Pyrochroa (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 80.—Chrysomela.
ceramboides Spondylis (L.), J. C. Fabricius, Syst. Ent. 1775, 159.—Attelabus.
ceramboides Tenebrio (Fab.), A. G. Olivier, Entom. III. 1795, 9.—Spondylis.
ceramboides Upis, J. C. Fabricius, Ent. Syst. I (2) 1792, 515.
cerambyciformis Leptura, F. v. P. Schrank, Ins. Aust. 1781, 154.
cerambycinus Pediculus, Scopoli, Ent. Carn. 1763, 386.
Cerambyx Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.—Col.
ceramense Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
ceramicus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751.
ceramicum Vasmus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 57.—Voluta.
ceramica Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.—Murex, 1758.
Ceramryx *v.* **Cerambyx**, J. C. Fabricius, Mant. I. 1787, 130–135.
cerana Apis, J. C. Fabricius, Ent. Syst. II. 1793, 327.
ceranus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 276.—Papilio caranus.
Cerapterus N. S. Swederus, K. Vet. Ac. Nya Handl. IX. 1788, 203.—Col.
ceraria Phalaena, G. I. Molina, Sag. stor. nat. Chili, 1782, 212.
cerasana Phalaena Tortrix, J. Hübner, Beitr. Schmett. I (1) 1786, 14.
cerasata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 410.
cerasi Aphis, J. C. Fabricius, Syst. Ent. 1775, 734.
cerasi Bombyx, J. C. Fabricius, Syst. Ent. 1775, 564.
cerasi Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376.
cerasi Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
cerasi Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 607.
cerasi Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 22.—Chrysomela.
cerasi Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 279.
cerasi Ichneumon, Linnaeus, Syst. Nat., ed. 12, Vol. III. 1768, app., 226.
cerasi Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
cerasi Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
cerasi Noctua, J. C. Fabricius, Syst. Ent. 1775, 600.
cerasi Noctua, J. C. Fabricius, Mant. Ins. II. 1787, 146.
cerasi Noctua, C. C. Jung, Alph. Verz. Schmett. I. 1791, 113.

- cerasi Papilio, J. C. Fabricius, Mant. II. 1787, 69.
 cerasi Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 923.
 cerasifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
 cerasinus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
 cerasorum Curculio, J. C. Fabricius, Syst. Ent. 1775, 142.
 Cerastes J. N. Laurenti, Syn. Rept. 1768, 81.—R.
 Cerastes J. X. Poli, Test. Sicil. I. 1791, Introd. 30. A generic term applied to the fleshy part of certain Cardidae.
 cerastes Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
 cerastes Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
 cerastes Coluber, G. Shaw, Nat. Misc. IV. 1792, pl. 122.
 cerastii Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 737.
 Cerastoderma J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—L.
 cerastoides Coluber (Laur.), J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 60.—Coronella.
 cerastoides Coronella, J. N. Laurenti, Syn. Rept. 1768, 86.
 cerata *v.* ceratus.
 [cerathurus]—
 kerathurus Cancer, P. Forskal, Descr. Anim. 1775, 95.
 kerathurus Cancer (Astacus) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 70.
 Ceratium F. v. P. Schrank, Naturforscher, XXVII. 1793, 34.—Inf.
 Ceratodon M. J. Brisson, Reg. Anim. 1762, 231.—M.
 Ceratodon M. T. Brünnich, Fund. Zool. 1772, 48.—M.
 ceratoniae Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353; ed. 12, 1767, 559.
 ceratophthalmus Cancer, P. S. Pallas, Spic. Zool. IX. 1772, 83.
 ceratophthalma Ocyopode (Pall.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 ceratophyta Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1290.
 keratosqueleton Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
 cerata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
 cerata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [n. n.].
 cerata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 208.
 ceraunius Crabro, P. Rossi, Mant. Ins. II. 1794, 123.
 ceraunus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 303.
 cerberus Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 256.
 cerbera Sphinx, Linnaeus, Mus. Lud. Ulr. 1764, 363.
 cerberus Sphynx, P. S. Pallas, Spic. Zool. IX. 1772, 27.
 cerbera Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 551.—Sphinx.
 cercana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 874.
 Cercaria O. F. Müller, Verm. I (1) 1773, 64.—Ver.
 Cercaria O. F. Müller, Anim. Inf. 1786, 119.—Inf.
 cercinatus *v.* circinatus.
 cercis Papilio, J. C. Fuessly, Arch. Ins. II. 1782, T. P. (*err. pro celtis*).
 Cercopis J. C. Fabricius, Syst. Ent. 1775, 688.—Hem.
 Cercopis P. A. Latreille, Préc. Car. Ins. 1796, 91.—Hem.
 Cercopithecus L. T. Gronovius, Zooph. I. 1763, 5.—M.
 Cercopithecus J. C. P. Exleben, Syst. Anim. 1777, 22.—M.
 Cercopithecus B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
 Cercus P. A. Latreille, Préc. Car. Ins. 1796, 68.—Col.
 cerdo Canis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 75.
 zerda Canis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 247.
 cerdo Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 629.
 cerdo Hirundo, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
 cerealella Alucita, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 121.
 cerealis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 588.
 cerealis Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 49.
 cereana Galleria (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Phalaena.
 cereana Phalaena (Geom.), Linnaeus, Syst. Nat., ed. 12, 1767, 874.
 cereana Phalaena (Tortrix), C. M. Blom, K. Vet. Ac. Handl. XXV. 1764, 13.
 cerebralis Hydatigena, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 84.

- cerebralis** Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3062.—
cerebrina Taenia, A. J. Retzius, Verm. Intes. 1786, 52. [Hydatigena.]
cerebrum Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 163.
cereella Alucita, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.
cerefolii Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
cerelia Tinea, *id. ac* cerella, Mant. II. 240, J. C. Fabricius, Ent. Syst. III (2), 1794, 287.
cerella Tinea, *id. ac* cereana Phalaena, Linn., J. C. Fabricius, Syst. Ent. L. 1775, 655.
cereoides Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 26.
cereoides Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
cereolus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44. [Cellaria.]
cereolus Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
“Cereopsis, Latham, 1799,” Ag.; is 1801.
ceres Papilio, J. C. Fabricius, Syst. Ent. 1775, 504.
ceres [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 141.
ceres Papilio Helic., Herbst in Jablonsky, Nat. Ins. (Schmett.) IV. 1790, 106.
ceretana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 226.—Phalaena cinctana.
ceretana Tortrix (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 522.—Phalaena.
ceres Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 2.
cerium Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
cerea Gorgonia, E. J. C. Esper, Pflanzenth., Forts. I (6) 1796, 166.
ceres Hydra (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3867.—Actinia.
cerea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
ceres Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1766 [errata, end of vol. I.].—[*v.*]
cerea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702. [caeneus.]
Ceria Scopoli, Ent. Carn. 1763, 351.—Dip.
Ceria J. C. Fabricius, Ent. Syst. IV. 1794, 277.—Dip.
Ceria J. G. Meigen, N. Class. Mouches, 1800, 23.—Dip.
cerialis [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 213.
cerialis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 240.
cerifera Apis, J. A. Scopoli, Annus IV. 1770, 16.
ceriferus Coccus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 546.
cerinthe Cimex, J. C. Fabricius, Mant. II. 1787, 280.
cerinthes Altica, F. v. P. Schrank, F. Boica, I. 1798, 562.
cerinus Musca, M. Harris, Exp. Eng. Ins. 1776, 36.
Cerion J. F. Bolten, Mus. Bolten. (2) 1798, 90.—G.
ceriona Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
Cerithium J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
Cernua J. C. Schäffer, Piscium Bavar. 1761, 37.—P.
cernuae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.
cernuae Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3079.
cernua Actinia, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.
cernuus Brachionus, P. S. Pallas, Spic. Zool. X (1774), 37.
cernua Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
cernua Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 487.
Cerocoma E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 357.—Col.
ceronus Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1783—
ceronus Papilio, L. Prunner, Lep. Pedemont, 1798, 75. [85], 178.
Ceropales P. A. Latreille, Préc. Car. Ins. 1796, 123.—Hym.
Ceroplatus *id. ac* Keroplatus, Bosc, J. C. Fabricius, Suppl. Ent. Syst. 1798, 550.
certator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
Certhia Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 184.—A.
certhia Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 412.
certhia Picus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
Certophitecus, F. v. Wurm, *err. pro* Cercopithecus, Mag. Neuste Phys. u. Nat. II (4)
cerulea *v. caerulea*. [1784, 7.
cerusana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 63 [*n. et f.*].
cerusella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
cerusella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 63.

- cervana** Phalaena, Scopoli, Ent. Carn. 1763, 234.
- cervi** Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
- cervi** Festucaria, J. G. H. Zeder, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 68.
- cervi** Hippobosca, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 92.
- cervi** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
- “**cervi** Zoolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
- cervicalis** Psittacus, J. Latham, Index Orn. 1790, 130.
- cervicapra** Antilope, P. S. Pallas, Misc. Zool. 1766, 9.
- cervicapra** Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 96.
- cervicornis** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 622.
- cervicornis** Millepora, P. S. Pallas, Elench. 1766, 252.
- cervicornis** Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 134.
- cervicornis** Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 161.—Cerambyx.
- cervicornis** Spongia, P. S. Pallas, Elench. 1766, 388.
- cervinalis** Phalaena, Scopoli, Ent. Carn. 1763, 216.
- cervinaria** Phalaena, Giorna, Cal. Ent. 1791, 22. [vinalis, Scop.]
- cervinata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.—Phalaena cervinata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 266 [n. et f.].
- cervinella** Phalaena, Scopoli, Ent. Carn. 1763, 248.
- cervina** Adimonia (L.), J. A. Frolich, Naturforscher, XXVIII. 1799, 33.—Chrysomela.
- cervina** Atopa (Fab.), G. Paykull, Faun. Suec. II. 1799, 116.—Cistela.
- cervina** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
- cervina** Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—Chrysomela.
- cervina** Coccinella, Giorna, Cal. Ent. 1791, 109.
- cervinus** Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
- cervina** Coronella, J. N. Laurenti, Syn. Rept. 1768, 88. [Coronella.]
- cervina** Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47. [Chrysomela.]
- cervinus** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
- cervinus** Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
- cervina** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- cervinus** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
- cervina** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
- cervulus** Conus, F. C. Meuschen, Mus. Gev. 1787, 362.
- Cervus** Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 92.—M.
- cervus** Cimex, J. C. Fabricius, Mant. II. 1787, 283.
- cervus** Cypraea, Linnaeus, Mant. II. 1771, 548.
- cervus** Lucanus, Linnaeus, Syst. Nat., ed. 12, 1767, 559.—[Scarabaeus, ed. 10.]
- cervus** Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 2.
- cervus** Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353 [Lucanus, ed. 12].
- Cerystion** J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 583.—P.
- cespitalis** Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- cespitella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 29.
- cespitis** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
- cespitis** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- cessans** Conops, M. Harris, Exp. Eng. Ins. 1776, 71. [405.—Noctua.]
- cessator** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
- Cestracion** J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 580.—P.
- Cestreus** J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 584.—P.
- cethegus** [Papilio], C. Stoll, Aanh. Cramer, Uitl. Kapellen, V. 1790, 168.
- cethosia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 143.
- cetii** Apis, F. v. P. Schrank, Ins. Aust. 1781, 405.
- ceti** Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
- ceti** Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 509.—Oniscus.
- ceti** Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
- ceti** Pycnogonum (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 570.—Oniscus.
- Cetonia** J. C. Fabricius, Syst. Ent. 1775, 42.—Col.
- Cetus** M. J. Brisson, Reg. Anim. 1762, 225.—M.
- Cetus** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 403.—M.

[ceylanensis]—

- zeylanensis Buceros, R. Kerr, Anim. Kingd. 1792, 625.
 ceylanensis Canis, J. M. Bechstein in Pennant, Uebers. 4ftiss. Thiere, I. 1799, 278.
 ceylanensis Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
 ceylanensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 636.
 ceylanensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 275.
 zeylonensis Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 210.
 ceylonensis Perdix (Gm.), J. Latham, Index Orn. 1790, 644.—Tetrao zey-
 ceclanensis (*sic*) Psittacus (Larius), P. Boddaert, Tab. Planch. Enl. 1783, 42.
 ceilonensis Sciurus, P. Boddaert, Elench. 1785, 117.
 zeylonensis Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 287.
 ceylonensis Strix, F. M. Daudin, Traité élém. Orn. 1800, 211.
 zeylonensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
 zeylonensis Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. 451 (1777).—zeylanica
 [ceylanicus]— [in Gmelin, Syst. Nat. 89.
 zeylanicus Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 264.
 zeylanicus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
 ceylanica Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 377.
 zeylonica Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188.
 zeylanicus Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 46.
 zeylonicus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1106.
 zeylanica Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 zeylanicus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
 zeylanicus Cuculus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
 zeylanicus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1954.
 ceylanica Eschara, P. S. Pallas, Elench. 1766, 44.
 ceilanica Eschara, P. S. Pallas, Syst. Plant-Dieren, 1768, 55.
 zeylonica Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
 zeylanicus Labrus, J. R. Forster, Ind. Zool. 1781, 24.
 zeulonica (*sic*) Lacerta, B. S. Nau, N. Entdeck. Physik, I. 1791, 254.
 zeylonica Loxia, G. Shaw in Miller, Cim. Phys. 1796, 80.
 zeylanica Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—
 zeylonica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964. [Eschara.
 zeylanicus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 716.
 ceilanicus Sciurus, Lamarck in Thunberg, Voy. Japon &c. IV. 1796, 286.
 ceilonicus Scorpio, F. C. Meuschen, Mus. Gronov. 1778, 83.
 ceylonicus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 83.
 zeylanicus Seps, J. N. Laurenti, Syn. Rept. 1768, 59.
 zeylanicus Sturnus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 zeylanicus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
 zeylonica Sylvia (Gm.), J. Latham, Index Orn. 1790, 533.—Motacilla.
 zeylanicus Triton, J. N. Laurenti, Syn. Rept. 1768, 39.
 zeylonicus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 zeylanica Viverra, *id. ac zeylonensis*, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 zeylonus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 297. [1788, 89.
 ceilonus Turdus, Lamarck in Thunberg, Voy. Japon &c. I. 1796, 328.
 Ceyx B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 10.
 cffara Certhia, *v. caffra*.
 chabrontera Trigla, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 145.
 chabrus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1044.
 chacamel Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
 Chaena A. J. Retzius, Diss. Nova Test. Gen. 1788, 19.—L.
 chaerophyllata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 196
 [*n. et f.*].
 chaerophyllata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 866.
 chaerophylella Phalaena Tin., C. de Villers, Linn. Ent. II. 1789, 516.
 chaerophillella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 115.
 chaerophylli Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.

- Chaetodon** Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 460. [Artedi, Ichth. 1738, gen. xxxvi. 51.]—P.
- chaiqua** Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 116.
- chalarotis** Vespertilio, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 735.
- chalcas** Papilio, J. C. Fabricius, Syst. Ent. 1775, 453.
- Chalcida** F. A. A. Meyer, Syn. Rept. 1795, 31.—R.
- Chalcides** J. N. Laurenti, Syn. Rept. 1768, 64.—R.
- chalcides** Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369.
- chalcides** Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
- chalcidica** Iguana, J. N. Laurenti, Syn. Rept. 1768, 48.
- chalcidica** Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda at end of vol. I.: misprint]
- chalcidium** Madrepora, P. Forskal, Descr. Anim. 1775, 136. [for chalcides.
- chalciformis** Sesia, J. C. Fabricius, Ent. Syst. III (1) 1793, 382.
- chalcipera** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 771.
- Chalcis** J. C. Fabricius, Mant. I. 1787, 272.—Hym.
- chalcis** Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
- chalcis** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 13. [Noctua.
- chalcites** Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 774.—
- chalcocephalus** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
- calcographus** Bostrichus (L.), J. C. Fabricius, Syst. Ent. 1775, 59.—Dermestes.
- calcographus** Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 143.
- chalcographus** Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 7.—Bostrichus.
- chalcoides** Cyprinus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVI. 1772, 540.
- chalconatus** Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 17.
- chalcoops** Gryllus (Locusta), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
- chalcoptera** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
- chalcoptera** Columba, J. Latham, Index Orn. 1790, 604.
- chalcothorax** Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
- chalcus** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 142.
- chalca** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 244.
- chaldaeus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- chalytis** Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 75.
- chalybata** Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
- chalybata** Musca, J. R. Forster, N. Sp. Ins. 1771, 95.
- chalybata** Paradisea, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- chalybeata** Certhia, Linnaeus, Mus. Adolph. Frid. II. 1764, 22.
- chalybeatum** Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Bucc. chalybeum, Gm.
- chalybeata** Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. 1776, 166.
- chalybeata** Musca, *id. ac* chalybata, Forst., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2837.
- chalybeum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
- chalybea** Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
- chalybeus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
- chalybea** Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
- chalybea** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
- chalybeus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
- chalybeus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
- chalybeus** Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- chalibeus** Helops, P. Rossi, Fauna Etrus. I. 1790, 236.
- chalybea** Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1026.
- chalybea** Manucodia, P. Boddaert, Tab. Planch. Enl. 1783, 39.
- chalybea** Paradisea, J. Latham, Index Orn. 1790, 197.
- chalybea** Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
- chalybea** Saperda, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 138.
- chalybeus** Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 674.
- chalys** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
- Chama** Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1137.—L.
- Chama** E. M. da Costa, Brit. Conch. 1778, 230.—L.

- Chama P. Browne, Hist. Jamaica, ed. 2, 1789, 413.—L.
 Chamaeformis F. C. Meuschen, Mus. Gever. 1787, 444.—L.
 Chamaeleo J. N. Laurenti, Syn. Rept. 1768, 45.—R.
 Chamaeleon L. T. Gronovius, Zooph. I. 1763, 12.—R.
 cameleon Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 543.
 chamaeleon Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 364.
 chamaeleon Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979.
 chamaeleon Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
 chamaeleon Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 247.
 chamaeleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 759.—Musca.
 chamaeleontina Iguana, J. N. Laurenti, Syn. Rept. 1768, 47.
 chamaemorus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
 chamaeropsis Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 167.
 chama-solen Solen, E. M. da Costa, Brit. Conch. 1778, 238.
 Chamites J. Gesner, Tract. Petref. 1758, 37.—L.
 chamomillae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 73.
 chamomillae Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 Channa L. T. Gronovius, Zooph. I. 1763, 135.—P. [290.—Noctua.
 chanos Mugil, P. Forskal, Descr. Anim. 1775, 74.
 chanos *v.* magnus Mugil, P. Forskal, Descr. Anim. 1775, xiv.
 chanus Labrus, P. Forskal, Descr. Anim. 1775, 36.
 Chaoborus A. A. H. Lichtenstein, Archiv Zool. (Wiedemann) I (1) 1800, 174.—Dip.
 chaonia Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
 Chaos Linnaeus, Syst. Nat., ed. 12, 1767, 1326.—Inf.
 chaos Volvox, Linnaeus, Syst. Nat., ed. 10, 1758, 821.
 characias Orthezia, P. Bosc d'Antic, Obs. sur la Physique, XXIV. 1784, 173.
 "Characinus" *v.* Salmo.
 characterana Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [*n. et f.*].
 characterella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [*n. et f.*].
 characterella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
 caracterea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78. [517.—Noctua.
 caracterea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 characteria [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 154.
 Charadrius J. A. Scopoli, Introd. Hist. Nat. 1777, 475.—A.
 Charadricus *v.* Charadrius, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
 charadrii Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
 Charadrius Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.—A.
 charadria Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 180.
 Charax L. T. Gronovius, Zooph. I. 1763, 123.—P.
 charidea Papilio, [D. H. Schneider], N. Mag. Lieb. Ent. [Schneider's], V. 1794, 588.
 Chariophyllus M. E. Bloch, Eingeweidewürmer, 1782, 34.—Ver.
 charithonia Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 757.
 charmione [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 162.
 charon Argulus, O. F. Müller, Entom. 1785, 122.
 charon Himantopus, O. F. Müller, An. Infus. 1786, 252.
 charon Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3005.—Argulus.
 charon Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 15.
 charon Trichoda, O. F. Müller, Verm. I (1) 1773, 83.
 charonia Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 28.
 charopus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
 charopus Tabanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 214.
 chartacea Flustra, *id. ac* cartacea, Mar., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 chartoprates Cassis, F. C. Meuschen, Mus. Gever. 1787, 394. [3828.
 chaugoun Vultur, F. M. Daudin, Traité élém. Orn. 1800, 14.
 Chauliodes P. A. Latreille, Préc. Car. Ins. 1796, 182.—Hym.
 chaumi Turdus, Brill in J. G. Georgi, Reise Russ. 1775, 505.
 chaus Felis, A. I. Gueldenstaedt, N. Comm. Ac. Sci. Petrop. XX. 1776, 500.
 chaus Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 155.

- chavaria* Palamedea (L.), Geoffroy, Bull. Sci. Soc. Philom. [Paris], no. 7, 1797, 50.—
chavaria Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 260. [Parra.]
cheela Falco, J. Latham, Index Orn. 1790, 14.
cheela Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
Cheilea A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 110.—G.
Cheiromys G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [*n. n.*].—M.
chelata Aranea, O. F. Müller, F. Ins. Frid. 1764, 94.
chelatus Cancer, J. C. Fabricius, Mant. I. 1787, 317.
chelata Cellularia (L.), P. S. Pallas, Elench. 1766, 77.—Sertularia.
chelata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 816.
chelicornis Solpuga, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 218.
chelifer E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 617.—Ar.
chelifer Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 202.
chelifer Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200. [Cyclops.]
chelifer Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
chelifes Asellus (Pall.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 254.—Oniscus.
chelifes Cymothoa (Pall.), J. C. Fabricius, Ent. Syst. II. 1793, 506.—Oniscus.
chelifes Oniscus, P. S. Pallas, Misc. Zool. 1766, 194.
Chelon [P. Artedi, Ichth. 1738, syn. 118.]—P.
Chelonelithes R. de Paul de Lamanon, Obs. sur la Physique, XVI. 1780, 472.—R.
Chelonia Al. Brongniart, Bull. Sci. Soc. Philom. 1800, 89.—R.
chelonocephala Phoca, J. M. Bechstein in Pennant, Ueberes. 4füss. Thiere, II. 1800, 586.
chelys Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 80.
chemnis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 331.
chemnis Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
chemnitzii Notacanthus, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1787 (1788), 278.
Chenalopex Moehring, Gesl. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 53.—A.
chenensis Oriolus, P. Boddaert, Tab. Planch. Enl. 1783, 34. [*n. et f.*]
chenopodiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 299
chenopodiata Noctua, *id. ac* chenopodii, D. & S., C. de Villers, Linn. Ent. IV. 1789, 467.
chenopodiata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767,
chenopodii Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82. [868.]
chenopodii Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 418.—Noctua.
chephise [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 182.
chera Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 36.
cheriway Falco, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 17.
cheriway Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 481.
cheriway Vultur (Jacq.), J. Latham, Index Orn. 1790, 8.—Falco.
tscheriway (*sic*) Vultur, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
Chermes Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 737.—Hem.
Chermes E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 498.—Hem.
chermes-buxi Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 223.
chermesina Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptoc.
kermesinus (*sic*) Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
chermesinus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 94.
kermesinus (*sic*) Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 140.—Cimex.
kermesina (*sic*) Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 316.
chelsea Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 377.
Chersina [G. Humphreys], Mus. Calonn. 1797, 62.—G.
Cheyletus P. A. Latreille, Préc. Car. Ins. 1796, 179.—Ar.
chi Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 615.—Phalaena.
chi Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 846.
chichictli Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 296.
chicorii Chrysomela, Linnaeus in Hasselquist, Palast. 1762, 449.
chicquera Falco, F. M. Daudin, Traité élém. Orn. 1800, 121. [Diomedea.]
chilensis Aptenodyta (Mol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.—
chilensis Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1264.

- chilensis* Diomedea, G. I. Molina, Sag. stor. nat. Chili, 1782, 238.
chilensis Esox, G. I. Molina, Sag. stor. nat. Chili, 1782, 222.
chilensis Mugil, G. I. Molina, Sag. stor. nat. Chili, 1782, 224.
chilensis Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
chilensis Otis, G. I. Molina, Sag. stor. nat. Chili, 1782, 260.
chilensis Parra, G. I. Molina, Sag. stor. nat. Chili, 1782, 258.
chilensis Phoca, R. Kerr, Anim. Kingd. 1792, 127.
chilensis Phoenicopterus, G. I. Molina, Sag. stor. nat. Chili, 1782, 242.
chilensis Pinguinus (Mol.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 30.—?Diomedea.
chilensis Pyura, G. I. Molina, Sag. stor. nat. Chili, 1782, 348.
chilensis Scorpio, G. I. Molina, Sag. stor. nat. Chili, 1782, 215.
chilensis Silurus, G. I. Molina, Sag. stor. nat. Chili, 1782, 226.
chilensis Sparus, G. I. Molina, Sag. stor. nat. Chili, 1782, 223.
chilensis Viverra, H. F. Link, Beytr. Nat. I (2) 1795, 85.
chiloensis Aptenodyta (Mol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.—
chiloensis Diomedea, G. I. Molina, Sag. stor. nat. Chili, 1782, 239. [Diomedea.
chiloensis Pholas, G. I. Molina, Sag. stor. nat. Chili, 1782, 204.—[*chilensis*, *errore*, Fr.
chilon Cyprinus, J. F. Bolten, Mus. Bolten. (1) [1798], 14. [ed., 1789, 179.]
chilon Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
Chimaera Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 401.—P.
Chimaera J. X. Poli, Test. Sicil. I. 1791, Introd. 31.—A generic term applied to fleshy
parts of Pinnae.
chimaera Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me justice 1796], 11.
Chimaeroderma J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
chimaris Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 424.
chinche *v.* cinche.
chincou Vultur, F. M. Daudin, Traité élém. Orn. 1800, 12.
chinensis *v.* sinensis.
chinga Viverra, G. I. Molina, Sag. stor. nat. Chili, 1782, 288.—[chingha, Ger. ed., 1786,
chinquis Pavo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 121. [255.]
Chion J. A. Scopoli, Intr. Hist. Nat. 1777, 398.—Moll.
chionanthi Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 195.
chionanthi Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 67.
chione Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
chione Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 213.
chione [Papilio], P. Cramer, Utit. Kapellen, I (8) 1776, 142.
chione Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1131.
Chionis J. R. Forster, Ench. 1788, 37.—A.
chiragra Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 340.—Strombus.
chiragra Cancer, J. C. Fabricius, Syst. Ent. 1775, 409.
chiragra Cancer (Mantis) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 100.—
chiragra Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer. [Squilla.
chiragra Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
chiragra Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 168.
chiragra Squilla, J. C. Fabricius, Spec. Ins. I. 1781, 515.
chiragra Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1207.
chiragricus Acarus, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 291.
chiragricus Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2990.
“*Chirocephalus* Prevost, 1794,” Ag.; does not occur before 1803.—Cr.
chiron Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 27.
chiron Papilio, J. C. Fabricius, Syst. Ent. 1775, 452.
chiron Scarabaeus, A. G. Olivier, Entom. I. 1789, 18.
chiron Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 56.
chiron [Sphinx], P. Cramer, Utit. Kapellen, II (12) 1777, 62.
chironius Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
chirothecata Tipula, Scopoli, Ent. Carn. 1763, 320.
chirurgus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 99.
chirurgus Tringa, J. A. Scopoli, Del. Insub. II. 1786, 92.

- Chiton** Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.—Moll.
chiton Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
chiton Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 262.
chiton Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
Chlamys J. F. Bolten, Mus. Bolten. (2) 1798, 161.—L.
chlora [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 233.
clorana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 343.
clorana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 646.—Phalaena.
chloreia [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 12.
chloridis Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 118.
chlorinaeus Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
chlorio Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
Chloris Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 24.—A.
Chloris G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
chloris Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
chloris Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 8.
chloris Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 304.
chloris Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
chloris Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
chloris Papilio N. P., E. J. C. Esper, Die Schmett. I (9) 1779, 372.
chloris [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 10.
chloris Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 27.—Loxia.
chloris Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 173.
chloris Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 67.
chloris Sitta, A. Sparrman, Mus. Carls. II. 1787, no. xxxiii.
chlorizans Cimex, Block in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 21.
chlorocephala Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 454.
chlorocephala Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
chlorocephala Loxia, F. M. Daudin, Traité élém. Orn. 1800, 432.
chlorocephalus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 432.
chloroleuca Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 984.
chloroleuca Sylvia (Gm.), J. Latham, Index Orn. 1790, 536.—Motacilla.
chloromelas Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
chloromelas Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
chloronotos Testudo, J. M. Bechstein, Lacépède's Amphibien, I. 1800, 107.
chlorophanus Carabus, Zöcker in L. H. v. Bloch in Becker, Plau. Grund, 1799, 100.
chloropodis Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 198.
chloropterus Buceros, R. Kerr, Anim. Kingd. 1792, 626.
chloroptera Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
chloropterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
chloropterus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
chloropterus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 151.
chloroptera Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2020.
chloropterus Staphylinus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 20.
chloroptura Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
cloropus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
chloropus Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 258.
chloropus Gallinula (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 293.—Fulica.
chloropus Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 81.
chloropus Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
chlororhynchos Diomedea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 568.
chlorosata Phalaena, Scopoli, Ent. Carn. 1763, 222.
chlorosticta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
chlorothorax Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
chlorotica Blatta, P. S. Pallas, Spic. Zool. IX. 1772, 10.
chloroticum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 256.
chlorotica Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 203.
chlorotica Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 317.

- chlorourus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 24.
 chocolatella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 118.
 choerilus [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 91.
 "Choero pithecus" P. Boddaert, Allg. Genees. Jaarb. III (1) 1786, 281.—M.
 Choleva P. A. Latreille, Préc. Car. Ins. 1796, 14.—Col.
 chondrilla Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 choninea Phalaena, *err. pro chorinea*, Cram. IV (26) 1780, 42.
 choragella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
 chorda Syngnathus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 3.
 chordatus Stylephorus, G. Shaw, Tr. Linn. Soc. [Lond.] I. 1791, 90.
 chorebus [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 25.
 chorea Musca, J. C. Fabricius, Spec. Ins. II. 1781, 444.
 chorea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
 choraesus Psittacus, G. I. Molina, Sag. stor. nat. Chili, 1782, 257.
 chorinaeus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus, 1775.
 chorineus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 91.
 chorinaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 72.
 chorinea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 42.
 chorinaeus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 5.
 chorus Mtilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 202.
 choucou Strix, F. M. Daudin, Traité élém. Orn. 1800, 186.
 chremes Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 47.
 christiernana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 877.
 christiernana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
 chromis Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 25.
 cromis Labrus, Linnaeus, Syst. Nat., ed. 12, 1766, 479.
 chromis Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 470.
 chromus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 163.
 chrysaetos Aquila (L.), F. v. P. Schrank, F. Boica, I. 1798, 107.—Falco.
 chrysaëtos Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
 chrysaëtos Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 484.
 chrysalis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50 [*n. n.*].
 chrysalis Paramaecium, O. F. Müller, An. Infus. 1786, 90.
 chrysanthemi Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula, 1787.
 chrysanthemi Phalaena Tinea, J. G. Gladbach in Kuehn, Kurz Anleit. Ins., ed. 2, 1783,
 chrysanthemi Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 166. [163 [*n. n.*].
 chrysanthemi Tipula, J. C. Fabricius, Mant. II. 1787, 327.
 chryseis Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 58.
 chryseis Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 309.—Papilio.
 chryseis Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 23.
 chryseis Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.
 chrysalis [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, IV. 1790, 131.
 chrysidiformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 210.
 chrysis Papilio, J. C. Fabricius, Syst. Ent. 1775, 502.
 chrysis Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 767.
 chrysis Papilio [*non* Linn.], J. H. Sulzer, Gesch. Ins. 1776, 144.
 Chrysis Linnaeus, Faun. Suec., ed. 2, 1761, 414.—Hym.
 chrysis Buprestis, J. C. Fabricius, Syst. Ent. 1775, 218.
 chrysis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 44.—Scarabaeus.
 chrysis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 525.
 chrysis Ichneumon, J. C. Fabricius, Mant. I. 1787, 269.
 chrysis Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109. [baeus.
 chrysis Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 149.—Scara-
 chrysis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 551.
 chrysis Scarabaeus, F. C. Meuschen, Mus. Gronov. 1778, 58.
 chrysis Spheg, J. L. Christ, Nat. Ins. 1791, 310.
 [chrysitina Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 56.
 chrysites Buprestis, *id. ac chrysis*, Fabr., P. S. Pallas, Icon. Ins. 1782, 62.

- chrysitis** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 606.—Phalaena.
chrysitis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 843.
chrysocephala Altica (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 84.—Chrysomela.
chrysocephala Amphitrite (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
chrysocephalus Carabus, P. Rossi, Fauna Etrus. I. 1790, 220. [3111.—Nereis.
chrysocephala Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 594.
chrysocephalus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
chrysocephalus Cuculus, G. Shaw in Miller, Cim. Phys. 1796, 91.
chrysocephalus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 336.—Oriolus.
chrysocephalus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 463.
chrysocephala Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 971.
chrysocephala Musca, C. de Geer, Mém. Ins. VI. 1776, 60.
chrysocephala Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
chrysocephala Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 235.
chrysocephalus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 164.
chrysocephalus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 165.
chrysocephala Sylvia (Gm.), J. Latham, Index Orn. 1790, 541.—Motacilla.
chrysocephalus Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
chrysocephalus Vultur, G. A. Suckow, Naturg. II (1) 1800, 91. [*n. n.*].
chrysoceras Phalaena (Noctua), J. Beckwith, Tr. Linn. Soc. [Lond.] II. 1794, 3.
Chrysochloris B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
chrysoclypeata Sphex, J. L. Christ, Nat. Ins. 1791, 293.
chrysocollis Buprestis, Scopoli, Ent. Carn. 1763, 64.
chrysocome Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 133.
chryso-dactyla Alucita, [Denis & Schiffermüller], Schmiett. Wien, 1775, 320.
chrysonon Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1269.
chrysonon Terebo, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 228.
chrysoelus Buprestis, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 122.
Chryso-gaster J. G. Meigen, N. Class. Mouches, 1800, 32.—Dip.
chryso-gaster Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 132.
chryso-gaster Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
chryso-gaster Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
chryso-gaster Psittacus, J. Latham, Index Orn. 1790, 97.
chryso-gaster Stenocorus (Schr.), A. G. Olivier, Entom. IV. 1795, 19.—Cerambyx.
chryso-gaster Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 835.
chryso-gastralis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 449.
chryso-glossa Phalaena (Noctua), J. Beckwith, Tr. Linn. Soc. [Lond.] II. 1794, 6.
chryso-gona Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
chryso-grapha Noctua, [Denis & Schiffermüller], Schmiett. Wien, 1775, 313.
Chrysomela Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 586.—Col.
chrysomelae Filaria, v. Holten, Skr. nat. Selsk. [Copen.] IV (1) 1797, 16.
chrysomelae tanaceti Filaria, J. A. Frolich, Naturforscher, XXV. 1791, 108.
chrysomelas Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
chrysomelas Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmiett. IV. 1792, 778.
[chrysomelinus]—
chrysomalinus (sic) Carabus, J. A. Frolich, Naturforscher, XXVI. 1792, 162.
chrysomelin[us] Cicindela, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
chrysomelina Coccinella, J. C. Fabricius, Syst. Ent. 1775, 82.
chrysomelinus Dytiscus, J. C. Fabricius, Mant. I. 1787, 192.
chrysomelinus Elater, O. F. Müller, Z. Dan. Prod. 1776, 60.
chrysomelinus Hydrophilus, O. F. Müller, Z. Dan. Prod. 1776, 69.
chrysomelinus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 313.
chrysomelinus Lucanus, S. v. Hoehenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI.
 1785, 356. [Scarabaeus chrysomeloides].
chrysomelina Melolontha (Schrank), J. C. Fabricius, Ent. Syst. I (2) 1792, 175.—
chrysomelinus Oxyporus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 534.—Staphylinus.
chrysomelinus Scarabaeus, *id. ac* chrysomeloides, Schr., J. F. Gmelin in Linn. Syst.
 Nat., ed. 13, I. 1789, 1566.

- chrysomelinus** Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
chrysomelinus Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 233.
chrysomelinus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 17.
chrysomelina Zonitis, J. C. Fabricius, Syst. Ent. 1775, 126.
chrysomeloides Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 17.
chrysomeloides Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
chrysomeloides Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 31.
chrysomeloides Helops, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 1.
chrysomeloides Hydrophilus, G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 14.—
 chrysomelinus in text.
chrysomeloides Leptura, F. v. P. Schrank, Ins. Aust. 1781, 158.
chrysomeloides Meloe, Linnaeus, Amoen. Acad. VI. 1763, 396.
chrysomeloides Nitidula, P. Rossi, Mant. Ins. I. 1792, 24.
chrysomeloides Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.—
chrysomeloides Pimelia, A. G. Olivier, Entom. III. 1795, 12. [Tenebrio.
chrysomeloides Ptinus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 502.
chrysomeloides Scarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 16.
chrysomeloides Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 39.
chrysomeloides Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 180.
chrysomeloides Tenebrio, P. S. Pallas, Icon. Ins. 1781, 52.
chryson Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800] 446.
chrysonuchella Phalaena, Scopoli, Ent. Carn. 1763, 246.
chrysonuchella Phalaena Tinea, N. J. Brahn, Ins. Kal. II (1) 1791, 499.
chrysonuchella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
chrysopallida Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 310.
chrysopelargus Ardea, H. Lichtenstein, Cat. rerum Nat. I. 1793, 29.
chrysophrys Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
chrysoprasaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (2) 1794, 37.
chrysoprasus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
Chrysops J. G. Meigen, N. Class. Mouches, 1800, 23.—Dip.
chrysops Aranea, N. Poda, Ins. Mus. Graec. 1761, 123.
chrysops Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 63.
chrysops Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 912.
chrysops Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 113.
chrysops Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 471.
chrysops Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 236.
chrysoptera Certhia, J. Latham, Index Orn. 1790, 299.
chrysopterus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 125.
chrysopterus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 339.
chrysoptera Emberiza, J. Latham, Index Orn. 1790, 401.
chrysoptera Gracula, B. Merrem, Avium rar. Icones, I. 1784, 10; & *var.* *chrysocephala*,
chrysopterus Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 544.—Perca. [12.
chrysoptera Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
chrysopterus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2261.
chrysoptera Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 485.
chrysopterus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 149.
chrysoptera Sylvia (L.), J. Latham, Index Orn. 1790, 541.—Motacilla.
chrysoptera Vespa, C. de Villers, Linn. Ent. III. 1789, 284.
chrysoptera armata Vespa, C. de Villers, Linn. Ent. III. 1789, 284.
chrysopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2168.
chrysopus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
chrysopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
chrysopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
chrysopus Ichneumon, T. Marsham, Tr. Linn. Soc. [Lond.], III. 1797, 4.
chrysopus Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.
chrysopus Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
chrysorrhæa Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 577.—Phalaena.
chrysorrhæa Musca, Scopoli, Ent. Carn. 1763, 347.

- chrysorrhoea** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767,
chrysorrhoea Sphinx, E. Donovan, Brit. Ins. IV. 1795, 21. [822]
chysorrhousa Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
chryorus Myoxus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 352.
chrysostictos Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
chrysostictos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
chrysosticta Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
chrysostigma Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
chrysostigma Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 32.
chrysostoma Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
chrysostomum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
chrysostoma Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
chrysostomus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372. [571.
chrysostoma Diomedea, J. R. Forster, Mém. présentés Ac. Roy. Sci. [Paris], X. 1785,
chrysostoma Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 101.—Turbo.
chrysostoma Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.
chrysostoma Nerita, D. L. G. Karsten, Mus. Lesk. I. 1789, 290.
chrysostoma Nerita, J. F. Bolten, Mus. Bolten (2) 1798, 18 [*n. n.*].
chrysostoma Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
chrysostoma Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
chrysostomus Turbinus (L.), F. C. Meuschen, Mus. Gever. 1787, 278.—Turbo.
chrysostomus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1233.
chrysostoma Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
chrysothema Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
chrysothorax Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203. [1781, 89.
chrysothyreos Leptura, F. v. P. Schrank, F. Boica, I. 1798, 697.
chrystotis Buprestis, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 121.
chrysozonias Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 2879.
Chrysozona J. G. Meigen, N. Class. Mouches, 1800, 23.—Dip.
chrysozona Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 264.
chrysurus Hystrix, H. F. Link, Beitr. Nat. I (2) 1795, 72 [*n. n.*].
chrysurus Myoxus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 352.
chrysurus Scomber, Linnaeus, Syst. Nat., ed. 12, 1766, 494.
chrysurus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 28.
chrysus [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (32) 1782, 178.
chufejif Formica, P. Forskal, Descr. Anim. 1775, xxiii.
chuff Blennius, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 186.
cia Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 310.
cibaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 995.
Cibota P. Browne, Hist. Jamaica, ed. 2, 1789, 416.—L.
cibiriformis Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 68.
Cicada Linnaeus, Syst. Nat., ed. 10, 1758, 434; ed. 12, 1767, 715; divided by him into
 Noctilucae, Foliaceae, Cruciateae, Manniferae, Spumantes, Deflexae, Ranatrae; but
 these words are not used in a sub-generic sense.
cicada Cancer (Gammarellus) (O. Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
cicada Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 387. [137.—Oniscus.
cicada Oniscus, O. Fabricius, F. Groen. 1780, 258.
cicada Rhombea, S. Felton, Phil. Trans. LIV. 1764, 55.
cicada Trichoda, O. F. Müller, An. Infus. 1786, 232.
cicatricosa Aranea, C. de Geer, Mém. Ins. VII. 1778, 226.
cicatricosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
cicatricosa Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
cicatricosus Curculio, D. H. Hoppe, Ins. Elyt. 1795, 61.
cicatricosa Helix, O. F. Müller, Verm. II. 1774, 42.
cicatricosa Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 74.—Helix.
cicatrosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
cicercula Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
cicero Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.

- cicero Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 130.
 cichoreum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
 cichorii Buprestis, A. G. Olivier, Entom. II. 1790, 91.
 cichorii Cantharis (L.), C. de Geer, Mém. Ins. V. 1775, 17.—Meloe.
 cichorei Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
 cichorii Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 680.
 cilia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 171.
 Cicindela Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.—Col.
 Cicindela E. L. Geoffroy, Hist. Ins. Paris, I. 1762, 169.—Col.
 cicindeloides Carabus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 200
 cicindeloides Staphylinus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 324.
 Cicla [P. Artedi, Ichth. 1738, Syn. 112.]—P.
 Cicla (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
 cicomocoides Nepa, *errore cimicoides*, Linn., N. Poda, Ins. Mus. Graec. 1761, 54.
 ciconia Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 6 & 61.—A.
 Ciconia M. J. Brisson, Ornith. V. 1760, 362.—A.
 ciconia Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, I. 1766, 235.
 ciconiae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
 ciconiae Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
 ciconiae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
 cicur Musca, M. Harris, Exp. Eng. Ins. 1776, 47.
 cicurea Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 410.
 cicurius Dytiscus, J. C. Fabricius, Mant. I. 1787, 190.
 cicutella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
 Cidaris N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xvii. & 74.—Ech.
 Cidaris F. C. Meuschen, Mus. Gev. 1787, 482.—Ech.
 Cidaris [G. Humphreys], Mus. Calonn. 1797, 65.—Ech.
 Cidaris J. F. Bolten, Mus. Bolten. (2) 1798, 84.—G.
 cedaris (*sic*) Anadema (L.), F. C. Meuschen, Mus. Gev. 1787, 480.—Echinus.
 cidaris Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 89.
 cidaris Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1103.
 cidaris Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
 "Cidarites Leske, 1778," Ag.; not used in a generic sense.—Ech.
 cidaroides Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
 ciestria Histria[x], W. G. Browne, Trav. Africa, 1799, 263 [*n. n.*].
 ciliialis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 24.
 ciliaris Asterias, Linnaeus, Syst. Nat., ed. 12, 1767, 1101.
 ciliare Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
 ciliare Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Cardium.
 ciliaris Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 276; ed. 12, 1766, 465.
 ciliaris Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
 ciliaris Culex, Linnaeus, Syst. Nat., ed. 12, 1767, 1002.
 ciliaris Medusa, Linnaeus, Syst. Nat., ed. 12, Vol. III. 1768, App., 227.
 ciliaris Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 380.
 ciliaris Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 922.
 ciliaris Zeus, M. E. Bloch, Nat. ausl. Fische, III. 1787, 36.
 ciliatella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 138.
 ciliata Agrion, J. C. Fabricius, Spec. Ins. I. 1781, 528.
 ciliata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.
 ciliata Asterias, O. F. Müller, Z. Dan. Prod. 1776, 235.
 ciliata Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 239.
 ciliatus Bibio, A. F. de Fourcroy, Ent. Paris. 1785, 515. [Tritonium.
 ciliatum Buccinum (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3492.—
 ciliatus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2990.—Squilla.
 ciliatum Cardium, O. Fabricius, F. Groen. 1780, 410.
 ciliata Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 24.—Sertularia.
 ciliata Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
 ciliata Cellularia (Linn.), P. S. Pallas, Elench. 1766, 74.—Sertularia.

- ciliata* Cetonia, A. G. Olivier, Entom. I. 1789, 90.
ciliatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 706.
ciliatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
ciliata Culex, J. C. Fabricius, Ent. Syst. IV. 1794, 401.
ciliatus Dermestes, Scopoli, Ent. Carn. 1763, 17.
ciliatus Dytiscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 311.
ciliata Empis, J. C. Fabricius, Mant. II. 1787, 365.
ciliata Ephemera, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 91.
ciliata Eschara, P. S. Pallas, Elench. 1766, 38.
ciliata Eurychora (Fab.), C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 116.—*Pimelia*.
ciliata Fasciola, O. F. Müller, Verm. II. 1774, 55.
ciliatus Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 195.
ciliata Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2626.—*Agriion*.
ciliatus Lumbricus, O. F. Müller, Verm. I (2) 1774, 30.
ciliata Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 155.
ciliatus Melyris, A. G. Olivier, Entom. II. 1790, 6.
ciliata Musca, O. F. Müller, Z. Dan. Prod. 1776, 174.
ciliata Musca, C. de Villers, Linn. Ent. III. 1789, 428.
ciliata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 333.
ciliata Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
ciliata Nereis, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 14.
ciliata Noctua, J. C. Fabricius, Mant. II. 1787, 163.
ciliata Notonecta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 524.
ciliata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
ciliata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 319.
ciliata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—*Fasciola*, 1774.
ciliatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 219.
ciliata Scarabaeus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.—
ciliata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 231.—*Tiphia*, 1787. [*Melolontha*.
ciliata Serutularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1316.
ciliata Spheg, J. C. Fabricius, Mant. I. 1787, 275.
ciliata Spongia, O. Fabricius, F. Groen. 1780, 448.
ciliata Squilla, J. C. Fabricius, Mant. I. 1787, 333.
ciliata Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
ciliata Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
ciliata Trichoda, O. F. Müller, Zool. Dan. II. 1784, 100.
ciliatum Tritonium, O. Fabricius, F. Groen. 1780, 401.
ciliata Vespa, C. de Villers, Linn. Ent. III. 1789, 283.
cilicinus Pecten, F. C. Meuschen, Mus. Gever. 1787, 416.
ciliella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
ciliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 63.
cillene [Papilio], P. Cramer, Util. Kapellen, III (18) 1779, 38.
cillerana Chrysomela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 191.
cilo Sygnatus, J. A. Donndorff, Zool. Beyt. III. 1798, 796.
Cimbex A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 762.—*Hym*.
cimbricus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 106.
cimbricus Gadus, Linnaeus, Syst. Nat., ed. 12, 1766, 440.
cimeterius Ips, F. v. P. Schrank, F. Boica, I. 1798, 512.
cimeterium *v.* *cineterium*.
Cimex Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 715; divided by him into
Apteri, Scutellati, Coleoptrati, Membranacei, Spinosi, Rotundati, Seticornes, Oblongi,
Spinipedes, Lineari; but these words are not used in a sub-generic sense.
cimex Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
cimex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
cimex Trichoda, O. F. Müller, Verm. I (1) 1773, 84.
cimex Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1233.
cimicifugae Coccinella, P. S. Pallas, Reise Russ. II. 1773, 726.
cimicinus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 79.

cimicioides *v.* cimicoides.

[cimicoides]—

- cimicoides Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2968.
cimicioides Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
cimicooides Macrocephalus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 185.
cimicooides (*sic*) Musca, J. C. Fabricius, Reise Norwegen, 1779, 253.
cimicooides Naucoris (L.), J. C. Fabricius, Syst. Ent. 1775, 693.—Nepa.
cimicooides Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 714.
cimicooides Obisium (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 501.—Scorpio.
cimicooides Scorpio, J. C. Fabricius, Ent. Syst. II. 1793, 436.
cimicooides Silpha, C. de Geer, Mém. Ins. IV. 1774, 183.
cimicooides Tipula, Scopoli, Ent. Carn. 1763, 320.
Cina J. C. Fabricius, Ent. Syst. IV. 1794, 557 (in syn.; *err. pro* Ceria).
cinaeus Papilio, *err. pro* caeneus, L., J. C. Fabricius, Mant. II. 1787, 27.
cinche Viverra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 32.
chinche Viverra, E. A. W. Zimmermann, Spec. Zool. 1777, 484.
cincinnata Amphitrite, O. Fabricius, F. Groen. 1780, 286.
cincinnatus Merops, J. Latham, Index Orn. 1790, 275.
cincinnata Nereis, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788, 193.
Cinclus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 67.—A.
Cinclus M. B. Borkhausen, Deutsch. Fauna, I. 1797, 300.—A.
cinclus Motacilla (L.), J. A. Scopoli, Annus I. 1769, 152.—Sturnus.
cinclus Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 290.
cinclus Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 251.
cinclus Turdus, [M. Tunstall], Orn. Brit. 1771, 2 [*v. et f.*].
cinclus Turdus (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 285.—Sturnus.
cinctana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
cinctaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
cinctellus Notoxus, P. Rossi, Mant. Ins. I. 1792, 46.
cinctella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi. 2.
cinctella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 357.
cinctella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
cincticornis Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 290.
cincticulum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
cinctipes Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
cinctorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 332.
cincturator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 156.
cincta Andrena, J. C. Fabricius, Spec. Ins. I. 1781, 473.
cincta Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
cinctus Anthribus, G. Paykull, Faun. Suec. III. 1800, 164.—Curculio, 1792.
cincta Apis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.—
cincta Apis, J. C. Fabricius, Spec. Ins. I. 1781, 484. [Andrena.
cincta Apis, J. L. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 232.
cinctus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 465.
cincta Blatta, J. C. Fabricius, Mant. I. 1787, 226.
cinctum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
cinctum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
cincta Buprestis, A. G. Olivier, Entom. II. 1790, 90.
cinctus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 68.
cinctus Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 520.
cinctus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 310.
cincta Cassida, C. de Geer, Mém. Ins. V. 1775, 186.
cincta Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
cinctus Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 85.
cinctus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Rhagium.
cinctus Cerambyx, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 2.
cinctum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 493.
cincta Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 204.

- cincta* Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 132.
cincta Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 712.
cincta Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 23.
cincta Cicindela, A. G. Olivier, Entom. II. 1790, 10.
cincta Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 728.
cinctus Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
cinctus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 78.
cincta Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 68.
cincta Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
cinctus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 104.
cincta Conops (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2894.—Myopa.
cinctus Conus, F. C. Meuschen, Mus. Gever. 1787, 356.
cinctus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.—Scarabaeus.
cinctus Crabro, P. Rossi, Fauna Etrus. II. 1790, 94.
cincta Crioceris, J. C. Fabricius, Syst. Ent. 1775, 119.
cinctus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 82.
cinctus Curculio, D. Drury, Ill. Nat. Hist. III. 1782, index & 70.
cinctus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 124.
cinctus Curculio, P. Rossi, Fauna Etrus. I. 1790, 125.
cinctus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 232.
cinctus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 71.—*v.* Dytiscus.
cinctus Elater, G. Paykull, Faun. Suec. III. 1800, 11.
cincta Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
cinctus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 372.
cincta Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 242.
cincta Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1781.
cincta Galleruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 592.—Crioceris.
cinctus Gadius, O. Fabricius, F. Groen. 1780, 270.
cinctus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 50.
cincta Helix, O. F. Müller, Verm. II. 1774, 58.
cincta Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 48.
cincta Hirundo, P. Boddaert, Tab. Planch. Enl. 1783, 45.
cinctus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 938.
cinctus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 423.
cincta Lampyrus, J. C. Fabricius, Mant. I. 1787, 161.
cincta Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.
cinctus Limax, O. F. Müller, Verm. II. 1774, 9.
cincta Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 175.
cincta Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 980.
cinctus Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
cincta Musca, C. Allioni, Misc. Taurin. III. 1766, 198.
cincta Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 109.
cinctus Musca, M. Harris, Exp. Eng. Ins. 1776, 43.
cincta Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 419.—Nemotelus.
cincta Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 347.
cincta Myopa, J. C. Fabricius, Syst. Ent. 1775, 799.
cinctus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 183.
cincta Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
cincta Noctua, *id. ac i* cinctum, Den. & Schiff., J. C. Fabricius, Mant. II. 1787, 155.
cincta Noctua, G. Paykull, Skr. nat. Selsk. [Copen.] II (2) 1793, 101.
cincta Nomada, P. Rossi, Mant. Ins. I. 1792, 146.
cincta Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 508.—
cinctus Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 73.—Helix. [Noctua.
cincta Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
cincta Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
cinctus Reduvius, J. C. Fabricius, Gen. Ins. 1777, 302.
cinctus Rhagio, J. C. Fabricius, Mant. II. 1787, 333.
cinctum Rhagium, J. C. Fabricius, Mant. I. 1787, 146.

- cincta* Salamandra, P. A. Latreille, Salamand. France, 1800, 31 & 52.
cinctus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 30.
cinctus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 641.
cinctus Sirex, D. Drury, Ill. Nat. Hist. II. 1773, index & 72.
cincta Sphex, Scopoli, Ent. Carn. 1763, 292.
cincta Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 205.
cinctus Staphylinus, G. Paykull, Mon. Carab. 1790, 137.
cinctus Stenocorus (Fab.), A. G. Olivier, Entom. IV. 1795, 24.—Rhagium.
cinctus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 114.
cinctus Sturnus *v. et.* cinclus, Linnaeus, Faun. Suec., ed. 2, 1761, 78.
cincta Sylvia (Gm.), J. Latham, Index Orn. 1790, 539.—Motacilla.
cinctus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 366.
cincta Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557 [misprinted livida, ed. 12,
cincta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 336. [no. 32].
cincta Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3286.
cincta Vespa, D. Drury, Ill. Nat. Hist. I. 1770, index & 98.
cincta Vespa, C. de Geer, Mém. Ins. III. 1773, 584.
cincta Vespa, J. C. Fabricius, Syst. Ent. 1775, 362.
cincta Vorticella, O. F. Müller, Verm. I (1) 1773, 98.
cinclus Tringa *err. pro* cinclus, L., S. G. Gmelin, Reise Russ. III. 1774, 256.
cineraceus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 94.
cineraceus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
cineracea Scolopax, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
cineræ Sphinx, E. J. C. Esper, Die Schmett. Suppl. 2 Abschn. [1797], 26.
cinerago Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 445.
cineralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 230.
cineralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 22.
cinerana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
cinerana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—Pyralis.
cinerana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 281.
cineraria Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 953.
cinerarium Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 50.
cinerarius Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
cinerarius Cecullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
cineraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
cineraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 171
cinerarius Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397. [*n. et f.*].
cineraria Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 12, 1767, 698.
cineraria Lamia, J. C. Fabricius, Mant. I. 1787, 140.
cinerarius Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 224.
cineraria Locusta (L.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 83.—Gryllus.
cineraria Musca, P. Rossi, Mant. Ins. II. 1794, 72.
cineraria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
[*cineraria* Phalaena (G.), MS.], T. Martyn, Psyche, 1797, figs. 19 & 24.
cinerarius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
cinerascens Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 227.—Gryllus.
cinerascens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
cinerascens Aranea, F. A. A. Meyer in L. G. Schriber, J. Lieb. Ent. III. 1791, 256.
cinerascens Bombylius, J. C. Mikan, Mon. Bomb. 1796, 50.
cinerascens Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 130.
cinerascens Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
cinerascens Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
cinerascens Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 467.
cinerascens Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
cinerascens Formica, J. C. Fabricius, Mant. I. 1787, 308.
cinerascens Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 369.
cinerascens Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 157.
cinerascens Musca, A. F. de Fourcroy, Ent. Paris. 1785, 493.

- cinerascens* Sciaena, P. Forskal, Descr. Anim. 1775, 53.
cinerascens Turdus, *id. ac cinereus* Gm., J. Latham, Index Orn. 1790, 352.
cinerascens Vespa, J. C. Fabricius, Syst. Ent. 1775, 369.
cinerataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
cinerata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 255.
cinerata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 265.
cinerata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 274.
cinerata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 340.
cinerella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 6.
cinerella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
cinerella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
cinerella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
cinereo-argenteus Canis, J. C. D. Schreber, Säugth. III. 360 (1776) & pl. xcii A (?).
cinereocephalus Psittacus, R. Kerr, Anim. Kingd. 1792, 589.
cinereo-ferrugineus Falco, P. Forskal, Descr. Anim. 1775, vi & 1.
cinereonebulosus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 643.
cinereum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 100.
cinerea Adimonia (Fab.), J. A. Frolich, Naturforscher, XXVIII. 1799, 33.—Cistela.
cinerea Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
cinerea Alcedo, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 286.
cinerea Ampelis, J. Latham, Index Orn. 1790, 367.
cinerea Anas, S. G. Gmelin, Reise Russ. II. 1774, 184.
cinerea Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 506.
cinereus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 112.
cinerea Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 643.
cinerea Apis, A. F. de Fourcroy, Ent. Paris. 1785, 444.
cinerea Aranea, J. C. Fabricius, Gen. Ins. 1777, 249.
cinereus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 101.
cinerea Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 236.
cinereus Asilus, Scopoli, Ent. Carn. 1763, 365.
cinereus Asilus, C. de Geer, Mém. Ins. VI. 1776, 246.
cinereus Asilus, Panzer in Kob, Ursache d. Baumtrochniss, 1793, ed. 2, 55.
cinereus Balistes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 20.
cinerea Blatta, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 314.
cinereus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
cinerea Bombyx, J. C. Fabricius, Mant. II. 1787, 115.
cinerea Bombyx (*ex de G.*), C. C. Jung, Alph. Verz. Schmett. 1791, 123.
cinereus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 116.
cinereum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 262.
cinereus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 409.
cinereus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 185.
cinereus Buteo, F. M. Daudin, Traité élém. Orn. 1800, 156.
cinereus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 174.
cinerea Callaeas (Gm.), J. Latham, Index Orn. 1790, 149.—Glaucopis.
cinereum Callidium, A. G. Olivier, Entom. IV. 1795, 69.
cinerea Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
cinereus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 75.
cinereus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 256.
cinereus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 265.
cinerea Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 98.
cinerea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 481.
cinerea Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1107.
cinerea Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 168.—Cistela.
cinerea Cicada, P. Rossi, Fauna Etrus. II. 1790, 218.
cinerea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 64.
cinereus Cimex, N. Poda, Ins. Mus. Graec. 1761, 59.
cinereus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
cinereus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 110.

- cinerea* Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 146.
cinereus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
cinerea Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
cinerea Conops, C. de Villers, Linn. Ent. III. 1789, 585.
cinereus Conops (Fab.), O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 131.—*Myopa*.
cinereus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 673.
cinereus Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 86.
cinereus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
cinereus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46. [Cistela.
cinereus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 122.
cinereus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 285.
cinereus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
cinereus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 79.
cinerea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3402.
cinerea Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
cinerea Donacia, D. H. Hoppe, Ins. Elyt. 1795, 46.
cinereus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 666.
cinereus Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 70.—*Dytiscus*.
cinereus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
cinerea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 876.
cinerea Empis, J. C. Fabricius, Syst. Ent. 1775, 802.
cinerea Empis, O. F. Müller, Z. Dan. Prod. 1776, 182.
cinereus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
cinerea Felis, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, I. 1799, 299.
cinerea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.
cinerea Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 577.
cinerea Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 702.
cinerea Glaucopis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 363.
cinereus Gryllus (Tettig.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2071.
cinereus Gryllus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.—
cinerea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667. [Acrydium.
cinerea Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1026.
cinereus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
cinereum Opatrum, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 159.
cinereus Ophichthus, C. P. Thunberg, De Muraena, 1789, 10.
cinereum Orthoceras, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 131.
cinereus Labrus, G. Edwards in M. Catesby, Carol. II. 1771, cat., 1.
cinereus Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
cinereus Larus, J. A. Scopoli, Annus I. 1769, 80.
cinereus Larus, J. C. Schaeffer, Mus. Orn. 1789, 63.
cinereus Larus, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179–), 195.
cinerea Leptura (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—
cinereus Limax, O. F. Müller, Verm. II. 1774, 5. [Donacia.
cinerea Loxia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxviii.
cinerea Lytta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
cinereus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 4.
cinerea Meloe, J. R. Forster, Cat. Anim. N. Amer. 1771, 25 [n. n.].
cinereus Meloe, J. R. Forster, N. Sp. Ins. 1771, 62.
cinerea Melolontha, A. G. Olivier, Entom. I. 1789, 57.
cinereus Merops, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.
cinerea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 961.
cinereus Mugil, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 228.
cinerea Muraena, P. Forskal, Descr. Anim. 1775, x [n. n.].
cinerea Muraena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 35.
cinereus Musca, M. Harris, Exp. Eng. Ins. 1776, 75.
cinerea Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 331.
cinerea Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 171.
cinerea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.

- cinerea Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 399.
 cinerea Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 714.
 cinerea Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
 cinerea Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
 cinerea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
 cinerea Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 123.
 cinerea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 52.
 cinereum Opatrum, J. F. W. Herbst in Fuessly, Arch. Insect. VII. 1786, 159.
 cinerea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
 cinerea Perdix (Gm.), J. Latham, Syn. Birds, Suppl. I. 1787, 290.—Tetrao.
 cinerea Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
 cinerea Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 467.
 cinerea Phoca, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 76. [—Bombyx.
 cinerea Pipra, P. Boddaert, Tab. Planch. Enl. 1783, 43.
 cinerea Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
 cinerea Podura, P. Forskal, Descr. Anim. 1775, xxiv.
 cinereus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1775.
 cinerea Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
 cinereus Prionus, A. G. Olivier, Entom. IV. 1795, 35.
 cinerea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 563.
 cinerea Prosimia, J. A. Scopoli, Annus V. 1772, 71.
 cinereus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.
 cinereus Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 545.
 cinereus Rhynchophorus, K. Illiger, Archiv. Zool. (Wiedemann), I (2) 1800, 115.
 cinerea Saperda, A. G. Olivier, Entom. IV. 1795, 28.
 cinereus Scirurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 86.
 cinerea Scolopax, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 473.
 cinerea Serpula, P. Forskal, Descr. Anim. 1775, 128.
 cinerea Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
 cinerea Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 188.
 cinerea Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
 cinereus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1497.
 cinerea Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 607.
 cinerea Sterna, F. v. P. Schrank, F. Boica, I. 1798, 231.
 cinerea Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 291.
 cinereus Stromateus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 90.
 cinerea Sylvia, J. Latham, Index Orn. 1790, 514.
 cinereus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 293.
 cinerea Talpa, J. M. Bechstein, Gemein. Nat. Deutschl. I. 1789, 388.
 cinerea Testudo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 25.
 cinerea Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 268.
 cinereus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 768.
 cinereus Tinamus (Gm.), J. Latham, Index Orn. 1790, 633.—Tetrao.
 cinerea Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 405.
 cinereus Todus, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
 cinerea Tringa, M. T. Brünnich, Orn. Boreal. 1764, 53.
 cinerea Tringa, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
 cinereus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
 cinereus Trochus, E. M. da Costa, Brit. Conch. 1778, 42.
 cinereus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 356.
 cinereus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 140.
 cinereus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
 cinereus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 810.
 cinerea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 279.
 cinereus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 247.
 cinereus Vultur, R. Kerr, Anim. Kingd. 1792, 473; var. nigricans.
 cinerina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 67.
 cineta Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 61.

- cinetaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 166
[*n. et f.*].
- cineterium Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
- cingalensis *v. singalensis*.
- cingularis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- cingulana Phalaena, J. A. Scopoli, Annus V. 1772, 118.
- cingularia Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 209
- cingulata Andrena, J. C. Fabricius, Syst. Ent. 1775, 378. [*n. et f.*].
- cingulata Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
- cingulata Apis (Fab.), J. L. Christ, Nat. Ins. 1791, 187.—Nomada.
- cingulata Aranea, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 22.
- cingulatus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 464.
- cingulata Bembex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
- cingulatum Buccinum, Linnaeus, Mant. II. 1771, 549.
- cingulatum Buccinum, Linnaeus, Mant. II. 1771, 550.
- cingulatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114.
- cingulata Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
- cingulatum Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149 [*n. n.*].
- cingulatus Cerambyx, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 2.
- cingulata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—
- cingulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 719. [Tettigonia].
- cingulatus Cimex, J. C. Fabricius, Mant. II. 1787, 307.
- cingulata Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
- cingulatus Elater, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 53.
- cingulatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
- cingulata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.
- cingulata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
- cingulata Larra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 253.
- cingulata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
- cingulatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—Cimex, 1787.
- cingulata Mantis, D. Drury, Ill. Nat. Hist. II. 1773, index & 89.
- cingulatus Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 186.—Cimex, 1787.
- cingulatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
- cingulata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 477.
- cingulata Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 399.
- cingulata Nomada, J. C. Fabricius, Syst. Ent. 1775, 390.
- cingulata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 94.
- cingulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
- cingulata [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV. (34) 1782, 237.
- cingulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767,
- cingulatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1775. [874.
- cingulata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
- cingulatus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
- cingulata Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
- cingulata Sphinx, J. C. Fabricius, Syst. Ent. 1775, 545.
- cingulata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
- cingulatus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 767.
- cingulata Tenthredo, Scopoli, Ent. Carn. 1763, 277.
- cingulata Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 113.
- cingulata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 680.
- cingulatum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Buccinum.
- cingulata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2762
- cingulum Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3378.
- cingulus [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 61.
- cingulum Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 94.
- cingulum [Voluta], T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 39.
- cinistro Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
- cinna [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 14.

- cinnaberina* Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 221.
cinnabarina Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.
cinnabarina Lytta (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—
cinnaberinus Meloe, Scopoli, Ent. Carn. 1763, 60. [Meloe.]
cinnabarina Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 87.
cinnamea Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 156.
cinnamomea Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 643.
cinnamomeus Carabus, A. G. Olivier, Entom. III. 1795, 71.
cinnamomeus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 623.
cinnamomea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.
cinamomeus (sic) Cucullus, J. Bolten, Mus. Bolten. (2) 1798, 43.
cinnamomeus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
cinnamomaea Cypraea, G. Olivì, Zool. Adriat. 1792, 134.
cinnamomea Ips, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 170.
cinnamomea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [z. n.].
cinnamomea Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 335.
cinnamomea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 937.
cinnamomeus Mytilus, K. Schreibers, Vers. Conch. II. 1793, 293.
cinnamomea Noctua, C. C. Jung, Alph. Verz. Schmett. I. 1791, 124.
cinnamomeus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
cinnamomeus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 163.—Cerambyx.
cinnamomea Tetratoma, Hellwig in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 15.
cinnamomeus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
cinnamomi Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 76.
cinyra [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 76.
Cinxia J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
cinxia Papilio, S. A. Rottemburg, Naturforscher, VI. 1775, 5.
cinxia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 784.
cioides Attelabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
Cionus J. R. Schellenberg, Helvet. Entom. I. 1798, 64.—Col.
cippus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 189.—Phalaena.
cippus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 429.
cippus [Phalaena], P. Cramer, Utitl. Kapellen, I (5) 1775, 84.
cipris v. cypris.
circaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
circassianus Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 492.
circassius Dipus, R. Kerr, Anim. Kingd. 1792, 276.
circe Papilio, J. C. Fabricius, Syst. Ent. 1775, 495.
circe Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.
circe Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 148.
circe Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 294.
circe [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 124.
circceis [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 24.
circellaris Phalaena, Hufnagel, Berl. Mag. III. 1767, 404.
circi Pediculus, A. F. de Fourcroy, Ent. Paris. 1785, 518.
circia Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 204.
 [circinatus]—
circinnatus Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 119.
circinatus (sic) Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
circinatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3174.—
circinata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3652. [Cidarites.]
circinata Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 47.
circinata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 182.
circulana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
circularis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 62.
circularis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 389.
circularis Vorticella, G. Shaw, Nat. Misc. IV. 1795, pl. 199.
circularia Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 451.

- circularia* Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 58.
circularia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
circulata Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 311.
circulata Bulla, T. Martyn, Univ. Conch. III [1789], fig. 95.
circulata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
circulella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 301.
circulifera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 285.
circulus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
circulus Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
circumcisus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 147.
circumdataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 330.
circumdata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 268.
circumdata Leptura, A. G. Olivier, Entom. IV. 1795, 32.
circumductus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
circumflexus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—
Stenocorus.
circumflexus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 938.
circumflexus Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.—Ichneumon.
circumflexa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 844.
circumflexa Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 29.
circumflexus Stenocorus, J. C. Fabricius, Mant. I. 1787, 144.
circumplicatus Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
circumscripta Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8.
circumscripta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 318.
circumvolutella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
circumvolutus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
circumvoluta Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 236.
Circus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A.
circus-major Accipiter, J. C. Schaeffer, Mus. Orn. 1789, 8.
cirenea Mantis B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
ciris Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 313.
Cirlus Linnaeus, Amoen. Acad. VII (1766), 450.—A.
cirlus Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 311.
cirosa *v.* *cirrosus*.
cirrhata Alca, P. S. Pallas, Spic. Zool. V. 1769, 7.
cirrata Amphitrite, O. F. Müller, Würm. 1771, 188; *v.* *cirrosa*, Linn.
cirrata Aphrodita, O. F. Müller, Z. Dan. Prod. 1776, 218.
cirratus Brachionus, O. F. Müller, Verm. I (1) 1773, 132.
cirrata Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 29.
cirrhata Certhia, J. Latham, Index Orn. 1790, 299.
cirratus Cucullanus, O. F. Müller, Zool. Dan. I. 1777, 4.
cirrhatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
cyrhatus (*sic*) Falco, F. M. Daudin, Traité élém. Orn. 1800, 113.
cirratus Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 215.
cirrhata Paradisea, J. Latham, Index Orn., 1790, 195.
cirrhatus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
cirrhata Pinguinaria, G. Shaw in Miller, Cim. Phys. 1796, 92.
cirratus Pristis, J. Latham, Tr. Linn. Soc. [Lond.] II. 1794, 281.
cirrata Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
cirrata Spio, König, O. F. Müller, Würm. 1771, 188. [Cellaria.
cirratus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1492.
cirrata Terebella (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3112.—
Nereis cirrosa.
cirrhatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
cirrata Vorticella, O. F. Müller, An. Infus. 1786, 268.
cirrhatus *v.* *cirratus*.
cirrhosus *v.* *cirrosus*.
cirrifolium Pasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.

- cirrogaster** Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 348.
cirrosa Amphitrite (Linn.), O. F. Müller, Würm. 1771, 188.—Nereis.
cirrhosa Aphrodita, P. S. Pallas, Misc. Zool. 1766, 95.
cirosus (*sic*) Coracinus, F. C. Meuschen, Mus. Gronov. 1778, 41.
cirrhosus Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 52.
cirrosa Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1085.
cirrhosus Octopus, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
cirrosa Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 199.
cirrosa Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481.
cirsii Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
cirsii Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 92.
cirsii Tipula, F. v. P. Schrank, Briefe Donaumoor, 1795, 146.
Cis P. A. Latreille, Préc. Car. Ins. 1796, 50.—Col.
cissia [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 3.
Cistela E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 115.—Col.
Cistela J. C. Fabricius, Syst. Ent. 1775, 116.—Col.
cisteloides Carabus, G. W. F. Panzer, Ins. Germ. heft 11, 1793, tab. 12.
cisteloides Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 25.
cisti Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
cisti Bruchus, J. C. Fabricius, Syst. Ent. 1775, 65.
cisti Gryllus, J. C. Fabricius, Mant. I. 1787, 237.
cisti Gryllus Loc. (Fab.), C. de Villers, Linn. Ent. IV. 1789, 377.—Gryllus.
cisti Hispa, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 316.
Cistula [G. Humphreys] Mus. Calonn. 1797, 62.—G.
"Citharoedus, Chem. 1795," Herm.; vol. xi. of Chemnitz is non-binominal.
"Citillus, Pallas," Ag.; does not occur, is Lichtenstein, 1827-34. [Mus.
citillus Arctomys (Linn.), J. C. D. Schreber, Säugth. IV. 746 (1784); pl. ccxi. A, B (1780).—
citellus Arctomys, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 453.—*varr.*
undulatus, leucopictus, & flavicans.
citellus Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 366.—Mus.
citillus Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
citellus Marmota, J. F. Blumenbach, Hand. Naturg. 1779, 81.
citellus Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 80.
Citharus [P. Artedi, Ichth. 1738, Syn. 116.]—P.
citillus *v.* **citellus.**
citrago Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 606.—Phalaena.
citrago Phalaena (Noct.), Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1767, 857.
citraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 212 [*n. et f.*].
citrarius Ichneumon, *id. ac* citratus, Fourc., A. G. Olivier, Ency. Méth. VII (Ins.) 1792,
citratus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 403. [176.
citrata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 332.
citrella Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 317.
citreola Motacilla, P. S. Pallas, Reise Russ. III. 1776, 696.
[citreus]—
citrea Aranea (Cancroides), C. de Geer, Mém. Ins. VII. 1778, 298.
citrea Aranea, P. Rossi, Fauna Etrus. II. 1790, 127.
citrea Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3305.
citreus Ichneumon, J. L. Christ, Nat. Ins. 1791, 338.
citrius Oriolus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
citrius Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
citreus Spondylus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3298.
citreus Turdus, P. S. L. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
citri Acarus, Linnaeus in Hasselquist, Palast. 1762, 471.
citricola Aranea, P. Forskal, Descr. Anim. 1775, 86.
citrifolius Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 695.
citrifolia Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 437.—Gryllus.
citrifolia Ostrea, F. C. Meuschen, Mus. Gev. 1787, 422.
citrifolium Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.

- citrinalis Phalaena, J. A. Scopoli, Ent. Carn. 1763, 240.
 citrinellae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 116.
 [citrinellus]—
 citrinella Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 261.—Fringilla.
 citrinella Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
 citrinella Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 309.
 citrinella Fringilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
 citrinella Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
 citrinella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
 citrinella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 340.
 citrino-lutea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 259.
 citrina Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
 citrina Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
 citrina Aranea, A. F. de Fourcroy, Ent. Paris, 1785, 531.
 citrinus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 313.
 citrina Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
 citrinus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
 citrinum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152 [*n. n.*].
 citrina Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 129.
 citrina Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1245.
 citrina Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
 citrinus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 261.
 citrina Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
 citrina Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 979.
 citrinus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
 citrina Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
 citrina Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
 citrinus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 30.
 citrinus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [*n. n.*].
 citrina Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 75.—Helix.
 citrina Sylvia (Gm.), J. Latham, Index Orn. 1790, 529.—Motacilla.
 citrinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3584.
 citrinus Turdus, J. Latham, Index Orn. 1790, 350.
 citrina Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
 citrina Vorticella, O. F. Müller, Verm. I (1) 1773, 114.
 citrius *v.* citreus.
 citro-fasciata Musca, C. de Geer, Mém. Ins. VI. 1776, 118.
 citronella Apis, C. de Geer, Mém. Ins. VII. 1778, 606.
 citronius Spondylus, J. Barbut, Gen. Verm. II. 1788, 44.
 Civetta E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
 civetta Viverra, J. C. D. Schreber, Säugth. III. 418 (1777), pl. cxi (1776).
 civette Viverra, J. A. Scopoli, Del. Insub. II. 1786, 84.
 civica Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 11.
 civilis Cimex, J. C. Fabricius, Mant. Ins. II. 298.
 civilis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 148.—Cimex, 1787.
 claclma *v.* glama.
 clairvillella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 501.
 clamator Ardea, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
 clamorus Buffo, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
 clamosa Iguana, J. N. Laurenti, Syn. Rept. 1768, 49.
 clandestina Cypraea, Linnaeus, Syst. Nat., ed. 12, 1767, 1177.
 clandestina Musca, P. Rossi, Fauna Etrus. II. 1790, 314.
 clangorosus Falco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
 clangula Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 201.
 clangulae Pediculus, O. Fabricius, F. Groen. 1780, 217.
 clara *v.* clarus.
 clarea Phalaena, P. Cramer, Uitl. Kapellen, Register to IV (1782), 248 [clara, 133 (1781)].
 Clarias [P. Artedi, Ichth. 1738, gen. 83.]—P.

- Clarias** L. T. Gronovius, Zooph. I. 1763, 100.—P.
clarius Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 306; ed. 12, 1766, 504.
clarissa [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 10.
clarissa [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 153.
clarius Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
clarus [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 66.
clara Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 161.
clara [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 43.
clara [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 133.
classarius Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers.) (2) 1792, 705.
clathraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 132 [*n.*].
clathratulus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637. [*et f.*].
clathrata Antipathes, P. S. Pallas, Elench. 1766, 212.
clathrata Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 51.
clathrata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.
clathratus Bruchus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 158.
clathratum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 255.
clathratum Buccinum, v. Born, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3471 &
clatratus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 218. [3495-].
clathratus Carabus Linn., O. F. Müller, Z. Dan. Prod. 1776, 75.—clatratus, 1761.
clathrata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 577.
clathrata Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 83.
clatrata Cassis, F. C. Meuschen, Mus. Gev. 1787, 390.
clathrata Cetonia, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 92.
clatrata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
clathrata Haliotis, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 105.
clathrata Millepora, P. S. Pallas, Elench. 1766, 245.
clathratus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1223.
clathrata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
clathratum Ophathrum, J. C. Fabricius, Mant. II. 1787, 379.
clathrata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767,
clathrata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 279. [867-].
clathratum Rhagium, J. C. Fabricius, Ent. Syst. I (2) 1792, 306.
clathratus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 115.
clathrata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
clathratum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Murex.
clathrata Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
clathrata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
clathrata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
clatratus v. **clathratus**.
[clathrea Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 84.
clathrus Angarius, F. C. Meuschen, Mus. Gev. 1787, 260.
clathrus Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 91.—Turbo.
clathrus Gorgonia, P. S. Pallas, Elench. I. 1766, 168.
clathrus Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
clathrus Spongia, E. J. C. Esper, Pflanzenth. II (11) 1793, 200.
clathrus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1237.
clathrus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
clauda Musca, C. de Villers, Linn. Ent. III. 1789, 463.
claudicans Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
claudicans Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
claudicans Plotus, J. A. Scopoli, Annus I. 1769, 72.
claudina Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 204.
claudia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 45.—Phalaena.
claudia [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 109.
claudia Papilio, J. C. Fabricius, Gen. Ins. 1777, 263.
claudius Papilio, J. C. Fabricius, Mant. II. 1787, 25.
claudia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 185.

- clausa* Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146 [*n. n.*].
clausa Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1042.
clausa Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 278.
clausius Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) IX. 1798, 189.
Clava J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.—Coel.
Clava [G. Humphreys], Mus. Calonn. 1797, 32.—G.
clavaeiceps *v.* *claviceps*.
clava herculis Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
clava herculis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
clavatella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
clavator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 156.
clavator Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
clavator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 151.
clavatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
clavata Aeshna, J. C. Fabricius, Syst. Ent. 1775, 425.
clavata Ascidia, P. S. Pallas, Spic. Zool. X. 1774, 25.
clavata Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 226.
clavatus Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25.
clavata Cassida, J. C. Fabricius, Suppl. Ent. Syst., 1798, 83.
clavatus Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 35.
clavata Cetonia, A. G. Olivier, Entom. I. 1789, 172.
clavata Chrysomela, J. C. Fabricius, Mant. I. 1787, 67.
clavata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—
clavatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 729. [Membracis].
clavatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 34.
clavatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
clavata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Chrysomela.
clavatus Conopus, Scopoli, Ent. Carn. 1763, 357.
clavatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
clavatus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 313.
clavatum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
clavata Fasciola, A. Menzies, Tr. Linn. Soc. [Lond.] I. 1791, 187.
clavata Formica, J. C. Fabricius, Syst. Ent. 1775, 394.
clavatus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
clavata Leptura, G. A. Harter, Besch. Schaeffer Icones, 1784, 230.
clavata Lernaena, O. F. Müller, Z. Dan. Prod. 1776, 227.
clavata Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2625.—
clavata Mantis, B. E. Manuel, Ency. Méth. VII. (Ins.) 1792, 642. [Aeshna].
clavata Membracis, J. C. Fabricius, Mant. II. 1787, 264.
clavata Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 103.
clavata Musca, J. C. Fabricius, Mant. II. 1787, 351.
clavata Noctua, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 5.
clavata Ostrea, J. X. Poli, Test. Sicil. II. 1795, 160.
clavata Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 397.
clavata Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
clavata Sphex, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 65.
clavata Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 226.
clavatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
clavatus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 298.
clavata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
Clavellarius A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 22.—Hym.
clavellata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 184.
clavaeiceps (*sic*) Echinorhynchus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm.
claviceps Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 414. [1800, 130].
clavicornis Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 694.—Cimex.
clavicorne Acrydium, C. de Geer, Mém. Ins. III. 1773, 482.
clavicornis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 953.
clavicornis Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.

- clavicornis** Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 463.
clavicorne Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 258. [Saperda.
clavicornis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.—
clavicornis Ceria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 557.—Cina, 1794 [=Ceria].
clavicornis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
clavicornis Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 94.
clavicornis Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 41.
clavicornis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
clavicornis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 212.
clavicornis Cucuius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 571.
clavicornis Delphax, J. C. Fabricius, Suppl. Ent. Syst. 1798, 522.—Cicada, 1794.
clavicornis Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.
clavicornis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 402.
clavicornis Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
clavicornis Elater, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 65.
clavicornis Elater, A. F. de Fourcroy, Ent. Paris. 1785, 39.
clavicornis Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 61.
clavicornis Gryllus Locusta, C. de Villers, Linn. Ent. I. 1789, 453.
clavicornis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
clavicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 169.
clavicornis Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
clavicornis Mordella, J. R. Forster, N. Sp. Ins. 1771, 66.
clavicornis Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
clavicornis Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 218.
clavicornis Ryzophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 20.
clavicornis Saperda, J. C. Fabricius, Syst. Ent. 1775, 824.
clavicornis Scarites, J. C. Fabricius, Syst. Ent. 1775, 250.
clavicornis Scolopendra, Scopoli, Ent. Carn. 1763, 419.
clavicornis Staphylinus, Scopoli, Ent. Carn. 1763, 100.
clavicornis Staphylinus, J. C. Fabricius, Gen. Ins. 1777, 242.
clavicornis Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 171.
clavicornis Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 408.
clavicrus Callidium, F. v. P. Schrank, F. Boica, I. 1798, 672.
clavicrus Musca, F. v. P. Schrank, Ins. Aust. 1781, 471.
clavifera Phalaena Bomb., C. de Villers, Linn. Ent. II. 1789, 174.
claviformis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 476.
Claviger J. D. E. Preyssler, Verz. Böhm. Ins. 1790, 68.—Col.
claviger Cimex, Herbst, Einl. Ins. I. 1784, 260.
claviger Cimex, Panzer in Drury, Exot. Ins. 1785, 177.
claviger Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
claviger Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 10.—Scarabaeus.
claviger Kolon, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 226. [Cyclops.
claviger Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
claviger Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
claviger Scarabaeus, Linnaeus, Mant. II. 1771, 529.
claviger Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
clavigera Limacia, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris, 1776.
clavimanus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
clavimanus Gryllus, P. S. Pallas, Spic. Zool. IX. 1772, 21.
clavimanus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 165.—Cimex, 1781.
clavipalpis Phalaena, J. A. Scopoli, Ent. Carn. 1763, 213.
clavipes Acanthia, J. C. Fabricius, Mant. II. 1787, 278.
clavipes Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1034.
clavipes Callidium, J. C. Fabricius, Syst. Ent. 1775, 188.
clavipes Carabus, M. B. Borkhausen in Schriba, Beitr. Ins. I. 1790, 14.
clavipes Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 42.
clavipes Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 135.
clavipes Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.

- clavipes Chalcis, J. C. Fabricius, Mant. I. 1787, 272.
 clavipes Cimex, J. C. Fabricius, Syst. Ent. 1775, 729.
 clavipes Cimex, J. C. Fabricius, Mant. II. 1787, 288.
 clavipes Cucuius, J. C. Fabricius, Gen. Ins. 1777, 233.
 clavipes Curculio, G. Bonsdorff, Curc. Suec. 1785, 40.
 clavipes Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 clavipes Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117.
 clavipes Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
 clavipes Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 403.
 clavipes Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex, 1787.
 clavipes Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
 clavipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
 clavipes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 137.—Cimex, 1787.
 clavipes Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 981.
 clavipes Necydalis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1881.
 clavipes Phalaena, C. de Geer, Mém. Ins. VII. 1778, 597.
 clavipes Silpha, J. C. Fuessly, Schweiz. Ins. 1775, 6.
 clavipes Silpha, J. H. Sulzer, Gesch. Ins. 1776, 28.
 clavipes Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 28.—Tetratoma.
 clavipes Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.
 clavipes Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
 clavipes Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 761.—Musca.
 clavipes Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 427.
 clavipes Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 87.
 clavipes Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 404.
 clavis Bombyx (Hufn.), E. J. C. Esper, Die Schmett. III (26) 1786, 319.—Phalaena.
 clavis Phalaena, Hufnagel, Berl. Mag. II. 1766, 426.
 clavis herculis Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
 claviventris Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
 clava Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 479.
 clavis Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
 clavus Curculio, J. C. Fabricius, Syst. Ent. 1775, 154.
 clava Fistulana (Gm.), Lamarck, Mem. Soc. H. N. Paris, 1799, 90.—Teredo.
 clava Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3565.
 clava muricata Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
 clavus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2 [v. n.].
 clavus Phalaena, Rottemburg, Naturforscher, VIII. 1776, 109.
 clavus Sphex, J. C. Fabricius, Syst. Ent. 1775, 348.
 clavus Strombus, Linnaeus, Mant. II. 1771, 549.
 clava Teredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3748.
 clavus Tibia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 123.—Strombus.
 clava Trichoda, O. F. Müller, Verm. I (1) 1773, 71.
 clavus Trichoda, O. F. Müller, Verm. I (1) 1773, 72.
 clelia [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 33.
 clelia [Phalaena], P. Cramer, Uitl. Kapellen, III (24) 1780, 172.
 clemataria Phalaena, J. E. Smith in Abbott, Ins. Georgia, 1797, 201.
 clematella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 297.
 clematidis Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.
 clematidis Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2220.
 clematidis Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.
 clematidis Meloe, J. Woodhouse, Medical Repository, III (2) 1799, 213.
 clematitis (*sic*) Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
 clemens Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
 cleobis Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 146.
 cleobis Papilio, L. Prunner, Lep. Pedemont. 1798, 60.
 cleodoxa Papilio (*ex* Esper Fab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 128.
 cleolia Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 7.
 cleon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 282.

- cleon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 522.
cleon Papilio, D. H. Schneider, Syst. Besch. europ. Schmett. 1785, 254 (250).
Cleona J. G. Meigen, N. Class. Mouches, 1800, 30.—Dip.
cleona [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 173.
cleonus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 179.
cleopatra Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 765.
cleopatrae Aspis, J. N. Laurenti, Syn. Rept. 1768, 105.
 [clerck-]—
clerkella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 899
clerkella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena. [clerck-].
clerkii Aranea, Scopoli, Ent. Carn. 1763, 396.
clerckiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 192.
clerckiana Phal. (Tort.), Herbst, Einl. Ins. II. 1785, 129.
clerica Corone (Sparr.), F. M. Daudin, Traité élém. Orn. 1800, 229.—Corvus.
clericus Corvus, A. Sparrman, Mus. Carls. I. 1786, no. ii.
clericus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
clerimon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 217.
clerkella *v.* **clerckella**.
clerkii *v.* **clerck-**.
Cleroides J. C. Schaeffer, Elem. Entom. 1777, pl. 137.—Col.
cleroides Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 74.
Clerus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 303.—Col.
Clerus J. C. Fabricius, Syst. Ent. 1775, 157.—Col.
clibanarius Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 20.
clibantes Artoctrea, F. C. Meuschen, Mus. Gever. 1787, 488.
climena *v.* **clymena**.
clinias Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 25.—Scarabaeus, 1792.
clinias Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 19.
Clio Linnaeus, Syst. Nat., ed. 12, 1767, 1094.—Pter.
Clio O. F. Müller, Z. Dan. Prod. 1776, xxix, 226.—Pter.
clio Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 757.
clio Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 377.
clio Syngnathus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 7.
Clione P. S. Pallas, Spic. Zool. X. 1774, 28.—Pter.
clis Myoxus (Linn.), *err. pro* glis, J. M. Bechstein, Stubenthiere, 1797, 210.
clisthena [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 228.
clito Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
clito Papilio, J. C. Fabricius, Mant. II. 1787, 91.
clivica Anguis, J. N. Laurenti, Syn. Rept. 1768, 69.
clivosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 163.
cloacaris Musca, O. Fabricius, F. Groen. 1780, 204.
cloanthe [Papilio], C. Stoll in Cramer's Utitl. Kapellen, IV (29) 1781, 93.
clöckneria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 111.
clonias Hesperia (Cr.) J. C. Fabricius, Ent. Syst. III (1) 1793, 334.—Papilio.
clonius [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 126.
clorana *v.* **chlorana**.
clorimena [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 60.
[clorinda Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 66 & 67.
cloropus *v.* **chloropus**.
clotho Cobra, J. N. Laurenti, Syn. Rept. 1768, 104.
clotho Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1086.—Cobra.
clotho Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 48.
clotho Sphinx, J. C. Fabricius, Syst. Ent. 1775, 540.
clotho Sphinx, J. C. Fabricius, Mant. II. 1787, 97.
clotilda [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 154.
[cludialis Phalaena (Pyr.) MS.], T. Martyn, Psyche, 1797, fig. 31.
cluena Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 9.
cluentius [Sphinx], P. Cramer, Utitl. Kapellen, I (7) 1775, 124.

- clueria* Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
cluniculus Tellina, F. C. Meuschen, Mus. Gev. 1787, 462.
Clunipes S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 347.—Col.
Clupea Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 522; [Artedi, Ichth. 1738, gen. iv. 6.]—P.
clupeae Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 20.
clupearum Ascaris, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 35.
clupeoides Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 704.
clupeoides Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 49.
clusii Manatus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 732.
 [clymena]—
clymena [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 38.
climena [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 207.
climene Papilio, N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 [clymene Phalaena (B.) MS.], T. Martyn, Psyche, 1797, figs. 47 & 48. [1784], 165.
clymene Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [ante 1796], 10.
clypearia Sphex *est* clypeata, L., [Schreber], Naturforscher, XX. 1784, 100.
clypeata Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 200.
clypeata Apis, J. C. D. Schreber, Nov. Spec. Ins. 1759, 14.
clypeatus Brachionus, O. F. Müller, An. Infus. 1786, 339.
clypeata Buprestis, G. Paykull, Faun. Suec. II. 1799, 223.
clypeatus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2983.—
clypeata Cantharis, Illiger in Kugelann, Käfer Preuss. 1798, 299. [Pagurus.
clypeatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 720.
clypeata Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
clypeatus Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 387.
clypeatus Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 375.—Sphex.
clypeata Geometra, C. C. Jung, Alph. Verz. Schmett. I. 1791, 130.
clypeata Locusta, G. W. F. Panzer, Ins. Germ., heft 33 [1796], tab. 4.
clypeatus Pagurus, J. C. Fabricius, Mant. I. 1787, 328.
clypeatus Scarites, P. Rossi, Fauna Etrus. I. 1790, 228.
clypeata Scolopendra, J. C. Fabricius, Spec. Ins. I. 1781, 533.
clypeata Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 945.
clypeata Vespa (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—Sphex.
clipeata Vespa, J. L. Christ, Nat. Ins. 1791, 221.
Clypeus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 157.—Ech.
clypeus Patella, J. F. Bolten, Mus. Bolt. (2) 1798, 8 [n. n.].
clytemnestra [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 61.
Clythia J. G. Meigen, N. Class. Mouches, 1800, 30.—Dip.
Clythra J. C. Fabricius, Suppl. Ent. Syst. 1798, 5.—Col.
clytia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 781.
clytia [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 103.
 “*clytia* Papilio, Cram.” See C. C. Jung, Alph. Verz. Schmett. I. 1791, 131.
clytia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 238.
clyton [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 105.
Clytra J. N. Laicharting, Verz. Tyrol. Ins. 1781, I. 165.—Col.
clytus Papilio, J. C. Fabricius, Syst. Ent. 1775, 485.
clytus Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 268.
cnejus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 430.
cneora Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 200.
cnici Aranea, F. v. P. Schrank, Briefe Donaumoor, 1795, 148.
cnidalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 188.
C nigrum Bombyx (*ex* De G.), C. C. Jung, Alph. Verz. Schmett. 1791, 92.
C-nigrum Curculio, P. Rossi, Fauna Etrus. I. 1790, 130.
C-nigrum Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 40.
C-nigrum Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
Cnodalon P. A. Latreille, Préc. Car. Ins. 1796, 23.—Col.
coa Aranea, Linnaeus in Hasselquist, Palast. 1762, 473.

- coa Ephemera, Linnaeus in Hasselquist, Palast. 1762, 462.
 coa Panorpa, Linnaeus, Syst. Nat., ed. 10, 1758, 552; ed. 12, 1767, 915.
 coacta Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
 coactus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
 coadunatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 92.
 coalescens Musca, A. F. de Fourcroy, Ent. Paris. 1785, 486.
 coalita Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
 coangustata Vespa, P. Rossi, Fauna Etrus. II. 1790, 84.
 coarctaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
 coarctatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 530.
 coarctatus Cyphon, G. Paykull, Faun. Suec. II. 1799, 120.
 coarctata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 219 [n.
 coarctatus Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87. [et f].
 coarctatus Monoculus, J. C. Fabricius, Ent. Syst. II. 1793, 495.
 coarctata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 90.
 coarctatus Pediculus, Scopoli, Ent. Carn. 1763, 382.
 coarctata Phalaena, *id. ac* coarctaria, D. & S., J. C. Fabricius, Ent. Syst. III (2) 1794, 200.
 coarctatus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
 coarctata Sphex, Scopoli, Ent. Carn. 1763, 293.
 coarctata Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 46.
 coarctatus Syrphus, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 22.
 coarctata Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
 Coati B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
 coaxans Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
 coaxata Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
 cobaya Cavia, P. S. Pallas, Misc. Zool. 1766, 31.
 cobella Aspis (Linn.), J. N. Laurenti, Syn. Rept. 1768, 106.—Coluber.
 cobella Cerastes, J. N. Laurenti, Syn. Rept. 1768, 82.
 cobella Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
 cobitidis Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.
 cobitinus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 25.
 Cobitis Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499; [Artedi, Ichth. 1738,
 Cobra J. N. Laurenti, Syn. Rept. 1768, 103.—R. [gen. ii. 2.]—P.
 cobra Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.
 cobra Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 50.
 cobra Vipera, J. N. Laurenti, Syn. Rept. 1768, 103.
 "Cobresia Studer, 1789," Herm.; does not occur.
 cocalia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 250.
 cocala [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 83.
 cocala [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 145.
 cocalus [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 59.
 coccajus Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 187.
 coccinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 9 & 14 [2].
 coccinatus Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
 coccineae Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
 Coccinella Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 579.—Col.
 coccinellae Acarus, Scopoli, Ent. Carn. 1763, 389.
 coccinelloides Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 35.
 coccinelloides Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 199.
 coccinelloides Hydrophilus, P. Rossi, Fauna Etrus. I. 1790, 197.
 coccinelloides Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.
 coccinelloides Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 12.
 coccineocephalus Psittacus, R. Kerr, Anim. Kingd. 1792, 605.
 coccineo-fasciata Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 226.
 coccineus Acarus (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 522.—Pediculus.
 coccinea Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
 coccinea Ampelis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 839.
 coccinea Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1941.

- coccinea Cantharis, Linnaeus, Faun. Suec., ed. 2, 1761, 202.
coccinea Cantharis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 303.
coccinea Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 274.
coccinea Certhia, G. Forster, Goetting. Mag. 1780, 347 [not seen].
coccinea Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
coccinea Certhia, J. Latham, Index Orn. 1790, 289.
coccinea Certhia, J. F. Blumenbach, Abb. nat. Gegen., no. 16, 1797.
coccinea Chrysis, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 66.
coccinea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 592.
coccinea Cicada, J. R. Forster, N. Sp. Ins. 1771, 69.
coccineus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 530.
coccinea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 135.
coccineus Coluber, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. V (1) 1788, 11.
coccineus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1097.
coccineus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3390.
coccineus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1742.
coccinea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 873.
coccineus Endomychus (L.), G. Paykull, Faun. Suec. II. 1799, 112.—Chrysomela.
coccineus Endomychus (F.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Galleruca.
coccinea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
coccinea Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
coccinea Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 20.—Chrysomela.
coccinea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3651.
coccineus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 417.
coccineus Ichneumon, J. L. Christ, Nat. Ins. 1791, 365.
coccinea Isis, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 107.
coccinea Lamyprius, Linnaeus, Syst. Nat., ed. 12, 1767, 646.
coccinea Limax, T. Martyn, Univ. Conch. II [1788], fig. 68. [1431.
coccinea Medusa, J. B. M. Dana, Obs. sur la Phys. I (pt. 2) 1771, 214; & ed. 2, I. 1777,
coccinea Mellisuga (Forst.), B. Merrem, Avium rar. Icones, I. 1784, 14.—Certhia.
coccinea Musca, C. de Villers, Linn. Ent. III. 1789, 426.
coccinea Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 366.
coccineus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1015.
coccineus Pediculus, Scopoli, Ent. Carn. 1763, 386.
coccinea Pennatula, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (2), 1781, 136.
coccineus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
coccineus Psittacus, J. Latham, Index Orn. 1790, 89.
coccinea Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 202.—Lamyprius.
coccineus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 115.
coccinea SpheX, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
coccineus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.
coccinea Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 467.
coccinea Tanagra, P. Boddaert, Tab. Planch. Ehl. 1783, 46.
coccinea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
coccorum Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 784.—Ichneumon.
coccorum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
coccorum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
Coccothraustes M. J. Brisson, Ornith. III. 1760, 219.—A.
Coccothraustes F. v. P. Schrank, Reise südl. Gebirg. Baiern, 1793, 23.—A.
coccothraustes Coccothraustes (L.), J. C. Schaeffer, Mus. Orn. 1789, 28.—Loxia.
coccothraustes Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.
coccoraustes Loxia, *err. pro* coccothraustes, Linn., S. G. Gmelin, Reise Russ. I (1770),
Coccus Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.—Hem. [53.
cochevis Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 136.
cochinchinae Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
cochinsinensis Psittacus, J. Latham, Index Orn. 1790, 116.
cochinchinensis Psittacus, Lath., R. Kerr, Anim. Kingd. 1792, 593.
cochinchinensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.

- cochinsinensis* Turdus, Gm., J. Latham, Index Orn. 1790, 357.
cochinchinica Simia, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
Cochlea E. L. Geoffroy, Traité Coq. 1767, 12.—G.
Cochlea P. Browne, Hist. Jamaica, ed. 2, 1789, 399.—G.
Cochlea [G. Humphreys], Mus. Calonn. 1797, 60.—G.
cochlea Helix, Studer in Coxe, Trav. Switz. III. 1789, 386 [*n. n.*].
“*cochlea* Madrepora,” L. Spengler, Nye Saml. K. Danske Skrifter, I. 1781, 240.
cochlea Madrepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3763.
cochlear Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [*n. n.*].
cochlear Ostrea, J. X. Poli, Test. Sicil. II. 1795, 179.
cochlear Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 437.
cochlear Peloderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261; = *Ostrea* of p. 179.
cochleariae Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 330.
cochlearis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 266.
Cochlearius M. J. Brisson, Ornith. V. 1760, 506.—A.
Cochlearius M. T. Brännich, Fund. Zool. 1772, 74.—A.
cochlearia Cancroma, Linnaeus, Syst. Nat., ed. 12, 1766, 233.
cochlear neptuni Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
cochleata Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 257.
cochlidium Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 300.—*Murex*.
cochlidium Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1221
Cochlis J. F. Bolten, Mus. Bolten. (2) 1798, 146.—G.
Cochlites J. Gesner, Tract. Petref. 1758, 45.
Cochlus [G. Humphreys], Mus. Calonn. 1797, 24.—G.
cochlus Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 278.—*Turbo*.
cochlus Turbinis, F. C. Meuschen, Mus. Gever. 1787, 280, no. 368.
cochlus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1233.
cochrus Papilio, J. C. Fabricius, Mant. II. 1787, 25.
cocles Papilio, J. C. Fabricius, Mant. II. 1787, 7.
coco Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
coco Tantalus, J. F. E. v. Jacquin, Beyt. Gesch. Vogel. 1784, 13.
cocoi Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 237.
cocyta [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 7.
cocytus Papilio, J. C. Fabricius, Mant. II. 1787, 29.
Codakia J. A. Scopoli, Intr. Hist. Nat. 1777, 398.—L.
codomanus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 57.
codrus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 127.
codrus Scarabaeus, A. G. Olivier, Entom. I. 1789, 179.
Coecilia, *v.* *Caecilia* Linnaeus, Syst. Nat., ed. 10, 1758, 196.
coecimacula *v.* *caecimacula*.
coecus *v.* *caecus*.
coecutiens *v.* *caecutiens*.
Coelebs G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
coelebs *v.* *caelebs*.
coelestinus *v.* *caelestinus*.
coelestis *v.* *caelestis*.
coelodiosa Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
coelogaster *v.* *caelogaster*.
coelum-pensile *v.* *caelum-p.*
coelus *v.* *caelus*.
coementaria *v.* *caementaria*.
[*coemiteriorum*]—
cemiteriorum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 992.
coemitoriorum Syrphus (L.), J. C. Fabricius, Mant. II. 1787, 339.—Musca.
Coendou B. G. E. de Lacépède, Tabl. Mamm. 1799, 11.—M.
coenobita Copris (Herbst), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 169.—Scarabaeus.
coenobita [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 15.
coenobita Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 247.

- coenobita** Phalaena B., E. J. C. Esper, Die Schmett. III (21) 1785, 196.
coenobita Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 11.
Coenomylia P. A. Latreille, Préc. Car. Ins. 1796, 159.—Dip.
coenopta Phalaena Bomb., H. G. Lang, Verz. Schmett., ed. 2, 1789, 86.
coenosus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 7.
coenosus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 161.
coenus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 308.
coeruleus *v. caeruleus*.
Coescoes B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
coffaeae Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 5.
coffaeae Cryptocephalus (Horn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.—
coffea Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 729.—[Voluta, ed. 12.] [Chrysomela.
coffea Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
coffeus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 330.—Voluta.
coffea Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 37.—Voluta.
coffea Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187.—Bulla.
cognatum Callidium, J. N. Laicharting, Tyrol. Ins. II. 1784, 58.
cognata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
cognata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 60.
cogolca Anas, S. G. Gmelin, Reise Russ. I (1770), 70.
kogolka Anas, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 468.
kokolka Anas, Gm., S. G. Gmelin, Reise Russ. II. 1774, 182.
kagolca Anas, S. G. Gm., Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 527.
colchicus Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 158; ed. 12, 1766, 271.
colchicus Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 741; *varr.*
torquatus, varius, albus, hybrida, gallopavonis.
colenicui Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 130.
coleopratorum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
coleopratorum Carpais (L.), P. A. Latreille, Préc. Car. Ins. 1796, 184.—Acarus.
coleopratorum Parasitus (L.), P. A. Latreille, Mag. encyclop. III (13) 1795, 19.—Acarus.
coleopratus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
coleoprata Anomia, J. F. Bolten, Mus. Bolten. (2) 1798, 193 [*n. n.*].
coleoprata Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 330.
coleoprata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 708.
coleoprata Corixa (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 119.—Sigara.
coleoprata Musca, Scopoli, Ent. Carn. 1763, 338. [Sigara.
coleoprata Notonecta (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2120.—
coleoprata Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1062.
coleoprata Sigara, J. C. Fabricius, Gen. Ins. 1777, 298.
coleta [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 153.
colias Scomber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1329.
colibri Sphex, J. L. Christ, Nat. Ins. 1791, 318.
colibri Tenthredo, J. L. Christ, Nat. Ins. 1791, 434.
colin Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
colinus Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 366.
Colionymus *err. pro* Callionymus, Linn., J. A. Scopoli, Intr. Hist. Nat. 1777, 458.—P.
Colius Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 19.—A.
Colius M. J. Brisson, Ornith. III. 1760, 304.—A.
Colius M. T. Brännich, Fund. Zool. 1772, 90.—A.
Colius G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
colius Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 301.
colla Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.
collaribus-albis Anas, P. Forskal, Descr. Anim. 1775, vi. & 3.
collaris Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
collaris Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
collaris Alcedo, J. Latham, Index Orn. 1790, 250.
collaris Apis, Scopoli, Ent. Carn. 1763, 306.
collaris Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 69.

- collaris Bucco, J. Latham, Index Orn. 1790, 202.
 collaris Buprestis, A. G. Olivier, Entom. II. 1790, 11.
 collaris Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 214.
 collaris Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 83.
 collaris Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.
 collaris Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 148.
 collaris Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
 collaris Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
 collaris Carabus, G. Paykull, Faun. Suec. I. 1798, 146.
 collaris Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 259.
 collaris Certhia, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
 collare Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 116.
 collaris Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
 collaris Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 150.
 collaris Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Crytocephalus.
 collaris Cicada, C. de Geer, Mém. Ins. III. 1773, 226.
 collaris Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 724.
 collaris Clytra, F. v. P. Schrank, F. Boica, I. 1798, 544.—Chrysomela, 1782.
 collaris Coccinella, G. Paykull, Faun. Suec. II. 1799, 37.
 collaris Crytocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 143.
 collaris Curculio, Scopoli, Ent. Carn. 1763, 25.
 collaris Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 486.
 collaris Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 370.
 collaris Dermestes, C. Quesnel, Diss. ignotus insect. species, 1790, 8.
 collaris Donacia, G. W. F. Panzer, Deutsch. Ins. [1795], 216.
 collaris Dytiscus, G. W. F. Panzer, Deutsch. Ins. [1795], 79.
 collaris Dytiscus, G. Paykull, Faun. Suec. I. 1798, 200.
 collaris Echinorhynchus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
 collaris Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 97.
 collaris Gros [=Grus], P. Boddaert, Tab. Planch. Enl. 1783, 52.
 collaris Hydrophilus, J. C. Fabricius, Syst. Ent. 1775, 229.
 collaris Lagria, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 446.
 collaris Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
 collaris Lepisma, J. C. Fabricius, Ent. Syst. II. 1793, 64.
 collaris Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
 collaris Loxia, P. Boddaert, Tabl. Planch. Enl. 1783, 40.
 collaris Litta [=Lytta], J. C. Fabricius, Mant. I. 1787, 215.
 collaris Meloe, C. de Villers, Linn. Ent. IV. 1789, 364.
 collaris Muscicapa, J. Latham, Index Orn. 1790, 471.
 collaris Muscicapa, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 495.
 collaris Necydalis, J. R. Forster, N. Sp. Ins. 1771, 46.
 collaris Necydalis, G. W. F. Panzer, Deutsch. Ins. [1795], 278.
 collaris [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 27.
 collaris Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 308.
 collaris Pimelia (L.), J. C. Fabricius, Syst. Ent. 1775, 252.—Tenebrio.
 collaris Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 380.
 collaris Scolia, J. C. Fabricius, Mant. I. 1787, 281.
 collaris Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 345.
 collaris Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 256.
 collaris Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 946.
 collaris Sphex, J. C. Fabricius, Syst. Ent. 1775, 349.
 collaris Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Tiphia.
 collaris Staphylinus, G. Paykull, Mon. Staph. 1789, 50.
 collaris Sturnus, J. A. Scopoli, Annus I. 1769, 131.
 collaris Taenia, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 197.
 collaris Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 677.
 collaris Tiphia, J. C. Fabricius, Syst. Ent. 1775, 354.
 collaris Tritoma, J. C. Fabricius, Syst. Ent. 1775, 69.

- collaris* Trochilus, J. Latham, Index Orn. 1790, 318.
collaris Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 388.
collaria Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 305.
collarius Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 149.
collignensis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 50.
collinita Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797-1800], 505.
collina Apis, *id. ac* collium, Scop. 1763, J. A. Scopoli, Annus IV. 1770, 12.
collinus Cimex, Scopoli, Ent. Carn. 1763, 130.
collium Apis, Scopoli, Ent. Carn. 1763, 307.
collium Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2189.
Collurius C. de Geer, Hist. Ins. IV. 1794, v. & 80.—Col.
colloruber Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 92.
colloruber Lacertus, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
collurio Corvus, F. M. Daudin, Traité élém. Orn. 1800, 246.
collurio Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94; ed. 12, 1766, 136.
collurio Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 301; *varr. varius, rufus*,
collurionis Acarus, Scopoli, Ent. Carn. 1763, 388. [senegalensis, melanocephalus.
collurionis Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
Collus J. A. Scopoli, Introd. Nat. Hist. 1777, 483.—A.
collusoria [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 116.
Collyrio Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 9.—A.
colma Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
colma Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 827.
coloboptera Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
colocola Felis, G. I. Molina, Sag. stor. nat. Chili, 1782, 295 [colocola, Fr. ed., 1789].
colombaschensis *v. columbaczensis*.
colombea *v. columbea*.
“Colombella, Lam. 1799,” Scudd.; does not occur; is Columbella.
colombina *v. columbina*.
Colon *v. Kolon*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 224.
colon Bombyx, J. C. Fabricius, Gen. Ins. 1777, 281.
colon Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
colon Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
colon Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 57.
colon Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 42.
colon Coccinella, C. P. Thunberg, Ins. Suecica (9), 1795, 111.
colon Curculio, Linnaeus, Mant. II. 1771, 531.
colon Cychramus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 545.
colon Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.
colon Elater, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 53.
colon Formica, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 82.
colon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 327.
colon Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 78.—Silpha.
colon Ostoma, J. N. Laicharting, Tyrol. Ins. I. 1781, 107.
colon Papilio, J. C. Fabricius, Syst. Ent. 1775, 531.
colon Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 732.—
colon Scarabaeus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 62. [Bombyx.
colon Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 573.
colon Sphaeridium (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.—Dermestes.
colon Spheg, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 945.
colon Tritoma (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.—Silpha.
colonella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 883.
colonella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 655.—Phalaena.
coloniformis Curculio, F. v. P. Schrank, Naturforscher, XXIV. 1789, 73.
colonom Callidium, J. C. Fabricius, Syst. Ent. 1775, 191. [Callidium.
colonus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.—
colonom Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Tinea colonella.
coloraria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 452.

- colorator** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
coloratus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 108.
coloratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
colorata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 177.
coloratus Phasianus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [n. n.].
coloratus Trochus, F. C. Meuschen, Mus. Gev. 1787, 282.
colorifera Aranea, M. Slabber, Nat. Verlost. 1769, 13.
colossus Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 49.
colossus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 472.
colossus Musca, Scopoli, Ent. Carn. 1763, 327.
colossus Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 19.—Cur-
Kolpoda O. F. Müller, Verm. I (1) 1773, 56.—Inf. [culio].
Colpoda [Kolpoda, Müll.], J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3894.
Coluber Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.—R.
coluber Vibrio, O. F. Müller, An. Infus. 1786, 62.
coluberculus Libellula, M. Harris, Exp. Eng. Ins. 1776, 91.
colubrina Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 390.
colubrinus Gymnothorax (Bodd.), G. A. Suckow, Naturges. IV. 1799, 181.—Muraena.
colubrinus Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 238.
colubrina Muraena, P. Boddaert in P. S. Pallas, N. nord. Beytr. II. 1781, 56.
colubrina Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 70.
colubris Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 191.
Columba Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 279.—A.
columba Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 319.
columba Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 709.
columba Sirex, Linnaeus, Amoen. Acad. VI. 1763, 412. [Rhagio].
columbaczensis Culex (Fab.), J. A. Schönbauer, Ges. Kolumb. Mücken, 1795, 24 & 26.—
colombaschensis Musca (Fab.), C. de Villers, Linn. Ent. IV. 1789, 555.—Rhagio.
colombaschensis Rhagio, J. C. Fabricius, Mant. II. 1787, 333.
columbae Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 281.
columbae Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 8.
columbae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
columbanus Papilio, L. Prunner, Lep. Pedemont. 1798, 76.
columbarius Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 128.
columbarius Falco, R. Kerr, Anim. Kingd. 1792, 519, var. griseus.
columbarium Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
columbarius Plautus, J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 262.
columbarius Plotus, J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 259 & 263.
colombea Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 55.
Columbella Lamarck, Mem. Soc. H. N. Paris, 1799, 70.—G.
columbina Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 146.
columbinus Larus, J. A. Scopoli, Annus I. 1769, 83.
columbina [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 76.
columbina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 148.
columbina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 312.
columbina Sterna (Scop.), F. v. P. Schrank, F. Boica, I. 1798, 232.—Larus.
columbinus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 836.
colombina Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 403.
columbula Bulla, F. C. Meuschen, Mus. Gev. 1787, 398.
columbus Vibrio, *err. pro colymbus*, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13,
columella Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 282. [I. 1790, 3898].
columella [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 15.
columella Strombus, F. C. Meuschen, Mus. Gev. 1787, 294.
columna Buccinum, O. F. Müller, Verm. II. 1774, 151.
columna Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 332.—Buccinum.
columna Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3653.—
columna Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 192. [Buccinum].
Colus [G. Humphreys], Mus. Calonn. 1797, 34.—G.

- Colus J. F. Bolten, Mus. Bolten. (2) 1798, 117.—G.
 colus Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 304.—Murex.
 colus Fusus (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—Murex.
 colus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1221.
 colutea [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
 coluteae Papilio, J. C. Fuessly, Schweitz. Ins. 1775, 31.
 coluteae Papilio, P. Rossi, Fauna Etrus. II. 1790, 155.
 colutella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 337.
 colutella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 493.—Alucita, 1794.
 Colydium J. C. Fabricius, Ent. Syst. I (2) 1792, 495.—Col.
 colymbi-grylle Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
 colymbinus Pediculus, Scopoli, Ent. Carn., 1763, 384.
 Colymbus Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 220.—A.
 colymbus Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
 colymbus Vibrio, O. F. Müller, Verm. I (1) 1773, 49.
 comari Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 411.
 comata Ardea, P. S. Pallas, Reise Russ. II. 1773, 715.
 comata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
 comatus Nautilus (Orth.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 2.
 comber Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1297.
 combinata Apis, J. L. Christ, Nat. Ins. 1791, 187.
 combinata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 997.
 combinella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (1) 1786, 5.
 combinella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 combrella Tinea (L.), J. C. Fabricius, Mant. II. 1787, 248.—Phalaena cembrella.
 comella Phalaena, Scopoli, Ent. Carn. 1763, 253.
 Comephorus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 312.—P.
 comes [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 134.
 "Cometa Leske, 1778," Scudder; not used in a generic sense.
 cometa Trichoda, O. F. Müller, Verm. I (1) 1773, 77.
 cometa Trichoda, E. Donovan, Brit. Ins. I. 1792, 57.
 cometes [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 60.
 comio Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
 comitana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
 comitana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 16 [*n. et f.*].
 comitator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
 comitata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 310 [*n. et f.*].
 comitata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 868.
 comito Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
 comma Carabus, J. C. Fabricius, Syst. Ent. 1775, 248.
 comma Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
 comma Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 41.
 comma Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 20.
 comma Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
 comma Gyrinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
 comma Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 325.—Papilio.
 comma Noctua (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 106.—Phalaena.
 comma Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 793.
 comma Papilio (? Linn.), J. A. Scopoli, Ent. Carn. 1763, 181.
 comma Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 316.
 commaculatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
 commari Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 303.
 commelinae Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 189.
 commerson Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 598.
 commersonia Fringilla, P. Boddaert, Tab. Planch. Enl. 1783, 14.
 commersonii Melolontha, A. G. Olivier, Entom. I. 1789, 11.
 commoror Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
 communana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 259.

- communimacula** Bombyx (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 454.—
Noctua.
- communimacula** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
- communimacula** Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III.
1790, 463.—Bombyx.
- communimacula** Phalaena Noctua (D. & S.), J. Hübner, Beitr. Schmett. I (1) 1786, 23.—
- communis** Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25. [Noctua.]
- communis** Balistes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 19.
- communis** Caryophyllinus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 5.
- communis** Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
- communis** Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 217.
- communis** Culex, C. de Geer, Mém. Ins. VI. 1776, 316.
- communis** Curculio, A. F. de Foureroy, Ent. Paris. 1785, 123.
- communis** Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
- communis** Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
- communis** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 270; *varr.* horno-
tinus, gibbosus, albus, leucocephalus, ater, naevius, fuscus, rubeus, indicus, italicus, arcticus.
- communis** Falco, F. M. Daudin, Traité élém. Orn. 1800, 92.
- communis** Ficus, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
- communis** Grus, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 60.
- communis** Panorpa, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 915.
- communis** Podura, A. F. de Fourcroy, Ent. Paris. 1785, 523.
- communis** Raphidia, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 60.
- communis** Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
- communis** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
- communis** Vespa, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 328.
- comosus** Colymbus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 56.
- compactilis** Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 48.
- compar** Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
- comparalis** Yralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 [2].
- compensator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
- compensator** Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
- compennis** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
- complanata** Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 38.
- complanata** Amphinome (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 47.—
- complanata** Aphrodita, P. S. Pallas, Misc. Zool. 1766, 109. [Aphrodita.]
- complanata** Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 100.
- complanata** Ascidia, O. Fabricius, F. Groen. 1780, 332.
- complanatus** Carabus, Linnaeus, Syst. Nat., ed. 12, 1767, 671.
- complanatus** Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 427.
- complanatus** Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3198.
- complanata** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
- complanata** Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1079.
- complanata** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
- complanatus** Julus, Linnaeus, Faun. Suec., ed. 2, 1761, 502.
- complanata** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
- complanatus** Nautilites, P. S. Pallas, Reise Russ. I. 1771, 478.
- complanata** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
- complanata** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
- complanata** Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187.
- complanatus** Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.
- complanatus** Tenebroides, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 87.
- complanata** Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—
Aphrodita.
- complanatum** Trombidium (Muell.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
- complanatus** Volvox, F. v. P. Schrank, Beitr. Nat. 1776, 107.
- complanella** Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77. [Noctua.]
- complana** Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 351.—Phal.

- complana** Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Phal. Noctua.
complana Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 594.—Phalaena. [P. Noctua.
complana Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 243.—
complana Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 840.
complicata Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 30.
composana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 480.—Tinea compositella,
compositella Tinea, J. C. Fabricius, Syst. Ent. 1775, 663. [1775.
composita Fasciola, F. v. P. Schrank, Beitr. Nat. 1773, 101.
compositus Rhinocerus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 652.
compressicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 138.
compressa Antipathes, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 186.
compressa Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—Ichneumon, 1793.
compressa Bombyx, J. C. Fabricius, Gen. Ins. 1777, 279.
compressum Callidium, J. C. Fabricius, Mant. I. 1787, 153.
compressus Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 76. [Callidium.
compressus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.—
compressa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2114.
compressus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
compressa Cynips, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
compressa Formica, J. C. Fabricius, Mant. I. 1787, 307.
compressa Gorgonia, F. C. Meuschen, Mus. Gev. 1787, 526.
compressus Hister, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 20.
compressus Ichneumon, J. H. Sulzer, Gesch. Ins. 1776, 190.
compressus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 414.
compressus Ichneumon, J. C. Fabricius, Mant. II. 1787, 381.
compressus Ichneumon, J. L. Christ, Nat. Ins. 1791, 369.
compressa Lampyris, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 80.
compressa Mactra, R. Pulteney, Cat. Birds &c. Dorset, 1799, 31.
compressa Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792; ed. 12, 1767, 1283.
compressa Muraena, J. G. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 153.
compressa Musca, J. C. Fabricius, Mant. II. 1787, 346.
compressa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 337.
compressus Musculus, J. F. Bolten, Mus. Bolten. (2) 1798, 157 [n. n].
compressa Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1261.
compressus Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 131.
compressus Sparus, G. Shaw in White, Journ. N.S.W. 1790, 267.
compressa Spheg, J. C. Fabricius, Spec. Ins. I. 1781, 445.
compressa Spongia, O. Fabricius, F. Groen. 1780, 448.
compressa Spongia [non Fab.], E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 200.
compressus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 167.
compressa Venus, Linnaeus, Mant. II. 1771, 546.
comptella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 60.
compta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
compunctator Ichneumon, N. Poda, Ins. Graec. 1761, 106.
compunctor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 934.
compunctor Musca, M. Harris, Exp. Eng. Ins. 1776, 113.
computatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
comtus Musca, M. Harris, Exp. Eng. Ins. 1776, 108.
comus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 40.
comus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 212.
concamera Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 102.
concamerata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 409.
concamerata Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
concamerata Madrepora, P. Forskal, Descr. Anim. 1775, 136.
concatenator Chrysmela (Gm.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.—
 Cryptocephalus concatenatus.
concatenatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789,
concatenatus Erotylus, J. C. Fabricius, Mant. I. 1787, 91. [1727.—Erotylus.

- concatenatus** Ostracion, M. E. Bloch, Nat. ausl. Fische, I. 1785, 101.
concatenata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
conca Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
conca Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
concentrica Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 178.—Venus.
concentrica Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 58.
concentrica Venus, C. U. v. Salis, Reise Neapel, 1793, 389.
concha Noctua, J. C. Fabricius, Mant. II. 1787, 161. [Noctua.
concha Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 779.—
conchacea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 283.
conchaceus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea conchella, 1794.
conchaceus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1059.
conchacea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
conchata Aranea, M. Slabber, Nat. Verlust. 1769, 3.
conchata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
conchata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 154.
conchella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
“conchidium Helmintholithum,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 163.
conchiformis Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
conchilega Amphitrite (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 52.—Nereis.
conchilega Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
conchilega Nereis, P. S. Pallas, Misc. Zool. 1766, 131.
conchilega Sabella, R. Pulteney, Cat. Birds &c. Dorset, 1799, 54.
conchilega Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—
conchilega Teredo, P. Forskal, Descr. Anim. 1775, 99. [Nereis.
Conchilium P. Browne, Hist. Jamaica, ed. 2, 1789, 408.—G.
Conchites J. Gesner, Tract. Petref. 1758, 37.
concholepas Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 252.
conchyliophorus Astraea (Born), J. F. Bolten, Mus. Bolten. (2) 1798, 80.—Trochus.
conchyliophorus Trochus, I. v. Born, Test. Mus. Caes. Vindob. 1780, 333.
“Conchyta, Hupsch, 1771,” Herm.; not binominal author.
conciliator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 47.
concinna Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 169.
concinna Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 500.
concinus Psittacus, G. Shaw, Nat. Misc. III. 1791, pl. 87.
concinna Sphex, P. Rossi, Fauna Etrus. II. 1790, 66.
concinna Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
concolor Bombylius, J. C. Mikán, Mon. Bomb. 1795, 30.
concolor Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 149.
concolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
concolor Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 127.
concolor Carabus, A. G. Olivier, Entom. III. 1795, 80.
concolor Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 129.
concolor Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
concolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
concolor Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 69.
concolor Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.—Cryptocephalus, 1792.
concolor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
concolor Felis, Linnaeus, Mant. II. 1771, 522.
concolor Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 16.—Chrysomela, 1781.
concolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
concordaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796] fig. 126 [n.
concupina Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 21. [et f].
condigna Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
conditus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3565.
condyliatus Cancer, J. C. Fabricius, Mant. Ins. I. 1787, 324.
condyliatus Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 356.—Cancer, 1787.
conepatl Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 88.

- conferta** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 474.
- confervae** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 511.
- confidens** Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
- confinis** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 573.
- conflagratus** Copris (Herbst), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
- conflagratus** Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 5.
- confictor** Leucophaea, O. F. Müller, An Infus. 1786, 140.—Volvox, 1773.
- confictor** Volvox, O. F. Müller, Verm. I (1) 1773, 29.
- confluella** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
- confluens** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
- confluens** Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
- confluens** Cerambyx, J. F. W. Herbst in Linn. Syst. Nat., ed. 13, I. 1789, 1837.
- confluens** Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 61.
- confluens** Dytiscus, J. C. Fabricius, Mant. I. 1787, 193.
- confluo** Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
- confoederata** Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 181.—Salpa.
- confoederata** Salpa, P. Forskal, Descr. Anim. 1775, 115.
- conformis** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
- conformis** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76. [348.—Noctua.
- conformis** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- confusum** Callidium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 98.
- confusus** Cerambyx (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.—
Callidium.
- confusus** Clytus (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 681.—Callidium.
- confusus** Curculio, G. Paykull, Mon. Curc. 1792, 35.
- confusus** Musca, M. Harris, Exp. Eng. Ins. 1776, 110.
- confusa** Phalaena, Hufnagel, Berl. Mag. III. 1767, 414.
- confusa** Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
- confusa** Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
- confusa** Stratiomyx (*sic*), P. Rossi, Mant. Ins. II. 1794, 60.
- congelatella** [Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 5.
- congener** Buprestis, G. Paykull, Faun. Suec. II. 1799, 222.
- congener** Dytiscus, C. P. Thunberg, Ins. Suecica (6) 1794, 75.
- congener** Dytiscus, G. Paykull, Faun. Suec. I. 1798, 214.
- congener** Merops, Linnaeus, Syst. Nat., ed. 12, 1766, 183.
- congener** Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
- congeneraria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 174
- Conger** J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P. [n. et f.]
- conger** Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 245; ed. 12, 1766, 426.
- conger** Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 11.—Muraena.
- congestus** Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 107.
- conglobator** Oniscus, P. S. Pallas, Misc. Zool. 1766, 194.
- conglobata** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 583.
- conglomeratum** Alcyonium (Gaert.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
3816.—Botryllus.
- conglomeratus** Botryllus, J. Gaertner in P. S. Pallas, Spic. Zool. x. 1774, 39.
- conglomerata** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 583.
- conglomerata** Madrepora, E. J. C. Esper, Pflanzenzenth., Forts. I (3) 1795, 71.
- conglomerata** Millepora, P. Forskal, Descr. Anim. 1775, 139.
- conglomerata** Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
- conglutinata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 125.
- congylis** Alata, F. C. Meuschen, Mus. Gever. 1787, 340.
- congylis** Buccinum, F. C. Meuschen, Mus. Gever. 1787, 308.
- conicum** Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 230.
- conicum** Alcyonium, G. Olivi, Zool. Adriat. 1792, 240.
- conica** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 958.
- conica** Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 48.
- conica** Aranea, C. de Geer, Mém. Ins. VII. 1778, 231.

- conica* Chalcis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 242.
conicus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 210.
conicus Curculio, J. A. Frolich, Naturforscher, XXVI. 1792, 132.
conicus Cynipsichneumon (Fab.), J. L. Christ, Nat. Ins. 1791, 387.—Ichneumon.
conicus Diodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1450.
conica Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 279.
conica Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 571.
conicus Gryllus (Acrida), Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2056.—
conicus Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 343. [Truxalis
conica Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.
conica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
conica Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 20.
conica Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
conica Sphex, C. de Villers, Linn. Ent. III. 1789, 228.
conicus Staphylinus, C. de Villers, Linn. Ent. I. 1789, 425.
conica Stratiomys, Block in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 21.
conica Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 513.
conicus Truxalis, J. C. Fabricius, Spec. Ins. I. 1781, 352.
conica Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
conica Vespa, J. C. Fabricius, Mant. I. 1787, 293.
conico-articulatus Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 11.
conico-truncata Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 141.
coniferarum Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 83.
conifera Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 31.
conifera Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
coniformis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 339.
conigera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
conigera Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 31.
conirostris Cicada, C. de Geer, Mém. Ins. III. 1773, 202.
“Conites, Gmel. 1789,” Scudder; not used in a generic sense.
conjugatus Aphodius (Panz.), J. Sturm, Verz. Ins. Samml. 1800, 23.—Scarabaeus.
coniugata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 521.
conjugatus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 28 [1795], tab. 6.
conjugatus Scarabaeus, G. W. F. Panzer, Deutsch. Ins. [1795], 364.
conjugens Hister, G. Paykull, Faun. Suec. I. 1798, 44.
coniuncta Noctua, E. J. C. Esper, Die Schmett. IV (37) 1788, 129.
coniuncta Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
connaculatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 230.
connata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 71.
connata Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 83.
connata Tritoma, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 18.
connectalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 [2].
connexus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 138.
connexus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
connexus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
connexa Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 154.
connexa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 350.
connexa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 360.
conocephalus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 12, 1767, 696.
conocephalus Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
conoideus Lepas, E. Donovan, Brit. Shells (1800), pl. xxx.
conoideus Pholas, J. Parsons, Phil. Trans. LV. 1766, 1.
conoideus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 14.
conoidea Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1185.
conoideus Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 159.
conoideus Cuculanus, M. E. Bloch, Eingeweidewürmer, 1782, 35.
conoidea Cypraea, J. A. Scopoli, Del. Insub. II. 1786, 78. [Clypeus
conoideus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3181.—

- conoidea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
 conoidea Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
 conoidea Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
 conoidea Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 45.
 conoidea Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2753.
 conopiformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 213.
 Conops Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004.—Dip.
 conopseus Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 559.—Musca. [2868.
 conopsea Musca, *id. ac* conopsoides, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 conopseus Syrphus, *id. ac* conopsoides Musca, L., J. C. Fabricius, Syst. Ent. 1775, 768.
 conopsoides Asilus, J. C. Fabricius, Syst. Ent. 1775, 795.
 conopsoides Erax, Scopoli, Ent. Carn. 1763, 361.
 conopsoides Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
 Conostoma [J. G. Lenz], Neue Allgem. deutsch. Bibl. X (2) 1794, Intelligenzbl. 256; See
 K. A. Rudolphi, Archiv Zool. (Wiedemann), II (1) 1801, 58.—Ver.
 “Conotrochites, Walch, 1768,” Herm.; not used in a generic sense.
 conscripta Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 52.
 consecutorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 156.
 consignata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 245 [*n.*
 consimilis Leptura, F. v. P. Schrank, Ins. Aust. 1781, 155. [*et f.*]
 consimilis Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
 consimilis Vespa, Holthuysen, D. H. Schneider, Verz. Parthei Ins. 1800, 21 [Lichten-
 consisto Musca, M. Harris, Exp. Eng. Ins. 1776, 112. [stein's sp.; *vide supra*].
 consobrinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 152
 [*n. et f.*].
 consobrinaria Phalaena Geometra, M. B. Borkhausen, in Schriba, Beitr. Ins. I. 1790, 25.
 consobrina Coccinella [D. H. Schneider], Nom. Ent. 1785, 8 [*n. n.*].
 consobrina Phalaena Noctua, M. B. Borkhausen, in Schriba, Beitr. Ins. I. 1790, 66.
 consocia Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 341.
 consolidatus Bulimus, J. G. Bruguière, Ency. Meth. (Vers) (1) 1789, 325.
 consolida Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 consonaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 157 [*n.*
 consona Noctua, J. C. Fabricius, Mant. II. 1787, 163. [*et f.*].
 consors Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 177.
 consortaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 496.
 consortaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 168 [*n.*
 consortaria Phalaena, J. C. Fabricius, Mant. II. 1787, 187. [*et f.*].
 consortella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 23.
 conspersana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Tortrix.
 conspersana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
 conspersaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106. [*et f.*].
 conspersaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 138 [*n.*
 conspersaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
 conspersata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 conspersus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
 conspersus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 conspersus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
 conspersus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 364.
 conspersus Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 112.
 conspersus Musca, M. Harris, Exp. Eng. Ins. 1776, 38.
 conspersa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
 conspersa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
 conspersa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
 conspersus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
 conspicillaris Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767,
 conspicillatis Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 64. [849.
 conspicillator Bombyx (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 412.—Phalaena.
 conspicillator [Phalaena], P. Cramer, Utit. Kapellen, II (9) 1777, 1.

- conspicillum Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49. [n. et f.]
- conspicuaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 117
- conspicuaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 465.—
G. conspicuata, D. & S., est.
- conspicuata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
- conspicua Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 123.
- conspurcatus Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 25.—Scarabaeus.
- conspurcatus Aphodius (L.), C. Creutzer, Ent. Vers. 1799, 21.—Scarabaeus.
- conspurcata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—
- conspurcata Coccinella, F. A. A. Meyer, Zool. Archiv (1) 1796, 211. [Tettigonia.
- conspurcatus Copris, A. F. de Fourcroy, Ent. Paris. 1785, 14.
- conspurcatus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
- conspurcata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
- conspurcata Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 283.
- conspurcata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [n. n.].
- conspurcata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
- conspurcata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
- conspurcatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 549.
- conspurcata Tettigonia, J. C. Fabricius, Gen. Ins. 1777, 298.
- conspursus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
- consputus Aphodius, C. Creutzer, Ent. Vers. 1799, 41.
- consenscis Musca, M. Harris, Exp. Eng. Ins. 1776, 123.
- constans Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
- constans Musca, M. Harris, Exp. Eng. Ins. 1776, 149.
- constans Syrphus, P. Rossi, Mant. Ins. II. 1794, 62.
- constantinensis Felis, H. F. Link, Beytr. Nat. I (2) 1795, 91.
- constantia [Papilio], P. Cramer, Util. Kapellen, II (12) 1777, 57.
- constantium Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 152.
- constellaris Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 204.
- constellata Coccinella, J. N. Laicharting, Tyrol. Ins. I. 1781, 121.
- constellatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 412.
- constellata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 299.
- Constrictor J. N. Laurenti, Syn. Rept. 1768, 106.—R.
- constrictor Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 373.
- constrictor Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 16.
- constrictor Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 385.
- constrictor Enchelis, O. F. Müller, An. Infus. 1786, 31.
- constrictorius Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 201.
- constrictorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
- constrictus Chaetodon, G. Shaw, Zool. N. Holland, 1794, 17.
- constrictus Echinorhynchus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
- constrictus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 415. [139.
- constrictus Solen, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
- constrictus Sorex, J. Herrmann in E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780,
- constricta Vorticella, O. F. Müller, An. Infus. 1786, 293. [383.
- constuprator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
- consul Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3540.
- cousul Volema (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 58.—Murex.
- contacta Noctua (ex Esper tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 137.
- contaminatus Aphodius (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 26.—Scarabaeus.
- contaminatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 276.
- contaminata Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 382.
- contaminata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
- contaminata Phalaena, Scopoli, Ent. Carn. 1763, 225.
- contaminata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
- contaminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
- contaminatus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 9.
- contaminata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.

- contaminella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
 contemplator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
 contemta Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
 contignatio Madrepora, P. Forskal, Descr. Anim. 1775, 134.
 contiguaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 187.
 contiguaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 105.
 contigua Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 81. [*n. et f.*]
 contigua Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 347.
 contigua Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
 contigua Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 continuus Cerambyx, A. G. Olivier, Entom. IV. 1795, 123. [421.—Noctua.
 continua Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 19.
 contortrix Boa, Linnaeus, Syst. Nat., ed. 12, 1766, 373 [constrictor Coluber, ed. 10].
 contortu-plicata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3661.—Nerita.
 contorta, Müll.
 contortuplicata Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
 contortum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
 contorta Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1244.
 contorta Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
 contorta Nerita, O. F. Müller, Verm. II. 1774, 187.
 contorta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
 contortus Planorbis (Linn.), O. F. Müller, Verm. II. 1774, 162.—Helix.
 contra Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 290.
 contractus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 50.
 contractus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
 contractus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
 contractus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 126.
 contractus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 19.
 contracta Ips, A. G. Olivier, Entom. II. 1790, 6.
 contractus Lyctus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 505.—Ips.
 contractus Lygdus (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.—Ips.
 contracta Musca, A. F. de Fourcroy, Ent. Paris. 1785, 491.
 contracta Tritoma (Fab.), C. P. Thunberg, Ins. Suecica (8) 1794, 99.—Lyctus.
 contraria Helix, O. F. Müller, Verm. II. 1774, 95.
 contrarius Murex, Linnaeus, Mant. II. 1771, 551.
 contraria Neptunea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 115.—Murex.
 contrarius Planorbis, O. F. Müller, Verm. II. 1774, 152.
 contraria Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
 controversus Clytus, F. v. P. Schrank, F. Boica, I. 1798, 679.
 contubernella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 34.
 contusa Silpha, O. F. Müller, F. Ins. Frid. 1764, 5.
 Conulus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii & 161.—Ech.
 conulus Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 483.
 conulus Murex, G. Olivi, Zool. Adriat. 1792, 154.
 conulus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.
 Conus Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.—G.
 conus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8.
 conus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3569.
 conus Unio, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 60.
 conus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3449.
 convallaria Crioceris, G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 142.
 convallaria Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817.
 convallaria Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
 convallariae Crioceris, F. v. P. Schrank, F. Boica, I. 1798, 568.
 convallium Tipula, Scopoli, Ent. Carn. 1763, 317.
 convenio Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
 convergata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 382.
 convergens Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.

- conversa** Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 152.
convexata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 385.
convexa Apis, F. v. P. Schrank, Ins. Aust. 1781, 405.
convexus Cancer, P. Forskal, Descr. Anim. 1775, 88.
convexus Carabus, J. C. Fabricius, Syst. Ent. 1775, 238.
convexa Cetonia, A. G. Olivier, Entom. I. 1789, 72.
convexus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 507.
convexus Oniscus, C. de Geer, Mém. Ins. VII. 1778, 553.
convolo Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
convolutella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
convolutoplane Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 51.
convoluta Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—
convolutus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 399. [Membracis.
convoluta Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.
convoluta Membracis, J. C. Fabricius, Spec. Ins. II. 1781, 318.
convoluta Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 215.
convolvuli Tenthredo, P. S. Pallas, Reise Russ. II. 1773, 731.
convolvuli Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 798.
convolvuli Sphinx [*non* L.], P. Cramer, Uitl. Kapellen, III (19) 1779, 55.
convolvuli Sphinx, H. W. Bergstraesser, Sphing. Europ. 1782, 5; *varr.* viridis & fusca.
conwagana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 412.—*Pyralis*.
conwagana *Pyralis*, J. C. Fabricius, Syst. Ent. 1775, 653.
conwayana *Pyralis*, *id. ac* conwagana, J. C. Fabricius, Ent. Syst. III (2) 1794, 277.
cookiana Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
cookii Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—*Trochus*.
cookii *Trochus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
coon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 10.
cooperta Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
copiae Cornu, I. v. Born, Index Mus. Caes. Vind. 1778, 371.
Copris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 87.—*Col*.
Copris J. C. Fabricius, Suppl. Ent. Syst. 1798, 3.—*Col*.
copris Scarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 5.
coprotheres Catharacta, M. T. Brünnich, Orn. Boreal. 1764, 38.
coquillad Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
coquus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 630.
coquus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1297.
coquus Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 176.—*Cerambyx*.
Cor [G. Humphreys], Mus. Calonn. 1797, 64.—*Ech*.
cor Arca, F. C. Meuschen, Mus. Gever. 1787, 426.
cor Cardita (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 403.—*Chama*.
cor auritum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 192.—*Chama cor*, Gm.
cor Chama, Linnaeus, Syst. Nat., ed. 12, 1767, 1137. [Spatangus.
cor anguinum Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3195.—
cor raninum Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 216.
cor Glossoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—*Chama*.
cor Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 428.—*Chama*.
cor Isocardia (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 86.—*Chama*.
cor Mytilus, T. Martyn, Univ. Conch. II. [1788], fig. 77.
cor anguinum Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 221.—*varr.*
anglicum, 221; *sulciscrispis*, 224; *norvagicum*, 225.
cor Terebratula, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 425.
Coracia M. J. Brisson, Ornith. II. 1760, 3.—*A*.
coraciae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
Coracias Linnaeus, Syst. Nat., ed. 10, 1758, 107; ed. 12, 1766, 159.—*A*.
Coracias B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 7.
Coracias F. M. Daudin, Traité Orn. II. 1800, 255.—*A*.
coracias Corvus, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 110. [*et f.*]
coraciata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 278 [*z*].

- Coracinus** L. T. Gronovius, Zooph. I. 1763, 66.—P.
Coracinus F. C. Meuschen, Mus. Gronov. 1778, 26.—P.
coracina Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 254.
coracinus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
coracinus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
coracina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [post 1796], 74.
coracinus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1587.
coracipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 67.
corais Coluber, G. A. Suckow, Naturges. III. 1798, 248.
Corallina Linnaeus, Syst. Nat., ed. 10, 1758, 805; ed. 12, 1767, 1304.—Alga.
Corallinites J. E. Guettard, Mém. diff. Sci. II. 1770, 412.—Cor.
corallinus Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
corallina Anguis, J. N. Laurenti, Syn. Rept. 1768, 71.
corallinus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 133.
corallina Capisterium (L.), F. C. Meuschen, Mus. Gever. 1787, 464.—Mactra.
corallinum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680.
corallinus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
corallina Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125.
corallinus Oniscus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 27.
corallina Ostrea, J. X. Poli, Test. Sicil. II. 1795, 164.
corallinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
coralliophaga Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3305.
coralliophagus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
Corallites J. Gesner, Tract. Petref. 1758, 38.
Corallithos J. Gesner, Tract. Petref. 1758, 37.
Corallium P. Browne, Hist. Jamaica, ed. 2, 1789, 390.—Cor.
corallium rubrum Madrepora, P. Forskal, Descr. Anim. 1775, 134.
Coralloides J. E. Guettard, Mém. diff. Sci. II. 1770, 414.—Cor.
coralloides Gorgonia, P. S. Pallas, Elench. 1766, 192.
coralloides Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 70 [n. n.].
corallophora Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
corarius Prionus, A. F. de Fourcroy, Ent. Paris. 1785, 73.
coras [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 51.
coras [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 46.
corax Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 155.
corax Corvus, R. Kerr, Anim. Kingd. 1792, 630; *varr.* varius, albus, borealis.
corax [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 176.
corax bilobis Corvus, P. Forskal, Descr. Anim. 1775, 8.
coraya Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
corbicula Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3310.
corbicula Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
corbis Cochlea, T. Martyn, Univ. Conch. II. [1788], fig. 80.
corbis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11.
Corbula J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 230 (1797) [n. et f.].—L.
Corbula J. F. Bolten, Mus. Bolten. (2) 1798, 184.—L.
Corbula Lamarck, Mem. Soc. H. N. Paris, 1799, 89.—L.
corbulo [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 122.
corchori Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 50.
corcinalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
corculatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 158.
corculata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.
Corculum J. F. Bolten, Mus. Bolten. (2) 1798, 188.—L.
corculum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 192 [n. n.].
cordata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 955.
cordatus Cancer, Linnaeus, Amoen. Acad. VI. 1763, 414.
cordatus Carabus, Scopoli, Ent. Carn. 1763, 89.
cordata Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
cordata Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1138.

- cordatus* Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 206.
cordatus Dermestes, C. P. Thunberg, Ins. Suecica (6) 1794, 81.
cordatus Echinus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 58.
cordata Gleba, P. Forskal, Icones, 1776, 14 f.
cordata Hydatigena, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 94.
cordatus Lemur, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 241.
cordata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 190.
cordatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
cordata Pholas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
cordatus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 60.
cordatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 31.
cordata Tarantula, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 219.
cordata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 368.
cordata Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.—
cordata Venus, P. Forskal, Descr. Anim. 1775, 123. [Hydatigena.]
cordiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 41 [*n. et*
cordiaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 31. [f.].
cordifer Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 132.
cordifera Leptura, A. G. Olivier, Entom. IV. 1795, 25.
“*Cordiformis*, Martini, 1774,” Herm.; Martini is not binominal.—L.
Cordiformis F. C. Meuschen, Mus. Gever. 1787, 484.—Ech.
cordiformis Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 288.
cordiger Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
cordigera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
cordiger Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
cordiger Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 108.—Chrysomela.
cordigerus (*sic*) Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
cordiger Curculio, J. C. Fuessly, Schweiz. Ins. 1775, 11.
cordiger Curculio, J. R. Schellenberg, Helvet. Entom. I. 1798, 86.
cordiger Curculio, J. H. Sulzer, Gesch. Ins. 1776, 40.
cordiger Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 50.
cordigera Leptura, J. C. Fuessly, Schweiz. Ins. 1775, 14.
cordigera Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
cordigera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 288.
cordiger Hydrophilus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 122.
cordiger Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 3.
cordigera Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 374.
cordigerella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
cordala Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 226.
Cordyle C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 44.—Col.
cordylina Iguana, J. N. Laurenti, Syn. Rept. 1768, 47.
Cordylus L. T. Gronovius, Zooph. I. 1763, 13.—R.
Cordylus J. N. Laurenti, Syn. Rept. 1768, 51.—R.
cordylus Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 361.
cordyla Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 298; ed. 12, 1766, 493.
core [Papilio], P. Cramer, Util. Kapellen, III (23) 1780, 133.
Coregonus [Artedi, Ichth. 1738, gen. vii, 9.]—P.
“*Coregonus*” *v.* Salmo.
corensis Columba, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 31.
Corephium P. Browne, Hist. Jamaica, ed. 2, 1789, 393.—Moll.
Coreus J. C. Fabricius, Ent. Syst. IV. 1794, 126.—Hem.
coriaccia Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
coriacea Acanthia, J. C. Fabricius, Gen. Ins. 1777, 299.
coriaceum Alcyonium, J. C. Fabricius, Reise Norwegen, 1779, 325.
coriaceus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 40.
coriaceum Callidium, G. Paykull, Faun. Suec. III. 1800, 91.
coriaceus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.
coriaceus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 330.

- coriaceus** Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
coriacea Helix, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 243.
coriacea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
coriacea Lepas, J. X. Poli, Test. Sicil. I. 1791, 36.
coriaceus Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
coriacea Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1285.
coriacea Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
coriacea Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 350.
[**coriana** Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 75 & 76.
coriarius Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 622.
coriaria Chrysomela, J. N. Laicharting, Tyrol. Ins. I. 1781, 143.
coriarius Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 115.
coriaria Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
coriarius Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 161.—Cerambyx.
coriarius Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 300.
coriarius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.
coriarius Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 309.
coridon Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.
coridon Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
coridon [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 97.
coridon Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 53.—[corydon, D. & S., *est.*]
Corine G. Cuvier, Tab. Elém. 1798, 657.—Zooph.
corinna Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
corinna [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 47.
coriolanus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 284.
Coriphaena *v.* **Coryphaena**, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 203.
“**Coris**, Lacép. 1800,” Ag.; occurs only in the vernacular, xxi.
corisandra [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 188.
Coriscus F. v. P. Schrank, Samm. Phys. Aufs. 1796, 121.—Hem.
Corixa E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 477.—Hem.
Corixa O. F. Müller, F. Ins. Frid. 1764, xviii.—Hem.
cornatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena cornicalis, 1794.
corneata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 211.
cornelia Papilio, J. C. Fabricius, Mant. II. 1787, 21.
cornelius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 220.
cornella Tinea, J. C. Fabricius, Syst. Ent. 1775, 657.
cornea Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
corneum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 296.—Murex.
corneum Cardium (L.), R. Pulteney, Cat. Birds &c. Dorset, 1799, 31.—Tellina.
corneus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
cornea Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163.
cornea Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
cornea Cyclas (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 84.—Tellina.
corneum Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1263.
cornea Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
cornea Mactra, J. X. Poli, Test. Sicil. II. 1795, 73.
corneus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1224.
cornea Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1253.
cornea Patella, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 107.
cornea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
corneum Peronaoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257; = Mactra of p. 74.
corneus Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—Helix.
cornea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [*n. n.*].
cornea Serpula, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 5.
cornea Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1120.
corneum Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
corneus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
cornea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.

- corni Aphis, J. C. Fabricius, Syst. Ent. 1775, 736.
 corni Musca, Scopoli, Ent. Carn. 1763, 328.
 cornicalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 229.
 cornicella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 516.
 cornicina Musca, J. C. Fabricius, Spec. Ins. II. 1781, 438.
 cornicina Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
 cornicis Acarus, Scopoli, Ent. Carn. 1763, 388.
 cornicis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
 cornicis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
 cornicis Pediculus, J. C. Fabricius, Syst. Ent. 1775, 807.
 cornicis Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 201.
 cornicis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.
 corniculatum Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3817.
 corniculata Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1305.
 corniculatus Merops, J. Latham, Index Orn. 1790, 276.
 corniculata Nereis, O. F. Müller, Zool. Dan. II. 1784, 33.
 corniculata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 321.
 corniculum Buccinum, G. Olivi, Zool. Adriat. 1792, 144.
 cornicula Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1191.
 cornifer Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
 cornifrons Tenebrio, P. Rossi, Mant. Ins. I. 1792, 92.
 cornigera Apis, P. Rossi, Fauna Etrus. II. 1790, 108.
 corniger Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2992.—
 corniger Copris, A. F. de Fourcroy, Ent. Paris. 1785, 16. [Gammarus.
 cornigera Diaperis (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 274.—Hispa.
 corniger Gammarus, J. C. Fabricius, Reise Norwegen, 1779, 383.
 cornigera Hispa, J. C. Fabricius, Spec. Ins. I. 1781, 82.
 cornigera Ptilinus (Fab.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 145.—Hispa.
 cornigera Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.
 Cornix Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 70.—A.
 Cornix I. T. Koelreuter, Nov. Comm. Sci. Petrop. XI. 1767, 435.—A.
 cornix Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 156.
 cornix Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
 Cornu I. v. Born, Index Mus. Caes. Vind. 1778, 371.—G.
 cornu arietis Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
 cornu Argonauta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3368.
 cornu Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 180.
 cornu arietis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
 cornu militare Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
 cornu venatorium Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
 cornu arietis Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—Helix.
 cornu cervi Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
 cornu ceri Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
 cornu damae Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
 cornubicus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1497.
 cornubiensis Lepas, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 62.
 cornubiense Salmo, J. A. Donndorff, Zool. Beyt. III. 1798, 647.
 cornubiensis Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 75.
 cornubius Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1297.
 cornuba Saperda, A. G. Olivier, Entom. IV. 1795, 26.
 Cornucopia [G. Humphreys], Mus. Calonn. 1797, 56.—L.
 cornucopiae Lopho (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Ostrea.
 cornucopiae Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
 cornucopiae Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 cornucopiae Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
 cornucopiae Tubularia, P. S. Pallas, Elench. 1766, 80.
 cornus Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
 cornus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.

- cornutella Phalaena, Scopoli, Ent. Carn. 1763, 247.
 cornutella Tinea, J. C. Fabricius, Suppl. Ent. Syst., 1798, 492.
 cornutor Lamia, J. C. Fabricius, Syst. Ent. 1775, 177.
 cornuta Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
 cornuta Anas, S. G. Gmelin, Reise Russ. II. 1774, 185.
 cornuta Andrena, J. C. Fabricius, Mant. I. 1787, 298.
 cornuta Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 134.
 cornutus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 360.
 cornuta Apis, D. Drury, Ill. Nat. Hist. II. 1773, index & 88.
 cornuta Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.—Andrena.
 [cornutus Aranea, C. Clerck, Aran. Svec. 1757, 39.]
 cornuta Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 44.
 cornutus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.
 cornutus Bostriachus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.
 cornutus Brachycerus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.—Curculio.
 cornutum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
 cornutus Bufo (Linn.), J. N. Laurenti, Syn. Rept. 1768, 25.—Rana.
 cornuta Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
 cornutus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
 cornuta Cassidea (L.), G. Cuvier, Tab. Elém. 1798, 406.—Buccinum.
 cornuta Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 394.—Buccinum.
 cornuta Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 25.—Sertularia.
 cornuta Cellepora, E. J. C. Esper, Pflanzeth., Forts. I (6) 1796, 150.
 cornutus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Lamia
 Cetonia, J. C. Fabricius, Spec. Ins. II. 1781, 496. [cornutor, Fab.]
 cornutus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 461.
 cornuta Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
 cornutus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 50.
 cornutus Coluber, Linnaeus in Hasselquist, Palast. 1762, 365.
 cornutus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 591.
 cornutus Crabro, J. C. Fabricius, Mant. I. 1787, 294.
 cornutus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
 cornutus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
 cornutus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 500.
 cornuta Fasciola, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 261. [2071.—Locusta.
 cornutus Gryllus (Tettig.) (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 cornutus Hemerobius (L.), A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.—Raphidia.
 cornutus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551 [Raphidia, ed. 12].
 cornuta Hispa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 15.
 cornutus Inachus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 cornuta Lacerta, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 40.
 cornuta Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 227.
 cornuta Leucophaea, O. F. Müller, An. Infus. 1786, 157.—Vorticella, 1773.
 cornuta Ligniperda, P. S. Pallas, Spic. Zool. IX. 1772, 8.
 cornuta Locusta, C. de Geer, Mém. Ins. III. 1773, 441.
 cornuta Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
 cornuta Melolontha, A. G. Olivier, Entom. I. 1789, 20.
 cornuta Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 676.—Cicada.
 cornutus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1214.
 cornutus tuberculatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
 cornuta Musca, J. A. Scopoli, Annus V. 1772, 123.
 cornuta Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 357.
 cornutus Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
 cornutus Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 211.
 cornutus Opilio (L.), J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 13.—Phalangium.
 cornutus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 409.
 cornuta Palameda, Linnaeus, Syst. Nat., ed. 12, 1766, 232.
 cornutum Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1028.

- cornutus** Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
cornutum Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
cornuta Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.
cornutus Podiceps (Gm.), J. Latham, Index Orn. 1790, 782.—Colymbus.
cornutus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
cornuta Purpura, F. C. Meuschen, Mus. Gever. 1787, 310.
cornuta Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
cornuta Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 356.
cornuta Raphidia, Linnaeus, Syst. Nat., ed. 12, 1767, 916. [113.—Cetonia.
cornutus Scarabaeus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798,
cornuta Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1316.
cornutus Silurus, P. Forskal, Descr. Anim. 1775, 66.
cornutus Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256.
cornuta Trichoda, O. F. Müller, An. Infus. 1786, 208.
cornuta Trogositia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 51.
cornutus Trox, J. C. Fabricius, Ent. Syst. I (1) 1792, 88.
cornutus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3593.
cornuta Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 951.
cornuta Vorticella, O. F. Müller, Verm. I (1) 1773, 99.
cornutus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 505.
coro Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 70.
corollae Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 306. [media 140, crassa 141.
corollaris Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 138.—*varr.* tenuis 138,
corollaris Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [repage issue].
corollata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
corollatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.
corollata Taenia, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] I (1) 1790, 62.
coromandela Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
coromandeliana Agrion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 286.
coromandeliana Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 89.
coromandeliana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
coromandeliana Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 646.
coromandeliana Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 154.
coromandelianus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
coromandelianus Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 403.
coromandelica Anas, Bonnaterre, Ency. Méth. (Orn.) 1791, 155.
coromandelicus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
coromandelica Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 221.
coromandelicus Merops, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 276.
coromandelica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
coromandelica Perdix, (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
coromandelica Strix, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
coromandelica Sylvia (Gm.), J. Latham, Index Orn. 1790, 524.—Motacilla.
coromandelicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
coromandeliensis Colius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 42.
coromanda Alcedo, J. Latham, Index Orn. 1790, 252.
coromanda Anas, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
coromanda Ardea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
coromanda Cancroma, P. Boddart, Tab. Planch. Enl. 1783, 54.
coromandus Colius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
coromandus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
coromanda Cursor, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
coromanda Glareola J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
coromandus Merops, J. Latham, Index Orn. 1790, 272.
coromanda Strix, J. Latham, Index Orn. 1790, 53.
corona imperialis Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
corona civica Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
corona ducalis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.

- corona* Himantopus, O. F. Müller, An. Infus. 1786, 253.
corona Medusa, P. Forskal, Descr. Anim. 1775, 107.
corona Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552. [corona.
corona mexicana Neptunea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 116.—Murex
corona Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1252.
coronalis Alata, F. C. Meuschen, Mus. Gever. 1787, 342.
coronalis Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 136.
coronalis Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [repage issue].
coronalis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
coronalis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3177.—
coronata Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 18. [Cidaris.
coronata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 43.
coronata Apis, A. F. de Fourcroy, Ent. Paris. 1785, 449.
coronata Aranea, C. de Geer, Mém. Ins. VII. 1778, 242.
coronatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 276.
coronatum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 83.
coronatus Buceros, P. Boddaert, Tab. Planch. Enl. 1783, 53.
coronatus Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 207.
coronatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 184.
coronatum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.] V (1) 1799, 9.
coronata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
coronatus Cerastes, J. N. Laurenti, Syn. Rept. 1768, 83.
coronatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 495.
coronatus Charadrius, P. Boddaert, Tab. Planch. Enl. 1783, 49.
coronatus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 691.
coronatus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1088.
coronata Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 282.
coronatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
coronatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.
coronatus Curculio, A. F. de Fourcroy, Ent. Paris 1785, 126.
coronata Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
coronatus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 124.
coronata Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 481.
coronatus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus, 1781.
coronatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697
coronatus Gypaetos (Jacq.), F. M. Daudin, Traité élém. Orn. 1800, 28.—Vultur.
coronata Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 448.—Gryllus.
coronata Loxia, J. F. Miller, Icon. Anim. pl. 2 (1776).
coronata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 859.
coronata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
coronata Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
coronatus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 326.
coronatus Murex, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 155.
coronata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 168.
coronata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 932.
coronata Mutilla, P. Rossi, Mant. Ins. I. 1792, 147.
coronata Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 369.
coronata Noctua, J. C. Fabricius, Syst. Ent. 1775, 596.
coronatus Oryssus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 218.
coronata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.
coronatus Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 224.
coronata Pimelia, A. G. Olivier, Entom. III. 1795, 4.
coronatus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
coronata Pterotrachea, P. Forskal, Descr. Anim. 1775, 117.
coronatus Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 545.
coronatus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 13.
coronata Sphecx, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 25.
coronata Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 190.

- coronata* Sterna, J. P. Bonnatere, Ency. Méth. (Orn.), 1790, 95.
coronatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
coronata Sylvia (L.), J. Latham, Index Orn. 1790, 538.—Motacilla.
coronatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
coronatus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.
coronata Vespa, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 12.
coronata Voluta, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 121.
coronatus Vultur, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 15.
corone Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 155.
corone Corvus, K. Kerr, Anim. Kingd. 1792, *varr.* varius, albus, 631.
coronea [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 106.
coronea Papilio (Dan.), Herbst, Einl. Ins. II. 1785, 47.
Coronella J. N. Laurenti, Syn. Rept. 1768, 84.—R.
coronella Coluber, J. P. Bonnatere, Ency. Méth. (Oph.), 1790, 31.
corones Bombyx, J. C. Fabricius, Syst. Ent. 1775, 579.
coronilla Natrix, F. v. P. Schrank, F. Boica, I. 1798, 291.
coronillae Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
coronillae Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 206.
coronillae Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 8.
coronillae Zygaena (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 388.—Sphinx.
coronis [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 69.
corope [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 130.
corrugata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 265.
corrugiolata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 995.
corrugiolatus Rhagio (Fab.), F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 173.—
Corrira M. J. Brisson, Ornith. VI. 1760, 542.—A. [Musca].
Corrira M. T. Brünnich, Fund. Zool. 1772, 72.—A.
Corrira J. P. Bonnatere, Ency. Méth. (Orn.) I. 1790, lxxxv.—A.
corrira Charadrius, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 23.
corrugator Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 28.
corrugator Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
corrugata Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
corrugatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 354.
corrugatus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
corrugatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
corrugata Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
corrugatum Gonium, O. F. Müller, An. Infus. 1786, 112.
corrugata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
corrugata Mya, O. F. Müller, Verm. II. 1774, 214.
corrugata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
corrugata Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.
corrugatus Unio, (Müll.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 18.—Mya.
corrugata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
corruptor Curculio, N. Host in Jacquin, Coll. Bot. III. 1789, 296.
corruptor Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 180.
corruscus *v.* *coruscus*.
corsac Canis, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 223.
corthesianaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 325.
cortex citri Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76.
corti Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 44.
corticalis Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 695.—Cimex.
corticalis Acarus, C. de Geer, Mém. Ins. VII. 1778, 131.
corticale Anisotoma, Illiger in Kugelann, Käfer Preuss. 1798, 79.
corticalis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 718.
corticalis Curculio, G. Paykull, Mon. Curc. 1792, 41.
corticalis Elater, G. Paykull, Faun. Suec. III. 1800, 43.
corticalis Hister, G. Paykull, Faun. Suec. I. 1798, 50.
corticalis Phalaena, Scopoli, Ent. Carn. 1763, 216.

- corticalis** *Pyralis*, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
corticalis *Sabella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
corticalis *Trogosita*, G. Paykull, Faun. Suec. I. 1798, 93.
corticana *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
corticana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 13 [*n. et f.*].
corticaria *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
corticaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 167 [*n. et f.*].
corticatus *Cimex*, D. Drury, Ill. Nat. Hist. II. 1773, index & 76.
corticata *Oliva*, T. Martyn, Univ. Conch. III [1789], fig. 111.
corticella *Phalaena* (*Tinea*), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 893.
Corticeus *Piller & Mitterpacher*, Iter Poseg. 1783, 87.
corticea *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
corticinus *Cerambyx*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 294.
corticina *Cetonia*, A. G. Olivier, Entom. I. 1789, 13.
corticinus *Curculio*, Giorna, Cal. Ent. 1791, 42.
corticina *Phalaena* (*Noct.*), C. de Villers, Linn. Ent. II. 1789, 285.
corticinus *Prionus*, A. G. Olivier, Entom. IV. 1795, 21.
corticis *Trips*, C. de Geer, Mém. Ins. III. 1773, 11.
cortinna *Papilio*, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 110.
corus *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
coruscans *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.
coruscator *Schneumon*, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 934.
coruscum *Anisotoma*, Illiger in Kugelann, Käfer Preuss. 1798, 79.
corrusca *Astraea*, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
corusca *Buprestis*, J. C. Fabricius, Mant. I. 1787, 176.
coruscus *Carabus*, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
corrusca *Lampyris*, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
corrusca *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [*n. n.*].
coruscus *Phalacrus* (*Ill.*), G. Paykull, Faun. Suec. III. 1800, 438.—*Anisotoma*.
corusca *P. Noctua* (*ex Esper tab.*), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 640.
corux *Corvus*, *err. pro corax* Linn., S. G. Gmelin, Reise Russ. I (1770), 50.
corvaria *Phalaena*, J. C. Fabricius, Mant. II. 1787, 381.
corvi *Hippobosca*, Scopoli, Ent. Carn. 1763, 377.
corvi *Pedicularis*, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
corvina *Chrysomela* =? *cervina*, Linnaeus, Faun. Suec. ed. 2, 1761, 173.
corvinus *Curculio*, G. W. F. Panzer, Deutsch. Ins. [1795] 335.
corvina *Musca*, J. C. Fabricius, Spec. Ins. II. 1781, 440.
Corvus Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 155.
corvus *Copris*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 31.
corvus *Helix*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
corydon *Hesperia* (*D. & S.*), J. C. Fabricius, Ent. Syst. III (1) 1793, 298.—*Papilio*.
corydon *Musca*, M. Harris, Exp. Eng. Ins. 1776, 106.
corydon *Papilio* “*Scop.*”, Denis & Schiffermüller, Schmett. Wien. 1775, 184.
corydon [*Papilio*], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 5.
corydon [*Papilio*], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 5.
corydon *Scarabaeus*, A. G. Olivier, Entom. I. 1789, 181.
corylana *Phal.* *Tort.*, J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
corylana *Pyralis*, J. C. Fabricius, Ent. Syst. III. (2) 1794, 260.
corylana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 53 [*n. et f.*].
corylaria *Geometra*, C. P. Thunberg, Ins. Suecica, (1) 1784, 4.
corylata *Phalaena*, C. P. Thunberg, Ins. Suecica (4) 1792, 61.
coryletti *Musca*, Scopoli, Ent. Carn. 1763, 336.
coryli *Aphis*, J. F. Gmelin in Linn. Syst. Nat. I. 1789, 2210.
coryli *Attelabus*, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 619.
coryli *Bombyx* (*L.*), J. C. Fabricius, Syst. Ent. 1775, 573.—*Phalaena*.
coryli *Chermes*, A. F. de Fourcroy, Ent. Paris. 1785, 229.
coryli *Chrysomela*, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
coryli *Cicada*, Linnaeus, Faun. Suec., ed. 2, 1761, 243.

- coryli Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
 coryli Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
 coryli Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 109.—Chrysomela.
 coryli Curculio, J. C. Fabricius, Syst. Ent. 1775, 148.
 coryli Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex.
 coryli Musca, P. Rossi, Mant. Ins. II. 1794, 72.
 coryli Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 823.
 coryli Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 91.—Attelabus.
 corylifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 66.
 [corylina Phalaena (B.) MS.], T. Martyn, Psyche, 1797, fig. 70.
 corymbosa Madrepora, P. Forskal, Descr. Anim. 1775, 137.
 “Coryna, Pallas, 1766,” Ag.; I cannot find this reference.
 coryna Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3834.
 corynaria Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
 Coryne Gaertner in Pallas, Spic. Zool. (10) 1774, 40.—Pol.
 Coryne J. G. Bruguière, Ency. Méth. (Vers, pl. 69, 1791) [*n. et f.*].—Pol.
 Coryneta J. G. Meigen, N. Class. Mouches, 1800, 27.—Dip.
 Korynetes Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 148.—Col.
 Corynetes *id. ac* Korynetes Herbst, G. Paykull, Faun. Suec. I. 1798, 274.
 corynetes Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
 Corynis C. P. Thunberg, Peric. Ent. 1789, 13.—Hym.
 coryphae Bruchus, A. G. Olivier, Entom. IV. 1795, 16. [1738, gen. xii. 15].—P.
 Coryphaena Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 446 [Artedi, Ichth.
 Coryphaenoides J. E. Gunnerus, Trondhiemska Selsk. Skrift. III. 1765, 50 & 58.—P.
 coryphaeus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus, 1775.
 coryphaeus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 817.
 corythallia Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 coryta [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 136. [1780], 67.
 corytus [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 6.
 coscoroba Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 234.
 coscoroba Anser (Mol.), J. P. Bonnaterre, Ency. Méth. (Om.), 1790, 112.—Anas.
 cosmographicus Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 125.
 Cossonus J. R. Schellenberg, Helvet. Entom. I. 1798, 58.—Col.
 Cossus J. C. Fabricius, Ent. Syst. III (1) 1793, caract. gen.; & III (2) 1794, 1.—Lep.
 cossus Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 569.—Phalaena.
 cossus Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 504; ed. 12, 1767, 827.
 Cossyphus J. C. Fabricius, Ent. Syst. I (2) 1792, 97.—Col.
 Cossyphus A. G. Olivier, Entom. III. 1795, 1.—Col.
 costalis Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 230.
 costalis Elater, G. Paykull, Faun. Suec. III. 1800, 37.
 costalis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 360.
 costalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
 costalis Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 443.
 costalis Pyralis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
 costalis Tabanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
 costalis Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 322.
 costalis Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 516.
 costalis Tipula, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 286.
 costalus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 118.
 costana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 227.—Tortrix.
 costana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
 costaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 155.
 costata Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.
 costata Arca, F. C. Meuschen, Mus. Gev. 1787, 426.
 costata Astrophyton, C. F. Schultzze, Verst. Seest. 1760, 53.
 costatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1202.
 costatum Buccinum (Penn.), E. M. da Costa, Brit. Conch. 1778, 128.—Murex.
 costatum Buccinum, F. C. Meuschen, Mus. Gev. 1787, 302.

- costatum* Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
costatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 308.
costata Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
costatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.
costatus Cataphractus (Linn.), M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 82.—Silurus.
costatus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 261.
costata Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
costata Cicada, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 14.
costatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 50.
costatus Cimex, J. C. Fabricius, Mant. II. 1787, 282.
costatus Coccus, F. v. P. Schrank, Ins. Aust. 1781, 296.
costatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
costatus Curculio, J. C. Fabricius, Mant. I. 1787, 115.
costata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3418.
costatum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
costata Helix, O. F. Müller, Verm. II. 1774, 31.
costata Lepas, E. Donovan, Brit. Shells (1800), pl. xxx.
costata Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 274.
costata Loricaria (L.), G. A. Suckow, Naturges. IV. 1799, 654.—Silurus.
costatus Murex, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 108.
costatus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 295.
costatus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
costatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3543.
costatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
costatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
costata Musca, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 226.
costatus Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
costatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 47.
costatus Nautilus (Orthoceras), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 1.
costata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
costata Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
costata Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
costata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
costata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
costatus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1111.
costata Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2002.—Tenebrio.
costata Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
costata Purpura (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 140.—Murex.
costatus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 306; ed. 12, 1766, 506.
costatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 160.
costatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3519.
costatus Strombus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 42.
costatus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 373.
costatus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 52.
costatus Trochus, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 34.
costatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
costatus Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
costatus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 65.
costatus Turbo, R. Pulteney, Cat. Birds &c. Dorset, 1799, 45.
costata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
costata Voluta, D. Solander in G. Brander, Foss. Hant. 1766, 24.
costata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
costatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita costella, 1775.
costella Alucita, J. C. Fabricius, Syst. Ent. 1775, 668.
costella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 505.—Alucita.
costirostris Platyrhinus, J. R. Schellenberg, Helvet. Entom. I. 1798, 114.
costototl Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 341.—Oriolus.
costototl Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.

- cothurnatus Gryllus, C. Creutzer, Ent. Vers. 1799, 129.
 cothurnatus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 355.
 cothurnata Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 20.
 cothurnatus Tenebrio, P. Forskal, Descr. Anim. 1775, 80.
 cothurnix *v.* coturnix.
 Cotinga M. J. Brisson, Ornith. II. 1760, 340.—A.
 cotinga Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
 cotoneum Alcyonium, P. S. Pallas, Elench. 1766, 359.
 cotonea Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
 cottoides Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
 Cottus Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451; [Artedi, Ichth. 1738, gen. xxxiv. 48.]—P.
 cotylephorus Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 54.
 Coturnix Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 3 & 39.—A.
 Coturnix Bonnatte, Ency. Méth. (Orn.) I. 1790, lxxxvii.—A.
 Coturnix G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*]—A.
 coturnix Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
 cothurnix Oriolus, J. A. Scopoli, Del. Insub. II. 1786, 87.
 coturnix Perdix (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 290.—Tetrao.
 coturnix Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161; ed. 12, 1766, 278.
 coucang Tardigradus, P. Boddaert, Elench. 1785, 67.
 cougar Felis, R. Kerr, Anim. Kingd. 1792, 151.
 courly Tantalus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 112.
 cous Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
 cous Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 504.
 cowl Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
 coxalis Cistela, A. G. Olivier, Entom. III. 1795, 8.
 coxator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 193.
 Coxia *err pro* Loxia, F. v. P. Schrank, F. Boica, I. 1798, 148.—A.
 coyolcos Perdix (Gm.), J. Latham, Index Orn. 1790, 653.—Tetrao.
 coyoleos (*sic*) Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
 coyolcos Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
 coypus Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 287.
 coypus Mus (Myocastor), R. Kerr, Anim. Kingd. 1792, 225.
 coypus Ondatra (Mol.), H. F. Link, Beytr. Nat. I (2) 1795, 76.—Mus.
 Cpryaea *v.* Cypraea, K. Schreibers, Vers. Conch. I. 1793, 57.
 Crabro E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 261.—Hym.
 Crabro J. C. Fabricius, Syst. Ent. 1775, 373.—Hym.
 crabro Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 948.
 crabro Vespa, J. L. Christ, Nat. Ins. 1791; *varr.* cornuta, caffra (214); capensis, surinama, germana (215); fusca, quattuor-maculata, tenebrionis (216); carolina, marribous, maculata, sphinx (217); tricineta, analis, microrrhoea (218); cincta (219).
 crabronaea Sphecx, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.
 crabroniformis Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
 crabroniformis Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1812.
 crabroniformis Clerus, J. C. Fabricius, Mant. I. 1787, 126. [Clerus.
 crabroniformis Erax (Linn.), Scopoli, Ent. Carn. 1763, 359.—Asilus.
 crabroniformis Masaris, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 22.
 crabroniformis Musca, C. de Villers, Linn. Ent. III. 1789, 428.
 crabroniformis Sesia, J. C. Fabricius, Ent. Syst. III (1) 1793, 383.
 crabroniformis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
 crabroniformis Sphinx, W. Lewin, Tr. Linn. Soc. [Lond.] III. 1797, 2.
 crabroniformis Syrphus, J. C. Fabricius, Syst. Ent. 1775, 768.
 craccae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
 craccae Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 102.—Curculio.
 craccae Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.—Curculio.
 craccae Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 606.
 craccae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.

- craccae Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 30.
- cracra Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 642.
- crambes Meloe, P. S. Pallas, Icon. Ins. 1782, 95.
- Crambus J. C. Fabricius, Suppl. Ent. Syst. 1798, 420.—Lep.
- cramerella Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
- cramerella [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 224.
- krameri Psittacus, J. A. Scopoli, Annus I. 1769, 31.
- crameriana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 114.
- Crangon F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
- Crangon J. C. Fabricius, Suppl. Ent. Syst. 1798, 387.—Cr.
- crangon Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 417.—Cancer.
- crangon Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1052.
- crangon Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 75.
- crangorum Monoculus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 306.
- Crania A. J. Retzius, Schrift. Berlin. Ges. nat. Freunde, II. 1781, 72.—Br.
- craniolaris Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1150.
- craniolaris Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1041.
- craniolaris Crania (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 83.—Anomia.
- craniolaris Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 214.
- craniolaris Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—
- “craniolaris Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 164. [Echinocyamus.
- graniolaris (*sic*) Leucosia (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- craniolaris Leucosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 350.—Cancer.
- craniolaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 3.
- cranium Alcyonium, O. F. Müller, Z. Dan. Prod. 1776, 255.
- cranium Anomia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3347.—Tere-
- cranium Terebratula, O. F. Müller, Z. Dan. Prod. 1776, 249. [bratula.
- crantor Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 158.
- crantor [Sphinx], P. Cramer, Utitl. Kapellen, II (9) 1777, 11.
- crassalis Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena, 1787.
- crassalis Phalaena, J. C. Fabricius, Mant. II. 1787, 217.
- crassalis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 514.
- crassalis Pyralis (F.), J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 6 & 6 [2].—
- crassaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 135. [Phalaena.
- Crassatella Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—L.
- crassicaudus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1095.
- crassiceps Alyselminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 293.
- crassicornella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
- crassicornis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 70.
- crassicornis Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
- crassicornis Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
- crassicornis Bombyx, J. C. Fabricius, Syst. Ent. 1775, 569.
- crassicornis Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
- crassicornis Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—
- crassicornis Cantharis, J. A. Scopoli, Annus V. 1772, 93. [Astacus.
- crassicornis Cerambix, A. G. Olivier, Entom. IV. 1795, 51.
- crassicornis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 99.
- crassicornis Cicada, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 19.
- crassicornis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
- crassicornis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
- crassicornis Cyclops, O. F. Müller, Entom. 1785, 113.
- crassicornis Delphax (Panz.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 522.—Cicada.
- crassicornis Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
- crassicornis Ichneumon, P. Rossi, Mant. Ins. II. 1794, 112.
- crassicornis Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.—Tiphia, 1787.
- crassicornis Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 168.—Cimex.
- crassicornis Lytta, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 142. [Cyclops.
- crassicornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—

- crassicornis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 328.
 crassicornis Mylabris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798,
 crassicornis Pediculus, Scopoli, Ent. Carn. 1763, 383. [115.—? Lytta.
 crassicornis Podura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2911.
 crassicornis Sphex, Scopoli, Ent. Carn. 1763, 291.
 crassicornis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 529.
 crassicornis Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 21.
 crassicornis Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 339.
 crassicornis Tiphia, J. C. Fabricius, Mant. I. 1787, 278.
 crassicornis Vespa, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 8.
 crassipennis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 357.
 crassipennis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
 crassipennis Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 560.—Syrphus, 1794.
 crassipes Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695.
 crassipes Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
 crassipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 340.
 crassipes Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 291.
 crassipes Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 465.
 crassipes Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
 crassipes Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 154.
 crassipes Cetonia, A. G. Olivier, Entom. I. 1789, 68.
 crassipes Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
 crassipes Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.—Acanthia.
 crassipes Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 270.
 crassipes Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
 crassipes Curculio (Fabr.), F. A. A. Meyer, Zool. Archiv (1) 1796, 228.—Donacia.
 crassipes Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 390.
 crassipes Donacia, J. C. Fabricius, Syst. Ent. 1775, 195.
 crassipes Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
 crassipes Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
 crassipes Empis, F. v. P. Schrank, Ins. Aust. 1781, 484.
 crassipes Eucera, J. C. Fabricius, Suppl. Ent. Syst. 1798, 278.
 crassipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 crassipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 399.
 crassipes Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 52.
 crassipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
 crassipes Leptura (F.), G. A. Harter, Besch. Schaeffer Icones, 1784, 225.—Donacia.
 crassipes Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
 crassipes Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia.
 crassipes Melolontha, J. C. Fabricius, Syst. Ent. 1775, 818.
 crassipes Musca, F. v. P. Schrank, Ins. Aust. 1781, 450.
 crassipes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 crassipes Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
 crassipes Scarabaeus, A. G. Olivier, Entom. I. 1789, 51. [Melolontha.
 crassipes Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 crassipes Syrphus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 343.
 crassipes Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
 crassipes Vespa, J. L. Christ, Nat. Ins. 1791, 246.
 crassirostris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
 crassirostris Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 862.
 crassirostris Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 815.
 crassulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
 crassum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
 crassum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3487.
 crassus Caligus, P. C. Abildgaard, Skr. nat. Selsk. [Copen.] III (2) 1794, 49.
 crassum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
 crassus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 620.
 crassus Curculio, C. Allioni, Misc. Taurin. III. 1766, 187.

- crassus** [Curculio], Giorna, Cal. Ent. 1791, 81.
crassa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
crassa Cypris, O. F. Müller, Entom. 1785, 61.
crassum Dentalium, C. U. v. Salis, Reise Neapel, 1793, 358.
crassa Gorgonia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 91.
crassa Helix, E. M. da Costa, Brit. Conch. 1778, 66.
crassa Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 276.
crassus Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1065. [Cypris.
crassus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—
crassa Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.—Syrphus.
crassus Nautilus, P. L. S. Müller, Del. Nat. I. 1766, 129.
crassa Nereis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3118.
crassus [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 23.
crassus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 183.
crassa Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 2.
crassa Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
crassa Silpha, N. J. Brahm, Ins. Kal. I (2) 1791, 136.
crassus Syrphus, J. C. Fabricius, Mant. II. 1787, 334.
crassa Taenia, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 548.
crassa Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 73.
crassa Tenthredo, Scopoli, Ent. Carn. 1763, 279.
crassus Trochus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 44.
crassus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638.
crassus Unio, A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.
crassa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
crataegarius Brachionus (Linn.), P. S. Pallas, Elench. 1766, 101.—Hydra.
crataegaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 32
crataegaria Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817. [n. et f].
crataegaria Taenia, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 126.
crataegaria Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
crategata Phalaena, Scopoli, Ent. Carn. 1763, 224.
crataegata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 336.
crataegella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 885.
crataegi Bombyx (L.), J. C. Fabricius, Spec. Ins. II. 1781, 194.—Phalaena.
crataegi Chermes, Scopoli, Ent. Carn. 1763, 139.
crataegi Chermes, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 442.
crataegi Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.].
crataegi Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 28. [—Chrysomela.
crataegi Cryptocephalus (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
crataegi Papilio, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 201.
crataegi Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 758,
 P. (Heliconius).
crataegi Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767, 823.
crater Madrepora, P. S. Pallas, Elench. 1766, 332.
craterella Phalaena, Scopoli, Ent. Carn. 1763, 246.
crateriformis Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
crateriformis Spongia, P. S. Pallas, Elench. 1766, 386.
crateriformis Taenia, J. A. E. Goeze, Eingeweidewirm. 1782, 396.
crateriformis Vorticella, O. F. Müller, Verm. I (1) 1773, 101.
crathratum Buccinum, *err. pro* clathratum, L., K. Schreibers, Vers. Conch. I. 1793, 166.
craticulatus Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 119.—Murex.
craticulatus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224.
craticulatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 51.
craticulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3721.
craticulatum Tritonium (Linn.), O. Fabricius, F. Groen. 1780, 400.—Murex.
craticulata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
cratitia Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 195.
Crax Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 269.—A.

- Crayracion** (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), éd. 2, 1792, 580.—P.
crecca Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 204.
crecia Anas, = crecca, Linnaeus, Faun. Suec., ed. 2, 1761, 45.
credula Bombyx, J. C. Fabricius, Syst. Ent. 1775, 584.
cremifieriorum Musca, = cemerieriorum, S. N. ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761,
crenaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 160. [454.
crenator Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 101. [1800, 263.—Taenia.
crenatus Alysaelminthus (Gm.), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm.
crenata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 37.
crenatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
crenata Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 121.
crenatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 168.
crenata Blaps, J. C. Fabricius, Spec. Ins. I. 1781, 322.
crenata Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 245.
crenatus Bostrichus, J. C. Fabricius, Mant. I. 1787, 37.
crenatus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 186.
crenatus Bruchus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 116.—
crenatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989. [Bostrichus.
crenata Chrysomela, J. C. Fabricius, Mant. I. 1787, 73.
crenata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
crenata Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
crenatus Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 177.
crenatus Cucujus, G. Paykull, Faun. Suec. II. 1799, 168.
crenata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23.
crenatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 220.—Bostrichus.
crenatus Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 72.
crenatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
crenatus Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
crenatus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41 & 42.
crenata Fasciola, O. F. Müller, Verm. I (2) 1774, 64.
crenata Forficula, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 467.
crenata Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 40.
crenata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 14.—Chrysomela, 1787.
crenata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 10.
crenata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
crenata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
crenata Hirudo, W. Kirby, Tr. Linn. Soc. [Lond.] II. 1794, 318.
crenata Ips, J. C. Fabricius, Gen. Ins. 1777, 214.
crenatus Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 574.
crenata Limax, T. Martyn, Univ. Conch. II. [1788], fig. 69.
crenatus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.—Ips, 1777.
crenatus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris. I (1) 1792, 33.—Ips, 1777.
crenata Monotoma (Fab.), G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 24.—Ips or
crenatum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 89. [Tritoma.
crenata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
crenata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
crenata Phalaena, Hufnagel, Berl. Mag. III. 1767, 402.
crenata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Blaps.
crenata Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 44.
crenata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
[crenata Planaria] (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.] II. 1794, 320.—Hirudo.
crenatus Prionus, A. G. Olivier, Entom. IV. 1795, 27.
crenatus Ptinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 240.
crenatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 638.
crenatus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 95.
crenatus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 12.—Bostrichus.
crenata Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1618.—Tritoma.
crenata Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 88.—Elophorus.

- crenatum** Sphaeridium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 543.
crenatus Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
crenata Synchrona (Fab.), J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
crenata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 395. [405.—Ips.
crenata Tritoma, J. C. Fabricius, Syst. Ent. 1775, 69.
crenatus Trox, A. G. Olivier, Entom. I. 1789, 7.
crenatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
crenata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
crenellus Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1236.
crenidens Sparus, P. Forskal, Descr. Anim. 1775, xv.
crenilabis Mugil, P. Forskal, Descr. Anim. 1775, 73. [seheli, öür, tâde.
crenilabis Mugil, Forsk., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1399; & *varr.*
crenulatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
crenulatus Byrrhus, P. Rossi, Mant. Ins. II. 1794, 81.
crenulatus Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 86.
crenulatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 353.
crenulatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46 [*n. n.*].
crenulatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 147.
crenulatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
crenulata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
crenulata Donax, E. Donovan, Brit. Shells (1800), pl. xxiv.
crenulatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
crenulata Helix, O. F. Müller, Verm. II. 1774, 68.
crenulatum Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
crenulata Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
crenulatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex, 1781.
crenulata Melolontha, J. A. Frolsch, Naturforscher, XXVI. 1792, 94.
crenulata Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 137.—Voluta.
crenulatus Oniscus, P. S. Pallas, Reise Russ. I. 1771, 477.
crenulata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
crenulata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
crenulatus Pholas, L. Spengler, Skr. nat. Selsk. [Copen.] II (1) 1792, 98.
crenulata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
crenulata Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
crenulatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
crenulatus Truxalis, J. C. Fabricius, Ent. Syst. II. 1793, 28.
crenulatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
crenulatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
crenulata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3452.
creona [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 148.
crepida Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.—[P. crepidula, Gm.]
crepidatus Larus, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
crepido Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
“Crepidolithus” J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56.—Moll.
Crepidula Lamarck, Mem. Soc. H. N. Paris, 1799, 78.—G.
crepidula Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 107.
crepidula Patella, Linnaeus, Mus. Lud. Ulr. 1764, 689.
crepidula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
crepitans Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
crepitans Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 671.
crepitans Grus (Linn.), P. S. Pallas, Misc. Zool. 1766, 66.—Psophia.
crepitans Psophia, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 263.
crepitans Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 713.
“Crepites” J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56.—Moll.
crepuscularis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
crepuscularis Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 211.—Phalaena.
crepuscularis Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811. [ed. 12.]
crepuscularis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509.—[P. (attacus),

- crepuscularia* Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
crepuscularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 158
creosphontes [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 106. [n. et f.].
creosphontes Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 19.
[creosphontinus Papilio, MS.], T. Martyn, Psyche. 1797, fig. 7.
credida Papilio, J. C. Fabricius, Syst. Ent. 1775, 448.
cresus Buprestis, C. de Villers, Linn. Ent. I. 1789, 339.
cresus [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 72.
cretaceus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 110.
cretaceus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
cretacea Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 386.
cretaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 151.
cretata Aranea, J. D. Preyssler in Mayer, Samml. Phys. Aufsätze, I. 1791, 105.
cretensis Callyodon, F. C. Meuschen, Mus. Gronov. 1778, 55.
cretensis Callyodon, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1788 (1789), 246.
cretensis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 474.
cretensis Scarus (Linn.), M. E. Bloch, Nat. ausl. Fische, IV. 1790, 23.—Labrus.
creteus [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 163.
crethon Papilio, v. crithon.
cretura Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 70.
creusa Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 806.
crex Gallinula (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 293.—Rallus.
crex Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 261.
cribellum Phalaena Bom., E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1797], 47.
cribralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 4.
cribraria Cassida, J. C. Fabricius, Syst. Ent. 1775, 90.
cribrarius Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 531.
cribrarius Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 374.—Sphex.
cribrarius Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 165.
cribraria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1178.
cribraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 83 [n. et f.].
cribraria Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 25.
cribraria Ph[alaena], C. Clerck, Icones, II. 1764, pl. liv.
cribraria Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507.
cribraria Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—Cypraea.
cribraria Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 945.—[Vespa, ed. 10.]
cribraria Sphex, J. L. Christ, Nat. Ins. 1791; *varr.* *argus* (281), *longa* (282), *lunata* (283).
cribraria Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573.—[Sphex, ed. 12.]
cribrata Musca, C. de Villers, Linn. Ent. III. 1789, 547.
cribrata Phalaena, *id. ac* *cribraria*, Clerk, J. C. Fabricius, Spec. Ins. II. 1781, 265.
cribrata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 215.
cribrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 36.
cribriformis Vespa, J. L. Christ, Nat. Ins. 1791, 237.
cribrum Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 588.—Phalaena.
cribrum Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 357.
cribrum Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 302.
cribrumalis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [n. et f.].
cribrumella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (1) 1786, 29.
 "Cricetus, Zimmermann, 1777," [343 & 511], Palmer; not used in a generic sense.
Cricetus H. F. Link, Beitr. Nat. I (2) 1795, 75.—M.
Cricetus G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [n. n.].—M.
cricetus Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 363.—Mus.
cricetus Lagomys (L.), G. C. C. Storr, Prod. 1780, 39.—Mus.
cricetus Marmota (L.), J. F. Blumenbach, Hand. Naturg. 1779, 80.—Mus.
cricetus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 60; ed. 12, 1766, 82.
cricetus Mus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 720; *varr.*
crini Bombyx, J. C. Fabricius, Syst. Ent. 1775, 587. [albus, fulvus, & variegatus.
criniformis Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 106.

- crinismus [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 20.
 crinita Arca, R. Pulteney, Cat. Birds &c. Dorset, 1799, 34.
 Cerambyx, G. W. F. Panzer, Deutsch. Ins. [1795], 249.
 crinitus Chiton, T. Pennant, Brit. Zool., ed. 4, IV, 1777, 60.
 crinitus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 253.
 crinitus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.
 crinitus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1760.
 crinitus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 245.
 crinita Melolontha, J. C. Fabricius, Gen. Ins. 1777, 210.
 crinita Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
 crinita Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 117.
 crinita Trichoda, O. F. Müller, An. Infus. 1786, 195.
 crinitus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170.
 crinita [Vespa], S. Felton, Phil. Trans. LIV. 1764, 54.
 crinita Vespa, J. L. Christ, Nat. Ins. 1791, 225.
 "Crino, Chabert, 1782," Ag.; occurs only in the vernacular.
 Crino Lamarck in J. J. Virey, Journ. de Phys. IV. 429 (1798).—Ver.
 crino Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 5.
 Crinon J. H. Kniphof, De Pedic. 1759, 19.—Ver.
 crinon Ascaris, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 136.
 crinuba Cistela, *err. pro innuba*, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 86.
 Crioceris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 237.—Col.
 Crioceris J. C. Fabricius, Syst. Ent. 1775, 118.—Col.
 Criopoderma J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—L.
 Criopus J. X. Poli, Test. Sicil. I. 1791, Introd. 34. A generic term applied to the fleshy part of *Anomia imperforata*.
 criptella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 34.
 crisis [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 51.
 crispans Trox, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 27.
 crispatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
 crispata Anodontites, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 135.
 crispatus Balanus (Gm.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 166.—Lepas.
 crispatus Brachycerus, J. C. Fabricius, Ent. Syst. I (2) 1792, 382.
 crispata Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 148.
 crispatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 194.
 crispata Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3214.
 crispata Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670 [Pholas, ed. 12].
 crispata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 155.
 crispata Pholas, Linnaeus, Faun. Succ., ed. 2, 1761, 515.
 crispata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [*n. n.*].
 crispata Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 260.
 crispicollis Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 314.
 crispa Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
 crispa Cellularia, P. S. Pallas, Elench. 1766, 71.
 crispus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1833.—Lamia.
 crispa Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 324.
 crispus Ichneumon, J. L. Christ, Nat. Ins. 1791, 364.
 crispa Lamia, J. C. Fabricius, Gen. Ins. 1777, 230.
 crispa Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 154.
 crispus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1162.
 crispus [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 33.
 crispus Phasianus, J. Latham, Index Orn. 1790, 626.—P. gallus L., *var. crispus*.
 crispa Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3860.—Cellularia.
 crispus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228. [Laria.
 crista Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—Lamia.
 crista Lamia, J. C. Fabricius, Syst. Ent. 1775, 170.
 crista Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709.
 crista galli Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 132.

- crista galli* Lopho (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 168.—*Mytilus*.
crista galli *Mytilus*, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
crista galli Ostrea (L.), F. C. Meuschen, Mus. Gever. 1787, 424.—*Mytilus*.
cristalana Phalaena, E. Donovan, Brit. Ins. III. 1794, 77.
cristalis Phalaena, Scopoli, Ent. Carn. 1763, 241.
cristallina v. *crystallina*.
cristalus *Caprimulgus*, G. Shaw in White, Journ. N.S.W. 1790, 241.
cristalus Charadrius, J. A. Scopoli, Del. Insub. II. 1786, 93.
cristalus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
cristana *Pyralis* (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—*Tortrix*.
cristana *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
cristana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 55 [*n. et f.*].
crista ramosa Ostrea, F. C. Meuschen, Mus. Gever. 1787, 424.
Cristatella Cuvier, Tabl. élément. 1798, 656.—Poly.
cristatella Alauda, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
cristatella Alca, P. S. Pallas, Spic. Zool. V. 1769, 18.
cristatella Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
cristatella Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
cristatella Muscipapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 49.
cristatella *Sturnus* (L.), F. M. Daudin, Traité élém. Orn. 1800, 320.—Gracula.
cristatula Phal. Bom., J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [*n. et f.*].
cristatum *Acrydium* (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—*Gryllus*.
cristata Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
cristata Alcedo, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
cristata Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
cristata Ampelis, J. F. Miller, Icon. Anim. pl. 15 (1777).
cristata Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
cristata Anas, J. B. Fischer, Vers. Nat. Livland, 1778, 81.
cristata Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 540.
[cristatus Araneus, C. Clerck, Aran. Svec. 1757, 136.]
cristatus Araneus, T. Martyn, Aranei, 1793, 64.
cristata Ardea, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
cristatus Asilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
cristatus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.
cristata Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 436.
cristatus Brachycerus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 161.
cristatus Cacicus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 326.—*Oriolus*.
cristata Calappa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 346.
cristata Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
cristatus *Caprimulgus*, B. C. Otto in Buffon, Natg. Vögel, XXII. 1795, 67.
cristatus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150.
cristata Cicada, J. C. D. Schreber, Nov. Spec. Ins. 1759, 11.
cristatus Cimex, Linnaeus, Amoen. Acad. VI. 1763, 399.
cristata Columba, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
cristata Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 774.
cristatus Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 222.
cristatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.—*Scarabaeus*.
cristata Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806.
cristatus Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 157.
cristata Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 222.
cristatus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
cristatus Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
cristatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 260.
cristata Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488.
cristata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
cristata Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 704.
cristata Gallinula, J. Latham, Index Orn. 1790, 773.
cristata Gracula, J. A. Scopoli, Del. Insub. II. 1786, 88.

- cristatus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 699.
 cristata Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 76.
 cristata Hystrix, R. Kerr, Anim. Kingd. 1792, 213; *varr.* europaea, indica.
 cristata Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 16.—Lacerta.
 cristata Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1065.—Sala-
 cristatus Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 134. [mandra.
 cristata Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 301.
 cristata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 158.
 cristata Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 150.
 cristata Meleagris, Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 269.
 cristata Meleagris, A. Vroeg, Catal. Vogel. 1764, Adumb., 4.
 cristatus Mergus, M. T. Brünnich, Orn. Boreal. 1764, 23.
 cristata Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 176.
 cristata Musca, J. C. Fabricius, Syst. Ent. 1775, 782.
 cristata Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 cristata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 938.
 cristata Numida, P. S. Pallas, Spic. Zool. IV. 1767, 15.
 cristatus Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
 cristatus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 387.
 cristatus Ostracion, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 21.
 cristata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 98.
 cristata Palamedea, Linnaeus, Syst. Nat., ed. 12, 1766, 232.
 cristata Paradisea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
 cristatus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 189; ed. 12, 1766, 340.
 cristatus Passer, P. Boddaert, Tab. Planch. Enl. 1783, 11.
 cristata Patella, Linnaeus, Syst. Nat., ed. 12, 1767, 1260.
 cristatus Pavo, Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 267.
 cristatus Pelecanus, M. T. Brünnich, Orn. Boreal. 1764, 31.
 cristatum Peroliderma (Born), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Ostrea.
 cristata Penelope (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 733.—Mele-
 cristata Perdix (L.), J. Latham, Index Orn. 1790, 652.—Tetrao. [agris.
 cristata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 234.
 cristata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 261.
 cristata Phalaena Noctua (*ex* Gladbach), C. C. Jung, Alph. Verz. Schmett. I. 1791, 147.
 cristatum Phalangium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 460.
 cristatus Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 741.
 cristatus Phasianus, A. Sparman, Mus. Carls. III. 1788, no. lxiv.
 cristata Phoca, J. C. P. Erxleben, Syst. Anim. 1777, 590.
 cristata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2008.—Sepi-
 cristata Pinguinaria, G. Shaw, Nat. Misc. XI. 1800, pl. 437. [dium.
 cristata Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
 cristata Platalea, J. A. Scopoli, Del. Insub. II. 1786, 92.
 cristatus Podiceps (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Colymbus.
 cristata Podura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 199.
 cristatus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 143.
 cristata Salamandra, M. Houttuyn, Verh. zeeuwsch genoot. wet. Vlissingen, IX. 1782,
 cristata Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 57. [333-
 cristata Salamandra, P. A. Latreille, Salamand. France, 1800, 29 & 43.
 cristatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
 cristatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 636.
 cristatum Sepidium, J. C. Fabricius, Syst. Ent. 1775, 250.
 cristatus Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 189.
 cristata Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
 cristatus Sorex, Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 73.
 cristatus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195 [*n. n.*].
 cristata Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 186.
 cristata Strix, F. M. Daudin, Traité élém. Orn. 1800, 207.
 cristata Sylvia (Müll.), J. Latham, Index Orn. 1790, 541.—Motacilla.

- cristata** Talpa (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 498.—Sorex.
- cristata** Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 317.
- cristatus** Tantalus, P. Boddaert, Tab. Planch. Enl. 1783, 51.
- cristatus** Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 650.
- cristatus** Tenebrio, C. de Geer, Mém. Ins. VII. 1778, 653.
- cristatus** Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
- cristatus** Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
- cristatus** Triton, J. N. Laurenti, Syn. Rept., 1768, 39 & 146.
- cristatus** Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 192.
- cristata** Upupa, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
- cristata** Valvata, O. F. Müller, Verm. II. 1774, 198.
- cristata** Viverra, A. Sparrman, Resa Goda-Hopps-Udden, I. 1783, 581.
- cristatus** Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 250.
- cristella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
- cristella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 34.
- cristularia** Geometra, C. C. Jung, Alph. Verz. Schmett. I. 1791, 148.
- cristulalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 7 & 8 [2].
- crithæa** Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 29.
- crethon** (*sic*) Papilio, J. C. Fabricius, Gen. Ins. 1777, 252.—[= crithon.]
- crithon** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 16.
- croatica** Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. [1797], 33.
- crobylus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 57.
- crocale** [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 87.
- crocataria** Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 450.
- crocata** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
- crocatulus** Cerambix, A. G. Olivier, Entom. IV. 1795, 92.
- crocata** Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
- crocata** Hyena (Erk.), E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 256.—Canis cro-
- crocatulus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 399. [cuta.]
- crocata** Lytta (Pall.), F. A. A. Meyer, Nat. gift. Insect. 1792, 53.—Meloe.
- crocata** Meloe, P. S. Pallas, Icon. Ins. 1782, 87.
- crocata** Mylabris (Pall.), A. G. Olivier, Entom. III. 1795, 11.—Meloe.
- crocata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2456.
- crocata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
- crocata** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 971.
- crocatulus** Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 343.
- croceago** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86. [Noctua.]
- croceago** Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 665.—
- crocealis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796] 13 & 24.
- croceatorius** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 143.
- croceata** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 137.
- crocella** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 327.
- croceus** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
- crocea** Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 162.—Ostrea.
- croceus** Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 200.
- crocea** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
- crocea** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
- crocea** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
- croceus** Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 250.
- crocea** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
- crocea** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 279.
- crocea** Rupicola, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 266.
- croceus** Spondylus, K. Schreibers, Vers. Conch. II. 1793, 154.
- crocea** Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 364.
- croceus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
- crocinella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
- crocipennis** Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
- crocipes** Apis, A. F. de Fourcroy, Ent. Paris. 1785, 446.

- "crocodili Amphibolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
Crocodylus L. T. Gronovius, Zooph. I. 1763, 10.—R.
Crocodylus J. N. Laurenti, Syn. Rept., 1768, 53.—R.
Crocodilus P. Browne, Hist. Jamaica, ed. 2, 1789, 461.—R.
crocodilus Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 359.
crocodilus niger Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
crocogaster Certhia, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 8 [*n. n.*].
crocos [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 44.
crocus Musca, M. Harris, Exp. Eng. Ins. 1776, 118.
Crocuta J. G. Meigen, N. Class. Mouches, 1800, 39.—Dip.
crocuta Canis, J. C. P. Erxleben, Syst. Anim. 1777, 578.
crocuta Hyaena (Erx.), P. Boddaert, Elench. 1785, 94.—Canis.
croesella Phalaena, Scopoli, Ent. Carn. 1763, 251.
croesus Papilio, J. C. Fabricius, Gen. Ins. 1777, 259.
croesus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 117.
croicensis Scarus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 27.
crolus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 85.
Cromis P. Browne, Hist. Jamaica, ed. 2, 1789, 449.—P.
cromis *v.* *chromis*.
cronis [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 94.
crotalariae Bombyx, J. C. Fabricius, Syst. Ent. 1775, 583.
crotalinus Coluber, Linnaeus, Mant. II. 1771, 528.
Crotalophorus L. T. Gronovius, Zooph. I. 1763, 26.—R.
Crotalus Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.—R.
crotonis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 327.
Crotophaga Linnaeus, Syst. Nat., ed. 10, 1758, 105; ed. 12, 1766, 154.
Crotophagus M. J. Brisson, Ornith. IV. 1760, 177.—A.
crotopus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 90.
cruciana Phalaena, J. A. Scopoli, Annus V. 1772, 118.
cruciana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 347.
cruciana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
cruciana Tortrix, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
cruciator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197.
cruciatosulcatus Scarabaeus, J. D. Preysler, Verz. böhm. Ins. 1790, 15.
cruciatus Bombylius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 569.
cruciatus Bruchus, A. F. de Fourcroy, Ent. Paris. 1785, 58.
cruciatus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 193.
cruciata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 222.
cruciatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 155.
cruciata Carabus, *id. ac* crux minor, Linn., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787,
cruciata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576. [50.
cruciatus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
cruciata Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 273.
cruciatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
cruciatus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
cruciatus Curculio, C. de Geer, Mém. Ins. V. 1775, 275.
cruciatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 129.
cruciatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 387.
cruciatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
cruciatus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 36.
cruciatus Elater, Herbst, Einl. Ins. I. 1784, 149.
cruciatus Endomychus (F.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Galleruca.
cruciatus Endomychus, G. W. F. Panzer, Ins. Germ. ed. 2, heft 8, 1796, tab. 5.
cruciata Galleruca (Panz.), L. H. v. Bloch in Becker, Plau. Grund. 1799, 101.—Endo-
 mychus.
cruciata Galleruca (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 20.—Chrysomela.
cruciatus Hemerobius, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225.
cruciatus Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 75.

- cruciata** Lamia, J. C. Fabricius, Mant. I. 1787, 140.
cruciata Leptura, A. G. Olivier, Entom. IV. 1795, 7.
cruciata Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
cruciata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 499.
cruciata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
cruciata Phalaena Heterogenea, A. W. Knoch, Beitr. Insektenges. III. 1783, 60.
cruciata Spheg, J. L. Christ, Nat. Ins. 1791, 317.
cruciata Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
cruciata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 83.
cruciatus Tenebrio, G. W. F. Panzer, Naturforscher, XXIV. 1789, 35.
cruciata Tenthredo, J. L. Christ, Nat. Ins. 1791, 448.
cruciata Tetractis, C. F. Schultze, Verst. Seest. 1760, 50.
cruciatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
cruciella Tinea, C. C. Jung, Alph. Verz. Schmett. I. 1791, 149.
crucifer Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 47.
crucifer Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
crucifera Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 70.—Lamia.
crucifera Cetonia, A. G. Olivier, Entom. I. 1789, 39.
crucifer Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 203.
crucifer Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
crucifer Curculio, P. S. Pallas, Reise Russ. I (1771) 464.
crucifer Elater, P. Rossi, Fauna Etrus. I. 1790, 183.
crucifera Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 269.
crucifera Loxia, F. v. P. Schrank, F. Boica, I. 1798, 170.
crucifer Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 100.
crucifer Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
crucifer Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1557.
crucifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 323.
cruciferarum Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
crucifixus Tipula, M. Slabber, Nat. Verlost., 29.
cruciger Aranea, C. de Geer, Mém. Ins. VII. 1778, 218.
crucigera Aranea, O. Fabricius, F. Groen. 1780, 228.
crucigera Aranea, N. Mohr, Island. Nat. 1786, 105.
cruciger Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 83.
crucigera Canis, J. M. Bechstein, Nat. Deutschl. I. 1789, 250.
cruciger Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 60.
cruciger Cimex, J. C. Fabricius, Syst. Ent. 1775, 709.
cruciger Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 135.
cruciger Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 73.
cruciger Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
cruciger Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 141.—Cimex, 1775.
crucigera Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3158.
crucigera Mylabris, A. F. de Fourcroy, Ent. Paris. 1785, 112.
crucigera Nomada, G. W. F. Panzer, Ins. Germ. heft 61, [1799], tab. 20.
cruciger Oniscus, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 165.
crucigera Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
Crucirostra G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [z. n.].—A.
Crucirostra F. M. Daudin, Traité élém. Orn. II. 1800, 355.
crucirostra Corax, F. M. Daudin, Traité élém. Orn. 1800, 226.
crucis Acheta, J. C. Fabricius, Mant. I. 1787, 232.
crucis Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2062.—Acheta.
crucis Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stratiomys.
crucis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 36.
crucis Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.—Stratiomys.
crucis Stratiomys, J. C. Fabricius, Mant. II. 1787, 330.
cruda Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
crudelis Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 362.
crudelis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 148.—Cimex, 1781.

- crudiæ** Bostrichus, G. W. F. Panzer, Naturforscher, XXV. 1791, 37.
cruentaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 48 [n.
cruentaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516. [et f.]
cruentaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 69.
cruentata Aranea, J. C. Fabricius, Syst. Ent. 1775, 439.
cruentatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
cruentatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
cruentatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
cruentata Cercopis, J. C. Fabricius, Syst. Ent. 1775, 688.
cruentata Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 187.
cruentata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
cruentata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—Tetti-
cruentata Cicada, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 15. [gonia].
cruentata Cicada (Cercopis), Herbst, Einl. Ins. I. 1784, 241.
cruentatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 208.
cruentata Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [n. n.].
cruentatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 128.
cruentata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
cruentatus Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1197.
cruentatus Gryllus (Locusta), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
cruentatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 418.
cruentatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 355.
cruentatus Lucanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 21.
cruentata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 487.
cruentata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
cruentatus Passalus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 21.
cruentata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3722.
cruentata Phalaena, Scopoli, Ent. Carn. 1763, 226.
cruentatus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 43. [Curculio.
cruentatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 12.—
cruentatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.
cruentata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.
cruentatus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
cruentatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
cruentata Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
cruentata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 680.
cruentata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3294.
cruentata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
cruenta Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
cruenta Buprestis, A. G. Olivier, Entom. II. 1790, 48.
cruenta Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 227.
cruenta Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 293.
cruenta Cetonina, J. C. Fabricius, Mant. I. 1787, 32.
cruenta Chrysomela, J. C. Fabricius, Mant. Ins. I. 1787, 75.
cruenta Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
cruenta Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
cruentus Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 403.—Reduvius.
cruentus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
cruentus Cimex, J. C. Fabricius, Syst. Ent. 1775, 713.
cruentus Cimex, J. C. Fabricius, Mant. II. 1787, 301.
cruenta Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 785.
cruenta Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
cruentus Elater, A. G. Olivier, Entom. II. 1790, 45.
cruentus Endomychus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 100.—Galleruca, 1792.
cruenta Galleruca, J. C. Fabricius, Ent. Syst. I (2), 1792, 19.—Chrysomela, 1787.
cruenta Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
cruenta Lacerta, P. S. Pallas, Reise Russ. I. 1771, 457.
cruenta Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104 [n. n.].

- cruentus** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 159.—Cimex, 1787.
cruenta Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 23.
cruenta Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [*n. n.*].
cruentus Reduvius, J. C. Fabricius, Mant. II. 1787, 310.
cruentus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 21.
cruenta Sphex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 244.
cruenta Sphynx, P. S. Pallas, Reise Russ. II. 1773, 732.
cruentus Staphylinus, A. G. Olivier, Entom. III. 1795, 27.
cruenta Zygaena (Pall.), Lamarck in Pallas, Voy. Russie (8vo. ed.), VIII (1794), 179.—
crumena Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 428. [Sphinx.
crumena Cercaria, O. F. Müller, An. Infus. 1786, 129.
crumenophthalmus Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 77.
cruor Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
cruorcus Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 397.
crustacea Madrepora, P. S. Pallas, Elench. 1766, 291.
crustacea Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792.
crustularius Acardo, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 1.
crustulenta Eschara, P. S. Pallas, Elench. 1766, 39. [Eschara.
crustulenta Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—
crux-major Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
crux Carabus, *id. ac* crux major, L., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
crux-major Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
crux-minor Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
crux Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 110.
crux Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
crux Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 35.
crux Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 20.
crux Curculio, J. C. Fabricius, Gen. Ins. 1777, 225.
crux Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 199.
crux Hegialus, J. C. Fabricius, Mant. II. 1787, 135.
crux Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
crux Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 358.
crux Noctua (Fab.), C. de Villers, Linn. Ent. IV. 1789, 454.—Hepialus.
crux Reduvius (Th.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.—Cimex.
Crypta [G. Humphreys], Mus. Calonn. 1797, 4.
cryptarum Apis, J. C. Fabricius, Syst. Ent. 1775, 379.
cryptarum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
cryptella Tinea, J. C. Fabricius, Syst. Ent. 1775, 658.
Cryptocephalus E. L. Geoffroy, Hist. Insect. Paris. I. 1762, 231.—Col.
Cryptocephalus J. C. Fabricius, Syst. Ent. 1775, 105.—Col.
cryptocephala Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII.
 1788, 7.
Kryptophagus Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 172.—Col.
Kryptophagus *olim* Kryptophagus, G. Paykull, Faun. Suec. III. 1800.
Cryptorephalus *v.* **Cryptocephalus**, O. F. Müller, Z. Dan. Prod. 1776, xxiii.—Col.
cryptorum Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472; Tinea cryptella, 1775.
crystallina Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
crystallina Daphne, O. F. Müller, Z. Dan. Prod. 1776, 200.
crystallina Helix, O. F. Müller, Verm. II. 1774, 23.
crystallinus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—
crystallina Podura, O. F. Müller, Z. Dan. Prod. 1776, 184. [Daphnia.
crystallina Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 113.
crystallina Tipula, C. de Geer, Mémoires. Ins. VI. 1776, 386.
crystallina Tubularia, P. S. Pallas, Elench. 1766, 85.
crystallinus Turbo, O. F. Müller, Z. Dan. Prod. 1776, 242.
ctenophorus Bombylius, J. C. Mikán, Mon. Bomb. 1796, 45.
cubeensis Loxia, F. M. Daudin, Traité élém. Orn. 1800, 442.
cubicularis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.

- cubicularis Psittacus, Linnaeus, in Hasselquist, Palast. 1762, 292.
 cubicularius Psittacus, O. Toreen in P. Osbeck, Reise Ost-Ind. China, 1765, 464.
 cubicus Cancer, P. Forskal, Descr. Anim. 1775, 89.
 cubicus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410.—[cubitus.]
 cubitata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
 cubitus Ostracion, *v.* cubicus, Linnaeus, Syst. Nat., ed. 12, 1766, 410.
 cucang Lemur, J. F. Blumenbach, Hand. Naturg. 1779, 69.
 cucubali Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 84.
 cucubali Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 363.—
 cucuioides Helops, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 70. [Noctua.
 Cucuius J. C. Fabricius, Syst. Ent. 1775, 204.—Col.
 Cucujus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 123.—Col.
 cuculanus *v.* cucullanus.
 cucularia Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 995.
 cuculi Pediculus, J. C. Fabricius, Syst. Ent. 1775, 807.
 cuculia Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 364.
 cuculis Acarus, C. de Geer, Mém. Ins. VII. 1778, 120.
 “Cuculites, Schroet. 1784,” Herm.; not used in a generic sense.
 Cucullanus O. F. Müller, Zool. Dan. I, 1774, 50.—Ver. [Cucullus, a cone-shaped cap.]
 Cuculanus (*sic*) M. E. Bloch, Eingeweidewürmer, 1782, 34.—Ver.
 cucullanus Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 51.
 [cucullatellus]— [Tinea.
 cucullatella Bombyx (L.), E. J. C. Esper, Die Schmett. III (28) 1786, 388.—Phalaena
 cucullatella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
 cucullatella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena.
 [cucullatus]—
 cucullata Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 70.
 cucullata Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.—Cucullus, Gm.
 cucullatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
 cucullata Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 280.
 cucullatus (*sic*) Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 53.
 cucullata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
 cucullata Hirundo, P. Boddaert, Tab. Planch. Enl. 1783, 45.
 cucullata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
 cucullata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 157.
 cucullatus Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 207.
 cucullatus Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 103.
 cucullatus Notoxus, A. F. de Fourcroy, Ent. Paris. 1785, 162.
 cucullatus Oriolus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
 cucullata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 100.
 cucullata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 602. [Tinea cucullatella.
 cucullata Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 475.—
 cucullatus Scirus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 709.
 cucullatus Struthio, Linnaeus, Syst. Nat., ed. 10, 1758, 155.—[Didus ineptus, ed. 12.]
 cucullata Sylvia, J. Latham, Index Orn. 1790, 528.
 cucullina Bombyx [Denis & Schiffermüller], Schmett. Wien, 1775, 311.
 cucullio Kolpoda, O. F. Müller, An. Infus. 1786, 106.
 cucullulus Kolpoda, O. F. Müller, An. Infus. 1786, 105.
 Cucullus J. F. Bolten, Mus. Bolten. (2) 1798, 37.—G.
 cucullus Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311.
 cucullus-planus Balanus, F. C. Meuschen, Mus. Gever. 1787, 478.
 cucullus Beroe, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 42.
 cuculla Bombyx, Esp., C. C. Jung, Alph. Verz. Schmett. I. 1791, 150.—(cuculia *est.*)
 cucullus Kolpoda, O. F. Müller, Verm. I (1) 1773, 58.
 cucullus Vorticella, O. F. Müller, An. Infus. 1786, 264.
 Cuculus Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 168.—A.
 cuculus Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
 cucumerina Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 17.

- cucumis** Beroe, O. Fabricius, F. Groen. 1780, 361.
cucumis Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
cucumis Medusa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—Beroe.
Cucurbitinus J. H. Kniphof, De Pedic. 1759, 11.—Ver.
cucurbitina Apis, P. Rossi, Mant. Ins. I. 1792, 145.
[cucurbitinus Araneus, C. Clerck, Aran. Svec. 1757, 44.]
cucurbitina Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1030.
cucurbitina Taenia, P. S. Pallas, Elench. 1766, 405.
cucurbitina Vermiculus, F. C. Meuschen, Mus. Gever. 1787, 238.
cuguapara Cervus, R. Kerr, Anim. Kingd. 1792, 303.
cuguete Cervus, R. Kerr, Anim. Kingd. 1792, 303.
Cugupugnacu G. Edwards, in M. Catesby, Carol. II. 1771, 14.—P.
cuja Mustela, G. I. Molina, Sag. stor. nat. Chili, 1782, 291.
Culculus *err. pro* Cuculus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 90.
Culex Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1002.—Dip.
culex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
culex Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
culiciformis Asilus, J. C. Fabricius, Syst. Ent. 1775, 796.
culiciformis Asilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 127.
culiciformis Cimex, C. de Geer, Mém. Ins. III. 1773, 324.
culiciformis Cimex, J. C. Fabricius, Syst. Ent. 1775, 728.
culiciformis Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 907.
culiciformis Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 189.—Cimex, 1775.
culiciformis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 306.
culiciformis Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 549.—Sphinx.
culiciformis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 804.
culiciformis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
culicipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
culinaris Blatta, C. de Geer, Mém. Ins. III. 1773, 530.
culinaris Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 675.
culinaris Tenebrio, O. F. Müller, Z. Dan. Prod. 1776, 74 [no. 797].
culmella Phalaena, Scopoli, Ent. Carn. 1763, 246,
culmella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
culmella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
culmen Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
culmorum Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea culmella.
culpaeus Canis, G. I. Molina, Sag. stor. nat. Chili, 1782, 293.
culpatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
cultellator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 167.
cultellator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.—Ichneumon, 1793.
cultellus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1114.
culter Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 147.
cultraria Geometra (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 6.—Phalaena.
cultraria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 621.
cultrata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
cultratus Curculio, J. C. Fabricius, Syst. Ent. 1775, 153.
cultratus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 531.
cultratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
cultratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
cultrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 46.
culta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
culta Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 20.
Cuma [G. Humphreys], Mus. Calonn. 1797, 35.—G.
cumanensis Crax, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 25.
cumanensis Penelope (Jacq.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 734.—
cumarca Stromateus, G. I. Molina, Sag. stor. nat. Chili, 1782, 226. [Crax.
cuminella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
cumini Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].

- cunctator** Ichneumon, Scopoli, Ent. Carn. 1763, 285.
cunctator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
cunctator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
cunctator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.—Ichneumon, 1793.
[cuneatus Araneus, C. Clerck, Aran. Svec. 1757, 99.]
cuneatus Araneus, T. Martyn, Aranei, 1793, 45.
cuneata Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
cuneata Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1127.
cuneata Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
cuneata Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 47.
cuneata Taenia, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 190.
cuneata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 119.
cuneiceps Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 253.
cuneiformis Chaena (Spengl.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 19.—Gastrochaena.
cuneiformis Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 54.
cuneiformis Gastrochaena, L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 180.
Cuneus E. M. da Costa, Brit. Conch. 1778, 202.—L.
cuneus Kolpoda, O. F. Müller, An. Infus. 1786, 109.
cunea Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 36.
cunea Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 73.
cunicularis Sorex, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 51.
cunicularia Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 422.
cunicularia Cicada, Linnaeus, Syst. Nat., ed. 12, I. 1767, 711.
cunicularia Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai Fourmis, 1798, 40.
cunicularius Sorex, Bork., J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800,
cunicularia Strix, G. I. Molina, Sag. stor. nat. Chili, 1782, 263. [541.—S. cunicularis.
cunicularior Ichneumon, P. Rossi, Mant. Ins. I. 1792, 120.
cuniculata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
cuniculi Oestrus, B. Clark, Tr. Linn. Soc. [Lond.] III. 1797, 299.
cuniculina Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 38.
Cuniculus M. J. Brisson, Reg. Anim. 1762, 95.—M.
Cuniculus L. T. Gronovius, Zooph. I. 1763, 4.—M.
Cuniculus F. A. A. Meyer, Mag. Thiergesch. I (1) 1790, 52.—M.
cuniculus Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 77.
cuniculus Lepus, J. C. P. Erxleben, Syst. Anim. 1777.—*var.* angorensis, 334; argenteus, 334; russus, 335.
cuniculus Lepus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 163; *var.* domesticus.
cuniculus ferus Lepus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 699.
cuniculus Trichoda, O. F. Müller, Verm. I (1) 1773, 73.
cunigunda [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 104.
cunegunda Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 58.—Phalaena.
cinuna [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 114.
cuning Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 31.
Cunolites A. Gagnebin, Acta Helvet. VII. 1772, 30.—Cor.
Cunnus [*? err. pro* Conus], P. Osbeck, Reise Ost-Ind. China, 1765, 247.—G.
cuntur Vultur, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
cupavia [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 2.
cupentia [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 103.
cupentus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1784, 93.
cupentus Papilio (Pleb.), Herbst, Einl. Ins. II. 1785, 53.
cuphaeus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1045.
“Cuphus, Guettard,” Scudd.; *v.* Kuphus.
Cupido Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 258.—Papilio.
cupido Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 787.
cupido Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 274.
cupraria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.

- cupraria Musca, A. F. de Fourcroy, Ent. Paris. 1785, 491.
 cuprarius Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 200.—Musca.
 cuprarius Sargus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca.
 cupreella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
 cupreella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 257.—Tinea.
 cupreella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
 cuprella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 86.—? Alucita, Fab.
 cupreo squamosus Curculio, G. A. Harrer, Besch. Schaeffer Icones, 1784, 173.
 cupressina Antipathes, P. S. Pallas, Elench. 1766, 213.
 cupressina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1308.
 cupressoides Sertularia, I. Lepechin, Acta Ac. Sci. Petrop. 1780 (1), 1783, 224.
 cupressus Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 103.
 cuprea Ampelis (Merr.), J. Latham, Index Orn. 1790, 366.—Cotinga.
 cuprea Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 135.
 cuprea Apis, A. F. de Fourcroy, Ent. Paris. 1785, 447.
 cupreus Attelabus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio.
 cupreus Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
 cuprea Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
 cupraea Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 83.
 cupreus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
 cuprea Cassida, J. C. Fabricius, Mant. II. 1787, 380.
 cuprea Cetonia, J. C. Fabricius, Syst. Ent. 1775, 48.
 cuprea Chrysis, P. Rossi, Fauna Etrus. II. 1790, 78.
 cupraea Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 600.—[cuprea, ed. 10.]
 cuprea Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 96.
 cuprea Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 11.
 cuprea Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptoccephalus, 1787.
 cuprea Cloyta, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 13.
 cupreus Conops, Scopoli, Ent. Carn. 1763, 355.
 cupreus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.—Scarabaeus.
 cuprea Cotinga, B. Merrem, Avium rar. Icones, I. 1784, 5.
 cupreus Cryptoccephalus, J. C. Fabricius, Mant. I. 1787, 81.
 cupreus Cuculus, G. Shaw, Mus. Lever. I. 1792, 157.
 cupreus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
 cupreus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 208.
 cupreus Elater, J. C. Fabricius, Syst. Ent. 1775, 212.
 cupreus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123.
 cupreus Helops (Fab.), A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 46.—Erotylus.
 cuprea Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 73.
 cuprea Mordella (Linn.), Scopoli, Ent. Carn. 1763, 62.—Buprestis.
 cuprea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 489.
 cuprea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 91.
 cuprea Parra, M. Vahl, Skr. nat. Selsk. [Copen.] IV (1) 1797, 11.
 cuprea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
 [cuprea Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 21 & 26.
 cupreus Rhinomacer (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 187.—Curculio.
 cupreus Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 138, sign. I 5.—
 cupreus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29. [Curculio.
 cupreus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 173.
 cupreus Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 248.
 cuprea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
 cupreus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 110.
 cuprea Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 29.
 cuprea Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
 cupricollis Attelabus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 64.
 cuprifer Curculio, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 10.
 cuprinervis Tipula, P. Rossi, Mant. Ins. II. 1794, 59.
 cuprirostris Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio, 1787.

- cuprirostris** Curculio, J. C. Fabricius, Mant. I. 1787, 100.
curacao Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 106. [(1776), 342.
curacaviensis Aranea, D. A. L. Müller in P. L. S. Müller in Linn. Syst. Nat., Suppl.
curaeus Sturnus (Mol.), F. M. Daudin, Traité élém. Orn. 1800, 318.—Turdus.
curaeus Turdus, G. I. Molina, Sag. stor. nat. Chili, 1782, 252.
curassavicus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
curax Chrysis, M. Harris, Exp. Eng. Ins. 1776, 69.
curculinus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
Curculio Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606.—Col.
curculioides Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 822.
curculioides Leptura (Linn.), J. A. Scopoli, Annus V. 1772, 101.—Cerambyx curculion-
curculioides Rhinomacer, J. C. Fabricius, Spec. Ins. I. 1781, 199. [oides.
curculioides Rhinomacer, P. A. Latreille, Journ. Santé Bordeaux, II. 1797, 335.
curculioniformis Involvulus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Attelabus
curculionoides Attelabus, Linnaeus, Syst. Nat., ed. 12, 1767, 619. [curculionoides.
curculionoides Bruchus (L.), F. v. P. Schrank, Ins. Aust. 1781, 102.—Attelabus.
curculionoides Carabus, [D. H. Schneider], Nom. Ent. 1785, 21 [n. n.].
curculionoides Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 193.
curculionoides Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 175.—Cerambyx.
curculionoides Leptura (L.), G. A. Herrer, Besch. Schaeffer Icones, 1784, 207.—
 Cerambyx.
curculionoides Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 58.
curculionoides Rhinomacer (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 242.—Attelabus.
curculionoides Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 136, sign. I 4.
curculionoides Saperda (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 41.—Cerambyx.
curculionoides Saperda (Fabr.), J. A. Frolich, Naturforscher, XXVII. 1793, 132.—Lamia.
curculiunculus Cis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 54.
curi Bradypus, H. F. Link, Beytr. Nat. I (2) 1795, 68.
curiale Callidium, G. W. F. Panzer, Naturforscher, XXIV. 1789, 29.
curialis Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 192.
Curimata J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 81.—P.
curimata Salmo, J. A. Donndorff, Zool. Beyt. III. 1798, 649.
curius Papilio, J. C. Fabricius, Mant. II. 1787, 9.
curionicus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
curonica Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 669.
currens Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 193.
Curruca Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 1 & 19.—A.
curruca Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 34.—Motacilla.
curruca Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
curruca Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
curuca (*sic*) Sylvia (L.), J. A. Scopoli, Annus I. 1769, 155.—Motacilla.
curuccae (*sic*) Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 113.
currucaria Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
currucoides Motacilla, J. M. Bechstein, Latham's Vögel, VI. 1798, 546.
cursitans Cimex, J. C. Fabricius, Syst. Ent. 1775, 729.
cursitans Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex, 1775.
cursitans Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 344.
cursitans Ichneumon Mutilla, Fab., J. L. Christ, Nat. Ins. 1791, 376.
cursitans Musca, J. C. Fabricius, Syst. Ent. 1775, 782.
cursitans Naucoris, J. C. Fabricius, Ent. Syst. IV. 1794, 67.
Cursor J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [n. n.].—A.
cursor Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.
cursor Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
cursor Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 164.
cursor Carabus, A. G. Olivier, Entom. III. 1795, 16.
cursor Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 630.
cursor Charadrius, J. Latham, Syn. Birds, Suppl. I. 1787, 293.
cursor Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 96.

- cursor** Cucujus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. 1, 1791, 119.—Tenebrio.
cursor Curculio, G. Paykull, Mon. Curc. 1792, 3.
cursor Ichneumon, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 308.
cursor Leptura (L.), C. de Geer, Mém. Ins. V. 1775, 128.—Cerambyx.
cursor Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 113.
cursor Rhagium (L.), J. C. Fabricius, Syst. Ent. 1775, 183.—Cerambyx.
cursor Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.—Tenebrio.
cursor Spheg, J. L. Christ, Nat. Ins. 1791, 314.
cursor Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
cursor Stenocorus (Deg.), A. G. Olivier, Entom. IV. 1795, 14.—Leptura.
cursor Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
cursor Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1766, 675.
cursor Trichoda, O. F. Müller, An. Infus. 1786, 224.
Cursorius J. Latham, Index Orn. 1790, 751.—A.
cursoria Musca, Scopoli, Ent. Carn. 1763, 338.
cursoria Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 62.
cursoria Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
curtalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
curtangniona Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
curtatus Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
curtatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 415.
curticornis Cyclops, O. F. Müller, Entom. 1785, 115.
curticornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
curtipes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200. [Cyclops.
curtisella Phalaena, E. Donovan, Brit. Ins. II. 1793, 77.
curtius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 354.
curtula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 574.—Phalaena.
curtula Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 823.
curtulus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
Kürtus, *vel* **Kyrtus** M. E. Bloch, Nat. ausl. Fische, II. 1786, 121 & pl. clxix.—P.
curtus Caligus, O. F. Müller, Entom. 1785, 130.
curtus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 355.
curtus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
curtus Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 96.
curucca *v.* **curruca**.
curucui Trogon, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
curucui Trogon, B. Merrem, Avium rar. Icones, II. 1786, 33.
curvana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
curvator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 177.
curvatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
curvata Geometra [*ex* Müll.], C. C. Jung, Alph. Verz. Schmett. 1791, 153.
curvata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
curvata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 608.
curvella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 359.
curvicaudus Gryllus (Tettig.), De G., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
curvicauda Locusta, C. de Geer, Mém. Ins. III. 1773, 446. [2071.—Locusta.
curvicauda Oestrus, G. White, N. H. Selborne, 1789, 90.
curvicornis Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2771.—Eucera.
curvicornis Eucera, J. A. Scopoli, Annus IV. 1770, 9.
curvilinea Chrysomela, C. de Geer, Mém. Ins. V. 1775, 302.
curvipes Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 310.
curvipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.
curvipes Cistela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 25.
curvipes Curculio, J. C. Fabricius, Mant. I. 1787, 113.
curvipes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 137.—Cimex, 1781.
curvipes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2871.
curvipes Scaphidium, L. G. Scriba in Scriba, Beitr. Ins. III. 1793, 228.
curvipes Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.

- curvipes Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 111.
 curvipes Vespa, J. L. Christ, Nat. Ins. 1791, 246.
 curviroster Mytilus, J. S. Schroeter, Neue Litt. IV. 1787, 268.
 Curvirostra J. A. Scopoli, Intr. Hist. Nat. 1777, 480.—A.
 curvirostra Anas, P. S. Pallas, Spic. Zool. VI. 1769, 33.
 curvirostra Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
 curvirostra Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.
 curvirostrae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 117.
 curvirostratus Mytilus, E. M. da Costa, Brit. Conch. 1778, 220.
 curvirostris Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 166.
 curvirostris Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78.
 curvirostris Daphne, O. F. Müller, Z. Dan. Prod. 1776, 200.
 curvirostris Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
 curvirostris Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 493.—Daphnia.
 curvirostris Phasianus, G. Shaw, Mus. Lever. I. 1792, 101.
 curvus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1817.
 curvus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 245.
 curvus Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
 curva Sphex, C. de Villers, Linn. Ent. III. 1789, 252.
 cuscuta Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1311.
 cuspidator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188.
 cuspidator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 121.
 cuspidata Anomia, W. Martin, Tr. Linn. Soc. [Lond.] IV. 1798, 45.
 cuspidatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
 cuspidata Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
 cuspidata Cicada, J. C. Fabricius, Syst. Ent. 1775, 687.
 cuspidata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 124.
 cuspidata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 11.
 cuspidata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
 cuspidata Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 155.
 cuspidatus Oniscus, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (1), 1780, 249.
 cuspidatus Pediculus, Scopoli, Ent. Carn. 1763, 385.
 cuspidata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
 cuspidatus Pristis, J. Latham, Tr. Linn. Soc. [Lond.] II. 1794, 279.
 cuspidata Tellina, G. Olivi, Zool. Adriat. 1792, 101.
 cuspidella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
 custodiator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
 custos Cancer, P. Forskal, Descr. Anim. 1775, 94.
 custos Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
 custos Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 94.
 custos Pagurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 412.
 cutaceus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1217.
 cutis anguina Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
 cylviana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
 Cyamus P. A. Latreille, Préc. Car. Ins. 1796, 199.—Cr.
 cyanalsios Psittacus, G. I. Molina, Sag. stor. nat. Chili, 1782, 256.
 cyane Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 506.—Phalaena.
 cyane Motacilla, P. S. Pallas, Reise Russ. III. 1776, 697.
 cyane [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 8.
 cyane [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 137.
 cyane Sylvia (Pall.), J. Latham, Index Orn. 1790, 541.—Motacilla.
 Cyanea J. G. Meigen, N. Class. Mouches, 1800, 40.—Dip.
 "Cyanecula, Briss. 1760," Ag.; not used in a generic sense.
 cyanella Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 600.
 cyanella Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 121.—Chrysomela.
 cyanella Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
 cyanella Emberiza, A. Sparman, Mus. Carls. II. 1787, nos. xlii, xliii. [Chrysomela.
 cyanella Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Crioceris, 1775.

- cyaneopileata* Columba, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 238.
cyaneum Acrydium, A. F. de Fourcroy, Ent. Paris. 1785, 180.
cyanea Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 7.—Lagria.
cyanea Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 309.
cyaneum Anobium, J. C. Fabricius, Syst. Ent. 1775, 63.
cyaneum Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 108.—Curculio.
cyaneus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 465. [Clerus].
cyaneus Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1812.—
cyaneus Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 282.—Curculio.
cyaneum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 266.
cyanea Buprestis, J. C. Fabricius, Syst. Ent. 1775, 223.
cyaneum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 330.
cyanea Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
cyanea Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 323.—Malachius.
cyaneus Carabus, J. C. Fabricius, Gen. Ins. 1777, 239.
cyanea Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 577. [Saperda].
cyaneus Cerambyx (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1843.—
cyaneus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1861.—
cyanea Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188. [Stenocorus].
cyanea Cetonia, A. G. Olivier, Entom. I. 1789, 41.
cyanea Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 414.
cyanea Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 596.
cyanea Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 124.
cyanea Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptcephalus.
cyanea Cicindela, J. C. Fabricius, Mant. I. 1787, 185.
cyaneus Clerus, J. C. Fabricius, Mant. I. 1787, 126.
cyanea Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptcephalus, 1775.
cyanea Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Cryptcephalus.
cyaneus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
cyaneus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 34.
cyanea Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
cyaneus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373 [Corvus cyanus,
 Pall., *est*].
cyaneus Cryptcephalus, J. C. Fabricius, Syst. Ent. 1775, 109. [Chrysomela].
cyaneus Cryptcephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1709.—
cyaneus Cryptcephalus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 607.—
 Chrysomela.
cyaneus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 606.
cyaneus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 167.
cyanea Emberiza (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 876.—
cyaneus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 126. [Tanagra].
cyaneus Helops, J. C. Fabricius, Mant. I. 1787, 214.
cyaneus Hister, J. C. Fabricius, Syst. Ent. 1775, 52.
cyaneus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 231.
cyanea Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
cyanea Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 499.—Anobium, 1775.
cyanea Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.
cyanea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 82.
cyanea Libellula, O. F. Müller, F. Ins. Frid. 1764, 61.
cyanea Libellula, J. C. Fabricius, Syst. Ent. 1775, 424.
cyanea Linaria, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
cyanea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 303.
cyaneus Malachius, J. C. Fabricius, Mant. I. 1787, 169.
cyanea Melolontha (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 45.—Crypto-
cyaneus Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 8.—Lagria. [cephalus].
cyanea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 991.
cyanea Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
cyanea Musca, J. C. Fabricius, Spec. Ins. II. 1781, 439.

- cyanea* Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 170.
cyanea Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 351.
cyanea [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 120.
cyanea Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—Helops.
cyaneus Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxvii.
cyaneus Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
cyanea Saperda, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 95.
cyaneus Scarabaeus, G. Shaw, Nat. Misc. IX. 1797, pl. 316.
cyaneus Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.
cyaneus Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 419.
cyanea Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 572.—[Chrysis, ed. 12.]
cyanea Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2400.
cyaneus Staphylinus, G. Paykull, Mon. Staph. 1789, 13.
cyaneus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 823.
cyanea Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 265.
cyanea Sylvia (Gm.), J. Latham, Index Orn. 1790, 545.—Motacilla.
cyanea Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
cyaneus Tenebrio (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.—Scarites.
cyaneus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 363.—Helops.
cyaneus Trochilus, J. Latham, Index Orn. 1790, 309.
cyanaeus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
cyanea Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
cyanicollis Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 607.
cyanicollis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 499.
cyanicornis Buprestis, A. G. Olivier, Entom. II. 1790, 71.
cyanicornis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 236.
cyanicornis Buprestis, P. Rossi, Mant. Ins. I. 1792, 60.
cyanicornis Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 142.
cyanicornis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 99.
cyanipennis Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 97.
cyanipennis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 200.
cyanipennis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
cyanipennis Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 277.
cyanipes Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
cyanipes Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
cyanipes Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 98.
cyanipes Curculio, J. C. Fabricius, Mant. I. 1787, 113.
cyanipes Gryllus, J. C. Fabricius, Syst. Ent. 1775, 292.
cyanocephala Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
cyanocephalus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 45.
cyanocephalus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
cyanocephala Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 60.
cyanocephala Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.
cyanocephala Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 279.
cyanocephala Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 781.
cyanocephala Crioceris, J. C. Fabricius, Syst. Ent. 1775, 121.
cyanocephalus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
cyanocephalus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 72.
cyanocephala Fringilla, J. F. Miller, Icon. Anim., pl. 24 (1778).
cyanocephalus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 139.
cyanocephala Loxia (Mill.), F. M. Daudin, Traité élém. Orn. 1800, 449.—Fringilla.
cyanocephala Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
cyanocephala Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 990.
cyanocephala Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
cyanocephalus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 141.
cyanocephala Sylvia (Gm.), J. Latham, Index Orn. 1790, 546.—Motacilla.
cyanocephala Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
cyanocephala Trochilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 247.

- cyanochlorus Parus, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
 cyanochlorus Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
 cyanochrysa Chrysis, J. R. Forster, N. Sp. Ins. 1771, 88.
 cyanochrysos Ceranbyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
 cyanocrocea Tenthredo, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
 cyanocrocea Tenthredo, J. R. Forster, N. Sp. Ins. 1771, 78.
 cyanogaster Certhia, J. Latham, Index Orn. 1790, 295.
 cyanogastra Loxia, F. M. Daudin, Traité élém. Orn. 1800, 436.
 cyanogula Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 23. [cyanalysisos.]
 cyanolyseos Psittacus, Mol., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 343.—*v.*
 cyanomelas Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 cyanomelas Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 924.
 cyanomelas Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
 cyanoparius Trogon, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
 cyanophlyctis Rana, J. G. Schneider, Hist. Amph. I. 1799, 137.
 cyanophthalma Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2863.
 cyanopicta Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
 cyanopis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
 cyanoptera Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
 cyanopteros [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 35.
 cyanopus Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
 cyanopus Falco, J. D. Petersen, Balth. Vögel, 1766, 6.
 cyanorhynchus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 22.
 cyanothorax Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
 cyanotus Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 7.
 cyanura Chrysis, J. R. Forster, N. Sp. Ins. 1771, 89.
 cyanurus Motacilla, P. S. Pallas, Reise Russ. II. 1773, 709.
 cyanurus Psittacus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
 cyanura Sylvia (Pall.), J. Latham, Index Orn. 1790, 527.—Motacilla.
 cyanurus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 485.
 cyanurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 828.
 cyanus Corvus, P. S. Pallas, Reise Russ. III. 1776, 694.
 cyanus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 272.—Papilio.
 cyana Motacilla, *id. ac* cyane, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788,
 cyanus Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 300. 1992.
 cyanus Papilio, *id. ac* cyanea, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 116.
 cyanus Parus, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 588.
 cyanus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 296.
 cyathiformis Taenia, J. A. Frolich, Naturforscher, XXV. 1791, 55.
 cyathiger Carabus, P. Rossi, Fauna Etrus. I. 1790, 222.
 cyathina Vorticella, O. F. Müller, Z. Dan. Prod. 1776, 281.
 cyathus Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 150.
 cyathus Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
 cybele Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 36.
 cybele Papilio, J. C. Fabricius, Syst. Ent. 1775, 516.
 cybele [Papilio], P. Cramer, Utit. Kapellen, II (16) 1777, 139.
 cybele Papilio, J. Hübner, Beitr. Schmett. II. 1790, 7.
 Cychromus J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 543.—Col.
 Cychrus J. C. Fabricius, Ent. Syst. IV. 1794, 440.—Col.
 Cychrys J. C. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 68.—Col.
 Cyclas Lamarck, Ency. Méth. (Tabl. Vers), pl. 301 (1798) [*n. et f.*].—L.
 Cyclas Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
 Cyclidium O. F. Müller, Verm. I (1) 1773, 49.—Inf.
 cyclidium Cercaria, O. F. Müller, Verm. I (1) 1773, 68.
 cyclidium Trichoda, O. F. Müller, Verm. I (1) 1773, 90.
 Cyclogaster L. T. Gronov, Acta Helvet. IV. 1760, 265.—P.
 Cyclops O. F. Müller, Z. Dan. Prod. 1776, xxvii & 200.—Cr.
 cyclops Geotrupes (Ol.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus.

- cyclops* Limulus, J. C. Fabricius, Ent. Syst. II. 1793, 488.
cyclops Scarabaeus, A. G. Olivier, Entom. I. 1789, 60.
 "Cyclopsina Müll. 1785," Ag.; appears to be Milne-Edwards, 1840.—Cr.
cyclopterina Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
Cyclopterus Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 414 [Artedi, Ichth.
Cyclostoma Lamarck, Mem. Soc. H. N. Paris, 1799, 74.—G. [1738, gen. xl, 61].—P.
cyclostomus Echinoneus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 173.
cyclostomus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.—
cydippe Papilio, Linnaeus, Amoen. Acad. VI. 1763, 409. [Echinoneus.
cydippe Papilio (Nymph.), Linnaeus, Faun. Suec., ed. 2, 1761, 281.
cydoniata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 354.
cydoniella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
cydonium Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1295.
cydonium Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118 [*n. n.*].
cydonia [Phalaena], P. Cramer, Utitl. Kapellen, I (2) 1775, 34.
cygneus Anodonta (L.). Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—Mytilus.
cygnea Bombyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 70.
cygnea Crassatella, Lamarck, Mém. Soc. H. N. Paris, 1799, 86.
cygneus Falco, J. Latham, Index Orn. 1790, 14.
cygnaea Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 198.
cygneum Limnaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Mytilus.
cygneus Musculus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 156.—Mytilus.
cygneus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
cygnea Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
cygni Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
cygni Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
cygnipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 67.
cygnoides Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 194.
cygnoides Anser, P. S. Pallas, Reise Russ. III. 1776, 700.
cygnoides Anser (L.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Anas.
cygnoides Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 175.
cygnus Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 194.
cygnus Anser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 107.—Anas.
cygnus Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
cygnus Vibrio, O. F. Müller, Verm. I (1) 1773, 47.
Cylinder P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
cylindracea Bulla, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 100.
cylindraceum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 154 [*n. n.*].
cylindraceum Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 188.
cylindraceus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 22.
cylindracea Musca, *id. ac* cylindricus Syrphus, Fab., J. F. Gmelin in Linn. Syst. Nat.,
cylindracea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60. [ed. 13, I. 1790, 2873.
cylindraceus Salmo, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 80.
cylindracea Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 14.
cylindraceous (*sic*) Turbo, E. M. da Costa, Brit. Conch. 1778, 89.
cylindraria Nereis, P. S. Pallas, Misc. Zool. 1766, 117; *varr.* capensis (118), belgica (122).
cylindrator Ichneumon, J. C. Fabricius, Mant. I. 1787, 267.
cylindrella Tinea, J. C. Fabricius, Gen. Ins. 1777, 295.
cylindricollis Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 63.
cylindricornis Brentus, J. C. Fabricius, Mant. I. 1787, 96.
cylindricornis Dermestes, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785,
cylindricornis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 332. [315.
cylindricornis Nitidula, F. v. P. Schrank, F. Boica, I. 1798, 446.
cylindricornis Stenocorus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 146.
cylindrica Anguis, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 132.
cylindrica Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.
cylindricus Asilus, C. de Geer, Mém. Ins. VI. 1776, 249.
cylindricus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 381.

- cylindrica* Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 185.
cylindricus Brachionus, F. v. P. Schrank, Beitr. Nat. 1776, 105.
cylindrica Bulla, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 122.
cylindrica Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 371.
cylindrica Buprestis, J. C. Fabricius, Syst. Ent. 1775, 220. [1783, 108.
cylindricus Cancer, *id. ac* cylindrus, Fabr., J. F. W. Herbst, Vers. Nat. Krab. I (2—5)
cylindricus Cancer (Oniscus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 146.
cylindricus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 132.
cylindricus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
cylindricus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 633.
cylindricus Clerus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
cylindricus Conus, F. C. Meuschen, Mus. Gever. 1787, 368.
cylindrica Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 114.
cylindricus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 71.
cylindricus Curculio, R. Townson, Trav. Hungary, 1797, 475.
cylindrica Cypraea, I. v. Born, Index Mus. Caes. Vind. 1778, 169.
cylindricus Elater, P. Rossi, Mant. Ins. I. 1792, 58.
cylindrica Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 403.
cylindrica Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280.
cylindricus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 146.
cylindricus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 302.
cylindricus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
cylindricus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2712.
cylindrica Ips, A. G. Olivier, Entom. II. 1790, 9.
cylindrica Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
cylindrica Ligniperda (L.), J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 216.—
 Scarabaeus.
cylindricus Lucanus (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 4.—Scarabaeus.
cylindricus Lyctus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 18.
cylindrica Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2048.
cylindrica Millepora, F. C. Meuschen, Mus. Gever. 1787, 512.
cylindrica Musca, C. de Geer, Mém. Ins. VI. 1776, 30.
cylindrica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
cylindrica Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 336.
cylindrica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3722.
cylindrica Perla, C. de Geer, Mém. Ins. VII. 1778, 599.
cylindricus Phiseter, J. P. Bonnatere, Ency. Méth. (Cet.), 1789, 16.
cylindrica Phryganea, C. de Villers, Linn. Ent. III. 1789, 45.
cylindricus Prionus, J. C. Fabricius, Spec. Ins. I. 1781, 207.
cylindricus Ptilinus, O. F. Müller, Z. Dan. Prod. 1776, 81.
cylindrica Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 185.—Cerambyx.
cylindrica Saperda, J. N. Laicharting, Tyrol. Ins. II. 1784, 49.
cylindricus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 544.
cylindrica Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 42.
cylindrica Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 238.
cylindricus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 4.—Bostrichus cylindrus.
cylindrica Spongia, G. Olivi, Zool. Adriat. 1792, 264.
cylindricus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
cylindricum Synodendron (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 358.—Scarabaeus.
cylindricus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 429.
cylindricus Tabanus, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 63.
cylindricus Tenebrio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 144.
cylindricus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
cylindrica Trogossita, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 266.
cylindrica Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
cylindricus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—Tinea cylindrella,
cylindrirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 137. [1777.
 Cylindrites J. Gesner, Tract. Petref. 1758, 56.—G.

- cylindroides Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.
- cylindroides Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 41.
- Cylindrus F. C. Meuschen, Mus. Gever. 1787, 368.—G.
- cylindrus Astacus, J. C. Fabricius, Ent. Syst. II. 1793, 483.
- cylindrus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 364.
- cylindrus Cancer, J. C. Fabricius, Gen. Ins. 1777, 248.
- cylindrus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 172.
- cylindrus Curculio, G. Paykull, Faun. Suec. III. 1800, 241.
- cylindrus Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1777.
- cylindrus Platypus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 129.—Bostrichus [chus.
- cylindrus Posydon, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.
- cylindrus Scarites, J. C. Fabricius, Suppl. Ent. Syst. 1798, 44.
- Cylindrus P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
- cyllaria [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 100.
- cyllarus Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 294.—Papilio.
- cyllarus [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 43.
- cyllarus Papilio, E. J. C. Esper, Schmett. I. 1777, 334.
- cyllarus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
- cyllarus [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 11.
- cyllidium Trichoda, *err. pro cyclidium*, Müll., G. Adams, Ess. Micr. 1787, 595.
- Cyloomium J. C. Fabricius, Act. Soc. H. N. Paris, 1792, 31.—Col.
- Cymatium J. F. Bolten, Mus. Bolten. (2) 1798, 129.—G.
- cymatium Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
- cymba Madrepora, F. C. Meuschen, Mus. Gever. 1787, 498.
- cymbaloidea Medusa, M. Slabber, Nat. Verlust. [1770?], 99.
- cymbaloidea Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 26.
- cymbaola Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5 [*n. n.*].
- cymbiola Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
- Cymbium J. F. Bolten, Mus. Bolten. (2) 1798, 151.—G.
- cymbium Argonauta, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1161.
- cymbium Chaena (Spengl.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 20.—Gastrochaena.
- cymbium Gastrochaena, L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 182.
- cymbium Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 380.—Voluta.
- cymbium Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1196.
- cymela [Papilio], P. Cramer, Utitl. Kapellen, II (11) 1777, 55.
- cymodoce [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 5.
- Cymothoa J. C. Fabricius, Ent. Syst. II. 1793, 503.—Cr.
- Cynaedus L. T. Gronovius, Zooph. I. 1763, 60.—P.
- cynaedus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
- cynamolgus Simia, *v. cynomolgus*.
- cynara Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
- cynara Papilio, J. C. Fabricius, Gen. Ins. 1777, 266.
- cynara [Phalaena], P. Cramer, Utitl. Kapellen, I (2) 1775, 23.
- cynara Sphinx (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. 1791, 155.
- cynarae Curculio, J. C. Fabricius, Mant. I. 1787, 98.
- cynata Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 197 = cynara, Gen. Ins. 1777, 286
"Cynchramus, Briss. 1760," Waterh.; not used in a generic sense. [(Cr. sp.).
- cynchramus Emberiza, [M. Tunstall], Orn. Brit. 1771, 2 [*n. n.*].
- cyniformis Ichneumon, P. Rossi, Mant. Ins. I. 1792, 125.
- cynipedis Ichneumon = cyniphidius, S. N. ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761, 409.
- cynipedis Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
- cyniphidius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567.
- cynipiformis Sphinx, E. J. C. Esper, Die Schmett. (Fortsetz. Abendschm.) 1783, 214.
- cynipiformis Tenthredo, Mayer, Abh. Privatges. Böhmen. IV. 1779, 184.
- cynipis Ichneumon, *id. ac* cynipedis, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- Cynips Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.—Hym. [2714.
- cynipsea Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 997.
- Cynipsichneumon J. L. Christ, Nat. Ins. 1791, 378.—Hym.

- cynira Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 177.—Phalaena.
- cynira [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 89.
- cynocephalus (ex Klein) J. G. Walbaum, Arledi, Ichth. (3), ed. 2, 1792, 579.—P.
- Cynocephalus B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
- cynocephalus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 30.—Simia.
- cynocephalus Cynocephalus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795,
- cynocephalus Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 38. [462.—Simia.]
- cynocephalus Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 66.
- cynocephala Siren, J. G. Walbaum, Arledi, Ichth. (3), ed. 2, 1792, 560.
- cynodon Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 114.
- cynoglossus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
- cynomolgus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 28.—Simia.
- cynomolgus Pithecus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.—
- cynomolgus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 38. [Simia.]
- cynomologus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 65.
- cynomorium Pennatula, P. S. Pallas, Elench. 1766, 373.
- cynophila Musca, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 22.
- cynorrhodonus Conus, F. C. Meuschen, Mus. Gev. 1787, 364.
- cynorta Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 37.
- Cynos E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 457.—M. [= Hippopotamus].
- cynobana Pyralis, *id.* ac cynosbatella Phalaena, J. C. Fabricius, Syst. Ent. 1775, 654.
- cynosbatella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
- cynosbati Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 927.
- cynosbatis Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
- cynosurus Simia, J. A. Scopoli, Del. Insub. I. 1786, 44.
- cynosurus Simia (Cercop.) Scop., R. Kerr, Anim. Kingd. 1792, 63.
- cynthia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 30.—Phalaena.
- cynthia Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
- cynthia Papilio, N. P., E. J. C. Esper, Die Schmett. I (9) 1779, 347.
- cynthius [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 50.
- cynthia Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 2.
- cynthia [Phalaena], P. Cramer, Utitl. Kapellen, I (4) 1775, 62.
- cyparissa [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 63.
- cyparissiae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 556.
- cyparissias Papilio, J. C. Fabricius, Gen. Ins. 1777, 257.
- Cyphoma J. F. Bolten, Mus. Bolten. (2) 1798, 21.—G.
- Cyphon G. Paykull, Faun. Suec. II. 1799, 117.—Col.
- Cypraea Linnaeus, Syst. Nat., ed. 10, 1758, 718; ed. 12, 1767, 1172.—G.
- cypraea Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728; ed. 12, 1767, 1185.
- cypraea Papilio, J. C. Fabricius, Mant. II. 1787, 22.
- Cypraea P. Brown, Hist. Jamaica, ed. 2, 1789, 410.—G.
- cypri Curculio, Linnaeus in Hasselquist, Palast. 1762, 449.
- cypri Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
- cypria Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698.
- cyprianus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
- cyprinaceum Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 181.
- cyprinacea Festucaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
- cyprinaceus Labrus, G. Shaw in White, Journ. N.S.W. 1790, 264.
- cyprinacea Lernaea, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1093.
- cyprini Rhytelminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 220.
- Cyprinis v. Cyprinus, S. G. Gmelin, Reise Russ. I. (1770), 59.—P.
- cyprinoides Charax, F. C. Meuschen, Mus. Gronov. 1778, 38.
- cyprinoides Clupea, P. M. A. Broussonet, Ichth. 1782.
- cyprinoides Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 17.
- cyprinoides Mormyrus, Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 522.
- cyprinoides Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 514.
- Cyprinus Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 525; [Arledi, Ichth. 1738,
- Cypris O. F. Müller, Z. Dan. Prod. 1776, xxvii & 198.—Cr. [gen. iii, 2.]—P.

- cypris Kerona, O. F. Müller, An. Infus. 1786, 236.—Trichoda, 1773.
 cipris [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 5.
 cypris Trichoda, O. F. Müller, Verm. I (1) 1773, 91.
 cyprius Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
 Cypsela J. G. Meigen, N. Class. Mouches, 1800, 31.—Dip.
 cyrene Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474.
 cyrillus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 165.
 cyrrhatus *v.* cirrhatus.
 "Cyrtodaïre" F. M. Daudin, Bull. Sci. Soc. Philom. [Paris], no. 22, Jan. 1799, 170 [verna-
 Cyrtodaria G. Cuvier, Leçons Comp. Anat. I. 1800, 5 [*n. n.*].—L. [cular].—L.
 Cyrtus P. A. Latreille, Préc. Car. Ins. 1796, 154.—Dip.
 cyrus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 7.
 cyssesus [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 124.
 cystica Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 101.
 Cystidicola G. Fischer, Mém. respir. Anim. &c. 1798, 91.—Ver.
 Cystidicola G. Fischer, Journ. de Phys. IV. 306 (1798).—Ver.
 cythara Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
 Cythere O. F. Müller, Entom. 1785, 63.—Cr.
 Cytherea J. C. Fabricius, Ent. Syst. IV. 1794, 413.—Dip.
 Cytherea J. F. Bolten, Mus. Bolten. (2) 1798, 177.—L.
 cytherea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 557.
 cytherea Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
 cytherea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 785.
 cytherea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 57.
 cytheris [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 7.
 cythisaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 97. [*n. et f.*].
 cythisaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 2
 cythisaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 26.—Geometra.
 cytisi Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 15.
- daboie Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 102.
 Dacne P. A. Latreille, Préc. Car. Ins. 1796, 12.—Col.
 dactyli Tenthredo, Linnaeus in Hasselquist, Palast. 1762, 467.
 "Dactylites Bertrand, 1763," Scudd. ; not used in a generic sense.
 Dactylus F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 61 [*n. n.*].—G.
 Dactylus [G. Humphreys], Mus. Calonn. 1797, 9.—G.
 dactylus Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 412.
 dactylus Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Pholas.
 dactylus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1110.
 dactylus Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1188.
 dädale [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1783, 44.
 daedalea Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 82.
 daedalea Madrepora, P. Forskal, Descr. Anim. 1775, 133.
 daedalea Vespa, A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
 daedalea Voluta, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 47. [I. 1790, 3773-
 daedalica Madrepora, *id. ac* daedalea, Forsk., J. F. Gmelin in Linn. Syst. Nat., ed. 13,
 daedalus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—Scarabaeus, 1792.
 daedalus Papilio, J. C. Fabricius, Syst. Ent. 1775, 482.—See dedalus.
 daedalus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 7.
 daemon Anthrax, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 17.
 "Dagysa, Banks & Soland. 1773," Ag.; I cannot trace this genus.
 daldorfana Pyralis, J. C. Fabricius, Mant. II. 1787, 235.
 daldorfii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
 daldorfii Lamia, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 136.
 daldorfii Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1536.
 daldorfiana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 530.

- dalmatica* Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 929.
- Dama* G. Edwards in M. Catesby, Carol. I. 1771, xxviii.—M.
- dama* Antilope, P. S. Pallas, Misc. Zool. 1766, 5.
- dama* Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 67; ed. 12, 1766, 93.
- dama* Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 92.
- dama* Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 32.
- dama* Lucanus, J. C. Fabricius, Syst. Ent. 1775, 2.
- dama* Lucanus, O. F. Müller, Z. Dan. Prod. 1776, 52.
- dama* Noctua, J. C. Fabricius, Syst. Ent. 1775, 596.
- dama* Purpura, F. C. Meuschen, Mus. Gever. 1787, 310.
- dama* Scarites, P. Rossi, Mant. Ins. I. 1792, 92.
- damaetas* Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 183.
- damaretta* Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 157.
- damascena* Perdix, J. P. Bonnaterra, Ency. Méth. (Orn.) 1791, 210.
- damascenus* Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
- damaercialis* Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 188.
- damiatica* Anas, Linnaeus in Hasselquist, Palast. 1762, 318.
- damicornis* Cerambyx, Linnaeus, Mant. II. 1771, 532.
- damicornis* Cerambyx, C. de Geer, Mém. Ins. V. 1775, 97.
- damicornis* Cerambyx, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 237.
- damicornis* Madrepora (Linn.), P. S. Pallas, Elench. 1766, 334.—Millepora.
- damicornis* Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791.—[Madrepora, ed. 12.]
- damicornis* Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
- damicornis* Spongia, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 21.
- damicornis* Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 249.
- damicornis* Tillus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 117.
- damocles* Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
- damoetes* Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 303.—Papilio, 1775.
- damoetes* Papilio, J. C. Fabricius, Syst. Ent. 1775, 526.
- damon* Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
- damon* Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
- damon* [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 12.
- damon* [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
- damon* [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 208.
- damon* [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 170.
- damone* Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
- damonia* [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 71.
- dan* Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 341.—Papilio, 1787.
- dan* Papilio, J. C. Fabricius, Mant. II. 1787, 88.
- danae* Libellula, J. H. Sulzer, Gesch. Ins. 1776, 169.
- danae* Papilio, J. C. Fabricius, Syst. Ent. 1775, 476.
- danae* [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 131.
- danais* Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 520.
- danais* Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
- Danaus* v. *Papilio*.
- danicum* Acridium (L.), O. F. Müller, Z. Dan. Prod. 1776, 100.—Gryllus.
- danica* Cicindela, O. F. Müller, F. Ins. Frid, 1764, 18.
- danicus* Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2159.
- danicus* Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
- danicus* Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1955.
- danica* Ephemera, O. F. Müller, F. Ins. Frid. 1764, 63.
- danicus* Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 367.
- danicus* Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 12, 1767, 702.
- danicus* Falco, J. Latham, Syn. Birds, Suppl. I. 1787, 281.
- danicus* Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 181.
- danis* [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 111.
- dante* Bos, H. F. Link, Beytr. Nat. I (2) 1795, 95.
- dantic* Vespa, P. Rossi, Fauna Etrus. II. 1790, 89.

- danubialis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
 danubialis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 113.
 danubialis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1762.
 danubialis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
 danum [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 53.
 Daphne O. F. Müller, Z. Dan. Prod. 1776, xxvii & 199.—Cr. [parts of certain Arcae.
 Daphne J. X. Poli, Test. Sicil. I. 1791, Introd. 33.—A generic term applied to the fleshy
 daphne Papilio, [Denis & Schiffermüller], Schmiett. Wien, 1775, 177.
 daphnella Tinea, [Denis & Schiffermüller], Schmiett. Wien, 1775, 136.
 Daphnia *olim* Daphne O. F. Müller, Entom. 1785, 79.—Cr.
 daphnis [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 89.
 daphnis Papilio, [Denis & Schiffermüller], Schmiett. Wien, 1775, 182.
 daphnis [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 1.
 [daphnis Papilio, MS.], T. Martyn, Psyche, 1797, fig. 8.
 Daphnoderma J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—L.
 daplidice Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 760.
 dardanus [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 25.
 dardanus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 10.
 dardus Papilio, J. C. Fabricius, Mant. II. 1787, 30.
 dares [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 42.
 dares [Sphinx], P. Cramer, Uitl. Kapellen, I (4) 1775, 76.
 darita Gracula, *err. pro* barita, L. [M. Houttuyn], Nat. Hist. I (4) 1762, 341.
 darius Papilio, J. C. Fabricius, Syst. Ent. 1775, 482.
 dartfordiensis Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
 Dascillus P. A. Latreille, Préc. Car. Ins. 1796, 43.—Col.
 Dasybatus (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
 Dasycerus Al. Brongniart, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.—Col.
 Dasypus Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 53.—M.
 dasypus Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 208.
 dasypus Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 3.
 dasypus Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 279.
 dasypus Locusta, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 144.
 dasypus Strix, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 160.
 Dasytes G. Paykull, Faun. Suec. II. 1799, 156.—Col.
 Dasyurus E. Geoffroy, Mag. encyclop. 1796, III (12), 469.—M.
 Dasyurus B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
 Daubentonia Geoffroy, Décad. phil. et litt. (no. 28, 10 pluv. An. 3) 1795, 195.—M.
 daubentonii Sorex, J. C. P. Erxleben, Syst. Anim. 1777, 124.
 daubentonii Tarsius, E. Geoffroy, Mag. encyclop. I (1) 1796, 49.
 daucella Tinea, [Denis & Schiffermüller], Schmiett. Wien, 1775, 137.
 dauci Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
 dauci Musca, J. C. Fabricius, Mant. II. 1787, 353.
 daucus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 651.
 daucus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47 [*n. n.*].
 daucus [Sphinx], P. Cramer, Uitl. Kapellen, II (11) 1777, 41.
 dauma Turdus, J. Latham, Index Orn. 1790, 363.
 daunius Papilio, Herbst in Jablonsky, Nat. Ins. (Schmiett.) IX. 1798, 184.
 daunus [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 44.
 [dauricus]—
 dauricus Astacus, P. S. Pallas, Spic. Zool. IX. 1772, 81.
 dauricus Atteblabus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 595.
 daurica Blatta, E. Laxmann, Sibir. Briefe, 1769, 48.
 dauricus Corvus, P. S. Pallas, Reise Russ. III. 1776, 694.
 dauricus Corvus, R. Kerr, Anim. Kingd. 1792, *var.* fuscescens, 633.
 dauricus Gryllus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 597.
 daurica Hirundo, Linnaeus, Mant. II. 1771, 528.
 dauricus Lepus, P. S. Pallas, Reise Russ. III. 1776, 692.
 daurica Libellula, Boeber in Reich's Mag. Thierreichs, I. 1793, 136.

- dauricus Silurus, P. S. Pallus, Nova Acta Ac. Sci. Petrop. I. 1787, 359.
 dauricus Sturnus, P. S. Pallas, K. Vet. Ac. Handl. XXXIX. 1778, 198.
 dauricus *v.* dauricus.
 daus Papilio, J. C. Fabricius, Gen. Ins. 1777, 259.
 davidis Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
 davidis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
 daviesii Cerambyx (Lamia), K. Vet. Ac. Nya Handl. VIII. 1787, 195.
 daviesii Curculio, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 194.
 daviesii Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 469.
 davilae Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
 davus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 221.
 dea Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116; ed. 12, 1766, 181.
 dealbaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 214 [*n. et f.*].
 dealbator Apis, J. L. Christ, Nat. Ins. 1791, 181.
 dealbata Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
 dealbatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
 dealbata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
 dealbatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678.
 dealbata Mactra, R. Pulteney, Cat. Birds &c. Dorset, 1799, 31.
 dealbata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 870.
 dealbata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
 dealbatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.
 dealbata Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 334.
 dealbata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
 dealbata Tenthredo, J. L. Christ, Nat. Ins. 1791, 442.
 dealbata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
 dealbella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
 dearticulata Vespa, A. F. de Fourcroy, Ent. Paris, 1785, 437.
 deaurata Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1934.
 deauratus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
 deaurata Noctua, E. J. C. Esper, Die Schmett. IV (41) 1790, 203.
 deaurata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3719.
 deaurata Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 188.
 debellator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
 decacnemos Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 56.
 decacnemos C. F. Schultze, Verst. Seest. 1760, 53.—Crin.
 Decactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
 decadactylos Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.
 decadactylus Polynemus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 26.
 decapitatum Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
 decastigma *v.* decostigma.
 decemguttata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 288.
 decemguttatus Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
 decemguttatus Carabus, Linnaeus, Mus. Lud. Ulr. 1764, 96.
 decemguttata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 583.
 decemguttata, *var. minor* Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 263.
 decemguttata, *var. major* Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 264.
 decemguttatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 115.
 decemguttata Nitidula, A. G. Olivier, Entom. II. 1790, 10.
 decemguttella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 311.
 decemmaculatus Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—Stenocorus.
 decemmaculata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
 decemmaculata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 105. [cephala.
 decemmaculata Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Crypto-
 decemmaculata Chrysomela, G. W. F. Panzer, in Voet, Hartschaal. Insekt. IV. 1797,
 decemmaculata Coccinella, Scopoli, Ent. Carn. 1763, 81. [33.
 decemmaculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 98.

- decimmaculatus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 106.
 decemmaculatus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 93.
 decemmaculatum Phalangium, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 240.
 decemmaculata Pyrochroa, J. C. Fabricius, Ent. Syst. I (2) 1792, 105.
 decemmaculatus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 181.
 decemnodia Ceria, Scopoli, Ent. Carn. 1763, 351.
 decemnotatus Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
 decempunctata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
 decempunctata Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136. [292.
 decempunctatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 78.
 decempunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 590.
 decempunctata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 decempunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 581.
 decempunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.—
 decempunctata Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 76.—Chrysomela. [Col.
 decimpunctata Coccinella, *err. pro* novempunctata, Linn. J. C. Fabricius, Syst. Ent.
 1775, 81.
 decimpunctatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—Chryso-
 decimpunctatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 232. [mela.
 decempunctata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1875.
 decempunctata Leptura, A. G. Olivier, Entom. IV. 1795, 26.
 decempunctatus Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2018.—
 decempunctata Mylabris, J. C. Fabricius, Spec. Ins. I. 1781, 331. [Mylabris.
 decempunctata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 273.
 decempunctatus Scarabaeus, J. G. Schaller, Abh. Hallischen Nat. Ges. I. 1783, 237.
 decempunctatus Trichius, F. v. P. Schrank, F. Boica, I. 1798, 414.
 decempustulata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
 decempustulata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 312.
 decempustulata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.
 decempustulata Coccinella *err. pro* duodecimp-, J. C. Fabricius, Ent. Syst. I (1) 1792,
 decemradiata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329. [290.
 decemstriata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
 decemstriatus Hister, P. Rossi, Mant. Ins. I. 1792, 13.
 deceptor Carabus, F. A. A. Meyer, Zool. Archiv (1) 1796, 238.
 deceptor Ichneumon, Scopoli, Ent. Carn. 1763, 284.
 deceptor Musca, N. Poda, Ins. Mus. Graec. 1761, 116.
 deceptor Phalaena, Scopoli, Ent. Carn. 1763, 214.
 deceptor Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
 dechotoma Isis (Linn.)=dichotoma Pallas, Syst. Plant.-Dier. 1768, 286.
 decies digitatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 209.
 decimalis Phalaena (Geometra), N. Poda, Ins. Mus. Graec. 1761, 92.
 decimalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 119.
 decimana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 230.—Tortrix.
 decimana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
 decimaquarta Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 76.
 decipiens Scarabaeus, F. v. P. Schrank, F. Boica, I. 1798, 382.
 decius [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 26.
 declivis Mya, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 66.
 declivis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
 declivis Turbo, P. Forskal, Descr. Anim. 1775, 126.
 decollatus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers), (1) 1789, 326.—Helix.
 decollatum Cerion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 91.—Helix.
 decollatum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 501.—Murex.
 decollata Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
 decollatus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1226.
 decollatus Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 266.—Helix.
 decolorata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 243 [*n. et f.*].
 decolorata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 294.

- decolorata* Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 385.
decolorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
decolorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
decolora Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 380.
decoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 71 [*n. et f.*].
decorator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 195.
decoratorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
decorata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
decorata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 256.
decorata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
decorata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
decore Musca, M. Harris, Exp. Eng. Ins. 1776, 146. [461.—Geometra.
decorticaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
decora Bombyx (L.), J. C. Fabricius, Spec. Ins. II. 1781, 186.—Phalaena.
decora Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
decorum Callidium, A. G. Olivier, Entom. IV. 1795, 63.
decorus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 154.
decorus Cerambyx, A. G. Olivier, Entom. IV. 1795, 128.
decora Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
decorus Curculio, J. C. Fabricius, Syst. Ent. 1775, 146.
decora Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
decora Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
decora Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 701.
decora Phalaena (Noctua), Linnaeus, Mus. Lud. Ulr. 1764, 382. [—Noctua.
decostigma Buprestis, J. C. Fabricius, Mant. I. 1787, 180.
decrepitus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 125.
decumana Clytra, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 126.
decumanus Mus, P. S. Pallas, Nov. Spec. Quad. II. 1779, 91.
decumanus Xanthornus, P. S. Pallas, Spic. Zool. VI. 1769, 1.
decuriella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 35.
decurtatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1747.
decussana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 406.—Pyralis.
decussana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
decussaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 213 [*n.*
decussata Anguis, J. N. Laurenti, Syn. Rept. 1768, 72. [*et f.*].
decussata Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
decussatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
decussata Cassida, J. C. Fabricius, Syst. Ent. 1775, 93.
decussata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 320.
decussata Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 425.—Buccinum.
decussata Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 392.—Buccinum.
decussatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 489.
decussata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 107.
decussatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
decussata Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 131.
decussatus Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
decussatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
decussata Paphia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—Venus.
decussata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
decussata Phalaena, E. Donovan, Brit. Ins. VIII. 1799, 38. [275.—Geometra.
decussata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
decussata Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
decussata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1135.
decussata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
dedalus [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 1.—See *daedalus*.
dedalus Papilio, Gioma, Cal. Ent. 1791, 38.—See *daedalus*.
deduco Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
deduco Musca, M. Harris, Exp. Eng. Ins. 1776, 125.

- defensor** Cancer, J. C. Fabricius, Mant. I. 1787, 318.
defensor Cimex, J. C. Fabricius, Syst. Ent. 1775, 706.
defensor Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1775.
defensor Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
defensor Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1787.
defensorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 156.
deflagratus Syrphus, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 369.
deflexus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 310.
deflexa Patella, I. v. Born, Index Mus. Cæs. Vind. 1778, 439.
deflexa Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 108.
deflorata Asaphis (L.), A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 182.—Venus.
deflorata Bombyx, J. C. Fabricius, Syst. Ent. 1775, 582.
deflorata Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 127.
deflorata Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
deflorata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1133.
[defloriana Phalaena (B.) MS.], T. Martyn, Psyche, 1797, figs. 78 & 79.
defoliaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 182 [*n. et*].
defoliaria [Phalaena], C. Clerck, Icones, I. 1759, pl. vii, 4. [*f.*].
defoliaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 326.
deformatus Cimex, Herbst, Einl. Ins. I. 1784, 256.
deformis Murex, D. Solander in G. Brander, Foss. Hant. 1766, 22.
dejanira Papilio, *err. pro dejanira*, L., J. C. Fabricius, Mant. II. 1787, 38.
degeerella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
de Geerella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 895.
degeerella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 328.
degeeriana Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 163.
de-geerii Aranea, Scopoli, Ent. Carn. 1763, 395.
degener Apis, J. A. Scopoli, Annus IV. 1770, 13.
degener Buprestis (Scop.), M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.—Elater.
degener Elater, Scopoli, Ent. Carn. 1763, 95.
degener Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
degener Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 170.—
degener Tenthredo, J. L. Christ, Nat. Ins. 1791, 438. [Noctua].
degener Tipula, Scopoli, Ent. Carn. 1763, 323.
degenerana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 8 [*n. et f.*].
degeneraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 57 [*n. et f.*].
deglupta Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 175. [*et f.*].
degus Myoxus (Mol.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 479.—
degus Sciurus, G. I. Molina, Sag. stor. nat. Chili, 1782, 303. [Sciurus].
dejanira Papilio, *v. dejanira*.
deiphobus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 746.
dejanira (*sic*) Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 282.
dejectus Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
dejopea Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 44.
delator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 185.
deleataria Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 6.
delectans Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 47.
delector Asilus, M. Harris, Exp. Eng. Ins. 1776, 64.
deleta Alca, M. T. Brünnich, Orn. Boreal. 1764, 25.
deleta Arca, D. Solander in G. Brander, Foss. Hant. 1766, 39.
delia Noctua, J. C. Fabricius, Mant. II. 1787, 140.
delia Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
delia [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 144.
delia [Papilio], J. A. B. Bergstrasser, Nom. Ins. IV. 1780, 20.
[delia Papilio, MS.], T. Martyn, Psyche, 1797, figs. 28 & 29.
deliana [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 160.
delicate Musca, M. Harris, Exp. Eng. Ins. 1776, 118.
delicatissima Iguana, J. N. Laurenti, Syn. Rept. 1768, 48.

- delicatulus* Moschus, G. Shaw, Mus. Lever. I. 1792, 149.
delicatula Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 39.
delila Papilio, J. C. Fabricius, Syst. Ent. 1775, 510.
delila Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 234.
deliquiae Solen, F. C. Meuschen, Mus. Gever. 1787, 474.
delirator Cimex, J. C. Fabricius, Mant. II. 1787, 286.
deliratorius Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1787.
deliratorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
delius [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 18.
Delphax (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 579.—M.
Delphax J. C. Fabricius, Suppl. Ent. Syst. 1798, 511.—Hem.
delphinii Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 610.—Phalaena.
delphinii Phalaena Noct., Linnaeus, Syst. Nat., ed. 10, 1758, 518; ed. 12, 1767, 857.
Delphinus Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.—M.
delphinus Angaria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 71.—Turbo.
delphinus Argulus, O. F. Müller, Entom. 1785, 123.
delphinus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3005.—
delphinus Trichoda, O. F. Müller, Verm. I (1) 1773, 75. [Argulus.
delphinus Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 280.—Turbo.
delphinus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764; ed. 12, 1767, 1236.
delphinus Unio, L. Spengler, Skr. nat. Selsk. [Copen.] III (1) 1793, 63.
delphis Delphinus, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.
delphis Trichoda, O. F. Müller, An. Infus. 1786, 211.
delta Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 64.—Trichius.
delta Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 7.
delta Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 53.
delta Trichius (Forst.), J. C. Fabricius, Syst. Ent. 1775, 41.—Scarabaeus.
delubrorum Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
delunaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 34 [*n. et*
delunaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 24. [*f.*].
delusor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 934.
demandaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) [1795], 104; =de-
demandata Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 564. [mandata, Fab.
demandata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
demarriana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 138.
demersa Aptenodytes (L.), J. A. Forster, Comm. Soc. R. Sci. Gott. III. 1781, 134.—
 Diomedea.
demersa Diomedea, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 214.
demersus Pelecanus, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
demersus Phaëthon, Linnaeus, Syst. Nat., ed. 10, 1758, 135; ed. 12, 1766, 219.
demetrius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 196.
deminuta Stryx, P. S. Pallas, Reise Russ. II. 1773, 707.
democratica Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 180.—Salpa.
democratica Salpa, P. Forskal, Descr. Anim. 1775, 113.
democritus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 285.
demodocus Papilio E. A., E. J. C. Esper, Ausl. Schmett. (14) 1798, 205.
demoleus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
demolion [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 140.
demophile Papilio, Linnaeus, Amoen. Acad. VI. 1763, 406.
demophile [Papilio], C. Clerck, Icones, II. 1764, pl. xxviii.
demophon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
“*dendrites* Graptolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.
dendrites Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
dendrites Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
dendriticus Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
dendritica Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 332. [268.
denigrator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 934.
denigratus Attelabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1809.

- denigratus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
denigrata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
denigrata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
denigratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
denigratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
denigratus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
denigratus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1771.
denigratus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
denigrata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
denigrata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 981.
denigrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
denisella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
denotata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
denressa *v. depressa*.
densana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 416.
densata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 304.
densa Beroc, Forsk., A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 45.—Medusa beroc,
Dentale E. M. da Costa, Brit. Conch. 1778, 24.—G. [var.]
Dentale, *id. ac* Dentalium G. Walker & W. Boys, Test. Min. Rar. [1784], 4.
dentalis Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.
dentalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 645.
dentalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (4) 1789, 15.
dentalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
Dentalium Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.—Moll.
dentala Apis, M. Harris, Exp. Eng. Ins. 1776, 161.
dentalus Brachionus, O. F. Müller, An. Infus. 1786, 348.
dentalum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 489.
dentalus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 54.
dentana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 4 [*n. et f.*].
dentaria Geometra (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 5.—Phalaena.
dentaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 12 [*n. et f.*].
dentaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 18.
dentaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 623.
dentaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 7.
dentaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
dentator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 278.
dentator Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 138.
dentatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 496.
dentata Albunea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 398.—Hippa, 1793.
dentata Anatifa, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 63.
dentata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
dentata Buprestis, C. de Villers, Linn. Ent. I. 1789, 337.
dentatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 186.
dentatus Carabus, P. Rossi, Fauna Etrus. I. 1790, 222.
dentatus Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 76.
dentatus Cete, J. G. Schneider, Beytr. nat. Wallfisch. 1795, 135.
dentatus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 88.
dentatus Cimex, C. de Geer, Mém. Ins. III. 1773, 260.
dentatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 702.
dentatus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 268.
dentata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 23.
dentata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 113.
dentatus Conus, P. Forskal, Descr. Anim. 1775, xxxii [*n. n.*].
dentatus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 34.
dentatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
dentatus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 13.
dentatus Dermestes, P. Rossi, Fauna Etrus. I. 1790, 34.
dentatus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 104.—Kateretes.

- dentata* Donacia, D. H. Hoppe, Ins. Elyt. 1795, 40.
dentatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 212; *var. minor*.
dentatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
dentata Euryala (Fab.), F. Weber, Nomen. Fabricii, 1795, 94.—Hippa.
dentata Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 15.
dentata Flustra, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 24.
dentata Forficula, J. C. Fabricius, Syst. Ent. 1775, 270.
dentata Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 54.
dentatus Gryllus (Locusta) (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
dentata Hippa, J. C. Fabricius, Ent. Syst. II. 1793, 474. [2086.—Acrydium.
dentata Hispa, J. C. Fabricius, Mant. II. 1787, 378.
dentata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 97.
dentatus Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 436.
dentatus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 417.
dentatus Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 15.
dentata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
dentata Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 469.
dentatus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 503.
dentatus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
dentata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
dentatus Passalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 241.
dentatus Pediculus, Scopoli, Ent. Carn. 1763, 383.
dentata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
dentata Pimelia, J. C. Fabricius, Mant. I. 1787, 208.
dentatus Pleuronectes, Linnaeus, Syst. Nat., ed. 12, 1766, 458.
dentata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96 [*n. n.*].
dentata Silpha, J. C. Fabricius, Mant. I. 1787, 50.
dentatus [Sphinx], P. Cramer, Utitl. Kapellen, II (11) 1777, 42.
dentatus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1213.
dentata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 184.
dentatus Thynnus, J. C. Fabricius, Syst. Ent. 1775, 360.
dentatus Trochus, P. Forskal, Descr. Anim. 1775, 125.
dentatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
dentata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 674.
dentata Vespa (Fab.), J. L. Christ, Nat. Ins. 1791, 228.—Thynnus.
dentatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita dentella,
dentella Alucita, J. C. Fabricius, Syst. Ent. 1775, 667. [1794.
dentella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 343.
dentellus Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
dentella Phalaena Tin., C. de Villers, Linn. Ent. II. 1789, 515.
dentex Cyclopterus, P. S. Pallas, Spic. Zool. VII. 1769, 6.
dentex Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 531.
dentex Salmo, Linnaeus in Hasselquist, Palast. 1762, 437.—Cyprinus, 1758.
dentex Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 471.
Denticollis M. Pillar & L. Mitterpacher, Iter Poseg. 1783, 86.—Col.
denticolle Anobium, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 8.
denticollis Elater, J. C. Fabricius, Ent. Syst. IV. 1794, 451.
denticornis Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 265.
denticornis Cerambyx, A. G. Olivier, Entom. IV. 1795, 60.
denticornis Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 173.
denticornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 24.
denticornis Ptinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 240.
denticularia Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 187.
denticulator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
denticulata Acanthia, P. Rossi, Fauna Etrus. II. 1790, 225.
denticulatus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 520.
denticulata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
denticulata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 213.

- denticulatus Astroites, J. E. I. Walch, Naturforscher, V. 1775, 45.
denticulata Bulla, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 1.
denticulata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
denticulatus Cimex, Scopoli, Ent. Carn. 1763, 125.
denticulatus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 107.
denticulatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 125.
denticulatus Dermestes, P. Rossi, Mant. Ins. II. 1794, 80.
denticulata Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1127.
denticulatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
denticulatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
denticulata Locusta, G. W. F. Panzer, Ins. Germ. heft 33 [1796], tab. 5.
denticulata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
denticulata Mitra, T. Martyn, Univ. Conch. III [1789], fig. 103,
denticulata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 99.
denticulata Patella, T. Martyn, Univ. Conch. II [1788], fig. 65.
denticulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
denticulata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3731.
denticulatum Peloderma (Born), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Ostrea.
denticulata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
denticulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
denticulata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 336.
denticulata Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3746.
denticulata Silpha, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 117.
denticulatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
denticulata Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 352.
denticulatus Trox, A. G. Olivier, Entom. I. 1789, 13.
denticulella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 97.
denticulosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [1796], 14.
denticulosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
dentifer Cerambyx, A. G. Olivier, Entom. IV. 1795, 132.
dentifer Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 488.
dentilinearia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 231.
dentimacula Phalaena Noctua, J. Hubner, Beitr. Schmett. II. 1790, 13.
dentina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
dentipes Alurnus, J. C. Fabricius, Mant. I. 1787, 66.
dentipes Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
dentipes Blaps, J. C. Fabricius, Ent. Syst. IV. 1794, 439.
dentipes Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 268.
dentipes Cimex, J. C. Fabricius, Mant. II. 1787, 290.
dentipes Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 9.
dentipes Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 504.
dentipes Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 116.
dentipes Helops, J. C. Fabricius, Spec. Ins. I. 1781, 326.
dentipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
dentipes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 143.—Cimex, 1787.
dentipes Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
dentipes Mulio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 558.—Syrphus, 1787.
dentipes Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2877.—Syrphus.
dentipes Pimelia, J. C. Fabricius, Mant. I. 1787, 208. [lontha.
dentipes Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—Melo-
dentipes Spondylis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.—
dentipes Syrphus, J. C. Fabricius, Mant. II. 1787, 338. [Alurnus.
dentipes Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798, 115.—
dentipes Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396 (40). [Helops.
dentipes Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396 (41).
dentirosstris Curculio, O. F. Müller, Z. Dan. Prod. 1776, 85.
dentrachates Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 135.
denudata Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1091.

- denudata Phyllodoce (L.), A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 201.—Holothuria.
- denunciator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 428.
- deolis [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 59.
- deperditus Conus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 691.
- deperdita Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 120. [sia, 1767.]
- depilans Aplysia, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3103.—Laply-
- depilans Laplysia, Linnaeus, Syst. Nat., ed. 12, 1767, 1082; [Tethys limacina, ed. 10].
- deplanatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 121.
- deplana Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 595.—Phalaena.
- deplana Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 97.
- deplana Phalaena, Linnaeus, Mant. II. 1771, 539. [Noctua.]
- deplana Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 245.—
- depressana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—Pyralis.
- depressana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 655.
- depressator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
- depressella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 485.—Pyralis depressana, 1775.
- depressor Pectunculus, E. M. da Costa, Brit. Conch. 1778, 194.
- depressirostris Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 477.
- depressulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
- depressa Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 72.
- depressus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- depressa Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 36.
- depressa Anadema, F. C. Meuschen, Mus. Gev. 1787, 480.
- depressus Aphodius (Kug.), Illiger in Kugelann, Käfer Preuss, 1798, 28.—Scarabaeus.
- depressa Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 245.
- depressus Buprestis, Linnaeus, Mant. II. 1771, 533.
- depressa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 219.
- depressus Cancer, J. C. Fabricius, Syst. Ent. 1775, 406.
- depressa Cantharis (Fab.), C. de Villers, Linn. Ent. I. 1789, 301.—Cucujus.
- depressa Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 95.
- depressus Carabus, G. Paykull, Mon. Carab. 1790, 34.
- depressus Carabus, G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 8.
- depressus Carabus, A. G. Olivier, Entom. III. 1795, 54.
- depressus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 56.
- depressus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
- depressus Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 35.
- depressus Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 214.
- depressum Colydidium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 286.
- depressus Cossyphus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 122.—Lampyris.
- depressus Cucuius, J. C. Fabricius, Syst. Ent. 1775, 204.
- depressus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
- depressus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 233.
- depressus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 164. [Echinites.]
- depressus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3182.—
- depressa Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 37.
- depressum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
- depressus Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
- depressus Hister, J. C. Fabricius, Mant. I. 1787, 32.
- depressus Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 223.
- depressus Hypophleus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 23.
- depressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
- depressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
- depressus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 231.
- depressus Julus, J. C. Fabricius, Ent. Syst. II. 1793, 393.
- depressa Lampyris, J. C. Fabricius, Spec. Ins. I. 1781, 254.
- depressa Lepas, J. X. Poli, Test. Sicil. I. 1791, 27.
- depressa Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.
- depressa Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Noctua, 1794.

- depressus Lucanus, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 105.
- depressus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 503.
- depressus Lygdis, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
- depressa Musca, C. de Villers, Linn. Ent. III. 1789, 548.
- depressa Musca (Syrphus), N. S. Swederus, K. Vet. Ac. Nya Handl, VIII. 1787, 287.
- depressa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- depressa Nitidula (L.), Illiger in Kugelann, Käfer Preuss. 1798, 386.—Silpha.
- denressa (*sic*) Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 98.
- depressa Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 24.
- depressum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
- depressa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
- depressa Patella, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 124.
- depressa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
- depressa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698 [P. deflexa,
- depressa Patella, J. F. Bolten, Mus. Bolten (2) 1798, 12. [Helb.].
- depressa Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
- depressa Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 246.—
- depressa Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74 [*n. n.*]. [P. Noctua.
- depressus Posydon, F. Weber, Nomen. Fabricii, 1795, 94.
- depressus Posydon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 417.
- depressa Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 266.
- depressus Scarabaeus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 262.
- depressus Scarites, J. C. Fabricius, Mant. I. 1787, 206.
- depressa Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 573.
- depressus Spatagus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 238.
- depressa Sphex, C. de Geer, Mém. Ins. III. 1773, 590.
- depressus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
- depressus Staphylinus, G. Paykull, Mon. Staph. 1789, 70.
- depressa Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 73.
- depressa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
- depressus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 675.
- depressus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 112.
- depressa Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 342.
- depressa Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
- depressus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
- depressa Vaginella, F. M. Daudin, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 145.
- deprimator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
- depsarius Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 624.
- depsarius Prionus (L.), J. C. Fabricius, Mant. I. 1787, 128.—Cerambyx.
- depuncta Noctua (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 109.—Phalaena.
- depuncta Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 321.
- depurator Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1043.
- depurator Portunus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
- derasella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
- derasella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- derasa Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 17.
- derasa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 483.
- derasus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 10.
- derasa Noctua, (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
- derasa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 851.
- derasa Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
- derelictus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
- derhamii Aranea, Scopoli, Ent. Carn. 1763, 400.
- derisor Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
- derivatis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 2 [2].
- derivata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- derivata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 289
[*n. et f.*].

- derivata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 421.—
Geometra.
- Dermestes Linnaeus, Syst. Nat., ed. 10, 1758, 354; ed. 12, 1767, 561.—Col.
- dermestina Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
- Dermestoides J. C. Schaeffer, Elem. Entom. 1777, pl. 138.—Col.
- Dermestoides J. F. W. Herbst in Fuessly, Arch. Insect. IV. 1783, 40.—Col.
- dermestoides Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 107.—Tenebrio, 1787.
- dermestoides Cantharis, Linnaeus, Faun. Suec., ed. 2, 1761, 201.
- dermestoides Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 14.
- dermestoides Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 96.
- dermestoides Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 53.
- dermestoides Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 656.
- dermestoides Helops (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 120.—Blaps.
- dermestoides Helops, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 2.
- dermestoides Horia (L.), J. C. Fabricius, Mant. I. 1787, 164.—Cantharis.
- dermestoides Lyctus, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 15.
- dermestoides Lymexylon (L.), J. C. Fabricius, Syst. Ent. 1775, 204.—Cantharis.
- dermestoides Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
- dermestoides Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498. [400.]
- dermestoides Tenebrio, M. Piller & L. Mitterpacher, Iter Poeseg. 1783, 68.
- dermestoides Tenebrio, J. C. Fabricius, Mant. I. 1787, 212.
- dermestoides Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 88.
- Dermipus C. R. W. Wiedemann, Archiv Zool. (Wiedemann) I (1) 1800, 180.
- derogata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 641.
- derosa Cypraea, *err. pro* erosa, Linn. J. J. Langius' ed. of Linn. Syst. Nat. 1760, 723.
- derosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3416.
- Derris J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 67.—Nud.
- deserti Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1076.
- deserti Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 949.
- deserti Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1571.
- desertor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 934.
- desertorius Ichneumon, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 15.
- desertorum Falco, F. M. Daudin, Traité élém. Orn. 1800, 162.
- desertorum Helix, P. Forskal, Descr. Anim. 1775, 127.
- desertrix Cicada, P. Rossi, Mant. Ins. II. 1794, 51.
- desertus Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
- desertum Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 13.
- desertus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
- desertus Curculio, G. W. F. Panzer, Ins. Germ. heft 42 [1797], tab. 8.
- desertus Gryllus (Acheta), P. S. Pallas, Reise Russ. I. 1771, 468.
- deserta Lamia (L.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.—Cerambyx.
- deses Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
- deses Enchelis, O. F. Müller, An. Infus. 1786, 25.
- desfontainana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 268.
- desfontainii Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 258.
- desfontaini Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 89.
- designata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
- designatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
- Desman B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
- desolata Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 47.
- desolata Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 562.
- despectata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
- despectus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1222.
- despecta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- despecta Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
- despecta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
- despecta Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143 [*n. n.*].
- despectum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Murex.

- despicata Phalaena, Scopoli, Ent. Carn. 1763, 231.
 despiciens Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
 desponsata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 dessinator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 174.
 destituta Noctua, J. C. Fabricius, Syst. Ent. 1775, 598.
 destructor Acarus, F. v. P. Schrank, Ins. Aust. 1781, 512.
 destructor Falco, F. M. Daudin, Traité élém. Orn. 1800, 60.
 destructor Scolytus, A. G. Olivier, Entom. IV. 1795, 5.
 destructor Termes, P. Forskal, Descr. Anim. 1775, 96.
 destructor Termes, J. C. Fabricius, Spec. Ins. I. 1781, 396.
 destructor Tenmes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
 destructorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 135.
 detecta Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
 detectus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
 detersa Noctua, E. J. C. Esper, Die Schmett. IV (42-44) 1791, 260. [Cypris.
 dethardingii Numerius, J. M. Bechstein, Latham's Vögel, VI. 1798, 547.
 dethardingii Scolopax, A. C. Siemssen, Handb. Mecklenb. Land-Wasser-Vögel, 1794, 169.
 detricus Hister, *err. pro* detritus, Fabr., J. C. Fabricius, Mant. I. 1787, 33.
 detritus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 21.
 detritum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 194.—Leptura.
 detritus Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.—Leptura.
 detritus Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 99.—Leptura.
 detrita Coccinella, J. C. Fabricius, Syst. Ent. 1775, 85.
 detrita Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
 detrita Helix, O. F. Müller, Verm. II. 1774, 101.
 detritus Hister, J. C. Fabricius, Syst. Ent. 1775, 53.
 detrita Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 640.
 detrita Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 26.
 detrita Phalaena Bomb., E. J. C. Esper, Die Schmett. III (22) 1785, 229.
 detrita Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 308.
 detruncata Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3347.
 deusta Blatta, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 76.
 deusta Cassida, J. C. Fabricius, Syst. Ent. 1775, 89.
 deustus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1850.
 deustus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 58.
 deustus Elater, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 64.
 deustus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
 deustus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
 deustus Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
 devastator Formica, J. L. Christ, Nat. Ins. 1791, 517.
 devastator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 367.
 devastatrix Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 396.
 devius Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 558.—Musca.
 devia Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 446.
 devius Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
 devorator Tipula, M. Slabber, Nat. Verlust. [?] 1770], 17.
 devota Melolontha, P. Rossi, Fauna Etrus. I. 1790, 19.
 extra Helix, O. F. Müller, Verm. II. 1774, 89.
 dexter Musca, M. Harris, Exp. Eng. Ins. 1776, 108.
 dhara Coluber, P. Forskal, Descr. Anim. 1775, 14.
 dharr Formica, P. Forskal, Descr. Anim. 1775, xx & 85.
 dia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 785.
 dia major Papilio, H. G. Lang, Vers. Schmett. 1789, 40.
 Diabolus G. Edwards in M. Catesby, Carol. I. 1771, xxxii.—P.
 diabolus Musca, M. Harris, Exp. Eng. Ins. 1776, 126.
 diacanthus Chaetodon, P. Boddart, De Chaet. diacantho, 1772.
 diacantha Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 58.
 Diadema, *v.* Anadema, non *errore* ut ibi dictum. Vide etiam p. 298.

- Diadema** [G. Humphreys], Mus. Calonn. 1797, 64.—Ech.
diadema Anadema (L.), F. C. Meuschen, Mus. Gever. 1787, 482.—Echinus.
diadema Anas, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
diadema Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
diadema Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1030.
diadema Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 462.
diadema Balanus (L.), F. C. Meuschen, Mus. Gever. 1787, 478.—Lepas.
diadema Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 68.
diadema Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 44.
diadema Cidaris (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 100; *varr.* viridi-flora, setosa, nigra.—Echinus.
diadema Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.—Reduvius.
diadema Crabro, J. C. Fabricius, Spec. Ins. I. 1781, 471.
diadema Curculio, J. C. Fabricius, Mant. I. 1787, 116.
diadema Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
diadema Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
diadema Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
diadema Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 703.
diadema Lepas, Linnaeus, Syst. Nat., ed. 12, 1767, 1108.
diadema Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 982.
diadema Mutilla, J. C. Fabricius, Mant. I. 1787, 311.
diadema Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 22.
diadema Phalangium, J. C. Fabricius, Reise Norwegen, 1779, 339.
diadema Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 225.—Crabro, [1781].
diadema Reduvius, J. C. Fabricius, Gen. Ins. 1777, 302.
diadema Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 762.—Musca.
diadema Scarabaeus, A. G. Olivier, Entom. I. 1789, 181.
diadema Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
diadema Trochus, C. U. v. Salis, Reise Neapel, 1793, 375.
diadema Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
diadema Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—Crabro.
diadema Vespa, J. L. Christ, Nat. Ins. 1791, 223.
diadema Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.
diadematus Cidaris, *id. ac* diadema, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 264.
[diadematus Araneus, C. Clerck, Aran. Svec. 1757, 25.]
diagramma Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
diamina Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 44.
diana Cerambyx, A. G. Olivier, Entom. IV. 1795, 107.—Lamia, 1792.
diana Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 31.—Simia.
diana Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 470.
diana [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 4.
diana Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 38.
diana Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 66.
dianae Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 520.
dianae Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 139.
dianaea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 307.
dianthus Actinia, Ellis & Solander, H. N. Zooph. 1786, 7 [see Phil. Trans. lviii. 1767, 436].
dianthus Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
dianthus Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 85.
Diaperis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 337.—Col.
Diaperis J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 218.—Col.
diaphanata Phalaena, *id. ac* diaphana Cram., J. C. Fabricius, Spec. Ins. II. 1781, 266.
diaphana Angarius, F. C. Meuschen, Mus. Gever. 1787, 254.
diaphana Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 11.
diaphana Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 169 (2).
diaphana Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
diaphanum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114.
diaphanus Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151 [*n. n.*].

- diaphana Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
 diaphanus Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
 diaphana Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 76.
 diaphana Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
 diaphanus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3529.
 diaphana Musca, J. C. Fabricius, Syst. Ent. 1775, 783.
 diaphana Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
 diaphanus Pagurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 412.
 diaphanus Papilio, J. C. Fabricius, Syst. Ent. 1775, 468.
 diaphanus [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 13.
 diaphana Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
 diaphana [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 26.
 diaphana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV. (30) 1781, 135.
 diaphana Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 30.
 diaphana Sternoptyx, J. Hermann, Naturforscher, XVI. 1781, 33.
 diaphanus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
 diaphana Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
 Diapria P. A. Latreille, Préc. Car. Ins. 1796, 110.—Hym.
 dice [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 23.
 diceraus Cottus, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 354.
 dichotoma Antipathes, P. S. Pallas, Elench. 1766, 216.
 dichotomus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus.
 dichotoma Gorgonia, E. J. C. Esper, Pflanzenth. II (7) 1791, 59.
 dichotoma Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287.
 dichotoma Millepora, P. Forskal, Descr. Anim. 1775, 138.
 dichotom[us] Scarabaeus, Linnaeus, Mant. II. 1771, 527.
 dichotoma Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1312.
 dichotoma Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1299.
 dichotomus Tabanus, A. F. de Fourcroy, Ent. Paris, 1785, 456.
 dichroa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.
 dichroa Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
 dichroa Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 dichroa Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 949.
 dichroa Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
 dichroa Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
 dichroma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 519.
 dichrous Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
 dichrous Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
 dichrous Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 352.
 dichrous Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1553.
 dichrous Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
 dicolorus Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 152.
 dictaea Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 831.—Phalaena.
 dictaea Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 826.
 dictaeoides Phalaena Bombyx (*ex* Esper tab.), N. J. Brahm, Ins. Kal. II (1) 1791, 330.
 dictator Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 410.
 dictynna Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
 dictynna Papilio N., E. J. C. Esper, Die Schmett. I (9) 1779, 382.
 dictynna Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 44.
 didactylites Phalaena Alucita, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 89.
 didactylus Bradyus, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.
 didactyla Myrmecophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.
 didactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 899.
 didactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
 didactylus Pterophorus, A. F. de Fourcroy, Ent. Paris. 1785, 256.
 didactyla Scorpaena, P. S. Pallas, Spic. Zool. VII. 1769, 26.
 Didelphis Linnaeus, Syst. Nat., ed. 10, 1758, 54; ed. 12, 1766, 71.—M.
 dido Papilio, Linnaeus, Amoen. Acad. VI. 1763, 408.

- dido [Papilio], C. Clerck, Icones, II. 1764, pl. xxx.
 Didus Linnaeus, Syst. Nat., ed. 12, 1766, 267.—A.
 didymaon Papilio P. R., J. C. Fabricius, Mant. Ins. II. 1787, 66.
 didymata Chrysomela, L. G. Scriba, J. Lieb. Ent. III. 1791, 294.
 didymata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 872.
 didymion Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 2.
 didyma Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
 didymus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
 didymus Cerambyx, A. G. Olivier, Entom. IV. 1795, 125.
 didyma Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 68.
 didymus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 107.
 didymus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 178.
 didymus Dytiscus, A. G. Olivier, Entom. III. 1795, 26.
 didyma Formica, J. C. Fabricius, Spec. Ins. I. 1781, 489.
 didymum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177 [n. n.].
 didymus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus.
 didyma Noctua, M. B. Borkhausen, Nat. europ. Schmett. IV. 1792, 465.
 didyma Papilio, E. J. C. Esper, Die Schmett. I (9) 1779, 365. [Noctua.
 didyma Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 465.—
 didyma Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2007.—
 Tenebrio.
 didymus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 545.
 didymus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 341.
 didyma Sphinx, J. C. Fabricius, Syst. Ent. 1775, 543.
 didymus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 42.
 difficile Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 124.
 diffinis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
 diffinis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 848.
 diffinis Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 24.
 diffluens Proteus, G. Adams, Ess. Micr. 1787, 477.
 difformis Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 198.
 difformis Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130 [n. n.].
 difformis Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 72.
 difformis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
 difformis Tenthredo, Jurine in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 10.
 digitalia Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 249.
 digitalis Brachionus (Linn.), P. S. Pallas, Elench. 1766, 104.—Hydra.
 digitale Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
 digitalis Cancer (Mantis), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 92.
 digitalis Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
 digitale Medusa, O. F. Müller, Z. Dan. Prod. 1776, 233.
 digitale Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
 digitalis Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
 digitaria Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
 digitata Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
 digitatum Alcyonium, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1294.
 digitata Echinometra, P. L. S. Müller, Del. Nat. I. 1766, 130.
 digitatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
 digitatus Lophius, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 15.
 digitata Madrepora, P. S. Pallas, Elench. 1766, 326.
 digitata Nais, O. F. Müller, Verm. I (2) 1774, 22.
 digitata Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 309.
 digitata Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 190.
 digitellus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
 digitiformis Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 708; ed. 12, 1767, 1160.
 digitus Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
 dignella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30.
 digramma Anthias (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 117.—Perca.

- digrammus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 digramma Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1319.
 dilatata Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 47.
 dilatata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 230.
 dilatata Buprestis, A. G. Olivier, Entom. II. 1790, 58.
 dilatatum Callidium, G. Paykull, Faun. Suec. III. 1800, 91.
 dilatata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 193.
 dilatata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.—
 dilatata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 82. [Tettigonia.
 dilatatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.
 dilatata Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
 dilatata Erotylus, J. C. Fabricius, Gen. Ins. 1777, 222. [Erotylus.
 dilatata Fulgora (Fourc.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 577.—Cicada.
 dilatata Leucophaea, O. F. Müller, An. Infus. 1786, 147.
 dilatatus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 538.
 dilatata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 610.
 dilatatum Phasma, G. Shaw, Tr. Linn. Soc. [Lond.], IV. 1798, 192.
 dilatatus Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
 dilatata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
 dilatata Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
 dilatatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 393.
 dilectaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 39 [n. et f.].
 dilectaria Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 186.
 dilectaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 76.
 dilucidaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315. [n. et f.].
 dilucidaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 143
 dilucidaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V.
 1794, 279.—Geometra.
 dilutana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
 dilutana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 6 [n. et f.].
 dilutaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 100
 dilutata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109. [n. et f.].
 dilutata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 188
 [n. et f.].
 dilutata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 dilutella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136. [291.—Geometra.
 dilutella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 32.
 diluta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
 diluta Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 624.—
 diluta Tipula, O. F. Müller, F. Ins. Frid. 1764, 79. [Noctua.
 “diluvianus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III, 1768, 165.
 diluvianus Mytilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 98 [n. n.].
 diluviana Ostrea, Linnaeus, Syst. Nat., ed. 12, 1767, 1148.
 dimano Musca, M. Harris, Exp. Eng. Ins. 1776, 142.
 dimas Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 16.
 dimas [Phalaena], P. Cramer, Uitl. Kapellen, I (5) 1775, 91.
 dimeralis Phalaena, P. Rossi, Mant. Ins. II. 1794, 38.
 dimicatorius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2680.
 dimidialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 224.
 dimidiator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 427.
 dimidiata Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
 dimidiata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2780.
 dimidiata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 316.
 dimidium Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1206.
 dimidiata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 91.
 dimidiata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 119.
 dimidiata Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 68.
 dimidiatus Carabus, P. Rossi, Fauna Etrus. I. 1790, 214.

- dimidiatus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 367.
 dimidiatus Carabus, A. G. Olivier, Entom. III. 1795, 72.
 dimidiatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
 dimidiata Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 258.
 dimidiata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 81.
 dimidiata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 702.
 dimidiata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.
 dimidiata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 94.
 dimidiatus Crabro, J. C. Fabricius, Spec. Ins. I. 1781, 471.
 dimidiatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 480.
 dimidiatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 25.
 dimidiatus Diodon, J. A. Donndorff, Zool. Beyt. III. 1798, 786.
 dimidiatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
 dimidiatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.
 dimidiata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 99.
 dimidiata Leptura, J. C. Fabricius, Syst. Ent. 1775, 199.
 dimidiata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
 dimidiata Molorchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 357.—Leptura, 1775.
 dimidiata Mordella, J. C. Fabricius, Spec. Ins. I. 1781, 332.
 dimidiata Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 17.
 dimidiata Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 11.
 dimidiata Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 261.
 dimidiata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 56.
 dimidiata Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 446.
 dimidiatus Oxyporus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 181.
 dimidiatus Paederus, G. W. F. Panzer, Deutsch. Ins. [1795], 362.
 dimidiata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 dimidiata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 602.
 dimidiata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
 dimidiata Phalaena, J. C. Fabricius, Mant. II. 1787, 202.
 dimidiata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
 dimidiata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
 dimidiatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112.
 dimidiata Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
 dimidiata Sphex, C. de Geer, Mém. Ins. III. 1773, 589.
 dimidiata Sphex, J. L. Christ, Nat. Ins. 1791, 313.
 dimidiata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 209. [Crabro.
 dimidiata Sphex (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 142.—
 dimidiatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
 dimidiatus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 434.
 dimidiata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—
 dimidiata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675. [Crabro.
 dimidiatus Volvox, Linnaeus, Syst. Nat., ed. 12, 1767, 1325.
 dimidiella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
 dimidio-alba Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
 dimorpha Medusa, *id. ac* bimorpha, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 dimus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 71. [1790, 3156.
 dindus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 269.
 dindymus [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 73.
 dingo Canis, F. A. A. Meyer, Zool. Entdeck. 1793, 33.
 Dinotus J. E. Guettard, Mém. diff. Sci. III. 1770, 133.—Ver.
 diocippus [Papilio], P. Cramer, Utit. Kapellen, I (3) 1775, 44.
 diocletianus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 40.
 Diodon Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 412.—P.
 Diodon G. C. C. Storr, Prod. 1780, 42 & Tab. C.—M.
 diodon Curculio, F. v. P. Schrank, F. Boica, I. 1798, 503.
 diogenes Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1049.
 diogenes Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 410.—Cancer.

- Diomedaea** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 71.—A.
Diomedea Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 214.—A.
diomedea Pediculus, J. C. Fabricius, Syst. Ent. 1775, 808.
diomedes Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 749.
diomedes Papilio, Rottenburg, Naturforscher, VI. 1775, 26.
diomedia Procellaria, J. A. Scopoli, Annus I. 1769, 74.
dion Papilio, J. G. Schaller, Naturforscher, XXIII. 1788, 49.
Dionaea J. G. Meigen, N. Class. Mouches, 1800, 24.—Dip.
dione Bombyx, J. C. Fabricius, Syst. Ent. 1775, 572.
dione Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 410.
dione Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 450.—Venus.
dione Coluber, P. S. Pallas, Reise Russ. II. 1773, 717.
dione [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 14.
dione Phalaena (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 125.—Bombyx.
dione Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 684; ed. 12, 1767, 1128.
dionysii Cercopis, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 24.
dionysius Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus, 1792.
dionysius Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 20.
diophthalmus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 30.
diophthalma Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
diophthalmus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 769.—Musca.
Diopsis Linnaeus, Bigis Insect. 1775, 5.—Dip.
dioraria Phalaena, *id. ac* diores, Cram.=diores, J. C. Fabricius, Spec. Ins. II. 1781, 242.
diores [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 119.
discoidea Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula discoidea.
dioscoreae Noctua, J. C. Fabricius, Syst. Ent. 1775, 593.
dioscorides Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 329.
diosmatis Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.), I. 1778, 22.
diota Trichoda, O. F. Müller, An. Infus. 1786, 168.
diphilus Papilio E. T., E. J. C. Esper, Ausl. Schmett. (10) 1793, 156.
diphos Solen, Linnaeus, Mant. II. 1771, 544.
diphos Tellina, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 3.
 "Diphytes, Schroet. 1779," Scudd., not used in a generic sense.
Diplolepis E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 308.
dipsacea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 856.
dipsacea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 598.—Phalaena.
Dipsas J. N. Laurenti, Syn. Rept. 1768, 89.—R.
dipsas Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
diptera Ephemera, Linnaeus, Faun. Suec., ed. 2, 1761, 377.
diptera Phalaena Alucita, J. H. Sulzer, Gesch. Ins. 1776, 163.
diptera Zygaena, J. C. Fabricius, Syst. Ent. 1775, 555.
dipterorum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 523.
Dipus E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 354.—M.
Dipus J. C. D. Schreber, Säugth. IV. 840 (1788); pl. 228 (1782).—M.
Dipus P. Boddaert, Elench. 1785, 114.—M.
Dipus B. G. E. de Lacépède, Tabl. Mam. 1799, 10.—M.
dirae Musca, M. Harris, Exp. Eng. Ins. 1776, 112.
Dircaea J. C. Fabricius, Suppl. Ent. Syst. 1798, 6.—Col.
dirce Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 778.
dirtea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 59.
dirus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 331.
disa Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 37.
discana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
discaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
discata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 218.
discifer Anthribus, F. v. P. Schrank, F. Boica, I. 1798, 474.
discina Vorticella, O. F. Müller, An. Infus. 1786, 271.
discincta Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.

- discincta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
 "Discites, Walch, 1768," Herm.; not used in a generic sense.
- Disci-transfixus F. C. Meuschen, Mus. Gever. 1787, 490.—Ech.
- discoidea Buprestis, J. C. Fabricius, Mant. I. 1787, 184.
- discoides Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
- discoides Madrepora, P. S. Pallas, Elench. 1766, 306.
- discoideus Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 409.
- discoidea Buprestis, *v.* discoidea.
- discoideus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 157.
- discoidea Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 151.
- discoideus Cimex, J. C. Fabricius, Mant. II. 1787, 295.
- discoidea Coccinella, Illiger in Kugelann, Käfer Preuss. 1798, 418.
- discojdea Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 150.
- discoideus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.
- discoidea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.
- discoidea Musca, J. C. Fabricius, Mant. II. 1787, 351.
- discoidea Nitidula, J. C. Fabricius, Syst. Ent. 1775, 78.
- discoidea Ostoma, N. Laicharting, Tyrol. Ins. I. 1781, 108.
- discoidea Phryganea, J. C. Fabricius, Mant. I. 1787, 245.
- discoidea Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 147.
- discoideus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 171.
- discoideus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
- discolor Bombylius, J. C. Mikan, Mon. Bomb. 1796, 27.
- discolor Bombyx, *id. ac* bicolor, Cram., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 69.
- discolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- discolor Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
- discolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
- discolor Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
- discolor Cuculus, G. Shaw in Miller, Cim. Phys. 1796, 95.
- discolor Dircaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.
- discolor Donacia, D. H. Hoppe, Ins. Elyt. 1795, 45.
- discolor Donacia, G. W. F. Panzer, Deutsch. Ins. [1795], 216.
- discolor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
- discolor Falco, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 116.
- discolor Felis, J. C. D. Schreber, Säugth. III. 393 (1777) pl. civ. B (1777).
- discolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
- discolor Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 73.
- discolor Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
- discolor Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 320.
- discolor Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 50.
- discolor Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 82.
- discolor Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 280.
- discolor Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
- discolor Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 18.
- discolor Psittacus, G. Shaw in White, Journ. N. S. W. 1790, 263.
- discolor Rhamphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
- discolor Sciaena, J. G. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 319.
- discolor SpheX, J. C. Fabricius, Ent. Syst. II. 1793, 217.
- discolor Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
- discors Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 205.
- discors Bombyx, J. C. Fabricius, Suppl. Ent. Syst., 1798, 438.
- discors Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
- discors Musculus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 157.—Mytilus.
- discors Mytilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1159.
- discors, *L. var. arcticus* Mytilus, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788, 460.
- discors, *L. var. australis* Mytilus, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788, 461.

- discors, L., *var. suecicus* Mytilus, O. Fabricius, Nye Saml. K. Danske Skrifter, III. 1788,
discors Nautilus, J. J. N. A. Spalowsky, Prod. Test. 1795, 8. [460.]
discors Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2261.
discors Pholas, J. S. Schroeter, Neue Litt. IV. 1787, 260.
discors Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 54.
discors Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
discors Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
discretus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
disculus Anomia, P. S. Pallas, Misc. Zool. 1766, 184.
discus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 164.
discus Cercaria, O. F. Müller, An. Infus. 1786, 138.
discus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
disiuncta Apis, J. C. Fabricius, Spec. Ins. I. 1781, 481.
dispar Anas, A. Sparrman, Mus. Carls. I. 1786, no. vii., viii.
dispar Apaté, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 494.
dispar Apaté, J. C. Fabricius, Ent. Syst. I (2) 1792, 363.
dispar Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
dispar Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 570.—Phalaena.
dispar Bombyx, C. P. Thunberg, Ins. Suecica (I) 1784, 1.
dispar Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 113.
dispar Brentus (L.), J. C. Fabricius, Mant. I. 1787, 96.—Curculio.
dispar Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 213.
dispar Carabus, G. Paykull, Faun. Suec. I. 1798, 167.
dispar Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
dispar Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 267.
dispar Chrysomela, G. Paykull, Faun. Suec. II. 1799, 66.
dispar Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 81.
dispar Coccinella, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 173.
dispar Coccinella, G. Paykull, Faun. Suec. II. 1799, 17.
dispar Cryptocephalus, G. Paykull, Faun. Suec. II. 1799, 142.
dispar Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 613.
dispar Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 460.
dispar Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 126.
dispar Dytiscus, P. Rossi, Fauna Etrus. I. 1790, 199.
dispar Elater, G. Paykull, Faun. Suec. III. 1800, 37.
dispar Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 52.
dispar Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 9.—Scarabaeus, 1781.
dispar Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
dispar Leptura, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 179.
dispar Leptura, G. Paykull, Faun. Suec. III. 1800, 107.
dispar Lyctus, G. Paykull, Faun. Suec. III. 1800, 328.
dispar Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 65.
dispar Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
dispar Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 821.
dispar Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 5.
dispar Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 204.
dispar Sphaeridium, G. Paykull, Faun. Suec. I. 1798, 62.
dispar Staphylinus, G. Paykull, Mon. Staph. 1789, 77.
dispar Stenocorus, G. W. F. Panzer, Ins. Germ. heft 17, 1794, tab. 1.
dispar Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 309.
dispar Tabanus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 567.
dispar Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 425.
dispar Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 248.
disparata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 246 [n.
disparis Sphex, N. Poda, Ins. Mus. Graec. 1761, 107. [et f.].
dissectus Philanthus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 269.
dissimilis Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 354.
dissimilis Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].

- dissimilis* Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 290.
dissimilis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3647.—*Nerita*.
dissimilis *Nerita*, O. F. Müller, Verm. II. 1774, 184.
dissimilis *Noctua*, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 65.
dissimilis *Papilio* (*Nymphalis*), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
dissimilis *Phalaena* (N.), A. W. Knoch, Beitr. Insektenges. I. 1781, 57.
distans *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 634.
disticha *Fasciola*, O. F. Müller, Z. Dan. Prod. 1776, 224.
distincta *Andrena*, P. Rossi, Fauna Etrus. II. 1790, 345.
distincta *Cantharis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
distinctus *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
distinctus *Carabus*, P. Rossi, Mant. Ins. I. 1792, 83.
distincta *Chrysomela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
distinctus *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
distincta *Coccinella*, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 17.
distinctus *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 459.
distinctus *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
distincta *Noctua*, J. C. Fabricius, Mant. II. 1787, 157.
distinctus *Scarabaeus*, O. F. Müller, Z. Dan. Prod. 1776, 53.
distincta *Vespa*, Holthuisen, D. H. Schneider, Verz. Parthei Ins. 1800, 21.
distinguendus *Cryptocephalus*, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 209.
Distoma A. J. Retzius, De Verm. intest. 1786, 20.—Ver.
Distomum Gaertner in Pallas, Spic. Zool. (10) 1774, 40.—Pol.
distomum *Aleyonium*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 23.
Distorsio J. F. Bolten, Mus. Bolten. (2) 1798, 133.—G.
distorta *Angaria* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 71.—Turbo.
distortus *Bulimus*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 344.
distorta *Ostrea*, R. Pulteney, Cat. Birds &c. Dorset, 1799, 36.
distortus *Pecten*, E. M. da Costa, Brit. Conch. 1778, 148.
distorta *Tellina*, J. X. Poli, Test. Sicil. I. 1791, xxxv. & II. 1795, 39.
distortus *Trochus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
distortus *Turbinus* (L.), F. C. Meuschen, Mus. Gev. 1787, 280.—Turbo.
distortus *Turbo*, Linnaeus, Syst. Nat. ed. 10, 1758, 764; ed. 12, 1767, 1236.
Distraema A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 264.—*Ascid*.
ditaria *Phalaena*, J. C. Fabricius, Gen. Ins. 1777, 286.
ditaria *Phalaena* (Geom.), C. de Villers, Linn. Ent. II. 1789, 302.
ditrapezium *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 312.
diuca *Fringilla*, G. I. Molina, Sag. stor. nat. Chili, 1782, 249.
diurnus *Homo*, P. J. S. Müller, Linn. Syst. Nat. I. 1773, 61.
divagator *Ichneumon*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 192.
divagor *Sylvicola*, M. Harris, Exp. Eng. Ins. 1776, 161.
divaricata *Eschara*, Linnaeus, Syst. Nat., ed. 10, 1758, 805.
divaricata *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 495.
divaricatus *Papilio*, A. F. de Fourcroy, Ent. Paris. 1785, 246.
divaricata *Tellina*, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
divaricatus *Trochus*, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
divaricata *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
divergens *Madrepora*, P. Forskal, Descr. Anim. 1775, 136.
divergens *Madrepora*, Forsk., P. S. Pallas, Char. Thierpfl. II. 1787, 129.
divergens *Noctua*, J. C. Fabricius, Mant. II. 1787, 162.
divergens *Phalaena Noctua* (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 787.—
divergens *Turbo*, P. Forskal, Descr. Anim. 1775, 126. [Noctua].
divergens *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
diversalis *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 25.
diversana *Phal. Tort.*, J. Hübner, Samml. Vögel u. Schmett. 1793, 9 [n. et f.].
diversaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 202 [n. et f.].
diversaria *Phalaena*, J. C. Fabricius, Ent. Syst. III (2) 1794, 157. [et f.].
diversata *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 315.

- diversata* Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 203; v. Jung, Alph. Verz. Schmett.
diversata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 387. [1791, 176.
diversicolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
diversicolor Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
diversicolor Nerita, T. Martyn, Univ. Conch. III [1789], fig. 108.
diversipes Tenthredo, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 289.
diversipunctatus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 494.
divinator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 48.
divinatorium Termes, O. F. Müller, Z. Dan. Prod. 1776, 184.
divinatrix Boa, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 128.
diviniloquus Constrictor, J. N. Laurenti, Syn. Rept. 1768, 108.
divisa Anadema, F. C. Meuschen, Mus. Gev. 1787, 482.
divisa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800], 535.
divisus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 96.
divisus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 254.
dizonias Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2880.
djedaba Scomber, P. Forskal, Descr. Anim. 1775, 56.
djiddensis Raja, P. Forskal, Descr. Anim. 1775, 18.
dobula Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 528.
dobulae Echinorhynchus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
docilis Coracias, S. G. Gmelin, Reise Russ. III. 1774, 378.
docilis Corvus, S. G. Gmelin, Reise Russ. III. 1774, 365 & pl. [for name].
docmak Silurus, P. Forskal, Descr. Anim. 1775, 65.
Dodecactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
dodecadactyla Phalaena Alucita, J. Hübner, Beitr. Schmett. I (1) 1786, 26.
dodecella Tinea (L.), J. C. Fabricius, Spec. Ins. II. 1781, 298.—Phalaena.
dodecella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
dodecos Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1046.
donodonea Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
dononea Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 402.
dolabraria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 861. [—Bombyx.
dolabraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 42 [n. et f.].
dolabratus Bulimus (L.), J. G. Bruguière, Ency Méth. (Vers) (2) 1792, 356.—Trochus.
dolabratus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
dolabratus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 204.
dolabrata Helix, O. F. Müller, Verm. II. 1774, 121.—Trochus.
dolabratus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 183.—Cimex.
dolobrata [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (26) 1780, 34.
dolabratus Pyramidella (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 76.—Trochus.
dolabratus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
dolarium Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1223.
dolarium Muriciformis (L.), F. C. Meuschen, Mus. Gev. 1787, 320.—Murex.
doliata Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
doliatus Coluber, G. Shaw, Nat. Misc. VII. 1796, pl. 254.
doliatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 379.
doliatus Lanius, Linnaeus, Mus. Adolph. Frid. II. 1764, 12.
doliatus Musca, A. F. de Fourcroy, Ent. Paris. 1785, 487.
doliatus Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
doliata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
doliatus Turdus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 145.—Lanius.
dolicaon [Papilio], P. Cramer, Util. Kapellen, I (2) 1775, 25.
dolichocephalus Pediculus, Scopoli, Ent. Carn. 1763, 382.
dolichoceerus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
Dolichopus P. A. Latreille, Préc. Car. Ins. 1796, 159.—Dip.
dolichos Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 95.
dolichos Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155 [n. n.].
dolichus Tellina, F. C. Meuschen, Mus. Gev. 1787, 456.
doliolum Actinia, P. S. Pallas, Misc. Zool. 1766, 152.

- doliolum** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 351.
- doliolum** Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
- doliolum** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151 [*n. n.*].
- doliolum** Hydra (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—Actinia.
- doliolum** Nerita, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 319.
- Doliuim** P. Browne, Hist. Jamaica, ed. 2, 1789, 406.—G.
- Doliuim** [G. Humphreys], Mus. Calonn. 1797, 19.—G.
- dolum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1197.
- dolum** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- dolum** Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Buccinum.
- dolon** [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 7.
- dolorosum** Corculum, J. F. Bolten, Mus. Bolten. (2) 1798, 189.
- dolorosus** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
- dolyas** [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 22.
- domator** Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
- dombeianus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 335.
- domesticella** Phalaena, Scopoli, Ent. Carn. 1763, 256.
- domesticus** Acarus, C. de Geer, Mém. Ins. VII. 1778, 89.
- domestica** Acheta (L.), J. C. Fabricius, Syst. Ent. 1775, 280.—Gryllus.
- domestica** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 538.
- [**domesticus** Araneus, C. Clerck, Aran. Svec. 1757, 76.
- domestica** Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
- domesticus** Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
- domesticus** Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 389.
- domestica** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 769; *varr. livia*, *saxatilis* (769); *hispanica*, *dasyopus*, *cristata*, *norwegica*, *hispida*, *barbarica*, *cucullata*, *turbata*, *laticauda* (770); *gyratrix*, *galeata*, *turcica*, *tabellaria*, *gutturosa*, *eques*, *jubata*, *percussor* (771); *maculata* (772).
- domesticus** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
- domestica** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183; ed. 12, 1766, 323.
- domestica** Fringilla, Bartram, B. S. Barton, Frag. N. H. Pennsylv. 1799, 15.
- domestica** Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 177 (2).
- domesticus** Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 694.
- domestica** Helix, H. Ström, Trondhiemske Selsk. Skrift. III. 1765, 435.
- domestica** Hirundo, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I (177-), 31.
- domesticus** (L.), C. de Geer, Mém. Ins. V. 1775, 196.—Dermestes.
- domestica** Martes, P. Pinel, Actes Soc. H. N. Paris, I (1) 1792, 55.
- domestica** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 990.
- domestica** Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 23.
- domesticus** Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 24.—Fringilla.
- domestica** Phalaena, Hufnagel, Berl. Mag. III. 1767, 406.
- domesticus** Phasianus, J. Latham, Index Orn. 1790, 626.
- domestica** Ploiaria, J. A. Scopoli, Del. Insub. I. 1786, 60.
- domesticus** Ptinus, F. v. P. Schrank, F. Boica, I. 1798, 542.
- domestica** Sphex, J. L. Christ, Nat. Ins. 1791, 273.
- domestica** Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
- domialla** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 273.
- domicella** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
- domicella** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
- domicella** Psittacus L., R. Kerr, Anim. Kingd. 1792, 591, *var. torquatus*.
- domicella** Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 235.
- domicellarum** Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 124.
- domiduca** Phalaena, Hufnagel, Berl. Mag. III. 1767, 404.
- domiduca** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 113.
- [**domiduca** Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 93.
- domina** [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 28.
- domingensis** Strix, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 70.
- dominia** [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 123.

- dominicana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 536.
 dominicana Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
 dominicanus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
 dominicana Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 301.
 dominicanus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 dominicanus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 836.
 dominicensis Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
 dominicensis Columba, J. Latham, Index Orn. 1790, 615.
 dominicensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 285.
 dominicensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
 dominicensis Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 335.—Oriolus.
 dominicensis Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 855.
 dominicensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.
 dominicensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 343.
 dominicensis Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 193.
 dominicensis Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 296.
 dominica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 521.
 dominicus Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 116.
 dominicus Colymbus, Linnaeus, Syst. Nat., ed. 12, 1766, 223.
 dominicus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
 dominica Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
 dominica Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 259.
 dominica [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (34) 1782, 238.
 dominicus Podiceps (L.), J. Latham, Index Orn., 1790, 785.—Colymbus.
 dominica Sylvia (L.), J. Latham, Index Orn. 1790, 538.—Motacilla.
 dominicum Synodendron, J. C. Fabricius, Ent. Syst. I (2) 1792, 359.
 dominica Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
 dominicus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 191.
 dominicus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
 dominicus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
 dominula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 583.—Phalaena.
 dominulus Cimex, Scopoli, Ent. Carn. 1763, 124.
 dominulus Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 300.
 dominula Noctua (L.), E. J. C. Esper, Die Schmett. IV (31) 1787, 38.—Phal.
 dominula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 834.
 dominula Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
 dominula Vespa, J. L. Christ, Nat. Ins. 1791, 229.
 domitina Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 83.
 domitianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 315.
 domitor Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
 domuncula Alcyonium, G. Olivi, Zool. Adriat. 1792, 241.
 donaceum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 37.
 Donacia J. C. Fabricius, Syst. Ent. 1775, 195.—Col.
 donacina Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 40.
 donacinus Mytilus, J. S. Schroeter, Neue Litt. IV. 1787, 268.
 donacina Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1118.
 donacina Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
 donasa Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 264.
 Donax Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1126.—Moll.
 donna Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, [antea 1796], 3.
 donzella Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
 dorab Clupea, P. Forskal, Descr. Anim. 1775, 72.
 dorantes [Papilio], C. Stoll, Aanhang. Cramer's Util. Kapellen, V. 1790, 172.
 dorcas Antilope, P. S. Pallas, Misc. Zool. 1766, 6.
 dorcas Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 96.
 dorcas Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 160.
 dorcas Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 31.
 dorcas Lucanus, O. F. Müller, Z. Dan. Prod. 1776, 52.

- dorcac Lucanus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 11.
- dorcac Papilio, J. C. Fabricius, Syst. Ent. 1775, 508.
- dorcac Scarabaeus [Coprif], A. G. Olivier, Entom. I. 1789, 121.
- [Dorcatoma] *v.* Dorkatoma.
- dorcatoma Anobiium, Illiger in Kugelann, Käfer Preuss. 1798, 334.
- dorcatoma Ptilinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 73.
- dorcyi Melolontha, A. G. Olivier, Entom. I. 1789, 33.
- doreus Papilio, J. C. Fabricius, Syst. Ent. 1775, 457.
- doreus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 68.
- doriclea [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 50.
- Dorilas J. G. Meigen, N. Class. Mouches, 1800, 31.—Dip.
- dorilas *v.* dorylas.
- dorilis Papilio 'H.', Hufnagel, Berl. Mag. II. 1766, 68.
- dorilis Papilio, M. B. Borkhausen, Nat. Eur. Schmett. I. 1788, 93.
- dorimene [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 201.
- dorimond [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 166.
- Dorippe J. C. Fabricius, Suppl. Ent. Syst. 1798, 322.—Cr.
- Dorippe J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 22.—Cr.
- Doris Linnaeus, Syst. Nat., ed. 10, 1758, 653; ed. 12, 1767, 1083.—Moll.
- doris Carabus, G. W. F. Panzer, Ins. Germ. heft 38 [1796], 9.
- doris Elaphrus (Panz.), Illiger in Kugelann, Käfer Preuss. 1798, 232.—Carabus.
- doris Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- doris [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 12.
- doris Papilio (H.), Linnaeus, Mant. II. 1771, 536.
- Dorkatoma J. F. W. Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 103.—Col.
- dormia Cancer, Linnaeus, Amoen. Acad. VI. 1763, 413.
- dormitor Conus, D. Solander in G. Brander, Foss. Hant. 1766, 16.
- dormitor Gobiomorus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.
- doronic Musca, Scopoli, Ent. Carn. 1763, 333.
- dorothea Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 344.
- dorothea [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 19.
- dorothea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 194.
- dorothea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 228.
- dorsali Byrrhus, C. de Villers, Linn. Ent. IV. 1789, 225.
- dorsalis Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 109.—Chrysomela.
- dorsalis Aranea, J. C. Fabricius, Syst. Ent. 1775, 437.
- dorsalis Asilus, C. de Geer, Mém. Ins. VI. 1776, 239.
- dorsalis Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 327.
- dorsalis Byrrhus, J. C. Fabricius, Mant. I. 1787, 38.
- dorsalis Byrrhus, C. P. Thunberg, D. D. Mus. Upsal. App. I. 1791, 116.
- dorsalis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
- dorsalis Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 73.
- dorsalis Carabus, J. C. Fabricius, Mant. I. 1787, 205.
- dorsalis Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 227.
- dorsalis Chrysomela, J. C. Fabricius, Gen. Ins. 1777, 220.
- dorsalis Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 135.
- dorsalis Chrysomela, J. C. Fabricius, Mant. I. 1787, 77.
- dorsalis Chrysomela, J. G. Hübner, Naturforscher, XXIV. 1789, 39.
- dorsalis Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 530.
- dorsalis Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
- dorsalis Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 201.
- dorsalis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 608.
- dorsalis Dytiscus, J. C. Fabricius, Mant. I. 1787, 192.
- dorsalis Elater, G. Paykull, Faun. Suec. III. 1800, 4.
- dorsalis Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
- dorsalis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 31.—Chrysomela, 1787.
- dorsalis Hispa, D. H. Schneider, Verz. Parthei Ins. 1800, 11.
- dorsalis Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 231.

- dorsalis* Ips, J. C. Fabricius, Mant. I. 1787, 45.
dorsalis Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 577.
dorsalis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
dorsalis Mordella, G. W. F. Panzer, Ins. Germ. heft 13, 1793, tab. 15.
dorsalis Musca, J. C. Fabricius, Syst. Ent. 1775, 786.
dorsalis Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 397.
dorsalis Nitidula, A. G. Olivier, Entom. II. 1790, 21.
dorsalis Noctua, J. C. Fabricius, Mant. II. 1787, 148.
dorsalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 643.
dorsalis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
 Melolontha.
dorsalis Scolopendra, J. C. Fabricius, Spec. Ins. I. 1781, 533.
dorsalis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Ips.
dorsalis Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 396.
dorsalis Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 403.
dorsalis Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
dorsana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 415.
dorsana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 654.
dorsana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 36 [*n. cf. f.*].
dorsata Anas, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
dorsata Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
dorsata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 328.
dorsata Aranea, J. C. Fabricius, Gen. Ins. 1777, 249.
dorsatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
dorsata Buprestis, J. C. Fabricius, Mant. I. 1787, 179.
dorsata Cassida, J. C. Fabricius, Mant. I. 1787, 64.
dorsatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena dorsalis.
dorsatus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 173.
dorsatus Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 41.
dorsata Cyphoma, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
dorsata Formica, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 1.
dorsata Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 76.
dorsata Hystrix, R. Kerr, Anim. Kingd. 1792, 215; *var. alba*.
dorsata Mutilla, J. C. Fabricius, Suppl. Ent. Syst. 1798, 281.
dorsata Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 408.
dorsata Terebratula, G. Cuvier, Tab. Elém. 1798, 434.
dorsata Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
dorsatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—Alucita dorsella,
dorsella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 336. [1794.
dorsella Tinea, J. C. Fabricius, Mant. II. 1787, 245.
dorsettensis Cancer, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 7.
dorsiger Carabus, J. C. Fabricius, Mant. I. 1787, 201.
dorsigera Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 55; ed. 12, 1766, 72.
dorsigera Leucospis, J. C. Fabricius, Syst. Ent. 1775, 361.
dorsigera Philander, F. C. Meuschen, Mus. Gronov. 1778, 6.
dorsigera Rana, J. G. Schneider, Hist. Amph. I. 1799, 121.
dorsigera Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 32.
dorsigera Vespa (Fab.), J. L. Christ, Nat. Ins. 1791, 225.—Leucospis.
dorsimaculata Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
dorsipes Albunea (Fab.), F. Weber, Nomen. Fabricii, 1795, 94.—Hippa.
dorsipes Albunea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 397.—Cancer.
dorsipes Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1053.
dorsipes Emerita, F. C. Meuschen, Mus. Gronov. 1778, 87.
dorsipes Hippa (L.), J. C. Fabricius, Mant. I. 1787, 329.—Cancer.
dorso Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 353.
dorsodiscolor Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 260.
dorso-rufo Buprestis, J. A. Scopoli, Annus V. 1772, 106.
dorso-rufo Meloe, J. A. Scopoli, Annus V. 1772, 103.

- Dorthesia emend.* Orthezia, Bosc d'antic; Orthez, Obs. sur la Physique, XXVI. 1785. 207.—Hem.
- dorus* Papilio Pl. R., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1782, 130.
- dorus* Papilio, L. Prunner, Lep. Pedemont. 1798, 74.
- dorylas* Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 299.—Papilio.
- dorilas* [Papilio], P. Cramer, Utitl. Kapellen, I (4), 1775, 75.
- dorylas* Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 322.
- dorylas* Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 142.
- Dosinia* J. A. Scopoli, Intr. Hist. Nat. 1777, 399.—L.
- dotata* Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 55.
- dotata* Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526.
- dracaena* Conus, H. Davies in T. Pennant, Ind. Zool. ed. 2, 1791, 150.
- dracaena* Cordylus (L.), F. A. A. Meyer, Syn. Rept. 1795, 18.—Lacerta.
- dracaena* Cypraea, I. v. Born, Index Mus. Caes. Vind. 1778, 174.
- dracaena* Lacerta, Linnaeus, Syst. Nat. ed. 12, 1766, 360.
- dracculus* Callionymus, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 75.
- Draco* Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 358.—R.
- draco* Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788; Syn. méth.
- draco* Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
- draco* Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
- draco* Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
- draco* Trachinus, Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 435.
- draconis* Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 56.
- draconis* Pegasus, Linnaeus, Syst. Nat., ed. 12, 1766, 418.
- Dracunculus* J. H. Kniphof, De Pedic. 1759, 12.—Ver.
- dracunculus* Callionymus, Linnaeus, Syst. Nat., ed. 10, 1758, 249; ed. 12, 1766, 434.
- dracunculus* Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
- dragonalis* Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 225.
- drancus* [Sphinx], P. Cramer, Utitl. Kapellen, II (11) 1777, 56.
- draparnaldi* Coccus, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 77.
- draparnaldi* Ichneumon, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 76.
- dresdensis* Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1671.
- dresdensis* Dorkatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 104.
- dresdensis* Pselaphus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 110.
- Drilus* A. G. Olivier, Entom. II. 1790, 1.—Col.
- Driouus* J. A. Scopoli in Piller & Mitterpacher, Iter Poseg. 1783, 36.—Col.
- dröbachiensis* Echinus, O. F. Müller, Z. Dan. Prod. 1776, 235.
- dromedaria* Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 831.—Phalaena.
- dromedarius* Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 65; ed. 12, 1766, 90.
- dromedarius* Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 29.
- dromedarius* Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 827.
- dromedarius* Sirex, J. C. Fabricius, Mant. I. 1787, 258.
- dromedarius* Sphex, J. L. Christ, Nat. Ins. 1791, 290.
- Dromia* F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
- Dromia* J. C. Fabricius, Suppl. Ent. Syst. 1798, 320.—Cr.
- Dromia* J. F. W. Herbst, Vers. Nat. Krab. III (1) 1790, 20.—Cr.
- dromia* Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 501.—[dormia, Linn. *est.*]
- dromos* Camelus, R. Kerr, Anim. Kingd. 1792, 288.
- dromus* Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 224.
- Drupa* J. F. Bolten, Mus. Bolten. (2) 1798, 55.—G.
- druparum* Curculio, Linnaeus, Faun. Suec. ed. 2, 1761, 181.
- drupiferarum* Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 71.
- druraei* *v.* druryi.
- drurella* Tinea, J. C. Fabricius, Syst. Ent. 1775, 666.
- drurii* *v.* druryi.
- druryanus* Brentus (Pall.), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1739.—Cur-
- druryanus* Curculio, P. S. Pallas, Icon. Ins. 1781, 26. [culio.]
- druryana* Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 163.

- druryella [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 224.
- druryi Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.—
[Stenocorus.]
- druraei Cimex, Linnaeus, Mant. II. 1771, 534.
- drurii Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 181.
- drusilla [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 21.
- drusilla [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 42.
- drusia [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 132.
- drusius [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 63.
- drusius Papilio, J. C. Fabricius, Mant. II. 1787, 32.
- drya Papilio, J. C. Fabricius, Syst. Ent. 1775, 478.
- dryados Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1748.
- dryaphilus Conops, Scopoli, Ent. Carn. 1763, 353.
- dryas Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 194.—Phalaena.
- dryas Myoxus, J. C. D. Schreber, Säugth. IV. 831 (1787), pl. ccxxv. B (1782).
- dryas Papilio, Scopoli, Ent. Carn. 1763, 153.
- dryas [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 110.
- dryasis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 39.
- dryinas Caudisona (L.), J. N. Laurenti, Syn. Rept. 1768, 94.—Crotalus.
- dryinas Crotalus, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.
- dryope [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 125.
- Dryops A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 297.—Col.
- Drypta P. A. Latreille, Préc. Car. Ins. 1796, 75.—Col. [n. n.]
- dschindschica Alauda, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9
- dschindschicus Buceros, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6
- dschinschicus Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 151. [n. n.]
- dschindschicus Tetrao, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11
[n. n.]
- dschindschicus Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
[n. n.]
- dschindschicus Vultur, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5
- dubbah Hyaena, F. A. A. Meyer, Zool. Entdeck. 1793, 94. [n. n.]
- dubitalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11.
- dubitana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 71 [n. et f.]
- dubitatorius Ichneumon, J. H. Sulzer, Gesch. Ins. 1776, 189.
- dubitatorius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46 [n. n.] [866.]
- dubitata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767,
- dubitata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 265
- dubito Apis, M. Harris, Exp. Eng. Ins. 1776, 137. [n. et f.]
- dubitorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 331.
- dubius [sine gen.] Herbst in Fuessly, Arch. Insect. IV. 1783, 41.
- dubium Anisotoma (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 78.—Tritoma.
- dubia Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 624.
- dubius Asilus, Scopoli, Ent. Carn. 1763, 366.
- dubius Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1810.—Clerus.
- dubia Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 55.
- dubius Brachycerus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 42.
- dubium Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [n. n.]
- dubius Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 409.
- dubia Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 38.
- dubium Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149 [n. n.]
- dubia Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
- dubia Cantharis (Fab.), C. de Villers, Linn. Ent. I. 1789, 301.—Cucujus.
- dubius Carabus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 319.
- dubius Charadrius, J. A. Scopoli, Del. Insub. II. 1786, 93.
- dubia Chrysis, P. Rossi, Fauna Etrus. II. 1790, 77.
- dubia Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 93.
- dubia Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 40.
- dubia Cicada, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 20.

- dubius Cimex, Scopoli, Ent. Carn. 1763, 121.
- dubius Clerus, J. C. Fabricius, Gen. Ins. 1777, 229.
- dubia Coccinella, J. A. Scopoli, Annus V. 1772, 107.
- dubius Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 228.
- dubius Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1086.
- dubius Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 369.
- dubius Cryptocephalus (Schr.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 623.—Chry-
[somela.]
- dubius Cucuius, J. C. Fabricius, Gen. Ins. 1777, 233.
- dubius Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 57.
- dubius Curculio, J. C. Fabricius, Mant. I. 1787, 106.
- dubius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 128.
- dubium Cyclidium, O. F. Müller, An. Infus. 1786, 85.
- dubia Cynips, P. Rossi, Mant. Ins. II. 1794, 107.
- dubia Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
- dubius Dermestes, P. Rossi, Mant. Ins. I. 1792, 17.
- dubius Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3186.
- dubius Elater, Mayer, Abh. Privatges. Böhmen, IV. 1779, 183.
- dubium Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
- dubius Falco, A. Sparrman, Mus. Carls. II. 1787, no. xxvi.
- dubius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 281.
- dubius Falco, F. M. Daudin, Traité élém. Orn. 1800, 122.
- dubius Gryllus (Tettig.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.
- dubius Heterocerus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 75.
- dubius Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 53.
- dubia Leptura, Scopoli, Ent. Carn. 1763, 47.
- dubia Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 249.
- dubius Lophius, G. Shaw in White, Journ. N. S. W. 1790, 265.
- dubius Lucanus, L. G. Scriba, J. Lieb. Ent. I. 1790, 42.
- dubia Lytta, J. C. Fabricius, Spec. Ins. I. 1781, 329. [Notoxus.]
- dubia Melasis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 522.—
- dubia Melolontha (Scop.), J. N. Laicharting, Tyrol. Ins. I. 1781, 37.—Scarabaeus.
- dubia Melolontha, Schrank in Born, Phys. Arb. Freunde Wien, II (2) 1787, 9.
- dubia Melolontha, A. G. Olivier, Entom. I. 1789, 32.
- dubia Melolontha, P. Rossi, Mant. Ins. I. 1792, 11.
- dubius Melyris, A. G. Olivier, Entom. II. 1790, 12.
- dubia Mya, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 69.
- dubius Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3363.
- dubia Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3678.
- dubius Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 211.
- dubia Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
- dubius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 123.
- dubius Papilio, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 331.
- dubia Parthenope, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- dubius Pecten, J. F. Bolten, Mus. Bolten. (2) 1798, 165 [n. n.].
- dubia Phalaena, Hufnagel, Berl. Mag. III. 1767, 404.
- dubia Phryganea, Scopoli, Ent. Carn. 1763, 268.
- dubia Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 177.
- dubia Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
- dubius Psittacus, J. Latham, Index Orn. 1790, 97.
- dubius Rallus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 26.
- dubius Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 357.
- dubia Saperda, J. N. Laicharting, Tyrol. Ins. II. 1784, 52.
- dubius Scarabaeus, Scopoli, Ent. Carn. 1763, 3.
- dubius Scarabaeus, J. A. Scopoli, Annus V. 1772, 80.
- dubius Serropalpus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 128.—Notoxus.
- dubius Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 31.
- dubia Tanagra, G. Shaw, Nat. Misc. VII. 1796, pl. 252.
- dubius Tenebrio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 326.

- dubius Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 234.
- dubia Tenthredo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 347.
- dubia Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
- dubia Tinea, P. Rossi, Fauna Etrus. II. 1790, 208.
- dubia Tritoma, J. C. Fabricius, Gen. Ins. 1777, 213.
- dubius Trox, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 5.
- dubius Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3606.
- dubius Turdus, J. M. Bechstein, Getreue Abbild. heft 10 [1794], 119.
- dubius Turdus, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 240.
- dubia Venus, J. Hermann, Naturforscher, XV. 1781, 129.
- dubia Volvoxia (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's]. V. 1794,
- ducalis Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194. [540.—Tritoma.
- ductor Conus, F. C. Meuschen, Mus. Gever. 1787, 352.
- ductor Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 489.
- ductor Scomber, Linnaeus in Hasselquist, Palast. 1762, 410.—Gasterosteus, 1758.
- Dugong B. G. E. de Lacépède, Tabl. Mamm. 1799, 17.—M.
- dugon Trichecus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 21.
- dugung Trichecus, *id. ac* dugon, Müll., J. C. P. Erxleben, Syst. Anim. 1777, 599.
- dugong Trichecus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 60.
- dulcamarae Nitidula (Scop.), Illiger in Kugelann, Käfer Preuss. 1798, 387.—Laria.
- dulcamarae Laria, Scopoli, Ent. Carn. 1763, 22.
- dumeti Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 815; [=dumi, Faun. Suec.].
- dumeti Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 565.—Phalaena.
- dumetorum Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 13.
- dumetorum Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
- dumetorum Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 406.
- dumetorum Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
- dumetorum Sylvia (L.), J. Latham, Index Orn. 1790, 522.—Motacilla.
- dumetorum Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 373.
- dumetorum Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 4.
- dumi Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 293.
- dumosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
- duodecimcinctus Dasypus, J. C. D. Schreber, Säugth. II. 225 (1775), pl. lxxv (1775).
- duodecimcingulis Dasypus, E. A. W. Zimmermann, Spec. Zool. 1774, 467.
- duodecimguttata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
- duodecimguttata Coccinella, N. Poda, Ins. Mus. Graec. 1761, 25.
- duodecimguttata Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 47.
- duodecimguttata Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 151.
- duodecimguttata Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 34 [*n. n.*].
- duodecimguttata Coccinella, J. C. Fabricius, Mant. II. 1787, 379. [guttata, Fab."].
- duodecimguttata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 110; [=“bis sex-
- duodecimmaculatus Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.
- duodecimmaculatus Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—
- Cryptocephalus.
- duodecimmaculatus Clytra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.—Crypto-
- duodecimmaculatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 139.
- duodecimmaculata Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 248.
- duodecimmaculata Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 74.
- duodecimmaculata Nomada, P. Rossi, Fauna Etrus. II. 1790, 110.
- duodecimpunctatus Attelabus, Scopoli, Ent. Carn. 1763, 36. [95.—Chrysomela.
- duodecimpunctata Auchenia (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792,
- duodecimpunctatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
- duodecimpunctata Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 393.
- duodecimpunctata Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
- duodecimpunctatus Cerambix, N. J. Brahm, Ins. Kal. I (2) 1791, 176.
- duodecimpunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767,
- duodecimpunctata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 103. [601.
- duodecimpunctatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 527.

- duodecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 581.
 duodecimpunctata Crioceris, O. F. Müller, Z. Dan. Prod. 1776, 85.
 duodecimpunctata Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 120.—Chrysomela.
 duodecimpunctata Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 95.
 duodecimpunctatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.—Chrysomela.
 duodecimpunctatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 67. [1775.
 duodecimpunctata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 15.—Chrysomela,
 duodecimpunctata Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Chrysomela.
 duodecimpunctatus Melolontha, A. G. Olivier, Entom. I. 1789, 84.
 duodecimpunctata Mordella, P. Rossi, Fauna Etrus. I. 1790, 243.
 duodecimpunctata Mylabris, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
 duodecimpunctata Mylabris, V. Petagna, Inst. Ent. 1792, 295. [?Cyrillo's sp.]
 duodecimpunctata Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 75.
 duodecimpunctata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767,
 duodecimpustulata Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 85. [926.
 duodecimpustulata Coccinella, E. Pontoppidan, Danske Atlas, I. 1763, 669.
 duodecimpustulata Coccinella, J. C. Fabricius, Gen. Ins. 1777, 218.
 duodecimpustulatus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 197.
 duodecimpustulatus Dytiscus, A. G. Olivier, Entom. III. 1795, 31.
 duodecimstriatus Hister, F. v. P. Schrank, Ins. Aust. 1781, 39.
 duodenalis Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
 duplana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 409.—Pyralis.
 duplana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 293.
 duplaris Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 352.
 duplella Bursaria, O. F. Müller, An. Infus. 1786, 117.
 duplex Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
 duplicalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 226. [et f.].
 duplicaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 208 [n.
 duplicatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1206.
 duplicatum Colymbus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 107.
 duplicatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 92.—Turbo.
 duplicata Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 31.
 duplicatus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
 duplicata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 472.
 duplicata Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [n. n.].
 duplicata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 636.
 duplicata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
 duplicata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 306.
 duplicata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
 duplicatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
 duplicata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 507.
 duplicatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
 duplicella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 182.
 duplicicruce Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 289.
 durio Papilio 'H,' Hufnagel, Berl. Mag. II. 1766, 58.
 durissus Caudisona (L.), J. N. Laurenti, Syn. Rept. 1768, 93.—Crotalus.
 durissus Crotalophorus, F. C. Meuschen, Mus. Gronov. 1778, 16.
 durissus Crotalus, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.
 durum Halcyonium, P. L. S. Müller, Del. Nat. I. 1766, 128.
 dura Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
 dux Acrydium (Dru.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—Gryllus.
 dux Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1255.
 dux Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 732.
 dux Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 dux Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 82.
 dyctinna Papilio, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 332.
 dydimaon [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 59.

- dyndima [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 142
dyndyma [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 44.
dyndimene [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 11.
dypterigia Phalaena, Hufnagel, Berl. Mag. III. 1767, 300.
dysenteriae Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1024.
dysenteriae Acarus, F. v. P. Schrank, Ins. Aust. 1781, 511.
dysera Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
dysodea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.
dyspnoos Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
Dyticus, *v.* Dytiscus (which though common is wrong) E. L. Geoffroy, Hist. Insect.
Paris, I. 1762, 185.—Col.
dytiscoides Chrysomela, P. Rossi, Fauna Etrus. I. 1790, 83.
dytiscoides Coccinella, P. Rossi, Mem. Soc. Ital. IV. 1788, 129 [*n. n.*].
dytiscoides Erodium, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 178.
dyticoides Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.—
dytiscoides Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 67. [Sphaeridium.
Dytiscus Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.—Col.
- eacus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 129.
eacus [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 166.
eagrus [Sphinx], P. Cramer, Uitl. Kapellen, III (17) 1779, 10.
ebalea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 41.
ebalus [Phalaena], P. Cramer, Uitl. Kapellen, I (5) 1775, 79.
ebeninum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 490.
ebenus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 317.
eborea [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 120.
eborea Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 98. [eborea.
eborina Bombyx (Esper), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 348.—Noctua
eborina Lithosia (D. & S.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Noctua.
eborina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 68. [P. Noctua eborea.
eborina Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 251.—
eborina Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 23.
ebraeus *v.* hebraeus.
ebranchiata Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 231.
ebria Cantharis, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
ebriosa Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 182.
ebulinum Callidium (L.), J. C. Fabricius, Mant. I. 1787, 151.—Cerambyx.
ebulinus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 637.
ebulinus Cerambyx, J. C. Fabricius, Mant. I. 1787, 132.
“ebur-fossile Zoolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
eburnella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
eburnea Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zoolph. 1786, 24.—Sertularia.
eburnea Cellularia (Linn.), P. S. Pallas, Elench. 1766, 75.—Sertularia.
eburneum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 498.
eburneus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 640.
eburneus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
eburneum Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1264.
eburneum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [*n. n.*].
eburneus Larus, C. J. Phipps, Voy. N. Pole, 1774, 187.
eburneus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.
eburnea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
eburnea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1316.
eburneus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
eburnea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
ebusa [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 9.
ebusus [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 20.
ecanbonna Chaetodon, G. A. Suckow, Naturges. IV. 1799, 374.

- ecaudata Arctomys, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 454.
 ecaudatus Erinaceus, J. C. D. Schreber, Säugth. III. 584 (1777), pl. clxv (1777).
 ecaudatus Falco, F. M. Daudin, Traité élém. Orn. 1800, 54.
 ecaudatus Lemur, R. Kerr, Anim. Kingd. 1792, 84.
 ecaudatus Phasianus, J. Latham, Index Orn. 1790, 627.—P. gallus e., L.
 ecaudata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2631.
 ecaudatus Rallus, G. Shaw in Miller, Cim. Phys. 1796, 90.
 ecaudata Rana, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 281.
 ecaudatus Tenrec, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
 eclipsis *v.* eclipsis.
 Ectoogaster, *v.* Ekkop—Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 124.
 echemus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 147.
 Echeneis Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 446; [Artedi, Ichth. 1738, gen. xi, 14].—P.
 echeria [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 135.
 echerius [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 140.
 Echidna J. R. Forster, Ench. 1788, 81.—P.
 Echidna G. Cuvier, Tabl. Élément. 1798, 143.—M.
 Echidna B. G. E. de Lacépède, Tabl. Mamm. 1799, 11.—M.
 echidna Gymnothorax, G. A. Suckow, Naturges. IV. 1799, 181.
 echidna Muraena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1135.
 echiella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (4) 1789, 4.
 echiella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
 echiella Tinea, Bosc, La Médecine éclairée (Fourcroy's) I. 1791, 108.
 echii Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 276.
 echii Curculio, N. J. Brahm, Ins. Kal. I (2) 1791, 175.
 echii Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 436.
 echii Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 166.
 Echinanthites N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 194.
 Echinanthus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 185.
 Echinanthus F. C. Meuschen, Mus. Gronov. 1778, 91.—Ech.
 "Echinarachnius, *v.* Phels. 1774," Ag.; does not occur.
 Echinarachnius N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 218.—Ech.
 echinata Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
 echinata Buprestis, D. H. Schneider, Verz. Parthei Ins. 1800, 8.
 echinatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 255.
 echinatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
 echinatum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—Cardium.
 echinatus Curculio, G. Bonsdorff, Curc. Suec. 1785, 33.
 echinatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 377.
 echinatus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335; ed. 12, 1766, 413; *var.* of
 echinatus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41. [atringa.
 echinatus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 124.
 echinata Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 177.
 echinata Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197.
 echinatus Limax, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 26.
 echinata Madrepora, P. S. Pallas, Elench. 1766, 284.
 echinata Ostria (*sic*), T. Martyn, Univ. Conch. IV [1792], fig. 154.
 echinata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3695.
 echinata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
 echinata Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3744.
 echinata Sertularia, Linnaeus, Faun. Suec., ed. 2, 1761, 541.
 echinatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 164.
 echinata Spongia, F. C. Meuschen, Mus. Gev. 1787, 532.
 echinatus Tenebrio, P. S. Pallas, Reise Russ. III. 1776, 707.
 echinatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3591.
 "echini Helmintholithus," Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 394.
 Echinites J. Gesner, Tract. Petref. 1758, 34.

- "Echinites, v. Phels. 1774," Ag.; does not occur.
 Echinites N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii & 157.—Ech.
 "echinites Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
 "Echinocardium, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
 Echinocorys N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 175.
 Echinocorytes N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [repage'd issue].
 Echinocyamus M. v. Phelsum, Brief Zeeegelen, 1774, 131.—Ech.
 Echinocyamus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213.—Ech.
 Echinodes J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
 "Echinodiscoides, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
 Echinodiscus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 195.—Ech.
 Echinodiscus F. C. Meuschen, Mus. Gronov. 1778, 91.—Ech.
 "Echinoglycus, v. Phels. 1774," Ag.; does not occur; referred to by Leske in Klein, 1778, *ex* Seba, but not used in a generic sense.
 Echinometra F. C. Meuschen, Mus. Gronov. 1778, 89.—Ech.
 "Echinomitra, v. Phels. 1774," Ag.; does not occur; latinized as Echinometra by Leske in Klein, 1778, but not used in a generic sense.
 Echinoneus M. van Phelsum, Brief Zeeegelen, 1774, 32.—Ech.
 Echinoneus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 173.
 "Echinophora, Leske, 1778," Scudd.; I do not find this word; it certainly does not occur used in a generic sense.
 echinophorum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
 echinophora Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 437.—Buccinum.
 echinophorum Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Buccinum.
 "Echinoplacos, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
 "Echinorodum, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
 Echinorynchus O. F. Müller, Z. Dan. Prod. 1776, xxviii & 214.—Ver.
 Echinorynchus J. A. E. Goetze, Eingeweidewürm. 1782, 139.—Ver.
 Echinoryngus, *err. pro* Echinorhynchus, Beschäf. Ges. Nat. Freunde, IV. 1779, 543.
 "Echinosinus, v. Phels. 1774," Ag.; does not occur; a latinization by Leske in Klein, 1778, but not used in a generic sense.
 Echinospatagus F. C. Meuschen, Mus. Gronov. 1778, 92.—Ech.
 "Echinotrochus, Leske, 1778," Scudd.; I do not find this word; it certainly does not occur used in a generic sense.
 Echinus Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1102.
 Echion J. X. Poli, Test. Sicil. I. 1791, Introd. 34.—A generic term applied to the fleshy parts of certain Anomiae.
 echion Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 788.
 "Echionanthus, Seba, 1758," Scudd.; Seba is not binominal.
 Echionoderma J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—L.
 "Echiophorites, Waller. 1778," Scudd.; Wallerius is not binominal.
 echiurus Lumbricus, P. S. Pallas, Misc. Zool. 1766, 146.
 echo [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 88.
 echo Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 135.
 eclipsella Phalaena, Scopoli, Ent. Carn. 1763, 249.
 eclipsis Papilio, Linnaeus, Amoen. Acad. VI. 1763, 406.
 eclipsis Papilio, P. Cramer, Uitl. Kapellen, II (11) 1777, 47.
 eclipysis Papilio, Herbst in Jablonsky, Nat. Ins. (Schmetz.) V. 1792, 157.
 eclipsis Tipula, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 228.
 Eclissa A. Modeer, K. Vet. Ac. Handl. 1790, 243.—Inf.
 edax Formica, P. Forskal, Descr. Anim. 1775, 84.
 edda Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 134.
 edentulum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 350⁵.
 edentula Chrysis, P. Rossi, Mant. Ins. I. 1792, 133.

- edentula Lucina (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 84.—Venus.
- edentula Mya, P. S. Pallas, Reise Russ. I. 1771, 478.
- edentula Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52 [*n. n.*].
- edentulus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 97.
- edentulus Scomber, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 109.
- edentulus Squalus, M. T. Brünnich, Ich. Massil. 1768, 6.
- edentulus Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 115.
- edentula Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 96.
- edentula Tellina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 188.—Venus.
- edentula Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
- edictorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
- ediogaster Evania, P. Rossi, Fauna Etrus. II. 1790, 57.
- edipus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.
- editus Turbo, D. Solander in G. Brander, Foss. Hant. 1766, 25.
- edleri Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
- edleriana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 223.
- edleriana Phal. (Tort.), Herbst, Einl. Ins. II. 1785, 127.
- edule Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681; ed. 12, 1767, 1124.
- edulis Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 10.
- edulis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1157.
- edulis Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1148.
- edulis Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 176.
- edule Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 77.
- edulis Venus, C. U. v. Salis, Reise Neapel, 1793, 390.
- edusa Papilio, J. C. Fabricius, Gen. Ins. 1777, 255.
- edusa Papilio, J. C. Fabricius, Mant. II. 1787, 23.
- edusa Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 42.
- edwardi Pygmaeus, Linnaeus, Amoen. Acad. VI. 1760, 68, pl.
- edwardsii Blennius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 187.
- efferans Attelabus, R. Townson, Trav. Hungary, 1797, 473.
- effoeta Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
- effosus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 18.
- effossa Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
- effossa Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
- effrons Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
- effusus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 296.
- effusa Nerita, O. F. Müller, Verm. II. 1774, 175.
- effusa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
- effusus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
- egaea Papilio, J. C. Fabricius, Syst. Ent. 1775, 496.
- egeon [Sphinx], P. Cramer, Uitl. Kapellen, I (5) 1775, 91.
- egeon Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 161.—Sphinx.
- egeria [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 54.
- egesta [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 72.
- egea Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 35.—Phalaena.
- egea [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 124.
- egea Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 77.
- egeus [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 100.
- egialea [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 141.
- egialea [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 146.
- egina [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 64.
- egina [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 144.
- egina Papilio Helic., Herbst in Jablonsky, Nat. Ins. IV. 1790, 111.
- egista [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 158.
- eglanteria Raja, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 104.
- eglanteria Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 109.
- egle Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 36.
- egnabergensis Crania, A. J. Retzius, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 75.

- egregia Noctua, E. J. C. Esper, Die Schmett. IV (42—44), 1791, 297.
 egregia Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 egregia Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 124.
 egretta Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1188, 629.
 egrettoides Ardea, S. G. Gmelin, Reise Russ. II. 1774, 193.
 ehiella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
 ehrensverdiana Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] II (2) 1793, 106.
 Elissa A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 114.—Inf.
 eimeensis Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 784.
 ejectata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 641.
 ekebladella Phalaena (Tinea), C. Bjerkander, K. Vet. Ac. Nya Handl. XVI. 1795, 60.
 Ekkoptogaster Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 124.—Col.
 elaeothorax Emberiza, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 323.
 elaphi Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3054.
 elaphi Oestrus, F. v. P. Schrank, Ins. Aust. 1781, 418.
 elaphi Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 180.
 elaphroides Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 32.
 Elaphrus J. C. Fabricius, Syst. Ent. 1775, 227.—Col.
 elaphus Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 67; ed. 12, 1766, 93.
 elaphus Cervus, J. C. P. Erxleben, Syst. Anim. 1777, *varr.* hippelaphus, corsicanus, 304 ;
 canadensis, 305.
 elaphus Cervus, R. Kerr, Anim. Kingd. 1792, *var.* minutus, 299.
 elaphus Lucanus, J. C. Fabricius, Syst. Ent. 1775, 2.
 elatalis Phalaena, D. & S., J. C. Fabricius, Mant. Ins. II. 1787, 221.—? P. elutalis.
 elatalis Pyralis (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 517.—Phalaena [*?* elutalis].
 Elater Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 651.—Col.
 elater Musca, J. C. Fabricius, Spec. Ins. II. 1781, 441.
 elaterii Coccinella, P. Rossi, Mant. Ins. II. 1794, 85.
 Elateroides J. C. Schaeffer, Elem. Entom. 1777, pl. 139.—Col.
 elateroides Buprestis, J. W. F. Herbst in Fuessly, Arch. Ins. VII. 1786, 174.
 elateroides Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
 elateroides Tenebrio, A. G. Olivier, Entom. III. 1795, 11.
 elathea [Papilio], P. Cramer, Util. Kapellen, II (9) 1777, 5.
 E-latinum Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 188.
 elata Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 440.
 elata Buprestis, J. C. Fabricius, Mant. I. 1787, 184.
 elata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 140.
 elatus Cimex, J. C. Fabricius, Mant. II. 1787, 290.
 elatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 142.—Cimex, 1787.
 elatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 176.
 elata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 161.
 elata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
 elata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 441.
 elata Noctua, J. C. Fabricius, Mant. Ins. II. 1787, 149.
 elata Sylvia, J. Latham, Index Orn. 1790, 549.
 elatus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 192.
 electo Papilio, Linnaeus, Amoen. Acad. VI. 1763, 405.
 elector Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 98.
 elector Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
 electoralis Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
 electra Papilio Dan., Linnaeus, Syst. Nat., ed. 12, 1767, 764.—[electo, Am. Acad. 1763.]
 electrica Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
 electrica Fenestella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 193.—Anomia.
 electricus Gymnotus, Linnaeus, Syst. Nat., ed. 12, 1766, 427.
 electrica Lampas (L.), F. C. Meuschen, Mus. Gev. 1787, 438.—Anomia.
 electrica Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 46.
 electrica Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 electrica Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1063.

- electricus Silurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1354.
 electricus Tetrodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1445.
 electrina Doris, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 36.
 electron Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 321.
 electa Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 33.
 electa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 26.
 Eledona P. A. Latreille, Préc. Car. Ins. 1796, 19.—Col.
 elegans Aranea, F. A. A. Meyer, Spinner Gött. 1790, 12.
 elegans Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 428.
 elegans Bombyx, J. C. Fabricius, Mant. II. 1787, 118.
 elegans Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 406.
 elegans Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 277.
 elegans Carabus, Scopoli, Ent. Carn. 1763, 88.
 elegans Carabus, A. G. Olivier, Entom. III. 1795, 93.
 elegans Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 133.
 elegans Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 298.
 elegans Cetonina, J. C. Fabricius, Spec. Ins. I. 1781, 56.
 elegans Chermes, Giorna, Cal. Ent. 1791, 54.
 elegans Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 elegans Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 62.
 elegans Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
 elegans Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 118.
 elegans Dytiscus, Schneider in G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 5.
 elegans Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 230.
 elegans Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 912.
 elegans Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
 elegans Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
 elegans Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 231.
 elegans Malachus (Fourc.), A. G. Olivier, Entom. II. 1790, 6.—Cicindela.
 elegans Mordella, L. H. v. Bloch in Becker, Plau. Grund. 1799, 102.
 elegans (*sic*) Musca, M. Harris, Exp. Eng. Ins. 1776, 105.
 elegans Musca, C. de Villers, Linn. Ent. III. 1789, 464.
 elegans Nerita, O. F. Müller, Verm. II. 1774, 177.
 elegans Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
 elegans [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 188.
 elegans Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
 elegans Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 92.
 elegans Pomatias (Müll.), Studer in Coxe, Trav. Switz. III. 1789, 388.—Nerita.
 elegans Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 318.
 elegans Psittacus, R. Kerr, Anim. Kingd. 1792, 567, *var. viridis*.
 elegans Ptinus, Illiger in Kugelann, Käfer Preuss. 1798, 346.
 elegans Rhagio, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 174.
 elegans Scarperda, A. G. Olivier, Entom. IV. 1795, 15.
 elegans Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—
 elegans Staphylinus, A. G. Olivier, Entom. III. 1795, 19. [Cetonia.
 elegans Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 160.
 elegans Testudo, J. D. Schoepff, Hist. Test. 1795, 111.
 elegans Tethyum, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 101.
 elegans Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
 elegans Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3606.—Nerita.
 elegans Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
 elegans Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89 [*n. n.*].
 elegans Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3448.
 elegantissimus Coluber, J. N. Laurenti, Syn. Rept. 1768, 96.
 elegantissima Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*n. n.*].
 elegantissima Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
 elegantissima Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [*n. n.*].
 elegantissimus Trochilus, Borkhausen in Bechstein, Latham's Vögel, VI. 1798, 541.

- elegantula Buprestis, F. v. P. Schrank, Ins. Aust. 1781, 195.
- elegantulus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 361.
- Elenchus [G. Humphreys], Mus. Calonn. 1797, 25.—G.
- eleonora [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 172.
- Eleotris L. T. Gronovius, Zooph. I. 1763, 83.—P.
- eleotris Eleotris, F. C. Meuschen, Mus. Gronov. 1778, 30.
- eleotris Gobiis, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 449.
- elephantinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
- elephantinus Callorynchus, L. T. Gronov, Acta Helvet. VII. 1772, 52.
- elephantinum Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.
- elephantina Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [*n. n.*].
- elephantina Phoca, G. I. Molina, Sag. stor. nat. Chili, 1782, 280.
- elephantinum Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
- elephantopus Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2880.
- elephantotus Madrepora, P. S. Pallas, Elench. 1766, 290.
- elephantota Spongia, F. C. Meuschen, Mus. Gever. 1787, 530.
- Elephantus E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 189.—M.
- Elephas Linnaeus, Syst. Nat., ed. 10, 1758, 33; ed. 12, 1766, 48.—M.
- elephas Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—Gryllus.
- elephas Astacus, J. C. Fabricius, Mant. I. 1787, 331.
- elephas Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2988.—Astacus.
- elephas Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 162.
- elephas Elephas, P. J. S. Müller, Linn. Syst. Nat. I. 1773, register.
- elephas Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 12.—Scarabaeus, 1775.
- elephas Gryllus, L. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
- elephas Gryllus (Cocusta), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 699.
- elephas Lucanus, *err. pro* elaphus, Fabr., J. C. Fabricius, Mant. I. 1787, 1.
- elephas Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 7.
- eleus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 430.
- eleus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 14.
- eleus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486; [P. (Nymphalis), ed. 12, 782].—Lep.
- eleusina [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 132.
- eleutera [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 163.
- eleuthera [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 159.
- elevana Pyralis, J. C. Fabricius, Mant. II. 1787, 234.
- elevana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 529.
- elevatus Carabus, J. C. Fabricius, Mant. I. 1787, 198.
- elevatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.
- elevatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 235.
- elevatus Dytiscus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 14, 1793, tab. 9.
- elevata Formica, J. C. Fabricius, Spec. Ins. I. 1781, 492.
- elevata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 291.
- elevatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 89.
- eligius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 123. [*n. et f.*].
- elinguaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 20
- elinguaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767, 862.
- elinguis Nais, O. F. Müller, Verm. I (2) 1774, 22.
- elis [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 70.
- Ellipta P. Browne, Hist. Jamaica, ed. 2, 1789, 435.—Col.
- ellypticus Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 290.
- ellipticus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
- ellipticus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 171.
- elliptica Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- ellyptica Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 129.
- ellipticus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
- ellipticum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
- ello Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.

- ellobioides Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
 Ellobium J. F. Bolten, Mus. Bolten. (2) 1798, 105.—G.
 elocata Noctua, E. J. C. Esper, Die Schmett. IV (36) 1788, 127.
 Elodes P. A. Latreille, Préc. Car. Ins. 1796, 44.—Col.
 elongalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 221.
 elongantulus Elater, J. C. Fabricius, Mant. I. 1787, 174.
 elongator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 337.
 elongato-spinosa Aranea, C. de Geer, Mém. Ins. VII. 1778, 323.
 elongatulus Carabus, N. J. Brahm, Ins. Kal. I (1) 1790, 15.
 elongatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
 elongatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 262.
 elongatum Anobium, G. Paykull, Faun. Suec. I. 1798, 303.
 elongatus Apate, G. Paykull, Faun. Suec. III. 1800, 143.
 elongata Apis, C. de Villers, Linn. Ent. III. 1789, 318.
 elongata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 217.
 elongata Blaps, A. G. Olivier, Entom. III. 1795, 9.
 elongatus Bombylius, P. Rossi, Mant. Ins. II. 1794, 78.
 elongatus Boros, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 319.
 elongatus Bostrichus, J. C. Fabricius, Mant. I. 1787, 36.
 elongatus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 117.
 elongatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111 [*n. n.*].
 elongata Buprestis, J. F. W. Herbst, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 99.
 elongata Buprestis, A. G. Olivier, Entom. II. 1790, 42.
 elongatus Carabus, C. de Geer, Mém. Ins. VII. 1778, 626.
 elongatum Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 228.
 elongatus Catops, G. Paykull, Faun. Suec. I. 1798, 345.
 elongatus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
 elongata Cetonia, A. G. Olivier, Entom. I. 1789, 24.
 elongata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 603.
 elongata Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 324.
 elongatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 208.
 elongatus Clerus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.—Lagria.
 elongatus Clerus (L.), Illiger in Kugelann, Käfer Preuss. 1798, 286.—Chrysomela.
 elongatum Colydium, J. C. Fabricius, Ent. Syst. I (2) 1792, 495.—Bostrichus, 1787.
 elongatum Colydium (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 495.—Dermestes.
 elongata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 119.
 elongata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185 [*n. n.*]. [1794.
 elongatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena elongalis,
 elongata Crioceris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—Chrysomela.
 elongata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 156.
 elongatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.—
 elongatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 144. [Chrysomela.
 elongatus Curculio, G. Paykull, Mon. Curc. 1792, 48.
 elongatus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 168.
 elongatus Cylindricus, F. C. Meuschen, Mus. Gever. 1787, 378.
 elongatum Cylonom, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.—
 Bostrichus, 1787.
 elongatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 220.—Bostrichus.
 elongatus Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 141.
 elongatus Elater, *id. ac* elongantulus, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. [1789, 1907.
 elongatus Elater, C. de Villers, Linn. Ent. I. 1789, 319.
 elongatus Elophorus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 381.—Nitidula.
 elongatus Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 204.
 elongatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
 elongata Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 4.
 elongata Formica, J. C. Fabricius, Mant. I. 1787, 308.
 elongata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 99.

- elongata Gorgonia, P. S. Pallas, Elench. 1766, 179.
 elongatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 696.
 elongata Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 277.
 elongata Helix, Studer in Coxo, Trav. Switz. III. 1789, 388 [*n. n.*].
 elongata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
 elongatus Helops, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 1.
 elongatus Hister, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 33.
 elongatus Hister, A. G. Olivier, Entom. I. 1789, 16.
 elongatus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 63.
 elongata Ips (L.), A. G. Olivier, Entom. II. 1790, 8.—Dermestes.
 elongata Isis, E. J. C. Esper, Pflanzenth. I (2) 1788, 47.
 elongata Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 125.—Chrysomela.
 elongata Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
 elongata Leptura, C. de Geer, Mém. Ins. V. 1775, 134.
 elongata Leptura, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
 elongata Leptura, P. Rossi, Mant. Ins. I. 1792, 54.
 elongata Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 284.—Gryllus.
 elongata Melolontha, A. G. Olivier, Entom. I. 1789, 23.
 elongata Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 145.
 elongata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 170.
 elongatus Monoculus, C. de Geer, Mém. Ins. VII. 1778, 470.
 elongata Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
 elongata Musca, J. C. Fabricius, Mant. II. 1787, 348.
 elongata Musca, C. de Villers, Linn. Ent. III. 1789, 549.
 elongata Mylabris, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 147.
 elongata Nitidula (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.—
 elongata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 86. [Silpha].
 elongata Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170.
 elongatus Paederus (L.), J. C. Fabricius, Syst. Ent. 1775, 268.—Staphylinus.
 elongata Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 189.
 elongata Pimelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 69.
 elongata Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
 elongata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141 [*n. n.*].
 elongata Ranatra, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 228.
 elongatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 383.
 elongatus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
 elongatus Ypsolophus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Tinea elongella.
 elongata Saperda, A. G. Olivier, Entom. IV. 1795, 19.
 elongatum Sepidium, A. G. Olivier, Entom. III. 1795, 8.
 elongata Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 257.
 elongata Sphex, C. de Villers, Linn. Ent. III. 1789, 250.
 elongatus Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 685.
 elongatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 171.
 elongatus Strombus, F. C. Meuschen, Mus. Gever. 1787, 292.
 elongatus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
 elongata Synchita (Fab.), J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
 elongata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122. [406.—Bostrichus].
 elongatus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 768.
 elongatus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 259.
 elongata Tillus (L.), A. G. Olivier, Entom. II. 1790, 4.—Chrysomela.
 elongella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
 elongella Tinea (L.), J. C. Fabricius, Gen. Ins. 1777, 295.—Phalaena.
 elongella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
 Elophorus J. C. Fabricius, Syst. Ent. 1775, 66.—Col.
 Elops Linnaeus, Syst. Nat., ed. 12, 1766, 518.—P.
 elorea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 194.
 elpenor Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 801.
 elutalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.

- elutata* Geometra, J. Hübner, Europ. Schmett. (Geom.) [me justice 1796], fig. 224 [*n. et f.*].
elutella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 33.
emarciator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 227.
emargana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—Pyralis.
emargana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 651.
emarginaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me justice 1796], fig. 107 [*n.*].
emarginaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 135. [*et f.*].
emarginator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
emarginata Apis, J. L. Christ, Nat. Ins. 1791, 183.
emarginatus Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
emarginata Bulla, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 2.
emarginata Buprestis, A. G. Olivier, Entom. II. 1790, 84.
emarginata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 214.
emarginatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
emarginatus Carabus, A. G. Olivier, Entom. III. 1795, 55.
emarginatus Cerambyx, A. G. Olivier, Entom. IV. 1795, 48.
emarginata Cicindela, A. G. Olivier, Entom. II. 1790, 32.
emarginata Cicindela, J. C. Fabricius, Ent. Syst. I (1) 1792, 177.
emarginatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 158.
emarginatus Curculio, J. C. Fabricius, Mant. I. 1787, 114.
emarginata Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 508.
emarginatus Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 327.
emarginatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 200.
emarginatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.—
emarginata Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 494. [Echinodiscus].
emarginata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 97.
emarginata Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 72.
emarginatus Hydrophilus (Schall.), J. C. Fabricius, Ent. Syst. I (1) 1792, 183.—Dytiscus.
emarginata Idotea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—Cymothoa, 1793.
emarginata Leptura, J. C. Fabricius, Mant. I. 1787, 158.
emarginata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 513.
emarginata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 82.
emarginata Phalaena, S. A. v. Rottenburg, Naturforscher, XI. 1777, 81. [1794, 174].
emarginata Phalaena, *id. ac* marginata, Mant. II. 200, J. C. Fabricius, Ent. Syst. III (2)
emarginata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767,
emarginatus Philanthus, G. W. F. Panzer, Ins. Germ., heft 63 [1799], tab. 19. [866].
emarginatus Scarabaeus (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 46.—Copris.
emarginatus Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 128.
emarginatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 105.
emarginata Sphex, C. de Villers, Linn. Ent. III. 1789, 250.
emarginatus Staphylinus, G. Paykull, Mon. Staph. 1789, 56.
emarginatus Thynnus, J. C. Fabricius, Syst. Ent. 1775, 360.
emarginata Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
emarginatus Vespa (Fab.), J. L. Christ, Nat. Ins. 1791, 228.—Thynnus.
emarginata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 267.
ematheon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 266.—Papilio.
emathion [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 104.
Emberitza, *v.* *Emberiza* A. Sparrman, Mus. Carls. II. 1787, pls. xlii, xliii.
Emberiza Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 308.—A.
emberizae Pediculus (de G.), J. C. Fabricius, Spec. Ins. II. 1781, 483.—Ricinus.
emberizae Ricinus, C. de Geer, Mém. Ins. VII. 1778, 74.
embla Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 38.
embla Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 269.
emeria Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
emeria Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187.
emeria Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
Emerita L. T. Gronovius, Zooph. II. 1764, 234.—Cr.
emeritus Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 416.—Cancer.

- emeritus Brachycerus (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 30.—Cur-
emeritus Ceter, Linnaeus, Syst. Nat., ed. 12, 1767, 1035 [no. 79]. [culio.
emerita Cetonina, A. G. Olivier, Entom. I. 1789, 71.
emeritus Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
emeritus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
emeritus Emerita, F. C. Meuschen, Mus. Gronov. 1778, 87.
emeritus Hippa (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 370.—Cancer.
emeu Casuarius, J. Latham, Index Orn. 1790, 664.
emicator Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 370.
emicatrix Mytilus, F. C. Meuschen, Mus. Gev. 1787, 464.
emilia [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 50.
emirulus Angarius, F. C. Meuschen, Mus. Gev. 1787, 254.
emmedonia [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 92.
emortualis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*u. et f.*].
emortualis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
empedocles [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 11.
empedocles Papilio, J. C. Fabricius, Mant. II. 1787, 10.
empetra Arctomys (Pall.), J. C. D. Schreber, Säugth. IV. 743 (1784), pl. ccx. (1780).—
empetra Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus. [Mus.
empetra Mus, P. S. Pallas, N. sp. Quad. II. 1779, 75.
empiformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.), 1783, 215.
Empis Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.—Dip.
Empusa Illiger in Kugelann, Käfer Preuss. 1798, 499.—Or.
empusa Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 77.
emylius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—Papilio.
emylius [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 104.
enagrus [Sphinx], P. Cramer, Utitl. Kapellen, III (21) 1779, 94.
encedon Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488; [P. (Danaus) ence-
encedonia Papilio (Danaus), *v.* encedon. [donia, ed. 12, 1767, 762].
enceladus Chaetodon, G. Shaw, Nat. Misc. II. 1791, pl. 67.
enceladus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 766.
encelada [Phalaena], P. Cramer, Utitl. Kapellen, II (16) 1777, 130.
Encheleis, *id. ac* Enchelis J. A. Scopoli, Intr. Hist. Nat. 1777, 374.—Inf.
Enchelis O. F. Müller, Verm. I (1) 1773, 33.—Inf.
Enchelyopus L. T. Gronov, Acta Helvet. IV. 1760, 259.—P.
encrasicolus Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 523.
Encrinites; a general term used by old authors, for various parts of Crinoids; see F. A. Bather,
Encrinus C. F. Schultze, Verst. Seest. 1760, 21.—Ech. [Natural Science, 1898, April, 248.
Encrinus J. F. Blumenbach, Hand. Naturg. 1779, 435.—Ech.
“encrinus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
encrinus Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 800 [Vorticella, ed. 12].
encrinus Pennnatula (Linn.), P. S. Pallas, Elench. 1766, 365.—Isis.
encrinus Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1317.
endeca Asterias, Linnaeus, Mant. II. 1771, 543.
edentulum Buccinum, *v.* edentulum B., K. Schreibers, Vers. Conch. I. 1793, 174.
endiviae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 123 [*u. n.*].
Endomychus G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Col.
Endomychus J. C. Fabricius, Suppl. Ent. Syst., 1798, 5.—Col.
endymion Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 268.
endymion Papilio, J. C. Fabricius, Syst. Ent. 1775, 519.
endymion Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 182.
endymion [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 86.
endymion Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 115.
endimion Scarabaeus, A. G. Olivier, Entom. I. 1789, 22.
enecator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 48.
enema Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 10.—Scarabaeus, 1787.
enema Scarabaeus, J. C. Fabricius, Mant. I. 1787, 4.
enervator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.

- enervis Porcellana, F. C. Meuschen, Mus. Gever. 1787, 398.
 Engis G. Paykull, Faun. Suec. III. 1800, 349.—Col.
 enydris (*sic*) Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
 enhydrys Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 245.
 Enneactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
 ennius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 337.
 enodis Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 922.
 enotrea [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 73.
 enothrea (*sic*) Papilio, Cram., J. C. Fabricius, Ent. Syst. III (1) 1793, 59.
 enotrus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 144.
 ensalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 221.
 ensalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
 ensatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena ensalis, 1794.
 ensicaudata Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 38.
 ensicornis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 973.
 ensicornu Acrydium, C. de Geer, Mém. Ins. III. 1773, 499.
 ensifera Aranea, P. Rossi, Fauna Etrus. II. 1790, 130.
 ensifera Leucospis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
 ensifer Truxalis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 93.
 ensiformis Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2817.
 ensis Hypogaecoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
 ensis Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1114.
 ensis Xiphias, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 288.
 entalis Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1263.
 entalis Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
 “Entalites, Walch, 1769,” Herm.; not used in a generic sense.
 entella [Phalaena], P. Cramer, Utitl. Kapellen, III. (18) 1779, 27.
 entellus Scarabaeus, G. A. Olivier, J. Nat. Hist. (Choix des Mém.), I. 1792, 293.
 entellus Simia, C. Dufresne, Bull. Sci. Soc. Philom. [Paris], no. 7, 1797, 49.
 entellus Simia, C. Dufresne in Audebert, Hist. Nat. Singes, 1799, sig. P 2.
 Entomolithus J. Gesner, Tract. Petref. 1758, 57.—Cr.
 Entomolithus Linnaeus, Syst. Nat., ed. 12, III. 1768, 160.—Cr.
 Entomon P. A. Latreille, Préc. Car. Ins. 1796, 197.—Cr.
 entomon Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 253.—Oniscus.
 entomon Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 505.—Oniscus.
 entomon Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
 entomon Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 514.—Oniscus.
 entrocha Isis, Linnaeus, Syst. Nat., ed. 12, 1767, 1288.
 “entrochus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 168.
 enucleator Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 14.
 enucleator Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.
 enydris Boa, *v.* enhydrys.
 enzenbergella Alucita, J. C. Fabricius, Mant. II. 1787, 256.
 enzenbergella Tinea (Fab.), C. de Villers, Linn. Ent. IV. 1789, 545.—Alucita.
 eoeniculacea Antipathes, *v.* foenic-, P. S. Pallas, Char. Thierpf. I. 1787, 269.
 eoffea Galeruca, D. H. Schneider, Verz. Parthei Ins. 1800, 9.—[?]coffea.
 Eolia G. Cuvier, Leçons Comp. Anat. I. 1800, 5 [*n. n.*].—Nud.
 “Eolidia, Cuv. 1798,” Scudd.; only occurs as Aeolidia.
 eos Papilio, H. G. Lang, Vers. Schmiett., ed. 2, 1789, 29.
 epaea Papilio, P. Cramer, Utitl. Kapellen, III (20) 1779, 64.
 epaphia [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 26.
 epaphus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 88.
 eperlanus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
 epeus Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 145.
 epheliticus Cancer, Linnaeus, Amoen. Acad. VI. 1763, 414.
 Ephemera Linnaeus, Syst. Nat., ed. 10, 1758, 546; ed. 12, 1767, 906.—Neur.
 ephemera Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 25.
 ephemerella Tinea, [Denis & Schiffermüller], Schmiett. Wien, 1775, 142.

- ephestion [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, IV. 1790, 121.
- ephialtes Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 806.
- ephialtes Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 551.—Sphinx.
- ephippana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
- ephippella Alucita, J. C. Fabricius, Gen. Ins. 1777, 297.
- ephippella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 503.—Alucita.
- ephippiatus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 52.
- ephippiatus Scomber, J. A. Donndorff, Zool. Beyt. III. 1798, 554.
- ephippiger Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 446.
- ephippiger Gryllus, D. Fiebig, Schrift. Berlin. Ges. Nat. Freunde, V. 1784, 263.
- ephippiger Gryllus Tett. (Fab.), C. de Villers, Linn. Ent. IV. 1789, 376.—Locusta.
- ephippiger Locusta, J. C. Fabricius, Mant. Ins. I. 1787, 235.
- Ephippium J. F. Bolten, Mus. Bolten. (2) 1798, 166.—L.
- ephippium Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1150.
- ephippium Asilus, J. C. Fabricius, Gen. Ins. 1777, 308.
- ephippium Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
- ephippium Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 310.
- ephippium Cetonia, J. C. Fabricius, Mant. I. 1787, 29.
- ephippium Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 54.
- ephippium Echionoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.
- ephippium Elater, A. G. Olivier, Entom. II. 1790, 41.
- ephippium Fenestella, J. F. Bolten, Mus. Bolten. (2) 1798, 193.
- ephippium Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 121.
- ephippium Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 23.—Ostrea.
- ephippium Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 158.—
Cetonia.
- ephippium Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stra-
[tiomys.]
- ephippium Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 338.
- ephippium Mutilla, P. Rossi, Mant. Ins. I. 1792, 148.
- ephippium Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 370.
- ephippium Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1149.
- ephippium Perna (L.), G. Cuvier, Tab. Elém. 1798, 422.—Ostrea.
- ephippium Placenta, A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.
- ephippium Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
- ephippium Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 317.
- ephippium Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.—
[Cetonia.]
- ephippium Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 944.
- ephippium Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
- ephippium Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 759.
- ephippium Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 103.
- ephippium Tenthredo, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 5.
- ephippium Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
- ephippium Vespa, J. C. Fabricius, Syst. Ent. 1775, 362.
- ephippium Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita ephippella,
- eponia [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, III. 1790, 96. [1777.]
- ephora [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (20) 1781, 110.
- ephyne [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 146.
- epictetus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 330.
- epictetus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- epicyanus Falco, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
- epidromis Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 336.—Strombus.
- epidromis Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
- epidromis Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
- epigena [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 72.
- epilobella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
- epilobiella Alucita, J. J. Roemer, Schrift. Berlin. Ges. Nat. Freunde, XI. 1794, 162.
- epilobii Curculio, G. Paykull, Faun. Suec. III. 1800, 259.
- epimenis [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 39.

- epimethea Bombyx (Drury), J. C. Fabricius, Spec. Ins. II. 1781, 170.—Phalaena.
- epimethea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 22.
- Epinelephus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [n. n.].—P.
- Epinephelus M. E. Bloch, Nat. ausl. Fische, VII. 1793, 11.—P.
- epione Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 222.—Phalaena.
- epione Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 47.
- epione Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 87.
- epipatrum Alcyonium, *id. ac* epipetrum Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3811.
- epipetrum Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1294. [1790, 3811.]
- epiphron Papilio (N. G.), A. W. Knoch, Beitr. Insektenges. III. 1783, 131.
- episcopalis Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 48.
- episcopalis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [n. n.].
- episcopalis Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 106.
- episcopalis Mitra, P. L. S. Müller, Del. Nat. I. 1766, 129.
- episcopalis Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 136.—Voluta.
- episcopalis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3459.
- “Episcopus, Briss. 1760,” Waterh.; not used in a generic sense.
- episcopus Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
- episcopus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 748.
- episcopus Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
- epistomium Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
- epistomium Enchelis, O. F. Müller, Verm. I (1) 1773, 35.
- epistylum Helix, O. F. Müller, Verm. II. 1774, 57.
- Epitonium J. F. Bolten, Mus. Bolten. (2) 1798, 91.—G.
- “epitonium Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 170.
- epitonium Tubipora, A. Modeer, K. Vet. Ac. Nya Handl. XVIII. 1797, 54.
- epitus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III. (1) 1793, 332.—Papilio.
- epitus [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 140.
- epitus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 103.
- epius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 35.
- eponina Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 86.
- eponina [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 138.
- epopea [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 144.
- epops Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.
- epopus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 143.
- epulus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
- epulus [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 79.
- equalis *v. aequalis*.
- Eques M. E. Bloch, Nat. ausl. Fische, VII. 1793, 90.—P.
- Eques *v. Papilio* (Eques), Linnaeus.
- eques Carabus, F. v. P. Schrank, Ins. Aust. 1781, 215.
- eques Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 79.
- eques Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 705.
- eques Motacilla, P. Boddaert, Tabl. Planch. Enl. 1783, 46.
- eques Psittacus, P. Boddaert, Tabl. Planch. Enl. 1783, 13.
- eques Tenthredo, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 288.
- eques Tringa, E. Pontoppidan, Danske Atlas, I. 1763, 624.
- equestraria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 284.
- equestrata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.
- equestris Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.—Chrysomela.
- equestris Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 246.—Patella.
- equestris Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
- equestris Andrena, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 17.
- equestris Apis, J. C. Fabricius, Ent. Syst. II. 1793, 320.
- equestris Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.
- equestris Bibio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
- equestris Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 457.—Noctua, 1775.
- equestris Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 45.

- equestris Buprestis, A. G. Olivier, Entom. II. 1790, 13.
equestris Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 195.
equestre Callidium, J. C. Fabricius, Mant. I. 1787, 153. [Malachus.
equestris Cantharis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.—
equestris Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
equestris Cassida, J. C. Fabricius, Mant. I. 1787, 62.
equestris Cerambyx, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 596.
equestris Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.—
equestris Chrysomela, J. C. Fabricius, Mant. I. 1787, 76. [Callidium.
equestris Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
equestris Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
equestris Crioceris, J. C. Fabricius, Mant. I. 1787, 90.
equestris Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
equestris Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38. [Crioceris.
equestris Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
equestris Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 140.
equestris Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1787.
equestris Helops, J. C. Fabricius, Syst. Ent. 1775, 257.
equestris Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 94.—Crioceris, 1787.
equestris Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 523.
equestris Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 147.—Cimex.
equestris Malachus, J. C. Fabricius, Spec. Ins. II. 1781, 500.
equestris Musca, J. C. Fabricius, Syst. Ent. 1775, 782.
equestris Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
equestris Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1257.
equestris Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
equestris Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
equestris Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 2.
equestris Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 365.
equestris Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 292.
equestris Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 323.
equestris Tringa, J. Latham, Index Orn. 1790, 730.
equi Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 7.
equi Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3039.
equi Oestrus, J. C. Fabricius, Mant. II. 1787, 321.
equi Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
equi Strongylus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
equi Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179.
equi Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 4.
equeicola [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 17.
equinoctialis *v.* aequinoctialis.
equina Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
equina Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 194.
equinus Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
equinus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
equinus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.—
Echinocyamus.
equinus Gordius, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 49.
equina Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.
equinus Hippopus, F. C. Meuschen, Mus. Gever. 1787, 428.
equinus Priapus, Linnaeus, Syst. Nat., ed. 10, 1758, 656.
equinus Strongylus, O. F. Müller, Zool. Dan. II. 1784, 6.
equina Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 71.
equiselid Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 447.
equiseti Curculio, J. C. Fabricius, Syst. Ent. 1775, 130.
equiseti Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
equiseti Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 128.
equisetis Coryphaena, P. Osbeck, Reise Ost-Ind. China, 1765, 404.

- equitatorius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
 equitatorius Ichneumon, Panzer in K ob, Ursache d. Baumtrochniss, ed. 2, 1793, 56.
 equitella Phalaena, Scopoli, Ent. Carn. 1763, 254.
 equorum Ascaris, J. A. E. Goeze, Eingeweidew urm. 1782, 63.
 equorum Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 370.
 equula Centrogaster (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1337.—
 equula Scomber, P. Forskal, Descr. Anim. 1775, 58. [Scomber.]
 Equus Linnaeus, Syst. Nat., ed. 10, 1758, 73; ed. 12, 1766, 100.—M.
 erato Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 757.
 eratoalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 188.
 Erax Scopoli, Ent. Carn. 1763, 359.—Dip.
 Erax J. G. Meigen, N. Class. Mouches, 1800, 26.—Dip.
 erax Asilus, O. F. M uller, Z. Dan. Prod. 1776, 181.
 eribus Hesperia (Kn.), J. C. Fabricius, Ent. Syst. III (1) 1793, 293.—Papilio.
 eribus Papilio (P. R.), A. W. Knoch, Beitr. Insektenges. II. 1782, 93.
 erechtea [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 149.
 erectorius Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 221.
 erectus Parus, P. L. S. M uller in Linn. Syst. Nat., Suppl. (1776), 178.
 erecta Phalaena, A. E. de Fourcroy, Ent. Paris. 1785, 302.
 erecta Serpula, C. U. v. Salis, Reise Neapel, 1793, 358.
 Eremita F. C. Meuschen, Mus. Gronov. 1778, 86.—Ins.
 eremita Bostrichus, A. G. Olivier, Ency. M eth. V (Ins.) 1790, 110.
 eremita Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1049 [no. 59].
 eremita Cetonia (Scop.), J. C. Fabricius, Syst. Ent. 1775, 45.—Scarabaeus.
 eremita Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 159.
 eremita Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 85.
 eremita Melolontha (Scop.), Herbst in Jablonsky, Nat. Ins. (K afer) III. 1790, 176.—
 eremita Noctua, J. C. Fabricius, Syst. Ent. 1775, 616. [Scarabaeus.]
 eremita Oniscus, M. T. Br unnich, Nye Saml. K. Danske Skrifter, II. 1783, 319.
 eremita Pagurus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 413.—Cancer.
 eremita Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 411.—Cancer.
 eremita Phalaena, Scopoli, Ent. Carn. 1763, 201.
 eremita Scarabaeus, Scopoli, Ent. Carn. 1763, 7.
 eremita Tetrao, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 179.
 eremita Trichius (Scop.), J. C. Fabricius, Ent. Syst. I (2) 1792, 118.—Scarabaeus.
 eremita Trichius (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 66.—Cetonia.
 eremita Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 833.
 eremita Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 118.
 eremitica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 289.
 eremitorum Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
 eresimus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 121.
 ergotis Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 164.
 eribote *v.* eribotes.
 eribotes Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
 eribotes Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487; [P. (Danaus) eribote,
 ericae Phalaena, Hufnagel, Berl. Mag. III. 1766, 292. [ed. 12, 1767, 766.]
 ericetaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.
 ericetorum Helix, O. F. M uller, Verm. II. 1774, 33.
 ericetorum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.—
 ericetorum Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 425. [Syrphus.]
 ericoides Antipathes, P. S. Pallas, Elench. 1766, 208.
 ericoides Sertularia, P. S. Pallas, Elench. 1766, 127.
 erica Helix, E. M. da Costa, Brit. Conch. 1778, 53.
 ericus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 281.
 ericus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 432.
 eridania [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 133.
 eridanus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 194.—Phalaena.
 eridanus Copris, A. G. Olivier, Ency. M eth. V (Ins.) 1790, 164.

- eridanus [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 107.
eridanus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 133.
erigalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 237.
erigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 175.
erigator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
erigatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena erigalis, 1794.
erigone [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 97.
erinacei Haeruca, C. A. Rudolphi, Obs. Ver. Intest. 1793, 22.
erinacei Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.
Erinaceus Linnaeus, Syst. Nat., ed. 10, 1758, 52; ed. 12, 1766, 75.—M.
erinaceus Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
erinaceus Cancer, J. C. Fabricius, Mant. I. 1787, 325.
erinaceus Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 419.—Buccinum.
erinaceus Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 390.—Buccinum.
erinaceus Leucosia, Fab., F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
erinaceus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
erinaceus Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 328.
erinacea Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 36.
Erinna J. G. Meigen, N. Class. Mouches, 1800, 21.—Dip.
erinus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 302.
erinus Papilio, J. C. Fabricius, Syst. Ent. 1775, 525.
erina Papilio, J. C. Fabricius, Mant. II. 1787, 41.
eriocis Fasciola, O. F. Müller, Zool. Dan. II. 1784, 92.
eriox Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509.
eriphia Zygaena, J. C. Fabricius, Gen. Ins. 1777, 276.
eriphile [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 169.
erippus [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 4.
erippus Papilio, J. C. Fabricius, Mant. II. 1787, 27.
erippus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 49.
Erithacus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 26.—A.
Erithacus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2.—A.
erithaca Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 179.
erithacus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 335.
erithacus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 144.
erithacus Sylvia (L.), J. Latham, Index Orn. 1790, 513.—Motacilla.
erithonius [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 67.
erithonius Papilio, J. C. Fabricius, Mant. II. 1787, 11.
erix *v.* eryx.
erinea Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
ermineus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 141.
erminea Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 68. [hyberna.
erminea Mustela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 98; *varr.* aestiva,
erminea Mustela, J. M. Bechstein in Pennant, Uebers. Thiere, II. 1800, 687;
erminea Mustela, J. C. P. Erxleben, Syst. Anim. 1777, 474. [*varr.* variegata, perversa.
ermineum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 206.
erminia [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 5.
erminea Phalaena B., E. J. C. Esper, Die Schmett. III (18) 1783, 100.
erminea Phalaena (Bombyx), T. Marsham, Tr. Linn. Soc. [Lond.], I. 1791, 70.
erminea Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
ernestilla Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
ernestina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 155.
ernestina Phal. (Geom.), Herbst, Einl. Ins. II. 1785, 120.
Erodium J. C. Fabricius, Syst. Ent. 1775, 258.—Col.
erosalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 236.
erosaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 103.
erosaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 25 [*n. et f.*].
erosaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
erosata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526. [92.—Geometra.

- erosine Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 266.—Papilio, 1787.
erosine [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 18.
erosine Papilio, J. C. Fabricius, Mant. II. 1787, 51.
erosa Acanthia (L.), J. C. Fabricius, Spec. Ins. II. 1781, 337.—Cimex.
erosus Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
erosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
erosa Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1179.
erosa Eschara, P. S. Pallas, Elench. 1766, 38.
erosa Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—Eschara.
-erosa Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 441.
erosa Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 408.—Cypraea.
erosa Trichoda, O. F. Müller, An. Infus. 1786, 227.
erota Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 76.
erota [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 152.
erota Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 124.
erotus [Sphinx], P. Cramer, Uitl. Kapellen, II (9) 1777, 12.
Erotylus J. C. Fabricius, Syst. Ent. 1775, 123.—Col.
errans Carabus, A. G. Olivier, Entom. III. 1795, 16.
errans Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.
errans Melolontha, J. C. Fabricius, Syst. Ent. 1775, 37.
errans Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2872.—Syrphus.
errans Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—Melo-
errans Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.—Stratiomys, 1794. [lontha.
errans Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 263.
errans Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 23.
errans Syrphus, J. C. Fabricius, Mant. II. 1787, 337.
erraticus Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 34.—Scarabaeus.
erratica Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 217.
erratica Chrysomela, J. C. Fuessly, Schweiz. Ins. 1775, 8.
erraticus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
erratica Coccinella, Scopoli, Ent. Carn. 1763, 72.
erraticus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.—Scarabaeus.
erraticus Curculio, Scopoli, Ent. Carn. 1763, 24.
erratica Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
erraticus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 167. [Fournis, 1798, 44.
erratica Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
erratica Musca, Scopoli, Ent. Carn. 1763, 345.
erratica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.
erraticus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
erraticus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 675.
errator Ichneumon, N. Mohr, Island. Nat. 1786, 93.
erratus Carabus, P. Rossi, Mant. Ins. I. 1792, 91.
erro Musca, M. Harris, Exp. Eng. Ins. 1776, 123. [Gmelin.]
errones Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1178; [erronea in
erubescens Madrepora, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 156.
Eruca G. Edwards in M. Catesby, Carol. II. 1771, 94.—Lep.
eruca Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 28.
erucalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 28.
erucarum Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 2.
erucarum Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 375.
eruciger Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 288.
eruca Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 39.
eruditus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 513.
eruditus Cheyletus (Schr.), P. A. Latreille, Préc. Car. Ins. 1796, 179.—Acarus.
erugata Capisterium, F. C. Meuschen, Mus. Gever. 1787, 464.
ervi Bruchus, J. A. Frolich, Naturforscher, XXVIII. 1799, 56.
ervum Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213. [cyamus.
ervum Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—Echino-

- erxlebella Alucita, J. C. Fabricius, Mant. II. 1787, 256.
- erxlebella Tinea (Fab.), C. de Villers, Linn. Ent. IV. 1789, 545.—Alucita.
- erxlebeniana Silpha, F. A. A. Meyer, Zool. Archiv (1) 1796, 210.
- erycata [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 170.
- erycinia [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 124.
- erycina Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 444.—Venus.
- erycina Phalaena, G. Shaw, Nat. Misc. VII. 1795, pl. 230.
- erycina Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1131.
- erymanthea Papilio, N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- erymanthis Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 29. [1784, 180.]
- erymanthus [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 25.
- eryngii Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 197.
- erynnis Zygaena, J. C. Fabricius, Gen. Ins. 1777, 277.
- eryocephala Loxia, *v.* erythrocephalus.
- erysimi Curculio, *err. pro* erysinei, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- erysimi Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 132. [1743.]
- erysinei Curculio, J. C. Fabricius, Mant. I. 1787, 101.
- erysybe Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
- Erythacus *v.* Erithacus.
- erythracus *v.* erithacus.
- erythrea [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 140.
- erythraeus Sciurus, P. S. Pallas, N. sp. Quad. II. 1779, 377.
- erythraea Sphex, P. S. Pallas, Reise Russ. II. 1773, 729.
- erythraspis Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
- erythrinae Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 169.
- erythrini Taenia, O. Fabricius, F. Groen. 1780, 317.
- Erythrinus L. T. Gronovius, Zooph. I. 1763, 114.—P.
- erythrina Fringilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
- erythrina Loxia, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 587.
- erythrinus Salmo, J. G. Georgi, Reise Russ. 1775, 186.
- erythrinus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 279; ed. 12, 1766, 469.
- erythrocarpos Capparis, P. E. Isert, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 334.
- erythrocephala Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 114.—Chrysomela.
- erythrocephala Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 178.—Galleruca.
- eritrocephala Anas, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 465.
- erythrocephala Anas, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 143.
- erythrocephala Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
- erythrocephalus Bibio (De G.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 300.—Tipula.
- erythrocephala Blatta, J. C. Fabricius, Spec. Ins. I. 1781, 342.
- erythrocephala Blatta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
- erythrocephalum Callidium, J. C. Fabricius, Mant. I. 1787, 156.
- erythrocephala Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—
- erythrocephalus Carabus, J. C. Fabricius, Mant. I. 1787, 201. [Lytta.]
- erythrocephalus Cerambyx, F. v. P. Schrank, Beitr. Nat. 1776, 67.
- erythrocephala Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
- erythrocephala Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 704.
- erythrocephala Coccinella, J. C. Fabricius, Mant. I. 1787, 61.
- erythrocephala Conops, J. C. Fabricius, Ent. Syst. IV. 1794, 392.
- erythrocephala Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 152.
- erythrocephala Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 67.
- erythrocephalus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
- erythrocephalus Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 426.
- erythrocephalus Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—*v.* Dytiscus.
- erythrocephalus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 666.
- erythrocephala Forficula, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 468.
- erythrocephala Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 4.
- erythrocephala Formica, J. C. Fabricius, Syst. Ent. 1775, 391.
- erythrocephala Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 903.

- erythrocephala Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.—
Crioceris.
- erythrocephala Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 31.—Chrysomela.
- erythrocephala Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1024.
- erythrocephalus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
- erythrocephala Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 134. [120.—Callidium.
- erythrocephala Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791,
- erythrocephalus Lanius, D. L. G. Karsten, Mus. Lesk. I. 1789, xiii.
- erythrocephala Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.
- erythrocephala Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172; ed. 12, 1766, 301.
- erythrocephala Lytta (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 329.—Meloe.
- erythrocephalus Meloe, P. S. Pallas, Reise Russ. I. 1771, 466.
- erythrocephala Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 40.
- erythrocephalus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 463.
- erythrocephala Musca, C. de Geer, Mém. Ins. VI. 1776, 146.
- erythrocephala Musca, J. C. Fabricius, Mant. II. 1787, 351.
- erythrocephala Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 8.
- erythrocephala Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
- erythrocephala Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
- erythrocephala Noctua, J. C. Fabricius, Mant. II. 1787, 148.
- erythrocephalus Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 191; [Pipra, ed. 12].
- erythrocephala Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
- erythrocephala Phalaena Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (44)
1791, 309.—Noctua.
- erythrocephala Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
1792, 533.—Noctua.
- erythrocephalus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 174.
- erythrocephala Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
- erythrocephalus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- erythrocephalus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 325; *varr.*
bengalensis, *borneus*, *malaccensis*.
- erythrocephala Saperda (Schrank), J. C. Fabricius, Mant. I. 1787, 148.—Cerambyx.
- erythrocephalus Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 210.—Melolontha.
- erythrocephala Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 255.
- erythrocephala Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 445.
- erythrocephalus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 265.
- erythrocephala Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 926.
- erythrocephala Tipula, C. de Geer, Mém. Ins. VI. 1776, 431.
- erythrocephala Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
- erythroceras Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
- erythroceros Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 73.
- erythrochlorus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
- erythrochlorus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
- erythrocnema Meloe, P. S. Pallas, Icon. Ins. 1782, 76.
- erythrocyana Meloe, P. S. Pallas, Icon. Ins. 1782, 96.
- erythroductyla Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
- erythrogaster Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
- erythrogaster Coluber, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
- erythrogaster Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
- erythrogaster Hirundo, P. Boddaert, Tab. Planch. Enl. 1783, 45.
- erythrogaster Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
- erythrogaster Melyris, J. A. Frolich, Naturforscher, XXVI. 1792, 118.
- erythrogaster Mordella, J. A. Frolich, Naturforscher, XXVI. 1792, 163.
- erythrogaster Motacilla, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 469.
- erythrogaster Muscicapa, J. Latham, Index Orn. 1790, 479.
- erythrogaster Sylvia (Guelde.), J. Latham, Index Orn. 1790, 513.—Motacilla.
- erythrogaster Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 338.
- erythroleucos Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.

- erythroleucus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 144.
 erythroleucus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
 erythrolophos Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
 erythromelas Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
 erythromelas Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
 erythromelas Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 erythromelas Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2171.
 erytromelas Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
 erythromelas Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
 erythromelas Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 859.
 erythromelas Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
 erythronotos Certhia, J. Latham, Index Orn. 1790, 290.
 erythronotus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
 erythropalpus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 erythropthalmos Anas, J. M. G. Beseke, Beitr. Vög. Kurlands, 1792, 50.
 erytrophthalma Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 77.
 erythropthalmus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 530.
 erythropthalmus Cyprinus, N. G. Leske, Ichth. Lips. 1774, 60.
 erythropthalmus Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 874.
 erythropthalmus Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 318.
 erithropthalmus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 263.
 erytrophthalma Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
 erythropthalmus Musca, Hellwig in G. W. F. Panzer, Ins. Germ. heft 17, 1794, tab. 24.
 erythropis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 937.
 erythropterus Attelabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1809.
 erythroptera Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 70.
 erythroptera Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1674.
 erythroptera Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2115.
 erythropterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
 erythroptera Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 775.
 erythropterus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 38.
 erythropterus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 115.
 erythroptera Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
 erythropterus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
 erythropterus Oxyporus, G. W. F. Panzer, Ins. Germ. heft 27 [1795], tab. 21.
 erythropterus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 343.
 erythropterus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 42.
 erythropterus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 683.
 erythropterus Staphylinus=erythropterus Linn., O. F. Müller, F. Ins. Frid. 1764, 23.
 erythropterus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 835.
 erythropus Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 197.
 erytropus Anser (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 120.—Anas.
 erythropus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2778.
 erythropus Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 634.
 erythropus Cancer, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
 erythropus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
 erytropus Carabus, F. A. A. Meyer, Zool. Archiv (1) 1796, 238.
 erythropus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.
 erythropus Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1690.
 erythropus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
 erythropus Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 842.
 erythropus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
 erythropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
 erythropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1776.
 erythropus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1912.
 erythropus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
 erythropus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
 erythropus Larus, J. Latham, Syn. Birds, Suppl. I. 1787, 296.

- erythropus Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
 erythropus Rallus, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
 erythropus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1581.
 erythropus Scolopax, A. Vroeg, Catal. Vogel. 1764, Adumb., 6.
 erythropus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
 erythropus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 372.
 erythropus Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 86.
 erythropus Tringa, J. A. Scopoli, Annus I. 1769, 102.
 erythropus Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 670.
 erythroprogyus Psittacus, J. Latham, Index Orn. 1790, 94.
 erythrorhyncha Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 517.
 erythrorhynchos Certhia, J. Latham, Index Orn. 1790, 299.
 erythrorhynchus Corvus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 erythrorhynchus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
 erythrorhynchus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
 erythrorhynchus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 355.
 erythrorhynchus Upupa, J. Latham, Index Orn. 1790, 280.
 erythrostomus Cyllindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
 erythrostomus Gobius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 200.
 erythrostoma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 272.
 erythrotis Clytra, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 129.
 erythrurus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
 erythrourus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 26.
 erythrozonias Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 erythus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 93.
 eryx Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.
 eryx Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 435.
 eryx Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 283.—Papilio.
 eryx Papilio (P.), Linnaeus, Mant. II. 1771, 537.
 erix [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 129.
 erix [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 75.
 eryx Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 423.
 eryx Zygaena, J. C. Fabricius, Syst. Ent. 1775, 552.
 esca Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2993.—Gammarus.
 esca Cancer (Oniscus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 146.—
 esca Gammarus, J. C. Fabricius, Reise Norwegen, 1779, 249. [Gammarus.
 Escara v. Eschara P. S. Pallas, Elench. 1766, 50.
 Eschara Linnaeus, Syst. Nat., ed. 10, 1758, 804.—Pol.
 eschara Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792.
 esculenta Cidaris (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 74; *varr.*
 variegata, topasina, decemradiata (81 & 82).—Echinus.
 esculentus Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
 esculentus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1102.
 esculentus Glis, J. F. Blumenbach, Hand. Naturg. 1779, 79.
 esculenta Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.
 esculenta Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 357.
 eson [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 57.
 Esox Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 515; [Artedi, Ichth. 1738,
 esperella Tinea, J. C. Fabricius, Mant. Ins. II. 1787, 251. [gen. x. 14].—P.
 esperella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 526.
 esperiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 192.
 esra Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
 esulae Sphinx, Hufnagel, Berl. Mag. II. 1766, 180.
 esuriens Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 291.
 esuriens Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 441.
 esuriens Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 281.
 esuriens Vespa, J. C. Fabricius, Mant. I. 1787, 293.
 ethemon [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 75.

- etheocles [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 34.
 ethesia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 249.
 ethiopicus } *v.* aeth-
 ethiops }
 ethlius [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 212.
 ethosea [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 51.
 ethra Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 24.
 ethus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 217.
 etolus Hesperia, J. C. Fabricius, Ent. Syst. III (1), 1793, 264.
 etolus [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 28.
 aetolus (*sic*) [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 97.
 etolus Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 66.
 etrusca Andrena, P. Rossi, Fauna Etrus. II. 1790, 98.
 hetrusca (*sic*) Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 257.
 etruscum Rhagium, P. Rossi, Fauna Etrus. I. 1790, 149.
 euadrus *v.* evadrus.
 eubule Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 764.
 Eucera J. A. Scopoli, Annus IV. 1770, 8.—Hym.
 eucharis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 17.
 eucharis [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 14.
 eucharis Papilio, J. C. Fabricius, Syst. Ent. 1775, 472.
 eucharis Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 20.
 eucharis [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 31.
 euchore Antilope, J. R. Forster in Levaillant, Erste Reise Afrika, (Berlin) 1792, 159.
 euclea [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 24.
 Eudomychus P. A. Latreille, Préc. Car. Ins. 1796, 71.—Col.
 eudora Papilio N. G., E. J. C. Esper, Die Schmett. I (9) 1779, 374.
 eudoxia [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 35.
 eudoxus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 331.—Papilio.
 eudoxus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.
 eueria *v.* everia.
 eugenia Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 19.
 eugenia [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 58.
 eugenia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 235.
 euipe Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 762.
 Eulalia J. G. Meigen, N. Class. Mouches, 1800, 21.—Dip.
 eulalia [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 54.
 Eulophus E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 312.
 eulophus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 389.
 eumedide [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 219.
 eumedon Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 eumelia [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 157. [1780], 16.
 eumelus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 345.—Papilio.
 eumelus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 94.
 eumela [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 111.
 eumene [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 145.
 eumea [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 132.
 eumeus Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 4.
 eumeus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 63.
 Eumolphus J. G. Kugelann, Käfer Preuss. 1798, 499.—Col.
 eumolphus [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 19.
 eumolphus [Sphinx], P. Cramer, Uitl. Kapellen, III (17) 1779, 8.
 eunolphus Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 505.
 eunomia Papilio Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1799], 94.
 eupale Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 7.
 eupalemon [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 74.
 eupalemon [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.
 eupalus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 54.

- eupatria Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 140.
- euphemia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 105.
- eupheno Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 762.
- euphon Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 423.
- euphorbiae Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 181.—Galleruca.
- euphorbiae Altica (Schr.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
- euphorbiae Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 83.
- euphorbiae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 34.
- euphorbiae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 67.
- euphorbiae Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 227.—Noctua.
- euphorbiae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
- euphorbiaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 78
- euphorbiata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116. [n. et f.]
- euphrasiae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 232.
- Euphrosyne J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
- euphrosyne Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767,
- eurialus [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 116. [786.]
- euribates [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 215.
- Euribia J. G. Meigen, N. Class. Mouches, 1800, 36.—Dip.
- Eurichora Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 33.—Eurychora, Thunberg
- eurilochus [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 53. [est.]
- eurimedea [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 43.
- eurimedes [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 199.
- eurinome [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 109.
- euripides Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 267.
- euristeus [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 47.
- euristea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 71.
- eurisus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 47.
- eurita Papilio, P. Cramer, Uitl. Kapellen, III (20) 1779, 69.
- euriteus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 321.—Papilio.
- euriteus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 89.
- euritea [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 157.
- eurocilia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 79.
- eurocilia [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 126.
- eurocilia Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 163.—Phalaena.
- europa Apis, M. Harris, Exp. Eng. Ins. 1776, 166.
- europa Papilio, J. C. Fabricius, Syst. Ent. 1775, 500.
- europaeus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 25.
- europaeus Caprimulgus, Linnaeus, Syst. Nat., ed. 10, 1758, 193; ed. 12, 1766, 346.
- europaeus Chelifer, C. de Geer, Mém. Ins. VII. 1778, 355.
- europaeus Cursorius, J. Latham, Index Orn. 1790, 751.
- europaeus Erinaceus, Linnaeus, Syst. Nat., ed. 10, 1758, 52; ed. 12, 1766, 75.
- europaea Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.
- europaea Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 966.
- europaeus Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1038.
- europaea Sitta, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 177.
- europaea Talpa, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 73.
- europaea Talpa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 110; *varr.*
variegata, alba, flava, cinerea.
- europaea Talpa, R. Kerr, Anim. Kingd. 1792, 200; *varr.* nigra. [rufo, major.]
- europaea Talpa, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 724; *varr.*
- europaeus Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
- europaeus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
- europome Papilio Dan., E. J. C. Esper, Die Schmett. I (9) 1779, 367.
- europa [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 37.
- euryale Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 243.
- Eurychora C. P. Thunberg, Peric. Ent. 1789, 9.—Col.

- eurydice Papilio, Linnaeus, *Amoen. Acad.* VI. 1763, 406.
- euridice Papilio, [D. H. Schneider], *Besch. europ. Schmett.* I. 1785, 231.
- eurylus Scarabaeus, *err. pro eurytus* Fabr., J. C. Fabricius, *Mant.* I. 1787, 5.
- eurypylus Papilio (Eques), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 464; ed. 12, 1767, 754.
- eurytus Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 157.
- eurytus Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 487.
- eurytus Papilio (Barbarus), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 487; [P. (Heliconius), ed. eurytus Scarabaeus, J. C. Fabricius, *Syst. Ent.* 1775, 7. [12].
- eusebia [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (31) 1781, 155.
- eustachii Fringilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 911.
- eustachius Papilio, Herbst in Jablonsky, *Nat. Ins. (Schmett.) VIII.* 1796, 77.
- eustatius Dermestes, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 357; ed. 12, 1767, 564.
- eustatius Ips (L.), C. de Geer, *Mém. Ins.* V. 1775, 197.—Dermestes.
- euterpe Papilio (Heliconius), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 466; ed. 12, 1767, 756.
- Eutropia [G. Humphreys], *Mus. Calonn.* 1797, 23.—G.
- eutropia Phalaena, C. Stoll, *Aanhang. Cramer's Uitl. Kapellen*, III. 1790, 91.
- eva Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 162.
- evadne [Papilio], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 48.
- evadnes [Papilio], C. Stoll in Cramer, *Uitl. Kapellen*, IV (29) 1781, 103.
- evadnes [Sphinx], C. Stoll in Cramer, *Uitl. Kapellen*, IV (30) 1781, 129.
- euadrus (*sic*) Papilio, J. C. Fabricius, *Mant.* II. 1787, 89.
- evagete [Papilio], P. Cramer, *Uitl. Kapellen*, III (19) 1779, 47.
- evalthe Papilio, J. C. Fabricius, *Syst. Ent.* 1775, 480.
- evander Papilio, P. Cramer, *Uitl. Kapellen*, IV (28) 1780, 83.
- Evania J. C. Fabricius, *Syst. Ent.* 1775, 345.—Hym.
- Evania G. Cuvier, *Leçons Comp. Anat.* I. 1800, tab. 8 [n. n.].—Hym.
- evania Sphex, C. P. Thunberg, *D. D. Mus. Ac. Upsal. App.* II. 1791, 126.
- evansii Sertularia, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 58.
- evarete [Papilio], P. Cramer, *Uitl. Kapellen*, III (17) 1779, 18.
- evectus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 125.
- evelina [Papilio], C. Stoll, *Aanhang. Cramer's Uitl. Kapellen*, IV. 1790, 132.
- eueria (*sic*) Phalaena (B.), A. W. Knoch, *Beitr. Insektenges.* I. 1781, 26.
- evergista [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (31) 1781, 155.
- evergista Phal. (Geom.), Herbst, *Einl. Ins.* II. 1785, 119.
- euersor (*sic*) Gryllus, O. G. Tychsen in *Asso y del Rio, Heuschrecken*, 1787, 68.
- evidens Noctua, C. P. Thunberg, *Ins. Suecica* (1) 1784, 2.
- evippus Papilio, J. Hübner, *Samml. Vögel u. Schmett.* 1793, 11 [n. et f.].
- evitata Phryganea, P. Rossi, *Mant. Ins.* I. 1792, 105.
- evolans Exocoetus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 521.
- evolans Trigla, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 498.
- evonymaria Geometra, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 103. [n. et f.]
- evonymaria Geometra, J. Hübner, *Europ. Schmett. (Geom.)* [me judice 1796], fig. 31
- evonymella Phalaena (Tinea), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 534; ed. 12, 1767, 885.
- evonymella Tinea (L.), J. C. Fabricius, *Syst. Ent.* 1775, 656.—Phalaena.
- evonymi Aphis, J. C. Fabricius, *Syst. Ent.* 1775, 736.
- evonymi Chermes, Scopoli, *Ent. Carn.* 1763, 139.
- euonymi Cimex, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2183.
- evonymi Cistela, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 45.
- evonymi Ichneumon, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2714.
- evonymum Buccinum, F. C. Meuschen, *Mus. Gev.* 1787, 300.
- evulsum Buccinum, D. Solander in G. Brander, *Foss. Hant.* 1766, 13.
- exactus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 147.
- exadeus [Papilio], P. Cramer, *Uitl. Kapellen*, III (22) 1770, 118.
- exaesa Millepora, P. Forskal, *Descr. Anim.* 1775, 138.
- exaestuans Tabanus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 601; ed. 12, 1767, 1000.
- exalbidus Coluber, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1088.
- exalbida Ostrea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3337.
- exalbida Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3704.

- exalbidus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
 exalbida Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 exaltata Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136.
 exaltata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 458.
 exaltatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—SpheX, 1793.
 exaltata SpheX, J. C. Fabricius, Syst. Ent. 1775, 351.
 exanthematicus Cimex, Scopoli, Ent. Carn. 1763, 121.
 exanthematica Lacerata, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 25.
 exanthemata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 107.
 exanthemata Phalaena, Scopoli, Ent. Carn., 1763, 218.
 exanthema Cypraea, Linnaeus, Syst. Nat., ed. 12, 1767, 1172.
 exanthema Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
 exapdia Sepia, Molina, v. [h]exapodia.
 exarator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
 exaratum Buccinum, O. F. Müller, Verm. II. 1774, 148.
 exaratus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 361.—Buccinum.
 exarata Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3431.—Buccinum.
 exaratus Carabus, D. E. Naezén, K. Vet. Ac. Nya Handl. XV. 1794, 272.
 exaratus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
 exasperatus Trochus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 109.
 exasperata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
 excaecata Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 49.
 excavatum Anobium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 488.
 excavata Blaps, J. C. Fabricius, Syst. Ent. 1775, 254.
 excavatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
 excavata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 232.
 excavatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 31.
 excavatus Carabus, G. Paykull, Mon. Carab. 1790, 38.
 excavatus Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xvii [re-paged issue].
 excavatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 365.
 excavatus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 212.
 excavatus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 95. [Echinites.
 excavatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3170.—
 excavatus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 22.—Scarabaeus, 1792.
 excavatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 160.—Cimex, 1781.
 excavatum Mantellum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 160.—Ostrea.
 excavata Ostrea, J. C. Fabricius, Reise Norwegen, 1779, 368.
 excavata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
 excavata Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
 excavata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Blaps.
 excavatus Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 1.
 excavatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 31.
 excavata Silpha (Fourc.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
 excavatus Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 235.
 excavata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
 excellens Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 54.
 excelsa Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123 [n. n.].
 excisaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) [1795], 101.
 excisa Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141.
 excisus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 32.
 excisus Cancer, J. C. Fabricius, Mant. I. 1787, 316.
 excisus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
 excisus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
 excisa Cythera, J. F. Bolten, Mus. Bolten. (2), 1798, 178.
 excitator Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
 exclamationis Bombyx (L.), E. J. C. Esper, Die Schmett. III (26) 1786, 321.—Phalaena.
 exclamationis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 143.
 exclamationis Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 577.

- exclamationis Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 14.
 exclamationis Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 86.
 exclamationis Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 24.
 exclamationis Curculio, J. C. Fabricius, Syst. Ent. 1775, 133.
 exclamationis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 325.
 exclamationis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 605.—Phalaena.
 exclamationis Papilio, J. C. Fabricius, Syst. Ent. 1775, 530.
 exclamationis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767,
 excoriato-niger Curculio, C. de Geer, Mém. Ins. V. 1775, 259. [850.
 excoriato-ruber Curculio, C. de Geer, Mém. Ins. V. 1775, 257.
 excors Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
 excubitor Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94; ed. 12, 1766, 135. [major.
 excubitor Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 300; varr. albus,
 excursor Ichneumon, A. G. Olivier, Ency. Méth. VII. (Ins.), 1792, 195.
 excusa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, [post 1796], 70.
 exesus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1762.
 exesa Madrepora, P. S. Pallas, Elench. 1766, 290.
 exhalans Carabus, P. Rossi, Mant. Ins. I. 1792, 84.
 exhaustator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 226.
 exhortator Ichneumon, J. C. Fabricius, Mant. I. 1787, 264.
 exiguella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
 exiguus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 214.
 exigua Boa, J. N. Laurenti, Syn. Rept. 1768, 89.
 exigua Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 462.
 exiguum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
 exiguus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.
 exiguus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
 exigua Helix, Studer in Coxe, Trav. Switz. III. 1789, 386 [*n. n.*] [204.
 exiguum Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Tellina.
 exigua Salamandra, J. N. Laurenti, Syn. Rept. 1768, 41 & 148.
 exigua Tellina, J. X. Poli, Test. Sicil. I. 1791, xxxv.
 exigua Tellina, J. X. Poli, Test. Sicil. II. 1795, 35.
 exiguus Trochus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 44.
 exiliens Exocoetus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1400.
 exilis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
 exile Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
 exilis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1844.
 exilis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1686.
 exilis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
 exilis Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
 exilis Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
 exilis Helix, O. F. Müller, Verm. II. 1774, 22.
 exilis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
 exilis Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
 exilis Musca, M. Harris, Exp. Eng. Ins. 1776, 122.
 exilis Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 exilis Sorex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 115.
 exilis Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
 exilis Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 484.
 exilis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3444.
 eximius Psittacus, G. Shaw, Nat. Misc. III. 1792, pl. 93.
 eximija Thiara, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [*n. n.*].
 exinanita Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.
 exlex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155. [gen. vi, 8].—P.
 Exocoetus Linnaeus, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520; [Artedi, Ichth. 1738,
 exoletella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
 exsoletella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30.
 exoleta Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.

- exoletum Arthemiderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
 exoleta Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 450.—Venus.
 exsoleta Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
 exoletus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 exoletus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 385.
 exsoletus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
 exoletus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 exsoleta Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 178.—Venus.
 exsoletus Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 57.
 exoleta Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela.
 exoletus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
 exsoletus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
 exoleta Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 78.—Coluber.
 exoleta Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 617.—Phalaena.
 exoleta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
 exoleta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767, 849.
 exoletus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
 exoleta Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
 exortus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 20.
 exos Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1293.
 exos Terebratula, A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.
 exoticus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
 exoticus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 374.
 exoticus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
 exotica Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73 [n. n.].
 exotica Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
 expallescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 expectata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 636.
 explanata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
 explanata Helix, O. F. Müller, Verm. II. 1774, 26.
 explanata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
 explanatus Pholas, L. Spengler, Skr. nat. Selsk. (Copen.), II (1) 1792, 91.
 exquima Simia (Sapajus), R. Kerr, Anim. Kingd. 1792, 76.
 exsanguis Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
 exsculptus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 265.
 exserta Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 87.
 exsertus Prionus, A. G. Olivier, Entom. IV. 1795, 17.
 exsiliens Exocoethus, Linnaeus, Mant. II. 1771, 529.
 exiliens Exocoetus, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1400.
 exsoletella *v.* exoletella.
 exsoletus *v.* exoletus.
 expectorius Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
 exspinosus Monoculus, C. de Geer, Mém. Ins. VII. 1778, 457.
 extendens Eylais (Müll.), P. A. Latreille, Préc. Car. Ins. 1796, 182.—Hydrachne.
 extendens Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
 extendens Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
 extensor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
 extensorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 930.
 extensa Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
 extensa Helix, O. F. Müller, Verm. II. 1774, 60.
 extensa Serpula, D. Solander in G. Brander, Foss. Hant. 1766, 12.
 extenuata Musca, P. Rossi, Fauna Etrus. II. 1790, 312. [et f.].
 extersaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 159 [n.].
 extimalis Phalaena, Scopoli, Ent. Carn. 1763, 241. [et f.].
 extimaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 21 [n.].
 extimaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 20.
 extincta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583. [et f.].
 extremata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 239 [n.].

- extremata** Phalaena, J. C. Fabricius, Mant. II. 1787, 211.
extricator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 193.
extuberator Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
exulans Diomedea, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 214.
exulans Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
exulans Sphinx, Reiner & Hohenwarth, Botan. Reise Alpen, I. 1792, 265.
exulcerans Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1024.
exultus Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
exustata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 600.
exusta Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
exustus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
exusta Necydalis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1881.
exusta Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
exuvia Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
eycalia Papilio, *err. pro* egialia, Cramer, J. C. Fabricius, Mant. II. 1787, 55.
Eylais P. A. Latreille, Préc. Car. Ins. 1796, 182.—Ar.
eyrinotus Carabus, G. W. F. Panzer, Ins. Germ. heft 37 [1796], tab. 23.
ezea [Phalaena], P. Cramer, Uitl. Kapellen, III (20) 1779, 78.
- faba** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
faba Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3264.
faba Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.
faba Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
faba [Limax], T. Martyn, Univ. Conch. II. [1788], fig. 67.
faba Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 328.—Voluta.
faba Mytilus, O. F. Müller, Z. Dan. Prod. 1776, 250.
faba Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 103.
faba Pholas, R. Pulteney, Cat. Birds &c. Dorset, 1799, 27.
faba Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 116.
faba Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
fabae Aphis, Scopoli, Ent. Carn. 1763, 139.
fabalis Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
faber Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 187.
faber Chaetodon, P. M. A. Broussonet, Ichth. 1782.
faber Cimex, J. C. Fabricius, Mant. II. 1787, 297.
faber Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 81.
faber Curculio, P. Rossi, Fauna Etrus. I. 1790, 120.
faber Ichneumon, J. L. Christ, Nat. Ins. 1791, 364.
faber Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 146.—Cimex, 1787.
faber Prionus (Linn.), J. C. Fabricius, Spec. Ins. I. 1781, 204.—Cerambyx.
faber Ptinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 6.
faber Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, 267; ed. 12, 1766, 454.
fabiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 227.
fabietta Phalaena (Tin.), Herbst, Einl. Ins. II. 1785, 132.
fabia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
fabius Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 12.
fabius [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 141.
fabia Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 426.
fabia [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 98.
fabia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 126.
fabricator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
fabricatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
fabricella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 319.
fabricia Tubularia, O. F. Müller, Z. Dan. Prod. 1776, 254.
fabriciana Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 955.
fabriciana Nomada (L.), J. C. Fabricius, Syst. Ent. 1775, 389.—Apis.
fabriciana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 880.

- fabriciana *Pyralis* (L.), J. C. Fabricius, Syst. Ent. 1775, 653.—Phalaena.
 fabriciella *Phalaena* (Tinea), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 277.
 fabriciella *Phalaena* (Tin.), C. de Villers, Linn. Ent. II. 1789, 527.
 fabricii *Buprestis*, P. Rossi, Mant. Ins. II. 1794, 100.
 fabricii *Cimex*, Linnaeus, Mant. II. 1771, 534.
 fabricii *Curculio*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 169.
 [fabrilis *Araneus*, C. Clerck, Aran. Svec. 1757, 86.]
 fabrilis *Araneus*, T. Martyn, Aranei, 1793, 39.
 fabroniana Raja, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 104.
 fabula *Tellina*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
 facchino *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 190.
 facultas *Musca*, M. Harris, Exp. Eng. Ins. 1776, 109.
 fadus *Sesia* (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 154.—Sphinx.
 fadus [Sphinx], P. Cramer, Uitl. Kapellen, I (6) 1775, 95.
 faeroensis *Cancer*, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 56.
 faetela *Sciaena*, P. Forskal, Descr. Anim. 1775, 51.
 fagana *Phalaena* (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 387.—*Pyralis*.
 fagana *Pyralis*, J. C. Fabricius, Spec. Ins. II. 1781, 276.
 fagana *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
 fagana *Tortrix* (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 18.—*Pyralis*.
 fagaria *Geometra*, C. P. Thunberg, Ins. Suecica (1) 1784, 7.
 fagella *Tinea*, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 fagella *Tinea*, C. P. Thunberg, Ins. Suecica (7) 1794, 93.
 fagi *Anobium*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 26.
 fagi *Apathe*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 157.
 fagi *Aphis*, Linnaeus, Syst. Nat., ed. 12, 1767, 735.
 fagi *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 562.—Phalaena.
 fagi *Chermes*, Linnaeus, Faun. Svec., ed. 2, 1761, 263.
 fagi *Crambus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—*Tinea fagella*, 1794.
 fagi *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
 fagi *Cynips*, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
 fagi *Papilio*, Scopoli, Ent. Carn. 1763, 152.
 fagi *Phalaena* (*Bombyx*), O. F. Müller, F. Ins. Frid. 1764, 39.
 fagi *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 508. [Zeit. XVI. 1855, 95.
 fagi körneri *Phalaena* Geom., Gladbach, Namen u. Preissverz. 1778; see Stettin. Ent.
 fagi *Ptinus* (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—*Anobium*.
 fagi *Salius* (L.), F. v. P. Schrank, F. Boica, I. 1798, 508.—*Curculio*.
 fagi *Tenebrio*, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 3.
 fagi *Tenthredo*, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 14.
 fagina *Voluta*, T. Martyn, Univ. Conch. IV [1792], fig. 125.
 faginaria *Phalaena* (*Geometra*), O. F. Müller, Z. Dan. Prod. 1776, 126.
 fagineus *Dermestes*, F. v. P. Schrank, F. Boica, I. 1798, 424.
 fahaka *Tetraodon*, Linnaeus in Hasselquist, Palast. 1762, 441.
 fahlbergiana *Tortrix*, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 166.
 F album *Papilio* N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 [1784], 168.
 falcana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 78 [*n. et f.*].
 falcaria *Anas*, P. S. Pallas, Reise Russ. III. 1776, 701.
 falcatae *Sphinx*, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
 falcatae *Sphinx*, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 206.
 falcataria *Mantis*, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
 falcataria *Phalaena* (*Geometra*), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 859.
 falcator *Ichneumon*, J. C. Fabricius, Syst. Ent. 1775, 339.
 falcator *Ophion*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.—*Ichneumon*, 1775.
 falcatorius *Banchus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—*Ichneumon*, 1775.
 falcatorius *Ichneumon*, J. C. Fabricius, Syst. Ent. 1775, 332.
 falcata *Anas*, J. G. Georgi, Reise Russ. 1775, 167.
 [falcatus *Araneus*, C. Clerck, Aran. Svec. 1757, 125.]

- falcatus** Araneus, T. Martyn, Aranei, 1793, 59.
falcatus Asellus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 252.—Oniscus.
falcatus Cancer, P. Forskal, Descr. Anim. 1775, 96.
falcatus Cancer (Mantis) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 103.
falcata Cellularia, P. S. Pallas, Elench. 1766, 76.
falcata Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
falcatus Cimex, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
falcata Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 504.—Oniscus, 1787.
falcatus Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 53.
falcatus Echinorhynchus, J. A. Frolich, Naturforscher, XXIV. 1789, 117.
falcatus Esox, G. S. Volta, Itt. Veron. (2) [circa 1800], ccxxxvii.
falcatus Gryllus, J. C. Fuessly, Schweitz. Ins. 1775, 53.
falcatus Gryllus (Tettigonia), N. Poda, Ins. Mus. Graec. 1761, 52.
falcatus Gryllus, Solander in Russell, N. H. Aleppo, ed. 2, II. 1794, 233.
falcatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 399.
falcatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 475.
falcata Locusta (Poda), P. Rossi, Fauna Etrus. I. 1790, 268.—Gryllus.
falcata Locusta (Poda), G. A. Harrer, Besch. Schaeffer Icones, 1784, 271.—Gryllus (T.).
falcata Musca, Scopoli, Ent. Carn. 1763, 330.
falcatus Oniscus, J. C. Fabricius, Mant. I. 1787, 240.
falcata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 629.
falcata Phalaena, *id. ac* falcataria, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
falcatus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 120.
falcatus Scarabaeus, X. Wulfen, Descr. Cap. Ins. 1786, xiv.
falcatus Scomber, P. Forskal, Descr. Anim. 1775, 57.
falcata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1309.
falcatus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 20.
falcata Tetractis, C. F. Schultze, Verst. Seest. 1760, 50.
falcella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
falcicornis Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 132.
falcifer Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
falcifer Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2707.
falcinellus Scolopax, E. Pontoppidan, Danske Atlas, I. 1763, 623.
falcinellus Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
falcirostra Loxia, J. Latham, Index Orn. 1790, 371.
Falco Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 124.—A.
falco Milvus [=Falco milvus], P. Forskal, Descr. Anim. 1775, 7.
falconarius Gryllus (Tettig.) (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, [2071.—Locusta].
Falconis S. G. Gmelin, Reise Russ. I (1770) 49; [*per* Falco].—A.
falconis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
falcula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
falcula Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 102.
falcula Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 182.
falculataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 301.
falculator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 194.
falklandicus Charadrius, J. Latham, Index Orn. 1790, 747.
falklandica Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 220.
falklandica Perdix (Gm.), J. Latham, Index Orn. 1790, 653.—Tetrao.
falklandicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 762.
fallax Ips, P. Rossi, Mant. Ins. I. 1792, 22.
fallax Leptura, C. de Villers, Linn. Ent. I. 1789, 276.
fallax Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
fallax Syrphus (L.), J. C. Fabricius, Spec. Ins. II. 1781, 426.—Musca.
falsarius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 168.
falsator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 164.
falsella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
falx Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 62.

- falx Gryllus (Tettig.) (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2067.—
 falx Locusta, J. C. Fabricius, Syst. Ent. 1775, 286. [Locusta.
 falx Vibrio, O. F. Müller, Verm. I (1) 1773, 46.
 famelica Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.—Chrysomela.
 famelica Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.
 famelicus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 365.
 famelicus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 544.
 famelica Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 27.—Chrysomela, 1787.
 famelicus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 156.—Cimex, 1781.
 familiaris Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 38; ed. 12, 1766, 56; *varr.* domestica,
 sagax, grajus, molossus, aquaticus, meliteus, fricator, vertagus, aviculae, extrarius,
 aegyptius.
 familiaris Canis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 66–69; *varr.*
 pomeranus, sibiricus, islandicus, minor, brevipilis, leoninus, variegatus, hybridus, anglicus,
 gallicus, scoticus, venaticus, aquatilis, avicularius, cursorius, hibernicus, turcicus, hir-
 sutus, italicus, lanarius, aprinus, suillus, americanus.
 familiaris Canis, L., J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 666;
varr. vulpinus, groenlandicus, aviarius, bengalensis, irritans, villosus, ustus, flammeus,
 danicus, palmatus, orbicularis, variegatus, terrae novae.
 familiaris Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 184.
 familiaris Certhia, B. S. Barton, Frag. N. H. Pennsylv. 1799, 18.
 familiaris Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 363.
 familiaris Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 311.
 familiaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 149.—Cimex, 1781.
 famosa Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187.
 famulus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 166.
 famula Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 18.
 famula Noctua, E. J. C. Esper, Die Schmett. IV (39) 1789, 164.
 fanel Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
 fantasos [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 20.
 fantoma *v.* phantoma.
 fanulum Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
 far Esox, P. Forskal, Descr. Anim. 1775, 67.
 farcimen Enchelis, O. F. Müller, Verm. I (1) 1773, 34.
 farcimen Trichoda, O. F. Müller, An. Infus. 1786, 194.
 farciminalis Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 198.
 farciminoïdes Cellaria, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 26.
 farciminoïdes Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 397.
 fareta (*sic*) Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1153 (*farcta*).
 farctus Brachycerus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 617.
 farctus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus, 1775.
 farctus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 64.
 farctus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 14.
 farenus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 326; ed. 12, 1766, 532.
 fareta Anomia, *v.* farcta.
 farfarisequa Apis, Scopoli, Ent. Carn. 1763, 300.
 farfarisequa Eucera, J. A. Scopoli, Annus IV. 1770, 9.—Apis, 1763.
 farinae Acarus, C. de Geer, Mém. Ins. VII. 1778, 97.
 farinalis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 113.
 farinalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
 farinanus Tenebrio, Olivier, La Médecine éclairée (Fourcroy's), I. 1791, 205.
 farinata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 610.
 farinella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
 farinosa Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.
 farinosa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 219.
 farinosus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
 farinosus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2220.
 farinosus Coluber, J. P. Bonnatere, Ency. Méth. (Oph.) 1790, 36.

- farinosus* Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 49.
farinosus Elater, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 263.
farinosa Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 38.—Scarabaeus.
farinosa Melolontha, L. G. Scriba, J. Lieb. Ent. I. 1790, 62.
farinosa Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 117.—Scarabaeus.
farinosus Scarabaeus, Linnaeus, Faun. Suec., ed. 2, 1761, 138. [baeus.]
farinosa Semblis, P. Rossi, Mant. Ins. II. 1794, 105.
farinosus Stenocorus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 295.—Cerambyx.
fario Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 296.
fario Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 509.
fariomis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
fariomis Cystidicola, G. Fischer [de W.], Mém. respir. Anim. &c. 1798, 91.
fariomis Cystidicola, G. Fischer de W., Bull. Sci. Soc. Philom. [Paris], no. 13, 1798, 98.
fariomis Fasciola, O. F. Müller, Zool. Dan. II. 1784, 91.
fariomis Pediculus, Linnaeus, Faun. Suec., ed. 2, 1761, 479.
faro [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 165.
fascalis Phalaena, *err. pro* fuscalis, Fabr. 1775, J. C. Fabricius, Mant. II. 1787, 219.
fascelina Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 571.—Phalaena.
fascelina Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767, 825.
fascelis Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784].
fascelis Phalaena, Linnaeus, Mus. Lud. Ulr. 1764, 390. [171.]
fascia-aurata Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
fascia Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
fascia lata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [n. n.].
fascia Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [n. n.].
fascia Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 93.—Nautilus.
fascia Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 12.
fascialis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
fascialis Eschara, P. S. Pallas, Elench. 1766, 42.
fascialis Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1283.
fascialis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 236.
fascialis [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 163.
fascialis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
fascialis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 450.
fascialis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 9 & 13 [2].
fasciana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 408.—Pyralis.
fasciana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 342.
fasciana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 282.
fasciaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 5 [n. et f.].
fasciaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 23.
fasciaria Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767, 862.
fasciataria Phalaena, P. Rossi, Mant. Ins. II. 1794, 33.
fasciato-punctatus Carabus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799],
fasciatopunctatus Carabus, C. Creutzer, Ent. Vers. 1799, 111. [tab. 9.]
fasciator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 430.
fasciatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 330.
fasciata Acanthia, J. C. Fabricius, Mant. II. 1787, 278.
fasciatum Acrydium (Vill.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
fasciata Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
fasciata Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
fasciata Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
fasciata Anguis, J. N. Laurenti, Syn. Rept., 1768, 70.
fasciatus Anthrenus, C. P. Thunberg, Ins. Suecica (9) 1795, 105.
fasciatus Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 337.
fasciatus Anthribus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
fasciatus Anthribus, J. R. Forster, N. Sp. Ins. 1771, 9.
fasciata Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 958.
fasciata Apis, J. A. Scopoli, Annus IV. 1770, 12.

- fasciata Apis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.—
Andrena.
- fasciata Aplysia, Poir., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3103.—
fasciata Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 532. [Laplysia, Poiret.]
- fasciata Aranea, J. C. Fabricius, Syst. Ent. 1775, 433.
- fasciatus Asilus, J. C. Fabricius, Syst. Ent. 1775, 793.
- fasciatus Asilus, P. Rossi, Fauna Etrus. II. 1790, 327.
- fasciatus Attelabus, C. de Villers, Linn. Ent. I. 1789, 223.
- fasciatus Attelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.
- fasciatus Attelabus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 35.
- fasciata Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 182.—Salpa.
- fasciatus Blennius, M. E. Bloch, Nat. ausl. Fische, II. 1786, 110.
- fasciatus Bruchus, A. G. Olivier, Entom. IV. 1795, 20.
- fasciatum Buccinum, O. F. Müller, Verm. II. 1774, 145.
- fasciatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 247.
- fasciatus Bucco, T. Pennant in Forster, Ind. Zool. 1781, 40.—Trogon, 1769.
- fasciata Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3430.—
fasciata Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 380. [Buccinum.]
- fasciatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 49.
- fasciata Buprestis, J. C. Fabricius, Mant. I. 1787, 177.
- fasciatus Buprestis, C. de Villers, Linn. Ent. I. 1789, 339.
- fasciatus Byrrhus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 26.
- fasciatus Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
- fasciatus Byrrhus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 304.
- fasciatus Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 151.
- fasciatus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 172.
- fasciatum Callidium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 98.
- fasciatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 62.
- fasciata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
- fasciata Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 218.
- fasciatus Carabus, J. R. Forster, Cat. Anim. N. Amer. 1771, 26 [n. n.].
- fasciatus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 75.
- fasciatus Carabus, C. de Villers, Linn. Ent. I. 1789, 384.
- fasciatus Carabus, G. Paykull, Mon. Carab. 1790, 97.
- fasciatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
- fasciata Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 430.
- fasciatus Cerambyx, Scopoli, Ent. Carn. 1763, 54.
- fasciatus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 168.
- fasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 114.
- fasciatus Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 75.
- fasciatus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
- fasciatus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 257.
- fasciata Cercopis, J. C. Fabricius, Mant. II. 1787, 275.
- fasciatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 474.
- fasciata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 46.
- fasciata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 50.
- fasciatus Chaetodon, P. Forskal, Descr. Anim. 1775, 59.
- fasciatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 53.
- fasciata Chalcid, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 439.
- fasciata Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 677.
- fasciata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 820.
- fasciata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 347.
- fasciata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 662.
- fasciata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 108.
- fasciata Cicada (Fab.), C. de Villers, Linn. Ent. IV. 1789, 382.—Cercopis.
- fasciata Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 747.—Tettigonia.
- fasciata Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
- fasciata Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Tenthredo.

- fasciatus Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 312.
fasciatus Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 398.—Acanthia.
fasciatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 108.
fasciata Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
fasciata Cistela, J. R. Forster, N. Sp. Ins. 1771, 12.
fasciata Cistela (Fuess.), L. G. Scriba, J. Lieb. Ent. II. 1790, 158.—Byrrhus.
fasciatus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 135.
fasciatus Clytus (Herbst), J. A. Frolich, Naturforscher, XXVI. 1792, 160.—Callidium.
fasciata Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 79.—Chrysomela.
fasciata Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 68.
fasciatus Collydium, Hellwig in G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 22.
fasciatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 378.
fasciatus Conus, F. C. Meuschen, Mus. Gever. 1787, 354.
fasciatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.
fasciata Coronella, J. N. Laurenti, Syn. Rept., 1768, 85.
fasciata Crioceris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 20.
fasciatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
fasciatus Culex, O. F. Müller, F. Ins. Frid. 1764, 87. [Erotylus].
fasciatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 204.
fasciatus Curculio, Scopoli, Ent. Carn. 1763, 34.
fasciatus Curculio, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 321.
fasciatus Curculio, C. de Geer, Mém. Ins. V. 1775, 234.
fasciatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86 [no. 944].
fasciatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 118.
fasciatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 133.
fasciatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 474.
fasciatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
fasciata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
fasciata Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
fasciatum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3737.
fasciatus Dermestes, O. F. Müller, F. Ins. Frid. 1764, 4.
fasciatus Dermestes, J. R. Forster, N. Sp. Ins. 1771, 8.
fasciatus Dermestes, J. A. Scopoli, Annus V. 1772, 88.
fasciatus Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 5.
fasciatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 23.
fasciata Diaperis, A. F. de Fourcroy, Ent. Paris. 1785, 153.
fasciata Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
fasciata Donacia, D. H. Hoppe, Ins. Elyt. 1795, 41.
fasciatus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 397.
fasciatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 825.
fasciatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
fasciata Emberiza, J. Latham, Index Orn. 1790, 408.
fasciatus Erotylus, J. C. Fabricius, Spec. Ins. I. 1781, 158.
fasciatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 433.
fasciata Evania, J. C. Fabricius, Ent. Syst. II. 1793, 193.—Ichneumon fasciator, 1781.
fasciatus Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
fasciatus Falco, A. J. Retzius in Linnaeus, Faun. Suec. 1800, 70.
fasciata Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
fasciata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.
fasciata Fulgora, J. C. Fabricius, Mant. II. 1787, 261.
fasciatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
fasciata Galleruca, J. C. Fabricius, Ent. Syst. I. (2) 1792, 13.—Chrysomela.
fasciata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 96.
fasciatus Gryllus, C. de Geer, Mém. Ins. III. 1773, 522.
fasciatus Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 453.
fasciatus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 58.
fasciatus Gymnotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1137.
fasciatus Hallominus, G. Paykull, Faun. Suec. II. 1799, 182.

- fasciata Helix, E. M. da Costa, Brit. Conch. 1778, 76.
fasciata Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3646.—*Nerita*.
fasciata Helix (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 106.—*Bulla*.
fasciata Helix, J. Adams, Tr. Linn. Soc. (Lond.) V. 1800, 3.
fasciatus Helops (Fab.), A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 46.—*Erotylus*.
fasciatus Helops, G. W. F. Panzer, Ins. Germ. heft 6, 1793, tab. 3.
fasciatus Hemerobius, J. C. Fabricius, Mant. I. 1787, 247.
fasciata Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1022.
fasciatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 86.
fasciatus Holocentrus (Forsk.), G. A. Suckow, Naturges. IV. 1799, 532.—*Perca*.
fasciatus Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 240.
fasciatus Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. (Copen.) I. (1) 1790, 223.
fasciatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
fasciatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
fasciatus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 191.
fasciata Iguana, Al. Brongniart, Bull. Sci. Soc. Philom. [Paris], no. 36, 1800, 90.
fasciata Ips, J. C. Fabricius, Gen. Ins. 1777, 213.
fasciata Ips, J. C. Fabricius, Actes Soc. N. H. Paris, I (1) 1792, 28.
fasciatus Julus, C. de Geer, Mém. Ins. VII. 1778, 578.
fasciatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 6.
fasciatus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 265.
fasciata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369.
fasciata Lampyrus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1885.—
fasciata Laplysia, J. L. M. Poiret, Voy. Barbarie, II. 1789, 2. [Pyrochroa.
fasciata Larra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 253.
fasciata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 93.
fasciata Leptura, D. H. Hoppe, Ins. Elyt. 1795, 59.
fasciata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
fasciatus Limax, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 267.
fasciata Locusta, C. de Geer, Mém. Ins. III. 1773, 458.
fasciata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 859.
fasciatus Lucanus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [n. n.].
fasciatus Lycus (Fab.), A. G. Olivier, Entom. II. 1790, 9.—*Pyrochroa*.
fasciatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 9.
fasciatus Malachius (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—*Cantharis*.
fasciatus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—*Cantharis*.
fasciata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
fasciatus Meloe, J. C. Fuessly, Schweitz. Ins. 1775, 20.
fasciatus Melolontha (Fab.), J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 17.—*Tri-*
fasciata Membracis, J. C. Fabricius, Mant. II. 1787, 262. [chius.
fasciata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 515.
fasciata Mitra, T. Martyn, Univ. Conch. I (1784 non 1769) fig. 20.
fasciata Mitra, T. Martyn, Univ. Conch. III (1789) fig. 104.
fasciatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—
fasciata Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.]. [Cypris.
fasciata Mordella, J. R. Forster, N. Sp. Ins. 1771, 65.
fasciata Mordella, J. C. Fabricius, Syst. Ent. 1775, 263.
fasciata Mordella, C. de Villers, Linn. Ent. I. 1789, 408.
fasciata Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 669.
fasciatus Mullus, G. Shaw in White, Journ. N. S. W. 1790, 268.
fasciatus Mullus, Lamarck in Thunberg, Voy. Japon &c. IV. 1796, 351.
fasciata Muraena, C. P. Thunberg, De Muraena, 1789, 9.
fasciatus Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
fasciatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3528.
fasciatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
fasciatus Muriciformes, F. C. Meuschen, Mus. Gev. 1787, 320.
fasciatus Mus (Gm.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 510.—
fasciata Musca, O. F. Müller, F. Ins. Frid. 1764, 85. [Viverra.]

- fasciata Musca, J. C. Fabricius, Syst. Ent. 1775, 781.
fasciata Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 419.—Nemotelus.
fasciata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 172.
fasciatus Mycetophagus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 175.
fasciata Mylabris, J. C. Fabricius, Syst. Ent. 1775, 261.
fasciatus Mystus, F. C. Meuschen, Mus. Gronov. 1778, 38.
fasciatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
fasciata Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
[fasciata] Necydalis, *v. fuscata*, C. de Villers, Linn. Ent. I. 1789, 283.
fasciata Necydalis, A. G. Olivier, Entom. IV. 1795, 10.
fasciatus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 186.
fasciatus Nemotelus, A. F. de Fourcroy, Ent. Paris. 1785, 502.
fasciata Nerita, O. F. Müller, Verm. II. 1774, 182.
fasciata Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
fasciata Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
fasciata Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
fasciatus Nerita, T. Martyn, Univ. Conch. III (1789) fig. 110.
fasciata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 274.
fasciata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
fasciata Nitidula, A. G. Olivier, Entom. II. 1790, 7.
fasciata Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 74.
fasciata Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 444.
fasciatus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 23.
fasciata Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1147.
fasciatus Pallinurus, F. Weber, Nomen. Fabricii, 1795, 94.
fasciatus Palinurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 401.
fasciata Panorpa, J. C. Fabricius, Ent. Syst. II. 1793, 98.
fasciata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
fasciatus Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 420.—Ostrea.
fasciatus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 188.
fasciatus Pediculus, Scopoli, Ent. Carn. 1763, 383.
fasciata Perca, P. Forskal, Descr. Anim. 1775, 40.
fasciata Perca, M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 326.
fasciata Perca, M. E. Bloch, Nye Saml. K. Danske Skrifter, III. 1788, 384.
fasciata Phalaena, Scopoli, Ent. Carn. 1763, 221.
fasciata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 629.
fasciata [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 12.
fasciata Phalaena Bomb., E. J. C. Esper, Die Schmett. III (20) 1785, 178.
fasciata Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 84.
fasciata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 337.
fasciata Phal. Noct., Moll. Schr. Ges. Nat. Freunde Berlin, IX. 1789, 281.
fasciata Phoca, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 277.
fasciata Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2636.
fasciatus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 430.
fasciatus Picus, J. Latham, Index Orn. 1790, 228.
fasciata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 318.
fasciatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.—Sphex, 1775.
fasciata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
fasciata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
fasciata Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 79.
fasciatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 74.
fasciatus Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius, 1787.
fasciatus Pulex, Bosc, Bull. Sci. Philom. (Paris), no. 43, 1800, 156.
fasciata Pyrochroa, J. C. Fabricius, Mant. I. 1787, 163.
fasciatus Reduvius, J. C. Fabricius, Mant. II. 1787, 313.
fasciatus Rhagio, J. C. Fabricius, Reise Norwegen, 1779, 233.
fasciata Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
fasciatus Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 25.—Cur-

[culio.

- fasciatus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 96.
fasciata Salpa, P. Forskal, Descr. Anim. 1775, 115.
fasciata Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 232.
fasciatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
fasciatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 90.
fasciatus Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 73.
fasciatus Serropalpus (Hallomenus), Illiger in Kugelland, Käfer Preuss. 1798, 135.
fasciata Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1617.—Ips.
fasciatus Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 505.
fasciatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.] III (2) 1794, 96.
fasciatus Sorex, J. A. Scopoli, Del. Insub. II. 1786, 84.
fasciatus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 18.
fasciata Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
fasciata Sphex, C. de Villers, Linn. Ent. III. 1789, 253.
fasciatus Sphinx, J. H. Sulzer, Gesch. Ins. 1776, 151.
fasciata Sphinx, E. J. C. Esper, Naturforscher, XXV. 1791, 49.
fasciatus Squalus, M. E. Bloch, Nat. ausl. Fische, I. 1785, 19.
fasciatus Staphylinus, J. C. Fuessly, Schweiz. Ins. 1775, 21.
fasciatus Stenocorus, J. C. Fabricius, Spec. Ins. I. 1781, 227.
fasciata Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 468.
fasciata Stratiomys, J. C. Fabricius, Mant. II. 1787, 331.
fasciatus Strombus, I. v. Born, Index Mus. Caes. Vind. 1778, 274.
fasciatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3510.
fasciatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
fasciatus Tabanus, J. C. Fabricius, Syst. Ent. 1775, 788.
fasciatus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 222.
fasciatus Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
fasciatus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 76.—Cantharis.
fasciatus Telephorus, A. G. Olivier, Entom. II. 1790, 18.
fasciata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
fasciata Tellina, C. U. v. Salis, Reise Neapel, 1793, 384.
fasciata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
fasciata Tenthredo, Scopoli, Ent. Carn. 1763, 278.
fasciata Testudo, G. A. Suckow, Naturges. III. 1798, 40.
fasciatus Tetrao, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 502.
fasciatus Tetrao, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [n. n.].
fasciata Tettigonia, J. C. Fabricius, Mant. II. 1787, 265.
fasciatus Thelephorus (Linn.), O. F. Müller, Z. Dau. Prod. 1776, 61.—Cantharis.
fasciata Thrips, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.
fasciata Tipula, Scopoli, Ent. Carn. 1763, 321.
fasciata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 973.
fasciata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
fasciatus Trichius (L.), J. C. Fabricius, Syst. Ent. 1775, 40.—Scarabaeus.
fasciata Tringa, S. G. Gmelin, Reise Russ. II. 1774, 194.
fasciata Tringa, J. A. Scopoli, Del. Insub. II. 1786, 92.
fasciatus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 337.
fasciatus Trogon, T. Pennant, Ind. Zool. [1769], 4.
fasciatus Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 114.
fasciata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
fasciata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 433.
fasciata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 676; fulva fasciata, De G.
fasciata Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 92.
fascicornis Chrysomela, *err. pro* fuscicornis Hornst., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1696.
fascicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
fascicularis Brachycerus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 42.
fascicularis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 661.
fascicularis Byrrhus, N. J. Brahm, Ins. Kal. I (1) 1790, 59.

- fascicularis Byrrhus, A. G. Olivier, Entom. II. 1790, 8.
fascicularis Byrrhus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 2.
fascicularis Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 49.
fascicularis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 45.—Scarabaeus.
fascicularis Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1106.
fascicularis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 502.
fascicularis Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 101.—Latridius.
fascicularis Elater, J. C. Fabricius, Mant. I. 1787, 171.
fascicularis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
fascicularis Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 8.
fascicularis Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1278.
fascicularis Scarabaeus, Linnaeus, Mus. Lud. Ulr. 1764, 28.
fascicularis Scutigterulus (L.), F. C. Meuschen, Mus. Gever. 1787, 240.—Chiton.
fasciculare Sphaeridium (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 81.—Byrrhus.
fascicularis Tubipora, Linnaeus, Syst. Nat., ed. 12, 1767, 1271.
fasciculatae Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117.
fasciculata Aranea, C. de Geer, Mém. Ins. VII. 1778, 316.
fasciculata Ascidia, G. Shaw, Nat. Misc. VI. 1795, pl. 214.
fasciculatus Asilus, C. de Villers, Linn. Ent. III. 1789, 603.
fasciculatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 71.
fasciculatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 134.
fasciculatus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 35.
fasciculatus Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.
fasciculatus Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 96.—Lamia.
fasciculatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 350.
fasciculatus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1781.
fasciculatus Curculio, C. de Geer, Mém. Ins. V. 1775, 276.
fasciculatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 289.
fasciculata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
fasciculata Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3104.
fasciculatus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 52.
fasciculata Lamia (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 284.
fasciculata Limacia, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris, 1776.
fasciculatus Merops, J. Latham, Index Orn. 1790, 275.
fasciculata Saperda, A. G. Olivier, Entom. IV. 1795, 14.
fasciculata Spongia, P. S. Pallas, Elench. 1766, 381.
fasciculata Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 406.
fasciculata Vorticella, O. F. Müller, Verm. I (1) 1773, 121.
fasciculifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335.
fasciculosus Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 184.
fasciculosus Oestrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2811.
fasciculosa Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 326.
fasciella Alucita, J. C. Fabricius, Syst. Ent. 1775, 670.
fasciella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 505.—Alucita.
fasciella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 215.
fasciella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 45.
Fasciola Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1077.—Ver.
Fasciola O. F. Müller, Z. Dan. Prod. 1776, 223.—Ver.
Fasciola J. A. E. Goetze, Eingeweidewürmer, 1782, 180.—Ver.
fasciola Paramoecium, O. F. Müller, Z. Dan. Prod. 1776, 280.
fasciola Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
fasciola Vibrio, O. F. Müller, Verm. I (1) 1773, 48.
Fasciolaria Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—G.
fasciolaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 316.
fasciolaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (5), 1799, 106.
fasciolaris Hirudo, O. F. Müller, Zool. Dan. II. 1784, 39.
fasciolaris Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 85.
fasciolatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.

- fasciolatus* Carabus, P. Rossi, Fauna Etrus. I. 1790, 223.
fasciolatus Carabus, A. G. Olivier, Entom. III. 1795, 95.
fasciolata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
fasciolata Coryphaena, P. S. Pallas, Spic. Zool. VIII. 1770, 23.
fasciolatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 120.
fasciolata Mordella, P. Rossi, Mant. Ins. II. 1794, 103.
fasciolata Musca, C. de Geer, Mém. Ins. VI. 1776, 124.
fasciolata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
fascirostris Platyrhinus, J. R. Schellenberg, Helvet. Entom. I. 1798, 116.
faselus Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
fasima Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 122.
fastidiator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 428.
fastidiosa Buprestis, P. Rossi, Fauna Etrus. I. 1790, 186.
fastigiatus Carabus, Linnaeus, Mus. Lud. Ulr. 1764, 97.
fastigiatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
fastigiata Madrepora, P. S. Pallas, Elench. 1766, 301.
fastigiata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1314.
fastigiata Spongia, P. S. Pallas, Elench. 1766, 392.
fastosus Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
fastuosa Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 202.
fastuosa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 216.
fastuosa Buprestis, J. Well in Jacquin, Misc. Aust. II. 1781, 385.
fastuosa Cassida, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 259.
fastuosa Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 127.
fastuosa Chrysomela (Scop.), Linnaeus, Syst. Nat., ed. 12, 1767, 588.—Coccinella.
fastuosa Coccinella, Scopoli, Ent. Carn. 1763, 74.
fastuosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 524.
fastuosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 168.
fatalis Solpuga, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 217.
fatale Termes, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1015.
fatidicus Hemerobius (L.), J. C. Fabricius, Syst. Ent. 1775, 311.—Termes.
fatidicus Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Termes.
fatidicus Ptinus, G. Shaw, Nat. Misc. III. 1792, pl. 104.
fatidicum Termes, Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1016.
fatima [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 141.
fatima Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 81.
fatme [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 162.
fatuellus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 51.—Simia.
fatuellus Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 42.
fatuellas (*sic*) Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 77.
fatuus Curculio, P. Rossi, Fauna Etrus. I. 1790, 122.
fauna Amygone, O. F. Müller, Z. Dan. Prod. 1776, 198.
faunus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 27.—Simia.
faunus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.—Scarabaeus.
faunus Hesperia (Dru.), J. C. Fabricius, Ent. Syst. III (1) 1793, 261.—Papilio.
faunus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3004.—
faunus [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 2. [Amygone.
faunus Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
fauna Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 145.
fauna Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 35.
faunus Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 65. [Simia.
faunus Papio (L.), J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].—
faunus Pithicus (L.), E. Geoffroy and Cuvier, Mag. encyclop. III (12) 1795, 462.—
faunus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 23. [Simia.
faunus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 36.
faunus Simia (Cercop.), "Schr.," R. Kerr, Anim. Kingd., 1792, 65.
faustus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 138.
fausta Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 63.

- fausta* Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
fausta Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
fausta Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 553.—Sphinx.
faveolata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
favillaceana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 62 [n. et f.]
favillacearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 139
 [n. et f.].
favillacea Phalaena Noctua, J. E. Capieur, Naturforscher, XXIV. 1789, 98.
favinosa Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 450.
favipes Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Lymexylon flavipes.
favites Madrepora=favosa Linn., P. S. Pallas, Elench. 1766, 319.
favonius Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 27.
favosa Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 275.
favosa Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1275.
favus Madrepora, P. Forskal, Descr. Anim. 1775, 132.
febrilis Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
febrilis Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula.
febrilis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.
febrillosa Spongia, F. C. Meuschen, Mus. Gever. 1787, 528.
fedoa Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 244.
feducia [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 160.
fegeus [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 56.
feldmanni Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.
felicia [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 58.
felina Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
felina Coccinella, J. C. Fabricius, Syst. Ent. 1775, 87.
felina Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
felinus Dermestes, J. C. Fabricius, Mant. I. 1787, 34.
felina Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 317.
felina Mustela, G. I. Molina, Sag. stor. nat. Chili, 1782, 284.
felinum Myrmeleon, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 192.
felinus Priapus, Linnaeus, Faun. Suec., ed. 2, 1761, 510.
felinus Sciurus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 463.
felina Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 22.
felis Linnaeus, Syst. Nat., ed. 10, 1758, 41; ed. 12, 1766, 60.
felis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
felis Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 503.
felis Trichoda, O. F. Müller, An. Infus. 1786, 213.
felis Vorticella, O. F. Müller, Verm. I (1) 1773, 108.
foemina Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 160.
feminea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3409.
femoralis Acheta, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 86.
femorale Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.
femoralis Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 361.
femoralis Apis, P. S. Pallas, Reise Russ. II. 1773, 731.
femoralis Apis, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 208.
femoralis Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.
femorale Buccinum, F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
femoralis Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 166.
femoralis Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
femoralis Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 297.
femoralis Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 690.
femoralis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 204.
femoralis Cistela, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 6.
femorale Cymatium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 129.—Murex.
femoralis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 215.
femoralis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 396.
femoralis Melolontha, A. G. Olivier, Entom. I. 1789, 35.

- femoralis Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 16.
femorale Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1217.
femoralis (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2008.—Tenebrio.
femoralis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 679.
femoralis Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 148.—
femoralis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 437. Blaps.
femorator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 159.
femorata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 4.—Dryops.
femoratus Alurnus (Drury), J. C. Fabricius, Spec. Ins. I. 1781, 115.—Tenebrio.
femorata Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 75.
femorata Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 208.
femoratus Asilus, O. F. Müller, Z. Dan. Prod. 1776, 181.
femoratus Attelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 280.
femoratus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 158.
femorata Buprestis, C. de Villers, Linn. Ent. I. 1789, 338.
femorata Buprestis, A. G. Olivier, Entom. II. 1790, 47.
femoratum Callidium (L.), J. C. Fabricius, Spec. Ins. I. 1781, 237.—Cerambyx.
femorata Cantharis, Scopoli, Ent. Carn. 1763, 45.
femoratus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 634.
femorata Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 766.—Tenthredo.
femoratus Cimex, C. de Geer, Mém. Ins. III. 1773, 346.
femoratus Cimex, J. C. Fabricius, Syst. Ent. 1775, 708.
femoratus Conops, Scopoli, Ent. Carn. 1763, 355.
femoratus Copris, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 108.
femoratus Crabro, J. C. Fabricius, Syst. Ent. 1775, 375.
femorata Dryops, J. C. Fabricius, Ent. Syst. I (2) 1792, 58.
femorata Empis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 568.
femoratus Gryllus (Tettig.) (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2065.—
femoratus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53. [Locusta.
femorata Ichneumon, C. de Villers, Linn. Ent. III. 1789, 204.
femorata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 83.
femorata Leptura, J. C. Fabricius, Mant. I. 1787, 159.
femorata Leptura (L.), G. H. Harter, Besch. Schaeffer Icones, 1784, 229.—Cerambyx.
femorata Locusta, J. C. Fabricius, Mant. I. 1787, 233.
femoratus Lucanus, A. G. Olivier, Entom. I. 1789, 17.
femoratus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 137.—Cimex, 1775.
femoratus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
femorata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 988.
femorata Musca, G. W. F. Panzer, Ins. Germ. heft 20, 1794, tab. 24.
femorata Necydalis, G. W. F. Panzer, Deutsch. Ins. [1795], 279.
femoratum Opatrum, Illiger in Kugelann, Käfer Preuss. 1798, 109.—Blaps femoralis, Fab.
femorata Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64. [est.
femorata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 316.
femoratus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 269.
femorata Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 443.
femorata Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 291.—Crabro.
femorata Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 265.—Tiphia. [Tiphia.
femorata Sphex (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 126.—
femoratus Spondylis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.—Alurnus.
femoratus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
femoratus Tenebrio, D. Drury, Ill. Nat. Hist. II. 1773, index & 64.
femorata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 920.
femorata Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
femorata Tipula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 88.
femorata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—Crabro.
femorellus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
Fenestella J. F. Bolten, Mus. Bolten. (2) 1798, 193.—L.
fenestra Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811.

- fenestra Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505; [P. (Attacus), ed. 12].
- fenestralis Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
- fenestralis Aranea, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 362.
- fenestralis Byrrhus (L.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Dermestes.
- fenestralis Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
- fenestralis Ichneumon, P. Rossi, Mant. Ins. II. 1794, 113.
- fenestralis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 981.
- fenestralis Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 189.—Musca.
- fenestralis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
- fenestralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 13 & 23.
- fenestralis Scarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 17.
- fenestralis Stratiomys (L.), O. F. Müller, Z. Dan. Prod. 1776, 177.—Musca.
- fenestralis Tipula, Scopoli, Ent. Carn. 1763, 322.
- fenestralis Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
- fenestralis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
- fenestraria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 627.
- fenestrata Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 273.
- fenestrata Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
- fenestratum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
- fenestratus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
- fenestratus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
- fenestrata Cercopis, J. C. Fabricius, Syst. Ent. 1775, 688.
- fenestrata Cicada, J. C. Fabricius, Syst. Ent. 1775, 684.
- fenestrata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 74.
- fenestrata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 107.
- fenestratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
- fenestratus Curculio, P. S. Pallas, Icon. Ins. 1781, 33.
- fenestratus Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 3.
- fenestratus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 294.
- fenestratus Dytiscus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 115.
- fenestratus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3172.—
- fenestrata Fulgora, J. C. Fabricius, Spec. Ins. II. 1781, 315. [Cidaris.]
- fenestrata Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 34.
- fenestrata Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—Meloe.
- fenestrata Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 349.
- fenestrata Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
- fenestrata Oliva, T. Martyn, Univ. Conch. III. [1789], fig. 112.
- fenestrata Papilio (Pleb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2360.
- fenestrata Phalaena, P. Osbeck, Reise Ost-Ind. China, 1765, 269.
- fenestrata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 641.
- fenestrata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
- fenestrata Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 54.
- fenestrata Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 50.
- fenestratus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 373.
- fenestrata Tipula, J. Cederhielm, F. Ingric. 1798, 206.
- fenestratus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
- fenestrata Zygaena (Drury), J. C. Fabricius, Syst. Ent. 1775, 552.—Sphinx.
- fenestrella Phalaena, Scopoli, Ent. Carn. 1763, 217.
- fenestrella Phalaena, Scopoli, Ent. Carn. 1763, 252.
- fenestrina Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
- fennicum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
- fennicus Cerambyx, Linnaeus, Faun. Suec. ed. 2, 1761, 194.
- fennicus Cerambyx, G. Paykull, Faun. Suec. III. 1800, 58.
- fennica Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 106.
- fennicus Elephorus, G. Paykull, Faun. Suec. I. 1798, 243.
- fennica Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 95.—Cerambyx.
- fennica Phryganea, J. C. Fabricius, Mant. I. 1787, 245.
- fennicum Rhagium, G. Paykull, Faun. Suec. III. 1800, 70.

- fennicus Ripiphorus, G. Paykull, Faun. Suec. II. 1799, 178.
 fennicus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
 ferarum Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.
 ferdau Scomber, P. Forskal, Descr. Anim. 1775, 55.
 ferdau *var.* bajad Scomber, P. Forskal, Descr. Anim. 1775, 55.
 ferus Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.) 1789, 27.
 feretrium Callidium, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 49.
 fergusonis Lophius, J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 496.
 feriatius Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1043.
 feriatius Portunus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 ferina Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 203.
 fernandinus Squalus, G. I. Molina, Sag. stor. nat. Chili, 1782, 229.
 feronia [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 140.
 feronia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
 ferox Accipiter, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, p. 442.
 ferox Asilus (Scop.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.—Erax.
 ferox Erax, Scopoli, Ent. Carn. 1763, 360.
 ferox Falco (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 260.—Accipiter.
 ferox Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 489.
 ferox Fasciola, C. A. Rudolphi, Obs. Ver. Intest. II. 1795, 15.
 ferox Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 934.
 ferox Simia, G. Shaw, Mus. Lever. I. 1792, 69.
 ferox Testudo, J. G. Schneider, Nat. Schildkr. 1783, 330.
 ferra Salmo, J. G. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 76.
 ferrago Noctua, J. C. Fabricius, Mant. II. 1787, 160.
 ferreus Cerambyx, F. v. P. Schrank, Beitr. Nat. 1776, 66.
 ferrea Saperda, F. v. P. Schrank, F. Boica, I. 1798, 669.—Cerambyx, 1776.
 ferroensis Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
 ferroensis Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
 ferroensis Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180.
 ferrugalis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 273.
 ferrugalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 27.
 ferrugana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
 ferrugana (*sic*) Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 56 [*n. et*].
 ferrugana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 23. [*f.*].
 ferrugaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.—ferrugata, L.
 ferrugaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 387.—
 ferrugator Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 101. [ferrugata, L. *est.*].
 ferrugator Ichneumon, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 280.
 ferrugator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 154.
 ferrugator Lamia, J. C. Fabricius, Mant. I. 1787, 138.
 ferrugatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 140.
 ferrugata Chrysomela, F. v. P. Schrank, Beitr. Nat. 1776, 64.
 ferrugatus Cimex, J. C. Fabricius, Mant. II. 1787, 382.
 ferrugata Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 183.
 ferrugatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416. [*n. et f.*].
 ferrugata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 285
 ferrugata Libellula, *id. ac* ferruginata, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 ferrugatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 173. [1790, 2620].
 ferrugata [Phalaena], C. Clerck, Icones, I. 1759, pl. vi, 14.
 ferrugata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 338.
 ferrugella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
 ferruginalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
 ferruginatorius Ichneumon, E. Pontoppidan, Danske Atlas, I. 1763, 692.
 ferruginata Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 958.
 ferruginata Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141.
 ferruginata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 219.
 ferruginata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 521.

- ferruginata Libellula, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 3.
 ferruginata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
 ferruginata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 976.
 ferruginata Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
 ferruginea fasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
 ferruginella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
 ferruginella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 84. [292.
 ferrugineo-virescens Aranea, F. W. H. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
 ferrugineum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 224.—Gryllus.
 ferruginea Altica, A. F. de Fourcroy, Ent. Paris. 1785, 101.
 ferruginea Altica, F. v. P. Schrank, F. Boica, I. 1798, 563.
 ferruginea Anas, A. Vroeg, Catal. Vogel. 1764, Adumb. 5.
 ferruginea Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 528.
 ferruginea Anas, P. G. Lindroth, Mus. Grill. 1788, 13.
 ferruginea Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.
 ferrugineum Anisotoma (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 75.—Sphaeridium.
 ferrugineum Anobium, J. F. W. Herbst, in Fuessly, Arch. Ins. IV. 1783, 27.
 ferrugineus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 116.
 ferrugineus Anthicus, G. Paykull, Faun. Suec. I. 1798, 257.
 ferruginea Apis, C. de Geer, Mém. Ins. III. 1773, 575.
 ferruginea Apis, J. C. Fabricius, Mant. I. 1787, 303.
 ferruginea Ardea, S. G. Gmelin, Reise Russ. I (1770), 165.
 ferrugineus Asilus, Scopoli, Ent. Carn. 1763, 364.
 ferrugineus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 263.
 ferruginea Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 246.
 ferruginea Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 432.
 ferrugineus Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 198.
 ferrugineum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 258.
 ferrugineus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 268.
 ferrugineus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 672.
 ferruginea Cassida, J. C. Fabricius, Spec. Ins. I. 1781, p. 108.
 ferrugineus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
 ferrugineus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
 ferruginea Ceropis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
 ferrugineum Cerithium, J. G. Bruguière, Ency. Méth. (Vers.) (2) 1792, 496.
 ferrugineus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.] IV (1) 1797, 72.
 ferruginea Chrysomela, Scopoli, Ent. Carn. 1763, 70.
 ferruginea Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 117.
 ferruginea Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 110.
 ferruginea Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 2.
 ferruginea Cicada, J. C. Fabricius, Mant. II. 1787, 269.
 ferruginea Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.
 ferruginea Cicindela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1924.
 ferrugineus Cimex, Scopoli, Ent. Carn. 1763, 130.
 ferrugineus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
 ferruginea Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
 ferrugineus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
 ferruginea Conops, Linnaeus, Faun. Suec., ed. 2, 1761, 468.
 ferrugineus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers.) (2) 1792, 649.
 ferrugineus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.
 ferrugineus Cossonus, J. R. Schellenberg, Helvet. Entom. I. 1798, 60.
 ferrugineus Cucujus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
 ferrugineus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 ferrugineus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 473.
 ferrugineus Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 145.
 ferrugineus Dermestes, O. F. Müller, F. Ins. Frid. 1764, 3.
 ferrugineus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 666.
 ferrugineus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.

- ferrugineus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
 ferrugineus Elater, Scopoli, Ent. Carn. 1763, 95.
 ferruginea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 872.
 ferruginea Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
 ferruginea Formica, J. L. Christ, Nat. Ins. 1791, 512.
 ferruginea Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 279.
 ferruginea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
 ferrugineus Gadus, P. Ascanius, Icon. I. 1767, 34.
 ferrugineus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 367.
 ferrugineus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53.
 ferrugineus Hister, A. G. Olivier, Entom. I. 1789, 19.
 ferrugineus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 66.
 ferrugineus Hypophloeus, C. Creutzer, Ent. Vers. 1799, 126.
 ferrugineus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 88.
 ferrugineus Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 456.
 ferrugineus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 351.—Oriolus.
 ferruginea Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 513.
 ferruginea Ips, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 29.
 ferrugineus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
 ferrugineus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
 ferrugineus Lanius, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 116.
 ferruginea Leptura, F. v. P. Schrank, Beitr. Nat. 1776, 68.
 ferruginea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 79.
 ferruginea Libellula, J. C. Fabricius, Syst. Ent. 1775, 423.
 ferruginea Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 853.
 ferrugineus Lyctus (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
 ferrugineus Lyctus, G. Paykull, Faun. Suec. III. 1800, 326. [564.—Dermestes.
 ferrugineus Lycus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 125.
 ferruginea Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
 ferruginea Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 41.
 ferruginea Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 131.
 ferruginea Mordella, J. C. Fabricius, Syst. Ent. 1775, 262.
 ferruginea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
 ferruginea Musca, Scopoli, Ent. Carn. 1763, 340.
 ferruginea Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 342.
 ferruginea Muscicapa, B. Merrem, Avium rar. Icones, I. 1784, 19.
 ferruginea Myopa (L.), J. C. Fabricius, Syst. Ent. 1775, 798.—Conops.
 ferruginea Nereis, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 169.
 ferruginea Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 77.—Dermestes.
 ferruginea Nitidula (L.), L. G. Scriba, J. Lieb. Ent. II. 1790, 174.—Silpha.
 ferruginea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
 ferruginea Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 218 (sp. 3).
 ferrugineus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393.
 ferruginea Ostoma, J. N. Laicharting, Tyrol. Ins. I. 1781, 104.
 ferruginea [Pap. [Phal.] Noct.], Panzer in Drury, Exot. Ins. 1785, 88.
 ferruginea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
 ferruginea Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
 ferruginea Perdix (Gm.), J. Latham, Index Orn. 1790, 651.—Tetrao.
 ferruginea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
 ferruginea Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 77.
 ferruginea Phryganea, Scopoli, Ent. Carn. 1763, 266.
 ferruginea Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
 ferrugineus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
 ferrugineus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
 ferrugineus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 716.
 ferrugineus Ripiphorus, J. C. Fabricius, Ent. Syst. I. (2) 1792, 110.—Mordella, 1775.
 ferrugineus Rynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer), VI. 1795, 8.—
 ferruginea Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235. [Curculio.

- ferruginea Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
 ferrugineus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
 ferrugineus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 148. [Melolontha.
 ferrugineus Scarus, P. Forskal, Descr. Anim. 1775, 29.
 ferruginea Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
 ferruginea Scolopendra, Linnaeus, Syst. Nat., ed. 12, 1767, 1063.
 ferrugineus Sicus, Scopoli, Ent. Carn. 1763, 369.
 ferruginea Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.
 ferruginea Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
 ferruginea Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Sphaeridium.
 ferrugineum Sphaeridium, J. C. Fabricius, Mant. I. 1787, 43.
 ferruginea Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 268.—Scolia.
 ferrugineus Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 248.
 ferruginea Sylvia (Gm.), J. Latham, Index Orn. 1790, 526.—Motacilla.
 ferrugineus Tabanus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 357.
 ferrugineus Tabanus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
 ferrugineus Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 324.
 ferruginea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
 ferrugineus Tenebrio, Hellwig in G. W. F. Panzer, Ins. Germ., heft 9, 1793, tab. 2.
 ferruginea Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 ferruginea Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 84.
 ferrugineus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.
 ferruginea Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 90.
 ferruginea Tipula, Scopoli, Ent. Carn. 1763, 321.
 ferrugineus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
 ferrugineus Tringa, E. Pontoppidan, Danske Atlas, I. 1763, 624.
 ferruginea Tringa, M. T. Brünnich, Orn. Boreal. 1764, 53.
 ferrugineus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
 ferrugineus Trogon, B. Merrem, Avium rar. Icones, II. 1786, 34.
 ferruginea Trogosita, J. C. Fabricius, Ent. Syst. I (1) 1792, 116.—Tenebrio, 1781.
 ferrugineus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
 ferruginea Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
 ferruginea Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 683.
 ferruginea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 280.
 ferruginea Xylita, G. Paykull, Faun. Suec. I. 1798, 250.
 ferruginosa Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3432.
 ferruginosa Capisterium, F. C. Meuschen, Mus. Gever. 1787, 464.
 ferruginosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
 ferruginosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
 ferruginosus Coluber, A. Sparrman, K. Vet. Ac. Nya Handl. XVI. 1795, 180.
 ferruginosus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.—
 Chrysomela ferrugata, Schrank.
 ferruginosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
 ferruginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
 ferruginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
 ferruginosa Loxia, A. Sparrman, Mus. Carls. IV. 1789, no. xc, xci.
 ferruginosa Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 ferrugo Noctua, *id. ac ferrago*, Fab., C. de Villers, Linn. Ent. IV. 1789, 472.
 ferrum equinum Noctilio (Schr.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II.
 1800, 736.—Vespertilio.
 ferrum-equinum Rhinolophus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.
 ferrum-equinum Vespertilio, J. C. D. Schreber, Säugth. I. 174 (1774), pl. lxii. (1774).
 ferula Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 12.
 ferula Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 225.
 ferula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 ferula Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis, 1793.
 ferus Anser (L.), J. C. Schaeffer, Mus. Orn. 1789, 67.—Anas anser ferus.
 ferus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.

- ferus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
- fera Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 453.
- fera(?) Salmo, *z. ferra*.
- fera-sibirica Ovis, P. S. Pallas, Spic. Zool. XI. 1776, 1.
- ferus Sphex, D. Drury, Ill. Nat. Hist. III. 1782, index & 57.
- ferus Tabanus, J. A. Scopoli, Ent. Carn. 1763, 371.
- fera Tenthredo, J. A. Scopoli, Del. Insub. II. 1786, 67.
- fervens Formica, D. Drury, Ill. Nat. Hist. III. 1782, index & 58.
- fervens Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.
- fervens Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1000.
- fervensis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3235.
- fervidaria Phalaena, J. C. Fabricius, Mant. II. 1787, 187.
- fervida Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
- fervida Chrysis, J. C. Fabricius, Spec. Ins. I. 1781, 456.
- fervida Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 97.
- fervida Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.—Chrysomela.
- fervida Melolontha, J. C. Fabricius, Syst. Ent. 1775, 32.
- fervida Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
- fervida Nitidula, A. G. Olivier, Entom. II. 1790, 15.
- fervidus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1564.—
- fervida Sylvia (Gm.), J. Latham, Index Orn. 1790, 525.—Motacilla. [Melolontha.]
- festiculla Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—Tinea festivella.
- festicella Tinea, *id. ac* festivella, D. & S., J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.
- festinans Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 55.
- festinans Enchelis, O. F. Müller, Z. Dan. Prod. 1776, 280.
- festinans Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 232.
- festinans Musca, Scopoli, Ent. Carn. 1763, 349.
- festinans Tenebrio, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225.
- festivana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me giudice 1796], fig. 52 [*n. et f.*].
- festivaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 152.
- festivella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
- festivum Anobium, Block in G. W. F. Panzer, Ins. Germ., heft 6, 1793, tab. 7.
- festiva Apis, J. L. Christ, Nat. Ins. 1791, 190.
- festiva Bombyx, J. C. Fabricius, Syst. Ent. 1775, 579.
- festiva Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 663.
- festiva Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
- festivus Carabus, G. W. F. Panzer, Ins. Germ., heft 30 [1796], tab. 15.
- festivus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 623.
- festivus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 166.
- festiva Chrysis, J. C. Fabricius, Ent. Syst. II. 1793, 239.
- festiva Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 147.
- festiva Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 100.
- festiva Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 39.
- festiva Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
- festivus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 723.
- festiva Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 148.
- festivus Conops (Linn.), Scopoli, Ent. Carn. 1763, 355.—Musca.
- festivus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.—Scarabaeus.
- festiva Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- festivus Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 95. [1715.—Cistela.]
- festivus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 404.
- festivus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 476.
- festivus Elater, J. C. Fabricius, Syst. Ent. 1775, 215.
- festiva Fulgora, J. C. Fabricius, Spec. Ins. I. 1781, 315.
- festivus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
- festiva Lytta (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 329.—Meloe.
- festiva Meloe, P. S. Pallas, Reise Russ. II. 1773, 721.
- festiva Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.

- festiva** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, §93; ed. 12, 1767, 986.
festiva Musca, A. F. de Fourcroy, Ent. Paris. 1785, 479.
festiva Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 314.
festivus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 219.
festiva [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 112.
festiva Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
festiva Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 191.
festivus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 43.
festivus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 101; ed. 12, 1766, 147.
festivus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 552.
festivus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 315.
festivus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 179.—Cerambyx.
festivus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 769.—Musca.
festucae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 327.
festucae Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
festucae Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 116.
festucae Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 607.—Phalaena.
festucae Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 845.
Festucaria F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, "Gattungen, no. ix." &
festucaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 55. [16.—Ver.
festus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1823.
festus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.
fiatola Stromateus, Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432.
Fiber G. Edwards in M. Catesby, Carol. I. 1771, xxix.—M.
Fiber G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
fiber Castor, Linnaeus, Syst. Nat., ed. 10, 1758, 58; ed. 12, 1766, 78.
fiber Castor, R. Kerr, Anim. Kingd. 1792, *varr.* albus 222, solitarius 223.
fiber Pelecanus, Linnaeus, Syst. Nat., ed. 12, 1766, 218.
fibratus Limax, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 25.
fibrillosa Spongia, P. S. Pallas, Elench. 1766, 382.
fibulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 604.
fibulella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
ficariae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 502.
Ficedula Moehring, Geslach. Vogel. (Nozem. & Vosc. ed.), 1758, 2 & 26.—A.
Ficedula M. J. Brisson, Ornith. III. 1760, 369.—A.
Ficedula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
ficedula Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
ficedula Sylvia (L.), J. Latham, Index Orn. 1790, 517.—Motacilla.
ficellum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552.
ficus Madrepora, *err. pro* pileus, L., J. F. Maratti, Plant. Zooph. Med. 1776, 46.
ficiformis Spongia, Poiret, Voy. Barbar. II. 1789, 61.
ficoides Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
ficoides Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 159.
ficoidea Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122 [*n. n.*].
factor Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
Ficus [G. Humphreys], Mus. Calonn. 1797, 32.—G.
Ficus J. F. Bolten, Mus. Bolten. (2) 1798, 148.—G.
ficus Alcyonium, P. S. Pallas, Elench. 1766, 356.
ficus Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 81.
ficus Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—Murex.
ficus Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1184.
ficus Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.
ficus Coccus, J. C. Fabricius, Mant. II. 1787, 319.
ficus-caricae Coccus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 93.
ficus Cynips, Linnaeus in Hasselquist, Palast. 1762, 464.
ficus Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 384.—Bulla.
ficus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 752.
ficus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3545.

- ficus-tarnatanus* Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 318.
ficus Noctua, J. C. Fabricius, Syst. Ent. 1775, 595.
ficus Phalaena, Linnaeus in Hasselquist, Palast. 1762, 460.
ficus Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 222.
ficus Pyrula (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—Bulla.
ficus Solen, D. Solander in G. Brander, Foss. Hant. 1766, 41.
ficus Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
fidens Apis, M. Harris, Exp. Eng. Ins. 1776, 130.
fidia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 770.
fidicina Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
fidus Apis, M. Harris, Exp. Eng. Ins. 1776, 131.
fierasfer Gymnotus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 145.
figulinus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
figulinus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 42.—Conus.
figulus SpheX, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 942.
figuratus Cerambyx, Scopoli, Ent. Carn. 1763, 155.
figurata Leptura (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 163.—Cerambyx.
figurata Leptura, C. de Villers, Linn. Ent. I. 1789, 273.
figurata Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 213.
figurata Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 22.
filamentosa Aphrodita, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 86.
filamentosus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
filamentosus Scomber, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 36.
filamentosa Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 360.
filans Limax, T. Hoy, Tr. Linn. Soc. [Lond.] I. 1791, 184.
Filaria O. F. Müller, Naturforscher, XXII. 1787, 64.—Ver.
filaris Planaria, O. F. Müller, Zool. Dan. II. 1784, 82.
filaris Voluta, Linnaeus, Mant. II. 1771, 548.
filata Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
filatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119 [*n. n.*].
filata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2830.—Bibio.
filata Mydas, J. C. Fabricius, Ent. Syst. IV. 1794, 252.—Bibio, 1775.
filata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
filata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73 [*n. n.*].
filia [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 128.
filicata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 238 [*n. cf.*].
filicella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
filicina Sertularia, P. S. Pallas, Elench. 1766, 156.
filicis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 718.
filicis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
filicornis Nereis, O. F. Müller, Z. Dan. Prod. 1776, 218.
filicornis Spio, O. Fabricius, Schrift. Berlin. Ges. Nat. Freunde, VII. 1787, 259.—Nereis,
filicula Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 57. [1780].
filicum Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
filifera Clava, Bosc, Bull. Sci. Philom. [Paris], No. 2, 1797, 9.
filiformis Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 39 & 90.
filiformis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 270.
filiformis Asterias, O. F. Müller, Z. Dan. Prod. 1776, 235.
filiformis Cancer, Linnaeus, Amoen. Acad. VI. 1763, 415.
filiformis Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers.) (2) 1792, 446.—Cellularia
filiformis Cellularia, P. S. Pallas, Elench. 1766, 63.
filiformis Cimex, J. C. Fabricius, Syst. Ent. 1775, 727.
filiformis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 388.
filiformis Colydium, J. C. Fabricius, Ent. Syst. I (2) 1792, 496.
filiformis Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 172.
filiforme Cylonium, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.
filiformis Elater, J. C. Fabricius, Spec. Ins. I. 1781, 270.
filiformis Empusa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.

- filiformis Gammarus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 189.—Cancer.
 filiformis Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—Cimex, 1775.
 filiformis Mantis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 187.
 filiformes (*sic*) Mantis, J. C. Fabricius, Mant. I. 1787, 227.
 filiformis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 337.
 filiformis Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 78.—Coluber.
 filiformis Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 538.
 filiformis Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 186.—Mantis, 1787.
 filiformis Physophora, P. Forskal, Descr. Anim. 1775, 120.
 filiformis Ranatra, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 228.
 filiformis Saperda, A. G. Olivier, Entom. IV. 1795, 28.
 filiformis Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
 filiformis Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 114. [Cellularia.
 filiformis Tillus, Creutzer in G. W. F. Panzer, Ins. Germ., heft 67 [1799], tab. 17.
 filiformis Tillus, C. Creutzer, Ent. Vers. 1799, 121.
 filiforme Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125 [*n. n.*].
 filigrama Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 396.
 filipendulae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 805.
 filipendulae major Sphinx, E. J. C. Esper, Die Schmett. Suppl., 2 Abschn. [1797], 19.
 filipendulae Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 550.—Sphinx.
 filirostris Cicada, C. de Geer, Mém. Ins. III. 1773, 201.
 filirostris Curculio, C. Quensel, Diss. ignotus insect. species, 1790, 15.
 filograna Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 139.
 filograna Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1265.
 filosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
 filosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 filosus Hemerobius, J. C. Fabricius, Mant. I. 1787, 246.
 filosa Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1322.
 filosa Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 910.
 filosus Trochus, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 123.
 filosa Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 212.
 filum Anadema, F. C. Meuschen, Mus. Gev. 1787, 482.
 filum Astroites, J. E. I. Walch, Naturforscher, V. 1775, 54.
 filum Cimex, J. C. Fabricius, Gen. Ins. 1777, 301.
 filum Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—Cimex, 1777.
 filum Gordius, O. F. Müller, Verm. I (2) 1774, 31.
 filum Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 133.—Astroites.
 filum Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 81.
 filum Saperda, P. Rossi, Fauna Etrus. I. 1790, 152.
 filum Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 398.
 Fimbria J. B. Bohadsch, Anim. Marin. 1761, 54.—Nud.
 fimbria Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3479.
 fimbria Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 842.
 fimbria Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 603.—Phalaena.
 fimbria Testudo, *err. pro* fimbriata, Schn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 fimbria Tethys, Linnaeus, Syst. Nat. ed. 12, 1767, 1089. [1043.
 fimbrialis Phalaena, Scopoli, Ent. Carn. 1763, 216.
 fimbrialis Phalaena, J. C. Fabricius, Mant. II. 1787, 221.
 fimbrialis [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 74.
 fimbrialis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (4) 1789, 10.
 fimbrialis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
 fimbriana Tortrix, C. P. Thunberg, Ins. Succica (2) 1791, 44.
 "Fimbriaria, Froelich, 1795," Ag.; is 1802.
 fimbriaria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 112.
 fimbriatella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
 [fimbriatus Araneus, C. Clerck, Aran. Svec. 1757, 106.]
 fimbriata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
 fimbriatum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 6.

- fimbriatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
- fimbriatus Cancer, G. Olivi, Zool. Adriat. 1792, 47.
- fimbriatus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 70.
- fimbriatus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 176.
- fimbriatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1862.
- fimbriatus Cerambix, A. G. Olivier, Entom. IV. 1795, 71.—Lamia, 1792.
- fimbriata Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—Venus.
- fimbriata Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 25.
- fimbriatus Cicindela, [D. H. Schneider], Nom. Ent. 1785, 20 [n. n.].
- fimbriatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 47.
- fimbriatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 202.
- fimbriatus Cimex, J. C. Fabricius, Mant. II. 1787, 295.
- fimbriata Coccinella, J. H. Sulzer, Gesch. Ins. 1776, 32.
- fimbriata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 11.
- fimbriatus Crabro, P. Rossi, Fauna Etrus. II. 1790, 93.
- fimbriatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1804.
- fimbriatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 383.
- fimbriata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
- fimbriatus Cyprinus, M. E. Bloch, Nat. aüsl. Fische, IX. 1795, 50.
- fimbriatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 203.
- fimbriatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
- fimbriatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
- fimbriatum Gafrarium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—Venus.
- fimbriata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
- fimbriata Lacerta (Schn.), J. A. Donndorff, Zool. Beyt. III. 1798, 134.—Stellio.
- fimbriata Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 460.
- fimbriata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
- fimbriata Madrepora, L. Spengler, Nye Saml. K. Danske Skrifter, V (3) 1799, 607.
- fimbriatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 109.
- fimbriata Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- fimbriatus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 223.
- fimbriata Phalaena, J. C. D. Schreber, Nov. Spec. Ins. 1759, 13.
- fimbriata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 289.
- fimbriata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 236.
- fimbriata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 276.
- fimbriata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
- fimbriata Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
- fimbriata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
- fimbriatus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
- fimbriatus Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 32.
- fimbriata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 163.
- fimbriata Testudo, J. G. Schneider, Nat. Schildkr. 1783, 349.
- fimbriata Trichoda, O. F. Müller, An. Infus. 1786, 201.
- fimbriatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 493.
- fimbriata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1133.
- fimbriata Tethys, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3137.
- fimbriella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
- fimbriella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- fimbriola Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, [post 1796], 53.
- fimetarii Kateretes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 14.—Dermestes fimetarius.
- fimetarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 31.—Scarabaeus.
- fimetarius Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.—Scarabaeus.
- fimetarius Dermestes, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 20.
- fimetarius Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 231.
- fimetarius Hister, Scopoli, Ent. Carn. 1763, 13.
- fimetarius Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 27.
- fimetaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.

- fimetaria Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1014.
- fimetarius Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 267.
- fimetarius Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
- fimetaria Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.—
- fimetarium Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 68. [Sphaeridium.]
- fimetaria Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
- fimetorum Musca, A. F. de Fourcroy, Ent. Paris. 1785, 496.
- finosus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 248.
- finгал Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 92.
- finmarchicus Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 201.
- finmarchicus Monoculus, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 175.
- “Finna, Werner, 1782,” Ag.; this word occurs in Werner, Verm. int., Cont. II. 1786, pp. 3 & 51, is a latinization of the vernacular Finnen, and is not used in a Linnean sense.
- finna Hydatis, J. F. Blumenbach, Hand. Naturg. ed. 5, 1797, 415.
- finna Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.
- firmator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 226.
- firmiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 234.
- Firola J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 88 (1791) [*n. et f.*].
- fiscellata Perca, F. C. Meuschen, Mus. Gronov. 1778, 42.
- fiscella Actinia, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 13.
- fiscellum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552.
- fischeri Gadus, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien, VI. [1781?], 75 [not seen].
- fischeri Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 89.
- fissella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 223.
- fissella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 59.
- fissipes Sphex, C. de Villers, Linn. Ent. III. 1789, 222.
- fissipes Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
- fissura Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
- Fissurella J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiv.—G.
- Fissurella Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—G.
- fissurella Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
- fissurella Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212.
- fissurella Tibia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 123.—Strombus.
- fissa Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
- fissum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
- fissa Tellina, L. Spengler, Skr. nat. Selsk. [Copen.] IV (2) 1798, 102.
- fistula Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 176.
- Fistulana J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii.—L.
- Fistulana, *emend.* Fistularia O. F. Müller, Z. Dan. Prod. 1776, 282.—Ver.
- Fistulana O. Fabricius, F. Groen. 1780, 441 [=Fistularia, Müll.].—Pol.
- Fistulana Lamarck, Mém. Soc. H. N. Paris, 1799, 90.—Moll.
- fistulans Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 702
- fistulans Gallinula (Gm.), J. Latham, Index Orn. 1790, 773.—Fulica.
- Fistularia Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 515.—P.
- Fistularia P. Forskal, Descr. Anim. 1775, 121.—Moll.
- Fistularia O. F. Müller, Z. Dan. Prod. 1776, 254.—Verm.
- Fistularia G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
- fistularis Anas, J. G. Georgi (*ex* Brisson) in J. P. Falk, Reise Russ. (5) 1786, 348.
- fistularis Spongia=fistulosa Linn., P. S. Pallas, Elench. 1766, 385.
- fistularis Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1297.
- fistulosus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 166.
- fistulosa Corallina, L. T. Gronovius, Zooph. III. 1781, 379.
- fistulosa Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 804.
- fistulosa Flustra, Linnaeus, Faun. Suec., ed. 2, 1761, 539.—[*v.* Eschara.]
- fistulosa Lepas, J. X. Poli, Test. Sicil. I. 1791, 22.
- fistulosa Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348 [fistularis *est*, xii ed.].
- fistulosa Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1302.
- fitis Motacilla, J. M. Bechstein, Naturforscher, XXVII. 1793, 50.

- fixus* Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
fixa Noctua, J. C. Fabricius, Mant. II. 1787, 147.
fixa Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
fixa Trichoda, O. F. Müller, An. Infus. 1786, 217.
flabellaris Tubipora, O. Fabricius, F. Groen. 1780, 430.
flabellaria Phalaena, J. C. Fabricius, Mant. Ins. II. 1787, 188.
flabellata Lampyris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.—
flabellata Mordella, J. C. Fabricius, Spec. Ins. II. 1781, 501. [Pyrochroa.
flabellata Pyrochroa, J. C. Fabricius, Mant. I. 1787, 162.
flabellatus Ripiphorus (Fab.), J. C. Fabricius, Ent. Syst. I (2) 1792, 111.—Mordella.
flabellicornis Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 66.
flabellicornis Buprestis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791,
flabellicornis Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 651. [119.—Hispa.
flabellicornis Hispa, J. C. Fabricius, Syst. Ent. 1775, 70.
flabellicornis Lampyris, J. C. Fabricius, Spec. Ins. I. 1781, 252.
flabellicornis Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 109.
flabellicornis Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 16.
flabellicornis Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 407.
flabellicornis Zygaena, J. C. Fabricius, Syst. Ent. 1775, 831.
Flabellifera J. G. Meigen, N. Class. Mouches, 1800, 13.—Dip.
flabellifera Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 850.
flabellifera Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
flabelliformis Gorgonia, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 1.
flabelliforme Keratophyton (L.), P. L. S. Müller, Del. Nat. I. 1766, 128.—Gorgonia
flabelliformis Melasis, J. C. Fabricius, Ent. Syst. I (1) 1792, 244. [(? flabellum).
flabelliformis Ptilinus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV.
 1792, 491.—Melasis.
flabelliformis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1296.
flabelliformis Tubularia, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 12.
flabellum Antipathes, P. S. Pallas, Elench. 1766, 211.
flabellum Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 28.
flabellum Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 124.
flabellum Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1293.
flabellum Gorgonia, E. J. C. Esper, Pflanzenth. II (7) 1791, 60.
flabellum Loxia, P. Boddaert, Tab. Planch. Enl. 1783, 23.
flabellum Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321. [Cellaria.
flabellum Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
flabellum Spongia, *id. ac flabelliformis*, L., J. F. Maratti, Plant. Zooph. Med. 1776, 15.
flaccida Fasciola, O. F. Müller, Verm. I (2) 1774, 57.
flaccida Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
flaccus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 434.
flagellator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
flagellator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.—Ichneumon, 1793.
flagellatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.—Scarabaeus.
flagellatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29.
flagelliformis Natrix, J. N. Laurenti, Syn. Rept. 1768, 79.
flagellosa Gorgonia, P. S. Pallas, Char. Thierpfl. I. 1787, 266.
flagellum Coluber, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
flagellum Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 406.
flagitator Ichneumon, P. Rossi, Mant. Ins. II. 1794, 108.
flamengo Loxia, A. Sparrman, Mus. Carls. I. 1786, no. xvii.
flamma Noctua, J. C. Fabricius, Mant. II. 1787, 164.
flammans Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
flammatra Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
flammatra Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
[flammatus Araneus, C. Clerck, Aran. Svec. 1757, 124.] [545, no. 220.—Noctua.
flammatus Araneus, T. Martyn, Aranei, 1793, 58.
flammata Arca, F. C. Meuschen, Mus. Gever. 1787, 426.

- flammatu Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
 flammata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 223.
 flammata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 194.
 flammealis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
 flammealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
 flammeolaria Geometra, S. A. v. Rottemberg, Naturforscher, XI. 1777, 66.
 flammeolum Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
 flammeola Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
 flammeola Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
 flammeola Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76.
 flammeola Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
 flammeola Phalaena, Hufnagel, Berl. Mag. IV. 1767, 510.
 flammea Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 262.—Fringilla.
 flammea Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
 flammea Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 269.
 flammeum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
 flammeum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 266.
 flammeus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 322.—Helix.
 flammea Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
 flammeus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 161.
 flammea Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 429.—Buccinum.
 flammea Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 29.—Buccinum.
 flammea Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
 flammea Cicada, Linnaeus, Amoen. Acad. VI. 1763, 399.
 flammea Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 148.
 flammea Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
 flammeus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 210.
 flammea Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
 flammeus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 flammeum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 151.
 flammea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3408.
 flammeus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3178.—
 flammeum Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106. [Cidaris].
 flammea Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
 flammea Fulgura, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—Cicada, 1763.
 flammea Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 80.
 flammea Helix, O. F. Müller, Verm. II. 1774, 87.
 flammeus Limax, T. Martyn, Univ. Conch. IV [1792], fig. 122.
 flammea Motacilla, A. Sparrman, Mus. Carls. IV. 1789, no. xcviij.
 flammea Muscicapa, J. R. Forster, Ind. Zool. 1781, 25.
 flammea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
 flammea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
 flammea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
 flammaeus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 242.
 flammea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
 flammea Phalaena Noct., H. G. Lang, Verz. Schmett. ed. 2, 1789, 147.
 flammea Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 flammea Strix, Linnaeus, Syst. Nat., ed. 12, 1766, 133. [460.—Bombyx].
 flammeus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
 flammeus Trogon, B. Merrem, Avium rar. Icones, II. 1786, 35.
 flammeus Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
 flammea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
 flammea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3435.
 flammifera Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
 flammigerum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
 flammigera Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 190.
 Flata J. C. Fabricius, Suppl. Ent. Syst. 1798, 511.—Hem.
 flavago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.

- flavago** Noctua, J. C. Fabricius, Mant. II. 1787, 160.
flavago Noctua (*ex* Esper), C. C. Jung, Alph. Verz. Schmett. I. 1791, 224.
flavalbata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 558.
flavalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
flavalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 448.
flavalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
flavana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1768, 475.
flavaria [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 171.
flavaria Phalaena, J. C. Fabricius, Mant. II. 1787, 187.
flavastrigata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
flavator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 161.
flavatorius Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 456.
flavatus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 79.
flavatus Elater, F. v. P. Schrank, F. Boica, I. 1798, 591.
flavatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
flavata [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 36.
flavata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 169.
flavecolata Phalaena, *err. pro* flaveolata, Linn., J. C. Fabricius, Mant. II. 1787, 200.
flavelata [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 112.
flavellicornis Elater, D. Drury, Ill. Nat. Hist. III. 1782, index & 68.
flavella Alucita, J. C. Fabricius, Syst. Ent. 1775, 667.
flavella Phalaena, Scopoli, Ent. Carn. 1763, 249.
flavella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 504.—Alucita.
flavella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 522.
flavella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 40.
flavella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 483.—Alucita, 1775.
flavens Gryllus (Locusta), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
flaveolata Geometra, S. A. v. Rottemberg, Naturforscher, XI. 1777, 80.
flaveolata Libellula = flaveola, 1758, Linnaeus, Faun. Suec., ed. 2, 1761, 372.
flaveolata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 867.
flaveolata Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 234.
flaveola Altica, O. F. Müller, Z. Dan. Prod. 1776, 84.
flaveola Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 171.
flaveola Cassida, C. P. Thunberg, Ins. Suecica (8) 1794, 103.
flaveola Certhia, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 187.
flaveola Chrysomela (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.—
flaveola Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2092. [Altica.
flaveolus Cimex, D. Drury, Ill. Nat. Hist. III, 1782, index & 59.
flaveola Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1179.
flaveola Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 311.
flaveola Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 321.
flaveola Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.
flaveola Libellula, M. Harris, Exp. Eng. Ins. 1776, 156.
flaveola Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
flaveola Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
flaveola Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
flaveola Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
flaveola Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1786, 229.
flaveola Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
flaveola Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
flavescens Bembex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 206.
flavescens Carabus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 98.
flavescens Chalcides, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 67.
flavescens Cicada, P. Rossi, Mant. Ins. II. 1794, 51.
flavescens Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 46.
flavescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
flavescens Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 534.
flavescens Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1115.

- flavescens *Cryptocephalus*, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
 flavescens *Cryptocephalus*, J. C. Fabricius, Ent. Syst. IV. 1794, 448. [196.]
 flavescens *Culex*, O. F. Müller, F. Ins. Frid. 1764, 87.
 flavescens *Curculio*, J. C. Fabricius, Mant. I. 1787, 112.
 flavescens *Cylindrus*, F. C. Meuschen, Mus. Gever. 1787, 374.
 flavescens *Dermestes*, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 140.
 flavescens *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 19.
 flavescens *Didelphis*, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115.
 flavescens *Drilus* (Fourc.), A. G. Olivier, Entom. II. 1790, 4.—*Ptilinus*.
 flavescens *Elater*, A. F. de Fourcroy, Ent. Paris. 1785, 35.
 flavescens *Empis*, P. Rossi, Mant. Ins. II. 1794, 77.
 flavescens *Falco*, F. M. Daudin, Traité élém. Orn. 1800, 72.
 flavescens *Formica*, J. C. Fabricius, Ent. Syst. II. 1793, 353.
 flavescens *Fulgora*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 577.
 flavescens *Fulgora*, J. C. Fabricius, Ent. Syst. IV. 1794, 7.
 flavescens *Gryllus*, J. C. Fabricius, Ent. Syst. II. 1793, 52.
 flavescens *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
 flavescens *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
 flavescens *Gryllus Tett.*, C. de Villers, Linn. Ent. I. 1789, 451.
 flavescens *Hispa*, P. Rossi, Fauna Etrus. I. 1790, 51.
 flavescens *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
 flavescens *Icterus*, F. M. Daudin, Traité élém. Orn. 1800, 338.
 flavescens *Latridius*, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 578.
 flavescens *Libellula*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
 flavescens *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
 flavescens *Musca*, C. de Villers, Linn. Ent. III. 1789, 433.
 flavescens *Musca*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 flavescens *Musca*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.
 flavescens *Necydalis*, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
 flavescens *Noctua*, E. J. C. Esper, Die Schmett. IV (45) 1791, 322.
 flavescens *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
 flavescens *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
 flavescens *Phalaena Noctua* (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 685.—
 flavescens *Picus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 427. [Noctua.]
 flavescens *Ptilinus*, A. F. de Fourcroy, Ent. Paris. 1785, 4.
 flavescens *Spatagus*, O. F. Müller, Z. Dan. Prod. 1776, 236.
 flavescens *Staphylinus*, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
 flavescens *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 534.—*Motacilla*.
 flavescens *Tellina*, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 116.
 flavescens *Tettigonia*, J. C. Fabricius, Ent. Syst. IV. 1794, 24.
 flavescens *Thelephorus* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—*Necydalis*.
 flavescens *Tipula*, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 973.
 flavescens *Vespa*, J. C. Fabricius, Syst. Ent. 1775, 370.
 flavescens *Volucella*, A. F. de Fourcroy, Ent. Paris. 1785, 501.
 flavia *v.* *flavius*.
 flavicans *Alcedo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 456.
 flavicans *Boa*, J. P. Bonnatere, Ency. Méth. (Oph.) 1790, 8.
 flavicans *Chrysomela*, J. C. Fabricius, Mant. I. 1787, 72.
 flavicans *Dytiscus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
 flavicans *Empis*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 388.
 flavicans *Hemerobius*, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 913.
 flavicans *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 182.
 flavicans *Loxia*, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
 flavicans *Merops*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 462.
 flavicans *Musca*, O. F. Müller, F. Ins. Frid. 1764, 85.
 flavicans *Musca*, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 18.
 flavicans *Ostrea*, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1147.
 flavicans *Picus*, J. Latham, Index Orn. 1790, 240.

- flavicans Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius.
 flavicans Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 544.
 flavicans Simia, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, I. 1799, 201.
 flavicans Sphinx (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 102.
 flavicans Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 292.
 flavicans Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
 flavicans Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
 flavicans Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
 flavicaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 104.
 flavicaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 40 [*n. et f.*].
 flavicata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 10.
 flavicauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 997.
 flavicauda Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
 flavicaudis Scorpio, C. de Geer, Mém. Ins. VII. 1778, 339.
 flavicaudis Tipula, C. de Geer, Mém. Ins. VI. 1776, 429.
 flaviceps Curculio, P. S. Pallas, Icon. Ins. 1781, 34.
 flaviceps Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 74.
 flavicinctus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
 flavicincta Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
 flavicincta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 72.
 flavicollis Anhycceros, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
 flavi-collis Apis, C. de Geer, Mém. Ins. VII. 1778, 606.
 flavicollis Ardea, J. Latham, Index Orn. 1790, 701.
 flavicollis Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
 flavicollis Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
 flavicollis Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 67.
 flavicollis Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
 flavicollis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 18.
 flavicollis Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 140.
 flavicollis Cryptocephalus, R. Townson, Trav. Hungary, 1797, 462.
 flavicollis Erodium (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 171.—
 flavicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926. [Pimelia.
 flavicollis Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98.
 flavicollis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 178.—Cimex, 1775.
 flavicollis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
 flavicollis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
 flavicollis Necydalis, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 18.
 flavicollis Pimelia, J. C. Fabricius, Ent. Syst. IV (2) 1796, 438.
 flavicollis Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
 flavicollis Sylvia (Gm.), J. Latham, Index Orn. 1790, 519.—Motacilla.
 flavicolle Termes, J. C. Fabricius, Ent. Syst. II. 1793, 91.
 flavicorne Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—Gryllus.
 flavicornis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.
 flavicornis Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
 flavicornis Bostrichus, J. C. Fabricius, Gen. Ins. 1777, 211.
 flavicornis Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 374.
 flavicornis Carabus, J. C. Fabricius, Mant. I. 1787, 199.
 flavicornis Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 393.
 flavicornis Chrysomela, J. C. Fabricius, Mant. I. 1787, 73.
 flavicornis Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 124.
 flavicornis Cricocaris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. VI. 1798,
 114.—Galleruca.
 flavicornis Elater, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 6.
 flavicornis Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280.
 flavicornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 13.—Chrysomela, 1787.
 flavicornis Gryllus, J. C. Fabricius, Mant. I. 1787, 237.
 flavicornis Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 40.
 flavicornis Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 64.

- flavicornis* Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.—
flavicornis Myrmeleon, P. Rossi, Fauna Etrus. II. 1790, 16. [Syrphus.
flavicornis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 617.—Phalaena.
flavicornis Nomada, P. Rossi, Fauna Etrus. II. 1790, 112.
flavicornis Phalaena (Noct.), Linnaeus, Syst. Nat., ed. 10, 1758, 518; ed. 12, 1767, 856.
flavicornis Phryganea, J. C. Fabricius, Mant. I. 1787, 245.
flavicornis Phryganea, C. de Villers, Linn. Ent. III. 1789, 27.
flavicornis Ramphus, J. R. Schellenberg, Helvet. Entom. I. 1798, 104.
flavicornis Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 4.—Bostrichus.
flavicornis Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 418.
flavicornis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 450.
flavicornis Sphex, C. de Villers, Linn. Ent. III. 1789, 254.
flavicornis Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
flavicornis Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 431.
flavicornis Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 410.
flavicornis Zygaena, J. C. Fabricius, Mant. II. 1787, 104.
flavida Cythere, O. F. Müller, Entom. 1785, 66.
flavidus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
flavidus Scarabaeus, P. Rossi, Mant. Ins. II. 1794, 79. [Cythere.
flavida Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
flavida Tenthredo, J. L. Christ, Nat. Ins. 1791, 451.
flavifemoratum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 125.
flavifrons Aeshna, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 189.
flavifrons Apis, J. C. Fabricius, Syst. Ent. 1775, 383.
flavifrons Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
flavifrons Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
flavifrons Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 65.
flavifrons Emberiza, A. Sparrman, Mus. Carls. IV. 1789, no. xcii.
flavifrons Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 363.
flavifrons Ichneumon, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, III. 1793, 232.
flavifrons Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
flavifrons Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 22.
flavifrons Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
flavifrons Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.
flavifrons Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
flavifrons Silpha, J. C. Fuessly, Schweiz. Ins. 1775, 6.
flavifrons Sphex, J. A. Scopoli, Del. Insub. II. 1786, 63.
flavifrons Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Scolia.
flavifrons Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
flavifrons Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 489.
flavifrontella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
flavifrontella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 87.
flavigaster Corvus, *id. ac flavus*, Gm., J. Latham, Index Orn. 1790, 162.
flavigaster Todus, J. Latham, Index Orn. 1790, 268.
flavigula Alata, F. C. Meuschen, Mus. Gever. 1787, 338.
flavigulus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
flavigula Mustela, P. Boddaert, Elench. 1785, 88.
flavilabris Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 59.
flavilabris Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 262.—Cryptocephalus.
flavilabris Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 148.
flavilabris Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 84.
flavilabris Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 304.
flavilater Hemerobius, A. F. de Fourcroy, Ent. Paris. 1785, 359.
flavilatera Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
flavimana Saperda, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 15.
flavipeda Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.—Erotylus
flavipennis Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 5. [flavipes.
flavipennis Libellula, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.

- flavipennis** Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 201.
flavipes Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 68.
flavipes Acheta, J. C. Fabricius, Ent. Syst. II. 1793, 30.
flavipes Andrena (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—*Apis*.
flavipes Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1798], tab. 20.
flavipes Anobium, J. C. Fabricius, Gen. Ins. 1777, 212.
flavipes Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 106.—*Attelabus*.
flavipes Apis, J. C. Fuessly, Schweiz. Ins. 1775, 51.
flavipes Apis, J. C. Fabricius, Mant. I. 1787, 305.
flavipes Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 17.
flavipes Asilus, Scopoli, Ent. Carn. 1763, 366.
flavipes Asilus, C. de Villers, Linn. Ent. III. 1789, 604.
flavipes Attelabus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 282.—*Curculio*.
flavipes Bibio, J. C. Fabricius, Ent. Syst. IV. 1794, 254.
flavipes Bostrichus, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 9.
flavipes Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 43.
flavipes Calolymus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.—
flavipes Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 259. [Lymexylon.
flavipes Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 323.—*Malachus*.
flavipes Cantharis, C. de Villers, Linn. Ent. IV. 1789, 325.
flavipes Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 375.—*Buprestis*.
flavipes Carabus, G. Paykull, Mon. Carab. 1790, 37.
flavipes Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
flavipes Chalcis, J. C. Fabricius, Ent. Syst. II. 1793, 197.
flavipes Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 61.
flavipes Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—*Cryptocephalus*.
flavipes Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 601.
flavipes Cicada, J. C. Fabricius, Mant. II. 1787, 270.
flavipes Cicindela, Linnaeus, Faun. Suec., ed. 2, 1761, 211.
flavipes Cimex, Scopoli, Ent. Carn. 1763, 134.
flavipes Cimex, J. C. Fabricius, Syst. Ent. 1775, 700.
flavipes Cimex, C. de Villers, Linn. Ent. I. 1789, 483.
flavipes Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
flavipes Cistela, A. G. Olivier, Entom. III. 1795, 13.
flavipes Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 21.
flavipes Coccinella (Panz.), Illiger in Kugelann, Käfer Preuss. 1798, 413.—*Tritoma*.
flavipes Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 110.
flavipes Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1005.
flavipes Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.—*Scarabaeus*.
flavipes Crabro, J. C. Fabricius, Mant. Ins. I. 1787, 295.
flavipes Crioceris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—*Chrysomela*.
flavipes Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 146.
flavipes Cucuius, J. C. Fabricius, Reise Norwegen, 1779, 54.
flavipes Curculio, J. C. Fabricius, Syst. Ent. 1775, 133.
flavipes Curculio, C. de Geer, Mém. Ins. V. 1775, 245.
flavipes Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 329.
flavipes Dasytes (Fab.), G. Paykull, Faun. Suec. II. 1799, 158.—*Lagria*.
flavipes Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 393.
flavipes Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
flavipes Dytiscus, A. G. Olivier, Entom. III. 1795, 38.
flavipes Elaphrus (L.), J. C. Fabricius, Syst. Ent. 1775, 227.—*Cicindela*.
flavipes Elater, C. de Geer, Mém. Ins. IV. 1774, 163.
flavipes Elater, J. C. Fabricius, Syst. Ent. 1775, 213.
flavipes Elater, O. F. Müller, Z. Dan. Prod. 1776, 61.
flavipes Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
flavipes Empis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 26.
flavipes Empis, C. de Villers, Linn. Ent. III. 1789, 572.
flavipes Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 406.

- flavipes Erotylus, J. C. Fabricius, Spec. Ins. I. 1781, 159.
 flavipes Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 2.
 flavipes Formica, A. F. de Fourcroy, Ent. Paris. 1785, 452.
 flavipes Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 702.
 flavipes Gallinula (Gm.), J. Latham, Index Orn. 1790, 773.—Fulica.
 flavipes Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
 flavipes Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 122.
 flavipes Hylaesus, J. C. Fabricius, Ent. Syst. II. 1793, 305.—Apis, 1787.
 flavipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 427.
 flavipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
 flavipes Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 498.
 flavipes Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Chrysomela.
 flavipes Lymexylon, J. C. Fabricius, Mant. I. 1787, 165.
 flavipes Malachus, J. C. Fabricius, Mant. I. 1787, 169.
 flavipes Melyris, A. G. Olivier, Entom. II. 1790, 12.
 flavipes Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 162.
 flavipes Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 419.—Nemotelus.
 flavipes Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 355.
 flavipes Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 185.
 flavipes Notoxus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 22.
 flavipes Onitis (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 71.—Scarabaeus.
 flavipes Oxyporus (L.), J. C. Fabricius, Syst. Ent. 1775, 268.—Staphylinus.
 flavipes Paederus, F. v. P. Schrank, F. Boica, I. 1798, 652.
 flavipes Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
 flavipes Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
 flavipes Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 225.—Crabro,
 flavipes Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 438. [1787.
 flavipes Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
 flavipes Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 420.
 flavipes Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
 flavipes Scarabaeus, J. C. Fabricius, Spec. Ins. II. 1781, 495.
 flavipes Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
 flavipes Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 81.
 flavipes Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 444.
 flavipes Sphex, J. L. Christ, Nat. Ins. 1791, 303.
 flavipes Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
 flavipes Stratiomys, J. C. Fabricius, Suppl. Ent. Syst. 1798, 555.
 flavipes Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 10.
 flavipes Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 10.—Cantharis.
 flavipes Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 flavipes Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 71.
 flavipes Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 372.
 flavipes Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 224.
 flavipes Tipula, J. C. Fabricius, Mant. II. 1787, 323.
 flavipes Tritoma, G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 4.
 flavipes Vespa, J. C. Fabricius, Syst. Ent. 1775, 369.
 flavipes Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2762.—Crabro.
 flavipes Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
 flavirostris Acanthia (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 262.—Fringilla.
 flavirostris Charadrius, E. Pontoppidan, Danske Atlas, I. 1763, 625 [n. n.].
 flavirostris Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
 flavirostris Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 699.
 flavirostris Gallinula (Gm.), J. Latham, Index Orn. 1790, 769.—Fulica.
 flavissima Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1033.
 flavissima Stratiomys, P. Rossi, Fauna Etrus. II. 1790, 280.
 flavia Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 390.
 flavia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 89.—Phalaena.
 flavia [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 229.

- flavia* Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 171.
flaviventer Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
flaviventer Rallus, P. Boddaert, Tab. Planch. Enl. 1783, 52.
flaviventris Cuculus, J. A. Scopoli, Del. Insub. II. 1786, 89.
flaviventris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
flaviventris Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 856.
flaviventris Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 74.
flaviventris Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
flavocaeruleus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 78.
flavocinctus Curculio, C. de Geer, Mém. Ins. V. 1775, 256.
flavofasciatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 489.
flavo-fasciata Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 38.
flavofasciatus Cerambyx, G. A. Harrer, Besch. Schaeffer Icones, 1784, 205.
flavofasciata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 62.
flavofasciata Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
flavofasciata Tipula, C. de Geer, Mém. Ins. VI. 1776, 349.
flavofusca Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 136.
flavofusca Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
flavogeniculatus Nematelus, C. de Geer, Mém. Ins. VI. 1776, 201.
flavoguttata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 90. [Chrysomela.
flavoguttatus Cryptocephalus (Schr.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 51.—
flavoguttatus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 623.
flavolineatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 497.
flavomaculata Bombyx, C. de Villers, Linn. Ent. IV. 1789, 448.
flavo-maculata Buprestis, J. C. Fabricius, Mant. I. 1787, 177.
flavomaculata Coccinella, C. de Geer, Mém. Ins. VII. 1778, 665.
flavomaculatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.
flavomaculata Nitidula, P. Rossi, Fauna Etrus. I. 1790, 58.
flavomaculatus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
flavomaculata Sphex, C. de Geer, Mém. Ins. III. 1773, 588.
flavomaculata Tipula, C. de Geer, Mém. Ins. VI. 1776, 347.
flavomacula Bombyx, J. C. Fabricius, Mant. II. 1787, 119.
flavomarginatus Cimex, E. Donovan, Brit. Ins. VII. 1798, 79.
flavopectinicornis Elater, C. de Geer, Mém. Ins. IV. 1774, 153.
flavopecter Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 166.
flavopunctata Buprestis, C. de Geer, Mém. Ins. IV. 1774, 129.
flavoquadrimaculatus Cimex, C. de Geer, Mém. Ins. III. 1773, 295.
flavo-rufa Apis, C. de Geer, Mém. Ins. VII. 1778, 605.
flavo-striata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 296.
flavostriata Cicada, E. Donovan, Brit. Ins. VIII. 1799, 88.
flavotrfaciata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 287.
flavovarius Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 178.
flavo-viridis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2135.
flavum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 227.—Gryllus.
flava Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 800.
flava Amphisbaena, J. N. Laurenti, Syn. Rept. 1768, 67.
flava Aphrodita, P. S. Pallas, Misc. Zool. 1766, 97.
flavus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 112.
flava Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 638.
flavus Asilus, Linnaeus, Faun. Suec., ed. 2, 1761, 469.
flava Bombyx, J. C. Fabricius, Syst. Ent. 1775, 574.
flavum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 281.
flavum Callidium, J. C. Fabricius, Syst. Ent. 1775, 191.
flavum Callitricoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 259; = Mytilus of p. 207.
flavus Campsiurus, H. F. Link, Beytr. Nat. I (2) 1795, 87.
flava Cantharis, Scopoli, Ent. Carn. 1763, 42.
flava Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 155.
flavus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.

- flavum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
 flava Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576. [Callidium.
 flavus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
 flavum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Cardium.
 flavus Cercopithecus, P. Boddaert, Elench. 1785, 59.
 flava Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
 flava Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 710.
 flava Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2106.
 flava Cicada, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 144, no. 19.
 flava Cicada, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 146, no. 21.
 flava Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
 flava Conops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2895.
 flavus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373.
 flavus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 421.
 flavus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
 flavus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
 flava Empis, O. F. Müller, F. Ins. Frid. 1764, 87.
 flava Ephemera, F. v. P. Schrank, Beitr. Nat. 1776, 82.
 flava Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 38.—Motacilla.
 flava Formica, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 75.
 flavum Fragam, J. F. Bolten, Mus. Bolten. (2) 1798, 189.
 flava Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
 flava Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.
 flavus Gryllus, J. A. Scopoli, Del. Insub. I. 1786, 63.
 flavus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
 flavus Hemerobius, Scopoli, Ent. Carn. 1763, 270.
 flavus Hemerobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2642.
 flavus Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 341.
 flavus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 347.—Oriolus.
 flavus Labrus, J. R. Forster, Cat. Anim. N. Amer. 1771, 21 [n. n.].
 flavus Lemur, J. C. D. Schreber, Säugth. I., pl. xlii (1774) & index.
 flavus Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1082.
 flavus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 108.
 flava Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
 flava Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 331.
 flava Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
 flava Musca, A. F. de Fourcroy, Ent. Paris. 1785, 499.
 flavus Mytilus, J. X. Poli, Test. Sicil. II. 1795, 207.
 flava Nereis, O. Fabricius, F. Groen. 1780, 299.
 flava Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
 flava Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
 flava Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 21.
 flavus Notoxus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.
 flavus Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.—Ichneumon, 1775.
 flavus Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
 flavus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 389.
 flava Papilio, E. Pontoppidan, Danske Atlas, I. 1763, 685.
 flava Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
 flava Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 46.
 flava Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
 flavus Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
 flavus Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 84.
 flavus Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 86.
 flava Scolopendra, C. de Geer, Mém. Ins. VII. 1778, 561.
 flava Simia, J. M. Bechstein in Pennant, Uebers. 4tüss. Thiere, I. 1799, 187.
 flava Sphex, J. C. Fabricius, Syst. Ent. 1775, 352.
 flavus Spondylus, J. Barbut, Gen. Verm. H. 1788, 44.
 flavus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.

- flava* Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 496.
flava Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 896.
flava Telephorus, C. de Geer, Mém. Ins. IV. 1774, 70.
flavus Tenebrio, Scopoli, Ent. Carn. 1763, 84.
flava Tenthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 395.
flava Tenthredo, N. Poda, Ins. Mus. Graec. 1761, 103.
flava Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 314.—
flava Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth. [Aphrodita].
flava Thrips, F. v. P. Schrank, Ins. Aust. 1781, 297.
flavus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
flava Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
flava Zonitis, J. C. Fabricius, Syst. Ent. 1775, 127.
flegia Papilio, J. C. Fabricius, Mant. II. 1787, 51.
flegia [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 66.
flegyas [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 158.
flesoides Pleuronectes, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 188.
flesoides Pleuronectes, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 113.
flesus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.
flesus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 135.
flesus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
flexilinea Sciaena, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 320.
flexilis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
flexilis Sabella, L. T. Gronovius, Zooph. III. 1781, 352.
flexilis Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 4.
flexilis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
flexuata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
flexularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 19 [n. et f.].
flexularia Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 19.—*flexula*,
flexula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64. [D. & S.]
flexula Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 502.—Phalaena.
flexula Phalaena Bombyx, J. Hübner, Beitr. Schmett. I (1) 1786, 32.
flexuosa Altica, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 601.
flexuosa Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.
flexuosum Callidium, J. C. Fabricius, Syst. Ent. 1775, 191.
flexuosus Cancer, O. F. Müller, Z. Dan. Prod. 1776, 196.
flexuosus Carabus, J. C. Fabricius, Syst. Ent. 1775, 246.
flexuosum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
flexuosus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.—
flexuosa Cicindela, J. C. Fabricius, Mant. I. 1787, 186. [Callidium].
flexuosa Coccinella, J. C. Fabricius, Gen. Ins. 1777, 217.
flexuosa Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 17.
flexuosum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
flexuosus Elater, A. G. Olivier, Entom. II. 1790, 53.
flexuosa Forficula, J. C. Fabricius, Syst. Ent. 1775, 269.
flexuosus Hallominus, G. Paykull, Faun. Suec. II. 1799, 182.
flexuosa Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1278
flexuosa Membracis, J. C. Fabricius, Ent. Syst. IV. 1794, 12.
flexuosus Nitidula, A. G. Olivier, Entom. II. 1790, 7.
flexuosa Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 246.
flexuosa Ostrea, J. X. Poli, Test. Sicil. II. 1795, 161.
flexuosa Planaria, O. F. Müller, Z. Dan. Prod. 1776, 282.
flexuosus Scolytus, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 221.—Carabus,
flexuosa Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 814. [1775].
flexuosa Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1131.
flexa Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 33.
flina Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
flinus Hepialus (D. & S.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 75.—Bombyx.
flina Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (31) 1787, 35.—Bombyx.

- fiina** Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 157.—
- flippantha** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 202. [Bombyx.]
- flirtea** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 90.
- floccida** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 332.
- floccosa** Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 447.—Cellularia.
- floccosa** Cellularia, P. S. Pallas, Elench. 1766, 70.
- floccosus** Coccus, C. de Geer, Mém. Ins. VII. 1778, 604.
- floccosa** [Phalaena], C. Clerck, Icones, I. 1759, pl. v, 1.
- floccosa** Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3860.—
- floccosa** Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvii. [Cellularia.]
- floccus** Trichoda, O. F. Müller, An. Infus. 1786, 174.
- flora** [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 112.
- floralia** Calandra, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
- floralis** Anthicus (L.), G. Paykull, Faun. Suec. I. 1798, 256.—Meloe.
- floralis** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
- florale** Callidium (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 241.—Cerambyx.
- floralis** Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 724.
- floralis** Cetonia, J. C. Fabricius, Mant. I. 1787, 31.
- floralis** Cimex, J. C. Fabricius, Mant. II. 1787, 303.
- floralis** Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 37.
- floralis** Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
- floralis** Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.—
- floralis** Curculio, G. Paykull, Mon. Curc. 1792, 77. [Meloe.]
- floralis** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 408.
- floralis** Curculio, =floriger, Fourc., A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
- floralis** Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 126.—Meloe.
- floralis** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 171.
- floralis** Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 681.
- floralis** Meloe, J. C. Fuessly, Schweitz. Ins. 1775, 20.
- floralis** Meloe, P. S. Pallas, Icon. Ins. 1782, 82.
- floralis** Melolontha, A. G. Olivier, Entom. I. 1789, 70.
- floralis** Melyris, A. G. Olivier, Entom. II. 1790, 11.
- floralis** Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 260.
- floralis** Notoxus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45.—Meloe.
- floralis** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV. (32) 1782, 191.
- floralis** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—
- floralis** Staphylinus, G. Paykull, Mon. Staph. 1789, 67. [Cetonia.]
- floralis** Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 563.
- forella** Papilio, J. C. Fabricius, Syst. Ent. 1775, 479.
- forella** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 114.
- florentina** Apis, J. C. Fabricius, Syst. Ent. 1775, 384.
- florentina** Aranea, P. Rossi, Fauna Etrus. II. 1790, 133.
- florentina** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 210.
- florentinus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 59.
- florentina** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 422.
- florescentiae** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.
- forestan** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 216.
- flore** Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 308.
- flore** Apis, J. C. Fabricius, Mant. I. 1787, 305.
- flore** Bibio, J. C. Fabricius, Ent. Syst. IV. 1794, 255.
- floreus** Conops (Linn.), Scopoli, Ent. Carn. 1763, 354.—Musca.
- flore** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
- floreus** Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 99.
- floreus** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 764.—Musca.
- flore** Volucella, J. C. Fabricius, Ent. Syst. IV. 1794, 412.
- floribunda** Spongia, P. S. Pallas, Elench. 1766, 378.
- floribunda** Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 137.
- floricola** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 219.

- floricola** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 86.
- floricola** Melolontha, J. N. Laicharting, Tyrol. Ins. I. 1781, 41.
- floricola** Melolontha, J. C. Fabricius, Mant. I. 1787, 22.
- floricola** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1559.—
- floridana** Certhia, B. S. Barton, Frag. N. H. Pennsylv. 1799, 20. [Melolontha.]
- floridanus** Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 719.
- floridum** Callistoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 258; = Venus, p. 97.
- floridus** Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1041.
- floridus** Cancer (*ex* Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
- florida** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
- floriger** Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 123.
- florilegus** Anthrenus, A. F. de Fourcroy, Ent. Paris. 1785, 27.
- florilegus** Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
- florilega** Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.
- florimel** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 215.
- florisequa** Vespa, J. L. Christ, Nat. Ins. 1791, 244; *varr.* maior *et* minor.
- florisomnis** Andrena (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
- florisomnis** Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 954.
- florisomnis** Hylaeus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 304.—Apis.
- florus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 310.
- florum** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 352.
- florus** Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- florum** Termes, Scopoli, Ent. Carn. 1763, 381.
- flos** Astroites, J. E. I. Walch, Naturforscher, V. 1775, 60.
- Floscularia** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 9 [*n. n.*].—Inf.
- flosculosa** Vorticella, O. F. Müller, Verm. I (1) 1773, 113.
- flucticulus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
- fluctifer** Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
- fluctifer** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
- fluctifera** Nerita, F. C. Meuschen, Mus. Gever. 1787, 266.
- fluctualis** Phalaena, J. C. Fabricius, Mant. II. 1787, 222.
- fluctuans** Ichneumon, J. L. Christ, Nat. Ins. 1791, 365.
- fluctuans** Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 379.
- fluctuans** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 293.
- fluctuata** Geometra, C. C. Jung, Alph. Verz. Schmett. I. 1791, 228. [*et f.*]
- fluctuata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 249 [*n.*]
- fluctuata** Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767,
- fluctuosa** Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 24. [871.]
- fluctuosus** Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
- fluida** Leucophaea, O. F. Müller, Zool. Dan. II. 1784, 97.
- fluidana** Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
- fluitans** Cyclidium, O. F. Müller, An. Infus. 1786, 80.
- fluminalis** Tellina, O. F. Müller, Verm. II. 1774, 205.
- flumineum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
- fluminea** Tellina, O. F. Müller, Verm. II. 1774, 206.
- flumineus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
- Flustra** Linnaeus, Faun. Succ., ed. 2, 1761, 539.—Pol.
- fluviatilis** Acarus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 361.
- fluviatile** Alcyonium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 24.
- fluviatilis** Ancyclus, O. F. Müller, Verm. II. 1774, 201.
- fluviatilis** Anguillula, O. F. Müller, An. Infus. 1786, 65.
- fluviatilis** Aspredo, F. C. Meuschen, Mus. Gronov. 1778, 34.
- fluviatilis** Astacus, J. C. Fabricius, Syst. Ent. 1775, 413.
- fluviatile** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
- fluviatilis** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 183.
- fluviatile** Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
- fluviatilis** Colymbus, J. C. Schaeffer, Mus. Orn. 1789, 60.
- fluviatilis** Homarus, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.

- fluviatilis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
 fluviatilis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
 fluviatilis Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1253.
 fluviatilis Patella, E. M. da Costa, Brit. Conch. 1778, 1.
 fluviatilis Patella, F. C. Meuschen, Mus. Gever. 1787, 246.
 fluviatilis Patella (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3711.—
 fluviatilis Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481. [Ancyclus.
 fluviatilis Petromyzon, Linnaeus, Syst. Nat., ed. 10, 1758, 230; ed. 12, 1766, 394.
 fluviatilis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1299.
 fluviatilis Tellina, O. F. Müller, Verm. II. 1774, 206.
 fluviatilis Vibrio, O. F. Müller, Naturforscher, XIX. 1783, 161.
 fluviata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 280 [n. et
 fluviorum Gerris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 543. [f].
 fluxa Leucophaea, O. F. Müller, Zool. Dan. II. 1784, 99.
 flyas [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 78.
 focko Simia, H. F. Link, Beytr. Nat. I (2) 1795, 59.
 focorum Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 314.
 focula [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 187.
 fodiens Apis, A. F. de Fourcroy, Ent. Paris. 1785, 444.
 fodiens Sorex, Pallas in Schreber, Säugth. III. 571 (1777) & pl. clxi. (1777).
 fodiens Sorex, v. albus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 723.
 fodinarum Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2032.
 foederata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
 foemina v. femina.
 foenella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 888.
 foenella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 659.—Phalaena.
 foenicola Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
 foeniculacea Antipathes, P. S. Pallas, Elench. 1766, 207.
 Foenus J. C. Fabricius, Suppl. Ent. Syst. 1798, 210.—Hym.
 foetens Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 31.—Scarabaeus.
 foetens Aphodius, C. Creutzer, Ent. Vers. 1799, 46.
 foetens Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.—Scarabaeus.
 foetens Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 503.
 foetens Formica, J. C. Fabricius, Ent. Syst. II. 1793, 354.
 foetens Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 513.
 foetens Scarabaeus, J. C. Fabricius, Mant. I. 1787, 8.
 foetens Viverra, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 111.
 foetidus Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 30.—Scarabaeus.
 foetidus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
 foetida Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 965.
 foetida Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 108; ed. 12, 1766, 164.
 foetida Phoca, O. Fabricius in O. F. Müller, Z. Dan. Prod. 1776, viii.; v. et. Skriv.
 Nat. Selsk. I (2) 1791, 74.
 foetidus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 7.
 foetidus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 40.
 foeta Trichoda, O. F. Müller, An. Infus. 1786, 180.
 foina Mustela, *err. pro foina?* E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 302.
 foina Mustela, J. C. F. Schreber, Säugth. III. 472 (1777) pl. cxxix. (1776).
 foina alba Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 689.
 foliacea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 229.
 foliaceus Binoculus, A. F. de Fourcroy, Ent. Paris. 1785, 539.
 foliacea Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
 foliaceus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 381.
 foliacea Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 804.
 foliacea Flustra, Linnaeus, Faun. Suec. ed. 2, 1761, 539.—[v. Eschara.]
 foliaceus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2057.
 foliacea Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 173.
 foliacea Madrepora, F. C. Meuschen, Mus. Gever. 1787, 498.

- foliacea** Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 133.
foliaceus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 634.
foliacea Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
foliacea Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
foliaceus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 156.
foliacea Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 201.
foliacea Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
foliaceus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
foliascens Spongia, P. S. Pallas, Elench. 1766, 395.
foliator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 239.
foliata Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 533.
foliata Arca, P. Forskal, Descr. Anim. 1775, xxxi.
foliata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
foliatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 204.
foliata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
foliata Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 675.—Cicada.
foliatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3529.
foliata Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
foliata Purpura, T. Martyn, Univ. Conch. II [1788], fig. 66.
foliata Purpura (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 143.—Murex.
foliincolarum Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 380.
folii quercus Coccus, J. H. Sulzer, Gesch. Ins. 1776, 112.
foliopedata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
foliorum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
foliorum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
foliorum Curculio, O. F. Müller, F. Ins. Frid. 1764, 10.
foliorum Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 388.
foliosa Madrepora, P. S. Pallas, Elench. 1766, 333.
folium Aranea, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 124.
folium Fulgora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2092.
folium Lophia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Ostrea.
folium Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
folium Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1148.
folium quercus Spongia, F. C. Meuschen, Mus. Gever. 1787, 532.
folliculata Vorticella, O. F. Müller, An. Infus. 1786, 285.
folliculus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40 [*n. n.*].
folliculus Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654.
folus [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 118.
fomentator Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 936.
fontana Helix, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 165.
fontinalis Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 306.—Bulla.
fontinalis Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1185.
fontinalis Turbo, R. Pulteney, Cat. Birds &c. Dorset, 1799, 45.
fontis-bellaquaei Omalilus, A. F. de Fourcroy, Ent. Paris. 1785, 64.
foraminosa Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 138.
Forbicina E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 611.—Orth.
Forbicina P. A. Latreille, Préc. Car. Ins. 1796, 174.—Thy.
forceps Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 449.
forceps Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
forceps Trichoda, O. F. Müller, An. Infus. 1786, 188.
forcipatus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 203.
forcipatus Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
forcipata Aeshna (L.), J. C. Fabricius, Syst. Ent. 1775, 424.—Libellula.
forcipatus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
forcipatus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
forcipata Cercaria, O. F. Müller, An. Infus. 1786, 134.
forcipata Empis, Linnaeus, Faun. Suec., ed. 2, 1761, 466.
forcipatus Erax (Linn.), Scopoli, Ent. Carn. 1763, 359.—Asilus.

- forcipata** Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula.
forcipata Holothuria, O. Fabricius, F. Groen. 1780, 357.
forcipata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
forcipata Tipula, J. C. Fabricius, Syst. Ent. 1775, 755.
forcipula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
forestan [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 210.
forfex Trichoda, O. F. Müller, An. Infus. 1786, 189.
forficalis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 301.
forficalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 882.
forficalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
forficatus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.—Phalaena forficalis.
forficatus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89.
forficata Formica, J. C. Fabricius, Mant. I. 1787, 310.
forficata Fringilla, G. Shaw in Miller, Cim. Phys. 1796, 93.
forficatus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
forficata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 931.
forficatus Prionus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 141.
forficata Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1062.
forficatus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 190.
forficella Phalaena, Scopoli, Ent. Carn. 1763, 248.
forficella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 85.
Forficula Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 686.
foriorum Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 9.—foriorum in
Formica Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 962.—Hym. [text.
formicaeformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783,
Formicaleo E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 257.—Hym. [216.
formica-leo Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; [formicarium Myrme-
 leon, ed. 12].
formica-lynx Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; [Myrmeleon, ed.
formica-lyn[x] Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914. [12].
Formicarius Boddaert, Tabl. Planches Enlum. 1783, 43.—A.
formicaria Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 293.
formicarius Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620.
formicarius Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
formicarius Bostrichus (L.), F. v. P. Schrank, F. Boica, I. 1798, 431.—Attelabus.
formicarius Brentus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 174.
formicarius Clerus (L.), J. C. Fabricius, Syst. Ent. 1775, 157.—Attelabus.
formicarius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 297.
formicarius Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 21.—Attelabus.
formicarius Ichneumon (L.), J. C. Fabricius, Syst. Ent. 1775, 345.—Mutilla.
formicarius Ichneumon Mutilla, L., J. L. Christ, Nat. Ins. 1791, 376.—Mutilla.
formicaria Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
formicaria Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 968.
formicaria Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
formicaria Mutilla, P. A. Latreille, J. Nat. Hist. (Choix des Mém.), II. 1792, 99.
formicarium Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914.
formicarius Notoxus, A. G. Olivier, Entom. III. 1795, 4.
formicaria Spheg, J. L. Christ, Nat. Ins. 1791, 273.
formicarius Staphylinus, O. F. Müller, Z. Dan. Prodr. 1776, 99.
formicaroides Attelabus, F. v. P. Schrank, Beitr. Nat. 1776, 65.
formicaroides Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 20.
formicaroides Ichneumon, N. J. Brahm, Ins. Kal. I (2), 1791, 238.
formicarium Acarus, Scopoli, Ent. Carn. 1763, 390.
[formicinus Araneus, C. Clerck, Aran. Svec. 1757, 134.]
formicinus Araneus, T. Martyn, Aranei, 1793, 63.
formicivorus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 828.
formicoides Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 156.
formido Apis, M. Harris, Exp. Eng. Ins. 1776, 136.

- formosana** Phalaena, Scopoli, Ent. Carn. 1763, 237.
formosante [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 92.
formosella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 257.—Tinea.
formosella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
formosella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
formosissimalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 4 [2].
formosissimus Constrictor, J. N. Laurenti, Syn. Rept. 1768, 107.
formosa Alcedo, G. Shaw in Miller, Cim. Phys. 1796, 104.
formosa Anas, J. G. Georgi, Reise Russ. 1775, 168.
formosa Anthias (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 122.—Perca.
[formosus Araneus, C. Clerck, Aran. Svec. 1757, 56.]
formosa Aranea, C. de Villers, Linn. Ent. IV. 1789, 130.
formosus Araneus, T. Martyn, Aranei, 1793, 26.
formosa Buprestis, R. Townson, Trav. Hungary, 1797, 466.
formosus Cerambix, A. G. Olivier, Entom. IV. 1795, 86.—Lamia, 1792.
formosus Curculio, Mayer, Abh. Privatges. Böhmen, IV. 1779, 183.
formosus Falco, J. Latham, Index Orn. 1790, 38.
formosa Fringilla, J. Latham, Index Orn. 1790, 441.
formosus Gyrinus, A. Modeer, Physiogr. Sälisk. Handl. I (3) 1776, 157.
formosus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—Papilio.
formosa Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.
formosa Musca, Scopoli, Ent. Carn. 1763, 339.
formosus Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
formosa Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 21.
formosa Noctua, J. C. Fabricius, Mant. II. 1787, 150.
formosus [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 33.
formosa Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 488.
formosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 362.
formosus Psittacus, J. A. Scopoli, Annus I. 1769, 30.
formosus Psittacus, J. Latham, Index Orn., 1790, pl. 31.
formosus Sparus, G. Shaw, Nat. Misc. I. 1790, pl. 31.
fornator Lamia, J. C. Fabricius, Mant. I. 1787, 141; *err. pro* tornator, 1775.
fornicator Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 233.—Ichneumon, 1781.
fornicator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 432.
fornicator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
fornicata Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 248.—Patella.
fornicata Aranea, J. C. Fabricius, Syst. Ent. 1775, 435.
fornicatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3487.
fornicata Calappa, Fab., F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1781.
fornicata Calappa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 345.
fornicatus Cancer, J. C. Fabricius, Spec. Ins. II. 1781, 502.
fornicata Cheilea (L.), A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 111.—Patella.
fornicata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
fornicata Crepidula (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 78.—Patella.
fornicatus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 216.
fornicatus Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 938.
fornicatus Murex (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547.—
fornicata Ostrea, P. Forskal, Descr. Anim. 1775, 124. [Tritonium].
fornicata Parthenope, Fab., F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1781.
fornicata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1257.
fornicata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 79.
fornicatus Ptomaphagus (De G.), Illiger in Kugelann, Käfer Preuss. 1798, 89.—Der-
fornicatus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 208. [mestes].
fornicatum Tritonium, O. Fabricius, F. Groen. 1780, 399.
forniculosa Eschara, P. S. Pallas, Elench. 1766, 47. [Eschara].
forniculosa Millepora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3786.—
foriorum *v.* foriorum.
forskaleana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 4.

- forsskaleana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767,
 forskähleana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 652.—Phalaena. [878.
 forskaelii Aranea, Scopoli, Ent. Carn. 1763, 398.
 forskahlui Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2150.
 forskahlui Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 263.
 forskoehlii Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
 forskahlui Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
 forskohlii Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
 forsterana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 406.—Pyralis.
 forsterana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 279.
 forsterella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 507.
 forsterella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
 forsteri Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
 forsteri Cistela, J. C. Fuessly, Schweiz. Ins. 1775, 5.
 forsteri Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1717.
 forsteri Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1770.
 forsteri Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 164.—Cimex, 1781.
 forsteri Procellaria, J. Latham, Index Orn. 1790, 827.
 fortificata Noctua, J. C. Fabricius, Mant. II. 1787, 149.
 fortis Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
 fortunatus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 214.
 Fortunus J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 24.—Cr.
 fossa Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
 fossa Viverra, J. C. D. Schreber, Säugth. III. 424 (1777), pl. cxiv (1776).
 fossana Viverra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 32.
 fossarum Cimex, J. C. Fabricius, Syst. Ent. 1775, 727.
 fossarum Curculio, G. C. Reich, Mant. Ins. 1797, 9.
 fossarum Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 188.—Cimex, 1775.
 fossarum Hydrophilus, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
 fossilis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
 fossilis Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
 fossilis Chama, J. F. Bolten, Mus. Bolten. (2), 1798, 196 [*n. n.*].
 fossilis Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 500.
 fossilis Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
 fossilis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.
 fossilis Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
 fossilis Placites, J. F. Blumenbach, Abb. nat. Gegen., no. 40, 1799.
 fossilis Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
 fossilis Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [*n. n.*].
 fossilis Ptyrgia, J. F. Bolten, Mus. Bolten. (2) 1798, 52 [*n. n.*].
 fossilis Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 46.
 fossilis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99 [*n. n.*].
 fossilis Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
 fossilis Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
 fossilis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
 fossor Acheta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 191.
 fossor Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 19.—Scarabaeus.
 fossor Atteblabus (L.), C. de Geer, Mém. Ins. IV. 1774, 350.—Tenebrio.
 fossor Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 144.—Scarabaeus.
 fossor Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
 fossor Scarites (L.), Illiger in Kugelann, Käfer Preuss. 1798, 111.—Tenebrio.
 fossor Staphylinus, J. A. Scopoli, Annus V. 1772, 109.
 fossor Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 523.
 fossor Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 675.
 fossor Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 323.
 fessoria (*sic*) Apis, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 220.
 fessoria Aranea, G. de Razoumowsky in Bertholon's Nature Considérée, VII. 1789, 3.
 fossorius Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 374.—Sphex.

- fossorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 933.
fossoria Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
fossoria Vespa (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Sphex.
fossula Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 28.
fossularum Cimex, P. Rossi, Fauna Etrus. II. 1790, 253.
fossularum Gerris (Ross.), J. C. Fabricius, Suppl. Ent. Syst., 1798, 543.—Cimex.
foveatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 52.
foveatus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
foveatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 217.
foveata Trichoda, O. F. Müller, An. Infus. 1786, 182.
foveolatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
foveolatus Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 170.
foveolatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
fowat Columba, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 251.
fracticornis Copris (Preys.), J. Sturm, Verz. Ins. Samml. 1800, 105.—Scarabaeus.
fracticornis Paederus, G. Paykull, Faun. Suec. III. 1800, 430.
fracticornis Scarabaeus, J. D. Preyssler, Verz. böhm. Ins. 1790, 99.
fracti-cornis Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 99.
fracticornis Staphylinus, G. Paykull, Mon. Carab. 1790, 135.
fracta Leucophaea, O. F. Müller, An. Infus. 1786, 146.
fraenata Anas, A. Sparrman, Mus. Carls. II. 1787, no. xxxviii.
fragariae Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2219.
fragariae Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 448.
fragariae Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 56.
fragariae Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl. 3 Abschn. [1797], 40.
fragariae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 497.
fragilis Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.
fragilis Asterias, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 28.
fragile Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [n. n.].
fragilis Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
fragilis Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 805.
fragilis Gryllus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 176.
fragilis Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109.
fragilis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
fragilis Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
fragilis Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
fragilis Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
fragilis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
fragilis Peronaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Tellina.
fragilis Pinna, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 97.
fragilis Solen, R. Pulteney, Cat. Birds &c. Dorset, 1799, 28.
fragilis Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1117.
fragilis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
fragilis Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1302.
fragilis Venus, O. Fabricius, F. Groen. 1780, 413.
fragilissima Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1305.
fragrans Apis, P. S. Pallas, Reise Russ. I. 1771, 474.
Fragum J. F. Bolten, Mus. Bolten. (2) 1798, 189.
fragum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1123.
fragum-granulatum Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
fragum Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
fragum Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 79.
franciae Coluber, G. A. Suckow, Naturges. III. 1798, 241.
franciae Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 779.
francica Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1017.
francillana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 264.
franciscanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 698.
franciscana Loxia, P. E. Isert, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 332.

- franciscana* Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
francisci redi Vipera, J. N. Laurenti, Syn. Rept. 1768, 99 & 198.
francisca Bombyx, J. C. Fabricius, Mant. II. 1787, 131.
francisca Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 129.
francisca [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 75.
francofurthana Lytta, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 145.
 "francofurthana" Sphinx, Pall." C. C. Jung, Alph. Verz. Schmett. 1791, 230.
francolinus Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 261.
francolinus Perdix (L.), J. Latham, Index Orn. 1790, 644.—Tetrao.
francolinus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
franonica Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 57.
franonica Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (20) 1785, 139.—
frangutella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 230. [Bombyx].
frascone Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 192.
Fratercula M. J. Brisson, Ornith. VI. 1760, 81.—A.
fraterna Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 724.
fraternaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
fraudatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 144.
fraxinella Tinea, C. Bjerkander, K. Vet. Ak. Nya Handl. V. 1784, 324.
fraxinea Cantharis, Scopoli, Ent. Carn. 1763, 42.
fraxineus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
fraxini Aphis, J. C. Fabricius, Gen. Ins. 1777, 303.
fraxini Bostriachus, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 15.
fraxini Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 739.
fraxini Curculio, C. de Geer, Mém. Ins. V. 1775, 212.
fraxini Hypophloeus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 527.
fraxini Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 172.
fraxini Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.
fraxini Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 292.
fraxini Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 843.
fraxini Psylla, O. F. Müller, Z. Dan. Prod. 1776, 109.
fraxinina Vorticella, O. F. Müller, An. Infus. 1786, 276.
 "Fregata, Briss. 1760," Waterh.; not used in a generic sense.
Fregata B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 15.—A.
Fregata G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
fregata Procellaria, Linnaeus, Syst. Nat., ed. 12, 1766, 212.
freijsa Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 276.
freijsa Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 263.
freijsa Papilio, L. Prunner, Lep. Pedemont. 1798, 76.
frenatus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 183.
frenatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 60.
friabilis Spongia, C. Girtanner, Naturforscher, XXII. 1787, 122.
fricato Scarabaeus, J. C. Fabricius, Mant. I. 1787, 15.
fricator Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.—Scarabaeus fricato.
friderici Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 94.
fridrichsdalensis Chrysomela, O. F. Müller, F. Ins. Frid. 1764, 8.
fridrichsdalensis Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
frigida Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 275.
frigidus Curculio, J. C. Fabricius, Mant. II. 1787, 381.
frigida Emberiza, J. Latham, Syn. Birds, Suppl. I. 1787, 286.
frima Mustela, *err. pro* erminea Linn., J. M. Bechstein, Stubenthiere, 1797, Register.
Fringilla Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 317.—A.
Fringilla B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
fringillaceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
fringillae Pediculus, J. A. Scopoli, Annus V. 1772, 125.
fringillae Pediculus (De G.), C. de Villers, Linn. Ent. IV. 1789, 31.—Ricinus.
fringillae Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 201.
frischella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 896.

- frischella* Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
frischii Aranea, Scopoli, Ent. Carn. 1763, 395.
frischii Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
frischii Cerambyx, G. A. Harrer, Besch. Schaeffer Icones, 1784, 193.
frischii Cetonia, F. v. P. Schrank, F. Boica, I. 1798, 416.
frischii Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 288.
frischii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
frischii Dermestes, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 478.
frischii Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 415.
frischii Melolontha, J. C. Fabricius, Syst. Ent. 1775, 37.
frischii Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
frischii Scarabaeus (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 15.—Melolontha.
frisius Talpa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 36.
frit Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 256.
frit Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
fritillarius Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 79.
fritillina Vorticella, O. F. Müller, An. Infus. 1786, 273.
fritillum Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 19.
fritillum Enchelis, O. F. Müller, Verm. I (1) 1773, 37.
fritillum Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 351.
fritillum Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 159.—*fritillarius*, Poda.
friulicus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 60.
frobenia Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
froelichii Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3080.
frondescens Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.
frondiculosa Eschara, P. S. Pallas, Elench. 1766, 55.
frondiculosa Flustra (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3829.—
frondipora Millepora, P. S. Pallas, Elench. 1766, 241. [Eschara.]
fronditia Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
fronditia Membracis (L.), J. C. Fabricius, Spec. Ins. II. 1781, 316.—Cicada.
frondosa Amphitrite, P. A. Ascanius, K. Norske Vid. Selsk. Skrift. V. 1774, 158.
frondosa Doris (Ascan.), O. F. Müller, Z. Dan. Prod. 1776, 229.—Amphitrite.
frondosa Holothuria, J. E. Gunnerus, K. Vet. Ac. Handl. XXVIII. 1767, 115.
frondosa Medusa, P. S. Pallas, Spic. Zool. X. 1774, 29.
frondosa Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII, 1796, 80.
frondosa Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74 [*n. n.*].
frondosa Spongia, P. S. Pallas, Elench. 1766, 395.
frons Loph (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Mytilus.
frons Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
frons Ostrea (L.), F. C. Meuschen, Mus. Gev. 1787, 424.—Mytilus.
frontalis Acarus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 23.
frontalis Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
frontalis Apis, C. de Villers, Linn. Ent. III. 1789, 330.
frontalis Aranea, A. G. Olivier, Ency. Méth. IV (Ins.), 1789, 223.
frontalis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 271.
frontalis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
frontalis Bembex, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 292.
frontalis Brachycerus (Spar.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 55.—
frontalis Buprestis, A. G. Olivier, Entom. II. 1790, 45. [Curculio.]
frontalis Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 24.
frontalis Cicada, E. Donovan, Ins. China, 1798.
frontalis Coccinella, J. C. Fabricius, Mant. I. 1787, 60.
frontalis Coccinella, J. C. Fabricius, Mant. Ins. I. 1787, 60.
frontalis Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 105.
frontalis Columba, J. Latham, Index Orn. 1790, 594.
frontalis Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 11.
frontalis Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 47.
frontalis Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 72.

- frontalis** Falco, F. M. Daudin, *Traité élém. Orn.* 1800, 118.
frontalis Hister, G. Paykull, *Faun. Suec.* I. 1798, 40.
frontalis Ichneumon, A. F. de Fourcroy, *Ent. Paris.* 1785, 396.
frontalis Loxia, F. M. Daudin, *Traité élém. Orn.* 1800, 445.
frontalis Mordella, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 420; ed. 12, 1767, 682.
frontalis Scolytus, A. G. Olivier, *Entom.* IV. 1795, 13.
frontalis Sphex, J. C. Fabricius, *Syst. Ent.* 1775, 349.
frontalis Trochilus, J. Latham, *Index Orn.* 1790, 318.
frontana Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 273.
frontatornis Ichneumon, J. C. Fabricius, *Ent. Syst.* II. 1793, 145.
fronticornis Apis, G. W. F. Panzer, *Ins. Germ.* heft 63 [1799], tab. 20.
fronticornis Cerambyx (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1827.—
fronticornis Lamia, J. C. Fabricius, *Spec. Ins.* I. 1781, 216. [Lamia.
frontis Noctua, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1788, 72.
frosinaria [Phalaena], C. Stoll, *Aanhang. Cramer's Uitl. Kapellen.* V. 1790, 161.
frugalis Noctua, J. C. Fabricius, *Syst. Ent.* 1775, 601.
frugelegi Ascaris, F. v. P. Schrank, *K. Vet. Ac. Nya Handl.* XI. 1790, 121.
frugilegus Corvus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 105; ed. 12, 1766, 156.
frugilegus Curculio, C. de Geer, *Mém. Ins.* V. 1775, 273.
frugillus Corvus, *err. pro frugilegus*, Linn., *S. G. Gmelin, Reise Russ.* I (1770), 67.
frugiperda Phalaena, J. E. Smith in *Abbot, Ins. Georgia*, 1797, 191.
frumentalis Phalaena (Pyrallis), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 351.
"Frumentaria, Sold. 1780," Ag.; not used in a Linnean sense.
frumentarium Anobium, J. C. Fabricius, *Syst. Ent.* 1775, 62.
frumentarium Apion (L.), *Herbst in Jablonsky, Nat. Ins. (Käfer)* VII. 1797, 107.—Curculio.
frumentarius Attelabus (L.), A. G. Olivier, *Ency. Méth.* IV (Ins.) 1789, 282.—Curculio.
frumentarius Cimex, N. Poda, *Ins. Mus. Graec.* 1761, 60.
frumentarium Colydidium, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 496.—Anobium.
frumentarius Curculio, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 378; ed. 12, 1767, 608.
frumentarium Cylonium, J. C. Fabricius, *Actes Soc. H. N. Paris*, I (1) 1792, 32.—Anobium,
frumentaria Ips (Fab.), A. G. Olivier, *Entom.* II. 1790, 11.—Anobium. [1775.
frumentarius Ptinus (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1605.—
Anobium.
frumentarius Rhinomacer (Linn.), O. F. Müller, *Z. Dan. Prod.* 1776, 90.—Curculio.
frumentata Phalaena, J. Mayers, *Naturforscher*, XV. 1781, 112.
frumenti Libellula, O. F. Müller, *F. Ins. Frid.* 1764, 62.
frustulosa Sabella, C. J. Phipps, *Voy. N. Pole*, 1774, 198.
frutescens Sertularia, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 55.
frutescens Spongia, J. E. Gunnerus, *Flora Norveg.* I. 1766, 83.
frutetorum Musca (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2870.—Syrphus.
frutetorum Syrphus, J. C. Fabricius, *Syst. Ent.* 1775, 765.
frutetorum Tenthredo, J. C. Fabricius, *Ent. Syst.* II. 1793, 111.
fruticans Sertularia, P. S. Pallas, *Elench.* 1766, 157.
fruticeti Motacilla, J. M. Bechstein, *Gem. Nat. Deutschl.* IV. 1795, 555.
fruticola Melolontha, J. C. Fabricius, *Mant.* I. 1787, 23.
fruticola Scarabaeus (Fab.), C. de Villers, *Linn. Ent.* IV. 1789, 211.—Melolontha.
fruticosa Spongia, E. J. C. Esper, *Pflanzenth.* II (11) 1793, 188.
fruticulosa Corallina, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 116.
fruticulosus Curculio, *Herbst in Jablonsky, Nat. Ins. (Käfer)* VI. 1795, 400.
fruticum Helix, O. F. Müller, *Verm.* II. 1774, 71.
fucata Baphia, F. C. Meuschen, *Mus. Gever.* 1787, 472.
fucatum Cardium, L. Spengler, *Skr. nat. Selsk.* [Copen.], V (1) 1799, 30.
fucata Cetonia, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 145.
fucata Chrysomela, J. C. Fabricius, *Spec. Ins.* I. 1781, 126.
fucatus Cimex, P. Rossi, *Fauna Etrus.* II. 1790, 235.
fucatus Conus, F. C. Meuschen, *Mus. Gever.* 1787, 348.
fucata Crioceris, J. C. Fabricius, *Mant.* II. 1787, 381. [Crioceris.
fucatus Cryptocephalus (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1721.—

- fucata* Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
fucatus Musca, M. Harris, Exp. Eng. Ins. 1776, 83.
fucata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 359.
fucata Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 19.
fucatus Papilio, F. Boddaert, Tab. Planch. Enl. 1783, 5.
fucata Phalaena Noct., E. J. C. Esper, Die Schmett. IV (46) 1791, 341.
fucatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.] III (2) 1794, 111.
fucata Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
fuci Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
“*fuciformis* Graptolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.
fuciformis Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 548.—Sphinx.
fuciformis Sphex, J. A. Scopoli, Del. Insub. II. 1786, 59.
fuciformis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 803.
fuciformis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 290.
fucorum Acarus, C. de Geer, Mém. Ins. VII. 1778, 112.
fucorum Acarus, J. C. Fabricius, Reise Norwegen, 1779, 262.
fucorum Millepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 121.
fucorum Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
fucorum Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 404.
fucorum Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 278.
Fucus Linnaeus, Syst. Nat., ed. 10, II. 1759, 1345 (sp. 24).—Alga.
fucus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3538.
fueslella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 301.
fueslinaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (7) 1799, 188.—*fueslinella*,
fueslinella Phalaena Tinea, J. H. Sulzer, Gesch. Ins. 1776, 163. [auct.
fueslini Mylabris, G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 18.
fuesslini Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], I (4) 1782, 376.
fuesliniana [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (31) 1781, 163.
fugax Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 253.
fugax Carabus, A. G. Olivier, Entom. III. 1795, 70.
fugax Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
fugax Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 153. [Fourmis, 1798, 46.
fugax Leucosia, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
fugax Leucosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 351.
fugax Libellula, M. Harris, Exp. Eng. Ins. 1776, 156.
fugax Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1775.
fugax Sphex, J. C. Fabricius, Syst. Ent. 1775, 350.
fugeo Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
fugitivus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
fugitivus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 297.
fulcratus Asilus, Scopoli, Ent. Carn. 1763, 366.
fulcratum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 320.
fulgens Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
fulgens Buprestis, C. de Geer, Mém. Ins. VII. 1778, 633.
fulgens Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2986.—Astacus.
fulgens Cantharis, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
fulgens Elater, A. G. Olivier, Entom. II. 1790, 12.
fulgens Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
fulgens Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 522.
fulgurator *v.* *fulgurator*.
fulges Musca, M. Harris, Exp. Eng. Ins. 1776, 87.
fulgida Buprestis, A. G. Olivier, Entom. II. 1790, 10.
fulgida Buprestis, A. G. Olivier, Entom. II. 1790, 32.
fulgidus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
fulgida Cetonia, J. C. Fabricius, Syst. Ent. 1775, 48.
fulgida Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 415.
fulgida Cicada, J. C. Fabricius, Syst. Ent. 1775, 687.
fulgidus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.

- fulgidus Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 254.
- fulgida Lampyrus, A. G. Olivier, Entom. II. 1790, 16.
- fulgidus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
- fulgidus Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 537.—Staphylinus, 1787.
- fulgidus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 116.
- fulgidus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.—
- fulgidus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 167. [Cetonia.]
- fulgidus Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
- fulgida Tipula, J. Cederhielm, F. Ingric. 1798, 296.
- Fulgora Linnaeus, Syst. Nat., ed. 12, I. 1767, 703.—Hem.
- fulgur Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
- fulgurans Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 85.
- fulgurans Buprestis, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 117.
- fulgurans Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 687.
- fulgurans Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
- fulgerator (*sic*) Papilio, P. Cramer, Uitl. Kapellen, III (24) 1780, 162.
- fulgurator Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
- fulgura Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
- Fulica Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.—A.
- fulica Colymbus, P. Boddaert, Tab. Planch. Enl. 1783, 54.
- fulica Gralla, J. P. Eberling in Sonnerat, Reise Neuguinea, 1777, 45.
- fulica Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [n. n.].
- fulicae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
- fulicaria Columbus, M. T. Brünnich, Orn. Boreal. 1764, 61.
- fulicarius Heliornis, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 65.
- fulicarius Phalaropus (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Tringa.
- fulicaria Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 249.
- fulicata Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 336.
- fulicata Sylvia (L.), J. Latham, Index Orn. 1790, 524.—Motacilla.
- fulicula Rallus, J. A. Scopoli, Annus I. 1769, 108.
- fuligana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
- fuliginaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 508.
- fuliginaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 327.
- fuliginaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
- fuliginator Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 629.
- fuliginator Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
- fuliginator Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 175.—Cerambyx.
- fuliginata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 610.
- fuligineus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 156.
- fuliginea Cetonia, A. G. Olivier, Entom. I. 1789, 20.
- fuligineus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 205.
- fuliginosum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 223.
- fuliginosa Amphisbaena, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 392.
- fuliginosa Apis, J. A. Scopoli, Annus IV. 1770, 15.
- fuliginosa Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 16.
- fuliginosus Asilus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 21.
- fuliginosa Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 588.—Phalaena.
- fuliginosa Buprestis, J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].
- fuliginosa Buprestis, J. R. Forster, N. Sp. Ins. 1771, 51.
- fuliginosus Canis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 270.
- fuliginosa Cantharis, A. G. Olivier, Entom. III. 1795, 14. [Prionus.]
- fuliginosus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1814.—
- fuliginosus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—
- Stenocorus.
- fuliginosus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 299.
- fuliginosus Cerambix, A. G. Olivier, Entom. IV. 1795, 14.
- fuliginosa Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [n. n.].
- fuliginosa Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.

- fuliginosus Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 246.
fuliginosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
fuliginosus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
fuliginosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
fuliginosa Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
fuliginosus Dermestes, P. Rossi, Mant. Ins. I. 1792, 17.
fuliginosa Diomedea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 568.
fuliginosus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 191.
fuliginosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1919.
fuliginosus Elater, A. G. Olivier, Entom. II. 1790, 27. [Essai Fourmis, 1798, 36.
fuliginosa Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*];
fuliginosa Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
fuliginosa Fulica, J. A. Scopoli, Annus I. 1769, 104.
fuliginosus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2083.
fuliginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
fuliginosa Lamia, *id. ac* fuliginator, Fabr., F. v. P. Schrank, F. Boica, I. 1798, 658.
fuliginosa Leptura, J. A. Scopoli, Del. Insub. II. 1786, 49.
fuliginosa Loxia, F. M. Daudin, Traité élém. Orn. 1800, 372.
fuliginosus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 11.
fuliginosa Muscicapa, A. Sparrman, Mus. Carls. II. 1787, no. xlvii.
fuliginosa Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 932.
fuliginosa Noctua (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 56.—Phal.
fuliginosus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2261.
fuliginosa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767,
fuliginosa Phryganea, Scopoli, Ent. Carn. 1763, 267. [836.
fuliginosus Prionus, J. C. Fabricius, Syst. Ent. 1775, 160.
fuliginosa Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 562.
fuliginosa Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.
fuliginosus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 51.
fuliginosa Sphex, Scopoli, Ent. Carn. 1763, 292.
fuliginosus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
fuliginosa Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 605.
fuliginosa Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 334.
fuligula Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, I. 1766, 207.
fuligulae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
fulla Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 278.
fullo Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 42.
fullo Curculio, F. v. P. Schrank, Ins. Aust. 1781, 116.
fullo Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 31.—Scarabaeus.
fullo Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 553.
fullonica Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812.
fullonica Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 396.
fullonicus Squalus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 522.
fullonia [? Phalaena], C. Clerck, Icones, II. 1764, pl. xlviil.
fulminans Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
fulminans Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 84.
fulminans Callidium, J. C. Fabricius, Syst. Ent. 1775, 192.
fulminans Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1853.—
fulminans Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 104. [Callidium.
fulminea Bombyx, J. C. Fabricius, Gen. Ins. 1777, 282.
fulmineus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
fulminea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3672.
fulminea Phalaena, Scopoli, Ent. Carn., 1763, 206.
fulminea Phalaena Bom., Panzer in Drury, Exot. Ins. 1785, 67.
fulminea Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
fulminea Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
fulsipes Staphylinus, *v. fulvipes*, Scopoli, Ent. Carn. 1763, 99.
fultaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 330.

- fulvago Apis, J. L. Christ, Nat. Ins. 1791, 189.
fulvago Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 41.
fulvago [Phalaena], C. Clerck, Icones, I. 1759, pl. vi. 15.
fulvago Phalaena (Noctua), Linnaeus, Faun. Suec. ed. 2, 1761, 312.
fulvago Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 12.
fulvalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
fulvana Tyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 477.—Tinea fulvella, 1794.
fulvana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
fulvaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 160.
fulvaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.
fulvata Aranea, J. C. Fabricius, Mant. I. 1787, 345.
fulvata Geometra, C. de Villers, Linn. Ent. IV. 1789, 507.
fulvata Geometra, J. Hübner, Europ. Schmett. (Geom.), [me judice 1796], fig. 297 [*u. et f.*].
fulvata Phalaena, J. R. Forster, Cat. Brit. Ins. 1770, 11 [*u. u.*].
fulvata Phalaena, J. R. Forster, N. Sp. Ins. 1771, 76.
fulvata Phalaena, J. C. Fabricius, Mant. II. 1787, 206.
fulvata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 26.
fulvata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
fulvella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
fulvella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 317.
fulvescens Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 10.
fulvicans Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 274.
fulvicephalus Hemerobius, Scopoli, Ent. Carn. 1763, 270.
fulvicollis Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 107.—Chrysomela.
fulvicolle Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 324.
fulvicollis Cantharis, Scopoli, Ent. Carn. 1763, 43.
fulvicollis Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 218.
fulvicollis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 152.
fulvicollis Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 133.
fulvicollis Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 5.
fulvicollis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 29.—Chrysomela, 1781.
fulvicollis Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
fulvicollis Mycetophagus, Zenker in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 4.
fulvicollis Necedalis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 321.
fulvicollis Necedalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 353.
fulvicornis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
fulvicornis Cimex, J. C. Fabricius, Mant. II. 1787, 288.
fulvicornis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 468.
fulvicornis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 223.
fulvicornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 30.
fulvicornis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
fulvicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 136.—Cimex, 1787.
fulvicornis Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 348.
fulvicornis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
fulviflamma Sciaena, P. Forskal, Descr. Anim. 1775, 45.
fulvipennis Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 537.
fulvipennis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 218.
fulvipennis Tipula, C. de Geer, Mém. Ins. VI. 1776, 343.
fulvipennis Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 49.
fulvipes Apis, C. de Villers, Linn. Ent. III. 1789, 320.
fulvipes Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
fulvipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 333.
fulvipes Bombylius, C. de Villers, Linn. Ent. III. 1789, 609.
fulvipes Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
fulvipes Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 134.
fulvipes Cimex, Scopoli, Ent. Carn. 1763, 134.
fulvipes Cimex, C. de Geer, Mém. Ins. III. 1773, 355.
fulvipes Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 44.

- fulvipes *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
- fulvipes *Curculio*, J. C. Fabricius, Mant. I. 1787, 116.
- fulvipes *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 22.
- fulvipes *Leptura*, A. F. de Fourcroy, Ent. Paris. 1785, 79.
- fulvipes *Musca*, A. F. de Fourcroy, Ent. Paris. 1785, 495.
- fulvipes *Rhinomacer*, A. F. de Fourcroy, Ent. Paris. 1785, 114.
- fulvipes *Staphylinus*, Scopoli, Ent. Carn. 1763, 99.
- fulvipes *Staphylinus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 526.
- fulvipes *Tenthredo*, Scopoli, Ent. Carn. 1763, 278.
- fulvipes *Upis*, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 238.
- fulvipes *Vespa*, A. F. de Fourcroy, Ent. Paris. 1785, 439.
- fulvirostris *Anthribus* (Fab.), G. Paykull, Faun. Suec. III. 1800, 167.—*Curculio*.
- fulvirostris *C[urculio]*, J. C. Fabricius, Mant. II. 1787, 381.
- fulvius *Coluber*, Linnaeus, Syst. Nat., ed. 12, 1766, 381.
- fulvia *Libellula*, D. Drury, Ill. Nat. Hist. II. 1773, index & 84.
- fulvia *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 597.—*Phalaena*.
- fulvia *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 836.
- fulvia *Zygaena*, J. C. Fabricius, Gen. Ins. 1777, 275.
- fulvivenia *Tenthredo*, F. v. P. Schrank, Ins. Aust. 1781, 338.
- fulviventris *Apis*, Scopoli, Ent. Carn. 1763, 302.
- fulviventris *Apis*, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 18.
- fulviventris *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
- fulviventris *Musca*, F. v. P. Schrank, Ins. Aust. 1781, 469.
- fulviventris *Tenthredo*, Scopoli, Ent. Carn. 1763, 280.
- fulvo-cincta *Apis*, C. de Geer, Mém. Ins. VII. 1778, 607.
- fulvo-fasciata *Vespa*, C. de Geer, Mém. Ins. III. 1773, 581.
- fulvo-guttatus *Scomber*, P. Forskal, Descr. Anim. 1775, 56.
- fulvolunaria *Phalaena Geometra*, E. J. C. Esper, Die Schmett. V (3) 1795, 78.
- fulvomaculatus *Cimex*, C. de Geer, Mém. Ins. III. 1773, 294.
- fulvoniger *Cimex*, C. de Geer, Mém. Ins. III. 1773, 340.
- fulvo-pilosa *Formica*, C. de Geer, Mém. Ins. VII. 1778, 613.
- fulvopterus *Asilus*, A. F. de Fourcroy, Ent. Paris. 1785, 466.
- fulvopterus *Staphylinus*, A. F. de Fourcroy, Ent. Paris. 1785, 167.
- fulvularia *Phalaena*, Hufnagel, Berl. Mag. IV. 1767, 518.
- fulvulata *Phalaena*, P. S. Pallas, Reise Russ. II. 1773, 732.
- fulva *Alauda*, J. Latham, Index Orn. 1790, 492.
- fulva *Allucita*, J. Hill, Decade Curious Insects, 1773, 23.
- fulva *Altica*, A. F. de Fourcroy, Ent. Paris. 1785, 101.
- fulva *Anas*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 530.
- fulvus *Antribus*, A. F. de Fourcroy, Ent. Paris. 1785, 138.
- fulva *Apis*, C. Allioni, Misc. Taurin. III. 1766, 197.
- fulva *Apis*, F. v. P. Schrank, Ins. Aust. 1781, 400.
- fulva *Aquila* (L.), F. v. P. Schrank, F. Boica, I. 1798, 108.—*Falco*.
- fulvus *Asilus*, A. F. de Fourcroy, Ent. Paris. 1785, 459.
- fulvus *Astacus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 408.
- fulvus *Bulimus*, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 359.
- fulvus *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 48.
- fulva *Cantharis*, Scopoli, Ent. Carn. 1763, 39.
- fulva *Cantharis*, C. de Geer, Mém. Ins. VII. 1778, 650.
- fulva *Cantharis*, A. F. de Fourcroy, Ent. Paris. 1785, 155.
- fulva *Cantharis*, F. v. P. Schrank, F. Boica, I. 1798, 581.
- fulvus *Carabus*, O. F. Müller, Z. Dan. Prod. 1776, 77.
- fulvus *Cerambyx*, Scopoli, Ent. Carn. 1763, 53.
- fulvus *Cerambyx*, C. de Villers, Linn. Ent. I. 1789, 256.
- fulvus *Charadrius*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 687.
- fulva *Chrysomela*, C. de Geer, Mém. Ins. VII. 1778, 663.
- fulva *Chrysomela* (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—*Cryptocephalus*.
- fulvus *Cimex*, C. de Geer, Mém. Ins. III. 1773, 341.

- fulvus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
fulvus Copris, A. F. de Fourcroy, Ent. Paris. 1785, 14.
fulvus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 93.
fulvus Curculio, C. de Geer, Mém. Ins. V. 1775, 214.
fulvus Curculio, J. C. Fabricius, Mant. I. 1787, 113.
fulva Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
fulvus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
fulva Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 484, & var. canadensis.
fulva Helix, O. F. Müller, Verm. II. 1774, 56.
fulvus Homarus, F. Weber, Nomen. Fabricii, 1795, 94.
fulvus Hydrophilus, A. F. de Fourcroy, Ent. Paris. 1785, 66.
fulvus Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 341.
fulvus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
fulvus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
fulva Lamia (Scop.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.—Cerambyx.
fulvus Lemur, E. Geoffroy, Mag. encyclop. I (1) 1796, 47.
fulva Leptura, C. de Geer, Mém. Ins. V. 1775, 137.
fulva Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
fulvum Litophyton, P. Forskal, Descr. Anim. 1775, 139.
fulva Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 162.
fulva Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 973.
fulvus Musca, M. Harris, Exp. Eng. Ins. 1776, 80.
fulva Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2878.
fulva Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 173.
fulva Mylabris, P. Rossi, Mant. Ins. I. 1792, 94.
fulvus Nematelus, C. de Geer, Mém. Ins. VI. 1776, 203.
fulvus Notoxus, A. G. Olivier, Entom. III. 1795, 5.
fulvus Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*u. n.*].
fulva Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
fulva Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 273.
fulva Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 39.
fulvus Rhinomacer, N. J. Brahm, Ins. Kal. I (1) 1790, 110.
fulva Rhyncops, Linnaeus, Syst. Nat., ed. 10, 1758, 138; ed. 12, 1766, 229.
fulva Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
fulvus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 277.
fulvus Sciurus, G. Shaw in Miller, Cim. Phys. 1796, 87.
fulvus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
fulvus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 163.
fulva Spongia, P. S. Pallas, Elench. 1766, 383.
fulvus Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 25.
fulva Strix, J. Latham, Index Orn. 1790, 65.
fulva Sylvia (Gm.), J. Latham, Index Orn. 1790, 542.—Motacilla.
fulva Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 74.
fulvus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 492.
fulvus Turdus, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 498.
fulva Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
fulva Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2757.
fulvus Vultur, K. Hablitzl (*ex* Briss.) in P. S. Pallas, N. nord. Beytr. IV. 1783, 58.
fumans Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 307.
fumatus Dermestes, Linnaeus, Syst. Nat., ed. 12, 1767, 564.
fumatus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 195.—Dermestes.
fumatus Trixagus (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
fumicata Sphex, J. L. Christ, Nat. Ins. 1791, 295. [534.—Dermestes.
[fumigatus Araneus, C. Clerck, Aran. Svec. 1757, 104.]
fumigata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
fumigatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 704.
fumigata Musca, Scopoli, Ent. Carn. 1763, 336.
fumosus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 54.

- fumosus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
fumosus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 217.
fumosa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 139.
fumosus Curculio, P. Rossi, Fauna Etrus. I. 1790, 124.
fumosus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 418.
fumosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
fumosa Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. europ. Schmett. IV. 1792,
fumosus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 11. [581.—Noctua.
funalis Phalaena, E. Donovan, Brit. Ins. III. 1794, 76.
fundambulus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
fundulus Cobitis, J. C. Wulff, Ichthy. 1765, 32.
funebres Musca, M. Harris, Exp. Eng. Ins. 1776, 106.
funebrius Andrena, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 5.
funebrius Cimex, J. C. Fabricius, Syst. Ent. 1775, 713.
funebrius Clytus, J. N. Laicharting, Tyrol. Ins. II. 1784, 111.
funebrius Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 713.
funebrius Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 38.
funebrius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
funebrius Musca, J. C. Fabricius, Mant. II. 1787, 345.
funebrius Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 299.
funebrius Phalaena (Geometra), H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 339.
funebrius Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 371.
funeralis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 321.
funeralis Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
funeralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 20.
funerana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132. [1792, 169.
funerarius Ichneumon, *id. ac* funereus, Fourc., A. G. Olivier, Ency. Méth. VII (Ins.)
“funeraria Phalaena, Müll.”, C. C. Jung, Alph. Verz. Schmett. 1791, 235, *err. pro*
funerarius Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 8. [funerana.
funerata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 260 [*n. et*
funerata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 268. [*f.*].
funerata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
funerella Tinea, J. C. Fabricius, Mant. II. 1787, 247.
funereus Curculio, A. F. de Fourcroy, Ent. Paris, 1785, 121.
funereus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 341.
funereus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 164.
funereus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
funereus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 406.
funerea Leptura, C. de Villers, Linn. Ent. I. 1789, 274.
funerea Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
funereus Psittacus, G. Shaw, Nat. Misc. VI. 1794, pl. 186.
funereus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 89.
funerea Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
funerosus Pullata, M. Harris, Exp. Eng. Ins. 1776, 76.
funesta Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 189.
funestus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
funesta Cetonia, J. C. Fabricius, Spec. Ins. II. 1781, 497.
funesta Cetonia (Poda), F. v. P. Schrank, F. Boica, I. 1798, 418.—Scarabaeus.
funesta Lamia, J. C. Fabricius, Mant. I. 1787, 139.
funesta Noctua, E. J. C. Esper, Die Schmett. IV (33) 1787, 72.
funesta Noctua, G. Paykull, Skr. Nat. Selsk. [Copen.] II (2) 1793, 100.
funestus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
funestus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
funestus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 302.
fungella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 93.
Fungidora J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
fungites Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 189.
fungites Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793; ed. 12, 1767, 1273.

- fungoides** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
fungorum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
fungorum Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
fungorum Dermestes, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 14.
fungorum Ips (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 77.—Tetratoma.
fungorum Musca, Scopoli, Ent. Carn. 1763, 337.
fungorum Silpha, [D. H. Schneider], Nom. Ent. 1785, 7 [*n. n.*].
fungorum Tetratoma, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 217.
fungorum Tipula, C. de Geer, Mém. Ins. VI. 1776, 361.
fungosus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 380.
fungosa Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 281.
Fungus P. L. S. Müller, Del. Nat. I. 1766, 128.—Cor.
funiculatus Turbinus, F. C. Meuschen, Mus. Gever. 1787, 278.
funigera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 329.
fur Bruchus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Ptinus.
fur Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 68.—Cerambyx.
fur Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393.
fur Ptinus (Scop.), Linnaeus, Syst. Nat., ed. 12, 1767, 566.—Buprestis.
fur Tipula, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 285.
furax Apis, P. Rossi, Mant. Ins. II. 1794, 124.
furcaria Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 247.
furcata Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 8.
furcata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 229.
furcata Aranea, C. de Villers, Linn. Ent. IV. 1789, 129.
furcatus Bostrichus, L. Bosc, J. Nat. Hist. (Choix des Mém.) II. 1792, 259.
furcata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
furcatus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 174.
furcatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 164.
furcata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 87.
furcatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
furcatus Cimex, J. C. Fabricius, Mant. II. 1787, 301.
furcatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.—Scarabaeus.
furcatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 224.
furcatus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 129.
furcata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 13.
furcata Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 503.—Phalaena.
furcatus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 354.—Oriolus.
furcatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 160.—Cimex, 1775.
furcata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
furcata Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
furcata Nais, A. Modeer, K. Vet. Ac. Nya Handl. XIX. 1798, 136.
furcata Notonecta, J. C. Fabricius, Ent. Syst. IV. 1794, 58.
furcatus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 395.
furcata Paradisea, J. Latham, Index Orn. 1790, 196.
furcata Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 77.
furcata Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 561.
furcatus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 30.
furcatus Scarabaeus, C. de Villers, Linn. Ent. IV. 1789, 208.
furcata Spheg, Scopoli, Ent. Carn. 1763, 293.
furcata Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 264.
furcata Tenthredo, C. de Villers, Linn. Ent. III. 1789, 86.
furcatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 486.
furcata Vorticella, O. F. Müller, Verm. I (1) 1773, 110.
furcifer Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 84.
furcifer Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 105.
furcifer Mergus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 548.
furcifera Phalaena, Hufnagel, Berl. Mag. III. 1767, 402.
furcifer Scarabaeus, P. Rossi, Mant. Ins. I. 1792, 7.

- furcilla* Syngnathus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 9.
furcula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
furculus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 33.
furcula Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 79.
furcula [Phalaena], C. Clerck, Icones, I. 1759, pl. ix. 9.
furcula Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 298.
furfuracea Gorgonia, E. J. C. Esper, Pflanzenth., Forts. I (6) 1796, 155.
Furia Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1325.—Ver.
furo Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 68.
furo-hybrida Mustela, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, II. 1800, 688.
furta Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 991.
Furunculus Linnaeus, Amoen. Acad. VII (1766), 450.—M.
furunculus Bruchus, O. F. Müller, Z. Dan. Prod. 1776, 57.
furunculus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
furunculus Mus, P. S. Pallas, N. sp. Quad. II. 1779, 273.
furunculus Mus (Cricetus), R. Kerr, Anim. Kingd. 1792, 245.
furuncula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
furuncula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 176.—Noctua.
furvalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 30.
furvana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
furvaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 144 [*n. et f.*]
furvata Cetonina, J. C. Fabricius, Suppl. Ent. Syst. 1798, 130.
furvata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
furvata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) [1789], 11.
furva Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 994.
furva Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
furva Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 23.
furva Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 336.
furva Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 587.—
furva Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 530. [Noctua].
furva Sylvia (Gm.), J. Latham, Index Orn. 1790, 548.—Motacilla.
Fusaria J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 16.—Verm.
fuscago Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 382.
fuscalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 643.
fuscalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 450.
fuscalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
fuscalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 29.
fuscana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530.
fuscana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.
fuscaria Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 58.
fuscaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 321.
fuscator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 163.
fuscator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 291.
fuscata Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2951.
fuscatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 282.
fuscatus Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 332.—Helix.
fuscata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2115.
fuscata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 28.
fuscata Cistela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 102.
fuscatus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 126.
fuscatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
fuscatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
fuscatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
fuscata Ephemera, Linnaeus, Faun. Suec., ed. 2, 1761, 376.
fuscata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—Cicada, 1794.
fuscatus Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 404.
fuscatus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 84.

- fuscata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
 fuscatus Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 437.
 fuscatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 fuscata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 513.
 fuscata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
 fuscatus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1225.
 fuscata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.—Tipula.
 fuscata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
 fuscata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
 fuscata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 284.
 fuscata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
 fuscata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 200.
 fuscata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
 fuscatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.—Sphex, 1793.
 fuscatus Rhagis, J. C. Fabricius, Mant. II. 1787, 332.—Tipula, 1781.
 fuscata Sembliis, J. C. Fabricius, Spec. Ins. I. 1781, 386.
 fuscata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 212.
 fuscata Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
 fuscatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 292.—Murex.
 fuscata Sylvia (Gm.), J. Latham, Index Orn. 1790, 535.—Motacilla.
 fuscatus Syrphus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.—Tipula.
 fuscata Tenthredo, J. L. Christ, Nat. Ins. 1791, 452.
 fuscata Tipula, J. C. Fabricius, Syst. Ent. 1775, 755.
 fuscatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
 fuscata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 260.
 fuscata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3465.
 fuscillata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
 fuscilla Phalaena, Scopoli, Ent. Carn. 1763, 245.
 fuscilla Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
 fuscilla Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 893.
 fuscilla Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
 fuscescens Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 534.
 fuscescens Apis, C. de Villers, Linn. Ent. III. 1789, 320.
 fuscescens Centrogaster, M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782,
 fuscescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166. [333.
 fuscescens Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
 fuscescens Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
 fuscescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
 fuscescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
 fuscescens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 984.
 fuscescens Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
 fuscescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3701.
 fuscescens Planaria, O. Fabricius, Skr. nat. Selsk. [Copen.] IV (2) 1798, 58.
 fuscescens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1571.—[fuscus,
 fuscescens Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3846. [Scop.]
 fuscescens Sparus, M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX (2) 1782, 324.
 fuscescens Sylvia (Gm.), J. Latham, Index Orn. 1790, 537.—Motacilla.
 fuscata Chrysomela (*err. pro fasciata*, 1775), J. C. Fabricius, Mant. Ins. I. 1787, 73.
 fuscata Necdalis, C. de Villers, Linn. Ent. I. 1789, 283.
 fuscicaudis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
 fuscicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
 fuscicollis Loxia (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 440.—Fringilla.
 fuscicollis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
 fuscicollis Sylvia (Gm.), J. Latham, Index Orn., 1790, 520.—Motacilla.
 fuscicornis Altica (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
 fuscicornis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
 fuscicornis Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 386.
 fuscicornis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.

- fuscicornis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1837.
 fuscicornis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 595.
 fuscicornis Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 126.
 fuscicornis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
 fuscicornis Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 327.
 fuscicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 fusci-cornis Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
 fuscicornis Telephorus, A. G. Olivier, Entom. II. 1790, 11.
 fuscifolia Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
 fusciformis Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 657.
 fusciformis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
 fusciformis Sirex, J. C. Fabricius, Mant. I. 1787, 257.
 fusciolus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 245.
 fuscipennis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 209.
 fuscipennis Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 116.
 fuscipes Altica, J. C. Fabricius, Syst. Ent. 1775, 114.
 fuscipes Asilus, C. de Villers, Linn. Ent. III. 1789, 604.
 fuscipes Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
 fuscipes Chrysomela, Fabr., J. C. Fabricius, Spec. Ins. I. 1781, 135.—Altica, 1775.
 fuscipes Chrysomela (Geoff.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
 fuscipes Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1672.
 fuscipes Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.—Reduvius.
 fuscipes Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 94.
 fuscipes Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 127.
 fuscipes Dermestes, G. W. F. Panzer, Deutsch. Ins. [1795], 99.
 fuscipes Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.
 fuscipes Elater, J. C. Fabricius, Syst. Ent. 1775, 211.
 fuscipes Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
 fuscipes Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 406.
 fuscipes Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela, 1781.
 fuscipes Hydrophilus, A. F. de Fourcroy, Ent. Paris. 1785, 66.
 fuscipes Hydrophilus (L.), C. de Geer, Mém. Ins. IV. 1774, 377.—Dytiscus.
 fuscipes Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
 fuscipes Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 412.
 fuscipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 fuscipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
 fuscipes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
 fuscipes Reduvius, J. C. Fabricius, Mant. II. 1787, 312.
 fuscipes Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
 fuscipes Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 fuscipes Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
 fuscipes Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
 fuscirostris Attefabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 389.—Curculio, 1775.
 fuscirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
 fusciventris Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
 fuscoculus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 fuscodactyla Alucita, C. de Villers, Linn. Ent. II. 1789, 535.
 fuscofasciatus Clerus, C. de Geer, Mém. Ins. V. 1775, 159.
 fuscofasciata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [n. n.].
 fuscofasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 41.
 fuscofulva Emberiza, P. Boddart, Tab. Planch. Enl. 1783, 20.
 fusco-grisea Ephemera, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
 fuscomaculata Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 455.
 fusco maculatus Curculio, J. C. Fabricius, Mant. I. 1787, 122.
 fuscomarginata Aranea (Cancroides), C. de Geer, Mém. Ins. VII. 1778, 301.
 fusconebulosa Phalaena, C. de Geer, Mém. Ins. VII. 1778, 598.
 fusconebulosa Phalaena Noc., C. de Villers, Linn. Ent. II. 1789, 536.
 fusconigra Cebus, H. F. Link, Beytr. Nat. I (2) 1795, 63 [n. n.].

- fuscoptera Formica, A. F. de Fourcroy, Ent. Paris. 1785, 452.
 fuscoptera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 307.
 fuscoperus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 10.
 fuscopunctata Coccinella, F. A. A. Meyer, Zool. Archiv (1) 1796, 211.
 fuscopunctatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36.
 fuscorubella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 237.
 fusco rubra Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 245.
 fuscosa Bombyx, E. J. C. Esper, Die Schmett. III (26) [1786], 324.
 fuscosa Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 563.—
 fuscus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 203. [Bombyx.
 fuscula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
 fuscula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 fusculus Serropalpus, Illiger in Kugelann, Käfer Preuss. 1798, 132. [192.—Noctua.
 fusca Alauda, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
 fusca Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 54.
 phusca (sic) Alcyonium, P. Forskal, Descr. Anim. 1775, 129.
 fusca Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 196.
 fuscus Anthrenus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 152.
 fuscus Anthrenus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1615.
 fusca Apis, Scopoli, Ent. Carn. 1763, 303.
 fusca Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 141 [n. n.].
 fusca Aranea, C. de Geer, Mém. Ins. VII. 1778, 235.
 fusca Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 102.
 fusca Ardea, J. Latham, Index Orn. 1790, 700.
 fusca Ardea (Ciconia), P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
 phusca (sic) Ascidia (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3127.—
 fusca Blatta, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 76. [Alcyonium.
 fuscus Blennius, O. F. Müller, Z. Dan. Prod. 1776, 43.
 fuscus Blennius, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 55.
 fuscus Bombylius, J. C. Fabricius, Spec. Ins. II. 1781, 474.
 fusca Bombyx, C. P. Thunberg, Ins. Suecica (4) 1792, 53.
 fuscus Bostrichus, A. F. de Fourcroy, Ent. Paris. 1785, 133.
 fuscus Bostrichus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603.
 fuscus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
 fuscus Bufo, J. N. Laurenti, Syn. Rept. 1768, 28 & 122.
 fusca Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 279.
 fuscus Byrrhus, F. v. P. Schrank, F. Boica, I. 1798, 472.
 fuscus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 174.
 fuscum Callidium, J. C. Fabricius, Mant. I. 1787, 154.
 fusca Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401; ed. 12, 1767, 647.
 fusca Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 277.
 fuscus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
 fuscus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 158.
 fusca Cassida, J. N. Laicharting, Tyrol. Ins. I. 1781, 112.
 fuscus Cateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 14.
 fuscus Cerambix, A. G. Olivier, Entom. IV. 1795, 83.—Lamia, 1792.
 fuscus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Callidium.
 fuscus Cebrio, J. C. Fabricius, Ent. Syst. I (2) 1792, 41.
 fusca Cercopithecus, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 3 [n. n.].
 fusca Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
 fusca Certhia, B. S. Barton, Frag. N. H. Pennsylv. 1799, 11.
 fusca Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 257.
 fusca Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.
 fuscus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
 fusca Chrysomela, C. de Geer, Mém. Ins. V. 1775, 348.
 fusca Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
 fusca Cicada, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 116.
 fusca Cicada, A. G. Olivier, Ency. Méth. V (Ins.), 1790, 749.

- fusca* Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 59.
fuscus Cimex, C. P. Thunberg, Nov. Ins: Spec. (2) 1783, 44.
fuscus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2134.
fusca Cistela, F. v. P. Schrank, Baier. Reise, 1786, 63.
fusca Cistela, A. G. Olivier, Entom. III. 1795, 10.
fusca Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 610.
fusca Clava, T. Martyn, Univ. Conch. III [1789], fig. 98.
fuscus Clerus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 17.
fuscus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
fuscus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
fusca Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.
fusca Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 773.
fuscus Colymbus, A. Vroeg, Catal. Vogel. 1764, adumb., 6.
fuscus Conops, Scopoli, Ent. Carn. 1763, 355.
fuscus Conops, M. Harris, Exp. Eng. Ins. 1776, 72.
fuscus Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
fuscus Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 174.
fuscus Cuculus, J. M. Bechstein, Mag. Neuste Phys. u. Nat. VI (1) 1789, 69.
fuscus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 211.
fuscus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 540.
fuscus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
fuscus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
fuscus Dermestes, J. C. Fabricius, Mant. I. 1787, 35.
fuscus Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 393.
fusca Donacia, J. J. Zschachi, Mus. Lesk. 1788, 27.
fusca Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
fuscus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
fuscus Elater, F. v. P. Schrank, Ins. Aust. 1781, 189.
fuscus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 39.
fusca Epheriza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 878.
fusca Ephemera, J. Miller, Icones Insect. IX. 1759 [n. et f.].
fuscus Falco, J. F. Miller, Icon. Anim. pl. 18 (1777).
fuscus Falco, O. Fabricius, F. Groen. 1780, 56.
fuscus Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
fusca Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 21.
fusca Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
fusca Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
fusca Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
fusca Fulica, Linnaeus, Syst. Nat., ed. 12, 1766, 257.
fusca Gallinula (L.), J. C. Schaeffer, Mus. Orn. 1789, 58.—Fulica.
fuscus Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 727.
fuscus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2083.
fuscus Helops, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 1.
fusca Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
fuscus Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 378.
fusca Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
fuscus Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 933. [Kryptophagus.
fusca Ips (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 552.—
fuscus Julius, Linnaeus, Syst. Nat., ed. 10, 1758, 640; ed. 12, 1767, 1065.
fuscus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.
fuscus Labrus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 263.
fusca Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 462.
fuscus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
fuscus Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 225.
fusca Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
fusca Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.—Donacia.
fusca Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
fuscus Limax, O. F. Müller, Vern. II. 1774, 11.

- fusca-spicatus* Limax, T. Martyn, Univ. Conch. IV [1792], fig. 121.
fusca Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 43.
fusca Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 307.
fuscus Lucanus, J. D. Preyßler, Verz. böhm. Ins. 1790, 6.
fuscus Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 24.
fuscus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 539.
fuscus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—Cantharis.
fusca Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 635.
fusca Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 48.
fusca Melolontha (Scop.), A. G. Olivier, Entom. I. 1789, 19.—Scarab.
fusca Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 99.
fuscus Mergus, J. Latham, Index Orn. 1790, 832.
fusca Mordella, F. v. P. Schrank, Ins. Aust. 1781, 229.
fusca Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 175.
fusca Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 973.
fusca Muraenà, B. Zuiew, Nova Acta Ac. Sci. Petrop. VII. 1793, 296.
fuscus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
fuscus Musca, M. Harris, Exp. Eng. Ins. 1776, 42.
fusca Musca (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 452.—Conops.
fusca Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
fusca Muscicap, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 170.
fusca Muscicap, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
fusca Muscicap, P. Boddaert, Tab. Planch. Enl. 1783, 33.
fusca Muscicap, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 931.
fusca Mylabris, A. F. de Fourcroy, Ent. Paris. 1785, 112.
fuscus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
fuscus [Mytilus], T. Martyn, Univ. Conch. IV [1792] fig. 151.
fuscus-undatus [Mytilus], T. Martyn, Univ. Conch. IV [1792], fig. 152.
fusca Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
fusca Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
fusca Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.
fuscus Oniscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3014.
fuscum Opatrum, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 225.
fuscum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 40.
fuscus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393.
fusca Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
fusca Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
fuscus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 570.
fusca Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 297.
fusca Perla, C. de Geer, Mém. Ins. III. 1773, 567.
fusca [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 37.
fusca Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
fusca Phalaena Bom., C. de Villers, Linn. Ent. II. 1789, 159.
fusca Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
fuscus Phalaropus (Gm.), J. Latham, Index Orn. 1790, 776.—Tringa.
fusca Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 910.
fusca Planaria (O). Fabricius, F. Groen. 1780, 324.
fusca Planaria (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3090.—Fasciola.
fusca Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 608.
fuscus Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 246.—Sphex.
fuscus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
fuscus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.
fusca Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
fuscus Pterophorus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
fuscus Ptilinus, A. F. de Fourcroy, Ent. Paris. 1785, 4.
fuscus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
fuscus Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
fusca Rana, J. M. Bechstein, Getreue Abbild. heft 9 [1794], 115.

- fusca Rana, J. G. Schneider, Hist. Amph. I. 1799, 130.
 fusca Salamandra, J. N. Laurenti, Syn. Rept. 1768, 42.
 fuscus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 53.
 fuscus Scarabaeus, P. Rossi, Mant. Ins. I. 1792, 8.
 fusca Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145.
 fusca Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 243.
 fusca Scolopendra, A. F. de Fourcroy, Ent. Paris. 1785, 543.
 fusca Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
 fusca Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 200.
 fuscus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 74.
 fuscum Sinum, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
 fuscum Sphaeridium, A. G. Olivier, Entom. II. 1790, 10.
 fusca Sphex, Linnaeus, Faun. Suec., ed. 2, 1761, 412.
 fuscus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
 fusca Sterna, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
 fuscus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.
 fuscus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
 fusca Sylvia (Gm.), J. Latham, Index Orn. 1790, 1543.—Motacilla.
 fusca Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 497.
 fusca Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
 fuscus Tantalus, Linnaeus, Syst. Nat. ed. 12, 1766, 241.
 fuscus Telephorus (L.). C. de Geer, Mém. Ins. IV. 1774, 60.—Cantharis.
 fusca Tellina, J. X. Poli, Test. Sicil. II. 1795, 49.
 fuscus Tenebrio, P. Rossi, Fauna Etrus. I. 1790, 233.
 fuscus Tenebrio, A. G. Olivier, Entom. III. 1795, 18.
 fuscus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Cantharis.
 fuscus Thrips, J. H. Sulzer, Gesch. Ins. 1776, 113.
 fusca Thrips, O. F. Müller, Z. Dan. Prod. 1776, 96.
 fuscus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
 fusca Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
 fusca Tringa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 114.
 fusca Tringa, J. Latham, Syn. Birds, Suppl. I. 1787, 293.
 fusca Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 675.
 fusca Tritoma (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.—Silpha.
 fuscus Trixagus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
 fuscus Trochus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638. [535.—Dermestes.
 fuscus Turbo, O. F. Müller, Z. Dan. Prod. 1776, 242.
 fuscus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
 fuscus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
 fuscus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
 fusca Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 468.
 fuscus Ursus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 325.
 fusca Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
 fuscus Vultur, P. Boddaert, Tab. Planch. Enl. 1783, 25.
 fuscus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 248.
 fusicollis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
 fusiformis Apis, C. de Geer, Mém. Ins. VII. 1778, 608.
 fusiformis Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 232.
 fusiforme Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 171.
 fusiformis Fistularia, J. A. Donndorff, Zool. Beyt. III. 1798, 653.
 fusiformis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
 fusiformis Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
 fusiformis Syngnathus, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 9.
 fusorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 401.
 fustigatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 623.
 fustigata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180 [n. n.].
 fusulus Helix, O. F. Müller, Verm. II. 1774, 109.
 fusulus Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—Helix.

- Fusus** Helbling, Abh. Privatges. Böhmen, IV. 1779, 116.—G.
Fusus J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
Fusus J. F. Bolten, Mus. Bolten. (2) 1798, 118.—G.
Fusus Lamarck, Mem. Soc. H. N. Paris, 1799, 73.—G.
fusus Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 334.—Murex.
fusus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 348.
fusus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3390.
fusus Enchelis, O. F. Müller, Verm. I (1) 1773, 36.
fusus Helix, O. F. Müller, Verm. II. 1774, 108.
fusus Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
fusus Murex, P. Forskal, Descr. Anim. 1775, xxxiii.
fusus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 752.—[Strombus, ed. 12.]
fusus Rostellaria (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 72.—Strombus.
fusus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1207.
fusus Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—Helix.
fusus Vespa, J. L. Christ, Nat. Ins. 1791, 242; *varr. maior et minor*.
fusus Vibrio, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 317.
futilis Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
fueslella Tinea, *id. ac fueslella*, Mant. II. 250, J. C. Fabricius, Ent. Syst. III (2) 1794, 318.

- gabar** Falco, F. M. Daudin, Traité élém. Orn. 1800, 87.
gabriela [Papilio], P. Cramer, Utit. Kapellen, I (1) 1775, 9.
gabriellis Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 262.—Papilio gabriela.
gabriellis Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 65.—[= P. gabriela, Cr.]
gabriellis Scolopendra, Linnaeus, Syst. Nat., ed. 12, 1767, 1063.
Gabula Bonnatte, Ency. Méth. (Orn.) I. 1790, xcvi.—A.
gacialis Cancer, *v. glacialis*.
gadi Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
gadi Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 214.
gadi Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 98.—Ascaris.
gadina Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
gaditanum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
gaditana Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
gaditana Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.
gadoides Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
Gadus Linnaeus, Syst. Nat., ed. 10, 1758, 251; ed. 12, 1766, 435 [Artedi, Ichth. 1738,
gadus Blennius, G. A. Suckow, Naturges. IV. 1799, 257. [gen. xvi. 19].
gaideropum Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Spondylus.
gaederopus Spondylus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1136.
Gafrarium J. F. Bolten, Mus. Bolten. (2) 1798, 176.—L.
gagates Cetonia (Forst.), J. C. Fabricius, Syst. Ent. 1775, 49.—Scarabaeus.
gagates Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.
gagates Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 480.
gagates Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 398. [Fourmis, 1798, 36.
gagates Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [n. n.]; Essai
gagates Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 26.—
gagates Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 6. [Curculio.
gagates Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
gagates Scarites, Hellwig in G. W. F. Panzer, Ins. Germ. heft 11, 1793, tab. 1.
gagathes Bombyx, C. C. Jung, Alph. Verz. Schmett. 1791, 238.
gagatinus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
gagatinus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 10.
gages Blaps (L.), J. C. Fabricius, Spec. Ins. I. 1781, 321.—Tenebrio.
gages Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416.
gages Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.—Tenebrio.
gages Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 17.—Cur-
gages Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1766 [errata end of vol. I.] [v. gigas]. [culio.

- gahm Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1268.
- gaideropum *v.* gaederopus.
- gaietanus Chiton, J. X. Poli, Test. Sicil. I. 1791, 10.
- gala Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 17.
- galactodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
- galactodactyla Phalaena Alucita, J. Hübner, Beitr. Schmett. I (1) 1786, 28.
- Galago E. Geoffroy, Mag. encyclop. I (1) 1796, 49.—M.
- Galago G. Cuvier, Tabl. élément. 1798, 101.—M.
- Galago B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
- galanthis [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 39.
- [galanthus Papilio, MS.], T. Martyn, Psyche, 1797, fig. 22.
- Galatea J. G. Bruguière, Ency. Méth. (Tabl. Vers) pl. 250 (1797) [*n. et f.*].—L.
- galatea Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
- Galathea J. C. Fabricius, Ent. Syst. II. 1793, 471.—Cr.
- galathea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474; ed. 12, 1767, 772.
- galaxaera Papilio, Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1799], 97.
- galaxea Madrepora, J. Ellis & D. Solander, Nat. Hist. Zoph. 1786, 168.
- galba Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 352.
- Galbula Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 8 & 73.—A.
- Galbula M. J. Brisson, Ornith. IV. 1760, 88.—A.
- Galbula J. A. Scopoli, Intr. Hist. Nat., 1777, 480.—A.
- Galbula B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
- Galbula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
- galbula Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 182.
- galbula Apis (Pall.), Lamarck in Pallas, Voy. Russie (8vo. ed.) VIII [1794], 188.—Vespa.
- galbula Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 108.
- galbula Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
- galbula Turdus (L.), J. C. Schaeffer, Mus. Orn. 1789, 20.—Oriolus.
- galbula Vespa, P. S. Pallas, Reise Russ. I. 1771, 473.
- G. album Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 235.
- Galea F. C. Meuschen, Mus. Gever. 1787, 486.—Ech.
- galeator Globosa, F. C. Meuschen, Mus. Gever. 1787, 386.
- galeatus Balanus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 170.—I.epas.
- galeatus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 360.
- galeatus Casuarium, G. Shaw in Miller, Cim. Phys. 1796, 27.
- galeata Columba, M. T. Brünnich, Orn. Boreal. 1764, 61.
- galeata Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 280.
- galeata Crax, J. Latham, Index Orn. 1790, 624.
- galeata Lepas, Linnaeus, Mant. II. 1771, 544.
- galeata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
- galeata Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 24.
- galeata Musca, P. Rossi, Mant. Ins. II. 1794, 73.
- galeata Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 103.
- galeatus Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 503.
- galeata Testudo, J. D. Schoepff, Hist. Test. 1792, 12.
- galeatus Turbo, I. v. Born, Index Mus. Cæs. Vind. 1778, 354.
- galegae Bruchus, P. Rossi, Mant. Ins. II. 1794, 82.
- galenus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 350.
- Galeodes A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 579.—Ar.
- Galeodes J. F. Bolten, Mus. Bolten. (2) 1798, 53.—G.
- Galeopithecus P. S. Pallas, Acta Ac. Sci. Petrop. 1780 (1), 1783, 208.—M.
- Galeopithecus B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.—M.
- Galeopithecus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
- galeopsidis Chrysomela, F. v. P. Schrank, F. Boica, I. 1798, 532.
- Galera P. Browne, Hist. Jamaica, ed. 2, 1789, 485.—M.
- galericulata Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, 1766, 206.
- galerita Alcedo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 94.
- galerita Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 441.

- galeritus Psittacus, J. Latham, Index Orn. 1790, 109.
 galerita Simia, M. T. Brännich, Dyr. Hist. 1782, 26.
 galeritus Trochilus, G. I. Molina, Sag. stor. nat. Chili, 1782, 247.
 Galeruca E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 251.—Col.
 galleruca Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 56.
 Galerus [G. Humphreys], Mus. Calonn. 1797, 5.—G.
 galera Mustela, J. C. D. Schreber, Säugth. III. 493 (1777), pl. cxxxv (1776).
 galera Mustela, J. C. P. Erxleben, Syst. Anim. 1777, 453.
 galerus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [n. n.].
 Galeus (ex Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 580.—P.
 galea Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1197.
 galea-ferrea Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 91.
 galea-variata Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 91.
 galea Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150 [n. n.].
 galea Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 100.
 galeus Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
 Galgulus M. J. Brisson, Ornith. II. 1760, 64.—A.
 galgulus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.
 galgulus Psittacus, R. Kerr, Anim. Kingd. 1792; var. phillipensis, 610.
 galian Cyprinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1421.
 galiata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
 galiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 272 [n. et f.].
 galiata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 393.—
 gali Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 42. [Geometra.
 galilaeus Araneus, Linnaeus in Hasselquist, Palast. 1762, 473.
 galilaeus Merops, Linnaeus in Hasselquist, Palast. 1762, 302.
 galilaeus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 473.
 gallae Cimex, O. F. Müller, F. Ins. Frid. 1764, 29.
 gallaepyriiformis Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 282.
 gallae tinctoriae Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
 gallarum Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.
 gallarum Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 782.—Ichneumon.
 gallarum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
 gallarum Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 409.
 gallata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 358.
 Galleria J. C. Fabricius, Suppl. Ent. Syst. 1798, 419.—Lep.
 galli Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
 gallii Sphinx, J. C. Fabricius, Gen. Ins. 1777, 273; v. gallii, D. & S.
 gallica Apis, C. de Villers, Linn. Ent. III. 1789, 319.
 gallica Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 8.
 gallicus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
 gallicus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.
 gallica Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 487.
 gallica Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
 gallica Leucospis, C. de Villers, Linn. Ent. III. 1789, 261.
 gallicum Oscabrium, K. Schreibers, Vers. Conch. II. 1793, 334.
 gallica Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
 gallica Raja, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 533.
 gallica Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
 gallica Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 949.
 gallica Viverra, R. Kerr, Anim. Kingd. 1792, 167.
 gallina Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
 gallina Curculio, A. Sparman, K. Vet. Ac. Nya Handl. VI. 1785, 56.
 gallina Scolopax, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. III (179—), 247.
 gallina Trichoda, O. F. Müller, An. Infus. 1786, 209.
 gallina Trigonella, E. M. da Costa, Brit. Conch. 1778, 199.
 gallina Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
 gallinacea Gracula (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 291.—Sturnus.

- gallinaceus* Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 48.
gallinaceus Sturnus, J. Latham, Index Orn. 1790, 324.
gallinae Acarus, C. de Geer, Mém. Ins. VII. 1778, 111.
gallinae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
gallinae Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
gallinae Gordius, J. G. Bruguière, Ency. Méth. (Vers. Int. 1791), 89.
gallinae Pediculus (De G.), C. de Villers, Linn. Ent. IV. 1789, 33.—Ricinus.
gallinae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1020.
gallinae Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 202.
gallinago Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 244.
gallinarius Buteo (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 155.—Falco.
gallinarius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266, & *var. naevius*.
gallinaria Scolopax, O. F. Müller, Z. Dan. Prod. 1776, 23.
gallinarum Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
Gallinula M. J. Brisson, Ornith. VI. 1760, 3.—A.
Gallinula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
gallinula Kolpoda, O. F. Müller, An. Infus. 1786, 94.
gallinula Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 244.
gallipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 68.
Gallopavo M. J. Brisson, Ornith. I. 1760, 158.—A.
gallopavo Meleagris, Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 268.
gallopavonis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
galloprovincialis Cerambyx, A. G. Olivier, Entom. IV. 1795, 125.
gallorum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2180.
gallorum Lepas, L. Spengler, Skr. nat. Selsk. [Copen.] I (1) 1790, 203.
Gallus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 3 & 37.—A.
Gallus M. J. Brisson, Ornith. I. 1760, 166.—A.
Gallus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
gallus Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
gallus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 361.
gallus Labrius (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1284.—Scarus.
gallus Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 64.—Strombus.
gallus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 145.—Cimex, 1781.
gallus Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 158; ed. 12, 1766, 270; *varr.* cristatus, ecaudatus, crispus, pusillus, morio, lanatus.
gallus Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788: *varr.* domesticus (737); pentadactylus, pumilio, plumipes (738); turcicus, patavinus, niger, tophaceus (739).
gallus Scarus, P. Forskal, Descr. Anim. 1775, 26.
gallus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1209.
gallus Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
gallus-radiatus Venus, K. Schreibers, Vers. Conch. II. 1793, 114.
gallus Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, 267; ed. 12, 1766, 454.
galpinus Musca, M. Harris, Exp. Eng. Ins. 1776, 118.
gambensis Anas, Linnaeus, Syst. Nat.; ed. 12, 1766, 195.
gamberina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 159.
gambetta Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 248.
gambrisius [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 95.
gambrisius Papilio, J. C. Fabricius, Mant. II. 1787, 12.
gamma Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 607.—Phalaena.
gamma Phalaena, J. A. Scopoli, Annus V. 1772, 115.
gamma Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 843.
Gammarellus J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 106.—Cr.
gammarellus Cancer (Pall.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 129.—Oniscus.
gammarellus Gammarus (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 187.—Oniscus.
gammarellus Oniscus, P. S. Pallas, Misc. Zool. 1766, 191.
Gammarus J. C. Fabricius, Syst. Ent. 1775, 418.—Cr.
Gammarus J. C. Fabricius, Suppl. Ent. Syst. 1798, 395.—Cr.
gammarus Astacus (Linn.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 8.—Cancer.

- gammarus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 631; ed. 12, 1767, 1050.
 gammarus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 42.
 gammoides Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 81.
 gangeticus Crocodylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 20.—*Lacerta*.
 gangetica Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1057.
 gangeticus Tantalus, G. Shaw, Nat. Misc. VIII. 1797, pl. 293.
 gangis Phalaena, Linnaeus, Amoen. Acad. VI. 1763, 410.
 gangraenosa Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 22.
 gannascus [Sphinx], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 157.
 ganimedes [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 64.
 garamit Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 460.
 garbas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 312.—[*garbus est*, 1787.]
 garbus Papilio, J. C. Fabricius, Mant. II. 1787, 81.
 gardeni Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
 gardeniana Hiatula, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 522.
 gardetta Papilio, L. Prunner, Lep. Pedemont. 1798, 74.
 gargadia Cardium (L.), F. C. Meuschen, Mus. Gev. 1787, 440.—*Tellina*.
 gargadia Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1116.
 garganicus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1861.—
 garganicus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 178. [*Stenocorus*.]
 gari Peronaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—*Tellina*.
 gari Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1117.
 Garrulus M. J. Brisson, Ornith. II. 1760, 47.—A.
 garrulus Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 297.
 garrula Apis, P. Rossi, Fauna Etrus. II. 1790, 101.
 garrula Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
 garrulus Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 107; ed. 12, 1766, 159 [a].
 garrula Galgulus (L.), J. C. Schaeffer, Mus. Orn. 1789, 14.—*Coracias*.
 garrulus Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 95.
 garrulus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 144.
 garrulus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333; *varr. aurorae*,
 garrulus Psittacus, R. Kerr, Anim. Kingd. 1792; *var. maculatus*, 591. [*moluccensis*.]
 garrula Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
 garrulus Turdus (L.), J. C. Schaeffer, Mus. Orn. 1789, 20.—*Ampelis*.
 garzetta Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 237.
 garzetto Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 477.
 Gasteropelecus L. T. Gronovius, Zooph. I. 1763, 135.—P.
 gasteropelecus Salmo, P. S. Pallas, Spic. Zool. VIII. 1770, 50.
 gasterostei Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 255.
 gasterostei Binoculus, A. F. de Fourcroy, Ent. Paris. 1785, 539.
 gasterostei Taenia, O. Fabricius, F. Groen. 1780, 320.
 Gasterosteus Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 489; [*Artedi*, *Ichth.*
 1738, gen. xxxvii, 52].—P.
 Gasteruption P. A. Latreille, Préc. Car. Ins. 1796, 113.—Hym.
 Gastridium A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 106.—G.
 Gastrobranchus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 67.—P.
 Gastrochaena L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 179.—L.
 gastroides Musca, P. Rossi, Mant. Ins. II. 1794, 67.
 gaterina Sciaena, P. Forskal, Descr. Anim. 1775, 50.
 gattair Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
 gattorugine Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 442.
 gaura Emberiza, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
 gaurae Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 197.
 gaurae Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 61.
 gauvera Bos, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
 Gavia Moehring, Gesl. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 54.—A.
 Gavia J. R. Forster, Ench. 1788, 38.—A.
 gavial Crocodilus, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 34.

- gavial** Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
gazae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
gazella Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
gazella Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 333.
gazella Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69; ed. 12, 1766, 96.
gazella Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 92.
gazella Lucanus, J. C. Fabricius, Mant. I. 1787, 1.
gazella Scarabaeus, J. C. Fabricius, Mant. II. 1787, 377.
gazella Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
gazella Tetratoma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 176.
gazella Vespa, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 10.
gazellicornis Nautilus, J. J. N. A. Spalowsky, Prod. Test. 1795, 10.
gazellicorne Orthoceras, J. J. N. A. Spalowsky, Prod. Test. 1795, 10.
gea Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 32.
Gebus, *err. pro* **Cebus** P. B. C. Graumann, Introd. Hist. Nat. 1778, 20.—M.
Gekko *v.* **Gekko**.
gecko Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 205; ed. 12, 1766, 365.
geckotus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
geerii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
geerii Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1772.
gefion Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 270.
geitje Gekko (Spar.), F. A. A. Meyer, Syn. Rept. 1795, 26.—Lacerta.
geitje Lacerta, A. Sparrman, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 75.
geitie Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 34.
Gekko J. N. Laurenti, Syn. Rept. 1768, 43.—R.
gelanor [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 89.
gelatella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 370.
gelatinosum Alcyonium, Linnaeus, Faun. Suec., ed. 2, 1761, 538.
gelatinosum Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087. [Planorbis gelatinus.
gelatinosa Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3428.—
gelatinosus Cyclopterus, P. S. Pallas, Spic. Zool. VII. 1769, 19.
gelatinosa Hydra, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 25.
gelatinosa Sertularia, P. S. Pallas, Elench. 1766, 116.
gelatinosa Tubularia, P. S. Pallas, Elench. 1766, 85.
gelatina Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
gelatinus Planorbis, O. F. Müller, Verm. II. 1774, 170.
gelata Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Tinea gelatella, L.
gelbinus Scarabaeus, F. v. P. Schrank, F. Boica, I. 1798, 391.
gelida Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 564.
gemellata Blaps, A. G. Olivier, Entom. III. 1795, 9.
gemellata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 110.
gemellata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 157.
gemella Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 44.
gemella Coccinella, J. G. Linck, De Coccinellae, 1787, 8.
gemellus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 319.
gemmella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 894.
gemmella [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 10.
gemella Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [n. n.].
gemellus Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 3.
gemmella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
gemella Vorticella, O. F. Müller, Verm. I (1) 1773, 120.
gemicum Buccinum, Linnaeus, Mant. II. 1771, 550.
geminalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
geminataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
geminata Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 292.
geminata Cassis, F. C. Meuschen, Mus. Gev. 1787, 390.
geminatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1859.—
geminata Chrysomela, G. Paykull, Faun. Suec. II. 1799, 65. [Stenocorus.

- geminatus** Curculio, J. C. Fabricius, Mant. I. 1787, 116.
geminata Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 120.
geminata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 277.
geminata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 212.
geminata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
geminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
geminatus Stenocorus, J. C. Fabricius, Mant. I. 1787, 144.
geminata Tentredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
geminia [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 57.
geminum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3506.
geminus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 199.
geminus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 322.
gemina Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 128.
geminus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2685.
gemina Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 444.
gemina Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 273.
gemmaea Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 3.
gemmaea Hydra (S. & E.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3868.—
gemmaescens Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 144. [Actinia.
gemmaescens Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (2) 1794, 60.
gemmatella Phalaena, Scopoli, Ent. Carn. 1763, 249.
gemmatas Attelabus, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 68.
gemmata Buprestis, A. G. Olivier, Entom. II. 1790, 90.
gemmatas Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.
gemmatas Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 22.
gemmatas Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 300.
gemmatas Conops, Scopoli, Ent. Carn. 1763, 356.
gemmatas Curculio, Scopoli, Ent. Carn. 1763, 30.
gemmata Enchelis, O. F. Müller, An. Infus. 1786, 35.
gemmata Ephemera, Scopoli, Ent. Carn. 1763, 264.
gemmatas Erotylus, J. C. Fabricius, Ent. Syst. I (2) 1792, 38.
gemmata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 283 [*n.*
gemmata Nerita, F. C. Meuschen, Mus. Gever. 1787, 268. [*et f.*].
gemmata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
gemmata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 82.
gemmata Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
gemmatas Trox, A. G. Olivier, Entom. I. 1789, 7.
gemma *v.* **gemellus**.
gemonensis Natrix, J. N. Laurenti, Syn. Rept. 1768, 76.
generalis Conus, Linnaeus, Syst. Nat., ed. 12, 1767, 1166.
generalis Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 44.—Conus.
generilla Papilio, *err. pro* gonerilla, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 44.
generosus Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
generosus Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 211.
genetta Vivera, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 65.
geniculatus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
geniculata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 214.
geniculatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
geniculatus Cimex, J. C. Fabricius, Mant. II. 1787, 293.
geniculatus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
geniculatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 301.
geniculatus Culex, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 134.
geniculatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 397.
geniculatus Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
geniculata Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
geniculata Musca, C. de Geer, Mém. Ins. VI. 1776, 38.
geniculata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1312.
geniculatus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 86.

- geniculata* Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 374.
geniculata Tipula, J. C. Fabricius, Mant. II. 1787, 326.
geniia Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
genistae Aphis, Scopoli, Ent. Carn. 1763, 139.
genistae Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—Mem-
genistae Cimex, Scopoli, Ent. Carn. 1763, 134. [bracis.
genistae Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
genistae Noctua, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 24.
genistae Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 272.
genistae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 355.
genistae Phalaena Noctua, C. P. Pezold in Scriba, Beitr. Ins. III. 1793, 241.
genistaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
genistella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
genistellae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 725.—
genius Anthrax, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 4. [genistae, Villers, *est.*]
genoveva [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 4.
gentianaena Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 12
gentilis Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 6.—Falco. [n. et f.]
gentilis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50.
gentilis Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 126.
gentilis Hesperia, (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 350.—Papilio.
gentius [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 127.
genuanus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
genuinus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
genutia [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 24.
genutia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 193.
geodartella v. *goedartella*.
geoffrella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
geoffrella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
geoffroae Carabus, N. J. Brahm, Ins. Kal. I (1) 1790, 61.
geoffroae Cistela, J. C. Fuessly, Schweiz. Ins. 1775, 5.
geoffroae Copris (Fuess.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 29.—Scarab.
geoffroae Copris, L. G. Scriba, J. Lieb. Ent. I. 1790, 54.
geoffroae Copris, N. J. Brahm in Borkhausen, Rhein. Mag. I. 1793, 693.
geoffroae Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 2.
geoffroaei Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
Geoffroya v. *Geofroia*.
geoffroyanus Attelabus, J. N. Laicharting, Tyrol. Ins. I. 1781, 247.
geoffroyana Silpha, F. A. A. Meyer, Zool. Archiv (1) 1796, 210.
geoffroyi Actinophorus (Sulz.), J. Sturm, Verz. Ins. Samml. 1800, 78.—Scarabaeus
geofroae v. *geoffroae*. [geoffroyae.
Geofroia C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.—Col.; *melius* *Geoffroya*.
geographica Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 191.
geographicus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
geographicus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 128.
geographica Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
geographica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 478.
geographica Noctua, J. C. Fabricius, Mant. II. 1787, 167. [189.—Noctua.
geographica Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
geographicum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
geographica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3293.
geographus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 718; ed. 12, 1767, 1172.
geographus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
geographus Gastridium (L.), A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 111.—Conus.
geomantius Conus, F. C. Meuschen, Mus. Gev. 1787, 358.
Geometra [v. Phalaena Geometra], Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767,
geometra Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1080. [858.
geometrica Cassis, F. C. Meuschen, Mus. Gev. 1787, 392.

- geometrica Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
 geometrica Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 geometricus Staphylinus, F. v. P. Schrank, F. Boica, I. 1798, 642.
 geometrica Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 353.
 georgiana Fringilla, J. Latham, Index Orn. 1790, 460.
 georgica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 516.
 Geotrupes P. A. Latreille, Préc. Car. Ins. 1796, 6.—Col.
 Geotrupes J. C. Fabricius, Suppl. Ent. Syst. 1798, 1.—Col.
 geranii Curculio, G. Paykull, Faun. Suec. III. 1800, 256.
 gerbillus Dipus, Oliver, Bull. Sci. Soc. Philom. [Paris], no. 40, 1800, 121.
 gerboa *v.* jerboa.
 gerdinia Spongia, F. C. Meuschen, Mus. Gever. 1787, 532.
 gerdrudtus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 72.
 gergon Scarabaeus, *err. pro* geryon, Drury, J. C. Fabricius, Mant. I. 1787, 5.
 gerini Bucco, J. Latham, Index Orn. 1790, 207.
 gerini Psittacus, J. Latham, Index Orn. 1790, 119.
 germanicum Acridium (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 264.—Gryllus.
 germanicus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
 germanica Blatta, Linnaeus, Syst. Nat., ed. 12, 1767, 688.
 germanica Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 49.
 germanica Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.
 germanicus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 291.
 germanicus Mus, (Cricetus), R. Kerr, Anim. Kingd. 1792, 243, *var. niger*.
 germanica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2842.
 germanicus Nicrophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 71.—Silpha.
 germanica Nitidula (Fabr.), C. P. Thunberg, D D. Mus. Ac. Upsal. 1787, 39.—Nicro-
 germanica Panorpa, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 915. [phorus.
 germanicus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 134, sign. I 3.
 germanicus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 71.
 germanica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 359; ed. 12, 1767, 569.
 germanica Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 321.
 germanica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 256.
 germanus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1047.
 germanus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 672.
 germanus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613.
 germanus Elater, Linnaeus, Faun. Suec. ed. 2, 1761, 207.
 germanus Ptinus, Linnaeus, Syst. Nat. ed. 12, 1767, 566.
 germmana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 47 [*n. et f.*].
 germinationis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
 germmana *v.* germanus.
 germon Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 598.
 gerningana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 232.—Phalaena.
 gerningana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
 gerningiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (3) 1781, 164.
 gerningiana Phalaena (Tort.), Herbst, Einl. Ins. II. 1785, 128.
 gerontes Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 275.
 gerontes Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 117.
 Gerris J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Hem.
 geryon Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 14.—Scarabaeus, 1792.
 geryon Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 216.
 geryon Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 31.
 geryon Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 55.
 gesneri Triton, J. N. Laurenti, Syn. Rept. 1768, 38.
 gesserensis Planaria, O. F. Müller, Zool. Dan. II. 1784, 70.
 getulus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 382.
 getulus Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 87.
 getus Papilio, J. C. Fabricius, Mant. II. 1787, 66.
 geversianum Buccinum, P. S. Pallas, Spic. Zool. X. 1774, 33.

- ghanam Sciaena, P. Forskal, Desçr. Anim. 1775, 50.
ghobban Scarus, P. Forskal, Desçr. Anim. 1775, 28.
ghomfodensis Scyllaea, P. Forskal, Desçr. Anim. 1775, 103.
gibber Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
gibber Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.
gibber Curculio, P. S. Pallas, Icon. Ins. 1781, 32.
gibbera Cythere, O. F. Müller, Entom. 1785, 66.
gibber Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—Cythere
gibber Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466. [gibbera.
gibber Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
gibber Salmo, J. G. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 69.
gibberula Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 344.—Strombus.
gibberula Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
gibberula Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 62.—Strombus.
gibberulus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1210.
Gibbium J. A. Scopoli, Intr. Hist. Nat. 1777, 505.—Col.
gibbosulum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1201.
gibbosula Cassis, F. C. Meuschen, Mus. Gever. 1787, 390.
gibbosus Alata, F. C. Meuschen, Mus. Gever. 1787, 336.
gibbosum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 105.
gibbosus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
gibbosa Asterias, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 52.
gibbosa Balaena, J. C. P. Erxleben, Syst. Anim. 1777, 610.
gibbosus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 329.
gibbosus Bruchus, J. C. Fabricius, Gen. Ins. 1777, 212.
gibbosus Bufo (Linn.), J. N. Laurenti, Syn. Rept. 1768, 27.—Rana, 1758.
gibbosa Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1183.
gibbosa Buprestis, A. G. Olivier, Entom. II. 1790, 48.
gibbosa Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
gibbosum Callidium, J. C. Fabricius, Mant. I. 1787, 156.
gibbosus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2993.—Oniscus.
gibbosum Cardium, F. C. Meuschen, Mus. Gever. 1787, 440.
gibbosa Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 112.
gibbosus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 309.—Callidium.
gibbosa Chrysomela, Linnaeus, Amoen. Acad. VI 1763, 393.
gibbosa Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 14.
gibbosa Cicada, C. de Geer, Mém. Ins. III. 1773, 211.
gibbosa Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 186.
gibbosus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.—Scarabaeus.
gibbosus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.—
gibbosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1756. [Chrysomela.
gibbosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
gibbosa Cyphoma (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 21.—Bulla.
gibbosus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 100.—Latridius.
gibbosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
gibbosa Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
gibbosus Erotylus (L.), J. C. Fabricius, Spec. Ins. I. 1781, 157.—Chrysomela.
gibbosus Falco, F. M. Daudin, Traité élém. Orn. 1800, 93. [Fourmis, 1798, 50.
gibbosa Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.]; Essai
gibbosa Fulgora (Fourc.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.—Cicada.
gibbosus Gammurus, J. C. Fabricius, Mant. I. 1787, 335.—Oniscus, 1775.
gibbosa Hyla, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
gibbosa Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
gibbosus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 5.
gibbosa Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
gibbosus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 325.
gibbosa Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 987.
gibbosa Musca, C. de Geer, Mém. Ins. VI. 1776, 35.

- gibbosa* Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 90.
gibbosa Mylaris, P. S. Pallas, Icon. Ins. 1781, 38.
gibbosus Oniscus, J. C. Fabricius, Syst. Ent. 1775, 298.
gibbosus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 409.
gibbosa Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 30.
gibbosa Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292.
gibbosa Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 163.
gibbosa Phalaena (Bombyx), O. F. Müller, F. Ins. Frid. 1764, 39.
gibbosa Phryganea, J. H. Sulzer, Gesch. Ins. 1776, 173.
gibbosa Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
gibbosa Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2005.—[Tenebrio gibbus,
gibbosa Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 355. [1767.]
gibbosus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 513.
gibbosus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 322.
gibbosus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 28.
gibbosa Sphex, P. Rossi, Fauna Etrus. II. 1790, 66.
gibbosus Syrphus [L.], J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
gibbosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
gibbosa Tenebrio, Herbst, Einl. Ins. I. 1784, 173.
gibbosa Vespa, J. C. Fabricius, Syst. Ent. 1775, 370.
gibbosa Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 202.
gibbosa Voluta, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 151.
gibbulus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
gibbula Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 51.
gibbulus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 7.
gibbula Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
gibba Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 75.
gibbum Acrydium, A. G. Olivier, Ency. Méth. VI. (Ins.) 1791, 233.
gibba Apis (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.—Nomada.
gibbum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 267.
gibbum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
gibbus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 226.
gibbus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
gibba Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
gibbus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 116.
gibba Cercaria, O. F. Müller, An. Infus. 1786, 120.
gibba Cercopis, J. C. Fabricius, Syst. Ent. 1775, 689.
gibba Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 162.—Ostrea.
gibba Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1685.
gibba Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2102.—Cercopis.
gibba Cistela (Th.), O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 128.—Crioceris.
gibba Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 13. [Upsal. 1787, 47.
gibba Crioceris, *id. ac* Chrysomela gibbosa, Thunb., C. P. Thunberg, D. D. Mus. Ac.
gibbus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
gibbus Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.—Rhino-
gibbus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 431. [macr.
gibba Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
gibba Cythere, O. F. Müller, Entom. 1785, 66.
gibbus Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 238.
gibbus Dytiscus, *err. pro* gilvus, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957-
gibbus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
gibbus Erodius, J. C. Fabricius, Syst. Ent. 1775, 258.
gibbum Galea, F. C. Meuschen, Mus. Gever. 1787, 486.
gibba Galleruca, J. C. Fabricius, Ent. Syst. 1798, 99.
gibbus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 147.
gibbus Henops (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 501.—Syrphus.
gibba Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 98.
gibbus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.

- gibba* Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 284.
gibba Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46.
gibbus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
gibba Musca, O. F. Müller, Z. Dan. Prod. 1776, 175. [Cythere.
gibba Musca, P. Rossi, Mant. Ins. II. 1794, 73.
gibba Nomada, J. C. Fabricius, Syst. Ent. 1775, 389.
gibbum Opatrum, J. C. Fabricius, Syst. Ent. 1775, 76.
gibbus Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1147.
gibbus Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 418.—Ostrea.
gibbus Pentaceros, C. F. Schultze, Verst. Seest. 1760, 50.
gibba Pimelia, J. C. Fabricius, Mant. I. 1787, 207.
gibbus Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.—Sphex.
gibbus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
gibbus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
gibbus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 96. [Melolontha.
gibbus Scarites, A. G. Olivier, Entom. III. 1795, 15.
gibba Sciaena, P. Forskal, Descr. Anim. 1775, 46.
gibba Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Opatrum.
gibbus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 104.
gibba Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
gibba Sphex, C. de Villers, Linn. Ent. III. 1789, 228.
gibbum Synodendron, J. C. Fabricius, Suppl. Ent. Syst. 1798, 156.
gibbus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 311.
gibba Tellina, G. Olivi, Zool. Adriat. 1792, 101.
gibbus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 676.
gibbus Tenebrio, C. de Geer, Mém. Ins. VII. 1778, 652.
gibbus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 46.
gibba Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 245.
gibba Trichoda, O. F. Müller, An. Infus. 1786, 179.
gibbus Trox, A. G. Olivier, Entom. I. 1789, 13.
gibbus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 64.
gibelio Cyprinus, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 71.
gibraltarica Perdix (Gm.), J. Latham, Index Orn. 1790, 656.—Tetrao.
gibraltarica Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 766.
gibraltaria Turnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 7.
gibraltariensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 987.
gibraltariensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 513.—Motacilla.
gideon Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 8.—Scarabaeus.
gideon Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 541.
gieben Cyprinus, J. C. Wulff, Ichthy. 1765, 50.
gigantella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
gigantea Actinia (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3134.—Priapus.
gigantea Alee, J. F. Blumenbach, Hand. Naturg., ed. 6, 1799, 697.
gigantea Alcedo, J. Latham, Index Orn. 1790, 245.
gigantea Apate, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 25.
gigantea Ardea, S. G. Gmelin, Reise Russ. II. 1774, 189.
gigantea Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
gigantea Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.
gigantea Cerambyx, Linnaeus, Mant. II. 1771, 531.
gigantea Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 586.—[Coccinella, ed. 10.]
gigantea Chrysomela (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 117.—
gigantea Cicindela, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 25. [Erotylus.
gigantea Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368.—[Chrysomela, ed. 12.]
giganteus Cryptocephalus (L.), J. F. Gmelin, Linn. Syst. Nat., ed. 13, I. 1789, 1726.—Chry-
gigantea Didelphys, J. C. D. Schreber, Säugth. III. 552 (1777), pl. cliv (1777). [somela.
giganteus Elater, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 304.
giganteus Erotylus (L.), J. C. Fabricius, Syst. Ent. 1775, 123.—Chrysomela.
gigantea Forficula, J. C. Fabricius, Mant. I. 1787, 224.

- gigantea* Galleruca, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 131.
gigantia Gigantomys, H. F. Link, Beytr. Nat. I (1) 1794, 70.
giganteus Gryllus (Tett.), C. de Villers, Linn. Ent. I. 1789, 451.
gigantea Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3691.
gigantea Helix, J. A. Scopoli, Del. Insub. I. 1786, 66.
giganteus Jaculus, J. C. P. Erxleben, Syst. Anim. 1777, 409.
gigantea Jerboa, E. A. W. Zimmermann, Spec. Zool. 1777, 526.
giganteus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
giganteus Macropus (Zimm.), G. Shaw, Nat. Misc. I. 1790, pl. 33.—Jerboa.
gigantea Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
giganteus Merops, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 95.
gigantea Mordella (Linn.), Scopoli, Ent. Carn. 1763, 60.—Buprestis.
gigantea Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
gigantea Mylaris, P. S. Pallas, Icon. Ins. 1781, 37.
gigantea Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1086.
giganteus Priapus, P. Forskal, Descr. Anim. 1775, 100.
giganteus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 161.—Cerambyx.
gigantea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 563.
gigantea Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1063.
gigantea Serpula, P. S. Pallas, Misc. Zool. 1766, 139.
giganteus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 226.
giganteus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.
gigantea Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 92.
giganteus Truxalis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 191.
gigantea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
gigantea Vespertilio, M. T. Brünnich, Dyr. Hist. 1782, 45.
gigantica Ostrea, D. Solander in G. Brander, Foss. Hant. 1766, 36.
Gigantomys H. F. Link, Beytr. Nat. I (1) 1794, 70.—M.
gigas Acheta, J. H. Sulzer, Gesch. Ins. 1776, 83.
gygas Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 12.
gigas Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 342.—Strombus.
gigas Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 40.
gigas Apis, C. de Geer, Mém. Ins. III. 1773, 576.
“*gigas* Ascaris,” J. A. E. Goeze, Eingeweidewürm. 1782, 62.—[Not a specific name.]
gigas Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
gigas Blaps (L.), J. C. Fabricius, Syst. Ent. 1775, 254.—Tenebrio.
gigas Bodianus (Brün.), G. A. Suckow, Naturges. IV. 1799, 518.—Perca.
gigas Byrrhus, J. C. Fabricius, Mant. I. 1787, 38.
gigas Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 277.
gigas Carabus, C. Creutzer, Ent. Vers. 1799, 107.
gigas Cerambyx, J. C. Fabricius, Mant. I. 1787, 132.
gigas Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 59.—Lamia.
gigas Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 522.
gigas Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1137.
gigas Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
gigas Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 101.
gigas Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 51.
gigas Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Cistela.
gigas Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.
gigas Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.—Reduvius.
gigas Cistela, J. C. Fabricius, Mant. I. 1787, 84.
gigas Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 164.—Scarabaeus.
gigas Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
gigas Curculio, J. C. Fabricius, Syst. Ent. 1775, 127. [Cistela.
gigas Echinorynchus, J. A. E. Goeze, Eingeweidewürm. 1782, 143.
gigas Elater (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 119.—Cistela.
gigas Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 425.
gigas Gryllus (Sulpz.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2062.—Acheta.

- gigas** Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.—[H. gigantea, Gm.]
gigas Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 430.—Chama.
gigas Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 560 [Sirex, ed. 12].
gigas Ichneumon, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 600.
gigas Ips, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 404.
gigas Kangaroo, B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.
gigas Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 66.—Strombus.
gigas Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 265.
gigas Leucospis, J. C. Fabricius, Ent. Syst. II. 1793, 245.
gigas Limulus, O. F. Müller, Entom. 1785, 125.
gigas Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 84.
gigas Manati, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 426.
gigas Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 689.—[Gryllus, ed. 10.]
gigas Monopterus, G. S. Volta, Itt. Veron. (2) [circa 1800], xcxi.
gigas Murex, I. v. Born, Test. Mus. Caes. Vindob. 1780, 325.
gigas Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
gigas Ostrea, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 140.
gigas Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
gigas Perca, M. T. Brünnich, Ich. Massil. 1768, 65.
gigas Phasma (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis.
gigas Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
gigas Podura, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 302.
gigas Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 38.
gigas Psittacus, J. Latham, Index Orn. 1790, 107.
gigas Ptinus, J. C. Fabricius, Syst. Ent. 1775, 63.
gigas Rana, J. J. Walbaum, Schrift. Berlin. Ges. Nat. Freunde, V. 1784, 239.
gigas Reduvius, J. C. Fabricius, Syst. Ent. 1775, 729.
gigas Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 21.—Curculio.
gigas Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 549.
gigas Scarites, J. C. Fabricius, Spec. Ins. I. 1781, 314.
gigas Sirex, Linnaeus, Faun. Suec., ed. 2, 1761, 396.
gigas Sirex (Linn.), O. F. Müller, F. Ins. Frid. 1764, 70.—Ichneumon.
gigas Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
gigas Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1210.
gigas Syrphus, P. Rossi, Fauna Etrus. II. 1790, 283.
gigas Tenebrio, Linnaeus, Amoen. Acad. VI. 1763, 396.
gigas Testudo, J. J. Walbaum, Schrift. Berlin. Ges. Nat. Freunde, XI. 1794, 249.
gigas Tridachnes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 171.—Chama.
gigas Tridacna (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—Chama.
gigas Trogosita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 51.
gigas Upis (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 232.—Tenebrio.
gigas Urocerus, A. F. de Fourcroy, Ent. Paris. 1785, 363.
gilippus [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 41.
gilvago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
gilvaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
gilvaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 201 [n. et f.].
gilvata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 208.
gilvella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 40.
gilvus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1007.
gilva Cochlea, T. Martyn, Univ. Conch. IV [1792], 148.
gilvus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
gimel Cicindela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 31.
gingica Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 795.
gingica Perdix (Gm.), J. Latham, Index Orn. 1790, 648.—Tetrao.
gingicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 760.
ginginianus Buceros, J. Latham, Index Orn. 1790, 146.
ginginiana Gracula, F. M. Daudin, Traité élém. Orn. 1800, 288.
ginginianus Psittacus, J. Latham, Index Orn. 1790, 99.

- ginginianus Turdus, J. Latham, Index Orn. 1790, 362.
- ginginianus Vultur, J. Latham, Index Orn. 1790, 7.
- Gioena J. G. Bruguière, Ency. Méth., Tabl. Vers 170 (1791).—*v.* Gioenia.
- gioeni Tricla, A. J. Retzius, Diss. Nova Test. Gen. 1788, 8.
- gioenii Triola, *err. pro* gioeni Tricla, Retz.; Journ. de Phys. L. 1800, 146.
- “Gioenia, Gioeni, 1783,” Ag.; does not occur.
- Gioenia J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xii.—L.
- giornae Gryllus, P. Rossi, Mant. Ins. II. 1794, 104.
- Giraffa M. J. Brisson, Reg. Anim. 1762, 37.—M.
- Giraffa M. T. Brännich, Fund. Zool. 1772, 46.—M.
- Giraffa J. F. Blumenbach, Hand. Naturg., ed. 2, 1782, 121.—M.
- giraffa Camelopardalis, P. Boddaert, Elench. 1785, 133.
- girafa Lucanus, A. G. Olivier, Entom. I. 1789, 21.
- giraffa Parthenope, F. Weber, Nomen. Fabricii, 1795, 92.
- giraffa Parthenope, J. C. Fabricius, Suppl. Ent. Syst. 1798, 352.
- giu Strix, J. A. Scopoli, Annus I. 1769, 19.
- Givenia *err. pro* Gioenia in Millin, Mag. ency. VI (5) 1799, 378.—G.
- gizensis Nautilus? P. Forskal, Descr. Anim. 1775, 140.
- glabella Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 37.
- glabellus Dorylus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
- glabella Marginella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—Voluta.
- glabella Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 61.
- glabella Pterygia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 51.—Voluta.
- glabella Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
- glabella Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
- glabrum Anisotoma, Illiger in Kugelann, Käfer Preuss. 1798, 76.
- glaber Anthrenus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 26.
- glaber Anthrenus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 11.
- glaber Anthribus, O. F. Müller, Z. Dan. Prod. 1776, 57.
- glabra Apis, J. C. Fuessly, Schweiz. Ins. 1775, 51.
- glaber Asilus, Geoff., A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 270.
- glaber Attelabus, C. de Geer, Mém. Ins. IV. 1774, 352.
- glabra Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.—Helops.
- glabrum Buccinum, O. F. Müller, Verm. II. 1774, 135.
- glaber Buccina (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 312.—Buccinum.
- glaber Cancer, G. Olivii, Zool. Adriat. 1792, 51.
- glaber Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
- glaber Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- glabra Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
- glabra Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
- glabra Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
- glabra Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 60.
- glabra Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
- glaber Cottus, J. D. Schoepf, Schrift. Berlin. Ges. Nat. Freunde, VII. 1788, 146.
- glaber Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 77.
- glaber Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 56.
- glaber Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 101.—Latridius.
- glaber Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 55.
- glabra Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
- glaber Gasterosteus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 450.
- glaber Gryllus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.—Locusta.
- glabra Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
- glabra Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3658.—Buccinum.
- glaber Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
- glaber Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 208.
- glaber Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 7.
- glabra Locusta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 193.
- glabra Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 314.

- glabra* Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
glaber Pecten (L.), T. Pennant, Brit. Zool. ed. 4, IV, 1777, 87.—Ostrea.
glaber Pectunculus, E. M. da Costa, Brit. Conch. 1778, 184.
glabra Pimelia, J. C. Fabricius, Syst. Ent. 1775, 253.
glaber Ramphastos, J. Latham, Index Orn. 1790, 138.
glaber Serrocerus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV, 1792, 486.
glabra Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 255.
glaber Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
glaber Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2035.
glaber Strombiformis, E. M. da Costa, Brit. Conch. 1778, 117.
glabra Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 74.
glaber Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1999.
glaber Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 2000.
glaber Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV, 1796, 148.
glabra Tritoma, J. C. Fabricius, Mant. I. 1787, 44. [—Blaps.
glaber Turbo, E. M. da Costa, Brit. Conch. 1778, 87.
glabra Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII, 1799, 32.
glabra Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3436.
glabra Volvox (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V, 1794,
glaberrima Antipathes, E. J. C. Esper, Pflanzenth. II (9) 1792, 160. [538.—Tritoma.
glaberrima Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3488.
glaberrimus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 262.
glaberrima Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1670.
glaberrimus Dermestes, G. Paykull, Faun. Suec. I. 1798, 287.
glaberrimus Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V, 1784, 151.
glabra v. glaber.
glabralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 227.
glabralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 22.
glabraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 162 [n. etf.].
glabratorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
glabrata Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1203.
glabratus Capisterium (L.), F. C. Meuschen, Mus. Gever. 1787, 464.—Mactra.
glabratus Carabus, G. Paykull, Mon. Carab. 1790, 14.
glabrata Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 388.—Buccinum.
glabratus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1862.—
glabrata Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 70.—Melolontha. [Stenocorus.
glabrata Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.—Crioceris, 1781.
glabrata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 318.
glabrata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 156.
glabrata Crioceris, G. W. F. Panzer, Deutsch. Ins. [1795], 170.
glabratus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 110.
glabratus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1759.
glabrata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.—Chrysomela, 1787.
glabratus Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 73.
glabrata Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
glabrata Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125.
glabrata Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.
glabrata Musca, J. C. Fabricius, Ent. Syst. IV, 1794, 341.
glabrata Mutilla, J. C. Fabricius, Syst. Ent. 1775, 398.
glabratum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 90.
glabrata Pimelia, J. C. Fabricius, Ent. Syst. I (1) 1792, 100. [Melolontha.
glabratus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1570.—
glabrata Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1626.—
glabratum Sphaeridium, J. C. Fabricius, Spec. Ins. I. 1781, 78. [Sphaeridium.
glabratus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 180.
glabratus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
glabratus Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
glabrata Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.

- glabrirostris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 254.
- glabrum *v.* glaber.
- glacialis Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 203.
- glacialis Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1099.
- glacialis Balaena, O. F. Müller, Z. Dan. Prod. 1776, 7.
- glacialis Balaena, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 3.
- glaciale Buccinum, Linnaeus, Faun. Suec., ed. 2, 1761, 523.
- gacialis (*sic*) Cancer, O. F. Müller, Z. Dan. Prod. 1776, 196.
- glacialis Cancer (Mantis), Linnaeus, Mant. II. 1771, 542.
- glacialis Coccinella, J. C. Fabricius, Syst. Ent. 1775, 80.
- glacialis Columbus, Linnaeus, Syst. Nat., ed. 12, 1766, 221.
- glacialis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 9.
- glacialis Emberiza, J. Latham, Index Orn. 1790, 398.
- glaciale Glaucoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
- glacialis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
- glacialis Mergus, E. Pontoppidan, Danske Atlas, I. 1763, 620.
- glacialis Mus, J. M. Bechstein in Pennant, Uebers. Thiere, II. 1800, 718.
- glacialis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
- glacialis Ostrea, J. X. Poli, Test. Sicil. II. 1795, 165.
- glacialis Papilio (Dan.), K. E. v. Moll in Schrank & Moll, Nat. Briefe Oesterreich, I. 1785,
- glacialis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*u. n.*]. [102.]
- glacialis Phalaropus (Gm.), J. Latham, Index Orn. 1790, 776.—Tringa.
- glacialis Pleuronectes, P. S. Pallas, Reise Russ. III. 1776, 706.
- glacialis Procellaria, Linnaeus, Faun. Suec., ed. 2, 1761, 51.
- glacialis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
- glacialis Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 675. [Melolontha.]
- glaciale Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Buccinum.
- glacialis Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
- glaciata Ostrea, C. U. v. Salis, Reise Neapel, 1793, 397.
- gladbaghiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 138.
- gladiator Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 449.
- gladiator Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
- gladiator Delphinus, J. P. Bonnaterre, Ency. Méth. (Cet.), 1789, 23.
- gladiator Ichneumon, Scopoli, Ent. Carn. 1763, 283.
- gladiator Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 42.
- gladiator Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
- gladiatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
- gladius Cepola, J. A. Donndorff, Zool. Beyt. III. 1798, 317.
- gladius Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 81.
- gladius Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 154.
- gladius Xiphias, Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432.
- glama Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 91.
- llama (*sic*) Camelus, J. C. P. Erxleben, Syst. Anim. 1777, 224.
- clacma (*sic*) Camelus, J. F. Blumenbach, Hand. Naturg. 1779, 114.
- glandarius Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 156.
- glandarius Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 169.
- glandarius Garrulus (L.), J. C. Schaeffer, Mus. Orn. 1789, 14.—Corvus.
- glandifer Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 483.
- glandifera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70. [128.—Noctua.]
- glandifera Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- glandiformis Ascidia, A. Coquebert, Bull. Sci. Soc. Philom. [Paris], no. 1, 1797, 1.
- glandiformis Tenebrio, P. S. Pallas, Icon. Ins. 1781, 45.
- glanis Taenia, F. v. P. Schrank, Verz. Eingeweidwürmer, 1788, 47.
- glanis Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 304; ed. 12, 1766, 501.
- glans Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
- glans Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 365.
- glans Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
- glans Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 735.

- glans* Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
glans Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
glans Hippopus, F. C. Meuschen, Mus. Gever. 1787, 428.
glans Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
glarearia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106.
glarearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 131 [*n. cf.*].
Glareola M. J. Brisson, Ornith. V. 1760, 141.—A.
Glareola B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
glareolus Lagomys (Schr.), G. C. C. Storr, Prod. 1780, 39.—Mus.
glareolus Lemmus (Schr.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
glareolus Mus, J. C. D. Schreber, Säugth. IV. 680 (1780), pl. cxc B (1780).
glareola Pratincola, F. v. P. Schrank, F. Boica, I. 1798, 209.
glareola Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149.—A.
glareosa Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 387.
glaucatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 136.
glaucata Phalaena, Scopoli, Ent. Carn. 1763, 221.
glaucata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 167.
glaucescens Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
glaucescens Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
glaucescens [Phalaena Noctua], C. C. Jung, Alph. Verz. Schmett. 1791, 244 (*ex* Goeze).
glaucescens Thelephorus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 84.—Necydalis.
glaucinalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
glaucinalis Pyralis, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 10 [2]. [*cf.*].
glaucinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 150 [*n.*].
glaucinatus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—Phalaena glaucinalis.
glaucina Bombyx (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 244.
glaucinus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 89.
glaucina Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1251.
glaucion Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 201.
glaucippe Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 762.
 "Glaucium, Briss. 1760," Ag.; not used in a generic sense.
glaucius Asilus, P. Rossi, Fauna Etrus. II. 1790, 327.
glaucius Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 386.
glaucius Conops (Linn.), Scopoli, Ent. Carn. 1763, 356.—Musca.
glaucia Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
glaucius Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
glaucocephala Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 277 (S 3).
glaucocephalus Cryptocephalus (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
glaucocincta Apis, P. Rossi, Mant. Ins. II. 1794, 124. [1789, 1709.—Chrysomela.
Glaucoderma J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—L.
glaucofasciata [Phalaena Geom.], C. C. Jung, Alph. Verz. Schmett. 1791, 244 (*ex* Goeze).
glaucoma Cyclidium, O. F. Müller, Verm. I (1) 1773, 51.
Glaucopis J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 363.—A.
Glaucopis B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 8.—A.
glaucopis Aquila, B. Merrem, Avium rar. Icones, II. 1786, 21.
glaucopis Falco, L. Merrem, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 190.
glaucopis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 482.
glaucopis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 11.
glaucopis Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 31.
glaucopis Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 497.
glaucopis Zyaena (Drury), J. C. Fabricius, Spec. Ins. II. 1781, 164.—Phalaena.
glaucopterus Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 294.
glaucopterus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 938.
glaucoptera Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
glaucopterus Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.—Ichneumon.
glaucurus Coracias, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 86.
Glaucus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.

- Glaucus** J. X. Poli, Test. Sicil. II. 1795, 148; a generic name founded on the fleshy parts
- Glaucus** Forster in Blumenbach, Abh. nat. Gegen. no. 48, 1800.—Nud. [of Pectines.—L.
- glauca** Apis, J. C. Fabricius, Syst. Ent. 1775, 388.
- glauca** Apis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III. 1794, 141.—
- glauca** Bembex, J. C. Fabricius, Mant. I. 1787, 285. [Bembex.]
- glaucum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
- glaucum** Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 243.
- glaucum** Cardium, J. L. M. Poiret, Voy. Barbarie, II. 1789, 13.
- glauca** Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 419.—Buccinum.
- glauca** Cassis (L.), F. C. Meuschen, Mus. Gev. 1787, 392.—Buccinum.
- glaucus** Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
- glauca** Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [n. n.].
- glaucus** Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 112.
- glaucus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
- glaucus** Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.
- glaucus** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
- glaucus** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
- glaucus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
- glaucus** Curculio, Scopoli, Ent. Carn. 1763, 31.
- glaucus** Curculio, J. C. Fabricius, Mant. I. 1787, 114.
- glauca** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
- glauca** Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 344.—Apis, 1775.
- glaucus** Falco, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 11.
- glauca** Fasciola, O. F. Müller, Verm. I (2) 1774, 60.
- glaucus** Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119 [n. n.].
- glaucus** Gasterosteus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 15 [n. n.].
- glauca** Gracula, A. Sparrman, Mus. Carls. III. 1788, no. liv.
- glauca** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1245.
- glauca** Lamia (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 274.—Cerambyx.
- glauca** Lampyrus, A. G. Olivier, Entom. II. 1790, 13.
- glaucus** Larus, M. T. Brünnich, Orn. Boreal. 1764, 44.
- glauca** Mactra, I. v. Born, Index Mus. Caes. Vind. 1778, 40.
- glauca** Melolontha, A. G. Olivier, Entom. I. 1789, 21.
- glauca** Necydalis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 109.
- glauca** Notonecta, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.
- glaucus** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
- glauca** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
- glauca** Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
- glauca** [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 17.
- glauca** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 45.
- glauca** [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 152.
- glauca** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 267.
- glaucus** Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 84.
- glaucus** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1583.
- glaucus** Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 298; ed. 12, 1766, 494.
- glaucus** Scomber, P. Osbeck, Reise Ost-Indien China, 1765, 387.
- glaucus** Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 401.
- glaucus** Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2034.
- glauca** Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2769.—Bembex.
- Gleba** P. Forskal, Icones, 1776, 14.—Moll.
- Gleba** J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 89 (1791) [n. et f.].—Prot.
- glechomae** Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
- glechomatís** Cynips=glechomae, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
- gleditsiae** Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.—Dermestes, 1763. [2649.]
- gleditsiae** Dermestes, Linnaeus, Amoen. Acad. VI. 1763, 392.
- gleichennella** Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 303.
- glesne** Ophidium, P. Ascanius, Nye Saml. K. Danske Skrifter, III. 1788, 421.—Rega-
- glesne** Regalecus, P. Ascanius, Icon. II. 1772, 5. [lecus, 1772.]

- glicereus** Elater, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
- glicereus** Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 241.
- glicirria** [Papilio], P. Cramer, Uilt. Kapellen, II (15) 1777, 115.
- glycyrrhizae** *v.* **glycyrrhizae**.
- gliricapa** Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 29.
- Glis** M. J. Brisson, Reg. Anim. 1762, 113.—M.
- Glis** Linnaeus, Amoen. Acad. VII (1766), 450.—M.
- Glis** J. C. P. Erxleben, Syst. Anim. 1777, 358.—M.
- Glis** G. C. C. Storr, Prod. 1780, 39.—M.
- Glis** J. F. Blumenbach, Hand. Naturg. 1779, 79.—M.
- glis** Curculio, P. Rossi, Mant. Ins. II. 1794, 93.
- glis** Glis, G. C. C. Storr, Prod. 1780, 39.
- glis** Mus, P. S. Pallas, N. sp. Quad. II. 1779, 88.
- glis** Myoxus (Linn.), P. Boddaert, Elench. 1785, 121.—Mus.
- glis** Myoxus (Linn.), J. C. D. Schreber, Säugth. IV. 825 (1787).—Sciurus.
- glis** Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 87.
- Globaria** J. A. Scopoli, Intr. Hist. Nat. 1777, 384.—Verm.
- globator** Asellus (Pall.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 256.—Oniscus.
- globator** Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188.
- globator** Melolontha (Fab.), A. G. Olivier, Entom. I. 1789, 40.—Scarabaeus.
- globator** Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 70.
- globator** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 20.
- globator** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 403.—Hydrachna.
- globator** Volvox, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1325.
- globatus** Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 83.
- globatus** Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
- globatus** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
- globiceps** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 211.
- globicera** Columba, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
- globicera** Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 270.
- globicola** Ascaris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.—Gordius.
- globicola** Gordius, O. Fabricius, F. Groen. 1780, 268.
- globiferus** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 21.
- globifer** Curculio, J. C. Fabricius, Syst. Ent. 1775, 823.
- globiferus** Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 9.
- globifera** Pedicellaria, O. F. Müller, Z. Dan. Prod. 1776, 229.
- globifera** Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 199.
- globina** Bursaria, O. F. Müller, An. Infus. 1786, 118.
- globocaudatus** Echinorhynchus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. Globosa F. C. Meuschen, Mus. Gev. 1787, 380.—G. [1800, 128.
- Globosites** J. Gesner, Tract. Petref. 1758, 57.
- globosa** Altica, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 602.
- globosus** Aphodius (Kug.), Illiger in Kugelann, Käfer Preuss. 1798, 20.—Scarabaeus.
- globosa** Apis, Scopoli, Ent. Carn. 1763, 300.
- globosa** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 333.
- globosa** Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
- globosus** Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 391.
- globosus** Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.—Curculio.
- globosus** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150 [*n. n.*].
- globosus** Cancer, J. F. W. Herbst, Krabben, II. 1783, 90.
- globosus** Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 142.
- globosus** Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 148.
- globosus** Cerambix, A. G. Olivier, Entom. IV. 1795, 27.
- globosa** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 11.
- globosa** Coccinella, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 149.
- globosus** Cucullanus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 94.
- globosus** Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 69.
- globosus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.

- globosus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
 globosus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 124.
 globosa Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 89.
 globosa Leucosia (Herbst), J. C. Fabricius, Suppl. Ent. Syst. 1798, 349.—Cancer.
 globosa Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 92.
 globosa Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2875.—Syrphus.
 globosa Pimelia, J. C. Fabricius, Ent. Syst. IV. 1794, 438.
 globosa Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
 globosus Scarabaeus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 514.
 globosum Sphaeridium (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 28.—Tetratoma.
 globosus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 770. [Hydatigena.
 globosa Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3063.—
 globosus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999.
 globosa Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 84.
 globosum Trombidium, J. C. Fabricius, Spec. Ins. I. 1781, 535.
 globosa Venus, P. Forskal, Descr. Anim. 1775, 122.
 globosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
 globosa Volvox (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
 globularia Vorticella, O. F. Müller, Verm. I (1) 1773, 117. [539.—Tetratoma.
 globulariae Sphinx, J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
 globulariae Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me justice 1796], 11.
 globularis Ascidia, P. S. Pallas, Reise Russ. III. 1776, 709.
 globularis Astroides, J. E. I. Walch, Naturforscher, V. 1775, 51.
 globularis Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
 globularis Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 132.—*v.* Astroides.
 globularis Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 33.
 globularis Pimelia, A. G. Olivier, Entom. III. 1795, 18.
 globularis Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 237.
 globulator Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 350.
 globulata Capisterium, F. C. Meuschen, Mus. Gever. 1787, 462.
 globulata Libellula, O. F. Müller, Nova Acta Acad. Caes. III. 1767, 129.
 globulata Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 36.
 globulifera Cicada, P. S. Pallas, Misc. Zool. 1766, 187.
 globulifer Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 405.
 globulifera Leucophaea, O. F. Müller, An. Infus. 1786, 149.
 globulifera Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 164.
 globulipes Musca, A. F. de Fourcroy, Ent. Paris. 1785, 495.
 globulosus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 608.
 globulosus Hister, A. G. Olivier, Entom. I. 1789, 16.
 globulosa Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 43.
 globulosa Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
 globulosa Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 434.
 globula Anadema (L.), F. C. Meuschen, Mus. Gever. 1787, 482.—Echinus.
 globulus Byrrhus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
 globulus Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
 globulus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 398.
 globulus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 326.
 globulus Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 378.
 globulus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
 globulus Dermestes, G. Paykull, Faun. Suec. I. 1798, 295.
 globulus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
 globulus Helix, O. F. Müller, Verm. II. 1774, 68.
 globulus Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
 globulus Hister, C. Creutzer, Ent. Vers. 1799, 83.
 globulus Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 188.
 globulus Mammaria, O. Fabricius, F. Groen. 1780, 329.
 globulus Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
 globulus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.

- globulus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
 globulus Volvox, O. F. Müller, Verm. I (1) 1773, 28.
 Globus J. A. Scopoli, Annus V. 1772, 127.—Verm.
 globus Cancer, J. C. Fabricius, Syst. Ent. 1775, 401.
 globus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 88.
 globus Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 78.
 Glochidium J. Rathke, Skr. nat. Selsk. [Copen.], IV (1) 1797, 166.—L.
 glomerans Anas, P. S. Pallas, K. Vet. Ac. Handl. XL. 1779, 33.
 glomeratum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
 glomeratus Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
 glomeratus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 125.
 glomeratus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
 glomeratus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
 glomerata Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
 glomeratus Vermetus (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
 glomerata Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
 gloria-maris Conus, J. H. Chemnitz, Beschäft. Ges. Nat. Freunde, III. 1777, 330.
 gloria-maris Conus, F. C. Meuschen, Mus. Gever. 1787, 366.
 gloria maris Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
 gloriosae Anthrenus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 76.
 gloriosae Bombyx, J. C. Fabricius, Syst. Ent. 1775, 587.
 gloriosa Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 153.
 gloriosa Chrysis, J. C. Fabricius, Ent. Syst. II. 1793, 242.
 gloriosa Chrysomela, J. C. Fabricius, Spec. Ins. II. 1781, 497.
 gloriosus Psittacus, G. Shaw, Nat. Misc. II. 1791, pl. 53.
 gloriosum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139 [n. n.].
 Glossoderma J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
 glossodonta Argentina, P. Forskal, Descr. Anim. 1775, 68.
 "glossopetrae Amphibolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
 "glossopetra Ichthyolithus" (L.), Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 390.—
 Amphibolithus, 1768.
 Glossus J. X. Poli, Test. Sicil. II. 1795, 112.—A generic term applied to the fleshy parts
 of certain Chamae.—L.
 glottis Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 245.
 glutinis Anguilla, O. F. Müller, An. Infus. 1786, 64.
 glutinis Vibrio, O. F. Müller, Naturforscher, XIX. 1783, 162.
 glutinosae Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 339.
 glutinosum Buccinum, O. F. Müller, Verm. II. 1774, 129. [cinum].
 glutinosus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 306.—Buc-
 glutinosa Caecilia, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.
 glutinosa Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3659.—
 Buccinum.
 glutinosa Myxine, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1080.
 glycerie Papilio, J. C. Fabricius, Mant. II. 1787, 36.
 glycerion Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 90.
 Glycymeris E. M. da Costa, Brit. Conch. 1778, 168.—L.
 Glycimeris P. Browne, Hist. Jamaica, ed. 2, 1789, 411.—L.
 Glycimeris [G. Humphreys], Mus. Calonn. 1797, 50.—L.
 Glycimeris Lamarck, Mém. Soc. H. N. Paris, 1799, 83.—L.
 glycymeris Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1143.
 glycimeris Axinaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Arca.
 glycimeris Glycimeris (Born), Lamarck, Mém. Soc. H. N. Paris, 1799, 83.—Mya.
 glycimeris Mya, I. v. Born, Index Mus. Caes. Vind. 1778, 10.
 glycimeris Solen (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 155.—Mya.
 glycimeris Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Arca.
 glycyrrhizae Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 723.
 glycyrrhizae Lamia (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 222.—Cerambyx.
 glyphicus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 282.

- glyphicus** Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
glyphica Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 598.—Phalaena.
glyphica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 280.
glyphica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
gmellini Anas, J. Latham, Index Orn. 1790, 876.
gnatho Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
gnatho Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 180.
gnatho Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
gnetus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
gnetus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 135.
gnidia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 137.
gnidus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 258.
gnidus Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 64.
gnita Buprestis, *v. ignita*.
gnoma Bombyx, J. C. Fabricius, Gen. Ins. 1777, 279.
gnoma Bombyx, J. C. Fabricius, Ent. Syst. III. (1) 1793, 443.
gnoma Papilio, J. C. Fabricius, Syst. Ent. 1775, 828.
gnoma Sphinx, J. C. Fabricius, Syst. Ent. 1775, 546.
gnomana [Phalaena], C. Clerck, Icones, I. 1759, pl. iv, 13.
gnomana Pyralis (Clerck), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
gnomon Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
gnou Antilope, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 102.
gnu Antilope, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 189.
goana Tringa, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 11 [*n. n.*].
Gobiesox B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 595.—P.
gobina Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 260.
Gobio (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
gobio Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 265; ed. 12, 1766, 452.
gobio Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 320; ed. 12, 1766, 526.
Gobioides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.—P.
gobioides Blennius, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 14 [*n. n.*].
Gobiomaroides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 592.—P.
Gobiomarus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.—P.
gobionis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
gobionis Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 2.
Gobius Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 499; [Artedi, Ichth. 1738, gen. xxiii, p. 28].—P.
goedartella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
goedartella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
goedarti Aranea, Scopoli, Ent. Carn. 1763, 396.
goedenii Salmo, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 155.
goensis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 706.
goensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 434.
goensis Tringa (Gm.), J. Latham, Index Orn. 1790, 727.—Parra.
goertae Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
goertan Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 434.
görtzensis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 52.
goettingensis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 586.
gotttingensis (*sic*) Dytiscus, F. A. A. Meyer, Zool. Archiv (1) 1796, 235.
goezella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
goezenii Aranea, F. v. P. Schrank, Ins. Aust. 1781, 534.
Goezia J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 96.—Verm.
goezii Aranea, *id. ac* goezenii, Schrank, J. F. Gmelin in Linn. Syst. Nat. I. 1790, 2957.
goiavier Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 96.
goliiana *v. gouana*.
goliathus Cetonia (L.), A. G. Olivier, Entom. I. 1789, 7.—Scarabaeus.
goliatius Scarabaeus, Linnaeus, Mant. II. 1771, 530.
golok Simia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].

- golok Simia, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, I. 1799, 181.
 "Gomphosus, Lacép. 1800," Ag.; is 1802.
- gonagra Alpheus, F. Weber, Nomen. Fabricii, 1795, 91.—Cancer, 1781.
- gonagra Apate, J. C. Fabricius, Suppl. Ent. Syst. 1798, 156.
- gonagra Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
- gonagra Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 505.
- gonagra Cimex, J. C. Fabricius, Syst. Ent. 1775, 708.
- gonagra Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 140.—Cimex, 1775.
- gonagra Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 45.
- gonagra Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 412.
- gonagricus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
 [Melolontha gonagra, F. est.]
- gondi Mus, P. Boddaert, Elench. 1785, 106.
- gondola Globosa, F. C. Meuschen, Mus. Gever. 1787, 380.
- gondola Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6.
- gonerilla Papilio, J. C. Fabricius, Syst. Ent. 1775, 498.
- gongylodes Empusa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
- gongylodes Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
- gongylodes Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[Gryllus, ed. 10.]
- Gonium O. F. Müller, Verm. I (1) 1773, 60.—Prot.
- gonodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
- Gonorynchus L. T. Gronovius, Zooph. I. 1763, 55.—P.
- gonorynchus Cyprinus, Linnaeus, Syst. Nat., ed. 12, 1766, 528.
- gonostigma Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 585.—Phalaena.
- gonostigma Phalaena, Scopoli, Ent. Carn. 1763, 199.
- gonymelas Cimex, E. Donovan, Brit. Ins. VII. 1798, 5.
- gootenaria [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 102.
- gorbuscha Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 69.
- Gordius Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
- gordius Papilio Plebejus, J. H. Sulzer, Gesch. Ins. 1776, 146.
- gordius [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 91.
- gordius [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 147.
- gordius Vibrio, O. F. Müller, An. Infus. 1786, 60.
- goreensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
- goreensis Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
- goreensis Vermetus (Gm.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
- gorensis Alauda, A. Sparrman, Mus. Carls. IV. 1789, no. xcix.
- gorfua Aptenodyta, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 68.
- gorgias [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 150.
- gorgon [Sphinx], P. Cramer, Uitl. Kapellen, II (12) 1777, 73.
- Gorgonia Linnaeus, Syst. Nat., ed. 10, 1758, 800; ed. 12, 1767, 1289.—Anth.
- gorgonia Sertularia, P. S. Pallas, Elench. 1766, 158.
- gorgoniae Lepas, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 295.
- gorgonoides Alcyonium, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 181.—[= Sert.
- gorteriae Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394. [gorgonia, Pall.]
- gorteriae Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chrysomela.
- gossypii Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 78.
- gossypii Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 96.
- gossypinus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
- gossypinus Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
- gossypina Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
- gothica Architectonica, J. F. Bolten, Mus. Bolten. (2) 1798, 78.
- gothicus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
- gothica Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
- gothicus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 180.—Cimex.
- gothica Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 229.—Phalaena.
- gothica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 851.
- gothicus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.

- gothica Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
 gotttingensis *v.* goettingensis.
 Gouan B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 12.—A. [Suec. 1761, no. 1342.]
 gouana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 879.—[goiana, Faun.
 govana (*sic*) Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
 gouani Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 1068.
 gouanianus Lepidopus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 519.
 gouana *v.* gouana.
 gozo Gobius, *v.* jozo, Linnaeus, Mus. Adolph. Frid. II. 1764, 67.
 gracharus Scomber, Linnaeus, in Hasselquist, Palast., 1762, 407.
 grachus Papilio, J. C. Fabricius, Suppl. Ent. Syst., 1798, 422.
 gracilipes Curculio, G. W. F. Panzer, Ins. Germ., heft 57 [1798], tab. 18.
 gracilipes Elaphrus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 32.
 gracilipes Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 68.
 gracile Buccinum, E. M. da Costa, Brit. Conch. 1778, 124.
 gracilis Cicindela, P. S. Pallas, Reise Russ. II. 1773, 724.
 gracilis Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 70.
 gracilis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
 gracilis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
 gracilis Loris, E. Geoffroy, Mag. encyclop. I (1) 1796, 48.
 gracilis Lutra, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 408.
 gracilis Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
 gracilis Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 96.
 gracilis Notoxus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 21.
 gracilis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
 gracilis Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 gracilis Saperda, C. Creutzer, Ent. Vers. 1799, 124. [597.—Noctua.
 gracilis Staphylinus, G. Paykull, Mon. Staph. 1789, 38.
 Gracula Linnaeus, Syst. Nat., ed. 10, 1758, 108; ed. 12, 1766, 164.—A.
 graculinus Corvus, G. Shaw in White, Journ. N. S. W. 1790, 251.
 Graculus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 5 & 52.—A.
 graculus Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 132.
 graculus Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
 graculus Pelecanus, Linnaeus, Syst. Nat., ed. 12, 1766, 217.
 graeca Musca, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 229.
 graeca Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1262.
 graecum Phalaena (Noctua), N. Poda, Ins. Mus. Graec. 1761, 90.
 graecus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 368.
 graeca Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 352.
 graeca Stratiomys, O. F. Müller, Z. Dan. Prod. 1776, 177.
 Gralla J. P. Eberling in Sonnerat, Reise Neuginea, 1777, 31.—A.
 grillarius Turdus, J. Latham, Index Orn. 1790, 361.
 grillator Cimex, Herbst, Einl. Ins. I. 1784, 259.
 gramella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 294.
 graminana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
 graminata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
 gramineana Phalaena, Scopoli, Ent. Carn. 1763, 238.
 graminella Bombyx (D. & S.), [C. F. Viewveg], Tab. Verz. Schmett. (1) 1789, 68.—Tinea.
 graminella Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
 graminella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133. [279.—Tinea.
 graminea Anas, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 168.
 graminea Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
 gramineus Cimex, J. C. Fabricius, Mant. II. 1787, 295.
 gramineus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
 gramineus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
 gramineus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 465.
 gramineus Elater, Scopoli, Ent. Carn. 1763, 95.
 graminea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.

- graminea Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 249.
- gramineus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 542.
- graminea Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2554.
- gramineus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 338.
- graminea Tipula, Scopoli, Ent. Carn. 1763, 317.
- gramineus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
- graminifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335.
- graminifolius Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—
- graminifolia Locusta, J. C. Fabricius, Syst. Ent. 1775, 826. [Locusta.
- graminis Altica, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 4.
- graminis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 586.—Phalaena.
- graminis Buprestis, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 8.
- graminis Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 737.
- graminis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
- graminis Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 107.
- graminis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
- graminis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 385.
- graminis Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 71.—Chrysomela.
- graminis Phalaena, Hufnagel, Berl. Mag. II. 1766, 412.
- graminis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506; ed. 12, 1767, 830.
- graminis Sphinx, C. de Villers, Linn. Ent. II. 1789, 115.
- graminum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 515.
- graminum Cynipsichneumon (Scop.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
- graminum Ichneumon, Scopoli, Ent. Carn. 1763, 289.
- graminum Musca, J. C. Fabricius, Syst. Ent. 1775, 785.
- Grammarus, *err. pro Gammarus* F. Weber, Nomen. Fabricii, 1795, 96.
- grammatica Phryganea, N. Poda, Ins. Mus. Graec. 1761, 99.
- grammea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
- grammica Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 579.—Phalaena.
- grammicus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 716.
- grammicus Curculio, G. W. F. Panzer, Naturforscher, XIV. 1789, 21.
- grammica Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 822; ed. 12, 1767,
- grammistes Perca, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 335. [831.
- gramnicola Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 175.
- grana punctulata Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
- granarius Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 22.—Scarabaeus.
- granarius Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
- granaria Calendra (L.), J. R. Schellenberg, Helvet. Entom. I. 1798, 62.—Curculio.
- granarius Cancer, J. F. W. Herbst, Nat. Krabb. I (2—5) 1783, 107.
- granarius Carabus, N. Poda, Ins. Mus. Graec. 1761, 46.
- granarius Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 147.—Scarabaeus.
- granarius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 608.
- granaria Ligia (Herbst), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
- granarius Rynchophorus (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 14.—
- granarius Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 547. [Curculio.
- granatina Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 319.
- granatina Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 446.—Fringilla.
- granatina Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
- granatinus Trochilus, J. Latham, Index Orn. 1790, 305.
- granatius Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
- granatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
- granata Porcellana, F. C. Meuschen, Mus. Gever. 1787, 404.
- granata Trichoda, O. F. Müller, Verm. I (1) 1773, 78.
- granatum Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3584.
- grandaevella Phalaena (Tinea), G. Pajjkull, K. Vet. Ac. Nya Handl. VI. 1785, 224.
- grandaeva Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
- grandella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 288.
- grandinatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3585.

- grandinatus** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
- grandinella** Trichoda, O. F. Müller, Verm. I (1) 1773, 77.
- grandinella** Volvox, O. F. Müller, An. Infus. 1786, 14.
- grandior** Chrysis, P. S. Pallas, Reise Russ. I. 1771, 474.
- grandis** Aeshna (L.), J. C. Fabricius, Syst. Ent. 1775, 424.—Libellula.
- grandis** Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 458.
- grandis** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 504.
- grandis** Anser, J. P. Bonnaterre, Ency. Méth. 1790, 110.
- grandis** Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
- grandis** Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1029.
- grandis** Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 31.
- grandis** Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 12.
- grandis** Elophorus, Illiger in Kugelann, Käfer Preuss. 1798, 272.
- grandis** Gypaëtus, G. C. C. Storr, Alpenreise, I. 1784, 69.
- grandis** Hemerobius, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 28.
- grandis** Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 511.
- grandis** Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
- grandis** Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 227.
- grandis** Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 903.
- grandis** Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.—Tinea grandella, 1794.
- grandis** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3259.
- grandis** Necrophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 247.
- grandis** Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
- grandis** Notoxus, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 102.
- grandis** Pennatula, P. S. Pallas, Elench. 1766, 366.
- grandis** Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
- grandis** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 335.
- grandis** Psittacus, R. Kerr, Anim. Kingd. 1792; *var.* porphyrogaster, 593.
- grandis** Scarites, J. C. Fabricius, Suppl. Ent. Syst. 1798, 43.
- grandis** Stratiomys, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 175.
- granditarsa** Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
- granditarsa** Musca, J. R. Forster, N. Sp. Ins. 1771, 99.
- grandoculis** Sciaena, P. Forskal, Descr. Anim. 1775, 53.
- granella** Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 668.—Phalaena.
- granella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
- granella** Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 494.—Alucita, 1775.
- granifer** Conus, F. C. Meuschen, Mus. Gever. 1787, 352.
- granifera** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 120.
- granifera** Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
- graniolaris** *v.* craniolaris.
- granosa** Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
- granosa** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 173.
- granosus** Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 116.
- granosus** Trochus, T. Martyn, Univ. Conch. I. [1784 non 1769], fig. 37.
- granosa** Unio, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 107.
- granosa** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
- granularis** Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 238.
- granulare** Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [*n. n.*].
- granularis** Buprestis, Linnaeus, Faun. Suec., ed. 2, 1761, 214.
- granularis** Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
- granularis** Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
- granularis** Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135 [*n. n.*].
- granularis** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
- granularis** Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
- granulare** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
- granularis** Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
- granulator** Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 44.
- granulatum** Acrydium, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 190.

- granulatus* Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
granulata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 37. [235-
granulata Arca, F. C. Meuschen, Mus. Gever. 1787, 426.
granulata Balistes, G. Shaw in White, Journ. N. S. W. 1790, 295.
granulata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 107.—Helops, 1787.
granulatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
granulatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306, no. 593.
granulatum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 239.
granulatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 41.
granulata Calappa (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
granulatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1043.
granulatus Cancer, J. R. Forster, Cat. Anim. N. Amer. 1771, 33 [*n. n.*].
granulatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.
granulatum Cardium, F. C. Meuschen, Mus. Gever, 1787, 440.
granulatum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 476.—Murex.
granulatus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
granulata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 152.
granulata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 86.
granulatus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
granulatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.
granulatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
granulatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45 [*n. n.*].
granulatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
granulatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
granulatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3179.
granulata Gorgonia, E. J. C. Esper, Pflanzenth. II (7) 1791, 30.
granulatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2058.
granulata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
granulatus Helops, J. C. Fabricius, Mant. I. 1787, 214.
granulatus Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 243.
granulatus Lumbricus, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 293.
granulata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
granulatus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1226.
granulatus Octopus, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
granulatum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 90.
granulata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—
granulata Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268. [Helops.
granulatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 168.
granulata Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1266.
granulata Silpha, J. C. Fabricius, Mant. I. 1787, 49.
granulata Silpha, C. P. Thunberg, Ins. Suecica (5) 1794, 72.
granulatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 292.—Murex.
granulatus Tenebrio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 70.
granulatus Throx, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 12.
granulatus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 343.
granulatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
granulatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 286.
granulatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
granulatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
granulata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
granulella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
granulosa Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 421.
granulosus Chiton, J. F. Bolten, Mus. Bolten. (2), 1798, 196.
granulosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
granulosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
granulosa Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 87.
granulosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 274. [Hydatigena.
granulosa Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3062.—

- granulosa* Testudo, J. A. Donndorff, Zool. Beyt. III. 1798, 34.
granulosa Vesicaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 31.
granulum Volvox, O. F. Müller, An. Infus. 1786, 13. [canaliculatus].
granum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 752; ed. 12, 1767, 1222 [as *var.* of
granum Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
granum Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 143.—Nautilus.
graphicus Cancer, *err. pro* grapsus, L., M. Houltuyn, Nat. Hist. I (13) 1769, 356.
graphica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 295.
Graphium J. A. Scopoli, Intr. Hist. Nat. 1777, 433.—Lep.
grapsus Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
grapsus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
Graptolithus Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.—Coel.
grataria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 453.
gratilla Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
gratilla Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer), VIII. 1799, 75.
gratiosus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
grata Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 457.
gravidator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 133.
gravidator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
gravidata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 175.
gravidus Cataretus, Illiger in Kugelann, Käfer Preuss. 1798, 395.
gravidus Dermestes (Ill.), G. Paykull, Faun. Suec. III. 1800, 448.—Cataretus.
gravida Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
gravipes Syrphus, P. Rossi, Fauna Etrus. II. 1790, 286.
gravis Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 355.
gravis Curculio, J. C. Fabricius, Syst. Ent. 1775, 140.
grenovicensis Tringa, J. Latham, Syn. Birds, Suppl. I. 1787, 293.
grenovicensis Tringa, J. Latham, Index Orn. 1790, 731.
gregalis Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
gregalis Mus, P. S. Pallas, N. sp. Quad. II. 1779, 79.
gregarius Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2985.—Pagurus.
gregarius Cancer (Astacus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 65.—
gregarius Charadrius, P. S. Pallas, Reise Russ. I. 1771, 456. [Pagurus].
gregarius Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 316.
gregarius Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 389.
gregaria Galathea, J. C. Fabricius, Ent. Syst. II. 1793, 473.
gregarius Gryllus, P. Forskal, Descr. Anim. 1775, 81.
gregarius Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 377.
gregarius Microtus (L.), F. v. P. Schrank, F. Boica, I. 1798, 73.—Mus.
gregarius Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 84.
gregarius Pagurus, J. C. Fabricius, Syst. Ent. 1775, 412.
gregaria Sphex, Scopoli, Ent. Carn. 1763, 293.
gregarius Staphylinus, Scopoli, Ent. Carn. 1763, 102.
gregaria Tringa, B. C. Otto in Buffon, Naturg. Vögel, XXVI. 1797, 242.
gremius Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 433.
gressorius Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 465.
griessia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 236.
grieseus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 39.
grillii Gymnetrus, P. G. Lindroth, K. Vet. Ac. Nya Handl. XIX. 1798, 291.
grillivora Gracula, F. M. Daudin, Traité élém. Orn. 1800, 285.
grimmia Antilope, P. S. Pallas, Misc. Zool. 1766, 1.
grimmia Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 70.—[Moschus, ed. 12.]
grimmia Moschus, Linnaeus, Syst. Nat., ed. 12, 1766, 92.—[Capra, ed. 10.]
gripus Papilio, J. C. Fabricius, Syst. Ent. 1775, 829.
grisaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 159.
grisator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.—Lamia.
grisator Lamia, J. C. Fabricius, Mant. I. 1787, 136.
grisata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.

- grisealis* Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 231.
grisealis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
grisealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
griseana Pyralis, J. C. Fabricius, Ent. Syst. III (2), 1794, 265.
grisearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 216 [*n. et f.*].
grisearia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 331.
grisearia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
griseata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.
griseata Phalaena, Giorna, Cal. Ent. 1791, 41.
griseata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
grisebla Pupa, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
grisegena Colymbus, P. Boddaert, Tab. Planch. Enl. 1783, 55.
grisella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 289.
griseo-aeneus Curculio, C. de Geer, Mém. Ins. V. 1775, 221.
griseo-alba Ardea, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
griseo-apterus Curculio, C. de Geer, Mém. Ins. V. 1775, 242.
griseo-apterus Gryllus Tett. (De G.), C. de Villers, Linn. Ent. I. 1789, 450.—Locusta.
griseo-aptera Locusta, C. de Geer, Mém. Ins. III. 1773, 436.
griseo-capillata Columba, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 238.
griseo-collis Apis, C. de Geer, Mém. Ins. III. 1773, 576.
griseo-fusca Thrips, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 7.
griseolus Larus, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
griseola Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
griseola Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35 [*n. n.*].
griseo-nitida Chrysomela, C. de Geer, Mém. Ins. V. 1775, 325.
griseo-punctatus Curculio, C. de Geer, Mém. Ins. V. 1775, 217.
griseo-reticulata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
griseo-rubicundus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
griseo-striatus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 403.
griseo-thorax Motacilla, Maus [? Nau], Beytr. Nat. Mainzer Landes, II. [17..], 192 [not seen].
grisescens Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 110. [seen].
grisea Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 74.
grisea Alauda, J. A. Scopoli, Del. Insub. II. 1786, 95.
grisea Anas, P. Forskal, Descr. Anim. 1775, vi & 3.
grisea Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
grisea Andrena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 272.
grisea Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
griseus Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 377.
grisea Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
grisea Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
grisea Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
grisea Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 239.
grisea Blatta, C. de Geer, Mém. Ins. III. 1773, 540.
griseus Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
grisea Bombyx, C. P. Thunberg, Ins. Suecica (1) 1784, 1.
grisea Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 480.
griseus Buceros, J. Latham, Index Orn. 1790, 147.
griseum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 325.
griseus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1029.
griseus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—
griseus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 261. [Saperda].
grisea Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
grisea Certhia, J. Latham, Index Orn. 1790, 300.
grisea Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 161.
grisea Cicada, J. C. Fabricius, Syst. Ent. 1775, 683. [Tettigonia].
grisea Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—
griseus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
grisea Columba, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 252.

- grisea Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 220.
- grisea Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154.
- grisea-maculata Crotophaga, P. Forskal, Descr. Anim. 1775, vi & 2.
- griseus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
griseus Curculio, J. C. Fabricius, Syst. Ent. 1775, 148. [Crioceris.]
- griseus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
- griseus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 293.
- griseus Dytiscus, C. de Villers, Linn. Ent. I. 1789, 354.
- griseus Dytiscus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 342.—Hydrophilus.
- griseus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
- griseus Elophorus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 143.
- grisea Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
- grisea Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 345.
- griseus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 275.
- grisea Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1794.
- grisea Gracula, F. M. Daudin, Traité élém. Orn. 1800, 286.
- griseus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2059.
- griseus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2067.—Locusta.
- griseus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
- grisea Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
- griseus Hemerobius, J. C. Fabricius, Gen. Ins. 1777, 244.
- griseus Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.
- grisea Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
- griseus Hydrophilus, J. C. Fabricius, Mant. I. 1787, 189.
- griseus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 344.—Oriolus.
- griseus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.
- grisea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [n. n.].
- griseus Lemur, H. F. Link, Beytr. Nat. I (2) 1795, 64.
- griseus Lemur, E. Geoffroy, Mag. Encyclop. I (1) 1796, 48.
- grisea Locusta, J. C. Fabricius, Spec. Ins. I. 1781, 359.
- grisea Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 857.
- griseus Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—
grisea Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 22. [Curculio.]
- grisea Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 175.
- grisea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
- grisea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
- griseus Mycteris, J. R. Schellenberg, Helvet. Entom. I. 1798, 124.
- grisea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
- grisea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 69.
- griseum Opatrum, J. C. Fabricius, Spec. Ins. I. 1781, 89.
- griseus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 386.
- griseus Parus, O. F. Müller, Z. Dan. Prod. 1776, 34.
- grisea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
- grisea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
- gryseae Pennatula, P. S. Pallas, Elench. 1766, 367.
- grisea Perdix (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
- grisea-fasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 41.
- grisea Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
- grisea Phalaena Pyralis, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 87.
- grisea Phalaena, Hufnagel, Berl. Mag. III. 1767, 412.
- grisea Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 909.
- grisea Pimelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 68.
- grisea Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1000.
- grisea Planaria, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 38.
- grisea Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
- grisea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 564.
- griseus Reduvius, P. Rossi, Fauna Etrus. II. 1790, 257.
- grisea Saperda, J. C. Fabricius, Syst. Ent. 1775, 186.

- grisea Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 658.
- griseus Scorpio, J. C. Fabricius, Ent. Syst. II. 1793, 435.
- griseus Semblis, J. C. Fabricius, Spec. Ins. I. 1781, 386.—Hemerobius, 1777.
- grisea Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.
- grisea Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 85.—Opatrum.
- grisea Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 313.—Vespa.
- griseus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1495.
- grisea Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 394.
- grisea Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla.
- griseus Tabanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2886.
- grysea Taenia, P. S. Pallas, Elench. 1766, 408.
- grisea Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 892.
- griseus Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
- griseus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
- grisea Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
- grisea Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
- grisea Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 681.
- griseus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
- griseus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
- grisea Vespa, J. C. Fabricius, Syst. Ent. 1775, 372.
- grislagine Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 529.
- grisola Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
- grisus Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 28.
- groendaliana Tortrix, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
- groenlandicus Astacus, J. C. Fabricius, Syst. Ent. 1775, 416. [Astacus.]
- groenlandicus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—
- grönlandicus Cancer (Astacus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 79.—Astacus.
- groenlandicus Canis, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799, 270.
- groenlandicum Cardium (ex Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 222.
- groenlandica Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488.
- groenlandicus Falco, F. M. Daudin, Traité élém. Orn. 1800, 107.
- groenlandicus Homo, O. Fabricius, F. Groen. 1780, 3.
- groenlandica Phoca, O. Fabricius in O. F. Müller, Z. Dan. Prod. 1776, viii.
- groenlandica Phoca, R. Kerr, Anim. Kingd. 1792, 125; var. nigra.
- grönlandica Procellaria, J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 200.
- groenlandicus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 99.
- groenlandicus Tabanus, O. Fabricius, F. Groen. 1780, 208.
- groenlandicus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
- groenlandicus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
- grogne Papilio, *err. pro* progne, Fab. 1777, J. C. Fabricius, Mant. II. 1787, 50.
- gronovianus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.—
- gronoviana Natrix, J. N. Laurenti, Syn. Rept., 1768, 75. [Natrix.]
- gronoviella Phalaena, J. A. Scopoli, Annus V. 1772, 119.
- [gronovii]—
- gronvoii (*sic*) Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 52.
- gronovii Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
- gronovii Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 88.
- gronovii Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1954.
- gronovii Gobiomorus (Gm.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.—
- gronovii Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1205. [Gobius.]
- gronovii Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
- gronovii Papilio (ex Scop.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 251.
- gronovii Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 83.
- gronovii Scarabaeus, J. A. Scopoli, Annus V. 1772, 82.
- gronovii Scorpaena, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 383.
- gronovius Caudisona, J. N. Laurenti, Syn. Rept. 1768, 04.
- gronvoii *v.* gronovii.

- Gros *err. pro* Grus, P. Boddaert, Tab. Planch. Enl. 1783, 52.—A.
- grosse Papilio, *err. pro* prosope, Fabr. 1775, J. C. Fabricius, Mant. II. 1787, 49.
- grossana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 45.
- grossicornis Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 656.
- grossificationis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
- grossipes Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 290.
- grossipes Astacus, F. C. Meuschen, Mus. Gronov. 1778, 86.
- grossipes Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1055.
- grossipes Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 123.
- grossipes Cimex, C. de Geer, Mém. Ins. III. 1773, 308.
- grossipes Gammarus, J. C. Fabricius, Gen. Ins. 1777, 248.
- grossipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
- grossipes Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 207.
- grossipes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 135.
- grossipes Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 988.
- grossipes Nymphon (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 417.—Phalangium.
- grossipes Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3), 1799, 1.
- grossipes Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1027.
- grossipes Pycnogonum, O. Fabricius, F. Groen. 1780, 229.
- grossipes Pycnogonum (L.), J. C. Fabricius, Spec. Ins. II. 1781, 476.—Phalangium.
- grossorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 136.
- grossularia Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55. [n. et f.]
- grossulariaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 81
- grossulariata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 867.
- grossus Acarus, P. S. Pallas, Spic. Zool. IX. 1772, 43.
- grossum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 100.
- grossum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 230.—Gryllus.
- grossus Alurnus, J. C. Fabricius, Syst. Ent. 1775, 94.
- grossa Apis, D. Drury, Ill. Nat. Hist. I. 1770, index & 108.
- grossus Asilus, J. C. Fabricius, Syst. Ent. 1775, 791.
- grossa Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 577.
- grossa Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 328.
- grossa Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 81.
- grossa Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 317.
- grossa Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—Tetti-
- grossa Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 282. [gonia.]
- grossus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
- grossa Fasciola, O. F. Müller, Verm. I (2) 1774, 67.
- grossa Formica, J. C. Fabricius, Mant. I. 1787, 309.
- grossus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
- grossus Gyrimus, A. Modeer, Physiogr. Sölsk. Handl. I (3) 1776, 156.
- grossa Hirudo, O. F. Müller, Z. Dan. Prod. 1776, 220.
- grossa Hispa (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.—Alurnus.
- grossa Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 307.
- grossa Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 991.
- grossa Nepa, J. C. Fabricius, Mant. II. 1787, 277.
- grossa Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
- grossa Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
- grossa Pimelia, J. C. Fabricius, Ent. Syst. I (1) 1792, 101.
- grossa Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
- grossa Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
- grossa Spheg, J. C. Fabricius, Suppl. Ent. Syst. 1798, 245.
- grossa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 232.
- grossus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 676.
- grossa Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
- grotiana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—Pyralis.
- grotiana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 508.
- gruis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.

- gruis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
- grunniens Bos, Linnaeus, Syst. Nat., ed. 12, 1766, 99.
- grunniens Bos, R. Kerr, Anim. Kingd. 1792; *varr.* ghainouk, sarlyk, ecornis, 338.
- grunniens Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451.
- Grus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 6 & 60.—A.
- Grus P. S. Pallas, Misc. Zool. 1766, 66.—A.
- grus Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 234.
- grus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 73.
- grylle Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130.
- grylle Colymbus, Linnaeus, Faun. Suec., ed. 2, 1761, 52.
- grylle Uria (L.), M. T. Brünnich, Orn. Boreal. 1764, 28.—Colymbus.
- grylle Pediculus, *v.* P. colymbi grylle, Müll., O. Fabricius, F. Groen. 1780, 218.
- grylli Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
- gryllivora Gracula, G. Cuvier, Tab. Elém. 1798, 205.
- grylloides Gryllus, P. S. Pallas, Spic. Zool. IX. 1772, 16.
- grylloides Acanthia (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 69.—Cimex.
- grylloides Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 246.
- grylloides Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
- grylloides Colymbus [= grylle, L.], E. Pontoppidan, Danske Atlas, I. 1763, 621.
- grylloides Gryllus, *v.* grylloides.
- grylloides Uria, M. T. Brünnich, Orn. Boreal. 1764, 28.
- gryllotalpa Acheta (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—Gryllus.
- gryllotalpa Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 693.
- gryllotalpae Pediculus, J. C. Fabricius, Gen. Ins. 1777, 310.
- Gryllus Linnaeus, Syst. Nat., ed. 10, 1758, 425; ed. 12, 1767, 692; divided by him into Mantis, Acrida, Bulla, Acheta, Tettigonia, Locusta. Apparently these words are used by Linnaeus in a subgeneric sense, for in the 12th ed. Mantis is elevated to the rank of a genus.
- grynea [Phalaena], P. Cramer, Utit. Kapellen, III (18) 1779, 29.
- gryphica Chama, Linnaeus, Mant. II. 1771, 546.
- gryphipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
- "gryphites Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 164.
- "Gryphites, Walch, 1768," Herm.; not used in a generic sense.
- gryphoide Psilopoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—Chama.
- gryphoides Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
- gryphoides Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1139.
- gryphoides Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3302.
- gryphoides Macerophyllum (L.), F. C. Meuschen, Mus. Gever. 1787, 430.—Chama.
- gryphoides Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*n. n.*].
- "Gryphus, Briss. 1760," Ag.; not used in a generic sense.
- "Gryphus, Humph. 1797," Scudd.; I cannot find this word.
- gryphus Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
- gryphus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 399.
- gryphus Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 121.
- "Gryphytes, Da Costa, 1776," Herm.; not used in Linnaean sense.
- griphytes Chama, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [*n. n.*].
- guadeloupensis Acheta, J. C. Fabricius, Ent. Syst. II. 1793, 32.
- guadeloupensis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 313.
- guadeloupensis Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 504.
- guadelupensis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 16.
- guainumbi Trochilus, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
- guajanensis *v.* guianensis.
- guajanus *v.* guianus.
- gualterianus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- gualtierana Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
- guanicoe Camelus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 50.
- huanacus (*sic*) Camelus, G. I. Molina, Sag. stor. nat. Chili, 1782, 317.
- guara Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 598.

- guarauna Numenius (L.), J. Latham, Index Orn. 1790, 712.—Scolopax.
 guarauna Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 242.
 guarouba Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 320; *var. mexicanus*.
 guaza Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1289.
 gubernacula Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
 gubernaculum Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
 gubernator Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 727.
 guebiensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 318.
 guenbyensis Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
 guepard Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
 gujanensis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1030.
 gujanensis Didelphis, R. Kerr, Anim. Kingd. 1792, 194.
 guianensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 78.
 gujanensis Lutra, H. F. Link, Beitr. Nat. I (2) 1795, 84.
 guyannensis (*sic*) Manatus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800,
 Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 988. [732.
 gujanensis Mustela, R. Kerr, Anim. Kingd. 1792, 177.
 guianensis Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 174.
 guianensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
 gujanensis Perdix (Gm.), J. Latham, Index Orn. 1790, 650.—Tetrao.
 gujanensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 324.
 guajanensis (*sic*) Sciurus, R. Kerr, Anim. Kingd. 1792, 265.
 guianensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 514.—Motacilla.
 gujanensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 893.
 gujanensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 767.
 gujanensis Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
 gujanensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 809.
 guajanus (*sic*) Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 146.
 guigna Felis, G. I. Molina, Sag. stor. nat. Chili, 1782, 295.
 guinaicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 697.
 guinea Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 282.
 guineensis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 328.
 guineensis Cervus, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.
 guineensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
 guineensis Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 20.
 guineensis Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 245.
 guineensis Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 165.
 guineensis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
 guineensis Elops, G. A. Suckow, Naturges. IV. 1799, 727.
 guineensis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 357.
 guineensis Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3689.
 guineensis Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 367.
 guineensis Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 34.
 guineensis Ovis, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.
 guineensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
 guineensis Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
 guineensis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 81.
 guineensis Psittacus, J. F. Miller, Icon. Anim., pl. 29 (1780).
 guineensis Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 43.
 guineensis Scyllarus, L. Spengler, Nye Saml. K. Danske Skrifter, V (2), 333.
 guineensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
 guineensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3270.
 guineensis Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 277.
 guineensis Zygaena, J. C. Fabricius, Syst. Ent. 1775, 551.
 "Guinetta, Briss. 1760," Waterh.; not used in a generic sense.
 guira Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 414.
 guira Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 335.
 guira Sylvia (L.), J. Latham, Index Orn. 1790, 547.—Motacilla.

- guisea** Cancroma, P. Boddaert, Tab. Planch. Enl. 1783, 54.
gujanensis *v.* **guianensis**.
gularis Ardea, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 4.
gularis Certhia, A. Sparman, Mus. Carls. IV. 1789, no. lxxix.
gularis Colymbus, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 188.
gularis Loxia, F. M. Daudin, Traité élém. Orn. 1800, 412.
gularis Merops, G. Shaw, Nat. Misc. IX. 1798, pl. 337.
gularis Motacilla, J. F. Miller, Icon. Anim., pl. 30 (1779).
gularis Paradisea, J. Latham, Index Orn. 1790, 196.
gularis Sylvia (Mill.), J. Latham, Index Orn. 1790, 552.—Motacilla.
gularis Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
gularis Todus, J. Latham, Index Orn. 1790, 268.
gularis Trochilus, J. F. Miller, Icon. Anim., pl. 30 (1779).
gularis Trochilus, J. Latham, Index Orn. 1790, 306.
Gulo P. S. Pallas, Spic. Zool. XIV. 1780, 25.—M. [? used in a generic sense.]
Gulo G. C. C. Storr, Prod. 1780, 34 & tab. A.—M.
gulo Fasciola, O. F. Müller, Verm. I (2) 1774, 56.
gulo Meles (L.), P. Boddaert, Elench. 1785, 81.—Mustela.
gulo Mergus, J. A. Scopoli, Annus I. 1769, 69.
gulo Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 67.
gulo Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
gulo Ursus (L.), J. C. D. Schreber, Saugth. III. 525 (1777) & pl. cxliv (1776).—Mustela.
gulonis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
gulonis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
gulosa Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
gulosa Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
gulosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 441.
gulosa Formica, J. C. Fabricius, Syst. Ent. 1775, 395.
gundi Arctomys (Roth.), P. S. Pallas, Nov. Sp. Quad. II. 1779, 98.—Mus.
gundi Mus, G. Rothman in Schloezer, Briefwechsel, I. 1776, 339.
gundiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 42 [*n. et f.*].
gundiana Tortrix, [Roth v. Schreckenstein], Schmett. Donau, 1800, 36.
gunnellus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 443.
gurgus Gryllus, O. G. Tychsen in Asso y del Rio, Heuschrecken, 1787, 73.
gurnardus Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
gurnio Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.—*err. pro* pusio Ostrea, Gm.
guttacum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.
guttalis Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 247.
guttalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. I (1) 1786, 4.
guttalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
guttato-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 583.
guttato-pustulata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 87.
guttata Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 42.
guttata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
guttatus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.
guttatus Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 467.
guttata Bembex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
guttatus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 36.
guttatus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 218.
guttata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
guttata Buprestis, A. G. Olivier, Entom. II. 1790, 70.
guttata Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
guttata Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 384.
guttata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 30 [*n. n.*].
guttata Cetonia, A. G. Olivier, Entom. I. 1789, 15.
guttatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 55.
guttata Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
guttata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.

- guttata* Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 313.
guttata Cicada, J. R. Forster, N. Sp. Ins. 1771, 68.
guttata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
guttata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 751.
guttatus Cimex, J. C. Fabricius, Mant. II. 1787, 291.
guttatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 385.
guttatus Conus, F. C. Meuschen, Mus. Gever. 1787, 356.
guttatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
guttatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
guttatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 502.
guttatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
guttatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
guttatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
guttata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3402.
guttatus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 211.
guttatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1296.
guttatus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 149.
guttata Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1078.
guttatus Lampris, A. J. Retzius, K. Vet. Ac. Nya Handl. XX. 1799, 98.
guttatus Lanius, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
guttata Loxia, G. Shaw, Mus. Lever. II. 1796, 47.
guttata Mantis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
guttata Mordella, G. Paykull, Faun. Suec. II. 1799, 186.
guttata Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
guttata Muraena, P. Forskal, Descr. Anim. 1775, 22.
guttata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 495.
guttata Nerita, F. C. Meuschen, Mus. Gever. 1787, 266.
guttata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
guttata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3721.
guttata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 485.
guttata Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 29.
guttata Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.—Sphex, 1793.
guttatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1558.
guttata Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
guttata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 215.
guttatus Stincus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
guttatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98.
guttata Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 264.
guttatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
guttata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
guttata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 436.
guttatus Zeus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, III. 1788, 403.
guttella Phalaena (Tin.) Fab., C. de Villers, Linn. Ent. II. 1789, 506.—Tinea.
guttella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
guttigerus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 32.
guttulatus Julus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 289.
guttulata Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 175.
guttulus Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
guttula Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 166.
guttula Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.—Reduvius.
guttula Curculio, J. C. Fabricius, Mant. I. 1787, 107.
guttula Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 229.—Carabus.
guttula Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 162.
guttula Reduvius, J. C. Fabricius, Mant. II. 1787, 314.
gutturalis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
gutturalis Hirundo, J. A. Scopoli, Del. Insub. II. 1786, 96.
gutturalis Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 340.
gutturalis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.

- gutturalis* Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.
gutturator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.—
gutturator Lamia, J. C. Fabricius, Syst. Ent. 1775, 172. [Lamia.
gutturium Tudicla, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
gutturosa Antilope, P. S. Pallas, Spic. Zool. XII. 1777, 46.
gutturosa Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 280.
guyannensis *v.* *guianensis*.
guzurata Sylvia, J. Latham, Index Orn. 1790, 554.
gvaza Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
gyas Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 324.—Papilio.
gyas [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 45.
gyas Scarabaeus, Jablonsky, Nat. Ins. (Käfer) I. 1785, 263.
gyges [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 9.
gyllenhalella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.
gyllenhahlana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 22.
Gymneterus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [n. n.].—P.
Gymneterus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 94.—P.
gymnista Cancer, *err. pro* *symnista*, L., M. Houttuyn, Nat. Hist. I (13) 1769, 422.
Gymnocephalus M. E. Bloch, Nat. ausl. Fische, VII. 1793, 24.—P.
gymnocephalus Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 517.
Gymnogaster L. T. Gronovius, Zooph. I. 1763, 136.—P.
Gymnopterion F. v. P. Schrank, F. Boica, I. 1798, 373.—Col.
gymnopterorum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
Gymnothorax G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [n. n.].—P.
Gymnothorax M. E. Bloch, Nat. ausl. Fische, IX. 1795, 83.—P.
Gymnotus Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 427; [Artedi, Ichth. 1738,
gyon Zygæna, J. C. Fabricius, Mant. II. 1787, 105. [gen. xxi, 25.].—P.
“Gypaetos, Storr, 1780,” Ag.; does not occur.
Gypaetos J. M. Bechstein in his ed. of Levaillant, Naturg. Afrik. Vögel, heft 3 [1798], 77.
Gypaetos B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A. [—A.
Gypaetos F. M. Daudin, Traité Orn. II. 1800, 22.—A.
Gypaetus G. C. C. Storr, Alpenreise, I. 1784, 69.—A.
Gypaetus R. Kerr, Anim. Kingd. 1792, 477.—*v. et.* Falco.
Gyperogeranus Recensent in Bechstein, Latham's Vögel, VI. 1798, 536.—A.
gyratrix Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 280.
giratum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114.
gyrfalco Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 7.—Falco.
gyrfalco Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
gyrinoides Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 199.
gyrinoides Gekko, F. A. A. Meyer, Syn. Rept. 1795, 25.
Gyrinus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 193.—Col.
Gyrinus Linnaeus, Syst. Nat., ed. 12, 1767, 567.—Col.
Gyrinus J. Hermann, Tab. aff. Anim. 1783, 258.—Amph.
Gyrinus C. Shaw, Nat. Misc. IX. 1798, pl. 342.—R.
gyrinus Cercaria, O. F. Müller, Verm. I (1) 1773, 64.
gyrinus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216,
gyrinus Trichoda, O. F. Müller, An. Infus. 1786, 163.
gyrinus Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 127.—Murex.
gyrola Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181.—[Tanagra, ed. 12.]
gyrola Tanagra, Linnaeus, Syst. Nat. ed. 12, 1766, 315.
gyrosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 163.

- haemacephalus* Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 88.
haemachata Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 120.
haemagaster Cantharis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 321.
haemagaster Cimex, F. v. P. Schrank, Ins. Aust. 1781, 270.
haemaptera Chrysomela, *v.* *haemoptera*, Linnaeus, Faun. Suec., ed. 2, 1761, 161.

- haemastica** Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147.
haemastoma Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1202.
haemastomus Bulimus, J. A. Scopoli, Del. Insub. I. 1786, 67.
haemastoma Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
haemastoma Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
haemastomus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
haematitidea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [antea
haematitis Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66. [1796], 12.
haematites Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 280.
haematitis Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
haematocephalus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
haematoceras Elater, F. v. P. Schrank, Ins. Aust. 1781, 185.
haematocnemis Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
haematoda Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 965.
haematodes Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 28.
haematodes Cicada, Scopoli, Ent. Carn. 1763, 118.
haematodes Elater, J. C. Fabricius, Gen. Ins. 1777, 235.
haematodes Psittacus, Linnaeus, Mant. II. 1771, 524.
haematodes Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 336.
haematodes Tettigonia (Scop.), J. C. Fabricius, Syst. Ent. 1775, 680.—Cicada.
haematopi Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
haematopodis Pediculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2919.—[haema-
topi, L., est.]
Haematopus Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.—A.
haematopum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—Gryllus.
haematopus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 490.
haematopus Curculio, v. **haeruatopus**, J. F. Gmelin in Linn. Syst. Nat., ed. 13.
haematopus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
haematopus Ichneumon, F. v. P. Schrank, Baier. Reise, 1786, 260.
haematopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
haematopus Pediculus, Scopoli, Ent. Carn. 1763, 381.
haematosticta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
haematostictos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
haematostoma Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
haematostoma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
haematotus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
haematotus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 316; *varr.* mo-
lucanus, novae-hollandia.
haematotus Psittacus, R. Kerr, Anim. Kingd. 1792, *var.* daviesianus, 565.
haematragus Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 400.
haematuropygius Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
haemelyter Elater, F. v. P. Schrank, F. Boica, I. 1798, 590.
haemoptera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
haemopterus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
haemorrhoea Apis, J. C. Fabricius, Spec. Ins. I. 1781, 481.
haemorrhoea Cantharis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 321.
haemorrhoea Cicada, F. v. P. Schrank, Ins. Aust. 1781, 256.
haemorrhoea Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
haemorrhoea Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 93.
haemorrhoidalis Adimonia, J. A. Frolich, Naturforscher, XXVIII. 1799, 34.
haemorrhoidalis Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 377.—Apis.
haemorrhoidalis Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 23.—Scara-
haemorrhoidalis Apis, J. C. Fabricius, Syst. Ent. 1775, 386. [baeus.
haemorrhoidalis Apis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791,
haemorrhoidalis Apis, J. L. Christ, Nat. Ins. 1791, 189. [126.—Andrena.
haemorrhoidalis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 389.
haemorrhoidalis Buprestis, J. F. W. Herbst, Schrift. Berlin. Ges. Nat. Freunde, I. 1780,
haemorrhoidalis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 223. [97.

- haemorrhoidalis Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1898.
 haemorrhoidalis Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 216.
 haemorrhoidalis Carabus, J. C. Fabricius, Mant. I. 1787, 203.
 haemorrhoidalis Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
 haemorrhoidalis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
 haemorrhoidalis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
 haemorrhoidalis Coccinella (L.), Scopoli, Ent. Carn. 1763, 72.—Chrysomela.
 haemorrhoidalis Coccinella, J. C. Fabricius, Gen. Ins. 1777, 218.
 haemorrhoidalis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 21.
 haemorrhoidalis Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 111.
 haemorrhoidalis Copris, A. F. de Fourcroy, Ent. Paris. 1785, 15.
 haemorrhoidalis Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 147.—Scarabaeus.
 haemorrhoidalis Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 608.
 haemorrhoidalis Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's] II.
 haemorrhoidalis Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 67. [1792, 202.
 haemorrhoidalis Culex, J. C. Fabricius, Mant. II. 1787, 364.
 haemorrhoidalis Curculio, J. C. Fabricius, Syst. Ent. 1775, 140.
 haemorrhoidalis Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78.
 haemorrhoidalis Diaperis (Fab.), G. Paykull, Faun. Suec. III. 1800, 360.—Ips.
 haemorrhoidalis Dytiscus, J. C. Fabricius, Mant. I. 1787, 191.
 haemorrhoidalis Dytiscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 64.
 haemorrhoidalis Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
 haemorrhoidalis Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 119.
 haemorrhoidalis Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
 haemorrhoidalis Hypophloeus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's],
 haemorrhoidalis Ips, J. C. Fabricius, Mant. II. 1787, 378. [IV. 1792, 499.—Ips.
 haemorrhoidalis Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 118.
 haemorrhoidalis Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
 haemorrhoidalis Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 539.
 haemorrhoidalis Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 87.
 haemorrhoidalis Melolontha, A. G. Olivier, Entom. I. 1789, 79.
 haemorrhoidalis Musca, C. de Villers, Linn. Ent. III. 1789, 548.
 haemorrhoidalis Nitidula, J. C. Fabricius, Gen. Ins. 1777, 216.
 haemorrhoidalis Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 970.
 haemorrhoidalis Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
 haemorrhoidalis Saperda, J. C. Fabricius, Ent. Syst. IV. 1794, 453.
 haemorrhoidalis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
 haemorrhoidalis Scolia, J. C. Fabricius, Mant. I. 1787, 280.
 haemorrhoidalis Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 342.
 haemorrhoidalis Sesia, J. C. Fabricius, Syst. Ent. 1775, 549.
 haemorrhoidalis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 235.—Ips.
 haemorrhoidalis Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
 haemorrhoidalis Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.—
 haemorrhoidale Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 67. [Sphaeridium.
 haemorrhoidalis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 443.
 haemorrhoidalis Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
 haemorrhoidalis Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 haemorrhoidalis Staphylinus, A. G. Olivier, Entom. III. 1795, 11.
 haemorrhoidalis Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 417.
 haemorrhoidalis Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
 haemorrhoidalis Trogon, B. Merrem, Avium rar. Icones, II. 1786, 33.
 haemorrhoidalis Vespa, J. C. Fabricius, Syst. Ent. 1775, 366.
 haemorrhous Cacicus (L.), F. M. Daudin, Traité élém. Orn. 1800, 328.—Oriolus.
 haemorrhous Cimex, Linnaeus, Amoen. Acad. VI. 1763, 400.
 haemorrhous Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
 haemorrhous Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer), VI. 1795, 399.
 haemorrhous Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 26.
 haemorrhous Oriolus, Linnaeus, Syst. Nat. ed. 12, 1766, 161.

- haemorrhousa** Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2772.
haemorrhousa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
haemorrhousa Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
haemostata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
haemotodes Tenthredo, J. L. Christ, Nat. Ins. 1791, 440.
haeruatopus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1760.
haeruca J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.—Ver. *v.* Heruca.
haeruca Pseudoechinorynchus (Pall.), J. A. E. Goeze, Eingeweidewürm. 1782, 41.—*Taenia*.
haeruca *Taenia*, P. S. Pallas, Elench. 1766, 415.
Haerucula P. S. Pallas, De Infestis, 1760, 52 (also in E. Sandifort, Thes. Diss. Progr. I.
haffara Sparus, P. Forskal, Descr. Anim. 1775, 33. [1768, 289].—Ver.
hafniense Callidium, J. C. Fabricius, Syst. Ent. 1775, 190.
hafniensis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1977.
hafniensis Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—*Callidium*.
hafniensis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2103.
hafniensis Libellula, O. F. Müller, F. Ins. Frid. 1764, 61.
hafniensis Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2826.
hagedash Tantalus, J. Latham, Index Orn. 1790, 709.
haje Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
halavi Raja, P. Forskal, Descr. Anim. 1775, 19.
Halcyonia P. S. Pallas, Char. Thierpfl. II. 1787, 158.—*v.* *Alcyonia*.
halecina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308.
halecis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
halecis Capsularia (Gm.), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm, 1800, 13.
halecis Cucullaria, O. Fabricius, Skr. nat. Selsk. [Copen.] III (2) 1794, 33. [—*Ascaris*.
halecis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3058.
halecum Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.
halensis Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 317.
halensis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 589.
halensis Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
halensis Dytiscus, J. C. Fabricius, Mant. I. 1787, 192. [Chrysomela.
halensis Mutilla, J. C. Fabricius, Mant. I. 1787, 312.
halensis Oestrus, J. C. D. Schreber, Nov. Spec. Ins. 1759, 15.
halesus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—*Papilio*.
halesus [*Papilio*], P. Cramer, Uitl. Kapellen, II (9) 1777, 3.
haliaetus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 129.
haliaëtus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 263; *varr.* *arundina-*
ceus, *carolinensis*, *cayenensis*.
Haliotis Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.—*G*.
Haliotoidea [G. Humphreys] Mus. Calonn. 1797, 20.—*G*.
haliotoidea Auriformis, F. C. Meuschen, Mus. Gever. 1787, 250.
haliotoidea Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
haliotoidea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
haliotoidea Sigaretus (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 77.—*Helix*.
haliotoideum Sinum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 14.—*Helix*.
Halix G. Edwards in M. Catesby, Carol. I. 1771, xxxiii.—*P*.
halliana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 45.
Hallomenus G. W. F. Panzer, Fauna Germ. (16) 1793, tab. 17.—*Col*.
Hallominus G. Paykull, Faun. Suec. II. 1799, 179.—*Col*.
halodendri Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 724.
halterata Ephemera, J. C. Fabricius, Gen. Ins. 1777, 244.
halterata Musca, G. W. F. Panzer, Ins. Germ., heft 54 [1798], tab. 13.
halterata Panorpa, P. Forskal, Descr. Anim. 1775, 97.
halterata Panorpa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 208.
halterata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 608.
halterata Zygaena, J. C. Fabricius, Syst. Ent. 1775, 555.
halyma Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 243.
halys Coluber, P. S. Pallas, Reise Russ. III. 1776, 703.

- halys [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 129.
- hamadrius *v.* hamadryas.
- hamadryas Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 22.—Simia.
- hamadryas Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 152.—Scarabaeus.
- hamadrius (*sic*) Cynocephalus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795,
- hamadryas Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 22. [462.—Simia.
- hamadryas Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 36.
- hamadryas Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 63; *var.* ursinus.
- hamalis Pyralis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
- hamana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
- hamatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 503.
- hamatus Apate, J. C. Fabricius, Mant. I. 1787, 33.
- [hamatus Araneus, C. Clerck, Aran. Svec. 1757, 51.]
- hamatus Araneus, T. Martyn, Aranei, 1793, 23.
- hamatus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.—Apate.
- hamatus Carabus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 50.
- hamata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
- hamatus Cimex, J. C. Fabricius, Mant. II. 1787, 286.
- hamatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 218.—Apate.
- hamata Formica, J. C. Fabricius, Spec. Ins. I. 1781, 494.
- hamatus Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.—Acry-
[dium].
- hamata Phalaena, P. Rossi, Mant. Ins. II. 1794, 37.
- hamatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 381.
- hamata Vorticella, O. F. Müller, An. Infus. 1786, 278.
- hamatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.
- hamburgia Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 854.
- hamella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- hameri Lepas, P. Ascanius, Icon. I. 1767, 54.
- hamma Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
- “Hammonia, Sold. 1780,” Ag.; not used in a Linnean sense.
- Hammonia P. Brown, Hist. Jamaica, ed. 2, 1789, 397.—G.
- hammonis Helix, H. Ström, Trondhiemske Selsk. Skrift. III. 1765, 435.
- “hammonites Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 162.
- hamrur Sciaena, P. Forskal, Descr. Anim. 1775, 45 [*v.* also 52].
- Hamster B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
- hamula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
- hamula Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 179.
- Hamularia F. A. Treutler, Obs. Helminth. human. corp. 1793, 10.—Ver.
- hannasch-asuaed Coluber, P. Forskal, Descr. Anim. 1775, viii & 15.
- hannibal [Sphinx], P. Cramer, Utitl. Kapellen, III (18) 1779, 39.
- hanno [Papilio], C. Stoll, Aanh. Cramer’s Utitl. Kapellen, V. 1790, 170.
- hannoveriana Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 102.
- hannoveriana Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
- haquinus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 55.
- harak Sciaena, P. Forskal, Descr. Anim. 1775, 52.
- haraldus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 317.
- haraldus Papilio, J. C. Fabricius, Mant. II. 1787, 82.
- harangus *v.* harengus.
- harbai Lacerta, P. Forskal, Descr. Anim. 1775, ix.
- harcyniae *v.* hercyniae.
- Harengus E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 405.—P.
- Harengus G. Edwards in M. Catesby, Carol. II. 1771, 24.—P.
- Harengus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 587.—P.
- harengum Ascaris (Bl.), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.—Gordius.
- harengum Astacus, J. C. Fabricius, Reise Norwegen, 1779, 249. [114.—Astacus.
- harangum Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
- harengus Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 522.
- harangum Gordius, M. E. Bloch, Eingeweidewürmer, 1782, 33.

- harid** Scarus, P. Forskal, Descr. Anim. 1775, 30.
harmodius [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 49.
harmonia [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 142.
harmonia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 20.
Harpa [G. Humphreys], Mus. Calonn. 1797, 18.—G.
Harpa J. F. Bolten, Mus. Bolten. (2) 1798, 149.—G.
Harpa Lamarck, Mem. Soc. H. N. Paris, 1799, 71.—G.
harpa Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1201.
harpa Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 384.—Buccinum.
harpa Harpa (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 72.—Buccinum.
harpa Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
harpa Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [n. n.].
harpa Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 14.
harpa Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58 [n. n.].
harpago Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
harpagon Cimex, J. C. Fabricius, Syst. Ent. 1775, 717.
harpagon Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 146.—Cimex, 1775.
harpagula Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 373.
harpalyce [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 78.
harpana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 77 [n. et f.].
harparia Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 449.
harpator Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2188.
harpax Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
harpax Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 274.
harpax Papilio, J. C. Fabricius, Syst. Ent. 1775, 829.
harpedone Libellula, J. H. Sulzer, Gesch. Ins. 1776, 168.
harpella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [n. et f.].
harpella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
Harpurus J. R. Forster, Ench. 1788, 84.—P.
harpyja Falco (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 251.—Vultur.
harpyja Falco (Gypaetus) L., R. Kerr, Anim. Kingd. 1792, 477.
harpyja Gypaetos (L.), F. M. Daudin, Traité élém. Orn. 1800, 27.—Vultur.
harpyja Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 104.
harpyja Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 140.
harpyja Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 121.
harrisella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 363.
harrisella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena.
hartmanniana [Phalaena], C. Clerck, Icones, I. 1759, pl. iv., 10.
hartmanniana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 345.
hartmanniana Pyralis (Cl.), J. C. Fabricius, Mant. II. 1787, 226.—Phalaena.
haruspe Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
hasdrubal [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 90.
hassan [Papilio], C. Stoll, Aahang. Cramer's Uitl. Kapellen, V. 1790, 168.
hasselquistii Aranea, Scopoli, Ent. Carn. 1763, 399.
hasselquistii Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 133.
hasta Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 109.
hastatoides Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
hastatoides Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 368.
hastator Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 233.—Ichneumon, 1793.
hastator Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
hastator Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 28.
hastator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 129.
hastator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 167.
[hastatus Araneus, C. Clerck, Aran. Svec. 1757, 115.]
hastatus Araneus, T. Martyn, Aranei, 1793, 53.
hastata Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
hastatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
hastatus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1046.

- hastata* Cicada, C. de Geer, Mém. Ins. III. 1773, 209.
hastatus Cimex, J. C. Fabricius, Mant. II. 1787, 287.
hastata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 77.
hastatus Coluber, G. A. Suckow, Naturges. III. 1798, 239.
hastatus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 132.—Cimex, 1787.
hastatus Dytiscus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 317. [*et f.*].
hastata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 256 [*n.*].
hastatus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 10.—Scarabaeus, 1792.
hastata Leptura, J. H. Sulzer, Gesch. Ins. 1776, 46.
hastata Membracis, J. C. Fabricius, Mant. II. 1787, 263.
hastata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767, 870.
hastatus Phyllostomus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.
hastatus Portunus (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
hastatus Pteropus, J. C. P. Erxleben, Syst. Anim. 1777, 136.
hastatus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 6.
hastatus Vespertilio, P. S. Pallas, Spic. Zool. III. 1767, 7.
hastiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 878.
hastiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
hasticornis Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 53.
hastile Brentus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1740.—Curculio.
hastile Curculio, P. S. Pallas, Icon. Ins. 1781, 25.
hastulata Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 110.
hastulifera Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 183.
hatorfiana Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.—Nomada.
hatorfiana Nomada, J. C. Fabricius, Syst. Ent. 1775, 389.
hatorfiana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—Pyralis.
hatorfiana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
hauberella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
haumela Clupea, P. Forskal, Descr. Anim. 1775, 72.
haustellatus Bombylius (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 329.—Tabanus.
haustellatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 517.
haustellatus Tabanus, J. C. Fabricius, Spec. Ins. II. 1781, 455.
haustellum Kerona, O. F. Müller, An. Infus. 1786, 238.
haustellum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.
haustellum Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
haustorium Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
Haustrum [G. Humphreys], Mus. Calonn. 1797, 30.—G.
haustrum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 9.
haustrum Kerona, O. F. Müller, An. Infus. 1786, 237.
havanensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 342.
havniensis *v.* hafniensis.
hawkenii Gymnetrus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 95.
hebe Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 581.—Phalaena.
hebe Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 270.
hebe Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 820.
hebenstreitella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
heber [Sphinx], P. Cramer, Utitl. Kapellen, III (24) 1780, 169.
hebes Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
hebes Chamaeiformis, F. C. Meuschen, Mus. Gever. 1787, 448.
hebes Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 174.
hebes Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
hebes Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.
hebetatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
hebraea Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
hebraeus Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 210.
hebraea Cetonia, A. G. Olivier, Entom. I. 1789, 89.
ebraea Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 86.
hebraea Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.

- ebraeus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
 ebraea Crioceris, J. C. Fabricius, Mant. I. 1787, 89.
 ebraeus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.—
 ebraeus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 42.—Conus. [Crioceris.
 hebraea Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 273.—Cerambyx, 1781.
 ebraeus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 326.—Voluta.
 ebraea Plejona (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 59.—Voluta.
 hebraea Vespa, J. C. Fabricius, Mant. I. 1787, 292.
 ebraea Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1194.
 hebraea Voluta, *id. ac* ebraea, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 hebraicus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 102. [3461.
 hebraicus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
 hebraica Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 363.
 hebridalis Podiceps, J. Latham, Syn. Birds, Suppl. I. 1787, 294.
 hebridicus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 594.
 hebridicus Podiceps (Gm.), J. Latham, Index Orn. 1790, 785.—Colymbus.
 hebrus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 301.—Papilio.
 hebrus [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 79.
 hecabe Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 763.
 hecale Papilio, J. C. Fabricius, Gen. Ins. 1777, 254.
 hecale Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 167.
 hecate Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
 hecate [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 33.
 hecate Scarabaeus, G. W. F. Panzer, Fauna Ins. Amer. 1794, 5.
 hecticus Asellus (Pall.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
 hecticum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1206.
 hecticus Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 61.
 hecticum Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
 hector Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 745.
 hector Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
 hectorides Papilio E. T., E. J. C. Esper, Ausl. Schmett. (16) 1798, 249.
 hectus Hepialus (L.), J. C. Fabricius, Syst. Ent. 1775, 589.—Phalaena.
 hecta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 119.
 hecta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 822.
 hecuba Papilio (E.), Linnaeus, Mant. II. 1771, 534.
 hecuba Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 19.
 hederacea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 491.
 hedonia Papilio (Nymphalis), Linnaeus, Mus. Lud. Utr. 1764, 279.
 hedyale [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 137.
 hedysari Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 15.
 hegesia [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 30.
 hegesia Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
 hegesippus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 128.
 Hegialus *err. pro* Hepialus, J. C. Fabricius, Mant. II. 1787, 134.
 heinrothi Lamia, J. Cederhielm, F. Ingric. 1798, 88.
 heiseana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 138.
 heiseana Pyralis, J. C. Fabricius, Mant. II. 1787, 231.
 heisei Pselaphus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 109.
 helblingii Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 99.
 helciarum Cabestana, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
 helcita [Papilio], C. Clerck, Icones, II. 1764, pl. xxxix.
 Helea J. G. Meigen, N. Class. Mouches, 1800, 18.—Dip.
 helenii Musca, C. de Villers, Linn. Ent. III. 1789, 536.
 helenor [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 135.
 helena Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425.
 helena Murenophis (L.), G. Cuvier, Tab. Elém. 1798, 329.—Muraena.
 helena Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
 helenus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 745.

- helenus** Papilio, J. C. Fabricius, Mant. II. 1787, 1.
heliacón Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 19.
heliaca Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.
heliaca Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 68.
helianthemoides Asterias, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 56.
helianthi Musca, P. Rossi, Mant. Ins. II. 1794, 73. [436].
helianthus Actinia, Ellis & Solander, N. H. Zooph. 1786, 6 [see Phil. Trans. LVII. 1767,
helianthus Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3869.—
helias Ardea, P. S. Pallas, N. nord. Beytr. II. 1781, 48. [Actinia].
helias Scolopax (Pall.), J. Latham, Index Orn. 1790, 725.—Ardea.
helice Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 243.
Helicina Lamarck, Mem. Soc. H. N. Paris, 1799, 76.—G.
helicina Clío, C. J. Phipps, Voy. N. Pole, 1774, 195.
helicina Pythia, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
helicina Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
helycinus Trochus, O. Fabricius, F. Groen. 1780, 393.
helycinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
helycinus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83 [*n. n.*].
helycinus Turbo, C. J. Phipps, Voy. N. Pole, 1774, 198.
helycinus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 355.
helycinus Turbo, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 167.
helicis Salius, F. v. P. Schrank, F. Boica, I. 1798, 510.
helicita Papilio, Linnaeus, Amoen. Acad. VI. 1763, 405.
Helicites J. Gesner, Tract. Petref. 1758, 50.—?
helicites Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3371.
helicoides Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3598.
helicoides Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
Heliconius *vs.* Papilio.
heliconia Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98. [P. Noctua].
heliconia Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 209.—
heliconia Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 839.
helie Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 773.
helima [Phalaena], C. Stoll in Cramer's Utitl. Kapellen, IV (26) 1780, 40.
heliodore [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 35.
heliodore Papilio, J. C. Fabricius, Mant. II. 1787, 52.
Heliolithes J. E. Guettard, Mém. diff. Sci. II. 1770, 419.—Cor.
heliophila Bombyx (Payk.), J. C. Fabricius, Ent. Syst. III (1) 1793, 467.—Noctua.
heliophila Noctua, G. Paykull, Skr. nat. Selsk. [Copen.] II (2) 1793, 102.
Heliornis J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, lxxxiv & 64.—A.
helioscopa Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
helioscopa Lacerta, P. S. Pallas, Reise Russ. I. 1771, 457.
heliotropium Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 30.
helirius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 328.—Papilio.
helirius [Papilio], P. Cramer, Utitl. Kapellen, I (5) 1775, 94.
helius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 259.
helius Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 329.—Papilio.
helius [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 10.
helius [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 15.
helius Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 112.
Helix Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1241.—G.
helladia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 94.—Phalaena.
helladia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 234.
helle Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 312.—Papilio.
helle Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.
helle [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 3.
hellebori Staphylinus, Scopoli, Ent. Carn. 1763, 102.
helles [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 7.
hellica Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, 1767, 760 [=helice of M. Lud. Ulr.].

- helluo Fasciola, O. F. Müller, Verm. I (2) 1774, 64.
 helluo Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
 [hellwig-]—
 hellwigella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 502.
 hellwigii Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
 hellwigii Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 16.
 hellwigii Phalangium, G. W. F. Panzer, Ins. Germ., heft 13 [1793], tab. 18.
 hellwigii Pselaphus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 111.
 hellwigiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 276.
 Helmintholithus Linnaeus, Syst. Nat., ed. 12, III. 1768, 162. N.B. The Helmintholithi are referred to in groups, e.g. H. lepadis, H. veneris, and are therefore not quoted.
 Helodes v. Elodes, Latr.
 helopioides Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 154.
 Helops J. C. Fabricius, Syst. Ent. 1775, 257.—Col.
 Helops J. C. Fabricius, Gen. Ins. 1777, 77.—Col.
 Helops P. Browne, Hist. Jamaica, ed. 2, 1789, 445.—P.
 helops Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 185.—Phalaena.
 helops [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 45.
 helops [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 113.
 helveticus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 100.
 helvetica Lacerta, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 111.
 helvetica Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 250.
 helvetus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 207.
 helvolana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
 helvola Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
 helvola Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Apis.
 helvola Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 955.
 helvola Bombyx, J. C. Fabricius, Mant. II. 1787, 122.
 helvola Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
 helvolus Dorylus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 365.—Mutilla.
 helvola Ephemera, J. H. Sulzer, Gesch. Ins. 1776, 171.
 helvola Mutilla, Linnaeus, Syst. Nat., ed. 12, 1767, 967.
 helvola Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507.
 helvola Podura, Linnaeus, Mant. II. 1771, 541.
 helvola Vespa, Linnaeus, Mus. Lud. Ulr. 1764, 412.
 hellwigii v. hellwigii.
 helxinis Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
 helxines Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
 helxines Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 30.—Chrysomela.
 helymus [Sphinx], P. Cramer, Uitl. Kapellen, I (1) 1775, 4.
 helymus Zygæna (Cram.), J. C. Fabricius, Gen. Ins. 1777, 276.—Sphinx.
 hemaptera Chrysomela, v. haemoptera, Linn., O. F. Müller, F. Ins. Frid. 1764, 7.
 hemerobiella Phalaena, Scopoli, Ent. Carn. 1763, 252.
 hemerobioides Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 74.
 hemerobioides Tipula, Scopoli, Ent. Carn. 1763, 324.
 Hemerobius Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 911.—Neur.
 hemerobius Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
 hemes Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 345.—Papilio.
 hemes [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 11.
 hemicardium Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1121.
 hemicardium Fragum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 189.—Cardium.
 hemidactylella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
 hemidactylus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Tinea hemidactylella, D. & S.
 hemionus Equus, P. S. Pallas, Nov. Comm. Ac. Sci. Petrop. XIX. 1775, 394.
 hemipteron Ichneumon, A. Riche, Actes Soc. H. N. Paris, I (1) 1792, 39.
 hemiptera Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 12.
 hemipterus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].

- hemipterus Cerambyx, A. G. Olivier, Entom. IV. 1795, 127.
 hemiptera Cetonia (L.), A. G. Olivier, Entom. I. 1789, 65.—Scarabaeus.
 hemiptera Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
 hemiptera Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
 hemipterus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606.
 hemipterus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 565.
 hemipterus Dermestes, G. W. F. Panzer, Naturforscher, XXIV. 1789, 11.
 hemipterus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 190.
 hemiptera Lampyris, A. F. de Fourcroy, Ent. Paris. 1785, 58.
 hemiptera Locusta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 193.
 hemiptera Melolontha (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37.—
 hemiptera Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 261. [Trichius.
 hemipterus Rynchophorus (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 9.—
 Curculio.
 hemipterus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 555.
 hemiptera Silpha, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 597.
 hemiptera Sphex, J. A. Scopoli, Annus V. 1772, 122.
 hemiptera Sphex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 244.
 hemipterus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 284.
 hemiptera Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 560.—Syrphus, 1794.
 hemiptera Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.
 hemipterus Trichius (L.), J. C. Fabricius, Syst. Ent. 1775, 41.—Scarabaeus.
 hemipterus Valgus (L.), L. G. Scriba, J. Lieb. Ent. I. 1790, 67.—Scarabaeus.
 hemisphaericus Opilio, *v.* hemisphaericus, J. F. W. Herbst, Nat. ungefl. Ins. (3)
 hemisphaerica Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 41. [1799, 11.
 hemisphaerica Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.
 hemisphaerica Apis, F. v. P. Schrank, Ins. Aust. 1781, 411.
 hemisphaericus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 170.
 hemisphaerica Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 226.
 hemisphaerica Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
 hemisphaerica Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 90.
 hemisphaericus Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 158.
 hemisphaerica Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 460.
 hemisphaericus Cyphon (L.), G. Paykull, Faun. Suec. II. 1799, 119.—Chrysomela.
 hemisphaericus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 3170.—Cidaris.
 hemisphaericae Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Chrysomela.
 hemisphaerica Medusa, Linnaeus, Syst. Nat., ed. 12, 1767, 1098.
 hemisphaerica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 480.
 hemisphaericus (*sic*) Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 11.
 hemisphaericus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 20.
 hemisphaericus Scarabaeus, A. G. Olivier, Entom. I. 1789, 66.
 hemisphaericus Scarabaeus, J. Sturm, Verz. Ins. Samml. 1800, 66.
 hemon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 270.—Papilio.
 hemon [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 30.
 hemoris Monoculus, Herbst, Einl. Ins. III. 1787, 190.
 Henops Illiger in Kugelann, Käfer Preuss. 1798, 500.—Dip.
 heos Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 213.
 Hepa E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 479.—Hem.
 Hepa A. F. de Fourcroy, Ent. Paris. 1785, 221.—Hem.
 heparana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
 hepararia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 58
 heparata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116. [*n. et f.*]
 hepaticella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 38.
 hepatica Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
 hepatica Anguis, J. N. Laurenti, Syn. Rept. 1768, 72.
 hepatica Apis, J. L. Christ, Nat. Ins. 1791, 186.
 hepatica Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 437.

- hepaticum** Buccinum, R. Pulteney, Cat. Birds &c. Dorset, 1799, 41.
hepaticus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1048.
hepatica Cetonia, A. G. Olivier, Entom. I. 1789, 21.
hepaticus Cuculus, A. Sparrman, Mus. Carls. III. 1788, no. 1v.
hepatica Distoma (L.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.] I (1) 1790, 36.—
 Fasciola.
hepaticus Elater, C. de Villers, Linn. Ent. I. 1789, 319.
hepatica Fasciola, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1077.
hepatica Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3053; *varr.*
 boum, porcorum, apri, cervi, equi, 3054.
hepatica Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
hepatica Noctua (Clerck), J. C. Fabricius, Spec. Ins. II. 1781, 237.—Phalaena.
hepatica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3700.
hepatica [Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 3.
hepatica Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
hepatica Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
hepaticum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
hepatis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 [Hepatus P. Artedi, Ichth. 1738, syn., 113.]—P.
Hepatus L. T. Gronovius, Zooph. I. 1763, 113.—P.
hepatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 474.
hepatus Teuthis, Linnaeus, Syst. Nat., ed. 12, 1766, 507.
hephaestites Chrysis, M. Harris, Exp. Eng. Ins. 1776, 69.
hepialica Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 469.
Hepialus J. C. Fabricius, Syst. Ent. 1775, 589.—Lep.
hepsetus Atherina, Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 519.
hepsetus Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 517.
Heptactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
hera Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 583.—Phalaena.
hera Noctua (L.), E. J. C. Esper, Die Schmett. IV (31) 1787, 41.—Phalaena.
hera [Papilio], P. Cramer, Utit. Kapellen, III (22) 1779, 108.
hera Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 835.
heracliana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 880.
heracleana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 655.—Phalaena.
heracalii Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
heraclei Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
heraclella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 484.—Pyralis heracleana, 1775.
heraclitaea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 309.
heraclitus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 291.
herbacea Cetonia, A. G. Olivier, Entom. I. 1789, 35.
herbaceus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
herbacea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 282.
herbaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 162.
herbariata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
herbeus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 258.
herbida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
herbstella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 262.
herbstii Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
herbstii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
herbstii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1981.
herbstii Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.
herbstii Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1800.
herculeana Forficula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 185.
herculeana Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 962.
hercules Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 7.—Scarabaeus.
hercules Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 541.
herculea Clava, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 13.
hercyna Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 41.

[hercyn-]—

- hercyniae* (*sic*) Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 294.
hercyniana Pyralis, J. v. Ustar, Pyralis hercyn. 1798, 37.
hereditaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
herennius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 213.
heres Cerambyx, J. C. Fabricius, Mant. I. 1787, 132.
herilia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 39.
hermannella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 507.—Tinea.
hermannella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
hermanni Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 232.
hermannii Taenioides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 532.
hermanni Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1041.
hermanniae Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 89.
hermanniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 225.—Tortrix.
hermanniana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
hermaphrodita Aranea, F. W. H. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 298.
hermaphrodita Aracis, J. A. Frolich, Naturforscher, XXIV. 1789, 151.
hermaphrodita Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
hermaphrodita Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3278.
hermaphrodita Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. 426 (1777).
hermelina Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 263.
hermes Papilio, J. C. Fabricius, Syst. Ent. 1775, 487.
hermia [Phalaena], P. Cramer, Utitl. Kapellen, II (16) 1777, 136.
herminatella Phalaena (Tin.), C. de Villers, Linn. Ent. I. 1789, 520.
herminata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 297.
herminata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 332.
Hermione J. G. Meigen, N. Class. Mouches. 1800, 22.—Dip.
hermione Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 281.
hermioneus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 264.
hermonia [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 119.
hero Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 274.
hero Papilio "L.", [Denis & Schiffermüller], Schmett. Wien, 1775, 321.
herodias Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 237.
herodotus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 286.
herodotus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
heros Aeshna, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
heros Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 165.
heros Cerambyx, Scopoli, Ent. Carn. 1763, 51.
heros Cerambyx, G. A. Harrer, Besch. Schaeffer Icones, 1784, 196.
heros Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
heros Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 136.
heros Spheg, J. C. Fabricius, Suppl. Ent. Syst. 1798, 245.
herrmann- *v.* *hermann-*
herse [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 15.
herse Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
herse Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 94.
herse Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 244.
herse Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
hersilia Papilio, J. C. Fabricius, Gen. Ins. 1777, 265.
hersilia [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 117.
hersilia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 247.
herthus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 64.
hertha Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 280.
Heruca J. A. Scopoli, Intr. Hist. Nat. 1777, 383.—Verm.
herzbergii Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 33.
hesiodus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 260.
hesione [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 16.
hesione Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 144.

- hesione Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 29.
 hesitans Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
 hesparata Phalaena, *id. ac* hesperia, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 258.
 Hesperia J. C. Fabricius, Ent. Syst. III (1) 1793, 258.—Lep.
 hesperia [Phalaena], P. Cramer, Utit. Kapellen, I (5) 1775, 87.
 hesperia [Phalaena], P. Cramer, Utit. Kapellen, III (21) 1779, 99.
 hesperidea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
 hesperidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 59.
 hesperididis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 54.
 hesperidum Chalcis, P. Rossi, Mant. Ins. II. 1794, 117.—Chrysis, 1790.
 hesperidum Chermes (L.), A. F. de Fourcroy, Ent. Paris. 1785, 228.—Coccus.
 hesperidum Chrysis, P. Rossi, Fauna Etrus. II. 1790, 78.
 hesperidum Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 739.
 hesperidum Tinea, E. L. Geoffroy, Hist. abrégée Insectes, II (2) 1799, 713.
 hesperus Bibio, P. Rossi, Fauna Etrus. II. 1790, 277.
 hesperus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.
 hespera Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
 hesperus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 47.
 hesperus Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 809.
 hesperus Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 495.—[P. (Attacus),
 hespera Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 61. [ed. 12.]
 hesperus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 158.
 hesperus Spheg, J. L. Christ, Nat. Ins. 1791, 311.
 hespera Sphinx, J. C. Fabricius, Syst. Ent. 1775, 546.
 heteroceros Blatta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 95.
 Heterocerus J. C. Fabricius, Ent. Syst. I (1) 1792, 262.—Col.
 "Heterocerus, Bosc, 1792," Ag.; does not occur; is Fabricius.
 heteroclita Acheta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 86.
 heteroclita Blatta, P. S. Pallas, Spic. Zool. IX. 1772, 9.
 heteroclitus Charadrius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 33.
 heteroclita Cobitis, Linnaeus, Syst. Nat., ed. 12, 1766, 500.
 heteroclitus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 72.
 heteroclita Hirudo, Linnaeus, Faun. Suec., ed. 2, 1761, 506.
 heteroclita Leucophaea, O. F. Müller, An. Infus. 1786, 158.
 heteroclita Phalaena, Linnaeus, Amoen. Acad. VI. 1763, 411.
 heteroclita Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 47.
 heterodactyla Phalaena (Alucita), O. F. Müller, F. Ins. Frid. 1764, 59.
 Heterogenea A. W. Knoch, Beitr. Insektenges. III. 1783, 60.—Lep.
 heteroglossus Gadus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 144.
 heterogonos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
 hetrusca *v.* etrusca.
 hexacantha Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 541.
 Hexactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast. [900.
 hexadactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767,
 hexadactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 672.—Phalaena.
 hexagonus Beroe, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 176.
 hexagona Beroe, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 22.
 hexagonum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 494.
 hexagona Conops, O. F. Müller, F. Ins. Frid. 1764, 87.
 hexagonus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 hexagonus Murex, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3565.
 hexagonus Ostracion, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 30.
 hexagonus Strombus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 98.—Murex.
 exapodia (*sic*) Sepia, G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
 hexaporus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.
 hexapterata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
 hexapterata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 232
 hexapus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1039. [n. et f.].

- hexapus** Sepia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3150.—[exapodia, Mol.]
- hexastylus** Lepas, O. Fabricius, Skr. nat. Selsk. [Copen.], IV (2) 1798, 35.
- Hexathyridium** F. A. Treutler, Obs. Helminth. human. Corp. 1793, 22.—Ver.
- Hexodon** A. G. Olivier, Entom. I. 1789, 1.—Col.
- hexopthalmus** Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 54.
- hexopthalmos** Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
- Hians** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 17.—A.
- Hians** C. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—A.
- “**hians** Argonauta, Solander” [Portland Catalogue]. This seems to have been a MS. name & *nomen nudum* until 1817, when Dillwyn described it in his “Descr. Catal. Recent Shells,” vol. 1, 1817, p. 334.
- hians** Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 39.
- hians** Mactra, R. Pulteney, Cat. Birds &c. Dorset, 1799, 32.
- hians** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
- hians** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3332.
- hians** Pholas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
- hians** Vorticella, O. F. Müller, Verm. I (1) 1773, 125.
- hiarba** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 128.
- hiarbas** [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 27.
- hiarbas** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 17.
- Hiaticula** Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 65.—A.
- hiaticula** Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.
- hiaticula** Pluvialis (L.), J. C. Schaeffer, Mus. Orn. 1789, 48.—Charadrius.
- hiaticulae** Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
- Hiatula** A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 178.—L.
- Hiatula** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 522.—P.
- hiatula** Labrus, Linnaeus, Syst. Nat., ed. 12, 1766, 475.
- hiatula** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3442.
- hiatus** Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
- hiberus** Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
- hibisci** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 564.
- hibisci** Bruchus, A. G. Olivier, Entom. IV. 1795, 21.
- [hiemalis]—
- hyemalis** Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 202.
- hyemalis** Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 308.
- hyemalis** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
- hyemalis** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183.
- hyemalis** Panorpa, Linnaeus, Syst. Nat., ed. 12, 1767, 915.
- hyemalis** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 50.
- hyemalis** Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 75.
- hyemalis** Phalaena, Giorna, Cal. Ent. 1791, 18.
- hiemalis** Tipula, C. de Geer, Mém. Ins. VI. 1776, 360.
- hyemaria** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 193.
- hyemata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
- hyemata** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 306.
- hiera** Papilio, J. C. Fabricius, Gen. Ins. 1777, 262.
- hieracii** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 568.
- hieracii** Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
- hieracii** Musca, J. C. Fabricius, Syst. Ent. 1775, 787.
- hiere** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 310.
- hiere** Papilio, J. C. Fabricius, Mant. II. 1787, 80.
- hieroglyphicum** Callidula, J. F. W. Herbst, in Fuessly, Arch. Ins. V. 1784, 99.
- hieroglyphica** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 296.
- hieroglyphicus** Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 723.
- hieroglyphica** Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.
- hieroglyphicus** Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 182.
- hieroglyphica** Noctua (Dru.), J. C. Fabricius, Ent. Syst. III (2) 1794, 11.—Phalaena.
- hyroglyphica** [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 81.

- hieroglyphica Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 3.
 hieroglyphica Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 286.
 hieroglyphica Tenthredo, J. L. Christ, Nat. Ins. 1791, 459.
 hierta Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 424.
 hikkanella Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 61.
 hilaria [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 26.
 hilaria [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 95.
 hilaris Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 56.
 hilaris Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 306.
 hilda Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 272.
 hille Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 40.
 Himantopus M. J. Brisson, Ornith. V. 1760, 34.—A.
 Himantopus O. F. Müller, An. Infus. 1786, 248.—Inf.
 himantopus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 255.
 himantopus Himantopus (L.), F. v. P. Schrank, F. Boica, I. 1798, 214.—Charadrius.
 himantopus Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 9.
 hina Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 523.
 hinnularius Falco, J. Latham, Index Orn. 1790, 15.
 hinnulus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 124.
 hipnale Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 373.
 hipolaste Papilio, misprint by C. C. Jung, Alph. Verz. Schmett. I. 1791, 14 (Agave) for Hippa J. C. Fabricius, Mant. I. 1787, 329.—Cr. [hippolyte, Esp.
 Hippa J. C. Fabricius, Suppl. Ent. Syst. 1798, 329.—Cr.
 hipparchia [Phalaena], P. Cramer, Uitl. Kapellen, II (16) 1777, 135.—v. hypparchus.
 hippelaphus Cervus, J. C. P. Erxleben, Syst. Anim. 1777, 304.
 hippia Papilio, J. C. Fabricius, Mant. II. 1787, 55.
 hippia [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 48.
 hippia [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 57.
 hippo [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 4.
 Hippobosca Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.—Dip.
 hippocampus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 338; ed. 12, 1766, 417.
 hippocastanaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 186
 [n. et f.].
 hippocastanum Cantharus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 133.—Murex.
 hippocastanum Helix, Lamarck, J. Nat. Hist. (Choix des Mém.) II. 1792, 350.
 hippocastanum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1219.
 hippocastanum Muriciformis (L.), F. C. Meuschen, Mus. Gev. 1787, 316.—Murex.
 hippocastana Vasum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 57.—Murex.
 hippoclus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 46.
 hippocoon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 38.
 hippocrates Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 288.
 hippocrepis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
 hippocrepis Kolpoda, J. Hermann, Naturforscher, XX. 1784, 169.
 hippocrepis Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 77.—Coluber.
 hippocrepis Vespertilio, F. v. P. Schrank, F. Boica, I. 1798, 64.
 hippodamia Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 169.—Phalaena.
 hippodamia Papilio, J. C. Fabricius, Syst. Ent. 1775, 461.
 hippodamia [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 43.
 hippoglossi Hirudo, O. F. Müller, Z. Dan. Prod. 1776, 220.
 hippoglossoides Pleuronectes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 115.
 hippoglossus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
 hippolais Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 33.—Motacilla.
 hippolais Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
 hippolais Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 287.—Motacilla.
 hippolyte Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 268.
 hippolyte Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 hippone Papilio, J. C. Fabricius, Gen. Ins. 1777, 265. [1784-5], 164.
 hippona Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 180.

- hipponoe [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 32.
 hippophæe Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 268.
 hippophaes Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
 "Hippopodis, Linck, 1783," Herm.; Linck is non-binominal.
 Hippopotamus Linnaeus, Syst. Nat., ed. 10, 1758, 74; ed. 12, 1766, 101.—M.
 "Hippopus, Martini, 1773," Herm.; Martini is non-binominal.
 Hippopus F. C. Meuschen, Mus. Gever. 1787, 428.—L.
 Hippopus Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—L.
 hippopus Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1137.
 hippopus Gleba, P. Forskal, Icones, 1776, 14.
 hippopus Hippopus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—Chama.
 hippopus Tridachnes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Chama.
 hippos Scomber, Linnaeus, Syst. Nat., ed. 12, 1766, 494.
 hipposideros Noctilio, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 736.
 hippotes [Sphinx], P. Cramer, Utitl. Kapellen, III (24) 1780, 166.
 hippothoe Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 309.—Papilio.
 hippothoë Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 274.
 Hippuris (ex Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
 hippuris Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287.
 "Hippurites, Schroet. 1783," Ag.; not used in a Linnaean sense.
 hippurus Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 446.
 hircana Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.
 hirce [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 37.
 hirci Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
 hircia [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 49.
 hirci-jumoris Pediculus, J. A. Scopoli, Annus V. 1772, 124.
 hircinus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
 "Hircocervus" A. v. P. S., Schreiben Dethmaris Juliae et Mont. 1780, 37.
 Hircus M. J. Brisson, Reg. Anim. 1762, 38.—M.
 hircus Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 503.
 hircus Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 94.
 hircus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus, 1775.
 hircus Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
 hircus Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1781.
 hircus Lucanus, Scheven in Fuessly's N. Mag. Ent. I. 1782, 60.
 hircus Lucanus, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 299.
 hircus Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 28.
 hircus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 13.
 hirlanda [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 156.
 hirandinella v. hirandinella.
 hirsutaria Phalaena, *id. ac* hirtaria, Fabr., J. C. Fabricius, Spec. Ins. II. 1781, 508.
 hirsutella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
 hirsutissima Vespa, C. de Villers, Linn. Ent. III. 1789, 284.
 hirsutulus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 468.
 hirsutula Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 141.
 hirsuta Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.], IV. 1798, 201.
 hirsuta Andrena, J. C. Fabricius, Mant. I. 1787, 299.
 hirsuta Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
 hirsuta Buprestis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 173.
 hirsutus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 115.
 hirsutus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1703.
 hirsutus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 107.
 hirsuta Melolontha, *id. ac* hirta, Fab., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37.
 hirsuta Musca, C. de Villers, Linn. Ent. III. 1789, 427.
 hirsutum Phalangium, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 7.
 hirsuta Simia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [n. n.].
 hirsuta SpheX, Scopoli, Ent. Carn. 1763, 292.
 hirsutus Tabanus, C. de Villers, Linn. Ent. III. 1789, 561.

- hirsuta Tenthredo, N. Poda, Ins. Mus. Graec. 1761, 102.
 hirsutus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
 hirtaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 175 [*n. et f.*].
 hirtaria [Phalaena], C. Clerck, Icones, I. 1759, pl. vii, 1.
 hirtaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 325.
 hirtaria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 286.
 hirtata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 181.
 Hirtea J. A. Scopoli, Ent. Carn. 1763, 367.—Dip.
 Hirtea J. C. Fabricius, Suppl. Ent. Syst. 1798, 547.—Dip.
 Hirtea J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
 hirtellus Cancer, Linnaeus, Faun. Suec. ed. 2, 1761, 493.
 hirtella Cetonia (L.), F. v. P. Schrank, F. Boica, I. 1798, 418.—Scarabaeus.
 hirtella Madrepora, P. S. Pallas, Elench. 1766, 313.
 hirtellus Notoxus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 3.
 hirtellus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 556.
 hirtellus Scarabaeus (Cetonia), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1577.
 hirticollis Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 229.
 hirticollis Melolontha, J. C. Fabricius, Mant. I. 1787, 21.
 hirticollis Pselaphus, Illiger in Kugelann, Käfer Preuss. 1798, 292.
 hirticollis Saperda, A. G. Olivier, Entom. IV. 1795, 11.
 hirticollis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
 hirticornis Coccus, J. C. Fabricius, Ent. Syst. IV. 1794, 131. [Melolontha.
 hirticornis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 327.
 hirticornis Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 544.
 hirticornis Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 148.
 hirticornis Tenebrio, C. de Geer, Mém. Ins. V. 1775, 47.
 hirtipennis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 37.
 hirtipes Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 312.
 hirtipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
 hirtipes Aranea, J. C. Fabricius, Mant. I. 1787, 346.
 hirtipes Cerambyx, C. de Geer, Mém. Ins. V. 1775, 117.
 hirtipes Cerambix, A. G. Olivier, Entom. IV. 1795, 36.
 hirtipes Cimex, C. de Geer, Mém. Ins. III. 1773, 344.
 hirtipes Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 460.
 hirtipes Pimelia, A. G. Olivier, Entom. III. 1795, 15.
 hirtipes Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
 hirtipes Saperda, A. G. Olivier, Entom. IV. 1795, 14.
 hirtipes Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 207.
 "hirtus" [*sine gen.*], Herbst in Fuessly, Arch. Insect. IV. 1783, 39.
 hirta Andrena (Schr.), J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 224.
 hirtus Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 265.—Nitidula, 1781. [—Apis.
 hirta Apis, F. v. P. Schrank, Ins. Aust. 1781, 407.
 hirta Apis, A. F. de Fourcroy, Ent. Paris. 1785, 444.
 hirta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 335.
 hirtus Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 301.—Tipula.
 hirta Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 661.
 hirtum Callidium, J. C. Fabricius, Mant. I. 1787, 153.
 hirta Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
 hirtus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—Saperda.
 hirtus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.—Callidium.
 hirta Cercaria, O. F. Müller, An. Infus. 1786, 128.
 hirta Cetonia (Poda), J. C. Fabricius, Syst. Ent. 1775, 50.—Scarabaeus.
 hirta Cetonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 51.—Scarab. hirtellus, L. *est.*
 hirta Chrysoloma, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
 hirtus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
 hirtus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 51.
 hirta Cistelä, J. C. Fabricius, Spec. Ins. I. 1781, 149.
 hirtus Clerus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.—Lagria.

- hirtus** Clerus (L.), F. v. P. Schrank, F. Boica, I. 1798, 515.—Dermestes.
hirta Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 23.
hirtus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.
hirta Crioceris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—Chrysomela.
hirta Crioceris (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 569.—Lagria. [Cistela.
hirta Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
hirtus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.—
hirtus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807. [Chrysomela.
hirtus Dermestes, Linnaeus, Syst. Nat., ed. 12, 1767, 563.
hirtus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114.
hirta Flustra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3830.
hirtus Hemerobius, Linnaeus, Faun. Suec., ed. 2, 1761, 382.
hirta Hispa (L.), J. C. Fabricius, Syst. Ent. 1775, 70.—Dermestes.
hirta Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 125.—Chrysomela.
hirta Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 47.
hirta Melolontha (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 114.—
hirta Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 109. [Cetonia.
hirta Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 420.—Nemotelus.
hirtus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 187.
hirta Nicrophorus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 34.
hirta Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 93.
hirta [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 131.
hirta Phryganea, J. C. Fabricius, Syst. Ent. 1775, 308.
hirtus Pleuronectes, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 36.
hirtus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.
hirta Saperda, J. C. Fabricius, Syst. Ent. 1775, 184.
hirta Saperda, J. C. Fabricius, Ent. Syst. I. (2) 1792, 317.
hirtus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 21.
hirta Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
hirtus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.
hirta Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 438.
hirtus Trichius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 128.
hirudinacea Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 107.
Hirudo Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.—Ver.
hirudo Acarus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2926.
hirudana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 44.
hirundinacea Motacilla, G. Shaw, Nat. Misc. IV. 1792, pl. 114.
hirundinaceus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 174.
hirundinaria Apis, J. L. Christ, Nat. Ins. 1791, 188.
hirundinella Bursaria, O. F. Müller, Verm. I (1) 1773, 63.
hirundinella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 516.
hirondinella (*sic*) Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 320.
hirundineus Merops, H. Lichtenstein, Cat. rerum Nat. I. 1793, 21.
hirundinis Fasciola, J. A. Frolich, Naturforscher, XXV. 1791, 75.
hirundinis Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1010.
hirundinis Pediculus, Linnaeus, Faun. Suec., ed. 2, 1761, 478.
hirundinis Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 51.
hirundinum Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 169.
Hirundo Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.—A.
Hirundo G. Edwards in M. Catesby, Carol. II. 1771, 8.—P.
hirundo Avicula (L.), G. Cuvier, Tab. Élém. 1798, 423.—Mytilus.
hirundo Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1178.
hirundo Glaucoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 260.—Mytilus.
hirundo Larus (Linn.), J. A. Scopoli, Annus I. 1769, 82.—Sterna.
hirundo Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1159.
hirundo Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
hirundo Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
hirundo Riparia (L.), F. C. Meuschen, Mus. Gever. 1787, 468.—Mytilus.

- hirundo Sterna, Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.
 hirundo Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
 hisbon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 318.—Papilio.
 hisbon [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 130.
 Hispa Linnaeus, Syst. Nat., ed. 12, 1767, 603.—Col.
 hispanica Alauda, Linnaeus in Hasselquist, Palast. 1762, 335.
 hispanica Apis, J. C. Fabricius, Mant. I. 1787, 300.
 hispanicus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2174.
 hispanica Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 279.
 hispanica Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186.
 hispanicus Mullus, J. A. Donndorff, Zool. Beyt. III. 1798, 561.
 hispanicus Scarabaeus, Linnaeus, Mus. Lud. Ulr. 1764, 12.
 hispanica Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.
 hispaniolensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 822.
 hispanus Acarus, J. C. Fabricius, Mant. II. 1787, 371.
 hispanus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 150.
 hispanus Carabus, J. C. Fabricius, Mant. I. 1787, 195.
 hispanus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—Scarabaeus.
 hispanus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 41.
 hispana Helix, Linnaeus, Syst. Nat. ed., 10, 1758, 772; ed. 12, 1767, 1246.
 hispana Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 316.
 hispanus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, I. 1767, 546.
 hispicornis Callidium (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 250.—Cerambyx.
 hispicornis Calopus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.—Cerambyx.
 hispicornis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 634.
 hispidaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 99.
 hispidaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 177 [n. et f.].
 hispidata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 210.
 hispidulus Cerambyx, *id. ac* hispidus, L., M. Piller & L. Mitterpacher, Iter Poseg. 1783, 35.
 hispidulus Curculio, J. C. Fabricius, Gen. Ins. 1777, 226.
 hispidulus Notoxus, P. Rossi, Mant. Ins. I. 1792, 47.
 hispidulus Scarabaeus, Giorna, Cal. Ent. 1791, 126.
 hispida Akis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 131.
 hispidum Anobium, G. Paykull, Faun. Suec., I. 1798, 310.
 hispida Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 52.
 hispidus Balistes, Linnaeus, Syst. Nat., ed. 12, 1766, 405.
 hispidus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 247.
 hispidus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 178.
 hispidus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
 hispidus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
 hispida Cetonia, A. G. Olivier, Entom. I. 1789, 90.
 hispidus Chiton, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.
 hispidus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 33.
 hispida Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 280.
 hispidus Cordylus (Linn.), J. N. Laurenti, Syn. Rept. 1768, 51.—Lacerta.
 hispidus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 614.
 hispidus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 374.
 hispida Eschara, P. S. Pallas, Elench. 1766, 49.
 hispida Flustra, O. Fabricius, F. Groen. 1780, 438.
 hispida Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
 hispida Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 205.
 hispida Lamia (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 27.—Cerambyx.
 hispidus Notoxus, P. Rossi, Mant. Ins. I. 1792, 46.
 hispidus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 20.
 hispida Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
 hispida Phoca, J. P. C. Erxleben, Syst. Reg. Anim. 1777, 589.
 hispida Pimelia, J. C. Fabricius, Syst. Ent. 1775, 251.
 hispidus Scarabaeus, E. Pontoppidan, Danske Atlas, I. 1763, 666.

- hispidus Tenebrio, P. Forskal, Descr. Anim. 1775, 79.
 hispidus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
 hispidus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 333; ed. 12, 1766, 411 [Petro-].
 hispidus Trox, J. N. Laicharting, Tyrol. Ins. I. 1781, 30.
 hispidus Vespertilio, J. C. D. Schreber, Säugth. I. 169 (1774) pl. lvi (1774).
 Hister Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 566.—Col.
 histeroides Acanthia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 526.
 histeroides Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
 histeroides Hister, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 8.
 histeroides Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.
 histeroides Ryzophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 21.
 histeroides Silpha, C. P. Thunberg, Nov. Acta Soc. Sci. Upsal. IV. 1784, 8.
 histeroides Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 404.
 "Histerolithus, Walch, 1768," Herm.; not used in a generic sense.
 histrio Acarus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 571.
 histrio Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 264.
 histrio Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
 histrio Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
 histrio Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.
 histrio Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 203.
 histrio Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—Astacus.
 histrio Cancer (Astacus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 78.—Astacus.
 histrio Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
 histrio Cetonia, J. C. Fabricius, Syst. Ent. 1775, 51.
 histrio-fulvus Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 252.
 histrio Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—Cryptocephalus.
 histrio Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 34.
 histrio Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
 histrio Cimex, J. C. Fabricius, Mant. II. 1787, 296.
 histrio Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.
 histrio Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 145.
 histrio Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.—
 histrio Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403. [Erotylus.
 histrio Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
 histrio Erotylus, J. C. Fabricius, Mant. I. 1787, 91.
 histrio Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 241.
 histrio Ichneumon, J. L. Christ, Nat. Ins. 1791, 356.
 histrio Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 182.
 histrio Kerona, Müll., O. F. Müller, An. Infus. 1786, 235.—Paramaecium.
 histrio Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 288.
 histrio Libellula, J. C. Fabricius, Mant. I. 1787, 337.
 histrio Lophius, Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.
 histrio Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
 histrio Noctua, C. C. Jung, Alph. Verz. Schmett. 1791, 270.
 histrio Nomada, J. C. Fabricius, Syst. Ent. 1775, 388.
 histrio Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 270.
 histrio Paramaecium, O. F. Müller, Verm. I (1) 1773, 55.
 histrio Porcellana, F. C. Meuschen, Mus. Gever. 1787, 404.
 histrio Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 76.
 histrio Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—Cetonia.
 histrio Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 237.
 histrio Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 244.
 histrio Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
 histrio Vespa, C. de Villers, Linn. Ent. III. 1789, 282.
 histrionella Tinca, C. C. Jung, Alph. Verz. Schmett. 1791, 270.
 histrionica Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 204.
 histrionica Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
 histrionicus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 728.

- histrionicus** Curculio, J. C. Fabricius, Gen. Ins. 1777, 227.
histrionica Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
histrionica Noctua, J. C. Fabricius, Syst. Ent. 1775, 612.
histrionica Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3326.
histrionica Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 256.
histrionica Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
histrion-ruber Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 253.
histrix *v.* **hystrix**.
hisutch Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 70.
hitambocia Coluber (Laur.), *err. pro* hotamboeia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1113.—Coronella.
hiulca Buprestis, P. S. Pallas, Icon. Ins. 1782, 68.
Hixiene J. B. Hartmann, Diss. Hirudine, 1777, 7 [*n. n.*].—Verm.
hoactli Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 630.
hoazin Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
hobara *v.* **houbara**.
hochenwarthi Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785.
hochenwartiana Phalaena, J. A. Scopoli, Annus V. 1772, 117. [335.
hochenwartiella Tinea, P. Rossi, Fauna Etrus. II. 1790, 208.
Hoematopus *id. ac* Haematopus, L., Bonnaterre, Ency. Méth. (Orn.) I. 1790, 25.
hoffmanni Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 59.
hoffmanniana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 269.
hoffmannseggii Cossyphus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 229.
hohenwartiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
hohu Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 630.
hoieri Skua, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 103 & 112.
hoilotl Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
hollandiae Scarabaeus, *see* novae-hollandiae.
hollandica Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1685.
hollandicus Psittacus, R. Kerr, Anim. Kingd. 1792, 580.
hölleik Coluber, P. Forskal, Descr. Anim. 1775, 15.
holmiana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 7.
holmiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 878.
holmiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
holmiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 39 [*n. et f.*].
holocanthus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335; *var.* of **hystrix**, ed. 12, 1767, 1025.
Holocentrus L. T. Gronovius, Zooph. I. 1763, 65.—P. [1766, 413.
hololeucus Curculio, P. S. Pallas, Icon. Ins. 1781, 35.
hololeucus Melolontha (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 41.—
hololeucus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 19. [Scarabaeus.
holomelanus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 271.
holomericalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 [2].
holosericeus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025.
holosericea Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 258.
holosericea Apis, J. C. Fabricius, Ent. Syst. II. 1793, 336.
holosericea Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
holosericeum Callidium, P. Rossi, Fauna Etrus. I. 1790, 153.
holosericeus Cancer, J. C. Fabricius, Mant. I. 1787, 326.
holosericeus Carabus, J. C. Fabricius, Mant. I. 1787, 199.
holosericeus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
holosericeus Cerambyx, J. C. Fabricius, Mant. I. 1787, 135.
holosericea Cetonia, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 413.
holosericeus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
holosericeus Elater, A. G. Olivier, Entom. II. 1790, 27.
holosericea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
holosericea Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1866.
holosericea Melolontha, J. C. Fabricius, Mant. I. 1787, 21.
holosericeus Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1787.

- holosericea Melolontha (Laich.), L. G. Scriba, J. Lieb. Ent. I. 1790, 64.—Trox.
 holosericeus Scarabaeus, J. A. Scopoli, Annus V. 1772, 77.
 holosericeus Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 211.—Melolontha.
 holosericea Spheg, J. C. Fabricius, Ent. Syst. II. 1793, 205.
 holosericeus Styrex, Scopoli, Ent. Carn. 1763, 367.
 holosericeus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 191.
 holosericeum Trombidium (L.), J. C. Fabricius, Syst. Ent. 1775, 431.—Acarus.
 holosericeus Trox, J. N. Laicharting, Tyrol. Insect. 1781, 31.
 holosericea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
 holosericeus Xanthornus, J. A. Scopoli, Del. Insub. II. 1786, 88.
 Holothuria Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1089.
 holsatica Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.
 holsatica Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
 holsatica Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela.
 holsatica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 257.
 holsatus Acarus, J. C. Fabricius, Mant. II. 1787, 372.
 holsatus Cimex, J. C. Fabricius, Mant. II. 1787, 306.
 holsatus Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex, 1787.
 holsatus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 366.
 holthusiana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 138.
 homalocephala Lacerta, G. A. Suckow, Naturges. III, 1798, 138.
 "Homaloceratites, Hüpsch, 1768," Herm.; not used in a generic sense.
 homari Astacus, J. C. Fabricius, Reise Norwegen, 1779, 248.
 homari Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2986.—Astacus.
 homari Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
 113.—Astacus.
 homari Gammarus, F. Weber, Nomen. Fabricii, 1795, 96.—Astacus, 1779.
 homaroides Cancer, O. Fabricius, F. Groen. 1780, 241.
 Homarus F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
 homarus Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 414.—Cancer.
 homarus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1053.
 homarus Cancer (Astacus), L., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 84.
 homarus Pallinurus (L.), F. Weber, Nomen. Fabricii, 1795, 94.—Cancer.
 hombergii Aranea, Scopoli, Ent. Carn. 1763, 403.
 homerus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 29.
 hominis Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 184.
 hominis Polycephalus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 309.
 hominis Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 4.
 "hominis Zoolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
 hominum Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 65.
 Homo Linnaeus, Syst. Nat., ed. 10, 1758, 20; ed. 12, 1766, 28.—M.
 homomalla Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 104.
 honckenii Tetrodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 133.
 honesta [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 25.
 honoraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315.
 honoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 16 [u. et f.].
 honoratus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 169.
 honoratus Sparus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 23.
 honorius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 151.
 honorus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 59.
 horaria Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 907.
 horatius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 64.
 hordaceus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 334.
 hordeacea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 303.
 hordei Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.—Cryptocephalus, 1787.
 hordei Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 95.
 hordei Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 83.
 hordei Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 34.

- hordei Phalaena, Beckmann, Grundsätze Teutsch-Landwirths., ed. 4, 1790, 589; (no. 9, 149) [*teste* L. B. Prout].
- hordonia [Papilio], C. Stoll, Aanhang. Cramer's Utit. Kapellen, V. 1790, 149.
- Horia J. C. Fabricius, Mant. I. 1787, 164.—Col.
- hornotinus Falco, F. M. Daudin, Traité élém. Orn. 1800, 92.
- hornus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 296.
- horologica [Phalaena Noct.], Panzer in Drury, Exot. Ins. 1785, 88.
- horologium Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 308.
- horreorum Hirundo, B. S. Barton, N. H. Pennsylv. 1799, 17.
- horridaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100. [*et f.*]
- horridaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 149 [*n.*]
- horridaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 312 [*n.*]
- horrida Aranea, J. C. Fabricius, Syst. Ent. 1775, 432. [*et f.*]
- horridus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
- horridus Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 66.—Lamia.
- horrida Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—Mem-
- horridus Crotalophorus, F. C. Meuschen, Mus. Gronov. 1778, 16. [bracis.]
- horridus Crotalus, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 372.
- horrida Diaperis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 273.
- horridus Erodium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
- horridus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 127.
- horridus Lamia (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 273.—Cerambyx.
- horrida Membracis, J. C. Fabricius, Mant. II. 1787, 264.
- horridus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 7.
- horrida Parthenope (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 353.—Cancer.
- horridum Phalangium, Block in G. W. F. Panzer, Ins. Germ., heft 17, 1794, tab. 21.
- horridus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1586.—
- horrida Scarpaena, Linnaeus, Syst. Nat., ed. 12, 1766, 453. [Trox.]
- horrida Trichoda, O. F. Müller, An. Infus. 1786, 169.
- horridus Trox, J. C. Fabricius, Syst. Ent. 1775, 818.
- hortaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 153 [*n. et f.*]
- hortaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 130.
- hortella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 296.
- hortella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 327.
- hortensis Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
- hortensis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2204.
- hortensis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 446.
- hortensis Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 668.
- hortensis Cimex, O. F. Müller, Z. Dan. Prod. 1776, 109.
- hortensis Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
- hortensis Helix, O. F. Müller, Verm. II. 1774, 52.
- hortensis Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 118.
- hortensis Ichneumon Mutilla, J. L. Christ, Nat. Ins. 1791, 375.
- hortensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 955.
- hortensis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 481.
- hortensis Pomatia (Müll.), J. F. Bolten, Mus. Bolten. (2) 1798, 74.—Helix.
- hortensis Sphex, N. Poda, Ins. Mus. Graec. 1761, 106.
- hortensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 507.—Motacilla.
- hortensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
- horticola Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 225.
- horticola Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 37.—Scarabaeus.
- horticola Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 15.
- horticola Musca, C. de Geer, Mém. Ins. VI. 1776, 140.
- horticola Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 554.
- horticola Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
- horticola Vespa, C. Allioni, Misc. Taurin. III. 1766, 196.
- horticola [Vespa], Giorna, Cal. Ent. 1791, 87.
- hortorum Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 424.

- hortorum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
 hortorum Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—*Tinea hortella*, 1794.
 hortorum Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 446.
 hortorum Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 35.
 hortorum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2869.—*Syrphus*.
 hortorum Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 9.
 hortorum Scolia, J. C. Fabricius, Mant. I. 1787, 281.
 hortorum Syrphus, J. C. Fabricius, Syst. Ent. 1775, 764.
 hortorum Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 hortorum Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 971.
 hortuella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 29.
 "Hortulanus, Briss. 1760," Waterh.; not used in a generic sense.
 hortulanus Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
 hortulana Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
 hortulanus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 129.
 hortulana Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 309.
 hortulana Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 551.—*Tipula*.
 hortulana Musca, Scopoli, Ent. Carn. 1763, 343.
 hortulana Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 279.
 hortulana Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 977.
 hortulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529.—[=*urticata*, ed.
 horta Papilio (Heliconius), Linnaeus, Mus. Lud. Ulr. 1764, 234. [12.]
 hospes Acheta, J. C. Fabricius, Syst. Ent. 1775, 281.
 hospes Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—*Acheta*.
 hospes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 150.
 hospita Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 470.
 hospitator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
 hostilia [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 38.
 hostilis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 44.
 hotamboeja Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 11.
 hotamboeia Coronella, J. N. Laurenti, Syn. Rept. 1768, 85.
 hottentotta Anthrax (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 260.—*Musca*.
 hottentotta Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
 hottentotta Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 758.—*Musca*.
 hottentotum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 266.
 hottentottus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—
 hottentotta Cetonia, J. C. Fabricius, Syst. Ent. 1775, 52. [Lamia.]
 hottentotta Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 309.
 hottentotta Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
 hottentotta Cimex, J. C. Fabricius, Syst. Ent. 1775, 699.
 hottentottus Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 155.
 hottentotta Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 122.
 hottentotta Lamia, J. C. Fabricius, Syst. Ent. 1775, 173.
 hottentotta Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
 hottentotta Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 981.
 hottentottus Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 190.—*Musca*.
 hottentottus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—
 hottentotta Scarites, A. G. Olivier, Entom. III. 1795, 9. [Cetonia.]
 hottentotta Scorpio, J. C. Fabricius, Mant. I. 1787, 348.
 hottentotta Stratiomys (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 177.—*Musca*.
 hottentotta Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—*Motacilla*.
 hottentottus Tabanus, A. A. H. Lichenstein, Cat. rerum Nat. III. 1796, 214.
 houbara Otis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 725.
 hobara (*sic*) Otis, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 496.
 houttuyn Uranoscopus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 346.
 houttuinialis [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (32) 1782, 192.
 houttuyni Esox, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 88.
 hrota Anas, O. F. Müller, Z. Dan. Prod. 1776, 14.

- huanacus *v.* *guanicoe*.
 hubner- *v.* *huebner*-.
 hucho Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
 huchonias Lernaea, F. v. P. Schrank, Baier. Reise, 1786, 99.
 hudsonias Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 238.
 hudsonias Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 26.
 hudsonias Fringilla, J. R. Forster, Phil. Trans. LXII. 1772, 406 & 428.
 hudsonias Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 3.
 hudsonica Fringilla, J. F. Miller, Icon. Anim. pl. 21 (1777).
 hudsonica Loxia, J. Latham, Index Orn. 1790, 379.
 hudsonica Motacilla, J. Latham, Index Orn. 1790, 503.
 hudsonicus Numenius, J. Latham, Index Orn. 1790, 712.
 hudsonicus Parus, J. R. Forster, Phil. Trans. LXII. 1772, 408 & 430.
 hudsonica Perdix, J. Latham, Index Orn. 1790, 655.
 hudsonica Scolopax, J. Latham, Index Orn. 1790, 720.
 hudsonica Tringa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 114.
 hudsonia Arctomys, R. Kerr, Anim. Kingd. 1792, 254.
 hudsonius Dipus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 358.
 hudsonius Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 128.
 hudsonia Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
 hudsonius Hyrax, J. C. D. Schreber, Säugth. IV. 927 (1792) pl. cxxl. C (1792).
 hudsonius Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
 hudsonius Lemmus (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
 hudsonius Mus, P. S. Pallas, N. sp. Quad. II. 1779, 208.
 hudsonius Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 387.
 hudsonius Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
 hudsonia Petaurista (Gm.), H. F. Link, Beytr. Nat. I (2) 1795, 78.—Sciurus.
 hudsonius Sciurus, P. Boddaert, Elench. 1785, 118.
 hudsonius Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 153.
 hudsonius Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 267.
 hudsonia Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 295.
 hudsonius Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 818.
 hybnerana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 247.
 hybnerella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 58.
 hybneri Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2107.
 cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2151.
 hübneri Copris (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 91.—Scarabaeus.
 huebneri Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 65.
 hybneri Dytiscus, J. C. Fabricius, Mant. I. 1787, 190.
 hybneri Dytiscus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 120.
 hybneri Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 61.
 hubneriana [Phalaena], C. Stoll, Aanhang. Cramer's Utit. Kapellen, I. 1787, 41.
 hugarus Proscarabaeus, *err. pro* hungarus (L.), F. v. P. Schrank, Ins. Aust. 1781, 226.—
 huhula Strix, F. M. Daudin, Traité élém. Orn. 1800, 190; *err. pro* ulula. [Meloe.]
 huidobrius Castor, G. I. Molina, Sag. stor. nat. Chili, 1782, 285.
 humanum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 682.
 humanus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.—
 humanum Corculum, J. F. Bolten, Mus. Bolten. (2) 1798, 189. [Natrix.]
 humana Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3053.
 humana Natrix, J. N. Laurenti, Syn. Rept. 1768, 80. [1091.]
 humanus Priapus, Linnaeus, Syst. Nat., ed. 10, 1758, 656.—[? Holothuria priapus, ed. 12,
 humanus Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1016.
 humanus capitis Pediculus, C. de Villers, Linn. Ent. IV. 1789, 41.
 humator Microphorus, L. G. Scriba, J. Lieb. Ent. II. 1790, 168.
 humator Silpha, J. G. Gleditsch, Verm. phys. bot. Abh. III. 1767, 224.
 humerale Anisotoma (Ol.), Illiger in Kugelann, Käfer Preuss. 1798, 76.—Sphaeridium.
 humeralis Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
 humeralis Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.—Necydalis.

- humeralis** Carabus, G. Paykull, Mon. Carab. 1790, 40.
humeralis Carabus (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 368.—Buprestis.
humeralis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 137. [Lamia.
humeralis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—
humeralis Cerambyx (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791,
humeralis Cerambix, A. G. Olivier, Entom. IV. 1795, 38. [123.—Leptura.
humeralis Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 143.
humeralis Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Cistela.
humeralis Cimex (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 769.—Crabro.
humeralis Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 40.
humeralis Cistela, J. C. Fabricius, Mant. I. 1787, 85.
humeralis Clytra, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 192.
humeralis Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 266.
humeralis Coccinella, R. Townson, Trav. Hungary, 1797, 458.
humeralis Coccinella, G. W. F. Panzer, Ins. Germ., ed. 2, heft 24 [1799], tab. 10.
humeralis Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 361. [Cistela.
humeralis Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.—
humeralis Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
humeralis Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 312. [Cistela.
humeralis Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
humeralis Engis (Fab.), G. Paykull, Faun. Suec. III. 1800, 349.—Ips. [Mordella.
humeralis Hallomenus (Schneider), G. W. F. Panzer, Ins. Germ. heft 16, 1793, tab. 17.—
humeralis Ichneumon, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 196.
humeralis Ips, J. C. Fabricius, Mant. I. 1787, 45.
humeralis Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
humeralis Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 299.
humeralis Leptura, J. C. Fabricius, Mant. I. 1787, 158.
humeralis (*sic*) Melolontha, J. C. Fabricius, Syst. Ent. 1775, 40.
humeralis Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
humeralis Mordella, S. C. Rehn, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 238.
humeralis Necydalis, J. C. Fabricius, Syst. Ent. 1775, 209.
humeralis Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 74.
humeralis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 287. [Melolontha.
humeralis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
humeralis Serropalpus (Hallomenus) (Panz.), J. G. Kugelann, Käfer Preuss. 1798, 134.—
 Hallomenus.
humeralis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 231.—Ips.
humeralis Sphaeridium, A. G. Olivier, Entom. II. 1790, 8.
humeralis Stenocorus, A. G. Olivier, Entom. IV. 1795, 22.
humeralis Tanagra, L. Bosc, J. Nat. Hist. (Choix des Mém.), II. 1792, 179.
humeralis Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 86.
humeralis Volvoxis (Ol.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
humeralis Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 380. [538.—Sphaeridium.
humeralis Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
humeralis-armata Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
humerosus Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 462.
humicola Podura, O. Fabricius, F. Groen. 1780, 213.
humiliata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 614.
humilis Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 65.
humilis Conus, C. U. v. Salis, Reise Neapel, 1793, 364.
humilis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 553.
humilis Echinanthus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 185.
humilis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
humilis Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 595.—
humilis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 461. [Noctua.
humosa Gorgonia, E. J. C. Esper, Pflanzenth. II (7) 1791, 36.
humulata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 272.
humuli Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.

- humuli** Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 373.—Noctua.
humuli Hemerobius, Linnaeus, Faun. Suec., ed. 2, 1761, 383; = **humulinus**, S. N., ed. 10.
humuli Hepialus, J. C. Fabricius, Syst. Ent. 1775, 589.
humuli Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508; ed. 12, 1767, 833.
humulinus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550.
humuralis *v.* **humeralis**.
hungaricus *v.* **ungaricus**.
hungarus *v.* **ungarus**.
huntera Papilio, J. C. Fabricius, Syst. Ent. 1775, 499.
Hupupa *v.* **Upupa**, L.; Bonnaterre, Ency. Méth. (Orn.) I. 1790, lxxxix.—A.
hurta Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 279; ed. 12, 1766, 469.
huso Acipenser, Linnaeus, Syst. Nat., ed. 10, 1758, 238; ed. 12, 1766, 404.
huttuinus Papilio, C. C. Jung, Alph. Verz. Schmett. 1791, 273.—? = **houuttuynus**.
hyacinthinus Brachionus, P. S. Pallas, Elench. 1766, 93.
hyacinthinus Psittacus, J. Latham, Index Orn. 1790, 84. [Brachionus.
hyacinthina Vorticella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3880.—
hyacinthus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 273.—Papilio.
hyacinthus [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 59.
hyades Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 168.
Hyaena M. J. Brisson, Reg. Anim. 1762, 168.—M.
Hyaena E. Skioldebrand, N. Acta Soc. Sci. Upsal. I. 1773, 77.—M.
Hyena E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 256.—M.
Hyaena G. C. C. Storr, Prod. 1780, 35 & tab. A.—M.
hyaena Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 58.
hyaena Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 656.
hyale Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 764.
hyale Papilio, C. Stoll in P. Cramer, Utitl. Kapellen, IV (30) 1781, 119.
Hyalea Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—L.
hyalinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 13 & 23.
hyalinaria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 452.
hyalinata Fulgora, J. C. Fabricius, Spec. Ins. II. 1781, 315.
hyalinatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.
hyalinata Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 24.
hyalinata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 874.
hyalinatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.—Sphex, 1793.
hyalinata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 212.
hyalinus Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
hyalinum Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
hyalina Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 472.
hyalina Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3432.
hyalina Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
hyalina Cicada, J. C. Fabricius, Syst. Ent. 1775, 832.
hyalina Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
hyalina Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
hyalina Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.
hyalinum Cyclidium, O. F. Müller, An. Infus. 1786, 84.
hyalinus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 406.
hyalina Eschara (Cellepora) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 92.—Cellepora.
hyalina Fulgora, *id. ac* hyalinata, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
hyalina Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640. [1789, 2091.
hyalina Hirudo, O. F. Müller, Verm. I (2) 1774, 49.
hyalinus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
hyalinus Limax, Linnaeus, Syst. Nat., ed. 12, 1767, 1081.
hyalinus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 168.
hyalina Mantis, C. de Geer, Mém. Ins. III. 1773, 410.
hyalina Mantis, J. C. Fabricius, Syst. Ent. 1775, 277.
hyalina Ostrea, J. X. Poli, Test. Sicil. II. 1795, 159.
hyalinus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 185.

- hyalinus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2259.
 hyalina Pterotrachea, P. Forskal, Descr. Anim. 1775, 118.
 hyalina Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3235.
 hyalina Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
 hyalina Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 516.
 hyalipennis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
 Hyaloea Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—L.
 hybernus Larus, [M. Tunstall], Orn. Brit. 1771, 3 [*n. n.*].
 hybernus Larus, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
 Hyblaea J. C. Fabricius, Ent. Syst. III (1) 1793, caract. gen., & III (2) 1794, 127.—Lep.
 hynber- *v.* huebner-
 hybridalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 29.
 hybrida Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 241.
 hybridus Anser (Mol.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 112.—Anas.
 hybridus Camelus, R. Kerr, Anim. Kingd. 1792, 289.
 hybrida Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 657.
 hybridus Cimex, Scopoli, Ent. Carn. 1763, 131.
 hybridus Inachus, F. Weber, Nomen. Fabricii, 1795, 93.
 hybridus Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 355.
 hybrida Necydalis, P. Rossi, Mant. Ins. I. 1792, 56.
 hybrida Noctua, J. C. Fabricius, Syst. Ent. 1775, 593.
 hybrida Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3318.
 hybridus Tetrao, Linnaeus, Faun. Suec., ed. 2, 1761, 72.
 hybridus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
 hydactina Diaperis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 178.
 hydatis Taenia, M. E. Bloch, Beschäft. Ges. Nat. Freunde, IV. 1779, 547.
 "Hydatigena, Bloch, 1780," Ag.; does not occur.
 Hydatigena J. A. E. Goeze, Nat. Eingeweidewürm. 1782, 192.—Ver.
 Hydatigena A. J. G. C. Batsch, Nat. Bandwürm. 1786, 84.—Ver.
 hydatigena Taenia, P. S. Pallas, Misc. Zool. 1766, 157.
 Hydatis J. J. Virey, Journ. de Phys. IV. 434 (1798).—Ver.
 Hydatis J. F. Blumenbach, Abb. nat. Gegen., no. 39, 1799.—Ver.
 hydatis Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1183.
 hidatis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8.
 hydatoidea Taenia, P. S. Pallas, Diss. de infes. 1760, 50.
 Hydatula P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 33.—Ver.
 hydatula Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
 hydatula Hydatula (L.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 33.—
 [Hydra].
 hydaspes [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 19.
 hydaspes Papilio, *err. pro* hystaspes, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 28.
 hydaspes [Sphinx], P. Cramer, Utitl. Kapellen, II (10) 1777, 31.
 Hydra Linnaeus, Syst. Nat., ed. 10, 1758, 816; ed. 12, 1767, 1320.—Coel.
 Hydrachna O. F. Müller, Z. Dan. Prod. 1776, xxvi & 188.—Ar.
 hydrachnoides Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
 Hydraena J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 578.—Col.
 Hydrochaeris M. T. Brünnich, Fund. Zool. 1772, 44.—M.
 hydrochaeris Sus, Linnaeus, Syst. Nat., ed. 12, 1766, 103.
 hydrocharis Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 118.
 hydrochaeris Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 23.
 Hydrochoerus M. J. Brisson, Reg. Anim. 1762, 80.—M.
 Hydrochaerus J. C. P. Erxleben, Syst. Anim. 1777, 191.—M.
 Hydrochaerus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
 Hydrocorax M. J. Brisson, Ornith. IV. 1760, 566.—A.
 hydrocorax Buceros, Linnaeus, Syst. Nat., ed. 12, 1766, 153.
 Hydrodamalis A. J. Retzius, K. Vet. Ac. Nya Handl. XV. 1794, 292.—M.
 hydrodromus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 164.
 Hydrogallina B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 19.
 hydroleon Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 980.

- hydroleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
- Hydrometra P. A. Latreille, Préc. Car. Ins. 1796, 86.—Hem.
- Hydrophilus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 180.—Col.
- Hydrophilus J. C. Fabricius, Syst. Ent. 1775, 228.—Col.
- hydrophilus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 266.
- hydrophilus Cinclus, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 300.
- hydrophylus Coluber, J. T. Lindaker, N. Abh. Böhm. Ges. Wiss. I. 1791, 123.
- hydrophila Musca, P. Rossi, Mant. Ins. II. 1794, 74.
- hydrostatica Physiphora, P. Forskal, Descr. Anim. 1775, 119.
- Hydrous C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.—Col.
- Hydrus J. G. Schneider, Hist. Amph. I. 1799, 233.—R.
- hydrus Coluber, P. S. Pallas, Reise Russ. I. 1771, 459.
- hyemalis *v.* hiemalis.
- hyemaria *v.* hiemaria.
- hyemata *v.* hiemata.
- hygenius [Papilio], C. Stoll, Anhang. Cramer's Utitl. Kapellen, II. 1799, 43.
- hygoleucus Tringa, *err. pro* hypoleucus, L., S. G. Gmelin, Reise Russ. III. 1774, 256.
- Hyla J. N. Laurenti, Syn. Rept. 1768, 32.—Am.
- hylactor [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 78.
- Hylaeus J. C. Fabricius, Ent. Syst. II. 1793, 302.—Hym.
- hylaeus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 45.
- hylas Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 185.
- hylas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 142.
- hylas Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.
- hylas Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 547.—Sphinx.
- hylas Sphinx, Linnaeus, Mant. II. 1771, 539.
- hylaspes [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 145.
- hylax Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—Scarabaeus, 1775.
- hylax Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 304.
- hylax Papilio, J. C. Fabricius, Syst. Ent. 1775, 526.
- hylax Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 817.
- hylea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 48.
- hylloeus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, 47.
- hyllus [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 67.
- hyla Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 213.
- hylus Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 300.—Papilio hylas.
- hymen Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 262.
- hymen Papilio, J. C. Fabricius, Syst. Ent. 1775, 519.
- hymenaea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 91.
- hymenaea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 25.
- hyosciami Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
- hyosciami Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 594.
- hyoscyami Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
- hyoscyami Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 29.—Chrysomela.
- hyoscyami Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 149.—Cimex.
- hyoscyami Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
- hyoseris Laria, Scopoli, Ent. Carn. 1763, 21.
- hyotis Lophia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 169.—Mytilus.
- hyotis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
- hyotis Ostrea, F. C. Meuschen, Mus. Gever. 1787, 424.
- hypanus [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 72.
- hyparete Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
- hyparete Papilio [*non* Linn.], J. H. Sulzer, Gesch. Ins. 1776, 143.
- hypatia Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 15.
- hypenemium Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [*n. n.*].
- hyperantus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 768.
- hyperbius Papilio, Linnaeus, Amoen. Acad. VI. 1763, 408.
- hyperborea Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 504.

- hyperboreus Anser, P. S. Pallas, Spic. Zool. VI. 1769, 25.
 hyperborea Coccinella, G. Paykull, Faun. Suec. II. 1799, 38.
 hyperborea Phalaropus (L.), J. Latham, Index Orn. 1790, 775.—Tringa.
 hyperborea Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 249.
 hyperia [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 74.
 hyperia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 119.
 hypericana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 23 [*n. et f.*].
 hyperici Buprestis, C. Creutzer, Ent. Vers. 1799, 122.
 hyperici Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
 hyperici Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 20.
 hyperici Chrysomela, C. de Geer, Mém. Ins. V. 1775, 312.
 hyperici Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 162.
 hyperici Coccus, P. S. Pallas, Reise Russ. Reich. I. 1771, 21.
 hyperici Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76. [351.—Noctua.
 hyperici Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 hypericonis Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2219.
 hypermnestra Papilio, Scopoli, Ent. Carn. 1763, 149.
 hypermnestra Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407.
 hypermnestra [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 69.
 hyphea [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 145.
 hyphinoe Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 181.—Phalaena.
 hyphinoe [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 91.
 hyphinoe [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 130.
 hypnoides Sertularia, P. S. Pallas, Elench. 1766, 155.
 hypnorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
 hypnorum Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 301.—Bulla.
 hypnorum Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1185.
 hypnorum Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 19.
 hypnorum Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.—Staphylinus, 1775.
 hypnorum Podura, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 299.
 hypnorum Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 266.
 hypocastani Phalaena (Noctua), N. Poda, Ins. Mus. Graec. 1761, 88.
 hypochaeridis Aphis, J. C. Fabricius, Reise Norwegen, 1779, 169.
 hypochaeridis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
 hypochaeridis Cryptocephalus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 51.—
 hypochondriacus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 67. [Chrysomela.
 Hypogaea J. X. Poli, Test. Sicil. I. 1791, Introd. 29. A generic term applied to fleshy
 parts of Solenes, Pholades, and Tellinae.
 Hypogaeoderma J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—L.
 hypoleon Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 980.
 hypoleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
 hypoleucoides Tringa, E. Pontoppidan, Danske Atlas, I. 1763, 624.
 hypoleucus Curculio, C. Quensel, Diss. ignotus insectorum Species, 1790, 16.
 hypoleuca Motacilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
 hypoleucus Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 250.
 hypolithus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 44.
 hypolithus [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 14 & 16.
 hypomelas Charadrius, P. S. Pallas, Reise Russ. III. 1776, 699.
 hypophaeus Trochilus, J. Latham, Index Orn. 1790, 314.
 Hypophlaeus J. C. Fabricius, Skriverter Nat. Selsk. I. 1790, 222.—Col.
 hypothous [Sphinx], P. Cramer, Utitl. Kapellen, III (24) 1780, 165.
 hypoxantha Loxia, A. Sparman, Mus. Carls. III. 1788, no. lxxi.
 hypozygia Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
 hypparchus [Sphinx], P. Cramer, Utitl. Kapellen, III (17) 1779, 7.—*v.* hipparchia.
 hypparchus Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 160.—Sphinx.
 hyppassia [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 99.
 hyppasson [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 46.
 hyppolite Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 200.

- hypsipyle [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 124.
hypsipyle Papilio, J. C. Fabricius, Gen. Ins. 1777, 265.
hypsipyle Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 214.
Hypulus G. Paykull, Faun. Suec. I. 1798, 251.—Col.
Hyrax J. Hermann, Tab. aff. Anim. 1783, 115.—M.
Hyrax B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
Hyrax G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
hyrcanus Culex, P. S. Pallas, Reise Russ. I. 1771, 475.
hieroglyphica *v.* hieroglyphica.
hyrtaca Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 53.—Phalaena.
hyrtaca [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 97.
hysoscella Medusa, Linnaeus, Syst. Nat., ed. 12, 1767, 1097.
hystaspes Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 57.
hysterita Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 793; ed. 12, 1767, 1154.
hysteroides Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
“hysterolithus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 164.
hysterophorus Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n.].
Hystrix Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 76.—M.
Hystrix [G. Humphreys], Mus. Calonn. 1797, 30.—G.
hystrix Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 467.
hystrix Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—Lamia.
histrix Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 132.
histrix Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 503.
hystrix Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335; ed. 12, 1766, 413.
hystrix Diodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 69.
hystrix Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 116.
hystrix Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 216.
hystrix Lencosia (Fab.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
hystrix Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750; ed. 12, 1767, 1219.
histrix Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
hystrix Musca, J. C. Fabricius, Syst. Ent. 1775, 777.
histrix Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 114.
hystrix Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
hystrix Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195.

- I Muscicapa, K. Hablizl (*ex* Briss.) in P. S. Pallas, N. nord. Beytr. IV. 1783, 86.
iacchus Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 56.—Simia.
iacchus Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
jacchus Cercopithecus (L.), J. F. Blumenbach, Hand. Naturg. 1779, 69.—Simia.
jacchus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155.—Scarabaeus.
jacchus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
iacchus Papilio, J. C. Fabricius, Syst. Ent. 1775, 533.
jacchus Sagouin (L.), B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
jacchus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.
jacchus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 27; ed. 12, 1766, 40.
jacchus Simia (Sagouin), L., R. Kerr, Anim. Kingd. 1792, 80; & *var.* moschatus.
iaceae *v.* jaceae.
iacintha *v.* jacintha.
iairus *v.* jairus.
ianirula Papilio Nym., E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. [1799], 103.
ianthe Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 80.
ianthe Papilio, P. S. Pallas, Reise Russ. I. 1771, 469.
janthe Papilio, L. Prunner, Lep. Pedemont. 1798, 25.
janthe Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 111.
Janthina J. F. Bolten, Mus. Bolten. (2) 1798, 75.—G.
“Janthina, Lam. 1799,” Scudd.; does not occur; is Janthina.
janthinae Helix, P. Forskal, Descr. Anim. 1775, 127.

- ianthina* Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 256.—Helix.
janthina Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1895.
janthinus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.
janthina Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
janthina Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1246.
janthina Janthina (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—Helix.
janthina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
janthinus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
janthinus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.
ianus *v.* *janus*.
iaponicus *v.* *japonicus*.
iaquiniana *v.* *jacquiniana*.
jarbas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 276.
jarbas Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 10.
iarbus Papilio, J. C. Fabricius, Mant. II. 1787, 68.
iarbas Papilio, J. C. Fabricius, Mant. II. 1787, 83.
iatrophae *v.* *jatrophae*.
iberica Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
iberis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 168.
ibex Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 95.
ibex Capra, J. C. P. Erxleben, Syst. Anim. 1777; *var.* *capricornus*, 264.
ibex Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
ibex Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
ibex Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 55.
ibiare Caecilia, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 140.
ibibe Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 118. [Meuschen.]
ibiboca Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 98.—[*v.* *iboboca*,
Ibis Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 6 & 60.—A.
Ibis B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
ibis Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144.—[Tantalus, ed. 12.]
ibis Numenius, G. Cuvier, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 119.
ibis Rhagio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 556.
ibis Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
ibn-ed-dubb Gryllus, P. Forskal, Descr. Anim. 1775, xxii.
iboboboca Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
ibyx Bulla, F. C. Meuschen, Mus. Gever. 1787, 396.
icarus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 172.
icarus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 302.
icarus [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 26.
icarus Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 21.
icarus Papilio, J. C. Fabricius, Gen. Ins. 1777, 269.
icarus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 155.
icasia [Phalaena], P. Cramer, Uitl. Kapellen, II (16) 1777, 130.
icelandica Tringa, *id. ac* islandica, L., J. Latham, Syn. Birds, Suppl. I. 1787, 292.
Ichneumon Linnaeus, Syst. Nat., ed. 10, 1758, 560; ed. 12, 1767, 930.—Hym.
Ichneumon M. J. Brisson, Reg. Anim. 1762, 181.—M.
Ichneumon B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
ichneumon Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47.
ichneumon Meles, Linnaeus in Hasselquist, Palast. 1762, 271.
ichneumon Squilla, F. Weber, Nomen. Fabricii, 1795, 96 [*n. n.*].
ichneumon Squilla, J. C. Fabricius, Suppl. Ent. Syst. 1798, 416.
ichneumon Ursus (L.), G. Cuvier, Tab. Élém. 1798, 114.—Viverra.
ichneumon Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 43; ed. 12, 1766, 63.
ichneumonea Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 959.
ichneumonea Apis, J. L. Christ, Nat. Ins. 1791, 198.
ichneumoneus Clerus, J. C. Fabricius, Gen. Ins. 1777, 230.
ichneumonea Diopsis, Linnaeus, Bigis Insect. 1775, 5.
ichneumoneus Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 559.—Musca.

- ichneumonea* Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
ichneumonea Necydalis, C. de Geer, Mém. Ins. V. 1775, 148.
ichneumonea SpheX (L.), J. C. Fabricius, Syst. Ent. 1775, 349.—*Apis*.
ichneumoneus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 768.—*Musca*.
ichneumonea Tipula, C. de Geer, Mém. Ins. VI. 1776, 350.
ichneumoniformis Larra, J. C. Fabricius, Ent. Syst. II. 1793, 221.
ichneumoniformis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
ichneumonius Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—
Clerus ichneumoneus.
ichneumonoides Musca, A. F. de Fourcroy, Ent. Paris. 1785, 498.
ichthyaetus Larus, P. S. Pallas, Reise Russ. II. 1773, 713.
ichthyobroma Spongia, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 18.
Ichthyocolla E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 399.—*P*.
“*Ichthyolithus*” Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
icilia [Phalaena], C. Stoll, A nhang. Cramer's Utitl. Kapellen, V. 1790, 158.
I-cinctum Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
I cinctum Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 35.
icosandriae Curculio, Scopoli, Ent. Carn. 1763, 28.
icterata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 382.
ictericius Scarabaeus, K. E. v. Moll in Schrank & Moll, Nat. Briefe Oesterreich, I. 1785,
icterica *Apis*, J. L. Christ, Nat. Ins. 1791, 190. [168].
ictericus Aphodius (Payk.), C. Creutzer, Ent. Vers. 1799, 52.—*Scarabaeus*.
ictericus Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 292.
icterica Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
ictericus Cimex, Linnaeus, Amoen. Acad. VI. 1763, 399.
ictericus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2169.
ictericus Ichneumon, J. L. Christ, Nat. Ins. 1791, 341.
ictericus Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 14.
ictericus Scarabaeus, G. Paykull, Faun. Suec. I. 1798, 17.
icteritia Phalaena, Hufnagel, Berl. Mag. III. 1767, 296.
icterocephalus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 337.—*Oriolus*.
icterocephala Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
icterocephalus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.
icterocephalus Picus, J. Latham, Index Orn. 1790, 241.
icterocephala Sylvia (L.), J. Latham, Index Orn. 1790, 538.—*Motacilla*.
icteroops Gracula, J. Latham, Index Orn. 1790, 193.
Icterus M. J. Brisson, Ornith. II. 1760, 86.—*A*.
Icterus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—*A*.
Icterus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—*A*.
icterus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 161.
ictor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 277.
ida [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 66.
ida Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 25.
ida Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 43.
ida Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784-5], 184.
idaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 16.
idalia [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 69.
idas [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 118.
idas Papilio, E. Donovan, Brit. Ins. IX. 1800, 74.
idas Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488.
idas Papilio (Pleb.), Linnaeus, Faun. Suec., ed. 2, 1761, 284.
idatula Hydra, *id. ac* hydatula, L., J. F. Maratti, Plant. Zooph. Med. 1776, 39.
idbari Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
idbarus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 529.
idea [Papilio], C. Clerck, Icones, II. 1764, pl. xxxviii.
idiota Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 162.
idmone Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.—[*P*. (*Nymphalis*) ed. 12.]
idolon Ichneumon, P. Rossi, Mant. Ins. II. 1794, 110.

- idolum* Coluber, G. A. Suckow, Naturges. III. 1798, 246.
idomeneus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
idonea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 43.
idonea [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 150.
Idotea J. C. Fabricius, Suppl. Ent. Syst. 1798, 297 [not 1793 as stated by Agassiz].—Cr.
Idothea J. C. Fabricius, Ent. Syst., Index, 1796, 86 [*n. n.*].—see *Idotea*.
idriacus Cimbex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2183.
idriensis Phalaena, J. A. Scopoli, Annus V. 1772, 113.
idriensis Tipula, Scopoli, Ent. Carn. 1763, 316.
idrieus Sphinx, D. Drury, Ill. Nat. Hist. III. 1782, index and 2.
idus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 529.
ieiuna *v.* jejuna.
Ignavus J. F. Blumenbach, Hand. Naturg. 1779, 70.—M.
ignavus Asilus, O. F. Müller, F. Ins. Frid. 1764, 88.
ignavus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 8.
ignavus Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
ignavus Syrphus, G. W. F. Panzer, Ins. Germ. heft 60 [1798], tab. 4.
igneata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
ignea Ardea, *err. pro nigra*, Linn., J. J. Langius' ed. of Linn. Syst. Nat. 1760, 142.
igneum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
ignea Bufo, J. N. Laurenti, Syn. Rept. 1768, 29 & 129.
ignea Melolontha, A. G. Olivier, Entom. I. 1789, 81.
igneus Numenius, S. G. Gmelin, Reise Russ. I (1770), 166.
igneus Tantalus, J. Latham, Syn. Birds, Suppl. I. 1787, 291.
igneus Tantalus (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 649.—
ignialis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*]. [Numenius.
ignicolor Buffo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
ignifer Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
ignifer Purpura, F. C. Meuschen, Mus. Gever. 1787, 312.
ignita (*sic*) Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.
ignita Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
ignita Cetonia, A. G. Olivier, Entom. I. 1789, 69.
ignita Chrysis (L.), Linnaeus, Faun. Suec., ed. 2, 1761, 414.—Sphex.
ignita Chrysomela, J. C. Fabricius, Mant. I. 1787, 68.
ignita Cicada, J. C. Fabricius, Mant. II. 1787, 272.
ignitus Elater, J. C. Fabricius, Mant. I. 1787, 172.
ignita Ephemera, N. Poda, Ins. Mus. Graec. 1761, 97.
ignita Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 906.
ignitus Ichneumon, J. C. Fabricius, Mant. I. 1787, 269.
ignita Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
ignita Leptura, C. de Villers, Linn. Ent. I. 1789, 273.
ignita Loxia (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 448.—Fringilla.
ignitus Phasianus, G. Shaw, Nat. Misc. IX. 1797, pl. 321.
ignita Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571.—[Chrysis, ed. 12.]
ignitus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 89.
ignita Trichoda, O. F. Müller, An. Infus. 1786, 186.
ignita Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 440.
ignobilis Certhia, A. Sparrman, Mus. Carls. III. 1788, no. lvi.
ignobilis Coluber, J. N. Laurenti, Syn. Rept. 1768, 96.
ignobilis Conus, G. Olivi, Zool. Adriat. 1792, 133.
ignobilis Phalaena, Hufnagel, Berl. Mag. III. 1767, 300.
ignobilis Scomber, P. Forskal, Descr. Anim. 1775, 55.
ignotus Cephus, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 597.
ignotus Colymbus, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 782.
ignota Cynips, J. L. Christ, Nat. Ins. 1791, 475.
ignotus Parus, M. T. Brünnich, Orn. Boreal. 1764, 73.
ignota Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
ignotus Tabanus, P. Rossi, Fauna Etrus. II. 1790, 320.

- Iguana L. T. Gronovius, Zooph. I. 1763, 13.—R.
 Iguana J. N. Laurenti, Syn. Rept. 1768, 47.—R.
 igvana Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 366.
 iguanae Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
 ilathera Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 151.
 ilea Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 426.
 ileacea Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69 [*n. n.*].
 ilia Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 172.
 ilia [Phalaena], P. Cramer, Uitl. Kapellen, I (3) 1775, 53.
 iliaca Fringilla, B. Merrem, Avium rar. Icones, II. 1786, 37.
 iliacus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 292.
 iliacus Vermiculus, F. C. Meuschen, Mus. Gever. 1787, 236.
 ilicana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 408.—Pyralis.
 ilicana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 283.
 ilicaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 302.
 ilicifolia Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 562.—Phalaena.
 ilicifolia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 497; ed. 12, 1767, 813.
 ilicis Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 434.
 ilicis Chermes (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 440.—Coccus.
 ilicis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
 ilicis Curculio, J. C. Fabricius, Mant. I. 1787, 110.
 ilicis Papilio P. R., E. J. C. Esper, Die Schmett. I (9) 1779, 353.
 ilione [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 42.
 ilioneus Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 3.
 ilithyia Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 29.
 illanca Salmo, Wartmann, Schrift. Berlin. Ges. Nat. Freunde, IV. 1783, 55.
 illecebrator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 194.
 illibaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 207 [*n. et f.*].
 illibata Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 461.
 illibata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.
 illibata Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
 illinensium Didelphys, H. F. Link, Beytr. Nat. I (2) 1795, 67.
 illioneus [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 81.
 illucens Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 756.—Musca.
 illucens Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979.
 illucens Mydas (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 253.—Musca.
 illucens Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 205.—Musca.
 illumina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [antea 1796], 15.
 illunaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 36 [*n. et f.*].
 illunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 76.
 illustraria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 24.
 illustraria (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 35 [*n. et f.*].
 illustratus Musca, M. Harris, Exp. Eng. Ins. 1776, 104.
 illustrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
 illustrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 45.
 illustris Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 340.
 illustris Noctua, J. C. Fabricius, Mant. II. 1787, 164.
 illustris Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 761.—
 illyricus Charadrius, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 26. [Noctua].
 illyricus Scarabaeus, Scopoli, Ent. Carn. 1763, 11.
 illyrica Vipera, J. N. Laurenti, Syn. Rept. 1768, 101.
 iltis Mustela, P. Boddaert, Elench. 1785, 87.
 ilus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 17.
 ilus [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 145.
 ilyraria Phalaena, *id. ac* ilyrias, Cram., J. C. Fabricius, Gen. Ins. 1777, 284.
 ilyrias [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 15.
 imaon [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 94.
 imbecilla Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 113.

- imbellis Musca, M. Harris, Exp. Eng. Ins. 1776, 60.
- imberbis Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
- imberbis Cebus, H. F. Link, Beytr. Nat. I (2) 1795, 63 [*n. n.*].
- imberbis Mullus, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
- imberbe Ophidion, Linnaeus, Syst. Nat., ed. 10, 1758, 259; ed. 12, 1766, 431 [Ophidium].
- imberbis Silurus, *err. pro inermis*, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1361.
- imbricata Anomia, J. G. Bruguière, Ency. Méth. (Vers) (4) 1789, 73.
- imbricata Aphrodita, Linnaeus, Syst. Nat., ed. 12, 1767, 1084.
- imbricata Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 98.
- imbricata Arca, J. X. Poli, Test. Sicil. II. 1795, 145.
- imbricatus Asellus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 252.—Oniscus.
- imbricatum Cardium, I. v. Born, Index Mus. Caes. Vind. 1778, 29.
- imbricatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 489.
- imbricatus Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 503.—Oniscus, 1775.
- imbricatum Daphnoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 260; = Arca of p. 145.
- imbricatus Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 93.—Turbo.
- imbricata Laticauda, J. N. Laurenti, Syn. Rept. 1768, 110.
- imbricatus Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
- umbricatus (*sic*) Oniscus, J. C. Fabricius, Syst. Ent. 1775, 296.
- imbricatus Oniscus, J. C. Fabricius, Spec. Ins. I. 1781, 375.
- imbricata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3318.
- imbricata Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
- imbricatus Planorbis, O. F. Müller, Verm. II. 1774, 165.
- imbricata Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
- imbricata Sertularia, J. Adams, Tr. Linn. Soc. (Lond.), V. 1800, 11.
- imbricata Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 350.
- imbricata Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
- imbricatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
- imbricatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
- imbricata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3277.
- imbricornis Bruchus, G. W. F. Panzer, Ins. Germ. heft 25 [1794], tab. 24.
- imbricornis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 622.
- imbricornis Prionus (L.), A. G. Olivier, Entom. IV. 1795, 28.—Cerambyx.
- imitaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 51 [*n. et f.*].
- imitator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197.
- immacularia Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 131.
- immacularia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
- immaculataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
- immaculatus Ascalaphus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 246.
- immaculatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 323.
- immaculata Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 382.
- immaculata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
- immaculatus Charax, F. C. Meuschen, Mus. Gronov. 1778, 38.
- immaculata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 695.
- immaculata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 752.
- immaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2147.
- immaculata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1644.
- immaculata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 267.
- immaculata Coccinella, P. Rossi, Mant. Ins. II. 1794, 86.
- immaculatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
- immaculatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 201.
- immaculata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 8.
- immaculatus Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 63.
- immaculatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
- immaculata Ichneumon, P. Rossi, Mant. Ins. I. 1792, 126.
- immaculata Lampyrus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.
- immaculata Melolontha, A. G. Olivier, Entom. I. 1789, 29.
- immaculata Mylabis, J. C. Fabricius, Syst. Ent. 1775, 826.

- immaculatum Myrmeleon, C. de Geer, Mém. Ins. III. 1773, 564.
 immaculata Nitidula, A. G. Olivier, Entom. II. 1790, 11.
 immaculata Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 330.
 immaculatus Pneumora, C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 256.
 immaculata Raphidia, E. Donovan, Brit. Ins. IX. 1800, 59.
 immaculatus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 513.
 immaculatum Scaphidium, A. G. Olivier, Entom. II. 1790, 5.
 immaculatum Sphaeridium, P. Rossi, Fauna Etrus. I. 1790, 48.
 immaculata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
 immaculatus Synbranchus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 87.
 immaculata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
 immaculata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
 immarginatus Dytiscus, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
 immer Colymbus, M. T. Brünnich, Orn. Boreal. 1764, 38.
 immer Mergus (Br.), J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 72.—Colymbus.
 immerina Taenia, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 61.
 imminuitor Ichneumon, J. L. Christ, Nat. Ins. 1791, 369.
 immoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 133 [*n. et f.*].
 immorata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 871.
 immundus Aphodius, C. Creutzer, Ent. Vers. 1799, 57.
 immutaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 108 [*n. et f.*].
 immutata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 871.
 impactus Mytilus, J. Hermann, Naturforscher, XVII. 1782, 152.
 impar Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 110.
 impatiens Fistularia, P. Forskal, Descr. Anim. 1775, 121.
 impatiens Holothuria (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3143.—
 impavidus Apis, M. Harris, Exp. Eng. Ins. 1776, 131. [Fistularia.]
 impavidus Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
 impavida Musca, P. Rossi, Fauna Etrus. II. 1790, 304.
 impejanus *v.* impeyanus.
 impennis Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 210.
 impennis Pinguinus (L.), J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 29.—Alca.
 imperator Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 51.
 imperator Gryllus, P. Brown, Illust. Zool. 1776, 132.
 imperator [Papilio], C. C. Jung, Alph. Verz. Schmett. 1791, 287.
 imperatoria Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 155 [*n. n.*].
 imperatoria Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 109.
 imperfecta Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
 imperfecti Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
 imperforatum Dentalium, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 635.
 imperforata Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
 imperforata Stomatia, Lamarck, Mém. Soc. H. N. Paris, 1799, 77.
 imperialis Astraea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 79.—Trochus.
 imperialis Bombyx (Dru.), J. C. Fabricius, Syst. Ent. 1775, 569.—Phalaena.
 imperialis Bruchus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Ptinus.
 imperialis Cimex, J. C. Fabricius, Syst. Ent. 1775, 697.
 imperialis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 imperialis Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 261.
 imperialis Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.
 imperialis Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 179.
 imperialis Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 37.—Conus.
 imperialis Curculio, J. R. Forster, N. Sp. Ins. 1771, 34.
 imperialis Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 62.
 imperialis Emberiza, G. Shaw in Miller, Cim. Phys. 1796, 7.
 imperialis Fringilla, J. Latham, Index Orn. 1790, 466.
 imperialis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
 imperialis Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 101.—Turbo.
 imperialis Merganser, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 106.

- imperialis* Mergus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 547.
imperialis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
imperialis Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 257.
imperialis [Papilio], P. Cramer, Utit. Kapellen, I (7) 1775, 120.
imperialis Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 17.
imperialis Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.
imperialis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
imperialis Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
imperialis Zeus, G. Shaw, Nat. Misc. IV. 1793, pl. 140.
impejanus (*sic*) Phasianus, J. Latham, Index Orn. 1790, 632.
impeyiae Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
impiger Syrphus, P. Rossi, Fauna Etrus. II. 1790, 289.
impius Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 302.
implexa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 133.
implicata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 164.
implicata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 386.
impluviata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
impluviata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
impostor Ichneumon, Scopoli, Ent. Carn. 1763, 287. [291.—Geometra.
impraegnator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 368.
impresso-punctatus Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 312.
impressa Aranea, J. C. Fabricius, Reise Norwegen, 1779, 359.
impressus Brachionus, O. F. Müller, An. Infus. 1786, 355.
impressum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
impressa Buprestis, J. C. Fabricius, Syst. Ent. 1775, 220.
impressus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 51.
impressum Callidium, G. Paykull, Faun. Suec. III. 1800, 84.
impressus Carabus, A. G. Olivier, Entom. III. 1795, 83.
impressus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
impressus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 57.
impressa Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 80.
impressa Cetonia, A. G. Olivier, Entom. I. 1789, 39.
impressa Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
impressus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
impressus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 192. [1720.—Crioceris.
impressa Donacia, G. Paykull, Faun. Suec. II. 1799, 193.
impressus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 72.
impressus Dytiscus, J. C. Fabricius, Mant. I. 1787, 193.
impressus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 223.
impressus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 37.
impressa Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
impressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
impressus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
impressa Ips, A. G. Olivier, Entom. II. 1790, 14.
impressa Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 90.—Crioceris, 1787.
impressus Paederus, P. Rossi, Fauna Etrus. I. 1790, 254.
impressa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
impressa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 502.
impressus Scolytus, A. G. Olivier, Entom. IV. 1795, 12.
impressus Staphylinus, A. G. Olivier, Entom. III. 1795, 23.
impressus Staphylinus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 21.
impressum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 406.—Hydrachna.
impugnator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 368.
impunctat[us] Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
impuncta Cynips, E. Acharius, Götting. Wetensk. & Witterh. Samhällets Handl.
(Wetensk. Afd.) I. 1778, 74.
impunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 579. [Misprint for ?impunctata.]
impura Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].

- impura* Tenthredo, Scopoli, Ent. Carn. 1763, 280.
impustulata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 584.
impustulata Silpha, [D. H. Schneider], Nom. Ent. 1785, 7 [*n. n.*].
inaccessus Curculio, F. v. P. Schrank, Naturforscher, XXIV. 1789, 70.
Inachus F. Weber, Nomen. Fabricii, 1795, 93.—Cr.
Inachus J. C. Fabricius, Suppl. Ent. Syst. 1798, 318.—Cr.
Inachus J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 18.—Cr.
Inachus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 7 [*n. n.*].—Cr.
inachus [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 58.
inaequalis Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.
inaequalis Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 166.
inaequalis Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
inaequalis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
inaequalis Coccinella, J. C. Fabricius, Syst. Ent. 1775, 80.
inaequalis Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 193.
inaequalis Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
inaequalis Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 239.
inaequalis Echinocyamus, N. G. Leske, Add. Klein. Nat. Disp. Ech. 1778, 216.
inaequalis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.—
inaequalis Elater, C. de Geer, Mém. Ins. IV. 1774, 148. [Echinocyamus.
inaequalis Elater, A. G. Olivier, Entom. II. 1790, 22.
inaequalis Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 221.
inaequalis Hister, A. G. Olivier, Entom. I. 1789, 7.
inaequalis Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 37.
inaequalis Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
inaequalis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 483.
inaequalis Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3373.
inaequalis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
inaequalis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
inaequalis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
inaequalis Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
inaequalis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 274.
inaequalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 449.
inaequalis Silpha, J. C. Fabricius, Spec. Ins. I. 1781, 87.
inaequalis Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 31.
inaequalis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
inaequilatera Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
inaequivalvis Arca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 98 [*n. n.*].
inaequivalvis Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 106.
inaequivalvis Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
inaequivalvis Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Tellina.
inaequivalvis Pandora (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—Tellina.
inaequivalvis Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673.
inaequivalvis Tellina, Linnaeus, Syst. Nat., ed. 12, 1767, 1118.
inaequivalvis Tellina, M. T. Brünnich, Beschäft. Ges. Nat. Freunde, III. 1777, 314.
inanis Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2629.
inanis Gryllus, J. C. Fabricius, Syst. Ent. 1775, 827.
inanis Melolontha, N. J. Brahm in Borkhausen, Rhein. Mag. I. 1793, 705.
inanis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
inanis Scarabaeus, N. J. Brahm, Ins. Kal. I (1) 1790, 85.
inanis Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
inanis Syrphus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 278.—Musca.
inanis Tabanus, J. C. Fabricius, Mant. II. 1787, 356.
inanita Cynips, Linnaeus, Syst. Nat., ed. 12, 1767, 920.
inanita Tenthredo, C. de Villers, Linn. Ent. III. 1789, 125.
inara [Phalaena], P. Cramer, Utitl. Kapellen, III (20) 1779, 78.
inaria [Papilio], P. Cramer, Utitl. Kapellen, III (18) 1779, 36.
inaurata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 225.

- inaurata* Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1939.
inauratus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 107.
inaurata [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 135.
inaurata Sphinx, J. H. Sulzer, Gesch. Ins. 1776, 151.
inaurata Talpa, Pall.; see J. C. D. Schreber, Säugth. III., pl. clvii (1777).
inauris Erinaceus, Linnaeus, Syst. Nat., ed. 12, 1766, 75.
inauris Myoxus, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 275.
inauris Sciurus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 344.
inauritus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 202.
inauritus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3190.—
 Echinodiscus.
inauritus Myoxus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 481. [*et f.*].
incanaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 106 [*n.*].
incanata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 871.
incanescens Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 322.
incanus Cancer, P. Forskal, Descr. Anim. 1775, 92.
incanus Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 38.
incana Certhia, J. Latham, Index Orn. 1790, 296.
incanus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
incana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
incana Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 658.
incana Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
incarcerato-striata Testudo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 29.
incarcerata Testudo, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 29.
incarnata Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—Ostrea.
incarnatus Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 67.
incarnata Columba, P. Forskal, Descr. Anim. 1775, vi & 5.
incarnata Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
incarnatus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 87.
incarnata Helix, O. F. Müller, Verm. II. 1774, 63.
incarnata Mantis, Boeber in Reichs, Mag. Thierreichs, I. 1793, 140.
incarnata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
incarnata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 300.
incarnata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
incarnatus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
incarnata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142.
incarnata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1118.
incarnata Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
incerta Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [*n. n.*].
incertus Falco, J. Latham, Index Orn. 1790, 32.
incertus Ichneumon, J. H. Sulzer, Gesch. Ins. 1776, 190.
incertus Ichneumon, J. L. Christ, Nat. Ins. 1791, 371.
incerta Phalaena, Hufnagel, Berl. Mag. III. 1767, 298.
incerta Tritoma, P. Rossi, Fauna Etrus. I. 1790, 48.
inchoata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 294.
incineratus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
incinerata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
incisa Apis, A. F. de Fourcroy, Ent. Paris. 1785, 445.
incisum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 87.
incisus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 119.
incisa Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3630.
incisus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
incisa Nereis, O. Fabricius, F. Groen. 1780, 295.
[*incisa* Papilio (*sic*) (N.) MS.], T. Martyn, Psyche, 1797, figs. 41 & 42.
incisa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
[*incisa* Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 94.
incitator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 172.
inclavatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2163.

- inclinans** Vorticella, O. F. Müller, Verm. I (1) 1773, 116.
inclyta Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
incognitus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 97.
incolorata Tenthredo, J. L. Christ, Nat. Ins. 1791, 451.
inconspita Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 83.
inconspectus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 162.
inconspectus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 405.
inconspicua Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
inconspicua Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
incrassator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
incrassatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 158.
incrassatum Buccinum, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 369.
incrassata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 111.
incrassatus Murex (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547.—
incrassatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 38. [Tritonium].
incrassatum Tritonium, O. F. Müller, Z. Dan. Prod. 1776, 244.
incrustans Madrepora, P. Forskal, Descr. Anim. 1775, 135.
incrustata Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13.
incrustata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
incubitor Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
incubitor Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 136.
inculcator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
inculpator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 184.
incurvatus Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 95.
incurvata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
incurvata Pinna, I. v. Born, Index Mus. Caes. Vind. 1778, 117.
incurvata Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 634.
incurvatus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999.
incurvus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 312.
incurva Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
incurva Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
indagator Carabus, J. C. Fabricius, Mant. I. 1787, 197.
indagator Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Rhagium.
indagator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 181.
indagator Rhagium, J. C. Fabricius, Mant. I. 1787, 145.
indagator Stenocorus (Fab.), A. G. Olivier, Entom. IV. 1795, 12.—Rhagium.
inderiensis Carabus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
inderiensis Curculio, P. S. Pallas, Reise Russ. I. 1771, 464. [Curculio].
index Enchelis, O. F. Müller, An. Infus. 1786, 38.
index Trichoda, O. F. Müller, An. Infus. 1786, 190.
indiarum Tibia, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
indicator Cuculus, A. Sparrman, Phil. Trans. LXVII (1) 1777, 43.
indicator Cuculus, J. F. Miller, Icon. Anim., pl. 24 (1778).
indicator Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
indicata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 640.
indica Amia, G. S. Volta, Itt. Veron. (2) [circa 1800], cxlix.
indica Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
indica Anas, J. Latham, Index Orn. 1790, 839.
indica Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
indica Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
indica Ardea, J. Latham, Index Orn. 1790, 701.
indicus Attelabus, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 68.
indica Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
indicus Bos, Linnaeus, Syst. Nat., ed. 10, 1758, 72; ed. 12, 1766, 99.
indicum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3495.
indicus Bucco, J. Latham, Index Orn. 1790, 205. [Callionymus].
indicus Calliomorus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 343.—
indicus Callionymus, Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 434.

- indicus* Caprimulgus, J. Latham, Index Orn. 1790, 588.
indicus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
indicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1856.
indica Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.
indicus Cervus, R. Kerr, Anim. Kingd. 1792, 304.
indicus Charadrius, J. Latham, Index Orn. 1790, 750.
indicus Charadrius, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 20.
indica Chrysómela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 52.
indicus Colius, J. Latham, Index Orn. 1790, 370.
indica Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 284.
indica Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
indica Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 159.
indicus Cottus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 68.
indicus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
indicus Cuculus, J. Latham, Index Orn. 1790, 211.
indica Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
indicus Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
indica Didelphis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 35.
indica Dipsas, J. N. Laurenti, Syn. Rept. 1768, 90.
indicus Dugong, B. G. E. de Lacépède, Tabl. Mamm. 1799, 17.
indicus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 110.
indicus Elaphs, G. Guvier, Mém. Inst. [Paris], II (1798), 21.
indicus Erotylus (Fuesl.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.—Chrysomela.
indicus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
indica Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 928.
indica Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98. [Locusta.
indicus Gryllus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.—
indica Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1079.
indica Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
indicus Kurtus, M. E. Bloch, Nat. ausl. Fische, II. 1786, 122.
indica Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 521.
indica Locusta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 193.
indica Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 847.
indica Loxia, J. Latham, Index Orn. 1790, 394.
indica Lytta, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 145.
indicus Macroterarsus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.
indicus Meles, P. Boddaert, Elench. 1785, 80.
indica Meloe (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
indicus Moschus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 173. [Mylabris.
indicus Moschus, J. C. D. Schreber, Säugth. V (1) 962 (antea 1800), pl. ccxlv (1783).
indica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962.
indicus Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 497.
indicus Musca, M. Harris, Exp. Eng. Ins. 1776, 47.
indica Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 966.
indica Myceteria, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 11 [n. n.].
indica Mylabris, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 147.
indica Nitidula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.
indica Notonecta, Linnaeus, Mant. II. 1771, 534.
indicus Notoxus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.—Attelabus.
indicus Notoxus, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
indica Otis, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
indica Otis, J. F. Miller, Icon. Anim. pl. 33 (1782).
indica Parra, J. Latham, Index Orn. 1790, 765.
indicus Parus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
indicus Parus, A. Sparrman, Mus. Carls. II. 1787, no. 1.
indica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
indica Perdix (Gm.), J. Latham, Index Orn. 1790, 650.—Tetrao.
indica Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.

- indicus** Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
indicus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 318.
indicus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 349.
indicus Ramphastos, G. Shaw in Miller, Cim. Phys. 1796, 102.
indicus Rosmarus, P. Boddaert, Elench. 1785, 169.
indica Sabella, L. T. Gronovius, Zooph. III. 1781, 352.
indicus Sciurus, J. C. P. Erxleben, Syst. Anim. 1777, 420.
indica Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 667.
indicus Scorpio, F. C. Meuschen, Mus. Gronov. 1788, 83.
indica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
indica Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 945.
indicus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1503.
indica Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
indicus Sukotyus, R. Kerr, Anim. Kingd. 1792, 114.
indica Testudo, J. G. Schneider, Nat. Schildkr. 1783, 355.
indicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 755.
indicus Trichiurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1142.
indicus Trochilus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
indicus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
indicus Trogon, J. Latham, Index Orn. 1790, 201.
indicus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
indicus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 810.
indica Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
indica Upupa, J. Latham, Index Orn. 1790, 280.
indicus Ursus, R. Kerr, Anim. Kingd. 1792, 188.
indicus Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 44.
indicus Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2769.
indica Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
indicus Vultur, J. A. Scopoli, Del. Insub. II. 1786, 85.
indicus Vultur, J. Latham, Index Orn. 1790, 7.
indicus Vultur, R. Kerr, Anim. Kingd. 1792, 476.
indigena Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 170.
indigenata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 383.
indivisa Tubularia, Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1301.
indostana Sphex, Linnaeus, Mus. Lud. Ulr. 1764, 407.—[inda, Syst. Nat., ed. 10.]
Indri E. Geoffroy, Mag. encyclop. I (1) 1796, 46.—M.
Indri B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
indri Lemur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 42.
indri Sorex, J. A. Scopoli, Del. Insub. II. 1786, 84.
Indris G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
indurata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 116.
indus Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1022.
indum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.
inda Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 179.
indus Bucco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
indus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
inda Cetonia (L.), A. G. Olivier, Entom. I. 1789, 40.—Scarab.
indus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
inda Chrysolina, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 603.
indus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 447; ed. 12, 1767, 726.
indus Colius, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
indus Cottus, Linnaeus, Mus. Adolph. Frid. II. 1764, 66.
indus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1730.—Chry-
indus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606. [somela.
indus Falco, P. Boddaert, Tab. Planch. Enl. 1783, 25.
inda Fringilla, H. Lichtenstein, Cat. rerum Nat. I. 1793, 46.
inda Fringilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
indus Gyrynus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 65.

- indus** Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1065.
indus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 147.—Cimex.
indus Melolontha (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37.—Trichius.
inda Musca, F. v. P. Schrank, Ins. Aust. 1781, 438.
indus Psittacus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
indus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 556.
indus Scarites, A. G. Olivier, Entom. III. 1795, 9.
indus Scorpio, C. de Geer, Mém. Ins. VII. 1778, 341.
inda Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 942.—[indostana.]
indus Trichius (L.), J. C. Fabricius, Syst. Ent. 1775, 40.—Scarabaeus.
indus Trogon, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
indus Vultur, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
ineptus Didus, Linnaeus, Syst. Nat., ed. 12, 1766, 267.
ineptus Plotus, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 162.
inermis Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747. [bracis.
inermis Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—Mem-
inermis Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.—Rhino-
inermis Goezia, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 101. [macer.
inermis Labrus, P. Forskal, Descr. Anim. 1775, 34.
inermis Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
inermis Orbis, P. L. S. Müller, Del. Nat. II. 1767, 141.
inermis Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91.
inermis Silurus, Linnaeus, Syst. Nat., ed. 12, 1766, 503.
inermis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
iners Curculio, Scopoli, Ent. Carn. 1763, 24.
infausti Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
infaustus Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 107.
infaustus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 138.—Corvus, 1758.
infaustus Lanius, R. Kerr, Anim. Kingd. 1792, *var. minor*, 557.
infausta Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
infaustus Turdus (L.), J. Latham, Index Orn. 1790, 335.—Corvus.
infausta Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
infernalis Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 189.
infernalis Furia, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1325.
infidus Carabus, P. Rossi, Mant. Ins. I. 1792, 88.
infida Chrysis, P. Rossi, Fauna Etrus. II. 1790, 80.
infidus Curculio, P. Rossi, Mant. Ins. I. 1792, 38.
infidus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 111.—Chrysis, 1790.
infinitum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
infirmus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 257.
inflammatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 143.
inflammatum Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
inflammata Phalaena, Scopoli, Ent. Carn. 1763, 226.
inflator Sygnathus, G. A. Suckow, Naturges. IV. 1799, 172.
inflata Bernicla, J. F. Bolten, Mus. Bolten. (2) 1798, 198 [*n. n.*].
inflatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
inflata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2092.—Membracis.
inflatum Corculum, J. F. Bolten, Mus. Bolten. (2) 1798, 189.
inflatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
inflata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
inflatum Mantellum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 160.—Ostrea.
inflata Membracis, J. C. Fabricius, Mant. II. 1787, 262.
inflata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
inflata Pimelia, A. G. Olivier, Entom. III. 1795, 6.
inflata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 98.
inflata Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159 [*n. n.*].
inflatus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 280.
inflata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3230.

- inflatus** Trochus, F. C. Meuschen, Mus. Gev. 1787, 282.
inflata Tuceta, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
inflexipes Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
inflexus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1983.
inflexa Fusaria, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 36.
inflexa Ligia, F. Weber, Nomen. Fabricii, 1795, 92.
inflexa Ostrea, J. X. Poli, Test. Sicil. II. 1795, 160.
inflexa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
infictorius Ichneumon, P. Rossi, Mant. Ins. I. 1792, 111.
informis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 699.
informis Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
in fossor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 248.
infractorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 398.
infractus Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
infundibuliformis Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm.
infundibuliformis Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1282. [1800, 271.
infundibuliformis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1296.
infundibuliformis Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 386.
infundibuliformis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
infundibuliformis Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 789.—[Madrepora, ed.
infundibuliformis Tubularia, J. F. Maratti, Plant. Zooph. Med. 1776, 20. [12.]
infundibuliformis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 434.
infundibuliformis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 672.
infundibulum Beroe, O. F. Müller, Z. Dan. Prod. 1776, 232.
infundibulum Medusa (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—
infundibulum Medusa, G. Shaw, Nat. Misc. IV. 1792, pl. 112. [Beroe.
infundibulum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
infundibulum Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
infundibulum Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745. [1776, 15.
infundibulum Spongia, *id. ac* *infundibuliformis*, L., J. F. Maratti, Plant. Zooph. Med.
infundibulum Taenia, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 555.
infuscatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
infuscatus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 72.
infuscata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
infuscata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
infuscus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 249.
infusorium Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
infusorius Monoculus, F. v. P. Schrank, Ins. Aust. 1781, 536.
ingenita Trichoda, O. F. Müller, An. Infus. 1786, 219.
ingens Blatta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 94.
ingens Pinna, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 98.
ingens Rana, J. P. Bonnatere, Ency. Méth. (Erp.), 1789, 8.
ingens Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 249.
inghaghitsh Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 73.
ingredior Musca, M. Harris, Exp. Eng. Ins. 1776, 150.
ingruo Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
inguinalis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 397.
inhaerens Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
inimicus Vespa, M. Harris, Exp. Eng. Ins. 1776, 128.
initiator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 161.
innata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 198.
innata Trichoda, O. F. Müller, An. Infus. 1786, 220.
innexus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 19.
innocua Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 461.
innocuous Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 62.
innominata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
innominata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
innotata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.

- innotata* Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
innoxius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 146.
innuba Cistela, J. C. Fabricius, Syst. Ent. 1775, 117.
innuba Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 63.
innuba Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 277.
innuba Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.—Cistela.
innubus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
innubus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 172. [Cistela.
innuba Melolontha, J. C. Fabricius, Mant. I. 1787, 22.
innubus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
innumeris punctata Coccinella, J. G. Linck, De Coccinellae, 1787, 10. [Melolontha.
ino Papilio, S. A. v. Rottemberg, Naturforscher, VI. 1775, 19.
ino [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 96.
ino [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 39.
inops Mitra, J. F. Boltzen, Mus. Boltzen. (2) 1798, 137 [n. n.].
inordinata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 269.
inquieta Cercaria, O. F. Müller, An. Infus. 1786, 121.
inquieta Tipula, Scopoli, Ent. Carn. 1763, 321.
[inquininus] Araneus, C. Clerck, Aran. Svec. 1757, 88.]
inquininus Araneus, T. Martyn, Aranei, 1793, 40.
inquininus Gordius, O. F. Müller, Verm. I (2) 1774, 33.
inquininus Phalaena, M. Harris, Exp. Eng. Ins. 1776, 93.
inquininus Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
inquinatana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 43 [n. et f.].
inquinataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
inquinatella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
inquinatus Aphodius (Herbst), J. Sturm, Verz. Ins. Samml. 1800, 37.—Scarabaeus.
inquinatus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.
inquinatus Cimex, J. C. Fabricius, Mant. II. 1787, 304.
inquinatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 147.—Scarabaeus.
inquinatus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 71.
inquinatus Erax, Scopoli, Ent. Carn. 1763, 363.
inquinatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 173.—Cimex, 1787.
inquinata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 36.
inquinata Phalaena, Scopoli, Ent. Carn. 1763, 230.
inquinatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.
inquinatus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 6.
inquinatum Sphaeridium, J. G. Kugelann, Käfer Preuss. 1798, 69.
inquisitor Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
inquisitor Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 630.
inquisitor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 42.
inquisitor Ichneumon, Scopoli, Ent. Carn. 1763, 286.
inquisitor Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 181.
inquisitor Leptura (L.), C. de Geer, Mém. Ins. V. 1775, 126.—Cerambyx.
inquisitor Rhagium (L.), J. C. Fabricius, Syst. Ent. 1775, 182.—Cerambyx.
inquisitor Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 85.
inquisitorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 151.
inscripta Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 142.
inscripta Noctua, E. J. C. Esper, Die Schmett. IV (42—44) 1791, 229.
inscripta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
insectator Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 370.
insectella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 303.
insectorum Gordius, F. v. P. Schrank, Beitr. Nat. I. 1776, 98.
inserens Ichneumon, W. Kirby, Tr. Linn. Soc. [Lond.], V. 1800, 107.
insidiator Cimex, J. C. Fabricius, Mant. II. 1787, 287.
insidiator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 131.—Cimex, 1787.
insidiator Cottus, P. Forskal, Descr. Anim. 1775, x & 25.
insidiator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 429.

- insidiator Sparus, P. S. Pallas, Spic. Zool. VIII. 1770, 41.
 insidiator Zeus, M. E. Bloch, Nat. ausl. Fische, III. 1787, 41.
 insidiatrix Aranea, P. Forskal, Descr. Anim. 1775, 86.
 insidus Curculio, Scopoli, Ent. Carn. 1763, 31.
 insignata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 9.
 insigniata Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 97.
 insignis Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 35.
 insignitor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 164.
 insignita Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 222.
 insignitus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2182.
 insignitus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1578.
 insignita Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.
 insinuator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 118.
 insolens Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
 insons Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 inspectatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 301.
 inspectata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
 inspersa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
 instabilis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
 [instibilis Sphinx, MS.], T. Martyn, Psyche, 1797, fig. 49 & 53.
 instigator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 47.
 instigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 164.
 instilata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.
 instructor Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 154.
 insubrica Apis, C. Allioni, Misc. Taurin. III. 1766, 197.
 insubricus Gryllus, J. A. Scopoli, Del. Insub. I. 1786, 64.
 insubrica Sphex, J. A. Scopoli, Del. Insub. II. 1786, 58.
 insulae choräb Tibia, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
 insulanus Dermestes, [D. H. Schneider], Nom. Ent. 1785, 5 [n. n.].
 insulanus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
 insulana Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [n. n.].
 insularis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1859.
 insularis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
 insularis Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2824.
 insularius Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1953.
 insulatus Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
 insultans Formica, P. Forskal, Descr. Anim. 1775, 85.
 intaminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
 integra Anomala, L. H. v. Bloch in Becker, Plau. Grund. 1799, 119.
 integer Bembe, J. C. Fabricius, Ent. Syst. II. 1793, 251.
 [i]nteger Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 58.
 integra Chrysis, J. C. Fabricius, Mant. Ins. I. 1787, 283.
 integer Thynnus, J. C. Fabricius, Syst. Ent. 1775, 360.
 integra Vespa (Fab.), J. L. Christ, Nat. Ins. 1791, 228.—Thynnus.
 integrator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 integrator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
 integrator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
 intercus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 377.
 intercus Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 927.
 intermediatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
 intermediata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 328.
 intermedius Attelabus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 615.
 intermedius Attelabus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 153.
 intermedia Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 98.
 intermedius Cuculus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 59.
 intermedia Enchelis, O. F. Müller, An. Infus. 1786, 28.
 intermedius Vibrio, O. F. Müller, An. Infus. 1786, 77.
 intermittens Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 331.

- intermixtus* Falco, Bosc, F. M. Daudin, *Traité élém. Orn.* 1800, 141.
interposita Phalaena Noctua, J. Hübner, *Beitr. Schmett.* II. 1790, 118.
interpres Tringa, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 148; ed. 12, 1766, 248.
 [interpressa Phalaena (N.) MS.], T. Martyn, *Psyche*, 1797, fig. 86 & 87.
interpunctalis Pyralis, J. Hübner, *Europ. Schmett.* 6 Horde [me judice 1796], 11 [2].
interpunctata Lacerta, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1075.
interpunctatus Scarabaeus, J. F. W. Herbst in *Fuessly, Arch. Ins.* IV. 1783, 8.
interpunctus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 59.
interpuncta Oliva, T. Martyn, *Univ. Conch.* III [1789], fig. 112.
interpuncta Voluta, T. Martyn, *Univ. Conch.* IV [1792], fig. 127.
interrogationana Phalaena, E. Donovan, *Brit. Ins.* II. 1793, 75.
interrogationis Leptura, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 398; ed. 12, 1767, 638.
interrogationis Noctua (L.), J. C. Fabricius, *Syst. Ent.* 1775, 607.—Phalaena.
interrogationis Papilio, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 424. [844-
inrerrogationis Phalaena (Noctua), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 513; ed. 12, 1767,
interruptana Phalaena Tinea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2518.
interrupte-fasciata Sphex, A. J. Retzius, *Gen. Sp. Ins. Geer*, 1783, 64.
interruptella Phalaena (Tin.), C. de Villers, *Linn. Ent.* II. 1789, 520.
interuptella (*sic*) Phalaena Tin., J. Hübner, *Samml. Vögel u. Schmett.* 1793, 14 [*n. et f.*]-
interuptella (*sic*) Tinea, J. Hübner, *Europ. Schmett.* 8 Horde [me judice 1796], 49.
interrupta Ammonites, J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 41.
interrupta Apis, A. F. de Fourcroy, *Ent. Paris.* 1785, 448.
interrupta Apis, J. C. Fabricius, *Spec. Ins.* I. 1781, 482.
interrupta Arca, J. X. Poli, *Test. Sicil.* II. 1795, 136.
interrupta Bembex, J. C. Fabricius, *Mant. I.* 1787, 286.
interruptus Bolitophagus, K. Illiger, *Archiv Zool. (Wiedemann)* I (2) 1800, 112.
interruptus Brentus, Herbst in *Jablonsky, Nat. Ins. (Käfer)* VII. 1797, 197.
interruptus Bulimus (Müll.), J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 316.—Helix.
interrupta Buprestis, A. G. Olivier, *Entom.* II. 1790, 26.
interruptus Carabus, J. C. Fabricius, *Syst. Ent.* 1775, 242.
interruptus Carabus, C. de Villers, *Linn. Ent.* I. 1789, 384.
interrupta Cassida, J. C. Fabricius, *Syst. Ent.* 1775, 89.
interruptus Cerambyx, A. G. Olivier, *Ency. Méth. V (Ins.)* 1790, 306.
interrupta Cetonia, A. G. Olivier, *Entom.* I. 1789, 38.
interrupta Cicada, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 438; ed. 12, 1767, 710.
interrupta Cicindela, J. C. Fabricius, *Syst. Ent.* 1775, 225.
interrupta Coccinella, A. F. de Fourcroy, *Ent. Paris.* 1785, 149.
interrupta Coccinella, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 272.
interruptus Conops, N. Poda, *Ins. Mus. Graec.* 1761, 118.
interruptus Crabro, J. C. Fabricius, *Mant. I.* 1787, 295.
interruptus Curculio, J. C. Fabricius, *Spec. Ins.* I. 1781, 188.
interruptus Cylindrus, F. C. Meuschen, *Mus. Gever.* 1787, 378.
interreptum (*sic*) Cymbium, J. F. Bolten, *Mus. Bolten.* (2) 1798, 153 [*n. n.*].
interrupta Cypraea, J. F. Bolten, *Mus. Bolten.* (2) 1798, 27 [*n. n.*].
interruptum Dentalium, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3729.
interruptus Dermestes, C. P. Thunberg, *Nov. Ins. Spec.* (1) 1781, 6.
interruptus Dytiscus, G. W. F. Panzer, *Ins. Germ. heft 26* [1795], tab. 5.
interruptus Elater, G. A. Olivier, *J. Nat. Hist. (Choix des Mém.)*, I. 1792, 265.
interrupta Geometra, C. C. Jung, *Alph. Verz. Schmett.* 1791, 290.
interrupta Helix, O. F. Müller, *Verm.* II. 1774, 94.
interrupta Helix, J. F. Bolten, *Mus. Bolten.* (2) 1798, 108.
interruptus Hylaeus, G. W. F. Panzer, *Ins. Germ. heft 55* [1798], tab. 4.
interrupta Lamia, A. G. Olivier, *Ency. Méth. VII (Ins.)* 1792, 468.
interruptus Lucanus, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 560.
interruptus Mellinus, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 266.
interrupta Musca, A. F. de Fourcroy, *Ent. Paris.* 1785, 482.
interrupta Musca, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2879.
interrupta Mutilla, P. A. Latreille, *Actes Soc. H. N. Paris*, I (1) 1792, 9.

- interrupta* Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 24.
interruptus Passalus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 240.
interrupta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
interrupta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 840.
interruptus Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 17.
interrupta Phryganea, J. C. Fabricius, Syst. Ent. 1775, 307.
interruptus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[Lucanus, ed. 12.]
interrupta Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 454.
interrupta Sphex, J. A. Scopoli, Del. Insub. II. 1786, 60.
interruptus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82 [*n. n.*].
interruptus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 3.
interrupta Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.—Crabro.
intersectus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 139.
intersecta Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 532.
intersecta Clytra, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 128.
intersectus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 120.
intersectus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 414.
intersecta Musca, A. F. de Fourcroy, Ent. Paris. 1785, 479.
intersecta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 283.
intersecta Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 287.
intersecta Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 354.
intersecta Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 457.
intersecta Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 439.
intersepta Madrepora, E. J. C. Esper, Pflanzenz., Forts. I (3) 1795, 99.
interstinctus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
interstincta Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1276.
interstinctus Philanthus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 269.
interstinctus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
interstitialis Curculio, G. C. Reich, Mant. Ins. 1797, 6.
intertextus Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25.
intertexta Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [*n. n.*].
intertexta Lepas, E. Donovan, Brit. Shells (1800), pl. xxxvi.
intertextus Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 120.
intertexta Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
interventum Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
interventus Musca, M. Harris, Exp. Eng. Ins. 1776, 145.
intestinalis Actinia, O. Fabricius, F. Groen. 1780, 350.
intestinalis Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
intestinalis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
intestinalis Aspis, J. N. Laurenti, Syn. Rept. 1768, 106.
intestinalis Chaos, M. E. Bloch, Eingeweidewürmer, 1782, 35. [Aspis.]
intestinalis Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.—
intestinalis Fasciola, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1078.
intestinalis Gordius, O. Fabricius, F. Groen. 1780, 269.
intestinalis Hirudo, M. E. Bloch, Eingeweidewürmer, 1782, 36.
intestinalis Ligula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3042.
intestinalis Lumbricus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 29.
intestinalis Oestrus, C. de Geer, Mém. Ins. VI. 1776, 292.
intestinalis Physis, J. A. Scopoli, Del. Insub. I. 1786, 46.
intestinalis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.
intestinalis Serpula, M. Houttuyn, Nat. Hist. I (XVI) 1771, 573.
intestinalis Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
intestinalis Vermetus (Gm.), F. M. Daudin, Rec. Mém. Moll. 1800, 35.—Serpula.
intestinum Vibrio, O. F. Müller, Verm. I (1) 1773, 44.
intiotina Serpula, C. U. v. Salis, Reise Neapel, 1793, 359.
intorta Patella, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 125.
intratorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 132.
intrepidus Apis, M. Harris, Exp. Eng. Ins. 1776, 131.

- intricaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
intricarius Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 766.—Musca.
intricataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
intricatus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 217.
intricatus Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 311.
intricata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 86.
intricata Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1265.
intricata Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
intumescens Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
inunctus Cimex, J. C. Fabricius, Syst. Ent. 1775, 700.
inunctus Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 241.
inundana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 225.—Tortrix.
inundana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
inundana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 60 [*n. et f.*].
inundaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
inundata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 214.
inuus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.—Scarabaeus.
inuus Cynocephalus (L.), E. Geoffroy and Cuvier, Mag. encyclop. III (12) 1795, 462.
inuus Macaca, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
inuus Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 25.—Scarabaeus, 1781.
inuus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 15.
inuus Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 35.
invasor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 414.
invencus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 22.—Scarabaeus, 1775.
invencus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
inversella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 517.
inversella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
inversus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 315.—Helix.
inversum Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149 [*n. n.*].
inversa Helix, O. F. Müller, Verm. II. 1774, 93.
inversus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 422.
inversa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 301.
investigator Carabus, Illiger in Kugelann, Käfer Preuss. 1798, 142.
investigator Ichneumon, P. Rossi, Mant. Ins. II. 1794, 109.
investigator Musca, M. Harris, Exp. Eng. Ins. 1776, 35.
invictus Apis, M. Harris, Exp. Eng. Ins. 1776, 134.
invidus Cimex, P. Rossi, Fauna Etrus. II. 1790, 243.
invisito Musca, M. Harris, Exp. Eng. Ins. 1776, 83.
“*Involuta*, Da Costa, 1776,” Herm.; not used in a Linnean sense.
involuta Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 164.
Involvulus F. v. P. Schrank, F. Boica, I. 1798, 360.—Col.
involvulus Helix, O. F. Müller, Verm. II. 1774, 84.
io Bombyx, J. C. Fabricius, Syst. Ent. 1775, 560.
io Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 769.
jo [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 26.
io Phalaena (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 97.—Bombyx.
iole Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 172.
iole [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 17.
iole Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 78.
iole [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 53.
jole [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 136.
jolus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 213.
iomaculata Buprestis, P. Rossi, Mant. Ins. II. 1794, 101.
ion Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 186.
iortlandica Papilio, *err. pro portlandica*, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 45.
iota Curculio, J. C. Fabricius, Mant. I. 1787, 110.
jota Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 608.—Phalaena.
iota Phalaena, P. Cramer, Utitl. Kapellen, II (14) 1777, 106.

- iota* Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 296.
jota Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 844.
jota Vultur, G. I. Molina, Sag. stor. nat. Chili, 1782, 265.
iphianasse Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 210.—Phalaena.
iphianasse [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 115.
iphiclus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.—[P. (Nymphalis),
iphidamas Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 17. [ed. 12.]
iphigenia [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 105.
iphigenia Papilio, J. C. Fabricius, Gen. Ins. 1777, 256. [1782, 128.
iphigenia Papilio, N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
iphigenus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 108.
Iphis J. G. Meigen, N. Class. Mouches, 1800, 27.—Dip.
iphis Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 26.
iphis Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 321.
iphis Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 241.
iphis Scarabaeus [Coprís], A. G. Olivier, Entom. I. 1789, 190.
iphita [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 30.
Ips J. C. Fabricius, Gen. Ins. 1777, 23.—Col.
ips Sphaeridium, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 116.
ipsilon Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
ipsoides Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 174.
iracundus Cimex, N. Poda, Ins. Mus. Graec. 1761, 58.
iracundus Reduvius (Poda), J. C. Fabricius, Syst. Ent. 1775, 731.—Cimex.
iratus Cimex, J. C. Fabricius, Mant. II. 1787, 292.
Irculus *err. pro* Jaculus, Linn., H. F. Link, Beytr. Nat. I. 1794, 66.
ircutensis Attelabus, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 595.
irella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
irene [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 52.
irene [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 96.
irenea [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 77.
ireos Apis, P. S. Pallas, Reise Russ. II. 1773, 731.
ireos Curculio, P. S. Pallas, Reise Russ. II. 1773, 722.
iridata Musca, J. A. Scopoli, Ent. Carn. 1763, 340.
iridea Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 14.
irideus Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 59.
iridis vulgaris [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 7.
iriformis Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 161.
iris Actinia, P. C. Abildgaard in Müller, Zool. Dan. ed. 3, III. 1789, 3.
iris Buprestis, A. G. Olivier, Entom. II. 1790, 33.
iris Cepola, J. A. Donndorff, Zool. Beyt. III. 1798, 317.
iris Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 57.
iris Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
iris Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 486.
iris Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
iris Haliotis, T. Martyn, Univ. Conch. II. [1788], fig. 61.
iris Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 775.
iris Pavo, J. P. Bonnaterra, Ency. Méth. (Orn.), 1791, 178.
iris Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.—Cetonia.
iris Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
iris Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
iris Turbo (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 87.—Trochus.
irius Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 409.
irius Papilio, J. C. Fabricius, Syst. Ent. 1775, 487.
irmina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 37.—Phalaena.
irmina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30), 1781, 125.
irregularis Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 52.
irregularis Astropecten, C. F. Schultze, Verst. Seest. 1760, 51.
irregularis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 127.

- irregularis Carabus, A. G. Olivier, Entom. III. 1795, 29.
 irregularis Cetonia, A. G. Olivier, Entom. I. 1789, 51.
 irregularis Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 67.
 irregularis Phalaena, Hufnagel, Berl. Mag. III. 1767, 394.
 irregularis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 307.
 irregularis Ptinus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 26.
 irregularis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
 irregularis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 38 [n. n.].
 irrigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 152.
 irrisonus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 108.
 irisus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 67.
 irritans Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004.
 irritans Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 363.
 irritans Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
 irritans Pulex, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1021.
 irritans Stomoxys (L.), J. C. Fabricius, Syst. Ent. 1775, 798.—Conops.
 irritator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 336.
 irrorana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 96 [n. et f.].
 irrorator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 340.
 irroratorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 328.
 irrorata Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
 irroratus Bruchus, A. G. Olivier, Entom. IV. 1795, 21.
 irrorata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 100.
 irroratum Callidium, A. G. Olivier, Entom. IV. 1795, 70.
 irroratus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 633.
 irrorata Cetonia, A. G. Olivier, Entom. I. 1789, 23.
 irrorata Cetonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 130.
 irrorata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 33.
 irroratus Cimex, J. C. Fabricius, Syst. Ent. 1775, 699.
 irroratus Curculio, J. C. Fabricius, Mant. I. 1787, 106.
 irroratus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 506.
 irroratus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 233.
 irroratus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397.
 irrorata Libellula, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
 irrorata Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.—Tinea irrorella.
 irrorata Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[v. Gryllus.]
 irrorata Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
 irrorata Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 74.
 irrorata Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 506.
 irrorata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 630.
 irrorata Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 389.
 irrorata Saperda, J. C. Fabricius, Mant. I. 1787, 147.
 irroratus Scarabaeus, P. Rossi, Fauna Etrus. I. 1790, 7.
 irroratus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 180.—Cerambyx.
 irrorea Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 349.—Tinea irrorella.
 irrorella Noctua (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 68.—Tinea irrorella.
 irrorea Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 253.—
 P. Tinea irrorella.
 irrorella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 885.
 irrorella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
 irus Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1128.
 irus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (31), 1781, 150.
 isabella Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44 [n. n.].
 isabella Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
 isabella Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
 isabella [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 117.
 isabella Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 131.

- isabella* Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 402.—Cypraea.
isabella Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
isabella Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1489.
isarchus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 316.
isciatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 636.
isebequensis Boa, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 9.
iseri Callyodon, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1788 (1789), 245.
isertana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 281.
iserti Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 106.
isidora [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 72.
Isis Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287.—Cor.
isis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 6.
isis Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 8.
isis Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 31.
isis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 124.
islandica Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 541.
islandica Balaena, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 547.
islandicum Buccinum, F. C. Meuschen, Mus. Gev. 1787, 298.
islandicum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
islandicum Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 222.
islandicus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
islandica Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161 [n. n.].
islandicus Colus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 117.—Murex.
islandicus Falco, J. Latham, Index Orn. 1790, 32.
islandica Millepora, E. J. C. Esper, Pflanzenth., Forts. I (4) 1795, 116.
islandicus Murex, G. Mohr, Island. Nat. 1786, 136.
islandicus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.
islandica Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
islandica Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3326.—
islandica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698. [Pecten.
islandicus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
yslandicus Pecten, F. C. Meuschen, Mus. Gev. 1787, 418.
islandica Tringa, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda, end of vol. i.].
islandica Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1131.
islandus Falco, M. T. Brünnich, Orn. Boreal. 1764, 2.
islandus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 271; *varr.* albus,
ismare [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 156. [maculatus.
ismarus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 123.
ismene [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 40.
isocardia Lamarck, Mem. Soc. H. N. Paris, 1799, 86.—L.
isocardia Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
isocrates Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 266.
isognomostomos Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3621.
isognomum *v.* *isognomum*.
isogolata Riparia, F. C. Meuschen, Mus. Gev. 1787, 470.
Isogonum J. F. Bolten, Mus. Bolten. (2) 1798, 168.—L.
isogonum Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 23.—Ostrea.
isognomum Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699.
isogonum Ostrea, Linnaeus, Syst. Nat., ed. 12, I. 1767, 1149.
isognomum Perna (L.), G. Cuvier, Tab. Elém. 1798, 422.—Ostrea.
isogonum Riparia (L.), F. C. Meuschen, Mus. Gev. 1787, 470.—Ostrea.
isoscelata Phalaena, Scopoli, Ent. Carn. 1763, 225.
Ispida Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 20.—A.
Ispida M. J. Brisson, Ornith. IV. 1760, 471.—A.
Ispida G. Edwards in M. Catesby, Carol. I. 1771, 69.—A.
ispida Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 179.
ispida Ispida (L.), J. C. Schaeffer, Mus. Orn. 1789, 47.—Alcedo.
ispida Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.

- ispidula *Cylindrus* (L.), F. C. Meuschen, Mus. Gever. 1787, 368.—*Voluta*.
 ispidula *Voluta*, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1188.
 israelitarum Tetrao, Linnaeus in Hasselquist, Palast. 1762, 331.
 israelitica Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 66.
 isse [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 87.
 istriacus *Elater*, Scopoli, Ent. Carn. 1763, 94.
 istrianus *Cancer*, Scopoli, Ent. Carn. 1763, 409.
 itala *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1245.
 italica Acheta, J. C. Fabricius, Spec. Ins. I. 1781, 355.
 italicum *Acridium* (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 263.—*Gryllus*.
 italica *Alauda*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 793.
 italica *Apis*, J. C. Fabricius, Ent. Syst. II. 1793, 321.
 italicus *Ascalaphus*, J. C. Fabricius, Spec. Ins. I. 1781, 400.
 italica *Bibio*, P. Rossi, Mant. Ins. II. 1794, 59.
 italica *Cantharis*, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[*Lampyrus*, ed. 12.]
 italicus *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.
 italicus *Cimex*, A. F. de Fourcroy, Ent. Paris. 1785, 216.
 italica *Corrira*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
 italica *Cynips*, J. C. Fabricius, Ent. Syst. II. 1793, 103.
 italicus *Falco*, F. M. Daudin, Traité élém. Orn. 1800, 96.
 italicus *Gryllus* (*Locusta*), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 701.
 italicus *Hemerobius*, P. Rossi, Fauna Etrus. II. 1790, 12.
 italica *Lampyrus*, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[*Cantharis*, ed. 10.]
 italicus *Lanius*, J. Latham, Index Orn. 1790, 71.
 italica *Ligia*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 302.
 italica *Locusta*, J. C. Fabricius, Ent. Syst. II. 1793, 38.
 italica *Mutilla*, J. C. Fabricius, Ent. Syst. II. 1793, 370.
 italica *Noctua*, J. C. Fabricius, Spec. Ins. II. 1781, 218.
 italicus *Otus*, F. M. Daudin, Traité élém. Orn. 1800, 213.
 italica *Panorpa*, C. Allioni, Misc. Taurin. III. 1766, 194.
 italica *Pennatula*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 61.
 italicus *Scorpio*, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 70.
 italicus *Tabanus*, J. C. Fabricius, Spec. Ins. II. 1781, 457.
 italica *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
 italica *Vespa*, J. L. Christ, Nat. Ins. 1791, 221.
 itea *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 498.
 itinerator *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 155.
 Itonida J. G. Meigen, N. Class. Mouches, 1800, 19.—*Dip*.
 itynx *Noctua*, J. C. Fabricius, Mant. II. 1787, 136.
 itys [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 34.
 itys *Scarabaeus*, A. G. Olivier, Entom. I. 1789, 179.
 iuba *v. juba*.
 iudaicus *v. judaicus*.
 iulia *v. julia*.
 iuncea *v. juncea*.
 iungiella *v. jungiella*.
 iuniperi *v. juniperi*.
 iupiter *v. jupiter*.
 iutica *v. jutica*.
 iuvenus *v. juvenus*.
 ixilion *Papilio* (*Barbarus*), Linnaeus, Syst. Nat., ed. 10, 1758, 488.
 ixion *Anthrax*, J. C. Fabricius, Ent. Syst. IV. 1794, 261.
 ixion *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 523.
 ixion *Sesia*, J. C. Fabricius, Spec. Ins. II. 1781, 154.
 ixion *Sphinx*, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 803.
 Ixodes P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—*Ar*.
 Ixodes P. A. Latreille, Préc. Car. Ins. 1796, 179.—*Ar*.
 izquiepatl *Viverra*, E. A. W. Zimmermann, Spec. Zool. 1777, 483.

- jabick Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
 Jacana M. J. Brisson, Ornith. V. 1760, 121.—A.
 Jacana B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 19.—A.
 jacana Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 259.
 jacapa Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 313.
 jacapani Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 343.—Oriolus japacani.
 jacarina Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 314.
 jacchus *v.* iacchus.
 jaceae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
 jaceae Aphis, Scopoli, Ent. Carn. 1763, 138.
 iaceae Curculio, J. C. Fabricius, Syst. Ent. 1775, 129.
 iacintha [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 36.
 jackia Rana, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 5.
 jackie Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 jacksoni Squalus, G. A. Suckow, Naturges. IV. 1799, 102; = portus-j., Donnd.
 jacobaeae Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 588.—Phalaena.
 jacobaeae Noctua (L.), E. J. C. Esper, Die Schmett. IV (34) 1787, 87.—Phal.
 jacobaeae Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 290.
 jacobaeae Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 839.
 jacobaearia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 253.
 jacobaeum Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
 jacobaea Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
 jacobaeus Pecten (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 85.—Ostrea.
 jacobaea Pecten (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 165.—Ostrea.
 jacobin Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
 jacobinum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
 jacquini Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 536.
 jacquini Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 251.
 jacquini Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 478.
 iaquiniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Tortrix.
 jacquiniana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
 jaculator Foenus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 240.—Ichneumon.
 jaculator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 937.
 jaculator Nerita, O. F. Müller, Verm. II. 1774, 185.
 jaculatrix Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 381.
 jaculatrix Sciaena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 121.
 Jaculus J. C. P. Erxleben, Syst. Anim. 1777, 404.—M.
 Jaculus J. F. Blumenbach, Hand. Naturg. 1779, 88.—M.
 jaculus Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
 jaculus Cimec, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 34.
 jaculus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 104.
 jaculus Dipus (L.), P. Boddaert, Elench. 1785, 114.—Mus.
 jaculus Glis, G. C. C. Storr, Prod. 1780, 37.
 jaculus Jerboa (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 522.—Mus.
 jaculus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 85.
 jaculus Yerbua (L.), J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.—Mus.
 jacupema Penelope, B. Merrem, Avium rar. Icones, II. 1786, 39.
 jadreka Scolopax, O. F. Müller, Z. Dan. Prod. 1776, 23.
 jagonis Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 352.
 jaguar Felis, H. F. Link, Beytr. Nat. I (2) 1795, 90.
 jaguilma Psittacus, G. I. Molina, Sag. stor. nat. Chili, 1782, 257.
 jairus [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 9.
 jairus [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 135.
 iairus Papilio (Nymph.), Herbst, Einl. Ins. II. 1785, 49.
 jakal Falco, F. M. Daudin, Traité élém. Orn. 1800, 161.
 jamacaii Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 335.—Oriolus.
 jamacaii Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 391.
 jamaica Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 323.

- jamaicensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 519.
 jamaicensis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
 jamaicensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 625.
 jamaicensis Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 57.
 jamaicensis Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1029.
 jamaicensis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 577.
 jamaicensis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.
 jamaicensis Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 117.
 jamaicensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
 jamaicensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 700.
 jamaicensis Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 367.
 jamaicensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
 jamaicensis Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 173.
 jamaicensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
 jamaicensis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 16.
 jamaicensis Geotrupes (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.—Scarabaeus.
 jamaicensis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3644.
 jamaicensis Hemerobius, Panzer in Drury, Exot. Ins. 1785, 180.
 jamaicensis Janthina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 76.—Helix.
 jamaicensis Mantis, D. Drury, Ill. Nat. Hist. II. 1773, index & 88.
 jamaicensis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2871.
 jamaicensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
 jamaicensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
 jamaicensis Phasma (Dru.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
 jamaicensis Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 73.—Helix.
 jamaicensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.
 jamaicensis Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 74.
 jamaicensis Sitta, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
 jamaicensis SpheX, J. C. Fabricius, Syst. Ent. 1775, 347.
 jamaicensis Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 317.
 jamaicensis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
 jamaicensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 809.
 jamaicensis Vespa, D. Drury, Ill. Nat. Hist. I. 1770, index & 104.
 jambos Columba, *id. ac* jambu, Gm., J. Latham, Index Orn. 1790, 598.
 jambu Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.
 jana Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 28.—Phalaena.
 jana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 220.
 janais [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 22.
 janassa Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 294.
 janassia Papilio, J. C. Fabricius, Mant. II. 1787, 49.
 janata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767, 870.
 jandaya Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
 jantias Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 259.—Papilio.
 jantias Papilio (Cr.), C. C. Jung, Alph. Verz. Schmett. I. 1791, 280.—Sphinx.
 jantias [Sphinx], P. Cramer, Uitl. Kapellen, III (18) 1779, 36.
 janira Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 774.
 janthe
 janthina }
 janthinae } *v. ianth-*
 janthinus }
 ianus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 169.—Phalaena.
 janus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 136.
 ianus Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
 janus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 690.
 janus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.
 janus [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 100.
 janus Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 154.
 janus Scarabaeus, G. W. F. Panzer, Fauna Ins. Amer. 1794, 5.

- japacani Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
japanensis }
japanicus } *v.* japon-
- japetus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 145.
japeta [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 109.
japix [Sphinx], P. Cramer, Utitl. Kapellen, I (8) 1776, 137.
japonensis Ardea (Grus), P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 110.
japanensis Ardea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
japonensis Callyodon, M. E. Bloch, Abh. Böhm. Ges. Wiss. 1788 (1789), 244.
japonensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.
japonensis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
japonensis Pavo, J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 179.
japonicus Amusium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 165.—Ostrea.
japonicus Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 5.
japonica Ardea, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
japonica Atherina, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 340.
japonicus Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 466. [312.
japonicus Callionymus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonica Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 1.
japonica Cicindela, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 25.
japonica Cobitis, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 337.
japonica Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 12.
japonicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 710.
japonica Coryphaena, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonicus Cottus, P. S. Pallas, Spic. Zool. VII. 1769, 30. [315.
japonica Felis, J. M. Bechstein in Pennant, Uebers. 4ftiss. Thiere, II. 1800, 679. [329.
iaponicus Gasterosteus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonicus Labrus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 324.
japonica Lacerta, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 124.
japonica Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1076.—
japonica Lampyris, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 79. [Salamandra.
japonicus Mullus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 334.
japonica Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 90.
japonica Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3317.
japonica Panorpa, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 67.
japonica Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 88.
japonicus Pleuronectes, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonicus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 141. [317.
japonica Salamandra, M. Houttuyn, Verh. Zeeuwisch Genoot. Wet. Vlissingen, IX.
japonica Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57. [1782, 329.
japonicus Scomber, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 331.
japonicus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 110.
japonica Testudo, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 178 & pl.
japonicus Uranoscopus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782,
japonica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279. [314.
japonica Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
japygia Papilio (N. G.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
jarbas *v.* iarbas.
jarbua Sciæna, P. Forskal, Descr. Anim. 1775, 50.
jasius Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.
jasius Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1766 [errata at end of vol. i].—[*v.*
jason.]
jason Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 485.—[P. (Eques), ed. 12.]
jason Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1767, 749.
jason Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1767, 752.—[*v.* P. (Barbarus).]
jason Scarabæus, J. C. Fabricius, Syst. Ent. 1775, 6.
jaspideus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3387.
jaspideus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 48.—Conus.

- jaspidea* Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 284.
jaspidea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3442.
jaspis Conus, C. U. v. Salis, Reise Neapel, 1793, 363.
jaspoides Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 267.
jatrophae Papilio, Linnaeus, Amoen. Acad. VI. 1763, 408.
iatrophae Sphinx, J. C. Fabricius, Syst. Ent. 1775, 538.
jatropharia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767,
java Papilio (Danaus), Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225. [865.
javanensis Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 160.
javanensis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
javanensis Lacerta, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 41.
javanensis Monopterus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 138.
javanensis Picus, S. I. Lungh, K. Vet. Ac. Nya Handl. XVIII. 1797, 137.
javanensis Strix, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*n. n.*].
javanensis Tetrao, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
javanicus Acrochordus, C. F. Hornstedt, K. Vet. Ac. Nya Handl. VIII. 1787, 307.
javanicus Cervus, P. Osbeck, Reise Ost-Ind. China, 1765, 357.
javanica Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
javanicus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 45.
javanica Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 781.
javanicus Corvus, J. R. Forster in Osbeck, Voy. China, I. 1771, 157.
javanicus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
javanica Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 489.
javanica Hirundo, A. Sparrman, Mus. Carls. IV. 1789, no. c.
javanicus Moschus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 174.
javanicus Murex, *id. ac* javanus, L., M. Houttuyn, Nat. Hist. I (XVI) 1771, 311.
javanica Muscicapa, A. Sparrman, Mus. Carls. III. 1788, no. lxxv.
javanica Mustela, E. A. W. Zimmermann, Spec. Zool. 1777, 488.
javanica Perdix (Gm.), J. Latham, Index Orn. 1790, 651.—Tetrao.
javanicus Psittacus, J. R. Forster in Osbeck, Voy. China, I. 1771, 156.
javanicus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
javanica Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 295.
javanica Testudo, P. Osbeck, Reise Ost-Indien China, 1765, 128.
javanicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.
javanulus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 31.
javana Aeshna, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 189.
javana Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.
javanus Coluber, J. N. Laurenti, Syn. Rept. 1768, 96.
javanus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
javanus Didelphis, P. Bodaert, Elench. 1785, 78.
javanus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
javanus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1221.
javanus Penicillus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 128.
javana [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 146.
javana Tellina, F. C. Meuschen, Mus. Gever. 1787, 458.
javana Turris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 124.—Murex.
javensis Cavia, E. A. W. Zimmermann, Spec. Zool. 1777, 507.
javensis Fringilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
javensis Loxia, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxix.
javensis Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
javus Teuthis, Linnaeus, Syst. Nat., ed. 12, 1766, 507.
jecusculum Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
ieiuna Musca, J. C. Fabricius, Mant. II. 1787, 342.
ieiuna Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
Jerboa E. A. W. Zimmermann, Spec. Zool. 1777, 522.—M.
Yerboa E. A. W. Zimmermann, Spec. Zool. 1777, 526.—M.
Yerbua J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 111.—M.
Yerbua E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 231.—M.

- jerboa Dipus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
 gerboa (*sic*) Dipus, Olivier, Bull. Sci. Soc. Philom. [Paris], no. 40, 1800, 121.
 jerboa Jaculus, J. F. Blumenbach, Hand. Naturg. 1779, 88.
 jesus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 530.
 jesis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3058.
 jesuita Apaté, J. C. Fabricius, Syst. Ent. 1775, 54.
 jesuita Bombyx, J. C. Fabricius, Syst. Ent. 1775, 586.
 jesuite Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 109.—Apaté.
 jesuita Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 57.
 jo Phalaena, *v. io*.
 joannis Bibio, *v. johannis*.
 joblotii Aranea, Scopoli, Ent. Carn. 1763, 402.
 jocator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 175.
 jocator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
 joco Musca, M. Harris, Exp. Eng. Ins. 1776, 157.
 jocosus Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 95; ed. 12, 1766, 138.
 jodutta Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
 jodutta Hepialus, J. C. Fabricius, Mant. Ins. II. 1787, 134.
 jodutta Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (30) 1786, 30.—Bombyx.
 jodutta Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 175.
 johannae Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 629.
 johannensis Falco, J. Latham, Index Orn. 1790, 47.
 joannis (*sic*) Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 298.—Tipula.
 johannis Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula.
 johannis Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 976.
 johnni Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 113.
 johnius M. E. Bloch, Nat. ausl. Fische, VII. 1793, 132.—P.
 Johnius G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
 johnsoni Sparus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 302.
 jolaus [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 141.
 jole *v. iole*.
 jolus *v. iolus*.
 jonensis Voluta, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 101.
 jonstoni Aranea, Scopoli, Ent. Carn. 1763, 400.
 joptera Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 209.
 jota *v. iota*.
 jovianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 348.
 joviana Noctua (Cr.), J. C. Fabricius, Ent. Syst. III (2) 1794, 42.—Phalaena.
 jovianus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 213.
 joviana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 237.
 jozo Gobiis, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 450.
 juba Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 314.
 juba Ostrea, F. C. Meuschen, Mus. Gev. 1787, 422.
 iuba Papilio, J. C. Fabricius, Mant. II. 1787, 82.
 juba Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 77.
 jubata Felis, J. C. D. Schreber, Säugth. III. 392 (1777), pl. cv (1776).
 jubata Myrmecophaga, Linnaeus, Syst. Nat., ed. 12, 1766, 52.
 jubata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
 jubata Phoca, J. C. D. Schreber, Säugth. III. 300 (1776), pl. lxxxiii B (1776).
 jubilatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 151.
 jucunda [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 96.
 judaica Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.
 judaica Anadema, F. C. Meuschen, Mus. Gev. 1787, 480.
 iudaica Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 109.
 “judiacus Helmintholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 165.
 judaicus Priapus, Linnaeus, Faun. Suec., ed. 2, 1761, 510.
 judex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
 judith Papilio, J. C. Fabricius, Mant. II. 1787, 22.

- juglandis* Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 61.
juglandis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2210.
juglandis Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.
juglandis Lygus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
juglandis Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 57.
juglandis Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 403.
jugularis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
jugularis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
jugularis Loxia, G. Shaw, Nat. Misc. II. 1791, pl. 56.
jugularis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
jugularis Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 190.
jugularis Trochilus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 100.
jugularis Turdus, J. Latham, Index Orn. 1790, 351.
jugurtha [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 138.
jujubinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
julacea Scolopendra, Scopoli, Ent. Carn. 1763, 419.
julettus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 43.
julia [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 11.
iulia Papilio, J. C. Fabricius, Syst. Ent. 1775, 509.
julia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 180.
julialis Phalaena, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 216.
juliana [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 157.
julianata [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 40.
julianella Alucita, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 119.
julii Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 167.
julis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
Julus Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.—Myr.
julus Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 226.
junceti Sturnus, J. Latham, Index Orn. 1790, 326.
juncea Buprestis, P. S. Pallas, Icon. Ins. 1782, 65.
junceus Carabus, Scopoli, Ent. Carn. 1763, 89.
junceus Cimex, Scopoli, Ent. Carn. 1763, 135.
junceus Curculio, G. C. Reich, Mant. Ins. 1797, 15.
juncea Gorgonia, P. S. Pallas, Elench. 1766, 180.
juncea Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 903.
junceus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 17.
junceus Pediculus, Scopoli, Ent. Carn. 1763, 384.
juncea Pennatula, P. S. Pallas, Elench. 1766, 371.
junceus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 65.
incea Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 468.
iuncea Vespa, J. L. Christ, Nat. Ins. 1791, 245.
junci Chrysomela, N. J. Brahm, Ins. Kal. I (1) 1790, 62.
junci Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 413.
juncto Turdus, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. II (178-), 93.
juncorum Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 952.
juncorum Psylla, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 113.
juncorum Sylvia (Gm.), J. Latham, Index Orn. 1790, 511.—Motacilla.
jungermanniae Curculio, G. C. Reich, Mant. Ins. 1797, 16.
ungiella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 9.
junia Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 112.
junia [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 9. [et f.]
juniperata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 294 [n.
juniperata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767,
juniperella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 370. [871
juniperi Aphis, C. de Geer, Mém. Ins. III. 1773, 56.
uniperi Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 56.
iuniperi Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
juniperi Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.

- juniperi Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 923.
 juniperinus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 722.
 juniperina Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 553.—Tipula.
 juniperinus Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 278.
 juniperina Thrips, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.
 juniperina Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 977.
 junix Brachycerus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 88.
 juno [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 38.
 juno Staphylinus, G. Paykull, Mon. Staph. 1789, 33.
 juno Stenus (Fab.), G. Paykull, Faun. Suec. III. 1800, 433.—Staphylinus.
 junx Brachycerus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 55.
 jupiter Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 336.
 iupiter Papilio, J. C. Fabricius, Mant. II. 1787, 87.
 jurtina Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 475; ed. 12, 1767, 774.
 justina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 45.—Phalaena.
 justina [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 75.
 justina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 186.
 iutica Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 47.
 juturna [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 48.
 juvenalis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
 juvenalis Papilio (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 41.—Hesperia.
 juvenis Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 22.
 juvenis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 631.
 juvenis Copris, L. G. Scriba, Beitr. Ins. I. 1790, 30.
 juvenis Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 51.
 juvenis Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 560.—[Sirex, ed. 12.]
 iuencus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
 juvenis Sirex, Linnaeus, Faun. Suec., ed. 2, 1761, 396.
 juvenilis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
 juventa [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 139.
 juventina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 245.
 Jynx Linnaeus, Syst. Nat., ed. 10, 1758, 112.—[Yunx, ed. 12.]—A.
 jynx Torquilla, J. C. Schaeffer, Mus. Orn. 1789, 42.
- kaehleri Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 393; ed. 12, 1767, 631.
 kaehleri Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 173.—Cerambyx.
 kaekritziana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 12, 1767, 876.
 kaekritziana Pyralis (L.), J. C. Fabricius, Mant. II. 1787, 229.—Phalaena.
 kaempferi Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 23.
 kagolca *v.* cogolca.
 Kakatoe G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.]—A.
 kakelik Perdix (Falk), J. Latham, Index Orn. 1790, 655.—Tetrao.
 kakelik Tetrao, J. P. Falk, Reise Russ. (5) 1786, 390.
 kakkerlac Blatta, C. de Geer, Mém. Ins. III. 1773, 535.
 kalmiae Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 73.
 kalmii Aranea, Scopoli, Ent. Carn. 1763, 399.
 kalmii Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
 kambeul Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
 kambeul Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 322.
 Kampylodon *v.* Campylodon.
 camtschatcensis Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1658.
 camtschatkensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
 kamschatkensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla.
 camtschatkensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
 Kanguroo B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.—M.
 kenguru Didelphis, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 231.
 cangura Gigantomys, H. F. Link, Beitr. Nat. I (1) 1794, 70.

- canguru Mus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 62.
 caenguru Mus, in P. Höslin's ed. Linn. Syst. Nat. I. 1781, 125.
 kanguru Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.
 Kangurus E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 188.—M.
 Kangurus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.]—M.
 kannume Mormyrus, P. Forskal, Descr. Anim. 1775, 74.
 kapirot Notopterus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 189.
 karagan Canis, P. B. C. Graumann, Introd. H. N. 1779, 84.
 karagan Canis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 74.
 karakal Felis, Zimm., said by Donndorff to be a misprint for "manul."—See caracal.
 karkinophagus *v.* carcin-
 karrak Anarhichas, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 299.
 karschina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 26.
 kasmira Sciaena, P. Forskal, Descr. Anim. 1775, 46.
 Kateretes Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 11.—Col.
 kattlo Felis, F. v. P. Schrank, F. Boica, I. 1798, 52.
 kayko Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 72.
 keeask Larus, J. Latham, Index Orn. 1790, 818.
 kekuschka Anas, S. G. Gmelin, Reise Russ. III. 1774, 249.
 kenguru *v.* kanguru.
 kephalopterus *v.* cephalopterus.
 keptuschca Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 673.
 kerathurus *v.* cerathurus.
 "Keratophyton, Ellis, 1756," Ag.; this word occurs in Ellis, Naturg. Corall-Arten (Krüniz' ed.) 1767, p. 73, but is not used in a generic sense.
 Keratophyton P. L. S. Müller, Del. Nat. I. 1766, 128.—Gorg.
 "Keratoplatus, Latr. 1792," Scudd.; I do not find this spelling, see Keroplatus.
 keratoskeleton *v.* cerat-
 kerella Picus, B. C. Otto in Buffon, Naturg. Vogel, XXIII. 1796, 45.
 kermes- *v.* chermes-
 "Keron, Montin, 1776," Waterh.; is Lappish vernacular.—A.
 Kerona O. F. Müller, An. Infus. 1786, 233.—Inf.
 Keroplatus L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 42.—Dip.
 kerran Charadrius, Linnaeus in Hasselquist, Palast. 1762, 312.
 kerwan Charadrius, W. G. Browne, Trav. Africa, 1799, 263.—[n. n.—? kerran, L.]
 keta Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 72.
 kevella Antilope, P. S. Pallas, Misc. Zool. 1766, 7.
 khalmyccica Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
 kiloniensis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1978.
 kiloniensis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2102.
 kiloniensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
 Kinkajou B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
 kiriwoula Vespertilio, P. Boddaert, Elench. 1785, 70.
 kirm Scomber, P. Forskal, Descr. Anim. 1775, 55.
 kitt Pleuronectes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 120.
 [kleemann]—
 klemannelle Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 507.
 klemannella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 304.
 klemannella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 509.
 kleemanni Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
 klemaniana [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (32) 1782, 192.
 kleiniella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 528.
 kleinii Aranea, Scopoli, Ent. Carn. 1763, 398.
 kleinii Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
 kleinii Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 7.
 kleinii Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 86.
 kleinii Xiphias, G. A. Suckow, Naturges. IV. 1799, 208.
 kleinii Zeus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 401.

klemann- *v.* kleemann-

- knjaescik Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
 knockella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 318.
 knorrii Aranea, Scopoli, Ent. Carn. 1763, 403.
 knorrii Ostracion, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 482.
 knorrii Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
 kob Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 293.
 koba Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 293.
 koba Antilope, E. A. W. Zimmermann, Spec. Zool. 1777, 545.
 kochiella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 299.
 koechlini [S]phinx, J. C. Fuessly in Fuessly, Arch. Ins. I. 1781.
 kolreuteri Bodianus (Walb.), G. A. Suckow, Naturges. IV. 1799, 516.—Perca.
 koelreuteri Gobiomorus (Pall.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.—
 koelrevteri Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 8. [Gobius.]
 koelreuteri Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 480.
 koelreuteri Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 343.
 koenigii Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
 koenigii Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptocephalus, 1775.
 koenigii Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.—Scarabaeus.
 koenigii Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 111.
 koenigii Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 155.—Cimex, 1775.
 koenigii Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29.
 köniigii Scorpaena, M. E. Bloch, K. Vet. Ac. Nya Handl. X. 1789, 235.
 koenigiana Phalaena (Tortrix), O. F. Müller, F. Ins. Frid. 1764, 53.
 koenigiana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 653.
 kogolka *v.* cogolca.
 kokolka *v.* cogolca.
 kolbii Vultur, F. M. Daudin, Traité élém. Orn. 1800, 15.
 kollina Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. xliii.
 Kolon Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 224.—Col.
 kolosvarensis Papilio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 41.
 Kolpoda *v.* Colpoda.
 kolurus Lemur, M. T. Brünnich, Dyr. Hist. 1782, 37.
 kolywanense Myrmeleon, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 599.
 korschun Accipiter, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 444.
 Korynetes *v.* Corynetes.
 krameri *v.* crameri.
 Kryptophagus *v.* Cryptophagus.
 kugelanni Carabus, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 8.
 kuhnella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 299.
 kumal Squalus, P. Forskal, Descr. Anim. 1775, x.
 kundsha Salmo (Truttac.), P. S. Pallas, Reise Russ. III. 1776, 706.
 Kuphus J. E. Guettard, Mém. diff. Sci. III. 1770, 139.
 Kurtus *v.* Curtus.
 kurukuru Columba, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 240.
 kwakwa Ardea, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 452.
 Kyrtus *v.* Curtus.
- labacensis Tipula, Scopoli, Ent. Carn. 1763, 324.
 labda [Phalaena], P. Cramer, Utitl. Kapellen, II (16) 1777, 129.
 labdacus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 90.
 labellum Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89 [n. n.].
 labeo Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 703.
 labio Monodonta (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 74.—Trochus.
 labeo Nerita, O. F. Müller, Verm. II. 1774, 180.
 labio Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.
 labeo Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3605.—Nerita.

- labeo** Turbo (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 88.—Trochus.
labialis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 420.
labialis Vespertilio, R. Kerr, Anim. Kingd. 1792, 93.
labiata Andrena, J. C. Fabricius, Spec. Ins. I. 1781, 472.
labiata Apis (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.—Andrena.
labiata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 342.
labiata Bemex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 259.
labiata Chrysomela, Linnaeus, Faun. Suec. ed. 2, 1761, 169.
labiatus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
labiatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 296.
labiatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
labiatus Cucuius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 572.
labiatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
labiatus Dytiscus, N. J. Brahm, Ins. Kal. I (1) 1790, 27.
labiata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
labiata Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 61.
labiatus Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 267.
labiata Musca, J. C. Fabricius, Mant. II. 1787, 346.
labiatus Philanthus (Fab.), G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 16.—Crabro.
labiatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1793.
labiata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 211.
labiata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 369.
labiata Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 260.
labicula Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 393.
labilis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 244.
labio *v.* labeo.
labiosus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 347.—Helix.
labiosa Helix, O. F. Müller, Verm. II. 1774, 96.
laborator Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
laboratorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
laboratorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 142.
labradorica Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 550.
labradoricus Meles, H. F. Link, Beitr. Nat. I (2) 1795, 86.
labradoriensis Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 32.
labradoria Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 537.
labradorius Dipus, R. Kerr, Anim. Kingd. 1792, 276.
labradorius Meles, F. A. A. Meyer, Zool. Archiv, II. 1796, 45.
labradorius Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 832.
labradorius Ursus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 102.
Labrax (*ex* Klein), J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
labrax Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 482.
labrax Sciaena (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 52.—Perca.
labrosum Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
labrum Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
labrum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126. [gen. xxvii. 33].—P.
Labrus Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 473; [Artedi, Ichth. 1738,
labruscae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 800.
labyrinthella Phalaena (Tinea), C. Bjerkander, K. Vet. Ac. Ny Handl. XI. 1790, 134.
labyrinthellae Ichneumon, C. Bjerkander, K. Vet. Ac. Ny Handl. XI. 1790, 135.
[labyrinthicus Araneus, C. Clerck, Aran. Svec. 1757, 79.]
labyrinthica Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
labyrinthica Madrepora=labyrinthiformis, Linn., P. S. Pallas, Elench. 1766, 297.
labyrinthiformis Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 794; ed. 12, 1767, 1274.
labyrinthiformis Spongia, M. Vahl, Skr. nat. Selsk. [Copen.], II (2) 1793, 55.
labyrinthus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
labyrinthus Helix, Lamarck, J. Nat. Hist. (Choix des Mém.), II. 1792, 352.
labyrinthus Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 78. [1776, 47.
labyrinthus Madrepora, *id.* ac labyrinthiformis, L., J. F. Maratti, Plant. Zooph. Med.

- lacaena* Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 35.
lacca Coccus, J. Kerr, Phil. Trans. LXXI (2) 1782, 374.
laccata Phalaena, Scopoli, Ent. Carn. 1763, 226.
lacedemon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 36.
Lacerta Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 359.—R.
lacerta Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 190.
lacertae Amphibolithus, Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
lacertae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
lacertae Trichocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3039.
lacerticida Sphex, P. S. Pallas, Reise Russ. I. 1771, 472.
Lacertina F. C. Meuschen, Mus. Gronov. 1778, 43.—R.
lacertina Phalaena, *id. ac* lacertinaria, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 40.
lacertina Siren, Linnaeus, Syst. Nat., ed. 12, 1766 [addenda at end of vol. i.].
lacertinaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767,
lacertosa Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 53. [860.
lacertosus Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
lacertula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
lacertula Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 371; lacertinaria, L., *est.*
lacertula Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 181.
lacera Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 201.
lacera Lepas, J. C. Fabricius, Reise Norwegen, 1779, 306.
lacera Madrepora, P. S. Pallas, Elench. 1766, 298.
lacerus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 307.
lacera Noctua, J. C. Fabricius, Syst. Ent. 1775, 609.
laches Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 317.
laches Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 229.
lachesis Cobra, J. N. Laurenti, Syn. Rept. 1768, 104.
lachesis Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.—Cobra.
lachesis Papilio, J. Hübner, Beitr. Schmett. II. 1790, 70.
lachesis Sphinx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 434.
lachicae *v. lactucae*.
 "Lachryma, Humph. 1797," Scudd., *teste* Reeve; I cannot find this word.
Lacinia [G. Humphreys], Mus. Calonn. 1797, 53.—L.
lacinia Alata, F. C. Meuschen, Mus. Gever. 1787, 334.
lacinia Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
laciniatum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 42.
laciniatum Cimex, C. de Villers, Linn. Ent. I. 1789, 493.
lacinia Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
laciniosa Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1259.
laciniosa Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
lacinulatus Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
lacinulata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
lacinulata Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
lacinulata Limacia, O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris, 1776.
lacinulatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
lacinulata Vorticella, O. F. Müller, An. Infus. 1786, 292. [Cyclops.
lacrymalis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2 [n. n.].
lacrymosus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 465.
lactana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 408.—*Pyralis laetana*.
lactana *Pyralis*, J. C. Fabricius, Ent. Syst. III (2) 1794, 250.
lactaria Nerita, Linnaeus, Mant. II. 1771, 551.
lactatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1042.
lactaeae Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
lactearia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 858.
lacteella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 337.
lacteella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 313.
lactella Tinea (D. & S.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. III. 1794, 140.—
 Tortrix.

- lactella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
lacteolus Cephphus, P. S. Pallas, Spic. Zool. V. 1769, 33.
lacteola Cicindela, P. S. Pallas, Reise Russ. I. 1771, 465.
lacteolus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2189.
lacteolus Colymbus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 583.—Cep-
lacteolus Gordius, O. Fabricius, F. Groen. 1780, 271. [phus.
lacteolus Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2290.
lacteola Uria (Pall.), J. Latham, Index Orn. 1790, 798.—Cephphus.
lacteus Accipiter, F. M. Daudin, Traité élém. Orn. 1800, 81.
lactea Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1141.
lacteus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 324.
lacteam Callistoderma (Gm.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Mactra.
lacteus Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 83.—Coluber.
lactea Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
lacteus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 381.
lacteus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
lacteus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 185.
lacteus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 380.
lacteam Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Turbo.
lactea Fasciola, O. F. Müller, Verm. I (2) 1774, 61.
lacteus Gordius, O. F. Müller, Verm. I (2) 1774, 32.
lactea Helix, O. F. Müller, Verm. II. 1774, 19.
lacteus Hippopus, F. C. Meuschen, Mus. Gever. 1787, 428.
lactea Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
lacteam Loripoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Tellina.
lactea Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3258.
lactea Mactra, J. X. Poli, Test. Sicil. II. 1795, 73.
lactea Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 35.
lactea Noctua, J. C. Fabricius, Mant. II. 1787, 182.
lactea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
lactea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 273.
lactea Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
lacteus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [*n. n.*].
lactea Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 73 [*n. n.*].
lactea Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [*n. n.*].
lactea Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 634.
lacteus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 94.
lactea Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
lacteus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
lacticinia [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 47.
lactinea [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 58.
lactis Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1024.
lactuca Madrepora, P. S. Pallas, Elench. 1766, 289.
lactuca Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
lactuca Spongia, E. J. C. Esper, Pflanzenz. II (12) 1799, 255.
lactucae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
lacticcae (*sic*) Chrysomela, *err. pro* lactucae, J. C. Fabricius, Mant. I. 1787, 75.
lactucae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.—Chrysomela, 1787.
lactucae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 74.
lactucae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 123 [*n. n.*].
lactucae Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 282.
lactucina [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 144.
lactuella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 66.
lacunana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
lacunatus Echinus, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 142.
lacunosa Anomia, Linnaeus, Syst. Nat. ed. 10, 1758, 702; ed. 12, 1767, 1153.
lacunosum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 258.
lacunosum Cordiformis (L.), F. C. Meuschen, Mus. Gever. 1787, 486.—Echinus.

- lacunosus** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1104.
lacunosum Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
lacunosus Spatangus (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 227.—
lacunosus Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54. [Echinus.
lacunosa Terebratula, J. S. Schroeter, Journ. Liebh. Steirn. III. 1776, 374.
lacunosa Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n.].
lacustris Albula, F. C. Meuschen, Mus. Gronov. 1778, 34.
lacustris Ancyclus (Linn.), O. F. Müller, Verm. II. 1774, 199.—Patella.
lacustris Ascaris (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.—Gordius.
lacustris Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
lacustris Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051; *varr.* percae,
lucipercae, *cernuae*, 3051; *farionis*, *salaris*, *ascaroides*, *marinus*, *cirratus*, *muticus*, 3052.
lacustris Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
lacustris Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 14.
lacustris Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 214.
lacustris Gadus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 144.
lacustris Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 23.—Lacerta.
lacustris Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Cimex.
lacustris Gordius, Linnaeus, Syst. Nat., ed. 12, 1767, 1076.
lacustris Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 273.
lacustris Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1065.
lacustris Musca, Scopoli, Ent. Carn. 1763, 343.
lacustris Nautilus, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 163.
lacustris Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1085 [lacustris].
lacustris Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1253.
lacustris Orthoceras (Scop.), F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 131.—
lacustris Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260. [Musca.
lacustris Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 510.
lacustris Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1299.
lacustris Tellina, O. F. Müller, Verm. II. 1774, 204.
lacustris Tipula, Scopoli, Ent. Carn. 1763, 317.
lades [Sphinx], P. Cramer, Utitl. Kapellen, I (7) 1775, 131.
ladis Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 165.—Sphinx.
ladon [Papilio], P. Cramer, Utitl. Kapellen, III (23) 1780, 141.
ladon [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 164.
Laernea J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 78 (1791) [n. *et f.*].—Cr.
laertes [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 115.
laertes [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 19.
laetana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 649.—[*v. lactana*].
laetatorius Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 424.
laetata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 164.
laetata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 456.
laeta Bombyx, J. C. Fabricius, Syst. Ent. 1775, 576.
laeta Buprestis, J. C. Fabricius, Syst. Ent. 1775, 223.
laetum Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
laeta Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 218.
laetus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
laeta Cicada, J. C. Fabricius, Mant. II. 1787, 271.
laetus Cimex, J. C. Fabricius, Mant. II. 1787, 289.
laeta Cistela, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 8.
laeta Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 78.
laetus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
laetus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 54.
laetus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 141.—Cimex, 1787.
laeta Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.
laeta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 20.
laetus Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 291. [lontha.
laetus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.—Melo-

- laeta* Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 88.
laetus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 301.
laeta Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
laeta Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 214.
laeta Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 239.
laeta Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1132.
laetum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139 [*n. n.*].
laevicautum Buccinum, *v. laevigatum*, Linn., K. Schreibers, Vers. Conch. I. 1793, 165.
laevicollis Silpha, J. C. Fabricius, Syst. Ent. 1775, 73.
laevigana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 227.—Tortrix.
laevigana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
laevigaria Geometra, J. Hübner, Europ. Schmett. (Geom.), [mejudice 1796], fig. 74 [*n. cf.*].
laevigator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 193.
laevigatulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
laevigatum Anobium, A. G. Olivier, Entom. II. 1790, 12.
laevigata Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.
laevigata Beroe, A. Modeer, Nova Acta Acad. Caes. VIII. App. 1791, 22.
laevigata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
laevigatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
laevigata Buprestis, A. G. Olivier, Entom. II. 1790, 87.
laevigata Camerina, J. G. Brugnière, Ency. Méth. (Vers) (2) 1792, 399.
laevigatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 304.
laevigatus Carabus, M. B. Borkhausen in Scriba, Beitr. Ins. I. 1790, 4.
laevigatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
laevigatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
laevigatum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—Cardium.
laevigata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
laevigatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
laevigatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
laevigatus Curculio, G. Paykull, Mon. Curc. 1792, 141.
laevigatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 473.
laevigata Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
laevigatus Dytiscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 308.
laevigatus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 139.
laevigatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
laevigata Evania, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 453.
laevigatum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177 [*n. n.*].
laevigata Geometra (Scop.), C. de Villers, Linn. Ent. IV. 1789, 509.—Phalaena.
laevigata Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1250.
laevigatus Helops, G. W. F. Panzer, Ins. Germ. heft 50 [1798], tab. 6.
laevigatus Heterocerus, G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 12.
laevigata Hippa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 82.
laevigatum Lymexylon (Hellen.), G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 16.—
laevigatus Meloe, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 650. [Serropalpus.
laevigatus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex.
laevigatus Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 495.—Cypris laevis.
laevigatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.
laevigatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
laevigatum Opatrum, J. C. Fabricius, Spec. Ins. I. 1781, 90.
laevigata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
laevigata Phalaena, Scopoli, Ent. Carn. 1763, 230.
laevigata Pimelia, J. C. Fabricius, Ent. Syst. I (1) 1792, 100.
laevigata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
laevigatus Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 23.
laevigatus Scarites (Fab.), A. G. Olivier, Entom. III. 1795, 7.—Carabus.
laevigatus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 95.
laevigatus Serropalpus, C. N. Hellenius, K. Vet. Ac. Nya Handl. VII. 1786, 318.
laevigata Silpha, J. C. Fabricius, Syst. Ent. 1775, 74.

- laevigata Sphex, P. Rossi, Mant. Ins. II. 1794, 118.
 laevigata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
 laevigatus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
 laevigatus Tenebrio, J. C. Fabricius, Spec. Ins. I. 1781, 323.
 ✓ laevigatus Tetrodon, Linnaeus, Syst. Nat., ed. 12, 1766, 411.
 laevigatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
 laevigata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
 laevigella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
 levipes Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037 [lae-].
 levipes Carabus, P. Rossi, Fauna Etrus. I. 1790, 225.
 laevipes Helix, O. F. Müller, Verm. II. 1774, 22.
 laevipes Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
 laevis Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695.
 laevis Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
 laevis Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 35.
 laevis Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 62.
 laevis Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
 laevis Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 164.
 laevis Balistes, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 82.
 laeve Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
 laeve Buccinum, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 64.
 laevis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
 laevis Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 250.
 laeve Chiton, P. Osbeck, Reise Ost-Ind. China, 1765, 80.
 laevis Chiton, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 61.
 laevis Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.—Acanthia.
 laevis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 22.
 levis Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 98.
 laevis Coluber, P. A. Latreille, Salamand. France, 1800, xxxiii.
 laevis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
 laevis Copris (Dr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.—Scarabaeus.
 laevis Cypris, O. F. Müller, Z. Dan. Prod. 1776, 198.
 laevis Doris, Linnaeus, Syst. Nat., ed. 12, 1767, 1083.
 laevis Echinorynchus, O. F. Müller, Z. Dan. Prod. 1776, 215.
 laevis Helops, J. C. Fabricius, Mant. I. 1787, 213.
 laevis Holothuria, O. Fabricius, F. Groen. 1780, 353.
 laevis Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
 laevis Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 340.
 laevis Limax, O. F. Müller, Verm. II. 1774, 1.
 laevis Monoculus, J. C. Fabricius, Spec. Ins. I. 1781, 373.
 laevis Mustelus, P. L. S. Müller, Del. Nat. II. 1767, 141.
 laevis Mustelus, H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.
 laevis Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 11.
 laevis Ocylope, J. C. Fabricius, Suppl. Ent. Syst. 1798, 348.
 laevis Patella, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 125.
 laevis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3704.
 laevis Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
 laevis Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.
 laevis Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 58.
 laevis Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 79.
 laevis Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1553.
 laevis Stenocorus, A. G. Olivier, Entom. IV. 1795, 21.
 laevis Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
 laevis Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 15.
 laevis Tenebrio, P. Forskal, Descr. Anim. 1775, 78.
 laevis Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 362.—Helops.
 laevis Tenebrio, A. G. Olivier, Entom. III. 1795, 10.
 laevis Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 113.

- laevis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
 laevisimum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
 laevisissima Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
 laevus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 317.—Helix.
 laeva Helix, O. F. Müller, Verm. II. 1774, 95.
 laevus Hister, P. Rossi, Fauna Etrus. I. 1790, 28.
 "Laganum, Klein, 1734"—does not occur as a generic name in Leske, 1778.
 laganum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
 laganum Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 204.
 laganum Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3190.—
 Laganus F. C. Meuschen, Mus. Gever. 1787, 488.—Ech. [Echinodiscus.
 Lagna G. Walker & W. Boys, Test. Min. Rar. [1784], 2.—Rh.
 Lagna J. F. Bolten, Mus. Bolten. (2) 1798, 131.—G.
 lagna-viatoria Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153 [*n. n.*]. [Planaria.
 lagna Fasciola (Braun), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3057.—
 lagna Planaria, M. Braun, Schrift. Berlin. Ges. Nat. Freunde. VIII. 1788, 238.
 lagna Trichoda, O. F. Müller, An. Infus. 1786, 228.
 lagocephalus Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 14.
 lagocephalus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410
 Lagomys G. C. C. Storr, Prod. 1780, 39 & tab. B.—M. [Tetro-].
 Lagomys G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
 lagopi Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
 lagopoda Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 422.
 lagopodes Cancer, P. Forskal, Descr. Anim. 1775, 93.
 lagopodis Pediculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2920.—[lagopi,
 Lagopus M. J. Brisson, Ornith. I. 1760, 216.—A. [L., *est.*]
 lagopus Apis, *id. ac* lagopoda, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2776.
 lagopus Bombyx, J. C. Fabricius, Syst. Ent. 1775, 568.
 lagopus Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
 lagopus Falco, M. T. Brünnich, Orn. Boreal. 1764, 4.
 lagopus Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488.
 lagopus Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 127.
 lagopus Lagopus (L.), J. C. Schaeffer, Mus. Orn. 1789, 3.—Tetrao.
 lagopus Phalaena Noct., E. J. C. Esper, Die Schmett. IV (47) 1794, 356.
 lagopus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 274.
 Lagria J. C. Fabricius, Syst. Ent. 1775, 124.—Col.
 lagurus Glis (Pall.), P. B. C. Graumann, Introd. H. N. 1779, 60.—Mus.
 lagurus Julus (Linn.), Scopoli, Ent. Carn. 1763, 420.—Scolopendra.
 lagurus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
 lagurus Lemmus (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
 lagurus Mus, P. S. Pallas, Reise Russ. II. 1773, 704.
 lagura Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1062.
 lagus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 306.—Papilio.
 lagus [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 31.
 laichartingella Tinea, C. C. Jung, Alph. Verz. Schmett. 1791, 303.
 laichartingii Chrysomela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 195.
 laidion Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 91.
 lais [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 21.
 laja [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 68.
 lajus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 62.
 lalage Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 163.
 1-album Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 606.—Phalaena.
 L album Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781,
 1-album Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 850. [69.
 Lama G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
 lama Conus, F. C. Meuschen, Mus. Gever. 1787, 356.
 lama Lucanus, A. G. Olivier, Entom. I. 1789, 14.
 Lamarckia G. Olivi, Zool. Adriat. 1792, 255.—Pol.

- lambergiana Phalaena, Scopoli, Ent. Carn. 1763, 234.
 Lambis J. F. Bolten, Mus. Bolten. (2) 1798, 61.—G.
 lambis Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 340.—Strombus.
 lambis Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 66.—Strombus.
 lambis Pterocera (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 72.—Strombus.
 lambis Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
 lamboides Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [*n. n.*].
 lamboides Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 66.
 lamboideus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40 [*n. n.*].
 lamda Leptura, F. v. P. Schrank, Beitr. Nat. 1776, 67.
 lamda Noctua, J. C. Fabricius, Mant. II. 1787, 174.
 lamda Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 lamda Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 341.—
 lamdella Phalaena, E. Donovan, Brit. Ins. II. 1793, 53. [Noctua.
 lamed Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 630.
 lamed Leptura (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 153.—Cerambyx.
 lamed Musca, F. v. P. Schrank, Ins. Aust. 1781, 475.
 lamed Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 178.—Cerambyx.
 lamella Kolpoda, O. F. Müller, Verm. I (1) 1773, 56.
 lamellaris Brachionus, O. F. Müller, An. Infus. 1786, 340.
 lamellatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 522.
 lamellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
 lamellatum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 8.
 lamellata Chama, J. F. Bolten, Mus. Bolten. (2) 1798, 195.
 lamellatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429.—[lamellosus,
 Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199. [ed. 12.]
 lamellatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
 lamellata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11. [Lynceus.
 lamellata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140 [*n. n.*].
 lamellatus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 11.
 lamellata Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
 lamellata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
 lamellifera Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 232.
 lamellifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335. [1790, 3120.
 lamelligera Nereis, ?*id. ac* lamellifera, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 lamellosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
 lamellosum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
 lamellosa Cellepora, E. J. C. Esper, Pflanzenth. I (6) 1790, 254.
 lamellosum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 488.
 lamellosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 636.
 lamellosus Gryllus (Tettigonia), Linnaeus, Mus. Lud. Ulr. 1764, 128; [lamellatus *est*,
 Syst. Nat., ed. 10].
 lamellosa Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 65.
 lamellosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3536.
 lamellosa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 270.
 lamellula Monas, O. F. Müller, An. Infus. 1786, 7.
 Lamia G. Edwards in M. Catesby, Carol. I. 1771, xxxiii.—P.
 Lamia J. C. Fabricius, Syst. Ent. 1775, 170.—Col.
 lamia [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 85.
 lamia Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 145.
 lamii Apis, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
 lamii Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 437.
 lamina Chrysmela, J. C. Fabricius, Ent. Syst. I (1) 1792, 311.
 lamina Noctua, *id. ac* lumina, Mant. II. 161, J. C. Fabricius, Ent. Syst. III (2) 1794, 77.
 lamina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 118.
 lamina Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 776.
 laminator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 223.
 laminatorius Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 220.

- laminatus* Dytiscus, J. G. Schaller, Abh. Hallisch, n. Ges. I. 1783, 314.
laminatus Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 117.—Tenebrio, 1787.
laminatus Staphylinus, C. Creutzer, Ent. Vers. 1799, 128.
laminatus Tenebrio, J. C. Fabricius, Mant. I. 1787, 211.
laminella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
laminella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 57.
lamis Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—Papilio.
lamis [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 77.
lamis [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 88.
lamis Phalaena, C. Stoll in P. Cramer, Uitl. Kapellen, IV (31) 1781, 149.
lampadeus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
Lampadion J. F. Bolten, Mus. Bolten. (2) 1798, 77.—G.
Lampas F. C. Meuschen, Mus. Gever. 1787, 438.—Br.
Lampas [G. Humphreys], Mus. Calonn. 1797, 45.—Br.
lampas Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 308.—Murex.
lampas Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
lampas Helix, O. F. Müller, Verm. II. 1774, 12.
lampas [Limax], T. Martyn, Univ. Conch. III [1789], fig. 117.
lampas Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
Lampetia J. G. Meigen, N. Class. Mouches, 1800, 34.—Dip.
lampetia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 775.
lampetie Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 322.
Lampris A. J. Retzius, K. Vet. Ac. Nya Handl. XX. 1799, 97.—P.
lamprocephalus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
lampros Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 143.
lamprotonus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
 "Lampus, Humph. 1797," Swains.; *err. typ.* Lampas.
Lampyris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 165.—Col.
lampyris Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.
lampyroides Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.
Lampyrus v. *Lampyris*, Linnaeus, Syst. Nat., ed. 12, 1767, 644.—Col.
lamur Scarabaeus, J. C. Fabricius, Mant. I. 1787, 13.
lanaris Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 385.
lanarius Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 129.
lanarius Falco, R. Kerr, Anim. Kingd. 1792, 513; *var.* albicans, celiurus.
lanata Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 135.
lanata Apis, J. C. Fabricius, Syst. Ent. 1775, 385.
lanata Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 48.—Phalaena.
lanatus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1044.
lanata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
lanatus Cimex, P. S. Pallas, Reise Russ. II. 1773, 729.
lanatus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
lanatus Dorippe (L.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
lanata Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 376.
lanata [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 131.
lanata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
lanatus Sorex, J. A. Scopoli, Del. Insub. II. 1786, 84.
lanatus Tabanus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 359.
lancea Fusaria, J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 60.
lancea Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
lancea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 734.—Noctua
lancaolata, Fab., *est.*
lancealana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 80 [*n. et f.*].
lancealis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 221.
lancealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
lanceato-lobatus Alysseminthus, J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm.
lanceatum Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1206. [1800, 246
lanceatus Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2970.]

- lanceata** Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.
lanceatus Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
lanceola Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 165.—T. lanceolata, Bloch, *est.*
lanceolatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 277; ed. 12, 1766, 466.
lanceolata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2094.—
lanceolatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 80. [Membracis.
lanceolatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena lancealis,
lanceolata Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123. [1794.
lanceolatus Gobius, M. E. Bloch, Nat. Fische Deutschl. II. 1783, 8.
lanceolatus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2065.—
lanceolatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 92. [Locusta.
lanceolatus Limax, P. S. Pallas, Spic. Zool. X. 1774, 19.
lanceolata Locusta, J. C. Fabricius, Syst. Ent. 1775, 284.
lanceolata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 191.
lanceolata Membracis, J. C. Fabricius, Mant. II. 1787, 263.
lanceolata Noctua, J. C. Fabricius, Gen. Ins. 1777, 283.
lanceolata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 53.
lanceolata Perca, M. E. Bloch, Nye Saml. K. Danske Skrifter, III. 1788, 383.
lanceolatus Regalecus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 214.
lanceolata Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 9.
lanceolata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
lancifer Cancer, J. C. Fabricius, Mant. I. 1787, 320.
lancifer Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 154.—Scarabaeus.
lancifer Musca, M. Harris, Exp. Eng. Ins. 1776, 126.
lancifer Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 366.—Cancer, 1787.
lancifer Portunus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
lancifer Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 544.
lanciger Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.
lanestris Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 566.—Phalaena.
lanestris Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767, 815.
“Langaha, Brug. 1784,” Ag.; is used in the vernacular, and not in generic sense.
Langaha B. G. E. de Lacépède, Quad. Ovip. II. 1789, 142 & 469.—R.
Langaha J. A. Donndorff, Zool. Beyt. III. 1798, 223.—R.
langiella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 69.
langis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 218.
lanarius Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 726.
lanarius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2169.
laniger Apis, J. L. Christ, Nat. Ins. 1791, 164.
laniger Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
laniger Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 43.
laniger Lemur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 44.
laniger Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 301.
laniger Mustela, R. Kerr, Anim. Kingd. 1792, 177.
laniger Phoca, R. Kerr, Anim. Kingd. 1792, 128.
laniger Scarabaeus, A. G. Olivier, Entom. I. 1789, 178.
lanigerus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 459.
lanigera Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 33.—Scarabaeus.
lanigerus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 555.
lanii Pediculus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 570.
lanio Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
lanio Culex, Linnaeus, Mant. II. 1771, 541.
lanio Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 231.
lanio Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 11.
lanio Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
lanipes Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
lanipes Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 506.
lanipes Helops (L.), J. C. Fabricius, Syst. Ent. 1775, 257.—Tenebrio.

- lanipes *Pimelia* (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—*Tenebrio*.
- lanipes *Tenebrio*, Linnaeus, Mant. II. 1771, 533.
- “*Lanistes*, Humph. 1797,” Herm.; I cannot find this word.
- Lanius Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 134.—A.
- lanius *Cetonia* (L.), J. C. Fabricius, Syst. Ent. 1775, 44.—*Scarabaeus*.
- lanius *Scarabaeus*, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 557.
- lanosa *Aphis*, D. Drury, Ill. Nat. Hist. III. 1782, index & 70.
- lanosa *Spongia*, F. C. Meuschen, Mus. Gever. 1787, 530.
- lantanae *Bombyx*, J. C. Fabricius, Ent. Syst. III (1) 1793, 437.
- lanuginosa *Millepora*, F. C. Meuschen, Mus. Gever. 1787, 512.
- lanuginosa *Podura*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2911.
- lanuginosa *Spongia*, E. J. C. Esper, Pflanzenth. II (12) 1799, 243. [7-
- lanugithorax *Melolontha*, F. v. P. Schrank in Born, Phys.-Arb. Freunde Wien, II (2) 1787,
- lanugithorax *Scarabaeus* (Schr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1563.—
Melolontha.
- laocoon *Bombyx* (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 37.—*Phalaena*.
- laocoon [*Phalaena*], P. Cramer, Utitl. Kapellen, II (10) 1777, 30.
- laodamia [*Papilio*], P. Cramer, Utitl. Kapellen, II (11) 1777, 49.
- laodice *Papilio*, P. S. Pallas, Reise Russ. I. 1771, 470.
- laodice [*Papilio*], P. Cramer, Utitl. Kapellen, II (14) 1777, 95.
- laodice *Papilio*, D. Drury, Ill. Nat. Hist. III. 1782, index & 34.
- laodice *Papilio*, [D. H. Schneider], Besch. europ. Schmett. I. 1785, 175.
- laodice *Papilio*, J. C. Fabricius, Mant. Ins. II. 1787, 36.
- laodocus *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 8.
- laomedia *Papilio* (*Nymphalis*), Linnaeus, Syst. Nat., ed. 12, 1767, 772.
- laomedon [*Papilio*], P. Cramer, Utitl. Kapellen, I (5) 1775, 78.
- laomedon *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 12.
- laothoe [*Papilio*], P. Cramer, Utitl. Kapellen, II (11) 1777, 55.
- lapadifera *Astraea*, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
- lapathi *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
- laphiati *Coluber*, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 96.
- laphida *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1241.
- laphida *Planorbis*, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
- laphida *Sphex*, J. L. Christ, Nat. Ins. 1791, 318.
- laphida *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3269.
- lapidanus *Curculio*, G. Paykull, Faun. Suec. III. 1800, 292.
- lapidaria *Apis*, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
- lapidaria *Terebella*, Linnaeus, Syst. Nat., ed. 12, 1767, 1092.
- lapidaria *Teredo*, Linnaeus, Syst. Nat., ed. 10, 1758, 651.
- lapidaris *Vespa*, J. L. Christ, Nat. Ins. 1791, 246.
- lapidator *Ichneumon*, J. C. Fabricius, Mant. I. 1787, 266.
- lapidator *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 160.
- lapidella *Tinea*, C. C. Jung, Alph. Verz. Schmett. 1791, 306.
- lapidescens *Corallina*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 112.
- lapideus *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 185.
- lapidea *Chamaeformis*, F. C. Meuschen, Mus. Gever. 1787, 448.
- lapidosa *Tinea*, A. F. de Fourcroy, Ent. Paris. 1785, 336.
- lapidum *Psylla*, A. F. de Fourcroy, Ent. Paris. 1785, 224.
- lapillus *Buccinum*, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1202.
- lapillus *Nucella*, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
- lapillus *Tritonium* (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 244.—*Buccinum*.
- lapina *Labrus*, P. Forskal, Descr. Anim. 1775, 36.
- lapis-cancri *Echinites*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 256.
- lapis-cancri *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—
Echinites.
- Laplysia Linnaeus, Syst. Nat., ed. 12, 1767, 1082.—*Moll*.
- lappae *Musca*, J. Cederhielm, F. Ingric. 1798, 319.
- lappella *Alucita* (L.), J. C. Fabricius, Syst. Ent. 1775, 668.—*Phalaena*.

- lappella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
- lappona Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 983.
- lappona Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 37.
- lappona Syrphus (L.), J. C. Fabricius, Spec. Ins. II. 1781, 422.—Musca.
- lappona Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
- lapponica Apis, J. C. Fabricius, Ent. Syst. II. 1793, 318.
- lapponica Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 425; ed. 12, 1767, 688.
- lapponica Bombyx, C. P. Thunberg, Ins. Suecica (2) 1791, 40.
- lapponica Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
- lapponica Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 113.
- lapponicus Corvus, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 178.
- lapponicus Falco, G. v. Carlsson, Tal... Falk-Slägtets, K. Vet. Acad. 1798, 27.
- lapponica Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 317.
- lapponicus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 326.—Voluta.
- lapponica Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 42.
- lapponica Plejona (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 60.—Voluta.
- lapponica Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 246.
- lapponica Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 209.
- lapponica Silpha, C. P. Thunberg, Ins. Suecica (5) 1794, 72.
- lapponica Strix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 184.
- lapponica Strix, Sparr. *in litt.*, A. J. Retzius in Linnaeus, F. Suec. 1800, 79.
- lapponicus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 751.
- lapponica Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.
- lapreae Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 22.
- Lapria J. G. Meigen, N. Class. Mouches, 1800, 25.—Dip.
- lar Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 257.—Bibio, 1787.
- lar Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 414.
- lar Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 467.
- lar Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptocephalus, 1787.
- lar Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 80.
- lar Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 335.
- lar Homo, Linnaeus, Mant. II. 1771, 521.
- lar Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
- lar Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
- lar Palaemon, F. Weber, Nomen. Fabricii, 1795, 94.
- lar Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 402.
- lar Parthenope, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1793.
- lar Scarabaeus, J. C. Fabricius, Mant. I. 1787, 13.
- lar Scarabaeus, C. G. Jablonsky, Nat. Ins. (Käfer) II. 1789, 48.
- lar Simia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 27.—Homo.
- lardarius Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 354; ed. 12, 1767, 561.
- lardaria Musca, J. C. Fabricius, Spec. Ins. II. 1781, 436.
- lardarius Tenebrio, C. de Geer, Mém. Ins. V. 1775, 45.
- largipennis Trochilus, P. Boddaert, Tab. Planch. Enl. 1783, 41.
- largipes Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
- lari Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
- lari Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
- lari Ricinus, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 201.
- Laria Scopoli, Ent. Carn. 1763, 21.—Col.
- laricis Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 365.
- laricis Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 48.
- lariformis Rallus, Linnaeus, Syst. Nat., ed. 10, 1758, 153.
- Larius, *err. pro* Lorius, P. Boddaert, Tab. Planch. Enl. 1783, 42.—A.
- larix Antipathes, E. J. C. Esper, Pflanzenth. II (9) 1792, 137.
- larix Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
- Larra J. C. Fabricius, Ent. Syst. II. 1793, 220.—Hym.
- larra Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 428.
- Larus Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 224.—A.

- lara Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 315.—Papilio.
 lara Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 320.
 larus Trichoda, O. F. Müller, An. Infus. 1786, 215.
 Larva [G. Humphreys], Mus. Calonn. 1797, 4.—G.
 larva Enchelis, O. F. Müller, An. Infus. 1786, 40.
 larva Himantopus, O. F. Müller, An. Infus. 1786, 251.
 larva Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
 larva Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3679.
 larva Vorticella, O. F. Müller, An. Infus. 1786, 286.
 Larvaevora J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
 larvarum Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 783.—Ichneumon.
 larvarum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
 larvarum Gordius, J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 90.
 larvarum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
 larvarum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 992.
 larvatus Cercopithecus, F. v. Wurm, Mag. Neueste Phys. u. Nat. II (4) 1784, 7.
 larvatus Conus, K. Schreibers, Vers. Conch. I. 1793, 20.
 larvatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
 larvatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 348.
 larvata Mordella, F. v. P. Schrank, Naturforscher, XXIV. 1789, 90.
 larvata Musca, F. v. P. Schrank, Ins. Aust. 1781, 452.
 larvata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 475.
 larvata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2845.
 larydas [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 160.
 larynx Tubularia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 31.
 lasciva Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 564. [ed. 13, I. 1788, 50.
 lascopterus Vespertilio (*ex* Schreber, tab. 58 B (1781)), J. F. Gmelin in Linn. Syst. Nat.,
 lasiurus Nycterus (Schr.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800,
 628.—Vespertilio.
 lasiurus Vespertilio (*ex* Schreber, tab. 62 B (1781)), J. F. Gmelin in Linn. Syst. Nat.,
 ed. 13, I. 1788, 50.
 laspeyrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me giudice 1796], 60.
 lassus Papilio, J. C. Fabricius, Mant. II. 1787, 26.
 lassus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 44.
 latebrosus Carabus, Bory de St. V., Journ. Santé Bordeaux, III. 1798, 74.
 latebrosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 170.
 latedigitatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 latens Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
 latens Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
 latens Bulla, O. F. Müller, Z. Dan. Prod. 1776, 242.
 lateola Cicindela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1925.
 laterali-marginalis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 396.
 laterale Acridium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
 lateralis Buprestis, A. G. Olivier, Entom. II. 1790, 65.
 lateralis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
 lateralis Cantharis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 162.
 lateralis Carabus, J. C. Fabricius, Mant. I. 1787, 200.
 lateralis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
 lateralis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—
 Cerambyx, A. G. Olivier, Entom. IV. 1795, 129. [Saperda.
 lateralis Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 524.
 lateralis Cetonia, A. G. Olivier, Entom. I. 1789, 80.
 lateralis Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
 lateralis Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
 lateralis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 209.
 lateralis Coccinella, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 9.
 lateralis Curculio, G. W. F. Panzer, Naturforscher, XIV. 1789, 20.
 lateralis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 508.

- lateralis* Curculio, G. Paykull, Mon. Curc. 1792, 95.
lateralis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 454.
lateralis Dytiscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 64.
lateralis Elater, A. G. Olivier, Entom. II. 1790, 50.
lateralis Elater, J. C. Fabricius, Ent. Syst. IV. 1794, 452.
lateralis Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 497.
lateralis Gryllus, J. C. Fabricius, Syst. Ent. 1775, 293.
lateralis Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 61.
lateralis Hydrophilus, J. C. Fabricius, Syst. Ent. 1775, 228.
lateralis Lacerta, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 126.
lateralis Leptura, A. G. Olivier, Entom. IV. 1795, 22.
lateralis Leptura, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 127.
lateralis Mantis, J. C. Fabricius, Syst. Ent. 1775, 275.
lateralis Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex, 1777.
lateralis Mordella, J. C. Fabricius, Ent. Syst. I (2) 1792, 114.
lateralis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597.
lateralis Musca, J. C. Fabricius, Syst. Ent. 1775, 778.
lateralis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 496.
lateralis Musca, E. Donovan, Brit. Ins. I. 1792, 69.
lateralis Pasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis, 1775.
lateralis Saperda, J. C. Fabricius, Syst. Ent. 1775, 185.
lateralis Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 458.
lateralis Telephorus (L.), A. G. Olivier, Entom. II. 1790, 15.—Cantharis.
lateralis Tenthredo, J. C. Fabricius, Reise Norwegen, 1779, 33.
lateralis Tenthredo, J. L. Christ, Nat. Ins. 1791, 456.
lateralis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 466.
laterana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 264.
lateraria Phalaena, J. C. Fabricius, Mant. II. 1787, 193.
laterata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 206.
laterella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
laterella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 94.
lateritia Gorgonia, F. C. Meuschen, Mus. Gev. 1787, 526.
lateritia Musca, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 129.
lateritia Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 61.
lateritia Phalaena, Hufnagel, Berl. Mag. III. 1767, 306.
laterna Pleuronectes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 121.
Laternaria Linnaeus, Mus. Lud. Ulr. 1764, 152.—Hem.
laternaria Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
laternaria Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 703.—[Cicada, ed. 10.]
laternaria Musca, O. F. Müller, Z. Dan. Prod. 1776, 174.
Laternula J. F. Bolten, Mus. Bolten. (2) 1798, 155.—L.
lathami Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
lathami Curculio, G. C. Reich, Mant. Ins. 1797, 13.
lathami Falco, F. M. Daudin, Traité élém. Orn. 1800, 73.
lathami Lanius, G. A. Suckow, Naturg. II [1] 1800, 258.
lathamiana Phalaena (Tinea), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 276.
Lathargus (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 581.—P.
lathonia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 786.
lathyrus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
lathyrus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.—
laticapitatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 84. [Echinocyamus.
Laticauda J. N. Laurenti, Syn. Rept. 1768, 109.—R.
laticauda Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 392.
laticauda Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 280.
laticauda Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151. [p. 228.]
laticaudatus Anguis, Linnaeus, Mus. Adolph. Frid. II. 1764, 48.—[? *laticauda*, ed. 10,
laticaudatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
laticaudata Manis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 565.

- laticaudata* Salamandra, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 63.
laticeps Phylline (Pall.), P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 31.—
laticeps Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 106. [Taenia.
laticlavata Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
laticlavata Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 27. [1710.—Chrysomela.
laticlavium Cryptocephalus (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
laticlavata Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 75.
laticollis Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 198.
laticollis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
laticollis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
laticollis Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 83.
laticollis Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 171.—Scarabaeus.
laticollis Helops, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 1.
laticollis Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—
laticollis Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 549. [Tenebrio.
laticollis Tenebrio, P. S. Pallas, Icon. Ins. 1781, 56.
laticornis Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 538.
laticornis Prionus, J. A. Frolich, Naturforscher, XXVI. 1792, 134.
latidactyla Phalaena Alucita, J. Hübner, Beitr. Schmett. II. 1790, 27.
latidens Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 188.
latifolia Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 142.
latiformis Eschara, F. C. Meuschen, Mus. Gever. 1787, 516.
latilinea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
latipennis Trochilus, J. Latham, Index Orn. 1790, 310.
latipes Apis, D. Drury, Ill. Nat. Hist. II. 1773, index & 87.
latipes Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 3.
latipes Cancer, C. de Geer, Mém. Ins. VII. 1778, 425.
latipes Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 267.
latipes Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 655.
latipes Cerapterus, N. S. Swederus, K. Vet. Ac. Nya Handl. IX. 1788, 203.
latipes Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 63.
latipes Cimex, Herbst, Einl. Ins. I. 1784, 257.
latipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
latipes Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
latipes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
latipes Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
latipes Saperda, J. C. Fabricius, Mant. I. 1787, 148.
latipes Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
latirostra Anas, E. Pontoppidan, Danske Atlas, I. 1763, 620.
latirostra Anas, M. T. Brünnich, Orn. Boreal. 1764, 21.
latirostra Coronella, J. N. Laurenti, Syn. Rept. 1768, 86.
lati-rostratus Coluber (Laur.), J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 60.—Coro-
latirostris Anas, P. Boddaert, Tab. Planch. Enl. 1783, 58. [nella latirostra.
latirostris Anthribus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 220.—
latirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 151. [Curculio, 1775.
latirostris Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
latirostris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
latirostris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 251.
latirostris Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 81.
latissima Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
latissima Blatta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 184.
latissimus Cottus, F. C. Meuschen, Mus. Gronov. 1778, 42.
latissimus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
latissimus Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 69.—Dytiscus.
latissimus Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
latissima Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 646.
latissima Lycus, Fab., J. C. Fabricius, Mant. I. 1787, 163.—Pyrochroa.
latissima Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 203.—Lampyris.

- latissimus* Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
latiuscula Altica, O. F. Müller, Z. Dan. Prod. 1776, 84. [Altica.
latiuscula Chrysomela (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.—
latiuscula Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 169; [not a specific name].
latona [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 20.
latrator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 431.
latrator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 184.
latreillana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
latreillella Alucita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 502.
Latridius Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 3.—Col.
latrinarum Bibio (De G.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 300.—Tipula.
latrinarum Musca, C. de Geer, Mém. Ins. VI. 1776, 31.
latrinarum Tipula, C. de Geer, Mém. Ins. VI. 1776, 430.
latro Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 538.
latro Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1049.
latro Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 34.
latro Curculio, F. v. P. Schrank, Ins. Aust. 1781, 115.
latro Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 360.
latro Musca, J. C. Fabricius, Mant. II. 1787, 349.
latro Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 410.—Cancer.
latro Ptinus, J. C. Fabricius, Syst. Ent. 1775, 63.
latruncula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
lata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
lata Blatta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 185.
latus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 672.
latum Cardium, I. v. Born, Index Mus. Caes. Vind. 1778, 37.
lata Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
latus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 71.
latus Cyprinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1438.
latus Elater, J. C. Fuessly, Schweiz. Ins. 1775, 16.
latus Elater, J. H. Sulzer, Gesch. Ins. 1776, 53.
lata Nitidula, L. G. Scriba, J. Lieb. Ent. II. 1790, 175.
latus Sparus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 322.
latus Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 332.
latus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
latus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
lata Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1324.
lata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
lata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
latus Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
laudonius Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) IX. 1798, 186.
laure [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 31.
laureatum Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 192.
laurentii Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3317.
laurentifoliaeformis Hemerobius, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 211.
laurifolius Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767,
laurifolia Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 282.—Gryllus. [695.
lausoniae Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95.
lausus [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 70.
Lavacrum F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 92 [n. n.].—L.
lavacrum Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
lavandulae Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 221.
lavandulae Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 387.
lavareti Lernaea, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 21.
lavareti Scolex, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 13. [(1770), 60.
lavaretus Cyprinus, *err. pro* Salmo [v. Anmerk. II., p. vi], S. G. Gmelin, Reise Russ. I
lavaretus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 512.
lavaterae Acanthia, J. C. Fabricius, Mant. II. 1787, 278.

- lavaterae Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—
- lavaterae Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353. [Acanthia.]
- lavaterae Papilio, J. C. Fabricius, Mant. II. 1787, 91.
- lavatherae Papilio Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
- lavatum Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 14. [1783, 148.]
- lavinia [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 32.
- lavinia Papilio, J. C. Fabricius, Syst. Ent. 1775, 450.
- laxmanni Gryllus, P. S. Pallas, Spic. Zool. IX. 1772, 19.—[laxmannianus, p. 20.]
- laxmanni Gryllus (Tett.), P. S. Pallas, Reise Russ. I. 1771, 468.
- laxmanni Locusta (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 361.—Gryllus.
- “laxmanni Myospalax.” This does not exist; the sentence by Bechmann in A. G. Schloezer's Sibirische Briefe, 1769, p. 75 reads thus:—“Sollte nicht *Myospalax* Laxmanni *Mus amphibius* Linnei seyn? B.” See *Myospalax*.
- Lazarus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [z. n.].—Br.
- lazarus Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1139.
- lazarus Macerophyllum (L.), F. C. Meuschen, Mus. Gev. 1787, 432.—Chama.
- lazarus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 11.
- lazuri Phryg[anea], C. Clerck, Icones, I. 1759, pl. xi, 7.
- lea [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 87.
- leander Dytiscus, P. Rossi, Fauna Etrus. I. 1790, 202.
- leander Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 33.
- leander Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1784,
- leberis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375. [176.]
- lebetinus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
- lecheana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 2.
- lecheana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
- lecheana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 649.—Phalaena.
- lecheana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 67 [z. et f.].
- lecticarium Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
- lectrix Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
- lectrix Phalaena (Noctua), Linnaeus, Mus. Lud. Uir. 1764, 389.
- lectularius Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 715.
- lectularia Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 693.—Cimex.
- leda Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474; ed. 12, 1767, 773.
- lediana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 12.
- lediana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 879.
- lediana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
- leeana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 404.—Pyralis.
- leeana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 292.
- leei Melolontha, A. G. Olivier, Entom. I. 1789, 30.
- leei Scarabaeus (Melolontha), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 188.
- legatella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
- legatella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 35.
- leguan Iguana, F. A. A. Meyer, Syn. Rept. 1795, 16.
- legumen Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
- legumen Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
- legumen Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 145.—Nautilus.
- legumen Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3339.
- legumen Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1114.
- leguminiformis Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 8.
- leilus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 750.
- Leiodes P. A. Latreille, Préc. Car. Ins. 1796, 22.—Col.
- leispida Phoca, *err. pro* hispida, R. R. Castel in Buffon, Hist. Nat. (Deterville ed.) Quads.
- Leistus Frolich, Naturforscher, XXVIII. 1799, 1.—Col. [III. 1799, 302.]
- lelex [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 2.
- Lema J. C. Fabricius, Suppl. Ent. Syst. 1798, 4.—Col.
- Lemmus H. F. Link, Beytr. Nat. I (2) 1795, 75.—M.
- Lemmus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [z. n.].—M.

- lemmus Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 371.—Mus.
 lemmus Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
 lemmus Lemmus (Linn.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
 lemmus Marmota, J. F. Blumenbach, Hand. Naturg. 1779, 82.
 lemmus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 80.
 lemmus Mus, R. Kerr, Anim. Kingd. 1792, 241; var. sibiricus.
 lemna Cercaria, O. F. Müller, Verm. I (1) 1773, 67.
 lemnae Curculio, G. Paykull, Mon. Curc. 1792, 78.
 lemnae Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 412.
 lemnalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
 lemnata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 874.
 lemnia Rana, J. P. Bonnaterre, Ency. Méth. (Érp.) 1789, 2.
 lemniscatus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
 lemniscatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
 lemniscata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369.
 lemniscata Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 41.
 lemniscata Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 76.—Coluber,
 Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
 lemniscata Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 lemniscatus Seps (Linn.), J. N. Laurenti, Syn. Rept. 1768, 60.—Lacerta.
 lemniscatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
 lemonias Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
 lemopicta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 302.
 Lemur Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 44.—M.
 lemur Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 163.—Scarabaeus.
 lemur Phalaena Noctua, Meineckens, Naturforscher, VI. 1775, 112.
 lemur Scarabaeus, J. C. Fabricius, Spec. Ins. II. 1781, 495.
 lena Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 784.
 lena Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
 lenae Mus, R. Kerr, Anim. Kingd. 1792, 242.
 lendigera Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1311.
 Lendix [G. Humphreys], Mus. Calonn. 1797, 63.—G.
 lendix Sipunculus, C. J. Phipps, Voy. N. Pole, 1774, 194.
 lenea [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 66.
 leueus [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 95.
 lenio Musca, M. Harris, Exp. Eng. Ins. 1776, 147.
 lenis Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
 lenocinator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 124.
 lenok Salmo, P. S. Pallas, Reise Russ. II. 1773, 716.
 lens Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 13.
 lens Monas, O. F. Müller, Verm. I (1) 1773, 26.
 lenticula Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155.
 lenticularis Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
 lenticularis Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1059.
 lenticularis Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 55.
 lentigenella Tinea, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 220.
 lentiginosa Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
 lentiginosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2135.
 lentiginosus Coluber, J. A. Scopoli, Del. Insub. III. 1788, 41.
 lentiginosus Holocentrus, M. Vahl, Skr. nat. Selsk. [Copen.], III (1) 1793, 118.
 lentiginosa Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 63.—Strombus.
 lentiginosa Perca, J. J. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 353.
 lentiginosus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
 lentiginosa Tuceta, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
 lentigo Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23.
 lentipes Phalaena B., E. J. C. Esper, Die Schmett. III (18) 1783, 91.
 lentis Bruchus, J. A. Frolich, Naturforscher, XXVIII. 1799, 57.
 lentisci Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptocephalus, 1792.

- lentisci *Cryptocephalus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 57.
 lenta *Helix*, D. Solander in G. Brander, Foss. Hant. 1766, 29.
 lentus *Sylvicola*, M. Harris, Exp. Eng. Ins. 1776, 160.
 leo *Conus*, F. C. Meuschen, Mus. Gever. 1787, 350.
 leo *Felis*, Linnaeus, Syst. Nat., ed. 10, 1758, 41; ed. 12, 1766, 60.
 leo *Lacertus*, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 leodice [*Papilio*], P. Cramer, Utitl. Kapellen, II (12) 1777, 64. [1782, 127.
 leodorus *Papilio* Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
 leonia *Phoca*, *err. pro* *leonina*, L., E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 420.
 leonida [*Papilio*], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 203.
 leonidas *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 35.
 leoninus *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
 leonina *Coccinella*, J. C. Fabricius, Syst. Ent. 1775, 87.
 leoninus *Conus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3386.
 leoninus *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 683.
 leoninus *Cucullus* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 44.—*Conus*.
 leonina *Musca*, J. C. Fabricius, Syst. Ent. 1775, 776.
 leonina *Noctua*, J. C. Fabricius, Syst. Ent. 1775, 596.
 leonina *Phoca*, Linnaeus, Syst. Nat., ed. 10, 1758, 37; ed. 12, 1766, 55.
 leonina *Stratiomys*, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 21.
 leonis *Ascaris*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
 leonis *Filaria*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
 leontia [*Phalaena*], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 155.
 leontodontis *Musca*, C. de Geer, Mém. Ins. VI. 1766, 46.
 leopardalis *Felis*, R. Kerr, Anim. Kingd. 1792, 148.
 leopardina *Coccinella*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
 leopardus *Conus*, F. C. Meuschen, Mus. Gever. 1787, 352.
 leopardus *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 leopardus *Felis*, J. C. D. Schreber, Säugth. III. 387 (1777), pl. ci (1776).
 leopardus *Felis*, J. C. P. Erxleben, Syst. Anim. 1777, 509.
 lepadifera *Gorgonia*, Linnaeus, Syst. Nat., ed. 12, 1767, 1289.
 lepadiformis *Ascidia*, O. F. Müller, Z. Dan. Prod. 1776, 226.
 lepadis *Helmintholithus*, Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 398.
 Lepadogaster A. Gouan, Hist. Pisc. 1770, 106 & 176.—P.
 Lepadogaster P. de Czenpinski (*ex* Gouan), Diss. zool.-med. 1778, 73.—P.
 lepodogaster (*sic*) *Cyclopterus*, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 29.
 leparga *Tettigonia*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
 Lepas Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1107.—Cr.
 Lepas E. M. da Costa, Brit. Conch. 1778, 1.—G.
 lepas *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3697.
 lepechini *Chrysomela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
 lepechini *Gryllus* *Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2083.
 lepechini *Salmo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1374.
 lepheroides *v.* *lepturoides*.
 lepidaria [*Phalaena*], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 161.
 lepidopterorum *Acarus*, G. Shaw, Nat. Misc. VI. 1794, pl. 187.
 lepidopterorum *Filaria*, Schrank, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3041; *varr.* *papilionum*, *polychlori*, *urticae*, *betulae*, *quercus*, *sphingum*, *phalaenarum*, *quercus* [2], *cajae*, *zizac*, *nuptae*, *psi*, *ponionellae*.
 lepidopterus *Curculio*, J. C. Fabricius, Ent. Syst. IV. 1794, 454.
 lepidopterus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 362.
 Lepidopus A. Gouan, Hist. Pisc. 1770, 107 & 185.—P.
 Lepidopus P. de Czenpinski (*ex* Gouan), Diss. Zool.-med. 1778, 70.—P.
 Lepidopus (*ex* Gouan), J. Hermann, Tab. aff. Anim. 1783, 339.—P.
 Lepidopus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
 lepidota *Aphrodita*, P. S. Pallas, Misc. Zool. 1766, 94.
 lepidotus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 233.
 lepida *Bombyx* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 457.—*Phalaena*.

- lepidus** Carabus, N. G. Leske, Reise Sachsen, 1785, 17.
lepidus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.
lepida Certhia, A. Sparrman, Mus. Carls. II. 1787, no. xxxv.
lepidus Dytiscus, A. G. Olivier, Entom. III. 1795, 32.
lepida Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
lepidus Musca, M. Harris, Exp. Eng. Ins. 1776, 121.
lepida [Phalaena], P. Cramer, Utitl. Kapellen, II (11) 1777, 50.
lepida Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 270.
Lepisma Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1012.—Orth.
lepisma Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
lepodogaster *v.* **lepadogaster**.
leporina Apis, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 21.
leporina Bombyx (L.), J. C. Fabricius, Spec. Ins. II. 1781, 191.—Phalaena.
leporinus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
leporinus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
leporina Cavia (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 355.—Mus.
leporina Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
leporina Lepas, J. X. Poli, Test. Sicil. I. 1791, 38.
leporinus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 80.
leporinus Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
leporina Noctua (L.), E. J. C. Esper, Die Schmett. IV (34) 1787, 83.—Phalaena.
leporina Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 303.—
 P. Noctua.
leporina Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
leporina Phoca, I. Lepechin, Acta Ac. Sci. Petrop. 1777 (1), 1778, 264.
leporinus Pteropus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 139.—Vespertilio.
leporina Tethys, Linnaeus, Syst. Nat., ed. 10, 1758, 653; ed. 12, 1767, 1089.
leporinus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32.—[americanus Noctilio,
leporis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040. [ed. 12.]—M.
leprae Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
leprosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
leprosa Cellepora, E. J. C. Esper, Pflanzenth. I (5) 1790, 250.
leprosus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Lamia.
leprosus Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
leprosus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
leprosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
leprosus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 51.
leprosa Lamia, J. C. Fabricius, Syst. Ent. 1775, 178.
leprosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 154.—Cimex, 1775.
leptelytra Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
Leptobatus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
leptocaryon Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
Leptocephalus L. T. Gronovius, Zooph. I. 1763, 135.—P.
Leptocephalus G. Cuvier, Tab. Elém. 1798, 329.—P.
leptocephalus Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 703.
leptocerus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 57.
leptocnemos Asterias, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 289.
leptogaster Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 19.
Leptura Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 637.—Col.
Lepturoides J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.—Col.
lepturoides Cantharis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 18.
lepturoides Cerambyx, J. C. D. Schreber, Nov. Spec. Ins. 1759, 8.
lepturoides Chrysomela, J. R. Forster, Cat. Anim. N. Amer. 1771, 25 [*n. n.*].
lepturoides Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 30.
lepturoides Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Cistela.
lepheroides (*sic*) Cistela, J. C. Fabricius, Mant. I. 1787, 85.
lepturoides Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 43. [Cistela.
lepturoides Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 118.—

- lepturoides *Cryptocephalus* (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
lepturoides *Dermestes*, Scopoli, Ent. Carn. 1763, 17. [1716.—*Chrysomela*.
Lepturus Moehring, Gesläch. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 52.—A.
Lepturus M. J. Brisson, Ornith. VI. 1760, 480.—A.
lepturus *Gymnogaster*, F. C. Meuschen, Mus. Gronov. 1778, 40. [736.—*Vespertilio*.
lepturus *Noctilio* (Schr.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800,
lepturus *Trichurus*, Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 429.
lepturus *Vespertilio*, J. C. D. Schreber, Säugth. I. 173 (1774), pl. lvii (1774).
Leptus P. A. Latreille, Préc. Car. Ins. 1796, 177.—Ar.
Lepus Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 77.—M.
lepus *Bleennius*, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 456.
lepus *Kerona*, Müll., O. F. Müller, An. Infus. 1786, 243.—*Trichoda*.
lepus *Phalaena*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 37.
lepus *Trichoda*, O. F. Müller, Verm. I (1) 1773, 89.
Lernaea Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1092.—Cr.
Lernea P. Browne, Hist. Jamaica, ed. 2, 1789, 387.—?Acal.
lerwia *Antilope*, P. S. Pallas, Spic. Zool. XII (1777), 12 [*lerwia*, Gmelin, *est*].
lesbia *Emberiza*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 882.
lesbia *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 477.
lesiniformis *Pegasus*, G. S. Volta, Itt. Veron. (2) [circa 1800], clix.
leskiana *Lamia*, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.
leskii *Apis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
leskii *Chrysis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
leskii *Vespa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.
“lesses *Cyprinus*, Linn.”, *id. ac jeses*, Linn., S. G. Gmelin, Reise Russ. I (1770), 59.
Lesteva P. A. Latreille, Préc. Car. Ins. 1796, 75.—Col.
lethe *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 80.
lethe *Zygaena*, J. C. Fabricius, Syst. Ent. 1775, 553.
Lethrus J. A. Scopoli, Intr. Hist. Nat. 1777, 439.—Col.
leucanthemii *Aphis*, Scopoli, Ent. Carn. 1763, 138.
leucanthemii *Thrips*, F. v. P. Schrank, Ins. Aust. 1781, 298.
leucapennella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 67.
leucas *Delphinus*, P. S. Pallas, Reise Russ. Reich. III. 1776, 85.
leucas *Helix*, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
leucaspis [Sphinx], P. Cramer, Uitl. Kapellen, I (5) 1775, 83.
leucatella (*sic*) [*Phalaena*], C. Clerck, Icones, I. 1759, pl. xi, 3.
leucatella *Phalaena* (*Tinea*), Linnaeus, Faun. Succ., ed. 2, 1761, 369.
leucichthys *Salmo*, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVI. 1772, 533.
leucippe [*Papilio*], P. Cramer, Uitl. Kapellen, I (3) 1775, 57.
leucippe *Papilio*, [D. H. Schneider], Besch. europ. Schmett. I. 1785, 209.
Leuciscus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
leuciscus *Cyprinus*, Linnaeus, Syst. Nat., ed. 10, 1758, 323; ed. 12, 1766, 528.
leucocapilla *Pipra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1001.
leucocephala *Alcedo*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 94.
leucocephala *Anas*, J. A. Scopoli, Annus I. 1769, 65.
leucocephala *Ardea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 642.
leucocephalus *Cacicus* (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 328.—*Oriolus*.
leucocephala *Cicada*, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
leucocephalus *Cimex*, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
leucocephala *Coccinella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
leucocephala *Columba*, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 281.
leucocephalus *Coracias*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 86.
leucocephalus *Emberiza*, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 480.
leucocephalus *Falco*, Linnaeus, Syst. Nat., ed. 12, 1766, 124.
leucocephala *Falco* (*Aquila*), R. Kerr, Anim. Kingd. 1792, 483.
leucocephalus *Lanius*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
leucocephalus *Lygaeus* (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 175.—*Cimex*.
leucocephala *Musca*, C. de Villers, Linn. Ent. III. 1789, 550.

- leucocephala Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2878.
 leucocephala Musca, P. Rossi, Fauna Etrus. II. 1790, 306.
 leucocephala Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
 leucocephalus Numenius (Gm.), J. Latham, Index Orn. 1790, 711.—Scolopax.
 leucocephalus Oriolus, J. Latham, Index Orn. 1790, 175.
 leucocephalus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 572.
 leucocephalus Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 33.
 leucocephalus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
 leucocephalus Psittacus, R. Kerr, Anim. Kingd. 1792; *varr.* purpuratus, albifrons,
 leucocephalus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 205. [cinerescens, 596.
 leucocephala Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 657.
 leucocephala Simia, J. B. Audebert, Hist. nat. Singes, 1800, sig. Ee².
 leucocephalus Sturnus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 leucocephala Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 896.
 leucocephalus Tantalus, T. Pennant, Ind. Zool. [1769], 11.
 leucocephalus Todus, P. S. Pallas, Spic. Zool. VI. 1769, 16.
 leucocephalus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 829.
 leucocephalus Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 249.
 leucocephalus Vultur, R. Kerr, Anim. Kingd. 1792; *varr.* norvigicus, sardicus, fuliginosus, bengalensis, 471.
 leucoceras Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 leucocercella Phalaena, Scopoli, Ent. Carn. 1763, 255.
 leucocilla Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 33.
 leucodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
 leucodactylus Pterophorus, J. C. Fabricius, Ent. Syst. III (2) 1794, 346.
 leucodermis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 leucodon Sorex, J. Hermann in E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 383.
 leucogaster Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 628.
 leucogastra Cantharis, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, I. 1791, 58.
 leucogaster Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 687.
 leucogaster Corvus, P. Boddaert, Tab. Planch. Enl. 1783, 15.
 leucogaster Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
 leucogaster Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.
 leucogaster Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 485.
 leucogaster Pelecanus, P. Boddaert, Tab. Planch. Enl. 1783, 57.
 leucogaster Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2554.
 leucogaster Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 495.
 leucogaster Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 39.
 leucogeranus Grus, P. S. Pallas, Reise Russ. II. 1773, 714.
 leucognathalus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 231.
 leucognos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
 leucogrammes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2131.
 leucogrammus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 leucogrammus Tenebrio, P. S. Pallas, Reise Russ. II. 1773, 719.
 leucographa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
 leucographa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 470.—Noctua. [Tenebrio.
 leucographa Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2012.—
 leucographus Tenebrio, *id.* ac leucogrammus, Pall., P. S. Pallas, Icon. Ins. 1781, 54.
 leucolophos Penelope, B. Merrem, Avium rar. Icones, II. 1786, 43.
 leucomela Cicada, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 67.
 leucomela Motacilla, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 584.
 leucomelanos Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 249.
 leucomelanos Phasianus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 189.
 leucomelanus Mergus, F. v. P. Schrank, F. Boica, I. 1798, 238.
 leucomelana Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [*n. n.*].
 leucomelas Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
 leucomelas Bucco, P. Boddaert, Tab. Planch. Enl. 1783, 43.

- leucomelas** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
leucomelas Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1090.
leucomelas Ichneumon, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 350.
leucomelas Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
leucomelas Motacilla, H. Ström, K. Norske Vid. Selsk. Skrift. V. 1774, 546.
leucomelas Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 613.—Phalaena.
leucomelas Papilio N. Gem., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
leucomelas Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 291. [1783, 141.
leucomelas Phalaena Noctua, Linnaeus, Syst. Nat., ed. 10, 1758, 518; ed. 12, I. 1767,
leucomelas Phasianus, J. Latham, Index Orn. 1790, 633. [856.
leucomelas Picus, P. Boddaert, Tab. Planch. Enl. 1783, 21.
leucomelas Sphecx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
leucomelas Tenthredo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 347.
leucomellis Sphecx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
leucomepoton Salmo (Zuiew), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 86.—
 Charax leucometopon.
leucometopon Charax, B. Zuiew, Nova Acta Ac. Sci. Petrop. IV. 1789, 275.
leuconotus Colius, J. Latham, Index Orn. 1790, 369.
leuconyx Musca, P. Rossi, Mant. Ins. II. 1794, 65.
leucopalpus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
leucopalpus Ichneumon, J. D. Preyssler in Mayer, Samm. Phys. Aufsätze, III. 1793, 173.
Leucopera, Nennich, Polyglot Lexicon, III. 1794—quoted by Agassiz as *errore pro* Leucophaera.
leucophaealis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 27.
leucophaearia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
leucophaearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 195
leucophaeataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 323. [*n. et f.*].
leucophaea Antilope, P. S. Pallas, Misc. Zool. 1766, 4.
leucophaea Capra (Pall.), Lamarck in Thunberg, Voy. Japon &c. II. 1796, 114.—
leucophaea Cassida, Linnaeus, Amoen. Acad. VI. 1763, 393. [Antilope.
leucophaea Cicada, J. D. Preyssler in Mayer's Samml. Phys. Aufsätze, II. 1792, 12.
leucophaeus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 368.
leucophaeus Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
leucophaea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
leucophaea Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 155.
leucophaea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
leucophaea Scolopax, J. Latham, Index Orn. 1790, 719. [408.—Noctua.
leucophilus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 28.
leucophilus Dermestes, C. de Villers, Linn. Ent. I. 1789, 56.
leucophlebs Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
Leucophaera O. F. Müller, An. Infus. 1786, 140.—Inf.
leucophrys Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
leucophrys Emberiza, J. R. Forster, Phil. Trans. LXII. 1772, 403 & 426.
leucophrys Emberiza, J. F. Miller, Icon. Anim., pl. 21 (1777).
leucophrys Pimelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 69.
leucophrys Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 115.
leucophthalmos Anas, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 564.
leucophthalmos Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 42.
leucophthalmos Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 668.
leucophthalma Cercopis (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 52.—Cicada.
leucophthalma Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
leucophthalma Ephemera, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 90.
leucophthalmus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
leucophthalmos (sic) Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
leucophyllata Calamita, J. G. Schneider, Hist. Amph. I. 1799, 168.
leucophyllata Rana, G. C. Beireis, Schrift. Berlin. Ges. Nat. Freunde, IV. 1783, 182.
leucopicta Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1692.
leucopis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
leucopis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.

- leucopis* Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
leucopleura Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
leucopodius Platea, *err. pro* leucorodia (Linn.), S. G. Gmelin, Reise Russ. I (1770), 163.—
leucopsideus Clerus, A. G. Olivier, Entom. IV. 1795, 8. [Platalea, 1758.
leucopsiformis Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. [1798], 25.
leucoptera Alauda, C. Hablizl, Fiz. Opis. Tavricheskoj, 1785, 177 [*n. n.*].
leucoptera Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
leucopterus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 113.
leucopterus Asilus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
leucoptera Cancroma, P. Boddaert, Tab. Planch. Enl. 1783, 54.
leucoptera Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
leucopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.
leucopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
leucoptera Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 281.
leucoptera Crucirostra, F. M. Daudin, Traité élém. Orn. 1800, 358.
leucoptera Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
leucopterus Gryllus (Locusta), Linnaeus, Mus. Lud. Ulr. 1764, 151.
leucoptera Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1022.
leucopterus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
leucoptera Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 844.
leucoptera Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
leucoptera Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 41.
leucopterus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 392.
leucoptera Paradisea, J. Latham, Index Orn. 1790, 196.
leucoptera Scolopax, J. A. Scopoli, Annus I. 1769, 96.
leucoptera Spheg, P. S. Pallas, Reise Russ. I. 1771, 473.
leucoptera Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
leucoptera Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 678.
leucopus Antilope, E. A. W. Zimmermann, Spec. Zool. 1777, 541.
leucopus Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2788.
leucopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
leucopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.
leucopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
leucopa Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 983.
leucopus Sciurus, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
leucopus Syrphus (L.), J. C. Fabricius, Spec. Ins. II. 1781, 428.—Musca.
leucopus Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
leucorhoa Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 966.
leucorrhoea Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
leucorhoa Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—Motacilla.
leucorrhous Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
leucorhousa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
leucorhyncha Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 450.
leucorhynchus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 305.
leucorodia Platalea, Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 231.
leucorrhæus Conops, Scopoli, Ent. Carn. 1763, 354.
leucoryn Lanius, Linnaeus, Mant. II. 1771, 524.
leucorypha Aquila, P. S. Pallas, Reise Russ. I. 1771, 454.
leucoryphos Falco (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.—Aquila.
leucorypha Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 487.
leucoryx Antilope, P. S. Pallas, Spic. Zool. XII (1777), 17.
leucoryx Fulica, A. Sparman, Mus. Carls. I. 1786, no. xi.
Leucosia F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Leucosia J. C. Fabricius, Suppl. Ent. Syst. 1798, 313.—Cr.
Leucosia J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 14.—Cr.
Leucospis J. C. Fabricius, Syst. Ent. 1775, 361.—Hym. [1785, 345.
leucospoides Ichneumon, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI.
leucostictos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.

- leucostictos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2180.
 leucostictus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3388.
 leucosticta Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
 leucostictos Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2059.
 leucostictos Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.
 leucostictos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
 leucostictos Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
 leucosticta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 leucostictos Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
 leucosticta Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
 leucostigma Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 157.
 leucostigma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 542.
 leucostoma Apis, F. v. P. Schrank, Ins. Aust. 1781, 406.
 leucostomum Cardium, I. v. Born, Index Mus. Cæs. Vind. 1778, 34.
 leucostomum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190.
 leucostoma Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Sphex.
 leucostoma Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
 leucostoma Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
 leucostoma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 leucostoma Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
 leucostoma Vespa (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2765.—Sphex.
 leucostoma Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
 leucotarsus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
 leucotella Phalaena (Tinea), *errore* leucatella, L., O. F. Müller, Z. Dan. Prod. 1776, 135.
 leucothoe Papilio, G. I. Molina, Sag. stor. nat. Chili, 1782, 211.
 leucothoë Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 780.
 leucothorax Apis, C. de Geer, Mémoires. Ins. III. 1773, 573.
 leucotis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 905.
 leucotis Loxia (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 440.—Fringilla.
 leucotis Mustela, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 375.
 leucotis Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
 leucozonias Apis, F. v. P. Schrank, Ins. Aust. 1781, 406.
 leucozonias Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.
 leucozonias Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
 leucozonias Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
 leucozonias Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
 leucozonias Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3672.
 leucozonias Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
 leucurus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 510.
 leucurus Chaetodon, Linnaeus, Syst. Nat., ed. 12, 1766, 463.
 leucurus Cimex, J. C. Fabricius, Mant. II. 1787, 299.
 leucura Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 919.
 leucurus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 249.
 leucura Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
 leucura Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 852.
 leucurus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 154.—Cimex, 1787.
 leucura Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
 leucura Tringa, J. Latham, Syn. Birds, Suppl., I. 1787, 293.
 leucurus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 190.
 leucurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 820.
 leuwenhoekella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 361.—leuven-
 koekella, Linn. Syst. Nat., ed. 12, 897.
 leuwenhoekii Aranea, Scopoli, Ent. Carn. 1763, 394.
 leuadrum Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1706.
 levana Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 783.
 leverianus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
 leverianus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 302.
 leverianus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 322.

- leverianus Trogon, G. Shaw, Mus. Lever. I. 1792, 175.
 leveriana Viverra, G. Shaw, Mus. Lever. II. 1796, 19.
 leviant Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 197.
 levicollis Passalus, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 103.
 levidus Musca, M. Harris, Exp. Eng. Ins. 1776, 124.
 levida [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 46.
 levina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 108.
 levinia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 131.
 levipes *v. laevipes*.
 levistici Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
 libania [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 128.
 libanuis [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 177.
 libaria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 131.
 libatrix Musca, Scopoli, Ent. Carn. 1763, 346.
 libatrix Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 12.
 libatrix Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 604.—Phalaena.
 libatrix Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 831.
 libatus Carabus, J. C. Fabricius, Mant. I. 1787, 202.
 Libella, *err. pro Libellula*, Linnaeus, Syst. Nat., ed. 10, 1758, 343.—Neur.
 Libella P. S. Pallas, Reise Russ. I. 1771, 469.—Neur.
 Libelloides J. C. Schaeffer, Elem. Ent. 1766, gen. 74.—Neur.
 libelloides Hemerobius, Linnaeus, Mus. Lud. Ulr. 1764, 401.
 Libellula Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.—Neur.
 libellulae Acarus, C. de Geer, Mém. Ins. VII. 1778, 119.
 libelluloides Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 913.
 libelluloides pisanus Myrmeleon, P. Rossi, Fauna Etrus. II. 1790, 14.
 libera Formica, Scopoli, Ent. Carn. 1763, 313.
 liberana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
 liberia Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 505.—Phalaena.
 liberia [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 31.
 liberius Papilio, J. C. Fabricius, Mant. II. 1787, 25.
 liberia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 135.
 liberia [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 139.
 libertina Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 liboria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 106.
 libye Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 772.
 libythea Papilio, J. C. Fabricius, Syst. Ent. 1775, 471.
 libythea Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 427.
 licaon [Sphinx], P. Cramer, Uitl. Kapellen, I (5) 1775, 86.
 licarsis Papilio, J. C. Fabricius, Gen. Ins. 1777, 271.
 licastus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 180.
 licea Papilio, J. C. Fabricius, Mant. II. 1787, 20.
 licha Squalus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 12.
 lichas [Sphinx], P. Cramer, Uitl. Kapellen, I (4) 1775, 70.
 lichas Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 505.
 lichen Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 160.
 lichenaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
 lichenaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [*me justice 1796*], fig. 164 [*n*].
 lichenaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 512. [*et f.*]
 lichenastrum Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1313.
 lichenella Phalaena (Tinea), Linnaeus, Faun. Succ., ed. 2, 1761, 370.
 lichenella Tinea (L.), J. C. Fabricius, Spec. Ins. II. 1781, 306.—Phalaena.
 lichenis Acarus, F. v. P. Schrank, Ins. Aust. 1781, 510.
 lichenis Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2214.
 lichenis Noctua, J. C. Fabricius, Syst. Ent. 1775, 614.
 lichenis Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
 lichenoides Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 116.
 lichenoides Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1283.

- lichenoides Spongia, P. S. Pallas, Elench. 1766, 378.
 "Lichenops, Comm. 1778," Ag.; not used in a Linnean sense.—A.
 lichenosa Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 336.
 lichenum Acarus, Scopoli, Ent. Carn. 1763, 391.
 liciatius Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.
 Licina P. Browne, Hist. Jamaica, ed. 2, 1789, 401.—G.
 licinia Nerita, O. F. Müller, Verm. II. 1774, 178.
 licinia [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 90.
 licinus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 299.
 Licium [G. Humphreys], Mus. Calonn. 1797, 7.—G.
 licomedes [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 97.
 licormas [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 117.
 licursis Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
 licus Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 30.
 lidia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 222.
 ligamen Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 94.
 ligata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 23.
 ligata Helix, O. F. Müller, Verm. II. 1774, 58.
 ligata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107 [*n. n.*].
 ligata Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
 ligata Nerita, O. F. Müller, Verm. II. 1774, 181.
 ligata Sphinx, C. Allioni, Misc. Taurin. III. 1766, 193.
 ligata Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 149.
 ligata Vespa, O. F. Müller, F. Ins. Frid. 1764, 74.
 Ligea P. Browne, Hist. Jamaica, ed. 2, 1789, 385.—Acal.
 ligea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 772.
 liger Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 274.—Papilio.
 liger [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 109.
 Ligia F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
 Ligia J. C. Fabricius, Suppl. Ent. Syst. 1798, 296.—Cr.
 ligiceps Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 234.
 [lignarius Araneus, C. Clerck, Aran. Svec. 1757, 90.]
 lignarius Araneus, T. Martyn, Aranei, 1793, 41.
 lignaria Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1184.
 lignaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 500.
 lignarius Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3552.
 lignaria Phalaena, J. C. Fabricius, Mant. II. 1787, 195.
 lignarius Picus, G. I. Molina, Sag. stor. nat. Chili, 1782, 236.
 lignarius Tenebrio, C. de Geer, Mém. Ins. V. 1775, 38.
 lignarium Termes, C. de Geer, Mém. Ins. VII. 1778, 41.
 lignata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 270 [*n. et*
 lignella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30. [*f.*].
 ligneum Callidium, J. C. Fabricius, Mant. I. 1787, 153.
 ligneus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1850.—
 ligneus Elater, Linnaeus, Amoen. Acad. VI. 1763, 395. [Callidium].
 ligniarius Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224 (lignarius).
 Ligniperda J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 216.—Col.
 ligniperda Bostrichus, J. C. Fabricius, Mant. I. 1787, 37.
 ligniperda Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 3.
 ligniperda Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
 ligniperda Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 8.—Bostrichus.
 lignorum Pholas, L. Spengler, Beschäf. Ges. Nat. Freunde, IV. 1779, 167.
 lignorum Podura, J. C. Fabricius, Syst. Ent. 1775, 302.
 lignorum Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
 lignosa Cantharis, O. F. Müller, F. Ins. Frid. 1764, 16.
 lignosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
 lignosus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 63.—Cantharis, 1764.
 ligrina Felis, *id. ac* tigrina, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115.

- Ligula** M. E. Bloch, Abh. Eingeweidewürmer, 1782, 1.—Ver.
Ligula O. F. Müller, Naturforscher, XXII. 1787, 54.—Ver.
Ligula [G. Humphreys], Mus. Calonn. 1797, 58.—G.
Ligula, *err. pro Lingula* G. Cuvier, Tab. Élém. 1798, 435.—Br.
ligula Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797-1800], 595.
ligulata Antipathes, E. J. C. Esper, Pflanzenth. II (9) 1792, 149.
ligulata Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 146.
ligulata Vesicaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
ligulella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [*n. cf. f.*].
ligulella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
ligustici Aphis, J. C. Fabricius, Reise Norwegen, 1779, 319.
ligustici Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
ligustrata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
ligustrata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 282 [*n. cf. f.*].
ligustri Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70. [*cf. f.*].
ligustri Phalaena, [D. H. Schneider], Nom. Ent. 1785, 47 [*n. n.*].
ligustri Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 799.
ligustriaria Phalaena Geom., H. G. Lang, Verz. Schmett., ed. 2, 1789, 180.
ligustrina Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 371.
liliacea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 300.
liliacea Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
liliacea Millepora, P. S. Pallas, Elench. 1766, 248.
liliaceum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
liligerus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 32.
lilii Attelabrus, Scopoli, Ent. Carn. 1763, 36.
lilii Crioceris, F. v. P. Schrank, F. Boica, I. 1798, 568.
lilii Dermestes, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 175.
liliiigera Aranea, P. Rossi, Fauna Etrus. II. 1790, 130.
lilliputiana Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
Lima J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 206 (1797) [*n. cf. f.*].—L.
Lima Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—L.
lima Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 46.
lima Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3253.
lima Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 495.
lima Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
lima Glaucoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
lima Lima (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—Ostrea.
lima Mantellum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 161.—Ostrea.
lima Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3541.
lima Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1147.
lima Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 420.—Ostrea.
Limacia O. F. Müller, Zool. Dan. (Danm. Norges Dyrs Hist.) (Danish ed.) 1781, 66.—G.
limacina Clio, C. J. Phipps, Voy. N. Pole, 1774, 195.
[limacina Phalaena (B.) MS.], T. Martyn, Psyche, 1797, fig. 52.
limacina Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
limacina Tethys, Linnaeus, Syst. Nat., ed. 10, 1758, 653.—[Laplysia depilans, ed. 12.]
limacina Vorticella, O. F. Müller, Verm. I (1) 1773, 100.
limacodes Phalaena, Hufnagel, Berl. Mag. III. 1767, 402.
limacoides Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
limacum Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
limanda Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
limandoides Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 24.
limandoides Pleuronectes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1232.
limandula Pleuronectes, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 75.
limatus Musca, M. Harris, Exp. Eng. Ins. 1776, 122.
Limax Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.—Moll.
limax Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 77.
limax Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 449.

- limbalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
 limbarius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 172.
 limbaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 624.
 limbaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
 limbatum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.—Gryllus.
 limbatus Apate, J. C. Fabricius, Mant. I. 1787, 33.
 limbatus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 382.
 limbatus Bostrichus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 24.
 limbatus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 111.—Apate.
 limbata Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 258.
 limbatus Carabus, J. C. Fabricius, Gen. Ins. 1777, 240.
 limbatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
 limbata Cassida, J. C. Fabricius, Mant. I. 1787, 63.
 limbata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
 limbata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 101.
 limbata Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 322.
 limbata Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 747.—Tettigonia.
 limbata Coccinella, J. C. Fabricius, Spec. Ins. II. 1781, 497.
 limbata Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 181.
 limbata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
 limbatus Cryptocephalus, J. C. Fabricius, Spec. Ins. II. 1781, 498.
 limbatus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 181.
 limbatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 473.
 limbatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 469.
 limbata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [n. n.].
 limbatus Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 66.
 limbatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 218.—Apate.
 limbata Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 12.
 limbatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 230.
 limbatus Elater, J. C. Fabricius, Gen. Ins. 1777, 235.
 limbatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
 limbata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—Cicada, 1781.
 limbata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
 limbata Fulgora, J. C. Fabricius, Ent. Syst. IV. 1794, 6.
 limbata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 96.
 limbata Galleruca, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 134.
 limbata Geometra, C. C. Jung, Alph. Verz. Schmett. 1791, 319.
 limbatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 limbata Helix, E. M. da Costa, Brit. Conch. 1778, 63.
 limbatus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
 limbata Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75 [n. n.].
 limbata Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 166.
 limbata Leptura, A. G. Olivier, Entom. IV. 1795, 31.
 limbatus Malachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 71.
 limbata Melolontha, A. G. Olivier, Entom. I. 1789, 60.
 limbata Mordella, J. C. Fabricius, Spec. Ins. I. 1781, 332.
 limbata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2853.
 limbata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
 limbata Nitidula, J. C. Fabricius, Mant. I. 1787, 52.
 limbata Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 71.
 limbatus Notoxus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 67.
 limbata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
 limbata Peltis (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 378.—Cassida.
 limbata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 873.
 limbatus Rhiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112. [Curculio.
 limbatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 23.—
 limbatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—
 limbatus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 207. [Cetonia.

- limbatus Scolytus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 222.—Carabus,
 limbata Silpha, J. C. Fabricius, Spec. Ins. I. 1781, 89. [1787.
 limbata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula.
 limbatum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 82.
 limbatus Staphylinus, G. Paykull, Mon. Staph. 1789, 54.
 limbatus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
 limbata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
 limbata Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 678.
 limbatum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
 limbatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3606.
 limbata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 693.
 limbellus Elater, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 200.
 limbella Tinea, J. C. Fabricius, Syst. Ent. 1775, 660.
 limbosa Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
 limbosus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 217.
 limbosus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 94.
 limicola Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 6.
 limitata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 172.
 limitata Phalaena, Scopoli, Ent. Carn. 1763, 228.
 Limnaea J. X. Poli, Test. Sicil. I. 1791, Introd. 31.—A generic term applied to the fleshy
 Limnaea *v.* Lymnoea. [part of certain Uniones, Mytili &c.
 Limnaeoderma J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
 limnata Phalaena, *err. pro* lemnata (L.), J. C. Fabricius, Mant. II. 1787, 215.
 "Limnea, Brug. 1789," Scudd.; does not occur.
 "Limneus, Studer, 1800," Ag.; misquotation for 1820.—G.
 limniace [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 92.
 Limnochaeres P. A. Latreille, Préc. Car. Ins. 1796, 181.—Ar.
 Limosa M. J. Brisson, Ornith. V. 1760, 262.—A.
 limosus Curculio, P. Rossi, Mant. Ins. I. 1792, 42.
 limosa Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
 limosa Mitra, T. Martyn, Univ. Conch. III [1789], fig. 105.
 limosa Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 147; ed. 12, 1766, 245.
 limpata Silpha, *err. pro* limbata, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 50.
 limphaticus Acarus, N. J. Brahm, Ins. Kal. I (1) 1790, 19.
 Limulus O. F. Müller, Entom. 1785, 124.—Cr.
 Limulus J. C. Fabricius, Suppl. Ent. Syst. 1798, 333.—Cr.
 "Linaria, Briss. 1760," Ag.; not used in a generic sense.
 Linaria G. Edwards in M. Catesby, Carol. I. 1771, 45.—A.
 linaria Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna, I. 1797, 259.—Fringilla.
 linaria Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182; ed. 12, 1766, 322.
 linaria Passer (L.), J. C. Schaeffer, Mus. Orn. 1789, 26.—Fringilla.
 linaria vulgaris Passer, J. C. Schaeffer, Mus. Orn. 1789, 26.
 linariae Curculio, F. v. P. Schrank, F. Boica, I. 1798, 505.
 linariae Curculio, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 18.
 linariae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 73.
 linariae Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 48.
 linariae Phalaena Noct. (Fab.), E. J. C. Esper, Die Schmett. IV (44) 1791, 313.—Noctua.
 linariaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 381.—
 linariata, D. & S., *est.*
 linariata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
 linariata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 242 [*v. et f.*].
 lincana Tortrix, C. C. Jung [=lineana, D. & S.].
 lincensis Musca, F. v. P. Schrank, Beitr. Nat. 1776, 96.
 lincensis Silpha, F. v. P. Schrank, Ins. Aust. 1781, 47.
 lincea Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
 linceus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 279.
 lincea [Phalaena], P. Cramer, Uitl. Kapellen, III (19) 1779, 61.
 lincina Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1239.

- lincolniensis* Tringa, J. Latham, Index Orn. 1790, 734.
lincta Venus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 34.
lincus Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 192.—Phalaena.
lincus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 289.
lincus [Phalaena], P. Cramer, Utit. Kapellen, I (5) 1775, 79.
linea Alyselminthus (Goeze), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
linea Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 48. [277.—Taenia.
linea Buprestis, J. A. Scopoli, Annus V. 1772, 105.
linea Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
linea Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
linea-alba Gryllus (Locusta), Linnaeus, Mus. Lud. Ulr. 1764, 150.
linea Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 326.—Papilio.
linea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 106.
linea Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 160.
linea Papilio, C. Allioni, Misc. Taurin. III. 1766, 192.
linea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 70.
linea Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 399.
lineana Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 57.
lineana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
lineana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 84 [*n. et f.*].
linearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 68 [*n. et*
linearia Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [*n. n.*] [*f.*].
linearis Agrion, J. C. Fabricius, Gen. Ins. 1777, 249.
linearis Apate, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 495.
linearis Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 254.—Oniscus.
linearis Asilus, J. C. Fabricius, Mant. II. 1787, 360.
linearis Astatus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
linearis Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 192.
linearis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 663.
linearis Buprestis, F. v. P. Schrank, Ins. Aust. 1781, 197.
linearis Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 213.
linearis Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1056.
linearis Cancer (Gammarellus), L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 142.
linearis Carabus, A. G. Olivier, Entom. III. 1795, 111.
linearis Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 191.
linearis Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
linearis Cimex, J. C. Fabricius, Syst. Ent. 1775, 710.
linearis Cimex, J. C. Fuessly, Schweiz. Ins. 1775, 26.
linearis Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 607.
linearis Coccus, A. Modeer, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 22.
linearis Cossonus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 59.—Curculio.
linearis Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
linearis Curculio, F. v. P. Schrank, Ins. Aust. 1781, 126.
linearis Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 506.—Oniscus.
linearis Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 4.
linearis Dermestes, P. Rossi, Mem. Soc. Ital. IV. 1788, 129 [*n. n.*].
linearis Dermestes, G. Paykull, Faun. Suec. I. 1798, 302.
linearis Donacia, D. H. Hoppe, Ins. Elyt. 1795, 46.
linearis Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
linearis Fasciola, O. F. Müller, Verm. I (2) 1774, 67.
linearis Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 419.—Cancer.
linearis Hypophlaeus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 223.
linearis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 403.
linearis Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 304.—Oniscus.
linearis Ips, P. Rossi, Fauna Etrus. I. 1790, 50.
linearis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
linearis Lagria, P. Rossi, Mant. Ins. II. 1794, 92.
linearis Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 641.

- linearis Lepturoides, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
 linearis Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2625.—Agrion.
 linearis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex, 1775.
 linearis Mantis, D. Drury, Ill. Nat. Hist. I. 1770, index & 130.
 linearis Mantis, J. C. Fabricius, Mant. I. 1787, 227.
 linearis Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 714.
 linearis Oniscus, Linnaeus, Amoen. Acad. VI. 1763, 415.
 linearis Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 26.
 linearis Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 189.—Mantis, 1787.
 linearis Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2005.—Tenebrio.
 linearis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
 linearis Ranatra (L.), J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 227.—Nepa.
 linearis Rynchophorus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 5.
 linearis Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 185.—Cerambyx.
 linearis Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 87.
 linearis Staphylinus, A. G. Olivier, Entom. III. 1795, 19.
 linearis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 677.
 linearis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 343.
 linearis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 673.
 lineatocollis Cerambyx, E. Donovan, Brit. Ins. VI. 1797, 71.
 lineatopunctata Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 22.
 lineator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 432.
 lineatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 157.
 lineatus Acanthus (L.), G. A. Suckow, Naturges. IV. 1799, 376.—Chaetodon.
 lineatus Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
 lineatum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.
 lineata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 6.—Lagria.
 lineata Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
 lineata Anguis, J. N. Laurenti, Syn. Rept. 1768, 68.
 lineatum Anobium, J. C. Fabricius, Syst. Ent. 1775, 62.
 lineatus Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 7.
 lineata Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
 [lineatus Araneus, C. Clerck, Aran. Svec. 1757, 60.]
 lineata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620.
 lineata Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 52.
 lineata Ascaris, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 135.
 lineatus Asilus, Scopoli, Ent. Carn. 1763, 364.
 lineatus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 465.
 lineata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 250.
 lineata Blatta, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 317.
 lineatus Bostrichus, A. G. Olivier, Entom. IV. 1795, 18.
 lineatum Buccinum, E. M. da Costa, Brit. Conch. 1778, 130.
 lineatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
 lineatum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 84.
 lineatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
 lineatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
 lineatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 323.
 lineata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
 lineata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 211.
 lineatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
 lineatus Calopus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
 lineata Cantharis, A. G. Olivier, Entom. III. 1795, 14.
 lineatus Carabus, J. R. Forster, N. Sp. Ins. 1771, 59.
 lineatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3246.
 lineata Cassida, J. C. Fabricius, Mant. I. 1787, 65.
 lineatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 624.
 lineatus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 245.—Saperda.
 lineatus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Lamia.

- lineata* Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 330.
lineata Cerocoma (Thun.), J. C. Fabricius, Ent. Syst. I (2) 1792, 82.—Pausus.
lineata Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 66.—Trichius.
lineatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 463.
lineata Chrysomela, P. Rossi, Fauna Etrus. I. 1790, 88.
lineata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 709.
lineata Cicada, Scopoli, Ent. Carn. 1763, 114.
lineata Cicada, J. C. Fabricius, Mant. II. 1787, 270.
lineata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85 [n. n.].
lineatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 716.
lineata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 21.
lineata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
lineatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 382.
lineata Conops (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.—
lineatus Conus, D. Solander in G. Brander, Foss. Hant. 1766, 15. [Rhingia].
lineatus Conus (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 645.
lineata Corixa (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 119.—Sigara.
lineata Coryphaena, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 224.
lineatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 300.
lineatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—Tinea linetella, 1781.
lineatus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 106.
lineatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
lineatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
lineatus Cyclopterus, I. Lepechin, Nov. Comm. Sci. Petrop. XVIII. 1774, 520.
lineatus Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 374.
lineatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
lineatum-punctatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153 [n. n.].
lineata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
lineatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 234.
lineatus Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 74.
lineata Echeinis, A. Menzies, Tr. Linn. Soc. [Lond.], I. 1791, 187.
lineatus Elater, C. de Geer, Mém. Ins. IV. 1774, 158.
lineatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1905.
lineatus Elater, A. G. Olivier, Entom. II. 1790, 10.
lineata Empis, C. de Villers, Linn. Ent. III. 1789, 571.
lineatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
lineatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94 [n. n.].
lineatum Erodium (Fab.), C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 122.—Pimelia.
lineata Eschara (Flustra) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 91.—Flustra.
lineatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 268.
lineata Fasciola, O. F. Müller, Verm. I (2) 1774, 60.
lineata Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1301.
lineatus Gryllus, G. W. F. Panzer, Ins. Germ. heft 33 [1796], tab. 9.
lineatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
lineata Helix, G. Olivi, Zool. Adriat. 1792, 177.
lineata Hirudo, O. F. Müller, Verm. I (2) 1774, 39.
lineatus Labrus, J. J. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 247.
lineata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209.
lineata Lagria, J. C. Fabricius, Syst. Ent. 1775, 124.
lineata Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 498.
lineata Lamia, J. C. Fabricius, Mant. I. 1787, 141.
lineata Lepisma, J. C. Fabricius, Syst. Ent. 1775, 300.
lineatus Leptocephalus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 39.
lineata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 95.
lineata Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 375.
lineata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
lineatus Lumbricus, O. F. Müller, Verm. I (2) 1774, 29.
lineatus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.

- lineatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 109.
 lineata Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46.
 lineata Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 133.
 lineatus Melyris (Fab.), A. G. Olivier, Entom. II. 1790, 7.—Anobium.
 lineatus Melyris, J. C. Fabricius, Ent. Syst. I (1) 1792, 226.
 lineata Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1283.
 lineata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 990.
 lineatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
 lineatus Musca, M. Harris, Exp. Eng. Ins. 1776, 42.
 lineata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 453.
 lineata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 485.
 lineatum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 205.
 lineatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
 lineata Nerita, O. F. Müller, Verm. II. 1774, 189.
 lineata Nerita, F. C. Meuschen, Mus. Gev. 1787, 272.
 lineata Nerita, F. C. Meuschen, Mus. Gev. 1787, 274.
 lineata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
 lineata Nomada, J. C. Fabricius, Mant. I. 1787, 306.
 lineata Notonecta, J. R. Forster, N. Sp. Ins. 1771, 70.
 lineatus Oestrus, C. de Villers, Linn. Ent. III. 1789, 349.
 lineatus Oriolus, J. A. Scopoli, Del. Insub. II. 1786, 87.
 lineata Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 169 [n. n.].
 lineata Ostrea, R. Pulteney, Cat. Birds &c. Dorset, 1799, 36.
 lineatus Pausus, C. P. Thunberg, K. Vet. Ac. Nya Handl. II. 1781, 171.
 lineatus Pecten, E. M. da Costa, Brit. Conch. 1778, 147.
 lineata Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
 lineata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
 lineata Phalaena, Scopoli, Ent. Carn. 1763, 218.
 lineata Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
 lineatus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 174.
 lineata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 319.
 lineata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
 lineata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
 lineatus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 268; ed. 12, 1766, 458.
 lineata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
 lineatus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 160.—Cerambyx.
 lineatus Psittacus, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 223.
 lineatus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 12.
 lineatus Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
 lineata Rana, J. G. Schneider, Hist. Amph. I. 1799, 138.
 lineata Rhagio, Fabr., J. C. Fabricius, Gen. Ins. 1777, 305.—Tipula, 1775.
 lineata Rhingia, J. C. Fabricius, Mant. II. 1787, 357.
 lineata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 314.
 lineatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
 lineata Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 62.
 lineata Scolopendra, P. Rossi, Fauna Etrus. II. 1790, 122.
 lineatum Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
 lineatus Seps (Linn.), J. N. Laurenti, Syn. Rept. 1768, 60.—Lacerta.
 lineata Sigara, J. C. Fabricius, Mant. II. 1787, 276.
 lineatus Silurus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
 lineatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 103.
 lineatus Sparus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 101.
 lineata Sphex, C. de Villers, Linn. Ent. III. 1789, 254.
 lineata Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
 lineata Sphinx, J. C. Fabricius, Syst. Ent. 1775, 541.
 lineata Sphinx, J. C. Fabricius, Mant. Ins. II. 1787, 96.
 lineatus Stenocorus, A. G. Olivier, Entom. IV. 1795, 13. [Rhingia.
 lineata Stomoxys (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2892.—

- lineatus* Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3521.—
lineata Sylvia (Gm.), J. Latham, Index Orn. 1790, 546.—Motacilla. [Nerita.
lineatus Tabanus, J. C. Fabricius, Spec. Ins. II. 1781, 455.
lineata Taenia, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 555.
lineata Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
lineatum Terebellum, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
lineatus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 333; ed. 12, 1766, 411 [Tetro-].
lineata Tipula, O. F. Müller, F. Ins. Frid. 1764, 80.
lineata Tipula, Scopoli, Ent. Carn. 1763, 320.
lineata Tipula, J. C. Fabricius, Syst. Ent. 1775, 754.
lineatus Trichius, J. C. Fabricius, Syst. Ent. 1775, 820.
lineata Trigla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1345.
lineatus Triton, A. Modeer, K. Vet. Ac. Nya Handl. X. 1789, 56.
lineatus Trochus, E. M. da Costa, Brit. Conch. 1778, 43.
lineatus Turbo, E. M. da Costa, Brit. Conch. 1778, 100.
lineatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 828.
lineata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
lineata Vespa, J. C. Fabricius, Syst. Ent. 1775, 365.
lineata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
lineola Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.—Gryllus.
lineola Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 465.
lineola Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 219.
lineola Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.
lineola Cassida, C. Creutzer, Ent. Vers. 1799, 119.
lineola Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
lineola Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 306.—Stenocorus.
lineola Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 46.—Scarabaeus.
lineola Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 592.
lineola Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 164.—Crioceris.
lineola Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 722.
lineola Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 340.
lineola Cimex, J. C. Fabricius, Mant. II. 1787, 302.
lineola Coccinella, J. C. Fabricius, Syst. Ent. 1775, 79.
lineola Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 283.
lineola Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 149.
lineola Crioceris, G. W. F. Panzer, Deutsch. Ins. [1795], 170.
lineola Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
lineola Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 59. [Crioceris.
lineola Curculio, J. C. Fabricius, Syst. Ent. 1775, 136.
lineola-alba Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
lineola Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 239.
lineola Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Crioceris, 1781.
lineola Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 365.
lineola Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174; ed. 12, 1766, 304.
lineola Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 163.—Cimex, 1787.
lineola Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 156.—
lineola Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 23. [Cetonia.
lineola Phalaena Geom., Panzer in Drury, Exot. Ins. 1785, 48.
lineola Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
lineola Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 307.
lineola Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
lineola Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 275.
lineola Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235.
lineola Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 552.
lineola Stenocorus, J. C. Fabricius, Spec. Ins. I. 1781, 228.
lineola Stenocorus, J. A. Scopoli, Del. Insub. II. 1786, 44.
lineola Syrphus, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 370.
lineola Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 369.

- lineola* Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
lineola Vibrio, O. F. Müller, Verm. I (1) 1773, 39.
lineolae Musca, M. Harris, Exp. Eng. Ins. 1776, 58.
lineolaris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
lineolata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
lineolata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
lineolatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
lineolatus Echinorhynchus, O. F. Müller, Zool. Dan. I. 1777, 4.
lineolatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
lineolata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
lineolota (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 311
lineolatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678. [*n. et f.*].
lineolata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
lineolata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 192.
lineolata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 24.
lineolata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
linetella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 291.
lingeus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 176.
lingea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 239.
lingua Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 40.
lingua-felis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.
lingua-felis Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1116.
linguaria Apis, J. C. Fabricius, Syst. Ent. 1775, 388.
linguaria Eucera, J. C. Fabricius, Ent. Syst. II. 1793, 344.—Apis, 1775.
Linguatula Froelich, Naturforscher, XXIV. 1789, 148.—Ver.
Linguatula F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 227.—Ver.
Linguatula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 6 [*n. n.*].—Ver.
linguatula Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
linguatula Thalia, J. F. Blumenbach, Hand. Naturg., ed. 6, 1799, 472.
Lingula J. G. Bruguière, Ency. Méth. (Tabl. Vers), pl. 250 (1797) [*n. et f.*].—Br.
Lingula Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Br.
lingulator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 194.
lingulata Thalia, J. F. Blumenbach, Abb. nat. Gegen., no. 30, 1798.
linkii Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 127.
linnaeanella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 333.
linnaeana Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 69.
linnaei Aranea, Scopoli, Ent. Carn. 1763, 392.
lineellus Curculio, G. Bonsdorff, Curc. Suec. 1785, 30.
linneella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 8.
linneella Tinea (Cl.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena.
linnei Rhagium, J. N. Laicharting, Tyrol. Ins. II. 1784, 122.
linneianum Callidium, J. N. Laicharting, Tyrol. Ins. II. 1784, 69.
linogrisea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 79.
linogrisea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 26.
linota Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 916.
linotte Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
linteata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 662.
linteiformis Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 205.
linter Trichoda, O. F. Müller, Verm. I (1) 1773, 93.
linter Vibrio, O. F. Müller, An. Infus. 1786, 68.
linteringensis Papilio, P. Osbeck, Reise Ost-Ind. China, 1765, 148.
linus [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 111.
linus Papilio, J. C. Fabricius, Gen. Ins. 1777, 269.
lina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 75.
linzensis Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1799.
linzensis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2863.
liparga Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
Liparis [P. Artedi, Ichth. 1738, syn., 117].—P.

- liparis* Cyclogaster, F. C. Meuschen, Mus. Gronov. 1778, 23.
liparis Cyclopteris, Linnaeus, Syst. Nat., ed. 12, 1766, 414.
lipsiana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 237.—Phalaena.
lipsiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
lipsiella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
lipsiensis Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
liratum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 43.
liria Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 126.
liria Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 239.
liricaudatus Sorex, R. Kerr, Anim. Kingd. 1792, 208.
liriodendrana Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 203.
liriodendri Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2220.
Liriope J. G. Meigen, N. Class. Mouches, 1800, 14.—Dip.
liriope [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 2.
liriope Papilio N. P., D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.
liriophora Cassida, W. Kirby, Tr. Linn. Soc. [Lond.], III. 1797, 8.
liris [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 98.
lisandra [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 10.
lisianassa [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 21.
lisias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 261.
lisias [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 89.
lisias Papilio, J. C. Fabricius, Mant. II. 1787, 65.
lisimon [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 169.
Lispe P. A. Latreille, Préc. Car. Ins. 1796, 169.—Dip.
listerella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 896.
listerella Tinea (L.), J. C. Fabricius, Mant. II. 1787, 250.—Phalaena.
listeri Aranea, Scopoli, Ent. Carn. 1763, 397.
listeri Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
listeri Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
listeri Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
listerianus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 17.
lisus [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 167.
litea [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 148.
 [litera-V-notatus] Araneus, C. Clerck, Aran. Svec. 1757, 123.]
 [litera-V-insignitus] Araneus, C. Clerck, Aran. Svec. 1757, 121.]
 [litera-X-notatus] Araneus, C. Clerck, Aran. Svec. 1757, 46.]
litera-X notatus Araneus, T. Martyn, Aranei, 1793, 21.
litteralis Cantharis, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 324.
litteralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
litterana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
litterana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 646.—Phalaena.
litterana Tortrix (L.), C. P. Thunberg, Ins. Suecica (1) 1784, 21.—Phalaena.
litteratus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92 [n. n.].—Cancer.
litteratus Alysseminthus (Batsch), J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm.
litterata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 206. [1800, 266.—Taenia.
litterata Aranea, P. Rossi, Mant. Ins. II. 1794, 6.
litteratum Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
litteratus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 342.
litteratus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
litteratum Cerithium (Born), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 499.—Murex.
litterata Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 456.—Venus.
litterata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
litteratus Cicindela, J. H. Sulzer, Gesch. Ins. 1776, 55.
litteratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
litteratus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.
litteratus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 41.—Conus.
litteratus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
litterata major Donax, J. Barbut, Gen. Verm. II. 1788, 34.

- litteratus* Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 327.
litterata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
litterata Paphia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—Venus.
litterata Phalaena, Scopoli, Ent. Carn. 1763, 229.
litterata Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.
litterata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
litterata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 128.
litterata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 370.
litteratus Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
litterata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
litterata Venus, *err. pro* *litterata*, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. lithantrix Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87. [1790, 3293].
lithargyrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 30.
lithocardium Cardium, Linnaeus, Mant. II. 1771, 544.
lithofalco Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 278.
lithoglyphus Conus, F. C. Meuschen, Mus. Gever. 1787, 350.
litoglyphus Conus, Meuschen in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 692.
Lithophaga J. F. Bolten, Mus. Bolten. (2) 1798, 156.—L.
lithophagum Callitricoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Mytilus.
lithophagus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 705; ed. 12, 1767, 1156.
lithophagus Tamarindiformis (L.), F. C. Meuschen, Mus. Gever. 1787, 412.—Mytilus.
lithophaga Venus, A. J. Retzius, Mém. Ac. Roy. Sci. [Turin], 1786-7 (1788), Corresp.,
Lithophilus J. A. Frolich, Naturforscher, XXVIII. 1799, 11.—Col. [11].
lithophilus Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
lithophila Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 440.
Lithoph[ya] P. Forskal, Descr. Anim. 1775, xxix.—Pol.
Litophyton, *id. ac* *Lithophyta* P. Forskal, Descr. Anim. 1775, 139.
lithoriza Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 339.
Lithosia J. C. Fabricius, Suppl. Ent. Syst. 1798, 419.—Lep.
lithospermella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 43.
lithostrotus Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
lithoxylaea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 75.
lithoxylaea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, litigiousus Elater, P. Rossi, Mant. Ins. I. 1792, 58. [324.—Noctua].
litophila *v.* *lithop-*.
Litophyton *v.* *Lithop-*.
[litoralis]—
littoralis Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 694.—Cimex.
littoralis Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
littoralis Aranea, C. de Geer, Mém. Ins. VII. 1778, 274.
littoralis Carabus, A. G. Olivier, Entom. III. 1795, 110.
littoralis Chrysomela, J. C. Fabricius, Mant. I. 1787, 74.
littoralis Cicindela, J. C. Fabricius, Mant. I. 1787, 185.
littoralis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
litoralis Elaphrus, A. G. Olivier, Entom. II. 1790, 6.
littoralis Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 587.—Chrysomela.
littoralis Hirudo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 366.
littoralis Mutilla, V. Petagna, Spec. Ins. ult. Calab. 1786, 33.
litoralis Nais, O. F. Müller, Zool. Dan. II. 1784, 120.
littoralis Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1253.
littoralis Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 64.—Silpha.
littoralis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.
littorale Pycnogonum, O. Fabricius, F. Groen. 1780, 233.
littoralis Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
littoralis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 974.
littoralis Unio, G. Cuvier, Tab. Elém. 1798, 425.
[litoreus]—
littorea Cicindela, P. Forskal, Descr. Anim. 1775, 77.

- littoreus* Gordius, O. F. Müller, Z. Dan. Prod. 1776, 213.
littoreus Larus, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
littorea Motacilla, S. G. Gmelin, Reise Russ. III. 1774, 98.
littoreus Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 241.
littorea Nerita, O. F. Müller, Z. Dan. Prod. 1776, 244.
littoreus Oniscus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 308.
littorea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 312.
littoreus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
littorea Sylvia (S. G. Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla.
littorea Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 251.
littoreus Triton, Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1092.
littoreus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
Litta, *v.* *Lytta* J. C. Fabricius, Mant. I. 1787, 215.
littera
littoralis }
littoreus } , *see* *litera*, *litoralis*, *litoreus* &c.
&c. &c.)
Lituities J. Gesner, Tract. Petref. 1758, 46.—?
litura Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 102.
litura Cimex, J. C. Fabricius, Syst. Ent. 1775, 700.
litura Coccinella (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 419.—Nitidula.
litura Curculio, J. C. Fabricius, Syst. Ent. 1775, 141.
litura Nitidula, J. C. Fabricius, Mant. I. 1787, 52.
litura Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
litura Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 236.—Phalaena.
litura Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 320.
litura Reduvius, J. C. Fabricius, Mant. II. 1787, 310.
litura Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula. [f.].
lituraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 54 [n. et
liturataria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) [1795], 89.—*liturata*,
lituratorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 400. [auct.
liturata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
liturata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 416.
liturata Bombyx, C. C. Jung, Alph. Verz. Schmett. I. 1791, 324.
lituratus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
liturata Cetonina, A. G. Olivier, Entom. I. 1789, 86.
lituratus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 114.
liturata Coccinella, Scopoli, Ent. Carn. 1763, 73.
lituratus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 296.
liturata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98.
liturata Hyblaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 449.
liturata Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
liturata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
liturata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
liturata [Phalaena], C. Clerck, Icones, I. 1759, pl. vi, 6.
liturata Phalaena, J. C. Fabricius, Mant. II. 1787, 197.
liturata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 334.
liturata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
lituratus Ripiphorus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 126.
lituratus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
liturata Strix, P. G. Lindroth, Mus. Grill. 1788, 5.
liturata Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
liturella Tinea, [Denis & Schiffermuller], Schmett. Wien, 1775, 137.
liturella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 38.
litus Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
“Lituus, Sold. 1780,” Ag.; not used in a Linnaean sense.
Lituus T. Martyn, Univ. Conch. I. 1784, fig. 27.—G.
Lituus P. Browne, Hist. Jamaica, 1789, 398.—Ceph.

- Lituus [G. Humphreys], Mus. Calonn. 1797, 62.—G.
 lituus Limax, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 27.
 lituus brevis [Limax], T. Martyn, Univ. Conch. I [1784 non 1769], fig. 28.
 lituus Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3372.
 lituus Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 152.
 lituus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3589.
 livea Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
 livens Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
 livens Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
 livens Elater, Linnaeus, Faun. Suec. ed. 2, 1761, 206.
 livens Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 478.
 livens Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 345.
 lividalis Phalaena Pyralis, J. Hübner, Beitr. Schmett. II. 1790, 86.
 lividalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 6 & 5 [2].
 lividaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 141 [n. et f.].
 lividata Geometra, C. de Villers, Linn. Ent. IV. 1789, 503.
 lividata [Phalaena], C. Clerck, Icones, I. 1759, pl. v, 10.
 lividata Phalaena, J. C. Fabricius, Mant. II. 1787, 199.
 lividata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 337.
 lividicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
 lividulum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
 livida Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 4.—Lagria.
 lividus Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 161.
 lividus Aphodius (Ol.), C. Creutzer, Ent. Vers. 1799, 44.—Scarabaeus.
 livida Aranea, F. A. A. Meyer, Spinner Gött. 1790, 14.
 livida Blatta, J. R. Forster, Cat. Anim. N. Amer. 1771, 27 [n. n.].
 livida Blatta, C. de Geer, Mém. Ins. III. 1773, 538.
 livida Blatta, J. C. Fabricius, Ent. Syst. II. 1793, 10.
 livida Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 729.—[Voluta, ed. 12.]
 lividum Callidium, P. Rossi, Mant. Ins. II. 1794, 98.
 livida Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401; ed. 12, 1767, 647.
 lividus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 670.
 lividus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 160.
 livida Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 261.
 lividus Cerambyx (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1843.—
 livida Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 59. [Saperda.
 livida Cistela, J. C. Fabricius, Syst. Ent. 1775, 116.
 livida Coccinella, C. de Geer, Mém. Ins. V. 1775, 383.
 livida Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 42.
 lividus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 630.
 lividus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.
 livida Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 165.
 lividus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.—
 lividus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 191. [Cistela.
 livida Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
 lividus Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 52.
 lividus Dytiscus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
 lividus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
 lividus Elater, C. de Geer, Mém. Ins. IV. 1774, 162.
 lividus Elater, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 62.
 livida Empis, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1003.
 livida Forficula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2040.
 livida Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
 livida Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 589.
 livida Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 17.
 livida Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 22.
 lividus Hydrophilus (Forst.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 127.—Dytiscus.
 lividus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.

- livida* Lagria, J. C. Fabricius, Syst. Ent. 1775, 124.
livida Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
livida Lampyris, A. G. Olivier, Entom. II. 1799, 24.
livida Leptura, J. C. Fabricius, Gen. Ins. 1777, 233.
lividus Lucar, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
lividus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—Cantharis.
livida Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 981.
livida Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
livida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
livida Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 726.—
livida Podura, A. F. de Fourcroy, Ent. Paris. 1785, 523. [Noctua.
livida Saperda, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 95.
lividus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 86.
livida Silpha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 34.
lividus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.
livida Sylvia (Gm.), J. Latham, Index Orn. 1790, 534.—Motacilla.
lividus Thelephorus (Linn.) O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
livida Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 925.
livida Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 925, no. 32.—[=cincta, ed. 10,
lividum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 138. [p. 557.]
livida Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187.—[Bulla, ed. 10.]
livius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 315.
livia Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
livornica Sphinx, E. J. C. Esper, Die Schmett. II (13) 1780, 88.
lixula Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
lixula Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
lizetta [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 166.
ljungiana Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 168.
llama v. *glama*.
L-nigrum Phalaena (Bombyx), O. F. Müller, F. Ins. Frid. 1764, 40.
Lobaria O. F. Müller, Z. Dan. Prod. 1776, xxix & 226.—Moll.
lobatulus Echinus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 644.
lobatulus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
lobatum Alcyonium, P. S. Pallas, Elench. 1766, 351.
lobatus Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 241.
lobatus Anas, G. Shaw, Nat. Misc. VIII. 1796, pl. 255.
lobata Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 46.
lobata Cetonia, A. G. Olivier, Entom. I. 1789, 23.
lobatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 63.
lobata Formica, C. de Geer, Mém. Ins. III. 1773, 602.
lobata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
lobata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
lobatus Malachus, A. G. Olivier, Entom. II. 1790, 12.
lobata Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 350.
lobata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 190.
lobata Millepora, P. L. S. Müller, Del. Nat. I. 1766, 128.
lobata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
lobatus Phalaropus (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Tringa.
lobata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 798; ed. 12, 1767, 1160.
lobata Spheg, J. C. Fabricius, Syst. Ent. 1775, 348.
lobata Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 273.
lobata Squilla, O. F. Müller, Z. Dan. Prod. 1776, 197.
lobata Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148, & errata p. 824; ed. 12, 1766,
lobata Vesicaria, O. Fabricius, Nye Saml. K. Danske Skrifter, II. 1783, 289. [249-
lobelii Antipathes, P. L. S. Müller, Del. Nat. I. 1766, 127.
lobella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
lobipes Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
lobulina Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 57.

- loco Murex, G. I. Molina, Sag. stor. nat. Chili, 1782, 205.
- loculator Tantalus, Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 240.
- locumteneus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
- locupletella Tinea. [Denis & Schiffermüller], Schmiett. Wien, 1775, 141.
- Locusta *v.* Gryllus.
- Locusta J. C. Fabricius, Syst. Ent. 1775, 282.—Orth.
- locusta Acarus, Scopoli, Ent. Carn. 1763, 388.
- locusta Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
- locusta Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1055.
- locusta Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 127.
- locusta Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 418.—Cancer.
- locusta Oniscus (Linn.), P. S. Pallas, Misc. Zool. 1766, 191.—Cancer.
- locusta Palaemon (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 404.—Cancer.
- locustae Cynips, F. v. P. Schrank, Ins. Aust. 1781, 320.
- locustae Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 2.
- locustella Sylvia, J. Latham, Index Orn. 1790, 515.
- loeflingiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 878.
- loeflingiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 652.—Phalaena.
- loeflingii Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 480.
- loewenhoekella Tinea, C. C. Jung; =leuwenhoekella, L.
- logiana [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 3.
- logiana Pyralis (Clerck), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
- logiana Tortrix, J. Hübner, Europ. Schmiett. (Tort.) [me judice 1796], fig. 64 [*n. et f.*].
- loliginis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3059.
- Loligo J. G. Schneider, Samml. Verm. Abh. 1784, 110.—Ceph.
- Loligo Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.—Ceph.
- loligo Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
- lolii Bombyx, E. J. C. Esper, Die Schmiett. III (23) 1785, 246.
- lolii Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmiett. IV. 1792, 398.—
[Bombyx.]
- lomata Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 54.
- Lomvia J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 133.—A.
- lomvia Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130.
- lomvia Colymbus (Br.), J. C. Schaeffer, Mus. Orn. 1789, 59.—Uria.
- lomvia Uria, M. T. Brännich, Orn. Boreal. 1764, 27.
- lonchitis Sertularia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 42.
- Lonchirus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
- Lonchurus M. E. Bloch, Nat. ausl. Fische, VII. 1793, 143.—P.
- longaevus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 22.
- longara [Phalaena], C. Stoll, Aanh. Cramer's Utl. Kapellen, III. 1790, 88.
- longerro Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
- longicalcar Cucullus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- longicaudatus Dasypus, R. Kerr, Anim. Kingd. 1792, 112.
- longicandatus (*sic*) Indri, E. Geoffroy, Mag. encyclop. I (1) 1796, 46.
- longicaudata Talpa, J. C. P. Erxleben, Syst. Anim. 1777, 118.
- longicauda Anguis, J. N. Laurenti, Syn. Rept., 1768, 69.
- longicauda Certhia, D. L. G. Karsten, Mus. Lesk. I. 1789, xvi.
- longicauda Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 884.
- longicauda Ephemera, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 418.
- longicauda Loxia, J. F. Miller, Icon. Anim., pl. 3 (1776).
- longicauda Loxia, J. Latham, Index Orn. 1790, 373.
- longicauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 954.
- longicaudus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1496.
- longicauda Sylvia (Gm.), J. Latham, Index Orn. 1790, 545.—Motacilla.
- longicauda Trichoda, O. F. Müller, An. Infus. 1786, 216.
- longicaudus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 498.
- longicauda Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 13.
- longicollis Alysseminthus, J. G. H. Zerber in Goetze, 1 Nachtr. Eingeweidewürm. 1800,
- longicollis Atteblabus, D. Drury, Ill. Nat. Hist. I. 1770, index & 95. [258.]

- longicollis Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
 longicollis Cerambyx, C. de Geer, Mém. Ins. V. 1775, 117.
 longicollis Cerambyx, J. C. Fabricius, Mant. I. 1787, 135.
 longicollis Cicindela, J. C. Fabricius, Mant. I. 1787, 185.
 longicollis Curculio, C. de Geer, Mém. Ins. V. 1775, 274.
 longicollis Echinorhynchus, J. A. E. Goeze, Eingeweidewürm. 1782, 163.
 longicollis Elater, A. G. Olivier, Entom. II. 1790, 38.
 longicollis Fasciola, J. A. Frolich, Naturforscher, XXV. 1791, 73.
 longicollis Phoca, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 585.
 longicollis Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
 longicollis Scarites (Dru.), Panzer in Drury, Exot. Ins. 1785, 160.—Attelabus.
 longicollis Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 110.
 longicollis Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 378.
 longicollis Testudo, G. Shaw, Zool. N. Holland, 1794, 19.
 longicollum Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 667.
 longicornella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2614.
 longicornis Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
 longicornis Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 160.
 longicornis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 953.
 longicornis Apis, M. Harris, Exp. Eng. Ins. 1776, 163.
 longicornis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 445. [Myrmeleon.
 longicornis Ascalaphus (L.), M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 157.—
 longicornis Bdella (L.), P. A. Latreille, Prec. Car. Ins. 1796, 180.—Acarus.
 longicornis Blatta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 94.
 longicornis Bostriachus, A. G. Olivier, Entom. IV. 1795, 15.
 longicornis Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 42.
 longicornis Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1040.
 longicornis Carabus (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 368.—Buprestis.
 longicornis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 150.
 longicornis Cebrio, A. G. Olivier, Entom. II. 1790, 5.
 longicornis Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 215.
 longicornis Chelifer, A. F. de Fourcroy, Ent. Paris. 1785, 526.
 longicornis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1688.
 longicornis Cicada, N. Poda, Ins. Mus. Graec. 1761, 53.
 longicornis Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
 longicornis Curculio, F. A. A. Meyer, Zool. Archiv (1) 1796, 223.
 longicornis Cyclops, O. F. Müller, Entom. 1785, 115.
 longicornis Dermestes, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 23.
 longicornis Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 22.
 longicornis Dermestes, C. P. Thunberg, Ins. Suecica (6) 1794, 81.
 longicornis Dermestes, G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 10.
 longicornis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
 longicornis Eucera (Linn.), J. A. Scopoli, Annus IV. 1770, 8.—Apis, 1758.
 longicornis Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254.
 longicornis Gammarus, J. C. Fabricius, Reise Norwegen, 1779, 258.
 longicornis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2073.
 longicornis Hemerobius, Linnaeus, Mus. Lud. Ulr. 1764, 402.
 longicornis Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 147.
 longicornis Hemerobius, J. C. Fabricius, Gen. Ins. 1777, 245.
 longicornis Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 84.
 longicornis Hirtea, Scopoli, Ent. Carn. 1763, 367.
 longicornis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 longicornis Ichneumon, C. de Villers, Linn. Ent. III. 1789, 215.
 longicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2716.
 longicornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
 longicornis Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 4.—Dermestes,
 longicornis Lepisma, Scopoli, Ent. Carn. 1763, 378. [1783.
 longicornis Melolontha, J. C. Fabricius, Mant. I. 1787, 20.

- longicornis Molorchus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 52.
 longicornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
 longicornis Musca, J. C. Fabricius, Syst. Ent. 1775, 783. [Cyclops.
 longicornis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 477.
 longicornis Myrmeleon, Linnaeus, Syst. Nat., ed. 12, 1767, 914.
 longicornis Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 910.
 longicornis Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145 [no. 1677].
 longicornis Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
 longicornis Podura, A. F. de Fourcroy, Ent. Paris. 1785, 523.
 longicornis Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius, 1793.
 longicornis Ptinus, J. C. Fabricius, Spec. Ins. I. 1781, 72.
 longicornis Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 421.
 longicornis Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 234.
 longicorne Scaphidium, G. Paykull, Faun. Suec. III. 1800, 340.
 longicornis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.—
 longicornis Scolopendra, J. C. Fabricius, Ent. Syst. II. 1793, 390. [Melolontha.
 longicornis Sphex, P. Rossi, Fauna Etrus. II. 1790, 67.
 longicornis Tabanus, J. C. Fabricius, Syst. Ent. 1775, 790.
 longicornis Tenebrio, P. S. Pallas, Icon. Ins. 1781, 44.
 longicornis Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 378.
 longicornis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 978.
 longicornis Tubularia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3834.—
 longicornis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 433. [Fistularia.
 longicruris Simia, H. F. Link, Beytr. Nat. I (2) 1795, 62.
 longidigitata Mustela, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 399.
 longimana Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 536.
 longimanus Attelabus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 278.
 longimanus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 385.
 longimanus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
 longimanus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
 longimana Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 170.
 longimana Chrysomela, P. S. Pallas, Reise Russ. II. 1773, 725.
 longimana Clytra (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 31.—Chrysomela.
 longimanus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chrysomela.
 longimanus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
 longimanus Curculio, J. R. Forster, N. Sp. Ins. 1771, 32.
 longimanus Curculio, J. C. Fabricius, Syst. Ent. 1775, 147.
 longimanus Curculio, J. C. Fabricius, Syst. Ent. 1775, 822.
 longimanus Erotylus, J. C. Fabricius, Mant. I. 1787, 92.
 longimanus Gyrinus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 701.
 longimana Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 45.—Chry-
 longimanus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94. [somela.
 longimanus Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 402.
 longimana Parthenope (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 longimanus Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 159.—Cerambyx.
 longimanus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 549.
 longimanus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 42.
 longimana Simia, J. C. D. Schreber, Säugth. I. 66 (1774), pl. iii (1774).
 longinasus Simia, H. F. Link, Beytr. Nat. I (2) 1795, 62.
 longinus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 430.
 longipalpis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
 longipalpa Blatta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 185.
 longipalpus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
 longipenne Acrydium, C. de Geer, Mém. Ins. III. 1773, 501.
 longipennis Caprimulgus, G. Shaw, Nat. Misc. VIII. 1796, pl. 265.
 longipennis Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 104.
 longipennis Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.—
 longipennis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 323. [Acrydium.

- longipes Aranea, J. C. Fuessly, Schweitz. Ins. 1775, 61.
 longipes Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 545.
 longipes Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 290
 longipes Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
 longipes Callidium (Fab.), A. G. Olivier, Entom. IV. 1795, 28.—Saperda.
 longipes Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
 longipes Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 90.
 longipes Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
 longipes Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 64.
 longipes Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 84.
 longipes Cerambyx, C. de Villers, Linn. Ent. I. 1789, 256.
 longipes Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 308.—Saperda.
 longipes Chrysomela (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.—
 Cryptocephalus.
 longipes Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 61.
 longipes Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 724.
 longipes Cimex, J. C. Fabricius, Syst. Ent. 1775, 728.
 longipes Clytra (Fab.), J. N. Laicharting, Tyrol. Ins. I. 1781, 166.—Cryptocephalus.
 longipes Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.
 longipes Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 48.
 longipes Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 105.
 longipes Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 61.
 longipes Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 214.
 longipes Curculio, C. de Villers, Linn. Ent. I. 1789, 192.
 longipes Dermestes, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 176.
 longipes Dipus (Linn.), J. C. D. Schreber, Säugth. IV. 856 (1789).—Mus.
 longipes Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.—Cimex, 1775.
 longipes Glis, G. C. C. Storr, Prod. 1780, 39.
 longipes Helops, J. C. Fabricius, Spec. Ins. I. 1781, 326.
 longipes Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
 longipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
 longipes Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 longipes Jerboa (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 523.—Mus.
 longipes Melolontha, J. C. Fabricius, Mant. I. 1787, 24.
 longipes Melolontha (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 41.—Crypto-
 cephalus.
 longipes Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 979.
 longipes Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 84.
 longipes Musca, Scopoli, Ent. Carn. 1763, 336.
 longipes Musca, A. F. de Fourcroy, Ent. Paris. 1785, 497.
 longipes Musca, J. C. Fabricius, Mant. II. 1787, 348.
 longipes Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.
 longipes Necydalis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 155.
 longipes Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 22.
 longipes Pilularius (Scop.), F. v. P. Schrank, F. Boica, I. 1798, 398.—Scarabaeus.
 longipes Pimelia, J. C. Fabricius, Syst. Ent. 1775, 251.
 longipes Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—Helops.
 longipes Ptinus, P. Rossi, Mant. Ins. I. 1792, 20.
 longipes Reduvius (L.), J. C. Fabricius, Syst. Ent. 1775, 730.—Cimex.
 longipes Rynchophorus (Dru.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 13.—
 Saperda, J. C. Fabricius, Syst. Ent. 1775, 824. [Curculio.
 longipes Scarabaeus, Scopoli, Ent. Carn. 1763, 11.
 longipes Scarabaeus, Linnaeus, Mus. Lud. Ulr. 1764, 20.
 longipes Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 164.
 longipes Scarabaeus (Melolontha), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.
 longipes Scarabaeus (Trichius), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 192.
 longipes Stomoxys, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2892.
 longipes Sylvia (Gm.), J. Latham, Index Orn. 1790, 529.—Motacilla.
 longipes Yerbua (L.), J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.—Mus.

- longirostra* Aphrodita, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 86.
longirostra Certhia, J. Latham, Index Orn. 1790, 299.
longirostra Gracula, P. S. Pallas, Spic. Zool. VI. 1769, 5.
longirostra Motacilla, S. G. Gmelin, Reise Russ. III. 1774, 100.
longirostra Motacilla, J. M. Bechstein, Naturforscher, XXVII. 1793, 43.
longirostratus Gymnotus, *id. ac* rostratus, Gm., B. G. E. de Lacépède, Hist. Nat. Poiss.
longirostris Aphis, J. C. Fabricius, Mant. II. 1787, 314. [II. 1800, 145.
longirostris Aphis, C. de Villers, Linn. Ent. IV. 1789, 406.
longirostris Apterodita, J. A. Scopoli, Del. Insub. II. 1786, 91.
longirostris Blochius, G. S. Volta, Itt. Veron. (2) [circa 1800], liii.
longirostris Cancer, J. C. Fabricius, Syst. Ent. 1775, 408.
longirostris Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 462.—[rostratus, Fab., Mant.]
longirostris Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [n. n.].
longirostris Chaetodon, P. M. A. Broussonet, Ichth. 1782.
longirostris Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 60.
longirostris Colymbus, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 111.
longirostris Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 900.
longirostris Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1775.
longirostris Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
longirostris Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 499.—Lynceus.
longirostris Motacilla, *id. ac* longirostra, S. G. Gm., J. F. Gmelin in Linn. Syst. Nat.,
 ed. 13, I. 1788, 978.
longirostris Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.
longirostris Simia, H. F. Link, Beytr. Nat. I (2) 1795, 62.
longirostris Sitta, J. Latham, Index Orn. 1790, 264.
longirostris Sylvia (S. G. Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla longirostra.
longirostris Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 823.
longisco Musca, M. Harris, Exp. Eng. Ins. 1776, 83.
longiseta Vorticella, O. F. Müller, An. Infus. 1786, 295.
longispina Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
longispinis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
longispinus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2999.—
 Daphne.
longissima Ascaris, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 173.
longissima Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
longissima Natrix, J. N. Laurenti, Syn. Rept. 1768, 74.
longissima Sertularia, P. S. Pallas, Elench. 1766, 119.
longissima Syrix (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 121.—Murex.
longissima Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 406.
longitudinalis Curculio, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 322.
longitudinalis Elater, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 327.
longiusculum Buccinum, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 639.
longone Venus, G. Olivi, Zool. Adriat. 1792, 109.
longa Aphrodita, O. F. Müller, Z. Dan. Prod. 1776, 218.
longus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
longus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
longa Nereis, O. Fabricius, F. Groen. 1780, 300.
loniceræ Curculio, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 147.
loniceræ Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 427.
loniceræ Sphinx, Scheven, Naturforscher, X. 1777, 97.
loniceræ Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
Lopha J. F. Bolten, Mus. Bolten. (2) 1798, 168.—L.
lophaceata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
lophar Anthias (Forsk.), G. A. Suckow, Naturges. IV. 1799, 556.—Perca.
lophar Perca, P. Forskal, Descr. Anim. 1775, 38.
lophii Ascaris, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 53.
lophii Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
lophii Scolex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3042.

- Lophius** Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402; [Artedi, Ichth. 1738, gen. xli, p. 62].—P.
- lophos** Calappa (Herbst), J. C. Fabricius, Suppl. Ent. Syst. 1798, 346.—Cancer.
- lophos** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 201.
- lophus** Onitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 26.
- “**Lophuriderma**, Poli, 1795,” Herm.; I cannot find this word. [part of Chiton.]
- Lophyrus** J. X. Poli, Test. Sicil. I. 1791, 2 & 4. A generic term applied to the fleshy
- lophyra** Pterotrachea, S. d. Chiaje in Poli, Test. Sicil. III (1) 1826, 29.
- lorentzianum** Amusium, J. F. Bolten, Mus. Bolten. (2) 1798, 165.
- “**Lori**, Geoff. 1796,” Ag.; does not occur, see **Loris**.
- Lori** B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
- lori** Lemur, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 211.
- lory** Lemur, H. F. Link, Beytr. Nat. I (2) 1795, 64.
- lory** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 100; ed. 12, 1766, 145.
- Loricaria** Linnaeus, Syst. Nat., ed. 10, 1758, 307; ed. 12, 1766, 508.—P.
- Loricaria** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [n. n.].—P.
- loricata** Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 117.
- loricata** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1314 [loricatula].
- loricata** Sertularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1316.—[non ed. 10, p. 815.]
- loriculata** Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 24.—Sertularia.
- loriculata** Cellularia, L. T. Gronovius, Zooph. III. 1781, 355. [ed. 10.]
- loriculata** Sertularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1314.—[misprint for loricata.]
- Loripes** J. X. Poli, Test. Sicil. I. 1791, Introd. 31. A generic term applied to the fleshy part of *Tellina lactea*.
- loripes** Tenebrio, Illiger in Kugelann, Käfer Preuss. 1798, 113.
- Loripoderma** J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—L.
- Loris** E. Geoffroy, Mag. encyclop. I (1) 1796, 48.—M.
- Loris** G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
- loris** Tardigradus (Z.), P. Boddaert, Elench. 1785, 67.—Lemur lori.
- “**Lorius**, Briss. 1760,” Ag.; not used in a generic sense.
- lorridus** Trox, *err. pro horridus*, Fabr., J. C. Fabricius, Mant. I. 1787, 18.
- lory** *v.* lori.
- lota** Bombyx (Clerck), J. C. Fabricius, Spec. Ins. II. 1781, 191.—Phalaena.
- lota** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
- lota** Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 255; ed. 12, 1766, 440.
- lota** Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 13.
- lota** [Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 1.
- lota** Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 302.
- lotae** Lernaea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3146.
- lotatorius** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 330.
- lotenia** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188.
- lotharingica** Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 882.
- lotharingica** Motacilla (L.), J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 682.—Emberiza.
- lothos** [Phalaena], P. Cramer, Utitl. Kapellen, II (16) 1777, 136.
- loti** Bruchus, G. Paykull, Faun. Suec. III. 1800, 158.
- loti** Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
- loti** Tipula, C. de Geer, Mém. Ins. VI. 1776, 420.
- loti** Zygaena (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 387.—Sphinx.
- lotis** [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 65.
- lotis** Papilio Nymphalis, J. H. Sulzer, Gesch. Ins. 1776, 144.
- Lotor** E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
- lotor** Campsirus (Linn.), H. F. Link, Beytr. Nat. I (2) 1795, 87.—Ursus.
- lotor** Meles (Linn.), P. Boddaert, Elench. 1785, 80.—Ursus.
- lotor** Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 48; ed. 12, 1766, 70.
- lotor** Ursus, R. Kerr, Anim. Kingd. 1792, 189; *var.* melinus.
- lotorius** Ichneumon, C. de Villers, Linn. Ent. III. 1789, 157.
- lotorium** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1217.
- lotorium** Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.

- lotrix [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 20.
louhoujung Ardea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
louti Bodianus (Forsk.), G. A. Suckow, Naturges. IV. 1799, 517.—Perca.
louti Perca, P. Forskal, Descr. Anim. 1775, 40.
Loxia Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 299.—A.
loyca Sturnus, G. I. Molina, Sag. stor. nat. Chili, 1782, 254.
L'S Phalaena (Noct.), v. S.
lubb Gadus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XV. 1794, 223.
lubecula Noctua, C. C. Jung, Alph. Verz. Schmett. I. 1791, 326 (=labecula, Esper).
lubentina [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 92.
lubreola v. lutreola.
lubricepeda Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 576.—Phalaena.
lubricipeda Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505; ed. 12, 1767, 829.
[lubricipedina Phalaena (B.), MS.], T. Martyn, Psyche, 1797, figs. 90 & 91.
lubricus Bulimus (Müll.), J. G. Bruguère, Ency. Méth. (Vers) (1) 1789, 311.—Helix.
lubricus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.—Natrix.
lubrica Helix, O. F. Müller, Verm. II. 1774, 104.
lubrica Natrix, J. N. Laurenti, Syn. Rept. 1768, 80.
luca Aranea, *id. ac* lusca, Fab.; J. C. Fabricius, Spéc. Ins. I. 1781, 546.
lucagus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777 123.
Lucanus Scopoli, Ent. Carn. 1763, 1.—Col.
lucana Helix, O. F. Müller, Verm. II. 1774, 75.
lucanus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 322.
Lucar B. S. Barton, N. H. Pennsylv. 1799, 18.—A.
lucas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 339.
lucella Alucita, J. C. Fabricius, Syst. Ent. 1775, 667.
lucella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 503.—Alucita.
Lucerna [G. Humphreys], Mus. Calonn. 1797, 61.—G.
lucerna Angarius, F. C. Meuschen, Mus. Gever. 1787, 258; *varr.* fasciata, carinata, dentata,
lucerna Helix, O. F. Müller, Verm. II. 1774, 13. [antiqua.
lucerna Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 78 [*n. n.*].
lucerna Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 301; ed. 12, 1766, 497.
lucernalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 20.
Lucernaria O. F. Müller, Z. Dan. Prod. 1776, xxix & 227.—Coel.
Lucernaria J. G. Bruguère, Ency. Méth. (Tabl. Vers), pl. 89 (1791) [*n. et f.*].—Coel.
lucernaria Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
lucernaria Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[Cicada, ed. 10.]
lucernea Fulgora, *id. ac* lucernaria, L., J. C. Fabricius, Ent. Syst. IV. 1794, 3.
lucernea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 837.
lucetius [Sphinx], P. Cramer, Uitl. Kapellen, IV (26) 1780, 21.
lucetius [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 129.
lucianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 313.
luciata [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, II. 1790, 56.
lucicola Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 132.
lucidator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 170.
lucidata Phalaena, E. Donovan, Brit. Ins. III. 1794, 97.
lucidata Phalaena, *id. ac* lucida, Cram., J. C. Fabricius, Spéc. Ins. II. 1781, 259.
lucidula Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 191.
lucidula Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 451.
lucidula Chrysis, J. C. Fabricius, Syst. Ent. 1775, 358.
lucidula Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 338.
lucidus Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 529.
lucida Andrena, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 1.
lucidum Callidium, A. G. Olivier, Entom. IV. 1795, 18.—Cerambyx, 1790.
lucidum Callidium, A. G. Olivier, Entom. IV. 1795, 59.
lucida Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
lucidus Carabus, J. A. Scopoli, Annus V. 1772, 108. [Stenocorus.
lucidus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.—

- lucidus** Cerambyx, A. G. Olivier, Ency. Méth. V. (Ins.), 1790, 309.
lucida Cetonia, A. G. Olivier, Entom. I. 1789, 75.
lucida Copris, J. Sturm, Verz. Ins. Samml. 1800, 95.
lucidus Copris, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 106.
lucidus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 421.
lucida Helix, R. Pulteney, Cat. Birds, &c. Dorset, 1799, 47.
lucida Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
lucida Leptura (Scop.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 229.—Stenocorus.
lucida Musca, Scopoli, Ent. Carn. 1763, 347.
lucida Phalaena, S. A. v. Rottemberg, Naturforscher, IX. 1776, 122.
lucida Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
lucida Phalaena, C. C. Jung, Alph. Verz. Schmett. I. 1791, 328.
lucidus Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
lucida Sphex, C. de Villers, Linn. Ent. III. 1789, 252.
lucidus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
lucidus Tenebrio, P. Rossi, Mem. Soc. Ital. IV. 1788, 129.
lucida Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
Lucifer Linnaeus, Amoen. Acad. VI. 1760, 70.—M.
lucifer Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 342.—Strombus.
lucifer Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 262.—Bibio, 1775.
lucifer Bibio, J. C. Fabricius, Syst. Ent. 1775, 759.
lucifer Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
lucifer Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
lucifer Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 364.
lucifer Pyramis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 58.—Strombus.
lucifer Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1210.
lucifera Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797—1800], 453.
lucifuga Blatta, N. Poda, Ins. Mus. Graec. 1761, 49.
lucifugus Libellula, M. Harris, Exp. Eng. Ins. 1776, 98.
lucifuga Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 312.
lucifuga Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
lucifugum Termes, P. Rossi, Mant. Ins. I. 1792, 107. [295.—Noctua.
lucii Distoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 173.
lucii Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 23.
lucii Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
lucii Rhytelminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 217.
lucii Taenia, O. F. Müller, Z. Dan. Prod. 1776, 219.
lucilla [Papilio], N. R., E. J. C. Esper, Die Schmett. I (9) 1779, 351.
lucilla Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 173.
lucilla [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 236.
lucille [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 93.
Lucina J. G. Bruguière, Ency. Méth. (Tabl. Vers) pl. 284 (1797) [n. et f.].—L.
Lucina Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
lucina Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 31.—Phalaena.
lucina Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 784
lucina [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 82.
lucina Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 46.
lucinda [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 3.
luciola Phalaena, Hufnagel, Berl. Mag. III. 1767, 294.
lucionensis Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
lucionensis Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 146.
lucio-perca Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481.
lucio-percae Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 14.
lucio-percae Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 223.
lucipara Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 233.—Phalaena.
lucipara Phalaena Noctua, Linnaeus, F. Succ., ed. 2, 1761, 318.
lucipeta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
Lucius E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 407.—P.

- Lucius** (*ex* Klein), J. G. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 587.—P.
- lucius** Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 314; ed. 12, 1766, 516.
- lucius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
- lucia** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 82.
- lucia** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 117.
- lucorum** Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 425.
- lucorum** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 44.
- lucorum** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
- lucorum** Cimbex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 767.—Tenthredo.
- lucorum** Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
- lucorum** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
- lucorum** Musca, M. Houttuyn, Nat. Hist. I (12) 1768, 488 (24) *err. pro* fallax, L.
- lucorum** Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 766.—Musca.
- lucorum** Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
- lucorum** Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 324.
- lucorum** Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita lucella, 1794.
- lucretia** Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 87.
- lucretia** [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 71.
- lucretius** [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 129.
- luctator** Strombus, D. Solander in G. Brander, Foss. Hant. 1766, 30.
- luctatorius** Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 931.
- luctifera** Bombyx, (Denis & Schiffermüller), Schmett. Wien, 1775, 54.
- luctifera** Phalaena, B. (D. & S.), E. J. C. Esper, Die Schmett. III (22) 1785, 222.—Bombyx.
- luctiferella** Phalaena, Giorna, Cal. Ent. 1791, 125.
- luctinaria** Phalaena, *id. ac* lactinaria, Cram., J. C. Fabricius, Mant. II. 1787, 193.
- luctualis** Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 5 [*n. et f.*].
- luctualis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 20.
- luctuata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
- luctuata** Geometra, C. de Villers, Linn. Ent. IV. 1789, 514.
- luctuata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 253 [*n. et f.*].
- luctuata** Phalaena, J. C. Fabricius, Mant. II. 1787, 208.
- luctuata** Phalaena Geometra, J. Hübner, Beitr. Schmett. I (1) 1786, 31.
- luctuella** Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 5 [*n. et f.*].
- luctuosa** Apis, J. A. Scopoli, Annus IV. 1770, 13.
- luctuosa** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 337.
- luctuosus** Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 109.
- luctuosus** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
- luctuosus** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
- luctuosa** Chrysomela, F. v. P. Schrank, Naturforscher, XXIV. 1789, 68.
- luctuosus** Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 67.
- luctuosa** Emberiza, J. A. Scopoli, Annus I. 1769, 146.
- luctuosa** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 90.
- luctuosus** Papilio, J. E. I. Walch, Naturforscher, VII. 1775, 113.
- luctuosus** Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 249.
- luctuosa** Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 176.
- luctuosa** Phryganea, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 85.
- luctuosa** Tenthredo, J. Hill, Decade Curious Insects, 1773, 5.
- luctuosus** Tenebrio, F. v. P. Schrank, Ins. Aust. 1781, 219.
- luculenta** Noctua (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. 1791, 330.
- lucullus** Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 94.
- lucunter** Cidaris (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 109.—Echinus.
- lucunter** Echinometra (L.), F. C. Meuschen, Mus. Gronov. 1778, 91.—Echinus.
- lucunter** Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1103.
- ludens** Musca, M. Harris, Exp. Eng. Ins. 1776, 157.
- ludicrus** Musca, M. Harris, Exp. Eng. Ins. 1776, 157.
- ludicra** Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 95.
- ludifica** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 323.
- ludifica** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 614.—Phalaena.

- ludifica* Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 848.
ludio Himantopus, O. F. Müller, An. Infus. 1786, 249.—Trichoda, 1773.
ludio Himantopus, E. Donovan, Brit. Ins. I. 1792, 46.
ludio Trichoda, O. F. Müller, Verm. I (1) 1773, 75.
ludovica [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 17.
ludovicea Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 343.
ludoviciana Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 310.
ludoviciana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 793.
ludoviciana Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 630.
ludovicianus Coluber, G. A. Suckow, Naturges. III. 1798, 249.
ludovicianus Colymbus, P. Boddaert, Tab. Planch. Enl. 1783, 56.
ludovicianus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.
ludovicianus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
ludoviciana Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 306.
ludoviciana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 983.
ludoviciana Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 934.
ludovicianus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 387.
ludoviciana Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 706.
ludovicianus Podiceps (Gm.), J. Latham, Index Orn. 1790, 786.—Colymbus.
ludovicianus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 347.
ludovicianus Sturnus, Linnaeus, Syst. Nat., ed. 12, 1766, 290.
ludoviciana Sylvia (Gm.), J. Latham, Index Orn. 1790, 535.—Motacilla.
ludoviciana Sylvia, J. Latham, Index Orn. 1790, 548.
ludoviciana Tringa (Gm.), J. Latham, Index Orn. 1790, 727.—Parra.
ludvigella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
ludus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
lugdunaea Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2653.
lugdunensis Cyprinus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 29.
lugdunense Myrmeleon, C. de Villers, Linn. Ent. III. 1789, 63.
lugens Aphodius, C. Creutzer, Ent. Vers. 1799, 59.
lugens Bibio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.
lugens Bombyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 70.
lugens Cimex, J. C. Fabricius, Syst. Ent. 1775, 716.
lugens Musca, J. C. Fabricius, Mant. II. 1787, 350.
lugens Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
lugens Syrphus, P. Rossi, Fauna Etrus. II. 1790, 298.
lugubrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 299.
lugubris Bibio, J. C. Fabricius, Mant. II. 1787, 328.
lugubris Bombyx, J. C. Fabricius, Gen. Ins. 1777, 280.
lugubris Buprestis, J. C. Fabricius, Gen. Ins. 1777, 236.
lugubre Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 257.
lugubris Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
lugubris Cebus, J. C. P. Erxleben, Syst. Anim. 1777, 53.
lugubris Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.
lugubris Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
lugubris Cetonia, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 157.
lugubris Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
lugubris Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 302.
lugubris Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.
lugubris Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.
lugubris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
lugubris Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 22.
lugubris Elater, O. F. Müller, Z. Dan. Prod. 1776, 60.
lugubris Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
lugubris Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
lugubris Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 80.
lugubris Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 283.
lugubris Macrocephalus, A. G. Olivier, Entom. IV. 1795, 13.

- lugubris Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio
 lugubris Panorpa, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 279.
 lugubris Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
 lugubris [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 28.
 [lugubris Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 72 & 73.
 lugubre Phalangium, O. F. Müller, Z. Dan. Prod. 1776, 192.
 lugubris Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 357. [Cetonia
 lugubris Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1577.—
 lugubre Sphaeridium (Fourc.), A. G. Olivier, Entom. II. 1790, 7.—Dermestes.
 lugubris Sphex, C. de Villers, Linn. Ent. III. 1789, 252.
 lugubris Sphex, J. L. Christ, Nat. Ins. 1791, 306.
 lugubris Sphinx, Linnaeus, Mant. II. 1771, 537.
 lugubris Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 lugubris Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
 lugubris Syrphus, J. C. Fabricius, Syst. Ent. 1775, 770.
 lugubris Tabanus, Linnaeus, Faun. Suec., ed. 2, 1761, 464.
 lugubris Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
 lugubre Trombidium (Muell.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna
 lugubris Turdus, P. Boddaert, Tah. Planch. Enl. 1783, 33.
 luhuana Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 344.—Strombus.
 luhuana Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 61.—Strombus.
 luhuanus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1209.
 lulensis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 318.
 lumbricalis Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 35.
 lumbricalis Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
 lumbricalis Sabella, O. Fabricius, F. Groen. 1780, 374.
 lumbricalis Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1266.
 lumbricalis Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 107.
 lumbricalis Vermicularia (L.), Lamarck, Mem. Soc. H. N. Paris, 1799, 78.—Serpula.
 lumbricalis Vermiculus (L.), F. C. Meuschen, Mus. Gev. 1787, 238.—Serpula.
 lumbrici Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
 lumbricoides Ascaris, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1076.
 lumbricoides Fusaria (L.), J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
 lumbricoides Lacerta, G. Shaw, Nat. Misc. VI. 1795, p. 212. [25.—Ascaris.
 lumbricoides Nereis, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 233.
 Lumbricus Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1076.—Ver.
 luminosa [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 147.
 lumina Noctua, J. C. Fabricius, Mant. II. 1787, 161.
 lumme Colymbus, M. T. Brünnich, Orn. Boreal. 1764, 39.
 lumpenus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 258; ed. 12, 1766, 444.
 lumpenus Enchelyopus, F. C. Meuschen, Mus. Gronov. 1778, 29.
 lumpretae-formis Blennius, J. G. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 184.
 lumpus Cyclopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 414.
 luna v. lunus.
 lunalis Phalaena, Scopoli, Ent. Carn. 1763, 241.
 lunana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
 lunana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 243.
 lunana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 24.
 Lunaris F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 15 [n. n.].—G.
 "Lunaris, Linck, 1783," Herm.; not used in Linnaean sense.
 lunaris Cancer, P. Forskal, Descr. Anim. 1775, 91.
 lunaris Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
 lunaris Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1657.
 lunaris Copris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 55.—v. Scarabaeus.
 lunaris Copris, A. F. de Fourcroy, Ent. Paris. 1785, 13.
 lunaris Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
 lunaris Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
 lunaris Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.

- lunaris** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.
lunaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [*n. n.*].
lunaris Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 16.
lunaris Saperda, A. G. Olivier, Entom. IV. 1795, 7.
lunaris Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 543.
lunaris Trichoda, O. F. Müller, An. Infus. 1786, 204.
lunaris Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
lunaris Vorticella, O. F. Müller, Verm. I (1) 1773, 117.
 [lunarius]—
lunaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 103.
lunaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 33 [*n. et f.*].
lunaria Perca, P. Forskal, Descr. Anim. 1775, 39.
lunaria Phalaena (D. & S.), J. C. Fabricius, Syst. Ent. 1775, 623.—Geometra.
lunaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 5.
Lunatica J. F. Bolten, Mus. Bolten. (2) 1798, 101.—G.
Lunator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 430.
lunatralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
Lunatus [G. Humphreys], Mus. Calonn. 1797, 21.—G.
lunata Acanthia, J. C. Fabricius, Syst. Ent. 1775, 694.
lunata Apis, *err. pro lanata*, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 [lunatus] Araneus, C. Clerck, Aran. Svec. 1757, 52. [2772]
lunatus Araneus, T. Martyn, Aranei, 1793, 23.
lunata Bembex; J. C. Fabricius, Ent. Syst. II. 1793, 249.
lunata Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 60.—Phalaena.
lunata Buprestis, Scopoli, Ent. Carn. 1763, 66.
lunatum Callidium, J. C. Fabricius, Spec. Ins. II. 1781, 500.
lunatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 247.
lunatus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 72.
lunata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 88.
lunatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.—
lunata Chrysomela, J. C. Fabricius, Mant. I. 1787, 69. [Callidium].
lunatus Cimex, J. C. Fabricius, Mant. II. 1787, 289.
lunatus Cimex, J. C. Fabricius, Mant. II. 1787, 302.
lunatus Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—Acanthia.
lunata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 86.
lunata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 19.
lunatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 148.
lunata Dermestes, J. C. Fabricius, Mant. II. 1787, 378.
lunatum Gonium, O. F. Müller, Verm. I (1) 1773, 62.
lunatus Hister, L. G. Scriba, J. Lieb. Ent. I. 1790, 72.
lunata Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 514.
lunatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 142.—Cimex, 1787.
lunata Madrepora, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 461.
lunata Meloe, P. S. Pallas, Icon. Ins. 1782, 79.
lunatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 111.
lunata Membracis, J. C. Fabricius, Mant. II. 1787, 262.
lunata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 6.—Meloe.
lunata Nitidula, A. G. Olivier, Entom. II. 1790, 19.
lunata Noctua, J. C. Fabricius, Mant. II. 1787, 163.
lunata [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 154.
lunata Phalaena, Giorna, Cal. Ent. 1791, 64.
lunata Phalaena Bombyx, C. de Villers, Linn. Ent. II. 1789, 159.
lunatum Phalangium, P. S. Pallas, Spic. Zool. IX. 1772, 35.
lunatus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 459.
lunata Silpha, J. C. Fabricius, Gen. Ins. 1777, 215.
lunata Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
lunatum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 78.
lunata Sphex, J. C. Fabricius, Syst. Ent. 1775, 347.

- lunatus** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 296.
lunatus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 370.
lunata Tarantula (Pall.), J. C. Fabricius, Ent. Syst. II. 1793, 433.—Phalangium.
lunatus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.
lunata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
lunatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
 "Lunda, Pall. 1766," Ag.; I cannot trace this word.
lundana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 414.—Pyralis.
lundana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 294.
lundii Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 258.
lundii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
lundii Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 107.
lundii Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 134.
lundii Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1582.
Lunella J. F. Bolten, Mus. Bolten. (2) 1798, 103.—G.
lunicornis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249.
lunifera Vorticella, O. F. Müller, An. Infus. 1786, 257.
lunigera Bombyx, G. Paykull, Skr. nat. Selsk. [Copen.], II (2) 1793, 98.
lunigera Coccinella, N. J. Brahm, Ins. Kal. I (1) 1790, 119.
lunigera Phalaena Bombyx, E. J. C. Esper, Die Schmett. III (19) 1784, 114.
lunipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
lunula Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 96.
lunula Musca, C. de Villers, Linn. Ent. III. 1789, 433.
lunula Phalaena, Hufnagel, Berl. Mag. III. 1767, 394.
lunula Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 38.
lunula-lutea Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
lunula Phalaena (Noctua), H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 335.
lunula Vibrio, O. F. Müller, An. Infus. 1786, 55.
lunula Volvox, O. F. Müller, Verm. I (1) 1773, 30.
lunulana Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 56.
lunulana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
lunulana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 35 [*n. et f.*].
lunularis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 287.
lunularis Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
lunularia Phalaena Geometra, J. Hübner, Beitr. Schmett. I (3) [1788], 27.
lunularia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
lunulata Apis, C. de Villers, Linn. Ent. III. 1789, 320.
lunulatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 51.
lunulatus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
lunulatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1967.—[=lunatus,
lunulatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1864. [Thunb.]
lunulata Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 63.—Trichius.
lunulata Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 284.
lunulata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 33.—Cryptocephalus.
lunulata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
lunulata Columba, J. P. Bonnaterra, Ency. Méth. (Orn.) 1791, 251.
lunulatus Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 362.
lunulatus Crabro, P. Rossi, Mant. Ins. I. 1792, 137.
lunulatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 138.
lunulatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.
lunulatus Falco, F. M. Daudin, Traité élém. Orn. 1800, 122.
lunulatus Gryllus, Scopoli, Ent. Carn. 1763, 110.
lunulatus Ichneumon, C. de Villers, Linn. Ent. III. 1789, 203.
lunulatus Labrus, P. Forskal, Descr. Anim. 1775, 37.
lunulata Leptura, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 197.
lunulata Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 49.
lunulata Nerita, O. F. Müller, Verm. II. 1774, 180.
lunulatus Oxyporus (L.), J. C. Fabricius, Syst. Ent. 1775, 268.—Staphylinus.

- lunulatus* Papilio Pleb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2359.
lunulata Perca, M. Park, Tr. Linn. Soc. [Lond.], III. 1797, 35.
lunulata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 290.
lunulata Phalaena (Noctua), O. F. Müller, Z. Dan. Prod. 1776, 124.
lunulatus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
lunulatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1584.—
lunulatus Staphylinus, Linnaeus, Faun. Suec., ed. 2, 1761, 231. [Trichius.
lunulatus Trichius, J. C. Fabricius, Syst. Ent. 1775, 41.
lunulatus Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3605.—Nerita.
lunulata Vespa, C. de Villers, Linn. Ent. III. 1789, 285.
lunum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—Gryllus.
luna Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1098.
luna Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 558.—Phalaena.
luna Cercaria, O. F. Müller, Z. Dan. Prod. 1776, 280.
lunus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397.
lunus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 12, 1767, 693.
luna Kolpoda, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 316.
lunus Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 590.—Phalaena.
luna Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 109.
luna Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 810.
lunus Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 810.
luna Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 496.—[P. (Attacus), ed. 12.]
lunus Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508.—[P. (Attacus), ed. 12.]
lunus Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 393.
luna Zeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1225.
Luperus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 230.—Col.
luperus Chrysomela, J. C. Fuessly, Schweiz. Ins. 1775, 9.
luperus Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
lupi Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 7. [Chrysomela.
lupi Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
lupinalis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [n. n.].
lupinum Dentalium, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
lupina Musca, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 289.
lupina Phoca, G. I. Molina, Sag. stor. nat. Chili, 1782, 275.
lupina Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 33.
lupinus Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689.
lupulella Phalaena (Tinea), O. F. Müller, Z. Dan. Prod. 1776, 137.
lupulinus Hepialus (L.), J. C. Fabricius, Syst. Ent. 1775, 589.—Phalaena.
lupulina Musca, J. C. Fabricius, Mant. II. 1787, 344.
lupulina Phalaena Bombyx; J. Hübner, Beitr. Schmett. I (1) 1786, 27.
lupulina Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508; ed. 12, 1767, 833.
Lupus C. de Geer, Mém. Ins. VII. 1778, 269.—Ar.
lupus Anarhichas, Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430.
lupus Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 536.
lupus Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 39; ed. 12, 1766, 58.
lupus Canis, R. Kerr, Anim. Kingd. 1792, 137, 138; *varr.* flavus, albus, niger, fasciatus, mexicanus, mexicanus-albus, thous.
lupus Cercaria, O. F. Müller, Verm. I (1) 1773, 67.
lurcans Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 14.
luridaria Phalaena Geometra, N. J. Brahm, Ins. Kal. II (1) 1791, 496.
luridata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.
luridata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 235.
luridella Phalaena, Scopoli, Ent. Carn. 1763, 255.
luridium Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
lurida Altica (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
lurida Anas, S. G. Gmelin, Reise Russ. I (1770), 70.
lurida Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 221.
lurida Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.

- luridum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 190.—Cerambyx.
 luridus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 634.
 luridum Cerastoderma, J. X. Poli, Test. Sicil. II. 1795, 258.
 lurida Cetonia, J. C. Fabricius, Syst. Ent. 1775, 49.
 lurida Chrysomela, Scopoli, Ent. Carn. 1763, 70.
 lurida Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 590.
 lurida Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 284.
 luridus Cimex, J. C. Fabricius, Syst. Ent. 1775, 701.
 luridus Coluber, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
 luridus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.—Scarabaeus.
 luridus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 106.
 luridus Curculio, J. C. Fabricius, Syst. Ent. 1775, 138.
 lurida Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
 luridus Dytiscus, Linnaeus, Faun. Suec., ed. 2, 1761, 214.
 luridus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 17.
 luridus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 265.
 luridus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 366.
 luridus Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
 luridus Hydrophilus (L.), J. C. Fabricius, Syst. Ent. 1775, 229.—Dytiscus.
 luridus Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
 lurida Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 343.
 lurida Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
 lurida Musca, J. C. Fabricius, Spec. Ins. II. 1781, 441.
 lurida Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [n. n.].
 luridus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
 luridus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19. [Melolontha.
 luridus Stenocorus, P. Rossi, Mant. Ins. II. 1794, 96.
 luridus Tenebrio, J. C. Fabricius, Mant. I. 1787, 211.—Helops, 1775.
 luridus Trox, J. C. Fabricius, Spec. Ins. II. 1781, 496.
 luscana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 255.
 luscaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 146.
 luscata Phalaena, J. C. Fabricius, Mant. II. 1787, 200.
 Luscinia Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 27.
 "Luscinia, Briss. 1760," Waterh.; not used in a generic sense.
 luscinia Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 34.—Motacilla.
 luscinia Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 328.
 luscinia Sylvia (L.), J. A. Scopoli, Annus I. 1769, 154.—Motacilla.
 lusca Aranea, J. C. Fabricius, Syst. Ent. 1775, 439.
 lusca Bombyx, J. C. Fabricius, Mant. II. 1787, 112.
 luscum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 152.
 luscus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.—[lusia Lamia,
 luscus Elater, J. C. Fabricius, Syst. Ent. 1775, 824. [Fab., est.]
 luscus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 437.
 luscus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 478.
 lusca Lamia, *id. ac* lusia, 1787, J. C. Fabricius, Ent. Syst. I (2) 1792, 283.
 luscus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 165.
 luscus Meles (Linn.), P. Boddaert, Elench. 1785, 80.—Ursus.
 lusca Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 106.
 lusca Sphinx, J. C. Fabricius, Gen. Ins. 1777, 272.
 luscus Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 47; ed. 12, 1766, 71.
 lusia Lamia, J. C. Fabricius, Mant. I. 1787, 139.
 lusitanica Angarius (L.), F. C. Meuschen, Mus. Gev. 1787, 254.—Helix.
 lusitanicus Asilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1009.
 lusitanica Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 197.
 lusitanicum Callidium (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 269.—Cerambyx
 lusitanica Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 1066. [lusitanus.
 lusitanica Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 116. [Chrysomela.
 lusitanicus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.—

- lusitanicus** Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 187.
lusitanica Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1245. [lusitanus.
lusitanica Lamia (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.—Cerambyx
lusitanica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3715.
lusitanicus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 244.
lusitanica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
lusitana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
lusitanus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
lusoria Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506; ed. 12, 1767, 831.
lusoria Phalaena Noctua (L.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 802.—
lusoria Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180. [P. Bombyx.
lustrator Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
lutarella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
lutarella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
lutarius Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 45.—Scarabaeus.
lutaria Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1246.
lutarius Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 913.
lutaria Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 344.
lutaria Nereis, P. S. Pallas, Misc. Zool. 1766, 213.
lutaria Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
lutarius Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 35.
lutaria Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Hemerobius.
lutaria Spheg, J. C. Fabricius, Mant. I. 1787, 273.
lutaria Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 352.
luteago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
lutealis Phalaena, P. Rossi, Mant. Ins. II. 1794, 38.
lutearia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 103 [n. et f.].
lutearia Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 143.
lutearia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 325.
lutearia Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
luteator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 222.
luteata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
luteata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
luteella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
luteicornis Bruchus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 619.
luteicornis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
luteicornis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 316.
luteicornis Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
luteicornis Tenthredo, J. C. Fabricius, Mant. I. 1787, 254.
[luteolante Phalaena, MS.], T. Martyn, Psyche, 1797, figs. 50, 51.
luteolaris Phalaena, J. A. Scopoli, Annus V. 1772, 118.
luteolaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.
luteolata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
luteolata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525.
luteola Altica, O. F. Müller, Z. Dan. Prod. 1776, 84.
luteola Bombyx (D. & S.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 350.—
luteolum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 92. [Noctua.
luteola Chrysomela, C. Allioni, Misc. Taurin. III. 1766, 187.
luteola [Chrysomela], Giorna, Cal. Ent. 1791, 81.
luteola EMBERIZA, A. Sparrman, Mus. Carls. IV. 1789, no. xciii.
luteola Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
luteolus Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87.
luteolus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
luteolus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
luteola Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
luteola Musca, Scopoli, Ent. Carn. 1763, 349.
luteola Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
luteola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 68.

- luteola* Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 281. [249.—Noctua.
luteola Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
luteola Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 11.
luteolus Psittacus, *id. ac* luteus, Gm., J. Latham, Index Orn. 1790, 123.
luteolus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
luteolus Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 167.
luteostama Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
luteo-striatus Coluber, C. C. Gmelin, Naturforscher, XXVIII. 1799, 170.
lutescens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
lutescens Carabus, G. W. F. Panzer, Ins. Germ. heft 30 [1796], tab. 20.
lutescens Chaetodon, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 82.
lutescens Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 43.
lutescens Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
lutescens Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 61.
lutescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
lutescens Culex, J. C. Fabricius, Syst. Ent. 1775, 800.
lutescens Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 84.
lutescens Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
lutescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
lutescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
lutescens Leptura, C. de Villers, Linn. Ent. I. 1789, 274.
lutescens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
lutescens Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
lutescens Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
lutescens Sylvia (Gm.), J. Latham, Index Orn. 1790, 523.—Motacilla.
lutescens Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
lutescens Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
lutescens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
luteus Ampelis, A. Sparrman, Mus. Carls. III. 1788, no. lxx.
luteum Anobium, J. C. Fabricius, Mant. II. 1787, 378.
lutea Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
lutea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 574.
lutea Cantharis, O. F. Müller, F. Ins. Frid. 1764, 16.
luteus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.
lutea Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
lutea Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 692.
lutea Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
lutea Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 758.
lutea Cimex (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 767.—Tenthredo.
lutea Coccinella, P. Rossi, Mant. Ins. II. 1794, 89.
lutea Conops, C. de Villers, Linn. Ent. III. 1789, 585. [544.—Sphaeridium.
luteus Cychramus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
lutea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
lutea Cythere, O. F. Müller, Entom. 1785, 65.
lutea Ephemera, Linnaeus, Syst. Nat., ed. 12, 1767, 906.
luteus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
luteus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 937.
luteus Labrus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 236.
lutea Lamia (Gm.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.—Cerambyx.
luteus Limax, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 269.
lutea Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.
luteus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 111.
lutea Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—Meloe.
lutea Meloe, P. S. Pallas, Reise Russ. II. 1773, 722.
lutea Melolontha, A. G. Olivier, Entom. I. 1789, 23.
lutea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136 [n. n.].
luteus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
luteus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320. [Cythere.

- luteus** Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
lutea Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
lutea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
luteum Myrmeleon, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 78.
lutea Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
lutea Nitidula (Fab.), A. G. Olivier, Entom. II. 1790, 16.—Sphaeridium.
lutea Notonecta, O. F. Müller, Z. Dan. Prod. 1776, 103.
luteus Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 235.—Ichneumon.
lutea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
luteus Parus, S. G. Gmelin, Reise Russ. III. 1774, 101.
luteus Parus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
lutea Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260.
lutea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 157.
lutea Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 122.
lutea Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 78.
lutea Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
luteus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 30.
luteus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 341.
luteus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 356.
lutea Rana, G. I. Molina, Sag. stor. nat. Chili, 1782, 216.
lutea Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
lutea Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 235.—Sphaeridium.
luteum Sphaeridium (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 79.—Nitidula.
luteus Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 183.
lutea Sylvia, J. A. Scopoli, Del. Insub. II. 1786, 96.
lutea Tellina, F. C. Meuschen, Mus. Gever. 1787, 458.
lutea Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
lutea Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 921.
lutea Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
lutea Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.
luth Perca, Linnaeus in Hasselquist, Palast. 1762, 402.
luticornis Leptura, J. C. Fabricius, Syst. Ent. 1775, 197.
Lutjanus M. E. Bloch, Nat. ausl. Fische, IV. 1790, 105.—P.
lutjanus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 107.
lutorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 262.
lutosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
lutosa Eschara, P. S. Pallas, Elench. 1766, 37.
lutosa Noctua, E. J. C. Esper, Die Schmett. IV (35) 1787, 100.
lutosus Oniscus, M. Slabber, Nat. Verlust. 1778, 143.
Lutra M. J. Brisson, Reg. Anim. 1762, 201.—M.
lutra Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 66.
lutra Viverra, Linnaeus, Faun. Suec., ed. 2, 1761, 5.
Lutraria Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—L.
lutraria Lutraria (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—Mactra.
lutraria Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.
lutraria Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670.
 [lutreola]—
lubreola (*sic*) Lutra, H. F. Link, Beytr. Nat. I (2) 1795, 84.
lutreola Mustela, Linnaeus, Syst. Nat., ed. 12, 1766, 66.—Viverra, 1761.
lutreola Viverra, Linnaeus, Faun. Suec., ed. 2, 1761, 5.
lutris Lutra (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 446.—Mustela.
lutris Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 66.
lutrix Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
lutulenta Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
lutulenta Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
lutulenta Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
ludur Silurus, G. I. Molina, Stor. Nat. Chili, 1782, 346. [576.—Noctua.
Luxuria A Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 263.—Nud.

- luzena Anatifera, F. C. Meuschen, Mus. Gever. 1787, 476.
 luzonensis Motacilla, J. A. Scopoli, Del. Insub. II. 1786, 95.
 luzonensis Trogon, J. A. Scopoli, Del. Insub. II. 1786, 89.
 luzonia Parra, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
 luzonica Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
 luzonicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 706.
 luzoniensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
 luzoniensis Numenius (Gm.), J. Latham, Index Orn. 1790, 711.—Scolopax.
 luzoniensis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 709.
 luzoniensis Perdix (Gm.), J. Latham, Index Orn. 1790, 656.—Tetrao.
 luzoniensis Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 656.
 luzoniensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 767.
 luzoniensis Turnix, J. P. Bonnaterra, Ency. Méth. (Orn.) 1790, 7.
 luzonum Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1817.—
 luzonum Prionus, J. C. Fabricius, Syst. Ent. 1775, 160. [Prionus.
 lyanopterus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 9.
 lybica Felis, F. A. A. Meyer, Zool. Entdeck. 1793, 101.
 lybiensis Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 156.
 Lybius J. Hermann, Tab. aff. Anim. 1783, 217 & 235.—A.
 lybius Melursus, F. A. A. Meyer, Zool. Entdeck. 1793, 156.
 lybia Papilio, J. C. Fabricius, Syst. Ent. 1775, 460.
 lybia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 163.
 lycabas [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 31.
 lycagus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 348.—Papilio lucagus.
 lycaon Canis, J. C. D. Schreber, Säugth. III. 353 (1776), pl. lxxxix (1776).
 lycaon Papilio, C. C. Jung, Alph. Verz. Schmett. I. 1791, 336.
 lycaon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 228.
 lycaste Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 161.
 lycetus [Sphinx], P. Cramer, Uitl. Kapellen, I (6) 1775, 96.
 lychnidis Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
 lychnidis Musca, J. C. Fabricius, Mant. II. 1787, 353.
 lychnidis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
 lychnidis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 46 [*n. n.*].
 lychnidis Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 lychnuchus Helix, O. F. Müller, Verm. II. 1774, 81. [598.—Noctua.
 lycia Papilio, J. C. Fabricius, Syst. Ent. 1775, 464.
 lycidas [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 25.
 lycidas Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 39.
 lycimnia [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 13.
 lycoperdi Kryptophagus (Scop.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 176.—
 lycoperdi Dermestes, Scopoli, Ent. Carn. 1763, 18. [Dermestes.
 lycopodium Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 269.
 lycopordi Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 231.
 Lycoria J. G. Meigen, N. Class. Mouches, 1800, 17.—Dip.
 Lyctus J. C. Fabricius, Ent. Syst. I (2) 1792, 502.—Col.
 lyctus [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 56.
 lycurgus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 67.
 Lycus J. C. Fabricius, Mant. I. 1787, 163.—Col.
 lydia Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 112.
 lydia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 85.
 lydia [Papilio], P. Cramer, Uitl. Kapellen, III (13) 1777, 83.
 lye [Papilio], J. A. B. Bergstrasser, Nom. Ins. IV. 1780, 28.
 Lygaeus J. C. Fabricius, Ent. Syst. IV. 1794, 133.—Hem.
 Lymexylon J. C. Fabricius, Syst. Ent. 1775, 204.—Col.
 lymexylon Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 420.
 lymma Raja, P. Forskal, Descr. Anim. 1775, 17.
 Lymnoea Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—G.
 lymnia Raia, *err. pro lymma*, Forsk., J. P. Bonnaterra, Ency. Méth. (Ich.) 1788, 5.

- lymphatica Hamularia, F. A. Treutler, Obs. Helminth. hum. corp. 1793, 10.
- lyncaster Kerona, O. F. Müller, An. Infus. 1786, 234.
- lyncaster Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
- Lynceus O. F. Müller, Z. Dan. Prod. 1776, xxvii & 190.—Cr.
- lynceum Callidium, J. C. Fabricius, Syst. Ent. 1775, 191. [Saperda.]
- lynceus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1841.—
- lynceus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
Callidium.
- lyncea Chrysis, J. C. Fabricius, Spec. Ins. I. 1781, 455.—[lincea, Syst. Ent. 1775, 357,
- lyncea Cicada, J. C. Fabricius, Syst. Ent. 1775, 687. [est.]
- lyncea Cicada, J. C. Fabricius, Mant. II. 1787, 269.
- lynceus Cimex, J. C. Fabricius, Syst. Ent. 1775, 722.
- lynceus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 87.
- lynceus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 166.—Cimex, 1775.
- lynceum Myrmeleon, J. C. Fabricius, Mant. I. 1787, 249.
- lyncea Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 506.
- lynceus [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 12.
- lynceus Papilio P. R., E. J. C. Esper, Die Schmett. I (9) 1779, 356.
- lyncea Phalaena, J. C. Fabricius, Syst. Ent. 1775, 635.
- lyncea Saperda, J. C. Fabricius, Syst. Ent. 1775, 185.
- lynceus Trichoda, O. F. Müller, Verm. I (1) 1773, 86.
- lyncida [Papilio], P. Cramer, Utitl. Kapellen, II (11) 1777, 52.
- lyncurium Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1295.
- Lynx R. Kerr, Anim. Kingd. 1792, 155.—M.
- lynx Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 110.
- lynx Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
- lynx Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 43; ed. 12, 1766, 62.
- lynx Melolontha, J. C. Fabricius, Gen. Ins. 1777, 210. [lontha.]
- lynx Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—Melo-
[lyonet-]—
- lyonnetella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
- lyonnetella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
- lyonnetti Aranea, Scopoli, Ent. Carn. 1763, 403.
- lyonetianus Bulimus (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 299.—Helix.
- lyonetiana Helix, P. S. Pallas, Spic. Zool. X. 1774, 33.
- lyra Callionymus, Linnaeus, Syst. Nat., ed. 10, 1758, 249; ed. 12, 1766, 433.
- lyra Musca, M. Harris, Exp. Eng. Ins. 1776, 42.
- lyra Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
- lyra Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
- lyratum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
- lyratus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
- lyricen Cicada, C. de Geer, Mém. Ins. III. 1773, 212.
- lyricornes Antilope, P. S. Pallas, Misc. Zool. 1766, 6.
- lysan Gasterosteus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1325.—
- lysan Scomber, P. Forskal, Descr. Anim. 1775, 54. [Scomber.]
- lysander [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 46.
- lysander Papilio, J. C. Fabricius, Gen. Ins. 1777, 251.
- lysandra [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, IV. 1790, 135.
- lysidice [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 111.
- lysimnia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 161.
- lysippus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 321.—Papilio.
- lysippus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 793.
- lythargyria Phalaena Noct. (ex Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 142.
- lythargyria Phalaena Noct. (Lang), E. J. C. Esper, Die Schmett. IV (46) 1791, 341.—
Noctua.
- lythoxylata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 218 [r].
- lythri Cionus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 68.—Curculio. [et f.]
- lythri Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 68.

lythri Curculio, J. C. Fabricius, Mant. I. 1787, 102.

Lytta J. C. Fabricius, Syst. Ent. 1775, 260.—Col.

Lytta F. A. A. Meyer in Thunberg, Char. Gen. Ins., ed. 2, 1791, 26.—Col.

M Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 293.

mabonya Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.

Macaca B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.

macaco Lemur, Linnaeus, Syst. Nat., ed. 12, 1766, 44.

macaco Lemur, L., R. Kerr, Anim. Kingd. 1792, 86; *varr.* niger, fuscus, albus, variegatus.

macaco Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.

macaensis Corvus, R. Kerr, Anim. Kingd. 1792, 637.

macaensis Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 259.

macao Corvus, G. A. Suckow, Naturg. II [1] 1800, 420.

macao Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 96; ed. 12, 1766, 139.

macarea [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 17.

macaria Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 174.

macaria [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 48.

macaro Lemur, *err. pro* macaco, L., E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 215.

macaronius Myrmeleon (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 315.—Papilio.

macaronius Papilio, Scopoli, Ent. Carn. 1763, 168.

macassarica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.

macassariensis Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.

maccabaesus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 185.

macellarius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 297.

macellarius Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 63.

macellaria Musca, J. C. Fabricius, Syst. Ent. 1775, 776.

macellus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 66.

maceratorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 157.

Maceris A. Modèer, K. Vet. Ac. Nya Handl. XIV. 1793, 174.—L.

macerona Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.

macerophylla Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3304.

Macerophyllum F. C. Meuschen, Mus. Gever. 1787, 430.—[*v. el.* Cat. Cab. Coq. Leers,

“Macerovilla, Linck, 1783,” Herm.; not used in a Linnaean sense. [1767, 120.]

macha Solen, G. I. Molina, Sag. stor. nat. Chili, 1782, 203.

machaon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 750.

machaonides Papilio E. A., E. J. C. Esper, Ausl. Schmett. (12) 1796, 191.

machinatorius Ichneumon, P. Rossi, Mant. Ins. I. 1792, 112.

Machla Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 152.—Col.

machnata Argentina, P. Forskal, Descr. Anim. 1775, 68.

machuelo Raia, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 5.

macida Spongia, *err. pro* mucida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3825.

macilentus Carabus, A. G. Olivier, Entom. III. 1795, 26.

macilentus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 20.

macilentus Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 131.

macilenta Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 468.

macina Nucella, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*n. n.*].

macis Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.

macloviense Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.

macra Papilio, Hufnagel, Berlin. Mag. II. 1766, 78.

Macrocephalus N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 183.—Col.

Macrocephalus A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 36.—Col.

Macrocephalus P. Browne, Hist. Jamaica, ed. 2, 1789, 450.—P.

Macrocephalus F. A. A. Meyer in Thunberg, Char. Gen. Ins., ed. 2, 1791, 34.—Hem

macrocephalus Catodon, Linnaeus, Faun. Suec., ed. 2, 1761, 18.

macrocephalus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.

macrocephala Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1005.

macrocephalus Gobius, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 352.

- macrocephala Musca (L.), M. Harris, Exp. Eng. Ins. 1776, 82.—Conops.
- macrocephala Musca, P. Rossi, Mant. Ins. II. 1794, 72.
- macrocephalus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
- macrocephala Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
- macrocephalus Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.
- macrocephalus Physeter, R. Kerr, Anim. Kingd. 1792; *varr. niger*, 360; *albicans*, *cinereus*, 361.
- macrocephala Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.
- macrocephala Vespa, J. L. Christ, Nat. Ins. 1791, 245.
- macroceras Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1839.
- macroceras Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2866.
- macrocheiros Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
- macrochelos Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 254.
- macrochylton Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 164.
- Macroglossum J. A. Scopoli, Intr. Hist. Nat. 1777, 414.—Lep.
- Macrognathus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 283.—P.
- macroleon Stratiomys, G. W. F. Panzer, Ins. Germ. heft 9, 1793, tab. 20.
- macrolepidotus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 53.
- macrolepidotus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 464.
- macrolepidota Cobitis, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 11.
- macrolepidotus Cyprinus, C. L. v. Meidinger, Icon. pisc. Austriae (5) 1794, no. xli.
- macrolepidotus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 135.
- macrolepidotus Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 34.
- macrolepidota Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 40.
- macrophthalmus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 115.
- macrophthalmus Cyprinus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 51.
- macrophthalmum Mastacembelus, F. C. Meuschen, Mus. Gronov. 1778, 40.
- macrophthalmum Musca, J. D. Preyßler in Mayer, Samml. Phys. Aufsätze, I. 1791, 68.
- macrophthalmum Ophidion, Linnaeus, Syst. Nat., ed. 10, 1758, 259.
- macrophthalmus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 93.
- macrops Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 225.
- macropterus Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 465.
- macropterus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
- macropterus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2034.
- Macropus G. Shaw, Nat. Miscell. I. 1790, pl. 33.—M.
- macropus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
- macropus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2193.
- macropus Clytra, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 128.
- macropus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 90.
- macropus Scarabaeus, J. Francillon, Scarab. 1795.
- macropus Testudo, J. J. Walbaum, Chelonogr. [1782], 112.
- “Macrorhynchus, Lacép. 1800,” Ag.; occurs only in the vernacular on 75, 76.
- macrorhynchus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 406.
- macrorhynchus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 338.
- macrorhynchus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
- Macrotarsus H. F. Link, Beytr. Nat. I (2) 1795, 51 & 65.—M.
- Macrotarsus B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
- Macrotarsus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
- macrotarsos Didelphys, J. C. D. Schreber, Säugth. III. 554 (1777) pl. clv (1777).
- macrotarsus Dipus (Gm.), H. F. Link, Beytr. Nat. I (1) 1794, 70.—Didelphys.
- macrotarsus Lemur (Schr.), J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795.
- Macroura F. C. Meuschen, Mus. Gronov. 1778, 3.—M. [3.—Didelphis *n. n.*].
- Macrourus M. E. Bloch, Nat. ausl. Fische, II. 1786, 150.—P.
- Macrourus G. Cuvier, Tab. Elém. 1798, 345.—P.
- Macrourus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
- macrourus Accipiter, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 439.
- macroura Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [*n. n.*].
- macroura Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164.

- macroura* Didelphis, G. Shaw, Zool. N. Holland, 1794, 33.
macrourus Falco, S. G. Gmelin, Reise Russ. I. (1770), 48.
macroura Fringilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
macroura Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 918.
macroura Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 77.
macrurus Ichneumon, Linnaeus, Mant. II. 1771, 540.
macrourus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
macrourus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 134.
macroura Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 845.
macrourus Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
macroura Manis, J. C. P. Erxleben, Syst. Anim. 1777, 101. [Lynceus.
macrourus Monoculus, (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
macroura Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 953.
macroura Muscicapa, J. A. Scopoli, Del. Insüb. II. 1786, 95.
macroura Podura, N. Poda, Ins. Mus. Gracc. 1761, 121.
macrourus Sciurus, T. Pennant, Ind. Zool. [1769], 1.
macroura Sylvia (Gm.), J. Latham, Index Orn. 1790, 545.—Motacilla.
macroura Tanagra, J. A. Scopoli, Del. Insüb. II. 1786, 95.
macrourus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 487.
macrourus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 820.
macroura Volucella, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 353.
macroura Vorticella, J. Hermann, Naturforscher, XIX. 1783, 57.
macrozonias Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
mactans Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
mactans Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 366.
mactans Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 534.
mactans Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex, 1781.
mactans Musca, J. C. Fabricius, Mant. II. 1787, 344.
mactata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
Mactra Linnaeus, Syst. Nat., ed. 12, 1767, 1125.—L.
mactroides Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 53.
mactroides Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 182.
macula Phalaena, Giorna, Cal. Ent. 1791, 91.
macula-alba Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 404.
maculania Phalaena Bomb., H. G. Lang, Verz. Schmett., ed. 2, 1789, 91.
maculana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 406.—Pyralis.
maculana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
macularis Cerambix, A. G. Olivier, Entom. IV. 1795, 98.
macularis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 63.
macularis Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 475.
macularis Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 8.
macularis Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 370.
macularis Vespa, *id. ac* maculata, Scop., A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 695.
macularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 135
[macularia Papilio, MS.], T. Martyn, Psyche, 1797, figs. 61 & 62. [n. et f.].
macularia Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 246.
macularia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767, 862.
macularia Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 672.
maculatella Phalaena, D. H. Schneider, Nom. Ent. 1785, 55 [n. n.].
maculatella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 60.
maculator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
maculator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 337.
maculatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
maculatorius Ichneumon, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 350.
maculatorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 261.
maculata Acanthia, J. C. Fabricius, Mant. II. 1787, 279.
maculatus Accipiter, J. C. Schaeffer, Mus. Orn. 1789, 6.
maculata Acheta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 192.

- maculatum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 224.
 maculata Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 14.
 maculata Actinia, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 8.
 maculata Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 451.
 maculatus Alphaeus (L.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
 maculata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.
 maculatus Ampelis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 147.
 maculata Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 142.
 maculata Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
 maculatus Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 9.
 maculatus Anthrenus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 76.
 maculatus Aphodius, J. Sturm, Verz. Ins. Samml. 1800, 42.
 maculata Apis, J. C. Fabricius, Spec. Ins. I. 1781, 482.
 maculata Aranea, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 363.
 maculata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 209.
 maculata Aranea, J. C. Fabricius, Ent. Syst. II 1793, 425.
 maculata Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
 maculatus Ascalaphus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 246.
 maculatus Asilus, O. F. Müller, F. Ins. Frid. 1764, 88.
 maculatus Asilus, J. C. Fabricius, Syst. Ent. 1775, 794.
 maculatus Asilus, P. Rossi, Fauna Etrus. II. 1790, 328.
 maculatus Balistes, M. E. Bloch, Nat. ausl. Fische, II. 1786, 25.
 maculata Blatta, J. C. D. Schreber, Naturforscher, XV. 1781, 89.
 maculatus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 48.
 maculatus Bombylius, J. C. Fabricius, Syst. Ent. 1775, 803.
 maculatus Bostrichus (Th.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603.—
 maculatus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183. [Dermestes.
 maculatus Brentus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 192.
 maculatus Bruchus, J. C. Fabricius, Syst. Ent. 1775, 65.
 maculatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
 maculatum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 256.
 maculatus Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 49.
 maculatus Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 89.
 maculatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, p. 365.
 maculata Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 275.
 maculatus Byrrhus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 25.
 maculatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
 maculata Cancroma, P. Boddaert, Tab. Planch. Enl. 1783, 54.
 maculata Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
 maculatum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3255.
 maculata Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 575.
 maculata Cassis, F. C. Meuschen, Mus. Gever. 1787, 390.
 maculatus Cerambyx, J. C. Fuessly, Schweiz. Ins. 1775, 12.
 maculatus Cerambix, A. G. Olivier, Entom. IV. 1795, 68.
 maculata Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 329.
 maculata Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 58.
 maculatus Chaetodon, J. A. Scopoli, Del. Insub. III. 1788, 44.
 maculatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 104.
 maculata Chalcis, J. C. Fabricius, Mant. I. 1787, 273.
 maculata Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 446.—Venus.
 maculatus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
 maculata Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 258.
 maculata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 692.
 maculata Cicada, D. Drury, Ill. Nat. Hist. II. 1773, index & 68.
 maculata Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
 maculata Cicada, J. C. Fabricius, Mant. II. 1787, 272.
 maculata Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
 maculata Cicindela, C. de Geer, Mém. Ins. IV. 1774, 115.

- maculata Cimex (Fourc.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Crabro.
 maculatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
 maculata Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—
 maculata Clava, T. Martyn, Univ. Conch. II [1788], fig. 57. [Acanthia.
 maculatus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 136.
 maculata Coccinella, C. de Geer, Mém. Ins. V. 1775, 392. [Vipera.
 maculatus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.—
 maculata Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 780.
 maculatus Crabro, A. F. de Fourcroy, Ent. Paris. 1785, 361.
 maculatus Crabro, J. C. Fabricius, Spec. Ins. I. 1781, 470.
 maculatus Cucujus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 199.
 maculatus Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 48.
 maculatus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 415.
 maculatus Curculio, R. Townson, Trav. Hungary, 1797, 476.
 maculatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
 maculatum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129 [n. n.].
 maculatum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
 maculatus Dasyurus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.
 maculatus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 223.
 maculatus Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 7.
 maculata Diaperis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 273.
 maculata Didelphis, R. Kerr, Anim. Kingd. 1792, 199.
 maculatus Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
 maculatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 666.
 maculatus Elater, C. de Geer, Mém. Ins. IV. 1774, 163.
 maculatus Elater, P. Rossi, Fauna Etrus. I. 1790, 182.
 maculatus Elater, A. G. Olivier, Entom. II. 1790, 19.
 maculata Empis, J. C. Fabricius, Spec. Ins. II. 1781, 472.
 maculata Ephemera, N. Poda, Ins. Mus. Graec. 1761, 97.
 maculata Ephemera, C. de Villers, Linn. Ent. III. 1789, 22.
 maculatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 93.—Buccinum.
 maculatus Erax, Scopoli, Ent. Carn. 1763, 362.
 maculatus Erolytus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
 maculata Evania, J. C. Fabricius, Syst. Ent. 1775, 345.
 maculatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
 maculatus Falco, F. M. Daudin, Traité élém. Orn. 1800, 95 & 98.
 maculata Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 486.
 maculata Felis, T. Pennant in Forster, Ind. Zool. 1781, 39 [n. n.].
 maculata Formica, A. F. de Fourcroy, Ent. Paris. 1785, 452.
 maculata Formica, J. C. Fabricius, Spec. Ins. I. 1781, 491.
 maculata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 568.
 maculata Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 701.
 maculata Gallinula (Gm.), J. Latham, Index Orn. 1790, 773.—Fulica.
 maculata Geometra, [Denis & Schiffermüller], Schmettt. Wien, 1775, 115.—macularia, L.
 maculata Geometra (L.), C. P. Thunberg, Ins. Suecia (1) 1784, 9.—Phalaena macularia.
 maculata Helix, O. F. Müller, Verm. II. 1774, 25.
 maculata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 380.
 maculata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 404.
 maculatus Hemerobius, J. C. Fabricius, Mant. I. 1787, 247.
 maculata Hirundo, P. Boddaert, Tab. Planch. Enl. 1783, 32.
 maculata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
 maculatus Hister, P. Rossi, Mant. Ins. I. 1792, 12.
 maculatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 96.
 maculata Horia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 102.
 maculata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
 maculatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 337.
 maculatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 17.
 maculata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.

- maculata* Lampyris, C. de Geer, Mém. Ins. IV. 1774, 50.
maculata Lampyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
maculata Lampyris, A. G. Olivier, Entom. II. 1790, 12.
maculatus Larus, E. Pontoppidan, Danske Atlas, I. 1763, 622.
maculatus Larus, M. T. Brünnich, Orn. Boreal. 1764, 44.
maculata Leptura, N. Poda, Ins. Mus. Graec. 1761, 37.
maculata Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 163.
maculata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 1877.
maculata Libellula, M. Harris, Exp. Eng. Ins. 1776, 155.
maculata Loricaria, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 73.
maculata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
maculata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 861.
maculata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
maculatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 11.
maculata Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
maculata Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 61.
maculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
maculata Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
maculatus Mergus, J. M. Bechstein, Latham's Vögel, VI. 1798, 376.
maculata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
maculatus Mullus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 95.
maculata Musca, Scopoli, Ent. Carn. 1763, 326.
maculata Musca, M. Harris, Exp. Eng. Ins. 1776, 140.
maculatus Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 418.—*Nemotelus*.
maculata Musca, C. de Villers, Linn. Ent. III. 1789, 433.
maculata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
maculata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 171.
maculata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
maculata Mylabris, A. G. Olivier, Entom. III. 1795, 7.
maculatum Myrmeleon, C. de Geer, Mém. Ins. III. 1773, 565.
maculata Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
maculata Naucoris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 525.
maculatus *Nemotelus*, C. de Geer, Mém. Ins. VI. 1776, 165.
maculata Nepa, J. C. Fabricius, Syst. Ent. 1775, 692.
maculata Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1086.
maculata Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
maculata Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.
maculata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [*n. n.*].
maculata Nitidula, P. Rossi, Mant. Ins. I. 1792, 23.
maculata Notonecta, J. C. Fabricius, Ent. Syst. IV. 1794, 58.
maculatus Oniscus, J. C. Fabricius, Spec. Ins. I. 1781, 378.
maculata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 90.
maculatus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 579.
maculata Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
maculata Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 92.
maculata Phalaena, Scopoli, Ent. Carn. 1763, 224.—[? *macularia*, L.]
maculata [Phalaena], C. Stoll, Aanhang. Cramer's Utit. Kapellen, II. 1790, 56.
maculata Phalaena (Tortrix), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 86.
maculata Phoca, P. Boddaert, Elench. 1785, 171.
maculata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 355.
maculatus Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
maculata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
maculata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
maculata Pnumora, C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 257.
maculatus Pompilius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—*Sphex*, 1787.
maculatus Prionus, A. G. Olivier, Entom. IV. 1795, 27.
maculatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 74.
maculatus Ptinus, C. de Villers, Linn. Ent. I. 1789, 65.

- maculatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 378.
 maculatus Rhagio, J. C. Fabricius, Spec. Ins. II. 1781, 420.
 maculatum Rhagium, J. N. Laicharting, Tyrol. Ins. II. 1784, 116.
 maculata Saperda, A. G. Olivier, Entom. IV. 1795, 32.
 maculata Saperda, A. G. Olivier, Entom. IV. 1795, 39.
 maculatus Scarabaeus, J. A. Scopoli, Annus V. 1772, 83.
 maculata Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 44.
 maculatus Scorpio, C. de Geer, Mém. Ins. VII. 1778, 346.
 maculata Silpha, C. de Geer, Mém. Ins. IV. 1774, 184.
 maculatus Silurus, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIII. 1792, 31.
 maculata Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 77.
 maculata Sphex, J. C. Fabricius, Mant. I. 1787, 277.
 maculata Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 274.—Evania.
 maculata Sphinx, *err. pro* Sesia octo maculata, Fab., C. C. Jung, Alph. Verz. Schmett.
 maculatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 153, [II. 1792, 3.
 maculata Squilla, J. C. Fabricius, Ent. Syst. II. 1793, 511.
 maculatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 169.
 maculata Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 31.
 maculata Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 468.
 maculata Strix, R. Kerr, Anim. Kingd. 1792, 533.
 maculatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
 maculata Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla.
 maculata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
 maculatus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 221.
 maculatus Tabanus, P. Rossi, Mant. Ins. II. 1794, 75.
 maculata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 193.
 maculata Tellina, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 252.
 maculata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 365.
 maculata Tettigonia (Drury), J. C. Fabricius, Syst. Ent. 1775, 831.—Cicada.
 maculata Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 224.
 maculata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972 [bimaculata].
 maculata Tipula, C. de Geer, Mém. Ins. VI. 1776, 345.
 maculata Tipula, C. de Geer, Mém. Ins. VI. 1776, 394.
 maculatus Trichius, J. C. Fabricius, Spec. Ins. I. 1781, 49.
 maculata Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 249.
 maculatum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
 maculatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
 maculatus Trochilus, J. Latham, Index Orn. 1790, 320.
 maculatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1227.
 maculatus Trogon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 404.
 maculatum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
 maculatus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
 maculata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1132.
 maculata Vespa, Scopoli, Ent. Carn. 1763, 312.
 maculata Vespa, Linnaeus, Amoen. Acad. VI. 1763, 412.
 maculata Vespa, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
 maculata Vipera, J. N. Laurenti, Syn. Rept. 1768, 102.
 maculata Viverra, R. Kerr, Anim. Kingd. 1792, 170.
 maculata Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 501.
 maculata Yerbua, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 686.
 maculatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 510.—Alucita maculella,
 maculella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 333. [1794.
 maculella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 306.
 maculicornis Leptura, C. de Geer, Mém. Ins. V. 1775, 139.
 maculicornis Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 274.
 maculicornis Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 153.
 maculosa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.
 maculosus Asilus (L.), M. Harris, Exp. Eng. Ins. 1776, 64.—Tipula maculata.

- maculosa* Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 54.
maculosum Buccinum, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 8.
maculosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
maculosa Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1929.
maculosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
maculosus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 305.
maculosa Cetonina, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 254.
maculosa Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
maculosus Chaetodon, P. Forskal, Descr. Anim. 1775, 62.
maculosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2101.
maculosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
maculosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
maculosa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 145.
maculosus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
maculosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
maculosus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
maculosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 322.
maculosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
maculosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
maculosus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
maculosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
maculosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
maculosus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
maculosa Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
maculosa Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1874.
maculosa Mordella, D. E. Naezén, K. Vet. Ac. Nya Handl. XV. 1794, 273.
maculosa Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 47.
maculosa Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 984.
maculosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
maculosa Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 76.
maculosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
maculosa Ostrea, P. Forskal, Descr. Anim. 1775, 123.
maculosa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3322.
maculosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3701.
maculosa Perca, A. J. Retzius in Linnaeus, F. Suec. 1800, 337.
maculosa [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 156.
maculosa Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (20) 1785, 179.—
 Bombyx.
maculosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
maculosa Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
maculosa Salamandra, J. N. Laurenti, Syn. Rept. 1768, 42 & 151.
maculosa Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2731.
maculosus Stenocorus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 296.—Cerambyx.
maculosa Sylvia (Gm.), J. Latham, Index Orn. 1790, 536.—Motacilla.
maculosa Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
maculosus Trochilus, G. A. Suckow, Naturg. II [1] 1800, 678.
maculosus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
maculosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
maculosa Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.
maculosa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
madagarensis Tetrao, J. A. Scopoli, Del. Insub. II. 1786, 93.
madagascariensis Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 179.
madagascariensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
madagascariensis Aye-Aye, B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.
madagascariensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
madagascariensis Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 379.
madagascariensis Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 416.
madagascariensis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3419.

- madagascariensis Daubentonia (Gm.), Geoffroy, Décad. phil. litt., no. 28 (10 pluviöse, An III) 29 Jan. 1795, 195.—Sciurus.
- madagascariensis Erinaeus, E. A. W. Zimmermann, Spec. Zool. 1777, 503.
- madagascariensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 75.
- madagascariensis Langaha, J. A. Donndorff, Zool. Beyt. III. 1798, 223.
- madagascariensis Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
- madagascariensis Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 300.
- madagascariensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 952.
- madagascariensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 981.
- madagascariensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 940.
- madagascariensis Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 82.
- madagascariensis Numenius (L.), J. Latham, Index Orn. 1790, 710.—Scolopax.
- madagascariensis Perdix (Gm.), J. Latham, Index Orn. 1790, 645.—Tetrao.
- madagascariensis Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 152.
- madagascariensis Scolopax, Linnaeus, Syst. Nat., ed. 12, 1766, 242.
- madagascariensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 507.—Motacilla.
- madagascariensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 533.—Motacilla.
- madagascariensis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
- madagascariensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 756.
- madagascariensis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 139.
- madagascariensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 823.
- madagascariensis Upupa, J. Latham, Index Orn. 1790, 282.
- madagascarina Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 306.
- madarensis *v.* maderensis.
- madarogaster Simia, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 176.
- maderae Blatta, J. C. Fabricius, Spec. Ins. I. 1781, 341.
- maderae Carabus, J. C. Fabricius, Syst. Ent. 1775, 237.
- maderaspatana Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 700.
- maderaspatana Gallinula (Gm.), J. Latham, Index Orn. 1790, 767.—Fulica.
- madraspataka Glareola, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795,
- maderaspatana Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334. [11 *u. n.*]
- madraspatanus Rhyncops, T. Pennant in Forster, Ind. Zool. 1781, 42 [*u. n.*].
- madraspataka Scolopax, T. Pennant in Forster, Ind. Zool. 1781, 42 [*u. n.*].
- maderaspatana Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 667.
- madraspataka Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 445.
- maderaspatensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 961.
- maderensis Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1092.—
- madarensis Vipera, J. N. Laurenti, Syn. Rept. 1768, 102. [Vipera.]
- madidus Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
- madida Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 443.
- madransensis Fulica, T. Pennant in Forster, Ind. Zool. 1781, 42 [*u. n.*].
- madraspatanus *v.* maderaspat-.
- Madrepora Linnaeus, Syst. Nat., ed. 10, 1758, 793; ed. 12, 1767, 1272.—Cor.
 “madrepore Helmintholithus.” Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
- madurensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 709.
- maeandrata Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
- Maeandrites J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xvii.—Cor.
- maeandrites Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 794; ed. 12, 1767, 1274
- maeandrites Madrepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3761.
- maecenas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 271.
- maecenas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 306.
- maelbyensis Emberiza, A. Sparman, Mus. Carls. I. 1786, no. xxi.
- maena Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 468.
- Maenas (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
- maenus (*sic*) Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
- maenas Amygone, O. F. Müller, Entom. 1785, 45.
- maenas Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1043.
- maenas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 347.

- maenas** *Monoculus* (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—
maenas *Papilio*, J. C. Fabricius, Mant. II. 1787, 90. [Amymone].
maeniata *Phalaena*, Scopoli, Ent. Carn. 1763, 226.
maenus *v. maenas*.
maera *Papilio* (*Nymphalis*), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 771.
maerula *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 479.
maerula *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 212.
maestingella *Phalaena* (*Tinea*), O. F. Müller, F. Ins. Frid. 1764, 58.
maevius *Hesperia*, J. C. Fabricius, Ent. Syst. III (1) 1793, 352.
mafan *Conus*, F. C. Meuschen, Mus. Gever. 1787, 356.
magdalenae *Nerita*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3677.
magellanica *Anas*, A. Sparrman, Mus. Carls. II. 1787, no. xxxvii.
magellanica *Anas*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
magellanicus *Anser*, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 117.
magellanica *Aptenodytes*, J. R. Forster, Comm. Soc. R. Sci. Gött. III. 1781, 134.
magellanica *Arca*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 100.
magellanica *Cavia*, R. Kerr, Anim. Kingd. 1792, 220.
magellanicus *Chiton*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3204.
magellanicus *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 632.
magellanica *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 979.
magellanicus *Murex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
magellanicus *Mytilus*, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
magellanica *Neptunea* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 116.—*Murex*.
magellanica *Ostrea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3317.
magellanica *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
magellanicus *Pelecanus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
magellanica *Perna*, A. J. Retzius, Diss. Nova Test. Gen. 1788, 20.
magellanica *Pinguinaria* (Forst.), G. Shaw in Miller, Cim. Phys. 1796, 67.—*Aptenodytes*.
magellanica *Pterygia*, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
magellanica *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 528.—*Motacilla*.
magellanica *Voluta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3465.
magellanicus *Vultur*, G. Shaw, Mus. Lever. I. 1792, 1.
magellanicus *Mytilus*, F. C. Meuschen, Mus. Gever. 1787, 466.
magneticum *Amusium*, J. F. Bolten, Mus. Bolten. (2) 1798, 165.
magnicornis *Lygaeus*, J. C. Fabricius, Ent. Syst. IV. 1794, 168.
magnificalis *Pyralis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 18.
magnifica *Amphisbaena*, J. N. Laurenti, Syn. Rept. 1768, 66.
magnifica *Paradisea*, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
magnifica *Paradisea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 401.
magnificus *Psittacus*, G. Shaw, Nat. Misc. II. 1790, pl. 50.
magnifica *Tubularia*, G. Shaw, Tr. Linn. Soc. [Lond.], V. 1800, 228.
magnipes *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2142.
magnirostris *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 282.
magna *Alauda*, Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 289.
magnum *Buccinum*, E. M. da Costa, Brit. Conch. 1778, 120.
magnum *Cardium*, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
magna *Chama*, E. M. da Costa, Brit. Conch. 1778, 230.
magna *Lithosia*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.
magna *Motacilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
magna *Phalaena* *Noctua*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2544.
magnus *Psittacus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 344.
magna *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 525.—*Motacilla*.
magna *Taenia*, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 50.
magna *Tanagra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 890.
magna *Tellina*, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 76.
magna *Upupa*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 468.
magnus *Vespertilio*, J. Berkenhout, Syn. N. H. Gt. Brit. I. 1789, 1.
maguari *Ardea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 623.

- magus** Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 85.—Trochus.
magus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1171.
magus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 49.—Conus.
magus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 223.
magus Sirex, J. C. Fabricius, Mant. I. 1787, 257.
magus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
mahia Zonitis, J. G. Hübner, Naturforscher, XXIV. 1789, 44.
mahsena Sciaena, P. Forskal, Descr. Anim. 1775, 52.
 "Maia, Briss. 1760," Waterh.; not used in a generic sense.
maia *v.* **maja**.
maimon Cynocephalus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
maimon Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus, 1775.
maimon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 349.
maimon Papilio, J. C. Fabricius, Syst. Ent. 1775, 534.
maimon Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 17.—Simia.
maimon Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 10.
maimon Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 35.
maimon Simia (Papio) L., R. Kerr, Anim. Kingd. 1792, 61.
 "Mainatus, Briss. 1760," Waterh.; not used in a generic sense.
maiolis Meloe, *err. pro* majalis, L., J. C. Fabricius, Mant. I. 1787, 215.
maior *v.* **major**.
maiorum Apis, *id. ac* mniorum, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790.
maja Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1046. [2783].
maja Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 323.
maja Inachus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 358.—Cancer.
maja Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 301.
maja Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
maja Papilio, J. C. Fabricius, Syst. Ent. 1775, 512.
maja [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 39.
maja Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 138.
maja Parthenope (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 354.—Cancer.
maia Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 42.
maja [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 3.
maja Zygaena, J. C. Fabricius, Mant. II. 1787, 106.
majalis Cobitis, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 12.
majalis Curculio, G. Paykull, Mon. Curc. 1792, 60.
majalis Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.
majalis Phalaena, Scopoli, Ent. Carn. 1763, 242.
majalis Proscarabaeus (L.), F. v. P. Schrank, Ins. Aust. 1781, 225.—Meloe.
majalis Scarabaeus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 289.
major Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 236.
major Bombylius, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1009.
major Bombyx, J. C. Fabricius, Syst. Ent. 1775, 560.
major Byrrhus, [D. H. Schneider], Nom. Ent. 1785, 5 [n. n.].
major Colymbus, P. Boddaert, Tab. Planch. Enl. 1783, 24.
major Crotophaga, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 363.
major Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 81.
major Draco, J. N. Laurenti, Syn. Rept. 1768, 50.
major Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
major Eurychora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
major Forficula, C. de Geer, Mém. Ins. III. 1773, 545.
major Gallinula, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 248.
major Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
major Hister, Linnaeus, Syst. Nat., ed. 12, 1767, 566.
major Machla, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
major Nautilus, P. Forskal, Descr. Anim. 1775, 140.
major Necydalis, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 641.
major Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 189; ed. 12, 1766, 341.

- major Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 176.
major Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
major Sitta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 442.
major Spalax, J. C. P. Erxleben, Syst. Anim. 1777, 377.
major Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 18.
major Stratiomys, F. v. P. Schrank, Briefe Donaumoor, 1795, 146.
major Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 767.
majorella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
majus Anobium, F. v. P. Schrank, F. Boica, I. 1798, 539.
majus Gymnopteron (Laich.), F. v. P. Schrank, F. Boica, I. 1798, 688.—Necydalis major.
makawuanna Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 314.
malabarica Alauda, J. A. Scopoli, Del. Insub. II. 1786, 94.
malabarica Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 795.
malabaricus Alphaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 405.—Astacus, 1775.
malabarica Ampelis, J. A. Scopoli, Del. Insub. II. 1786, 95.
malabarica Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
malabaricus Astacus, J. C. Fabricius, Syst. Ent. 1775, 415.
malabaricus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 359.
malabaricus Buceros, R. Kerr, Anim. Kingd. 1792, 622; *varr.* lathami, sonnerati.
malabaricus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—
Astacus.
malabaricus Cancer (Astacus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 79.—
malabaricus (*sic*) Charadrius, P. Boddaert, Tab. Planch. Enl. 1783, 53. [Astacus.
malabaricus Cimex, J. C. Fabricius, Syst. Ent. 1775, 718.
malabaricus Clupea, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 115.
malabarica Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 779.
malabaricus Crangon, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus, 1775.
malabaricus Esox, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 149.
malabarica Gracula (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 289.—Turdus.
malabaricus Lanius, J. Latham, Index Orn. 1790, 66.
malabarica Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 305.
malabaricus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 151.—Cimex, 1775.
malabarica Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 96.
malabaricus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1012.
malabaricus Sciurus, J. A. Scopoli, Del. Insub. II. 1786, 85.
malabaricus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
malabaricus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 837.
malacca Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 302.
malacanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 645.
malaccensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 643.
malaccensis Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
malaccensis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1691.
malaccensis Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 788.
malaccensis Erinaceus, Linnaeus, Syst. Nat., ed. 12, 1766, 75.
malaccensis Hystrix, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 3
malaccensis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684. [*n. n.*].
malaccensis Pavo, J. A. Scopoli, Del. Insub. II. 1786, 93.
malaccensis Picus, J. Latham, Index Orn. 1790, 241.
malaccensis Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
malaccensis Psittacus, J. Latham, Index Orn. 1790, 130.
malaccensis Turdus, J. A. Scopoli, Del. Insub. II. 1786, 95.
malaccensis Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 92.
Malachius J. C. Fabricius, Syst. Ent. 1775, 207.—Col.
malachura Muscicapa, T. Davies, Tr. Linn. Soc. [Lond.], IV. 1798, 242.
Malacopteryx J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].—Col.
malacorhynchus Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 526.
malapterus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 29.
malarthrum A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 257.—Cor.

- m-album** Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 50.
malchus Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 225. [*n. n.*]
maldivarum Glareola, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11
maldivus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 644.
mali Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
mali Bombyx, C. de Villers, Linn. Ent. IV. 1789, 447.
mali Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 434.—*moli errore* Mant. II. 1787,
mali Coccus, F. v. P. Schrank, Ins. Aust. 1781, 295. [115].
mali Curculio, J. C. Fabricius, Spec. Ins. II. 1781, 499.
mali Curculio, J. C. Fabricius, Mant. I. 1787, 122. [Bombyx.
mali Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 468.—
malifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
maligna Formica, P. Forskal, Descr. Anim. 1775, 84.
malletella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 333.
malletina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 276.
malletinaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 323.
Malleus Lamarck, Mem. Soc. H. N. Paris, 1799, 82.—L.
malleus Alysseminthus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 274.
malleus Avicula (L.), G. Cuvier, Tab. Elém. 1798, 423.—Ostrea.
malleus Malleus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—Ostrea.
malleus Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1147.
malleus Pinctada (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 167.—Ostrea.
malleus Riparia (L.), F. C. Meuschen, Mus. Gever. 1787, 468.—Ostrea.
malleus Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 383.
malleus Vibrio, O. F. Müller, Verm. I (1) 1773, 47.
malma Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 66.
maloninus Tetrao, P. Boddaert, Tab. Planch. Enl. 1783, 13.
malphigii Aranea, Scopoli, Ent. Carn. 1763, 396.
malpolon Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 106.
malum Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
malvae Altica, A. F. de Fourcroy, Ent. Paris. 1785, 97.
malvae Altica, F. v. P. Schrank, F. Boica, I. 1798, 563.
malvae Apis, P. Rossi, Fauna Etrus. II. 1790, 107.
malvae Attelabus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.—Curculio.
malvae Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 109.
malvae Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.
malvae Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 350.—Papilio.
malvae Papilio, Linnaeus, Reise Schwed. (ed. Schreber) I. 1764, 6.
malvae Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
malvae Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 138, sign. I 5.—
mambrica Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 95. [Attelabus.
mambricus Hircus (Linn.), P. Boddaert, Elench. 1785, 146.—Capra.
mamers [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 16.
mamerta [Papilio], C. Stoll in Cramer, Util. Kapellen, IV (28) 1780, 75.
Mammaria O. F. Müller, Z. Dan. Prod. 1776, xxviii & 224.—Med.
Mammaria A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 264.—Med.
mammarius Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
mammata Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
mammata Aranea, C. de Geer, Mém. Ins. VII. 1778, 318.
mammata Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
mammilla Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
mammilla Ascidia, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 52.
mamilla Leucophra, O. F. Müller, An. Infus. 1786, 141.
mamilla Mammaria, O. F. Müller, Z. Dan. Prod. 1776, 224.
mamilla Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
mamilla Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
mammilla Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 53.
mammilla Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1252.

- mammilla* Neritaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 274.—Nerita.
mamillarlis Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
mamillarlis Ascidia, P. S. Pallas, Spic. Zool. X. 1774, 24.
mammillarlis Astroites, J. E. I. Walch, Naturforscher, V. 1775, 50.
mammillarlis Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 465.
mammillarlis Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1246.
mammillarlis Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 131.—Astroites.
mamillarlis Nerita (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 129.—
 Helix.
mammillarlis Orithuja (Fab.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
mammillarlis Orithyia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 363.—Cancer, 1793.
mammillarlis Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
mammillarlis Patella, F. C. Meuschen, Mus. Gever. 1787, 244, no. 77.
mammillata Cidaris (Linn.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 121.—
mammillatus Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90. [Echinus.
mamillatus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1103.
mamillata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 73.
mamillosum Alcyonium, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 179.
mammonteus Elephas, G. Cuvier, Mém. Inst. [Paris], II (1798), 21.
mammula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.—[P. *mammillarlis*, Gm.]
Mammut J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 698.—M.
Manacus M. J. Brisson, Ornith. IV. 1760, 442.—A.
Manacus P. S. Pallas, Spic. Zool. (6) 1769, 8.—A.
manacus Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 340.
Manati P. Boddaert, Elench. 1785, 173.—M.
Manatus M. T. Brünnich, Fund. Zool. 1772, 38.—M.
Manatus G. C. C. Storr, Prod. 1780, 41 & tab. c.—M.
manatus Trichechus, Linnaeus, Syst. Nat., ed. 10, 1758, 34; ed. 12, 1766, 49.
manatus Trichechus, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 60; & *varr.*
australis & *borealis*.
mancinella Drupa (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 56.—Murex.
mancinella Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1219.
mancinella Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
manca Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
manca Perca, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 349.
mancus Pleuronectes, P. M. A. Broussonet, Ichth. 1782.
mandana [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 142.
mandane Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 183.
mandarina Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 14.
mandarina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 311.
mandator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
mandator Ichneumon, J. C. Fabricius, Mant. I. 1787, 266.
mandril Papio, J. F. Blumenbach, Handb. Naturg. 1779, 68.
manduco Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
manducus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 33.
manetou Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
mangiferae Curculio, J. C. Fabricius, Syst. Ent. 1775, 139.
mango Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 191.
mangos Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
 "Mangusta, Cuv. 1797," Ag.; does not occur.
manguste Viverra, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 286.
manicatus Acarus, L. Bosc, Mag. encyclop. 1796, II (5), 26.
manicata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 958.
manicata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 334.
manicata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 275.
manicata Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
manifestator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 934.
manilatus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 52.

- manilia [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 109.
 manillensis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 523.
 manillensis Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 361.
 manillensis Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
 manillensis Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 221.
 manillensis Lanius, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
 manillensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
 manillensis Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
 manillensis Perdix (Gm.), J. Latham, Index Orn. 1790, 655.—Tetrao.
 manillensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 434.
 manillensis Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 649.
 manillensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
 manillensis Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
 manillensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 833.
 manipularis Bupresis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 134.
 Manis Linnaeus, Syst. Nat., ed. 10, 1758, 36; ed. 12, 1766, 52.—M.
 Manis B. G. E. de Lacépède, Tabl. Mamm. 1799, 12.—M.
 manlia Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 216.—Phalaena.
 manlius Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 422.
 manlia [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 144.
 mannifica Cicada, P. Forskal, Descr. Anim. 1775, xxiii.
 mannus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 69.
 mano Musca, M. Harris, Exp. Eng. Ins. 1776, 142.
 manophoros Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 76.
 manophorus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
 mansuetus Anas, J. Berkenhout, Syn. N. H. Gt. Brit. I. 1789, 19.
 mantata Phalaena, *id. ac* manto, Cram., J. C. Fabricius, Gen. Ins. 1777, 287.
 Mantellum J. F. Bolten, Mus. Bolten. (2) 1798, 160.—L.
 Mantes, *v.* Mantis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 399.—Or.
 mantes Musca, M. Harris, Exp. Eng. Ins. 1776, 148.
 manticata Sphex, P. S. Pallas, Reise Russ. I. 1771, 473.
 Manticora J. C. Fabricius, Spec. Ins. I. 1781, 320.—Col.
 mantiformis Asilus, G. Cuvier, Mag. encyclop. I (2) 1795, 205.
 Mantis *v.* Gryllus.
 Mantis Linnaeus, Syst. Nat., ed. 12, 1767, 689.—Or.
 Mantis Linnaeus, Mant. II. 1771, 542.—Cr.
 mantis Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 417.—Cancer.
 mantis Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1054.
 mantis Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 190.
 mantis Gryllus, P. Forskal, Descr. Anim. 1775, xxii.
 mantis Musca, C. de Geer, Mém. Ins. VI. 1776, 143.
 mantis Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 533.—Cancer.
 Mantispa Illiger in Kugelann, Käfer Preuss. 1798, 499.—Neur.
 mantispa Raphidia, Linnaeus, Syst. Nat., ed. 12, 1767, 916.
 mantispus Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 112.
 manto Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
 manto [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 15.
 manturna Phalaena, Hufnagel, Berl. Mag. III. 1767, 406.
 mantus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 306.—Papilio.
 mantus [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 74.
 manubrium Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
 manubrium Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 149.
 Manucodia P. Boddart, Tabl. Planches Enlum. 1783, 39.—A.
 "Manucodiata, Briss. 1760," Ag.; not used in a generic sense.
 manul Felis, P. S. Pallas, Reise Russ. III. 1776, 692.
 manus Lepus, *err. pro* nanus, J. C. D. Schreber, Säugth. IV., index, p. 935 (1792).
 manus Spongia, N. Mohr, Island. Nat. 1786, 143.
 manus·diaboli Alcyonium, Linnaeus, Syst. Nat., ed. 12, 1767, 1296.

- mappa Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 718 ; ed. 12, 1767, 1173.
 mappa Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 406.—Cypraea.
 "mappalis Graptolithus," Linnaeus, Syst. Nat., ed. 12, III, 1768, 173.
 napurita (*sic*) Viverra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 32.
 mapurito Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 88.
 maraena }
 maraenae } *v. mur.*
 maraenula }
 marail Penelope, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 734.
 marail Phasianus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 125.
 maraqua Felis, H. F. Link, Beytr. Nat. I (2) 1795, 91.
 marcellina [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 103.
 marcellina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 48.
 marcellus [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 4.
 marcgravii Aranea, Scopoli, Ent. Carn. 1763, 401.
 marggravii Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 80.
 marchiae Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1789, 1731.
 marchicus Anthribus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII, 1797, 167.
 marchicum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII, 1797, 128.
 marchicus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V, 1784, 137.
 marci Attelabus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 237.—Meloe.
 marci Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
 marci Lymexylon (L.), A. G. Olivier, Entom. II, 1790, 4.—Meloe.
 marci Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 681.
 marci Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588 ; ed. 12, 1767, 976.
 marcia Libellula, D. Drury, Ill. Nat. Hist. II, 1773, index & 83.
 marcia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 177.
 marcus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.
 marcus [Papilio], J. G. Schaller, Naturforscher, XXI, 1785, 174.
 marcus Papilio, J. C. Fabricius, Mant. II, 1787, 87.
 mardania [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 36.
 mardania Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 249.
 mareca Anas, J. P. Bonnaterre, Ency. Méth. (Om.) 1790, 152.
 margana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 257.
 margarita Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 709.
 margaritacea Anomia, J. X. Poli, Test. Sicil. II, 1795, 186.
 margaritacea Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 109.
 margaritacea Cassida, J. G. Schaller, Abh. Hallisch. u. Ges. I, 1783, 259.
 margaritaceus Coluber, J. A. Donndorff, Zool. Beyt. III, 1798, 204. [tella, D. & S.
 margaritaceus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—Tinea margari-
 margaritaceum Echionoderma, J. X. Poli, Test. Sicil. II, 1795, 255 & 261.—Anomia
 margaritaceum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93. [of p. 187.
 margaritacea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
 margaritacea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3707.
 margaritacea Phalaena (Noct.), C. de Villers, Linn. Ent. II, 1789, 272.
 margaritaceus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 490.
 margaritaceus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764 ; ed. 12, 1767, 1236.
 margaritaceus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
 margaritalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
 margaritalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11.
 margaritaria Geometra (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 95.—Phal.
 (G.) margaritata.
 margaritaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 13 [*n.*
 margaritaria [Phalaena], C. Clerck, Icones, II, 1764, pl. li. [*et f.*].
 margaritaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 328.
 [margaritatus Araneus, C. Clerck, Aran. Svec. 1757, 130.]
 margaritatus Araneus, T. Martyn, Aranei, 1793, 62.
 margaritata Phalaena, D. Drury, Ill. Nat. Hist. III, 1782, index & 28.

- margaritata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 865.
 margaritella Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
 margaritella Phalaena Tinea, J. Hübner, Beitr. Schmett. I (2) [1787], 28.
 margaritella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
 "Margaritifera, Da Costa, 1776," Scudd.; not used in a Linnaean sense.
 Margaritifera P. Browne, Hist. Jamaica, ed. 2, 1789, 412.—L.
 Margaritifera [G. Humphreys], Mus. Calonn. 1797, 44.—L.
 margaritifera Avicula (L.), G. Cuvier, Tab. Elém. 1798, 423.—Mytilus.
 margaritifera Baphia (L.), F. C. Meuschen, Mus. Gever. 1787, 472.—Mya.
 margaritiferus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 56.
 margaritifera Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1112.
 margaritiferus Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.
 margaritiferus Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 12.
 margaritifera Pinctada (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 166.—Mya.
 margaritifera Rana, J. N. Laurenti, Syn. Rept. 1768, 30.
 margaritifera Riparia (L.), F. C. Meuschen, Mus. Gever. 1787, 470.—Mytilus.
 margaritiferus Unio (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.—Mya.
 Margaritites J. Gesner, Tract. Petref. 1758, 39.—?
 margay Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 29.
 marggravii v. marcgravii.
 marginalis Armadillo, G. Cuvier, J. Nat. Hist. (Choix des Memb.), II. 1792, 30.
 marginalis Bibio, A. F. de Fourcroy, Ent. Paris. 1785, 514.
 marginalis Bruchus, J. C. Fabricius, Gen. Ins. 1777, 212.
 marginalis Buprestis, A. G. Olivier, Entom. II. 1790, 15.
 marginalis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 215.
 marginalis Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 440.
 marginalis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 169.
 marginalis Cicada, Scopoli, Ent. Carn. 1763, 113.
 marginalis Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 70.—Dytiscus.
 marginalis Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
 marginalis Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 14.
 marginalis Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 912.
 marginalis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 414.
 marginalis Ips (Mycetophagus), G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 24.
 marginalis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
 marginalis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 497.
 marginalis Papilio, C.-C. Jung, Alph. Verz. Schmett. II. 1792, 8.
 marginalis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 160.
 marginalis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
 marginalis Phalaena Pylalis, J. Hübner, Beitr. Schmett. I (1) 1786, 17.
 marginalis Pylalis, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
 marginalis Silpha, J. C. Fabricius, Gen. Ins. 1777, 215.
 marginalis Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
 marginalis Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 509.
 marginalis Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
 marginaria Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 9.
 marginaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 80 [2. et
 marginaria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 286. [f].
 marginaria [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 156.
 marginaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 303.
 marginatella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 322.
 marginatorius Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 40.
 marginatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 145.
 marginata Acarus, J. H. Sulzer, Gesch. Ins. 1776, 245.
 marginatus Acarus, C. de Geer, Mém. Ins. VII. 1778, 133.
 marginatus Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 427.
 marginatum Acriidium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 229.
 marginata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 8.—Lagria.

- marginata* Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 338.—Strombus.
marginata Altica, J. C. Fabricius, Syst. Ent. 1775, 822.
marginata Altica, A. F. de Fourcroy, Ent. Paris. 1785, 99.
marginata Andrena, J. C. Fabricius, Gen. Ins. 1777, 246.
marginatus Apate, J. C. Fabricius, Mant. I. 1787, 33.
marginata Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
marginata Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 141 [*n. n.*].
marginata Aranea, C. de Geer, Mém. Ins. VII. 1778, 281.
marginatus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1008.
marginatus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 462.
marginata Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 413.
marginata Blatta, J. C. D. Schreber, Naturforscher, XV. 1781, 88.
marginata Blatta, J. C. Fabricius, Spec. Ins. II. 1781, 502.
marginatus Bombylius, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.
marginatus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 111.—Apate.
marginatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486
marginata Buprestis, O. F. Müller, F. Ins. Frid. 1764, 18.
marginata Buprestis, J. A. Scopoli, Annus V. 1772, 106.
marginatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 49.
marginata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
marginata Buprestis, A. G. Olivier, Entom. II. 1790, 67.
marginata Cantharis, Scopoli, Ent. Carn. 1763, 41.
marginata Cantharis, J. C. Fabricius, Syst. Ent. 1775, 206.
marginata Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
marginatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 670.
marginatus Carabus, Scopoli, Ent. Carn. 1763, 90.
marginatus Carabus, P. S. Pallas, Reise Russ. I. 1771, 464.
marginata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
marginata Cercopis, J. C. Fabricius, Mant. II. 1787, 273.
marginata Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
marginatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 493.
marginatus Cetonia (Drury), J. C. Fabricius, Syst. Ent. 1775, 46.—Scarabaeus.
marginatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 98.
marginata Chama, F. C. Meuschen, Mus. Gever. 1787, 452.
marginata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
marginatus Chiton, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 60.
marginata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
marginata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 132.—Altica, 1775.
marginata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 107.
marginata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
marginata Cicada, Scopoli, Ent. Carn. 1763, 116.
marginata Cicada, Linnaeus, Syst. Nat., ed. 12, I. 1767, 710.
marginata Cicada, C. de Geer, Mém. Ins. III. 1773, 226.
marginata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
marginata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 755.
marginata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 226.
marginata Cicindela, C. de Geer, Mém. Ins. VII. 1778, 629.
marginata Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 769.—Tenthredo.
marginatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 719.
marginatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 201.
marginatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 109.
marginatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 532.
marginata Cistela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 103.
marginata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Crypto-
marginata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 579. [cephalus.
marginata Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 10.
marginata Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 147.
marginata Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 286.

- marginata* Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 115.
marginatus Coreus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 126.—Cimex.
marginatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea marginella,
marginatus Crangon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 410. [D. & S.
marginatus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 140.
marginatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 145.
marginatus Curculio, G. Paykull, Mon. Curc. 1792, 27.
marginatus Dermestes, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 7.
marginatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 218.—Apaté.
marginatus Dermestes, G. Paykull, Faun. Suec., I. 1798, 280.
marginatus Dermestes, G. Paykull, Faun. Suec. I. 1798, 300.
marginata Donacia, D. H. Hoppe, Ins. Elyt. 1795, 42.
marginatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
marginatus Elater, O. F. Müller, Z. Dan. Prod. 1776, 60.
marginatus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 272.
marginata Empis, J. C. Fabricius, Mant. II. 1787, 364.
marginata Ephemera, Linnaeus, Syst. Nat., ed. 12, 1767, 906.
marginatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
marginatus Erotylus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 101.
marginatus Esox, P. Forskal, Descr. Anim. 1775, 67.
marginatus Falco, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 28.
marginata Flata (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada.
marginata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n.n.*]; Essai
marginata Fulgora, J. C. Fabricius, Ent. Syst. IV. 1794, 7. [Fourmis, 1798, 35.
marginata Globosa, F. C. Meuschen, Mus. Gever. 1787, 380.
marginatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
marginata Helix, O. F. Müller, Verm. II. 1774, 41.
marginatus Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 118.
marginatus Helops, J. C. Fabricius, Ent. Syst. IV. 1794, 440.
marginata Hirudo, O. F. Müller, Verm. I (2) 1774, 46.
marginatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
marginatus Involulus, F. v. P. Schrank, F. Boica, I. 1798, 476.
marginatus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
marginata Lagria, J. C. Fabricius, Spec. Ins. I. 1781, 159.
marginatum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
marginata Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
marginata Leptura, C. Allioni, Misc. Taurin. III. 1766, 188.
marginata Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 247.
marginata [Leptura], Giorna, Cal. Ent. 1791, 82.
marginata Libellula, C. de Geer, Mém. Ins. III. 1773, 558.
marginata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 523.
marginatus Limax, O. F. Müller, Verm. II. 1774, 10.
marginata Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 461.—Alucita marginella,
marginata Locusta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 193. [1781.
marginata Lytta, J. C. Fabricius, Syst. Ent. 1775, 260.
marginatus Malachius, F. v. P. Schrank, F. Boica, I. 1798, 585.
marginata Mantis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 191.
marginata Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 28.
marginata Meloe, J. C. Fabricius, Spec. Ins. I. 1781, 328.
marginata Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 14.
marginata Melolontha, A. G. Olivier, Entom. I. 1789, 70.
marginata Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 164.
marginatus Melyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
marginata Membracis, J. C. Fabricius, Mant. II. 1787, 263.
marginata Musca, J. C. Fabricius, Syst. Ent. 1775, 784.
marginata Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 88.
marginata Necydalis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 155.
marginatus Nematelus, J. C. Fabricius, Ent. Syst. IV. 1794, 270.—Stratiomys.

- marginata Verita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3678.
- marginata Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 91.
- marginata Noctua, J. C. Fabricius, Syst. Ent. 1775, 597.
- marginata Noctua, J. C. Fabricius, Syst. Ent. 1775, 610.
- marginata Notonecta, O. F. Müller, Z. Dan. Prod. 1776, 104.
- marginatus Oniscus, C. de Villers, Linn. Ent. IV. 1789, 187.
- marginatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 532.
- marginatum Paramaecium, O. F. Müller, An. Infus. 1786, 92.
- marginata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
- marginata Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 38.
- marginata [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 243.
- marginata Phalaena, *err. pro* emarginata, Linn., J. C. Fabricius, Mant. II. 1787, 200.
- marginata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767, 1780.
- marginata Phalaena (Noctua), O. F. Müller, Z. Dan. Prod. 1776, 120. [870.]
- marginata Phryganea, Linnaeus, Syst. Nat., ed. 12, 1767, 910.
- marginata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 54.
- marginatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
- marginata Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 356.
- marginatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 379.
- marginata Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 148.
- marginatus Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 58.
- marginatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 324.
- marginatus Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 3.
- marginatus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 9.
- marginatus Scarabaeus, Poiret, Obs. sur la Physique, XXXI. 1787, 111.
- marginatus Scarites, J. C. Fabricius, Mant. I. 1787, 206.
- marginata Semblis, J. C. Fabricius, Ent. Syst. II. 1793, 73.
- marginatum Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
- marginata Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
- marginata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Sphaeridium.
- marginatus Solen, R. Pulteney, Cat. Birds, &c., Dorset, 1799, 28.
- marginatum Sphaeridium, J. C. Fabricius, Mant. I. 1787, 43.
- marginatum Sphaeridium, L. G. Scriba, J. Lieb. Ent. II. 1790, 164.
- marginatus Staphylinus, O. F. Müller, F. Ins. Frid. 1764, 23.
- marginatus Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 332.
- marginatus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 266.
- marginatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 169.
- marginata Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 761.
- marginatus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1209.
- marginatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3523.
- marginata Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 125.
- marginatus Tenebrio (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.—
- marginata Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 920. [Scarites.]
- marginata Tenthredo, J. L. Christ, Nat. Ins. 1791, 438.
- marginata Testudo, J. D. Schoepf, Hist. Test. 1793, 52.
- marginata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 508.
- marginata Tritoma, J. C. Fabricius, Ent. Syst. I (2) 1792, 506.
- marginata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
- marginata Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 207.
- Marginella Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—G.
- marginella Alucita, J. C. Fabricius, Spec. Ins. II. 1781, 307.
- marginella Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2793.
- marginella Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 464.
- marginellus Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
- marginellus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
- marginellus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
- marginella Cassida, J. C. Fabricius, Syst. Ent. 1775, 89. [1794, 52.]
- marginella Cercopis, *est* marginata, Mant. II. 274, no. 12; J. C. Fabricius, Ent. Syst. IV.

- marginella Cetonia, J. C. Fabricius, Syst. Ent. 1775, 46.
marginella Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.
marginella Cicada, J. C. Fabricius, Mant. II. 1787, 271.
marginella Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
marginella Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 757.
marginellus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 374.
marginella Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 66.
marginella Coccinella, J. C. Fabricius, Mant. I. 1787, 53.
marginella Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 110.
marginellus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scarabaeus.
marginellus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 616.
marginellus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 193.
marginellus Dermestes, C. Quesnel, Diss. ignotus insectorum species, 1790, 9.
marginellus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 129.
marginellus Elater, *id. ac marginatus*, Fabr., 1781, J. C. Fabricius, Mant. I. 1787, 174.
marginella Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.
marginella Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
marginellus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
marginella Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 346.
marginellus Limax, F. v. P. Schrank, Briefe Donaumoor, 1795, 149.
marginellus Malachius, A. G. Olivier, Entom. II. 1790, 6.
marginella Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 178.
marginellus Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 186.—Cimex, 1781.
marginellus Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
marginella Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.
marginella Musca, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 131.
marginellus Oxyperus, J. C. Fabricius, Ent. Syst. I (2) 1792, 536.—Staphylinus.
marginella Phalaena (Fab.), E. Donovan, Brit. Ins. II. 1793, 58.—Alucita.
marginella Phalaena, Scopoli, Ent. Carn. 1763, 248.
marginella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 504.—Alucita.
marginellus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 21.
marginellus Staphylinus, J. C. Fabricius, Spec. Ins. I. 1781, 337.
marginellus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
marginella Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 117.
marginella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
marginella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 293.
marginellus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
marginella Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 263.
marginemaculata Coccinella, N. J. Brahm, Ins. Kal. I (1) 1790, 30.
marginepunctata Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 260.
marginepunctatus Dytiscus, G. W. F. Panzer, Ins. Germ. heft 14, 1793, tab. 10.
marginenea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
marginenea Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 473.
margininosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 282.
marianne [Papilio], P. Cramer, Utit. Kapellen, III (19) 1779, 41.
mariana Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
marriana (*sic*) [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 113.
marianus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 549.
marica Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 113.
marica Sesia (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 155.—Sphinx.
marica [Sphinx], P. Cramer, Utit. Kapellen, I (2) 1775, 31.
marica Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
maricatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1762.
marila Anas, Linnaeus, Faun. Suec., ed. 2, 1761, 39.
mariland- *v. maryland*-.
marinata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 209.
marinus Acarus, P. S. Pallas, Misc. Zool. 1766, 188.
marinus Acus, P. L. S. Müller, Del. Nat. II. 1767, 141.

- marina* Anguillula, O. F. Müller, An. Infus. 1786, 66.
marinus Ascaris (Linn.) J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.—Gordius.
marinus Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 254.—Oniscus.
marinus Astacus, P. L. S. Müller, Del. Nat., II. 1767, 139.
marinus Astacus, J. C. Fabricius, Syst. Ent. 1775, 413.
marinus Baculus, P. L. S. Müller, Del. Nat. I. 1766, 128.
marinus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 219.
marina Cicindela, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 63.
marinum Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 484.
marinus Cucullanus, O. F. Müller, Z. Dan. I. 1779, 99.
marinus Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 506.—Oniscus.
marinus Dermestes, *err. pro murinus*, L., J. C. Fabricius, Mant. I. 1787, 35.
marina Doris, J. E. Gunnerus, (*ex Baster*), Skrift. Kiob. Selsk. Laerdoms, X. 1770, 170.
marinus Elater, *err. pro murinus*, L., J. C. Fabricius, Mant. I. 1787, 172.
marinus Elephorus, G. Paykull, Faun. Suec. I. 1798, 245.
marina Erica, Besler, P. L. S. Müller, Del. Nat. I. 1766, 127.—? Sertularian.
marinus Esox, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 88.
marinus Gordius, Linnaeus, Syst. Nat., ed. 12, 1767, 1075.
marina Holocentrus (L.), G. A. Suckow, Naturges. IV. 1799, 536.—Perca.
marinus Homarus, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus, 1775.
marina Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—Oniscus.
marinus Larus, Linnaeus; Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 225.
marinus Lepus, P. Forskal, Icones, 1776, 9.
marina Limax, J. E. Gunnerus (*ex Baster*), Skrift. Kiob. Selsk. Laerdoms, X. 1770, 170.
marinus Limax, P. Forskal, Descr. Anim. 1775, 99.
marinus Lumbricus, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1077.
marina Lutra, H. F. Link, Beytr. Nat. I (2) 1795, 84.
marina Medusa, M. Slabber, Nat. Verlust. 1778, 67.
marinus Monoculus, M. Slabber, Nat. Verlust. 1778, 63.
marina Nais, O. Fabricius, F. Groen. 1780, 315.
marinus Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1060.
marinus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2289.
marina Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 483.
marinus Petromyzon, Linnaeus, Syst. Nat., ed. 10, 1758, 230; ed. 12, 1766, 394.
marina Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 310.
marina Phtisica, M. Slabber, Nat. Verlust. 1778, 79.
marina Proboscidea (L.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 98.—Ascaris.
marina Procellaria, J. Latham, Index Orn. 1790, 826.
marina Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 356.
marina Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.
marinus Sol, C. F. Schultze, Verst. Seest. 1760, 51.
marinus Sorex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 114.
marina Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 523.—Oniscus.
marinus Staphylinus, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 65.
marinus Syngnat[h]us, Linnaeus in Hasselquist, Palast. 1762, 446.
marina Testudo, P. Forskal, Descr. Anim. 1775, 12.
marina vulgaris Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
marinus Ursus, P. S. Pallas, Reise Russ. III. 1776, 691.
marinus Vibrio, O. F. Müller, Naturforscher, XIX. 1783, 163.
mariposa Fringilla, J. A. Scopoli, Annus I. 1769, 151.
marisca Ichneumon, M. Houttuyn, Nat. Hist. I (12) 1768, 177.
marisca Sirex, Linnaeus, Faun. Suec., ed. 2, 1761, 397.
maris-rubri Chaetodon, Linnaeus in Hasselquist, Palast. 1762, 379.
maris-rubri Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
maritimus Cimex, Scopoli, Ent. Carn. 1763, 129.
maritimus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 260.
maritimus Mus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 140.
maritima Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 247.

- maritima Musca, Scopoli, Ent. Carn. 1763, 344.
 maritima Podura, N. Poda, Ins. Mus. Graec. 1761, 121.
 maritima Podura, O. Fabricius, F. Groen. 1780, 212.
 maritimus Tabanus, Scopoli, Ent. Carn. 1763, 374.
 maritima Tringa, M. T. Brünnich, Orn. Boreal. 1764, 54.
 maritimus Ursus, J. C. P. Erxleben, Syst. Anim. 1777, 160.
 maritimus Ursus, J. C. D. Schreber, Säugth. III. p. 513 (1777) & pl. cxli (1776).
 marius [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 14.
 marius [Papilio], C. Stoll, Aanhang, Cramer's Utitl. Kapellen, IV. 1790, 137.
 markovichiana Sylpha, M. Piller & L. Mitterpacher, Iter Posege. 1783, 105.
 marmartius Picus, *err. pro martius*, Linn., S. G. Gmelin, Reise Russ. I (1770), 50.
 marmoralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 234.
 marmorana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 477.
 marmorana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 25 [*n. et f.*].
 marmorarius Lamia, [D. H. Schneider], Nom. Ent. 1785, 15 [*n. n.*].
 marmoraria Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
 marmoratella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
 marmoratum Acrydium (Vill.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
 marmoratus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 136.
 marmorata Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 535.
 marmorata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3314.
 marmoratus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 461.
 marmoratus Bufo, J. N. Laurenti, Syn. Rept. 1768, 29.
 marmorata Calappa [Herbst], F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 marmoratus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 261.
 marmorata Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
 marmoratus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
 marmorata Cerambyx (Fab.), A. G. Olivier, Entom. IV. 1795, 124.—Lamia.
 marmorata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 127.
 marmoratus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
 marmorata Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
 marmorata Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 87.
 marmoratus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
 marmorata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 136.
 marmoratus Colus, J. F. Bolten, Mus. Bolten. (2) 1798, 117.
 marmoratus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 583.
 marmoratus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 125.
 marmoratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 425.
 marmoratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 458.
 marmoratum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152 [*n. n.*].
 marmoratus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
 marmorata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 279.
 marmoratus Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 453. [*n. et f.*].
 marmorata Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
 marmorata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
 marmorata Iguana, F. C. Meuschen, Mus. Gronov. 1778, 8.
 marmorata Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
 marmorata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
 marmorata Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 144.
 marmoratus Lophius, G. Shaw, Nat. Misc. V. 1794, pl. 176.
 marmorata Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 101.—Turbo.
 marmorata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
 marmorata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
 marmorata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 474.
 marmorata Nèrita, F. C. Meuschen, Mus. Gever. 1787, 270.
 marmoratus Pecten, F. C. Meuschen, Mus. Gever. 1787, 418.
 marmorata Perna, A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.
 marmorata [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 87.

- marmorata* Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 192.
marmorata Phalaena Geom., J. H. Sulzer, Gesch. Ins. 1776, 161.
marmorata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 385.
marmorata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
marmorata Planaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3094.—
 [Fasciola marmorosa, Müll., est.]
marmorata Salamandra, P. A. Latreille, Salamand. France, 1800, 29 & 33.
marmorata Scolopax, J. Latham, Index Orn. 1790, 720.
marmoratus Seps, J. N. Laurenti, Syn. Rept. 1768, 59.
marmoratus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 160.
marmoratus Synbranchus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 87.
marmorata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
marmoratus Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 458.
marmoratus Tabanus, P. Rossi, Fauna Etrus. II. 1790, 322.
marmorata Tipula, E. L. Geoffroy, Hist. abrégée Insectes, II (2) 1799, 733.
marmoratus Turbinus (L.), F. C. Meuschen, Mus. Gev. 1787, 278.—Turbo.
marmoratus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1234.
marmorata Uria, J. Latham, Index Orn. 1790, 799.
marmorella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
marmorella Tinea, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 125.
marmorella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 488.
 [marmoreus Araneus, C. Clerck, Aran. Svec. 1757, 29.]
marmoreus Cerambix, A. G. Olivier, Entom. IV. 1795, 78.—Lamia, 1792.
marmorea Cetonia, A. G. Olivier, Entom. I. 1789, 17.
marmoreus Chiton, O. Fabricius, F. Groen. 1780, 420.
marmoreus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 534.
marmoreus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 712; ed. 12, 1767, 1165.
marmoreus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 38.—Conus
marmoreus Curculio, F. v. P. Schrank, F. Boica, I. 1798, 500.
marmoreus Dytiscus, A. G. Olivier, Entom. III. 1795, 27.
marmoreum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93.
marmoreus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
marmorea Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 461.
marmoreus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 12.
marmorea Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 445.
marmorea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
marmorea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
marmorides [Phalaena], P. Cramer, Utl. Kapellen, I (2) 1775, 25.
marmorinaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (8) 1800, 205.
 "marmoris Ichthyolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
marmorosa Fasciola, O. F. Müller, Verm. I (2) 1774, 71.
marmorosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 424.
marmorosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (49), 1798, 427.
marmorosa Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
Marmota J. F. Blumenbach, Handb. Naturg. 1779, 79.—M.
marmota Arctomys (Linn.), J. C. D. Schreber, Säugth. IV. 722 (1782), pl. ccvii (1780).—
marmota Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 358.—Mus. [Mus.
marmota Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
marmota Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 60; ed. 12, 1766, 81.
maro Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 432.
maroccanus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 378.
maroccanum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 495.
maroccana Cidarid, F. C. Meuschen, Mus. Gev. 1787, 482.
maroccanus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 529.
maroccana Ephemera, J. C. Fabricius, Ent. Syst. II. 1793, 69.
maroccanus Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 121.—Murex maroccensis.
maroccanus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 163.
maroccana Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.

- marocensis* Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
marochiensis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
marphisa Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 105.
marriana v. *mariana*.
mars Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 265.
mars Papilio, J. C. Fabricius, Gen. Ins. 1777, 268.
mars Anas, *id. ac mersa*, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 52.
marshami Chrysomela, E. Donovan, Brit. Ins. VIII. 1799, 83.
marsigli Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
Marsupiale G. Edwards in M. Catesby, Carol. I. 1771, xxix.—M.
marsupialis Antilope, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 427.
marsupialis Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 54; ed. 12, 1766, 71.
marsupiale Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
marsupialis Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
marsupialis Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
marsyas Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.
marsyas Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 272.—Papilio.
marsyas Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 788.
marsyas Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 140.
“*Martes*, Cuv. 1797,” Ag.; does not occur.
martes Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 67.
martha Papilio, J. C. Fabricius, Mant. II. 1787, 56.
marthesia [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 143.
marthesia [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 127.
martialis Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 237.
martinetana Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
martini Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
martinicensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 909.
martinicensis Fulica, *err. pro martinica*, L., J. F. E. v. Jacquin, Beyt. Gesch. Vögel, martinicensis Lacerta, G. A. Suckow, Naturges. III. 1798, 139. [1784, 12.
martinica Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
martinica Fulica, Linnaeus, Syst. Nat., ed. 12, 1766, 258.
martinica Gallinula (L.), J. Latham, Index Orn. 1790, 769.—Fulica.
martinica Muscipapa, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
martinia Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 278.
martinius Cryptocephalus (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
martis Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 8. [1710.—Chrysomela.
martis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
martia Musca, J. A. Scopoli, Ent. Carn. 1763, 327.
martius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 219.
martia [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 31.
martia Phryganea, J. A. Scopoli, Ent. Carn. 1763, 268.
martius Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 112; ed. 12, 1766, 173.
marylandica Apis, J. C. Fabricius, Suppl. Ent. Syst. 1768, 273. [Stenocorus.
marylandicum Callidium (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 250.—
marylandica Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 274.
marilandicus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
1859.—Stenocorus.
marilandica Cetonia, J. A. Frolich, Naturforscher, XXVI. 1792, 116.
marilandica Coturnix (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 220.
marilandica Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791,
marylandicus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 179. [120.—Stenocorus.
marilandicus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161; ed. 12, 1766, 277.
marilanda Perdix (L.), J. Latham, Index Orn. 1790, 651.—Tetrao marilandicus.
marilandus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.—[marilan-
Masaris J. C. Fabricius, Ent. Syst. II. 1793, 283.—Hym. [dicus, L.]
mascarinus Psittacus, Linnaeus, Mant. II. 1771, 524.
mascarinus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.

- mascarone** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 191.
mascaronus Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 357.—Cancer, 1793 = mascarone, Herbst.
masculella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
masculus Gryllus (Mantis), Linnaeus, Mus. Lud. Ulr. 1764, 115.
masoreta Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
massa Alcyonium, O. F. Müller, Z. Dan. Prod. 1776, 255.
massasa Squalus, P. Forskal, Descr. Anim. 1775, x.
massiliensis Buprestis, C. de Villers, Linn. Ent. I. 1789, 339.
massiliense Callidium (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 267.—Leptura.
massiliensis Cottus, P. Forskal, Descr. Anim. 1775, 24.
massiliensis Cottus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1213.
massiliensis Leptura, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
massiliensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
massiliensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—Motacilla.
Mastacembelus L. T. Gronovius, Zooph. I. 1763, 132.—P.
Mastacembelus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
mastacembelus Ophidium, Banks & Solander in Russell, N. H. Aleppo, ed. 2, II. 1794,
Mastigodes J. G. H. Zeder, 1 Nachtr. Goeze's Naturg. Eingew. 1800, 5.—Ver. [209].
mastios Vespertilio, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 132.
mastos Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 17.
mastrucator Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
mastrucata Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
mat Cimex, P. Rossi, Fauna Etrus. II. 1790, 250.
matadou Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
matamata Testudo, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.), I. 1792, 257.
materna Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 212.—Phalaena.
materna [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 137.
materna Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 840.
mathias Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 433.
matronaria Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 49.
matronula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 584.—Phalaena.
matronula Noctua (L.), E. J. C. Esper, Die Schmett. IV (31) 1787, 44.—Phalaena.
matronula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509; ed. 12, 1767, 835.
matura Phalaena, Hufnagel, Berl. Mag. III. 1767, 414.
maturna Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 784.
Matuta F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Matuta J. C. Fabricius, Suppl. Ent. Syst. 1798, 327.—Cr.
Matuta J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 26.—Cr.
matutinus Ichneumon, J. L. Christ, Nat. Ins. 1791, 338.
matutina Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 31.
mauduyti Falco, F. M. Daudin, Traité élém. Orn. 1800, 73.
maulica Chrysomela, G. I. Molina, Sag. stor. nat. Chili, 1782, 209.
maulina Arctomys (Mol.), R. Kerr, Anim. Kingd. 1792, 254.—Mus.
maulinus Mus, G. I. Molina, Sag. stor. nat. Chili, 1782, 302.
maurella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
maurita Simia, M. T. Brunnich, Dyr. Hist. 1782, 21.
mauritanica Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[Lampyrus, ed. 12.]
mauritanicus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.
mauritanicus Cordylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
mauritanica Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 361.
mauritanica Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
mauritanica SpheX, Linnaeus, Syst. Nat., ed. 12, 1767, 946.
mauritanicus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 674.
mauritanica Trogossita (L.), A. G. Olivier, Entom. II. 1790, 6.—Tenebrio.
mauritanus Bombylius (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 330.—Tabanus.
mauritanus Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 999.
mauritanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 703.

- mauritiana* Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
mauritiana Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 981.
mauritaniana Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 406.—Cypraea.
mauritiana Sylvia (Gm.), J. Latham, Index Orn. 1790, 534.—Motacilla.
mauritianus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
mauritianus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 822.
mauritiu Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 109.
mauritiu Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 68.
mauritua [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 105.
maurosparus Sparus, J. A. Donndorff, Zool. Beyt. III. 1798, 442.
maura Anthrax (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 258.—Musca.
maurus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 605; ed. 12, 1767, 1006.
maura Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 758.—Musca.
maurus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
maurus Bombylius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
maurus Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
maura Buprestis, A. G. Olivier, Entom. II. 1790, 19.
maura Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 216.
maurus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 54.
maura Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 41.—Simia.
maura Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
maura Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 658.
maura Cidaris, F. C. Meuschen, Mus. Gever. 1787, 484.
maurus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 716.
maura Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
maurus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
maurus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 122.
maura Empis, J. C. Fabricius, Gen. Ins. 1777, 309.
maura Helops, J. C. Fabricius, Spec. Ins. I. 1781, 325.
maura Meloe, P. S. Pallas, Icon. Ins., 1782, 93.
maura Melolontha (Fab.), A. G. Olivier, Entom. I. 1789, 38.—Scarabaeus.
maura Motacilla, P. S. Pallas, Reise Russ. II. 1773, 708.
maura Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 981.
maura Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 583; ed. 12, 1767, 967.
maurus Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 191.—Musca.
maura Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 604.—Phalaena.
maurus Papilio Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1797], 75.
maura Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 843.
maura Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
maurus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—SpheX, 1787.
maurus Reduvius, J. C. Fabricius, Syst. Ent. 1775, 732.
maurus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
maura Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 233.
maurus Scorpio, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.
maura Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360.
maura Simia, J. C. D. Schreber, Säugth. I. 107 (1774), pl. xxiiB (1774).
maurus Simia (Cercop.) Schr., R. Kerr, Anim. Kingd. 1792, 72.
maura SpheX, J. C. Fabricius, Mant. I. 1787, 276.
maura Sylvia (Pall.), J. Latham, Index Orn., 1790, 526.—Motacilla.
maurus Tenebrio, *id. ac* mauritanicus, L., C. de Geer, Mém. Ins. V. 1775, 52.
maura Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 116.
maurus Trox (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 26.—Scarabaeus.
mauis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 141.
maxillaris Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
maxillosa Andrena (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
maxillosa Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 954.
maxillosa Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 411.
maxillosus Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.

- maxillosus Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 177.
 maxillosus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
 maxillosus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 298.
 maxillosus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
 maxillosus Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 86.
 maxillosus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 84.
 maxillosus Cerambix, A. G. Olivier, Entom. IV. 1795, 52.
 maxillosa Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 32.—Cryptocephalus.
 maxillosus Cryptocephalus, J. C. Fabricius, Spec. Ins. I. 1781, 139.
 maxillosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 472.
 maxillosa Formica, C. de Geer, Mém. Ins. III. 1773, 601.
 maxillosa Formica, J. C. Fabricius, Syst. Ent. 1775, 396. [Locusta.
 maxillosus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—
 Hemerobius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 194.
 maxillosus Hister, D. Drury, Ill. Nat. Hist. III. 1782, index & 71.
 maxillosus Hylaesus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 303.—Apis.
 maxillosa Locusta, J. C. Fabricius, Syst. Ent. 1775, 284.
 maxillosa Manticora, J. C. Fabricius, Spec. Ins. I. 1781, 320.
 maxillosus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 531.
 maxillosus Prionus (Drury), J. C. Fabricius, Syst. Ent. 1775, 163.—Cerambyx.
 maxillosus Scarus, B. Zouiew, Acta Ac. Sci. Petrop. 1779 (1) 1782, 230.
 maxillosa Sphecx, Poirct, Obs. sur la Physique, XXX. 1787, 244.
 maxillosus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.
 maxillosus Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
 maxillosa Vespa, C. de Geer, Mém. Ins. III. 1773, 577.
 maxima Alcedo, P. S. Pallas, Spic. Zool. VI. 1769, 14.
 maxima Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 455.
 maxima Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 179.—Salpa.
 maximus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 163.
 maximus Caprimulgus, G. Shaw, Mus. Lever. I. 1792, 136.
 maximus Colymbus, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 125.
 maximus Corvus, J. A. Scopoli, Annus I. 1769, 34.
 maximus Cylinder (*et* Cylindus), P. L. S. Müller, Del. Nat. I. 1766, 129.
 maximus Dasypus, R. Kerr, Anim. Kingd. 1792, 112.
 maximus Elater, J. H. Sulzer, Gesch. Ins. 1776, 52.
 maximus Elephas, Linnaeus, Syst. Nat., ed. 10, 1758, 33; ed. 12, 1766, 48.
 maxima Fistularia, P. Forskal, Descr. Anim. 1775, 121.
 maxima Forficula, C. de Villers, Linn. Ent. I. 1789, 427.
 maximus Hister, Linnaeus, Syst. Nat., ed. 12, 1767, 566.
 maxima Holothuria (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3142.—
 maximus Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 640; ed. 12, 1767, 1066. [Fistularia.
 maximus Labrus, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
 maximus Labrus, J. J. Walbaum, Arctedi, Ichth. (3), ed. 2, 1792, 261.
 maximus Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.
 maxima Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
 maximus Merops, J. A. Scopoli, Del. Insub. II. 1786, 90.
 maxima Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
 maxima Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
 maximus Pecten (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 248.—Ostrea.
 maximus Pediculus, Scopoli, Ent. Carn. 1763, 382.
 maxima Phryganea, Scopoli, Ent. Carn. 1763, 269.
 maximus Physeter, G. Cuvier, Tab. Elém. 1798, 176.
 maximus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 459.
 maxima Rana, J. N. Laurenti, Syn. Rept. 1768, 32.
 maxima Salpa, P. Forskal, Descr. Anim. 1775, 112.
 maximus Sciurus, J. C. D. Schreber, Säugth. IV. 784 (1785); pl. ccxvii B (1784).
 maximus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
 maximus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.

- maximus** Squalus, Linnaeus, Syst. Nat., ed. 12, 1766, 400.
maximus Syngnathus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 7.
maxima Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 121.
maxima Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
maxima Tipula, N. Poda, Ins. Mus. Græc. 1761, 113.
maxima Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 171.
maximus Trochilus, D. L. G. Karsten, Mus. Leske, I. 1789, xvii.
[maximus] Xanthornus, P. S. Pallas, Spic. Zool. VI. 1769, 3.
mayeri Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2211.
maynana Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
maynanensis Bucco, J. Latham, Index Orn. 1790, 203.
mays Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 329.
mazame Cervus, R. Kerr, Anim. Kingd. 1792, 303.
Mazocraes J. Hermann, Naturforscher, XVII. 1782, 182.—Ver.
mazzotella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 54.
meander [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 17.
Meandrites G. Cuvier, Tab. Élém. 1798, 677.—See **Maendrites**.—Cor.
means Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
medarda [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 107.
medea Papilio, P. Cramer, Uitl. Kapellen, I (7) 1775, 128.
medea Papilio, J. C. Fabricius, Syst. Ent. 1775, 508.
medea Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 167.
medea Sphinx, J. C. Fabricius, Spec. Ins. II. 1781, 143.
medialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 225.
mediana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
mediana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 239.—Tortrix.
mediana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
mediatus Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 270.
mediata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 290.
mediata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 293.
mediata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 317.
medicaginis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 16.
medicinalis Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
mediella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 337.
mediella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 19.
mediella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 494.—Alucita, 1794.
mediella Tinea (*ex* Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 15. [Gordius.
medinensis Filaria (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3039.—
medinensis Gordius, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1075.
mediopustulata Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 465.
meditabunda Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
meditabundus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 113.
meditabundus Curculio, J. C. Fabricius, Syst. Ent. 1775, 139.
meditabunda Musca, J. C. Fabricius, Spec. Ins. II. 1781, 444. [13, I. 1790, 2845.
meditalnenda Musca, *err. pro* meditabunda, Fab., J. F. Gmelin in Linn. Syst. Nat., ed.
mediterraneus Blennius (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 457.—
mediterraneum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298. [Gadus.
mediterraneus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 150.
mediterranea Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
mediterraneus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 701.
mediterraneus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 255; ed. 12, 1766, 441.
mediterranea Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 485.
mediterranea Perna, A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.
mediterraneus Spondylus, J. Hermann, Naturforscher, XVI. 1781, 51.
mediterranea Sylvia, J. Latham, Index Orn. 1790, 551.
medius Asilus, O. F. Müller, F. Ins. Frid. 1764, 88.
medius Bombylius, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1009.
media Brachionus, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 54.

- media** Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
medium Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 678; ed. 12, 1767, 1122.
media Copris, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 271.
media Copris, C. Creutzer, Ent. Vers. 1799, 62.
medium Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
medium Fragum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 189.—Cardium.
medium Gymnopterion, F. v. P. Schrank, F. Boica, I. 1798, 689.
media Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
media Machla, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
media Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
medium Phalangium, J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 77.
media Phalaena Bombyx, [D. H. Schneider], Nom. Ent. 1785, 42 [*n. n.*].
medius Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 176.
medius Scarabaeus (Kugel.), G. W. F. Panzer, Ins. Germ. heft 37 [1796], tab. 4.—Copris.
media Scolopax, J. Latham, Syn. Birds, Suppl. I. 1787, 292.
media Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1095.
media Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 679.
medon Papilio, Linnaeus, Amoen. Acad. VI. 1763, 402.
medon Papilio, Hufnagel, Berlin. Mag. II. 1766, 78.
medor [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 215.
medulla Chama, F. C. Meuschen, Mus. Gev. 1787, 456.
medus Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
Medusa Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.—Med.
medusa Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 167.
medusa [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 86.
medusa Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 182.
medusa Sphynx, P. S. Pallas, Reise Russ. I. 1771, 472.
medusa Zygaena (Pall.), Lamarck in Pallas, Voy. Russie (8vo ed.) VIII [1794], 179.—
medusae Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43. [Sphinx].
medusae Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11.
medusarum Cancer, O. F. Müller, Z. Dan. Prod. 1776, 196. [139.—Gammarus.
medusarum Cancer (Gammarellus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793,
medusarum Gammarus (Müll.), J. C. Fabricius, Spec. Ins. I. 1781, 518.—Cancer.
medusarum Oniscus (Müll.), O. Fabricius, F. Groen. 1780, 257.—Cancer.
megacephala Buprestis, R. Townson, Trav. Hungary, 1797, 466.
megacephalus Carabus, P. Rossi, Mant. Ins. II. 1794, 102.
megacephala Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 727.
megacephala Cicindela, A. G. Olivier, Entom. II. 1790, 8.
megacephalus Cimex, P. Rossi, Fauna Etrus. II. 1790, 245.
megacephalus Crabro, P. Rossi, Fauna Etrus. II. 1790, 94.
megacephala Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 103.
megacephala Formica, J. C. Fabricius, Ent. Syst. II. 1793, 361.
megacephala Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 317.
megacephala Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 67.
megacephala Noctua, C. C. Jung (*ex De Geer*), Alph. Verz. Schmett. II. 1792, 16.
megacephalus Syrphus, P. Rossi, Mant. Ins. II. 1794, 63.
megacephalus Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.
megacels [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 85.
megadactyla Alucita [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
megaera Bombyx, J. C. Fabricius, Mant. II. 1787, 109.
megaera Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 771.
megaera Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
megaera Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 401.
megalocephalus Coluber, G. A. Suckow, Naturges. III. 1798, 246.
Megalonyx T. Jefferson, Trans. Amer. Phil. Soc. IV. 1799, 248.—M.
megalorhynchos Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 45.
megalostomus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 380.
Megatherium G. Cuvier, Mag. encyclop. I (3) 1796, 310.—M.

- Megatoma** Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 92.—Col.
megatoma Dermestes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 71.
Meioe *err. pro* Meloe, J. G. Fuessly, Schweiz. Ins. 1775, 20.
melacanthus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 349.
melagaster Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1792, 27.
melagona Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 423.
melaleuca Bombyx, E. J. C. Esper, Die Schmett. III (26) 1788, 324.
melaleucus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 50.
melaleuca Noctua, C. R. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 68.
melaleuca Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 42.
melaleucas Oriolus, A. Sparrman, Mus. Carls. II. 1787, no. xxxi.
melampus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 142.
melampus Papilio, J. C. Fuessly, Schweiz. Ins. 1775, 31.
melampus Scarabaeus, A. G. Olivier, Entom. I. 1789, 49.
melanaetus Aquila (L.), S. Odmann, N. Acta Soc. Sci. Upsal. V. 1792, 53.—Falco.
melanaetus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 124.
melanaetos Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 482.
melanamathos Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
melanarius Carabus, Illiger in Kugelann, Käfer Preuss. 1798, 163.
melanaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 86 [*n. et f.*].
melanaria Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 101. [862.
melanaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767,
melanarla (*sic*) Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 473.—*melanaria*, L., *est.*
melancholica Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 134.
melancholicum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 151.
melancholicus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 54.
melancholica Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 63.
melancholicus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 462.
melancholicus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 139.
melancholica Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180.
melancholicus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 337.—Oriolus.
melancholicus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 163.—[Fringilla, ed. 10.]
melancholica Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 103.
melancholicus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 302. [ed. 1789, 7.]
melancoripha Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 234.—[melancorypha, Fr.,
melancoryphus Anser (Mol.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 108.—Anas.
melander [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 89.
melander [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 141.
melaneus [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 48.
melanea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 130.
Melania Lamarck, Mém. Soc. H. N. Paris, 1799, 75.—G.
melanictera Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 910.
melanictera Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
melanictera Tanagra, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 465.
melanida [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 67.
melanippe [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 139.
melanippus [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 44.
melanis Coluber, P. S. Pallas, Reise Russ. I. 1771, 460.
melanius Musca, M. Harris, Exp. Eng. Ins. 1776, 59.
melania Papilio, J. C. Fabricius, Syst. Ent. 1775, 475.
melanocardius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
melanocephala Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 302.
melanocephala Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2785.
melanocephalus Bombylius, J. C. Fabricius, Ent. Syst. IV 1794, 410.
melanocephalus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
melanocephalus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
melanocephala Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 260.

- melanocephala Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
 melanocephala Cantharis, Creutzer in G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 12.
 melanocephalus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
 melanocephalus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.
 —Saperda.
 melanocephalus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
 melanocephala Chrysomela, C. de Geer, Mém. Ins. V. 1775, 348.
 melanocephala Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 276.
 melanocephalus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 728.
 melanocephalus Cimex, J. C. Fabricius, Syst. Ent. 1775, 716.
 melanocephala Cistela, J. C. Fabricius, Syst. Ent. 1775, 118.
 melanocephalus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
 melanocephala Columba, M. T. Brünnich, Orn. Boreal. 1764, 61.
 melanocephala Columba, T. Pennant, Ind. Zool. [1769], 6.
 melanocephalus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
 melanocephala Coracias, J. Latham, Index Orn. 1790, 172.
 melanocephalus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 241.
 melanocephala Crioceris, J. C. Fabricius, Syst. Ent. 1775, 119.
 melanocephalus Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
 melanocephalus Curculio, C. de Geer, Mém. Ins. V. 1775, 272.
 melanocephalus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 444.
 melanocephalus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 167.
 melanocephalus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
 melanocephalus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 102.—
 melanocephalus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 272. [Latridius.
 melanocephala Emberiza, J. A. Scopoli, Annus I. 1769, 142.
 melanocephala Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 407.
 melanocephala Formica, J. C. Fabricius, Ent. Syst. II. 1793, 353.
 melanocephala Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
 melanocephala Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 699.
 melanocephala Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.—
 melanocephala Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95. [Crioceris.
 melanocephala Gallinula (Gm.), J. Latham, Index Orn. 1790, 768.—Fulica.
 melanocephala Hydrophilus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 127.
 melanocephalus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 400.
 melanocephalus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
 melanocephalus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 309.
 melanocephalus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 9.
 melanocephala Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 305.
 melanocephala Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
 melanocephalus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 540.
 melanocephala Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.
 melanocephala Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 970.
 melanocephala Muscicapa, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
 melanocephala Mutilla, F. v. P. Schrank, Ins. Aust. 1781, 416.
 melanocephala Mutilla, C. de Villers, Linn. Ent. III. 1789, 344.
 melanocephala Necydalis, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 300.
 melanocephala Necydalis, J. C. Fabricius, Ent. Syst. IV. 1794, 453.
 melanocephalus Notoxus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 5.
 melanocephalus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
 melanocephalus Paederus, J. C. Fabricius, Ent. Syst. I (2) 1792, 538.
 melanocephala Pimelia, G. Shaw in Miller, Cim. Phys. 1796, 81.
 melanocephala Pipra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 177.
 melanocephalus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 149.
 melanocephala Saperda, J. C. Fabricius, Mant. I. 1787, 148. [—Melolontha.
 melanocephalus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1562.
 melanocephalus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 173. [Dermestes.
 melanocephala Silpha (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.—

- melanocephalus Silpha, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 596.
 melanocephalum Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 67.—Dermestes.
 melanocephalus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 172.
 melanocephalus Staphylinus, J. C. Fabricius, Mant. I. 1787, 222.
 melanocephala Sylvia (Gm.), J. Latham, Index Orn. 1790, 509.—Motacilla.
 melanocephalus Tantalus, J. Latham, Index Orn. 1790, 709.
 melanocephalus Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 9.—Cantharis.
 melanocephala Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 364.
 melanocephala Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 216.
 melanocephala Tipula, J. C. Fabricius, Mant. II. 1787, 323.
 melanocephalus Turdus, M. Vahl, Skr. nat. Selsk. [Copen.], III (2) 1794, 76.
 melanocephala Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
 melanoceras Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.
 melanochloros Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 427.
 melanochlora Spheg, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
 melanochra Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2657.
 melanochra Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
 melanochra Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
 melanochros Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
 melanochrysos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
 melanochrysa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
 melanochrysa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
 melanogaster Anhinga, T. Pennant, Ind. Zool. [1769], 13.
 melanogaster Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
 melanogaster Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
 melanogaster Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678.
 melanogaster Loxia, J. Latham, Index Orn. 1790, 394.
 melanogaster Plotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 580.
 melanogonos Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
 melanogrammus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
 melanogrammus Curculio, J. R. Forster, N. Sp. Ins. 1771, 36.
 melanogramma Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
 melanogramma Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
 melanoleucus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 406.
 melanoleucus Buceros, H. Lichtenstein, Cat. rerum Nat. I. 1793, 8.
 melanoleucus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
 melanoleucus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 melanoleucus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
 melanoleucus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 416.
 melanoleucus Falco, T. Pennant, Ind. Zool. [1769], 2.
 melanoleuca Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 910.
 melanoleucus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
 melanoleuca Muscicapa, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 468.
 melanoleucus Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
 melanoleuca Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
 melanoleucus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 426.
 melanoleuca Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
 melanoleuca Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
 melanonotus Falco, J. Latham, Index Orn. 1790, 16.
 melanonota Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 487.
 melanope Motacilla, P. S. Pallas, Reise Russ. III. 1776, 696.
 melanopetala Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
 melanophthalmus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
 melanophthalmus Curculio, G. Paykull, Mon. Curc. 1792, 10.
 melanophthalmus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
 melanophthalmos Elater, A. F. de Fourcroy, Ent. Paris. 1785, 39.
 melanophthalmus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 91.
 melanophthalmus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.

- melanophthalma Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 melanophthalmos Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 171.
 melanophthalmus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2027.
 melanophyrra *v.* melanopyrrhus.
 melanopis Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
 melanopis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.
 melanopis Tanagra, J. Latham, Index Orn. 1790, 422.
 melanopis Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 653.
 melanopis Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 322.
 melanopis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 829. [melanopa.
 melanopoda Crioceris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 85.—Chrysomela
 melanops Falco, J. Latham, Index Orn. 1790, 37.
 melanops Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 372.
 melanopsis Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 507.
 melanoptera Ardea, J. M. Bechstein, Latham's Vögel, V. 1796, 79.
 melanoptera Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
 melanopteris Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 melanoptera Columba, G. I. Molina, Sag. stor. nat. Chili, 1782, 236.
 melanopteris Falco, F. M. Daudin, Traité élém. Orn. 1800, 152.
 melanopteris Gobius, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 204.
 melanoptera Gracula, F. M. Daudin, Traité élém. Orn. 1800, 286.
 melanopteris Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767.
 melanopteris Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 402. [697.
 melanopteris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2698.
 melanopteris Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
 melanoptera Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
 melanoptera Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
 melanoptera Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
 melanopteris Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
 melanopteris Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 350.
 melanopa Adimonia (L.), F. v. P. Schrank, F. Boica, I. 1798, 559.—Chrysomela.
 melanopus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 623.
 melanopus Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 601 [pa].
 melanopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
 melanopus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
 melanopa Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 121.—Chrysomela.
 melanopus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
 Chrysomela.
 melanopus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
 melanopa Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
 melanopa Mordella, J. R. Forster, N. Sp. Ins. 1771, 64.
 melanopa Noctua, C. P. Thunberg, Ins. Suecica (2) 1791, 42.
 melanopus Prionus (L.), J. C. Fabricius, Spec. Ins. I. 1781, 208.—Cerambyx.
 melanopus Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 562.
 melanopus Rallus, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
 melanopa Thrips, F. v. P. Schrank, Ins. Aust. 1781, 298.
 melanopyrrha Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
 melanopyrrha Musca, J. R. Forster, N. Sp. Ins. 1771, 98.
 melanopyrrhus Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
 melanorabdotos Calamita, J. G. Schneider, Hist. Amph. I. 1799, 173. [*n. n.*].
 melanorhoea Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
 melanorhous Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
 melanorhynchus Cuculus, P. Boddaert, Tab. Planch. Enl. 1783, 18.
 melanoryncha Mustela, P. Boddaert, Elench. 1785, 88.
 melanorhynchus Phaëton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 582.
 melanosceles Cassida, F. v. P. Schrank, F. Boica, I. 1798, 520.
 melanostictus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 216.
 melanosticta Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2110.

- melanostictos Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
 melanostictus Hemerobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2642.
 melanosticta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
 melanosticta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
 melanosticta Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.
 melanostoma Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 melanostoma Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3674.
 melanostoma Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
 melanostoma Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
 melanotarsus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
 melanotis Felis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 681.
 melanotis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 503.
 melanotos Anser, T. Pennant, Ind. Zool. [1769], 12.
 melanotragus Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 400.
 melanoxanthus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
 melanozonias Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
 melanozonias Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
 melanozonias Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2544.
 melantha Papilio, J. C. Fabricius, Syst. Ent. 1775, 513.
 melanthus [Phalaena], P. Cramer, Uitl. Kapellen, III (24) 1780, 166.
 melanthus [Sphinx], P. Cramer, Uitl. Kapellen, III (21) 1779, 94.
 melanthus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 147.
 melanura Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 9.—Necydalis.
 melanura Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 516.
 melanurus Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 73.
 melanurus Attelabus, Linnaeus, Syst. Nat., ed. 12, 1767, 620.
 melanura Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 651.
 melanura Certhia, A. Sparrman, Mus. Carls. I. 1786, no. v.
 melanura Columba, M. T. Brünnich, Orn. Boreal. 1764, 61.
 melanura Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 22.
 melanurus Gobioides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.
 melanurus Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1201.
 melanurus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
 melanura Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.
 melanura Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 637.
 melanura Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
 melanura Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 853.
 melanura Lytta, [D. H. Schneider], Nom. Ent. 1785, 23 [n. n.].
 melanurus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—Cantharis.
 melanura Meloe, P. S. Pallas, Icon. Ins. 1782, 86.
 melanura Musca, F. v. P. Schrank, Ins. Aust. 1781, 457.
 melanura Mylabris, V. Petagna, Spec. Ins. ult. Calab. 1786, 27.
 melanura Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
 melanurus Notoxus (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.—Attelabus.
 melanura Odacanthus (L.), G. Paykull, Faun. Suec. I. 1798, 169.—Attelabus.
 melanura Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 486.
 melanura Procellaria, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 79.
 melanurus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 104.
 melanurus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 468.
 melanurus Staphylinus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 324.
 melanurus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
 melanurus Telephorus (L.), A. G. Olivier, Entom. II. 1790, 8.—Cantharis.
 melapterus Labrus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 137.
 melas Carabus, C. Creutzer, Ent. Vers. 1799, 114.
 melas Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 166.
 melas Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 191.
 melas Sesia (Cram.), J. C. Fabricius, Gen. Ins. 1777, 274.—Sphinx.
 melas [Sphinx], P. Cramer, Uitl. Kapellen, I (4) 1775, 71.

- Melasis** A. G. Olivier, Entom. II. 1790, 1.—Col.
- melastoma** Alata, F. C. Meuschen, Mus. Gever. 1787, 336.
- melostomus** Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
- melata** Phalaena, *id. ac* milete, Cram., J. C. Fabricius, Gen. Ins. 1777, 291.
- melaura** Anas, J. A. Scopoli, Annus I. 1769, 66.
- melba** Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180; ed. 12, 1766, 319.
- melba** Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 345.
- meleager** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 30.
- meleager** Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
- meleager** Papilio P. R., E. J. C. Esper, Die Schmett. I (9) 1779, 375.
- meleagris** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
- meleagripennella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 69.
- Meleagris** Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 268.—A.
- meleagris** Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 227; ed. 12, 1766, 390.
- meleagris** Cadus, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
- meleagris** Cimex, J. C. Fabricius, Mant. II. 1787, 297.
- meleagris** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 25.
- meleagris** Gallina (Linn.), Linnaeus in Hasselquist, Palast. 1762, 327.—Phasianus.
- meleagris** Kolpoda, O. F. Müller, Verm. I (1) 1773, 59.
- meleagris** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 145.—Cimex, 1787.
- meleagris** Muraena, G. Shaw, Nat. Misc. VII. 1795, pl. 220.
- meleagris** Numida, Linnaeus, Syst. Nat., ed. 12, 1766, 273.
- meleagris** Ostracion, G. Shaw, Nat. Misc. VII. 1796, pl. 253.
- meleagris** [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 102.
- meleagris** Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 158.—[Numida, ed. 12.]
- meleagris** Scarabaeus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 134.
- meleagris** Testudo, G. Shaw, Nat. Misc. IV. 1793, pl. 144.
- meleander** Papilio E. T., Jablonsky, Nat. Ins. (Schmett.) II. 1784, 75.
- Meles** M. J. Brisson, Reg. Anim. 1762, 183.—M.
- Meles** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 462.—M.
- Meles** G. C. C. Storr, Prod. 1780, 34 & tab. A.—M.
- meles** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 466.
- meles** Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 183.
- meles** Ursus, Linnaeus, Syst. Nat., ed. 10, 1758, 48; ed. 12, 1766, 70.
- meles** Ursus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 102; *varr.* alba, maculata.
- meliboeus** Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus, 1792.
- meliboeus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 271.
- meliboeus** Papilio, J. C. Fabricius, Gen. Ins. 1777, 271.
- meliboeus** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 20.
- melicerta** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 34.
- melicerta** [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 38.
- melicerta** Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 46.
- melicerta** Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 86.
- meliloti** Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 14.
- Melina** A. J. Retzius, Diss. Nova Test. Gen. 1788, 22.—L.
- melinus** *v.* mellinus.
- melioratorius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 147.
- melis** Distoma (Schr.), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 194.—
- melis** Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 17. [Fasciola.
- melis** Strongylus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
- melis** Uncinaria (Schrank), J. A. Frolich, Naturforscher, XXIV. 1789, 136.—Strongylus.
- melissa** Papilio, J. C. Fabricius, Syst. Ent. 1775, 513.
- melissa** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 172.
- melissa** Zygaena, J. C. Fabricius, Syst. Ent. 1775, 553.
- melissoctonus** Clerus, F. v. P. Schrank, F. Boica, I. 1798, 514.
- melita** [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 44.
- melitea** Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
- melitaeus** Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 30.

- melite Papilio, Linnaeus, Amoen. Acad. VI. 1763, 403.
 melite [Papilio], C. Clerck, Icones, II. 1764, pl. xlv.
 melitensis Emberiza, Linnaeus in Hasselquist, Palast. 1762, 336.
 melitensis Serpula, F. C. Meuschen, Mus. Gronov. 1778, 48.
 melitensis Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3746.
 melitensis Teredo, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 229.
 melleus Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
 mellea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
 mellifera Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955 [mellifica].
 mellifica Apis, *v.* mellifera, Linnaeus, Syst. Nat., ed. 12, 1766, 955.
 mellinata Geometra, C. de Villers, Linn. Ent. IV. 1789, 508.
 mellinata Phalaena, J. C. Fabricius, Mant. II. 1787, 206.
 Mellinus J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 226.—Hym.
 melinus Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
 melinus Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
 mellina Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 988.
 mellinus Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
 mellina Musca, M. Harris, Exp. Eng. Ins. 1776, 80.
 melina Mustela, R. Kerr, Anim. Kingd. 1792, 183.
 melinum Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
 melinus Strongylus, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 12.
 mellinus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 771.—Musca.
 Mellisuga M. J. Brisson, Ornith. III. 1760, 695.—A.
 Mellisuga B. Merrem, Avium rar. Icones, 1786, 14.—A.
 mellisugus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 192.
 Mellivora G. Edwards in M. Catesby, Carol. I. 1771, 65.—A.
 Mellivora G. C. C. Storr, Prod. 1780, 34 & tab. A.—M.
 melliverous Meles, H. F. Link, Beytr. Nat. I (2) 1795, 86.
 mellivorus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 193.
 mellivora Ursus (Blum.), G. Cuvier, Tab. Elém. 1798, 112.—Viverra.
 mellivora Viverra, J. F. Blumenbach, Handb. Naturg. I. 1779, 97.
 mellonella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 888.
 mellonella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena.
 Melo [G. Humphreys], Mus. Calonn. 1797, 16.—G.
 melo Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
 melo Echinus, G. Olyvi, Zool. Adriat. 1792, 70.
 melo Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 118.
 melodes Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
 melodes Turdus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
 melodia Fringilla, B. S. Barton, N. H. Pennsylv. 1799, 15.
 Meloe Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.—Col.
 Meloides M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.—Col.
 Melolontha E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 195.—Col.
 Melolontha J. C. Fabricius, Syst. Ent. 1775, 31.—Col.
 melolontha Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 554.
 melongena Galeodes (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 53.—Murex.
 melongena Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1220.
 melongina Muriciformis (L.), F. C. Meuschen, Mus. Gever. 1787, 318.—Murex.
 melooides Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
 melophtalmos Cantharis, A. G. Olivier, Entom. III. 1795, 10.
 melops Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 477.
 meloxantha Muscicapa, A. Sparrman, Mus. Carls. IV. 1789, no. xxvii.
 melpemone Papilio, *id.* ac melpomene, Linn., J. A. Scopoli, Annus V. 1772, 111.
 melpomene Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767,
 Melursus F. A. A. Meyer, Zool. Entdeck. 1793, 155.—M. [758].
 Melusina J. G. Meigen, N. Class. Mouches, 1800, 19.—Dip.
 melusina Papilio, J. C. Fabricius, Mant. II. 1787, 43.
 Melyris J. C. Fabricius, Syst. Ent. 1775, 58.—Col.

- memaecison** Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
membliaria [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 139.
Membracis J. C. Fabricius, Syst. Ent. 1775, 675.—Hem.
membranacea Acanthia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 526.
membranacea Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 238.
membranacea Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 185.
membranaceus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.
membranaceus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
membranacea Eschara (Flustra) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 91.—
membranacea Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1301. [Flustra.
membranaceus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 81.
membranaceus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 139.—Cimex, 1781.
membranacea Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
membranaceus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 193.
membranacea Spongia, *id. ac* membranosa, Pall., E. J. C. Esper, Pflanzenth. II (12) 1799,
membranacea Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 59. [256.
membranacea Testudo, J. F. Blumenbach, Handb. Naturges. I. 1779, 257.
membranacea Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3836.
membranaceus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 2.
membranella Tinea, [Denis & Schiffermüller], Schmiett. Wien, 1775, 142.
membranosa Spongia, P. S. Pallas, Elench. 1766, 398.
memina Didelphys (Bodd.), G. Cuvier, Tab. Élém. 1798, 125.—Lutra.
memina Lutra, P. Boddaert, Elench. 1785, 168.
meminna Moschus, J. C. P. Erxleben, Syst. Anim. 1777, 322.
meminna Moschus, E. A. W. Zimmermann, Spec. Zool. 1777, 530.
meminna Tragulus (Erx.), P. Boddaert, Elench. 1785, 131.—Moschus.
memnon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 747.
Memphitis G. Cuvier, Leçons Comp. Anat. I. 1800, tab. i [z. n.].—See **Mephitis**.—M.
memphitis Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 44.—[*v. et.* mephitis.]
menalcas Copris (Pall.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.—Scarabaeus.
menalcas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
menalcas Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 78.
menalcas Papilio, J. C. Fabricius, Syst. Ent. 1775, 535.
menalcas [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 117.
menalcas Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 4.
menalcus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 209.
menander [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 86.
menander [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 53.
mendaria Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
mendax Carabus, P. Rossi, Fauna Etrus. I. 1790, 223.
mendicaria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1191.
mendicatoria Voluta, *id. ac* mendicaria, L., M. Houuttuyn, Nat. Hist. I (16) 1771, 154.
mendicella Tinea, [Denis & Schiffermüller], Schmiett. Wien, 1775, 137.
mendicella Tinea, J. Hübner, Europ. Schmiett. 8 Horde [me giudice 1796], 63.
mendica Bombyx (L.), J. C. Fabricius, Mant. II. 1787, 123.—Phalaena.
mendicus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.
mendicus Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
mendicus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 480.
mendicus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 156.—Cimex, 1775.
mendica Mantis, J. C. Fabricius, Syst. Ent. 1775, 275.
mendica Noctua, J. C. Fabricius, Syst. Ent. 1775, 611.
mendica [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 5.
mendica Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 299.
menea Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 4.
menelaus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
menephron [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 164.
meneria [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 147.
menes [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 215.

- menestheus** [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 15.
menetas Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 10.
menete Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 199.—Phalaena.
menete [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 110.
menetes [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 139.
menetho Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 83.
Menidia P. Browne, Hist. Jamaica, ed. 2, 1789, 441.—P.
menidia Atherina, Linnaeus, Syst. Nat., ed. 12, 1766, 519.
meningeus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
menippe Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 16.
menippe [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 131.
menippus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
menippus Papilio, J. C. Fabricius, Gen. Ins. 1777, 272.
menstruata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181 [n. n.].
menstruus Picus, J. A. Scopoli, Del. Insub. II. 1786, 89.
menstruus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 148.
menstrua Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
mensuraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 111.—mensurata,
mensurata Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 338. [Scop.
mensurata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 193 [n.
mensurata Phalaena, Scopoli, Ent. Carn. 1763, 225. [et f.].
menthae Chrysomela, F. v. P. Schrank, Beitr. Nat. 1776, 63.
menthae Phalaena Noct., J. Müller, Icones Insect. X. 1760 [n. et f.].
menthastri Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 54.
menthastri Bombyx, D. & S., E. J. C. Esper, Die Schmett. III (27) 1786, 334.
menthastri Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
menthastri Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
menthastri Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 771.—Musca.
[menthastrina Phalaena (B.) MS.], T. Martyn, Psyche, 1797, fig. 38.
mentula Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
“Menura, Davies, 1800,” Ag.; is 1802.
menyanthidis Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 50.
menyanthidis Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 461.
meolans Papilio, L. Prunner, Lep. Pedemont. 1798, 71.
meon [Phalaena], P. Cramer, Uitl. Kapellen, I (6) 1775, 113.
meona [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 132.
meone [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 51.
meones [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 73.
mephitidis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
Mephitis E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
mephitis Mustela (L.), G. Cuvier, Tab. Elém. 1798, 117.—Viverra. [phitis, L. 1758.]
mephitis Viverra [ex Schreber tab.], J. C. P. Erxleben, Syst. Anim. 1777, 491.—[? mem-
mercator Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
mercator Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 47.—Conus.
mercator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 176.
mercator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1793.
mercatoria Columbella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—Voluta.
mercatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 143.
mercatoria Noctua, J. C. Fabricius, Syst. Ent. 1775, 604.
mercatoria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1190.
mercatus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 332.
mercenaria Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1131.
mercurella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 892.
mercurialis Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 180.—Galleruca.
mercurialis Columba, M. T. Brünnich, Orn. Boreal. 1764, 62.
mercurialis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.
mercurialis Phalaena, J. G. Gladbach in Kuehn, Kurz Anleit. Ins., ed. 2, 1783, 138 [n. n.].
mercurii Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.—Tinea mercurella.

- mercurius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 333.
mercurius Papilio, J. C. Fabricius, Mant. II. 1787, 86.
merdarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 34.—Scarabaeus.
merdarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
merdaria Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 344.
merdarius Oxyporus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 533.—Staphylinus, 1775.
merdarius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19.
merdaria Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 70 [n. n.].
merdarius Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 266.
merdigera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
merdigera Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 120.—Chrysomela.
merdiger Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.—
 Chrysomela merdigera.
merdigera Lema (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Chrysomela.
meretricula Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 187.
meretricula Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
Meretrix Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—L.
meretrix Chamaeformis (L.), F. C. Meuschen, Mus. Gev. 1787, 444.—Venus.
meretrix Meretrix (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—Venus.
meretrix Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 507.
meretrix Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686; ed. 12, 1767, 1132.
Merganser M. J. Brisson, Ornith. VI. 1760, 230.—A.
merganser Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 208.
mergi Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 27.
mergi Pediculus, J. C. Fabricius, Spec. Ins. II. 1781, 480.
Mergulus Linnaeus, Amoen. Acad. VII. 1766, 450.—A.
Mergus Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 207.—A.
Mergus J. D. Petersen, Balth. Vögel, 1766, 7 [n. n.].—A.
Mergus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
mergus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 159.
meriana Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
merianae Anas, G. Shaw, Nat. Misc. II. 1791, pl. 69.
merianae Aranea, Scopoli, Ent. Carn. 1763, 395.
merianae Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 351.—[meriani 1775, est.]
merianae Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 134.—Cimex, 1781.
merianana Phalaena Tort., H. G. Lang, Verz. Schmett., ed. 2, 1789, 206.
merianella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.
merianella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
meriani Cimex, J. C. Fabricius, Syst. Ent. 1775, 707.
meridianus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 221.
meridianus Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 187.
meridianus Dipus, J. C. D. Schreber, Säugth. IV. pl. ccxxxi (1782).—[?= Mus, Pallas.]
meridianus Dipus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 159.—Mus.
meridiana Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398.—[Cerambyx, ed. 12.]
meridianus Mus, P. S. Pallas, Reise Russ. II. 1773, 702.
meridiana Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
meridianus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 178.—Cerambyx.
meridiana Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
meridiana Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.
meridionalis Ameiva, F. A. A. Meyer, Syn. Rept. 1795, 28.
meridionalis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
meridionalis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
meridionalis Falco, J. Latham, Index Orn. 1790, 36.
meridionalis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 333.
merione [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 76.
merione Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 94.
meriopterus Cimex, Scopoli, Ent. Carn. 1763, 131.
meris [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 146.

- meritalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 234.
Merlangius E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 401.—P.
merlangus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 253; ed. 12, 1766, 438.
merle Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 139.
merluccius Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 439.
mermeria [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 149.
meroe Paphia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 176.—Venus.
meroë Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1132.
merope Papilio, J. C. Fabricius, Syst. Ent. 1775, 495.
merope [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 87.
merope Papilio, L. Prunner, Lep. Pedemont. 1798, 73.
Merops Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 182.—A.
merops [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 26.
merra Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 17.
merremii Boa, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 53.
mersa Anas, P. S. Pallas, Reise Russ. II. 1773, 713.
Merula Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 8 & 76.
merula Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
merula Tringa, J. C. Schaeffer, Mus. Orn. 1789, 52.
merula Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 86.
merula Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 295.
merulae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
merulinus Cuculus, J. A. Scopoli, Del. Insub. 1786, 89.
merulinus Larus, J. A. Scopoli, Annus I. 1769, 81.
merulina Musca, Scopoli, Ent. Carn. 1763, 344.
merulinus Psittacus, J. A. Scopoli, Annus I. 1769, 30.
mesembryanthemum Actinia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 4.
mesembryantheme Hydra (S. & E.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, [3868.—Actinia.
mesenteria Papilio, J. C. Fabricius, Mant. II. 1787, 57.
mesentina [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 102.
mesentina [Papilio], P. Cramer, Uitl. Kapellen, III (23) 1780, 140.
mesogastor Exocoetus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 17.
mesoleucos Chaetodon, P. Forskal, Descr. Anim. 1775, 61.
mesoleuca Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.
mesomelaena Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 214.
mesomelaena Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
mesomelaena Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
mesomella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
mesomella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
mesomelas Canis, J. C. D. Schreber, Säugth. III. 370 (1776), pl. xcv (1776).
mesomelas Chaetodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1263.
mesomelas Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 105.
mesomelas Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 635.
mesomelus Dermestes, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 143.
mesomelus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 653.
mesomelus Latridius (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 574.—Dermestes.
mesomela Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
mespili Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
mespili Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
mespilus Galeodes, J. F. Bolten, Mus. Bolten. (2) 1798, 53 [n. n.].
mespilus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3601.
messalina Papilio, J. C. Fabricius, Mant. II. 1787, 22.
messalina [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 125.
messor Cancer, P. Forskal, Descr. Anim. 1775, 88.
messor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 222.
messorius Mus, R. Kerr, Anim. Kingd. 1792, 230.
metabus [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 117.

- metallata* Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 268.
metallella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
metallella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
metallicana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 68 [*n. et f.*].
metallica Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 309.
metallica Buprestis, A. G. Olivier, Entom. II. 1790, 69.
metallica Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 210.
metallicus Carabus, Scopoli, Ent. Carn. 1763, 88.
metallicus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
metallica Cetonia, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 157.
metallica Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 128.
metallica Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 661.
metallica Chrysomela, J. N. Laicharting, Tyrol. Ins. I. 1781, 144.
metallica Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 311.
metallicus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 28.
metallicus Elater, G. Paykull, Faun. Suec. III. 1800, 19.
metallicus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 32.
metallicus Involulus, F. v. P. Schrank, F. Boica, I. 1798, 477.
metallica Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.
metallicus Murex, F. C. Meuschen, Mus. Gever. 1787, 326.
metallicus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
metallica Phalaena (Tinea), N. Poda, Ins. Mus. Graec. 1761, 94.
metallicus Scarabaeus (Herbst); J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1582.—
metallica Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54. [Cetonia].
metallinus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 442.
metallina Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.—Syrphus.
metallina Syrphus, J. C. Fabricius, Gen. Ins. 1777, 307.
metalliqua Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
metastatica Buprestis, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 121.
metellus [Papilio], P. Cramer, Utitl. Kapellen, III (19) 1779, 42.
meteorica Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
meteorica Musca, F. v. P. Schrank, Ins. Aust. 1781, 464.
metea [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, IV. 1790, 122.
metea [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 27.
meteus [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 109.
meticulosa Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 537.
meticulosus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 44.
meticulosa Musca, Scopoli, Ent. Carn. 1763, 344.
meticulosa Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 608.—Phalaena.
meticulosa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 513; ed. 12, 1767, 845.
metis Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 329.—Papilio.
metis Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 325.
meton Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 274.—Papilio.
meton [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 15.
metopoleucos Sterna, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 475.
metron Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
metus Musca, M. Harris, Exp. Eng. Ins. 1776, 114.
meta Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 104.
meulenii Balistes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 461.
meulenii Diodon, J. A. Donndorff, Zool. Beyt. III. 1798, 787.
mexicanensis Felis, H. F. Link, Beytr. Nat. I (2) 1795, 91.
mexicana Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 519.
mexicana Apis, Linnaeus, Syst. Nat., ed. 12, 1767, 953.
mexicana Ardea (Grus), P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 110.
mexicanum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 260.
mexicanus Canis, Linnaeus, Syst. Nat., ed. 12, 1766, 60.
mexicanus Cerastes, J. N. Laurenti, Syn. Rept. 1768, 83.
mexicana Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 480.

- mexicanus Cervus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 179.
 mexicanus Chamaeleo, J. N. Laurenti, Syn. Rept., 1768, 45.
 mexicanus Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 117.
 mexicanus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 379.
 mexicana Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
 mexicana Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
 mexicanus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 375.
 mexicana Coturnix (L.), J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 223.—Tetrao.
 mexicana Emberiza, P. Boddaert, Tab. Planch. Enl. 1783, 23.
 mexicana Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 873.
 mexicana Felis, R. Kerr, Anim. Kingd. 1792, 151.
 mexicana Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 165.
 mexicana Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 914.
 mexicana Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 704.
 mexicanus Gyrinus, G. Shaw, Nat. Misc. IX. 1798, pl. 342.
 mexicana Hystrix, R. Kerr, Anim. Kingd. 1792, 214.
 mexicanus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 347.—Oriolus.
 mexicana Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 135.
 mexicana Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 172 [no. 8]; ed. 12, 1766, 300 [no. 7].
 mexicana Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 174 [no. 19]; ed. 12, 1766, 304 [no. 26].
 mexicanus Mus, P. Boddaert, Elench. 1785, 111.
 mexicana Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 383.
 mexicanus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162 [no. 8].
 mexicanus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162 [no. 13].
 mexicana Perdix (L.), J. Latham, Index Orn. 1790, 653.—Tetrao.
 mexicanus Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 741.
 mexicanus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
 mexicanus Sciurus, J. C. P. Erxleben, Syst. Anim. 1777, 428.
 mexicanus Sciurus, E. A. W. Zimmermann, Spec. Zool. 1777, 521.
 mexicanus Sorex, R. Kerr, Anim. Kingd. 1792, 207.
 mexicana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 288.
 mexicanus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
 mexicanus Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1000.
 mexicana Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
 mexicanus Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 652.
 mexicanus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
 mexicana Upupa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 467.
 mexicana Vespa (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 673.—Apis.
 mexicana Viverra, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 383.
 meyeriana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 138.
 mezenteria Noctua, *id. ac* mezentia, Cr., J. C. Fabricius, Ent. Syst. III (2) 1794, 41.
 mezentia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 70.
 M-flavium Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
 mi Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 598.—Phalaena.
 mi Ph[alaena], C. Clerk, Icones, I. 1759, pl. ix, 5.
 mi Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 309.
 miacatototl Pipra, J. Latham, Index Orn. 1790, 560.
 miana Phalaena (Tortrix), O. F. Müller, F. Ins. Frid. 1764, 53.
 miaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.—miata, L. [metra.
 miaria Phalaena Geom. (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 413.—Geo-
 miata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 292 [*et. f.*]
 miata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
 miata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
 mica Monas, O. F. Müller, Vern. I (1) 1773, 27.
 mica Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
 micacea Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 28.—[Phalaena, Esper, *est.*]
 micacea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797—1800], 466.
 micalia [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 148.

- micalia* [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 18.
micana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
micana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 28 [*n. et f.*].
micans Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 238.
micans Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79 [*n. n.*].
micans Bombylius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 569.
micans Bostrichus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 523.
micans Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 189.
micans Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 151.
micans Cerambyx, J. C. Fuessly, Schweiz. Ins. 1775, 13.
micans Cetonia (Drury), J. C. Fabricius, Syst. Ent. 1775, 42.—Scarabaeus.
micans Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 676.
micans Chrysis, P. Rossi, Mant. Ins. I. 1792, 133.
micans Chrysomela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
micans Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 61.
micans Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 463.
micans Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 9.
micans Donacia, D. H. Hoppe, Ins. Elyt. 1795, 39.
micans Gyrimus, J. C. Fabricius, Ent. Syst. I (1) 1792, 203.
micans Hallomenus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 16, 1793, tab. 18.
micans Hallominus, G. Paykull, Faun. Suec. II. 1799, 181.
micans Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 51.
micans Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 63.
micans Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
micans Saperda, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 14.
micans Scarabaeus, D. Drury, Ill. Nat. Hist. II. 1773, index & 59.
micans Serropalpus (Hallomenus) (Panz.), Illiger in Kugelann, Käfer Preuss. 1798, 135.—
micans Silpha, J. C. Fabricius, Ent. Syst. IV. 1794, 445. [Hallomenus].
micans Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 278.
micans Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
micantaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (2) 1794, 28.
micella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
micella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 55.
micilia [Phalaena], P. Cramer, Utitl. Kapellen, III (19) 1779, 62.
miclonia Anas, P. Boddaert, Tab. Planch. Enl. 1783, 58.
microcephala Cerocoma (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 82.—Pausus.
microcephala Formica, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 2.
microcephalus Pausus, Linnaeus, Bigis Insect. 1775, 6.
microcosma Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 279.
microdactylella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
microphyllus Vespertilio, M. T. Brunnich, Dyr. Hist. 1782, 50.
microdactyla (*sic*) Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
microdon Pristis, J. Latham, Tr. Linn. Soc. [Lond.], II. 1794, 280.
micrographus Bostrichus (L.), J. C. Fabricius, Mant. I. 1787, 37.—Dermestes.
micrographus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
micrographus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 195.—Dermestes.
micrographus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 9.—Bostrichus.
microleon Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 980.
microleon Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
microlepidotus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 12.
microphthalmalma Muræna, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 152.
microphthalmus Spalax, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 411.
microphthalmalma Talpa (Gueld.), E. A. W. Zimmermann, Spec. Zool. 1777, 499.—Spalax.
microps Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.
microps Physeter, R. Kerr, Anim. Kingd. 1792; *varr.* falcidentatus, 361; rectidentatus, 362.
microrrhoea Noctua, J. C. Fabricius, Syst. Ent. 1775, 593. [362].
micros Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 142.
microscopia Scolopendra, G. Shaw, Nat. Misc. VI. 1794, pl. 185.

- Microtus** F. v. P. Schrank, F. Boica, I. 1798, 66.—M.
- micrurus** Mus, S. G. Gmelin, Reise Russ. III. 1774, 500.
- microdactylus** Alucita, Denis & Schiffermüller, *err. pro* microd. *q. v.*
- microlata** Sabella, F. C. Meuschen, Mus. Gronov. 1778, 48.
- micylus** [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 160.
- midae** Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 248.—Haliotis.
- midae** Ellobium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 105.—Voluta auris midae.
- midae** Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
- midamas** Papilio, P. Cramer, Uitl. Kapellen, III (23) 1780, 131.
- midamus** Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 765.
- Midas** P. A. Latreille, Préc. Gen. Ins. 1796, 166.—? *v.* Mydas.—Dip.
- midas** Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 62.—Simia.
- midas** Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
- midas** Cercopithecus (L.), F. C. Meuschen, Mus. Gronov. 1778, 5.—Simia.
- midas** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 153.—Scarabaeus.
- midas** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 306.
- midas** [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 99.
- midas** Papilio, J. C. Fabricius, Syst. Ent. 1775, 527.
- midas** Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
- midas** Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 42.
- midas** Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 82.
- miga** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 274.
- migadactylus** Pterophorus (D. & S.), J. C. Fabricius, Mant. II. 1787, 259.—Alucita
- migrans** Falco, P. Boddaert, Tab. Planch. Enl. 1783, 28. [megad-]
- migrator** Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 334.
- migratorium** Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 466.—Gryllus.
- migratoria** Alauda, Bartram; B. S. Barton, N. H. Pennsylv., 1799, 15.
- migratoria** Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 285.
- migratorius** Colymbus, Bartram; B. S. Barton, N. H. Pennsylv., 1799, 17.
- migratoria** Formica, C. de Geer, Mém. Ins. III. 1773, 604.
- migratorius** Glis, P. B. C. Graumann, Introd. H. N. 1779, 60.
- migratorius** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
- migratorius** Mus, P. S. Pallas, Reise Russ. II. 1773, 703.
- migratorius** Salmo, J. G. Georgi, Reise Russ. 1775, 182.
- migratorius** Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 292.
- miguel** Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 134.
- miles** Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2983.—Pagurus.
- miles** Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1167.
- miles** Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 43.—Conus.
- miles** Curculio, G. Paykull, Mon. Curc. 1792, 46.
- miles** Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 79.
- miles** Pagurus, J. C. Fabricius, Mant. I. 1787, 327.
- milete** [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 26.
- milhauseri** Bombyx, J. C. Fabricius, Syst. Ent. 1775, 577.
- miliare** Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 218.—Gryllus.
- miliaris** Anguis, P. S. Pallas, Reise Russ. II. 1773, 718.
- miliaris** Buprestis, Scopoli, Ent. Carn. 1763, 64.
- miliaris** Cassida, J. C. Fabricius, Syst. Ent. 1775, 91.
- miliaris** Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
- miliaris** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
- miliaris** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 629.
- miliaris** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.—Scarabaeus.
- miliaris** Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 499.
- miliaris** Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
- miliaris** Echinus, P. L. S. Müller, Del. Nat. I. 1766, 130.
- miliaris** Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
- miliaris** Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3536.
- miliaris** Patella, Linnaeus, Mant. II. 1771, 552.

- miliaris Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 817.
 miliaris Tenthredo, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 13.
 miliarius Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
 -miliarius Crotalus, Linnaeus, Syst. Nat., ed. 12, 1766, 372.
 miliaria Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 308.
 miliarius Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 328.—Voluta.
 miliaria Musca, F. v. P. Schrank, Ins. Aust. 1781, 476.
 miliarius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1587.
 miliaria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
 miliata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 278.
 militaria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
 milibaris Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 803.—[?militaris, L.,
 [est.]
 militaris Aranea, J. C. Fabricius, Syst. Ent. 1775, 434.
 militaris Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
 militaris Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
 militaris Cimex, J. C. Fabricius, Syst. Ent. 1775, 717.
 militaris Coracias, G. Shaw, Mus. Lever. I. 1792, 61.
 militaris Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178.—[Tanagra, ed. 12.]
 militaris Formica, J. C. Fabricius, Spec. Ins. I. 1781, 493.
 militaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 147.—Cimex, 1775.
 militaris Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505.—[P. (Attacus), ed. 12.]
 militaris Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 139.
 militaris Scarabaeus, A. G. Olivier, Entom. I. 1789, 35.
 militaris Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 503.
 militaris Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
 militaris Sturnus, Linnaeus, Mant. II. 1771, 527.
 militaris Tanagra, Linnaeus, Mus. Adolph. Frid. II. 1764, 30.
 milita [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 159.
 milium Cyclidium, O. F. Müller, Verm. I (1) 1773, 50.
 milktshitsch Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 70.
 millefolii Aphis, C. de Geer, Mém. Ins. III. 1773, 60.
 millefolii Phalacrus, G. Paykull, Faun. Suec. III. 1800, 439.
 millefolii Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 239.
 millegrana Noctua (ex Esper tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 30.
 millepeda Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 340.—Strombus.
 millepeda Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 67.—Strombus.
 millepeda Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
 Millepora Linnaeus, Syst. Nat., ed. 10, 1758, 790; ed. 12, 1767, 1282.
 "milleporae Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
 milleporia Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
 mille punctatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
 mille punctata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
 millesima Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 309.
 milo Scarabaeus, A. G. Olivier, Entom. I. 1789, 19.
 milon Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus, 1792.
 milon Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 16.—[S. milo, Ol.]
 miltiades Papilio, E. A., Herbst in Jablonsky, Nat. Ins. (Schmett.) III. 1788, 154.
 miltiades Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 66.
 milvi Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
 milvi Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3054.
 Milvus P. Forskal, Descr. Anim. 1775, 7.—A.—[Accidentally used as a generic word.]
 Milvus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.
 Milvus G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [n. n.].—A.
 milvus Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 9.—Falco.
 milvus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 126. [jaicensis.
 milvus Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 490; varr. sibiricus, korschun,
 mimas Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 156.—Scarabaeus.
 mimas Hesperia (Cr.) J. C. Fabricius, Ent. Syst. III (1) 1793, 349.—Papilio.

- mimas [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 83.
 mimas Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 545.
 mimosae Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 76.
 mimosae Turdus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58.
 "Mimus, Briss. 1760," Waterh.; not used in a generic sense.
 minax Murex, D. Solander in G. Brander, Foss. Hant. 1766, 30.
 minceus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 109.
 mindanensis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 169.
 mindanensis Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 mindanaensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 823.
 mindanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 711.
 minereus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 304.
 minereus Papilio, J. C. Fabricius, Mant. II. 1787, 77.
 minerva Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
 minerva Papilio, J. C. Fabricius, Syst. Ent. 1775, 493.
 "minerva Sus," A. v. P. S., Schreiben Dethmaris Juliae et Mont. 1780, 37.
 mineus Hepialus (Cram.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 74.—Phalaena.
 mineus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 768.
 mineus [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 52.
 miniacea Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 126.
 miniacea Millepora, P. S. Pallas, Elench. 1766, 251.
 miniaceus Picus, T. Pennant, Ind. Zool., 1769, 4.
 miniacea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
 minialis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 239.
 minialis Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 16.
 miniana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
 miniatus Gryllus (Loc.), P. S. Pallas, Reise Russ. I. 1771, 467.
 miniatus Lutjanus (Forsk.). G. A. Suckow, Naturges. IV. 1799, 539.—Perca.
 miniata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 88.
 miniata Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 436.
 miniata Perca, P. Forskal, Descr. Anim. 1775, 41.
 miniata Phalaena, J. R. Forster, Cat. Brit. Ins. 1770, 11 [n. n.].
 miniata Phalaena, J. R. Forster, N. Sp. Ins., 1771, 75.
 miniatus Picus, *id. ac* miniaceus, Penn. 1769, J. R. Forster, Ind. Zool. 1781, 14.
 miniata Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 minimella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 minimus Anthrenus, F. v. P. Schrank, F. Boica, I. 1798, 471.
 minimum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 125.
 minima Apis, N. Poda, Ins. Mus. Graec. 1761, 110.
 minimus Apis, M. Harris, Exp. Eng. Ins. 1776, 136.
 minimus Bombylius, J. A. Scopoli, Annus V. 1772, 123.
 minimus Bombylius, F. v. P. Schrank, Ins. Aust. 1781, 492.
 minimus Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
 minimus Bostrichus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 158.
 minimus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 310.
 minimus Callitricoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 259.
 minima Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 649.
 minimus Carabus, O. F. Müller, F. Ins. Frid. 1764, 21.
 minimus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 168.
 minimum Carychium, O. F. Müller, Verm. II. 1774, 125.
 minimus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.
 minimus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
 minimus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 95.
 minimus Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 61.
 minima Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 62.
 minima Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 65.
 minima Coccinella, P. Rossi, Mant. Ins. II. 1794, 89.
 minimus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.

- minimus** Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 102.—Latridius.
minimus Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 429.
minima Doris (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.—Limax.
minimus Dytiscus, Scopoli, Ent. Carn. 1763, 98.
minimus Elater, [D. H. Schneider], Nom. Ent. 1785, 19 [*n. n.*].
minimus Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
minima Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 142.
minima Fasciola, F. v. P. Schrank, Beitr. Nat. 1776, 100.
minima Fringilla, P. Boddaert, Tab. Planch. Enl. 1783, 28.
minimum Gymnopteron (Scop.), F. v. P. Schrank, F. Boica, I. 1798, 689.—Necydalis.
minima Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
minima Hirundo, P. L. S. Müller, Del. Nat. II. 1767, 141.
minimus Hister, [D. H. Schneider], Nom. Ent. 1785, 4 [*n. n.*].
minimus Hister, P. Rossi, Fauna Etrus. I. 1790, 30.
minima Iguana, J. N. Laurenti, Syn. Rept. 1768, 48.
minimus Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 65.—Strombus.
minimus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 9.
minimus Lepus, G. I. Molina, Sarg. stor. nat. Chili, 1782, 306.
minimus Limax, P. Forskal, Descr. Anim. 1775, 100.
minima Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 307.
minima Lutra, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 317.
minimus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].—Cantharis.
minima Medusa, A. Modeer, Nova Acta Acad. Caes. VIII. App., 1791, 28.
minimus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.
minimus Mus, G. White, N. H. Selborne, 1789, 43.
minimus Mytilus, J. X. Poli, Test. Sicil. II. 1795, 209.
minima Necydalis, Scopoli, Ent. Carn. 1763, 57.
minimus Papilio, J. C. Fuessly, Schweitz. Ins. 1775, 31.
minimus Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 39.
minima Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
minimus Picus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
minimus Picus, G. Shaw, Nat. Misc. II. 1790, pl. 44.
minima Prosimia, P. Boddaert, Elench. 1785, 66.
minimus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
minimus Scarabaeus, Scopoli, Ent. Carn. 1763, 12.
minima Scolopax, M. T. Brünnich, Orn. Boreal. 1764, 49.
minimus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
minimus Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 238.
minimus Strombus, Linnaeus, Mant. II. 1771, 549.
minima Sylvia, J. Latham, Index Orn. 1790, 529.
minima Tellina, Studer in Coxe, Trav. Switz. III. 1789, 392 [*n. n.*].
minimus Telephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
minimus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 193.
minima Vespa, N. Poda, Ins. Mus. Graec. 1761, 109.
miniosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88. [Noctua.
miniosa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 645.—
ministra Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 69.—Phalaena.
ministra Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 25.
ministralis Mantis, J. C. Fabricius, Syst. Ent. 1775, 277.
ministrana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
ministrana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.
minius Libellula, M. Harris, Exp. Eng. Ins. 1776, 97.
minna Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 74.
minx Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 174.
minor Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 793.
minor Anarhichas, O. F. Müller, Z. Dan. Prod. 1776, 40.
minor Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
minor Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gött. III. 1781, 135.

- minor Balistes, P. Forskal, Descr. Anim. 1775, xvii.
 minor Bombylius, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1009.
 minor Bombylius [*non* Linn.], F. v. P. Schrank, Ins. Aust. 1781, 491.
 minor Bombylius, A. Modeer, Physiogr. Sölsk. Handl. I. (4) 1786, 297.
 minor Bombyx, J. C. Fabricius, Syst. Ent. 1775, 559.
 minor Caprimulgus, J. R. Forster, Cat. Anim. N. Amer. 1771, 13 [*n. n.*].
 minor Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 585.
 minor Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 591.
 minor Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 411.
 minor Draco, J. N. Laurenti, Syn. Rept. 1768, 51. [undosa, laevis (184).]
 minor Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 183; *varr.* papillosa,
 minor Echinoneus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 110 & 174.
 minor Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3186.—Echino-
 minor Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915. [corytes.
 minor Eurychora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
 minor Forficula, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 686.
 minor Fringilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 minor Gracula, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
 minor Hister, P. Rossi, Mant. Ins. I. 1792, 13.
 minor Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
 minor Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 310.
 minor Leopardus, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
 minor Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3212.
 minor Leptura, F. A. A. Meyer, Zool. Archiv (1) 1796, 229.
 minor Lumbricus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 29.
 minor Lutra, J. C. P. Erxleben, Syst. Anim. 1777, 451.
 minor Machla, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
 minor Merops, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
 minor Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 82.
 minor Necdalis, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 641.
 minor Necdalis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 109.
 minor Noctua (*ex* Briss.), S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 447.
 minor Ochotona, H. F. Link, Beytr. Nat. I (2) 1795, 74.
 minor Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
 minor Phalacrocorax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 572.
 minor Phaenicopterus, Geoffroy, Bull. Sci. Soc. Philom. [Paris], no. 13, 1798, 98.
 minor Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 176.
 minor Podiceps (Gm.), J. Latham, Index Orn. 1790, 784.—Colymbus.
 minor Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 351.
 minor Regulus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
 minor Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
 minor Simia, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
 minor Sitta, G. A. Suckow, Naturg. II (1) 1800, 564.
 minor Spalax, J. C. P. Erxleben, Syst. Anim. 1777, 379.
 minor Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 252 & xx [repage copy].
 minor Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
 minor Turdus, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
 minor Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 809.
 minor Vulsella, J. F. Bolten, Mus. Bolten. (2) 1798, 156.
 minos [Papilio], P. Cramer, Utit. Kapellen, III (17) 1779, 4.
 minos Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
 minos Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 208.
 minullus Falco, F. M. Daudin, Traité élém. Orn. 1800, 88.
 minus Sphinx, J. C. Fabricius, Mant. II. 1787, 96.
 minusculus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
 minutal Artocrea, F. C. Meuschen, Mus. Gever. 1787, 488.
 minutalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 242.
 minutana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 73 [*n. et f.*].

- minutaria* Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 253.
minutator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 225.
minutata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
minutata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 237 [*n.*].
minutata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 205. [*et f.*].
minutella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 344.
minutella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 893.
minutella Tinea (L.), J. C. Fabricius, Spec. Ins. II. 1781, 300.—Phalaena.
minutella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1794.
minuticornis Cyclops, O. F. Müller, Entom. 1785, 117.
minuticornis Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
minuticornis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2998.—
minutior Notonecta, J. H. Sulzer, Gesch. Ins. 1776, 91. [Cyclops].
minutissima Apis, P. Rossi, Fauna Etrus. II. 1790, 109.
minutissima Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 110.
minutissima Blatta, C. de Geer, Mém. Ins. III. 1773, 542.
minutissima Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 588.
minutissima Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 65.
minutissima Coccinella, P. Rossi, Fauna Etrus. I. 1790, 71.
minutissimus Gryllus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 175.
minutissimus Musca, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 230.
minutissimus Murex, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
minutissima Notonecta, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 713.
minutissimus Picus, P. S. Pallas, N. nord. Beytr. III. 1782, 5.
minutissima Thrips, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.
minutissima Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 979.
minutissima Yunx (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 423.—
minutulus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986. [Picus].
minuta Acheta (L.), J. C. Fabricius, Syst. Ent. 1775, 282.—Gryllus.
minuta Aeshna, J. C. Fabricius, Mant. I. 1787, 339.
minutus Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
minuta Altica, A. F. de Fourcroy, Ent. Paris. 1785, 99.
minuta Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 127; ed. 12, 1766, 204.
minutum Anobium, J. C. Fabricius, Spec. Ins. I. 1781, 72.
minutum Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 238.
minutus Apate, J. C. Fabricius, Syst. Ent. 1775, 54.
minuta Aphrodita, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 38.
minuta Aphrodita, O. Fabricius, F. Groen. 1780, 314.
minuta Apis, F. v. P. Schrank, Ins. Aust. 1781, 412.
minuta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 342.
minuta Arca, O. F. Müller, Z. Dan. Prod. 1776, 247.
minuta Arca, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 64.
minuta Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 240.
minuta Aranea, F. A. A. Meyer, Spinner Gött. 1790, 13.
minutus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 390.
minuta Asterias, Linnaeus, Faun. Suec., ed. 2, 1761, 512.
minutus Bostrichus, J. C. Fabricius, Gen. Ins. 1777, 211.
minutus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 111.—Apate
minutus Brentus (Dru.), Panzer in Drury, Exot. Ins. 1785, 159.—Curculio.
minutum Buccinum, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 105.
minutum Buccinum, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 64.
minuta Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 663.
minutus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 48.
minutus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 68.
minutus Byrrhus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 595.
minutus Byrrhus, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
minutum Callidium, J. C. Fabricius, Syst. Ent. 1775, 192.
minutus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1040.

- minutus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
 minutus Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
 minutus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
 minutus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 245.—Saperda.
 minutus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 307.—Rhagium.
 minuta Chalcis (L.), J. C. Fabricius, Mant. I. 1787, 272.—Vespa.
 minuta Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
 minuta Chrysomela, Linnaeus, Syst. Nat. ed. 10, 1758, 372; ed. 12, 1767, 593.
 minuta Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 57.
 minuta Cicada, J. C. Fabricius, Syst. Ent. 1775, 683.
 minuta Cicindela, A. G. Olivier, Entom. II. 1790, 31.
 minuta Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 735.
 minutus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
 minuta Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 118.—Chrysomela.
 minuta Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 11.
 minuta Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 285.
 minuta Corbula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 185.—Solen.
 minutus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 302.
 minuta Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 152.
 minutus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.—
 minutus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 70. [Chrysomela.]
 minutus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 34.
 minutus Cucujus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 243.
 minutus Cucuius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 573.
 minutus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
 minutus Curculio, D. Drury, Ill. Nat. Hist. I. 1770, index & 95.
 minutus Curculio, G. C. Reich, Mant. Ins. 1797, 11.
 minutus Cyclops, O. F. Müller, Z. Dan. Prod. 1776, 200.
 minutus Cyclopterus, P. S. Pallas, Spic. Zool. VII. 1769, 12.
 minutus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 383.
 minuta Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
 minutus Cyprinus, J. A. Donndorff, Zool. Beyt. III. 1798, 757.
 minutum Dentalium, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
 minutus laevis Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 55.—Bostrichus.
 minutus striatus Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 55.—Sphaeridium.
 minutus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 235.
 minutus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 667.
 minutus Echinorhynchus, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
 minutus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194. [142.]
 minutus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 656.
 minutus Elophorus, J. C. Fabricius, Syst. Ent. 1775, 66.
 minuta Empis, J. C. Fabricius, Mant. II. 1787, 365.
 minutum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
 minutum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
 minutus Erodius, J. C. Fabricius, Syst. Ent. 1775, 259.
 minuta Evania, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 453.
 minuta Evania, J. C. Fabricius, Ent. Syst. II. 1793, 194.
 minutus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 131.
 minuta Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1775.
 minuta Fulgora, J. C. Fabricius, Mant. II. 1787, 262.
 minutus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
 minutus Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 253; ed. 12, 1766, 438.
 minutus Gobiis, P. S. Pallas, Spic. Zool. VIII. 1770, 4.
 minutus Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 12, 1767, 694.
 minutus Gyrimus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 65.
 minuta Helix, O. F. Müller, Verm. II. 1774, 101.
 minuta Helix, Studer in Coxe, Trav. Switz. III. 1789, 385 [*n. n.*].
 minutus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 41.

- minutus* Hister, P. Rossi, Fauna Etrus., ed. 2, I. 1795, 32.—*minimus est*, ed. 1, 1790.
minuta Holothuria, O. Fabricius, F. Groen. 1780, 354.
minutus Hydrophilus (L.), J. C. Fabricius, Syst. Ent. 1775, 229.—Chrysomela.
minutus Hylaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 272.
minutus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 189.
minuta Ips, A. G. Olivier, Entom. II. 1790, 14.
minuta Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 499.
minuta Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.—Anobium, 1781.
minuta Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
minuta Lampyris (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 577.—Pyrochroa.
minutus Larus, P. S. Pallas, Reise Russ. III. 1776, 752.
minuta Lepisma, O. F. Müller, Z. Dan. Prod. 1776, 183.
minuta Libellula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 80.
minuta Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 307.
minutus Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
minutus Lycus (Fab.), A. G. Olivier, Entom. II. 1790, 11.—Pyrochroa.
minuta Mantis, D. Drury, Ill. Nat. Hist. II. 1773, index & 75.
minuta Mantis, J. C. Fabricius, Syst. Ent. 1775, 278.
minuta Melolontha, G. W. F. Panzer, Naturforscher, XXIV. 1789, 9.
minuta Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 179.
minuta Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 514.
minutus Merganser (L.), J. P.-Bonnetterre, Ency. Méth. (Orn.) 1790, 105.—Mergus.
minutus Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 209.
minutus Mergus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 548; *var.* fasciolicus.
minuta Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137. [Cyclops.
minutus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—
minuta Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 189.—[Pipra, ed. 12.]
minutus Mus, P. S. Pallas, Reise Russ. I. 1771, 454.
minutus Mus, R. Kerr, Anim. Kingd. 1792, 232; *var.* flavus.
minutus Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
minuta Musca, J. C. Fabricius, Mant. II. 1787, 353.
minuta Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
minuta Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.
minuta Nerita, O. F. Müller, Verm. II. 1774, 179. [Elophorus.
minuta Nitidula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.—
minuta Notonecta, *id.* *ac* minutior, Sulz., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
minutus Notoxus, J. C. Fabricius, Ent. Syst. I (1) 1792, 212. [1789, 2119.
minuta Ocyptode, J. C. Fabricius, Suppl. Ent. Syst. 1798, 348.
minutum Opatrum, J. C. Fabricius, Syst. Ent. 1775, 77.
minuta Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
minutus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.
minutus Papilio Pleb., E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. [1797], 71.
minutus Passalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 241.
minuta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
minutum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 219.
minuta Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 381.
minutus Picus, *id.* *ac* minutissimus, Pall., J. Latham, Index Orn. 1790, 243.
minuta Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 318.
minuta Pipra, Linnaeus, Mus. Adolph. Frid. II. 1764, 34.
minuta Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95.
minutus Podiceps, J. Latham, Syn. Birds, Suppl. I., 1787, 294.
minuta Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1013.
minutus Ptinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1605.—Anobium.
minutus Ptinus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 501.
minuta Pyrochroa, J. C. Fabricius, Mant. I. 1787, 163.
minutus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 719.
minutus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 208.
minutum Rhagium, J. C. Fabricius, Mant. I. 1787, 146.

- minutus** Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 115.
minutus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 135, sign. I 4.
minuta Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235.
minutus Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index and 78.
minutus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 10.
minutus Scomber, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 110.
minuta Sigara, J. C. Fabricius, Ent. Syst. IV. 1794, 60.
minuta Silpha (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.—Opatrum.
minuta Silpha (Fabr.), C. de Villers, Linn. Ent. I. 1789, 87.—Elophorus.
minuta Silpha, J. C. Fabricius, Ent. Syst. I (1) 1792, 254.
minutus Solen, Linnaeus, Syst. Nat., ed. 12, 1767, 1115.
minutus Sorex, Linnaeus, Syst. Nat., ed. 12, 1766, 73.
minutum Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 68.
minutus Staphylinus, A. G. Olivier, Entom. III. 1795, 38.
minutus Stenocorus (Fabr.), A. G. Olivier, Entom. IV. 1795, 15.—Rhagium.
minuta Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
minuta Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 268.
minuta Strix, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
minutus Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
minutus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 675.
minuta Tenthredo, J. L. Christ, Nat. Ins. 1791, 438.
minuta Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 26.
minuta Thiara, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [n. n.].
minuta Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
minuta Trigla, Linnaeus, Mant. II. 1771, 528.
minuta Tritoma (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 507.—Chrysomela.
minutum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125 [n. n.].
minutus Turdus, A. Sparrman, Mus. Carls. III. 1788, no. lxviii.
minuta Venus, O. Fabricius, F. Groen. 1780, 412.
minuta Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 952.
minuta Vespa, P. Rossi, Fauna Etrus. II. 1790, 89.
minuta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
minuta Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
minuta Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
[mirabilis Araneus, C. Clerck, Aran. Svec. 1757, 108.]
mirabilis Araneus, T. Martyn, Aranei, 1793, 50.
mirabilis Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 152.
mirabilis Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 56.
mirabilis Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1322.
mirabilis [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 143.
miraletus Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 396.
miran Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 268.
miriam Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 242.
mirifex Sphex, J. L. Christ, Nat. Ins. 1791, 300.
mirio Baphia, F. C. Meuschen, Mus. Gev. 1787, 472.
Miris J. C. Fabricius, Ent. Syst. IV. 1794, 183.—Hem.
miris Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 429.
mirtyllus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 239.
mirus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 48.
miscella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
miscellana Phalaena, Scopoli, Ent. Carn. 1763, 236.
misenenis Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 3854.
misenes [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 31.
misera Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
missippus Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 264.
mississipensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 889.
mistothpes Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 43.
mitella Anatifa (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 65.—Lepas.

- mitella Bernicla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Lepas.
- mitella polonica Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
- mitella Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1108.
- mitella Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
- mithras Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 87.
- mithridates Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 336.
- Mitra (*ex* Rumph), P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
- Mitra [G. Humphreys], Mus. Calonn. 1797, 35.—G.
- Mitra J. F. Bolten, Mus. Bolten. (2) 1798, 135.—G.
- Mitra Lamarck, Ency. Méth. (Tabl. Vers), pl. 369 (1798) [*n. et f.*].—G.
- Mitra Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—G.
- mitra Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
- mitra Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
- mitra Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 192.
- mitra cardinalis Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
- mitra episcopalis Murex, F. C. Meuschen, Mus. Gever. 1787, 334.
- mitra *var.* episcopalis Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1193.
- mitra *var.* papalis Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1194.
- mitratus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
- mitratus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 738.
- mitrata Meleagris, A. Voeg, Catal. Vogel. 1764, Adumb., 4.
- mitrata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 977.
- mitrata Numida, P. S. Pallas, Spic. Zool. IV. 1767, 18.
- mitrata Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 211.
- mitrata Sylvia (Gm.), J. Latham, Index Orn. 1790, 528.—Motacilla.
- mitrata Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
- mitrula Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
- [mitterpacher]—
- mitterbacheriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
- mitterbachiana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 239.—Phalaena.
- mitterbachiana Tortrix (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 533.—Phalaena.
- mitu Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 270.
- miunta Saperda, *err. pro* minuta, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 150.
- Mixine J. G. Bruguière, Ency. Méth. (Vers. pl. 78, 1791) [*n. et f.*].—P.
- mixtaria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 453.
- mixtoma Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 275.
- mixtum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 150.
- mixtus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 143.
- mixta Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 39.
- mixtus Cimex, J. C. Fabricius, Mant. II. 1787, 294.
- mixtus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 212.
- mixtus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 417.
- mixtus Ichneumon, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781), 281.
- mixtus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2706.
- mixtus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
- mixta Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 144.
- mixta Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 165.
- mixta Noctua, J. C. Fabricius, Mant. II. 1787, 144.
- mixta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 118.
- mixtus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 47.
- mixtus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.
- mixta Sphex, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
- mixtus Syrphus, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 8.
- mixta Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.
- M-litera Chrysomela, G. A. Harrer, Besch. Schaeffer Icones, 1784, 149.
- M-nigrum Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 291.
- m-nigrum Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 267.
- mneme Papilio, Linnaeus, Amoen. Acad. VI. 1763, 403.

- mnemosyne *Papilio* (*Heliconius*), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 465; ed. 12, 1767, 1754.
- mniorum *Apis*, J. C. Fabricius, *Gen. Ins.* 1777, 247.
- mobilicornis *Scarabaeus*, J. C. Fabricius, *Syst. Ent.* 1775, 11.
- mocanus *Conus*, Hwass in J. G. Bruguière, *Ency. Méth. (Vers)* (2), 1792, 712.
- modeeri *Altica* (L.), A. G. Olivier, *Ency. Méth. IV (Ins.)* 1789, 109.—*Chrysomela*.
- modeeri *Chrysomela*, Linnaeus, *Faun. Suec.*, ed. 2, 1761, 167.
- modeeri *Galleruca* (L.), J. C. Fabricius, *Ent. Syst. I* (2) 1792, 30.—*Chrysomela*.
- modeeriana *Phalaena* (Tort.), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 347.
- modeeriana *Pyralis* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 650.—*Phalaena*.
- moderator *Ichneumon*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 564; ed. 12, 1767, 935.
- modesta *Buprestis*, J. C. Fabricius, *Spec. Ins. I* 1781, 276.
- modestus *Cancer*, J. F. W. Herbst, *Vers. Nat. Krab. II* (6) 1796, 173.
- modestus *Cerambyx* (Fab.), J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1838.—
- modesta *Cetonia*, J. C. Fabricius, *Ent. Syst. I* (2) 1792, 152. [Saperda.]
- modesta *Chrysomela*, J. C. Fabricius, *Ent. Syst. I* (1) 1792, 323.
- modestus *Curculio*, J. C. Fabricius, *Spec. Ins. I* 1781, 186.
- modestus *Curculio*, A. F. de Fourcroy, *Ent. Paris.* 1785, 120.
- modesta *Eurychora*, Herbst in Jablonsky, *Nat. Ins. (Käfer)* VIII. 1799, 37.
- modestus *Lygaeus*, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 107.
- modestus *Miris*, L. H. v. Bloch in Becker, *Plau. Grund.* 1799, 120.
- modesta *Ostrea*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3331.
- modesta [*Phalaena*], P. Cramer, *Uitl. Kapellen, II* (10) 1777, 28.
- modesta [*Phalaena*], P. Cramer, *Uitl. Kapellen, III* (23) 1780, 143.
- modesta *Phalaena*, A. F. de Fourcroy, *Ent. Paris.* 1785, 318.
- modesta *Phalaena* (*Bombyx*), O. F. Müller, *F. Ins. Frid.* 1764, 42.
- modesta *Phalaena Noctua*, J. Hübner, *Beitr. Schmett.* (1) 1786, 3.
- modesta *Pimelia*, Herbst in Jablonsky, *Nat. Ins. (Käfer)* VIII. 1799, 96.
- modesta *Saperda*, J. C. Fabricius, *Spec. Ins. I* 1781, 231.
- modesta *Sphinx*, J. C. Fabricius, *Ent. Syst. III* (1) 1793, 356.
- Modiola*—not found by me till after 1800.
- Modiolus* Lamarck, *Mem. Soc. H. N. Paris*, 1799, p. 87.—L.
- modiolus* *Arca*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1141.
- modiolus* *Daphnoderma* (L.), J. X. Poli, *Test. Sicil. II.* 1795, 255 & 260.—*Arca*.
- modiolus* *Modiolus* (L.), Lamarck, *Mém. Soc. H. N. Paris*, 1799, 88.—*Mytilus*.
- modiolus* *Mytilus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 706; ed. 12, 1767, 1158.
- modiolus* *Tamarindiformis* (L.), F. C. Meuschen, *Mus. Gever.* 1787, 412.—*Mytilus*.
- modularis* *Ficedula* (L.), J. C. Schaeffer, *Mus. Orn.* 1789, 34.—*Motacilla*.
- modularis* *Motacilla*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 184; ed. 12, 1766, 329.
- modularis* *Sylvia* (L.), J. Latham, *Syn. Birds, Suppl. I.* 1787, 287.—*Motacilla*.
- modulaides* (*sic*) *Musculus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 157.
- modulus* *Musculus* (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 157.—*Mytilus modiolus*.
- modulus* *Patella*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 11.
- modulus* *Trochus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 757; ed. 12, 1767, 1228. [Scop.]
- moeniaria *Geometra*, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 112.—*moeniata*.
- moeniata *Geometra*, J. Hübner, *Europ. Schmett. (Geom.)* [me judice 1796], fig. 298
- moeniata *Phalaena*, J. A. Scopoli, *Ent. Carn.* 1763, 561. [*n. et f.*].
- moerens *Curculio*, J. C. Fabricius, *Ent. Syst. I* (2) 1792, 465.
- moerens *Crambus*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 473.
- moerens *Ichneumon*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2703.
- moerens *Melolontha*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 132.
- moerens *Musca*, J. C. Fabricius, *Ent. Syst. IV.* 1794, 349.
- moerens *Phalaena Noct.*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2584.
- moerens *Tabanus*, J. C. Fabricius, *Mant. II.* 1787, 356.
- moeris *Copris* (Pall.), A. G. Olivier, *Ency. Méth. V (Ins.)* 1790, 165.—*Scarabaeus*.
- moeris *Scarabaeus*, P. S. Pallas, *Icon. Ins.* 1781, 3.
- moesta *Buprestis*, J. C. Fabricius, *Ent. Syst. I* (2) 1792, 206.
- moestus *Carabus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1990.
- moestus *Carabus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1993.

- moestus** Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.
moesta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.
moesta Phalaena, Giorna, Cal. Ent. 1791, 34.
moestus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 198.
moestus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1579.
mogilnik Aquila, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 445.
mogilnik Falco (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.—
mogilnik Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 488. [Aquila.
moineau Emberiza, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 157.
moineau Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 150.
mokasen Agkistrodon, de Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 370.
Mola G. Cuvier, Tab. Elém. 1798, 323.—P.
Mola G. Cuvier, Leçons Comp. Anat. I. 1800, 4 [*n. n.*].—P.
mola Diodon, P. S. Pallas, Spic. Zool. VIII. 1770, 39.
mola Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 412 [Tetro-].
molator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1831.—Lamia.
molator Lamia, J. C. Fabricius, Mant. I. 1787, 137.
moldavica Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl., 3 Abschn. [1797], 38.
molestus Culex, P. Forskal, Descr. Anim. 1775, 85.
moli Bombyx, *err. pro mali*, J. C. Fabricius, Mant. II. 1787, 115.
molina [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 25.
molinae Aptenodytes, J. Latham, Index Orn. 1790, 881.
molinella [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 113.
molinella Phalaena (Tin.), Herbst, Einl. Ins. II. 1785, 132.
molio Musca, M. Harris, Exp. Eng. Ins. 1776, 111.
molitalis Pyralis (Fab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 34.—[*v. motitalis.*]
molitor Cerambyx, [D. H. Schneider], Nom. Ent. 1785, 15 [*n. n.*].
molitor Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1835.—Lamia.
molitor Lamia, J. C. Fabricius, Syst. Ent. 1775, 176.
molitor Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 674.
molitorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 399.
molitoria Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
molitux Musca, M. Harris, Exp. Eng. Ins. 1776, 110.
mollicina Medusa, P. Forskal, Descr. Anim. 1775, 109.
molle Anobium (L.), J. C. Fabricius, Syst. Ent. 1775, 62.—Ptinus.
mollis Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 621.
mollis Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
mollis Carabus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 330.
mollis Clerus (L.), F. v. P. Schrank, F. Boica, I. 1798, 515.—Dermestes.
mollis Clerus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 17.—Attelabus.
mollis Curculio, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 321.
mollis Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.—[Ptinus, ed. 12.]
mollis Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 22.—Attelabus.
mollis Gorgonia, P. S. Pallas, Elench. 1766, 203.
mollis Nereis, Linnaeus, Faun. Suec. ed. 2, 1761, 509.
mollis Notoxus (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—Attelabus.
mollis Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.—Dermestes, ed. 10.
mollis Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
mollissima Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 108.
mollissima Anser (L.), J. C. Schaeffer, Mus. Orn. 1789, 68.—Anas.
molluc- *v. moluc-*.
molluginis Chrysomela, N. J. Brahm, Ins. Kal. I (2) 1791, 226.
moloch Simia, J. B. Audebert, Hist. nat. Singes, 1799, sig. F 2.
molorchoides Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.
Molorchus J. C. Fabricius, Ent. Syst. I (2) 1792, 356.—Col.
molossces Scarabaeus, *err. pro molossus*, L., J. C. Fabricius, Mant. I. 1787, 14.
molossus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 153.—Scarabaeus.
molossus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 543.

- molossus** Vespertilio, P. S. Pallas, Spicil. Zool. III. 1767, 8.
molossus Vespertilio, R. Kerr, Anim. Kingd. 1792, 97; *varr.* major, minor.
molothina Bombyx (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 34.
molphea [Papilio], P. Cramer, Utit. Kapellen, II (10) 1777, 29.
moltkiana Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 404.
moltkiana Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3303.
moltkianus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
molucca Didelphis, R. Kerr, Anim. Kingd. 1792, 192.
molucca Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 302.
moluccanus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. I. 1790, 3563.
moluccensis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
moluccensis Didelphis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 684.
moluccensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 465.
moluccensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 439.
molluccensis Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
moluccensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 331.
moluccensis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 144.
molluccensis Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
molucrum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
molurus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387.
molva Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 439.
Momot B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 9.—A.
“Momota, Shaw, 1800,” Ag.; is 1811.
“momotowa R. (Kosti),” in Geologist, 1863, 396;—*err. pro* “Russicé Momotowa Kosti”=mammoth bones, see Georgi, Ges. phys. Nat. Besch. Russ. Reichs, III. 1798, 587.
Momotus M. J. Brisson, Ornith. IV. 1760, p. 465.—A.
Momotus Bonnaterre, Ency. Méth. (Orn.) I. 1790, lxxxviii.—A.
Momotus J. Latham, Index Orn. 1790, 140.—A.
momota Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 152.
momus Curculio, Scopoli, Ent. Carn. 1763, 33.
momus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 334.
momus Papilio, J. C. Fabricius, Mant. II. 1787, 86.
momus Scarabaeus, A. G. Olivier, Entom. I. 1789, 60.
momus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 13.
mona Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 32.—Simia.
mona Simia, J. C. D. Schreber, Säugth. I. 97 (1774), pl. xv (1774).
mona Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 70.
monachella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 65.
monachialis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
monacha Anas, J. A. Scopoli, Annus I. 1769, 65.
monachus Apaté, J. C. Fabricius, Syst. Ent. 1775, 54.
monacha Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 574.—Phalaena.
monachus Bostrichus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 108.—Apaté.
monachus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
monachus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 39.—Conus.
monacha Cypraea, E. M. da Costa, Brit. Conch. 1778, 33.
monacha Cypris, C. F. Müller, Z. Dan. Prod. 1776, 199. [Apaté.
monachus Dermestes (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1599.—
monachus Ligniperda (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 38.—Apaté.
monacha Mantis, J. C. Fabricius, Mant. I. 1787, 228. [Cypris.
monachus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—
monacha Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 821.
monachus Phoca, J. Hermann, Beschäf. Ges. nat. Freunde, IV. 1779, 501.
monachus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
monachus Trox, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 25.
monacha Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 824.
monachus Vultur, Linnaeus, Syst. Nat., ed. 12, 1766, 122.

- Monas** O. F. Müller, Verm. I (1) 1773, 25.—Pro.
monasteriata Madrepora, P. Forskal, Descr. Anim. 1775, 133.
monax Arctomys (Linn.), J. C. D. Schreber, Säugth. IV. 737 (1782), pl. ccviii (1780).—
monax Glis (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 361.—Mus. [Mus.
monax Lagomys (L.), G. C. C. Storr, Prod. 1780, 40.—Mus.
monax Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 60; ed. 12, 1766, 81.
moncus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 113.
Monedula Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 16.—A.
 “**Monedula**, Coqueb. 1798”; Ag., I cannot find: is Latreille, 1802.
monedula Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 156.
monedula Corvus, R. Kerr, Anim. Kingd. 1792; *varr.* torquata, candida, nigra, erythro-
 rhynchos, leucopterus, leucocephalus, 634; *fuscescens*, 635.
monedula Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 424.
monedula Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 72.
moneta Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 723; ed. 12, 1767, 1178.
moneta Noctua, J. C. Fabricius, Mant. II. 1787, 162.
moneta Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 22.
moneus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 261.
monea Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 208.
mongolica Alauda, P. S. Pallas, Reise Russ. III. 1776, 697.
mongolus Charadrius, P. S. Pallas, Reise Russ. III. 1776, 700.
mongoz Lemur, Linnaeus, Syst. Nat., ed. 12, 1766, 44.
mongoz Lemur, L., R. Kerr, Anim. Kingd. 1792, 85; *varr.* maurus, negro, albipes,
 fuscus, cinerusc.
mongoz Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.
mongus Lemur, M. T. Brunnich, Dyr. Hist. 1782, 43.—[mongoz, L.]
monilaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 59 [*n. et f.*].
monilaria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 285.
monilella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
moniliata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
monilicorne Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
monilicornis Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 402.
monilifera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 271.
monilifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 325.
moniliferella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 517.
moniliformis Coluber, G. A. Suckow, Naturges. III. 1798, 244.
moniliformis Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
moniliformis Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 135.
moniliger Aranea, C. de Villers, Linn. Ent. IV. 1789, 128.
monilis Brentus, J. C. Fabricius, Mant. I. 1787, 95.
monile Buccinum, Linnaeus, Mant. II. 1771, 550.
monile Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 338.
monilis Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—Cucujus.
monilis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 126.
monilis Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 75.
monilis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 203.
monilis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 381.
monile Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 646.
monile Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 110.
monilis Cucuius, J. C. Fabricius, Mant. I. 1787, 166.
monilis Ips, A. G. Olivier, Entom. II. 1790, 4.
monile Madrepora, P. Forskal, Descr. Anim. 1775, 133.
monilis Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 328.—Voluta.
monile Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
monilis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 46. [Noctua.
monilis Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 731.—
monilis Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 83.
monilis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.

- monilis Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 730; ed. 12, 1767, 1189.
 monima [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 202.
 monina Papilio, J. C. Fabricius, Mant. II. 1787, 51.
 monitata Bursa, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
 monitor Cordylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 18.—Lacerta.
 monitor Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 360.
 monita Porcellana, F. C. Meuschen, Mus. Gever. 1787, 408.
 monocanta Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 19.
 Monoceros E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 157.—M.
 Monoceros F. C. Meuschen, Mus. Gever. 1787, 290.—G.
 monoceros Anthicus (L.), G. Paykull, Faun. Suec. I. 1798, 254.—Meloe.
 monoceros Attelabus, Linnaeus, Faun. Suec. ed. 2, 1761, 185.
 monoceros Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 404.
 monoceros Buccinum (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 253.
 monoceros Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
 monoceros Meloe, Linnaeus, Syst. Nat., ed. 12, I. 1767, 681.
 monoceros Monodon, Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 105.
 monoceros Notoxus (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—Attelabus.
 monoceros Notoxus (L.), A. G. Olivier, Entom. III. 1795, 4.—Meloe.
 monoceros Peneus, F. Weber, Nomen. Fabricii, 1795, 94 [*n. n.*].
 monoceros Penaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 409.
 monoceros Scarabaeus, A. G. Olivier, Entom. I. 1789, 37.
 monoceros Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
 monochroma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797–1800], 521.
 monoculi Entomolithus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 392.
 monoculi Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3041.
 monoculoides Pharetra, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
 Monoculus Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1057.—Cr.
 Monoculus J. C. Fabricius, Suppl. Ent. Syst. 1798, 298.
 monoculus Musca (Syrphus), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 287.
 monoculus Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 36.
 "Monodactylus, Lacép. 1800," Ag.; is 1802. [899.
 monodactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767,
 monodactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
 Monodon Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 105.—M.
 monodon Buccinum, P. S. Pallas, Spic. Zool. X (1774), 33.
 monodon Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—Scarabaeus, 1792.
 monodon Peneus, F. Weber, Nomen. Fabricii, 1795, 94 [*n. n.*].
 monodon Penaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 408.
 monodon Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 20.
 Monodonta Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—G.
 monoglypha Phalaena, Hufnagel, Berl. Mag. III. 1767, 308.
 monographica Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 monoglyphus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 365.
 monolis Noctua, J. C. Fabricius, Gen. Ins. 1777, 283.
 monopis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
 Monopterus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 138.—P.
 monopterus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 127.
 monoptera Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 434.
 monopterygius Cottus, M. E. Bloch, Nat. ausl. Fische, II. 1786, 156.
 monopterygius Lophius, G. Shaw, Nat. Misc. VI. 1795, pl. 202.
 monos Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 103.
 Monostoma J. G. H. Zeber in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 147.—Verm.
 monostriatus Dycticus, A. F. de Fourcroy, Ent. Paris. 1785, 69.
 monostriata Madrepora, *id. ac* monasteriata, Forsk. J. F. Gmelin in Linn. Syst. Nat., ed.
 monotis Pecten, E. M. da Costa, Brit. Conch. 1778, 151. [13, I. 1790, 3773.
 Monotoma Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 22.—Col.
 monotomus Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 576.

- monotropus** *Sylvicola*, M. Harris, Exp. Eng. Ins. 1776, 101.
monspeliensis *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.
monspeliensis *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
monstrosa *Acanthia*, J. C. Fabricius, Ent. Syst. IV. 1794, 74.
monstrosa *Acheta* (Drury), J. C. Fabricius, Syst. Ent. 1775, 826.—Gryllus.
monstrosum *Cardium*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3253.
monstrosa *Chimera*, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 401.
monstrosa *Clythra*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 111.
monstrosus *Gryllus*, D. Drury, Ill. Nat. Hist. II. 1773, index & 81.
monstrosa *Raja*, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 535.
monstrosa *Sphex*, C. de Villers, Linn. Ent. III. 1789, 252.
monstrosa *Venus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
montanata *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 113. [et f.].
montanata *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 248 [n.].
montanata *Phalaena Geometra* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
montanella *Motacilla*, P. S. Pallas, Reise Russ. III. 1776, 695. [397.—*Geometra*.
montanella *Sylvia* (Pall.), J. Latham, Index Orn. 1790, 526.—*Motacilla*.
montana *Anas*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 510.
montanus *Anser*, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 122.
montana *Apis*, Scopoli, Ent. Carn. 1763, 302.
[montanus *Araneus*, C. Clerck, Aran. Svec. 1757, 64.]
montana *Aranea*, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
montana *Bombyx* (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 53.—*Phalaena*.
montana *Cicada*, J. A. Scopoli, Annus V. 1772, 109.
montana *Columba*, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 281.
montanus *Elater*, Scopoli, Ent. Carn. 1763, 92.
montana *Emberiza*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 867.
montanus *Falco*, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 107.
montanus *Falco*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 278.
montanus *Falco*, R. Kerr, Anim. Kingd. 1792, 515; var. *cinereus*.
montana *Felis* (Lynx), R. Kerr, Anim. Kingd. 1792, 155.
montana *Fringilla*, Linnaeus, Syst. Nat., ed. 10, 1758, 183; ed. 12, 1766, 324.
montana *Helix*, Studer in Coxe, Trav. Switz. III. 1789, 386 [n. n.].
montana *Hirundo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1020.
montana *Lacerta*, G. de Razoumowsky in Bertholon's Nature Considérée, VII. 1789, 8.
montanus *Papilio*, L. Prunner, Lep. Pedemont. 1798, 71.
montana *Perdix* (Gm.), J. Latham, Index Orn. 1790, 646.—*Tetrao*.
montana *Phalaena*, Scopoli, Ent. Carn. 1763, 236.
montana [*Phalaena*], C. Stoll in Cramer, Uitd. Kapellen, IV (30), 1781, 127.
montanus *Sturnus*, K. Hablizl in P. S. Pallas, N. nord. Beitr. IV. 1783, 53.
montanus *Tenebrio*, J. A. Scopoli, Annus V. 1772, 108.
montana *Tenthredo*, Scopoli, Ent. Carn. 1763, 276.
montana *Tetrao*, P. Boddaert, Tab. Planch. Enl. 1783, 9.
montanus *Tetrao*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
montana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 37 [n. et f.].
montanus *Turdus*, F. W. Schmidt (ex Briss.) Samml. phys.-oek. Aufsätze, I. 1795, 54.
[monticola *Araneus*, C. Clerck, Aran. Svec. 1757, 91.]
monticola *Araneus*, T. Martyn, Aranei, 1793, 42.
monticola *Capra*, C. P. Thunberg, Voy. Afrique, 1794, 164.
monticola *Fringilla*, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1788, 912.
monticola *Melolontha*, J. C. Fabricius, Syst. Ent. 1775, 39. [Melolontha.
monticola *Scarabaeus* (Fab.), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 1567.—
montifringilla *Fringilla*, Linnaeus, Syst. Nat., ed. 10, 1758, 179; ed. 12, 1766, 318.
montifringilla *Passer* (L.), J. C. Schaeffer, Mus. Orn. 1789, 27.—*Fringilla*.
montiniana *Tortrix*, C. P. Thunberg, Ins. Suecica (1) 1784, 19.
montium *Fringilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 917.
montosa *Porcellana*, P. L. S. Müller, Del. Nat. I. 1766, 129.
monura *Podura*, F. v. P. Schrank, Ins. Aust. 1781, 497.

- monuste** Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 237.
monycha [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 52.
monycha [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30), 1781, 130.
mopsus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.
mopsa [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 4.
mopsus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 3.
mopsus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 58.
moraei Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 65.—Chrysomela.
moraei Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 597.
moraei Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 110.—Chrysomela.
morator Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
moratorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
moratus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 171.
moraviana Papilio, F. C. Meuschen, Mus. Gronov. 1778, 74.
morbillosum Acrydium (L.), J. C. Fabricius, Mant. I. 1787, 230.—Gryllus.
morbillosa Buprestis, A. G. Olivier, Eutom. II. 1790, 12.
morbillosa Buprestis, A. G. Olivier, Ency. Meth. V (Ins.) 1790, 214.
morbillosus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 130.
morbillosus Curculio, D. Drury, Ill. Nat. Hist. III. 1782, index & 74.
morbillosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 457.
morbillosa Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
morbillosa Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 19.
morbillosus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 700.
morbillosa Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 147.
morbillosus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 63.
mordax Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58.
mordax Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 306.—Rhagium.
mordax Leptura, C. de Geer, Mém. Ins. V. 1775, 124.
mordax Rhagium, J. C. Fabricius, Mant. I. 1787, 145.
mordax Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. App. IV. 1796, 147.
mordax Staphylinus, L. H. v. Bloch, in Becker, Plau. Grund. 1799, 115.
mordax Stenocorus (De G.), A. G. Olivier, Entom. IV. 1795, 7.—Leptura.
mordax Termes, J. C. Fabricius, Spec. Ins. I. 1781, 397.
mordax Termes, D. Solander, Phil. Trans. LXXI (1) 1781, 141.
Mordella Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.—Col.
mordelloides Elater, N. Host in Jacquin, Coll. Bot. III. 1789, 298.
morella Cyprinus, N. G. Leske, Ichth. Lips. 1774, 47.
mori Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—Phalaena.
mori Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767, 817.
[moriata Phalaena (G.) MS.], T. Martyn, Psyche, 1797, fig. 30.
morilles Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
Morinellus G. Edwards, in M. Catesby, Carol. I. 1771, 72.—A.
morinellus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 254.
morinellus Pluvialis (L.), J. C. Schaeffer, Mus. Orn. 1789, 48.—Charadrius.
morinella Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 249.
morio Acheta, J. C. Fabricius, Spec. Ins. I. 1781, 354.
morio Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 223.—Gryllus.
morio Anthrax (Linn.), Scopoli, Ent. Carn. 1763, 358.—Musca.
morio Apis, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 283.
morio Apis, J. C. Fabricius, Ent. Syst. II. 1793, 315.
morio Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
morio Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 388.
morio Bibio (L.), J. C. Fabricius, Syst. Ent. 1775, 758.—Musca.
morio Bombylius, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 328.
morio Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 300.—Murex.
morio Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 210. [Lymexylon.
morio Calolymus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. II. 1791, 123.—
morio Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Lymexylon.

- morio Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 220.
 morio Catops (Fab.), G. Paykull, Faun. Suec. I. 1798, 344.—Tritoma.
 morio Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
 morio Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 305.—Lamia.
 morio Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 51.
 morio Chrysomela, J. C. Fabricius, Mant. I. 1787, 66.
 morio Chrysomela, (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Cistela.
 morio Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 250.
 morio Cistela; J. C. Fabricius, Mant. I. 1787, 86.
 morio Coccinella, G. Paykull, K. Vet. Ac. Nya Handl. XIX. 1798, 151.
 morio Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 151.
 morio Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—Cistela.
 morio Culex, J. C. Fabricius, Syst. Ent. 1775, 800.
 morio Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 198.
 morio Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 138.
 morio Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 405.
 morio Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123.
 morio Forficula, J. C. Fabricius, Syst. Ent. 1775, 270.
 morio Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [n. n.]; Essai Fourmis,
 morio Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 120.—Murex. [1798, 36.
 morio Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 23.
 morio Gryllus, J. C. Fabricius, Mant. I. 1787, 238.
 morio Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—Acheta.
 morio Helops, J. C. Fabricius, Gen. Ins. 1777, 241.
 morio Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 306.
 morio Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 436, no. 100.
 morio Lamia, J. C. Fabricius, Mant. I. 1787, 141.
 morio Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 349.
 morio Lymexylon, J. C. Fabricius, Mant. I. 1787, 165.
 morio Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 178.
 morio Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 131.
 morio Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1221.
 morio Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 332.—Voluta.
 morio Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 981.
 morio Nemotelus (L.), C. de Geer, Mém. Ins. VI. 1776, 192.—Musca.
 morio Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.—Ichneumon, 1781.
 morio Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 16.
 morio Papilio Scopoli, Ent. Carn. 1763, 181.
 morio Papilio 'H', Hufnagel, Berl. Mag. II. 1766, 58.
 morio Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
 morio Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7 [n. n.].
 morio Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 828.
 morio Phalangium, J. C. Fabricius, Reise Norwegen, 1779, 340.
 morio Phasianus, J. Latham, Index Orn. 1790, 628.—P. gallus m. L., & varr. tophaceus,
 morio Pimelia, J. C. Fabricius, Gen. Ins. 1777, 240. [cornutus, lanatus.
 morio Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
 morio Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 275.
 morio Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1581.—Cetonia.
 morio Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 452.
 morio Sphaeridium (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 116.—
 morio Sphex, J. C. Fabricius, Syst. Ent. 1775, 349. [Tritoma.
 morio Stomoxys, J. C. Fabricius, Syst. Ent. 1775, 797.
 morio Stratiomys (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 177.—Musca.
 morio Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 307.—Turdus.
 morio Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 1001.
 morio Tabanus, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 2.
 morio Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 362.—Pimelia.
 morio Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 247.

- morio Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 414, no. 41.
 morio Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 416, no. 50.
 morio Termes, J. C. Fabricius, Ent. Syst. II. 1793, 90.
 morio Tiphia, J. C. Fabricius, Mant. I. 1787, 280.
 morio Tipula, J. C. Fabricius, Mant. II. 1787, 324.
 morio Tritoma, J. C. Fabricius, Mant. I. 1787, 44.
 morio Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 297.
 morio Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
 morio Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1193.
 morio Volvox (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 537.—
 morionis-pileus [Patella], T. Martyn, Univ. Conch. III [1789], fig. 101. [Tritoma].
 moritanus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
 mormon Papio (Al.), J. C. P. Erxleben, Syst. Anim. 1777, 18.—Simia.
 mormon Simia, C. Alströmer, K. Vet. Ac. Handl. XXVII. 1766, 138.
 mormon Simia (Papio), R. Kerr, Anim. Kingd. 1792, 60.
 Mormyra P. Browne, Hist. Jamaica, ed. 2, 1789, 446.—P.
 Mormyrus Linnaeus, Syst. Nat., ed. 10, 1758, 327; ed. 12, 1766, 522.—P.
 Mormyrus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [n. n].—P.
 mormyrus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 472.
 morna Papilio, J. C. Fabricius, Syst. Ent. 1775, 500.
 moroc Cuculus, G. A. Suckow, Naturg. II [1] 1800, 511.
 morpheus Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 40.
 morpheus Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 471.
 morpheus Papilio, J. C. Fabricius, Syst. Ent. 1775, 530.
 morpheus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 213.
 morpheus Papilio, J. C. Fabricius, Mant. II. 1787, 30.
 morpheus Phalaena, S. A. v. Rottemberg, Naturforscher, IX. 1776, 121.
 morpheus [Sphinx], P. Cramer, Utitl. Kapellen, II (13) 1777, 84.
 morphius Papilio, *err. pro* morpheus, J. C. Fabricius, Spec. Ins. II. 1781, 62.
 Morpio J. H. Kniphof, De Pedic. 1759, 42.—Ar.
 morhua Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 252; ed. 12, 1766, 436.
 "Morris" J. Berkenhout, Syn. N. H. Gt. Brit. I. 1789, 65.—P. [II. 1800, 142].
 morrisianus Leptocephalus, *id. ac* morrisii, Gm., B. G. E. de Lacépède, Hist. Nat. Poiss.
 morrisii Leptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1150.
 morsitans Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1063.
 morsitans Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 249.
 morsitans Staphylinus, G. Paykull, Mon. Curc. 1792, 145.
 morsus Rosmarus, P. Boddaert, Elench. 1785, 169.
 morta Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
 morta Cercopithecus, F. C. Meuschen, Mus. Gronov. 1778, 5.
 morta Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 43.
 morticinii Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 11.
 morticinii Trox, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 22.
 mortisaga Blaps (L.), J. C. Fabricius, Syst. Ent. 1775, 254.—Tenebrio.
 mortisagus Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Tenebrio.
 mortisagus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 676.
 mortuorum Aranea, P. Rossi, Fauna Etrus. II. 1790, 136.
 mortuorum Formica, P. Rossi, Mant. Ins. II. 1794, 125.
 mortuorum Ichneumon, P. Rossi, Mant. Ins. I. 1792, 126.
 mortuorum Musca, Linnaeus, Faun. Suec. ed. 2, 1761, 452.
 mortuorum Necrophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 248.
 mortuorum Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
 Morum J. F. Bolten, Mus. Bolten. (2) 1798, 53.—G.
 morus Cerithium, J. G. Bruguière, Ency. Meth. (Vers) (2) 1792, 500.
 morum Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
 morum Volvox, O. F. Müller, An. Infus. 1786, 20.
 moruus Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
 morvus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 73.

- moschatae* Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
moschatellina Nucella, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
moschatellina Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
moschatellus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 46.
moschator Ichneumon, J. C. Fabricius, Mant. I. 1787, 266.
moschata Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 124; ed. 12, 1766, 199.
moschatus Bos, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 86.
moschata Branta (Linn.), J. A. Scopoli, Annus I. 1769, 68.—Anas.
moschatus Castor, Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 79.
moschatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
moschatus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 603.
moschatus Desman, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
moschata Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
moschatus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 316.
moschatus Mus, R. Kerr, Anim. Kingd. 1792, 233.
moschata Mustela, J. M. Bechstein in Pennant, Uebers. 4ffuss. Thiere, II. 1800, 393.
moschatus Mygalus (L.), A. J. Retzius, Animad. Mamm. 1796, 22.—Castor.
moschatus Octopus, Lamarck, Bull. Sci. Soc. Philom. [Paris], No. 17, 1798, 130.
moschatus Sorex (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 127.—Castor.
moschatus Sorex (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 500.—Castor.
moschiferus Moschus, Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 91.
moschifera Tipula, G. I. Molina, Sag. stor. nat. Chili, 1782, 214.
Moschites J. G. Schneider, Samml. Verm. Abh. 1784, 118.—Ceph.
moschitus *v.* *mosquitus*.
Moschus Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 91.—M.
Moschus Tragulus, P. Boddaert, Elench. 1785, 131.
moscorica Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1646.
mosellana Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 794.
mosis-charas Vipera, J. N. Laurenti, Syn. Rept. 1768, 100.
moslemica Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
mosquitus Mellisuga (L.), J. C. Schaeffer, Mus. Orn. 1789, 41.—Trochilus.
moschita Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 970.
moschita Sylvia (Gm.), J. Latham, Index Orn. 1790, 509.—Motacilla.
mosquitus Trochilus, Linnaeus, Syst. Nat. ed. 10, 1758, 120; ed. 12, 1766, 192.
moschilus Trochilus, *id.* *ac* *mosquitus*, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
mosellina Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 794. [1788, 494.
Motacilla Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 328.—A.
motacilla Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
motacillae Pediculus, J. C. Fabricius, Spec. Ins. 1777, 310.
motatorius Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
motatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 329.
motatrix Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 974 [motitatrix].
motitalis Phalaena, J. C. Fabricius, Mant. II. 1787, 218.
motitans Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
motitatrix Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 435.
motmot Phasianus, Linnaeus, Syst. Nat., ed. 12, 1766, 271.
mouffetella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 896.
mouffetella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
mouffeti Aranea, Scopoli, Ent. Carn. 1763, 398.
mozambicus Conus, Hwass in J. G. Brugière, Ency. Méth. (Vers) (2) 1792, 696.
mozambica Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
mucidaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 148
mucidus Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*]. [*n. elf.*].
mucida Phalaena Noctua (ex Esper tab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
mucida Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256. [1792, 733.
mucoreus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 117.
mucoreus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
mucosus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.

- mucosa** *Natrix* (Linn.), J. N. Laurenti, Syn. Rept., 1768, 77.—Coluber.
- mucosa** *Tinea*, A. F. de Fourcroy, Ent. Paris. 1785, 334.
- mucronata** *Ascaris*, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 121.
- mucronatus** *Asilus*, Scopoli, Ent. Carn. 1763, 363.
- mucronata** *Biphora* (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 181.—*Salpa*.
- mucronatus** *Brachionus*, O. F. Müller, Verm. I (1) 1773, 134.
- mucronatus** *Brachionus*, O. F. Müller, An. Infus. 1786, 349.
- mucronatum** *Buccinum*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
- mucronatum** *Callidium*, J. C. Fabricius, Syst. Ent. 1775, 193.
- mucronatum** *Cardium*, J. X. Poli, Test. Sicil. II. 1795, 59. [Prionus.]
- mucronatus** *Cerambyx* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1817.—
- mucronatum** *Cerastoderma* (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—*Cardium*.
- mucronatum** *Chimaeroderma*, J. X. Poli, Test. Sicil. II. 1795, 259 = *Pinna* of p. 227.
- mucronatus** *Crabro*, J. C. Fabricius, Ent. Syst. II. 1793, 300.
- mucronatus** *Crambus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—*Phalaena mucronella*.
- mucronatus** *Curculio*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 492. [Scop.]
- mucronatus** *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 415.
- mucronata** *Daphne*, O. F. Müller, Z. Dan. Prod. 1776, 200.
- mucronata** *Donacia*, D. H. Hoppe, Ins. Elyt. 1795, 47.
- mucronatus** *Elater*, G. A. Olivier, J. Nat. Hist. (Choix des Mém.), I. 1792, 262.
- mucronata** *Fusaria*, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 62.
- mucronata** *Kolpoda*, O. F. Müller, An. Infus. 1786, 96.
- mucronata** *Leptura* (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 231.—*Callidium*.
- mucronatus** *Monoculus* (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—
- mucronatus** *Murex*, F. C. Meuschen, Mus. Gever. 1787, 324. [Daphne.]
- mucronatus** *Odontognathus*, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 218.
- mucronata** *Patella*, F. C. Meuschen, Mus. Gever. 1787, 242.
- mucronata** *Phalaena*, Scopoli, Ent. Carn. 1763, 222.
- mucronatum** *Phalangium*, O. F. Müller, Z. Dan. Prod. 1776, 192.
- mucronata** *Pinna*, J. X. Poli, Test. Sicil. II. 1795, 227.
- mucronatus** *Prionus*, J. C. Fabricius, Syst. Ent. 1775, 160.
- mucronatus** *Prionus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 244.
- mucronata** *Salpa*, P. Forskal, Descr. Anim. 1775, 114.
- mucronata** *Saperda*, A. G. Olivier, Entom. IV. 1795, 30.
- mucronatus** *Scorpio*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 294.
- mucronata** *Tenthredo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
- mucronata** *Voluta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
- mucronella** *Phalaena*, Scopoli, Ent. Carn. 1763, 250.
- müllerella** *Phalaena* (Tin.), C. de Villers, Linn. Ent. II. 1789, 528.
- mülleri** *Carabus*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 139.
- mülleri** *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.
- mülleri** *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
- mülleri** *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
- mülleri** *Dytiscus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1955.
- mülleri** *Elater*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
- mülleri** *Salmo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1378.
- mülleriana** *Silpha*, F. A. A. Meyer, Zool. Archiv (1) 1796, 210.
- mugiens** *Columba*, J. A. Scopoli, Annus I. 1769, 124.
- Mugil** *Linnaeus*, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520; [Artedi, Ichth. 1738, gen.
- mula** *Raja*, P. Forskal, Descr. Anim. 1775, ix. [XXVI., p. 32].—P.
- mular** *Phiseter*, J. P. Bonnatere, Ency. Méth. (Cet.), 1789, 17.
- mulatta** *Cercopithecus*, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 195.
- mulatta** *Simia* (Zimm.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 660.—
- mulciber** [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 45. [Cercopithecus.]
- mulciber** *Papilio* (Dan.), Herbst, Einl. Ins. II. 1785, 48.
- muliebris** *Musca*, M. Harris, Exp. Eng. Ins. 1776, 75.
- Mulio** P. A. Latreille, Précis Caract. Ins. 1796, 155.—Dip.
- Mulio** J. C. Fabricius, Suppl. Ent. Syst. 1798, 548.—Dip.

- Mullus** Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.—P.
mulsus Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
multangula Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3230.
multicauda Muraena, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 154.
Multiceps J. A. E. Goeze, Eingeweidewürm. 1782, 192.—Ver.
multiceps Brachionus, F. v. P. Schrank, Naturforscher, XXVII. 1793, 30.
multiceps Taenia, N. G. Leske in Karsten, Mus. Lesk. I. 1789, 140.
multicolor Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
multicolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
multicolor Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
multicolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2136.
multicolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
multicolor Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
multicolor Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
multicolor Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
multicolor Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 924.
multicolor Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 404.
multicolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2678.
multicolor Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 972.
multicolor Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
multicolor Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
multicolor Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 428.
multicolor Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
multicolor Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
multicolor Sterna, J. A. Scopoli, Del. Insub. II. 1786, 92.
multicolor Sylvia (Gm.), J. Latham, Index Orn. 1790, 541.—Motacilla.
multicolor Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 370.
multicolor Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
multicolor Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
multicolor Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 691.
multicornis Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254. [Fistularia.
multicornis Hydra, P. Forskal, Descr. Anim. 1775, 131.
multicornis Tubularia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3834.—
multidentatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1760.
multidentatus Turbo, G. Olivi, Zool. Adriat. 1792, 171.
multifaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
multifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 368.
multiformis Vorticella, O. F. Müller, An. Infus. 1786, 262.
multiguttatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 335.
multiguttatus Cryptocephalus, D. H. Schneider, Verz. Parthei Ins. 1800, 9.
multiguttatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.), 1790, 508.
multiguttatus Dermestes, F. v. P. Schrank, F. Boica, I. 1798, 427.
multipunctata Buprestis, A. G. Olivier, Entom. II. 1790, 86.
multipunctata Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
multipunctata Cassida, A. G. Olivier, Ency. Méth. V (Ins.), 1790, 384.
multipunctatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 30.
multipunctatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 471.
multipunctatus Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 79.—Myceto-
multipunctatus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498. [phagus.
multipunctata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2579.
multipunctata Phalaena (Noct.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
multipunctatus Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 117.
multiradiata Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1101.
multispinosus Cimex, C. de Geer, Mém. Ins. III. 1773, 348.
multistriata Arca, P. Forskal, Descr. Anim. 1775, 123.
multistriatum Argoderma, J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea, 1795.
multistriata Ostrea, J. X. Poli, Test. Sicil. II. 1795, 164.
multistriata Silpha, P. Forskal, Descr. Anim. 1775, 77.

- Mulus** E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 456.—M.
- mumetes** [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 128.
- mumia** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 348.
- mumia** Chaena (Spengl.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 19.—Gastrochaena.
- mumia** Gastrochaena, L. Spengler, Nye Saml. K. Danske Skrifter, II. 1783, 179.
- mummia** [Phalaena], P. Cramer, Uitl. Kapellen, III (19) 1779, 61.
- mundana** Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812.—[v. P. (Tortrix).]
- mundana** Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 269.—
- mundana** Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 349. [P. Attacus.
- mundana** Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 645.—Phalaena.
- mundataria** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 243.
- mundata** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
- munda** Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 264.
- munda** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 482.—[mundana, L., est.]
- munda** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
- munda** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 603.—
- munerator** Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 182. [Noctua.
- mungo** Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 84.
- Mungos** E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
- munitialis** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
- muntjak** Cervus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 131.
- Muraena** Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425; [Artedi, Ichth. 1738, gen. XVIII. p. 23].—P.
- muraena** Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 120 (index).
- muraena** Salmo, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 62.
- maraenae** (*sic*) Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
- maraenae** (*sic*) Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3049.
- Muraenoides** B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 324.—P.
- muraenoides** Blennius, W. Svief, Acta Ac. Sci. Petrop. 1779 (2) 1783, 195.
- Murenophis** (*sic*) G. Cuvier, Tab. Elém. 1798, 329.—P.
- muraenula** Cyprinus, J. C. Wulff, Ichthy., 1765, 48.
- maraenula** (*sic*) Salmo, M. E. Bloch, Beschäf. Ges. Nat. Freunde, IV. 1779, 62.
- muralis** Helix, O. F. Müller, Verm. II. 1774, 14.
- muralis** Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].
- muralis** Lacerta, P. A. Latreille, Salamand. France, 1800, xvi.
- muralis** Necydalis, J. R. Forster, N. Sp. Ins. 1771, 48.
- muralis** Phalaena, J. R. Forster, N. Sp. Ins. 1771, 74.
- muralis** Seps, J. N. Laurenti, Syn. Rept. 1768, 61 & 162.
- muraria** Apis, A. F. de Fourcroy, Ent. Paris. 1785, 447.
- muraria** Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 184.
- murarius** Ichneumon, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien, II. 1764, 165.
- muraria** Musca, Scopoli, Ent. Carn. 1763, 338.
- murarius** Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.), II. 1792, 22.
- muraria** Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
- murcia** Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 33.
- murdjan** Sciaena, P. Forskal, Descr. Anim. 1775, 48.
- Murenophis** v. **Muraenophis**.
- muretus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 332.
- Murex** Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1213.—G.
- murex** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
- murex** Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 3.
- muricatum** Cardium, E. Jacob in G. Adam, Ess. Micr., ed. 2, 1798, 644.
- muricata** Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3346.
- muricatus** Apate (L.), J. C. Fabricius, Syst. Ent. 1775, 54.—Dermestes.
- muricatus** Astacus, A. G. Olivier, Ency. Meth. VI (Ins.) 1791, 346.
- muricatus** Bostrichus (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.—Dermestes.
- muricatus** Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 186.
- muricatum** Buccinum, F. C. Meuschen, Mus. Gev. 1787, 302.

- muricatus** Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 330.
muricatum Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
muricatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 211.
muricatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680 [no. 69]; ed. 12, 1767, 1123.
muricatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679 [no. 62].—[aculeatum, ed. 12.]
muricatum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 191.
muricatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 490.
muricata Chama, J. X. Poli, Test. Sicil. II. 1795, 121.
muricata Chama, J. F. Bolten, Mus. Bolten. (2) 1798, 195.
muricatum Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—Pinna.
muricatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 38.
muricatus Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 63.
muricatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
muricatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 489.
muricatum Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
muricatus Dermestes, Linnaeus, Syst. Nat., ed. 12, 1767, 562.
muricata Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1128.
muricata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
muricatus Erodium (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 117.—
muricatus Gekko, J. N. Laurenti, Syn. Rept. 1768, 44. [Pimelia.
muricata Gorgonia, P. S. Pallas, Elench. 1766, 199.
muricatus Gryllus (Locusta), P. S. Pallas, Reise Russ. I. 1771, 466.
muricata Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1080.
muricatus Inachus (Herbst), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
muricata Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 244.
muricata Lepas, J. X. Poli, Test. Sicil. I. 1791, 34.
muricatus Ligniperda* (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 39.—Der-
muricata Madrepora, P. S. Pallas, Elench. 1766, 327. [mestes.
muricata Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 792.
muricata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20 [n. n.].
muricatus Oniscus, P. S. Pallas, Reise Russ. III. 1776, 709.
muricata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
muricata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 606.
muricatus Pholas, E. M. da Costa, Brit. Conch. 1778, 244.
muricata Pimelia (L.), J. C. Fabricius, Syst. Ent. 1775, 251.—Tenebrio.
muricata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.
muricata Raja, G. S. Volta, Itt. Veron. (1) 1796, xxxvii.
muricatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 188.
muricata Serpula, I. v. Born, Test. Mus. Caes. Vindob. 1780, 440.
muricata Serpula, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 159.
muricata Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 59.
muricatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.
muricata Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
muricatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
muricatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
muricatum Synodendron (L.), J. O. Fabricius, Ent. Syst. I. (2) 1792, 359.—Dermestes.
muricata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 120.
muricatus Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 676.
muricatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
muricatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
muricata Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 222.
muricata Voluta, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 151.
Muriciformis F. C. Meuschen, Mus. Gever. 1787, 316.—G.
muricinum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
muricina Distortio, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
muricina Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
muricina Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [n. n.].
Muricites J. Gesner, Tract. Petref. 1758, 56.—Moll.

- murifex** Apis, Herbst, Einl. Ins. III. 1786, 74.
murinaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 105. [et f.]
murinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 115 [z.
murinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 134 [z.
murinata Phalaena, Scopoli, Ent. Carn. 1763, 229. [et f.]
murinata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 198.
murinella Phalaena, Scopoli, Ent. Carn. 1763, 256.
murina Anaspis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 58.—Chrysomela.
murina Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 215; ed. 12, 1766, 374.
murinum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1206.
murinus Byrrhus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 593.
murinus Byrrhus, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
murina Cenchrus, F. C. Meuschen, Mus. Gronov. 1778, 16.
murina Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 602.
murina Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 117.—Chrysomela.
murinus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.—
murinus Cuculus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 13. [Chrysomela.
murinus Curculio, O. F. Müller, F. Ins. Frid. 1764, 12.
murinus Cureulio, J. C. Fabricius, Ent. Syst. I (2) 1792, 463.
murinus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1769, 563.
murina Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 55; ed. 12, 1766, 72.
murina Didelphys, G. Cuvier, Tab. Élém. 1798, 127.
murinus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
murinus Helops (L.), F. v. P. Schrank, F. Boica, I. 1798, 635.—Chrysomela.
murinus Lanius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 4.
murinus Lemur, J. F. Miller, Icon. Anim., pl. 13 (1777).
murinus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 12.
murina Mordella, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 148.
murina Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 978.
murina Musca, F. v. P. Schrank, Beitr. Nat. 1776, 95.
murinus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
murinus Pediculus, S. I. Ljungh, N. Acta Soc. Sci. Upsal. VI. 1799, 9.
murina Phalaena, Hufnagel, Berlin. Mag. II. 1766, 424.
murina Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 45.
murina Phalaena Bomb., J. Hübner, Beitr. Schmett. II. 1790, 66.
murina Phalaena Bomb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
murina Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
murina Philander, F. C. Meuschen, Mus. Gronov. 1778, 6.
murina Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
murinus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
murinus Seps, J. N. Laurenti, Syn. Rept., 1768, 63.
murinus Sorex, Linnaeus, Syst. Nat., ed. 12, 1766, 74.
murinus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.
murina Sylvia (Gm.), J. Latham, Index Orn. 1790, 528.—Motacilla.
murina Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
murina Tipula, J. D. Preyßler, in Mayer's Samml. Phys. Aufsätze, I. 1791, 60.
murinus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32; ed. 12, 1766, 47.
muris Acarus, S. I. Ljungh, N. Acta Soc. Sci. Upsal. VI. 1799, 10.
muris Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
muris Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.
muris Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 21.
muris Haeruca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
muris Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 4.
murorum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 288.
murraea Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 575.
mursa Cyprinus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVII. 1773, 513.
Mus Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 79.—M.
mus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 630.

- mus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 53.
 mus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
 mus Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 408.—Cypraea.
 mus Uranoscopus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 346.
 musa Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 195.
 musae Scirus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [n. n.].
 musaeorum Anthrenus (L.), J. C. Fabricius, Syst. Ent. 1775, 61.—Byrrhus.
 museorum Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
 musaeorum Dermestes, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 52.
 Musaraneus M. J. Brisson, Reg. Anim. 1762, 126.—M.
 musaraneus Sorex, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
 musarion Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 92.
 Musca Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979.—Dip.
 musca Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
 musca Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
 muscae-domesticae Acarus, J. A. Scopoli, Annus V. 1772, 125.
 muscaeformis Cicada, F. v. P. Schrank, Ins. Aust. 1781, 253.
 muscaeformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 217.
 muscardinus Myoxus, J. C. D. Schreber, Säugth. IV. 835 (1788), pl. ccxxvii (1782).
 muscaria Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
 muscarius Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 390.
 muscaria Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 40.
 muscaria Rhingia, J. C. Fabricius, Ent. Syst. IV. 1794, 375.
 muscaria Stomoxys, J. C. Fabricius, Gen. Ins. 1777, 308.
 muscaria Stratiomys, J. C. Fabricius, Ent. Syst. IV. 1794, 268.
 muscarum Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 617; ed. 12, 1767, 1025 [musco-].
 muscarum Cynips (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 782.—Ichneumon.
 muscarum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 389.—Ichneumon.
 muscarum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 938.
 muscatensis Simia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 661.
 muscella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133. [Phalaena.
 muscerda Bombyx (Hufn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 349.—
 muscerda Noctua (Hufn.), C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 10.—
 muscerda Phalaena, Hufnagel, Berl. Mag. III. 1767, 400. [Phalaena.
 muscerda Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 250.
 musci Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
 musci Cimex, F. v. P. Schrank, Ins. Aust. 1781, 265.
 Muscicapa M. J. Brisson, Ornith. II. 1760, 357.—A.
 Muscicapa Linnaeus, Syst. Nat., ed. 12, I. 1766, 324.—A.
 Muscicapa B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 5.—A.
 musciformis Apis, J. A. Scopoli, Annus IV. 1770, 12.
 musciformis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 338.
 musciformis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
 musciformis Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
 muscipeta Muscicapa, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 502.
 muscipeta Sylvia, J. A. Scopoli, Annus I. 1769, 159.
 Muscivora B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 5.—A.
 Muscivora G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—A.
 muscoides Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254.
 muscoides Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
 muscoides Tubularia, Linnaeus, Faun. Suec., ed. 2, 1761, 539.
 muscorum Acarus, Scopoli, Ent. Carn. 1763, 391.
 muscorum Anthrenus, *err. pro museorum* (L.), J. C. Fabricius, Mant. I. 1787, 39.
 muscorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 960.
 muscorum Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 334.—Turbo.
 muscorum Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 145.
 muscorum Oniscus, Scopoli, Ent. Carn. 1763, 415.
 muscorum Oniscus, G. Cuvier, J. Nat. Hist. (Choix des Mém.), II. 1792, 21.

- muscorum Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 114.
 muscorum Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
 muscosella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 521.
 [muscosus Araneus, C. Clerck, Aran. Svec. 1757, 116.]
 muscosus Araneus, T. Martyn, Aranei, 1793, 54.
 muscosus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 628; ed. 12, 1767, 1045.
 muscosa Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].
 musculana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 98 [*n. et f.*].
 musculi Pediculus, F. v. P. Schrank, Ins. Aust. 1781, 501.
 Musculites J. Gesner, Tract. Pref. 1758, 38.—Moll.
 "musculites Helmintholitus," Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 398.
 Musculus J. F. Bolten, Mus. Bolten. (2) 1798, 156.—L.
 musculus Balaena, Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 106.
 musculus Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
 musculus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 83.
 musculus Mus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800; *varr.* albus, ater, maculatus, 502; flavus, niger, 715.
 musculus Trichoda, O. F. Müller, Verm. I (1) 1773, 74.
 musculus Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
 museorum *see* musaeorum.
 Musica [G. Humphreys], Mus. Calonn. 1797, 18.—G.
 musicalis Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1278.
 musicalis Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 41.
 musicalis Voluta, P. L. S. Müller, Del. Nat. I. 1766, 129.
 musicum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
 musicus Bufo (L.), J. P. Bonnaterra, Ency. Méth. (Erp.) 1789, 17.—Rana.
 musicus Colymbus, Bartram; B. S. Barton, N. H. Pennsyl. 1799, 17.
 musicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 629.
 musicus Falco, F. M. Daudin, Traité élém. Orn. 1800, 116.
 musicus Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
 musicus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 290.
 musicus Murex (L.), F. C. Meuschen, Mus. Gev. 1787, 326.—Voluta.
 musica Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
 musica Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
 musica Plejona (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 59.—Voluta.
 musica Rana, Linnaeus, Syst. Nat., ed. 12, 1766, 354.
 musica Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 789; ed. 12, 1767, 1270.
 musicus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 292.
 musica Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1194.
 Musidora J. G. Meigen, N. Class. Mouches, 1800, 30.—Dip.
 musitans Syrphus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 15.
 musivus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, [67].
 Musmon F. v. P. Schrank, F. Boica, I. 1798, 78.—M.
 Musophaga P. E. Isert, Schrift. Berl. Ges. Nat. Freunde, IX. 1789, 17.—A.
 Musophaga B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
 Musophagus Bonnaterra, Ency. Méth. (Orn.) I. 1790, xciv.—A.
 mussitans Apis, J. C. Fabricius, Mant. I. 1787, 301.
 mussitans Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2867.—Syrphus.
 mussitans Syrphus, J. C. Fabricius, Gen. Ins. 1777, 306.
 Mustela Linnaeus, Syst. Nat., ed. 10, 1758, 45; ed. 12, 1766, 66.—M.
 mustelar Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3068.
 mustelar Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 443.
 mustelinus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 654.
 mustelina Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 867.
 mustelinus Gadus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 140.
 mustelinus Mergus, J. M. Bechstein, Latham's Vögel, VI. 1798, 375.
 mustelinum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 207.
 mustelina Nerita, F. C. Meuschen, Mus. Gev. 1787, 270.

- mustelina* Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
mustelina Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
mustelinus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
Mustella, *v.* *Mustela* G. I. Molina, Ess. hist. Nat. Chili, 1789, 272.
Mustelus H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.—P.
mustela Blennius, *id. ac* *mustelaris*?, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800,
mustela Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 35. [459.]
mustela Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 255; ed. 12, 1766, 440.
mustelus Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 400.
mutabilis Alauda, S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 479.
mutabilis Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1201.
mutabilis Buprestis, A. G. Olivier, Entom. II. 1790, 7.
mutabilis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 213.
mutabilis Cassida, C. de Villers, Linn. Ent. I. 1789, 93.
mutabilis Cercaria, G. Shaw, Nat. Misc. III. 1792, pl. 107.
mutabilis Chamaeleon, F. A. A. Meyer, Syn. Rept. 1795, 27.
mutabilis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
mutabilis Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1661.
mutabilis Coccinella, L. G. Scriba, J. Lieb. Ent. II. 1790, 183.
mutabilis Curculio, N. Host in Jacquin, Coll. Bot. III. 1789, 293.
mutabilis Helix, D. Solander in G. Brander, Foss. Hant. 1766, 28.
mutabilis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39.
mutabile Monostoma, J. G. H. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 154.
mutabilis Mulio (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 558.—*Musca*.
mutabilis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
mutabile Nassa (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—*Buccinum*.
mutabilis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 12.
mutabilis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
mutabilis Scolia, D. Cyrallo, Ent. Neap. (typogr. ed.), 1787, 3. [Melolontha.]
mutabilis Stratiomys, J. C. Fabricius, Mant. II. 1787, 331.
mutabilis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—*Musca*.
mutator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
mutata Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 324.
Mutela J. A. Scopoli, Intr. Hist. Nat. 1777, 397.—L.
Mutella, *v.* *Mutilla* Linnaeus, Syst. Nat., ed. 10, 1758, 343.
mutica Cantharis (Fab.), C. de Villers, Linn. Ent. I. 1789, 301.—*Cucujus*.
mutica Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—*Cucujus*.
mutica Capra, R. Kerr, Anim. Kingd. 1792, 323.
mutica Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2093.—*Mem-*
muticus Cucujus, J. C. Fabricius, Spec. Ins. I. 1781, 257. [bracis.]
muticus Cucullanus, O. F. Müller, Zool. Dan. I. 1777, 4.
mutica Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547.—[striata, ed. 12.]
muticus Gryllus, C. de Geer, Mém. Ins. III. 1773, 520.
muticus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
muticus Hispa, Linnaeus, Syst. Nat., ed. 12, 1767, 604.
mutica Hispa, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 8.
mutica Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 83.
mutica Membracis, J. C. Fabricius, Gen. Ins. 1777, 297.
muticus Pavo, Linnaeus, Syst. Nat., ed. 12, 1766, 268.
mutica Phoca, R. Kerr, Anim. Kingd. 1792, 127.
muticus Ptilinus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 445.—*Hispa*.
muticum Rhagium, J. C. Fabricius, Ent. Syst. I (2) 1792, 306.
muticum Sarrotrium (Fab.), Illiger in Kugelann, Käfer Species. 1798, 344.—*Ptilinus*.
mutica Stratiomys, J. C. Fabricius, Gen. Ins. 1777, 305.
mutica Zonitis, Hüb., J. C. Fabricius, Ent. Syst. I (2) 1792, 49.—[*Z. mahia*, Hüb.]
Mutilla Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 966.—*Hym*.
mutillarius Atelabus (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 233.—*Clerus*.
mutillarius Bostrichus (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 431.—*Clerus*.

- mutillarius Clerus, J. C. Fabricius, Syst. Ent. 1775, 157.
 mutillarius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 342.
 mutillarius Ichneumon, J. C. Fabricius, Mant. I. 1787, 271.
 mutilatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 184.
 mutilatus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 216.
 mutilatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 358.
 mutilliformis Spheg, D. Drury, Ill. Nat. Hist. II. 1773, index & 70. [Gammarus.
 mutilus Cancer (Gammarellus) (Ab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 120.—
 mutilus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 60.
 mutius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 3.
 muta Boa, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 128.
 mutus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1039.
 muta Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—Tettigonia.
 mutus Crotalophorus, F. C. Meuschen, Mus. Gronov. 1778, 17.
 mutus Crotalus, Linnaeus, Syst. Nat., ed. 12, 1766, 373.
 muta Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
 muta Rana, J. N. Laurenti, Syn. Rept. 1768, 30 & 134.
 mutus Tetrao, L. Montin, Physiogr. Sölsk. Handl. I (3) 1776, 155.
 muta Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
 Mya Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1112.—L.
 Mya [G. Humphreys], Mus. Calonn. 1797, 59.—L.
 mycalia [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, III. 1790, 103.
 Mycedium P. Browne, Hist. Jamaica, ed. 2, 1789, 392.—Cor.
 mycena [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 7.
 mycerina Noctua (Cram.), J. C. Fabricius, Spect. Ins. II. 1781, 210.—Phalaena.
 mycerina [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 115.
 Mycetophagus J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 394.—Col.
 Mycetophagus J. C. Fabricius, Ent. Syst. I (2) 1792, 497.—Col.
 Myceteria Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 232.—A.
 Myceteria B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
 mycterizans Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 389.
 mycterizans Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 79.—Coluber.
 Mycterus J. R. Schellenberg, Helvet. Entom. I. 1798, 124.—Col.
 Mydas J. C. Fabricius, Ent. Syst. IV. 1794, 252.—Dip.
 mydas Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 197; ed. 12, 1766, 350.
 myella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [n. et f.].
 myella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 25.
 Myes, v. Mya Linnaeus, Syst. Nat., ed. 10, 1758, 645.
 Mygale G. Cuvier, Leçons Comp. Anat. I. 1800, tab. I [n. n.].—M.
 Mygalus A. Retzius, Animad. class. Mamm. Linn. 1796, 22.—M.
 mygdon [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 94.
 mygdonia [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 119.
 mygdonia Phalaena (Noct.), Herbst, Einl. Ins. II. 1785, 109.
 mygindana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 238.—Tortrix.
 mygindiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
 myiocopros Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 15.
 myiocopros Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
 Mylabris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 266.—Col.
 Mylabris J. C. Fabricius, Syst. Ent. 1775, 261.—Col.
 Mylaris P. S. Pallas, Icon. Ins. Ross. (1) 1781, 37.—Col.
 mylianus Cerambix, F. A. A. Meyer, Zool. Archiv (1) 1796, 227.
 mylitta Bombyx (Drury), J. C. Fabricius, Syst. Ent. 1775, 558.—Phalaena.
 mylitta [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 107.
 mylitta Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 8.
 myllerana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 277.
 myllerella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 325.
 mylii Encrinus, J. F. Blumenbach, Handb. Naturg. 1779, 436.
 myncea [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 10.

- Myocastor** R. Kerr, Anim. Kingd. 1792, 225.—M.
myoideum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190 [*n. n.*].
Myopa J. C. Fabricius, Syst. Ent. 1775, 798.—Dip.
Myopa J. G. Meigen, N. Class. Mouches, 1800, 26.—Dip.
myopa Aranea, J. C. Fabricius, Gen. Ins. 1777, 250.
myopa Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 33.
myopa Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 116.
myopaeformis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 169.
myopata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 193.
myops Aranea, *id. ac* myopa, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2958.
myops Elater, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 36.
myops Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 51.
myops Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
myops Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 261.
Myospalax E. Laxmann, Sibir. Briefe, 1769, 75. [In my opinion L. uses this generically, his description is “*Myospalax capite brevi (non rostrato), plantis non calcaneatis.*”—“Denn nach dem Kopfe, den Zähnen und Hinterfüßen ist es eine Ratte; nach den Vorderfüßen aber, den kleinen Augen, den ziemlich kurzen Ohren, und den Sitten, ist es ein Maulwurf”—but see K. Vet. Ak. Handl. 1773, 134, where he uses the word specifically. Beckmann to whom the letter was written adds a footnote, “Sollte nicht *Myospalax* Laxmanni, *Mus amphibius* Linnei seyn?”]
myospalax Mus, E. Laxmann, K. Vet. Ac. Handl. XXXIV. 1773, 134.
myospalax Talpa (Laxm.), E. A. W. Zimmermann, Spec. Zool. 1777, 498.—Mus.
myosura Myrmecophaga, P. S. Pallas, Misc. Zool. 1766, 64.
myosurus Sorex, P. S. Pallas, Acta Ac. Sci. Petrop. 1781 (2), 1785, 337.
Myotalpa R. Kerr, Anim. Kingd. 1792, 246.—M.
Myoxus E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 351.—M.
Myoxus J. C. D. Schreber, Säugth. IV. 824 (1787), pl. 225 (1782).—M.
Myoxus B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
Myoxus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
myricae Coccus, Linnaeus, Syst. Nat., ed. 12, 1767, 741.
myricae quercifolia Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.), I. 1778,
myrifex Sphex, J. H. Sulzer, Gesch. Ins. 1776, 191. [31.
myrina [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 141.
myrina Papilio, T. Martyn, Psyche, 1797, fig. 5.
myriophylla Antipathes, P. S. Pallas, Elench. 1766, 110.
myriophyllum Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 810; ed. 12, 1767, 1309.
myristicivora Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
myristica Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
Myrmecophaga Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.—M.
Myrmecophaga B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
myrmecophaga Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
Myrmeleon Linnaeus, Syst. Nat., ed. 12, 1767, 913.—Neur.
myrmex Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 56.
myrmicocephalus Notoxus, P. Rossi, Mant. Ins. I. 1792, 46.
myrmidone Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
Myrmornis J. Hermann, Tab. aff. Anim., ed. 2, 1783, 200 & 235.—A. [1781, 88.
Myrmosa P. A. Latreille, Préc. Car. Ins. 1796, 118.—Hym.
myron [Sphinx], P. Cramer, Utitl. Kapellen, III (21) 1779, 91.
myrrha [Phalaena], P. Cramer, Utitl. Kapellen, I (3) 1775, 47.
myrtaea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 4.
myrtea Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 161.
myrti Papilio, J. C. Fabricius, Syst. Ent. 1775, 462.
myrtifolius Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767,
myrtifolia Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 447.—Gryllus. [696.
myrtillata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
myrtilli Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 619.—Phalaena.
myrtilli Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 311.

- myrtillus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 178.
 myrtilla Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
 myrus Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 245; ed. 12, 1766, 426.
 myrus Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 11.—Muraena.
 mysceus Apis, M. Harris, Exp. Eng. Ins. 1776, 136.
 mysis Papilio, J. C. Fabricius, Syst. Ent. 1775, 475.
 mystacatus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 369.
 mystacea Apis, J. C. Fabricius, Syst. Ent. 1775, 385. [Crabro.
 Apis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.—
 mystacea Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 375.—Sphex.
 mystacea Lacerta, P. S. Pallas, Reise Russ. III. 1776, 702.
 mystacea Loxia, F. M. Daudin, Traité élém. Orn. 1800, 446.
 mystaceus Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 226.—Crabro,
 mystaceus Mellinus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 285.—Sphex. [1787.
 mystacea Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 983.
 mystacea Sphex, Linnaeus, Faun. Suec., ed. 2, 1761, 412.
 mystacea Syrrhus (L.), J. C. Fabricius, Syst. Ent. 1775, 762.—Musca.
 mystacea Vespa (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.—Sphex.
 mystacea Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
 mystacina Hispa, J. C. Fabricius, Syst. Ent. 1775, 70.
 mystacina Melasis, J. C. Fabricius, Ent. Syst. IV. 1794, 445.
 mystacina Ptilinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 242.—Hispa, 1775.
 mystax Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 45.
 Mystaxus J. G. Kugelann in Schneider, N. Mag. Entom. I. 1792, 493.—Col.
 mysticetus Balaena, Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 105.
 mysticetus Balaena, R. Kerr, Anim. Kingd. 1792; *varr.* groenlandica, 356; islandicus
 major, 357.
 mysticum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 194.—Leptura. [Leptura.
 mysticus Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.—
 mysticus Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 107.—Leptura.
 mystica Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
 mystica Tipula, J. Cederhielm, F. Ingric. 1798, 296.
 Mystus L. T. Gronovius, Zooph. I. 1763, 125.—P.
 Mystus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
 mystus Aspredo, F. C. Meuschen, Mus. Gronov. 1778, 34.
 mystus Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 524.
 mystus Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 502.
 mytiliformis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3721.
 mytilina Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 104.
 "Mytilites, Gmelin, 1793," Scudd.; not used in a generic sense.
 mytuloides (*sic*) Lithophaga, J. F. Bolten, Mus. Bolten. (2) 1798, 156.
 mytiloides Ostrea, J. Hermann, Schrift. Berlin. Ges. II. 1781, 276.
 mytiloides Tuceta, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
 mytilorum Cancer, Bast., J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 101; *varr.*
 albus, fuscus.
 Mytilus Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1155.—L.
 mytilus Kerona, O. F. Müller, An. Infus. 1786, 242.—Trichoda, 1773.
 mytilus Trichoda, O. F. Müller, Verm. I (1) 1773, 87.
 Mytilites J. Gesner, Tract. Petref. 1758, 38.—L.
 mytuloides *v.* mytiloides.
 Mytulus, *v.* Mytilus G. I. Molina, Sag. stor. nat. Chili, 1782, 202.
 myurus Vespertilio, M. J. Brunnich, Dyr. Hist. 1782, 49.
 Myxine Linnaeus, Syst. Nat., ed. 10, 1758, 650; ed. 12, 1767, 1080.—P.
 Myxine J. G. Bruguère, Ency. Méth. (Vers) (1) 1789, xi.—P.

nabota Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.

nabouroup Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 308.

- nacarata** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 300.
nacellaris Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
naevata Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 108.
naevia Aquila, J. C. Schaeffer, Mus. Orn. 1789, 9.
naevia Ardea, J. F. Miller, Icon. Anim. pl. 35 [P 1782].
naevia Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1939.
naevius Buteo (Gm.), E. M. Daudin, Traité élém. Orn. 1800, 155.—Falco.
naevius Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 692.
naevius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
naevius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
naevius Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1095.
naevia Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
naevius Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
naevius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1756.
naevius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
naevius Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
naevius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 258.
naevius Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
naevia Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 486.
naevia Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
naevia Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 701.
naevia Gallinula (Gm.), J. Latham, Index Orn. 1790, 772.—Fulica.
naevia Glareola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 696.
naevia Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3623.
naevia Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3656.
naevius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
naevius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
naevius Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 304.
naevius Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
naevius Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 225.
naevia Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
naevia Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 845.
naevius Mergus, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 73.
naevia Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 957.
naevia Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
naevia Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 34.
naevia Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
naevius Oriolus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
naevius Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 575.
naevia Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2579.
naevia Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
naevius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.
naevia Sitta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 442.
naevia Sterna, Linnaeus, Syst. Nat., ed. 12, 1766, 228.
naevia Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
naevia Sylvia (Gm.), J. Latham, Index Orn. 1790, 517.—Motacilla.
naevius Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 760.
naevia Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 681.
naevius Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
naevosa Globosa, F. C. Meuschen, Mus. Gever. 1787, 380.
naevosa Haliotis, T. Martyn, Univ. Conch. II [1788], fig. 63.
naevosus Musca, M. Harris, Exp. Eng. Ins. 1776, 75.
naezeniana Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 169.
nageb Sciaena, P. Forskal, Descr. Anim. 1775, 51.
naidion Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 91.
Nais O. F. Müller, Würm. 1771, 6.—Ver.
nais Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
nais Papilio, J. R. Forster, N. Sp. Ins. 1771, 73.

- nais [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 74.
 nais Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 15.
 Naja J. N. Laurenti, Syn. Rept. 1768, 90.—R.
 naja Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 382.
 naja-brasilienis Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 24.
 naja-peruvianus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 24.
 najas Cimex, C. de Geer, Mém. Ins. III. 1773, 311.
 namacush Salmo, J. G. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 68.
 namaquensis Sciurus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 2.
 namaqus Picus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 17.
 namaqua Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 754.
 nanella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
 nanodes Simia, A. A. II. Lichtenstein, Comm. Simiarum, 1791, 74.
 "nantis Amphibolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
 nanus Attelabus, G. Paykull, Faun. Suec. III. 1800, 176.—Curculio, 1792.
 nanus Bos, P. Boddaert, Elench. 1785, 152.
 nanum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
 nanus Bucco, B. Boddaert, Tab. Planch. Enl. 1783, 47.
 nana Buprestis, G. Paykull, Faun. Suec. II. 1799, 233.
 nana Capra, R. Kerr, Anim. Kingd. 1792, 323.
 nanus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 nanus Curculio, G. Paykull, Mon. Curc. 1792, 136.
 nanus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
 nana Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 116.
 nanus Hister, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 34.
 nanus Hister, L. G. Scriba, J. Lieb. Ent. I. 1790, 73.
 nanus Lepus, J. C. D. Schreber, Säugth. IV. 881 (1790), pl. ccxxxiv B (1789).
 nana Phalaena, Hufnagel, Berl. Mag. III. 1767, 398.
 nana Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 334.
 nanus Pholas, R. Pulteney, Cat. Birds &c. Dorset, 1799, 27.
 nanus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 318.
 nanus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 42.
 nanus Sirex, O. F. Müller, Z. Dan. Prod. 1776, 151.
 nanus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 408.
 nanus Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 300.
 nanus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 291.
 nana Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
 nanus Trochus, C. U. v. Salis, Reise Neapel, 1793, 375.
 napelli Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 275.
 napi Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 29.
 napi Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 760.
 napo-brassicae Curculio, C. Bjerkander, K. Vet. Ac. Nya Handl. I. 1780, p. 195.
 napo-brassicae Musca, C. Bjerkander, K. Vet. Ac. Nya Handl. I. 1780, 196.
 napurita v. mapurita.
 narbal [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 168.
 narbonensis Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1014.
 narbonea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 595.—Phalaena.
 narbonea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 837.
 Narcacion (ex Klein), J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 580.—P.
 narcissus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 290.
 narcissus Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 213.—Phalaena.
 narcissus Papilio, J. C. Fabricius, Syst. Ent. 1775, 524.
 narcissus Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 428.
 narcissus [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 116.
 narcosius [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 171.
 narica Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 187.
 narica Ursus (L.), G. Cuvier, Tab. Elém. 1798, p. 113.—Viverra.
 narica Viverra, Linnaeus, Syst. Nat., ed. 12, 1766, 64.

- narinari** Raja, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XI. 1790, 217.
narva Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 249.
narval Astacus, J. C. Fabricius, Mant. I. 1787, 331.
narval Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 253.
narval Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2988.—Astacus.
Narwhal (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 579.—M.
narwhal Monodon, J. F. Blumenbach, Abb. nat. Gegen., no. 44, 1800.
nasalis Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 969.
nasalis Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 200.
nasatus (*et* *nosatus*) Musca, M. Harris, Exp. Eng. Ins. 1776, 105.
nasata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
nasica Cercopithecus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
nasica Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 36.
nasicornis Coluber, G. Shaw, Nat. Misc. III. 1792, pl. 94.
nasicornis Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus.
nasicornis Oryctes (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 14.—Scarabaeus.
nasicornis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 544.
nasicornis Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 "Naso, Lacép. 1800," Ag.; is 1802.
naso Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 431.
naso Polynemus, J. A. Donndorff, Zool. Beyt. III. 1798, 681.
naso Truxalis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 93.
nasoscopus Astacus, F. C. Meuschen, Mus. Gronov. 1778, 86.
Nassa J. F. Bolten, Mus. Bolten. (2) 1798, 132.—G.
Nassa Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
nassa Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3551.
nassa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
nassatus Cimex, J. C. Fabricius, Mant. II. 1787, 304.
nassata Geometra (Fab.), C. de Villers, Linn. Ent. IV. 1789, 512.—Phalaena.
nassatus Hister, G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 8.
nassatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex, 1787.
nassata Phalaena, J. C. Fabricius, Mant. II. 1787, 212.
nassata Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 926.
nassovicus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
nassula Buccinum, C. U. v. Salis, Reise Neapel, 1793, 367.
nasturtii Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 31.
Nasua G. C. C. Storr, Prod. 1780, 35 & tab. A.—M.
Nasua G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
nasua Coati, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.
nasuus Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 72.
nasua Ursus (L.), G. Cuvier, Tab. Elém. 1798, 113.—Viverra.
nasua Viverra, Linnaeus, Syst. Nat., ed. 12, 1766, 64.
nasus Clupea, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 116.
nasus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 530.
nasus Notocanthus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 113.
nasus Ostracion, M. E. Bloch, Nat. ausl. Fische, I. 1785, 118.
nasus Salmo (Coreg.), P. S. Pallas, Reise Russ. III. 1776, 705.
nasus Squalus, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 517.
nasutus Anguis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1120.
nasuta Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2796.—Nomada.
nasuta Aranea, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 298.
nasutus Brentus, Fabr., J. C. Fabricius, Mant. I. 1787, 96.—Curculio, 1781.
nasutus Buceros, Linnaeus, Syst. Nat., ed. 12, 1766, 154.
nasutus Buceros, R. Kerr, Anim. Kingd. 1792, 624; *var.* erythrorhynchos.
nasutus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 217.
nasutus Cancer, J. C. Fabricius, Reise Norwegen, 1799, 383.
nasutus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 100.
nasutus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 182.

- nasutus** Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 516.
nasutus Gryllus (Acrida), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 692.
nasutus Inachus (Fab.), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
nasutus Lanius, J. A. Scopoli, Del. Insub. II. 1786, 85.
nasuta Mantis, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 62.
nasuta Mantis, J. C. Fabricius, Mant. I. 1787, 220.
nasuta Mordella, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 66.
nasuta Mordella, J. C. Fabricius, Mant. I. 1787, 217.
nasuta Musca, F. v. P. Schrank, Ins. Aust. 1781, 475.
nasuta Nomada, J. A. Scopoli, Annus IV. 1770, 47.
nasuta Perla, C. de Geer, Mém. Ins. III. 1773, 568.
nasutus Psittacus, J. Latham, Index Orn. 1790, 118.
nasuta Ripiphorus (Th.), J. C. Fabricius, Ent. Syst. I (2) 1792, 110.—Mordella.
nasutus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98 [*n. n.*].
nasutus Todus, J. Latham, Index Orn. 1790, 268.
nasutus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
nasutus Truxalis (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—Gryllus.
nasuta Vespa, J. L. Christ, Nat. Ins. 1791, 222.
nasuta Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
nasuta Vorticella, O. F. Müller, Verm. I (1) 1773, 102.
natalis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
natans Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 56.
natans Caulina (Ab.), S. d. Chiaje in Poli, Test. Sicil. III (1) 1826, 39.—Cavolina.
natans Cavolina, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (2) 1791, 175.
natans Crocodylus, F. A. A. Meyer, Syn. Rept. 1795, 20.
natans Madrepora, E. J. C. Esper, Pflanzenth. I (3) 1789, 140.
natans Pegasus, Linnaeus, Syst. Nat., ed. 12, 1766, 418.
natans Scolopax, B. C. Otto in Buffon, Naturg. Vögel, XXVI. 1797, 234.
natans Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 283.
natator Acarus, F. v. P. Schrank, Ins. Aust. 1781, 509.
natator Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 156.
natator Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412.
natator Gyrimus, Linnaeus, Syst. Nat., ed. 12, 1767, 567.
natator Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
natator Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
natatorius Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 219.
Natica J. A. Scopoli, Intr. Hist. Nat. 1777, 392.—G.
Natica Lamarck, Mém. Soc. H. N. Paris, 1799, 77.—G.
natka Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 309.
natotiae Ichneumon, Linnaeus, in Hasselquist, Palast., 1762, 468.
Natrix J. N. Laurenti, Syn. Rept. 1768, 73.—R.
matrix Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
Naucorinus F. C. Meuschen, Mus. Gronov. 1778, 69.—Hem.
Naucoris E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 473.—Hem.
Naucoris J. C. Fabricius, Syst. Ent. 1775, 693.—Hem.
naucoris Nepa, C. de Geer, Mém. Ins. III. 1773, 375.
naucum Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1183.
nauii Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 206.
Nauplius O. F. Müller, Z. Dan. Prod. 1776, xxvii & 198.—Ech. [ed. 12.]
nauplius Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488.—[P. (Nymphalis),
nausica Bombyx (Cr.). A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
nausica [Phalaena], P. Cramer, Utitl. Kapellen, III (21) 1779, 96.
nausithoe [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 71.
nausithous [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 70.
nautes [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 70.
nautilator Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 175.
nautilus Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1241.—[Nautilus crista, ed. 10.]
Nautilites J. Gesner, Tract. Petref. 1758, 50.—Ceph.

- Nautilites Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—Ceph. (See p. 647.)
 nautiloides Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3739.
 Nautilus Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1161.—Ceph. [1792, 98.
 navacula Coryphaena, *err. pro* novacula, Linn., J. J. Walbaum, Artedi, Ichth. (3), ed. 2,
 navalis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 650.
 navalis Dermestes, J. C. Fabricius, Syst. Ent. 1775, 56.
 navalis Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 504.—Dermestes, 1775.
 navalis Lygdis, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.—Dermestes, 1775.
 navale Lymexylon, J. C. Fabricius, Syst. Ent. 1775, 204.
 navalis Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7.—Cantharis.
 navalis Pholas (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 96.—Teredo.
 navalis Teredo, Linnaeus, Syst. Nat., ed. 10, 1758, 651; ed. 12, 1767, 1267.
 navalis Xylophagus, F. C. Meuschen, Mus. Gronov. 1778, 47.
 navaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 79 [*n. et f.*].
 navicula Bulla, E. M. da Costa, Brit. Conch. 1778, 28.
 navicula Cimex, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 186.
 navicula Medusa, G. Shaw, Nat. Misc. VII. 1796, pl. 247.
 navicula Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
 navicula Trichoda, O. F. Müller, An. Infus. 1786, 191.
 navicula Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
 navicularis Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 99.
 navicularis Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 241.
 navicularis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 297.
 naviculata Sphex, C. de Villers, Linn. Ent. III. 1789, 253.
 navigator Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 155.
 navigera Pterotrachea, X. Macri in S. d. Chiaje in Poli, Test. Sicil. III (1) 1826, 29.
 navus Musca, M. Harris, Exp. Eng. Ins. 1776, 109.
 nayas Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 276.
 nazareus Didus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 729.
 neaerea Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
 neapolitanum Callistoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—= Mactra of
 neapolitana Mactra, J. X. Poli, Test. Sicil. II. 1795, 67. [p. 67.
 neapolitanus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
 nebulalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 27.
 nebulana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 104 [*n. et f.*].
 nebulatus Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 83.—Coluber.
 nebulatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
 nebulata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 12.
 nebulata Phalaena, Scopoli, Ent. Carn. 1763, 215.
 nebulata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 381.
 nebulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
 nebullella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
 nebullella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 33.
 nebullella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 46.
 nebulifera Vorticella, O. F. Müller, Verm. I (1) 1773, 119.
 nebuloso Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 321.
 nebulosella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 517.
 nebulosella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 325.
 nebulosus Anthribus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
 nebulosus Anthribus, J. R. Forster, N. Sp. Ins. 1771, 10.
 nebulosa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
 nebulosus Bruchus, A. G. Olivier, Entom. IV. 1795, 20.
 nebulosa Buprestis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.—
 nebulosum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 257. [Mordella.
 nebulosa Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 575.
 nebulosa Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
 nebulosus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
 nebulosa Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.

- nebulosa Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [*n. n.*].
- nebulosa Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 326.
- nebulosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
- nebulosa Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 752.
- nebulosus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
- nebulosus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 59.
- nebulosa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 140.
- nebulosus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 96.
- nebulosus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3387. [Erotylus.
- nebulosus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
- nebulosus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
- nebulosus Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 374.
- nebulosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
- nebulosa Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [*n. n.*].
- nebulosum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
- nebulosus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 197.
- nebulosus Dytiscus, J. R. Forster, N. Sp. Ins. 1771, 56.
- nebulosus Elaphrus, P. Rossi, Mant. Ins. I. 1792, 64.
- nebulosus Elater, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 161.
- nebulosa Enchelis, O. F. Müller, Verm. I (1) 1773, 34.
- nebulosus Erotylus, J. C. Fabricius, Spec. Ins. I. 1781, 158.
- nebulosus Gobius, P. Forskal, Descr. Anim. 1775, 24.
- nebulosus Hemerobius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 202.
- nebulosa Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 218.
- nebulosa Lamia (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 25.—Cerambyx.
- nebulosa Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
- nebulosa Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 379.
- nebulosus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 5.
- nebulosa Mordella, J. A. Scopoli, Annus V. 1772, 104.
- nebulosa Muraena, C. P. Thunberg, De Muraena, 1789, 7.
- nebulosa Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 20.
- nebulosa Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [*n. n.*].
- nebulosa Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.
- nebulosa Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 55.
- nebulosa Ostrea, J. X. Poli, Test. Sicil. II. 1795, 159.
- nebulosa Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 176 [*n. n.*].
- nebulosa Perla, A. F. de Fourcroy, Ent. Paris. 1785, 349.
- nebulosa Phalaena, Hufnagel, Berl. Mag. III. 1767, 418.
- nebulosa Phalaena, J. E. I. Walch, Naturforscher, XIII. 1779, 29.
- nebulosa Phalaena Bomb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
- nebulosa Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 549.
- nebulosa Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
- nebulosus Rhagio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 556.
- nebulosa Saperda (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.—Lamia.
- nebulosus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1546.
- nebulosa Sciaena, P. Forskal, Descr. Anim. 1775, 52.
- nebulosa Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Phryganea.
- nebulosa Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
- nebulosus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 165.
- nebulosus Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 520.
- nebulosa Strix, J. R. Forster, Phil. Trans. LXII. 1772, 386 & 424.
- nebulosus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 227.
- nebulosa Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
- nebulosum Terebellum, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
- nebulosa Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
- nebulosus Turbo, P. Forskal, Descr. Anim. 1775, 126.
- nebulosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
- nebulosa Venus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 34.

- necator Ichneumon, J. C. Fabricius, Gen. Ins. 1777, 246.
necatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 144.
necus [Sphinx], P. Cramer, Uitl. Kapellen, II (15) 1777, 125.
Necrobia P. A. Latreille, Préc. Car. Ins. 1796, 35.—Col.
[Necrophorus] *v.* Nicrophorus.
nectarea Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 983.
nectareus Syrphus, J. C. Fabricius, Mant. II. 1787, 341.
nectarina Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2876.
nectarinus Notoxus, G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 7.
“Nectris, Forster, 1788,” Ag.; does not occur.—A.
necydalea Cantharis (Pall.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 281.—Meloe.
necydalea Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399.—[Necydalis glaucescens,
necydalea Leptura, C. Allioni, Misc. Taurin. III. 1766, 188. [ed. 12.]
necydalea Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
necydalea Saperda, J. C. Fabricius, Suppl. Ent. Syst. 1798, 148.
Necydalis Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 641.—Col.
necydaloides Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 397.
necydaloides Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[*v.* Gryllus.]
necydaloides Phasma (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 188.—Mantis.
necydaloides Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
nedymond [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 19.
nefte Papilio, P. Cramer, Uitl. Kapellen, III (22) 1779, 111.
negatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 141.
neglectus Cimex, P. Rossi, Fauna Etrus. II. 1790, 230.
neglectus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 542.
neglecta Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
neglecta Scolia, D. Cyrrillo, Ent. Neap. (typogr. ed.) 1787, 2.
neitsil Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
neleus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 318.—Papilio.
neleus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488.—[P. (Plebejus), ed. 12.]
nelicourvi Parvus, J. A. Scopoli, Del. Insub. II. 1786, 96.
nelma Salmo, P. S. Pallas, Reise Russ. II. 1773, 716.
nelo Papilio, Bergstraesser, Nqm. Ins. II. 1779, 47.
nemaus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 42.—Simia.
nemaus Simia, Linnaeus, Mant. II. 1771, 521.
nemaus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 69.
nemausiense Myrmeleon, M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 162.
nemesianus Tetrao, J. A. Scopoli, Anpus I. 1769, 118.
nemestrinus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155.—Scarabaeus.
nemestrina Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 20.—Simia.
nemestrinus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 22.
nemestrina Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 35.
nemestrina Simia (Papio) Linn., R. Kerr, Anim. Kingd. 1792, 59.
Nemophora Hoffmannsegg in Illiger, Käfer Preuss. 1798, 499.—Lep.
nemoralis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 76.
nemoralis Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
nemoralis Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1898.
nemoralis Carabus, O. F. Müller, F. Ins. Frid. 1764, 21.
nemoralis Cerambix, F. A. A. Meyer, Zool. Archiv (1) 1796, 226.
nemoralis Cicindela, A. G. Olivier, Entom. II. 1790, 13.
nemoralis Cimex, J. C. Fabricius, Mant. II. 1787, 303. [Rhinomacer.
nemoralis Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.—
nemoralis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1247.
nemoralis Helix, O. F. Müller, Verm. II. 1774, 62.—*v.* nemorensis.
nemoralis Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
nemoralis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 416.
nemoralis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex, 1787.
nemoralis Phalaena, Scopoli, Ent. Carn. 1763, 242.

- nemoralis** Phalaena, J. C. Fabricius, Syst. Ent. 1775, 642.
nemoralis Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 440.—Phalaena,
nemoralis Podura, O. F. Müller, Z. Dan. Prod. 1776, 184. [1775.]
nemoralis Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 15.—Phalaena.
nemoralis Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
nemoralis Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 1.
nemoralis Staphylinus, F. A. A. Meyer, Zool. Archiv (1) 1796, 243.
nemorana Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 926.
nemoraria Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 3 [*n. et f.*].
nemoraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 89 [*n. et*
nemorata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 518. [*f.*].
nemorella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 331.
nemorella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
nemorella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
nemorensis Helix, O. F. Müller, Verm. II. 1774, 62 & errata.
nemoreus Curculio, Scopoli, Ent. Carn. 1763, 32.
nemorosa Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
nemorosus Cervus, R. Kerr, Anim. Kingd. 1792, 304.
nemorosa Noctua, E. J. C. Esper, Die Schmett. IV (30) 1786, 30.
nemorosa Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
nemorosa Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74. [159.—Noctua.]
nemorum Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 115.—Chrysomela.
nemorum Altica, A. F. de Fourcroy, Ent. Paris. 1785, 99.
nemorum Apis, Scopoli, Ent. Carn. 1763, 307.
nemorum Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
nemorum Apis, J. C. Fabricius, Syst. Ent. 1775, 382.
nemorum Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
nemorum Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 254. [nemoralis.]
nemorum Crambus (Scop.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 406.—Phalaena
nemorum Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Chrysomela.
nemorum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
nemorum Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 764.—Musca.
nemorum Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2671.
nemorum Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 111.
nemorum Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita nemorella,
Nemotelus E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 542.—Dip. [1794.]
Nemoura P. A. Latreille, Préc. Car. Ins. 1796, 101.—Neur.
nems Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 82.
nems Viverra, R. Kerr, Anim. Kingd. 1792, 160.
nengeta Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 135.
nenuphar Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 29.
neogama Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 175.
neonympha Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 75.
neophytis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 218.
neoptolemus [Sphinx], P. Cramer, Utitl. Kapellen, IV (26) 1780, 23.
Nepa Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.—Hem.
nepa Coluber, J. N. Laurenti, Syn. Rept. 1768, 97.
nepeformis Acarus, Scopoli, Ent. Carn. 1763, 390.
nepaeformis Naucoris, J. C. Fabricius, Syst. Ent. 1775, 693.
nepetae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 124 [*n. n.*].
nephele Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 54.
nephele Papilio, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 206.
nephritica Beguina, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
nephte Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 190.
nepos Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 340.
neptis [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 128.
Neptunea J. F. Bolten, Mus. Bolten. (2) 1798, 115.—G.
neptuni Cancer, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 226.

- neptuni Cancer (Astacus) L., J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 91.
 neptuni Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 486.
 neptuni Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125 [*n. n.*].
 neptuni Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
 Nereis Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1085.—Moll.
 nereis Curculio, G. Paykull, Faun. Suec. III. 1800, 240.
 nereis [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 48.
 nereitea Serpula, F. C. Meuschen, Mus. Gronov. 1778, 48.
 nerii Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 490; ed. 12, 1767, 798.
 nerina Papilio, J. C. Fabricius, Syst. Ent. 1775, 509.
 nerina Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 6.
 nerissa Papilio, J. C. Fabricius, Syst. Ent. 1775, 471.
 Nerita Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1251.—G.
 Nerita E. L. Geoffroy, Traité Coq. 1767, 13.—G.
 Neritaeformis F. C. Meuschen, Mus. Gever. 1787, 274.—G.
 Neritella [G. Humphreys], Mus. Calonn. 1797, 57.—G.
 neriteum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 738; ed. 12, 1767, 1201.
 neritaesus Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
 neritea Patella, P. Forskal, Descr. Anim. 1775, xxxiv.
 neritina Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 22.—Sertularia.
 neritina Cellularia, P. S. Pallas, Elench. 1766, 67.
 neritina Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3638.
 neritina Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1315.
 Neritites J. Gesner, Tract. Petref. 1758, 56.—G.
 Neritoidea [G. Humphreys], Mus. Calonn. 1797, 20.—G.
 Neritoides Meuschen, Naturforscher, XIII. 1779, 85.—G.
 neritoides Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
 neritoides Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
 neritoideum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 245.
 neritoidea Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
 neritoideus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1219.
 neritoideus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
 neritoidea Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1257.
 neritoideus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
 nerka Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 71.
 nero Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 433.
 nero Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 153.
 nerva Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 340.
 nervoptera Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
 nervosella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
 nervosa Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 210.
 nervosa Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
 nervosus Cimex, Scopoli, Ent. Carn. 1763, 129.
 nervosus Cimex, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
 nervosa Ephemera, C. de Villers, Linn. Ent. III. 1789, 22.
 nervosa Fulgora (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.—Cicada.
 nervosus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 55.
 nervosus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 85.
 nervosa Noctua, [Denis & Schiffermuller], Schmett. Wien, 1775, 85.
 nervosa Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
 nervosa Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 357.
 nervosa Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 546.
 nervosa Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 201.
 nervosa Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 327.
 nesaea Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 302.
 nesea [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 31.
 nesea [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, III. 1790, 108. [*et f.*].
 nespertata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 226 [*n.*].

- nessus** Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 46.
nessus [Sphinx], P. Cramer, Uitl. Kapellen, II (9) 1777, 16.
neste [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 111.
nestor Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.
nestor Psittacus, J. Latham, Index Orn. 1790, 110.
nestor Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
netrata Phalaena, *id. ac* netrix, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 254.
netrix Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
netrix [Phalaena], P. Cramer, Uitl. Kapellen, II (13) 1777, 87.
netrix [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 35.
neucrates Echeneis, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 446.
neucrates Remora (Linn.), J. R. Forster, Cat. Anim. N. Amer. 1771, 20 [*n. n.*].—Echeneis.
neucratoides Echeneis, B. Zuiew, Nova Acta Ac. Sci. Petrop. IV. 1789, 279.
neuhoffii Dytiscus, J. Cederhielm, F. Ingric. 1798, 32.
neuroptera Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
neustria Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—Phalaena.
neustria Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 818.
neustriaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
neuwaldeggiana Mordella, Creutzer in G. W. F. Panzer, Ins. Germ. heft 36, 1796, tab. 8.
nexa Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1090.—[*err. pro nepa*,
nexilis Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 130. [Laur.]
nexilis Mitra, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 22.
nexilis Murex, D. Solander in G. Brander, Foss. Hant. 1766, 27.
niavices Papilio, *err. pro niavius*, L., J. C. Fabricius, Mant. II. 1787, 25.
niavius Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 766.
nicaeus Papilio, J. C. Fabricius, Syst. Ent. 1775, 482.
nicaea Sphinx, L. Prunner, Lep. Pedemout. 1798, 86.
nicanor Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 165.—Scarabaeus.
nicanor Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 27.
niceta [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 151.
nicias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 332.
nicias Papilio, J. C. Fabricius, Mant. II. 1787, 86.
nicias [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, II. 1790, 60.
nicippe [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 31.
nicobarensis Sphinx, C. Schwarz in Kleemann's Beytr. Nat. Insect.-Gesch. II (1) 1793, 1.
nicobarica Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 108.
nicobarica Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
nicobarica Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 283.
nicobaricus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 612.
nicobarica Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
nicobarica Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
nicobaricus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
nicobaricus Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155.
nicobaricus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 156.
nicobarica Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
nicobaricum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
nicobaricus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
nicombar Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
Nicrophorus J. C. Fabricius, Syst. Ent. 1775, 71.—Col.
nictitans Bombyx, J. C. Fabricius, Syst. Ent. 1775, 558.
nictitans Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 35.—Simia.
nictitans Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 442.
nictitans Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 847.
nictitans Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 40.
nictitans Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 69 & *var. barbatus*.
“**nidi** Ornitholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 157.
nidipendulus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 333.—Oriolus.
nidipendulus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 390.

- niduaria* Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 165 [n. et f.].
nidulans Apis, J. C. Fabricius, Ent. Syst. II. 1793, 330.
nidulans Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 274.
nidulans Aranea, J. C. Fabricius, Mant. I. 1787, 343.
nidulans Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 271.
nidulatus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 386.
nifat Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 282.
nigellae Cimex, J. C. Fabricius, Mant. II. 1787, 280.
nigellastrum Sertularia, P. S. Pallas, Elench. 1766, 129.
nigellus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
nigellus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 57.
nigellus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
nigellus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 21.
nigellus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 376.
nigellus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
nigella Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
nigella Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
nigella Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
nigella Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
nigella Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
nigra Alauda, J. P. Falk, Reise Russ. (5) 1786, 393.
nigra Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 22.
nigra Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 196.
nigra Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 141.
nigrum Anobium (L.), J. C. Fabricius, Syst. Ent. 1775, 62.—Dermestes.
niger Athrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 338.
niger Aphodius, Illiger in Kugelann, Käfer Preuss. 1798, 24.
nigrum Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 132.
niger Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 151.
nigra Aranea, V. Petagna, Spec. Ins. ult. Calab. 1786, 34.
nigra Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 235.
niger Ascalaphus, M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 156.
niger Asilus, C. de Geer, Mém. Ins. VI. 1776, 249.
nigra Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 55.
nigra Asterias, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 20.
nigra Balistes, J. R. Forster in Osbeck, Voy. China, II. 1771, 93 [said to be O's sp.].
niger Balistes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 19.
niger Balistes, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 37.
niger Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 89.
niger Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 407.
nigra Buprestis, O. F. Müller, F. Ins. Frid. 1764, 18.
nigra Buprestis, J. A. Scopoli, Annus V. 1772, 106.
nigra Buprestis, P. Forskal, Descr. Anim. 1775, xxii [n. n.].
niger Byrrhus, P. Rossi, Fauna Etrus. I. 1790, 39. [485.—Cistela.
niger Byrrhus (Forst.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
niger Cacicus (Gn.), F. M. Daudin, Traité élém. Orn. 1800, 329.—Oriolus.
niger Cancer, P. Forskal, Descr. Anim. 1775, 89.
nigra Cantharis (L.), J. C. Fabricius, Mant. I. 1787, 168.—Dermestes.
nigra Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
nigra Cantharis (De G.), C. de Villers, Linn. Ent. I. 1789, 296.—Telephorus.
niger Carabus, Linnaeus, Reise Schwed. (ed. Schreber), I. 1764, 109.
niger Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
niger Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 315.
nigra Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 258.
niger Cerambyx (Pet.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1845.—Rhagium.
nigra Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 106.
nigra Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
nigra Chrysomela, C. de Villers, Linn. Ent. I. 1789, 168.

- nigra* Cicada, C. de Geer, Mém. Ins. VII. 1778, 615.
nigra Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
nigra Cicada, P. Rossi, Fauna Etrus. II. 1790, 215.
nigra Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.
nigra Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 60.
nigra Ciconia (L.), J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 56.—Ardea.
niger Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 51.
niger Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.
nigra Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
nigra Cistela, J. R. Forster, N. Sp. Ins. 1771, 14.
nigra Clava, T. Martyn, Univ. Conch. III [1789], fig. 98.
niger Clerus, C. de Geer, Mém. Ins. V. 1775, 164.
nigra Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
niger Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 110.
nigra Conops, C. de Geer, Mém. Ins. VI. 1776, 265.
nigra Coracias, J. Latham, Index Orn. 1790, 172.
niger Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea nigrella, 1775.
nigra Crax, Linnaeus, Syst. Nat., ed. 10, 1758, 157.
niger Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 93.
niger Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 170.
niger Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 63.
niger Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
nigra Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2653.
nigra Cynips, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 781.
niger Dasyles (Fab.), G. Paykull, Faun. Suec. II. 1799, 156.—Lagria.
niger Dermestes, Linnaeus, Faun. Suec., ed. 2, 1761, 146.
niger Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 392.
nigra Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117.
niger Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
niger Echinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 200.
niger Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 656.
niger Elater, A. F. de Fourcroy, Ent. Paris. 1785, 37.
nigra Empis, C. de Villers, Linn. Ent. III. 1789, 571.
nigra Ephemera, Linnaeus, Faun. Suec. ed. 2, 1761, 377.
nigra Ephemera, A. F. de Fourcroy, Ent. Paris. 1785, 352.
niger Erax, Scopoli, Ent. Carn. 1763, 362.
niger Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 259.
nigra Fasciola, O. F. Müller, Verm. II. 1774, 54.
nigra Felis, J. C. P. Erxleben, Syst. Anim. 1777, 512.
nigra Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
nigra Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [n. n.]; Essai Fourmis, 1798, 39.
nigra Fringilla, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 174 [n. n.].
niger Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 449.
niger Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.
nigra Hirudo, W. Kirby, Tr. Linn. Soc. [Lond.] II. 1794, 317.
nigra Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
niger Hister, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1609.
niger Hydrophilus, J. C. Fabricius, Syst. Ent. 1775, 228.
niger Hydrophilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1944.
niger Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
niger Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 105.
niger Ichneumon, J. A. Scopoli, Del. Insub. I. 1786, 58.
niger Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 351.—Oriolus.
niger Ichthyolithus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 389.
niger Indri, B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.
nigra Ips, J. C. Fabricius, Mant. I. 1787, 47.
niger Labrus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1285.—Scarus.

- nigra* Lagria, J. C. Fabricius, Spec. Ins. II. 1781, 498.
niger Lanius, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
niger Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 301.
niger Lemur, E. Geoffroy, Mag. encyclop. I (1) 1796, 47.
nigra Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
niger Lepus, R. Kerr, Anim. Kingd. 1792, 279.
nigra Leucospis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
nigra-spicatus Limax, T. Martyn, Univ. Conch. IV [1792], fig. 121.
nigra Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 175; ed. 12, 1766, 306.
niger Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 23.
nigra Meloe, J. Woodhouse, Medical Repository, III (2) 1799, 213.
niger Melyris, J. C. Fabricius, Spec. Ins. I. 1781, 67.
nigra Melyris (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 309.—Lagria.
nigra Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
niger Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 104.
niger Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 465.
nigra Mordella, P. Rossi, Mant. Ins. I. 1792, 95.
nigra Musca, P. Forskal, Descr. Anim. 1775, xxiv.
nigra Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 420.—Nemotelus.
nigra Musca, C. de Villers, Linn. Ent. III. 1789, 432.
nigra Muscicapa, A. Sparrman, Mus. Carls. I. 1786, no. xxIII.
nigra Mustela, H. F. Link, Beytr. Nat. I (2) 1795, 82.
nigra Mutilla, P. Forskal, Descr. Anim. 1775, xxiv.
nigra Mutilla, P. Rossi, Mant. Ins. I. 1792, 148.
niger Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
nigra Necydalis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 321.
niger Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 188.
niger Oriolus, P. Boddaert, Tab. Planch. Enl. 1783, 31.
nigra Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 401.
nigra Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 708.
nigra Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1321.
nigrum Phalaena (Bombyx), O. F. Müller, Z. Dan. Prod. 1776, 119.
nigra Phoca, R. Kerr, Anim. Kingd. 1792, 128.
nigra Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
nigra fasciata Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
nigra Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
[*nigra* Planaria] (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.] II. 1794, 320.—Hirudo.
niger Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1775.
niger Pselaphus, G. Paykull, Faun. Suec. III. 1800, 365.
niger Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 145.
nigra Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 25.
niger Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
nigrum Rhagium, V. Petagna, Spec. Ins. ult. Calab. 1786, 17.
niger Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 114.
nigra Rhyncops, Linnaeus, Syst. Nat., ed. 10, 1758, 138; ed. 12, 1766, 228.
nigra Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
niger Scarabaeus, Giorna, Cal. Ent. 1791, 127.
niger Scarus, P. Forskal, Descr. Anim. 1775, 28.
nigra Scatopse, A. F. de Fourcroy, Ent. Paris. 1785, 503.
nigra Sciaena, P. Forskal, Descr. Anim. 1775, 47.
niger Sciuirus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 86.
niger Sciuirus, R. Kerr, Anim. Kingd. 1792, 257; *var. albirostris*.
nigra Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
nigra Scolytus, A. F. de Fourcroy, Ent. Paris. 1785, 139.
niger Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 57.
nigra Sertularia, P. S. Pallas, Elench. 1766, 135.
nigra Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
nigra Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 217.

- niger Sirex, M. Harris, Exp. Eng. Ins. 1776, 96.
nigra SpheX, J. C. Fabricius, Syst. Ent. 1775, 350.
nigra SpheX, J. A. Scopoli, Del. Insub. I. 1786, 58.
nigra Spongia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3819.
niger Staphylinus, O. F. Müller, F. Ins. Frid. 1764, 23.
niger Stenocorus, A. G. Olivier, Entom. IV. 1795, 19.
nigra Sterna, Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.
nigra Strix, B. Hacquet, N. phys.-pol. Reisen Karpath. II. 1791, 203, pl. v.
niger Stromateus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 93.
nigra Tanagra, Linnaeus, Syst. Nat., ed. 12, III. 1768, errata.
nigra Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
niger Tantalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 650.
niger Telephorus, C. de Geer, Mém. Ins. IV. 1774, 72.
nigra Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
nigra Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 925.
nigra Tiphia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2740.
nigra Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 225.
nigra Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
nigra Trichoda, O. F. Müller, An. Infus. 1786, 173.
niger Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 192.
niger Trox, P. Rossi, Mant. Ins. I. 1792, 9.
niger Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
niger Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 324 & 681.
niger albus Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 681.
nigra Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 438.
nigra Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 501.
nigra Volucella, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 351.
nigra Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3452.
nigra Vorticella, O. F. Müller, Verm. I (1) 1773, 96.
niger Vultur, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 248.
nigerrimus Asilus, F. v. P. Schrank, Ins. Aust. 1781, 488.
nigerrimus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
nigerrima Formica, J. L. Christ, Nat. Ins. 1791, 513.
nigerrimus Ichneumon (Scop.), J. L. Christ, Nat. Ins. 1791, 365.—SpheX.
nigerrima SpheX, Scopoli, Ent. Carn. 1763, 295.
nigerrima Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 899.
nigerrimus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
nigerrimus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
nigerrimus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
nigerrima Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
nigra v. niger.
nigralis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 508.
nigralis Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 443.—Phalaena.
nigralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
nigrana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
nigrator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
nigrator Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
nigratorius Ichneumon, E. Pontoppidan, Danske Atlas, I. 1763, 692.
nigrata Evania (Gm.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 453.—SpheX.
nigrata Phalaena, Scopoli, Ent. Carn. 1763, 231.
nigrata SpheX, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2723.
nigrata Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
nigrata Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
nigrata Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
nigrella Phalaena [Tinea], Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 225.
nigrella Tinea, J. C. Fabricius, Syst. Ent. 1775, 658.
nigreola Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
nigri Alauda, P. Boddaert, Tab. Planch. Enl. 1783, 46.

- nigricans Acanthus (L.), G. A. Suckow, Naturges. IV. 1799, 375.—Chaetodon.
nigricans Apate, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 95.
nigricans Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
nigricans Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 114.
nigricans Cantharis, J. H. Sulzer, Gesch. Ins. 1776, 51.
nigricans Cantharis (Müll.), Illiger in Kugelann, Käfer Preuss. 1798, 298.—Telephorus.
nigricans Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
nigricans Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.
nigricans Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 462.
nigricans Colymbus, J. A. Scopoli, Annus I. 1769, 77.
nigricans Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
nigricans Cyclidium, O. F. Müller, An. Infus. 1786, 82.
nigricans Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 205.
nigricans Gymnothorax (Bonn.), G. A. Suckow, Naturges. IV. 1799, 181.—Muraena.
nigricans Hamster, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
nigricans Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
nigricans Muraena, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 34.
nigricans Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.
nigricans Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 616.—Phalaena.
nigricans Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
nigricans Podiceps, J. Latham, Syn. Birds, Suppl. I. 1787, 294.
nigricans Scolopendra, A. F. de Fourcroy, Ent. Paris. 1785, 542.
nigricans Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.
nigricans Sterna, Linnaeus in Hasselquist, Palast. 1762, 325.
nigricans Tenthredo, J. L. Christ, Nat. Ins. 1791, 446.
nigricans Testudo, J. A. Donndorff, Zool. Beyt. III. 1798, 34.
nigricans Telephorus, O. F. Müller, Z. Dan. Prod. 1776, 61.
nigricans Tringa, G. Montagu, Tr. Linn. Soc. [Lond.] IV. 1798, 40.
nigricana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 276.
nigricaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 181 [*n.*
nigricincta Tenthredo, J. L. Christ, Nat. Ins. 1791, 450. [*et f.*].
nigricollis Alurnus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
nigricollis Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 502.
nigricollis Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 108.
nigricollis Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 33.
nigricollis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
nigricollis Crioceris, J. C. Fabricius, Syst. Ent. 1775, 119.
nigricollis Falco, J. Latham, Index Orn. 1790, 35.
nigricollis Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 98.
nigricollis Motacilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
nigricollis Perdix (Gm.), J. Latham, Index Orn. 1790, 656.—Tetrao.
nigricollis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 272.
nigricollis Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
nigricollis Staphylinus, G. Paykull, Faun. Suec. III. 1800, 400.
nigricollis Sylvia, J. Latham, Index Orn. 1790, 553.
nigricollis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 894.
nigricollis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 767.
nigricollis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
nigricollis Turnix, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 6.
nigricornis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 69.
nigricorne Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.
nigricornis Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 313.
nigricornis Carabus, J. C. Fabricius, Mant. I. 1787, 202.
nigricornis Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255.—Saperda.
nigricornis Cerambyx (Fab.), A. G. Olivier, Entom. IV. 1795, 111.—Lamia.
nigricornis Chalcis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 243.
nigricornis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 98.
nigricornis Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.

- nigricornis Chrysomela, P. Rossi, Mant. Ins. I. 1792, 29.
nigricornis Cimex, J. C. Fabricius, Syst. Ent. 1775, 701.
nigricornis Crioceris, J. C. Fabricius, Mant. I. 1787, 87.
nigricornis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.
nigricornis Dasytes (Fab.), G. Paykull, Faun. Suec. II. 1799, 158.—Lagria.
nigricornis Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 80.—Mycetophagus.
nigricornis Elater, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 5.
nigricornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 24.—Crioceris, 1787.
nigricornis Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.—Crioceris.
nigricornis Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 99.
nigricornis Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 73.
nigricornis Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 376.
nigricornis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
nigricornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
nigricornis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 185.
nigricornis Ips, J. C. Fabricius, Mant. I. 1787, 46.
nigricornis Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 81.
nigricornis Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 218.
nigricornis Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.
nigricornis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 331.
nigricornis Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.—Ips, 1787.
nigricornis Necydalis, A. G. Olivier, Entom. IV. 1795, 10.
nigricornis Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
nigricornis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—Sphex, 1793.
nigricornis Saperda, J. C. Fabricius, Spec. Ins. II. 1781, 499.
nigricornis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
nigricornis Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 418.
nigricornis Sphex, J. C. Fabricius, Syst. Ent. 1775, 351.
nigricornis Vespa, C. de Villers, Linn. Ent. III. 1789, 283.
nigricornis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
nigricornis Zygaena, J. C. Fabricius, Mant. II. 1787, 104.
nigricornutus Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 388.
nigricrus Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2891.
nigriculus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
nigrifrons Curculio, G. C. Reich, Mant. Ins. 1797, 12.
nigrifrons Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 675.
nigrifrons Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
nigrina Apis, Lamarck in Pallas, Voy. Russie (8vo. ed.) VIII [1794], 189.
nigrinus Coccinella (Kugel.), G. W. F. Panzer, Ins. Germ. heft 24 [1794], tab. 12.—Scymnus.
nigrinus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 60. [nuss.
nigrinus Elater, J. F. W. Fuessly, Arch. Ins. V. 1784, 114.
nigrinus Elater, G. Paykull, Faun. Suec. III. 1800, 39.
nigrina Papilio, J. C. Fabricius, Syst. Ent. 1775, 475.
nigrinus Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 548.
nigripenne Agathidium (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 84.—Sphaeridium.
nigripennis Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 386.
nigripennis Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
nigripennis Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 29.
nigripennis Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 32.
nigripennis Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 44.
nigripennis Dermestes, G. Paykull, Faun. Suec. I. 1798, 292.
nigripennis Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 407.
nigripennis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 14.
nigripennis Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 513.
nigripennis Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 578.
nigripennis Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 127.
nigripennis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 346.
nigripennis Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 196.

- nigripennis Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 82.
nigripennis Vespa, C. de Geer, Mém. Ins. III. 1773, 582.
nigripennis Volvoxis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
539.—Sphaeridium.
nigripennis Zonitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 103.
nigripes Altica, J. C. Fabricius, Syst. Ent. 1775, 113.
nigripes Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 22.—Scarabaeus.
nigripes Asilus, J. C. Fabricius, Mant. II. 1787, 360.
nigripes Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 260.
nigripes Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 384.
nigripes Cerambix, A. G. Olivier, Entom. IV. 1795, 52.
nigripes Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 67.—Trichius.
nigripes Chrysomela, C. de Geer, Mém. Ins. V. 1775, 296.
nigripes Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 133.—Altica, 1775.
nigripes Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 60.
nigripes Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 34.
nigripes Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
nigripes Cimex, J. C. Fabricius, Syst. Ent. 1775, 710.
nigripes Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptocephalus, 1777.
nigripes Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
nigripes Cryptocephalus, J. C. Fabricius, Gen. Ins. 1777, 221.
nigripes Dermestes, A. G. Olivier, Entom. II. 1790, 15.
nigripes Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 233.
nigripes Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 405.
nigripes Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.
nigripes Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 29.—Altica, 1775.
nigripes Lampyrus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.—Py-
Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.—Crioceris, 1775. [rochroa.
nigripes Leptura, C. de Geer, Mém. Ins. V. 1775, 136.
nigripes Lycus (Fab.), A. G. Olivier, Entom. II. 1790, 11.—Pyrochroa.
nigripes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
nigripes Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 319.
nigripes Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 341.
nigripes Mutilla, J. C. Fabricius, Mant. I. 1787, 313.
nigripes Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.—Sphex, 1793.
nigripes Pyrochroa, J. C. Fabricius, Mant. I. 1787, 163.
nigripes Reduvius (L.), J. C. Fabricius, Spec. Ins. II. 1781, 380.—Cimex.
nigripes Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 310.
nigripes Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.—Tri-
nigripes Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 35. [chius.
nigripes Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 216.
nigripes Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 197.
nigripes Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 71.
nigripes Trichius, J. C. Fabricius, Spec. Ins. I. 1781, 49.
nigripilis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
nigrirostris Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
nigrirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.
nigrirostris Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 986.
nigrirostris Sylvia (Gm.). J. Latham, Index Orn., 1790, 522.—Motacilla.
nigrispinus Cimex, J. C. Fabricius, Mant. II. 1787, 284.
nigritaria Phalaena (Geom.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 185.
nigrita Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
nigrita Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 257.—Bibio, 1775.
nigrita Apis, J. C. Fabricius, Syst. Ent. 1775, 379.
nigrita Aranea, J. C. Fabricius, Syst. Ent. 1775, 432.
nigrita Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
nigrita Bibio, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.
nigrita Bombylius, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 7.

- nigrita* Buprestis, A. G. Olivier, Entom. II. 1790, 40.
nigrita Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 134.
nigrita Carabus, G. Paykull, Mon. Carab. 1790, 129.
nigrita Cetonia, J. C. Fabricius, Syst. Ent. 1775, 43.
nigrita Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 309.
nigrita Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 123.
nigrita Cistela, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
nigrita Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 79.
nigrita Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 197.
nigrita Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 201.
nigrita Helops, J. C. Fabricius, Gen. Ins. 1777, 241.
nigrita Helops, J. C. Fabricius, Spec. Ins. I. 1781, 325.
nigritus Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 203.
nigrita Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 267.
nigrita Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 167.
nigritus Murex, F. C. Meuschen, Mus. Gever. 1787, 324.
nigrita Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
nigrita Musca, Scopoli, Ent. Carn. 1763, 328.
nigrita Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
nigrita Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [n. n.].
nigrita Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
nigrita Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 276.
nigrita Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1580.—Ce-
nigrita Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 452. [tonia.
nigrita Silpha, C. Creutzer, Ent. Vers. 1799, 116.
nigrita Sirex, J. C. Fabricius, Mant. I. 1787, 258.
nigrita SpheX, J. C. Fabricius, Spec. Ins. I. 1781, 449.
nigrita Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 427.
nigrita Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 367.
nigrita Vespertilio, J. C. D. Schreber, Säugth. I. 171 (1774), pl. lviii (1774).
nigriventris Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2789.
nigrivittis Curculio, P. S. Pallas, Icon. Ins. 1781, 31.
nigro-caudatus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 68.
nigrocephalus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 321.
nigrocincta Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
nigro-coerulea Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
nigrocrocea Tipula, C. de Geer, Mém. Ins. VI. 1776, 400.
nigroculus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 372.
nigrofasciatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 493.
nigro-fasciata Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 247.
nigrofasciata Coccinella, P. Rossi, Fauna Etrus. I. 1790, 62.
nigrofasciatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 98.
nigroflavus Picus, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 117.
nigrofulva Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 51.
nigrofulva Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 384.
nigrofulvus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 173.
nigrofuscus Chaetodon, P. Forskal, Descr. Anim. 1775, 64; *var.* gahhm.
nigrofuscus Gobius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 536.
nigrofusca Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 51.
nigrofusca Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 383.
nigrogibbosus Curculio, C. de Geer, Mém. Ins. V. 1775, 224.
nigro-linea Cicada, C. de Geer, Mém. Ins. III. 1773, 219.
nigrolineatus Cimex, *id.* *ac* lineatus, L., J. C. Fabricius, Spec. Ins. II. 1781, 341.
nigromaculata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 290.
nigro-maculata Cassida, C. de Geer, Mém. Ins. V. 1775, 189.
nigromaculata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 277.
nigromaculatus Elater, C. de Geer, Mém. Ins. IV. 1774, 158.
nigromaculatus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.

- nigromarginata* Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 155.
nigronervosus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
nigro-nervosa Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
Nigrophorus, *v.* *Nicrophorus* J. C. Fabricius, Mant. I. 1787, 48.
nigrophthalmus Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 117.
nigroplanus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 88.
nigroptera Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 469.
nigropunctatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
nigropunctata Cicada, F. v. P. Schrank, Ins. Aust. 1781, 259.
nigropunctatus Cimex, C. de Geer, Mém. Ins. III. 1773, 335.
nigropunctata Mantis, B. E. Manuel, Ency. Méth. VII. (Ins.) 1792, 642.
nigropunctata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 526.
nigropunctata Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 55.
nigro-quadrata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 336.
nigro-rubra Lampyrus, C. de Geer, Mém. Ins. IV. 1774, 46.
nigrorufus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 84.
nigro-rufa Nomada, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 62.
nigro-rugosus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 64.
nigrostriatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 96.
nigrostriatus Curculio, V. Petagna, Inst. Ent. 1792, 221.
nigro-terminatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 481.
nigroterminatus Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 452.
nigrovenosa Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 48.
nigrovenulata Mantis, B. E. Manuel, Ency. Méth. VII. (Ins.) 1792, 642 [*n. n.*].
nigrum *v.* *niger*.
nigua Acarus, C. de Geer, Mém. Ins. VII. 1778, 153.
nileus Papilio, C. Clerck, Icones, II. 1759, tab. 45, f. 2.
nilotica Anas, Linnaeus in Hasselquist, Palast. 1762, 319.
niloticus Bodianus (L.), G. A. Suckow, Naturges. IV. 1799, 521.—Perca.
niloticus Crocodylus, J. N. Laurenti, Syn. Rept., 1768, 53.
niloticus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 527.
niloticus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 477.
nilotica Lacerta, Linnaeus in Hasselquist, Palast. 1762, 361.
nilotica Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 290; ed. 12, 1766, 483.
niloticus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 514.
niloticus Sparus, Linnaeus in Hasselquist, Palast. 1762, 387.
nilotica Sterna, Linnaeus in Hasselquist, Palast. 1762, 325.
niloticus Trochus, Linnaeus, Syst. Nat., ed. 12, 1767, 1227.
“*Nilvus*, Briss. 1760,” Ag.; not used in a generic sense.
nimbata Cistela, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 15.
nimbata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 136.
nimbosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 732.
nimbosa Fissurella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—Patella.
nimbosa Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1262.
nimpha *v.* *nympha*.
nimrod Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 142.
nina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 194.
nina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) IX. 1798, 30.
nina [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 32.
niobe Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 786.
niphe Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 785.
niponella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
nireus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 750.
nise [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 31.
nise [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 66.
nise Papilio Helic., Herbst in Jablonsky, Nat. Ins. (Schmett.) IV. 1790, 192.
nisella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 6.
nisella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 357.

- niso Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio.
- niso Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 339.
- nisoria Motacilla, J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 580.
- nisot Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 283.
- nissus Falconis *var.*, *id. ac* Falco nissus, Linn., S. G. Gmelin, Reise Russ. I (1770), 49.
- nisuella Strix, F. M. Daudin, Traité élém. Orn. 1800, 187.
- Nisus Moehring, Geslacht. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 69.—A.
- Nisus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 4.—A.
- nisus Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 6.—Falco.
- nisus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 166.
- nisus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 130.
- nisus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 281; *varr.* maculatus,
- nisus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 85. [lacteus.
- nisus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 139.
- nitata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 288.
- nitata Phalaena, J. C. Fabricius, Mant. II. 1787, 212.
- nitedulus *v.* nitidulus.
- nitela Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62. [Myoxus.
- nitela Marmota (Schr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 131.—
- nitela Myoxus, *id. ac* nitedula Mus, Pall., J. C. D. Schreber, Säugth. IV. 833 (1787), pl.
- nitens Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248. [ccxxvi. (1782).
- nitens Bombyx (*ex* Esper tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 53.
- nitens Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 40.
- nitens Byrrhus, C. de Villers, Linn. Ent. I. 1789, 72.
- nitens Byrrhus, G. W. F. Panzer, Ins. Germ. heft 25 [1795] tab. 4.
- nitens Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
- nitens Cassida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1644.
- nitens Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 211.
- nitens Chrysis [Hausmann], Bemerk. Entom. 1799, 35.
- nitens Chrysomela, = nitida, Linnaeus, Faun. Succ., ed. 2, 1761, 169.
- nitens Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1672.
- nitens Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
- nitens Cimbex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 771.—Tenthredo.
- nitens Cistela, O. F. Müller, Z. Dan. Prod. 1776, 58.
- nitens Cistela, A. F. de Fourcroy, Ent. Paris. 1785, 28.
- nitens Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.
- nitens Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 110.—Chrysomela.
- nitens Cuculus, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin, 1792), 183.
- nitens Curculio, Scopoli, Ent. Carn. 1763, 25.
- nitens Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 403.
- nitens Elater, Scopoli, Ent. Carn. 1763, 91.
- nitens Elater, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 163.
- nitens Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 909.
- nitens Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3633.
- nitens Ichneumon, J. L. Christ, Nat. Ins. 1791, 350.
- nitens Lampyris, C. de Geer, Mém. Ins. IV. 1774, 50.
- nitens Leptura, J. R. Forster, N. Sp. Ins. 1771, 45.
- nitens Musca, C. de Villers, Linn. Ent. III. 1789, 549.
- nitens Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
- nitens Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 305.
- nitens Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 284.
- nitens Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 159.
- nitens Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 231.
- nitens Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 313.—Turdus.
- nitens Tenebrio, A. G. Olivier, Entom. III. 1795, 7.
- nitens Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 922.
- nitens Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
- nitens Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 294.

- nitens Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
 nitidalis [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, III. 1790, 110.
 nitidalis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 160.
 nitidalis Pyralis, "D. & S." C. de Villers, Linn. Ent. IV. 1789, 516.
 nitidana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 276.
 nitidaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 500.
 nitidaria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 137.
 nitidaria Phalaena, J. C. Fabricius, Mant. II. 1787, 194.
 nitidella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
 nitidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 15.
 nitidissima Columba, J. A. Scopoli, Del. Insub. II. 1786, 93.
 nitidissima Helix, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
 Nitidula J. C. Fabricius, Syst. Ent. 1775, 77.—Col.
 nitidularia Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 324.
 nitidulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618.
 nitidula Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
 nitidula Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
 nitidula Blatta, J. C. Fabricius, Spec. Ins. I. 1781, 345.
 nitidulus Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 409.
 nitidula Bombyx, J. C. Fabricius, Mant. II. 1787, 126.
 nitidulum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1205.
 nitidula Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
 nitidulus Byrrhus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 24.
 nitidula Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.—Lytta.
 nitidula Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 220.
 nitidulus Carabus, F. v. P. Schrank, Ins. Aust. 1781, 213.
 nitidulus Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 20.
 nitidulus Carabus, J. C. Fabricius, Mant. I. 1787, 202.
 nitidula Cetonia, A. G. Olivier, Entom. I. 1789, 55.
 nitidula Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 146.
 nitidula Chrysis, J. C. Fabricius, Syst. Ent. 1775, 359.
 nitidula Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 594.
 nitidula Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 262.—Cryptocephalus.
 nitidula Cicada, J. C. Fabricius, Mant. II. 1787, 273.
 nitidulus Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.—Reduvius.
 nitidula Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 286.
 nitidulus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 294.
 nitidulus Cryptocephalus, J. C. Fabricius, Mant. Ins. I. 1787, 84.
 nitidulus Curculio, J. C. Fabricius, Syst. Ent. 1775, 146.
 nitidulus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
 nitidulus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 108.
 nitidulus Elater, J. C. Fabricius, Mant. I. 1787, 174.
 nitidula Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 30.—Chrysomela.
 nitidula Glis, G. C. C. Storr, Prod. 1780, 39.
 nitidulus Gryllus, J. A. Scopoli, Del. Insub. I. 1786, 62.
 nitidulus Gyrinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 66.
 nitidulus Hemerobius, J. C. Fabricius, Gen. Ins. 1777, 244.
 nitidulus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 184.
 nitidula Lampyrus, J. C. Fabricius, Spec. Ins. I. 1781, 253.
 nitidulus Lyctus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 177.
 nitidula Lytta, J. C. Fabricius, Syst. Ent. 1775, 826.
 nitidulus Malachius, J. C. Fabricius, Ent. Syst. I (1) 1792, 225.
 nitidulus Meloe (Fab.), C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 107.—Lytta.
 nitidula Melolontha, A. G. Olivier, Entom. I. 1789, 46.
 nitidula Melolontha, P. Rossi, Fauna Etrus. I. 1790, 23.
 nitidula Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 88.
 nitidula [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 240.
 nitidula Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 278.

- nitidulus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 378.
 nitidulus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 30.
 nitidulus Staphylinus, J. C. Fabricius, Spec. Ins. I. 1781, 337.
 nitidula Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 262.
 nitida Andrena, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 2.
 nitidum Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 238.
 nitidus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 138.
 nitida Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
 nitida Apis, A. F. de Fourcroy, Ent. Paris. 1785, 443.
 nitida Aranea, F. A. A. Meyer, Spinner Gött. 1790, 12.
 nitidus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
 nitida Buprestis, P. Rossi, Mant. Ins. I. 1792, 63.
 nitidus Byrrhus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 252.
 nitidus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
 nitida Cellepora, O. Fabricius, F. Groen. 1780, 435.
 nitidus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1818.—Prionus.
 nitida Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 44.—Scarabaeus.
 nitida Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374.
 nitida Chrysomela, J. C. Fabricius, Mant. I. 1787, 71.
 nitida Chrysomela, C. de Villers, Linn. Ent. I. 1789, 168.
 nitida Cicada, C. de Geer, Mém. Ins. III. 1773, 221.
 nitida Cicindela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 32.
 nitidus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.
 nitidus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
 nitidus Falco, J. Latham, Index Orn. 1790, 41.
 nitida Helix, O. F. Müller, Verm. II. 1774, 32.
 nitida Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 275.
 nitida Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3624.—Planorbis.
 nitida Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1867.
 nitidus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 505.
 nitidus Lygdus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 34.
 nitida Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3258.
 nitida Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 170.
 nitida Muscicapa, J. Latham, Index Orn. 1790, 489.
 nitida Mya, O. F. Müller, Z. Dan. Prod. 1776, 245.
 nitida Mydas, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
 nitida Necydalis, C. de Geer, Mém. Ins. V. 1775, 153.
 nitida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
 nitidum Peroneaderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—=Tellina of p. 36.
 nitida [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 147.
 nitida Phalaena Noctua, (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 744.—
 nitida Phryganea, O. F. Müller, F. Ins. Frid. 1764, 65. [Noctua.
 nitidus Planorbis, O. F. Müller, Verm. II. 1774, 163.
 nitidus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex, 1775.
 nitidus Prionus, J. C. Fabricius, Mant. I. 1787, 128.
 nitida Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 27.
 nitidus Reduvius, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 147.
 nitidus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 552.
 nitidus Sphex, J. C. Fabricius, Syst. Ent. 1775, 351.
 nitidus Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
 nitida Synchronita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 405.
 nitida Tellina, J. X. Poli, Test. Sicil. I. 1791, xxxiv.
 nitida Tellina, J. X. Poli, Test. Sicil. II. 1795, 36.
 nitida Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 93.
 nitida Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
 nitidus Trochilus, J. Latham, Index Orn. 1790, 305.
 nitidus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
 nitocris [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 148.

- nitocris [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (33) 1782, 215.
 nivalis Anas, J. R. Forster, Phil. Trans. LXII. 1772, 433.
 [nivalis] Araneus, C. Clerck, Aran. Svec. 1757, 100.]
 nivalis Araneus, T. Martyn, Aranei, 1793, 46.
 nivalis Carabus, G. Paykull, Mon. Carab. 1790, 52.
 nivalis Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 308.
 nivalis Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 321.
 nivalis Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 34.
 nivalis Mustela, Linnaeus, Faun. Suec., ed. 2, 1761, 7.
 nivalis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [n. n.].
 nivalis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 25.
 nivalis Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1013.
 nivalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
 nivealis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 274.
 nivealis Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 441.—Phalaena.
 nivealis Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 17.—Phalaena.
 niveana Pyralis, J. C. Fabricius, Mant. II. 1787, 233.
 niveana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 528.
 nivearia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.—niveata, Scop.
 nivearia Phalaena, J. C. Fabricius, Syst. Ent. 1775, 620.
 niveatus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
 niveata Phalaena, Scopoli, Ent. Carn. 1763, 217.
 -> niveata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
 niveella Alucita, J. C. Fabricius, Gen. Ins. 1777, 297.
 niveella Phalaena (Tinea) (Fab.), C. de Villers, Linn. Ent. II. 1789, 505.—Alucita.
 niveirostris Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 160.
 niveirostris Macrocephalus (Fab.), A. G. Olivier, Entom. IV. 1795, 8.—Anthribus.
 nivella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 296.
 nivea Acheta, G. A. Harrer, Besch. Schaeffer Icones, 1784, 258.
 niveus Anser, J. R. Forster, Cat. Anim. N. Amer. 1771, 16 [n. n.].
 nivea Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
 nivea Ardea, J. A. Scopoli, Annus I. 1769, 91.
 nivea Ardea, S. G. Gmelin, Reise Russ. I (1770), 164.
 nivea Ardea, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 18.
 nivea Bibio, P. Rossi, Fauna Etrus. II. 1790, 277.
 nivea Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 688.
 nivea Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 85.—Phalaena.
 niveum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3471.
 niveum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3495.
 niveum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
 nivea Cantharis, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 5.
 niveus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
 nivea Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
 niveus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3392.
 niveus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena nivealis, 1781.
 niveus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea nivella, 1794.
 niveus Curculio, G. Bonsdorff, Curc. Suec. 1785, 21.
 niveus Curculio, J. C. Fabricius, Mant. I. 1787, 111.
 nivea Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [n. n.].
 nivea Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
 niveus Gryllus, C. de Geer, Mém. Ins. III. 1773, 522.
 nivea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
 niveus Larus, P. Boddaert, Tab. Planch. Enl. 1783, 58.
 niveus Larus, S. Odmann, K. Vet. Ac. Nya Handl. IV. 1783, 100.
 nivea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [n. n.].
 niveus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3545.
 niveus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
 nivea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.

- nivea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 599.—Phalaena.
nivea Notonecta, J. C. Fabricius, Syst. Ent. 1775, 690.
niveus [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 33.
nivea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
nivea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 66.
nivea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 838.
nivea Phryganea, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 549.
nivea Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 73.—Helix.
nivea Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 562.
nivea Scolopendra, Scopoli, Ent. Carn. 1763, 418.
nivea Strix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 184.
niveus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3598.
nivea Uria, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 37.
nivea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
nivea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3442.
nivosa Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 52.
nivosus Curculio, A. Sparrmann, K. Vet. Ac. Nya Handl. VI. 1785, 45.
noachina Patella, Linnaeus, Mant. II. 1771, 551.
noae Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.
noae Daphnoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—Arca.
noae Tridachna, J. F. Bolten, Mus. Bolten. (2) 1798, 171.
nobilis Aranea, G. Shaw, Nat. Misc. IX. 1798, juxta tab. 334.
nobilis Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 291.
nobilis Architectonica, J. F. Bolten, Mus. Bolten. (2) 1798, 78.
nobilis Asterias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3160.
nobilis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
nobilis Buprestis, J. C. Fabricius, Mant. I. 1787, 180.
nobilis Cantharis, Scopoli, Ent. Carn. 1763, 45.
nobilis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
nobilis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 575.
nobilis Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (5) 1796, 145.
nobilis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—Lamia.
nobilis Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 43.—Scarabaeus.
nobile Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—Pinna.
nobilis Chrysis, J. C. Fuessly, Schweiz. Ins. 1775, 50.
nobilis Chrysis (Scop.), J. L. Christ, Nat. Ins. 1791, 400.—Sphex.
nobilis Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
nobilis Cimex, Linnaeus, Amoen. Acad. VI. 1763, 400.
nobilis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 199.
nobilis Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
nobilis Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 49.—Conus.
nobilis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 525.
nobilis Elater, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 116.
nobilis Fringilla, F. v. P. Schrank, F. Boica, I. 1798, 176.
nobilis Gorgonia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3805.
nobilis Gracula, B. Merrem, Avium rar. Icones, I. 1784, 7.
nobilis Harpa, P. S. Pallas, Spic. Zool. X. 1774, 33.
nobilis Harpa, J. F. Bolten, Mus. Bolten. (2) 1798, 150.
nobilis Isis, P. S. Pallas, Elench. 1766, 223.
nobilis Isis, Linnaeus, Syst. Nat., ed. 12, 1767, 1288.—[Madrepora rubra, ed. 10.]
nobilis Lamia, J. C. Fabricius, Mant. I. 1787, 138.
nobilis Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 165.—Scarabaeus.
nobilis Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
nobilis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2829.
nobilis [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 17.
nobilis Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
nobilis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
nobilis Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.

- nobilis** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 140.
nobilis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353; ed. 12, 1767, 558.
nobilis Sparus, P. Osbeck, Reise Ost-Ind. China, 1765, 336.
nobilis SpheX, Scopoli, Ent. Carn. 1763, 297.
nobilis SpheX, O. F. Müller, Z. Dan. Prod. 1776, 161.
nobilis SpheX, J. C. Fabricius, Mant. I. 1787, 277.
nobilis Trichius (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 66.—Cetonia.
nobilis Trichius (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 119.—Scarabaeus.
nobilis Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
nobilitata Agrion, J. C. Fabricius, Gen. Ins. 1777, 248.
nobilitata Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chrysomela.
nobilitata Bibio, J. C. Fabricius, Syst. Ent. 1775, 757.
nobilitata Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.
nobilitata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1787.
nobilitata Libellula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2626.—Agrion.
nobilitata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 995.
nobilitata [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 128.
Noctilio Linnaeus, Syst. Nat., ed. 12, 1766, 88.—M.
Noctilio P. Boddaert, Elench. 1785, 69.—M.
Noctilio B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.—M.
noctilio Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 12.
noctilio Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 130.
noctiluca Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
noctiluca Cassida (Linn.), Scopoli, Ent. Carn. 1763, 37.—Cantharis.
noctilucus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 651.
noctiluca Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 643.—[Cantharis, ed. 10.]
noctiluca Medusa, P. Forskal, Descr. Anim. 1775, 109.
noctiluca Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
noctiluca Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1085.
noctilucus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
noctis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 630.
noctis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 269.
noctis Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
noctis Leptura (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 139.—Cerambyx.
noctis Rhagium (L.), J. C. Fabricius, Spec. Ins. I. 1781, 230.—Cerambyx.
noctis Stenocorus (L.), A. G. Olivier, Entom. IV. 1795, 17.—Cerambyx.
noctivida Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
noctivida Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[Cicada, ed. 10.]
Noctua v. **Phalaena** (Noctua), Linnaeus.
Noctua J. C. Fabricius, Syst. Ent. 1775, 590.—Lep.
Noctua Linnaeus, Amoen. Acad. VII (1766), 450.—A.
noctua Strix, J. A. Scopoli, Annus I. 1769, 22.
noctualis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 15 [2].
noctuana Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 16 [u. et f.].
noctuella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
noctuella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 32.
noctula Vespertilio, J. C. D. Schreber, Säugth. I. 166 (1774), pl. lii (1774).
nocturna Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
nocturnus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 209.
nocturnus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 611.
nocturnus Homo, P. L. S. Müller in Linn. Syst. Nat. I. 1773, 109.
nocturna Paphia, J. F. Bolten, Mus. Bolten. (2) 1798, 176.
nocturna Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 311.
nocturna Phalaena (Noctua), O. F. Müller, Z. Dan. Prod. 1776, 124.
nocturna Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
nodatum Buccinum, T. Martin, Univ. Conch. II [1788], fig. 51.
nodata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
nodatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3536.

- nodatum** Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
nodosa Actinia, J. C. Fabricius, F. Groen. 1780, 350.
nodosa Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 43.
nodosa Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1100.
nodosa Balaena, J. P. Bonnaterre, Ency. Méth. (Cet.) 1789, 5.
nodosum Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 43.
nodosum Buccinum, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 5.
nodosum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
nodosus Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [*n. n.*].
nodosus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 164.
nodosa Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 163.—Ostrea.
nodosus Curculio, O. F. Müller, F. Ins. Frid. 1764, 12.
nodosa Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 227.
nodosa Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
nodosa Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777.
nodosa Ostrea, J. E. I. Walch in Müller, Del. Nat., ed. 2, I. 1778, 106.
nodosa Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1145.
nodosa Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 448.
nodosa Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [*n. n.*].
nodosus Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 414.—Ostrea.
nodosus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 35.
nodosa Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
nodosus Strombus, F. C. Meuschen, Mus. Gever. 1787, 292.
nodosus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [*n. n.*].
nodosa Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 148.
nodosus Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
nodosus Trochus, P. Forskal, Descr. Anim. 1775, 126.
nodosus Turbinis, F. C. Meuschen, Mus. Gever. 1787, 280.
nodosa Venus, J. Hermann, Naturforscher, XV. 1781, 123.
nodularia Corallina, P. S. Pallas, Elench. 1766, 421.
nodularis Corallina, *v.* **nodularia**, P. S. Pallas, Char. Thierpfl. II. 1787, 258.
nodularis Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 37.
nodulata Leucophra, O. F. Müller, Zool. Dan. II. 1784, 124.
nodulosum Arca, O. F. Müller, Z. Dan. Prod. 1776, 247.
nodulosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3479.
nodulosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
nodulosus Cancer, J. C. Fabricius, Spec. Ins. I. 1781, 505.
nodulosus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 168.
nodulosus Carabus, C. Creutzer, Ent. Vers. 1799, 108.
nodulosum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 57.
nodulosum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 478.
nodulosus Curculio, J. C. Fabricius, Syst. Ent. 1775, 154.
nodulosus Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 84.
nodulosus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 46.
nodulosum Distoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 190.
nodulosus Echinorhynchus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
nodulosa Fasciola, J. A. Frolich, Naturforscher, XXV. 1791, 76.
nodulosa Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*n. n.*].
nodulosa Machla, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 157.
nodulosa Madrepora, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 165.
nodulosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
nodulosa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
nodulosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
nodulosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
nodulosa Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
nodulosa Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 90.
nodulosa Tricuspидaria, C. A. Rudolphi, Obs. Ver. Intest. 1793, 44.
nodulosus Trochus, D. Solander in G. Brander, Foss. Hant. 1766, 10.

- nodulosus** Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
nodulosus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 357.
nodulosus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
nodulosa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
nodulus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
nodus Echinometra, F. C. Meuschen, Mus. Gronov. 1778, 90.
nodus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750 ; ed. 12, 1767, 1219.
noema [Phalaena], P. Cramer, Uilt. Kapellen, I (2) 1775, 27.
Noeza J. G. Meigen, N. Class. Mouches, 1800, 27.—Dip.
Nomada J. A. Scopoli, Annus IV. 1770, 44.—Hym.
Nomada J. C. Fabricius, Syst. Ent. 1775, 388.—Hym.
nomada Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
nomas Curculio, P. S. Pallas, Reise Russ. I. 1771, 462.
nomas Tenebrio, P. S. Pallas, Icon. Ins. 1781, 43.
nominator Ichneumon, J. C. Fabricius, Mant. I. 1787, 265.
nominator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 155.
nominata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
nomius Papilio Eq., E. J. C. Esper, Ausland. Schmett. 210 (1798).
nonette Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
non-naja Naja, J. N. Laurenti, Syn. Rept. 1768, 92.
non-plus-ultra [Carabus], P. Rossi, Fauna Etrus. I. 1790, 227.
nootka Lanius, *id. ac* natka, Gm., J. Latham, Index Orn. 1790, 80.
norfolcensis Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 270.
norma Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
normalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [mé judice 1796], 9 & 13 [2].
normatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 68.
norna Papilio, C. P. Thunberg, Ins. Suecica (2) 1791, 36.
norna Papilio (Nymph.), C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 274.
nortoniensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 922.
norvegicus Astacus (L.), C. de Geer, Mém. Ins. VII. 1778, 398.—Cancer.
norvegica Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 377.
norvegicus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632 ; ed. 12, 1767, 1053.
norvegicus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 52.
norvegicum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 42.
norvegica Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.
norvegicus Falco, O. F. Müller, Z. Dan. Prod. 1776, 10.
norvegicus Falco, J. Latham, Syn. Birds, Suppl. I. 1787, 282.
norvagicus Homarus (L.), F. Weber, Nomen. Fabricii, 1795, 94.—Cancer.
norvegica Hydroides, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 53.
norvegicus Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 11.
norvegica Millepora, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 64.
norvegicus Mus, J. C. P. Erxleben, Syst. Anim. 1777, 381.
norvegica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.
norvegica Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
norvegica Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1086.
norvegica Nereis, [J. E. Gunnerus], K. Norske Vid. Selsk. Skrift. IV. 1768, pl. ii.
norvegica Perca, P. Ascanius, Icon. II. 1772, 7.
norvegicus Picus, J. Latham, Index Orn. 1790, 236.
norvegica Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3751.
norvegica Serpula, O. F. Müller, Z. Dan. Prod. 1776, 236.
norvegicus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
norvegicus Teredo, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 102.
norvegica Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 460.
norvegious Falco, F. M. Daudin, Traité élém. Orn. 1800, 100.
nostras Formicaleo, A. F. de Fourcroy, Ent. Paris. 1785, 360.
nostras Grus, P. L. S. Müller, Del. Nat. II. 1767, 142.
nostrodamus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
notabilis Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.

- notacula* Noctua, J. C. Fabricius, Mant. II. 1787, 138.
notataria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 104.—Phal. (G.)
notataria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*] [notata, L.
notataria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
notatorius Ichneumon, C. de Villers, Linn. Ent. III. 1789, 159. [126.—Geometra.
notatorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 171.
notata Anas, P. Boddaert, Tab. Planch. Enl. 1783, 58.
notata Apis, J. L. Christ, Nat. Ins. 1791, 188.
notata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
notatus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 385.
notata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
notatum Callidium, A. G. Olivier, Entom. IV. 1795, 61.
notatus Carabus, D. H. Schneider, Nom. Ent. 1785, 22 [*n. n.*].
notatus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 65.
notatus Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 99.
notatus Charax, F. C. Meuschen, Mus. Gronov. 1778, 38.
notata Chrysis, Giorna, Cal. Ent. 1791, 73.
notata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 122.
notata Cicada, Scopoli, Ent. Carn. 1763, 117.
notatus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
notatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 37.
notatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
notata Coccinella, J. N. Laicharting, Tyrol. Ins. I. 1781, 119.
notatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 83.
notatus Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
notatus Curculio, G. Bonsdorff, Curc. Suec. 1785, 39. [213.
notatus Curculio, J. C. Fabricius, Mant. I. 1787, 103.
notata Dagsya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.
notatus Dermestes, J. Cederhielm, F. Ingric. 1798, 41.
notatus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 296.
notatus Elater, J. C. Fabricius, Spec. Ins. I. 1781, 273.
notata Emberiza, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 157.
notata Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
notata Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.
notatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
notata Lamia, J. C. Fabricius, Mant. I. 1787, 139.
notata Leptura, A. G. Olivier, Entom. IV. 1795, 11.
notata Leucophaea, O. F. Müller, An. Infus. 1786, 152.
notata Libellula, J. C. Fabricius, Mant. I. 1787, 337.
notata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
notatus Lutjanus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 125.
notata Melolontha, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 37 [*n. n.*].
notata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 448.
notata Musca, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 130.
notata Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 353.
notata Nerita, F. C. Meuschen, Mus. Gev. 1787, 270.
notata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 39.
notata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
notata Phalaena [*non* Cram.], C. C. Jung, Alph. Verz. Schmett. II. 1792, 56.
notata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767, 866.
notata Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 390.
notatus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
notatus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 27.
notata Raphidia, J. C. Fabricius, Spec. Ins. I. 1781, 402.
notatus Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 513.
notatus Sciurus, P. Boddaert, Elench. 1785, 119.
notata Scolia, J. C. Fabricius, Ent. Syst. IV. 1794, 458.
notatum Sepsidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.

- notatum* Sepidium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 128.
notata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1617.
notatus Sparus, M. Houttuyn, Verh. Holl. Maat. Wet. Haarlem, XX (2) 1782, 320.
notata Spheg, P. Rossi, Mant. Ins. I. 1792, 127.
notata Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 149.
notata Tenthredo, G. W. F. Panzer, Ins. Germ. heft 64 [1798], tab. 10.
notata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 977.
notatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
notatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
nothus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 341.
nothus Papilio, J. C. Fabricius, Mant. II. 1787, 88.
Notocanthus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 113.—P.
notoceros Tenebrio, P. S. Pallas, Icon. Ins. 1782, 59.
Notogastropus A. Vosmaer, Mém. présentés Ac. Roy. Sci. [Paris], IV. 1763, 635.—Cr.
Notonecta Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.—Hem.
notonecta Nepa, C. de Geer, Mém. Ins. III. 1773, 382.
notonectoides Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
Notopterus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 189.—P.
notopterus Gymnotus, P. S. Pallas, Spic. Zool. VII. 1769, 40.
Notoxus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 356.—Col.
Notoxus J. C. Fabricius, Syst. Ent. 1775, 158.—Col.
Notoxus J. C. Schaeffer, Elem. Entom. 1777, pl. 140.—Col.
nova *v.* *novus*.
Novacula G. Edwards in M. Catesby, Carol. II. 1771, 18.—P.
novacula Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 447.
novae angliae Balaena (*ex* Briss.), G. H. Borowski, Gem. Nat. Thiere, II. 1781, 21.
novae angliae Physeter (*ex* Briss.), G. H. Borowski, Gem. Nat. Thiere, II. 1781, 32.
novae-guianae Corvus, R. Kerr, Anim. Kingd. 1792, 639; *var.* caerulescens.
novae guineae Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 457.
novae guineae Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
novae guineae Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 371.
novae guineae Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 222.
novae-guineae Perdix (Gm.), J. Latham, Index Orn. 1790, 655.—Tetrao.
novae-guineae Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
novae-guineae Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 319.
novae guineae Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 764.
novae hispaniae Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 525.
novae hispaniae Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1088.
novae hispaniae Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 385.
novae-hispaniae Perdix (Gm.), J. Latham, Index Orn. 1790, 653.—Tetrao.
novae hispaniae Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
nova-hollandiae Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 108.
novae-hollandiae Ardea, J. Latham, Index Orn. 1790, 701.
novae hollandiae Buceros, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 306.
novae-hollandiae Caprimulgus, J. Latham, Index Orn. 1790, 588.
novae-hollandiae Casuarus, J. Latham, Index Orn. 1790, 665.
novae-hollandiae Certhia, J. Latham, Index Orn. 1790, 296.
novae hollandiae Certhia, F. A. A. Meyer, Zool. Entdeck. 1793, 49. [Scarabaeus.
novae-hollandiae Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 179.—
novae hollandiae Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.
novae hollandiae Didelphis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800,
novae hollandiae Echidna, B. G. E. de Lacépède, Tabl. Mamm. 1799, 11. [348.
novae hollandiae Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
novae-hollandiae Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.
novae-hollandiae Muscipapa, J. Latham, Index Orn. 1790, 478.
novae hollandiae Mustela, F. A. A. Meyer, Zool. Entdeck. 1793, 27.
novae hollandiae Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
novae-hollandiae Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 29.

- novae hollandiae Scirus, F. A. A. Meyer, Zool. Entdeck. 1793, 11.
 novae-hollandiae Scythrops, J. Latham, Index Orn. 1790, 141.
 novae hollandiae Struthio (Lath.), F. A. A. Meyer, Zool. Entdeck. 1793, 59.—Casuarium.
 novae hollandiae Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
 novae hollandiae Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 337.
 novae seelandiae *v. novae zealandiae.*
 novae terrae Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
 novae terrae Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 674.
 novae seelandicae Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 799.
 novae seelandiae Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 541.
 novae seelandiae Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 684.
 novae zealandiae Charadrius, *id. ac novae s-*, Gm., J. Latham, Index Orn. 1790, 745.
 novae zeelandiae Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
 novae seelandiae Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 773.
 novae zeelandiae Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94 [*n. n.*].
 novae seelandiae Penicillus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 268.
 novae seelandiae Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
 novae zeelandiae Musculus, J. F. Bolten, Mus. Bolten. (2) 1798, 157.
 novae seelandiae Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
 nova zeelandiae Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7 [*n. n.*].
 novae-zealandiae Penicillus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 129.
 novae zelandiae Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxviii.
 novae seelandiae Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
 novae seelandiae Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 296.
 novae-seelandiae Strix, R. Kerr, Anim. Kingd. 1792; *var. maculata*, 538.
 novae zeelandiae Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
 nova-hispanica Felis, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 309.
 noveboracana Ephemera, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 193.
 noveboracensis Apis, J. R. Forster, N. Sp. Ins. 1771, 93.
 noveboracensis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
 noveboracensis Curculio, J. R. Forster, N. Sp. Ins. 1771, 35.
 noveboracensis Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 701.
 noveboracensis Gallinula (Gm.), J. Latham, Index Orn. 1790, 771.—Fulica.
 noveboracensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 958.
 noveboracensis Muscicapae, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 947.
 noveboracensis Noctilio, B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.
 noveboracensis Notonecta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2119.
 noveboracensis Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 658.
 noveboracensis Silpha, J. R. Forster, N. Sp. Ins. 1771, 17.
 noveboracensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 518.—Motacilla.
 noveboracensis Tringa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 673.
 noveboracensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 818.
 noveboracensis Vespertilio, J. C. P. Erxleben, Syst. Anim. 1777, 155.
 noveboracensis Vespertilio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 50.
 novemcinctus Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
 novemcinctus Tatu, J. F. Blumenbach, Handb. Naturg. 1779, 74.
 novemdecimcinctus Dasypus, R. Kerr, Anim. Kingd. 1792, 112.
 novemdecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767,
 novemdecimpunctatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 145. [582.
 novem decos Cancer, J. H. Sulzer, Gesch. Ins. 1776, 265.
 novemmaculata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
 novemmaculata Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 662. [293.
 novem maculata Buprestis, F. v. P. Schrank, Naturforsch. XXIV. 1789, 81.
 novem maculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 97.
 novemmaculata Ips, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
 novemmaculata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
 novemmaculatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1544.
 novem notata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 269.

- novempunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 581.
 novempunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 81.
 novem punctata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
 novempustulata Coccinella, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 54.
 novempustulatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
 novem signata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 268.
 novem striatus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48.
 novemstriatus Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*n. n.*].
 novem vittata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 120.
 nova Musca, F. v. P. Schrank, Beitr. Nat. 1776, 93.
 novus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
 novus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
 nubecula Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3396.
 nubecula Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 46.—Conus.
 nubecula Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18 [*n. n.*].
 nubecula Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 785; ed. 12, 1767, 1262.
 nubecularia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 326.
 nubeculosa Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 248.
 nubeculosa Phalaena Bomb., H. G. Lang, Verz. Schmett., ed. 2, 1789, 84.
 nubicus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
 nubicus Picus, P. Boddaert, Tab. Planch. Enl. 1783, 41.
 nubicus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 439.
 nubiensis Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 156.
 nubialis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 25.
 nubilans Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*]. [*f.*].
 nubiliaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 215 [*n. et*].
 nubilata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
 nubilis Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
 nubilis Elophorus, J. C. Fabricius, Gen. Ins. 1777, 213.
 nubilosa Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
 nubilosa Sterna, A. Sparrman, Mus. Carls. III. 1788, no. lxiii.
 nubilosus Tabanus, M. Harris, Exp. Eng. Ins. 1776, 28.
 nubilosus Tipula, M. Harris, Exp. Eng. Ins. 1776, 55.
 nubilus Bombylius, J. C. Mikan, Mon. Bomb. 1796, 40.
 nubilus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.
 nubilus Cimex, *id. ac* nubilis, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2153.
 nubilus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 nubilus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46.
 nubilus Curculio, J. C. Fabricius, Gen. Ins. 1777, 228.
 nubilus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 nubilus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
 nubilus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
 nubila Nitidula (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1628.—Elo-
 nubila Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 57. [phorus.
 nubila Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10 [*n. n.*].
 nubila Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
 nubila Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 451.
 nubilus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 3.
 nubila Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Elophorus.
 nubila Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3450.
 nucea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3449.
 Nucella J. F. Bolten, Mus. Bolten. (2) 1798, 130.—G.
 nucella Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
 “Nuces, *v.* Phels. 1774,” Ag.; does not occur; a latinization by Leske in Klein, 1778, but
 not used in a generic sense.
 nuchicornis Copris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 55.—Scarabaeus.
 nuchicornis Pilularius (L.), F. v. P. Schrank, F. Boica, I. 1798, 396.—Scarabaeus.
 nuchicornis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 547.

- nuchidens Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 31.
Nucifraga M. J. Brisson, Ornith. II. 1760, 59.—A.
nucivora Pholas (Sp.), O. Fabricius, Skr. nat. Selsk. [Copen.], IV (2) 1798, 41.—Teredo.
nucivorus Teredo, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 105.
nucleorum Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 369.
nucleus Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
nucleus Anomia (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.—Tere-
nucleus Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1143. [bratula.
nucleus Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 254.
nucleus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1042.
nucleus Cyclidium, O. F. Müller, Verm. I (1) 1773, 53.
nucleus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1181.
nucleus-cerasi Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213.
nucleus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—
nucleus Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3651. [Echinocyamus.
nucleus Kolpoda, O. F. Müller, An. Infus. 1786, 98.
nucleus Leucosia (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
nucleus Limax, T. Martyn, Univ. Conch. II [1788], fig. 67.
nucleus Nucula (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—Arca.
nucleus Olivaeformis, F. C. Meuschen, Mus. Gever. 1787, 486.
nucleus Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 92.
nucleus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
nucleus Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
nucleus-acaciae Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
nucleus Terebratula, O. F. Müller, Z. Dan. Prod. 1776, 249.
nucleus Turbo, E. M. da Costa, Brit. Conch. 1778, 91.
Nucula Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—L.
nucum Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 613.
nudalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 [2].
nudatus Bucco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
nudicollis Falco, F. M. Daudin, Traité élém. Orn. 1800, 79 & 177.
nudicollis Perdix, J. Latham, Index Orn. 1790, 646.—Tetrao.
nudicollis Tetrao, P. Boddaert, Tab. Planch. Enl. 1783, 11.
nudicollis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
nudifrons Crax, H. Lichtenstein, Cat. rerum Nat. I. 1793, 37.
nudipes Strix, F. M. Daudin, Traité élém. Orn. 1800, 199.
nudula Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 175.
nudus Bombylius, C. de Villers, Linn. Ent. III. 1789, 609.
nuda Bombyx, J. C. Fabricius, Mant. II. 1787, 119.
nudus Bos, T. Pennant in Forster, Ind. Zool. 1781, 39 [*n. n.*].
nudus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 371.
nudus Cyclopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 414.
nudus Cyprinus, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 178.
nuda Gracula (Gm.), J. Latham, Index Orn. 1790, 190.—Corvus.
nuda Holothuria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3143.
nuda [Phalaena], C. Stoll in Cramer, Utl. Kapellen, IV (26) 1780, 33.
nudus Sipunculus, Linnaeus, Syst. Nat., ed. 12, 1767, 1078.
nugater Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
nugatorius Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
nugax Cancer, C. J. Phipps, Voy. N. Pole, 1774, 192.
nugax Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 117.
nugax Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 366.
nussax (*sic*) Cimex, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2173.
nugax Gammarus (Phipps), J. C. Fabricius, Spec. Ins. I. 1781, 516.—Cancer.
nugax Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 162.—Cimex, 1781.
nullaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 18 [*n. et f.*].
nullaria Phalaena Geom., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [*n. et f.*].
numana Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 32.—Phalaena.

- numana [Phalaena], P. Cramer, Uitl. Kapellen, III (19) 1779, 59.
- numata [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 17.
- Numenius Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 6 & 64.—A.
- Numenius M. J. Brisson, Ornith. V. 1760, 311.—A.
- numeralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 19.
- numerata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 455.
- numerus [Papilio], C. Stoll, Aanh. Cramer's Uitl. Kapellen, V. 1790, 169.
- numeria Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 48.
- numeria Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 89.
- Numida Linnaeus, Syst. Nat., ed. 12, 1766, 273.—A.
- numida Lampyris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.
- numidica Ardea, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- numidicus Gryllus, Poiret, Obs. sur la Physique, XXX. 1787, 242.
- numilia [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 128.
- numisma Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
- numismalis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 384.
- numitor Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
- numitor [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 25.
- nummaria Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1143.
- nummularis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 3.
- Nummularius J. Gesner, Tract. Petref. 1758, 50.—Rh.
- nummularia Camerina, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 400.
- “Nummulites, Brug. 1791,” Ag.; does not occur; the word is Lamarck's, 1801.
- nun-atrum Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 78.
- nun-atrum Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 495.
- nunciator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 166.
- nunciola Muscicapa, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
- nundina Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 36.
- nundina Phalaena Noct., Panzer in Drury, Exot. Ins. 1785, 74.
- nuptae Filaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 3.
- nuptatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 148.
- nuptus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
- nupta Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.
- nupta Phalaena, O. F. Müller, Z. Dan. Prod. 1776, 280.
- nupta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 841.
- nupta Phalaena, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 205.
- nussatella Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1170.
- nussatella Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
- nussatella Globosa, F. C. Meuschen, Mus. Gev. 1787, 380.
- nussax *v.* nugax.
- nutans Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 169.—Scarabaeus.
- nutans Pilularius (L.), F. v. P. Schrank, F. Boica, I. 1798, 398.—Scarabaeus.
- nutans Scarabaeus, J. C. Fabricius, Mant. I. 1787, 15.
- nutans Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
- nutans Vorticella, O. F. Müller, Verm. I (1) 1773, 120.
- nutator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.—Lamia.
- nutator Lamia, J. C. Fabricius, Mant. I. 1787, 142.
- nutatorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 328.
- nutrix Cancer, Scopoli, Ent. Carn. 1763, 410.
- nutrix [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 40.
- Nux [G. Humphreys], Mus. Calonn. 1797, 59.—L.
- nux Cardium, E. M. da Costa, Brit. Conch. 1778, 173.
- nux Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
- nux avellana Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 378.
- nux-castanea Nerita, T. Martyn, Univ. Conch. III [1789], fig. 106.
- nux-moschata Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
- nux-odorata Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 86.
- nux sativa Conus, F. C. Meuschen, Mus. Gev. 1787, 366.

- nux seleri Murex, F. C. Meuschen, Mus. Gever. 1787, 328.
- nyctetus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 178.
- nyctea Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 22.
- nyctemerella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 254.—Tinea.
- nyctemerella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
- nyctemerus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.—Alucita nycte-
- Nycteribia P. A. Latreille, Préc. Car. Ins. 1796, 176.—Ar. [merella, 1794.]
- Nycteris E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 186.—M.
- nycteris Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
- nyctea Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 442.
- nycteus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 74.
- nyctea Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 132.
- nyctea Strix, G. Shaw, Nat. Misc. II. 1790, pl. 47; var. striata.
- nycthemerus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 46.
- nycthemerus Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 272.
- nycthemerus Reduvius, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 147.
- Nycticorax Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 8 & 75.—A.
- nycticorax Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 142; ed. 12, 1766, 235.
- “Nympha, Martini, 1774,” Scudd.; not binominal.
- nimpha Vespa, J. L. Christ, Nat. Ins. 1791, 232.
- nymphaea Noctua, E. J. C. Esper, Die Schmett. IV (38) 1788, 158.
- nymphaea Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
- [nymphaeae]—
- nymphaeae Adimonia (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 557.—Cricocaris.
- nymphaeae Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 260.
- nymphaeae Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 600.
- nymphaeae Cricocaris (L.), J. C. Fabricius, Syst. Ent. 1775, 118.—Chrysomela.
- nymphaeae Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.
- nymphaeae Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [n. n.].
- nymphaeae Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 116.
- nymphaeae Galeruca (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 83.—v. Chrysomela.
- nymphaealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
- nymphaeata Phalaena, S. A. v. Rottemberg, Naturforscher, XI. 1777, 80.
- nymphaeata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767,
- nymphagoga Noctua, E. J. C. Esper, Die Schmett. IV (38) 1788, 159. [873.]
- [nymphagoga Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 15.
- Nymphalis v. Papilio (Nymphalis), Linnaeus.
- Nymphon J. C. Fabricius, Ent. Syst. IV. 1794, 417.—Ar.
- nymphula Libellula, J. H. Sulzer, Gesch. Ins. 1776, 169.
- “Nymphum, Fab.,” Ag.; does not exist, see Nymphon.
- nyraca Anas, =nyroca, Guedl., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
- nyroca Anas, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 403.
- nysa Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
- nyseus [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 119.
- Nysso P. A. Latreille, Préc. Car. Ins. 1796, 125.—Hym.
- obducta Noctua (ex Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 59.
- obducta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 452.
- obeliseata (sic) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 296
- obeliscata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 6. [n. et f.].
- Obeliscus [G. Humphreys], Mus. Calonn. 1797, 24.—G.
- obeliscus Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 472.
- obelisca Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
- obelisca Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 60.
- obeliscus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3579.
- obesula Delphinus, G. Shaw, Nat. Misc. VIII. 1797, pl. 298.
- obesus Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.—Curculio.

- obesus** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 623.
obesus Curculio, J. C. Fabricius, Syst. Ent. 1775, 822.
obesa Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2868.—Syrphus.
obesus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
obesa Thereva, J. C. Fabricius, Suppl. Ent. Syst. 1798, 561.
obex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
obfuscaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 142 [*u.*].
obfuscator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197. [*et f.*].
obfuscatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
obfuscatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
obfuscata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
obfuscatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
obfuscata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2880.
obfuscata Phalaena, Scopoli, Ent. Carn. 1763, 232.
obfuscata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
obfuscata Phryganea, Scopoli, Ent. Carn. 1763, 267.
Obisium Illiger in Kugelann, Käfer Preuss. 1798, 501.—Ar.
obiurgator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 426.
oblatorius Ichneumon, P. Rossi, Mant. Ins. I. 1792, 114.
obligactis Hydra, *v.* **oligactis**, P. S. Pallas, Char. Thierpfl. I. 1787, 53.
oblinita Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 187.
obliqualis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 224.
obliqualis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
obliquana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—Pyralis.
obliquana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 281.
obliquaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
obliquaria Phalaena, J. C. Fabricius, Mant. II. 1787, 194.
obliquaria Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
obliquata Blatta, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 164.
obliquata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 12.
obliquata (*sic*) Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 225 [*u.*].
obliquatus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53. [*et f.*].
obliquatus Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 5.
obliquata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 185.
obliquata Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
obliquatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
obliquella Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.
obliquella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2606.
obliquella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 60.
obliquum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
obliquum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 23.
obliquus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.
obliquus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 460.
obliquus Dytiscus, J. C. Fabricius, Mant. I. 1787, 193.
obliqua Fulgora, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 13.
obliqua Hyblaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 448.
obliquus Hepialus, J. C. Fabricius, Ent. Syst. III (2) 1794, 6.
obliqua Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 167.
obliquus Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
obliquus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
obliqua Notonecta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 61.
obliqua Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 84.—Nautilus.
obliqua Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
obliqua Phalaena B., C. de Villers, Linn. Ent. II. 1789, 189.
obliquus Scarabaeus (Copris), A. G. Olivier, Entom. I. 1789, 165.
obliquus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 92.
obliterata Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 245.
obliterata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 260.

- obliterata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
obliteratus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 273.
obliterata Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1146.
obliteratus Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 416.—Ostrea.
obliterata Phalaena, Hufnagel, Berlin. Mag. IV. 1767, 608.
obliterata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
oblitus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 22.
oblongata Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 425; ed. 12, 1767, 689.
oblongatum Cardium, D. Solander in G. Brander, Foss. Hant. 1766, 38.
oblongata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 114.
oblongata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 14.
oblongata Ostrea, D. Solander in G. Brander, Foss. Hant. 1766, 35.
oblongifolia Locusta, C. de Geer, Mém. Ins. III. 1773, 445.
oblongoguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
oblongoguttatus Cryptocephalus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 55.
oblongo-punctatus Carabus, J. C. Fabricius, Mant. I. 1787, 202.
oblongo-punctata Coccinella, J. C. Fabricius, Mant. I. 1787, 54.
oblongus Aphodius (Scop.), Illiger in Kugelann, Käfer Preuss. 1798, 19.—Scarabaeus.
oblongus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 318.—Helix.
oblongus Caligus, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (2) 1794, 52.
oblongus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 140 (no. 71).
oblongus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 140 (no. 72).
oblongum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
oblonga Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 692; ed. 12, 1767, 1139.
oblongus Cimex, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 183.
oblonga Cistela, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 6.
oblonga Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 43.
oblonga Coccinella, J. G. Linck, De Coccinellae, 1787, 8.
oblongus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 615.
oblonga Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3416.
oblongus Dermestes, Fourcroy, Ent. Paris. I. 1785, 19.
oblongus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 129.
oblongus Gyrinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 100.
oblonga Helix, O. F. Müller, Verm. II. 1774, 86.
oblongus Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 75.
oblongus Hister, J. A. Frolich, Naturforscher, XXVI. 1792, 117.
oblonga Hydatigena, A. J. G. C. Batsch, Naturg. Bandwurm. 1786, 98.
oblongus Hydrophilus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 125.
oblongus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 300.
oblonga Ips (Fourc.), A. G. Olivier, Entom. II. 1790, 7.—Dermestes.
oblonga Mammaria, F. M. Daudin, Rec. Mém. Moll. 1800, 26.
oblonga Melolontha (Scop.), J. C. Fabricius, Gen. Ins. 1777, 209.—Scarabaeus.
oblonga Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3221.
oblonga Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 245.
oblonga Patella, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 168.
oblongus Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 114.
oblongus Scarabaeus, Scopoli, Ent. Carn. 1763, 8.
oblongum Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
oblonga Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 572.
oblongus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
oblonga Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3234.
oblongus Tetradon, M. E. Bloch, Nat. ausl. Fische, II. 1786, 6.
oblonga Zygia, J. C. Fabricius, Syst. Ent. 1775, 126.
obrinus Papilio [non Linn.], J. H. Sulzer, Gesch. Ins. 1776, 143.
obrinus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 92.
obrinus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 766.
obscurana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 476. [f.]
obscuraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 146 [n. et

- obscuraria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 450.
 obscuraria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 325.
 obscurator Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
 obscurata Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 439.
 obscurata Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 85.
 obscurata Fulgora, J. C. Fabricius, Syst. Ent. 1775, 674.
 obscurata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
 obscuratus Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 237.
 obscuratus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 185.
 obscurata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 287.
 obscurata Phalaena, J. C. Fabricius, Mant. II. 1787, 199.
 obscurata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
 obscurella Phalaena, Scopoli, Ent. Carn. 1763, 252.
 obscurella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
 obscurella Tinea, J. C. Fabricius, Mant. II. 1787, 248.
 obscurepurpureus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 646.
 obscurior Cicindela, J. C. D. Schreber, Nov. Spec. Ins. 1759, 10.
 obscurum Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 492.—Gryllus.
 obscura Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 801.
 obscura Alauda, J. Latham, Index Orn. 1790, 494.
 obscura Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 541.
 obscura Apis, Linnaeus, Mus. Lud. Ulr. 1764, 417.
 obscura Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
 obscura Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 218.
 obscura Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 419.
 obscura Ardea, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 24.
 obscura Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 206.
 obscura Bostrichus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI. 1798, 114.—
 obscurus Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 362. [Dermestes].
 obscura Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 274.
 obscurum Callidium, J. C. Fabricius, Mant. I. 1787, 151.
 obscura Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
 obscurus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
 obscurus Carabus, G. Paykull, Mon. Carab. 1790, 75.
 obscurus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 151.
 obscura Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 295.
 obscurus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.—
 obscurus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 261. [Callidium].
 obscurus Cerambix, A. G. Olivier, Entom. IV. 1795, 80.—Lamia, 1792.
 obscura Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 49.
 obscura Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
 obscura Cetonina, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 161.
 obscurus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 686.
 obscura Chrysis, Giorna, Cal. Ent. 1791, 74.
 obscura Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
 obscura Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 61.
 obscura Cicindela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 62.
 obscura Cimex (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 772.—Tenthredo.
 obscurus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
 obscurus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 107.
 obscurus Clytus, J. A. Frolich, Naturforscher, XXVI. 1792, 159.
 obscurus Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.
 obscurus Cryptocephalus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 58.—Chrysomela.
 obscurus Cryptocephalus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 612.—Chryso-
 obscurus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.]. [mela].
 obscurus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
 obscura Cytherea, J. C. Fabricius, Ent. Syst. IV. 1794, 413.
 obscurus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 233.

- obscurus Dytiscus, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 3.
 obscurus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
 obscurus Elater, O. F. Müller, Z. Dan. Prod. 1776, 60.
 obscurus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
 obscurus Eumolpus (Müll.), Illiger in Kugelann, Käfer Preuss. 1798, 498.—Cryptocephalus.
 obscurus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 281.
 obscura Fasciola, O. F. Müller, Verm. I (2) 1774, 65.
 obscura Fringilla, J. Latham, Index Orn. 1790, 460.
 obscurus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 701.
 obscurus Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 194.
 obscura Helix, O. F. Müller, Verm. II. 1774, 102.
 obscurus Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
 obscurus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 298.
 obscura Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
 obscurus Hydrophilus, O. F. Müller, Z. Dan. Prod. 1776, 69.
 obscurus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
 obscurus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 401.
 obscurus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
 obscurus Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 54.
 obscura Lagria, J. C. Fabricius, Ent. Syst. I (2) 1792, 79.
 obscura Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 462.
 obscura Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 144.
 obscura Lampyrus, J. C. Fabricius, Syst. Ent. 1775, 200.
 obscurus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
 obscura Leptura, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
 obscura Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 271.
 obscura Libellula, J. C. Fabricius, Syst. Ent. 1775, 422.
 obscura Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 862.
 obscura Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
 obscurus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [n. n.].—Cantharis.
 obscura Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 349.
 obscura Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 40.
 obscura Motacilla, K. Hablitzl in P. S. Pallas, N. nord. Beytr. IV. 1783, 56.
 obscura Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 315.
 obscura Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
 obscura Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
 obscura Nitidula, J. C. Fabricius, Gen. Ins. 1777, 215.
 obscura Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 444.
 obscurum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
 obscura Ostrea, P. Forskal, Descr. Anim. 1775, 140.
 obscurus Parnus, J. C. Fabricius, Ent. Syst. IV. 1794, 445.
 obscura Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3726.
 obscura Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
 obscura Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 269.
 obscura [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 146.
 obscura Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 79.
 obscura Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 287.
 obscura Phryganea, P. Rossi, Mant. Ins. I. 1792, 105.
 obscurus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 429.
 obscura Pimelia, A. G. Olivier, Entom. III. 1795, 21.
 obscura Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
 obscurus Podiceps (Gm.), J. Latham, Index Orn. 1790, 782.—Colymbus.
 obscura Prionus, A. G. Olivier, Entom. IV. 1795, 26.
 obscura Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559.
 obscurus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 140.
 obscurus Psittacus, Linnaeus in Hasselquist, Palast. 1762, 293.
 obscurus Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 718.

- obscurus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1562.—
 obscurus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 25. [Melolontha.
 obscura Scolopax, S. G. Gmelin, Reise Russ. III. 1774, 90.
 obscura Sertularia, P. Forskal, Descr. Anim. 1775, 130.
 obscura Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
 obscura Sphinx, J. C. Fabricius, Syst. Ent. 1775, 538.
 obscurus Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 149.
 obscurus Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
 obscurus Staphylinus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 173.
 obscurus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 388.
 obscura Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 608.
 obscurus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 804.
 obscurus Telephorus (L.), A. G. Olivier, Entom. II. 1790, 8.—Cantharis.
 obscurus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 111.
 obscura Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 319.
 obscura Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
 obscurus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Cantharis.
 obscura Thrips, O. F. Müller, Z. Dan. Prod. 1776, 96.
 obscurus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 445.
 obscura Trigla, Linnaeus, Mus. Adolph. Frid. II. 1764, 94.
 obscurus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 495.
 obscurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
 obscura Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
 obsidianus Musca, M. Harris, Exp. Eng. Ins. 1776, 37.
 obsidionalis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [n. n.].
 obsita Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—Cryptocephalus.
 obsitus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 106.
 obsolescens Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2582.
 obsoletalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 229.
 obsoletella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
 obsoletorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 140.
 obsoleta Apis, P. Rossi, Mant. Ins. I. 1792, 143.
 obsoleta Bombyx, J. C. Fabricius, Syst. Ent. 1775, 579.
 obsoleta Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 456.
 obsoletus Carabus, P. Rossi, Fauna Etrus. I. 1790, 209.
 obsoletus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 337.
 obsoletum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 28.
 obsoleta Cassida, Illiger in Kugelann, Käfer Preuss. 1798, 484.
 obsoletus Cerambyx, A. G. Olivier, Entom. IV. 1795, 130.
 obsoleta Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
 obsoletus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena obsoletalis,
 obsoletus Cryptocephalus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 69. [1794.
 obsoletus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 obsoleta Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
 obsoletus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 268.
 obsoleta Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
 obsoleta Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
 obsoletus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
 obsoletus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
 obsoleta Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
 obsoleta Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 256.
 obsoletus Pecten, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 87.
 obsoleta [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 28.
 obsoleta Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 obsoleta Sciaena, P. Forskal, Descr. Anim. 1775, 52.
 obsoleta Sertularia, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (2) 1781, 137.
 obsoletus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3612.
 obstetricans Bufo, J. N. Laurenti, Syn. Rept. 1768, 28 & 128.

- obstipata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 199.
obtentus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 38.
obtextrix Aranea, J. M. Bechstein, Voigts Mag. Neu. a. d. Physik, VI. 1789, 515.
obtusangulum Gonium, O. F. Müller, An. Infus. 1786, 114.
obtusangula Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
obtusata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 113.
obtusata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
obtusatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.
obtusella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 35.
obtusissimum Buccinum, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
obtusocaudata Fusaria, J. G. H. Zeder in Goeze, 1. Nachtr. Eingeweidewürm. 1800, 55.
obtusulum Buccinum, E. Jacob in G. Adams, Ess. Micr. ed. 2, 1798, 639.
obtusa Ascaris, J. A. Frolich, Naturforscher, XXV. 1791, 88.
obtusa Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 46.
obtusum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.
obtusum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [n. n.].
obtusus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 74.
obtusa Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
obtusa Cicada, J. C. Fabricius, Mant. II. 1787, 269.
obtusus Cicindela, [D. H. Schneider], Nom. Ent. 1785, 20 [n. n.].
obtusus Curculio, G. Bonsdorff, Curc. Succ. 1785, 37.
obtusus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 69.
obtusus Elater, C. de Geer, Mém. Ins. IV. 1774, 147.
obtusus Oxyporus (L.), F. v. P. Schrank, F. Boica, I. 1798, 651.—Staphylinus.
obtusus Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 684.
obtusus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
obtusus Turbo, J. A. Scopoli, Del. Insub. I. 1786, 68.
obumbrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
obvelata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
obversa Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 376.
obversepunctata Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 53.
obviella Tinea [Denis & Schiffermüller], Schmett. Wien, 1775, 143.
obvolvata Helix, O. F. Müller, Verm. II. 1774, 27.
occator Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 219.
occidens Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228.
occidentalis Blatta, J. C. Fabricius, Mant. I. 1787, 225.
occidentalis Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 339.
occidentalis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.
occidentalis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 588.
occidentalis Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 295; ed. 12, 1766, 490.
occidentalis Lampyris, A. G. Olivier, Entom. II. 1790, 24.
occidentalis Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 32.—Scarabaeus.
occidentalis Mutilla, Linnaeus, Syst. Nat., ed. 10, 1758, 582; ed. 12, 1767, 966.
occidentalis Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 555.
occidentalis Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.
occidentalis Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
occidentalis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
occidua Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 130.
occidua Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 561.—Phalaena.
occidua Bulla, G. Shaw, Nat. Misc. VIII. 1797, pl. 294.
occidua Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 315.
occidua Ph[alae]na, C. Clerck, Icones, II. 1764, pl. liv.
occidua Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812.
occidua Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509.—[P. (Attacus), ed. 12.]
occipitalis Falco, F. M. Daudin, Traité élém. Orn. 1800, 40.
occirhoe Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 96.
occisor Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 90.
occisorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 142.

- occitanicus Carabus, C. de Villers, Linn. Ent. I. 1789, 384.
 occitanicus Elater, C. de Villers, Linn. Ent. I. 1789, 319.
 occitanicus Myrmeleon, C. de Villers, Linn. Ent. III. 1789, 63.
 occitanica Sphinx, C. de Villers, Linn. Ent. II. 1789, 114.
 occitanus Scorpio, Amoureux fils, Obs. sur la Physique, XXXV. 1789, 10.
 occultator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 117.
 occultella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 899.
 occultus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 137.
 occultus Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 387.
 occulta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 849.
 occulta Phryganea, O. F. Müller, F. Ins. Frid. 1764, 65.
 oceanica Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 509.—Oniscus.
 oceanicus Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 4.
 oceanica Ligia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 301.—Oniscus.
 oceanicus Oniscus, Linnaeus, Syst. Nat., ed. 12, 1767, 1061.
 oceanica Phoca, I. Lepechin, Acta Ac. Sci. Petrop. 1777 (1) 1778, 259.
 oceanus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
 ocellana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 411.—Pyralis.
 ocellana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 652.
 ocellana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
 ocellana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 18 [*n. et f.*].
 ocellaris Bennis, Linnaeus, Syst. Nat., ed. 10, 1758, 256; ed. 12, 1766, 442.
 ocellaris Gobius, P. M. A. Broussonet, Ichth. 1782.
 ocellaris Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
 ocellaris Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 647.
 ocellaris Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 15.
 ocellaris Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 433.
 ocellaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 64 [*n. et f.*].
 ocellaria Mantis, D. Drury, Ill. Nat. Hist. III. 1782, index & 58.
 ocellatum Alcyonium, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 180.
 [ocellatum] Aranea, C. Clerck, Aran. Svec. 1757, 36.]
 ocellata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1035.
 ocellata Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2047.
 ocellatus Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.—Curculio.
 ocellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
 ocellata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 218.
 ocellatus Callionymus, P. S. Pallas, Spic. Zool. VIII. 1770, 25.
 ocellatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 61.
 ocellata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 244.
 ocellatus Cerambyx, C. de Geer, Mém. Ins. VII. 1778, 654.
 ocellatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 499.
 ocellata Cerocoma, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 397.
 ocellatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 105.
 ocellata Cicada, Scopoli, Ent. Carn. 1763, 116.
 ocellata Cicada, C. de Geer, Mém. Ins. III. 1773, 220.
 ocellata Cicada, J. C. Fabricius, Syst. Ent. 1775, 682.
 ocellatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 60.
 ocellata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 582.
 ocellata Coccinella, P. S. Pallas, Reise Russ. II. 1773, 726.
 ocellatus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1113.
 ocellata Coronella, J. N. Laurenti, Syn. Rept. 1768, 84.
 ocellatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 154.
 ocellatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
 ocellatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 510.
 ocellata Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
 ocellatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
 ocellata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 517.—Cicada, 1775. [*et f.*].
 ocellata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 252 [*n.*].

- ocellatus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 429; ed. 12, 1767, 696.
- ocellatus Labrus, P. Forskal, Descr. Anim. 1775, 37.
- ocellata Lacerta, P. Forskal, Descr. Anim. 1775, 13.
- ocellata Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 284.—Gryllus.
- ocellata Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—Meloe.
- ocellata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
- ocellata Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 27.
- ocellata Meloe, P. S. Pallas, Reise Russ. II. 1773, 721.
- ocellatum Myrmeleon, M. B. Borkhausen in Scriba, Beitr. Ins. II. 1791, 161.
- ocellatus Oriolus, J. A. Scopoli, Del. Insub. II. 1786, 88.
- ocellatus Papilio (*ex* Scop.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 63.
- ocellatus Pediculus, Scopoli, Ent. Carn. 1763, 382.
- ocellata Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 483.
- ocellata [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 151.
- ocellata Phalaena, J. C. Fabricius, Mant. II. 1787, 206.
- ocellata [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 156.
- ocellata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 527; ed. 12, 1767,
- ocellata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 872. [870.]
- ocellatus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
- ocellata Porcellana, F. C. Meuschen, Mus. Gever. 1787, 408.
- ocellata Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
- ocellata Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 356.
- ocellatus Scomber, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 223.
- ocellata Sesia, Boddaert, Algern. Genees-Nat. en Huish. Jaarb. IV (1) 1786, 52.
- ocellata Spheg, J. C. Fabricius, Spec. Ins. I. 1781, 450.
- ocellatus-jamaicensis Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 43.
- ocellata Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 796.
- ocellatus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1494.
- ocellatus Stincus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
- ocellatus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 333; ed. 12, 1766, 411 [Tetro-].
- ocellata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
- ocellina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
- ocellus Monas, O. F. Müller, An. Infus. 1786, 3.
- ocelot Felis, H. F. Link, Beytr. Nat. I (2) 1795, 90.
- Ochotona H. F. Link, Beytr. Nat. I (2) 1795, 52 [*v. n.*].—M.
- ochraceus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 105.
- ochraceus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.
- ochracea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 928.
- ochracea Fringilla, Jacquin, *v. albo-ochracea*.
- ochraceus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 92.
- ocracea Isis, Linnaeus, Syst. Nat., ed. 10, 1758, 799; ed. 12, 1767, 1287 [ochracea].
- ocracea Millepora, F. C. Meuschen, Mus. Gever. 1787, 512.
- ocracea Muscicapa, A. Sparrman, Mus. Carls. I. 1786, no. xxii.
- ocracea Phalaena, J. A. Scopoli, Annus V. 1772, 114.
- ocracea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 19.
- ochragaster Turdus, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxv.
- ochrago Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 445.
- ochrago *v. et. ochreago*.
- ochraspis Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
- ochrator Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 42.
- ochrata Phalaena, Scopoli, Ent. Carn. 1763, 227.
- ochrata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
- ochratus *v. et. ochreatus*.
- ochrea Kolpoda, O. F. Müller, An. Infus. 1786, 95.
- ochraceus Dermestes, L. G. Scriba, J. Lieb. Ent. II. 1790, 153.
- ochreago Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 10.
- ochrealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
- ochrealis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11.

- ochrearia Phalaena, P. Rossi, Mant. Ins. II. 1794, 33.
 ochreata Buprestis, A. G. Olivier, Entom. II. 1790, 59.
 ochreata Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 4.
 ochreata Geometra (Scop.), C. de Villers, Linn. Ent. IV. 1789, 511.—Phalaena ochrata.
 ochreata Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
 ochreatus *v.* ocreatus.
 ochrella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [*u. et. f.*].
 ochrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
 ochrocephalus Psittacus, R. Kerr, Anim. Kingd. 1792, 597; *vurr.* cayenensis, major.
 ochrocantharus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
 ochrocephala Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
 ochrocephalus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
 ochrocephalus Falco, H. Lichtenstein, Cat. rerum Nat. I. 1793, 3.
 ochrocephalus Falco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5.
 ochrocephalos Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 419. [*u. n.*].
 ochrocephala Loxia, F. M. Daudin, Traité élém. Orn. 1800, 427.
 ochrocephala Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
 ochrocephalus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 339.
 ochrocephalus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2034.
 ochrocephala Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 326.
 ochrocephalus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
 ochrocercus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
 ochrochlora Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 472.
 ochrodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 145.
 ochrodactylus Pterophorus (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—Alucita.
 ochrogustes Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
 ochroleucum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
 ochroleucus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
 ochroleuca Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
 ochroleuca Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2876.
 ochroleuca Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 946.
 ochroleuca Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
 ochroleuca Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3330.
 ochroleuca Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
 ochroleuca Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 660.—Noctua.
 ochroleucus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
 ochromelas Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2107.
 ochromelas Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 ochromelas Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2180.
 ochromelas Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2683.
 ochropis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
 ochropterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
 ochroptera Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2020.
 ochroptera Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 ochropterus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 341.
 ochroptera Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 365.
 ochropus Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
 ochropus Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699.
 ochropus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
 ochropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.
 ochropus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
 ochropus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
 ochropus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2687.
 ochropus Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2657. [676].
 ochropus Tringa, *id. ac* ochrophus, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788,
 ochropus Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
 ochropygos Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.

- ochrorhous** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
ochrosticta Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
ochrosticta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
ochrosticta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
ochruros Motacilla, S. G. Gmelin, Reise Russ. III. 1774, 101.
ochrura Sylvia (S. G. Gm.), J. Latham, Index Orn. 1790, 552.—Motacilla.
 [ochthodes]—
ochtodes Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
ochtodes Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 158.
ochtodes v. ochthodes.
ocirrhoe Papilio, J. C. Fabricius, Gen. Ins. 1777, 260.
ococolin Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 215.
 [ocrea (a greave)]—
ocrea Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3744.
ocreata Apis, J. L. Christ, Nat. Ins. 1791, 183.
ocreatus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 105.
ocreatus Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 14.
ocreatus Cucullanus (Goeze), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.—
ocreata Fasciola, J. A. E. Goeze, Eingeweidewürm. 1782, 182. [Fasciola.
ocreata Felis, J. F. Gmelin, Anhang zu Bruce, Reisen Africa, 1791, 79.
ocreatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2688.
ocreatum Monostoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 152.
ocreata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 427.
ocreata Vorticella, O. F. Müller, An. Infus. 1786, 265.
ocreatus v. ochratus & ochreatus.
ocrophus Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 250.
Octactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
octangularis Prionus, A. G. Olivier, Entom. IV. 1795, 33.
octavius Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
octavius Papilio, J. C. Fabricius, Mant. II. 1787, 9.
octavius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 73.
octavia [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 60.
octies digitatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 211.
octoceros Kerona, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (1) 1793, pl. iii [n. et
octocinctus Dasyptus, J. C. D. Schreber, Säugth. II. 222 (1775), pl. lxxiii (1775). [f.].
octoculata Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
octoculatus Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 64.
octodactylus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3192.
octodecimcinctus Dasyptus, J. C. P. Erxleben, Syst. Anim. 1777, 113.
octodecimguttata Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 68.
octodecimguttata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 100.
octodecimguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
octodecimmaculata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 109.
octodecimnotata Coccinella, P. Rossi, Mant. Ins. II. 1794, 86.
octodecimpunctata Coccinella, Scopoli, Ent. Carn. 1763, 77.
octodecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 582.
octodentata Ascidia, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 168.
octodentatus Bostrichus, G. Paykull, Faun. Suec. III. 1800, 146.
octodentata Vertigo, Studer in Coxe, Trav. Switz. III. 1789, 388 [n. n.].
octofasciatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 113.
octogena Noctua (ex Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 65.
octogenaria Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 65.
octogesima Phalaena Noctua, H. G. Lang, Verz. Schmett., ed. 2, 1789, 147.
octogesimea Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 13.
octoguttata Altica, J. C. Fabricius, Syst. Ent. 1775, 821.
octoguttata Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 408; ed. 12, 1767, 659.
octoguttata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 597.
octoguttata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 352.

- octoguttata Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 261.—*Cryptocephalus*.
 octoguttata Cicindela, J. C. Fabricius, Mant. I. 1787, 187.
 octoguttata Coccinella, J. H. Sulzer, Gesch. Ins. 1776, 32.
 octoguttata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 24.
 octoguttata Coccinella, J. C. Fabricius, Mant. I. 1787, 59.
 octoguttatus *Cryptocephalus*, J. C. Fabricius, Mant. I. 1787, 82.
 octoguttatus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33.
 octoguttata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 235.
 octoguttata Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 515.
 octolineatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416. [246.
 octolobatus *Alyselminthus*, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800.
 octomaculata Aranea, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 299:
 octomaculatus Attelabus, C. de Villers, Linn. Ent. I. 1789, 222.
 octomaculata Buprestis, C. Allioni, Misc. Taurin. III. 1766, 189.
 octomaculata Buprestis, P. S. Pallas, Icon. Ins. 1782, 72.
 octomaculatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 47. [Buprestis.
 octomaculatus Carabus (Fourc.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.—
 octomaculatus *Cerambyx* (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV.,
 1796, 148.—*Lamia*.
 octomaculata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 311.
 octomaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
 octomaculata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 13.
 octomaculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 97.
 octomaculata Crabro, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 372.
 octomaculatus *Cryptocephalus*, P. Rossi, Fauna Etrus. I. 1790, 96.
 octomaculatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
 octomaculatus *Erotylus*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
 octomaculata *Lamia*, J. C. Fabricius, Ent. Syst. I (2) 1792, 290.
 octomaculata *Leptura*, C. de Geer, Mém. Ins. V. 1775, 132.
 octo-maculata *Leptura*, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 299.
 octomaculatus *Meloe*, C. de Villers, Linn. Ent. I. 1789, 404.
 octo-maculata *Phalaena* (G.), Linnaeus, Mant. II. 1771, 540.
 octomaculata *Phalaena* Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
 octomaculata *Sesia*, J. C. Fabricius, Syst. Ent. 1775, 830.
 octomaculata *Sphex*, P. Rossi, Fauna Etrus. II. 1790, 65.
 octomaculata *Sphinx* (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 87.—*Sesia*.
 octomaculata *Zygaena*, J. C. Fabricius, Mant. II. 1787, 106.
 octonotatus *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
 octonotata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 276.
 octonotatus *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1710
 octonotatus *Cryptocephalus*, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II.
 octonus *Bulimus*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 325. [1792, 210.
 octona *Helix*, Linnaeus, Syst. Nat., ed. 12, 1767, 1248.
 octooculatus *Cerambyx*, *id. ac* oculator *Lamia*, Fab., C. P. Thunberg, D. D. Mus. Ac.
 Upsal. 1787, 57.
 octo papillaris *Planaria*, J. Hermann, Naturforscher, XVII. 1782, 182.
 octopennatus *Corvus*, F. M. Daudin, Traité élém. Orn. 1800, 243.
 octopodia *Medusa*, M. T. Brünnich, Ich. Massil. 1768, 105.
 octopodia *Sepia*, Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1095.
 octopunctata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1030.
 octopunctatus Attelabus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 296.—*Clerus*.
 octopunctata Buprestis, Scopoli, Ent. Carn. 1763, 67.
 octopunctatus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 55.
 octopunctata Cassida, J. C. Fabricius, Mant. I. 1787, 63.
 octopunctatus *Cerambyx*, F. v. P. Schrank, Beitr. Nat. 1776, 65.
 octopunctata *Cetonia*, J. C. Fabricius, Syst. Ent. 1775, 44.
 octopunctata Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394.
 octopunctata Cicada, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 211.

- octopunctatus* Clerus, J. C. Fabricius, Mant. I. 1787, 126.
octopunctatus Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—*Crypto-*
octopunctata Coccinella, O. F. Müller, F. Ins. Frid. 1764, 6. [Cephalus.
octopunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 81.
octopunctata Crioceris, G. W. F. Panzer in Voet, Hartschaal, Insekt. IV. 1797, 21.
octopunctatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 79. [132.—*Buprestis*.
octopunctatus Cryptocephalus (Scop.), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791,
octopunctatus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 85.
octopunctata Leptura, J. A. Scopoli, Annus V. 1772, 101.
octopunctata Melolontha (Fab.), J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 17.—
octopunctata Mordella, J. C. Fabricius, Syst. Ent. 1775, 263. [Cetonia.
octopunctata Mordella, F. v. P. Schrank, Baier. Reise, 1786, 82.
octopunctata Musca, A. Coquebert, Bull. Sci. Soc. Philom. [Paris], no. 19, 1798, 145.
octopunctata Notonecta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2119.
octopunctata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
octopunctata Scarabaeus (Fab.), J. C. Fuessly, N. Mag. Lieb. Ent. [Fuessly's], I (4)
octopunctata Scolia, P. Rossi, Mant. Ins. I. 1792, 131. [1782, 399.—*Cetonia*.
octopunctata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
octopunctata Tipula, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 26.
octopunctatus Trichius (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 65.—*Cetonia*.
octopunctatus Trichius, J. C. Fabricius, Ent. Syst. I (2) 1792, 119.
octopunctatus Trichodes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 158.—
octopunctella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 311. [Clerus.
Octopus G. Cuvier, Tab. Elém. 1798, 380.—*Ceph*.
Octopus Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.—*Ceph*.
octopus Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3157. [3149.
octopus Sepia, *id. ac* octopodia, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
octopustulata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
octopustulata Coccinella, J. C. Fuessly, Schweiz. Ins. 1775, 7.
octopustulata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 112.
octopustulatus Cryptocephalus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
octopustulatus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 197.
otoradiata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
octo-setosa Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642.
octostagma Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 303.
octostriatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
octostriata Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.
octostyla Medusa, P. Forskal, Descr. Anim. 1775, 106.
Octothilus J. Hermann, Naturforscher, XVII. 1782, 182.—*Ver*.
octotuberculatus Curculio, J. C. Fabricius, Mant. I. 1787, 112.
octovittata Chrysomela, F. v. P. Schrank, Naturforscher, XXIV. 1789, 66.
ocularis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 400.
ocularis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 311.
ocularis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 837.
ocularia Bombyx, J. C. Fabricius, Syst. Ent. 1775, 564.
ocularia Phalaena, J. C. Fabricius, Syst. Ent. 1775, 625.
oculata *v.* *oculatus*.
oculatissima Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 137.
oculator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—*Lamia*.
oculator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 338.
oculator Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 87.
oculator Lamia, J. C. Fabricius, Syst. Ent. 1775, 823.
oculatorius Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 221.
oculatus Anthicus, G. Paykull, Faun. Suec. I. 1798, 256.
oculata Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 52.
oculata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
oculata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 91.
oculata Buprestis, C. de Villers, Linn. Ent. I. 1789, 340.

- oculatus Cancer, O. Fabricius, F. Groen. 1780, 245.
 oculatus Cancer (Gammarellus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 110.
 oculata Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 83.
 oculatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 633.
 oculata Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
 oculatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 703.
 oculatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 105.
 oculatus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 535.
 oculata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 14.
 oculata Coluber, F. C. Meuschen, Mus. Gronov. 1778, 18.
 oculatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3387.
 oculatata Crioceris, J. C. Fabricius, Syst. Ent. 1775, 121. [Crioceris.
 Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1722.—
 oculata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
 oculatus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 125.
 oculatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 651.
 oculata Leptura (Linn.), Scopoli, Ent. Carn. 1763, 47.—Cerambyx.
 oculata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
 oculata Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
 oculata Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 86.
 oculata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 798; ed. 12, 1767, 1281.
 oculata Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 348.
 oculatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 114.
 oculata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 4.—Meloe.
 oculata Naucoris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 525.
 oculata Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
 oculatus Pagurus, J. C. Fabricius, Syst. Ent. 1775, 411.
 oculatus Papilio (Pleb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2359.
 oculata Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
 oculata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3703.
 oculata [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 71.
 oculata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1766 [errata end of vol. I.].—
 oculata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35 [*n. n.*]. [*v. ocellata.*]
 oculata Raia, C. F. Stephan, De Raiis, 1779, 22.
 oculata Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 184.—Cerambyx.
 oculatus Scarabaeus, J. A. Scopoli, Annus V. 1772, 81.
 oculata Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
 oculatus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 265.
 oculatus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 99.
 oculata Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 463.
 oculella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 92.
 ocullea Noctua, J. C. Fabricius, Syst. Ent. 1775, 616.
 ocullea Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 321.
 oculis Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17.
 oculis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2996.—Poly-
 oculus Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 434. [phemus.
 oculus Polyphemus, O. F. Müller, Z. Dan. Prod. 1776, 201.
 oculus-cancris Cimex, C. de Geer, Mém. Ins. III. 1773, 343.
 oculus-capri Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1242.
 oculus-cati Coluber, G. A. Suckow, Naturges. III. 1798, 247.
 oculus-cati Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8 [*n. n.*].
 oculus-communis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3621.
 ocymi Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 309.
 ocymifolia Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 82.
 ocypete Papilio, J. C. Fabricius, Gen. Ins. 1777, 260.
 ocypete Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 798.
 Ocupode F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
 Ocupode J. C. Fabricius, Suppl. Ent. Syst. 1798, 312.—Cr.

- Ocy-pode J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 12.—Cr.
 Odacantha G. Paykull, Faun. Suec. I. 1798, 169.—Col.
 odeata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 66 [err. pro osseata, D. & S.].
 odilia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 79.
 odin Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 56.
 odites [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 16.
 odios Papilio, J. C. Fabricius, Syst. Ent. 1775, 457.
 Odobenus M. J. Brisson, Reg. Anim. 1762, 30.—M.
 odoe Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 122.
 Odontognathus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 218.—P.
 odoratus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 63.
 odorata Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505.—[odora, P. (Attacus),
 odora Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 210.—Phalaena. [ed. 12.]
 odora Phalaena (Bombyx), Linnaeus, Mus. Lud. Ulr. 1764, 374.—[odorata, Syst. Nat., ed.
 oeconomicus Glis, J. C. P. Erxleben, Syst. Anim. 1777, 376. [10.]
 oeconomus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
 oeconomus Mus, P. S. Pallas, Reise Russ. III. 1776, 693.
 Oecophora P. A. Latreille, Préc. Car. Ins. 1796, 146.—Lep.
 oedematosus Curculio, J. H. Sulzer, Gesch. Ins. 1776, 40.
 Oedemera A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 31.—Col.
 oedictemus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 255.
 oedictemus Otis (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 290.—Charadrius.
 oedictemus Pluvialis (L.), J. C. Schaeffer, Mus. Orn. 1789, 49.—Charadrius.
 oedipus Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 59.—Simia.
 oedipus Cebus (L.), H. F. Link, Beitr. Nat. I (2) 1795, 63.—Simia.
 oedipus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—Scarabaeus.
 oedippus Papilio, J. C. Fabricius, Mant. II. 1787, 31.
 oedippus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
 oedipus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 28; ed. 12, 1766, 41.
 oedipus Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 81.
 oehlmanniella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 51.
 oelandicus Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
 oenanthe Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 38.—Motacilla.
 oenanthe Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186; ed. 12, 1766, 332.
 oenanthe Sylvia, J. A. Scopoli, Annus I. 1769, 156.—Motacilla.
 oenas Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 279.—var. domes-
 oeneocollis Buprestis, C. de Geer, Mém. Ins. VII. 1778, 632. [tica.]
 oenobarbus v. aenobarbus.
 oenone Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
 oenophorium Globosa, F. C. Meuschen, Mus. Gever. 1787, 380.
 oenopota Musca, Scopoli, Ent. Carn. 1763, 337.
 oenotherae Cicada, Scopoli, Ent. Carn. 1763, 114.
 oenotherae Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 43.
 oenotrus [Sphinx], P. Cramer, Uitl. Kapellen, IV (26) 1780, 22.
 oertus Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
 oestracea Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
 oestraceus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 766.—Musca.
 oestriformis Sphinx, S. H. v. Rottemberg, Naturforscher, VII. 1775, 109.
 oestrum Asellus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 253.—Oniscus.
 oestrum Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 505.—Oniscus.
 oestrum Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1059.
 Oestrus Linnaeus, Syst. Nat., ed. 10, 1758, 584; ed. 12, 1767, 969.—Dip.
 oethon Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 59.
 officinalis Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 805; ed. 12, 1767, 1304.
 officinalis Scincus, J. N. Laurenti, Syn. Rept. 1768, 55.
 officinalis Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1005.
 officinalis Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1298.
 officinalis Stincus, F. A. A. Meyer, Syn. Rept. 1795, 30.—[v. Scincus.]

- Ogcodes** P. A. Latreille, Préc. Car. Ins. 1796, 154.—Dip.
ogotona Lepus, P. S. Pallas, Nov. Spec. Quad. I. 1778, 59.
ohioticum Mammut, J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 698.
ohula Ardea, *err. pro* thula, Mol., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 633.
oiclus [Sphinx], P. Cramer, Uitl. Kapellen, III (18) 1779, 39.
oileus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 795.
oisis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 124.
oldenlandiae Sphinx, J. C. Fabricius, Syst. Ent. 1775, 542.
Oleacina J. F. Bolten, Mus. Bolten. (2) 1798, 110.—G.
oleae Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 366.
oleae Coccus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 95.
oleae Musca, P. Rossi, Fauna Etrus. II. 1790, 317.
oleae Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 2844.
oleae Musca, V. Petagna, Inst. Ent. 1792, 685.
oleae Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 13.—Bostrichus.
oleae Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—Tinea *oleella*, 1794.
oleagina Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 59.
olearii Aranea, Scopoli, Ent. Carn. 1763, 402.
olearium Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1196.
olearium Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Buccinum.
olearium Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
olearium Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 126.—Murex.
olearius Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 276.—Turbo.
olearius Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
oleella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 308.
oleifolia Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 35.
oleiperda Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 366.
oleiperda Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 13.—Bostrichus.
olens Carabus, P. Rossi, Fauna Etrus. I. 1790, 217.
olens Carabus, N. J. Brahm, Ins. Kal. I (2) 1791, 239.
olens Carabus, A. G. Olivier, Entom. III. 1795, 94.
olens Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 169.
olens Musca, J. C. Fuessly, Schweitz. Ins. 1775, 54.
olens Stratiomys, J. J. Roemer, Gen. Ins. 1789, 83.
olens Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
oleracea Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
oleracea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 593.
oleraceus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 722.
oleraceus Curculio, Scopoli, Ent. Carn. 1763, 29.
oleracea Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 28.—Chrysomela.
oleracea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 613.—Phalaena.
oleracea Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 853.
oleracea Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 971.
oleus Staphylinus, O. F. Müller, F. Ins. Frid. 1764, 23.
olfactoriolum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 126.
oligactes Asterias, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 239.
oligactis Hydra, P. S. Pallas, Elench. 1766, 29.
Oligopodus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 511.—P.
olitorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 137.
Oliva J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
Oliva Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—G.
oliva Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
oliva Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
oliva Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27 [*n. n.*].
oliva Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.
oliva Oliva (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 70.—Voluta.
oliva Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
oliva Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 34.—Voluta.

- oliva Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 729; ed. 12, 1767, 1188.
 olivaceofasciata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 41.
 olivacea Apis, J. C. Fabricius, Mant. I. 1787, 300.
 olivacea Bembe, J. C. Fabricius, Mant. I. 1787, 285.
 olivaceum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 272.
 olivaceus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 157.
 olivacea Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 185.
 olivacea Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
 olivaceus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 73.
 olivacea Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.].
 olivacea Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 23.
 olivacea Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 272.
 olivaceus Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
 olivaceus Conus, C. U. v. Salis, Reise Neapel, 1793, 363.
 olivaceus Cylinderus, F. C. Meuschen, Mus. Gever. 1787, 372.
 olivacea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3408.
 olivacea Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 309.
 olivacea Fringilla, Borkhausen in Bechstein, Latham's Vögel, VI. 1798, 545.
 olivaceus Hydrophilus, J. C. Fabricius, Spec. Ins. I. 1781, 289.
 olivaceus Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
 olivaceus Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 352.—Oriolus.
 olivaceus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.
 olivaceus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 179.—Cimex, 1777.
 olivaceus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 540.
 olivacea Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
 olivacea Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
 olivaceus Myoxus, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 710.
 olivacea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 17 [n. n.].
 olivacea Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 85.
 olivaceus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
 olivacea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
 olivacea Phalaena (Noctua), C. de Villers, Linn. Ent. II. 1789, 270.
 olivaceus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 431.
 olivaceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 326.
 olivaceus Reduvius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 113.
 olivaceus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.—
 Cetonia.
 olivaceus Sturnus, J. Latham, Index Orn. 1790, 325.
 olivacea Sylvia (Gm.), J. Latham, Index Orn. 1790, 532.—Motacilla.
 olivaceus Tabanus, C. de Geer, Mém. Ins. VI. 1776, 230.
 olivacea Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 889.
 olivacea Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 25.
 olivaceus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 292.
 olivaceus Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. n.].
 olivaceus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 33.
 olivacea Vespa, C. de Geer, Mém. Ins. III. 1773, 582.
 Olivaeformis F. C. Meuschen, Mus. Gever. 1787, 486.—Ech.
 olivalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
 olivana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
 olivator Buccinum, F. C. Meuschen, Mus. Gever. 1787, 306.
 olivata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
 olivata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 307 [n. et f.].
 olivata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 361.
 olivetorum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
 olivea Coluber, F. C. Meuschen, Mus. Gronov. 1778, 14.
 [olivea Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 92.
 oliviata Phalaena Geometra, H. G. Lang, Verz. Schmett., ed. 2, 1789, 192.
 oliviella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 316.

- olla Globosa (L.), F. C. Meuschen, Mus. Gever. 1787, 382.—Voluta.
- olla Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1196.
- olor Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 501.
- olor Vibrio, O. F. Müller, An. Infus. 1786, 75.
- olympia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 166.
- olyra Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 7.
- omaicus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 714.
- omalibus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 179.—Col.
- Ombellula G. Cuvier, Tab. Elém. 1798, 675.—Coel.
- ombutus Madrepora, J. F. Maratti, Plant. Zooph. Med. 1776, 52.
- omega Callidium, P. Rossi, Fauna Etrus. I. 1790, 154.
- omega Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 43.
- omega Papilio Helic., Hufnagel, Berl. Mag. II. 1766, 58.
- omega Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 565.
- om-es-scherit Raja, P. Forskal, Descr. Anim. 1775, ix.
- ommescherit (*sic*) Raja (*ex* Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1512.
- o-miata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
- omicata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 199.
- omicraria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 452.
- omicron Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 295.
- omicronaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 107.
- omicronaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 65 [*n. et f.*].
- omicronaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 25.
- ommescherit *v.* om-es-scherit.
- omnicolor Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 483.
- omnicolor Psittacus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 5.
- omnivora Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
- omogeron Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
- omogeron Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 11.
- omphale [Papilio], C. Stoll, Aanhang. Cramer's Util. Kapellen, IV. 1790, 124.
- omphalodes Taenia (*ex* Hermann), A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 270.
- Omphrale J. G. Meigen, N. Class. Mouches, 1800, 29.—Dip.
- onager Equus, E. A. W. Zimmermann, Geogr. Ges. Mensch. II. 1780, 80.
- onagrina Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 139.
- onca Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
- onca Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
- onca Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 42; ed. 12, 1766, 61.
- Onchidium F. Buchanan, Tr. Linn. Soc. [Lond.] V. 1800, 132.—G.
- Oncotium (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 583.—P.
- Ondatra H. F. Link, Beytr. Nat. I (2) 1795, 52 [*n. n.*].—M.
- Ondatra B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
- ongus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 69.
- onisco-maycus Salmo, J. A. Donndorff, Zool. Beyt. III. 1798, 646.
- Oniscus Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1059.—Cr.
- Oniscus J. C. Fabricius, Syst. Ent. 1775, 296.—Cr.
- oniscus Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 432.—Strombus.
- oniscus Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
- oniscus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1210.
- oniscus Volvox, J. Ellis, Phil. Trans. LIX. 1770, 150.
- Onitis J. C. Fabricius, Suppl. Ent. Syst. 1798, 2.—Col.
- onitis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
- onobrychis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
- onobrychis Zygaena (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 390.—Sphinx.
- Onocrotalus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 51.—A.
- Onocrotalus M. J. Brisson, Ornith. VI. 1760, 519.—A.
- Onocrotalus S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 471.—A.

- onocrotalus** Onocrotalus (L.), S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 471.—
Pelecanus.
- onocrotalus** Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 215; *cum*
varr. orientalis, occidentalis.
- ononaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 93 [*n. et f.*].
- ononaria** Phalaena (Geom.), J. C. Fuessly in Fuessly, Arch. Ins. III. 1783.
- ononis** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
- ononis** Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 25.
- onopordi** Buprestis, J. C. Fabricius, Mant. I. 1787, 181.
- onopordi** Curculio, J. C. Fabricius, Mant. I. 1787, 98.
- onopordinis** Musca, J. C. Fabricius, Syst. Ent. 1775, 787.
- onos** Gryllus, P. S. Pallas, Spic. Zool. IX. 1772, 17.
- onos** Locusta (Pall.), J. C. Fabricius, Spec. Ins. I. 1781, 361.—Gryllus.
- onoscabella** Phalaena Tinea, N. J. Brahm in Scriba, Beitr. Ins. II. 1791, 133.
- [**onothberina** Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 58 & 59.
- Onustus** [G. Humphreys], Mus. Calonn. 1797, 28.—G.
- onytes** [Phalaena], P. Cramer, Uitl. Kapellen, II (14) 1777, 107.
- onyx** Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 95.
- onyx** Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
- oo** Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
- oo** Leptura, F. v. P. Schrank, Ins. Aust. 1781, 162.
- oo** Noctua (Fab.), C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 89.—Bombyx.
- oo** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 45.
- oo** Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 507; ed. 12, 1767, 832.
- opacum** Acrydium, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 190.
- opaca** Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 380.
- opaca** Cetonina, J. C. Fabricius, Mant. I. 1787, 27.
- opaca** Cistela, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 610.
- opacus** Curculio, C. F. Müller, Z. Dan. Prod. 1776, 86.
- opaca** Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2058.
- opaca** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
- opaca** Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18.
- opaca** Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha. [Cetonina.]
- opacus** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1581.—
- opaca** Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 571.
- opacus** Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 117.
- opacus** Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 61.
- opaca** Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 323.
- opalaea** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 314.
- opalina** Necydalis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 52.
- opalina** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [antea 1796], 11.
- opalina** Tellina, C. U. v. Salis, Reise Neapel, 1793, 384.
- opalina** Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 106.
- opalus** [Limax], T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 24.
- opalus** Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
- Opatrum** J. C. Fabricius, Syst. Ent. 1775, 76.—Col.
- opercularis** Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 749.
- opercularis** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.
- opercularis** Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1147.
- opercularis** Pecten (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 248.—Ostrea.
- opercularis** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 105.
- opercularis** Trochus, D. Solander in G. Brander, Foss. Hant. 1766, 9.
- opercularia** Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
- opercularia** Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
- operculatus** Brachionus (Linn.), P. S. Pallas, Elench. 1766, 104.—[*v.* opercularia Hydra.]
- operculata** Planaria, O. Fabricius, F. Groen. 1780, 325.
- operculata** Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 3844.
- operculata** Siren, De Beauvois, Trans. Amer. Phil. Soc. IV. 1799, 281.

- operculata* Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1307.
operculata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3235.
operculata Vorticella, *err. pro* opercularia, Linn., J. F. Gmelin in Linn. Syst. Nat.,
Operculites J. Gesner, Tract. Petref. 1758, 57.—? [ed. 13, I, 1790, 3875.]
operosa Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
opheltes [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 164.
Ophicephalus M. E. Bloch, Nat. ausl. Fische, VII, 1793, 137.—P.
Ophichthus C. P. Thunberg, De Muraena, 1789, 5.—P.
Ophidion Linnaeus, Syst. Nat., ed. 10, 1758, 259; ed. 12, 1766, 431 [Ophidium]; [Artedi,
 Ichth. 1738, gen. ix, p. 25].—P.
ophidion Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 417.
Ophidium Linnaeus, Syst. Nat., ed. 12, 1766, 431.—P.
ophiogramma Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [antea
Ophion J. C. Fabricius, Suppl. Ent. Syst. 1798, 210.—Hym. [1796], 10.
ophion [Papilio], D. Drury, Ill. Nat. Hist. III, 1782, index & 21.
ophion [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV, 1790, 127.
ophione [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 27.
ophiopsis Raphidia, Linnaeus, Syst. Nat., ed. 10, 1758, 552; ed. 12, 1767, 916.
ophis Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425.
ophis Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 9.—Muraena.
ophis Ophisurus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II, 1800, 195.—Muraena.
ophisa [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 20.
Ophisurus B. G. E. de Lacépède, Hist. Nat. Poiss. II, 1800, 195.—P.
ophiura Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 662; ed. 12, 1767, 1100.
ophrias Boa, Linnaeus, Syst. Nat., ed. 12, 1766, 374.—[v. *orophias*.]
ophtalmicana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 51 [n.
ophtalmicus Curculio, P. Rossi, Fauna Etrus. I, 1790, 128. [et f.].
ophtalmicus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 534.
ophtalmica Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
ophtalmicus Pagurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 413.
ophtalmicus Staphylinus, Scopoli, Ent. Carn. 1763, 99.
ophtalmicus Staphylinus, G. Paykull, Faun. Suec. III, 1800, 409.
opicata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 457.
opifex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
opigena Phalaena, D. Drury, Ill. Nat. Hist. II, 1773, index & 39.
Opilio J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 2.—Ar.
opilio Cancer, O. Fabricius, Nye Saml. K. Danske Skrifter, III, 1788, 182.
opilio Cancer, J. C. Fabricius, Ent. Syst. II, 1793, 458.
opilio Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 356.—Cancer, 1793.
opilio Phalangium, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
opilionis Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
opilionoides Aranea, F. v. P. Schrank, Ins. Äust. 1781, 530.
opima Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3279.
opimella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
opiparus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III, 1796, 56.
opis Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
opis [Papilio], D. Drury, Ill. Nat. Hist. II, 1773, index & 33.
opis Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
oporana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
oporana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 651.—Phalaena.
opossum Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 55; ed. 12, 1766, 72.
opossum Didelphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 106; *var.* molucca.
oppidana Musca, Scopoli, Ent. Carn. 1763, 349.
oppositella Alucita, J. C. Fabricius, Syst. Ent. 1775, 670.
oppositella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II, 1789, 506.—Alucita.
oppositella Tinea (Fab.), C. P. Thunberg, Ins. Suecica (7) 1794, 85.—Alucita.
optatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII, 1797, 40.
optilete Hesperia (Knoch), J. C. Fabricius, Ent. Syst. III (1) 1793, 297.—Papilio.

- optilete Papilio (P. R.), A. W. Knoch, Beitr. Insektenges. I. 1781, 76.
- opuli Aphis, J. H. Sulzer, Gesch. Ins. 1776, 105.
- opuntia Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 805; ed. 12, 1767, 1304.
- opuntioides Cellularia, P. S. Pallas, Elench. 1766, 61.
- opuntioides Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3863.—
- or Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87. [Cellularia.]
- ora [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 139.
- oracea Isis=ocracea Linn., Pallas, Syst. Plant-Dier. 1768, 288.
- orasia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 219.
- oratorius Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 191.
- oratorius Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
- oratorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 138.
- oratoria Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[Gryllus, ed. 10.]
- orbana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 475.
- Orbicula Cuvier, Tabl. Élém. 1798, 435.—Br.
- orbicularis Altica, G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 6.—[orbiculata on tab.]
- orbiculare Anisotoma (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 79.—Tetratoma.
- orbicularis Ascidia, O. F. Müller, Zool. Dan. II. 1784, 117.
- orbicularis Cancer, G. Olivi, Zool. Adriat. 1792, 47.
- orbicularis Chaetodon, P. Forskal, Descr. Anim. 1775, 59.
- orbicularis Cordylus (Linn.), J. N. Laurenti, Syn. Rept. 1768, 51.—Lacerta.
- orbicularis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 340.
- orbicularis Diodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 73.
- orbicularis Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- orbicularis Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 208.
- orbicularis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.—
- orbicularis Glycymeris, E. M. da Costa, Brit. Conch. 1778, 168. [Echinodiscus.]
- orbicularis Hydatigena, J. A. E. Goeze, Eingeweidewürmer, 1782, 194.
- orbicularis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- orbicularis Hydrophilus, J. C. Fabricius, Syst. Ent. 1775, 229.
- orbicularis Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 365.
- orbiculare Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
- orbicularis Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 699; ed. 12, 1767, 1148.
- orbicularis Paederus (Payk.), A. G. Olivier, Entom. III. 1795, 7.—Staphylinus.—[z. orbiculatus.]
- orbicularis Placenta (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 15.—Ostrea.
- orbicularis Staphylinus, Paykull, Mon. Staph. 1789, 35.
- orbicularis Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 49.
- orbicularis Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 351.
- orbicularis Tetratoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 91.
- orbicularis Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688.—[=tigerina, ed. 12, p. 1134.]
- orbicularis Vesicaria (Goeze), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 29.—Hydatigena.
- orbicularis Volvox (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 540.—Tetratoma.
- orbicularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 60 [z. Disci-transfixus, F. C. Meuschen, Mus. Gever. 1787, 490. [et f.].
- orbiculatus Echinanthites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 194.
- orbiculatus Echinodiscus, F. C. Meuschen, Mus. Gronov. 1778, 91.
- orbiculatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3188.—
- orbiculata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190. [Echinanthites.]
- orbiculata Lacerta, z. orbicularis, Linn., P. Forskal, Descr. Anim. 1775, 21.
- orbiculata Medusa, J. B. M. Dana, Obs. sur la Phys. I (pt. 2) 1771, 214; & ed. 2, I. Musca, A. F. de Fourcroy, Ent. Paris. 1785, 484. [1777, 143.]
- orbiculata Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 38.
- orbiculatus Paederus (Payk.), J. C. Fabricius, Ent. Syst. I (2) 1792, 538.—Staphylinus.
- orbiculata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 253.
- orbiculatus Staphylinus, G. Paykull, Mon. Staph. 1789, 35.

- orbiculatum* Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
orbiculosa Phalaena Bom., E. J. C. Esper, Die Schmetzt., Suppl., 3 Abschn. [1799], 93.
orbiculus Cancer, J. C. Fabricius, Syst. Ent. 1775, 402.
orbiculus Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
orbiculus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 666; ed. 12, 1767, 1105.
orbiculus Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2875.—Syrphus.
orbiculus Nautilus, P. Forskal, Descr. Anim. 1775, 125.
orbiculus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 112.
orbiculus Orthocera (Forsk.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 161.—
orbiculus Syrphus, J. C. Fabricius, Mant. II. 1787, 340. [Nautilus].
Orbis G. Edwards in M. Catesby, Carol. II. 1771, 28.—P.
 "Orbis, Lacép. 1800," Ag.; occurs only in vernacular.
orbis Cercaria, O. F. Müller, Z. Dan. Prod. 1776, 280.
orbis Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 81.
orbis Disci-transfixus, F. C. Meuschen, Mus. Gever. 1787, 490.
orbis Trichoda, O. F. Müller, Verm. I (1) 1773, 85.
orbita Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
orbitulus Papilio, L. Prunner, Lep. Pedemont. 1798, 75.
 "orbium Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 166.
orbona Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
orbona Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 520.
orbona Noctua, J. C. Fabricius, Mant. II. 1787, 150.
orbona Phalaena, Hufnagel, Berl. Mag. III. 1767, 304.
orca Delphinus, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.
orca Delphinus, R. Kerr, Anim. Kingd. 1792, 364; var. *ensidoratus*.
orcas Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 46.
orchamus [Papilio], P. Cramer, Utitl. Kapellen, II (13) 1777, 92.
orches Olivaeformis, F. C. Meuschen, Mus. Gever. 1787, 486.
Orchestes Illiger in Kugelann, Käfer Preuss. 1798, 498.—Col.
orcus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 341.
orcus Papilio, C. Stoll in P. Cramer, Utitl. Kapellen, IV (28) 1780, 87.
orcynus Scomber, G. S. Volta, Itt. Veron. (2) [circa 1800], ccxxvi.
ordinatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 379.
ordinata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 435.
oreas Antilope, P. S. Pallas, Spic. Zool. XII (1777), 17.
 [orientes Phalaena, MS.], T. Martyn, Psyche, 1797, fig. 11:
oreotragus Antilope, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 269.
orestes Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. xxvi.
orestes [Papilio], P. Cramer, Utitl. Kapellen, III (24) 1780, 159.
orestes Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 34.
orfta Papilio, P. Cramer, Utitl. Kapellen, II (10) 1777, 24.
orfus v. *orphus*.
organum Astroites, J. E. I. Walch, Naturforscher, V. 1775, 42.
organum Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796; ed. 12, 1767, 1278.
oriana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 159.
oricalcicus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 79.
oricalcia Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
orichalcea Antipathes, P. S. Pallas, Elench. 1766, 215.
orichalcea Buprestis, P. S. Pallas, Icon. Ins. 1782, 75.
orichalcea Noctua, J. C. Fabricius, Syst. Ent. 1775, 607.
orychalca Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 60.
orichalcus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 224.
orientalis Acheta, J. C. Fabricius, Syst. Ent. 1775, 281.
orientalis Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 447.
orientalis Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
orientalis Anthias, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 10.
orientalis Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 288.
orientalis Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 688.

- orientalis** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 422.
orientalis Buceros, J. Latham, Index Orn. 1790, 147.
orientalis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 263.
orientalis Caudisona, J. N. Laurenti, Syn. Rept. 1768, 94.
orientalis Cerambyx, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 168.
orientalis Chrysomela, E. F. Hornstedt, Schrift. Berlin. Ges. Nat. Freunde, VIII. 1788, 5.
orientalis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2191.
orientalis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.), 1791, 70.
orientalis Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1112.
orientalis Columba, J. Latham, Index Orn. 1790, 606.
orientalis Coracias, Linnaeus, Syst. Nat., ed. 12, 1766, 159.
orientalis Cryptocephalus (Horn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.—
orientalis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 168. [Chrysomela.
orientalis Cyprinus, Linnaeus in Hasselquist, Palast. 1762, 434.
orientalis Didelphis, P. S. Pallas, Misc. Zool. 1766, 59.
orientalis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
orientalis Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2061.—Acheta.
orientalis Gyrimus, A. Modeer, Physiogr. Sölsk. Handl. I (3) [1784 or 5], 160.
orientalis Jaculus, J. C. P. Erxleben, Syst. Anim. 1777, 404.
orientalis Labrus, Linnaeus in Hasselquist, Palast. 1762, 394.
orientalis Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [n. n.].
orientalis Mycetera, M. Vahl, Skr. nat. Selsk. [Copen.], IV (2) 1798, 130.
orientalis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
orientale Opatrum, J. C. Fabricius, Syst. Ent. 1775, 76.
orientalis Ovis, S. G. Gmelin, Reise Russ. III. 1774, 432 & 486.
orientalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 234.
orientalis Phalanger, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 685.
orientalis Pholas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3216.
orientalis Prionus, A. G. Olivier, Entom. IV. 1795, 28.
orientalis Psittacus, J. Latham, Index Orn. 1790, 125.
orientalis Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 52.
orientalis Scyllarus, N. T. Lund, Skr. nat. Selsk. [Copen.], II (2) 1793, 22.
orientalis Silpha (Microphorus), Herbst, Einl. Ins. I. 1784, 77.
orientalis Sparus, Linnaeus in Hasselquist, Palast. 1762, 386.
orientalis Stenosis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 165.
orientalis Strix, Linnaeus in Hasselquist, Palast. 1762, 290.
orientalis Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161.
orientalis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 821.
orientalis Vespa, Linnaeus, Mant. II. 1771, 540.
origenes Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
origerella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 528.
origines Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia origenes.
orioli Pediculus, J. C. Fabricius, Gen. Ins. 1777, 309.
Oriolus Linnaeus, Syst. Nat., ed. 12, I. 1766, 160.—A.
oriolus Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 107.—[Oriolus galbula, ed. 12.]
orion Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus, 1792.
orion Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 330.—Papilio.
orion Noctua, E. J. C. Esper, Die Schmett. IV (42—44) 1791, 283.
orion Papilio, J. C. Fabricius, Syst. Ent. 1775, 485.
orion [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 92.
orion Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 55.
orion Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 471.
orion Scarabaeus, A. G. Olivier, Entom. I. 1789, 46.
orior Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
Orites Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 29.—A.
Orithya J. G. Meigen, N. Class. Mouches, 1800, 15.—Dip.
orithya [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 121.
orithya Papilio, P. Cramer, Uitl. Kapellen, III (24) 1780, 159.

- orithya *Papilio* (*Nymphalis*), Linnaeus, Syst. Nat., ed. 10, 1758, 473; ed. 12, 1767, 770.
 Orithya J. C. Fabricius, Suppl. Ent. Syst. 1798, 324.—Cr.
 Orithya J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 24.—Cr.
 orix *v.* oryx.
 orleanus *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 ornatana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 32 [*n. et f.*].
 ornataria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 70 [*n. et f.*].
 ornatella *Tinea*, [Denis & Schiffermüller], Schmett. Wien, 1775, 319. [*f.*].
 ornatipennella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 69.
 ornator *Ichneumon*, J. C. Fabricius, Mant. I. 1787, 264.
 ornatrixella *Tinea*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
 ornatrix *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 586.—Phalaena.
 ornatrix *Chrysis*, J. L. Christ, Nat. Ins. 1791, 403.
 ornatrix *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 839.
 ornata *Aranea*, J. H. Sulzer, Gesch. Ins. 1776, 254.
 ornata *Bombyx* (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 52.—Phalaena.
 ornatum *Buccinum*, T. Martyn, Univ. Conch. III [1789], fig. 92.
 ornata *Buprestis*, J. C. Fabricius, Syst. Ent. 1775, 220.
 ornatus *Byrrhus* (Sulz.), G. A. Harter, Besch. Schaeffer's Abbild. 1791, 59.—*Cistela*.
 ornatus *Byrrhus*, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 1.
 ornatum *Callidium*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 98.
 ornata *Cassida*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 50.
 ornata *Cassida*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 81.
 ornata *Cassida*, C. Creutzer, Ent. Vers. 1799, 118.
 ornatum *Cerambyx* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1844.—
 ornatus *Cerambix*, A. G. Olivier, Entom. IV. 1795, 88. [*Rhagium*].
 ornata *Cetonia*, J. C. Fabricius, Ent. Syst. I (2) 1792, 136.
 ornata *Cicada*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 99.
 ornatus *Cimex*, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
 ornata *Cistela*, J. C. Fuessly, Schweitz. Ins. 1775, 5.
 ornata *Cistela*, J. H. Sulzer, Gesch. Ins. 1776, 27.
 ornata *Cistela*, J. J. Roemer, Gen. Ins. 1789, 3.
 ornata *Coccinella*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 47.
 ornatus *Cryptocephalus*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.
 ornatus *Cryptocephalus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 106.
 ornatus *Cucullus*, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 ornatus *Curculio*, D. Drury, Ill. Nat. Hist. II. 1773, index & 63.
 ornatus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 215.
 ornata *Cypris*, O. F. Müller, Z. Dan. Prod. 1776, 199.
 ornatus *Dytiscus*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 125.
 ornatus *Falco*, F. M. Daudin, Traité élém. Orn. 1800, 77.
 ornata *Geometra* (Scop.), C. de Villers, Linn. Ent. IV. 1789, 510.—Phalaena.
 ornatus *Hemorobius* (*sic*), D. Drury, Ill. Nat. Hist. I. 1770, index & 110.
 ornata *Lamia*, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV., 1796, 148.
 ornatus *Monoculus* (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
 ornate *Musca*, M. Harris, Exp. Eng. Ins. 1776, 146. [*Cypris*].
 ornatus *Pallinurus*, F. Weber, Nomen. Fabricii, 1795, 94.
 ornatus *Palinurus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 400.
 ornata *Phalaena*, Scopoli, Ent. Carn. 1763, 219.
 ornata [*Phalaena*], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 34.
 ornata *Phalaena* (*Noct.*), C. de Villers, Linn. Ent. II. 1789, 280.
 ornatus *Philanthus*, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 225.
 ornata *Porphyria*, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
 ornatus *Psittacus*, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 143.
 ornatum *Rhagium*, J. C. Fabricius, Syst. Ent. 1775, 183.
 ornatus *Sturnus*, F. M. Daudin, Traité élém. Orn. 1800, 309.
 ornata *Tanagra*, A. Sparrman, Mus. Carls. IV. 1789, no. xcvi.
 ornatus *Trochilus*, P. Boddaert, Tab. Planch. Enl. 1783, 39.

- Orneodes** P. A. Latreille, *Préc. Car. Ins.* 1796, 148.—Lep.
orni Cicada, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 436; ed. 12, 1767, 707.
orni Tettigonia (L.), J. C. Fabricius, *Syst. Ent.* 1775, 680.—Cicada.
"Ornitholithus" Linnaeus, *Syst. Nat.*, ed. 12, III. 1768, 157.—A.
ornitopus Phalaena, Hufnagel, *Berl. Mag.* III. 1767, 304.
Ornithorhynchus J. F. Blumenbach, *Abb. nat. Gegen.*, no. 41, 1800.—M.
Ornithorhynchus J. F. Blumenbach, *Voigt's Mag. Naturk.* II (1) 1800, 205.—M.
ornithovora Musca, Scopoli, *Ent. Carn.* 1763, 342.
orodes [Phalaena], P. Cramer, *Uitl. Kapellen*, II (11) 1777, 49.
oromedon Geotrupes (Ol.), J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 8.—Scarabaeus.
oromedon Scarabaeus, D. Drury, *Ill. Nat. Hist.* I. 1770, index & 81.
oromedon Scarabaeus, A. G. Olivier, *Entom.* I. 1789, 17.
oronocensis Manatus, J. M. Bechstein in Pennant, *Uebers. 4füß. Thiere*, II. 1800, 732.
orontes Papilio, Linnaeus, *Amoen. Acad.* VI. 1763, 402.
[orontes Phalaena, MS.], T. Martyn, *Psyche*, 1797, fig. 14.
orophias Boa, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 215; ed. 12, 1766, 374 [ophrias].
orophias Constrictor, J. N. Laurenti, *Syn. Rept.* 1768, 109.
orosia [Phalaena], P. Cramer, *Uitl. Kapellen*, III (23) 1780, 149.
orphanos Anas, J. M. G. Beseke, *Beytr. Vög. Kurlands*, 1792, 51.
orphanulus Cetonia, Herbst in Jablonsky, *Nat. Ins. (Käfer)* III. 1790, 244.
orpheus Scarabaeus, G. W. F. Panzer, *Fauna Ins. Amer.* 1794, 5.
orpheus Turdus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 169; ed. 12, 1766, 293.
orphise [Papilio], P. Cramer, *Uitl. Kapellen*, I (4) 1775, 67.
orfus (*sic*) Cyprinus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 324; ed. 12, 1766, 530.
orphus Sparus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 279; ed. 12, 1766, 469.
orsa [Phalaena], P. Cramer, *Uitl. Kapellen*, II (12) 1777, 75.
orsiera Papilio, L. Prunner, *Lep. Pedemont.* 1798, 73.
orsilochus Papilio, J. C. Fabricius, *Gen. Ins.* 1777, 252.
orsilochus [Phalaena], P. Cramer, *Uitl. Kapellen*, I (4) 1775, 72.
orsis [Papilio], D. Drury, *Ill. Nat. Hist.* III. 1782, index & 20.
orsita [Papilio], P. Cramer, *Uitl. Kapellen*, II (10) 1777, 24.
"Ortalida, Merr. 1786," Ag.; plural of *Ortalis*, *q. v.*
Ortalis B. Merrem, *Avium Icones et descr.* (2) 1786, 40.—A.
Orthezia P. Bosc d'Antic, *Obs. sur la Physique*, XXIV. 1784, 173.—Hem.
Orthocera Lamarck, *Mém. Soc. H. N. Paris*, 1799, 80.—Rh.
orthocera Nautilus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 711; ed. 12, 1767, 1164.
Orthoceras J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, xvi.—Ceph.
Orthoceras F. v. P. Schrank, *Samml. Nat. Phys. Aufsätze* 1796, 131.—Dip.
"Orthoceratia, Sold. 1780," Ag.; not used in a Linnaean sense.
Orthoceratites J. Gesner, *Tract. Petref.* 1758, 42.—? Ceph.
Orthoceratites Lamarck, *Mém. Soc. H. N. Paris*, 1799, 81.—Ceph. [Orthoceras.
"Orthocerite, Brug. 1789," Scudd.; is a misspelling of Orthocerate, the vernacular for
"orthocerotes *Helmintholithus*," Linnaeus, *Syst. Nat.*, ed. 12, III. 1768, 162.
Orthoceros P. A. Latreille, *Préc. Car. Ins.* 1796, 16.—Col.
Orthorhynchus B. G. E. de Lacépède, *Tabl. Oiseaux*, 1799, 9.—A.
Orthorhynchus G. Cuvier, *Leçons Comp. Anat.* I. 1800, tab. 2 [*v. n.*].—A.
ortilia [Phalaena], C. Stoll in Cramer, *Uitl. Kapellen*, IV (29) 1781, 105.
ortygus [Papilio], P. Cramer, *Uitl. Kapellen*, III (21) 1779, 84.
Ortygometra Moehring, *Geslach. Vogel. (Nozem. & Vosm. ed.)* 1758, 6 & 63.—A.
ortygometrae Pediculus, F. v. P. Schrank, *Ins. Aust.* 1781, 503.
orus [Papilio], C. Stoll in Cramer, *Uitl. Kapellen*, IV (28) 1780, 84.
Orussus P. A. Latreille, *Préc. Car. Ins.* 1796, 111.—Hym.
orvet Anguis, B. G. E. de Lacépède, *Quad. Ovip.* II. 1789, 136.
"Orycteropus, Geoffroy, *Décad. phil. et litt.* XXVIII. 1795," I cannot find this entry.
Orycteropus B. G. E. de Lacépède, *Tabl. Mamm.* 1799, 11.
Oryctes J. K. W. Illiger, *Käfer Preuss.* 1798, 11.—Col.
oryctes Scarabaeus, Herbst in Jablonsky, *Nat. Ins. (Käfer)* II. 1789, 215.
Oryssus J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 209.—Hym. [*See Orussus.*]

- “*Oryssus*, Latreille, 1796,” Ag.; is *Orussus*.—Hym.
- oryx* Antilope, P. S. Pallas, Misc. Zool. 1766, 9.
- orix* Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 309.
- orix* Loxia, Linnaeus, Mant. II. 1771, 527.—Emberiza, 1758.
- oryx* Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
- oryza* Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 333.
- oryza* Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 94.
- oryza* Curculio, Linnaeus, Amoen. Acad. I. 1763, 395.
- oryzae* Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 18.—*Cur-oryzae* Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 18. [culio.]
- oryzata* Argonauta, F. C. Meuschen, Mus. Gev. 1787, 252.
- oryzivorus* Coluber, G. A. Suckow, Naturges. III. 1798, 245.
- oryzivora* Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 311.
- oryzivora* Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 179.
- oryzivora* Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
- oryzivorous* Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 386.
- os-album* Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
- osbekii* Aranea, Scopoli, Ent. Carn. 1763, 399.
- osbeckii* Raja, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 532.
- osbeckii* Psittacus, J. Latham, Index Orn. 1790, 87.
- osbeck* Trachinus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 353.
- osbeckiana* Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 19.
- Oscabrium* K. Schreibers, Vers. Conch. II. 1793, 334.—Moll.
- Oscana* Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.—Moll.
- oscilla* Coluber, F. C. Meuschen, Mus. Gronov. 1778, 13.
- oscitans* Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 55.
- osculatorius* Ichneumon, J. C. Fabricius, Mant. I. 1787, 261.
- osculata* Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 415.
- osinia* [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 29.
- osiris* [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 28.
- Osmerus* [Artedi, Ichth. 1738, gen. viii, 10].—P.
- “*Osmerus*” *v.* *Salmo*.
- os nigrum* Cercopis, P. Rossi, Mant. Ins. II. 1794, 52.
- “*Osphronemus*, Lacép. 1800,” Ag.; is 1802.
- osseana* Phalaena, Scopoli, Ent. Carn. 1763, 238.
- ossearia* Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 102 [*n. et f.*].
- osseata* Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
- osseus* Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 516.
- osseus* Labrus, G. Edwards in M. Catesby, Carol. II. 1771, Cat., 1.
- osseus* Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 261.
- ossianus* Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 98.
- ossiformis* Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
- ossifragus* Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 124.
- ossifraga* Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 483.
- ossifragus* Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
- “*ossium* Ornitholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
- ostentataria* Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
- “*osteolithus* Zoolithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
- Ostoma* J. N. Laicharting, Tyrol. Ins. I. 1781, 102.—Col.
- Ostracion* Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 407; [Artedi, Ichth. 1738,
- Ostracites* J. Gesner, Tract. Petref. 1758, 39.—L. [gen. xxxix, 55].—P.
- Ostracites* Lamarck, Mém. Soc. H. N. Paris, 1799, 81.—L.
- Ostralega* M. J. Brisson, Ornith. V. 1760, 38.—A.
- ostralegus* Haematopus, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 257.
- Ostrea* Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.—L.
- “*Ostreocharmites*, Walch, 1768,” Herm.; not used in a Linnaean sense.
- “*Ostreopectinites*, Walch, 1768,” Herm.; not used in a Linnaean sense.
- “*Ostreopinnites*, Walch, 1768,” Herm.; not used in a Linnaean sense.

- Ostreum*, *id. ac* *Ostrea*, L. E. M. da Costa, Brit. Conch. 1778, 154.
- ostrilegus* Haematopus, *v. ostralegus*, Linnaeus, Faun. Suec., ed. 2, 1761, 69.
- ostrinalis* Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 [2].
- otaheitanus* Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 347.
- otahitica* Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 209.
- othaeitense* Buccinum (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 257.
- otho* Papilio, J. E. Smith in Abbot, Ins. Georgia, 1797, 31.
- otidis* Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 23.
- Otis* Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.—A.
- Otis* [G. Humphreys], Mus. Calonn. 1797, 62.—G.
- otis* Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 296.
- otis* Papilio, J. C. Fabricius, Mant. II. 1787, 73.
- otrea* [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27), 1780, 50.
- otreus* [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28), 1780, 78.
- Otus* Cuvier, Leçons Comp. Anat. I. 1800, tab. 2.—A.
- Otus* Asio (L.), J. C. Schaeffer, Mus. Orn. 1789, 10.—Strix.
- otus* Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 31.
- otus* Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
- otus* Strix, R. Kerr, Anim. Kingd. 1792, 529; *varr. italicus*, arcticus.
- g graecum* Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
- ouarsawa* Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 26.
- öur* Mugil, P. Forskal, Descr. Anim. 1775, 74.
- ouranus* Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 317.—Papilio.
- ouranus* [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28), 1780, 88.
- ourabi* Antilope, E. A. W. Zimmermann, Geogr. Gesch. III. 1783, 268.
- ourissia* Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 191.
- ourovang* *v. urovang*. [not used in a generic sense.]
- “Ova, *v. Phels*. 1774,” Ag.; does not occur: a Latinization by Leske in Klein, 1778, but
- ovalis* Acarus, J. C. Fabricius, Reise Norwegen, 1779, 340.
- ovalis* Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 110.
- ovalis* Brachionus, O. F. Müller, An. Infus. 1786, 345.
- ovalis* Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
- ovalis* Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
- ovalis* Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
- ovalis* Curculio=ovatus [S. N. ed. 10, no. 39], Linnaeus, Faun. Suec., ed. 2, 1761, 180.
- ovalis* Curculio, O. F. Müller, F. Ins. Frid. 1764, 11.
- ovalis* Dytiscus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 328.
- ovalis* Dytiscus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 19.
- ovalis* Dytiscus, Illiger in Kugelann, Käfer Preuss. 1798, 271.
- ovalis* Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 216.
- ovalis* Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—Spatan-
- ovalis* Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3637. [gites.]
- ovalis* Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- ovalis* Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1064.
- ovalis* Mya, R. Pulteney, Cat. Birds &c. Dorset, 1799, 27.
- ovalis* Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
- ovalis* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
- ovalis* Pediculus, Scopoli, Ent. Carn. 1763, 384.
- ovalis* Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 277.
- ovalis* Rana, J. G. Schneider, Hist. Amph. I. 1799, 131.
- ovalis* Serpula, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
- ovalis* Spatangites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 253.
- ovalis* Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xx [re-paged issue].
- ovalis* Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
- ovalis* Turbo, E. M. da Costa, Brit. Conch. 1778, 101.
- ovalis* Unio, A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.
- ovalis* Volvox, J. Ellis, Phil. Trans. LIX. 1770, 149.
- ovarius* Cidarites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xvii [re-paged issue].

- ovarius** Echinus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 105.
ovarius Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3173.
ovator Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2692.
ovator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 163.
ovatulus Curculio, J. R. Schellenberg, Helvet. Entom. I. 1798, 82.
ovata Altica, A. F. de Fourcroy, Ent. Paris. 1785, 98.
[ovatus Araneus, C. Clerck, Aran. Svec. 1757, 58.]
ovatus Araneus, T. Martyn, Aranei, 1793, 27.
ovata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3307.
ovatus Beroe, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 175.
ovatus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 318.—Helix.
ovata Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3432.
ovatus Carabus, G. Paykull, Mon. Carab. 1790, 132.
ovatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 154.
ovatus Cerambyx, J. H. Sulzer, Gesch. Ins. 1776, 45.
ovatus Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 76.
ovatus Cimex, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 175, no. 11.
ovatus Cimex, J. A. E. Goeze in de Geer, Gesch. Insekt. III. 1780, 176, no. 14.
ovata Cistela, A. G. Olivier, Entom. III. 1795, 10.
ovatus Copris, L. G. Scriba, J. Lieb. Ent. I. 1790, 56.
ovatus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 179.—Scarabaeus.
ovatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382 [altered to ovalis, ed. 12].
ovatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
ovata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
ovatus Dytiscus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
ovatus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 667.
ovatus Echinanthus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 191.
ovatus Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 178.
ovatus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
ovatus Echinorhynchus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 137.
ovatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3185.—Echinocorytes.
ovatus Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 490.
ovata Helix, O. F. Müller, Verm. II. 1774, 85.
ovatus Helops, P. Rossi, Fauna Etrus. I. 1790, 237.
ovata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
ovata Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197 [n. n.].
ovata Medusa, J. Barbut, Gen. Verm. I. 1783, 81.
ovata Mya, P. Forskal, Descr. Anim. 1775, 123.
ovata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 318.
ovatus Ptilularius (L.), F. v. P. Schrank, F. Boica, I. 1798, 400.—Scarabaeus.
ovata Pimelia, A. G. Olivier, Entom. III. 1795, 18.
ovatus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 551.
ovatus Scaurus, A. G. Olivier, Entom. III. 1795, 6.
ovatus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 252.
ovata Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187.
ovatus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999
ovatus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer), VIII. 1799, 16.
ovata Tenthredo, Linnaeus, Faun. Suec. ed. 2, 1761, 392.
ovata Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 83.
ovidius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
ovifer Encrinus, J. F. Blumenbach, Handb. Naturg. ed. 3, 1788, 503.
oviferum Paramaecium, O. F. Müller, An. Infus. 1786, 91.
ovifera Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
oviformis Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3187.
oviger Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 295.
ovilla Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.
ovina Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3691.

- ovina* Hippobosca, Linnaeus, Syst. Nat., ed. 10, 1758, 607; ed. 12, 1767, 1011.
ovinus Strongylus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3044.
ovina Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 369.
Ovis Linnaeus, Syst. Nat., ed. 10, 1758, 70; ed. 12, 1766, 97.—M.
ovis Cancer, J. C. Fabricius, Mant. I. 1787, 324.
ovis Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1787.
ovis Oestrus, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 970.
ovis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
ovivorus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 385.
 "Ovoides, Lacép. 1800," Ag.; occurs only in vernacular.
Ovoides G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [n. n.].—P.
ovoideus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 335.
ovoviviparus Blennius, *id. ac* viviparus? B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800,
Ovula J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G. [459.
ovulorum Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 387.
ovulorum Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 381.—Ichneumon.
ovulorum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
ovulus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 339.
ovulum Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3194.
ovulum Enchelis, O. F. Müller, Verm. I (1) 1773, 36.
 "Ovum, Martini, 1774," Scudd.; not binominal.
ovum Beroe, O. Fabricius, F. Groen. 1780, 362.
ovum Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
ovum Cochlea, T. Martyn, Univ. Conch. II [1788], fig. 79.
ovum Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
ovum Medusa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—Beroe.
ovum Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3448.
ovum Volva (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 21.—Bulla.
ovum marinum Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 486.
ovum passeris Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 28 [n. n.].
ovum vanelli Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
oxalis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 247.
oxyacanthae Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 742.
oxyacanthae Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.—Tinea oxyacan-
oxyacanthae Mordella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2024. [thella.
oxyacanthae Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 611.—Phalaena.
oxyacanthae Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
oxyacanthella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 886.
oxyacanthella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
Oxybelus P. A. Latreille, Préc. Car. Ins. 1796, 129.—Hym.
oxycephalus Gryllus (Acrida), P. S. Pallas, Reis Russ. I. 1771, 468.
oxygalus Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
Oxyporus J. C. Fabricius, Syst. Ent. 1775, 267.—Col.
oxyptera Buprestis, P. S. Pallas, Icon. Ins. 1782, 70.
oxyptera Noctua (Esper), C. C. Jung, Alph. Verz. Schmett. II. 1792, 75.—Phalaena.
oxyptera Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (48), 1796, 397.
oxypterus Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
 "Oxyrhynchus Schroet. 1784," Herm.; not used in a generic sense.
oxyrinchus Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 395.
oxyrinchus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 512.
oxyurus Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 16.
öyena Labrus, P. Forskal, Descr. Anim. 1775, 35.

pabulatricula Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 395.
pabulinus Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 253.
pabulinus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 19.
pabulinus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 184.—Cimex.

- paca** Agouti, B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.
- paca** Cavia (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 356.—Mus.
- paca** Cavia (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 508.—Mus.
- paca** Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 81.
- pacca** Sirex, J. C. Fabricius, Mant. I. 1787, 258.
- pacicephala** Vespa, J. A. Scopoli, Annus V. 1772, 122.
- pacifica** Apis, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 16.
- pacifica** Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 470.
- pacificus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
- pacifica** Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 777.
- pacificus** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
- pacificus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
- pacificus** Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
- pacificus** Murex, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 83.
- pacifica** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2872.
- pacifica** Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
- pacificus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
- pacificus** Psittacus, R. Kerr, Anim. Kingd. 1792; *varr.* seelandicus, erythropygius, calendonius, 582; carlsonianus, philippinus, 583.
- pacificus** Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
- pacificus** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 813.
- pacifica** Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
- pacos** Camelus, Linnaeus, Syst. Nat., ed. 10, 1758, 66; ed. 12, 1766, 91.
- pacta** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.
- pacta** Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 292.
- pacta** Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 841.
- pactolus** Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
- pactolus** Scarabaeus, J. C. Fabricius, Mant. I. 1787, 12.
- padella** Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 885.
- padella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 656.—Phalaena.
- padera** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 382.
- padi** Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
- padi** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 588.
- padi** Curculio, G. Borsdorff, Curc. Suec. 1785, 26.
- padi** Tenthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 390.
- padina** Peltis, O. F. Müller, Z. Dan. Prod. 1776, 65.
- paedemontanus** *v.* **pedem-**.
- Paederus** J. C. Fabricius, Syst. Ent. 1775, 268.—Col.
- paederus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 51.
- paedotrophos** [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 14.
- paganellus** Gobius, Linnaeus, Syst. Nat., ed. 10, 1758, 263; ed. 12, 1766, 449.
- pagana** Buprestis, A. G. Olivier, Entom. II. 1790, 22.
- paganus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 698.
- paganus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 128.
- paganus** Hemerobius, Linnaeus, Syst. Nat., ed. 12, 1767, 912.
- pagana** Mantis, J. C. Fabricius, Syst. Ent. 1775, 278.
- pagana** Mantispa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
- pagana** Melolontha, A. G. Olivier, Entom. I. 1789, 82.
- paganus** Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
- pagana** Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 326.
- pagana** Noctua, J. C. Fabricius, Syst. Ent. 1775, 606.
- pagana** Sphinx, J. C. Fabricius, Spec. Ins. II. 1781, 146.
- paganus** Tabanus, J. C. Fabricius, Syst. Ent. 1775, 789.
- pagana** Tenthredo, G. W. F. Panzer, Ins. Germ. heft 49 [1798], tab. 16.
- pagaria** Phalaena, J. C. Fabricius, Mant. II. 1787, 192.
- pagodarum** Gracula, F. M. Daudin, Traité élém. Orn. 1800, 287.
- pagodarum** Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
- pagodus** Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Turbo.

- pagodus** Trochus (L.), F. C. Meuschen, Mus. Gever. 1787, 284.—Turbo.
pagodus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1234.
pagrus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 279; ed. 12, 1766, 469.
Pagurus G. Edwards in M. Catesby, Carol. II. 1771, 36.—Cr.
Pagurus J. C. Fabricius, Syst. Ent. 1775, 410.—Cr.
pagurus Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
pagurus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 627; ed. 12, 1767, 1044.
pala Paphia, F. C. Meuschen, Mus. Gever. 1787, 472.
pala Brachionus, O. F. Müller, An. Infus. 1786, 335.
Palaemon F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
Palaemon J. C. Fabricius, Suppl. Ent. Syst. 1798, 378.—Cr.
palemon Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 335.—Papilio.
palemon [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 54.
palemon [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 209.
palaemon Papilio (Pleb.), P. S. Pallas, Reise Russ. I. 1771, 471.
palaeno Papilio (Helic.), Linnaeus, Faun. Suec., ed. 2, 1761, 272.
palaeno Papilio, P. Cramer, Uitl. Kapellen, I (2) 1775, 22.
Palamedea Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 8 & 76.—A.
Palamedea Linnaeus, Syst. Nat., ed. 12, 1766, 232.—A.
Palamedea B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
palamedes Papilio, J. C. Fabricius, Syst. Ent. 1775, 454.
palamedes [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 37.
palamedes Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 68.
palatam Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 138.
palatinus [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 98.
palatina Stratiomys, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 175.
paleacea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 323.
paleacea Phryganea, J. C. Fuessly, Schweiz. Ins. 1775, 45.
paleacea Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
paleacea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [n. n.].
palealis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
palealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
paleana Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [n. et f.].
paleatis Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 335.
paleata Chrysomela (Fourc.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.
paleata Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 97.
paleella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 24.
palegon [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 159.
palemo Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 175.
palemo Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 187.
palemon v. **palaemon**.
Pales J. G. Meigen, N. Class. Mouches, 1800, 14.—Dip.
pales Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 31.
pales Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 177.
pales [Phalaena], D. Drury, Ill. Nat. Hist. I. 1770, index & 47.
palicarius Malachius, *err. pro pulic-*, Fabr. 1777, J. C. Fabricius, Mant. I. 1787, 169.
pallidum v. **pallidum**.
Palinurus J. C. Fabricius, Suppl. Ent. Syst. 1798, 376.—Cr.—[See **Pallinurus**.]
palinurus Papilio, J. C. Fabricius, Mant. II. 1787, 2.
palladella Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 527.
pallasiana Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
pallasii Meloe, F. v. P. Schrank, F. Boica, I. 1798, 637.
pallasii Tarsius, E. Geoffroy, Mag. encyclop. I (1) 1796, 49.
pallens Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
pallens Araneus, F. A. A. Meyer, Spinner Gött. 1790, 13.
pallens Aranea, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
pallens Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
pallens Carabus, J. C. Fabricius, Syst. Ent. 1775, 244.

- pallens** Carabus, A. G. Olivier, Entom. III. 1795, 81.
pallens Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2112.
pallens Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 363.
pallens Cimex, J. C. Fabricius, Mant. II. 1787, 306.
pallens Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—*Cryptocephalus*, 1787.
pallens Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 177.
pallens Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 154.
pallens *Cryptocephalus*, J. C. Fabricius, Mant. I. 1787, 81.
pallens Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 96.
pallens Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 232.
pallens *Galleruca*, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.
pallens Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2065.
pallens Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
pallens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
pallens Locusta, J. C. Fabricius, Mant. I. 1787, 234.
pallens Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.—*Cimex*, 1787.
pallens Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 132.
pallens Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 185.—*Cimex*, 1787.
pallens *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 594.—*Phalaena*.
pallens *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
pallens Prionus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 141.
pallens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.
pallens Scarabaeus [*Copris*], A. G. Olivier, Entom. I. 1789, 170.
pallens Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 297.
pallens Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418; ed. 12, 1767, 675.
pallescens Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
pallescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
pallescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
pallescens Cimex, E. Donovan, Brit. Ins. III. 1794, 101.
pallescens *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
pallescens Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
pallescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
pallescens Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
pallescens Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
pallescens Tipula, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 172.
pallescens Vespa, Giorna, Cal. Ent. 1791, 120.
palliatella *Phalaena*, Scopoli, Ent. Carn. 1763, 248.
palliatella Blatta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 186.
palliatellus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 58.
palliatellus Cassida, J. C. Fabricius, Mant. II. 1787, 380.
palliatellus Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 40.
palliatellus Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 279.
palliatellus Chrysomela, F. v. P. Schrank, F. Boica, I. 1798, 535.
palliatellus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 111.
palliatellus Crioceris (Schall.), J. C. Fabricius, Mant. I. 1787, 87.—*Chrysomela*.
palliatellus *Cryptocephalus* (Schall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
palliatellus Curculio, J. C. Fabricius, Mant. I. 1787, 113. [*Chrysomela*.
palliatellus *Galleruca* (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 22.—*Chrysomela*.
palliatellus Lamproyris (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1887.—*Pyro-*
palliatellus Lycus, Fabr., J. C. Fabricius, Mant. I. 1787, 163.—*Pyrochroa*. [*chroa*.
palliatellus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 181.
palliatellus Medusa, J. B. Bohadsch, Anim. Marin. 1761, 135.
palliatellus Medusa, O. F. Müller, Z. Dan. Prod. 1776, 233.
palliatellus *Noctua*, J. C. Fabricius, Mant. II. 1787, 144.
palliatellus Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
palliatellus Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], No. 15, 1798, 114.
palliatellus *Pyrochroa*, J. C. Fabricius, Syst. Ent. 1775, 203.
pallicornis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 69.

- pallicornis** Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 215.
- pallidalis** Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
- pallidalis** Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 23.
- pallidana** Pyralis, J. C. Fabricius, Gen. Ins. 1777, 292.
- pallidane** Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—Pyralis.
- pallidaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 96 [*n. et f.*].
- pallidaria** Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
- pallidata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
- pallidata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618. [Geometra.]
- pallidata** Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 325.—
- pallide-flavescens** Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen,
- pallidella** Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524. [1778, 220.]
- pallidicornis** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
- pallidipennis** Staphylinus, G. W. F. Panzer, Deutsch. Ins. [1795], 358.
- [**pallidulus** Araneus, C. Clerck, Aran. Svec. 1757, 81.]
- pallidulus** Araneus, T. Martyn, Aranei, 1793, 37.
- pallidulus** Nerita, E. M. da Costa, Brit. Conch. 1778, 51.
- pallidula** Tellina, F. C. Meuschen, Mus. Gev. 1787, 460.
- pallidula** Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 340.
- pallidum** Acarus, N. Mohr, Island. Nat. 1786, 104.
- pallida** Adimonia, F. v. P. Schrank, F. Boica, I. 1798, 558.
- pallida** Alucita, J. Hill, Decade Curious Insects, 1773, 22.
- pallida** Altica, A. F. de Fourcroy, Ent. Paris. 1785, 101.
- pallidus** Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 139.
- pallida** Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 200.
- pallida** Blatta, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 319.
- pallidus** Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 199.
- pallida** Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 727.—[Voluta, ed. 12.]
- pallidum** Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 256.
- pallida** Cantharis, J. C. Fabricius, Mant. I. 1787, 167.
- pallida** Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
- pallida** Cassida, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
- pallida** Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 117.
- pallida** Cassida, C. P. Thunberg, Ins. Suecica (8) 1794, 103.
- pallida** Cassida, G. Paykull, Faun. Suec. II. 1799, 50.
- pallida** Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 262. [baeus.]
- pallida** Cetonia (Dru.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 247.—Scara-
- pallida** Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
- pallida** Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 186.
- pallida** Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 60.
- pallidus** Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
- pallidus** Cimex, P. Rossi, Mant. Ins. II. 1794, 55.
- pallida** Cistela, J. C. Fabricius, Syst. Ent. 1775, 117.
- pallidus** Clerus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 17.
- pallida** Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 9.
- pallida** Coccinella, P. Rossi, Fauna Etrus. I. 1790, 66.
- pallidus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 221; ed. 12, 1766, 381.
- pallida** Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 66.
- pallida** Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
- pallida** Crioceris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 88.
- pallidus** Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—
- pallidus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 488. [Cistela.]
- pallidus** Cyphon (Fab.), G. Paykull, Faun. Suec. II. 1799, 118.—Cistela.
- pallidus** Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 18.
- pallidus** Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
- pallidus** Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
- pallida** Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai
- pallida** Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575. [Fourmis, 1798, 41.]

- pallida* Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
- pallidus* Hydrophilus, P. Rossi, Mant. Ins. I. 1792, 66.
- pallidus* Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
- "*pallidus* Ichthyolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 389.
- pallida* Ips, J. J. Roemer, Gen. Ins. 1789, 41.
- pallida* Ips, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 551.
- pallida* Lampyris, A. G. Olivier, Entom. II. 1790, 16.
- pallidus* Luperus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 84.—Chrysomela.
- pallidus* Luperus (Fab.), J. A. Frolich, Naturforscher, XXVIII. 1799, 25.—Cistela.
- pallida* Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
- pallida* Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
- pallidus* Murex (L.), F. C. Meuschen, Mus. Gev. 1787, 328.—Voluta.
- pallida* Musca, J. C. Fabricius, Mant. II. 1787, 344.
- pallida* Nerita, F. C. Meuschen, Mus. Gev. 1787, 270.
- pallida* Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 73.
- pallida* Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 262.
- pallida* Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 719.
- pallidus* Psittacus, G. Shaw, Nat. Misc. VIII. 1796, pl. 258.
- pallidus* Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 71.
- pallidus* Staphylinus, P. Rossi, Mant. Ins. I. 1792, 99.
- pallidus* Telephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 80.
- pallidus* Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 14.—Cantharis.
- pallida* Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 407.
- pallidus* Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 815.
- pallida* Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
- pallida* Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1189.
- pallida* Zonitis, J. C. Fabricius, Ent. Syst. IV. 1794, 447.
- Pallinurus* F. Weber, Nomen. Fabricii, 1795, 94.—Cr. [N. palliola, D. & S.]
- pallioli* Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 6 & 8 [2].—
- palliola* Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
- palliola* Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 184.
- pallipes* Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 71.
- pallipes* Acarus, J. C. Fabricius, Spec. Ins. II. 1781, 485.
- pallipes* Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 258.
- pallipes* Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 259.
- pallipes* Carabus, J. C. Fabricius, Mant. I. 1787, 202.
- pallipes* Chrysomela, J. C. Fabricius, Mant. I. 1787, 73.
- pallipes* Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 343, no. 26.
- pallipes* Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 376, no. 230.
- pallipes* Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 89.
- pallipes* Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 46.
- pallipes* Dermestes, J. C. Fabricius, Mant. II. 1787, 378.
- pallipes* Elater, J. C. Fabricius, Mant. I. 1787, 174.
- pallipes* Empis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 389.
- pallipes* Forficula, J. C. Fabricius, Syst. Ent. 1775, 270.
- pallipes* Formica, J. C. Fabricius, Mant. I. 1787, 309.
- pallipes* Fulgora, J. C. Fabricius, Mant. II. 1787, 261.
- pallipes* Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.
- pallipes* Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 189.—Cimex, 1781.
- pallipes* Hemerobius, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 63.
- pallipes* Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 416.
- pallipes* Malachus, A. G. Olivier, Entom. II. 1790, 11.
- pallipes* Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stratiomys.
- pallipes* Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 340.
- pallipes* Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 388.
- pallipes* Saperda, A. G. Olivier, Entom. IV. 1795, 31.
- pallipes* Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 33.
- pallipes* Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.

- pallipes** SpheX, G. W. F. Panzer, Ins. Germ. heft 52 [1798], tab. 22.
pallipes Stratiomys, J. C. Fabricius, Spec. Ins. II. 1781, 417.
pallipes Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 14.—*Cantharis*.
pallipes Tipula, J. C. Fabricius, Mant. II. 1787, 326.
pallipes Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 99.
pallipes Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
pallium Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 163.—*Ostrea*.
pallium Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1145.
pallium Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 420.—*Ostrea*. [est.]
pallium Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 280.—[Noct. palliata, Fab.,
palluma Lacerta, G. I. Molina, Sag. stor. nat. Chili, 1782, 217.—[*paluma*, Fr. ed. 1789, 195.]
palmarius Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 411.
palmaria SpheX, [Scheven], Naturforscher, XX. 1784, 100.
palmaria Vespa (Scheven), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—*SpheX*.
palmarum Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 47.
palmarum Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 377; ed. 12, 1767, 606.
palmarum Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
palmarum Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
palmarum Rynchophorus (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 5.—
palmarum Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 86. [Curculio].
palmarum Sylvia (Gm.), J. Latham, Index Orn. 1790, 544.—*Motacilla*.
palmarum Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
palmatum Alcyonium, P. S. Pallas, Elench. 1766, 349.
palmata Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 68.
palmatum Callidium, A. G. Olivier, Entom. IV. 1795, 29.
palmata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 118.
palmatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 3.
palmata Donacia, A. G. Olivier, Entom. IV. 1795, 8.
palmata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 38.
palmata Pennatula, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 278.
palmatum Phalangium, J. F. W. Herbst, Nat. ungefl. Ins. (1), 1797, 82.
palmatus Prionus, J. C. Fabricius, Ent. Syst. I (2), 1792, 249.
palmata Rana, B. G. E. de Lacépède, Quad. Ovip. &c. I. 1788, Syn. méth.
palmata Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 72.
palmata Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 189.
palmata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 375.
palmestoni Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 573.
palmes Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 169.
Palmipes C. F. Schultze, Verst. Seest. 1760, 51.—*Ast*.
palmipes Apis, P. Rossi, Mant. Ins. I. 1792, 141.
palmipes Asterias, G. Olivi, Zool. Adriat. 1792, 66.
palmipes Lepas, Linnaeus, Mant. II. 1771, 544.
palmipes Musca, P. Rossi, Mant. Ins. II. 1794, 74.
palmipes Salamandra, P. A. Latreille, Salamand. France, 1800, 31 & 55.
palmipes SpheX, Linnaeus, Syst. Nat., ed. 12, 1767, 944.
palmipes SpheX, F. v. P. Schrank, Ins. Aust. 1781, 384.
palmista Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
palma Gorgonia, P. S. Pallas, Elench. 1766, 189.
palma Isis, Mercat., P. L. S. Müller, Del. Nat. I. 1766, 127.
palmus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 100.
palmmyra [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 159.
palpalis Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—*Phalaena*, 1775.
palpalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 642.
palpalis Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 441.—*Phalaena*.
palpalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 6 [2].
palpator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
palpator Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
palpatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 21 [n. n.].

- palpatus* Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2069.
palpatus Gryllus Tettigonia, J. H. Sulzer, Gesch. Ins. 1776, 83.
palpebrata Diomedea, J. R. Forster, Mém. présentés Ac. Roy. Sci. [Paris], X. 1785, 571.
palpebratus Sparus, P. Boddaert in P. S. Pallas, N. nord. Beytr. II. 1781, 55.
palpebrosa Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 484.
palpella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
palpinalis Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 6.
palpinalis Phalaena, Giorna, Cal. Ent. 1791, 52.
palpina Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 575.—Phalaena.
palpina [Phalaena], C. Clerck, Icones, I. 1759, pl. ix, 8.
palpina Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
palpina Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 305.
paludata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
paludata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 213.
paludata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 873.
[*paludicola* Araneus, C. Clerck, Aran. Svec. 1757, 94.]
paludicola Araneus, T. Martyn, Aranei, 1793, 43.
paludis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
paludosa Alauda, J. P. Bonnaterre, Ency. Méth. (Orn.), 1791, 313.
paludosa Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
paludosa Apis, C. Allioni, Misc. Taurin. III. 1766, 197.
paludosa Aranea, C. de Geer, Mém. Ins. VII. 1778, 278.
paludosus Cancer, O. F. Müller, Zool. Dan. II. 1784, 23.
paludosus Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 118.
paludosus Cervus, R. Kerr, Anim. Kingd. 1792, 303.
paludosus Elaphrus, A. G. Olivier, Entom. II. 1790, 5.
paludosus Elaphrus, G. W. F. Panzer, Ins. Germ. heft 20, 1794, tab. 4.
paludosa Helix, E. M. da Costa, Brit. Conch. 1778, 59.
paludosus Mus, Linnaeus, Mant. II. 1771, 522.
paludosa Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 661.
paludosa Spheg, P. Rossi, Fauna Etrus. II. 1790, 61.
paludosa Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 239.
paludum Aquarius (Fab.), J. R. Schellenberg, Cimic. Helvet. 1800, 20.—Gerris.
paludum Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 188.
palumbarius Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 6.—Falco.
palumbarius Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 91; ed. 12, 1766, 130.
palumbaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 102.
palumbata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 221
palumbella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138. [*n. et f.*].
palumbella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 35.
Palumbus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 4 & 40.—A.
palumbus Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 279.
palustralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 21.
palustrata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 214.
palustris Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
palustris Binoculus, O. F. Müller, Z. Dan. Prod. 1776, 200.
palustre Buccinum, O. F. Müller, Verm. II. 1774, 131.
palustris Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 302.—Buccinum.
palustre Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 486.—Strombus.
palustris Curculio, Scopoli, Ent. Carn. 1763, 33.
palustris Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
palustris Donacia, G. W. F. Panzer, Deutsch. Ins. [1795], 217.
palustris Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 10.
palustris Dytiscus, Linnaeus, Faun. Suec., ed. 2, 1761, 216.
palustris Dyticus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
palustris Empis, Scopoli, Ent. Carn. 1763, 369.
palustris Gekko (L.), F. A. A. Meyer, Syn. Rept. 1795, 22.—Lacerta.
palustris Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3658.—Buccinum.

- palustris Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109.
 palustris Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 249.
 palustris Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 370.
 palustris Lacerta (Laur.), G. Shaw, Nat. Misc. VIII. 1797, pl. 279.—Triton.
 palustris Leptura (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1866.—
 palustris Limulus, O. F. Müller, Entom. 1785, 127.—Binoculus, 1776. [Donacia.
 palustris Motacilla, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 18.
 palustris Musca, Scopoli, Ent. Carn. 1763, 345.
 palustris Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190; ed. 12, 1766, 341.
 palustris Passer, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
 palustris Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
 palustris Salamandra, F. C. Meuschen, Mus. Gronov. 1778, 7.
 palustris Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 60.
 palustris Strix, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 344.
 palustris Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1213.
 palustris Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1041.
 palustris Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 978.
 palustris Triton, J. N. Laurenti, Syn. Rept., 1768, 39.
 pamela [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 61.
 pammon [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 147.
 pammon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
 pamphilia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 153.
 pamphilius [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 217.
 pamphilus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 791.
 pampholyge [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 77.
 pamphylus Papilio, *v.* pamphilus, Linn., O. F. Müller, F. Ins. Frid. 1764, 33.
 pampinatrix Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 55.
 pan Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—Scarabaeus, 1792.
 pan [Papilio], D. Drury, Ill. Nat. Hist., II. 1773, index & 40.
 pan Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 5.
 pan [Sphinx], P. Cramer, Utitl. Kapellen, III (18) 1779, 39.
 panacea Spongia, F. C. Meuschen, Mus. Gever. 1787, 528.
 panama Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
 panamensis Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1095.
 panayanus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 413.
 panayana Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1018.
 panayensis Buceros, J. A. Scopoli, Del. Insub. II. 1786, 87.
 panayensis Buceros, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 360.
 panayensis Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 843.
 panayensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 885.
 panayensis Emberiza, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
 panayensis Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
 panayensis Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 96.
 panayensis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 607.
 panaya Sterna, *id. ac* panayensis, Gm., J. Latham, Index Orn. 1790, 808.
 pandcratii Noctua, D. Cyrillo, Ent. Neap. (typogr. ed.), 1787, 8.
 pandarus Cimex, Scopoli, Ent. Carn. 1763, 126.
 pandarus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
 pandion Papilio (Danaus), N. Poda, Ins. Mus. Graec. 1761, 66.
 pandion [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 65.
 pandionia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 228.
 Pandora J. G. Bruguière, Ency. Méth. (Tabl. Vers.) pl. 250 (1797).—L.
 Pandora Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—L.
 pandora Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 176.
 pandora Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 37.
 pandora Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 257.
 pandora Sesia, J. C. Fabricius, Ent. Syst. III (1) 1793, 380.
 pandrosa Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 211.—Phalaena.

- pandrose Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 95.
- pandrosa [Phalaena], P. Cramer, Uitl. Kapellen, I (7) 1775, 122.
- pandularia Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 451.
- pandurus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
- "Pangonius, Latreille, 1794," Scudd.; I cannot find this before "Hist. Nat. Ins. (Sonnini's Buffon, 1802.)"—Dip.
- paniceum Anobium (L.), A. G. Olivier, Entom. II. 1790, 11.—Dermestes.
- paniceus Byrrhus, A. F. de Fourcroy, Ent. Paris. 1785, 26.
- paniceus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.
- panicea Spongia, P. S. Pallas, Elench. 1766, 388.
- pancivora Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
- paniculata Antipathes, E. J. C. Esper, Pflanzenth., Forts. I (7) 1797, 184.
- panini Buceros, P. Boddaert, Tab. Planch. Enl. 1783, 48.
- paniscus Bibio, P. Rossi, Fauna Etrus. II. 1790, 276.
- paniscus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 46.—Simia.
- paniscus Cercopithecus, J. F. Blumenbach, Handb. Naturg. 1779, 68.
- paniscus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—Scarabaeus.
- paniscus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
- paniscus Papilio, J. C. Fabricius, Syst. Ent. 1775, 531.
- paniscus Papilio (Fab.), E. Donovan, Brit. Ins. VIII. 1799, 7.—Hesperia.
- paniscus Sapajou, B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.
- paniscus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 24.
- paniscus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 37.
- paniscus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 76.
- pann Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 276.
- pann Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
- pannonica Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.
- pannonicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1856.
- pannonicus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 208.
- pannonicus Mergus, J. M. Bechstein, Latham's Vögel, VI. 1798, 375.
- pannonicus Mergus, J. A. Scopoli, Annus I. 1769, 72.
- pannonica Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 3.
- pannonicus Ptinus, J. A. Scopoli, Annus V. 1772, 89.
- panope Papilio, J. C. Fabricius, Syst. Ent. 1775, 512.
- panope Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
- panopus [Sphinx], P. Cramer, Uitl. Kapellen, III (19) 1779, 50.
- Panorpa Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 915.—Neur.
- pantaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judge 1796], fig. 84 [*n. et f.*].
- pantaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 863.
- panthalon Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 405.
- Panthera G. Edwards in M. Catesby, Carol. I. 1771, xxv.—M.
- panthera Felis, J. C. P. Erxleben, Syst. Anim. 1777, 508.
- panthera Felis, J. C. D. Schreber, Säugth. III. 384 (1777) & 386 (1777), pl. xcix (1776).
- panthera Papilio, J. C. Fabricius, Mant. II. 1787, 39.
- panthera Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 281.
- [pantheratus Papilio, MS.], T. Martyn, Psyche, 1797, figs. 27 & 35.
- pantherata Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 47.
- pantherinus Anarrichas, B. Zouiew, Acta Ac. Sci. Petrop. 1781 (1), 1784, 271.
- pantherina Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.
- pantherinus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 506.
- pantherina Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 980.
- pantherinum Myrmeleon, J. C. Fabricius, Mant. I. 1787, 249.
- pantherinus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3584.
- panthea Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 447.
- pantheus Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 7.
- panthonus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 154.
- panthona [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 68.
- panthorina Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 443.

- panthous *Papilio* (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 748.
- panus Bulla, F. C. Meuschen, Mus. Gever. 1787, 396.
- panzerella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 339.
- panzerella Phalaena, E. Donovan, Brit. Ins. III. 1794, 106.
- paomedia *Papilio*, *err. pro laomedia*, L., J. C. Fabricius, Mant. II. 1787, 37.
- papa Locusta, *err. pro pupa Gryllus*, L., J. C. Fabricius, Mant. I. 1787, 234.
- papa *Loxia*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 152.
- papa Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 122.
- papalis Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
- papalis Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
- papalis Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 135.—*Voluta*.
- papalis Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
- papalis *Voluta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3459; *see V. mitra var.*
- papatasi Bibio, J. A. Scopoli, Del. Insub. I. 1786, 55. [papalis.]
- papatasi Musca (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2866.—Bibio.
- papaveris Aphis, J. C. Fabricius, Gen. Ins. 1777, 303.
- papaveris Apis, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 29, 1799, 33.
- Paphia J. F. Bolten, Mus. Bolten. (2) 1798, 175.—L.
- Paphia Lamarck, Mém. Soc. H. N. Paris, 1799, 85.—L.
- paphia Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—Venus.
- paphia Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 60.
- paphia *Papilio* (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 481; ed. 12, 1767, 785.
- paphia [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 81.
- paphia Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 809.
- paphia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 496.—[P. (Attacus), ed. 12.]
- paphia Phalaena (*non* Linn.), J. H. Sulzer, Gesch. Ins. 1776, 159.
- paphia Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1129.
- paphioides *Papilio*, C. C. Jung, Alph. Verz. Schmett. II. 1792, 84.
- paphos Noctua, J. C. Fabricius, Mant. II. 1787, 137.
- paphos [Sphinx], P. Cramer, Utitl. Kapellen, III (18) 1779, 39.
- Papilio Linnaeus, Syst. Nat., ed. 10, 1758, 458; ed. 12, 1767, 744; divided by him into Barbari, Equites, Heliconii, Danaï, Nymphales, Plebeji, words apparently used in a sub-generic sense.—Lep.
- papilio Chaetodon, G. S. Volta, Itt. Veron. (2) [circa 1800], cxiv.
- papilio Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 86.
- papilio Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
- papilio Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 42.
- papilio Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19.
- papilionacea Clione, P. S. Pallas, Naturg. merk. (X.) 1778, 37.
- papilionaceus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792 665.
- papilionaris Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 4. [*et f.*]
- papilionaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 6 [n.]
- papilionaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767,
- papiliopennis SpheX, J. L. Christ, Nat. Ins. 1791, 297. [864.]
- papilla Helix, O. F. Müller, Verm. II. 1774, 100.
- papilla Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
- papillaris Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 353.—Helix.
- papillaris Helix, O. F. Müller, Verm. II. 1774, 120.
- papillaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
- papillaris Spongia, P. S. Pallas, Elench. 1766, 391.
- papillaris Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
- papillaris *Voluta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3467.
- papillaris Vorticella, O. F. Müller, An. Infus. 1786, 266.
- papillaria SpheX, J. L. Christ, Nat. Ins. 1791, 325.
- papillator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
- papillator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
- papillata *Cidaris*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 125.—*varr. major*, 126; minor, 127; spinis, 134.

- papillosa** Acanthia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 111.
- papillosum** Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 217.—Gryllus.
- papillosum** Alcyonium, P. S. Pallas, Elench. 1776, 350.
- papillosum** Ascaris, M. E. Bloch, Eingeweidewürmer, 1782, 32.
- papillosum** Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
- papillosum** Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 405.
- papillosum** Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 20.
- papillosum** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
- papillosum** Cardium, J. X. Poli, Test. Sicil. II. 1795, 56.
- papillosum** Cimex, D. Drury, Ill. Nat. Hist. I. 1770, index & 96.
- papillosa** Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
- papillosa** Doris (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3104.—Limax.
- papillosa** Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 105.
- papillosa** Gorgonia, E. J. C. Esper, Pflanzenth., Forts. I (7) 1797, 173.
- papillosum** Gryllus, J. C. Fabricius, Ent. Syst. 1775, 827.
- papillosa** Holothuria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 47.
- papillosa** Limacia, O. F. Müller, Zool. Dan. (Danish ed.) 1781, 66.—Doris, 1776.
- papillosum** Limax, Linnaeus, Faun. Suec., ed. 2, 1761, 508.
- papillosum** Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
- papillosa** Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 169.
- papillosum** Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 82.
- papillosum** Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 459.
- papillosa** Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
- papillosum** Tethyum, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 100.
- papillosum** Trochus, E. M. da Costa, Brit. Conch. 1778, 38.
- Papio** J. C. P. Erxleben, Syst. Anim. 1777, 15.—M.
- Papio** G. Cuvier, Leçons Comp. Anat. I. 1800, 1 [n. n.].—M.
- Papipio**, *v.* **Papilio** Linnaeus, Mus. Lud. Ulr. 1764, 246.—Lep.
- papou** Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
- papposa** Asterias, Linnaeus, Syst. Nat., ed. 12, 1767, 1098.
- papua** Aptenodytes, J. R. Forster, Comm. Soc. R. Sci. Gött. III. 1781, 134.
- papuae** Apterodita, J. A. Scopoli, Del. Insub. II. 1786, 91.
- papuanus** Musculus, J. F. Bolten, Mus. Bolten. (2) 1798, 157.
- papuensis** Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 371.
- papuensis** Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1004.
- papuensis** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 317.
- papuensis** Psittacus, R. Kerr, Anim. Kingd. 1792, 566; *varr.* porphyrostethos, melano-
- papuensis** Upupa, J. Latham, Index Orn. 1790, 279. [notos, chlorogaster.]
- papulosum** Buccinum, T. Martyn, Univ. Conch. II. [1788], fig. 54.
- papulosus** Cerambix, A. G. Olivier, Entom. IV. 1795, 72.
- papula** Enchelis, *err. pro* pupula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3904.
- papus** Gryllus, *v.* **pupus**.
- papyracea** Argonauta, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
- papyraceum** Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 260.
- papyracia** Bulla, C. U. v. Salis, Reise Neapel, 1793, 365.
- papyraceum** Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 231.
- papyraceum** Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
- papyracea** Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164.
- papyracea** Eschara, *emend.* **papyrea**, P. S. Pallas, Syst. Plant-Dieren, 1768, 68.
- papyracea** Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1301.
- papyracea** Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3257.
- papyracea** Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 37.
- papyracea** Mya, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 1.
- papyraceus** Nautilus, P. L. S. Müller, Del. Nat. I. 1766, 129.
- papyracea** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
- papyracea** Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3722.
- papyraceus** Pholas, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 92.
- papyracea** Pinna, F. C. Meuschen, Mus. Gever. 1787, 412.

- papyracea Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3367.
papyracea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [*n. n.*].
papyracea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
papyracea Tubularia, P. S. Pallas, Elench. 1766, 88.
papyraceus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3596.
papyratia Phalaena (Bombyx), T. Marsham, Tr. Linn. Soc. [Lond.] I. 1791, 72.
papyrea Eschara, P. S. Pallas, Elench. 1766, 56.
paracanthesis Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 1066.
paracanthesis Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.—*Cryptocephalus*, 1775.
paracantesis *Cryptocephalus* (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—*Chrysomela*.
Paradisaea Linnaeus, Syst. Nat., ed. 10, 1758, 110.—A.
Paradisea Linnaeus, Syst. Nat., ed. 12, 1766, 166.—A.
paradisea Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 181.
paradisea Ardea, H. Lichtenstein, Cat. rerum Nat. I. 1793, 28.
paradiseus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
paradisaea Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 312.
paradisea Gracula, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [*n. n.*].
paradiseus Polynemus, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 522.
paradisea Sterna, E. Pontoppidan, Danske Atlas, I. 1763, 622. [paradisi.
paradisaeus Todus (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 445.—*Corvus*
paradisaeus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 189.
paradisea Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 118; ed. 12, 1766, 181.
paradisi *Corvus*, Linnaeus, Syst. Nat., ed. 10, 1758, 107.
paradisi *Muscicapa*, Linnaeus, Syst. Nat., ed. 12, 1766, 324.
paradisi *Psittacus*, Linnaeus, Syst. Nat., ed. 10, 1758, 101; ed. 12, 1766, 147.
paradisiacus *Sciurus*, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, II. 1800, 707.
paradisaiaca Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
paradop[x]a *Acanthia* (Spar.), J. C. Fabricius, Spec. Ins. II. 1781, 510.—*Cimex*.
paradoxus *Asellus* (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 252.—*Oniscus*.
paradoxa Bombyx, J. C. Fabricius, Mant. II. 1787, 130.
paradoxus *Cimex*, A. Sparrman, K. Vet. Ac. Handl. XXXVIII. 1777, 234.
paradoxus *Corvus*, F. M. Daudin, Traité élém. Orn. 1800, 246.
paradoxa *Cymothoa*, J. C. Fabricius, Ent. Syst. II. 1793, 503.—*Oniscus*, 1775.
“paradoxus *Entomolitus*,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 160.
paradoxa *Fistularia*, P. S. Pallas, Spic. Zool. VIII. 1770, 32.
paradoxus *Gammarus*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 221.
paradoxa *Gorgonia*, E. J. C. Esper, Pflanzenth., Forts. I (6) 1796, 167.
paradoxa *Helix*, I. v. Born, Test. Mus. Caes. Vindob. 1780, 394.
paradoxa *Lacerta* (L.), G. de Razoumowsky, Hist. Nat. Jorat, 1789, 111.—*Rana*.
paradoxum *Lymexylon*, G. Paykull, Faun. Suec. II. 1799, 162.
paradoxa *Mantis*, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
paradoxa *Mordella*, Linnaeus, Faun. Suec., ed. 2, 1761, 228.
paradoxa *Mordella*, C. Allioni, Misc. Taurin. III. 1766, 189.
paradoxus *Oniscus*, J. C. Fabricius, Syst. Ent. 1775, 296. [Entomolitus.
paradoxus *Oniscus* (L.), G. B. Genzmer, Mag. Nat. Meklenburgs, II. 1795, 93.—
paradoxus *Ornithorhynchus*, J. F. Blumenbach, Abb. nat. Gegen., no. 41, 1800.
paradoxus *Ornithorhynchus*, J. F. Blumenbach, Voigt's Mag. Naturk. II (1) 1800, 205.
paradoxa *Phalaena*, J. H. Sulzer, Gesch. Ins. 1776, 163.
paradoxa *Phalaena*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 36.
paradoxa *Rana*, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 356.
paradoxus *Ripiphorus* (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
paradoxa *Sylpha*, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 113.
paradoxa *Tenthredo*, J. L. Christ, Nat. Ins. 1791, 461.
paradoxa *Tetrao*, P. S. Pallas, Reise Russ. II. 1773, 712.
paradoxa *Thrips*, Linnaeus, Amoen. Acad. VI. 1763, 401.
paradoxa *Tipula*, N. Host in Jacquin, Coll. Bot. III. 1789, 300.
paradoxa *Venus*, I. v. Born, Index Mus. Caes. Vind. 1778, 53.
paraguanus *Psittacus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 336.

- paraguensis *Mustela* (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
 parallelalis *Phalaena* (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
 paralellaria *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 104.
 paralellaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 43 [u.
 parallelaria *Phalaena* Geom., C. de Villers, Linn. Ent. II. 1789, 322. [et f.]
 paralleli *Musca*, M. Harris, Exp. Eng. Ins. 1776, 43.
 parallelepipedus *Carabus*, M. Piller & L. Mitterpacher, Iter. Poseg. 1783, 105.
 parallelipipedus *Carabus*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 335.
 parallelepipedus *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 275.
 parallelepipedus *Hister*, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 37.
 parallelipipedus *Lucanus*, Linnaeus, Syst. Nat., ed. 12, 1767, 561.—*Scarabaeus*, 1758.
 parallelipipedus *Platycerus*, A. F. de Fourcroy, Ent. Paris. 1785, 2.
 parallelipipedus *Scarabaeus*, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[*Lucanus*, ed. 12.]
 parallelogramma *Ascidia*, O. F. Müller, Z. Dan. Prod. 1776, 226.
 parallello-lineata *Phalaena*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 43.
 parallela *Aranea*, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
 parallelus *Carabus*, [D. H. Schneider], Nom. Ent. 1785, 22 [u. n.].
 parallelus *Curculio*, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 5.
 parallela *Forficula*, J. C. Fabricius, Syst. Ent. 1775, 270.
 parallela *Leptura*, Scopoli, Ent. Carn. 1763, 47.
 parallelus *Musca*, M. Harris, Exp. Eng. Ins. 1776, 57.
 paralella *Nerita*, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
 parallela *Noctua*, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
 parallela *Tinea*, Block in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 22.
 Paramaecium O. F. Müller, Verm. I (1) 1773, 54.—Inf.
 paramaribons (*sic*) *Scarabaeus*, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 299.
 paranympha *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 603.—*Phalaena*.
 paranympha *Phalaena* (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 842.
 paraplecticus *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 610.
 parasitella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 20.
 parasites *Brachionus*, J. F. Blumenbach, Mag. Neuste Phys. u. Nat. VI (1) 1790, 55.
 parasiticus *Acarus*, C. de Geer, Mém. Ins. VII. 1778, 118.
 parasitica *Asterias*, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 291.
 parasiticus *Atomus* (De Geer), P. A. Latreille, Préc. Car. Ins. 1796, 177.—*Acarus*.
 parasiticus *Cancer*, Linnaeus, Amoen. Acad. VI. 1763, 415.
 parasitica *Catharacta* (Linn.), M. T. Brünnich, Orn. Boreal. 1764, 37.—*Larus*.
 parasitica *Clava*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3131.
 parasiticum *Glochidium*, J. Rathke, Skr. nat. Selsk. [Copen.], IV (1) 1797, 166.
 parasiticus *Larus*, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 226.
 parasitica *Madrepora*, O. Fabricius, F. Groen. 1780, 431.
 parasitica *Ostrea*, P. G. Lindroth, Mus. Grill. 1788, 17 [u. n.].
 parasitica *Ostrea*, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3336.
 parasitica *Sertularia*, Linnaeus, Syst. Nat., ed. 12, 1767, 1315.
 parasiticus *Stercorarius* (L.), J. C. Schaeffer, Mus. Orn. 1789, 62.—*Larus*.
 Parasitus P. A. Latreille, Mag. encyclop. III (13) 1795, 19.—Ar.
 parasita *Curculio*, J. C. Fabricius, Ent. Syst. I (2) 1792, 441.
 parasitus *Falco*, F. M. Daudin, Traité élém. Orn. 1800, 150.
 parasita *Phalaena Bombyx*, J. Hübner, Beitr. Schmett. II. 1790, 42.
 parasita *Stomoxys*, J. C. Fabricius, Spec. Ins. II. 1781, 467.
 parce *Sphinx*, J. C. Fabricius, Syst. Ent. 1775, 543.
 parcus *Musca*, M. Harris, Exp. Eng. Ins. 1776, 144.
 pardalina *Coccinella*, J. C. Fabricius, Spec. Ins. I. 1781, 106.
 pardalis *Copris*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 29.
 pardalis *Cypraea*, G. Shaw, Nat. Misc. VI. 1794, pl. 193.
 pardalis *Cypraea*, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
 pardalis *Felis*, Linnaeus, Syst. Nat., ed. 10, 1758, 42; ed. 12, 1766, 62.
 pardalis *Murex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
 pardalis *Myrmeleon*, J. C. Fabricius, Spec. Ins. I. 1781, 398.

- pardella** Felis, P. S. Pallas, Acta Ac. Sci. Petrop. 1781 (1), 1784, 281.
- pardus** Coluber, G. A. Suckow, Naturges. III. 1798, 241.
- pardus** Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
- pardus** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24.
- pardus** Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 41; ed. 12, 1766, 61.
- parenthesella** Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
- parenthesella** Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena. [153.]
- parenthesis** Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782,
- parenthesis** Cryptocephalus, F. v. P. Schrank, F. Boica, I. 1798, 553.—Chrysomela, 1782.
- pareola** Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
- parhassus** Papilio, D. Drury, Ill. Nat. Hist. III. 1782, index & 4.
- pari** Acarus (L.), F. v. P. Schrank, Ins. Aust. 1781, 511.—Pediculus.
- pari** Alysseminthus, J. G. II. Zeber in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 284.
- pari** Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
- pariana** Ph[alae]na, C. Clerk, Icones, I. 1759, pl. x, 9.
- pariana** Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 349.
- pariana** Pyralis (L.), J. C. Fabricius, Mant. II. 1787, 236.—Phalaena.
- pariana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 1 [n. et f.].
- parietina** Apis, A. F. de Fourcroy, Ent. Paris. 1785, 443.
- parietina** Apis, J. C. Fabricius, Ent. Syst. II. 1793, 323.
- parietina** Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 533.
- parietina** Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
- parietinus** Opilio (De G.), J. F. W. Herbst, Nat. ungefl. Ins. (2) 1798, 12.—Phalangium.
- parietinum** Phalangium, C. de Geer, Mém. Ins. VII. 1778, 166.
- parietina** Vespa, Linnaeus, Faun. Suec., ed. 2, 1761, 418.
- parietina** Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 268.
- parietum** Certhia, J. Latham, Index Orn. 1790, 298.
- parietum** Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 949.
- parimariboa** Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 205.
- pari-palustris** Pediculus, J. A. Scopoli, Annus V. 1772, 125.
- paripunctella** Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 96.
- paris** Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 745.
- parisiensis** Tipula, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 26.
- parisiensium** Chamaeleo, J. N. Laurenti, Syn. Rept. 1768, 45.
- parisina** Crioceris, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 93.
- parisinus** Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
- parisinus** Curculio, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 16.
- parisina** Leptura, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 16.
- parisinus** Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 85.
- parisinus** Triton, J. N. Laurenti, Syn. Rept. 1768, 40. [house, Gen. Avium.—A.
- “Parkinsonius, Bechst. Gem. Naturg. 180-,” Ag; I cannot find it before 1811, see Water-
- parmenoides** [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 144.
- parnassiae** Cimex, Mayer, Abh. Privatges. Böhmen, IV. 1779, 183.
- parnassiae** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
- Parnopes** P. A. Latreille, Préc. Car. Ins. 1796, 127.—Hym.
- Parnus** J. C. Fabricius, Ent. Syst. I (1) 1792, 245.—Col.
- parochus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 55.
- paroticus** Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 476.
- parotis** Colymbus, A. Sparrman, Mus. Carls. I. 1786, no. ix.
- Parra** Linnaeus, Syst. Nat., ed. 12, 1766, 259.—A.
- Parra** B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 19.—A.
- parra** Gralla, J. P. Eberling in Sonnerat, Reise Neuguinea, 1777, 31.
- parrhasius** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 289.
- parrhasia** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 175.
- parra** Phasianus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 740.
- parraqua** Phasianus, J. Latham, Index Orn. 1790, 632.
- parsimon** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 303.
- parsimon** Papilio, J. C. Fabricius, Syst. Ent. 1775, 526.

- parthenias Noctua (L.), E. J. C. Esper, Die Schmett. IV (32) 1787, 53.—Phalaena.
- parthenias Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 308.
- parthenie [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 34.
- parthenii Phalaena (*ex* Bergstr.), F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde,
- parthenii Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 402. [II. 1781, 310.]
- Parthenope F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
- Parthenope J. C. Fabricius, Suppl. Ent. Syst. 1798, 315.—Cr.
- Parthenope J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 16.—Cr.
- parthenopeus Murex, C. U. v. Salis, Reise Neapel, 1793, 370.
- “partialis Anthropolithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 386.
- “partialis Ornitholithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 157.
- partitus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
- partita Noctua, J. C. Fabricius, Syst. Ent. 1775, 604.
- paru Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 57.
- paru Stromateus, Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432.
- parumpunctatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 157.
- Parus Linnaeus, Syst. Nat., ed. 10, 1758, 189; ed. 12, 1766, 340.—A.
- parvella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 343.
- parvella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1794.
- parvulus Alpheus (Fab.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
- parvula Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 277.
- parvula Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
- parvulus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 451.
- parvula Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 521.
- parvula Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 286.
- parvulus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36.
- parvulus Cryptocephalus, O. F. Müller, Z. Dan. Prod. 1776, 58.
- parvulus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 109.
- parvulus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 469.
- parvulus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
- parvulus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
- parvulus Elater, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 7.
- parvula Ephemera, Scopoli, Ent. Carn. 1763, 264.
- parvula Galeruca, G. Paykull, Faun. Suec. II. 1799, 102.
- parvula Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].
- parvulus Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
- parvulus Hister, P. Rossi, Mant. Ins. I. 1792, 14.
- parvulus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 314.
- parvula Libellula, O. F. Müller, Z. Dan. Prod. 1776, 141.
- parvulus Lyctus, G. Paykull, Faun. Suec. III. 1800, 329.
- parvula Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
- parvulus Musca, M. Harris, Exp. Eng. Ins. 1776, 48.
- parvula Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
- parvulus Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
- parvulus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
- Parvus J. A. Scopoli, Del. Flor. et Faun. Insub. II. 1786, 96.—A.
- parva Anas, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- parva Ardea, Bartram; B. S. Barton, N. H. Pennsyl. 1799, 19.
- parva Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 250.—Haliotis.
- parvus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 407.
- parva Cantharis, Scopoli, Ent. Carn. 1763, 44.
- parvum Cardium, E. M. da Costa, Brit. Conch. 1778, 177.
- parva Chama, E. M. da Costa, Brit. Conch. 1778, 234.
- parva Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 66.
- parvus Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
- parvus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46. [Crioceris.]
- parva Fulica, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- parva Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.

- parva Helix, E. M. da Costa, Brit. Conch. 1778, 85.
- parva Hirundo, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- parvus Lemur, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, I. 1799, 240.
- parva Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
- "parva Motacilla," J. A. Naumann, Naturg. Vögel, I (6) 1797, Register [p. 253].
- parva Muscicapa, J. M. Bechstein, Getreue Abbild. heft 2, 1793, 26.
- parva Patella, E. M. da Costa, Brit. Conch. 1778, 7.
- parvus Pecten, E. M. da Costa, Brit. Conch. 1778, 153.
- parvus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 579.
- parvus Pholas, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 65.
- parvus Pullata, M. Harris, Exp. Eng. Ins. 1776, 77.
- parvus Rallus, J. A. Scopoli, Annus I. 1769, 108.
- parvus Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2037.
- parvus Trochus, E. M. da Costa, Brit. Conch. 1778, 41.
- parvus Trochus, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
- parvus Turbo, E. M. da Costa, Brit. Conch. 1778, 104.
- pasan Lucanus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 21.
- paschalis Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22. [159.—Geometra.
- pascuaria Phalaena Geometra (Brahm), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
- pascuata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
- pascuella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
- pascuella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
- pascuorum Apis, Scopoli, Ent. Carn. 1763, 306.
- pascuum Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea pascuella.
- pasinuntia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 55.
- pasinuntia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 149.
- pasiphae [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 127.
- pasiphaë Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 33. [99.
- pasiphae Papilio N. G., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781,
- pasithea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 46.
- pasithoe Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 755.
- pasithoe Papilio, P. Cramer, Uitl. Kapellen, I (2) 1775, 25.
- pasiuana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 99 [*n. et f.*].
- pasquagana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 226.—Tortrix.
- pasquayana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
- passalus Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 159.
- Passalus J. C. Fabricius, Ent. Syst. I (2) 1792, 240.—Col.
- passalus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 52.
- passan Apterotonotus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 200.
- passaragia Otis, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].
- Passer M. J. Brisson, Ornith. III. 1760, 72.—A.
- Passer (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
- passer Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 459.
- Passerculus G. Edwards in M. Catesby, Carol. I. 1771, 35.—A.
- passerculus bononiensis Passer, J. C. Schaeffer, Mus. Orn. 1789, 25.
- passerinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
- passerina Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 165; ed. 12, 1766, 285.
- passerinus Cuculus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 57.
- passerina Emberiza, P. S. Pallas, Reise Russ. I. 1771, 456.
- passerinus Lanius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 5.
- passerina Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 954.
- passerinus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 174.
- passerinus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.
- passerina Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
- passerina Strix, R. Kerr, Anim. Kingd. 1792, 540; *varr.* americana, rossica.
- passerina Sylvia (Gm.), J. Latham, Index Orn. 1790, 508.—Motacilla.
- passeris Pediculus, A. F. de Fourcroy, Ent. Paris. 1785, 518.
- passeris Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3071.

- passiflorae* Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 60.
passilus Cryptocephalus, *err. pro* pusillus, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 84.
passus Brachionus, O. F. Müller, An. Infus. 1786, 353.
pastilla Stribilita, F. C. Meuschen, Mus. Gever. 1787, 488.
pastinaca Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 396.
pastinacae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
pastinacae Curculio, P. Rossi, Fauna Etrus. I. 1790, 116.
pastinacae Ichneumon, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 351.
pastinacae Leptura, G. W. F. Panzer, Deutsch. Ins. [1795], 275.
pastulella Tinea, J. C. Fabricius, Mant. II. 1787, 241.
 [patagiatus Araneus, C. Clerck, Aran. Svec. 1757, 38.]
patagiatus Araneus, T. Martyn, Aranei, 1793, 161. [Sci. Gött. III. 1781, 134.
patachonica Aptenodytes, *id. ac* patagonica, J. F. Miller, J. R. Forster, Comm. Soc. R.
patagonica Aptenodytes, J. F. Miller, Icon. Anim., pl. 23 (1778).
patagonica Cavia, P. Boddart, Elench. 1785, 102.
patagonica Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 957.
patachonica Pinguinaria (Mill.), G. Shaw, Mus. Lever. I. 1792, 144.—Aptenodytes.
patagonica Sylvia (Gm.), J. Latham, Index Orn. 1790, 517.—Motacilla.
patagonum Cavia, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 328.
patas Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 34.—Simia.
patas Simia, J. C. D. Schreber, Säugth. I. 98 (1774), pl. xvi (1774).
patavinus Phasianus, J. Latham, Index Orn. 1790, 628.
Patella Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1257.—G.
patella Brachionus, O. F. Müller, Verm. I (1) 1773, 130.
patella Gobius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
patella Kerona, Müll., O. F. Müller, An. Infus. 1786, 239.—Trichoda.
patella Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 148.
patella Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
patella Trichoda, O. F. Müller, Verm. I (1) 1773, 95.
patellaris Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 256.
patillaris Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—
patellaris Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213. [Echinites.
patellaria Sphex, [Scheven], Naturforscher, XX. 1784, 95.
patellaria Vespa (Scheven), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—Sphex.
patellatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 4.
patelliformis Anomia, Linnaeus, Faun. Suec., ed. 2, 1761, 521.
patelliformis Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 226.
patelliformis Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 169.
patellina Vorticella, O. F. Müller, Z. Dan. Prod. 1776, 281.
patelloides Astroites, J. E. I. Walch, Naturforscher, V. 1775, 51.
patelloides Madrepora (Walch), P. S. Pallas, Char. Thierpf. II. 1787, 132.—Astroites.
patens Trichoda, O. F. Müller, An. Infus. 1786, 181.
patera Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 153.
patera Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 8
paternoster Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
patholatus *v.* petolatus.
pathyrnchos Anas, S. G. Gmelin, Reise Russ. II. 1774, 182.
patibulum Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 89.
patina Brachionus, O. F. Müller, An. Infus. 1786, 337.
patina Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 32.
patinaeformis Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 94.
patira Sus, H. F. Link, Beytr. Nat. I (2) 1795, 105.
patriarchialis Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
patriarchialis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3460.
patricius Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 527.
patroclus Noctua (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 8.—Papilio.
patroclus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 749.
pattersonii Lamia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 42.

- patula Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
 patulus Brachionus, O. F. Müller, An. Infus. 1786, 361.
 patulum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1202.
 patulus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 305.
 patula Bulla, T. Pennant, Brit. Zool., ed. 4, IV, 1777, 101.
 patula Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 88.
 patulus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 322.
 patula Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
 patula Trichoda, O. F. Müller, An. Infus. 1786, 181.
 patulus Turbo, E. M. da Costa, Brit. Conch. 1778, 95.
 Patus, *z.* Parus P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 178.—A.
 paulina Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 85.
 paulina [Papilio], P. Cramer, Uitl. Kapellen, II (10) 1777, 21.
 paulinus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 211.
 paullus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 63.
 pauperata Empusa (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
 pauperata Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 346.
 pauperata Noctua, J. C. Fabricius, Syst. Ent. 1775, 608.
 pauperculus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 330.—Voluta.
 paupercula Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1190.
 Paussus Linnaeus, Bigis Insect. 1775, 6.—Col.
 Pausus C. P. Thunberg, K. Vet. Ak. Handl. 1781, 168.—Col.
 pauxi Crax, Linnaeus, Syst. Nat., ed. 12, 1766, 270.
 pavida Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 214.
 pavida Tenthredo, J. C. Fabricius, Syst. Ent. 1775, 321.
 pavimentum Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
 pavimentum Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 Pavo Linnaeus, Syst. Nat., ed. 10, 1758, 156; ed. 12, 1766, 267.—A.
 pavo Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 60.
 pavo Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 283; ed. 12, 1766, 474.
 pavonana Phalaena, E. Donovan, Brit. Ins. II. 1793, 59.
 pavonana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 275.
 pavoniae Ichneumon, Scopoli, Ent. Carn. 1763, 288.
 pavoniella Phalaena, Scopoli, Ent. Carn. 1763, 192.
 pavonina Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 233.
 pavonina Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
 pavonina Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 322.
 pavoninus Cyclopterus, G. Shaw, Nat. Misc. IX. 1797, pl. 310.
 pavonina Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 82.
 pavoninus Ramphastus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 353.
 pavoninus Tantalus, Skr. nat. Selsk. [Copen.], IV (2) 1798, 123.
 pavonis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
 Pavonites J. E. Guettard, Mém. diff. Sci. II. 1770, 367.—Cor.
 pavonia Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
 pavonia Corallina (Linn.), P. S. Pallas, Elench. 1766, 419.—Fucus.
 pavonius Fucus, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1345, 24.—[*z.* Corallina.]
 pavonia Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 810.
 pavonia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 496.—[P. (Attacus),
 pavonia Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 5. [ed. 12.]
 pavonia major Phalaena, C. de Villers, Linn. Ent. II. 1789, 115.
 pavonia-media Phalaena, C. de Villers, Linn. Ent. II. 1789, 116.
 pavonia minor Phalaena, C. de Villers, Linn. Ent. II. 1789, 117.
 pavunculus Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
 paxillifer Vibrio, O. F. Müller, An. Infus. 1786, 54.
 paxillus Trichoda, O. F. Müller, An. Infus. 1786, 198.
 payanensis Colius, F. M. Daudin, Traité élém. Orn. 1800, 363.—[*err. pro panayensis.*]
 paykullella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 340.
 paykullella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 89.

- paykullella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1794.
 paykulliana Pyralis, J. C. Fabricius, Mant. II. 1787, 235.
 paykulliana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 530.
 paykullii Carabus, P. Rossi, Mant. Ins. I. 1792, 72.
 peas Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
 pecari Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 29.—Scarabaeus.
 pecari Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 38.
 pecari Sus, H. F. Link, Beytr. Nat. I (2) 1795, 104.
 pecoris Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 910.
 pecorum Oestrus, J. C. Fabricius, Ent. Syst. IV. 1794, 230.
 pecten O. F. Müller, Z. Dan. Prod. 1776, 248.—L.
 Pecten J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiv.—L.
 Pecten J. F. Bolten, Mus. Bolten. (2) 1798, 165.—L.
 Pecten Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—L.
 pecten Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
 pecten Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 20 [n. n.].
 pecten Ostrea, P. Forskal, Descr. Anim. 1775, 140 [n. n.].
 pecten Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3702.
 pecten Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n.].
 pecticornis Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
 pectinana Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 103.
 pectinaria Geometra, J. Hübler, Europ. Schmett. (Geom.) [me judice 1796], fig. 30 [n.].
 pectinataria Phalaena (G.), A. W. Knoch, Beitr. Insektenges. I. 1781, 55. [et f.].
 pectinatus Alyseminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 246.
 pectinatum Anobium (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 336.—Ptilinus.
 pectinata Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1150.
 pectinata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3313.
 pectinata Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 663; ed. 12, 1767, 1101.
 pectinatus Astroites, J. E. I. Walch, Naturforscher, V. 1775, 46.
 pectinatus Bostrichus, J. N. Laicharting, Tyrol. Ins. I. 1781, 62.
 pectinata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
 pectinatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681; ed. 12, 1767, 1124.
 pectinatus Chamaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 450.—Venus.
 pectinatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.
 pectinatum Gafrarium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 177.—Venus.
 pectinata Gorgonia, P. S. Pallas, Elench. 1766, 179.
 pectinata Lampyris, J. C. Fabricius, Syst. Ent. 1775, 824.
 pectinata Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], II (2) 1793, 106.
 pectinata Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
 pectinata Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 129.—Astroites.
 pectinata Mantis, D. Drury, Ill. Nat. Hist. I. 1770, index & 128.
 pectinata Mordella, J. C. Fabricius, Syst. Ent. 1775, 263.
 pectinata Mordella, C. de Villers, Linn. Ent. I. 1789, 408.
 pectinata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1259.
 pectinata Pinna, Linnaeus, Syst. Nat., ed. 12, 1767, 1160.
 pectinata Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
 pectinatus Ptilinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 244.
 pectinatus Pristis, J. Latham, Tr. Linn. Soc. [Lond.], II. 1794, 278.
 pectinatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
 pectinatus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 10.
 pectinata Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2396.
 pectinata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 363.
 pectinata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
 pectinata Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n.].
 pectinata Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
 pectinata Tubularia, J. F. Blumenbach, Gött. Mag. Wiss. I (4) 1780, 125.
 pectinata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
 pectinella Bombyx, J. C. Fabricius, Mant. II. 1787, 132.

- pectinella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
 pectinella Tinea, J. C. Fabricius, Mant. II. 1787, 248.
 pectinicornae Anobium (L.), L. G. Scriba, J. Lieb. Ent. II. 1790, 155.—Ptinus.
 pectinicornis Bruchus, Linnaeus, Syst. Nat., ed. 12, I. 1767, 605.
 pectinicornis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 650.
 pectinicornis Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 31.
 pectinicornis Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 391.—Ichneumon.
 pectinicornis Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.—[Ptinus, ed. 12.]
 pectinicornis Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
 pectinicornis Hemerobius, Linnaeus, Amoen. Acad. VI. 1763, 412.
 pectinicornis Hispa (L.), J. C. Fabricius, Syst. Ent. 1775, 70.—Ptinus.
 pectinicornis Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 941.
 pectinicornis Lampyrus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.—
 Cantharis.
 pectinicornis Ligniperda (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 41.—Ptilinus.
 pectinicornis Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.
 pectinicornis Phryganea, Scopoli, Ent. Carn. 1763, 268.
 pectinicornis Ptilinus (L.), A. G. Olivier, Entom. II. 1790, 4.—Ptinus.
 pectinicornis Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.—[Dermestes, ed. 10.]
 pectinicornis Pyrochroa (L.), J. C. Fabricius, Mant. I. 1787, 162.—Cantharis.
 pectinicornis Semblis (L.), J. C. Fabricius, Spec. Ins. I. 1781, 386.—Hemerobius.
 pectinicornis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 807.
 pectinicornis Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 374.
 pectinicornis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 970.
 pectinicornis Zygæna (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
 pectiniformis Anomia, J. X. Poli, Test. Sicil. II. 1795, 187.
 pectiniforme Echionoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—= Anomia of
 pectinipes Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 944. [p. 187.
 pectinipes Sphex, J. Hill, Decade Curious Insects, 1773, 10.
 pectinirostris Gobiüs, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 450.
 Pectinites J. Gesner, Tract. Petref. 1758, 38.—L.
 "Pectinoides, Da Costa, 1776," Scudd.; not used in a Linnean sense.
 pectitalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 4 [2].
 "pectoralis" [*sine* gen.], Herbst in Fuessly, Arch. Insect. IV. 1783, 41.—[? Nitidula.]
 pectoralis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 237.
 pectoralis Buprestis, A. G. Olivier, Entom. II. 1790, 75.
 pectoralis Cerambyx, A. G. Olivier, Entom. IV. 1795, 122.
 pectoralis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 328.
 pectoralis Coccinella (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 420.—Chrysomela.
 pectoralis Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 312.
 pectorale Gonium, O. F. Müller, Verm. I (1) 1773, 60.
 pectoralis Lernæa, O. F. Müller, Z. Dan. Prod. 1776, 227.
 pectoralis Loxia, J. Latham, Index Orn. 1790, 390.
 pectoralis Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1631.
 pectoralis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
 pectoralis Trochilus, J. Latham, Index Orn. 1790, 306.
 pectoralis Turdus, J. Latham, Index Orn. 1790, 357.
 Pectunculites J. Gesner, Tract. Petref. 1758, 38.—L.
 Pectunculus E. M. Da Costa, Brit. Conch. 1778, 183.—L.
 Pectunculus [G. Humphreys], Mus. Calonn. 1797, 47.—L.
 Pectunculus Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—L.
 pectunculus Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1142.
 pectunculus Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 412.
 pectunculus Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
 pectunculus Pectunculus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 87.—Arca.
 pectunculus Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 173.—Arca.
 pectunculus Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3287.
 pedana Phalaena, Scopoli, Ent. Carn. 1763, 237.

- pedaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 498.
- pedaria Phalaena, J. C. Fabricius, Mant. II. 1787, 191.
- pedator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 828.
- pedatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 133.
- pedata Anatifera, F. C. Meuschen, Mus. Gever. 1787, 476.
- pedatus Cancer, O. Fabricius, F. Groen. 1780, 243.
- pedatus Cancer (Gammarellus) Fabr., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 107.
- pedata Festucaria, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 335.
- pedatus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 33.
- pedella Leptura, C. de Geer, Mém. Ins. V. 1775, 129.
- pedella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
- pedellus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 266.
- pedella Tipula, C. de Geer, Mém. Ins. VI. 1776, 378.
- paedemontanus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 378.
- pedemontanus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 342.
- pedemontana Libellula, C. Allioni, Misc. Taurin. III. 1766, 194.
- paedemontana Mutilla, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
- pedemontana Peltis (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 88.—Silpha.
- paedemontana Silpha, J. C. Fabricius, Syst. Ent. 1775, 75.
- pedes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2191.
- pedestris Acanthia, J. C. Fabricius, Spec. Ins. II. 1781, 336.
- pedestre Acridium (L.), O. F. Müller, Z. Dan. Prod. 1776, 100.—Gryllus.
- pedestris Carabus, P. Rossi, Fauna Etrus. I. 1790, 224.
- pedestris Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 34.
- pedestris Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 54.
- pedestris Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
- pedestris Cimex, J. C. Fabricius, Syst. Ent. 1775, 727.
- pedestris Curculio, N. Poda, Ins. Mus. Graec. 1761, 30.
- pedestris Curculio, G. Paykull, Mon. Curc. 1792, 46.
- pedestris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 298.
- pedestris Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 190.—Cimex, 1775.
- pedestris Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 703.
- pedestris Gryllus Tett. (Fab.), C. de Villers, Linn. Ent. IV. 1789, 376.—Locusta.
- pedestris Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 344.
- pedestris Ichneumon Mutilla, Fab., J. L. Christ, Nat. Ins. 1791, 377.
- pedestris Lamia (Poda), J. C. Fabricius, Syst. Ent. 1775, 176.—Cerambyx.
- pedestris Locusta, J. C. Fabricius, Mant. I. 1787, 235.
- pedestris Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 539.—Gerris, 1794.
- pedestris Notoxus, P. Rossi, Mant. Ins. I. 1792, 45.—Carabus, 1790.
- pedestris Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 111.
- pedestris Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Tiphia.
- pedestris Tiphia, J. C. Fabricius, Syst. Ent. 1775, 354.
- pedibus-nigris Cebus, H. F. Link, Beytr. Nat. I (2) 1795, 63 [n. n.].
- Pedicellaria O. F. Müller, Z. Dan. Prod. 1776, xxviii & 229.—Pol. [Lamia.
- pedicornis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.—
- pedicornis Lamia, J. C. Fabricius, Syst. Ent. 1775, 170. [561.—Dermestes pedicularius.
- pedicularis Brachypterus (L.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
- pedicularis Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 241.
- pedicularis Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- pedicularis Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 913.
- pedicularis Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574 (aria).
- pedicularis Tenebrio, Linnaeus, Syst. Nat., ed. 10, 1758, 418.
- pedicularia Anthribus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.—Silpha.
- pedicularia Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 402; ed. 12, 1767, 648.
- pedicularia Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 61.
- pedicularius Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 615.
- pedicularius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 236.
- pedicularius Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.

- pedicularius Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
- pedicularius Hermerobius, Linnaeus, Faun. Suec., ed. 2, 1761, 384.
- pedicularius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 192.
- pedicularius Kateretes (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 12.—Dermestes.
- pedicularius Malachus (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis.
- pedicularius Meleo, F. v. P. Schrank, Ins. Aust. 1781, 224.
- pedicularia Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 78.—Silpha.
- pedicularia Silpha, = pedicularis, Linnaeus, Faun. Suec., ed. 2, 1761, 152.
- pediculata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 671.
- Pediculus Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1016.—Ar.
- pediculus Cyclidium, O. F. Müller, Verm. I (1) 1773, 54.
- pediculus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
- pediculus Formica, J. L. Christ, Nat. Ins. 1791, 518.
- pediculus Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
- pedifera Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 334.
- Pedinus P. A. Latreille, Préc. Car. Ins. 1796, 20.—Col.
- pedipes Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 340.
- pedipus Scarabeus, *err. pro* oedipus, Fabr., J. C. Fabricius, Mant. I. 1787, 11.
- pedisequella Tinea, [Denis & Schiffermüller], Schmett. Wien. 1775, 140.
- pedisequella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 61.
- pedissegus Musca, M. Harris, Exp. Eng. Ins. 1776, 61.
- pedo Gryllus (Tettigonia), P. S. Pallas, Reise Russ. I. 1771, 467.
- pedo Musca, M. Harris, Exp. Eng. Ins. 1776, 115.
- Pedum [G. Humphreys], Mus. Calonn. 1797, 5.—Ceph.
- Pedum J. G. Bruguière, Ency. Méth. (Tabl. Vers) pl. 178 (1791) [*n. et f.*].—L.
- Pedum Lamarck, Mém. Soc. H. N. Paris, 1799, 88.—L.
- pedum Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170.
- pedunculata Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 41.
- pedunculata Aphrodita, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 37.
- pedunculata Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 149.
- pedunculata Ascidia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3127.
- pedunculatus Gammarellus, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 176.
- pedunculata Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 8.
- pegala Papilio, J. C. Fabricius, Syst. Ent. 1775, 494.
- pegaso Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 103.
- Pegasus Linnaeus, Syst. Nat., ed. 10, 1758, 338; ed. 12, 1766, 418.—P.
- Pegasus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
- pegasus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 192.
- pelagica Ascaris, J. E. Gunnerus, Skrift. Kiob. Selsk. Laerdoms, X. 1770, 174.
- pelagicus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
- pelagicus Cancer, P. Forskal, Descr. Anim. 1775, 89.
- pelagicus Cyprinus, P. Osbeck, Reise Ost.-Ind. China, 1765, 401.
- pelagicus Cyprinus, N. Mohr, Island. Nat. 1786, 84.
- pelagica Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 345 [pelasgia].
- pelagica Hydra, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
- pelagica Medusa, Linnaeus, Syst. Nat. ed. 10, 1758, 660; ed. 12, 1767, 1098.
- pelagica Nereis, Linnaeus, Syst. Nat., ed. 10, 1758, 654; ed. 12, 1767, 1086.
- pelagicus Portunus, [L.], F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
- pelagica Procellaria, Linnaeus, Syst. Nat., ed. 10, 1758, 131; ed. 12, 1766, 212.
- pelagicus Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 299; ed. 12, 1766, 495.
- pelagica Scyllaea, Linnaeus, Syst. Nat., ed. 10, 1758, 656; ed. 12, 1767, 1094.
- pelagicus Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 337; ed. 12, 1766, 416.
- pelamides Scomber, *id. ac* pelamis, L., B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, [599].
- pelamis Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492.
- Pelamys (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 584.—P.
- pelarga Papilio, J. C. Fabricius, Syst. Ent. 1775, 513.
- pelasgia Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 345.—[misprint for pelagica, *q. v.*]
- pelasgus [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 16.

- pelasgus [Sphinx], P. Cramer, Utitl. Kapellen, III (21) 1779, 93.
 pelaus Papilio, J. C. Fabricius, Syst. Ent. 1775, 444.
 Pelecanoides B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 13.—A.
 Pelecanus Linnaeus, Syst. Nat., ed. 10, 1758, 132; ed. 12, 1766, 215.—A.
 Pelecanus J. D. Petersen, Balth. Vögel, 1766, 7 [n. n.].—A.
 Pelecinus P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 155.—Hym.
 peled Salmo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1379.
 peleg Araneus, T. Martyn, Aranei, 1793, 11.
 peleides Papilio E. T., E. J. C. Esper, Ausl. Schmett. (10) 1793, 150.
 peleus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.
 peleus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 409.
 peleus Papilio Eques, J. H. Sulzer, Gesch. Ins. 1776, 142.
 pelea Papilio, J. C. Fabricius, Mant. II. 1787, 53.
 peleus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 186.
 pelias Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
 pelias [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 5.
 pelidnotus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 139.
 peliolatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 396.
 pelion Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 263.—Papilio.
 pelion [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 10.
 pella Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1141.
 pella Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1248.
 pella Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 189.
 pellex Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 838.
 pellicea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 315.
 pellio Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
 pellionella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 888.
 pellionella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 659.—Phalaena.
 pellionella Trichoda, O. F. Müller, Verm. I (1) 1773, 80.
 pellionellae Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 69.
 pellionis Nitidula, F. v. P. Schrank, F. Boica, I. 1798, 445.
 pellis-anguinea Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 73.
 pellis-armeniana Nerita, T. Martyn, Univ. Conch. III [1789], fig. 109.
 pellis-serpentis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3620.
 pellitus Cancer, P. Forskal, Descr. Anim. 1775, 92.
 pelлита Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [n. n.].
 pellocephala Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 16.
 pellopus Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
 pellostictos Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
 pellucens Acanthia, J. C. Fabricius, Reise Norwegen, 1779, 234.
 pellucens Curculio, J. A. Scopoli, Annus V. 1772, 90.
 pellucens Gryllus, Scopoli, Ent. Carn. 1763, 109.
 pellucens Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
 pellucens Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
 pellucens Syrphus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 279.—Musca.
 pellucens Tabanus, J. C. Fabricius, Gen. Ins. 1777, 307.
 pellucens Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 501.
 pellucidulus Scarabaeus, J. J. Roemer, Gen. Ins. 1789, 2 & 39.
 pellucida Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
 pellucida Cantharis, [D. H. Schneider], Nom. Ent. 1785, 18 [n. n.].
 pellucida Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 214.
 pellucida Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
 pellucidus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 196.
 pellucidus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 46 [n. n.].
 pellucidum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
 pellucidus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 22.
 pellucida Fulgora, J. C. Fabricius, Ent. Syst. IV. 1794, 7.
 pellucida Haliotis, C. U. v. Salis, Reise Neapel, 1793, 380.

- pellucida* Helix, O. F. Müller, Verm. II. 1774, 15.
pellucida Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 120.
pellucida Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 276.
pellucida Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
pellucida Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
pellucida Mactra, J. F. Bolten, Mus. Bolten. (2) 1798, 171.
pellucida Melolontha (Sulz.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 89.—Scara-
pellucidus Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 95. [baeus.
pellucida Nereis, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 273.
pellucida Nerita, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
pellucida Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260.
pellucida Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 115.
pellucida Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 55.
pellucida Planaria, F. M. Daudin, Rec. Mém. Moll. 1800, 24.
pellucidus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [n. n.].
pellucida Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
pellucidus Scarabaeus, J. H. Sulzer, Gesch. Ins. 1776, 18.
pellucidus Solen, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 71.
pellucidus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 97.
pellucidum Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 83.
pellucidus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
pellucida Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 101.
pellucidus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 19.
pellucida Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 149.
pellucidus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
pellucida Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3290.
pelluma Cordylus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—*Lacerta*.
pelluma Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1060.—[*palluma*, Molina.]
pellurus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47.
Pelmatia P. Browne, Hist. Jamaica, ed. 2, 1789, 450.—P.
Pelopia J. G. Meigen, N. Class. Mouches, 1800, 18.—Dip.
pelopia Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 36.
pelopidas Hesperia, J. C. Fabricius, Ent. Syst. III. (1) 1793, 350.
pelops Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 305.—*Papilio*.
pelops [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 38.
pelops [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 98.
pelops [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 114.
Peloiderma J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—L. [of certain Ostreae.
Peloris J. X. Poli, Test. Sicil. I. 1791, Introd. 33. A generic term applied to the fleshy parts
peloronta Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
peltaria Sphex, [Scheven], Naturforscher, XX. 1784, 98.
peltaria Vespa (Scheven), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—*Sphex*.
peltatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 297.
peltata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 27.
peltigera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
Peltis E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 117.—Col.
Peltis J. G. Kugelann, Illiger in Kugelann, Käfer Preuss. 1798, 369.—Col.
pelusius Silurus, Solander in Russell, N. H. Aleppo, ed. 2, II. 1794, 210.
Pemphredon P. A. Latreille, Préc. Car. Ins. 1796, 128.—Hym.
Peneus F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
Penaeus J. C. Fabricius, Suppl. Ent. Syst. 1798, 385.—Cr.
peneus [Sphinx], P. Cramer, Utitl. Kapellen, I (8) 1776, 139.
peneus Sphinx, J. C. Fabricius, Mant. II. 1787, 93.
pendens Tipula, M. Harris, Exp. Eng. Ins. 1776, 56.
pendularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 66 [n.
pendularia [Phalaena], C. Clerck, Icones, I. 1759, pl. vii, 5. [et f.].
pendularia Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 327.
pendulator Ichneumon, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 42, 1800, 137.

- pendulinus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 189.
- pendulinus Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 342.
- pendulus Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 160.
- pendula Ichneumon, J. L. Christ, Nat. Ins. 1791, 371.
- pendula Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
- pendula Musca, E. Donovan, Brit. Ins. I. 1792, 69.
- pendulus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 763.—Musca.
- “Penecillus, Da Costa, 1776,” Scudd.; not used in a Linnaean sense.
- penelea [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 8.
- Penelope B. Merrem, Avium rar. Icones, 1786, 39.—A.
- Penelope J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 733.—A.
- Penelope Bonnaterre, Ency. Méth. (Orn.) I. 1790, lxxxvi.—A.
- Penelope B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 12.—A.
- penelope Agrion, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
- penelope Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 202.
- penelope Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 527; var. kagolca.
- penelope Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 278.—Phalaena.
- penelope Papilio, J. C. Fabricius, Syst. Ent. 1775, 493.
- penelope [Phalaena], P. Cramer, Utitl. Kapellen, I (4) 1775, 70.
- penetrans Ichneumon, W. Kirby, Tr. Linn. Soc. [Lond.] V. 1800, 109.
- penetrans Pulex, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1021.
- penetrans Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
- peneus *v.* penaeus.
- penguin Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 167.
- Penguinus M. T. Brünnich, Zool. Fund. 1772, 78.—A.
- penicella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
- penicillatus Astacus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 343.
- penicillatus Julus, C. de Geer, Mém. Ins. VII. 1778, 572.
- penicillata Paradisaea, J. A. Scopoli, Del. Insub. II. 1786, 88.
- penicillata Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 250.
- penicillata Tipula, P. Rossi, Mant. Ins. II. 1794, 59.
- penicillata Tubipora, O. Fabricius, F. Groen. 1780, 429.
- Penicillus J. E. Guettard, Mém. diff. Sci. III. 1770, 59.—Verm.
- Penicillus J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv & 126.—L.
- Penicillus Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—L.
- penicillus Amphitrite (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 58.—Serpula.
- penicillus Amphitrite, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3110.
- penicillus Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1305.
- penicillus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 29.
- penicillus Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
- penicillus Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1269.
- penicillus Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 788.—[Sabella, ed. 12.]
- penicillus Tubularia, P. S. Pallas, Elench. 1766, 87.
- peniculum Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 127.
- penis Penicillus (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 79.—Serpula.
- penis Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 788; ed. 12, 1767, 1267.
- penis Tubipora, A. Modeer, K. Vet. Ac. Nya Handl. IX. 1788, 231.
- penis Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Serpula.
- penis Verpa (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 69.—Serpula.
- penita Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
- penkleriana Pyralis, J. C. Fabricius, Mant. II. 1787, 236.
- penkleriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
- Penna J. B. Bohadsch, Anim. Marin. 1761, 98.—= Pennatula, L.
- penna Sertularia, J. F. Maratti, Plant. Zooph. Med. 1776, 29.
- pennacea Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
- pennacea Antipathes, P. S. Pallas, Elench. 1766, 209.
- pennaceus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1051.
- pennaceus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 62.

- pennaceus** Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 151.
- pennacea** Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 708.
- pennalis** Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
- pennanti** Argentina, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 47.
- pennanti** Holocentrus, G. A. Suckow, Naturges. IV. 1799, 535.
- pennanti** Mustela, J. C. P. Erxleben, Syst. Anim. 1777, 470.
- pennantii** Psittacus, J. Latham, Index Orn. 1790, 90.
- pennantii** Psittacus, R. Kerr, Anim. Kingd. 1792, 568.—*var. philippi*.
- pennanti** Salmo, G. A. Suckow, Naturges. IV. 1799, 711.
- pennanti** Squalus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 517.
- Pennaria** P. Browne, Hist. Jamaica, ed. 2, 1789, 412.—*L.*—*Pinna*.
- pennaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 14 [*n. et f.*].
- pennaria** Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 324.
- pennaria** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1313.
- pennator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 155.
- pennator** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 171.
- Pennatula** Linnaeus, Syst. Nat., ed. 10, 1758, 818; ed. 12, 1767, 1321.—*Coel*.
- pennatula** Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 465.
- pennatula** Nautilus (Orth.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 13.
- pennatula** Sertularia, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 56.
- pennata** Aphrodita, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 23.
- pennatum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
- pennatus** Buteo, F. M. Daudin, Traité élém. Orn. 1800, 156.
- pennata** Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 427.
- pennata** Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 29.—*Buccinum*.
- pennatus** Conops, Scopoli, Ent. Carn. 1763, 353.
- pennata** Daphnia, O. F. Muller, Entom. 1785, 82.
- pennata** Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- pennata** Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 272.
- pennata** Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- pennata** Nerita, I. v. Born, Index Mus. Caes. Vind. 1778, 420.
- pennata** Nerita, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 158.
- pennata** Phalaena, Scopoli, Ent. Carn. 1763, 228.
- pennella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
- pennicornis** Mantis, P. S. Pallas, Reise Russ. II. 1773, 728.
- pennicornis** Tipula=*pinnicornis*, S. N. ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761, 439.
- penniferana** Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
- pennigerus** Limulus, O. F. Müller, Entom. 1785, 127.
- pennigerus** Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3006.—
[Limulus].
- pennipes** Apis, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
- pennipes** Asilus (Linn.), Scopoli, Ent. Carn. 1763, 365.
- pennipes** Empis, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1003.
- pennipes** Libella, P. S. Pallas, Reise Russ. I. 1771, 469.
- pennipes** Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
- pennipes** Musca, J. C. Fabricius, Spec. Ins. II. 1781, 450.
- pensilvanica** Alauda, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
- pensylvanica** Apis, C. de Geer, Mém. Ins. III. 1773, 575.
- pensylvanicus** Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620.
- pensylvanica** Blatta, C. de Geer, Mém. Ins. III. 1773, 537.
- pensylvanica** Cantharis. C. de Geer, Mém. Ins. V. 1775, 16.
- pensylvanicus** Carabus, C. de Geer, Mém. Ins. IV. 1774, 108.
- pensylvanicus** Cerambyx, C. de Geer, Mém. Ins. V. 1775, 99.
- pensylvanicus** Cerambyx (Prionus) (*ex De G.*) Panzer in Drury, Exot. Ins. 1785, 140.
- pensylvanicus** Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
- pensylvanica** Felis, H. F. Link, Beytr. Nat. I (2) 1795, 90.
- pensylvanica** Formica, C. de Geer, Mém. Ins. III. 1773, 603.
- pensylvanica** Fringilla, J. Latham, Index Orn. 1790, 445.
- pensylvanica** Lampyrus, C. de Geer, Mém. Ins. IV. 1774, 52.

- pennsylvanica Lytta (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.—
 Cantharis.
- pennsylvanica Meloe (De G.), J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1789, 2020.—
 pennsylvanica Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333. [Cantharis.]
 pennsylvanicus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 309.
 pennsylvanicus Sirex, C. de Geer, Mém. Ins. III. 1773, 593.
 pennsylvanica Sphex, Linnaeus, Amoen. Acad. VI. 1763, 412.
 pennsylvanica Sylvia (L.), J. Latham, Index Orn. 1790, 540.—Motacilla.
 pennsylvanicus Telephorus, C. de Geer, Mém. Ins. IV. 1774, 78.
 pensilvanica Tellina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 188.—Venus.
 pennsylvanicus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 53.
 pennsylvanica Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1042.
 pennsylvanica Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
 pensilis Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 860.
 pensilis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 960.
 pensilis Sylvia (Gm.), J. Latham, Index Orn. 1790, 520.—Motacilla.
 pensilvanicus }
 pennsylvanicus } *v. pennsylvanicus.*
- pentacanthus Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 40.
 Pentaceros C. F. Schultze, Verst. Seest. 1760, 50.—Ast.
 pentactes Holothuria, Linnaeus, Syst. Nat., ed. 12, 1767, 1091.
 Pentadactylus C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
 pentadactylus Bradypus, R. Kerr, Anim. Kingd. 1792, 102.
 pentadactyla Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 261; ed. 12, 1766, 447.
 pentadactyla Manis, Linnaeus, Syst. Nat., ed. 10, 1758, 36; ed. 12, 1766, 52.
 pentadactyla Myrmecophaga, R. Kerr, Anim. Kingd. 1792, 106.
 pentadactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767,
 pentadactylus Phasianus, J. Latham, Index Orn. 1790, 626. [900.]
 pentadactyla Pholidotus, F. C. Meuschen, Mus. Gronov. 1778, 3.
 pentadactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 672.—Phalaena.
 pentadactyla Rana, J. N. Laurenti, Syn. Rept. 1768, 32.
 Pentagonaster C. F. Schultze, Verst. Seest. 1760, 50.—Ast.
 pentagona Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71 [*n. n.*].
 pentagonus Echinus, P. Forskal, Descr. Anim. 1775, 140.
 pentagona Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 23.
 pentagona Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 438.
 pentalineata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 383.
 pentapetala Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 42.
 pentapetala Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
 pentapetala Palmipes, C. F. Schultze, Verst. Seest. 1760, 51.
 pentaphylla Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 54.
 pentaporus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3189.
 Pentatoma A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 25.—Hem.
 Penthesilea J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
 pentheus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
 penthea [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 75.
 Pentilasmus P. Browne, Hist. Jamaica, ed. 2, 1789, 416.—Cirr.
 penziana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 43.
 penziana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 85 [*n. et f.*].
 pephis Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
 peponis Noctua, J. C. Fabricius, Syst. Ent. 1775, 608.
 peragro Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
 peranthus Papilio, J. C. Fabricius, Mant. II. 1787, 4. [gen. xxx, 39.]—P.
 Perca Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 481; [Artedi, Ichth. 1738,
 pirca (*sic*) Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 265.
 percae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
 percae Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 15.
 percae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.

- percae Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3057.
- percae Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179.
- percae-cernuae Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 224.
- percellens Raja, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 525.
- percina Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
- Percis J. A. Scopoli, Intr. Hist. Nat. 1777, 454.—P.
- Percis (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
- perenopterus (*sic*) Vultur, Linnaeus, Syst. Nat., ed. 10, 1758, 87; ed. 12, 1766, 123 [perc-].
- percnopterus Vultur, R. Kerr, Anim. Kingd. 1792, 475; *var.* aegyptius.
- percontatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
- percussor Columba, M. T. Brünnich, Orn. Boreal. 1764, 63.
- percussor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 250.
- percussus Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
- perdica Labrus, P. Forskal, Descr. Anim. 1775, 34.
- perdica [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 126.
- perdica [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 110.
- perditor Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 102.
- perditus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 323.
- Perdix M. J. Brisson, Ornith. I. 1760, 219.—A.
- Perdix B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 11.—A.
- perdix Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 734; ed. 12, 1767, 1197.
- perdix Cadus (L.), J. F. Bolten, Mus. Bolten. (2) 1798, 150.—Buccinum.
- perdix Globosa (L.), F. C. Meuschen, Mus. Gev. 1787, 384.—Buccinum.
- perdix Perdix (L.), J. C. Schaeffer, Mus. Orn. 1789, 4.—Tetrao.
- perdix Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 276.
- Perdrix M. T. Brunnich, Zool. Fund. 1772, 86.—A.
- Perdrix G. Cuvier, Leçons Comp. Anat. I. 1800, 2 [*n. n.*].—A.
- perdrix Tetrao, *err. pro* perdix, Linn., S. G. Gmelin, Reise Russ. I (1770), 51.
- perebromii Stomachida, P. C. F. Werner, Verm. Intest. 1782, 87.
- peregrinator Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721.
- peregrinator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
- peregrina Anas, S. G. Gmelin, Reise Russ. II. 1774, 183.
- peregrinus Anthribus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 168.
- peregrinus Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 190.
- peregrina Certhia, J. Latham, Index Orn. 1790, 297.
- peregrina Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 236.
- peregrinus Chrysomela (Fab.), Herbst in Borowski, Gem. Nat. Thiere, VI. 1784, 94.—
- peregrina Cicada, Linnaeus, Mus. Lud. Ulr. 1764, 161. [Cryptocephalus.
- peregrinus Cryptocephalus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 63.
- peregrinus Didelphis, P. Boddaert, Elench. 1785, 78.
- peregrina Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
- peregrinus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 272; *var.* tartaricus.
- peregrina Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
- peregrinus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 314.
- peregrinus Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 342.
- peregrina [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 30.
- peregrinus Psittacus, J. Latham, Index Orn. 1790, 105.
- peregrina Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52.
- peregrina Sitta, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
- peregrum Buccinum, O. F. Müller, Verm. II. 1774, 130.
- peregrus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 301.—Buccinum.
- peregra Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3659.—Buccinum.
- peregusna Mustela, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 441.
- perelegand Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
- perenopterus Vultur, *v.* percnopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 87.
- perexilis Musca, M. Harris, Exp. Eng. Ins. 1776, 81.
- perflua Noctua, J. C. Fabricius, Mant. II. 1787, 179. [Noctua.
- perflua Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 577.—

- perfoliatus** Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 26.
perfoliata Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 37.
perforans Bostrichus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 64.
perforator Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 143.
perforata Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
perforatus¹ Astroites, J. E. I. Walch, Naturforscher, V. 1775, 54.
perforatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 167.
perforata Cassida, P. S. Pallas, Spic. Zool. IX. 1772, 1.
perforatus Cerambyx, P. S. Pallas, Reise Russ. II. 1773, 723.
perforata Locusta, P. Rossi, Fauna Etrus. I. 1790, 267.
perforata Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 38.
perforata Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 133.—Astroites
perforata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
perforata Serpula, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 633.
perforosus Ichneumon, P. Rossi, Mant. Ins. I. 1792, 116.
perianda [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 139.
periander Papilio, J. C. Fabricius, Mant. II. 1787, 9.
periboea Papilio, J. C. Fabricius, Gen. Ins. 1777, 261.
pericarpus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 600.
pericles Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 273.
"Peridiolithus" J. W. K. Hupf, Neue Entdeck. 1768, 144. (Not binominal author;
 figure quite unrecognisable.)—Br.
perimele [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 101.
periodidis Labrus, F. C. Meuschen, Mus. Gronov. 1778, 42.
perioides Labrus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 260.
perion Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 275.—Papilio.
perion [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 176.
peripheta Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 45.—Phalaena.
peripheta [Phalaena], P. Cramer, Uitl. Kapellen, II (11) 1777, 54.
periscelis Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
periscelis Syngnathus, J. J. Walbaum, Artdi, Ichth. (3) ed. 2, 1792, 8.
perita Aranea, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 22, Jan. 1799, 170.
perita Voluta, D. Solander in G. Brander, Foss. Hant. 1766, 16.
perithea [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 116.
perius Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 766.
Perla E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 229.
perla Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 549; ed. 12, 1767, 911.
perla Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Tinea perlella, 1787.
perla Mantis, P. S. Pallas, Spic. Zool. IX. 1772, 14.
perla Medusa, A. Modeer, K. Vet. Ac. Nya Handl. XII. 1791, 261.
perla Noctua, [Denis & Schiffermuller], Schmett. Wien, 1775, 70.
perla Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
perla Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
perlae Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
perlaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 525.
perlatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 265.
perlata Cassis, F. C. Meuschen, Mus. Gev. 1787, 390.
perlatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 125.
perlatus Curculio, J. C. Fabricius, Mant. I. 1787, 114.
perlatus Gekko, M. Houttuyn, Verh. Zeeuwisch genoot. Wet. Vlissingen, IX. 1782, 322.
perlatus Ichneumon, J. L. Christ, Nat. Ins. 1791, 356.
perlata Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 858.
perlata Mordella, J. H. Sulzer, Gesch. Ins. 1776, 67.
perlata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 136.
perlata Mordella, J. C. Fuessly, Schweiz. Ins. 1775, 21.
perlata Mordella, J. J. Roemer, Gen. Ins. 1789, 8.
perlata Mya, J. F. Bolten, Mus. Bolten. (2) 1798, 156 [n. n.].
perlata Perdix, J. P. Bonnaterra, Ency. Méth. (Orn.) 1791, 213.

- perlatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
 perlata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 403.
 perlata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 375.
 perlatus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
 perlatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3577.
 perlatus Trox, L. G. Scriba, J. Lieb. Ent. I. 1790, 58.
 perlatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
 perlella Phalaena, Scopoli, Ent. Carn. 1763, 243.
 perlella Tinea, J. C. Fabricius, Mant. II. 1787, 241.
 perlo Squalus, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 10.
 perlucida Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
 permixtana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
 permixtana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 75 [n. et f.].
 permutataria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 92 [n.].
 permutataria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 87. [et f.].
 Perna A. J. Retzius, Diss. Nova Test. Gen. 1788, 20.—L.
 Perna J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiii.—L.
 Perna Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—L.
 perna Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1113.
 perna Ostrea, Linnaeus, Syst. Nat., ed. 12, 1767, 1149.
 perna Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 79.
 pernaeformis Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 23.—Ostrea perna.
 pernambucinus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
 perniciosa Formica, J. L. Christ, Nat. Ins. 1791, 517.
 perniger Apis, M. Harris, Exp. Eng. Ins. 1776, 131.
 pernix Musca, M. Harris, Exp. Eng. Ins. 1776, 84.
 pernula Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160. [parts of certain Tellinae.
 Peronaea J. X. Poli, Test. Sicil. I. 1791, Introd. 29; a generic term applied to the fleshy
 Peronaeoderma J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—L.
 perpendicularis Curculio, G. C. Reich, Mant. Ins. 1797, 10.
 perpendicus Curculio, P. Rossi, Mant. Ins. I. 1792, 38.
 perplexa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 313.
 perpolitus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
 perpulcher Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 159.
 perron Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
 persa Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 171.
 perscitus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 28.
 perseis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 37.
 persea Medusa, P. Forskal, Descr. Anim. 1775, 107.
 perseus Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
 perseus [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 111.
 persea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 137.
 perseus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 219.
 perseus Scarabaeus, A. G. Olivier, Entom. I. 1789, 8.
 persicae Aphis, J. H. Sulzer, Gesch. Ins. 1776, 105.
 persicae Chermes, J. C. Fabricius, Gen. Ins. 1777, 304.
 persicae Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
 persicae Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 28.
 persicae Coccus, F. v. P. Schrank, Ins. Aust. 1781, 295.
 persicae Coccus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 546.
 persicariae Clytra, F. v. P. Schrank in Fuessly, N. Mag. Ent. II (4) 1785, 319.
 persicariae Cryptocephalus (Schrank), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 129.
 persicariae Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 615.—Phalaena. —[Clytra.
 persicariae Phalaena (Noctua), Linnaeus, Faun. Succ. ed. 2, 1761, 319.
 persicariae Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 977.
 persicella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 255.—Tinea.
 persicella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 persicites Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.

- persicorum Coccus, J. H. Sulzer, *Gesch. Ins.* 1776, 112.
 persiculus Murex, F. C. Meuschen, *Mus. Gever.* 1787, 328.
 persicula Pterygia (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 52.—Voluta.
 persicula Voluta, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 730; ed. 12, 1767, 1189.
 persicum Buccinum, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 738; ed. 12, 1767, 1202.
 persicus Cacicus (L.), F. M. Daudin, *Traité élém. Orn.* 1800, 327.—Oriolus.
 persica Chama, F. C. Meuschen, *Mus. Gever.* 1787, 452.
 persicus Charadrius, J. P. Bonnaterre, *Ency. Méth. (Orn.)* 1790, 21.
 persicum Cymbium, J. F. Bolten, *Mus. Bolten.* (2) 1798, 151.
 persica Merops, P. S. Pallas, *Reise Russ.* II. 1773, 708.
 persicus Muriciformis, F. C. Meuschen, *Mus. Gever.* 1787, 322.
 persicus Mytilus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3360.
 persicus Oriolus, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 161.
 persicus Picus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 435.
 persica Plejona, J. F. Bolten, *Mus. Bolten.* (2) 1798, 60.
 persicum Purpura (L.), Lamarck, *Mém. Soc. H. N. Paris*, 1799, 71.—Buccinum.
 persica Rana, J. G. Schneider, *Hist. Amph.* I. 1799, 149.
 persicus Sciuus, E. A. W. Zimmermann, *Geogr. Gesch.* II. 1780, 341.
 persicus Sciurus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 148.
 persica Solpuga, J. F. W. Herbst, *Nat. ungefl. Ins.* (1), 1797, 35.
 persica Thais, J. F. Bolten, *Mus. Bolten.* (2) 1798, 54.
 persicus Turdus, J. Latham, *Index Orn.* 1790, 343.
 persiphone Papilio, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 174.
 persona Phalaena Bombyx, J. Hübner, *Beitr. Schmett.* II. 1790, 97.
 personatus Cicer, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 628; ed. 12, 1767, 1046.
 personatus Cinx, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 446; ed. 12, 1767, 724.
 personata Cochlea, T. Martyn, *Univ. Conch.* IV [1792], fig. 150.
 personatus Conus, F. C. Meuschen, *Mus. Gever.* 1787, 346.
 personata Helix, Lamarck, *J. Nat. Hist. (Choix des Mém.)*, II. 1792, 348.
 personatus Musca, M. Harris, *Exp. Eng. Ins.* 1776, 79.
 personata Musca, A. F. de Fourcroy, *Ent. Paris.* 1785, 476.
 personata Patella, T. Martyn, *Univ. Conch.* II [1788], fig. 64.
 personatus Reduvius (L.), J. C. Fabricius, *Syst. Ent.* 1775, 730.—Cimex.
 personata Strix, F. M. Daudin, *Traité élém. Orn.* 1800, 192.
 personatus Turbo, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 762; ed. 12, 1767, 1233.
 perspectalis Pyralis, J. Hübner, *Europ. Schmett.* 6 Horde [me judice 1796], 18.
 perspectata Phalaena, J. C. Fabricius, *Syst. Ent.* 1775, 640.
 perspectiva Architectonica (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 78.—Trochus.
 perspectivus Solarium (L.), Lamarck, *Mém. Soc. H. N. Paris*, 1799, 74.—Trochus.
 perspectivus Trochus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 757; ed. 12, 1767, 1227.
 perspicaria Phalaena, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 449.
 perspicata Phalaena, J. C. Fabricius, *Mant.* II. 1787, 213.
 [perspicellina Phalaena (B.) MS.], T. Martyn, *Psyche*, 1797, fig. 88.
 perspicilla [Phalaena], C. Stoll, *Aanhang. Cramer's Utitl. Kapellen.* II. 1790, 74.
 perspicillaris Blatta, J. F. W. Herbst in *Fuessly, Arch. Ins.* VII. 1786, 186.
 perspicillaris Phalaena (Noctua), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 317.
 perspicillatus Acrydium (L.), A. G. Olivier, *Ency. Méth.* VI (Ins.) 1791, 232.—Gryllus.
 perspicillata Anas, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 125; ed. 12, 1766, 201.
 perspicillata Cicada, J. C. Fabricius, *Spec. Ins.* II. 1781, 322.
 perspicillata Flata, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 517.—Cicada, 1781.
 perspicillatus Gryllus, Linnaeus, *Amoen. Acad.* VI. 1763, 398.
 perspicillata Locusta, J. C. Fabricius, *Syst. Ent.* 1775, 283.
 perspicillata Motacilla, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 969.
 perspicillatus Pteropus (Linn.), J. C. P. Erxleben, *Syst. Anim.* 1777, 137.—Vespertilio.
 perspicillata Strix, J. Latham, *Index Orn.* 1790, 58.
 perspicillata Sylvia (Gm.), J. Latham, *Index Orn.* 1790, 524.—Motacilla.
 perspicillata Tringa, E. Pontoppidan, *Danske Atlas*, I. 1763, 624.
 perspicillatus Turdus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 830.

- perspicillatus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 47.
 perspicua Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 559.—Phalaena.
 perspicua Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 439.
 perspicuus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 533.
 perspicua Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 775; ed. 12, 1767, 1250.
 perspicua Mantis, J. C. Fabricius, Mant. I. 1787, 230.
 perspicua Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811. [ed. 12.]
 perspicua Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 505.—[P. (Attacus),
 persvasorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
 pertinax Anobium (L.), J. C. Fabricius, Syst. Ent. 1775, 62.—Ptinus.
 pertinax Anobium, Illiger in Kugelann, Käfer Preuss. 1798, 327.
 pertinax Byrrhus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—Ptinus.
 pertinax Conops, Scopoli, Ent. Carn. 1763, 352.
 pertinax Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355.—[Ptinus, ed. 12.]
 pertinax Empis, M. Harris, Exp. Eng. Ins. 1776, 150.
 pertinax [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 123.
 pertinax [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 157.
 pertinax Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 142.
 pertinax Ptinus, Linnaeus, Syst. Nat., ed. 12, 1767, 565.—Dermestes, 1758.
 pertinax Syrphus (Scop.), P. Rossi, Fauna Etrus. II. 1790, 282.—Conops.
 pertristis Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
 perturbatur Sphex, M. Harris, Exp. Eng. Ins. 1776, 95.
 pertusa Asterias, O. F. Müller, Z. Dan. Prod. 1776, 235.
 pertusus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 36.
 pertusum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 263.
 pertusa Cellepora, E. J. C. Esper, Pflanzenth., Forts. I (6) 1796, 149.
 pertusus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 686.
 pertusa Leucophaea, O. F. Müller, An. Infus. 1786, 145.
 pertusa Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797.
 pertusa Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 136.—Voluta.
 pertusa Nautilus, P. Forskal, Descr. Anim. 1775, 125.
 pertusa Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 198.
 pertusa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 246.
 pertusa Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1193.
 peruana Coccinella, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
 peruvianus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 320.
 peruviana Caudiverbera, J. N. Laurenti, Syn. Rept. 1768, 43.
 peruvianus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373.
 peruviana Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 491.
 peruviana Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
 peruviana Pipra, J. Latham, Index Orn. 1790, 555.
 peruvianus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
 peruviana Rupicola, J. P. Bonnaterra, Ency. Méth. (Orn.), 1791, 266.
 peruvii Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 90.
 pervenio Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
 perversum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—Murex.
 perversus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 351.—Turbo.
 perversum Busycon, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
 perversus Cancer (ex Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
 perversum Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 496.—Trochus.
 perversa Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
 perversa Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1246.
 perversa Helix, O. F. Müller, Verm. II. 1774, 118.—Turbo.
 perversus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 753; ed. 12, 1767, 1222.
 perversa Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
 perversa Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 115 [n. n.].
 perversa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
 perversa Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 266.

- perversus** Strombiformis (L.), E. M. da Costa, Brit. Conch. 1778, 107.—Turbo.
perversus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
perversus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
perversus Xancus, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
pervirgil Apis, M. Harris, Exp. Eng. Ins. 1776, 162.
pervia Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
pes-asininus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 153.
pes-asininus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
pes-felis Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1146.
pes-lutrae Ostrea, Linnaeus, Mant. II. 1771, 547.
pes pelecani Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 334.—Strombus.
pes-pelecani Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 68.—Strombus.
pes-pellicani Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1207.
pes-pellicani Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 244.—Strombus.
petalarius Coluber, *v.* **petolarius**.
petalodes Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
petaloides Tetractis, C. F. Schultze, Verst. Seest. 1760, 50.
petalus [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 84.
petanrista Simia, **petaurista** Linn., J. M. Bechstein, Nat. Stubenthier, 1797, 31; **penta-**
petasus Patella, F. C. Meuschen, Mus. Gever. 1787, 242. [rista in Register.
Petaurista H. F. Link, Beytr. Nat. I (2) 1795, 52 [*n. n.*].—M.
Petaurista J. G. Meigen, N. Class. Mouches, 1800, 15.—Dip.
petaurista Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 36.—Simia.
petaurista Sciurus, P. S. Pallas, Misc. Zool. 1766, 54.
petaurista Sciurus, J. C. P. Erxleben, Syst. Anim. 1777, 438.
petaurista Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 269; *varr.* castaneus, niger.
petaurista Simia, J. C. D. Schreber, Säugth. I. 103 (1774), pl. xix B (1774).
petauristus Simia (Cercop.) Schr., R. Kerr, Anim. Kingd. 1792, 72.
Petaurus G. Shaw, Nat. Miscell. II. 1791, pl. 60.—M.
Petaurus R. Kerr, Anim. Kingd. 1792, 266.—M.
petavius [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 145.
petavia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 111.
petechia Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 334.
petechia Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
petechia Sylvia (L.), J. Latham, Index Orn. 1790, 535.—Motacilla.
petechialis Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
petechialis Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
petechizans Gorgonia, P. S. Pallas, Elench. 1766, 196.
petechisans Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
pethola *v.* **petola**.
petholatus *v.* **petolatus**.
Petimbubaba G. Edwards in M. Catesby, Carol. II. 1771, 17.—P.
petiolata Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1005.
petiolatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797] tab. 12.
petiolata Empis, N. Poda, Ins. Mus. Graec. 1761, 118.
petiolata Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 242.
petiolatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
petiolata Leucospis, J. C. Fabricius, Mant. I. 1787, 285.
petiolatus Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 75.
petiolata Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
petiolata Vespa, C. de Geer, Mém. Ins. VII. 1778, 610.
petiolata Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 467.
petiverella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 895.
petiverella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.
petiveriana Blatta (L.), J. C. Fabricius, Syst. Ent. 1775, 272.—Cassida.
petiveriana Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 578.
petiverii Aranea, Scopoli, Ent. Carn. 1763, 398.
petola Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387 [peth-].

- petola Coronella (Linn.), J. N. Laurenti, Syn. Rept. 1768, 87.—Coluber.
 petolaris Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 387 [peta-].
 petholata Helix, G. Olivi, Zool. Adriat. 1792, 178.
 petholatus Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 103.—Turbo.
 patholatus (*sic*) Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
 petholatus Turbinis (L.), F. C. Meuschen, Mus. Gever. 1787, 278.—Turbo.
 petholatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1233.
 petosius [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 226.
 petraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 113 [*n. et f.*].
 petrarium Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 529.
 petreus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
 petreus [Papilio], P. Cramer, Uitl. Kapellen, I (8) 1776, 138. [*et f.*].
 petrificata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 267 [*n.*].
 petrificata Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 75. [Noctua].
 petrificata Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 326.—
 petrificella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 28.
 petro Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 366.
 Petromyzon Linnaeus, Syst. Nat., ed. 10, 1758, 230; ed. 12, 1766, 394; [Artedi, Ichth. 1738, gen. xlii, 64].—P.
 petromyzontis Ligula, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 119.
 petronella Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
 petronella [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 164.
 petronia Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 322.
 petronius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
 petroriza Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 343.
 petrosa Alauda, G. Montagu, Tr. Linn. Soc. [Lond.] IV. 1798, 41.
 petrosus Papilio, L. Prunner, Lep. Pedemont. 1798, 71.
 petrosa Perdix (Gm.), J. Latham, Index Orn. 1790, 648.—Tetrao.
 petrosus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
 petrosus Trochus, T. Martyn, Univ. Conch. IV [1792], fig. 124.
 petulus Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
 petulca Phalaena, A. Sparman in Linn., Amoen. Acad. VII. 1769, 500.
 petulca Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1131.
 "Petunculus, Humph. 1797," Scudd.; does not occur.
 petus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 264.
 peucedani Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 191.
 peucedani Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (2) 1784, 207.
 pezoartica Antilope, *err. pro bezoartica*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776),
 pflugiana Pyralis, J. C. Fabricius, Mant. II. 1787, 227. [55-]
 pflugiana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 523.
 Phacites J. Gesner, Tract. Petref. 1758, 50.—Rh.
 phadima [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 220.
 phaedrus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 307.
 phaedrus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 125.
 phaedra Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 280.
 phaedusa Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 27.—Phalaena.
 phaedusa Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 32.
 phaen- *v.* phoen-.
 phaenareta [Papilio], J. G. Schaller, Naturforscher, XXI. 1785, 177.
 phaenarestoma Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
 phaenopus Numenius (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 291.—Scolopax.
 phaenopus Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 243.
 phaerusa Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 293.—[=phaetusa, Syst.
 Phaëton Linnaeus, Syst. Nat., ed. 10, 1758, 134; ed. 12, 1766, 219.—A. [Nat., ed. 10.]
 phaeton [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 42.
 phaetonis Acarus, J. C. Fabricius, Syst. Ent. 1775, 815.
 phaetusa Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478.—[phaerusa, ed. 12.]
 phaeus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.

- phaeus Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 261.
- phaeus Mus (Cricetus), R. Kerr, Anim. Kingd. 1792, 245.
- Phalacrocorax Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 8 & 75.—A.
- Phalacrocorax M. J. Brisson, Ornith. VI. 1760, 511.—A.
- phalacrocorax Pelecanus, M. T. Brünnich, Orn. Boreal. 1764, 31.
- Phalacrus G. Paykull, Faun. Suec. III. 1800, 438.—Col.
- Phalaena Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 808; divided by him into Bombyces, Noctuae, Geometrae, Tortrices, Pyralides, Tinea, Alucitae, Attaci, words apparently used in a subgeneric sense.—Lep.
- phalaenoides Bibio, O. F. Müller, Z. Dan. Prod. 1776, 171.
- phalaenoides Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 710.
- phalaenoides Flata (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 518.—Cicada.
- phalaenoides Fulgora (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.—Cicada.
- phalaenoides Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 912.
- phalaenoides Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 908.
- phalaenoides Semblis (L.), J. C. Fabricius, Syst. Ent. 1775, 305.—Phryganea.
- phalaenoides Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 50.
- phalaenoides Strix, F. M. Daudin, Traité élém. Orn. 1800, 206.
- phalaenoides Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 977.
- Phalaenula J. G. Meigen, N. Class. Mouches, 1800, 18.—Dip.
- Phalanger Storr, Prod. meth. Anim. 1780, 33.—M.
- Phalanger B. G. E. de Lacépède, Tabl. Mamm. 1799, 5.—M.
- phalanger Didelphis, E. A. W. Zimmermann, Spec. Zool. 1777, 493.
- phalangii Acarus, C. de Geer, Mém. Ins. VII. 1778, 117.
- phalangii Atomus (De G.), P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Acarus.
- phalangii Leptus (De G.), P. A. Latreille, Préc. Car. Ins. 1796, 177.—Acarus.
- Phalangista E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
- Phalangista G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.]—M.
- Phalangium Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.—Ar.
- phalangium Cancer, J. C. Fabricius, Syst. Ent. 1775, 408.
- phalangium Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 516.
- phalangium Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
- phalangium Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 196.
- phalangium Squilla, F. Weber, Nomen. Fabricii, 1795, 96 [n. n.].
- phalangoides Acarus, C. de Geer, Mém. Ins. VII. 1778, 134.
- phalangoides Aranea, J. C. Fuessly, Schweitz. Ins. 1775, 61.
- phalantha [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 41.
- phalanthus [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (28) 1780, 85.
- phalaridis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 742.
- phalaris Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 45.
- phalaris [Sphinx], P. Cramer, Utit. Kapellen, II (13) 1777, 83.
- Phalaropus M. J. Brisson, Ornith. VI. 1760, 12.—A.
- Phalaropus J. Latham, Syn. Birds, Suppl. I. 1787, 294.—A.
- Phalaropus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 19.—A.
- phalarynchos Vespertilio, M. T. Brunnich, Dyr. Hist. 1782, 52.
- phalerata Chrysomela, J. G. Schaller, Abh. Hallisch. u. Ges. I. 1783, 276 (S. 2).
- phalerata Meloe, P. S. Pallas, Icon. Ins. 1782, 78.
- phalerata Vespa, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 21.
- phaleros Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 796.
- phalli Ichneumon, J. A. Scopoli, Annus V. 1772, 121.
- phalloides Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 12.
- phalloides Pennatula, P. S. Pallas, Elench. 1766, 373.
- phallus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
- phalonia Phalaena, Linnaeus, Amoen. Acad. VI. 1763, 411.
- phantapus Holothuria, Linnaeus, Syst. Nat., ed. 12, 1767, 1089.
- phantasmatella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 23.
- fantoma (*sic*) Sirex, J. C. Fabricius, Spec. Ins. I. 1781, 419.
- pharaon Ichneumon, B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.

- pharaonicus Turbo (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 89.—Trochus pharaonius.
- pharaonis Cimex, Herbst. Einl. Ins. I. 1784, 258.
- pharaonicus Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
- pharaonius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 757; ed. 12, 1767, 1228.
- Phaethra J. F. Bolten, Mus. Bolten. (2) 1798, 159.—L.
- phareus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 308.—Papilio.
- phareus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 113.
- phaseolata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
- phaseolus Mytilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
- phasianellus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160.
- phasiani Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
- phasiani Filaria, J. A. Frolich, Naturforscher, XXV. 1791, 110.
- phasiani Pediculus, J. C. Fabricius, Gen. Ins. 1777, 310.
- Phasianus Linnaeus, Syst. Nat., ed. 10, 1758, 158; ed. 12, 1766, 270.—A.
- phasianus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 361.
- phasianus Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
- phasianus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex, 1781.
- phasianus Pavo, F. v. P. Schrank, F. Boica, I. 1798, 138.
- phasianus Phasianus, J. C. Schaeffer, Mus. Orn. 1789, 5.
- phasis [Phalaena], P. Cramer, Utitl. Kapellen, II (14) 1777, 106.
- Phasma A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.—Or.
- Phasma Illiger in Kugelann, Käfer Preuss. 1798, 499.—Or.
- phasma Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.
- phedima [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 8.
- phedonia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 110.
- phegea Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 101.
- phegea Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 132.
- phegea Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 805.
- phegea Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 550.—Sphinx. [n. n.].—A.
- Phelacrocorax, *err. pro* Phalacrocorax G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2
- phellandrii Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 601.
- phellandrii Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 122.—Chrysomela.
- phellandrii Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1723.—
- phellandrii Curculio, C. de Geer, Mém. Ins. V. 1775, 224. [Chrysomela.
- phellandrii Donacia, D. H. Schneider, Nom. Ent. 1785, 16 [n. n.].
- phellandrii Helodes (L.), G. Paykull, Faun. Suec. II. 1799, 84.—Chrysomela.
- phenicè [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 185.
- phereclus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 321.—Papilio.
- phereclus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 792.
- pherecydes (Papilio), C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 80.
- pheres [Sphinx], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 183.
- pheridamas [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 96.
- phiale [Papilio], P. Cramer, Utitl. Kapellen, I (3) 1775, 43.
- phicomone Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780],
- phidias Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 155. [32.
- phidias Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 286.
- phidias Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 347.—Papilio.
- phidias Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
- phidias Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 106.
- phidippe [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 237.
- phidippus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 402.
- phidon [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 88.
- phidonia Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 46.—Phalaena.
- phidonia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 229.
- philadelphicus Bodianus (L.), G. A. Suckow, Naturges. IV. 1799, 518.—Perca.
- philadelphica Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 592.
- philadelphica Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
- philaidilis Papilio, M. B. Borkhausen, Nat. eur. Schmett. I. 1788, 93.

- Philander M. J. Brisson, Reg. Anim. 1762, 207.—M.
- philander Didelphis, Linnaeus, Syst. Nat., ed. 10, 1758, 54; ed. 12, 1766, 72.
- philantropos (*sic*) Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
- Philanthus J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 224.—Hym.
- philanthus Melolontha, J. F. W. Herbst in Fuessly, Arch. Inso. IV. 1783, 17.
- philanthus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 23.
- philanthus Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 3.
- philanthus Staphylinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 181.
- philargus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
- philasus Papilio, *err. pro* philiasus, L., J. C. Fabricius, Mant. II. 1787, 83.
- philea Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
- philemon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
- philemon Papilio, J. C. Fabricius, Syst. Ent. 1775, 534.
- philemon [Papilio], P. Cramer, Utitl. Kapellen, I (2) 1775, 35.
- philene [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 168.
- philenor Papilio (E.), Linnaeus, Mant. II. 1771, 535.
- phileta Papilio, J. C. Fabricius, Syst. Ent. 1775, 471.
- phileta [Phalaena], D. Drury, Ill. Nat. Hist. III. 1782, index & 30.
- philetes Papilio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2364.
- Philia J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
- philiasus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 324.
- philiasus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 790.
- "Philina, Ascan. 1772," Scudd.; does not occur.—*See* Philine.
- Philine P. Ascanius, K. Vet. Ac. Handl. XXXIII. 1772, 331.—Pt.
- philintha Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 346.
- philippensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
- philippensis Bucco, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- philippensis Cetonia, J. C. Fabricius, Syst. Ent. 1775, 49.
- philippensis Columba, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- philippensis Merops, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
- philippensis Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- philippensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 968.
- philippensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 943.
- philippensis Pelecanus, T. Pennant in Forster, Ind. Zool. 1781, 42 [*n. n.*].
- philippensis Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
- philippensis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 80.
- philippensis Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 263.
- philippensis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.—
- philippensis Sterna, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 100. [*Cetonia*].
- philippensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 525.—Motacilla.
- philippensis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
- philippensis Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
- philippensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
- philippinarum Bucco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [*n. n.*].
- philippinarum Picus, J. Latham, Index Orn. 1790, 236.
- philippinarum Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 331.
- philippinensis Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 407.
- philippinensis Colymbus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 58.
- philippina Cercopithecus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3
- philippina Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187. [*n. n.*].
- philippinus Charadrius, J. Latham, Index Orn. 1790, 745.
- philipinum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
- philippinus Lanix, J. A. Scopoli, Del. Insub. II. 1786, 85.
- philippina Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 305.
- philippinus Merops, Linnaeus, Syst. Nat., ed. 12, 1766, 183 [see errata, end of vol. I.].
- philippina Motacilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10
- philippina [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 139. [*n. n.*].
- philippinus Rallus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 11 [*n. n.*].

- philippina Sterna, J. Latham, Index Orn. 1790, 805.
 philippinus Turdus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [n. n.].
 philippa Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 211.
 philippus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 283.
 philis [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 201.
 "Phillis, Act.-Holm.", Müller, Z. Dan. Prod. 226: misprint for **Philine**.
 philocles Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 791.
 philoctetes Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 750.
 philoctetes Scarabaeus, A. G. Olivier, Entom. I. 1789, 16.
 Philomachus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 66.—A.
 philomela Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
 philomela Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 57.
 philomela Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185.
 philonome [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 72.
 philonomus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 73.
 philoxenus Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780], 25.
 philyreae Silpha, F. v. P. Schrank, Ins. Aust. 1781, 47.
 phineus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 329.—Papilio.
 phineus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 123.
 Phinx, *err. pro Sphinx* J. C. Fuessly, Arch. Ins. I. 1781.
 Physophora, *id. ac Physosphora* J. A. Scopoli, Intr. Hist. Nat. 1777, 504.
 phleas Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
 phleas Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 311.—Papilio phlaeas.
 phleas [Papilio], J. A. B. Bergstraesser, Ic. Pap. II. 1780, 7.
 phlaeas Papilio (Pleb.), Linnaeus, Faun. Suec., ed. 2, 1761, 285.
 phlegia [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 9.
 phlegmaticus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 6.
 phlegmon [Sphinx], P. Cramer, Utitl. Kapellen, I (3) 1775, 57.
 phliasus [Papilio], C. Clerck, Icones, II. 1764, pl. xli.
 phliasus [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 145.
 Phloiotribus P. A. Latreille, Préc. Car. Ins. 1796, 50.—Col.
 phlyctaena Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
 phobos [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 11.
 phobus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
 Phoca Linnaeus, Syst. Nat., ed. 10, 1758, 37; ed. 12, 1766, 55.—M.
 phoca Saperda, J. A. Frolich, Naturforscher, XXVII. 1793, 139.
 phocae Ascaris, O. Fabricius, F. Groen. 1780, 272.
 phocae Echinorhynchus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3044.—
 phocae Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179. [Ascaris.
 phocoena Delphinus, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 108.
 phocaena Delphinus, R. Kerr, Anim. Kingd. 1792, 363; *varr. albus, fuscus*.
 phocarum Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 73.
 phocarum Taenia, O. Fabricius, F. Groen. 1780, 316.
 phocas Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 334.—Papilio phocus.
 phocas Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 29.
 phocilles Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 282.
 phocion Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 335.
 phocion Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio, 1781.
 phocion Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 431.
 phocion Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 138.
 phocion Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 218.
 phocus [Papilio], P. Cramer, Utitl. Kapellen, II (14) 1777, 102.
 phoebe Muscicapa, J. Latham, Index Orn. 1790, 489.
 phoebe Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
 phoebe Phalaena Bombyx, S——t in Scriba, Beitr. Ins. I. 1790, 18.
 phoebe Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784-6],
 Phoebea A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 113.—Inf. [172.
 phoebia Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.

- phoebus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 181.
 phoebus Papilio, L. Prunner, Lep. Pedemont. 1798, 69.
 phoedon Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 423.
 phoenicea Ampelis, J. Latham, Index Orn. 1790, 367.
 phoeniceus Cimex, P. Rossi, Mant. Ins. II. 1794, 54.
 phaeniceus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 344.—Oriolus.
 phoeniceus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 161.
 Phoenicopterus Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 230.—A.
 phoenicopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2165.
 phoenicopteræ Columba, J. Latham, Index Orn. 1790, 597.
 phoenicurus Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 35.—Motacilla.
 phoenicurus Fringilla, H. Lichtenstein, Cat. rerum Nat. I. 1793, 47.
 phoenicurus Gallinula, T. Pennant, Ind. Zool. [1769], 10.
 phoenicurus Lanius, P. S. Pallas, Reise Russ. III. 1776, 693.
 phoenicurus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 335.
 phoenicuros Phaëton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 583.
 phoenicurus Rallus (Penn.), J. R. Forster, Ind. Zool. 1781, 19.—Gallinula.
 phoenicurus Sylvia (L.), J. A. Scopoli, Annus I. 1769, 157.—Motacilla.
 phoenicurus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
 phoenix Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 126.
 phoenix Phalaena, [D. H. Schneider], Nom. Ent. 1785, 47 [n. n.].
 phoeopus Scolopax, *id. ac* phaeopus Linn., J. A. Scopoli, Annus I. 1769, 94.
 phoetusa Papilio, *err. pro* phaerusa, P. Cramer, Utit. Kapellen, II (11) 1777, 50.
 "pholadis Helmintholithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 398.
 pholadis Mytilus, Linnaeus, Mant. II. 1771, 548.
 Pholas Linnaeus, Syst. Nat. ed. 10, 1758, 669; ed. 12, 1767, 1110.—L.
 pholeus [Papilio], P. Cramer, Utit. Kapellen, II (14) 1777, 104.
 pholeus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 267.—Papilio.
 Pholidotus M. J. Brisson, Reg. Anim. 1762, 18.—M.
 Pholis [P. Artedi, Ichth. 1738, syn. p. 116].—P.
 Pholis L. T. Gronov, Acta Helvet. IV. 1760, 259.—P.
 pholis Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 443.
 pholus Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 49.
 pholus [Sphinx], P. Cramer, Utit. Kapellen, I (8) 1776, 137.
 pholus Zygaena (Drury), J. C. Fabricius, Syst. Ent. 1775, 555.—Sphinx.
 Phora P. A. Latreille, Préc. Car. Ins. 1796, 169.—Dip.
 phorbanta Papilio (E.), Linnaeus, Mant. II. 1771, 535.
 phorbanta Scarabaeus, A. G. Olivier, Entom. I. 1789, 17.
 phorbas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 277.
 phorbas [Sphinx], P. Cramer, Utit. Kapellen, I (5) 1775, 86.
 phorcas [Papilio], P. Cramer, Utit. Kapellen, I (1) 1775, 4.
 phorcus [Papilio], P. Cramer, Utit. Kapellen, II (13) 1777, 93.
 phorcys Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 80.
 phoronea [Phalaena], P. Cramer, Utit. Kapellen, III (20) 1779, 77.
 phosphorea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.—[Lampyrus, ed. 12.]
 phosphorea Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 434.—[Fulgora, ed. 12.]
 phosphoreus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 652.
 phosphorea Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[Cicada, ed. 10.]
 phosphorea Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
 phosphorea Laternaria, Linnaeus, Mus. Lud. Ulr. 1764, 152.
 phosphorea Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 818; ed. 12, 1767, 1322.
 phosphorea Scolopendra, Linnaeus, Syst. Nat., ed. 10, 1758, 638; ed. 12, 1767, 1064.
 phosphorica Scolopendra, A. F. de Fourcroy, Ent. Paris. 1785, 543.
 phoxinus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 322; ed. 12, 1766, 528.
 phragmitidis Tipula, F. v. P. Schrank, Ins. Aust. 1781, 426.
 phragmitis Aranea, P. Rossi, Fauna Etrus. II. 1790, 128.
 phragmitis Cynips, F. v. P. Schrank, Ins. Aust. 1781, 321. [ed. 13, I. 1790, 2818.
 phragonitidus Tipula, *err. pro* phragmitidis, Schrank, J. F. Gmelin in Linn. Syst. Nat.,

- phrenitica Chama, I. v. Born, Index Mus. Caes. Vind. 1778, 69.
- Phryganea Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 908.—Neur.
- Phryganea J. C. Fabricius, Suppl. Ent. Syst. 1798, 197.—Neur.
- phryganeae Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3041.
- phryganella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
- phryganoides Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
- phrygialis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
- phrygiana Asterias, J. v. d. L. Parelius, K. Norske Vid. Selsk. Skrift. IV. 1768, 423.
- phrygiana Madrepora, E. J. C. Esper, Pflanzenth., Forts. II (9) 1798, 10.
- phrygionia Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
- phrygia Lucernaria, O. Fabricius, F. Groen. 1780, 343.
- phrygia Madrepora, J. Ellis and D. Solander, Nat. Hist. Zooph. 1786, 162.
- phrygius Merops, G. Shaw, Zool. N. Holland, 1794, 13.
- phrygia Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
- Phryne J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
- phryne Papilio, P. S. Pallas, Reise Russ. I. 1771, 470.
- phryne Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
- phryne Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 196.
- phryne Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1132.
- phryxa [Papilio], J. A. B. Bergstraesser, Nom. Ins. IV. 1780, 27.
- Phthisica M. Slabber, Nat. Verlust. 1778, 79.—Cr.
- Phthisica M. Slabber, Phys. Belust. 1781, 41.—Cr.
- phthisicus Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 425.—[Mantis, ed. 12.]
- phthisica Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 689.—[Gryllus, ed. 10.]
- phthisica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 281.
- phusca *v.* fuscus.
- Phycis [P. Artedi, Ichth. 1738, gen. p. 84], J. G. Schneider, Bloch's Syst. Ichth. 1801,
- Phycis J. C. Fabricius, Suppl. Ent. Syst. 1798, 420.—Lep. [56.—P.]
- phycis Blennius, Linnaeus, Syst. Nat., ed. 12, 1766, 442.
- phyleus Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index & 25.
- phylira [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 113.
- phylirata Phalaena, *id. ac* phylira, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 254.
- phylleus [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 98.
- Phyllidia G. Cuvier, Tab. Elém. 1798, 388.—Nud.
- Phyllidoce P. Browne, Hist. Jamaica, ed. 2, 1789, 387.—Acal.
- Phyllidoce A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 191.—Acal.
- Phylline P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 31.—Ver.
- phyllira Bombyx (Dru.), A. G. Olivier, Ency. Meth. V (Ins.) 1790, 94.—Phalaena.
- phyllira Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 15.
- phyllis Libellula, J. H. Sulzer, Gesch. Ins. 1776, 169.
- phyllis Papilio, J. C. Fabricius, Syst. Ent. 1775, 463.
- Phyllium Illiger in Kugelann, Käfer Preuss. 1798, 499.—Or.
- phylloceros Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
- phyllocola Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 161.
- phyllopus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 731.
- phyllopus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 139.—Cimex.
- "Phyllostoma, Cuv. 1797," Ag.; does not occur.
- Phyllostoma G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
- Phyllostomus B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.—M.
- phylluros Lacerta (Schn.), J. A. Donndorff, Zool. Beyt. III. 1798, 133.—Stellio.
- phyllurus Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 31.
- phyllus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 122.
- phymotis Stomatia, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 124.
- Phyrcorax *v.* Pyrrhocorax.
- phyrropecilus Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
- physalis Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1090.
- physalis Physosphora, A. Modeer, K. Vet. Ac. Nya Handl. X. 1789, 285.
- physalus Balaena, Linnaeus, Syst. Nat., ed. 10, 1758, 75; ed. 12, 1766, 106.

- physalus *Thalis* (L.), G. Cuvier, Tab. Elém. 1798, 389.—Holothuria physalis.
 Physapus J. H. Sulzer, Kennz. Insect. 1761, 38.—Thys.
 physapus *Thrips*, Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.
 Physeter Linnaeus, Syst. Nat., ed. 10, 1758, 76; ed. 12, 1766, 107.—M.
 Physeter [G. Humphreys], Mus. Calonn. 1797, 25.—G.
 physis *Bulla*, Linnaeus, Syst. Nat., ed. 10, 1758, 727; ed. 12, 1767, 1184.
 Physodes G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 8 [n. n.].—Cr.
 physodes *Asellus* (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
 physodes *Cymothoa* (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.
 physodes *Idotea* (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 303.—Oniscus.
 physodes *Oniscus*, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
 Physophora P. Forskal, Descr. Anim. 1775, 119.—Coel.
 Physophora J. G. Brugière, Ency. Méth. (Vers) (1) 1789, xi.—Coel.
 phytolaccae *Phalaena*, J. E. Smith in Abbot, Ins. Georgia, 1797, 193.
 Phytospongius F. W. Schmidt, Lausizische Monatsschr. Feb. 1795, 96.—Por.
 Phytotoma G. I. Molina, Sag. stor. nat. Chili, 1782, 254.—A.
 Phytotoma *Bonnaterre*, Ency. Méth. (Orn.) I. 1790, xci.—A.
 piapiac *Corvus*, F. M. Daudin, Traité élém. Orn. 1800, 239.
 piazzata *Zonitis*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 104.
 Pica M. J. Brisson, Ornith. II. 1760, 35.—A.
 picea *Pediculus*, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
 picarella [*Phalaena*], C. Clerck, Icones, I. 1759, pl. x, 15.
 picatus *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
 picatus *Coluber*, G. Shaw, Nat. Misc. IX. 1798, pl. 340. [1757.
 picatus *Curculio*=*C. piceus*, De G., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 picatus *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
 picatus *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
 picatus *Lanius*, J. Latham, Index Orn. 1790, 73.
 picata *Musca*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
 picatus *Ramphastos*, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 152.
 picatus *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.
 picatus *Staphylinus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
 piceana *Phalaena* (*Tortrix*), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 877.
 piceana *Tortrix*, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 72 [n. et f.].
 picearia *Phalaena* (*Tortrix*), *errore* piceana, Linn. O. F. Müller, Z. Dan. Prod. 1776, 130.
 piceella *Phalaena* *Tinea*, N. J. Brahm, Ins. Kal. II (1) 1791, 241.
 piceqlus *Dytiscus*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
 piceum *Anisotoma*, Illiger in Kugelann, Käfer Preuss. 1798, 75.
 picea *Apis*, J. L. Christ, Nat. Ins. 1791, 176.
 picea *Aranea*, J. H. Sulzer, Gesch. Ins. 1776, 254.
 piceus *Bostrichus*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.
 piceum *Callidium*, J. N. Laicharting, Tyrol. Ins. II. 1784, 56.
 picea *Cantharis*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
 piceus *Carabus*, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
 piceus *Carabus*, J. C. Fabricius, Syst. Ent. 1775, 241.
 piceus *Cerambyx*, A. F. de Fourcroy, Ent. Paris. 1785, 74.
 piceus *Chiton*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3205.
 picea *Chrysomela*, J. C. Fabricius, Spec. Ins. I. 1781, 129.
 picea *Chrysomela*, [D. H. Schneider], Nom. Ent. 1785, 9 [n. n.].
 piceus *Cimex*, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 8.
 piceus *Cucujus*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 243.
 piceus *Curculio*, Scopoli, Ent. Carn. 1763, 24.
 piceus *Curculio*, P. S. Pallas, Reise Russ. I. 1771, 464.
 piceus *Curculio*, C. de Geer, Mém. Ins. V. 1775, 221.
 piceus *Curculio*, F. v. P. Schrank, F. Boica, I. 1798, 501.
 piceus *Dermestes*, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 8.
 piceus *Dermestes*, A. G. Olivier, Entom. II. 1790, 10.
 piceus *Dyticus*, O. F. Müller, Z. Dan. Prod. 1776, 71.

- piceus** Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 664.
piceus Elater, C. de Geer, Mém. Ins. IV. 1774, 162.
picea Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.—Chrysomela.
piceus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus, 1775.
piceus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 50.
piceus Helops, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
piceus Hydrophilus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 68.—Dytiscus.
piceus Hydrous, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
piceus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
picea Ips, J. C. Fabricius, Gen. Ins. 1777, 214.
piceus Leistus, J. A. Frolich, Naturforscher, XXVIII. 1799, 9.
piceus Lucanus, G. Bousdorff, K. Vet. Ac. Nya Handl. VI. 1785, 222.
piceus Lucanus, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 113.
picea Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 97.
picea Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 46.
picea Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
piceus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.—Ips, 1787.
piceus Mycetophagus (L.), G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 22.—Silpha.
piceus Rynchophorus (Pall.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 20.—Cur-
picea Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 317. [culio.
piceus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 14.
piceus Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [n. n.).
piceus Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 5.
piceus Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], I (4) 1782, 374.
piceus Scarites, Hellwig in G. W. F. Panzer, Ins. Germ. heft 11, 1793, tab. 2.
picea Silpha, C. de Villers, Linn. Ent. I. 1789, 87.
piceus Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 686.
piceus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 87.
piceus Tenebrio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 319.
picea Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2667.
pici Acarus, Scopoli, Ent. Carn. 1763, 388.
pici Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
pici Pediculus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 571.
pivicitli Pipra, J. Latham, Index Orn., 1790, 559.
pivicornis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 134.
pivicornis Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 121.
pivicornis Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 86.
pivicornis Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498.
pivicornis Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Hemerobius, 1793.
picipennis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 521.
picipes Byrrhus, A. G. Olivier, Entom. II. 1790, 9.
picipes Callidium, J. C. Fabricius, Mant. I. 1787, 157.
picipes Carabus, J. C. Fabricius, Mant. I. 1787, 203.
picipes Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1855.—Calli-
picipes Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1699. [dium].
picipes Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 43.
picipes Curculio, J. C. Fabricius, Gen. Ins. 1777, 229.
picipes Dermestes, J. C. Fabricius, Mant. I. 1787, 35.
picipes Dryops, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 298.
picipes Dytiscus, J. C. Fabricius, Mant. I. 1787, 192.
picipes Dytiscus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 342.—Hydrophilus.
picipes Elater, F. v. P. Schrank, Naturforscher, XXIV. 1789, 78.
picipes Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 242.
picipes Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 501.
picipes Helops, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 4.
picipes Hispa, J. C. Fabricius, Mant. I. 1787, 47.
picipes Hister, A. G. Olivier, Entom. I. 1789, 18.
picipes Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 77.

- picipes** Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 50.
picipes Hydrophilus, J. C. Fabricius, Mant. I. 1787, 188.
picipes Ips, A. G. Olivier, Entom. II. 1790, 7.
picipes Leptura, C. de Villers, Linn. Ent. IV. 1789, 314.
picipes Lyctus (Herbst), G. Paykull, Faun. Suec., III. 1800, 331.—*Monotoma*.
picipes Melolontha, A. G. Olivier, Entom. I. 1789, 80.
picipes Mondotoma, Herbst in Jablonsky, Nat. Ins. (Käfer), V. 1793, 24.
picipes Morella, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
picipes Mycetophagus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 558.
picipes Oxyporus, G. Paykull, Faun. Suec. III. 1800, 426.
picipes Scarites, A. G. Olivier, Entom. III. 1795, 12.
picipes Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 119.—
picipes Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer), VII. 1797, 245. [Hispa].
picipes Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 99.
picipes Trogosita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 50.
picirostris Curculio, J. C. Fabricius, Mant. I. 1787, 101.
Picoides B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 7.—A.
picridis Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
pictaria Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 6.
pictaria Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
pictata Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
pictor Alpheus (Fab.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
pictor Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 335.
pictor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 197.
pictor Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 138.
pictoralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 233.
pictorum Baphia (L.), F. C. Meuschen, Mus. Gever. 1787, 472.—Mya.
pictorum Limnaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 253 & 259.—Mya.
pictorum Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1112.
pictorum Spondylus, K. Schreibers, Vers. Conch. II. 1793, 158.
pictorum Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195 [n. n.].
pictorum Unio (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.—Mya.
pictum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins), 1791, 220.—Gryllus.
picta Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 504.
pictus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 117.
picta Antilope, P. S. Pallas, Spic. Zool. XII (1777), 14.
picta Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 242.
pictus Banchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.
picta Blatta, D. Drury, Ill. Nat. Hist. III. 1782, index & 76.
pictus Bombylius, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 24.
pictus Bucco, P. Boddaert, Tab. Planch. Enl. 1783, 20.
pictus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 329.
picta Cuprestis, P. S. Pallas, Reise Russ. II. 1773, 719.
pictus Carabus, P. S. Pallas, Reise Russ. I. 1771, 465.
picta Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
picta Cetonia, A. G. Olivier, Entom. I. 1789, 85.
pictus Chaetodon, P. Forskal, Descr. Anim. 1775, 65.
picta Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 42.
pictus Cimex, D. Drury, Ill. Nat. Hist. I. 1770, index & 107.
pictus Cimex, J. C. Fabricius, Syst. Ent. 1775, 715.
pictus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
picta Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 115.
pictus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1116.
picta Conops, J. C. Fabricius, Ent. Syst. IV. 1794, 391.
pictus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 299.
picta Crioceris, J. C. Fabricius, Mant. I. 1787, 87.
pictus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
pictus Curculio, P. S. Pallas, Reise Russ. I. 1771, 462. [Crioceris].

- pictus Curculio, P. S. Pallas, Icon. Ins. 1781, 35.
 pictus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 117.
 pictus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 168.
 pictus Dytiscus, J. C. Fabricius, Mant. I. 1787, 194.
 pictus Elater, D. Drury, Ill. Nat. Hist. III. 1782, index & 68.
 picta Ficus, J. F. Bolten, Mus. Bolten. (2) 1798, 148 [n. n.].
 picta Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 924.
 picta Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 592.—Crioceris.
 picta Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.
 pictus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 289.
 picta Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
 picta Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 397.
 pictus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 88.
 pictus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 pictus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
 picta Janthina (Born), J. F. Bolten, Mus. Bolten. (2) 1798, 76.—Helix.
 picta Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 62.
 pictus Leptura, D. Drury, Ill. Nat. Hist. I. 1770, index & 91.
 pictus Lophius, G. Shaw, Nat. Misc. V. 1794, pl. 176.
 picta Loxia (Gm.), F. M. Daudin, Traite élém. Orn. 1800, 449.—Fringilla.
 picta Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
 picta Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104.
 picta Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
 picta Muraena, C. P. Thunberg, De Muraena 1789, 8.
 picta Musca, J. C. Fabricius, Spec. Ins. II. 1781, 452.
 picta Mylabris, A. G. Olivier, Entom. III. 1795, 9.
 picta Myopa, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 22.
 pictum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 206.
 pictus Mytilus, I. v. Born, Index Mus. Caes. Vind. 1778, 111.
 pictus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
 picta Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
 picta Nerita, F. C. Meuschen, Mus. Gev. 1787, 266.
 picta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 91.
 pictus Oriolus, G. Shaw in Miller, Cim. Phys. 1796, 98.
 picta Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3339.
 picta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3729.
 pictus Pecten, E. M. da Costa, Brit. Conch. 1778, 144.
 pictus Pecten, J. F. Bolten, Mus. Bolten. (2) 1798, 165 [n. n.].
 picta Perca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
 picta Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIII. 1792, 143.
 picta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 275.
 picta Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 278.
 picta Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
 pictus Phasianus, Linnaeus, Syst. Nat., ed. 10, 1758, 158; ed. 12, 1766, 272.
 pictus Philanthus, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 23.
 picta Pinna, P. Forskal, Descr. Anim. 1775, 125.
 pictus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
 pictus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—Cea-
 pictus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 107. [tonia].
 picta Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97.
 picta Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
 picta Testudo, J. G. Schneider, Nat. Schildkr. 1783, 348.
 picta Tettigonia, J. C. Fabricius, Ent. Syst. IV. 1794, 24.
 picta Tipula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 550.
 pictus Todus, P. Boddaert, Tab. Planch. Enl. 1783, 49.
 pictus Turbo, E. M. da Costa, Brit. Conch. 1778, 103.
 pictus Vespertilio, P. S. Pallas, Spic. Zool. III. 1767, 7.
 pictus Vespertilio, T. Pennant in Forster, Ind. Zool. 1781, 39 [n. n.].

- pictus** Vespertilio, R. Kerr, Anim. Kingd. 1792, 96; *var.* rubellus.
- picumnus** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 30.
- Picus** Linnaeus, Syst. Nat., ed. 10, 1758, 112; ed. 12, 1766, 173.—A.
- pica** Alca, Linnaeus, Syst. Nat., ed. 12, 1766, 210.
- pica** Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 551; *var.* baltica.
- pica** Buceros, J. A. Scopoli, Del. Insub. II. 1786, 87.
- picus** Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 115.
- pica** Corvus, Linnaeus, Syst. Nat., ed. 10, 1758, 106; ed. 12, 1766, 157.
- pica** Corvus, R. Kerr, Anim. Kingd. 1792, 642; *var.* fuliginosa, striata, candida.
- pica** Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
- picus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 490.
- pica** Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 167.
- pica** Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
- picus** Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 384.
- pica** Ostralega, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 26.
- pica** Pica (L.), J. C. Schaeffer, Mus. Orn. 1789, 13.—Corvus.
- pica** Pinguinus (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 30.—Alca.
- pica** Scolopax, J. A. Scopoli, Annus I. 1769, 95.
- picus** [Sphinx], P. Cramer, Uitl. Kapellen, II (13) 1777, 83.
- pica** Trochus (L.), F. C. Meuschen, Mus. Gev. 1787, 286.—Turbo.
- pica** Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
- pidschian** Salmo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1377.
- piera** Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 754.
- pierus** [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 84.
- pierus** [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 148.
- piger** Acarus, Scopoli, Ent. Carn. 1763, 392.
- piger** Acarus, F. v. P. Schrank, Ins. Aust. 1781, 519.
- piger** Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 52.
- piger** Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
- pigra** Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 64.—Trichius.
- piger** Curculio, Scopoli, Ent. Carn. 1763, 23.
- piger** Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 169.
- pigra** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 499.
- pigra** Phalaena, Hufnagel, Berl. Mag. II. 1766, 426.
- pigra** Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 279.
- piger** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.—Trichius.
- piger** Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 295.
- piger** Trichius, J. C. Fabricius, Syst. Ent. 1775, 41.
- pigmalion** [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 87.
- pigra -um** *v.* piger.
- Pika** B. G. E. de Lacépède, Tabl. Mamm. 1799, 9.—M.
- Pila** J. F. Bolten, Mus. Bolten. (2) 1798, 145.—G.
- pila** Leucosia, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
- pila** Leucosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 349.
- pilaris** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 58.
- pilaris** Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 291.
- pilchardus** Clupea, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 38.
- pileare** Buccinum (L.), F. C. Meuschen, Mus. Gev. 1787, 308.—Murex.
- pilearis** Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1097.
- pileare** Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1217.
- pileata** Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 41.
- pileata** Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
- pileata** Ardea, J. Latham, Index Orn. 1790, 695.
- pileatus** Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 691.
- pileata** Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
- pileata** Emberiza, P. Boddaert, Tab. Planch. Enl. 1783, 23.
- pileata** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
- pileatus** Lanius, J. Latham, Index Orn. 1790, 76.

- pileata* Medusa, P. Forskal, Descr. Anim. 1775, 110.
pileata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 965.
pileata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 172.
pileatus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 173.
pileatus Psittacus, J. A. Scopoli, Annus I. 1769, 32.
pileatus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 347.
pileata Sterna, J. A. Scopoli, Del. Insub. II. 1786, 92.
pileata Sylvia (Gm.), J. Latham, Index Orn. 1790, 531.—Motacilla.
pileatus Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
pileata Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 898.
pileata Tringa, J. P. Falk, Reise Russ. (5) 1786, 376.
pileatus Trochilus, J. Latham, Index Orn. 1790, 318.
pilella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 256.—Tinea.
pilella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
pileolus Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
pileus Beroe, O. F. Müller, Z. Dan. Prođ. 1776, 233.
pileus Helix, O. F. Müller, Verm. II. 1774, 80.
pileus Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 794; ed. 12, 1767, 1273.
pileus nephini Madrepora, F. C. Meuschen, Mus. Gever. 1787, 496.
pileus Medusa (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3152.—Beroe.
pileus Terebratula, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.), I. 1792, 424.
pileus Volvox, F. v. P. Schrank in Moll, Oberdeutsche Beyträge, I. 1787, 144.
pilicorne Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 327.
pilicornis Carabus, J. C. Fabricius, Syst. Ent. 1775, 243.
pilicornis Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 117. [perda.
pilicornis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.—Sa-
pilicornis Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.—Redu-
pilicornis Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 112. [vius.
pilicornis Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 193.
pilicornis Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 13.
pilicornis Reduvius, J. C. Fabricius, Mant. II. 1787, 311.
pilicornis Saperda, J. C. Fabricius, Mant. I. 1787, 148.
pilicornis Staphylinus, G. Paykull, Mon. Carab. 1790, 135.
pilicornis Tenthredo, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 231.
pilicornis Tipula, J. C. Fabricius, Mant. II. 1787, 324, no. 39.
pilicornis Tipula, J. C. Fabricius, Mant. II. 1787, 325, no. 49.
pilipes Andrena, J. C. Fabricius, Spec. Ins. I. 1781, 474.
pilipes Apis, J. C. Fabricius, Syst. Ent. 1775, 383.
pilipes Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 425.
pilipes Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.—Reduvius.
pilipes Reduvius, J. C. Fabricius, Mant. II. 1787, 309.
pilipes Tenebrio, Herbst in Jablonsky, Nat. Ins (Käfer) VII. 1797, 260.
pillipes Tipula, J. C. Fabricius, Mant. II. 1787, 324.
pilipoda Apis, *id.* ac pilipes Andraena Fabr., C. P. Thunberg, D. D. Mus. Ac. Upsal., App.
pilistrius Curculio, F. v. P. Schrank, F. Boica, I. 1798, 507. [III., 1794, 141.
pilleri Cryptocephalus, F. v. P. Schrank, F. Boica, I. 1798, 555.
pillieriana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 227.—Phalaena.
pillieriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
pillipes *v.* pilipes.
Pillularius F. v. P. Schrank, Faun. Boica, I. 1798, 355.—Col.
pillularius *v.* pilularius.
pillus Tantalus, G. I. Molina, Sag. stor. nat. Chili, 1782, 243.
pilmus Lucanus, G. I. Molina, Sag. stor. nat. Chili, 1782, 209.
pilorides Cavia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 698.
pilorides Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 91.
pilorides Mus, R. Kerr, Anim. Kingd. 1792, 227; *varr.* albidus, fulvus.
pilorides Sorex, G. Shaw, Mus. Lever. II. 1796, 31. [Mus.
pilorides Sorex (Gm.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 537.—

- piloris Castor, E. A. W. Zimmermann, Spec. Zool. 1777, 509.
- pilosaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
- pilosaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judge 1796], fig. 176 [*n. et*
pilosella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77. [*f.*]
- pilosellae Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 742.
- pilosellae Papilio, J. C. Fabricius, Syst. Ent. 1775, 497.
- pilosellae Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 5.
- pilosellae Papilio N. Ph., E. J. C. Esper, Die Schmett. I (9) 1779, 379.
- pilosellae Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 186.
- pilosissima Didelphys, H. F. Link, Beitr. Nat. I (2) 1795, 67.
- “pilosus” [*sine gen.*] Herbst in Fuessly, Arch. Insect. IV. 1783, 39.—[? Nitidula.]
- pilosa Arca, Linnaeus, Syst. Nat., ed. 12, 1767, 1143.
- pilosum Axinaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Arca.
- pilosus Bostrichus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1603.
- pilosus Brachionus, F. v. P. Schrank, Beitr. Nat. 1776, 111.
- pilosa Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 135.
- pilosus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632.
- pilosa Cantharis, Scopoli, Ent. Carn. 1763, 41.
- pilosa Cantharis, G. Paykull, Faun. Suec., I. 1798, 264.
- pilosus Carabus, N. Host in Jacquin, Coll. Bot. III. 1789, 299.
- pilosa Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 451.—Cellularia.
- pilosa Cellularia, P. S. Pallas, Elench. 1766, 72.
- pilosus Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 32.
- pilosus Cerambyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 58.
- pilosus Cerambyx, J. C. Fabricius, Mant. I. 1787, 134.
- pilosus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 35.
- pilosus Clerus, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
- pilosus Cryptocephalus, P. Rossi, Fauna Etrus. I. 1790, 100.
- pilosus Kryptophagus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 177.
- pilosus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 183.
- pilosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 468.
- pilosa Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
- pilosa Doris, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 7.
- pilosus Elater, N. G. Leske, Reise Sachsen, 1785, 11.
- pilosa Eschara, P. S. Pallas, Elench. 1766, 50.
- pilosa Flustra, Linnaeus, Faun. Suec., ed. 2, 1761, 539.
- pilosa Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 498.
- pilosa Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 575.
- pilosa Lampyrus, J. R. Forster, N. Sp. Ins. 1771, 49.
- pilosa Leptura, J. R. Forster, N. Sp. Ins. 1771, 44.
- pilosa Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 78.
- pilosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 156.
- pilosus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
[Cypris.]
- pilosa Musca, D. Drury, Ill. Nat. Hist. I. 1770, index & 109.
- pilosa Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1631.
- pilosus Pediculus, Scopoli, Ent. Carn. 1763, 384.
- pilosa Phryganea, J. C. Fabricius, Syst. Ent. 1775, 306.
- pilosa Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
- pilosa Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
- pilosus Scarabeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
- pilosus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 343.
- pilosa Sertularia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3860.—
[Cellularia.]
- pilosum Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 84.
- pilosa Spongia, J. F. Maratti, Plant. Zooph. Med. 1776, 16.
- pilosus Staphylinus, J. C. Fabricius, Mant. I. 1787, 220.
- pilosus Trichius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 128.
- pilosa Tritoma, Hellwig in G. W. F. Panzer, Ins. Germ. heft 7, 1793, tab. 8.
- pilosa Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 172.—Arca.

- pilula* Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
pilula Cistela (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 58.—Byrrhus.
pilula Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356.
pilula Hydrophilus, O. F. Müller, Z. Dan. Prod. 1776, 69.
pilula Volvox, O. F. Müller, Verm. I (1) 1773, 28.
pillularius Actinophorus (L.), J. Sturm, Verz. Ins. Samml. 1800, 79.—Scarabaeus.
pillularius Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.—Scarabaeus.
pillularius Curculio, J. C. Fabricius, Mant. I. 1787, 121.
pillularius Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 550.
pilumnia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 36.
Pimelia J. C. Fabricius, Syst. Ent. 1775, 251.—Col.
pimelia Helops, J. C. Fabricius, Mant. I. 1787, 214.
pimpinellae Anthrenus, J. C. Fabricius, Syst. Ent. 1775, 61.
pimpinellae Byrrhus (Fab.), L. G. Scriba, J. Lieb. Ent. II. 1790, 160.—Anthrenus.
pinana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
pinaru Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
pinaster Sertularia, I. Lepechin, Acta Ac. Sci. Petrop. 1780 (1) 1783, 223.
pinaster Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 55.
pinastri Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 358.
pinastri Musca, C. de Geer, Mém. Ins. VI. 1776, 113.
pinastri Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 315.
pinastri Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 802.
[pinastrina Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 81 & 85.
pincernatus Turbinis, F. C. Meuschen, Mus. Gev. 1787, 278.
Pinctada J. F. Bolten, Mus. Bolten. (2) 1798, 166.—L.
pindarus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 262.
pindarus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
pinella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539.
pinetana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me giudice 1796], fig. 57 [n. et f.].
pinetaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 130 [n. et f.].
pinetata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 373.
pinetella Phalaena Tinea, Linnaeus, Faun. Suec., ed. 2, 1761, 355.
pinetella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
pineti Aphis, J. C. Fabricius, Spec. Ins. II. 1781, 389.
pineti Bombyx, E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1797], 54.
pineti Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 470.—Tinea pinetella.
pineti Curculio, G. Paykull, Mon. Curc. 1792, 61.
pineti Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 399.
pinetorum Curculio, F. v. P. Schrank, Ins. Aust. 1781, 124.
pinetorum Falco, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 140.
pinetorum Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
Pingouin B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
pinguedinis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 44.
pinguicula Hexathyridium, F. A. Treutler, Obs. Helminth. hum. corp. 1793, 22.
pinguicola Polystoma (Treat.), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 203.—Hexathyridium.
pinguinalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 882.
Pinguinaria G. Shaw, Mus. Lever. 1792, 144.—A.
Pinguinus J. P. Bonnaterre, Ency. Méth. (Orn.), I. 1790, lxxxiii.—A.
pinguis Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena pinguinalis.
pinguis Curculio, J. C. Fabricius, Mant. I. 1787, 121.
pinguis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 973.
pinguis Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2868.—Syrphus.
pinguis Sylvia (Gm.), J. Latham, Index Orn. 1790, 543.—Motacilla.
pinguis Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
pini Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
pini Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 285.
pini Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 565.—Phalaena.

- pini** Callidium, A. G. Olivier, Entom. IV. 1795, 71.
pini Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2213.
pini Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 598.
pini Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
pini Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 112.—Chrysomela.
pini Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 608.
pini Hypophloeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 19.
pini Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 278.
pini Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 163.—Cimex.
pini Melolontha, A. G. Olivier, Entom. I. 1789, 18.
pini Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 814.
pini Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 278.
pini Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
pini Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 922.
pini Tipula, C. de Geer, Mém. Ins. VI. 1776, 417.
pini Trigla, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 130.
piniaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me Judice 1796], fig. 119 [*n. et f.*].
piniaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767, 861.
piniperda Bostrichus (L.), J. C. Fabricius, Syst. Ent. 1775, 60.—Dermestes.
piniperda Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
piniperda Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 563.
piniperda Ips (L.), C. de Geer, Mém. Ins. V. 1775, 194.—Dermestes.
piniperda Phalaena (*ex* Esper, tab.), H. G. Lang, Verz. Schmett. II. 1789, 139.
piniperda Phalaena Noct. (Lang), E. J. C. Esper, Die Schmett. IV (46) 1791, 343.—
piniperda Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 8.—Bostrichus. [Noctua.
piniphilus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 24.
Pinna Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1159.—L.
pinnarum Lernaea, J. C. Fabricius, Reise Norwegen, 1779, 282.
pinnata Aranea, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 363.
pinnata Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 180.—Salpa.
pinnatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 272; ed. 12, 1766, 461.
pinnata Chalcides, J. N. Laurenti, Syn. Rept. 1768, 64.
pinnata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 117.
pinnata Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1292.
pinnata Millepora, P. S. Pallas, Elench. 1766, 247.
pinnata Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
pinnatus Orbis, P. L. S. Müller, Del. Nat. II. 1767, 141.
pinnata Pteraclis, L. T. Gronov, Acta Helvet. VII. 1772, 44.
pinnata Salpa, P. Forskal, Descr. Anim. 1775, 113.
pinnata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1312.
pinnata Sertularia, P. S. Pallas, Elench. 1766, 136. [Millepora.
pinnata Tubipora (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3755.—
pinnicornis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 589; ed. 12, 1767, 979 [penn-].
“Pinnigera, De Luc, 1779,” Scudd.; a latinization of Pinnigène.
Pinnites J. Gesner, Tract. Petref. 1758, 39.—L.
pinnophylax Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1039.
pinnotheres Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1040.
pinnotheres Cancer, P. Forskal, Descr. Anim. 1775, 88.
pintadeanus Tetrao, J. A. Scopoli, Del. Insub. II. 1786, 93.
pinthaeus Papilio Danaus, Linnaeus, Syst. Nat., ed. 12, 1767, 766.
pinthoris Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 488 [P. (Danaus) pinthæus,
pinus Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187. [ed. 12.
pinus Fringilla, B. S. Barton, Frag. N. H. Pennsylv., 1799, 21.
pinus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
pinus Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3846.
pinus Sylvia (L.), J. Latham, Index Orn. 1790, 537.—Certhia.
Pipa J. N. Laurenti, Syn. Rept. 1768, 24.—Amph.
pipa Bufo (L.), J. P. Bonnaterra, Ency. Méth. (Erp.), 1789, 14.—Rana.

- pipa Buffo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 pipa Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
 pipa Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 354.
 piperata Mactra, J. L. M. Poiret, Voy. Barbarie, II. 1789, 15.
 piperivorus Ramphastos, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.
 pipiens Conops (Linn.), Scopoli, Ent. Carn. 1763, 357.—Musca.
 pipiens Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1002.
 pipiens Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 988.
 pipiens Rana, Schreber, Naturforscher, XVIII. 1782, 185.
 pipiens Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
 pipilans Fringilla, J. Latham, Syn. Birds, Suppl. I. 1787, 286.
 pipilans Psittacus, J. Latham, Index Orn. 1790, 105.
 pipile Crax, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 26.
 pipile Penelope (Jacq.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 734.—Crax.
 pipines Culex, A. F. de Fourcroy, Ent. Paris. 1785, 516.
 pipines Musca, A. F. de Fourcroy, Ent. Paris. 1785, 486.
 "Pipis, Licht. 1793," see *Pipus*.
 pipistrellus Vespertilio, J. C. D. Schreber, Säugth. I. 167 (1774) pl. liv (1774).
 pipleis Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 775.
 Pipra Linnaeus, Mus. Adolph. Frid. II. 1764, 32.—A.
 Pipra Linnaeus, Syst. Nat., ed. 12, 1766, 338.—A.
 pipa Parus, Linnaeus, Syst. Nat., ed. 10, 1758, 190.—[leucocilla Pipra, ed. 12.]
 Pipus A. A. H. Lichtenstein, Cat. rerum Nat. I. 1793, 33.—A.
 piranthus [Papilio], P. Cramer, Utit. Kapellen, III (17) 1779, 18.
 [piraticus Araneus, C. Clerck, Aran. Svec. 1757, 102.]
 piraticus Araneus, T. Martyn, Aranei, 1793, 47.
 pirata Papilio, L. Prunner, Lep. Pedemont. 1798, 73.
 pirca *v.* perca.
 pireta *v.* pyretus.
 pir- *v. et.* pyr-.
 piricola Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
 pirina Phalaena, Hufnagel, Berl. Mag. III. 1767, 290.
 pirthea Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 111.—[peritheia, Cr., *est.*]
 pirthous Papilio, J. C. Fabricius, Syst. Ent. 1775, 483.
 pirthous Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 790.
 piritoides Phalaena, Hufnagel, Berl. Mag. III. 1767, 400.
 pirmal Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 29.
 pisana Buprestis, P. Rossi, Mant. Ins. II. 1794, 101.
 pisanus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 416.
 pisana Helix, O. F. Müller, Verm. II. 1774, 60.
 piscator Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 279.
 piscator Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 247.
 piscator Pelecanus, Linnaeus, Syst. Nat., ed. 10, 1758, 134; ed. 12, 1766, 217.
 [piscatorius Araneus, C. Clerck, Aran. Svec. 1757, 103.]
 piscatorius Araneus, T. Martyn, Aranei, 1793, 48.
 piscatorium Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
 piscatorius Lophius, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402.
 piscatoria Mustela (Lutra), R. Kerr, Anim. Kingd. 1792, 172.
 piscinalis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3627.—Nerita.
 piscinalis Nerita, O. F. Müller, Verm. II. 1774, 172.
 piscinus Binoculus, O. F. Müller, Z. Dan. Prod. 1776, 200.
 piscinus Echinorhynchus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 132.
 piscinus Monoculus, Linnaeus, Faun. Suec., ed. 2, 1761, 497.
 piscis Trichoda, O. F. Müller, Verm. I (1) 1773, 73.
 piscium Caryophyllaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3052.
 piscium Gordius, J. G. Bruguière, Ency. Méth. (Vers. Int. 1791), 89.
 piscium Hirudo, O. F. Müller, Verm. I (2) 1774, 43.
 piscium Ligula, M. E. Bloch, Eingeweidewürmer, 1782, 2.

- piscium Taenia, P. S. Pallas, Elench. 1766, 413.
 piscivorus Crotalus, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 130.
 piscivorus Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 151.
 piseus Syrphus, P. Rossi, Mant. Ins. II. 1794, 64.
 pisi Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 604.
 pisi Noctua, (L.), J. C. Fabricius, Syst. Ent. 1775, 610.—Phalaena.
 pisi Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854.
 pisi Rhinomacer (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 191.—Bruchus.
 pisiferus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 23.
 pisiformis Hydatigena, J. A. E. Goeze, Eingeweidewürm. 1782, 210. [Hydatigena.
 pisiformis Taenia (Goeze), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.—
 pisiformis Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 677; ed. 12, 1767, 1120.
 pisiformis Vesicaria (Goez.), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 30.—
 pisistratus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 345. [Hydatigena.
 piso Gobiomoroides (Gm.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 592.—
 pisonis Gobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1206. [Gobius pisonis.
 pisorium Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
 pisorum Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356.
 pisorum Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 242.
 pissopus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 31.
 pissotarsus Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 40.
 pistaciae Aphis, Linnaeus, Syst. Nat., ed. 12, 1767, 737.
 pistacina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
 pistillata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 73.
 pisum Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 pisum Aphis, M. Harris, Exp. Eng. Ins. 1776, 66.
 pisum Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1039.
 pisum Cordiformis, F. C. Meuschen, Mus. Gever. 1787, 486.
 pisum Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
 pitangva Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 136.
 pitar Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180.
 pithecia Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 55.—Simia.
 pithecius Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
 pithecius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
 pithecius Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 147.
 pithecius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
 pithecia Simia, Linnaeus, Syst. Nat., ed. 12, I. 1766, 40.
 pithecia Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 80.
 Pithecius Cuvier & Geoffroy, Journ. de Phys. III. 1798, 190.—M.
 Pithecius G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
 pitho Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 337.
 pithyornus Emberiza, P. S. Pallas, Reise Russ. II. 1773, 710.
 pityocampa Bombyx, [Denis & Schiffermüller], Schmett. Wien. 1775, 58.
 pithyocampa [Phalaena], P. Cramer, Utitl. Kapellen, IV (26) 1780, 29.
 pithyocampa Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (20) 1785, 159.—
 pitius Picus, G. I. Molina, Sag. stor. nat. Chili, 1782, 236. [Bombyx.
 Placenta A. J. Retzius, Diss. Nova Test. Gen. 1788, 15.—L.
 Placenta C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99.—L.
 Placenta [G. Humphreys], Mus. Calonn. 1797, 64.—Ech.
 placenta Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1154.
 placenta Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 53.
 placenta Asterias [Schreber], Naturforscher, XXVII. 1793, 6.
 placenta Biritia (L.), F. C. Meuschen, Mus. Gever. 1787, 490.—Echinus.
 placenta Echinodiscus, F. C. Meuschen, Mus. Gronov. 1778, 91.
 placenta Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 666; ed. 12, 1767, 1105.
 placenta Ephippium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 166.—Anomia.
 placenta Ostrea, F. C. Meuschen, Mus. Gever. 1787, 422.
 placenta Placuna (L.), G. Cuvier, Tab. Elém. 1798, 419.—Anomia.

- placencia** Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 129.
placidia [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 133.
placidus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 16.
placida Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
placida [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 134.
placida Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. 1797-1800, 599.
placomus Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 802; ed. 12, 1767, 1290.
Placuna J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiii.—L.
Placuna [G. Humphreys], Mus. Calonn. 1797, 44.—L.
Placuna Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—L.
plaessaesus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 211.
plaeessus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 417.
plagiatus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 150.—Scarabaeus.
plagiatus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 284.
plagiatus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
plagiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 220 [n. et f.].
plagiata Meloe, P. S. Pallas, Icon. Ins. 1782, 77.
plagiata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
plagiata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
plagiatus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 559.
plagiatum Sphaeridium, C. P. Thunberg, Ins. Suecica, (8) 1794, 101.
plagiatus Staphylinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 180. [1792.
plagioccephala Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptoccephalus,
plagioccephalus Cryptoccephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 60.
plagioccephalus Gadus, G. A. Suckow, Naturges. IV. 1799, 231.
plagiusa Pleuronectes, Linnaeus, Syst. Nat., ed. 12, 1766, 455.
Plagusia P. Browne, Hist. Jamaica, ed. 2, 1789, 445.—P.
Planaria O. F. Müller, Z. Dan. Prod. 1776, 221.—Ver.
Planaria J. A. E. Goeze, Eingeweidewürmer, 1782, 168.—Ver.
planatus Astacus, J. C. Fabricius, Ent. Syst. II. 1793, 482.
planata Baphia, F. C. Meuschen, Mus. Gev. 1787, 472.
planatus Cancer, J. C. Fabricius, Syst. Ent. 1775, 403.
planatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
planatus Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 186.
planatus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 91.
planatus Cucujus (L.), J. F. W. Herbst in Fuessly, Arch. Ins. II. 1782, 7.—Cerambyx.
planatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 295.
planata Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1775.
planata Membracis, J. C. Fabricius, Ent. Syst. IV. 1794, 11.
planatus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 320.
planatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 91.
planatum Peronaoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Tellina.
planata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 386.
planata Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
planata Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
planata Semblis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 200.
planata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
planci Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 823.
planci Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 246.
plancus Falco, J. F. Miller, Icon. Anim., pl. 17 (1777).
plancus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 257.
plancus Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 480.
plancus Vultur (Mill.), J. Latham, Index Orn. 1790, 8.—Falco.
planeri Petromyzon, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 47.
planceps Testudo, [?]. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792,
planicornis Bombylius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 569. [pl. vii.
planicornis Cimex, P. S. Pallas, Spic. Zool. IX. 1772, 23.
planicornis Peneus, F. Weber, Nomen. Fabricii, 1795, 94.

- planicornis** Penaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 409.
planicornis Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 210.
planifrons Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.
planipes Matuta, F. Weber, Nomen. Fabricii, 1795, 92.
planipes Matuta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 369. [Curculio, 1787.
planirostris Anthribus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 221.—
planirostris Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 84.
planirostris Curculio, J. C. Fabricius, Mant. I. 1787, 119.
planirostris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
planirostris Curculio, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 18.
planirostris Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—
planitia Testudo, F. C. Meuschen, Mus. Gronov. 1778, 11. [Curculio.
planiventer Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 58.
Planorbis E. L. Geoffroy, Traité Coq. 1767, 12.—G.
Planorbis O. F. Müller, Verm. II. 1774, 152.—G.
Planorbis J. F. Bolten, Mus. Bolten. (2) 1798, 72.—G.
Planorbis Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—G.
planorbis Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
planorbis Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 147.
planorbis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1242.
planorbis Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
planorbis Spirorbis (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 38.—Serpula.
planorbis Turbo, O. Fabricius, F. Groen. 1780, 394.
Planorbites Lamarck, Mém. Soc. H. N. Paris, 1799, 80.—Rh.
plantaginis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2209.
plantaginis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 580.—Phalaena.
plantaginis Chrysomela, C. de Geer, Mém. Ins. V. 1775, 322.
plantaginis Curculio, C. de Geer, Mém. Ins. V. 1775, 237.
plantaginis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767,
plantaris Curculio, D. E. Naезén, K. Vet. Ac. Nya Handl. XV. 1794, 270. [820.
[plantarius Araneus, C. Clerck, Aran. Svec. 1757, 105.]
plantarius Araneus, T. Martyn, Aranei, 1793, 49.
plantarum Acarus, J. Mayers, Naturforscher, XV. 1781, 114.
plantigera Aranea, P. Rossi, Fauna Etrus. II. 1790, 134.
plana Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 73.
plana Anadema, F. C. Meuschen, Mus. Gever. 1787, 482.
planum Anobium, J. C. Fabricius, Mant. I. 1787, 39.
plana Aphrodita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3108.
planus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 35.
plana Buprestis, A. G. Olivier, Entom. II. 1790, 93.
plana Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
planus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 338.
planum Colydium, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 285.
planus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 400.
planus Dytiscus, J. C. Fabricius, Spec. Ins. II. 1781, 501.
planus Echinus, P. L. S. Müller, Del. Nat. I. 1766, 131.
planus Erodius, J. C. Fabricius, Syst. Ent. 1775, 259.
plana Fulgora, J. C. Fabricius, Mant. II. 1787, 261.
planus Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 52.
plana Hirudo, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 365.
planus Hister, J. C. Fuessly, Schweitz. Ins. 1775, 5.
planus Hister, J. H. Sulzer, Gesch. Ins. 1776, 23.
planus Hister, J. J. Roemer, Gen. Ins. 1789, 3.
plana Nepa, J. H. Sulzer, Gesch. Ins. 1776, 92.
planum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 90.
plana Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
planus Passalus, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 104.
planus Pentaceros, C. F. Schultze, Verst. Seest. 1760, 50.

- planus Ptinus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 224.—Anobium.
 plana Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
 planus Staphylinus, G. Paykull, Mon. Curc. 1792, 145.
 planus Tenebrio, C. Quesnel, Diss. ignotus insectorum species, 1790, 19.
 planus Tenebrio, A. G. Olivier, Entom. III. 1795, 14.
 planus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 14.
 plana Trigonella, E. M. da Costa, Brit. Conch. 1778, 200.
 planus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3576.
 Plaps, *err. pro* Blaps J. J. Zschachi, Mus. Lesk. 1778, 42.
 Platealea Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 231.—A.
 platealeae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
 platanoidis Aphis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 340.
 Platea M. J. Brisson, Ornith. V. 1760, 352.—A.
 Platea S. G. Gmelin, Reise Russ. I (1770), 163.—A.
 Plateja A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 114.—Inf.
 platensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
 platensis Sylvia, J. Latham, Index Orn. 1790, 548.
 plateosus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
 plateosus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
 platessa Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 269; ed. 12, 1766, 456.
 platessae Fasciola, O. F. Müller, Zool. Dan. II. 1784, 114.
 platessoidae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3048.
 platessoides Pleuronectes, O. Fabricius, F. Groen. 1780, 164.
 platirhngos *v.* platyrhynchus.
 Platiglossus *v.* Platyglossus.
 platina Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 55.
 plato Altica, [D. H. Schneider], Nom. Ent. 1785, 10 [*n. n.*].
 plato Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 288.
 platurus Anguis, *id. ac* platura, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 platura Anguis, Linnaeus, Syst. Nat., ed. 12, 1766, 391. [1122.
 platura Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 246.
 platurus Trochilus, J. Latham, Index Orn. 1790, 317.
 Platycephalus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 96.—P.
 platicephalus Coluber, G. A. Suckow, Naturges. III. 1798, 251.
 Platycerus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 59.—Col.
 platycerus P. A. Latreille, Préc. Car. Ins. 1796, 2.—Col.
 platycerus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
 platyceros Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
 platycheles Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 5.
 Platiglossus (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
 platyptera Empis, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 23.
 platyptera Phalaena Noctua (*ex* Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
 platypterus Xiphias, G. Shaw, Nat. Misc. III. 1791, pl. 88. [1792, 396.
 Platypus Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 128.—Col.
 Platypus G. Shaw, Nat. Miscell. 1799, pl. 385.—M.
 platypus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.
 platypygos Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 188.
 platypygos Simia (Papio), R. Kerr, Anim. Kingd. 1792, 62.
 Platyrhinus J. R. Schellenberg, Helvet. Entom. I. 1798, 112.—Col.
 platyrhynchus Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125.—[=clypeata, ed. 12.]
 platirhingos Apterodita, J. A. Scopoli, Del. Insub. II. 1786, 91.
 platyrhynchus Squalus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 521.
 platyrhynchus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 446.
 platys Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 140.
 Platysomatus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
 Platystacus M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 52.—P.
 platyuros Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 133.
 Plautus J. E. Gunnerus, Trondhiemske Selsk. Skrift. I. 1761, 263.—A.

- Plautus M. T. Brünnich, *Fund. Zool.* 1772, 78.—A.
 plautus Hesperia, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 291.
 Plebejus *v.* Papilio.
 plebeja Bibio (L.), J. C. Fabricius, *Syst. Ent.* 1775, 757.—Musca.
 plebeia Buprestis, J. C. Fabricius, *Gen. Ins.* 1777, 236.
 plebejum Cerambyx, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1853.
 plebeja Cicada, Scopoli, *Ent. Carn.* 1763, 117.
 plebeius Curculio, A. F. de Fourcroy, *Ent. Paris.* 1785, 131.
 plebeia Donax, R. Pulteney, *Cat. Birds &c. Dorset.* 1799, 32.
 plebeia Melolontha, A. G. Olivier, *Entom. I.* 1789, 25.
 plebeja Musca, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 589; ed. 12, 1767, 979.
 plebeia Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 285.
 plebeia Phalaena (Noctua), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 320.
 plebeius Polynemus, P. M. A. Brissonet, *Ichth.* 1782.
 plebeja Sphinx, J. C. Fabricius, *Gen. Ins.* 1777, 273.
 plebejus Stenocorus, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 147.
 plebeia Stratiomys (Linn.), O. F. Müller, *Z. Dan. Prod.* 1776, 177.—Musca.
 plebeja Tettigonia (Scop.), G. A. Harrer, *Besch. Schaeffer Icones*, 1784, 279.—Cicada.
 Plecostomus L. T. Gronovius, *Zooph. I.* 1763, 127.—P.
 plecostomus Acipenser, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 238.
 plecostomus Loricaria, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 508.
 plecostomus Plecostomus, F. C. Meuschen, *Mus. Gronov.* 1778, 39.
 plecta Noctua (L.), J. C. Fabricius, *Syst. Ent.* 1775, 605.—Phalaena.
 plecta Phalaena (Noctua), Linnaeus, *Faun. Suec.*, ed. 2, 1761, 321.
 "Plectorhynchus, Lacép. 1800," Ag.; is 1802.
 pleiades Madrepora, J. Ellis & D. Solander, *Nat. Hist. Zooph.* 1786, 169.
 pleiades Tenthredo, J. L. Christ, *Nat. Ins.* 1791, 435.
 Plejona J. F. Bolten, *Mus. Bolten.* (2) 1798, 59.—G.
 splendidulus Scarabaeus, *err. pro splendidulus*, Fabr., J. C. Fabricius, *Mant. I.* 1787, 12.
 plestya Cyprinus, N. G. Leske, *Ichth. Lips.* 1774, 69.
 Pleuronectes, *v.* Pleuronectes [Artedi, *Ichth.* 1738, gen. (86)].
 pleuroceras Ceratium, F. v. P. Schrank, *Naturforscher*, XXVII. 1793, 35.
 Pleuronectes Linnaeus, *Syst. Nat.*, ed. 10, 1758, 268; ed. 12, 1766, 455; [Artedi, *Ichth.* 1738, gen. xiv, p. 16].—P.
 pleuronectes Amusium (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 165.—Ostrea.
 pleuronectis Ascaris, O. F. Müller, *Z. Dan. Prod.* 1776, 214.
 pleuronectes Cercaria, O. F. Müller, *Verm. I* (1) 1773, 70.
 pleuronectis Echinorhynchus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3047.
 pleuronectes Monoculus, J. F. W. Herbst, *Schrift. Berlin. Ges. Nat. Freunde*, III. 1782,
 pleuronectes Ostrea, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 696; ed. 12, 1767, 1145. [102.
 pleuronectes Pecten (L.), G. Cuvier, *Tab. Elém.* 1798, 420.—Ostrea.
 pleuronectes Proboscidea (Müll.), J. G. Bruguière, *Ency. Méth.* (Vers Int. 1791), 97.—
 pleuronectis Scolex, O. F. Müller, *Zool. Dan. II.* 1784, 53. [Ascaris.
 Pleurorinchus B. Nau, *Schrift. Berlin. Ges. Nat. Freunde*, VII. 1787, 474.—Ver.
 Pleurotoma Lamarck, *Mém. Soc. H. N. Paris*, 1799, 73.—G.
 plexippus Papilio (Danaus), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 471; ed. 12, 1767, 767.
 plica Argoderma (L.), J. X. Poli, *Test. Sicil.* II. 1795, 254 & 260.—Ostrea.
 plica Lacerta, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 208; ed. 12, 1766, 367.
 plica Ostrea, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 697; ed. 12, 1767, 1145.
 plica Pecten (L.), F. C. Meuschen, *Mus. Gever.* 1787, 416.—Ostrea.
 plica-auris Vesperilio, M. T. Brünnich, *Dyr. Hist.* 1782, 56.
 plicarius Bulimus (Born), J. G. Bruguière, *Ency. Méth.* (Vers) (1) 1789, 328.—Helix.
 plicaria Helix, *err. pro plicata*, Born, I. v. Born, *Test. Mus. Caes. Vindob.* 1780, 389.
 plicarius Murex (L.), F. C. Meuschen, *Mus. Gever.* 1787, 330.—Voluta.
 plicaria Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3708.
 plicaria Voluta, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 732; ed. 12, 1767, 1193.
 plicataria Mactra, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1125.
 plicatella Anomia, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 702; ed. 12, 1767, 1152.

- plicatella Lophia, J. F. Bolten, Mus. Bolten. (2) 1798, 169 [n. n].
 plicatella Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [n. n].
 plicatilis Brachionus, O. F. Müller, An. Infus. 1786, 344.
 plicatilis Bulla, O. F. Müller, Z. Dan. Prod. 1776, 242.
 plicatilis Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 81.—Coluber.
 plicatilis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 217; ed. 12, 1766, 376.
 plicatulum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 276.
 plicatulum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
 plicatulus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
 plicatula Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
 plicatulus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
 plicatus Alysseminthus, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 250.
 plicatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
 plicatum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 44.
 plicatus Buceros, J. Latham, Index Orn. 1790, 146.
 plicatus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 344.
 plicatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
 plicatus Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
 plicata Cassis, J. A. Scopoli, Del. Insub. II. 1786, 76.
 plicata Cassis, F. C. Meuschen, Mus. Gever. 1787, 390.
 plicatum Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 29.—Buccinum.
 plicatus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 299.
 plicatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 488.
 plicata Chama, D. Solander in G. Brander, Foss. Hant. 1766, 36.
 plicata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
 plicata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 111.
 plicata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
 plicatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 532.
 plicatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 169.
 plicatus Dermestes, Scopoli, Ent. Carn. 1763, 19.
 plicata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
 plicata Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
 plicata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 376.
 plicata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 403.
 plicatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 plicata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
 plicata Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 167.
 plicatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3551.
 plicatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
 plicata Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
 plicata Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 433.
 plicata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3694.
 plicatus Psittacus, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n].
 plicatus Spondylus, Linnaeus, Mus. Lud. Ulr. 1764, 511.
 plicatus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 195 [n. n].
 plicata Terebratula, A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.
 plicata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
 plicata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 420.
 plicatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
 plicata Venus, J. Barbut, Gen. Verm. II. 1788, 40.
 plicata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3276.
 plicatus Vespertilio, F. Buchannan, Tr. Linn. Soc. [Lond.], V. 1800, 261.
 plicatum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
 plicata Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
 plinius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 284.
 ploiaria J. A. Scopoli, Del. Insub. I. 1786, 60.—Ins.
 ploiaria domestica [Cimex], P. Rossi, Fauna Etrus. II. 1790, 254.
 plombea Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n].

- plombea* Musca, C. de Villers, Linn. Ent. III. 1789, 463.
ploti Pediculus, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 163.
Plotia J. F. Bolten, Mus. Bolten. (2) 1798, 95.—G.
Plotus J. A. Scopoli, Introd. Hist. Nat. 1777, 474.—A.
Plotus Linnaeus, Syst. Nat., ed. 12, 1766, 218.—A.
Plotus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
ployeri Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 335.
pluchii Aranea, Scopoli, Ent. Carn. 1763, 404.
pluma Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1309.
plumaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106. [et f.].
plumaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 124 [n.].
plumaria Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 245.—Geometra.
“*plumarum* Ornitholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
plumata Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
plumatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
plumata Chrysis, P. Rossi, Fauna Etrus. II. 1790, 79.
plumata Musca, C. de Geer, Mém. Ins. VI. 1776, 134.
plumata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
plumata Pipra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 177.
plumbana Phalaena, Scopoli, Ent. Carn. 1763, 235.
plumbana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—Pyralis.
plumbana Pyralis, J. C. Fabricius, Mant. II. 1787, 225.
plumbaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 628.
plumbeatus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
plumbella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
plumbeus Asilus, J. C. Fabricius, Syst. Ent. 1775, 793.
plumbea Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
plumbea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
plumbea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3403.
plumbea Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 406.
plumbeus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 283.
plumbeus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
plumbeus Melyris, A. G. Olivier, Entom. II. 1790, 10.
plumbea Motacilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 4.
plumbea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 492.
plumbea Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
plumbea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
plumbea Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
plumbea Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 354.
plumbea Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1013.
plumbeus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 326.
plumbea Saperda, A. G. Olivier, Entom. IV. 1795, 21.
plumbea Sphex, J. C. Fabricius, Mant. I. 1787, 278.
plumbea Sylvia, J. Latham, Index Orn. 1790, 553.
plumbeus Tabanus, D. Drury, Ill. Nat. Hist. I. 1770, index & 103.
plumbeus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
plumbaea Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 322.
plumbaea Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 334.
plumbaea Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 403.
plumbaea Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 509.
plumbeus Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
plumbeus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 294.
plumella Phalaena Bomb., J. Hübner, Samml. Vögel u. Schmett. 1793, 10 [n. et f.].
plumella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
plumella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.
plumicornis Leptura, D. Drury, Ill. Nat. Hist. III. 1782, index & 74.
plumicornis Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.

- plumicornis Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 246.
 plumieri Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 104.
 plümieri (*sic*) Coryphaena, M. E. Bloch, Nat. ausl. Fische, II. 1786, 146.
 plümieri (*sic*) Gobius, M. E. Bloch, Nat. ausl. Fische, II. 1786, 154.
 plumieri Mugil, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 173.
 plumieri Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 66.
 plumieri Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 79.
 plumieri Scorpaena, M. E. Bloch, K. Vet. Ac. Nya Handl. X. 1789, 234.
 plumigera Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 61.
 plumigera Bombyx, E. J. C. Esper, Die Schmett. III (23) 1785, 254.
 plumigerus Ips, Hermina, La Médecine éclairée (Fourcroy's), I. 1791, 206.
 plumigerum Opatrum, C. Lermia, Actes Soc. H. N. Paris, I (1) 1792, 46.
 plumipes Adrena, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 16.
 plumipes Apis, P. S. Pallas, Spic. Zool. IX. 1772, 24.
 plumipes Apis, J. C. Fabricius, Spec. Ins. I. 1781, 480.
 plumipes Bombylius, D. Drury, Ill. Nat. Hist. II. 1773, index & 74.
 plumipes Falco, F. M. Daudin, Traité élém. Orn. 1800, 163.
 plumipes Leptura, P. S. Pallas, Spic. Zool. IX. 1772, 2.
 plumipes Musca, Scopoli, Ent. Carn. 1763, 334.
 plumipes Phasianus, J. Latham, Index Orn. 1790, 627.
 plumipes Sphex, D. Drury, Ill. Nat. Hist. I. 1770, index & 104.
 plumipes Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 47.
 plumipes Tipula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 88. [*n. et f.*]
 plumistaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 127
 plummistaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 326.
 plumistrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 14.
 plumosa Actinia, O. F. Müller, Z. Dan. Prod. 1776, 230.
 plumosa Amphitrite, O. F. Müller, Z. Dan. Prod. 1776, 216.
 plumosa Apis, J. L. Christ, Nat. Ins. 1791, 168.
 plumosa Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 21.
 plumosa Cellularia, P. S. Pallas, Elench. 1766, 66.
 plumosus Cerambyx, A. G. Olivier, Entom. IV. 1795, 98.
 plumosa Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 142.
 plumosa Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 463.
 plumosa Lampyrus, A. G. Olivier, Entom. II. 1790, 26.
 plumosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2868.
 plumosa Phryganea, J. H. Sulzer, Gesch. Ins. 1776, 173.
 plumosus Tenebrio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
 plumosa Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 974.
 plutargus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 329.
 plutargus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
 pluto Sphinx, J. C. Fabricius, Gen. Ins. 1777, 274.
 pluto [Sphinx], P. Cramer, Utit. Kapellen, III (18) 1779, 40.
 pluto Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2386.
 plutionia Anas, G. Shaw, Nat. Misc. III. 1792, pl. 108.
 plutus Scarabaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 436.
 Pluvialis M. J. Brisson, Ornith. V. 1760, 43.—A.
 pluvialis Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 254.
 pluvialis Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 411.
 pluvialis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 992.
 pluvialis Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 pluvialis Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
 pluviaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 499.
 pluviaria Phalaena, J. C. Fabricius, Mant. II. 1787, 192.
 pluviata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 456.
 Pneumora C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 255.—Orth.
 pocillum Spongia, O. F. Müller, Z. Dan. Prod. 1776, 256.
 pocillum Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.

- pocopyges* Conops, N. Poda, Ins. Mus. Graec. 1761, 118.
poculata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 165.
podae Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 179.
podaeella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 670.—Phalaena.
podaeella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
podella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 500.—Alucita, 1775.
podagraria Aedemera (L.), A. G. Olivier, Entom. III. 1795, 10.—Necydalis.
podagrariae Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
podagrariae Thelephorus (L.), G. A. Harter, Besch. Schaeffer Icones, 1784, 84.—Necydalis.
podagricus Asilus, F. v. P. Schrank, Ins. Aust. 1781, 489.
podagrica Chalcis, J. C. Fabricius, Mant. I. 1787, 272.
podagricus Cimex, J. C. Fabricius, Syst. Ent. 1775, 723.
podagricus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 167.—Cimex, 1775.
podagrica Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
podagrica Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2873.—Syrphus.
podagricus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
podagricus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 768. [Melolontha.
podalirius Papilio, Scopoli, Ent. Carn. 1763, 167.
podana Phalaena, Scopoli, Ent. Carn. 1763, 232.
podella v. *podaeella*.
Podiceps J. Latham, Syn. Birds, Suppl. I. 1787, 294.—A.
podiceps Colymbus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 223.
Podicipes G. Edwards in M. Catesby, Carol. I. 1771, 91.—A.
podje Lemur, R. Kerr, Anim. Kingd. 1792, 88.
podobe Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
Podura Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1013.—Thys.
podura Cercaria, O. F. Müller, Verm. I (1) 1773, 66. [119.—Gammarus.
podurus Cancer (Gammarellus) (Müll.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
podurus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 59.
poecilechroa Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 324.
poecilolaparus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
poecilopectera Musca, F. v. P. Schrank, Beitr. Nat. 1776, 96.
poecilopus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 92.
poecilorhyncha Anas, J. R. Forster, Ind. Zool. 1781, 23.
poecilothorax Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
Poekilloptera P. A. Latreille, Préc. Car. Ins. 1796, 90.—Hem.
poephagus Bos, J. R. Forster in Levaillant, Erste Reise Afrika (Berlin 1792), 165.
 "Pogonias, Lacép. 1800," Ag.; is 1802.
polaris Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
polaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
polaris Ursus, G. Shaw, Mus. Lever. I. 1792, 7.
Polas, v. *Pholas* L. T. Gronovius, Zooph. III. 1781, 259.
poli- v. *et. poly-*.
poli Spirogyphus, F. M. Daudin, Rec. Mém. Moll. 1800, 49.
polibete [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 71.
polibetes [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 98.
policenes [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 61.
policula Phalaena Noct., H. G. Lang, Verz. Schmett., ed. 2, 1789, 159.
polidamon [Sphinx], P. Cramer, Uitl. Kapellen, III (20) 1779, 75.
polinice [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 169.
poliocar Cuculus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [n. n.].
poliocar Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [n. n.].
poliocephalus Cuculus, J. Latham, Index Orn. 1790, 214.
poliocephala Mustela, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 366.
polipori Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 64.
politális Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
politana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
politaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 61 [n. et f.].

- politata [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 143.
 politata Phalaena, *id. ac* politia, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 253.
 politia [Phalaena], P. Cramer, Utitl. Kapellen, II (12) 1777, 65.
 politia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 41.
 polita Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
 politum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
 politum Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
 politum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 46.
 polita Certhia, A. Sparrman, Mus. Carls. III. 1788, no. lix.
 politus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 89.
 politus Chrysis, M. Harris, Exp. Eng. Ins. 1776, 70.
 polita Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
 polita Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 73.—Chrysomela.
 politus Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 54.
 politus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 35.
 politus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
 politus Curculio (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1757.—Rhino-
 politum Dentalium, Linnaeus, Syst. Nat., ed. 12, 1767, 1264. [macr.
 politus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 234.
 polita Helix, O. F. Müller, Verm. II. 1774, 33.
 polita Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 49.
 politus Hister, N. J. Brahm, Ins. Kal. I (1) 1790, 102.
 politus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 52.
 politus Lyctus, J. C. Fabricius, Ent. Syst. I (2) 1792, 502.
 politus Lygus, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.
 polita Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
 polita Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
 polita Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
 politus Pecten, J. F. Bolten, Mus. Bolten. (2) 1798, 165 [*n. n.*].
 politum Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—= Tellina of p. 44.
 polita [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 35.
 polita [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 152.
 politus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
 politus Sargus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 566.—Musca.
 polita Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
 polita Silpha, J. C. Fuessly, Schweiz. Ins. 1775, 6.
 polita Silpha, J. H. Sulzer, Gesch. Ins. 1776, 28.
 politus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 683.
 polita Synchronita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 404.
 polita Tellina, J. X. Poli, Test. Sicil. II. 1795, 44.
 polita Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 107.
 polita Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
 politum Tubulus (L.), F. C. Meuschen, Mus. Gever. 1787, 238.—Dentalium.
 politus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
 polita Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
 polixenes Papilio, *v.* polyxenes.
 pollachius Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 254; ed. 12, 1766, 439.
 pollex Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
 pollex Mytilus, J. Barbut, Gen. Verm. II. 1788, 69.
 pollicaris Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
 Pollicipes F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 107 [*n. n.*].—Cirr.
 pollicipes Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 65.
 pollicipes Bernicla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 198.—Lepas.
 pollicipes Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
 pollinalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
 pollinarius Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 5 [*n. n.*].
 pollinarius Curculio, J. R. Forster, N. Sp. Ins. 1771, 33.
 pollinata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.

- pollineus** Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
pollinis Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 229.
pollinosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 454.
polluta Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 118.
pollutaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 77 [*n.* et
pollux [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 61. [*f.*]
pollux Papilio D. F., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781, 99.
polo-candar Larus, A. Sparrman, Mus. Carls. IV. 1789, no. lxxxiii.
polonicus Chermes (L.), A. F. de Fourcroy, Ent. Paris. 1785, 228.—Coccus.
polonicus Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
polonicum Ehippium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
polyanthis Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2209.
polybe Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
polybe Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 787.
polybius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 337.
polybia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 154.
Polycacnimos C. F. Schultze, Verst. Seest. 1760, 83.—Crin.
polycæon [Papilio], P. Cramer, Utitl. Kapellen, III (17) 1779, 17.
polycarmes Papilio, J. C. Fabricius, Syst. Ent. 1775, 484.
Polycephalus J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 308.—Verm.
polycerator Ichneumon, J. C. Fabricius, Gen. Ins. 1777, 245.
polycerator Pelecinus, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 156.
polyceros Scarabæus, P. S. Pallas, Reise Russ. I. 1771, 461.
polychloras Papilio, *v.* **polycylos**, Linn., O. F. Müller, Z. Dan. Prod. 1776, 112.
polychloros [Papilio], C. Stoll in Cramer's Utitl. Kapellen, IV (33) 1782, 205.
polychloros Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767,
polychloros Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87. [777.
polychotoma Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 258.
polychrestus Tenebrio, P. Forskal, Descr. Anim. 1775, 79.
polycletus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 344.—Papilio.
polycletus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
polycommata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
polycommata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 190 [*n.*
polykomos Cebus, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 202. [*et f.*]
polykomos Simia (Zimm.), J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, I. 1799,
 213.—Cebus.
polycratice Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 182.—Salpa.
polycratice Salpa, P. Forskal, Descr. Anim. 1775, 116.
polydactylus Polynemus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (2) 1798, 164.
polydamas Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 747.
polydamia [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 242.
polydecta [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 76.
polydorus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 401.
polyedros Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118.
polygalæ Sphinx, E. J. C. Esper, Die Schmett. II. (Fortsetz. Abendschm.) 1783, 222.
polygama Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1275.
polygama Tipula, P. S. Pallas, Reise Russ. II. 1773, 732.
 "Polyginglyma, Lhwyd, 1760," Scudd.; not used in a Linnean sense.
polyglottos Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 293.
polygonalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
polygonalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 12 & 25.
polygonata Adimonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 193.
polygoni Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
polygoni Curculio, Linnaeus, Faun. Suec. ed. 2, 1761, 177.
Polygonopus P. S. Pallas, Misc. Zool. 1766, 188.—Cr.
polygona Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
polygonus Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 118.—Murex.
polygonus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3555.

- polygona** Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78. [520.—Noctua.
- polygona** Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- polygona** Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
- polygona** Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2670.
- polygona** Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
- polygramma** Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 120.—
[polygramina, Esper, post 1796, *est.*]
- polygramma** Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 191.
- polygrammata** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 277
[*n. et f.*].
- polygrammata** Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 560.
- poligraphus** Bostrichus (L.), J. C. Fabricius, Gen. Ins. 1777, 211.—Dermestes.
- poligraphus** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
- poligraphus** Ips (L.), C. de Geer, Mém. Ins. V. 1775, 196.—Dermestes.
- polygyra** Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3624.
- polygyrata** Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 382.
- polykomos** *v.* **polycomos**.
- Polymeda** J. G. Meigen, N. Class. Mouches, 1800, 14.—Dip.
- polymeda** Papilio, Scopoli, Ent. Carn. 1763, 157.
- polymenus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 54.
- polymena** Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 494; ed. 12, 1767, 806.
- polymena** Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 553.—Sphinx.
- polymitus** Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
- polymita** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 605.—Phalaena.
- polymita** Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 321.
- polymita** Sphinx, A. Sparrman in Linn. Amoen. Acad. VII. 1769, 504.
- polymna** Anthias (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 103.—Perca.
- polymna** Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 484.
- polymnestor** [Papilio], P. Cramer, Uitl. Kapellen, I (5), 1775, 83.
- polymnia** Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 755.
- polymorpha** Actinia, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. V. 1774, 430.
- polymorpha** Apora (L.), J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 72.—
- polymorphus** Attelabus, P. S. Pallas, Reise Russ. I. 1771, 465. [Millepora.
- polymorpha** Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1285.
- polymorphus** Mytilus, P. S. Pallas, Reise Russ. I. 1771, 478.
- polymorphus** Phytospongius, F. W. Schmidt, Lausizische Monatsschr. Feb. 1795, 97.
- polymorpha** Vorticella, O. F. Müller, Verm. I (1) 1773, 98.
- Polynemus** Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 521.—P.
- polynice** [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 4.
- polynome** Papilio, [D. H. Schneider], Besch. europ. Schmett. I. 1785, 212.
- polyodon** Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 616.—Phalaena.
- polyodon** [Phalaena], C. Clerck, Icones, I. 1759, pl. ii. 2.
- polyodon** Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
- polyphagus** Cancer (Astracius), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792, 90.
- polyphemi** Oculis, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 97 & xvii [re-paged
- Polyphemus** O. F. Müller, Zool. Dan. Prod. 1776, xxvii & 201.—Cr. [issue].
- polyphemus** Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 168.—Phalaena.
- polyphemus** Cetonina (Fab.), A. G. Olivier, Entom. I. 1789, 9.—Scarabaeus.
- polyphemus** Limulus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 487.—Monoculus.
- polyphemus** Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1057.
- polyphemus** Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (9) 1779, 387.
- polyphemus** [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 8.
- [polyphemus** Phalaena (A.) MS.], T. Martyn, Psyche, 1797, fig. 17.
- polyphemus** Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 14.
- polyphemus** Xiphosura, F. C. Meuschen, Mus. Gronov. 1778, 83.
- polypina** Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 816.—[Vorticella, ed. 12.]
- polypina** Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1317.
- polypoda** Lepisma, Linnaeus, Syst. Nat., ed. 12, 1767, 1012.

- polypoda Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1013.
 Polypus J. G. Schneider, Samml. verm. Abh. 1784, 116.—Ceph.
 "Polypus, Cuvier, Tabl. élém. 1798," Herm.; not found by me in Cuvier.
 polypus Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 816. [2906.
 polypus Lepisma, *id. ac* polypoda, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 polypus Lepisma, *id. ac* polypoda, Müll. = polypoda, L., J. F. Gmelin in Linn. Syst. Nat.,
 ed. 13, I. 1790, 2907.
 polypus Podura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2908.
 polypus Priapus, P. Forskal, Descr. Anim. 1775, 102.
 polysperchon [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 72.
 polysphaerium Gonium, F. v. P. Schrank in Moll. Oberdeutsches Beyträge, I. 1787, 145.
 polystictos Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 Polystoma J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 199.—Verm.
 polytes Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 460; ed. 12, 1767, 746.
 polythalamius Balanus, Bock in Boddaert's Natuurbeschouwer, II. 1781, 44.
 polythalamia Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1266.
 Polytmus M. J. Brisson, Ornith. III. 1760, 667.—A.
 polytmus Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 120; ed. 12, 1766, 189.
 polytropus Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 119.
 polyturator Ichneumon, D. Drury, Ill. Nat. Hist. II. 1773, index & 77.
 Polyxena J. G. Meigen, N. Class. Mouches, 1800, 19.—Dip.
 polyxena [Papilio], P. Cramer, Utit. Kapellen, I (5) 1775, 85.
 polyxena Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 162.
 polyxena Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. xli.
 polyxena Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 2.
 polyxenes Papilio, J. C. Fabricius, Syst. Ent. 1775, 444 & 484.
 polixenes Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 152.
 polyzimias Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 202.
 polyzonias Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3392.
 polyzonias Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
 polyzonias Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 85.
 polyzonias Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.
 polyzonias Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813; ed. 12, 1767, 1312.
 pomaceus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 381.
 pomacea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 312.
 pomana Pyralis, *id. ac* pomonella Phalaena, L., J. C. Fabricius, Syst. Ent. 1775, 653.
 pomaria Helix, O. F. Müller, Verm. II. 1774, 45.
 Pomatia J. F. Bolten, Mus. Bolten. (2) 1798, 73.—G.
 pomatia Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 256.—Helix.
 pomatia Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 771; ed. 12, 1767, 1244.
 pomatia Janthina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 76.—Helix.
 Pomatias Studer in Coxe, Trav. Switz. III. 1789, 388.—G.
 pomaticornis Hispa, P. Rossi, Fauna Etrus. I. 1790, 52.
 pomeranella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [*n. n.*].
 pomeranus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
 pomeranus Lanius, A. Sparrman, Mus. Carls. I. 1786, no. 1.
 pomi Aphis, C. de Geer, Mém. Ins. III. 1773, 53.
 pomiformis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 467.
 pomona Papilio, J. C. Fabricius, Syst. Ent. 1775, 479.
 pomona [Phalaena], P. Cramer, Utit. Kapellen, I (7) 1775, 122.
 pomona Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 264.
 pomonae Attelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 164.
 pomonae Bibio (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.—Tipula.
 pomonae Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula, 1775.
 pomonae Tenebrio, Scopoli, Ent. Carn. 1763, 83.
 pomonae Tipula, J. C. Fabricius, Syst. Ent. 1775, 754.
 pomonana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
 pomonana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 30 [*n. et f.*].

- pomonaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 180 [n. et
pomonaria Phalaena Geometra, J. Hübner, Beitr. Schmett. II. 1790, 73. [f.].
pomonella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 892.
pomorum Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 612.
pomorum Elater, [D. H. Schneider], Nom. Ent. 1785, 18 [n. n.].
pompadour Papilio, J. A. Pollich, Bemerk. Kuhrpfalz. phys.-oek. Ges. 1779 (1781), 258.
pompadora Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
pompadora Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 775.
pompadura Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 159.
pompeius Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 502.
pompeus [Papilio], P. Cramer, Util. Kapellen, I (3) 1775, 39.
pompilioides Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 31.
pompilius Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 709; ed. 12, 1767, 1161.
pompilius Papilio, J. C. Fabricius, Mant. II. 1787, 8.
Pompilus J. G. Schneider, Samml. verm. Abh. 1784, 128.—Ceph.
Pompilus J. C. Fabricius, Suppl. Ent. Syst. 1798, 212.—Hym.
pompilus Coryphaena, Linnaeus, Syst. Nat., ed. 10, 1758, 262; ed. 12, 1766, 447.
pomulá Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 183.
pomum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1197.
pomum Cadus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 151.—Buccinum.
pomum Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 386.—Buccinum.
pomum Echinus, J. A. Gyllenahl, K. Vet. Ac. Handl. XXXIII. 1772, 242 & 260.
pomum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
Pomus [G. Humphreys], Mus. Calonn. 1797, 58.—G.
ponderosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
ponderosa Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [n. n.].
ponderosa Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
pondiceriana Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 646.
pondicerianus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 265.
ponticeriana Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.
ponticeriana Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 939.
ponticeriana Perdix (Gm.), J. Latham, Index Orn. 1790, 649.—Tetrao.
pondicerianus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 325; var. bar-
pondicerianus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 760. [batus.
ponticerianus Vultur, J. Latham, Index Orn. 1790, 7.
pondicherrí Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
Pongo B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
ponticus Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
ponticus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 368.
pontificella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 56.
poplitaeus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.
poppea [Papilio], P. Cramer, Util. Kapellen, II (10) 1777, 21.
populana Pyralis, J. C. Fabricius, Mant. II. 1787, 382.
populana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 534.
popularis Bombyx, J. C. Fabricius, Syst. Ent. 1775, 577.
popularis Bombyx, J. C. Fabricius, Mant. II. 1787, 133.
populata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 300 [n. et f.].
populata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 525; ed. 12, 1767, 868.
populella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi. 5.
populella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 368.
populella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
populeti Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 201.
populeti Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 285.
populi Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
populi Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
populi Attelabus (Scop.), F. v. P. Schrank, Naturforscher, XXIV. 1789, 70.—Curculio.
populi Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 566.—Phalaena.
populi Cercopis (L.), J. C. Fabricius, Syst. Ent. 1775, 689.—Cicada.

- populi Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
- populi Cicada, Linnaeus, Faun. Suec., ed. 2, 1761, 242.
- populi Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
- populi Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 73.—Chrysomela.
- populi Cryptocephalus, G. Paykull, Faun. Suec. III. 1800, 355.
- populi Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
- populi Curculio, Scopoli, Ent. Carn. 1763, 25.
- populi Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 448.
- populi Involvulus (L.), F. v. P. Schrank, F. Boica, I. 1798, 475.—Curculio.
- populi Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex.
- populi Mycetophagus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 175.
- populi Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 476; ed. 12, 1767, 776.
- populi Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767, 818.
- populi Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 76.
- populi Rhinomacer (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 90.—Curculio.
- populi Rhinomacer (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 110.—Attelabus.
- populi Rhynchaenus (Fab.), J. R. Schellenberg, Helvet. Entom. I. 1798, 72.—Curculio.
- populi Rynchites (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 138.—Curculio.
- populi Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 797.
- populi Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 927.
- populifolia Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 310.
- populifolia Phalaena Bomb., E. J. C. Esper, Die Schmett. III (17) 1783, 62.
- populneus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 632.
- populneus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1801.
- populnea Lepturá (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 95.—Cerambyx.
- populneus Notoxus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 4.
- populneus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 112.
- populnea Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 186.—Cerambyx.
- poralis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 235.
- poraria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
- porata Phalaena, J. C. Fabricius, Mant. II. 1787, 200.
- porata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 866.
- porcaria Boa, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 128.
- porcaria Simia, M. T. Brünnich, Dyr. Hist. 1782, 13.
- porcaria Simia, P. Boddaert, Naturforscher, XXII. 1787, 17.
- porcaria Simia (Papio), Bodd., R. Kerr, Anim. Kingd. 1792, 61.
- porcatus Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 22.—Scarabaeus.
- porcatus Balanus, E. M. da Costa, Brit. Conch. 1778, 249.
- porcatum Buccinum, E. M. da Costa, Brit. Conch. 1778, 133.
- porcatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
- porcatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
- porcata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 219.
- porcatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 239.
- porcatus Clerus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 14.—Notoxus.
- porcatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 152.—Scarabaeus.
- porcata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184 [n. n.].
- porcatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 358.
- porcatus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 16.
- porcatus Dermestes (Herbst), G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab 8.—Latridius.
- porcatus Dytiscus, C. P. Thunberg, Ins. Suecica (6) 1794, 74. [dius.]
- porcatus Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 652.
- porcatus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 6.
- porcata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 88.
- porcatus Notoxus, J. C. Fabricius, Mant. I. 1787, 127.
- porcatum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 89.
- porcata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
- porcatus Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
- porcatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.

- porcatus Scarites, J. C. Fabricius, Suppl. Ent. Syst. 1798, 43.
 porcata Silpha, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 35.
 porcata Spondylis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 50.
 porcatus Staphylinus, G. Paykull, Mon. Staph. 1789, 71.
 porcatus Tenebrio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 321.
 porcata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 182.
 Porcellana F. C. Meuschen, Mus. Gever. 1787, 398.—G.
 Porcellana P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
 porcellaneus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 92.
 porcellanea Phalaena, Hufnagel, Berlin. Mag. II. 1766, 420.
 porcellanea Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
 Porcellanites J. Gesner, Tract. Petref. 1758, 57.—?
 porcellaneus Cancer, J. C. Fabricius, Mant. Ins. I. 1787, 316; porcellaneus, Herbst, *est.*
 porcellana Donax, J. Barbut, Gen. Verm. II. 1788, 34.
 porcellana Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1793.
 porcellaneus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 59; ed. 12, 1766, 79.
 porcellana Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1257.
 porcellaneus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
 porcellana Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3449.
 porcelli Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
 porcellus Cavia, J. F. Blumenbach, Handb. Naturg. 1779, 91.
 porcellus Cuniculus, F. C. Meuschen, Mus. Gronov. 1778, 4.
 porcellus Mus, Linnaeus, Reise Schwed. (ed. Schreber), II. 1765, 283.
 porcellus Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 801.
 porcia [Phalaena], C. Stoll, Aanh. Cramer's Utit. Kapellen, V. 1790, 162.
 porcinus Cervus, E. A. W. Zimmermann, Spec. Zool. 1777, 532.
 porcinus Cervus, R. Kerr, Anim. Kingd. 1792, 301; *var. maculatus*.
 porcina Musca, C. de Geer, Mém. Ins. VI. 1776, 99.
 porcina Phoca, G. I. Molina, Sag. stor. nat. Chili, 1782, 279.
 porcis Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 63.
 porculus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 49.
 porculus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 166.
 Porcus G. Edwards in M. Catesby, Carol. I. 1771, xxxi.—M.
 Porcus G. Edwards in M. Catesby, Carol. I. 1771, xxxii.—P.
 porcus Aphodius (Fab.), Illiger in Kugellann, Käfer Preuss. 1798, 31.—Scarabaeus.
 porcus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 26.
 porcus Scorpaena, Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 452.
 porcus Silpha, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
 porcus Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 34.
 porcus Sus, Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 103.
 porcus Sus, R. Kerr, Anim. Kingd. 1792, 351; *var. siamensis*.
 poressa Cancer, G. Olivi, Zool. Adriat. 1792, 48.
 porifer Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 41.
 porites Madrepora, P. S. Pallas, Elench. 1766, 324.
 porosa Gorgonia, M. Houttuyn, Nat. Hist. I. (xvii), 1772, 335.
 porosa Lacerta, A. J. Retzius in Linnaeus, F. Succ. 1800, 288.
 porosa Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3212.
 porosa Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 109.
 porosa Serpula, J. F. Bolten, Mus. Bolten. (2) 1798, 69.
 porosus Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 45.
 porphyralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
 porphyrana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 26 [*n. et f.*].
 porphyreum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 154.
 porphyrea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
 porphyrea Noctua, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
 porphyrea Noctua, (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 127.
 porphyrea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
 Porphyria J. F. Bolten, Mus. Bolten. (2) 1798, 32.—G.

- porphyria Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
 porphyria [Papilio], P. Cramer, Utitl. Kapellen, III (22) 1779, 110.
 porphyria [Phalaena], C. Stoll in Cramer's Utitl. Kapellen, IV (34) 1782, 227.
 porphyria Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 32.—Voluta.
 porphyria Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 729; ed. 12, 1767, 1187.
 porphyriacus Coluber, G. Shaw, Zool. N. Holland, 1794, 27.
 Porphyrio M. J. Brisson, Ornith. V. 1760, 522.—A.
 porphyrio Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
 porphyrio Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152; ed. 12, 1766, 258.
 porphyrio Gallinula (L.), J. Latham, Index Orn. 1790, 768.—Fulica.
 porphyrio Oliva, G. Cuvier, Tab. Elém. 1798, 410.
 porphyrio Psittacus, G. Shaw, Nat. Misc. I. 1789, pl. 7.
 porphyrio Tetrao, G. Shaw, Nat. Misc. III. 1791, pl. 84.
 porphyrites [Helix], T. Martyn, Univ. Conch. II [1788], fig. 72.
 porphyrites Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
 porphyrobroncha Muscicapa, G. Shaw, Nat. Misc. II. 1791, pl. 63.
 porphyrocephalus Corvus, R. Kerr, Anim. Kingd. 1792, 637.
 porphyrocephalus Psittacus, G. Shaw, Nat. Misc. I. 1789, pl. 1.
 porphyrogene Cercopithecus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795,
 porphyroides Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 114 [n. n.]. [3 [n. n.].
 porphyronotos Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8
 porphyrops Simia, H. F. Link, Beitr. Nat. I (2) 1795, 62. [n. n.].
 porphyropterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2147.
 porphyropus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
 porphyrostoma Helix, A. A. H. Lichtenstein, Cat. rerum Nat. II. 1794, 95.
 porphyrozonella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2614.
 porphyrozonias Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
 porphyrurus Psittacus, G. Shaw, Nat. Misc. I. 1790, pl. 16.
 porphyrurus Trochilus, G. Shaw, Nat. Misc. IX. 1798, pl. 333.
 porpita Madrepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1272.
 porpita Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
 porpita Phyllidoce (L.), A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 203.—Medusa.
 porrectalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 223.
 porrectella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 894.
 porrectorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 260.
 porrecta Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
 porrectus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 206.
 porrectus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena porrectalis,
 porrectus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 127. [1794.
 porrectus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2716.
 porrectus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
 porrectus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 21.
 porrecta Serpula, O. F. Müller, Z. Dan. Prod. 1776, 236.
 porsenna [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 68.
 portentosa Acheta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
 "portentosus Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
 portentosa Rana, J. F. Blumenbach, Handb. Naturg., ed. 5, 1797, 235.
 portia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 86.
 portia Papilio, J. C. Fabricius, Syst. Ent. 1775, 507.
 portitor Cerambyx, F. v. P. Schrank, Schrift. Berlin. Nat. Ges. II. 1781, 312.
 portitor Prionus, F. v. P. Schrank, F. Boica, I. 1798, 654.—Cerambyx, 1781.
 portlandia Papilio, J. C. Fabricius, Spec. Insc. II. 1781, 82.
 portoricanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 714.
 portoricensis Loxia, F. M. Daudin, Traité élém. Orn. 1800, 411.
 portugallus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.
 Portunus F. Weber, Nomen. Fabricii, 1795, 93.—Cr.
 Portunus J. C. Fabricius, Suppl. Ent. Syst. 1798, 325.—Cr.
 portus jacksoni Squalus, F. A. A. Meyer, Zool. Entdeck. 1793, 71.

- porulosum *Cardium*, D. Solander in G. Brander, Foss. Hant. 1766, 39.
 "Porus, Borlase, 1758," Ag.; not used in a Linnean sense.
- porzana *Gallinula* (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 293.—Rallus.
- porzana Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
- porzana *Tringa*, J. A. Scopoli, Annus I. 1769, 101.
- porzaria Rallus, *id. ac* porzana L., J. C. Schaeffer, Mus. Orn. 1789, 50.
- poseganus *Cerambyx*, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.
- posthuma *Leucophaea*, O. F. Müller, An. Infus. 1786, 144.
- posthumus *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 149.
- posticana *Pyralis*, J. C. Fabricius, Ent. Syst. III (2) 1794, 267.
- posticaria *Phalaena*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 186.
- posticata *Phalaena*, J. C. Fabricius, Ent. Syst. III (2) 1794, 196.
- posticus *Carabus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 57.
- posticus *Ichneumon*, A. F. de Fourcroy, Ent. Paris. 1785, 419.
- postulatus *Cryptocephalus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 108.
- postverta [*Papilio*], P. Cramer, Util. Kapellen, III (22) 1779, 109.
- Posydon F. Weber, Nomen. Fabricii, 1795, 94.—Cr.
- Posydon J. C. Fabricius, Suppl. Ent. Syst. 1798, 395.—Cr.
- Potamida J. G. Meigen, N. Class. Mouches, 1800, 22.—Dip.
- potamogalis *Phalaena* Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [*n. et f.*].
- potamogalis *Pyralis* (L.), J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 & 19.—
Geometra potamogata.
- potamogata *Phalaena* (*Geometra*), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 873.
 [potatorina *Phalaena* (B.) (MS.)], T. Martyn, Psyche, 1797, fig. 77.
- potatoria *Bombyx* (L.), J. C. Fabricius, Syst. Ent. 1775, 564.—*Phalaena*.
- potatoria *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 813.
- potens *Musca*, M. Harris, Exp. Eng. Ins. 1776, 110.
- potentillae *Chrysomela*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 55.
- potentillae *Coccus*, Mayer, Abh. Privatges. Böhmen, IV. 1779, 184.
- potentillae *Cynips*, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
- potiphareus *Turbo*, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
- potoru *Didelphis*, F. A. A. Meyer, Zool. Entdeck. 1793, 13.
- potoru *Yerbua*, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 356.
- Potos E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
- Potos G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
- potto Lemur, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 12.
- potto *Mustela*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 33.
- praeadamitica *Ostrea*, J. F. Bolten, Mus. Bolten. (2) 1798, 169.
- praecarius *v.* *precarius*.
- praecatorius *Gerris*, J. C. Fabricius, Ent. Syst. IV. 1794, 190.
- praiceps *Musca*, Scopoli, Ent. Carn. 1763, 333.
- praiceps *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
- praiceps *Phalaena Noctua* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 433.—
- praiceps *Trichoda*, O. F. Müller, An. Infus. 1786, 175. [Noctua.
- praecinctus *Cinex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2198.
- praecinctus *Comops*, Scopoli, Ent. Carn. 1763, 357.
- praecisa *Chimaera*, J. A. Donndorff, Zool. Beyt. III. 1798, 836.
- praecox *Apis*, Scopoli, Ent. Carn. 1763, 301.
- praecox *Curculio*, Scopoli, Ent. Carn. 1763, 34.
- praecox *Noctua* (L.), J. C. Fabricius, Syst. Ent. 1775, 612.—*Phalaena*.
- praecox *Nomada*, J. A. Scopoli, Annus IV. 1770, 46.—*Apis*, 1763.
- praecox *Phalaena* (*Noctua*), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854.
- praecox *Syrphus*, P. Rossi, Fauna Etrus. II. 1790, 294.
- praedator *Asilus*, P. Rossi, Fauna Etrus. II. 1790, 325.
- praedator *Ichneumon*, P. Rossi, Mant. Ins. I. 1792, 116.
- praedatorius *Sturnus*, Bartram; B. S. Barton, N. H. Pennsylv., 1799, 15.
- praedatricula *Phalaena Noctua*, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 180.
- praedo *Cancer*, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 165.

- praedo Musca, P. Rossi, Mant. Ins. II. 1794, 75.
 praeduncula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89. [175.—Noctua.
 praeduncula Phalaena Noctua, (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 praefectus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 734.
 praegnans Acarus, F. v. P. Schrank, Ins. Aust. 1781, 520.
 praelatella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
 praelatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 746.
 praelata Phalaena, Scopoli, Ent. Carn. 1763, 198.
 praemorsus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 33.
 praemorsum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1203.
 praemorsa Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 275.
 praepos Draco, Linnaeus, Syst. Nat., ed. 12, 1766, 358.
 praeputium Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
 praeputium Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
 praerogator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
 praerosum Buccinum, Linnaeus, Syst. Nat., ed. 12, I (2) 1767, 1203.
 praerosus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 361.—Buccinum.
 praestans Thiara, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [*n.*].
 praestantissima Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
 praestolatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
 praetenius Mya, R. Pulteney, Cat. Birds &c. Dorset, 1799, 28.
 praetexta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (46) 1791, 338.
 praetextata Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
 praetiosa *z.* pretiosa.
 praetrepida Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 183.
 praeustum Callidium, J. C. Fabricius, Spec. Ins. II. 1781, 500.
 praeustus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 162.
 praeustus Cerambyx (L.), F. v. P. Schrank, Ins. Aust. 1781, 146.—Leptura.
 praeustus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255.—Saperda.
 praeusta Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.—Lep-
 praeusta Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 53. [tura.
 praeusta Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 8.
 praeustus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 229.
 praeustus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
 praeusta Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Crioceris, 1792.
 praeusta Lamia (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 120.—
 praeusta Lampyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55. [Callidium.
 praeusta Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 399; ed. 12, 1767, 641.
 praeusta Leptura, J. C. Fabricius, Mant. I. 1787, 159.
 praeustus Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 107.
 praeustus Malachus, J. C. Fabricius, Ent. Syst. I (1) 1792, 224.
 praeusta Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 354.
 praeusta Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 88.
 praeusta Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 187.—Leptura.
 praeusta Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 48.
 praeusta Zonitis, Zöcker in L. H. v. Bloch in Becker, Plau. Grund. 1799, 102.
 pransor Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 170.
 prasinana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 875.
 prasinana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 645.—Phalaena.
 prasinana Pyralis, J. C. Fabricius, Mant. II. 1787, 224.
 prasinaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 96.
 prasinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 4 [*n. et f.*].
 prasinaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 506.
 prasinaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 626.
 prasinoptera Certhia, A. Sparman, Mus. Carls. IV. 1789, no. LXXXI.
 prasina Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 90.
 prasinus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 74.
 prasina Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 11.

- prasina Cicada, P. S. Pallas, Reise Russ. II. 1773, 729.
 prasina Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 38.
 prasinus Cimex, Linnaeus, Faun. Suec., ed. 2, 1761, 249.
 prasinus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 559.
 prasina Loxia, A. Sparrman, Mus. Carls. III. 1788, nos. LXXII, LXXIII.
 prasina Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
 prasina Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
 prasina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
 prasina Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 438.—
 prasinus Turdus, A. Sparrman, Mus. Carls. IV. 1789, nos. LXXXVI, LXXXVII. [Noctua.
 pratana Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 161.
 pratella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 535; ed. 12, 1767, 886.
 pratella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 658.—Phalaena.
 pratensis Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 76.
 pratense Acrydium (Gm.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
 pratensis Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 287.
 pratensis Altica [Hellw.], G. W. F. Panzer, Ins. Germ. heft 21, 1794, tab. 16.
 pratensis Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
 pratensis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 269.
 pratensis Calandra, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
 pratensis Cervus, R. Kerr, Anim. Kingd. 1792, 304.
 pratensis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
 pratensis Formica, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 75.
 pratensis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.
 pratensis Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 172.
 pratensis Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
 pratensis Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 171.—Cimex.
 pratensis Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 46.
 pratensis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556.
 pratensis Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 122.
 pratensis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
 pratensis Vespa, J. Miller, Icones Insect. VIII. 1759 & text.
 pratensis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 437.
 praticola Hirundo, *err. pro* pratincola Linn., S. G. Gmelin, Reise Russ. I (1770), 77.
 praticola Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 42. [lontha.
 praticola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1559.—Melo-
 Pratincola Lamarck in Pallas, Voy. Russie (8vo. ed.), I. an. 2 (1794), 387.—A.
 pratincola Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 345.
 pratincola Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 553.
 pratincola Trachelia, J. A. Scopoli, Annus I. 1769, 110.
 pratorum Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 424.
 pratorum Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 471.—Tinea pratella.
 pratorum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.—Syrphus.
 pratorum Sphinx, C. de Villers, Linn. Ent. II. 1789, 114.
 pratorum Syrphus, J. C. Fabricius, Syst. Ent. 1775, 765.
 pratterana Necydalis, F. v. P. Schrank, Ins. Aust. 1781, 168.
 precarius Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
 precaria Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[Gryllus, ed. 10.]
 precatorius Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.
 prehensilis Coendou, B. G. E. de Lacépède, Tabl. Mamm. 1799, 11.
 prehensilis Hystrix, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 76.
 prehensilis Lemur, R. Kerr, Anim. Kingd. 1792, 88.
 prehensilis Viverra, R. Kerr, Anim. Kingd. 1792, 169.
 pressa Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 274.
 prester Coluber, Linnaeus, Faun. Suec., ed. 2, 1761, 104.
 praetiosa Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 324.
 pretiosus Eumolpus, Illiger in Kugelann, Käfer Preuss. 1798, 498.
 pretiosa Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 90.

- pretiosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 313.
- pretorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 168.
- pretus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 333.—Papilio.
- pretus [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 131.
- pretus [Sphinx], P. Cramer, Uitl. Kapellen, II (15) 1777, 121.
- priamus Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
- priamus Bulimus (ex Gron.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 360.
- priamus Helix, F. C. Meuschen, Mus. Gronov. 1778, 128.
- priamus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 458; ed. 12, 1767, 744.
- priamus Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
- Priapus Linnaeus, Syst. Nat., ed. 10, 1758, 656.—Coel.
- priapus Actinia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3134.
- priapus Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654.
- priapus Holothuria, Linnaeus, Syst. Nat., ed. 12, 1767, 1091.
- priassus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 323.—Papilio.
- priassus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.—[P. (Plebejus), ed. 12.]
- pribeata [Phalaena], C. Clerck, Icônes, I. 1759, pl. VI, 5.
- primatorius Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [n. n.].
- primatorius Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 81.
- primigenius Elephas, J. F. Blumenbach, Handb. Naturg., ed. 6, 1799, 697.
- primitus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 104.
- primula Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
- primulae Phalaena Noctua (ex Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, [428].
- prima Querquedula, S. G. Gmelin, Reise Russ. I. (1770), 70. [428].
- princeps Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 154.
- princeps Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1167.
- princeps Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
- princeps Musca, M. Harris, Exp. Eng. Ins. 1776, 151.
- princeps Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 131.
- princeps Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
- princeps Spondylus, K. Schreibers, Vers. Conch. II. 1793, 157.
- principalis Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 313.
- principale Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
- principalis Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
- principalis Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 360.
- principalis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
- principalis Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 173.
- principalis Turbo, P. S. Pallas, Spic. Zool. X. 1774, 33.
- principissa Papilio, C. C. Jung, Alph. Verz. Schmett. II. 1792, 131.
- prini Sphinx, J. E. Smith in Abbot, Ins. Georgia, 1797, 69.
- Prion B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
- Prionus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 198.—Col.
- Prionus J. C. Fabricius, Syst. Ent. 1775, 159.—Col.
- Prionus J. A. Scopoli, Intr. Hist. Nat. 1777, 442.—Col.
- prionus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 59.
- priscus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 16.
- prisma Scolia, J. C. Fabricius, Mant. I. 1787, 282.
- prisma Trichoda, O. F. Müller, An. Infus. 1786, 187.
- prismaticum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 2.
- prismaticum Monostoma, J. G. H. Zeder in Goeze, i Nachtr. Eingeweidewürm. 1800, 151.
- prismaticum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559.
- prismatica Nereis, O. F. Müller, Z. Dan. Prod. 1776, 218.
- prismatifer Curculio, F. v. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 118.
- Pristis H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.—P.
- Pristis J. Latham, Tr. Linn. Soc. [Lond.] II. 1794, 276.—P.
- pristis Pristis (L.), H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 31.—Squalus.
- pristis Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 401.
- pritanis [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 28.

- priuerna Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 204.—Phalaena.
- priverna [Phalaena], P. Cramer, Uitl. Kapellen, II (14) 1777, 108.
- priverra Phal. (Bomb.), Herbst, Einl. Ins. II. 1785, 101.
- proarichthalassus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
- probatocephalus Sparus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 295.
- probetor [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 209.
- problematicus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 177.
- problematica Madrepora, P. S. Pallas, Char. Thierpf. II. 1787, 144.
- problematica Madrepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3781.
- proboscidalis Medusa, P. Forskal, Descr. Anim. 1775, 108.
- proboscidalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
- Proboscidea J. G. Bruguière, Ency. Méth. (Vers. Int. 1791) 96.—Ver.
- proboscidella Phalaena Tinea, J. H. Sulzer, Gesch. Ins. 1776, 163.
- proboscidella Tinea, J. J. Roemer, Gen. Ins. 1789, 77.
- proboscidens Paederus, A. G. Olivier, Entom. III. 1795, 6.
- proboscidea Amphitrite, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 59.
- proboscideus Calonymus (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 123.—Lymexylon.
- proboscidea Cantharis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1900.—
- proboscideus Carabus, A. G. Olivier, Entom. III. 1795, 45. [Lymexylon.
- proboscideus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena pro-
- proboscideus Curculio, J. C. Fabricius, Syst. Ent. 1775, 142. [boscidalis.
- proboscideus Gryllus, G. W. F. Panzer, Ins. Germ. heft 22 [1794], tab. 18. [Lycus.
- proboscidea Lampyrus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1888.—
- proboscidea Lycus, J. C. Fabricius, Mant. I. 1787, 164.—Pyrochroa, 1781.
- proboscideum Lymexylon, J. C. Fabricius, Spec. Ins. I. 1781, 256.
- proboscidea Melolontha, J. C. Fabricius, Syst. Ent. 1775, 818.
- proboscidea Nais, O. F. Müller, Verm. I (2) 1774, 21.
- proboscidea Pyrochroa, J. C. Fabricius, Spec. Ins. I. 1781, 255. [Melolontha.
- proboscidea Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
- proboscidea Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3745.
- proboscideus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 155.
- proboscideus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 362.
- proboscidea Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 212.
- procas Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 308.—Papilio.
- procas [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 127.
- Procavia G. C. C. Storr, Prod. 1780, 39 & tab. B.—M.
- Procebus G. C. C. Storr, Prod. 1780, 32 & tab. A.—M.
- procedo Musca, M. Harris, Exp. Eng. Ins. 1776, 141.
- procellaria Linnaeus, Syst. Nat., ed. 10, 1758, 131; ed. 12, 1766, 212.—A.
- procellariae Pediculus, J. C. Fabricius, Syst. Ent. 1775, 808.
- procellata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
- procellata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 251 [u. et f.].
- procellera Phalaena Tinea, J. Hübner, Beitr. Schmett. I (3) [1788], 28.
- procera Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
- procerella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
- processionea Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 567.—Phalaena.
- processionea Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 500; ed. 12, 1767, 819.
- Prochilus (ex Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
- procida Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 22.
- proclamos Gorgonia, *err. pro* placomus, L., J. F. Maratti, Plant. Zooph. Med. 1776, 6.
- procopia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 152.
- procopia [Phalaena], C. Stoll, Aanh. Cramer's Uitl. Kapellen, II. 1790, 57.
- procris [Papilio], P. Cramer, Uitl. Kapellen, II (9) 1777, 15.
- Proctotrupes P. A. Latreille, Préc. Car. Ins. 1796, 108.—Hym.
- procus [Phalaena], P. Cramer, Uitl. Kapellen, II (13) 1777, 85.
- Procyon G. C. C. Storr, Prod. 1780, 35 & tab. A.—M.
- Procyon G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [u. n.].—M.

- prodeo Musca, M. Harris, Exp. Eng. Ins. 1776, 141.
 prodicus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 150.
 prodigiosa Acheta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 86.
 prodigus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 170.
 prodromaria Geometra, [Denis & Schiffermüller], Schmiett. Wien, 1775, 99. [et f.].
 prodromaria Geometra, J. Hübner, Europ. Schmiett. (Geom.) [me giudice 1796], fig. 172 [n.].
 prodromus Aphodius (Brahm), C. Creutzer, Ent. Vers. 1799, 37.—Scarabaeus.
 prodromus Scarabaeus, N. J. Brahm, Ins. Kal. I (1) 1790, 3.
 productus Caligus, O. F. Müller, Entom. 1785, 132.
 producta Chalcis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 438.
 productus Malachius, A. G. Olivier, Entom. II. 1790, 13.
 productus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3007.—
 producta Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 121. [Caligus].
 profanana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 268.
 profanus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 64.
 professus Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
 proficiscator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 335.
 proficua Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
 profligator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 334.
 profuges Musca, M. Harris, Exp. Eng. Ins. 1776, 81.
 profuga Phalaena, P. Forskal, Descr. Anim. 1775, 82.
 profuga Sphex, Scopoli, Ent. Carn. 1763, 293.
 profundana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Phalaena.
 profundana Tortrix, [Denis & Schiffermüller], Schmiett. Wien, 1775, 132.
 profundana Tortrix, J. Hübner, Europ. Schmiett. (Tort.) [me giudice 1796], fig. 21 [n. et f.].
 profusor Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 210.
 progemmaria Geometra, J. Hübner, Europ. Schmiett. (Geom.) [me giudice 1796], fig. 183
 progne Emberiza, P. Boddaert, Tab. Planch. Enl. 1783, 39. [n. et f.].
 progne [Papilio], P. Cramer, Utitl. Kapellen, I (1) 1775, 9.
 projer Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 164.
 prolabor Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
 prolapsa Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
 prolescens Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
 proletarium Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.
 prolella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 537; ed. 12, 1767, 889.
 prolelicornis Elater, P. Rossi, Fauna Etrus. I. 1790, 180.
 prolelicornis Parnus, J. C. Fabricius, Ent. Syst. I (1) 1792, 245.
 proliferum Alcyonium, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 350.
 prolifera Columba, M. T. Brünnich, Orn. Boreal. 1764, 63.
 prolifera Madrepora, P. S. Pallas, Elench. 1766, 307.
 prolifera Nereis, O. F. Müller, Zool. Dan. II. 1784, 34.
 prolifera Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmiett. III. 1790, 453.
 prolifera Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 189.
 prolificata Clava, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.
 prolongata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 288.
 prolongata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 379.
 promano Musca, M. Harris, Exp. Eng. Ins. 1776, 143.
 Promerops M. J. Brisson, Ornith. II. 1760, 461.—A.
 promerops Upupa, Linnaeus, Syst. Nat., ed. 12, 1766, 184.
 promethea Bombyx (Drury), J. C. Fabricius, Syst. Ent. 1775, 558.—Phalaena.
 prometheus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 667.
 promethea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 19.
 promissa Noctua, [Denis & Schiffermüller], Schmiett. Wien, 1775, 90.
 promontorii Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
 promulella Alucita (D. & S.), J. C. Fabricius, Mant. II. 1787, 257.—Tinea.
 promula Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 174.—Phalaena.
 promula [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 114. [1780], 23.
 pronoe Papilio Nym. Gem., E. J. C. Esper, Die Schmiett. I (Bd. 2) Forts. Tagschmiett.

- pronuba Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 603.—Phalaena.
 pronuba Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 512; ed. 12, 1767, 842.
 pronubella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
 properans Musca, P. Rossi, Mant. Ins. II. 1794, 74.
 propretius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 325.
 propertius Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
 propugnata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112. [*et f.*].
 propugnata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 286 [n].
 prorsa Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 783.
 prorsa Papilio, Linnaeus, Mus. Lud. Ulr. 1764, 303.
 prorsa Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 6.—[prorsas, Hufn.]
 prorsa Papilio, J. A. B. Bergstraesser, Ic. Pap. II. 1780, 6.
 prorsas Papilio, Hufnagel, Berlin. Mag. II. 1766, 68.
 prosapiaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767,
 Proscarabaeus F. v. P. Schrank, Ins. Aust. 1781, 225.—Col. [864.
 proscarabaeus Cantharis (L.), C. de Geer, Mém. Ins. V. 1775, 3.—Meloe.
 proscarabaeus Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.
 proscarabaeus Meloe, F. v. P. Schrank, Beitr. Nat. 1776, 72.
 proserpina Bombyx, J. C. Fabricius, Syst. Ent. 1775, 561.
 proserpina Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 169.
 proserpina [Papilio], P. Cramer, Uitl. Kapellen. III (19) 1779, 43.
 proserpina Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 26.
 proserpina Papilio (N. G.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
 proserpina Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 228.
 proserpina Phalaena (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 99.—Bombyx.
 proserpina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 239.
 proserpina Sphynx, P. S. Pallas, Spic. Zool. IX. 1772, 26.
 proserpine Papilio, J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 250.
 Prosimia M. J. Brisson, Reg. Anim. 1762, 156.—M.
 prosope Papilio, J. C. Fabricius, Syst. Ent. 1775, 504.
 prospicua Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 122.
 prostratus Erax, Scopoli, Ent. Carn. 1763, 359.
 prostrata Musca, Scopoli, Ent. Carn. 1763, 328.
 prostrata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1133.
 Proteinus P. A. Latreille, Préc. Car. Ins. 1796, 9.—Col.
 protenor [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 77.
 protensa Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3744.
 proterpia Papilio, J. C. Fabricius, Syst. Ent. 1775, 478.
 proterpia Papilio, F. C. Meuschen, Mus. Gronov. 1778, 73.
 protesilaus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.
 protesilaus Papilio (*ex* Dru.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 137.
 Proteus J. N. Laurenti, Syn. Rept. 1768, 35.—R.
 Proteus O. F. Müller, An. Infus. 1786, 9.—Rhiz.
 prothea Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 60.—Phalaena protea.
 protheus Brachionus, P. S. Pallas, Elench. 1766, 94.
 protheus Carabus, G. Paykull, Mon. Carab. 1790, 115.
 protheus Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
 protheus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 682.
 protheus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 331.—Papilio.
 protheus Ichneumon, J. L. Christ, Nat. Ins. 1791, 347.
 protea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
 protheus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 484; ed. 12, 1767, 794.
 protea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 244.
 protea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 protheus Trichoda, O. F. Müller, An. Infus. 1786, 176. [386.—Noctua.
 protheus Vibrio, O. F. Müller, Verm. I (1) 1773, 45.
 protheus Volvox, P. S. Pallas, Elench. 1766, 417.
 protheus *z.* protheus.

- prothyrallis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 449.
 prothyris Cimex, C. de Villers, Linn. Ent. I. 1789, 529.
 protogenia [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 141.
 protonotarius Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 972.
 protonotarius Sylvia (Gm.), J. Latham, Index Orn. 1790, 542.—Motacilla.
 protoplastes Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 12.
 protoplastes Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
 protractus Angarius, F. C. Meuschen, Mus. Gever. 1787, 262.
 protracta Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181 [n. n.].
 protumnus Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 340.
 provenio Musca, M. Harris, Exp. Eng. Ins. 1776, 142.
 provincialis Alauda, F. v. P. Schrank, F. Boica, I. 1798, 161.
 provincialis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 881.
 provincialis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 958.
 proximaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 147.
 proximatum Buccinum, Linnaeus, Mant. II. 1771, 550.
 pruinata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
 pruinata Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 69.
 pruinosa Arctomys, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 144.
 prunalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121. [et f.].
 prunaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 122 [n.].
 prunaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767, 861.
 prunata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 304 [n. et f.].
 prunata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
 pruni Aphis, Scopoli, Ent. Carn. 1763, 138.
 pruni Aphis, C. de Geer, Mém. Ins. III. 1773, 49.
 pruni Bombyx, J. C. Fabricius, Syst. Ent. 1775, 563.
 pruni Buprestis, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 21.
 pruni Chermes, Scopoli, Ent. Carn. 1763, 140.
 pruni Chrysomela, F. v. P. Schrank, Beitr. Nat. 1776, 63.
 pruni Curculio, Scopoli, Ent. Carn. 1763, 31.
 pruni Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 607.
 pruni Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 277.—Papilio.
 pruni Noctua, C. Quensel, K. Vet. Ac. Nya Handl. XII. 1791, 153.
 pruni Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 788.
 pruni Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 813.
 pruni Phalaena Geom., J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 155 [n. n.].
 pruni Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 308.
 pruni Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 210.
 pruni Syrphus, P. Rossi, Fauna Etrus. II. 1790, 293.
 pruni Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 928.
 pruni Zygaena (D. & S.), J. C. Fabricius, Mant. II. 1787, 107.—Sphinx.
 pruniana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 15 [n. et f.].
 pruniaria Phalaena Geom., Linnaeus, Faun. Suec., ed. 2, 1761, 324.
 pruniella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 4.
 pruniella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 359.
 prunifoliella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 70.
 prunnerella Tinea, P. Rossi, Mant. Ins. II. 1794, 46.
 prunum Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
 prunum Cardium, F. C. Meuschen, Mus. Gever. 1787, 440.
 prunus Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
 prunus Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22.
 pruna Pterygia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 52.—Voluta.
 prunum Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3446.
 Psallisostomus (ex Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 581.—P.
 psamas [Phalaena], P. Cramer, Uitl. Kapellen, III (20) 1779, 72.
 psamas Sphinx (Cr.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 140.—Phalaena.
 Psamatolus J. E. Guettard, Mém. diff. Sci. III. 1770, 68.—Verm.

- Psammochares P. A. Latreille, Préc. Car. Ins. 1796, 115.—Hym.
 psammodes Carabus, P. Rossi, Mant. Ins. I. 1792, 85.
 psamos Sphinx =? psamas, Cr., Herbst, Einl. Ins. II. 1785, 69.
 psarodes Picus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 18.
 psecas [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 102.
 Pselaphus Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 106.—Col.
 Psen P. A. Latreille, Préc. Car. Ins. 1796, 122.—Hym.
 psenes Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
 pseudacantharis Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
 pseud-acori Curculio, P. Rossi, Fauna Etrus. I. 1790, 116.
 pseudacori Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 408.
 pseudamusium Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [*n. n.*].
 "Pseudamusium, Chem. 1784," Newton; not used in a Linnean sense.
 "Pseudoamusium, Brug., Ency. Méth. I. 536," Scudd.; not used in a generic sense.
 pseudobombycella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 17.
 pseudo-chama Spondylus, K. Schreibers, Vers. Conch. II. 1793, 156.
 Pseudoechinorynchus J. A. E. Goeze, Eingeweidewürm. 1782, 138.—Ver.
 pseudolus [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 5.
 pseudo pandarus Papilio E. T., E. J. C. Esper, Ausl. Schmett. (10) 1793, 153.
 pseudoplatani Aphis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 340.
 pseudoplatani Cynips, Mayer, Abh. Privatges. Böhmen, IV. 1779, 184.
 psi Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 13.
 psi Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 614.—Phalaena.
 psi Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 514; ed. 12, 1767, 846.
 psidii Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
 psidii Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
 psidii Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 756.
 Psilopoderma J. X. Poli, Test. Sicil. II. 1795, 253 & 258.—L.
 Psilopus J. X. Poli, Test. Sicil. II. 1795, 112.—A generic term applied to the fleshy parts
 Psittaca M. J. Brisson, Ornith. IV. 1760, 319.—A. [of certain Chamae.
 psittacata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 112.
 psittacata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 227 [*n.*
 psittaceae Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348. [*et f.*].
 psittaceus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
 psittaceae Columba, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 10 [*n. n.*].
 psittaceae Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 178; ed. 12, 1766, 312.
 psittaceae Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 903.
 psittaceae Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 844.
 psittaceae Scythrops, R. Kerr, Anim. Kingd. 1792, 619.
 psittaci Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3069.
 "Psittacula, Briss. 1760," Ag.; not used in a generic sense.
 Psittacula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
 psittacula Alca, P. S. Pallas, Spic. Zool. V. 1769, 13.
 Psittacus Linnaeus, Syst. Nat., ed. 10, 1758, 96; ed. 12, 1766, 139.—A.
 Psittacus G. Edwards in M. Catesby, Carol. II. 1771, 29.—P.
 Psittacus M. Catesby, Pisc. &c. Imag. 1777, 29.—P.
 psittacus Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
 psittacus Labrus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1285.—
 psittacus Lepas, G. I. Molina, Sag. stor. nat. Chili, 1782, 204. [Scarus.
 psittacus Papilio, G. I. Molina, Sag. stor. nat. Chili, 1782, 211.
 psittacus Scarus, P. Forskal, Descr. Anim. 1775, 29.
 Psoa Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 214.—Col.
 Psocus P. A. Latreille, Préc. Car. Ins. 1796, 99.—Neur.
 Psocus J. C. Fabricius, Suppl. Ent. Syst. 1798, 198.—Neur.
 Psophia Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 263.—A.
 Psophia B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 17.—A.
 psophia Grus, P. S. Pallas, Spic. Zool. IV. 1767, 1.
 psora Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.

- psora *Idotea* (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 302.—*Oniscus*.
 psora *Oniscus*, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
 psotomphaneg Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 110.
 psyche *Papilio*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 132.
 Psychoda P. A. Latreille, Préc. Car. Ins. 1796, 152.—*Dip*.
 Psylla E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 482.—*Hem*.
 psyllium *Dermestes*, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.
 psyllia *Nitidula* (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 446.—*Strongylus*.
 psyllius *Sirex*, J. C. Fabricius, Ent. Syst. II. 1793, 124.
 psyllius *Strongylus* (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 189.—*Dermestes*.
 psylloides *Scotias*, P. de Czenpinski, Diss. zool.-med. 1778, 51.
 Pteraclis L. T. Gronov, Acta Helvet. VII. 1772, 43.—*P*.
 Pteria J. A. Scopoli, Intr. Hist. Nat. 1777, 397.—*Moll*.
 pteridis *Noctua*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 72.
 pteridis *Noctua*, J. C. Fabricius, Ent. Syst. III (2) 1794, 90.
 Pteridium J. A. Scopoli, Intr. Hist. Nat. 1777, 454.—*P*.
 Pterocera Lamarck, Mém. Soc. H. N. Paris, 1799, 72.—*G*.
 pterodactylella *Phalaena* Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [*n. et f.*].
 pterodactylella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 46.
 pterodactyla *Phalaena* (Alucita), Linnaeus, Faun. Suec., ed. 2, 1761, 371.
 pterodactylus *Pterophorus* (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—*Phalaena*.
 Pteromalus N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 201.—*Hym*.
 pteromelas *Ichneumon*, C. de Villers, Linn. Ent. III. 1789, 196.
 Pteromys G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—*M*.
 Pterophorus E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 90.—*Lep*.
 Pterophorus J. C. Fabricius, Syst. Ent. 1775, 671.—*Lep*.
 Pterophorus J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 105.—*Col*.
 pterophotum *Buccinum*, F. C. Meuschen, Mus. Gever. 1787, 306.
 pteropoda *Vespa*, J. A. Scopoli, Annus V. 1772, 123.
 Pteropus M. J. Brisson, Reg. Anim. 1762, 153.—*M*.
 Pteropus J. C. P. Erxleben, Syst. Anim. 1777, 130.—*M*.
 Pteropus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—*M*.
 Pterotrachea P. Forskal, Descr. Anim. 1775, 117.—*Moll*.
 Pterotrachea G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [*n. n.*].—*Moll*.
 Pterourus J. A. Scopoli, Intr. Hist. Nat. 1777, 433.—*Lep*.
 Pterygia J. F. Bolten, Mus. Bolten. (2) 1798, 51.—*G*.
 pterygia *Caecula*, M. Vahl, Skr. nat. Selsk. [Copen.], III (2) 1794, 153.
 pterygiata *Lagena*, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [*n. n.*].
 pterygotus *Tenebrio*, P. S. Pallas, Icon. Ins. 1781, 41.
 pthysica *Cantharis*, Scopoli, Ent. Carn. 1763, 44.
 Ptilinus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 64.—*Col*.
 Ptinus Linnaeus, Syst. Nat., ed. 12, 1767, 565.—*Col*.
 ptolomaeus *Hesperia*, J. C. Fabricius, Ent. Syst. III (1) 1793, 319.
 Ptomaphagus Knoch in Illiger, Käfer Preuss. 1798, 84.—*Col*.
 ptorsas *Papilio* 'H', Hufnagel, Berl. Mag. II. 1766, 68.
 Ptynx Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 4 & 49.—*A*.
 puber *Cancer*, Linnaeus, Syst. Nat., ed. 12, 1767, 1046.
 puber *Portunus* (L.), F. Weber, Nomen. Fabricii, 1795, 93.—*Cancer*.
 pubera *Cypris*, O. F. Müller, Z. Dan. Prod. 1776, 198.
 pubera *Musca*, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
 pubes *Elater*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
 pubes *Trichoda*, O. F. Müller, Verm. I (1) 1773, 92.
 pubescens *Andrena*, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 136.
 pubescens *Anobium*, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 67.
 pubescens *Anomia*, Linnaeus, Syst. Nat., ed. 12, 1767, 1153.
 pubescens *Aphodius*, J. Sturm, Verz. Ins. Samml. 1800, 40.
 pubescens *Apis*, J. C. Fabricius, Ent. Syst. II. 1793, 336.
 pubescens *Anthrenus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 265.—*Nitidula*, 1781.

- pubescens Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 161.
pubescens Apis, J. C. Fabricius, Spec. Ins. I. 1781, 484.
pubescens Aranea, J. C. Fabricius, Syst. Ent. 1775, 438.
pubescens Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
pubescens Attelabus, J. C. Fabricius, Spec. Ins. I. 1781, 200.—Curculio, 1775.
pubescens Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 368.
pubescens Buprestis, A. G. Olivier, Entom. II. 1790, 55.
pubescens Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 256.
pubescens Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
pubescens Carabus, G. Paykull, Mon. Carab. 1790, 61.
pubescens Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 309.
pubescens Cetonia, A. G. Olivier, Entom. I. 1789, 21.
pubescens Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 603.
pubescens Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 47.
pubescens Coccinella, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 13.
pubescens Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 77.
pubescens Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.
pubescens Cryptocephalus, J. C. Fabricius, Gen. Ins. 1777, 220.
pubescens Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
pubescens Curculio, G. Paykull, Mon. Curc. 1792, 12.
pubescens Dermestes, [Hausmann], Bemerk. Entom. 1799, 34.
pubescens Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1127.
pubescens Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
pubescens Formica, J. C. Fabricius, Syst. Ent. 1775, 393.
pubescens Lagria (L.), J. C. Fabricius, Syst. Ent. 1775, 125.—Chrysomela.
pubescens Leptura, J. C. Fabricius, Mant. I. 1787, 158.
pubescens Lyctus, G. W. F. Panzer, Ins. Germ. heft 4 [1792], tab. 17.
pubescens Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
pubescens Melolontha, A. G. Olivier, Entom. I. 1789, 45.
pubescens Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 127.
pubescens Mya, R. Pulteney, Cat. Birds &c. Dorset, 1799, 27.
pubescens Melyris, A. G. Olivier, Entom. II. 1790, 5.
pubescens Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 93.
pubescens Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 175.
pubescens Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2005.—
pubescens Ptinus, A. G. Olivier, Entom. II. 1790, 5. [Tenebrio.]
pubescens Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 139.—
pubescens Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 91. [Attelabus.]
pubescens Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 11.—Bostrichus.
pubescens Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 342.
pubescens Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 87.—Nitidula.
pubescens Spheg, J. C. Fabricius, Ent. Syst. II. 1793, 205.
pubescens Staphylinus, C. de Geer, Mém. Ins. IV. 1774, 17.
pubescens Staphylinus, G. Paykull, Mon. Carab. 1790, 138.
pubescens Stenocorus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 301.—Cerambyx.
pubescens Tabanus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 358.
pubescens Tenebrio, P. S. Pallas, Icon. Ins. 1781, 53.
pubescens Terebratula, O. F. Müller, Z. Dan. Prod. 1776, 249.
pubescens Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 15.—Anomia.
pubescens Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
pubicornis Cimex, J. C. Fabricius, Syst. Ent. 1775, 724.
pubicornis Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 340.
pubicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex, 1775.
pubis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
puda Capra, G. I. Molina, Sag. stor. nat. Chili, 1782, 308.
pudefactus Musca, M. Harris, Exp. Eng. Ins. 1776, 121.
[puderina Phalaena (B.) MS.], T. Martyn, Psyche, 1797, fig. 71.
[puderina Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 89.

- pudibunda Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 570.—Phalaena.
 pudibundus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 199.
 pudibunda Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 503; ed. 12, 1767,
 pudicus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56. [824.
 pudicus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 44.
 pudicus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 165.
 pudica Helix, O. F. Müller, Verm. II. 1774, 97.
 pudica Phalaena B., E. J. C. Esper, Die Schmett. III (20) 1785, 177.
 pudoralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
 pudorata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 179.
 pudorella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
 pudorina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85. [720.—Noctua.
 pudorina Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 pudu Capra; puda Molina, *est.*, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II.
 1800, 640.
 pudu Ovis (Mol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 201.—Capra puda.
 puella Agrion (L.), J. C. Fabricius, Syst. Ent. 1775, 426.—Libellula.
 puella Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 474.
 puella Coracias, J. Latham, Index Orn. 1790, 171.
 puella Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 546; ed. 12, 1767, 905.
 puella Noctua, E. J. C. Esper, Die Schmett. IV (39) 1789, 163.
 puella Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 3.
 puella Phalaena Noct. (*ex* Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 152.
 puella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 40.
 puellaris Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
 puellaris Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
 [puellina Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 43 & 44.
 puera [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 10.
 puerita [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 128.
 puerpera Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 179.—Venus.
 puerpera Phalaena, Giorna, Cal. Ent. 1791, 104.
 puerpera Venus, Linnaeus, Mant. II. 1771, 545.
 Puffinus M. J. Brisson, Ornith. VI. 1760, 131.—A.
 puffinus Procellaria, Linnaeus, Syst. Nat., ed. 12, 1766, 213.
 pugil Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.—[pugillator, Linn., *est.*]
 pugilinus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
 pugilinus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 314.
 pugilis Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 342.—Strombus.
 pugilis Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 61.—Strombus.
 pugilis Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 744; ed. 12, 1767, 1209.
 pugillator Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 348.
 pugillator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
 pugillator Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon.
 pugio Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
 pugione Sphinx, Linnaeus, Syst. Nat., ed. 12, 1767, 807.
 pugione Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 554.—Sphinx.
 pugnator Cimex, J. C. Fabricius, Mant. II. 1787, 287.
 pugnator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 130.—Cimex, 1787.
 pugnax Aranea, P. Rossi, Fauna Etrus. II. 1790, 135.
 pugnax Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
 pugnax Glareola, C. Nozeman in Nozeman & Houttuyn, Ned. Vogel. I (177-), 29.
 pugnax Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 247.
 pulchana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 480.—Tinea pulchella, 1794.
 pulchellata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 171.
 pulchella Apis, J. L. Christ, Nat. Ins. 1791, 194.
 pulchella Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
 pulchella Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 586.—Phalaena.
 pulchellus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (6) 1796, 175.

- pulchellus Carabus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 170.
 pulchella Cassida, Creutzer in G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 15.
 pulchella Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 187.
 pulchellus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 67.
 pulchellus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
 pulchellus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 356.
 pulchellus Elater, Linnaeus, Faun. Suec., ed. 2, 1761, 209.
 pulchellum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [n. n.].
 pulchella Fringilla, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [n. n.].
 pulchella Helix, O. F. Müller, Verm. II. 1774, 30.
 pulchellus Hemerobius, L. H. v. Bloch in Becker, Plau. Grund. 1799, 118.
 pulchellus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 38.
 pulchella Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 115.
 pulchellus Ichneumon, J. L. Christ, Nat. Ins. 1791, 342.
 pulchellus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 159.
 pulchella Musca, O. F. Müller, Z. Dan. Prod. 1776, 174.
 pulchella Musca, P. Rossi, Fauna Etrus. II. 1790, 314.
 pulchella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 884.
 pulchellus Psittacus, G. Shaw, Nat. Misc. III. 1792, pl. 96.
 pulchellus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 211.
 pulchellus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 345.
 pulchella Stryx, P. S. Pallas, Reise Russ. I. 1771, 456.
 pulchella Tinea (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.—Phalaena.
 pulchella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 303.
 pulchella Tritoma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 177.
 [pulcher, -ra, -rum]—
 pulchra Aranea, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 244.
 pulchra Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 201.
 pulcher Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 70.
 pulchra Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 313.
 pulcher Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 192.
 pulcher Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119 [n. n.].
 pulchra Lamia (Drury), J. C. Fabricius, Syst. Ent. 1775, 171.—Cerambyx.
 pulchra Mantis, J. C. Fabricius, Mant. I. 1787, 229.
 pulchra Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 19 [n. n.].
 pulchra Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 35.
 pulchra Noctua (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 68.—Tinea pulchella.
 pulchra Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
 pulcher Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 249. [259.—Phal. Noctua.
 pulcher Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 84.
 pulcher Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 189.
 pulchra Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 52.
 pulcher Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 139.
 pulchra Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 123.
 pulcherrima Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
 pulcherrima Haliotis, T. Martyn, Univ. Conch. II [1788], fig. 62.
 pulcerrima Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
 pulcherrima Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138.
 pulcherrimus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [n. n.].
 pulchra, -rum *v.* pulcher.
 pulchralis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
 pulchricollis Anas, C. Hablitzl, Phys. Besch. Taur. 1789, 310 [n. n.].—Anser, 1785.
 pulchricollis Anser, C. Hablitzl, Fiz. opis. Tavricheskoi, 1785, 175 [n. n.].
 pulchricornis Tipula, L. H. v. Bloch in Becker, Plau. Grund. 1799, 120.
 Pulex Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1021.—Hem.
 pulex Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 17.—Cancer.
 pulex Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1055.
 pulex Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 130.

- pulex** Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 85.
- pulex** Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
- pulex** Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 24 [*n. n.*].
- pulex** Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
- pulex** Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 418.—Cancer.
- pulex** Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
- pulex** Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
- pulex** Oniscus (Linn.), P. S. Pallas, Misc. Zool. 1766, 190.—Cancer.
- pulex** Squilla (L.), C. de Geer, Mém. Ins. VII. 1778, 525.—Cancer.
- pulex** Trichoda, O. F. Müller, Verm. I (1) 1773, 80.
- pulicaris** Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
- pulicaris** Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 979.
- pulicaria** Altica (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
- pulicarius** Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 137.
- pulicarius** Bombylius, J. C. Mikán, Mon. Bomb. 1796, 58.
- pulicaria** Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 260.
- pulicaria** Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 595.
- pulicarius** Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 622.
- pulicarius** Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 429.
- pulicarius** Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 54.
- pulicarius** Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.
- pulicarius** Elyphorus, C. P. Thunberg, D. Mus. Ac. Upsal., App. I., 1791, 113.—
- pulicarius** Hister, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 7. [Hister, 1784.
- pulicarius** Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 191.
- pulicarius** Malachius, J. C. Fabricius, Gen. Ins. 1777, 234.
- pulicaria** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 498.
- pulicaria** Nitidula (L.), A. G. Olivier, Entom. II. 1790, 20.—Dermestes.
- pulicaria** Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 574.—[Dermestes, ed. 10.]
- pulicaria** Silpha (Fab.), J. F. W. Herbst in Borowski, Gem. Nat. Thiere, VI. 1784, 79.—Sphaeridium.
- pulicarium** Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 68.—Silpha.
- pulicarius** Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 16.—Cantharis.
- pullana** Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2517.
- pullaria** Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 145 [*n. et f.*].
- pullarius** Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 102; ed. 12, 1766, 149.
- pullaster** Kerona, O. F. Müller, An. Infus. 1786, 241.—Trichoda, 1773.
- pullaster** Trichoda, O. F. Müller, Verm. I (1) 1773, 81.
- Pullata** M. Harris, Exp. Eng. Ins. 1776, 76.—Dip.
- pullatella** Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 63.
- [**pullatus** Araneus, C. Clerck, Aran. Svec. 1757, 104.]
- pullatus** Araneus, T. Martyn, Aranei, 1793, 49.
- pullatus** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 225; ed. 12, 1766, 388.
- pullata** Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 108.
- pullata** Musca, O. F. Müller, F. Ins. Frid. 1764, 86.
- pullata** Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
- pullata** Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
- pullens** Lampyrus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 124.
- pulligera** Hirudo, F. M. Daudin, Rec. Mém. Moll. 1800, 19.
- pulligera** Nerita, Linnaeus, Syst. Nat., ed. 12, 1767, 1253.
- pulligo** Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
- pulligo** Trochus, T. Martyn, Univ. Conch. II [1788], fig. 76.
- pullus** Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 108.
- pullus** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1201.
- pullum** Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 236.
- pulla** Cantharis, O. F. Müller, F. Ins. Frid. 1764, 16.
- pullus** Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
- pullus** Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
- pullus** Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 28.—Buccinum.

- pulla Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 12.
 pullus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
 pullus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 56.
 pulla Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3412.
 pullus Elater, O. F. Müller, Z. Dan. Prod. 1776, 59.
 pullus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
 pulla Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3650.
 pulla Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
 pulla Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
 pulla Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
 pulla Phalaena Bomb., E. J. C. Esper, Die Schmett. III [22] 1785, 232.
 pulla Phalaena (Noctua), J. Beckwith, Tr. Linn. Soc. [Lond.], II. 1794, 5.
 pullus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
 pullus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1233.
 pulmo Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3155.
 pulmonalis Ascaris, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1790, 3035.
 pulmonare Litophyton, P. Forskal, Descr. Anim. 1775, 139.
 pulmonaris Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 144.
 pulmonaris Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 499.
 pulmonaria Alcyonium, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 175.
 pulmonata Pterotrachea, P. Forskal, Descr. Anim. 1775, 118.
 pulorius Mustela, *err. pro* putorius, L., S. G. Gmelin, Reise Russ. III. 1774, 27.
 pulsator Ptinus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 249.
 pulsatorium Anobium, L. G. Scriba, J. Lieb. Ent. II. 1790, 156.
 pulsatorius Hemerobius (L.), J. C. Fabricius, Syst. Ent. 1775, 311.—Termes.
 pulsatorius Pediculus, A. F. de Fourcroy, Ent. Paris. 1785, 519.
 pulsatorius Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—Termes.
 pulsatorium Termes, Linnaeus, Syst. Nat., ed. 10, 1758, 610; ed. 12, 1767, 1015.
 pulsatorius Trogium (L.), Illiger in Kugellann, Käfer Preuss. 1798, 500.—Termes.
 pulsus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 83.
 pultiaris Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 123.
 pulveralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 29. [*et f.*].
 pulveraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 203 [*n.*].
 pulveraria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521; ed. 12, 1767,
 pulverata Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104 [*n. n.*]. [862].
 pulverata Phalaena, Giorna, Cal. Ent. 1791, 22.
 pulverata Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
 pulvereae Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
 pulvereus Curculio, *id. ac* pulverulentus, Scop., A. G. Olivier, Ency. Méth. V (Ins.) 1790,
 pulverulenta Acarus, J. H. Sulzer, Gesch. Ins. 1776, 245. [564].
 [pulverulentus Araneus, C. Clerck, Aran. Svec. 1757, 93.]
 pulverulentus Araneus, T. Martyn, Aranei, 1793, 43.
 pulverulenta Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 386.
 pulverulentus Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 68.
 pulverulentum Callidium, A. G. Olivier, Entom. IV. 1795, 69.
 pulverulentus Carabus, P. Rossi, Fauna Etrus. I. 1790, 213.
 pulverulentus Cerambyx, J. A. Scopoli, Annus V. 1772, 95.
 pulverulenta Cetonia, A. G. Olivier, Entom. I. 1789, 57.
 pulverulentus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 44.
 pulverulentus Curculio, Scopoli, Ent. Carn. 1763, 25.
 pulverulentus Curculio, C. de Geer, Mém. Ins. V. 1775, 268.
 pulverulentus Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
 pulverulentus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
 pulverulentus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 172.
 pulverulenta Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 573.
 pulverulenta Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [*n. n.*].
 pulverulenta Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39. [611.—Bombyx.
 pulverulenta Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV, 1792,

- pulverulentus* Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 341.
pulverulentus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 514.
pulverulentus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
pulverulenta Tenthredo, J. L. Christ, Nat. Ins. 1791, 451. [1565.—Melolontha.
pulviger Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 480.
pulvillus Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
pulvinatus Dermestes, J. A. Scopoli, Annus V. 1772, 87.
pulvinatum Gonium, O. F. Müller, Verm. I (1) 1773, 61.
pulvinata Rana, G. A. Suckow, Naturges. III. 1798, 69.
pulvisculus Enchelis, O. F. Müller, An. Infus. 1786, 32.
pulvisculus Monas, O. F. Müller, An. Infus. 1786, 7.
puma Felis, G. I. Molina, Sag. stor. nat. Chili, 1782, 295.
pumicatus Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
pumicatus Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
pumicosa Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
pumicosa Millepora, P. S. Pallas, Elench. 1766, 254.
pumilella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
pumilio Mus, A. Sparman, K. Vet. Ac. Nya Handl. V. 1784, 236.
pumilio Phasianus, J. Latham, Index Orn. 1790, 627.
pumilionis Musca, C. Bierkander, K. Vet. Ac. Handl. XXXIX. 1778, 201.
pumilionis Musca, J. Banks, Ann. Agric. XVI. 1791, 2, pl. 1.
pumilis Falco, R. Kerr, Anim. Kingd. 1792, 525.
pumila Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
pumila Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 644.
pumilus Bos, R. Kerr, Anim. Kingd. 1792, 340.
pumila Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 276.
pumilus Chamaeleon (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 27.—Lacerta.
pumila Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1069.
pumila Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 299.
pumila Libellula, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 90.
pumila Millepora, P. S. Pallas, Elench. 1766, 253.
pumila Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 446.
pumilus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 87.
pumila Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1306.
pumila Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 200.
punctalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
punctalis Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 442.—Phalaena.
punctalis Pyralis (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 18.—Phalaena.
punctalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
punctana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 23.
punctaria Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 9 [n. et f.].
punctaria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 233.
punctaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522.
punctatissima Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
punctatissimus Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
punctatissima Chrysis, C. de Villers, Linn. Ent. III. 1789, 259.
punctatissima Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 394.
punctatissima Chrysomela, C. de Villers, Linn. Ent. I. 1789, 168.
punctatissima Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.
punctatissima Chrysomela, J. A. Frolich, Naturforscher, XXVI. 1792, 128.
punctatissimus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
punctatissimus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123. [1727.—Erotylus.
punctatissima Locusta, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 45.
punctatissima Nitidula, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 598.
punctatissima Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 139.
punctato-guttatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 365.
punctato-guttata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1658.—
 [?: guttato-punctata, L.]

- punctato guttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1781.
- punctato-lineata Phryganea, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 56.
- punctato-marginatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 639.
- punctato striatus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 417.
- punctator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1833.—Lamia.
- punctator Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 166.
- punctator Ichneumon, C. Allioni, Misc. Taurin. III. 1766, 196.
- punctator Ichneumon, Linnaeus, Syst. Nat., ed. 12, 1767, 935.
- punctator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
- punctator [Ichneumon], Giorna, Cal. Ent. 1791, 86.
- punctator Lamia, J. C. Fabricius, Gen. Ins. 1777, 230.
- punctatoria Loxia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 9 [*n. n.*].
- punctatulus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 152.
- punctatulus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 187.
- punctatulus Mytilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
- punctatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 503.
- punctatum Acrydium (Dru.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—Gryllus.
- punctata Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
- punctatum Anobium, P. Rossi, Mant. Ins. I. 1792, 19.
- punctata Anomia (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 72.
- punctata Apate, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 26.
- punctata Aphrodita, O. F. Müller, Z. Dan. Prod. 1776, 218.
- punctata Apis, J. C. Fabricius, Syst. Ent. 1775, 385.
- punctata Aranea, C. de Geer, Mém. Ins. VII. 1778, 255.
- punctatus Asilus, Scopoli, Ent. Carn. 1763, 364.
- punctatus Asilus, J. C. Fabricius, Spec. Ins. II. 1781, 463.
- punctatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 168.
- punctatus Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25.
- punctatus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1472.
- punctata Bembyx, J. C. Fabricius, Syst. Ent. 1775, 361.
- punctata Biphora (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 181.—Salpa.
- punctata Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 109.
- punctatus Blennius, O. Fabricius, F. Groen. 1780, 153.
- punctatus Bombylius, C. de Geer, Mém. Ins. VI. 1776, 269.
- punctatus Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 408.
- punctata Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 207.
- punctatus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 158.
- punctatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 281.
- punctata Bulla, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 2.
- punctata Buprestis, J. C. Fabricius, Mant. I. 1787, 176.
- punctatus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 170.
- punctatum Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 149.
- punctatus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1045.
- punctata Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1891.
- punctatus Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
- punctata Cassida, C. de Geer, Mém. Ins. V. 1775, 180.
- punctata Cassida, J. C. Fabricius, Mant. I. 1787, 64.
- punctatus Cataphractus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 90.
- punctatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
- punctatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 73.
- punctatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 498.
- punctatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 461.
- punctata Chalcis, Fab., J. C. Fabricius, Mant. I. 1787, 272.—Sphex, 1781.
- punctata Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 392.
- punctata Chamaeiformis, F. C. Meuschen, Mus. Gever. 1787, 444.
- punctatus Chiton, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1107.
- punctata Chrysis, J. L. Christ, Nat. Ins. 1791, 400.
- punctata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1687.

- punctata* Cicada, J. C. Fabricius, Syst. Ent. 1775, 687.
punctata Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 21.
punctata Cicindela, O. F. Müller, F. Ins. Frid. 1764, 18.
punctatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
punctatus Cimex, C. Allioni, Misc. Taurin. III. 1766, 191.
punctatus Cimex, C. de Geer, Mém. Ins. III. 1773, 338.
punctatus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 376.
punctata Conops, C. de Villers, Linn. Ent. III. 1789, 584.
punctatus Conus, F. C. Meuschen, Mus. Gever. 1787, 348.
punctatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
punctatus Conus (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 628.
punctata Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 199.
punctatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
punctatus Cryptophagus (Fab.), G. Paykull, Faun. Suec. III. 1800, 352.—Mycetophagus.
punctatus Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 170.
punctatus Curculio, Scopoli, Ent. Carn. 1763, 34.
punctatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
punctatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
punctatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
punctatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 381.
punctata Cypraea, Linnaeus, Mant. II. 1771, 548.
punctatus Dermestes, J. A. Scopoli, Annus V. 1772, 87.
punctatus Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 79.—Mycetophagus.
punctatus Dytiscus, Scopoli, Ent. Carn. 1763, 97.
punctatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
punctatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 70.
punctatus Dytiscus, *id. ac* punctulatus, Fab., A. G. Olivier, Entom. III. 1795, 12.
punctatus Dytiscus, D. H. Hoppe, Ins. Elyt. 1795, 32.
punctatus Elater, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 316.
punctatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
punctatus Erodias, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.
punctata Fasciola, O. F. Müller, Verm. I (2) 1774, 57.
punctata Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 23.
punctata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
punctatus Geotrupes (Vill.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 21.—Scarabaeus.
punctatus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 79.
punctata Helix, O. F. Müller, Verm. II. 1774, 21.
punctata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 381.
punctatus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 41.
punctatus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 64.
punctatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 88.
punctatus Hydrophilus, A. F. de Fourcroy, Ent. Paris. 1785, 65.
punctatus Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 437.
punctatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 403.
punctata Ips, J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 28.
punctatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
punctata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 209; ed. 12, 1766, 369, no. 38.
punctata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 370, no. 45.
punctata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 80.
punctata Leptura (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 208.—Cerambyx.
punctata Leucosia (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
punctata Loricaria (Bloch), G. A. Suckow, Naturges. IV. 1799, 656.—Cataphractus.
punctatus Lycus, A. G. Olivier, Entom. II. 1790, 10.
punctata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1277.
punctata Meloe, J. C. Fabricius, Ent. Syst. I (2) 1792, 518.
punctata Meloe, Hellwig in G. W. F. Panzer, Ins. Germ. heft 10 [1793], tab. 16.
punctata Meloe, P. S. Pallas, Icon. Ins. 1798, 100.
punctata Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 33.—Scarabaeus.

- punctata Membracis, J. C. Fabricius, Syst. Ent. 1775, 676.
 punctata Mordella, J. C. Fabricius, Mant. I. 1787, 218.
 punctata Musca, N. Poda, Ins. Mus. Graec. 1761, 116.
 punctata Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
 punctata Musca, F. v. P. Schrank, Ins. Aust. 1781, 474.
 punctata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 347.
 punctata Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 11.
 punctatus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
 punctata Myopa, J. C. Fabricius, Ent. Syst. IV. 1794, 398.
 punctatum Myrmeleon, J. C. Fabricius, Mant. I. 1787, 249.
 punctata Natrix, J. N. Laurenti, Syn. Rept. 1768, 80.
 punctata Necydalis, A. F. de Fourcroy, Ent. Paris. 1785, 174.
 punctatus Nematelus, J. C. Fabricius, Ent. Syst. IV. 1794, 271.
 punctata Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
 punctata Nerita, O. F. Müller, Verm. II. 1774, 190.
 punctata Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
 punctata Nerita, C. U. v. Salis, Reise Neapel, 1793, 379.
 punctata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
 punctata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276, no. 343.
 punctata Nitidula, P. Rossi, Fauna Etrus. I. 1790, 58.
 punctata Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 346.
 punctatus Ophicephalus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 139.
 punctata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
 punctatus Pelecanus, A. Sparman, Mus. Carls. I. 1786, no. x.
 punctata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 485, no. 20.
 punctata Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 482, no. 4.
 punctata [Phalaena], C. Clerck, Icones, I. 1759, pl. ii, 15.
 punctata Phalaena, Scopoli, Ent. Carn. 1763, 218.
 punctata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 637.
 punctata [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 36.
 punctata [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 58.
 punctata Phalaena Bombyx, C. de Villers, Linn. Ent. II. 1789, 175. [Bombyx.
 punctata Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 217.—
 punctata Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 79.
 punctata Phoca, R. Kerr, Anim. Kingd. 1792, 128.
 punctata Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 80.
 punctata Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
 punctata Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
 punctata Pipra, G. Shaw, Nat. Misc. IV. 1792, pl. 111.
 punctata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
 punctata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.
 punctatus Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 31.
 punctata Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.
 punctata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
 punctatus Ptinus, C. de Geer, Mém. Ins. IV. 1774, 230.
 punctatus Rhagio, J. C. Fabricius, Mant. II. 1787, 333.
 punctatus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 131 (sign. I 2).
 punctatus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
 punctata Salamandra, J. P. Bonnatte, Ency. Méth. (Erp.) 1789, 63.
 punctata Salpa, P. Forskal, Descr. Anim. 1775, 114.
 punctata Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 187.—Cerambyx.
 punctatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 557.
 punctatus Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 40.
 punctatus Scaurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 43.
 punctata Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 64.
 punctata Scolopax, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 88.
 punctatus Scolytus, O. F. Müller, Z. Dan. Prod. 1776, 57.
 punctatus Scorpio, C. de Geer, Mém. Ins. VII. 1778, 343.

- punctatus* Scutigterulus (L.), F. C. Meuschen, Mus. Gever. 1787, 240.—Chiton.
punctata Semblis, J. C. Fabricius, Ent. Syst. II. 1793, 73.
punctata Silpha, C. de Geer, Mém. Ins. IV. 1774, 177.
punctata Silpha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 159.
punctata SpheX, J. C. Fabricius, Spec. Ins. I. 1781, 446.
punctatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
punctatus Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 333.
punctata Stello (Linn.), J. N. Laurenti, Syn. Rept. 1768, 58.—Lacerta.
punctatus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3522.—
punctatus Tabanus, J. C. Fabricius, Mant. II, 1787, 355. [Nerita
punctata Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
punctata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 366.
punctata Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 218.
punctata Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
punctata Testudo, J. D. Schoepf, Hist. Test. 1792, 25.
punctata Tettigonia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 516.
punctata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
punctata Tipula, F. v. P. Schrank, Ins. Aust. 1781, 425.
punctata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
punctatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 394.
punctata Trigla, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 125.
punctatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
punctatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
punctatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
punctatus Turbo (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 128.—Tro-
punctatus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638. [chus.
punctatus Turdus, G. Shaw, Zool. N. Holland, 1794, 25.
punctata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1134.
punctata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.—Bembyx.
punctatus Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 502.
punctata Vorticella, P. C. Abildegard, Skr. nat. Selsk. [Copen.] III (1) 1793, pl. iii [n.
punctatus Xancus, J. F. Bolten, Mus. Bolten. (2) 1798, 134. [et f.]
punctella [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 164.
punctella Phalaena, Scopoli, Ent. Carn. 1763, 253.
punctella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 368.
punctella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
puncticollis Carabus, G. Paykull, Faun. Suec. I. 1798, 120.
punctifera Enchelis, O. F. Müller, An. Infus. 1786, 24.
punctifera Musca, A. F. de Fourcroy, Ent. Paris. 1785, 473.
punctiforme Sphaeridium, F. v. P. Schrank, F. Boica, I. 1798, 444.
punctiger Atelabus, G. Paykull, Faun. Suec. III. 1800, 179.—Curculio, 1792.
punctiger Cryptocephalus, G. Paykull, Faun. Suec. II. 1799, 146.
punctiger Curculio, G. Paykull, Mon. Curc. 1792, 141.
punctigera [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V 1790, 151.
punctigera Phalaena, Hufnagel, Berl. Mag. III. 1767, 416.
punctigera Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 812. [12.]
punctigera Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 509.—[P. (Attacus), ed.
punctillata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
punctinalis Phalaena, Scopoli, Ent. Carn. 1763, 217.
punctipes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2163.
punctoria Aranea, C. de Villers, Linn. Ent. IV. 1789, 128.
punctorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
punctorius Ichneumon, J. C. Fabricius, Mant. I. 1787, 263.
punctuaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 67 [n.
punctularana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 234.—Tortrix. [et f.]
punctularana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
punctularia Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 881.
punctularia Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 8.

- punctulatella* Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 522.
- punctulatum* Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 231.—[punctatum, De Angariüs, F. C. Meuschen, Mus. Gever. 1787, 260. [G.]]
- punctulatus* Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2047.
- punctulatus* Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 460.
- punctulatum* Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
- punctulatum* Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113 [*n. n.*].
- punctulatus* Callionymus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 328.
- punctulatus* Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 318.
- punctulatus* Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
- punctulatus* Carabus, P. Rossi, Fauna Etrus. I. 1790, 215.
- punctulatus* Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 150.
- punctulatus* Cerambyx, G. Paykull, Faun. Suec. III. 1800, 57.
- punctulata* Cetonia, A. G. Olivier, Entom. I. 1789, 54.
- punctulata* Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [*n. n.*].
- punctulata* Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
- punctulata* Cicindela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 734.
- punctulata* Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
- punctulatus* Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
- punctulatus* Coluber, cf. *Natrix punctata*, Laur., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.
- punctulatus* Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1731.—*Chrysomela punctatissima*.
- punctulatus* Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
- punctulatus* Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 414.
- punctulatus* Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 132.
- punctulatus* Curculio, J. C. Fabricius, Mant. I. 1787, 98.
- punctulata* Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
- punctulatus* Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
- punctulatus* Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 238.
- punctulatus* Erodius, A. G. Olivier, Entom. III. 1795, 7.
- punctulata* Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 19.
- punctulata* Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 106.
- punctulatus* Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2063.
- punctulatus* Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 117.—*Tenebrio*, 1787.
- punctulatus* Hister, A. G. Olivier, Entom. I. 1789, 13.
- punctulatus* Hister, N. J. Brahm, Ins. Kal. I (1) 1790, 83.
- punctulatus* Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 407.
- punctulatus* Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
- punctulata* Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 302.
- punctulata* Musca, Scopoli, Ent. Carn. 1763, 338.
- punctulata* Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
- punctulata* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
- punctulata* Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716. [1315.]
- punctulata* Perca, *id. ac* punctata, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- punctulatus* Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1584.
- punctulatus* Scarabaeus, P. Rossi, Fauna Etrus. I. 1790, 9.
- punctulatus* Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1617.
- punctulata* Silpha, A. G. Olivier, Entom. II. 1790, 13.
- punctulata* Silpha, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 127.
- punctulata* Silpha, L. G. Scriba, Beitr. Ins. III. 1793, 229.
- punctulatus* Squalus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 119.
- punctulatus* Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
- punctulatus* Staphylinus, G. Paykull, Mon. Staph. 1789, 30.
- punctulatus* Tenebrio, J. C. Fabricius, Mant. I. 1787, 211.
- punctulatus* Terebellum, J. F. Bolten, Mus. Bolten. (2) 1798, 135.
- punctulata* Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 337.
- punctulatus* Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.

- punctulatus Trochus, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 36.
- punctulatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3581.
- punctulatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3589.
- punctulatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*].
- punctulata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
- punctulata Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
- punctulum Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 407.
- punctum Cimex, J. C. Fabricius, Mant. II. 1787, 291.
- punctum Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 161.
- punctum Curculio, [D. H. Schneider], Nom. Ent. 1785, 12 [*n. n.*].
- punctum Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 401.
- punctum Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.
- punctum Distoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 183.
- punctum Evania, J. C. Fabricius, Ent. Syst. II. 1793, 194.—Sphex, 1781.
- punctum Ichneumon, G. Shaw, Tr. Linn. Soc. [Lond.], IV. 1798, 189.
- punctum Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 157.
- punctum Monas, O. F. Müller, An. Infus. 1786, 3.
- punctum Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 351.
- punctum Mylabris, J. C. Fabricius, Ent. Syst. I (2) 1792, 389.
- punctum Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 34.
- punctum Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 381.
- punctum Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 448.
- puncta Testudo, F. C. Meuschen, Mus. Gronov. 1778, 10.
- punctum Volvox, O. F. Müller, An. Infus. 1786, 12.
- punctum-album Cimex, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781),
punctum album Cimex, P. Rossi, Fauna Etrus. II. 1790, 247. [264.]
- punctum album Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
- punctum album Phalaena B., C. de Villers, Linn. Ent. II. 1789, 175.
- punctum-album Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 282.
- punctum-album Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 924.
- punctum-album Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2660.
- punctuosa Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 83.
- puncturatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 635.
- pungens Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 36.
- pungens Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 215.
- pungens Murex, D. Solander in G. Brander, Foss. Hant. 1766, 35.
- pungens Musca, C. de Geer, Mém. Ins. VI. 1776, 78.
- pungens Stomoxys, J. C. Fabricius, Mant. II. 1787, 362.
- pungitius Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 491.
- punicalis Pyralis (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 519.—Pyralis punicealis.
- punicealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
- punicea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
- puniceus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
- punicea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
- puniceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 335.
- punicea Tellina, I. v. Born, Index Mus. Caes. Vind. 1778, 22.
- puniceus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 497.
- puniceus Turdus, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
- punicus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 719.
- punica Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 687.
- puntazzo Sparus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1272.
- puncticulatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 702.
- Pupa [G. Humphreys], Mus. Calonn. 1797, 64.—G.
- Pupa J. F. Bolten, Mus. Bolten. (2) 1798, 110.—G.
- pupa Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 349.—Helix.
- pupa Cerion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 90.—Helix.
- pupa Enchelis, O. F. Müller, An. Infus. 1786, 42.
- pupus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767, 699.

- pupus *europaeus* Gryllus (Tett.), C. de Villers, Linn. Ent. I. 1789, 451.
- pupa Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 773; ed. 12, 1767, 1249.
- pupa Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 287.—Gryllus.
- pupa Nerita, Linnaeus, Syst. Nat., ed. 12, 1767, 1253.
- pupa Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 148.
- pupa Sertularia, *id. ac* pumila, L., J. F. Maratti, Plant. Zooph. Med. 1776, 25.
- pupa Trichoda, O. F. Müller, Verm. I (1) 1773, 72.
- [puparum]—
- pupparum Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 387.
- puparum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
- puparum Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 326.
- puparum Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 203.
- puphinus Procellaria, *id. ac* puffinus, L., [M. Tunstall], Orn. Brit. 1771, 4.
- pupilla Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 69.
- pupilla Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 447.
- pupillana Phalaena, C. Clerck, Icones, I. 1759, pl. xi, 9.
- pupillana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 349.
- pupillana Pyralis (L.), J. C. Fabricius, Ent. Syst. III (2) 1794, 255.—Phalaena.
- pupillana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 20 [*n. et f.*].
- pupillaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 69 [*n. et f.*].
- pupillata Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 428.
- pupillata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 422.
- pupillatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 508.
- pupillata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
- pupillata Phalaena B., E. J. C. Esper, Die Schmett. III (22) 1785, 221.
- pupillata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
- pupparum *v.* puparum.
- pupillaria *v.* pupillaria.
- pupula Enchelis, O. F. Müller, Verm. I (1) 1773, 37.
- pupus *v.* pupa.
- purgator Coreus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 537.
- purgator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 156.
- purgatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
- purgata Empis, J. Cederhielm, F. Ingric. 1798, 328.
- purmundus Musca, M. Harris, Exp. Eng. Ins. 1776, 74.
- Purpura F. C. Meuschen, Mus. Gev. 1787, 308.—G.
- Purpura P. Browne, Hist. Jamaica, ed. 2, 1789, 406.—G.
- Purpura J. F. Bolten, Mus. Bolten. (2) 1798, 139.—G.
- Purpura Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
- purpura Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
- purpura Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 48.
- purpuralis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 883.
- purpuralis Sphinx, O. F. Müller, Z. Dan. Prod. 1776, 116.
- purpurans Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1096.
- purpurana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 19. [864.]
- purpuraria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767,
- purpuraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 198 [*n. et f.*].
- purpurascens Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.
- purpurascens Apis, C. de Villers, Linn. Ent. III. 1789, 319.
- purpurascens Apis, J. C. Fabricius, Ent. Syst. II. 1793, 325.
- purpurascens Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 360.
- purpurascens Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 41.
- purpurascens Carabus, J. C. Fabricius, Mant. I. 1787, 195.
- purpurascens Carabus, C. de Villers, Linn. Ent. I. 1789, 364.
- purpurascens Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 135.
- purpurascens Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162.
- purpurascens Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 86 [*n. n.*].
- purpurascens Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1116.

- purpurascens* Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184 [*n. n.*].
purpurascens Corvus, J. Latham, Index Orn. 1790, 161.
purpurascens Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 52.
purpurascens Cynips, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 780.
purpurascens Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
purpurascens Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 42.
purpurascens Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 231.
purpurascens Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 155.
purpurascens Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
purpurascens Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 147.
purpurascens Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
purpurascens Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 20.
purpurascens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
purpuratella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
purpuratella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 339.
purpurata Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 641.
purpurata Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
purpurata Chrysis, J. C. Fabricius, Mant. I. 1787, 283.
purpuratus Coluber, F. C. Meuschen, Mus. Gronov. 1778, 15.
purpurata Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.
purpuratus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 50.
purpuratus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120 [*n. n.*].
purpurata Limax, T. Martyn, Univ. Conch. II [1788], fig. 68. [1791, 28.
purpurata Medusa, *id. ac* purpura, Penn., A. Modeer, Nova Acta Acad. Caes. VIII. App.,
purpurata Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
purpurata Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
purpurata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 259.
purpurata Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 595.
purpurata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 341.
purpuratus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 350.
purpurata Pyrochroa, O. F. Müller, Z. Dan. Prod. 1776, 80.
purpurata Pyrochroa, F. v. P. Schrank, Ins. Aust. 1781, 173.
purpurata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
purpuratus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 487.
purpurata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
purpurea-radiata Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 159.
purpureipennis Cimex, C. de Geer, Mém. Ins. III. 1773, 258.
purpurella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.
purpureo-fasciata Noctua, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 70.
purpureo-lineatus Cimex, P. Rossi, Fauna Etrus. II. 1790, 228.
purpurea Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 449.
purpurea Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
purpureum Apion (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 131.—Curculio.
purpurea Apis, J. L. Christ, Nat. Ins. 1791, 168.
purpurea Ardea, Linnaeus, Syst. Nat., ed. 12, 1766, 236.
purpureus Attelabus (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 281.—Curculio.
purpurea Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 580.—Phalaena.
purpurea Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
purpurea Buprestis, A. G. Olivier, Entom. II. 1790, 23.
purpurea Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
purpurea Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
purpurea Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 87.
purpurea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 478.
purpurea Chrysis, Giorna, Cal. Ent. 1791, 74.
purpurea Cicindela, A. G. Olivier, Entom. II. 1790, 14.
purpureus Cimex, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 57.
purpurea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 133.
purpurea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.

- purpureus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
 purpureus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 607.
 purpureus Cyclopterus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 29.
 purpureus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3197.—
 purpureus Elater, N. Poda, Ins. Mus. Græc. 1761, 41. [Spatangus.
 purpureus Elater, F. v. P. Schrank, Ins. Aust. 1781, 187.
 purpurea Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 923.
 purpurea Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 699.
 purpurea Gallinula (Gm.), J. Latham, Index Orn. 1790, 769.—Fulica.
 purpurea Gorgonia, P. S. Pallas, Elench. 1766, 187.
 purpureus Gryllus (Locusta), N. Poda, Ins. Mus. Græc. 1761, 53.
 purpureus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 purpureus Hallomenus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 22.
 purpurea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3656.
 purpurea Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 344.
 purpureus Labrus (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1284.—
 purpurea Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 172. [Scarus.
 purpureum Morum, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
 purpureus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
 purpureus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158 [*n. n.*].
 purpurea Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 828.
 purpurea Pipra, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 263.
 purpurea Planorbis, O. F. Müller, Verm. II. 1774, 155.
 purpureus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 74.
 purpureus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 346.
 purpurea Sagra, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
 purpurea Sagra, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 265.
 purpureus Scarus, P. Forskal, Descr. Anim. 1775, 27.
 purpureus Scirurus, E. A. W. Zimmermann, Spec. Zool. 1777, 518.
 purpurea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 814; ed. 12, 1767, 1314.
 purpureus Spatagus, O. F. Müller, Z. Dan. Prod. 1776, 236.
 purpureus Spatagus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 235.
 purpureus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 160.
 purpureus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 21.
 purpureus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3582.
 purpurea Tubipora, P. S. Pallas, Elench. 1776, 339.
 purpureus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
 purpurina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
 [purpurina Phalaena (B.), MS.], T. Martyn, Psyche, 1797, fig 12.
 purpurina Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 11.
 purpurina Phalaena Noctua, H. G. Lang, Verz. Schmett., ed. 2, 1789, 160.
 Purpurites J. Gesner, Tract. Petref. 1758, 56.—G.
 purpuro-buccinum Buccinum, E. M. da Costa, Brit. Conch. 1778, 125.
 purpuroides Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
 purulenta Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 purus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
 Pusa J. A. Scopoli, Intr. Hist. Nat. 1777, 490.—M.
 pusaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 87 [*n. et f.*].
 pusaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767, 864.
 pusiella Phalaena, Scopoli, Ent. Carn. 1763, 253.
 pusiella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 884.
 pusiella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 656.—Phalaena.
 pusillana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
 pusillaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 99 [*n. et f.*].
 pusillaria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 454.
 pusillata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
 pusilla Actinia, O. Swartz, K. Vet. Ac. Nya Handl. IX. 1788, 201.
 pusilla Alcedo, G. Shaw, Nat. Misc. V. 1793, pl. 159.

- pusillus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1775.
 pusilla Altica, O. F. Müller, Z. Dan. Prod. 1776, 84. [1800, 282.—Taenia.
 pusillus Alyselminthus (Goeze), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm.
 pusillus Aphodius (Herbst), J. Sturm, Verz. Ins. Samml. 1800, 49.—Scarabaeus.
 pusilla Apis, J. L. Christ, Nat. Ins. 1791, 161.
 pusillus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 135.
 pusilla Ardea, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
 pusillus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.
 pusillus Astacus, V. Petagna, Inst. Ent. 1792, 418.
 pusilla Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 199.
 pusilla Buprestis, A. G. Olivier, Entom. II. 1790, 91.
 pusilla Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 137.
 pusilla Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 69.
 pusillum Callidium, J. C. Fabricius, Mant. I. 1787, 155.
 pusillus Cancer, J. C. Fabricius, Syst. Ent. 1775, 402.
 pusillus Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
 pusillus Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 309.—Callidium.
 pusilla Certhia, Linnaeus, Syst. Nat., ed. 10, 1758; 118; ed. 12, 1766, 185.
 pusilla Chalcis, J. C. Fabricius, Mant. I. 1787, 273. [Altica.
 pusilla Chrysomela (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.—
 pusilla Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 157.—Cryptocephalus.
 pusilla Cicada, O. F. Müller, Z. Dan. Prod. 1776, 103.
 pusilla Cicada, P. Rossi, Fauna Etrus. II. 1790, 218.
 pusilla Cicindela, J. C. D. Schreber, Nov. Spec. Ins. 1759, 10.
 pusillus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
 pusilla Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 65.
 pusilla Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 16.
 pusillus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 61.
 pusillus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36.
 pusilla Coryne, J. Gaertner in P. S. Pallas, Spic. Zool. X. 1774, 40.
 pusillus Cryptocephalus, J. C. Fabricius, Gen. Ins. 1777, 221.
 pusilla Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
 pusillus Dermestes, G. Paykull, Faun. Suec. I. 1798, 295.
 pusillus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
 pusillus Dytiscus, J. C. Fabricius, Spec. Ins. I. 1781, 297.
 pusillus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3198.
 pusillus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1919.
 pusilla Emberiza, P. S. Pallas, Reise Russ. III. 1776, 697.
 pusillum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [n. n.].
 pusillus Erax, Scopoli, Ent. Carn. 1763, 362.
 pusilla Eurychora, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 38.
 pusilla Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
 pusilla Formica, C. de Geer, Mém. Ins. III. 1773, 612.
 pusilla Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3627.—Nerita.
 pusillus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 146.
 pusillus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 305.
 pusillus Hister, P. Rossi, Mant. Ins. I. 1792, 15.
 pusillus Hydrophilus, O. F. Müller, Z. Dan. Prod. 1776, 69.
 pusilla Ips, P. Rossi, Fauna Etrus. I. 1790, 50.
 pusilla Lampyrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1886.
 pusillus Lemur, E. Geoffroy, Mag. encyclop. I (1) 1796, 48.
 pusillus Lepus, P. S. Pallas, Nov. Comm. Sci. Petrop. XIII. 1769, 531.
 pusilla Mantis, P. S. Pallas, Spic. Zool. IX. 1772, 15.
 pusillus Merops, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 95.
 pusilla Motacilla, G. Shaw in White, Journ. N. S. W. 1790, 257.
 pusilla Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
 pusillus Nematelus, J. C. Fabricius, Ent. Syst. IV. 1794, 271.
 pusilla Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.

- pusilla Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
 pusilla Nerita, O. F. Müller, Verm. II. 1774, 171.
 pusilla Nitidula, Illiger in Kugelann, Käfer Preuss. 1798, 386.
 pusilla Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 84.
 pusilla Nomada, P. Rossi, Mant. Ins. I. 1792, 146.
 pusillus Ochotona (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 74.—Lepus.
 pusilla Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
 pusillum Opatrum, J. C. Fabricius, Ent. Syst. I (1) 1792, 91.
 pusilla Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
 pusilla Perca, M. T. Brännich, Ich. Massil. 1768, 62.
 pusilla [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 220.
 pusillus Phasianus, J. Latham, Index Orn. 1790, 627.—P. gallus, L.
 pusilla Phoca, J. C. D. Schreber, Säugth. III. 314 (1776), pl. lxxxv (1776).
 pusillus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1111.
 pusilla Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 392.
 pusilla Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 107.
 pusilla Planaria, D. M. Braun, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 65.
 pusilla Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1014.
 pusillus Psittacus, J. Latham, Index Orn. 1790, 106.
 pusillus Psittacus, G. Shaw in White, Journ. N. S. W. 1790, 262.
 pusillus Rallus, P. S. Pallas, Reise Russ. III. 1776, 700.
 pusilla Saperda, F. v. P. Schrank, F. Boica, I. 1798, 671.
 pusillus Scarabaeus, J. F. W. Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 155.
 pusilla Scolopax, J. P. Falk, Reise Russ. (5) 1786, 371.
 pusillus Scolytus, A. G. Olivier, Entom. IV. 1795, 14.
 pusillus Scymnus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 346.
 pusilla Sitta, J. Latham, Index Orn. 1790, 263.
 pusillus Sorex, S. G. Gmelin, Reise Russ. III. 1774, 499.
 pusillus Spatagus, O. F. Müller, Z. Dan. Prod. 1776, 236.
 pusillus Spatangus (Müll.), N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 230.
 pusilla Strix, F. M. Daudin, Traité élém. Orn. 1800, 205.
 pusillum Synodendron, J. C. Fabricius, Suppl. Ent. Syst. 1798, 156.
 pusilla Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 335.
 pusilla Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3231.
 pusilla Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 pusilla Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 353.
 pusilla Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
 pusilla Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
 pusilla Tritoma, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 549.
 pusillus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3586.
 pusilla Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
 pusilla Vertigo, O. F. Müller, Verm. II. 1774, 124.
 pusilla Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
 pusio Conus, Hwass in J. G. Bruguière, Ency. Meth. (Vers) (2) 1792, 710.
 pusio Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
 pusio Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 311.
 pusio Diaperis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
 pusio Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1223.
 pusio Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
 pusio Pecten (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 86.—Ostrea.
 pustulataria Phalaena (G.), A. W. Knoch, Beitr. Insektenges. II. 1782, 4.—*id.* ac pustulata,
 pustulator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188. [Hufn.]
 pustulator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 403.—Hydrachna.
 pustulatus Armadillo, G. Cuvier, J. Nat. Hist. (Choix des Mém.) II. 1792, 29.
 pustulatus Blennius, J. A. Donndorff, Zool. Beyt. III. 1798, 314.
 pustulatus Cerambyx, F. v. P. Schrank, Beitr. Nat. 1776, 66.
 pustulatus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 64.
 pustulata Cetonia, A. G. Olivier, Entom. I. 1789, 81.

- pustulata* Chrysomela, C. de Villers, Linn. Ent. I. 1789, 158.
pustulata Chrysomela (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 691.—*Erotylus*.
pustulata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
pustulata Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 750.—*Tettigonia*.
pustulatus Cimex, C. de Geer, Mém. Ins. III. 1773, 329.
pustulatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 111.
pustulata Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
pustulata Cistela, J. R. Forster, N. Sp. Ins. 1771, 13. [Cistela].
pustulatus Cryptocephalus (Forst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.—
pustulatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.—
pustulatus Dytiscus, P. Rossi, Mant. Ins. I. 1792, 68. [Erotylus].
pustulatus Erotylus, J. C. Fabricius, Spec. Ins. II. 1781, 498.
pustulatus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 364.
pustulatus Iulus (Ross.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.—*Oniscus*.
pustulata Kerona, O. F. Müller, An. Infus. 1786, 246.
pustulata Leucophaea, O. F. Müller, An. Infus. 1786, 150.
pustulata Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—*Tinea pustulella*, 1794.
pustulatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 113.
pustulata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 4.—*Meloe*.
pustulatus Oniscus, J. C. Fabricius, Spec. Ins. I. 1781, 379.
pustulata Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 110.
pustulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520.
pustulata Phalaena (Noctua), O. F. Müller, F. Ins. Frid. 1764, 46.
pustulata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 72.
pustulata Saperda (Dru.), F. v. P. Schrank, F. Boica, I. 1798, 670.—*Cerambyx*.
pustulata Tettigonia, J. C. Fabricius, Mant. II. 1787, 266.
pustulatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88 [*n. n.*].
pustulella *Tinea, id. ac pastulella*, Mant. II. 241, J. C. Fabricius, Ent. Syst. III (2) 1794, [292].
pustulosus Bufo, J. N. Laurenti, Syn. Rept. 1768, 26.
pustulosa Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 150.
pustulosus Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 180.
pustulosus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3179.—*Cidaris*.
pustulosus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3185.—*Echino-*
pustulosa Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 54. [corytes].
pustula Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1262.
putamen Neritaeformis, F. C. Meuschen, Mus. Gev. 1787, 274.
putaol Gymnotus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 145.
putataria Phalaena, *v. putatoria*.
putataria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 10 [*n. et f.*].
putataria Phalaena (Geometra), Linnaeus, Faun. Suec., ed. 2, 1761, 323.
putata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523.
putida Mustela, G. Cuvier, Tab. Elém. 1798, 116.
putorii Acarus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 239.
putorii Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 17.
putorii Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
putorius Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 67.
putorius Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 44; ed. 12, 1766, 64.
putorius Viverra, Linnaeus, Mant. II. 1771, 522.
putrescentiae Acarus, F. v. P. Schrank, Ins. Aust. 1781, 521.
putridella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
putrida Musca, J. C. Fabricius, Syst. Ent. 1775, 775.
putrida Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 316.
putridus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 12.
putridus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 160.
putrida Vorticella, *id. ac putrina*, (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
putrina Vorticella, O. F. Müller, Z. Dan. Prod. 1776, 281. [3877].
putris Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
putris Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.

- putris Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 618.—Phalaena.
 putris Phalaena, Hufnagel, Berlin. Mag. II. 1766, 424.
 putris Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 315.
 putris Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 588; ed. 12, 1767, 976.
 Pycnogonum M. T. Brünnich, Entom. 1764, 84 & [87].—Ar.
 pycnogonum Phalangium, O. F. Müller, Z. Dan. Prod. 1776, 192.
 "Pygargus Briss. 1760," Ag.; not used in a generic sense.
 pygargus Antilope, P. S. Pallas, Spic. Zool. I (1767), 10.
 pygargus Cervus, P. S. Pallas, Reise Russ. I. 1771, 453.
 pygarga Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 13.
 pygargus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 126.
 pygargus Lanius, F. v. P. Schrank, F. Boica, I. 1798, 117.
 pygargus Lucanus, J. A. Frolich, Naturforscher, XXVI. 1792, 72.
 pygarga Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 84.
 pygarga Phalaena, Hufnagel, Berl. Mag. III. 1767, 408.
 Pygmaea [G. Humphreys], Mus. Calonn. 1797, 28.—G.
 pygmaeana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 69 [*n. et f.*].
 pygmaeata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 234 [*n. et f.*].
 pygmaeata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 334. [*f.*].
 pygmaeella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141.
 Pygmaeus Linnaeus, Amoen. Acad. VI. 1760, 68.—M.
 pygmaea Alca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 555.
 pygmaea Antilope, P. S. Pallas, Spic. Zool. XII (1777), 18.
 pygmaea Apis, J. C. Fabricius, Ent. Syst. II. 1793, 324.
 pygmaea Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 461.
 pygmaeus Bombylius, A. Modeer, Physiogr. Sälsk. Handl. I (4) 1786, 301.
 pygmaeus Bostrichus, J. C. Fabricius, Mant. I. 1787, 37.
 pigmaea Buprestis, C. de Geer, Mém. Ins. IV. 1774, 137.
 pygmaea Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
 pygmaeus Byrrhus, A. G. Olivier, Entom. II. 1790, 10.
 pygmaeum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 323.
 pygmaeus Calopus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.—
 pygmaeus Cancer, J. C. Fabricius, Mant. I. 1787, 320. [Cerambyx.
 pygmaea Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 69.—[Moschus, ed. 12.]
 pygmaeus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
 pygmaeum Cardium, E. Donovan, Brit. Shells (1800), pl. xxxii.
 pygmeus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 80.
 pygmaea Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 760.
 pygmaea Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 30.
 pygmaea Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 150.
 pygmaeus Crabro, P. Rossi, Mant. Ins. II. 1794, 124.
 pygmaea Crioceris, J. C. Fabricius, Mant. I. 1787, 87.
 pygmaeus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.—
 pygmaeus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 70. [Crioceris.
 pygmaeus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
 pygmacus (*sic*) Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 142.
 pygmaeus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 24.
 pygmaeus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
 pygmaea Didelphis, G. Shaw, Zool. N. Holland, 1794, 5.
 pygmaeus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 200.
 pygmaeus Dytiscus, A. G. Olivier, Entom. III. 1795, 39. [Bostrichus.
 pygmaeus Ekkoptogaster (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 127.—
 pygmaeus Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 229.—Carabus.
 pygmaeus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 234.
 pygmaeus Elater, F. v. P. Schrank, F. Boica, I. 1798, 595.
 pygmaeus Elophorus, J. C. Fabricius, Ent. Syst. I (1) 1792, 205.
 pygmaea Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1794.
 pygmaea Forficula, J. C. Fabricius, Ent. Syst. II. 1793, 3.

- pygmaea Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
 pygmaeus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 359. [Fourmis, 1798, 45.
 pygmaeus Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 567.
 pygmaeus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 186.
 pygmaeus Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 104.
 pygmaea Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 133.
 pygmaeus Moschus, Linnaeus, Syst. Nat., ed. 12, 1766, 92.—[Capra, ed. 10.]
 pygmaeus Moschus, R. Kerr, Anim. Kingd. 1792, 294; *var. leverianus*.
 pygmaea Muscivora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
 pygmaeus Numenius, J. Latham, Syn. Birds, Suppl. I. 1787, 291.
 pygmaeus Oxyporus, J. C. Fabricius, Gen. Ins. 1777, 242.
 pygmaeus Papilio, P. Cramer, Uitl. Kapellen, I (1) 1775, 10.
 pygmaeus Papilio, J. C. Fabricius, Syst. Ent. 1775, 536.
 pygmeus Pelecanus, P. S. Pallas, Reise Russ. II. 1773, 712.
 pygmaea Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 202.
 pygmaea Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
 pygmaea Platalea, Linnaeus, Syst. Nat., ed. 10, 1758, 140; ed. 12, 1766, 231.
 pygmaeus Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 3.
 pygmaeus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
 pygmaeus Scarabaeus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 239.
 pygmaea Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 655.
 pygmaeus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 6.—Bostrichus.
 pygmeus Sirex, Linnaeus, Syst. Nat., ed. 12, 1767, 929.
 pygmaeus Sorex, E. Laxmann, Sibir. Briefe, 1769, 72.
 pygmaea Spheg, F. v. P. Schrank, N. Mag. Lieb. Eut. [Fuessly's] II (4) 1785, 328.
 pygmaeus Staphylinus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2037.—
 pygmaeus Staphylinus, G. Paykull, Faun. Suec. III. 1800, 410. [Oxyporus.
 pygmaeus Tragulus (Linn.), P. Boddaert, Elench. 1785, 131.—Moschus.
 pygmaea Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 283.
 pygmaea Volucella, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 352.
 pygmaria Geometra, C. de Villers, Linn. Ent. IV. 1789, 501.
 pygmaria Phalaena, J. C. Fabricius, Mant. II. 1787, 196.
 pygolampis Gyrinus, A. Modeer, Physiogr. Salsk. Handl. I (3) 1776, 158.
 pylades [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 200.
 pylades Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 34.
 pylas [Sphinx], P. Cramer, Uitl. Kapellen, III (18) 1779, 23.
 pylorus Mus, G. C. C. Storr, Prod. 1780, 39.
 pylotis Bombyx (Drury), J. C. Fabricius, Syst. Ent. 1775, 585.—Phalaena.
 pylotis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 9.
 pylotis Zygæna (Drury), J. C. Fabricius, Syst. Ent. 1775, 554.—Phalaena.
 pylotis Zygæna, J. C. Fabricius, Mant. II. 1787, 106.
 pyracmon [Sphinx], P. Cramer, Uitl. Kapellen, III (24) 1780, 169.
 pyralella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 pyralella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 32.
 pyraliana Phalaena, Scopoli, Ent. Carn. 1763, 238.
 pyraliata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
 pyraliata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 302 [*n. et f.*].
 pyralidiformis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 19.
 pyralina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
 pyralina Phryganea, Scopoli, Ent. Carn. 1763, 267.
 Pyralis J. C. Fabricius, Syst. Ent. 1775, 645.—Lep.
 Pyralis *v.* Phalaena (Pyralis), Linnaeus.
 pyralis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 400.
 pyralis Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
 pyralis Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 644.—[Cantharis, ed. 10.]
 pyraloides Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
 pyramida Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
 pyramidale Alcyonium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 26.

- pyramidale Buccinum, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 297.
 pyramidale Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
 pyramidalis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 pyramidalis Serpula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3746.
 pyramidalis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
 pyramidalis Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3612.
 pyramidalis Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
 [pyramidatus Araneus, C. Clerck, Aran. Svec. 1757, 34.]
 pyramidatus Araneus, T. Martyn, Aranei, 1793, 14.
 pyramidata Clio, Linnaeus, Syst. Nat., ed. 12, 1767, 1094.
 pyramidea Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 612.—Phalaena. [856.
 pyramidea Phalaena Noctua, Linnaeus, Syst. Nat., ed. 10, I. 1758, 518; ed. 12, I. 1767,
 Pyramidella Lamarck, Mém. Soc. H. N. Paris, 1799, 76.—G.
 pyramidina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, [post 1796], 45.
 Pyramis J. F. Bolten, Mus. Bolten. (2) 1798, 58.—G.
 pyramis Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
 pyramis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 323.
 pyramis Phalaena Noctua, M. B. Borkhausen, Nat. Eur. Schmett. IV. 1792, 499.
 pyramis Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 338.
 pyramis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
 pyramis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
 pyramus [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 87.
 pyramus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 130.
 pyramus [Papilio], D. Drury, Ill. Nat. Hist., III. 1782, index & 32.
 pyrana Phalaena Tort., C. de Villers, Linn. Ent. II. 1789, 416.
 pyranthe Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
 pyraria Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817.
 pyraria Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
 pyrafter Buccinum, F. C. Meuschen, Mus. Gev. 1787, 308.
 pyrafter Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 252.
 pyrastris Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
 pyrastris Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 771.—Musca.
 pyrausta Phalaena, P. S. Pallas, Reise Russ. I. 1771, 472.
 pyrausta Phalaena Bombyx (Pall.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 265.
 pyrella Phalaena Tinea, C. de Villers, Linn. Ent. II. 1789, 515.
 pyreneaicus Colymbus, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 111.
 Pyrene J. F. Bolten, Mus. Bolten. (2) 1798, 134.—G.
 pyrene Papilio (Danaus), Linnaeus, Mus. Lud. Ulr. 1764, 241.
 pireta [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 52.
 pyretus [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 76.
 "Pyrgita, Briss. 1760," Ag.; not used in a generic sense.
 pyrgo [Phalaena], P. Cramer, Uitl. Kapellen, II (12) 1777, 65.
 pyr- *v. et. pir-*
 pyri Acanthia, J. C. Fabricius, Syst. Ent. 1775, 696.
 pyri Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
 pyri Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 737.
 pyri Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2127.—Acanthia.
 pyri Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 615.
 pyri Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula, 1794.
 pyri Phalaena, Scopoli, Ent. Carn. 1763, 199.
 pyri Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 249.
 pyricola *v. piricola*.
 pyriformis Brachionus, P. S. Pallas, Elench. 1766, 102.—[*id. ac pyraria Hydra*, Linn.]
 pyriformis Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 255.
 pyriformis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3201.—
 pyriformis Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 312.—Vespa. [Echinites.
 pyriformis Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 53 [*n. n.*].
 pyriformis Vespa, J. C. Fabricius, Syst. Ent. 1775, 371.

- piriformis (*sic*) Vorticella, O. F. Müller, Verm. I (1) 1773, 115.
 pyrialis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
 pyrinus Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 5.—Hepialus, 1775.
 pyrinus Hepialus, J. C. Fabricius, Syst. Ent. 1775, 590.
 pyrina Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 306.
 pyriticus Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 35.
 pyritoides Phalaena, Hufnagel, Berl. Mag. III. 1767, 560.
 pyritosa Chrysomela, P. Rossi, Mant. Ins. I. 1792, 31.
 pyritosus Elaphrus, P. Rossi, Mant. Ins. I. 1792, 64.
 Pyrochroa E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 338.—Col.
 Pyrochroa J. C. Fabricius, Syst. Ent. 1775, 202.—Col.
 pyropella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 15 [*n. et f.*].
 pyropella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 137.
 pyrophila Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 71.
 pyrophila Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 pyropterus Elater, A. G. Olivier, Entom. II. 1790, 35. [207.—Noctua.
 pyropus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 143.
 pyropus Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 258.
 pyrorhynchus Fulgora, E. Donovan, Ins. India, 1800.
 pyrotis Buprestis, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 119.
 pyrozonias Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
 pyrhracra Anas, J. R. Forster in Latham and Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
 pyrrhocephalus Cuculus, T. Pennant, Ind. Zool. 1769, 6.
 Pyrrocorax Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 15.—A.
 pyrrocorax Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
 pyrrocorax Gracula, J. A. Scopoli, Annus I. 1769, 42.
 pyrrocorax Monedula, Linnaeus in Hasselquist, Palast. 1762, 294.
 pyrrocorax Upupa, Linnaeus, Syst. Nat., ed. 10, 1758, 118.
 pyrrothorax Helops, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
 Pyrrhula M. J. Brisson, Ornith. III. 1760, 308.—A.
 Pyrrhula B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
 Pyrrhula G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
 pyrrohulae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 117.
 Pyrrhulas Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 23.—A.
 pyrrohula Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 171; ed. 12, 1766, 300.
 pyrroha Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 167.
 pyrroha Papilio, J. C. Fabricius, Syst. Ent. 1775, 464.
 pyrroha [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 97.
 pyrroha Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 176.
 pyrrohus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 749.
 pyropus *v.* pyropus.
 Pyryla Lamarck, Mém. Soc. H. N. Paris, 1799, 73.—G.
 pyrus Murex, F. C. Meuschen, Mus. Gev. 1787, 328.
 Pyrum [G. Humphreys], Mus. Calonn. 1797, 29.—G.
 pyrum Buccinum, F. C. Meuschen, Mus. Gev. 1787, 308.
 pyrum Buccinum (L.), F. C. Meuschen, Mus. Gev. 1787, 308.—Murex.
 pyrum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3484.
 pyrum Cymatium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 129.—Murex.
 pyrum Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3411.
 pirum (*sic*) Enchelis, O. F. Müller, Verm. I (1) 1773, 38.
 pyrum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3665.
 pirum (*sic*) Kolpoda, O. F. Müller, An. Infus. 1786, 108.
 pyrum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
 pyrus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 26.
 pyrum Turbinella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 73.—Voluta.
 pyrus Muriciformis, F. C. Meuschen, Mus. Gev. 1787, 318.
 pyrum Volema, J. F. Bolten, Mus. Bolten. (2) 1798, 57.
 pyrum Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.

- pyrum¹ Voluta, I. v. Born, Index Mus. Caes. Vind. 1778, 224.
 pyrum Xancus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 134.—Voluta.
 pysio Curculio, *err. pro* pusio, L., J. C. Fabricius, Mant. I. 1787, 104.
 pysodes Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 636; ed. 12, 1767, 1060.
 pythagoras Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 259.
 pythoras Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
 Pythia J. F. Bolten, Mus. Bolten. (2) 1798, 105.—G.
 pythia Helix, O. F. Müller, Verm. II. 1774, 88.
 pythia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 116.
 pythia Zygaena, J. C. Fabricius, Gen. Ins. 1777, 275.
 Pytho P. A. Latreille, Préc. Car. Ins. 1796, 23.—Col.
 pytyopsittacus Loxia, M. B. Borkhausen, Rhein. Mag. I. 1793, 139.
 Pyura G. I. Molina, Sag. stor. nat. Chili, 1782, 196.—Asc.
 pyura Ascidia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3128.
 pyxidata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 93.
 pyxidifera Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 107.
 "Pyxis, Humph. 1797," Scudd. *teste* Sow.; I cannot find this word.

quadra *v.* quadrum.

- quadrangularis Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 15.
 quadrangularis Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 20.
 quadrangularis Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
 quadrangularis Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 498.—Lynceus.
 quadrangularis Pennatula, P. S. Pallas, Elench. 1766, 372.
 quadrangularis Planaria (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3089.—
 quadrangula Daphnia, O. F. Müller, Entom. 1785, 90. [Fasciola.
 quadrangulus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 2999.—Daphnia. [Lynceus quadrangularis, Müll. *est.*]
 quadrangulus Monoculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
 quadrangula Placenta, A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.
 quadratella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 324.
 quadratulus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 quadratulus Pleuronectes, G. S. Volta, Itt. Veron. (2) [circa 1800], cclx.
 quadratus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].—Cancer.
 [quadratus Araneus, C. Clerck, Aran. Svec. 1757, 27.]
 quadratus Araneus, T. Martyn, Aranei, 1793, 11.
 quadratus Brachionus, O. F. Müller, An. Infus. 1786, 354.
 quadrata Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
 quadratus Cancer, J. C. Fabricius, Mant. I. 1787, 315.
 quadratus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 341.
 quadratus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1989.
 quadrata Cassida, C. de Geer, Mém. Ins. V. 1775, 188.
 quadratus Cimex, J. C. Fabricius, Syst. Ent. 1775, 707.
 quadratus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 132.—Cimex, 1775.
 quadratus Cucujus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1890.
 quadratus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41.
 quadratus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 8.
 quadratus Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. 1795, 101.—Latridius.
 quadratus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 69.
 quadratus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 519.
 quadratus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.
 quadrata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 485.
 quadrata Nitidula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 74.
 quadrata Ocyptode, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
 quadratus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 645.
 quadratus Staphylinus, G. Paykull, Mon. Staph. 1789, 29.
 quadratus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 250.

- quadrata Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 3.
 quadratus Zeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1225.
 quadrella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 quadrella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 155.—[quadratella, Fourc.,
 quadrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 298. [est.]
 quadricaudatus Sorex, R. Kerr, Anim. Kingd. 1792, 208.
 quadricincta Andrena (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 138.—Apis.
 quadricincta Apis, J. C. Fabricius, Gen. Ins. 1777, 247.
 quadricincta Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
 quadricincta Bombyx, J. C. Fabricius, Mant. II. 1787, 111.
 quadricinctus Crabro, J. C. Fabricius, Mant. I. 1787, 295.
 quadricinctus Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
 quadricinctus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 303.—Apis, 1775.
 quadricinctus Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785,
 quadricinctus Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 15. [326.
 quadricincta Sphex, J. A. Scopoli, Del. Insub. II. 1786, 62.
 quadricincta Sphex (Fab.), C. de Villers, Linn. Ent. III. 1789, 251.—Crabro.
 quadricincta Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 276.—
 quadricincta Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 266. [Crabro.
 quadricolor Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 344.
 quadricolor Cebus, P. Boddaert, Elench. 1785, 62.
 quadricolor Cerambyx, Scopoli, Ent. Carn. 1763, 56.
 quadricolor Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
 quadricolor Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
 quadricolor Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886.
 quodricolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 quadricolor Larus, J. A. Scopoli, Annus I. 1769, 81.
 quadricolor Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
 quadricolor Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
 quadricolor Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.
 quadricornis Asellus (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 255.—Oniscus.
 quadricornis Cerambix, A. G. Olivier, Entom. IV. 1795, 97.—Lamia, 1792.
 quadricornis Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 264; ed. 12, 1766, 451.
 quadricornis Curculio, G. Paykull, Mon. Curc. 1792, 71.
 quadricornis Cyclops (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 201.—Monoculus.
 quadricornis Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 466.
 quadricornis Lucernaria, O. F. Müller, Z. Dan. Prod. 1776, 227.
 quadricornis Monoculus, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1058.
 quadricornis Oniscus, J. C. Fabricius, Syst. Ent. 1775, 299.
 quadricornis Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 409.
 quadricornis Pallinurus, F. Weber, Nomen. Fabricii, 1795, 94.
 quadricornis Palinurus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 401.
 quadricornis Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [n. n.].
 quadricornis Tentacularia (Goeze), Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.
 quadricuspida Nais, J. C. Fabricius, F. Groen. 1780, 315.
 quadridens Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 351.
 quadridens Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 464.
 quadridens Curculio, J. C. Fabricius, Syst. Ent. 1775, 153.
 quadridens Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 302.
 quadridens Dorippe, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
 quadridens Formica, C. de Geer, Mém. Ins. III. 1773, 609.
 quadridens Formica, J. C. Fabricius, Ent. Syst. II. 1793, 362.
 quadridens Helix, O. F. Müller, Verm. II. 1774, 107.
 quadridens Melolontha, J. C. Fabricius, Suppl. Ent. Syst. 1798, 131.
 quadridens Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 380.
 quadridens Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 11.
 quadridens Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—
 quadridens Vespa, Linnaeus, Amoen. Acad. VI. 1763, 413. [Helix.

- quadridentata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 958.
quadridentata Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
quadridentatus Brachionus, J. Hermann, Naturforscher, XIX. 1783, 47.
quadridentata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 186.
quadridentatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.—[Reduvius
quadridentatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 34. [quadridens, Fab.]
quadridentatus Hister, A. G. Olivier, Entom. I. 1789, 14.
quadridentatus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 13.
quadridentatum Phalangium, G. Cuvier, Mag. encyclop. I (2) 1795, 206.
quadridentatus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 638.
quadridentatus Scolytus, A. G. Olivier, Entom. IV. 1795, 5.
quadridentata Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 57.
quadridenticulatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112.
quadrifaria Phalaena Geom., J. H. Sulzer, Gesch. Ins. 1776, 162.
quadrifasciaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 329.
quadrifasciata Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chryso-
quadrifasciata Apis, C. de Villers, Linn. Ent. III. 1789, 319. [mela.
quadrifasciata Buprestis, P. Rossi, Fauna Etrus. I. 1790, 187.
quadrifasciatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 81.
quadrifasciata Chrysomela, J. C. Fabricius, Mant. I. 1787, 76.
quadrifasciata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
quadrifasciata Cimex (De G.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 771.—
quadrifasciata Conops, C. de Geer, Mém. Ins. VI. 1776, 261. [Tenthredo.
quadrifasciatus Cryptosephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.)
quaterfasciatus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 170. [Echinites.
quadrifasciatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.—
quadrifasciata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 26.—Chrysomela, 1787.
quadrifasciata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 284
[n. et f.].
quadrifasciata Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
quadrifasciata Libellula, O. F. Müller, F. Ins. Frid. 1764, 61.
quadrifasciatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 114.
quadrifasciata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 448.
quadrifasciata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 473.
quadrifasciata (sic) [Phalaena], C. Clerck, Icones, I. 1759, pl. vi, 4.
quadrifasciata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
quadrifasciata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 294.
quadrifasciata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 286.
quadrifasciatus Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 14.
quadrifasciata Phryganea, J. C. Fabricius, Syst. Ent. 1775, 308.
quadrifasciata Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 255.
quadrifasciata Sphex, C. de Villers, Linn. Ent. III. 1789, 229.
quadrifasciata Tenthredo, C. de Geer, Mém. Ins. III. 1773, 598.
quadrifasciata Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
quadrifasciata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 266.
quadrifer Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 47.
quadrifer Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
quadrifidus Aporrhais, E. M. da Costa, Brit. Conch. 1778, 136.
quadriguttata Altica, O. F. Müller, Z. Dan. Prod. 1776, 85.
quadriguttatus Aphodius, Illiger in Kugelann, Käfer Preuss. 1798, 35.
quadriguttata Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
quadriguttatus Carabus, E. Pontoppidan, Danske Atlas, I. 1763, 678.
quadriguttatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 236.
quadriguttatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 248.
quadriguttatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
quadriguttatus Cerambyx (Stenocorus), N. S. Swederus, K. Vet.-Ac. Nya Handl. VIII.
quadriguttata Chrysomela, E. Pontoppidan, Danske Atlas, I. 1763, 670. [1787, 196.
quadriguttata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 132.

- quadriguttata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 703.
 quadriguttata Cicada, J. C. Fabricius, Mant. II. 1787, 271.
 quadriguttatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 720.
 quadriguttatus Clerus, A. G. Olivier, Entom. IV. 1795, 18.
 quadriguttata Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 37.
 quadriguttata Coccinella, N. J. Brahm, Ins. Kal. I (2) 1791, 221.
 quadriguttatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
 quadriguttatus Cryptocephalus, O. F. Müller, Z. Dan. Prod. 1776, 58.
 quadriguttatus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
 quadriguttata Dircaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 122.
 quadriguttatus Elaphrus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 233.—Carabus.
 quadriguttatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 434.
 quadriguttatus Gallerya, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 124.
 quadriguttata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 25.—Chrysomela, 1781
 quadriguttatus Hister, J. C. Fabricius, Suppl. Ent. Syst. 1798, 39.
 quadriguttatus Hypulus, G. Paykull, Faun. Suec. I. 1798, 251.
 quadriguttata Ips, J. C. Fabricius, Gen. Ins. 1777, 214.
 quadriguttata Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 171.
 quadriguttata Leptura, J. C. Fabricius, Mant. I. 1787, 159.
 quadriguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 157.—Cinex, 1775.
 quadriguttatus Meloe, X. Wulfen, Descr. Cap. Ins. 1786, xviii.
 quadriguttata Nitidula (Fab.), A. G. Olivier, Entom. II. 1790, 10.—Ips.
 quadriguttata Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 70.
 quadriguttatus Notoxus, P. Rossi, Mant. Ins. I. 1792, 48.
 quadriguttatus Reduvius, J. C. Fabricius, Spec. Ins. II. 1781, 380.
 quadriguttatus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 10.
 quadriguttata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 454.
 quadriguttata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1618.—Ips.
 quadriguttata Silpha, C. de Villers, Linn. Ent. I. 1789, 88.
 quadriguttatus Stenocorus (L.), A. G. Olivier, Entom. IV. 1795, 27.—Cerambyx.
 quadriguttatus Trichius, J. C. Fabricius, Mant. II. 1787, 377.
 quadriguttatella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 87.
 quadrilineata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1032.
 quadrilineatus Calamita, J. G. Schneider, Hist. Amph. I. 1799, 169.
 quadrilineata Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 285.
 quadrilineatus Cimex, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's] II (4) 1785, 339.
 quadrilineatus Coluber, G. A. Suckow, Naturges, III. 1798, 242.
 quadrilineatus Coluber, P. A. Latreille, Salamand. France, 1800, xxxi.
 quadrilineata Doris, O. F. Müller, Z. Dan. Prod. 1776, 229.
 quadrilineata Doris, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 50.
 quadrilineatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
 quadrilineata Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2890.
 quadrilineatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
 quadrilineatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 82.
 quadrilineata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 371.
 quadrilineata Limacia, O. F. Müller, Zool. Dan. (Danish ed.) 1781, 66.—Doris, 1776.
 quadrilineata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2835.—
 quadrilineata Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216. [Stratiomys.
 quadrilineata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 quadrilineatus Prionus, A. G. Olivier, Entom. IV. 1795, 40.
 quadri-lineata Salamandra (L.), J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 61.—Lacerta.
 quadrilineata Stratiomys, J. C. Fabricius, Mant. II. 1787, 331.
 quadrilineatus Syrphus, J. C. Fabricius, Mant. II. 1787, 336.
 quadrilis Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 122.
 quadrillella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 156.
 quadrillus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 563.
 quadriloba Lobaria, O. F. Müller, Z. Dan. Prod. 1776, 226.
 quodriloba Taenia, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 51.

- quadrilobatus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 58.—
 quadrilobata Squilla, O. F. Müller, Zool. Dan., ed. 3, II. 1787, 21. [Squilla, 1787
 quadrilunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 72.
 quadrilunulata Coccinella, Illiger in Kugelann, Käfer Preuss. 1798, 416.
 quadrimaculata Altica, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 131.
 quadrimaculatus Apalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 50.
 quadrimaculata Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 7.
 quadrimaculatus Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 35.—Scarabaeus.
 quadrimaculata Aranea, C. de Geer, Mém. Ins. VII. 1778, 223.
 quadrimaculatus Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.
 quadrimaculatus Attelabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 288.
 quadrimaculatus Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 371.
 quadrimaculata Buprestis, J. C. Fabricius, Gen. Ins. 1777, 236.
 quadrimaculatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
 quadrimaculatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 328.
 quadrimaculatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
 quadrimaculata Cassida, C. de Geer, Mém. Ins. V. 1775, 183.
 quadrimaculata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 86.
 quadrimaculatus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 626.
 quadrimaculata Cercopis (Schr.), J. D. Preyßler in Mayer's Samml. Phys. Aufsätze,
 III. 1793, 194.—Cicada.
 quadrimaculata Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 56.
 quadrimaculata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767,
 quadrimaculata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 596. [600.
 quadrimaculata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 301.
 quadrimaculata Chrysomela, J. C. Fabricius, Gen. Ins. 1777, 220.
 quadrimaculata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 77.
 quadrimaculata Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
 quadrimaculata Cicindela, Linnaeus, Faun. Suec., ed. 2, 1761, 211.
 quadrimaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
 quadrimaculatus Clerus (Schall.), J. C. Fabricius, Mant. I. 1787, 125.
 quadrimaculata Clytra (L.), F. v. P. Schrank, F. Boica, I. 1798, 545.—Chrysomela.
 quadrimaculata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 113.—Cryptoccephalus,
 quadrimaculata Coccinella, Scopoli, Ent. Carn. 1763, 80. [1775.
 quadrimaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 56.
 quadrimaculata Coccinella, P. Rossi, Fauna Etrus. I. 1790, 71.
 quadrimaculatus Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scara-
 quadrimaculatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 294. [baeus.
 quadrimaculata Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 152.
 quadrimaculata Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 12.—Chrysomela, 1777.
 quadrimaculata Cryptoccephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 107.—Chryso-
 quadrimaculatus Cryptoccephalus, A. F. de Fourcroy, Ent. Paris. 1785, 91. [mela.
 quadrimaculatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 609.
 quadrimaculatus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 25. [phagus.
 quadrimaculatus Dermestes (Fab.), C. P. Thunberg, Ins. Suecica (6) 1794, 79.—Myceto-
 quadrimaculatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
 quadrimaculata Elaphrus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 355.—
 quadrimaculatus Elater, A. G. Olivier, Entom. II. 1790, 20. [Cicindela.
 quadrimaculatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 233.
 quadrimaculata Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 104. [Crioceris
 quadrimaculata Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.—
 quadrimaculata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 20.—Chrysomela
 1777.
 quadrimaculatus Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 358; ed. 12, 1767, 567.
 quadrimaculatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
 quadrimaculata Ips (Schall.), J. C. Fabricius, Mant. I. 1787, 45.—Silpha.
 quadrimaculata Ips, C. P. Thunberg, Ins. Suecica (6) 1794, 77.
 quadrimaculata Laria, J. A. Scopoli, Annus V. 1772, 85. (

- quadrinotatus Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
- quadrinotatus Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.
- quadrinotatus Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 83.
- quadrinotatus Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—
- quadrinotatus Malachius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 70. [Meloe.
- quadrinotatus Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
- quadrinotatus Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 44.—
- quadrinotatus Myelis, A. G. Olivier, Entom. II. 1799, 10. [Chrysomela.
- quadrinotatus Musca, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 289.
- quadrinotatus Musca, J. C. Fabricius, Mant. II. 1787, 347.
- quadrinotatus Mycetophagus (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 497.—
- quadrinotatus Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 53. [Silpha.
- quadrinotatus Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
- quadrinotatus Picus, G. Shaw in Miller, Cim. Phys. 1796, 99.
- quadrinotatus Psocus, A. J. Coquebert, Icon. Ins. (1) 1799, 12.
- quadrinotatum Scaphidium, A. G. Olivier, Entom. II. 1799, 4.
- quadrinotatus Scarabaeus, Linnaeus, Faun. Suec., ed. 2, 1761, 138.
- quadrinotatus Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
- quadrinotatum Scymnus (Herbst), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's],
V. 1794, 546.—Sphaeridium.
- quadrinotatus Serropalpus, Illiger in Kugelann, Käfer Preuss. 1798, 130.
- quadrinotata Silpha, *err. pro* quadrinotata, Linn., J. A. Scopoli, Annus V. 1772,
- quadrinotata Silpha, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 256. [86.
- quadrinotata Silpha, C. Quensel, Diss. ignotus insectorum Species, 1799, 12.
- quadrinotatus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 37.
- quadrinotatum Sphaeridium, J. F. W. Herbst in Fuesly, Arch. Ins. IV. 1783, 30.
- quadrinotata Sphex, O. F. Müller, Z. Dan. Prod. 1776, 162.
- quadrinotata Sphex, C. de Villers, Linn. Ent. IV. 1789, 551.
- quadrinotatus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 180.—Cerambyx.
- quadrinotata Tenebrio, A. G. Olivier, Entom. III. 1795, 8.
- quadrinotata Tenthredo, C. Allioni, Misc. Taurin. III. 1766, 195.
- quadrinotata Tenthredo, J. C. Fabricius, Mant. I. 1787, 255.
- quadrinotata Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 430.
- quadrinotata Triplax, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 148.
- quadrinotaculella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
- quadrinotia Tipula, Scopoli, Ent. Carn. 1763, 324.
- quadrinotatus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 55.
- quadrinotata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 307.
- quadrinotata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1697.
- quadrinotata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2117.
- quadrinotata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
- quadrinotata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 33.—Crypto-
- quadrinotata Coccinella, J. C. Fabricius, Mant. I. 1787, 56. [cephalus.
- quadrinotatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 79.
- quadrinotatus Curculio, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 12.
- quadrinotata Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 98.
- quadrinotatus Hister, L. G. Scriba, J. Lieb. Ent. I. 1790, 72.
- quadrinotata Ips, L. G. Scriba, J. Lieb. Ent. II. 1790, 165.
- quadrinotata Ips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 179.
- quadrinotata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1873.
- quadrinotatus Reduvius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 544.
- quadrinotatus Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 289.
- quadrinotata Saperda, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
- quadrinotata Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 156.
- quadrinotata Philine, P. Ascanius, K. Vet. Ac. Handl. XXXIII. 1772, 329.
- quadrinotatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 204.
- quadrinotatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.
- quadrinotatus Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.

- quadripunctaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (8) 1800, 205.
- quadripunctaria Phalaena (Noctua), N. Poda, Ins. Mus. Graec. 1761, 89.
- quadripunctata Altica, A. F. de Fourcroy, Ent. Paris. 1785, 100.
- quadripunctata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
- quadripunctata Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
- quadripunctata Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 67.—Chrysomela.
- quadripunctatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 337.
- quadripunctatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 102.
- quadripunctata Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
- quadripunctata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 596.
- quadripunctata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1690.
- quadripunctata Cicada, C. de Villers, Linn. Ent. I. 1789, 473.
- quadripunctata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 30.
- quadripunctata Cicindela, P. Rossi, Fauna Etrus. II. 1790, 343.
- quadripunctatus Cimex, C. de Villers, Linn. Ent. I. 1789, 535.
- quadripunctatus Cimex, E. Donovan, Brit. Ins. III. 1794, 101.
- quadripunctata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 110.—*Cryptocephalus*,
- quadripunctata Coccinella, E. Pontoppidan, Danske Atlas, I. 1763, 669. [1775.]
- quadripunctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 580.
- quadripunctatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 168.
- quadripunctatus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 301.
- quadripunctata *Cryptocephalus* (L.), J. C. Fabricius, Syst. Ent. 1775, 106.—*Chrysomela*.
- quadripunctatus Curculio, F. v. P. Schrank, Naturforscher, XXIV. 1789, 71.
- quadripunctatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1755.
- quadripunctatus Dermestes, J. C. Fuessly, Schweiz. Ins. 1775, 4.
- quadripunctatus Dermestes, J. H. Sulzer, Gesch. Ins. 1776, 21.
- quadripunctata Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 21.
- quadripunctatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 71.
- quadripunctatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
- quadripunctata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—*Cicada*, 1794.
- quadripunctata Formica, Linnaeus, Mant. II. 1771, 541.
- quadripunctata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 156.
- quadripunctatus Gryllus (Bulla), N. Poda, Ins. Mus. Graec. 1761, 50.
- quadripunctatus Hemerobius, J. C. Fabricius, Mant. I. 1787, 248.
- quadripunctatus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer), VII. 1797, 305.
- quadripunctatus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 373.
- quadripunctata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 82.
- quadripunctata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 520.
- quadripunctatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 172.
- quadripunctata Meloe, Linnaeus, Syst. Nat., ed. 12, 1767, 680.
- quadripunctata Melolontha (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 57.—*Chryso-*
- quadripunctata Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 71. [mela-
- quadripunctata Melolontha, A. G. Olivier, Entom. I. 1789, 82.
- quadripunctata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 997.
- quadripunctata Mylabris, J. C. Fabricius, Mant. I. 1787, 217.
- quadripunctata Nitidula, A. G. Olivier, Entom. II. 1790, 9.
- quadripunctata Nitidula (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 391.—
- Strongylus.
- quadripunctata Noctua, J. C. Fabricius, Syst. Ent. 1775, 594.
- quadripunctata Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—*Silpha*.
- quadripunctata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.]. [1787.]
- quadripunctatus Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 204.—*Hemerobius*,
- quadripunctata Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- 1572.—*Cetonia*.
- quadripunctatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 143.
- quadripunctata Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
- quadripunctata *Silpha*, J. C. D. Schreber, Nov. Spec. Ins. 1759, 8.
- quadripunctata *Silpha*, Linnaeus, Syst. Nat., ed. 10, 1758, 359; ed. 12, 1767, 571.

- quadripunctata Spheg, J. A. Scopoli, Del. Insub. II. 1786, 65.
quadripunctata Spheg, J. C. Fabricius, Mant. I. 1787, 278.
quadripunctatus Strongylus, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 185.
quadripunctatus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 63.
quadripunctata Vespa, P. Forskal, Descr. Anim. 1775, 84.
quadripunctata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 436.
quadripunctata Vespa, J. C. Fabricius, Mant. I. 1787, 291.
quadripunctella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 298.
quadripunctorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 153.
quadripuncta Clytra (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 167.—Chrysomela
quadripustulata Altica, J. C. Fabricius, Syst. Ent. 1775, 114. [quadripunctatus
quadripustulatus Aphodius (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 52.—Scarabaeus
quadripustulatus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 224.
quadripustulatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 312.
quadripustulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 111.
quadripustulata Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 168.
quadripustulata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 135.—Altica, 1775.
quadripustulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 704.
quadripustulata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 585.
quadripustulata Coccinella (Kugel.), G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 8.—
Scymnus. [baeus
quadripustulatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 179.—Scara-
quadripustulata Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
quadripustulatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—Chryso-
quadripustulatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 144. [mela.
quadripustulatus Dermestes, G. W. F. Panzer, Ins. Germ. heft 6, 1793, tab. 6.
quadripustulatus Dermestes, G. Paykull, Faun. Suec. I. 1798, 297.
quadripustulatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
quadripustulatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 235.
quadripustulatus Elater, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, II. 1792, 8.
quadripustulatus Endomychus (F.), G. W. F. Panzer, Deutsch. Ins. 1795, 175.—Gal-
leruca.
quadripustulatus Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 105.
quadripustulata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela,
quadripustulata Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 116. [1781.
quadripustulata Ips, J. C. Fabricius, Gen. Ins. 1777, 213.—Tritoma, 1775.
quadripustulata Larra, J. C. Fabricius, Ent. Syst. II. 1793, 222.
quadripustulata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 90.—Crioceris, 1787.
quadripustulata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 345.
quadripustulatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
quadripustulatus Malachius, Illiger in Kugelann, Käfer Preuss. 1798, 306.
quadripustulata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 324.
quadripustulata Nitidula (L.), A. G. Olivier, Entom. II. 1790, 8.—Silpha.
quadripustulatus Rynchophorus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795,
27.—Curculio.
quadripustulatum Scaphidium (Fab.), A. G. Olivier, Entom. II. 1790, 4.—Sphaeridium.
quadripustulatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
quadripustulatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 36.
quadripustulata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 453.
quadripustulatus Scymnus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
quadripustulata Silpha, Linnaeus, Faun. Suec., ed. 2, 1761, 148. [547.
quadripustulatum Sphaeridium, J. C. Fabricius, Syst. Ent. 1775, 67.
quadripustulatus Tritoma (L.), J. C. Fabricius, Ent. Syst. 1775, 69.—Silpha.
quater radiatus Coluber, C. C. Gmelin, Naturforscher, XXVIII. 1799, 169.
quaterradiatus Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 182.
quadriradiatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3186.—
Echinocorytes.
quadrirostris Echinorynchus, J. A. E. Goetze, Eingeweidewürm. 1782, 166.

- quadrisida Asterias, Linnaeus, Mus. Lud. Ulr. 1764, 70.
 quadrispinosus Attelabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
 quadrispinosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
 quadrispinosus Curculio, J. C. Fabricius, Gen. Ins. 1777, 228.
 quadrispinosus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus, 1781.
 quadrispinosus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 144.—Cimex.
 quadrispinosus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 206.
 quadrispinosus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 11.
 quadristriatus Carabus, F. v. P. Schrank, Ins. Aust. 1781, 218.
 quadristriata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
 quadristriatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
 quadristriatus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 207.
 quadristriatus Hister, C. P. Thunberg, Ins. Suecica (5) 1794, 65.
 quadristriata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 quadristrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
 quadristrigosa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
 quadrisulcatus Carabus, G. Paykull, Mon. Carab. 1790, 109.
 quadrisulcus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
 quadrituberculatus Curculio, J. C. Fabricius, Mant. I. 1787, 100.
 quadrituberculatus Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 23.
 quadrituberculatus Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 23.
 quadriverrucata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 43.
 quadriverrucata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 288.
 quadrivittata Cetonia, A. G. Olivier, Entom. I. 1789, 73.
 quadrizonata Apis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 210.
 quadrizonatus Pholas, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 93.
 quadrola Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 286.
 quadra Bombyx (Linn.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 352.—Noctua.
 quadrum Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 159.
 quadrum Carabus, A. G. Olivier, Entom. III. 1795, 79.
 quadrum Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
 quadrum Copris, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 276.
 quadrum Cryptocephalus, J. C. Fabricius, Gen. Ins. 1777, 221.
 quadrum Cryptocephalus, F. v. P. Schrank, F. Boica, I. 1798, 551.
 quadrum Cynips (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 782.—Ichneumon.
 quadrum Ichneumon, J. C. Fabricius, Mant. I. 1787, 270.
 quadra Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 459.—Phalaena.
 quadra Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 595.—Phalaena.
 quadra Noctua, J. v. Usler, Pyralis Hercyn. 1798, 25. [Phalaena Noctua.
 quadra Phalaena Bombyx (L.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 241.—
 quadra Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 840.
 quadrum Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 694.
 quadrupes Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
 quadrupes Anguis, Linnaeus, Syst. Nat., ed. 12, 1766, 390.
 quaesitorius Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 398.
 quaestionis Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 81.
 quagga Ampulla, J. F. Bolten, Mus. Bolten. (2) 1798, 111.
 quagga Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
 quagga Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
 quagga Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 10.
 quagga Equus, P. Boddaert, Elench. 1785, 160.
 quagga Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 368.
 quasje Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 87.
 quater-
 z. quadri-
 quaternio Scolia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 205.
 quatrilis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 294.
 quatuordecimguttata Buprestis, A. G. Olivier, Entom. II. 1790, 89.
 quatuordecimguttata Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 136.

- quatuordecimguttata Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 85.
 quatuordecimguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767,
 quatuordecimmaculata Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 150. [583.]
 quatuordecimmaculata Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV.
 quatuordecimmaculata Coccinella, N. Poda, Ins. Mus. Graec. 1761, 26. [1797, 33.
 quatuordecimmaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 58.
 quatuordecimmaculata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 65.
 quatuordecimmaculata Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent.
 [Schneider's], II. 1792, 195.
 quatuordecimpunctatus Attelabus, Scopoli, Ent. Carn. 1763, 37.
 quatuordecimpunctata Buprestis, C. de Villers, Linn. Ent. I. 1789, 338.
 quatuordecimpunctata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 599.
 quatuordecimpunctata Chrysomela (Scop.), C. de Villers, Linn. Ent. I. 1789, 165.—
 Attelabus.
 quatuordecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12,
 1767, 582.
 quatuordecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12,
 1767, 585.
 quatuordecimpunctatus Crioceris (Scop.), J. C. Fabricius, Gen. Ins. 1777, 222.—
 Attelabus.
 quatuordecimpunctatus Cryptocephalus (Scop.), J. F. Gmelin in Linn. Syst. Nat.,
 ed. 13, I. 1789, 1721.—Attelabus.
 quatuordecimpunctatus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV.
 1797, 54.
 quatuordecimpunctata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Crioceris,
 quatuordecimpunctata Meloe, P. S. Pallas, Icon. Ins. 1782, 80. [1777.
 quatuordecimpunctatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 110.
 quatuordecimpunctata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 13.—Meloe.
 quatuorguttata Altica (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.—Chryso-
 quatuorguttata Aranea, P. Rossi, Fauna Etrus. II. 1790, 135. [mela quadriguttata.
 quatuorguttata Chrysomela, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765,
 quatuorlineatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 82. [202.
 quatuorlineata Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 quatuormaculata SpheX (Fab.), J. L. Christ, Nat. Ins. 1791, 267.—Scolia quadrimaculata.
 quatuor-punctata Cantharis, M. Piller & L. Mitterpacher, Iter. Poseg. 1783, 114. [201.
 quatuor-punctata Coccinella, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765,
 quatuor-punctata Silpha, E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 200.
 quatuor-punctata SpheX (Fab.), J. L. Christ, Nat. Ins. 1791, 259.—Scolia quadripunctata.
 quelea Emberiza, Linnaeus, Syst. Nat., ed. 10, 1758, 177; ed. 12, 1766, 310.
 quelea Loxia, F. M. Daudin, Traité élém. Orn. 1800, 443.
 quenseli Bombyx, G. Paykull, Skr. nat. Selsk. [Copen.], II (2) 1793, 99.
 quentzeli Staphylinus, G. Paykull, Mon. Staph. 1789, 72.
 quercana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 411.—Pyralis.
 quercana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 652.
 quercana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 125.
 quercella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
 querceti Phalaena Noctua, P. Osbeck, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778,
 querceus Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 113. [51.
 quercicola Curculio, G. Paykull, Mon. Curc. 1792, 70.
 quercifolia Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 561.—Phalaena. [812.
 quercifolia Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 497; ed. 12, 1767,
 quercinaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 24 [n.
 quercinaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 520. [et f.].
 quercinus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 681.
 quercinus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1802.
 quercinus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 376.
 quercinus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1912.
 quercinus Elater, C. Quensel, Diss. ignotus insectorum Species, 1790, 17.

- quercinus Glis (L.), J. F. Blumenbach, Handb. Naturg. 1779, 79.—Mus.
 quercinus Hypulus (Quenz.), G. Paykull, Faun. Suec. I. 1798, 252.—Elater.
 quercinus Mus, Linnaeus, Syst. Nat., ed. 12, 1766, 84.
 quercina Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
 quercus Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 735.
 quercus Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 562.—Phalaena.
 quercus Buprestis, J. F. W. Herbst, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 90.
 quercus Cerambyx, G. F. Goetz, Naturforscher, XIX. 1783, 74.
 quercus Cerambyx, P. Rossi, Fauna Etrus. I. 1790, 143.
 quercus Cetonia, F. v. P. Schrank, F. Boica, I. 1798, 417.
 quercus Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
 quercus Cicada, J. C. Fabricius, Gen. Ins. 1777, 298.
 quercus Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
 quercus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 609.
 quercus Curculio, Scopoli, Ent. Carn. 1763, 34.
 quercus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 34.
 quercus Diplolepis, A. F. de Fourcroy, Ent. Paris. 1785, 391.
 quercus Elater, A. G. Olivier, Entom. II. 1790, 51.
 quercus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 278.—Papilio.
 quercus Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 355.
 quercus Noctua, J. C. Fabricius, Syst. Ent. 1775, 594.
 quercus Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 788.
 quercus Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 814
 quercus Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 41.
 quercus Zygaena, J. C. Fabricius, Ent. Syst. III (1) 1793, 388.
 quercus-baccarum Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
 quercus calicis Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2651.
 quercus-corticis Cynips, Linnaeus, Faun. Suec., ed. 2, 1761, 387.
 quercus-folii Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 918.
 quercus folii Diplolepis (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 280.—Cynips.
 quercus-gemmae Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
 quercus-ilicis Cynips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 213.
 quercus-inferus Cynips, Linnaeus, Syst. Nat., ed. 12, 1767, 918.
 quercus-pedunculi Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 918.
 quercus-petioli Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 918.
 quercus-ramuli Cynips, Linnaeus, Faun. Suec., ed. 2, 1761, 387.
 quercus roboris Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Af.) I. 1778, 24.
 quercus-surculi Cynips, F. v. P. Schrank, Ins. Aust. 1781, 319.
 quercus-terminalis Cynips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 213.
 quercus-tozae Cynips, L. Bosc, J. Nat. Hist. (Choix des Mém.), II. 1792, 156.
 querna Bombyx, [Denis & Schiffermüller], Schmett. Wien. 1775, 49.
 querna Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790,
 435.—Bombyx.
 quernaria Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 205.
 querneus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 128.
 querquedula Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 126; ed. 12, 1766, 203.
 querquedulae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
 querula Cicada, P. S. Pallas, Reise Russ. II. 1773, 729.
 querula Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
 quetz-paleo Lacerta, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 58.
 quianensis Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
 quincuncialis Coluber, G. A. Suckow, Naturges. III. 1798, 249.
 quindecimguttata Coccinella, J. C. Fabricius, Gen. Ins. 1777, 217.
 quindecimguttatus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 110.
 quindecimpunctata Coccinella, C. de Geer, Mém. Ins. V. 1775, 376.
 quinnata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 331.
 quinnatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 520.
 quinquarius Polynemus, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 521.

- quinquecinctus Crabro, J. C. Fabricius, Mant. I. 1787, 295.
 quinquecinctus Mellinus, J. C. Fabricius, Ent. Syst. II. 1793, 287.
 quinquecinctus Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 225.—
 quinquecincta Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 234. [Crabro, 1787.
 quinquecincta Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
 quinquecincta Tiphia, J. C. Fabricius, Syst. Ent. 1775, 353.
 quinquecincta Vespa, J. C. Fabricius, Mant. I. 1787, 288.
 quinquecincta Vespa (Fab.), C. de Villers, Linn. Ent. III. 1789, 283.—Crabro.
 quinquecostatus Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 46.
 quinquedentatus Cancer, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2968.
 quinquedentatus Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 370.
 quinquedentata Vertigo, Studer in Coxe, Trav. Switz. III. 1789, 388 [*n. n.*].
 quinquefasciatus Crabro, P. Rossi, Mant. Ins. I. 1792, 139.
 quinquefasciata Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 27.
 quinquefasciata Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 281.
 quinquefasciatus Mellinus, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 13.
 quinquefasciata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 474.
 quinquefasciata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 quinquefasciata Scolia, J. C. Fabricius, Spec. Ins. I. 1781, 453. [2490.
 quinquefasciatus Vespa, C. Allioni, Misc. Taurin. III. 1766, 196.
 quinquefasciata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 267.
 quinquefasciata [Vespa], Giorna, Cal. Ent. 1791, 86.
 quinqueguttatus Bruchus, A. G. Olivier, Entom. IV. 1795, 15.
 quinqueguttata Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
 quinquelabiatus Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 159.
 quinquelabiatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 3181.—Clypeus.
 quinquelineatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
 quinquelineata Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 56.
 quinquelineatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 107.
 quinquelineatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 84.
 quinquelineata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 366. [Syrphus.
 quinquelineata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.—
 quinquelineatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 quinquelineatus Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 425. [1575.—Cetonia.
 quinquemaculata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1674.
 quinquemaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
 quinquemaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 56.
 quinquemaculatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 609.
 quinquemaculatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 10.
 quinquemaculata Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1868.
 quinquemaculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
 quinquemaculata Mutilla, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 5.
 quinquemaculatus Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 292.
 quinquemaculatum Sphaeridium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 39.
 quinquemaculatus Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 296.
 quinquenotatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1721.
 quinquepunctata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
 quinquepunctatus Atelabus, Scopoli, Ent. Carn. 1763, 36. [297.
 quinquepunctata Buprestis, Scopoli, Ent. Carn. 1763, 67.
 quinquepunctata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 586.
 quinquepunctata Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 79.
 quinquepunctata Chrysomela, J. C. Fabricius, Mant. I. 1787, 72.
 quinquepunctatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 quinquepunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.
 quinquepunctata Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
 quinquepunctatus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 1727.—Chrysomela.

- quinquepunctatus *Cryptocephalus* (Scop.), G. A. Harrer, Besch. Schaeffer's Abbild. 1791, 133.—Buprestis.
- quinquepunctatus *Curculio*, Linnaeus, Syst. Nat., ed. 10, 1758, 383; ed. 12, 1767, 614.
- quinquepunctatus *Erotylus* (L.), J. C. Fabricius, Syst. Ent. 1775, 123.—*Chrysomela*.
- quinquepunctata *Lema*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—*Crioceris*, 1787.
- quinquepunctata *Musca*, F. v. P. Schrank, Ins. Aust. 1781, 473.
- quinquepunctata *Scolia*, J. C. Fabricius, Spec. Ins. I. 1781, 453.
- quinquepunctatus *Strongylus*, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 181.
- quinquespinosus *Cimex* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.—*Reduvius*, J. C. Fabricius, Spec. Ins. II. 1781, 382. [Reduvius.]
- quinqwestriatus *Syrphus*, J. C. Fabricius, Ent. Syst. IV. 1794, 289.
- quinqwestrigata *Phalaena* Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
- quinqwestivittata *Cistela*, J. C. Fabricius, Syst. Ent. 1775, 118. [Cistela.]
- quinqwestivittata *Crioceris* (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.—*Cryptocephalus* (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1715.—*Cistela*.
- quinqwezona *Phalaena* Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
- quinqwestperforatus *Echinodiscus*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 197.
- quinternana *Hydra*, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 10.
- quiqui *Mustela*, G. I. Molina, Sag. stor. nat. Chili, 1782, 292.
- quirina [Papilio], P. Cramer, Utitl. Kapellen, I (6) 1775, 101.
- quirina *Papilio*, J. C. Fabricius, Spec. Ins. II. 1781, 36.
- quiscala *Sturnus* (L.), F. M. Daudin, Traité élém. Orn. 1800, 316.—*Gracula quiscula*.
- quiscula *Gracula*, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
- quisquiliarum *Opatrum*, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 35.
- quisquilius *Carabus*, Linnaeus, Faun. Suec., ed. 2, 1761, 226.
- quisquilius *Cimex*, C. de Geer, Mémoires. Ins. III. 1773, 282.
- quisquilius *Copris* (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—*Scarabaeus*.
- quisquilius *Helops* (L.), J. C. Fabricius, Syst. Ent. 1775, 258.—*Tenebrio*.
- quisquilia *Pimelia* (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—
- quisquilius *Scarabaeus*, Linnaeus, Faun. Suec., ed. 2, 1761, 138. [Tenebrio.]
- quisquilius *Tenebrio*, Linnaeus, Faun. Suec., ed. 2, 1761, 226.
- quiteria [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 49.
- quoll *Mustela*, E. A. W. Zimmermann, Spec. Zool. 1777, 489.
- rac *Buccinum*, J. G. Brugnière, Ency. Méth. (Vers) (1) 1789, 284.
- racemosus *Cynips*, A. F. de Fourcroy, Ent. Paris. 1785, 383.
- racemosa *Sertularia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3854.
- racemosa *Vorticella*, O. F. Müller, Verm. I (1) 1773, 128.
- rachifer *Elater*, A. F. de Fourcroy, Ent. Paris. 1785, 39.
- rachiticus *Crabro*, P. Rossi, Fauna Etrus. II. 1790, 92.
- radamanthus *v. rhadamanthus*.
- raddaella *Phalaena* Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [n. et f.].
- raddella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 54.
- radians *Astroites*, J. E. I. Walch, Naturforscher, V. 1775, 53.
- radians *Chrysis*, M. Harris, Exp. Eng. Ins. 1776, 69.
- radians *Cyclidium*, O. F. Müller, Verm. I (1) 1773, 52.
- radians *Madrepora*, P. S. Pallas, Elench. 1766, 322.
- radians *Patella*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
- radians *Patella*, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
- radians *Porcellana*, F. C. Meuschen, Mus. Gev. 1787, 408.
- radiatalis *Pyrallis*, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 28.
- radiatalis [Pyrallis], J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], pl. 20, f. 134
- radiatella *Phalaena*, E. Donovan, Brit. Ins. III. 1794, 77. [n. et f.].
- radiatella *Phalaena* (Tin.), C. de Villers, Linn. Ent. II. 1789, 516.
- radiatella *Tinea*, A. F. de Fourcroy, Ent. Paris. 1785, 338.
- radiatus *Acarus*, Scopoli, Ent. Carn. 1763, 387.

- radiata* Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 42.
radiata Architectonica, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
radiatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 168.
radiatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3504.
radiatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 312.
radiata Capisterium, F. C. Meuschen, Mus. Gever. 1787, 464.
radiata Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
radiata Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
radiata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
radiata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
radiata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 116.
“*radiata* Cochlea,” T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 40.
radiatus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3386.
radiata Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
radiatus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 420.
radiata Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3266.
radiata Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3105.
radiatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3174.—
Cidaris.
radiatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3197.
radiatus Encrinus, J. F. Blumenbach, Handb. Naturg., ed. 3, 1788, 593.
radiata Eschara, W. G. Tilesius, Verz. merkw. Seeprod. 1800, 7.
radiata Fasciola, O. F. Müller, Verm. I (2) 1774, 66.
radiata Helix, O. F. Müller, Verm. II. 1774, 24.
radiata Helix, E. M. da Costa, Brit. Conch. 1778, 57.
radiata Helix, R. Pulteney, Cat. Birds, &c. Dorset, 1799, 47.
radiatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288.
radiata Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
radiata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 169.
radiata Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (3) 1795, 74.
radiata Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 565.
radiata Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3220.
radiatus Mytilus, O. F. Müller, Verm. II. 1774, 209.
radiatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Tes. Micr. 1798, 58.
radiata Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 159.
radiatus Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 384.
radiata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
radiata Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
radiata Patella, I. v. Born, Index Mus. Caes. Vind. 1778, 443.
radiata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.—[P. radians, Gm.]
radiata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
radiata Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 374.
radiata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
radiatus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1114.
radiatus Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 472.
radiata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1117.
radiata Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
radiata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 320.
radiata Trigonella, E. M. da Costa, Brit. Conch. 1778, 196.
radiatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
radiata Trupanea, F. v. P. Schrank, Briefe Donaumoor, 1795, 147.
radiatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
radiatus Vespertilio, M. T. Brünnich, Dyr. Hist. 1782, 53.
radiatus Vultur, J. A. Scopoli, Del. Insub. II. 1786, 85.
radica Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 159.
radica Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1797–1800], 497.
radicata Gorgonia, P. S. Pallas, Elench. 1766, 190.
radicea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.

- radicea* Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 570.—Noctua.
radicula Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
radicula Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 89.—Nautilus.
radicum Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 385.
radicum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 992.
radiella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 160.
radiosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796], 62.
radix Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
radix Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
radix Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
radula Apis (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.—
radula Asterias, J. F. Bolten, Mus. Bolten. (1) [1798], 30. [Scolia.
radula Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 491.—Murex.
radula Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 162.—Ostrea.
radula Cullus, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
radula Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
radula Lunella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 105.—Nerita.
radula Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1226.
radula Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 777; ed. 12, 1767, 1252.
radula Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 697; ed. 12, 1767, 1145.
radula Pecten (L.), F. C. Meuschen, Mus. Gever. 1787, 416.—Ostrea.
radula Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 488.
radula Scolia, J. C. Fabricius, Syst. Ent. 1775, 355.
radula Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 258.—Tiphia.
radula Tiphia, J. C. Fabricius, Syst. Ent. 1775, 354.
radula Vespa, J. C. Fabricius, Mant. I. 1787, 290.
radulanus Pecten, F. C. Meuschen, Mus. Gever. 1787, 416.
Ragio, *v.* Rhagio J. A. Scopoli, Intr. Hist. Nat. 1777, 408.
rahel Papilio, J. C. Fabricius, Mant. II. 1787, 22.
raiae Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
raii Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 95.
Raja Linnaeus, Syst. Nat., ed. 10, 1758, 231; ed. 12, 1766, 395; [Artedi, Ichth. 1738,
 gen. xlv, p. 70].—P.
rajae Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 97.—Ascaris
rajella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 898. [raiae.
rajella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 666.—Phalaena.
raji Aranea, Scopoli, Ent. Carn. 1763, 394.
ralli Pediculus, J. A. Scopoli, Annus V. 1772, 125.
ralloides Ardea, J. A. Scopoli, Annus I. 1769, 88.
ralloides Trynga, A. Vroeg, Catal. Vogel. 1764, Adumb., 7.
Rallus Linnaeus, Syst. Nat., ed. 10, 1758, 153; ed. 12, 1766, 261.—A.
rallus Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
ramak Sciaena, P. Forskal, Descr. Anim. 1775, 52.
ramalis Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena, 1787.
ramalis Phalaena, J. C. Fabricius, Mant. II. 1787, 220.
ramalis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 517.
ramalium Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
ramella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 887.
ramentosus Labrus, P. Forskal, Descr. Anim. 1775, 34.
ramea Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797; ed. 12, 1767, 1280.
ramea Tubularia, P. S. Pallas, Elench. 1766, 83.
ramicornis Eulophus (De G.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 454.—Ichneumon.
ramicornis Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 441.
ramidulus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 566; ed. 12, 1767, 937.
ramidulus Ophion (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.—Ichneumon.
ramosana Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 13 [*n. et f.*].
ramosana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me giudice 1796], fig. 10 [*n. et f.*].
ramosaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 329.

- ramosissimus Brachionus, P. S. Pallas, Elench. 1766, 98.
 ramosa Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 297.
 ramosa Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 150.
 ramosa Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 391.
 ramosa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 463.
 ramosa Fistularia (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 254.—Tubularia.
 ramosa Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
 ramosa Hydra, O. Fabricius, F. Groen. 1780, 348.
 ramosus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
 ramosa Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
 ramosa Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [n. n.].
 ramosa Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 312.—Murex.
 ramosa Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
 ramosa Purpura, T. Martyn, Univ. Conch. III [1789], fig. 114.
 ramosa Sabella, G. Olivi, Zool. Adriat. 1792, 202.
 ramosus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 434.
 ramosus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 164.
 ramosus Trochus, F. C. Meuschen, Mus. Gever. 1787, 284.
 ramosa Tubipora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3754.
 ramosa Tubularia, Linnaeus, Syst. Nat., ed. 10, 1758, 804; ed. 12, 1767, 1302.
 Ramphastos Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 150.—A.
 Ramphus J. R. Schellenberg, Helvet. Entom. I. 1798, 104.—Col.
 ramphygeus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 633.
 ramulosa Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1285.
 ramulosa Eschara (Cellepora) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 92.—Celle-
 ramulosus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436. [pora.
 ramus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 101.
 Rana Linnaeus, Syst. Nat., ed. 10, 1758, 210; ed. 12, 1766, 354.—R.
 Rana [G. Humphreys], Mus. Calonn. 1797, 33.—G.
 rana Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 306.—Murex.
 rana Bursa (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 128.—Murex.
 rana Curculio, J. C. Fabricius, Mant. I. 1787, 101.
 rana Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63.
 rana Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 748; ed. 12, 1767, 1216.
 "ranae Amphibolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
 ranae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 ranae Cucullanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3051.
 ranae Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 25.
 ranae Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
 ranae Polystoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 204.
 ranaeformis Hyla, J. N. Laurenti, Syn. Rept., 1768, 33.
 Ranatra J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 227.—Hem.
 Ranatra J. C. Fabricius, Ent. Syst. IV. 1794, 64.—Hem.
 rancedula Merganser, J. C. Schaeffer, Mus. Orn. 1789, 66.
 rancedula Merganser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 101.
 Ranetta E. L. Geoffroy, Desc. 719 Plant. &c., 1767, 414.—Amph.
 raninus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 258; ed. 12, 1766, 444.
 raninus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 625; ed. 12, 1767, 1039.
 raninus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 51.
 raninus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 336.
 raninus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3195.
 raninus Gadus (L.), M. T. Brünnich, Skrifter K. Vid. Selsk. XII. 1779, 291.—Blennius.
 raninus Proteus, J. N. Laurenti, Syn. Rept. 1768, 36.
 raninus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3511.
 ranivorus Falco, F. M. Daudin, Traité élém. Orn. 1800, 170.
 ranunculi Andrena (Scop.), A. G. Olivier, Ency. Méth. IV. (Ins.) 1789, 140.—Nomada.
 ranunculi Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2796.—No-
 rannunculi Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 55. [mada.

- ranunculi Nomada, J. A. Scopoli, Annus IV. 1770, 46.
 ranunculus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 671.
 Rapa J. F. Bolten, Mus. Bolten. (2) 1798, 148.—G.
 rapa Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 149.
 rapa Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1184.
 rapa Globosa (L.), F. C. Meuschen, Mus. Gev. 1787, 384.—Bulla.
 rapa Helix, O. F. Müller, Verm. II. 1774, 67.
 rapa Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 752.
 rapa Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3545.
 rapae Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 759.
 rapae Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 926.
 rapax Alphaeus, J. C. Fabricius, Suppl. Ent. Syst., 1798, 405.
 rapax Aranea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 292.
 rapax Crangon, F. Weber, Nomen. Fabricii, 1795, 94 [n. n.].
 rapax Cyprinus, N. G. Leske, Ichth. Lips. 1774, 56.
 rapax Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
 rapax Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2848.
 rapax Muscicapa, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 19.
 rapax Ptinus, C. de Geer, Mém. Ins. IV. 1774, 231.
 raphanalis Phalaena Pyralis, N. J. Brahm, Ins. Kal. II (1) 1791, 547.
 raphani Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 59.
 raphani Chrysomela (Fab.), G. Paykull, Faun. Suec. II. 1799, 62.—Galleruca.
 raphani Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 438.
 raphani Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 19.
 raphani Papilio D. C., J. C. Fabricius (ex Esper, tab.), Mant. II. 1787, 18. [163.
 raphani Papilio D. C., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. (1783-4),
 raphanistrum Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
 raphanistrum Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 86.—
 raphanus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 722. [Nautilus.
 raphanus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
 raphanus Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 95.—Nautilus.
 raphanus Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
 Raphidia Linnaeus, Syst. Nat., ed. 10, 1758, 552; ed. 12, 1767, 916.—Neur.
 raphidia Squilla, F. Weber, Nomen. Fabricii, 1795, 96 [n. n.].
 raphidea Squilla, J. C. Fabricius, Ent. Syst. 1798, 416.
 raphidioides Hemerobius, C. de Villers, Linn. Ent. III. 1789, 56.
 Raphus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 4 & 44.—A.
 Raphus M. J. Brisson, Ornith. V. 1760, 15.—A.
 rapicauda Gekko, M. Houttuyn, Verh. Zeeuwsch genoot. Wet. Vlissingen, IX. 1782, 323.
 rapicauda Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1068.—Gekko.
 rapiformis Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 306.
 rapiformis Murex, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 155.
 rapistrum Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 87.
 rapta Noctua, J. C. Fabricius, Mant. II. 1787, 151.
 raptor Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 212.
 raptor Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 158.
 raptorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 930.
 raptricula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
 raptricula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 Rapum [G. Humphreys], Mus. Calonn. 1797, 37.—G. [178.—Noctua.
 rapuntica Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
 rara Musca, Scopoli, Ent. Carn., 1763, 339.
 rara Phytotoma, G. I. Molina, Sag. stor. nat. Chili, 1782, 254.
 rastellum Kerona, O. F. Müller, An. Infus. 1786, 233.
 "Ratelus Sparrman, 1777," Ag.; does not exist.
 ratisbonensium Schraitser, J. C. Schäffer, Piscium Bavar. 1761, 48.
 ratisbonensium Streber, J. C. Schäffer, Piscium Bavar. 1761, 69.
 ratisbonica Sph[inx], T. G. v. Scheven, N. Mag. Lieb. Ent. [Fuessly's], I (1) 1781, 54.

- “Rattus, Zimm. 1777,” Palmer; not used in a generic sense.
- rattus Brachionus, F. v. P. Schrank, Naturforscher, XXVII. 1793, 33.
- rattus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 700.
- rattus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 61; ed. 12, 1766, 83.
- rattus Mus, R. Kerr, Anim. Kingd. 1792, 229; *var. minor*.
- rattus Mus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 494; *varr. albus*, *ater*, *cinereus*, *maculatus*, & *parvus*, 713.
- rattus Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
- rauca Buprestis, J. C. Fabricius, Mant. I. 1787, 177.
- raucum Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 239.
- raucus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1847.—
- rauca Cetonia, J. C. Fabricius, Spec. Ins. II. 1781, 496. [Callidium.]
- rauea Cetonia, *err. pro rauca*, J. C. Fabricius, Ent. Syst. I (2) 1792, 133.
- raucus Curculio, J. C. Fabricius, Gen. Ins. 1777, 226.
- rauca Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 41.
- rauca Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 183.—Cetonia.
- raucus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
- ravida Noctua [Denis & Schiffermüller], Schmett. Wien, 1775, 80. [Melolontha.]
- ravida Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (? pt.) 1798, 462.
- reamurella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 670.—Phalaena.
- reamurella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12, 1767, 895.
- reamurella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 328.
- reamurii Aranea, Scopoli, Ent. Carn. 1763, 393.
- rebecca Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 75.
- reccumbo Musca, M. Harris, Exp. Eng. Ins. 1776, 35.
- recedans Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
- reciprocans Fistularia, P. Forskal, Descr. Anim. 1775, 121.
- reclusa Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 56.
- recondita Ostrea, D. Solander in G. Brander, Foss. Hant. 1766, 42.
- reconditus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 101.
- rectangulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 235
- rectangulata [Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 6. [*n. et f.*]
- rectangulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767,
- rectangulata Phalaena, S. A. v. Rottemburg, Naturforscher, XI. 1777, 82. [872.]
- rectangulum Alyselminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
- rectangulus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 193. [234.]
- rectangulum Gonium, O. F. Müller, An. Infus. 1786, 113.
- rectangula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78. [513.—Noctua.]
- rectangula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- rectangula Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3749.
- rectangulum Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 11.
- recticornis Antilope (Pall.), J. C. P. Erxleben, Syst. Anim. 1777, 272.—Gazella.
- recticornis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 209.
- recticornis Gazella, P. S. Pallas, Nov. Comm. Petrop. XIII. 1767, 628.
- recticornis Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 51.
- recticornis Scarabaeus, N. G. Leske, Reise Sachsen, 1785, 45.
- rectilinea Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 162.
- rectilinea Phalaena Noct., E. J. C. Esper, Die Schmett. IV (48) 1796, 379.
- rectirostris Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 383.—[druparum, ed. 12.]
- rectirostris Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
- recti-rostris Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—
- rectum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738. [Daphne.]
- recta Helix, O. F. Müller, Verm. II. 1774, 93.
- recta Millepora, F. C. Meuschen, Mus. Gever. 1787, 512.
- recurro Musca, M. Harris, Exp. Eng. Ins. 1776, 85.
- recurvalis Phalaena, J. C. Fabricius, Syst. Ent. 1775, 644.
- recurvata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 151.
- Recurvirostra Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 256.—A.

- recurvirostrae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 613; ed. 12, 1767, 1019.
 recurvirostris Vespa, C. de Geer, Mém. Ins. III. 1773, 579.
 recurvirostrum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
 recurva Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
 redambulo Musca, M. Harris, Exp. Eng. Ins. 1776, 141.
 redeo Musca, M. Harris, Exp. Eng. Ins. 1776, 140.
 redians Musca, M. Harris, Exp. Eng. Ins. 1776, 145.
 redii Aranea, Scopoli, Ent. Carn. 1763, 394. [francisci redi.
 redi Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1091.—Vipera
 rhedi Curculio, F. v. P. Schrank, Ins. Aust. 1781, 106.
 redii Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr., Eingeweidewürm. 1800, 58.
 rhediella Tinea (Clerck), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
 rhediella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii, 12.
 [redimitus Araneus, C. Clerck, Aran. Svec. 1757, 59.]
 redimita Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1032.
 reditus Musca, M. Harris, Exp. Eng. Ins. 1776, 146.
 redivivum Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
 redunca Antilope, P. S. Pallas, Spic. Zool. I. 1767, 8.
 Reduvius J. C. Fabricius, Syst. Ent. 1775, 729.—Hem.
 reduvius Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
 reduvius Ixodes (L.) P. A. Latreille, Mag. encyclop. III (13) 1795, 18.—Acarus.
 reflexus Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 426.
 reflexa Akis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 128.—Pimelia.
 reflexa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 449.
 reflexus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 302.
 reflexus Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 531.
 reflexus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.—Scarabaeus.
 reflexa Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr., Eingeweidewürm. 1800, 33.
 reflexa Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 37.
 reflexa Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
 reflexus Scarabaeus, J. C. Fabricius, Mant. I. 1787, 16. [Melolontha.
 Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1563.—
 reflexa Serpula, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 4.
 reflexus Sirex, C. de Villers, Linn. Ent. III. 1789, 133.
 reflexus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
 refulgens Cetonina, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 250.
 Regalecus P. Ascanius, Icon. II. 1772, 5; O. F. Müller, Z. Dan. Prod. 1776, xx & 40.—P.
 regalis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 449.
 regalis Aranea, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 21.
 regalis Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 436.
 regalis Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 187.
 regalis Cerambyx, P. Brown, Illust. Zool. 1776, 130.
 regalis Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 187.
 regalis Cimex, J. C. Fabricius, Syst. Ent. 1775, 697.
 regalis Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 616.
 regalis Falco, Bartram; B. S. Barton, N. H. Pennsylv., 1799, 11.
 regalis Lamia (Brown), J. C. Fabricius, Spec. Ins. I. 1781, 217.—Cerambyx.
 regalis Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
 regalis [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 114.
 regalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 124.
 regalis Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 38.
 regalis Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 74.
 regelationis Phryganea, Scopoli, Ent. Carn. 1763, 269.
 regelationis Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 973.
 regenerata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 203.
 regensteinensis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 46.
 regina Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 81.—Phalaena.
 regina Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.

- regina Loxia, P. Boddaert, Tab. Planch. Enl. 1783, 24.
 regina Parthenope, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
 regina Parthenope, J. C. Fabricius, Suppl. Ent. Syst. 1798, 353.
 regina [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 142.
 reginae Cenchris, F. C. Meuschen, Mus. Gronov. 1778, 17.
 reginae Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 378.
 reginae Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 30.
 reginalis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 163.
 regia Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
 regia Anas, G. I. Molina, Sag. stor. nat. Chili, 1782, 234.
 regia Antilope, J. C. P. Erxleben, Syst. Anim. 1777, 278.
 regia Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 408.
 regius Blennius, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 186.
 regia Chrysis, J. C. Fabricius, Ent. Syst. II. 1793, 243.
 regius Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 66.
 regius Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 103.
 regius Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 617.
 regius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
 regius Cuculus, G. Shaw, Mus. Lever. I. 1792, 165.
 regius Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 225.
 regia Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 313.
 regia Melolontha, J. C. Fabricius, Mant. I. 1787, 22.
 regia Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
 regia Paradisaea, Linnaeus, Syst. Nat., ed. 10, 1758, 110; ed. 12, 1766, 166.
 regia Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 121.
 regius Pleuronectes, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 79. [Melolontha.
 regius Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—
 regius Spondylus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1136.
 regius Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 445.
 regius Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
 regia Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
 regularis Ammonites, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 42.
 regularis Astropecten, C. F. Schultze, Verst. Seest. 1760, 50.
 regulare Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 227.
 regularis Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
 regularis Loxia, G. Shaw, Mus. Lever. II. 1796, 45.
 regularis Pentagonaster, C. F. Schultze, Verst. Seest. 1760, 50.
 regulator Ichneumon, A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 195.
 regulata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 629.
 regulbiensis Bulla, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 640.
 Regulus Bartram in Barton, N. H. Pennsyl. 1799, 18; G. Cuvier, Leçons Comp. Anat. I.
 regulus Falco, P. S. Pallas, Reise Russ. II. 1773, 707. [1800, tab. 2 [*n. n.*].—A.
 regulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 318.
 regulus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 338.
 regula Ostrea, P. Forskal, Descr. Anim. 1775, 124.
 regulus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 175.
 regulus Parus (L.), J. C. Schaeffer, Mus. Orn. 1789, 40.—Motacilla.
 regula Pinctada, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
 regulus Sylvia (L.), J. A. Scopoli, Annus I. 1769, 161.—Motacilla.
 regulus Trochodectes, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. II (178—), 111.
 rehusak Tetrao, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 204.
 rejectella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
 rejecta Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
 rejecta Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 264.
 relictus Musca, M. Harris, Exp. Eng. Ins. 1776, 120.
 relictus Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 236.
 religiosus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 118.
 religiosus Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]

- religiosa Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 108; ed. 12, 1766, 164.
 religiosa Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 690.—[Gryllus, ed. 10.]
 reluctator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 563; ed. 12, 1767, 933.
 remies Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—Tellina.
 remies Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
 remigata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 46.
 remigro Musca, M. Harris, Exp. Eng. Ins. 1776, 140.
 remipes Regalecus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, III. 1788, 414.
 Remora J. R. Forster, Cat. Anim. N. Amer. 1771, 20; G. Edwards in Catesby, Carol. II.
 remora Echineis, Linnaeus, Syst. Nat., ed. 10, 1758, 260; ed. 12, 1766, 446. [1771, 26.—P.
 remora Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 88.
 remulia [Papilio], P. Cramer, Utitl. Kapellen, III (20) 1779, 76.
 remus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 434.
 remus Papilio, J. C. Fabricius, Gen. Ins. 1777, 250.
 remus Papilio, C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 197.
 remutaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 98 [n. et f.].
 remutata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74.
 remutata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 872.
 ren Kolpoda, O. F. Müller, Verm. I (1) 1773, 57.
 renaldus [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 59.
 renales Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 73.
 renalis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
 renata Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 85.
 renata [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 75.
 renaudalis [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, I. 1787, 42.
 reniformis Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 34.
 reniformis Amphitrite, J. G. Bruguière, Ency. Méth. (Vers)!(1) 1789, 57.
 reniformis Chama, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3301.
 reniformis Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230.
 reniformis Hister, A. G. Olivier, Entom. I. 1789, 10.
 reniformis Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 33.
 reniformis Pennatula, P. S. Pallas, Elench. 1766, 374.
 reniforme Phalangium, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1029.
 reniformis Tarantula (L.), J. C. Fabricius, Ent. Syst. II. 1793, 432.—Phalangium.
 reniformis Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2760.
 renipustulata Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 105.
 renitens Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
 renke Salmo, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, IV. 1783, 427.
 renselariana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 114.
 repandalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 236.
 repandalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
 repandana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 478.
 repantaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 161 [n. et f.].
 repandaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 508.
 repandator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 277. [1787, 214.
 repandata Phalaena, *err. pro repandalis*, Den. & Schiff., J. C. Fabricius, Mant. II.
 repandata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767, 866.
 repanda Bembex, J. C. Fabricius, Mant. I. 1787, 286.
 repanda Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 462.
 repanda Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 707.
 repanda Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 18.
 repandus Crabro, J. C. Fabricius, Mant. I. 1787, 294.
 repandus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 456.
 repandus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 59.
 repandus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
 repanda Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3666.
 repanda Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 162.
 repandus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 35.

- repanda Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 49.
 repanda Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
 repanda Tettigonia (L.), J. C. Fabricius, Spec. Ins. II. 1781, 321.—Cicada.
 repanda Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Crabro.
 repantaria *v.* repandaria.
 repens Musca, M. Harris, Exp. Eng. Ins. 1776, 37.
 repens Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 52.
 repens Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 790.
 repens Tubularia (Linn.), O. F. Müller, Verm. I (2) 1774, 16.—Tubipora.
 replicatum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 52.
 replicata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 973.
 replicatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.
 reppensis Cistela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 65.
 reppensis Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 48.
 reppensis Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 111. [1716.—Coccinella.
 reppensis Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 reptans Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 23.—Sertularia.
 reptans Cellularia (Linn.), P. S. Pallas, Elench. 1766, 73.—Sertularia.
 reptans Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
 reptans Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1315.
 reptans Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3835.
 reptilivorus Secretarius, F. M. Daudin, Traité élém. Orn. 1800, 30.
 reseda Gorgonia, P. S. Pallas, Elench. 1766, 204.
 resedae Lygaeus, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 20.
 resedaeiformis Gorgonia, J. E. Gunnerus, Trondhiemske Selsk. Skrift. II. 1763, 329.
 resedaeiformis Gorgonia (*ex* Gunnerus), H. Ström, Skrifter K. Vid. Selskab, XII. 1779,
 residuus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 53. [301.
 resinana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 69.
 resinana Pyralis *id. ac* resinella Phalaena, L., J. C. Fabricius, Syst. Ent. 1775, 654.
 resinana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 29 [*n et f.*].
 resinella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
 resinellae Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 936.
 resinellae Musca, F. v. P. Schrank, Ins. Aust. 1781, 478.
 resinosus Curculio, Scopoli, Ent. Carn. 1763, 24.
 resinosus Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 67.
 resistrix [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (31) 1781, 161.
 respectabilis Phalaena Noct. (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 90. [*et f.*].
 respersaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 125 [*n*].
 respersaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 221.
 respersa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 314.
 restaurator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 165.
 restaurator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 333.
 restituo Musca, M. Harris, Exp. Eng. Ins. 1776, 36.
 resupinata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 213.
 retepora Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
 retepora Millepora, P. S. Pallas, Elench. 1766, 243.
 retialis Phalaena, Scopoli, Ent. Carn. 1763, 217.
 reticulana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 479.
 reticularis Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
 reticularis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
 reticularis Gymnothorax, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 85.
 reticularis Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
 reticularis Phalaena (Pyr.), Linnaeus, Faun. Suec., ed. 2, 1761, 352.
 reticularis Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 reticularis Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 128.—Murex.
 reticularis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1831.—
 reticulator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 219. [Lamia.
 reticulatus Acarus, J. C. Fabricius, Ent. Syst. IV. 1794, 428.

- reticulata Acheta, J. C. Fabricius, Spec. Ins. I. 1781, 354.
- reticulatum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—Gryllus.
- reticulata Amphisbaena, J. A. Donndorff, Zool. Beyt. III. 1798, 221.
- reticulata Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 391.
- reticulatum Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 70.
- reticulatum Anobium, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 7.
- reticulata Antipathes, E. J. C. Esper, Pflanzenth., Forts. I (7) 1797, 183.
- reticulata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 619; ed. 12, 1767, 1030.
- reticulata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3311.
- reticulatus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 465.
- reticulata Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1099.
- reticulata Blatta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 186.
- reticulatus Bolitophagus (L.), Illiger in Kugelann, Käfer Preuss. 1798, 105.—Silpha.
- reticulatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1204.
- reticulata Buprestis, J. C. Fabricius, Ent. Syst. IV. 1794, 451.
- reticulata Cancellaria (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—Voluta.
- reticulatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 65.
- reticulatus Carabus, J. C. Fabricius, Mant. I. 1787, 197.
- reticulatum Cardium (L.), F. C. Meuschen, Mus. Gev. 1787, 444.—Venus.
- reticulata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 87.
- reticulatus Cerambyx, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 152.
- reticulata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 57.
- reticulata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 707.
- reticulata Cicada, C. P. Thunberg, Nova Acta Acad. Upsal. IV. 1784, 21.
- reticulata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
- reticulata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 44.
- reticulatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 42.
- reticulata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 56.
- reticulatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 82.
- reticulatus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 139.
- reticulatus Conus, F. C. Meuschen, Mus. Gev. 1787, 366.
- reticulata Corallina, P. L. S. Müller, Del. Nat. I. 1766, 128.
- reticulatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1772.
- reticulatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 84.
- reticulatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 202.
- reticulatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 138.
- reticulatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1772.
- reticulata Cypraea, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 15.
- reticulata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
- reticulatus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 334; ed. 12, 1766, 413; *var. of* [atringa].
- reticulata Distorsio, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
- reticulatus Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 200.
- reticulatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 207.
- reticulatus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 666; ed. 12, 1767, 1104.
- reticulata Ephemera, A. F. de Fourcroy, Ent. Paris. 1785, 351.
- reticulata Ephemera, Giorna, Cal. Ent. 1791, 44.
- reticulatus Erotylus, J. C. Fabricius, Mant. I. 1787, 91.
- reticularis Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 574.
- reticulatum Gafrarium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 177.—Venus.
- reticulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
- reticulata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 12. [et f.].
- reticulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 308 [n].
- reticulatus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2060.—Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 362. [Acheta.
- reticulatus Gryllus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 635.—Acheta.
- reticulata Helix, E. Jacob in G. Adams, Ess. Micr. ed. 2, 1798, 636.
- reticulatum Hexodon, A. G. Olivier, Entom. I. 1789, 4.
- reticulatus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 266.

- reticulata* Lampyrus, X. Wulfen, Descr. Cap. Ins. 1786, xx.
reticulata Lampyrus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1885.— [Pyrochroa.
reticulata Leptura, J. C. Fabricius, Ent. Syst. IV. 1794, 453.
reticulatus Limax, O. F. Müller, Verm. II. 1774, 10.
reticulata Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 40.
reticulatus Lycus (Fab.), A. G. Olivier, Entom. II. 1790, 7.—Pyrochroa. [1776, 54.
reticulata Millepora (no. 11), *id. ac* reticulum, L., J. F. Maratti, Plant. Zooph. Med.
reticulata Millepora, Linnaeus, Syst. Nat., ed. 10, 1758, 791; ed. 12, 1767, 1284.
reticulatus Murex, R. Pulteney, Cat. Birds &c. Dorset, 1799, 43.
reticulata Musca, J. C. Fabricius, Spec. Ins. II. 1781, 450.
reticulata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 472.
reticulata Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116 [*n. n.*].
reticulata Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
reticulata Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
reticulata Nerita, D. L. G. Karsten, Mus. Lesk. I. 1789, 296.
reticulata Noctua (*ex* De G.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 165.
reticulata Nucella, J. F. Bolten, Mus. Bolten. (2) 1798, 130.
reticulatum Opatrum (L.), A. G. Olivier, Entom. III. 1795, 9.—Silpha.
reticulatum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 40.
reticulata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 784; ed. 12, 1767, 1261.
reticulata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 5.
reticulata Patella, E. Donovan, Brit. Shells (1800), pl. xxi.
reticulata Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 354.
reticulata Phalaena Noct., C. de Villers, Linn. Ent. II. 1789, 254.
reticulata Phalaena (Tortrix), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 86.
reticulatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 220.
reticulata Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 378.
reticulata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—
reticulata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59. [Sepidium.
reticulata Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 33.—Voluta.
reticulata Pyrochroa, J. C. Fabricius, Syst. Ent. 1775, 203.
reticulatum Sepidium, J. C. Fabricius, Spec. Ins. I. 1781, 315.
reticulata Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 572.
reticulata Silpha, J. C. Fabricius, Mant. I. 1787, 49.
reticulatus Siphunculus, M. Martin, Obs. mar. Verm. 1786, 6.
reticulata Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvi.
reticulatus Strombiformis, E. M. da Costa, Brit. Conch. 1778, 117.
reticulatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
reticulata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3240.
reticulatus Tenebrio, C. de Geer, Mém. Ins. VII. 1778, 651.
reticulata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 927.
reticularis Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99 [*n. n.*].
reticulata Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 681.—Cicada.
reticulata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 512.
reticulatus Turbo, D. Solander in G. Brander, Foss. Hant. 1766, 17.
reticulatus Turbo, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 115.
reticulatus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
reticulata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 687; ed. 12, 1767, 1133.
reticulata Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1190.
reticulata Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 126.
reticulella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
reticulum Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
reticulum Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3407.
reticulum Gorgonia, P. S. Pallas, Elench. 1766, 167.
reticulum Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1284.
retiformis Cassida, J. C. Fabricius, Mant. II. 1787, 380.
retinaculum Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
retinum Spongia, J. F. Maratti, Plant. Zooph. Med. 1776, 15.

- retis *Cylindrus*, F. C. Meuschen, *Mus. Gever.* 1787, 374.
- Retorta G. Walker & W. Boys, *Test. Min. Rar.* [1784], 3.—Rh.
- retorta *Ph[alæna]*, C. Clerck, *Icones*, II. 1764, pl. liv.
- retorta [*Phalæna*] [*? non Clerck*], P. Cramer, *Util. Kapellen*, II (10) 1777, 29.
- retorta *Serpula*, E. Jacob in G. Adams, *Ess. Micr.*, ed. 2, 1798, 634.
- retortaeformis *Strongylus*, J. G. H. Zeder in Goeze, 1 *Nachtr.*, *Eingeweidewürm.* 1800, 75.
- retrograda *Enchelis*, O. F. Müller, *Z. Dan. Prod.* 1776, 280.
- retusana *Tortrix*, C. P. Thunberg, *Ins. Suecica* (1) 1784, 23.
- retusa *Anomia*, *Linnaeus, Syst. Nat.*, ed. 10, 1758, 701; ed. 12, 1767, 1151.
- retusa *Apis*, *Linnaeus, Syst. Nat.*, ed. 10, 1758, 575; ed. 12, 1767, 954.
- retusus *Bostrichus*, A. G. Olivier, *Ency. Méth. V (Ins.)* 1790, 110.
- retusus *Brachycerus* (Fab.), A. G. Olivier, *Ency. Méth. V (Ins.)* 1790, 186.—*Curculio*.
- retusus *Carabus*, J. C. Fabricius, *Syst. Ent.* 1775, 237.
- retusum *Cardium*, *Linnaeus, Syst. Nat.*, ed. 12, 1767, 1121.
- retusa *Cassida*, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 64.
- retusa *Cassida*, Herbst in Jablonsky, *Nat. Ins. (Käfer) VIII.* 1799, 292.
- retusa *Cicada*, J. C. Fabricius, *Mant. II.* 1787, 268.
- retusa *Clio*, *Linnaeus, Syst. Nat.*, ed. 12, 1767, 1094.
- retusa *Crioceris*, J. C. Fabricius, *Ent. Syst. I (2)* 1792, 6.
- retusus *Curculio*, J. C. Fabricius, *Spec. Ins. I.* 1781, 195.
- retusa *Flata*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 518.—*Cicada*, 1787.
- retusus *Geotrupes*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 21.—*Scarabaeus*, 1781.
- retusa *Lema*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 90.—*Crioceris*, 1792.
- retusa *Musca*, J. C. Fabricius, *Syst. Ent.* 1775, 775.
- retusa *Ostrea*, O. F. Müller, *Z. Dan. Prod.* 1776, 247.
- retusa *Phalæna* (Noctua), *Linnaeus, Faun. Suec.*, ed. 2, 1761, 321.
- retusus *Scarabaeus*, J. C. Fabricius, *Spec. Ins. I.* 1781, 14.
- retusus *Scolytus*, A. G. Olivier, *Entom. IV.* 1795, 10.
- retusa *Terebratula* (L.), A. J. Retzius, *Diss. Nova Test. Gen.* 1788, 14.—*Anomia*.
- revayana *Phalæna*, J. A. Scopoli, *Annus V.* 1772, 116.
- revayana *Tortrix*, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 130.
- reversio *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 146.
- reversa *Antilope*, P. S. Pallas, *Misc. Zool.* 1766, 5.
- reversa *Capra*, *Linnaeus, Syst. Nat.*, ed. 10, 1758, 69; ed. 12, 1766, 95.
- reversus *Hircus* (Linn.), P. Boddaert, *Elench.* 1785, 147.—*Capra*.
- revertio *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 140.
- revestita *Leptura*, *Linnaeus, Syst. Nat.*, ed. 12, 1767, 638.
- revidata *Phalæna*, J. C. Fabricius, *Mant. II.* 1787, 215.
- reviso *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 141.
- revo *Sphex*, M. Harris, *Exp. Eng. Ins.* 1776, 95.
- revolo *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 124.
- revoluta *Patella*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3725.
- rex *Musca*, N. Poda, *Ins. Mus. Graec.* 1761, 114.
- rex *Muscicapa*, B. S. Barton, *N. H. Pennsyl.* 1799, 18.
- rex [*Papilio*], C. C. Jung, *Alph. Verz. Schmett. II.* 1792, 166 [errore].
- rex *Paradisaea*, J. A. Scopoli, *Del. Insub. II.* 1786, 88.
- rex *Phalæna*, A. A. H. Lichtenstein, *Cat. rerum Nat. III.* 1796, 173.
- rex *Turdus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 828.
- rex-cyprinorum [*Cyprinus*], M. E. Bloch, *Nat. Fische Deutschl. III.* 1784, 131.
- rex-serpentum *Constrictor*, J. N. Laurenti, *Syn. Rept.* 1768, 107.
- rhaad *Otis*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 725.
- radamanthus *Papilio*, J. C. Fabricius, *Ent. Syst. III (1)* 1793, 42.
- radamanthus *Sphinx*, J. Hübner, *Beitr. Schmett. II.* 1790, 89.
- radamanthus *Sphinx*, J. Hübner, *Europ. Schmett. 2 Horde [me judice 1796]*, 13.
- radamistus *Copris* (Fab.), A. G. Olivier, *Ency. Méth. V (Ins.)* 1790, 160.—*Scarabaeus*.
- radamistus *Scarabaeus*, J. C. Fabricius, *Syst. Ent.* 1775, 22.
- radamistus *Sphinx*, J. C. Fabricius, *Mant. II.* 1787, 93. [Dip.]
- Rhagio J. C. Fabricius, *Syst. Ent.* 1775, 761; J. G. Meigen, *N. Class. Mouches*, 1800, 28.—

- Rhagium** J. C. Fabricius, Syst. Ent. 1775, 182.—Col.
rhamnata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
rhamnata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 271 [*u.*].
rhamni Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78. [*et f.*].
rhamni Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 765.
rhamnus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.
rhanis [Phalaena], P. Cramer, Uitl. Kapellen, II (10) 1777, 34.
rhanisaria [Phalaena], C. Stoll, Aanhang, Cramer's Uitl. Kapellen, V. 1790, 152.
Rhea Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 4 & 43.—A.
Rhea M. J. Brisson, Ornith. V. 1760, 8.—A.
Rhea J. Latham, Index Orn. 1790, 665.—A.
Rhea B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 20.—A.
rhea Papilio (Danaus), N. Poda, Ins. Mus. Graec. 1761, 66.
rhea [Papilio], P. Cramer, Uitl. Kapellen, I (5) 1775, 85.
rhea Papilio, J. C. Fabricius, Syst. Ent. 1775, 467.
rhea Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 425.
rhea Struthio, Linnaeus, Syst. Nat., ed. 12, 1766, 266.
rhebus [Sphinx], P. Cramer, Uitl. Kapellen, III (20) 1779, 72.
Rheda [G. Humphreys], Mus. Calonn. 1797, 41.—G.
rhedi *v.* redi[f].
rhediella *v.* rediella.
rhei Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 78.
rhenana Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.
rhenana Tortrix, C. P. Thunberg, Ins. Suecica (2) 1791, 43.
rhesus Simia, J. B. Audebert, Hist. Nat. Singes, 1799, sig. I.
rhetenor [Papilio], P. Cramer, Uitl. Kapellen, I (2) 1775, 22.
rhetus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 334.
rhetus [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 98.
rhetus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 133.
rhexia Papilio, J. C. Fabricius, Syst. Ent. 1775, 476.
rhexiae Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 199.
Rhina (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 580.—P.
rhinantoides Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 169.
rhinaris Taenia, F. A. A. Meyer, Nat. Hausthier. 1792, 261.
Rhinchops *id.* *ac* Rhynchops, Cuvier, Tabl. élém. 1798, 270.—A.
rhingaeformis Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 89.
Rhingia Scopoli, Ent. Carn. 1763, 358.—Dip.
rhingiaeformis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 22.
Rhinobatos H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 32.—P.
Rhinobatus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 581.—P.
rhinobatos Raja, Linnaeus, Syst. Nat., ed. 10, 1758, 232; ed. 12, 1766, 397.
Rhinoceros Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.—M.
Rhinoceros F. C. Meuschen, Mus. Gever. 1787, 262.—G.
rhinoceros Buceros, Linnaeus, Syst. Nat., ed. 10, 1758, 104; ed. 12, 1766, 153.
rhinoceros Cymatium, J. F. Bolten, Mus. Bolten. (2) 1798, 129.
rhinoceros Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 17.—Scarabaeus.
rhinoceros Lucanus, A. G. Olivier, Entom. I. 1789, 21.
rhinoceros Notoxus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 66.
rhinoceros Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 544.
rhinoceros Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
rhinocerotis Acarus, C. de Geer, Mém. Ins. VII. 1778, 160.
Rhinocyllus. [Said to occur in Gerbi, Stor. Nat. Insetti, ed. 2, 1795, by Carus and Engelmann, Bibl. Zool. 1861, p. 782, but this is an error: the word is used by Germar, 1817.]—Col.
"Rhinolophus, Cuv. 1797," Ag.; does not occur.
Rhinolophus B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.—M.
Rhinolophus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*u. u.*].—M.
Rhinomacer E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 269.—Col.
Rhinomacer J. C. Fabricius, Spec. Ins. I. 1781, 199.—Col.

- rhinomacer** Anthribus, G. Paykull, Faun. Suec. III. 1800, 166.—Curculio, 1792.
rhinomacer Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I, 1791, 115.
rhinomacer Curculio, G. Paykull, Mon. Curc. 1792, 126.
rhipheus Papilio, D. Drury, Ill. Nat. Hist. II. 1773, index & 40.
rhipheus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 193.
 [Rhipiphorus v. Ripiphorus.]
[rhizo-]—
rizolitha Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 75.
rhizolitha Phalaena Noctua (D. & S.), E. J. C. Esper, Die Schmett. IV (44) 1791, 317.—
Ryzophagus Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 18.—Col. [Noctua.
rhyssostomus (*sic*) Staphylinus, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 119.
rhodia Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3644.
rhodia Pomatia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 74.—Helix.
rhododactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 146.
rhododactylus Pterophorus (D. & S.), J. C. Fabricius, Mant. II. 1787, 258.—Alucita.
Rhodogyne J. G. Meigen, N. Class. Mouches, 1800, 39.—Dip.
rhodope Papilio, J. C. Fabricius, Syst. Ent. 1775, 473.
rhodope [Phalaena], P. Cramer, Uitl. Kapellen, I (3) 1775, 49.
rhodope Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 30.
rhoi Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 21.
rhois Chrysomela, *id. ac rhoi*, Forst., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
rhombana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
Rhombea S. Felton, Phil. Trans. LIV. 1764, 55.—Orth.
rhombeatus Acarus, G. Shaw, Nat. Misc. IX. 1798, pl. 335.
rhombeatus Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 82.—Coluber.
rhombeatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 220; ed. 12, 1766, 380.
rhombella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
rhombella Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 523.
rhombeo-maculata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 53.
rhombea Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 696.—Cimex.
rhombea Arca, I. v. Born, Index Mus. Caes. Vind. 1778, 76.
rhombea Arca, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 146.
rhombea Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.—**rhomboidea**, Gm.
rhombeus Centrogaster (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1338.—
rhombea Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 704. [Scomber.
rhombeus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 718.
rhombea Coreus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 132.—Cimex.
rhombeus Elater, A. G. Olivier, Entom. II. 1790, 22.
rhombeus Falco, J. Latham, Index Orn. 1790, 35.
rhombea Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 675.—Cicada.
rhombea Ocyptode, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
rhombea Ocyptode, J. C. Fabricius, Suppl. Ent. Syst. 1798, 348.
rhombeus Salmo, Linnaeus, Syst. Nat., ed. 12, 1766, 514.
rhombeus Scomber, P. Forskal, Descr. Anim. 1775, 58.
rhombeus Scomber, G. S. Volta, Itt. Veron. (2) [circa 1800], lxxxiv.
rhombi Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
rhombica Cicada, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 98.
rhombica Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 909.
rhombica SpheX, J. L. Christ, Nat. Ins. 1791, 269.
rhombifer Callidium, A. G. Olivier, Entom. IV. 1795, 46.
rhombiferum Pyrene, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
Rhomboida P. Browne, Hist. Jamaica, ed. 2, 1789, 455.—P.
rhomboidalis Aranea, F. H. W. Martini & J. A. E. Goetze in Lister, Spinnen, 1778, 231.
rhomboidalis Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293.
rhomboidaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101. [*et f.*]
rhomboidaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 154 [*n.*]
rhomboidella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 891.
rhomboidella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.

- rhomboides Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 rhomboides Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1042.
 rhomboides Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 100.
 rhomboides Hypogaeoderma, J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—= Donax of
 rhomboides Sparus, Linnaeus, Syst. Nat., ed. 12, 1766, 470. [p. 82.
 rhomboides Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
 rhomboidea Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3313.
 rhomboideus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
 rhomboidea Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 168.
 rhomboidea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1797-1799], 485.
 Rhombotides (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 582.—P.
 Rhombus [G. Humphreys], Mus. Calonn. 1797, 33.—G.
 Rhombus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 582.—P.
 Rhombus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 321.—P.
 rhombus Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
 rhombus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 271; ed. 12, 1766, 458.
 rhombus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 102.
 Rhynchaenus J. R. Schellenberg, Helvet. Entom. I. 1798, 70.—Col.
 Rynchites Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 133.—Col.
 rynchoceros Curculio, P. S. Pallas, Icon. Ins. 1781, 23.
 Rynchophorus Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 3.—Col.
 Rynchops Linnaeus, Syst. Nat., ed. 10, 1758, 138; ed. 12, 1766, 228.—A.
 Rynchops Linnaeus, Syst. Nat. (ed. Langius), I. 1760, 138.—A.
 Rhyncops *id. ac* Rynchops, J. A. Scopoli, Introd. Hist. Nat. 1777, 473.—A.
 rynchops Hydrus, J. G. Schneider, Hist. Amph. I. 1799, 246.
 [Rynchopsalia (1846) *v.* Rygchopsalia.]
 Rhynchopterus F. v. P. Schrank, F. Boica, I. 1798, 511.—Col.
 Rhyndace Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 1 & 20.—A.
 rhyssostomus *v.* rhizostomus.
 Rhytelminthus J. G. H. Zeder in Goeze, 1 Nachtr., Eingeweidewürm. 1800, 211.—Ver.
 ribearia Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 326.
 ribesii Curculio, N. J. Brahm, Ins. Kal. I (1) 1790, 98.
 ribesii Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 987.
 ribesii Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 770.—Musca.
 ribesii Tenthredo, Scopoli, Ent. Carn. 1763, 280.
 ribis Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
 ribis Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 104.
 ribis Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 58.
 ribis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 332.
 ricini Bombyx, J. C. Fabricius, Syst. Ent. 1775, 583.
 ricini Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 756.
 ricini Phalaena, J. G. Schaller, Naturforscher, XXIII. 1788, 51.
 ricinoides Acarus, *id. ac* ricinus, L., C. de Geer, Mém. Ins. VII. 1778, 98.
 ricinoides Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
 Ricinus C. de Geer, Mém. Ins. VII. 1778, 69.—Ar.
 ricinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1023.
 ricinus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750; ed. 12, 1767, 1219.
 ricinus Muriciformis (L.), F. C. Meuschen, Mus. Gever. 1787, 320.—Murex.
 "Rictularia, Froelich, 1795," Ag.; is 1802.
 ridens Noctua, J. C. Fabricius, Mant. II. 1787, 180.
 ridens Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 ridibunda Bufo (Pall.), J. P. Bonnatere, Ency. Méth. (Erp.) 1789, 15.—Rana.
 ridibundus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 414.
 ridibundus Larus, Linnaeus, Syst. Nat., ed. 12, 1766, 225.
 ridibunda Rana, P. S. Pallas, Reise Russ. I. 1771, 458.
 riga Larus, *err. pro* rissa, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 594.
 rigata Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
 rigidum Buccinum, D. Solander in G. Brander, Foss. Hant. 1766, 23.

- rigida* Sertularia, P. Forskal, Descr. Anim. 1775, 130.
rigida Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 247.
rigida Tellina, Pulteney, Cat. Birds &c. Dorset, 1799, 30.
rim Scomber, P. Forskal, Descr. Anim. 1775, 54.
rimicola Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 57.
rimosus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 18.
rimula Cardium, F. C. Meuschen, Mus. Gever. 1787, 440.
rinaldus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 108.
ringens Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 258.—Helix.
ringens Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 329; ed. 12, 1766, 407.
ringens Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 225.
ringens Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3254.
ringens Corallina, P. S. Pallas, Elench. 1766, 429.
ringens Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 769; ed. 12, 1767, 1243.
ringens Lampadion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 78.—Helix.
ringens Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268.
ringens Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 788.—[Sabella, ed. 12.]
ringens Vorticella, O. F. Müller, Verm. I (1) 1773, 116.
ringvia Uria, M. T. Brünnich, Orn. Boreal. 1764, 28.
Rinotectus A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 23.—Ver.
Riparia F. C. Meuschen, Mus. Gever. 1787, 468.—L.
riparia Andrena (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.—Apis.
riparia Apis, Scopoli, Ent. Carn. 1763, 301.
riparia Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 620; ed. 12, 1767, 1031.
riparius Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 50.
riparius Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
riparius Carabus, G. Paykull, Mon. Carab. 1790, 91.
riparia Chrysomela (Scop.), J. C. Fuessly, Schweiz. Ins. 1775, 8.—Coccinella.
riparia Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 658.
riparius Cimex, Scopoli, Ent. Carn. 1763, 135.
riparia Coccinella, Scopoli, Ent. Carn. 1763, 72.
riparius Elaphrus (L.), J. C. Fabricius, Syst. Ent. 1775, 227.—Cicindela.
riparius Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 232.
riparia Forficula, P. S. Pallas, Reise Russ. II. 1773, 727.
riparia Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 344.
riparia Hydraena, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 579.
riparia Nomada, J. A. Scopoli, Annus IV. 1770, 45.—Apis, 1763.
riparius Paederus (L.), J. C. Fabricius, Syst. Ent. 1775, 268.—Staphylinus.
riparius Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
riparia Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
riphea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 220.
Ripiphorus Bosc, La Médecine éclairée (Fourcroy's), I. 1791, 327.—Col.
Ripiphorus L. Bosc, J. Nat. Hist. (Choix des Mém.) II. 1792, 293.—Col.
risoria Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 165; ed. 12, 1766, 285.
rissa Larus, E. Pontoppidan, Danske Atlas, I. 1763, 622.
rissa Larus, M. T. Brünnich, Orn. Boreal. 1764, 42.
ritteri Aranea, Scopoli, Ent. Carn. 1763, 402.
rivagana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Phalaena.
rivagana Tortrix (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 527.—Phalaena.
rivalis Lumbricus, O. Fabricius, F. Groen. 1780, 278.
rivalis Salmo, O. Fabricius, F. Groen. 1780, 176.
rivalis Tellina, O. F. Müller, Verm. II. 1774, 202.
rivalis Tellina, W. G. Maton, Tr. Linn. Soc. [Lond.] III. 1797, 44.
rivellana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 413.—Pyralis.
rivellana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 654.
rivosa Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 22.
rivosa Phalaena (Noctua), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 77.
rivosa Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 971.

- rivulana Phalaena, Scopoli, Ent. Carn. 1763, 237.
 rivularis Coccinella, J. C. Fabricius, Mant. I. 1787, 54.
 rivularis Cyprinus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1420.—Salmo.
 rivularis Noctua, J. C. Fabricius, Syst. Ent. 1775, 613.
 rivularis Papilio, Scopoli, Ent. Carn. 1763, 165.
 rivularis Salmo, P. S. Pallas, Reise Russ. II. 1773, 717.
 rivularis Staphylinus, G. Paykull, Mon. Staph. 1789, 65.
 rivularis Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 59.
 rivulata Aranea, P. Forskal, Descr. Anim. 1775, 86.
 rivulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
 rivulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 259 [*n. et*
 rivulata Phalaena, J. A. Scopoli, Ent. Carn. 1763, 229. [*f.*]
 rivulata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 289.
 rivulata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 rivulata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 458.
 rivulatus Scarus, P. Forskal, Descr. Anim. 1775, 25.
 rivulorum Cimex, J. C. Fabricius, Syst. Ent. 1775, 728.
 rivulosa Bombyx (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
 rivulosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
 rivulosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 545.
 rivulosus Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 26.
 rizolitha *v. rhiz-*.
 robertella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—Phalaena.
 robertella [Phalaena], C. Clerck, Icones, I. 1759, pl. xi, 10.
 robertella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 360.
 roberti Aranea, Scopoli, Ent. Carn. 1763, 400.
 robet Arca, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 107.
 robiniae Bruchus, J. C. Fabricius, Spec. Ins. I. 1781, 75.
 robiniae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 288.
 robiniae Leptura, J. R. Forster, N. Sp. Ins. 1771, 43.
 roborana Pyralis, J. C. Fabricius, Mant. II. 1787, 231.
 roborana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
 roboraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
 roboraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 169 [*n. et f.*].
 roborator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 170.
 roborella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
 roboris Anthribus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 161.
 roboris Anthribus (Fab.), G. Paykull, Faun. Suec. III. 1800, 165.—Curculio.
 roboris Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
 roboris Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 229.
 roboris Curculio, J. C. Fabricius, Mant. I. 1787, 100.
 roboris Noctua, J. C. Fabricius, Gen. Ins. 1777, 283.
 roboris Phalaena Noctua, P. Osbeck, Götheborg. Samhalle Hand. (Wet. Afd.) I. 1778, 51.
 robustus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 344.
 rodocephalus Psittacus, G. Shaw, Mus. Lever. I. 1792, 183.
 rodophthalmus Ichneumon, P. Rossi, Mant. Ins. I. 1792, 125.
 rodrigi Ichneumon, Bory de St V., Journ. Santé Bordeaux, III. 1798, 75.
 roeseli Aranea, Scopoli, Ent. Carn. 1763, 395.
 roeseli Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
 roeseli Dytiscus, J. C. Fuessly, Schweitz. Ins. 1775, 18.
 roeseli Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 188.
 roesella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 898.
 roesella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
 röselin Curculio, C. F. C. Kleemann in Rösel, Nat. Hist. Insect. IV. (2) Naamregister, XXIV
 rogaa Perca, P. Forskal, Descr. Anim. 1775, 38. [1768].—[Sp. of doubtful value.]
 rogad Cottus, P. Forskal, Descr. Anim. 1775, 25.
 rohiana Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 477.
 rohria Papilio, J. C. Fabricius, Mant. II. 1787, 45.

- rohrii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
- rohrii Curculio, J. C. Fabricius, Syst. Ent. 1775, 151.
- rolandri Aranea, Scopoli, Ent. Carn. 1763, 397.
- rolandri Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
- rolandri Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 164.—Cimex.
- rolandriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 878.
- rolandriana Pyralis (L.), J. C. Fabricius, Mant. II. 1787, 232.—Phalaena.
- Rollulus Bonnaterre, Ency. Méth. (Orn.) I. 1790, xciii.—A.
- roloway Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 42.—Simia.
- roloway Simia, J. C. D. Schreber, Säugth. I. 109 (1774), pl. xxv (1774).
- roloway Simia (Cercop.) Schr., R. Kerr, Anim. Kingd. 1792, 72.
- romanana Pyralis, J. C. Fabricius, Mant. II. 1787, 234.
- romanana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 529.
- romanus Coluber, G. A. Suckow, Naturges. III. 1798, 198.
- romulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 316.
- romulus [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 67.
- rondelaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 623.
- rone Labrus, P. Ascanius, Icon. II. 1772, 6.
- roquet Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
- roralis Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 173.
- roralis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
- roraria Phalaena, J. C. Fabricius, Gen. Ins. 1777, 285.
- roratus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
- rorella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 886.
- rorella Tinea (L.), D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.—Phalaena.
- roreus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 427.
- roridus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1838.
- roridus Curculio, P. S. Pallas, Icon. Ins. 1781, 28.
- roridus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 72.
- roridus Scarabaeus, Giorna, Cal. Ent. 1791, 108.
- rosa Bombyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 78.
- rosa Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 53.
- rosa Sertularia *err. pro rosacea*, L., J. F. Maratti, Plant. Zooph. Med. 1776, 25.
- rosaceus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
- rosacea Buprestis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.—Mor-
rosaceus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis. [della.
- rosacea Corallina (L.), J. F. Maratti, Plant. Zooph. Med. 1776, 23.—Sertularia.
- rosaceus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 209.
- rosaceus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1104.
- rosaceus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
- rosacea Helix, O. F. Müller, Verm. II. 1774, 76.
- rosacea Madrepora, E. J. C. Esper, Pflanzenth., I (3) 1789, 115.
- rosacea Mordella, Scopoli, Ent. Carn. 1763, 61.
- rosacea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 319.
- rosacea Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 275.
- rosacea Phosphora, P. Forskal, Descr. Anim. 1775, 120.
- rosaceus Psittacus, J. Latham, Index Orn. 1790, 108.
- rosacea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1306.
- rosacea Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
- rosae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 734.
- rosae Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.
- rosae Curculio, C. de Geer, Mém. Ins. V. 1775, 219.
- rosae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 428.
- rosae Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 553; ed. 12, 1767, 917.
- rosae Dermestés, Scopoli, Ent. Carn. 1763, 15.
- rosae Diplolepis (L.), A. F. de Fourcroy, Ent. Paris. 1785, 391.—Cynips.
- rosae Leptura, N. J. Brahm, Ins. Kal. I (2) 1791, 139.
- rosae Musca, C. de Geer, Mém. Ins. VI. 1776, 108.

- rosae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 356.
 rosae Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 925.
 rosaica Physophora, *err. pro rosacea*, Forsk., A. Modeer, K. Vet. Ac. Nya Handl. X. 1789,
 rosalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 241. [283.]
 rosalia Callithrix (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 60.—Simia.
 rosalia Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
 rosalia [Papilio], P. Cramer, Uitl. Kapellen, III (2) 1779, 89.
 rosalia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 152.
 rosalius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
 rosalia Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 41.
 rosalius Simia (Sagoinus) L., R. Kerr, Anim. Kingd. 1792, 82.
 rosana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 876.
 rosana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 647.
 rosarium Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 111.
 rosaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 rosarium Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
 rosarium Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 167.
 rosarum Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2877.—Syrphus.
 rosarum Syrphus, J. C. Fabricius, Mant. II. 1787, 341.
 rosatus Cimex, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 213.
 rosata Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197.
 rosata Phalaena, *id. ac rosalia*, Cr., J. C. Fabricius, Ent. Syst. III (2) 1794, 175.
 roscida Bombyx (D. & S.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 349.—Noctua.
 roscida Helix, Studer in Coxé, Trav. Switz. III. 1789, 387 [*n. n.*].
 roscida Lithosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 462.—Tinea roscidella, 1794.
 roscida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 68.
 roscida Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. Eur. Schmett. III. 1790, 257.
 roscida Tinea (D. & S.), J. C. Fabricius, Mant. II. 1787, 241. [Noctua.]
 roscidella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 16 [*n. et f.*].
 roscidella Tinea, *id. ac roscida*, Fabr.; J. C. Fabricius, Ent. Syst. III (2) 1794, 291.
 roscipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
 roseidana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 103 [*n. et f.*].
 roseidaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 128 [*n. et f.*].
 rosella Phalaena, Scopoli, Ent. Carn. 1763, 245.
 rosella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 327.
 rosenmulleri Lamia, J. Cederhielm, F. Ingric. 1798, 89.
 roseomaculatus Cimex, C. de Geer, Mém. Ins. III. 1773, 293.
 roseum Acrydium, C. de Geer, Mém. Ins. III. 1773, 488.
 rosea Amphisbaena, G. Shaw, Nat. Misc. III. 1791, pl. 86.
 rosea Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
 [roseus Araneus, C. Clerck, Aran. Svec. 1757, 137.]
 roseus Araneus, T. Martyn, Aranei, 1793, 65.
 rosea Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
 rosea Bombyx, J. C. Fabricius, Syst. Ent. 1775, 587.
 roseum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3245.
 rosea Chrysis, P. Rossi, Mant. Ins. I. 1792, 132.
 roseus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 105.
 roseus Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
 rosea Coccinella, C. de Geer, Mém. Ins. V. 1775, 378.
 rosea Columba, G. Shaw in Miller, Cim. Phys. 1796, 105.
 rosea Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
 rosea Emberiza, H. Lichtenstein, Cat. rerum Nat. I. 1793, 44.
 rosea Fasciola, O. F. Müller, Verm. I (2) 1774, 58.
 rosea Fringilla, P. S. Pallas, Reise Russ. III. 1776, 699.
 roseus Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.—Acrydium.
 roseus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 91.
 rosea Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
 roseus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 542.—Cimex, 1777.

- rosea Madrepora, P. S. Pallas, Elench. 1766, 312.
 rosea Madrepora, *id. ac* rosacea, E. J. C. Esper, Pflanzenth., I (3) 1789, pl. xv.
 rosea Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 16.
 roseus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
 roseus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158 [*n. n.*].
 rosea Nereis, O. Fabricius, F. Groen. 1780, 301.
 rosea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
 rosea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
 rosea Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
 roseus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13; I. 1788, 570.
 rosea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 265.
 rosea Phalaena, E. Donovan, Brit. Ins. II. 1793, 9.
 rosea Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 50.
 rosea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 656.
 rosea Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 190.—Mantis, 1793.
 rosea Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
 rosea Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
 roseus Pleuronectes, C. Shaw, Nat. Misc. VII. 1796, pl. 238.
 roseus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
 rosea Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99 [*n. n.*].
 roseus Sturnus, J. A. Scopoli, Annus I. 1769, 130.
 rosea Tellina, F. C. Meuschen, Mus. Gever. 1787, 460.
 rosea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
 rosea Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 157.
 rosea Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
 roseus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
 roseus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 294.
 rosida Noctua, *id. ac* rosida, (D. & S.), E. J. C. Esper, Die Schmett. IV (35) 1787, 106.
 rosimon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 288.
 rosimon Papilio, J. C. Fabricius, Syst. Ent. 1775, 523.
 rosina [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 75.
 "rosmari Zoolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
 rosmarini Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2652.
 Rosmarus M. T. Brünnich, Fund. Zool. 1772, 38.—M.
 Rosmarus G. C. C. Storr, Prod. 1780, 41 & tab. c.—M.
 Rosmarus P. Boddaert, Elench. 1785, 169.—M.
 Rosmarus E. Geoffroy and Cuvier, Mag. encyclop. II (6) 1795, 189.—M.
 rosmarus Phoca, Linnaeus, Syst. Nat., ed. 10, 1758, 38.—[Trichechus, ed. 12.]
 rosmarus Trichechus, Linnaeus, Syst. Nat., ed. 12, 1766, 49.—[Phoca, ed. 10.]
 rossiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 259.
 rossia Mantis, P. Rossi, Fauna Etrus. I. 1790, 259.
 rossia Phasma (Rossi), J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis.
 rossii Scarabaeus, Giorna, Cal. Ent. 1791, 107.
 Rostellaria Lamarck, Mém. Soc. H. N. Paris, 1799, 72.—G.
 rostellata Bursaria, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (1) 1793, 90.
 rostellata Taenia, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 62.
 rostellium Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 108.
 rostralis Anguis, C. E. Weigel, Schrift. Berlin. Ges. Nat. Freunde, III. 1782, 190.
 rostralis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 881.
 rostratus Anguis, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 68.
 rostrata Aphrodita, P. S. Pallas, Misc. Zool. 1766, 106.
 rostrata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 957.
 rostrata Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
 rostrata Arca, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1789, 98 [*n. n.*].
 rostrata Arca (*ex* Mart.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 110.
 rostrata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
 rostratus Attelabus (De G.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 283.—Curculio.
 rostrata Balaena, O. F. Müller, Z. Dan. Prod. 1776, 7.

- rostrata Bembe (L.), J. C. Fabricius, Spec. Ins. I. 1781, 458.—Apis.
 rostrata Bembe, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 10.
 rostrata Bembe (L.), J. C. Fabricius, Syst. Ent. 1775, 362.—Apis.
 rostratus Bombylius (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 330.—Tabanus.
 rostratus Brachycerus, J. C. Fabricius, Ent. Syst. I (2) 1792, 381.—Curculio, 1781.
 rostratus Buceros, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
 rostratus Cancer, J. C. Fabricius, Mant. I. 1787, 325.
 rostrata Cantharis, Linnaeus, Mus. Lud. Ulr. 1764, 79.
 rostratus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 226.
 rostratus Carabus (L.), J. C. Fabricius, Syst. Ent. 1775, 240.—Tenebrio.
 rostratus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1814.—
 rostrata Chaena, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 23. [Prionus.
 rostratus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 273; ed. 12, 1766, 462.
 rostratus Cimex, C. de Geer, Mém. Ins. III. 1773, 271.
 rostratus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 363.
 rostratus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 59.
 rostratus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 201.
 rostrata Conops, Linnaeus, Syst. Nat., ed. 10, 1758, 604; ed. 12, 1767, 1004. [Rhingia.
 rostrata Conops (Scop.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.—
 rostratus Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 466.—Phalaena rostralis.
 rostratus Curculio, C. de Geer, Mém. Ins. V. 1775, 252.
 rostratus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 194.
 rostratus Cychrus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 440.—Tenebrio.
 rostratus Cychrus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 70.
 rostratum Cyclidium, O. F. Müller, Verm. I (1) 1773, 53.
 rostrata Fasciola, O. F. Müller, Verm. I (2) 1774, 65.
 rostrata Formica, J. C. Fabricius, Mant. I. 1787, 310.
 rostratus Gymnotus, Linnaeus, Syst. Nat., ed. 12, 1766, 428.
 rostrata Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 127.
 rostrata Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 646.—[Cantharis, ed. 10.]
 rostrata Leptura, J. C. Fabricius, Mant. I. 1787, 159.
 rostratus Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 7.
 rostrata Lycus, J. C. Fabricius, Mant. I. 1787, 163.—Pyrochroa, 1775.
 rostratus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 150.—Cimex, 1781.
 rostratus Monoculus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 310.
 rostratus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 21.
 rostratus Murex, G. Olivi, Zool. Adriat. 1792, 153.
 rostrata Musca, J. C. Fabricius, Syst. Ent. 1775, 783.
 rostrata Musca (L.), C. de Geer, Mém. Ins. VI. 1776, 130.—Conops.
 rostrata Musca, J. D. Preyssel in Mayer, Samm. Phys. Aufsätze, I. 1791, 113.
 rostrata Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 42.
 rostrata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.
 rostratus Pediculus, Scopoli, Ent. Carn. 1763, 385.
 rostratum Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 114.
 rostrata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
 rostratus Prionus, J. C. Fabricius, Mant. I. 1787, 128.
 rostrata Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 203.—Lampyris.
 rostrata Raja, G. Shaw, Nat. Misc. V. 1794, pl. 173.
 rostrata Rhingia, Scopoli, Ent. Carn. 1763, 358.
 rostrata Simia, J. F. Blumenbach, Abb. nat. Gegen. no. 13, 1797.
 rostratus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 99.
 rostratus Sorex, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 540.
 rostratus Sphagebranchus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 88.
 rostrata Stomoxys (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2892.—Conops.
 rostratus Tabanus, Linnaeus, Mus. Lud. Ulr. 1764, 44.
 rostrata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1118.
 rostrata Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
 rostratus Tenebrio, Linnaeus, Faun. Suec., 1761, 226.

- rostrata Terebella (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3113.—
 rostrata Testudo, C. P. Thunberg, K. Vet. Ac. Nya Handl. VIII. 1787, 179. [Aphrodita.
 rostratus Tetrodon, M. E. Bloch, Nat. ausl. Fische, II. 1786, 8.
 rostratus Todus, J. Latham, Index Orn. 1790, 268.
 rostrata Trichoda, O. F. Müller, An. Infus. 1786, 227.
 rostratus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3580.
 rostrata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
 rostrata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
 rostrata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2768.—Bembex.
 rostrata Zonitis, J. C. Fabricius, Ent. Syst. I (2) 1792, 50.
 rostrella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [n. et f.].
 rostrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 47.
 "rostri Ornitholithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 388.
 rostrum Ardea, C. P. Thunberg, Resa Europa, etc., III. 1793, 161; var. alboflavescens.
 rostrum Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 32.
 rostrum Kolpoda, O. F. Müller, Verm. I (1) 1773, 57.
 rostrum Mytilus, G. Shaw, Nat. Misc. IX. 1797, pl. 315.
 rostrum Uranoscopus, G. S. Volta, Itt. Veron. (1) 1796, xxii.
 rota Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
 rota Patella, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 635.
 Rotaria J. A. Scopoli, Intr. Hist. Nat. 1777, 375.—Rot.
 rotaria Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 453.
 rotator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1833.—Lamia.
 rotator Lamia, J. C. Fabricius, Syst. Ent. 1775, 175.
 rotatorius Brachionus, P. S. Pallas, Elench. 1766, 94.
 rotatoria Vorticella, O. F. Müller, Verm. I (1) 1773, 106.
 rotifer G. Cuvier, Tabl. Élément. 1798, 658.—Rot.
 rottleri Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 88.
 Rotula F. C. Meuschen, Mus. Gev. 1787, 490.—Ech.
 rotularis Asteroites, J. E. I. Walch, Naturforscher, V. 1775, 47.
 rotularis Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 129.—Asteroites.
 rotulosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 166.
 rotundata Apis, J. C. Fabricius, Mant. I. 1787, 303.
 rotundatus Cancer, G. Olivi, Zool. Adriat. 1792, 47.
 rotundata Cantharis, C. de Villers, Linn. Ent. I. 1789, 297.
 rotundatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.].
 rotundatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
 rotundatus Carabus, G. Paykull, Mon. Carab. 1790, 41.
 rotundata Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 64.
 rotundatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
 rotundatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 473.
 rotundata Helix, O. F. Müller, Verm. II. 1774, 29.
 rotundatus Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 304.
 rotundata Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3257.
 rotundata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 991.
 rotundata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3701.
 rotundata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.
 rotundatus Solen, L. Spengler, Skr. nat. Selsk. [Copen.], III (2) 1794, 86.
 rotundata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 160.
 rotundata Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1135.
 rotundo-stellata Madrepora, F. C. Meuschen, Mus. Gev. 1787, 508.
 rotundus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 466.
 rotunda Mola, G. Cuvier, Tabl. Élém. 1798, 324.
 rotundum Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 115.
 rouloul Phasianus, J. A. Scopoli, Del. Insub. II. 1786, 93.
 rousserolle Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 146.
 roxana [Papilio], P. Cramer, Utit. Kapellen, I (4) 1775, 71.
 roxelana [Papilio], P. Cramer, Utit. Kapellen, II (14) 1777, 101.

- R. P. Podae (*sic*) Aranea, Scopoli, Ent. Carn. 1763, 403.
 rubea *v.* rubeus.
 Rubecula *v.* Rubicola.
 rubecula Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 306.—Murex.
 rubecula Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 rubecula Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 36.—Motacilla.
 rubecula Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 337.
 rubecula Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
 rubecula Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1799], 526.
 rubecula Sylvia (L.), J. A. Scopoli, Annus I. 1769, 156.—Motacilla.
 rubecula Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 127.—Murex.
 rubeculae Pediculus, F. v. P. Schrank, Beitr. Nat. 1776, 115.
 rubellata Phalaena (Geom.), C. de Villers, Liun. Ent. II. 1789, 385.
 rubellio Cyprinus, N. G. Leske, Ichth. Lips. 1774, 53.
 rubellio Labrus, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 264.
 rubellus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
 rubellus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
 rubellus Falco, G. A. Suckow, Naturges. II [1] 1800, 190.
 rubellus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
 rubella Nerita, O. F. Müller, Verm. II. 1774, 195.
 rubella Patella, O. Fabricius, F. Groen. 1780, 386.
 rubella Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
 rubellus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 161.
 rubellus Staphylinus, C. de Villers, Linn. Ent. I. 1789, 425.
 rubella Tetratoma, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 554.
 rubens Acarus, F. v. P. Schrank, Ins. Aust. 1781, 520.
 rubens Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 519.
 rubens Asterias, Linnaeus, Syst. Nat., ed. 10, 1758, 661; ed. 12, 1767, 1099.
 rubens Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 140.
 rubens Cepola, Linnaeus, Mus. Adolph. Frid. II. 1764, 63.
 rubens Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
 rubens Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 107.
 rubens Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1304.
 rubens Cyclops, O. F. Müller, Entom. 1785, 104.
 rubens Denticollis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 86.
 rubens Elater (P. & M.), G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 10.—Denticollis.
 rubens Falco, F. M. Daudin, Traité élém. Orn. 1800, 95.
 rubens Lampyrus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 301.
 rubens Leptura (Scop.), M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.—Drionus ruber.
 rubens Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2997.—Cyclops.
 rubens Pyrochroa (Schall.), J. C. Fabricius, Ent. Syst. I (2) 1792, 105.—Lampyrus.
 rubens Spongia, P. S. Pallas, Elench. 1766, 389.
 rubeola Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 rubrum Acrydium (Vill.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 235.—Gryllus.
 rubra Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 13.
 rubra Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 794.
 rubra Alcedo, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 93.
 rubra Alcedo, P. Boddaert, Tabl. Planch. Enl. 1783, 48.
 rubrum Alcyonium, Linnaeus, Faun. Suec., ed. 2, 1761, 538.
 rubra Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 132.
 rubra Anomia, P. S. Pallas, Misc. Zool. 1766, 182.
 ruber Anthribus, C. de Geer, Mém. Ins. V. 1775, 283.
 rubra Ascaris, O. F. Müller, Verm. I (2) 1774, 36.
 ruber Bostrichus, A. F. de Fourcroy, Ent. Paris. 1785, 133.
 rubra Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
 rubra Buprestis, J. A. Scopoli, Annus V. 1772, 105.
 ruber Cerambyx, A. F. de Fourcroy, Ent. Paris. 1785, 75.
 ruber Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1862.

- rubra* Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 274.
rubra Cercopithecus, E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.
rubra Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 479.
rubra Chermes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2214.
ruber Chiton, Linnaeus, Syst. Nat., ed. 12, 1767, 1107.
rubra Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
ruber Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 446; ed. 12, 1767, 723.
rubra Clytra (Fourc.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.—Melolontha.
ruber Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.
ruber Corvus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
ruber Cotinga, B. Merrem, Avium rar. Icones, I. 1784, 1.
rubra Crax, Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 270.
ruber Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 3.
ruber Drionus, J. A. Scopoli in Piller & Mitterpacher, Iter Poeseg. 1783, 36.
ruber Elater, A. F. de Fourcroy, Ent. Paris. 1785, 35.
rubra Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 877.
ruber Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 22.
ruber Falco, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
rubra Fasciola, O. F. Müller, Verm. I (2) 1774, 59.
rubra Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
rubra Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181.
ruber Gryllus Loc., C. de Villers, Linn. Ent. I. 1789, 453.
rubra Hyla, J. N. Laurenti, Syn. Rept. 1768, 35.
ruber Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 346.—Oriolus.
ruber Lanius, J. A. Scopoli, Del. Insub. II. 1786, 85.
ruber Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 308.
rubra Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
rubra Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
rubra Libellula, J. C. Fuessly, Schweiz. Ins. 1775, 44.
rubra Loxia, J. A. Scopoli, Annus I. 1769, 139.
rubra Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 797.
rubra Melolontha, A. F. de Fourcroy, Ent. Paris. 1785, 72.
rubra Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 137.
rubra Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
ruber Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
rubra Nepa, Linnaeus, Syst. Nat., ed. 10, 1758, 440; ed. 12, 1767, 713.
rubra Nereis, P. Forskal, Descr. Anim. 1775, 100.
rubra Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
ruber Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 388.
rubra Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3700.
ruber Pausus, C. P. Thunberg, K. Vet. Ac. Nya Handl. II. 1781, 170.
ruber Pecten, F. C. Meuschen, Mus. Gever. 1787, 418.
rubra Pennatula, P. S. Pallas, Elench. 1766, 368.
rubra Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 206.
ruber Petromyzon, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 99.
ruber Phoenicopterus, Linnaeus, Syst. Nat., ed. 10, 1758, 139; ed. 12, 1766, 230.
ruber Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 429.
rubra Pipra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 177.
rubra Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
ruber Priapus, P. Forskal, Descr. Anim. 1775, 101.
ruber Psittacus, J. A. Scopoli, Annus I. 1769, 32.
ruber Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 335.
ruber Psittacus, R. Kerr, Anim. Kingd. 1792, 592; *var.* moluccensis.
rubra Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 224.
rubra Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 20.
ruber Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
ruber Rhynchopterus, F. v. P. Schrank, F. Boica, I. 1798, 511.
ruber Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 643.

- rubra* Sciaena, P. Forskal, Descr. Anim. 1775, 48.
rubra Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145.
ruber Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 75.
ruber Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 169.
rubra Simia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 34.
ruber Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 71; *varr.* nigro-fasciatus,
rubrum Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 100. [albo-fasciatus.
rubra Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 75.
rubra Spongia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3819.
ruber Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 89.
rubra Talpa, E. A. W. Zimmermann, Spec. Zool. 1777, 497.
rubra Talpa, J. C. P. Erxleben, Syst. Anim. 1777, 119.
rubra Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 314.
ruber Tantalus, Linnaeus, Syst. Nat., ed. 12, 1766, 241.
rubra Tellina, E. M. da Costa, Brit. Conch. 1778, 211.
rubra Terebella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3114.
ruber Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121; ed. 12, 1766, 193.
ruber Turbo, C. U. v. Salis, Reise Neapel, 1793, 377.
ruber Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
rubra Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
rubra Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 438.
ruberrima Pyrochroa, A. F. de Fourcroy, Ent. Paris. 1785, 153.
rubescens Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
rubescens Cepola, Linnaeus, Syst. Nat., ed. 12, 1766, 445.
rubescens Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
rubescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
rubescens Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 160.
rubeta *v.* *rubetus*.
 "Rubetra, Briss. 1760," Waterh.; not used in a generic sense.
rubetra Bufo (L.), F. v. P. Schrank, F. Boica, I. 1798, 273.—Rana.
rubetra Curculio, J. C. Fabricius, Mant. I. 1787, 97.
rubetra Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 37.—Motacilla.
rubetra Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186; ed. 12, 1766, 332.
rubetra Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1799], 523.
rubetra Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 339.
rubetra Rana, Linnaeus, Reise Schwed. (ed. Schreber) II. 1765, 301.
rubetra Sylvia (L.), J. A. Scopoli, Annus I. 1769, 159.—Motacilla.
rubetrae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 [rubetus]—
rubeta Bufo, J. G. Schneider, Hist. Amph. I. 1799, 227.
rubeta Rana, Linnaeus, Syst. Nat. ed. 10, 1758, 211; ed. 12, 1766, 355.
rubeta Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
rubea Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 51.
rubea Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1700,
rubeus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 86. [268.—Bombyx.
rubi Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 564.—Phalaena.
rubi Buprestis, Linnaeus, Syst. Nat., ed. 12, 1767, 661.
rubi Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII, 1786, 162.
rubi Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 167.
rubi Cynips, F. v. P. Schrank, Ins. Aust. 1781, 320.
rubi Galeruca, G. Paykull, Faun. Suec. II. 1799, 112.
rubi Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 287.—Papilio.
rubi Noctua, C. F. Vieweg, Tabl. Verz. Brand. Schmett. II. 1790, 57.
rubi Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 791.
rubi Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 498; ed. 12, 1767, 813.
rubi Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 377.
rubiana Phalaena, Scopoli, Ent. Carn. 1763, 233.
rubicapraría Phalaena Geom., J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].

- Rubicilla* G. Edwards in M. Catesby, Carol. I. 1771, 68.—A.
rubicilla Loxia, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 464.
rubicilla Pyrrhula, J. C. Schaeffer, Mus. Orn. 1789, 30.
rubicilla Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 37.—*Motacilla*.
rubicola *Motacilla*, Linnaeus, Syst. Nat., ed. 12, 1766, 332.
rubicola Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 288.—*Motacilla*.
rubicolla Tinea (—), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 77.—*Bombyx rubicollis* [?] *rubicollis*, Fab., Mant. II. p. 133].
rubicornutus Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 388.
Rubicula, *vel* *Rubecula* G. Edwards in M. Catesby, Carol. I. 1771, 47.—A.
rubicunda Apis, J. L. Christ, Nat. Ins. 1791, 190.
rubicunda *Bombyx*, J. C. Fabricius, Ent. Syst. III (1) 1793, 429.
rubicundus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1968.
rubicunda Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
rubicunda Clytra, J. N. Laicharting, Tyrol. Ins. I. 1781, 169.
rubicundus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 267.
rubicundus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
rubicundus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
rubicunda Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 14.
rubicundus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 417.
rubicunda Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 902.
rubicunda Libellula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2624.
rubicunda Melolontha (Laich.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 44.—*Clytra*.
rubicunda Nitidula (Laich.), L. G. Scriba, J. Leib. Ent. II. 1790, 173.—*Ostoma*.
rubicunda Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 68.
rubicunda Ostoma, J. N. Laicharting, Tyrol. Ins. I. 1781, 102.
rubicunda Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
rubicunda Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
rubicunda Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
rubicunda SpheX, J. L. Christ, Nat. Ins. 1791, 316.
rubicunda Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 267.
rubicunda Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
rubicunda Testudo, G. A. Suckow, Naturges. III. 1798, 49.
rubicunda Trigla, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 31.
rubidalis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 7 [*n. et f.*].
rubidalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 7.
rubidata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
rubidata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 290 [*n.*].
rubidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41. [*et f.*].
rubida Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.
rubidus Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 484.
rubidus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 688.
rubidus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 145.
rubidus Ichneumon, P. Rossi, Mant. Ins. II. 1794, 110.
rubidus Pecten, T. Martyn, Univ. Conch. IV [1792] 153.
rubidus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 77.
rubifer Curculio, J. C. Fabricius, Syst. Ent. 1775, 822.
rubiginalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 14 & 22.
rubiginaria Phalaena, Giorna, Cal. Ent. 1791, 91.
rubiginator Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
rubiginata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
rubiginata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 250 [*n.*].
rubiginata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 610. [*et f.*].
rubiginata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 49 [*n. n.*].
rubiginus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 131.
rubiginus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
rubiginea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86. [Noctua].
rubiginea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 750.—

- rubiginosa* Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 632.
rubiginosus Byrrhus, O. F. Müller, Z. Dan. Prod. 1776, 57.
rubiginosum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
rubiginosa Cassida, O. F. Müller, Z. Dan. Prod. 1776, 65.
rubiginosa Cassida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1643.
rubiginosa Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163.
rubiginosus Cimex, J. C. Fabricius, Mant. II. 1787, 301.
rubiginosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 744.
rubiginosa Conus (Linn.) [misprint for Cypraea], K. Schreibers, Vers. Conch. I. 1793, 55.
rubiginosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
rubiginosus Elater, J. C. Fabricius, Mant. I. 1787, 172.
rubiginosum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94 [n. n.].
rubiginosus Falco, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 29.
rubiginosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
rubiginosus Ichneumon, J. L. Christ, Nat. Ins. 1791, 353.
rubiginosa Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [n. n.].
rubiginosus Lanius, G. A. Suckow, Naturges. II (1) 1800, 249.
rubiginosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 159.—Cimex, 1787.
rubiginosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2878.
rubiginosa Phalaena, Scopoli, Ent. Carn. 1763, 213.
rubiginosa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
rubiginosa Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 230.
rubiginosa Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
rubiginosa Tellina, J. X. Poli, Test. Sicil. II. 1795, 48.
rubiginosa Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
rubri-idae Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 31.
rubineus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 493.
rubinus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33.
rubra -um *v.* *ruber*.
rubralis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
rubratorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154. [1792, 468.
rubricans Phalaena Noctua (*ex* Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV.
rubricapillus Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
rubricapilla Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 784.
rubricapilla Mergus, E. Pontoppidan, Danske Atlas, I. 1763, 620.
rubricapilla Mergus, M. T. Brünnich, Orn. Boreal. 1764, 22.
rubricapilla Motacilla, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 174 [n. n.].
rubricaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 111 [n. n.
rubricatus Erotylus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61. [et. f.].
rubricatus Erotylus, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 363.
rubricata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
rubricata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
rubricauda Phaeton, P. Boddaert, Tab. Planch. Enl. 1783, 57.
rubricella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
rubricola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77.
rubricollis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 587.—Phalaena.
rubricollis Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 687.
rubricollis Cistela, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 9.
rubricollis Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.
rubricollis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.
rubricollis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 166.
rubricollis Galleruca, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 37.
rubricollis Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
rubricollis Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
rubricollis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 933.
rubricollis Noctua (L.), E. J. C. Esper, Die Schmett. IV (34) 1787, 90.—Phalaena.
rubricollis Perdix (Gm.), J. Latham, Index Orn. 1790, 648.—Tetrao.
rubricollis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 511; ed. 12, 1767, 840.

- rubricollis Picus, P. Boddaert, Tab. Planch. Enl. 1783, 37.
 rubricollis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 426.
 rubricollis Podiceps (Gm.), J. Latham, Index Orn. 1790, 783.—Colymbus.
 rubricollis Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2035.
 rubricollis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 758.
 rubricornis Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
 rubricornis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990.
 rubricornis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2149.
 rubricornutus Ichneumon, J. L. Christ, Nat. Ins. 1791, 347.
 rubricosa Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 381.
 rubricosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 77. [532.—Noctua.
 rubricosa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 rubrifrons Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 261.—Cryptocephalus.
 rubrifrons Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 81.
 rubripenne Acrydium, C. de Geer, Mém. Ins. III. 1773, 472.
 rubripes Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
 rubripes Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2862.
 rubrirostris Certhia, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 8 [n. n.].
 rubrirostris Upupa, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [n. n.].
 rubris-oculis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 138.
 rubriventer Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
 rubroaurea Buprestis, C. de Geer, Mém. Ins. VII. 1778, 635.
 rubroballeatus Cimex, C. de Geer, Mém. Ins. III. 1773, 337.
 rubro-capillata Columba, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 234.
 rubrociliata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 176.
 rubrocinctus Cimex, C. de Geer, Mém. Ins. III. 1773, 339.
 rubrocollaris [Bombyx], C. C. Jung, Alph. Verz. Schmett. II. 1792, 177.
 rubrocuprea Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 108.
 rubro-fasciata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 260.
 rubrofasciatus Cimex, C. de Geer, Mém. Ins. III. 1773, 349.
 rubrofasciatus Cimex, J. C. Fabricius, Mant. II. 1787, 293.
 rubrofasciata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
 rubromaculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
 rubromarginata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 298.
 rubropunctata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 351.
 rubrostriata Geometra (ex Linn.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 177.
 rubroviolaceus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
 rubroviolaceus Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 86.
 rubus Cardium, F. C. Meuschen, Mus. Gever. 1787, 442.
 rubus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 625.
 rubus Cerambyx, J. S. Schroeter, Abh. Naturges. I. 1776, 333.
 rubus Clava, T. Martyn, Univ. Conch. II [1788], fig. 58.
 rubus caesius Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
 rubus idaeus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
 rubus Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 177.—Cerambyx.
 rubus Lampas, F. C. Meuschen, Mus. Gever. 1787, 438.
 rubus Raja, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 67.
 “ruderalis Graptolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 173.
 ruderalis Oniscus, P. S. Pallas, Reise Russ. I. 1771, 477.
 ruderaria Apis, O. F. Müller, Z. Dan. Prod. 1776, 165.
 ruderata Apis, J. C. Fabricius, Syst. Ent. 1775, 380.
 rudicula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 11.
 rudis Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116; ed. 12, 1766, 181.
 rude Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
 rude Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 115.
 rude Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—Pinna.
 rudis Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [n. n.].
 rudis Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 461.

- rudis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 314.
 rudis Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
 rudis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 rudis Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1159.
 rudis Tanagra, A. Sparrman, Mus. Carls. IV. 1789, no. xciv.
 rudis Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 92.
 rudis Turbo, W. G. Maton, Nat. Hist. West. Count. I. 1797, 277.
 rudis Turbo, E. Donovan, Brit. Shells (1800), pl. xxxiii.
 rudis Venus, J. X. Poli, Test. Sicil. II. 1795, 94.
 rudolphella Tinea, E. J. C. Esper, Naturforscher, XXV. 1791, 43.
 rudolphii Cetonia, J. A. Frolich, Naturforscher, XXVI. 1792, 115.
 rudolphi Saperda, J. Cederhielm, F. Ingric. 1798, 92.
 rudolphina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 7.
 rudolphus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 322.
 rufa *v.* rufus.
 rufana Phalaena, Scopoli, Ent. Carn., 1763, 235.
 rufana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 231.—Tortrix.
 rufana Tortrix, [Denis & Schiffermuller], Schmett. Wien. 1775, 129.
 rufaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], 112 [*n. et f.*].
 rufatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
 rufata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 633.
 rufata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
 rufaxilla Columba, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 118.
 rufella Phalaena, Scopoli, Ent. Carn. 1763, 255.
 rufescens Andrena (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 140.—Nomada.
 rufescens Apis, A. F. de Fourcroy, Ent. Paris. 1785, 447.
 rufescens Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
 rufescens Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 628.
 rufescens Beroe, Forsk., A. Modeer, Nova Acta Acad. Caes. VIII., App. 1791, 23.—Medusa
 rufescens Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113. [*beroe var.*]
 rufescens Carabus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 331.
 rufescens Carabus, J. A. Scopoli, Annus V. 1772, 108.
 rufescens Carabus, J. C. Fabricius, Syst. Ent. 1775, 247.
 rufescens Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 283.
 rufescens Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
 rufescens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
 rufescens Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
 rufescens Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1094.
 rufescens Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 61.
 rufescens Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
 rufescens Cyprinus, Linnaeus in Hasselquist, Palast. 1762, 435.
 rufescens Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
 rufescens Helix, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 116. [Fourmis, 1798, 44.
 rufescens Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
 rufescens Helix, R. Pulteney, Cat. Birds & c. Dorset, 1799, 47.
 rufescens Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 69.
 rufescens Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
 rufescens Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 rufescens Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 932.
 rufescens Nomada, J. A. Scopoli, Annus IV. 1770, 45.
 rufescens Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 rufescens Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 571.
 rufescens Phalaena (Geometra), H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 85.
 rufescens Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1788, 219.
 rufescens Podura, F. X. de Wulfen, Schrift. Ges. Nat. Fr. Berlin, VIII. 1788, 85.
 rufescens Ptomaphagus (Scop.), Illiger in Kugelann, Käfer Preuss. 1798, 87.—Carabus.
 rufescens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1561.
 rufescens Staphylinus, [D. H. Schneider], Nom. Ent. 1785, 24 [*n. n.*].

- rufescens Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2036.
 rufescens Tenebrio, C. de Villers, Linn. Ent. I. 1789, 396.
 rufescens Tellephorus, G. A. Harrer, Besch. Schaeffer Icones, 1784, 83.
 rufescens Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
 rufescens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
 rufescens Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
 ruffinus Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 332.—Voluta.
 ruffina Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 32.—Voluta.
 ruffina Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1192.
 ruffa Anguis, J. N. Laurenti, Syn. Rept., 1768, 71.
 ruffus Coluber, B. G. E. de Lacépède, Quad. Ovip. &c. II. 1789, 82.
 ruffa Felis, A. I. Gueldenstaedt, N. Comm. Ac. Sci. Petrop. XX. 1776, 499.
 ruffus Lanius, F. W. Schmidt (*ex* Briss.), Samml. phys.-oek. Aufsätze, I. 1795, 37.
 ruffa Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 1068.
 rufibarbis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 159.
 rufibarbis Formica, J. C. Fabricius, Ent. Syst. II. 1793, 355.
 rufibarbis Tenebrio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 324. [1788, 887.
 ruficapilla Emberiza, *id.* ac ruficap., Sparr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
 ruficapilla Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 971.
 ruficapilla Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 ruficapilla Sylvia (Gm.), J. Latham, Index Orn. 1790, 540.—Motacilla.
 ruficapilla Tentredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
 ruficaudis Buprestis, C. de Geer, Mém. Ins. VII. 1778, 632.
 ruficaudis Chrysomela, C. de Geer, Mém. Ins. V. 1775, 305.
 ruficaudis Musca, C. de Geer, Mém. Ins. VI. 1776, 127.
 ruficauda Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
 ruficauda Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 84.
 ruficauda Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.
 ruficauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
 ruficauda Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 353.
 ruficauda Sylvia (Gm.), J. Latham, Index Orn. 1790, 519.—Motacilla.
 ruficaudus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 816.
 ruficeps Lanius, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
 ruficeps Lytta, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 140.
 ruficeps Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
 ruficollis Anas, J. A. Scopoli, Annus I. 1769, 66.
 ruficollis Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
 ruficolle Anobium, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 8.
 ruficolle Anobium, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 65.
 ruficollis Anser, P. S. Pallas, Spic. Zool. VI. 1769, 21.
 ruficollis Anthribus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 19.
 ruficollis Anthribus (L.), J. R. Schellenberg, Helvet. Entom. I. 1798, 122.—Curculio.
 ruficollis Attelabus, J. C. Fabricius, Spec. Ins. I. 1781, 200.
 ruficollis Bibio (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.), 1789, 299.—Tipula.
 ruficollis Blatta, J. C. Fabricius, Mant. I. 1787, 226.
 ruficollis Brentus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 53.
 ruficollis Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 193.
 ruficollis Buprestis, J. C. Fabricius, Mant. I. 1787, 184.
 ruficollis Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
 ruficolle Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 236.
 ruficollis Cantharis, J. C. Fabricius, Syst. Ent. 1775, 206.
 ruficollis Cantharis, A. G. Olivier, Entom. III. 1795, 11.
 ruficollis Carabus, J. C. Fabricius, Mant. I. 1787, 203.
 ruficollis Cebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 102.
 ruficollis Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
 ruficollis Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Saperda.
 ruficollis Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 55.
 ruficollis Cerocoma, J. C. Fabricius, Ent. Syst. I (2) 1792, 83.

- ruficollis Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 820.
 ruficollis Chrysomela, J. C. Fabricius, Mant. I. 1787, 71.
 ruficollis Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
 ruficollis Cimex, Linnaeus, Mus. Lud. Ulr. 1764, 180.
 ruficollis Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
 ruficollis Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 147.
 ruficollis Clerus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 18.—Dermestes.
 ruficollis Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 31.
 ruficollis Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 114.—Cryptocephalus, 1775.
 ruficollis Clytus (Herbst), F. v. P. Schrank, F. Boica, I. 1798, 682.—Stenocorus.
 ruficollis Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 81.
 ruficollis Colymbus, L. Merrem, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 191 [*n. n.*].
 ruficollis Crioceris, J. C. Fabricius, Mant. I. 1787, 88.
 ruficollis Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 109.
 ruficollis Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 177.
 ruficollis Curculio, J. C. Fabricius, Mant. I. 1787, 116.
 ruficollis Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
 ruficollis Dircaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 122.
 ruficollis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 404.
 ruficollis Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 313.
 ruficollis Dytiscus, J. C. Fabricius, Mant. I. 1787, 189.
 ruficollis Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 653.
 ruficollis Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 241.
 ruficollis Forficula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 185.
 ruficollis Fulica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 700.
 ruficollis Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 586.
 ruficollis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 13.—Chrysomela, 1787.
 ruficollis Gallinula (Gm.), J. Latham, Index Orn. 1790, 767.—Fulica.
 ruficollis Helops, J. C. Fabricius, Mant. I. 1787, 214.
 ruficollis Hirtea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula, 1781.
 ruficollis Korynetes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 152.—Der-
 ruficollis Lagria, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 68. [mestes.
 ruficollis Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 91.—Crioceris, 1787.
 ruficollis Leptura, C. de Geer, Mém. Ins. V. 1775, 143.
 ruficollis Lithophilus, J. A. Frolich, Naturforscher, XXVIII. 1799, 13.
 ruficollis Lycus, J. C. Fabricius, Ent. Syst. I (2) 1792, 109.
 ruficollis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—Cimex, 1775.
 ruficollis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 179.
 ruficollis Lytta, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 179.
 ruficollis Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 83.
 ruficollis Lytta (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 85.—Cantharis.
 ruficollis Malachus, A. G. Olivier, Entom. II. 1790, 9.
 ruficollis Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 39.
 ruficollis Mordella, J. C. Fabricius, Ent. Syst. I (2) 1792, 115.
 ruficollis Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 371.
 ruficollis Mylabris, A. G. Olivier, Entom. III. 1795, 14.
 ruficollis Necydalis, J. C. Fabricius, Spec. Ins. I. 1781, 263.
 ruficollis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 87.
 ruficollis Notoxus, P. Rossi, Mant. Ins. II. 1794, 96.
 ruficollis Oedemera (Fab.), A. G. Olivier, Entom. III. 1795, 11.—Necydalis.
 ruficollis Paederus, J. C. Fabricius, Gen. Ins. 1777, 243. [Noctua.
 ruficollis Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmet. IV. 1792, 626.—
 ruficollis Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—Helops.
 ruficollis Podiceps, J. Latham, Syn. Birds, Suppl. I. 1787, 294.
 ruficollis Saperda, J. C. Fabricius, Mant. I. 1787, 150.
 ruficollis Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 311.
 ruficollis Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 642.
 ruficollis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 230.—Sphaeridium.

- ruficolle Sphaeridium, J. C. Fabricius, Mant. I. 1787, 43.
- ruficolle Sphaeridium, J. A. Frolich, Naturforscher, XXVI. 1792, 121.
- ruficollis Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
- ruficollis Sphinx, E. Donovan, Ins. China, 1799.
- ruficollis Staphylinus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 323.
- ruficollis Staphylinus (Fab.), G. Paykull, Mon. Staph. 1789, 26.—Paederus.
- ruficollis Stenocorus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 92.
- ruficollis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 894.
- ruficollis Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 362.—Helops.
- ruficollis Tetratoma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 176.
- ruficollis Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 410.
- ruficollis Tipula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 88 [n. n.].
- ruficollis Trynga, P. S. Pallas, Reise Russ. III. 1776, 700.
- ruficollis Turdus, P. S. Pallas, Reise Russ. III. 1776, 694.
- ruficorne Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.—Gryllus.
- ruficornis Andrena (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 140.—Nomada.
- ruficornis Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 110.
- ruficornis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 958.
- ruficornis Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 271.—Erax rufipes, Scop.
- ruficornis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 380.
- ruficornis Bembex, J. C. Fabricius, Mant. I. 1787, 286.
- ruficornis Blaps, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 191.
- ruficornis Bostrichus, F. v. P. Schrank, F. Boica, I. 1798, 437.
- ruficorne Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 267.
- ruficornis Carabus, C. de Geer, Mém. Ins. IV. 1774, 95.
- ruficornis Carabus, J. C. Fabricius, Syst. Ent. 1775, 241.
- ruficornis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
- ruficornis Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 703.
- ruficornis Cimex, J. C. Fabricius, Syst. Ent. 1775, 713.
- ruficornis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 209.
- ruficornis Colymbus, A. Vroeg, Catal. Vogel. 1764, Adumb., 6.
- ruficornis Crioceris, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 200.
- ruficornis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
- ruficornis Cynips, J. C. Fabricius, Ent. Syst. II. 1793, 103.
- ruficornis Cynips, P. Rossi, Mant. Ins. II. 1794, 106.
- ruficornis Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
- ruficornis Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2805.
- ruficornis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 32.
- ruficornis Gryllus, J. C. Fabricius, Mant. I. 1787, 237.
- ruficornis Hydrophilus, C. de Geer, Mém. Ins. IV. 1774, 371.
- ruficornis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
- ruficornis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
- ruficornis Ips, A. G. Olivier, Entom. II. 1790, 13.
- ruficornis Latridius, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 574.
- ruficornis Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 247.
- ruficornis Mellinus, J. C. Fabricius, Ent. Syst. II. 1793, 286.
- ruficornis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 33.
- ruficornis Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2874.—Syrphus.
- ruficornis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 314.
- ruficornis Mutilla, J. C. Fabricius, Syst. Ent. 1775, 397.
- ruficornis Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 121.
- ruficornis Nomada, J. A. Scopoli, Annus IV. 1770, 46.
- ruficornis Nomada (L.), J. C. Fabricius, Syst. Ent. 1775, 389.—Apis.
- ruficornis Phalaena, Hufnagel, Berlin. Mag. II. 1766, 424.
- ruficornis Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2554.
- ruficornis Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 292.
- ruficornis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
- ruficornis Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 230. [Melolontha.

- ruficornis Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.
 ruficornis Sphex, J. C. Fabricius, Syst. Ent. 1775, 352.
 ruficornis Syrphus, J. C. Fabricius, Syst. Ent. 1775, 769.
 ruficornis Tabanus, J. C. Fabricius, Syst. Ent. 1775, 789.
 ruficornis Tiphia, J. C. Fabricius, Mant. I. 1787, 279.
 ruficornis Vespa, J. R. Forster, N. Sp. Ins. 1771, 90.
 ruficrus Callidium, F. v. P. Schrank, Naturforscher, XXIV. 1789, 77.
 ruficrus Leptura, Scopoli, Ent. Carn. 1763, 48.
 ruficrus Phryganea, Scopoli, Ent. Carn. 1763, 266. [—Lagria.
 ruffrons Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
 ruffrons Dryops, J. C. Fabricius, Ent. Syst. I (2) 1792, 76.—Lagria, 1777.
 ruffrons Dycticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
 ruffrons Dycticus, J. C. Fabricius, Ent. Syst. I (1) 1792, 198.
 ruffrons Ips, J. C. Fabricius, Gen. Ins. 1777, 214.—Tritoma, 1775.
 ruffrons Lagria, J. C. Fabricius, Gen. Ins. 1777, 223.
 ruffrons Larra, J. C. Fabricius, Ent. Syst. II. 1793, 222.
 ruffrons Musca, J. C. Fabricius, Spec. Ins. II. 1781, 449.
 ruffrons Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1618.—Tritoma.
 ruffrons Silpha, C. de Villers, Linn. Ent. I. 1789, 88.
 ruffrons Tritoma, J. C. Fabricius, Syst. Ent. 1775, 69.
 ruffrons Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 825.
 rufigaster Anas, J. Latham, Syn. Birds, Suppl. I. 1787, 297.
 rufigaster Sylvia, J. Latham, Index Orn. 1790, 534.
 rufigula Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 39.
 rufigularis Falco, F. M. Daudin, Traité élém. Orn. 1800, 131.
 rufilatrix Cetonia, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 110.
 rufilumbis Sphex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
 rufimana Saperda, F. v. P. Schrank, Naturforscher, XXIV. 1789, 77.
 rufimitralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 30.
 rufimitrella Phalaena, Scopoli, Ent. Carn. 1763, 251.
 rufina Anas, P. S. Pallas, Reise Russ. II. 1773, 713.
 rufina Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
 rufina Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 822; ed. 12, 1767, 830.
 rufipalpis Elater, F. v. P. Schrank, Naturforscher, XXIV. 1789, 79.
 rufipectus Tenthredo, C. de Geer, Mém. Ins. III. 1773, 599.
 rufipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 67.
 rufipennis Apis, J. C. Fabricius, Ent. Syst. II. 1793, 335.
 rufipennis Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 39.
 rufipenne Sphaeridium, G. Paykull, Faun. Suec. I. 1798, 73.
 rufipennis Sphex, C. de Geer, Mém. Ins. VII. 1778, 611.
 rufipennis Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 200.
 rufipennis Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 116.
 rufipes Acarus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2931.
 rufipes Adimonia, F. v. P. Schrank, F. Boica, I. 1798, 559.
 rufipes Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 114.—Chrysomela.
 rufipes Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 308.
 rufipes Anobium, C. P. Thunberg, Nov. Ins. Spec. (I) 1781, 10.
 rufipes Anobium, J. C. Fabricius, Ent. Syst. I (1) 1792, 236.
 rufipes Anthicus, G. Paykull, Faun. Suec. III. 1800, 444.
 rufipes Aphodius (L.), Illiger in Kugelann, Käfer Preuss. 1798, 28.—Scarabaeus.
 rufipes Apis, J. C. Fabricius, Spec. Ins. I. 1781, 481.
 rufipes Apis, J. C. Fabricius, Mant. I. 1787, 303.
 rufipes Apis, J. L. Christ, Nat. Ins. 1791, 160.
 rufipes Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 621; ed. 12, 1767, 1033.
 rufipes Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 426.
 rufipes Asilus, J. C. Fabricius, Syst. Ent. 1775, 794.
 rufipes Asilus, C. de Geer, Mém. Ins. VI. 1776, 243.
 rufipes Bemex, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 292.

- rufipes Bibio (Fab.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.—Tipula.
- rufipes Bostrichus, A. G. Olivier, Entom. IV. 1795, 17.
- rufipes Bruchus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 29.
- rufipes Bruchus, C. Quensel, Diss. ignotus insectorum Species, 1790, 11.
- rufipes Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 202.
- rufipes Buprestis, J. A. Scopoli, Annus V. 1772, 105.
- rufipes Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 43.
- rufipes Buprestis, A. G. Olivier, Entom. II. 1790, 16.
- rufipes Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 485.
- rufipes Callidium, J. C. Fabricius, Gen. Ins. 1777, 232.
- rufipes Cantharis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 107.
- rufipes Carabus, C. de Geer, Mém. Ins. IV. 1774, 96.
- rufipes Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
- rufipes Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 375.—Buprestis.
- rufipes Carabus, G. Paykull, Mon. Carab. 1790, 101.
- rufipes Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 138.
- rufipes Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
- rufipes Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
- rufipes Cetonia, J. C. Fabricius, Mant. I. 1787, 27.
- rufipes Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 129.
- rufipes Chalcis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 440.
- rufipes Chalcis, P. Rossi, Mant. Ins. II. 1794, 117.
- rufipes Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
- rufipes Chrysomela, C. de Geer, Mém. Ins. V. 1775, 295.
- rufipes Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 59.
- rufipes Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Crioceris.
- rufipes Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 719.
- rufipes Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
- rufipes Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 44.
- rufipes Clerus, C. de Geer, Mém. Ins. V. 1775, 165.
- rufipes Clerus, Brahm in D. H. Hoppe, Ent. Taschenbuch, 1797, 136.
- rufipes Coccinella, Scopoli, Ent. Carn. 1763, 73.
- rufipes Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 80.
- rufipes Conops, J. C. Fabricius, Spec. Ins. II. 1781, 466.
- rufipes Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 148.—Scarabaeus.
- rufipes Crabro, J. C. Fabricius, Mant. I. 1787, 297.
- rufipes Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 67.
- rufipes Crioceris, J. C. Fabricius, Mant. I. 1787, 89.
- rufipes Crioceris (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I, 1791, 118.—Ero-
- rufipes Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 93. [tylus.
- rufipes Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 63.
- rufipes Cucujus, J. C. Fabricius, Ent. Syst. I (2) 1792, 94.
- rufipes Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 617.
- rufipes Curculio, J. A. Scopoli, Ent. Carn. 1763, 32.
- rufipes Curculio, G. Bonsdorff, Curc. Suec. 1785, 25.
- rufipes Dermestes, J. A. Scopoli, Annus V. 1772, 88.
- rufipes Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 65.
- rufipes Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.
- rufipes Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
- rufipes Dyticus, J. C. Fabricius, Ent. Syst. I (1) 1792, 195.
- rufipes Elater, C. de Geer, Mém. Ins. IV. 1774, 150.
- rufipes Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 113.
- rufipes Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- rufipes Elater, P. Rossi, Fauna Etrus. I. 1790, 181.
- rufipes Empis, J. A. Scopoli, Ent. Carn. 1763, 368.
- rufipes Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2890.
- rufipes Erax, J. A. Scopoli, Ent. Carn. 1763, 361.
- rufipes Erotylus, J. C. Fabricius, Mant. I. 1787, 92.

- rufipes Formica, J. C. Fabricius, Syst. Ent. 1775, 391.
 rufipes Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 32.—Chrysomela.
 rufipes Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2070.
 rufipes Helops, J. C. Fabricius, Syst. Ent. 1775, 258.
 rufipes Hister, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 304.
 rufipes Hister, G. Paykull, Faun. Suec. I. 1798, 50.
 rufipes Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 183.
 rufipes Ichneumon, J. F. Miller, Icones Insect. VI. 1759, & text.
 rufipes Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2683.
 rufipes Ips, J. C. Fabricius, Mant. I. 1787, 45.—Tritoma, 1779.
 rufipes Korynetes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 151.—Dermestes.
 rufipes Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 288.
 rufipes Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Crioceris, 1787.
 rufipes Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 298.
 rufipes Lucanus, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 311.
 rufipes Lucanus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 140.
 rufipes Mordella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2025.
 rufipes Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 23.
 rufipes Mutilla, J. C. Fabricius, Mant. I. 1787, 312.
 rufipes Nitidula (L.), J. C. Fabricius, Syst. Ent. 1775, 78.—Silpha.
 rufipes Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 347.
 rufipes Opatrum, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 225.
 rufipes Oxyporus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 535.—Staphylinus.
 rufipes Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 225.—Crabro, 1787.
 rufipes Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2010.—Helops.
 rufipes Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—SpheX.
 rufipes Ptinus, A. G. Olivier, Entom. II. 1790, 8.
 rufipes Reduvius, J. C. Fabricius, Mant. II. 1787, 309.
 rufipes Saperda, A. G. Olivier, Entom. IV. 1795, 25.
 rufipes Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 353; ed. 12, 1767, 559.
 rufipes Scolopax, Picot de la Peirouse, K. Vet. Ac. Nya Handl. III. 1782, 113.
 rufipes Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
 rufipes Sphaeridium, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 315.
 rufipes Sphaeridium, C. P. Thunberg, Ins. Suecica (8) 1794, 101.
 rufipes SpheX, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 945.
 rufipes Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 423; ed. 12, 1767, 685.
 rufipes Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 529.
 ruffipes Syrphus, J. D. Preysler in Mayer's Samml. Phys. Aufsätze, III. 1793, 216.
 rufipes Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
 rufipes Tenthredo, N. Poda, Ins. Mus. Graec. 1761, 103.
 rufipes Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
 rufipes Tenthredo, J. L. Christ, Nat. Ins. 1791, 439.
 rufipes Tiphia, P. A. Latreille, Mag. encyclop. III (1) 1797, 25.
 rufipes Tipula, Linnaeus, Faun. Suec., ed. 2, 1761, 439.
 rufipes Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 410.
 rufipes Triplax (Fab.), G. Paykull, Faun. Suec. III. 1800, 347.—Ips.
 rufipes Tritoma, J. C. Fabricius, Reise Norwegen, 1779, 63.
 rufipes Tritoma (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.—Silpha.
 rufipes Upis, [Hausmann], Bemerk. Entom. 1799, 32.
 rufipes Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
 rufirostris Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 111.—Curculio.
 rufirostris Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 390.—Curculio, 1775.
 rufirostris Curculio, J. C. Fabricius, Syst. Ent. 1775, 132.
 rufirostris Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 98; ed. 12, 1766, 143.
 rufirostris Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 322; var. gujanensis
 rufitarsis Chrysomela, N. G. Leske, Reise Sachsen, 1785, 15.
 rufitarsis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.
 rufitarsis Dermestes, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 6.

- rufitarsis Rhinomacer, P. A. Latreille, Journ. Santé Bourdeaux, II. 1797, 335.
 rufiventris Apis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (3) 1782, 300.
 rufiventris Cantharis, Scopoli, Ent. Carn. 1763, 43.
 rufiventris Falco, F. M. Daudin, Traité élém. Orn. 1800, 86.
 rufiventris Loxia, F. M. Daudin, Traité élém. Orn. 1800, 420.
 rufiventris Musca, Scopoli, Ent. Carn. 1763, 329.
 rufiventris Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
 rufiventris Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
 rufiventris Tiphia, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 4.
 rufo-albus Coluber, G. A. Suckow, Naturges. III. 1798, 251.
 rufo-alba Perdix, J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 527.
 rufo-barbata Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 11.
 rufo-cincta Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
 rufoclavata Silpha, C. de Geer, Mém. Ins. IV. 1774, 176.
 rufofasciata Aranea, C. de Geer, Mém. Ins. VII. 1778, 269.
 rufofasciatus Curculio, C. de Geer, Mém. Ins. V. 1775, 271.
 rufofasciata SpheX, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 65.
 rufofasciosa Phalaena Bom., E. J. C. Esper, Die Schmett., Suppl., 3 Abschn. [1797], 58.
 rufomaculatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 107.
 rufomaculata Musca, C. de Geer, Mém. Ins. VI. 1776, 28.
 rufomarginatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 481.
 rufomarginatus Cimex, C. de Geer, Mém. Ins. III. 1773, 330.
 rufomarginatus Gryllus Locusta, C. de Villers, Linn. Ent. I. 1789, 451.
 rufomarginatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 152.
 rufopunctatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 54.
 rufo-unguiculatus Elater, C. de Geer, Mém. Ins. IV. 1774, 148.
 rufo-villosus Pinus, C. de Geer, Mém. Ins. IV. 1774, 230.
 rufulus Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
 rufula Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 143.
 rufulus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
 rufum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 101.
 rufum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 230.—Gryllus.
 rufa Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
 rufa Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 792.
 rufa Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 798.
 rufa Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 515.
 rufus Anguis, *id. ac ruffa*, Laur., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1123.
 rufus Antipus, C. de Geer, Mém. Ins. VII. 1778, 659.
 rufa Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
 rufa Apis, Scopoli, Ent. Carn. 1763, 306.
 rufa Apis, P. Osbeck, Reise Ost-Indien China, 1765, 127.
 rufa Ardea, J. A. Scopoli, Annus I. 1769, 87.
 rufa Ardea, P. Boddaert, Tab. Planch. Enl. 1783, 54.
 rufus Asilus, C. de Geer, Mém. Ins. VI. 1776, 241.
 rufus Asilus (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 272.—Erax.
 rufa Blatta, C. de Geer, Mém. Ins. III. 1773, 539.
 rufus Bomblylus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 327.
 rufus Bruchus, C. de Geer, Mém. Ins. V. 1775, 281.
 rufum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1198.
 rufum Buccinum, J. A. Scopoli, Del. Insub. II. 1786, 77.
 rufus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 230.
 rufum Callidium, A. G. Olivier, Entom. IV. 1795, 28.
 rufa Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401; ed. 12, 1767, 647.
 rufus Caprimulgus, P. Boddaert, Tab. Planch. Enl. 1783, 46.
 rufus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1030.
 rufus Carabus, P. Rossi, Mant. Ins. I. 1792, 80.
 rufa Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 433.—Buccinum.
 rufa Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 394.—Buccinum.

- rufus Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1857.—Steno-
 rufa Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Erotylus. [corus.
 rufa Cistela, R. Townson, Trav. Hungary, 1797, 460.
 rufus Clerus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 13.
 rufus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1105.
 rufum Colydidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 174.
 rufus Corvus, J. Latham, Index Orn. 1790, 161.
 rufa Crioceris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 71.
 rufus Cucujus, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 198.
 rufus Cucuius, J. C. Fabricius, Suppl. Ent. Syst. 1798, 123.
 rufus Cuculus, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 495.
 rufus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
 rufus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 116.
 rufus Curculio, E. Donovan, Brit. Ins. VII. 1798, 87.
 rufus Dermestes, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 22.
 rufus Dytiscus, Scopoli, Ent. Carn. 1763, 98.
 rufus Elater, C. de Geer, Mém. Ins. IV. 1774, 144.
 rufus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 219.
 rufus Erax, J. A. Scopoli, Ent. Carn. 1763, 363.
 rufus Erotylus, J. C. Fabricius, Gen. Ins. 1777, 222.
 rufus Falco, J. A. Scopoli, Del. Insub. II. 1786, 36.
 rufus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 266.
 ruffa Felis, Gueldenstaedt, Nov. Comm. Ac. Sci. Petrop. XX. 1776, 499.
 rufa Felis (Lynx), R. Kerr, Anim. Kingd. 1792, 158.
 rufa Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 962.
 rufa Fringilla, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
 rufus Galeopithecus, B. G. E. de Lacépède, Tabl. Mamm. 1799, 16.
 rufus Galeopithecus, J. B. Audebert, Hist. Nat. Singes, 1800, sign. Qq².
 rufus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
 rufus Hemerobius, C. de Villers, Linn. Ent. III. 1789, 56.
 rufa Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1018.
 rufus Hydrophilus (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1943.—Dytis-
 rufus Ichneumon, C. de Geer, Mém. Ins. VII. 1778, 596. [cus:
 rufus Ips, F. v. P. Schrank, F. Boica, I. 1798, 512.
 rufus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 284; ed. 12, 1766, 475.
 rufa Lampyrus, A. G. Olivier, Entom. II. 1790, 28.
 rufus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
 rufus Lanius, J. A. Scopoli, Del. Insub. II. 1786, 86.
 rufus Lanius, S. L. B. de Hoehenwart (ex Briss.), Nova Acta Acad. Caes. VIII. 1791, 229.
 rufus Lemur, J. B. Audebert, Hist. Nat. Singes, 1800, sign. Kk².
 rufus Limax, Linnaeus, Syst. Nat., ed. 10, 1758, 652; ed. 12, 1767, 1081.
 rufus Limax, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 268; *varr.* rufus, nigrescens.
 rufa Limosa (ex Briss.), J. M. Bechstein, Gem. Nat. Deutschl. III. 1793, 134.
 rufus Lycus (Ol.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 24.—Lampyrus.
 rufa Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
 rufus Malachius, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 108.
 rufus Malacopteryx (L.), J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].—Cantharis.
 rufa Melolontha, J. C. Fabricius, Syst. Ent. 1775, 36.
 rufus Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 465.
 rufa Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 35.
 rufa Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 955.
 rufa Musca (De G.), C. de Villers, Linn. Ent. III. 1789, 418.—Nemotelus.
 rufa Musca, J. A. Scopoli, Ent. Carn. 1763, 335.
 rufa Musca, C. de Geer, Mém. Ins. VI. 1776, 96.
 rufa Musca, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 17.
 rufa Muscipapa, P. Boddaert, Tab. Planch. Enl. 1783, 27.
 rufa Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 642.
 rufus Nemotelus, C. de Geer, Mém. Ins. VI. 1777, 166.

- rufa Nereis, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 38.
 rufa Nerita, I. v. Born, Index Mus. Caes. Vind. 1778, 413.
 rufa Nomada, P. Rossi, Fauna Etrus. II. 1790, 111.
 rufus Oxyporus (L.), J. C. Fabricius, Syst. Ent. 1775, 267.—Staphylinus.
 rufa Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 351.
 rufa Perdix (L.), S. G. Gmelin, Nov. Comm. Sci. Petrop. XV. 1771, 448.—Tetrao.
 rufus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 432.
 rufus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
 rufa Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 23.
 rufa Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 rufus Regulus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 15.
 rufus Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
 rufus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 640.
 rufus Scarabaeus, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], I (4) 1782, 372.
 rufus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 39.
 rufus Scarites, P. Rossi, Fauna Etrus. I. 1790, 229.
 rufa Scolopax, J. A. Scopoli, Annus I. 1769, 93.
 rufa Silpha, N. G. Leske, Reise Sachsen, 1785, 14.
 rufus Spondylus, J. F. Bolten, Mus. Bolten. (2) 1798, 194.
 rufus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
 rufus Stenocorus, J. A. Scopoli, Annus V. 1772, 98.
 rufa Strix, J. A. Scopoli, Annus I. 1769, 22.
 rufa Sylvia (Gm.), J. Latham, Index Orn. 1790, 516.—Motacilla.
 rufus Tabanus, J. A. Scopoli, Ent. Carn. 1763, 373.
 rufus Tantalus, J. A. Scopoli, Del. Insub. II. 1786, 92.
 rufus Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 62.—Cantharis.
 rufus Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
 rufa Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 71.
 rufus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 160; ed. 12, 1766, 276.
 rufa Thrips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2224.
 rufus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 497.
 rufus Trogon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 404.
 rufus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 169; ed. 12, 1766, 293.
 rufus Ursus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 325.
 rufa Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 949.
 rufum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139.
 rugata Clava, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 12.
 rugatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 rugata Mitra, T. Martyn, Univ. Conch. III [1789], fig. 103.
 rugata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
 rugicollis Cerambyx, J. C. Fabricius, Mant. I. 1787, 135.
 rugicollis Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 611.
 rugicollis Ips, A. G. Olivier, Entom. II. 1790, 13.
 rugifrons Hister, G. Paykull, Faun. Suec. I. 1798, 47.
 rugosana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 82 [*n. et f.*].
 rugosissimus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 127.
 rugosa Acanthia (L.), J. C. Fabricius, Syst. Ent. 1775, 694.—Cimex.
 rugosa Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.
 rugosus Balanus, R. Pulteney, Cat. Birds &c. Dorset, 1799, 25.
 rugosus Bostrichus, A. G. Olivier, Entom. IV. 1795, 18.
 rugosus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 27.
 rugosum Buccinum, Linnaeus, Mant. II. 1771, 549.
 rugosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
 rugosa Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 52.
 rugosa Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.
 rugosus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2985.—Pagurus.
 rugosus Cancer (Astacus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 65.—Pagurus.
 rugosus Carabus, C. de Geer, Mém. Ins. VII. 1778, 627. [Igurus.]

- rugosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1969.
 rugosus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 56.
 rugosa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 31.
 rugosus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 36.
 rugosus Cerambix, A. G. Olivier, Entom. IV. 1795, 11.
 rugosa Chama, Linnaeus, Mant. II. 1771, 546.
 rugosa Chama, J. G. Bruguère, Ency. Méth. (Vers) (2) 1792, 391.
 rugosa Chrysomela (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 689.—Tenebrio.
 rugosa Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Turbo.
 rugosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
 rugosus Cinex, Scopoli, Ent. Carn. 1763, 126.
 rugosa Cistela, A. G. Olivier, Entom. III. 1795, 10.
 rugosa Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 111.
 rugosa Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 115.
 rugosa Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185 [*n. n.*].
 rugosus Curculio, G. A. Harrer, Besch. Schaeffer Icones, 1784, 173.
 rugosus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 117.
 rugosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
 rugosa Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 179.—Venus.
 rugosa Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1127.
 rugosus Elophorus, A. G. Olivier, Entom. III. 1795, 6.
 rugosum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93.
 rugosa Galathea, J. C. Fabricius, Ent. Syst. II. 1793, 472.—Pagurus, 1775.
 rugosus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
 rugosus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
 rugosa Haliotis, J. F. Bolten, Mus. Bolten. (2) 1798, 13 [*n. n.*].
 rugosus Ichneumon, C. de Geer, Mém. Ins. III. 1773, 597.
 rugosus Latridius, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 6.
 rugosa Locusta, C. P. Thunberg, D. D. Mus. Ac. Upsal. XXIII. 1804, 7.
 rugosa Machla, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 159.
 rugosa Mactra, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 128.
 rugosa Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3261.
 rufus Malachus, A. G. Olivier, Entom. II. 1790, 4.
 rugosus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 108.
 rugosus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 303.
 rugosa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 330.
 rugosa Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
 rugosus Mytilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1156.
 rugosus Nautilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1162.
 rugosa Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
 rugosus Octopus (Bosc), G. Cuvier, Tab. Elém. 1798, 381.—Sepia.
 rugosum Opatrum, A. G. Olivier, Entom. III. 1795, 6.
 rugosus Pagurus, J. C. Fabricius, Syst. Ent. 1775, 412.
 rugosa Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 rugosa Pimelia, J. C. Fabricius, Syst. Ent. 1775, 252.
 rugosa Pimelia, A. G. Olivier, Entom. III. 1795, 10.
 rugosus Ptinus, C. de Villers, Linn. Ent. IV. 1789, 223.
 rugosus Rhinoceros, J. F. Blumenbach, Hand. Naturg. 1779, 134.
 rugosus Scarabaeus, N. Poda, Ins. Mus. Graec. 1761, 20.
 rugosa Sepia, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 24.
 rugosum Sepidium, J. C. Fabricius, Spec. Ins. I. 1781, 315.
 rugosa Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308.
 rugosa Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 571.
 rugosus Staphylinus, J. C. Fabricius, Syst. Ent. 1775, 267.
 rugosa Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 208.
 rugosus Tamarindiformis, F. C. Meuschen, Mus. Gever. 1787, 412.
 rugosa Tellina, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 75.
 rugosa Tellina, I. v. Born, Index Mus. Caes. Vind. 1778, 18.

- rugosus* Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
rugosus Tenebrio (L.), C. de Geer, Mém. Ins. V, 1775, 43.—Silpha.
rugosus Trochus (L.), F. C. Meuschen, Mus. Gever. 1787, 280.—Turbo
rugosus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82.
rugosus Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1234.
rugosa Venus, Linnaeus, Mant. II. 1771, 545.
rugosa Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 81.
rugosa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
rugulosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 406.
rugula Vibrio, O. F. Müller, An. Infus. 1786, 44.
rullus Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
rumicis Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
rumicis Chrysomela, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 318.
rumicis Chrysomela, J. C. Fabricius, Mant. I. 1787, 70.
rumicis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 614.
rumicis Noctua (L.), J. C. Fabricius, Spec. Ins. II. 1781, 238.—Phalaena.
rumicis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 852.
rumicis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
rumina Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 480; ed. 12, 1767, 783.
rumina Papilio, D. Drury, Ill. Nat. Hist. I. 1770, index.
rumina alba Papilio Nym., E. J. C. Esper, Die Schmett. Suppl., 1 Abschn. [1797], 64.
rumphii Alpheus, F. Weber, Nomen. Fabricii, 1795, 91.
rumpfi Aranea, Scopoli, Ent. Carn. 1763, 401.
rumpfi Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
rumphii Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 336.—Alpheus, 1795.
rumphii Dromia, F. Weber, Nomen. Fabricii, 1795, 92.
rumphii Dromia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 360.
runica Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 70.
runica Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2561.
runica Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 141.—
rupella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320. [Noctua.
rupestrata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
rupestrata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 192 [n.
rupestrata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 455. [et f.].
rupestrata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 310.—Geometra.
rupestris Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1026.
rupestris Acarus, Linnaeus, Faun. Suec., ed. 2, 1761, 484, no. 1985.
rupestris Apis, J. C. Fabricius, Ent. Syst. II. 1793, 320.
rupestris Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
rupestris Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
rupestris Cicindela, Linnaeus, Syst. Nat., ed. 12, 1767, 658.
rupestris Cidarid, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 111.
rupestris Cidarid, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 265 & 275.
rupestris Coryphaena, O. F. Müller, Z. Dan. Prod. 1776, 43.
rupestris Coryphaenoides, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 50 & 58.
rupestris Ephemera, J. Hill, Decade Curious Insects, 1773, 19.
rupestris Helix, Studer in Coxe, Trav. Switz. III. 1789, 386 [n. n.].
rupestris Hirundo, J. A. Scopoli, Annus I, 1769, 167.
rupestris Julus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3020.
rupestris Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
rupestris Lutjanus (Linn.), M. E. Bloch, Nat. ausl. Fische, IV. 1790, 117.—Labrus.
rupestris Macrourus (Müll.), M. E. Bloch, Nat. ausl. Fische, II. 1786, 152.—Coryphaena.
rupestris Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3), 1799, 4.
rupestris Perca (L.), P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 44.—Labrus.
rupestris Syrrhus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 13.
rupestris Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 751.
rupestris Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573.

- rupestris* Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
rupicapra Antilope, P. S. Pallas, Misc. Zool. 1766, 4.
rupicapra Capra, Linnaeus, Syst. Nat., ed. 10, 1758, 68; ed. 12, 1766, 95.
rupicapra Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 514.
rupicapraria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 105.
rupicapraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 222 [*n.*].
Rupicola M. J. Brisson, Ornith. IV. 1760, 437.—A. [et f.].
rupicola Columba, J. Latham, Index Orn. 1790, 590.
rupicolus Falco, F. M. Daudin, Traité élém. Orn. 1800, 135.
rupicola Melolontha, J. C. Fabricius, Syst. Ent. 1775, 818.
rupicola Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 90.
rupicola Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 8.
rupicola Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 82.
rupicola Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 338.
rupicola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.—Melolontha.
rupium Turbo, E. M. da Costa, Brit. Conch. 1778, 90.
ruptata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 295 [*n. et f.*].
ruralis Phalaena, Scopoli, Ent. Carn. 1763, 242.
rurea Bombyx, J. C. Fabricius, Mant. II. 1787, 114.
rurea Noctua, J. C. Fabricius, Syst. Ent. 1775, 618.
rurea Phalaena Bombyx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 467.—Bombyx.
uricola Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
uricola Aranea, C. de Geer, Mém. Ins. VII. 1778, 282.
uricola Callidium, A. G. Olivier, Entom. IV. 1795, 65.
uricola Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1040.
uricola Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
uricola Melolontha, J. C. Fabricius, Syst. Ent. 1775, 38.
uricola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1558.—Melolontha.
urinata Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 823.
rus Madrepora, P. Forskal, Descr. Anim. 1775, 135.
ruscii Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
ruscii Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 424. [Lamia].
ruspator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1834.—Lamia.
ruspator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 937.
ruspator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 223.
ruspatrix Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 951.
russa Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 138.
russatus Asilus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 213.
russata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
russata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 305 [*n. et f.*].
russata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 405.—Geometra.
russeliana Motacilla, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
russelii Coluber, G. Shaw, Nat. Misc. VIII. 1797, pl. 291.
russicum Callidium, J. C. Fabricius, Gen. Ins. 1777, 232.
russica Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 232.
russicus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 254.—Callidium.
russica Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1674.
russica Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 323.
russica Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 49.
russicus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
russicus Cuniculus, F. A. A. Meyer, Nat. Hausthier. 1792, 94.
russicus Erytylus (L.); A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 438.—Silpha.
russica Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 102.
russicus Milvus, F. M. Daudin, Traité élém. Orn. 1800, 148.
russica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
russica Triplax (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 147.—Silpha.

- russula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 579.—Phalaena.
- russula Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 12, 1767, 830.
- russula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510.
- rustan [Papilio], C. Stoll, Aahang. Cramer's Utitl. Kapellen, V. 1790, 166.
- rusticalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 26.
- rusticana Phalaena, Scopoli, Ent. Carn. 1763, 236.
- rusticana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 254.
- rusticana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 66 [*n. et f.*].
- rusticata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- rusticata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 241 [*n. et f.*].
- rusticella [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 11.
- rusticella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 61.
- rusticolus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 88; ed. 12, 1766, 125.
- rusticola Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 146; ed. 12, 1766, 243.
- Rusticula Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 68.—A.
- rusticum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
- rustica Adimonia (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 556.—Chrysomela.
- rustica Altica (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
- rustica Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 201.
- rustica Apis, A. F. de Fourcroy, Ent. Paris. 1785, 451.
- rustica Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 64.
- rusticus Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.
- rustica Ascidia, Linnaeus, Syst. Nat., ed. 12, 1767, 1087.
- rusticus Asilus, P. Rossi, Fauna Etrus. II. 1790, 328.
- rusticus Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
- rustica Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
- rusticus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 56.
- rusticum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
- rusticum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 193.—Leptura.
- rusticus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
- rusticum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681; ed. 12, 1767, 1124.
- rusticus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 634.
- rusticus Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 305.—Stenocorus.
- rusticum Cerastoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Cardium.
- rustica Cercopis, J. C. Fabricius, Syst. Ent. 1775, 689.
- rustica Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 595.
- rustica Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 274.
- rustica Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1695.
- rusticus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 339.
- rusticus Cimex, J. C. Fabricius, Mant. II. 1787, 282.
- rusticus Clytus (L.), F. v. P. Schrank, F. Boica, I. 1798, 680.—Leptura.
- rusticus Conus, Linnaeus, Syst. Nat.; ed. 10, 1758, 714; ed. 12, 1767, 1168.
- rusticus Corvus, *id. ac pica*, Linn., J. A. Scopoli, Annus I. 1769, 38.
- rustica Crioceris (Schall.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 118.—
- rusticus Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33. [Chrysomela.]
- rusticus Culex, P. Rossi, Fauna Etrus. II. 1790, 333.
- rusticus Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
- rustica Galeruca (Schall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 587.—Chrysomela.
- rusticus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 292.
- rustica Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 191; ed. 12, 1766, 343.
- rusticus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 426.
- rustica Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
- rustica Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 350.
- rustica Melolontha, A. G. Olivier, Entom. I. 1789, 27.
- rustica Mordella (Linn.), Scopoli, Ent. Carn. 1763, 61.—Buprestis.
- rusticus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
- rustica Musca, J. C. Fabricius, Syst. Ent. 1775, 777.
- rustica Nepa, J. C. Fabricius, Syst. Ent. 1775, 691.

- rustica* Ostrea, J. X. Poli, Test. Sicil. II. 1795, 158.
rustica Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1261.
rustica [Phalaena], P. Cramer, Uitl. Kapellen, IV (26) 1780, 30.
rustica Phalaena, Giorna, Cal. Ent. 1791, 95.
rustica Phalaena Bombyx, J. Hübner, Beitr. Schmett. II. 1790, 64.
rustica Pimelia, J. C. Fabricius, Ent. Syst. IV. 1794, 438.
rustica Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
rustica Sphinx, J. C. Fabricius, Syst. Ent. 1775, 540.
rustica Sphinx, J. G. Schaller, Naturforscher, XXIII. 1788, 50.
rusticus Stenocorus, J. C. Fabricius, Spec. Ins. I. 1781, 228.
rusticus Stenocorus (Fab.), J. A. Scopoli, Del. Insub. II. 1786, 47.—*Callidium*.
rusticus Tabanus, Linnaeus, Syst. Nat., ed. 12, 1767, 1000.
rustica Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 923.
rusticus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
rustica Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
rustica Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1190.
rutana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 286.
rutella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 485.
roteola Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
ruthenica Anas, J. P. Bonnatere, Ency. Méth. (Orn.), 1790, 140.
ruthenus Acipenser, Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.
ruticapilla Emberiza, A. Sparrman, Mus. Carls. II. 1787, no. xlv.
ruticapilla Fringilla (Sparr.), J. Latham, Index Orn. 1790, 438.—*Emberiza*.
“*Ruticilla*, Briss. 1760,” Waterh.; not used in a generic sense.
ruticilla Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186.
ruticilla Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 326.
ruticilla Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. [1799], 525.
rutilago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
rutilago Phalaena Noctua, J. Hübner, Beitr. Schmett. I (1) 1786, 18.
rutilans Buprestis, J. C. Fabricius, Gen. Ins. 1777, 235.
rutilans Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 676.
rutilans Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 353.
rutilans Musca, J. C. Fabricius, Spec. Ins. II. 1781, 436.
rutilans Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 49.
rutillator Ichneumon, Linnaeus, Faun. Suec., ed. 2, 1761, 403.
rutili Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 61.
rutilis Lanius, J. C. Schaeffer, Mus. Orn. 1789, 16.
rutilis Mus, R. Kerr, Anim. Kingd. 1792, 237; *var. minor*.
rutilis Pecten, F. C. Meuschen, Mus. Gever. 1787, 414.
rutilo Musca, M. Harris, Exp. Eng. Ins. 1776, 80.
rutila Anas, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 579.
rutila Ardea, J. Latham, Syn. Birds, Suppl. I. 1787, 291.
rutilla Bombyx, J. C. Fabricius, Mant. II. 1787, 123.
rutilus Cimex, J. C. Fabricius, Syst. Ent. 1775, 714.
rutilus Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 324; ed. 12, 1766, 529.
rutila Emberiza, P. S. Pallas, Reise Russ. III. 1766, 698.
rutilus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—*Mus*.
rutilus Lanius, J. Latham, Index Orn. 1790, 70.
rutillus Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 246.
rutillus Musca, M. Harris, Exp. Eng. Ins. 1776, 86.
rutila Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
rutilus [Sphinx], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 183.
ruuthensparri Gobius, B. A. Euphrasen, K. Vet. Ac. Nya Handl. VII. 1786, 64.
rybyensis Apis, Linnaeus, Amoen. Acad. VIII. 1771, 89.
rybyensis Sphex, Linnaeus, Amoen. Acad. VIII. 1771, 88.
Ryghopsalia M. J. Brisson, Ornith. VI. 1760, 223.—*A*.
Rynchites *v.* *Rhyn-*.
Rynchophorus *v.* *Rhyn-*.

[Rynchopsalia (1855) v. Ryg-.]

rynclops v. rbyn-

ryphea [Papilio], P. Cramer, Uitl. Kapellen, I (4) 1775, 76.

Ryzophagus v. Rhizophagus.

- s-littera Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—Chrysomela.
- s-litera Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
- S Curculio, C. de Villers, Linn. Ent. I. 1789, 216.
- s-littera Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 35.—Chrysomela.
- L' S Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 274.
- s Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
- saba Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 46.
- sabaeus Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 261.—Bibio, 1781.
- sabaeus Bibio, J. C. Fabricius, Spec. Ins. II. 1781, 416.
- sabaea Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 33.—Simia.
- sabaeus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.—Scarabaeus.
- sabaeus Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
- sabaeus Papilio, J. C. Fabricius, Syst. Ent. 1775, 530.
- sabaeus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 23.
- sabaea Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 38.
- sabaeus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 66.
- sabaudus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 385.
- Sabella Linnaeus, Syst. Nat., ed. 12, 1767, 1268.—Ver.
- sabella Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
- sabellaris Lumbricus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 37.
- “Sabellites” J. W. K. Hupsch, Naturg. niederdeutschl., 1781, 31. (Not used in a Linnean
- sabina Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 114. [sense].—Ver.
- sabina [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 1.
- sabina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 117.
- sabinus [Papilio], C. Stoll, Aahang, Cramer's Uitl. Kapellen, II. 1790, 44.
- sabuleti Aphodius, Illiger in Kugelann, Käfer Preuss. 1798, 21.
- sabuleti Scarabaeus, G. Paykull, Faun. Suec. I. 1798, 27.
- sabuleti Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
- sabulicola Carabus, G. W. F. Panzer, Ins. Germ. heft 30 [1796], tab. 4.
- sabulosa Apis, Scopoli, Ent. Carn. 1763, 300.
- sabulosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 57.
- sabulosus Carabus, J. C. Fabricius, Mant. I. 1787, 199.
- sabulosus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 202.
- sabulosus Crabro, J. C. Fabricius, Mant. I. 1787, 296.
- sabulosus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 515.
- sabulosus Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 640; ed. 12, 1767, 1065.
- sabulosus Mellinus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 226.—Crabro,
- sabulosum Opatrum (L.), J. C. Fabricius, Syst. Ent. 1775, 76.—Silpha. [1787.]
- sabulosa Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
- sabulosus Philanthus, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 13.
- sabulosa Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.
- sabulosa Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
- sabulosus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 350; ed. 12, 1767, 551.
- sabulosus Scarites, J. C. Fabricius, Ent. Syst. I (1) 1792, 96.
- sabulosus Scarites, A. G. Olivier, Entom. III. 1795, 11.
- sabulosa Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 361; ed. 12, 1767, 572.
- sabulosa Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 569; ed. 12, 1767, 941.
- sabulosa Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 114.
- sabulosus Tenebrio, J. C. Fuessly, Schweiz. Ins. 1775, 20.
- sabulosa Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 158.
- sabulosus Trox (L.), J. C. Fabricius, Syst. Ent. 1775, 31.—Scarabaeus.
- sabulosa Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.—Crabro.

- saburon** Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 420.
sacalis Musca, C. Bierkander, Mag. Neuste Phys. u. Nat. II (1) 1783, 102.
saccata Antelope, P. Boddaert, Elench. 1785, 142.
saccata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
saccatum Chimaeroderma (L.), J. X. Poli, Test. Sicil. II. 1795, 259.—Pinna.
saccatus Lepus, R. Kerr, Anim. Kingd. 1792, 282.
saccata Pinna, Linnaeus, Syst. Nat., ed. 10, 1758, 707; ed. 12, 1767, 1160.
saccatus Sipunculus, Linnaeus, Syst. Nat., ed. 12, 1767, 1078.
saccharalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 238.
sacchari Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.
sacchari Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 469.—Phalaena saccharalis,
saccharina Forbicina, A. F. de Fourcroy, Ent. Paris. 1785, 525. [1794.
saccharina Lepisma, Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1012.
saccharina Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1258.
Saccharivora M. J. Brisson, Ornith. III. 1760, 611 & vol. VI. Suppl., 117.—A.
saccharivora Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
sacculana Pyralis, Bosc, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.
sacculus Vorticella, O. F. Müller, An. Infus. 1786, 267.
sacellum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
sacer Actinophorus (L.), J. Sturm, Verz. Ins. Samml. 1800, 74.—Scarabaeus.
sacra Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
sacer Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 99.
sacra Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 640.
sacra Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 372; ed. 12, 1767, 593.
sacer Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2197.
sacer Copris (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 28.—Scarabaeus.
sacer Falco, J. R. Forster, Phil. Trans. LXII. 1772, 423.
sacer Falco, R. Kerr, Anim. Kingd. 1792, 508; *var.* americanus.
sacer Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 545.
sacra, -crum v. sacer.
sacralis Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 14.—Phalaena sacraria, L.
sacraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 200 [*n. et f.*].
sacraria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 863.
sacrata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
sacrficator Murex, F. C. Meuschen, Mus. Gev. 1787, 324.
saebyensis Parus, A. Sparrman, Mus. Carls. I. 1786, no. XXV.
saepa Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 25.
safgha Sciaena, P. Forskal, Descr. Anim. 1775, 53.
saga v. sagus.
sagaris Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 321.
sagaris [Papilio], P. Cramer, Utitl. Kapellen, I (7) 1775, 130.
sagitta Anguis, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 134.
sagitta Callionymus, P. S. Pallas, Spic. Zool. VIII. 1770, 29.
sagitta Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 99.
sagitta Dipus (Pall.), P. Boddaert, Elench. 1785, 115.—Mus.
sagitta Glis, G. C. C. Storr, Prod. 1780, 39.
sagitta Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 128.—Noctua, 1775.
sagitta Mus, P. S. Pallas, Reise Russ. II. 1773, 706.
sagitta Noctua, J. C. Fabricius, Syst. Ent. 1775, 597.
sagitta Pennatula, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1322.
sagitta Petaurista (Linn.), H. F. Link, Beytr. Nat. I (2) 1795, 78.—Sciurus.
sagitta Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 276.
sagitta Sciurus, Linnaeus, Syst. Nat., ed. 12, 1766, 88.
sagitta Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 268.
sagitta Sphinx, Panzer in Drury, Exot. Ins. 1785, 100.
sagitta Vibrio, O. F. Müller, An. Infus. 1786, 59.
sagitta Yerbua (Pall.), J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 113.—Mus.
sagittalis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 272; Noctua sagitta, 1775.

- sagittariae Donacia, J. C. Fabricius, Ent. Syst. I (2) 1792, 117. [1855, 94.]
- sagittariae Phalaena, Gladbach, Namen u. Preissverz. 1778; see Stettin Ent. Zeit. XVI,
- sagittariae Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 123 [n. n.].
- Sagittarius This word occurs in the title-page and heading of Vosmaer's Dutch ed. of
Regnum Animale (Besch. Afrik. Roof-Vogel de Sagittarius, 1769). It is not used in
the French ed. and its generic value is very doubtful.—A.
- Sagittarius J. M. Bechstein in his ed. of Levaillant, Naturg. Afrik. Vögel, 120 [1800?]—A.
- sagittarius Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 177.
- sagittarius Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 442.
- sagittarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.—Scarabaeus.
- "sagittarius Graptolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
- sagittarius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.
- sagittarius Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer, 1793.
- sagittarius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 24.
- sagittator Ichneumon, P. Rossi, Mant. Ins. I. 1792, 122.
- sagittata Geometra, C. de Villers, Linn. Ent. IV. 1789, 510.
- sagittata Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
- sagittatus Mytilus, J. X. Poli, Test. Sicil. II. 1795, 208.
- sagittata Phalaena, J. C. Fabricius, Mant. II. 1787, 210.
- sagittata Sphinx, *vide* C. C. Jung, Alph. Verz. Schmett. II. 1792, 183.
- sagittata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 44 [n. n.].
- sagittella Phalaena (Tinea), C. Bjerkander, K. Vet. Ac. Nya Handl. XI. 1790, 132.
- sagittifer Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
- sagittiformis Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
- sagittigera Phalaena, Hufnagel, Berlin. Mag. III. 1767, 410.
- Sagoinus R. Kerr, Anim. Kingd. 1792, 80.—M.
- Sagouin B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
- saga Coracias, J. R. Forster in Latham & Davies, Faun. Ind. ed. 2, 1795, 6 [n. n.].
- saga Hyblaea, J. C. Fabricius, Ent. Syst. III (2) 1794, 128.—Noctua, 1787.
- saga Noctua, J. C. Fabricius, Mant. II. 1787, 137.
- saida Gadus, I. Lepechin, Nov. Comm. Sci. Petrop. XVIII. 1774, 512.
- saiga Antilope, P. S. Pallas, Misc. Zool. 1766, 6.
- sayga Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
- saiga Lucanus, A. G. Olivier, Entom. I. 1789, 23.
- saint *v. sanct.*
- salacia [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 4.
- salamander Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 80.
- Salamandra L. T. Gronovius, Zooph. I. 1763, 12.—R.
- Salamandra J. N. Laurenti, Syn. Rept. 1768, 41.—R.
- salamandra Gekko (L.), F. A. A. Meyer, Syn. Rept. 1795, 25.—Lacerta.
- salamandra Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 371.
- salamandrae Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
- salamandrae Fasciola, J. A. Frolich, Naturforscher, XXIV. 1789, 119.
- salamandrae Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3064.
- salamandrina Iguana, J. N. Laurenti, Syn. Rept., 1768, 48.
- salamandroides Triton, J. N. Laurenti, Syn. Rept., 1768, 40.
- salaminia Noctua (Cr.), J. C. Fabricius, Ent. Syst. III (2) 1794, 17.—Phalaena.
- salaminia [Phalaena], P. Cramer, Utitl. Kapellen, II (15) 1777, 117.
- salar Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509.
- Salaria P. Forskal, Descr. Anim. 1775, x & 22.—P.
- salaris Gadus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 51. [Cucullanus lacustris.
- salaris Capsularia, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 10; *v.*
- salatis [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (33) 1782, 215.
- saldonana Pyralis, J. C. Fabricius, Mant. II. 1787, 232.
- saldonana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 527.
- salicalis Phalaena (D. & S.), J. C. Fabricius, Spec. Ins. II. 1781, 272.—Pyralis.
- salicalis Phalaena (Pyr.) (D. & S.), C. de Villers, Linn. Ent. II. 1789, 441.—Pyralis.
- salicalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.

- salicana* Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
salicana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 11 [*n. et f.*].
salicariae Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 167.
salicariae Curculio, M. Piller and L. Mitterpacher, Iter Poseg. 1783, 69.
salicariae Galeruca, G. Paykull, Faun. Suec. III. 1800, 453.
salicaria Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 33.—Motacilla.
salicaria Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
salicaria Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 287.—Motacilla.
salicata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
salicata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 273 [*n. et f.*].
salicella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
salicella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 659.—Phalaena.
saliceti Curculio, G. Paykull, Mon. Curc. 1792, 66.
saliceti Phalaena Noctua, M. B. Borkhausen, Nat. Eur. Schmett. IV. 1792, 630.
salicinus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
salicina Buprestis, Scopoli, Ent. Carn. 1763, 65.
salicinus Carabus, Scopoli, Ent. Carn. 1763, 90.
salicina Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
salicinus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 115.
salicinus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
salicinus Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 57.
salicina Tipula, F. v. P. Schrank, Ins. Aust. 1781, 435.
salicis Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
salicis Aphis, J. H. Sulzer, Gesch. Ins. 1776, 105. [is Linn.
salicis Aphis, O. F. Müller, Z. Dan. Prod. 1776, 110 [2 spp. (1255 & 1276) one of which
salicis Bitoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 27.
salicis Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 578.—Phalaena.
salicis Buprestis, J. C. Fabricius, Gen. Ins. 1777, 237.
salicis Callidium, J. C. Fabricius, Mant. I. 1787, 154.
salicis Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 309.—Callidium.
salicis Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 739.
salicis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 319.
salicis Clythra (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 188.—Cryptocephalus.
salicis Clytus, F. v. P. Schrank, F. Boica, I. 1798, 677.
salicis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
salicis Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 53.
salicis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 611.
salicis Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 57.
salicis Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 98.
salicis Galeruca, C. Schwarz, Nomen. Roesel, I. 1793, 55.
salicis Laria, Scopoli, Ent. Carn. 1763, 22.
salicis Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502; ed. 12, 1767, 822.
salicis Salicis, F. v. P. Schrank, F. Boica, I. 1798, 510.
salicis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 31.
salicis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
salicis Tenthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 395, no. 1572.—[misprint; it is
capreae of S. N., ed. 10.]
salicis-strobili Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
salicivorus Curculio, G. Paykull, Mon. Curc. 1792, 31.
salicornia Cellaria (Pall.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 445.—Cellularia.
salicornia Cellularia, P. S. Pallas, Elench. 1766, 61.
salictaria Phalaena (Geometra), N. Poda, Ins. Mus. Graec. 1761, 92.
salicti Curculio, F. v. P. Schrank, F. Boica, I. 1798, 489.
saliens Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
saliens Mus, G. Shaw, Nat. Misc. II. 1790, pl. 38.
saliens Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 49.
saligna Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1789, 2209.
salinarius Tabanus, Scopoli, Ent. Carn. 1763, 373.

- salinator Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
- salinator Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
- salinus Astacus (L.), T. Pennant, Brit. Zool. ed. 4, IV. 1777, 18.—Cancer.
- salinus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1056.
- salinus Cancer (Oniscus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 145.—
- salinus Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 419.—Cancer. [Gammarus.
- salinus Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 727.
- salis Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 36.—Motacilla sialis.
- salisburgensis Chrysmela, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (1) 1784, 43.
- salisburiensis Buprestis, Herschell in [Hausmann], Bemerk. Entom. 1799, 31.
- Salius F. v. P. Schrank, F. Boica, I. 1798, 360.—Col.
- salius [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 107.
- salmachus Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
- Salmacia J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
- salmacis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 14.
- salmarinus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
- salmasis Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 132.
- Salmo Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509; divided by Linnaeus into Truttae, Coregoni, Osmeri, Characini, but these words are not used in a subgeneric sense; cf. Gryllus (Mantis).
- salmonea Bombyx (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 173.—Phalaena.
- salmonea Lernaea, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1093.
- salmoneus Monoculus, J. C. Fabricius, Ent. Syst. II. 1793, 489.
- salmonea [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 101.
- salmoneus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 99.
- salmonea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 218.
- salmonis Echinorhynchus, O. F. Müller, Zool. Dan. II. 1784, 83.
- salmonis Taenia, O. F. Müller, Naturforscher, XIV. 1780, 179.
- salmonis wartmanni Taenia, J. A. Frolich, Naturforscher, XXIV. 1789, 124.
- salmulus Salmo, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 65.
- salome [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 18.
- salome Papilio, J. C. Fabricius, Mant. II. 1787, 42.
- salomonis Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 580; ed. 12, 1767, 963.
- salomonis Formica, P. Forskal, Descr. Anim. 1775, 84.
- Salpa G. Edwards in M. Catesby, Carol. II. 1771, 17.—P.
- Salpa P. Forskal, Descr. Anim. 1775, 112.—Asc.
- Salpa G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [2. n.].—Asc.
- salpa Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 470.
- Salpyga J. G. Meigen, N. Class. Mouches, 1800, 37.—Dip.
- salsatorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 169.
- salsus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 213.
- salsa Rana, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1049.
- saltans Antilope, R. Kerr, Anim. Kingd. 1792, 312.
- saltator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1834.—Lamia.
- saltator Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 218.
- saltator Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 121.
- saltator Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 386.
- saltator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
- saltator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 433.
- saltator Lamia, J. C. Fabricius, Mant. I. 1787, 141.
- saltator Ophion, J. C. Fabricius, Suppl. Ent. Syst. 1798, 238.—Ichneumon, 1781.
- saltator Tipula, M. Harris, Exp. Eng. Ins. 1776, 57.
- saltator Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 729.
- saltatorius Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 176.—Cimex.
- saltatorius Monoculus (Mull.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3005.—
- saltatorius Nauplius, O. F. Müller, Z. Dan. Prod. 1776, 198. [Nauplius.
- Saltatrix G. Edwards in M. Catesby, Carol. II. 1771, 14.—P.
- saltatrix Antilope, P. Bodaert, Elench. 1785, 141.

- saltatrix Forbicina, A. F. de Fourcroy, Ent. Paris. 1785, 525.
 saltatrix Gasterosteus, Linnaeus, Syst. Nat., ed. 12, 1766, 491.
 saltatrix Musca, Linnaeus, Faun. Succ., ed. 2, 1761, 555.
 saltatrix Mutilla, Scopoli, Ent. Carn. 1763, 314.
 saltatrix Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 486 [sectatrix]
 saltatrix Phryganea, Linnaeus, Faun. Succ., ed. 2, 1761, 381.
 saltitans Musca, Scopoli, Ent. Carn. 1763, 350.
 saltum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
 saltuum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 287.
 saltuum Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 927.
 salus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
 salus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 135.
 salustrus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 310.
 salutator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 40.
 salvaquardia Stellio, J. N. Laurenti, Syn. Rept. 1768, 57.
 salvator Stellio, J. N. Laurenti, Syn. Rept. 1768, 56.
 salvelini Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 24.
 salvelini Ligula, F. v. P. Schrank, Reise südl. Gebirg. Baiern, 1793, 141.—Taenia, 1790.
 salvelini Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
 salvelinus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 309; ed. 12, 1766, 511.
 salviae Curculio, F. v. P. Schrank, Naturforscher, XXIV. 1789, 74.
 salviae Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2877.—Syrphus.
 salviae Syrphus, J. C. Fabricius, Mant. II. 1787, 340.
 salviafolia Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 82.
 salviani Labrus, G. A. Suckow, Naturges. IV. 1799, 462.
 salvianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 348.
 salviana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 318.
 samamistica Motacilla, K. Hablizl in P. S. Pallas, N. nord. Beytr. IV. 1783, 60.
 samar Alata, F. C. Meuschen, Mus. Gever. 1787, 336.
 samariensis Sphex, P. S. Pallas, Reise Russ. I. 1771, 473.
 sambucalis Phalaena Pyralis, N. J. Brahm, Ins. Kal. II (1) 1791, 322.
 sambucalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 122.
 sambucaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796] fig. 28 [*n. et f.*].
 sambucaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 519; ed. 12, 1767, 860.
 sambucaria Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 513.—Pyralis sambucalis.
 sambucata Phalaena, *err. pro* sambucalis, Den. & Schiff., J. C. Fabricius, Mant. II. 1787, 215.
 sambucata Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 378.—P. sambuci, Retz.
 sambuci Acarus, F. v. P. Schrank, Ins. Aust. 1781, 524.
 sambuci Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 734.
 sambucci Dermestes, Scopoli, Ent. Carn. 1763, 16.
 sambuci Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
 sambuci Smaris (Schr.), P. A. Latreille, Préc. Car. Ins. 1796, 180.—Acarus.
 sammara Sciaena, P. Forskal, Descr. Anim. 1775, 48.
 samulus Salmo, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 61.
 sancta crucis Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 58.
 st. crucis Cassida, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
 s. crucis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2178.
 sancti crucis Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 35.
 s. francisci Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1580.
 sancti johannis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 273.
 santae luciae Murex, C. U. v. Salis, Reise Neapel, 1793, 371.
 sancti mauritii Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
 st. mauritii Turrus, J. F. Bolten, Mus. Bolten. (2) 1798, 125.
 st. oma Conus, F. C. Meuschen, Mus. Gever. 1787, 346.
 st. stephani Turrus, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
 sancti thomae Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 778.
 st. thomae Colymbus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 107.
 st. thomae Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.

- st. thomae Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 81.
- sanctus Cimex, J. C. Fabricius, Syst. Ent. 1775, 709.
- sanctus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 34.
- sanctus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 141.—Cimex, 1775.
- sancta Mantis, J. C. Fabricius, Mant. I. 1787, 228.
- sancus Reduvius, J. C. Fabricius, Mant. II. 1787, 310.
- sandaliata Aranea, F. H. W. Martini & J. A. Goeze in Lister, Spinnen, 1778, 287.
- sandalinum Anomia, Linnaeus, Mant. II. 1771, 547. [in a generic sense.]
- “Sandalolithus” J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56. [Not used in “Sandalites” J. W. C. A. F. Hüpsch, Neue Naturg. Schaalthiere, 1768, 56. [Not used in a generic sense.] [linum, L.]
- sandalium Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3349.—[sanda-
- sandalia Calceola (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Anomia sandalinum.
- sandaracha Musca, M. Harris, Exp. Eng. Ins. 1776, 119.
- sandwichensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 875.
- sandwichensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 945.
- sanduicensis Muscicapa, *id. ac* sandwichensis, Gm., J. Latham, Index Orn. 1790, 479.
- sandwichensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
- sanduicensis Rallus, *id. ac* sandwichensis, Gm., J. Latham, Index Orn. 1790, 759.
- sandvicensis Sterna, J. Latham, Syn. Birds, Suppl. I. 1787, 296.
- sandvicensis Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638.
- sandwichensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 813.
- sanduicensis Turdus, *id. ac* sandwichensis, Gm., J. Latham, Index Orn. 1790, 338.
- sangarida [Phalaena], C. Stoll in Cramer, Util. Kapellen, IV (32) 1782, 181.
- sanguiflua Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 35.
- sanguiforbae Involvulus, F. v. P. Schrank, F. Boica, I. 1798, 476.
- sanguigutta Spheg, J. L. Christ, Nat. Ins. 1791, 293.
- sanguinalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 12, 1767, 882.
- sanguinariis Bibio, P. S. Pallas, Reise Russ. I. 1771, 475.
- sanguinaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 21.
- sanguinaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (6 or 7) 1799, 173.
- sanguinaria Tipula (Pall.), Lamarck in Pallas, Voy. Russie (8vo. ed.) VIII [1794], 197.—
- sanguinator Ichneumon, P. Rossi, Mant. Ins. II. 1794, 109. [Bibio.]
- sanguinella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 37.
- sanguineum Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
- sanguineus Attelabus, Giorna, Cal. Ent. 1791, 48.
- sanguinea Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 135.
- sanguineum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 190.—Cerambyx.
- sanguineus Cancer, Linnaeus, Mant. II. 1771, 542.
- sanguinea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[Lampyrus, ed. 12.]
- sanguinea Cassida (Linn.), Scopoli, Ent. Carn. 1763, 38.—Cantharis.
- sanguinea Cassida, Boeber in Reich's Mag. Thierreichs, I. 1793, 135.
- sanguineus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
- sanguinea Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 479.
- sanguinea Chrysomela, C. de Geer, Mém. Ins. V. 1775, 355.
- sanguinea Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 164.—Crioceris.
- sanguinea Cicada, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
- sanguinea Cicada, C. de Geer, Mém. Ins. III. 1773, 221.
- sanguinea Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 185.
- sanguinea Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 116.
- sanguineus Cimex, F. v. P. Schrank, Beitr. Nat. 1776, 81.
- sanguineus Cimex, C. de Geer, Mém. Ins. VII. 1778, 616.
- sanguinea Coccinella, Linnaeus, Amoen. Acad. VI. 1763, 393.
- sanguinea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 785.
- sanguinea Crioceris, J. C. Fabricius, Syst. Ent. 1775, 119.
- sanguineus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.
- sanguineus Curculio, C. de Geer, Mém. Ins. V. 1775, 251. [—Crioceris.]
- sanguineus Curculio, P. Rossi, Mant. Ins. I. 1792, 36.

- sanguinea* Derris, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
sanguineus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
sanguinea Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 141 [*n. n.*]; Essai Fourmis, 1798, 37.
sanguinea Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 573.
sanguinea Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 102.
sanguinea Galeruca (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 159.—Cricocaris.
sanguineus Ichneumon, J. L. Christ, Nat. Ins. 1791, 349.
sanguinea Lampyris, Linnaeus, Syst. Nat., ed. 12, 1767, 646.—[Cantharis, ed. 10.]
sanguinea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 84.
sanguinea Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
sanguineus Lycus (L.), A. G. Olivier, Entom. II. 1790, 4.—Lampyris.
sanguineus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 155.
sanguineus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
sanguinea Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 138 [*n. n.*].
sanguinea Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
sanguinea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
sanguinea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3732.
sanguineus Picus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 17.
sanguinea Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3367.
sanguineus Pselaphus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 291.—Staphylinus.
sanguinea Pyrochroa (L.), J. C. Fabricius, Syst. Ent. 1775, 202.—Lampyris.
sanguinea Reduvius, P. Rossi, Fauna Etrus. II. 1790, 258.
sanguineus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 198.
sanguinea Spheg, J. L. Christ, Nat. Ins. 1791, 291.
sanguineus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 685.
sanguinea Thelephorus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 61.—Lampyris.
sanguineus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
sanguinicollis Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 11.—Necydalis.
sanguinicollis Cryptocephalus, J. A. Frolich, Naturforscher, XXVI. 1792, 130.
sanguinicollis Dermestes, J. C. Fabricius, Mant. I. 1787, 35.
sanguinicollis Elater, Hellwig in G. W. F. Panzer, Ins. Germ. heft 6 [1793], tab. 13.
sanguinicollis Engis (Fab.), G. Paykull, Faun. Suec. III. 1800, 351.—Mycetophagus.
sanguinicollis Hispa, Linnaeus, Mant. II. 1771, 530.
sanguinicollis Ips, J. C. Fabricius, Mant. I. 1787, 46. [Dermestes.
sanguinicollis Korynetes (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 153.—
sanguinicollis Luperus, J. A. Frolich, Naturforscher, XXVIII. 1799, 26.
sanguinicollis Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 498.—Ips, 1787.
sanguinicollis Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
sanguinicollis Necydalis, A. G. Olivier, Entom. IV. 1795, 9.
sanguinicollis Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 232.—Ips.
sanguinipes Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 231.
sanguinipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 344.
sanguinipes Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 195.
sanguinipes Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 256.
sanguinirostris Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 173; ed. 12, 1766, 303.
Sanguinolaria Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—L.
sanguinolentum Acrydium, C. de Geer, Mém. Ins. III. 1773, 489.
sanguinolenta Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3347.
sanguinolenta Apis, F. v. P. Schrank, Ins. Aust. 1781, 412.
sanguinolenta Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1032.
sanguinolenta Asterias, O. F. Müller, Z. Dan. Prod. 1776, 234.
sanguinolenta Bombyx, J. C. Fabricius, Spec. Ins. II. 1781, 199.
sanguinolenta Buprestis (Linn.), Scopoli, Ent. Carn. 1763, 66.—Chrysomela.
sanguinolentus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 161.
sanguinolenta Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 647.
sanguinolenta Cantharis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37 [*n. n.*]
sanguinolenta Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 323.—Malachius.

- sanguinolenta Cassida, O. F. Müller, Z. Dan. Prod. 1776, 65.
 sanguinolenta Cassida, F. v. P. Schrank, Beitr. Nat. 1776, 61.
 sanguinolenta Cassida, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 193.
 sanguinolentus Cerambix, A. G. Olivier, Entom. IV. 1795, 93.
 sanguinolenta Cercopis (Scop.), J. C. Fabricius, Syst. Ent. 1775, 688.—Cicada.
 sanguinolenta Cetonia, A. G. Olivier, Entom. I. 1789, 49. [Col.
 sanguinolenta Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 591.—
 sanguinolenta Chrysomela (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 72.—Buprestis.
 sanguinolenta Cicada, Scopoli, Ent. Carn. 1763, 112.
 sanguinolenta Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.—Tetti-
 sanguinolentus Cimex, J. C. Fabricius, Syst. Ent. 1775, 721. [gonia.
 sanguinolentus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 473.
 sanguinolenta Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
 sanguinolentus Elater, F. v. P. Schrank, Beitr. Nat. 1776, 69.
 sanguinolentus Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 40.
 sanguinolenta Gorgonia, P. S. Pallas, Elench. 1766, 175. [Acrydium.
 sanguinolenta Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2086.—
 sanguinolentus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
 sanguinolenta Leptura, Linnaeus, Faun. Suec., ed. 2, 1761, 196.
 sanguinolentus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1775.
 sanguinolentus Malachus, J. C. Fabricius, Mant. I. 1787, 169.
 sanguinolenta Medusa, A. Modeer, Nova Acta Acad. Caes. VIII., App., 1791, 26.
 sanguinolenta Nitidula, A. G. Olivier, Entom. II. 1790, 8.
 sanguinolenta Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3322.
 sanguinolenta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
 sanguinolenta [Phalaena], P. Cramer, Uitl. Kapellen, III (21) 1779, 102.
 sanguinolenta Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 837.
 sanguinolentus Portunus (Herbst), F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 sanguinolentus Prionus, J. A. Scopoli, Annus V. 1772, 99.
 sanguinolentus Psittacus, R. Kerr, Anim. Kingd. 1792, 585. [24.—Curculio.
 sanguinolentus Rhynchophorus (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795,
 sanguinolentus Sanguinolaria (Gm.), Lamarck, Mém. Soc. H. N. Paris, 1799, 84.—Solens.
 sanguinolentus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 6.
 sanguinolentus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1583.
 sanguinolentus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 43 [1797], tab. 4.
 sanguinolentus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
 sanguinolenta Spheg, J. C. Fabricius, Ent. Syst. II. 1793, 211.
 sanguinolenta Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
 sanguinolenta Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
 sanguinolenta Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3295.
 [sanguinosa Sphinx, MS.], T. Martyn, Psyche, 1797, figs. 68 & 69.
 sanguisorba Tabanus, M. Harris, Exp. Eng. Ins. 1776, 28.
 Sanguisuga J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, ix.—Ver.
 sanguisugus Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 615; ed. 12, 1767, 1022.
 sanguisuga Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
 sanguisuga Mitra (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 138.—Voluta.
 sanguisugus Murex (L.), F. C. Meuschen, Mus. Gev. 1787, 332.—Voluta.
 sanguisuga Petromyzon, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 99.
 sanguisuga Tabanus, M. Harris, Exp. Eng. Ins. 1776, 29.
 sanguisuga Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1192.
 sannio Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
 sannio Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 104.
 sannio Himantopus, O. F. Müller, An. Infus. 1786, 250.—Trichoda, 1773.
 sannio Musca, M. Harris, Exp. Eng. Ins. 1776, 158.
 sannio Phalaena, Scopoli, Ent. Carn. 1763, 211.
 sannio [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 237.
 sannio Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 506.
 sannio Trichoda, O. F. Müller, Verm. I. (1) 1773, 94.

- sansun Scomber, P. Forskal, Descr. Anim. 1775, 56.
 santae luciae *v. sancta*.
 santodactylas Ardea, S. G. Gmelin, Reise Russ. III. 1774, 253.
 santolla Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 207.
 sao Papilio, Bergstraesser, Nom. Ins. II. 1779, 67.
 Sapajou B. G. E. de Lacépède, Tabl. Mamm. 1799, 4.—M.
 Sapajus R. Kerr, Anim. Kingd. 1792, 75.—M.
 Saperda J. C. Fabricius, Syst. Ent. 1775, 184.—Col.
 saperdoides Tenebrio, A. G. Olivier, Entom. III. 1795, 11.
 Saperta, *v. Saperda* J. C. Fabricius, Mant. I. 1787, 148.
 saphirus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 48 [*n. n.*].
 saphyrinus *v. sapphirinus*. [*canus, europaeus, asiaticus, afer, monstrosus.*
 sapiens Homo, Linnaeus, Syst. Nat., ed. 10, 1758, 20; ed. 12, 1766, 28; *varr. ferus, ameri-*
 sapiens Homo, J. C. P. Erxleben, Syst. Anim. 1777, 1; *varr. lappo, tartarus.*
 saponariae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 370.
 saponarius Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 341.
 sapphirina Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 19.
 sapphirinus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1705.
 saphyrinus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 236.
 sapphirinus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
 sappho Papilio (Hel.), P. S. Pallas, Reise Russ. I. 1771, 471.
 sapho [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 54.
 Saphyga P. A. Latreille, Préc. Car. Ins. 1796, 134.—Hym.
 sara Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 167.
 sarasenica Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
 saratan Cancer, P. Forskal, Descr. Anim. 1775, 87.
 sarba Sparus, P. Forskal, Descr. Anim. 1775, 31.
 sarcitella Phalaena Tinea, Linnaeus, Syst. Nat., ed. 10, 1758, 536 [sarcitrella]; ed. 12, I.
 sarcitella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena. [1767, 888.
 sarcitorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 930.
 sarcitrella *v. sarcitella*.
 “Sarcophylla, Stockh. 1795,” Ag.; apparently from a MS. source.
 sardica Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 146.
 sardicus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3178.—Cidaris.
 sardus Coluber, G. A. Suckow, Naturges. III. 1798, 242.
 sarda Scomber, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 44.
 Sargus (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
 Sargus J. C. Fabricius, Suppl. Ent. Syst. 1798, 549.—Dip.
 Sargus J. G. Meigen, N. Class. Mouches, 1800, 28.—Dip.
 sargus Cynaedus, F. C. Meuschen, Mus. Gronov. 1778, 25.
 sargus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 467.
 sarmatica Mustela, P. S. Pallas, Reise Russ. I. 1771, 453.
 sarmaticus Trochus (L.), F. C. Meuschen, Mus. Gev. 1787, 280.—Turbo.
 sarmaticus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 763; ed. 12, 1767, 1235.
 sarmantosa Gorgonia, E. J. C. Esper, Pflanzenth. II (8) 1791, 85.
 sarpedon Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 461; ed. 12, 1767, 747.
 sarpedon Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 85.
 Sarrotrium Illiger in Kugelann, Käfer Preuss. 1798, 339.—Col.
 sarroube Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 sarroube Salamandra, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 64.
 sartor Cerambyx, C. Allioni, Misc. Taurin. III. 1766, 188.
 sartor Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 304.—Lamia.
 sartor Lamia, J. C. Fabricius, Mant. I. 1787, 137.
 sasappo Gorgonia, P. S. Pallas, Elench. 1766, 188.
 satelles Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
 satelles Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 5.
 satellitia Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
 satellitia Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 855.

- satellitius Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 281.
 satellitia Sphinx, Linnaeus, Mant. II. 1771, 539.
 satiata Chama, Linnaeus, Syst. Nat., ed. 12, 1767, 1138.
 satrapa Pyrochroa, F. v. P. Schrank, Ins. Aust. 1781, 174.
 satruak Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 224.
 saturalis Cimex, *err. pro* saturalis, Fabr. 1775, J. C. Fabricius, Mant. II. 1787, 301.
 saturatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 931.
 saturninus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
 saturnina Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 77.—Coluber.
 saturnius Cimex, P. Rossi, Fauna Etrus. II. 1790, 245.
 saturnus Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 409.
 saturnum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 47.
 saturnus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 328.
 saturnus Papilio, J. C. Fabricius, Mant. II. 1787, 85.
 satura Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
 satura Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 377.
 Satyrus Linnaeus, Amoen. Acad. VI. 1760, 69.—M.
 satyra Amymone, O. F. Müller, Z. Dan. Prod. 1776, 198.
 satyrus Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.—Biblio, 1775.
 satyrus Biblio, J. C. Fabricius, Syst. Ent. 1775, 758.
 satyrus Geotropus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.—Scarabaeus, 1775.
 satyra Meleagris, Linnaeus, Syst. Nat., ed. 10, 1758, 157; ed. 12, 1766, 269. [mone.
 satyrus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3003.—Amy-
 satyrus Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2831.—Biblio.
 satyrus Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 32.
 satyra Penelope (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 733.—Mele-
 satyrus Phasianus, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*]. [agris.
 satyrus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 12.
 satyrus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 34.
 sauciatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2191.
 sauciata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
 saucia Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [1798], 505.
 sauijala Turdus, J. Latham, Index Orn. 1790, 356.
 saularis Gracula, Linnaeus, Syst. Nat., ed. 10, 1758, 109; ed. 12, 1766, 165.
 saularis Sturnus (L.), F. M. Daudin, Traité élém. Orn. 1800, 321.—Gracula.
 saurita Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 385.
 Saurus G. Edwards in M. Catesby, Carol. II. 1771, 2.—P.
 saurus Elops, Linnaeus, Syst. Nat., ed. 12, 1766, 518.
 saurus Esox, G. S. Volta, Itt. Veron. (2) [circa 1800], ccvi.
 saurus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
 saurus Stellio, J. N. Laurenti, Syn. Rept. 1768, 56.
 sau-sarai Anas, J. P. Bonnaterra, Ency. Méth. (Orn.) 1791, 153.
 saussuriana Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 536.
 sauvagesii Aranea, J. A. Dorthes, Tr. Linn. Soc. [Lond.] II. 1794, 90.
 sauvagii Aranea, P. Rossi, Mém. Soc. Ital. IV. 1788, 141.
 savannarum Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 921.
 Savia *err. pro* Cavia, J. F. Blumenbach, Ordines Mamm. 1795.
 savogineus Brontias, N. G. Leske, Add. Klein. Nat. Disp. Ech. 1778, 143.
 saxatilis Anadema (L.), F. C. Meuschen, Mus. Gever. 1787, 482.—Echinus.
 saxatilis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 187.
 saxatilis Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 276; ed. 12, 1766, 466.
 saxatilis Cidaris (Linn.), N. G. Leske, Add. Klein. Nat. Disp. Ech. 1778, 82.—Echinus.
 saxatilis Cimex, Scopoli, Ent. Carn. 1763, 128.
 saxatilis Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 664; ed. 12, 1767, 1102.
 saxatilis Holocentrus (Walb.), G. A. Suckow, Naturges. IV. 1799, 537.—Perca.
 saxatilis Lygaeus (Scop.), J. C. Fabricius, Ent. Syst. IV. 1794, 148.—Cimex.
 saxatilis Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
 saxatilis Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 255.

- saxatilis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
saxatilis Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 330.
saxatilis Perca (Linn.), M. E. Bloch, Nat. ausl. Fische, VI. 1792, 79.—Sparus.
saxatilis Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 312.—Murex.
saxatilis Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 468.
saxatilis Staphylinus, F. v. P. Schrank, Ins. Aust. 1781, 234.
saxatilis Stello, J. N. Laurenti, Syn. Rept. 1768, 57.
saxatilis Turbo, G. Olivi, Zool. Adriat. 1792, 172.
saxatilis Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 294.
saxatilis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 833.
saxonica Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1900.
saxonica Alpheus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1723.
saxonica Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 256.
sayaca Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 316.
scaber Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 618; ed. 12, 1767, 1027.
scabra Albunea, F. Weber, Nomen. Fabricii, 1795, 94.—Hippra, 1787.
scaber Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
scabra Aphrodita, Linnaeus, Syst. Nat., ed. 12, 1767, 1084.
scabra Arca, J. X. Poli, Test. Sicil. II. 1795, 145.
scabra Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
scaber Astacus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 407.
scabrum Buccinum, O. F. Müller, Verm. II. 1774, 136.
scabrum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 89.
scaber Bufo, J. G. Schneider, Hist. Amph. I. 1799, 222.
scaber Bulinus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 330.—Buccinum.
scabra Bulla, O. F. Müller, Zool. Dan. II. 1784, 90.
scabra Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
scabra Buprestis, J. C. Fabricius, Syst. Ent. 1775, 220.
scaber Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 221.
scaber Cancer (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 11.—Hippra.
scaber Cerambyx, N. Poda, Ins. Mus. Graec. 1761, 36.
scaber Cerambix, A. G. Olivier, Entom. IV. 1795, 75.
scabra Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 111.
scaber Cimex, Linnaeus, Amoen. Acad. VI. 1763, 400.
scaber Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 384.
scaber Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 265; ed. 12, 1766, 451.
scaber Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 609.
scaber Curculio, J. C. Fabricius, Syst. Ent. 1775, 137.
scaber Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 384.
scabrum Daphnoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 260.—= Arca of p. 145.
scaber Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
scaber Dyticus, Illiger in Kugelann, Käfer Preuss. 1798, 266.
scabra Fasciola, O. F. Müller, Zool. Dan. II. 1784, 31.
scaber Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2077.
scaber Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 166.
scabra Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
scabra Helix, C. U. v. Salis, Reise Neapel, 1793, 378.
scabra Hippra, J. C. Fabricius, Mant. I. 1787, 330.
scabra Hispa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 15.
scaber Hister, J. C. Fabricius, Mant. I. 1787, 32.
scaber Homarus, F. Weber, Nomen. Fabricii, 1795, 94.
scabra Hyblaea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 448.
scaber Limax, T. Martyn, Univ. Conch. III [1789], fig. 119.
scabrum Mantellum, J. F. Bolten, Mus. Bolten. (2) 1798, 160.
scaber Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 266.
scaber Murex, G. Olivi, Zool. Adriat. 1792, 153.
scabra Mutilla, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 82.
scaber Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 15.

- scabra* Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 96.
scabra Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
scabra Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 30.
scabra Pimelia, J. C. Fabricius, Syst. Ent. 1775, 251.
scabra Pimelia, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
scabra Purpura, T. Martyn, Univ. Conch. III [1789], fig. 113.
scabra Raja, Linnaeus, Mus. Adolph. Frid. II. 1764, 52.
scabra Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268.
scaber Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 549.
scabra Silpha, Scopoli, Ent. Carn. 1763, 21.
scabra Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
scabra Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1624.
scabra Silpha (Fourc.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
scaber Tenebrio, A. G. Olivier, Entom. III. 1795, 13.
scabra Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 198; ed. 12, 1766, 351.
scabra Testudo, "Retzius," J. D. Schoepf, Hist. Test. 1792, 12.
scaber Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
scaber Trox (L.), Illiger in Kugelann, Käfer Preuss. 1798, 99.—Silpha.
scaber Uranoscopus, Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 434.
scabiei Acarus, C. de Geer, Mém. Ins. VII. 1778, 94.
scabiosae Aphis, Scopoli, Ent. Carn. 1763, 138.
scabiosae Apis, P. Rossi, Fauna Etrus. II. 1790, 105.
scabiosae Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 361.
scabiosae Sphinx, Scheven, Naturforscher, X. 1777, 97.
scabiosae Zygana (Scheven), J. C. Fabricius, Ent. Syst. III (1) 1793, 387.—Sphinx.
scabiosata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 336.
scabiosella Phalaena, Scopoli, Ent. Carn. 1763, 250.
scabra *v.* *scaber*.
scabrana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—Pyralis.
scabrana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 284.
scabrana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
scabrana Tortrix (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 20.—Pyralis.
scabrator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—Lamia.
scabrator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 174.
scabrator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 224.
scabratus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 411.
scabrata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 229 [n].
scabratus Scarabaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 436. [et f.].
scabrella Alucita (L.), J. C. Fabricius, Gen. Ins. 1777, 297.—Phalaena.
scabrella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
scabricornis Cerambyx, Scopoli, Ent. Carn. 1763, 54.
scabriculum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740.—[Voluta, ed. 12.]
scabriculum Conus, D. Solander in G. Brander, Foss. Hant. 1766, 15.
scabriculum[us] Curculio, Linnaeus, Mant. II. 1771, 531.
scabriculum Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 332.—Voluta.
scabriculum Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751.
scabricula Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1192.
scabriusculus Carabus, A. G. Olivier, Entom. III. 1795, 47.
scabriusculus Curculio, C. de Villers, Linn. Ent. I. 1789, 211.
scabriusculas Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.
scabriuscula Leucosia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 349.
scabriuscula Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516.
scabriuscula Pimelia, A. G. Olivier, Entom. III. 1795, 19. [1787, 191.
scabriusculus Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII.
scabrosus Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 377.—Bruchus, 1775.
scabrosus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.
scabrosus Bruchus, J. C. Fabricius, Syst. Ent. 1775, 64.
scabrosus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 324.

- scabrosus** Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 294.
scabrosus Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
scabrosus Clerus, A. G. Olivier, Entom. IV. 1795, 16.
scabrosus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 126.
scabrosus Curculio (Fab.), G. Paykull, Mon. Curc. 1792, 121.—Bruchus.
scabrosus Gryllus, J. C. Fabricius, Ent. Syst. II. 1793, 51.
scabrosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 154.—Cimex, 1775.
scabrosus Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—
scabrosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 156. [Bruchus.
scabrosus Scarabaeus, J. C. Fabricius, Gen. Ins. 1777, 209.
scaevolum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
scaevola Cancer, P. Forskal, Descr. Anim. 1775, 93.
Scala [G. Humphreys], Mus. Calonn. 1797, 23.—G.
scala Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
scala Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3551.
scalacella Phalaena, F. v. P. Schrank, Schrift. Berlin. Ges. nat. Freunde, II. 1781, 314.
scalacella Tinea (Schr.), J. C. Fabricius, Spec. Ins. II. 1781, 294.—Phalaena.
scalaris Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
scalaris Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 419.
scalaris Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.—Curculio.
scalare Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3495.
scalare Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 113.
scalaris Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [n. n.].
scalaris Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 348.
scalaris Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 632.
scalaris Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 213.
scalaris Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 5.—Hepialus, 1775.
scalaris Curculio, J. C. Fabricius, Gen. Ins. 1777, 228.
scalaris Curculio, D. Drury, Ill. Nat. Hist. III. 1782, index & 73.
scalaris Cyclostoma (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—Turbo.
scalare Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 91.—Turbo.
“scalaris Graptolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
scalaris Helix, O. F. Müller, Verm. II. 1774, 113.
scalaris Hepialus, J. C. Fabricius, Syst. Ent. 1775, 590.
scalaris Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 93.—Cerambyx.
scalaris Leptura, Linnaeus, Faun. Suec., ed. 2, 1761, 199.
scalaris Leptura (L.), J. A. Scopoli, Annus V. 1772, 102.—Cerambyx.
scalaris Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 332.
scalaris Nautilus (Orthoceras), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 4.
scalaria Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
scalaris Saperda (L.), J. C. Fabricius, Syst. Ent. 1775, 184.—Cerambyx.
scalaris Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 308.
scalaris Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 764; ed. 12, 1767, 1237.
scalator Cerambix, (Fab.), A. G. Olivier, Entom. IV. 1795, 67.—Lamia.
scalator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 278.
scalatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1825.
scaella Phalaena, Scopoli, Ent. Carn. 1763, 253.
scalis Motacilla, *id. ac sialis*, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 989.
Scalops G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
scalpellum Anatifa (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 64.—Lepas.
scalpellum Lepas, Linnaeus, Faun. Suec., ed. 2, 1761, 514.
scalpella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 11 [n. et f.].
scalptor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 105.
scandens Gracula, J. Latham, Index Orn. 1790, 193.
scandiaca Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 520.
scandiaca Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
scanicus Curculio, G. Paykull, Mon. Curc. 1792, 59.
scanicus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 564.

- scanicus** Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 416.
Scapha [G. Humphreys], Mus. Calonn. 1797, 59.—L.
scapha Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3315.
scapha Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
scapha Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 59.
scapha Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 127.
scapha Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 242.
scapha Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 105.
scapha Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3727.
scapha Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
scaphe Hippopus, F. C. Meuschen, Mus. Gever. 1787, 430.
Scaphidium A. G. Olivier, Entom. II. 1790, 1.—Col.
scapula Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
scapula [Patella], T. Martyn, Univ. Conch. III [1789], fig. 99.
scapularis Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 50.
scapularis Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
scapularis Cerambix, A. G. Olivier, Entom. IV. 1795, 17.
scapularis Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 23.
scapularis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 276.
scapulatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
scapulatus Corvus, F. M. Daudin, Traité élém. Orn. 1800, 232.
scapulata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 338.
scarabaei Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
scarabaeoides Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 716.
scarabaeoides Clunipes, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785,
scarabaeoides Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563. [347.
scarabaeoides Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 413; ed. 12, 1767, 664.
scarabaeoides Hydrophilus (L.), J. C. Fabricius, Syst. Ent. 1775, 229.—Dytiscus.
scarabaeoides Silpha (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.—
Dermestes.
scarabaeoides Sphaeridium (L.), J. C. Fabricius, Syst. Ent. 1775, 66.—Dermestes.
Scarabaeus Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 541.—Col.
scarabaeus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 340.—Helix.
scarabaeus Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1241.
scarabaeus Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 262.—Helix.
scaraboides Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 39.
Scarites J. C. Fabricius, Syst. Ent. 1775, 249.—Col.
scarlatina Certhia, A. Sparrman, Mus. Carls. III. 1788, no. lviii.
Scarus L. T. Gronovius, Zooph. I. 1763, 67.—P.
Scarus P. Forskal, Descr. Anim. 1775, 25.—P.
scarus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 282; ed. 12, 1766, 473.
Scathopse E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 544.—Dip.
Scathopse J. G. Meigen, N. Class. Mouches, 1800, 20.—Dip.
scathopse Tipula, F. v. P. Schrank, Ins. Aust. 1781, 433.
Scatopse, v. Scathopse O. F. Müller, F. Ins. Frid. 1764, xxiii.—Dip.
scaturigo Beroe, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 37.
Scaurus J. C. Fabricius, Syst. Ent. 1775, 253.—Col.
Scavia, id ac Cavia J. F. Blumenbach, Hand. Naturg., ed. 5, 1797, 80.
[**scaberiana** Phalaena], C. Clerck, Icones, I. 1759, pl. viii, 10.
sceleratus Tetrodon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1444.
skeleton Hyla, J. N. Laurenti, Syn. Rept. 1768, 35.
squeleton Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
sceleton Pasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
sceleton Purpura, F. C. Meuschen, Mus. Gever. 1787, 310.
[**scenicus** Araneus, C. Clerck, Aran. Svec. 1757, 117.]
scenica Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1035.
scenica Solpuga, J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 46.
sceptica Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].

- schach Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 153.
- schach Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
- schach Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 326.
- schach Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2101.—Cercopis.
- schach Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 371.
- schach Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94; ed. 12, 1766, 136.
- schach Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex, 1781.
- schach Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 461.
- schaedia Notoxus, P. Rossi, Fauna Etrus. I. 1790, 140.
- schaefferella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 898
- schaefferella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 665.—Phalaena.
- [schaeffer]—
- schaeferi Acridium, J. S. Schroeter, Abh. Naturges. I. 1776, 281.
- schaefferi Actinophorus (L.), J. Sturm, Vers. Ins. Samml. 1800, 82.—Scarabaeus.
- schaefferi Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 463.
- schaefferi Aranea, Scopoli, Ent. Carn. 1763, 397.
- schaefferi Attelabus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 237.—Meloe.
- schaefferi Blatta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2046.
- schaefferi Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2100.
- schaefferi Cerocoma (L.), J. C. Fabricius, Syst. Ent. 1775, 262.—Meloe.
- schaefferi Copris (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 29.—Scarabaeus.
- schaefferi Cryptocephalus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 69.
- schaefferi Dermestes (Herbst), G. W. F. Panzer, Deutsch. Ins. [1795], 95.—Megatoma.
- schaefferi Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 130.
- schäferi Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer), IV. 1792, 93.
- schaefferi Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 681.
- schaefferi Rhinomacer, G. A. Harrer, Besch. Schaeffer Icones, 1784, 191.
- schaefferi Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 550.
- schaefferi Sphinx, Scheven, Naturforscher, X. 1777, 95.
- schaefferi Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 6.
- schaefferi Stratiomys, A. F. de Fourcroy, Ent. Paris. 1785, 467.
- schalleri Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
- schalleri Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1952.
- schalleri Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1874.
- schalleriana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 348.
- schalleriana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
- schar dj Formica, P. Forskal, Descr. Anim. 1775, xxiii.
- schediarius Pecten, F. C. Meuschen, Mus. Gever. 1787, 414.
- scheidleri Carabus, Megerle in G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 2.
- scheidleri Carabus, C. Creutzer, Ent. Vers. 1799, 133.
- schellenbergella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 501.
- schemmerella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
- schedest- v. schested-.
- schevenella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
- schiffermillerella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
- schiefermüllerella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 302.
- schiefermülleri Salmo, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 157.
- schiefermülleriana Phalaena, J. A. Scopoli, Annus V. 1772, 117.
- “schisti Ichthyolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 159.
- schlemmerella Phalaena Tin., J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [n. et f.].
- “schleppsch Mus,” E. Laxmann, K. Vet. Ac. Handl. XXXIV. 1773, 137.
- “schljaepus Mus,” E. Laxmann in Schloezer, Briefwechsel, V (28), ed. 2, 1780, 226.
- schlosseri Alcyonium, P. S. Pallas, Elench. 1766, 355.
- schlosseri Gobius, P. S. Pallas, Spic. Zool. VIII. 1770, 1.
- schlosseri Scarus (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1282.—Gobius.
- schlugella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 529.
- schneideri Bryaxia, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 581.
- schneideri Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 268.

- schneideri Helops, G. W. F. Panzer, Ins. Germ. heft 34 [1796], tab. 1.
 schneideriana [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 37.
 Schoeniclus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.), 1758, 7 & 67.—A.
 schoeniclos (*sic*) Emberiza, Linnaeus, Faun. Suec., ed. 2, 1761, 84.—[Fringilla, Syst.
 schoeniclus Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182. [Nat., ed. 10.]
 schoeniclus Emberiza, *err. pro* schoeniclus, Linn., S. G. Gmelin, Reise Russ. I. (1770), 53.
 schoenobaenus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 184; ed. 12, 1766, 329.
 schoenobaena Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (51) [1799], 525.
 schoenobaenus Sylvia (L.), J. A. Scopoli, Annus I. 1769, 158.—Motacilla.
 schoepfi Balistes, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 461.
 schöpfii Diodon, J. A. Donndorff, Zool. Beyt. III. 1798, 786.
 schokari Coluber, P. Forskal, Descr. Anim. 1775, 14.
 schokur Salmo, P. S. Pallas, Reise Russ. III. 1776, 705.
 schonhu Turdus, *id. ac* shanhu, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795,
 schotaf Sciaena, P. Forskal, Descr. Anim. 1775, 51. [8 *n. n.*]
 schoukie Raja, P. Forskal, Descr. Anim. 1775, ix.
 Schraetser J. C. Wulff, Ichthy. 1765, 29.—P.
 schraetser Gymnocephalus (Linn.), M. E. Bloch, Nat. ausl. Fische, VII. 1793, 26.—Perca.
 schraetser Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 294; ed. 12, 1766, 487.
 Schraitser J. C. Schäffer, Piscium Bavar. 1761, 48.—P.
 schrankella Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 525. [336.
 schrankiana Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785,
 schrankii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1980.
 schrankii Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2109.
 schrankii Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 289.
 schrankii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
 schrankii Megatoma, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 480.
 schrankii Rhagium, J. N. Laicharting, Tyrol. Ins. II. 1784, 118.
 schreberella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 304.
 schreberi Cerocoma, J. C. Fabricius, Spec. Ins. I. 1781, 331.
 schreberi Copris (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 30.—Scarabaeus.
 schreberi Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2021.—Cerocoma.
 schreberi Pilularius (L.), F. v. P. Schrank, F. Boica, I. 1798, 399.—Scarabaeus.
 schreberi Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 551.
 schreberianus Bufo, J. N. Laurenti, Syn. Rept. 1768, 27.
 schreberiana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 348.
 schreberiana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 650.—Phalaena.
 schreberiana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 45 [*n. et*
 schroeteri Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575. [*f.*]
 schuch Vespa, *id. ac* schach, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 288.
 schulzella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 321.
 schulziana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 413.—Pyralis.
 schulziana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 293.
 schulzii Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 340.
 schumacherana Pyralis, J. C. Fabricius, Mant. II. 1787, 236.
 schumacherana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 530.
 schwarzana Pyralis, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 24.
 schwarzana Tortrix, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 24 (cover).
 schwarzella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 493.
 schypa Acipenser, A. I. Gueldenstaedt, N. Com. Petrop. XVI. 1772, 533. [?specific.]
 schytica Antilope, P. Boddaert in Pallas, Dierkund. Mengelwerk, I. 1767, 7.
 schytus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 110.
 Sciaena Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.—[Artedi, Ichth. 1738,
 Scillaea P. de Czenpinski, Diss. zool.-med. 1778, 26.—Moll. [gen. xxix, p. 38.]—P.
 scina Labrus, P. Forskal, Descr. Anim. 1775, 36.
 scincoides Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 242.
 Scincus L. T. Gronovius, Zooph. I. 1763, 11.—R.
 Scincus J. N. Laurenti, Syn. Rept. 1768, 55.—R.

- scincus* Seps, J. N. Laurenti, Syn. Rept. 1768, 58.
scintillans Leucophaea, O. F. Müller, An. Infus. 1786, 147.
scirpea Gorgonia, P. S. Pallas, Elench. 1766, 182.
scirpea Pennatula, P. S. Pallas, Elench. 1766, 372.
scirpi Curculio, P. Rossi, Fauna Etrus. I. 1790, 118.
scirpi Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 405.
scirpi Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 413.
scissa Patella, C. U. v. Salis, Reise Neapel, 1793, 359.
scitula Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 35.
scitululus Musca, M. Harris, Exp. Eng. Ins. 1776, 105.
scitus Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
scita Phalaena Noctua, J. Hübner, Beitr. Schmett. II. 1790, 35.
sciureus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 51.—*Simia*.
sciurea Didelphis, G. Shaw, Zool. N. Holland, 1794, 29.
sciurea Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 43.
sciurea Volucella, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 352.
Sciurus Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 86.—*M*.
sciura Myrmecophaga, P. S. Pallas, Misc. Zool. 1766, 65.
sciurus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 78; *var. mortuus*.
scladonia Apis, J. C. Fabricius, Ent. Syst. IV. 1794, 460.
sclavonicus Falco, J. Latham, Index Orn. 1790, 26.
scolopeta Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 136.
[*scolopetarius* Araneus, C. Clerck, Aran. Svec. 1757, 43.]
scolopetarius Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 23.
scolopetaria Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [*n. n.*].
scobinata Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
scobinata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 676; ed. 12, 1767, 1119.
scobinata Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.—*Anomia*.
Scolecophagus Geoffroy, Décad. phil. et litt. (no. 28, 10 Pluv. An. 3) 1795, 196 (name suggested for *Daubentonia*).—*M*.
Scolex O. F. Müller, Zool. Dan. (Danish ed.) I. 1781, 134 foot-note.—*Ver*.
Scolia J. C. Fabricius, Syst. Ent. 1775, 355.—*Hym*.
scoliaeformis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 173.
scolopacea Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 647.
scolopaceus Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 170.
scolopaceus Lanius, H. Lichtenstein, Cat. rerum Nat. I. 1793, 4.
scolopaceus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3548.
scolopaceus Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
scolopacea Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
scolopaceus Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 162.—*Musca*.
scolopaceus Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
scolopacea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 38.
scolopaceus Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 761.—*Musca*.
scolopacina Motacilla, H. Ström, Nye Saml. K. Norske Vid. Selsk. Skrift. II. 1788, 368.
scolopacina Musca, C. de Villers, Linn. Ent. III. 1789, 429.
scolopacina Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 191.
scolopacina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (48) 1796, 394.
scolopacis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3071.
Scolopax Linnaeus, Syst. Nat., ed. 10, 1758, 145; ed. 12, 1766, 242.—*A*.
scolopax Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 329.—[*Centriscus*, ed. 12.]
scolopax Centriscus, Linnaeus, Syst. Nat., ed. 12, 1766, 415.
scolopax Charadrius, S. G. Gmelin, Reise Russ. III. 1774, 87.
Scolopendra Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1062.—*Myr*.
Scolopendra G. Shaw, Nat. Misc. VI. 1794, pl. 185.—*Inf*.
scolopendrica Asterias, F. M. Daudin, Rec. Mém. Moll. 1800, 28.
scolopendricus Julus, N. Poda, Ins. Mus. Graec. 1761, 127.
scolopendroides Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 78.
scolymus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3553.

- Scolytus** E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 309.—Col.
Scolytus J. C. Fabricius, N. Mag. Lieb. Ent. [Schneider's], I. 1791, 23.—Col.
scolytus Bostrichus, J. C. Fabricius, Syst. Ent. 1775, 59.
scolythus Dermestes, J. H. Sulzer, Gesch. Ins. 1776, 21. [Bostrichus.
scolytus Ekkoptogaster (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 125.—
Scomber Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492.—[Artedi, Ichth. 1738,
 gen. xxv, p. 30.]—P.
scomber Scomber, Linnaeus, Syst. Nat., ed. 12, 1766, 492.—[v. scombrus.]
 "Scomberoides, Lacép. 1800," Ag.; is 1802.
scombrus Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492 [scomber].
scont Phoca, P. Boddaert, Elench. 1785, 172.
Scopeuma J. G. Meigen, N. Class. Mouches, 1800, 36.—Dip.
scopigera Sphinx, Scopoli, Ent. Carn. 1763, 188.
scopis Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
scopolella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
scopolella Tinea (L.), J. C. Fabricius, Mant. II. 1787, 251.—Phalaena.
scopoliana Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 145.
scopoliana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 238.—Phalaena.
scopoliana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
scopolii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1985.
scopoli Cerambyx, J. C. Fuessly, Schweiz. Ins. 1775, 12.
scopolii Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1708.
scopolii Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1777.
scopolii Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1954.
scopoli Elater, J. C. Fuessly, Schweiz. Ins. 1775, 16.
scopoli Lamia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 91.
scopolii Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1874.
scopoli Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 2.
scopolinus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 97.
scopolina Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 597.
scopolina Clytra (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 36.—Chrysomela.
scopolinus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 111.—Chrysomela.
Scops Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 6 & 62.—A.
Scops M. T. Brünnich, Fund. Zool. 1772, 74.—A.
scops Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 132.
scopularia Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 7.
scopularia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 521.
scopulorum Aranea, J. C. Fabricius, Reise Norwegen, 1779, 317.
scopulorum Cymothoa (L.), J. C. Fabricius, Ent. Syst. II. 1793, 507.—Oniscus.
scopulorum Idotea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 304.—Oniscus.
scopulorum Limax, J. C. Fabricius, Reise Norwegen, 1779, 311.
scopulorum Oniscus, Linnaeus, Syst. Nat., ed. 10, 1758, 637; ed. 12, 1767, 1061.
Scopus M. J. Brisson, Ornith. V. 1760, 503.—A.
Scopus Bonnaterra, Ency. Méth. (Orn.) I. 1790, xciii.—A.
Scopus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 18.—A.
scorbuticus Cimex, J. C. Fabricius, Syst. Ent. 1775, 706.
scorbuticus Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 129.—Cimex, 1775.
scoriacea Bombyx (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 191.
scorpaena Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 452.—[Artedi, Ichth. 1738,
scorpiiformis Aranea, J. C. Fabricius, Syst. Ent. 1775, 436. [gen. xxxiii, p. 47.]—P.
scorpii Fasciola, O. F. Müller, Z. Dan. Prod. 1776, 223.
scorpii Taenia, O. F. Müller, Z. Dan. Prod. 1776, 219.
Scorpio Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.—Ar.
scorpio Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 342.—Strombus.
scorpio Cancer, J. C. Fabricius, Reise Norwegen, 1779, 345.
scorpio Cerambyx, J. C. Fabricius, Spec. Ins. I. 1781, 210.
scorpio Cimex, C. de Geer, Mém. Ins. III. 1773, 350.
scorpio Curculio, J. C. Fabricius, Mant. I. 1787, 105.

- scorpio major Formica, J. L. Christ, Nat. Ins. 1791, 518.
 scorpio minor Formica, J. L. Christ, Nat. Ins. 1791, 518.
 scorpio Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 338.
 scorpio Inachus, F. Weber, Nomen. Fabricii, 1795, 93.—Cancer.
 scorpio Lamia (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 273.—Cerambyx.
 scorpio Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
 scorpio Panorpa, J. C. Fabricius, Ent. Syst. II. 1793, 97.
 scorpio Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
 scorpio Strombus, Linnaeus, Amoen. Acad. VIII. 1771, 145.
 scorioides Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616.
 scorioides Cottus, O. Fabricius, F. Groen. 1780, 517.
 scorioides Oniscus, I. Lepechin, Acta Ac. Sci. Petrop. 1778 (1) 1780, 248.
 scorioides Testudo, Linnaeus, Syst. Nat., ed. 12, 1766, 352.
 scorpius Cottus, Linnaeus, Syst. Nat., ed. 10, 1758, 265; ed. 12, 1766, 452.
 scorpius Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 67.
 scorpius Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 743; ed. 12, 1767, 1208.
 scorteus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
 scorticorum Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 251.
 scortillum Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 418.
 scortum Capisterium (L.), F. C. Meuschen, Mus. Gever. 1787, 462.—Donax.
 scortum Donax, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.—Venus, 1758.
 scortum Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 686.
 Scotias P. de Czenpinski, Diss. zool.-med. 1778, 51.—Col.
 scotias Bruchus (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 40.—Ptinus.
 scotias Gibbium (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 503.—
 scotias. Ptinus, J. C. Fabricius, Spec. Ins. I. 1781, 74. [Ptinus.]
 scoticus Tetrao, J. Latham, Syn. Birds, Suppl. I. 1787, 290.
 scotophila Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 34.
 Scrabaeus *err. pro* Scarabaeus, N. Mag. Lieb. Ent. [Fuessly's], III (1) 1786, 92.
 scriba Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 486.
 scribaiana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 454.
 scribonia [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 177.
 scriptana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 20.
 scriptella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 61.
 scripturaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316. [et f.]
 scripturata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 274 [n].
 scripturata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
 scripta Antilope, P. S. Pallas, Misc. Zool. 1766, 8.
 scripta Arca, I. v. Born, Index Mus. Caes. Vind. 1778, 79.
 scriptus Balistes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1463.
 scripta Capra, Lamarck in Thunberg, Voy. Japon &c. II. 1796, 47.
 scripta Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
 scriptus Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 143.
 scripta Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
 scripta Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 178.
 scripta Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 683; ed. 12, 1767, 1127.
 scriptus Dytiscus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 65.
 scriptus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 182.
 scriptus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1225.
 scripta Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
 scriptus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 7.
 scriptus Sparus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 301.
 scriptus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
 scripta Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2668.
 scripta Testudo, J. D. Schoepf, Hist. Test. 1792, 16.
 scriptus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 65.
 scripta Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 689; ed. 12, 1767, 1135.
 scrobiculator Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3535.

- scrobiculator** Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 127.—Murex.
scrobiculatus Hydrophilus, Haefeli in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 11.
scrobiculata Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
scrobilator Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 306.—Murex.
scrobilator Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 749; ed. 12, 1767, 1218.
scrofa Aphodius (Fab.), Illiger in Kugellann, Käfer Preuss. 1798, 34.—Scarabaeus.
scrofa Aranea, G. I. Molina, Sag. stor. nat. Chili, 1782, 215.
scrofa Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
scrofa Scarabaeus, J. C. Fabricius, Mant. I. 1787, 11.
scrofa Scorpaena, Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 453.
scrofa Sus, Linnaeus, Syst. Nat., ed. 10, 1758, 49; ed. 12, 1766, 102.
scropha Sus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 58.
scrophulariae Anthrenus (L.), J. C. Fabricius, Syst. Ent. 1775, 61.—Byrrhus.
scrophulariae Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
scrophulariae Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 614.
scrophulariae Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356.
scrophulariae Nectydalis, [D. H. Schneider], Nom. Ent. 1785, 18 [*n. n.*].
scrophulariae Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 312 (note).
scrophulariae Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
scrophulariae Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 923.
scrophularis Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 129.
scrotalis Sciurus, R. Kerr, Anim. Kingd. 1792, 265.
scrupeus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118 [*n. n.*].
scruposus Cancer, Linnaeus, Mus. Lud. Ulr. 1764, 450.
scruposa Cellaria (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 23.—Sertularia.
scruposa Cellularia (Linn.), P. S. Pallas, Elench. 1766, 73.—Sertularia.
scruposa Sabella, Linnaeus, Syst. Nat., ed. 12, 1767, 1268.
scruposa Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 815; ed. 12, 1767, 1315.
scrutator Aphodius (Herbst), J. Sturm, Verz. Ins. Samml. 1800, 20.—Scarabaeus.
scrutator Carabus, J. C. Fabricius, Syst. Ent. 1775, 239.
scrutator Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 191.
scrutator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 182.
scrutator Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 161.
scrutator Stenocorus, A. G. Olivier, Entom. IV. 1795, 10.
sculptus Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 153.
scurra Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3409.
scutatorum Astrophyton, C. F. Schultze, Verst. Seest. 1760, 53.
scutata Anguis, J. N. Laurenti, Syn. Rept. 1768, 70.
scutatus Centriscus, Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 415.
scutatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.
scutatus Coluber, P. S. Pallas, Reise Russ. I. 1771, 459.
scutata Coracias, G. Shaw, Mus. Lever. I. 1792, 197.
scutatus Crabro, J. C. Fabricius, Mant. I. 1787, 296.
scutatus Echinocorys, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 175. [issue].
scutatus Echinocorytes, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, xviii [repeged].
scutatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3184.—Echinocorys.
scutata Geometra (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 511.—[v. Geometra scutata].
scutata Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 16.—Lacerta. [tulata.]
scutata Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 201; ed. 12, 1766, 360.
scutata Laticauda (L.), J. N. Laurenti, Syn. Rept. 1768, 109.—Lacerta.
scutata Musca, P. Rossi, Fauna Etrus. II. 1790, 314.
scutata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—Crabro.
scutata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 202.—[scutulata, D. & S. *est.*]
scutellaris Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
scutellaris Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 372.
scutellaris Buprestis, A. G. Olivier, Entom. II. 1790, 86.
scutellare Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 266.

- scutellaris* Cerambix, A. G. Olivier, Entom. IV. 1795, 16.
scutellaris Chrysis, J. C. Fabricius, Ent. Syst. IV. 1794, 458.
scutellaris Chrysis, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 11.
scutellaris Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 264.—Lagria.
scutellaris Clerus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 15.
scutellaris Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.—
scutellaris Curculio, J. C. Fabricius, Mant. I. 1787, 115. [Lagria.
scutellaris Cynips, P. Rossi, Mant. Ins. II. 1794, 106.
scutellaris Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 282.
scutellaris Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 497.
scutellaris Lagria, J. C. Fabricius, Mant. I. 1787, 94.
scutellaris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 180.
scutellaris Mutilla, P. A. Latreille, Actes Soc. H. N. Paris, I (1) 1792, 10.
scutellaris Nomada, J. C. Fabricius, Spec. Ins. I. 1781, 487.
scutellaris Prionus, A. G. Olivier, Entom. IV. 1795, 14.
scutellaris Reduvius, J. C. Fabricius, Mant. II. 1787, 313.
scutellatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 483.
scutellata Albunea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 397.—Hippa, 1793.
scutellata Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 141.—[?Nomada
scutellaris, Fab.]
scutellatus Brachypterus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 561.
scutellatus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
scutellata Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 58.
scutellatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 195. [mela.
scutellata Coccinella (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 421.—Chryso-
scutellatus Curculio, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
scutellatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 131.
scutellata Hippa, J. C. Fabricius, Ent. Syst. II. 1793, 474.
scutellatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 402.
scutellata Leptura, J. C. Fabricius, Spec. Ins. I. 1781, 247.
scutulatus Limax, T. Martyn, Univ. Conch. IV [1792], fig. 123.
scutellata Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
scutellatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 218.
scutellata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 317.
scutellatus Sargus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 567.
scutellatum Scaphidium, G. W. F. Panzer, Ins. Germ. heft 4 [1792], tab. 11.
scutellata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 232.
scutellata Spheg, J. L. Christ, Nat. Ins. 1791, 284 et *varr.* seqq.
scutellata Tenthredo, C. de Villers, Linn. Ent. III. 1789, 126.
scutellata Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
scutellum Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
“*scutiformis* Echinoneus,” M. v. Phelsum, Brief Zeeeglen, 1774, 32.
scutiformis Echinoneus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 174.
scutiformis Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3184.—
Echinoneus.
scutiformis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3721.
scutigera Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 93.
Scutigerulus F. C. Meuschen, Mus. Gever. 1787, 240.—Moll.
scutosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
scutra Hippopus, F. C. Meuschen, Mus. Gever. 1787, 430.
scutulana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
scutularia Geometra, J. Hübnér, Europ. Schmett. (Geom.) [me judice 1796], fig. 72 [*n.*
scutularia Spheg, [Scheven], Naturforscher, XX. 1784, 99. [*et f.*].
scutularia Vespa (Scheven), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2763.—
scutulatum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 55. [Spheg.
scutulatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
scutulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117. [523.
scutulata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,

- scutulata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3452.
 scutulata Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 129.
 Scutum [G. Humphreys], Mus. Calonn. 1797, 64.—Ech.
 scybalarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 33.—Scarabaeus.
 scybalarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
 scybalaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
 scybalarius Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 16.
 scylla Papilio, Linnaeus, Amoen. Acad. VI. 1763, 404.
 Scyllaea Linnaeus, Syst. Nat., ed. 10, 1758, 656; ed. 12, 1767, 1094.—Nud.
 Scyllaea G. Cuvier, Tab. Elém. 1798, 388.—Nud.
 Scyllarus J. C. Fabricius, Syst. Ent. 1775, 413.—Cr.
 scyllarus Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 417.—Cancer.
 scyllarus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 633; ed. 12, 1767, 1054.
 scyllarus Cancer (Mantis) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 99.
 scyllarus Squilla (L.), J. C. Fabricius, Spec. Ins. I. 1781, 515.—Cancer.
 Scymnus J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 545.—Col.
 scyndaphus Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 57.
 scyphifera Hydra, P. Forskal, Descr. Anim. 1775, 130.
 scyphiformis Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 277.
 scyphina Vorticella, O. F. Müller, An. Infus. 1786, 272.
 scyphus Spongia, F. C. Meuschen, Mus. Gever. 1787, 532.
 scyron [Sphinx], P. Cramer, Utit. Kapellen, IV (26) 1780, 23.
 Scytale F. C. Meuschen, Mus. Gronov. 1778, 12.—R.
 scytale Anguis, Linnaeus, Syst. Nat., ed. 10, 1758, 228; ed. 12, 1766, 392.
 scytale Boa, Linnaeus, Syst. Nat., ed. 10, 1758, 214; ed. 12, 1766, 374.
 scytale Scytale, F. C. Meuschen, Mus. Gronov. 1778, 12.
 scytha Coluber, P. S. Pallas, Reise Russ. II. 1773, 717.
 Scythrops J. Latham, Index Orn. 1790, 141.—A.
 Scytrops Bonnaterre, Ency. Méth. (Orn.) I. 1790, xcvi.—A.
 scyton [Sphinx], P. Cramer, Utit. Kapellen, II (9) 1777, 5.
 scyton Zygæna (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 164.—Sphinx.
 sebae Aranea, J. A. Scopoli, Annus V. 1772, 126.
 sebae Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1118.
 seabaldus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 343.
 seabaldus [Papilio], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 101.
 seabaldus Papilio, J. C. Fabricius, Mant. II. 1787, 89.
 secalinus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 216.
 secalis Carabus, G. Paykull, Mon. Carab. 1790, 94.
 secalis Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
 secalis Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 567; ed. 12, 1767, 939.
 secalis Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 30.
 secalis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 519.
 secalis Phalaena (Pyrallis), Linnaeus, Syst. Nat., ed. 12, 1767, 882.
 secalis Salius, F. v. P. Schrank, F. Boica, I. 1798, 509.
 secalis Tipula, C. Bierkander, K. Vet. Ac. Handl. XL. 1779, 162.
 Secretarius F. M. Daudin, Traité élém. Orn. 1800, 29.—A.
 secretarius Otis, J. A. Scopoli, Del. Insub. II. 1786, 93.
 secretarius Vultur, G. Shaw in Miller, Cim. Phys. 1796, 56.
 secretus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 101.
 sectator Papilio, N. Meerburgh, Zeldzam. Gewassen, 1775, pl. x.
 sectator Papilio Hel., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2250.
 sectatrix Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 486.—[misprint for saltatrix, q. v.]
 sector Aranea, P. Forskal, Descr. Anim. 1775, 85.
 sectoralis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [n. n.].
 secundaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101. [et f.]
 secundaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 156 [n.]
 secundaria Sertularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 3854.
 secunda Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.

- securata* Phalaena, J. C. Fabricius, Mant. II. 1787, 214.
securiclata Alata, F. C. Meuschen, Mus. Gever. 1787, 342.
securifrons Eschara, P. S. Pallas, Elench. 1766, 56.
securis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 271.
sedecim *v.* *sexdecim*.
sedentarius Cancer, P. Forskal, Descr. Anim. 1775, 95.
sedentarius Cancer (Gammarellus), Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
sedii Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 286. [136.
sedii Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 121.
sedii Sphinx (Fab.), M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 165.—Zygaena.
sedii Zygaena, J. C. Fabricius, Mant. II. 1787, 101.
sedonia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 184.
seductor Ichneumon, J. A. Scopoli, Del. Insub. I. 1786, 57.
seductorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 139. [1789, 1913.
seelandicus Elater, *id. ac* siaelandicus, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
seelandica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.
segetalis Coccinella, D. E. Naezén, K. Vet. Ac. Nya Handl. XIII. 1792, 170.
segetis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 381; ed. 12, 1767, 612.
segetis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.—[*Cf.* Bjerkander,
K. Vet. Ak. Handl. 1779, 285, if used specifically.]
segetis Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 223.
segetum Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 512.
segetum Anser (Gm.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 116.—Anas.
segetum Bombyx (D. & S.), E. J. C. Esper, Die Schmett. III (25) 1786, 301.—Noctua.
segetum Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 84.
segetum Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1783, 15.
segetum Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
segetum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 289.
segmentarius Ichneumon, J. C. Fabricius, Mant. I. 1787, 262.
segmentaria Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 215.
segmentator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 163.
[*segmentatus* Araneus, C. Clerck, Aran. Svec. 1757, 45.]
segmentatus Araneus, T. Martyn, Aranei, 1793, 20.
segmentorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 149.
segmentosus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
segnis Cancer, P. Forskal, Descr. Anim. 1775, 91.
segnis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 988.
segnis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
segusinus Cimex, C. Allioni, Misc. Taurin. III. 1766, 191.
seheli Mugil, P. Forskal, Descr. Anim. 1775, 73.
[*sehested-*]—
sehestediana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 412.—Pyralis.
sehestediana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 293.
sehestedii Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 107.
sehestedii Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 146.
seladonia Apis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 276.
seladonius Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 114.
seladonia Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 352.
seladonia Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 103.
selas Patella, F. C. Meuschen, Mus. Gever. 1787, 242.
selata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
seledon Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 158.
selenaria Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
selenaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judge 1796], fig. 163 [*v. et f.*].
selene Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 321.
selene [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 54. [150.
selene Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1783,
selenitica Bombyx (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 193.

- selenitica* Phalaena Bomb., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [*n. et f.*].
seleucis Turdus, P. Forskal, Descr. Anim. 1775, 5.
sella Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3345.
sella Placuna (L.), G. Cuvier, Tab. Elém. 1798, 418.—Anomia.
sellatus Attelabus, J. C. Fabricius, Ent. Syst. IV. 1794, 454.
sellatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 217.
sellatus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 171.
sellata Mutilla, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 19.
sellatus Notoxus, Kugellann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 20.
sellmanni Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 207.
Semblis J. C. Fabricius, Syst. Ent. 1775, 305.—Neur.
Semblis P. A. Latreille, Préc. Car. Ins. 1796, 102.—Neur.
Sembris, *err. pro Semblis* J. C. Fabricius, Mant. I. 1787, 244.
semele Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 474; ed. 12, 1767, 772.
semiaenea Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 178.—Galleruca.
semiaenea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 30.
Semialata F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 46 [*n. n.*].—G.
semialba Sterna, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 94.
semiannularis Tenthredo, C. de Villers, Linn. Ent. III. 1789, 117.
semiannulatus Ichneumon, F. v. P. Schrank, Beitr. Nat. 1776, 89.
semiargentea Phalaena, E. Donovan, Brit. Ins. II. 1793, 76.
semi-argus Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 245.
semiaurata Chrysis (L.), J. C. Fabricius, Syst. Ent. 1775, 359.—Sphex.
semiauratus Ichneumon (L.), J. C. Fabricius, Mant. I. 1787, 269.—Sphex.
semiaurata Sphex, Linnaeus, Faun. Suec., ed. 2, 1761, 413.
semiauratum Isogonum, J. F. Bolten, Mus. Bolten. (2) 1798, 168.
semiaurita Melina (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 22.—Ostrea.
semiaurita Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 700; ed. 12, 1767, 1149.
semicaerulea Alcedo, P. Forskal, Descr. Anim. 1775, 2.
semicincta Apis, J. C. Fabricius, Ent. Syst. II. 1793, 341.
semicinctus Philanthus, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 24.
semicincta Sphex, C. de Villers, Linn. Ent. III. 1789, 251.
semicincta Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 331.
semicoleopterus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 25.
semicoleoptratus Dermestes, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 6.
semicollaris Psittacus, J. Latham, Index Orn. 1790, 103.
semicolon Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 69.
semicolon Leptura, F. v. P. Schrank, F. Boica, I. 1798, 694.
semicornis Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 10.
semicuprea Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 14.
semicylindricus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 344.
semicylindrica Lepisma, C. de Geer, Mém. Ins. VII. 1778, 14.
semicylindrus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92.
semiflavus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
semiflavus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2162.
semiflava Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 9.
semiglobosus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.
semilineatus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 104.
semi-lituis Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
semilituus Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 158.
semiluctifera Musca, C. de Villers, Linn. Ent. III. 1789, 463.
semiluctifera Phalaena Bomb., C. de Villers, Linn. Ent. II. 1789, 159.
semiluna Trichoda, O. F. Müller, Verm. I (1) 1773, 85.
Semilunaris F. C. Meuschen, Cat. Coll. Coq. Oudaan, 1766, 12 [*n. n.*].—G.
semilunaris Curculio, J. A. Frolich, Naturforscher, XXVI. 1792, 131.
semilunaris Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3184.
semilunaris Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
semilunaris Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.

- semilunatus** Bufo, J. G. Schneider, Hist. Amph. I. 1799, 215.
- semilunatus** Pentagonaster, C. F. Schultze, Verst. Seest. 1760, 50.
- semilutea** Phalaena Noct., C. de Villers, Linn. Ent. II. 1789, 251.
- semimaculana** Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [*n. et f.*].
- semimaculana** Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig: 48 [*n.*].
- semimonile** Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 100. [*et f.*].
- seminarius** Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
- seminationis** Musca, J. C. Fabricius, Syst. Ent. 1775, 786.
- semi-niger** Dytiscus, C. de Geër, Mém. Ins. IV. 1774, 401.
- seminigra** Tipula, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 10.
- seminuda** Apis, J. C. Fabricius, Spec. Ins. I. 1781, 479.
- seminuda** Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
- seminudus** Rhinomaecer, P. A. Latreille, Journ. Santé Bordeaux, II. 1797, 336.
- seminulum** Acarus, O. F. Müller, Z. Dan. Prod. 1776, 188.
- seminulum** Acarus, Block in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 24.
- seminulum** Anisotoma (Fab.), J. G. Kugelann, Illiger in Kugelann, Käfer Preuss. 1798,
- seminulum** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 470. [78.—Sphaeridium.
- seminulum** Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 129.
- seminulum** Enchelis, O. F. Müller, Verm. I (1) 1773, 35.
- seminulum** Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 314.
- seminulum** Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 190.
- seminulum** Peltis, O. F. Müller, Z. Dan. Prod. 1776, 65.
- seminulum** Ptinus, F. v. P. Schrank, Ins. Aust. 1781, 36.
- seminulum** Scotias, F. v. P. Schrank, F. Boica, I. 1798, 543.—Ptinus, 1781.
- seminulum** Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
- seminulum** Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 570.
- seminulum** Sphaeridium (L.), J. C. Fabricius, Spec. Ins. I. 1781, 79.—Silpha.
- seminulum** Volvoxis (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 540.—Sphaeridium.
- semiorbiculata** Cardita (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 410.—Chama.
- semiorbiculata** Chama, Linnaeus, Syst. Nat., ed. 10, 1758, 691; ed. 12, 1767, 1138.
- semiorbiculatus** Hippopus (L.), F. C. Meuschen, Mus. Gever. 1787, 428.—Chama.
- semipalmata** Anas, J. Latham, Tr. Linn. Soc. [Lond.], IV. 1798, 103.
- semipalmata** Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 659.
- semi-pavo** Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
- semipectinata** Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 43.
- semiplanata** Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 75.
- semiplanata** Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
- Semi-Porcellana** F. C. Meuschen, Mus. Gever. 1787, 396.—G.
- semipunctatus** Actinophorus (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 75.—Scarabaeus.
- semipunctatus** Brentus, J. C. Fabricius, Mant. I. 1787, 96.
- semipunctatum** Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 151.
- semipunctatus** Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- semipunctata** Cetonia, J. C. Fabricius, Mant. I. 1787, 29. [1859.—Stenocorus.
- semipunctata** Cicindela (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- semipunctatus** Cimex, J. C. Fabricius, Syst. Ent. 1775, 698. [1925.—Elaphrus.
- semipunctatus** Curculio, J. C. Fabricius, Syst. Ent. 1775, 135.
- semipunctatus** Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 416.—Brentus, 1787.
- semipunctata** Dytiscus, J. C. Fabricius, Ent. Syst. I (1) 1792, 199.
- semipunctatus** Elaphrus, J. C. Fabricius, Syst. Ent. 1775, 227.
- semipunctatus** Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 30.
- semipunctatus** Hister, J. C. Fabricius, Ent. Syst. I (1) 1792, 73. [1575.—Cetonia.
- semipunctatus** Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- semipunctatus** Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 63.
- semipunctatus** Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 180.
- semiramis** Bumbyx (*sic*) (Cram.), J. C. Fabricius, Gen. Ins. 1777, 277.—Phalaena.
- semiramis** [Phalaena], P. Cramer, Uitl. Kapellen, I (2) 1775, 19.
- semire** [Papilio], P. Cramer, Uitl. Kapellen, III (17) 1779, 3.

- semirostris Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 175.
semirubella Phalaena, Scopoli, Ent. Carn. 1763, 245.
semirufus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 301.
semispinosus Erinaceus, G. Cuvier, Tab. Elém. 1798, 108.
semistriatus Byrrhus, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 594.
semistriatus Byrrhus, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
semistriata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 96.
semistriata Donax, J. X. Poli, Test. Sicil. II. 1795, 79.
semistriatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 665.
semistriatus Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 70.—Dytiscus.
semistriatus Hister, L. G. Scriba, J. Lieb. Ent. I. 1790, 72.
semistriata Melolontha, A. G. Olivier, Entom. I. 1789, 78.
semistriatum Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Donax of
semistriatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 97. [p. 79.
semistriata Viverra, P. Boddaert, Elench. 1785, 84.
semistulcatus Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 70.
semitectaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
semiteres Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 37.
semitorquatus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1031.
semitorquata Loxia, Richard & Bernard, Actes Soc. H. N. Paris, I (1) 1792, 118.
semitorquata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 972.
semitorquata Sylvia (Gm.), J. Latham, Index Orn. 1790, 542.—Motacilla.
semivittatus Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 59.
sempronius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 62.
semulator Musca, M. Harris, Exp. Eng. Ins. 1776, 112.
senator Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 714; ed. 12, 1767, 1168.
senator Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94.
senatoria Bibio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
senatorius Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
senatoria Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
senatoria Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 113.
senecionis Chermes, Scopoli, Ent. Carn. 1763, 140.
Senectus [G. Humphreys], Mus. Calonn. 1797, 24.—G.
senegallensis Alauda, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 137.
senegalensis Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
senegalensis Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 180.
senegalensis Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 646.
senegalensis Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3312.
senegalensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 645.
senegalensis Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
senegalensis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 319.
senegalensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2147.
senegalensis Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 842.
senegalensis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
senegallensis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 133.
senegalensis Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 379.
senegalensis Corvus, Linnaeus, Syst. Nat., ed. 12, 1766, 158.
senegalensis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 169.
senegalensis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 422.
senegalensis Falco, F. M. Daudin, Traité élém. Orn. 1800, 41.
senegalensis Galago, E. Geoffroy, Mag. encyclop. I (1) 1796, 49.
senegalensis Glareola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 696.
senegalensis Hirundo, Linnaeus, Syst. Nat., ed. 12, 1766, 345.
senegalensis Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
senegalensis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3537.
senegalensis Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
senegalensis Myceteria, G. Shaw, Tr. Linn. Soc. [Lond.], V. 1800, 35.
senegalensis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.

- senegalensis* Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
senegalensis Perdix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 212.
senegallensis Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
senegalensis Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 430.
senegalensis Pimelia, A. G. Olivier, Entom. III. 1795, 7.
senegalensis Prionus, A. G. Olivier, Entom. IV. 1795, 22.
senegalensis Spondylus, K. Schreibers, Vers. Conch. II. 1793, 162.
senegalensis Sylvia (L.), J. Latham, Index Orn. 1790, 526.—Motacilla.
senegalensis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3244.
senegalensis Trichechus, H. F. Link, Beytr. Nat. I (2) 1795, 109.
senegallensis Tringa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 113.
senegalensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 823.
senegalensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3282.
senegalicum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
senegala Coracias, *id. ac* senegalensis, Gm., J. Latham, Index Orn. 1790, 169.
senegala Coracias, F. M. Daudin, Traité élém. Orn. 1800, 261.
senegala Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
senegalus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
senegala Loxia (L.), F. M. Daudin, Traité élém. Orn. 1800, 438.—Fringilla.
senegala Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 259.
senegalus Psittacus, Linnaeus, Syst. Nat., ed. 12, 1766, 149.
senegalla Purpura (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 140.—Murex senegalensis
senegalus Tetrao, Linnaeus, Mant. II. 1771, 526.
senegalla Tringa (L.), J. Latham, Index Orn. 1790, 728.—Parra.
senegalus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
senegallus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
senex Alpheus, F. Weber, Nomen. Fabricii, 1795, 91 [*n. n.*].
senex Attelabus, P. S. Pallas, Reise Russ. II. 1773, 723.
senex Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 340.
senex Cercopithecus, J. C. P. Erxleben, Syst. Anim. 1777, 24.
senex Curculio, P. Rossi, Fauna Etrus. I. 1790, 131.
senicula Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 85.
seniculus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 46.—Simia.
seniculus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.—Scarabaeus.
seniculus Cuculus, J. Latham, Index Orn. 1790, 219.
seniculus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 23.
seniculus Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 37.
seniculus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 75.
senilis Actinia, Linnaeus, Syst. Nat., ed. 12, 1767, 1088.—Priapus, 1761.
senilis Apis, J. C. Fabricius, Syst. Ent. 1775, 382.
senilis Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 694; ed. 12, 1767, 1142.
senilis Bibio, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 3.
senilis Bombylius, J. C. Fabricius, Ent. Syst. IV. 1794, 411.
senile Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 152.
senilis Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 55.
senilis Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179.
senilis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2704.
senilis Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 331.
senilis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
senilis Priapus, Linnaeus, Faun. Suec., ed. 2, 1761, 510.
senilis Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 237.
sennae Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 470; ed. 12, 1767, 764.
senoculata Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1034.
sensitivus Curculio, Scopoli, Ent. Carn. 1763, 32.
senta Vorticella, O. F. Müller, Verm. I (1) 1773, 109.
senticosum Buccinum (L.), F. C. Meuschen, Mus. Gev. 1787, 296.—Murex.
senticosum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 151.
senticosa Lepas, J. F. Bolten, Mus. Bolten. (2) 1798, 197 [*n. n.*].

- senticosus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 751; ed. 12, 1767, 1220.
- senticosia Purpura, T. Martyn, Univ. Conch. III [1789], fig. 113.
- sentis Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 626.
- separata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
- sephen Raja, P. Forskal, Descr. Anim. 1775, 17.
- Sepia Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1095.—Ceph.
- sepiaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516.
- sepicola Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 378. [thribus.
- sepicola Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 607.—An-
- sepicola Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 553.
- Sepidium J. C. Fabricius, Syst. Ent. 1775, 250.—Col.
- sepiformis Iguana, J. N. Laurenti, Syn. Rept. 1768, 47.
- sepiformis Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1077.
- sepiformis Stincus (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 30.—Lacerta.
- Sepiola J. G. Schneider, Samml. Verm. Abh. 1784, 116.—Ceph.
- sepiola Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
- sepiola Sepia, Linnaeus, Syst. Nat., ed. 10, 1758, 659; ed. 12, 1767, 1096.
- sepium Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654.
- seposita Asterias, A. J. Retzius, K. Vet. Ac. Handl. 1783, 237.
- seppella Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
- seppella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 56.
- Seppia, *v.* Sepia G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
- seppiana [Phalaena], C. Stoll in Cramer, Üttl. Kapellen, IV (30) 1781, 135.
- Seps J. N. Laurenti, Syn. Rept. 1768, 58.—R.
- seps Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 204; ed. 12, 1766, 363.
- septemcinctus Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
- septemcincta Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
- septemcincta Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 269.—Scolia.
- septendecim Cicada, Linnaeus, Syst. Nat., ed. 12, 1767, 708.
- septendecim Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 679.—Cicada.
- septendecimpunctata Coccinella, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV.
- septemdentatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 155. [1797, 96.
- septemfasciata Perca, J. J. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 353.
- septemfasciata Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 56.
- septemguttatus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 442.
- septemguttata Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 577.
- septem-maculata Coccinella, C. de Geer, Mém. Ins. V. 1775, 373.
- septemmaculata Coccinella, J. C. Fabricius, Gen. Ins. 1777, 217.
- septemmaculatus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.—
- septemmaculata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 346. [Scarabaeus.
- septemmaculatus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 20.
- septemnodia Ceria, Scopoli, Ent. Carn. 1763, 351.
- septemnotata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 275. [298.
- septempunctata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
- septempunctatus Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
- septempunctatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 109.
- septempunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 581.
- septempustulatus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 109.
- septemradiata Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.—
- septemradiatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248. [Pecten.
- septemspinus Cancer, J. C. Fabricius, Mant. I. 1787, 325.
- septemspinosa Leucosia, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
- septemspiralis Helix, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 278.
- septemtrionis Brentus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 183.
- septemtrionis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 360.
- septenarius Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 324.
- septendecim *v.* septemdecim.
- septentrionalis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.

- septentrionalis Colymbus, Linnaeus, Syst. Nat., ed. 12, 1766, 220.
 septentrionalis Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
 septentrionalis Lepus, H. F. Link, Beytr. Nat. I (2) 1795, 73.
 septentrionalis Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 865.
 septentrionalis Mergus (L.), J. C. Schaeffer, Mus. Orn. 1789, 62.—Colymbus.
 septentrionalis Tentredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 926.
 sepulchralis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 596; ed. 12, 1767, 991.
 sepulchralis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 772.—Musca.
 sepulchralis Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 374.
 sepulchralis Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 179.—Musca.
 sepulchralis Pyralis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 480.—Tinea sepulchrella,
 sepulchrella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 316. [1794.]
 sepultura principis Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
 sepulta Pila, J. F. Bolten, Mus. Bolten. (2) 1798, 146.
 sequana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 44 [n. et f.].
 sequella [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 14.
 sequella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 885.
 sequella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 657.—Phalaena.
 serailia Madrepora, P. Forskal, Descr. Anim. 1775, 135.
 serapis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 222.
 serena Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 312.
 serena Noctua, J. C. Fabricius, Mant. II. 1787, 171.
 serena Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
 serena Papilio, J. C. Fabricius, Syst. Ent. 1775, 461.
 serena Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 serena Pipra, Linnaeus, Syst. Nat., ed. 12, 1766, 340. [270.—Noctua.]
 sergilla [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (27) 1780, 66.
 sergestus [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 117.
 seriata Madrepora, P. S. Pallas, Elench. 1766, 336.
 seriata Madrepora, F. C. Meuschen, Mus. Gever. 1787, 508.
 seriata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 693.
 sericalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 12 [2].
 sericana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 83 [n. et f.].
 [sericatus Araneus, C. Clerck, Aran. Svec. 1757, 40.]
 sericatus Araneus, T. Martyn, Aranei, 1793, 17.
 sericata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 196.
 sericata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].
 sericata Phalaena Noctua, H. G. Lang (ex Esper, tab.), Verz. Schmett., ed. 2, 1789,
 sericealis Phalaena, Scopoli, Ent. Carn. 1763, 242. [133.]
 sericealis Pyralis (Scop.), C. de Villers, Linn. Ent. IV. 1789, 515.—Phalaena.
 sericearia Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 212.
 sericella Phalaena Tinea, J. Hübner, Beitr. Schmett. II. 1790, 27.
 sericea Apis, J. R. Forster, Cat. Anim. N. Amer. 1771, 30 [n. n.].
 sericea Apis, J. R. Forster, N. Sp. Ins. 1771, 91.
 sericea Apis, J. L. Christ, Nat. Ins. 1791, 190.
 sericea Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 141 [n. n.].
 sericea Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 198.
 sericeus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 54.
 sericea Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 36.
 sericeum Callidium, J. C. Fabricius, Mant. I. 1787, 152.
 sericea Cantharis, Scopoli, Ent. Carn. 1763, 44.
 sericea Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 280.
 sericea Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 69.
 sericeus Carabus, J. R. Forster, Cat. Anim. N. Amer. 1771, 26 [n. n.].
 sericeus Carabus, J. R. Forster, N. Sp. Ins. 1771, 58.
 sericeus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 378.—Buprestis.
 sericeus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 147.
 sericeus Catops (Fab.), G. Paykull, Faun. Suec. I. 1798, 342.—Tritoma.

- sericeus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1850.—
- sericeus Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 230. [Callidium.]
- sericea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 598.
- sericea Cimbex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 771.—Tenthredo.
- sericea Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
- sericea Cistela, J. R. Forster, N. Sp. Ins. 1771, 16.
- sericea Conops, C. de Villers, Linn. Ent. III. 1789, 585.
- sericea Conops, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 111.
- sericeus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 109.—Chrysomela.
- sericeus Curculio, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 286.
- sericeus Curculio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 68.
- sericeus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 37.
- sericea Cynips, J. R. Forster, N. Sp. Ins. 1771, 77.
- sericeus Cyprinus, P. S. Pallas, Reise Russ. III. 1776, 704.
- sericea Donacia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 100.
- sericea Donacia, J. J. Zschach, Mus. Lesk. 1788, 27.
- sericea Empis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 389.
- sericea Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 279.
- sericea Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95.
- sericea Helix, O. F. Müller, Verm. II. 1774, 62.
- sericeus Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 189.
- sericea Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
- sericeus Lepus, R. Kerr, Anim. Kingd. 1792, 282.
- sericea Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
- sericea Meloe, P. S. Pallas, Icon. Ins. 1782, 85.
- sericeus Melyris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 46.
- sericea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 489.
- sericea Mylabris, A. F. de Fourcroy, Ent. Paris. 1785, 112.
- sericeum Opatrum, A. G. Olivier, Entom. III. 1795, 5.
- sericea Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 9.
- sericea Phoca, C. P. Thunberg, Beskr. Svenske Djur, 1798, 86.
- sericea Pimelia, A. G. Olivier, Entom. III. 1795, 8.
- sericea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
- sericeus Prionus, A. G. Olivier, Entom. IV. 1795, 16.
- sericeus Rynchites, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 135, sign. I 4.
- sericeus Scymnus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
- sericeus Seps, J. N. Laurenti, Syn. Rept. 1768, 61 & 160. [547.—Tritoma.]
- sericea Sertularia, P. S. Pallas, Elench. 1766, 114.
- sericeus Stenocorus, A. G. Olivier, Entom. IV. 1795, 20.
- sericeus Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
- sericea Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 921.
- sericea Tenthredo, F. v. P. Schrank, Baier. Reise, 1786, 58.
- sericeus Thelephorus, O. F. Müller, Z. Dan. Prod. 1776, 62.
- sericea Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 978.
- sericea Tritoma, J. C. Fabricius, Mant. I. 1787, 44.
- sericea Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 675.
- sericea Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
- serici Noctua, C. P. Thunberg, K. Vet. Ac. Nya Handl. II. 1781, 242.
- sericina Noctua, E. J. C. Esper, Die Schmett. IV (40) 1790, 183.
- Serinus M. J. Brisson, Ornith. III. 1760, 179.—A.
- serinus Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 320.
- serinus Loxia (L.), J. M. Bechstein, Gem. Nat. Deutschl. IV. 1795, 294.—Fringilla.
- serina Papilio, J. C. Fabricius, Syst. Ent. 1775, 497.
- serina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV [50, 1798], 522.
- serotinaría Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 147 [n.
- serotinaría Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 315. [et f.].
- serotinus Aphodius, C. Creutzer, Ent. Vers. 1799, 61.
- serotina Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 83.

- serotina Enchelis, O. F. Müller, An. Infus. 1786, 26.
 serotina Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 serotinus Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 2.
 serotina Spheg, O. F. Müller, Z. Dan. Prod. 1776, 161.
 serotina Tenthredo, O. F. Müller, Z. Dan. Prod. 1776, 150.
 serotinus Vespertilio, J. C. D. Schreber, Säugth. I. 167 (1774), pl. liii (1774).
 serpens Chalcida (Bl.), F. A. A. Meyer, Syn. Rept. 1795, 31.—Lacerta.
 serpens Lacerta, M. E. Bloch, Beschäft. Ges. Nat. Freunde, II. 1776, 33.
 serpens Muraena, Linnaeus, Syst. Nat., ed. 10, 1758, 244; ed. 12, 1766, 425.
 serpens Ophichthus (L.), C. P. Thunberg, De Muraena, 1789, 10.—Muraena.
 serpens Ophisurus (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 195.—Muraena.
 serpens Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 790; ed. 12, 1767, 1271.
 serpens Vibrio, O. F. Müller, An. Infus. 1786, 48.
 Serpentarius G. Cuvier, Tab. Elém. 1798, 254.—A.
 Serpentarius B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
 serpentarius Falco, J. F. Miller, Icon. Anim., pl. 28 (1779).
 serpentarius Falco (Gypaetus), R. Kerr, Anim. Kingd. 1792, 477.
 serpentarius Serpentarius (Mill.), G. Cuvier, Tab. Elém. 1798, 254.—Falco.
 serpentarius Vultur (Mill.), J. Latham, Index Orn. 1790, 8.—Falco.
 serpentata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612.
 serpentiformis Cepola, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 525.
 serpentiformis Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 391.
 serpentina Helix, G. I. Molina, Sag. stor. nat. Chili, 1782, 205.
 serpentina Nais, O. F. Müller, Verm. I (2) 1774, 20.
 serpentina Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
 serpentinus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72 [*n. n.*].
 serpentina Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 199.
 serpentina Testudo, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 354.
 "serpentis Amphibolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
 serpentulus Alyselminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 298.
 serpentulus Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 41.
 serpentulus Vibrio, O. F. Müller, Verm. I (1) 1773, 42.
 serpentum Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3064.
 Serphus F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, I. 1780, 307.—Hym.
 serpo Musca, M. Harris, Exp. Eng. Ins. 1776, 144.
 Serpula Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.—Ver.
 "serpulites Graptolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
 serpylli Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 163.
 serra Delphinus, Borowski, Gem. Nat. Thiere, II. 1781, 38.
 serra Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 234.
 serra Donax, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
 serrarius Prionus, G. W. F. Panzer, Ins. Germ. heft 9, 1793, tab. 6.
 serratella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 369.
 serraticorne Anobium, P. Rossi, Fauna Etrus. I. 1790, 42.
 serraticornis Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 265.
 serraticornis Attelabus, C. de Villers, Linn. Ent. I. 1789, 222.
 serraticornis Bruchus, J. C. Fabricius, Syst. Ent. 1775, 65.
 serraticornis Bruchus, C. Quensel, Diss. ignotus insectorum Species, 1790, 12.
 serraticornis Calopus (L.), J. C. Fabricius, Syst. Ent. 1775, 182.—Cerambyx.
 serraticornis Cantharis, Scopoli, Ent. Carn. 1763, 42.
 serraticornis Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 55.
 serraticornis Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 634.
 serraticornis Chrysomela, P. Forskal, Descr. Anim. 1775, xxii.
 serraticornis Elater, Scopoli, Ent. Carn. 1763, 91.
 serraticornis Elater, D. Drury, Ill. Nat. Hist. III. 1782, index & 69.
 serraticornis Elater, G. Paykull, Faun. Suec. III. 1800, 21.
 serraticornis Hispa (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1733.—
 serraticornis Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96. [Ptinus.

- serraticornis Hispa, J. C. Fabricius, Ent. Syst. I (2) 1792, 73. [Lycus.]
serraticornis Lampyrus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1888.—
serraticornis Lycus, Fabr., J. C. Fabricius, Mant. I. 1787, 164.—Pyrochroa, 1775.
serraticornis Mordella, Scopoli, Ent. Carn. 1763, 61.
serraticornis Phalaena Hepialus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2618.
serraticornis Prionus, A. G. Olivier, Entom. IV. 1795, 14.
serraticornis Ptinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 5.
serraticornis Pyrochroa, J. C. Fabricius, Syst. Ent. 1775, 203.
serraticornis Pyrochroa, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 85.
serraticornis Staphylinus, F. v. P. Schrank, F. Boica, I. 1798, 641.
serraticornis Tillus, A. G. Olivier, Entom. II. 1790, 4.
serratipes Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 82.
serrati-pes Scarabaeus, P. Brown, Illust. Zool. 1776, 124.
serratirostris Cuculus, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
serrato-fasciatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 495.
serrator Carabus, P. Forskal, Descr. Anim. 1775, 77.
serrator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 224.
serrator Merganser (L.), J. C. Schaeffer, Mus. Orn. 1789, 66.—Mergus.
serrator Mergus, Linnaeus, Syst. Nat., ed. 10, 1758, 129; ed. 12, 1766, 208.
serrator Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 255.
Serratula C. F. Schulze, Dresdn. Mag. II. 1765, 460.—Col.
serratulæ Acanthia, J. C. Fabricius, Syst. Ent. 1775, 694.
serratulæ Chermes (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 442.—Coccus.
serratulæ Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2125.—
serratulæ Coccus, J. C. Fabricius, Syst. Ent. 1775, 744. [Acanthia.]
serratulæ Cynips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 214.
serratulæ Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 168.
serratulæ Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 997.
serrata Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695.
serratum Acrydium (L.), C. de Geer, Mém. Ins. III. 1773, 493.—Gryllus.
serratus Alysseimanthus (Goeze), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm.
serratus Astacus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 15. [1800, 286.—Taenia.]
serratus Astacus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 345.
serratus Astacus, J. C. Fabricius, Ent. Syst. II. 1793, 486.
serrata Blaps, J. C. Fabricius, Ent. Syst. IV. 1794, 439.
serrata Bombyx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 70.
serratus Bostrichus, G. W. F. Panzer, Deutsch. Ins. [1795], 288.
serratus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 25.
serratus Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 199.
serrata Bulla, O. Fabricius, Nye Saml. K. Danske Skrifter, IV (1) 1793, 88.
serrata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 200.
serratus Cancer, P. Forskal, Descr. Anim. 1775, 90.
serratus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 180.
serratus Cancer (Gammarellus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
serratus Cancer, G. Shaw, Zool. N. Holland, 1794, 21. [138.—Oniscus.]
serrata Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
serratum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
serratum Cardium, J. F. Bolten, Mus. Bolten. (2) 1798, 190.
serratum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 482.
serratus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
serratus Copris, A. F. de Fourcroy, Ent. Paris. 1785, 13.
serratus Cuculus, A. Sparrman, Mus. Carls. I. 1786, no. iii.
serrata Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 510.—Oniscus, 1787.
serratus Dermestes, G. Paykull, Faun. Suec. I. 1798, 300.
serrata Fulgora, J. C. Fabricius, Spec. Ins. II. 1781, 313.
serratus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693
serratus Helops, J. C. Fabricius, Syst. Ent. 1775, 257.
serrata Hispa, J. C. Fabricius, Mant. I. 1787, 48.

- serrata* Lepas, L. Spengler, Skr. nat. Selsk. [Copen.], I (1) 1790, 197.
serrata Linguatula, J. A. Frolich, Naturforscher, XXIV. 1789, 148.
serrata Locusta, J. C. Fabricius, Ent. Syst. II. 1793, 43.
serratus Lycus (L.), A. G. Olivier, Entom. II. 1790, 6.—*Cantharis*.
serratus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 134.
serrata Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 35.
serratus Mergus, Linnaeus, Faun. Suec., ed. 2, 1761, 48.—=*serrator*.
serrata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 597; ed. 12, 1767, 993.
serratus Oniscus, O. Fabricius, F. Groen. 1780, 262.
serratus Oniscus, J. C. Fabricius, Mant. I. 1787, 242.
serratus Palaemon, F. Weber, Nomen. Fabricii; 1795, 94.—*Astacus*, 1793.
serrata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
serrata Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 40.
serrata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 297.
serrata Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 317.
serrata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—*Helops*.
serratum Polystoma (Frol.), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800,
serratus Ptilinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 73. [203.—*Linguatula*.
serratus Reduvius, J. C. Fabricius, Syst. Ent. 1775, 732.
serratus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1562.—
serrata Taenia, J. A. E. Goeze, Eingeweidewürm. 1782, 337. [Melolontha.
serratus Tenebrio, J. C. Fabricius, Syst. Ent. 1775, 255.
serratus Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 6.
serrata Trox, J. C. Fabricius, Spec. Ins. I. 1781, 35.
serricauda Locusta, J. C. Fabricius, Ent. Syst. IV. 1794, 455.
serricornis Dytiscus, G. Pajkull, K. Vet. Ac. Nya Handl. XX. 1799, 49.
serricornis Notoxus, G. W. F. Panzer, Ins. Germ. heft 31 [1796], tab. 17.
serricornis Ptinus, J. C. Fabricius, Ent. Syst. I (1) 1792, 240.
serrilumbis Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
serripes Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 216.—*Gryllus*.
serripes Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1817.—
serripes Cimex, J. C. Fabricius, Syst. Ent. 1775, 709. [Prionus.
serripes Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 8.
serripes Gryllus, J. C. Fabricius, Mant. I. 1787, 236.
serripes Locusta, J. C. Fabricius, Mant. I. 1787, 233.
serripes Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 143.—*Cimex*, 1775.
serripes Prionus, J. C. Fabricius, Spec. Ins. I. 1781, 205.
serripes Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 464.
Serrocerus J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 486.—*Col*.
Serropalpus C. N. Hellenius, K. Vet. Ac. Nya Handl. VII. 1786, 310.—*Col*.
serropalpus Helops, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.
serrulatae Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
serrulatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 105.
sertifera Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 378.
Sertularia Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1306.—*Pol*.
sertum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 262.
sertum Nautilus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 240.
serval Felis, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 30.
serval Felis, J. C. D. Schreber, Säugth. III. 407 (1777), pl. cviii (1776).
serval Felis, J. C. P. Erxleben, Syst. Anim. 1777, 523.
servana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—*Pyralis*.
servana Pyralis, J. C. Fabricius, Gen. Ins. 1777, 292.
servia [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (27) 1780, 66.
servilia Libellula, D. Drury, Ill. Nat. Hist. I. 1770, index & 112.
servula Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 20.
serva Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 474.
servus Cimex, J. C. Fabricius, Mant. II. 1787, 300.
servus Curculio, J. C. Fabricius, Mant. I. 1787, 112.

- servus* Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 80.
serva Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 378.
servus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 156.—Cimex, 1787.
serva Noctua, J. C. Fabricius, Syst. Ent. 1775, 593.
serva Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 110.
Sesia J. C. Fabricius, Syst. Ent. 1775, 547.—Lep.
sesia Papilio, J. C. Fabricius, Gen. Ins. 1777, 257.
sesia Sphinx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2389.
sesonia [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 176.
sesostris [Papilio], P. Cramer, Uitl. Kapellen, III (13) 1779, 34.
sesquicincta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
sesquicornis Hister, J. D. Preyßler in Mayer, Samml. Phys. Aufsätze, II. 1792, 3.
sesquipedalis Ascaris, Linnaeus, Mant. II. 1771, 543. [Phalaena Geom.
sesquistriataria Bombyx (Knoch), E. J. C. Esper, Die Schmett. III (28) 1786, 368.—
sesquistriataria Phalaena (Geom.), A. W. Knoch, Beitr. Insektenges. I. 1781, 1.
sesquistriatus Carabus, G. W. F. Panzer, Naturforscher, XXIV. 1789, 34.
sesquistriga Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 51.
sesquistrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
sesquitertiana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
sesquitertiaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
sesquitertiata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
sessilata Paradisea, T. Pennant in Forster, Ind. Zool. 1781, 40 [n. n.].
sessilis Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 391.
sessilis Evania, J. C. Fabricius, Ent. Syst. II. 1793, 194.
sessilis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 418.
sessilis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 683.
sessonia Papilio, T. Martyn, Psyche, 1797, fig. 6.
seta Gordius, O. F. Müller, Verm. I (2) 1774, 30.
setacea Gorgonia, P. S. Pallas, Elench. 1766, 182.
setacea Nitidula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1631.
setacea Paradisea, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 7 [n. n.].
setacea Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813.
seticornis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 229.
seticornis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 79.
seticornis Cimex, J. C. Fabricius, Syst. Ent. 1775, 725.
seticornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 179.—Cimex, 1775.
seticornis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
seticornis Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1085.
seticornis Spio (L.), O. Fabricius, Schrift. Berlin. Ges. Nat. Freunde, VII. 1787, 259.—
setifer Cerambyx, O. F. Müller, Z. Dan. Prod. 1776, 92. [Nereis.
setifer Chaetodon, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 101. [Daphne setifera.
setifer Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
setiferus Astacus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 343.—Cancer.
setiferus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1054.
setiferus Cancer (Gammarellus) L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 106.
setifera Cercaria, O. F. Müller, An. Infus. 1786, 127.
setifera Daphne, O. F. Müller, Z. Dan. Prod. 1776, 200.
setiferus Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 494.—Daphne.
setiformis Ascaris, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 78.
Setiger G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
setiger Byrrhus, Illiger in Kugelann, Käfer Preuss. 1798, 95.
setiger Oniscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 26.
setigerus Alysseminthus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 260.
setigera Galeodes, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 580.
setigerus Lophius, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 215.
setigera Taenia, J. A. Frolich, Naturforscher, XXIV. 1789, 106.
setiostriis Clupea, P. M. A. Broussonet, Ichth. 1782.
setosus Alpheus, F. Weber, Nomen. Fabricii, 1795, 91 [n. n.].

- setosus Asilus, Scopoli, Ent. Carn. 1763, 365.
 setosus Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 207.
 setosus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 339.
 setosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2144.
 setosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2189.
 setosus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
 setosa Echinometra, P. L. S. Müller, Del. Nat. I. 1766, 131.
 setosus Erinaceus, J. C. D. Schreber, Säugth. III. 583 (1777), pl. clxiv (1777).
 setosa Gorgonia, Linnaeus, Syst. Nat., ed. 12, 1767, 1292.
 setosus Hystrix, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [n. n.].
 setosus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 395.
 setosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
 setosa Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 97.
 setosus Sciurus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 469.
 setosus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 288.
 setosus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 42.
 setosus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
 Setoura P. Browne, Hist. Jamaica, ed. 2, 1789, 425.—Lep.
 setulosa Gorgonia, *id. ac setosa*, L., J. F. Maratti, Plant. Zooph. Med. 1776, 11.
 seuruga Acipenser, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XVI. 1772, 533
 seuruga Acipenser (*ex Gueld.*), J. P. Bonnaterra, Ency. Méth. (Ich.) 1788, 17. [? specific]
 severina [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 95.
 severus Cerastes (Linn.), J. N. Laurenti, Syn. Rept. 1768, 81.—Coluber.
 severus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
 severus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 153.
 severa [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 235.
 severus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 140.
 severus Psittacus, R. Kerr, Anim. Kingd. 1792, 562; *var. erythrochlorus*.
 severus Spheg, D. Drury, Ill. Nat. Hist. III. 1782, index & 58.
 sexualata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 50.
 sexualisata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (3) [1788], 17.
 sexangulum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3739.
 sexcincta Apis, J. C. Fabricius, Syst. Ent. 1775, 387.
 sexcinctus Crabro, J. C. Fabricius, Syst. Ent. 1775, 374.
 sexcinctus Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 54.
 sexcinctus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 304.
 sexcincta Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
 sexcincta Spheg (Fab.), J. L. Christ, Nat. Ins. 1791, 268.—Scolia.
 sexcincta Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2762.—Crabro.
 sexcincta Vespa, G. W. F. Panzer, Ins. Germ. heft 63 [1799], tab. 1.
 sexcuspidata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 427.
 sedecim Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 101.
 [sexdecim-]—
 sexdecimguttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
 sexdecimguttatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
 sexdecimguttatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 115.
 sedecimmaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 58.
 sexdecimmaculata Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 34.—
 [=sexdecimpunctata, Fab.]
 sexdecimmaculata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 109.
 sexdecimnotata Coccinella, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 133.
 sexdecim punctata Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 83.
 sexdecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 585.
 sexdecimpunctata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 100.
 sexdecimpunctata Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386; ed. 12, 1767, 618.
 sexdecimpustulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 114.
 sexdens Formica, Linnaeus, Syst. Nat., ed. 10, 1758, 581; ed. 12, 1767, 964.
 sexdentatus Bostrichus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 110.

- sexdentatus** Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2-5) 1783, 153.
sexdentata Chrysis, J. L. Christ, Nat. Ins. 1791, 404.
sexdentata Chrysis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 258.
sexdentata Chrysis, L. H. v. Bloch in Becker, Plau. Grund. 1799, 106.
sexdentata Chrysis, G. W. F. Panzer, Ins. Germ. heft 51 [1798], tab. 12.
sexdentatum Colydidium (Fab.), G. Paykull, Faun. Suec. III. 1800, 313.—Dermestes.
sexdentatus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 232.
sexdentatus Dermestes, I. C. H. Boerner, Oek. Nachr. Ges. Schlesien, IV. 1776, 78.
sexdentata Ips, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 31. [not seen].
sexdentata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2836.—
sexdentatus Scolytus, A. G. Olivier, Entom. IV. 1795, 11. [Stratiomys.
sexdentata Silpha (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1619.—
sexdentata Stratiomys, J. C. Fabricius, Spec. Ins. II. 1781, 418. [Ips.
sexdentata Vertigo, Studer in Coxe, Trav. Switz. III. 1789, 388 [n. n.].
sexfasciata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 251.
sexfasciatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 265.
sexfasciatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 336.
sexfasciatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.
sexfasciatus Erotylus, J. C. Fabricius, Ent. Syst. I (2) 1792, 36.
sexfasciata Nomada, Jurine in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 18.
sexfasciata Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 465.
sexguttatus Atteblabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—
sexguttata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 97. [Clerus.
sexguttata Buprestis, N. J. Brahm, Ins. Kal. I (2) 1791, 141.
sexguttatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 236.
sexguttata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 226.
sexguttatus Cimex, J. C. Fabricius, Gen. Ins. 1777, 299.
sexguttatus Clerus, J. C. Fabricius, Syst. Ent. 1775, 823.
sexguttatus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 105.
sexguttatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 138.
sexguttatus Elater, C. P. Thunberg, Nov. Ins. Spec. (3) 1784, 65.
sexguttata Formica, J. C. Fabricius, Ent. Syst. II. 1793, 354.
sexguttata Leptura, J. C. Fabricius, Syst. Ent. 1775, 198.
sexguttatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex, 1777.
sexguttata Mylabris, A. G. Olivier, Entom. III. 1795, 11.
sexguttata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 53 [n. n.].
sexguttata Pneumora, C. P. Thunberg, K. Vet. Ac. Handl. XXXVI. 1775, 258.
sexguttatus Reduvius, J. C. Fabricius, Syst. Ent. 1775, 832.
sexguttata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 235.
sexguttella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
sexies-fasciatus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 170.
sexiesperforatus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 199.
sexlineata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 44.
sexlineata Cistela, J. C. Fabricius, Spec. Ins. I. 1781, 149.
sexlineata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 94.
sexlineatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
sexlineata Lacerta, Linnaeus, Syst. Nat., ed. 12, 1766, 364. [1716.—Cistela.
sixlineata Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIII. 1792, 142.
sexlineata Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 99.
sexmaculatus Apalus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 166.
sexmaculata Buprestis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 121.
sexmaculata Buprestis, G. A. Harter, Besch. Schaeffer Icones, 1784, 62.
sexmaculata Buprestis, Herschel in [Hausmann], Bemerk. Entom. 1799, 30.
sexmaculatus Carabus, J. C. Fabricius, Mant. I. 1787, 196.
sexmaculatus Carabus, E. Donovan, Ins. India, 1800.
sexmaculatus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 305.
sexmaculata Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 155.—Cryptocephalus.
sexmaculatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.

- sexmaculata Clytra (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 32.—*Cryptocephalus*.
- sexmaculata Clytra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 110.—*Cryptocephalus*,
- sexmaculata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 96. [1781.]
- sexmaculata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 106.
- sexmaculatus Cordyle, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 49.
- sexmaculatus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 518.
- sexmaculatus *Cryptocephalus*, J. C. Fabricius, Spec. Ins. I. 1781, 138.
- sexmaculatus *Cryptocephalus*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 611.
- sexmaculatus *Curculio*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 502.
- sex-maculatus Elater, O. F. Müller, F. Ins. Frid. 1764, 17.
- sexmaculatus *Gryllus Locusta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
- sexmaculata *Leptura*, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 638.
- sexmaculata *Leptura*, F. v. P. Schrank, Ins. Aust. 1781, 157.
- sexmaculata *Libellula*, J. C. Fabricius, Mant. I. 1787, 338.
- sexmaculata *Mordella*, J. C. Fabricius, Syst. Ent. 1775, 263.
- sexmaculata *Musca*, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 88.
- sexmaculata *Mutilla*, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 286.
- sexmaculata *Mutilla*, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 6.
- sexmaculata *Mylabris*, V. Petagna, Inst. Ent. 1792, 294.
- sexmaculata *Mylabris*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 120.
- sexmaculata *Noctua*, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.
- sexmaculata *Nomada*, [Hausmann], Bemerk. Entom. 1799, 14.
- sexmaculatus *Ripiphorus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 111.
- sexmaculata *Scolia*, J. C. Fabricius, Spec. Ins. I. 1781, 452.
- sexmaculata *Sphex*, J. L. Christ, Nat. Ins. 1791, 268.
- sexmaculatus *Stenocorus* (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 295.—*Cerambyx*.
- sexmaculata *Vespa*, C. Allioni, Misc. Taurin. III. 1766, 196.
- sexmaculata [Vespa], Giorna, Cal. Ent. 1791, 87.
- sexnotata *Cassida*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 82.
- sexnotata *Chrysomela*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 86.
- sexnotata *Cicindela*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1923.
- sexnotata *Coccinella*, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 9.
- sexnotatus *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
- sexnotatus *Cryptocephalus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 53.
- sexnotata *Saperda*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 57.
- sexpennis *Paradisea*, P. Boddart, Tab. Planch. Enl. 1783, 39.
- sexpes *Alpheus*, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
- sexpes *Cancer*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 344.
- sexpunctata *Aranea*, Linnaeus, Syst. Nat., ed. 10, 1758, 622; ed. 12, 1767, 1033.
- sexpunctata *Buprestis*, Scopoli, Ent. Carn. 1763, 67.
- sexpunctatus *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 45.
- sexpunctatum *Callidium*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 264.
- sexpunctatum *Callidium*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 50.
- sexpunctata *Cantharis*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 281.
- sexpunctatus *Carabus*, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 672.
- sexpunctatus *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
- sexpunctata *Cassida*, J. C. Fabricius, Spec. Ins. I. 1781, 109.
- sexpunctata *Chrysomela*, Linnaeus, Syst. Nat., ed. 10, 1758, 375; ed. 12, 1767, 599.
- sexpunctata *Chrysomela*, J. C. Fabricius, Mant. I. 1787, 70.
- sexpunctata *Cicada*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
- sexpunctata *Cicindela*, J. C. Fabricius, Syst. Ent. 1775, 226.
- sexpunctatus *Cimex*, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721.
- sexpunctatus *Cimex*, J. C. Fabricius, Spec. Ins. II. 1781, 339.
- sexpunctatus *Cimex*, J. C. Fabricius, Mant. II. 1787, 300.
- sexpunctata *Clytra*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.
- sexpunctata *Coccinella*, Linnaeus, Syst. Nat., ed. 12, 1767, 580.
- sexpunctatus *Copris*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.

- sexpunctata Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 4.
 sexpunctatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 109.—Chrysomela.
 sexpunctatus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 913.
 sexpunctatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 158.—Cimex, 1787.
 sexpunctatus Melyris, G. W. F. Panzer, Naturforscher, XXIV. 1789, 11.
 sexpunctata Mordella, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 148.
 sexpunctata Mordella, P. Rossi, Fauna Etrus. I. 1790, 243.
 sexpunctata Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 285.
 sexpunctatus Philanthus, J. C. Fabricius, Ent. Syst. II. 1793, 291.
 sexpunctata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
 sexpunctatus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 248.
 sexpunctatus Psocus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius.
 sexpunctatus Ptinus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 20.
 sexpunctata Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 245.
 sexpunctata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 312.
 sexpunctatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 166.
 sexpunctata Scolia, P. Rossi, Mant. Ins. I. 1792, 130.
 sexpunctata Sphex, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
 sexpunctata Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 405.
 sexpunctata Vespa, J. L. Christ, Nat. Ins. 1791, 241.
 sexpunctella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 313.
 sexpustulatus Carabus, J. C. Fabricius, Syst. Ent. 1775, 825.
 sexpustulata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 114.
 sexpustulata Chrysomela, C. Villers, Linn. Ent. I. 1789, 158.
 sexpustulatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 722.
 sexpustulata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 585.
 sexpustulata Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 106.
 sexpustulatus Cryptocephalus, P. Rossi, Fauna Etrus. I. 1790, 97.
 sexpustulatus Cryptocephalus (Vill.), G. A. Harrer, Besch. Schaeffer's Abbild. 1791,
 Dytiscus, J. C. Fabricius, Gen. Ins. 1777, 239. [139.—Chrysomela.
 sexpustulata Ips, J. C. Fabricius, Ent. Syst. I (2) 1792, 512.
 sexpustulatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 165.—Cimex, 1775.
 sexpustulata Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 260.
 sexpustulata Vespa, C. de Villers, Linn. Ent. III. 1789, 281.
 sexstacea Paradisea, J. Latham, Index Orn. 1790, 196.
 sexstriatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
 sexta Sphinx, Linnaeus, Amoen. Acad. VI. 1763, 410.
 sex vittatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 545.
 sey Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 367.
 seyta Papilio, L. Prunner, Lep. Pedemont. 1798, 74.
 sezalata Geométra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 228 [n. et f.].
 shanhu Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
 sheltopusik [Bipes], B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 shepeianus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 638.
 shyp Acipenser, J. R. Forster, Phil. Trans. LVII (2) 1768, 353.
 siaelandicus Elater, O. F. Müller, F. Ins. Frid. 1764, 17.
 sialis Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 336.
 sialis Sylvia (L.), J. Latham, Index Orn. 1790, 522.—Motacilla.
 siamea Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
 siamensis Bufo, J. G. Schneider, Hist. Amph. I. 1799, 231.
 siamensis Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
 siamensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 662.
 siamensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1720.
 siamensis Naja, J. N. Laurenti, Syn. Rept. 1768, 91.
 siamensis Pholas, L. Spengler, Skr. nat. Selsk. [Copen.], II (1) 1792, 88.
 siamica alba Formica, J. L. Christ, Nat. Ins. 1791, 518.
 siamica rubra Formica, J. L. Christ, Nat. Ins. 1791, 518.
 sibbaldi Syngnathus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 6.

- siber Castor, *err. pro fiber*, R. R. Castel in Buffon, Hist. Nat. (Deterville ed.), Quadr. V. sibericus *v. sibericus*. [1799, 125.]
- siberita Conops (Fab.), J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, II. 1792, 45.— [Stomoxys.]
- siberita Stomoxys, J. C. Fabricius, Syst. Ent. 1775, 798. [Stomoxys.]
- sibilans Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
- sibilatrix Motacilla, J. M. Bechstein, Naturforscher, XXVII. 1793, 47.
- sibilla Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 337.
- sibilla Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 12, 1767, 781.
- [sibiricus]—
- sibericum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 226.—Gryllus.
- sibirica Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 799.
- sibirica Ammonites, Lamarck in Pallas, Voy. Russie (8vo ed.) VIII [1794], 212.
- sibirica Apis, J. C. Fabricius, Spec. Ins. I. 1781, 478.
- sibericus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 31.
- sibirica Buprestis, J. C. Fabricius, Spec. Ins. I. 1781, 279.
- sibericus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1840.
- sibericus Charadrius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 690.
- sibericus Corvus, P. Boddaert, Tab. Planch. Enl. 1783, 37.
- sibericus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 373.
- sibericus Cryptocephalus, J. A. Frolich, Naturforscher, XXVI. 1792, 130. [minor, 275.]
- sibericus Dipus, R. Kerr, Anim. Kingd. 1792; *varr. major, medius, 274; pumilio*, Emberiza, J. P. Falk & P. S. Pallas in Falk, Reise Russ. (5) 1786, 398.
- sibirica Erinaceus, J. C. P. Erxleben, Syst. Anim. 1777, 172.
- sibericus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 12, 1767, 702.
- sibericus Gulo, P. S. Pallas, Spic. Zool. XIV. 1780, 35.
- sibiricum Ibx, P. S. Pallas, Spic. Zool. XI. 1776, 52.
- sibirica Leptura, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 51.
- sibirica Libellula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2620.
- sibirica Loxia, P. S. Pallas, Reise Russ. II. 1773, 711.
- sibirica Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—Meloe.
- sibirica Mantis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2055.
- sibirica Meloe, P. S. Pallas, Reise Russ. II. 1773, 720.
- sibirica Melolontha, A. G. Olivier, Entom. I. 1789, 68.
- sibericus Moschus, P. S. Pallas, Spic. Zool. XIII. 1779, 29.
- sibirica Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 936.
- sibirica Mustela, P. S. Pallas, Reise Russ. II. 1773, 701.
- siberica Mutilla, J. L. Christ, Nat. Ins. 1791, 148.
- sibericus Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1013.
- sibericus Scirurus, E. Laxmann, Sibir. Briefe, 1769, 69.
- sibirica Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 207.
- sibirica Strix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIX. 1798, 185.
- siberica Tanagra, A. Sparrman, Mus. Carls. I. 1786, no. xix.
- sibericus Turdus, P. S. Pallas, Reise Russ. III. 1776, 694.
- sibirica Verbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 112.
- sibon Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
- siccifolius Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 425.—[Mantis, ed. 12.]
- siccifolia Locusta, C. de Geer, Mém. Ins. III. 1773, 438.
- siccifolia Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 689.—[Gryllus, ed. 10.]
- siccifolia Membracis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 97.
- siccifolia Phyllium (L.), Illiger in Kugelann, Käfer Preuss. 1798, 499.—Mantis.
- sicheas [Phalaena], P. Cramer, Utitl. Kapellen, II (13) 1777, 86.
- sicheas [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 76.
- siciliana Cypraea, C. U. v. Salis, Reise Neapel, 1793, 364.
- siculana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 79 [*v. et f.*].
- sicularia Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 73.
- sicula Apis, P. Rossi, Mant. Ins. II. 1794, 139.
- sicula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
- siculum Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 335.

- sicula Gioenia, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 502.
 sicula Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170 [n. n.].
 sicula Phalaena Bombyx, N. J. Brahm, Ins. Kal. II (1) 1791, 180.
 Sicus Scopoli, Ent. Carn. 1763, 369.—Dip.
 Sicus P. A. Latreille, Préc. Car. Ins. 1796, 158.—Dip.
 Sicus J. G. Meigen, N. Class. Mouches, 1800, 21.—Dip.
 sidae Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 77.
 sidae Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 351.—Papilio.
 sidae Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 169.
 sidae Mylabris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 120.
 sidae Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 23.
 sidae Papilio (*ex* Esper, tab.), J. C. Fabricius, Mant. II. 1787, 91.
 sidae Papilio Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1784],
 siderea Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 168. [178.
 sidus Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12 [n. n.].
 Siganus P. Forskal, Descr. Anim. 1775, x [see also 25].—P.
 siganus Scarus, P. Forskal, Descr. Anim. 1775, 25.
 Sigara J. C. Fabricius, Syst. Ent. 1775, 691.—Hem.
 Sigaretus Lamarck, Mém. Soc. H. N. Paris, 1799, 77.—G.
 Sigaretus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [n. n.].—G.
 Sigera, *err. pro* Sigara, Fab. J. R. Schellenberg, Cimic. Helvet. 1800, 22.
 sigma Carabus, P. Rossi, Fauna Etrus. I. 1790, 226.
 sigma Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
 sigmaidea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 471.
 signatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
 signatella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 338.
 signatorius Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 216.
 signatus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 363.
 signata Apis (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.—Vespa.
 signata Aranea, J. C. Fabricius, Gen. Ins. 1777, 249.
 signata Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 361.—Vespa.
 signata Bombyx, C. P. Thunberg, Ins. Suecica (4) 1792, 53.
 signata Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 78.
 signata Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 234.
 signata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 818.
 signatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 712.
 signatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 80.
 signata Coccinella, Scopoli, Ent. Carn. 1763, 74.
 signata Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 55.
 signata Coccinella, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 304.
 signatus Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 517.
 signatus Crabro, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 15.
 signatus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 174.
 signatus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 619.
 signatus Curculio, G. W. F. Panzer, Deutsch. Ins. [1795], 308.
 signatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 234.
 signatus Elater, A. G. Olivier, Entom. II. 1790, 48.
 signata Emberiza, J. A. Scopoli, Del. Insub. II. 1786, 95.
 signatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 428.
 signata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 81.
 signata Leptura, Hellwig in G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 13.
 signata Leucophaea, O. F. Müller, An. Infus. 1786, 154.
 signata Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 39.
 signata Musca, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, I. 1791, 95.
 signatus Mycetophagus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 20.
 signata Noctua, J. C. Fabricius, Syst. Ent. 1775, 608.
 signata Phalaena, Scopoli, Ent. Carn. 1763, 231.
 signata Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 258.

- signata* Phryganea, J. C. Fabricius, Spec. Ins. I. 1781, 389.
signata Podura, J. C. Fabricius, Gen. Ins. 1777, 244.
signata Podura, A. F. de Fourcroy, Ent. Paris. 1785, 522.
signatus Psittacus, J. A. Scopoli, Del. Insub. II. 1786, 86.
signatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1568.—
signata Scolia, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 13. [Melolontha.
signata Sphex, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 2.
signata Tenthredo, Scopoli, Ent. Carn. 1763, 279.
signata Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 416.
[*signata* Testudo, Walbaum, Chelonogr. p. 120?] quoted by Gmelin, Syst. Nat., ed. 13,
p. 1043, but is a division (not a sp.) of Chelonia.
signata Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 952.
signifera Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 17.
signifer Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 313.
signifera Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80.
signifer Orchestes, C. Creutzer, Ent. Vers. 1799, 125.
[*signifera* Phalaena (N.) MS.], T. Martyn, Psyche, 1797, figs. 32 & 33.
signiferella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 39.
signipennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
signum Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
signum Noctua, J. C. Fabricius, Mant. II. 1787, 154.—[*err. pro sigma*, D. & S.]
sihama Atherina, P. Forskal, Descr. Anim. 1775, 70.
siima Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
silacealis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 25.
silaceata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
silaceata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 303 [*n. et f.*].
silaceata Phalaena Geom., J. Hübner, Samml. Vögel u. Schmett. 1793, 16 [*n. et f.*].
silacella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 37.
silacea Ips, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 169.
silacea Nitidula, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 36.
silene Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 85.
silene Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 238. [Noctua.
silene Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 742.—
silenissa Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 306.
silens Tanagra, P. Boddaert, Tab. Planch. Enl. 1783, 46.
silentis Musca, M. Harris, Exp. Eng. Ins. 1776, 59.
silena Amymone, O. F. Müller, Z. Dan. Prod. 1776, 198.
silenus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 26.—Simia.
silenus Geotrupes (Scop.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.—Scarabaeus.
silenus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 330. [Amymone.
silenus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—
silenus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 159.
silenus Papilio, J. C. Fabricius, Syst. Ent. 1775, 531.
silenus Pithecus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.—Simia.
silenus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 13.
silenus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 21.
silenus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 50.
silenus Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 26; ed. 12, 1766, 36.
silenus Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 64; & *varr.* albibarbus, tie-tie,
sileris Laria, Scopoli, Ent. Carn. 1763, 22. [purpuratus.
Silicaria F. M. Daudin, Rec. Mém. Moll. 1800, 33.—G.
silicina Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
silicula Solen, J. F. Bolten, Mus. Bolten. (2) 1798, 155.
silicula Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 125.
siliqua Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
siliqua Mya, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 48.
siliqua Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1113.
Siliquaria J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.

- Siliquaria* Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—G.
Silpha Linnaeus, Syst. Nat., ed. 10, 1758, 359; ed. 12, 1767, 569.—Col.
silphae Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
Silphoides J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 41.—Col.
silphoides Buprestis, F. v. P. Schrank, Naturforscher, XXIV. 1789, 82.
silphoides Carabus, P. Rossi, Fauna Etrus. I. 1790, 215.
silphoides Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 145.
silphoides Chrysomela, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 211.
silphoides Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 29.
silphoides Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 86.
silphoides Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 279.
silphoides Dermestes, J. A. Scopoli, Annus V. 1772, 89.
silphoides Opatrum (*ex* Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.
silphoides Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—Tene-
silphoides Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1586. [bri-
silphoides Staphylinus, Linnaeus, Syst. Nat., ed. 12, 1767, 684.
silphoides Staphylinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2028.
silphoides Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 677.—[*Silpha maura*, ed. 10.]
sylphoides Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.
silphoides Throx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
siluri Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
siluri Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 157.
Silurus Linnaeus, Syst. Nat., ed. 10, 1758, 304; ed. 12, 1766, 501.—P.
silurus Kerona, O. F. Müller, An. Infus. 1786, 244.—Trichoda, 1773.
silurus Trichoda, O. F. Müller, Verm. I (1) 1773, 88.
silus Salmo, P. Ascanius, Icon. III. 1775, 4.
silvandra [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 155.
silvanus *v.* *sylvanus*.
silvarum *v.* *sylvarus*.
silveria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 134.
silvestris *v.* *sylvestris*.
Silvia Cuvier, Leçons Comp. Anat. I. 1800, tab. 2.—*v.* *Sylvia*.—A.
silvius *v.* *sylvius*.
simack Ophidium, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 159.
simaethis Hesperia (Dru.), J. C. Fabricius, Ent. Syst. III (1) 1793, 286.—Papilio.
simaethis [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 3.
Simia Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 34.—M. Linnaeus divides
the Simiae into Simiae, Papiones, & Cercopitheci, but these words are not used in a
subgeneric sense.
simiae Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3058.
“*simiae* Zoolithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
similana Phalaena Tort., J. Hübner, Samml. Vögel u. Schmett. 1793, 13 [*v.* *et f.*].
similana Tortrix, [Denis & Schiffermüller], Schmett. Wien. 1775, 131.
similana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 41 [*v.* *et f.*].
similiaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 512.
similatorius Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 221.
similata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 112.
similata Geometra, C. P. Thunberg, Ins. Suecica, (1) 1784, 10.
similella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 64.
[*similis*, -e]—
simile Apis, M. Harris, Exp. Eng. Ins. 1776, 166.
similis Bombylius, A. Modeer, Physiogr. Sälsk. Handl. I (4) 1786, 294.
similis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 355.
similis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77.
similis Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 82.
similis Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 81.
similis Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 58.
similis Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 28.

- similis** Clytra, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 191.
similis Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 56.
similis Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 15.
similis Coccinella, P. Rossi, Fauna Etrus. I. 1790, 68.
similis Copris, L. G. Scriba, J. Lieb. Ent. I. 1790, 56.
similis Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
similis Curculio, D. Drury, Ill. Nat. Hist. II. 1773, index & 62.
similis Curculio, O. F. Müller, Z. Dan. Prod. 1776, 89.
similis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
similis Elater, [D. H. Schneider], Nom. Ent. 1785, 18 [n. n.].
similis Enchelis, O. F. Müller, An. Infus. 1786, 25.
similis Fulgora, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 96.
similis Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
similis Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3625.—Planorbis.
similis Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 306.
similis Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
similis Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 101.
similis Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 94.
similis Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [n. n.].
similis Musca, J. R. Forster, N. Sp. Ins. 1771, 97.
similis Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 479; ed. 12, 1767, 782.
similis Phalaena, J. C. Fuessly, Schweiz. Ins. 1775, 35.
similis Planorbis, O. F. Müller, Verm. II. 1774, 166.
similis Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1781.
similis Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 90.
similis Saperda, J. N. Laicharting, Tyrol. Ins. II. 1784, 31.
similis Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 129.
similis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 447.
similis Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 151.
similis Staphylinus, G. Paykull, Mon. Staph. 1789, 10.
similis Staphylinus, A. G. Olivier, Entom. III. 1795, 13.
simininus Manatus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 732.
simois [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 39.
simplex Aedemera (L.), A. G. Olivier, Entom. III. 1795, 9.—Necydalis.
simplex Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 38.
simplex Allopus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
simplex Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 31.
simplex Curculio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 58.
simplex Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 13.
simplex Donacia, J. C. Fabricius, Syst. Ent. 1775, 195.
simplex Donacia, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 118.
simplex Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 127.
simplex Fistularia, O. F. Müller, Z. Dan. Prod. 1776, 254.—Tubularia, 1774.
simplex Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 118 [n. n.].
simplex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
simplex Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
simplex Leptura (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1866.—Donacia.
simplex Leptura (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 226.—Donacia.
simplex Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 49.
simplex Necydalis, Linnaeus, Syst. Nat., ed. 12, 1767, 643.
simplex Papilio, J. E. I. Walch, Naturforscher, VI. 1775, 130.
simplex Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 271.
simplex Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 606.
simplex Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 287.
simplex Taenia, J. A. Frolich, Naturforscher, XXV. 1791, 58.
simplex Thelephorus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 84.—Necydalis.
simplex Tubularia, O. F. Müller, Verm. I (2) 1774, 19.
simplex Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 267.

- simplicius** [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 171.
simpulum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 128.
simson Geotropes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 12.—Scarabaeus.
simsoni Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 345; ed. 12, 1767, 542.
simulacrum Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 21.
simulans Noctua, J. C. Fabricius, Mant. II. 1787, 177.
simulans Phalaena, Hufnagel, Berl. Mag. III. 1767, 396.
simulans Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 211.—
simulater Musca, M. Harris, Exp. Eng. Ins. 1776, 123. [Noctua.
simulator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 180.
simulator Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
simulata Bulla, D. Solander in G. Brander, Foss. Hant. 1766, 29.
simus Blennius, W. Svief, Acta Ac. Sci. Petrop. 1779 (2) 1783, 198.
sima Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 524.
simus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 375.
sima Coryphaena, *id. ac* siina, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
sima Daphnia, O. F. Müller, Entom. 1785, 91. [1194.
sima Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 84.
simus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3000.—Daphnia.
sinamarinus Bulimus, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 342.
sinapis Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 468; ed. 12, 1767, 760.
[sinensis]—
chinensis Anas, P. Osbeck, Reise Ost-Indien China, 1765, 342.
chinensis Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 246.—Patella.
sinensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 642.
chinensis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 383.
chinensis Balistes, P. Osbeck, Reise Ost-Indien China, 1765, 147.
chinensis Balistes, Osb., M. E. Bloch, Nat. ausl. Fische, II. 1786, 29.
chinensis Calyptroea (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—Patella.
chinensis Cancer, P. Osbeck, Reise Ost-Indien China, 1765, 151.
chinensis Cancer (Gammarellus), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 107.
chinensis Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 401.—[Lampyrus, ed. 12.]
chinensis Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 84.
chinensis Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 39.
chinensis Cerambyx, C. de Geer, Mém. Ins. V. 1775, 109.—[sinensis in Gm. p. 1863.]
chinensis Cetonia (Forst.), J. C. Fabricius, Syst. Ent. 1775, 42.—Scarabaeus.
chinensis Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 5.
sinensis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.
chinensis Cicindela, C. de Geer, Mém. Ins. IV. 1774, 119.
chinensis Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 45.
sinensis Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 525.
chinensis Columba, J. A. Scopoli, Del. Insub. II. 1786, 94.
sinensis Columbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 586.
chinensis Conus, J. R. Forster in Osbeck, Voy. China, I. 1771, 203.—[See Cunnus.]
sinensis Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3394.
sinensis Coracias, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*]
sinensis Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
sinensis Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
sinensis Coturnix (L.), J. P. Bonnatere, Ency. Méth. (Orn.) 1791, 223.
chinensis Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
sinensis Cuculus, Linnaeus, Syst. Nat., ed. 12, 1766, 171.
chinensis Cunnus, P. Osbeck, Reise Ost-Ind. China, 1765, 247.
chinensis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 386.—[Bruchus pecticornis, ed. 12.]
chinensis Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 507.
chinensis Curculio, E. Donovan, Ins. China, 1798.
chinensis Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
chinensis Delphinus, P. Osbeck, Reise Ost-Ind. China, 1765, 337.
chinensis Dermestes, J. C. Fabricius, Syst. Ent. 1775, 58.

- sinensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 869.
 sinensis Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 264.
 sinensis Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 493.
 chinensis Fistularia, Linnaeus, Syst. Nat., ed. 12, 1766, 515.
 chinensis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183.
 sinensis Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 915.
 chinensis Fulica, P. Boddaert, Tab. Planch. Enl. 1783, 54.
 sinensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1021.
 chinensis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 479.
 chinensis Lacerta, P. Osbeck, Reise Ost-Ind. China, 1765, 366.
 chinensis Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
 chinensis Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 645.—[Cantharis, ed. 10.]
 chinensis Lanius, J. A. Scopoli, Del. Insub. II. 1786, 86.
 chinensis Libellula, C. de Geer, Mém. Ins. III. 1773, 556.
 chinensis Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 904.
 sinensis Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 855.
 sinensis Mergus, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 73.
 sinensis Moschus, R. Kerr, Anim. Kingd. 1792, 295.
 sinensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 963.
 sinensis Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
 sinensis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2872.
 sinensis Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 942.
 chinensis Notoxus, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
 chinensis Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 160.
 sinensis Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
 sinensis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3335.
 sinensis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 709. [est, 1788.]
 chinensis Parra, Gm., M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 13.—[sinensis,
 sinensis Parus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1012.
 chinensis Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 781; ed. 12, 1767, 1257.
 sinensis Patella, v. chinensis, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 sinensis Pelecanus, J. F. Blumenbach, Abb. nat. Gegen., no. 25, 1798. [3692.
 chinensis Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1318.
 chinensis Perdix (L.), J. Latham, Index Orn. 1790, 652.—Tetrao.
 sinensis Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 39.
 chinensis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 77.
 sinensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
 chinensis Rana, P. Osbeck, Reise Ost-Ind. China, 1765, 244.
 chinensis Scarabaeus, J. R. Forster, N. Sp. Ins. 1771, 2.
 chinensis Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 53.
 sinensis Scolopax, J. Latham, Index Orn. 1790, 717.
 sinensis Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 599.
 chinensis Sitta, P. Osbeck, Reise Ost-Ind. China, 1765, 326.
 chinensis Solenostomus, F. C. Meuschen, Mus. Gronov. 1778, 36.
 chinensis Sparus, P. Osbeck, Reise Ost-Ind. China, 1765, 340.
 sinensis Spheg, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 198.
 sinensis Spondylus, K. Schreibers, Vers. Conch. II. 1793, 154.
 chinensis Stello, J. G. Schneider, Amph. Phys. sp. alt. 1792, 28.
 sinensis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 608.
 sinensis Strix, J. Latham, Index Orn. 1790, 53.
 chinensis Stromateus, B. A. Euphrasen, K. Vet. Ac. Nya Handl. IX. 1788, 54.
 sinensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 533.—Motacilla.
 sinensis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 897.
 chinensis Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 277.
 chinensis Tetrao, J. R. Forster in Osbeck, Voy. China, I. 1771, 203.
 chinensis Tetrao, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 129.
 sinensis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 765.
 sinensis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.

- chinensis Turdus, P. Osbeck, Reise Ost.-Ind. China, 1765, 406.
 sinensis Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 295.
 sinensis Uria, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 12 [*n. n.*].
 sinensis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3285.
 chinensis Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 261.
 sineosse Alcyonium, J. F. Maratti, Plant. Zooph. Med. 1776, 13.
 singalensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 964.
 cingalensis Sylvia (Gm.), J. Latham, Index Orn. 1790, 533.—Motacilla.
 singoriensis Aranea, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 602.
 singulariata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 383.
 singularis Ascidia, J. E. Gunnerus, Skrifter Kiobenh. Selskab, X. 1770, 166.
 singularis Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 1066.
 singularis Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75 [*n. n.*].
 singularis Phalaena, Hufnagel, Berl. Mag. III. 1767, 396.
 singularis Tabanus, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 234.
 singularis Musca, M. Harris, Exp. Eng. Ins. 1776, 45.
 sinicus Cancer, Linnaeus, Mant. II. 1771, 541.
 sinicus Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 41.—Simia.
 sinica Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 86 [*n. n.*].
 sinica Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 284.
 sinica Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 321.
 sinicum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77 [*n. n.*].
 sinica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3705.
 sinica Pithecus (L.), E. Geoffroy & Cuvier, Mag. encyclop. III (12) 1795, 462.—Simia.
 sinica Simia, Linnaeus, Mant. II. 1771, 521.
 sinicus Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 69; & *var.* pileatus.
 sinistra Helix, O. F. Müller, Verm. II. 1774, 90.
 sinister Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3524.
 sinistrosa Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 392.
 Sinodendron, *v.* Synodendron J. C. Fabricius, Ent. Syst., Index, 1796, 154.—Col.
 sinon Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 161.
 sinon Papilio, J. C. Fabricius, Syst. Ent. 1775, 452.
 sinon [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (29) 1781, 101.
 sinon Papilio (Eques), N. Poda, Ins. Mus. Graec. 1761, 62.
 sinon Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 123.
 sinuana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
 sinuator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 sinuator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
 sinuatus Actinophorus (Ol.), J. Sturm, Verz. Ins. Samml. 1800, 76.—Scarabaeus.
 sinuata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 106.
 sinuatus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 362.
 sinuatus Bombylius, J. C. Mikán, Mon. Bomb. 1796, 35.
 sinuatum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 264.
 sinuatum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 94.
 sinuata Buprestis, A. G. Olivier, Entom. II. 1790, 74.
 sinuata Buprestis, Creutzer in G. W. F. Panzer, Ins. Germ. heft 35 [1796], tab. 13.
 sinuata Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.
 sinuatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
 sinuata Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 392.
 sinuata Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 298.
 sinuata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
 sinuata Cicindela, D. H. Schneider in G. W. F. Panzer, Ins. Germ. heft 2, 1792, tab. 19.
 sinuatus Cimex, J. C. Fabricius, Mant. II. 1787, 290.
 sinuatus Clypeus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 157.
 sinuata Coccinella, D. E. Naezén, K. Vet. Ac. Nya Handl. XIII. 1792, 171.
 sinuatus Copris, A. F. de Fourcroy, Ent. Paris. 1785, 15.
 sinuatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 174.
 sinuatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 474.—Tinea sinuella, 1794.

- sinuatus** Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—
sinuata Geometra, [Denis & Schiffermüller], Schmett. Wien. 1775, 114. [Clypeus.
sinuata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 288 [*n. et f.*].
sinuata Helix, O. F. Müller, Verm. II. 1774, 18.
sinuata Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 378.
sinuatus Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 43.
sinuata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 347.
sinuata Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 378.
sinuatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 143.—Cimex, 1787.
sinuata Membracis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 513.
sinuatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 65.
sinuata Noctua, J. C. Fabricius, Syst. Ent. 1775, 611.
sinuata Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 507.
sinuata Phalaena, J. C. Fabricius, Gen. Ins. 1777, 287.
sinuata Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 267.
sinuata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
sinuatus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 52.
sinuatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 160.
sinuatus Scarabaeus (Fourc.), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 23.—Copris.
sinuata Silpha, J. C. Fabricius, Syst. Ent. 1775, 75.
sinuata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 109.
sinuata Tipula, J. C. Fabricius, Syst. Ent. 1775, 748.
sinuata Trichoda, O. F. Müller, An. Infus. 1786, 175.
sinuata Tuceta, J. F. Bolten, Mus. Bolten. (2) 1798, 173.
sinuata Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 48.
sinuata Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 438.
sinuata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 270.
sinuatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 509.
sinuella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 308.
Sinum J. F. Bolten, Mus. Bolten. (2) 1798, 14.—G.
sinuosata Phalaena, Giorna, Cal. Ent. 1791, 65.
sinuosus Alysseminthus, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 295.
sinuosa Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3622.—[*Cf. sinuata*,
sinuosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 160. [v. Born.
sinuosa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
sinuosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 317.
sinuosus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.
sinuosa Spongia, P. S. Pallas, Elench. 1766, 394.
sinuosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3243.
sinuosa Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 81.
sipedon Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
sypho Ascidia (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 153.—Salpa siph.
siphon Salpa, P. Forskal, Descr. Anim. 1775, 115.
Siphonium P. Browne, Hist. Jamaica, ed. 2, 1789, 396.—? Ver.
sipmanus Conus, F. C. Meuschen, Mus. Gev. 1787, 364.
sipunculoides Acanthrus, E. Acharius, K. Vet. Ac. Nya Handl. I. 1780, 53.
Sipunculus Linnaeus, Syst. Nat., ed. 12, 1767, 1078.—Ann. [Acanthrus sipunculoides.
sipunculus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 25.—
sipunculus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 711; ed. 12, 1767, 1164.
sipunculus Orthocera (L.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 91.—
sipyllus Atteblabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 620. [Nautilus.
sipyllus Clerus (L.), J. C. Fabricius, Syst. Ent. 1775, 158.—Atteblabus.
sirecialis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 13 [*n. et f.*].
Sireciformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 208.
Siren Linnaeus, Amoen. Acad. VII. 1766, 325.—R.
Siren Linnaeus, Syst. Nat., ed. 12 [addenda at end of vol. I. 1767].—R.
siren Muraena, J. J. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 154.
Sirene H. F. Link, Beytr. Nat. I. 1794, 67.—M.

- Sirex** Linnaeus, Faun. Suec., ed. 2, 1761, 396.—Hym.
- Sirex** O. F. Müller, F. Ins. Frid. 1764, 70.—Hym.
- Sirex** P. A. Latreille, Préc. Car. Ins. 1796, 106.—Hym.
- sirius** Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79.
- sirius** Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
- Siro** J. H. Kniphof, De Pedic. 1759, 52.—Ar.
- Siro** P. A. Latreille, Préc. Car. Ins. 1796, 185.—Ar.
- siro** Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1024.
- siro** Tyroglyphus (L.), P. A. Latreille, Préc. Car. Ins. 1796, 185.—Acarus.
- sirsair** Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 542.
- sirtalis** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 222; ed. 12, 1766, 383.
- sisammus** Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 44.
- sispes** Chalcis (L.), J. C. Fabricius, Mant. I. 1787, 272.—Sphex.
- sispes** Chrysis (L.), J. C. Fabricius, Syst. Ent. 1775, 359.—Sphex.
- sispes** Sphex, Linnaeus, Faun. Suec., ed. 2, 1761, 413.
- sisymbrella** Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
- sisymbrii** Altica (Fab.), G. W. F. Panzer, Deutsch. Ins. [1795], 178.—Galleruca.
- sisymbrii** Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
- sisymbrii** Curculio, J. C. Fabricius, Gen. Ins. 1777, 224.
- sisymbrii** Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 31.
- [**sisyphius** Araneus, C. Clerck, Aran. Svec. 1757, 54.]
- sisyphius** Araneus, T. Martyn, Aranei, 1793, 24.
- siterata** Phalaena, Hufnagel, Berl. Mag. IV. 1767, 522.
- sitibundus** Bufo, J. G. Schneider, Hist. Amph. I. 1799, 225.
- sitibunda** Rana, P. S. Pallas, Reise Russ. I. 1771, 458.
- Sitta** Linnaeus, Syst. Nat., ed. 10, 1758, 115; ed. 12, 1766, 177.—A.
- situla** Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 223; ed. 12, 1766, 385.
- sjanko** Murex, F. C. Meuschen, Mus. Gever. 1787, 324; *varr.* perversus, ramosus, tuberskenei
- skenei** Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 135. [culatus.
- Skua** (*ex* Clusius), J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, pp. 103 & 112.—skua Catharacta, M. T. Brünnich, Orn. Boreal. 1764, 32. [A.
- skoorra** Anas, O. F. Müller, Z. Dan. Prod. 1776, 16.
- slanbuschii** Cimex, J. C. Fabricius, Mant. II. 1787, 299.
- slanbuschii** Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 155.—Cimex, 1787.
- S-littera** *v.* S.
- sloanii** Aranea, Scopoli, Ent. Carn. 1763, 401.
- sloani** Raia, C. F. Stephan, De Raiis, 1779, 20.
- sloanus** Papilio, P. Cramer, Utit. Kapellen, I (8) 1776, 134.
- smaragdaria** Geometra, C. de Villers, Linn. Ent. IV. 1789, 499.
- smaragdaria** Geometra (F.), J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 15.—
- smaragdaria** Phalaena, J. C. Fabricius, Mant. II. 1787, 192. [Phalaena.
- smaragdina** Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 258.
- smaragdina** Formica, J. C. Fabricius, Syst. Ent. 1775, 828.
- smaragdina** Leptura, D. E. Naezén, K. Vet. Ac. Nya Handl. XIII. 1792, 173.
- smaragdina** Musca, A. F. de Fourcroy, Ent. Paris. 1785, 492.
- smaragdinus** Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
- smaragdina** Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
- smaragdinus** Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 322.
- smaragdinus** Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1579.
- smaragdula** Apis, J. C. Fabricius, Mant. I. 1787, 305.
- smaragdula** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 412.
- smaragdulus** Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1203.
- smaragdula** Buprestis, A. G. Olivier, Entom. II. 1790, 36.
- smaragdula** Cantharis, J. C. Fabricius, Spec. Ins. I. 1781, 259.
- smaragdulus** Carabus, P. Rossi, Mant. Ins. I. 1792, 81.
- smaragdulus** Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 60.
- smaragdula** Cetonia, J. C. Fabricius, Syst. Ent. 1775, 45.
- smaragdula** Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.

- smaragdulus Cimex, J. C. Fabricius, Syst. Ent. 1775, 711.
 smaragdulus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.—Scarabaeus.
 smaragdulus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 smaragdulus Curculio, J. C. Fabricius, Mant. I. 1787, 111. [1728.—Erotylus.
 smaragdulus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 123.
 smaragdulus Helops (Fab.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 47.—Erotylus.
 smaragdula Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 342.
 smaragdulus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 34.
 smaragdulus Telephorus (Fab.), A. G. Olivier, Entom. II. 1790, 9.—Cantharis.
 smaragdulus Trochilus, Bosc, J. Nat. Hist. (Choix des Mém.) I. 1792, 385.
 smaragdus Cetonia (Brahm), G. A. Harrer, Beschr. Schaeffer's Abbild. 1791, 39.—Scara-
 smaragdus [Helix], T. Martyn, Univ. Conch. II [1788], figs. 73 & 74. [baeus.
 smaragdus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 279.
 smaragdus Scarabaeus, N. J. Brahm, Ins. Kal. I. 1791, 153.
 smaragdus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
 smaragdus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3602.
 smaragdylus Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
 smaria Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 743.
 Smaris P. A. Latreille, Préc. Car. Ins. 1796, 180.—Ar.
 smariss Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 278; ed. 12, 1766, 468.
 smeathmanniana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 405.—
 smeathmanniana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 278. [Pyralis.
 smidtiana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 253.
 smyrnensis Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116; ed. 12, 1766, 181.
 smirnenis Cerambyx, Linnaeus in Hasselquist, Palast. 1762, 451.
 smirnenis Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.
 smyrnensis Gobius, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 66.
 smyrnensis Gobioides (Bonn.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 576.—
 smirnenis Larus, Linnaeus in Hasselquist, Palast. 1762, 323. [Gobius.
 Soarus H. F. Link, Mag. Neuste Phys. u. Nat. VI (3) 1790, 38 [n. n.].—P.
 socia Lithosia (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 460.—Tinea sociella.
 socia Loxia, J. Latham, Index Orn. 1790, 381.
 socia Phalaena, Hufnagel, Berl. Mag. III. 1767, 418.
 sociabile Tethyum, J. E. Gunnerus, Trondhiemske Selsk. Skrift. III. 1765, 99.
 socialis Brathionus (Linn.), P. S. Pallas, Elench. 1766, 96.—Hydra.
 socialis Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 1067.
 socialis Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817; ed. 12, 1767, 1321.
 socialis Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
 socialis Lemmus (Pall.), H. F. Link, Beytr. Nat. I (2) 1795, 75.—Mus.
 socialis Mus, P. S. Pallas, Reise Russ. II. 1773, 705.
 socialis Staphylinus, G. Paykull, Mon. Staph. 1789, 60.
 socialis Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 118.
 socialis Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
 socialis Vesicaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 31.
 socialis Volvox, O. F. Müller, An. Infus. 1786, 15.
 socialis Vorticella (Linn.), O. F. Müller, Verm. I (1) 1773, 112.—Hydra.
 sociaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 155 [n. et f.].
 sociata Actinia, Ellis & Solander, N. H. Zooph. 1786, 5 [see Phil. Trans. LVII. 1767, 436].
 sociata Hydra (Ellis), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (7) 1790, 3868.—Actinia.
 sociata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 637.
 sociata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 432.
 sociata Vorticella, F. M. Daudin, Rec. Mém. Moll. 1800, 29.
 sociella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 534; ed. 12, 1767, 883.
 sociella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 656.—Phalaena.
 socio Musca, M. Harris, Exp. Eng. Ins. 1776, 147.
 socio-minor Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
 socors Lynceus, O. F. Müller, Entom. 1785, 78.
 socors Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3009.—Lynceus.

- socrus Phalaena, Giorna, Cal. Ent. 1791, 15.
sodomitica Tenthredo, Linnaeus in Hasselquist, Palast. 1762, 467.
sofat Sciaena, *v.* schotaf, P. Forskal, Descr. Anim. 1775, 51.
sogo Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 61.
sohal Chaetodon, P. Forskal, Descr. Anim. 1775, 63.
sohar Chaetodon, *id. ac* sohal, Forsk., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
Sol C. F. Schultze, Verst. Seest. 1760, 51.—Ast. [1268.
Sol [G. Humphreys], Mus. Calonn. 1797, 27.—G.
sol Trichoda, O. F. Müller, Verm. I (1) 1773, 76.
solandra Papilio, J. C. Fabricius, Syst. Ent. 1775, 500.
solandri Aranea, Scopoli, Ent. Carn. 1763, 397.
solandri Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1829.—Lamia.
solandri Lamia, J. C. Fabricius, Syst. Ent. 1775, 177.
solandriana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767,
solandriana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena. [878.
solani Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 435.
solani Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.
solani Noctua, J. C. Fabricius, Mant. II. 1787, 150.
solaris Asterias, [Schreber], Naturforscher, XXVII. 1793, 2.
solaris Baphia, F. C. Meuschen, Mus. Gever. 1787, 472.
solaris Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
solaris Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 161.
solaris Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 90.
solaris Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 91.
solaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
solaris Phalaena Noctua, J. Hübner, Beitr. Schmett. I (4) 1789, 27.
solaris Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 48.
solaris Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 187 [*n. n.*].
solaris Trichoda, O. F. Müller, An. Infus. 1786, 166.
solaris Trochus, Linnaeus, Mus. Lud. Ulr. 1764, 645.
Solarium Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—G.
Solea G. Edwards in M. Catesby, Carol. II. 1771, 27.—P.
Solea (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
solea Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
solea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3695.
solea Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 270; ed. 12, 1766, 457.
solea Vespertilio, E. A. W. Zimmermann, Spec. Zool. 1777, 452.
Solen Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1113.—L.
solen Mytilus, C. U. v. Salis, Reise Neapel, 1793, 405.
Solena P. Browne, Hist. Jamaica, ed. 2, 1789, 412.—L.
soleniforme Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 235.
Solenites J. Gesner, Tract. Petref. 1758, 39.—L.
“solenites Helmintholithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 399.
Solenostomus L. T. Gronovius, Zooph. I. 1763, 119.—P.
Solenostomus (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
sollicitus, &c. *v.* sollicitus.
solidaginis Aphis, J. C. Fabricius, Reise Norwegen, 1779, 54.
solidiuscula Voluta, *id. ac* solidula, L., M. Houttuyn, Nat. Hist. I (16) 1771, 140.
solidula Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 728.—[Voluta, ed. 12.]
solidulus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 337.—Bulla.
solidula Pupa, J. F. Bolten, Mus. Bolten. (2) 1798, 110.
solidula Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
solidula Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1187.—[Bulla, ed. 10.]
solida Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
solida Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 374.
solidum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 681.—[Mactra, ed. 12.]
solidus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3389.
solida Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 408.

- solida* Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.
solida Madrepora, P. Forskal, Descr. Anim. 1775, 131.
solida Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1283.
solida Nitidula, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 530.
solida Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 258.
solida Taenia, O. F. Müller, Z. Dan. Prod. 1776, 219.
solida Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 102.
solina [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 55.
solitaneus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 102.
solitaria Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 153.
solitaria Cynips, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 781.
solitarius Didus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 728.
solitaria Emberiza, J. Latham, Syn. Birds, Suppl. I. 1787, 286.
solitarius Psittacus, G. A. Suckow, Naturg. II [1] 1800, 334.
solitaria Salpa, P. Forskal, Descr. Anim. 1775, 116.
solitarius Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 100.
solitaria Tenthredo, Scopoli, Ent. Carn. 1763, 281.
solitarius Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170.
solitarius Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
solum Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1323.
solivagus Musca, M. Harris, Exp. Eng. Ins. 1776, 85.
solivagus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 101.
sollicitorius Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 332.
solicitus Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
sologniensis Strix, *err. pro* soloniensis, J. Latham, Index Orn. 1790, 62.
solon Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 69.
solonica Meloe, P. S. Pallas, Icon. Ins. 1782, 87.
soloniensis Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
soloniensis Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 293.
solor Musca, M. Harris, Exp. Eng. Ins. 1776, 146.
Solpuga A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 216.—Ar.
Solpuga A. A. H. Lichtenstein & J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 1.—Ar.
solstitialis Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
solstitialis Melolontha (L.), J. C. Fabricius, Syst. Ent. 1775, 33.—Scarabaeus.
solstitialis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.
solstitialis Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 97; ed. 12, 1766, 141.
solstitialis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 554.
solstitialis Tipula, P. S. Pallas, Reise Russ. I. 1771, 475.
solutum Buccinum, J. Hermann, Naturforscher, XVI. 1781, 53.
soluta Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
somaidia Kateretes, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 16.
somniculosa [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 6.
somnolentus [Geometra], v. C. C. Jung, Alph. Verz. Schmett. II. 1792, 205.
sonans Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
sonchi Aphis, Linnaeus, Syst. Nat., ed. 12, 1767, 735.
sonchi Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1896.
sonchi Cryptocephalus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 319.
sonchi Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 998.
songarus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 39.—Mus.
songarus Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 269.
songarus Mus (Cricetus), R. Kerr, Anim. Kingd. 1792, 245.
soni Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 283.
sonneratii Cuculus, J. Latham, Index Orn. 1790, 215.
sonnerati Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 324.
sonora Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
sophia Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 345.
sophia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 248.
sophiae Chrysomea, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 272.

- sophiae Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena sophialis, 1787.
- sophialis Phalaena, J. C. Fabricius, Mant. II. 1787, 217.
- sophialis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 515.
- sophialis Pyralis (F.), J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 11 & 29.— [Phalaena.]
- sophocles Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 267.
- sophonisba [Papilio], P. Cramer, Utitl. Kapellen, IV (25) 1780, 12.
- sophorae Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 215.
- sophorae Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 471; ed. 12, 1767, 767.
- sophronia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 86.
- sophus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 46.
- sopita Bulla, D. Solander in G. Brander, Foss. Hant. 1766, 19.
- soranus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 121.
- sorbi Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 111.—Attelabus.
- sorbi Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 390.
- sorbi Chermes, Linnaeus, Syst. Nat., ed. 12, 1767, 738.
- sordaria Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 60.
- sordens Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
- sordens Phalaena, Hufnagel, Berl. Mag. III. 1767, 306.
- sordens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1546.
- sordens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.
- sordialis Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 16.
- sordiata Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2479.
- sordiata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 871.
- sordidalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
- sordidalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 10 & 15 [2].
- sordidata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 185.
- sordidella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 41.
- sordidus Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 32.—Scarabaeus.
- sordida Apis, Scopoli, Ent. Carn. 1763, 299.
- sordida Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
- sordidus Cerambyx, A. G. Olivier, Entom. IV. 1795, 124.
- sordidus Chaetodon, P. Forskal, Descr. Anim. 1775, 62.
- sordidus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 44.
- sordidus Cimex, J. C. Fabricius, Mant. II. 1787, 302.
- sordidus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 146.—Scarabaeus.
- sordidus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 402.
- sordidus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 126.
- sordidus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 164.—Cimex, 1787.
- sordidus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3561.
- sordida Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- sordida Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 258.
- sordida Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
- sordida Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 50.
- sordida Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2. [578.—Noctua.]
- sordida Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV 1792,
- sordidus Psittacus, Linnaeus, Syst. Nat., ed. 10, 1758, 99; ed. 12, 1766, 148.
- sordidus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 16.
- sordidus Scarus, P. Forskal, Descr. Anim. 1775, 30.
- sordidus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 143.
- Sorex Linnaeus, Syst. Nat., ed. 10, 1758, 53; ed. 12, 1766, 73.—M.
- Sorex B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
- sorex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
- sorex Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 23.
- soricina Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
- soricinus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- soricinus Mus, Hermann in Schreber, Säugth. IV. 661 (1780), & pl. clxxxiii B (? date)
- soricinus Pteropus (Pall.), J. C. P. Erxleben, Syst. Anim. 1777, 138.—Vespertilio.
- soricinus Vespertilio, P. S. Pallas, Misc. Zool. 1766, 48.

- “soricis Zoolithus,” J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 387.
- sorocensis Apis, J. C. Fabricius, Gen. Ins. 1777, 246.
- soror [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 150.
- sororcula Phalaena, Hufnagel, Berl. Mag. III. 1767, 398.
- sororcula Phalaena Bombyx (Hufn.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 249.
- sosove Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
- sospeta Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 39.
- sosybius Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 219.
- soui Tinamus (Gm.), J. Latham, Index Orn. 1790, 634.—Tetrao.
- sovi Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 768.
- sovimanga Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 471.
- spadicearia Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- spadicearia Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, [389.—Geometra.]
- spadiceata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 612. [389.—Geometra.]
- spadicella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 31.
- spadicea Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 641.
- spadiceum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
- spadicea Cantharis, Scopoli, Ent. Carn. 1763, 43.
- spadicea Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 218.
- spadiceus Dermestes, G. W. F. Panzer, Deutsch. Ins. [1795], 104.
- spadicea Diomedea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 568.
- spadiceus Falco, J. R. Forster, Phil. Trans. LXII. 1772, 383.
- spadiceus Falco, R. Kerr, Anim. Kingd. 1792, 507; var. leucourus.
- spadicea Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3016.
- spadicea Leptura, G. Paykull, Faun. Suec. III. 1800, 103.
- spadicea Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 937.
- spadicea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3672.
- spadicea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
- spadicea Perdix (Gm.), J. Latham, Index Orn. 1790, 644.—Tetrao. [748.—Noctua.]
- spadicea Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
- spadicea Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1619.
- spadicea Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
- spadicea Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 610.
- spadiceus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 759.
- spadicea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
- spadicea Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
- spadix Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 256.
- spadix [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 149.
- Spalax A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (1) 1770, 409.—M.
- Spalax G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [n. n.].—M.
- spallanzani Holothuria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3140.
- spallanzani Tubularia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3835.
- spallanzania Mantis, P. Rossi, Mant. Ins. I. 1792, 102.
- sparganella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 78.
- sparganella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 83.
- sparrerius Falco = sparverius, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, [284.]
- [sparrmann-]— [284.]
- sparrmannella Alucita, J. C. Fabricius, Suppl. Ent. Syst. 1798, 505.—Tinea, 1794.
- sparrmannella Tinea, L. Bosc, Tr. Linn. Soc. [Lond.], I. 1791, 197.
- sparrmannella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 324.
- sparrmanni Anas, J. Latham, Index Orn. 1790, 876.
- sparrmanniana Phalaena (Tort.), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
- sparrmanniana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 285. [201.]
- sparsa Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 160.
- sparsana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
- sparsella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 141. [et f.]
- spartariaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 116 [n.]
- spartiata Geometra (Fuess.), C. de Villers, Linn. Ent. IV. 1789, 505.—Phalaena.

- spartiata Phalaena, J. F. W. Herbst in Fuessly, Arch. Ins. II. 1782, tab. 5.
 spartii Leptura, D. H. Hoppe, Ins. Elyt. 1795, 60.
 spartii Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 323. [gen. xxviii. 35.]—P.
 Sparus Linnaeus, Syst. Nat., ed. 10, 1758, 277; ed. 12, 1766, 467; [Artedi, Ichth. 1738,
 sparverius Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 128.
 sparverius Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
 spasma Petropus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 135.—Vespertilio.
 spasma Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 32; ed. 12, 1766, 47.
 spatacea Phalaena, Scopoli, Ent. Carn. 1763, 228.
 Spatagus O. F. Müller, Z. Dan. Prod. 1776, xxix & 236.—Ech.
 spatagus Echinospatagus, F. C. Meuschen, Mus. Gronov. 1778, 92.
 spatagus Echinus, Linnaeus, Syst. Nat., ed. 10, 1758, 665; ed. 12, 1767, 1104.
 Spatangites N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 244.—Ech.
 Spatangus N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 230.—Ech.
 Spatangus A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 14.—Ech.
 spathula Enchelis, O. F. Müller, Verm. I (1) 1773, 38.
 spatula Musca, Scopoli, Ent. Carn. 1763, 341.
 spathula Platycephalus, M. E. Bloch, Nat. ausl. Fisché, IX. 1795, 97.
 spathula Squalus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 522.
 speccosa v. speciosus.
 speciosissima Cetonia (Scop.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 207.—
 speciosissima Cetonia, P. Rossi, Fauna Etrus. I. 1790, 25. [Scarabaeus.
 speciosissima Coccinella, Scopoli, Ent. Carn. 1763, 74.
 speciosissimus Scarabaeus, J. A. Scopoli, Del. Insub. I. 1786, 48.
 speciosa Aranea, P. S. Pallas, Reise Russ. II. 1773, 732.
 speciosa Aranea, F. A. A. Meyer, Spinner Gött. 1790, 11.
 speciosus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 384.
 speciosa Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 38.—Phalaena.
 speciosa Cassida, N. J. Brahm, Ins. Kal. I (1) 1790, 74. [ciosissima, Scop.
 speciosa Chrysomela (Scop.), Linnaeus, Syst. Nat., ed. 12, 1767, 588.—[Coccinella spe-
 speciosa Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 117.
 speciosus Cimex, N. Poda, Ins. Mus. Graec. 1761, 59.
 speciosa Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 17.
 speciosa Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 783.
 speciosus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 385; ed. 12, 1767, 616.
 speciosus Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 651.
 speciosa Ephemera, N. Poda, Ins. Mus. Graec. 1761, 98.
 speciosa Fringilla, P. Boddaert, Tab. Planch. Enl. 1783, 12.
 speciosa Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
 speciosus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 551; ed. 12, 1767, 912.
 speciosa Lamia, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 136 [n. n.].
 speciosa Meloe, P. S. Pallas, Icons. Ins. 1782, 84.
 speciosa Melolontha, J. A. Frolich, Naturforscher, XXVI. 1792, 101.
 speciosa Mylaris, P. S. Pallas, Icon. Ins. 1781, 39.
 speccosa (sic) Paradisea, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 speciosa Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 8.
 speciosa [Phalaena], P. Cramer, Utit. Kapellen, II (9) 1777, 16.
 speciosa Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—My-
 speciosus Prionus, A. G. Olivier, Entom. IV. 1795, 31. [laris.
 speciosus Scomber, P. Forskal, Descr. Anim. 1775, 54.
 speciosa Sertularia, P. S. Pallas, Elench. 1766, 152.
 speciosa Silpha, J. D. Schulzens, Naturforscher, VI. 1775, 95.
 speciosus Sphex, D. Drury, Ill. Nat. Hist. II. 1773, index & 71.
 speciosa Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 217.
 speciosus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 285.
 speciosa Tettigonia, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 145.
 speciosus Turdus, J. Latham, Index Orn. 1790, 363.
 spectabilis Actinia, O. Fabricius, F. Groen. 1780, 351.

- spectabilis Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 123; ed. 12, 1766, 195.
 spectabilis Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (5) 1794, 153.
 spectabilis Cerambyx, D. Drury, Ill. Nat. Hist. III. 1782, index & 73.
 spectabilis Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 66.
 spectabilis Curculio, J. C. Fabricius, Syst., Ent. 1775, 155.
 spectabilis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3723.
 spectabilis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3468.
 Spectrum J. A. Scopoli, Intr. Hist. Nat. 1777, 413.—Lep.
 Spectrum C. Stoll, Nat. Afb. Spoken, Introd. [1787], 3.—Or.
 Spectrum B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.—M.
 spectrum Bibio, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 342.
 spectrum Brachycerus (Fab.), A. G. Olivier, Ency. Méth. V (Ins.), 1790, 186.—Curculio.
 spectrum Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1171.
 spectrum Cucculus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 46.—Conus.
 spectrum Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 194.
 spectrum Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 560.—[Sirex, ed. 12.]
 spectrum Lemur, P. S. Pallas, N. Spec. Glir. (2) 1778, 275.
 spectrum Noctua, E. J. C. Esper, Die Schmett. IV (37) 1788, 131.
 spectrum Phalaena Noct., H. G. Lang, Verz. Schmett. 1789, 149.
 spectrum Prosimia (Erx.), P. Boddaert, Elench. 1785, 66.—Pteropus.
 spectrum Pteropus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 133.—Vespertilio.
 spectrum Sirex, Linnaeus, Faun. Suec., ed. 2, 1761, 396.
 spectrum Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 46.
 speculans Locusta, *id. ac* specularis, Fabr. 1775, J. C. Fabricius, Mant. I. 1787, 233.
 specularis Buprestis, Scopoli, Ent. Carn. 1763, 64.
 specularis Cyprinus, K. v. Meidinger, Vers. Deutsch. Syst. Nomencl. 1787, 112.
 specularis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.
 specularis Locusta, J. C. Fabricius, Syst. Ent. 1775, 284.
 specularis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3724.
 speculator Ichneumon, Scopoli, Ent. Carn. 1763, 286.
 speculifera Musca, C. de Villers, Linn. Ent. III. 1789, 464.
 speculifer Papilio, A. F. de Fourcroy, Ent. Paris. 1785, 246.
 spelaeus Ursus, J. C. Rosenmüller, De Oss. Foss. 1794, 18.
 spelta Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1182.
 [spengler]—
 spengleri Capisterium (L.), F. C. Meuschen, Mus. Gev. 1787, 462.—Mactra.
 spengleri Cerambyx (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—
 spengleri Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 109. [Lamia.
 spengleri Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 609.
 spengleri L[amia], J. C. Fabricius, Gen. Ins. 1777, 231.
 spengleri Mactra, *id. ac* spengleri, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 spengleri Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125. [3256.
 spengleri Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3371.
 spengleri Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228.
 spengleri Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3234.
 spengleri Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1043.
 spengleri Tetrodon, M. E. Bloch, Nat. ausl. Fische, I. 1785, 135.
 spengleri Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
 spenglerianus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3595.
 sperator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
 sperata Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
 sperata Sylvia, J. Latham, Index Orn. 1790, 523.
 sperbius Zygaena, J. C. Fabricius, Mant. II. 1787, 103.
 Spercheus A. Kugelann in Illiger, Käfer Preuss. 1798, 241.—Col.
 sperchius [Sphinx], P. Cramer, Uitl. Kapellen, II (13) 1777, 79.
 spermaticum Chaos, J. F. Blumenbach, Handb. Naturg. 1779, 447.
 spermophoros Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 807; ed. 12, 1767, 1305 [as
 sphacelatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 120. [var. of rubens].

- sphacelatus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 5.
- sphaera Echinus, O. F. Müller, Z. Dan. Prod. 1776, 235.
- sphaericula Volvox, *id. ac* sphaerula, Müll., G. Adams, Ess. Micr. 1787, 482.
- sphaericus Dytiscus, C. de Geer, *Mém. Ins.* IV. 1774, 402.
- sphaericus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2084.
- sphaerica Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3627.—Nerita.
- sphaericus Hydrophilus, [D. H. Schneider], *Nom. Ent.* 1785, 20 [*n. n.*].
- sphaericus Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199.
- sphaericus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
sphaerica Nerita, O. F. Müller, *Verm.* II. 1774, 170. [Lynceus.]
- Sphaeridium J. C. Fabricius, *Syst. Ent.* 1775, 66.—Col.
- Sphaerium J. A. Scopoli, *Intr. Hist. Nat.* 1777, 397.—L.
- sphaerocephalus Scarites, A. G. Olivier, *Entom.* III. 1795, 13.
- sphaerocerus Pausus, A. Afzelius, *Tr. Linn. Soc. [Lond.]*, IV. 1798, 246 & 270.
- sphaerogaster Vespa, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 201.
- sphaeroides Echinus, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 664; ed. 12, 1767, 1102.
- sphaeroidea Angarius, F. C. Meuschen, *Mus. Gever.* 1787, 258.
- spheroidea Coccinella, C. de Geer, *Mém. Ins.* VII. 1778, 665.
- sphaeroidea Patella, F. C. Meuschen, *Mus. Gever.* 1787, 244.
- sphaeroidea Vorticella, O. F. Müller, *An. Infus.* 1786, 255.
- sphaerula Volvox, O. F. Müller, *Verm.* I (1) 1773, 31.
- sphaerulata Asterias, T. Pennant, *Brit. Zool.*, ed. 4, IV. 1777, 54.
- sphaerulata Mitra, T. Martyn, *Univ. Conch.* I [1784 *non* 1769], fig. 21.
- Sphaex *id. ac* SpheX J. A. Scopoli, *Annus V.* 1772, 122.
- Sphagebranchus M. E. Bloch, *Nat. ausl. Fische*, IX. 1795, 88.—P.
- Sphagebranchus G. Cuvier, *Leçons Comp. Anat.* I. 1800, tab. 4 [*n. n.*].—P.
- sphageus Atteblabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—[*cf. sphe-*
sphaegiformis *v. sphegiformis.* [geus Clerus, Fab.]
- sphacificiformis Sphinx, [Denis & Schiffermüller], *Schmett. Wien*, 1775, 306.—[*v. et. sphe-*
sphaegiformis.]
- sphageus Clerus, J. C. Fabricius, *Mant.* I. 1787, 125.
- sphageus Mulio, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 559.—Syrphus, 1775.
- sphagea Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2873.—Syr-
sphageus Syrphus, J. C. Fabricius, *Syst. Ent.* 1775, 768. [phus.]
- sphaegiformis Cimex, P. Rossi, *Fauna Etrus.* II. 1790, 250.
- sphegiformis Sesia (D. & S.), J. C. Fabricius, *Mant.* II. 1787, 99.—Sphinx sphacificiformis.
- sphigiformis Sphinx (Fab.), C. de Villers, *Linn. Ent.* IV. 1789, 441.—Sesia.
- sphegoides Apis, F. v. P. Schrank, *Ins. Aust.* 1781, 409.
- sphegoides Apis, G. W. F. Panzer, *Ins. Germ. heft* 56 [1797], tab. 24.
- sphegum Ichneumon, J. C. Fabricius, *Mant.* I. 1787, 270.
- Spheniscus Moehring, *Geslach. Vogel. (Nozem. & Vosm. ed.)* 1758, 5 & 50.—A.
- Spheniscus M. J. Brisson, *Ornith.* VI. 1760, 97.—A.
- Spheniscus M. T. Brünnich, *Fund. Zool.* 1772, 78.—A.
- “Spheroides, Lacép. 1800,” Ag.; occurs only in vernacular.
- “Spherula, Sold. 1780,” Ag.; not used in a Linnean sense.
- Sphex Linnaeus, *Syst. Nat.* ed. 10, 1758, 569; ed. 12, 1767, 941.—Hym.
- sphingiella Phalaena Tin., J. Hübner, *Samml. Vögel u. Schmett.* 1793, 8 [*n. et f.*].
- sphingiella Tinea, J. Hübner, *Europ. Schmett.* 8 Horde [me judice 1796], 53.
- sphingis-euphorbiae Cynipsichneumon, J. L. Christ, *Nat. Ins.* 1791, 383.
- Sphinx Linnaeus, *Syst. Nat.*, ed. 10, 1758, 489; ed. 12, 1767, 796.—Lep.
- sphinx Anthrax, J. C. Fabricius, *Ent. Syst.* IV. 1794, 261.—Bibio, 1787.
- sphinx Bibio, J. C. Fabricius, *Mant.* II. 1787, 329.
- sphinx Copris (Fab.), A. G. Olivier, *Ency. Méth.* V (Ins.) 1790, 165.—Scarabaeus.
- sphinx Cucullus, J. F. Bolten, *Mus. Bolten.* (2) 1798, 42.
- sphinx Cynocephalus (L.), E. Geoffroy & Cuvier, *Mag. encyclop.* III (12) 1795, 462.—
sphinx Hesperia, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 270. [Simia.]
- sphinx Mantis, J. L. M. Poiret, *Voy. Barbarie*, I. 1789, 395.
- sphinx Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
- sphinx Onitis, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 26.—Scarabaeus, 1792.

- sphinx Papilio, J. C. Fabricius, Syst. Ent. 1775, 520.
sphinx Papio (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 15.—Simia.
sphinx Phalaena, Hufnagel, Berl. Mag. III. 1767, 400.
sphinx Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 14.
sphinx Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 25.
sphinx Scarabaeus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 325.
sphinx Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 35.
sphinx Simia (Papio), R. Kerr, Anim. Kingd. 1792, 60.
sphinx Vespertilio, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 124.
Sphondylus, v. Spondylus L. T. Gronovius, Zooph. III. 1781, 272.
Sphyaena [P. Artedi, Ichth. 1738, gen. p. 84.]—P.
Sphyaena (ex Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 584.—P.
sphyaena Argentina, Linnaeus, Syst. Nat., ed. 10, 1758, 315; ed. 12, 1766, 518.
sphyaena Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 515.
spicae Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 17.
spicatus Limax, T. Martyn, Univ. Conch. IV [1792] fig. 121.
spicata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
spicata Sertularia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 58. [3371.
spicula Nautilus, *err. pro* spirula, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
spilophthalma Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 163.
spilopterygius Balistes, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 455.
spinachia Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 492.
spinaciae Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 70.
spinaciae Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 454.
spinarella Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 492.
spinarum Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 110.
spinator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 224.
spinator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 276.
spinator Lamia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 145.
spinata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 40.
spinata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
spinax Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 398.
spinellus Hemerobius, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 193.
spinetum Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
spini Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 49.
spini Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 278.—Papilio.
spini Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 186.
spini Papilio, H. G. Lang, Verz. Schmett. ed. 2, 1789, 46.
[spinibarbis]—
spinibarbis Carabus, J. C. Fabricius, Syst. Ent. 1775, 243.
spinibarbis Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 390; ed. 12, 1767, 624.
spinibarbis Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 163.—Cerambyx.
spincarpus Cancer (Gammarellus) (Müll.), J. F. W. Herbst, Vers. Nat. Krab. II (4)
1793, 135.—Gammarus.
spincarpus Gammarus, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 66.
spinicauda Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 978.
spinicauda Sylvia (Gm.), J. Latham, Index Orn. 1790, 528.—Motacilla.
spincornis Callidium, A. G. Olivier, Entom. IV. 1795, 68.
spincornis Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 92.
spincornis Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 167. [Lamia.
spincornis Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1828.—
spincornis Cerambyx (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 306.—Stenocorus.
spincornis Chrysomela, J. R. Forster, Cat. Anim. N. Amer. 1771, 25 [n. n.].
spincornis Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 224.
spincornis Prionus, J. C. Fabricius, Ent. Syst. I (2) 1792, 245.
spincornis Ptinus, J. C. Fabricius, Mant. I. 1787, 40.
spincornis Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 31.
spincornis Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 179.

- spinicornis Trox, J. C. Fabricius, Ent. Syst. I (1) 1792, 88.
 spinidens Cimex, J. C. Fabricius, Mant. II. 1787, 285.
 spinifer Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
 spinifer Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 125.
 spinifer Inachus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 359.—Cancer.
 spinifera Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 275.
 spinifera Musca, A. F. de Fourcroy, Ent. Paris. 1785, 494.
 spinifera Phalaena Bomb., C. de Villers, Linn. Ent. II. 1789, 174.
 spinifera Sciaena, P. Forskal, Descr. Anim. 1775, 49.
 spinifer Sparus, P. Forskal, Descr. Anim. 1775, 32.
 spinifex Cassida, Linnaeus, Amoen. Acad. VI. 1763, 392.
 spinifex Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 33.
 spinifex Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.—Scarabaeus.
 spinifex Curculio, J. C. Fabricius, Mant. I. 1787, 115.
 spinifex Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 29.
 spinifrons Calappa (Herbst), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 spinifrons Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 185.
 spinifrons Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2071.—
 spinifrons Locusta, C. de Geer, Mém. Ins. III. 1773, 456. [Locusta.
 spiniger Carabus, G. Paykull, Mon. Carab. 1790, 43.
 spiniger Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 350.
 spiniger Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 127.—Cimex, 1781.
 spiniger Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 410.
 spiniger Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1544.
 spinilabris Carabus, G. W. F. Panzer, Ins. Germ. heft 39 [1797], tab. 11.
 spinimanus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 55.
 spinimobilis Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1034.
 spinipes Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
 spinipes Apis, J. C. Fabricius, Ent. Syst. II. 1793, 341.
 spinipes Aranea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2951.
 spinipes Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 46.
 spinipes Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 241.
 spinipes Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
 spinipes major Carabus, N. Poda, Ins. Mus. Graec. 1761, 45.
 spinipes Cerambyx, A. G. Olivier, Entom. IV. 1795, 103.
 spinipes Cimex, F. v. P. Schrank, Ins. Aust. 1781, 273.
 spinipes Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 360.
 spinipes Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 174.
 spinipes Dermestes, J. A. Scopoli, Annus V. 1772, 87.
 spinipes Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—Locusta.
 spinipes Helops, A. G. Olivier, Entom. III. 1795, 17.
 spinipes Helops, J. C. Fabricius, Suppl. Ent. Syst. 1798, 53.
 spinipes Hispa, J. C. Fabricius, Ent. Syst. IV. 1794, 448.
 spinipes Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 spinipes Locusta, J. C. Fabricius, Syst. Ent. 1775, 283.
 spinipes Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 44.
 spinipes Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 13.
 spinipes Musca, Scopoli, Ent. Carn. 1763, 342.
 spinipes Mycetophagus, G. W. F. Panzer, Ins. Germ. heft 24, 1794, tab. 20.
 spinipes Phalangium (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2942.—
 spinipes Pycnogonum, O. Fabricius, F. Groen. 1780, 232. [Pycnogonum.
 spinipes Rana, J. G. Schneider, Hist. Amph. I. 1799, 129 & 139.
 spinipes Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
 spinipes Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 79.
 spinipes Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
 spinipes Staphylinus, E. Pontoppidan, Danske Atlas, I. 1763, 678.
 spinipes Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 116.
 spinipes Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 296.

- spinipes Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
- spinipes Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 950.
- spinirostris Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 183.
- spinitorquus Lanius, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 392.
- spinoletta Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
- spinosae Leptura, F. v. P. Schrank, Ins. Aust. 1781, 165.
- spinosissima Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
- spinosulus Cimex, J. H. Sulzer, Gesch. Ins. 1776, 98.
- spinosa Acanthia, P. Rossi, Fauna Etrus. II. 1790, 224. [Gryllus, L.
- spinosum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 234.—*Cf.* spinulosus
- spinosa Akis (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 126.—Pimelia.
- spinosa Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 522.
- spinosa Anomia, Linnaeus, Syst. Nat., ed. 12, 1767, 1154.
- spinosus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 118.
- spinosa Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 624; ed. 12, 1767, 1037.
- spinosa Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 53.
- spinosus Attelabus, J. C. Fabricius, Ent. Syst. I (2) 1792, 386.
- spinosus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 167.
- spinosus Balistes, F. C. Meuschen, Mus. Gronov. 1778, 23.
- spinosa Bembex, J. C. Fabricius, Ent. Syst. IV. 1794, 458.
- spinosus Bruchus, J. C. Fabricius, Syst. Ent. 1775, 64.
- spinosum Buccinum, T. Martyn, Univ. Conch. I [1784 *non* 1769], fig. 4.
- spinosus Byrrhus, P. Rossi, Mant. Ins. II. 1794, 81.
- spinosum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 320.
- spinosus Cancer (*ex* Rumph), P. L. S. Müller, Del. Nat. II. 1767, 139.
- spinosus Cancer, P. Ascanius, Icon. IV. 1777, 6.
- spinosa Cancer, F. C. Meuschen, Mus. Gronov. 1778, 84.
- spinosus Cancer, G. de Razoumowsky, Hist. Nat. Jorat. 1789, 249.
- spinosus Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 173.
- spinosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1967.
- spinosum Cardium, F. C. Meuschen, Mus. Gev. 1787, 442.
- spinosus Cerambyx, D. Drury, Ill. Nat. Hist. II. 1773, index & 57.
- spinosus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 100.
- spinosum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 480.
- spinosus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 151; ed. 12, 1766, 256.
- spinosus Chiton, J. G. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 25.
- spinosa Cicada, J. F. W. Herbst, Einl. Ins. I. 1784, 236. [Membracis.
- spinosa Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2094.—
- spinosa Cicada (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 748.—Tettigonia.
- spinosa Cicada, J. C. Fabricius, Suppl. Ent. Syst. 1798, 520.
- spinosus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715.
- spinosus Crabro, J. C. Fabricius, Syst. Ent. 1775, 373.
- spinosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805.
- spinosus Cyclopterus, O. Fabricius, Skr. nat. Selsk. [Copen.], IV (2) 1798, 27.
- spinosa Cymothoa, J. C. Fabricius, Ent. Syst. II. 1793, 508.—Oniscus, 1775.
- spinosus Diodon, Linnaeus, Syst. Nat., ed. 10, 1758, 335.
- spinosa Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3265.
- spinosa Fulica, Linnaeus, Syst. Nat., ed. 10, 1758, 152.
- spinosus Gyrimus, J. C. Fabricius, Spec. Ins. I. 1781, 298.
- spinosa Helix, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 636.
- spinosus Ichneumon, C. de Geer, Mém. Ins. III. 1773, 596.
- spinosus Ips, C. de Geer, Mém. Ins. V. 1775, 197.
- spinosa Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
- spinosae Leptura, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], I (2) 1782, 161.
- spinosa Lunatica (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 102.—Turbo.
- spinosa Madrepora, J. E. I. Walch in Müller, Del. Nat., ed. 2, I. 1778, 105.
- spinosa Mantis, J. C. Fabricius, Syst. Ent. 1775, 274.
- spinosa Membracis, J. C. Fabricius, Syst. Ent. 1775, 675.

- spinosa Mutilla, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 283.
- spinosus Oniscus, J. C. Fabricius, Syst. Ent. 1775, 298.
- spinosus Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 8.
- spinosa Ostrea, T. Martyn, Univ. Conch. IV [1792], fig. 155.
- spinosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3730.
- spinosa Pennatula, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 62.
- spinosum Phalangium, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris], no. 15, 1798, 114.
- spinosa Phasma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 187.—Mantis, 1775.
- spinosa Pimelia (L.), J. C. Fabricius, Syst. Ent. 1775, 252.—Tenebrio.
- spinosus Prionus, J. C. Fabricius, Mant. I. 1787, 130.
- spinosus Ripiphorus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 126.
- spinosus Scolytus, A. G. Olivier, Entom. IV. 1795, 9.
- spinosa Scorpaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1220.
- spinosa Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1312.
- spinosa Sphex, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
- spinosa Sphex, J. R. Forster, N. Sp. Ins. 1771, 87.
- spinosus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 154.
- spinosus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1500.
- spinosus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212.
- spinosus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [*n. n.*].
- spinosus Tenebrio, Linnaeus, Mus. Lud. Ulr. 1764, 101.
- spinosus Tenebrio, P. Forskal, Descr. Anim. 1775, 80.
- spinosa Tettigonia, J. C. Fabricius, Mant. II. 1787, 266.
- spinosus Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
- spinosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3570.
- spinosus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82 [*n. n.*].
- spinosus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3594.
- spinosa Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Crabro.
- spinulosus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
- spinulosa Helix, J. Lightfoot, Phil. Trans. LXXVI (1) 1786, 166.
- spinulosa Locusta, J. C. Fabricius, Syst. Ent. 1775, 826.
- spinulosa Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
- spinula Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 64.
- spinula Bombyx, E. J. C. Esper, Die Schmett. III (26) 1786, 320.
- spinula Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84 [*n. n.*].
- spinula Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
- spinula Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 63.—
[Bombyx.]
- spinula Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141 [*n. n.*].
- Spinus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 24.—A.
- spinus Acanthis (L.), M. B. Borkhausen, Deutsch. Fauna. I. 1797, 252.—Sparus.
- spinus Carduelis (L.), J. C. Schaeffer, Mus. Orn. 1789, 24.—Fringilla.
- spinus Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 322.
- spinus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 471.
- Spio O. Fabricius, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 259.—Ver.
- spio Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio.
- spio Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 338.
- spipola Ficedula, J. C. Schaeffer, Mus. Orn. 1789, 36.
- spiraeae Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. [1797], 21.
- spiraeae Scarabaeus, P. S. Pallas, Reise Russ. II. 1773, 719.
- spiralis Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 135.
- spiralis Antipathes (Linn.), P. S. Pallas, Elench. 1766, 217.—Gorgonia.
- spiralis Ascaris, C. A. Rudolphi, Obs. Ver. Intest. II. 1795, 11.
- spiralis Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 800; ed. 12, 1767, 1290.—[becomes
[a var. of abies.]
- spiralis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 407.
- spiralis Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
- spiralis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
- spiralis Sertularia, G. Olivi, Zool. Adriat. 1792, 291.
- spiralis Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.

- spirans Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 533.
 spirans Holothuria, P. Forskal, Descr. Anim. 1775, 104.
 spiratum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 739; ed. 12, 1767, 1203.
 spirata Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 388.—Buccinum.
 spirata Patella, G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 102.
 spirifex Spheg, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 942.
 "Spirilla, Humph. 1797," Ag.; I cannot find this word.
 spirillum Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 302.—Murex.
 spirillus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1221.
 spirillus Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
 spirillum Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 786; ed. 12, 1767, 1264.
 spirillum Spirorbis (L.), F. M. Daudin, Rec. Mém. Moll. 1800, 38.—Serpula.
 spirillum Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 111.
 spirillum Vibrio, O. F. Müller, An. Infus. 1786, 49.
 Spiroglyphus F. M. Daudin, Rec. Mém. Moll. 1800, 39.—Ver.
 Spirorbis F. M. Daudin, Rec. Mém. Moll. 1800, 37.—Ver.
 spirorbis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1244.
 spirorbis Planorbis (Linn.), O. F. Müller, Verm. II. 1774, 161.—Helix.
 spirorbis Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1265.
 Spirula Lamarck, Mém. Soc. H. N. Paris, 1799, 80.—Ceph.
 spirula Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
 spirula Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 163.
 spirula Spirula (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 80.—Nautilus.
 spissicella Tinea, J. C. Fabricius, Gen. Ins. 1777, 295.
 spissicornis Cimex, J. C. Fabricius, Gen. Ins. 1777, 300.
 spissicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 181.—Cimex, 1777.
 spissicornis Miris, J. R. Schellenberg, Cimic. Helvet. 1800, 9.
 spissicornis Phycis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 463.
 spiza Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 186.
 spiza Merops (L.), B. Merrem, Avium rar. Icones. I. 1784, 16; var. atricapilla, 18.—
 spiza Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188. [Motacilla.
 splachnea Tubularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1303.
 splendana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 31 [*n. et f.*].
 splendana Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 320.
 splendeo Libellula, M. Harris, Exp. Eng. Ins. 1776, 99.
 splendens Buprestis, J. C. Fabricius, Syst. Ent. 1775, 221.
 splendens Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 326.
 splendens Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 129.
 splendens Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 229.
 splendens Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 137.
 splendens Libellula, M. Harris, Exp. Eng. Ins. 1776, 99. [Stratiomys.
 splendens Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2833.—
 splendens Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 746.
 splendens Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1560.
 splendens Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 523.
 splendens Stratiomys, J. C. Fabricius, Mant. II. 1787, 330.
 splendens Sturnus, F. M. Daudin, Traité élém. Orn. 1800, 309.
 splendidalis [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 161.
 splendidulus Cerambyx, J. C. Fabricius, Ent. Syst. I (2) 1792, 263.
 splendidula Chrysis, P. Rossi, Fauna Etrus. II. 1790, 78. [Tettigonia.
 splendidula Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—
 splendidulus Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 14.
 splendidulus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 157.—Scarabaeus.
 splendidulus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 186.
 splendidula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3655.
 splendidula Lampyrus, Linnaeus, Syst. Nat., ed. 12, 1767, 644.
 splendidula Meloe, P. S. Pallas, Icon. Ins. 1782, 83.
 splendidulus Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 23.

- splendidula Tettigonia, J. C. Fabricius, Syst. Ent. 1775, 681.
 splendida Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
 splendida Apis, J. C. Fabricius, Ent. Syst. II. 1793, 316.
 splendida Buprestis, [D. H. Schneider], Nom. Ent. 1785, 20 [*n. n.*].
 splendida Buprestis, G. Paykull, Faun. Suec. II. 1799, 229.
 splendidus Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
 splendidus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
 splendida Cassida, Boeber in Reich's Mag. Thierreichs, I. 1793, 136.
 splendida Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
 splendida Chrysis, J. C. Fabricius, Syst. Ent. 1775, 357.
 splendida Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 324.
 splendidus Coluber, G. A. Suckow, Naturges. III. 1798, 251.
 splendidus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 82.
 splendidus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 448.
 splendidus Ichneumon, J. C. Fabricius, Ent. Syst. IV. 1794, 457.
 splendida Lampyrus, D. Drury, Ill. Nat. Hist. III. 1782, index & 75.
 splendida Leptura, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 103.
 splendida Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 41. [Cetonia.
 splendida Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1799, 151.—
 splendida [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 242.
 splendida Psittacus, G. Shaw, Mus. Lever. I. 1792, 27.
 splendidus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 18.
 splendida Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
 splendidus Syrphus, P. Rossi, Fauna Etrus. II. 1790, 292.
 splendor Tipula, M. Harris, Exp. Eng. Ins. 1776, 56.
 spondocephala Emberiza, P. S. Pallas, Reise Russ. III. 1776, 698.
 spoliatricula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 89.
 spoliatricula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. Eur. Schmett. IV.
 spoliatus Carabus, P. Rossi, Mant. Ins. I. 1792, 79. [1792, 179.—Noctua.
 spoliata Musca, Scopoli, Ent. Carn. 1763, 350.
 Spondilii G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 8 [*n. n.*].—Col.
 Spondylis J. C. Fabricius, Syst. Ent. 1775, 159.—Col.
 spondylodes Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
 spondylodes Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
 spondylodes Tenebrio, A. G. Olivier, Entom. III. 1795, 10.
 spondyloidea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3335.
 spondyloidea Pedum, Lamarck, Mém. Soc. H. N. Paris, 1799, 88.
 Spondylus Linnaeus, Syst. Nat., ed. 10, 1758, 690; ed. 12, 1767, 1136.—L.
 Spongia Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348; ed. 12, 1767, 1296.—Por.
 spongiosa Asterias, O. Fabricius, F. Groen. 1780, 368.
 spongiosa Gorgonia, P. Forskal, Descr. Anim. 1775, 129.
 spongiosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 164.
 spongites Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
 spongites Eschara, P. S. Pallas, Elench. 1766, 45.
 "spongites Helmintholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
 spongites Lepas, J. X. Poli, Test. Sicil. I. 1791, 25.
 spongites Millepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1284.
 spongites Millepora (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 132.—Celle-
 sponsalis Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 210. [pora.
 sponsalis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 635.
 sponsana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 225.—Tortrix sparsana.
 sponsata Phalaena, J. C. Fabricius, Mant. II. 1787, 199.
 sponsor Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 153.
 sponsorius Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 425.
 sponsa Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 128; ed. 12, 1766, 207.
 sponsa Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47 [*n. n.*].
 sponsus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
 sponsa Noctua (L.); J. C. Fabricius, Syst. Ent. 1775, 602.—Phalaena.

- sponsa Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 841.
 sprattus Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 523.
 sprengleri *v.* spengleri.
 spretella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142.
 spreta Bombyx [*ex* Naturforscher], J. C. Fabricius, Mant. II. 1787, 124.
 spreta Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
 spreta Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 spreta Noctua (Fab.), C. F. Vieweg, Tabl. Verz. Brand. Schmett. II. 1790, 90.—Bombyx.
 spuma Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 180.
 spumans Gryllus, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 59.
 spumans Gryllus, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 104.
 spumaria Cercopis (L.), J. C. Fabricius, Syst. Ent. 1775, 688.—Cicada.
 spumaria Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 708.
 spurca Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1179.
 spurca Muscicapa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 170.
 spuria Coccinella, J. A. Scopoli, Annus V. 1772, 107.
 spurius Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 43.
 spurius Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3396.
 spurius Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
 spuria Madrepora, P. S. Pallas, Char. Thierpfl. II. 1787, 145.
 spuria Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
 spurius Monodon, O. Fabricius, F. Groen. 1780, 31.
 spuria Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3222.
 spurius Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766, 162.
 spuria Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3284.
 spuria Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3458.
 sputarium Vorticella, O. F. Müller, An. Infus. 1786, 259.
 sputator Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 405; ed. 12, 1767, 654.
 sputator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 153.
 sputator Lacerta, A. Sparrman, K. Vet. Ac. Nya Handl. V. 1784, 165.
 squaiotta Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 634.
 squali Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3037.
 squali Taenia, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 41.
 squalida Andrena (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.—Nomada.
 squalida Apis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2795.—Nomada.
 squalidum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3487.
 squallida Cantharis, Scopoli, Ent. Carn. 1763, 41.
 squalida Cicada, O. F. Müller, Z. Dan. Prod. 1776, 102.
 squalidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2177.
 squalidus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2192.
 squalidus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.—Scarabaeus.
 squalidus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 177.
 squallida Leptura, J. A. Scopoli, Annus V. 1772, 102.
 squalida Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
 squalida Noctua, J. C. Fabricius, Mant. II. 1787, 136.
 squallida Nomada, J. A. Scopoli, Annus IV. 1770, 45.
 squalida Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
 squalida Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
 squallidus Reduvius, P. Rossi, Fauna Etrus. II. 1790, 258.
 squallidus Scarabaeus, Scopoli, Ent. Carn., 1763, 6.
 squalidus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 30.
 squalida Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 squalida Tellina, R. Pulteney, Cat. Birds, &c. Dorset, 1799, 29.
 squalidus Trox, A. G. Olivier, Entom. I. 1789, 12.
 squalina Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3420.
 squalipeta Echeneis, Daldorf, Skr. nat. Selsk. [Copen.], II (2) 1793, 157.
 Squalus Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 397; [Artedi, Ichth. 1738, gen. xlv, p. 66.]—P.

- squalus Cyprinus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 28.
squalus Saperda, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
squama Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3346.
squamana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 410.—Pyralis.
squamana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 651.
squamata Actinia, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 54.
squamata Angaria, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
squamata Aphroditia, Linnaeus, Syst. Nat., ed. 10, 1758, 655; ed. 12, 1767, 1084.
squamata Ascidia, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 244.
squamata Chama, P. L. S. Müller, Del. Nat. I. 1766, 129.
squamatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2186.
squamata Corallina, Linnaeus, Syst. Nat., ed. 10, 1758, 806; ed. 12, 1767, 1304 [as
squamatatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93. [var. of officialis].
squamata Holothuria, O. F. Müller, Z. Dan. Prod. 1776, 232.
squamata Hydra, O. F. Müller, Z. Dan. Prod. 1776, 230.
squamata Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
squamata Musca, O. F. Müller, F. Ins. Frid. 1764, 85.
squamata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
squamata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
squamata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 10.
squamatus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 42.
squamata Testudo, J. G. Schneider, Nat. Schildkr. 1783, 340.
squamifer Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
squamifer Curculio, G. Paykull, Faun. Suec. III. 1800, 206.
squamigera Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 435; ed. 12, 1767, 705.
squamigera Membracis (L.), J. C. Fabricius, Syst. Ent. 1775, 675.—Cicada.
squamigera Rana, J. J. Walbaum, Schrift. Berlin. Ges. Nat. Freunde, V. 1784, 221.
squamigera Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
squamosus Acarus, C. de Geer, Mém. Ins. VII. 1778, 116.
squamosa Actinia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 15.
squamosa Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 170.
squamosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 260.
squamosum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
squamosa Chama, D. Solander in G. Brander, Foss. Hant. 1766, 36
squamosa Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 454.—Venus.
squamosum Chiton, Linnaeus, Mus. Lud. Ulr. 1764, 465.
squamosus-septemvalvis Chiton, K. Schreibers, Vers. Conch. II. 1793, 335.
squamosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1804.
squamosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 539.
squamosus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 452.
squamosus Gryllus, *err. pro squarrosus*, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
squamosa Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102. [1789, 2075.
squamosa Melolontha, A. G. Olivier, Entom. I. 1789, 66.
squamosus Notopterus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 189.
squamosa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
squamosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3713.
squamosa Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3365.
squamosa Podura, Scopoli, Ent. Carn. 1763, 379.
squamosus Psittacus, J. Latham, Index Orn. 1790, 101.
squamosus Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 30.
squamosus Scutigera (L.), F. C. Meuschen, Mus. Gever. 1787, 240.—Chiton.
squamosus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 157.
squamosus Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1502.
squamosa Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1133.
squamosus Vespa, D. Drury, Ill. Nat. Hist. I. 1770, index & 98.
squamula Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 701; ed. 12, 1767, 1151.
squamula Brachionus, O. F. Müller, An. Infus. 1786, 334.
squamula Echionoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.

- squamula Fenestella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 193.—Anomia.
- squamulana Phalaena Tortrix, J. Hübner, Samml. Vögel u. Schmett. 1793, 6 [*n. et f.*].
- squamulana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 92 [*n. et f.*].
- squamularis Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 18.
- squamulatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 353.
- squamulatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
- squamulosus Chaetodon, G. Shaw, Nat. Misc. VIII. 1796, pl. 275.
- squamulosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 216.
- squarrosus Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 219.—Gryllus.
- squarrosus Gryllus, Linnaeus, Mant. II. 1771, 533.
- squarrosa Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
- squarrosus Syngnathus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 8.
- squatarola Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 149; ed. 12, 1766, 252.
- squatina Cercopis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 102.
- squatina Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 233; ed. 12, 1766, 398.
- squatinoraia Raia, C. F. Stephan, De Raiis, 1779, 21.
- skeleton *v.* sceleton.
- Squilla L. T. Gronov, Acta Helvet. IV. 1760, 38.—Cr.
- Squilla L. T. Gronov, Zooph. II. 1764, 232.—Cr.
- squilla Astacus (L.), J. C. Fabricius, Syst. Ent. 1775, 416.—Cancer.
- squilla Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 632; ed. 12, 1767, 1051.
- squilla *var.* fasciata Cancer, P. Forskal, Descr. Anim. 1775, xxi.
- squilla Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 55.
- squilla Palaemon (L.), F. Weber, Nomen. Fabricii, 1795, 94.—Cancer.
- squinado Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (7) 1788, 214.
- squinaton Cervus, R. Kerr, Anim. Kingd. 1792, 304.
- stabilis Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 76.
- stabilis Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 12.
- staechadis citrinae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, [156 *n. n.*].
- stagnalis Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 529.
- stagnalis Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 18.—Cancer.
- stagnale Buccinum (Linn.), O. F. Müller, Verm. II. 1774, 132.—Helix.
- stagnalis Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 303.—Helix.
- stagnalis Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 634; ed. 12, 1767, 1056.
- stagnalis Cancer (Gammarellus), L., J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 121.
- stagnalis Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 66.
- stagnalis Dytiscus, J. C. Fabricius, Mant. I. 1787, 191.
- stagnalis Fasciola, O. F. Müller, Verm. I (2) 1774, 53.
- stagnalis Gammarus (L.), J. C. Fabricius, Syst. Ent. 1775, 419.—Cancer.
- stagnalis Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249 [no. 703].
- stagnalis Helix, Linnaeus, Syst. Nat., ed. 12, 1767, 1248 [no. 697].
- stagnalis Hirudo, Linnaeus, Syst. Nat., ed. 10, 1758, 649; ed. 12, 1767, 1079.
- stagnalis Lymnoea (L.), Lamarek, Mém. Soc. H. N. Paris, 1799, 75.—Helix.
- stagnalis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
- stagnalis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
- stagnalis Rhinoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 266.—Helix.
- stagnalis Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
- stagnalis Salmo, O. Fabricius, F. Groen. 1780, 175.
- stagnalis Turbo (L.), E. M. da Costa, Brit. Conch. 1778, 93.—Helix.
- stagnana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- stagnorum Aquarius (Fab.), J. R. Schellenberg, Cimic. Helvet. 1800, 20.
- stagnorum Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 51.
- stagnorum Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
- stagnorum Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
- stagnorum Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 189.—Cimex.
- stagnorum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3653; *id. ac* Turbo [stagnalis].
- staminea Helix, T. Martyn, Univ. Conch. II [1788], fig. 71.
- staminea Mitra, T. Martyn, Univ. Conch. III [1789], fig. 104.

- stannea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3709.
 stannella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 80.
 stannella Tinea, C. P. Thunberg, Ins. Suecica (7)-1794, 97.
 stapazina Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 331.
 stapazina Sylvia (L.), J. Latham, Index Orn. 1790, 530.—Motacilla.
 stapella Phalaena (Tinea), *errore* stipella, L., O. F. Müller, Z. Dan. Prod. 1776, 136.
 staphylaeata Phalaena, Scopoli, Ent. Carn. 1763, 221.
 staphylaea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 590.
 staphylaea Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1181.
 staphylea Porcellana, F. C. Meuschen, Mus. Gever. 1787, 404.
 staphylea Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
 Staphylinus Linnaeus, Syst. Nat., ed. 10, 1758, 421; ed. 12, 1767, 683.—Col.
 staphylinus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
 "Stariki, Bonnat. 1790," Ag.; this word does not occur among Bonnatere's genera, and I cannot trace it.
 statices Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 495; ed. 12, 1767, 808.
 statices Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 555.—Sphinx.
 statilinus Papilio Helic., Hufnagel, Berl. Mag. II. 1766, 84.
 Statinia J. G. Meigen, N. Class. Mouches, 1800, 36.—Dip.
 statios Sphinx, O. F. Müller, Z. Dan. Prod. 1776, 117.
 statira [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 35.
 stativa Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
 statua Curculio, P. Rossi, Fauna Etrus. I. 1790, 122.
 statua Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 430.
 "Steatornis, Humb. 1800," Ag.; I cannot trace this reference.—A.
 steineriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
 steinkellnerana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Tortrix.
 steinkellneriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
 stelenes Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 465; ed. 12, 1767, 750.
 stella Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
 "stella columnaris Helmintholitus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 169.
 stellaris Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 239.
 stellaris Astroites, J. E. I. Walch, Naturforscher, V. 1775, 51.
 stellaris Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 274.
 stellaris Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
 stellaris Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1277.
 stellaris Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 12.
 stellaris Serpula, O. Fabricius, F. Groen. 1780, 383.
 stellaris Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 235; ed. 12, 1766, 399.
 stellaris Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
 stellare Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 405.—Hydrachna.
 stellaris Tubularia, O. F. Müller, Verm. I (2) 1774, 18.
 stellaris Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
 stellaris Volucella, A. F. de Fourcroy, Ent. Paris. 1785, 503.
 stellarum Sphinx, A. F. de Fourcroy, Ent. Paris. 1785, 253.
 stellatarum Sesia (L.), J. C. Fabricius, Syst. Ent. 1775, 548.—Sphinx.
 stellatarum Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493; ed. 12, 1767, 803.
 stellatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 524.
 stellatus Acipenser, P. S. Pallas, Reise Russ. I. 1771, 460.
 stellatum Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
 stellata Arca, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 117.
 stellatus Botryllus, J. Gaertner in P. S. Pallas, Spic. Zool. X. 1774, 37.
 stellata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 116.
 stellatus Colymbus, E. Pontoppidan, Danske Atlas. I. 1763, 621.
 stellatus Colymbus, M. T. Brünnich, Orn. Boreal. 1764, 39.
 stellata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
 stellata Doris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3107.
 stellatus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3174.

- stellata Lepas, J. X. Poli, Test. Sicil. I. 1791, 29.
- stellatus Lophius, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 214.
- stellata Madrepora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3767.
- stellatus Mergus (L.), J. C. Schaeffer, Mus. Orn. 1789, 61.—Colymbus.
- stellata Musca, J. C. Fuessly, Schweiz. Ins. 1775, 54.
- stellata Musca, J. C. Fuessly, Schweiz. Ins. 1775, 56.
- stellata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 470.
- stellata Musca, J. J. Roemer, Gen. Ins. 1789, 84.
- stellatus Nerita, T. Martyn, Univ. Conch. III [1789], fig. 110.
- stellata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3337.
- stellata Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 170 [n. n.].
- stellata Patella, G. S. Helbling, Abh. Privatges. Bohm. IV. 1779, 109.
- stellatus Pleuronectes, P. S. Pallas, Nova Acta Ac. Sci. Petrop. I. 1787, 347.
- stellatus Scarus, P. Forskal, Descr. Anim. 1775, 26.
- stellatus Seps, F. v. P. Schrank, F. Boica, I. 1798, 286.
- stellata Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 219.
- stellata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 369.
- stellata Tenthredo, J. L. Christ, Nat. Ins. 1791, 457.
- stellata Terebella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3114.
- stellata Thais, J. F. Bolten, Mus. Bolten. (2) 1798, 54.
- stellata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 341.
- stellatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
- stellata Tubipora, A. Modeer, K. Vet. Ac. Nya Handl. IX. 1788, 230.
- stellatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3600.
- stellata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3289.
- stellata Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
- stelleri Anas, P. S. Pallas, Spic. Zool. VI. 1769, 35.
- stelleri Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 370.
- stelleri Hydrodamalis, A. J. Retzius, K. Vet. Ac. Nya Handl. XV. 1794, 292.
- stellifer Bodianus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 55.
- stellifer Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 198.
- stellifer Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 128.
- stellifera Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- stellifera Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3719.
- stellifera Pennatula, O. F. Müller, Z. Dan. Prod. 1776, 255.
- stellifera Tipula, J. Cederhielm, F. Ingric. 1798, 296.
- stellina Vorticella, O. F. Müller, An. Infus. 1786, 270.
- Stellio J. N. Laurenti, Syn. Rept. 1768, 56.—R.
- Stellio G. Edwards in M. Catesby, Carol. II. 1771, 110.—R.
- stellio Cordylus (Linn.), J. N. Laurenti, Syn. Rept. 1768, 52.—Lacerta.
- stellio Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 361.
- stellio Perca, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 349.
- stellio Scincus, J. N. Laurenti, Syn. Rept. 1768, 55.
- stellulata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 165.
- stenelea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 38.
- Stenocorus E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 221.—Col.
- Stenocorus J. C. Fabricius, Syst. Ent. 1775, 178.—Col.
- Stenosis Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 160.—Col.
- stentor Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 18.
- stentoreus Brachionus (Linn.), P. S. Pallas, Elench. 1766, 95.—Hydra.
- stentoreus Caryophyllinus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 6.
- stentorea Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 817; ed. 12, 1767, 1321.
- stentorea Vorticella (Linn.), O. F. Müller, Verm. I (1) 1773, 112.—Hydra.
- Stenus P. A. Latreille, Préc. Car. Ins. 1796, 77.—Col.
- stephanelli Buprestis, V. Petagna, Spec. Ins. ult. Calab. 1786, 23.
- Stephanostoma Anon. [Lenz], Neue allgem. deutsch. Bibl. X (2) 1794, Intelligenzbl. 256;
[see K. A. Rudolphi, Archiv. Zool. (Wiedemann) II (1) 1801, 58.]—Ver.
- Stercorarius M. J. Brisson, Ornith. VI. 1760, 150.—A.

- stercoraria Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 600.
- stercoraria Crioceris (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 198.—Chrysomela.
- stercoraria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1174.
- stercoraria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
- stercorarius Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 550.
- stercorarius Staphylinus, A. G. Olivier, Entom. III. 1795, 18.
- stercorarius Sturnus, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 16.
- stercoraria Tipula, C. de Geer, Mém. Ins. IV. 1776, 388.
- stercorarius Vultur, Picot de la Peirouse, K. Vet. Nya Handl. III. 1782, 106.
- stercorator Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 149.—Scarabaeus.
- stercorator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 172.
- stercorator Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20.
- stercoreus Culex, Linnaeus, Syst. Nat., ed. 10, 1758, 603; ed. 12, 1767, 1003.
- stercoreus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357.
- stercorea Empis, Linnaeus, Faun. Suec., ed. 2, 1761, 467.
- stercoreus Globus, J. A. Scopoli, Annus V. 1772, 127.
- stercorea Silpha (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1626.—Tri-
- stercoreum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 81. [toma.
- stercorea Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 100.
- sterculeus Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
- stercus culicum Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
- stercus granulatus Conus, F. C. Meuschen, Mus. Gever. 1787, 358.
- stercus-muscarum Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
- stercus-muscarum Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1169.
- stercus-muscarum Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 40.—Conus.
- stercus-muscarum Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3673.
- stercus-pulicum Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
- stercus pulicum Conus, F. C. Meuschen, Mus. Gever. 1787, 358. [Acrydium!
- Steridium J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, 1793; must be a misprint for
- sterleta Acipenser, A. I. Gueldenstaedt, N. Com. Petrop. XVI. 1772, 533.—[? specific]
- Sterna Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.—A.
- sterna Larus, J. A. Scopoli, Annus I. 1769, 82.
- sternae Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1019.
- sternicla Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 524.
- sternicornis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
- sternicornis Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 276.
- sternicornis Erytolus (*sic*), J. A. Frolich, Naturforscher, XXVI. 1792, 126.
- Sternoptyx J. Hermann, Naturforscher, XVI. 1781, 33.—P.
- sternutator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.—
- sternutator Lamia, J. C. Fabricius, Syst. Ent. 1775, 172. [Lamia.
- sterope [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 40.
- steropes Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 160.
- steropes Sphinx (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 96.
- stichica Cetonia, *err. pro* stictica (L.), J. C. Fabricius, Mant. I. 1787, 31.
- stichica Noctua, *err. pro* stictica, J. C. Fabricius, Mant. II. 1787, 173. [Noctua.
- stichica Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 413.—
- stickmanniana Tortrix, C. P. Thunberg, K. Vet. Ac. Nya Handl. XVIII. 1797, 167.
- stictiata Phalaena, *id. ac* sticticata, Mant. II. 213, J. C. Fabricius, Ent. Syst. III (2) 1794,
- sticticalis Phalaena (Pyr.), Linnaeus, Faun. Suec., ed. 2, 1761, 352. [206.
- sticticana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 270.
- sticticata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 638.
- sticticus Aphodius (Panz.), C. Creutzer, Ent. Vers. 1799, 26.—Scarabaeus.
- stictica Apis, J. C. Fabricius, Mant. I. 1787, 302.
- sticticus Brachycerus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 42.
- stictica Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 51.—Scarabaeus.
- sticticus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2167.
- sticticus Curculio, J. C. Fabricius, Gen. Ins. 1777, 227.
- sticticus Dytiscus, Linnaeus, Syst. Nat., ed. 12, 1767, 666.

- sticticus** Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
sticticus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 229.
stictica Melolontha (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 89.—Scara-
stictica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2863. [baeus.
sticticus Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 552.
sticticus Scarabaeus, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 4.
stictica Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 407.
stictopterus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2169.
stictopterus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1558.
stigma Apis, J. L. Christ, Nat. Ins. 1791, 188.
stigma Bombyx, J. C. Fabricius, Syst. Ent. 1775, 563.
stigma Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 189.—Cerambyx.
stigma Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 635.
stigma Cerambyx, A. G. Olivier, Entom. IV. 1795, 126.
stigma Cimex, Herbst, Einl. Ins. I. 1784, 258.
stigma Cimex, J. C. Fabricius, Suppl. Ent. Syst. 1798, 528.
stigma Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
stigma Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
stigma Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 188.
stigma Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 1717.
stigma Iulus, J. C. Fabricius, Syst. Ent. 1775, 428.
stigma Melolontha, J. C. Fabricius, Ent. Syst. IV. 1794, 450.
stigma Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 21.
stigma Musca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 563.
stigma Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
stigma Phalaena (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 111.—Bombyx.
stigma Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 645.
stigma Sphex, Linnaeus, Syst. Nat., ed. 12, 1767, 945.
stigma Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 215.
stigma Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 275.
stigmata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
stigmatialis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 452.
stigmatella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 295.
stigmatias Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 13.
stigmatiasata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
stigmatizans Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 230.
stigmatizans Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
stigmatizans Noctua, J. C. Fabricius, Syst. Ent. 1775, 601.
stigmosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 280.
Stincus *id. ac* Scincus F. A. A. Meyer, Syn. Rept. 1795, 30.—R.
stincus Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 205; ed. 12, 1766, 365.
stincus Scincus, F. C. Meuschen, Mus. Gronov. 1778, 7.
stipella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 893.
stipella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 57.
stipulata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 813.
stiva Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
stockerus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 441; ed. 12, 1767, 715.
stoicus Byrrhus (Müll.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 484.—
stoica Cistela, O. F. Müller, Z. Dan. Prod. 1776, 58. [Cistela.
Stola P. Browne, Hist. Jamaica, ed. 2, 1789, 413.—L.
stolatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
stolata Cetonia, J. C. Fabricius, Spec. Ins. I. 1781, 58.
stolatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
stolatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 379.
stolatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.
stolatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1746.
stolata Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2548.
stolatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1573.—Cetonia.

- stolida** Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 98.
stolidus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 442; ed. 12, 1767, 717.
stolidus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 176.
stolida Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 724; ed. 12, 1767, 1180.
stolida Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
stolida Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
stolida Sterna, Linnaeus, Syst. Nat., ed. 10, 1758, 137; ed. 12, 1766, 227.
stolliana [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (26) 1780, 41.
Stomachida C. Pereboom, N. gen. Verm. 1780, 5.—Ver.
Stomatia Helbling, Abh. Privatges. Böhmen, IV. 1779, 124.—G.
Stomatia P. Browne, Hist. Jamaica, ed. 2, 1789, 398.—G.
Stomatia Lamarck, Mem. Soc. H. N. Paris, 1799, 77.—G.
stomias Esòx, G. Shaw, Nat. Misc. IX. 1798, pl. 344.
stomoxiformis Sphinx, J. Hübner, Beitr. Schmett. II. 1790, 93.
Stomoxoides J. C. Schaeffer, Elem. Ent. 1766, gen. 99.—Dip.
Stomoxys E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 538.—Dip.
Stomoxys J. C. Fabricius, Syst. Ent. 1775, 797.—Dip.
strabo Hesperia, J. C. Fabricius, Ent. Syst. III. (1) 1793, 287.
stragula Cryptocephalus, P. Rossi, Mant. Ins. II. 1794, 90.
stralsundica Silpha, [D. H. Schneider], Nom. Ent. 1785, 7 [*n. n.*].
straminealis Phalaena Pyr., J. Hübner, Samml. Vögel u. Schmett. 1793, 14 [*n. et f.*].
straminearia Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 303.
stramineata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2490.
stramineella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
stramineus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
straminea Donax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3266.
stramineus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720.
stramineus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
straminea Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 43.
straminea Phalaena, E. Donovan, Brit. Ins. II. 1793, 65.
straminea Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
straminea Taenia, J. A. E. Goetze, Eingeweidewürm. 1782, 357.
straminea Tenthredo, F. v. P. Schrank, Beitr. Nat. 1776, 85.
stramineus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
strataria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 514.
stratiolata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 283.
Stratiomis, *v.* **Stratiomys** J. A. Scopoli, Intr. Hist. Nat. 1777, 408.
Stratiomys E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 475.—Dip.
Stratiomys J. C. Fabricius, Syst. Ent. 1775, 759.—Dip.
stratiotalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 123.
stratiotata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 529; ed. 12, 1767, 873.
stratiotes Phalaena, *id. ac* stratiotata, L., A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 47.
stratonice [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 234.
Streber J. C. Schaeffer, Piscium Bavar. 1761, 69.—P.
strenuus Apis, M. Harris, Exp. Eng. Ins. 1776, 131.
strenuous Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
strepens Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 150.
strepens Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV., 1796, 148.—
strepens Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 297. [*Stenocorus.*]
strepera Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 125; ed. 12, 1766, 200.
strepera Coracias, J. Latham, Index Orn. 1790, 173.
strepheon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 281.
strepheon Papilio, J. C. Fabricius, Syst. Ent. 1775, 522.
Strephona P. Browne, Hist. Jamaica, ed. 2, 1789, 409.—G.
strepsiceros Antilope, P. S. Pallas, Misc. Zool. 1766, 9.
strepsiceros Ovis, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.
stria Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 201.
striana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.

- striaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 88 [*n. et f.*].
 striatalis [Phalaena], C. Stoll, Aanhang, Cramer's Utitl. Kapellen, I. 1787, 41.
 striatalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
 striataria [Phalaena], C. Clerck, Icones, II. 1764, pl. lv.
 striataria [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 125.
 striataria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 859.
 striatella Alucita, J. C. Fabricius, Spec. Ins. II. 1781, 310.
 striatella Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
 striatellus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 415.
 striatellus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 173.
 striatella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 506.—Alucita.
 striatella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 135.
 striatellus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1232.
 striatopunctata Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 61.
 striato-radiatus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 234.
 striatula Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 702; ed. 12, 1767, 1152.
 striatula Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 74.
 striatula Bernicla, J. F. Bolten, Mus. Bolten. (2) 1798, 198 [*n. n.*].
 striatulum Buccinum, O. F. Müller, Verm. II. 1774, 147.
 striatulus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 329.
 striatula Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3430.—Bucci-
 striatulus Carabus, J. C. Fabricius, Syst. Ent. 1775, 240. [num.]
 striatula Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 31.
 striatulus Cimex, J. C. Fabricius, Syst. Ent. 1775, 721.
 striatulus Coluber, Linnaeus, Syst. Nat., ed. 12, 1766, 375.
 striatulus Curculio, J. C. Fabricius, Syst. Ent. 1775, 129.
 striatulus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
 striatulum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3738.
 striatula Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 768; ed. 12, 1767, 1242.
 striatula Helix, O. F. Müller, Verm. II. 1774, 24.
 striatulus Hemerobius, J. C. Fabricius, Syst. Ent. 1775, 310.
 striatulus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 161.—Cimex, 1775.
 striatula Mactra, Linnaeus, Syst. Nat., ed. 12, 1767, 1125.
 striatulus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
 striatulus Mytilus, Linnaeus, Mant. II. 1771, 548.
 striatula Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
 striatula Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3699.
 striatulus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 191.
 striatula Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.—Mytilus. [brío.
 striatula Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—Tene-
 striatulus Psocus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 203.—Hemerobius, 1775.
 striatulus Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1606.
 striatula Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 striatulus Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
 striatula Tellina, G. Olivi, Zool. Adriat. 1792, 101.
 striatula Tellina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 187.—Solen striatus.
 striatulus Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 679.
 striatulus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
 striatum Acrydium, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 270.
 striata Anadema, F. C. Meuschen, Mus. Gev. 1787, 482.
 striata Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 64.
 striatus Angarius, F. C. Meuschen, Mus. Gev. 1787, 256.
 striatus Angarius, F. C. Meuschen, Mus. Gev. 1787, 260.
 striatus Anguis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1119.
 striatum Anobium, J. C. Fabricius, Mant. I. 1787, 39.
 striatum Anobium, A. G. Olivier, Entom. II. 1790, 9.
 striatum Anobium, Illiger in Kugelann, Käfer Preuss. 1798, 329.
 striata Anomia, J. F. Bolten, Mus. Bolten. (2) 1798, 192.

- striatus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 125.
 striatus Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 161.
 [striatus Araneus, C. Clerck, Aran. Svec. 1757, 119.]
 striatus Araneus, T. Martyn, Aranei, 1793, 56.
 striata Arca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3308.
 striata Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 238.
 striatus Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
 striatus Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 387.
 Astroites, J. E. I. Walch, Naturforscher, V, 1775, 44.
 striata Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 248.—Haliothis.
 striatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 164.
 striata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 250.
 striata Blaps, J. C. Fabricius, Spec. Ins. I. 1781, 322.
 striatus Brachionus, O. F. Müller, An. Infus. 1786, 332.
 striatum Buccinum, O. F. Müller, Verm. II. 1774, 149.
 striatum Buccinum, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 105.
 striatum Buccinum, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 7.
 striatum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 41.
 striatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
 striatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
 striatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 112 [n. n.].
 striatus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 366.—Buccinum.
 striata Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 372.
 striata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 217.
 striatus Byrrhus, A. G. Olivier, Entom. II. 1790, 9.
 striatum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 191.—Cerambyx.
 striata Camerina, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 399.
 striatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 90.
 striatus Carabus, G. Paykull, Mon. Carab. 1790, 45.
 striatus Carabus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 29.
 striatus Carabus, G. Paykull, Faun. Suec. I. 1798, 115.
 striatum Cardium, L. Spengler, Skr. nat. Selsk. [Copen.], V (1) 1799, 45.
 striata Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
 striatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 635.
 striatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 133.
 striata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 52.
 striatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 475.
 striatus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 275; ed. 12, 1766, 464.
 striata Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
 striata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
 striata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
 striatus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [n. n.].
 striata Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 164 [n. n.].
 striata Chrysomela, J. H. Sulzer, Gesch. Ins. 1776, 35.
 striata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 122.
 striata Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 105.
 striata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 709.
 striata Cicada, J. C. Fabricius, Mant. II. 1787, 271.
 striata Cicindela, C. de Geer, Mém. Ins. IV. 1774, 118.
 striatus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 730.
 striatus Cimex, Scopoli, Ent. Carn. 1763, 133.
 striata Cistela, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
 striata Cistela, J. R. Forster, N. Sp. Ins. 1771, 15.
 striata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 147.
 striata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 269.
 striatus Colius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 843.
 striata Coluber, F. C. Meuschen, Mus. Gronov. 1778, 13.
 striatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 122.

- striata Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 282.
 striatus Columbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 586.
 striatus Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 716; ed. 12, 1767, 1171.
 striata Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
 striata Corixa, A. F. de Fourcroy, Ent. Paris. 1785, 221.
 striatus Corvus, P. Boddaert, Tabl. Planch. Enl. 1783, 38.
 striata Coturnix, J. P. Bonnaterra, Ency. Méth. (Orn.), 1791, 221.
 striata Crioceris, O. F. Müller, Z. Dan. Prod. 1776, 85. [Crioceris.
 striatus Cryptocephalus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.—
 striatus Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
 striatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 86.
 striatus Curculio, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 58.
 striatus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 72.
 striatus Curculio, J. C. Fabricius, Mant. I. 1787, 117.
 striatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 398.
 striatus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
 striatus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
 striata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
 striatum Dentalium, I. v. Born, Index Mus. Caes. Vind. 1778, 449.
 striatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 20.
 striata Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 1.
 striata Donax, Linnaeus, Syst. Nat., ed. 12, 1767, 1127.
 striatus Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 72.—Dytiscus.
 striatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 411; ed. 12, 1767, 665.
 striatus Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 22.
 striatus Elaphrus, J. C. Fabricius, Ent. Syst. I (1) 1792, 179.
 striatus Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 652.
 striata Ephemera, Linnaeus, Syst. Nat., ed. 12, 1767, 907.
 striatus Epinephelus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 20.
 striatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Turbo striatulus, Gm.
 striata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 923.
 striata Fulgora, J. C. Fabricius, Ent. Syst. IV. 1794, 7.
 striatus Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 119.
 striatus Gyrimus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 701.
 striatus Gyrimus, J. C. Fabricius, Ent. Syst. I (1) 1792, 203.
 striata Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
 striata Helix, O. F. Müller, Verm. II. 1774, 38.
 striatus Helops (Fourc.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 49.—Tenebrio.
 striatus Hister, J. R. Forster, Cat. Brit. Ins. 1770, 4 [n. n.].
 striatus Hister, J. R. Forster, N. Sp. Ins., 1771, 11.
 striatus Hister, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 448.
 striatus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 71.
 striata Hyena, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 256.
 striatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2703.
 striatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
 striata Kolpoda, O. F. Müller, An. Infus., 1786, 98.
 striatus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 476.
 striatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 striata Lepas, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 62.
 striatus Lophius, C. Shaw, Nat. Misc. V. 1794, pl. 175.
 striata Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 306.
 striatus Lucanus, A. G. Olivier, Entom. I. 1789, 19.
 striata Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 104 [n. n.].
 striatus Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 544.—Perca.
 striatus Lycus, G. A. Olivier, J. Nat. Hist. (Choix des Mém.) I. 1792, 268.
 striata Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3257.
 striata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 20.
 striata Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.

- striatus Mergus, J. P. Bonnaterra, Ency. Méth. (Orn.) 1790, 73.
 striatus Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 186.—Cimex.
 striatus Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
 striata Monotoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 23.
 striata Mordella, A. F. de Fourcroy, Ent. Paris. 1785, 161.
 striata Motacilla, A. Vroeg, Catal. Vogel. 1764, adumb. 3.
 striata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 976.
 striatus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
 striatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
 striatus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 84.
 striatus Mus (L.), E. A. W. Zimmermann, Spec. Zool. 1777, 516.—Sciurus.
 striata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.
 striata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 315.
 striata Muscicapa, J. R. Forster, Phil. Trans. LXII. 1772, 406 & 428.
 striata Muscicapa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 48.
 striatus Myoxus (Linn.), P. Boddaert, Elench. 1785, 122.—Sciurus.
 striata Myrmecophaga, P. Boddaert, Elench. 1785, 75.
 striata Nassa, J. F. Bolten, Mus. Bolten. (2) 1798, 132 [n. n.].
 striata Nectydalis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 109.
 striata Nepa (L.), C. de Geer, Mém. Ins. III. 1773, 389.—Notonecta.
 striata Neritaeformis, F. C. Meuschen, Mus. Gever. 1787, 276.
 striata Nitidula, A. G. Olivier, Entom. II. 1790, 14.
 striata Noctua (*ex* Gladb.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 214.
 striata Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 348.
 striata Notonecta, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 712.
 striata Oliva, T. Martyn, Univ. Conch. III [1789], fig. 111.
 striatus Ophicephalus, M. E. Bloch, Nat. ausl. Fische, VII. 1793, 141.
 striata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 72.
 striata Ostrea, R. Pulteney, Cat. Birds &c. Dorset, 1799, 36.
 striatum Ostreum, E. M. da Costa, Brit. Conch. 1778, 162.
 striata Patella, F. C. Meuschen, Mus. Gever. 1787, 244.
 striata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3695.
 striatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
 striata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 293; ed. 12, 1766, 487.
 striata Perdix (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
 striata [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 155.
 striata Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 502.
 striatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 220.
 striatus Pholas, Linnaeus, Syst. Nat., ed. 10, 1758, 669; ed. 12, 1767, 1111.
 striata Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 908.
 striatus Picus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 91.
 striatus Picus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 427.
 striata Pimelia, J. C. Fabricius, Syst. Ent. 1775, 251.
 striata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2001.—Blaps.
 striata Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159 [n. n.].
 striata Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1003.
 striata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.
 striatus Platycerus, A. F. de Fourcroy, Ent. Paris. 1785, 3.
 striatus Ptinus, J. C. Fabricius, Mant. I. 1787, 40.
 striata Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
 striatus Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
 striata Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
 striatus Rhinomacrer, A. F. de Fourcroy, Ent. Paris. 1785, 115.
 striatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
 striatus Scaurus, J. C. Fabricius, Ent. Syst. I. (1) 1792, 93. [Melolontha.
 striatus Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 87.
 striatus Sciurus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 150, and *varr.* asiaticus,
 americanus.

- striatum** Sepidium, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
striatum Sepidium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 129.
striatus Serrocercus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 487.
striatus Serropalpus, C. N. Hellenius, K. Vet. Ac. Nya Handl. VII. 1786, 318.
striata Sigara (L.), J. C. Fabricius, Syst. Ent. 1775, 691.—Notonecta.
striata Silpha, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
striata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1625.
striatus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3227.
striatus Spondylus, K. Schreibers, Vers. Conch. II. 1793, 158.
striatus Staphylinus, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 333.
striatus Staphylinus, A. G. Olivier, Entom. III. 1795, 28.
striata Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 609.
striatus Strombus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3524.—
 Buccinum.
striatus Strongylus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 83.
striata Sylvia (Gm.), J. Latham, Index Orn. 1790, 527.—Motacilla.
striatus Tabanus, J. C. Fabricius, Mant. II. 1787, 356.
striatus Tamarindiformis, F. C. Meuschen, Mus. Gev. 1787, 412.
striata Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 899.
striata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
striatus Tenebrio, O. F. Müller, Z. Dan. Prod. 1776, 74.
striata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 157.
striatus Tenebrio, A. G. Olivier, Entom. III. 1795, 7.
striata Testudo, G. A. Suckow, Naturges. III. 1798, 37.
striatus Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
striata Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 238.
striata Trichoda, O. F. Müller, An. Infus. 1786, 183.
striata Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 248.
striatus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 495.
striatus Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.
striatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81 [n. n.].
striata Trogossita, A. G. Olivier, Entom. II. 1790, 7.
striatus Turbo, E. M. da Costa, Brit. Conch. 1778, 86.
striatus Turbo, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 66.
striatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
striata Upis (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 27.—Tenebrio.
striata Upupa, P. Boddaert, Tab. Planch. Enl. 1783, 39.
striata Uria (*ex* Briss.), S. Odmann, K. Vet. Ac. Nya Handl. II. 1781, 234.
striata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
striata Vespa, J. C. Fabricius, Mant. I. 1787, 288.
striata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
Stribilita F. C. Meuschen, Mus. Gev. 1787, 488.—Ech.
stribilite Laganus, F. C. Meuschen, Mus. Gev. 1787, 488.
strictita Tipula, *err. pro* stictica, Fabr. 1781, J. C. Fabricius, Mant. II. 1787, 325.
stricta Ancilla, F. C. Meuschen, Mus. Gev. 1787, 246.
stricta Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 438.
stricta Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 409; ed. 12, 1767, 660.
stricta Cetonia, A. G. Olivier, Entom. I. 1789, 79.
strictus Cyllindrus, F. C. Meuschen, Mus. Gev. 1787, 374.
stricta Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 641.
stricta Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 135 [n. n.].
stricta Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6 [n. n.].
stricta Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxv.
stricta Tipula, *id. ac* strictica, Mant. II. 325, J. C. Fabricius, Ent. Syst. IV. 1794, 245.
stricta Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 183.
strictus Vibrio, O. F. Müller, An. Infus. 1786, 71.
stridens Sciaena, P. Forskal, Descr. Anim. 1775, 50.
stridens Sciaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1303.

- stridulum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 100.
 stridulum Acridium (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 261.—Gryllus.
 stridula Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 706.
 stridulus Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 403.—Reduvius.
 stridulus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 701.
 stridula Mutilla, P. Rossi, Mant. Ins. I. 1792, 148.—Tiphia, 1790.
 stridulus Reduvius, J. C. Fabricius, Mant. II. 1787, 309.
 stridula Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
 stridula Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 679.—Cicada.
 stridula Tiphia, P. Rossi, Fauna Etrus. II. 1790, 68.
 striga Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.
 strigalis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 274.
 strigalis Phalaena (Pyr.) Fab., C. de Villers, Linn. Ent. II. 1789, 442.—Phalaena.
 strigana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 413.—Pyralis.
 strigana Pyralis, J. C. Fabricius, Syst. Ent. 1775, 654.
 strigaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 95 [*n. et f.*].
 strigaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 831.
 strigaria Phalaena (Geom.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2458.
 strigator Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 173.
 strigatulus Lepas, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 644.
 strigata Andrena, J. C. Fabricius, Ent. Syst. II. 1793, 311.
 strigata Bibio, J. C. Fabricius, Ent. Syst. IV. 1794, 255.
 strigatum Buccinum, O. F. Müller, Verm. II. 1774, 148.
 strigatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
 strigata Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3430.—Buccinum.
 strigata Cassida, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 81.
 strigata Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 113.
 strigata Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 79.
 strigatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 735.
 strigatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 467.
 strigatus Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea strigella, 1794.
 strigata Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
 strigata Fasciola, O. F. Müller, Verm. I (2) 1774, 66.
 strigatus Gobius, P. M. A. Broussonet, Ichth. 1782.
 strigata Helix, O. F. Müller, Verm. II. 1774, 61.
 strigata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191 [no. 2279].
 strigata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191 [no. 2288]. [Cypris.
 strigatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—
 strigata Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.—Stratiomys.
 strigata Nitidula, J. C. Fabricius, Mant. I. 1787, 51.
 strigatum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
 strigata Phalaena, Scopoli, Ent. Carn. 1763, 218.
 strigata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 283.
 strigata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 171.
 strigata Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 51.
 strigata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
 strigatus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 185.
 strigata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
 strigata Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 223.—Nitidula.
 strigata Stratiomys, J. C. Fabricius, Spec. Ins. II. 1781, 417.
 strigatus Strongylus (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 187.—Nitidula.
 strigatum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
 strigatus Turbo, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 637.
 Strigea P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 37.—Ver.
 strigella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 293.
 strigella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 308.
 strigialis [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 56.
 strigilaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 109 [*n. et f.*].

- strigillaria Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 13.
- strigillatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 741; ed. 12, 1767, 1206.
- strigilatus Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen.
- strigilata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 341.
- strigilatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.
- strigilatus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 49.
- strigilata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767, 872.
- strigilata Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
- strigilatus Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 673; ed. 12, 1767, 1115.
- strigilatus Strombus (L.), F. C. Meuschen, Mus. Gev. 1787, 294.—Buccinum.
- strigilata Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 98.
- strigilatus Trogon, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
- strigilella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 87.
- strigillis Coluber, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 22.
- strigillis Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 516; ed. 12, 1767, 851.
- strigillis Sphinx, Linnaeus, Mant. II. 1771, 538.
- strigirostris Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 42.
- strigis Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3045.
- strigis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3055.
- strigis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3040.
- strigis Hippobosca, J. A. Scopoli, Annus V. 1772, 124.
- strigis Pediculus, E. Pontoppidan, Danske Atlas, I. 1763, 699.
- strigis Pediculus, J. A. Scopoli, Annus V. 1772, 124.
- strigis Pediculus, J. C. Fabricius, Syst. Ent. 1775, 806.
- strigosula Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3634.
- strigosus Anarhichas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1144.
- strigosa Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 16.
- strigosus Astacus (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 15.—Cancer.
- strigosa Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 454.
- strigosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
- strigosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3488.
- strigosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3494.
- strigosus Cancer, Linnaeus, Faun. Suec., ed. 2, 1761, 495.
- strigosus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (1) 1799, 55.
- strigosus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 49.
- strigosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
- strigosus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1822.
- strigosa Cetonia, A. G. Olivier, Entom. I. 1789, 84.
- strigosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
- strigosus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1716.
- strigosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- strigosa Galathea (L.), J. C. Fabricius, Ent. Syst. II. 1793, 471.—Cancer.
- strigosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
- strigosa Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1877.
- strigosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
- strigosa Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 322.
- strigosa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88.
- strigosus Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 412.—Cancer.
- strigosus Papilio Dan., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2290.
- strigosa Phalaena Bomb., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2433.
- strigosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 278.
- strigosa Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
- strigosa Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 49.
- strigosa Spongia, P. S. Pallas, Elench. 1766, 397.
- strigosa Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3239.
- strigosa Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 217.
- strigosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3573.
- strigosa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.

- strigulalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 7 & 8 [2].
 strigulana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 233.—Phalaena.
 strigulana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
 strigulata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 192.
 strigula Bombyx, J. C. Fabricius, Syst. Ent. 1775, 577.
 strigula Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 334.
 strigula Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 69.
 strigula Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 181.—
 strilidore Papilio, Linnaeus, Amoen. Acad. VI. 1763, 405. [Noctua.
 striolata Cicindela, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 114.
 striola Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 146.
 stritos Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
 Strix Linnaeus, Syst. Nat., ed. 10, 1758, 92; ed. 12, 1766, 131.—A.
 strix Bombyx (Cr.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 56.—Phalaena.
 strix Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 506.
 strix Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 591.—Phalaena.
 strix Phalaena, P. Cramer, Uitl. Kapellen, II (13) 1777, 77.
 strix Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 508; ed. 12, 1767, 833.
 strobilana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 70 [*n. et f.*].
 strobilata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 352.
 strobilella [Phalaena], C. Clerck, Icones, I. 1759, pl. xii. 10.
 strobilella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
 strobilella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 662.—Phalaena.
 strobilellae Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
 strobili Cynips, *id. ac salicis-strobili*, L., F. v. P. Schrank, Ins. Aust. 1781, 320.
 "strobiloides Grapholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 174.
 strobiniellae Cynipsichneumon, J. L. Christ, Nat. Ins. 1791, 385.
 stroemella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 303.
 strömia Lepas, O. F. Müller, Z. Dan. Prod. 1776, 251.
 stromianus Cancer (Gammarellus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793,
 stroemianus Oniscus, O. Fabricius, F. Groen. 1780, 261. [134.—Oniscus.
 stroemiana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 407.—Pyralis.
 stroemiana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 280.
 stroemiana Tortrix (Fab.), C. P. Thunberg, Ins. Suecica (1) 1784, 21.—Pyralis.
 strömei Parus, J. Latham, Index Orn. 1790, 563.
 stroemii Salmo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1374.
 stroemii Zeus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 398.
 stroglylonurus Manatus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 732.
 Stromateus Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432; [Artedi, Ichth.
 1738, gen. xv, p. 19].—P.
 Strombiformis E. M. da Costa, Brit. Conch. 1778, 107.—G.
 strombiformis Murex, C. U. v. Salis, Reise Neapel, 1793, 373.
 Strombites J. Gesner, Tract. Petref. 1758, 56.—G.
 stromboides Buccinum, J. Hermann, Naturforscher, XVI. 1781, 54.
 Strombus Linnaeus, Syst. Nat., ed. 10, 1758, 742; ed. 12, 1767, 1207.—G.
 Strombus [G. Humphreys], Mus. Calonn. 1797, 39.—G.
 Strongylus J. A. E. Goeze, Eingeweidewürm. 1782, 137.—Ver.
 Strongylus O. F. Müller, Zool. Dan. II. 1784, 6.—Ver.
 Strongylus Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 179.—Col.
 strongilus Sparus, P. Forskall, Descr. Anim. 1775, xv.
 structor Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [*n. n.*]; Essai
 structus Musca, M. Harris, Exp. Eng. Ins. 1776, 147. [Fourmis, 1798, 46.
 strues Tubipora, A. Modeer, K. Vet. Ac. Nya Handl. IX. 1788, 247.
 strumarius Gryllus (Mantis), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[Mantis, ed. 12.]
 strumaria Mantis, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[Gryllus, ed. 10.]
 Strumbus, *err. pro Strombus* P. Browne, Hist. Jamaica, ed. 2, 1789, 404.
 strumosa Ascaris, J. A. Frolich, Naturforscher, XXV. 1791, 82.
 strumosus Buffo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.

- strumosa** Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 64.
strumosus Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 26.—*Lacerta*.
strumosa *Lacerta*, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
strumosa *Musca*, Scopoli, Ent. Carn. 1763, 343.
strumosa *Salamandra* (Linn.), J. N. Laurenti, Syn. Rept. 1768, 42.—*Lacerta*.
strumosus *Staphylinus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 525.
Struthio Linnaeus, Syst. Nat., ed. 10, 1758, 155; ed. 12, 1766, 265.—*A*.
struthio-camelus *Sirex*, C. de Villers, Linn. Ent. III. 1789, 132.
struthiopennella *Tinea*, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
stubberica *Sterna*, J. M. Bechstein, Gem. Nat. Deutschl. II. 1791, 828.
stultorum *Callistoderma* (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—*Mactra*.
stultorum *Cardium*, Linnaeus, Syst. Nat., ed. 10, 1758, 681.—[*Mactra*, ed. 12.]
stultorum *Mactra*, Linnaeus, Syst. Nat., ed. 12, 1767, 1126.
stultus *Curculio*, J. C. Fabricius, Mant. I. 1787, 107.
stulta *Fringilla*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 919.
stupata *Pennatula*, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 283.
stupida *Bibio*, P. Rossi, Fauna Etrus. II. 1790, 277.
stupidus *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 139.
stuposa *Noctua*, J. C. Fabricius, Ent. Syst. III (2) 1794, 42.
stuposa *Spongia*, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 186.
Sturio G. Edwards in M. Catesby, Carol. I. 1771, xxxiii.—*P*.
sturio *Acipenser*, Linnaeus, Syst. Nat., ed. 10, 1758, 237; ed. 12, 1766, 403.
sturionis *Echinorhynchus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3050.
sturionis *Hirudo*, P. C. Abildgaard, Skr. nat. Selsk. [Copen.], III (2) 1794, 56.
sturni *Ascaris*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
sturni *Pediculus*, J. R. Forster, Cat. Brit. Ins. 1770, 16 [n. n.].
sturni *Pediculus*, F. v. P. Schrank, Beitr. Nat. 1776, 118.
sturni *Taenia*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3071.
sturnina *Gracula*, P. S. Pallas, Reise Russ. III. 1776, 695.
sturninus *Sturnus* (Pall.), F. M. Daudin, Traité élém. Orn. 1800, 322.—*Gracula*.
Sturnus Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 290.—*A*.
sturnus *Curculio*, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 280.
stuticus *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 272.
stuttnesia *Alca*, Borowski, Gem. Nat. Thiere, III. 1782, 34.
stygia *Musca*, J. C. Fabricius, Spec. Ins. II. 1781, 438.
stylatus *Asilus*, J. C. Fabricius, Syst. Ent. 1775, 795.
stylata *Hydrachna*, F. v. P. Schrank in Moll, Oberdeutsche Beyträge, I. 1787, 139.
stylata *Musca*, J. C. Fabricius, Syst. Ent. 1775, 785.
stylata *Stomoxys*, J. C. Fabricius, Ent. Syst. IV. 1794, 396.
Stylephorus G. Shaw, Tr. Linn. Soc. [Lond.], I. 1791, 90.—*P*.—[non 1788, teste Agassiz.]
Styrex J. A. Scopoli, Ent. Carn. 1763, 367.—*Dip*.
styriaca *Raphidia*, N. Poda, Ins. Mus. Graec. 1761, 101.
styx *Zygaena*, J. C. Fabricius, Syst. Ent. 1775, 556.
suasa *Noctua*, [Denis & Schiffermüller], Schmett. Wien, 1775, 83. [Noctua.
suasa *Phalaena Noctua* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 457.—
suaveolens *Cerambyx*, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 224.
suavis *Chrysis*, J. L. Christ, Nat. Ins. 1791, 406.
subalata *Distorsio*, J. F. Bolten, Mus. Bolten. (2) 1798, 134.
subalbidus *Coluber*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1103.
subalpina *Chrysomela*, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 192.
subangularis *Cidaris*, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 106.
subangularis *Echinus* (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3172.—
subapterus *Cimex*, C. de Geer, Mém. Ins. III. 1773, 287. [Cidaris.
subarator *Scarabaeus*, O. F. Müller, Z. Dan. Prod. 1776, 53.
subarcuatulus *Nautilus*, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 642.
subarcuata *Phalaena Geom.*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
subarcuatus *Turbo*, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 66.
subarquata *Scolopax*, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIX. 1775, 471.

- subater Cimex, M. Harris, Exp. Eng. Ins. 1776, 90.
 subater Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
 subaurata Apis, P. Rossi, Mant. Ins. I. 1792, 144.
 subbrunneus Sparus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 299.
 subbuteo Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 7.—Falco.
 subbuteo Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 89; ed. 12, 1766, 127.
 subbuteo Falco, R. Kerr, Anim. Kingd. 1792, 521; var. borealis.
 subbuteonis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3033.
 subcaeruleus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 104.
 subcaerulea Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 77.
 subcarinatus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2082.
 subclavatum Distoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 185.
 subclavata Planaria, J. A. E. Goeze, Eingeweidewürm. 1782, 178.—[? a specific name.]
 subcoleoptrata Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1006. [Conops.
 subcoleoptrata Musca (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2869.—
 subcoleoptratus Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 764.—Conops.
 subcoleoptrata Thereva (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 560.—Conops.
 subcorticalis Phalaena, Hufnagel, Berl. Mag. III. 1767, 308.
 subcristatus Colymbus, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 37.
 subcutaneus Cynipsichneumon (L.), J. L. Christ, Nat. Ins. 1791, 390.—Ichneumon.
 subcutaneus Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 568; ed. 12, 1767, 940.
 subcutanea Musca, C. Bjerkander, K. Vet. Ac. Nya Handl. XIV. 1793, 57.
 subcyaneus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 84.
 subcylindrica Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3652.
 subdipterus Ripiphorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 109.
 subdivisum Vexillum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 139.—Voluta.
 subdivisa Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3453.
 suberaria Phalaena, E. Donovan, Brit. Ins. VII. 1798, 91.
 suberosa Gorgonia, P. S. Pallas, Elench. 1766, 191.
 suberosus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1586.—
 suberosa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 266. [Trox.
 suberosus Trox, J. C. Fabricius, Syst. Ent. 1775, 31.
 subfalcatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
 subfasciatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
 subfasciatus Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
 subferruginea Cassida, F. v. P. Schrank, Beitr. Nat. 1776, 62. [1791.
 subflavaria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 327.
 subflavus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 76.
 subflava Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
 subflava Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
 subflava Sylvia (Gm.), J. Latham, Index Orn. 1790, 535.—Motacilla.
 subfuscus Cypraea, T. Martyn, Univ. Conch. III [1789], fig. 96.
 subfuscus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
 subfuscus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1094.
 subfuscus Elater, O. F. Müller, F. Ins. Frid. 1764, 17.
 subfuscus Labrus, J. A. Donndorff, Zool. Beyt. III. 1798, 477.
 subglobosus Carabus, G. Paykull, Mon. Carab. 1790, 88.
 subglobosus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1805. [Spatangus.
 subglobosus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3198.—
 subglobosa Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2007.—
 subglobosus Spatangus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 240. [Tenebrio.
 subglobosus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 50.
 subgutturosa Antilope, A. I. Gueldenstaedt, Acta Ac. Sci. Petrop. 1778 (1), 1780, 251.
 subis Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 344.
 sublatus Musca, M. Harris, Exp. Eng. Ins. 1776, 125.
 sublimis Phalaena, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2549.
 sublividus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 183.
 sublobatus Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3049.

- sublucanus Cancer, P. Forskal, Descr. Anim. 1775, 94.
 sublucanus, *var. lucidus* Cancer, P. Forskal, Descr. Anim. 1775, xxi.
 sublucanus Cancer (Astaycus) Forsk., J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 66.
 sublustris Phalaena Noct. (*ex* Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 130.
 subluteus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 65.
 submarginalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
 submarinus Julus, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 303.
 submersa Globosa, F. C. Meuschen, Mus. Gever. 1787, 382.
 subnigra Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
 subnigra Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 subocellatus Cerambix, A. G. Olivier, Entom. IV. 1795, 69.—Lamia, 1792.
 subocellatus Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 459.
 suboratus Angarius, F. C. Meuschen, Mus. Gever. 1787, 256.
 subpilosus Cerambyx, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.
 subpinnata Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 101.
 subpraepitium Voluta, D. L. G. Karsten, Mus. Lesk. I. 1789, 227.
 subpunctata Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1673.
 subpunctata Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 51.
 subpunctatus Crabro, P. Rossi, Fauna Etrus. II. 1790, 95.
 subquadrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2492.
 subrotundus Echinodiscus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 206.
 subrotundus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3191.—
 subrotundus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 184. [Echinodiscus.
 subrotunda Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3318.
 subrubicunda Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 156.
 subrubicunda-radiata Tellina, T. Martyn, Univ. Conch. IV [1792], fig. 159.
 subrubra Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 subrufescens Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 268.
 subrufus Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 201.
 subrufus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2168.
 subrufus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
 subrufus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 418.
 subrufus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2718.
 subrufus Limax, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 267.
 subrufa Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
 subrufus Ostrea (Penn.), E. Donovan, Brit. Shells, pl. xii (1799).—Pecten.
 subrufus Pecten, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 86.
 subrufa Phalaena, Giorna, Cal. Ent. 1791, 91.
 subrufa Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 subrufus Turbo, J. Adams, Tr. Linn. Soc. [Lond.], V. 1800, 3.
 subrugosa Buprestis, G. Paykull, Faun. Suec. II. 1799, 218.
 subsequella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me justice 1796], 42.
 subsequa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 79.
 subsequa Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 32.
 subspinosa Auchenia, C. P. Thunberg, N. Acta Soc. Sci. Upsal. V. 1792, 116.
 subspinosa Chrysomela (Fab.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.
 subspinosa Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 155. [1723.—Crioceris.
 subspinosus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
 Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 93.—Crioceris, 1781.
 subspinosa Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 347.
 subspinosa Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39. [Melolontha.
 subspinosus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
 subspiralis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3712.
 substigmatisata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2581.
 substrialis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2528.
 substriatus Apate, G. Paykull, Faun. Suec. III. 1800, 142.
 substriatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1987.
 substriata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.

- substriata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
 substriatus Staphylinus, G. Paykull, Mon. Carab. 1790, 137.
 subsultans Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 993.
 subsultans Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 304.
 subterranea Anas, J. A. Scopoli, Annus I. 1769, 67.
 subterraneus Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 20.—Scarabaeus.
 subterranea Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577 [no. 18]. [no. 51].
 subterranea Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579 [no. 35]; ed. 12, 1767, 961.
 subterraneus Carabus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 49.—Scarites.
 subterraneus Copris (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 55.—Scarabaeus.
 subterraneus Crabro, J. C. Fabricius, Syst. Ent. 1775, 374. [Essai Fourmis, 1798, 49.
 Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.];
 subterranea Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 70.
 subterraneum Opatrum, J. C. Fabricius, Suppl. Ent. Syst. 1798, 41.
 subterraneus Oxyporus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 532.—Staphylinus.
 subterranea Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
 subterraneus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 348; ed. 12, 1767, 548.
 subterraneus Scarites, J. C. Fabricius, Syst. Ent. 1775, 249.
 subterranea Scolopendra, G. Shaw, Tr. Linn. Soc. [Lond.], II. 1794, 9.
 subterranea Sphex, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.
 subterraneus Staphylinus, Linnaeus, Syst. Nat., ed. 10, 1758, 422; ed. 12, 1767, 684.
 subterraneus Tenebrio (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1993.—
 Scarites.
 subterranea Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—
 subtestaceus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2720. [Crabro.
 subtile Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
 subtilis Mus, P. S. Pallas, Reise Russ. II. 1773, 705.
 subtomentosa Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
 subtomentosa Pemelia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 56.
 subtridactyla Tringa, Linnaeus in Hasselquist, Palast. 1762, 307.
 subtruncata Trigonella, E. M. da Costa, Brit. Conch. 1778, 198.
 subtusa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 88. [650.—Noctua.
 subtusa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 subuculus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 171.
 subuculus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3183.—
 subuculus Terebella, J. F. Bolten, Mus. Bolten. (1) [1798], 17. [Echinites.
 subula Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89.
 subulatum Aedydium (L.), J. C. Fabricius, Syst. Ent. 1775, 279.—Gryllus.
 subulata Aedemera, A. G. Olivier, Entom. III. 1795, 15.
 subulata Anas, S. G. Gmelin, Reise Russ. I (1770) 13.
 subulata Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 11.
 subulatum Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1205.
 subulatum Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 41.
 subulata Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 119.
 subulata Empis, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 23.
 subulatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
 subulata Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767, 693.
 subulata Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
 subulata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2860.
 subulata Planaria, O. Fabricius, F. Groen. 1780, 326.
 subulatus Pteromalus, N. S. Swederus, K. Vet. Ac. Nya Handl. XVI. 1795, 216.
 subulatus Strombus (L.), F. C. Meuschen, Mus. Gever. 1787, 294.—Buccinum.
 subulata Tentredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
 subulatum Terebra (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—Buccinum.
 subulo Prionus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 38.
 subumbrata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
 subumbrata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 233 [n.
 suburbanus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [n. n.]. [et f.].

- subventus** Musca, M. Harris, Exp. Eng. Ins. 1776, 145.
subvillosa Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
subvillosa Coccinella, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 183.
subvillosa Lytta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2016.
subvillosus Tenebrio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1999.
subviridis Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 108.
subviridis Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
succé Anas, J. P. Bonnatere, Ency. Méth. (Orn.) 1790, 134.
succedana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
succenturiata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 236
succenturiata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 606. [n. et f.]
succenturiata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 528; ed. 12, 1767,
succinatorium Anadema, F. C. Meuschen, Mus. Gev. 1787, 482. [872.
succincta Alata (L.), F. C. Meuschen, Mus. Gev. 1787, 336.—Strombus.
succinctus Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 215.—Gryllus.
succincta Andrena (L.), J. C. Fabricius, Syst. Ent. 1775, 378.—Apis.
succincta Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955.
succinctum Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 45.
succinctus Carabus, A. G. Olivier, Entom. III. 1795, 100.
succinctus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.
succincta Chrysis, Linnaeus, Syst. Nat., ed. 12, 1767, 947.
succinctus Cimex, Linnaeus, Amoen. Acad. VI. 1763, 400.
succinctus Curculio, J. C. Fabricius, Gen. Ins. 1777, 227.
succincta Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
succinctus Endomychus (L.), G. Paykull, Faun. Suec. II. 1799, 114.—Silpha.
succinctus Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 398.
succinta Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 62.—Strombus.
succinctus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex.
succincta Melolontha (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 181.—
succinctus Murex, Linnaeus, Mant. II. 1771, 551. [Trichius.
succinctus Murex, F. C. Meuschen, Mus. Gev. 1787, 332.
succincta Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2866.
succincta Nerita, F. C. Meuschen, Mus. Gev. 1787, 268.
succinta Nomada, J. A. Scopoli, Annus IV. 1770, 45.
succincta Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 21.
succincta Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3735.
succincta Porcellana (L.), F. C. Meuschen, Mus. Gev. 1787, 400.—Cypraea.
succinctus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 18.
succinctus Scarabaeus (Fab.), C. de Villers, Linn. Ent. IV: 1789, 211.—Trichius.
succincta Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 573.
[s]uccinctus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212.
succincta Tellina, L. Spengler, Skr. nat. Selsk. [Copen.], IV (2) 1798, 85.
succinctus Trichius (Pall.), J. C. Fabricius, Mant. I. 1787, 25.—Scarabaeus.
succincta Tritoma (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.—Silpha.
succincta Venus, Linnaeus, Mant. II. 1771, 546.
succincta Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 694.
succineus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 308.—Helix.
"succineus" Entomolithus, Linnaeus, Syst. Nat., ed. 12, III. 1768, 161.
succinea Gongonia, P. S. Pallas, Elench. 1766, 200.
succinea Helix, O. F. Müller, Verm. II. 1774, 97.
succinea Helix, Studer in Coxe, Trav. Switz. III. 1789, 385 [n. n].
succineus Limax, O. F. Müller, Verm. II. 1774, 7.
succinea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV., Abschn. 2 [post 1796],
succinea Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74. [37.
succineus Psittacus, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 6 [n. n].
succisa Trichoda, O. F. Müller, An. Infus. 1786, 192.
succollator Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 48.
succollata Vorticella, O. F. Müller, An. Infus. 1786, 287.

- suecica Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2794.
 suecica Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1899.
 suecicus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
 suecicus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1796.
 suecicus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1907.
 suecica Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 35.—Motacilla.
 suecica Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187; ed. 12, 1766, 336.
 suecica Sylvia (L.), J. Latham, Index Orn. 1790, 521.—Motacilla.
 suero [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 3.
 suetonius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 320.
 sufflator Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 127.
 suffumata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 316.
 suffumata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 306 [r.
 suffusa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 80. [et f.].
 suffusa Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 549.—
 Noctua.
 sugillatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 561; ed. 12, 1767, 930.
 Suillus G. Edwards in M. Catesby, Carol. II. 1771, 15.—P.
 Suillus M. Catesby, Pisc. &c. Imag. 1777, 15.—P.
 suillus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 402.
 suillus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 476.
 suillus Mus, J. C. D. Schreber, Säugth. IV. 715 (1782), pl. cciv B (1782).
 suilla Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 343.
 suilla Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
 suilla Simia, R. Kerr, Anim. Kingd. 1792, 59.
 suillus Spalax (Schr.), H. F. Link, Beytr. Nat. I (2) 1795, 76.—Mus.
 suillus Tapir, J. F. Blumenbach, Hand. Naturg. 1779, 129.
 suis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
 suis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1017.
 suis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3074.
 suis Trichocephalus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 5.
 sujef Muraenoides, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 324.
 sujefianus Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
 Sukotyryus R. Kerr, Anim. Kingd. 1792, 114.—M.
 Sula M. J. Brisson, Ornith. VI. 1760, 495.—A.
 Sula B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 16.—A.
 sula Pelecanus, Linnaeus, Syst. Nat., ed. 12, 1766, 218.
 sulcatella Cetonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 14.
 sulcatella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
 sulcator Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.—Scarabaeus.
 sulcator Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
 sulcatus Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
 sulcata Actinia, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 40.
 sulcata Anomia, J. X. Poli, Test. Sicil. II. 1795, 187.
 sulcata Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
 sulcata Ascidia, A. Coquebert, Bull. Sci. Soc. Philom. [Paris], no. 1, 1797, 1.
 sulcatus Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 163.
 sulcata Blaps, J. C. Fabricius, Syst. Ent. 1775, 254.
 sulcatum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 251.
 sulcatum Buccinum, F. C. Meuschen, Mus. Gev. 1787, 304.
 sulcatus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 300.—Helix.
 sulcata Buprestis, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 90.
 sulcata Buprestis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 235.
 sulcatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
 sulcatus Cancer, P. Forskal, Descr. Anim. 1775, 92.
 sulcata Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 324.—Cucujus.
 sulcatus Carabus, C. de Geer, Mém. Ins. IV. 1774, 104.
 sulcatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 326.

- sulcatus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 443.
 sulcatus Carabus, A. G. Olivier, Entom. III. 1795, 24.
 sulcata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 405.
 sulcata Cassis, F. C. Meuschen, Mus. Gever. 1787, 386.
 sulcatus Cerambyx, J. H. Sulzer, Gesch. Ins. 1776, 45.
 sulcatus Cerambyx, A. G. Olivier, Entom. IV. 1795, 28.
 sulcatum Cerithium (Born), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 486.—Murex.
 sulcata Cetonia, A. G. Olivier, Entom. I. 1789, 36.
 sulcata Chama, D. Solander in G. Brander, Foss. Hant. 1766, 40.
 sulcatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 43.
 sulcata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
 sulcatum Colydidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 495.
 sulcatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 618.
 sulcatus Cucuius, J. C. Fabricius, Mant. I. 1787, 165.
 sulcatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 155.
 sulcatus Curculio, F. v. P. Schrank, Ins. Aust. 1781, 126.
 sulcatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 117.
 sulcatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1779.
 sulcatum Cylonium (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 31.—Ips.
 sulcatus Dasycerus, Al. Brongniart, Bull. Sci. Soc. Philom. [Paris], no. 39, 1800, 115.
 sulcatus Dermestes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 2.
 sulcatus Dermestes, P. Rossi, Mant. Ins. II. 1794, 80.
 sulcatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 67.
 sulcatus Dytiscus, Linnaeus, Syst. Nat., ed. 10, 1758, 412; ed. 12, 1767, 666.
 sulcatum Echinoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—= Anomia of p. 187.
 sulcatus Elater, J. C. Fabricius, Gen. Ins. 1777, 234.
 sulcatus Elater, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 162.
 sulcata Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 219.
 sulcata Helix, O. F. Müller, Verm. II. 1774, 108.
 sulcata Hispa, J. C. Fabricius, Ent. Syst. IV. 1794, 448.
 sulcatus Hister, C. E. v. Moll, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 172.
 sulcatus Hister (Fourc.), A. G. Olivier, Entom. I. 1789, 17.—Scarabaeus.
 sulcatus Ichneumon, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 216.
 sulcata Ips, A. G. Olivier, Entom. II. 1790, 4.
 sulcatus Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 sulcatus Lucanus, J. A. Scopoli, Annus V. 1772, 76.
 sulcatus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 324.
 sulcatus Murex, F. C. Meuschen, Mus. Gever. 1787, 332.
 sulcatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
 sulcatus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
 sulcata Nerita, I. v. Born, Index Mus. Caes. Vind. 1778, 416.
 sulcata Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 247.
 sulcatum Opatrum, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 226.
 sulcatum Opatrum, C. P. Thunberg, Ins. Suecica (5) 1794, 67.
 sulcata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 83.
 sulcata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 86.
 sulcatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
 sulcatus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 192.
 sulcata Perna, A. J. Retzius, Diss. Nova Test. Gen. 1788, 22.
 sulcata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2000.—Blaps.
 sulcata Pimelia, A. G. Olivier, Entom. III. 1795, 17.
 sulcatus Prionus, A. G. Olivier, Entom. IV. 1795, 39.
 sulcatus Ptinus, J. C. Fabricius, Spec. Ins. I. 1781, 73.
 sulcatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 54.
 sulcatus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 13.
 sulcatus Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 76.
 sulcatus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 24.
 sulcatus Scarites, A. G. Olivier, Entom. III. 1795, 7.

- sulcatus Scarus, J. C. Fabricius, Ent. Syst. I (1) 1792, 93.
 sulcata S[er]pula, J. Adams, Tr. Linn. Soc. [Lond.], III. 1797, 254.
 sulcata Serpula Lagena, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 634.
 sulcatus Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 97.
 sulcatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 168.
 sulcatus Staphylinus, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
 sulcatus Staphylinus, G. Paykull, Mon. Staph. 1789, 32.
 sulcatus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 98 [n. n.].
 sulcata Tellina, D. Solander in G. Brander, Foss. Hant. 1766, 37.
 sulcata Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
 sulcatus Tenebrio, J. C. Fabricius, Ent. Syst. I (1) 1792, 110.
 sulcata Testudo, J. F. Miller, Icon. Anim., pl. 26 (1779).
 sulcata Testudo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1045.
 sulcatus Throx, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 38.
 sulcata Trichoda, O. F. Müller, Zool. Dan. II. 1784, 100.
 sulcata Tritoma, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 39.
 sulcata Tritoma, C. P. Thunberg, Ins. Suecica (8) 1794, 100.
 sulcatus Trochus, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 35.
 sulcatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 280.
 sulcata Trogosita (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 116.—Ips.
 sulcatus Trox, A. G. Olivier, Entom. I. 1789, 11.
 sulcatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3592.
 sulcata Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3610.—Helix.
 sulcatus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 89 [n. n.].
 sulcata Venus, J. Hermann, Naturforscher, XV. 1781, 127.
 sulcata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181 [n. n.].
 sulcata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3436.
 sulcata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3455.
 sulcicollis Carabus, G. Paykull, Faun. Suec. I. 1798, 153.
 sulcicollis Curculio, G. Paykull, Faun. Suec. III. 1800, 217.
 sulcicornis Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 61.
 sulcidorsum Involvulus, F. v. P. Schrank, F. Boica, I. 1798, 477.
 sulcifrons Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 132.
 sulcifrons Curculio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 113.
 sulcirostris Curculio, Linnaeus, Syst. Nat., ed. 12, 1767, 617.
 sulcosum Buccinum, I. v. Born, Index Mus. Caes. Vind. 1778, 230.
 sulcosum Buccinum, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 151.
 sulcosa Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 422.
 sulima [Phalaena], C. Stoll, Aanhang. Cramer's Utit. Kapellen, V. 1790, 175.
 sulphurago Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 86.
 sulphuralis [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (29) 1781, 113.
 sulphuralis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 12, 1767, 881.
 sulphuralis Pyralis, C. P. Thunberg, Ins. Suecica (1) 1784, 16.
 sulphurana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 273.
 sulphuraria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 142.
 sulphuratus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
 sulphuratus Cuculus, H. Lichtenstein, Cat. rerum Nat. I. 1793, 15.
 sulphuratus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 65.
 sulphuratus Lanius, Linnaeus, Syst. Nat., ed. 12, 1766, 137.
 sulphurata Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 305.
 sulphurata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 639.
 sulphuratus Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
 sulphurea-caudata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 49.
 sulphurella Alucita, J. C. Fabricius, Syst. Ent. 1775, 670.
 sulphurella Phalaena (Tin.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 506.—Alucita.
 sulphurella Tinea, J. C. Fabricius, Gen. Ins. 1777, 296.
 sulphurella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 64.
 sulphurella Tinea (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.—Alucita.

- sulphureo-maculata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer. 1783, 47.
 sulphureum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 227.—Gryllus.
 sulphurea Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 292.
 sulphurea Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 230.
 sulphureus Bombylius, J. C. Mikán, Mon. Bomb. 1796, 52.
 sulphurea Bombyx, J. C. Fabricius, Gen. Ins. 1777, 279.
 sulphurea Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—Ostrea.
 sulphurea Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 376; ed. 12, 1767, 602.
 sulphurea Cistela (L.), J. C. Fabricius, Syst. Ent. 1775, 117.—Chrysomela.
 sulphurea Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 77.
 sulphureus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.—
 sulphurea Ephemera, O. F. Müller, Z. Dan. Prod. 1776, 142. [Chrysomela.
 sulphureus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 369.
 sulphureus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
 sulphurea Noctua (L.), [Denis & Schiffermüller], Schmett. Wien, 1775, 93.—Phal. (P.)
 sulphuralis.
 sulphurea Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 85.
 sulphurea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
 sulphureus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 330.
 sulphurifer Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 62.
 sulphitia [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 37.
 sulphitia [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 77.
 sulphitia Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2336.
 sulphitia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 245.
 sultana Tubularia, J. F. Blumenbach, Handb. Naturges. I. 1779, 441.
 sultureus Papilio, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 158.
 sultzella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 896.
 sulzerella Tinea, J. C. Fabricius, Spec. Ins. II. 1781, 301.
 sulzeri Carabus, F. v. P. Schrank, F. Boica, I. 1798, 612.
 sulzeri Cimex, N. J. Brahm, Ins. Kal. I (2) 1791, 223.
 sulzeri Scarabaeus, J. C. Fuessly, Schweiz. Ins. 1775, 3.
 sulzeriana Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 55.
 sumatranus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
 sumatraensis Antilope, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 98.
 sumatrensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 655.
 sumatrensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1712.
 sumatrensis Perca, M. Park, Tr. Linn. Soc. [Lond.], III. 1797, 36.
 summana Perca, P. Forskal, Descr. Anim. 1775, 42.
 summana, *v.* fusco-guttata Perca, P. Forskal, Descr. Anim. 1775, 42.
 summus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 45.
 sumptuosa Chrysomela, J. C. Fabricius, Suppl. Ent. Syst. 1798, 88.
 sumptuosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 525.
 sunamisica Sylvia (Habl.), J. Latham, Index Orn. 1790, 552.—Motacilla samamisica.
 sungorus Mus, P. S. Pallas, Reise Russ. II. 1773, 703.
 sungora Mutilla, P. S. Pallas, Reise Russ. II. 1773, 730.
 superbiens Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
 superbus Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
 superba Cassida, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1644.
 superba Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
 superba Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 705.
 superbus Cimex, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781), 268.
 superbus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
 superbus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 350.
 superbus Ichneumon, J. L. Christ, Nat. Ins. 1791, 357.
 superbus Manacus, P. S. Pallas, Spic. Zool. VI. 1769, 8.
 superbus Merops, G. Shaw, Nat. Misc. III. 1791, pl. 78.
 superba Motacilla, G. Shaw, Nat. Misc. I. 1789, pl. 10.
 superbus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VI. 1793, 14.

- superba* Paradisea, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
superba Paradisaea, J. A. Scopoli, Del. Insub. II. 1786, 88.
superba Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 402.
superbus Phasianus, Linnaeus, Mant. II. 1771, 526.
superba Pipra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 999.
superbus Scarabaeus, C. de Villers, Linn. Ent. I. 1789, 36.
superbus Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
superba Upupa, J. Latham, Index Orn. 1790, 279.
superbus Vespa, M. Harris, Exp. Eng. Ins. 1776, 129.
superbum Vexillum, J. F. Bolten, Mus. Bolten. (2) 1798, 139.
superciliosa Alcedo, Linnaeus, Syst. Nat., ed. 12, 1766, 179.
superciliosa Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 537.
superciliosus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 257; ed. 12, 1766, 442.
superciliosus Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 629; ed. 12, 1767, 1047.
superciliosus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 728.
superciliosus Cimex, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 116.
superciliosus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 128.
superciliosa Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 16.—*Lacerta*.
superciliosa Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 200; ed. 12, 1766, 360.
superciliosa Loxia, F. M. Daudin, Traité élém. Orn. 1800, 415.
superciliosus Merops, Linnaeus, Syst. Nat., ed. 12, 1766, 183.
superciliosa Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 975.
superciliosa Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 944.
superciliosa Sylvia (Gm.), J. Latham, Index Orn. 1790, 526.—*Motacilla*.
superciliosus Todus, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 271.
superciliosus Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 189.
superficialis Ostrea, P. Forskal, Descr. Anim. 1775, 123.
superstitiosus Cimex, J. C. Fabricius, Syst. Ent. 1775, 719.
superstitiosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 153.—*Cimex*.
superstitiosa Mantis, J. C. Fabricius, Spec. Ins. I. 1781, 348.
supposita Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 578.
suratensis Chaetodon, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 3.
suratensis Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 778.
suratensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 669.
suratensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 814.
suratus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 362.
surcinator Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
surculosus Spondylus, F. C. Meuschen, Mus. Gev. 1787, 432.
surculosa Spongia, E. J. C. Esper, Pflanzenth., Forts. I (8) 1797, 194.
suricatta Viverra, *see* J. C. D. Schreber, Säugth. III., pl. xcvi (1776).
suricatta Viverra [Schr.], J. C. P. Erxleben, Syst. Anim. 1777, 488.
surinamensis Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 448.
surinamensis Altica (L.), J. C. Fabricius, Syst. Ent. 1775, 116.—*Chrysomela*.
surinamensis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575 [no. 6].
surinamensis Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579 [no. 36]; ed. 12, 1767, 961
surinamensis Ascalaphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 207. [no. 52].
surinamensis Attelabus, Linnaeus, Syst. Nat., ed. 10, 1758, 387; ed. 12, 1767, 619.
surinamensis Blatta, Linnaeus, Syst. Nat., ed. 10, 1758, 424; ed. 12, 1767, 687.
surinamensis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 156.
surinamensis Cavia, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 697.
surinamensis Certhia, J. Latham, Index Orn. 1790, 295.
surinamensis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 373; ed. 12, 1767, 595.
surinomensis (*sic*) Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 96.
surinamensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2134.
surinamensis Coccinella, Linnaeus, Amoen. Acad. VI. 1763, 393.
surinamensis Colliuris (L.), C. de Geer, Mém. Ins. IV. 1774, 80.—*Attelabus*.
surinamensis Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 787.
surinamensis Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 375.

- surinamensis Curculio, Linnaeus, Amoen. Acad. VI. 1763, 395.
 surinamensis Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 357; ed. 12, 1767, 565.
 surinamensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 887.
 surinamensis Erotylus (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 435.—Coccinella.
 surinamensis Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 34.—Chrysomela.
 surinamensis Gryllus, C. de Geer, Mém. Ins. III. 1773, 519.
 surinamensis Hister, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 51.
 surinamensis Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 98.
 surinamensis Lampyrus, C. de Geer, Mém. Ins. IV. 1774, 48.
 surinamensis Lanius, F. v. P. Schrank, Abh. Privatges. Nat. Oberdeutschl. I. 1792, 95.
 surinamensis Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 3.
 surinamensis Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 71.
 surinamensis Merops, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 464.
 surinamensis Moschus, E. A. W. Zimmermann, Spec. Zool. 1777, 530.
 surinamensis Musca, C. de Geer, Mém. Ins. VI. 1776, 145.
 surinamensis Nepa, C. de Geer, Mém. Ins. III. 1773, 379.
 surinamensis Nomada, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 62.
 surinamensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
 surinamensis Plotus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 581.
 surinamensis Seps, J. N. Laurenti, Syn. Rept. 1768, 59.
 surinamensis Silpha, J. C. Fabricius, Syst. Ent. 1775, 72.
 surinamensis Sitta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 442.
 surinamensis Sorex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 114.
 surinamensis Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 112.
 surinamensis Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 604.
 surinamensis Tenebrio (L.), C. de Geer, Mém. Ins. V. 1775, 54.—Dermestes.
 surinamensis Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121.
 surinamum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 224.—Gryllus.
 surinama Aeshna, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 189.
 surinamus Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 632.
 surinama Cetonia (L.), A. G. Olivier, Entom. I. 1789, 79.—Scarabaeus.
 surinama Fringilla, Linnaeus, Syst. Nat., ed. 12, 1766, 317.
 surinamus Gryllus, Linnaeus, Mus. Lud. Ulr. 1764, 146.
 surinama Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
 surinamus Scarabaeus, Linnaeus, Amoen. Acad. VI. 1763, 391.
 surinamus Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 297.
 surinama Vespa, Linnaeus, Syst. Nat., ed. 12, 1767, 952.
 suripes Apis, J. L. Christ, Nat. Ins. 1791, 163.
 surmuletus Mullus, Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496.
 surratus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 362.
 Sus Linnaeus, Syst. Nat., ed. 10, 1758, 49; ed. 12, 1766, 102.—M.
 sus Aphodius (Herbst), Illiger in Kugelann, Käfer Preuss. 1798, 27.—Scarabaeus.
 sus Copris (Herbst), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 150.—Scarabaeus.
 sus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 278.
 sus Scarabaeus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 9.
 susanna Papilio, J. C. Fabricius, Mant. II. 1787, 16.
 suscitator Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 222.
 suscitator Perdix (Gm.), J. Latham, Index Orn. 1790, 654.—Tetrao.
 suscitator Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 763.
 suslica Arctomys (Gueld.), R. Kerr, Anim. Kingd. 1792, 252.—Mus.
 suslica Mus, A. I. Gueldenstaedt, Nov. Comm. Sci. Petrop. XIV (i) 1770, 389.
 suspensus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 32.
 suspensa Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 43.
 suspicator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 194.
 suspiciosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 265.
 suspirans Papilio (Nymphalis), N. Poda, Ins. Mus. Graec. 1761, 70.
 sutor Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 628.
 sutor Ichneumon, J. L. Christ, Nat. Ins. 1791, 347.

- sutor *Lamia* (L.), J. C. Fabricius, Syst. Ent. 1775, 172.—*Cerambyx*.
- sutoria *Motacilla*, T. Pennant, Ind. Zool. [1769], 7.
- sutoria *Sylvia* (Gm.), J. Latham, Index Orn. 1790, 551.—*Motacilla*.
- suttneriana *Tortrix*, [Denis & Schiffermüller], Schmett. Wien, 1775, 127.
- suturalis *Bruchus*, J. C. Fabricius, Ent. Syst. I (2) 1792, 372.
- suturalis *Buprestis*, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 94.
- suturalis *Buprestis*, A. G. Olivier, Entom. II. 1790, 70.
- suturale *Callidium*, A. G. Olivier, Entom. IV. 1795, 62.
- suturalis *Carabus*, J. C. Fabricius, Syst. Ent. 1775, 239.
- suturalis *Cassida*, J. C. Fabricius, Gen. Ins. 1777, 219.
- suturalis *Cerambyx*, J. C. Fabricius, Spec. Ins. I. 1781, 212.
- suturalis *Cetonia*, J. C. Fabricius, Syst. Ent. 1775, 48.
- suturalis *Chrysomela*, J. C. Fabricius, Syst. Ent. 1775, 95.
- suturalis *Cicada*, J. C. Fabricius, Ent. Syst. IV. 1794, 34.
- suturalis *Cicindela*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 62.
- suturalis *Cimex*, J. C. Fabricius, Syst. Ent. 1775, 721.
- suturalis *Coccinella*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 50.
- suturalis *Coccinella*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 78.
- suturalis *Crioceris*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 203.
- suturalis *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1713.
- suturalis *Curculio*, J. C. Fabricius, Syst. Ent. 1775, 133.
- suturalis *Curculio*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 84.
- suturalis *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1742.
- suturalis *Dryops*, G. W. F. Panzer, Ins. Germ. heft 45 [1797], tab. 12.
- suturalis *Elater*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1918.
- suturalis *Elater*, A. G. Olivier, Entom. II. 1790, 18.
- suturalis *Elater*, G. W. F. Panzer, Deutsch. Ins. [1795], 239.
- suturalis *Galeruca*, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 591.
- suturalis *Hypophlaeus*, G. Paykull, Faun. Suec. III. 1800, 323.
- suturalis *Leptura*, J. C. Fabricius, Mant. I. 1787, 159.
- suturalis *Lucanus*, A. G. Olivier, Entom. I. 1789, 16.
- suturalis *Lygaeus*, J. C. Fabricius, Ent. Syst. IV. 1794, 159.—*Cimex*, 1775.
- suturalis *Melolontha*, J. C. Fabricius, Syst. Ent. 1775, 34.
- suturalis *Necydalis*, C. de Villers, Linn. Ent. I. 1789, 282.
- suturalis *Omalisus*, A. G. Olivier, Entom. II. 1790, 4.
- suturalis *Oxyporus*, G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 20.
- suturalis *Saperda*, J. C. Fabricius, Mant. I. 1787, 149.
- suturalis *Scarabaeus*, K. E. v. Moll in Schrank and Moll, Nat. Briefe Oesterreich, I.
- suturalis *Scarabaeus*, J. C. Fabricius, Ent. Syst. I (1) 1792, 28. [1785, 162.]
- suturalis *Scymnus*, C. P. Thunberg, Ins. Suecica (9) 1795, 106.
- suturalis *Stenocorus*, A. G. Olivier, Entom. IV. 1795, 29.
- sutura-nigra *Leptura*, C. de Geer, Mém. Ins. V. 1775, 138.
- suturatus *Buprestis*, A. F. de Fourcroy, Ent. Paris. 1785, 49.
- suturatus *Cerambyx*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1824.
- suturata *Chrysomela*, A. F. de Fourcroy, Ent. Paris. 1785, 111.
- suturatus *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803-
- suturatus *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 23.
- "suturatus *Helmintholithus*," Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
- suturatus *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570-
- suum *Ascaris*, J. A. E. Goeze, Eingeweidewürm. 1782, 71.
- svarbag *Uria*, M. T. Brünnich, Orn. Boreal. 1764, 27.
- svittata *Cistela*, *err. pro* quinquevittata, J. C. Fabricius, Ent. Syst. I (2) 1792, 47.
- swalloo *Actinia*, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 141.
- swammerdammella *Alucita* (L.), J. C. Fabricius, Syst. Ent. 1775, 669.—*Phalaena*.
- swammerdamella *Phalaena* (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 540; ed. 12,
- swammerdamii *Aranea*, Scopoli, Ent. Carn. 1763, 393. [1767, 895.]
- swederiana [Phalaena], C. Stoll, Aahang. Cramer's Util. Kapellen, II. 1790, 75.
- sybaris *Anobium*, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 490.

- sybaris [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 112.
 sybilla Sylvia (L.), J. Latham, Index Orn. 1790, 523.—Motacilla sibilla.
 sycomori Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
 sycophanta Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 42.
 sycophanta Cerabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 670.
 sycophanta Cerambyx, F. v. P. Schrank, Ins. Aust. 1781, 137.
 sycophanta Rhagium, F. v. P. Schrank, F. Boica, I. 1798, 662.—Cerambyx, 1781.
 Sycotypus P. Browne, Hist. Jamaica, ed. 2, 1789, 406.—G.
 syerata Phalaena, *id. ac* suero, Cram., J. C. Fabricius, Spec. Ins. II. 1781, 261.
 Sygnatus, *v. Sygnathus* J. A. Donndorff, Zool. Beyt. III. 1798, 787.
 Sygratus H. F. Linck [*err. pro* Sygnathus], Mag. Neuste. Phys. u. Nat. VI (3) 1790,
 sylia [Phalaena], P. Cramer, Utitl. Kapellen, III (20) 1779, 79. [36.
 syllius Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VIII. 1796, 15.
 sylphoides *v. silphoides*.
 sylvanus Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 261.—Bibio, 1775.
 sylvanus Bibio, J. C. Fabricius, Syst. Ent. 1775, 758.
 sylvanus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus, 1775.
 sylvanus Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 326.—Papilio.
 sylvanus Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
 sylvanus [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 5.
 sylvanus Papilio, P. U., E. J. C. Esper, Die Schmett. I (9) 1779, 343.
 silvana [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 143.
 silvana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 244.
 sylvanus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 11.
 Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 25; ed. 12, 1766, 34.
 silvanus Simia, *id. ac* sylvanus, Linn., J. C. D. Schreber, Säugth. I (1774), 68.
 sylvarum Apis, Linnaeus, Faun. Suec., ed. 2, 1761, 425.
 sylvarum Apis, F. v. P. Schrank, Ins. Aust. 1781, 400.
 sylvarum Cimex, P. Rossi, Fauna Etrus. II. 1790, 251.
 sylvarum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 592; ed. 12, 1767, 985.
 sylvarum Oniscus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 24.
 sylvarum Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 767.—Musca.
 sylvarum Tenthredo, J. C. Fabricius, Ent. Syst. II. 1793, 105.
 sylvarum Termes, Scopoli, Ent. Carn. 1763, 381.
 sylvarum Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 507.—Alucita sylvella.
 sylvaticus Acarus, C. de Geer, Mém. Ins. VII. 1778, 162.
 sylvatica Antilope, A. Sparrman, K. Vet. Ac. Nya Handl. I. 1780, 197.
 sylvaticus Cervus, R. Kerr, Anim. Kingd. 1792, 303.
 sylvatica Cicindela, Linnaeus, Syst. Nat., ed. 10, 1758, 407; ed. 12, 1767, 658.
 sylvatica Cimbex, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 772.
 sylvaticus Cimex, J. C. Fabricius, Syst. Ent. 1775, 722.
 sylvatica Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 491.
 sylvatica Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 180.
 sylvatica Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 926.
 sylvaticus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 163.—Cimex, 1775.
 sylvaticus Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 62; ed. 12, 1766, 84.
 sylvaticus Mus, R. Kerr, Anim. Kingd. 1792, 230; *var. albus*.
 sylvaticus Mus, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 715; *varr.*
 varius, niger, leucocephalus, americanus.
 sylvatica Podura, O. F. Müller, Z. Dan. Prod. 1776, 184.
 sylvaticus Salmo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1367.
 sylvaticus Scarabaeus, G. W. F. Panzer, Deutsch. Ins. [1795], 8.
 sylvatica Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, I. 1799, 187.
 sylvatica Sylvia, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. I (177—), 87.
 sylvatica Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 558; ed. 12, 1767, 926.
 sylvaticus Tetrao, R. L. Desfontaines, Mém. Ac. Roy. Sci. [Paris], 1787 (1789), 500.
 sylvata Geometra, [Denis & Schiffermüller], Schmett. Wien. 1775, 109.
 sylvata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 231 [*n. et f.*].

- sylvata Phalaena, Scopoli, Ent. Carn. 1763, 220.
 sylvella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 667.—Phalaena.
 sylvella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 893.
 sylvester Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
 sylvestraria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 94 [*n.*].
 sylvestrata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (1) 1786, 27. [*et f.*].
 sylvestris Acanthia (L.), J. C. Fabricius, Mant. II. 1787, 279.—Cimex.
 sylvestris Acheta, L. Bosc, Actes Soc. H. N. Paris, I (1) 1792, 44.
 sylvestris Blatta, N. Poda, Ins. Mus. Graec. 1761, 50.
 sylvestris Carabus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 5, 1793, tab. 3.
 sylvestris Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
 sylvestris Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
 sylvestris Equus, J. P. Falk, Reise Russ. (5) 1786, 290.—[*var.* of caballus.]
 sylvestris Gallina, P. Forskal, Descr. Anim. 1775, 8.
 sylvestris Geometra, C. C. Jung, Alph. Verz. Schmett. II. 1792, 221.
 sylvestris Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [*n. n.*].
 sylvestris Limax, J. A. Scopoli, Annus V. 1772, 127.
 sylvestris Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 166.—Cimex, 1781.
 sylvestris Nematelus, O. F. Müller, Z. Dan. Prod. 1776, 179.
 sylvestris Oniscus, J. C. Fabricius, Ent. Syst. II. 1793, 397.
 sylvestris Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 79.
 sylvestris Passer, J. C. Schaeffer, Mus. Orn. 1789, 25.
 silvestris Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74.
 sylvestris Scarabaeus, Scopoli, Ent. Carn. 1763, 5.
 sylvestris Simia, H. F. Link, Beytr. Nat. I (2) 1795, 61.
 sylvestris Stenocorus, A. F. de Fourcroy, Ent. Paris. 1785, 88.
 sylvestris Strix, J. A. Scopoli, Annus I. 1769, 21.
 sylvestris Tetrao, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 sylvestris Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 252.
 sylvestris Turpo, J. F. Bolten, Mus. Bolten. (2) 1798, 87.
 sylvestris Vespa, Scopoli, Ent. Carn., 1763, 309.
 Sylvia J. A. Scopoli, Annus I. 1769, 154.—A.
 Sylvia J. Latham, Syn. Birds, Suppl. I. 1787, 287.—A.
 Sylvia B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 8.—A.
 sylviana [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 174.
 Sylvicola M. Harris, Exp. Eng. Ins. 1776, 100.—Dip.
 Sylvicola [G. Humphreys], Mus. Calonn. 1797, 60.—G.
 sylvicola Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39.
 sylvicola Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1565.—
 Melolontha.
 sylvicola Simia, G. Shaw, Mus. Lever. I. 1793, 201.
 sylvicola Simia (Papio), R. Kerr, Anim. Kingd. 1792, 61.
 sylvicola Sylvia, G. Montagu, Tr. Linn. Soc. [Lond.] IV. 1798, 35.
 sylvielli Sylvia, J. Latham, Syn. Birds, Suppl. I. 1787, 288.
 sylvinus Hepialus (L.), A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 75.—Phalaena.
 sylvina Noctua (L.), E. J. C. Esper, Die Schmett. IV (30) 1786, 32.—Phalaena.
 sylvina Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 306.
 silvius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 342.
 sylvia Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 346.
 sylvia Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 185; ed. 12, 1766, 330.
 sylvia [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 68.
 sylvia Papilio, J. C. Fabricius, Syst. Ent. 1775, 470.
 silvius Papilio, A. W. Knoch, Beitr. Insektenges. I. 1781, 71.
 silvius Papilio, J. C. Fabricius, Mant. II. 1787, 88.
 sylvia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 188.
 sylvius Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
 silvius Papilio, Pl. Urb., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1782,
 sylvius [Sphinx], C. Stoll, Aanh. Cramer's Utitl. Kapellen, II. 1790, 65. [140.

- symbolica* Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
Symethis F. Weber, Nomen. Fabricii, 1795, 92.—Cr.
Symethis J. C. Fabricius, Suppl. Ent. Syst. 1798, 331.—Cr.
symethus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 280.—Papilio.
symethus [Papilio], P. Cramer, Uitl. Kapellen, II (13) 1777, 84.
symmetricus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 118.
symetrica Patella, G. S. Hellbling, Abh. Privatges. Böhm. IV. 1779, 111.
symnistra Albunea (Fab.), F. Weber, Nomen. Fabricii, 1795, 94.—Hippra.
symmystra (*sic*) Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 630; ed. 12, 1767, 1053 [symn-].
symnistra Hippra (L.), J. C. Fabricius, Mant. I. 1787, 329.—Cancer.
Synagris (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 586.—P.
synagris Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 280; ed. 12, 1766, 470.
Synbranchus M. E. Bloch, Nat. ausl. Fische, IX. 1795, 86.—P.
Synbranchus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 4 [*n. n.*].—P.
syncaster Trichoda, *v. lyncaster*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3889.
syncellus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 86.
Synchita J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 401.—Col.
syngenesiae Buprestis, Scopoli, Ent. Carn. 1763, 63.
syngenesiae Curculio, Scopoli, Ent. Carn. 1763, 27.
syngenesiae Musca, J. C. Fabricius, Spec. Ins. II. 1781, 454.
Syngnathus Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 416; [Artedi, Ichth.
Synodendron J. C. Fabricius, Ent. Syst. I (2) 1792, 358.—Col. [1738, gen. i, p. 1.]—P.
Synodus L. T. Gronovius, Zooph. I. 1763, 112.—P.
synodus Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 516.
synodus Synodus, F. C. Meuschen, Mus. Gronov. 1778, 35.
Synoicum C. J. Phipps, Voy. N. Pole, 1774, 199.—Coel.
synoicum Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
syphax Anthrax, J. C. Fabricius, Suppl. Ent. Syst. 1798, 554.
syphax Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus, 1775.
syphax Papilio, J. C. Fabricius, Syst. Ent. 1775, 480.
syphax Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 9.
sypho *v. siphon*.
syphilus [Sphinx], P. Cramer, Uitl. Kapellen, II (9) 1777, 4.
syphilus Zygaena (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 164.—Sphinx.
syracusanus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224.
syracusana Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
syrene Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 286.
syriaca Buprestis, A. G. Olivier, Entom. II. 1790, 87.
syriaca Cantharis (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 278.—Meloe.
syriaca Cavia (Gm.), J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 414.—
syriacus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 41. [Hyrax.
syriacus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 404; ed. 12, 1767, 653.
syriaca Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 927.
syriacus Hyrax, J. C. D. Schreber, Säugth. IV. 923 (1792), pl. cxxl B (1784).
syriacus Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 680.
syriacus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 351; ed. 12, 1767, 553.
syrichta Cebus (L.), H. F. Link, Beytr. Nat. I (2) 1795, 63.—Simia.
syrichtus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 19.—Scarabaeus, 1775.
syrichtus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 349.
syrichtus Papilio, J. C. Fabricius, Syst. Ent. 1775, 534.
syrichtus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 13.
syrichta Simia, Linnaeus, Syst. Nat., ed. 10, 1758, 29; ed. 12, 1766, 44.
syrichtus Simia (Sapajus) L., R. Kerr, Anim. Kingd. 1792, 79.
syringa [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 8.
syringa Sertularia, Linnaeus, Syst. Nat., ed. 12, 1767, 1311. [*et f.*].
syringaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 29 [*n.*].
syringaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520; ed. 12, 1767,
syringella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 328. [860.

- Syrinx J. B. Bohadsch, Anim. Marin. 1761, 93.—? Ascid.
 Syrinx J. F. Bolten, Mus. Bolten. (2) 1798, 121.—G.
 syrinx Papilio, M. B. Borkhausen, Nat. eur. Schmet. I. 1788, 37.
 syrmatophorus Gobius, F. C. Meuschen, Mus. Gronov. 1778, 30.
 syrmatophora Mya, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 322.
 syrphiformis Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me justice 1796], 22.
 Syrphus J. C. Fabricius, Syst. Ent. 1775, 762.—Dip.
 sysiphus [Papilio], P. Cramer, Uitl. Kapellen, II (14) 1777, 96.
 systoma Rana, J. G. Schneider, Hist. Amph. I. 1799, 144.
- t-littera Chrysomela, *err. pro s-littera*, L., J. C. Fabricius, Mant. I. 1787, 78.
 tabacaria Fistularia, Linnaeus, Syst. Nat., ed. 10, 1758, 312; ed. 12, 1766, 515.
 tabacaria Solenostomus, F. C. Meuschen, Mus. Gronov. 1778, 36.
 tabaccaria Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 121.
 tabacicolor Leptura, C. de Geer, Mém. Ins. V. 1775, 139.
 tabacina Certhia, J. Latham, Index Orn. 1790, 289.
 tabak Chaetodon, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 421.
 tabaniformis (griseus et rufus) Bombylius, C. de Geer, Mém. Ins. VI. 1776, 270.
 tabaniformis Sphinx, S. A. v. Rottemberg, Naturforscher, VII. 1775, 110.
 tabanoides Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
 Tabanus Linnaeus, Syst. Nat., ed. 10, 1758, 601; ed. 12, 1767, 999.—Dip.
 tabellaria Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 163; ed. 12, 1766, 281.
 tabernacularia Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
 tabida Altica, J. C. Fabricius, Syst. Ent. 1775, 115.
 tabidus Carabus, J. C. Fabricius, Syst. Ent. 1775, 237.
 tabidus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 70.
 tabida Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 136.—Altica, 1775.
 tabidus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 534.
 tabida Gallera, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela, 1781.
 tabidus Sirex, J. C. Fabricius, Syst. Ent. 1775, 326.
 tabida Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 468.
 tabitha Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 243.
 tabuanus Psittacus, G. Shaw, Mus. Lever. II. 1796, 29.—tabuensis, Gmelin.
 tabuensis Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
 tabuensis Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 317.
 tabuensis Psittacus, R. Kerr, Anim. Kingd. 1792, 563; *var. coccineus*.
 tabuensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
 tacaud Gadus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 366.
 tachardus Falco, F. M. Daudin, Traité élém. Orn. 1800, 164.
 tachiro Falco, F. M. Daudin, Traité élém. Orn. 1800, 90.
 taciturna Volucella, O. F. Müller, Z. Dan. Prod. 1776, 179.
 tacitus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 308.
 tadorna Anas, Linnaeus, Syst. Nat., ed. 10, 1758, 122; ed. 12, 1766, 195.
 taedatus Carabus, J. C. Fabricius, Mant. I. 1787, 196.
 taedella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 366.—[tedella, Clerck.]
 [Taenia P. Artedi, Ichth. 1738, gen. p. 82.—P.]
 Taenia Linnaeus, Syst. Nat., ed. 10, 1758, 819; ed. 12, 1767, 1323.—Ver.
 taenia Barbatula (L.), H. F. Linck, Mag. Neuste Phys. u. Nat. VI (3) 1790, 38.—Cobitis.
 taenia Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
 taenia Cepola, Linnaeus, Syst. Nat., ed. 12, 1766, 445.
 taenia Cobitis, Linnaeus, Syst. Nat., ed. 10, 1758, 303; ed. 12, 1766, 499.
 taenia Trochus, F. C. Meuschen, Mus. Gev. 1787, 282.
 taenia Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
 taeniaeformis Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 100.
 taeniaeformis Vesicaria, F. v. P. Schrank, Verz. Eingeweidwürmer, 1788, 30.
 taenialis Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 133.
 taeniatus Brachyurus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 28.

- taeniata* Buprestis, J. C. Fabricius, Mant. I. 1787, 180.
taeniatus Carabus, G. Paykull, Mon. Curc. 1792, 148.
taeniatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1863.
taeniatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 628.
taeniata Coronella, J. N. Laurenti, Syn. Rept. 1768, 86.
taeniatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 181.
taeniatus Dytiscus, P. Rossi, Mant. Ins. I. 1792, 69.
taeniatus Elater, G. W. F. Panzer, Deutsch. Ins. [1795], 236.
taeniata Musca, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 18.
taeniata Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 58.
Taenioides B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 532.—P.
taeniola Leptocephalus, F. C. Meuschen, Mus. Gronov. 1778, 40.
taeniolata Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 245.
taeniolata Phalaena (Geom.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
tages Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 168.
tages Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 354.—Papilio.
tages Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 485; ed. 12, 1767, 795.
tages [Phalaena], P. Cramer, Utitl. Kapellen, II (9) 1777, 2.
tages Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 143.
taguan Petaurista, H. F. Link, Beytr. Nat. I (2) 1795, 78.
tahitense Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
tahitica Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1016.
tahitiensis Coccinella, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
tahitiensis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1729.
tahitiensis Musca, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
tahitiensis Numenius (Gm.), J. Latham, Index Orn. 1790, 711.—Scolopax.
tahitiensis Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 717.
tahitiensis Scolopax, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 656.
tahitiensis Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
tahitiensis Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 412.
tahmel Sciaena, P. Forskal, Descr. Anim. 1775, 53.
taiboa Gobiomorus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 583.
taimen Salmo, P. S. Pallas, Reise Russ. II. 1773, 716.
taitensis Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84 [n. n.].
taitensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 713.
taitensis Cuculus, A. Sparrman, Mus. Carls. II. 1787, no. xxxii.
taitensis Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102 [n. n.].
taitensis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 7.
taitianus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 329.
taiticus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 86.
tajacu Sus, Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 103.
tajassu Sus, *id. ac* tajaçu, Linn., J. C. P. Erxleben, Syst. Anim. 1777, 185.
tajara Raja, P. Forskal, Descr. Anim. 1775, p. ix.
tajassu *v.* tajaçu.
talao Tanagra, G. Cuvier, Tabl. Elém. 1798, 205.
talapoin Cercopithecus (Schr.), J. C. P. Erxleben, Syst. Anim. 1777, 36.—Simia.
talapoin Simia, J. C. D. Schreber, Säugth. I. 101 (1774), pl. xvii (1774).
talapoin Simia (Cercop.) L., R. Kerr, Anim. Kingd. 1792, 71; & *var.* niger.
talaris Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
talaria Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
talaus Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 349.—Papilio.
talaus Papilio, Linnaeus, Amoen. Acad. VI. 1763, 407.
t-album Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 379; ed. 12, 1767, 609.
taleolus Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.
tales [Papilio], P. Cramer, Utitl. Kapellen, I (4) 1775, 62.
talgoi Myrmecophaga, T. Pennant in Forster, Ind. Zool. 1781, 39 [n. n.].
talicuna Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 206.
Talpa Linnaeus, Syst. Nat., ed. 10, 1758, 52; ed. 12, 1766, 73.—M.

- talpa Balistes, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 467.
 talpa Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1174.
 talpa Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 22.—Scarabaeus, 1792.
 talpa Gryllus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 633.
 talpa Madrepora, F. C. Meuschen, Mus. Gever. 1787, 496.
 talpa Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—Cypraea.
 talpa Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 32.
 talpa Scarabaeus, G. W. F. Panzer, Beitr. Ges. Ins. I, 1793, pl. vi [*n. et f.*].
 talpae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3032.
 talpae Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI, 1790, 121.
 talpae Cucullanus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 14.
 talpinus Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
 talpinus Mus, P. S. Pallas, Nov. Comm. Sci. Petrop. XIV (1) 1770, 568.
 talpina Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 246; *var. nigra*.
 talpinus Sorex, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I, 1795, 24.
 Talpoides B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.—M.
 talus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 318.
 talus [Papilio], P. Cramer, Utitl. Kapellen, II (15) 1777, 122.
 talus Papilio, J. C. Fabricius, Spec. Ins. II, 1781, 128.
 tamachia Coluber, J. A. Scopoli, Del. Insub. III, 1788, 38.
 tamandua Myrmecophaga, G. Cuvier, Tabl. Élém. 1798, 143.
 tamaricinus *v.* tamariscinus.
 tamaricis *v.* tamariscis.
 tamarin Cebus, H. F. Link, Beitr. Nat. I (2) 1795, 63.
 Tamarindiformis F. C. Meuschen, Mus. Gever. 1787, 412.—L.
 tamarisci Curculio, J. C. Fabricius, Mant. I, 1787, 113.
 tamaricinus (*sic*) Dipus (Pall.), J. C. D. Schreber, Säugth. IV, 859 (1789).—Mus.
 tamariscinus Mus, P. S. Pallas, Reise Russ. II, 1773, 702.
 tamariscus Glis, G. C. C. Storr, Prod. 1780, 39.
 tamarisca Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 808; ed. 12, 1767, 1307.
 tamaricis (*sic*) Altica, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 318.
 tamaricis (*sic*) Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII, 1786, 163.
 Tamatia G. Cuvier, Tab. Élém. 1798, 234.—A.
 tamatia Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1788, 405.
 taminaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 90 [*n. et f.*].
 taminata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.
 taminata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (4) 1789, 30.
 tamulus Alphaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 405.
 tamulus Crangon, F. Weber, Nomen. Fabricii, 1795, 94.—Astacus.
 tamulus Gryllus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 195.
 tamulus Scorpio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 294.
 tamula Vespa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 263.
 tan Phalaena (Tinea), C. de Villers, Linn. Ent. II, 1789, 524.
 tan Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 341.
 tanacenti Aphis (? Linn. tanaceti), J. Mayer, Abh. Privatges. Böhmen, IV, 1779, 183.
 tanaceti Adimonia, J. N. Laicharting, Tyrol. Ins. I, 1781, 191.
 tanaceti Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 735.
 tanaceti Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 369; ed. 12, 1767, 587.
 taneceti Galeruca (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 83.—Chrysomela.
 tanaceti Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 73.
 Tanagara J. R. Forster, Man. H. N. des Oiseaux, 1799, 50; *id. est* Tanagra.
 Tanagra Linnaeus, Mus. Adolph. Frid. II, 1764, 30.—A.
 tanais [Phalaena], P. Cramer, Utitl. Kapellen, I (6) 1775, 106.
 tandrek Mus, J. A. Scopoli, Del. Insub. II, 1786, 84.
 tang Mugil, M. E. Bloch, Nat. ausl. Fische, VIII, 1794, 171.
 Tangara M. J. Brisson, Ornith. III, 1760, 3.—A.
 tannensis Columba, J. Latham, Index Orn., 1790, 600.
 tanschaurica Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3655.

- tantali *Pediculus*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 571.
 Tantalus Linnaeus, *Syst. Nat.*, ed. 10, 1758, 140; ed. 12, 1766, 240.—A.
 tantalus Anthrax, J. C. Fabricius, *Ent. Syst.* IV. 1794, 260.
 tantalus *Sesia* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 547.—Sphinx.
 tantalus Sphinx, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 493; ed. 12, 1767, 803.
 tantalus Sphinx, P. Cramer, *Uitl. Kapellen*, I (6) 1775, 107.
 taparara Alcedo, J. P. Bonnaterre, *Ency. Méth.* (Orn.) 1791, 293.
 tapaya *Lacertus*, B. G. E. de Lacépède, *Quad. Ovip.* I. 1788, *Syn. méth.*
 tapera *Hirundo*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 345.
 tapete-persicum *Fusus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 119.
 tapeti *Lepus*, P. Boddaert, *Elench.* 1785, 100.
 tapezana *Pyralis* (L.), J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 480.—*Tinea tapezella*.
 tapetzella *Phalaena* (*Tinea*), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 536; ed. 12, 1767, 888.
 tapezella *Tinea* (L.), J. C. Fabricius, *Syst. Ent.* 1775, 659.—*Phalaena*.
 Tapir E. A. W. Zimmermann, *Geogr. Gesch.* II. 1780, 153.—M.
 Tapir J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 216.—M.
 Tapir E. Geoffroy & Cuvier, *Mag. encyclop.* II (6) 1795, 189.—M.
 tapir *Hydrochaerus*, J. C. P. Erxleben, *Syst. Anim.* 1777, 191.
 Tapirus M. J. Brisson, *Reg. Anim.* 1762, 81.—M.
 Tapirus M. T. Brännich, *Fund. Zool.* 1772, 44.—M.
 Tapirus B. G. E. de Lacépède, *Tabl. Mamm.* 1799, 12.—M.
 tapoatafa *Viverra*, F. A. A. Meyer, *Zool. Entdeck.* 1793, 28:
 tapouaru *Didelphis*, F. A. A. Meyer, *Zool. Entdeck.* 1793, 24.
 taraba *Psittacus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 344
 taraguira *Lacerta*, J. F. Bolten, *Mus. Bolten.* (1) [1798], 8.
 tarandi *Oestrus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 584; ed. 12, 1767, 969.
 tarandicornis *Millepora*, H. Ström, *Skrifter K. Vid. Selskab*, XII. 1779, 309.
 tarandinus *Tabanus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 601; ed. 12, 1767, 1000.
 tarandus *Cervus*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 67; ed. 12, 1766, 93.
 tarandus *Cervus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 177; *varr.* *rangifer*,
 tarandus *Cimex*, J. C. Fabricius, *Ent. Syst.* IV. 1794, 93. [*groenlandicus*, *caribou*.
 tarandus *Lucanus*, N. S. Swederus, *K. Vet. Ac. Nya Handl.* VIII. 1787, 186.
 tarandus *Lucanus*, G. W. F. Panzer, *Beitr. Ges. Ins.* I. 1793, pl. iii [*n. et f.*].
 tarandus *Membracis*, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 514.
 tarandus *Scarabaeus*, A. G. Olivier, *Entom.* I. 1789, 39.
 tarandus *Scarabaeus*, J. C. Fabricius, *Ent. Syst.* I (1) 1792, 48.
 Tarantula P. Browne, *Hist. Jamaica*, ed. 2, 1789, 419.—Ar.
 Tarantula J. C. Fabricius, *Ent. Syst.* 1793, 432.—Ar.
 tarantula *Aranea*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 622; ed. 12, 1767, 1035.
 taras [*Papilio*], J. A. B. Bergstraesser, *Nom. Ins.* IV. 1780, 40.
 taraxaci *Chrysomela*, J. F. W. Herbst in *Fuessly*, *Arch. Ins.* IV. 1783, 56.
 taraxaci *Bombyx*, [Denis & Schiffermüller], *Schmett.* Wien, 1775, 57.
 taraxaci *Phalaena* B. (D. & S.), E. J. C. Esper, *Die Schmett.* III (17) 1783, 68.—*Bombyx*.
 taraxaci *Phalaena Bombyx*, J. C. Fuessly in *Fuessly*, *Arch. Ins.* VI. 1785, 19.
 taraxaconis *Chrysomela*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 1686.—[*C.*
 tarchon [*Phalaena*], P. Cramer, *Uitl. Kapellen*, II (12) 1777, 65. [*taraxaci*, *Herbst.*]
 tardae *Ascaris*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3034.
 tardae *Taenia*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3077.
 Tardigradus M. J. Brisson, *Reg. Anim.* 1762, 21.—M.
 Tardigradus P. Boddaert, *Elench.* 1785, 43.—M.
 tardigradus *Lemur*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 29; ed. 12, 1766, 44.
 tardigradus *Loris* (L.), E. Geoffroy, *Mag. encyclop.* I (1) 1796, 49.—*Lemur*.
 tardigradus *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 46.
 tardigradus *Sirex*, J. Cederhielm, *F. Ingric.* 1798, 154.
 tarditas *Musca*, M. Harris, *Exp. Eng. Ins.* 1776, 106.
 tarda *Buprestis*, J. C. Fabricius, *Ent. Syst.* I (2) 1792, 209.
 tardus *Curculio*, O. F. Müller, *Z. Dan. Prod.* 1776, 86.
 tardus *Dytiscus*, J. F. W. Herbst, *Beschäf. Ges. Nat. Freunde*, IV. 1779, 318.

- tarda* Musca, Linnaeus, Faun. Suec., ed. 2, 1761, 441.
tarda Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.
tarda Solpuga, J. F. W. Herbst, Nat. ungefl. Ins. (1) 1797, 50.
tarda Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
taria Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
tarnatanum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300.
tarnatanus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 318.
tarpeia Papilio (Nym.), P. S. Pallas, Reise Russ. I. 1771, 470.
tarquinius Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 280.—Phalaena.
tarquinia Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 281.—Phalaena.
tarquinius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 319.
tarquinius [Papilio], P. Cramer, Uitl. Kapellen, I (1) 1775, 7.
tarquinia [Phalaena], P. Cramer, Uitl. Kapellen, I (1) 1775, 6.
tarquinia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 148.
tarsata Formica, J. C. Fabricius, Suppl. Ent. Syst. 1798, 280.
tarsata Yerbua, J. R. Forster, K. Vet. Ac. Handl. XXXIX. 1778, 112.
tarsicrinalis Phalaena (Pyr.), A. W. Knoch, Beitr. Insektenges. II. 1782, 75.
tarsicrinalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 3 [2].
tarsier Lemur, J. C. P. Erxleben, Syst. Anim. 1777, 71.—[v. et. tarsia.]
tarsiplumalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 3 [2].
Tarsius G. C. C. Storr, Prod. 1780, 32 & tab. A.—M.
Tarsius E. Geoffroy, Mag. encyclop. I (1) 1796, 49.—M.
Tarsius G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [z. n.].—M.
tarsia Lemur, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 25.—[v. et. tarsier.]
tarsoleucos Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 359.
tarsosus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 462.
tarsosus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 408.
tartaricum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 220.—Gryllus.
tatarica (*sic*) Alauda, P. S. Pallas, Reise Russ. II. 1773, 707.
tatarica Aranea, F. A. A. Meyer, Mag. Neuste Phys. u. Nat. IX (2) 1794, 81.
tatarica Buprestis, P. S. Pallas, Reise Russ. I. 1771, 464.
tatarica Capra, Linnaeus, Syst. Nat., ed. 12, 1766, 97.
tataricus (*sic*) Charadrius, P. S. Pallas, Reise Russ. II. 1773, 715.
tataricus Falco, F. M. Daudin, Traité élém. Orn. 1800, 98.
tataricus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
tataricus (*sic*) Staphylinus, P. S. Pallas, Reise Russ. II. 1773, 726.
tasima [Phalaena], P. Cramer, Uitl. Kapellen, III (20) 1779, 80.
tasitus Apis, M. Harris, Exp. Eng. Ins. 1776, 165.
tatanus Scolopax, *err. typ. pro* totanus, Linn., O. F. Müller, Z. Dan. Prod. 1776, 23.
tatao Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 315.
tataricus v. *tartaricus*.
Tatu J. F. Blumenbach, Hand. Naturg., 1779, 74.—M.
tatua Vespa, G. Cuvier, Bull. Sci. Soc. Philom. [Paris], no. 8, 1797, 58.
tau Batrachoides (L.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 451.—Gadus.
tau Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 560.—Phalaena.
tau Cerambyx, J. A. Frolich, Naturforscher, XXVI. 1792, 140.
tau Gadus, Linnaeus, Syst. Nat., ed. 12, 1766, 439.
tau Musca, F. v. P. Schrank, Ins. Aust. 1781, 458.
tau Phalaena (Attacus), Linnaeus, Syst. Nat., ed. 12, 1767, 811.
tau Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 497.—[P. (Attacus), ed. 12.]
taumas Papilio, J. C. Fabricius, Mant. II. 1787, 84.
tau-nigrum Melolontha, Schrank in Born, Phys.-Arb. Freunde Wien, II (2) 1787, 6.
tau-nigrum Scarabaeus (Schr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1563.—
taurella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 142. [Melolontha.
tauri Pediculus, Linnaeus, Faun. Suec., ed. 2, 1761, 476.
tauriculio Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 51.
tauricensis Chrysomela, C. Allioni, Misc. Taurin. III. 1766, 187.
Taurus G. C. C. Storr, Prod. 1780, 41 & tab. c.—M.

- taurus** Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 424.
taurus Bos, Linnaeus, Syst. Nat., ed. 10, 1758, 71; ed. 12, 1766, 98.
taurus Bos, J. C. P. Erxleben, Syst. Anim. 1777; *varr.* urus, 228; domesticus, 230.
taurus Bos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 202; *var.* ferus.
taurus Bos, R. Kerr, Anim. Kingd. 1792; *varr.* bonasus, bison, 333; europaeus, indicus, 334; abessinicus, madagascariensis, timanensis, africanus, 335.
taurus-urus Bos, J. Spalowsky in Mayer's Samml. Physik. Aufsätze, IV. 1794, 387.
taurus Cassida, J. C. Fabricius, Mant. II. 1787, 380.
taurus Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—Membracis.
taurus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 344.
taurus Copris (Schr.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 26.—Scarabaeus.
taurus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 500.
taurus Membracis, J. C. Fabricius, Syst. Ent. 1775, 676.
taurus Ptilularius (Schr.), F. v. P. Schrank, F. Boica, I. 1798, 395.—Scarabaeus.
taurus Scarabaeus, J. C. D. Schreber, Nov. Spec. Ins. 1759, 7.
tauvinus Holocentrus (Forsk.), G. A. Suckow, Naturges. IV. 1799, 523.—Perca.
tauvina Perca, P. Forskal, Descr. Anim. 1775, 39.
taxea Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
taxicornis Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.—Cryptocephalus, 1792.
taxicornis Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 50.
taxicornis Ips, P. Rossi, Fauna Etrus. I. 1790, 49.
Taxus E. Geoffroy & Cuvier, Mag. encyclop. II (6) 1795, 187.—M.
Taxus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 1 [*n. n.*].—M.
taxus Meles (Schr.), P. Boddaert, Elench. 1785, 80.—Ursus. [albus, maculatus.
taxus Meles, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 338; & *varr.*
taxus Ursus, J. C. D. Schreber, Säugth. III. 520 (1777), pl. cxlii B (1778).
tectes Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 941.
tectigera Membracis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 668.
tectoriola Tellina, F. C. Meuschen, Mus. Gever. 1787, 458.
tectus Bucco, P. Boddaert, Tab. Planch. Enl. 1783, 43.
tectus Charadrius, P. Boddaert, Tab. Planch. Enl. 1783, 51.
tecta Meloe, Hellwig in G. W. F. Panzer, Ins. Germ. heft 10, 1793, tab. 14.
tecta Meloe, F. A. A. Meyer, Tent. Monogr. Meloes, 1793, 19.
tecta Scolia (Fab.), A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.—Vespa.
tectus Staphylinus, G. Paykull, Mon. Staph. 1789, 68.
tectum Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3569.
tecta Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 466.
tectum-chinense Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
tectum-chinense Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81 [*n. n.*].
tectum-persicum Cidaris (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 84.—Turbo.
tectum-persicum Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 762; ed. 12, 1767, 1234.
tedea [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 8.
tedea [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (26) 1780, 48.
tedella [Phalaena], C. Clerck, Icones, I. 1759, pl. x, 13.
teges Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
teguixin Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
teguixin Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 208; ed. 12, 1766, 368.
teira Chaetodon, P. Forskal, Descr. Anim. 1775, 60.
tela araneae Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
telamon Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 486.—[P. (Plebejus), ed. 12.]
telamon Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, I. 1767, 788.
telarius Acarus, Linnaeus, Syst. Nat., ed. 10, 1758, 616; ed. 12, 1767, 1023.
telechus [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 24.
telegone [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 3.
telegonus [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 72.
telegonus Papilio Pl. U., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. [1780].
teleius [Papilio], J. A. B. Bergstraesser, Nom. Ins. II. 1779, 71. [33.
telemachus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 463; ed. 12, 1767, 752.

- telemus *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 269.—*Papilio*.
- telemus *Monoculus*, Linnaeus, Syst. Nat., ed. 10, 1758, 635; ed. 12, 1767, 1059.
- telemus [*Papilio*], P. Cramer, Uitl. Kapellen, I (1) 1775, 7.
- telephii *Papilio* P. Rur., E. J. C. Esper, Die Schmett. I (9) 1779, 363.
- Telephorus J. C. Schaeffer, Elem. Ent. 1766, tab. 123.—Col.
- telephus *Hesperia* (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 304.—*Papilio*.
- telephus *Papilio*, C. C. Jung.—[*telephus*, Cramer, *est.*]
- telescopium *Cerithium* (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 484.—*Trochus*.
- telescopium *Murex* (L.), G. Cuvier, Tab. Elém. 1798, 403.—*Trochus*.
- telescopium *Strombus* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 97.—*Trochus*.
- telescopium *Trochus*, Linnaeus, Syst. Nat., ed. 10, 1758, 760; ed. 12, 1767, 1231.
- telicanus *Papilio*, H. G. Lang, Verz. Schmett., ed. 2, 1789, 47.
- telifera *Phalaena* (Noctua), G. Paykull, K. Vet. Ac. Nya Handl. VII. 1786, 60.
- Tellina Linnaeus, Syst. Nat., ed. 10, 1758, 674; ed. 12, 1767, 1116.—L.
- tellina *Gafrarium*, J. F. Bolten, Mus. Bolten. (2) 1798, 177.
- tellinata *Solen*, L. Spengler, Skr. nat. Selsk. (Copen.) III (2) 1794, 106.
- Tellinites J. Gesner, Tract. Petref. 1758, 38.—L.
- tellinoides *Mactra*, R. Pulteney, Cat. Birds &c. Dorset, 1799, 31.
- temama *Cervus*, R. Kerr, Anim. Kingd. 1792, 303.
- temapara *Lacerta*, J. F. Bolten, Mus. Bolten. (1) [1798], 8.
- temenus [*Sphinx*], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 148.
- temeraria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 91 [*n. et f.*].
- temerata *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 116.
- temerata *Phalaena Geometra* (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794, [494.—*Geometra*.
- temia *Corvus*, F. M. Daudin, Traité élém. Orn. 1800, 244.
- temira [*Phalaena*], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 160.
- tempestioris *Curculio*, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 246.
- templi *Noctua*, C. P. Thunberg, Ins. Suecica (4) 1792, 56.
- temporaria *Rana*, Linnaeus, Syst. Nat., ed. 10, 1758, 212; ed. 12, 1766, 357.
- temula *Musca*, Scopoli, Ent. Carn. 1763, 330.
- temula *Tenthredo*, Scopoli, Ent. Carn. 1763, 277.
- Tenagodus J. E. Guettard, Mém. diff. Sci. III. 1770, p. 128.—Ver.
- tenax *Cercaria*, O. F. Müller, Verm. I (1) 1773, 69.
- tenax *Musca*, Linnaeus, Syst. Nat., ed. 10, 1758, 591; ed. 12, 1767, 984.
- tenax *Proteus*, O. F. Müller, An. Infus. 1786, 10.
- tenax *Syrphus* (L.), J. C. Fabricius, Syst. Ent. 1775, 765.—*Musca*.
- tendens *Tipula*, J. C. Fabricius, Syst. Ent. 1775, 752.
- tendineus *Conus*, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 733.
- Tendipes J. G. Meigen, N. Class. Mouches, 1800, 17.—Dip.
- Tendus, *err. pro Turdus* W. Hayes, Nat. Hist. Brit. Birds, 1775, 17.—A.
- tenebrans *Bostrichus* (Pall.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 108.—*Ligniperda*.
- tenebrata *Phalaena*, Scopoli, Ent. Carn. 1763, 230.
- tenebricosa *Buprestis*, A. G. Olivier, Entom. II. 1790, 62.
- tenebricosa *Cantharis*, Scopoli, Ent. Carn. 1763, 44.
- tenebricosus *Cerambyx*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 309.
- tenebricosus *Cerambyx* (Fab.), A. G. Olivier, Entom. IV. 1795, 34.—*Callidium tenebro-*
- tenebricosa *Chrysomela*, J. C. Fabricius, Syst. Ent. 1775, 94. [sum.
- tenebricosus *Curculio*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 81.
- tenebricosus *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.
- tenebricosus *Ichneumon*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2707.
- tenebricosa *Vespa*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
- tenebricus *Musca*, M. Harris, Exp. Eng. Ins. 1776, 45.
- Tenebrio Linnaeus, Syst. Nat., ed. 10, 1758, 417; ed. 12, 1767, 674.—Col.
- tenebrio *Cucujus*, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
- tenebriodes *v. tenebrioides*.
- tenebrioides *Buprestis*, *id. ac tenebrionis*, Linn., P. S. Pallas, Icon. Ins. 1782, 67.
- tenebrioides *Carabus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
- tenebrioides *Carabus*, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 324.

- tenebrioides Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1667.—[C. tenebrioides Curculio, P. S. Pallas, Icon. Ins. 1781, 36. [tenebriosa, Fab.]
- tenebrioides Lucanus, J. A. Scopoli, Annus V. 1772, 75.
- tenebrioides Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 9.
- tenebrioniformis Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1782, 209.
- tenebrionis Buprestis, Linnaeus, Faun. Suec., ed. 2, 1761, 213.
- tenebriosa Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 116.
- Tenebrioides M. Pillar & L. Mitterpacher, Iter Poseg. 1783, 87.—Col.
- tenebroides Lucanus, J. C. Fabricius, Mant. I. 1787, 2.
- tenebrosum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 322.
- tenebrosus Cimex, J. C. Fabricius, Mant. II. 1787, 288.
- tenebrosus Cuculus, P. S. Pallas, N. nord. Beytr. III. 1782, 2.
- tenebrosa Fulgora, J. C. Fabricius, Syst. Ent. 1775, 674.
- tenebrosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 135.—Cimex, 1787.
- tenebrosa Noctua (ex Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 228.
- tenebrosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (49 or 50) 1798, 451.
- tenella Apis, J. L. Christ, Nat. Ins. 1791, 197.
- tenella Asterias, A. J. Retzius, K. Vet. Ac. Nya Handl. IV. 1783, 241.
- tenella Chrysomela, Linnaeus, Faun. Suec., ed. 2, 1761, 171.
- tenella Cistela, A. G. Olivier, Entom. III. 1795, 9.
- tenella Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 119.—Chrysomela. [Chrysomela.
- tenellus Cryptocephalus (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1719.—
- tenella Galeruca (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 592.—Chrysomela.
- tenella Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3640.
- tenella Libellula, C. de Villers, Linn. Ent. III. 1789, 15.
- tenellus Limax, O. F. Müller, Verm. II. 1774, 11.
- tenellus Lycus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 25.
- tenella Millepora, E. J. C. Esper, Pflanzenth., Forts. I (4) 1795, 113.
- tenella Phalaena, [D. H. Schneider], Nom. Ent. 1785, 55 [n. n.].
- tenella Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 69.
- tener Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
- tenera Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3653.
- tenera Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
- tenerana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 129.
- tengmalmi Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 291.
- Tenia, *id. ac* Taenia J. A. Scopoli, Intr. Hist. Nat. 1777, 383.
- teniola Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 420.
- Tenrec B. G. E. de Lacépède, Tabl. Mamm. 1799, 7.—M.
- tentabunda Trigla, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 362.
- tentaculalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 5 & 5 [2].
- Tentacularia Bosc, Bull. Sci. Soc. Philom. [Paris], no. 2, 1797, 9.—Ver.
- Tentacularia J. G. H. Zeder in Goetze, 1 Nachtr., Eingeweidewürm. 1800, 5.—Ver.
- tentacularis Blennius, M. T. Brännich, Ich. Massil. 1768, 26.
- tentacularis Crambus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 465.—Phalaena.
- tentacularis Phalaena (Pyralis)=tentacularia Phal. (Geom.), S. N., ed. 10, Linnaeus, Faun. Suec., ed. 2, 1761, 349.
- tentacularia Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522.
- tentaculatus Blennius, *id. ac* tentacularis, Brun., B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 458.
- tentaculata Caecilia, Linnaeus, Syst. Nat., ed. 10, 1758, 229; ed. 12, 1766, 393.
- tentaculata Fasciola, O. F. Müller, Verm. I (2) 1774, 63.
- tentaculata Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 774; ed. 12, 1767, 1249.
- tentaculata Musca, C. de Geer, Mém. Ins. VI. 1776, 86.
- tentaculata Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
- tentaculella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 26.
- tentator Ichneumon, C. de Villers, Linn. Ent. III. 1789, 196.
- tentator Ichneumon, P. Rossi, Fauna Etrus. II. 1790, 50.
- tentata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [n. n.].

- tenthrediniformis Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 44.
 tenthredinis Filaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3041.
 tenthredinum Acarus, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 177.
 tenthredinum Ichneumon, T. Bergmann, K. Vet. Ac. Handl. XXIV. 1763, 170.
 Tenthredo Linnaeus, Syst. Nat., ed. 10, 1758, 555; ed. 12, 1767, 920.—Hym.
 tenthredooides Erax, Scopoli, Ent. Carn. 1763, 361.
 tenthredooides Sphex, Scopoli, Ent. Carn. 1763, 297.
 tentorialis Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 163 [n. n.].
 tentorialis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
 tentorium Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
 Tentredo, *id. ac* Tenthredo J. A. Scopoli, Annus V. 1772, 120.
 tenuicollis Meloe, P. S. Pallas, Icon. Ins. 1798, 102.
 tenuicollis [Notoxus], P. Rossi, Mant. Ins. I. 1792, 47.
 tenuicornis Scarabaeus, J. D. Preyßler, Verz. böhm. Ins. 1790, 44.
 tenuicrustatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 113.
 tenuirostris Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 180.
 tenuis Cerambyx (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.—Prionus.
 tenuis Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
 tenuis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
 tenuis Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3320.
 tenuis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3708.
 tenuis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
 tenuis Prionus, J. A. Scopoli, Annus V. 1772, 100.
 tenuis Spondylus, K. Schreibers, Vers. Conch. II. 1793, 163.
 tenuis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 528.
 tenuis Tellina, E. M. da Costa, Brit. Conch. 1778, 210.
 tenuissima Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 11.
 tenuissima Fusaria, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 57.
 tenuo Cardium, F. C. Meuschen, Mus. Gever. 1787, 438.
 tenur Musca, M. Harris, Exp. Eng. Ins. 1776, 112.
 tepida Vespa, J. C. Fabricius, Syst. Ent. 1775, 366.
 tercingulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
 terdigitata Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 ter-digitata Salamandra, J. P. Bonnaterre, Ency. Méth. (Erp.), 1789, 64.
 terea [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 32.
 Terebella Linnaeus, Syst. Nat., ed. 12, 1767, 1092.—Ver.
 Terebellum J. F. Bolten, Mus. Bolten. (2) 1798, 135.—G.
 Terebellum Lamarck, Ency. Méth. (Tabl. Vers) pl. 360 (1798) [n. et f.].—G.
 terebella Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 334.—Bulla.
 terebellum Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 355.—Helix.
 terebellum Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1185.
 terebellum Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 718.
 terebellum Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3390.
 terebellum Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
 terebella Helix, O. F. Müller, Verm. II. 1774, 123.
 terebella Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3562.
 terebellum Terebellum (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 69.—Bulla.
 terebella Volvox, J. Ellis, Phil. Trans. LIX. 1770, 150.
 Terebra J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xv.—G.
 Terebra Lamarck, Mém. Soc. H. N. Paris, 1799, 71.—G.
 terebra Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 60.
 terebra Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 145.
 terebra Conus, F. C. Meuschen, Mus. Gever. 1787, 364.
 terebra Cossus (D. & S.), J. C. Fabricius, Ent. Syst. III (2) 1794, 4.—Bombyx.
 terebra Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 92.—Turbo.
 terebra Monoceros (L.), F. C. Meuschen, Mus. Gever. 1787, 290.—Turbo.
 terebra Strombiformis (L.), E. M. da Costa, Brit. Conch. 1778, 112.—Turbo.
 terebra Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 766; ed. 12, 1767, 1239.

- terebra* Turritella (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—Turbo.
terebrealis Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 328.
terebrians Ips, A. G. Olivier, Entom. II. 1790, 5.
terebrians Ligniperda, P. S. Pallas, Spic. Zool. IX. 1772, 6.
terebrians Lyctus (Ol.), J. C. Fabricius, Ent. Syst. I (2) 1792, 503.—Ips.
terebrians Lygdus (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 33.—Ips.
terebrians Scolytus, A. G. Olivier, Entom. IV. 1795, 6.
terebriator Ichneumon, J. A. Scopoli, Ent. Carn. 1763, 285.
Terebratula O. F. Müller, Z. Dan. Prod. 1776, 249.—Br.
Terebratula A. J. Retzius, Diss. Nova Test. Gen. 1788, 13.—Br.
Terebratula A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 180.—Br.
terebtratula Anomia, Linnaeus, Syst. Nat., ed. 10, 1758, 703; ed. 12, 1767, 1153.
terebtratula Lampas (L.), F. C. Meuschen, Mus. Gever. 1787, 438.—Anomia.
terebtratula Terebratula, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 99.
terebtratula Terebratula (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Anomia.
 [terebtratus Araneus, C. Clerck, Aran. Svec. 1757, 120.]
terebtratus Araneus, T. Martyn, Aranei, 1793, 56.
Teredo Linnaeus, Syst. Nat., ed. 10, 1758, 651; ed. 12, 1767, 1267.—L.
teredo Pholas, O. F. Müller, Z. Dan. Prod. 1776, 251.
teredo Serpula, E. M. da Costa, Brit. Conch. 1778, 21.
teredula Pholas, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 240.
terek Scolopax, J. Latham, Index Orn. 1790, 724.
teres Ascaris, J. A. E. Goeze, Eingeweidewürm. 1782, 74.—[Not a specific name.]
teres Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1758.
teres Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
teres Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3200.
teres Gekko, J. N. Laurenti, Syn. Rept. 1768, 44.
teres Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.—Locusta.
teres Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
teres Locusta, C. de Geer, Mém. Ins. III. 1773, 458.
teres Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
teres Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1568.
tereticolis (*sic*) Buprestis, P. S. Pallas, Icon. Ins. 1782, 75.
tereticollis Curculio, C. de Geer, Mém. Ins. V. 1775, 246.
teretirostris Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 106.
tergipes Limax, P. Forskal, Descr. Anim. 1775, 99.
terlineatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 102.
terlineatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803.
terlineata Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 229.
termaculatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
ter-maculatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778,
Termes Linnaeus, Syst. Nat., ed. 10, 1758, 609; ed. 12, 1767, 1015.—Neur. [220.
termiformis Podura, Scopoli, Ent. Carn. 1763, 380.
terminans Callidium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 151.
terminaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
terminatus Carabus, Hellwig in G. W. F. Panzer, Ins. Germ. heft 7, 1793, tab. 2.
terminatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 401.
terminata Mylabris, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 143.
terminata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
terminus Papilio, J. C. Fabricius, Syst. Ent. 1775, 488.
termo Monas, O. F. Müller, Verm. I (1) 1773, 25.
ternatanus Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 120.—Murex.
ternatanus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
ternatella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 331.
ternata Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 30.
ternatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 206.
ternata Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
terordinatus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 112. [Cellaria.

- terpsicore Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 755.
 terpunktata Sphinx, Panzer in Drury, Exot. Ins. 1785, 101.
 terrae-novae Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 148.
 terrapen Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 terrefactor Ichneumon, C. de Villers, Linn. Ent. III. 1789, 195.
 terrella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
 terrella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 42.
 terrena Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 230.
 terrestris Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 24.—Scarabaeus.
 terrestris Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 960.
 terrestris Aranea, G. de Razoumowsky in Bertholon's Nature Considérée, VII. 1789, 3.
 terrestris Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 144.—Scarabaeus.
 terrestris Corallina, P. S. Pallas, Elench. 1766, 427.
 terrestris Crocodylus, J. N. Laurenti, Syn. Rept. 1768, 54.
 terrestris Fasciola, O. F. Müller, Verm. I (2) 1774, 68.
 terrestris Helix, P. Forskal, Descr. Anim. 1775, xxxiii.
 terrestris Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
 terrestris Hippopotamus, Linnaeus, Syst. Nat., ed. 10, 1758, 74.
 terrestris Julus, Linnaeus, Syst. Nat., ed. 10, 1758, 639; ed. 12, 1767, 1065.
 terrestris Lepisma, Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1012.
 terrestris Lumbricus, Linnaeus, Syst. Nat., ed. 10, 1758, 647; ed. 12, 1767, 1076.
 terrestris Microtus (L.), F. v. P. Schrank, F. Boica, I. 1798, 72.—Mus.
 terrestris Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 61; ed. 12, 1766, 82.
 terrestris Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 996.
 terrestris Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
 terrestris Podura, Scopoli, Ent. Carn. 1763, 379.
 terrestris Psittacus, G. Shaw, Mus. Lever. I. 1793, 217.
 terrestris Rana, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 8.
 terrestris Salamandra, M. Houttuyn, Verh. Zeeuwisch Genoot. Wet. Vlissingen, IX. 1782,
 terrestris Salamandra, J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 62. [327.
 terrestris Salamandra, J. G. Schneider, Hist. Amph. I. 1799, 54.
 terrestris Salamandra, P. A. Latreille, Salamand. France, 1800, 29 & 32.
 terrestris Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 15.
 terrestris Seps, J. N. Laurenti, Syn. Rept. 1768, 61 & 166.
 terrestris Testudo, P. Forskal, Descr. Anim. 1775, 12.
 terrestris Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 972.
 terrestris Trochus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 111.
 terricola Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 140.
 terrifica Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 63.
 terrifica Caudisona, J. N. Laurenti, Syn. Rept. 1768, 93.
 terrifica Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 387.—
 [Bombyx.
 tersata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 208.
 tersata Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 16.
 tersata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
 tersata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 268 [n. et f.].
 tersella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
 tersa Ampelis, Linnaeus, Syst. Nat., ed. 12, 1766, 298.
 tersa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 312.
 tersa Sphinx, Linnaeus, Mant. II. 1771, 538.
 tertialis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 451.
 tertianella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 891.
 tertiarus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 404.
 tertullianus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 341.
 tespis Phalaena, Linnaeus, Syst. Nat., ed. 12, I. 1767, 791.—(v. thespis.)
 tessacourbe Muscicapa, J. A. Scopoli, Del. Insub. II. 1786, 95.
 tessararius Lucanus, Herbst, Einl. Ins. I. 1784, 57.
 tessarophthalmus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 277.
 tessellana Phalaena Tortrix, J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [n. et f.].

- tessellaris Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 149.
- tessellata Anguis, J. N. Laurenti, Syn. Rept. 1768, 72.
- tessellatum Anobium, A. G. Olivier, Entom. II. 1790, 6.
- tessellatus Anthrax, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 215.
- tessellatus Aphodius (Müll.), C. Creutzer, Ent. Vers. 1799, 29.—Scarabaeus.
- tessellatus Ascalaphus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 192.
- tessellatum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 85.
- tessellatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
- tessellata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 153.
- tessellatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 199.
- tessellatus Cimex (Fab.), C. de Villers, Linn. Ent. IV. 1789, 403.—Reduvius.
- tessellata Clava, T. Martyn, Univ. Conch. III [1789], fig. 97.
- tessellata Coccinella, C. de Geer, Mém. Ins. V. 1775, 383.
- tessellatus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
- tessellata Coronella, J. N. Laurenti, Syn. Rept. 1768, 87. [Coronella.]
- tessellatus Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 618.
- tessellatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 165.
- tessellatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 129.
- tessellatus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 56.
- tessellatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 25.
- tessellatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 68.
- tessellatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—Ci-
- tessellatus Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655. [daris.]
- tessellata Empis, J. C. Fabricius, Ent. Syst. IV. 1794, 405.
- tessellatus Erytulus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 40.
- tessellatus Gryllus, D. Drury, Ill. Nat. Hist. II. 1773, index & 80.
- tessellatus Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 8.
- tessellata Mitra, T. Martyn, Univ. Conch. I [1784 non 1769] fig. 19.
- tessellata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 476.
- tessellata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 324.
- tessellata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
- tessellata Perca, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 353.
- tessellata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 298.
- tessellata Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 274.
- tessellatus Reduvius, J. C. Fabricius, Mant. II. 1787, 313.
- tessellatus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
- tessellatus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 165.
- tessellatus Stello, J. N. Laurenti, Syn. Rept. 1768, 57.
- tessellata Stomoxys, J. C. Fabricius, Ent. Syst. IV. 1794, 395.
- tessellata Testudo, J. G. Schneider, Schrift. Berlin. Ges. Nat. Freunde, X (3) 1792, 262.
- tessellata Tipula, A. F. de Fourcroy, Ent. Paris. 1785, 509.
- tessellatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
- tessellatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3583.
- tessella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 889.
- tessella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 661.—Phalaena.
- tessera Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
- tesseradactyla Phalaena (Alucita), Linnaeus, Faun. Suc., ed. 2, 1761, 370.
- tesseradactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
- tesserana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.
- tesserarius Lucanus, J. F. W. Herbst (ex Voet) in Borowski, Gem. Nat. Thiere, VI. 1784,
- tesserella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 298. [57.]
- tessulatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3479.
- tessulatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2195.—Reduvius
- tessulata Coccinella, Scopoli, Ent. Carn. 1763, 78. [tessellatus, Fab.]
- tessulata Coccinella, O. F. Müller, Z. Dan. Prod. 1776, 66.
- tessulatus Conus, I. v. Born, Index Mus. Caes. Vind. 1778, 131.
- tessulatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 87.
- tessulata Hirudo, O. F. Müller, Verm. I (2) 1774, 45.

- tessulata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637.
tessulata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [n. n.].
tessulata Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
tessulata Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 51.
tessulata Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 336.
testacearia Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 321.—testacea, De G.
Testaceella G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [n. n.].—G.
testaceofasciata Leptura, C. de Geer, Mém. Ins. V. 1775, 133.
testaceo-incarnata Columba, v. incarnata, P. Forskal, Descr. Anim. 1775, 5.
testaceo-villosus Ptinus, C. de Geer, Mém. Ins. IV. 1774, 235.
testacea Adimonia, J. A. Frolich, Naturforscher, XXVIII. 1799, 33.
testacea Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
testacea Altica, J. C. Fabricius, Syst. Ent. 1775, 114.
testaceum Anisotoma, Illiger in Kugelann, Käfer Preuss. 1798, 80.
testaceum Anobium, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 158.
testaceum Anobium, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 489.
testaceus Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.
testacea Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 413.
testacea Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 439.
testaceus Bostrichus, J. C. Fabricius, Mant. I. 1787, 37, no. 14.
testaceus Bostrichus, *err. pro varius*, Fabr. 1775, J. C. Fabricius, Mant. I. 1787, 38, no. 15.
testaceus Bruchus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 201.
testacea Buprestis, J. A. Scopoli, Annus V. 1772, 105.
testaceum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 190.—Cerambyx.
testaceus Caloppe, J. D. Andersch in D. H. Hoppe, Ent. Taschenbuch, 1797, 166.
testacea Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
testacea Cantharis (Fab.), C. de Villers, Linn. Ent. IV. 1789, 325.—Cucujus.
testacea Cantharis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 277.
testaceus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 224.
testacea Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 300.
testaceus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 635.
testaceus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
testaceus Cerambyx, J. A. Frolich, Naturforscher, XXVI. 1792, 141.
testacea Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 136.—Altica, 1775.
testacea Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2098.—Tetti-
testaceus Cimex, Scopoli, Ent. Carn. 1763, 135. [gonia.
testaceus Cimex, P. Rossi, Mant. Ins. II. 1794, 55.
testacea Cistela, J. C. Fabricius, Syst. Ent. 1775, 116.
testacea Cistela, F. v. P. Schrank, F. Boica, I. 1798, 567.
testaceus Claviger, J. D. Preyssler, Verz. böhm. Ins. 1790, 68.
testacea Conops, Linnaeus, Syst. Nat., ed. 12, 1767, 1006.
testacea Crioceris, J. C. Fabricius, Mant. I. 1787, 87. [Cistela.
testacea Crioceris (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. App. I. 1791, 118.—
testaceus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.
testaceus Cucuius, J. C. Fabricius, Mant. I. 1787, 166. [—Cistela.
testaceus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 90.
testacea Cynips, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2650.
testaceus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
testaceus Dermestes (L.), F. v. P. Schrank, Ins. Aust. 1781, 27.—Silpha.
testaceus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
testaceus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
testaceus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 715.
testaceus Elater, A. G. Olivier, Entom. II. 1790, 29.
testaceus Elater, J. A. Frolich, Naturforscher, XXVI. 1792, 161.
testaceus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 229.
testacea Ephemera, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2630.
testaceus Erotylus, J. C. Fabricius, Syst. Ent. 1775, 822.
testaceus Falco, F. M. Daudin, Traité élém. Orn. 1800, 125.

- testacea Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
testacea Fringilla, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 27.
testacea Galeruca, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 588.
testacea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 33.—Chrysomela, 1781.
testacea Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 13.
testaceus Gryllus, C. de Geer, Mém. Ins. III. 1773, 524.
testaceus Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2072.
testaceus Hallomenus, G. W. F. Panzer, Ins. Germ. heft 57 [1798], tab. 23.
testacea Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
testaceus Helops, F. v. P. Schrank, F. Boica, I. 1798, 634.
testaceus Hemerobius, Linnaeus, Syst. Nat., ed. 10, 1758, 550; ed. 12, 1767, 912.
testacea Hispá, Linnaeus, Syst. Nat., ed. 12, 1767, 603.
testacea Horia, J. C. Fabricius, Mant. I. 1787, 164.—Lymexylon, 1781.
testaceus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2702.
testaceus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 228.
testacea Ips, P. Rossi, Mant. Ins. I. 1792, 22.
testacea Ips, J. C. Fabricius, Suppl. Ent. Syst. 1798, 179.
testaceus Iulus, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 414.
testaceum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77.
testaceus Leistus, J. A. Frolich, Naturforscher, XXVIII. 1799, 8.
testacea Leptura, N. Poda, Ins. Mus. Graec. 1761, 38.
testacea Leptura, Linnaeus, Faun. Suec., ed. 2, 1761, 196.
testacea Leptura, O. F. Müller, Z. Dan. Prod. 1776, 94, no. 1054.
testacea Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 94.—Cerambyx.
testaceum Lymexylon, J. C. Fabricius, Spec. Ins. I. 1781, 256.
testacea Lytta, J. C. Fabricius, Ent. Syst. I (2) 1792, 85.
testaceus Malacopteryx, J. R. Forster, Cat. Brit. Ins. 1770, 7 [*n. n.*].
testacea Mantis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 80.
testaceus Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2019.—Mylabris.
testaceus Meloe, C. de Villers, Linn. Ent. I. 1789, 405.
testacea Melolontha, J. C. Fabricius, Syst. Ent. 1775, 35.
testaceus Melyris, A. G. Olivier, Entom. II. 1790, 11.
testaceus Monoculus, A. F. de Fourcroy, Ent. Paris. 1785, 538.
testacea Mordella, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
testacea Mordella, J. R. Forster, N. Sp. Ins. 1771, 63.
testacea Mordella, J. C. Fabricius, Mant. I. 1787, 218.
testacea Musca, C. de Geer, Mém. Ins. VI. 1776, 87.
testacea Musca, J. C. Fabricius, Spec. Ins. II. 1781, 440.
testaceus Mycetophagus, J. C. Fabricius, Ent. Syst. I (2) 1792, 499.
testaceus Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
testacea Mylabris, J. C. Fabricius, Spec. Ins. I. 1781, 331. [400
testacea Myopa (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 398.—Conops.
testaceus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3361.
testacea Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 355.
testacea Nitidula, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
testacea Nitidula (L.), F. v. P. Schrank, F. Boica, I. 1798, 447.—Silpha.
testacea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 81.
testaceum Opatrum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1634.
testaceus Oxyperus, J. C. Fabricius, Ent. Syst. I (2) 1792, 535.
testaceus Paederus (Payk.), A. G. Olivier, Entom. III. 1795, 5.—Staphylinus.
testacea Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3725.
testacea Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 32.
testacea Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 42.
testacea Phryganea, Scopoli, Ent. Carn. 1763, 267.
testacea Phryganea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2637.
testaceus Ptinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 6.
testaceus Ptinus, A. G. Olivier, Entom. II. 1790, 9.
testaceus Rhinomacer, G. A. Harrer, Besch. Schaeffer Icones, 1784, 188.

- testacea Saperda, J. C. Fabricius, Spec. Ins. I. 1781, 235.
 testaceus Scarabaeus, J. R. Forster, Cat. Anim. N. Amer. 1771, 24 [*n. n.*].
 testaceus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 15.
 testaceus Scarabaeus, P. S. Pallas, Icon. Ins. 1781, 19.
 testaceus Scarites, J. C. Fabricius, Ent. Syst. IV. 1794, 437.
 testacea Scolopax, A. Vroeg, Catal. Vogel. 1764, Adumb., 6.
 testaceus Scorpio, C. de Geer, Mém. Ins. VII. 1778, 347.
 testacea Sicus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 554.—Stratiomys, 1787.
 testacea Silpha, Linnaeus, Syst. Nat., ed. 12, 1767, 574.
 testacea Silpha (Fourc.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
 testaceum Sphaeridium, A. G. Olivier, Entom. II. 1790, 11.
 testaceum Sphaeridium, J. C. Fabricius, Ent. Syst. I (1) 1792, 83.
 testacea Sphex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2735.
 testaceus Staphylinus, G. Paykull, Mon. Staph. 1789, 28.
 testaceus Stenocorus, A. G. Olivier, Entom. IV. 1795, 27.
 testacea Stratiomys, J. C. Fabricius, Mant. II. 1787, 330.
 testaceus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
 testaceus Tabanus, P. Forskal, Descr. Anim. 1775, 85.
 testaceus Telephorus (L.), C. de Geer, Mém. Ins. IV. 1774, 71.—Cantharis.
 testacea Termes (L.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 82.—Hemerobius.
 testacea Tettigonia, J. C. Fabricius, Mant. II. 1787, 267.
 testalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 227.
 testa-ovi Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 106.
 testaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 143.
 testator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1835.—Lamia.
 testator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 223.
 testata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 202.
 testata Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 331.
 testiculus Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 736; ed. 12, 1767, 1199.
 testiculus Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 426.—Buccinum.
 testiculus Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 394.—Buccinum.
 testipes Curculio, F. v. P. Schrank, F. Boica, I. 1798, 495.
 testudinalis Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
 testudinarius Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 151.
 testudinarium Amusium, J. F. Bolten, Mus. Bolten. (2) 1798, 166 [*n. n.*].
 testudinarius Aphodius (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 35.—Scarabaeus.
 testudinaria Balanus (L.), F. C. Meuschen, Mus. Gever. 1787, 478.—Lepas.
 testudinarius Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 8.
 testudinaria Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
 testudinarius Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 195.
 testudinarius Conus (*ex* Mart.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 694.
 testudinarius Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 151.—Scarabaeus.
 testudinaria Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1173.
 testudinarius Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 24.
 testudinarius Erodium, J. C. Fabricius, Spec. Ins. I. 1781, 326.
 testudinarius Hister, C. de Geer, Mém. Ins. IV. 1774, 345.
 testudinaria Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1108.
 testudinaria Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 783; ed. 12, 1767, 1260.
 testudinaria Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 260.
 testudinaria Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 402.—Cypraea.
 testudinarius Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 19.
 testudinarius Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, 65.
 testudinata Patella, T. Martyn, Univ. Conch. III [1789], fig. 100.
 testudineus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 520.
 testudineus Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 121.
 testudineum Buccinum (*ex* Chem.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 266.
 testudineum Sphaeridium, P. Rossi, Mant. Ins. II. 1794, 83.
 testudineus Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 83.

- testudineus Tetraodon, Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410 [Tetro-].
- testudinis Acarus, Linnaeus in Hasselquist, Palast. 1762, 472.
- “testudinis Amphibolithus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 158.
- testudinis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
- Testudo Linnaeus, Syst. Nat., ed. 10, 1758, 197; ed. 12, 1766, 350.—R.
- testudo Acarus, P. Rossi, Fauna Etrus. II. 1790, 339.
- testudo Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 65.
- testudo Hepialus (D. & S.), J. C. Fabricius, Ent. Syst. III (2) 1794, 7.—Bombyx.
- testudo Papilio N. Ph., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781, 118.
- testudo Phoca, R. Kerr, Anim. Kingd. 1792, 127.
- Teta P. Browne, Hist. Jamaica, ed. 2, 1789, 469.—A.
- tetagropila Cancer, *err. pro aegagropila*, Fab., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
- tetanus Scolopax, *v. totanus*, Linnaeus, Faun. Suec., ed. 2, 1761, 59. [1790, 2975.]
- teter Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 406.
- Tethys Linnaeus, Syst. Nat., ed. 10, 1758, 653; ed. 12, 1767, 1089.—Moll.
- Tethyum J. B. Bohadsch, Anim. Marin. 1761, 128.—Moll.
- tetra Noctua, J. C. Fabricius, Mant. II. 1787, 138.
- tetra Phalaena Noctua (Fab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 727.—
- tetracantha Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 49. [Noctua.]
- tetracanthus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 116.
- tetracarinated Staphylinus, L. H. v. Bloch in Becker, Plau. Grund. 1799, 116.
- tetraceras Ceratium, F. v. P. Schrank, Naturforscher, XXVII. 1793, 36.
- tetrachelatus Scorpio, J. D. Preyßler, Verz. böhm. Ins. 1790, 56.
- Tetractis C. F. Schultze, Verst. Seest. 1760, 49.—Ast.
- tetracula Alca, P. S. Pallas, Spic. Zool. V. 1769, 23.
- tetradactylus Canis, Al. Brongniart, Actes Soc. H. N. Paris, I (1) 1792, 115.
- tetradactyla Cetonia (L.), J. C. Fabricius, Syst. Ent. 1775, 49.—Scarabaeus.
- tetradactyla Lacerta (Schn.), J. A. Donndorff, Zool. Beyt. III. 1798, 134.—Stellio.
- tetradactyla Manis, Linnaeus, Syst. Nat., ed. 12, 1766, 53.
- tetradactyla Melolontha (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 161.—Scarabaeus.
- tetradactyla Myrmecophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 52.
- tetradactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 900.
- tetradactylus Scarabaeus, Linnaeus, Mant. II. 1771, 530.
- tetradactyla Simia, H. F. Link, Beitr. Nat. I (2) 1795, 62.
- tetradactylus Stellio, J. G. Schneider, Amph. Phys. sp. alt. 1792, 33.
- tetradactylus Ursus, R. Kerr, Anim. Kingd. 1792, 186.
- tetradactyla Viverra, P. S. Pallas in J. C. D. Schreber, Säugth. III. (1777) 434.
- tetradactyla Viverra, E. A. W. Zimmermann, Spec. Zool. 1777, 482.
- tetraëdra Amphinome, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 48.
- tetragonata Coccinella, J. N. Laicharting, Tyrol. Ins. I. 1781, 125.
- tetragoniceps Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 87.
- tetragonon Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 257.
- Tetragonopterus (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 582.—P.
- tetragonurus Sorex, J. Herrmann in E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 383.
- tetragonus Alpheus, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
- tetragona Arca, J. X. Poli, Test. Sicil. II. 1795, 137.
- tetragonus Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 34.
- tetragonus Cancer, J. C. Fabricius, Suppl. Ent. Syst., 1798, 341.
- tetragonus Coluber, P. A. Latreille, Salamand. France, 1800, xxxv.
- tetragonum Daphnoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 260. = Arca of p. 137.
- tetragona Fasciola, O. F. Müller, Verm. I (2) 1774, 69.
- tetragona Musca, A. F. de Fourcroy, Ent. Paris. 1785, 484.
- tetragona Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
- tetragonus Syngnathus, C. P. Thunberg, Physiogr. Sölsk. Handl., I (4) 1786, 301.
- tetragona Vesicaria, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
- tetragrammos Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2194.
- tetragrammus Curculio, P. S. Pallas, Icon. Ins. 1781, 29.

- tetralunaris Phalaena, Hufnagel, Berl. Mag. IV. 1767, 506.
Tetrao Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 273.—A.
Tetraodon Linnaeus, Syst. Nat., ed. 10, 1758, 332; ed. 12, 1766, 410 [Tetrodon].—P.
tetraodon Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 6.
tetraoides Columba, J. A. Scopoli, Annus I. 1769, 125.
tetraonis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3034.
tetraonis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 614; ed. 12, 1767, 1020.
tetrapodella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 12, 1767, 890.
tetraporus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3190.
 "Tetrapteryx, Thunb. 179—," Ag.; is 1818.—A.
tetrapunctella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 96.
tetrapuncta Crioceris, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 47.
tetraquetra Doris (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3106.—Limax.
tetraquetra Limax, P. S. Pallas, Nova Acta Ac. Sci. Petrop. II. 1788, 237.
Tetras, id. ac Tetrao, J. R. Forster, Man. H. N. Oiseaux, 1799, 51.
tetrastichon Elater, Linnaeus, Syst. Nat., ed. 12, 1767, 656.
tetrastigma Cassida, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 65.
tetrastyla Medusa, P. Forskal, Descr. Anim. 1775, 106.
Tetratoma J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 217.—Col.
Tetratoma Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 81.—Col.
tetrax Otis, Linnaeus, Syst. Nat., ed. 10, 1758, 154; ed. 12, 1766, 264.
tetricella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138.
tetricus Apis, M. Harris, Exp. Eng. Ins. 1776, 138.
tetrio Sphinx, Linnaeus, Mant. II. 1771, 538.
tetrix Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 473.—Tinea tetricella, D. & S.
tetrix Lagopus (L.), J. C. Schaeffer, Mus. Orn. 1789, 3.—Tetrao.
tetrix Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 274.
Tetrodon, v. Tetraodon Linnaeus, Syst. Nat., ed. 12, 1766, 410.—P.
tetrophthalmus Anableps, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 7.
tetrophthalmus Cerambyx, J. R. Forster, N. Sp. Ins. 1771, 41.
Tettigonia J. C. Fabricius, Syst. Ent. 1775, 678.—Hem.
Tettigonia v. Gryllus.
tettigonus Astacus, J. C. Fabricius, Syst. Ent. 1775, 417.
tettigonus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2989.—Astacus.
tettigonus Cancer (Astacus) (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 78.—Astacus.
teucer Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 464; ed. 12, 1767, 753.
teucarii Cimex, N. Host in Jacquin, Coll. Bot. II. 1788, 255.
Teuthis Linnaeus, Syst. Nat., ed. 12, 1766, 507.—P.
Teuthis J. G. Schneider, Samml. verm. Abh. 1784, 113.—Ceph.
teutonaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 823.
teutonicus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1842.
teutonia Papilio, J. C. Fabricius, Syst. Ent. 1775, 474.
teutonus Asilus, Linnaeus, Syst. Nat., ed. 12, 1767, 1008.
teutonus Asilus, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 11.
teutonus Carabus, F. v. P. Schrank, Ins. Aust. 1781, 214.
textilis Chama, F. C. Meuschen, Mus. Gev. 1787, 454.
textile Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1171.
textile Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 50.—Conus.
textilis Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3683.
textilis Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37 [n. n.].
textile Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3280.
textor Acarus, A. F. de Fourcroy, Ent. Paris. 1785, 530.
textor Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 392; ed. 12, 1767, 629.
textor Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 349.—Oriolus.
textor Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 171.—Cerambyx.
textor Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 390.
textoria Volva, J. F. Bolten, Mus. Bolten. (2) 1798, 22.

- textrix** Apis, J. L. Christ, Nat. Ins. 1791, 169.
textrix Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 877.
textum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.
texta Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 30.
texta Phalaena Noct. (*ex* Esper, tab.), H. G. Lang, Verz. Schmett., ed. 2, 1789, 133.
thaca Chama, G. I. Molina, Sag. stor. nat. Chili, 1782, 203.
thagus Pelecanus, G. I. Molina, Sag. stor. nat. Chili, 1782, 240.
Thais J. F. Bolten, Mus. Bolten. (2) 1798, 54.—G.
thais [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 21.
thais Papilio, J. C. Fabricius, Mant. II. 1787, 64.
thais Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 149.
Thalassema; occurs in Pallas, Spicil. X. 1771, 8 as Jos. Gaertner *in litt.* but the first formal use of the word is in Lamarck, Syst. Anim. 1801, 328.
Thalassema G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 6 [*n. n.*].—Ver.
thalassema Lumbricus, P. S. Pallas, Spic. Zool. X. 1774, 8.
thalassinum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 225.—Gryllus.
thalassina Boa, J. N. Laurenti, Syn. Rept. 1768, 89.
thalassinus Chiton, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3206.
thalassina Chrysis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2747.
thalassinus Gryllus, J. C. Fabricius, Spec. Ins. I. 1781, 367.
thalassina Leptura, F. v. P. Schrank, Ins. Aust. 1781, 160.
thalassina Locusta, C. de Geer, Mém. Ins. III. 1773, 433.
thalasina Necydalis, J. C. Fabricius, Ent. Syst. I (2) 1792, 350.
thalassina Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 82.
thalassina Noctua, Hufnagel, Naturforscher, IX. 1776, 119.
thalassinus Stellio, J. N. Laurenti, Syn. Rept., 1768, 57.
thales Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 268.
thales Papilio (*ex* Esper, tab.), J. C. Fabricius, Gen. Ins. 1777, 255.
Thalia P. Browne, Hist. Jamaica, ed. 2, 1789, 384.—Nud.
Thalia J. G. Bruguière, Ency. Méth. (Tabl. Vers.), pl. 88 (1791) [*n. et f.*].—Nud.
Thalia G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [*n. n.*].—Nud.
thalia Holothuria, Linnaeus, Syst. Nat., ed. 10, 1758, 657; ed. 12, 1767, 1090.
thalia Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 467; ed. 12, 1767, 757.
thalia Thalys (L.), G. Cuvier, Tab. Elém. 1798, 389.—Holothuria.
thalictri Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 425.
Thalys G. Cuvier, Tab. Elém. 1798, 389.—Nud.
thallo Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 12, 1767, 756.
thallo Sphinx (L.), E. Donovan, Ins. China, 1799.—Papilio.
thallus [Papilio], P. Cramer, Uitl. Kapellen, III (22) 1779, 117.
thamyra [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 83.
thamyras Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 789.
thapsi Phalaena Noctua, Brahm, Ins. Kal. II. 1791, 135 & 533.
thapsiella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 42.
thapsus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 434.
tharis [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 38.
tharops [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 133.
tharos [Papilio], D. Drury, Ill. Nat. Hist. I. 1770, index & 43.
tharus Falco, G. I. Molina, Sag. stor. nat. Chili, 1782, 264.
tharus Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 482.
thasia Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 450.
thasus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 86.
thasus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 179.
thaul Bufo, J. G. Schneider, Hist. Amph. I. 1799, 227.
thaumantias Trochilus, Linnaeus, Syst. Nat., ed. 12, 1766, 190.
thaumas Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 327.
thaumas Papilio, S. A. v. Rottemburg, Naturforscher, VI. 1775, 4.
thaumaturgus Curculio, P. Rossi, Mant. Ins. II. 1794, 94.
thazard Scomber, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 599.

- theanus [Papilio], P. Cramer, Uitl. Kapellen, II (12) 1777, 65.
 thebanus Scarabaeus, J. F. W. Herbst, Beschäf. Ges. Nat. Freunde, IV. 1779, 324.
 theca Lophia, J. F. Bolten, Mus. Bolten. (2) 1798, 169.
 thelebas [Sphinx], P. Cramer, Uitl. Kapellen, II (13) 1777, 86.
 thelebus Zygaena, J. C. Fabricius, Mant. II. 1787, 103.
 Thelephorus, *id. ac* Telephorus O. F. Müller, Z. Dan. Prod. 1776, 62.
 thelephus [Papilio], P. Cramer, Uitl. Kapellen, I (6) 1775, 103.
 themistocles Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 66.
 thenca Turdus, G. I. Molina, Sag. stor. nat. Chili, 1782, 250.
 theobroma Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 43.
 theobroma Nuccella, J. F. Bolten, Mus. Bolten. (2) 1798, 131.
 theobromae Bruchus, Linnaeus, Syst. Nat., ed. 12, 1767, 605.
 theobromatis Bruchus, *id. ac* theobromae, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13,
 theocritus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 289. [I. 1789, 1735.
 theophrastus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 281.
 Thereva P. A. Latreille, Préc. Car. Gen. Ins. 1796, 167.—Dip.
 Thereva J. C. Fabricius, Suppl. Ent. Syst. 1798, 548.—Dip.
 Thereva J. G. Meigen, N. Class. Mouches, 1800, 33.—Dip.
 thermalis Turbo, Linnaeus, Syst. Nat., ed. 12, 1767, 1237.
 thermicola Aphodius, J. Sturm, Verz. Ins. Samml. 1800, 44.
 thermopylae [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 26.
 thero Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 274.—Papilio.
 thero Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 328.
 thersamon Hesperia (Esp.), J. C. Fabricius, Ent. Syst. III (1) 1793, 313.—Papilio.
 thersamon Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagsschmett.
 thersander [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28) 1780, 87. [1784, 176.
 thersander Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 32.
 thersanon [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 6.
 thersites Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 279.
 thersites Papilio, J. C. Fabricius, Syst. Ent. 1775, 453.
 theseus [Papilio], P. Cramer, Uitl. Kapellen, II (15) 1777, 128.
 theseus Papilio, J. C. Fabricius, Mant. II. 1787, 1.
 thespis Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 318.
 Thetis G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 5 [n. n.].—Nud.
 thetis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 16.
 thetis Sphinx, Linnaeus, Mant. II. 1771, 539.
 thetis Zygaena (L.), J. C. Fabricius, Syst. Ent. 1775, 552.—Sphinx.
 Thetys F. C. Meuschen, Mus. Gronov. 1778, 45.—Nud.
 thetys [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 2.
 thetys Papilio, J. C. Fabricius, Gen. Ius. 1777, 264.
 Theutis *v.* Teuthis, Linn., M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 65.
 Theutys, *id. ac* Teuthis A. Gouan, Hist. Pisc. 1770, 105.
 theylia Sphinx, *v.* thyelia.
 thezeana Lepisma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 199.
 Thiara J. F. Bolten, Mus. Bolten. (2) 1798, 109.—G.
 thiara Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 497.
 thilius Turdus, G. I. Molina, Sag. stor. nat. Chili, 1782, 250.
 thisbe *v.* thysbe.
 thlaspi Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 69.
 thoas Papilio, Linnaeus, Mant. II. 1771, 536.
 thomae Bibio (L.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 299.—Tipula.
 thomae Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 623.
 thomae Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3394.
 thomae Hirtea (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 552.—Tipula.
 thomae Prionus (L.), J. C. Fabricius, Syst. Ent. 1775, 162.—Cerambyx.
 thomae Spheg, J. C. Fabricius, Syst. Ent. 1775, 346.
 thomae Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 976.
 thomensis Colymbus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 592.

- thomensis Podiceps (Gm.), J. Latham, Index Orn. 1790, 784.—Colymbus.
 thoos Zygaena, J. C. Fabricius, Spec. Ins. II. 1781, 166.
 thoracella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 520.
 thoracella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 88.
 thoracicum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 233.
 thoracica Altica, J. C. Fabricius, Syst. Ent. 1775, 821.
 thoracica Anaspis, A. F. de Fourcroy, Ent. Paris. 1785, 142.
 thoracicum Anobium, P. Rossi, Fauna Etrus. I. 1790, 41.
 thoracica Apis, J. C. Fabricius, Syst. Ent. 1775, 383.
 thoracicus Bostrichus, G. W. F. Panzer, Deutsch. Ins. [1795], 288.
 thoracicus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 45.
 thoracica Buprestis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 138.
 thoracica Cantharis, C. de Villers, Linn. Ent. I. 1789, 296.
 thoracicus Carabus, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 69.
 thoracicus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
 thoracica Cassida, A. F. de Fourcroy, Ent. Paris. 1785, 141.
 thoracicus Cerambyx, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 300.
 thoracica Cetonia, J. C. Fabricius, Syst. Ent. 1775, 47.
 thoracica Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [n. n.].
 thoracica Chrysomela, O. F. Müller, Z. Dan. Prod. 1776, 82.
 thoracica Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 109.
 thoracica Chrysomela, J. C. Fabricius, Mant. I. 1787, 75.
 thora[c]lica Chrysomela (Geoff.), C. de Villers, Linn. Ent. I. 1789, 165.—Crioceris.
 thoracica Cicada, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 18.
 thoracica Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
 thoracicus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 39.
 thoracica Cistela, J. C. Fabricius, Ent. Syst. I (2) 1792, 45.
 thoracicus Clerus, A. G. Olivier, Entom. IV. 1795, 18.
 thoracicus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 170.
 thoracica Crioceris, A. F. de Fourcroy, Ent. Paris. 1785, 96.
 thoracicus Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 50.
 thoracicus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 24.
 thoracicus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 69.
 thoracicus Elater, Scopoli, Ent. Carn. 1763, 92.
 thoracicus Elater, J. C. Fabricius, Syst. Ent. 1775, 214.
 thoracicus Erotylus, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 40.
 thoracica Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 503.
 thoracica Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 24.—Chrysomela, 1787.
 thoracicus Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 304.
 thoracica Lampyrus, A. G. Olivier, Entom. II. 1790, 27.
 thoracica Leptura, C. Creutzer, Ent. Vers. 1799, 125.
 thoracica Leptura, G. Paykull, Faun. Suec. III. 1800, 105.
 thoracicus Malachus (Fourc.), A. G. Olivier, Entom. II. 1790, 9.—Cicindela.
 thoracica Mordella, Linnaeus, Syst. Nat., ed. 10, 1758, 420; ed. 12, 1767, 682.
 thoracica Necydalis, [D. H. Schneider], Nom. Ent. 1785, 18 [n. n.].
 thoracicus Notoxus, Schneider in G. W. F. Panzer, Ins. Germ. heft 23, 1794, tab. 6.
 thoracicus Oxyporus, J. C. Fabricius, Gen. Ins. 1777, 242.
 thoracica Peltis (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 63.—Silpha.
 thoracica Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 31.
 thoracica Saperda, A. G. Olivier, Entom. IV. 1795, 18.
 thoracicus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1576.—
 thoracicus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 149. [Cetonia].
 thoracicus Scarites, P. Rossi, Fauna Etrus. I. 1790, 227.
 thoracica Scolia, J. C. Fabricius, Mant. I. 1787, 281.
 thoracica Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 360; ed. 12, 1767, 571.
 thoracica Sphex, J. L. Christ, Nat. Ins. 1791, 324.
 thoracica Sphex, P. Rossi, Mant. Ins. II. 1794, 118.
 thoracicus Staphylinus, A. F. de Fourcroy, Ent. Paris. 1785, 170.

- thoracica* Synchita, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 406.
thoracicus Telephorus, A. G. Olivier, Entom. II. 1790, 12.
thoracicus Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. IV. 1796,
thoracica Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 376. [148.—Trogosita.
thoracica Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
thoracica Tiphia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 254.
thoracicus Trogosita, J. C. Fabricius, Ent. Syst. I (1) 1792, 116.
thoraco-circularis Copris (Laich.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 30.—
thoracocircularis Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 24. [Scarabaeus.
thous Canis, Linnaeus, Syst. Nat., ed. 12, 1766, 60.
thrasibulus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
thraso Papilio (*ex* Seba), C. C. Jung, Alph. Verz. Schmett. II. 1792, 236.
thrasonella Phalaena, Scopoli, Ent. Carn. 1763, 253.
thrax Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 337.—Papilio.
thrax Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 12, 1767, 794.
Thrichecus v. *Trichechus* P. Browne, Hist. Jamaica, ed. 2, 1789, 459.
Thrips Linnaeus, Syst. Nat., ed. 10, 1758, 457; ed. 12, 1767, 743.—Hem.
thrisa Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 318; ed. 12, 1766, 524.
Throsus P. A. Latreille, Préc. Car. Ins. 1796, 42.—Col.
Throx, *id. ac* *Trox* Herbst in Fuessly, Arch. Ins. IV. 1783, 12.
thucydides Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 323.
thuja Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 809; ed. 12, 1767, 1308.
thula Ardea, G. I. Molina, Sag. stor. nat. Chili, 1782, 235.
tunbergella Tinea, J. C. Fabricius, Mant. II. 1787, 253.
tunbergiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 192.
tunbergiana Phalaena (Tort.), Herbst, Einl. Ins. II. 1785, 129.
tunbergiana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 284.
tunbergii Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1980.
tunbergii Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2158.
tunbergii Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1666.
tunbergii Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 132.
thyas Amygone, O. F. Müller, Entom. 1785, 47.
thyas Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3004.—
thyastes [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 47. [Amygone.
thyelia Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 803 [thyelia].
thyestes [Papilio], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 144.
"Thylacodus, Guett. 1774," Scudd.; *teste* Dalton.—Is an emendation of *Tulaxodus*, Guett.
thymallus Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 512. [—G.
thymallus-latus Salmo, M. E. Bloch, Nat. Fische Deutschl. I. 1782, 170.
thymastri Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2876.—Syrphus.
thymastri Syrphus, J. C. Fabricius, Spec. Ins. II. 1781, 433.
thymelus Strombus, F. C. Meuschen, Mus. Gev. 1787, 292.
thymetus [Papilio], P. Cramer, Uitl. Kapellen, II (16) 1777, 134.
thymetus Papilio, J. C. Fabricius, Mant. II. 1787, 30.
thymiaria Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 4.
thymiaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 859.
thymifolia Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2064.—Locusta.
thymifolia Locusta, J. C. Fabricius, Syst. Ent. 1775, 283.
thymus Salmo, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 167.
Thynnus J. C. Fabricius, Syst. Ent. 1775, 360.—Hym.
thynnus Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 297; ed. 12, 1766, 493.
thyonneus [Papilio], P. Cramer, Uitl. Kapellen, III (19) 1779, 46.
thyphon Papilio, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II. 1791, 124.
thyra Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
thyra Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 329.
thyrrena Cassidea, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 439.
thyrreha Bombyx (*ex* Cram.), J. C. Fabricius, Gen. Ins. 1777, 278.
thyrasis Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 333.

- thyrasis Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
 thysbe Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 292.—Papilio.
 thysbe [Papilio], P. Cramer, Uitl. Kapellen, III (20) 1779, 70.
 thisbe Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 130.
 thysbe Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 330.
 thysbe Sesia, J. C. Fabricius, Syst. Ent. 1775, 548.
 tiara [Limax], T. Martyn, Univ. Conch. III [1789], fig. 116.
 tiberina [Papilio], P. Cramer, Uitl. Kapellen, I (3) 1775, 52.
 tibetanus Pavo, T. Pennant in Forster, Ind. Zool. 1781, 41 [*n. n.*].
 tibetanus Pavo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 731.
 Tibia J. F. Bolten, Mus. Bolten. (2) 1798, 123.—G.
 tibialana Phalaena Tortrix, J. Hübner, Samml. Vögel u. Schmett. 1793, 12 [*n. et f.*].
 tibialana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 40 [*n. et f.*].
 tibialata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me justice 1796], fig. 210 [*n. et f.*].
 tibialis Asilus, J. C. Fabricius, Ent. Syst. IV. 1794, 383.
 tibialis Blaps, J. C. Fabricius, Ent. Syst. IV. 1794, 439.
 tibialis Bombyx, J. C. Fabricius, Syst. Ent. 1775, 578.
 tibialis Carabus, G. Paykull, Faun. Suec. I. 1798, 168.
 tibialis Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 43.
 tibialis Crabro, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 513.
 tibialis Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 271.
 tibialis Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 43.
 tibialis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 217.
 tibialis Falco, F. M. Daudin, Traité élém. Orn. 1800, 120.
 tibialis Gryllus (Locusta), P. S. Pallas, Reise Russ. II. 1773, 728.
 tibialis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 407.
 tibialis Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 541.
 tibialis Melolontha, A. G. Olivier, Entom. I. 1789, 83.
 tibialis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
 tibialis Nomada, J. C. Fabricius, Ent. Syst. II. 1793, 346.
 tibiale Opatrum, J. C. Fabricius, Spec. Ins. I. 1781, 90.
 tibialis Pimelia (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—Tenebrio.
 tibialis Scarabaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 24.
 tibialis Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Opatrum.
 tibialis Sphex, J. C. Fabricius, Spec. Ins. I. 1781, 444.
 tibialis Sphinx, D. Drury, Ill. Nat. Hist. II. 1773, index & 49.
 tibialis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
 tibialis Tenebrio (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI., 1798, 115.—
 tibialis Tenthredo, C. de Villers, Linn. Ent. III. 1789, 117. [Blaps.
 tibialis Tenthredo, Jurine in G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 11.
 tibialis Tettigonia, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 5.
 tibialis Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2767.
 tibialis Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 690.
 tibialis Zygaena (Drury), J. C. Fabricius, Syst. Ent. 1775, 555.—Sphinx.
 tibiatrix Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
 tibicen Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 25.
 tibicen Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 436; ed. 12, 1767, 707.
 tibicen Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 679.—Cicada.
 tibicen aruanus Buccinum, F. C. Meuschen, Mus. Gev. 1787, 304.
 tibicina Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 152.
 tibullus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 326.
 tibullus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
 tiburo Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
 tiburtia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 134.
 tiburtus [Sphinx], P. Cramer, Uitl. Kapellen, III (20) 1779, 75.
 tigerina Chama (L.), F. C. Meuschen, Mus. Gev. 1787, 452.—Venus.
 tigerina Cytherea (Gm.), J. F. Bolten, Mus. Bolten, (2) 1798, 178.—Venus.
 tigerinus Gobius, F. C. Meuschen, Mus. Gronov. 1778, 42.

- tigerina Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.—Pecten.
- tigerinus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
- tigerina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 330.
- tigerina Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 688; ed. 12, 1767, 1133 & 1134.
- tigratus Curculio, P. Rossi, Mant. Ins. I. 1792, 39.
- tigrea Porcellana, F. C. Meuschen, Mus. Gever. 1787, 398.
- tigridis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
- tigrina Aranea, Linnaeus, Syst. Nat., ed. 12, III. 1768, App., 226.
- tigrina Aranea (Cancroides), C. de Geer, Mém. Ins. VII. 1778, 302.
- tigrina Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 638.
- tigrinum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
- tigrinum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3502.
- tigrina Cassida, C. de Geer, Mém. Ins. V. 1775, 168.
- tigrina Cassida, G. A. Harrer, Besch. Schaeffer Icones, 1784, 91.
- tigrinus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 114.
- tigrinus Cerambyx, A. G. Olivier, Entom. IV. 1795, 101.—Lamia, 1792.
- tigrina Cetonia, A. G. Olivier, Entom. I. 1789, 91.
- tigrina Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 368; ed. 12, 1767, 586.
- tigrina Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 131.
- tigrina Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
- tigrinus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1113.—Coro-
- tigrinus Conus, F. C. Meuschen, Mus. Gever. 1787, 362. [nella.]
- tygrina Coronella, J. N. Laurenti, Syn. Rept. 1768, 87.
- tigrinus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 126.
- tigrinus Curculio, G. W. F. Panzer, Naturforscher, XXIV. 1789, 21.
- tigrinus Cylandrus, F. C. Meuschen, Mus. Gever. 1787, 370.
- tigrina Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
- tigrinus Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 229.
- tigrinum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
- tigrinus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 437.
- tigrinus Falco, J. M. G. Beseke, Beytr. Vög. Kurlands, 1792, 10.
- tigrina Felis, J. C. D. Schreber, Säugth. III. 396 (1777), pl. cvi (1776).
- tigrinus Gobius, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 204.
- tigrinus Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 77.
- tigrina Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 468.
- tigrina Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 985.
- tigrina Musca, J. C. Fabricius, Syst. Ent. 1775, 779.
- tigrina Mustela (L.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 399.—
- tigrinum Myrmeleon, J. C. Fabricius, Syst. Ent. 1775, 312. [Viverra.]
- tigrinus Nemotelus, C. de Geer, Mém. Ins. VI. 1776, 206.
- tigrina Nerita, F. C. Meuschen, Mus. Gever. 1787, 272.
- tigrina Noctua, J. C. Fabricius, Syst. Ent. 1775, 599.
- tigrina Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3707.
- tigrina Perca (Bloch), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 352.—Holocentrus.
- tigrina Phalaena B., C. de Villers, Linn. Ent. II. 1789, 159.
- tigrinus Squalus, T. Pennant, Ind. Zool. [1769], 24.
- tigrina Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 760.
- tigrina Sylvia (Gm.), J. Latham, Index Orn. 1790, 537.—Motacilla.
- tigrina Viverra, J. C. D. Schreber, Säugth. III. 425 (1777), pl. cxv (1776).
- tigripes Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2148.
- tigris Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 243.
- tigris Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 68.
- tigris Cucullio, J. F. Bolten, Mus. Bolten. (2) 1798, 40.
- tigris Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1778.
- tigris Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
- tigris Felis, Linnaeus, Syst. Nat., ed. 10, 1758, 41; ed. 12, 1766, 61.
- tigris Papilio (ex Goeze), C. C. Jung, Alph. Verz. Schmett. II. 1792, 239.
- tigris Phalaena Geometra, J. E. I. Walch, Naturforscher, XIII. 1779, 31.

- tigris Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 404.—Cypraea.
 tigris Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36 [n. n.].
 tigris Trichoda, O. F. Müller, An. Infus. 1786, 206.
 tigris Trochus, T. Martyn, Univ. Conch. II [1788], fig. 75.
 tigiuriensis Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 201.
 tilephus Papilio, *err. pro* thelephus, Cram., J. C. Fabricius, Mant. II. 1787, 78.
 tiliae Apathe [Hellw.], G. W. F. Panzer, Ins. Germ. heft 8, 1793, tab. 14.
 tiliae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 452; ed. 12, 1767, 734.
 tiliae Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 229.
 tiliae Cimex, J. C. Fabricius, Gen. Ins. 1777, 301.
 tiliae Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
 tiliae Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 174.—Cimex, 1777.
 tiliae Saperda, F. v. P. Schrank, F. Boica, I. 1798, 667.
 tiliae Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 489; ed. 12, 1767, 797.
 tilliaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520.
 tiliguerta Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
 tiliguerta Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1070.
 tiligugu Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
 tiligugu Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I (3) 1789, 1073.
 tillarga Libellula, J. C. Fabricius, Suppl. Ent. Syst. 1798, 285.
 Tillus A. G. Olivier, Entom. II. 1790, 1.—Col.
 timais [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 148.
 timantes Papilio (Plebejus), Linnaeus, Syst. Nat., ed. 10, 1758, 483; ed. 12, 1767, 791.
 timeo Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
 timesius [Sphinx], C. Stoll, Aanh. Cramer's Utitl. Kapellen, V. 1790, 172.
 timeus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 285.—Papilio.
 timeus [Papilio], P. Cramer, Utitl. Kapellen, II (16) 1777, 137.
 timidus Cerambyx, Scopoli, Ent. Carn. 1763, 53.
 timidus Cuniculus, F. C. Meuschen, Mus. Gronov. 1778, 4.
 timidus Curculio, P. Rossi, Mant. Ins. I. 1792, 37.
 timidus Lepus, Linnaeus, Syst. Nat., ed. 10, 1758, 57; ed. 12, 1766, 77.
 timidus Lepus, J. C. P. Erxleben, Syst. Anim. 1777; *var.* alpinus, 328; niger, 329; cor-
 timidus Lepus, R. Kerr, Anim. Kingd. 1792, 278; *var.* melinus. [nutus, 330.
 timidus Musca, M. Harris, Exp. Eng. Ins. 1776, 116.
 timidus Prionus, J. A. Scopoli, Annus V. 1772, 99.—Cerambyx, 1763.
 timolea [Phalaena], P. Cramer, Utitl. Kapellen, I (7) 1775, 127.
 timoleon [Papilio], C. Stoll, Aanh. Cramer's Utitl. Kapellen, IV. 1790, 146.
 timon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 260.
 timon Papilio, J. C. Fabricius, Mant. II. 1787, 65.
 timorensis Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 731.
 timucu Esox, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 88.
 Tinamou B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 11.—A.
 Tinamus J. Herrmann, Tab. affin. Anim. 1783, 164 & 235.—A.
 Tinamus J. P. Bonnatte, Ency. Méth. (Orn.) I. 1790, lxxxvii.—A.
 Tinamus J. Latham, Index Orn. 1790, 633.—A.
 Tinca E. L. Geoffroy, Descr. 719 Plant. &c. 1767, 406.—P.
 tinca Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 321; ed. 12, 1766, 526 [trinca].
 tinca Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 285; ed. 12, 1766, 477.
 tincae Fasciola, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 127.
 tincta Phalaena Noctua, N. J. Brahm, Ins. Kal. II (1) 1791, 393.
 tinctaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 121 [n. et f.].
 tinctella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 50.
 tinctor Alpheus (Forsk.), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
 tinctor Cancer, P. Forskal, Descr. Anim. 1775, 93.
 tinctor Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 335.
 tinctor Sphex, J. L. Christ, Nat. Ins. 1791, 311.
 tinctorius Acarus, Linnaeus, Syst. Nat., ed. 12, 1767, 1025.
 tinctorius Calamita, J. G. Schneider, Hist. Amph. I. 1799, 175.

- tinctoria* Rana, G. Cuvier, Tab. Elém. 1798, 295.
tinctorium Trombidium (L.), J. C. Fabricius, Syst. Ent. 1775, 430.—Acarus.
Tinea J. C. Fabricius, Syst. Ent. 1775, 655.—Lep.
Tinea *v.* Phalaena (Tinea), Linnaeus.
tinea Ichneumon, J. L. Christ, Nat. Ins. 1791, 369.
tinea Labrus, P. Förskal, Descr. Anim. 1775, xv.—[? misprint for *tinca*, Linn.]
tinea Oniscus, O. F. Müller, Z. Dan. Prod. 1776, 197.
tinea Trichoda, O. F. Müller, Verm. I (1) 1773, 83.
tinealis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 119.
tineana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 81 [*n. et f.*].
tinearum Ichneumon, C. de Villers, Linn. Ent. III. 1789, 211.
tineata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 51 [*n. n.*].
tineiformis Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 310.
tineiformis Sphinx Hyal., J. Hübner, Samml. Vögel u. Schmett. 1793, 8 [*n. et f.*].
tineodes Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 83.
tineodes Phalaena, Hufnagel, Berl. Mag. III, 1767, 412.
tineoides Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
tineoides Phryganea, Scopoli, Ent. Carn. 1763, 267.
tinianus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 713.
tinniens Rhingia, F. A. A. Meyer, Mag. Neuste Phys. u. Nat. IX (2) 1794, 75.
tinniens Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 827.
tinniens Vespa, Scopoli, Ent. Carn. 1763, 311.
tinnunculi Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 612; ed. 12, 1767, 1018.
Tinnunculus Linnaeus, Amoen. Acad. VII. 1766, 450.—M.
tinnunculus Accipiter (L.), J. C. Schaeffer, Mus. Orn. 1789, 8.—Falco.
tinnunculus Falco, Linnaeus, Syst. Nat., ed. 10, 1758, 90; ed. 12, 1766, 127.
tinnunculus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 279; *varr.* griseus, alaudarius.
tintinnabulatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 826.
tintinnabulum Balanus (L.), E. M. da Costa, Brit. Conch. 1778, 250.—Lepas.
tintinnabulum Beroe, A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 49.
tintinnabulum Lepas, Linnaeus, Syst. Nat., ed. 10, 1758, 668; ed. 12, 1767, 1108.
tinus Falco, J. Latham, Index Orn. 1790, 50.
tinus Mergus, Linnaeus in Hasselquist, Palast. 1762, 322.
tiphæ Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 413.
Tiphia J. C. Fabricius, Syst. Ent. 1775, 353.—Hym.
tiphia Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 186; ed. 12, 1766, 331.
tiphon Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 22. [12.]
tiphus Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 485.—[P. (Nymphalis), ed.
tiphus Papilio Pl. Rur., E. J. C. Esper, Die Schmett. I (Bd. 2), Forts. Tagschmett. [1780], 6.
Tipula Linnaeus, Syst. Nat., ed. 10, 1758, 585; ed. 12, 1767, 970.—Dip.
tipula Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
tipulae Ichneumon, Scopoli, Ent. Carn. 1763, 288.
tipulae Ichneumon, W. Kirby, Tr. Linn. Soc. [Lond.], IV. 1798, 232.
tipulaea Musca, A. F. de Fourcroy, Ent. Paris. 1785, 497.
tipularius Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
tipularius Cimex, M. Harris, Exp. Eng. Ins. 1776, 89.
tipularius Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex.
tipularia Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 337.
tipularia Panorpa, J. C. Fabricius, Syst. Ent. 1775, 314.
tipuliformis Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 190.
tipuliformis Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2865.—
tipuliformis Rhagio, J. C. Fabricius, Gen. Ins. 1777, 306. [Rhagio].
tipuliformis Sesia (Clerck), J. C. Fabricius, Syst. Ent. 1775, 549.—Sphinx.
tipuliformis Sp[hinx], C. Clerk, Icones, I. 1759, pl. ix, 1.
tipuloides Asilus, Linnaeus, Syst. Nat., ed. 10, 1758, 606; ed. 12, 1767, 1008.
tipuloides Ceroplatus, Bosc, J. C. Fabricius, Suppl. Ent. Syst. 1798, 550; *olim* Keroplatus.
tipuloides Cimex, C. de Geer, Mém. Ins. III. 1773, 354.

- tipuloides Keroplatus, L. Bosc, Act. Soc. Hist. Nat. Paris, I (1) 1792, 42.
 tipuloides Panorpa, J. C. Fuessly, Schweiz. Ins. 1775, 46.
 tircis [Papilio], C. Stoll in Cramer, Uitl. Kapellen, VI (32) 1782, 166.
 tiresia [Papilio], J. A. B. Bergstraesser, Ic. Pap. I. 1779, 7.
 tiresias [Phalaena], P. Cramer, Uitl. Kapellen, I (8) 1776, 133.
 tirhaca [Phalaena], P. Cramer, Uitl. Kapellen, II (15) 1777, 116.
 tiriacula Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 51.
 tirica Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13. I. 1788, 351.
 tiridates Papilio, P. Cramer, Uitl. Kapellen, II (14) 1777, 100.
 tirrhaea Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 213.—Phalaena tirhaca.
 tisiphone Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 492; ed. 12, 1767, 803.
 titan [Sphinx], P. Cramer, Uitl. Kapellen, II (12) 1777, 73.
 Titania J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
 titania Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
 titania Papilio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 428.
 Titanoceratophyton (*ex* Boerh.), P. L. S. Müller, Del. Nat. I. 1766, 128.—? Alga.
 titanus Anthrax, J. C. Fabricius, Suppl. Ent. Syst. 1798, 554.
 titanus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 16.—Scarabaeus, 1775.
 titanus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 10.
 titea [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 148.
 tithonus Papilio (P.), Linnaeus, Mant. II. 1771, 537.
 tithys *v.* titys.
 Titia J. G. Meigen, N. Class. Mouches, 1800, 38.—Dip.
 titia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 83.
 titillator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13. I. 1789, 1831.—Lamia.
 titillator Libneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 565; ed. 12, 1767, 934.
 titillator Lamia, J. C. Fabricius, Syst. Ent. 1775, 172.
 titus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 297.
 tityrus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 331.
 tityrus Papilio, J. C. Fabricius, Syst. Ent. 1775, 532.
 tityrus Papilio (Plebeius), N. Poda, Ins. Mus. Graec. 1761, 77.
 tityrus Papilio (Fab.), J. E. Smith in Abbott, Ins. Georgia, 1797, 37.—Hesperia.
 tithys Ficedula, J. C. Schaeffer, Mus. Orn. 1789, 35.
 titys Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 187.
 tithys Sylvia (L.), J. A. Scopoli, Annus I. 1769, 157.—Motacilla titys.
 tityus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 13.—Scarabaeus.
 tityus Scarabaeus, Linnaeus, Amoen. Acad. VI. 1763, 391.
 tityus Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 493.
 t-littera *see* t.
 tobaci Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13. I. 1788, 498.
 tobagensis Trochilus, *id. ac* tobaci, Gm., J. Latham, Index Orn. 1790, 316.
 tobata Tringa, *v.* lobata.
 tobianus Ammodytes, Linnaeus, Syst. Nat., ed. 10, 1758, 247; ed. 12, 1766, 430.
 toco Ramphastos, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 82.
 Todus M. J. Brisson, Ornith. IV. 1760, 528.—A.
 Todus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 10.—A.
 todus Alcedo, Linnaeus, Syst. Nat., ed. 10, 1758, 116.
 togatubalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 7[2].
 togata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 454.
 togata Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (45) 1791, 336.
 togata Tellina, J. X. Poli, Test. Sicil. II. 1795, 42.
 togatus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
 togata Vorticella, O. F. Müller, An. Infus. 1786, 294.
 tolai Lepus, P. S. Pallas, N. sp. Quad. I. 1778, 17.
 tolchiquatli Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13. I. 1788, 296.
 tolu Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13. I. 1788, 422.
 tolumnia [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 51.
 tomentosa Aphis, C. de Villers, Linn. Ent. I. 1789, 549.

- tomentosus Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 405.
- tomentosa Buprestis, A. G. Olivier, Entom. II. 1790, 56.
- tomentosum Callidium, J. A. Frolich, Naturforscher, XXVI. 1792, 158.
- tomentosa Cantharis, C. Allioni, Misc. Taurin. III. 1766, 189.
- tomentosa Cicada, J. C. Fabricius, Syst. Ent. 1775, 683.
- tomentosa Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 759.
- tomentosus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
- tomentosus Cimex, C. de Villers, Linn. Ent. I. 1789, 528.
- tomentosus Cryptocephalus (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- tomentosus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 536. [1730.—Lagria.
- tomentosus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 278.
- tomentosus Dermestes, C. de Geer, Mém. Ins. IV. 1774, 199.
- tomentosus Dermestes, F. v. P. Schrank, Ins. Aust. 1781, 30.
- tomentosus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 138.
- tomentosa Flustra, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 24.
- tomentosus Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 254.
- tomentosa Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
- tomentosa Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 340.
- tomentosa Libellula, J. C. Fabricius, Syst. Ent. 1775, 423.
- tomentosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 157.
- tomentosa Melyris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 60.
- tomentosa Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 105.
- tomentosus Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 275.
- tomentosus Scarabaeus, O. F. Müller, Z. Dan. Prod. 1776, 55.
- tomentosus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 644.
- tomentosus Scarabaeus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], III. 1792, 269.
- tomentosa Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 203.
- tomentosa Spheg, J. C. Fabricius, Mant. I. 1787, 274.
- tomentosa Spheg, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2734.
- tomentosa Spongia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3821.
- tomentosus Trixagus (Fabr.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
- 534.—Dermestes.
- tomineo Trochilus, Linnaeus, Syst. Nat., ed. 10, 1758, 121.—[var. colubris est, ed. 12.]
- tomyrus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) X. 1800, 102.
- tomyrus [Phalaena], P. Cramer, Utit. Kapellen, III (22) 1779, 123.
- tonykea Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 256.
- Tonna M. T. Brunnich, Zool. Fund. 1772, 248.—Moll.
- tophaceata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 113.
- tophaceata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 309 [n.
- topographica Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.]. [et f.]
- torcular Strombiformis, E. M. da Costa, Brit. Conch. 1778, 110.
- torcularis Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 368.
- torda Alca, Linnaeus, Syst. Nat., ed. 10, 1758, 130; ed. 12, 1766, 210.
- torda Pinguinus (L.), J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 29.—Alca.
- tordae Taenia, O. Fabricius, F. Groen. 1780, 319.
- toreuma [Buccinum], T. Martyn, Univ. Conch. II [1788], fig. 56.
- toreumatica Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 155.
- toreumaticus Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 156.
- toreumaticus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3180.—
- Torricula, v. Forficula P. Browne, Hist. Jamaica, ed. 2, 1789, 433. [Cidaris.
- tormentaria Bombyx (ex Goeze), C. C. Jung, Alph. Verz. Schmett. II. 1792, 243.
- tormentosa Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 230.
- tormentosa Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 601.
- tormentosa Crioceris (L.), J. C. Fabricius, Syst. Ent. 1775, 122.—Chrysomela.
- tormentosus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 57.
- tormentosa Pyrochroa, C. de Geer, Mém. Ins. V. 1775, 26.
- tormentosa Silpha, C. de Geer, Mém. Ins. IV. 1774, 183.
- tormentosa Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1299.

- torminata Geometra, *see* C. C. Jung, *Alph. Verz. Schmett.* II. 1792, 243.
 tornatilis *Bulimus* (L.), J. G. Bruguière, *Ency. Méth. (Vers)* (1) 1789, 338.—*Voluta*.
 tornatilis Bulla, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 728.—[*Voluta*, ed. 12.]
 tornatilis *Murex* (L.), F. C. Meuschen, *Mus. Gever.* 1787, 330.—*Voluta*.
 tornatilis *Rhinoceros* (L.), F. C. Meuschen, *Mus. Gever.* 1787, 262.—*Voluta*.
 tornatilis *Voluta*, Linnaeus, *Syst. Nat.*, ed. 12, 1767, 1187.—*Bulla*, 1758.
 tornator *Cerambyx*, J. A. Scopoli, *Del. Insub.* II. 1786, 38.
 tornator *Cerambyx* (Fab.), A. G. Olivier, *Entom.* IV. 1795, 103.—*Lamia*.
 tornator *Lamia*, J. C. Fabricius, *Syst. Ent.* 1775, 176.
 tornatus *Cucullus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 46 [*n. n.*].
 tornatus *Cucullus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 48 [*n. n.*].
 tornatum *Epitonium*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 92.
 tornata *Helix*, I. v. Born, *Index Mus. Caes. Vind.* 1778, 377.
 tornatus *Strombus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 97.
 tornata *Syrinx*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 121.
 tornatus *Trochus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 83.
 tornatus *Turbo*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 89.
 tornatum *Turris*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 124.
 torosa *Alata*, F. C. Meuschen, *Mus. Gever.* 1787, 344.
 torosus *Cylindrus*, F. C. Meuschen, *Mus. Gever.* 1787, 380.
 torosa *Histrix*, B. Merrem, *Leipz. Mag.* 1786, 198.
 torosus *Vespertilio*, M. Vahl, *Skr. nat. Selsk. [Copen.]* IV (1) 1797, 136.
 torpedo *Raja*, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 231; ed. 12, 1766, 395.
 torquareus Lygaeus, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 110.
 torquatinus *Papilio* E. A., E. J. C. Esper, *Ausl. Schmett.* (14) 1798, 206.
 torquata *Alcedo*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 180.
 torquata *Anas*, S. G. Gmelin, *Reise Russ.* II. 1774, 179.
 torquatus *Anser* (Gm.), J. P. Bonnaterre, *Ency. Méth. (Orn.)* 1790, 122.—*Anas*.
 torquata *Aptenodytes*, J. R. Forster, *Comm. Soc. R. Sci. Gött.* III. 1781, 135.
 torquata *Ardea*, J. F. Miller, *Icon. Anim.*, pl. 36 (1782).
 torquatus *Caprimulgus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 1032.
 torquata *Cercopis*, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 101.
 torquata *Cetonia* (Dru.), Herbst in *Jablonsky, Nat. Ins. (Käfer)* III. 1790, 198.—*Scara-*
 torquatus *Charadrius*, E. Pontoppidan, *Danske Atlas*, I. 1763, 625. [*bueus*.]
 torquatus *Charadrius*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 255.
 torquata *Cicada*, A. F. de Fourcroy, *Ent. Paris.* 1785, 187.
 torquatus *Cimex*, J. C. Fabricius, *Syst. Ent.* 1775, 710.
 torquatus *Coluber*, B. G. E. de Lacépède, *Quad. Ovip.* II. 1789, 100.
 torquatus *Colymbus*, M. T. Brünnich, *Orn. Boreal.* 1764, 41.
 torquata *Coturnix*, J. P. Bonnaterre, *Ency. Méth. (Orn.)* 1791, 218.
 torquatus *Cucullus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 38.
 torquatus *Cucullus*, J. F. Bolten, *Mus. Bolten.* (2) 1798, 45.
 torquatus *Falco*, M. T. Brünnich, *Orn. Boreal.* 1764, 4.
 torquatus *Formicarius*, P. Boddaert, *Tab. Planch. Enl.* 1783, 43.
 torquata *Fringilla*, J. F. Miller, *Icon. Anim.*, pl. 30 (1779).
 torquata *Hirundo*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 1022.
 torquatus *Ichneumon*, C. de Villers, *Linn. Ent.* III. 1789, 203.
 torquatus *Labrus*, J. J. Walbaum, *Arledi, Ichth.* (3), ed. 2, 1792, 245.
 torquatus *Lagomys* (Pall.), G. C. C. Storr, *Prod.* 1780, 40.—*Mus*.
 torquatus *Lemmus* (Pall.), H. F. Link, *Beytr. Nat.* I (2) 1795, 75.—*Mus*.
 torquatus *Mus*, P. S. Pallas, *N. sp. Quad.* II. 1779, 206.
 torquata *Muscicapa*, Linnaeus, *Syst. Nat.*, ed. 12, 1766, 328.
 torquatus [*Papilio*], P. Cramer, *Uitl. Kapellen*, II (15) 1777, 123.
 torquatus *Passer*, F. S. Bock, *Naturforscher*, XVII. 1782, 97.
 torquatus *Passer*, J. C. Schaeffer, *Mus. Orn.* 1789, 25.
 torquatus *Picus*, P. Boddaert, *Tab. Planch. Enl.* 1783, 52.
 torquata *Pipra*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 1000.
 torquatus *Psittacus*, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 351.

- torquatus Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 262.
 torquatus Ramphastos, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 354.
 torquata Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 60.
 torquata Strix, F. M. Daudin, Traité élém. Orn. 1800, 193.
 torquata Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3070.
 torquatus Tringa, E. Pontoppidan, Danske Atlas, I. 1763, 624.
 torquatus Trochilus, J. Latham, Index Orn. 1790, 309.
 torquatus Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
 torquatus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 170; ed. 12, 1766, 296.
 Torquilla M. J. Brisson, Ornith. IV. 1760, 4.—A.
 Torquilla M. T. Brünnich, Fund. Zool. 1772, 82.—A.
 torquilla Jynx, Linnaeus, Syst. Nat., ed. 10, 1758, 112.—[Yunx, ed. 12.]
 torquilla Volvox, J. Ellis, Phil. Trans. LIX. 1770, 149.
 torquilla Yunx, Linnaeus, Syst. Nat., ed. 12, 1766, 172.—[Jynx, ed. 10.]
 torrefacta Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 151.
 torridatum Jaculus, J. C. P. Erxleben, Syst. Anim. 1777, 409.
 torrida Anas (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 516.—Branta.
 torrida Branta, J. A. Scopoli, Annus I. 1769, 68.
 torridum Buccinum, O. F. Müller, Verm. II. 1774, 149.
 torridus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1824.
 torridus Cimex, J. A. Scopoli, Annus V. 1772, 110.
 torrida Loxia, J. A. Scopoli, Annus I. 1769, 140.
 torris Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
 torris Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna.
 torrita Branta=torrida, J. A. Scopoli, Bemerkt. Naturg. I. 1770, 75.
 torsk Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 460.
 torsk Gadus, G. A. Suckow, Naturges. IV. 1799, 246.
 torta Ostrea, J. Hermann, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 276.
 tortilis Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100 [n. n.].
 tortilus Cypraea, T. Martyn, Univ. Conch. II [1788], fig. 60.
 tortricella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 16.
 tortricis Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 376.
 Tortrix v. Phalaena (Tortrix), Linnaeus.
 "Tortrix, Brong. 1800," Ag.; does not occur.
 tortrix Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 182.
 tortuosa Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 693; ed. 12, 1767, 1140.
 tortuosum Cardium, J. Hermann, Naturforscher, XV. 1781, 117.
 tortuosa Millepora, E. J. C. Esper, Pflanzenth. Forts. I (5) 1796, 118.
 tortuosa Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 283.
 torulosus Bulimus, J. G. Bruguère, Ency. Méth. (Vers) (1) 1789, 332.
 torulosum Cerithium (L.), J. G. Bruguère, Ency. Méth. (Vers) (2) 1792, 482.—Murex.
 torulosa Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1226.
 torulosa Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2002.—
 torulosa Taenia, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 181. [Tenebrio.
 torulosus Tenebrio, P. S. Pallas, Icon. Ins. 1781, 51.
 torvus Blennius, L. T. Gronov, Acta Helvet. VII. 1772, 47.
 torva Fasciola, O. F. Müller, Verm. I (2) 1774, 62.
 torvus Musca, M. Harris, Exp. Eng. Ins. 1776, 113.
 torva Planaria, O. F. Müller, Z. Dan. Prod. 1776, 222.—Fasciola, 1774.
 torvus Sirex, M. Harris, Exp. Eng. Ins. 1776, 96.
 tota-cinerea Muraena, P. Forskal, Descr. Anim. 1775, 22.
 "totalis Anthropolithus," J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1793, 386.
 "totalis Ornitholithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 157.
 Totanus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 6 & 64.—A.
 Totanus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [n. n.].—A.
 totanus Limosa, J. C. Schaeffer, Mus. Orn. 1789, 52.
 totanus Scolopax, Linnaeus, Syst. Nat., ed. 10, 1758, 145; ed. 12, 1766, 245.
 totliana Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2850.

- toto-marginalis Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 391.
 tottus Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 50.
 totta Loxia, A. Sparrman, Mus. Carls. I. 1786, no. xviii.
 touan Mustela, J. M. Bechstein in Pennant, Uebers. 4 füß. Thiere, II. 1800, 359.
 toulon Cuculus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 90.
 Touraco B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
 Touyou B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 20.—A.
 tovi Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 351.
 toxea [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 133.
 toxicon Coluber, J. P. Bonnatere, Ency. Méth. (Oph.) 1790, 62.
 [trabalis Araneus, C. Clerck, Aran. Svec. 1757, 97.]
 trabalis Araneus, T. Martyn, Aranei, 1793, 45.
 trabalis Nerita, F. C. Meuschen, Mus. Gev. 1787, 272.
 trabealis Phalaena, Scopoli, Ent. Carn. 1763, 240.
 trachealis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3035.
 Trachelia J. A. Scopoli, Annus I. 1769, 110.—A.
 tracheliotus Vultur, J. R. Forster in Levaillant, Reise Afrikas, III. 1791, 363.
 Trachichthys G. Shaw, Nat. Misc. X. 1799, pl. 378.—P.
 Trachinus Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 435; [Artedi, Ichth. 1738,
 Trachipterus A. Gouan, Hist. Pisc. 1770, 103 & 153.—P. [gen. xxxi, 41].—P.
 trachurus Oniscus, P. S. Pallas, Reise Russ. III. 1776, 709.
 trachurus Scomber, Linnaeus, Syst. Nat., ed. 10, 1758, 298; ed. 12, 1766, 494.
 "Trachipterus, Gouan," Ag.; v. Trachipterus.—P.
 trachyptera Cepola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1187.
 trachyrhynchos Pelecanus, J. Latham, Index Orn. 1790, 884.
 tragacanthae Bruchus, A. G. Olivier, Entom. IV. 1795, 15.
 tragiae Curculio, J. C. Fabricius, Syst. Ent. 1775, 131.
 tragocamelus Antilope, P. S. Pallas, Misc. Zool. 1766, 5.
 Tragopan Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 1 & 13.—A.
 tragopoginis Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 615.—Phalaena.
 tragopoginis [Phalaena], C. Clerck, Icones, I. 1759, pl. i, 5.
 tragopoginis Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 316.
 Tragosita, *err. pro* Trogosita G. Paykull, Faun. Suec. I. 1798, 91.
 tragulinus Conus, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 149.
 Tragulus M. J. Brisson, Reg. Anim. 1762, 65.—M.
 Tragulus P. S. Pallas, Spic. Zool. (XIII) 1779, 27.—M.
 Tragus F. v. P. Schrank, F. Boica, I. 1798, 78.—M.
 tragus Cimex, J. C. Fabricius, Mant. II. 1787, 288.
 tragus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 135.—Cimex, 1787.
 tragus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 56.
 tramoserica Patella, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 16.
 tranquebaria Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
 tranquebarica Albula, J. F. Bolten, Mus. Bolten. (2) 1798, 21.
 tranquebarica Atelabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 162.
 tranquebaricum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
 tranquebarica Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1932.
 tranquebaricus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1848.
 tranquebarica Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 161.—Ostrea.
 tranquebaricum Cymbium, J. F. Bolten, Mus. Bolten. (2) 1798, 152.
 tranquebarica Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 95.
 tranquebarica Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.
 tranquebarica Leptura, J. C. Fabricius, Suppl. Ent. Syst. 1798, 154.
 tranquebarica Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2870.
 tranquebaricus Palaemon, F. Weber, Nomen. Fabricii, 1795, 94 [*n. n.*].
 tranquebaricus Palaemon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 403.
 tranquebarica Parra (Jacana), B. C. Otto in Buffon, Natg. Vögel, XXIX. 1800, 191.
 tranquebarica Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
 tranquebarica Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 96.

- tranquebaricus Portunus, F. Weber, Nomen. Fabricii, 1795, 93 [*n. n.*].
 tranquebaricus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 366.
 tranquebaricus Prionus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 141.
 tranquebaricus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83.
 tranquebarica Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2769.
 tranquebarorum Apis, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 282.
 tranquilla Apis, O. F. Müller, Z. Dan. Prod. 1776, 164.
 tranquillus Cuculus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 417.
 tranquilla Monas, O. F. Müller, An. Infus. 1786, 6.
 transalpina Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 196.
 transalpina Sphinx, J. Hübner, Europ. Schmett. 2 Horde [me judice 1796], 16.
 transfuga Apis, J. L. Christ, Nat. Ins. 1791, 196.
 transfuga Blatta, Brünnich in E. Pontoppidan, Kurz. Nachr. N.-H. Dännemark, 1765, 212.
 transfuga Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 594; ed. 12, 1767, 987.
 transfuga Syrphus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 306.—Musca.
 transfuga Trichoda, O. F. Müller, Z. Dan. Prod. 1776, 281.
 translucens Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
 translucens Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
 transmarinus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 213.
 transparens Ehippium, J. F. Bolten, Mus. Bolten. (2) 1798, 166.
 transparens Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
 transtra Ostrea, F. C. Meuschen, Mus. Gever. 1787, 424.
 transversalis Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 65.
 transversalis Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 190.
 transversalis Cimex, J. C. Fabricius, Mant. II. 1787, 304.
 transversalis Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 97.
 transversalis Coccinella, Thunberg in J. C. Fabricius, Mant. I. 1787, 54.
 transversalis Dytiscus, O. F. Müller, Z. Dan. Prod. 1776, 71.
 transversalis Dytiscus, E. Pontoppidan, Danske Atlas, I. 1763, 677.
 transversalis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 175.
 transversalis Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 281.
 transversalis Tipula, C. de Villers, Linn. Ent. III. 1789, 372.
 transversana Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2518.
 transversata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 600.
 transversata Phalaena, D. Drury, Ill. Nat. Hist. I. 1770, index & 16.
 transversata Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 75.
 transversepunctata Coccinella, J. C. H. Boerner, Oek. Nach. Ges. Schlesien, IV. 1776, [250 [not seen]].
 transverse-striatus Dytiscus, C. de Geer, Mém. Ins. IV. 1774, 399.
 transversa Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 83.
 transversa Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 437.
 transversa Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 84.
 transversa Cercopis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 523.
 transversa Chama, F. C. Meuschen, Mus. Gever. 1787, 456.
 transversus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 40.
 transversus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
 transversa Ips, A. G. Olivier, Entom. II. 1790, 14.
 transversus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 10.
 transversa Phalaena, Hufnagel, Berl. Mag. III. 1767, 418.
 transversus Spirorbis, F. M. Daudin, Rec. Mém. Moll. 1800, 48.
 trapa Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
 trapa Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 145.
 trapezana Pyralis, J. C. Fabricius, Mant. II. 1787, 228.
 trapezana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 523.
 trapezina Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 600.—Phalaena.
 trapezina Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 510; ed. 12, 1767, 836
 Trapezium [G. Humphreys], Mus. Calonn. 1797, 50 [*n. n.*].—L. [trapetz-].
 trapezium Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 300.—Murex.
 trapezia Cardita (L.), J. G. Brugière, Ency. Méth. (Vers) (2) 1792, 407.—Chama.

- trapezius Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 47.
- trapezia Chama, Linnaeus, Syst. Nat., ed. 12, 1767, 1138.
- trapezium Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 39.
- trapezium Fusus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 118.—Murex.
- trapezium Lepas, J. C. Fabricius, Reise Norwegen, 1779, 305.
- trapezium Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 755; ed. 12, 1767, 1224.
- trauniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Tortrix.
- trauniana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 132.
- trauniana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 38 [n. et f.].
- tredecimguttata Aranea, P. Rossi, Fauna Etrus. II. 1790, 136.
- tredecimmaculata Coccinella, J. R. Forster, Cat. Brit. Ins. 1770, 5 [n. n.].
- tredecimmaculata Coccinella, J. R. Forster, N. Sp. Ins. 1771, 18.
- tredecimmaculata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 83.
- tredecimnotata Coccinella, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 10.
- tredecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767, 582.
- tredecimpunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 83.
- tredecimpunctata Coccinella, F. v. P. Schrank, Briefe Donaumoor, 1795, 137. [613.
- tredecimpunctatus Curculio, J. C. W. Illiger, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
- tredecimpunctatus Rynchophorus, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 10.
- trembleyella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 527.
- tremella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
- tremellae Acarus, Linnaeus, Faun. Suec., ed. 2, 1761, 485.
- tremellaris Fasciola, O. F. Müller, Verm. I (2) 1774, 72.
- tremellaris Planaria, O. F. Müller, Z. Dan. Prod. 1776, 223.—Fasciola, 1774.
- tremulae Aphis, Linnaeus, Faun. Suec., ed. 2, 1761, 261.
- tremulae Cicada, O. Estlund, K. Vet. Ac. Nya Handl. XVII. 1796, 129.
- tremulae Curculio, J. C. Fabricius, Mant. I. 1787, 109.
- tremulus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
- tremula Chrysomela, J. C. Fabricius, Mant. I. 1787, 69.
- tremula Chrysomela, C. de Villers, Linn. Ent. IV. 1789, 257.
- tremula Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 117.
- tremula Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162.
- tremula Enchelis, O. F. Müller, An. Infus. 1786, 30.
- tremulus Gymnotus, [M. Houttyn], Nat. Hist. I (7) 1764, 111.
- tremula Holothuria, J. E. Gunnerus, K. Vet. Ac. Handl. XVIII. 1767, 119.
- tremula Leptura (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 208.—Saperda.
- tremula Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 991.—[temula, Scop.]
- tremula [Phalaena], C. Clerck, Icones, I. 1759, pl. ix, 13.
- tremula Phalaena (Bombyx), Linnaeus, Faun. Suec., ed. 2, 1761, 298.
- tremula Saperda, J. C. Fabricius, Syst. Ent. 1775, 186.
- tremula Saperda, G. W. F. Panzer, Ins. Germ. heft 1, 1792, no. 7.
- tremula Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.
- tremula Vorticella, O. F. Müller, An. Infus. 1786, 289.
- Trepidaria J. G. Meigen, N. Class. Mouches, 1800, 35.—Dip.
- trepida Bombyx, E. J. C. Esper, Die Schmett. III (24) 1786, 284.
- trepidus Cebus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 50.—Simia.
- trepida Phalaena (Fab.), E. Donovan, Brit. Ins. VII. 1798, 63.—Bombyx.
- trepida Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 39.
- trepidus Simia (Sapajus), R. Kerr, Anim. Kingd. 1792, 77 & var. fulvus.
- treueriana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
- treueriana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 100 [n. et f.].
- triacanthus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
- Triaenophorus C. A. Rudolphi, Obs. Ver. Intest. 1793, 44.—Ver.
- trianfractus Turbo, E. M. da Costa, Brit. Conch. 1778, 92.
- triangulana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 257.
- triangulari-spinosa Aranea, C. de Geer, Mém. Ins. VII. 1778, 321.
- [triangularis Araneus, C. Clerck, Aran. Svec. 1757, 71.]
- triangularis Araneus, T. Martyn, Aranei, 1793, 32.

- triangularis Chama, F. C. Meuschen, Mus. Gever. 1787, 454.
 triangularis Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 46.
 triangularis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 triangularis Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 108.
 triangularis Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 134.
 triangularis Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 205.
 triangularis Copris (Dru.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 176.—Scarabaeus.
 triangularis Curculio, V. Petagna, Spec. Ins. ult. Calab. 1786, 14.
 triangularis Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2082.
 triangularis Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 triangularis Nerita, F. C. Meuschen, Mus. Gever. 1787, 274.
 triangularis Noctua, C. P. Thunberg, Ins. Suecica (1) 1784, 3.
 triangularis Opilio, J. F. W. Herbst, Nat. ungefl. Ins. (3) 1799, 9.
 triangularis Scarabaeus, D. Drury, Ill. Nat. Hist. I. 1770, index & 82.
 triangularis Tabanus, A. F. de Fourcroy, Ent. Paris. 1785, 455.
 triangularis Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3237.
 triangularis Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 188.
 triangularis Tipula, J. C. Fabricius, Syst. Ent. 1775, 749.
 triangulatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2181.
 triangulata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
 triangulatus Scarabaeus (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 139.
 triangulella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 245.
 triangulella Tinea, Bloch in G. W. F. Panzer, Ins. Germ. heft 18, 1794, tab. 23.
 triangulum Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.
 triangulum Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
 triangulum Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 86.
 triangulum Hylaeus, J. C. Fabricius, Ent. Syst. II. 1793, 306.
 triangulum Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2719.
 triangulum Noctua, J. C. Fabricius, Mant. II. 1787, 145.
 triangulum Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 125.
 triangulum Phalaena, Hufnagel, Berl. Mag. III. 1767, 306.
 triangulum Philanthus, J. C. Fabricius, Skr. nat. Selsk. [Copen.], I (1) 1790, 224.—Vespa,
 triangulum Scarabaeus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 97. [1775.
 triangulum Spheg, C. de Villers, Linn. Ent. III. 1789, 251.
 triangulum Vespa, J. C. Fabricius, Syst. Ent. 1775, 373.
 triarcuata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 296.
 triarius Papilio, L. Prunner, Lep. Pedemont. 1798, 70.
 tribuloides Cancer, F. X. de Wulfen, Nova Acta Acad. Caes. VIII. 1791, 352.
 tribuloides Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
 tribuloides Curculio, P. S. Pallas, Icon. Ins. 1781, 30.
 tribulus Aranea, J. C. Fabricius, Spec. Ins. I. 1781, 547.
 tribulus Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1045.
 tribulus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1827.—Lamia.
 tribulus Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 124.
 tribulus Curculio, J. C. Fabricius, Syst. Ent. 1775, 153.
 tribulus Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 55.
 tribulus Lamia, J. C. Fabricius, Syst. Ent. 1775, 170.
 tribulus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 746; ed. 12, 1767, 1214.
 tribulus Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 310.—Murex.
 tribulus Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 140.
 tribunella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
 tribunus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3377.
 tricanthus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3527.
 tricarinatum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 280.
 tricarinata Helix, O. F. Müller, Verm. II. 1774, 85.
 tricarinata Patella, Linnaeus, Syst. Nat., ed. 12, 1767, 1259.
 tricarinatum Phalangium, Linnaeus, Syst. Nat., ed. 12, 1767, 1029.
 tricarinata Testudo, J. D. Schoepf, Hist. Test. 1792, 9.

- tricesima Noctua, C. C. Jung, Alph. Verz. Schmett. II. 1792, 245.
 trichas Sylvia (L.), J. Latham, Index Orn. 1790, 519.—Turdus.
 trichas Turdus, Linnaeus, Syst. Nat., ed. 12, 1766, 293.
 Trichechus Linnaeus, Syst. Nat., ed. 10, 1758, 34; ed. 12, 1766, 49.—M.
 trichechus Manati, P. Boddaert, Elench. 1785, 173.
 Trichidion (*ex* Klein), J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 585.—P.
 trichiura Ascaris, Linnaeus, Mant. II. 1771, 543.
 trichiura Trichocephalus (L), P. C. Abildgaard, Skr. nat. Selsk. [Copen.], I (1) 1790, 31.—
 Trichiurus Linnaeus, Syst. Nat., ed. 10, 1758, 246; ed. 12, 1766, 429.—P. [Ascaris.
 Trichius J. C. Fabricius, Syst. Ent. 1775, 40.—Col.
 Trichocephalos J. A. E. Goeze, Eingeweidewürm. 1782, 112.—Verm.
 trichocephala Ascaris, A. J. Retzius, Verm. Intest. 1786, 12.
 trichocephala Linguatula, F. y. P. Schrank, Samml. Nat. Phys. Aufsät. 1796, 232.
 Trichoda O. F. Müller, Verm. I (1) 1773, 71.—Inf.
 trichodactyla Alucita, [Denis & Schiffermüller], Schmett. Wien, 1775, 145.
 trichodactylus Pleuronectes, Linnaeus, Syst. Nat., ed. 10, 1758, 268; ed. 12, 1766, 455.
 Trichodes J. F. W. Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 154.—Col.
 trichoides Tubularia, P. S. Pallas, Elench. 1766, 84.
 "Trichopodus, Lacép. 1800," Ag.; is 1802.
 trichopterus Labrus, P. S. Pallas, Spic. Zool. VIII (1770), 45.
 trichopterus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
 trichrous Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2683.
 trichroa Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
 trichrus Meloe, P. S. Pallas, Icon. Ins. 1798, 100.
 Trichuris Roederer, Götting. Anz., 10 Oct. 1761, 243.—Ver.
 Trichuris Roederer & Wagler, M. E. Bloch, Eingeweidewürmer, 1782, 33.—Verm.
 "Tricidos, Bolten, 1798," Scudd.; *err. pro* Trisidos.
 tricinctaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767, [865.
 tricincta Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
 tricincta Crabro, J. C. Fabricius, Syst. Ent. 1775, 375.
 tricinctus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 430.
 tricinctus Curculio, *id. ac* cinctus, Fourc., A. G. Olivier, Ency. Méth. V (Ins.) 1790, 497.
 tricinctus Dasytus, Linnaeus, Syst. Nat., ed. 10, 1758, 51; ed. 12, 1766, 53.
 tricinctus Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 327.
 tricinctus Mellinus, J. C. Fabricius, Ent. Syst. II. 1793, 287.
 tricincta Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 266.—Tiphia.
 tricincta Sphex (Fab.), J. L. Christ, Nat. Ins. 1791, 292.—Crabro.
 tricinctus Syrphus, J. D. Preyßler in Mayer's Samml. Phys. Aufsätze, III. 1793, 311.
 tricincta Tenthredo, J. L. Christ, Nat. Ins. 1791, 450.
 tricincta Tiphia, J. C. Fabricius, Syst. Ent. 1775, 354.
 tricincta Vespa, J. C. Fabricius, Syst. Ent. 1775, 363.
 tricincta Vespa, F. v. P. Schrank, Ins. Aust. 1781, 393.
 tricincta Volucella, O. F. Müller, Z. Dan. Prod. 1776, 178.
 tricirratius Gadus, M. T. Brännich, Ich. Massil. 1768, 22.
 Tricla A. J. Retzius, Diss. Nova Test. Gen. 1788, 8.—Moll.
 tricolor Anas, P. Boddaert, Tab. Planch. Enl. 1783, 56.
 tricolor Andrena, J. C. Fabricius, Syst. Ent. 1775, 377.
 tricolor Anobium, A. G. Olivier, Entom. II. 1790, 10.
 tricolor Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 333.
 tricolor Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2791.—Andrena.
 tricolor Ardea, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 111.
 tricolor Asterias, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 28.
 tricolor Attelabus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1811.—Clerus.
 tricolor Cantharis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1897.
 tricolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1988.
 tricolor Carabus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 57.
 tricolor Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 304.
 tricolor Certhia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 99.

- tricolor *Cetonia*, A. G. Olivier, Entom. I. 1789, 88.
 tricolor *Chaetodon*, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 103.
 tricolor *Chrysomela*, J. C. Fabricius, Spec. Ins. I. 1781, 129.
 tricolor *Chrysomela*, J. C. Fabricius, Ent. Syst. I (1) 1792, 316.
 tricolor *Cicada*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2108.
 tricolor *Cimex*, J. C. Fabricius, Mant. II. 1787, 306.
 tricolor *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2164.
 tricolor *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
 tricolor *Cimex*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 536.
 tricolor *Clerus*, J. C. Fabricius, Spec. Ins. I. 1781, 202.
 tricolor *Coccinella*, J. C. Fabricius, Mant. I. 1787, 59.
 tricolor *Conops*, N. Poda, Ins. Mus. Graec. 1761, 118.
 tricolor *Corvus*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 85.
 tricolor *Cryptocephalus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1726.
 tricolor *Cryptocephalus*, P. Rossi, Mant. Ins. I. 1792, 33.
 tricolor *Curculio*, J. A. Scopoli, Annus V. 1772, 91.
 tricolor *Curculio*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1773.
 tricolor *Cylindrus*, F. C. Meuschen, Mus. Gev. 1787, 372.
 tricolor *Dermestes*, A. F. de Fourcroy, Ent. Paris. 1785, 24.
 tricolor *Dytiscus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1956.
 tricolor *Dytiscus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
 tricolor *Elater*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
 tricolor *Elater*, A. G. Olivier, Entom. II. 1790, 9.
 tricolor *Fringilla*, Linnaeus, Syst. Nat., ed. 12, 1766, 323.
 tricolor *Galleruca*, J. C. Fabricius, Ent. Syst. I (2) 1792, 17.—*Chrysomela*, 1781.
 tricolor *Gryllus* (*Mantis*), Linnaeus, Syst. Nat., ed. 10, 1758, 426.—[*Mantis*, ed. 12.]
 tricolor *Hydrophilus*, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 122.
 tricolor *Ichneumon*, F. v. P. Schrank, Beitr. Nat. 1776, 87.
 tricolor *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 182.
 tricolor *Loxia*, A. Vroeg, Catal. Vogel. 1764, Adumb., 2.
 tricolor *Lycus*, A. G. Olivier, Entom. II. 1790, 10.
 tricolor *Lygaeus*, J. C. Fabricius, Ent. Syst. IV. 1794, 181.—*Cimex*, 1787.
 tricolor *Mantis*, Linnaeus, Syst. Nat., ed. 12, 1767, 691.—[*Gryllus*, ed. 10.]
 tricolor *Musca*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
 tricolor *Nerita*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
 tricolor *Oriolus*, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
 tricolor *Paederus* (*Payk.*), J. C. Fabricius, Ent. Syst. I (2) 1792, 537.—*Staphylinus*.
 tricolor *Phalaena* (*Noct.*), C. de Villers, Linn. Ent. II. 1789, 282.
 tricolor *Phalaena Noct.*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2580.
 tricolor *Picus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 437.
 tricolor *Pipra*, D. L. G. Karsten, Mus. Lesk. I. 1789, xxiii.
 tricolor *Pompilus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 251.—*Sphex*, 1793.
 tricolor *Saperda*, J. C. Fabricius, Ent. Syst. I (2) 1792, 309.
 tricolor *Scarabaeus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.
 tricolor *Scolia*, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 204.
 tricolor *Silpha*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627.
 tricolor *Sphex*, F. v. P. Schrank, Ins. Aust. 1781, 383.
 tricolor *Sphex*, J. C. Fabricius, Ent. Syst. II. 1793, 215.
 tricolor *Staphylinus*, J. C. Fabricius, Mant. I. 1787, 221.
 tricolor *Syrphus*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 563.
 tricolor *Tanagra*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 891.
 tricolor *Tenthredo*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2657.
 tricolor *Tipula*, J. C. Fabricius, Syst. Ent. 1775, 749.
 tricolor *Vespa*, P. S. Pallas, Reise Russ. I. 1771, 474.
 tricolor *Vespa*, J. C. Fabricius, Syst. Ent. 1775, 369.
 tricolor *Voluta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
 tricolorata *Phalaena Geom.*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
 tricolorella *Phalaena Tinea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2606.

- tricoloreus* Ichneumon, J. L. Christ, Nat. Ins. 1791, 349.
tricolora Bombyx, J. C. Fabricius, Mant. II. 1787, 114.
tricolora Bombyx, J. J. Roemer, Gen. Ins. 1789, 73.
tricolora Motacilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 175.
tricolora Phalaena Noct., J. H. Sulzer, Gesch. Ins. 1776, 160.
tricomma Phalaena, Hufnagel, Berl. Mag. III. 1767, 408.
tricornis Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
tricornis Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 408.
tricornis Rhinoceros, J. F. Gmelin, Anhang zu Bruce, Reisen Africa, 1791, 79 [*n. n.*].
tricornis Scarabaeus, Jablonsky, Nat. Ins. (Käfer) I. 1785, 269.
tricornis Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 149.
tricornutus Scarabaeus, C. de Geer, Mém. Ins. VII. 1778, 637.
tricostata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3698.
Tricuspidaria C. A. Rudolphi, Obs. Verm. Intest. 1793, 44.—Ver.
tricuspidator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
tricuspidator Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 402.—Hydrachna.
tricuspidata Aranea, J. C. Fabricius, Syst. Ent. 1775, 433.
tricuspidata Buprestis, A. G. Olivier, Entom. II. 1790, 29.
tricuspidatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 144.
tricuspitata Ligia, F. Weber, Nomen. Fabricii, 1795, 92 [*n. n.*].
tricuspidata Mordella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2024.
tricuspidata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.—
tricuspidatum Sepidium, J. C. Fabricius, Syst. Ent. 1775, 250. [Sepidium].
tricuspidata Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 19.
tricuspidata Vespa, C. de Villers, Linn. Ent. III. 1789, 280.
tricuspis Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 348.
tricuspis Coccinella, C. P. Thunberg, Ins. Suecica (9) 1795, 107.
tricuspis Crabro, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 127.
Tridachna [G. Humphreys], Mus. Calonn. 1797, 50.—L.
Tridachnes J. F. Bolten, Mus. Bolten. (2) 1798, 171.—L.
“*Tridacna*, Da Costa, 1776,” Scudd.; not used in a Linnaean sense.
Tridacna J. G. Bruguière, Ency. Méth. (Tabl. Vers.), pl. 235 (1797) [*n. et f.*]—the refer-
ence of Hermannsen, to I. p. 386 shows that Bruguière did not adopt the name till 1797,
as in 1789 he used the vernacular *Tridacne*.
Tridacna Lamarck, Mém. Soc. H. N. Paris, 1799, 86.—L.
tridactyla-columnae Chalcides, J. N. Laurenti, Syn. Rept. 1768, 64.
tridactylion Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 154.
Tridactylus A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 26.—Or.
Tridactylus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 11.—A.
tridactyla Alcedo, P. S. Pallas, Spic. Zool. VI. 1769, 10.
tridactylus Blennius, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 459.
tridactylus Bradypus, Linnaeus, Syst. Nat., ed. 10, 1758, 34; ed. 12, 1766, 50.
tridactyla Didelphis, R. Kerr, Anim. Kingd. 1792, 198.
tridactylus Ignavus, J. F. Blumenbach, Hand. Naturg. 1779, 71.
tridactyla Lacerta, J. A. Donndorff, Zool. Beyt. III. 1798, 132.
tridactyla Lacerta, G. A. Suckow, Naturges. III. 1798, 140.
tridactylus Larus, Linnaeus, Syst. Nat., ed. 10, 1758, 136; ed. 12, 1766, 224.
tridactyla Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 866.
tridactyla Myrmecophaga, Linnaeus, Syst. Nat., ed. 10, 1758, 35; ed. 12, 1766, 51.
tridactyla Phalaena (Alucita), Linnaeus, Syst. Nat., ed. 10, 1758, 542; ed. 12, 1767, 899.
tridactyla Phytotoma (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 366.—Loxia.
tridactylus Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 114; ed. 12, 1766, 177.
tridactylus Pterophorus (L.), J. C. Fabricius, Syst. Ent. 1775, 671.—Phalaena.
tridactylus Tardigradus, F. C. Meuschen, Mus. Gronov. 1778, 3.
tridens Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 91.—Cancer.
tridens Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 362.
tridens Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 350.—Helix.
tridens Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (8) 1790, 267.

- tridens Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 340.
- tridens Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.—Scarabaeus.
- tridens Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 109.
- tridens Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 298.—Vespa, 1781.
- tridens Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 270.
- tridens Curculio, J. C. Fabricius, Mant. I. 1787, 122.
- tridens Helix, O. F. Müller, Verm. II. 1774, 106.
- tridens Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 642 [*n. n.*].
- tridens Musca, Bosc, J. Nat. Hist. (Choix des Mém.) II. 1792, 54.
- tridens Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 67.
- tridens Pedicellaria, O. F. Müller, Z. Dan. Prod. 1776, 229.
- tridens Phalaena, Hufnagel, Berl. Mag. III. 1767, 300.
- tridens Scarabaeus, J. C. Fabricius, Spec. Ins. I. 1781, 29.
- tridens Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 232.
- tridens Turbo (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3611.—Helix.
- tridens Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 464.
- tridentalus Oniscus, N. Pođa, Ins. Mus. Graec. 1761, 125.
- tridentata Anomia, P. Forskal, Descr. Anim. 1775, 124.
- tridentata Apis, J. C. Fabricius, Syst. Ent. 1775, 387.
- tridentata Bembex, J. C. Fabricius, Ent. Syst. II. 1793, 251.
- tridentatus Cancer, P. Forskal, Descr. Anim. 1775, 90.
- tridentatus Carabus, A. G. Olivier, Entom. III. 1795, 53.
- tridentata Cetonia, A. G. Olivier, Entom. I. 1789, 88.
- tridentata Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 374; ed. 12, 1767, 596.
- tridentata Cicindela, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 26.
- tridentata Cicindela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 51.
- tridentatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 214.
- tridentata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 112.—Cryptocephalus, 1775.
- tridentata Clytra (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 170.—Chrysomela.
- tridentatus Crabro, J. C. Fabricius, Syst. Ent. 1775, 373.
- tridentatus Cryptocephalus (L.), J. C. Fabricius, Syst. Ent. 1775, 106.—Chrysomela.
- tridentatus Elater, J. C. Fabricius, Suppl. Ent. Syst. 1798, 139.
- tridentata Hyaloea (Forsk.), Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Anomia.
- tridentatus Iulus, J. C. Fabricius, Syst. Ent. 1775, 427.
- tridentatus Lucanus (L.), Linnaeus, Syst. Nat., ed. 12, 1767, 560.—Scarabaeus, 1758.
- tridentata Melolontha (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 42.—Chrysomela.
- tridentatus Oniscus, O. F. Müller, Z. Dan. Prod. 1776, 198.
- tridentata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 618.
- tridentata Saperda, A. G. Olivier, Entom. IV. 1795, 30.
- tridentatus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 354.—[Lucanus, ed. 12.]
- tridentata Serpula, J. C. Fabricius, Reise Norwegen, 1779, 385.
- tridentatus Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3519.
- tridentatus Vermetus, F. M. Daudin, Rec. Mém. Moll. 1800, 47.
- tridentata Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2761.—Crabro.
- tridentella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
- tridentifer Scarabaeus, F. A. A. Meyer, Zool. Archiv (1) 1796, 199.
- triedra Libellula, O. F. Müller, F. Ins. Frid. 1764, 62.
- triedra Libellula, C. Allioni, Misc. Taurin. III. 1766, 194.
- trifarius Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
- trifasciana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 248.
- trifasciaria Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
- trifasciata Alica (L.), J. C. Fabricius, Syst. Ent. 1775, 113.—Chrysomela.
- trifasciata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 41.
- trifasciata Apis, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 220.
- trifasciata Aranea, P. Forskal, Descr. Anim. 1775, 86.
- trifasciatus Asellus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 256.
- trifasciatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3477.
- trifasciatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3489.

- trifasciatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 317.
 trifasciata Buprestis, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 51.
 trifasciata Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 198.
 trifasciatum Callidium, J. C. Fabricius, Spec. Ins. I. 1781, 244.
 trifasciata Cassida, J. C. Fabricius, Mant. I. 1787, 65.
 trifasciatus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255;—Callidium.
 trifasciatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.
 trifasciata Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—Lamia.
 trifasciata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 56.
 trifasciatus Chaetodon, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 34.
 trifasciata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 594.
 trifasciata Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 313.
 trifasciata Cicada, C. de Geer, Mém. Ins. III. 1773, 186.
 trifasciata Cicindela, J. C. Fabricius, Spec. Ins. I. 1781, 286.
 trifasciatus Cimetex, Linnaeus, Syst. Nat., ed. 12, 1767, 725.
 trifasciata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.
 trifasciatus Conops, Scopoli, Ent. Carn.: 1763, 352.
 trifasciata Conops, C. de Geer, Mém. Ins. VI. 1776, 262.
 trifasciata Conops, Herbst, Einl. Ins. III. 1786, 116.
 trifasciatus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 81.
 trifasciatus Curculio, J. C. Fabricius, Mant. I. 1787, 105.
 trifasciatus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 374.
 trifasciata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3405.
 trifasciatus Dermestes, J. C. Fabricius, Mant. I. 1787, 34.
 trifasciatus Elater, Hellwig in G. W. F. Panzer, Ins. Germ. heft 3, 1792, tab. 14.
 trifasciata Galleruca (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 30.—Chrysomela.
 trifasciata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 13.
 trifasciata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
 trifasciatus Hemerobius, O. F. Müller, Z. Dan. Prod. 1776, 146.
 trifasciata Lamia, J. C. Fabricius, Syst. Ent. 1775, 174.
 trifasciata Lamia (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 136.—
 trifasciata Leptura, J. C. Fabricius, Ent. Syst. I (2) 1792, 349. [Callidium.
 trifasciatus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 179.—Cimetex.
 trifasciata Meloe, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2020.
 trifasciatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 113.
 trifasciata Musca (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 453.—Conops.
 trifasciata Mylabris (Thun.), A. G. Olivier, Entom. III. 1795, 5.—Meloe.
 trifasciatus Notoxus, P. Rossi, Mant. Ins. I. 1792, 45.
 trifasciatus Oriolus, G. Shaw in Miller, Cim. Phys. 1796, 101.
 trifasciata Perca, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 354.
 trifasciata Phalaena, J. A. Scopoli, Annus V. 1772, 116.
 trifasciata Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.
 trifasciata Porcellana, F. C. Meuschen, Mus. Gever. 1787, 402.
 trifasciata Sphecx, O. F. Müller, Z. Dan. Prod. 1776, 161.
 trifasciatus Syrphus, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, III. 1793, 313.
 trifasciata Tellina, Linnaeus, Syst. Nat., ed. 10, 1758, 675; ed. 12, 1767, 1118.
 trifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 366.
 trifasciata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
 trifasciata Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 226.
 trifasciata Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2828.
 trifasciata Turbo, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 2.
 trifasciata Vespa, O. F. Müller, Z. Dan. Prod. 1776, 163.
 trifasciata Vespa, J. C. Fabricius, Mant. I. 1787, 290.
 trifasciella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 520.
 trifasciella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
 trifascis Meloe, P. S. Pallas, Reise Russ. II. 1773, 721.
 trifida Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—Mem-
 trifidus Dytiscus, G. W. F. Panzer, Ins. Germ. heft 26 [1795], tab. 2. [bracis.

- trifida Membracis, J. C. Fabricius, Mant. II. 1787, 264.
 trifoliata Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 316.
 trifolii Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 57.
 trifolii Curculio, Linnaeus, Syst. Nat., ed. 12, vol. III. 1768, App., 224.
 trifolii Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 266.
 trifolii Phalaena, Hufnagel, Berl. Mag. III. 1767, 398.
 trifolii Phalaena B. (D. & S.), E. J. C. Esper, Die Schmett. III (18) 1783, 87.—Bombyx.
 trifolii Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 223.
 trifurcalis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 trifurcale Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
 trifurcata Chrysomela, J. R. Forster, N. Sp. Ins. 1771, 29.
 trifurcatus Culex, *err. pro* bifurcatus, L., J. C. Fabricius, Ent. Syst. IV. 1794, 401.
 trifurcatus Gadus, G. A. Suckow, Naturges. IV. 1799, 245.
 trifurcus Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 541.—Perca.
 trifurca Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 489.
 trifuscatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
 [Chrysomela trifurcata, Forst., *est.*]
 Trigla Linnaeus, Syst. Nat., ed. 10, 1758, 300; ed. 12, 1766, 496; [Artedi, Ichth. 1738,
 gen. xxxii. 42.]—P.
 triglina Locusta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 85.
 triglochis Scarabaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 5.
 trigonalis Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 382.
 trigonalis Mylabris, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 76.
 trigonalis Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 182.
 trigonana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
 Trigonella E. M. da Costa, Brit. Conch. 1778, 196.—L.
 trigonellae Sphinx, E. J. C. Esper, Die Schmett. II (Fortsetz. Abendschm.) 1783, 219.
 trigonellus Lynceus, O. F. Müller, Z. Dan. Prod. 1776, 199. [Lynceus.
 trigonellus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
 trigonella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 891.
 trigonella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 663.—Phalaena.
 Trigonina J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, xiv.—L.
 trigonius Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
 trigonocephalus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
 trigonoides Cardium, P. S. Pallas, Reise Russ. I. 1771, 478.
 trigonophora Helix, Lamarck, J. Nat. Hist. (Choix des Mém.), II. 1792, 349.
 trigonostigma Certhia, J. A. Scopoli, Del. Insub. II. 1786, 91.
 trigonostoma Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
 trigono-tubulosa Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 44.
 trigona Apis, F. v. P. Schrank, Reise südl. Gebirg. Baiern. 1793, 6.
 trigonus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 37.
 trigonus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2184.
 trigona Leucophaea, O. F. Müller, An. Infus. 1786, 155.
 trigona Libellula, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 191.
 trigona Melonhota, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 159.
 trigonus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3549.
 trigonus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 408.
 trigona Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3714.
 trigona Trichoda, O. F. Müller, Verm. I (1) 1773, 82.
 trigrammica Phalaena, Hufnagel, Berl. Mag. III. 1767, 408.
 trigrammus Myrmeleo, P. S. Pallas, Reise Russ. I. 1771, 469.
 trigutta Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 247.
 triguttata Aranea, J. C. Fabricius, Syst. Ent. 1775, 436.
 triguttatus Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 729.
 triguttatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 148.
 triguttatus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 176.—Cimex.
 trilaterum Cardium, S. G. Gmelin, Reise Russ. III. 1774, 248.
 trilaterum Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3253.

- trilatera* Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3234.
trilemniscatum Callidium, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 49.
trilenva Musca, M. Harris, Exp. Eng. Ins. 1776, 58.
trilinea Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 84.
trilinearia Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 23.
trilineata Akis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 130.
trilineata Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1031.
trilineata Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 423.
trilineata Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 82.
trilineatus Carabus, J. C. Fabricius, Spec. Ins. I. 1781, 305.
trilineatus Cerambyx, Linnaeus, Mant. II. 1771, 532.
trilineata Cetonia, J. C. Fabricius, Gen. Ins. 1777, 211.
trilineata Chrysomela, J. C. Fabricius, Gen. Ins. 1777, 219.
trilineata Cicada, F. v. P. Schrank, Beitr. Nat. 1776, 75.
trilineatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 106.
trilineatus Cimex, F. v. P. Schrank, Ins. Aust. 1781, 285.
trilineatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 341.
trilineata Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 262.
trilineata Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 46.
trilineata Coccinella, J. C. Fabricius, Mant. I. 1787, 53.
trilineatus Coluber, G. A. Suckow, Naturges. III. 1798, 245.
trilineata Crioceris, J. C. Fabricius, Mant. I. 1787, 90.
trilineatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1724.—
 Crioceris.
trilineatus Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 105.
trilineatus Cychrus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 30.
trilineata Empis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2890.
trilineatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 427.
trilineatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2679.
trilineatum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 77 [n. n.].
trilineatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 157.
trilineata Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 980.
trilineata Perca, C. P. Thunberg, K. Vet. Ac. Nya Handl. XIV. 1793, 55.
trilineata Phalaena, J. A. Scopoli, Annus V. 1772, 115.
trilineata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 606.
trilineata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 384.
trilineatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1575.—
trilineata Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1627. [Cetonia.
trilineatus Stenocorus (L.), J. C. Fabricius, Syst. Ent. 1775, 179.—Cerambyx.
trilineata Stratiomys (L.), J. C. Fabricius, Syst. Ent. 1775, 760.—Musca.
trilineatus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 766.
trilinguis Madrepora, P. Boddaert in Pallas, Syst. Plant. Tier. 1768, 613.
 "Trilobitus, Brünn. 1781," Ag.; does not occur.
Trilobus M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 388.—Cr.
triloba Buprestis, A. G. Olivier, Entom. II. 1790, 37.
triloba Buprestis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 34.
trilobus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 137.
triloba Crioceris, J. C. Fabricius, Spec. Ins. I. 1781, 149. [Crioceris.
trilobus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1718.—
triloba Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Crioceris, 1781.
trilobus Staphylinus, A. G. Olivier, Entom. III. 1795, 20.
triloba Vespa, J. C. Fabricius, Mant. I. 1787, 290.
trilunata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2584.
trimaculatus Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 159.
trimaculata Cantharis, A. G. Olivier, Entom. III. 1795, 18.
trimaculatus Carabus, C. de Villers, Linn. Ent. I. 1789, 383.
trimaculatus Carabus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 347.
trimaculata Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 592.

- trimaculata Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 110.
 trimaculatus Crabro, P. Rossi, Fauna Etrus. II. 1790, 95.
 trimaculatus Cryptocephalus, P. Rossi, Fauna Etrus. I. 1790, 96.
 trimaculatus Curculio, J. C. Fabricius, Syst. Ent. 1775, 141.
 trimaculatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 233.
 trimaculatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1294.
 trimaculata Libellula, C. de Geer, Mém. Ins. III. 1773, 556.
 trimaculata Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2018.—
 trimaculata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 472. [Mylabris.
 trimaculata Mylabris, J. C. Fabricius, Syst. Ent. 1775, 261.
 trimaculatus Oxyporus, J. C. Fabricius, Ent. Syst. I (2) 1792, 533.
 trimaculata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 384.
 trimaculata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 trimaculata Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
 trimaculatum Trombidium, P. Rossi, Mant. Ins. II. 1794, 5.
 trimaculosa Phalaena Noct., H. G. Lang (*ex* Esper, tab.) Verz. Schmett., ed. 2, 1789, 124.
 trimaculosa Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 59.
 trimarginata Sphex, O. F. Müller, Z. Dan. Prod. 1776, 161.
 trinacris Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 145.
 trinalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 317.
 trinca Cyprinus, *v. tinca*.
 trinervis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
 trinervis Musca, A. F. de Fourcroy, Ent. Paris. 1785, 489.
 Trynga Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 67.—A.
 Tringa Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 247.—A.
 tringa Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 731; ed. 12, 1767, 1191.
 tringae Pediculus, O. Fabricius, F. Groen. 1780, 219.
 tringae-striatae Pediculus, O. F. Müller, Z. Dan. Prod. 1776, 185.
 tringaria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
 tringarius Nematelus, O. F. Müller, Z. Dan. Prod. 1776, 179.
 tringarius Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 761.—Musca.
 trinotata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 11.
 trinotatus Elater, D. H. Schneider, Verz. Parthei Ins. 1800, 7.
 trinotella Tinea, C. P. Thunberg, Ins. Suecica (7) 1794, 95.
 Triola Retzius in Journ. de Phys. 1, 1800, 146; *err. pro* Tricla.
 triopas [Papilio], C. Stoll in Cramer, Util. Kapellen, IV (27) 1780, 64.
 triops Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2179.
 triops Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, 1767, 697.
 triops Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 285.—Gryllus.
 triostegus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 274; ed. 12, 1766, 463.
 triostegus Turdus, A. Sparman, Mus. Carls. IV. 1789, no. lxxxiv.
 tripartita Phalaena, Hufnagel, Berlin. Mag. III. 1767, 414.
 tripartita Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 293.
 tripartita Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 424.
 tripennis Strix, F. v. P. Schrank, F. Boica, I. 1798, 112.
 triphylla Pedicellaria, O. F. Müller, Z. Dan. Prod. 1776, 229.
 tripla Venus, Linnaeus, Mant. II. 1771, 545.
 triplacia Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 617.—Phalaena.
 triplasia Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 517; ed. 12, 1767, 854
 Triplax Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 146.—Col. [triplac-].
 Triplex [G. Humphreys], Mus. Calonn. 1797, 40.—G.
 triplicatus Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 133.
 triplicata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 291.
 triplicata Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2495.
 tripolitanus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 808.
 tripos Brachionus, O. F. Müller, Verm. I (1) 1773, 133.
 tripos Cercaria, O. F. Müller, Z. Dan. Prod. 1776, 206.
 Trips *v.* Thrips, Linnaeus, Amoen. Acad. VI. 1763, 401.

- tripterigia Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 248.
- tripteris Balaena, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 551.
- tripterus Cimex, J. C. Fabricius, Mant. II. 1787, 294.
- tripterus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 287.
- triptera Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 609.—Phalaena.
- triptera Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 848.
- triptolemus [Sphinx], P. Cramer, Uitl. Kapellen, III (18) 1779, 40.
- tripunctanella Tinea, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 140 [*n.n.*].
- tripunctana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 238.—Tortrix.
- tripunctana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- tripunctaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767, 864.
- tripunctator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 226.
- tripunctata Aranea, F. H. W. Martini & J. A. Goeze in Lister, Spinnen, 1778, 297.
- tripunctata Buprestis, J. C. Fabricius, Mant. I. 1787, 179.
- tripunctatus Cerambyx (Saperda), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 197.
- tripunctata Cicada, J. C. Fabricius, Spec. Ins. II. 1781, 323.
- tripunctata Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
- tripunctata Cicada, J. C. Fabricius, Ent. Syst. IV (1) 1794, 29.
- tripunctatus Cimex, J. C. Fabricius, Syst. Ent. 1775, 711.
- tripunctatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 107.
- tripunctatus Clythra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 110.—Cryptocephalus, 1792.
- tripunctata Clytra, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792, 191.
- tripunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 365; ed. 12, 1767, 580.
- tripunctatus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 53.
- tripunctatus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 130.
- tripunctatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 389.
- tripunctatus Dytiscus, A. G. Olivier, Entom. III. 1795, 14.
- tripunctata Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1794.
- tripunctatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 410.
- tripunctatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2684.
- tripunctatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 112.
- tripunctata Musca, Scopoli, Ent. Carn. 1763, 329.
- tripunctata Musca, C. Bjerckander, K. Vet. Ac. Handl. XXXVIII. 1777, 33.
- tripunctata Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2861.
- tripunctata Nitidula, Illiger in Kugelann, Käfer Preuss. 1798, 387.
- tripunctata Phalaena, J. A. Scopoli, Del. Insub. II. 1786, 54.
- tripunctata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 217.
- tripunctatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 221.
- tripunctata Phryganea, Scopoli, Ent. Carn. 1763, 269.
- tripunctata Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 81.
- tripunctata Saperda, J. C. Fabricius, Ent. Syst. I (2) 1792, 310.
- tripunctata Sphex, J. L. Christ, Nat. Ins. 1791, 317.
- tripunctata Tiphia, P. Rossi, Fauna Etrus. II. 1790, 69.
- tripunctata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
- tripunctata Tipula, J. C. Fabricius, Spec. Ins. II. 1781, 405.
- tripunctata Vespa, J. C. Fabricius, Mant. I. 1787, 290.
- tripunctatus Vibrio, O. F. Müller, An. Infus. 1786, 52.
- tripunctella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 319.
- tripunctorius Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
- tripus Brachionus, *v. tripos*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3872.
- tripustulatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 145.
- tripustulatus Cicindela, J. C. Fabricius, Ent. Syst. I (1) 1792, 169.
- tripustulatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 370.
- tripustulata Coccinella, C. de Geer, Mém. Ins. V. 1775, 393.
- tripustulata Coccinella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1662.
- tripustulatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 176.—Cimex, 1781.
- triquedra Fusaria, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 43.
- triqueter Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 288.

- triqueter Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 330; ed. 12, 1766, 407.
 triquetra Antipat[h]es, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 82.
 triquetra Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
 triquetra Ascaris, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 120.
 triquetra Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
 triquetra Kolpoda, O. F. Müller, An. Infus. 1786, 97.
 triquetra Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 94.
 triquetra Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 14.
 triquetra Serpula, Linnaeus, Syst. Nat., ed. 10, 1758, 787; ed. 12, 1767, 1265.
 triquetra Tellina, F. C. Meuschen, Mus. Gever. 1787, 462.
 triquetralis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 120.
 triradiata Asterias, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 645. [Pecten.
 triradiata Ostrea (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3326.—
 triradiata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
 triradiatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
 triradiata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3279.
 Trisactis C. F. Schultze, Verst. Seest. 1760, 49.—Ast.
 Triscaedecacnimos C. F. Schultze, Verst. Seest. 1760, 53.—Crin.
 Triscaedecactis C. F. Schultze, Verst. Seest. 1760, 51.—Ast.
 triscalis Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 385.
 Trisidos J. F. Bolten, Mus. Bolten. II. 1798, 175.—L.
 trispinosa Apis, J. C. Fabricius, Mant. I. 1787, 303.
 trispinosus Bostrichus, A. G. Olivier, Entom. IV. 1795, 16.
 trispinosus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1992.
 trispinosus Cimex, C. de Geer, Mém. Ins. III. 1773, 354.
 trispinosus Crabro, J. C. Fabricius, Ent. Syst. II. 1793, 301.—Apis, 1787.
 tristalis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 224.
 tristan Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
 tristana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 248.
 tristana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 50 [*n. et f.*].
 tristata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 254 [*n. et f.*].
 tristata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 526; ed. 12, 1767, 869.
 tristella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 134.
 tristella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 62.
 tristis Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 12.—Necydalis.
 tristis Aranea, F. A. A. Meyer, Spinner Gött. 1790, 14.
 tristis Attelabus, J. C. Fabricius, Ent. Syst. IV. 1794, 454.
 tristis Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
 tristis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 662.
 triste Callidium, J. C. Fabricius, Mant. I. 1787, 154.
 tristis Cantharis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 68.
 tristis Carabus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 318.
 tristis Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 177.
 tristis Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 167.
 triste Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680.
 tristis Cerambyx (Fab.), C. de Villers, Linn. Ent. IV. 1789, 308.—Callidium.
 tristis Cerambyx, Linnaeus, Syst. Nat., ed. 12, 1767, 629.
 tristis Cetonia, J. C. Fabricius, Syst. Ent. 1775, 45.
 tristis Chrysomela, J. C. Fabricius, Ent. Syst. I (1) 1792, 315.
 tristis Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 192.
 tristis Cicindela, J. C. Fabricius, Syst. Ent. 1775, 825.
 tristis Cimex (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Tenthredo.
 tristis Cimex, C. de Geer, Mém. Ins. III. 1773, 340.
 tristis Cimex, J. C. Fabricius, Syst. Ent. 1775, 716.
 tristis Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 468.—Phalaena tristalis, 1794.
 tristis Crioceris, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 165.
 tristis Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 184. [Crioceris.
 tristis Cryptocephalus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.—

- tristis Curculio, Scopoli, Ent. Carn. 1763, 31.
 tristis Curculio, J. C. Fabricius, Syst. Ent. 1775, 149.
 tristis Dytiscus, G. Paykull, Faun. Suec. I. 1798, 232.
 tristis Elater, Linnaeus, Syst. Nat., ed. 10, 1758, 406; ed. 12, 1767, 655.
 tristis Erotylus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 102.
 tristis Formica, J. L. Christ, Nat. Ins. 1791, 513.
 tristis Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181; ed. 12, 1766, 320.
 tristis Gracula (L.), J. Latham, Index Orn. 1790, 190.—Paradisea.
 tristis Helops, P. Rossi, Fauna Etrus. I. 1790, 236.
 tristis Helops, G. W. F. Panzer, Ins. Germ. heft 8 [1793], tab. 1.
 tristis Lamia (L.), J. C. Fabricius, Syst. Ent. 1775, 175.—Cerambyx.
 tristis Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 39.
 tristis Musca, M. Harris, Exp. Eng. Ins. 1776, 115.
 tristis Musca, J. H. Sulzer, Gesch. Ins. 1776, 216.
 tristis Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
 tristis Noctua, J. C. Fabricius, Syst. Ent. 1775, 617.
 tristis Paradisea, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
 tristis Phalaena, D. Drury, Ill. Nat. Hist. III. 1782, index & 27.
 tristis Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 40.
 tristis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 272.
 tristis Sagra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 104.
 tristis Saperda, J. C. Fabricius, Syst. Ent. 1775, 186.
 tristis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1569.—
 tristis Scaurus, A. G. Olivier, Entom. III. 1795, 4. [Melolontha.
 tristis Silpha, Illiger in Kugelann, Käfer Preuss. 1798, 366.
 tristis Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 524.
 tristis Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 303.
 tristis Tabanus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 567.
 tristis Tenebrio, Scopoli, Ent. Carn. 1763, 83.
 tristis Tenebrio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 243.
 tristis Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 406.
 tristis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 145.
 tristor Musca, M. Harris, Exp. Eng. Ins. 1776, 107.
 tristriaria Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 130.
 tristriaria Acarus, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 24.
 tristriaria Cassida, J. C. Fabricius, Ent. Syst. I (1) 1792, 295.
 tristriaria Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2116.
 tristriarius Cimex, J. C. Fabricius, Mant. II. 1787, 293.
 tristriaria Phalaena Noct., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
 tristrigalis Phalaena Pyr., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2527.
 tristrigatus Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 266.
 tristrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
 tristrigata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2493.
 tristrigata Vespa, J. C. Fabricius, Ent. Syst. IV. 1794, 459.
 trisulcatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 89.
 trisulcatus Trochus, P. Forskal, Descr. Anim. 1775, 126.
 trisulcus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 23.
 trite Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 469; ed. 12, 1767, 763.
 triticea Hydra, Linnaeus, Faun. Suec., ed. 2, 1761, 543.
 triticeus Mus, P. Boddaert, Elench. 1785, 111.
 tritici Cimex, W. Kirby, Tr. Linn. Soc. [Lond.] V. 1800, 110.
 tritici Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 320.
 tritici Tipula, W. Kirby, Tr. Linn. Soc. [Lond.] IV. 1798, 232.
 Tritoma E. L. Geoffroy, Hist. Insect. Paris, I. 1762, 335.—Col.
 Tritoma J. C. Fabricius, Syst. Ent. I. 1775, 68.—Col.
 tritoma Sphaeridium, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I., 1791, 116.
 Triton Linnaeus, Syst. Nat., ed. 10, 1758, 658; ed. 12, 1767, 1092.—Cirr.
 Triton J. N. Laurenti, Syn. Rept. 1768, 37.—R.

- Triton J. X. Poli, Test. Sicil. I. 1791, 12; a generic term applied to the fleshy part of Lepas.
- Triton J. G. Bruguière, Ency. Méth. (Tabl. Vers.) pl. 85 (1791), [*n. et f.*].—Cirr.
- triton Gekko (Retz.), F. A. A. Meyer, Syn. Rept. 1795, 24.—Lacerta.
- triton Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 298.
- triton Lacerta, A. J. Retzius in Linnaeus, Faun. Suec. 1800, 288.
- triton Papilio, J. C. Fabricius, Mant. II. 1787, 74.
- Tritonia Cuvier, Tabl. élém. 1798, 387.—Nud.
- Tritonia J. G. Meigen, N. Class. Mouches, 1800, 33.—Dip.
- tritonium Buccinum, F. C. Meuschen, Mus. Gever. 1787, 298.
- tritonis Buccinum (*ex* Rumph), P. L. S. Müller, Del. Nat. I. 1766, 129.
- tritonis Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 298.—Murex.
- tritonis Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1222.
- tritonis Tritonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 125.—Murex.
- Tritonium O. F. Müller, Z. Dan. Prod. 1776, 243.—Moll.
- Tritonium J. F. Bolten, Mus. Bolten. (2) 1798, 125.—G.
- tritonium Buccinum, F. C. Meuschen, Mus. Gever. 1787, 296.
- tritonius Proteus, J. N. Laurenti, Syn. Rept. 1768, 37 & 140.
- tritophus Bombyx, [Denis & Schiffermüller], Schmett. Wien, 1775, 63.
- trituberculatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2708.
- trituberculatus Pilularius, F. v. P. Schrank, F. Boica, I. 1798, 397.
- triunguis Testudo, P. Forskal, Descr. Anim. 1775, ix.
- Triurus B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 200.—P.
- triurus Zeus, G. S. Volta, Itt. Veron. (2) [circa 1800], clxxxi.
- trivia Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 179.
- trivia Papilio N. Ph., E. J. C. Esper, Die Schmett. I (9) 1779, 349.
- trivialis Alauda, Linnaeus, Syst. Nat., ed. 10, 1758, 166; ed. 12, 1766, 288.
- trivialis Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 82.
- trivialis Phalaena, Scopoli, Ent. Carn. 1763, 242.
- trivialis Sylvia (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 287.—Alauda.
- trivittatus Cimex, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 111.
- trivittatus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 203.
- trivittatus Scarabaeus (Cetonia), N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787,
- trivittatus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 106. [190.
- trivittis Meloe, P. S. Pallas, Icon. Ins. 1782, 92.
- Trixagus J. G. Kugellann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 534.—Col.
- trixapus Cancer (Gammarellus), (Pall.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 112.—Squilla.
- trixapus Monoculus (Pall.), Lamarck in Pallas, Voy. Russie (8vo. ed.) VIII [1794], 207.—
- trixapus Squilla, P. S. Pallas, Reise Russ. I. 1771, 477. [Squilla.
- trizonata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
- trizonata Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 202.
- trochantericus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 416.
- trochiformis Madrepora, P. S. Pallas, Elench. 1766, 305.
- trochiformis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3693.
- trochiformis Turbo, I. v. Born, Index Mus. Caes. Vind. 1778, 355.
- trochilea Certhia, A. Sparmann, Mus. Carls. IV. 1789, no. lxxx.
- Trochilium J. A. Scopoli, Intr. Hist. Nat. 1777, 414.—Lep.
- Trochilus Linnaeus, Syst. Nat., ed. 10, 1758, 119; ed. 12, 1766, 189.—A.
- Trochilus E. M. da Costa, Test. Brit. 1778, 36; not used in a generic sense.—G.
- “Trochilus, Humph. 1797”; auct., probably a misprint for Trochulus.
- trochilus Buprestis, J. C. Fabricius, Gen. Ins. 1777, 235.
- trochilus Helix, J. L. M. Poiret, Voy. Barbarie, II. 1789, 28.
- trochilus Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 338.
- trochilus Sylvia (L.), J. A. Scopoli, Annus I. 1769, 160.—Motacilla.
- Trochites J. Gesner, Tract. Petref. 1758, 53.—G.
- trochlea Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 248.
- trochlea Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 82 [*n. n.*].
- trochlearis Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 389; ed. 12, 1767, 622.

- trochlearis* Prionus (L.), A. G. Olivier, Entom. IV. 1795, 7.—Cerambix.
trochoides Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 300.
trochoides Helix, J. L. M. Poiret, Voy. Barbarie, II. 1789, 29.
trochoides Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
Trochulus [G. Humphreys], Mus. Calonn. 1797, 26.—G.
trochulus Helix, O. F. Müller, Verm. II. 1774, 79.
trochulus Helix, O. Fabricius, Nye Saml. K. Danske Skrifter, IV (1) 1793, 99.
Trochus Linnaeus, Syst. Nat., ed. 10, 1758, 756; ed. 12, 1767, 1227.—G.
trochus Helix, O. F. Müller, Verm. II. 1774, 79.
trochus Nerita, O. F. Müller, Verm. II. 1774, 176.
trochus Trichoda, O. F. Müller, An. Infus. 1786, 163.
Trocus, *err. pro Trochus* P. Browne, Hist. Jamaica, ed. 2, 1789, 402.
trofonia [Phalaena], P. Cramer, Uidl. Kapellen, III (21) 1779, 92.
Trogium Illiger in Kugelann, Käfer Preuss. 1798, 500.—Hym.
Troglodyta Linnaeus, Amoen. Acad. VI. 1760, 72.—M.
troglodyta Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 262.—Bibio, 1775.
troglodyta Bibio, J. C. Fabricius, Syst. Ent. 1775, 759.
troglodyta Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2832.—Bibio.
troglodyta Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 14.
troglodyta Papilio, J. C. Fabricius, Syst. Ent. 1775, 502.
troglodyta Sirex, J. C. Fabricius, Mant. I. 1787, 258.
Troglodytes Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 2 & 22.—A.
troglodytes Curculio, J. C. Fabricius, Mant. I. 1787, 108.
troglodytes Ficedula (L.), J. C. Schaeffer, Mus. Orn. 1789, 36.—Motacilla.
troglodytes Homo, Linnaeus, Syst. Nat., ed. 10, 1758, 24; ed. 12, 1766, 33.
troglodytes Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, 188; ed. 12, 1766, 337.
troglodytes Rallus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 713.
troglodytes Simia (Linn.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 26.—Homo.
troglodytes Sylvia (L.), J. A. Scopoli, Annus I. 1769, 160.—Motacilla.
Trogon Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 8 & 78.—A.
Trogon M. J. Brisson, Ornith. IV. 1760, 165.—A.
Trogon Linnaeus, Syst. Nat., ed. 12, I. 1766, 167.—A.
Trogon B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 2.—A.
Trogossita A. G. Olivier, Entom. II. 1790, no. 19.—Col.: emend. *Trogosita*, Fabricius, Ent. Syst. I (1) 1792, 115.
troille Colymbus, Linnaeus, Faun. Suec., ed. 2, 1761, 52.
troille Uria (L.), M. T. Brünnich, Orn. Boreal. 1764, 27.—Colymbus.
troilus Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 459; ed. 12, 1767, 746.
Trombidium J. C. Fabricius, Syst. Ent. 1775, 430.—Arach.
trompe Oestrus, A. Modeer, K. Vet. Ac. Nya Handl. VII. 1786, 134.
trompeta Fusus, J. F. Bolten, Mus. Bolten. (2) 1798, 120.
tropica Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 579; ed. 12, 1767, 961.
tropica Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 649.
tropica Clupea, Linnaeus, Syst. Nat., ed. 10, 1758, 319; ed. 12, 1766, 524.
tropicus Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 372.
tropica Echeneis, B. A. Euphrasen, K. Vet. Ac. Nya Handl. XII. 1791, 315.
tropicus Gobius, P. Osbeck, Reise Ost-Indien China, 1765, 392.
tropicus Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 250.—Sphex.
tropica Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 945.
tropicus Tabanus, Linnaeus, Syst. Nat., ed. 10, 1758, 602; ed. 12, 1767, 1001.
tropica Vespa, Herbst, Einl. Ins. III. 1786, 56.
tros Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 10.
Trox J. C. Fabricius, Syst. Ent. 1775, 31.—Col.
troxima Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62.
trullus Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) VII. 1794, 108.
trumpo Phiseter, J. P. Bonnaterre, Ency. Méth. (Cet.) 1789, 14.
truncataria Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 328.
truncatella Bursaria, O. F. Müller, Verm. I (1) 1773, 62.
truncatellus Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 224.

- truncatella Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 190.
- truncatellus Hydrophilus, C. P. Thunberg, Ins. Suecica (6) 1794, 73.
- truncatellus Hydrophilus, G. Paykull, Faun. Suec. I. 1798, 189.
- truncatella Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
- truncatella Vorticella, O. F. Müller, Verm. I (1) 1773, 100.
- truncaticornis Scarabaeus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 238.
- truncator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 222.
- truncatulum Buccinum, O. F. Müller, Verm. II. 1774, 130.
- truncatula Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 377.
- truncatulus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
- truncatulus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 168. [Buccinum.
- truncatula Helix (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3659.—
- truncatulum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 401.—Hydrachna
- truncata Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231. [truncatella.
- truncata Altica (Scop.), A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 112.—Chrysomela.
- truncata Anomia, Linnaeus, Syst. Nat., ed. 12, 1767, 1152.
- truncata Aranea, P. S. Pallas, Spic. Zool. IX. 1772, 47.
- truncata Ascaris, C. A. Rudolphi, Obs. Ver. Intest. 1793, 12.
- truncatum Buccinum, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 369.
- truncatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers.) (1) 1789, 310.
- truncata Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3434.
- truncata Bulla, J. Adams, Tr. Linn. Soc. [Lond.] V. 1800, 1.
- truncatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1991.
- truncatus Carabus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 87.
- truncatus Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 166.
- truncatus Carabus, J. D. Preyssler in Mayer's Samml. Phys. Aufsätze, III. 1793, 373.
- truncata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 112.
- truncatum Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
- truncata Chama (L.), E. M. da Costa, Brit. Conch. 1778, 233.—Mya.
- truncata Chrysomela, Scopoli, Ent. Carn. 1763, 70.
- truncata Cicada, Linnaeus, Amoen. Acad. VI. 1763, 399.
- truncatus Crino, Lamarck in J. J. Virey, Journ. de Phys. IV. 429 (1798).
- truncatum Criopoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia.
- truncatus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1717.
- truncatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 205.
- truncata Daphnia, F. v. P. Schrank, Naturforscher, XXVII. 1793, 36.
- truncata Eschara, M. Houttuyn, Nat. Hist. I (17) 1772, 477.
- truncata Flustra, Linnaeus, Syst. Nat., ed. 12, 1767, 1300.
- truncata Fulgora, Linnaeus, Syst. Nat., ed. 12, 1767, 704.—[v. Cicada.]
- truncatus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—Scarabaeus, 1775.
- truncatum Gonium, O. F. Müller, Verm. I (1) 1773, 61.
- truncatus Ichneumon (Poda), J. L. Christ, Nat. Ins. 1791, 365.—SpheX.
- truncata Laternula (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 155.—Mya.
- truncatus Lynceus, O. F. Müller, Entom. 1785, 75.
- truncata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 795; ed. 12, 1767, 1277.
- truncata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 17.
- truncata Millepora, P. S. Pallas, Elench. 1766, 249.
- truncatus Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3008.—
- truncatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3547. [Lynceus.
- truncata Musca, C. Bjerkander, K. Vet. Ac. Handl. XXXVIII. 1777, 34.
- truncata Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 670; ed. 12, 1767, 1112.
- truncata Nitidula, J. C. Fabricius, Ent. Syst. I (1) 1792, 261.
- truncatus Pectunculus, E. M. da Costa, Brit. Conch. 1778, 195.
- truncata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 602.
- truncata Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 43.
- truncatus Portunus, F. Weber, Nomen. Fabricii, 1795, 93 [n. n.].
- truncatus Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 365.
- truncata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 143.

- truncatus* Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 6.
truncata Sphex, N. Poda, Ins. Mus. Graec. 1761, 107.
truncatus Stenocorus, J. A. Frolich, Naturforscher, XXVI. 1792, 155.
truncata Taenia, P. S. Pallas, N. nord. Beytr. I. 1781, 105.
truncata Tellina, Linnaeus, Syst. Nat., ed. 12, 1767, 1118.
truncata Terebratula (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 14.—Anomia.
truncatus Tetrodon, A. J. Retzius, K. Vet. Ac. Nya Handl. VI. 1785, 121.
truncatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 391.
truncatum Tritonium, O. F. Müller, Z. Dan. Prod. 1776, 244.
truncatus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1) 1793, [66].
truncorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 575; ed. 12, 1767, 954.
truncorum Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
truncorum Hylaeus (L.), J. C. Fabricius, Ent. Syst. II. 1793, 305.—Apis.
trunculus Curculio, G. Bonsdorff, Curc. Suec. 1785, 33.
trunculus Donax, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1127.
trunculus Mactra, H. Davies in T. Pennant, Ind. Zool., ed. 2, 1791, 145.
trunculus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 747; ed. 12, 1767, 1215.
trunculus Peronaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—Donax.
trunculus Purpura (L.), F. C. Meuschen, Mus. Gever. 1787, 314.—Murex.
trunca Actinia, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 53.
truncus Enchelis, Ó. F. Müller, An. Infus. 1786, 39.
Trupanea F. v. P. Schrank, Briefe Donaumoor, 1795, 147.—Dip.
"Trutta" *v.* Salmo.
Trutta E. L. Geoffroy, Desc. 719 Plant. &c. 1767, 409.—P.
Trutta (*ex* Klein), J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 584.—P.
Trutta Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 308; ed. 12, 1766, 509.
truttiae Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3036.
truttiae Cucullanus, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 30.
truttiae Echinorhynchus, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 24.
truttiae Fasciola, J. A. Frolich, Naturforscher, XXIV. 1789, 126.
truttiae Ligula, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 119.
truttiae Taenia (Frol.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3064.—Vesi-
truttiae Vesicaria, J. A. Frolich, Naturforscher, XXIV. 1789, 127. [caria.
Truxalis J. C. Fabricius, Syst. Ent. 1775, 279.—Orth.
Trynga *v.* Tringa.
Trypoxylon P. A. Latreille, Préc. Car. Ins. 1796, 121.—Hym.
tryxus Papilio, C. Stoll in Cramer, Utit. Kapellen, IV (28) 1780, 87.
tsaltsalya Oestrus, F. A. A. Meyer, Zool. Entdeck. 1793, 145.
tschaivytscha Salmo, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 71.
tschecantschia Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 997.
tschecantschia Sylvia (Gm.), J. Latham, Index Orn., 1790, 552.—Motacilla.
tschelag Mus, R. Kerr, Anim. Kingd. 1792, 242.
tscheriway *v.* cheriway.
tscherkessicus Glis, J. C. P. Erxleben, Syst. Anim. 1777, 366.
tschila Falco, J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 5 [*v. n.*].
Tschiptirra, Linnaeus, Amoen. Acad. VII (1766), 450.—A.
tschutschensis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962.
tuba *v.* tubus.
tubaeformis Strongylus, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 74.
tuber Curculio, G. C. Reich, Mant. Ins. 1797, 7.
tuber Mytilus, F. C. Meuschen, Mus. Gever. 1787, 466.
tuber Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1230.
tuberculana Pyralis, L. Bosc, Tr. Linn. Soc. [Lond.], I. 1791, 196. [Lamia.
tuberculator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1835.—
tuberculator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 224.
tuberculatum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 223.—Gryllus.
tuberculata Apis, J. C. Fabricius, Ent. Syst. II. 1793, 334.
tuberculata Aranea, C. de Geer, Mém. Ins. VII. 1778, 226.

- tuberculata Argonauta, J. F. Bolten, Mus. Bolten. (2) 1798, 71.
- tuberculata Auriformis (L.), F. C. Meuschen, Mus. Gever. 1787, 250.—Haliotis.
- tuberculatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 302.
- tuberculatum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
- tuberculatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3503.
- tuberculatum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 115¹[*n. n.*].
- tuberculatus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 330.—Nerita.
- tuberculata Calappa, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1787.
- tuberculata Camerina, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 400.
- tuberculatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (6) 1785, 204.
- tuberculatus Cancer, J. C. Fabricius, Mant. I. 1787, 321.
- tuberculatus Carabus, C. de Geer, Mém. Ins. VII. 1778, 623.
- tuberculatus Carabus, J. Sturm in D. H. Hoppe, Ent. Taschenbuch, 1797, 248 [*n. n.*].
- tuberculatum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 679; ed. 12, 1767, 1122.
- tuberculata Cassida, J. C. Fabricius, Syst. Ent. 1775, 90.
- tuberculata Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
- tuberculatus Cerambyx, C. de Geer, Mém. Ins. V. 1775, 113.
- tuberculatus Cerambyx, J. C. Fabricius, Mant. I. 1787, 131.
- tuberculatus Cerambyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 143.
- tuberculatus Chiton, Linnaeus, Syst. Nat., ed. 10, 1758, 667; ed. 12, 1767, 1106.
- tuberculata Cicada, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1787, 60.
- tuberculata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 225.
- tuberculata Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 85.
- tuberculatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 343.
- tuberculatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, [1730.—Lagria].
- tuberculatus Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
- tuberculatus Curculio, C. de Geer, Mém. Ins. VII. 1778, 658.
- tuberculatus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 480.
- tuberculatus Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 384.
- tuberculata Doris, O. F. Müller, Nova Acta Acad. Caes. VI. 1778, 50.
- tuberculatus Elater, E. Pontoppidan, Kurz. Nachr. N.-H. Dänemark, 1765, 208.
- tuberculatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
- tuberculatus Erodium, C. P. Thunberg, D.D. Mus. Ac. Upsal. 1787, 41.
- tuberculatus Erodium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 426.
- tuberculatus Erodium, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 123.
- tuberculata Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 498.
- tuberculata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 569.
- tuberculata Gorgonia, E. J. C. Esper, Pflanzenth. II (9) 1792, 127.
- tuberculatus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 290.
- tuberculata Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
- tuberculata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 99.
- tuberculatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 395.
- tuberculata Iguana, J. N. Laurenti, Syn. Rept. 1768, 49.
- tuberculata Lagria, J. C. Fabricius, Mant. I. 1787, 93.
- tuberculata Locusta, C. de Geer, Mém. Ins. III. 1773, 444.
- tuberculata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
- tuberculatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 10.
- tuberculata Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 48.
- tuberculatus Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
- tuberculatus Murex (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3564.— [Strombus].
- tuberculatus Murex, J. F. Bolten, Mus. Bolten. (2) 1798, 144.
- tuberculatus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
- tuberculata Musca, O. F. Müller, Z. Dan. Prod. 1776, 177.
- tuberculata Musca, C. de Villers, Linn. Ent. III. 1789, 428.
- tuberculata Musca, C. de Villers, Linn. Ent. III. 1789, 550.
- tuberculata Nerita, O. F. Müller, Verm. II. 1774, 191.
- tuberculatus Ostracion, Linnaeus, Syst. Nat., ed. 10, 1758, 331; ed. 12, 1766, 409.
- tuberculata Ostrea, G. Olivi, Zool. Adriat. 1792, 120.

- tuberculata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
- tuberculata Pimelia, J. C. Fabricius, Mant. I. 1787, 208.
- tuberculata Prionus, A. G. Olivier, Entom. IV. 1795, 20.
- tuberculata Raja, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 104.
- tuberculatus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 318.
- tuberculata Sepia, J. B. P. M. de Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798,
- tuberculata Sphecx, C. de Villers, Linn. Ent. III. 1789, 253. [130.]
- tuberculatus Staphylinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 181.
- tuberculatus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1213.
- tuberculatus Tenebrio (Fab.), C. de Villers, Linn. Ent. IV. 1789, 361.—Pimelia.
- tuberculatus Trilobus, M. T. Brünnich, Nye Saml. K. Danske Skrifter, I. 1781, 389.
- tuberculatus Trochus, E. M. da Costa, Brit. Conch. 1778, 44.
- tuberculatus Trox (De G.), Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 23.—
- tuberculata Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 112. [Scarabaeus.
- tuberculata Venus, J. Hermann, Naturforscher, XV. 1781, 126.
- tuberculosus Bostrichus, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 113.
- tuberculosus Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 29.
- tuberculosus Cicindela, *err. pro tuberculata*, Fab., A. G. Olivier, Ency. Méth. V. (Ins.)
- tuberculosus Cimex, Scopoli, Ent. Carn. 1763, 128. [1790, 732.]
- tuberculosus Curculio, Scopoli, Ent. Carn. 1763, 27.
- tuberculosus Julus, O. F. Müller, Z. Dan. Prod. 1776, 201.
- tuberculum Ascidia, O. Fabricius, F. Groen. 1780, 332.
- tuberosum Alcyonium, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 180.
- tuberosus Brachionus, P. S. Pallas, Elench. 1766, 105.
- tuberosum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 735; ed. 12, 1767, 1198.
- tuberosus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 7.
- tuberosus Cantharus, J. F. Bolten, Mus. Bolten. (2) 1798, 132.
- tuberosa Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 436.—Buccinum.
- tuberosa Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 394.—Buccinum.
- tuberosa Cassis, J. F. Bolten, Mus. Bolten. (2) 1798, 28.
- tuberosa Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 22 [*n. n.*].
- tuberosa Galeodes, J. F. Bolten, Mus. Bolten. (2) 1798, 53.
- tuberosus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1789, 111.
- tuberosa Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
- tuberosa Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
- tuberosus Scarabaeus, C. G. Jablonsky, Nat. Ins. (Käfer) II. 1789, 85.
- tuberosum Tritonium, J. F. Bolten, Mus. Bolten. (2) 1798, 127.
- tuberosa Vorticella (Pall.), O. F. Müller, An. Infus. 1786, 308.—Brachionus.
- tuberm Formica, J. C. Fabricius, Syst. Ent. 1775, 393.
- tubicen Buccinum, F. C. Meuschen, Mus. Gever. 1787, 300 & 304.
- tubicola Lumbricus, O. F. Müller, Z. Dan. Prod. 1776, 216.
- tubicola Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
- tubifer Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3044.
- tubifer Purpura, J. B. Bruguière, J. Nat. Hist. (Choix des Mém.) I. 1792, 29.
- Tubifera J. G. Meigen, N. Class. Mouches, 1800, 34.—Dip.
- tubifera Ascaris, O. Fabricius, F. Groen. 1780, 273.
- tubifera Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 97.—Ascaris.
- tubifex Brachionus, P. S. Pallas, Elench. 1766, 91.
- tubifex Lumbricus, O. F. Müller, Verm. I (2) 1774, 27.
- tubifex Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 37.
- Tubipora Linnaeus, Syst. Nat., ed. 10, 1758, 789; ed. 12, 1767, 1270.—Cor.
- Tubipora Linnaeus, Faun. Suec., ed. 2, 1761, 537.—Pol.
- “tubiporus Helmintholitus,” Linnaeus, Syst. Nat., ed. 12, III. 1768, 167.
- tubipora Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 139.
- Tubularia Linnaeus, Syst. Nat., ed. 10, 1758, 803; ed. 12, 1767, 1301.—Ver.
- Tubularia O. Fabricius, F. Groen. 1780, 438.—Ver.
- Tubularia Adams, Trans. Linn. Soc. V. 1800, 12.—?
- tubularis Astroites, J. E. I. Walch, Naturforscher, V. 1775, 48.

- tubularis Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1050.
- tubularis Madrepora (Walch), P. S. Pallas, Char. Thierpfl. II. 1787, 131.—Astroites.
- tubularis Pagurus (L.), J. C. Fabricius, Syst. Ent. 1775, 411.—Cancer.
- tubularia Spongia, *id. ac tubulosa*, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, [3823].
- tubulator Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 188.
- tubulatus Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
- tubulata Purpura, T. Martyn, Univ. Conch. III [1789], fig. 114.
- tubulifera Millepora, P. S. Pallas, Elench. 1766, 259.
- Tubulites J. Gesner, Tract. Petref. 1758, 40.—Ver.
- tubulosa Corallina, P. S. Pallas, Elench. 1766, 430.
- tubulosum Corallium, Marsigli in P. L. S. Müller, Del. Nat. I. 1766, 128.
- tubulosa Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 17.
- tubulosa Holothuria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3138.
- tubulosa Millepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 136.
- tubulosa Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 44.
- tubulosa Spongia, Linnaeus, Syst. Nat., ed. 10, II. 1759, 1348.
- Tubulus F. C. Meuschen, Mus. Gever. 1787, 238.—[Dentalium, L.]
- tuba Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3484.
- tuba Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3554.
- tubus-vermicularis Teredo, P. J. Bergius, K. Vet. Ac. Handl. XXVI. 1765, 229.
- Tucana M. J. Brisson, Ornith. IV. 1760, 408.—A.
- tucanus Ramphastos, Linnaeus, Syst. Nat., ed. 10, 1758, 103; ed. 12, 1766, 151.
- tuccia Meloe, P. Rossi, Fauna Etrus. I. 1790, 238.
- Tuceta J. F. Bolten, Mus. Bolten. (2) 1798, 172.—L.
- Tucipora *v.* Tubipora P. S. Pallas, Elench. 1766, 339.
- Tudicla J. F. Bolten, Mus. Bolten. (2) 1798, 145.—G.
- tuguriolum Musca, Scopoli, Ent. Carn. 1763, 328.
- tui Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 352.
- “Tuija, Lacép. 1800–1801,” Ag.; does not occur, see Touyou.
- tuipara Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 348.
- Tulaxodus J. E. Guettard, Mém. diff. Sci. III. 1770, 143.—Moll.
- “Tulaxoves, Guett. 1786,” Scudd.; *err. pro* Tulaxodus.
- tulbaghia Papilio (Nymphalis), Linnaeus, Mus. Lud. Ulr. 1764, 284.
- Tulipa K. Schreibers, Vers. Conch. II. 1793, 347.—Cirr.
- tulipa Buccinum (L.), F. C. Meuschen, Mus. Gever. 1787, 298.—Murex.
- tulipa Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 111.
- tulipa Colus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 117.—Murex.
- tulipa Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 717; ed. 12, 1767, 1172.
- tulipa Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 51.—Conus.
- tulipa Fasciolaria (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 73.—Murex.
- tulipa Lepas, O. F. Müller, Z. Dan. Prod. 1776, 251.
- tulipa Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 754; ed. 12, 1767, 1223.
- tulipifera Cellaria, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 27.
- tulipifera Sertularia (E. & S.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3862.—
- [tulipina Phalaena (N.), MS.], T. Martyn, Psyche, 1797, fig. 60. [Cellaria.]
- tulliolus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 41.
- tullius Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 159.
- tullia Libellula, D. Drury, Ill. Nat. Hist. II. 1773, index & 85.
- tullia [Papilio], P. Cramer, Uitl. Kapellen, I (7) 1775, 127.
- tullius Papilio, J. C. Fabricius, Mant. II. 1787, 34.
- tullia Papilio (Nymphalis), O. F. Müller, F. Ins. Frid. 1764, 36.
- tullia [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 242.
- tullius Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 118.
- tullus [Papilio], P. Cramer, Uitl. Kapellen, III (24) 1780, 153.
- tulpilii Satyrus, Linnaeus, Amoen. Acad. VI. 1760, 69.
- tumbil Salmo, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 112.
- tumens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3292.
- tumidana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.

- tumidula Venus, Linnaeus, Mant. II. 1771, 546.
tumidus Apis, M. Harris, Exp. Eng. Ins. 1776, 164.
tumidum Buccinum, J. F. Bolten, Mus. Bolten. (2) 1798, 111 [*n. n.*].
tumidum Cardium, F. C. Meuschen, Mus. Gever. 1787, 438.
tumida Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
tumidus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
tumidum Ellobium, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
tumidum Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 176.
tumida Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
tumida Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 107.
tumidum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 78 [*n. n.*].
tumida Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
tumidus Trochus, F. C. Meuschen, Mus. Gever. 1787, 282.
tumidus Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 111.
tumidus Unio, A. J. Retzius, Diss. Nova Test. Gen. 1788, 17.
tumulorum Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 574; ed. 12, 1767, 953.
tumulorum Eucera (L.), J. C. Fabricius, Ent. Syst. II. 1793, 344.—Apis.
tumulosa Cypraea, F. C. Meuschen, Mus. Gronov. 1778, 107.
tuna Corallina, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 111.
tunensis Apis, J. C. Fabricius, Mant. I. 1787, 304.
tunetana Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2773.—[tunensis, Fab.]
tunetana Cidaris, F. C. Meuschen, Mus. Gever. 1787, 482.
tunetanus Scorpio, J. F. W. Herbst, Nat. ungefl. Ins. (4) 1800, 68.
tunica-cepae Anomia, E. M. da Costa, Brit. Conch. 1778, 165.
tunicatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 368.
tunicatus Ichneumon, H. Ström, Nye Saml. K. Danske Skrifter, III. 1788, 277.
tunicatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 170.—Cimex, 1781.
tunicata Sepia, G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
tunstalli Emberiza, J. Latham, Index Orn. 1790, 418.
tupha Spongia, P. S. Pallas, Elench. 1766, 398.
tupinambis Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
tupinambis Plotus, J. P. Bonnaterre, Ency. Méth. (Orn.), 1790, 40.
“Turaco, Lacép.” Ag.; *v.* Touraco.
Turacus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 2 [*n. n.*].—A.
turbata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 255 [*n. et f.*].
turbata Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 59.
turbidus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 19.
turbida Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 252.
turbida Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (49 or 50) 1798, 495.
turbiformis Trochus, C. U. v. Salis, Reise Neapel, 1793, 375.
Turbina P. Browne, Hist. Jamaica, ed. 2, 1789, 403.—G.
turbinata Ammonites, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 36.
turbinata Anomia, J. X. Poli, Test. Sicil. II. 1795, 189.
turbinatum Criopoderma, J. X. Poli, Test. Sicil. II. 1795, 255 & 261.—Anomia of p. 189.
turbinata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
turbinata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3668.
turbinata Leucophra, O. F. Müller, An. Infus. 1786, 151.
turbinata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793 [no. 10]; ed. 12, 1767, 1272.
turbinata Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 796 [no. 33].
turbinata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35.
turbinata Spongia, G. Vio in G. Olivi, Zool. Adriat. 1792, xxvi.
turbinatus Trochus, I. v. Born, Index Mus. Caes. Vind. 1778, 340.
Turbinella Lamarck, Mémoires Soc. H. N. Paris, 1799, 73.—G.
turbinellus Murex, Linnaeus, Syst. Nat., ed. 10, 1758, 750.
turbinellus Vasum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 56.—Voluta.
turbinellus Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1195.
Turbinis F. C. Meuschen, Mus. Gever. 1787, 276.—G.
“Turbinites, Gmel. 1793,” Scudd.; not used in a generic sense.

- "Turbinoides, Da Costa, 1776," Scudd.; not used in a Linnean sense.
 turbinoidæa Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75 [*n. n.*].
 turbita Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 162; ed. 12, 1766, 280.
 Turbo Linnaeus, Syst. Nat., ed. 10, 1758, 761; ed. 12, 1767, 1232.—G.
 turbo Cercaria, O. F. Müller, An. Infus. 1786, 123.
 turbo Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3642.
 turboidea Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
 turcaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 624.
 turcicella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 523.
 turcicum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 217.—Gryllus.
 turcica Anadema, F. C. Meuschen, Mus. Gever. 1787, 480.
 turcicus Carabus, J. C. Fabricius, Mant. I. 1787, 203.
 turcica Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 281.
 turcicus Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 214.
 turcicus Echinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—Echinocyamus.
 turcicus Gekko (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 26.—Lacerta.
 turcicus Gryllus, J. C. Fabricius, Mant. I. 1787, 236.
 turcica Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 202; ed. 12, 1766, 362.
 turcica Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 83.
 turcica Musca, A. F. de Fourcroy, Ent. Paris. 1785, 487.
 turcica Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 442.
 turcica Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
 turcicus Phasianus, J. Latham, Index Orn. 1790, 627.
 turcica Sphex, J. C. Fabricius, Syst. Ent. 1775, 351.
 turcica Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 339.
 turcica Tipula, J. C. Fabricius, Mant. II. 1787, 322.
 turcica Vespa, D. Drury, Ill. Nat. Hist. II. 1773, index & 73.
 turcosa Adscita, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 35.
 "turcosa Zoolithus," Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.
 turca Cicada, J. C. Fabricius, Syst. Ent. 1775, 685.
 turca Columba, M. T. Brünnich, Orn. Boreal. 1764, 62.
 turca Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 616.—Phalaena.
 turca Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 322.
 turdi Acharus, Scopoli, Ent. Carn. 1763, 389.
 turdi Ascaris, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 9.
 turdina Alauda, J. A. Scopoli, Del. Insub. I. 1786, 69.
 Turdus Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 291.—A.
 Turdus G. Edwards in M. Catesby, Carol. II. 1771, 9.—P.
 turdus Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 287; ed. 12, 1766, 478.
 turfusus Staphylinus, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 164.
 turgens Synoicum, C. J. Phipps, Voy. N. Pole, 1774, 199.
 turgitum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3490.
 turgidum Cardium, D. Solander in G. Brander, Foss. Hant. 1766, 38.
 turgidus Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 378.
 turgida Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3641.
 turgida Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
 turgida Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
 turgidus Murex, D. Solander in G. Brander, Foss. Hant. 1766, 26.
 turgida Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3327.
 turgida Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
 turgitum v. turgidum.
 turionella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 539; ed. 12, 1767, 892.
 turionellæ Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
 turlu Alauda, J. A. Scopoli, Del. Insub. I. 1786, 70.
 Turnix Bonnatere, Ency. Méth. (Orn.), I. 1790, lxxxii & 5.—A.
 turnus Papilio (E.), Linnaeus, Mant. II. 1771, 536.
 turpella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
 Turricula J. Herrmann, Tab. aff. Anim., ed. 2, 1783, tabula.—G.

- Turricula* [G. Humphreys], Mus. Calonn. 1797, 58.—G.
turricula Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 324.
turricula Strombus, C. U. v. Salis, Reise Neapel, 1793, 367.
turricula Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3454.
turrifer Vibrio, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 315.
 "Turrilites, Montf. 1799," Ag.; does not occur.
turrimurarius Sphex, J. L. Christ, Nat. Ins. 1791, 321.
Turris P. L. S. Müller, Del. Nat. I. 1766, 129.—G.
Turris [G. Humphreys], Mus. Calonn. 1797, 34.—G.
Turris J. F. Bolten, Mus. Bolten. (2) 1798, 123.—G.
turris Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3543.
turris Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 52 [*n. n.*].
turris Trochus, F. C. Meuschen, Mus. Gever. 1787, 288.
turris-clavata Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 90.
turris-picta Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 90.
Turritella Lamarck, Mém. Soc. H. N. Paris, 1799, 74.—G.
turrita Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3428.—Planorbis.
turritus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 38.
turritus Gryllus (Acrida), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 692.
turrita Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
turritum Lampadion, J. F. Bolten, Mus. Bolten. (2) 1798, 78.
turrita Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3686.
turritus Ostracion, P. Forskal, Descr. Anim. 1775, 75.
turritus Planorbis, O. F. Müller, Verm. II. 1774, 169.
turrita Plotia, J. F. Bolten, Mus. Bolten. (2) 1798, 95 [*n. n.*].
turritus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 100.
turritus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
turrita Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3456.
tursio Delphinus, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 111.
tursio Physeter, Linnaeus, Syst. Nat., ed. 10, 1758, 77; ed. 12, 1766, 107.
turtur Columba, Linnaeus, Syst. Nat., ed. 10, 1758, 164; ed. 12, 1766, 284.
turturella Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
turturum Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3639.
turunda Echinanthus, F. C. Meuschen, Mus. Gronov. 1778, 91.
tuscariaria Phalaena Geometra, M. B. Borkhausen in Scriba, Beitr. Ins. III. 1793, 217.
tussilaginis Musca, J. C. Fabricius, Syst. Ent. 1775, 787.
tuta Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
tuteicornis Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 70.
tybris [Phalaena], P. Cramer, Utit. Kapellen, I (8) 1776, 145.
tygrina *v.* *tigrina*.
Tylos J. G. Meigen, N. Class. Mouches, 1800, 31.—Dip.
tymber [Phalaena], P. Cramer, Utit. Kapellen, II (14) 1777, 109.
tympanista Cancer, J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 25.
tympanista Columba, M. T. Brünnich, Orn. Boreal. 1764, 62.
tympanistra Tettigonia, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 100.
tympanotonor Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 92.
tyndarus Papilio D. F., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett. 1781,
tynderaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 35. [97-
typlus Lagomys, *v.* *typhlus*.
typhae Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 415.
typhae Noctua, C. P. Thunberg, Ins. Suecica (1) 1784, 3.
typhae Onchidium, F. Buchannan, Tr. Linn. Soc. [Lond.] V. 1800, 132.
typhae Phalaena Noctua (*ex* Esper, tab.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
typhae Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170. [722.—Noctua.
typhaeus Lygaeus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 537.
typhoeus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 346; ed. 12, 1767, 543.
typhiaeformis Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 174.
typhina Tipula, Scopoli, Ent. Carn. 1763, 323.

- typhis Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 54. [118.
 typhius Coluber, ?*err. pro typhlus*, Gm., B. G. E. de Lacépède, Quad. Ovip., II. 1789,
 typhle Syngnathus, Linnaeus, Syst. Nat., ed. 10, 1758, 336; ed. 12, 1766, 416.
 typhlis Talpoides, B. G. E. de Lacépède, Tabl. Mamm. 1799, 10.
 typhlus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 218; ed. 12, 1766, 378.
 typlius (*sic*) Lagomys (Pall.), G. C. C. Storr, Prod. 1780, 40.—Mus.
 typhlus Mus, P. S. Pallas, N. Sp. Quad. II. 1779, 154.
 typhlus Mus (Myotalpa), R. Kerr, Anim. Kingd. 1792, 248.
 typhocus Scarabaeus, *err. pro typhaeus*, L., J. C. Fabricius, Syst. Ent. 1775, 10.
 typhon Geotrupes (Ol.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus.
 typhon Scarabaeus, A. G. Olivier, Entom. I. 1789, 12.
 typhonius Bufo, J. G. Schneider, Hist. Amph. I. 1799, 207.
 typhonia Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 356.
 typica Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 613.—Phalaena.
 typica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 518; ed. 12, 1767, 857.
 typographus Bostrichus (L.), J. C. Fabricius, Syst. Ent. 1775, 59.—Dermestes.
 typographus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.
 typographus Ips (L.), C. de Geer, Mém. Ins. V. 1775, 193.—Dermestes.
 typographus Scolytus (Fab.), A. G. Olivier, Entom. IV. 1795, 7.—Bostrichus.
 tyrannulus Muscivora, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 169.
 Tyrannus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 5.—A.
 tyrannus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 371.
 tyrannus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 347.
 tyrannus Lanius, Linnaeus, Syst. Nat., ed. 10, 1758, 94; ed. 12, 1766, 136.
 tyrannus Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 302; *varr. domini-*
censis, carolinensis, ludovicianus.
 tyrannus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 177.—Cimex, 1781.
 tyrannus Muscivora, Linnaeus, Syst. Nat., ed. 12, 1766, 325.
 tyres [Phalaena], P. Cramer, Uitl. Kapellen, III (22) 1779, 124.
 tyria Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 224; ed. 12, 1766, 386.
 Tyroglyphus P. A. Latreille, Préc. Car. Ins. 1796, 185.—Ar.
 tyrolensis Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1102.
 tyrolensis Silpha, J. N. Laicharting, Tyrol. Ins. I. 1781, 98.
 tyrrhaea [Phalaena], P. Cramer, Uitl. Kapellen, I (4) 1775, 71.
 tyrrhenus Astacus, V. Petagna, Inst. Ent. 1792, 418.
 tyrrhenum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3478.
 tyrrhenum Cassis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 30.—Buccinum.
 tyrrhena Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3155.
 tyrtaeus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 271.
 tysonis Perca, J. A. Donndorff, Zool. Beyt. III. 1798, 526.
 tytia [Papilio], P. Cramer, Uitl. Kapellen, II (11) 1777, 37.
 tytrus Papilio D. F., J. C. Fabricius, Mant. II. 1787, 27.
 tzeiran Antilope, E. A. W. Zimmermann, Spec. Zool. 1777, 543.

ubaldus [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (33) 1782, 209.

Uber [G. Humphreys], Mus. Calonn. 1797, 21.—G.

vca Cancer, Linnaeus, Syst. Nat., ed. 12, 1767, 1041.

[III. 1768, *errata.*

uccinctus Strombus, Linnaeus, Syst. Nat., ed. 12, 1767, 1212; *err. typ. succinctus, vide*

ucranica Leptura, E. Laxmann, Nov. Comm. Sci. Petrop. XIV (1) 1770, 596.

udalrica [Papilio], P. Cramer, Uitl. Kapellen, IV (25) 1780, 16.

uddmanni Aranea, Scopoli, Ent. Carn. 1763, 400.

udmanniana Leptura, G. A. Harrer, Besch. Schaeffer Icones, 1784, 225.

udmanniana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 823.

udmanniana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.

ufens [Phalaena], P. Cramer, Uitl. Kapellen, II (9) 1777, 2.

Uleiota P. A. Latreille, Préc. Car. Ins. 1796, 46.—Col.

ulex Antipathes, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 100.

- ulicis Curculio, J. R. Forster, Cat. Brit. Ins. 1770, 4 [*n. n.*].
 ulicis Curculio, J. R. Forster, N. Sp. Ins. 1771, 31.
 ulicis Curculio, Bory de St. Vincent, Journ. Santé Bordeaux, III. 1798, 73.
 ulietanus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 328.
 ulietensis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 815.
 uliginalis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
 uliginata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 214.
 uliginosus Cicindela, [D. H. Schneider], Nom. Ent. 1785, 21 [*n. n.*].
 uliginosus Dytiscus (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 71.—Dytiscus.
 uliginosus Dytiscus, Linnaeus, Faun. Suec., ed. 2, 1761, 216.
 uliginosus Elaphrus, J. C. Fabricius, Ent. Syst. I (1) 1792, 178.
 uliginosus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 278.
 uliginosa Musca, Linnaeus, Syst. Nat., ed. 12, 1767, 983.
 uliginosus Nemotelus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 269.—Musca.
 uliginosus Stratiomys, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 89.
 ulmaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 85
 ulmarius Luperus, A. F. de Fourcroy, Ent. Paris. 1785, 89. [*n. et f.*].
 ulmaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 181.
 ulmata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 632.
 ulmea Noctua, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 213.
 ulmi Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 451; ed. 12, 1767, 733.
 ulmi Bombyx (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 456.—Noctua.
 ulmi Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 737.
 ulmi Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 439; ed. 12, 1767, 711.
 ulmi Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 449; ed. 12, 1767, 731.
 ulmi Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 455; ed. 12, 1767, 740.
 ulmi Curculio, C. de Geer, Mém. Ins. V. 1775, 215.
 ulmi Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
 ulmi Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 187.—Cimex.
 ulmi Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 66.
 ulmi Phalaena, J. G. Gladbach in Kuehn, Kurz. Anleit. Ins., ed. 2, 1783, 153 [*n. n.*].
 ulmi Phalaena Bombyx (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 385.—
 ulmi Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 274. [Noctua].
 ulni Psylla, A. F. de Fourcroy, Ent. Paris. 1785, 223.
 ulmi Staphylinus, P. Rossi, Fauna Etrus. I. 1790, 248.
 ulmi Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 559; ed. 12, 1767, 928.
 ulmi Thrips, J. C. Fabricius, Spec. Ins. II. 1781, 396.
 ulna Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6.
 ulni Psylla, *v.* ulmi.
 ulricus Hesperia (Cr.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
 ulrica [Papilio], P. Cramer, Utitl. Kapellen, II (9) 1777, 7.
 ultima Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 ultramarina Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 927.
 ultramarinus Papilio, F. C. Meuschen, Mus. Gronov. 1778, 71.
 ulula Noctua, J. C. Fabricius, Syst. Ent. 1775, 592.
 ulula Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 142.
 ulula Strix, Linnaeus, Syst. Nat., ed. 10, 1758, 93; ed. 12, 1766, 133.
 ulula Strix, R. Kerr, Anim. Kingd. 1792, 536; *var.* minor.
 ululans Reduvius, P. Rossi, Fauna Etrus. II. 1790, 256.
 ulvae Helix, R. Pulteney, Cat. Birds &c. Dorset, 1799, 49.
 ulvae Turbo, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 114.
 ulysses Papilio (Eques), Linnaeus, Syst. Nat., ed. 10, 1758, 462; ed. 12, 1767, 748.
 ulyssiponensis Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
 umbellana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 286.
 umbellaria Hydra, Linnaeus, Syst. Nat., ed. 10, 1758, 818.
 umbellaria Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1318.
 umbellatarum Bruchus, J. C. Fabricius, Mant. I. 1787, 41.
 umbellatarum Buprestis, Scopoli, Ent. Carn. 1763, 64.

- umbellatarum Buprestis, J. C. Fabricius, Mant. I. 1787, 183.
- umbellatarum Cimex, Scopoli, Ent. Carn. 1763, 133.
- umbellatarum Clerus, A. G. Olivier, Entom. IV. 1795, 5.
- umbellatarum Curculio, J. C. Fabricius, Mant. I. 1787, 103.
- umbellatarum Ichneumon, F. v. P. Schrank, Baier. Reise, 1786, 261.
- umbellatarum Leptura (Schr.), J. C. Fabricius, Syst. Ent. 1775, 199.—Necydalis.
- umbellatarum Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 161.
- umbellatarum Molorchus (Schr.), J. C. Fabricius, Ent. Syst. I (2) 1792, 357.—Necydalis.
- umbellatarum Musca, J. C. Fabricius, Syst. Ent. 1775, 785.
- umbellatarum Necydalis, J. C. D. Schreber, Nov. Spec. Ins. 1759, 9.
- umbellatarum Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 307.
- umbellata Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3720.
- umbellata Vorticella, *id. ac* umbellaria, L., M. Houttuyn, Nat. Hist. I (XVIII) 1773, 22.
- umbella Tinea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 484.—Pyralis umbellana, 1794.
- umbelliferarum Musca, Scopoli, Ent. Carn. 1763, 349.
- Umbellula G. Cuvier, Leçons Comp. Anat. I 1800, tab. 9 [*n. n.*].—Coel.
- umbella Medusa, O. F. Müller, Beschäft. Ges. Nat. Freunde, II. 1776, 297.
- umbella Patella, F. C. Meuschen, Mus. Gev. 1787, 242.
- umbella [Patella], T. Martyn, Univ. Conch. III [1789] fig. 102.
- umbella Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3706.
- umbellus Tetrao, Linnaeus, Syst. Nat., ed. 12, 1766, 275.
- umber Bombyx (Cram.), J. C. Fabricius, Gen. Ins. 1777, 281.—Phalaena.
- umbra Coracinus, F. C. Meuschen, Mus. Gronov. 1778, 26.
- umbra Cyprinus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 30.
- umbra Iguana (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 17.—Lacerta.
- umbra Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 207; ed. 12, 1766, 367.
- umbra Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 67.
- umbra [Papilio], D. Drury, Ill. Nat. Hist. III. 1782, index & 23.
- umber [Phalaena], P. Cramer, Utitl. Kapellen, I (2) 1775, 24.
- umbra Phalaena Noctua, J. Hübner, Beitr. Schmett. I (2) [1787], 17.
- umbra Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 480.
- umbilicalis Trochus, E. M. da Costa, Brit. Conch. 1778, 46.
- umbilicalis Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 88.
- umbilicaris Helix, G. Olivi, Zool. Adriat. 1792, 177.
- umbilicaris Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
- umbilicatus Nautilus, E. Jacob in G. Adams, Ess. Micr., ed. 2, 1798, 641.
- umbilicatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3485.
- umbilicata Bulla, J. F. Bolten, Mus. Bolten. (2) 1798, 15.
- umbilicatus Mytilus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 95.
- umbilicatus Nautilus, Linnaeus, Syst. Nat., ed. 10, 1758, 710; ed. 12, 1767, 1163.
- umbilicata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 203.
- umbilicatus Planorbis, O. F. Müller, Verm. II. 1774, 160.
- umbilicus Angarius, F. C. Meuschen, Mus. Gev. 1787, 260.
- Umbla G. Edwards in M. Catesby, Carol. II. 1771, 1.—P.
- Umbla M. Catesby, Pisc. &c. Imag. 1777, 1.—P.
- umbla Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 310; ed. 12, 1766, 511.
- umblae Fasciola, O. Fabricius, F. Groen. 1780, 329.
- Umbla L. T. Gronovius, Zooph. I. 1763, 114.—P.
- umbra *v.* umber.
- umbraculata Acheta (L.), J. C. Fabricius, Ent. Syst. II. 1793, 31.—Gryllus.
- umbraculata Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695. [Acanthia.]
- umbraculatus Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2126.—
- umbraculatus Gryllus (Acheta), Linnaeus, Syst. Nat., ed. 10, 1758, 428; ed. 12, 1767,
- umbraculata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 348. [695.]
- umbraculus Diplolepis, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 281.
- umbraculum Gorgonia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 80.
- umbracula Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 6.
- umbraculum Pecten, F. C. Meuschen, Mus. Gev. 1787, 414.

- umbralis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 27.
 umbrana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 59 [*n. et f.*].
 umbrarum Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
 [umbraticus Araneus, C. Clerck, Aran. Svec. 1757, 31.]
 umbratica Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 232.
 umbratica Bombyx, C. C. Jung, Alph. Verz. Schmett. II. 1792, 272.
 umbraticus Cerambyx, A. G. Olivier, Entom. IV. 1795, 129.
 umbratica Gorgonia, E. J. C. Esper, Pflanzenth., II (8) 1791, 83.
 umbratica Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 618.—Phalaena.
 umbratica Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767, 849.
 umbratica Tipula, O. F. Müller, Z. Dan. Prod. 1776, 170.
 umbratilis Apis, J. L. Christ, Nat. Ins. 1791, 172.
 umbratilis Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 448; ed. 12, 1767, 728.
 umbratilis Curculio, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 67.
 umbratilis Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 178.—Cimex.
 umbratilis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 304.
 umbratulata Acanthia, J. C. Fabricius, Syst. Ent. 1775, 695.
 umbrata Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
 umbratus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 229.
 umbrata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 903.
 umbrata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2497.
 umbrella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
 umbretta Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
 umbretta Scopus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 618.
 umbria Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 959.
 umbria Sylvia (Gm.), J. Latham, Index Orn. 1790, 518.—Motacilla.
 umbriana Phalaena, Scopoli, Ent. Carn. 1763, 237.
 umbricatus *v.* imbricatus.
 umbrosa Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 189.
 umbrosus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 64.
 umbrosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 169.
 umbrosa Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 1.
 umbrosa Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 273.
 umbrosa Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (48) 1796, 413.
 umbrosa Phryganea, Linnaeus, Faun. Suec., ed. 2, 1761, 381.
 umbrosa Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 36.
 umbrosa Spheg, J. L. Christ, Nat. Ins. 1791, 293.
 umminia Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 506.—Phalaena.
 umminia [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 137.
 unalaskh-
 aonalaschkac Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 808.
 unalaskhensis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 875.
 unalaskhensis Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1025.
 aonalaschkensis Hirundo, (Gm.), *id. ac* unalaskh-, Gm., J. Latham, Index Orn. 1790, 577.
 aunalaschkensis Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 354.—Oriolus.
 aunalaschkensis Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 394.
 aonalaschkensis Oriolus, *id. ac* aunal-, Gm., J. Latham, Index Orn. 1790, 186.
 unau Bradypus, H. F. Link, Beitr. Nat. I (2) 1795, 68.
 unca Noctua (L.) [Denis & Schiffermüller], Schmett. Wien, 1775, 91.—Phalaena uncana.
 uncana Phalaena (Tort.), Linnaeus, Faun. Suec., ed. 2, 1761, 342.—= uncula, Clerck.
 uncana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 647.—Phalaena.
 uncana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 76 [*n. et f.*].
 uncella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136.
 uncia Felis, J. C. D. Schreber, Säugth. III. 386 (1777), pl. c. (1776).
 Uncinaria J. A. Frölich, Naturforscher, XXIV. 1789, 136.—Ver.
 uncinatus Brachionus, O. F. Müller, Verm. I (1) 1773, 134.
 uncinatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2200.
 uncinata Eschara, W. G. Tilesius, Verz. merkw. Seeprod. 1800, 7.

- uncinata** Lernaea, O. F. Müller, Z. Dan. Prod. 1776, 226.
uncinatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3542.
uncinata Phryganea, F. v. P. Schrank, Ins. Aust. 1781, 306.
uncinata Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 142 [*n. n.*].
uncinata Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
uncinata Vespa, J. C. Fabricius, Syst. Ent. 1775, 367.
uncinularia Geometra (*ex* Goeze), C. C. Jung, Alph. Verz. Schmett. II. 1792, 273.
uncinulata Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3056.
uncinulata Planaria, M. Braun, Schrift. Berlin. Ges. Nat. Freunde, X (1) 1790, 61.
uncinus Tenebrio, J. R. Forster, N. Sp. Ins. 1771, 60.
uncula [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 7.
undalis Phalaena, J. C. Fabricius, Spec. Ins. II. 1781, 272.
undalis Phalaena (Pyr.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 441.—Phalaena.
undalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 19.
undans Angarius, F. C. Meuschen, Mus. Gever. 1787, 260.
undana Pyralis, J. C. Fabricius, Mant. II. 1787, 237.
undana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 532.
undaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 623.
undato-bifasciata Cantharis, C. de Geer, Mém. Ins. VII. 1778, 649.
undatus Acarus, J. C. Fabricius, Syst. Ent. 1775, 811.
undata Actinia, O. F. Müller, Zool. Dan. II. 1784, 66.
undata Alauda, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 797.
undatus Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 378.—Bruchus, 1787.
[undatus Araneus, C. Clerck, Aran. Svec. 1757, 100.]
undata Aranea (Phalangium), C. de Geer, Mém. Ins. VII. 1778, 320.
undata Arca, Linnaeus, Syst. Nat., ed. 10, 1758, 695; ed. 12, 1767, 1142.
undata Arca, J. F. Bolten, Mus. Bolten. (2) 1798, 174.
undata Blaps, J. C. Fabricius, Suppl. Ent. Syst. 1798, 47.
undatus Bombylius, J. C. Mikán, Mon. Bomb. 1796, 38.
undata Bombyx, J. C. Fabricius, Mant. II. 1787, 122.
undata Bombyx, C. de Villers, Linn. Ent. IV. 1789, 451.
undatus Brachycerus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 162.
undatus Bruchus, J. C. Fabricius, Mant. I. 1787, 41.
undatum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1204.
undatus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 320.
undata Bulla, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 380.
undata Buprestis, J. C. Fabricius, Mant. I. 1787, 182.
undatum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 191.—Cerambyx.
undatus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 396; ed. 12, 1767, 636.
undatus Cerambix (Fab.), A. G. Olivier, Entom. IV. 1795, 80.—Lamia.
undata Cetonia, A. G. Olivier, Entom. I. 1789, 84.
undata Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446.
undatus Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 68.
undata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 350.
undata Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 12.
undata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 43.
undata Cicada, C. de Geer, Mém. Ins. III. 1773, 185.
undata Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 32.
undatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2161.
undata Coccinella, J. C. Fabricius, Mant. I. 1787, 55.
undata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 139.
undatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 167.
undatus Cryptoccephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 614.
undatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 189.
undatus Curculio, [D. H. Schneider], Nom. Ent. 1785, 13 [*n. n.*].
undatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
undatus Cyllindrus, F. C. Meuschen, Mus. Gever. 1787, 370.
undatus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 355; ed. 12, 1767, 562.

- undatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1915.
- undatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 434.
- undatus Hallomenus, Block in G. W. F. Panzer, Ins. Germ. heft 68 [1799], tab. 23.
- undata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3667.
- undatus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 46.
- undatus Helops, J. C. Fabricius, Ent. Syst. I (1) 1792, 122.
- undatus Hydrophilus, J. C. Fabricius, Ent. Syst. I (1) 1792, 185.
- undata Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 270.
- undata Leptura, O. F. Müller, Z. Dan. Prod. 1776, 95.
- undatus Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—
- undata Madrepora, J. Ellis & D. Solander, Nat. Hist. Zool. 1786, 157. [Bruchus.
- undata Mantis, J. C. Fabricius, Ent. Syst. II. 1793, 19.
- undatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 114.
- undata Melolontha, A. G. Olivier, Entom. I. 1789, 80.
- undata Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 982.
- undatus Murex, F. C. Meuschen, Mus. Gev. 1787, 330.
- undatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
- undatus Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3360.
- undata Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 779; ed. 12, 1767, 1255.
- undata Neritaeformis, F. C. Meuschen, Mus. Gev. 1787, 276.
- undata Nitidula, A. G. Olivier, Entom. II. 1790, 14.
- undata Noctua, J. C. Fabricius, Syst. Ent. 1775, 600.
- undata Orthocera, A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 78.
- undata Ostrea, I. v. Born, Index Mus. Caes. Vind. 1778, 94.
- undatus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 175.
- undatus Prionus, A. G. Olivier, Entom. IV. 1795, 32.
- undatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 141.
- undata Silpha, J. C. Fabricius, Mant. I. 1787, 50.
- undatus Stenocorus, J. C. Fabricius, Syst. Ent. 1775, 181.
- undata Sylvia (Gm.), J. Latham, Index Orn. 1790, 534.—Motacilla.
- undata Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 30.
- undata Tringa, M. T. Brünnich, Orn. Boreal. 1764, 55.
- undatum Tritonium (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 243.—Buccinum.
- undatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 80.
- undata Tuceta (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 173.—Arca.
- undata Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 81.
- undata Venus, J. F. Bolten, Mus. Bolten. (2) 1798, 181.
- undata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 684.
- undata Voluta, T. Martyn, Univ. Conch. IV [1792], fig. 127.
- undecimalis Sciaena, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 60.
- undecimalis Silurus, Linnaeus, Syst. Nat., ed. 10, 1758, 305; ed. 12, 1766, 503.
- undecimcinctus Dasypus, G. I. Molina, Sag. stor. nat. Chili, 1782, 305.
- undecimdentatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 181.
- undecimmaculata Buprestis, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 120.
- undecimmaculata Coccinella, G. A. Harrer, Besch. Schaeffer Icones, 1784, 98.
- undecimmaculata Coccinella, J. C. Fabricius, Mant. I. 1787, 57.
- undecimpunctata Cassida, J. C. Fabricius, Spec. Ins. I. 1781, 110.
- undecimpunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767,
- undecimpunctata Coccinella, F. v. P. Schrank, Ins. Aust. 1781, 54. [581.
- undecim-punctatum Phalangium, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen,
1778, 221.
- undella Tinea, J. C. Fabricius, Syst. Ent. 1775, 661.
- undosum Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 740; ed. 12, 1767, 1203.
- undosa Chama, F. C. Meuschen, Mus. Gev. 1787, 454.
- undosa Cypraea, J. F. Bolten, Mus. Bolten. (2) 1798, 26.
- undosa Lagena (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 131.—Buccinum.
- undosa Noctua (ex Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 274.
- undosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 753.

- undula Alysseminthus (Schrank), J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm.
- undula Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 40. [1800, 300.—Taenia.
- undula Vibrio, O. F. Müller, Verm. I (1) 1773, 43.
- undulana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 131.
- undulana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me judice 1796], fig. 7 [n. et f.].
- undularis Coccinella, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 104.
- undularis [Papilio], D. Drury, Ill. Nat. Hist. II. 1773, index & 16.
- undularis [Phalaena], D. Drury, Ill. Nat. Hist. I. 1770, index & 19.
- undulataria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 512.
- undulataria Phalaena Geom., C. de Villers, Linn. Ent. II. 1789, 322.
- undulatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 518.
- undulatella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 325.
- undulata Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
- undulata Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 74.
- undulata Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3346.
- undulatus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 114.
- undulatus Anthribus, G. W. F. Panzer, Deutsch. Ins. [1795], 294.
- undulata Ardea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 637.
- undulatus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 460.
- undulatus Astroites, J. E. I. Walch, Naturforscher, V. 1775, 60.
- undulatus Balistes, M. Park, Tr. Linn. Soc. [Lond.] III. 1797, 37.
- undulatum Buprestin, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3475.
- undulata Buprestis, F. v. P. Schrank, F. Boica, I. 1798, 600.
- undulatus Byrrhus, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 484.
- undulatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1860.
- undulata Certhia, A. Sparrman, Mus. Carls. II. 1787, no. xxxiv.
- undulata Chrysomela, Linnaeus, Amoen. Acad. VI. 1763, 393.
- undulata Cicada, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 60.
- undulata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 18.
- undulata Coccinella, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 262.
- undulata Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
- undulatus Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1803.
- undulatus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 413.
- undulatus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 372.
- undulata Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3406.
- undulatus Dermestes, N. J. Brahm, Ins. Kal. I (1) 1790, 114.
- undulatus Dermestes=undatus, Linnaeus, Faun. Suec., ed. 2, 1761, 141.
- undulata Diaperis, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67.
- undulatus Dytiscus, F. v. P. Schrank, Beitr. Nat. 1776, 70.
- undulatus Elater, C. de Geer, Mém. Ins. IV. 1774, 155.
- undulatus Falco, H. Lichtenstein, Cat. rerum Nat. I. 1793, 3.
- undulata Fringilla, A. Vroeg, Catal. Vogel. 1764, Adumb., 3.
- undulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 262
- undulata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3654. [n. et f.].
- undulata Hydrachna, O. F. Müller, Hydrachnae, 1781, 80.
- undulata Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 68.
- undulatus Limax, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 29.
- undulata Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 151.
- undulata Loxia, J. Latham, Index Orn. 1790, 387.
- undulata Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
- undulatus Lutjanus (L.), G. A. Suckow, Naturges. IV. 1799, 549.—Perca.
- undulata Madrepora (Walch), P. S. Pallas, Char. Thierpf. II. 1787, 135.—Astroites.
- undulata Medusa, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 49.
- undulata Megatoma, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 96.
- undulata Meloe (Herbst.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2019.—
- undulatus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3559. [Mylabris.
- undulata Muscicapa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 940.
- undulata Mylabris, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 179.

- undulatus Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3678.
- undulata Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 4.
- undulata Perca, Linnaeus, Syst. Nat., ed. 12, 1766, 483.
- undulata Phalaena, Scopoli, Ent. Carn., 1763, 223.
- undulata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 524; ed. 12, 1767, 867.
- undulata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 127.
- undulata Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 35 [n. n.].
- undulata Psophia, J. F. E. v. Jacquin, Beyt. Gesch. Vögel, 1784, 24.
- undulata Scolopax, P. Boddaert, Tab. Planch. Enl. 1783, 54.
- undulatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3586.
- undulatum Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
- undulatum Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3597.
- undulata Venus, I. v. Born, Index Mus. Caes. Vind. 1778, 54.
- undulosata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 380.
- undulosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 286.
- unedo Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 680; ed. 12, 1767, 1123.
- unedo Fragum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 189.—Cardium.
- unernak Ophidium, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 278.
- ungarica Ancilla (L.), F. C. Meuschen, Mus. Gever. 1787, 246.—Patella.
- hungaricus Attelabus, J. A. Scopoli, Annus V. 1772, 92. [ungaricus.]
- hungaricus Attelabus (Herbst), J. C. Fabricius, Ent. Syst. I (2) 1792, 388.—Curculio
- hungarica Buprestis (Scop.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.—
- ungaricum Callidium, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 96. [Mordella.]
- ungaricus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1836.
- ungarica Cetonia, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 220.
- hungarica Chrysis, J. A. Scopoli, Annus V. 1772, 122.
- ungaricus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 71.
- ungaricus Gryllus (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2057.—
- ungarica Lamia, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 90. [Truxalis.]
- hungarica Mordella, J. A. Scopoli, Annus V. 1772, 104.
- hungarica Mutilla, J. C. Fabricius, Ent. Syst. II. 1793, 369.
- ungarica Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1259.
- hungaricus Rynchites (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 129, sign. I.—Attelabus.
- ungaricus Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 230.
- hungaricus Sirex, J. L. Christ, Nat. Ins. 1791, 414.
- ungaricus Truxalis, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 192.
- hungarus Cancer (Fab.), J. F. W. Herbst, Vers. Nat. Krab. II (1) 1791, 26.—Pagurus.
- hungarus Ips, F. v. P. Schrank, F. Boica, I. 1798, 513.
- hungarus Meloe, F. v. P. Schrank, Beitr. Nat. 1776, 71.
- hungarus Pagurus, J. C. Fabricius, Mant. I. 1787, 327.
- hungarus Proscarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 226.—Meloe, 1776.
- unguicana Pyralis, *id. ac* unguicella Phalaena (L.), J. C. Fabricius, Syst. Ent. 1775, 654.
- unguicella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 887.
- unguicella Tinea, *id. ac* unguicana, Fabr., C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 79.
- unguicornis Musca, Scopoli, Ent. Carn. 1763, 335.
- unguiculatus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 173.
- unguiculatus Cossus, J. C. Fabricius, Ent. Syst. III (2) 1794, 4.
- unguiculata Medusa, O. Swartz, K. Vet. Ac. Nya Handl. IX. 1788, 199.
- unguiculata Melolontha, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 18.
- unguiculatus Nautilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3372.
- unguiculatus Onitis (Ol.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 27.—Scarabaeus.
- unguiculatus Scarabaeus [Copris], A. G. Olivier, Entom. I. 1789, 157.
- unguiculatus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1585.
- unguiculata Sepia, G. I. Molina, Sag. stor. nat. Chili, 1782, 199.
- unguiculata Stratiomys, Block in G. W. F. Panzer, Ins. Germ. heft 12, 1793, tab. 22.
- unguiculata Vespa, C. de Villers, Linn. Ent. III. 1789, 282.
- unguiculatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.

- unguis Li[n]gula (L.), G. Cuvier, Tab. Elém. 1798, 435.—Patella.
 unguis Lingula (L.), Lamarck, Mém. Soc. H. N. Paris, 1799, 89.—Patella.
 unguis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 704; ed. 12, 1767, 1156.
 unguis Patella, Linnaeus, Syst. Nat. ed. 10, 1758, 783; ed. 12, 1767, 1260.
 unguia Tridachnes, J. F. Bolten, Mus. Bolten. (2) 1798, 172.
 unguia Vespertilio, P. Boddaert, Elench. 1785, 71.
 unguatum Callitricoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 259.—Mytilus.
 unguata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 995.
 unguatus Mytilus, Linnaeus, Syst. Nat. ed. 10, 1758, 705; ed. 12, 1767, 1157.
 unguatus Oniscus, P. S. Pallas, Spic. Zool. IX. 1772, 62.
 unguina Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 254.—Helix.
 unguina Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1245.
 unguinus Monoceros, F. C. Meuschen, Mus. Gever. 1787, 290.
 unguina Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.—Mytilus unguatus.
 unguinus Planorbis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—Helix.
 unguinus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
 unincinctus Dasypus, Linnaeus, Syst. Nat., ed. 10, 1758, 50; ed. 12, 1766, 53.
 unicolor Anthribus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 160.
 unicolor Attelabus, A. F. de Fourcroy, Ent. Paris. 1785, 16.
 unicolor Blennius, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 185.
 unicolor Bombyx, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 3.
 unicolor Bombyx, A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 94.
 unicolor Bruchus, A. G. Olivier, Entom. IV. 1795, 17.
 unicolor Buprestis, A. G. Olivier, Entom. II. 1790, 63.
 unicolor Callidium (Fab.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 258.—Saperda.
 unicolor Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
 unicolor Carabus, J. C. Fabricius, Mant. I. 1787, 198.
 unicolor Carabus, F. v. P. Schrank, Briefe Donaumoor, 1795, 137.
 unicolor Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 83.
 unicolor Cervus, J. M. Bechstein in Pennant, Uebers. 4flüss. Thiere, I. 1799, 112.
 unicolor Chrysomela, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 161.
 unicolor Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
 unicolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2199.
 unicolor Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 267.
 unicolor Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1103.
 unicolor Corticeus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 87.
 unicolor Crabro, G. W. F. Panzer, Ins. Germ. heft 52 [1797], tab. 24 [SpheX in text].
 unicolor Crioceris, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 11.
 unicolor Cryptocephalus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 608.
 unicolor Cucujus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 242.
 unicolor Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 334.
 unicolor Dermestes, N. J. Brahm, Ins. Kal. I (2) 1791, 144.
 unicolor Galleruca, K. Illiger, Archiv Zool. (Wiedemann) I (2) 1800, 135.
 unicolor Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 692.
 unicolor Gryllus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 635.
 unicolor Hexodon, A. G. Olivier, Entom. I. 1789, 4.
 unicolor Hister, Linnaeus, Syst. Nat., ed. 10, 1758, 388; ed. 12, 1767, 567.
 unicolor Hypophlaeus, J. Cederhielm, F. Ingric. 1798, 114.
 unicolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2721.
 unicolor Ips, A. G. Olivier, Entom. II. 1790, 12.
 unicolor Leptura, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 518.
 unicolor Melolontha, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 154.
 unicolor Melolontha, A. G. Olivier, Entom. I. 1789, 26.
 unicolor Nitidula, A. G. Olivier, Entom. II. 1790, 17.
 unicolor Perca, J. J. Walbaum, Artedi, Ichth. (3) ed. 2, 1792, 352.
 unicolor Phalaena Noctua, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2583.
 unicolor Pimelia, J. C. Fabricius, Spec. Ins. I. 1781, 316.
 unicolor Ptinus, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 67.

- unicolor Saperda, J. C. Fabricius, Mant. I. 1787, 147.
- unicolor Scarabaeus, D. Drury, Ill. Nat. Hist. III. 1782, index & 61.
- unicolor Scarabaeus [Copriss], A. G. Olivier, Entom. I. 1789, 183.
- unicolor Silpha, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 209.
- unicolor Sorex, R. Kerr, Anim. Kingd. 1792, 208.
- unicolor Spheg, J. C. Fabricius, Mant. I. 1787, 275.
- unicolor Spheg, G. W. F. Panzer, Ins. Germ. heft 52 [1797], tab. 24.
- unicolor Staphylinus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 149.
- unicolor Stenosis, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 163.
- unicolor Upis, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 234.
- unicolor Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 203.
- unicolorata Phalaena Geometra, J. Hübner, Beitr. Schmett. I (2) [1787], 15.
- unicolorata Phalaena Geometra, H. G. Lang, Verz. Schmett., ed. 2, 1789, 198.
- unicoloria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (4) 1795, 101.
- Unicornis G. Edwards, in M. Catesby, Carol. II. 1771, 19.—P.
- unicornis Apis, J. L. Christ, Nat. Ins. 1791, 160.
- unicorne Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 254.
- unicornis Chama, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 389.
- unicornis Chaetodon, P. Forskal, Descr. Anim. 1775, 63.
- unicornis Gryllus, Linnaeus, Amoen. Acad. VI. 1763, 396.
- unicornis Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 171.
- unicornis Rhinoceros, Linnaeus, Syst. Nat., ed. 10, 1758, 56; ed. 12, 1766, 104.
- unicornu Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 33.
- unicornu Scarabaeus, F. v. P. Schrank, Naturforscher, XXIV. 1789, 61.
- unicus Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 103.
- unidentata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 216.
- unidentatus Cerambix, A. G. Olivier, Entom. IV. 1795, 21.
- unidentatum Colydidium (Fab.), G. Paykull, Faun. Suec. III. 1800, 314.—Dermestes.
- unidentatum Cylonium (Ol.), J. C. Fabricius, Actes Soc. H. N. Paris, I (1) 1792, 32.—Ips.
- unidentatus Dermestes (Ol.), J. C. Fabricius, Ent. Syst. I (1) 1792, 232.—Ips.
- unidentata Hispa, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 96.
- unidentata Ips, A. G. Olivier, Entom. II. 1790, 9.
- unifasciatus Attelabus (Fab.), C. de Villers, Linn. Ent. IV. 1789, 296.—Clerus.
- unifasciata Buprestis, Scopoli, Ent. Carn. 1763, 66.
- unifasciatum Callidium, P. Rossi, Fauna Etrus. II. 1790, 343.
- unifasciatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 269.
- unifasciata Cetonia, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 413.
- unifasciata Cercopis, J. C. Fabricius, Spec. Ins. II. 1781, 330.
- unifasciata Chrysomela, C. de Geer, Mém. Ins. VII. 1778, 664.
- unifasciata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2102.—
- unifasciatus Clerus, J. C. Fabricius, Mant. I. 1787, 125. [Cercopis.]
- unifasciata Clytra, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 35.
- unifasciata Coccinella, J. C. Fabricius, Gen. Ins. 1777, 216.
- unifasciata Coccinella, L. G. Scriba, Beitr. Ins. II. 1791, 107.
- unifasciata Crioceris, J. C. Fabricius, Syst. Ent. 1775, 120.
- unifasciatus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789,
- unifasciatus Cureulio, J. C. Fabricius, Mant. I. 1787, 101. [1721.—Crioceris.]
- unifasciatus Erotylus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 101.
- unifasciata Formica, P. A. Latreille, Journ. Santé Bordeaux, III. 1798, 142 [n. n.];
- unifasciata Helix, E. M. da Costa, Brit. Conch. 1778, 75. [Essai Fourmis, 1798, 47.]
- unifasciata Lamia, P. Rossi, Fauna Etrus. I. 1790, 147.
- unifasciata Lema, J. C. Fabricius, Suppl. Ent. Syst. 1798, 92.—Crioceris, 1775.
- unifasciata Libellula, C. de Geer, Mém. Ins. III. 1773, 557.
- unifasciatus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 178.
- unifasciatus Notoxus, F. v. P. Schrank, F. Boica, I. 1798, 574.
- unifasciata Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2491.
- unifasciatus Scarabaeus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 240.
- unifasciata Scolia, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 2.

- unifasciata Scolia, J. C. Fabricius, Ent. Syst. II. 1793, 233.
 unifasciata Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 365.
 unifasciatus Vespa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2766.
 unifasciata Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 677.
 unifascis Tipula, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 341.
 uniflora Sertularia, P. S. Pallas, Elench. 1766, 121.
 unifornis Tringa, J. F. Gmelin in Linn. Syst. Nat. ed. 13, I. 1788, 678.
 uniglumis Apis (Fab.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 126.—
 uniglumis Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 376.—Vespa. [Crabro.]
 uniglumis Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 573; ed. 12, 1767, 951.
 unigulta Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [antea 1796], 13.
 unilineatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 204.
 unilinguis Linguatula, F. v. P. Schrank, Samml. Nat. Phys. Aufsätz. 1796, 231.
 unilunaria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (3) 1795, 77.
 unimaculatus Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 75.
 unimaculatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1295.
 unimaculata Libellula, C. de Geer, Mém. Ins. III. 1773, 558.
 unimaculata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 640.
 unimaculata Perca, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 75.
 unimaculata Phryganea, O. F. Müller, Z. Dan. Prod. 1776, 145.
 unimaculatus Salmo, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 105.
 unimaculata Sciaena, Linnaeus, Syst. Nat., ed. 10, 1758, 289; ed. 12, 1766, 480.
 Unio A. J. Retzius, Diss. Nova Test. Gen. 1788, 16.—L.
 unionalis Pyralis, J. Hübner, Europ. Schmett. 6 Horde [me judice 1796], 21.
 unipunctaria Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2466.
 unipunctata Bitoma, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 26.—Dermestoides,
 unipunctata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 45. [1783-
 unipunctata Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 708.
 unipunctata Cicindela, J. C. Fabricius, Syst. Ent. 1775, 225.
 unipunctatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 38.
 unipunctatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2187.
 unipunctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 364; ed. 12, 1767, 579.
 unipunctatus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 495.
 unipunctatus Dermestoides, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 40.
 unipunctatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1959.
 unipunctata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 576.
 unipunctatus Hemerobius, O. F. Müller, F. Ins. Frid. 1764, 66.
 unipunctata Leptura, J. C. Fabricius, Mant. I. 1787, 157.
 unipunctatum Opatrum (Herbst), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1633.—
 unipunctatus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 20. [Dermestoides.
 unipunctatum Sphaeridium (L.), J. N. Laicharting, Tyrol. Ins. I. 1781, 82.—Coccinella.
 unispinosa Formica, J. C. Fabricius, Ent. Syst. II. 1793, 359.
 unispinus Rhinomacer, O. F. Müller, Z. Dan. Prod. 1776, 91.
 unistriatus Dytiscus, F. v. P. Schrank, Ins. Aust. 1781, 205.
 unistriatus Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1957.
 unistriata Lacerta, G. Shaw, Nat. Misc. III. 1791, pl. 89.
 unisulcata Alca, M. T. Brünnich, Orn. Boreal. 1764, 25.
 unitella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 51.
 unita Bombyx (D & S.), J. F. A. D. in Borkhausen, Rhein. Mag. I. 1793, 350.—Noctua.
 unita Noctua, [Denis & Schiffermüller], Schmett. Wien. 1775, 68.
 unita Phalaena Bombyx (Esp.), M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 247.—
 unita Phalaena Noctua, J. Hübner, Beitr. Schmett. I. (1) 1786, 29. [Noctua, D. & S.
 univittatus Clerus, P. Rossi, Mant. Ins. I. 1792, 44.
 unungulus Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 160.
 unzerina Papilio, Herbst in Jablonsky, Nat. Ins. (Schmett.) V. 1792, 27.
 Uperotus J. E. Guettard, Mém. diff. Sci. III. 1770, 126.—Ver.
 Upsaliensis Fabricius, Ent. Syst. I (2) 1792, 515.—Col.
 upsaliensis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1980.

- upsaliensis Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 409.
- upsaliensis Ptinus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1608.
- Upupa Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 183.—A.
- upupae Fasciola, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 123.
- upupae-pennella Tinea, J. Hübner, Europ. Schmett. 8 Horde [me judice 1796], 68.
- Upupe, *z.* Upupa S. G. Gmelin, Reise Russ. I (1770), 77.
- uralensis Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 29.—Lacerta.
- uralensis Hippobosca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2905.
- uralensis Lacerta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, III. 1789, 1073.
- uralensis Lytta (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2015.—Meloe
- uralensis Meloe, P. S. Pallas, Reise Russ. II. 1773, 722.
- uralensis Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1557.
- uralensis Silpha, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1624.
- uralensis Stryx, P. S. Pallas, Reise Russ. I. 1771, 455.
- urania Papilio (Heliconius), Linnaeus, Syst. Nat., ed. 10, 1758, 466; ed. 12, 1767, 756.
- Uranoscopus Linnaeus, Syst. Nat., ed. 10, 1758, 250; ed. 12, 1766, 434.—P.
- urbanus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 503.
- urbana Mantis, J. C. Fabricius, Syst. Ent. 1775, 278.
- urbanus Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
- urbanus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
- urbica Hirundo, Linnaeus, Syst. Nat., ed. 10, 1758, 192; ed. 12, 1766, 344.
- urceolaris Brachionus, O. F. Müller, Verm. I (1) 1773, 131.
- urceolaris Vorticella, Linnaeus, Syst. Nat., ed. 12, 1767, 1319.
- urceus Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 336.—Strombus.
- urceus Bulimus (Müll.), J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 298.—Nerita.
- urceus Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 63.—Strombus.
- urceus Nerita, O. F. Müller, Verm. II. 1774, 174.
- urceus Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
- urceus Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1212.
- urceus Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 790.
- urens Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 62.
- urens Spongia, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 187.
- urganda [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (31) 1781, 162.
- urganda Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 121.
- Uria Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 5 & 55.—A.
- Uria M. J. Brisson, Ornith. VI. 1760, 70.—A.
- Uria J. D. Petersen, Balth. Vögel, 1766, 7 [*n. n.*].—A.
- Uria J. R. Forster, Ench. 1788, 38.—A.
- Uria J. P. Bonnaterre, Ency. Méth. (Orn.) I. 1790, lxxxiii.—A.
- Uria B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
- urile Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 575.
- urinarium Trichoda, O. F. Müller, Verm. I (1) 1773, 90.
- Urinator B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 14.—A.
- urinator Colymbus, Linnaeus, Syst. Nat., ed. 12, 1766, 223.
- urinator Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 224.
- urinator Podiceps (L.), J. Latham, Syn. Birds, Suppl. I. 1787, 294.—Colymbus.
- urinatoria Aranea, N. Poda, Ins. Mus. Graec. 1761, 123.
- urinatrix Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
- urksuk Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
- urna Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 76 [*n. n.*].
- urna Murex, F. C. Meuschen, Mus. Gever. 1787, 322.
- urna Vasum, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
- urneodes Sertularia, F. C. Meuschen, Mus. Gever. 1787, 518.
- urnula Trichoda, O. F. Müller, Verm. I (1) 1773, 87.
- Urocerus E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 265.—Hym.
- urogalli Taenia, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 129.
- Urogallus J. A. Scopoli, Introd. Hist. Nat. 1777, 478.—A.
- urogallus Lagopus (L.), J. C. Schaeffer, Mus. Orn. 1789, 2.—Tetrao.

- urogallus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 159; ed. 12, 1766, 273.
 urovang Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 836.
 ourovang Turdus, *id. ac* urovang, Gm., J. Latham, Index Orn. 1790, 351.
 ursellus Acarus, O. F. Müller in Fuessly, Arch. Ins. VI. 1785, 30.
 ursellus Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3411.
 ursi Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
 ursicola Coccinella, J. C. Fabricius, Mant. Ins. I. 1787, 58.
 ursina Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2790.
 ursinus Bradypus, G. Shaw, Nat. Misc. II. 1791, pl. 58.
 ursina Coccinella, J. C. Fabricius, Mant. I. 1787, 61.
 ursinum Myrmeleon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 207.
 ursina Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 43.
 ursina Phoca, Linnaeus, Syst. Nat., ed. 10, 1758, 37; ed. 12, 1766, 55.
 ursina Simia, J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 656.
 ursula Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 82.
 ursula [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 107.
 ursula Trichoda, *err. pro* uvula, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790,
 Ursulo G. Edwards, in M. Catesby, Carol. I. 1771, xxx.—M. [3884.
 Ursus Linnaeus, Syst. Nat., ed. 10, 1758, 47; ed. 12, 1766, 69.—M.
 ursus Cancer, J. C. Fabricius, Mant. I. 1787, 323.
 ursus Cancer (Astacus), J. F. W. Herbst, Vers. Nat. Krab. II (3) 1792; *varr.* major, 82;
 ursus Curculio, [D. H. Schneider], Nom. Ent. 1785, 14 [*n. n.*]. [minor, 83,
 ursus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 399.
 ursus Inachus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 356.—Cancer, 1787.
 ursus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 107.
 ursus Melolontha, J. C. Fabricius, Syst. Ent. 1775, 818.
 ursus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 247.—Sphex, 1793.
 ursus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—Melo-
 ursus Sphex, J. C. Fabricius, Ent. Syst. II. 1793, 210. [lontha.
 urticae Aphis, Linnaeus, Syst. Nat., ed. 10, 1758, 453; ed. 12, 1767, 736.
 urticae Aphis, J. C. Fabricius, Syst. Ent. 1775, 738.
 urticae Aphis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2208.
 urticae Bombyx (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 276.
 urticae Brachypterus (Fab.), J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794,
 urticae Cassida, N. J. Brahm, Ins. Kal. I (1) 1790, 109. [561.—Dermestes.
 urticae Cataretes, Illiger in Kugelann, Käfer Preuss. 1798, 395.
 urticae Chermes, Linnaeus, Syst. Nat., ed. 10, 1758, 454; ed. 12, 1767, 738.
 urticae Cimex, J. C. Fabricius, Syst. Ent. 1775, 723.
 urticae Curculio, Scopoli, Ent. Carn. 1763, 28.
 urticae Curculio, C. de Geer, Mém. Ins. V. 1775, 219.
 urticae Curculio, O. F. Müller, Z. Dan. Prod. 1776, 88.
 urticae Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 235.
 urticae Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 421.
 urticae Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 166.—Cimex, 1775.
 urticae Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 600; ed. 12, 1767, 998.
 urticae Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 477; ed. 12, 1767, 777.
 urticae Thrips, J. C. Fabricius, Spec. Ins. II. 1781, 397.
 urticalis Phalaena Pyralis, N. J. Brahm, Ins. Kal. II (1) 1791, 177.
 urticalis Pyralis, [Denis & Schiffermüller], Schmett. Wien. 1775, 121.
 urticana Phalaena Tortrix, C. de Villers, Linn. Ent. II. 1789, 418.
 urticana Tortrix [Denis & Schiffermüller], Schmett. Wien. 1775, 132.
 urticarius Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 74.
 urticarius Curculio, J. R. Schellenberg, Helvet. Entom. I. 1798, 98.
 urticaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 508.
 urticata Phalaena (Geom.), Linnaeus, Faun. Suec. ed. 2, 1761, 340.—[hortulata, S. N.,
 urticata Phalaena, Scopoli, Ent. Carn. 1763, 220. [ed. 10.]
 urubutinga Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 265.
 urubutinga Falco (Aquila), R. Kerr, Anim. Kingd. 1792, 494.

- urus Bos, P. Boddaert, Elench. 1785, 151.
 usnea Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
 usneoides Sertularia, P. S. Pallas, Elench. 1766, 132.
 usta Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 308.
 usta Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
 usta Pomatia, J. F. Bolten, Mus. Bolten. (2) 1798, 74 [*n. n.*].
 usta Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 201.
 ustalella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 307.
 ustella [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 10.
 ustella Phalaena (Tinea), Linnaeus, Faun. Suec., ed. 2, 1761, 367.
 ustilago Chaos, Linnaeus, Syst. Nat., ed. 12, 1767, 1326.
 ustilago Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 108.
 ustularia Phalaena, E. Donovan, Brit. Ins. III. 1794, 82.
 ustulataria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 516.
 ustulata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 15.—Necydalis.
 ustulatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 46.
 ustulata Cantharis, Scopoli, Ent. Carn. 1763, 43.
 ustulatus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 416; ed. 12, 1767, 673.
 ustulatus Elater, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 303.
 ustulatus Elater, G. Paykull, Faun. Suec. III. 1800, 32.
 ustulatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2717.
 ustulata Leptura, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 298.
 ustulata Leptura, J. N. Laicharting, Tyrol. Ins. II. 1784, 157.
 ustulata Necydalis (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 171.—Cantharis.
 ustulata Necydalis, J. C. Fabricius, Mant. I. 1787, 170.
 ustulata Phalaena (Geometra), O. F. Müller, Z. Dan. Prod. 1776, 129.
 ustulatum Sphaeridium, J. D. Preyssler, Verz. böhm. Ins. 1790, 34.
 ustulata Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 556; ed. 12, 1767, 922.
 ustulatus Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Tinea ustalella, 1794.
 usurpator Ichneumon, Scopoli, Ent. Carn. 1763, 283.
 utinensis Triton, J. N. Laurenti, Syn. Rept. 1768, 38.
 utopiensis Charadrius, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 117.
 utricularis Hydatigena, A. J. G. C. Batsch, Naturg. Bandwürm. 1786, 99.
 utricularis Taenia (Batsch), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3061.—
 utriculata Vorticella, O. F. Müller, An. Infus. 1786, 264. [Hydatigena.
 utriculenta Hydatigena, J. A. E. Goeze, Eingeweidewürm. 1782, 219.
 utriculenta Vesicaria (Goez.), F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 30.—
 Utriculum A. Modeer, K. Vet. Ac. Nya Handl. XIII. 1792, 111.—Inf. [Hydatigena.
 utriculus Medusa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3155.
 utriculus Porphyria (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 37.—Voluta.
 utriculus Teredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3748.
 utriculus Vibrio, O. F. Müller, Verm. I (1) 1773, 48.
 utriculus Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3441.
 uva Angarius, F. C. Meuschen, Mus. Gever. 1787, 262.
 uva Brachycerus, J. C. Fabricius, Ent. Syst. I (2) 1792, 383.
 uva Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 349.—Turbo.
 uva Cerion (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 90.—Turbo.
 uva Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 32.
 uva Curculio, A. Sparrman, K. Vet. Ac. Nya Handl. VI. 1785, 53.
 uva Drupa, J. F. Bolten, Mus. Bolten. (2) 1798, 56.
 uva Madrepora, E. J. C. Esper, Pflanzenth., Forts. I (1) 1794, 32.
 uva Monas, O. F. Müller, An. Infus. 1786, 8.
 uva Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 812; ed. 12, 1767, 1311.
 uva Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 765; ed. 12, 1767, 1238.
 uva Volvox, O. F. Müller, An. Infus. 1786, 20.
 uvae Coccus, Linnaeus, Faun. Suec., ed. 2, 1761, 266.
 uvae ursi Coccus, A. Modeer, Götheborg. Samhalle Handl. (Wet. Afd.) I. 1778, 49.
 uvula Trichoda, O. F. Müller, Verm. I (1) 1773, 94.

uxor Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 31.
 uxoria [Phalaena], P. Cramer, Uitl. Kapellen, III (23) 1780, 150.

- Vacca G. Edwards in M. Catesby, Carol. I. 1771, xxxi.—M.
 vacca Brachycerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VI. 1799, 36.
 vacca Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 92.
 vacca Copris (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 162.—Scarabaeus.
 vacca Scarabaeus, Linnaeus, Syst. Nat., ed. 12, 1767, 547.
 vaccarium Sphaeridium, J. G. Kugelann in Illiger, Käfer Preuss. 1798, 69.
 vaccarium Musca, C. de Geer, Mém. Ins. VI. 1776, 85.
 vaccinarius Scarabaeus, Herbst in Jablonsky, Nat. Ins. (Käfer) II. 1789, 138.
 vaccinae nigrae Phalaena, Gladbach, Namen u. Preissverz. 1778; see Stettin. Ent. Zeit.
 XVI. 1855, 95.
 vaccinae nigrae Phalaena, J. G. Gladbach in Kuehn, Kurze Anleit. Ins., ed. 2, 1783, 158
 vaccinii Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 320. [n. n.]
 vacillans Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
 vacillator Ichneumon, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 181.
 vacillatorius Ichneumon, P. Rossi, Mant. Ins. I. 1792, 113.
 vacua Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 757.
 vacua Musca, Scopoli, Ent. Carn. 1763, 346.
 vacuus Syrphus, J. C. Fabricius, Syst. Ent. 1775, 763.
 vafra Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 927.
 vagabunda Ascidia, Linnaeus, Mant. II. 1771, 543.
 vagabundus Chaetodon, Linnaeus, Syst. Nat., ed. 10, 1758, 276; ed. 12, 1766, 465.
 vagabundus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 450; ed. 12, 1767, 732.
 vagabunda Coracias, J. Latham, Index Orn. 1790, 171.
 vagabundus Crabro, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 16.
 vagabundus Gerris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 192.—Cimex.
 vagans Carabus, A. G. Olivier, Entom. III. 1795, 39.
 vagans Cimex, J. C. Fabricius, Mant. II. 1787, 307.
 vagans Formica, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 501.
 vagans Formica, J. C. Fabricius, Ent. Syst. II. 1793, 358.
 vagans Leptura, A. G. Olivier, Entom. IV. 1795, 31.
 vagans Miris, J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex, 1787.
 vagans Musca, G. W. F. Panzer, Ins. Germ. heft 59 [1798], tab. 18.
 vagans Mutilla, J. C. Fabricius, Suppl. Ent. Syst. 1798, 282.
 vagator Ichneumon, Scopoli, Ent. Carn. 1763, 288.
 vagatorius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 146.
 vagelli Pediculus, J. C. Fabricius, Mant. II. 1787, 369.
 vagina Hypogaeoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 251 & 257.—Solen:
 vagina Solen, Linnaeus, Syst. Nat., ed. 10, 1758, 672; ed. 12, 1767, 1113.
 vaginaeformis Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 7.
 vaginalis J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 705.—A.
 Vaginalis Bonaterre, Ency. Méth. (Orn.) I. 1790, xciii.—A.
 Vaginalis B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 17.—A.
 vaginalis Cervus, P. Boddaert, Elench. 1785, 136.
 vaginalis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 382; ed. 12, 1767, 612.
 vaginator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1832.—
 vaginator Lamia, J. C. Fabricius, Mant. I. 1787, 136. [Lamia.
 vaginator Vorticella, O. F. Müller, An. Infus. 1786, 310.
 vaginatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
 vaginata Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2099.—Tetti-
 vaginata Tettigonia, J. C. Fabricius, Mant. II. 1787, 266. [gonia.
 Vaginella F. M. Daudin, Bull. Sci. Soc. Philom. [Paris], no. 43, 1800, 145.—Pt.
 vagula Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.]
 vaga Andrena, G. W. F. Panzer, Ins. Germ. heft 64 [1799], tab. 18.
 vagus Anthrenus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1615.

- vagus** Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
vagus Crabro (L.), J. C. Fabricius, Syst. Ent. 1775, 375.—Sphex.
vagus Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 206.
vaga Formica, Scopoli, Ent. Carn. 1763, 312.
vagus Mus, P. S. Pallas, N. sp. Quad. II. 1797, 327.
vagus Musca, M. Harris, Exp. Eng. Ins. 1776, 153.
vaga Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 22.
vaga Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1013.
vaga Sphex, Linnaeus, Syst. Nat., ed. 10, 1758, 571; ed. 12, 1767, 946.
vagus Sphex, M. Harris, Exp. Eng. Ins. 1776, 95.
vaga Tenthredo, J. C. Fabricius, Spec. Ins. I. 1781, 415.
vaga Tubularia, F. v. P. Schrank, Beitr. Nat. 1773, 104.
vagus Turbo, D. Solander in G. Brander, Foss. Hant. 1766, 26.
vaga Vespa (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2764.—Crabro.
vahliana Pyralis, J. C. Fabricius, Mant. II. 1787, 225.
vahliana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 521.
vahlia Cerocoma, J. C. Fabricius, Mant. I. 1787, 217.
vahlia Cidaris, J. F. Bolten, Mus. Bolten. (2) 1798, 84.
vahlia Cimex, J. C. Fabricius, Mant. II. 1787, 283.
vahlia Cryptocephalus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 108.
vahlia Meloe (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2021.—Cerocoma.
vaiillanti Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
vaiillantina [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, IV. 1790, 142.
v-album Papilio (*ex* Esper, tab.), H. G. Lang, Verz. Schmettt., ed. 2, 1789, 36.
valens Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 274.
valens Musca, M. Harris, Exp. Eng. Ins. 1776, 113.
valens Papilio, J. C. Fabricius, Mant. II. 1787, 67.
valentini Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
valentini Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3329.
valentina Musca, C. Allioni, Misc. Taurin. III. 1766, 198.
valentina [Papilio], P. Cramer, Utitl. Kapellen, III (21) 1779, 82.
valentina [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (28) 1780, 76.
valeria [Papilio], P. Cramer, Utitl. Kapellen, I (8) 1776, 133.
valesima Papilio Nym., E. J. C. Esper, Die Schmettt., Suppl., 1 Abschn. [1797], 73.
Valgus L. G. Scriba, J. Lieb. Ent. I. 1790, 66.—Col.
valgus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 720.
valgus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
valgus Geotrupes (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 20.—Scarabaeus.
valgus Lygaeus (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 133.—Cimex.
valga Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2879.
valgum Phasma, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 78.
valgus Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 347; ed. 12, 1767, 546.
valgus Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 7.
valga Vorticella, O. F. Müller, An. Infus. 1786, 266.
validus Cimex, D. Drury, Ill. Nat. Hist. III. 1782, index & 64.
validus Curculio, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 499.
validus Musca, M. Harris, Exp. Eng. Ins. 1776, 124.
validus Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 6.
valitaris Centriscus, *err. pro* velitaris, Pall., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1461.
vallata Musca, J. R. Forster, Cat. Brit. Ins. 1770, 15 [*n. n.*].
vallata Musca, J. R. Forster, N. Sp. Ins. 1771, 96.
valligera Noctua, [Denis & Schiffermüller], Schmettt. Wien, 1775, 80.
valligera Phalaena Noctua (D. & S.), M. B. Borkhausen, Nat. eur. Schmettt. IV. 1792, [551.—Noctua.
valpes Melolontha, J. C. Fabricius, Mant. I. 1787, 25.
valsella Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3333.
Valvata O. F. Müller, Verm. II. 1774, 198.—G.
vampum Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3675.
vampum Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 122.

- vampyrus Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 14.
vampyrus Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
vampyrus Pteropus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 130.—Vespertilio.
vampyrus Spectrum, B. G. E. de Lacépède, Tabl. Mamm. 1799, 15.
vampyrus Sphinx, J. C. Fabricius, Mant. II. 1787, 98.
vampyrus Vespertilio, Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 46.
vampyrus Vespertilio, R. Kerr, Anim. Kingd. 1792; *varr.* niger, 90; subniger, helvus, 91.
vandalicus Cimex, P. Rossi, Fauna Etrus. II. 1790, 249.
vandelli Onitis, J. Sturm, Verz. Ins. Samml. 1800, 70.
vandelliela Phalaena, J. A. Scopoli, Annus V. 1772, 119.
vanduffeli Squalus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 522.
vanelli Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 720; ed. 12, 1767, 1175.
vanelli Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3046.
vanelli Strongylus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 122.
Vanellus Moehring, Geslach. Vogel. (Nozem. & Vosm. ed.) 1758, 7 & 65.—A.
Vanellus M. J. Brisson, Ornith. V. 1760, 94.—A.
vanellus Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 79.
vanellus Rhagio, J. C. Fabricius, Ent. Syst. IV. 1794, 272.
vanellus Tringa, Linnaeus, Syst. Nat., ed. 10, 1758, 148; ed. 12, 1766, 248.
vanillae Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 482; ed. 12, 1767, 787.
vanessa Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 192.
vaninia [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (30) 1781, 128.
vannillus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 368.
vannus Kerona, O. F. Müller, An. Infus. 1786, 240.
vanus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 26.
vaporiorum Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 671.
varanes [Papilio], P. Cramer, Utit. Kapellen, II (14) 1777, 100.
varex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
varia *v.* varius.
variabilis Aquila, F. v. P. Schrank, F. Boica, I. 1798, 108. [114.—Dermestes.
variabilis Bostrichus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. VI. 1798,
variabile Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
variabilis Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
variabilis Cerambyx, Linnaeus, Faun. Suec., ed. 2, 1761, 192.
variabilis Cestonia, J. F. W. Herbst in Fuessly, Arch. Ins. VII. 1786, 157.
variabilis Chrysomela, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 708.
variabilis Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2108.
variabilis Cimex, C. de Villers, Linn. Ent. I. 1789, 505.
variabilis Coccinella, J. C. Fabricius, Gen. Ins. 1777, 218.
variabilis Coccinella, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 42.
variabilis Coccinella, L. G. Scriba, J. Lieb. Ent. II. 1790, 183.
variabilis Coccinella, G. Paykull, Faun. Suec. II. 1799, 31. [207.
variabilis Cryptocephalus, D. H. Schneider, N. Mag. Lieb. Ent. [Schneider's], II. 1792,
variabilis Cryptophagus (Fab.), G. Paykull, Faun. Suec. III. 1800, 354.—Dermestes.
variabilis Curculio, J. C. Fabricius, Gen. Ins. 1777, 224.
variabilis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 263.
variabilis Dermestes, Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 141.
variabilis Dermestes, J. C. Fabricius, Ent. Syst. I (1) 1792, 234.
variabilis Elater, C. de Geer, Mém. Ins. IV. 1774, 154.
variabilis Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
variabilis Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 230.
variabilis Gryllus (Locusta), P. S. Pallas, Reise Russ. I. 1771, 467.
variabilis Leptura, C. de Geer, Mém. Ins. V. 1775, 137.
variabilis Leptura (Linn.), O. F. Müller, Z. Dan., Prod. 1776, 94.—Cerambyx.
variabilis Lepus, P. S. Pallas, N. sp. Quad. I. 1778, 1.
variabilis Lepus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 161; *varr.* niger,
variabilis Meloe, P. S. Pallas, Icon. Ins. 1782, 81. [hybridus.
variabilis Melolontha, J. C. Fabricius, Gen. Ins. 1777, 210.

- variabilis** Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2834.
variabilis Mycetophagus, J. C. L. Hellwig, N. Mag. Lieb. Ent. [Schneider's], IV. 1792,
variabilis Mylabris, A. G. Olivier, Entom. III. 1795, 10. [397.
variabilis Noctua, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 70.
variabilis Parra, Linnaeus, Syst. Nat., ed. 12, 1766, 260.
variabilis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 9.
variabilis Pimelia (L.), A. G. Olivier, Entom. III. 1795, 29.—Tenebrio.
variabilis Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 33.
variabilis Rana, P. S. Pallas, Spic. Zool. VII. 1769, 1.
variabilis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 352; ed. 12, 1767, 558.
variabilis Sphex, P. Rossi, Fauna Etrus. II. 1790, 64.
variabilis Syrphus, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 10.
variabilis Tanagra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 891.
variabilis Tellina, R. Pulteney, Cat. Birds &c. Dorset, 1799, 29.
variabilis Tenebrio, Linnaeus, Syst. Nat., ed. 12, 1767, 678.
variabilis Tenebrio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 49.
variabilis Vespa, J. C. Fabricius, Spec. Ins. I. 1781, 466.
variana Pyralis, J. C. Fabricius, Mant. II. 1787, 231.
variana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 526.
varians Apis, P. Rossi, Mant. Ins. I. 1792, 142.
varians Cancer, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 155.
varians Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 269.
varians Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 271.
varians Chrysomela (Fab.), C. de Villers, Linn. Ent. IV. 1789, 263.—Cistela.
varians Cicindela, S. I. Ljungh, K. Vet. Ac. Nya Handl. XX. 1799, 147.
varians Cistela, J. C. Fabricius, Mant. I. 1787, 85.
varians Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 78.
varians Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1714.—
varians Cryptocephalus, G. Paykull, Faun. Suec. II. 1799, 148. [Cistela.
varians Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1767.
varians Curculio, *id. ac* varius, L., A. G. Olivier, Ency. Méth. V (Ins.) 1790, 563.
varians Curculio, G. Paykull, Mon. Curc. 1792, 16.
varians Melolontha, A. G. Olivier, Entom. I. 1789, 78.
varians Staphylinus, G. Paykull, Mon. Staph. 1789, 45.
variator Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 157.
variator Trombidium, J. C. Fabricius, Ent. Syst. II. 1793, 403.
variatorius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 152.
variata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 110.
variata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me giudice 1796], fig. 293 [*n. et f.*].
variata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 11.
variata Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 455.
variata Phalaena (Geom.), C. de Villers, Linn. Ent. II. 1789, 382.
varicans Cercaria, P. C. Abildgaard, Skr. Nat. Selsk. [Copen.], III (1) 1793, 89.
varicolor Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 149.
varicornis Buprestis, O. F. Müller, Z. Dan. Prod. 1776, 59.
varicornis Cimex, J. C. Fabricius, Mant. II. 1787, 298.
varicornis Crabro, J. C. Fabricius, Suppl. Ent. Syst. 1798, 271.
varicornis Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 180.
varicornis Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 151.—Cimex, 1787.
varicosum Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2666.
varicosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
varicosus Curculio, P. S. Pallas, Icon. Ins. 1781, 22.
varicosus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
varicosa Neptunea, J. F. Bolten, Mus. Bolten. (2) 1798, 116.
varicosus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
varica Fasciola, O. F. Müller, Zool. Dan. II. 1784, 93.
varica Helix, O. F. Müller, Verm. II. 1774, 70.
varicus Musca, M. Harris, Exp. Eng. Ins. 1776, 114.

- variegalis Phalaena, J. C. Fabricius, Mant. II. 1787, 218.
 variegalis Pyralis, C. de Villers, Linn. Ent. IV. 1789, 515.
 variegana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 228.—Tortrix.
 variegana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 130.
 variegana Tortrix, J. Hübner, Europ. Schmett. (Tort.) [me justice 1796], fig. 14 [*n. et f.*].
 variegataria Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2459.
 variegator Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—Ichneumon, 1775.
 variegator Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1830.—
 variegator Ichneumon, J. C. Fabricius, Syst. Ent. 1775, 339. [Lamia.
 variegator Lamia, J. C. Fabricius, Spec. Ins. I. 1781, 221.
 variegator Spheg, J. C. Fabricius, Ent. Syst. II. 1793, 211.
 variegatus Acarus, F. v. P. Schrank, Ins. Aust. 1781, 509.
 variegatus Acarus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 572.
 variegatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 500.
 variegatum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
 variegata Aeshna, J. C. Fabricius, Syst. Ent. 1775, 425.
 variegata Alcedo, J. A. Scopoli, Del. Insub. II. 1786, 90.
 variegatus Alpheus (Herbst), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
 variegata Ampelis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 841.
 variegata Anas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 505.
 variegata Andrena, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 139.
 variegatus Anser, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 113.
 variegatus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 136.
 variegata Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 577; ed. 12, 1767, 957.
 variegata Apis, J. C. Fabricius, Spec. Ins. I. 1781, 483.
 variegata Aranea, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 293.
 variegata Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 225.
 variegata Ardea, J. A. Scopoli, Annus I. 1769, 88.
 variegata Ascaris, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 135.
 variegata Aspis, J. N. Laurenti, Syn. Rept. 1768, 106.
 variegata Bembex, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 292.
 variegata Blatta, J. C. Fabricius, Syst. Ent. 1775, 273.
 variegatus Bombylius, C. de Geer, Mém. Ins. VI. 1776, 268.
 variegatus Bombylius, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 92.
 variegatus Bulimus, J. G. Bruguière, Méth. (Vers) (1) 1789, 336.
 variegatus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 55.
 variegatum Callidium, J. C. Fabricius, Syst. Ent. 1775, 189.
 variegatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 136.
 variegatus Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 450.
 variegata Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 156.
 variegatus Carabus, J. C. Fabricius, Spec. Ins. II. 1781, 501.
 variegatus Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
 variegata Cardita, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 407.
 variegata Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 363; ed. 12, 1767, 576.
 variegatus Cerambyx (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1849.—
 variegata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 55. [Callidium.
 variegata Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 475.
 variegata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 51.
 variegatus Chermes, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 440.
 variegatus Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196.
 variegata Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 677.
 variegata Cicada, J. C. Fabricius, Syst. Ent. 1775, 684.
 variegata Cicada, J. C. Fabricius, Syst. Ent. 1775, 686.
 variegata Cicada, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 22.
 variegata Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 187.
 variegata Cicada, J. C. Fabricius, Mant. II. 1787, 272.
 variegata Cicada (*ex* Stoll), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 757.
 variegata Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 149.

- variegatus* Cimex, N. Poda, Ins. Mus. Graec. 1761, 59.
variegatus Cimex, D. Drury, Ill. Nat. Hist. I. 1770, index & 109.
variegatus Cimex, D. Drury, Ill. Nat. Hist. II. 1773, index & 72.
variegatus Cimex, C. de Geer, Mém. Ins. III. 1773, 342.
variegatus Cimex, O. F. Müller, Z. Dan. Prod. 1776, 108.
variegatus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 48.
variegatus Cimex, G. A. Harrer, Besch. Schaeffer Icones, 1784, 289.
variegatus Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 200.
variegata Coccinella, J. C. Fabricius, Spec. Ins. I. 1781, 99.
variegata Coccinella, J. C. Fabricius, Ent. Syst. IV. 1794, 446.
variegatus Coccus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2221.
variegatus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.—
variegatus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 36. [Aspis.
variegata Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 4.
variegatus Cryptocephalus, J. C. Fabricius, Spec. Ins. II. 1781, 497.
variegatus Cuculus, J. A. Scopoli, Del. Insub. II. 1786, 89.
variegatus Culex, F. v. P. Schrank, Ins. Aust. 1781, 482.
variegatus Curculio, J. A. Scopoli, Annus V. 1772, 91.
variegatus Curculio, J. C. Fabricius, Mant. I. 1787, 97.
variegatus Curculio (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 475.—*C. varius*.
variegatus Dermestes, Scopoli, Ent. Carn. 1763, 16.
variegatus Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 20.
variegatus Dyticus, A. F. de Fourcroy, Ent. Paris. 1785, 68. [Cidaris.
variegatus Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I, 1790, 3179.—
variegatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 93.—Turbo.
variegatus Erythium, J. C. Fabricius, Spec. Ins. I. 1781, 157.
variegata Evania, J. C. Fabricius, Suppl. Ent. Syst. 1798, 241.
variegatus Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 267.
variegata Ficus, J. F. Bolten, Mus. Bolten. (2) 1798, 148.
variegata Fringilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 911.
variegata Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 573.
variegatus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 432; ed. 12, 1767, 700.
variegata Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3650.
variegata Helix, J. Adams, Tr. Linn. Soc. [Lond.] III. 1797, 67.
variegata Helix, J. F. Bolten, Mus. Bolten. (2) 1798, 109 [2. n.].
variegatus Hemerobius, J. C. Fabricius, Ent. Syst. II. 1793, 85.
variegatus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 304.
variegatus Ichneumon, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 327.
variegatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2701.
variegatus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1294.
variegata Leptura, J. C. Fabricius, Syst. Ent. 1775, 199.
variegata Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 79.
variegata Libellula, Linnaeus, Amoen. Acad. VI. 1763, 412.
variegata Libellula, J. C. Fabricius, Spec. Ins. I. 1781, 524.
variegatus Lumbricus, O. F. Müller, Verm. I (2) 1774, 26.
variegatus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 4.
variegata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
variegatus Mellinus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 265.
variegatus Meloe, E. Donovan, Brit. Ins. II. 1793, 81.
variegata Molorchus, J. C. Fabricius, Ent. Syst., I (2) 1792, 357.—*Leptura*, 1775.
variegatus Monoceros (L.), F. C. Meuschen, Mus. Gev. 1787, 290.—Turbo.
variegata Mordella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 127.
variegata Musca, Scopoli, Ent. Carn. 1763, 326.
variegata Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 328.
variegatus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
variegata Necydalis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1878.—
variegata Nerita, J. F. Bolten, Mus. Bolten. (2) 1798, 18. [Leptura
variegata Nitidula, Herbst in Jablonsky, Nat. Ins. (Käfer) V. 1793, 245.

- variegata Noctua (*ex* Gladb.), C. C. Jung, *Alph. Verz. Schmett.* II. 1792, 256.
 variegata Nomada (L.), J. C. Fabricius, *Syst. Ent.* 1775, 389.—*Apis*.
 variegatus Nomiscus, C. de Villers, *Linn. Ent.* IV. 1789, 188.
 variegatus Parus, S. G. Gmelin, *Reise Russ.* III. 1774, 105.
 variegata Patella, J. F. Bolten, *Mus. Bolten.* (2) 1798, 2.
 variegatus Petromyzon, J. C. Wulff, *Ichthy.* 1765, 16.
 variegata Phalaena, Scopoli, *Ent. Carn.* 1763, 222.
 variegata Phalaena, J. C. Fabricius, *Gen. Ins.* 1777, 291.
 variegata Phalaena B., C. de Villers, *Linn. Ent.* II. 1789, 160.
 variegata Phalaena (Noctua), H. Ström, *K. Norske Vid. Selsk. Skrift.* IV. 1768, 336.
 variegata Phalaena Tinea, H. Ström, *Nye Saml. K. Danske Skrifter*, II. 1783, 89.
 variegatum Phasma, A. A. H. Lichtenstein, *Cat. rerum Nat.* III. 1796, 78.
 variegata Phasma, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 189.
 variegata Phoca, C. P. Thunberg, *Beskr. Svenske Djur*, 1798, 88.
 variegata Phryganea, Scopoli, *Ent. Carn.* 1763, 266.
 variegata Phryganea, O. F. Müller, *Z. Dan. Prod.* 1776, 145.
 variegata Phryganea, J. C. Fabricius, *Spec. Ins.* I. 1781, 391.
 variegata Phryganea, A. F. de Fourcroy, *Ent. Paris.* 1785, 357.
 variegatus Picus, J. Latham, *Index Orn.* 1790, 233.
 variegata Plejona, J. F. Bolten, *Mus. Bolten.* (2) 1798, 61.
 variegatus Pomatias, Studer in Coxe, *Trav. Switz.* III. 1789, 388 [*n. n.*].
 variegatus Pompilus, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 247.—*Sphex*, 1793.
 variegata Porphyria (Gm.), J. F. Bolten, *Mus. Bolten.* (2) 1798, 33.—*Voluta*.
 variegatus Portunus (Herbst), F. Weber, *Nomen. Fabricii*, 1795, 93.—*Cancer*.
 variegatus Portunus, J. C. Fabricius, *Suppl. Ent. Syst.* 1798, 364.
 variegata Procellaria, J. P. Bonnaterre, *Ency. Méth. (Orn.)*, 1790, 78.
 variegatus Psittacus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 319.
 variegatus Psocus, A. J. Coquebert, *Icon. Ins.* (1) 1799, 13.
 variegatus Ptinus, P. Rossi, *Mant. Ins.* I. 1792, 20.
 variegata Purpura, J. F. Bolten, *Mus. Bolten.* (2) 1798, 143.
 variegatus Rallus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 718.
 variegata Rana, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 211.
 variegatus Rynchophorus (Fab.), Herbst in Jablonsky, *Nat. Ins. (Käfer)* VI. 1795, 22.—
 variegatus Scarabaeus, Scopoli, *Ent. Carn.* 1763, 12. [*Curculio*].
 variegatus Scarabaeus, J. F. W. Herbst in Fuessly, *Arch. Ins.* IV. 1783, 9.
 variegatus Sciurus, J. C. P. Erxleben, *Syst. Anim.* 1777, 421.
 variegatus Sciurus, R. Kerr, *Anim. Kingd.* 1792, 264; *var. major*.
 variegata Scolia, J. C. Fabricius, *Ent. Syst.* II. 1793, 230.
 variegatus Serropalpus, Bosc, *La Médecine éclairée (Fourcroy's)*, I. 1791, 329.
 variegata Simia (Papio), R. Kerr, *Anim. Kingd.* 1792, 62.
 variegatus Simia (Sapajus), R. Kerr, *Anim. Kingd.* 1792, 79.
 variegata Sphex, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 570; ed. 12, 1767, 944.
 variegata Sphex, J. C. Fabricius, *Ent. Syst.* II. 1793, 211.
 variegata Sphinx, C. Allioni, *Misc. Taurin.* III. 1766, 193.
 variegatus Spondylus, K. Schreibers, *Vers. Conch.* II. 1793, 154.
 variegatus Spondylus, J. F. Bolten, *Mus. Bolten.* (2) 1798, 194.
 variegatus Staphylinus, A. F. de Fourcroy, *Ent. Paris.* 1785, 172.
 variegatus Strongylus, Herbst in Jablonsky, *Nat. Ins. (Käfer)* IV. 1792, 184.
 variegata Synchronita, J. C. L. Hellwig, *N. Mag. Lieb. Ent. [Schneider's]*, IV. 1792, 403.
 variegatus Tabanus, C. de Geer, *Mém. Ins.* VI. 1776, 230.
 variegata Tanagra, J. Latham, *Index Orn.* 1790, 421.
 variegatus Tantalus, J. A. Scopoli, *Del. Insub.* II. 1786, 92.
 variegata Tellina, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3237.
 variegatus Tenebrio, J. C. Fabricius, *Spec. Ins.* I. 1781, 323.
 variegata Tenthredo, J. Hill, *Decade Curious Insects*, 1773, 7.
 variegatus Tetrao, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 768.
 variegata Tettigonia, J. C. Fabricius, *Ent. Syst.* IV. 1794, 19.
 variegata Thrips, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1789, 2224.

- variegatus Tinamus (Gm.), J. Latham, Index Orn. 1790, 634.—Tetrao.
 variegata Tiphia, J. C. Fabricius, Spec. Ins. I. 1781, 451.
 variegata Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 586; ed. 12, 1767, 971.
 variegata Tringa, M. T. Brünnich, Orn. Boreal. 1764, 54.
 variegatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
 variegatus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 83 [n. n.].
 variegatus Turbo, Linnaeus, Syst. Nat., ed. 10, 1758, 767; ed. 12, 1767, 1240.
 variegatus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 817.
 variegata Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
 variegata Vespa, J. C. Fabricius, Ent. Syst. II. 1793, 269.
 variegata Vexillum (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 138.—Voluta.
 variegata Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
 variella Alucita, J. C. Fabricius, Ent. Syst. III (2) 1794, 336.
 variella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2608.
 variella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 140.
 variella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 299.
 vario Salmo, B. S. Nau, Oek. Nat. Fische Mainz, 1787, 22.
 variolans Porcellana, F. C. Meuschen, Mus. Gever. 1787, 406.
 variolaris Buprestis, P. S. Pallas, Reise Russ. I. 1771, 464.
 variolaris Pimelia, A. G. Olivier, Entom. III. 1795, 9.
 variolator Lamia, J. C. Fabricius, Ent. Syst. I (2) 1792, 277.
 variolosum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 218.—Gryllus.
 variolosus Actinophorus (Fabr.), J. Sturm, Verz. Ins. Samml. 1800, 76.—Scarabaeus.
 variolosa Blaps, J. C. Fabricius, Ent. Syst. I (1) 1792, 108.
 variolosus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 185.
 variolosa Buprestis, G. Paykull, Faun. Suec. II. 1799, 219.
 variolosum Callidium, J. Fabricius, Suppl. Ent. Syst. 1798, 149.
 variolosus Cancer (Fabr.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2995.—
 variolosus Cancer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 338. [Hippra.
 variolosus Carabus, J. C. Fabricius, Mant. I. 1787, 195.
 variolosus Carabus, J. C. Fabricius, Ent. Syst. IV. 1794, 441.
 variolosa Cassida, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 385.
 variolosa Chrysomela, Linnaeus, Syst. Nat., ed. 12, 1767, 591.
 variolosus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 445; ed. 12, 1767, 721.
 variolosa Clytra (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 34.—Chrysomela.
 variolosus Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 171.—Scarabaeus.
 variolosus Curculio, J. C. Fabricius, Syst. Ent. 1775, 150.
 variolosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3413.
 variolosus Distomus, J. Gaertner in P. S. Pallas, Spic. Zool. X. 1774, 40.
 variolosus Dytiscus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 128.
 variolosus Erotylus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61.
 variolosa Gorgonia, F. C. Meuschen, Mus. Gever. 1787, 524.
 variolosus Gryllus (Bulla), Linnaeus, Syst. Nat., ed. 10, 1758, 427; ed. 12, 1767, 693.
 variolosa Hippra, J. C. Fabricius, Mant. I. 1787, 330.
 variolosa Melolontha, J. C. Fabricius, Ent. Syst. I (2) 1792, 164.
 variolosa Pimelia, J. C. Fabricius, Ent. Syst. IV. 1794, 438.
 variolosa Pimelia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 45.
 variolosus Scarabaeus, J. C. Fabricius, Mant. I. 1787, 16.
 variolosa Symethis, F. Weber, Nomen. Fabricii, 1795, 92.—Hippra, 1787.
 variolosus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 32.
 variolosus Tenebrio, A. G. Olivier, Entom. III. 1795, 13.
 variolosa Upis (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 31.—Tenebrio.
 varia Acanthia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 526.
 varia Amphisbaena, J. N. Laurenti, Syn. Rept. 1768, 66.
 varia Anthrax, J. C. Fabricius, Ent. Syst. IV. 1794, 259.
 varius Anthrenus, J. C. Fabricius, Ent. Syst. I (1) 1792, 264.
 varius Anthribus, J. C. Fabricius, Ent. Syst. I (2) 1792, 378.—Bruchus, 1787.
 varia Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2777.

- varia** Apis, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 74.
varia Aranea, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 202.
varium Argoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 254 & 260.—Ostrea.
varius Astacus, J. C. Fabricius, Spec. Ins. I. 1781, 512.
varia Asterias, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 54.
varius Bruchus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 234.—Ichneumon, 1793.
varius Blennius, J. A. Donndorff, Zool. Beyt. III. 1798, 314.
varia Bombyx, J. C. Fabricius, Ent. Syst. III (1) 1793, 431.
varius Bostrichus, J. C. Fabricius, Syst. Ent. 1775, 60.
varius Bruchus, J. C. Fabricius, Mant. I. 1787, 42.
varius Bruchus, A. G. Olivier, Entom. IV. 1795, 18.
varium Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 93.
varium Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3486.
varius Byrrhus, J. C. Fabricius, Syst. Ent. 1775, 60.
varius Byrrhus, C. P. Thunberg, Ins. Suecica (5) 1794, 67.
varium Callidium, J. C. Fabricius, Gen. Ins. 1777, 232.
varium Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 260.
varius Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2987.—Astacus.
varius Cancer (Astacus) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (2) 1792, 77.—
varius Carabus, O. F. Müller, Z. Dan. Prod. 1776, 77. [Astacus, 1781.
varius Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 138.
varius Carabus, A. G. Olivier, Entom. III. 1795, 110.
varius Cerambyx, J. C. Fabricius, Mant. I. 1787, 130.
varia Cercopis, J. C. Fabricius, Mant. II. 1787, 274.
varia Chlamys (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 164.—Ostrea.
varia Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.—Cercopis.
varia Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 756.
varia Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 42.—variegata, Mant. II. 272, *est.*
varius Cimex, J. C. Fabricius, Mant. II. 1787, 284.
varius Cimex, J. C. Fabricius, Mant. II. 1787, 306.
varius Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2160.
varia Cistela (Fab.), J. N. Laicharting, Tyrol. Ins. I. 1781, 71.—Byrrhus.
varia Coccinella, F. v. P. Schrank, F. Boica, I. 1798, 465.
varius Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1101.
varius Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 715; ed. 12, 1767, 1170.
varia Coracias, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 381.
varius Corvus, M. T. Brünnich, Orn. Boreal. 1764, 8.
varia Crotophaga, J. Latham, Index Orn. 1790, 149.
varius Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1727.
varius Cuculus, M. Vahl, Skr. nat. Selsk. [Copen.], IV (1) 1797, 61.
varius Curculio, J. C. Fabricius, Syst. Ent. 1775, 142.
varius Curculio, J. C. Fabricius, Gen. Ins. 1777, 223.
varius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1756.
varius Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1806.
varius Curculio (Fab.), G. Paykull, Mon. Curc. 1792, 122.—Bruchus.
varius Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 252.
varius Cylindrus, F. C. Meuschen, Mus. Gever. 1787, 372.
varius Dermestes (Fab.), C. de Villers, Linn. Ent. I. 1789, 55.—Bostrichus.
varius Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 233.
varius Elater, A. G. Olivier, Entom. II. 1790, 32.
varius Falco, F. M. Daudin, *Traité élém. Orn.* 1800, 73.
varius Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 44.
varius Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2068.—Locusta.
varius Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2087.
varia Haliotis, Linnaeus, Syst. Nat., ed. 10, 1758, 780; ed. 12, 1767, 1256.
varius Hemerobius, C. de Villers, Linn. Ent. III. 1789, 56.
varius Ichneumon, E. Pontoppidan, Danske Atlas, I. 1763, 692.
varius Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 159.

- varius** Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2699.
varius Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
varius Ichneumon, J. C. Fabricius, Ent. Syst. II. 1793, 181.
varius Icterus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 334.—Oriolus.
varius Iulus, J. C. Fabricius, Spec. Ins. I. 1781, 528.
varius Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 288; ed. 12, 1766, 480.
varia Lacerta, Wyttenbach in Coxe, Trav. Switz. III. 1789, 375.
varia Lacerta, G. Shaw in White, Journ. N. S. W. 1790, 253.
varia Lagenia, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [n. n.].
varia Lamia, J. A. Frolich, Naturforscher, XXVI. 1792, 144.
varia Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 467.
varius Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 307.
varius Larus, E. Pontoppidan, Danske Atlas, I. 1763, 622.
varius Larus, M. T. Brünnich, Orn. Boreal. 1764, 45.
varia Leptura, C. Allioni, Misc. Taurin. III. 1766, 188.
varia Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1875.
varia Libellula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2622.
varia Locusta, J. C. Fabricius, Syst. Ent. 1775, 287.
varius Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 144.
varius Macrocephalus (Fab.), B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 606.—Bruchus.
varia Mammaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3135.
varia Motacilla, Linnaeus, Syst. Nat., ed. 12, 1766, 333.
varia Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2843.
varia Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 327.
varia Nerita, F. C. Meuschen, Mus. Gever. 1787, 268.
varia Nitidula, J. C. Fabricius, Spec. Ins. I. 1781, 92.
varia Nomada, G. W. F. Panzer, Ins. Germ. heft 55 [1798], tab. 20.
varius Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 390.
varia Ostrea, Linnaeus, Syst. Nat., ed. 10, 1758, 698; ed. 12, 1767, 1146.
varius Pecten (L.), T. Pennant, Brit. Zool., ed. 4, IV. 1777, 86.—Ostrea.
varius Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 576.
varia Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 276.
varius Phasianus, G. Shaw, Nat. Misc. X. 1798, pl. 353.
varia Phryganea, J. C. Fabricius, Ent. Syst. II. 1793, 77.
varius Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 176.
varius Psittacus, T. Pennant in Forster, Ins. Zool. 1781, 40 [n. n.].
varius Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.
varius Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
varius Rhinomacer, J. C. Fabricius, Suppl. Ent. Syst. 1798, 164.
varius Reduvius, J. C. Fabricius, Syst. Ent. 1775, 731.
varius Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1553.
varius Scirus, J. M. Bechstein, Getreue Abbild. heft 2, 1793, 16.
varius Scolytus, A. G. Olivier, Entom. IV. 1795, 11.
varius Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 172.
varia Silpha (Fab.), C. de Villers, Linn. Ent. I. 1789, 86.—Nitidula.
varius Stenocorus, J. C. Fabricius, Mant. I. 1787, 144.
varius Strix, Bartram; B. S. Barton, N. H. Pennsylv. 1799, 11.
varius Strombus, F. C. Meuschen, Mus. Gever. 1787, 294.
varia Sylvia (L.), J. Latham, Index Orn. 1790, 539.—Motacilla.
varia Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. 1776, 158.
varia Tenthredo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2665.
varia Tipula, J. C. Fabricius, Mant. II. 1787, 325.
varius Todus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 444.
varia Tringa, Linnaeus, Syst. Nat., ed. 12, 1766, 252.
varius Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 492.
varius Trochilus, G. A. Suckow, Naturg. II. [1] 1800, 675.
varius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1229.
varia Venus, P. Forskal, Descr. Anim. 1775, xxxi.

- varia* Vespa, J. C. Fabricius, Mant. I. 1787, 293.
varia Vorticella, O. F. Müller, An. Infus. 1786, 258.
varus Crabro, G. W. F. Panzer, Ins. Germ. heft 62 [1799], tab. 17.
varus Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 107.
varus Syrphus, G. W. F. Panzer, Ins. Germ. heft 54 [1798], tab. 8.
vastator Dermestes, J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], IV. 1792, 479.
Vasum J. F. Bolten, Mus. Bolten. (2) 1798, 56.—G.
[vatius Araneus, C. Clerck, Aran. Svec. 1757, 128.]
vatius Araneus, T. Martyn, Aranei, 1793, 61.
vau Curculio, F. v. P. Schrank, Ins. Aust. 1781, 120.
vau-album Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 176. [1780], 8.
vau-album Papilio, N. Phal., E. J. C. Esper, Die Schmett. I (Bd. 2) Forts. Tagschmett.
vau-punctatum Bombyx, E. J. C. Esper, Die Schmett. III (28) 1786, 385.
vau-punctatum Phalaena Noctua (Esp.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
vauaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 508. [506.—P. Bombyx.
vayella Phalaena, Giorna, Cal. Ent. 1791, 106.
vca *v. uca*.
vecors Musca, M. Harris, Exp. Eng. Ins. 1776, 154.
vegetabilis Sabella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3750.
vegetans Acarus, C. de Geer, K. Vet. Ac. Handl. XXIX. 1768, 182.
vegetans Volvox, O. F. Müller, An. Infus. 1786, 22.
vegetationis Tipula, *err. pro* regelationis (L.), J. C. Fabricius, Mant. II. 1787, 324.
velamen Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
velata Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
velata Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
velella *v. vellellus*.
velia Motacilla, Linnaeus, Syst. Nat., ed. 10, 1758, p. 188; ed. 12, 1766, 336.
velia Sylvia (L.), J. Latham, Index Orn. 1790, 546.—Motacilla.
velifer Acanthus, M. E. Bloch, Nat. ausl. Fische, IX. 1795, 106.
velifer Kurtus, G. S. Volta, Itt. Veron. (1) 1796, xxvii.
velifera Coryphaena, P. S. Pallas, Spic. Zool. VIII. 1770, 19. [Coryphaena.
veliferus Oligopodus (Pall.), B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 511.—
velificans Holothuria, O. Toreen in P. Osbeck, Reise Ost-Ind. China, 1765, 439.
velikensis Tenebrio, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 83.
velitaris Centriscus, P. S. Pallas, Spic. Zool. VIII. 1770, 36.
velitaris Phalaena, Hufnagel, Berl. Mag. III. 1767, 394.
velleda [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 115.
velleda [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, V. 1790, 178.
vellellus—
velella Medusa, Linnaeus, Syst. Nat., ed. 10, 1758, 660; ed. 12, 1767, 1098.
velella Phyllidoce (L.), A. Modeer, K. Vet. Ac. Nya Handl. XI. 1790, 194.—Medusa.
vellicata Cassis, F. C. Meuschen, Mus. Gever. 1787, 388.
vellicatus Trochus, F. C. Meuschen, Mus. Gever. 1787, 286.
vellida Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 91.
vellus-aureum Porphyria, J. F. Bolten, Mus. Bolten, (2) 1798, 36.
velocipes Carabus, P. Rossi, Mant. Ins. I. 1792, 90.
velotata Phalaena, J. C. Fabricius, Mant. II. 1787, 215.
velox Acarus, O. F. Müller, Z. Dan. Prod. 1776, 187.
velox Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 228.—Gryllus.
velox Ameiva (Gm.), F. A. A. Meyer, Syn. Rept. 1795, 28.—Lacerta.
velox Carabus, Linnaeus, Faun. Suec., ed. 2, 1761, 222.
velox Cimex, J. C. Fabricius, Syst. Ent. 1775, 707.
velox Curculio, J. C. Fabricius, Mant. I. 1787, 117.
velox Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 73.
velox Gryllus, J. C. Fabricius, Mant. I. 1787, 239.
velox Lacerta, P. S. Pallas, Reise Russ. I. 1771, 457.
velox Musca, C. Bierkander, K. Vet. Ac. Handl. XXXVIII. 1777, 33.
velox Sphinx, J. C. Fabricius, Ent. Syst. III (1) 1793, 378.

- velox** Tenthredo, J. C. Fabricius, Suppl. Ent. Syst. 1798, 216.
velox Vespa, J. L. Christ, Nat. Ins. 1791, 245.
velum Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
velum Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 65.
velutatis Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 242.
velutina Bulla, O. F. Müller, Z. Dan. Prod. 1776, 242.
velutinus Cancer, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 4.
velutinus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 167.
velutina Cetonia, A. G. Olivier, Entom. I, 1789, 89.
velutina Leptura, A. G. Olivier, Entom. IV. 1795, 18.
vena medinensis Furia, A. Modeer, K. Vet. Ac. Nya Handl. XVI. 1795, 153.
venaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 627.
venarum Hexathyridium, F. A. Treutler, Obs. Helminth. human. Corp. 1793, 25.
venator Banchus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 233.—Ichneumon.
venator Carabus, J. C. Fabricius, Ent. Syst. I (1) 1792, 141.
venator Coreus, J. C. Fabricius, Ent. Syst. IV. 1794, 128.
venator Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 564; ed. 12, 1767, 935.
venator Trochus, F. C. Meuschen, Mus. Gev. 1787, 282.
venatoria Aranea, Linnaeus, Syst. Nat., ed. 12, 1767, 1035.
venatoria Chlamys, J. F. Bolten, Mus. Bolten. (2) 1798, 162 [*n. n.*].
venatoria Cicindela, N. Poda, Ins. Mus. Graec. 1761, 42.
venatrix Pecten, F. C. Meuschen, Mus. Gev. 1787, 416.
venatrix [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 244.
venelli Cypraea, *err. pro* vanelli, Linn., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, [3402].
venenatus Reduvius, F. A. A. Meyer, Nat. gift. Insect. 1792, 141.
venenosa Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 292; ed. 12, 1766, 486.
venerata Alcedo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 453.
venereus Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.
venerea Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3404.
venereus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1574.
venetaria Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 184.
venegriana Viverra, M. Staaf, Götheborg. Samhalle Handl. (Wet. Afd.) IV. 1788, 82.
venilia [Papilio], J. A. B. Bergstrasser, Ic. Pap. I. 1779, 5.
venilia Papilio (Nymphalis), Linnaeus, Syst. Nat., ed. 10, 1758, 478; ed. 12, 1767, 780.
venosata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judge 1796], fig. 244 [*n. et f.*].
venosata Phalaena, J. C. Fabricius, Mant. II. 1787, 209.
venosa Ascidia, O. F. Müller, Z. Dan. Prod. 1776, 225.
venosus Asilus, A. F. de Fourcroy, Ent. Paris. 1785, 462.
venosus Bombylius, J. C. Mikan, Mon. Bomb. 1796, 42.
venosa Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 84.
venosa Cicada, A. F. de Fourcroy, Ent. Paris. 1785, 188.
venosa Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2104.
venosus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 49.
venosus Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1085.
venosa Ephemera, J. C. Fabricius, Syst. Ent. 1775, 304.
venosa Formica, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2804.
venosus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 88.
venosus Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
venosus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
venosus Labrus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1296.
venosus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 264.
venosus Lygaeus, J. C. Fabricius, Ent. Syst. IV. 1794, 142.
venosa Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
venosa Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137.
venosus Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 59.
venosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 266.
venosa Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 717.
venosa Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 355.

- venosa* Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
venosa Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 92.
venosus Turbo, J. F. Bolten, Mus. Bolten. (2) 1798, 87 [*n. n.*]
ventalina Gorgonia, Linnaeus, Syst. Nat., ed. 10, 1758, 801; ed. 12, 1767, 1293.
ventilabris Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 464.—Phalaena, 1787.
ventilabris Phalaena, J. C. Fabricius, Mant. II. 1787, 216.
ventilabris Philanthus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 268.
ventilabrum Amphitrite, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3111.
ventilabrum Gorgonia, P. S. Pallas, Elench. 1766, 165.
ventilabra Spongia, Linnaeus, Syst. Nat., ed. 12, 1767, 1296.
ventilata Phalaena, [D. H. Schneider], Noni. Ent. 1785, 51 [*n. n.*].
ventilata Phalaena, Schneid., J. C. Fabricius, Ent. Syst. III (2) 1794, 191.
ventito Musca, M. Harris, Exp. Eng. Ins. 1776, 139.
ventralis Anguis, Linnaeus, Syst. Nat., ed. 12, 1766, 391 & 392.
ventralis Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 20.
ventralis Columba, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 134.
ventralis Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.
ventralis Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 79.
ventralis Tenthredo, G. W. F. Panzer, Ins. Germ. heft 64 [1798], tab. 4.
ventricosa Anomia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3348.
ventricosum Buccinum, F. C. Meuschen, Mus. Gev. 1787, 298.
ventricosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3498.
ventricosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3476.
ventricosus Bufo (Linn.), J. N. Laurenti, Syn. Rept., 1768, 26.—Rana.
ventricosus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 363.
ventricosa Buprestis, A. G. Olivier, Entom. II. 1790, 36.
ventricosus Cancer (Gammarellus) (Müll.), J. F. W. Herbst, Vers. Nat. Krab. II (4), 1793, 144.—Squilla.
ventricosum Cardium, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 228.
ventricosus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3397.
ventricosus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 49.
ventricosus Cyclopterus, P. S. Pallas, Spic. Zool. VII. 1769, 15.
ventricosus Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 372.
ventricosa Fasciola, P. S. Pallas, Spic. Zool. X. 1774, 17.
ventricosa Helix, O. F. Müller, Verm. II. 1774, 102.
ventricosa Helix, G. Olivì, Zool. Adriat. 1792, 178.
ventricosa Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 63 [*n. n.*].
ventricosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3733.
ventricosa Planaria (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3089.—
ventricosa Purpura, F. C. Meuschen, Mus. Gev. 1787, 312. [Fasciola.
ventricosa Rana, Linnaeus, Syst. Nat., ed. 10, 1758, 211; ed. 12, 1766, 355.
ventricosa Squilla, O. F. Müller, Z. Dan. Prod. 1776, 197.
ventricosus Strombus, J. F. Bolten, Mus. Bolten. (2) 1798, 99.
ventricosus Tenebrio, Scopoli, Ent. Carn. 1763, 82.
ventricosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3586.
venulatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 695.
venulata Phalaena Geometra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2496.
venulius [Papilio], P. Cramer, Uitl. Kapellen, III (21), 1779, 85.
venulia [Phalaena], P. Cramer, Uitl. Kapellen, II (14) 1777, 107.
venulosa Rana, J. N. Laurenti, Syn. Rept., 1768, 31.
Venus Linnaeus, Syst. Nat., ed. 10, 1758, 684; ed. 12, 1767, 1128.—L.
venus Astraea, J. F. Bolten, Mus. Bolten. (2) 1798, 79 [*n. n.*].
venus Hepialus (Cram.), A. G. Olivier, Ency. Méth. VII. (Ins.), 1792, 74.—Phalaena.
venus Hesperia, J. C. Fabricius, Ent. Syst. III (1), 1793, 268.
venus Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 115.
venus [Phalaena], P. Cramer, Uitl. Kapellen, III (24), 1780, 167.
venus Phalaena (Hepialus), Herbst, Einl. Ins. II. 1785, 102.
venusium Gafrarium, J. F. Bolten, Mus. Bolten. (2) 1798, 177 [*n. n.*].

- venustalis** [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 161.
venustissimus Cimex, F. v. P. Schrank, Beitr. Nat., 1776, 80.
venustissimus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 490.
venustula Phalaena Noctua, J. Hubner, Beitr. Schmett. II. 1790, 78.
venustus Asilus, P. Rossi, Fauna Etrus. II. 1790, 328.
venustus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1851.
venusta Certhia, G. Shaw, Nat. Misc. X. 1799, 369.
venusta Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 63.
venustus Crabro, P. Rossi, Fauna Etrus. II. 1790, 94.
venustus Cryptocephalus, J. C. Fabricius, Mant. I. 1787, 79.
venustus Cucullus, J. F. Bolten, Mus. Bolten. (2) 1798, 47.
venustus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 170.
venusta Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3650.
venusta Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 61.
venustum Peronaeoderma, J. X. Poli, Test. Sicil. II. 1795, 252 & 257.—= Donax of p. 80.
venusta [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 156.
venusta Phalaena (Geom.), Herbst, Einl. Ins. II. 1785, 120.
venutia Bombyx (Cr.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 438.—Phalaena venulia.
verago Bombyx (Cr.), A. G. Olivier, Ency. Méth. V. (Ins.) 1790, 52.—Phalaena.
verago [Phalaena], P. Cramer, Uitl. Kapellen, II (14) 1777, 102.
veratré Aphis, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II. (4) 1785, 340.
verbascalis Pyralis, [Denis & Schiffermüller], Schmett. Wien, 1775, 121.
verbascata Phalaena, *err. pro* verbascalis, Den. and Schiff., J. C. Fabricius, Mant. II.
verbascella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 136. [1787, 214.
verbasci Anthrenus (L.), J. C. Fabricius, Syst. Ent. 1775, 61.—Byrrhus.
verbasci Byrrhus, Linnaeus, Syst. Nat., ed. 12, 1767, 568.
verbasci Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 194.—Leptura.
verbasci Cerambyx (L.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1854.—Leptura.
verbasci Clytus (L.), J. N. Laicharting, Tyrol. Ins. II. 1784, 105.—Leptura.
verbasci Cossus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 441.
verbasci Curculio, J. C. Fabricius, Mant. I. 1787, 107.
verbasci Leptura, Linnaeus, Syst. Nat., ed. 12, 1767, 640.
verbasci Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 71.
verbasci Noctua (L.), J. C. Fabricius, Syst. Ent. 1775, 618.—Phalaena.
verbasci Paederus, F. v. P. Schrank, F. Boica, I. 1798, 653.
verbasci Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 10, 1758, 515; ed. 12, 1767, 850.
verberata Phalaena, Scopoli, Ent. Carn., 1763, 223.
verdiér Loxia, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 153.
verecundans Phalaena, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 172.
verecundus Curculio, P. Rossi, Fauna Etrus. I. 1790, 129.
verecunda Formica, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 211.
vereor Apis, M. Harris, Exp. Eng. Ins. 1776, 136.
Veretillum G. Cuvier, Tab. Elém. 1798, 675 —Coel.
Veretillum G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 9 [n. n.].—Coel.
vericulum Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 102.
veridans Chrysis, M. Harris, Exp. Eng. Ins. 1776, 69.
veris Cryptocephalus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1725.—
veris Galeruca, O. F. Müller, Z. Dan. Prod. 1776, 83. [Galeruca.
veris Nitidula, P. Rossi, Fauna Etrus. I. 1790, 60.
veris Silpha [D. H. Schneider], Nom. Ent. 1785, 7 [n. n.].
veris Tipula, O. F. Müller, F. Ins. Frid. 1764, 79.
Vermetus Cuvier, Leçons Comp. Anat. I. 1800, tab. 5.—G.
Vermicularia Lamarck, Mém. Soc. H. N. Paris, 1799, 78.—G.
vermiculare Alcyonium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3816.
vermicularis Ascaris, Linnaeus, Syst. Nat., ed. 10, 1758, 648; ed. 12, 1767, 1076.
vermicularis Ascaris, J. A. Goeze, Eingeweidewürm. 1782, 97.
vermicularis Astroides, J. E. I. Walch, Naturforscher, V. 1775, 58.
vermicularis Cercaria, Müll., O. F. Müller, An. Infus. 1786, 133.—Vorticella.

- vermicularis Lumbricus, O. F. Müller, Verm. I (2) 1774, 26.
 vermicularis Madrepora (Walch), P. S. Pallas, Char. Thiernpfl. II. 1787, 134.—Astroites.
 vermicularis Nais, O. F. Müller, Verm. I (2), 1774, 20.
 vermicularis Serpula, Linnaeus, Syst. Nat., ed. 12, 1767, 1267.
 vermicularis Trichoda, O. F. Müller, An. Infus. 1786, 198.
 vermicularis Vermiculus (L.), F. C. Meuschen, Mus. Gever. 1787, 236.—Serpula.
 vermicularis Vorticella, O. F. Müller, Verm. I (1) 1773, 107.
 [vermicularia Phalaena (N.) MS.], T. Martyn, Psyche, 1797, fig. 64 & 65.
 vermiculata Helix, O. F. Müller, Verm. II. 1774, 20.
 vermiculata Mitra, T. Martyn, Univ. Conch. III [1789], fig. 105.
 Vermiculus F. C. Meuschen, Mus. Gever. 1787, 236.—[Serpula, L.]
 vermiculus Vibrio, O. F. Müller, Verm. I (1) 1773, 42.
 vermilara Lamarckia, G. Olivi, Zool. Adriat. 1792, 258.
 vermileo Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 590; ed. 12, 1767, 982.
 vermileo Nematelus (L.), C. de Geer, Mém. Ins. VI. 1776, 168.—Musca.
 vermilio Rhagio (L.), J. C. Fabricius, Syst. Ent. 1775, 762.—Musca.
 verminus Vibrio, O. F. Müller, An. Infus. 1786, 57.
 Vermis M. E. Bloch, Eingeweidewürmer, 1782, 23.—Ver.
 vermis Buccinum, T. Martyn, Univ. Conch. II [1788], fig. 53.
 vermivora Locusta, A. F. de Fourcroy, Ent. Paris, 1785, 182.
 vermivora Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 951.
 vermivora Sylvia (Gm.), J. Latham, Index Orn., 1790, 544.—Motacilla.
 vermole Apion (Fab.), Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 123.—Attelabus.
 vernalis Apis, J. R. Forster, Cat. Brit. Ins. 1770, 13 [*n. n.*].
 vernalis Aranea, F. A. A. Meyer, L. G. Scriba, J. Lieb. Ent. III. 1791, 257.
 vernalis Attelabus (Payk.), J. C. Fabricius, Ent. Syst. I (2) 1792, 392.—Curculio.
 vernalis Carabus, O. F. Müller, Z. Dan. Prod. 1776, 78.
 vernalis Carabus, G. W. F. Panzer, Deutsch. Ins. [1795], 60.
 vernalis Carabus, G. Paykull, Faun. Suec. I. 1798, 133.
 vernalis Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1689.
 vernalis Curculio, G. Paykull, Mon. Curc. 1792, 138.
 vernalis Curculio, G. C. Reich, Mant. Ins. 1797, 8.
 vernalis Dermestes, O. F. Müller, Z. Dan. Prod. 1776, 57.
 vernalis Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 189.
 vernalis Meloe, [D. H. Schneider], Nom. Ent. 1785, 23 [*n. n.*].
 vernalis Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 264.
 vernalis Psittacus, A. Sparrman, Mus. Carls. II. 1787, no. xxix.
 vernalis Scarabaeus, Linnaeus, Syst. Nat., ed. 10, 1758, 349; ed. 12, 1767, 551.
 vernalis Staphylinus, O. F. Müller, Z. Dan. Prod. 1776, 98.
 vernalis Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 376.
 vernalis Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81.
 vernale Trombidium [Müll.], J. C. Fabricius, Ent. Syst. II. 1793, 404.—Hydrachna.
 vernana Pyralis, J. C. Fabricius, Mant. II. 1787, 225.
 vernana Tortrix, C. de Villers, Linn. Ent. IV. 1789, 520.
 vernans Columba, Linnaeus, Mant. II. 1771, 526.
 vernans Tipula, J. C. Fabricius, Syst. Ent. 1775, 755.
 vernaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 506.
 vernaria Phalaena (Geom.), Linnaeus, Faun. Suec. ed. 2, 1761, 323.
 vernaria Phalaena Geometra, J. Hubner, Beitr. Schmett. I (4) 1789, 6.
 vernicina Musca, Scopoli, Ent. Carn., 1763, 333.
 vernix Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 61.
 "Vernuculus, Lister, 1788," Scudd. *teste* Dalton; I cannot find this genus.
 verna Adimonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 194.
 verna Galeruca (Laich.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 158.—Adimonia.
 verna Leptura, O. F. Müller, Z. Dan. Prod. 1776, 94.
 verna Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 330.
 verna Noctua, E. J. C. Esper, Die Schmett. IV. (42—44), 1791, 272.
 verna Tipula, F. v. P. Schrank, Beitr. Nat. 1776, 93.

- vernus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3571.
 veronensis Gobius, G. S. Volta, Itt. Veron. (1) 1796, li.
 veronica [Papilio], C. Stoll in Cramer, Uitl. Kapellen, IV (28), 1780, 73.
 veronicae Sphinx, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 162.
 Verpa J. F. Bolten, Mus. Bolten. (2) 1798, 69.—Ver.
 verres Lutjanus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 9.
 verriculata Gorgonia, E. J. C. Esper, Pflanzenth. II (9), 1792, 124.
 verrucalis Phalaena (Pyralis), O. F. Müller, F. Ins. Frid. 1764, 55.
 verrucaria Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 793; ed. 12, 1767, 1272.
 verrucaria Millepora (L.), J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 137.—Madre-
 verrucella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 138. [pora.]
 verrucivorus Gryllus (Tettigonia), Linnaeus, Syst. Nat., ed. 10, 1758, 431; ed. 12, 1767,
 verrucivora Locusta (L.), C. de Geer, Mém. Ins. III. 1773, 430.—Gryllus. [698.]
 verrucosum Acrydium, C. de Geer, Mém. Ins. III. 1773, 486.
 verrucosa Actinia, T. Pennant, Brit. Zool. ed. 4, IV. 1777, 41.
 verrucosus Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 328; ed. 12, 1766, 405.
 verrucosus Brachycerus, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 184.
 verrucosus Brachycerus (L.), J. C. Fabricius, Ent. Syst. I (2) 1792, 381.—Curculio.
 verrucosum Buccinum, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 279.
 verrucosum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3497.
 verrucosa Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 726; ed. 12, 1767, 1182.
 verrucosum Callidium, A. G. Olivier, Entom. IV. 1795, 67.
 verrucosum Callistoderma (L.), J. X. Poli, Test. Sicil. II. 1795, 252 & 258.—Venus.
 verrucosus Cancer, P. Forskal, Descr. Anim. 1775, 93.
 verrucosa Cellepora, Linnaeus, Syst. Nat., ed. 12, 1767, 1286.
 verrucosus Cerambyx, D. Drury, Ill. Nat. Hist. I. 1770, index & 90.
 verrucosus Cerambix, A. G. Olivier, Entom. IV. 1795, 63.—Lamia, 1792.
 verrucosa Chama (L.), F. C. Meuschen, Mus. Gever. 1787, 452.—Venus.
 verrucosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 708.
 verrucosus Curculio, Linnaeus, Mus. Lud. Ulr. 1764, 60.
 verrucosa Cytherea (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 179.—Venus.
 verrucosa Doris, Linnaeus, Syst. Nat., ed. 10, 1758, 653; ed. 12, 1767, 1083.
 verrucosa Eschara (Cellepora) (Linn.), P. S. Pallas, Char. Thierpfl. I. 1787, 93.—Celle-
 verrucosa Fasciola, J. A. Frollich, Naturforscher, XXIV. 1789, 112. [pora.]
 verrucosa Gorgonia, P. S. Pallas, Elench. 1766, 197.
 verrucosa Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 458.
 verrucosa Limacia (L.), O. F. Müller, Zool. Dan. (Danish ed.), 1781, 66.—Doris.
 verrucosus Macrocephalus, A. G. Olivier, Entom. IV. 1795, 6.
 verrucosa Madrepora, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 172.
 verrucosa Millepora, F. C. Meuschen, Mus. Gever. 1787, 512.
 verrucosum Monostoma, J. G. H. Zeder in Goeze, 1 Nachtr. Eingeweidewürm. 1800, 155.
 verrucosus Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3557.
 verrucosa Nereis, O. F. Müller, Z. Dan. Prod. 1776, 217.
 verrucosa Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3734.
 verrucosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 303.
 verrucosa Pimelia, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 81.
 verrucosus Platystacus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 63.
 verrucosa Rana, Wyttenbach in Coxe, Trav. Switz. III. 1789, 374.
 verrucosus Silurus, J. J. Walbaum, Artdi, Ichth. (3), ed. 2, 1792, 574.
 verrucosa Spongia, E. J. C. Esper, Pflanzenth. II (12) 1799, 275.
 verrucosa Testudo, J. J. Walbaum, Chelonogr. [1782], 116.
 verrucosus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
 verrucosus Trochus, J. F. Bolten, Mus. Bolten. (2) 1798, 81 [n. n.].
 verrucosa Tubipora, Linnaeus, Syst. Nat., ed. 10, 1758, 789.—[Cellepora, ed. 12.]
 verrucosa Venus, Linnaeus, Syst. Nat., ed. 10, 1758, 685; ed. 12, 1767, 1130.
 [verrucus]—
 veruca Balanus, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 169.
 verruca Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 172.

- verruca** Lepas (Brug.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3212.—Balanus.
verruca Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 81.
versatilis Trichoda, O. F. Müller, An. Infus. 1786, 178.
versatilis Vorticella, O. F. Müller, An. Infus. 1786, 281.
versicolor Anthrenus, C. Creutzer, Ent. Vers. 1799, 117.
versicolor Apis, J. C. Fabricius, Syst. Ent. 1775, 386.
versicolor Bombylius, J. C. Fabricius, Mant. II. 1787, 367.
versicolor Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3491.
versicolor Bucco, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 88.
versicolor Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1798, 1987.
versicolor Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1852.
versicolor Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.
versicolor Cetonia, J. C. Fabricius, Syst. Ent. 1775, 51.
versicolor Chrysomela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1698.
versicolor Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2155.
versicolor Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 120.
v[er]sicolor Coccinella, J. C. Fabricius, Mant. I. 1787, 58.
versicolor Coluber, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1087.
versicolor Coluber, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 122.
versicolor Coracias, G. Shaw in Miller, Cim. Phys. 1796, 79.
versicolor Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1755.
versicolor Cylindrus, F. C. Meuschen, Mus. Gev. 1787, 372.
versicolor Dytiscus, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 313.
versicolor Falco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 272.
versicolor Gryllus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2082.
versicolor Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 398.
versicolor Hemerobius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2642.
versicolor Hesperia, F. W. Schmidt, Samml. phys.-oek. Aufsätze, I. 1795, 75 [*n. n.*].
versicolor Hydrachna, O. F. Müller, Z. Dan. Prod. 1776, 191.
versicolor Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2700.
versicolor Lampyrus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 125.
versicolor Libellula, J. C. Fabricius, Syst. Ent. 1775, 423.
versicolor Melolontha, J. C. Fabricius, Syst. Ent. 1775, 39.
versicolor Mitra, T. Martyn, Univ. Conch. I [1784 non 1769], fig. 23.
versicolor Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3530.
versicolor Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3556.
versicolor Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
versicolor Mutilla, J. C. Fabricius, Syst. Ent. 1775, 398.
versicolor Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3359.
versicolor Nereis, *id. ac* diversicolor, Müll., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I.
versicolpr Nerita, F. C. Meuschen, Mus. Gev. 1787, 268. [1790, 3115.]
versicolor Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3684.
versicolor Noctua, J. C. Fabricius, Ent. Syst. III (2) 1794, 49.
versicolor Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 22.
versicolor Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3319.
versicolor Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3331.
versicolor Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 188.
versicolor Picus, M. B. Borkhausen, Deutsch. Fauna, I. 1797, 172.
versicolor Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 78.
versicolor Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 327.
versicolor Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1566.—
versicolor Scirus, E. A. W. Zimmermann, Spec. Zool. 1777, 520. [Melolontha.]
versicolor Sphex, J. L. Christ, Nat. Ins. 1791, 254.
versicolor Spondylus, K. Schreibers, Vers. Conch. II. 1793, 159.
versicolor Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 283.
versicolor Tipula, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2819.
versicolor Trombidium (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 400.—Hydrachna.
versicolor Turbo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3599.

- versicolor** Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3281.
versicolor Vespa, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 692.
versicolor Voluccella, J. C. Fabricius, Ent. Syst. IV. 1794, 413.—Bombylius, 1787.
versicolorea Donacia, [D. H. Schneider], Nom. Ent. 1785, 16 [*n. n.*].
versicolorea Leptura, N. J. Brahm, Ins. Kal. I (2) 1791, 135.
versicolora Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 565.—Phalaena.
versicolora Chrysomela, J. N. Laicharting, Tyrol. Ins. I. 1781, 148. [817.
versicolora Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767,
versicolurus Psittacus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 75.
versipellis Ascaris, O. F. Müller, Z. Dan. Prod. 1776, 214.
versipellis Musca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2859.
versipellis Proboscidea (Müll.), J. G. Bruguière, Ency. Méth. (Vers Int. 1791), 98.—Ascaris.
versipellis Sylvicola, M. Harris, Exp. Eng. Ins. 1776, 160.
versutum Paramaecium, O. F. Müller, An. Infus. 1786, 90.
vertagus Canis, J. R. Forster, Phil. Trans. LVII (2) 1768, 341.
vertagus Cerithium (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 473.—Murex.
vertaga Columba, M. T. Brünnich, Orn. Boreal. 1764, 60.
vertagus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 30.
vertagus Gadox, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 143.
vertagus Murex, Linnaeus, Syst. Nat., ed. 12, 1767, 1225.
vertagus Strombus (L.), F. C. Meuschen, Mus. Gev. 1787, 292.—Murex.
vertebralis Nautilus (O.), A. J. G. C. Batsch, Conch. Seesandes, 1791, no. 6.
verticalis Certhia, J. Latham, Index Orn. 1790, 298.
verticalis Phalaena (Pyralis), Linnaeus, Syst. Nat., ed. 10, 1758, 533; ed. 12, 1767, 882.
verticalis Scolia, J. C. Fabricius, Syst. Ent. 1775, 356.
verticalis SpheX (Fab.), J. L. Christ, Nat. Ins. 1791, 259.—Scolia.
vertice-centrali Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 213.
verticella Tinea, C. C. Jung, Alph. Verz. Schmett. II. 1792, 261.—[vorticella, Scop., *est.*]
verticicornis Copris (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 169.—Scarabaeus.
verticicornis Scarabaeus, J. C. Fabricius, Syst. Ent. 1775, 27.
verticicornis Scarabaeus, J. N. Laicharting, Tyrol. Ins. I. 1781, 22.
verticillaris Gorgonia, Linnaeus, Syst. Nat., ed. 12, 1767, 1289.
verticillata Eschara, Linnaeus, Syst. Nat., ed. 10, 1758, 805.
verticillata Flustra, J. Ellis & D. Solander, Nat. Hist. Zooph. 1786, 15.
verticillatus Gekko, J. N. Laurenti, Syn. Rept. 1768, 44.
verticillata Gorgonia, P. S. Pallas, Elench. 1766, 177.—= verticillaris, Linn., ed. 12.
verticillata Gorgonia, P. Forskal, Descr. Anim. 1775, 128.
verticillatus Ichneumon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 232.
verticillata Serpula, J. J. N. A. Spalowsky, Prod. Test. 1795, 3.
verticillata Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1310.
verticillata Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 237.
Vertigo O. F. Müller, Verm. II. 1774, 124.—G.
vertigo Helix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3664.
vertumnus [Papilio], P. Cramer, Uitl. Kapellen, III (18) 1779, 32.
vertumnus Scarabaeus, P. S. Pallas, Reise Russ. I. 1771, 461.
veruca *v. verrucus*.
verulosus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 719.
verus Asper, J. C. Schäffer, Piscium Bavar. 1761, 69.
verus Cordylus, J. N. Laurenti, Syn. Rept. 1768, 52.
verus Planorbis, J. F. Bolten, Mus. Bolten. (2) 1798, 72.
vervecina Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3062.
vesica [G. Humphreys], Mus. Calonn. 1797, 58.—G.
vesica Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
Vesicaria O. F. Müller, Naturforscher, XXII. 1787, 49.—Ver.
Vesicaria F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 29.—Ver.
vesicatoria Cantharis (L.), C. de Geer, Mém. Ins. V. 1775, 12.—Meloe.
vesicatoria Lytta (L.), J. C. Fabricius, Syst. Ent. 1775, 260.—Meloe.
vesicatorius Meloe, Linnaeus, Syst. Nat., ed. 10, 1758, 419; ed. 12, 1767, 679.

- vesicularis Ascaris, J. A. Frolich, Naturforscher, XXV. 1791, 85.
 vesicularis Cassida, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 40.
 vesicularis Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 88.
 vesicularis Conops, Linnaeus, Faun. Suec., ed. 2, 1761, 468.
 vesicularis Ichneumon, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 70.
 vesiculifera Leucoptra, O. F. Müller, An. Infus. 1786, 148.
 vesiculosus Echinorhynchus, F. v. P. Schrank, K. Vet. Ac. Nya Handl. XI. 1790, 124.
 vesiculosa Libellula, J. C. Fabricius, Syst. Ent. 1775, 421.
 vesiculosus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 299.
 Vespa Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 948.—Hym.
 vespa Sphinx, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 33.
 vespa Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 72.
 vesparia Apis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2788.
 vesparum Ichneumon, P. Rossi, Bull. Soc. Philom. à ses corresp. 1793, 49'.
 vesparum Xenos, P. Rossi, Mant. Ins. II. 1794, 114.—Ichneumon, 1793.
 vespasius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 334.
 vespertaria Geometra (L.), C. P. Thunberg, Ins. Suecica (1) 1784, 5.—Phalaena.
 vespertaria Phalaena, J. C. Fabricius, Mant. II. 1787, 191.
 vespertaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 12, 1767, 864.
 Vespertilio Linnaeus, Syst. Nat., ed. 10, 1758, 31; ed. 12, 1766, 46.—M.
 vespertilio Alpheus, F. Weber, Nomen. Fabricii, 1795, 91.—Cancer, 1793.
 vespertilio Cancer, J. C. Fabricius, Ent. Syst. II. 1793, 463.
 vespertilio Chaetodon, M. E. Bloch, Nat. ausl. Fische, III. 1787, 67.
 vespertilio Lophius, Linnaeus, Syst. Nat., ed. 10, 1758, 236; ed. 12, 1766, 402.
 vespertilio Murex, F. C. Meuschen, Mus. Gever. 1787, 324.
 vespertilio Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3553.
 vespertilio Noctua, J. C. Fabricius, Mant. II. 1787, 136.
 vespertilio Oryssus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 219.—Sirex, 1793.
 vespertilio Plejona, J. F. Bolten, Mus. Bolten. (2) 1798, 60.
 vespertilio Raja, J. A. Donndorff, Zool. Beyt. III. 1798, 876.
 vespertilio Sirex, J. C. Fabricius, Ent. Syst. II. 1793, 129.
 vespertilio Sphinx, E. J. C. Esper, Die Schmett. II (14) [1781], 178.
 vespertilio Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 733; ed. 12, 1767, 1194.
 vespertilionis Acarus (Linn.), Scopoli, Ent. Carn. 1763, 387.—Pediculus.
 vespertilionis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3030.
 vespertilionis Fasciola, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 18.
 vespertilionis Nycteribia (L.), P. A. Latreille, Préc. Car. Ins. 1796, 176.—Acarus.
 vespertilionis Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611.
 vespertilionis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
 vespertillo Sphinx, C. de Villers, Linn. Ent. II. 1789, 97.
 vespertinoides Falco, J. P. Falk, Reise Russ. (5) 1786, 329.
 vespertinus Agyrtus, J. A. Frolich, Naturforscher, XXVIII. 1799, 18.
 vespertinus Bufo, J. G. Schneider, Hist. Amph. I. 1799, 225.
 vespertinus Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 487.
 vespertina Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 547; ed. 12, 1767, 906.
 vespertinus Falco, Linnaeus, Syst. Nat., ed. 12, 1766, 129.
 vespertinus Ichneumon, J. L. Christ, Nat. Ins. 1791, 342.
 vespertina Lampyris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 124.
 vespertina Rana, P. S. Pallas, Reise Russ. I. 1771, 458.
 vespertinus Scarabaeus, Creutzer in G. W. F. Panzer, Ins. Germ. heft 67 [1799], tab. 3.
 vespertinus Solen, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3228.
 vespera Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
 vesperus Solen, C. U. v. Salis, Reise Neapel, 1793, 382.
 vespiformis Apis, Scopoli, Ent. Carn. 1763, 302.
 vespiformis Apis, J. R. Forster, N. Sp. Ins. 1771, 92.
 vespiformis Cimbex, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 772.
 vespiformis Crabro, G. W. F. Panzer, Ins. Germ. heft 53 [1798], tab. 14.
 vespiformis Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 361.

- vespiformis Larra, J. C. Fabricius, Ent. Syst. II. 1793, 220.—Sphex, 1775.
 vespiformis Masaris, J. C. Fabricius, Ent. Syst. II. 1793, 283.
 vespiformis Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 593; ed. 12, 1767, 986.
 vespiformis Scolia, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 281.
 vespiformis Sphex, J. C. Fabricius, Syst. Ent. 1775, 348.
 vespiformis Sphex, F. v. P. Schrank, Ins. Aust. 1781, 381.
 vespiformis Sphinx, Linnaeus, Faun. Suec., ed. 2, 1761, 289.
 vespiformis Syrphus (L.), J. C. Fabricius, Syst. Ent. 1775, 769.—Musca.
 vespiformis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 329.
 vespiformis Tiphia, J. C. Fabricius, Mant. I. 1787, 278.—Sphex, 1775.
 vespillo Dermestes, A. F. de Fourcroy, Ent. Paris. 1785, 17.
 vespillo Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 318.
 vespillo Nicrophorus (L.), L. G. Scriba, J. Lieb. Ent. II. 1790, 168.—Silpha.
 vespillo Silpha, Linnaeus, Syst. Nat., ed. 10, 1758, 359; ed. 12, 1767, 569.
 vespilloides Nicrophorus, J. F. W. Herbst in Fuessly, Arch. Ins. IV. 1783, 32.
 vespoides Apis, F. v. P. Schrank, Ins. Aust. 1781, 408.
 vespoides Bembex, P. Rossi, Fauna Etrus. II. 1790, 82.
 vespoides Crabro, P. Rossi, Mant. Ins. I. 1792, 137.—Bembex, 1790.
 vespoides Ichneumon, G. W. F. Panzer, Ins. Germ. heft 47 [1797], tab. 19.
 vespoides Sphex, Scopoli, Ent. Carn. 1763, 296.
 vesta Noctua (*ex* Esper, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 262.
 vesta [Papilio], P. Cramer, Utitl. Kapellen, II (10) 1777, 33.
 vesta Papilio, J. C. Fabricius, Mant. II. 1787, 14.
 vestalis Apis, A. F. de Fourcroy, Ent. Paris. 1785, 450.
 vestalis Phalaena Geometra, J. E. I. Walch, Naturforscher, XIII. 1779, 30.
 vestenae Callionymus, G. S. Volta, Itt. Veron. (2) [circa 1800], xli.
 vestialis Phalaena, [D. H. Schneider], Nom. Ent. 1785, 52 [*n. n.*].
 vestianella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 536; ed. 12, 1767, 888.
 vestianella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 660.—Phalaena.
 vestiaria Certhia, J. Latham, Index Orn. 1790, 282.
 vestiarius Trochus, Linnaeus, Syst. Nat., ed. 10, 1758, 758; ed. 12, 1767, 1230.
 vestigialis Bombyx (Hufn.), E. J. C. Esper, Die Schmett. III (23) 1785, 270.—Phalaena.
 vestigialis Noctua, C. F. Viewveg, Tabl. Verz. Brand. Schmett. II. 1790, 25.
 vestigialis Phalaena, Hufnagel, Berl. Mag. II. 1766, 422.
 vestita Apis, J. C. Fabricius, Ent. Syst. II. 1793, 329.
 vestita Bombyx, J. C. Fabricius, Syst. Ent. 1775, 586.
 vestitus Carabus, G. Paykull, Mon. Carab. 1790, 73.
 vestita Chrysomela, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 105.
 vestita Phalaena B. (Fab.), E. J. C. Esper, Die Schmett. III (22) 1785, 225.—Bombyx.
 vesulia [Phalaena], P. Cramer, Utitl. Kapellen, III (20) 1779, 79.
 vesulus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (29) 1781, 98.
 veter Cercopithecus (Linn.), J. C. P. Erxleben, Syst. Anim. 1777, 24.—Simia. [Simia.
 veter Papio (L.), J. R. Forster in Latham & Davies, Faun. Ind., ed. 2, 1795, 3 [*n. n.*].—
 veter Pithecus (L.), E. Geoffroy and Cuvier, Mag. encyclop. III (12) 1795, 462.—Simia.
 veter Scarabaeus, J. C. Fabricius, Mant. II. 1787, 377.
 veter Simia, Linnaeus, Syst. Nat., ed. 12, 1766, 36.
 veter Simia (Cercop.), L., R. Kerr, Anim. Kingd. 1792, 64; & *var.* albibarbatus.
 veterana Apis, J. C. Fabricius, Ent. Syst. II. 1793, 324.
 veterinus Oestrus, B. Clark, Tr. Linn. Soc. [Lond.] III. 1797, 312.
 vetulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 109.
 vetulata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 263 [*n. et f.*].
 vetula Balistes, Linnaeus, Syst. Nat., ed. 10, 1758, 329; ed. 12, 1766, 406.
 vetulus Cercopithecus, J. C. P. Erxleben, Syst. Anim. 1777, 25.
 vetula Chaetodon, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 405.
 vetula Cuculus, Linnaeus, Syst. Nat., ed. 10, 1758, 111; ed. 12, 1766, 169.
 vetula Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 460.
 vetula Daphne, O. F. Müller, Z. Dan. Prod. 1776, 199.
 vetulus Dytiscus, F. v. P. Schrank, F. Boica, I. 1798, 710.

- vetula* Labrus, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 14.
vetula Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
vetula Phalaena Noctua, J. Hübner, Beitr. Schmett. I (3) [1788], 13.
vetula Pectunculus, E. M. da Costa, Brit. Conch. 1778, 190.
vetustata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 114.
vetusta Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
vexator Vespa, M. Harris, Exp. Eng. Ins. 1776, 127.
vexillatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 5.
Vexillum J. F. Bolten, Mus. Bolten. (2) 1798, 138.—G.
vexillum Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 362.
vexillum Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3397.
vexillum Murex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3558.
vexillum Pinna, I. v. Born, Index Mus. Caes. Vind. 1778, 118.
vexillum Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3520.
vexillum Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3464.
vexillum-croceum Buccinum, T. Martyn, Univ. Conch. III [1789], fig. 82.
vexillum-pacis Chama, F. C. Meuschen, Mus. Gever. 1787, 452.
v-flavum Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2182.
v-flavum Crabro, Hellwig in G. W. F. Panzer, Ins. Germ. heft 17, 1794, tab. 20.
viagnella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 288.
viatica Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
viatica Formica, J. C. Fabricius, Mant. I. 1787, 308.
viaticus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 419.
viatica Podura, A. F. de Fourcroy, Ent. Paris. 1785, 524.
viaticus Pompilus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 246.—SpheX.
viatica SpheX, Linnaeus, Syst. Nat., ed. 10, 1758, 570; ed. 12, 1767, 943.
viator Curculio, P. Rossi, Mant. Ins. I. 1792, 41.
viator Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
viator Ichneumon, Scopoli, Ent. Carn. 1763, 284.
vibex Buccinum, Linnaeus, Syst. Nat., ed. 10, 1758, 737; ed. 12, 1767, 1200.
vibex Cassida, Linnaeus, Syst. Nat., ed. 12, 1767, 575.
vibex Cassidea (L.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 417.—Buccinum.
vibex Cassis (L.), F. C. Meuschen, Mus. Gever. 1787, 390.—Buccinum.
vibex Cryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1711.
vibex Curculio, P. S. Pallas, Icon. Ins. 1781, 32.
vibex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 154.
vibex Strombus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3522.
vibicaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 50 [*n. et f.*].
vibicaria [Phalaena], C. Clerck, Icones, I. 1759, pl. iii, 2.
vibicaria Phalaena, Hufnagel, Berl. Mag. IV. 1767, 514.
vibicaria Phalaena (Geom.), Linnaeus, Faun. Suec., ed. 2, 1761, 323.
vibicaria Phalaena, P. Cramer, Utitl. Kapellen, I (6) 1775, 112.
vibicinus Murex (Fusus), G. S. Helbling, Abh. Privatges. Böhm. IV. 1779, 117.
vibrans Acarus, J. C. Fabricius, Mant. II. 1787, 372.
vibrans Libellula, J. C. Fabricius, Ent. Syst. II. 1793, 380.
vibrans Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 599; ed. 12, 1767, 996.
vibratoŕia Tipula, Linnaeus, Syst. Nat., ed. 10, 1758, 587; ed. 12, 1767, 975.
vibratrix Tipula=vibratoŕia, Linnaeus, Faun. Suec., ed. 2, 1761, 436.
Vibrio O. F. Müller, Verm. I (1) 1773, 39.—Inf.
viburnana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 128.
viburnii Aphis, Scopoli, Ent. Carn. 1763, 136.
viburni Aphis, J. C. Fabricius, Syst. Ent. 1775, 737.
viburni Galeruca, G. Paykull, Faun. Suec. II. 1799, 89.
viburniana Pyralis (D. & S.), J. C. Fabricius, Mant. II. 1787, 229.—Tortrix viburnana.
vicanus Empis, M. Harris, Exp. Eng. Ins. 1776, 151.
vicanus Musca, M. Harris, Exp. Eng. Ins. 1776, 152.
vicarius Conus, Linnaeus, Syst. Nat., ed. 12, 1767, 1167.
vicarius Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 45.—Conus.

- vicia* Echinocyamus, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 215.
vicia Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3193.—Echino-
viciae Attelabus, G. Paykull, Faun. Suec. III. 1800, 181. [cyamus.
viciae Bruchus, A. G. Olivier, Entom. IV. 1795, 12.
viciae Curculio, C. de Geer, Mém. Ins. V. 1775, 253. [viciella, D. & S., *est.*
viciae Phalaena Bombyx, M. B. Borkhausen, Nat. eur. Schmett. III. 1790, 277.—P. Tinea
viciae Sphinx, [Denis & Schiffermüller], Schmett. Wien, 1775, 45.
viciae Sphinx, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (2) 1784, 208.
viciella Bombyx (D. & S.), C. de Villers, Linn. Ent. IV. 1789, 453.—Tinea.
viciella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 133.
vicinalis [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 164.
victor Cancer, J. C. Fabricius, Spec. Ins. II. 1781, 502.
victor Cimex, J. C. Fabricius, Syst. Ent. 1775, 705.
victor Ichneumon, Scopoli, Ent. Carn. 1763, 287.
victor Matuta, F. Weber, Nomen. Fabricii, 1795, 92.—Cancer, 1775.
victoria Libellula, A. F. de Fourcroy, Ent. Paris. 1785, 348.
vicugna Camelus, G. I. Molina, Sag. stor. nat. Chili, 1782, 313.
Vidua G. Cuvier, Leçons Anat. Comp. I. 1800, tab. 2.—A.
vidua *v. viduus*.
vidualis Phalaena, J. C. Fabricius, Suppl. Ent. Syst. 1798, 458.
viduana Phalaena (Tortrix), O. F. Müller, Z. Dan. Prod. 1776, 132.
viduaria Phalaena (Geometra), O. F. Müller, F. Ins. Frid. 1764, 49.
viduaria Phalaena Geometra, H. G. Lang, Verz. Schmett., ed. 2, 1789, 179.
viduaria Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 172.—G.
viduata Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231. [viduata, D. & S., *est.*
viduata Anas, Linnaeus, Syst. Nat., ed. 12, 1766, 205.
viduata Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
viduatus Cimex, J. C. Fabricius, Ent. Syst. IV. 1794, 117.
viduata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 101.
viduatus Monoculus (Müll.), J. C. Fabricius, Ent. Syst. II. 1793, 496.—Cypris vidua.
viduata Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 598; ed. 12, 1767, 994.
viduata Mutilla, P. S. Pallas, Reise Russ. II. 1773, 730.
viduata Sphex, J. L. Christ, Nat. Ins. 1791, 305.
viduatus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 374.
viduella Phalaena, Scopoli, Ent. Carn., 1763, 245.
viduella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 299.
vidua Bombyx, J. C. Fabricius, Syst. Ent. 1775, 580.
viduus Curculio, G. W. F. Panzer, Ins. Germ. heft 42 [1797], tab. 17.
vidua Cypris, O. F. Müller, Z. Dan. Prod. 1776, 199.
vidua Emberiza, Linnaeus, Syst. Nat., ed. 12, 1766, 312.
vidua Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 82.
vidua Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3002.—Cypris.
vidua [Papilio], J. A. B. Bergstraesser, Nom. Ins. III. 1779, 24.
vidua Papilio (Nymphalis), O. F. Müller, F. Ins. Frid. 1764, 36.
vidua Papilio Nym., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2336.
vidua [Phalaena], P. Cramer, Utitl. Kapellen, III (22) 1779, 127.
vidua Phalaena, J. E. Smith in Abbot, Ins. Georgia, 1797, 181.
vidua Phalaena (Bombyx), N. Poda, Ins. Mus. Graec. 1761, 88.
vidua Phalaena (B.), A. W. Knoch, Beitr. Insektenges. I. 1781, 48.
vidua Porphyria, J. F. Bolten, Mus. Bolten. (2) 1798, 34.
vidua Tenthredo, P. Rossi, Fauna Etrus. II. 1790, 26.
viella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 144.
viennensis Anthrenus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 336.
viennensis Carabus, [D. H. Schneider], Nom. Ent. 1785, 21 [*v. n.*].
viennensis Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 74.
viennensis Cicindela, F. v. P. Schrank, Ins. Aust. 1781, 190.
viennensis Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2159.
viennensis Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 338.

- viennensis* Kolon, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 225.
viennensis Meloe, F. v. P. Schrank, Beitr. Nat. 1776, 71.
viennensis Proscarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 227.—Meloe, 1776.
viennensis Psoa, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 215.
viennensis Tenthredo, F. v. P. Schrank, Ins. Aust. 1781, 331.
vigil Buceros, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
vigil Portunus, F. Weber, Nomen. Fabricii, 1795, 93.
vigil Portunus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 363.
vigilans Ichneumon, J. L. Christ, Nat. Ins. 1791, 370.
vigilator Ichneumon, J. C. Fabricius, Spec. Ins. I. 1781, 426.
viginti-guttata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 367; ed. 12, 1767, 584.
viginti-guttatus Dermestes, J. C. Fabricius, Syst. Ent. 1775, 56.
vigintimaculata Cassida, C. P. Thunberg, Nov. Ins. Spec. (5) 1789, 86.
vigintipunctata Chrysomela, J. C. Fabricius, Syst. Ent. 1775, 105.
vigintipunctata Chrysomela (Scop.), F. v. P. Schrank, Ins. Aust. 1781, 74.—Cocci-
vigintipunctata Chrysomela, J. C. Fabricius, Mant. I. 1787, 75. [nella.
viginti-punctata Coccinella, Scopoli, Ent. Carn. 1763, 78.
vigintipunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 84.
vigintipunctatus Erotylus, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 436.
vigintipunctata Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 21.—Chrysomela,
viginti-punctata Phalaena, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 52. [1787.
vigintipustulata Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
vigintipustulata Chrysomela, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1787, 44.
vigintipustulata Coccinella, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 24.
viginti-sulcatus Pecten, O. F. Müller, Z. Dan. Prod. 1776, 248.
viginti-duo-maculata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 281.
viginti-duo-punctata Buprestis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 38.
viginti-duo-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12, 1767,
vigintioctopunctata Coccinella, J. C. Fabricius, Syst. Ent. 1775, 84. [582.
vigintiquattuormaculata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 281.
viginti-quattuor-punctata Cassida, J. A. Scopoli, Annus V. 1772, 92. [1767, 583.
viginti-quattuor-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12,
viginti-quinque-punctata Coccinella, Linnaeus, Syst. Nat., ed. 10, 1758, 366; ed. 12,
viginti-tres-punctata Coccinella, Linnaeus, Syst. Nat., ed. 12, 1767, 582. [1767, 583
vilburgensis Cimex, J. A. Pollich, Bemerk. Kuhrpfälz. phys.-oek. Ges. 1779 (1781), 271.
vilis Curculio, P. Rossi, Fauna Etrus. I. 1790, 120.
villica Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 581.—Phalaena.
villicum Callidium, A. G. Olivier, Entom. IV. 1795, 64.
villicus Carabus, [D. H. Schneider], Nom. Ent. 1785, 22 [*n. n.*].
villicus Cerambyx, O. F. Müller, F. Ins. Frid. 1764, 13.
villicus Cerambyx, A. G. Olivier, Entom. IV. 1795, 102.
villica Lamia, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 468.
villica Leptura, J. C. Fabricius, Syst. Ent. 1775, 196.
villica Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 820.
villida Papilio, J. C. Fabricius, Mant. II. 1787, 35.
villosula Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 95.
villosulus Curculio, Herbst in Jablonsky, Nat. Ins. (Käfer) VI. 1795, 253.
villosa Anatifa, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 62.
villosa Apis, J. C. Fabricius, Syst. Ent. 1775, 828.
villosa Ascidia, O. Fabricius, F. Groen. 1780, 333.
villosus Asilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2901.
villosus Bostrichus, J. C. Fabricius, Ent. Syst. I (2) 1792, 367.
villosus Bruchus, J. C. Fabricius, Ent. Syst. I (2) 1792, 373.
villosa Bulla, T. Martyn, Univ. Conch. III [1789], fig. 95.
villosa Cantharis, A. F. de Fourcroy, Ent. Paris. 1785, 155.
villosa Chalcis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 438.
villosa Cicada, J. C. Fabricius, Syst. Ent. 1775, 684. [gonia.
villosa Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2096.—Tetti-

- villosus Cimex, C. P. Thunberg, Nov. Ins. Spec. (2) 1783, 35.
 villosus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 135.
 villosus Clerus (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 41.—Lagria.
 villosa Clupea, O. F. Müller, Z. Dan. Prod. 1776, 50.
 villosa Clupea, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 43.
 villosa Coccinella, A. F. de Fourcroy, Ent. Paris. 1785, 149.
 villosa Coccinella, J. C. Fabricius, Mant. II. 1787, 379.
 villosus Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1730.—
 villosus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 178. [Lagria.
 villosus Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 131.
 villosus Dermestes, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1600.
 villosus Elater, A. F. de Fourcroy, Ent. Paris. 1785, 40.
 villosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1916.
 villosus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1917.
 villosus Gyrimus, O. F. Müller, Z. Dan. Prod. 1776, 68.
 villosa Helix, Studer in Coxe, Trav. Switz. III. 1789, 385 [*n. n.*].
 villosa Lagria, J. C. Fabricius, Spec. Ins. I. 1781, 160.
 villosa Lampyris, C. de Geer, Mém. Ins. IV. 1774, 47.
 villosum Lepisma, J. C. Fabricius, Syst. Ent. 1775, 300.
 villosa Leptura, A. F. de Fourcroy, Ent. Paris. 1785, 80.
 villosa Leptura, P. Rossi, Fauna Etrus. I. 1790, 162.
 villosa Lytta, J. C. Fabricius, Suppl. Ent. Syst. 1798, 119.
 villosa Machla (Ol.), Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 153.—Opatrum.
 villosa Melolontha, J. C. Fabricius, Spec. Ins. II. 1781, 496.
 villosus Melyris, A. G. Olivier, Entom. II. 1790, 9.
 villosa Mordella, F. v. P. Schrank, Ins. Aust. 1781, 228.
 villosus Nemotelus, J. C. Fabricius, Ent. Syst. IV. 1794, 270.
 villosa Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 70.
 villosum Opatrum, A. G. Olivier, Entom. III. 1795, 5.
 villosa Peltis, O. F. Müller, Z. Dan. Prod. 1776, 64.
 villosa Peltis, A. F. de Fourcroy, Ent. Paris. 1785, 32.
 villosa Phryganea, J. C. Fabricius, Suppl. Ent. Syst. 1798, 200.
 villosus Picus, Linnaeus, Syst. Nat., ed. 12, 1766, 175.
 villosa Podura, Linnaeus, Syst. Nat., ed. 12, 1767, 1014.
 villosus Pompilus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 252.—Sphex, 1775.
 villosus Reduvius, J. C. Fabricius, Ent. Syst. IV. 1794, 194.
 villosus Salmo, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 167.
 villosus Scarabaeus, A. F. de Fourcroy, Ent. Paris. 1785, 9.
 villosa Silpha (Geoff.), C. de Villers, Linn. Ent. I. 1789, 88.—Peltis.
 villosa Silpha, D. E. Naezén, K. Vet. Ac. Nya Handl. XIII. 1792, 168.
 villosa Sphex, J. C. Fabricius, Syst. Ent. 1775, 352.
 villosa Spongia, P. S. Pallas, Elench. 1766, 392.
 villosus Stenocorus, J. C. Fabricius, Ent. Syst. I (2) 1792, 302.
 villosa Stratiomys, J. C. Fabricius, Suppl. Ent. Syst. 1798, 556.—Nemotelus, 1794.
 villosa Taenia, M. E. Bloch, Eingeweidewürmer, 1782, 12.
 villosus Tenebrio, C. de Geer, Mém. Ins. V. 1775, 44.
 villosa Tenebrio, A. F. de Fourcroy, Ent. Paris. 1785, 159.
 villosus Tenebrio, J. C. Fabricius, Mant. I. 1787, 212.
 villosa Tettigonia, J. C. Fabricius, Spec. Ins. II. 1781, 321.
 villosa Tiphia, J. C. Fabricius, Ent. Syst. II. 1793, 227.
 villosa Tipula, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 228.
 vimba Cyprinus, Linnaeus, Syst. Nat., ed. 10, 1758, 325; ed. 12, 1766, 531.
 vimba Salmo, Linnaeus, Syst. Nat., ed. 10, 1758, 311; ed. 12, 1766, 512.
 viminalis Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 371; ed. 12, 1767, 590.
 viminalis Curculio, J. C. Fabricius, Syst. Ent. 1775, 144.
 viminalis Cynips, Linnaeus, Syst. Nat., ed. 10, 1758, 554; ed. 12, 1767, 919.
 viminalis Gorgonia, P. S. Pallas, Elench. 1766, 184.
 viminalis Noctua, J. C. Fabricius, Gen. Ins. 1777, 284.

- viminalis Phalaena, Scopoli, Ent. Carn. 1763, 241.
 viminalis Salius (Fabr.), F. v. P. Schrank, F. Boica, I. 1798, 510.—Curculio.
 viminalis Syrinx, J. F. Bolten, Mus. Bolten. (2) 1798, 122.
 viminalis Tenthredo, F. v. P. Schrank, Samml. Nat. Phys. Aufsatz. 1796, 126.
 viminea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 144.
 vinacea Columba, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 782.
 vinacea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
 vinalis Phalaena (Pyr.), C. de Villers, Linn. Ent. II. 1789, 449.
 vinctiata [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, I. 1787, 39.
 vinctorum Syrphus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 562.
 vinctus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 373.
 vindex Ichneumon, O. F. Müller, Z. Dan. Prod. 1776, 155.
 vindex [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 122.
 vinearum Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 43.
 vinearum Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 376.—Buprestis.
 vinetella Tinea, J. C. Fabricius, Mant. II. 1787, 242.
 vinetorum Crambus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 472.—Tinea vinetella, 1787.
 vini Callidium, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 10.
 vini Dermestes, J. N. Laicharting, Tyrol. Ins. I. 1781, 65.
 vini Dermestes, G. W. F. Panzer, Ins. Germ. heft 40 [1797], tab. 14.
 vinosa Cypraea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3421.
 vinosa Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 314.
 vinosa Phalaena Noct. (*ex* Goeze), Panzer in Drury, Exot. Ins. 1785, 88.
 vinosa Sphinx, D. Drury, Ill. Nat. Hist. I. 1770, index & 47.
 v insignitus Araneus, T. Martyn, Aranei, 1793, 58.
 ♡ insignitus Araneus, T. Martyn, Aranei, 1793, 57.
 vinulae Ichneumon, Scopoli, Ent. Carn. 1763, 286.
 vinula Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 566.—Phalaena.
 vinulus Musca, M. Harris, Exp. Eng. Ins. 1776, 117.
 vinula Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 499; ed. 12, 1767, 815.
 vinula Vespa, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 207.
 viola aquatica Gyrynus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1612.
 violaceo-caerulea Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 106.
 violacea-nigra Chrysomela, C. de Geer, Mém. Ins. V. 1775, 298.
 violaceo-punctata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 344.
 violacea Adimonia, J. N. Laicharting, Tyrol. Ins. I. 1781, 193.
 violaceus Alurnus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 128.
 violacea Anomia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 71.
 violacea Aphroditia, H. Ström, K. Norske Vid. Selsk. Skrift. IV. 1768, 366.
 violacea Apis, Linnaeus, Syst. Nat., ed. 10, 1758, 578; ed. 12, 1767, 959.
 violacea Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 143; ed. 12, 1766, 238.
 violaceus Asilus, J. C. Fabricius, Gen. Ins. 1777, 308.
 violacea Asterias, O. F. Müller, Zool. Dan. II. 1784, 17.
 violaceus Attelabus (L.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 236.—Dermestes.
 violacea Buprestis, C. de Geer, Mém. Ins. IV. 1774, 130.
 violacea Buprestis, J. C. Fabricius, Mant. I. 1787, 178.
 violaceum Callidium (L.), J. C. Fabricius, Syst. Ent. 1775, 188.—Cerambyx.
 violacea Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 650.
 violacea Cantharis, C. P. Thunberg, Nov. Ins. Spec. (4) 1784, 84.
 violacea Cantharis, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 54.
 violacea Cantharis, G. Paykull, Faun. Suec. I. 1798, 260.
 violaceus Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 414; ed. 12, 1767, 669.
 violaceus Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 20.
 violaceus Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 395; ed. 12, 1767, 635.
 violaceus Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 244.—Saperda.
 violaceus Cerambyx, C. de Villers, Linn. Ent. I. 1789, 239.
 violacea Certhia, Linnaeus, Syst. Nat., ed. 12, 1766, 188.
 violacea Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446. [See p. 1048.]

- violacea Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 446, no. 1666.
 violacea Chrysis (Scop.), J. L. Christ, Nat. Ins. 1791, 405.—Sphex.
 violacea Chrysomela, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 270.
 violacea Chrysomela (Geoff.), C. de Villers, Linn. Ent. I. 1789, 158.—Cryptocephalus.
 violacea Chrysomela, P. Rossi, Mant. Ins. I. 1792, 29.
 violacea Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 437; ed. 12, 1767, 708.
 violacea Cicada, Scopoli, Ent. Carn. 1763, 114.
 violacea Cidaris, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 117.
 violaceus Clerus, A. F. de Fourcroy, Ent. Paris. 1785, 134.
 violaceus Clerus (L.), F. v. P. Schrank, F. Boica, I. 1798, 516.—Dermestes.
 violaceus Clerus (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 14.—Notoxus.
 violacea Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 149.
 violaceus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 116.
 violaceus Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 59.
 violaceus Conus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3391.
 violaceus Copris, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 178.
 violacea Corbula, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
 violacea Crioceris, J. C. Fabricius, Ent. Syst. I (2) 1792, 11.
 violaceus Cryptocephalus, J. N. Laicharting, Tyrol. Ins. I. 1781, 172.
 violaceus Cryptocephalus, A. F. de Fourcroy, Ent. Paris. 1785, 92.
 violaceus Cryptocephalus, J. C. Fabricius, Ent. Syst. I (2) 1792, 62.
 violaceus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 378; ed. 12, 1767, 614.
 violaceus Dermestes, Linnaeus, Syst. Nat., ed. 10, 1758, 356; ed. 12, 1767, 563.
 violacea Diaperis, J. C. Fabricius, Skr. nat. Selsk. [Copen.] I (1) 1790, 219.
 violacea Donacia (Pall.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.—Leptura.
 violacea Donacia, D. H. Hoppe, Ins. Elyt. 1795, 44.
 violacea Donax, J. F. Bolten, Mus. Bolten. (2) 1798, 184.
 violacea Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 182.—[Tanagra, ed. 12.]
 violacea Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 103.
 violacea Gorgonia, P. S. Pallas, Elench. 1766, 176.
 violacea Hirundo, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1026.
 violaceus Hydrophilus, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 315.
 violacea Janthina, J. F. Bolten, Mus. Bolten. (2) 1798, 75.
 violaceus Korynetes (L.), Herbst in Jablonsky, Nat. Ins. (Käfer) IV. 1792, 150.—Der-
 violacea Lagena, J. F. Bolten, Mus. Bolten. (2) 1798, 131 [n. n.]. [mestes.
 violacea Lepas, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3213.
 violacea Leptura, P. S. Pallas, Reise Russ. II. 1773, 734.
 violacea Leptura, C. de Geer, Mém. Ins. V. 1775, 144.
 violacea Leptura (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 94.—Cerambyx.
 violacea Libellula, C. de Geer, Mém. Ins. III. 1773, 559.
 violacea Loxia, Linnaeus, Syst. Nat., ed. 10, 1758, 176; ed. 12, 1766, 306.
 violacea Mactra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3260.
 violacea Melolontha, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. I. 1791, 114.
 violacea Millepora, P. S. Pallas, Elench. 1766, 258.
 violacea Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 11.
 violaceus Muriciformis, F. C. Meuschen, Mus. Gever. 1787, 320.
 violacea Musca, Scopoli, Ent. Carn. 1763, 340.
 violacea Muscicapa (Isert), G. A. Suckow, Naturg. II [1] 1800, 391.—Musophaga.
 violacea Musophaga, P. E. Isert, Schrift. Berlin. Ges. Nat. Freunde, IX. 1789, 18.
 violacea Mylaris, P. S. Pallas, Icon. Ins., 1781, 40.
 violaceus Mytilus, F. C. Meuschen, Mus. Gever. 1787, 468.
 violacea Mytilus, J. Barbut, Gen. Verm. II. 1788, 70.
 violaceus Mytilus, J. F. Bolten, Mus. Bolten. (2) 1798, 158.
 violacea Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
 violacea Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3685.
 violaceus Notoxus, J. C. Fabricius, Mant. I. 1787, 127.
 violacea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
 violaceus Pelecanus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 575.

- violacea* Phalaena Tinea, H. Ström, Nye Saml. K. Danske Skrifter, II. 1783, 88.
violacea Pimelia (Pall.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2011.—
violacea Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 160 [*n. n.*] [Myliaris].
violacea Podura, A. F. de Fourcroy, Ent. Paris. 1785, 525.
violaceus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 25.
violaceus Psittacus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 337.
violacea Saperda, J. C. Fabricius, Syst. Ent. 1775, 187.
violaceus Scarabaeus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1533.
violaceus Scarabaeus [Copriss], A. G. Olivier, Entom. I. 1789, 171.
violaceus Scolia, G. W. F. Panzer, Ins. Germ. heft 66 [1799], tab. 18.
violacea Scolopendra, J. C. Fabricius, Suppl. Ent. Syst. 1798, 289.
violaceus Solen, C. U. v. Salis, Reise Neapel, 1793, 382.
violacea Sphex, Scopoli, Ent. Carn. 1763, 298.
violacea Sphex, J. C. Fabricius, Syst. Ent. 1775, 346.
violaceus Staphylinus, A. G. Olivier, Entom. III. 1795, 8.
violaceus Stenocorus (Linn.), J. A. Scopoli, Annus V., 1772, 97.—Cerambyx.
violaceus Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 314.—Turdus.
violacea Tanagra, Linnaeus, Mus. Adolph. Frid. II. 1764, 31.
violacea Tellina (*ex* Rumph), P. L. S. Müller, Del. Nat. I. 1766, 129.
violacea Tellina, F. C. Meuschen, Mus. Gever. 1787, 458.
violacea Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 186.
violaceus Tenebrio, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
violaceus Tenebrio, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 48.
violaceus Tenebrio, J. C. Fabricius, Ent. Syst. 1798, 48.
violacea Tenthredo, J. C. Fabricius, Reise Norwegen, 1779, 64.
violacea Tenthredo, J. L. Christ, Nat. Ins. 1791, 449.
violacea Tettigonia (L.), J. C. Fabricius, Syst. Ent. 1775, 682.—Cicada.
violaceus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 488.
violaceus Trogon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 404.
violaceus Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 829.
violaceus Unio, L. Spengler, Skr. nat. Selsk. [Copen.], III (1), 1793, 55.
violacea Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3288.
violae Papilio, J. C. Fabricius, Syst. Ent. 1775, 460.
violascens Curculio, F. v. P. Schrank, Ins. Aust. 1781, 105.
violascens Porcellana, F. C. Meuschen, Mus. Gever. 1787, 400.
violascens Venus, P. Forskal, Descr. Anim. 1775, xxxi.
violator Ichneumon, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 86.
violata Cytherea, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [*n. n.*].
violata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 14.
violata Phalaena, J. C. Fabricius, Mant. II. 1787, 213.
violella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
Vipera L. T. Gronovius, Zooph. I. 1763, 25.—R.
Vipera J. N. Laurenti, Syn. Rept., 1768, 99.—R.
Vipera G. Edwards in M. Catesby, Carol. II. 1771, 119.—P.
vipera Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 216; ed. 12, 1766, 375.
vipera-anglorum Coluber, J. N. Laurenti, Syn. Rept., 1768, 98 & 188.
viperinus Coluber, J. A. Donndorff, Zool. Beyt. III. 1798, 204.
viperinus Limax, T. Martyn, Univ. Conch. III [1789], fig. 120.
virbius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 353.
virbius [Papilio], P. Cramer, Utitl. Kapellen, II (12) 1777, 75.
virbia [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 146.
virena Cimex, D. Drury, Ill. Nat. Hist., III. 1782, index and 65.
virens Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 128.
virens Ardea, J. R. Forster, Cat. Anim. N. Amer. 1771, 14 [*n. n.*].
virens Ascidia, J. C. Fabricius, Reise Norwegen, 1779, 383.
virens Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 338.
virens Carabus, O. F. Müller, Z. Dan. Prod. 1776, 76.
virens Cerambyx, Linnaeus, Syst. Nat., ed. 10, 1758, 391; ed. 12, 1767, 627.

- virens* Certhia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 479.
virens Chrysis, J. L. Christ, Nat. Ins. 1791, 405.
virens Cimex, Linnaeus, Syst. Nat., ed. 12, 1767, 730.
virens Coryphaena, Linnaeus, Syst. Nat., ed. 12, 1766, 448.
virens Curculio, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1759.
virens Curculio, F. v. P. Schrank, F. Boica, I. 1798, 496.
virens Dyticus, O. F. Müller, Z. Dan. Prod. 1776, 70.
virens Elater, F. v. P. Schrank, Schrift. Berlin. Ges. Nat. Freunde, II. 1781, 317.
virens Elater, J. C. Fabricius, Mant. I. 1787, 172.
virens Gadus, Linnaeus, Syst. Nat., ed. 10, 1758, 253; ed. 12, 1766, 438.
virens Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2088.
virens Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 397; ed. 12, 1767, 638.
virens Loxia, Linnaeus, Syst. Nat., ed. 12, 1766, 303.
virens Melolontha, Herbst in Jablonsky, Nat. Ins. (Käfer) III. 1790, 162.
virens Miris (L.), J. C. Fabricius, Ent. Syst. IV. 1794, 185.—Cimex.
virens Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 985.
virens Musca, Scopoli, Ent. Carn., 1763, 342.
virens Musca, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1789, 91.
virens Muscicapa, Linnaeus, Syst. Nat., ed. 12, 1766, 327.
virens Nerita, F. C. Meuschen, Mus. Gever. 1787, 270.
virens Phalaena (Noctua), Linnaeus, Syst. Nat., ed. 12, 1767, 847.
virens Scarabaeus, C. Allioni, Misc. Taurin. III. 1766, 186.
virens Scarabaeus, D. Drury, Ill. Nat. Hist., II. 1773, index & 54.
virens Solen, Linnaeus, Syst. Nat., ed. 12, 1767, 1115.
virens Sylvia (Gm.), J. Latham, Index Orn. 1790, 537.—Motacilla.
virens Tanagra, Linnaeus, Syst. Nat., ed. 12, 1766, 317.
virens Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
virens Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 171.
virens Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.
virens Xanthornus [Schreber], Naturforscher, XVIII. 1782, 1.
virescens Acanthia, J. C. Fabricius, Ent. Syst. IV. 1794, 70.
virescens Andrena, J. C. Fabricius, Syst. Ent. 1775, 378.
virescens Apis (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2792.—Andrena.
[virescens Araneus, C. Clerck, Aran. Svec. 1757, 138.]
virescens Aranea, Linnaeus, Syst. Nat., ed. 10, 1758, 623; ed. 12, 1767, 1036.
virescens Aranea, J. C. Fabricius, Ent. Syst. II. 1793, 408.
virescens Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 144; ed. 12, 1766, 238.
virescens Bombylius, J. C. Fabricius, Mant. II. 1787, 366.
virescens Byrrhus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1613.
virescens Cancer, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 304.
virescens Cantharis, Linnaeus, Syst. Nat., ed. 12, 1767, 650.
virescens Cardium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3256.
virescens Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1858.
virescens Cerambyx (Fab.), C. de Villers, Linn. Ent. I. 1789, 255.—Saperda.
virescens Cerambix, A. G. Olivier, Entom. IV. 1795, 77.
virescens Certhia, A. Vroeg, Catal. Vogel. 1764, Adumb., 1.
virescens Cicada, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2111.
virescens Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 747.
virescens Cicada, J. C. Fabricius, Ent. Syst. IV. 1794, 46.
virescens Curculio, C. Quensel, Diss. ign. insect. 1790, 16.
virescens Dytiscus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1958.
virescens Dytiscus, N. J. Brahm, Ins. Kal. I (1) 1790, 27.
virescens Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1906.
virescens Formica, J. C. Fabricius, Syst. Ent. 1775, 392.
virescens Fulgora, G. W. F. Panzer, Ins. Germ. heft 61 [1799], tab. 12.
virescens Helix, Studer in Coxe, Trav. Switz. III. 1789, 387 [n. n.].
virescens Hister, G. Paykull, Faun. Suec. I. 1798, 48.
virescens Holocentrus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 67.

- virescens* Icterus, F. M. Daudin, *Traité élém. Orn.* 1800, 339.
virescens Leucophaea, O. F. Müller, *An. Infus.* 1786, 142.
virescens Lucanus, J. C. Fabricius, *Syst. Ent.* 1775, 817.
virescens Lutjanus, M. E. Bloch, *Nat. ausl. Fische*, V. 1791, 5.
virescens Necydalis (L.), F. v. P. Schrank, *Ins. Aust.* 1781, 170.—*Cantharis*.
virescens Noctua, J. C. Fabricius, *Gen. Ins.* 1777, 282.
virescens Oriolus, *id. ac viridis*, Gm., J. Latham, *Index Orn.* 1790, 185.
virescens Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3724.
virescens Phalangium, F. H. W. Martini & J. A. E. Goeze in *Lister, Spinnen*, 1778, 220.
virescens Phryganea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 2636.
virescens Psittacus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 326.
virescens Saperda, J. C. Fabricius, *Spec. Ins.* II. 1781, 499.
virescens Spondylus, K. Schreibers, *Vers. Conch.* II. 1793, 160.
virescens Thelephorus (Linn.), O. F. Müller, *Z. Dan. Prod.* 1776, 62.—*Cantharis*.
virescens Trogossita (Fab.), A. G. Olivier, *Entom.* II. 1790, 8.—*Lucanus*.
virescens Turdus, J. Latham, *Index Orn.* 1790, 351.
viretata Geometra, J. Hübner, *Europ. Schmett. (Geom.)* [me *judice* 1796], fig. 230 [*n. et f.*]
virgaria Phalaena Geometra, M. B. Borkhausen, *Nat. eur. Schmett.* V. 1794, 261.—
virgatella Phalaena (Tin.), C. de Villers, *Linn. Ent.* II. 1789, 522. [*P. virgata*, Hufn., *est.*]
virgata Antipathis, E. J. C. Esper, *Pflanzenh., Forts.* II (9) 1798, 8.
virgatus Araneus, C. Clerck, *Aran. Svec.* 1757, 42.
virgata Ardea, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 643.
virgata Bulla, T. Martyn, *Univ. Conch.* I. [1784 non 1769], fig. 11.
virgatus Coluber, C. P. Thunberg, *D. D. Mus. Ac. Upsal.* 1787, 22.
virgata Coluber, J. P. Bonnaterre, *Ency. Méth. (Oph.)* 1790, 49.
virgata Helix, E. M. da Costa, *Brit. Conch.* 1778, 79.
virgatus Ichneumon, A. F. de Fourcroy, *Ent. Paris.* 1785, 401.
virgata Lepas, L. Spengler, *Skr. nat. Selsk. [Copen.]*, I (1), 1790, 207.
virgata Muscicapa, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 948.
virgatus Mytilus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3361.
virgata Nerita, F. C. Meuschen, *Mus. Gever.* 1787, 274.
virgata Patella, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3727.
virgata Phalaena, Hufnagel, *Berl. Mag.* IV. 1767, 608.
virgata Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 285.
virgatus Sparus, M. Houttuyn, *Verh. Holl. Maat. Wet. Haarlem*, XX (2), 1782, 323.
virgata Tellina, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 674; ed. 12, 1767, 1116.
virgata Tenthredo, A. F. de Fourcroy, *Ent. Paris.* 1785, 367.
virgata Tinea, A. F. de Fourcroy, *Ent. Paris.* 1785, 337.
virgata Tringa, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1788, 674.
virgatus Trochus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3580.
virgata Venus, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3281.
virgata Voluta, J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13, I. 1790, 3457.
virgaurea [Papilio], J. A. B. Bergstrasser, *Ic. Pap.* II. 1780, 7.
virgaureae Hesperia (L.), J. C. Fabricius, *Ent. Syst.* III (1) 1793, 309.—*Papilio*.
virgaureae Papilio (Plebejus), Linnaeus, *Syst. Nat.*, ed. 10, 1758, 484; ed. 12, 1767, 793.
virgella Tinea, C. P. Thunberg, *Ins. Suecica* (7) 1794, 92.
virgilius Hesperia, J. C. Fabricius, *Ent. Syst.* III (1) 1793, 323.
virgilia [Papilio], P. Cramer, *Uitl. Kapellen*, I (8), 1776, 150.
virginalis Apis, A. F. de Fourcroy, *Ent. Paris.* 1785, 450.
virginalis Phalaena, A. F. de Fourcroy, *Ent. Paris.* 1785, 277.
virginaria Phalaena (Geom.), *Herbst, Einl. Ins.* II. 1785, 124.
virginata Cicindela, *err. pro virginica*, Fab., J. F. Gmelin in *Linn. Syst. Nat.*, ed. 13,
virginella Phalaena, Scopoli, *Ent. Carn.* 1763, 246. [I. 1789, 1922.
virginea Actinia, O. F. Müller, *Nova Acta Acad. Caes.* VI. 1778, 53.
virginea Aranea, O. F. Müller, *Z. Dan. Prod.* 1776, 194.
virginea Ascidia, O. F. Müller, *Z. Dan. Prod.* 1776, 225.
virgineum Buccinum (Linn.), O. F. Müller, *Verm.* II. 1774, 143.—*Bulla*.
virgineum Buccinum, Linnaeus, *Syst. Nat.*, ed. 10, 1758, 740.—[*Bulla*, ed. 12.]

- virgineum** Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3505.
virgineus Bulimus, J. G. Bruguière, Ency. Méth. (Vers) (1), 1789, 315.
virgineus Bulimus (L.), J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 363.—Bulla.
virginea Bulla, Linnaeus, Syst. Nat., ed. 12, 1767, 1186.
virgineum Cardium, Linnaeus, Syst. Nat., ed. 10, 1758, 682; ed. 12, 1767, 1124.
virgineum Cardium, C. P. Thunberg, D. D. Mus. Ac. Upsal., App. II., 1791, 127.
virgineum Ellobium, J. F. Bolten, Mus. Bolten. (2) [1798], 106.
virginea Haliotis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3690.
virginea Leptura, Linnaeus, Syst. Nat., ed. 10, 1758, 398; ed. 12, 1767, 639.
virginea Leptura, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 56.
virginea Madrepora, Linnaeus, Syst. Nat., ed. 10, 1758, 798; ed. 12, 1767, 1281.
virginea Madrepora, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 168.
virginea Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
virginea Patella, O. F. Müller, Z. Dan. Prod. 1776, 237.
virginea Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 302.
virginea Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [n. n.].
virginea Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 57.
virginea Plotia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 96.—Bulla.
virginea Purpura, J. F. Bolten, Mus. Bolten. (2) 1798, 141.
virginea Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
virginea Sphinx, C. Allioni, Misc. Taurin. III. 1766, 192.
virginea Talpa, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 35.
virginea Tellina, J. F. Bolten, Mus. Bolten. (2) 1798, 185.
virginea Tipula, O. F. Müller, Z. Dan. Prod. 1776, 171.
virginea Tipula, J. D. Preyßler in Mayer, Samm. Phys. Aufsätze, I. 1791, 62.
virginea Venus, Linnaeus, Syst. Nat., ed. 12, 1767, 1136.
virginianum Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 225.—Gryllus.
virginianus Canis, J. C. D. Schreber, Säugth. III. 361 (1776), pl. xcii. B (1776).
virginianus Caprimulgus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 1028.
virginianus Cervus, P. Boddaert, Elench. 1785, 136.
virginianus Cervus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 179.
virginiana Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 219.
virginiana Dama, E. A. W. Zimmermann, Geogr. Gesch. II. 1780, 129, and Kurz.
virginiana Didelphis, R. Kerr, Anim. Kingd. 1792, 193. [Erkl. 1783, 11.
virginianus Gryllus, J. C. Fabricius, Syst. Ent. 1775, 291.
virginianus Mus, P. Boddaert, Elench. 1785, 111.
virginiana Ostrea, J. F. Bolten, Mus. Bolten. (2) 1798, 169.—**virginica**, Gm.
virginianus Parus, Linnaeus, Syst. Nat., ed. 12, 1766, 342.
virginiana Perdix (L.), J. Latham, Index Orn., 1790, 650.—Tetrao.
virginianus Rallus, Linnaeus, Syst. Nat., ed. 12, 1766, 263.
virginianus Sciurus, P. Boddaert, Elench. 1785, 120.
virginianus Sciurus, R. Kerr, Anim. Kingd. 1792, 259.
virginianus Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 267.
virginiana Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 287.
virginiana Talpa, J. M. Bechstein in Pennant, Uebers. 4füß. Thiere, II. 1800, 548.
virginianus Tetrao, Linnaeus, Syst. Nat., ed. 10, 1758, 161; ed. 12, 1766, 277.
virginiaria [Phalaena], P. Cramer, Utitl. Kapellen, II (23) 1780, 149.
virginica Altica, J. A. Frolich, Naturforscher, XXVI. 1792, 129.
virginica Apis, Linnaeus, Mant. II. 1771, 540.
virginica Bombyx, J. C. Fabricius, Suppl. Ent. Syst. 1798, 437.
virginica Buprestis, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1940.
virginica Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 64.
virginica Cicindela, Linnaeus, Syst. Nat., ed. 12, 1767, 657.
virginicus Coluber (Laur.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1114.—
virginica Coronella, J. N. Laurenti, Syn. Rept. 1768, 86. [Coronella.
virginica Loxia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 849.
virginicus Nicrophorus, J. A. Frolich, Naturforscher, XXVI. 1792, 123.
virginica Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3336.

- virginicus Polynemus, Linnaeus, Syst. Nat., ed. 10, 1758, 317; ed. 12, 1766, 521.
 virginica Rana, J. N. Laurenti, Syn. Rept., 1768, 31.
 virginicus Sparus, Linnaeus, Syst. Nat., ed. 10, 1758, 281; ed. 12, 1766, 472.
 virginica Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3236.
 virginica Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3294.
 virginiensis Buprestis, D. Drury, Ill. Nat. Hist. I. 1770, index & 66.
 virginiensis Hemorobius (*sic*), D. Drury, Ill. Nat. Hist. I. 1770, index & 110.
 virginiensis Julus, D. Drury, Ill. Nat. Hist. I. 1770, index & 99.
 virginiensis Musca, D. Drury, Ill. Nat. Hist. II. 1773, index & 71.
 virginiensis Phalaena, D. Drury, Ill. Nat. Hist. II. 1773, index & 23.
 virgo Agrion (L.), J. C. Fabricius, Syst. Ent. 1775, 425.—Libellula.
 virgo Ardea, Linnaeus, Syst. Nat., ed. 10, 1758, 141; ed. 12, 1766, 234.
 virgo Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 582.—Phalaena.
 virgo Carabus, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 141.
 virgo Cimex, P. Brown, Illust. Zool. 1776, 132.
 virgo Conus, Linnaeus, Syst. Nat., ed. 10, 1758, 713; ed. 12, 1767, 1166.
 virgo Cucullus (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 39.—Conus.
 virgo Curculio, A. F. de Fourcroy, Ent. Paris. 1785, 132.
 virgo Ephemera, A. G. Olivier, Ency. Méth. VI. (Ins.), 1791, 419.
 virgo Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 545; ed. 12, 1767, 904.
 virgo Phalaena (Bombyx), Linnaeus, Syst. Nat., ed. 10, 1758, 501; ed. 12, 1767, 820.
 virgo Voluta, Linnaeus, Syst. Nat., ed. 12, 1767, 1192.
 virgula Papilio, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 31.
 virgularia Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 104
 virgulata Cochlea, T. Martyn, Univ. Conch. IV [1792], fig. 142. [*n. et f.*]
 virgulata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 117.
 virgulata Phalaena Geometra (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. V. 1794,
 viridans Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1990. [517.—Geometra.
 viridans Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1846.
 viridans Gryptocephalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1710.
 viridans Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
 viridanus Carabus, J. C. Fabricius, Mant. I. 1787, 204.
 viridanus Curculio, *id. ac* viridarius, 1775, J. C. Fabricius, Spec. Ins. I. 1781, 198.
 viridana Lunatica, J. F. Bolten, Mus. Bolten. (2) 1798, 101.
 viridana Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 103.
 viridana Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 636.
 viridana Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 viridana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (30) 1781, 126.
 viridana Phalaena Noctua, J. E. I. Walch, Naturforscher, XIII. 1779, 28.
 viridana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 530; ed. 12, 1767, 875.
 viridana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 646.—Phalaena.
 viridarius Curculio, J. C. Fabricius, Syst. Ent. 1775, 155. [*et f.*].
 viridaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 11 [*n.*]
 viridaria Geometra, J. Hübner, Europ. Schmett. 5 Horde [me judice 1800], 17.—viridata,
 viridaria [Phalaena], C. Clerck, Icones, I. 1759, pl. ix, 12. [*L., est.*]
 viridaria Phalaena, J. C. Fabricius, Syst. Ent. 1775, 626.
 viridaria [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (31) 1781, 158.
 viridaria [Phalaena], C. Stoll, Aanhang. Cramer's Uitl. Kapellen, IV. 1790, 146.
 viridata Aranea, O. F. Müller, Z. Dan. Prod. 1776, 194.
 viridata Geometra, [Denis & Schiffermüller], Schmett. Wien, 1775, 97.
 viridata [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (26) 1780, 44.
 viridata Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 523; ed. 12, 1767, 865.
 viridata Planaria, P. C. Abildgaard in Müller, Zool. Dan., ed. 3, III. 1789, 39.
 viride aeris Curculio, J. N. Laicharting, Tyrol. Ins. I. 1781, 211.
 viridella Phalaena, Scopoli, Ent. Carn. 1763, 250.
 viridella Phalaena (Tinea), C. de Villers, Linn. Ent. II. 1789, 518.
 viridella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 326.
 viridella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 312.

- viridens* Simia (Cercop.), R. Kerr, Anim. Kingd. 1792, 73.
viridescens Ascidia, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 152.
viridescens Asilus, C. de Villers, Linn. Ent. III. 1789, 603.
viridescens Cantharis, J. C. Fabricius, Mant. I. 1787, 167.
viridescens Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1864.
viridescens Cimex, A. F. de Fourcroy, Ent. Paris. 1785, 207.
viridescens Cistela, A. F. de Fourcroy, Ent. Paris. 1785, 28.
viridescens Ephemera, A. F. de Fourcroy, Ent. Paris. 1785, 351.
viridescens Musca, C. de Villers, Linn. Ent. III. 1789, 463.
viridescens Musca, C. de Villers, Linn. Ent. III. 1789, 548.
viridescens Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 15.
viridescens Nitidula, J. C. Fabricius, Mant. I. 1787, 52.
viridescens Nitidula, C. P. Thunberg, Ins. Suecica (5) 1794, 70.
viridescens Silpha (Fab.), C. de Villers, Linn. Ent. IV. 1789, 234.—Nitidula.
viridescens Tenthredo, A. F. de Fourcroy, Ent. Paris. 1785, 377.
viridi aenea Buprestis, C. de Geer, Mém. Ins. VII. 1778, 631.
viridi alata Bombyx (*ex* Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 269.
viridi-aurata Chrysomela, C. de Geer, Mém. Ins. V. 1775, 345.
viridi-aurea Cantharis, C. de Geer, Mém. Ins. VII. 1778, 650.
viridi-aurea Leptura, C. de Geer, Mém. Ins. V. 1775, 145.
viridi-caerulea Chrysomela, P. Forskal, Descr. Anim. 1775, 77.
viridi-caerulea Chrysomela, C. de Geer, Mém. Ins. V. 1775, 346.
viridicoerulea Cicindela, A. F. de Fourcroy, Ent. Paris. 1785, 63.
viridicaeruleus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 122.
viridi-caerulea Musca, C. de Geer, Mém. Ins. VI. 1776, 62.
viridicata Nerita, F. C. Meuschen, Mus. Gev. 1787, 268.
viridi-cincta Libellula, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 57.
viridicollis Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 71.
viridicollis Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 469.
viridicollis Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 278.
viridi-dorsata Tenthredo, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 73.
viridi-fasciatum Acrydium, C. de Geer, Mém. Ins. III. 1773, 498.
viridi fasciata Geometra (*ex* Geoff.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 269.
viridifasciosa Phalaena Bom., E. J. C. Esper, Die Schmett. Suppl., 3 Abschn. [1797], 58.
viridiflavus Coluber, B. G. E. de Lacépède, Quad. Ovip. II. 1789, 86.
viridi-fusca Hyla, J. N. Laurenti, Syn. Rept. 1768, 34.
viridi obscura Noctua (*ex* De G.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 269.
viridipennis Curculio, G. W. F. Panzer, Naturforscher, XIV. 1789, 24.
viridipennis Lagria, J. C. Fabricius, Suppl. Ent. Syst. 1798, 118.
viridipennis Malachius, J. C. Fabricius, Ent. Syst. IV. 1794, 444.
viridipennis Zonitis, J. C. Fabricius, Suppl. Ent. Syst. 1798, 103.
viridipes Cimex, C. de Villers, Linn. Ent. I. 1789, 493.
viridi-rhombea Anas, P. Forskal, Descr. Anim. 1775, vi & 3.
viridirufa Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 36.
viridis Actinia (Forsk.), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 13.—Priapus.
viride Anobium, C. P. Thunberg, Nov. Ins. Spec. (1) 1781, 9.
viridis Apate, G. W. F. Panzer in Voet, Hartschaal. Insekt. IV. 1797, 95.
viridis Araneus, F. H. W. Martini & J. A. E. Goeze in Lister, Spinnen, 1778, 97.
viridis Asilus, A. F. de Fourcroy, Ent. Paris, 1785, 465.
viridis Blatta, J. C. Fabricius, Syst. Ent. 1775, 272.
viridis Bucco, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 408.
viridis Buceros, J. Latham, Index Orn. 1790, 147.
viridis Bufo, J. N. Laurenti, Syn. Rept. 1768, 27 & 111.
viridis Buprestis, Linnaeus, Syst. Nat., ed. 10, 1758, 410; ed. 12, 1767, 663.
viridis Cancer, J. F. W. Herbst, Vers. Nat. Krab. I (2—5) 1783, 148.
viridis Cantharis, *id. ac viridissima*, L., C. de Geer, Mém. Ins. V. 1775, 15.
viridis Cantharis, C. de Villers, Linn. Ent. IV. 1789, 323.
viridis Cantharis, Giornata, Cal. Ent. 1791, 113.

- viridis Carabus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1986.
 viridis Cassida, Linnaeus, Syst. Nat., ed. 10, 1758, 362; ed. 12, 1767, 574.
 viridis Cerambyx, O. F. Müller, F. Ins. Frid. 1764, 14.
 viridis Cerambyx, J. G. Schaller, Abb. Hallisch. n. Ges. I. 1783, 295.
 viridis Cercaria, O. F. Müller, An. Infus. 1786, 126.
 viridis Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 50.
 viridis Cerocoma, A. F. de Fourcroy, Ent. Paris. 1785, 163.
 viridis Certhia, J. A. Scopoli, Annus I. 1769, 52.
 viridis Certhia, J. Latham, Index Orn. 1790, 298.
 viridis Cetonia, J. C. Fabricius, Ent. Syst. I (2) 1792, 128.
 viridis Chiton, L. Spengler, Skr. nat. Selsk. [Copen.], IV (1) 1797, 70.
 viridis Chiton, J. F. Bolten, Mus. Bolten. (2) 1798, 196 [n. n.].
 viridis Chrysis, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 672.
 viridis Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 711.
 viridis Cicada, J. A. Scopoli, Ent. Carn. 1763, 115.
 viridis Cicada, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 40.
 viridis Cimex, M. Harris, Exp. Eng. Ins. 1776, 88.
 viridis Colius, J. Latham, Index Orn. 1790, 369.
 viridis Coluber, F. C. Meuschen, Mus. Gronov. 1778, 17.
 viridis Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 11.
 viridis Columba, Linnaeus, Syst. Nat., ed. 12, 1766, 283.
 viridis Coturnix, J. P. Bonnaterre, Ency. Méth. (Orn.) 1791, 219.
 viridis Cucujus, A. F. de Fourcroy, Ent. Paris. 1785, 33.
 viridis Cuculus, J. A. Scopoli, Del. Insub. II. 1786, 89.
 viridis Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 384; ed. 12, 1767, 616.
 viridis Cynips, O. F. Müller, F. Ins. Frid. 1764, 68.
 viridis Cynips, A. F. de Fourcroy, Ent. Paris. 1785, 380.
 viridis Cythere, O. F. Müller, Entom. 1785, 64.
 viridis Dermestes (Thunb.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1598.—
 viridis Emberiza, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 886. [Anobium.
 viridis Enchelis, O. F. Müller, Verm. I (1) 1773, 33.
 viridis Esox, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 174.
 viridis Esox, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1389.
 viridis Fasciola, O. F. Müller, Verm. I (2) 1774, 59.
 viridis Fulgora, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 571.
 viridis Fulca, T. Pennant in Forster, Ind. Zool. 1781, 42 [n. n.].
 viridis Fulca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 698.
 viridis Galbula, J. Latham, Index Orn. 1790, 244.
 viridis Galeruca, A. F. de Fourcroy, Ent. Paris. 1785, 104.
 viridis Galleruca, J. C. Fabricius, Suppl. Ent. Syst. 1798, 94.
 viridis Gallinula (Gm.), J. Latham, Index Orn. 1790, 769.—Fulica.
 viridis Gryllus, P. Forskal, Descr. Anim. 1775, 81.
 viridis Gryllus Locusta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2085.
 viridis Hemerobius, A. J. Retzius, Gen. Sp. Ins. Geer, 1783, 59.
 viridis Hirudo, G. Shaw, Tr. Linn. Soc. [Lond.], I. 1791, 93.
 viridis Hydra, Linnaeus, Syst. Nat., ed. 12, 1767, 1320.
 viridis Hyla, J. N. Laurenti, Syn. Rept. 1768, 33 & 138.
 viridis Icterus (Lath.), F. M. Daudin, Traité élém. Orn. 1800, 352.—Oriolus.
 viridis Labrus, Linnaeus, Syst. Nat., ed. 10, 1758, 286; ed. 12, 1766, 478.
 viridis Lacertus, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 viridis Lagria, P. Rossi, Mant. Ins. I. 1792, 35.
 viridis Lanius, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 306.
 viridis Leptura, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1876.
 viridis Leucopha, O. F. Müller, An. Infus. 1786, 143.
 viridis Locusta, O. F. Müller, Z. Dan. Prod. 1776, 101.
 viridis Malachius, J. C. Fabricius, Mant. I. 1787, 169.
 viridis Malachius, G. Paykull, Faun. Suec. III. 1800, 447.
 viridis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 34.

- viridis Melyris, J. C. Fabricius, Syst. Ent. 1775, 58.
 viridis Merops, Linnaeus, Syst. Nat., ed. 10, 1758, 117; ed. 12, 1766, 182.
 viridis Monoculus (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3001.—
 viridis Motacilla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 962. [Cythera.
 viridis Muscivora, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 171.
 viridis Muscivora, T. Pennant in Forster, Ind. Zool. 1781, 41 [n. 2].
 viridis Muscivora, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 936.
 viride Myrmeleon, Boeber in Reich's Mag. Thierreichs, I. 1793, 138.
 viridis Mytilus, Linnaeus, Syst. Nat., ed. 10, 1758, 706; ed. 12, 1767, 1158.
 viridis Necydalis, M. Piller & L. Mitterpacher, Iter Poseg. 1783, 37.
 viridis Nereis, Linnaeus, Syst. Nat., ed. 12, 1767, 1086.
 viridis Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 778; ed. 12, 1767, 1254.
 viridis Nerita, F. C. Meuschen, Mus. Gev. 1787, 272.
 viridis Numenius, S. G. Gmelin, Reise Russ. I (1770), 167.
 viridis Oniscus, M. Slabber, Nat. Verlust. 1769-1778, 104.
 viridis Ophidium, O. Fabricius, F. Groen. 1780, 141.
 viridis Oriolus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 87.
 viridis Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 393 [no. 42].
 viridis Oriolus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 395 [no. 51].
 viridis Paradisaea, J. A. Scopoli, Del. Insub. II. 1786, 88.
 viridis Paradisea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 402.
 viridis Parra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 708.
 viridis Patella, J. F. Bolten, Mus. Bolten. (2) 1798, 2.
 viridis Perdix (Gm.), J. Latham, Index Orn. 1790, 650.—Tetrao.
 viridis Perna (L.), A. J. Retzius, Diss. Nova Test. Gen. 1788, 21.—Mytilus.
 viridis Phalaena B., C. de Villers, Linn. Ent. II. 1789, 174.
 viridis Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 356.
 viridis Picus, Linnaeus, Syst. Nat., ed. 10, 1758, 113; ed. 12, 1766, 175.
 viridis Planaria, O. F. Müller, Z. Dan. Prod. 1776, 221.—Fasciola, 1774.
 [viridis Planaria] (Kirby), G. Shaw, Tr. Linn. Soc. [Lond.], II. 1794, 320.—Hirudo.
 viridis Podura, Linnaeus, Syst. Nat., ed. 10, 1758, 608; ed. 12, 1767, 1013.
 viridis Priapus, P. Forskal, Descr. Anim. 1775, 102.
 viridis Psittacus, J. Latham, Index Orn. 1790, 125.
 viridis Rallus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 120.
 viridis Ramphastos, Linnaeus, Syst. Nat., ed. 12, 1766, 150.
 viridis Ramphastos, R. Kerr, Anim. Kingd. 1792, 614; var. edentulus.
 viridis Rhinomacer, A. F. de Fourcroy, Ent. Paris. 1785, 113.
 viridis Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1570.—Melo-
 viridis Scarus, J. P. Bonnaterre, Ency. Méth. (Ich.), 1788, 96. [lontha.
 viridis Scarus, M. E. Bloch, Nat. ausl. Fische, IV. 1790, 29.
 viridis Sembris, J. C. Fabricius, Mant. I. 1787, 244.—[=Semblis.]
 viridis Seps, J. N. Laurenti, Syn. Rept. 1768, 62 & 175.
 viridis Stello, J. N. Laurenti, Syn. Rept. 1768, 57.
 viridis Sturnus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 805.
 viridis Tanagra, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 158.
 viridis Tantalus (S. G. Gm.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 648.—
 viridis Tenebrio, A. G. Olivier, Entom. III. 1795, 8. [Numenius.
 viridis Tenthredo, Linnaeus, Syst. Nat., ed. 10, 1758, 557; ed. 12, 1767, 924.
 viridis Testudo, J. G. Schneider, Nat. Schildkr. 1783, 299.
 viridis Tetrao, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 761.
 viridis Todus, Linnaeus, Syst. Nat., ed. 12, 1766, 178.
 viridis Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3572.
 viridis Trogon, Linnaeus, Syst. Nat., ed. 12, 1766, 167.
 viridis Turdus, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 142.
 viridis Turdus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 830.
 viridis Upupa, H. Lichtenstein, Cat. rerum Nat. I. 1793, 22.
 viridis Vespa, A. F. de Fourcroy, Ent. Paris. 1785, 441.
 viridis Vorticella, O. F. Müller, Verm. I (1) 1773, 97.

- viridis auratus* Buffo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
viridi-squamosa Testudo, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
viridissima Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 13.—Necydalis.
viridissima Aranea, C. de Geer, Mém. Ins. VII. 1778, 252.
viridissima Cantharis, Linnaeus, Syst. Nat., ed. 10, 1758, 403; ed. 12, 1767, 650.
viridissimus Cimex, N. Poda, Ins. Mus. Graec. 1761, 56.
viridissimus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 226; ed. 12, 1766, 388.
viridissimus Gryllus (Tet.), Linnaeus, Syst. Nat., ed. 10, 1758, 430; ed. 12, I. 1767, 698.
viridissima Hydra, P. S. Pallas, Elench. 1766, 31.
viridissima Locusta (L.), J. C. Fabricius, Syst. Ent. 1775, 286.—Gryllus.
viridissima Necydalis (L.), J. C. Fabricius, Syst. Ent. 1775, 208.—Cantharis.
viridissimus Scarabaeus, J. A. Scopoli, Annus V. 1772, 84.
viridissimus Trochilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 496.
viridis-undatus [Mytilus], T. Martyn, Univ. Conch. IV [1792], fig. 152.
viridiusculus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2185.
viridulata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 524.
viridulum Acridium, O. F. Müller, Z. Dan. Prod. 1776, 100.
viridulum Acrydium (L.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 229.—Gryllus.
viridula Apis, J. C. Fabricius, Ent. Syst. II. 1793, 342.
viridulum Buccinum (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3493.—
viridulus Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 52. [Tritonium].
viridula Buprestis, A. G. Olivier, Entom. II. 1790, 27.
viridulus Carabus (Fourc.), C. de Villers, Linn. Ent. I. 1789, 377.—Buprestis.
viridula Cassida, G. Paykull, Faun. Suec. II. 1799, 49.
viridula Cetonia (Fab.), A. G. Olivier, Entom. I. 1789, 63.—Trichius.
viridula Chrysis, Linnaeus, Faun. Suec., ed. 2, 1761, 415.
viridula Chrysomela, C. de Geer, Mém. Ins. V. 1775, 311.
viridula Chrysomela, A. F. de Fourcroy, Ent. Paris. 1785, 107.
viridulus Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 444; ed. 12, 1767, 721.
viridulus Gryllus (Locusta), Linnaeus, Syst. Nat., ed. 10, 1758, 433; ed. 12, 1767, 702.
viridula Musca (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2835.—
viridulus Scarabaeus, C. de Geer, Mém. Ins. IV. 1774, 297. [Stratiomys].
viridulus Scarabaeus, P. Forskal, Descr. Anim. 1775, p. xxii [*n. n.*].
viridula Stratiomys, J. C. Fabricius, Syst. Ent. 1775, 760.
viridula Tipula, Linnaeus, Syst. Nat., ed. 12, 1767, 975.
viridulus Trichius, J. C. Fabricius, Syst. Ent. 1775, 820.
viridulum Tritonium, O. Fabricius, F. Groen. 1780, 402.
viridulus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3574.
viriduna *v.* *viridana*.
viriplaca Phalaena, Hufnagel, Berl. Mag. III. 1767, 406.
viror Cimex, M. Harris, Exp. Eng. Ins. 1776, 91. [272; *viscaccia*, Fr. ed., 1789, 289.]
viscacia Lepus, G. I. Molina, Sag. stor. nat. Chili, 1782, 307.—[*viscaccica*, Germ. ed., 1786,
viscariae Curculio, Linnaeus, Faun. Suec., ed. 2, 1761, 177.
visceralis Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3031.
visceralis Hydatis, J. J. Virey, Journ. de Phys. IV. 434 (1798).
visceralis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3059.
visci Coccus, F. v. P. Schrank, Ins. Aust. 1781, 296.
viscivorus Turdus, Linnaeus, Syst. Nat., ed. 10, 1758, 168; ed. 12, 1766, 291.
visitator Ichneumon, N. Poda, Ins. Mus. Graec. 1761, 105.
visitator Ichneumon, J. A. Scopoli, Ent. Carn. 1763, 285.
visitatrix Formica, J. L. Christ, Nat. Ins. 1791, 517.
visnaga Andrena, P. Rossi, Fauna Etrus. II. 1790, 97.
vison Lutra (Schr.), H. F. Link, Beytr. Nat. I (2) 1795, 84.—Mustela.
vison Mustela, J. C. D. Schreber, Säugth. III. 463 (1777), pl. cxxvii B (1777).
visus Curculio, P. Rossi, Mant. Ins. I. 1792, 42.
vitalbata Geometra, [Denis & Schiffermüller]. Schmett. Wien, 1775, 109.
vitalbata Geometra, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 269 [*n. et f.*].
vitana Pyralis, J. C. Fabricius, Ent. Syst. III (2) 1794, 249.

- vitellata Lunella, J. F. Bolten, Mus. Bolten. (2) 1798, 105.
 vitellinae Chrysonela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.
 vitellinae Chrysonela, J. C. Fabricius, Mant. I. 1787, 74.
 vitellinae Cimex (L.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 770.—Tenthredo.
 vitellinae Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 72.—Chrysonela.
 vitellinae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 18.—Chrysonela, 1787.
 vitellinae Tenthredo, Linnaeus, Syst. Nat., ed. 12, 1767, 921.
 vitellina Chrysonela, O. F. Müller, F. Ins. Frid. 1764, 9.
 vitellinus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
 vitellina Patella, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3716.
 vitellina Teuthredo, Linnaeus, Faun. Suec., ed. 2, 1761, 389.
 vitellius Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 327.
 vitellius Papilio (Fab.), J. E. Smith in Abbot, Ins. Georgia, 1797, 33.—Hesperia.
 vitellia [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 116.
 vitellus Albulia, J. F. Bolten, Mus. Bolten. (2) 1798, 20.
 vitella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 668.—Phalaena.
 vitellus Cochlis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 148.—Nerita.
 vitellus Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 721; ed. 12, 1767, 1176.
 vitellus Nerita, Linnaeus, Syst. Nat., ed. 10, 1758, 776; ed. 12, 1767, 1252.
 vitellus Neritaeformis (L.), F. C. Meuschen, Mus. Gever. 1787, 276.—Nerita.
 vittella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 890.
 vitellus Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 406.—Cypraea.
 vitella Tinea, J. C. Fabricius, Ent. Syst. III (2) 1794, 293.
 vitidana Cassida, Herbst in Jablonsky, Nat. Ins. (Käfer) VIII. 1799, 224.
 vitiliginosum Buccinum, F. C. Meuschen, Mus. Gever. 1787, 304.
 vitis Acarus, F. v. P. Schrank, Ins. Aust. 1781, 519.
 vitis Aphis, J. A. Scopoli, Ent. Carn. 1763, 137.
 vitis Aranea, Linnaeus in Hasselquist, Palast. 1762, 473.
 vitis Chermes, A. F. de Fourcroy, Ent. Paris. 1785, 228.
 vitis Chrysonela (Fab.), C. de Villers, Linn. Ent. I. 1789, 156.—Cryptocephalus.
 vitis Cistela, F. v. P. Schrank, F. Boica, I. 1798, 566.
 vitis Coccus, Linnaeus, Syst. Nat., ed. 10, 1758, 456; ed. 12, 1767, 741.
 vitis Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 108.
 vitis Eumolphus (Fab.), Illiger in Kugelann, Käfer Preuss. 1798, 498.—Cryptocephalus.
 vitis Fringilla, P. L. S. Müller in Linn. Syst. Nat., Suppl. (1776), 163.
 vitis Ichneumon, Linnaeus in Hasselquist, Palast. 1762, 469.
 vitis Melolontha, J. C. Fabricius, Syst. Ent. 1775, 37.
 vitis Scarabaeus (F.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 16.—Melolontha.
 vitis Sphinx, Linnaeus, Syst. Nat., ed. 10, 1758, 491; ed. 12, 1767, 801.
 vitis idaea Noctua, J. C. Fabricius, Suppl. Ent. Syst. 1798, 448.
 vitis idaeae Phalaena (Noctua), Linnaeus, Faun. Suec., ed. 2, 1761, 309.
 vitrata Cicada, C. de Villers, Linn. Ent. I. 1789, 472.
 vitrata Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 639.
 vitrata Musca, A. F. de Fourcroy, Ent. Paris. 1785, 475.
 vitrata Phalaena, J. C. Fabricius, Mant. II. 1787, 215.
 vitrealis Phalaena, P. Rossi, Mant. Ins. II. 1794, 42.
 vitrea Anomia, I. v. Born, Index Mus. Caes. Vind. 1778, 104.
 vitreus Apis, M. Harris, Exp. Eng. Ins. 1776, 135.
 vitreus Argonauta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3368.
 vitreus Astacus, J. C. Fabricius, Syst. Ent. 1775, 417.
 vitreus Bulimus (Born), J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 299.—Helix.
 vitreus Cancer (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2991.—Astacus.
 vitreus Cancer (Mantis) (Fabr.), J. F. W. Herbst, Vers. Nat. Krab. II (4) 1793, 102.—
 vitreum Dentalium, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3739. [Astacus.
 vitreus Dytiscus, G. Paykull, Faun. Suec. I. 1798, 217.
 vitreum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 93 [n. n.].
 vitreus Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 90.
 vitrea Helix, I. v. Born, Index Mus. Caes. Vind. 1778, 394.

- vitreus Musca, M. Harris, Exp. Eng. Ins. 1776, 48.
 vitrea Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3328.
 vitreus [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 146.
 vitrea [Phalaena], P. Cramer, Utitl. Kapellen, III (23) 1780, 151.
 vitrea Pinna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3366.
 vitrea Pinna, J. F. Bolten, Mus. Bolten. (2) 1798, 159.
 vitrea Serpula, O. Fabricius, F. Groen. 1780, 382.
 vitreus Squilla, J. C. Fabricius, Spec. Ins. I. 1781, 515.—Astacus, 1775.
 vitrea Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3235.
 vitrea Terebratula, G. Cuvier, Tab. Elém. 1798, 434.
 vitrea Turris, J. F. Bolten, Mus. Bolten. (2) 1798, 124.
 vitriolata Phalaena, D. Cyrillo, Ent. Neap. (typogr. ed.) 1787, 4.
 vitta Noctua (*ex Esper*, tab.), C. C. Jung, Alph. Verz. Schmett. II. 1792, 271.
 vitta Phalaena Noctua (Jung), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 482.—
 vittaria Phalaena, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 74. [Noctua.
 vittatella Phalaena Tinea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2607.
 vittatella Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 522.
 vittator Cerambix (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1831.—Lamia.
 vittator Lamia, J. C. Fabricius, Syst. Ent. 1775, 173.
 vittatum Acrydium, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 221.
 vittata Aedemera (Fab.), A. G. Olivier, Entom. III. 1795, 7.—Lagria.
 vittata Alata (L.), F. C. Meuschen, Mus. Gever. 1787, 334.—Strombus.
 vittata Altica, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 105.
 vittatus Angarius, F. C. Meuschen, Mus. Gever. 1787, 258.
 vittatus Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 138.
 vittata Aranea, A. F. de Fourcroy, Ent. Paris. 1785, 534.
 vittatus Asilus, A. G. Olivier, Ency. Méth. IV (Ins.) 1789, 263.
 vittata Bombyx, J. C. Fabricius, Mant. II. 1787, 127.
 vittatus Bostrichus, J. C. Fabricius, Mant. I. 1787, 38.
 vittatum Buccinum, Linnaeus, Syst. Nat., ed. 12, 1767, 1206.
 vittata Buprestis, J. C. Fabricius, Syst. Ent. 1775, 216.
 vittatum Callidium, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 265.
 vittatum Callidium, J. C. Fabricius, Ent. Syst. I (2) 1792, 323.
 vittata Cantharis (Fab.), A. G. Olivier, Ency. Méth. V (Ins.) 1790, 279.—Lytta.
 vittata Cantharis, J. C. Fabricius, Ent. Syst. I (1) 1792, 219.
 vittatus Carabus, J. C. Fabricius, Gen. Ins. 1777, 240.
 vittata Cassida, C. de Villers, Linn. Ent. I. 1789, 93.
 vittata Cassida, J. C. Fabricius, Suppl. Ent. Syst. 1798, 81.
 vittatus Cerambyx, J. C. Fabricius, Syst. Ent. 1775, 166.
 vittatus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1865.
 vittata Cercopis, J. C. Fabricius, Ent. Syst. IV. 1794, 53.
 vittata Cetonia, J. C. Fabricius, Syst. Ent. 1775, 819.
 vittatus Chalcides (L.), J. P. Bonnaterra, Ency. Méth. (Exp.) 1789, 66.—Lacerta.
 vittata Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 116.
 vittata Chrysomela, *id. ac* novemvittata, Fabr. 1781, J. C. Fabricius, Mant. I. 1787, 69.
 vittata Chrysomela, C. de Villers, Linn. Ent. I. 1789, 157.
 vittata Cicada, Linnaeus, Syst. Nat., ed. 10, 1758, 438; ed. 12, 1767, 710.
 vittata Cicada, A. G. Olivier, Ency. Méth. V (Ins.) 1790, 760.
 vittatus Cimex, J. C. Fabricius, Spec. Ins. II. 1781, 349.
 vittatus Cimex, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2166.
 vittata Coccinella, J. C. Fabricius, Ent. Syst. I (1) 1792, 269.
 vittatus Coluber, Linnaeus, Syst. Nat., ed. 10, 1758, 219; ed. 12, 1766, 380.
 vittata Conops, J. C. Fabricius, Ent. Syst. IV. 1794, 392.
 vittatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 704.
 vittata Crioceris, J. C. Fabricius, Syst. Ent. 1775, 122.
 vittatus Cryptocephalus, J. C. Fabricius, Syst. Ent. 1775, 110.
 vittatus Cuneus, E. M. da Costa, Brit. Conch. 1778, 207.
 vittatus Curculio, Linnaeus, Syst. Nat., ed. 10, 1758, 380; ed. 12, 1767, 610.

- vittatus Curculio, J. C. Fabricius, Spec. Ins. I. 1781, 164.
vittatus Dermestes (Fab.), C. de Villers, Linn. Ent. IV. 1789, 221.—Bostrichus.
vittata Donacia, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 292.
vittata Donacia, G. W. F. Panzer, Ins. Germ. heft 29 [1796], tab. 11.
vittata Donacia, F. v. P. Schrank, F. Boica, I. 1798, 683.
vittata Dryops, J. C. Fabricius, Ent. Syst. I (2) 1792, 76.—Lagriæ, 1775.
vittatus Dytiscus, J. C. Fabricius, Syst. Ent. 1775, 825.
vittatus Elater, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1914.
vittatus Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 224.
vittatum Epitonium (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 94.—Buccinum.
vittatum Epitonium, J. F. Bolten, Mus. Bolten. (2) 1798, 91.
vittata Fistularia, P. Forskal, Descr. Anim. 1775, 121.
vittata Galeruca (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 590.—Crioceris.
vittatus Gekko, M. Houttuyn, Verh. Zeeuwisch Genoot. Wet. Vlissingen, IX. 1782, 325.
vittata Geometra, C. P. Thunberg, Ins. Suecica (1) 1784, 8.
vittatus Gryllus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2056.—Truxalis.
vittata Helix, O. F. Müller, Verm. II. 1774, 76.
vittatus Helops, A. G. Olivier, Ency. Méth. VII (Ins.) 1792, 45.
vittata Hispa, J. C. Fabricius, Suppl. Ent. Syst. 1798, 117.
vittata Holothuria (Forsk.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3142.—
vittatus Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 425. [Fistularia.
vittatus Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2705.
vittatus Labrus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 256.
vittata Lacerta (Houtt.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1067.—Gekko.
vittata Lagria, J. C. Fabricius, Syst. Ent. 1775, 125.
vittata Lambis (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 66.—Strombus.
vittata Lampyrus, A. G. Olivier, Entom. II. 1790, 23.
vittata Lepisma, J. C. Fabricius, Suppl. Ent. Syst. 1798, 199.
vittata Leptura, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 198.
vittata Leptura, A. G. Olivier, Entom. IV. 1795, 30.
vittatus Limax, T. Martyn, Univ. Conch. III [1789], fig. 118.
vittata Locusta, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1787, 59.
vittata Lytta, J. C. Fabricius, Syst. Ent. 1775, 260.
vittatus Meloe, C. P. Thunberg, Nov. Ins. Spec. (6) 1791, 109.
vittata Melolontha, J. C. Fabricius, Syst. Ent. 1775, 40.
vittata Mitra, J. F. Bolten, Mus. Bolten. (2) 1798, 137 [n. n.].
vittatus Mullus, P. Forskal, Descr. Anim. 1775, 31.
vittata Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 355.
vittata Natrix (Linn.), J. N. Laurenti, Syn. Rept. 1768, 74.—Coluber.
vittata Nerita, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3674.
vittata Noctua, J. C. Fabricius, Syst. Ent. 1775, 600.
vittata Ostrea, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3321.
vittata Perca, Linnaeus, Syst. Nat., ed. 10, 1758, 291; ed. 12, 1766, 485.
vittata Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 217.
vittata Phalaena Geometra, M. B. Borkhausen, Nat. eur. Schmett. V. 1794, 63.
vittata Pimelia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2008.
vittata Pimelia (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2009.—Sepi-
vittata Plotia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 96.—Buccinum. [dium.
vittatus Prionus, A. G. Olivier, Entom. IV. 1795, 39.
vittata Procellaria, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 560.
vittatus Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 49.
vittata Saperda, J. C. Fabricius, Gen. Ins. 1777, 231.
vittatus Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—
vittatum Sepidium, J. C. Fabricius, Spec. Ins. I. 1781, 315. [Melolontha.
vittatus Silurus, M. E. Bloch, Nat. ausl. Fische, VIII. 1794, 50.
vittatus Sparus, M. E. Bloch, Nat. ausl. Fische, V. 1791, 33.
vittatus Squalus, J. J. Walbaum, Artedi, Ichth. (3), ed. 2, 1792, 516.
vittata Sterna, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 609.

- vittatus** Strombus, Linnaeus, Syst. Nat., ed. 10, 1758, 745; ed. 12, 1767, 1211.
vittatus Tabanus, J. C. Fabricius, Ent. Syst. IV. 1794, 371.
vittata Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 337.
vittata Tritoma, J. C. Fabricius, Mant. I. 1787, 44.
vittatus Trochus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3575.
vittatus Truxalis, J. C. Fabricius, Mant. I. 1787, 231.
vittata Viverra, J. C. D. Schreber, Säugth. III. 447 (1777), pl. cxxiv (1776).
vittatus Ypsolophus (L.), J. C. Fabricius, Suppl. Ent. Syst. 1798, 506.—Phalaena vittella.
vittella *v.* vitellus.
vituli Ascaris, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3032.
vituli Oestrus, J. C. Fabricius, Ent. Syst. IV. 1794, 231.
vituli Pediculus, Linnaeus, Syst. Nat., ed. 10, 1758, 611; ed. 12, 1767, 1018.
Vitulinus M. J. Brisson, Reg. Anim. 1762, 162.—M.
vitulinus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 648.
vitulina Phoca, Linnaeus, Syst. Nat., ed. 10, 1758, 38; ed. 12, 1766, 56.
vitulina Phoca, R. Kerr, Anim. Kingd. 1792, 124; *varr.* botnica, sibirica, caspica.
vitulorum Ascaris, J. A. E. Goetze, Eingeweidewürm. 1782, 72.
vitulus Alpheus, F. Weber, Nomen. Fabricii, 1795, 91 [*n. n.*].
vitulus Cicada (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2095.—Membracis.
vitulus Copris (Fab.), L. G. Scriba, J. Lieb. Ent. I. 1790, 53.—Scarabaeus.
vitulus Copris, J. C. Fabricius, Suppl. Ent. Syst. 1798, 32.
vitulus Curculio, J. C. Fabricius, Syst. Ent. 1775, 152.
vitulus Membracis, J. C. Fabricius, Syst. Ent. 1775, 677.
vitulus Pilularius (Fab.), F. v. P. Schrank, F. Boica, I. 1798, 395.—Scarabaeus.
vitulus Scarabaeus, J. C. Fabricius, Gen. Ins. 1777, 209.
vivax Musca, O. Fabricius, F. Groen. 1780, 206.
Viverra Linnaeus, Syst. Nat., ed. 10, 1758, 43; ed. 12, 1766, 63.—M.
viverra Curculio, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 83.
vividis Melolontha, *err. pro* viridis, Fabr., J. C. Fabricius, Mant. I. 1787, 20.
vivida Cicada, J. C. Fabricius, Syst. Ent. 1775, 683.
vivida Coracias, J. Latham, Index Orn. 1790, 170.
vivida Flata, J. C. Fabricius, Suppl. Ent. Syst. 1798, 519.—Cicada, 1775.
vividus Trachinus, B. G. E. de Lacépède, Hist. Nat. Poiss. II. 1800, 353.
viviparus Angarius (L.), F. C. Meuschen, Mus. Gever. 1787, 256.—Helix.
viviparus Blennius, Linnaeus, Syst. Nat., ed. 10, 1758, 258; ed. 12, 1766, 443.
viviparus Cuculanus, M. E. Bloch, Eingeweidewürmer, 1782, 34.
viviparus Enchelyopus, F. C. Meuschen, Mus. Gronov. 1778, 29.
viviparus Gordius, M. E. Bloch, Eingeweidewürmer, 1782, 33.
vivipara Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 772; ed. 12, 1767, 1247.
vivipara (major et minor) Musca, C. de Geer, Mém. Ins. VI. 1776, 63.
vivipara Nerita (Linn.), O. F. Müller, Verm. II. 1774, 182.—Helix.
V-luteum Cimex, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 106.
V-nigrum Bombyx, J. C. Fabricius, Syst. Ent. 1775, 577.
V-nigrum Lygaeus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 108.
V-nigrum Phalaena (Noct.), C. de Villers, Linn. Ent. II. 1789, 286.
vocans Acrydium (Fab.), A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 222.—Gryllus.
vocans Alpheus (L.), F. Weber, Nomen. Fabricii, 1795, 92.—Cancer.
vocans Cancer, Linnaeus, Syst. Nat., ed. 10, 1758, 626; ed. 12, 1767, 1041.
vocans Gryllus, J. C. Fabricius, Syst. Ent. 1775, 290.
vocifer Falco, F. M. Daudin, Traité élém. Orn. 1800, 65.
vociferans Penelope, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 735.
vociferus Charadrius, Linnaeus, Syst. Nat., ed. 10, 1758, 150; ed. 12, 1766, 253.
vociferus Falco, J. Latham, Index Orn. 1790, 46.
vocula [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (30) 1781, 121.
vocula [Phalaena], C. Stoll, Aanh. Cramer's Utitl. Kapellen, IV. 1790, 143.
voetii Chrysomela, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 62.
voetii Lytta, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 72.
volans Cataphractus, F. C. Meuschen, Mus. Gronov. 1778, 56.

- volans Didelphis, R. Kerr, Anim. Kingd. 1792, 199.
 volans Draco, Linnaeus, Syst. Nat., ed. 10, 1758, 199; ed. 12, 1766, 358.
 volans Galeopithecus (L.), P. S. Pallas, Acta Ac. Sci. Petrop. 1780 (1) 1783, 216.—Lemur.
 volans Lemur, Linnaeus, Syst. Nat., ed. 10, 1758, 30; ed. 12, 1766, 45.
 volans Mus, Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 85.
 volans Pegasus, Linnaeus, Syst. Nat., ed. 12, 1766, 418.
 volans Petaurista (Linn.), H. F. Link, Beytr. Nat. I (2) 1795, 78.—Sciurus.
 volans Phalanger, B. G. E. de Lacépède, Tabl. Mamm. 1799, 6.
 volans Prosimia (Linn.), P. Boddaert, Elench. 1785, 65.—Lemur.
 volans Purpura, F. C. Meuschen, Mus. Gever. 1787, 310.
 volans Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 64; ed. 12, 1766, 88.
 volans Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 267.
 volatilis Purpura, F. C. Meuschen, Mus. Gever. 1787, 314.
 volcanus Sparus, G. S. Volta, Itt. Veron. (2) [circa 1800], ccxliii.
 volckmari Dytiscus, Hellwig in G. W. F. Panzer, Ins, Germ. heft 7, 1793, tab. 4.
 Volema J. F. Bolten, Mus. Bolten. (2) 1798, 57.—G.
 volema Rapa, J. F. Bolten, Mus. Bolten. (2) 1798, 149.
 volets Musca, M. Harris, Exp. Eng. Ins. 1776, 84.
 volgensis Perca, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1309.
 volitans Exocoetus, Linnaeus, Syst. Nat., ed. 10, 1758, 316; ed. 12, 1766, 520.
 volitans Formica, J. L. Christ, Nat. Ins. 1791, 518.
 volitans Gasterosteus, Linnaeus, Syst. Nat., ed. 10, 1758, 296; ed. 12, 1766, 491.
 volitans Pegasus, Linnaeus, Syst. Nat., ed. 10, 1758, 338; ed. 12, 1766, 418.
 volitans Scorpaena (Linn.), M. E. Bloch, Nat. ausl. Fische, III. 1787, 18.—Gasterosteus.
 volitans Trigla, Linnaeus, Syst. Nat., ed. 10, 1758, 302; ed. 12, 1766, 498.
 volito Musca, M. Harris, Exp. Eng. Ins. 1776, 122.
 volkameriae Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792, 28.
 Volsella J. A. Scopoli, Introd. Hist. Nat. 1777, 397.—L.
 Volsella A. Modeer, K. Vet. Ac. Nya Handl. XIV. 1793, 179.—L.
 Vulsella J. F. Bolten, Mus. Bolten. (2) 1798, 156.—L.
 Vulsella [G. Humphreys], Mus. Calonn. 1797, 44.—L.
 Vulsella Lamarck, Mém. Soc. H. N. Paris, 1799, 82.—L.
 vulsella Baphia (L.), F. C. Meuschen, Mus. Gever. 1787, 472.—Mya.
 vulsella Mya, Linnaeus, Syst. Nat., ed. 10, 1758, 671; ed. 12, 1767, 1113.
 vulsella Ostrea, J. Hermann, Naturforscher, XVII. 1782, 147.
 vulsella Unio, C. P. Thunberg, D. D. Mus. Ac. Upsal., 1789, 96.
 vulsella Vulsella (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 156.—Mya.
 volubilis Sertularia, Linnaeus, Syst. Nat., ed. 10, 1758, 811; ed. 12, 1767, 1311.
 volubilis Sertularia, P. S. Pallas, Elench. 1766, 122.
 Volucella E. L. Geoffroy, Hist. Insect. Paris, II. 1762, 540.—Dip.
 Voluccella J. C. Fabricius, Ent. Syst. IV. 1794, 412.—Dip.
 Volucella J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 352.—M.
 voluccella Didelphus, F. A. A. Meyer, Zool. Entdeck. 1793, 26.
 volucella Sciurus, P. S. Pallas, N. Spec. Quad. II. 1779, 353.
 volucella Sciurus (Petaurus), R. Kerr, Anim. Kingd. 1792, 266.
 volucrella Petaurista, H. F. Link, Beytr. Nat. I (2) 1795, 78.
 volupia Phalaena, Hufnagel, Berl. Mag. III. 1767, 304.
 Voluta Linnaeus, Syst. Nat., ed. 10, 1758, 729; ed. 12, 1767, 1186.—G.
 volutans Volvox, J. Ellis, Phil. Trans. LIX. 1770, 149.
 volutator Himantopus, O. F. Müller, An. Infus. 1786, 251.
 volutator Oniscus, P. S. Pallas, Misc. Zool. 1766, 192.
 volutatorius Ichneumon, Linnaeus, Syst. Nat., ed. 10, 1758, 562; ed. 12, 1767, 932.
 volutata Ancilla, F. C. Meuschen, Mus. Gever. 1787, 248.
 volutata Bulla, D. Solander, in G. Brander, Foss. Hant. 1766, 34.
 volutata Oleacina (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 110.—Bulla voluta.
 volutata Phalaena, J. C. Fabricius, Syst. Ent. 1775, 635.
 volutata Pyramis, J. F. Bolten, Mus. Bolten. (2) 1798, 58.
 Volutites J. Gesner, Tract. Petref. 1758, 56.—G.

- voluta** Altica, J. N. Laicharting, Tyrol. Ins. I. 1781, 196.
voluta Bulla, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3433.
Volva J. F. Bolten, Mus. Bolten. (2) 1798, 21.—G.
volva Actinia, O. F. Müller, Z. Dan. Prod. 1776, 231.
volva Bulla, Linnaeus, Syst. Nat., ed. 10, 1758, 725; ed. 12, 1767, 1182.
volva Pterygia (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 52.—Voluta.
volva Voluta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
volvens Actinophorus (Ol.), J. Sturm, Verz. Ins. Samml. 1800, 81.—Scarabaeus.
volvens Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 66.
Volvox Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1324.—Inf.
Volvoxis J. G. Kugelann, N. Mag. Lieb. Ent. [Schneider's], V. 1794, 535.—Col.
volvulus Apate, J. C. Fabricius, Ent. Syst. I (2) 1792, 363.
volvulus Bostrichus, J. C. Fabricius, Ent. Syst. IV. 1794, 454.
volvulus Brentus, J. C. Fabricius, Ent. Syst. I (2) 1792, 493.
volvulus Buprestis, J. C. Fabricius, Ent. Syst. I (2) 1792, 202.
volvulus Cerambyx, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1839.
volvulus Curculio, J. C. Fabricius, Suppl. Ent. Syst. 1798, 163.
volvulus Helix, O. F. Müller, Verm. II. 1774, 82.
volvulus Musca, J. C. Fabricius, Ent. Syst. IV. 1794, 328.
volvulus Saperda, J. C. Fabricius, Mant. I. 1787, 150.
volvulus Scolia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 256.
volvulus Syrphus, J. C. Fabricius, Ent. Syst. IV. 1794, 295.
vomer Lambis, J. F. Bolten, Mus. Bolten. (2) 1798, 64.
vomer Zeus, Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 454.
vomitoria Musca, Linnaeus, Syst. Nat., ed. 10, 1758, 595; ed. 12, 1767, 989.
vomitoria Volucella (Linn.), O. F. Müller, Z. Dan. Prod. 1776, 178.—Musca.
vorax Apion, Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 129.
vorax Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 444.
vorax Ichneumon, A. F. de Fourcroy, Ent. Paris. 1785, 411.
vorax Musca, A. F. de Fourcroy, Ent. Paris. 1785, 486.
vorax Volvox, J. Ellis, Phil. Trans. LIX. 1770, 150.
vormela Mus, J. M. Bechstein in Pennant, Uebers. 4füßs. Thiere, II. 1800, 526.
Vortex [G. Humphreys], Mus. Calonn. 1797, 58.—G.
vortex Helix, Linnaeus, Syst. Nat., ed. 10, 1758, 770; ed. 12, 1767, 1243.
vortex Nautilus, L. v. Fichtel & J. P. C. v. Moll, Test. Micr. 1798, 33.
vortex Planorbis (Linn.), O. F. Müller, Verm. II. 1774, 158.—Helix.
Vorticella Linnaeus, Syst. Nat., ed. 12, 1767, 1317.—Inf.
Vorticella O. F. Müller, Verm. I (1) 1773, 96.—Inf.
vorticella Phalaena, Scopoli, Ent. Carn. 1763, 252.
vosmeri Anthias, M. E. Bloch, Nat. ausl. Fische, VI. 1792, 120.
votivus Carabus, P. Rossi, Mant. Ins. I. 1792, 90.
vulcanus Geotrupes, J. C. Fabricius, Suppl. Ent. Syst. 1798, 15.—Scarabaeus, 1792.
vulcanus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 264.
vulcanus Papilio (Fab.), E. Donovan, Ins. India, 1800.—Hesperia.
vulcanus [Papilio], P. Cramer, Uitl. Kapellen, III (21) 1779, 87.
vulcanus Papilio, J. C. Fabricius, Syst. Ent. 1775, 519.
vulcanus Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 11.
vulgaris Ammophila, W. Kirby, Tr. Linn. Soc. [Lond.], IV. 1798, 201.
vulgaris Amphisbaena, J. N. Laurenti, Syn. Rept. 1768, 66.
vulgaris Balanus, E. M. da Costa, Brit. Conch. 1778, 248.
vulgare Buccinum, E. M. da Costa, Brit. Conch. 1778, 122.
vulgaris Bufo, J. N. Laurenti, Syn. Rept. 1768, 28 & 125.
vulgaris Buprestis, A. F. de Fourcroy, Ent. Paris. 1785, 53.
vulgaris Capra, J. R. Forster, Phil. Trans. LVII (2) 1768, 344.
vulgaris Carabus, Linnaeus, Syst. Nat., ed. 10, 1758, 415; ed. 12, 1767, 672.
vulgare Cardium, E. M. da Costa, Brit. Conch. 1778, 180.
vulgare Cerion, J. F. Bolten, Mus. Bolten. (2) 1798, 90.
vulgaris Chalcida, F. A. A. Meyer, Syn. Rept. 1795, 31.

- vulgaris Coluber, G. de Razoumowsky, Hist. Nat. Jorat, 1789, 121.
 vulgaris Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.), 1790, 28.
 vulgaris Colymbus, J. A. Scopoli, Annus I. 1769, 78.
 vulgaris Conops, Scopoli, Ent. Carn., 1763, 354.
 vulgaris Corvus, J. A. Scopoli, Annus I. 1769, 35.
 vulgaris Crangon, J. C. Fabricius, Suppl. Ent. Syst. 1798, 410.
 vulgaris Crucirostra, F. M. Daudin, Traité élém. Orn. 1800, 357.
 vulgare Dentale, E. M. da Costa, Brit. Conch. 1778, 24.
 vulgaris Donacia, J. J. Zschachi, Mus. Lesk. 1788, 27.
 vulgaris Echinites, N. G. Leske, Add. Klein Nat. Disp. Ech. 1778, 165.
 vulgaris Echinus (Leske), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3182.—Echi-
 vulgaris Elater, J. F. W. Herbst in Fuessly, Arch. Ins. V. 1784, 114. [nites.
 vulgaris Felis (Lynx), Schr., R. Kerr, Anim. Kingd. 1792, 157; *varr.* albus, melinus,
 maculatus.
 vulgaris Gavia, M. Houttuyn in Nozeman & Houttuyn, Ned. Vogel. I (177-), 65.
 vulgaris Gryllus, P. Forskal, Descr. Anim. 1775, xxii.
 vulgaris Haliotis, E. M. da Costa, Brit. Conch. 1778, 15.
 vulgaris Helix, E. M. da Costa, Brit. Conch. 1778, 72.
 vulgaris Hirudo, O. F. Müller, Verm. I (2) 1774, 40.
 vulgaris Hydra, P. S. Pallas, Elench. 1766, 30.
 vulgaris Hyla, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 vulgaris Icterus, F. M. Daudin, Traité élém. Orn. 1800, 340.
 vulgaris Lacerta, Linnaeus, Syst. Nat., ed. 10, 1758, 206; ed. 12, 1766, 370.
 vulgaris Lepisma, Scopoli, Ent. Carn. 1763, 378.
 vulgaris Leptura (Zsch.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1807.—Donacia.
 vulgaris Loligo, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130:
 vulgaris Lutra, J. C. P. Erxleben, Syst. Anim. 1777, 448.
 vulgaris Melolontha, J. C. Fabricius, Syst. Ent. 1775, 32.
 vulgaris Mustela, J. C. D. Schreber, Säugth. III. 498 (1777), pl. cxxxviii (nivalis) (1776).
 vulgaris Mustela, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 99; *varr.* aestiva,
 vulgaris Mytilus, E. M. da Costa, Brit. Conch. 1778, 216. [nivalis.
 vulgaris Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3358.
 vulgaris Natrix, J. N. Laurenti, Syn. Rept. 1768, 75 & 180.
 vulgaris Nicrophorus, J. C. Fabricius, Syst. Ent. 1775, 72.
 vulgaris Octopus, Lamarck, Bull. Sci. Soc. Philom. [Paris], no. 17, 1798, 130.
 vulgare Ostreum, E. M. da Costa, Brit. Conch. 1778, 154.
 vulgaris Patella, E. M. da Costa, Brit. Conch. 1778, 3.
 vulgaris Pecten, E. M. da Costa, Brit. Conch. 1778, 140.
 vulgare Peloriderma, J. X. Poli, Test. Sicil. II. 1795, 261.
 vulgaris Perca, J. C. Schaeffer, Piscium Bavar. 1761, 1.
 vulgaris Perca, F. v. P. Schrank, Abh. Privatges. Nat. Oberdeutschl. I. 1792, 99.
 vulgaris Proscarabaeus, F. v. P. Schrank, Ins. Aust. 1781, 225.
 vulgaris Pterygia, J. F. Bolten, Mus. Bolten. (2) 1798, 51.
 vulgaris Pulex, C. de Geer, Mém. Ins. VII. 1778, 8.
 vulgaris Raia, C. F. Stephan, De Raiis, 1779, 23.
 vulgaris Rana, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth.
 vulgaris Sciurus, Linnaeus, Syst. Nat., ed. 10, 1758, 63; ed. 12, 1766, 86.
 vulgaris Sciurus, L., J. C. P. Erxleben, Syst. Anim. 1777; *incl.* S. hudsonicus, ceylonicus,
 416; persicus, 417. [niger, albus.
 vulgaris Sciurus, L., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 146; *varr.* varius,
 vulgaris Sciurus, R. Kerr, Anim. Kingd. 1792; *varr.* rufus, 255; leucourus, argenteus,
 vulgaris Spongia, J. F. Maratti, Plant. Zooph. Med. 1776, 17. [256.
 vulgaris Sturnus, Linnaeus, Syst. Nat., ed. 10, 1758, 167; ed. 12, 1766, 290.
 vulgaris Taenia, Linnaeus, Syst. Nat., ed. 10, 1758, 820; ed. 12, 1767, 1323.
 vulgaris Tenebrio, P. Forskal, Descr. Anim. 1775, 79.
 vulgaris Vespa, Linnaeus, Syst. Nat., ed. 10, 1758, 572; ed. 12, 1767, 949.
 vulgaris Vultur, F. M. Daudin, Traité élém. Orn. 1800, 16.
 vulgatissima Chrysomela, Linnaeus, Syst. Nat., ed. 10, 1758, 370; ed. 12, 1767, 589.

- vulgatissima Coccinella (Linn.), Scopoli, Ent. Carn. 1763, 71.—Chrysomela.
vulgatissima Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 544; ed. 12, 1767, 902.
vulgatum Buccinum, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3496.
vulgatum Cerithium, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 481.
vulgata Ephemera, Linnaeus, Syst. Nat., ed. 10, 1758, 546; ed. 12, 1767, 906.
vulgata Libellula, Linnaeus, Syst. Nat., ed. 10, 1758, 543; ed. 12, 1767, 901.
vulgata Patella, Linnaeus, Syst. Nat., ed. 10, 1758, 782; ed. 12, 1767, 1258.
vulgata Phryganea, A. F. de Fourcroy, Ent. Paris. 1785, 354.
vulgella Tinea, [Denis & Schiffermüller], Schmett. Wien, 1775, 139.
vulgo Apis, M. Harris, Exp. Eng. Ins. 1776, 137.
vulgus Curculio, *err. pro valgus*, Fabr. 1775, J. C. Fabricius, Mant. I. 1787, 118.
vulneratus Cerambyx, J. G. Schaller, Abh. Hallisch. n. Ges. I. 1783, 293.
vulneratus Syrphus, G. W. F. Panzer, Ins. Germ. heft 60, 1798, tab. 9.
vulpecula Didelphis, R. Kerr, Anim. Kingd. 1792, 198.
vulpecula Murex (L.), F. C. Meuschen, Mus. Gever. 1787, 330.—Voluta.
vulpecula Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
vulpecula Viverra, J. C. D. Schreber, Säugth. III. 440 (1777), pl. cxx (1776).
vulpecula Voluta, Linnaeus, Syst. Nat., ed. 10, 1758, 732; ed. 12, 1767, 1193.
vulpenaria [Phalaena], C. Stoll in Cramer, Utit. Kapellen, IV (34) 1782, 245.
Vulpes M. Catesby, Pisc. &c. Imag. 1777, 1.—P.
Vulpis G. Edwards in M. Catesby, Carol. II. 1771, 1.—P.
vulpis Alaria, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 52.
vulpis Ascaris, J. A. Frolich, Naturforscher, XXIV. 1789, 140.
vulpes Canis, Linnaeus, Syst. Nat., ed. 10, 1758, 40; ed. 12, 1766, 59.
vulpes Canis, L., R. Kerr, Anim. Kingd. 1792; *varr.* lycaon, 141; corsac, 142; karagan, virginianus, cinereo-argentatus, 143; chilensis, crucigera, australis, 144.
vulpes alopex Canis, R. Kerr, Anim. Kingd. 1792, 142; *varr.* americanus, europaeus.
vulpes lagopus Canis, L., R. Kerr, Anim. Kingd. 1792, 143; *varr.* albus, caeruleus.
vulpes Canis (L.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 672; *varr.* nigra, cinerea, alba, lutea.
vulpes Esox, Linnaeus, Syst. Nat., ed. 10, 1758, 313; ed. 12, 1766, 516.
vulpis Fasciola, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3053.
vulpes Ichneumon, J. L. Christ, Nat. Ins. 1791, 358.
vulpis Melolontha, J. C. Fabricius, Spec. Ins. I. 1781, 47.
vulpes Melolontha, *non valpes*, Mant. I. 1787, 25; J. C. Fabricius, Ent. Syst. I (2) 1792, 183.
vulpes Scarabaeus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1567.—Melo-
vulpes Squalus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1496. [lontha, 1781].
vulpis Taenia, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3060.
vulpis Trichocephalus, J. A. Frolich, Naturforscher, XXIV. 1789, 142.
vulpis Uncinaria, J. A. Frolich, Naturforscher, XXIV. 1789, 137.
vulpinaria Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 272.
vulpinaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 520.
vulpina Apis, J. L. Christ, Nat. Ins. 1791, 161.
vulpina Apis, G. W. F. Panzer, Ins. Germ. heft 56 [1798], tab. 6.
vulpina Chrysomela, J. C. Fabricius, Spec. Ins. I. 1781, 122.
vulpina Coccinella, J. C. Fabricius, Suppl. Ent. Syst. 1798, 80.
vulpinus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 648.
vulpinus Dermestes, J. C. Fabricius, Spec. Ins. I. 1781, 64.
vulpina Didelphis, F. A. A. Meyer, Zool. Entdeck. 1793, 23.
vulpinus Murex, I. v. Born, Index Mus. Caes. Vind. 1778, 318.
vulpina Musca, J. C. Fabricius, Syst. Ent. 1775, 776.
vulpina Musca, C. de Villers, Linn. Ent. IV. 1789, 554.
vulpina Noctua, J. C. Fabricius, Syst. Ent. 1775, 598.
vulpinus Sciurus, J. C. D. Schreber, Säugth. IV. 772 (1785), pl. ccxv B (1781?).
vulpinus Sciurus, R. Kerr, Anim. Kingd. 1792; *var.* albus, 257.
vulpina Stratiomys, G. W. F. Panzer, Ins. Germ. heft 58 [1798], tab. 24.
vulpinus Strongylus, O. Fabricius, Skr. nat. Selsk. [Copen.], III (2) 1794, 12.
vulpina Taenia, F. v. P. Schrank, Verz. Eingeweidewürmer, 1788, 34.

vulpis *v. vulpes*.

Vulsella *v. Volsella*.

Vultur Linnaeus, Syst. Nat., ed. 10, 1758, 86; ed. 12, 1766, 121.—A.

vulturinus Falco, F. M. Daudin, Traité élém. Orn. 1800, 53.

vulturinus Gryllus (De G.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2071.—

vulturina Locusta, C. de Geer, Mém. Ins. III. 1773, 451.

[Locusta.

vulturis Pediculus, J. C. Fabricius, Syst. Ent. 1775, 806.

[vulva *v. volva*.]

vuteria [Phalaena], C. Stoll, Aanhang, Cramer's Uitl. Kapellen, V. 1790, 161.

waeneri Phryganea, Linnaeus, Syst. Nat., ed. 10, 1758, 548; ed. 12, 1767, 910.

wagellus Larus, [M. Tunstall], Orn. Brit. 1771, 3 [*n. n.*].

wahlbomiana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 532; ed. 12, 1767, 879.

W-album Papilio (P. R.), A. W. Knoch, Beitr. Insektenges. II. 1782, 85.

walchiana [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (32) 1782, 191.

walchiana Phalaena (Tort.), Herbst, Einl. Ins. II. 1785, 128.

wallicus Psittacus, R. Kerr, Anim. Kingd. 1792, 581.

wapacuthu Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 291.

wartmanni Salmo, M. E. Bloch, Nat. Fische Deutschl. III. 1784, 161.

wattsii Squalus, F. A. A. Meyer, Zool. Entdeck. 1793, 72.

wauaria Geometra, J. Hübner, Europ. Schmett. (Geom.) [me justice 1796], fig. 55 [*n. et f.*].

wauaria Phalaena (Geometra), Linnaeus, Syst. Nat., ed. 10, 1758, 522; ed. 12, 1767, 863.

wauaria Venus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3291.

weberi Tillus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 118.

wedelina [Phalaena], C. Stoll in Cramer, Uitl. Kapellen, IV (34) 1782, 229.

weigelii Coluber, U. J. Sentzen in Meyer, Zool. Archiv (2) 1796, 59.

wernerii Ascaris, C. A. Rudolphi, Obs. Ver. Intest. 1793, 11.

wernerii Fusaria, J. G. H. Zeder in Goetze, 1 Nachtr. Eingeweidewürm. 1800, 42.

wernerii Phryganea, Linnaeus, Reise Schwed. (ed. Schreber), II. 1765, 54.

westriniana Tortrix, C. P. Thunberg, Ins. Suecica (1) 1784, 21.

whiff-iaeonis Pleuronectes, J. J. Walbaum, Artdi. Ichth. (3), ed. 2, 1792, 120.

wiedemanelle Phalaena (Tinea), O. F. Müller, F. Ins. Frid. 1764, 58.

wigeon Anas, J. P. Bonnaterre, Ency. Méth. (Orn.) 1790, 128.

wilkella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 541; ed. 12, 1767, 897.

wilkella Tinea (L.), J. C. Fabricius, Syst. Ent. 1775, 664.—Phalaena.

wilkii Aranea, Scopoli, Ent. Carn. 1763, 400.

williana Phalaena Tortrix, N. J. Brahm, Ins. Kal. II (1) 1791, 267.

wimbra *v. vimba*.

wimpa Cyprinus, O. F. Müller, Z. Dan. Prod. 1776, 51, *vide vimba*.

wintherae Sphaeridium, J. C. Fabricius, Suppl. Ent. Syst. 1798, 39.

W-latinum Papilio, H. G. Lang, Verz. Schmett., ed. 2, 1789, 46.

W-latinum Phalaena, Hufnagel, Berl. Mag. III. 1767, 292.

woeberana Pyralis (D & S.), J. C. Fabricius, Mant. II. 1787, 230.—Tortrix.

wöberiana Tortrix, [Denis & Schiffermüller], Schmett. Wien, 1775, 126.

wolgensis Rana, J. P. Falk, Reise Russ. (5) 1786, 412 [*n. n.*].

wulfeniana Phalaena, Scopoli, Ent. Carn. 1763, 235.

wulfii Phalaena, S. v. Hochenwarth, Schrift. Berlin. Ges. Nat. Freunde, VI. 1785, 335.

wurfbainii Triton, J. N. Laurenti, Syn. Rept. 1768, 38.

xaiva Cancer, G. I. Molina, Sag. stor. nat. Chili, 1782, 206.

Xancus J. F. Bolten, Mus. Bolten. (2) 1798, 134.—G.

xanthe Hesperia (D. & S.), J. C. Fabricius, Ent. Syst. III (1) 1793, 312.—Papilio.

xanthe Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 181.

xanthium Spondylus, F. C. Meuschen, Mus. Gever. 1787, 436.

xantocephalus Dermestes, C. Quensel, Diss. ign. insect. Sp. 1790, 10.

xanthocephala Sphecx, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].

- xanthocephala* SpheX, J. R. Forster, N. Sp. Ins. 1771, 86.
xanthoceros Phalaena Noctua, M. B. Borkhausen, Nat. eur. Schmett. IV. 1792, 276.
xanthogona Chrysomela, J. R. Forster, Cat. Brit. Ins. 1770, 6 [*n. n.*].
xanthographa Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 83.
xanthomela Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 638.
xanthomelaena Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 78.
xanthomelas Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
xanthomelas Papilio, [Denis & Schiffermüller], Schmett. Wien, 1775, 175.
xanthomelas Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2709.
xanthomelas Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722.
xanthometopa Apis, J. D. Preysler in Mayer's Samml. Phys. Aufsätze, III. 1793, 167.
xanthopoda Adinonia, F. v. P. Schrank, F. Boica, I. 1798, 559.—Chrysomela, 1781.
xanthopoda Chrysomela, F. v. P. Schrank, Ins. Aust. 1781, 93.
xanthopoda Luperus (Schr.), G. A. Harrer, Besch. Schaeffer Icones, 1784, 160.—Chryso-
xanthoptera Mantis, B. E. Manuel, Ency. Méth. VII (Ins.) 1792, 637. [mela.
xantopterum Sphaeridium, J. N. Laicharting, Tyrol. Ins. I. 1781, 85.
xanthopus Ichneumon, F. v. P. Schrank, Ins. Aust. 1781, 370.
xanthopus Luperus, F. v. P. Schrank, N. Mag. Lieb. Ent. [Fuessly's], II (4) 1785, 320.
xanthorius Ichneumon, J. R. Forster, Cat. Brit. Ins. 1770, 14 [*n. n.*].
xanthorius Ichneumon, J. R. Forster, N. Sp. Ins. 1771, 83.
Xanthornus P. S. Pallas, Spic. Zool. (6) 1769, 1.—A.
Xanthornus J. A. Scopoli, Introd. Hist. Nat. 1777, 481.—A.
Xanthornus B. G. E. de Lacépède, Tabl. Oiseaux, 1799, 6.—A.
xanthornus Coracias, Linnaeus, Syst. Nat., ed. 10, 1758, 108.
xanthornus Icterus (L.), F. M. Daudin, Traité élém. Orn. 1800, 334.—Oriolus.
xanthorus Oriolus, Linnaeus, Syst. Nat., ed. 12, 1766 [errata, end of vol. I.], [*olim mexica-*
xanthuros Ichneumon, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2722. [nus].
xanthus [Papilio], C. Clerck, Icones, II. 1764, pl. xxxiv.
xanthus Papilio (Danaus), Linnaeus, Syst. Nat., ed. 10, 1758, 472; ed. 12, 1767, 767.
xantus Scarabaeus, A. G. Olivier, Entom. I. 1789, 180.
xathus Papilio, *err. pro xuthus*, L., J. C. Fabricius, Mant. II. 1787, 10.
xenophon Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 272.
Xenos P. Rossi, Mant. Ins. II. 1794, 114.—Streps.—[not 1792 as stated by Agassiz.]
xequipeles Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 52.
xerampelina Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2 [*antea* 1796], 15.
xi Phalaena, [D. H. Schneider], Nom. Ent. 1785, 48 [*n. n.*].
xi Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 298.
xilostella Tinea, *v. xylostella*.
xiphares [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 171.
xiphia Papilio, J. C. Fabricius, Syst. Ent. 1775, 492.
xiphia Papilio, J. C. Fabricius, Spec. Ins. II. 1781, 43.
xiphia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 95.
xiphiae Echinorhynchus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3047.
Xiphias Linnaeus, Syst. Nat., ed. 10, 1758, 248; ed. 12, 1766, 432; [Artedi, Ichth. 1738,
gen. xxiv, p. 29].—P.
xiphias Copris (Fab.), J. Sturm, Verz. Ins. Samml. 1800, 108.—Scarabaeus.
xiphias Scarabaeus, J. C. Fabricius, Ent. Syst. I (1) 1792, 59.
Xiphosura L. T. Gronovius, Zooph. II. 1764, 220.—Cr.
“Xiphosura, Gron.” Ag.; a misquotation for *Xiphosura*.—Cr.
X-notatus Araneus, *v. litera*—*X notatus*.
xuthus Papilio (Eques), Linnaeus, Syst. Nat., ed. 12, 1767, 751.
Xylita G. Paykull, Faun. Suec. I. 1798, 249.—Col.
Xylophagus F. C. Meuschen, Mus. Gronov. 1778, 47.—L.
xylosteana Phalaena (Tortrix), Linnaeus, Syst. Nat., ed. 10, 1758, 531; ed. 12, 1767, 876.
xylosteana Pyralis (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—Phalaena.
xylosteana Tortrix, C. P. Thunberg, D. D. Mus. Ac. Upsal. 1788, 76.
xylosthei Aphis, C. de Geer, Mém. Ins. III. 1773, 96.
xylostei Rhynchaenus, J. R. Schellenberg, Helvet. Entom. I. 1798, 70.

- xylostei Ypsolophus, J. C. Fabricius, Suppl. Ent. Syst. 1798, 508.—Alucita xylostella, 1775.
 xylostella Alucita (L.), J. C. Fabricius, Syst. Ent. 1775, 667.—Phalaena.
 xylostella Phalaena (Tinea), Linnaeus, Syst. Nat., ed. 10, 1758, 538; ed. 12, 1767, 890.
 xilostella Tinea, A. F. de Fourcroy, Ent. Paris. 1785, 330.
 xyphothyreus Gryllus, F. v. P. Schrank, Ins. Aust. 1781, 243.
- yeatiana Pyralis, J. C. Fabricius, Spec. Ins. II. 1781, 286.
 ye[a]tiana Phalaena (Tort.) (Fab.), C. de Villers, Linn. Ent. II. 1789, 411.—Pyralis.
 yeltoniensis Alauda, J. R. Forster, Phil. Trans. LVII (2) 1768, 350.
 Yerboa *v.* Jerboa.
 Yerbua *v.* Jerboa.
- yncas Cervus, P. Boddaert, Tab. Planch. Enl. 1783, 38.
 Yponomeuta P. A. Latreille, Préc. Car. Ins. 1796, 146.—Lep.
 ypsilon Cimex, Linnaeus, Syst. Nat., ed. 10, 1758, 443; ed. 12, 1767, 720.
 ypsillon Noctua, [Denis & Schiffermüller], Schmett. Wien, 1775, 78.
 ypsilon Phalaena Noctua, (D. & S.), M. B. Borkhausen, Nat. eur. Schmett. IV. 1792,
 ypsilon-aeneus Cimex, C. de Geer, Mém. Ins. III. 1773, 332. [503.—Noctua.
 ypsilon-griseus Cimex, C. de Geer, Mém. Ins. III. 1773, 333.
 ypsilophorus Acarus, C. G. Bonz, N. A. Acad. Caes. Leop. Carol. VII. 1783, 52.
 ypsilophorus Coturnix, (D. & S.), J. Nat. Hist. (Choix des Mém.) II. 1792, 297.
 Ypsolopha P. A. Latreille, Préc. Car. Ins. 1796, 145.—Lep.
 Ypsolophus J. C. Fabricius, Suppl. Ent. Syst. 1798, 421.—Lep.
 yslandicus *v.* islandicus.
- yulus Cyprinus, G. I. Molina, Sag. stor. nat. Chili, 1782, 346.—[julus, p. 226.]
 Yunx Linnaeus, Syst. Nat., ed. 12, 1766, 172.—[jynx, ed. 10.]—A.
 yvica Motacilla, Linnaeus, in Hasselquist, Palast. 1762, 337.
- zachaeus Hesperia, J. C. Fabricius, Suppl. Ent. Syst. 1798, 431.
 zachaeus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 217.
 zacynthus Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 15.
 zaide [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 161.
 zamiae Curculio, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IV. 1784, 29.
 zamis [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 162.
 zangis Papilio, J. C. Fabricius, Syst. Ent. 1775, 486.
 zaniae Curculio, *err. pro zamiae*, Th., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1741.
 zanoë Corvus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 375.
 zanoë Sturnus (Gm.), F. M. Daudin, Traité élém. Orn. 1800, 319.—Corvus.
 zatima [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (32) 1782, 182.
 zeaela Phalaena (Tin.), C. de Villers, Linn. Ent. II. 1789, 519.
 zealandica Columba, *id. ac novae-seelandiae*, Gm., J. Latham, Index Orn. 1790, 603.
 zealandicae Psittacus, *id. ac novae seelandiae*, Gm., J. Latham, Index Orn. 1790, 102.
 zeanger [Papilio], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, V. 1790, 165.
 zebra Ampulla (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 111.—Bulla.
 zebra Aranea, J. H. Sulzer, Gesch. Ins. 1776, 254.
 zebra Buccinum, O. F. Müller, Verm. II. 1774, 138.
 zebra Bulimus (*ex* Mart.), J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 357.
 zebra Bulla (Müll.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3431.—Buccinum.
 zebra Coluber, J. P. Bonnaterre, Ency. Méth. (Oph.) 1790, 60.
 zebra Cryptocephalus (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 1728.—
 zebra Curculio, J. C. Fabricius, Ent. Syst. I (2) 1792, 484. [Erotylus.
 zebra Cypraea, Linnaeus, Syst. Nat., ed. 10, 1758, 719; ed. 12, 1767, 1174.
 zebra Equus, Linnaeus, Syst. Nat., ed. 10, 1758, 74; ed. 12, 1766, 101.
 zebra Erotylus, J. C. Fabricius, Mant. I. 1787, 92.
 zebra Gryllus, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 89.
 zebra Gymnothorax, G. Shaw, Nat. Misc. IX. 1797, pl. 322.
 zebra Lepтура, A. G. Olivier, Entom. IV. 1795, 19.

- zebra Lucanus, A. G. Olivier, Entom. I. 1789, 24.
zebra Nerita, J. G. Bruguière, Actes Soc. H. N. Paris, I (1) 1792, 126.
zebra Picus, P. Boddaert, Tab. Planch. Enl. 1783, 43.
zebra Pleuronectes, M. E. Bloch, Nat. ausl. Fische, III. 1787, 27.
zebra Porcellana (L.), F. C. Meuschen, Mus. Gever. 1787, 398.—Cypraea.
zebra Rhinoceros, F. C. Meuschen, Mus. Gever. 1787, 264.
zebra Sparus, M. T. Brünnich, Ich. Massil. 1768, 47.
zebrula Murex, F. C. Meuschen, Mus. Gever. 1787, 330.
zebu Bos, L. F. Jauffret, Zoograph. 1800, 47.
zeleucus Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346.
zelica [Phalaena], C. Stoll, Aanhang. Cramer's Utitl. Kapellen, II. 1790, 73.
Zelima J. G. Meigen, N. Class. Mouches, 1800, 34.—Dip.
zelima Papilio, J. C. Fabricius, Syst. Ent. 1775, 492.
zellensis Mytilus, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3362.
Zelmira J. G. Meigen, N. Class. Mouches, 1800, 16.—Dip.
zelmira [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (27) 1780, 64.
zemire [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 149.
zemni Arctomys, R. Kerr, Anim. Kingd. 1792, 252.
zemni Glis, J. C. P. Erxleben, Syst. Anim. 1777, 370.
zemni Spalax (Erxl.), H. F. Link, Beytr. Nat. I (2) 1795, 76.—Glis.
zena Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 181 [no. 15]; ed. 12, 1766, 320 [no. 13].
zena Fringilla, Linnaeus, Syst. Nat., ed. 10, 1758, 183 [no. 31].
zenik Mus, J. A. Scopoli, Del. Insub. II. 1786, 84.
zenik Mus (Gm.), J. M. Bechstein in Pennant, Uebers. 4füss. Thiere, II. 1800, 511.—
zenik Viverra, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 85. [Viverra.]
zenobia Noctua (Cram.), J. C. Fabricius, Spec. Ins. II. 1781, 209.—Phalaena.
zenobia Papilio, J. C. Fabricius, Syst. Ent. 1775, 503.
zenobia Papilio, J. C. Fabricius, Ent. Syst. III (1) 1793, 115.
zenobia [Phalaena], P. Cramer, Utitl. Kapellen, II (10) 1777, 27.
zerah [Phalaena], C. Stoll in Cramer, Utitl. Kapellen, IV (34) 1782, 227.
zerbina [Phalaena], P. Cramer, Utitl. Kapellen, III (24) 1780, 171.
zerdo Canis, *v. cerdo*.
zerta Cyprinus, N. G. Leske, Ichth. Lips. 1774, 44.
zetes Papilio (Barbarus), Linnaeus, Syst. Nat., ed. 10, 1758, 487.—[P. (Danaus) ed. 12.].
zeulonica *v. ceylonicus*. xxxv, p. 49].—P.
Zeus Linnaeus, Syst. Nat., ed. 10, 1758, 266; ed. 12, 1766, 454; [Artedi, Ichth. 1738, gen.
zeuxippe [Papilio], C. Stoll in Cramer, Utitl. Kapellen, IV (31) 1781, 141.
zeuxo Hesperia (L.), J. C. Fabricius, Ent. Syst. III (1) 1793, 314.—Papilio.
zeuxo Papilio (Plebejus), Linnaeus, Mus. Lud. Ulr. 1764, 331.
zeylanicus }
zeylonensis } *v. ceylon-*
zeylonus }
zibellina Coccinella, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 79.
zibellina Mustela, Linnaeus, Syst. Nat., ed. 10, 1758, 46; ed. 12, 1766, 68.
zibellina Mustela, R. Kerr, Anim. Kingd. 1792; *varr.* alba, americana, 178; nigra, 179.
zibetha Viverra, Linnaeus, Syst. Nat., ed. 10, 1758, 44; ed. 12, 1766, 65.
zibethicus Castor, Linnaeus, Syst. Nat., ed. 12, 1766, 79.
zibethicus Mus (Linn.), J. C. D. Schreber, Säugth. IV. (1780), 638.—Castor.
zibethicus Mus (Myocastor), R. Kerr, Anim. Kingd. 1792, 225.
zibethicus Ondratra (Linn.), H. F. Link, Beytr. Nat. I (2), 1795, 76.—Mus.
zibethinus Cerambyx, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45.
ziczac Bombyx (L.), J. C. Fabricius, Syst. Ent. 1775, 573.—Phalaena.
ziczac Capisterium, F. C. Meuschen, Mus. Gever. 1787, 464.
ziczac Cassis, F. C. Meuschen, Mus. Gever. 1787, 392.
ziczac Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 444.
ziczac Chamaeformis, F. C. Meuschen, Mus. Gever. 1787, 448.
ziczac Cochlis, J. F. Bolten, Mus. Bolten. (2) 1798, 147.
ziczac Coluber, F. C. Meuschen, Mus. Gronov. 1778, 12.

- ziczac** *Cylindrus*, F. C. Meuschen, Mus. Gever. 1787, 374.
ziczac *Cypraea*, Linnaeus, Syst. Nat., ed. 10, 1758, 722; ed. 12, 1767, 1177.
ziczac *Cytherea*, J. F. Bolten, Mus. Bolten. (2) 1798, 179 [*n. n.*].
ziczac *Nerita*, F. C. Meuschen, Mus. Gever. 1787, 272.
ziczac *Nerita*, J. F. Bolten, Mus. Bolten. (2) 1798, 16.
ziczac *Ostrea*, Linnaeus, Syst. Nat., ed. 10, 1758, 696; ed. 12, 1767, 1144.
ziczac *Pecten* (L.), F. C. Meuschen, Mus. Gever. 1787, 414.—*Ostrea*.
ziczac *Phalaena* (*Bombyx*), Linnaeus, Syst. Nat., ed. 10, 1758, 504; ed. 12, 1767, 827.
ziczac *Porcellana* (L.), F. C. Meuschen, Mus. Gever. 1787, 400.—*Cypraea*.
ziczac *Porphyria*, J. F. Bolten, Mus. Bolten. (2) 1798, 37.
ziczac *Tamarindiformis*, F. C. Meuschen, Mus. Gever. 1787, 412.
ziczac *Trochus*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3587.
ziczac *Venus*, Linnaeus, Syst. Nat., ed. 10, 1758, 689.
ziervogelii *Voluta*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3457.
ziga *Clupea*, J. C. Wulff, Ichthy. 1765, 40.
zilia *Papilio*, M. B. Borkhausen, Nat. eur. Schmett. II. 1789, 209.
ziliante [*Phalaena*], C. Stoll in Cramer's Utitl. Kapellen, IV (32) 1782, 191.
zingel *Perca*, Linnaeus, Syst. Nat., ed. 12, 1766, 482.
zingha [*Papilio*], C. Stoll in Cramer's Utitl. Kapellen, IV (27), 1780, 53.
zingha *Papilio*, J. C. Fabricius, Mant. II. 1787, 48.
zitenius *Papilio*, Herbst in Jablonsky, Nat. Ins. (Schmett.), VIII. 1796, 5.
zizyphinus *Trochus*, Linnaeus, Syst. Nat., ed. 10, 1758, 759; ed. 12, 1767, 1231.
Zoanthus G. Cuvier, Leçons Comp. Anat. I. 1800, tab. 9 [*n. n.*].—*Zooph*.
zobela *Mustela*, N. G. Leske, Anfangsgr. Naturges. ed. 2, 1784, 182.
zodion P. A. Latreille, Préc. Car. Ins. 1796, 162.—*Dip*.
zoegana *Pyralis* (L.), J. C. Fabricius, Syst. Ent. 1775, 648.—*Phalaena*.
zoegana *Phalaena* (*Tortrix*), Linnaeus, Syst. Nat., ed. 12, 1767, 876.
zoilus *Curculio*, Scopoli, Ent. Carn., 1763, 33.
zoilus *Geotrupes*, J. C. Fabricius, Suppl. Ent. Syst. 1798, 11.—*Scarabaeus*, 1792.
zoilus *Papilio*, J. C. Fabricius, Syst. Ent. 1775, 480.
zoilus *Scarabaeus*, A. G. Olivier, Entom. I. 1789, 45.
zoiyana *Pyralis*, *err. pro zoegana*, Phal., L., J. C. Fabricius, Mant. II. 1787, 228.
zona *Bombyx*, *err. pro zonaria*, Den. & Schiff., J. C. Fabricius, Mant. II. 1787, 131.
zona *Galleruca*, K. Illiger, Archiv Zool. (Wiedemann), I (2) 1800, 133.
zona *Phalaena*, A. F. de Fourcroy, Ent. Paris. 1785, 270.
zonale *Buccinum*, J. G. Bruguière, Ency. Méth. (Vers) (1) 1789, 271.
zonale *Cerithium*, J. G. Bruguière, Ency. Méth. (Vers) (2) 1792, 497.
zonalis *Cimex*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2196.
zonalis *Syrphus*, *id. ac zonatus*, Mant. II. 337, J. C. Fabricius, Ent. Syst. IV. 1794, 294.
zonans *Hirundo*, G. Shaw in Miller, Cim. Phys. 1796, 100.
zonaria *Angarius* (L.), F. C. Meuschen, Mus. Gever. 1787, 260.—*Helix*.
zonarius *Cerambyx*, Linnaeus, Syst. Nat., ed. 10, 1758, 394; ed. 12, 1767, 633.
zonarius *Conops*, N. Poda, Ins. Mus. Graec. 1761, 118.
zonaria *Cypraea*, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3414.
zonaria *Geometra*, [Denis & Schiffermüller], Schmett. Wien, 1775, 100.
zonaria *Geometra*, J. Hübner, Europ. Schmett. (Geom.) [me judice 1796], fig. 179 [*n. et f.*].
zonaria *Helix*, Linnaeus, Syst. Nat., ed. 12, 1767, 1245.
zonarium *Holothurium*, P. S. Pallas, Spic. Zool. X. 1774, 26.
zonaria *Musca* (Poda), F. v. P. Schrank, Ins. Aust. 1781, 454.—*Conops*.
zonaria *Phalaena* (Fabr.), C. P. Thunberg, D. D. Mus. Ac. Upsal., App. III., 1794, 139.
zonaria *Phalaena*, E. Donovan, Ins. China, 1799. [—*Bombyx*.]
zonarius *Planorbis* (Gm.), J. F. Bolten, Mus. Bolten. (2) 1798, 72.—*Helix*.
zonarius *Syrphus* (Schr.), J. C. Mikan, N. Abh. Böhm. Ges. Wiss. III. 1798, 134.—
zonaria *Trigonella*, E. M. da Costa, Brit. Conch. 1778, 197. [—*Musca*.]
zonaria *Voluta*, T. Martyn, Univ. Conch. IV [1792], fig. 129.
zonator *Ichneumon*, J. C. Fabricius, Ent. Syst. II. 1793, 151.
zonata *Andrena* (L.), J. C. Fabricius, Syst. Ent. I. 1775, 377.—*Apis*.
zonata *Apis*, Linnaeus, Syst. Nat., ed. 10, 1758, 576; ed. 12, 1767, 955.

- zonatus** Carabus, G. W. F. Panzer, Ins. Germ. heft 31, [1796], tab. 7.
zonatus Coluber, G. A. Suckow, Naturges. III. 1798, 250.
zonatus Conus, Hwass in J. G. Bruguière, Ency. Méth. (Vers) (2), 1792, 613.
zonatus Crabro, G. W. F. Panzer, Ins. Germ. heft 46 [1797], tab. 7.
zonatus Curculio, N. S. Swederus, K. Vet. Ac. Nya Handl. VIII. 1787, 194.
zonatus Dytiscus, D. H. Hoppe, Ins. Elyt. 1795, 33.
zonatus Dytiscus, Kugelann in G. W. F. Panzer, Ins. Germ. heft 38 [1796], tab. 13.
zonata Nomada, G. W. F. Panzer, Ins. Germ. heft 53 [1797], tab. 20.
zonatus Oniscus, Persoon in G. W. F. Panzer, Ins. Germ. heft 9, 1793, tab. 23.
zonata Phalaena, Hufnagel, Berl. Mag. IV. 1767, 616.
zonata Phalaena, A. F. de Fourcroy, Ent. Paris. 1785, 296.
zonata Phalaena, C. P. Thunberg, Ins. Suecica (4) 1792, 60.
zonata Phalaena Geom., J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 2494.
zonata Sphinx, D. Drury, Ill. Nat. Hist., I. 1770, index & 57.
zonata Sphinx, E. Donovan, Brit. Ins. VI. 1797, 35.
zonatus Syrphus, J. C. Fabricius, Mant. II. 1787, 337.
zonata Tellina, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1790, 3238.
zonata Tenthredo, J. L. Christ, Nat. Ins. 1791, 452.
zonata Tenthredo, G. W. F. Panzer, Ins. Germ. heft 64 [1799,] tab. 9.
zonata Tipula, J. C. Fabricius, Syst. Ent. 1775, 753.
zonea Strix, G. A. Suckow, Naturg. II [1] 1800, 209.
Zonitis J. C. Fabricius, Syst. Ent. 1775, 126.—Col.
zoolegella Phalaena, Scopoli, Ent. Carn. 1763, 255.
"Zoolithus" Linnaeus, Syst. Nat., ed. 12, III. 1768, 156.—M.
zorca Strix, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 289.
zorilla Mustela (L.), G. Cuvier, Tab. Elém. 1798, 116.—Viverra.
zorilla Viverra, J. C. D. Schreber, Säugth. III. 445 (1777), pl. cxxiii (1776).
zorilla Viverra [? Schr.], J. C. P. Erxleben, Syst. Anim. 1777, 492.
zosteræ Acanthia, J. C. Fabricius, Gen. Ins. 1777, 299.
zosteræ Acarus, J. C. Fabricius, Spec. Ins. II. 1781, 491.
zosteræ Chermes, A. G. Olivier, Ency. Méth. VII. (Ins.) 1792, 442.
zosteræ Cimex (Fab.), J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1789, 2124.—Acanthia.
zosteræ Coccus, J. C. Fabricius, Gen. Ins. 1777, 304.
zya Motacilla (Scop.), M. B. Borkhausen, Rheinisches Mag. I. 1793, 188.—Sylvia.
zya Sylvia, J. A. Scopoli, Annus I. 1769, 158.
Zygaena J. C. Fabricius, Syst. Ent. 1775, 550.—Lep.
zygaena Squalus, Linnaeus, Syst. Nat., ed. 10, 1758, 234; ed. 12, 1766, 399.
Zygia J. C. Fabricius, Syst. Ent. 1775, 126.—Col.

PART II.

INDEX

TO

GENERIC NAMES

SHOWING THE TRIVIAL NAMES ASSOCIATED WITH
EACH, FROM 1758-1800.

Acanthia :—*alata*, *atra*, *betulae*, *campestris*, *cardui*, *clavicornis*, *clavipes*, *coriacea*, *corticalis*, *costata*, *crassicornis*, *crassipes*, *denticulata*, *depressa*, *erosa*, *fasciata*, *flavipes*, *flavirostris*, *gibba*, *gossypii*, *grisea*, *grylloides*, *histeroides*, *humuli*, *laevis*, *lavaterae*, *lectularia*, *littoralis*, *lunata*, *maculata*, *membranacea*, *monstrosa*, *nemoralis*, *nigricornis*, *pallicornis*, *pallipes*, *papillosa*, *paradoxa*, *pedestris*, *pellucens*, *plana*, *pratensis*, *pyri*, *rhombea*, *rugosa*, *sacchari*, *serrata*, *serratulae*, *sidae*, *spinosa*, *sylvestris*, *umbratulata*, *varia*, *virescens*, *zosteræ*.

Acanthis :—*cannabina*, *carduelis*, *flammea*, *linaria*, *spinus*.

Acanthrus :—*sipunculoides*.

Acanthus :—*lineatus*, *nigricans*, *velifer*.

Acardo :—*crustularius*.

Acarus :—*acarorum*, *aegyptius*, *agaricorum*, *alaudae*, *americanus*, *aphidioides*, *aphidis*, *appendiculatus*, *aquarius*, *aquaticus*, *araneorum*, *araneodes*, *auratus*, *aureolatus*, *autumnalis*, *avicularium*, *baccarum*, *batatas*, *cadaverum*, *cajennensis*, *cancroides*, *caraborum*, *cardinalis*, *carduelis*, *casei*, *caudatus*, *chiragricus*, *citri*, *coccinellae*, *coccineus*, *coleoptratorum*, *coleoptratus*, *collurionis*, *confervae*, *cornicis*, *cornifer*, *corticalis*, *crassipes*, *croceus*, *culculis*, *denticulatus*, *destructor*, *dipterorum*, *domesticus*, *dysenteriae*, *elephantinus*, *eruditus*, *exulcerans*, *farinae*, *fluviatilis*, *foliorum*, *forcipatus*, *formicarum*, *frontalis*, *fucorum*, *fungorum*, *gallinae*, *geniculatus*, *graminum*, *grossus*, *gymnopterorum*, *hirudo*, *hispanus*, *histrion*, *holosericeus*, *holsatus*, *hydrachnoides*, *iguanae*, *indus*, *lactis*, *latens*, *lepidopterorum*, *leucurus*, *libellulae*, *lichenis*, *lichenum*, *limacum*, *limphaticus*, *lineatus*, *lipsiensis*, *littoralis*, *locusta*, *longicornis*, *lucidus*, *manicatus*, *marginatus*, *marinus*, *motorius*, *muris*, *muscae-domesticae*, *muscarum*, *musci*, *muscorum*, *natator*, *nemoralis*, *nepeformis*, *nigua*, *ovalis*, *palidum*, *pallipes*, *parasiticus*, *pari*, *passerinus*, *petrarum*, *phaetonis*, *phalangii*, *phalangoides*, *pici*, *piger*, *plantarum*, *praegnans*, *pulverulenta*, *putorii*, *putrescentiae*, *quadrupes*, *radiatus*, *reduvius*, *reflexus*, *reticulatus*, *rhinocerotis*, *rhombeatus*, *ricinoides*, *ricinus*, *rubens*, *rufipes*, *rupestris*, *salicinus*, *sambucii*, *sanguisugus*, *scaber*, *scabiei*, *scorpioides*, *seminulum*, *siro*, *spinipes*, *squamosus*, *stagnalis*, *sulcatus*, *sylvaticus*, *telarius*, *tenthredinum*, *testudineus*, *testudinis*, *testudo*, *textor*, *tinctorius*, *tremellae*, *tristriatus*, *turdi*, *undatus*, *ursellus*, *variegatus*, *vegetans*, *velox*, *vespertilionis*, *vibrans*, *vitis*, *ypsilophorus*, *zosteræ*.

Accentor :—*aquaticus*.

Accipiter :—*aeruginosus*, *aesalon*, *alaudarius*, *buteo*, *circus*, *ferox*, *gentilis*, *gyrfalco*, *korschun*, *macrourus*, *maculatus*, *milvus*, *nisus*, *palumbarius*, *subbuteo*, *tinnunculus*.

Achatina :—*achatina*.

Acheta :—*aquea*, *assimilis*, *brasilensis*, *campestris*, *capensis*, *crucis*, *domestica*, *femoralis*, *flavipes*, *fossor*, *gigas*, *gryllotalpa*, *guadeloupensis*, *heteroclita*, *hospes*, *italica*, *maculata*, *minuta*, *monstrosa*, *morio*, *nivea*, *orientalis*, *portentosa*, *prodigiosa*, *reticulata*, *sylvestris*, *umbraculata*.—*Vide et. Gryllus*.

- Acipenser**:—beluga, huso, plecostomus, ruthenus, schypa, seuruga, shyp, stellatus, sterleta, sturio.
- Acrida**:—*vide* Gryllus.
- Acrochordus**:—javanicus.
- Acridium**:—acuminatum, aeneo-oculatum, afrum, albipes, albomarginatum, annulatum, apricarium, apterum, bifasciatum, biguttulum, bimaculatum, bipunctatum, caeruleans, caeruleipenne, caerulescens, captivum, carinatum, carolinum, cinerascens, cinereum, cisti, clavicorne, conicum, cristatum, cyaneum, cyanipes, danicum, dentatum, dux, elephas, ensicornu, fasciatum, femorale, ferrugineum, flavicorne, flavofasciatum, flavo-lineatum, flavum, fuliginosum, germanicum, gibbum, granulatum, grossum, haematopum, hamatum, indum, italicum, laterale, limbatum, lineatum, lineola, longipenne, lunum, luridum, maculatum, marginatum, marmoratum, miliare, migratorium, morbillosum, morio, musicum, nigricorne, nigrofasciatum, nigroterminatum, obscurum, opacum, papillosum, pedestre, perspicillatum, pictum, pratense, punctatum, punctulatum, purpurascens, reticulatum, roseum, rubripenne, rubrum, ruficorne, rufomarginatum, rufum, rusticum, sanguinipes, sanguinolentum, schaefferi, scutellatum, serrato-fasciatum, serratum, serripes, sibiricum, spinosum, squarrosus, striatum, stridulum, subulatum, succinctum, sulphureum, surinamum, tartaricum, thalassinum, thoracicum, tuberculatum, turcicum, variegatum, variolosum, velox, verrucosum, virginianum, viridi-fasciatum, viridulum, vittatum, vocans.
- Actinia**:—alba, anemone, aster, bellis, bicornis, calendula, candida, caryophyllus, cereus, cernua, coccinea, crassicornis, dianthus, digitata, doliolum, effoeta, equina, felina, fiscella, gemmacea, gigantea, gigas, helianthus, hemisphaerica, intestinalis, iris, judaica, maculata, mesembryanthemum, nodosa, pedunculata, plumosa, polymorpha, priapus, pusilla, quadrangularis, rubra, rufa, senilis, sociata, spectabilis, squamata, squamosa, sulcata, swallow, trunca, truncata, undata, verrucosa, viduata, virginea, viridis, volva.
- Actinophorus**:—geoffroyi, pillularius, sacer, schaefferi, semipunctatus, sinuatus, variolosus, volvens.
- Acus** (P.), P. L. S. Müller, Del. Nat. II. 1767, 141:—marinus.
- Adimonia**:—caprae, cervina, cinerea, haemorrhoidalis, melanopa, nymphaeae, pallida, polygonata, rufipes, rustica, tanacetii, testacea, verna, violacea, xanthopoda.
- Adscita**:—aries, turcosa.
- Aedemera**, A. G. Olivier, Entom. III. 1795:—*vide* Oedemera.
- Aeshna**:—annulata, clavata, flavifrons, forcipata, grandis, heros, javana, minuta, surinama, variegata.
- Agathidium**:—nigripenne.
- Agkistrodon**:—mokasen.
- Agouti**:—paca.
- Agriion**:—alcestris, americana, barbara, ciliata, coromandeliana, linearis, nobilitata, penelope, puella, virgo.
- Agyrtes**:—castaneus, vespertinus.
- Akera**:—bullata.
- Akis**:—acuminata, hispida, reflexa, spinosa, trilineata.
- Alaria**:—vulpis.
- Alata**:—aratrum, auris-dianae, canarium, chiragra, congylis, coronalis, epidromis, gigas, lacinia, lambis, latissima, lentiginosa, flavigula, fusus, gallus, gibberula, gibbosus, lucifer, luhuana, marginata, melastoma, millepeda, pes pelecani, pugilis, samar, scorpio, securiclata, succincta, terebella, torosa, urceus, vittata.
- Alauda**:—africana, agrestis, alba, alpestris, arborea, arvensis, bonariensis, brumalis, caelipeta, calandra, calandrotte, campestris, capensis, cinerea, cochevis, collaris, cristata, cristatella, dschindschica, flava, fulva, fusca, gingica, gorenensis, grisea, hispanica, italica, leucoptera, ludoviciana, lusitana, magna, malabarica, migratoria, minor, mongolica, mosellana, mutabilis, nemorosa, nigra, nigri, novae seelandicae, obscura, paludosa, pennsylvanica, petrosa, plumata, pratensis, provincialis, rubra, rufa, senegalensis, sibirica, spinoletta, tartarica, testacea, trivialis, turdina, turlu, undata, yeltoniensis.
- Albula** (G.):—albumen, adusta, aurantium, didyma, fasciata, hepatica, mammata, mammilla, tranquebarica, vitellus.

Albula (P.):—lacustris.

Albunea:—dentata, dorsipes, scabra, scutellata, symnistra.

Alca:—alce, alle, antiqua, arctica, balthica, candida, cirrhata, cristatella, deleta, grylle, impennis, labradorica, lomvia, pica, psittacula, pygmaea, stutnesia, tetracula, torda, unisulcata.

Alce:—gigantea.

Alcedo:—aegyptia, aenea, albirostris, albiventris, alcyon, amazona, amazonia, americana, atricapilla, aurea, bengalensis, bicolor, brasiliensis, caerulea, caeruleocephala, cancrophaga, capensis, cayennensis, chlorocephala, cinerea, collaris, coromanda, coromandeliana, cristata, dea, erithaca, flavicans, formosa, fusca, galbula, galerita, gigantea, gigas, grandis, guttata, inda, ispida, leucocephala, leucorhyncha, maculata, madagascariensis, maxima, nigra, novae guineae, orientalis, paradisea, pileata, purpurea, pusilla, rubra, rudis, sacra, semicaerulea, senegalensis, smyrnensis, superciliosa, surinamensis, taparara, todus, torquata, tridactyla, tuta, undulata, variegata, venerata, viridirufa.

Alcyonium:—agaricum, albumum, arboreum, arenosum, asbestinum, ascidioides, aurantium, botryoides, bursa, conglomeratum, cornicum, coriaceum, corniculatum, cotoneum, cranium, cydonium, digitatum, distomum, domunculum, durum, epipetrum, exos, ficus, fluviatile, fusca, gelatinosum, gorgonoides, lobatum, lycurium, mammillosum, manducator, massa, ocellatum, palmatum, papillosum, proliferum, pulmonaria, pyramidale, rubrum, schlosseri, sineosae, stellatum, synoicum, tuberosum, vermiculare.

Allucita:—fulva, pallida.

Alouatta:—beelzebut.

Alpheus:—angulatus, auritus, avarus, bispinosus, corallinus, depressus, gonagra, grapsus, litteratus, maculatus, maenus, malabaricus, minutus, ochtodes, pagurus, parvulus, pictor, pisum, pusillus, quadratus, rapax, rhomboides, rumphii, ruricola, scaber, semicylindrus, senex, setosus, sexpes, tamulus, tetragonus, tinctor, tridens, variegatus, vespertilio, vitulus, vocans.

Altica:—aenea, aequinoctialis, aethiopissa, albicollis, anglica, aterrima, atra, atricilla, aurata, aurea, bicolor, bifasciata, biguttata, brassicae, caerulea, caroliniana, cerinthes, chrysocephala, dorsalis, equestris, erythrocephala, euphorbiae, exoleta, famelica, ferruginea, flaveola, flexuosa, fulvicollis, fulva, fuscicornis, fuscipes, globosa, graminis, helixines, hemisphaerica, holsatica, hortensis, hyoscyami, laevis, latiuscula, lurida, luteola, maculata, malvae, marginata, mercurialis, minuta, modeeri, nemorum, nigripes, nitidula, nobilitata, octoguttata, oleracea, orbicularis, ovata, pallida, plato, pratensis, pulicaria, pusilla, quadrifasciata, quadriguttata, quadrimaculata, quadripunctata, quadri-pustulata, quattuorguttata, rufipes, rustica, semiaenea, s-litera, sinuata, sisymbrii, surinamensis, tabida, tamaricis, testacea, thoracica, trifasciata, truncata, virginica, vittata, voluta.

Alucita:—alpella, aristella, asperella, betulinella, bipunctella, calodactyla, calthella, capitella, caudella, cerealella, cereella, chrysodactyla, colutella, costella, cuprella, degeerella, dentella, dorsella, enzenbergella, ephippella, epilobiella, erxebella, fasciella, festiculla, flavella, formosella, fuscodactyla, galactodactyla, gonodactyla, granella, julianella, lacteella, lappella, latreillella, leucodactyla, lucella, maculella, marginella, mediella, megadactyla, microdactyla, minutella, nemorella, niveella, nyctemerella, ochrodactyla, oppositella, panzerella, parvella, paykullella, persicella, pilella, podaella, promulella, reaumurella, rhododactyla, robertella, scabrella, sparmannella, striatella, sulphurella, swammerdammella, sylvella, trichodactyla, variella, vitella, xylostella.—*Vide et. Phalaena.*

Alurnus:—dentipes, femoratus, grossus, nigricollis, violaceus.

Alyselminthus:—bipunctatus, columbae, crassiceps, crenatus, cuneiceps, dendriticus, ellipticus, gasterostei, granulatus, infundibuliformis, lanceato-lobatus, linea, litteratus, lobatus, longicollis, malleus, octolobatus, pari, pectinatus, plicatus, pusillus, rectangulum, serpentulus, serratus, setigerus, sinuosus, undula.

Ameiva:—agilis, algira, americana, arguta, aurita, bullaris, cruenta, helioscopa, meridionalis, teguixin, tiliguerta, tiligugu, uralensis, velox.

Amia:—calva, indica.

Ammodytes:—alliciens, tobianus.

- Ammonites**:—bifida, bifrons, bifurcata, bisulcata, carinata, complanata, coronata, crenata, depressa, eruca, glabella, granulata, interrupta, laevis, lumbricalis, nodosa, radiata, regularis, reniformis, sibirica, simplex, spinata, trifasciata, turbinata.
- Ammophila**:—affinis, argentea, hirsuta, vulgaris.
- Ampelis**:—carnifex, carolinensis, caronsex, carunculata, cayana, cinerea, coccinea, cotinga, cristata, cuprea, garullus, luteus, maculatus, malabarica, maynana, phoenicea, pompadora, tersa, variegata.
- "Amphibolithus"**:—crocodili, glossopetrae, lacertae, nantis, ranae, serpentis, testudinis.
- Amphinome (Moll.)**:—capillata, carunculata, complanata, tetraedra.
- Amphisbaena**:—alba, flava, fuliginosa, magnifica, reticulata, rosea, varia, vulgaris.
- Amphitrite**:—auricoma, belgica, capensis, chrysocephala, cincinnata, cirrata, cirrosa, conchilega, cornuta, cristata, frondosa, penicillus, pennacea, plumosa, proboscidea, reniformis, ventilabrum.
- Ampulla**:—achatina, bombardia, flammea, kambeul, lacteae, priamus, purpurea, quagga, zebra.
- Ampullaria**:—ampullacea.
- Amusium**:—japonicum, lorentzianum, magneticum, pleuronectes, testudinarium.
- Amymone**:—baccha, fauna, maenas, satyra, silena, thyas.
- Anableps**:—anableps, tetrophthalmus.
- Anadema** (*dele* "*err. pro Diadema*"):—arabica, bardana, cedaris, depressa, diadema, divisa, filum, globula, judiaca, mamillaris, pentapetala, plana, regia, saxatilis, striata, succinctorium, turcica.
- Anarhichas**:—karrak, lupus, minor, pantherinus, strigosus.
- Anas**:—acuta, adunca, aegyptiaca, aegyptica, africana, alandica, albeola, albicans, albifrons, alexandrina, americana, anser, antarctica, arabica, arborea, atrata, aurita, autumnalis, bahamensis, baikal, balbul, beringii, bernicla, borealis, boschas, brachyptera, brachyrhynchos, brasiliensis, brenta, bucephala, caerulescens, cana, canadensis, capensis, capitolina, carina-spectabilis, carolinensis, caryophyllacea, casarca, cinerea, circia, clangula, clypeata, cogolca, collaribus-albis, cornuta, coromanda, coromandeliana, coromandelica, coscoroba, crecca, cristata, curvirostra, cygnoides, cygnus, damiatica, diadema, discors, dispar, domestica, dominica, dominicana, dorsata, erythrocephala, erythrophthalmos, erythropus, erythrorhyncha, fabalis, falcaria, falcata, ferina, ferruginea, fistularis, formosa, fraenata, fuligula, fulva, fusca, fuscescens, galericulata, gambensis, gattair, georgica, glacialis, glaucion, glocitans, gmelini, graminea, grandis, grisea, hiemalis, hina, histrionica, hrota, hybrida, hyperborea, ilathera, indica, islandica, jacquini, jamaicensis, javanensis, kekuschka, labradoria, latirostra, latirostris, leucocephala, leucophthalmos, leucoptera, lobatus, lurida, madagascariensis, magellanica, malacorhynchus, manillensis, mansuetus, marea, marila, marsa, melancorypha, melanocephala, melanotos, melanura, melaura, merianae, mersa, mexicana, miclonia, minuta, mollissima, monacha, montana, moschata, nigra, nigricollis, nilotica, nivalis, notata, novae hispaniae, novae seelandiae, nyroca, obscura, occidua, olor, orientalis, orphanos, parva, pathyrhynchos, penelope, peregrina, perspicillata, picta, platyrhynchos, plutonia, poecilorhyncha, pulchricollis, pyrhaera, querquedula, regia, rubens, rufa, ruficollis, rufigaster, rufina, rustica, ruthenica, rutila, sau-sarai, scandiaca, segetum, semipalmata, sinensis, sirsair, skoorra, sparrmanni, spectabilis, spinosa, sponsa, stelleri, strepera, subterranea, subulata, succé, superciliosa, tadorna, terrae novae, torquata, torrida, tricolor, variegata, viduata, viridi-rhombea, wigeon.
- Anaspis**:—bicolor, maculata, murina, nigra, thoracica.
- Anatifa**:—anatifera, aurita, dentata, laevis, mitella, pollicipes, scalpellum, striata, villosa.
- Anatifera**:—luzena, pedata.
- Anchyceros (Col.)**, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 45:—flavicollis.
- Ancilla**:—caperata, equestris, fornicata, helvola, nitens, perlucida, punctata, sinensis, solea, stricta, ungarica, volutata.
- Ancylus**:—fluviatilis, lacustris.
- Andraena**:—aenea, albipes, annulata, armata, aterrima, austriaca, bicolor, bidentata, caerulescens, carbonaria, cincta, cingulata, circulata, cornuta, cuprea, curvipes, cyanea, derasa, distincta, equestris, etrusca, fasciata, ferruginea, flavipes, florea, florissomnis, funebrus, grisea, gulosa, haemorrhoidalis, helvola, hirsuta, hirta, hirtipes, labiata,

lanata, lucida, marginata, maxillosa, metallica, nigricornis, nigrita, nitida, pilipes, plumipes, pubescens, quadricincta, ranunculi, riparia, rubida, rufescens, ruficornis, rufipes, spiralis, squalida, strigata, strigosa, succincta, tricolor, vaga, variegata, virescens, visnaga, zonata.

Angaria:—arion, bifasciata, cincta, delphinus, distorta, fasciata, lineata, pentagona, polita, rosea, squamata.

Angarius:—ambiguus, ampullaceus, aurantius, carnea, carocolla, citrina, clathrus, cornea, cornu arietis, crenatus, diaphana, ellipticus, elongatus, emirulus, flavigulus, grisea, hyalinus, ianthina, lampadeus, lucerna, lusitanicus, mitra, nigricolus, nucleus, planorbis, pomatia, protractus, punctulatus, ringens, scalaris, sphaeroideus, striatus, subovatus, umbilicus, undans, unguina, uva, vittatus, viviparus, zonaria.

Anguillula:—aceti, fluvialis, glutinis, marina.

Anguis:—acuminata, alba, annulata, atra, bipes, brunneus, caerulea, calamaria, cerastes, clivica, colubrina, corallina, cornuta, cylindrica, decussata, eryx, fasciata, flavofusca, fragilis, hepatica, jaculus, laticauda, laticaudatus, lineata, longicauda, lumbricalis, maculata, meleagris, miguel, miliaris, nasutus, orvet, platura, quadrupes, reticulata, rostralis, rostratus, rubra, ruffa, rufus, sagitta, scutata, scytale, striatus, tessellata, ventralis.

Anginga:—melanogaster.

Anisotoma:—abdominale, armatum, bicolor, castaneum, corticale, coruscum, dubium, ferrugineum, glabrum, humerale, orbiculare, piceum, seminulum, testaceum.

Anobium:—abietis, atrum, bidentatum, bifasciatum, boleti, brunneum, caeruleum, capense, carpini, castaneum, cyaneum, denticolle, dorcatoma, elongatum, excavatum, fagi, ferrugineum, festivum, flabellicorne, flavipes, frumentarium, hispidum, juglandis, laevigatum, lineatum, luteum, majus, micans, minutum, molle, nigrum, nitidum, paniceum, pectinatum, pectinicornis, pertinax, planum, pubescens, pulsatorium, punctatum, reticulatum, ruficolle, rufipes, serraticorne, striatum, sybaris, tessellatum, testaceum, thoracicum, tricolor, viride.

Anodonta:—cygneus.

Anodontites:—anatinus, crispata.

Anomala (Hym.), L. H. von Bloch in Becker, Plau. Grund. 1799, 119:—integra.

Anomia:—aculeata, angulata, aurita, avenacea, biloba, bonae spei, caepa, capensis, caput serpentis, coleoprata, craniolaris, cranium, crispa, cucullata, cuspidata, cylindrica, detrunca, disculus, dorsata, electrica, ephippium, farcta, flexuosa, gryphoides, gryphus, hysterita, imbricata, lacunosa, margaritacea, muricata, nucleus, patelliformis, pecten, pectinata, pectiniformis, placenta, plicatella, psittacea, pubescens, punctata, reticularis, retusa, rubra, rugosa, sandalinum, sandalium, sanguinolenta, scobinata, sella, spinosa, spondylodes, squama, squamula, striata, striatula, sulcata, terebratula, tridentata, truncata, tunica-caepae, turbinata, undulata, ventricosa, violacea, vitrea.

Anostomus:—anostomus.

Anser:—aegyptiacus, africanus, albifrons, beringii, bernicla, borealis, caerulescens, canadensis, casarka, cinereus, coscoroba, cygnoides, cygnus, erythropus, ferrugineus, ferus, grandis, hybridus, hyperboreus, leucopterus, magellanicus, melanocoryphus, melanotos, mollissima, montanus, nigricollis, niveus, nova hollandiae, pictus, pulchricollis, ruficollis, segetum, spinosus, torquatus, undulatus, variegatus.

Anthias:—argus, bifasciatus, bilineatus, digramma, formosus, japonicus, johnii, lineatus, lophar, macrophthalmus, maculatus, orientalis, polymna, sacer, striatus, testudineus, vosmeri.

Anthicus:—antherinus, ferrugineus, floralis, monoceros, oculus, rufipes.

Anthrax:—abbadon, aethiops, afra, algira, analis, belzebul, capucina, cerberus, daemon, genius, heterusca, holosericea, hottentotta, ixion, lar, lucifer, maura, mesomelaena, morio, nigrita, sabaeus, satyrus, sphinx, sylvanus, syphax, tabanoideus, tantalus, tessellatus, titanus, troglodyta, varia.

Anthrenus:—adpersus, denticornis, fasciatus, florilegus, fuscus, glaber, gloriosae, hirtus, histrio, maculatus, minimus, musaeorum, muscorum, niger, pimpinellae, pubescens, scrophulariae, serraticornis, tricolor, vagus, varius, verbasci, versicolor, viennensis.

Anthribus:—aeneus, albinus, albirostris, ater, bimaculatus, bipunctatus, brevirostris, cinctus, connexus, discifer, fasciatus, fulvirostris, fulvus, glaber, intersectus, laevis,

latirostris, lividus, longicornis, marchicus, marmoratus, nebulosus, nitidus, niveirostris, pallidus, pedicularia, peregrinus, planirostris, pubescens, pulicarius, rhinomacer, roboris, ruber, ruficollis, scabrosus, sepicola, testaceus, striatus, undulatus, undatus, unicolor, variegatus, varius, vittatus.

“Anthropolithus” :—partialis, totalis.

Antilope :—albipes, arundinacea, arundinum, barbata, bezoartica, bubalis, buselaphus, capreolus, cervicapra, cinerea, corinna, dama, dorcas, euchore, gazella, gnou, grimmia, gutturosa, kevela, kob, koba, lervia, leucophaea, leucopus, leucoryx, lyricornes, marsupialis, melanurus, oreas, oreotragus, orientalis, oryx, ourebi, picta, pygargus, pygmaea, recticornis, redunda, regia, reversa, rupicapra, saccata, saiga, saltans, saltatrix, schytica, scripta, senegalensis, strepsiceros, subgutturosa, sumatraensis, sylvatica, trago-camelus, tzeiran.

Antipathes :—aenea, alopecuroides, atra, clathrata, compressa, cupressina, cupressus, dichotoma, ericoides, flabellum, foeniculacea, glaberrima, larix, ligulata, lobellii, myriophylla, orichalcea, paniculata, pennacea, reticulata, spiralis, subpinnata, triquetra, ulex, virgata.

Antipus :—rufus.

Antribus, A. F. de Fourcroy, Ent. Paris. 1785, 136 :—*vide* Anthribus.

Apalus :—bimaculatus, quadrimaculatus, sexmaculatus.

Apate :—bidens, bimaculatus, capucinus, cornutus, dispar, elongatus, fagi, femoralis, gigantea, gonagra, hamatus, jesuita, limbatus, linearis, marginatus, minutus, monachus, muricatus, nigricans, punctata, signatus, sinuatus, substriatus, tiliae, tridens, viridis, volvulus.

Aper :—aethiopicus.

Aphis :—absinthii, aceris, acetosae, achilleae, aegopodi, alni, althaea, aparines, archangelicae, arundinis, atriplicis, avenae, balsaminthae, betulae, brassicae, bursaria, capreae, cardui, cerasi, cirsii, corni, coryli, craccae, dauci, evonymi, fabae, fagi, farinosa, fraxini, genistae, gallarum, hortensis, hypochaeridis, jaceae, juglandis, juniperi, lactucae, lanosa, leucanthemi, ligustici, longirostris, lychnidis, mali, mayeri, millefolii, nymphaeae, opuli, padi, papaveris, pastinacae, persicae, picridis, pineti, pini, pistacae, pisum, plantaginis, platanoidis, polyanthis, pomi, populi, pruni, pseudoplatani, quercus, ribis, roboris, rosae, rumicis, salicis, saligna, sambuci, scabiosae, solidaginis, sonchi, tanacenti, tanacetii, tiliae, tomentosa, tremulae, ulmi, urticae, veratri, viburni, vitis, xylosthei.

Aphodius :—arenarius, asper, ater, bimaculatus, bipunctatus, caesus, conjugatus, conspurcatus, consputus, contaminatus, depressus, erraticus, fimetarius, foetidus, foetens, fossor, globosus, granarius, haemorrhoidalis, ictericus, immundus, inquinatus, lividus, lugens, lutarius, maculatus, merdarius, niger, nigripes, oblongus, pecari, porcatus, porcus, prodromus, pubescens, pusillus, quadriguttatus, quadrimaculatus, quadripustulatus, rufipes, sabuleti, scrofa, scrutator, scybalarius, serotinus, sordidus, sticticus, subterraneus, sus, terrestris, tessellatus, testudinarius, thermicola.

Aphrodita :—aculeata, annulata, carunculata, cirrata, cirrhosa, complanata, filamentosa, flava, imbricata, lepidota, longa, longirostris, minuta, pedunculata, pennata, plana, punctata, rostrata, scabra, squamata, violacea.

Apion :—aeneum, aethiops, albovittatum, alliariae, apricans, brevirostris, caeruleum, craccae, cyaneum, difficile, flavifemoratum, flavipes, frumentarium, gibbosum, marchicum, minimum, nigrum, purpureum, ruficornis, rufirostris, sorbi, sulcifrons, vernale, virens, vorax.

Apis :—acervorum, acraensis, acris, acuminata, adunca, aemula, aenea, aeneipennis, aestuans, aethiops, affinis, africana, agilis, agilissima, agino, agitabilis, agrestis, agrorum, alata, alba, albicans, albifrons, albilabris, albipes, albiventris, albomaculata, albopunctata, alpina, altercator, amalthea, americanorum, amethystina, analis, annularis, annulata, annulus, antiguensis, aprica, arbustorum, arcuata, argentata, argillacea, argillosa, argyropeza, armata, arvensis, assiduus, aterima, atra, atrata, audax, audens, aurulenta, auster, autumnalis, barbara, bombinatrix, bombylans, bombyleus, bicincta, bicolor, bicolorata, bicornis, bidentata, bimaculata, bipunctata, bostoniana, brachyptera, brasilianorum, bryorum, bucephala, byssina, caecutiens, caerulea, caerulescens, caffra, caffrella, calcarata, calceata, callosa, cana, canescens, carbonaria, cardui, caribaeorum,

cariosa, carolina, cayennensis, centuncularis, cerana, cerifera, cetii, chalcoptera, chrystoma, ciliata, cincta, cineraria, cinerascens, cinerea, cingulata, cinnamomea, citrina, citronella, clavicornis, clypeata, collaris, collina, collium, combinata, conica, convexa, cordata, cornigera, cornuta, coronata, crassipes, crocata, crocipes, cryptarum, cucurbitina, cunicularia, cuprea, curvicornis, cyanoptera, dasypus, dealbata, dealbator, degener, dentata, denticulata, derisor, desertus, diadema, dichroa, dimidiata, distincta, disjuncta, dorsata, dubito, dumetorum, effrons, elongata, emarginata, equestris, erythropus, europa, excisa, fabriciana, farfarisequa, fasciata, fastosus, favosa, femoralis, femorata, fenestrata, ferruginata, ferruginea, fervida, festiva, fidens, fidus, filicum, flavicollis, flavicornis, flavifrons, flavipes, flavo-rufa, floralis, florea, florentina, florissomnis, fodiens, formido, fortis, fosoria, fragrans, frontalis, fronticornis, fuliginosa, fulva, fulvago, fulvipes, fulviventris, fulvo-cincta, furax, furcata, fusca, fuscens, fuscicornis, fusciventris, fusiformis, galbula, gallica, garrula, generosus, gibba, gigas, glabra, glauca, glaucocincta, globosa, grisea, griseo-collis, grossa, guineensis, gulosa, guttata, haemorrhoea, haemorrhoidalis, haemorrhousa, hattorfiana, helvola, hemisphaerica, hepatica, hiberus, hirsuta, hirta, hirtipes, hirundinaria, hispanica, histrio, holosericea, hortensis, hortorum, hypnorum, ichneumonea, icterica, imberbis, impavidus, incisa, indica, infractus, insubrica, interrupta, invictus, intrepidus, ireos, italica, joptera, labiata, lagopoda, lagopus, lamii, lanata, laniger, lanipes, lapidaria, lapponica, latipes, leporina, leskii, leucomelas, leucopus, leucorhousa, leucothorax, leucostoma, leucozonina, lineata, linguaria, liparga, liturata, longicornis, lucorum, luctuosa, lunata, lunulata, lutea, lutescens, lutulenta, maculata, maculosa, maiorum, malabarica, malvae, manicata, marginata, marginella, marylandica, maxillosa, melanocephala, melinus, melleus, mellifica, mellifera, melodes, meriana, mesomelaena, mexicana, minima, minor, minuta, minutissima, mniorum, montana, morio, muraria, murifex, muscaria, musciformis, muscorum, mussitans, mysceus, mystacea, nasuta, nebulosa, nemorum, nidulans, nigricans, nigrina, nigrita, nigriventris, nitida, notata, noveboracensis, obscura, obsoleta, ocreata, ochrocephala, opis, pacifica, pallens, palmata, palmipes, paludosa, papaveris, parietina, parvula, pascuorum, pennipes, pensylvanica, perniger, pertristis, pervirgil, picea, pilipes, pilipoda, plumipes, plumosa, praecox, pratensis, pratorum, pubescens, pulchella, punctata, purpurascens, purpurea, pusilla, pygmaea, quadricincta, quadridentata, quadrifasciata, quadrimaculata, quadrizonata, radula, ranunculi, regalis, retusa, riparia, rostrata, rotundata, rubicunda, rubricornis, ruderaria, ruderata, rufa, rufescens, ruficornis, rufipennis, rufipes, rufiventris, rupestris, rustica, rybyensis, sabulosa, sanguinolenta, scabiosae, scladonia, scutellaris, scutellata, seladonia, semicincta, seminuda, senilis, sericea, sexcincta, sibirica, sicula, signata, simile, smaragdula, sordida, soroeensis, sphegoides, spinipes, splendida, squalida, stictica, stigma, strenuous, strenuus, subaurata, subterranea, subvilliosa, succincta, suecica, superbus, surinamensis, suripes, sylvarum, tasitus, tenella, terrestris, tetricus, tatrix, thoracica, tranquebarorum, tranquilla, transfuga, transversa, transversalis, triangulum, tricolor, tridentata, trifasciata, trigona, trispinosa, tropica, truncorum, tuberculata, tumidus, tumulorum, tunensis, tunetana, umbratilis, unicornis, uniglumis, ursina, varia, varians, variegata, ventralis, vereor, vernalis, versicolor, vesparia, vespiformis, vespoides, vestalis, vestita, veterana, villosa, violacea, virescens, virginalis, virginica, viridula, vitreus, vulgo, vulpina, xanthometopa, zonata.

Aplysia :—depilans, fasciata.

Apora :—polymorpha.

Aporrhais :—quadrididus.

Aptenodyta, J. F. Gmelin in Linn. Syst. Nat., ed. 13, I. 1788, 559 :—*vide infra*.

Aptenodytes, J. F. Miller, Icon. Anim., pl. 23 (1778) :—antarctica, catarractes, chilensis, chiloensis, chrysocome, demersa, gorfua, longirostris, magellanica, molinae, minor, papua, patagonica, platirrhingos, torquata.

Apteronotus :—passan.

Aquarius :—paludum, stagnorum.

Aquila :—albicilla, barbata, chrysaetos, fulva, glaucopis, leucorypha, melanaetus, mogilnik, naevia, variabilis.—*Vide et. Falco*.

Aranea :—aculeata, acuta, agilis, agraria, alba, albicans, albifrons, albi, albo-arcuata, albo-fasciata, albo-lunata, albo-maculata, albo-nigricans, aldrovandi, amentata, amphibia,

angulata, angustata, annularis, annulata, annulosa, aquatica, arcuata, arcuato-lineata, argentata, argentea, armata, arundinacea, atrox, aurantia, aureola, autumnalis, avicularia, babel, bellicosa, betulae, bicolor, bicornis, bicornuta, bimaculata, bipunctata, blanchardi, brachiata, brevipes, brunnicornis, bucculenta, caementaria, calceata, calcyina, cana, cancriformis, carinata, carnifex, caspia, castanea, catesbaei, cellulana, cellularia, cellulina, chelata, chrysops, cicatricosa, cicurea, cinerascens, cinerea, cingulata, cinnaberina, citrea, citricola, citrina, citrinella, citrino-lutea, clavipes, clerckii, cnici, coa, colorifera, conchacea, conchata, conica, cordiformis, corollata, cornuta, coronata, crassipes, cretata, cristata, crucigera, cruentata, cucurbitina, cuneata, curaviensis, decemguttata, decempunctata, degeerii, denticulata, depressa, derhami, diadema, diademata, domestica, dorsalis, dorsata, dumetorum, duplicicrura, elegans, elongata, elongato-spinosa, ensifera, erratica, eruciger, esuriens, exigua, extensa, fabrilis, falcata, fasciata, fasciculata, fastuosa, fenestralis, ferrugineo-virescens, fimbriata, flammata, flava, flavissima, flaviventer, flavo-striata, flavo-fasciata, florentina, foliacea, foliata, folium, formicaria, formicina, formosa, fornicata, forskaelii, fossoria, frischii, frontalis, fuliginea, fulvata, fumigata, furcata, fusca, fuscomarginata, fuscata, fusiformis, galilaea, geminata, geniculata, globosa, goedarti, goezenii, goezii, grossipes, hamata, hasselquisti, hastata, hermaphrodita, hexacantha, hirtipes, holosericea, hombergii, horrida, horticola, impressa, inaurata, inquilina, insidiatrix, insignita, intersecta, joblotii, jonstoni, kalmii, kleinii, knorrii, labyrinthica, lacera, laevipes, latens, latro, leuwenhoekii, lignaria, liliacea, liliigera, lineata, linnaei, litera-V-notata, litera-V-insignita, litera-X-notata, listeri, litterata, littoralis, liturata, livida, lobata, longimana, longipes, luca, lunata, lupus, lusca, lurida, lyonetti, M, mactans, maculata, malphigii, mammata, marcevavii, margaritata, marginata, marmorata, marmorea, maxillosa, merianae, meticulosa, militaris, minuta, mirabilis, monilifera, montana, monticola, mortuorum, moufetti, muscosa, myopa, myops, nasuta, nervosa, nidulans, nigra, nigricans, nigrita, nigro-fasciata, nigro-maculata, nitida, nivalis, nobilis, nocturna, notata, novemmaculata, obscura, obtatrix, ocellata, octomaculata, octopunctata, olearii, olivacea, opilionoides, ornata, osbeckii, ovata, oviger, pallens, pallida, pallidula, paludicola, paludosa, palustris, papalis, parallela, parietina, patagiata, peleg, perita, petiverii, phalangoides, phragmitis, picea, picta, pilipes, pini, pinnata, piratica, piscatorius, plantaria, plantigera, pluchii, pubescens, pulchra, pugnax, pullata, pulla, pulverulenta, punctata, punctoria, pupillata, pusilla, pyramidata, quadrata, quadrilineata, quadrimaculata, quadripunctata, quattuor-guttata, quinquepunctata, raji, ramosa, rapax, reaumurii, redii, redimita, regalis, regia, resupinata, reticulata, rhomboidalis, riparia, rivulata, ritteri, roberti, roeselii, rolandri, rosea, R. P. Podae, rubriventer, rubro-fasciata, rufipes, rufo-fasciata, rumpfi, rupestris, ruricola, saccata, sandaliata, sanguinolenta, sauvagesii, sauvagii, scalaris, scenica, schaefferi, scolopetaria, scorpiformis, scopulorum, scrofa, sebae, sector, segmentata, senoculata, septempunctata, sericata, sericea, sexcuspidata, sexpunctata, signata, singoriensis, sisyphius, sloanii, smaragdula, solandri, speciosa, spinipes, spinimobilis, spinosa, striata, subflava, sublivida, subrufa, sulcata, sulphurea, swammerdamii, tarantula, tartarica, taurus, terebrata, terrestris, testacea, tetracantha, tigrina, tormentosa, trabalis, tredecim-guttata, triangularis, triangularispinosa, triarcuata, tribulus, tricuspidata, trifasciata, triguttata, trilineata, tripunctata, triquetra, tristis, truncata, truncorum, tuberculata, uddmanni, umbratica, undata, urinaria, varia, variegata, vatus, venatoria, vernalis, viatica, viduata, V-insignitus (see litera-), V-insignitus (see litera-), virescens, virgata, virginea, viridata, viridis, viridissima, vitis, vittata, wilkii, X-notata (see litera-), zebra.

Arca :—aculeata, aequalatera, afra, amygdalumtostum, angulata, angulosa, antiquata, argentea, barbata, bimaculata, campechiensis, cancellata, candida, complanata, concamerata, cor, corbicular, costata, crinita, cucullata, cucullus, decussata, deleta, flammata, foliata, fossilis, fusca, granosa, granulata, glycymeris, grandaeva, helblingii, imbricata, inaequalis, indica, interrupta, jamaicensis, lactea, lata, magellanica, margaritacea, marmorata, martini, minuta, modiolus, multistriata, navicularis, nicobarica, nivea, noae, nodulosa, notabilis, nucleus, nummaria, ovalis, ovata, pallens, patriarchialis, pectinata, pectunculus, pella, pellucida, pilosa, pulchella, reticulata, rhombea, rhomboidea, robet, rostrata, scabra, scapha, scripta, senegalensis, senilis, stellata, striata, tetragona, tortuosa, undata.

Architectonica :—gothica, nobilis, perspectiva, radiata.

Arctomys :—africana, alpina, bobac, citillus, ecaudatus, empetra, gundi, hudsonia, marmota, maulina, monax, pruinosa, suslica, zemni.

Ardea :—aequinoctialis, agami, alba, americana, antigone, argala, atra, badia, bononiensis, botaurulus, botaurus, brasiliensis, buccinator, caerulea, caerulescens, caledonica, cana, canadensis, candidissima, carunculata, caspica, castanea, cayennensis, chloroptura, chrysopelargus, ciconia, cinerea, circonia, clamator, cocoi, comata, coromanda, coromandeliana, cracra, cristata, cyanocephala, cyanopus, danubialis, dubia, egretta, egrettoides, episcopus, erythrocephala, erythropus, exilis, ferruginea, flava, flavicollis, fusca, galatea, gardeni, garzetta, gigantea, grisea, griseoalba, grus, gularis, helias, herodias, hoactli, hohu, hudsonias, ibis, ignea, indica, jamaicensis, japonensis, japonica, johanna, kwakwa, leucocephala, leucogaster, lineata, louhoujung, ludoviciana, maculata, magnari, major, malaccensis, marsigli, melanoptera, mexicana, minuta, naevia, nigra, nivea, novae guineae, novae hollandiae, numidica, nycticorax, obscura, ohula, oscitans, paradisea, parva, pavonina, philippensis, pileata, pondiceriana, pumila, purpurata, purpurea, pusilla, ralioides, rostrum, rubiginosa, rufa, rufescens, rutila, sacra, santodactylas, scolopacea, senegalensis, sinensis, soloniensis, spadicea, squaiotta, stellaris, striata, thula, tigrina, torquata, tricolor, undulata, variegata, violacea, virens, virescens, virgata, virgo.

Argentina :—carolina, glossodonta, machnata, pennanti, sphyraena.

Argoderma :—gaideropum, hyalinum, jacobaeum, multistriatum, plica, sanguineum, varium.

Argonauta :—arctica, argo, bibula, cornu, cymbium, hians, oryzata, papyracea, tuberculata, vitreus.

Argulus :—armiger, charon, delphinus.

Armadillo :—marginalis, pustulatus.

Arthemiderma :—exoletum.

Artocrea :—clibanites, minimal.

Arvicola :—amphibius.

Asaphis :—deflorata.

Ascalaphus :—appendiculatus, australis, barbarus, capensis, cayennensis, clavicornis, immaculatus, italicus, longicornis, maculatus, niger, quadrimaculatus, rusticus, surinamensis, tessellatus.

Ascaris :—acicula, acuminata, acus, acuta, adiposa, alaudae, albicillae, alcae, alce, anatis, anguillae, ani, apri, aquilae, argentinae, atak, bicolor, bifida, blennii, boa, bronchialis, bufonis, buteonis, caniculae, canis, capillaris, cati, ciconiae, clupearum, columbae, compar, coraciae, cornicis, crenata, criniformis, crinon, cygni, dispar, dyspnoos, echinata, equi, equorum, farionis, felis, filiformis, frugilegi, fuligulae, gadi, gallinae, galli, gallinarum, gallopavonis, gigas, globicola, gobionis, gulonis, halecis, harengum, hermaphrodita, hirci, hominum, insons, intestinalis, lacertae, lacustris, lari, leonis, lineata, longissima, lophii, lumbrici, lumbricoides, lupi, maraenae, marinus, martis, mephitidis, milvi, minutissima, mucronata, muris, neitsil, obtusa, papillosus, pelagica, phasiani, phocae, phocarum, pleuronectis, pulmonalis, raiae, ranae, renales, renalis, rhombi, rubetrae, rubra, salamandrae, secunda, sesquipedalis, sectiformis, siluri, spiralis, squali, strumosa, sturni, subbuteonis, subulata, suis, suum, talpae, tardae, tenuissima, teres, testudinis, tetraonis, tigridis, trachealis, trichiura, trichocephala, triquetra, truncata, truttiae, tubifera, turdi, urksuk, variegata, vermicularis, versipellis, vesicularis, vesperilionis, visceralis, vituli, vitulorum, vulpis, weneri.

Ascidia :—adiposa, ampulla, aspersa, aurantium, canina, clavata, complanata, conchilega, corrugata, crystallina, fasciculata, fusca, gelatina, gelatinosum, glandiformis, globularis, intestinalis, lepadiformis, mamillaris, mammilla, mentula, octodentata, orbicularis, papillosum, parallelogramma, patelliformis, patula, pedunculata, prunum, pyura, quadridentata, ramosa, rapa, rustica, scabra, singularis, siphon, solitaria, squamata, sulcata, tuberculum, vagabunda, venosa, villosa, virens, virginea, viridescens.

Asellus :—aquaticus, asilus, ceti, chelipes, entomon, falcatus, globator, hecticus, imbricatus, linearis, marinus, oestrum, paradoxus, physodes, quadricornis, trifasciatus.

Asilus (Dip.) :—aestivus, aestuans, aethiops, albifrons, algerus, analis, annulatus, aquaticus, arcuatus, argyrocnemus, armatus, ater, atratus, auratus, aureus, barbarus, barbatus, bicinctus, bicolor, bifasciatus, bohemicus, bombylius, brunni, brunneus, calidus, calidus, cayennensis, cinctus, cinereus, cingulatus, clavicornis, conopsoides, crabroniformis,

- crassipes, cristatus, culiciformis, cyaneus, cylindricus, delector, diadema, dorsalis, dubius, ephippium, erax, fasciatus, fasciculatus, femoratus, ferox, ferrugineus, filiformis, flavipes, flavus, forcipatus, frontalis, fulcratus, fuliginosus, fulvopterus, fulvus, fuscipes, germanicus, gibbosus, gigas, gilvus, glaber, glaucius, grossus, guttatus, haemorrhoidalis, harpax, hottentottus, hyalipennis, ignavus, inquinatus, lacrymosus, lanigerus, leucopterus, limbatus, linearis, lineatus, lusitanicus, maculatus, maculosus, mantiformis, marginatus, marginellus, marmoratus, maroccanus, maurus, medius, melanotarsus, minutus, morio, mucronatus, muscarius, nidulatus, nigellus, niger, nigerrimus, nigripes, nitidus, oelandicus, paedemontanus, pennipes, percae, plumbeus, podagricus, praedator, pratensis, pubescens, punctatus, pusillus, raptor, reticulatus, ruficornis, rufipes, rufus, russatus, rusticus, sabaudus, schaefferi, setosus, sinensis, striatus, stylatus, tarsosus, teutonius, tibialis, tipuloides, undulatus, venosus, venustus, villosus, violaceus, viridescens, viridis, vittatus.
- Asio** :—bubo, otus.
- Asper**, J. C. Schaeffer, Piscium Bavar. 1761, 69:—verus.
- Aspis** :—cleopatrae, cobella, intestinalis, variegata.
- Aspredo** :—fluviatilis, mystus.
- Astacus** :—arctus, astacus, atomos, bamffius, bartoni, bernardus, boreas, caeruleus, carabus, carcinus, carinatus, crangon, crassicornis, cylindrus, dauricus, elephas, emeritus, fluviatilis, fulgens, fulvus, gammarus, groenlandicus, grossipes, harengum, histrio, homari, homarus, linearis, locusta, malabaricus, mantis, marinus, muricatus, narval, nasocopus, norvegicus, penicillatus, planatus, pulex, pusillus, salinus, scaber, scyllarus, serratus, setiferus, squilla, stagnalis, strigosus, tettigonus, tyrhenus, varius, vitreus.—*Vide et. Cancer.*
- Asterias** :—aculeata, angulosa, aranciaca, arborescens, aspera, bifida, caput-medusae, ciliaris, ciliata, clathrata, decacnemus, endeca, equestris, euryale, filiformis, fissa, fragilis, gibbosa, glacialis, granularis, hastata, helianthemoides, hispida, irregularis, lacertosa, laevigata, leptocnemus, luna, membranacea, militaris, minuta, multiradiata, nigra, nobilis, nodosa, oculata, oligactes, ophiura, palmipes, papposa, parasitica, pectinata, pentaphylla, perforata, pertusa, phrygiana, placenta, planci, puvillus, quadrisida, radula, reticulata, rosea, rubens, sanguinolenta, scolopendrica, seposita, solaris, sphaerulata, spinosa, spongiosa, tenella, tricolor, tirradiata, varia, violacea.
- Astraea** (G.) :—calcar, conchyliophorus, corallophora, corrusca, imperialis, lapadifera, micans, nicobarica, phoebia, polaris, sirius, titania, venus.
- Astroites** :—ananas, arachnoides, calycularis, denticulatus, filum, flos, globularis, mammillar, organum, patelloides, pectinata, perforatus, radians, rotularis, stellaris, striatus, tubularis, undulatus, vermicularis.
- Astropecten** :—irregularis, regularis.
- Astrophyton** :—arachnoides, costata, scutatorum.
- Atherina** :—australis, brownii, hepsetus, japonica, menidia, sihama.
- Atomus** :—parasiticus, phalangii.
- Atopa** :—cervina.
- Attacus** :—*vide Phalaena.*
- Attelabus** :—aeneus, aequatus, alliariae, ammios, analis, angulatus, apiarius, asparagi, astragali, ater, avellanae, bacchus, betulae, betuleti, bicolor, bifasciatus, bimaculatus, bipustulatus, buprestoides, caeruleocephalus, caeruleus, calibatus, ceramboides, cioides, coryli, crabroniformis, craccae, cupreus, cupricollis, cuprirostris, curculionoides, cyaneus, dauricus, denigratus, dentipes, dubius, duodecimpunctatus, efferans, erythropterus, fasciatus, femoratus, flavipes, formicarius, formicaroides, fossor, frumentarius, fuscicornis, fuscirostris, gemmatus, geoffroyanus, glaber, globosus, ichneumoneus, indicus, intermedius, ircuitensis, lili, longicollis, longimanus, malvae, marci, melanurus, mollis, monoceros, mutillarius, nanus, nigripennis, nigrirostris, notatus, octomaculatus, octopunctatus, pennsylvanicus, polymorphus, pomonae, populi, pubescens, punctiger, purpureus, quadrimaculatus, quadrispinosus, quattuordecimpunctatus, quinquepunctatus, rostratus, ruficollis, rufirostris, sanguineus, schaefferi, sellatus, senex, serraticornis, sexguttatus, sipylus, sorbi, speciosus, sphageus, spinosus, surinamensis, tranquebarica, tricolor, tristis, ungaricus, unicolor, unifasciatus, vernalis, viciae, violaceus.
- Auchenia** :—duodecimpunctata, subspinosa.
- Auricula** :—auris-midae.

Auriformis :—antiqua, asinina, haliotoidea, midae, parva, striata, tuberculata.

Avicula :—hirundo, malleus, margaritifera.

Axinaeoderma :—bimaculatum, glycimeris, pilosum.

Axine :—bellones.

Aye-Aye :—madagascariensis.

Balaena :—albicans, boops, gibbosa, glacialis, islandica, musculus, mysticetus, nodosa, novae angliae, physalus, rostrata, tripterus.

Balanus, Da Costa, Brit. Conch. 1778, 249; Bock in Boddaert, Natuurbeschouwer, II. 1781, 44; F. C. Meuschen, Mus. Gevers. 1787, 478 :—anatiferus, balaena, balanoides, balanus, clavatus, communis, crenatus, crispatus, cucullus-planus, diadema, fistulosus, galeatus, hemisphaericus, intertextus, laevis, patelliformis, perforatus, polythalamius, porcatus, punctatus, radiatus, rugosus, spinosus, squamosus, striatus, sulcatus, testudinaria, tintinnabulum, veruca, vulgaris.

Balistes :—aculeatus, americanus, assasi, auwawa, barbatus, bellus, biaculeatus, cinereus, communis, capriscus, curassavicus, forcipatus, granulata, guttatus, hispidus, japonicus, kleinii, laevis, macropterus, maculatus, meulenii, minor, monoceros, nigra, papillosa, punctatus, ringens, schoepfii, scolopax, scriptus, sinensis, spilotopterygius, spinosus, talpa, tomentosus, undulatus, verrucosus, vetula.

Banchus :—compressa, falcatorius, fornicator, hastator, histrio, pictus, variegator, varius, venator.

Baphia :—caerulescens, fucata, margaritifera, mirio, pala, pictorum, planata, solaris, vulsella.

Barbarus :—*vide* Papilio.

Barbatula :—barbatula, taenia.

Basilicus :—americanus.

Batrachoides :—blennoides, tau.

Bdella :—longicornis.

Beguina :—nephritica.

Bembex :—americana, carolina, cingulata, flavescens, frontalis, glauca, guttata, integer, interrupta, labiata, lineata, lunata, olivacea, repanda, rostrata, ruficornis, rufipes, sex-fasciata, spinosa, striata, tridentata, variegata, vespoidea.

Bembyx :—punctata, rostrata, signata.

Bernicla (Cirr.) :—anatifera, inflata, mitella, pollicipes, striatula.

Beroe :—albens, cucullus, cucumis, densa, hexagonus, infundibulum, laevigata, ovatus, ovum, pileus, rufescens, scaturigo, tintinnabulum.

Biblio :—aenea, aethiops, anilis, bilineata, brevicornis, capucina, ciliatus, crassipes, equestris, erythrocephalus, febrilis, filata, flavipes, florea, hesperus, hirtus, hortulanus, hottentotta, illucens, italica, joannis, lar, latrinarium, lucifer, lugens, lugubris, marci, marginalis, marginata, maura, morio, nigrita, nivea, nobilitata, paniscus, papatasi, phalaenoides, plebeja, pomonae, ruficollis, rufipes, sabaeus, sanguinarius, satyrus, senatoria, senilis, spectrum, sphinx, strigata, stupida, sylvanus, thomae, troglodyta.

Binoculus :—apus, foliaceus, gasterostei, palustris, piscinus.

Bipes, B. G. E. de Lacépède, Quad. Ovip. I. 1788, Syn. méth. :—canaliculatus, sheltopusik.

Biphora :—africana, confoederata, democratica, fasciata, niaxima, mucronata, pinnata, polycratica, punctata.

Birita :—placenta.

Bitoma :—bipunctata, salicis, unipunctata.

Blaps :—calcarata, buprestoides, clathrata, crenata, cylindrica, dentipes, dermestoides, dilatata, elongata, emarginata, excavata, femoralis, gages, gemellata, gigas, glabra, granulata, laevigata, laticollis, lusitanica, mortisaga, obtusa, punctata, pusilla, ruficornis, serrata, spinipes, striata, sulcata, tibialis, tristis, undata, variolosa.

Blatta :—acervorum, aegyptiaca, africana, alba, americana, anelytra, aptera, asiatica, aterrima, aureliana, australasiae, brasiliensis, capensis, chlorotica, cincta, cinerea, culinaria, daurica, deusta, diaphana, erythrocephala, fusca, gallica, germanica, grisea, gigantea, hemiptera, heteroceros, heteroclitia, indica, ingens, irrorata, kakkerlac, lapponica, lata, latissima, lineata, livida, longicornis, longipalpa, lucifuga, maculata, maderae, marginata,

- minutissima, nitidula, nivea, obliquata, oblongata, occidentalis, ocellata, orientalis, pallata, pallida, pensylvanica, perspicillaris, petiveriana, picta, punctulata, reticulata, rufa, ruficollis, schaefferi, surinamensis, sylvestris, transfuga, capensis, variegata, viridis.
- Blennius**:—amphibius, ascanii, barbatus, bosquianus, capensis, chuff, coquillard, cornutus, cristatus, edwardsii, fasciatus, fuscus, gadoides, gadus, galerita, garamit, gattorugine, gobioides, gunnellus, lepus, lumpenus, lumpretaeformis, mediterraneus, muraenoides, mustela, mustelaris, ocellaris, ovoviviparus, pholis, phycis, pinaru, punctatus, punctulatus, pustulatus, raninus, regius, saliens, sufeianus, superciliosus, tentacularis, tentaculatus, torsk, torvus, tridactylus, unicolor, varius, viviparus.
- Blochius**:—longirostris.
- Boa**:—amblycephala, aurantiaca, bojobi, constrictor, contortrix, divinatrix, enydris, exigua, flavicans, hipnale, hortulana, isebequensis, merremii, murina, muta, ophrias, orophias, porcaria, scytale, thalassina.
- Bodianus**:—apua, argenteus, aya, bodianus, boenak, gigas, guttatus, kolreuteri, louti, macrolepidotus, maculatus, niloticus, pentacanthus, philadelphicus, stellifer.
- Bolitophagus**:—agricola, interruptus, reticulatus.
- Bombylius**:—aeneus, aequalis, agilis, albifrons, analis, apulus, ater, atropos, barbatus, brevirostris, canescens, capensis, cinerascens, cinereus, concolor, cruciatus, ctenophorus, cupreus, discoideus, discolor, dorsalis, elongatus, fulvipes, fuscus, gibbosus, griseus, haustellatus, maculatus, major, marginatus, mauritanus, maurus, medius, melanocephalus, micans, minimus, minor, morio, nigrita, nitidulus, nubilus, nudus, pictus, planicornis, plumpipes, pulicarius, punctatus, pygmaeus, rostratus, rufus, senilis, similis, sinuatus, sulphureus, tabaniformis, undatus, variegatus, venosus, versicolor, virescens.
- Bombyx**:—abas, abietis, achelous, aconyta, acria, adaena, advena, aegina, aesculi, agresta, agrius, albidia, albina, alcinoe, alinda, alphaea, alueo, amasis, americana, amilia, amphimone, anachoreta, anastomosis, angulata, annulata, antiqua, apiformis, apollonia, arge, argentina, argulata, argus, armida, arminia, asella, astynome, atra, aulica, auriflua, aurotus, austera, australasiae, avellanae, barbara, bella, bicoloria, binotata, bipunctatus, bistrigata, boebera, bombella, boreas, brunnea, bucephala, bufo, caeruleocephala, caesarea, caja, caliginosa, calipso, camelina, candida, capensis, capucina, carna, carpini, cassandra, cassinia, castalia, castrens, catax, centrolinea, cerasi, certhia, chaonia, chryseis, chrysorrhea, cinerea, cippus, claudia, clavis, C-nigrum, colon, communimacula, complana, compressa, conspicillator, coronae, coryli, cossus, crassicornis, crataegi, credula, crenata, crini, cribrum, cristata, crotalariae, cuculatella, cuculia, cuculla, cucullina, cunegunda, curtula, cyane, cynea, cybele, cynthia, cynira, cytherea, dama-retta, decolora, decora, deflorata, dejoepa, derasa, diaphana, dictaea, dione, discolor, discors, dispar, dodonaea, dominula, donasa, dromedaria, dryas, dumeti, eborina, egea, elata, elegans, ephippiger, epimethea, equestris, equina, eridanus, erythrinae, eryx, ethra, exclamationis, exigua, fabia, fagi, falcula, fascelina, fenestrata, ferruginea, festiva, flammea, flava, flavia, flavo-macula, flavo-maculata, flexula, flina, francisca, francaconica, fuliginosa, fulminea, furcula, fusca, fuscago, fuscosa, gagathes, glaucina, gloriosae, gnoma, gonostigma, graminella, graminis, grammica, grata, grisea, hamma, hamula, harpagula, hebe, heliophila, helladia, helops, helvola, hepatica, hera, hibisci, hieracii, hippodamia, histrio, humuli, hyalina, hyphinae, hyrtaca, ilicifolia, ilicis, illibata, imperialis, innocua, io, irius, irmina, irrorea, jacobaeae, jana, janus, jesuita, jodutta, justina, lacertula, leata, lagopus, lanata, lanestris, lantanae, laocoon, lapponica, lectrix, lepida, leporina, liberia, lincus, lineola, liturata, lobulina, lolii, lota, lubricipeda, lucina, luctifera, lugens, lugubris, lunata, lunigera, luna, lusca, lutea, luteola, maculosa, major, mali, matronula, megaera, melaleuca, mendica, menete, menthastri, milhauseri, militaris, minor, ministra, moli, molothina, monacha, montana, mori, munda, miscerda, mylitta, nausica, netrix, neustria, nictitans, nitens, nitidula, nivea, nivosa, nubeculosa, nuda, numana, obliterata, obscura, obscurata, obsoleta, occidua, ocularia, oleagina, oo, opaca, orientalis, ornata, ornatrix, palpina, paradoxa, pavonia, pectinella, penelope, pennatula, peripheta, perspicua, phaedusa, phidonia, phyllira, pineti, pini, pityocampa, plantaginis, plumigera, polyphemus, popularis, populeti, populi, populifolia, potatoria, priverna, processionea, promethea, promula, proserpina, prothea, pruni, pudibunda, puella, pulchella, pulverulenta, punctata, purpurea, pylotis, pyri, quadra, quadricincta, quenseli, quercifolia, quercus, querna, ramosa, reclusa, reflexa, regalis, regina, repanda, ricini,

rimicola, rivulosa, rosa, roscida, rosea, rubea, rubi, rubicunda, rubricollis, rubricosa, rubrocollaris, rurea, russula, rutila, salicis, salmonea, sanguinolenta, saturnus, scoriacea, segetum, selenitica, semiramis, serrata, serva, sesquistriataria, sicula, signata, speciosa, spini, spinula, spreta, stigma, stricta, strigosa, strigula, strix, sulphurea, taraxaci, tarquinia, tarquinius, tau, terebra, terrifica, testacea, testudo, thyrrea, tibialis, tormentaria, transversa, trepida, tricolora, tricuspis, trifolii, trigonalis, trimacula, tritophus, ulmi, umber, umbratica, undata, unicolor, unita, urticae, varia, vau punctatum, verago, venutia, versicolora, vestigialis, vestita, viciella, vidua, villica, vinula, virginica, virgo, viridialata, vittata, V-nigrum, ziczac, zona.—*Vide et. Phalaena.*

Boros :—elongatus.

Bos :—americanus, arnee, barbatus, bison, bonasus, bubalis, caffer, canina, cenchria, dante, gauvera, grunniens, indicus, moschatus, nanus, nudus, poephagus, pumilus, taurus, urus, zebu.

Bostrichus :—abietinus, aesculi, angustatus, anomalus, ater, bicolor, bicornis, bidens, bidentatus, bifasciatus, bimaculatus, bispinosus, boleti, brevis, bruchoides, calcographus, capucinus, cephalotes, cinereus, cornutus, crenatus, crudiae, cylindrus, dispar, elongatus, eremita, flavicornis, flavipes, formicarius, fraxini, furcatus, fuscus, hamatus, jesuite, laticis, ligniperda, limbatus, lineatus, longicornis, luctuosus, maculatus, marginatus, melanocephalus, mendicus, micans, micrographus, minimus, minutus, monachus, mono-graphus, mutillarius, muricatus, obscurus, octodentatus, oleae, oleiperda, pectinatus, perforans, piceus, pilosus, piniperda, polygraphus, pubescens, pygmaeus, retusus, ruber, ruficornis, rufipes, rugosus, scolytus, serratus, sexdentatus, tenebrans, testaceus, thoracicus, trispinosus, tuberculosus, typographus, variabilis, varius, villosus, vittatus, volvulus.

Botryllus :—conglomeratus, stellatus.

Brachionus :—acinosus, anastatica, bakeri, berberiformis, bicaudatus, bipalium, bractea, calyciflorus, campanulatus, capsuliflorus, cernuus, cirratus, clypeatus, colombea, crataegarius, cylindricus, dentalus, digitalis, dubia, hyacinthinus, impressus, lamellaris, media, mucronatus, multiceps, operculatus, ovalis, pala, parasites, passus, patella, patina, patulus, pilosus, plicatilis, proteus, pyriformis, quadratus, quadridentatus, ramosissimus, rattus, rotatorius, socialis, squamula, stentoreus, striatus, tripas, tripus, tuberosus, tubifex, uncinatus, urceolaris.

Brachycerus :—algius, apterus, areolatus, barbarus, bimaculatus, caperans, cornutus, crenatus, crispatus, cristatus, detritus, dubius, emeritus, europaeus, excisus, factus, fascicularis, frontalis, gemmatus, globiferus, globosus, inaequalis, junix, junx, juvenicus, maculatus, muricatus, obesus, ocellatus, papillosum, pertusus, pisiferus, planus, praemorsus, retusus, rostratus, rugosus, scabrosus, scalaris, serratus, sibiricus, spectrum, spinirostris, sticticus, taeniatus, tetragonus, undatus, uva, vacca, variolosus, verrucosus.

Brachypterus :—pedicularis, scutellatus, urticae.

Bradypus :—curi, didactylus, pentadactylus, tridactylus, unau, ursinus.

Branta :—albifrons, bernicla, moschata, torrida.

Brentus :—Panzer in Drury, Exot. Ins. 1785, 159 :—anchorago, anomaloceps, armiger, assimilis, barbicornis, barbirostris, bifrons, brunneus, canaliculatus, caudatus, cylindricornis, dispar, druryanus, formicarius, gnatho, hostile, interruptus, linearis, maculatus, manubrium, maxillosus, minutus, monilis, myrmecophaga, nasutus, peregrinus, retinaculum, ruficollis, semipunctatus, septemtrionis, volvulus.

Brontias :—savogineus.

Bruchus :—abdominalis, aeneus, affinis, analis, apterus, ater, avellanae, bactris, betulae, biguttatus, bimaculatus, bipunctatus, bisti, cacao, canalis, capsicola, capsularius, cisti, clathratus, coryphae, crassicornis, crenatus, cruciatus, curculionoides, difformis, ervi, fasciatus, femoratus, ferrugineus, flavicornis, fur, furunculus, galagae, gibbosus, gleditsiae, gonagra, granarius, hibisci, imbricornis, imperialis, irroratus, lentis, loti, luteicornis, maculatus, marginalis, mimosae, nebulosus, nucleorum, pallidus, pecticornis, pisi, punctatus, quadrimaculatus, quinqueguttatus, robiniae, rufipes, rufus, scabrosus, scotias, scutellaris, seminarius, serraticornis, serratus, spinosus, suturalis, testaceus, theobromae, theobromatis, tragacanthae, trimaculatus, umbellatarum, undatus, unicolor, varius, viciae, villosus.

Bryaxis :—schneideri.

Buccinum :—abbreviatum, achatinum, acicula, aciculare, aciculatum, aculeatum, acus,

adpersum, aduncum, affine, alatum, amarula, ambiguum, ampullatum, anglicum, apex, aplustre, arabicum, arcularia, areola, armillatum, ascanias, asperum, auricula, australe, babylonicum, bezoar, bicarinatum, bicostatum, bilineatum, breve, britannicum, caelatum, caelibrare, calcar, camellinum, canaliculatum, cancellatum, candidum, carinatum, cassiatum, cassidoideum, cassis, catarrhacta, caudatum, cereum, ceylanicum, chalybeum, chalybs, chrysostomum, cicatricosum, cicatrosum, ciliatum, cinctum, cinereum, cingulatum, clathratum, cochlidium, columna, colus, commaculatum, concholepas, congyllis, contortum, corneum, corniculum, cornutum, coronatum, costatum, crassum, crenulatum, cruentatum, cuspidatum, cyaneum, decussatum, desertum, diaphanum, digitale, digitellus, digitus, dimidiatum, dolium, dorsatum, dubium, duplicatum, edentulum, echinophorum, elongatum, erinaeeum, evonymum, evulsum, exaratum, excavatum, exile, faba, fasciatum, fasciolatum, femorale, fenestratum, ferrugineum, ficus, filosum, fimbria, fimbriatum, flammeeum, flammigerum, flavum, flumineum, fluviale, foliorum, fornicatum, fossile, francolinum, fuscum, galea, gemicum, geminum, geversianum, gibber, gibbosulum, gibbum, glaberrima, glabratum, glabrum, glaciale, glans, glaucum, glomeratum, glutinosum, gracile, granulare, granulatum, gyratum, haemastoma, harpa, hastatum, haustorium, haustum, hebetatum, hecticum, hepaticum, impressum, incisum, incrassatum, indicum, inflatum, islandicum, labyrinthus, laciniatum, lacunosum, laeve, laevigatum, laevissimum, lambojdes, lamellatum, lamellosum, lampas, lanceatum, lapillus, lavatum, leucozonias, lima, linea, lineatum, liratum, lividulum, longiusculum, luteolum, lyratum, macloviense, maculatum, maculosum, magnum, marginatum, mediterraneum, mexicanum, miga, minutum, miran, molucrum, monile, monoceros, monodon, morio, mucronatum, muricatum, muricinum, murinum, mutabile, nanum, narval, nassula, neriteum, neritoidium, nifat, nigropunctatum, nisot, nitidulum, niveum, nodatum, nodosum, nodulosum, nucleus, nux-odorata, obliquum, obtusissimum, obtusulum, obtusum, ocellatum, ochroleucum, olearium, olivaceum, olivator, orbita, ornatum, othaeitense, palustre, papillosum, papulosum, papyraceum, patulum, pennatum, perlix, peregrum, persicum, pertusum, perversum, phaenistoma, phallus, pileare, piscatorium, plicatum, plicatum, plumatum, politum, pollex, pomum, ponderosum, porcatum, porphyroides, praemorsum, praerorsum, prismaticum, proximum, pterophotum, pugio, pullus, punctatum, punctulatum, purpuro-buccinum, pyramidale, pyrastra, pyrozonias, pyrum, quadridentulatum, rac, radiatum, rana, recurvirostrum, reticulatum, rigidum, riparium, rubecula, rude, rufescens, rugosum, rufum, rullus, rumpfi, rusticus, sancti mauritii, saturnum, scabriculum, scabrum, scaevolium, scala, scalare, scrobilator, scutulatum, senegalicum, senticosum, sertum, sinuatum, smaragdulus, solutum, soni, spadiceum, spinosum, spiratum, spirillum, squalidum, stagnale, stolum, striatulum, striatum, strigatum, strigilatum, strigosum, stromboides, subulatum, succinctum, sulcatum, sulcosum, taenia, tahitense, tamaritanum, tessellatum, tessulatum, testiculum, testudineum, textum, thesites, tibicen aruanus, tigrinum, toreuma, torridum, tranquebaricum, trapezium, tricarinatum, trifasciatum, tritoniolum, tritonis, tritonium, trochlea, truncatulum, truncatum, tuberculatum, tuberosum, tubicen, tuba, tulipa, tumidum, turgitum, turris-picta, turris-clavata, tyrrhenum, umbilicatum, undatum, undosum, undulatum, unicomis, varicosum, varium, ventricosum, vermis, verrucosum, versicolor, vexillum-croceum, vibex, virgineum, viridulum, vitiliginosum, vittatum, vulgare, vulgatum, zebra, zonale.

Bucco:—bidentatus, calcaratus, capensis, cayennensis, ceylanicus, cinereus, collaris, dubius, elegans, fasciatus, fuscus, gerini, grandis, haemacephalus, indicus, indus, lathami, leucomelas, macrorhynchus, maculatus, maynanensis, melanoleucus, nanus, niger, nudatus, parvus, philippinarum, philippinensis, pictus, rubricapillus, tamatia, tectus, versicolor, viridis.

Buceros:—abyssinicus, africanus, albus, bicornis, birostris, ceylonensis, chloropterus, coronatus, dschindschicus, galeatus, giginianus, griseus, hydrocorax, malabaricus, melanoleucus, melanoleucus, nasutus, novae hollandiae, obscurus, orientalis, panayensis, panini, pica, plicatus, rhinoceros, rostratus, vigil, viridis.

Bufo:—agua, arboreus, arunco, bombina, brasiliensis, bufina, calamita, cinereus, clamosus, cornutus, cruciatus, fuscus, gibbosus, guttatus, igneus, ignicolor, marinus, marmoratus, melanostictus, musicus, nasutus, obstetricans, pipa, pustulosus, ridibunda, rubeta, rubetra, rufus, salsus, scaber, schreberianus, semilunatus, siamensis, sitibundus, strumosus, thaul, typhonius, ventricosus, vespertinus, viridis, vulgaris.

Bulbocerus :—cephalotes.

Bulimus :—achatinus, acicula, acutus, algirus, amarula, ampullaceus, ater, auricula, auricularius, auris-felis, auris-judae, auris-leporis, auris-malchi, auris-midae, auris-sileni, auritus, australis, avellana, avenaceus, bicarinatus, bidens, bovinus, calcareus, carinatus, citrinus, columba, columna, coniformis, consolidatus, corrugatus, decollatus, distortus, dolabratus, doliolum, dombeianus, effusus, exaratus, flammeus, fontinalis, fulvus, funeralis, fuscatus, fustus, glaber, glans, glutinosus, guadalupensis, haemastomus, hordaceus, hypnorum, interruptus, inversus, kambeul, labiosus, lacteus, laevus, lineatus, lubricus, lyonetianus, maculatus, minimus, monile, mumia, muricatus, muscorum, oblongus, octonus, oryza, otaheitanus, ovatus, ovoideus, ovulus, palustris, papillaris, patulus, pedipes, peregrus, peruvianus, perversus, pictus, plicarius, praerosus, priamus, pupa, purpurascens, quadridens, radiatus, scaber, scarabaeus, septenarius, sculus, similis, sinamarinus, solidulus, stagnalis, striatulus, striatus, succineus, sulcatus, terebellum, terebralis, tornatilis, torulosus, tridens, trifasciatus, trochoides, truncatus, tuberculatus, turricula, undatus, urceus, uva, variegatus, ventricosus, vexillum, virgineus, vitreus, zebra.

Bulla (G.) :—achatina, acuminata, akera, ambigua, amplustre, ampulla, ampullacea, aperta, auris judae, auris midae, bifasciata, birostris, bulla, canaliculata, carnea, ceylanica, cingulata, circulata, coffea, columbula, conoidea, cylindracea, cylindrica, cypraea, denticulata, dominicensis, emarginata, exarata, fasciata, ferruginosa, ficus, flammea, fontinalis, gelatinosa, gibbosa, hyalina, hydatis, hypnorum, ibyx, latens, lignaria, livida, naucum, navicula, norvegica, occidua, oliva, ovata, ovum, pallida, panus, papyracea, patula, physis, plicatilis, punctata, purpurea, rapa, regulbiensis, rubra, scabra, serrata, simulata, simus, solida, solidula, soluta, sopita, spelta, spreta, stercus pulicum, striata, striatula, strigata, terebellum, tornatilis, truncatula, truncata, turrita, umbilicata, undata, velum, velutina, verrucosa, vesica, villosa, virgata, virginea, voluta, volutata, volva, zebra.

Bulla (Neur.) :—*vide* Gryllus.

Buphaga :—africana.—*vide* Buphagus, p. 148.

Buprestis :—acuminata, acuta, adpersa, aeneicollis, aegyptiaca, aenea, aequinoctialis, aerata, aerosa, aeruginosa, affinis, agrorum, albopunctata, amethystina, andreae, angulata, antiquus, appendiculata, aquatica, atomaria, atra, attenuata, aurata, aurea, aurifer, aurea, aurentulus, austriaca, barbara, barbarica, berlinensis, bicarinata, bicolor, bifasciata, biguttata, bimaculata, bioculata, bipunctata, bistriata, blanda, blattoides, blonda, bruttia, caerulea, caerulescens, caffra, calcarata, campestris, canaliculata, candens, capitatus, capite-rufus, cariota, castanea, cayennensis, chalybea, chrysis, chrysites, chrysocollis, chrysoelus, chrysostigma, chrysotis, cichorii, cincta, clypeata, coccinea, collaris, congener, connexus, contractus, coriaceus, cornuta, corusca, crepitans, cresus, cruciata, crucifer, cruenta, crux major, cyanea, cyanocephalus, cyanicornis, cyanipes, cylindrica, deaurata, decemguttata, decemmaculata, decempunctata, decora, decostigma, degener, dentata, depressus, dilatata, dimidiata, discoidea, dorsata, dorso-rufus, dubia, echinata, elata, elateroides, elegans, elegantula, elongata, emarginata, episcopalis, equestris, exaltata, excavata, fabricii, farinosa, fasciatus, fascicularis, fastidiosa, fastuosa, favinosa, femorata, festiva, flabellicornis, flavipes, flavo-fasciata, flavo-maculata, flavo-punctata, formosa, foveatus, frontalis, fulgens, fulgida, fulgurans, fuliginosa, fulminans, fulvus, fumosus, funesta, fur, furcata, fusca, gemmata, germanicus, gibbosa, gigantea, gnita, graminis, granularis, granulatus, guttata, haemorrhoidalis, hirsuta, hirta, hiulca, humeralis, hyperici, igneum, ignita, impressa, inaurata, insignis, interrupta, iris, irrorata, juncea, laeta, laevigata, lateralis, laticollis, leporinus, leucophthalmos, linea, linearis, lineata, longicornis, lucidula, lucorum, luctuosus, lugubris, lunata, lunulatus, lurida, maculata, maculosa, manca, manipularis, marginalis, marginata, mariana, massiliensis, maura, maxillosa, medita-bunda, megacephala, melancholica, melanocephalus, metallica, metalliqua, metastatica, micans, miliaris, minuta, modesta, moesta, moraei, morbillosa, morio, multipunctata, mutabilis, naevia, nana, nebulosa, nigra, nigricollis, nigrita, nitens, nitida, nitidula, nobilis, notata, novemmaculata, obscura, ocellata, ochreate, octodecemguttata, octoguttata, octomaculata, octopunctata, oculata, oeneocollis, onopordi, orichalcea, ornata, oxyptera, pagana, pannonica, parvula, pavidata, pectoralis, pedicularis, picta, piger, pilosa, pisana, plana, plateosus, plebeia, porcata, prasina, pruni, psittaceus, pubescens, pulchra, punctata, punctatissima, purpurascens, purpurea, pusilla, pygmaea, pyrotis, quadridentata, quadrifasciata,

quadri-, quadrimaculata, quadripunctata, quattuordecimguttata, quattuordecimpunctata, quercus, quinquepunctata, rauca, regalis, reticulata, riparius, rosaceus, rubescens, rubi, rubra, rubro-aurea, ruficaudis, ruficollis, rufipes, rugosa, rustica, rutilans, salicina, salicis, salisburyensis, sanguinea, sanguinolenta, scabra, scapularis, scitula, scutellaris, senicula, sericeus, serrata, sexdecimpunctata, sexguttata, sexmaculata, sexpunctata, sibirica, silphoides, sinuata, smaragdula, sophorae, specularis, splendens, splendida, stagnorum, stephanelli, sternicornis, striata, stricta, subrugosa, sulcata, suturalis, suturatus, sycophanta, syngenesiae, syriaca, taeniata, tarda, tartarica, tenebricosa, tenebrionides, tenebrionis, tereticolis, tersata, testacea, thoracica, tomentosa, tranquebarica, tricuspidata, trifasciata, triloba, tripunctata, tristis, trochilus, umbellatarum, umbrosa, undata, undecimmaculata, undulata, ungarica, unicolor, unidentata, unifasciata, ustulatus, varicornis, variegatus, variolaris, variolosus, ventricosa, vigintiduopunctata, vinearum, violacea, virginica, virginiensis, viridiaenea, viridis, viridulus, vittatus, volvulus, vulgaris.

Bursa :—bufonia, gibbosa, mammata, monitata, rana.

Bursaria :—bulla, bullina, duplella, globina, hirundinella, rostellata, truncatella.

Busycon :—canaliculatum, cingulatum, dubium, inversum, muricatum, perversum.

Buteo :—the specific names attributed to Daudin should read :—*Falco buteo*, *varr.*

Byrrhus :—aeneus, albopunctatus, ater, cinctus, caerulescens, crenulatus, diana, domesticus, dorsali, dorsalis, fasciatus, fascicularis, fenestralis, fuscus, gigas, globulus, maculatus, major, minutus, mollis, murinus, museum, niger, nitens, nitidulus, nitidus, ornatus, paniceus, pertinax, picipes, pilula, pimpinellae, pulverulentus, pusilla, pygmaeus, rubidus, rubiginosus, rufipes, scrophulariae, semistriatus, setiger, spinosus, stoicus, striatus, undulatus, vagus, varius, verbasci, virescens.

Cabestana :—costata, cymatium, difformis, doliata, doliolum, helciarum.

Cacicus :—alaudarius, cristatus, haemorrhous, leucocephalus, niger, persicus.

Cadus :—albus, cassis, caepa, coturnix, diaphanus, doliolum, dolium, fasciatus, galea, globosus, meleagris, perdix, pomum.

Caecilia (P.) :—branderiana.

Caecilia (R.) :—acuminata, glutinosa, ibiare, tentaculata.

Caecula :—apterygia, pterygia.

Calamita :—arboreus, bicolor, boans, cinereus, fasciatus, fuscus, leucophyllata, maximus, melanorabdotos, punctatus, quadrilineatus, tinctorius.

Calandra (B. S. Barton, N. H. Pennsylv. 1799, 19.—A. ? of generic value) :—pratensis, floralia.

Calappa :—angustata, cristata, fornicata, granulata, lophos, marmorata, spinifrons, tuberculata.

Calceola :—sandalium.

Calendra :—abbreviata, granaria.

Caligus :—crassus, curtus, oblongus, productus.

Callaeas :—cinerea.

Callichthys :—callichthys, cataphractus.

Callidium :—abdominale, acuminatum, aegyptiacum, aeneum, agreste, alni, amethystinum, angulatum, augustatum, annulare, araneiformis, arcuatum, arietis, arvense, arvicola, atomarium, atrum, aulicum, bajulus, barbatus, bicolor, bifasciatus, bimaculatus, brevicorne, campestre, cantharinum, castaneum, chloroticum, cinerarium, cinereum, clavicorne, clavicrus, clavipes, cognatum, colonum, compressum, concolor, confusum, coriaceum, culmen, curiale, cyaneum, decorum, dentipes, detritum, dilatatum, ebulinum, equestre, erythrocephalum, fasciatum, femoratum, fennicum, feretrium, flavum, flexuosum, florale, fugax, fulcratum, fulminans, fulvicolle, fuscum, gazella, gibbosum, glaucum, griseum, hafniense, hieroglyphicum, hirtum, hispicornis, holosericeum, hottentotum, impressum, irroratum, lecticarium, ligneum, lineatum, linneianum, lividum, longipes, lucidum, lugubre, lunatum, luridum, lusum, lusitanicum, lynceum, m-album, marylandicum, massiliense, melancholicum, minutum, mixtum, molorchoides, mucronatum, mysticum, nebulosum, notatum, obscurum, omega, ornatum, pallidum, pallipes, palmatum, piceum, picipes, pilicorne, pini, praeustum, proletarium, pubescens, pulverulentum, punctatum, pusillum, pygmaeum, quadrimaculatum, quadripunctatum, raucum,

rhombifer, ruficolle, ruficorne, ruficus, rufipes, rufum, ruricola, russicum, rusticum, salicis, sanguineum, scutellare, semipunctatum, senile, sericeum, sexfasciatum, sexpunctatum, spinicorne, spinosum, stigma, strepens, striatum, succolator, sulcatum, suturale, tenebrosum, terminans, testaceum, tomentosum, trifasciatum, trilemniscatum, triste, undatum, ungaricus, unicolor, unifasciatum, variabile, variegatum, variolosum, varium, verbasci, verrucosum, villicum, vini, violaceum, virens, vittatum.

Calliomorus :—indicus.

Callionymus :—baikalensis, draculus, dracunculus, indicus, japonicus, lyra, ocellatus, punctulatus, sagitta, vestenae.

Callistoderma :—chione, floridum, gallina, lacteum, laetum, litteratum, neapolitanum, stultorum, verrucosum.

Callithrix :—argentata, iacchus, midas, oedipus, pithecia, rosalia.

Callitricoderma :—barbatum, caeruleum, flavum, lithophagum, minimus, ungulatum.

Callorhynchus :—americanus, atlanticus, callorhynchus, elephantinus.

Callyodon :—cretensis, iseri, japonensis.

Calolymus :—barbatus, flavipes, morio, proboscideus.

Calopodium :—albidum.

Calopus :—aquaticus, blandus, hispicornis, lineatus, pygmaeus, serraticornis, simplex, testaceus.

Calyptraea :—sinensis.

Camelopardalis :—africana, giraffa.

Camelus :—araucanus, bactrianus, dromedarius, dromos, glama, guanicoe, huanacus, hybridus, pacos, vicugna.

Camerina :—laevigata, nummularia, striata, tuberculata.

Campsirus :—cancrivorus, flavus, lotor.

Cancellaria :—reticulata.

Cancer :—absconditus, abyssinus, acanthurus, aculeatus, adactylus, adscensionis, adpersus, aegagropila, aeneus, agilis, alatus, ambidexter, amoenus, amplexens, ampulla, anatum, angulatus, aniculus, annularis, anomalus, antennatus, apancora, araneiformis, araneus, arcticus, arctus, arenarius, armadillus, armiger, arrosor, articulatus, asper, astacus, atomos, attenuatus, aurantius, auritus, australis, bahamensis, bamffius, barbatus, bernhardus, bidentatus, bilobus, bimaculatus, bipes, bispinosus, boreas, brevipes, bufo, caementarius, caerulescens, calappa, calappoides, cancellus, cancharus, candidus, caninus, capensis, caput-mortuum, carabus, carcinus, carinatus, carnifex, cassideus, cassivelaunus, cataphractus, cedonulli, cerathurus, ceratophthalmus, chabrus, chelatus, chiragra, chiragricus, cicada, ciliatus, cimicoides, convexus, corallinus, cordatus, corniger, cornutus, corona-imperialis, coronatus, clibinarius, clypeatus, cochlearis, condyleatus, corrugatus, crangon, craniolaris, crassicornis, cristatus, cruciatus, cruentatus, cubicus, cuphaeus, cursor, custos, cylindricus, cylindrus, decorus, defensor, dentatus, depressus, depurator, digitalis, diogenes, dodecos, dormia, dorsetensis, dorsipes, dromia, echinatus, elephas, emeritus, epheliticus, eremita, erinaceus, erythropus, esca, excavatus, excisus, exsculptus, facchino, faeroensis, falcatus, fasciatus, fascicularis, femoralis, feriatu, ferrugineus, filiformis, fimbriatus, flammeus, flexuosus, floridus, fluviatilis, forceps, fornicatus, frascone, fulgens, furcatus, ganmarellus, gammarus, germanus, gibbosus, glaber, glaberrimus, gacialis, glaciatis, gladiator, globosus, globus, gonagra, granarius, granulatus, graphicus, grapsus, gregarius, groenlandicus, grossipes, gymnista, halecum, harangum, hastatus, hepaticus, heros, hexapus, hircus, hirtellus, hispanus, hispidus, histrio, holosericeus, homari, homaroides, homarus, horridus, hydrodromus, hydrophilus, hystrix, inaequalis, incanus, inconspetus, innocuus, istrianus, jamaicensis, lactatus, lagopodes, lanatus, lanceatus, lancifer, lapideus, lar, latipes, latro, linearis, litteratus, locusta, longicornis, longimanus, longipes, longirostris, lophos, lunaris, machrochelos, maculatus, maenas, maja, malabaricas, mammillaris, mantis, marmofatus, mascarone, mediterraneus, medusarum, messor, miles, minutus, mirabilis, modestus, muricatus, muscosus, mutilatus, mutilus, mutus, mytilorum, narval, nasutus, natator, nautilator, navigator, neptuni, niger, nodulosus, norvegicus, novemdecos, nucleus, nugax, nutrix, occultus, ocellatus, ochtodes, oculatus, olivaceus, opilio, orbicularis, orbiculus, orientalis, ovis, paederus, pagurus, paludosus, parasiticus, parvulus, pedatus, pelagicus, pellitus, pennaceus, perlatus, personatus, perversus, phalangium, philargus, pictor, pilosus, pinnophylax, pinnotheres,

pisum, planatus, platycheles, plicatus, podurus, polyphagus, porcellaneus, porcellanus, porestia, praedo, pransor, princeps, puber, pudibundus, pulchellus, pulex, punctatus, pusillus, pygmaeus, quadratus, quadridens, quinquedentatus, raninus, residuus, reticulatus, rhomboides, rhombus, rostratus, rotundatus, rubris-oculis, rufopunctatus, rugosus, rumphii, ruricola, sabulosus, sagittarius, salinus, sanguineus, sanguinolentus, santolla, saratan, satiak, saxatilis, scaber, scaevola, sclopetarius, scopolinus, scorpio, scruposus, sculptus, scyllarus, sedentarius, segnis, semicylindricus, senex, septemdentatus, septem-spinosus, serratus, seticornis, setiferus, setosus, sexdentatus, sexpes, sinensis, sinicus, spectabilis, spinicarpus, spinifer, spinifrons, spinipes, spinosus, squamosus, squilla, squinado, stagnalis, strigosus, stromianus, subluceanus, sulcatus, superciliosus, symnstra, talicuna, tenuicrustatus, testudinarius, tetagropila, tetragonon, tetragonus, tetraodon, tettigonus, tibicen, tinctor, tribuloides, tribulus, tridens, tridentatus, trixapus, tuberculatus, tuberosus, tubularis, tympanista, uca, undecimdentatus, ungarus, ursus, varians, variegatus, variolosus, varius, velutinus, ventricosus, verrucosus, vespertilio, victor, virescens, viridis, vitreus, vocans, xaiva.

Cancroides :—*vide* Aranea.

Cancroma :—cancrophaga, cochlearia, coromanda, guisea, leucoptera, maculata.

Canis :—adive, alopex, antarcticus, aquaticus, argenteus, aureus, barbatus, bengalensis, cerdo, ceylonensis, cinereo-argenteus, corsac, crocuta, crucigera, culpaeus, dingo, familiaris, fuliginosus, groenlandicus, hyaena, karagan, lagopus, lupus, lycan, mesomelas, mexicanus, tetradactylus, thous, vertagus, virginianus, vulpes.

Cantharis :—abbreviata, abdominalis, aenea, afra, albicans, alpina, altica, americana, analis, angulata, argentea, assimilis, atra, atrata, attenuata, barbata, berberidis, berlinensis, bicolor, bifasciata, biguttata, bilineata, bimaculata, bipunctata, bipustulata, bivittata, brevicollis, caerulea, caeruleocephala, canescens, capensis, cardiacae, caspica, caudata, chalybea, chrysomeloides, cichorii, cinerea, clematidis, clypeata, coccinea, collaris, crassicornis, crassipes, cupraea, cyanea, depressa, dermestoides, diadema, dichroa, dimidiata, dispar, distincta, dubia, ebria, equestris, erythrocephala, erythromelas, exusta, fasciata, favipes, femorata, festiva, flava, flaveola, flavipes, formicoides, fraxinea, fulgens, fuliginosa, fulva, fulvicollis, fusca, gigas, guttata, haemagaster, haematostoma, haemorrhoea, haemorrhoidalis, herbsti, hirta, histrio, humeralis, ianthina, ignita, italica, laeta, lamprois, lateralis, lepturoides, leucogastra, lignosa, limbata, lineata, lineola, litteralis, livens, livida, lucida, lutea, maculata, marginata, marginellus, mauritanica, media, melanocephala, melanura, melooides, melophthalmos, minima, monilis, morio, multicolor, mutica, navalis, necydalea, nemoralis, nigra, nigricans, nigripes, nitidula, nivea, nobilis, noctiluca, obscura, ochropus, oculata, pallida, pallipes, parva, pectinata, pectinicornis, pedicularia, pellucida, pensylvanica, phosphorea, picea, pilosa, plumbea, proboscidea, proscarabaeus, pthysica, pulicaria, pulla, punctata, pyralis, quadriguttata, quatuor-punctata, rostrata, rotundata, rufa, ruficollis, rufipes, rufiventris, sanguinea, sanguinolenta, saxonica, sericea, serrata, serraticornis, sexpunctata, sinensis, sinuata, smaragdula, sonchi, spadicea, squallida, suecica, sulcata, syriaca, tenebricosa, testacea, thoracica, tomentosa, tricolor, trilineata, trimaculata, tristis, tropica, undato-bifasciata, ustulata, variabilis, variegata, vesicatoria, villosa, violacea, virescens, viridescens, viridiaurea, viridis, viridissima, vittata.

Cantharus :—erosus, globularis, hippocastanum, nodosus, scalaris, tribuloides, triplicatus, tuberosus.

Capisterium :—corallina, erugata, ferruginosa, glabrata, globulata, radiata, scortum, spengleri, ziczac.

Capparid :—erythrocarpus.

Capra :—aegagrus, alpina, ammon, angolensis, angorensis, bezoartica, caucasi, caucasica, cervicapra, depressa, dorcas, gazella, grimmia, hircus, ibex, khalmyccica, leucophaea, mambrica, monticola, mutica, nana, puda, pygmaea, reversa, rupricapra, saiga, scripta, tartarica, vulgaris.

Caprimulgus :—acutipennis, acutus, albicollis, americanus, asiaticus, brasilianus, carolinensis, cayanus, cayennensis, cristatus, europaeus, grandis, griseus, guianensis, indicus, jamaicensis, longipennis, maximus, minor, novae hollandiae, rufus, semitorquatus, torquatus, virginianus.

Capsa :—angulata.

Capsularia (Ver.) :—halecis, salaris.

Carabus :—abbreviatus, abdominalis, acuminatus, adpersus, aeneocephalus, aeneopunctatus, aeneus, aequinoctialis, aerugineus, aeruginosus, aestivus, aethiops, afer, affinis, africanus, agilis, agrestis, agricola, agrorum, alacer, alboguttatus, alpinus, alpinus, alternatus, ambiguus, amboinensis, americanus, amethystinus, amoenus, analis, anchora, andreae, angulatus, angustatus, apicarius, arboreus, arcensis, arcticus, arenarius, arenosus, areolatus, artenuatus, articulatus, arvensis, assimilis, ater, aterrimus, atomarius, atratus, atrica-pillus, atrorufus, attelaboides, attenuatus, auratus, aureus, aurichalceus, auronitens, auropunctatus, axillaris, azureus, bacarozzo, bicolor, bifasciatus, biguttatus, bilineatus, bimaculatus, binotatus, bipunctatulus, bipunctatus, bipustulatus, bispinosus, bivittatus, blapoides, bohemicus, bombardia, borealis, brevicollis, bructeri, bucephalus, bucida, bullatus, buprestoides, caeruleus, caeruleus, caeruleus, calidus, caliginosus, calydonius, campestris, cancellatus, capensis, capitatus, capito, carbonarius, carnifex, carolinus, cassideus, catenulatus, cayennensis, celer, cephalotes, chalcothorax, chalcus, chalybeus, chloromelas, chlorophanus, chlorothorax, chrysocephalus, chrysolalinus, cicindeloides, cinctus, cinnamomeus, cisteloides, clathratus, clavipes, coadunatus, collaris, colon, comma, conplanatus, concolor, confluens, connexus, contractus, convexus, cordatus, cordiger, coriaceus, corrugator, corruscus, crenatus, crepitans, cruciatus, crucifer, cruciger, crux, crux-major, crux-minor, cupreus, curculionoides, cursor, curtatus, cyaneus, cyanocephalus, cyathiger, cylindricus, cyprianus, cyprius, decemguttatus, deceptor, denigratus, dentatus, dentellus, depressus, dianae, didymus, difformis, dimidiatus, discoideus, discolor, discus, dispar, distinctus, doris, dorsalis, dorsiger, dubius, duodecimpunctatus, elaphroides, elateroides, elegans, elevatus, elongatulus, elongatus, emarginatus, eques, equestris, errans, erratus, erythrocephalus, erythroceras, erythromelas, erythropus, exaratus, excavatus, excellens, excisus, exclamationis, exhalens, exsanguis, eyrinotus, fasciato-punctatus, fasciatus, fasciolatus, fastigiatus, femoralis, fenestratus, ferrugineus, ferruginosus, festinans, festivus, fimbriatus, flavescens, flavicornis, flavilabris, flavipes, flavus, flexilis, flexuosus, foenicola, fossula, foveatus, frischii, fugax, fulgidus, fulvicollis, fulvicornis, fulvipes, fulvus, fumans, fumosus, furcatus, fuscicornis, fuscipes, fuscus, geerii, gemmatus, geniculatus, geoffroae, germanus, gibbus, gigas, glaber, glabratus, globosus, granarius, granulatus, guttulus, haemorrhoidalis, hafniensis, halensis, hamatus, helopioides, hemipterus, herbstii, hilaris, hispanus, holosericeus, hortensis, humeralis, immaculatus, impressus, inaequalis, indagator, inderiensis, indicus, infidus, inflexus, inquisitor, integer, interruptus, intricatus, investigator, irregularis, janus, javanulus, junceus, kiloniensis, kugelanni, laetus, laevigatus, laevipes, laevis, lampros, latebrosus, lateralis, laticollis, latus, lepidus, leporinus, leprosus, leucophthalmus, libatus, limbatus, linearis, lineatus, lineola, littoralis, lituratus, lividus, longicollis, longicornis, longipes, lucidus, lucorum, luctuosus, lugubris, lunatus, lunulatus, lutescens, macilentus, maderae, madidus, marchicus, marginalis, marginatus, marginellus, maurus, maxillosus, mega-cephalus, melanarius, melanolicus, melanocephalus, melas, mendax, meridianus, metallicus, micans, micros, miliarius, minimus, minutulus, minutus, mixtus, moestus, mollis, monilis, morbillosus, muelleri, multicolor, multiguttatus, multipunctatus, nemoralis, niger, nigricans, nigricollis, nigricornis, nigripennis, nigrita, nigrostriatus, nimrod, nitens, nitidulus, nitidus, nivalis, nobilis, nodulosus, non-plus-ultra, notatus, obfuscatus, oblongo-punctatus, oblongus, obscurus, obsoletus, obtusus, occidentalis, occitanicus, octomaculatus, octopunctatus, octostriatus, olens, oricalcicus, ovalis, ovatus, pallens, palliatus, pallidicornis, pallipes, palpatus, parallelepipedus, parallelus, parumpunctatus, paykulli, pedestris, pelidnus, pensylvanicus, picatus, piceus, picicornis, picipes, pictus, piger, pilicornis, pilosus, pissopus, planatus, planus, plateosus, platus, plicatus, politus, pomeranus, porcatus, porphyropus, posticus, praeustus, prasinus, problematicus, proboscideus, proteus, psammodes, pubescens, pulchellus, pullus, pulverulentus, pumicatus, punctatissimus, punctatulus, punctatus, puncticollis, punctulatus, purpurascens, pusillus, pygmaeus, pyropus, quadratus, quadricolor, quadrifer, quadriguttatus, quadrimaculatus, quadrinotatus, quadripunctatus, quadripustulatus, quadristriatus, quadrisulcatus, quadrum, quinquelineatus, quisquilius, reflexus, reticulatus, retusus, riparius, rosaceus, rostratus, rotundatus, rubens, rubicundus, rubricornis, rufescens, rufibarbis, ruficollis, ruficornis, rufipes, rufus, rugosus, rusticus, sabulicola, sabulosus, salicinus, sancta-crucis, saponarius, scabriusculus, scabrosus, scalaris, scapularis, schach, schalleri, schiedleri,

schrankii, scolopeta, scopolii, scrutator, scutellatus, secalis, semivittatus, septemguttatus, sericeus, serrator, sesquistriatus, seticornis, sexguttatus, sexmaculatus, sexpunctatus, sexpustulatus, sigma, silphoides, similis, sinuatus, smaragdulus, spinibarbis, spiniger, spinilabris, spinipes, spinosus, splendens, splendidus, spoliatus, striatulus, striatus, strigosus, striola, subglobosus, substriatus, subterraneus, suburbanus, succinctus, sulcatus, sulcicollis, sulzeri, surinamensis, suturalis, sycophanta, sylvestris, tabidus, taedatus, teaniatus, tenebrioides, terricola, testaceus, teutonius, thoracicus, thunbergii, tibialis, terminatus, trichrous, tricolor, tricuspидatus, tridentatus, trilineatus, trilobus, trimaculatus, tripustulatus, trispinosus, tristis, truncatellus, truncatulus, truncatus, tuberculatus, turcicus, unicolor, upsaliensis, ustulatus, vagans, vaporariorum, variegatus, variolosus, varius, velocipes, velox, venator, vernalis, versicolor, vestitus, viennensis, villicus, vinearum, violaceus, virens, virgo, viridans, viridanus, viridis, viridulus, vittatus, votivus, vulgaris, zonatus.

Cardita :—ajar, arctica, calyculata, carinata, concamerata, cor, dactylus, moltkiana, pectunculus, semiorbicularis, sulcata, trapezia, variegata.

Cardium :—aculeatum, aeolicum, albescens, albidum, amboinense, amnicum, apertum, arca, asiaticum, aurantiacum, auricula, biradiatum, brasiliense, campechiense, cancellatum, cardissa, carneosum, casertanum, celatum, ciliare, ciliatum, corallinum, cor-auratum, corculum, corneum, coronatum, costatum, crassum, dispar, donaceum, echinatum, edule, elongatum, exiguum, fasciatum, flavum, flexuosum, fluviatile, fragile, fragum, fucatum, gaditanum, gargadia, gibbosum, glaucum, granulatum, groenlandicum, hemicardium, hians, hiatus, humanum, imbricatum, islandicum, isocardia, laevigatum, lamellatum, latum, leucostomum, lima, lineatum, lithocardium, maculatum, magnum, medium, monstrosum, mucronatum, muriculatum, muricatum, myoideum, nodulosum, norvegicum, nux, obliquum, oblongatum, oblongum, obsoletum, papillosum, papyraceum, parvum, pectinatum, politum, porulosum, prunum, pygmaeum, regulare, replicatum, reticulatum, retusum, rimula, ringens, roseum, rubiginosum, rubus, rusticum, serratum, simplex, soleniforme, solidum, spinosum, squamosum, striatum, stultorum, tenuo, tortuosum, trigonoides, trilaterum, triste, tuberculatum, tumidum, turgidum, unedo, ventricosum, virescens, virgineum, vulgare.

Carduelis :—carduelis, spinus.

Carpais :—coleopratorum.

Carychium :—minimum.

Caryophyllaeus :—*vide* Chariophyllus.

Caryophyllinus :—communis, stentoreus.

Cassida :—aenea, affinis, angustata, annulata, annulus, arcuata, argus, aterrima, atrata, austriaca, bicolor, bicornis, bidens, bifasciata, biguttata, bilineata, bimaculata, binotata, bipunctata, bipustula, bipustulata, bistrispunctata, bistrispustulata, bituberculata, brachiata, brunnea, caedemadens, canaliculata, capensis, cardui, cassidata, chalybea, cincta, circumdata, clathrata, clavata, collaris, cribraria, cruciata, cruenta, crux, cuprea, cyanea, decussata, deusta, discoides, dispar, dorsalis, dorsata, duodecimpunctata, duodecimpustulata, ephippium, equestris, exclamationis, fastuosa, ferruginea, flava, flaveola, flavicornis, furcata, fusca, gibba, gibbosa, grossa, guttata, haematitis, hebraea, hemisphaerica, hieroglyphica, immaculata, impressa, inaequalis, interrupta, israelitica, jamaicensis, judaica, laevis, lateralis, leucophaea, limbata, lineata, lineola, liriophora, livida, maculata, margaritacea, marginata, marginella, marylandica, melanosceles, miliaris, multipunctata, murraea, mutabilis, nebulosa, nigra, nigripes, nigromaculata, nitens, nobilis, noctiluca, obliterata, obscura, obsoleta, ocellata, octopunctata, ornata, palliata, pallida, pavonina, perforata, petiveriana, phlyctaena, pulchella, pumila, punctata, purpurea, quadrata, quadrimaculata, quadripunctata, quadripustulata, reticularis, reticulata, retiformis, retusa, rubiginosa, rufescens, russica, sancti crucis, sanguinea, sanguinolenta, scripta, septemguttata, sexdecimpustulata, sexnotata, sexpunctata, sexpustulata, signata, signifer, similis, sinensis, sinuata, speciosa, spinifex, splendida, strigata, subferruginea, superba, supposita, suturalis, taurus, testacea, tetrastigma, thoracica, tigrina, transversa, tricolor, trifasciata, tristriata, truncata, tuberculata, undecimpunctata, urticae, varians, variegata, variolosa, venosa, vesicularis, vibex, vigintimaculata, vigintiquatuorpunctata, viridis, viridula, vitidana, vittata.

Cassidea :—areola, canaliculata, carinata, cornuta, crumena, decussata, echinophora,

erinaceus, fasciata, flammea, glauca, granulosa, oniscus, pennata, rufa, saburon, sulcosa, testiculus, thyrena, tuberosa, vibex.

Cassis:—alea, anus, arcularia, areolus, brunnea, caepa, callosa, cancellata, caput-bovis, caput-equinum, chartoprates, chrysostoma, cicatricosa, clathrata, coacta, cornuta, coronata, cuneata, decussata, denticulata, echinophorum, erinacea, flammea, flammeolum, flammifera, geminata, geometrica, gibbosula, glabra, glabrata, glans, glauca, globulus, guttata, hamata, maculata, malum, marmorata, mitella, penita, pennata, perlata, pileolus, plicata, pollicaris, pomum, pullus, rufa, rugosa, spirata, striata, sulcata, testiculus, tuberculata, tuberculosa, tuberosa, tyrrhenum, vellicata, vibex, ziczac.

Castor:—fiber, huidobrius, moschatus, piloris, zibethicus.

Casuaris:—australis, emeu, galeatus, novae hollandiae.

Cataphractus (M.):—dasyopus.

Cataphractus (P.): F. C. Meuschen, Mus. Gever. 1778, 56:—costatus, draconis, natans, punctatus, volans.

Cateretes:—*vide* Kateretes.

Catharacta:—cepphus, coprotheres, parasitica, skua.

Catodon:—macrocephalus.

Catops:—brevicornis, elongatus, morio, sericeus.

Caudisona:—dryinas, durissus, gronovius, orientalis, terrifica.

Caudiverbera:—aegyptica, peruviana.

Cavia:—acouchy, acuti, aguti, aperea, bicolor, capensis, capybara, cobaya, javensis, leporina, magellanica, paca, patagonica, patagonum, pilorides, porcellus, surinamensis, syriaca.

Cavolina:—natans.

Cebrio:—brevicornis, fuscus, longicornis, ruficornis.

Cebus:—apella, argentata, belzebul, capucinus, fatuellus, fusconigra, iacchus, imberbis, lugubris, midas, morta, oedipus, paniscus, pithecius, polykomos, quadricolor, rosalia, sciureus, seniculus, syricta, tamarin, trepidus.

Cellaria:—avicularia, bursaria, cereoides, ciliata, cirrata, cornuta, eburnea, farciminoidea, filiformis, flabellum, floccosa, loriculata, neritina, pilosa, plumosa, reptans, salicornia, scruposa, ternata, tulipifera.

Cellepora:—annulata, ciliata, cornuta, crispata, hyalina, lamellosa, leprosa, ligulata, nitida, nobilis, pertusa, pumicosa, ramulosa, spongites, verrucosa.—*Vide et* Eschara.

Cellularia:—anguina, avicularia, chelata, ciliata, crispa, eburnea, falcata, filiformis, floccosa, loriculata, neritina, opuntioidea, pilosa, plumosa, reptans, salicornia, scruposa.

Cenchrus:—arborea, canina, constrictor, murina, reginae.

Centricus:—scolopax, scutatus, velitaris.

Centrogaster, M. Houttuyn, Verh. Holl. Maat. Weet. Haarlem, XX (2), 1782, 333:—argentatus, equula, fuscescens, rhombeus.

Cepola:—gladius, iris, rubens, rubescens, serpentiformis, taenia, trachyptera.

Cephus:—ignotus, lacteolus.

Cerambyx:—aculeatus, acuminatus, adpersus, aedilis, aegyptiacus, aeneus, aestuans, aethiops, afer, africanus, agrestis, albofasciatus, alni, alpinus, ambulador, americanus, ammiralis, analis, anglicus, angolator, annularis, annulatus, araneiformis, arcuatus, arenarius, argentatus, arietis, ariolator, armatus, armillatus, asper, ater, atomarius, atratus, aulicus, auratus, aurichalceus, auricomus, australis, badius, bajulus, balteatus, balteus, banksii, barbatus, barbicornis, barbipes, batus, bicinctus, bicolor, bidens, bidentatus, bifasciatus, bilineatus, bipunctatus, bispinosus, braccatus, brasilianus, brevicornis, brevis, brunneus, brunus, budensis, caelatus, caerulescens, caeruleus, cafer, calcaratus, canaliculatus, cancriformis, candidus, cantharinus, cantor, capensis, caraboides, carbonarius, carcharias, cardui, carinatus, carniolicus, caroliniensis, castaneus, caudatus, cayennensis, cerdo, cervicornis, chrysogaster, chrysoprasus, cincticornis, cinctus, cinerarius, cinereus, cingulatus, cinnamomeus, circumflexus, clavatus, clavicornis, clavipes, colonus, compressus, confluentus, confusus, continuus, coquus, coriarius, cornutus, corticinus, costatus, crassicornis, crenulatus, crinitus, crispus, crista, crocatus, cruciatus, crucifera, cruentatus, curculioides, curculionoides, cursor, curvus, custos, cyaneus, cyanicornis, cyanochrysus, cylindricus, cylindroides, damicornis, daviesi, decemmaculatus, decempunctatus, decorus, dentatus, denticornis, dentifer, depressus,

depsarius, desertus, desfontainii, detritus, deustus, diana, dichrous, didymus, dimidiatus, druryi, duodecimmaculatus, duodecimpunctatus, ebulinus, elegans, elongatus, emarginatus, equestris, erythrocephalus, erythropus, exiguus, exilis, faber, farinosus, fasciatus, fasciculatus, femoralis, femoratus, fennicus, ferreus, ferrugineus, ferruginosus, festivus, festus, figuratus, fimbriatus, flavofasciatus, flavus, flexuosus, floralis, formosus, fronticornis, fuliginator, fuliginosus, fulminans, fulvus, funestus, fur, fuscicornis, fusciformis, fuscus, gallo-provincialis, garganicus, geminatus, gibbosus, gibbus, giganteus, gigas, glabratus, glaucopterus, glaucus, glycyrrhizae, globosus, grisator, griseus, grossicornis, gutturator, haematotus, hafniensis, halodendri, hebraeus, hemipterus, herbsti, heres, heros, hieroglyphicus, hirsutus, hirtipes, hirtus, hispicornis, hispidulus, hispidus, holosericeus, horridus, hottentottus, humeralis, hystrix, ianthinus, ibex, ichneumon, ictericus, imbricornis, incanus, indigator, indicus, indus, inquisitor, insularis, interruptus, irroratus, isciatus, italicus, jamaicensis, juvenus, kaehleri, laevigatus, lamed, lateralis, laticollis, latipes, lemniscatus, leprosus, lepturoides, leucozonias, liciatus, ligneus, linearis, lineatocollis, lineatus, lineola, litteratus, lividus, longicollis, longicornis, longimanus, longipes, lucidus, lugubris, lunatus, lundii, lunulatus, luridus, luscus, lusitanus, luteus, luzonum, lynceus, macroceros, macularis, maculatus, maculosus, manophorus, marginalis, marmoratus, marmoreus, marilandicus, maxillosus, melanocephalus, melanoceras, melanopus, meridianus, micans, mimosa, minimus, minutus, mirabilis, mitratus, M-nigrum, modestus, moestus, molator, molitor, monilis, monspeliensis, mordax, morio, moschatellus, moschatus, mucronatus, multicolor, mylianus, mysticus, nebulosus, nemoralis, niger, nigricans, nigricornis, nigripes, nigroplanus, nigrorugosus, nitens, nitidus, nobilis, noctis, nodosus, notatus, nubilus, nutator, obscurus, obsoletus, occidentalis, ocellatus, octomaculatus, octonotatus, octooculatus, octopunctatus, oculator, oculatus, odoratus, orientalis, ornatum, ovalis, ovatus, palliatus, pannonicus, papulosus, pectoralis, pedestris, pedicornis, pellurus, pensylvanicus, perforatus, piceus, picipes, pilicornis, pilosus, planatus, platypus, plebeium, plicatus, plumosus, populneus, portitor, portugallus, poseganus, praeustus, prionus, pubescens, pulcher, pulverulentus, punctator, punctatus, punctulatus, pusillus, pustulatus, pygmaeus, pyriticosus, quadricolor, quadricornis, quadrifasciatus, quadriguttatus, quadrimaculatus, quadrioculatus, quercus, ramphygeus, raucus, regalis, reticulator, reticulatus, roridus, Trostratus, rotator, ruber, rubroviolaceus, rubus, ruficollis, rufipes, rufomaculatus, rufus, rugicollis, rugosus, ruricola, ruspator, russicus, rusticus, salicis, saltator, sanguineus, sanguinolentus, sartor, scaber, scabrator, scabricornis, scabrosus, scalaris, scalator, scalatus, scapularis, scopoli, scorpio, scriptus, scutellaris, semipunctatus, sentis, sericeus, serraticornis, serripes, setifer, sexmaculatus, sibiricus, silphoides, sinensis, smirnenis, solandri, sordidus, spectabilis, spengleri, spinibarbis, spinicornis, spinipes, spinosus, splendidulus, sternutator, stigma, striatus, strigosus, suaveolens, subocellatus, subpilosus, succinctus, sulcatus, surinamus, sutor, suturalis, suturatus, sycophanta, taeniatatus, tau, tenebricosus, tenuis, testaceus, testator, tetrophthalmus, teutonicus, textor, thomae, thoracicus, tigrinus, timidus, titillator, tornator, torridus, tranquebaricus, trapezius, tremulus, tribulus, trifasciatus, trilineatus, tripunctatus, tristis, trochlearis, tuberculator, tuberculatus, umbraticus, undatus, undulatus, ungarius, unicolor, unidentatus, vaginator, variabilis, variegator, variegatus, varius, velutinus, venustus, verbasci, verrucosus, versicolor, vigintipustulatus, villicus, violaceus, virens, virescens, viridans, viridescens, viridis, vittator, vittatus, vulvulus, vulneratus, zibethinus, zonarius.

Cerapterus :—latipes.

Cerastes :—agilis, aurora, candidus, cobella, coronatus, lacteus, mexicanus, nebulatus, plicatilis, rhombeatus, severus.

Cerastoderma :—aculeatum, ciliare, echinatum, flavum, laevigatum, luridum, mucronatum, rusticum.

Ceratium :—pleuroceras, tetraceras.

Cercaria :—catellina, catellus, crumena, cyclidium, discus, forcipata, gibba, gyrinus, hirta, inquieta, lemna, luna, lupus, mutabilis, orbis, pleuronectes, podura, setifera, tenax, tripes, turbo, varicans, vermicularis, viridis.

Cercopis :—albigennis, analis, angulata, aptera, atra, aurata, aurora, bicolor, bifasciata, biguttata, capitata, carnifex, coccinea, coleoprata, cruentata, danais, dionysii, fasciata, fenestrata, ferruginea, gibba, gigas, grossa, grylloides, haematitis, histrionica, immaculata, lateralis, laticlavata, lineata, leucophthalma, maculata, marginata, marginella, nebulosa,

notonectoides, obscura, orbona, os nigrum, pedestris, phleas, populi, praeusta, purpura, quadrimaculata, radiata, reticulata, rubra, ruficollis, rustica, sanguinolenta, schach, spumaria, squatina, striata, striatella, torquata, transversa, trifasciata, unifasciata, varia, variegata, versicolor, viridis, vittata.

Cercopithecus :—aethiops, aygula, barbatus, cephalopterus, cephus, cynocephalus, cynomolgos, diana, fusca, faunus, flavus, hamadryas, iacchus, larvatus, maura, midas, mona, morta, mulatta, nasica, nemaeus, nictitans, patas, petaurista, philippina, paniscus, porphyrogene, rolaway, rubra, sabaea, senex, silenus, sinicus, talapoin, veter, vetulus.—*Vide et. Simia.*

Ceria :—abdominalis, clavicornis, decemnodia, septemnodia.

Cerion :—apiarium, botrys, bidens, decapitatum, decollatum, pupa, truncatum, uva, vulgare.

Cerithium :—adansonii, aluco, asperum, atratum, atratum, canaliculatum, clava, cinctum, conulus, coronatum, decollatum, decussatum, dentatum, ebeninum, eburneum, fasciatum, ferrugineum, granulatum, hexagonum, imbricatum, lamellosum, lima, litteratum, marginatum, maroccanum, morus, muricatum, nodulosum, obeliscus, ocellatum, palustre, perversum, plicatum, punctatum, radula, serratum, striatum, sulcatum, telescopium, thiara, torulosum, vertagus, vulgatum, zonale.

Cerocoma :—lineata, microcephala, ocellata, ruficollis, schaefferi, schreberi, vahlii, viridis.

Cerona :—*vide Kerona.*

Ceroplatus :—*vide Keroplatus.*

Certhia :—aenea, afra, ambloinensis, armillata, asiatica, aurantia, bartholemica, borbonica, brasiliana, caerulea, caffra, canora, cantillans, capensis, cardinalis, carrucaria, carunculata, cayana, ceylanensis, ceylonica, chalybea, chalybeata, chloroptera, chrysoptera, cinerea, cinnamomea, cirrhata, coccinea, coccineae, collaris, cristatella, crocogaster, cruentata, curricularia, cyanea, cyanogaster, erythronotes, erythrorhynchos, falcata, familiaris, famosa, flaveola, flavipes, florida, fusca, glauca, grisea, gularis, gutturalis, ignobilis, incana, indica, intermedia, jugularis, lepida, longicauda, longirostra, longirostris, lotenia, lutea, macassariensis, macroura, malaccensis, manillensis, melanura, mexicana, muraria, notatus, novae hollandiae, obscura, ochrochlora, olivacea, omnicolor, pacifica, parietum, peregrina, philippina, pinus, polita, porphyronotos, prasinoptera, pulchella, purpurea, pusilla, quadricolor, rubra, rubrirostris, sanguinea, sannio, scarlatina, senegalensis, sovimanga, sperata, spiza, surinamensis, tabacina, tricolor, trigonostigma, trochilea, undulata, variegata, venusta, verticalis, vestiaria, violacea, virens, virescens, viridis.

Cervus :—albicornis, alces, anomalus, axis, barallou, bezoarticus, camelopardalis, capreolus, cariacou, cuguapara, cuguete, dama, elaphus, guineensis, hippelaphus, indicus, javanicus, mazame, mexicanus, muntjak, nemorosa, paludosus, porcinus, pratensis, pygargus, squinaton, sylvaticus, tarandus, temama, unicolor, vaginalis, virginianus.

Cete, J. G. Schneider, Beyt. Nat. Wallfisch, 1795, 135 :—dentatus.

Cetonia :—abbreviata, acuminata, aenea, aequinoctialis, arithmetica, aeruginosa, affinis, africana, alboguttata, albopunctata, areata, argentea, arithmetica, atomaculata, aulica, aurantia, aurata, aurichalcea, bajula, barbatulus, bicolor, bidens, bifida, bifrons, bimaculata, bipunctata, brunripes, cacticus, caerulea, canaliculata, capensis, capucina, carmelita, carnifex, chalca, chrysis, ciliata, cincta, cinerascens, clathrata, clavata, convexa, coracina, cordata, cornuta, corticina, crassipes, crucifera, cruenta, cuprea, cuspidata, cyanea, delta, dermestoides, discoidea, dorsodiscolor, elata, elegans, elongata, emerita, ephippium, eremita, fasciata, fascicularis, fastuosa, festiva, floralis, florentina, floricola, francisca, frischii, fucata, fulgida, fuliginea, funesta, furvata, fusca, fusco-rubra, gagates, glabrata, gloriosa, goliathus, graculus, guttata, haemorrhoidalis, hebraea, hemiptera, hepatica, herbacea, hirta, hirtella, hispida, histrio, holosericea, hottentotta, ignita, impressa, inda, interrupta, iris, irregularis, irrorata, lanus, lateralis, limbata, lineata, lineola, liturata, lobata, lucida, lugubris, lunulata, lurida, maculata, maculosa, mandarina, marginatus, marginella, marmorata, marmorea, marylandica, metallica, micans, modesta, morio, myiocopros, nigripes, nigrita, nitida, nitidula, nobilis, obscura, octopunctata, olivacea, opaca, ornata, orphanulus, pallida, peregrina, philippensis, picta, pigra, polyphemus, prasina, pubescens, pulla, pulverulenta, punctulata, purpurascens, pustulata, pygarga, pyropus, quadrimaculata, quadri-punctata, quadrivittata, quattuordecimmaculata, quercus, quinque-lineata, rauca, refulgens, rudolphii, rufilatis, rufipes, sanguinolenta, semipunctata, signata, sinensis, sinuata, smaragdina, smaragdula, smaragdus, speciosissima,

splendida, stichica, stictica, stigmatias, stolata, stricta, strigosa, sulcata, sulcatella, surinama, suturalis, tetradactyla, thoracica, tigrina, tigris, tonkaea, torquata, tricolor, tridentata, trilineata, tristis, undata, ungarica, unifasciata, variabilis, variegata, velutina, versicolor, viridis, viridula, vittata.—*Vide et. Scarabaeus.*

Chaena:—cuneiformis, cymbium, numia, rostrata.

Chaetodon:—abu-dafur, acuminatus, alepidotus, annularis, arcuanus, arcuatus, argenteus, argo, argus, armatus, aruanus, arusa, asfur, asper, auratus, aureus, auriga, biaculeatus bicolor, bifasciatus, bilineatus, bengalensis, bimaculatus, boddaerti, canaliculatus canescens, canus, capistratus, chilensis, chirurgus, ciliaris, collare, constrictus, cornutus, curacao, diacanthus, dux, ecanbonna, enceladus, faber, falcula, fasciatus, gahm, glaucus, guttatus, imperator, kleinii, lanceolatus, leucurus, lineatus, longirostris, lutescens, macrolepidotus, maculatus, maculosus, marginatus, maris-rubri, mauritii, mesoleucos, mesomelas, nigricans, nigrofuscus, ocellatus, octofasciatus, orbicularis, orbis, papilio, paru, pavo, pictus, pinnatus, plumieri, punctatus, rhomboides, rostratus, saxatilis, setifer, sinensis, sohal, sordidus, squamulosus, striatus, suratensis, tabak, teira, tricolor, trifasciatus, triostegus, unicornis, unimaculatus, vagabundus, vespertilio, vetula.

Chalcida:—anguina, apus, bipes, serpens, vulgaris.

Chalcides:—flavescens, pinnata, tridactyla-columnae, vittatus.

Chalcis:—aenea, annulata, apiformis, clavipes, conica, fasciata, flavipes, hesperidum, maculata, minuta, nigricornis, podagrica, producta, punctata, pusilla, rufipes, sispes, villosa.

Chama:—aculeata, antiquata, aperta, aplustre-pacis, arata, arcinella, arenaria, asinus, bicornis, calyculata, cancellata, caperata, catapetasma, citrea, concamerata, cor, corallio-phaga, cordata, costata, faselus, fimbriata, foliacea, fossilis, fusca, gigas, glabra, gryphica, gryphoides, gryphytes, guttata, hebes, hippopus, icterica, lacinia, lamellata, lazarus, literata, macerophylla, magna, marginata, medulla, moltkiana, muricata, oblonga, oliva, paphia, parva, persica, phrenitica, plicata, punctata, radiata, remies, reniformis, rigata, rugosa, satiata, semiorbiculata, sessilis, sinistrosa, squamata, squamosa, striata, sulcata, teges, textilis, thaca, tigerina, transversa, trapezia, triangularis, truncata, undosa, unicornis, verrucosa, vexillum-pacis.

Chamaeformis:—amygdala, arachne, bifasciata, biradiata, borealis, cancellata, castrensis, cedo nulli, cultrata, dione, erycina, exoleta, flammea, flammeola, guttata, hebes, lapidea, literata, maculata, maculosa, marginata, meretrix, obsoleta, pectinata, persicites, punctata, radiata, scripta, selata, solaris, stativa, striata, tela-araneae, thasia, triquetra, undata, violacea, ziczac.

Chameleo:—aegyptius, africanus, bifidus, bonae spei, candidus, capensis, ceylonicus, mexicanus, mutabilis, parisiensium, pumilus.

Chaoborus:—antisepticus.

Chaos:—anguillula, fungorum, infusorium, intestinalis, protheus, redivivum, spermaticum, ustilago.

Charadrius:—aegyptius, alexandrinus, anglus, apricarius, asiaticus, atricapillus, aureus, autumnalis, bengalensis, bilobus, calidris, cayanus, cayennensis, coromandelicus, coronatus, corrira, cristatus, curonicus, cursor, dominicus, dubius, falklandicus, flavirostris, fulvus, gallicus, gregarius, heteroclitus, hiaticula, himantopus, hypomelas, illyricus, indicus, jamaicensis, kerran, kerwan, leucogaster, malabaricus, melanocephalus, mexicanus, mongolus, morinellus, naevius, novae seelandiae, obscurus, oedicnemus, persicus, philippinus, pileatus, pluvialis, rubidus, rubricollis, scolopax, sibiricus, spinosus, tartaricus, tectus, torquatus, utopiensis, vociferus.

Charax:—cyprinoides, immaculatus, leucometopon, notatus.

Chariophyllus:—piscium.

Cheilea:—fornicata.

Chelifer:—americanus, cancroides, europaeus, longicornis.

Chermes:—abietis, aceris, alni, amygdali, betulae, buxi, calthae, carpini, castanea, cerastii, clematidis, coryli, crataegi, elegans, evonymi, fagi, ficus, fraxini, graminis, hesperidum, ilicis, lichenis, linearis, mespilli, persicae, pini, polonicus, pruni, pyri, quercus, reniformis, roboris, rubra, salicis, senecionis, sericeus, serratae, sorbi, tiliae, ulmi, urticae, variegatus, vitis, zosteriae.

Cheyletus:—eruditus.

Chimaera:—argentea, callorhynchus, monstrosa, praecisa.

Chimaeroderma:—mucronatum, muricatum, nobile, rude, saccatum.

Chiton:—aculeatus, albus, amiculatus, angulatus, asellus, atro-iridis, auratus, bicolor, brunneus, cajetanus, cerasinus, chiton, cimex, cimicinus, cinerea, corneus, crinitus, dentatus, fascicularis, ferrugineus, fuscus, gaietanus, gigas, granulatus, granulatus, griseo-rubicundus, hispidus, indus, islandicus, laeve, maculatus, magellanicus, marginatus, marmoratus, marmoreus, minimus, olivaceus, onyx, oryza, papilio, piccus, planatus, politus, punctatus, ruber, salamander, spinosus, squamosum, striatus, thalassinus, tigris, tuberculatus, undatus, variegatus, viridis.

Chlamys:—amaranthina, aurantiaca, brunnea, cardinalis, capucina, castrensis, cinnabarina, citrina, cornea, crocea, cruor, episcopalis, erminea, fuliginosa, gibba, gusio, incarnata, incerta, intertexta, islandica, lingua-felis, marmorata, mediterranea, miniata, nebulosa, nodosa, norwegica, pallium, papyracea, pseudamusium, punctulata, purpurascens, purpurata, pusio, radula, rubiginosa, septentrionalis, solaris, striata, sulphurea, superba, tentorialis, testudinaria, tranquebarica, varia, venatorea.

Chrysis:—adonidum, aenea, amethystina, anomala, aurata, aurora, beryllina, bidentata, bistridentata, caerulea, caerulescens, caesar, calens, candens, carinata, carnea, chrysorhousa, coccinea, cuprea, curax, cyanea, cyanochrysa, cyanura, dimidiata, dubia, edentula, episcopalis, fasciata, fervida, festiva, fulgida, gloriosa, grandior, hephaestides, hesperidum, ignita, inermis, infida, integra, iris, lampas, leskii, lincea, lucidula, lyncea, maculata, micans, nitidula, nitens, nobilis, notata, obscura, oculata, ornatrix, plumata, polita, punctata, punctatissima, purpurata, purpurea, radians, regia, rosea, rutilans, scutellaris, semiaurata, sexdentata, sispes, smaragdula, splendida, splendidula, suavis, succincta, thalassina, ungarica, variegata, veridans, violacea, virens, viridis, viridula.

Chrysochloris:—capensis.

Chrysomela:—absinthij, acuminata, adonidis, aegrota, aenea, aequinoctialis, aerosa, aeruginea, aestuans, aethiopica, aethiops, affinis, albicollis, alni, alternans, altica, alurnoides, ambulans, americana, amethystina, analis, anglica, anglicana, angusticlavia, annulata, antiqa, arcuata, areata, armoricæ, artricilla, asclepiadea, asiatica, asparagi, atra, atraphaxides, atrata, atricilla, aucta, aurata, aurita, baaderi, banksii, barbara, barbaræ, barbarica, basipunctata, bataviensis, beccabungæ, beryllina, betulæ, bicolor, bifasciata, bifrons, biguttata, bilineata, bimaculata, binotata, bipunctata, bipustulata, bivittata, boleti, bothnica, brassicæ, brunella, brunnea, bucephala, bulgarensis, calaciae, caerulans, caerulea, caeruleo-striata, caeruleo-violacea, caerulescens, calmariensis, campestris, cancellata, cantharoides, caprea, caraboides, carbonaria, carnifex, carolina, castanea, cayennensis, centaurea, centaurii, ceramboides, cerasi, cerealis, cervina, chermesina, chicorii, chrysocephala, cillerana, cincta, cinerea, clavata, clavicornis, coccinea, coccinelloides, cochleariæ, coffeæ, cognata, collaris, colon, comma, concatenator, concolor, cordiger, coriaria, corvina, coryli, crassicornis, crassipes, crataegi, crenata, crotonis, cruciata, cruciferarum, cruenta, cruentata, cryptocephala, cupraea, curvilinea, cyanea, cyanella, cyanicornis, cyanipes, cyanomelas, cyanopicta, decemmaculata, decempunctata, decempustulata, decemstriata, decora, denigrata, dichroma, didymata, dimidiata, discolor, dispar, distincta, dorsalis, dresdensis, dubia, duodecimguttata, duodecimpunctata, dytiscoides, ebraea, elegans, elongata, equestris, erratica, erythrocephala, erythromelas, erythroptera, erythropus, euphorbiæ, exclamationis, exilis, exsoleta, famelica, fasciata, fascicornis, fastuosa, femoralis, ferrugata, ferruginea, fervida, festiva, fimbriata, flavola, flavicollis, flavicornis, flavilabris, flavipes, flavoguttata, fridrichsdalensis, frontalis, fucata, fuliginosa, fulva, fulvicollis, fusca, fuscata, fuscicornis, fuscipes, galeopsidis, gemellata, geminata, gibba, gibbosa, gigantea, gigas, glaberrima, glabra, glabrata, glaucocephala, globosa, gloriosa, goettingensis, gorteriae, graminis, grisea, griseo-nitida, gronovii, grossa, guttata, haematodes, haemoptera, haemorrhoidalis, haemostata, halensis, hannoveriana, helixes, hemisphaerica, hirta, histrio, hollandica, holsatica, hottentotta, hudsonias, humeralis, hyosciami, hyperici, hypochaerides, ianthina, ignita, immaculata, inda, indica, japonica, javanica, junci, labiata, lachicæ, lactuæ, laevigata, laichartingii, lamina, lapponica, laticlavia, latiuscula, lens, lepechini, lepturoides, leucopicta, limbata, limbosa, lineata, lineatopunctata, lineola, linnaeana, linteata, littoralis, litura, lomata, longicornis, longimana, longipes, luctuosa, lunata, luperus, lurida, lusitanica, lutea, luteicornis, luteola, lutescens, maculata,

malaccensis, malvae, margarita, marginata, marginella, marmorata, marshami, martinia, maulica, melanocephala, melanopus, melanostoma, menthae, merdigera, metallica, micans, miliaris, minulus, minuta, minutissima, M-litera, modeeri, modesta, molluginis, moraci, morio, murina, nemorum, nigra, nigricornis, nigripes, nigrita, nigro-quadrata, nitela, nitens, nitida; nitidula, nobilitata, notata, noveboracensis, novenvittata, nymphaeae, obscura, obscurata, obtusa, occidentalis, ochropus, octodecemguttata, octoguttata, octomaculata, octopunctata, octopustulata, octovittata, oleracea, olivacea, oricalcia, orientalis, orychalca, ovalis, padi, paleata, palliata, pallida, pallipes, parenthesis, parenthesis, pectoralis, pedicularia, pellopus, peregrinus, phalerata, phellandrii, philadelphica, picea, picipes, pini, plantaginis, polita, polygoni, populi, potentillae, praetextata, praetiosa, pruni, pubescens, pulchra, pulex, pulicaria, punctata, punctatissima, pusilla, pustulata, pyritosa, quadrifasciata, quadriguttata, quadrimaculata, quadrinotata, quadripunctata, quadripustulata, quadrum, quagga, quattuordecimguttata, quattuordecimmaculata, quattuordecimpunctata, quattuorguttata, quinqueaculata, quinquepunctata, rannunculi, raphani, rhoi, rhois, riparia, rubi, rubicunda, rubrifrons, rubrocuprea, rubromarginata, rubropunctata, rufa, ruficaudis, ruficollis, ruficornis, rufipes, rufitarsis, rugosa, rumicis, russica, S-litera, sacra, salicis, salisburgensis, sanguinea, sanguinolenta, sapphirina, scabra, schach, scopolina, scutellaris, scutellata, semistriata, senegalensis, sericea, serotina, serraticornis, sexlineata, sexmaculata, sexnotata, sexpunctata, sexpustulata, silphoides, similis, sisymbrii, sophiae, speciosa, spincornis, splendida, staphylaea, stercoraria, stericornis, stolidia, striata, subalpina, subpunctata, subspinoza, sulphurea, sumptuosa, superba, surinamensis, suturalis, suturata, t-litera, tabida, tamaricis, tanaceti, taraxaci, taraxaconis, taurinensis, tenebricosa, tenebrioides, tenebriosa, tenella, testacea, thoracica, tormentosa, tremula, tricolor, tridentata, trifasciata, trifurcata, trilineata, trimaculata, tristis, troxima, truncata, tulipa, undata, undulata, unicolor, unifasciata, unipunctata, variabilis, varians, variolosa, venusta, vernalis, vernix, versicolor, versicolora, vestita, viennensis, vigintipunctata, vigintipustulata, villosula, viminalis, violacea, violaceo-caerulea, violaceo-nigra, violaceo-punctata, virginica, viridi-aurata, viridi-caerulea, viridicollis, viridula, vitellina, vitellinae, vitis, vittata, voetii, vulgatissima, vulpina, xanthogona, xanthomelaena, xanthopoda.

Cicada :—abbreviata, abdominalis, acephala, acuminata, aequinoctialis, aethiops, afra, albida, albifrons, albomaculata, ambigua, americana, amphibia, angulata, aptera, arcuata, argentata, argentea, argyrosticta, armata, arunci, arvensis, atomaria, atra, atrata, aurata, aurea, aurita, aurlenta, austriaca, barbata, bicincta, bicolor, bicordata, bifasciata, biguttata, bilineata, bimaculata, binotata, bipunctata, bipustulata, bispinosa, bistriata, blandula, bonasia, bracteata, brasiliensis, brevirostris, brunnea, caeca, cafra, canaliculata, cancellata, candelaria, capensis, capitata, carinata, carnifex, carniolica, carpini, casta, castaneae, catena, catenata, cayennensis, ciliaris, cincta, cinerea, cingulata, clavata, clavicornis, coccinea, coleoprata, collaris, compressa, conirostris, conspurcata, convoluta, cornuta, coryli, costata, crassicornis, crenata, cristata, crocata, cruenta, cruentata, crux, cunicularia, cuspidata, cynosbatis, danais, decimaquarta, denigrata, desertrix, diadema, diaphana, dilatata, dimidiata, dubia, elongata, erythropteralma, erythroptera, exclamations, fascia-aurata, fasciata, fasciolata, fenestrata, ferruginea, festiva, filirostris, flammea, flammigera, flava, flaveola, flavescens, flavicollis, flavifrons, flavipes, flavostriata, foliata, fornicata, fronditia, frontalis, fulgida, fusca, fuscata, garrula, genistae, geographica, gibba, gibberula, gibbosa, gigas, glabra, globulifera, graminea, graminis, grisea, grossa, guttata, haematodes, haemorrhoea, haemorrhousa, hafniensis, hastata, heliconia, hemerobioides, hemiptera, histrio, horrida, hottentotta, hübnéri, hyalina, ignita, immaculata, inermis, infernalis, inflata, interrupta, irrorata, javana, kilonensis, lactea, laeta, lanata, lanceolata, laniio, lateralis, laternaria, leporina, leucocephala, leucomela, leucophaea, leucophthalma, leucoptera, limbata, lineata, lineolata, longicornis, lucernaria, lugubris, lutea, lutescens, lyncea, lyricen, maculata, maculosa, mannifica, marginalis, marginata, marginella, maura, melanoptera, melanosticta, membranacea, minuta, mixta, montana, musca, muscaeformis, muta, mutica, myopa, nebulosa, nervoptera, nervosa, neuroptera, nigra, nigripennis, nigripes, nigro-linea, nigro-punctata, nitens, nitida, nitidula, noctivida, notata, obtusa, ocellata, ochromelas, octopunctata, oenotherae, opercularis, orbona, ornata, orni, os-album,

pallens, pallescens, pallida, parvula, pellucida, peregrina, perspicillata, phalaenoides, phosphorea, picta, plebeja, populi, porrecta, prasina, pulvereae, punctata, punctulata, pusilla, pustulata, pygmaea, pyralis, quadrifasciata, quadriguttata, quadrimaculata, quadripunctata, quadripunctata, quadristriata, quadriverrucata, quercus, querula, regalís, repanda, reticulata, retusa, rhombea, rhombica, rivulosa, rosae, rubra, ruficollis, salicina, sanguinea, sanguinolenta, schach, schaefferi, schrankii, septendecim, serrulatae, sexpunctata, sinensis, spinosa, splendida, spumaria, squalida, squamigera, striata, striatula, stridula, strigosa, sulcicornis, suturalis, taurus, testacea, thlaspi, thoracica, tibicen, tomentosa, torquata, transversalis, tremulae, triangularis, triangulum, tricolor, trifasciata, trifida, trilineata, tripunctata, tristis, tristriata, truncata, tuberculata, turca, ulmi, undata, undulata, unicolor, unifasciata, vacua, vaginata, varia, variabilis, variegata, venosa, villosa, violacea, virescens, viridis, vitrata, vittata, vitulus, vivida.

Cicindela :—aenea, aequinoctialis, angulata, angustatus, aptera, aquatica, arenaria, atrata, attelaboides, austriaca, bicolor, biguttatus, bipustulata, biramosa, boja, caerulea, caraboides, campestris, capensis, carolina, catena, cayennensis, chrysomelina, cincta, cinerea, cyanea, cyanocephala, cylindricollis, danica, elegans, emarginata, fasciata, ferruginea, fimbriata, flavipes, flexuosa, fusca, germanica, gigantea, gimel, gracilis, grossa, hybrida, interrupta, japonica, lacteola, lateola, literatus, littoralis, littorea, livida, longicollis, longipes, lunulata, lurida, lutescens, maculata, marginata, marina, maura, megacephala, melancholica, micans, minima, minuta, nemoralis, nigra, nitida, obscura, obscurior, obtusus, octoguttata, pallida, plumbea, punctata, punctulata, purpurea, pusilla, quadrilineata, quadrimaculata, quadripunctata, riparia, rotundata, rupestris, semipunctata, sexguttata, sexnotata, sexpunctata, sinensis, sinuata, striata, striolata, suturalis, sylvatica, thoracica, tridentata, trifasciata, tripustulata, tristis, tuberculata, tuberculosa, uliginosus, unipunctata, varians, venatoria, viennensis, virginata, virginica, viridicaerulea.

Ciconia :—alba, nigra.

Cidaris (Ech.) :—angulosa, araneiformis, asterizans, basteri, botryoides, calamaris, coronalis, diadema, diadematis, esculenta, fenestrata, flammea, granulata, hemisphaerica, lucunter, mammillata, maroccana, maura, papillata, pustulosa, radiata, rupestris, sardica, saxatilis, stellata, subangularis, tessellata, toreumatica, variegata, violacea.

Cidaris (G.) :—arabica, caelata, cookii, flammea, granulata, lineata, magus, novae zeelandiae, pagodus, plicata, punctulata, purpurascens, rugosa, sinica, spinula, taitensis, tectum-persicum, tuberculata, tunetana, vahlii.

Cimbex :—amerinae, fasciata, femorata, humeralis, lucorum, lutea, maculata, marginata, nitens, obscura, quadrifasciata, sericea, sylvatica, tristis, vespiformis, vitellinae.

Cimex :—abietis, abutilon, acantharis, acaroides, aculeatus, acuminatus, acus, acutangulus, acutus, adpersus, adustus, aegyptiacus, aegyptius, aeneus, aequalis, aequinoctialis, aerugineus, aeruginosus, aethiops, afer, agathinus, aggressor, agilis, alatus, albicans, albicollis, albidus, albinus, albipes, albofasciatus, albolineatus, albomarginatus, albomarginellus, albpunctatus, allioni, alni, aloes, alpinus, amethystinus, amphiochrus, analis, anchora, anchorago, andreae, angustatus, angustus, annularis, annulatus, annulus, antilope, anulala, apicaris, apparitor, appendiceus, appendiculatus, apterus, apuanus, aquaticus, arabs, araneoides, arboreus, arcuatus, arenarius, argiopeus, argus, armatus, armiger, ater, aterrimus, atomarius, atramentarius, atratus, atropurpureus, attelaboides, auctus, augur, aulicus, aurantius, auriculatus, australis, austriacus, avellanae, azureus, baccarus, balteatus, banksii, barbaricus, barbicornis, bardanae, baro, bellator, bellicosus, beryllinus, beryllus, betulae, biclavatus, bicolor, bidens, bidentatus, bifasciatus, bifidus, bifurcatus, biguttatus, bilineatus, bilobus, bimaculatus, binotatus, bioculatus, bipunctatus, bipustulatus, bispinosus, bispinus, bivenis, boopis, bosci, brachypterus, branderi, brevicornis, brevipennis, brunneus, caelebs, caeruleus, caffer, calcaratus, calens, calidus, campestris, candelabrum, cantharinus, capensis, capillaris, cappatus, carbonarius, cardui, carinatus, carminaris, carneus, carnifex, carthusianus, carunculatus, catena, cathariae, cayennensis, celer, cerinthe, cervus, chalybeus, chelifer, chermesinus, chloris, chlorizans, chloromelas, chloropterus, chrysocephalus, chrysopus, ciliatus, cimbricus, cinctus, cinereus, cingulatus, circulus, civilis, clavatus, clavicornis, claviger, clavimanus, clavipes, clypeatus, coarctatus, coccineus, collaris, collinus, collium, colon, comma, concolor, conicus, conspersus, conspicillatus, constellaris, cordatus, cordiger, cornutus, corticalis,

corticatus, coryli, costatus, crassicornis, crassipes, crenator, crenulatus, cretaceus, cribrarius, cribrum, cristatus, croceus, cruciatus, crucifer, cruciger, crudelis, cruentatus, cruentus, crux, cucullatus, culiciformis, cursitans, curtipes, curvipes, custos, daldorfii, dama, danicus, decrepitus, defensor, deformatus, delirator, denigratus, dentatus, denticulatus, dentipes, deses, desfontaini, deustus, diadema, diaphanus, digrammus, diophthalmus, discoideus, discolor, discors, dispar, dissimilis, distinctus, dolabratus, dolichocerus, dominulus, dorsalis, druraci, dubius, dumosus, duodecimpunctatus, echii, edleri, elatus, elector, elongatus, emeritus, eques, equestris, erosus, erraticus, eryngii, erythraspis, erythrochlorus, erythrogaster, erythromelas, erythropterus, erythropus, erythrurus, erythrozonias, evonymi, exanthematicus, excavatus, excisus, exoletus, expallescens, faber, fabricii, falcatus, falx, famelicus, familiaris, fasciatus, fasciculatus, femoralis, femoratus, fenestratus, ferrugator, ferrugatus, ferrugineus, ferus, festivus, filicis, filiformis, filum, fimbriatus, flammeus, flavatus, flaveolus, flavescens, flavicollis, flavicornis, flavipes, flavomarginatus, flavoquadrinaculatus, flavo-viridis, floralis, floridanus, forskaehlii, forsteri, fossarum, fossularum, frischii, frumentarius, fucatus, fuliginosus, fuliginosus, fullo, filvicornis, fulvipes, fulvomaculatus, fulvo-niger, fulvus, fumosus, funebris, furcatus, furcifer, fuscescens, fuscicaudis, fuscipes, fuscoculus, fuscus, gallae, gallorum, gallus, gazella, geniculatus, genistae, gigas, gladiator, glaucescens, glaucus, globus, glutinosae, gonagra, gonymelas, gothicus, grillator, gramineus, grammicus, grandis, gravis, gregarius, griseus, gronovii, grossipes, grylloides, guineensis, guttatus, guttigerus, guttula, haemagaster, haematocephalus, haematostictus, haemorrhoidalis, haemorrhous, hamatus, harpagon, harpator, hastator, hastatus, hasticornis, herbaceus, heros, hexophthalmus, hirtipes, histus, hispanicus, hispidus, histeroides, histrio, histrionicus, holsatus, horologium, hortensis, hortorum, hottentotta, hubneri, humeralis, humilis, hybridus, hyoscyami, ictericus, idriacus, illustris, immaculatus, imperialis, inauratus, incarnatus, inclavatus, indus, inquinatus, insidiator, insignitus, interstinctus, inunctus, invidus, iracundus, iratus, irroratus, iserti, italicus, jaculus, janus, javanicus, juncus, juniperinus, kalmii, kermesinus, koenigii, laciniatus, lacteolus, lacustris, laetus, laevigatus, laevis, lamprotonus, lanatus, laniarius, lateralis, latipes, lavatae, lectularius, leucoginnotus, leoninus, leprosus, leucocephalus, leucoceras, leucoderma, leucogrammes, leucogrammus, leucomelas, leucophleps, leucopterus, leucopus, leucostictus, leucozonias, leucurus, leviathan, liligerus, limbosus, linea, linearis, lineatus, lineola, lineolatus, litteratus, littoralis, litura, lituratus, longipes, longirostris, lugens, lunaris, lunatus, lundii, lunula, luridus, luteicornis, lutescens, lynceus, lynx, macropus, mactans, maculatus, maculosus, magnipes, malabaricus, marginatus, marginellus, maritimus, marmoratus, marmoreus, maroccanus, mat, mauritanicus, maurus, meditabundus, megacephalus, melacanthus, melaleucus, melanocephalus, melanochrysos, melanochros, melanogaster, melanoleucus, melanopterus, melanopus, melanorhous, meleagris, melinus, membranaceus, mendicus, merianae, meriani, meridionalis, meriopterus, mesomelas, M-flavum, militaris, minutus, mixtus, monilis, monspeliensis, morio, mucoreus, muelleri, multicolor, multipunctatus, multispinosus, muricatus, musci, mutabilis, naevius, najas, nanus, nassatus, navicula, nebulosus, neglectus, nemoralis, nemorum, nervosus, nigellae, niger, nigerrimus, nigricornis, nigripes, nigripinus, nigrita, nigrolineatus, nigropunctatus, nitidulus, nobilis, notatus, nubilosa, nubilus, nubilus, nuxa, obfuscatus, oblongus, obscurus, ocellatus, ochraceus, ochraspis, ochroantharus, ochromelas, ochropterus, ochrorhous, ocreatus, octomaculatus, oculatus, oculus-cancris, oleraceus, olivaceus, orientalis, ornatus, ovatus, pabulinus, pacificus, paganus, pallens, pallescens, palliatus, pallidus, pallipes, pandarus, pandurus, papillosus, paradoxus, parnassiae, patricus, pedemontanus, pedes, pedestris, pellucidus, pennsylvanicus, perditor, peregrinator, perlatus, perpolitus, personatus, perspicuus, pharaonis, phasianus, phoeniceus, phoenixopterus, phyllopus, piceus, pictus, picus, pilicornis, pilipes, pilosus, pini, plaessaeus, planicornis, platycerus, ploiaria, podagricus, poecilolaparus, populi, porcis, porphyropterus, praecinctus, prasinus, pratensis, prothyris, pseudacantharis, pubicornis, pudicus, pugillator, puginator, pugnax, pulchellus, pulligo, pullus, punctato-guttatus, punctatus, punctipes, punctulatus, punctum, punctum-album, pungens, punicus, purpureo-lineatus, purpureipennis, purpureus, purus, pusillus, pustulatus, pyri, quadratus, quadridentatus, quadriguttatus, quadrilineatus, quadrinaculatus, quadripunctatus, quadripustulatus, quadrispinosus, quadristriatus, quinquemaculatus, quinquepunctatus, quinquespinosus,

quisquilius, recticornis, reflexus, regalis, regius, reticulatus, rhombeus, riparius, rivulorum, rohrrii, rolandri, rosatus, roseomaculatus, roseus, rostratus, rubecula, rubellus, rubens, ruber, rubiginosus, rubicornis, rubro-balteatus, rubrocinctus, rubrofasciatus, rufescens, ruficollis, ruficornis, rufipes, rufo-marginatus, rugosus, rusticus, rutilans, rutilus, sabulosus, sacer, sagitta, sagittifer, saltator, saltatorius, sancta crucis, sanctus, sanguineus, sanguinipes, sanguinolentus, saturnius, sauciatus, saxatilis, scaber, scabrosus scapha, scarabaeoides, schach, schrankii, schulzii, scorbuticus, scorio, scorteus, scutatus, scutellatus, secalinus, segusinus, seladonius, semiflavus, semilineatus, semipunctatus, senegalensis, septempunctatus, serratulae, serratus, serripes, serulatus, servus, seticornis, setosus, sexguttatus, sexmaculatus, sexpunctatus, sexpustulatus, sexstriatus, signatus, silphoides, sinensis, sinuatus, slanbuschii, smaragdulus, sordens, sordidus, speciosus, spectabilis, sphacelatus, sphaegiformis, spinidens, spinifex, spiniger, spinipes, spinulosus, spirans, spissicornis, sponsalis, squalidus, squamatus, stagnorum, staphylinus, stellifer, sticticus, stictopterus, stigma, stockerus, stolatus, stolidus, strammeus, striatulus, striatus, stridulus, subapterus, subater, subfuscus, subrufus, subulatus, succinatus, succinicus, suecicus, sulcatus, sulzeri, superbus, superciliosus, superstitiosus, surinamensis, suturalis, sylvarum, sylvaticus, sylvestris, tarandus, taurus, tenebrosus, termaculatus, ternatus, tessarophthalmus, tessellatus, tessulatus, testaceus, testudinarius, tetragrammos, teucris, thoracicus, thunbergii, tibialis, tigripes, tiliae, tipularius, tipuloides, tomentosus, torquatus, torridus, tragus, transversalis, transversus, triangularis, triangulatus, tricolor, tridentatus, trifasciatus, trigonus, triguttatus, trilineatus, trinervis, triops, tripterus, tripunctatus, tripustulatus, trispinosus, tristis, tristriatus, tritici, trivittatus, tuberculatus, tuberculosus, tunicatus, tyrannus, ulmi, umbellatarum, umbraculatus, umbratilis, umbrosus, uncinatus, undatus, unicolor, unpunctatus, urticae, vacca, vacillans, vagabundus, vagans, vahlii, vaillantii, valgus, validus, vandalicus, variabilis, varicornis, variegatus, variolosus, varius, velox, venosus, venustissimus, versicolor, v-flavum, victor, viduatus, viennensis, vilburgensis, villosus, virena, virens, virgo, viridescens, viridipes, viridis, viridissimus, viridisculus, viridulus, viror, vitellinus, vittatus, V-luteum, ypsilon, zonalis, zosteriae.

Cinclus :—hydrophilus.

Cionus :—blattariae, lythri.

Cis :—curculiunculus.

Cistela :—aenea, aeruginea, alpina, analis, angustata, antennata, atra, aulica, axillaris, betulae, bicolor, bipustulata, brevis, brunnea, caeruleus, ceramboides, cinerea, corvina, coxalis, crinuba, curvipes, evonymi, fasciata, femoralis, ferruginea, festiva, flavipes, forsteri, fulvipes, fusca, fuscata, geoffroae, gibba, gigas, hirta, humeralis, innuba, laeta, lepheroides, lepturoides, linearis, livida, marginata, maura, melanocephala, minuta, morio, murina, nigra, nigripennis, nigrita, nimbata, nitens, oblonga, opaca, ornata, ovata, pallida, pallipes, picipes, pilula, pubescens, pustulata, quinquevittata, reppensis, rubricollis, rufa, ruficollis, rufipes, rugosa, sexlineata, sericea, stoica, striata, sulphurea, svittata, tenella, testacea, thoracica, varia, varians, viridescens, vitis.

Clava, T. Martyn, Univ. Conch. I. 1784, fig. 12.—G.:—fusca, herculea, maculata, nigra, rubus, rugata, tessellata.

Clava (Coel.) :—amphorata, filifera, parasitica, prolifcata.

Claviger :—testaceus.

Clerus :—aeneus, ammios, apiarius, bifasciatus, bipustulatus, caeruleus, crabroniformis, cruciger, cyaneus, cylindricus, dubius, elongatus, fasciatus, formicarius, fuscofasciatus, fuscus, hirtus, ichneumoneus, leucopsidius, maculatus, melissoctonus, mollis, mutillarius, niger, octopunctatus, pallidus, pilosus, porcatus, quadriguttatus, quadrimaculatus, ruficollis, rufipes, rufus, scabrosus, scutellaris, sexguttatus, sipylus, sphaegus, thoracicus, tricolor, umbellatarum, unifasciatus, univittatus, villosus, violaceus.

Clio :—australis, borealis, caudata, helicina, limacina, pyramidata, retusa.

Clione :—borealis, papilionacea.

Clunipes :—scarabaeoides.

Clupea :—africana, alosa, atherinoides, baelama, cyprinoides, dorab, encrasicolus, harengus, haumela, malabaricus, mystus, nasus, pilchardus, setirostris, sima, sinensis, sprattus, sternicla, thrissa, tropica, villosa, ziga.

Clypeus :—conoideus, hemisphaericus, quinquelabiatus, sinuatus.

Clytra:—affinis, atraphaxidis, aurita, bicolor, bicruciat, bifasciata, biguttata, bucephala, caerulans, clavata, collaris, concolor, cuprea, cyanea, cyanocephala, decumana, duodecimmaculata, erythrotis, floralis, gibber, hordei, humeralis, intersecta, koenigii, lar, lentisca, longimana, longipes, lunulata, macropus, marginata, monstrosa, nigripes, obsita, octopunctatus, pallens, paracanthesis, pectinicornis, persicariae, picta, plagiocephala, plicata, quadriguttata, quadrimaculata, quadrinotata, quadripuncta, quadripunctata, rubicunda, ruficollis, rubra, rugosa, salicis, scopolina, sexmaculata, similis, taxicornis, tridentata, trimaculata, tripunctata, unifasciata, variolosa.

Clytus, J. N. Laicharting, Tyrol. Ins. II. 1784, 88.—Col.:—alpinus, arcuatus, arietis, aulicus, buprestoides, confusus, controversus, detritus, fasciatus, funebris, mysticus, obscurus, ruficollis, rusticus, salicis, verbasci.

Coati:—nasua.

Cobitis:—anableps, barbatula, fossilis, fundulus, heteroclita, japonica, macrolepidota, majalis, taenia.

Cobra:—atropos, clotho, lachesis.

Coccinella:—abbreviata, abdominalis, abietis, affinis, albida, analis, annulata, aptera, arctica, arcuata, areata, argulata, argus, artica, atra, aurita, aurora, austriaca, axyridis, betulae, bifasciata, biguttata, bimaculata, bimaculosa, bipunctata, bipustulata, bisbipustulata, bisbiverrucata, bisseptemguttata, bissexguttata, bissexpustulata, biverrucata, boeberi, borealis, botnica, brunnea, cacti, caerulea, campestris, canina, capensis, capitata, carpin, cassidea, cassidoidea, cayennensis, cembrae, centumpunctata, cervina, chrysomelina, cimicifugae, cincta, cingulata, circularis, collaris, colon, comma, confluent, conglobata, conglomerata, connata, consobrina, conspurcata, constellata, crux, decemguttata, decemmaculata, decempunctata, decempustulata, dentata, detrita, diaphana, didyma, dilatata, dimidiata, discoidea, discolor, dispar, distincta, dorsimaculata, dubia, duodecimguttata, duodecimpunctata, duodecimpustulata, dytiscoides, elaterii, erratica, erythrocephala, fasciata, fatuosa, felina, fennica, ferrugata, fimbriata, flavicollis, flavilabris, flavipes, flavo-maculata, flexa, flexuosa, frontalis, fuscomaculata, fuscopunctata, gemella, gibba, gigantea, glacialis, globosa, graminus, grandis, guttato-punctata, guttato-pustulata, haemorrhoidalis, hastata, hebraea, hemisphaerica, hieroglyphica, hirta, humeralis, hyperborea, immaculata, imperialis, impunctata, impustulata, inaequalis, innuba, innumerispunctata, interrupta, iridea, japonica, kamschatcensis, laeta, laevis, lapponica, lateralis, leonina, leopardina, leucocephala, limbata, lineata, lineola, litura, liturata, livida, lunaris, lunata, lunigera, lunulata, lutea, macularis, maculata, marginata, marginella, marginemaculata, marginepunctata, mediopustulata, minima, minuta, minutissima, m-nigrum, morio, moscovica, mutabilis, nigra, nigrinus, nigrita, nigrofasciatus, nitidula, notata, novemdecimpunctata, novemmaculata, novemnotata, novempustulata, novemsignata, oblitterata, oblonga, oblongoguttata, oblongopunctata, obversepunctata, ocellata, octodecimguttata, octodecimmaculata, octodecimnotata, octodecimpunctata, octoguttata, octomaculata, octonotata, octopunctata, octopustulata, octostagma, oculata, orientalis, ornata, pallida, pantherina, pardalina, parvula, pectoralis, peruana, polita, populi, psi, pubescens, punctato-guttata, punctum, pusilla, pygmaea, quadriguttata, quadrilunulata, quadrimaculata, quadrinotata, quadripunctata, quadripustulata, quadriverrucata, quattuordecimguttata, quattuordecimmaculata, quattuordecimpunctata, quattuordecimpunctata, quindecimmaculata, quindecimpunctata, quinquepunctata, quinquepunctata, renipustulata, repanda, reppensis, reticulata, ribis, riparia, rivos, rivularis, rosea, ruficauda, ruficollis, rufipes, russica, sanguinea, scutellata, setetalis, septemdecimpunctata, septemmaculata, septemnotata, septempunctata, sexdecimmaculata, sexdecimmaculata, sexdecimnotata, sexdecimpunctata, sexlineata, sexmaculata, sexnotata, sexpunctata, sexpustulata, signata, similata, similis, sinuata, speciosissima, sparsa, sphaeroidea, spuria, striata, strigata, subpunctata, subvillosa, sulphurea, surinamensis, suturalis, tabitensis, tessellata, tessulata, testudinarius, tetragonata, thunbergii, tigrina, transversalis, transversipunctata, tredecimmaculata, tredecimnotata, tredecimpunctata, triangularis, tricincta, tricolor, tricuspis, trifasciata, trilineata, trinacris, trinotata, tripunctata, tripustulata, undata, undulata, undecimmaculata, undecimpunctata, undularis, undulata, unicolor, unifasciata, unipunctata, ursicola, ursina, varia, variabilis, varians, variegata, versicolor, vigintiguttata, vigintipunctata, vigintipustulata, vigintiduumaculata, vigintiduopunctata, vigintioctopunctata, vigintiattuormaculata, viginti-

quattuor punctata, vigintiquinque punctata, vigintitres punctata, villosa, vitellinae, vittata, vulgatissima, vulpina, zibellina.

Coccothraustes :—coccothraustes.

Coccus :—abietis, aceris, adonidum, alni, aonidum, aquaticus, arborum, artemisiae, bellator, betulae, bromelia, cacti, capensis, capreae, caricae, carpinis, cataphractus, ceriferus, clematidis, conchiformis, corti, coryli, costatus, diosmatis, drapanaldi, dubius, farinosus, ficus, ficus-caricae, floccosus, folii quercus, fragariae, fuscus, hesperidium, hyperici, hypericonis, ilicis, lacca, lanatus, laniger, lapreae, linearis, liriodendri, mali, mespili, myricae, oleae, oxyacanthae, persicae, persicorum, phalaridis, pilosellae, polonicus, potentillae, quercus, quercus roboris, rusci, salicis, serratae, spurius, tiliae, ulmi, uvae, uvae ursi, variegatus, visci, vitis, zosteriae.

Cochlea :—acu-picta, aquosa, arborescens, bicolor, caetata, castrensis, coccinea, columbina, corbis, crista galli, dentrachates, fumosa, gilva, histrix, implexa, inscripta, maculosa, marmorata, nebulosa, nexilis, nimbata, ovum, palatam, personata, purpurea, radiata, russa, striata, tigrina, triangularis, undata, viminea, violacea, virgulata.

Cochlis :—ala-papilionis, albula, canrena, clausa, cornea, explanata, fanel, flammea, lineata, milleporia, onca, pavimentum, plicata, rufescens, stercus-muscarum, sulcata, tigrina, undulata, vitellus, zizac.

Coendou :—prehensilis.

Coescoes :—amboinensis.

Colius :—capensis, coromandeliensis, coromandus, erythropus, indicus, indus, leuconotus, panayensis, senegalensis, striatus, viridis.

Colliuris, 1774 (*non* Colliurus, 1794, *vide* p. lviii) :—surinamensis.

Colon :—*vide* Kolon.

Colpoda :—*vide* Kolpoda.

Coluber :—abdominalis, acontia, aegyptiacus, aesculapii, aestivus, africanus, agilis, ahaetulla, albofuscus, albus, alidras, ambiguus, americanus, ammodytes, anceps, ancilioidea, anguiformis, angulatus, angustus, annulatus, arabicus, argus, asclepiadeus, asiaticus, aspis, ater, atratus, atropos, atroreticulata, atrox, aulicus, aurora, austriacus, azureus, baetaen, bali, berus, bicolor, bilineatus, bimaculatus, bipes, bistriatus, bitin, bitis, bivittatus, boddaerti, bohemicus, boiga, borealis, brasiliae, brasiliensis, brunneus, buccatus, caecus, caeruleus, caeruleus, cahirinus, calamarius, candidissimus, candidulus, candidus, canus, capensis, capitatus, capiteniger, capitriangulatus, caracaras, carinatus, caspius, catena, catenatus, catesbeyi, catus, cenchroa, cenchrus, cenco, cerastes, cerastoides, cercinatus, cervinus, ceylonicus, chaiqua, cherssea, chironius, cinctus, cineraceus, cinereus, clotho, cobella, cobra, coccineus, colla, collaruber, communis, compressus, constrictor, constrictorius, corais, corallinus, cornutus, coronatus, coronella, crassicaudus, crotalinus, cruciatus, cursor, cyaneus, daboie, dhara, dione, dipsas, doliatus, domesticus, domicella, domicellarum, dorsalis, dubius, elegantissimus, ephippium, erythrogaster, exalbidus, exoletus, farinosus, fasciatus, ferrugineus, ferruginosus, filiformis, flagellum, flava, flavescens, flavocaeruleus, franciae, fugitivus, fulvius, fuscus, getulus, glaucus, gliricapa, gronovianus, gronovii, guineensis, guttatus, haemachata, haje, hals, hannasch-asuaed, hastatus, hebraicus, helveticus, helvetus, hikkanela, hippocrepis, hölleik, hotamboeja, humanus, hydrophilus, hydrus, ibibe, iboboboca, idolum, ignobilis, intestinalis, intumescens, jaculatrix, jaculus, javanus, jugularis, lachesis, lacteus, laevis, lanceata, lanceolatus, laphiata, laticapitatus, laticaudatus, latirostratus, leberis, lebetinus, lemniscatus, lentiginosus, leprosus, leucomelas, ligamen, lineatus, lubricus, ludovicianus, luridus, luteostriatus, lutrix, macrocephalus, maculatus, maculosus, maderensis, malpolon, margaritaceus, margaritifera, maurus, megalcephalus, melanis, melanocephalus, melanoleucus, mexicanus, miliaris, minervae, molurus, moniliformis, monilis, moschatus, mucosus, mycterizans, naevius, naja, nasica, nasicornis, nasutus, natrix, nauii, nebulatus, nebulosus, nepa, nexa, niger, nigrofasciatus, nigrorufus, niveatus, niveus, nocturnus, novae-hispaniae, ocellatus, oculata, oculus-cati, olivea, ordinatus, orientalis, oryzivorus, oscilla, oularsawa, ovivorus, padera, pallidus, panamensis, pannonicus, pardus, pelias, pephis, peruvii, petola, petolarium, picatus, pictus, planiventer, platicephalus, plicatilis, plumbeatus, politus, polyzimis, porphyriacus, precatorius, prester, pullatus, punctatus, punctulatus, purpurans, purpurascens, purpuratus, pusillus, quadrilineatus, quadristriatus, quateradiatus, quatuorlineatus, quin-

cuncialis, raninus, reda, reginae, reticularis, rhombeatus, romanus, ruber, rufescens, ruffus, rufoalbus, rufus, russelii, sardus, saturninus, saurita, scaber, schokari, schytus, scutatus, scytha, sebae, sellmanni, semimonile, severus, siamensis, sibilans, sibon, simus, sipedon, sirtalis, situla, speciosus, splendidulus, splendidus, stolatus, striata, striatulus, striatus, strigilis, subalbidus, subcaeruleus, subcyaneus, subfuscus, subviridis, symmetricus, tamachia, trilineatus, terordinatus, tessellatus, tetragonus, tigrinus, torquatus, toxicon, triangularis, triangulum, trifarius, trigonocephalus, trilineatus, triscalis, trivittatus, typhius, typhlus, tyria, tyrolensis, unicolor, urens, vampum, variegatus, varius, venosus, versicolor, violaceus, vipera, viperinus, virgata, virginicus, viridicaeruleus, viridiflavus, viridis, viridissimus, vittatus, vulgaris, weilegii, xequipeles, zebra, ziczac, zonatus.

Columba:—aegyptiaca, aenea, afra, albicapilla, alba, amboinensis, antarctica, aromatica, asiatica, assimilis, atricollis, aurata, australis, bantamensis, batavica, bicolor, brunnea, caerulea, caeruleocephala, cambayae, cambayensis, cana, canadensis, capensis, caribaea, carolinensis, castanea, cayenensis, cristata, cruenta, cruentata, cucullata, curvirostra, cyaneopileata, cyanocephala, ceylanica, chalcoptera, cinerea, corensis, coronata, dasypus, domestica, dominicensis, eimeensis, erythroptera, fowat, francae, frontalis, fulicaria, fusca, galeata, globicera, grisea, griseocapillata, guinea, guineensis, gutturosa, gytrix, hispanica, hispida, histrio, hoilotl, impeyiae, incarnata, indica, jamaicensis, jambu, javanensis, javanica, kurukuru, laticauda, leucocephala, leucophrys, leucoptera, lunulata, luzonata, macerona, macroua, maculata, madagascariensis, malabarica, malaccensis, marginata, martinica, melanocephala, melanoptera, melanura, mercurialis, mexicana, migratoria, minuta, moluccensis, montana, mugiens, myristicivora, naevia, nicobarica, nicombar, nitidissima, nivea, novae seelandiae, oenas, orientalis, pacifica, palumbus, passerina, percussor, philippensis, phoenicoptera, pileata, pompadora, prolifera, psittacea, pulcherrima, purpurata, purpurea, risoria, rosea, rubricapilla, rubrocapillata, rufaxilla, rupicola, sancti thomae, sanguinea, senegalensis, sinensis, sinica, speciosa, striata, suratensis, surinamensis, tabellaria, tannensis, testaceo-incarnata, tetraoides, tremula, turbita, turca, turcica, turtur, tympanista, ventralis, vernans, vertaga, vinacea, viridis, zealandica.

Columbella:—mercatoria.

Colus:—achatinus, albeola, albul, caesia, ficoides, islandicus, marmoratus, tulipa.

Colydium:—bicolor, castaneum, depressum, elongatum, fasciatum, filiformis, frumentarium, planum, rufum, sexdentatum, sulcatum, unicolatum.

Colymbus:—aale, arcticus, auritus, borealis, caspicus, cayennensis, comosus, cornutus, cristatus, dominicus, duplicatus, fluviatilis, fulica, fuscus, glacialis, grisegena, grylle, grylloides, gularis, hebridicus, ignotus, immer, lacteolus, lomvia, longirostris, ludovicianus, lumme, major, marmoratus, maximus, minor, migratorius, musicus, nigricans, obscurus, parotis, philippinensis, podiceps, pyrenaicus, rubricollis, ruficollis, sanctae thomae, septentrionalis, sinensis, stellatus, striatus, subcristatus, thomensis, torquatus, troille, urinator, vulgaris.

Comephorus:—baikalensis.

Conops:—aculeata, aeneus, annulata, atomaria, atra, bifasciatus, bimaculata, bombilans, buccae, buccata, calcatrans, cessans, cincta, cinerea, clavatus, cupreus, dryaphilus, erythrocephalus, femoratus, ferruginea, festivus, flava, flavipes, floreus, fuscus, gemmatus, glaucus, hexagona, interruptus, irritans, leucorrhaeus, lineata, lutea, macrocephala, nigra, pennatus, pertinax, petiolata, picta, pocopyges, praecinctus, punctata, quadri-fasciata, rostrata, rufipes, sericea, siberita, subcoleoptrata, testacea, tricolor, trifasciata, vesicularis, vittata, vulgaris, zonarius.

Constrictor:—auspex, divinoquus, formosissimus, orophian, rex-serpentum.

Conulus:—albagalerus.

Conus:—abbas, acachnoideus, achates, achatinus, acuminatus, affinis, africanus, amadis, ammiralis, antidiluvianus, arachnoideus, araneosus, arausiacus, archiepiscopus, arenatus, augur, aulicus, aurantius, auratus, aureus, auricomus, aurisiacus, bandanus, barbadensis, betulinus, betulus, bifasciatus, brunneus, bullatus, caledonicus, cancellatus, candidus, canonicus, capitaneus, capucinus, cardinalis, cassis, castaneus, catus, cedonulli, centurio, cervulus, ceylanensis, ceylanicus, cinctus, cinereus, cingulum, circumciscus, citrinus, classarius, clavus, coccinatus, coccineus, coffea, columba, coronatus, costatus, cylindricus,

cynorrhodonus, daucus, dentatus, deperditus, distans, dormitor, dracaena, ductor, dux, eburneus, episcopus, epistomium, eques, ermineus, fasciatus, ferrugineus, finulinus, fluctifer, franciscanus, fucatus, fulgurans, fulmineus, fumigatus, fuscatus, fustigatus, fusus, generalis, genuanus, geographus, geomantiatus, glans, glaucus, gloria-maris, granifer, granulatus, gubernator, guinaicus, guttatus, hebraeus, humilis, hyaena, ignobilis, imperialis, informis, insularis, insulatus, jamaicensis, janus, japonicus, jaspideus, jaspis, leucostictus, lineatus, litteratus, lithoglyphus, lithostrotus, lividus, luzonicus, laetus, laevis, lama, lamellosus, larvatus, leo, leoninus, leopardus, madurensis, mafan, magellanicus, magus, maldivus, malacanus, marmoreus, mauritanus, mediterraneus, mercator, miles, miliaris, mindanus, minimus, mitratus, mocanus, monachus, monile, mozambicus, mus, musicus, mustelinus, nebulosus, nicobaricus, nimbosus, niveus, nobilis, nocturnus, nubecula, nussatella, nux sativa, obesus, ochroleucus, oculus, olivaceus, omaicus, omaria, oxygalus, papilio, papilionaceus, pennaceus, personatus, pertusus, planorbis, polyzonias, portoricanus, praefectus, praelatus, princeps, professus, prometheus, proteus, pulicarius, punctatus, puncturatus, punculatus, pusio, quercinus, radiatus, ranunculus, raphanus, rattus, regius, reticulatus, rubiginosus, rusticus, sancta oma, scabriculus, senator, siamensis, sinensis, sipmanus, solidus, spectrum, spinosus, sponsalis, spurius, sterculeus, stercus culicum, stercus granulatus, stercus muscarum, stercus pulicum, striatus, strigatus, sulcatus, sumatrensis, suratensis, taeniatus, taitensis, tendineus, terebellum, terebra, tessulatus, testudinarius, textile, thomae, tigrinus, timorensis, tinianus, tragulinus, tribunus, tulipa, varius, ventricosus, venulatus, verrucosus, verulosus, vexillum, vicarius, violaceus, virgo, vittatus, vitulinus, vulpinus, zonatus.

Copris:—achates, acornis, aeneus, aesculapius, affinis, alces, ammon, amyntas, analis, aneus, antenor, antilope, apelles, arachnoides, arenarius, asper, astyanax, aterrimus, austriaca, aygulus, bacchus, bellicosus, belzebut, bicolor, bidens, bifasciatus, bimaculatus, bipunctatus, bipustulatus, bison, bituberculatus, bonasus, boreus, bucephalus, caerulescens, camelus, capra, capucinus, carnifex, carolinus, catta, centricornis, cinctus, coenobita, conflagratus, conspurcatus, corniger, corvus, cristatus, cupreus, cyaneus, dama, discoideus, dorcas, dromedarius, elevatus, emarginatus, eridanus, erraticus, fasciatus, faunus, femoratus, ferrugineus, festivus, fimetarius, flagellatus, flavipes, foetens, fossor, fracticornis, fricator, fulgidus, fulvus, furcatus, furculus, fuscopunctatus, gagates, geoffroae, gibbosus, gigas, granarius, granulatus, haemorrhoidalis, hamadryas, hastator, helwigii, hesperus, hispanus, hubneri, iacchus, icarus, inenulatus, inuus, janus, jasius, juvencus, koenigii, laevigatus, laevis, lancifer, laticollis, lemur, lividus, longipes, lucida, lunaris, luridus, marginellus, marsyas, media, melanocephalus, meleager, melitaeus, menalcas, merdarius, metallicus, midas, miliaris, mimas, moeris, molossus, nemestrinus, nicanor, nisus, nitens, novae hollandiae, nuchicornis, nuchidens, nutans, obliquus, oedipus, ovatus, pactolus, paleo, pallens, paniscus, pardalis, parvulus, peleus, phidias, pilularius, pipiens, pimal, pithecus, plagiatus, politus, porcatus, pubescens, pusillus, quadridentatus, quadriguttatus, quadrimaculatus, quadripunctatus, quadripustulatus, quadrum, quisquilius, reflexus, rhadomistus, rubidus, rufipes, sabaeus, sacer, sagittarius, sanctus, schaefferi, schreberi, scrofa, scybalarius, seniculus, septemmaculatus, serratus, sexpunctatus, similis, sinon, sinuatus, smaragdulus, sordidus, sphinx, spinifex, splendidulus, squalidus, stercorator, subterraneus, sulcator, sus, tages, taurus, terrestris, testudinarius, thoracicus, thoraco-circularis, triangularis, tridens, tullius, undatus, unguiculatus, unicornu, vacca, variegatus, variolosus, vertagus, verticicornis, violaceus, vitulus, xiphias.—*Vide et. Scarabaeus.*

Coracias:—abyssinica, afra, africana, aurea, bengalensis, brachyura, caerulea, caffra, cartagenensis, caudata, cayana, cayennensis, cyanea, docilis, galbula, garrulus, glaucurus, indica, leucocephalus, madagascariensis, melanocephala, mexicana, militaris, nigra, orientalis, oriolus, puella, saga, scutata, senegala, senegalensis, sinensis, strepera, striata, vagabunda, varia, versicolor, vivida, xanthornus.

Coracinus:—cirrosus, umbra.

Corallina:—alabastrina, androsace, articulata, barbata, conglutinata, corniculata, cristata, cuspidata, cylindrica, elongata, fistulosa, flabellum, fragillissima, fruticulosa, granifera, incrassata, indurata, lichenoides, loricata, lapidescens, marginata, monile, nodularia, oblongata, obtusata, officinalis, opuntia, palmata, pavonia, penicillus, peniculum,

- phoenix, pinnata, reticulata, ringens, rosacea, rosarium, rubens, rugosa, spermophoros, squamata, subulata, terrestris, tribulus, tridens, tubulosa, tuna.
- Corallium**, Marsigli in Müller, Del. Nat. I. 1766, 128.—Cor. :—tubulosum.
- Corax** :—the species attributed to Daudin should read **Corvus corax**, *varr.*
- Corbula** :—angulata, anomala, elongata, glans, minuta, polygona, porcata, purpurascens, radiata, rosea, rugosa, tumida, violacea.
- Corculum** :—cardissa, dolorosum, humanum, inflatum.
- Cordiformis** :—lacunosum, marinum, neptuni, ovum marinum, pisum.
- Cordyle** :—barbirostris, colossus, longipes, palmarum, sexmaculatus.
- Cordylus** :—angulatus, azureus, bicarinatus, bimaculatus, brasiliensis, caudiverbera, dracaena, hispidus, mauritanicus, monitor, orbicularis, pelluma, stelleri, verus.
- Coreus** :—armiger, biguttatus, calumniator, defensor, delirator, falcicornis, fasciculatus, gravidator, hastator, hastatus, hirticornis, insidiator, lanciger, marginatus, pugnator, purgator, quadratus, rhombea, scapha, scorbuticus, spiniger, venator.
- Corixa** :—coleoptrata, lineata, striata.
- Cornu** :—copiae.
- Corone** :—the species attributed to Daudin should read **Corvus corone**, *varr.*
- Coronella** :—africana, anguiformis, austriaca, catus, cerastoides, cervina, fasciata, hotamboeia, latirostra, ocellata, petola, taeniata, tessellata, tigrina, virginica.
- Corrira** :—italica.
- Corticeus** :—unicolor.
- Corvus** :—aegypticus, afer, africanus, albicollis, albus, aquaticus, argyrophthalmus, auritus, australis, balicassius, bengalensis, brachyurus, bucco, caerulescens, cafer, caledonicus, calvus, canadensis, caribaeus, caryocatactes, cayanus, cinereus, clericus, collurio, coracias, corax, cornix, corone, crinitus, cristatus, cyaneus, cyanus, dauricus, docilis, dubius, eremita, erythrorhynchus, flavigaster, flavus, frugilegus, fuscus, glandarius, graculinus, graculus, hottentottus, infaustus, jamaicensis, javanicus, lapponicus, leucogaster, leucognaphalus, macaensis, macao, maximus, melanocephalus, mexicanus, monedula, novae guineae, nudus, octopennatus, pacificus, papuensis, paradisi, paradoxus, peruvianus, piapiac, pica, porphyrocephalus, purpurascens, pyrrhocorax, ruber, rufus, rusticus, scapulatus, senegalensis, sibiricus, sinensis, stelleri, striatus, surinamensis, temia, tricolor, tropicus, varius, vulgaris, yncas, zanoe.
- Coryne** :—pusilla.
- Corynetes** :—*vide* Korynetes.
- Coryphaena** :—acuta, apoda, apus, branchiostega, caerulea, clypeata, equiselis, equisetis, fasciolata, hemiptera, hippuris, japonica, lineata, novacula, pentadactyla, plumieri, pompilus, psittacus, rupestris, siima, velifera, virens.
- Coryphaenoides** :—rupestris.
- Cossonus** :—ferrugineus, linearis.
- Cossus** :—aesculi, ligniperda, pyrinus, scalaris, terebra, unguiculatus, verbasci.
- Cosyphus**, A. G. Olivier, Ency. Méth. VI (Ins.) 1791, 121 :—depressus, hoffmanseggii.
- Cotinga** :—cuprea, ruber.
- Cottus** :—acadian, australis, bicornis, bubalis, cataphractus, diceraus, glaber, gobio, grunniens, indicus, indus, insidiator, japonicus, latissimus, massiliensis, monopterygius, quadricornis, rogad, scaber, scorpioides, scorpius.
- Coturnix** :—communis, coromandelica, cristata, falklandica, grisea, manillensis, marylandica, mexicana, novae guineae, sinensis, spadicea, striata, suscitator, torquata, virginiana, viridis, ypsilophorus.
- Crabro** :—affinis, alatus, albilabris, albofasciatus, androgynus, annulatus, arenarius, arthriticus, ater, bicinctus, bipunctatus, calceatus, capistratus, cephalotes, ceraunus, cinctus, clypeata, cornutus, crassipes, cribrarius, dentipes, diadema, dimidiatus, femoratus, fimbriatus, flavipes, floralis, fossorius, frontalis, geniculatus, humeralis, interruptus, labiatus, leucostoma, lineatus, lugubris, lunulatus, maculatus, mediatus, megacephalus, minutus, mucronatus, mystacea, nitidulus, octomaculatus, palmatus, patellatus, peltatus, petiolatus, pictus, pygmaeus, quadricinctus, quadrimaculatus, quadripunctatus, quinquecinctus, quinquefasciatus, rachiticus, repandus, rufipes, sabulosus, scutatus, serripes, sexcinctus, sexmaculatus, signatus, spinosus, subpunctatus, subterraneus, tibialis, tricinctus, tricuspidis, tridens, tridentatus, trimaculatus, trispinosus, unicolor, uniglumis, vaga-

bundus, vagus, varicornis, varus, venustus, vespiformis, vespoides, vexillatus, v-flavum, zonatus.

Crambus :—adspergillus, alpestris, antennatus, arbustorum, argenteus, argyreus, ater, bicostatus, barbatus, bombycalis, capitatus, carnea, colonum, conchaceus, cornatus, crassalis, crinitus, cryptorum, culmorum, dilatatus, dorsatus, elongatus, ensatus, erigatus, fagi, forficatus, glaucinatus, hirtus, hortorum, lanceolatus, lineatus, lugubris, margaritaceus, marginatus, mercurii, moerens, mucronatus, nemorum, niger, niveus, obsoleteus, oxyacanthae, palpalis, pascuum, pectinatus, pineti, pinguis, porrectus, pratorum, proboscideus, ramalis, rostratus, sacchari, sinuatus, sophiae, strigatus, tentacularis, tetric, tristis, ventillabris, vinetorum.

Crangon :—avarus, boreas, malabaricus, marginatus, rapax, tamulus, vulgaris.

Crania :—brattensburgensis, egnabergensis.

Crassatella :—cygnea.

Crax :—alector, cumanensis, galeata, globicera, mitu, nigra, nudifrons, pauxi, pipile, rubra.

Crepidula :—fornicata.

Cricetus :—for species before 1800 *vide Mus*.

Crino :—truncatus.

Crioceris :—abdominalis, adusta, afra, arcuata, asparagi, atrata, aulacea, aulica, betulae, betulina, bicolor, bidentata, bifasciata, bioculata, bispinosa, bituberculata, brunnea, brunnipes, calamariensis, campestris, cantharoidis, capreae, caroliniana, cajanensis, cerasi, cervina, chlorotica, cincta, convallaria, convallariae, cyanella, cyanocephala, dorsalis, duodecimpunctata, elongata, equestris, erythrocephala, fasciata, flavicornis, flavipeda, flavipes, fucata, fulvicollis, gibba, glabrata, grisea, hebraea, hirta, hordei, humeralis, impressa, innuba, lata, lepturoides, lillii, lineola, livida, melanocephala, melanopa, melanopoda, merdigera, minuta, morio, nigricollis, nigricornis, nigripes, nymphaeae, ochreata, octopunctata, oculatata, paleata, pallens, palliata, pallida, parisina, parva, phellandri, picta, praeusta, punctata, pygmaea, quadrimaculata, quadripustulata, quattuordecimpunctatus, quinquepunctata, quinquevittata, retusa, rufa, ruficollis, ruficornis, rufipes, rustica, sanguinea, sexpunctata, spinosissima, stercoraria, striata, sub-spinosa, suturalis, tenella, testacea, tetrapunctata, thoracica, tormentosa, trilineata, triloba, tristis, unicolor, unifasciata, variegata, violacea, vittata.

Criopoderma :—caput serpentis, truncatum, turbinatum.

Crocodylus :—africanus, alligator, americanus, caudiverbera, cayman, gangeticus, gaviat, natans, niloticus, terrestris.

Crotalophorus :—durissus, horridus, mutus.

Crotalus :—adamanteus, aquaticus, boiquira, dryinas, durissus, horridus, miliarius, mutus, piscivorus.

Crotophaga :—ambulatoria, ani, grisea-maculata, major, varia.

Crucirostra :—leucoptera, vulgaris.

Cryptocephalus :—abdominalis, abietis, aeneus, aerugineus, aeruginosus, alni, alpinus, ambulans, americanus, amethystinus, analis, angustatus, aquaticus, arenarius, asparagi, assimilis, atraphaxidis, atratus, aulicus, auritus, australis, azureus, barbarae, barbarus, bataviensis, berchtesgadensis, berlinensis, betulae, bicolor, bidentatus, bifasciatus, biguttatus, bilineatus, bimaculatus, bioculatus, bipunctatus, bipustulatus, bisquinquepunctatus, bituberculatus, blockii, boleti, bothnicus, brunneus, brunnipes, bucephalus, caerulans, caeruleus, caeruleus, calcaratus, calmariensis, campestris, cancellatus, cantharoides, capensis, capreae, capucinus, caraboides, cayennensis, cellaris, ceramboides, cervinus, chermesinus, chrysopus, cichorii, cinctus, cinereus, cirsii, coffeae, collaris, coloratus, concatenatus, concolor, congestus, conspersus, cordiger, coryli, crassus, crataegi, crenatus, cupreus, cyanella, cyaneus, cyanicollis, cyanocephalus, decemmaculatus, decemnotatus, decempunctatus, denigratus, didymus, dilatatus, dispar, distinguendus, dubius, duodecimmaculatus, duodecimpunctatus, ebraeus, elegans, elongatus, equestris, erythrocephalus, erythromelas, erythropus, exiguus, exilis, fasciatus, ferruginosus, festiva, flavescens, flavicollis, flavifrons, flavilabris, flavipes, flavoguttatus, floralis, forsteri, frenatus, fucatus, fuliginosus, fulvipes, fulvus, fuscatus, fuscicornis, fuscipes, gibbosus, gibbus, giganteus, gigas, glabratus, glaucocephalus, globulosus, gorteriae, gracilis, griseus, haemorrhoidalis, halensis, hieroglyphicus, hirsutus, hirtus, histrio, holosericeus, hordei, huebneri, humeralis, hypochaeridis, immaculatus, imperialis, impressus, indicus,

indus, innubus, jamaicensis, javanus, kilonensis, koenigii, labiatus, laetus, lampyroides, lar, laticlavus, lentisci, lepturoides, levadrum, limbatus, limbosus, lineatus, lineola, livens, lividus, lobatus, longimanus, longipes, longus, lugubris, lundii, lunulatus, luperus, luridus, lusitanicus, macrocheiros, marchiae, marginatus, marginellus, martinus, maxillosus, melanocephalus, melanogaster, melanophthalmus, melanopus, merdiger, meridionalis, minutus, mixtus, moraei, morio, muelleri, multicolor, multiguttatus, murinus, musciformis, nebulosus, niger, nigricans, nigricornis, nigripes, nitens, nitidulus, nitidus, notatus, novae-hollandiae, nymphaeae, oblongoguttatus, obscurus, obsitus, obsoletus, ochraceus, ochrocephalus, ochropus, octavius, octoguttatus, octomaculatus, octonotatus, octopunctatus, octopustulatus, oculatus, orientalis, ornatus, pacificus, pallens, pallescens, palliatus, pallidus, paracentesis, parenthesis, parisinus, parvulus, parvus, passilus, peregrinus, persicariae, phellandrii, pictus, pilleri, pilosus, pini, plagioccephalus, podae, populi, postulatus, pubescens, punctatissimus, punctatus, punctiger, punctulatus, pusillus, pustulatus, pygmaeus, quadrifasciatus, quadriguttatus, quadrimaculatus, quadrinotatus, quadripunctatus, quadripustulatus, quadrum, quattuordecimmaculatus, quattuordecimpunctatus, quinquedecimguttatus, quinquenotatus, quinquepunctatus, quinquevittatus, reppensis, reticulatus, rubricollis, rubrifrons, ruficollis, rufifrons, rufipes, rufitarsis, rugicollis, russicus, salicis, sanguineus, sanguinicollis, sapphirinus, saxonicus, schaefferi, scopoli, scopolinus, scutellaris, sehestedii, sericeus, sexguttatus, sexlineatus, sexmaculatus, sexnotatus, sexpunctatus, sexpustulatus, siamensis, sibiricus, signatus, smaragdulus, sonchii, spengleri, stolatus, stragula, striatus, strigosus, subspinosus, sulphuratus, sulphureus, sumatranus, suturalis, tahitiensis, taxicornis, tenellus, tessellatus, testaceus, tomentosus, tricolor, tridentatus, trifasciatus, trifuscatus, trilineatus, trilobus, trimaculatus, tripunctatus, tristis, truncatus, tuberculatus, undatus, unicolor, unifasciatus, vahlii, varians, variegatus, varius, venereus, ventralis, venustus, veris, vibex, villosus, violaceus, viridans, vitis, vittatus, zebra.

Cryptophagus :—*vide* Kryptophagus.

Cucujus :—americanus, anceps, ater, bimaculatus, bipustulatus, bisulcus, caeruleus, castaneus, chryso stigma, clavicornis, clavipes, crenatus, cursor, dentatus, depressus, dermestoides, dubius, ferrugineus, festivus, flavipes, labiatus, maculatus, minutus, monilis, muticus, octoguttatus, pallens, planatus, piceus, quadratus, rubinus, rufipes, rufus, rusticus, sulcatus, testaceus, tenebrio, unicolor, viridis.

Cucullanus :—anguillae, armatus, ascaroides, buteonis, cirratus, conoideus, globosus, halecis, lacustris, lucioperca, marinus, muris, muticus, ocreatus, percae, ranae, talpae, truttae, viviparus.

Cucullus :—achatinus, albeolus, amadis, ammiralis, annularis, annulus, anonymus, antillarum, arachnoideus, araneosus, archithalassus indiae, arenatus, arenosus, aulicus, auratus, aurelius, aureus, aurifer, auriger, aurisiacus, barathrum, betulinus, bifasciatus, biliosus, bullatus, buxtus, byssinus, caesus, caffer, camelinus, canaliculatus, candidus, canonicus, capitaneus, capitatus, cardinalis, carota, cedo nulli, cereolus, chaldaeus, chrysalis, cinamomeus, cinerarius, cinereus, circumductus, circumvolutus, clavatus, corona civica, corona ducalis, coronalis, coronatus, crenulatus, crucifer, cutis anguina, daucus, dubitatus, dux, eburneus, equestris, ferrugineus, figulinus, filosus, flammeus, folliculus, fraxineus, generalis, gentilis, genuinus, geographicus, geographus, glaucus, gloria maris, granulatus, granulatus, gualterianus, guttatus, hebraeus, imperialis, isabella, jaspideus, lacteus, laganum, lamboideus, larvatus, leoninus, leopardus, lineatus, litteratus, locumteneus, maculosus, magus, marmoreus, medusae, meningeus, mercator, miles, mille punctatus, minutus, monachus, nobilis, novemstriatus, nubecula, nubilus, nussatella, orleanus, ornatus, papilio, pardus, parvus, pavimentum, pellucidus, pernambucinus, petreus, politus, princeps, proarchithalassus, pulchellus, pulverulentus, punctulatus, purpuratus, purpureus, quadratulus, quadratus, regius, sabella, sanctae thomae, sapphirus, sinensis, spectrum, sphinx, sponsa, spurius, stercus-muscarum, striatus, summus, syriacus, terebellum, textile, theobroma, tigris, tornatus, torquatus, trapezium, tulipa, turritus, ventricosus, venustus, vicarius, virgo.

Cuculus :—aegyptius, alpinus, americanus, ater, bengalensis, brasiliensis, caeruleus, cafer, canorus, capensis, caprius, carolinensis, canyanus, cristatus, cupreus, ceylanicus, chrysocephalus, cornutus, coromandus, discolor, dominicus, flaviventris, flavus, fuscus, glandarius, guira, hepaticus, honoratus, indicator, indicus, intermedius, longicalcar, lucidus,

maculatus, madagascariensis, melanoleucos, melanorhynchus, merulinus, mindanensis, minor, moroc, murinus, naevius, niger, nitens, orientalis, panayanus, paradiseus, passerinus, persa, pisanus, pluvialis, poliocephalus, poliocar, punctatus, punctulatus, pyrrocephalus, radiatus, regius, ridibundus, rufus, scolopaceus, senegalensis, seniculus, serratirostris, serratus, sinensis, sonnerati, sulphuratus, tahitius, taitensis, tenebrosus, tolu, toulou, tranquillus, variegatus, varius, vetula, viridis.

Culex:—aegypti, annulatus, argenteus, bifurcatus, caspius, ciliaris, ciliata, columbacensis, communis, equinus, fasciatus, flavescens, geniculatus, haemorrhoidalis, hyrcanus, lanio, lutescens, molestus, morio, pipiens, pipines, pulicaris, reptans, rusticus, stercoreus, trifurcatus, variegatus.

Cuneus:—fasciatus, foliatus, reticulatus, truncatus, vittatus.

Cuniculus:—angorensis, aparea, argenteus, campestris, porcellus, ruscicus, timidus.

Curculio:—abbreviatus, abietis, absinthii, accipitrinus, acetosae, acridulus, aculeatus, acuminatus, acutus, adpersus, aeneus, aelothorax, aequatus, aeruginosus, aestuans, aethiopicus, aethiops, afer, affinis, agricola, ajugae, alauda, albator, albicans, albicaudis, albidus, albinus, albipes, albirostris, albofasciatus, albolineatus, albopunctatus, albovittatus, algirus, alliariae, alneti, alni, alternans, amentorum, amoenus, analis, anguinus, anchorago, angustatus, angustus, annulatus, anomaloceps, antherinus, anthracinus, anthriboides, antidontalgicus, antirrhini, aphanes, apricans, apterus, apus, araneiformis, araneus, arator, arborator, arboreti, arcticus, arcuatus, arenarius, argentatus, argus, argyrellus, argyreus, armadillo, armatus, armeniacae, armiger, armillatus, armus, arguata, artemisiae, articulatus, arundinis, arvensis, ascanii, asperatus, assimilis, astralagi, ater, aterrimus, atomarius, atratus, atriplicis, atro-rostris, atro-apterus, attelabroides, auratus, aurifer, aurora, aurentulus, austriacus, avarus, avellanae, bacchus, badensis, barbarus, barbatus, barbicornis, barbrostris, barcelonicus, bardanae, bavarus, beccabungae, bellicosus, berolinensis, betulae, betuleti, bicolor, bicornis, bidens, bifasciatus, biglobatus, biguttatus, bilineatus, bimaculatus, binodulus, binotatus, bipunctatus, bipustulatus, bispinus, bisulcatus, bituberculatus, bivittatus, blattariae, bohemicus, bohemus, bombina, bondorfii, borealis, borraginis, brachypteros, brassicae, brevisrostris, brevis, bruchoides, brunneus, brunnipes, brunnirostris, bufo, byrrhinus, caecus, caelestinus, caeruleocephalus, caerulescens, caeruleus, caffer, C-album, calcar, calcaratus, calidus, caliginosus, calvus, cameleon, camelus, campanulae, campestris, canaliculatus, candidatus, candidus, canescens, caninus, canus, capensis, capistratus, capitatus, capreae, capucinus, carbasus, carbonarius, cardiniger, carduelis, cardui, caricis, carinatus, cariosus, carniolicus, carpini, castaneus, castor, castilianus, catenulatus, caudatus, cenchrus, centaureae, cephalotes, cerasi, cerasorum, cervinus, chalybeus, chamaeropsis, chameleon, chimaris, chloris, chloropus, chrysis, chrysops, chrysopterus, chrysostictos, cicatricosus, cinctus, cinerascens, cinereus, cinnamomi, citrinella, clavatus, clavipes, clavus, C-nigrum, cocineus, collaris, colligens, colon, coloniformis, colossus, comari, communis, comus, confusus, conicus, conmaculatus, conspersus, contaminatus, contractus, convexus, coracinus, cordifer, cordiger, coriaceus, coriarius, cornutus, coronatus, corrugatus, corruptor, corticalis, corticinus, corvinus, coryli, costatus, cracca, crassicornis, crassipes, crassi-rostris, crassus, crenulatus, cretaceus, cretura, cribrarius, crinitus, crispatus, crobylus, cruciatus, crucifer, cruciger, cruentatus, crux, cucullatus, cultratus, cupreo-squamosus, cupreus, cuprifer, cupirostris, cursor, curvipes, curvirostris, cyaneus, cyanicollis, cyanipes, cyanocephalus, cylindricus, cylindrirostris, cylindroides, cylindrus, cynarae, cypri, danicus, danubialis, daviesii, dealbatus, decorus, decurtatus, deflexus, delectans, denigratus, dentatus, denticornis, denticulatus, denticulus, dentifer, dentipes, denti-rostris, depressi-rostris, depressus, derasus, desertus, diadema, didymus, dimidiatus, diodon, dirus, dispar, dissimilis, distinctus, diversipunctatus, dolorosus, dorsalis, dorsatus, druparum, druryanus, dryados, dubius, echii, echinatus, electoralis, elegans, elephas, elevatus, ellipticus, elongatus, emarginatus, emeritus, enucleator, ephippiatus, epilobii, equiseti, eremita, erraticus, erysinei, erythroceros, erythroleucos, erythropus, esuriens, exaratus, excavatus, exclamationis, exesus, excoriato-niger, excoriato-ruber, exoletus, exoticus, faber, fabricii, fagi, famelicus, famulus, farinosus, fascialis, fasciatus, fascicularis, fasciculatus, fasciolatus, fastuosus, fatuus, fenestratus, ferrugatus, ferrugineus, festivus, festucae, filiformis, filirostris, fimbriatus, flavescens, flaviceps, flavipes, flavocinctus, floralis, florentinus, floricola, floriger, foliorum, formicarius, formosus, forsteri, fossarum, foveolatus, fragariae,

fraxini, frigidus, frit, fritillum, friulicus, frontalis, frugilegus, frumentarius, fruticulosus, fuliginosus, fullo, fulvicornis, fulvipes, fulvirostris, fulvus, fumosus, funereus, fuscatus, fuscipes, fuscirostris, fusco-maculatus, fuscus, gagates, gages, galleruca, gallina, geerii, geminatus, gemmatus, geoffroaei, geographicus, geranii, germanus, gibber, gibbosus, gibbus, gigas, glaber, glabratus, glabrostris, glacialis, glandifer, glaucinus, glaucus, glis, globatus, globifer, globosus, globulus, glyphicus, goertzensis, gracilipes, gramineus, grammicus, granarius, granulatus, gratus, gravior, gressorius, griseo-apterus, griseo-aneus, griseo-punctatus, griseus, grus, grypus, guineensis, gulosus, guttatus, guttula, haematopus, haemorrhoidalis, haemorrhous, haeruatopus, hostile, haustellatus, hebes, hemipterus, herbstii, hercyniae, herthis, heteroclitus, hinnulus, hirsutulus, hirticornis, hirtus, hispanus, hispidulus, hispidus, histrionicus, hololeucus, holomelanus, honorus, hornus, hortorum, hortulanus, hostilis, humeralis, humilis, hypoleucus, hystrix, iberis, icosandriae, ictor, ignavus, ilicis, imperialis, impressus, impunctatus, inaccessus, inaequalis, incanescens, incanus, incineratus, incisus, incognitus, inconspicuum, incurvus, inderiensis, indigena, indus, inermis, iners, infidus, infirmus, infossor, infuscatus, innoxius, innubus, inquinatus, inquisitor, insidus, inspectatus, interruptus, intersectus, interstitialis, invasor, iota, ireos, iris, irregularis, irritans, irrisus, irroratus, jaceae, jamaicensis, juncus, jungermanniae, juniperi, juvenis, labilis, laeana, lacerta, lacteus, laevigatus, lamii, laniger, lanipes, lapidarius, lapathi, lar, lateralis, lathami, latirostris, latro, latus, lemnae, lepidopterus, lepidotus, leprosus, leptocerus, leucozonias, levistici, licinus, ligustici, limbatus, limosus, linariae, linearis, lineatus, lineola, lineellus, linzensis, litura, lividus, longicollis, longicornis, longimanus, longipes, longitudinalis, longus, loniceriae, lugubris, lunatus, lundii, lurcans, luridus, lusitanicus, lutosus, lymexylon, lythri, macellarius, macula-alba, maculatus, maculosus, majalis, major, mali, malvae, mangiferae, manducus, mannus, marginatus, marginellus, maricatus, marmoratus, marmoreus, mastos, maurus, maxillosus, mediatundus, melancholicus, melanocardius, melanocephalus, melanogrammus, melanophthalmus, melas, meles, mendicus, messor, metallinus, meticolosus, micans, miles, miliaris, minutus, mistothes, mixtus, modestus, moerens, mollis, momus, monedula, monopterus, moratus, morbillosus, morio, mucidus, mucoreus, mucronatus, muelleri, multicolor, multidentatus, multiguttatus, multipunctatus, muricatus, murinus, mus, mustela, mutabilis, mutilatus, myrmex, naevius, nanus, napobrassicae, nasutus, nebulosus, nemoralis, nemoreus, nenuphar, neophytis, nephele, nereis, nigellus, niger, nigrifrons, nigrinus, nigrirostris, nigrita, nigrivittis, nigrogibbosus, nigrostriatus, nitens, nitidulus, niveus, nivosus, nobilis, noctis, nodosus, nodulosus, nomas, normatus, notatus, noveboracensis, nubilus, nucum, nyctemerus, obesus, obliquus, obliteratus, oblongus, obscurus, obsoletus, obtentus, obtusus, occator, ocellatus, ochropus, octolineatus, octotuberculatus, ocularis, oedematosus, olens, oleraceus, olyra, omogeron, onopordii, opacus, ophthalmicus, opiparus, optatus, orbicularis, ornatus, oryzae, ovalis, ovatulus, ovatus, oxalis, pabulinus, padi, paganus, pales, palliatus, pallidus, palmarum, palmes, palustris, pantherinus, parallelepipedus, parallelus, paraplecticus, parasita, parisinus, parochus, pastinacae, parvulus, pectoralis, pedestris, pedicularius, pegaso, pellostictos, pellucens, penicillus, percussor, perforator, pericarpus, perlatus, perpendicularis, perpensus, perscitus, petro, phalangium, phellandri, phlegmaticus, phyllocola, pica, picatus, piceus, picipes, picrostris, pictus, picumus, piger, pilaris, pilicornis, pilistrius, pilosus, pillularius, pinastri, pineti, pinetorum, pinguis, pini, piniphilus, piniperda, piricola, placidus, plagiatus, planatus, planirostris, plantaginis, plantaris, platina, planus, plebius, plicatus, politus, pollinarius, pollineus, pollinis, polli-nosus, polygoni, pomorum, populi, populneus, porcatus, porculus, porifer, porrectus, praecox, prasinus, primitus, prismatifer, proboscidius, prodigus, pruni, pseudacori, pubescens, pudicus, pulchellus, pulcher, pulex, pulcarius, pullus, pultiaris, pulvereus, pulverulentus, pulviger, punctator, punctatulus, punctatus, punctiger, punctulatus, punctulum, punctum, punctum-album, pupillator, pupillatus, purpurascens, purpureus, pusio, pygmaeus, pyraeaster, pyri, pysis, quadricornis, quadridens, quadriguttatus, quadrilis, quadrillus, quadrimaculatus, quadrinotatus, quadripustulatus, quadrispinosus, quadrutuberculatus, quagga, quattuordecimpunctatus, quercicola, quercinus, quercus, querneus, quinquelineatus, quinque-maculatus, quinque-punctatus, radula, rana, raphani, raucus, rectangulus, rectirostris, rhedi, regalis, regensteiniensis, religiosus, repandus, resinosus, reticulatus, retusus, rhamni, rhei, rhinomacer, rhynchoceros, ribesii, ribis, rivulosus,

robiniae, roboris, roesellii, roeselin, rohrii, roialis, roreus, roridus, rosae, rosarum, rostellum, rostratus, rostrum, rotundatus, rubetra, rubi, rubicundus, rubifer, rubiginus, rufescens, ruficollis, ruficornis, rufipes, rufirostris, rufofasciatus, rufulus, rufus, rugatus, rugosissimus, rugosus, rugulosus, rumicis, rusci, S, salicariae, saliceti, salicinus, salicis, salicivorus, salicti, saltator, salviae, sanguineus, sanguinolentus, sannio, scaber, scabratus, scabriculus, scabriusculus, scabrosus, scalaris, scalptor, scanicus, schneideri, scirpi, scopoli, scorpio, scortillum, scrophulariae, scrophularis, scrutator, scutellaris, scutellatus, scyndaphus, segetis, sellatus, semicolon, semilunaris, seminulum, semipunctatus, senegalensis, senex, senilis, sensitivus, septemtrionis, sericeus, servus, setosus, sexdecimpunctatus, sexguttatus, sexmaculatus, sexvittatus, signatus, silphoides, similis, simplex, sinensis, singularis, sisymbrii, smaragdulus, solani, sordidus, spadix, speciosus, spectabilis, spectrum, spengleri, spinifer, spinifex, spiniger, spinipes, spinosus, splendidulus, splendidus, squalidus, squamifer, squamosus, squamulosus, squamulatus, statua, stelleri, sticticus, stigma, stola, stolidus, striatellus, striatulus, striatus, striga, strigirostris, stritos, strix, stultus, stupidus, sturnus, subater, subfasciatus, subglobosus, subrufus, succinctus, suecicus, suillus, sulcatus, sulcicollis, sulcifrons, sulcirostris, sulphuratus, sulphurifer, sumptuosus, surinamensis, sus, suspiciosus, suturalis, saturatus, syngenesiae, tabidus, taeniatus, t-album, tamarisci, tardus, tauriculus, taurus, tempestivus, tenebri-cosus, tenebriodes, tenuirostris, teres, tereticollis, teretirostris, terlineatus, terminatus, tessellatus, tessulatus, testaceus, testipes, teter, tetragrammus, thapsus, thaumaturgus, thoracicus, tibialis, tigratus, tigrinus, tigris, timidus, tomentosus, tortrix, tottus, tragiae, transmarinus, transversus, tredecimpunctatus, tremulae, triangularis, tribuloides, tribulus, tricinctus, tricolor, tridens, trifasciatus, trifolii, triguttatus, trimaculatus, tripunctatus, tristis, trisulcatus, trivialis, troglodytes, truncatulus, trunculus, tuber, tuberculatus, tuberculosus, tuteicornis, typhae, ulicis, ulmi, umbellatarum, umbratilis, undatus, undulatus, ungaricus, unicolor, unifasciatus, unipunctatus, urbanus, ursus, urticae, urticarius, uva, vaginalis, vagus, valgus, validus, vanellus, vanus, variabilis, varians, varicosus, variegatus, variolosus, varius, vau, velox, venustus, verbasci, verecundus, vernalis, verruca, verrucosus, versicolor, vespertinus, vetula, viator, vibex, viciae, viduus, viennensis, vilis, villosulus, villosus, viminalis, violaceus, violascens, virens, virescens, virgo, viridanus, viridarius, viride-aeris, viridicollis, viridipennis, viridis, viscaria, visus, vittatus, vitulus, viverra, volvulus, vorax, vulgus, zamiae, zaniae, zebra, zoilus, zonatus.

Cursor:—coromanda.

Cursorius:—asiaticus, europaeus.

Curtus:—*vide* Kurtus.

Cychramus:—colon, luteus.

Cychrus:—attenuatus, rostratus, trilineatus.

Cyclas:—cornea.

Cyclidium:—bulla, dubium, fluitans, glaucoma, hyalinum, milium, nigricans, nucleus, radians, rostratum.

Cyclogaster:—liparis.

Cyclops:—brevicornis, caeruleus, captivus, chelifer, claviger, crassicornis, curticornis, finnarchicus, lacinulatus, longicornis, minuticornis, minutus, quadricornis, rubens.

Cyclopterus:—bimaculatus, dentex, gelatinosus, lepadogaster, lineatus, liparis, lumpus, minutus, nudus, pavoninus, purpureus, spinosus, ventricosus.

Cyclostomà:—scalaris.

Cylinder:—maximus.

Cylindrus:—albus, aranea, areolatus, bifasciatus, bombacynus, brunneus, chrysostomus, cinnamomeus, collaris, elongatus, emicator, erythrostomus, extuberator, fasciatus, flammans, flammatus, flavescens, flavus, flucticulus, fluctifer, funambulus, funeralis, fuscus, gibbosus, globulus, guttatus, interruptus, isabella, ispidula, jecusculum, labiatus, lacteus, leucophaeus, leucostoma, lineatus, litteratus, maculatus, maculosus, megalostomus, melostomus, multicolor, nebulosus, nigellus, nux avellana, olivaceus, porphyrio, punctatus, quercinus, reticulum, retis, salicinus, striatus, strictus, tigrinus, torosus, tricolor, trifasciatus, tumidus, turgidus, undatus, undulatus, vannillus, varius, ventricosus, versicolor, ziczac.

Cylindus:—maximus.

Cylonium:—cellare, elongatum, filiforme, frumentarium, sulcatum, unidentatum.

- Cymatium** :—canaliculatum, caudatum, clavatum, femorale, flexuosum, maculatum, muricatum, pyrum, rhinoceros.
- Cymbium** :—achatinum, aethiopicum, aurisiacum, carinatum, citrinum, cochlear-neptuni, cucumis, cylindraceum, flammeum, guttatum, inflatum, interruptum, jacobinum, lagenaviatoria, lineatum, maculatum, marmoratum, melo, patera, persicum, philipinum, porphyreum, praeputium, senticosum, tranquebaricum.
- Cymothoa** :—acuminata, albicornis, aegyptia, aquatica, asilus, assimilis, bicaudata, ceti, chelipes, emarginata, entomon, falcata, guadeloupensis, imbricatus, linearis, marinus, oceanica, oestrum, paradoxa, physodes, psora, scopulorum, serrata, spinosa.
- Cynaedus** :—chromis, dorsatus, saepa, sargus.
- Cynips** :—aceris, ascendens, aegypti, affinis, albipes, amerinae, antiquus, aphidum, aptera, aterrimus, atra, aurantii, aurata, bedeguaris, bicornis, bifasciatus, capreae, cardui, caricae, circularis, coccorum, compressa, crassipes, cruciatus, dubia, eulophus, fagi, ficus, fimbriatus, foliaceus, foliorum, fungosus, gallarum, glechomae, glechomatis, graminis, gregarius, hieracii, ignota, impuncta, inanita, italica, larvarum, locustae, longipennis, lugdunaea, megacephala, minutus, muscarum, nigra, numismalis, ovulorum, perlae, phragmitis, pomaceus, potentillae, psenes, pseudoplatani, punctatus, pupparum, purpurascens, quadrum, quercus-baccarum, quercus-calicis, quercus-corticis, quercus-folii, quercus-gemmae, quercus-ilicis, quercus-inferus, quercus-pedunculi, quercus-petioli, quercus-ramuli, quercus-surculi, quercus-terminalis, quercus-tozae, racemosus, radicum, rosae, rosmarini, rubi, ruficornis, salicis-strobili, saltator, scaber, scutellaris, sericea, serratulae, solitaria, strobili, sycomor, testacea, tripunctatus, tuberculatus, viminalis, viridis.
- Cynipsichneumon** :—aphidium, atomus, balista, bedeguaris, callidus, cicada, clypeatus, cocchorum, conicus, cynipidis, foliicolarum, gallarum, globatus, glomeratus, gramineum, juniperi, lanaris, larvarum, muscarum, nigricornutus, occultus, ovulorum, pectinicornis, rubicornutus, secalis, sphingis-euphorbiae, strobiniellae, subcutaneus.
- Cynocephalus** (Mamm.), E. Geoffroy and Cuvier, Mag. Ency. III (12), 1795, 462 :—cynocephalus, hamadrius, inuus, maimon, sphinx.
- Cyphoma** :—dorsata, gibbosa.
- Cyphon** :—coarctatus, hemisphaericus, pallidus.
- Cypraea** :—acicularis, affinis, albida, ambigua, amethystea, angustata, annulus, arabica, arctica, argiolus, argus, asellus, atomaria, aurantium, badia, bifasciata, bullata, caeca, canaliculata, cancellata, caput-serpentis, carneola, carthaginiensis, castanea, caurica, cervus, cicercula, cinerea, cinnamomaea, clandestina, conoidea, conspurcata, cornus, costata, crassa, crenata, crenulata, cribraria, cruenta, cruentata, cylindrica, derosa, dracaena, draco, dubia, erosa, erronea, exanthema, fasciata, felina, feminea, ferruginosa, fimbriata, flammea, flaveola, fragilis, fuliginosa, fulva, gibba, glauca, globulus, guttata, helvola, hirundo, histrio, indica, interrupta, isabella, lentigo, leucogaster, leucostoma, ligata, lima, limbata, lineata, livida, lota, lurida, lutea, lynx, maculosa, madagascariensis, mappa, mauritiana, meleagris, miliaris, minuta, monacha, moneta, morbillosa, mus, nebulosa, nivea, nucleus, numisma, oblonga, ocellata, ochroleuca, oculata, oliva, olivacea, onca, oniscus, onyx, ovata, ovum, ovum passeris, pardalis, pardus, paschalis, pediculus, pectehialis, plumbea, poraria, prunus, pulex, pulla, punctata, punctulata, purpurascens, pusilla, pyrum, quinquefasciata, regina, reticulata, reticulum, rubiginosa, rufescens, sanguinolenta, scurra, siciliana, similis, sinensis, soricina, spurca, squalina, staphylaea, stellata, stercoraria, stolidia, striata, subflava, subfuscula, succincta, talpa, teres, testudinaria, tigrina, tigris, tortilis, translucens, trifasciata, tuberosa, tumulosa, turbinata, undosa, undulata, ursellus, vanelli, variolosa, venelli, venerea, vinosa, vitellus, zebra, zizac, zonaria.
- Cyprinus** :—albor, alburnus, alepidotus, amarus, americanus, annoni, aphyia, asper, aspius, auratus, ballerus, barbatus, binny, bipunctatus, bjoerkna, blicca, blochii, brama, bulatmai, buggenhagii, bynni, cantonensis, capito, capoeta, carasius, carpio, catostomus, caucis, cephalus, chalcoides, chilon, cirrhosus, clupeoides, cultratus, dentex, dobula, erythrophthalmus, falcatus, farenus, fimbriatus, galian, gibelio, gieben, gobio, gonorrhynchus, grislagenae, idbarus, idus, jeses, julus, labeo, latus, lavaretus, leptocephalus, leuciscus, ludunensis, macrolepidotus, macropthalmus, malchus, minutus, morella, muraenula, murasa, nasus, niloticus, nudus, orientalis, orfus, pelagicus, phoxinus, plestya, rapax,

regius, rex-cyprinorum, rivularis, rubellio, rufescens, rutilus, sericeus, specularis, squalus, tinca, umbra, vimba, wimbra, wimpa, yulus, zerta.

Cypris :—candida, crassa, detecta, fasciata, laevis, monacha, ornata, pilosa, pubera, strigata, vidua.

Cystidicola :—farionis.

Cythere :—flavida, gibba, gibbera, lutea, viridis.

Cytherea (Dip.) :—aurea.

Cytherea (L.) :—albida, biradiata, brunnea, concentrica, corrugata, detrita, excisa, exsoleta, lavacrum, nivea, nebulosa, obscura, obsoleta, puerpera, rugosa, scripta, senilis, tigerina, verrucosa, violata, ziczac.

Dagysa, J. F. Gmelin in Linn. Syst. Nat., ed. 13, 1790, 3131.—Moll. :—notata.

Dama :—virginiana.

Danaus :—*vide* *Papilio*.

Daphne :—crystallina, curvirostris, longispina, mucronata, pennata, pulex, quadrangula, rectirostris, setifera, sima, truncata, vetula.

Daphnia olim *Daphne*, *q. v.*

Daphnoderma :—barbatum, imbricatum, modiolus, noae, scabrum, tetragonum.

Dasycerus :—sulcatus.

Dasytus :—duodecimcinctus, duodecimcingulis, longicaudatus, maximus, novemcinctus, novemdecimcinctus, octocinctus, octodecimcinctus, quadricinctus, septemcinctus, sexcinctus, tricinctus, undecimcinctus, uniccinctus.

Dasytes :—caeruleus, flavipes, niger, nigricornis.

Dasyurus :—maculatus.

Daubentonia :—madagascariensis.

Delphax (Hem.) :—clavicornis, crassicornis.

Delphinus :—albicans, bidentatus, butskopf, delphis, feres, gladiator, leucas, obesula, orca, phocaena, serra, sinensis, tursio.

Dentale :—vulgare.

Dentalium :—annulatum, aprinum, arcuatum, arietinum, corneum, crassum, dentalis, eburneum, elephantinum, entalis, fasciatum, fossile, imperforatum, interruptum, lupinum, minutum, nebulosum, pellucidum, politum, radula, rectum, sexangulum, striatum, striatum, vitreum.

Denticollis :—bicolor, rubens.

Dermestes :—abietis, acuminatus, adstrictor, aeneus, aestivus, agaricinus, apiarius, aquaticus, armadillus, assimilis, ater, atomarius, auriculatus, bactris, bicinctus, bicolor, bidentatus, bifasciatus, bimaculatus, bipunctatus, bipustulatus, boleti, brachypterus, brassicae, brevicornis, cadaverinus, caeruleus, cafer, calcographus, calthae, capensis, capucinus, carbonarius, carniforus, castaneus, cathae, catta, cellaris, chrysomeloides, ciliatus, clavicornis, collaris, colon, complanatus, contractus, cordatus, crenatus, cylindricalicornis, dentatus, denticulatus, dimidiatus, domesticus, dubius, elongatus, erythrocephalus, eustatus, exilis, fagineus, fasciatus, fascicularis, felinus, fenestralis, fenestratus, ferrugineus, fimetarius, flavescens, formicarius, formicaroides, fornicatus, frischii, frontalis, fuliginosus, fulvipes, fumatus, fungorum, fuscipes, fuscus, gagatinus, gibbosus, glaber, glaberrimus, gleditsiae, globulus, gravidus, haemorrhous, hamatus, hemipterus, hirticollis, hirtus, hortensis, indicus, insulanus, interruptus, jesuita, lardarius, lepturoides, leucophilus, ligniperda, lili, limbatus, linearis, listerianus, longicornis, longipes, lugubris, lunata, lycoperdi, macellarius, maculatus, marginellus, marinus, megatoma, melanocephalus, mesomelus, micrographus, minimus, minutus, mollis, monachus, multiguttatus, multipunctatus, muricatus, murinus, musaeorum, muscorum, navalis, nebulosus, niger, nigricornis, nigripennis, nigripes, notatus, oblongus, obscurus, ochraceus, pallidus, pallipes, paniceus, pectinicornis, pedicularius, pelio, pellucidus, pertinax, piceus, picipes, pilula, piniperda, pisorum, plicatus, polygraphus, porcatus, psyllus, pubescens, pulicarius, pulvinatus, punctatus, pusillus, pygmaeus, quadratus, quadrimaculatus, quadripunctatus, quadripustulatus, quercus, rosae, ruber, ruficornis, ruficornis, rufipes, rufitarsus, rufus, salicinus, sambucci, sanguinicollis, scaber, scanicus, scapularis, scarabaeoides, schaefferi, scolytus, scrophulariae, semicoleopterus, semicoleoptratus, serra,

- serratus, sexdentatus, silphioides, sinensis, spadiceus, spinipes, stercoreus, striatus, sulcatus, surinamensis, suturatus, tessellatus, testaceus, testudinarius, thoracicus, tigrinus, tomentosus, tricolor, trifasciatus, trisulcus, typographus, undatus, undulatus, unicolor, unidentatus, urticae, variabilis, variegatus, varius, vastator, vernalis, vespillo, vigintiguttatus, villosus, vini, violaceus, viridis, vittatus, vulpinus, xanthocephalus.
- Dermestoides** :—bipunctatus, unipunctatus.
- Derris** :—sanguinea.
- Desman** :—moschatus.
- Diaperis** :—aenea, bicornis, bituberculata, boleti, cornigera, fasciata, haemorrhoidalis, horrida, hydactina, maculata, pusio, undulata, violacea.
- Didelphis** :—brachyura, brevicauda, brevicaudata, brunii, cancrivora, carcinophaga, caudivolvula, cajopolin, dorsigera, flavescens, gigantea, guianensis, illinensium, indica, javanus, kenguru, macrotarsus, macroua, maculata, marsupialis, memina, molucca, moluccensis, murina, novae hollandiae, opossum, orientalis, peregrinus, phalanger, philander, pilosissima, potoru, pygmaea, sciurea, tapouaru, tridactyla, virginiana, volans, volucella, vulpecula, vulpina.
- Didus** :—ineptus, nazarenus, solitarius.
- Diodon (P.)** :—atinga, conicus, dimidiatus, echinatus, holocanthus, hystrix, meulenii, mola, orbicularis, raninus, reticulatus, schoepfi, spinosus.
- Diomedea** :—adscensionis, albatrus, chilensis, chiloensis, chlororhynchos, chrysostoma, demersa, exulans, fuliginosa, palpebrata, spadicea.
- Diopsis** :—ichneumonea.
- Dipolepis** :—bedeguaris, flavipes, fuscus, gallae-pyriformis, gallae tinctoriae, lenticularis, niger, pallidus, quercus, quercus folii, rosae, scutellaris, umbraculus.
- Dipsas** :—indica.
- Dipus** :—abyssinicus, aegyptius, alactaga, americanus, cafer, canadensis, circassius, gerbillus, hudsonius, jaculus, jerboa, labradorius, longipes, macrotarsus, meridianus, sagitta, sibiricus, tamariscinus.
- Dircaea** :—barbata, discolor, quadriguttata, ruficollis.
- Discitranfixus** :—orbiculatus, orbis.
- Distoma (Ver.)** :—alatum, anatis, caryocatactis, chloropodis, cornu, cygnoides, cylindraceum, cyprinaceum, fusiforme, hepatica, hirundinum, laureatum, lucii, melis, nodulosum, punctum, subclavatum.
- Distomus (Pol.)** :—variolosus.
- Distorsio** :—anus, arcularia, clatrata, communis, dealbata, muricina, plicata, reticulata, subalata.
- Donacia** :—aenea, aerea, appendiculata, aquatica, armata, arundinis, aurea, bicolora, bidens, caerulea, cinerea, clavipes, collaris, crassipes, dentata, dentipes, discolor, fasciata, fasciculata, festucae, flavipes, fusca, hydrocharis, impressa, limbata, linearis, marginata, micans, mucronata, nigra, nymphaeae, palmata, palustris, phellandri, rufipes, sagittariae, semicupraeae, sericea, simplex, stagnorum, striata, tersata, versicoloreae, violacea, vittata, vulgaris.
- Donax** :—argentea, bicolor, biradiata, candida, crenulata, cuneata, denticulata, faba, incarnata, irus, laevigata, literata, muricata, plebeia, porcellana, pubescens, radiata, rugosa, scortum, scripta, semistriata, serra, spinosa, straminea, striata, trunculus, violacea.
- Dorippe, F. Weber, Nomen. Fabricii, 1795, 93** :—astuta, callida, lanatus, quadridens.
- Doris** :—affinis, arborescens, argo, auriculata, bilamellata, bodoensis, cervina, clavigera, coronata, electrica, fasciculata, frondosa, fusca, lacinulata, laevis, marina, minima, muricata, obvelata, papillosa, pennata, peregrina, pilosa, quadrilineata, radiata, stellata, tetraquetra, tuberculata, verrucosa.
- Dorkatoma** :—bistriata, dresdensis.
- Dorthisia** :—*vide* Orthezia.
- Dorylus, J. C. Fabricius, Ent. Syst. II. 1793, 365.**—Hym. :—glabellus, helvolus.
- Draco** :—major, minor, praeapos, volans.
- Drilus** :—flavescens.
- Drionus** :—ruber.
- Dromia** :—aegagropila, artificiosa, australasiae, caputmortuum, rumphii.

Drupa :—aesculus, botroides, chamaemorus, cornus, fragum, glans, grossularia, mancinella, morum, muricina, rubus caesius, rubus idaeus, trapa, tribulus, uva.

Dryops :—auriculata, femorata, picipes, rufifrons, suturalis, vittata.

Dugong :—indicus.

Dytiscus :—abbreviatus, aciculatus, adpersus, aeneus, affinis, agilis, alpinus, amoenus, amplissimus, anastomozans, aquaticus, arcticus, arcuatus, assimilis, ater, bicolor, biguttatus, bilineatus, bilobus, bimaculatus, biocellatus, bipunctatus, bipustulatus, brunneus, callidus, capricornis, caraboides, carbonarius, ceylanicus, chalconatus, chrysomelinus, cicurius, ciliatus, cimicioides, cinctus, cinereus, clavicornis, coccinelloides, collaris, comma, confluens, congener, costalis, crassicornis, crux, curculinus, danicus, decimpunctatus, denigratus, denticulatus, depressus, dermestoides, didymus, dispar, dolabratus, dorsalis, duodecimpustulatus, elegans, elevatus, emarginatus, erythrocephalus, erythromelas, exilis, exsoletus, fasciatus, femoralis, fenestratus, ferrugineus, fimbriatus, flavicans, flavipes, flavus, foetidus, fuliginosus, funebris, fuscipennis, fuscipes, fuscus, fuscus, gemmus, gibbus, gilvus, glaber, gottingensis, granularis, griseo-striatus, griseus, gronovii, grossus, guttatus, gyrenoides, haemorrhoidalis, halensis, hastatus, hebraicus, hermanni, hyalinus, hubneri, immarginatus, immaculatus, impresso-punctatus, impressus, inaequalis, insularis, insularius, interruptus, intricatus, irroratus, labiatus, lacustris, laevigatus, laminatus, lanio, laterali-marginalis, lateralis, latissimus, leander, lepidus, limbatus, lineatus, lituratus, lividus, luctuosus, luridus, maculatus, marginalis, marginatus, marginellus, marginepunctatus, marmoratus, marmoreus, melanophthalmus, minimus, minutus, monostratus, muelleri, naevius, nanus, natator, nebulosus, neuhoffii, niger, nigricans, nigrita, notatus, nubilus, obliquus, oblongus, obscurus, octomaculatus, octopustulatus, oculatus, orbicularis, ornatus, ovalis, ovatus, palustris, parvulus, pedicularis, pedicularius, piceolus, piceus, picipes, pictus, planus, porcatus, punctatus, punctulatus, pusillus, pustulatus, pygmaeus, quadratus, quadricolor, quadrilineatus, quadrimaculatus, quadri-punctatus, quadripustulatus, reticulatus, roselii, roridus, rubripes, ruficollis, rufifrons, rufipes, rufus, scaber, scarabaeoides, schalleri, scopoli, scriptus, seminiger, seminulum, semipunctatus, semisulcatus, semistriatus, serricornis, sexpustulatus, signatus, simplex, sordidus, sphaericus, stagnalis, sticticus, striatus, sulcatus, taeniatus, tardus, tessellatus, testaceus, thoracicus, toto-marginalis, transversalis, transverse-striatus, tricolor, trifidus, tripunctatus, tristis, uliginosus, undulatus, unilineatus, unipunctatus, unistriatus, variegatus, variolosus, varius, velox, versicolor, vetulus, virens, virescens, vitreus, vittatus, volckmari, zonatus.

Eccoptogaster :—*vide* **Ekkoptogaster**.

Echeneis :—equalipeta, lineata, neucrates, neucratoides, remora, tropica.

Echidna (Mamm.) :—novae hollandiae.

Echinanthites :—orbiculatus.

Echinanthus :—altus, artocreas, humilis, ovatus, turunda.

Echinites :—albogalerus, depressus, excavatus, lapis-cancri, ovariis, patellaris, pyriformis, quaterfasciatus, sexies-fasciatus, subuculus, toreumaticus, vulgaris.

Echinocorys :—scutatus.

Echinocorytes :—minor, ovatus, pustulosus, quateradiatus, scutatus.

Echinocyamus :—angulosus, cor-raninum, craniolaris, equinus, ervum, inaequalis, lathyrus, nucleus-cerasi, ovalis, ovatus, turcicus, vertice-centrali, vicia.

Echinodiscus :—auritus, bisperforatus, decies-digitatus, dentatus, emarginatus, inauritus, laganum, octies-digitatus, orbicularis, orbiculatus, placenta, quaterperforatus, quinquiesperforatus, reticulatus, rosaceus, sexiesperforatus, subrotundus.

Echinometra :—cidaris, diadema, digitata, esculentus, lixula, lucunter, mammillatus, nodus, setosa.

Echinonoe :—cyclostomus, minor, scutiformis.

Echinorhynchus :—affinis, alcae, alosae, aluconis, anatis, anguillae, annulatus, ardeae, argentinae, attenuatus, balaenae, barbata, barbi, borealis, boschadis, bramae, buteonis, candidus, carpionis, cernuae, clavaceps, cobitidis, cobitinus, collaris, constrictus, cylindraceus, dobulae, falcatus, gadi, gazae, gigas, globocaudatus, idbari, lacustris, laevis, lineolatus, longicollis, lophii, lucii, maraenae, mergi, merulae, minutus, muris,

nodulosus, nyctea, otidis, ovatus, percae, phocae, pici, piscinus, platessoidae, pleuronectis, quadrirostris, ranae, rutili, salmonis, salvelini, scopus, sipunculus, striatus, strigis, sturionis, sublobatus, truttae, tubifer, vanelli, vesiculosus, xiphiae.

Echinospatagus :—spatagus.

Echinus :—albogalerus, albus, altus, amygdala, anachytis, angulosus, araneiformis, assulatus, asterizans, atratus, aurantium, auritus, bicordatus, biforis, botryoides, brissoides, bufonius, calamaris, calamarius, carinatus, centralis, cidaris, circinatus, complanatus, conoideus, cor-anguinum, cordatus, corollatus, coronalis, craniolaris, cyclostomus, decadactylos, depressus, diadema, drobachiensis, dubius, emarginatus, equinus, ervum, esculentus, excavatus, faba, fenestratus, flammeus, granulatus, gratilla, globulus, hemisphaericus, hexaporus, inaequalis, inauritus, lacunatus, lacunosus, laganum, lapis-cancris, lathyrus, lixula, lobatulus, lucunter, inamillatus, melo, miliaris, minor, minutus, niger, nucleus, octodactylus, oliva, orbicularis, orbiculatus, orbiculus, ovalis, ovariis, ovatus, oviformis, ovulum, patillaris, pentaporus, pentagonus, placenta, planus, pomum, purpureus, pusillus, pustulosus, pyriformis, quadrifasciatus, quadriradiatus, quinquelabiatus, radiatus, raninus, reticulatus, rosaceus, sardicus, saxatilis, scutatus, scutiformis, semiglobosus, semilunaris, sexfasciatus, sinuatus, spatagus, sphaera, sphaeroides, stellatus, subangularis, subglobosus, subrotundus, subuculus, teres, tessellatus, tetraporus, toreumaticus, turcicus, variegatus, vicia, vulgaris.

Echionoderma :—caepa, ehippium, margaritaceum, pectiniforme, squamula, sulcatum.

Ekkoptogaster :—pygmaeus, scolytus.

Elaphrus :—aquaticus, aquatilis, atratus, biguttatus, bipunctatus, caraboides, doris, flavipes, gracilipes, guttula, litoralis, nebulosus, paludosus, pygmaeus, pyritosus, quadriguttatus, quadrimaculatus, riparius, semipunctatus, striatus, uliginosus.

Elater :—acupunctatus, adpersus, advena, aeneicollis, aeneo-niger, aeneo-pectinicornis, aeneus, aeruginosus, affinis, ambiguus, analis, angulatus, aratus, ater, aterimus, auratus, austriacus, badius, balteatus, bicolor, biguttatus, bimaculatus, binotatus, bipunctatus, bipustulatus, borealis, bructero, brunneus, buprestoides, caecus, caeruleus, cantharoides, capucinus, carbonarius, castaneus, castanipes, chalybeus, chrysomelinus, cinctus, cinerascens, cinereus, cingulatus, clavicornis, colon, concolor, corticalis, costalis, crassipes, crenatus, cruciatus, crucifer, cruentus, cupreus, cylindricus, degener, dentatus, denticollis, dermestoides, deustus, dichrous, discolor, dispar, dorsalis, dubius, elegans, elongantulus, elongatus, ehippium, equestris, equiseti, erythropus, farinosus, fasciatus, fascicularis, ferrugineus, festivus, filiformis, fimbriatus, flabellicornis, flavatus, flavellicornis, flavescens, flavicornis, flavipes, flavopectinicornis, flexuosus, foveatus, fulgens, fuliginosus, funereus, furcatus, fuscatus, fuscipes, fuscus, germanus, gibbosus, glicereus, gracilis, gramineus, gibbus, giganteus, gigas, griseus, guineensis, haematoceras, haematodes, haemelyter, haemopterus, hepaticus, hirtus, histrio, holosericus, ignitus, impressus, inaequalis, indicus, interruptus, inunctus, istriacus, laevigatus, lateralis, latus, ligneus, limbatus, limbellus, linearis, lineatus, lineola, lineolatus, litigiosus, livens, lividus, longicollis, longicornis, longitudinalis, lugubris, luridus, luscus, maculatus, maculosus, major, marginellus, marginatus, marinus, maximus, melancholicus, melanocephalus, melanophthalmus, mesomelus, metallicus, minimus, minor, minutus, montanus, mordeloides, morio, mucronatus, muelleri, murinus, myops, nebulosus, niger, nigricornis, nigrinus, nigro-maculatus, nitens, nitidulus, nitidus, nobilis, noctilucus, notatus, obscurus, obtusus, occitanicus, ochropus, oculatus, pallens, pallipes, parvulus, pectinicornis, phosphoreus, piceus, picipes, pictus, pilosus, politus, pomorum, porcatus, praeustus, prolificornis, pubes, pubescens, pulchellus, pullus, pulverulentus, punctatus, purpureus, pusillus, pygmaeus, pyropterus, quadrimaculatus, quadripustulatus, quadrisulcus, quereus, quercinus, quercus, rachifer, rhombeus, riparius, rubens, ruber, rubiginosus, rubiginosus, ruficollis, rufipalpis, rufipes, rufo-unguiculatus, rufus, sanguineus, sanguinicollis, sanguineolentus, scopoli, seelandicus, segetus, serraticornis, sexguttatus, sexmaculatus, siaelandicus, signatus, similis, socialis, soricinus, speciosus, sputator, striatus, strigosus, subfuscus, sueticus, sulcatus, suturalis, syriacus, taeniatus, tessellatus, testaceus, tetrastichon, thoracicus, tomentosus, tricolor, tridentatus, trifasciatus, trimaculatus, trinitotatus, tristis, tuberculatus, undatus, undulatus, ustulatus, variabilis, varius, villosus, virens, virescens, vittatus, vulgaris.

Eleotris :—cleotris.

- Elephas** :—africanus, americanus, asiaticus, capensis, elephas, indicus, mammontheus, maximus, primigenius.
- Elephorus** *id. ac* **Elophorus** : G. Paykull, Fauna Suec. I. 1798, 240.
- Ellobium** :—australe, barbadense, ceramense, ceriona, flammeum, inflammatum, labrosium, midae, subtile, tumidum, virgineum.
- Elodes** :—? *id. ac* **Helodes**.
- Elophorus** :—aquaticus, brevis, crenatus, elongatus, fennicus, flavipes, grandis, griseus, humeralis, marinus, minimus, minutus, nubilis, pulcarius, pygmaeus, rugosus.
- Elops** :—guineensis, saurus.
- Emberiza** :—africana, alario, amazona, americana, angolensis, arctica, arundinacea, asiatica, atrata, atricapilla, aureola, badensis, barbata, borbonica, brasiliensis, brumalis, caerulea, calandra, calfat, capensis, carduelis, chlorocephala, chrysophrys, chrysoptera, cia, cinerea, ciris, cirulus, citrinella, coccinea, cyanea, cyanella, cyanopsis, cyngramus, elaeothorax, erythrophthalma, familiaris, fasciata, ferruginea, flaveola, flavifrons, frigida, fucata, fusca, fuscofulva, gaura, glacialis, grisea, hiemalis, hortulana, imperialis, lesbia, leucocephalus, leucophrys, longicauda, lotharingica, luctuosa, ludoviciana, luteola, maelbyensis, melanocephala, melitensis, mexicana, miliaria, militaris, moineau, montana, mustelina, passerina, nivalis, notata, panayensis, paradisaea, olivacea, orix, oryzivora, pileata, pithyornus, platensis, principalis, progne, provincialis, psittacea, pusilla, quadricolor, quelea, regia, rosea, rubra, ruficapilla, rustica, ruticapilla, rutila, sandwichensis, schoenichus, serena, sibirica, signata, sinensis, solitaria, spodocephala, surinamensis, textrix, tunstalli, unalaschensis, vidua, viridis.
- Empis** :—acephala, albicornis, aurata, avidus, bifasciata, borealis, calcitrans, candida, ciliata, cinerea, clavipes, confidens, constans, crassipes, cylindrica, femorata, fixus, flava, flavescens, flavicans, flavipes, forcipata, fugeo, fuscipes, gibbosa, leucoptera, lineata, livida, maculata, marginata, maura, melanocephala, minuta, morio, nigra, nigricrus, nigripennis, nigripes, oertus, pallipes, palustris, pennipes, pertinax, petiolata, platyptera, plumbea, purgata, quadrilineata, rufipes, sericea, stercorea, subulata, tessellata, trilineata, vicanus.
- Empusa** :—filiformis, gongyloides, pauperata.
- Enchelis** :—caudata, constrictor, deses, epistomium, farcimen, festinans, fritillus, fusus, gemmata, index, intermedia, larva, nebulosa, ovulum, papula, pirum, pulvisculus, punctifera, pupa, pupula, retrograda, seminulum, serotina, similis, spathula, tremula, truncus, viridis.
- Enchelyopus** :—lumpenus, viviparus.
- Encrinus** :—asteria, bolteni, mylii, ovifer, radiatus.
- Endomychus** :—bovistae, coccineus, cruciatus, cruentus, quadripustulatus, succinctus.
- Engis** :—humeralis, sanguinicollis.
- “**Entomolithus**” :—cancris, monoculi, paradoxus, succineus.
- Ephemera** :—alba, albipennis, alipes, annulata, bioculata, brevicauda, caudata, ciliata, cincta, coa, communis, culiciformis, danica, diaphana, diptera, ferruginea, flava, fusca, fuscata, fusco-grisea, gemmata, halterata, helvola, horaria, ignita, inanis, leucophthalma, longicauda, lutea, luteola, maculata, marginata, maroccana, minima, mutica, nervosa, nigra, notata, noveboracana, parvula, plumosa, reticulata, rufula, rupestris, speciosa, stigma, striata, sulphurea, testacea, venosa, vespertina, virgo, viridescens, vulgata.
- Ephippium** :—anomia, placenta, polonicum, transparentes.
- Epinephelus** :—afer, bruneus, marginalis, merra, ruber, striatus.
- Epitonium** :—acutangulum, acutissimum, acutum, anile, breve, brunneum, cancellatum, chalybeatum, clathrus, crenulatum, dubium, duplicatum, eburneum, elongatum, feldmanni, fissum, guttacum, imbricatum, infinitum, lacteum, lineatum, maculatum, margaritaceum, marmoreum, medium, minutum, monoceros, novae zeelandiae, principale, pulchellum, pusillum, rubiginosum, rugosum, scalare, squamatum, striatum, subulatum, terebra, tigrinum, tornatum, tympanotonor, valentini, variegatum, vitreum, vittatum.
- Eques (Lep.)** :—*vide* **Papilio**.
- Equus** :—americanus, asinus, bisulcus, caballus, hemionus, onager, quagga, sylvestris, zebra.
- Erax** :—aquaticus, barbatus, conopsoides, crabroniformis, ferox, forcipatus, inquinatus, maculatus, niger, prostratus, pusillus, rufipes, rufus, tenthredoides.

- Eremita** :—dorsipes, emeritus.
- Erinaceus** :—acanthurus, auritus, ecaudatus, europaeus, inauris, madagascarensis, malacensis, semispinosus, setosus, sibiricus.
- Erodium** :—afer, bifidus, bilineatus, crenatus, dytiscoides, echinatus, flavicollis, gibbus, globosus, glomeratus, horridus, laevigatus, lineatum, minutus, muricatus, planus, punctatus, punctulatus, quadrilineatus, testudinarius, trilineatus, tuberculatus.
- Erotulus** :—abdominalis, alternans, amethystinus, bicolor, bifasciatus, cinctus, concatenatus, cupreus, dilatata, dimidiatus, dorsalis, fasciatus, flavipes, funebris, gemmatus, gibbosus, giganteus, hispidus, histrio, indicus, limbatus, longimanus, lunulatus, maculatus, marginatus, morio, nebulosus, notata, ocellatus, octomaculatus, pallidus, punctatissimus, pustulatus, quadriguttatus, quadripunctatus, quadripustulatus, quagga, quinquepunctatus, reticulatus, rubricatus, rufipennis, rufipes, rufus, russicus, sanguinolentus, sexdecimguttatus, sexfasciatus, smaragdulus, sternicornis, surinamensis, tesellatus, testaceus, thoracicus, tigrinus, tristis, undatus, unifasciatus, variegatus, variolosus, vigintipunctatus, zebra.
- Erythrinus** :—cephalus.
- Eschara** :—annularis, areolata, ceylanica, ciliata, crustulenta, divaricata, erosa, fascialis, fistulosa, foliacea, forniculosa, fragilis, frondiculosa, hispida, hyalina, latiformis, lineata, lutosa, membranacea, papyracea, papyrea, pilosa, radiata, ramulosa, securifrons, spongites, truncata, uncinata, verrucosa, verticillata.
- Esox** :—americanus, argenteus, barracuda, bellone, brasiliensis, chilensis, falcatus, far, gymnocephalus, hepsetus, houttuyni, lucius, malabaricus, marginatus, marinus, osseus, saurus, sphyraena, stomias, synodus, timucu, viridis, vulpes.
- Eucera** :—antennata, atricornis, brevicornis, crassipes, curvicornis, farfarisequa, grisea, glauca, lingularia, longicornis, tumulorum.
- Eulophus** :—ramicornis.
- Eumolpus** :—obscurus, pretiosus, vitis.
- Euryala**, F. Weber, Nomen. Fabricii, 1795, 94.—Cr. :—dentata.
- Eurychora** :—acuminata, barbata, canaliculata, carinata, ciliata, major, minor, modesta, pusilla.
- Evania** :—albicincta, appendigaster, cincta, ediogaster, fasciata, histrio, laevigata, maculata, minuta, nigrata, petiolata, punctum, ruficollis, sessilis, variegata.
- Exocoetus** :—evolans, exiliens, mesogaster, volitans.
- Eylais** :—extendens.
- Falco** :—accipitrinus, acoli, aegyptius, aequinoctialis, aereginosus, aesalon, alaudarius, albescens, albicans, albicaudus, albicilla, albicollis, albidus, albus, ambustus, americanus, angolensis, antillarum, apivorus, aquila, aquilinus, asiaticus, ater, aurantius, australis, austriacus, badius, bacha, barbarus, barbatus, barletta, behri, bellicosus, bidentatus, blagrus, bohemicus, borealis, bracteatus, brasiliensis, buffoni, busarellus, buson, buteo, cachinans, caerulescens, caeruleus, calidus, canadensis, candicans, candidus, canorus, cayenensis, ceylanensis, cheela, cheriway, chiquera, chrysaetos, cinereo-ferrugineus, cinereus, cirrhatu, clangorosus, columbarius, communis, coronatus, cristatus, cyaneus, cyanopus, cygneus, danicus, desertorum, destructor, discolor, dominicensis, dubius, ecaudatus, epicyanus, fasciatus, ferox, forficatus, formosus, forskahlii, frontalis, fulvus, furcatus, fuscus, gabar, gallica, gallicus, gallinarius, gentilis, gibbosus, glaucopsis, glaucus, griseus, groenlandicus, guianensis, gyrfalco, haliaetus, harpyja, hiemalis, hinnularius, hornotinus, hudsonius, incertus, indicus, indus, intermixtus, islandicus, islandus, jacquini, jakal, jamaicensis, japonensis, javanicus, johannensis, lagopus, lanarius, lapponicus, leucocephalus, leucogaster, leucoryphos, leverianus, lineatus, lithofalco, lunulatus, macrourus, maculatus, madagascariensis, magnirostris, marginatus, maritimus, mauduyti, melanaetus, melanoleucos, melanonotus, melanops, melanopterus, meridionalis, migrans, milvus, minullus, minutus, mogilnik, montanus, musicus, naevius, niger, nigricollis, nisus, nitidus, norvegicus, novae hollandiae, novae seelandiae, novae terrae, nudicollis, obscurus, obsoletus, occipitalis, ochrocephalus, orientalis, ornatus, ossifragus, palumbarius, parasitus, pennatus, peregrinus, peruvianus, pinetorum, piscator, plancus, plumbeus, plumipes, pondicerianus, pondicherri, pumilis,

pygargus, ranivorus, regalis, regulus, rhombeus, rubellus, ruber, rubiginosus, rufiventris, rufus, rupicolus, rusticolus, sacer, sancti johannis, sclavonicus, senegalensis, serpentarius, sinensis, spadiceus, sparverius, stellaris, subbuteo, sufflator, superciliosus, tachardus, tachiro, tartaricus, testaceus, tharus, tibialis, tigrinus, tinnunculus, tinus, torquatus, tschila, uliginosus, undulatus, urubitinga, variegatus, versicolor, vespertinoides, vespertinus, vocifer, vociferus, vulturinus.

Fasciola :—abdominalis, aeglefini, alosae, alpina, anatis, anguillae, angulata, anseris, ardeae, armata, barbata, blennii, bilis, binodis, bramae, brunnea, buteonis, candida, capitata, caudata, cervi, ciliata, clavata, clupeae, collurionis, composita, cornuta, crenata, disticha, elaphii, eriocis, farionis, ferox, flaccida, fusca, glauca, grossa, gruis, gulo, halecis, helluo, hepatica, hirundinis, humana, intestinalis, jesis, lactea, lagena, lanceolata, linearis, lineata, loliginis, longicollis, lucii, lucio-percae, marmorosa, melis, milvi, minima, nigra, nodulosa, obscura, ocreata, percae, percae-cernuae, percina, platessae, punctata, pusilla, putorii, quadrangularis, radiata, ranae, rosea, rostrata, rubra, salamandrae, scabra, scorpii, stagnalis, strigata, strigis, tentaculata, terrestris, tetragona, tincae, torva, tremellaris, truttae, umblae, uncinulata, upupae, varica, ventricosa, verrucosa, vespertilionis, viridis, vulpis.

Fasciolaria :—tulipa.

Felis :—bengalensis, canadensis, capensis, caracal, catus, chaus, cinerea, colocola, concolor, constantinensis, cougar, discolor, guepard, guigna, jaguar, japanica, jubata, kattlo, leo, leopardalis, leopardus, lybiensis, lynx, maculata, manul, maraqua, margay, melanotis, mexicana, mexicanensis, montana, moschata, nigra, nova hispanica, nubiensis, ocelot, ocreata, onca, panthera, pardalis, pardella, pardus, pennsylvanica, puma, rufa, ruffa, serval, tigrina, tigris, uncia, vulgaris.

Fenestella :—caepa, electrica, ephippium, squamula.

Festucaria :—boschadis, cervi, cyprinacea, pedata.

Ficedula :—alba, atricapilla, curruca, flava, hippolais, luscini, modularis, oenanthe, phoenix, rubecula, rubetra, rubicola, salicaria, salis, spipola, suecica, tithys, troglodytes.

Ficus :—communis, picta, variegata.

Filaria :—alaudae, carabi, chrysomelae, chrysomelae tanaceti, ciconiae, cornicis, equi, erucarum, falconis, gallinae, gobionis, grylli, leonis, lepidopterorum, leporis, locustae, martis, medinensis, monoculi, nuptae, phasiani, phryganeae, scarabaei, silphae, strigis, tenthredinis.

Fissurella :—nimbosa.

Fistulana :—clava.

Fistularia (Moll.) :—impatiens, maxima, ramosa, reciprocans, vittata.

Fistularia (P.) :—fusiformis, paradoxa, sinensis, tabacaria.

Fistularia (Ver.) :—longicornis, multicornis, muscoides, simplex.

Flata :—bipunctata, candida, fuscata, grisea, limbata, marginata, minuta, ocellata, perspicillata, phalaenoides, pygmaea, quadripunctata, retusa, tripunctata, vivida.

Flustra :—arenosa, bombycina, bullata, carbacea, cartacea, dentata, fistulosa, flava, foliacea, frondiculosa, hirta, hispida, lineata, membranacea, papyracea, pilosa, tomentosa, truncata, tubulosa, verticillata.—*Vide et. Eschara.*

Foenus :—assectator, jaculator.

Forbicina :—saccharina, saltatrix.

Forficula :—albipes, annulata, auricularia, bidens, biguttata, bilineata, bipunctata, crenata, dentata, elongata, erythrocephala, flavipennis, flavipes, flexuosa, gigantea, herculeana, livida, major, maxima, morio, minor, pallipes, parallela, pygmaea, riparia, ruficollis.

Formica :—acervorum, aculeata, aegyptiaca, aethiops, africana, albipennis, ammon, angustata, animosa, antiquensis, arenaria, atomus, atrata, attelaboides, australis, barbara, barbata, bicolor, bidens, bihamata, binodis, biscutata, bispinosa, bituberculata, brunnea, caespitum, capitata, capito, cephalotes, chufejif, cinerascens, clavata, colon, compressa, conica, cunicularia, cylindrica, devastator, dharr, didyma, dorsata, edax, elevata, elongata, emarginata, erratica, erythrocephala, ferruginea, fervens, flava, flavescens, flavicornis, flavipes, foetens, foetida, forficata, fugax, fuliginosa, fulvopilosa, fungosa, fusca, fuscescens, fuscoptera, gagates, gibbosa, glabra, grossa, guineensis, gulosa, haematoda, hamata, herculeana, insultans, lateralis, libera, lobata, maculata, maligna, marginata, maxillosa, megacephala, melanocephala, melanopsis, microcephala, migratoria, militaris,

morio, mortuorum, nigerrima, nigra, obsoleta, omnivora, pallescens, pallida, pallipes, pediculus, pensylvanica, perniciosa, pharaonis, picipes, pilosa, pratensis, pubescens, pusilla, pygmaea, quadridens, quadripunctata, rotrata, rubra, rufa, rufescens, rufibarbis, ruficornis, rufo, rufipes, saccharivora, salomonis, sanguinea, schardj, scorio, scutellaris, sericea, sexdens, sexguttata, siamica, smaragdina, structor, subterranea, sylvatica, tarsata, testacea, thoracica, tristis, tuberculata, tuberum, unifasciata, unispinosa, vaga, vagans, venosa, verecunda, viatica, virescens, visitatrix, volitans.

Formicaleo :—nostras.

Formicarius :—atthorax, bambla, brevicauda, cantatar, colma, musicus, torquatus, varius.

Fragum :—flavum, hemicardium, medium, unedo.

Fratercula :—arctica.

Fringilla :—abyssinica, aethiops, afra, alario, albicollis, albo-ochracea, alpina, amandava, angolensis, arcuata, argentoratensis, asiatica, atra, australis, autumnalis, barbata, bengalensis, bengalus, bicolor, bononiensis, brachyura, braziliana, bruante, butyracea, cabaret, cacatototl, caelebs, caerulea, calcarata, campestris, cana, canadensis, canaria, candida, cannabina, cantonensis, capensis, capsa, carduelis, cardinalis, carolinensis, carthagenensis, catotl, caudacuta, cerata, chalybeata, ceylonica, cinerea, citrinella, cocinea, commersonia, conchata, crispa, cristata, cucullata, cyanomelas, cyanocephala, dalmatica, diadema, diuca, domestica, dominicana, elegans, erythrina, erythrocephala, erythrophthalmia, eustachii, fasciata, ferruginea, flammea, flava, flaveola, flavicollis, flavirostris, forficata, formosa, fusca, fuscicollis, georgiana, graminea, granatina, gyrola, hiemalis, hudsonia, hudsonias, hudsonica, ignita, iliaca, imperialis, inda, indica, jamaica, javensis, lapponica, lepidia, leucura, leucotis, linaria, linotte, linota, longirostris, lulensis, macroura, maja, mariposa, martinicensis, melanictera, melanocephala, melanocephala, melanoleuca, melba, melodia, mexicana, minima, minor, montana, monticola, montifringilla, montium, mozambica, multicolor, naevia, nigra, nitens, nivalis, nobilis, noctis, nortonensis, obscura, ochracea, olivacea, oryzivora, pectoris, pennsylvanica, petronia, phoenicurus, picta, pinetorum, pinus, pipilans, projer, psittacea, pulchella, punicea, purpurea, rosea, rubra, rubricollis, rufa, rufo-barbata, ruticapilla, savannarum, schoenichus, senegala, serinus, sinensis, sinica, speciosa, spinus, striata, stulta, surinama, sylvatica, syriaca, taria, testacea, torquata, tricolor, tristis, ultramarina, undulata, variegata, violacea, vitis, zena.

Fucus :—anomalus, pavonius.

Fulgora :—acuminata, adscendens, annularis, armata, caerulea, campyloceros, candelaria, cinerea, cocinea, coelodiosa, conica, diadema, dilatata, elegans, erythrogaster, erythrolophos, europaea, fasciata, fenestrata, festiva, flammea, flavescens, folium, fuliginosa, gibbosa, haemorrhoidalis, hyalina, hyalinata, laternaria, leucosticta, limbata, lucernaria, lucerneae, maculata, marginata, marginella, minuta, nervosa, noctivida, obliqua, obscurata, pallida, pallipes, pellucida, phalaenoides, phosphorea, pilosa, plana, pulverulenta, punctata, pyraloides, pyrorhynchus, recurva, reticularis, sanguinea, serrata, similis, striata, tenebrosa, tineoides, truncata, tuberculata, unipunctata, variegata, virescens, viridis.

Fulica :—aethiops, alba, albiventris, americana, atra, aterrima, carthagenae, cajanea, cayennensis, chloropus, cinerea, cristata, fistulans, flavipes, flavirostris, fuliginosa, fusca, leucoryx, maculata, maderaspatana, madrasensis, martinica, martinicensis, melanocephala, mexicana, naevia, noveboracensis, parva, porphyrio, purpurea, ruficollis, sinensis, spinosa, viridis.

Fungites, Martini, Berlin. Mag. I. 1765, 268.—Cor. :—catenulatus.

Furia :—infernalis, vena medinensis.

Fusaria :—acuminata, acus, acutissima, brevicaudata, crenata, cuneiformis, dentata, depressa, dispar, ensicaudata, hoffmanni, inflexa, lancea, lumbricoides, mucronata, mystax, nigrovenosa, obtusicaudata, reflexa, rhedii, semiteres, strumosa, tenuissima, triquedra, werneri.

Fusus, P. L. S. Müller, Del. Nat. I. 1766, 129 :—aethiops, ananas, angulatus, brevis, carnarius, cingulatus, colus, craticulatus, cydonium, cynara, deplanatus, fasciatus, filamentosus, filatus, glaucus, iris, maroccanus, minutus, morio, polycoros, polygonus, pulcher, pugilinus, purpuratus, pyramis, scrupetus, simplex, striatus, tapete-persicum, tatanatus, trapezium, trompeta.

Gabula :—alcedo.

Gadus :—aeglefinus, albidus, barbatus, bibus, blennioides, blennoides, brosmes, callarias, capelanus, carbonarius, cimbricus, colinus, danicus, ferrugineus, fischeri, heteroglossus, lacustris, lota, lubb, luscus, mediterraneus, merlangus, merluccius, minutus, molva, morrhua, mustela, mustelinus, plagiocephalus, pollachius, raninus, saida, salarias, sey, tacaud, tau, torsk, triciratus, trifurcatus, vertagus, virens.

Gafarrum :—angulatum, cardiodeum, costatum, depressum, didymum, fimbriatum, laevigatum, pectinatum, reticulatum, tellina, tumidum, venusium.

Galago :—senegalensis.

Galathea :—amplectens, gregaria, rugosa, strigosa.

Galbula :—viridis.

Galea :—gibbum.

Galeodes (Ar.) :—araneoides, setigera.

Galeodes (G.) :—melongena, mespilus, tuberosa.

Galeopithecus :—rufus, volans.

Galeruca :—abbreviata, abdominalis, absinthii, advena, aeneipennis, aequinoctialis, aeruginea, aestuans, affinis, albicollis, albicornis, alni, anchusae, anglica, aquatica, aridella, avicenniae, atra, atricilla, betulae, bicolor, bidentata, bifasciata, biguttata, bimaculata, bipunctata, bituberculata, bovistae, brassicae, brevicollis, brunnea, caerulea, calcata, calida, calmariensis, capraeae, caroliniana, cayennensis, cerasi, cincta, coccinea, collaris, concolor, crenata, cruciata, cruenta, cyanipennis, denticornis, dimidiata, discoidea, dorsalis, duodecimpunctata, elongata, eoffea, equestris, erucae, erythrocephala, euphorbiae, exoleta, famelica, fasciata, fervida, flava, flavicollis, flavicornis, fulvicollis, fulvicornis, fuscipes, gibba, gigantea, glabrata, guadelupensis, helxins, hemisphaericae, holsatica, hortorum, hyoscyami, indica, jamaicensis, lactuca, lausoniae, limbata, lineola, littoralis, litturata, livida, melanocephala, melanura, mercurialis, modeeri, morbillosa, morio, napi, nasturtii, nemorum, nigricornis, nigripennis, nigripes, nitidula, nobilitata, nymphaeae, oleracea, palliata, pallens, pallipes, parvula, picea, picta, quadrifasciata, quadriguttata, quadrimaculata, quadrinotata, quadripustulata, raphani, rubi, rubicollis, ruficauda, ruficollis, ruficornis, rufipes, rustica, s-litera, salicariae, salicis, sancti crucis, sanguinea, semiaenea, sericea, sisymbrii, surinamensis, suturalis, tabida, taneceti, tenella, testacea, thoracica, tranquebarica, tricolor, trifasciata, triloba, ulmi, unicolor, veris, verna, viburni, vigintipunctata, violacea, viridis, vitellinae, vittata, volkameriae, zona.

Galgulus :—garrula.

Galleruca, J. C. Fabricius, Ent. Syst. I (2) 1792 :—*vide* **Galeruca**.

Galleria :—alvearia, cereana.

Gallina, Linnaeus in Hasselquist, Palast. 1752, 327.—A. :—meleagris, sylvestris.

Gallinula :—alba, carolina, carthagena, cayanensis, chloropus, crex, cristata, fistulans, flavipes, flavirostris, fusca, maculata, maderaspatana, major, martinica, melanocephala, naevia, noveboracensis, phoenicurus, porphyrio, porzana, purpurea, ruficollis, viridis.

Gammarellus :—pedunculatus.—*Vide et. Cancer*.

Gammarus :—ampulla, cancellus, carinatus, corniger, esca, filiformis, gammarellus, gibbosus, grossipes, homari, linearis, locusta, longicornis, medusarum, mutilus, nugax, paradoxus, pedatus, podurus, pulex, quadrilobatus, salinus, spinicarpus, stagnalis.—*Vide et. Cancer*.

Garrulus :—glandarius.

Gasterosteus :—acanthias, aculeatus, antecessor, bispinosus, canadus, carolinus, ductor, glaber, glaucus, japonicus, lysan, occidentalis, ovatus, pungitius, saltatrix, spinachia, spinarella, volitans.

Gastridium :—geographus.

Gastrobranchus :—caecus.

Gastrochaena :—cuneiformis, cymbium, mumia.

Gavia :—vulgaris.

Gazella, P. S. Pallas, Nov. Comm. Petrop. XIII. 1769, 468.—M., ? used generically :—recticornis.

Gekko :—aculeatus, americanus, aquaticus, carnifex, geitje, gyrinoides, lacustris, muricatus,

palustris, perlatus, salamandra, rapicauda, strumosus, teres, triton, turcicus, verticillatus, vittatus.

Geoffroya :—bacchus.

Geometra :—abietaria, accraria, achatinata, adpersaria, advenaria, adustata, aerugaria, aeruginaria, aescularia, aestivaria, albicillata, albulata, alchemillata, alniaria, alpina, alpina, alternata, amataria, angularia, angustata, apicaria, arcuaria, arenacearia, artesiaria, asinata, atomaria, aurantiaria, aurantiata, aureolaria, auroraria, aversaria, badiata, bajaria, bajularia, belgiaria, berberata, betularia, bilineata, bimaculata, bipunctaria, bipunctata, bistortata, blandiata, brumata, brumeata, bupleuraria, caesiata, calabraria, candidaria, candidata, capreolaria, cararia, carbonaria, carpinaria, carpiniaria, cebraria, centaureata, cervinata, chaerophyllata, chenopodiata, cinctaria, cineraria, cinetaria, cingularia, citraria, clathraria, clypeata, coarctaria, coarctata, comitata, congeneraria, concordaria, consignata, consobrinaria, consonaria, consortaria, conspersaria, conspicuaria, conspicuata, contiguaria, coraciata, cordiaria, corticaria, corylaria, crataegaria, crenata, crepuscularia, cribraria, cristensaria, cruentaria, culturaria, curvata, cuspidata, cythisaria, dealbaria, decolorata, decoraria, decorata, decussaria, decussata, defoliaria, degeeraria, degeneraria, deleataria, delunaria, dentaria, derivata, dilectaria, dilucidaria, dilutaria, dilutata, disparata, diversaria, diversata, dolabraria, domestica, dubitata, duplicaria, elinguaria, elutata, emarginaria, erosaria, euphorbiaria, euphorbiata, evonymaria, exanthemata, extersaria, extimaria, extremata, fagaria, fasciaria, favillacearia, ferrugaria, ferrugata, ferruginata, filicata, fimbriata, flammata, flammeolaria, flaveolata, flavicaria, flavicata, flexula, flexularia, fluctuata, fluvata, fulvata, funerata, furcata, furvaria, furvata, galiata, gemmata, gilvaria, glabraria, glarearia, glaucinaria, graminea, grisearia, griseata, grossulariaria, hastata, hepararia, heparata, hexapterata, hippocastanaria, liirtaria, hispidaria, honoraria, horridaria, hortaria, humulata, illibata, illunaria, illustraria, illustraria, imitaria, immaculata, immoraria, immutaria, impluviata, incanaria, interrupta, inundaria, juniperata, laevigaria, laevigata, leucophaearia, lichenaria, lignaria, lignata, ligustrata, limbata, linariata, linearia, lineolata, lineolata, lituraria, lividaria, lividata, lophaceata, luctuata, lunaria, lutearia, luteata, lythoscylata, macularia, maculata, margaritaria, marginaria, marmorata, melanaria, mellinata, mensuraria, mensurata, miaria, miata, minutata, moeniaria, moeniaria, monilaria, moniliata, montanata, mucidaria, murinaria, muscaria, nassata, nãvaria, nebulata, nemoraria, nespertata, niduaria, nigricaria, nitidaria, nivearia, notataria, nubilaria, nullaria, obeliscata, obfuscaria, obfuscata, obliquaria, obliquata, oblongata, obscuraria, obscurata, ocellaria, ocellata, ochreate, odeata, olivata, omicronaria, ononaria, orbicularia, ornata, ornataria, ossearia, osseata, pallidaria, pallidata, palumbaria, palumbata, pantaria, papilionaria, paralellaria, pectinaria, pedaria, pendularia, pennaria, permutataria, petraria, petrificata, pictaria, pilosaria, pinetaria, piniaria, plagiata, plumaria, plumistaria, pluviaria, politaria, pollutaria, polycommata, polygrammata, pomonaria, populata, prasinaria, procellata, prodromaria, progemma, propugnata, prunaria, prunata, psittacata, pullaria, pullata, pulveraria, punctuaria, punctulata, pupillaria, purpuraria, pusaria, pusillaria, pusillata, putataria, pygmeata, pygmaria, pyraliata, quadrifasciata, quadripunctata, quercinaria, rectangulata, remutaria, repantaria, respersaria, reticulata, rhamnata, rhomboidaria, rivulata, roboraria, roseidaria, rubidata, rubiginata, rubricaria, rubricata, rubrociliata, rubrostriata, rufaria, rupestrata, rupicapraria, ruptata, russata, rusticata, sacraria, sagittata, salicata, sambucaria, sambucata, scabrata, scopularia, scripturaria, scripturata, scutata, scutularia, scutulata, secundaria, selenaria, sericata, serotinaria, sezalata, silaceata, silenus, similata, sinuata, smaragdaria, sociaria, somnolentus, spadicearia, spartariaria, spartiata, striaria, strigaria, strigularia, subumbata, succenturiata, suffumata, sulcata, sylvata, sylvestraria, sylvestris, syringaria, taminaria, taminata, temeraria, temerata, tersata, thymiaria, tibialata, tinctaria, tophaceata, torminata, trifasciata, tristata, turbata, ulmaria, uncinularia, undulata, variata, venosata, vespertaria, vetulata, vetustata, vibicaria, viduata, violata, viretata, virgularia, virgulata, viridaria, viridata, viridifasciata, vitalbata, vittata, wauaria, zonaria.—*Vide et. Phalaena.*

Geotrupes :—actaeon, aegon, aenobarbus, alcides, aloeus, antaeus, aries, atlas, barbarossa, bicornis, boas, centaurus, chorinaeus, claviger, coronatus, coryphaeus, cyclops, daedalus, dichotomus, didymus, dionysius, dispar, elephas, enema, excavatus, factus, geryon, gideon, hastatus, hercules, hircus, hylax, invencus, jamaicensis, maimon, meliboeus,

- milon, monodon, nasicornis, orion, oromedon, pan, piceus, punctatus, quadrispinosus, retusus, rhinoceros, satyrus, silenus, simson, stentor, sylvanus, syphax, syrictus, talpa, titanus, tityus, truncatus, typhon, valgus, vulcanus, zoilus.
- Gerris** :—angustatus, apterus, clavipes, culiciformis, currens, cursitans, filiformis, filum, fluviorum, fossarum, fossularium, lacustris, longipes, mantis, oratorius, pallipes, paludum, pedestris, praecatorius, stagnorum, tipularius, tipuliformis, vagabundus.
- Gibbium** :—scotias.
- Gigantomys** :—cangura, gigantea.
- Gioenia** :—sacula.
- Giraffa** :—camelopardalis.
- Glareola** :—austriaca, coromanda, madraspatana, maldivarum, naevia, pugnax, senegalensis.
- Glaucoderma** :—glaciale, hirundo, lima.
- Glaucopsis** :—cinerea.
- Glaucus (Nud.)** :—atlanticus.
- Gleba** :—hippopus.
- Glis** :—avellanarius, barabensis, cafer, canadensis, citellus, cricetus, esculentus, glis, jaculus, lagurus, lemmus, longipes, longemota, migratorius, monax, nitedula, oeconomicus, quercinus, sagitta, tamariscus, tscherkessicus, zemni.
- Globosa** :—aethiopica, ampullata, cymbium, dolium, ficus, flammeola, galeator, gondola, harpa, marginata, naevosa, nussatella, oenophorum, olearium, olla, perdix, ramosa, rapa, submersa.
- Globus** :—stercoreus.
- Glochidium** :—parasiticum.
- Glossoderma** :—cor.
- Glycimeris** :—argentea, glycimeris, orbicularis.
- Gobiesox** :—cephalus.
- Gobioides** :—anguilliformis, broussonetii, melanurus, smymensis.
- Gobiomoroides** :—piso.
- Gobiomorus** :—dormitor, gronovii, koelreuteri, taiboa.
- Gobius** :—amorea, anguillarum, aphyia, arabicus, awaou, barbarus, barbatus, bicolor, boddaerti, bosc, boulerot, caeruleus, cruentatus, cyprinoides, eleotris, erythrostomus, gozo, gronovii, javanus, jozo, koelreuteri, lagocephalus, lanceolatus, macrocephalus, melanopterus, melanurus, minutus, nebulosus, niger, nigrofuscus, oceanicus, ocellaris, paganellus, patella, pectinirostris, pisonis, plumieri, ruthensparri, sclosseri, smymensis, strigatus, symmatophorus, tigerinus, tigrinus, tropicus, veronensis.
- Goezia** :—inermis.
- Gonium** :—corrugatum, lunatum, obtusangulum, pectorale, polysphaerium, pulvinatum, rectangulum, truncatum.
- Gordius** :—albus, aquaticus, arenarius, argillaceus, capillaris, cinctus, equinus, filum, galinae, globicola, harangum, inquilinus, insectorum, intestinalis, lacteolus, lacteus, lacustris, larvarum, littoreus, marinus, medinensis, piscium, seta, viviparus.
- Gorgonia** :—abies, abietina, acerosa, aenea, americana, anceps, anticipes, antipathes, arborea, briareus, calcylata, ceratophyta, cerea, citrina, clathrus, compressa, coraloides, crassa, dichotoma, elongata, exserta, flagellosa, flabelliformis, flabellum, flammea, furfuracea, granulata, homomalla, humosa, juncea, lateritia, lepadifera, miniacea, mollis, muricata, nobilis, palma, papillosa, paradoxa, patula, pectinata, petechizans, pinnata, placomus, porosa, pretiosa, proclamos, punctulata, purpurea, radicata, reseda, resedaeformis, reticulum, sanguinolenta, sarmentosa, sasappo, scirpea, setacea, setosa, setulosa, spiralis, spongiosa, suberosa, succinea, tuberculata, umbraculum, umbratica, variolosa, ventalina, ventilabrum, verriculata, verrucosa, verticillaris, verticillata, viminalis, violacea.
- Gracula** :—atthis, barita, caerulea, calva, carunculata, cayennensis, chrysoptera, cristata, cristatella, darita, foetida, gallinacea, glauca, ginginiana, grisea, gryllivora, icterops, longirostra, malabarica, melanoptera, minor, nobilis, nuda, pagodarum, paradisea, pyrhorcorax, quiscula, religiosa, saularis, scandens, sturnina, tristis.
- Gralla** :—fulica, parra.
- Graptolithus** :—dendrites, fuciformis, mappalis, ruderalis, sagittarius, scalaris, serpulites, strobiloides.
- Grus** :—collaris, communis, crepitans, leucogeranus, nostras, psophia.—*Vide et. Ardea.*

Gryllus :—acuminatus, acutus, aegyptiacus, aegyptius, aethale, afer, agilis, albifrons, albipes, allioni, angulatus, annulatus, apricarius, aquilinus, arabicus, arboreus, assimilis, ater, australis, banian, barabensis, bicolor, bicornis, bifasciatus, biguttulus, bimaculatus, binotatus, bipunctatus, bipustulatus, brachyterus, braziliensis, brevicornis, caeruleus, caerulescens, cafer, campestris, camillifolia, cantans, canescens, capensis, capitatus, captiva, carinatus, carolinus, centurio, chalcops, charopus, chloropterus, chrysomelus, ciliatus, cinctus, cinerarius, cinerascens, cinereus, cisti, citrifolius, clavimanus, clavicornis, conicus, conocephalus, convolutus, coriaceus, cornutus, coronatus, caeruleus, cothurnatus, cristatus, cruciger, crucis, cruentatus, curvicaudus, cyanipes, danicus, dauricus, dentatus, denticulatus, desertus, distinctus, domesticus, dubius, dux, elephas, elongatus, ephippiger, erythropus, eversor, falcatus, falconarius, falx, fasciatus, fastigiatus, femoratus, ferrugineus, flavens, flavescens, flavicornis, flavipes, flavus, foliaceus, fragilis, fuliginosus, fulvicornis, fuscus, gallinaceus, germanicus, giganteus, gigas, giornae, glaber, gongyloides, grammifolius, granulatus, gregarius, griseo-apterus, griseus, grossus, gryllodes, grylloides, gryllotalpa, gurgus, haematopus, haematocnemis, hamatus, hospes, ibn-ed-dubb, imperator, inanis, incarnatus, indicus, insubricus, irroratus, italicus, lamellosus, lanceolatus, lateralis, laurifolius, laxmanni, lepechini, leprosus, leucopterus, leucostictus, limbatus, linea, linea-alba, lineatus, lineola, longicornis, longipennis, lunaris, lunulatus, lunus, luridus, luteus, macropterus, maculosus, mantis, marginatus, marmoratus, masculus, maxillosus, melanopterus, melanostictus, membranaceus, migratorius, miles, miliaris, miniatus, minutissimus, minutus, mithras, monstrosus, morbillosus, morio, muricatus, musicus, muticus, myrtifolius, nasutus, necydaloidea, nigromaculatus, nigroterminatus, nitidulus, niveus, nomada, nubilis, numidicus, nuptus, obscurus, ocellatus, ochraceus, ochrostictus, onos, opaca, oratorius, orientalis, oxycephalus, pallens, palpatum, papillosum, papus, pedestris, pedo, pellucens, perspicillatus, phthisicus, pictus, poecilopus, polystictus, pratensis, precarius, proboscideus, pullus, punctatus, punctulatus, pupus, purpureus, quadripunctatus, religiosus, remora, reticulatus, repandus, rhomboides, rosaceus, roseus, ruber, rubescens, rubicundus, rubicollis, ruficornis, rufipes, rufomarginatus, rufus, rugosus, rusticus, salinator, salinus, sanguinipes, sanguinolentus, scaber, scabrosus, sexmaculatus, sibiricus, siccifolius, similis, specularis, sphaericus, spinifrons, spinipes, spinulosus, sponus, spumans, squamosus, squarrosus, serratus, serripes, sticticus, stridulus, strumarius, subcarinatus, subulatus, succinctus, sulphureus, surinamensis, surinamus, talpa, tamulus, tartaricus, teres, tessellatus, testaceus, thalassinus, thymifolia, tibialis, triangularis, tricolor, triops, tuberculatus, turcicus, turritus, umbraculatus, ungaricus, unicolor, unicornis, variabilis, variegatus, variolosus, varius, velox, venosus, verrucivorus, versicolor, viator, virens, virginianus, viridans, viridis, viridissimus, viridulus, vitreus, vittatus, vocans, vulgaris, vulturinus, xyphothyreus, zebra.

Gulo :—sibiricus.

Gymnetrus :—ascanii, grillii, hawkenii.

Gymnocephalus :—argenteus, blennoides, schraetser.

Gymnocaster :—arcticus, lepturus.

Gymnopterion :—majus, medium, minimum.

Gymnothorax :—afer, catenatus, colubrinus, echidna, muraena, nigricans, reticularis, zebra.

Gymnotus :—acus, albifrons, albus, asiaticus, brachiurus, carapo, electricus, fasciatus, feraser, longirostratus, notopterus, putaol, rostratus, tremulus.

Gypaetus :—alpinus, ambustus, angolensis, coronatus, grandis, harpyja.—*Vide et. Falco.*

Gyrinus (Col.) :—americanus, australis, bicolor, bidens, capensis, comma, formosus, grossus, indus, longimanus, mexicanus, micans, minutus, natator, nitidulus, oblongus, orientalis, pygolampis, spinosus, striatus, villosus, viola-aquatica.

Haematopus :—ostralegus.

Haeruca :—erinacei, muris.

Haliotis :—alcata, asinina, asinium, australis, bistrata, caelata, cingulata, clathrata, cochlear, elephantina, gigantea, gigas, glabra, granulata, guineensis, imperforata, incrustata, iris, marmorata, midae, naevosa, ovina, parva, pellucida, perversa, picta, plicata, pulcherrima, rubicunda, rudis, rugosa, striata, tuberculata, varia, virginea, vulgaris.

Hallomenus:—affinis, bipunctatus, fasciatus, flexuosus, humeralis, micans, purpureus, testaceus, undatus.

Hamster:—nigricans.

Hamularia:—lymphaticæ.

Harpa, P. S. Pallas, Spic. Zool. x. 1774, 33:—amouretta, cancellata, cythara, davidis, doris, harpa, major, nobilis.

Heliconius:—*vide* Papilio.

Heliornis:—fulcarius.

Helix:—achatina, acicula, aculeata, acuta, aegophthalmus, afra, affinis, albella, albicans, albida, albina, albus, algira, amarula, ambigua, ampullacea, angaria, anguis, angularis, angusta, annulata, aperta, arabica, arbustorum, arenaria, ariminensis, aspera, aspersa, atra, auricularia, auris-judæ, auris-malchi, australasie, avellana, badia, bathica, barbara, bicolor, bidentula, bidens, bifasciata, bilabiata, biliosa, bontia, brunnea, buccinum, cepa, caerulescens, calcarea, candida, carinata, carinula, carmelita, carocolla, cartusiana, carychium, castanea, catena, cellaria, cicatricosa, cincta, cinerea, circumata, citrina, cochlea, coccinea, columna, compactilis, complanata, contorta, contorta-plicata, contraria, cookiana, coriacea, cornea, cornu-arietis, cornu-militare, cornu-venatorium, corrugata, corvus, costata, crassa, crenata, crenulata, crepuscularis, cretacea, crocea, crystallina, curvata, cuspidata, danubialis, decollata, desertorum, detrita, dextra, dissimilis, dolabrata, domestica, elegans, ellobioides, elongata, epistylum, erica, ericetorum, exigua, exilis, explanata, extensa, faba, fasciata, fascicularis, flammea, folliculus, fontana, fragilis, fruticum, fulgidus, fulica, fulva, fuscatus, fuscescens, fusulus, fusus, gigantea, glabra, glauca, globulus, glutinosa, gothica, grisea, gualtierana, haemastoma, haematragus, haliotoidea, hammonis, hepatica, hippocastanum, hispana, hispida, holosericea, hortensis, hyalina, ianthina, ianthinae, impura, incarnata, incisa, inflata, interrupta, inversa, involvulus, isognomostomos, itala, jamaicensis, labiosa, labyrinthus, lactea, lacustris, laeve, laevigata, laevipes, laevissima, lampas, lapicida, lenta, leucas, ligata, limbata, limosa, lineata, listeri, lubrica, lucana, lucerna, lucida, lucorum, lugubris, lusitanica, lutaria, lychnuchus, lyonetiana, maculata, maculosa, mammillaris, marginata, marginella, marmorata, media, melanotragus, minima, minuta, mitra, montana, muralis, muscosa, mutabilis, naevia, nana, nemoralis, nemorensis, neritina, neritoidea, nitens, nitida, nitidissima, nivea, nucleus, oblonga, obscura, obtusata, obversa, obvoluta, octona, oculus-capri, oculus-communis, olivetorum, opaca, ovalis, ovata, paludosa, palustris, papilla, papillaris, paradoxa, parva, parvula, pella, pelliserpentis, pellucida, peregra, peregrina, personata, perspicua, perversa, pervia, petholata, phasianus, picta, pileata, pileus, pisana, piscinalis, planorbis, plicaria, plicata, polita, polygyra, polygyrata, pomaria, pomatia, porphyrites, porphyrostoma, priamus, priapus, pudica, pulchella, pulla, pulverulenta, punctata, pupa, purpurea, pusilla, putris, pyrum, pythia, quadridens, radiata, rallus, rapa, recta, repanda, reticulata, rhenana, rhodia, ringens, rosacea, roscida, rotundata, rufescens, rupestris, scabra, scalaris, scarabaeus, sepium, septemspiralis, sericea, serpentina, similis, sinistra, sinuata, sinuosa, smaragdus, solida, spadicea, speciosa, sphaerica, spinosa, spinulosa, spirorbis, splendida, stagnalis, stagnorum, staminea, striata, strigata, strigosula, subcylindrica, substriata, succinea, sulcata, sylvestris, tanschaurica, tenella, tenera, tentaculata, tenuis, terebella, teres, terrestris, testacea, testa-ovi, tomentosus, tornata, tricarinata, tridens, trifasciata, trigonophora, trigonostoma, trochilus, trochoides, trochulus, trochus, truncatula, tribulatus, tumida, turbinata, turbo, turgida, turturum, ulvae, umbilicaris, undata, undulata, unguina, unifasciata, ustilago, varica, variegata, ventricosa, venusta, vermiculata, versicolor, vertigo, villosa, virescens, virgata, vitrea, vittata, vivipara, volvulus, vortex, vulgaris, zonaria.

“**Helmintholithus**”:—alveatus, androdamas, anomites, asteria-columnaris, asteriae, astrion, belemnites, caryophyllites, conchidium, craniolaris, diluvianus, echini, echinites, encrinus, entrochus, epitonium, gryphites, hammonites, hysteroolithus, judiacus, lepadis, madreporus, milleporae, musculites, orbium, orthocerotes, pholadis, portentosus, solenites, spongites, stella-columnaris, suturatus, tubiporus.

Helodes, G. Paykull, Faun. Suec. II. 1799, 84.—Col.:—beccabungae, phellandrii.

Helops:—aeneus, aeruginosus, amethystinus, ater, barbatus, bicolor, caecus, caeruleus, calcaratus, canaliculatus, capensis, caraboides, ceramboides, chalibeus, chrysomeloides,

cinctus, cucuioides, cupreus, cyaneus, dentipes, dermestoides, elongatus, equestris, fasciatus, fasciculatus, femoratus, ferrugineus, flavipes, fuscus, glaber, granulatus, haemorrhoidalis, hottentottus, laevigatus, laevis, laminatus, lanipes, laticollis, longipes, luridus, marginatus, maura, micans, morio, murinus, nigrita, obliquatus, ovatus, piceus, picicornis, picipes, pimelia, planus, punctulatus, pyrrhothorax, quisquilius, ruficollis, rufipes, schneideri, serratus, serropalpus, smaragdulus, spinipes, striatus, testaceus, tristis, undatus, vittatus.

Hemerobius :—abdominalis, albus, aphidioides, aphivorius, aquaticus, atratus, betulinus, bipunctatus, candidus, capitatus, chrysops, cornutus, cruciatus, cylindricus, fasciatus, fatidicus, filosus, flavicans, flavilater, flavus, formicaleo, formicalynx, fulvicephalus, fuscatus, gibbus, grandis, griseus, hirtus, humuli, humulinus, immaculatus, irideus, italicus, jamaicensis, lateralis, laurifoliaeformis, libelloides, longicornis, lutescens, lutarius, maculatus, marginalis, maxilloso, melanostictos, micans, nebulosus, nemoralis, nervosus, niger, nitidulus, obscurus, octopunctatus, ornatus, paganus, pallipes, parvulus, pectinicornis, pedicularis, pedicularius, perla, phalaenoides, picicornis, pulchellus, pulsatorius, pusillus, quadripunctatus, raphidioides, rufus, sexpunctatus, speciosus, spinellus, striatulus, testaceus, trifasciatus, unipunctatus, variegatus, varius, versicolor, virginiensis, viridis.

Henops :—gibbus.

Hepialus :—aesculus, angulatus, asellus, bufo, carna, crux, flinus, hectus, humuli, jodutta, lupulinus, mineus, obliquus, pyrinus, scalaris, sylvinus, testudo, venus.

Hesperia :—acaciae, acanthus, acastus, achaeus, acis, acnion, acreon, actoris, adonis, aegon, aelianus, aemullus, aecclus, aesculapius, aesopus, agrippa, aivus, alceae, alcides,alcon, alexis, alpheus, alphonsus, alsarius, alsus, amiatus, amor, amphion, amyntas, amyntor, anacreon, anaphus, apelles, apidanus, aracinthus, arcas, archimedes, argiades, argiolus, argus, arinus, arion, artaxerxes, athemon, atticus, atymnus, atys, augias, augustus, aunus, avius, ballus, bathis, battus, betulae, bias, bibulus, bion, bixiae, boetica, brontes, busiris, cachrys, caesar, cajus, caricae, cassander, cassius, catillina, catullus, cecrops, celerio, celsus, ceneus, centaaurus, cephus, ceranus, cerasi, ceraunus, chemnis, chiton, chryseis, cicero, cippus, cleon, clericus, clito, clonias, cnejus, coenus, colon, columella, comma, coriolanus, corydon, cupido, curtus, cyanus, cyllarus, damoetes, damon, dan, democritus, dindus, dioscorides, domitianus, dorylas, electron, eleus, ematheon, emylius, endymion, ennius, epictetus, epitus, epulus, erebus, ericus, erinus, erosine, eryx, etolus, eudoxus, eumelus, euripides, euriteus, exclamationis, faunus, flaccus, flesus, florus, formosus, freja, fritillum, gabrielis, galba, galenus, garbas, gemellus, geminus, gentius, gerontes, gnetus, gnidus, gremius, gyas, haesus, haraldus, harpax, hebrus, helirius, helius, helle, hemes, hemon, heraclitus, herodotus, hesiodus, hiero, hippocrates, hip-pothoe, hisbon, hyacinthus, hylax, hylus, hymen, iarbass, icarus, isarchus, isocrates, jacchus, jania, jovianus, juba, jupiter, juvenalis, laches, lagus, lamis, lara, lavaterae, liger, linceus, lincus, linea, lisias, livius, longinus, lucanus, lucas, lucianus, lucius, lycagus, lysippus, maecenas, maenas, maevius, maimon, malvae, mantus, marcus, maro, mars, marsyas, mathias, meleager, meliboeus, menalcas, menippus, mercatus, mercurius, metis, meton, midas, mimas, minereus, mithridates, momus, moneus, muretus, nais, narcissus, naso, neleus, nepos, nero, nerva, nicias, niso, nostradamus, nothus, numitor, optilete, orcus, origenes, orion, otis, ouranus, ovidius, palemon, paniseus, pann, parrhasius, parsimon, pelion, pelopidas, pelops, pentheus, perditus, pericles, perion, petronius, petus, phaedrus, phareus, phereclus, phidias, phelemon, philiasus, philippus, phineus, phleas, phocas, phocilles, phocion, pholeus, phorbas, pindarus, pisistratus, plato, plautus, plinius, plutargus, polybius, polycletus, pretus, priassus, procas, pro-pertius, proteus, pruni, ptolomaeus, pygmaeus, pyramis, pythagoras, quercus, regulus, remus, rhetus, romulus, rosimon, rubi, sagaris, salus, salustius, salvianus, saturnus, scorpio, sebaldu, sedi, sidae, silenus, simaethis, sophocles, sphinx, spini, spio, strabo, strephon, suetoniuss, sylvanus, sylvius, symethus, syrictus, tacitus, tiassus, talaus, talus, tarquinius, telemus, telephus, tertullianus, thales, thaumas, theocritus, theophrastus, thero, thersamon, thrasibulus, thrax, thucydides, thyra, thyrasis, thysbe, tibullus, timeus, timon, titus, tityrus, triton, tyrtaeus, ulricus, valens, venus, versicolor, vespasius, virbius, virgaureae, virgilius, vitellus, vulcanus, xanthe, xenophon, zachaeus, zeleucus, zeuxo.

Heteroceris :—dubius, laevigatus.

- Hexathyridium** :—*pinguicola*, *venarum*.
Hexodon :—*reticulatum*, *unicolor*.
Hiatula (P.) :—*gardeniana*.
Himantopus (A.) :—*candidus*, *himantopus*.
Himantopus (Inf.) :—*acarus*, *charon*, *corona*, *larva*, *ludio*, *sannio*, *volutator*.
Hippa :—*adactyla*, *dentata*, *dorsipes*, *emeritus*, *laevigata*, *scabra*, *scutellata*, *symnistra*, *variolosa*.
Hippobosca :—*avicularia*, *cervi*, *corvi*, *equina*, *hirundinis*, *ovina*, *strigis*, *uralensis*.
Hippopotamus :—*africanus*, *amphibius*, *terrestris*.
Hippopus :—*antiquatus*, *calyculatus*, *cor*, *equinus*, *gigas*, *glans*, *hippopus*, *lacteus*, *scaphe*, *scutra*, *semiorbiculatus*.
Hircus :—*aegragus*, *depressus*, *hircus*, *ibex*, *manibricus*, *reversus*.
Hirtea :—*albipennis*, *brevicornis*, *brunnipes*, *chrysanthemi*, *febrilis*, *forcipata*, *hortulana*, *johannis*, *juniperina*, *longicornis*, *pomonae*, *pyri*, *ruficollis*, *thomae*.
Hirudo :—*adriatica*, *alba*, *alpina*, *bicolor*, *bioculata*, *branchiata*, *capensis*, *complanata*, *crenata*, *fasciolaris*, *geometra*, *grossa*, *heteroclitia*, *hippoglossi*, *hyalina*, *indica*, *intestinalis*, *lineata*, *littoralis*, *marginata*, *medicinalis*, *muricata*, *nigra*, *occulata*, *piscium*, *plana*, *pulligera*, *sanguisuga*, *stagnalis*, *sturionis*, *tessulata*, *viridis*, *vulgaris*.
Hirundo :—*acuta*, *agrestis*, *alpestris*, *alpina*, *ambrosiaca*, *americana*, *apus*, *borbonica*, *capensis*, *caynensis*, *cerdo*, *chalybea*, *cincta*, *cinerea*, *cucullata*, *daurica*, *domestica*, *dominicensis*, *erythrocephala*, *erythrogaster*, *esculenta*, *fasciata*, *francica*, *gutturalis*, *horreorum*, *indica*, *javanica*, *leucoptera*, *maculata*, *melba*, *minima*, *montana*, *nigra*, *panayana*, *parva*, *pelagica*, *pelasgia*, *peruviana*, *pratincola*, *purpurea*, *riparia*, *rufa*, *rupestris*, *rustica*, *senegalensis*, *sinensis*, *subis*, *tahitica*, *tapera*, *torquata*, *unalaschkensis*, *urbica*, *violacea*, *zonans*.
Hispa :—*angulata*, *angulosa*, *atra*, *bicolor*, *bicornis*, *bidens*, *bihamata*, *bipunctata*, *bipustulata*, *caerulea*, *capensis*, *capitata*, *cisti*, *cornigera*, *cornuta*, *dentata*, *dorsalis*, *emarginata*, *flabellicornis*, *flavescens*, *gibba*, *grossa*, *hirta*, *hystrix*, *maculata*, *muticus*, *mystacina*, *nigricollis*, *nigricornis*, *pectinicornis*, *picipes*, *pomaticornis*, *quadrupustulata*, *sanguinicolis*, *scabra*, *serrata*, *serraticornis*, *spinipes*, *sulcata*, *testacea*, *tuberculata*, *unidentata*, *vittata*.
Hister :—*abbreviatus*, *acuminatus*, *aeneus*, *apicatus*, *apterus*, *ater*, *atomarius*, *atomos*, *bicolor*, *bimaculatus*, *bipustulatus*, *brunneus*, *caesus*, *compressus*, *conjugens*, *corticalis*, *cruciatus*, *cyaneus*, *decemstriatus*, *depressus*, *detritus*, *dubius*, *duodecimstriatus*, *elongatus*, *erythropterus*, *ferrugineus*, *fimetarius*, *flavicornis*, *frontalis*, *glabratus*, *globulosus*, *globulus*, *histeroides*, *impressus*, *inaequalis*, *laevus*, *lunatus*, *maculatus*, *major*, *maxillosus*, *maximus*, *metallicus*, *minimus*, *minor*, *minutus*, *nanus*, *nassatus*, *niger*, *oblongus*, *obscurus*, *parallelepipedus*, *parvulus*, *picipes*, *planus*, *politus*, *pulchellus*, *pulicarius*, *punctatus*, *punctulatus*, *purpurascens*, *pusillus*, *pygmaeus*, *quadratus*, *quadridentatus*, *quadriguttatus*, *quadrinotatus*, *quadristriatus*, *reniformis*, *rotundatus*, *rufipes*, *rugifrons*, *scaber*, *semipunctatus*, *semistriatus*, *sesquicornis*, *sinuatus*, *striatus*, *sulcatus*, *surinamensis*, *testudinarius*, *unicolor*, *virescens*.
Holocentrus :—*argentinus*, *ascensionis*, *atraria*, *auratus*, *bengalensis*, *caeruleo-punctatus*, *calcarifer*, *fasciatus*, *lanceolatus*, *lentiginosus*, *maculatus*, *marina*, *ongus*, *pennanti*, *punctatus*, *quadrilineatus*, *quinquelineatus*, *saxatilis*, *servus*, *sogo*, *striatus*, *surinamensis*, *tauvinus*, *tigrinus*, *virescens*.
Holothuria :—*caudata*, *denuadata*, *elegans*, *forcipata*, *frondosa*, *fuscus*, *impatiens*, *inhaerens*, *laevis*, *maxima*, *minuta*, *nuda*, *papillosa*, *penicillus*, *pentactes*, *phantapus*, *physalis*, *priapus*, *spallanzani*, *spirans*, *squamata*, *thalia*, *tremula*, *tubulosa*, *velificans*, *vittata*, *zonarium*.
Homarus :—*bartonii*, *fluviatilis*, *fulvus*, *marinus*, *norwagicus*, *scaber*.
Homo :—*diurnus*, *groenlandicus*, *lar*, *nocturnus*, *sapiens*, *troglodytes*.
Horia :—*cephalotes*, *dermestoides*, *maculata*, *testacea*.
Hyaena :—*capensis*, *crocata*, *crocuta*, *dubbah*, *striata*.
Hyaloea :—*tridentata*.
Hyblaea :—*deflorata*, *gemina*, *lagopus*, *liturata*, *obliqua*, *rostrata*, *saga*, *sagitta*, *scabra*.
Hydatigena :—*cerebralis*, *cordata*, *globosa*, *granulosa*, *oblonga*, *orbicularis*, *pisiformis*, *taeniaeformis*, *utricularis*, *utriculenta*.

Hydatis: cellulosa, finna, visceralis.

Hydatula:—hydatula.

Hydra:—anemone, articulata, aster, attenuata, aurantia, bellis, berberina, brevicornis, calendula, campanulata, capitata, carnea, cereus, convalaria, corynaria, crataegaria, crateriformis, dianthus, digitalis, doliolum, fusca, gelatinosa, gemmacea, grisea, lutescens, helianthus, hydatula, idatula, mesembryanthema, minuticornis, multicornis, obligactis, oligactis, opercularia, pallens, pelagica, polypus, pyrraria, quinternana, ramosa, scyphifera, socialis, sociata, squamata, stentorea, triticea, umbellaria, viridis, viridissima, vulgaris.

Hydrachna:—abstergens, albator, bipunctata, buccinator, calcarea, clavicornis, complanata, crassipes, cruenta, cuspidator, despiciens, elliptica, emarginator, extendens, fuscata, geographica, globator, grossipes, impressa, integrator, latipes, liliacea, longicornis, lugubris, lunaris, lunipes, maculata, maculator, musculus, nodata, obscura, obsoleta, orbicularis, orbiculata, ovalis, ovata, papillator, pustulator, sinuator, spinipes, stellaris, strigata, stylata, torris, tricuspidator, trifurcalis, truncatella, tubulator, umbrata, undulata, vernalis, versicolor.

Hydraena:—riparia.

Hydrochaerus:—capybara, tapir.

Hydrodamalis:—stellari.

Hydroides, J. E. Gunnerus, K. Norske Vid. Selsk. Skrift. IV. 1768, 52.—Ver.:—norvegica.

Hydrophilus:—aeneus, affinis, analis, ater, bicolor, bipunctatus, caraboides, chrysomelinus, chrysomeloides, coccinelloides, collaris, cordiger, emarginatus, erythrocephalus, fossarum, fulvus, fuscipes, fuscus, glaber, globulus, griseus, haemorrhoidalis, lateralis, lividus, luridus, marginellus, melanocephalus, minutus, niger, nigricornis, oblongus, obscurus, olivaceus, orbicularis, pallidus, parvulus, peregrinus, piceus, picipes, pilula, punctatus, pusillus, pygmaeus, quadripunctatus, ruficornis, rufipes, rufus, scarbaeoides, scrobiculatus, seminulum, sphaericus, subrotundus, tricolor, truncatellus, undatus, variegatus, violaceus.

Hydrous:—caraboides, fuscipes, luridus, olivaceus, piceus.

Hydrus:—bicolor, caspius, colubrinus, enhydrius, fasciatus, granulatus, palustris, piscator rhynchops.

Hyla:—aurantiaca, aurantica, fusca, gibbosa, lactea, ranaeformis, rubra, sceleton, tibiatrix, viridi-fusca, viridis, vulgaris.

Hylaenus:—abdominalis, albilabris, albipes, alternans, annulatus, arbustorum, cylindricus, flavilabris, flavipes, florisomnis, interruptus, maxillosus, minutus, morio, quadricinctus, sexcinctus, similis, thoracicus, triangulum, truncorum.

Hypogaeoderma:—dactylus, ensis, inaequalis, legumen, rhomboides, siliqua, strigilatus, vagina.

Hypophlaeus:—bicornis, castaneus, depressus, fasciatus, ferrugineus, fraxini, haemorrhoidalis, linearis, pini, suturalis, unicolor.

Hypulus:—bifasciatus, quadriguttatus, quercinus.

Hyrax:—capensis, hudsonius, syriacus.

Hystrix:—brachyura, brasiliensis, chrysuroides, ciestria, cristata, dorsata, macroura, malaccensis, mexicana, prehensilis, setosus, torosa.

Ianthina:—bombarda, cortex citri, cytherea, flammeola, jamaicensis, janthina, limbata, linearia, pellucida, picta, pomatia, scolopetaria, singularis, turbinoidea, urna, violacea.

Ibex, P. S. Pallas, Spic. Zool. XI. 1776, 31.—Mamm. (? used generically):—sibiricum.

Ichneumon (Ins.):—abbreviator, abbreviatus, abdominalis, abrogator, acarorum, accusator, acetimuscum, acicularis, aculeator, acuminator, acutorius, adulterator, adustus, aelothorax, aethalurus, affinis, agilis, agitator, agrestorius, agriculator, albatorius, albicans, albidus, albipes, albiscutatus, albiventris, albus, alevarius, alternatus, alvearifex, alveariformis, amator, amatorius, ambiguus, ambulator, ambulatorius, amictus, anator, anceps, angulatorius, ani, annularis, annulator, annulatorius, annulatus, annulosus, antennator, anticus, aphidum, apicarius, apparitorius, appendigaster, approximatus, apterus, apum, araneorum, arator, arcuatus, argiolus, aries, ariolator, arlequinatus, arma-

torius, aromator, arrogator, articulatus, artifex, assectator, assertorius, assimilator, atalantae, aterrimus, atomus, atrator, atratorius, atratus, auratus, auricapillus, aurifrons, auspex, barbator, basilaris, bedeguaris, bellator, bellatorius, bicornis, bicolor, bicolorus, bidens, bidentator, bidentatus, bidentorius, bifasciatus, bifrons, biguttatus, biguttorius, bilineatus, bimaculatus, binarius, bipartitus, bipunctatus, biscutatus, bisulcus, bitinctus, blayensis, braccatus, brachyacanthus, brachyurus, brassicarum, brunneator, brunneolus, brunneator, caelestis, caepae, caeruleator, calcaratus, calcarator, calculator, camelus, campanulatus, canescens, cannabis, cantator, capitator, carbonarius, cardui, carinator, carnifex, carpini, castigator, castrator, caudator, cavator, celer, centummaculatus, cephalator, cerasi, certator, cervinus, cessator, chrysis, chrysoaster, chrysopus, chrysoctictos, cimex, cinctipes, cinctorius, cincturator, cinctus, circumflexus, cirrogaster, citrarius, citratus, citreus, clavator, clavatorius, clavatus, clavipes, coarctatus, coccineus, coccorum, coloratus, comitator, compensator, compressus, compunctor, compunctator, computatorius, conciliator, concolor, conformis, conicus, consecutorius, constellatus, constrictor, constrictorius, constuprator, contemplator, coracinus, circulatorius, corruptor, coruscator, cothurnatus, coxator, crassicornis, crassipes, crispatorius, crispus, crocatus, croceatorius, cruciatus, cruentatus, culex, cultellator, culpatorius, cultratus, cunctator, cuniculator, cursitans, cursor, curtatus, curtus, curator, curatorius, curvus, cuspidator, custodiator, cyaneus, cylindrator, cylindricus, cyniformis, cynipedis, cyniphidis, cynipis, dealbatus, deauratus, debellator, deceptor, decorator, decoratorius, defensor, defensorius, delator, deliratorius, delusor, denigrator, dentatus, denticulator, dentipes, denunciator, depressor, depressus, deprimator, desertor, desertorius, designatorius, dessinator, destructorius, deustus, devastator, dichrous, dictator, difformis, digitatus, dimicatorius, dimidiator, discolor, discretus, dispar, divagator, diversicolor, divinator, domator, dorsalis, draparnaldi, dubitatorius, dubitorius, dumetorum, edictorius, elector, elegantulus, elongator, emarciator, enecator, enervator, equitatorius, erectorius, erigator, errator, erucarum, erythrogaster, erythropalpus, erythropus, erythrostomus, evonymi, exarator, excitator, excursor, exhaustator, exhortator, exlex, exoticus, expectorius, extensor, extensorius, extricator, faber, fabricator, fabricatorius, falcator, falcatorius, falcatus, falcifer, falcator, falsarius, falsator, fasciator, fasciatorius, fasciatus, fascicornis, fastidiator, femoralis, femorator, femoratus, fenestralis, ferrigator, ferrugatorius, ferruginatorius, ferrugineus, ferruginosus, festinans, festivus, firmator, fischeri, flagellator, flagitator, flavator, flavatorius, flavatus, flavescens, flavicans, flavicinctus, flavifrons, flavipes, flaviventris, flavus, fluctuans, fomentator, forcicatus, formicarius, formicarioles, formicatus, fornicator, fossorius, fraudatorius, frischei, frontalis, frontatorius, fulgens, fuliginator, fuliginosus, fulventris, fulvus, fumosus, funebris, funerarius, funereus, fuscator, fuscatus, fuscescens, fuscicornis, fusciformis, fuscipes, fuscus, fusorius, gallarum, geminus, generosus, geniculatus, gigas, glabratorius, gladiator, gladiatorius, glaucatorius, glaucopterus, globatus, globiceps, globulifer, glomeratus, gossypinus, gracilis, graminum, gravidator, gregarius, grossipes, grossorius, haematopus, haematostoma, haruspex, hastator, hemipteron, hemipterus, heterogonos, histrio, hortensis, hospitator, humeralis, hyalinus, hypochondriacus, ictericus, idolon, ignitus, illecebrator, imitator, immaculata, imminutor, imperialis, impraegnator, impostor, impressus, impugator, incertus, incisus, incitator, incressator, incressatorius, incubitor, inculcator, inculpator, indagator, infidus, inflammatorius, inflictorius, infractorius, inguinalis, initiator, inquisitor, inquisitorius, insectator, inserens, insidiator, insinator, insinuator, instigator, instructor, integrator, intercus, intersectus, intractorius, inversus, investigator, irrigator, irrisorius, irritator, irrorator, irroratorius, itinerator, jaculator, jocator, jubilatorius, judex, junci, juniperi, juniperinus, juvenicus, labialis, laboratorius, labyrinthellae, laetatorius, laevigator, laminator, laminatorius, lapidator, larvarum, larvatus, latrator, latro, lenocinator, leucogonos, leucomelas, leucopalpus, leucopis, leucopterus, leucopus, leucorrhous, leucospoides, leucostictos, leucostoma, leucotarsus, limbarius, linearis, lineator, lineatorius, lineolaris, lineolatus, lingulator, lituratus, lituratus, lividicornis, lividus, longicornis, longipalpus, longipes, longispinis, lotatorius, lotorius, lucidator, luctatorius, lunator, lunulatus, luteator, luteolus, lutescens, luteus, lutorius, maceratorius, machinatorius, macropus, macrurus, maculator, maculatorius, maculatus, mandator, manifestator, marginalis, marginatorius, marginatus, marisca, matutinus, melanocephalus, melanoleucos, melanogaster, melanogonos, melanophthalmus, melanops, melanopterus, melanopus, melanurus, melanoxanthus, meliora-

torius, mensurator, mercator, mercatorius, migrator, minutator, minutus, mixtus, moderator, moerens, molitorius, moratorius, morio, mortuorum, moschator, motorius, multicolor, munerator, murarius, murex, muscarum, mutator, mutillarius, mutillatus, mystacatus, naevius, natatorius, natotiae, necator, necatorius, negatorius, nemoralis, nigellus, niger, nigerrimus, nigrator, nigratorius, nigricans, nigricornis, nigrinus, nigro-caudatus, nigroculus, nitens, nitidulus, nominator, notatorius, notatus, nugatorius, nunciator, nuptatorius, nutatorius, obex, obfuscator, obfuscatus, objurgator, oblatorius, obscurator, obscurus, obsoletorius, obsoletus, occisor, occisorius, occultator, ocreatus, ochrocephalus, ochrocercus, ochromelas, ochropis, ochropus, oculator, oculatorius, olitorius, opifex, oratorius, ornator, osculatorius, ovator, ovulorum, pallens, pallescens, pallidus, palmarius, palpator, partitus, pastinacae, pavoniae, pectinicornis, pedator, pedatorius, pedestris, pedicularius, peliolatus, pelliellae, pendulator, pendulus, penetrans, pennator, percontatorius, peregrinator, perfusorius, perlatus, persuasorius, petiolatus, phalli, picatus, piceus, pictor, pictus, pini, pisorius, plaessus, polycerator, polyturator, polyzonias, politaeus, porrectus, porrectorius, posticus, praedator, praerogator, praestolatorius, praestus, pretorius, primatorius, proficiscator, profigitor, profusor, proteus, pteromeles, pugil, pugillator, pulchellus, pulex, pulicarius, punctator, punctatus, punctorius, punctulatus, punctum, puparum, purgator, purgatorius, purpurascens, pygmaeus, quadricinctus, quadricolor, quadrimaculatus, quadrupes, quadripunctatus, quadrum, quaesitorius, ramicornis, ramidulus, raptor, raptorius, recticornis, regulator, reluctator, resinellae, resinosus, restaurator, roborator, rodophthalmus, rodrigi, rubellus, rubicundus, rubidus, rubiginator, rubiginosus, rubratorius, rubricornutus, rufatus, rufescens, ruficornis, rufipes, rufulus, rufus, rugosus, ruspator, rusticus, rutilator, sagittarius, sagittator, salsatorius, saltator, saluator, sanguinator, sanguineus, sanguinolentus, sarcitorius, saturatorius, scabrador, scanicus, scirpi, scrutator, scutellatus, secalis, seductor, seductorius, segmentarius, segmentator, segmentorius, segmentosus, semiannulatus, semiauratus, senilis, sericeus, serrator, sessilis, setosus, signatorius, signatus, similitorius, similis, simplex, simulator, sollicitorius, sorex, spectrum, speculator, sperator, sperhegum, spinator, spinosus, spiralis, splendens, splendidus, sponsor, sponsorius, sputator, stercorator, sticticus, stigma, stigmatizans, stramineus, striatus, strigator, strigosus, strobilellae, subcutaneus, subfalcatus, subrufus, substestaceus, sugillatorius, sulcatus, sulphureus, superbus, suratus, surratus, suspicator, sutor, tarsosus, tarsoleucus, tenebri-cosus, teniola, tentator, tenthredinum, terebrator, terrefactor, tertiarus, testaceus, tibialis, tineae, tinearum, tiphae, tipulae, tillator, torquatus, tortricis, triangulum, trichrous, tricinatus, tricolor, tricoloreus, trilineatus, tripunctator, tripunctatus, tripunctorius, trituberculatus, trochantericus, truncator, truncatus, tuberculatus, tunicatus, turionellae, tyrannus, umbellatarum, umbratus, unicolor, upsaliensis, urinator, urticae, ustulatus, usurpator, vacillator, vacillatorius, vagator, vagatorius, vaginatorius, varex, variator, variatorius, varicornis, variegator, variegatus, varius, venator, venosus, versicolor, verticillatus, versicularis, vesparum, vespertinus, vespiformis, vespoides, viaticus, viator, vibex, victor, vigilans, vigilator, vinctus, vindex, vinulae, violator, virgatus, visitator, vitis, vittatus, volutatorius, vorax, vulpes, xanthomelas, xanthopus, xanthorius, xanthuros, zonator.

Ichneumon (Mamm.):—pharaon.

“**Ichthyolithus**”:—bufonites, glossopetra, marmoris, niger, pallidus, schisti.

Icterus:—americanus, annulatus, baltimore, bonana, brasiliensis, caeruleus, castaneus, caudacutus, cayanensis, chrysocephalus, costototl, dominicensis, ferrugineus, flavescens, flavus, furcatus, griseus, icterocephalus, jacapani, jamacari, melancholicus, mexicanus, nidipendulus, niger, olivaceus, phaeniceus, ruber, textor, unalaskhensis, varius, vire-scens, viridis, vulgaris, xanthornus.

Idotea, F. Weber, Nomen. Fabricii, 1795, 94:—acuminata, adactila, albicornis, americana, aquatica, armigera, emarginata, linearis, marina, physodes, psora, scopulorum.

Ignavus:—tridactylus.

Iguana:—agama, amboinensis, basiliscus, calotes, chalcidica, chamaeleontina, clamosa, cordylina, cristata, delicatissima, fasciata, leguan, marmorata, minima, principalis, salamandrina, scutata, sepiiformis, superciliosa, tuberculata, umbra.

Inachus:—aculeatus, angustatus, araneus, chiragra, condyliatus, cornutus, hircus, hybridus, lar, longipes, longirostris, maja, mascaronius, muricatus, nasutus, opilio, ovis, phalangium, sagittarius, scorpio, spinifer, ursus.

Indri :—brevicaudatus, longicaudatus, niger.

Involvulus :—aequatus, alni, avelanae, bacchus, betulae, curculioniformis, marginatus, metallicus, populi, sanguiforbae, sulcidorsum.

Ips, C. de Geer, Mem. Ins. V. 1775, 194 :—aenea, atomaria, atra, attenuata, bicolor, bifasciata, bipunctata, bipustulata, caricis, cellaris, cimeterius, cinnamomea, contracta, crenata, cylindrica, domesticus, dorsalis, elongatus, eustatus, fallax, fasciata, ferruginea, frumentaria, fumatus, fungorum, fusca, gigas, grandis, haemorrhoidalis, humeralis, impressa, linearis, lunata, marginalis, micrographus, minuta, monilis, nigra, nigricornis, nigripennis, novemmaculata, oblonga, pallida, picea, picipes, piniperda, plumigerus, polygraphus, punctata, pusilla, quadriguttata, quadrimaculata, quadrinotata, quadri-pustulata, ruficornis, rufifrons, rufipes, rufus, rugicollis, sanguinicollis, sexdentata, sex-pustulata, silacea, spinosus, sulcata, taxicornis, terebrans, testacea, transversa, typographus, ungarus, unicolor, unidentata.

Isis :—anastatica, asteria, aurantia, coccinea, dichotoma, elongata, encrinus, entrocha, hippuris, nobilis, ocracea, palma.

Isocardia :—cor.

Isogonum :—alaphasianum, crenulatum, gnomon, marsupiale, norma, scapula, semiaurium.

Ispida :—ispida.

Iulus :—areneoides, candidus, carnifex, complanatus, crassus, dentatus, depressus, fasciatus, fuscus, guttulatus, indus, lagurus, maximus, limbatus, marginatus, marmoreus, ovalis, pallipes, penicillatus, plumbeus, pustulatus, rupestris, sabulosus, scolopendricus, sub-marinus, stigma, terrestris, testaceus, tridentatus, tuberculatus, varius, virginiensis.

Ixodes :—reduvius.

Jaculus :—giganteus, jerboa, orientalis, torridatum.

Janthina :—*vide* *Ianthina*.

Jerboa :—brunii, capensis, gigantea, jaculus, kanguru, longipes, maculata, meridiana, potoru, sagitta, sibirica, tarsata.

Johnius :—aeneus, carutta.

Jynx :—minutissima, torquilla.

Julus :—*ide* *Iulus*.

Kangurus :—gigas.

Kateretes :—ater, brachypterus, castaneus, dentatus, fimetarii, fuscus, gravidus, pedicularius, somacola, urticae.

Keratophyton :—flabelliforme.

Kerona :—calvitium, cypris, haustellum, haustum, histrio, lepus, lycaster, mytilus, octoceros, patella, pullaster, pustulata, rastellum, silurus, vannus.

Keroplatus :—tipuloides.

Kinkajou :—caudivolvula.

Kolon :—claviger, viennensis.

Kolpoda :—assimilis, cucullio, cucullulus, cucullus, cuneus, gallinula, hippocrepis, lamella, luna, meleagris, mucronata, nucleus, ochrea, pirum, ren, rostrum, striata, triquetra.

Korynetes :—ruficollis, rufipes, sanguinicollis, violaceus.

Kryptophagus :—aeneus, bifasciatus, fuscus, ipsoides, lycoperdi, pilosus, punctatus, variabilis.

Kurtus *vel* **Kyrtus** :—blochianus, indicus, velifer.

Labrus :—adriaticus, adpersus, anthias, aper, argus, aristatus, auritus, badius, ballan, bergylta, bifasciatus, bimaculatus, bivittatus, boops, brasiliensis, caeruleus, carneus, ceylanicus, chanus, chloropterus, chromis, cinereus, citrinus, comber, coquus, cornubius, cretensis, cyanocephalus, cynaedus, cyprinaceus, erythrophthalmus, exoletus, falcatus, fasciatus, ferrugineus, flavus, fulvus, fuscus, gallus, garzetto, gibbus, griseus, guttatus, gvaza, hepatus, herbeus, hiatula, inermis, infuscus, japonicus, julis, koelreuteri, lapina, leucurus, linearis, lineatus, livens, loefflingii, lunaris, lunulatus, luscus, luteus, macro-

lepidotus, maculatus, malapterus, marginalis, maximus, melagaster, melapterus, melops, merula, microlepidotus, mixtus, niger, niloticus, ocellaris, ocellatus, olivaceus, onitis, opercularis, orientalis, osseus, ossifagus, oyena, paroticus, pavo, perca, perdicca, peroidis, psittacus, punctatus, purpureus, quinquemaculatus, radiatus, ramentosus, reticulatus, rone, rubellio, rufus, rupestris, salviani, sapphirinus, scarus, scina, sinensis, striatus, subfuscus, sullus, tessellatus, tinca, tineca, torquatus, trichopterus, trimaculatus, turdus, unimaculatus, variegatus, varius, venosus, vetula, viridis, vittatus.

Lacerta :—abdominalis, aegyptia, aerdan, africana, agama, agilis, algira, alligator, amboinensis, ameiva, anguina, angulata, apoda, apus, aquatica, arguta, americana, aurata, aurita, azurea, basiliscus, bicarinata, bilineata, bimaculata, bipes, bislineatus, brevipes, bullaris, caeruleus, caliscertula, calotes, capensis, capite-bifurcatus, capite-planus, cauda-cyaneus, cauda-plana, caudiverbera, ceylonica, chalcides, chalcidica, chamaeleon, cineraceus, cinereus, colloruber, cordylus, cornuta, cristata, crocodilus, cruenta, deserti, dracaena, draco, edda, erythrocephala, exanthematica, fasciata, fimbriata, gangetica, gavial, gecko, geckotus, geitje, guttata, harbai, hasselquistii, helioscopa, helvetica, hexagonus, hispida, homocephala, iguana, interpunctata, japonica, javanensis, lacustris, lateridigitatus, lateralis, lemniscata, leo, lineata, lumbricoides, mabonya, marmorata, martinicensis, mauritanica, mexicana, monitor, montana, muralis, muricata, mystacea, nilotica, ocellata, orbicularis, orbiculata, palluma, palustris, paradoxa, pelluma, phylluros, platura, platyuros, plica, plicatus, porosa, principalis, pumila, punctata, quadrilineata, scintuorilineata, quetz-paleo, quinquelineata, rapicauda, roquet, salamandra, sarroube, scincoides, scutata, sepiiformis, seps, serpens, sexlineata, sinensis, sputator, stellio, stincus, striatus, strumosa, sulcatus, superciliosa, taeniolata, tapaya, taraguira, teguixin, temapara, terdigitata, tetradactyla, thunbergii, tiliguerta, tiligugu, triangularis, tridactyla, triton, tupinambis, turcica, umbra, unistriata, uralensis, varia, velox, viridis, vittata, vulgaris, zeulonica.

Lacertus, B. G. E. de Lacépède, Quad. Ovip. etc. I. 1788, Syn. Méth. :—*vide* **Lacerta**.

Laganus :—stribilite.

Lagena (G.) :—crenulata, elegantissima, nigella, nodulosa, pterygiata, undosa, varia, violacea.

Lagomys :—accedula, arctomys, arenarius, aspalax, capensis, citillus, cricetus, empetra, furunculus, glareolus, gregalis, hudsonius, lagurus, lemmus, marmota, monax, oeconomus, phaeus, rutilus, socialis, songarus, talpinus, torquatus, typhlus.

Lagopus :—bonasia, lagopus, tetrax, urogallus.

Lagria :—abdominalis, aenea, ambulans, antherina, atra, bifasciata, caerulea, collaris, cyanea, elongata, flavipes, floralis, glabrata, haemorrhoidalis, hirta, linearis, lineata, livida, lugubris, marginata, metallica, minuta, nigra, nigricornis, obscura, pubescens, ruficollis, rufifrons, scutellaris, tomentosa, tuberculata, villosa, viridipennis, viridis, vittata.

Lamarckia :—bursa, vermilara.

Lambis :—accipitrina, albida, aratrum, arthritica, auris diana, bryonia, bulla, buris, canaria, canariensis, canarium, carinata, carnaria, carnea, cerea, chiragra, cingulata, contorta, coriacea, curruca, davilae, decora, dentata, elegantissima, epidromis, fragilis, gallus, gibberula, gibbosa, gigas, grisea, harpago, hermaphrodita, labiata, laciniata, lambis, lamboides, latissimus, lentiginosa, lobata, luhuana, maculata, millepeda, minimus, pes pelecani, picta, pipa, plicata, puellaris, pugilis, radix, rana, rosea, rubiginosa, scorpius, stiva, succincta, turrita, turturella, undulata, urceus, velamen, velum, ventricosa, venusta, vittata, vomer.

Lamia :—aedificator, aedilis, aethiops, ambulator, amputator, annulata, aphanes, aranea, araneiformis, arenaria, argyraspis, ariolator, aspera, assimilis, atomaria, augusta, aurantia, banksii, barbicornis, bicincta, bidens, bifasciata, brunnea, caminator, cancriformis, cantor, capensis, carbasus, carinata, carolinensis, cineraria, cinistro, coquus, cornutor, corrugator, crispata, crista, cruciata, crucifera, curculionoides, daldorfii, daviesii, dentata, dentator, deserta, diana, erythrocephala, fasciculata, ferrugator, fimbriata, formosa, forator, fronticornis, fuliginator, fuliginosa, fulva, funesta, fusca, fuscator, gigas, glauca, glycyrrhizae, granulator, grisator, gutturator, hebraea, heinrothi, hirtipes, hispida, histrio, horridus, hottentotta, humeralis, hystrix, interrupta, kaehlerii, lemniscata, leprosa, leskiana, lineata, lugubris, lusca, lusia, lusitanica, lutea, macularis, manillensis,

marmorarius, marmorata, marmorea, marylandica, mixta, molator, molitor, morio, nebulosa, nigrator, nigricornis, nobilis, notata, nutator, obscura, obsoleta, ochrator, octomaculata, oculator, omega, ornata, pattersoni, pedestris, pedicornis, plumosa, praemorsa, praeusta, pulchra, punctator, quadricornis, quinquefasciata, regalis, repandator, reticulator, rosennulleri, rotator, rubus, rudis, rufipes, ruspator, saltator, sartor, scabrador, scalator, scopoli, scorio, sehestedi, solandri, speciosa, spengleri, spinator, spinicornis, spinifera, sternutator, strepens, subocellata, sutor, testator, textor, tigrina, titillator, tornator, tribulus, trifasciata, tristis, tuberculator, undata, ungarica, unifasciata, vaginator, variegator, varia, variolator, verrucosa, villica, vittator.

Lampadion:—carocolla, labyrinthus, lucerna, marginatum, orbiculare, ringens, sinense, sinicum, testaceum, trilineatum, tumidum, turritum.

Lampas:—electrica, rubus, terebratula.

Lampris:—guttatus.

Lampyrus:—anomala, atra, augusta, aurora, australis, bicolor, caliginosa, capensis, caponica, cayennensis, cincta, coccinea, compressa, corrusca, depressa, fasciata, flabellata, flabellicornis, fulgida, glauca, hemiptera, hespera, ignita, immaculata, italica, japonica, latissima, livida, lucida, maculata, marginata, minuta, nigripes, nigro-rubra, nitens, nitidula, noctiluca, numida, obscura, occidentalis, palliata, pallida, pectinata, pectinicornis, pensylvanica, phosphorea, pilosa, plumosa, praeusta, proboscidea, pullens, pusilla, pyralis, reticulata, rostrata, rubens, rufa, sanguinea, serraticornis, sinensis, splendida, splendidula, surinamensis, thoracica, versicolor, vespertina, villosa, vittata.

Lanarius:—the "Lanarius albicans" attributed to Daudin should read *Falco lanarius*, var.

Langaha:—madagascariensis.

Lanius:—albirostris, albus, americanus, ampelis, antiguanus, atricapillus, aurantius, barbarus, biarmicus, bicolor, brachyurus, bulbul, caeruleus, canadensis, canadiensis, carbo, carnifex, castaneus, caudatus, cayanus, collaris, collurio, cristatus, curvirostris, doliatus, dominicanus, emeria, erythrocephalus, excubitor, faustus, ferrugineus, forficatus, fuscus, garrulus, guttatus, infaustus, italicus, jocosus, lathamii, leucocephalus, leucorhynchus, leucoryn, leverianus, lucionensis, ludovicianus, macrourus, madagascariensis, malabaricus, melanocephalus, minor, murinus, naevius, nasutus, natka, nengeta, niger, nootka, obscurus, pacificus, panayensis, passerinus, philippinus, phoenicurus, picatus, pileatus, pitangua, pomeranus, pygargus, ruber, rubiginosus, rufus, ruficeps, rufus, rutilus, schach, scolopaceus, senator, senegalus, septentrionalis, sinensis, spinitorquus, sulphuratus, surinamensis, tabuensis, tyrannus, varius, viridis.

Laplysia:—depilans, fasciata.

Laria:—dulcamere, hyoseris, quadrimaculata, salicis, sileris.

Larra:—bifasciata, cincta, cingulata, crassicornis, erythrocephala, fasciata, ichneumoniformis, quadripustulata, ruffrons, vespiformis.

Larus:—albus, argentatus, articilla, atricilla, atricilloides, balticus, bicolor, canescens, canus, catarractes, cinerarius, cinereus, columbinus, crepidatus, eburneus, erythropus, fuscus, glaucus, griseolus, hirundo, hybernus, ichthyaetus, keeask, littoreus, maculatus, marinus, merulinus, minutus, naevius, niveus, parasiticus, polo-candar, quadricolor, ridibundus, riga, rissa, smirnenis, sterna, tridactylus, varius, waggellus.

Laternaria:—candelaria, phosphorea.

Laternula:—anatina, truncata.

Laticauda:—imbricata, scutata.

Latridius:—acuminatus, ater, bicolor, bipunctatus, crenatus, dorsalis, fascicularis, flavescens, gibbosus, glaber, longicornis, melanocephalus, mesomelus, minimus, monotomus, nigripennis, porcatus, quadratus, ruficornis, rugosus.

Leistus:—piceus, testaceus.

Lema:—asparagi, bifasciata, brunnea, campestris, cyanea, duodecimpunctata, equestris, flavipes, impressa, melanura, merdigera, nigricornis, nigripes, praeusta, quadripustulata, quattuordecimpunctata, quinquepunctata, retusa, ruficollis, rufipes, solani, subspinosa, tranquebarica, unifasciata.

Lemmus:—glareolus, hudsonius, lagurus, lemmus, socialis, torquatus.

Lemur:—albifrons, bicolor, brunneus, catta, cordatus, cucang, ecaudatus, flavus, fulvus, griseus, indri, kolurus, laniger, lori, macaco, macaro, macrotarsus, mongoz, mongus,

murinus, niger, parvus, podje, potto, prehensilis, pusillus, rufus, spectrum, tardigradus, tarsia, tarsier, volans.

Lepas:—aculeata, alveolaris, anatifera, angustata, anserifera, arcuata, aurita, balaenaris, balanoides, balanus, caerulescens, caretta, cariota, cassis, columna, conoides, coriacea, cornubiensis, costata, crispata, cygnea, cylindrica, depressa, diadema, echinata, ehrensverdiana, elongata, fistula, fistulosa, foliacea, fungites, galeata, gallorum, gorgoniae, hameri, hexastylus, intertexta, lacera, leporina, minor, mitella, mitra, muricata, obliqua, ovata, palmipes, patellaris, pectinata, plicata, pollicipes, porosa, psittacus, purpurea, rosata, scalpellum, senticosa, serrata, spinosa, spongites, stellata, striata, strigatulus, strömia, testudinaria, tintinnabulum, trapezium, tulipa, verruca, violacea, virgata.

Lepidopus:—argenteus, gouanianus.

Lepisma:—bifurca, collaris, lineata, minuta, longicornis, polypoda, polypus, saccharina, semicylindrica, terrestris, thezeana, villosum, vittata, vulgaris.

Leptocephalus:—lineatus, morrisianus, morrisii, taeniola.

Lectura:—abbreviata, achilleae, acuminata, adusta, aenea, aeneopunctata, aeruginosa, aethiops, affinis, alni, altaiensis, americana, aquatica, arcuata, arietis, armata, assimilis, atra, attenuata, aurea, aurulenta, baja, bajula, betulina, biarcuata, bicolor, bifasciata, bilineata, bimaculata, bipartita, bipunctata, bipustulata, caerulea, caerulescens, calcarata, canadensis, cantharoides, cantherina, carbonaria, carcharias, cardui, carecti, carneola, castanea, cerambyciformis, chrysomeloides, chrysothyreos, cinerea, circumdata, clavata, coccineo-fasciata, collaris, connexa, cordifera, cordigera, consimilis, coromandeliana, costata, crassipes, cruciata, curculioides, curculionoides, cursor, cyanea, decempunctata, detrita, dimidiata, dispar, dubia, duodecimmaculata, elongata, emarginata, erythropus, fallax, fasciata, femorata, fennica, ferruginea, figurata, fugax, fuliginosa, fulva, fulvipes, funerea, fusca, gallica, gammoides, genii, grandis, hastata, holosericea, humeralis, ignita, inquisitor, interrogationis, laevis, lamda, lamed, lateralis, limbata, linearis, lineata, livida, lucida, lunulata, lurida, lutescens, luticornis, maculata, maculicornis, maculosa, marginata, marginella, massiliensis, melanaria, melanura, meridiana, minor, mordax, morio, mucronata, mystica, naevia, nebulosa, necydalea, nigella, nigra, nigripes, nitens, nitida, noctis, notata, obscura, octomaculata, octopunctata, oculata, oo, palustris, parallela, parisina, pastinacae, pedella, picipes, pictus, pilosa, plumicornis, plumipes, populnea, praeusta, pratensis, pumila, punctata, punctulata, punctuosa, pubescens, quadrifasciata, quadriguttata, quadrimaculata, quadrinotata, quadripunctata, quadripustulata, quinquemaculata, regularis, reticulata, revestita, robiniae, rosae, rostrata, rubens, rubra, ruficollis, ruficornis, ruficus, rufipes, russica, rustica, sanguinea, sanguinolenta, scalaris, schaefferi, schalleri, scopolianna, scopoli, scutellata, semicolon, septemmaculata, sericea, sexguttata, sexmaculata, sibirica, signata, similis, simplex, sinuata, smaragdina, smaragdula, solstitialis, spadicea, spartii, spinosae, splendens, splendida, squallida, strigilata, strigosa, subcaerulea, subspinosa, suturalis, sutura-nigra, tabacicolor, testacea, testaceo-fasciata, thalassina, thoracica, tomentosa, tranquebarica, tremula, trifasciata, turcica, udmanniana, ucranica, umbellatarum, undata, unicolor, unipunctata, ustulata, vagans, varia, variabilis, variegata, velutina, verbasci, verna, vesicolorea, vidua, villica, villosa, violacea, virens, virginea, viridi-aurea, viridis, vittata, vulgaris, zebra.

Lepturoides:—linearis.

Leptus:—phalangii.

Lepus:—alpinus, americanus, brasiliensis, capensis, cuniculus, dauricus, manus, marinus, minimus, nanus, niger, ogotona, pusillus, saccatus, septentrionalis, sericeus, tapeti, timidus, tolai, variabilis, viscacia.

Lepus (Moll.), P. Forskal, *Icones*, 1776, 9:—marinus [? used in a general sense].

Lernaea:—anomala, asellina, branchialis, clavata, cornuta, cyclopterina, cyprinacea, gadina, gobina, huchonis, lavareti, lotae, nodosa, pectoralis, pinnarum, radiata, salmonea, uncinata.

Lethrus:—aeneus, cephalotes.

Leucophra, O. F. Müller, *Zool. Dan.* II. 1784, 97:—acuta, armilla, aurea, bursata, candida, confictor, cornuta, dilatata, fluida, fluxa, fracta, globulifera, heteroclita, mamilla, nodulata, notata, pertusa, posthuma, pustulata, scintillans, signata, trigona, turbinata, vesiculifera, virescens, viridis.

- Leucosia** :—craniolaris, cylindrus, erinaceus, fugax, globosa, graniolaris, hystrix, nucleus, pila, planata, porcellana, punctata, scabriusculus, septemspinosa.
- Leucospis** :—atra, caelogaster, dorsigera, ensifera, gallica, gigas, nigra, petiolata.
- Libella** :—pennipes.
- Libellula** :—adelais, aenea, aereus, albidella, americanus, anquis, arria, asiatica, aspis, aurea, berenice, bifasciata, braminea, caecilia, caerulata, caerulea, caeruleomaculata, caerulescens, caia, cancellata, capensis, carnatica, carolina, ciliata, clavata, coluberculus, conspurcata, contaminata, cyanea, danae, daurica, depressa, dimidiata, domitia, dorothaea, eponina, equestris, fasciata, ferrugata, ferruginata, ferruginea, flaveola, flaveolata, flavescens, flavipennis, fluctuans, forcipata, fridrichsdalensis, frumenti, fugax, fulva, fulvia, gibba, globulata, grandis, hafniensis, harpedone, histrio, indica, irrorata, juncea, junia, linearis, lineata, lucia, lucifugus, lucretia, ludovicia, lydia, maculata, marcia, marginata, minius, minuta, nebulosa, nobilitata, notata, nymphula, obscura, oculata, parvula, paulina, pedemontana, philintha, phyllis, portia, pratensis, puella, pulchella, pumila, quadrinaculata, quadripunctata, rubicunda, rubra, sabina, sanguinea, serva, servilla, sexmaculata, sibirica, sinensis, sinuata, sophia, sophronia, splendens, splendeo, squamata, stigmatizans, sylvia, tenella, tillarga, titia, tomentosa, triedra, trigona, trimaculata, tullia, umbrata, unifasciata, unimaculata, varia, variegata, versicolor, vesiculosa, vibrans, victoria, violacea, virgo, viridi-cincta, vulgata, vulgatissima.
- Ligia** :—granaria, inflexa, italica, oceanica, tricuspidata.
- Ligniperda**, P. S. Pallas, Spic. Zool. IX. 1772, 6 :—capucinus, cornuta, cylindrica, monachus, muricatus, pectinicornis, terebrans.
- Ligula** :—abdominalis, avium, intestinalis, petromyzontis, piscium, salvelini, truttae.
- Lima** :—alba, lima.
- Limacia** :—auriculata, clavigera, fasciculata, lacinulata, papillosa, quadrilineata, verrucosa.
- Limax** :—agrestis, albus, ater, aureus, bilamellatus, cinctus, cinereus, coccinea, crenata, echinatus, faba, fasciatus, fibratus, filans, flammeus, flavus, fusca-spicatus, fuscus, hyalinus, laevis, lampas, lanceolatus, lituus, luteus, marginatus, marginellus, marina, maximus, minimus, nigra-spicatus, nucleus, opalus, papillosus, purpuratus, reticulatus, rufus, scaber, scopulorum, scutulatus, spicatus, subrufus, succineus, sylvestris, tenellus, tergipes, tetraquetra, tiara, undulatus, viperinus, vittatus.
- Limnaeoderma** :—anatinum, antiquatum, calyculatum, cygneum, pictorum.
- Limnochaeres** :—aquaticus.
- Limosa** :—rufa, totanus.
- Limulus** :—cyclops, gigas, palustris, pennigerus, polyphemus.
- Linaria** :—cyanea.
- Linguatula** :—bilinguis, serrata, trichocephala, unilinguis.
- Lingula** :—unguis.
- Lithophaga** :—mytuloides.
- Lithophilus** :—ruficollis.
- Lithophyton** :—arbores, fulvum, pulmonare.
- Lithosia** :—complanata, convoluta, depressa, eborina, gelata, grandis, irrorata, lutea, magna, marginata, perla, pustulata, quadra, roscida, socia.
- Lituus** :—abbaticus.
- Lobaria** :—quadriloba.
- Locusta** :—achetoides, acuminata, aethiopica, agilis, albifrons, albopunctata, aprilina, aptera, aquilina, asina, atrata, brachyptera, bracteata, camellifolia, capitata, catoptrica, cineraria, citrifolia, clypeata, conica, conocephalus, coriaceus, cornuta, coronata, curvicauda, daedalea, dasypus, denticulata, elongata, ephippiger, falcata, falconaria, falx, fasciata, femorata, fenestrata, fusca, glabra, gladiator, graminifolia, grisea, griseoaptera, hemiptera, indica, italica, lanceolata, laurifolia, laxmanni, marginata, maxillosa, melanoptera, mutica, myrtifolia, oblongifolia, ocellata, oeymifolia, oleifolia, onos, pallens, papa, pavonina, pedestris, perforata, perspicillata, punctatissima, pupa, quadrimaculata, reticulata, salviafolia, serrata, serricauda, serripes, siccifolia, sima, specularis, specularis, spinifrons, spinipes, spinulosa, squarrosa, teres, thalassina, thymifolia, triglina, triops, tuberculata, varia, vermivora, verrucivora, viridis, viridissima, vittata, vulturina.—*Vide et. Gryllus.*

Loligo:—sagittata, sepiola, subulata, vulgaris.

Lonchurus:—barbatus.

Lopha:—cornuopiae, crista galli, folium, frons, hyotis, plicatella, theca.

Lophius:—aculeatus, barbatus, digitatus, dubius, fergusonis, histrio, marmoratus, mono-
pterygius, pictus, piscatorius, setigerus, stellatus, striatus, vespertilio.

Loricaria:—callichthys, cataphracta, costata, maculata, plecostomus, punctata.

Loripoderma:—lacteum.

Loris:—gracilis, tardigradus.

Loxia:—abyssinica, afra, africana, amandava, americana, angolensis, asiatica, astrild, atra, aurantia, aurata, aurea, bengalensis, bengalus, bicolor, boetonensis, bonariensis, bour-
bonnensis, bouvreuil, brasiliana, brissoni, butanensis, butyracea, caerulea, caffra, cana, canadensis, canora, cantans, capensis, cardinalis, carlsoni, caudata, ceylonica, chloris, chlorocephala, cinerea, coccothraustes, colius, collaria, collaris, conchata, coromandela, coronata, crassirostris, crispa, cristata, crucifera, cubeensis, cucullata, curvirostra, cyanea, cyanella, cyanocephala, cyano gastr a, dominicana, dominicensis, enucleator, erycephala, erythrina, erythromelas, erythrophthalma, falcirostra, fasciata, ferruginea, ferruginosa, fimbriata, flabellifera, flabellum, flamengo, flavicans, flaviventris, franciscana, frontalis, fuliginosa, fusca, fuscicollis, granatina, grisea, grossa, gularis, guttata, haemorrhoidalis, hamburgia, hordeacea, hudsonica, hypoxantha, ignita, indica, jacobin, javensis, jugularis, laticauda, leucoptera, leucotis, leucura, lineata, lineola, liturata, longicauda, ludoviciana, macroura, maculata, madagascariensis, madagascarina, maja, malabarica, malacca, melanocephala, melanogastra, melanura, mexicana, minima, minuta, moineau, molucca, mystacea, naevia, nigra, nonette, notata, obscura, ochrocephala, orientalis, orix, oryzivora, panivora, papa, pectoralis, pensilis, perlata, philippina, picta, poliocar, portoricensis, prasina, psittacea, punctatoria, punctularia, punctulata, pyrrhula, pytyopsittacus, quelea, regina, regularis, rubicilla, rubra, rubricollis, rufiventris, sanguinrostris, semitorquata, senegala, septentrionalis, serinus, sibirica, sinensis, socia, striata, sulphurata, superciliosa, torrida, totta, tricolor, tridactyla, undulata, verdier, violacea, virens, virginica.

Lucanus:—aeneus, alces, antilopus, apterus, armiger, bicolor, bison, bubalus, camelus, cancroides, capensis, capra, capraea, capreolus, caraboides, carinatus, cervus, chryso-
melinus, cruentatus, cylindricus, dama, depressus, dorcas, dubius, elaphus, fasciatus, femoratus, fuscus, gazella, giraffa, hircus, interruptus, lama, parallelipipidus, pasan, piceus, pilmus, pygargus, rhinoceros, rufipes, saiga, striatus, sulcatus, suturalis, tarandus, tenebrioides, tenebroides, tessarius, tridentatus, virescens, zebra.

Lucar:—lividus.

Lucernaria:—auricula, phrygia, quadricornis.

Lucifer:—aldrovandi.

Lucina:—edentula.

Lumbricus:—arenarius, armiger, capitatus, ciliatus, cirratus, echiurus, edulis, fragilis, granulatus, inaequalis, intestinalis, lineatus, marinus, minor, minutus, oxyurus, papillosus, phalloides, rivalis, sabellaris, terrestris, thalassema, tubicola, tubifex, variegatus, vermicularis.

Lunatica:—argentata, argyrostoma, aruginosa, brunnea, chrysostoma, cingulata, citrina, denigrata, granulata, imperialis, maculata, marmorata, maxima, obscura, petholatus, picta, porphyria, sericea, siamea, spinosa, squamosa, taitensis, tuberculata, undulata, vericulum, viriduna.

Lunella:—anomala, appendiculata, cidaroides, cruenta, luteola, moniliformis, moslemica, neritoides, picta, pulverata, radula, striata, viridana, vitellata.

Luperus:—aeruginosus, alni, betulinus, cisteloides, fuscus, niger, pallidus, sanguinicollis, ulmarius, xanthopoda, xanthopus.

Lutjanus:—arabicus, atrarius, bidens, chrysops, chrysopterus, ephippium, erythropterus, hasta, linkii, lutjanus, luteus, miniatus, norwegicus, notatus, rostratus, rupestris, striatus, surinamensis, trifurcus, undulatus, verres, virescens.

Lutra:—brasiliensis, gracilis, guianensis, lubreola, lutris, marina, memina, minima, minor, vison, vulgaris.—*Vide et. Mustela.*

Lutraria:—lutraria.

Lyctus:—abbreviatus, bipustulatus, brunneus, canaliculatus, contractus, crenatus, cylindricus,

dentatus, depressus, dermestoides, dispar, ferrugineus, histeroides, juglandis, navalis, nitidulus, nitidus, parvulus, picipes, politus, pubescens, terebrans.

Lyctus:—affinis, aurora, bicolor, cassidoides, fasciatus, ater, ferrugineus, flabellicornis, latissima, minutus, nigripes, palliata, praeustus, proboscidea, punctatus, reticulatus, rostrata, ruficollis, rufus, sanguineus, serraticornis, serratus, striatus, tenellus, tricolor.

Lygaeus:—abbreviatus, aegyptius, agilis, albofasciatus, albomarginatus, alni, apterus, arbustorum, arcuatus, arenarius, armipes, ater, aterrimus, auctus, augur, aulicus, australis, balteatus, batatas, bellicosus, bifasciatus, biguttatus, binotatus, bipunctatus, bipustulatus, bistriguttatus, boerhaviae, braccatus, brachypterus, brevis, caelodion, caedemadens, calcaratus, campestris, capillaris, capitatus, carnifex, chiragra, chermesinus, chrysis, cingulatus, civilis, claudicans, clavicornis, clavimanus, clavipes, compernis, compressicornis, cornix, coryli, crassicornis, crenulatus, cruciger, crudelis, cruentus, curvipes, cyanothorax, danicus, decussatus, dentator, dentipes, deustus, dilatatus, elatus, equestris, errans, erraticus, erythronotus, excavatus, faber, famelicus, familiaris, femoratus, femorellus, ferrugatus, flavicollis, flavomaculatus, flavovarius, floralis, forsteri, fraxini, fulvicornis, furcatus, fuscus, futilis, gallus, giganteus, glyphicus, gonagra, gothicus, gramineus, grossipes, guttula, haemorrhoidalis, harpagon, heros, hospes, hyalinatus, hyalinus, hyoscyami, incubitor, indus, inquinatus, kermesinus, koenigii, laetus, lamprocephalus, laticornis, latipes, leprosus, leucocephalus, leucostictus, leucurus, linearis, lineatus, lineola, lunatus, luscus, lynceus, mactans, magnicornis, malabarius, maroccanus, melanocephalus, meleagris, membranaceus, mendicus, merianae, militaris, modestus, nassatus, nassovicus, neglectus, nemoralis, novempustulatus, nugax, olivaceus, pallens, palliatus, pedestris, phasianus, phylloceros, phyllopus, pictor, pini, platyceros, podagricus, poecilothorax, populi, pratensis, psidii, psotomphaneg, pubicornis, pulchellus, punctatoguttatus, punctum, quadratus, quadriguttatus, quadripunctatus, quadripustulatus, quadrispinosus, resedae, rolandri, roseus, rostratus, rubiginosus, ruficollis, rufomarginatus, saltatorius, sanotus, sanguineus, sanguinolentus, satelles, saxatilis, scabrosus, schach, scriptus, scutellaris, semilunaris, senatorius, septempustulatus, serratus, serrilumbis, serripes, servus, seticornis, sexguttatus, sexpunctatus, sexpustulatus, sidae, sinuatus, slanbuschii, sordidus, spissicornis, striatellus, striatulus, succinctus, superstitiosus, suturalis, sylvaticus, sylvestris, tenebrosus, tibialis, tiliae, torquareus, tragus, transversalis, tricolor, trifasciatus, triguttatus, trilineatus, tripustulatus, tunicatus, typhaeus, tyrannus, umbratilis, unifasciatus, urticae, valgus, varicolor, varicornis, varius, varus, venosus, V-nigrum.

Lygdus, J. C. Fabricius, Actes Soc. N. H. Paris. I (1), 1792, 33 = **Lyctus**.

Lymexylon:—abbreviata, barbatum, dermestoides, flavipes, laevigatum, marci, morio, navale, paradoxum, proboscideum, testaceum.

Lymnoea:—stagnalis.

Lynceus:—brachyurus, lamellatus, longirostris, macrourus, quadrangularis, socors, sphaericus, trigonellus, truncatus.

Lynx:—*vide Felis*.

Lytta:—afra, atrata, bicolor, bifasciata, cinerea, cinnabarina, clematidis, collaris, crassicornis, crocata, dubia, erythrocephala, fenestrata, ferruginea, festiva, formicaria, francofurthana, gigas, haemorrhoidalis, indica, lutea, marginata, melanura, nitidula, ocellata, oculata, pectinata, pennsylvanica, pubescens, quadrimaculata, rufa, ruticeps, ruficollis, segetum, sibirica, subvillosa, testacea, uralensis, vesicatoria, villosa, vittata, voetii.

Macaca:—inuus.

Macerophyllum:—acanthina, arcinella, gryphoides, lazarus.

Machla, A. A. H. Lichtenstein, Cat. rerum Nat. III. 1796, 67:—carinata, major, media, minor, nodulosa, rugosa, villosa.

Macrocephalus (Col.):—albirostris, bidens, bimaculatus, cacao, cinereus, fasciatus, fuliginosus, griseus, lugubris, maculatus, marmoreus, murinus, nebulosus, niveirostris, planirostris, sepicola, scabrosus, transversus, tuberculatus, undatus, variegatus, varius, verrucosus.

Macrocephalus (Hem.):—cimicioides.

Macrognathus:—aculeatus, armatus.

Macropus:—giganteus.

Macrotarsus (Mamm.):—buffoni, indicus.

Macrourus:—rupestris.

Mactra:—bicordata, complanata, compressa, corallina, cornea, cuneata, cygnus, dealbata, fragilis, glabrata, glauca, grandis, hians, lactea, listeri, lutraria, maculata, neapolitana, nicobarica, nitida, papyracea, pellucida, piperata, plicataria, rotundata, rugosa, solida, sprengleri, striata, striatula, stultorum, tellinoides, trunculus, turgida, violacea.

Madrepora:—abditata, abrotonoides, acerosa, acetabulum, acropora, agaricites, agaricum, ambigua, ampliata, ananas, angulosa, annularis, anthophyllites, anthophyllum, arachnoides, arenosa, areola, areolata, ascillaris, aspera, aspersa, astroites, axillaris, brita, boletiformis, botryotes, bulliens, cactus, caerulea, caespitosa, calendula, calycularis, capitata, carduus, cariophyllites, cavata, cavernosa, cellulosa, cerebrum, chalcidium, cinerascens, clivosa, cochlea, concamerata, conglomerata, conico-truncata, contignatio, contigua, corallium-rubrum, corymbosa, crater, cristata, crustacea, cucullata, cuspidata, cyathus, cymba, daedalea, daedalica, damicornis, denticulata, detrita, dianthus, digitata, discoides, divergens, echinata, elephantotus, erubescens, exesa, fascicularis, fastigiata, faveolata, favites, favosa, favus, ficcus, ficoides, filograna, filum, fimbriata, flexuosa, foliacea, foliosa, fragum, fungites, galaxea, gemmascens, globularis, granosa, gyrosa, hirtella, hyades, implicata, incrustans, infundibuliformis, intersepta, interstincta, involuta, labyrinthica, labyrinthiformis, labyrinthus, lacera, lactuca, lamellosa, latebrosa, lichen, limata, limax, limitata, maendrites, mammillaris, monasteriata, monile, monostriata, muricata, musicalis, natans, nodulosa, oculata, ombutus, organum, papillosa, parasitica, patella, patelloides, patinaeformis, pectinata, peltata, pentagona, perforata, partusa, phrygia, phrygiana, pileus, pistillata, pleiades, poculata, polygama, porcata, porites, porpita, problematica, prolifera, punctata, purpurascens, radians, radiata, ramea, repanda, retepora, rosacea, rosea, rotularis, rotulosa, rotundo-stellata, rubra, rus, scabrosa, serailia, seriata, siderea, sinuosa, solida, spinosa, spongiosa, spuria, stellaris, stellata, stellulata, talpa, tibicina, trilinguis, trochiformis, truncata, tubularis, turbinata, undata, undulata, uva, vermicularis, verrucaria, verrucosa, virginea.

Malachus:—abdominalis, aeneus, albifrons, analis, angulatus, appendiculatus, balteatus, bipunctatus, bipustulatus, cephalotes, cyaneus, elegans, equestris, fasciatus, flavipes, limbatus, lobatus, marginatus, marginellus, nitidulus, palicarius, pallipes, pedicularius, praestus, productus, pulicarius, quadrimaculatus, quadripustulatus, ruficollis, rufus, sanguinolentus, thoracicus, viridipennis, viridis.

Malacopteryx:—aeneus, americanus, biguttatus, bipustulatus, caeruleus, fasciatus, fuscus, lividus, melanurus, minimus, navalis, obscurus, rufus, testaceus.

Malleus:—malleus.

Mammaria:—globulus, mamilla, oblonga, varia.

Mammut:—ohioticum.

Manacus:—superbus.

Manatus:—aequatorialis, australis, balaenurus, borealis, clusii, gigas, guianensis, oronocensis, simininus, strongylonurus, trichecus.

Manis:—brachyura, laticaudata, macroua, pentadactyla, tetradactyla.

Mantellum:—excavatum, inflatum, lima, scabrum.

Manticora:—maxillosa.

Mantis (Orth.):—abdominalis, abjecta, acridea, aeruginosa, angulata, angusta, atrophica, aurita, baculus, bicornis, bidens, bimaculata, bispinosa, bisubulata, brachyptera, brevicornis, calamis, calamus, cancellata, capensis, carolina, ceratoskeleton, chloris, chloropus, cingulata, cirenea, clavata, cordata, cornuta, coronata, cubitata, cylindrica, dentata, draco, erythroptera, falcataria, fasciata, fausta, fenestrata, ferula, filiformes, filiformis, filum, flabellicornis, flavicincta, foliata, foliopaeda, fusca, fuscifolia, gigantea, gigas, gongylodes, gracilis, grisea, guttata, hemerobius, hyalina, incarnata, indicator, inflexipes, irrorata, jamaicensis, labiata, lanceolata, lateralis, leptelytra, lilliputiana, linearis, lobata, lobipes, maculata, marginata, marmorata, mendica, mesomelas, ministralis, minuta, monacha, nabota, nasuta, necydaloides, nigropunctata, nigrovenulata, obscura, ocellaria, ocellata, octosetosa, oculata, ophthalmica, oratoria, pagana, pallasiana, paradoxa, parva, parvula, paternoster, pauperata, pectinata, pectinicornis, pennicornis, perla, perspicua, phtthisica, picta, plombea, precaria, pulchra, purpurascens, pusilla, quinquemaculata, religiosa, rosea, rossia, rubromaculata, rustica, sacrata, sancta, sibirica,

siccifolia, simulacrum, spallanzania, sphinx, spinosa, spuria, squeueon, striata, stricta, strumaria, superstitionosa, tessulata, testacea, tricolor, tricornis, tridens, truncata, undata, unimaculata, urbana, variegata, venosa, viridana, vitrata, xanthomela, xanthoptera.—

Vide et. Gryllus.

Mantis (Cr.):—*vide* Cancer.

Mantispa:—pagana.

Manucodia:—chalybea.

Marginella:—glabella.

Marmota:—africana, alpina, capensis, citellus, cricetus, lemmus, nitela.

Masaris:—apiformis, bombiciformis, crabroniformis, vespiformis.

Mastacembelus:—macrophthalmum.

Matuta:—planipes, victor.

Mazocraes:—aloesae.

Medusa:—aequorea, andromeda, aurita, beroe, bimorpha, brachiata, cacuminata, campanella, campanula, capillata, caravella, cephea, ciliaris, coccinea, coelum-pensile, conifera, corona, cruciata, crucigera, cucumis, cymbaloidea, digitale, dimorpha, duplicata, frondosa, fusca,* globularis, hemisphaerica, hyoscella, infundibulum, lunulata, marginata, marina, marsupialis, minima, mollicina, navicula, noctiluca, ocellata, octopodia, octopus, octostyla, orbiculata, ovata, ovum, palliata, patina, pelagica, perla, perseae, pilearis, pileata, pileus, porpita, proboscidalis, pulmo, purpura, purpurata, uniformis, sanguinolenta, simplex, tetrastyla, tuberculata, tyrhena, umbella, undulata, unguiculata, utriculus, velella.

Megatherium:—americanum.

Megatoma:—atra, brevicornis, picea, schaefferi, schrankii, undulata.

Melania:—amarula.

Melasis:—bifasciata, buprestoides, dubia, flabelliformis, mystacina.

Meleagris:—cristata, gallopavo, mitrata, satyra.

Meles:—alba, gulo, ichneumon, indicus, labradoricus, labradorius, lotor, luscus, melliverous, taxus.

Melina:—ephippium, isogonum, pernaeformis, semiaurita.

Mellinus:—arenarius, aruensis, arvensis, bipunctatus, campestris, interruptus, labiatus, mystaceus, nigrita, quinquecinctus, quinquefasciatus, ruficornis, sabulosus, scaber, tricinctus, tristrigatus, variegatus.

Mellisuga:—cayanensis, coccinea, mosquitus.

Meloe:—afer, albivittatus, algiricus, ambusta, americana, antherinus, aprilina, arabica, arcuata, atrata, aurea, austriacus, autumnalis, balteata, bicolor, bifasciata, bimaculatus, biundulata, bivulnera, bivittis, brevicollis, brunsvicensis, caecus, calida, cantharoides, capensis, capite-rufo, caraganae, caucasica, chlooptera, chrysomeloides, cichorii, cinerea, cinnaberinus, clematidis, collaris, crambes, crocata, decemguttatus, decempunctatus, dorso-rufus, erythrocephalus, erythrocnema, erythrocyana, fasciatus, fenestrata, festiva, fimbriatus, flavus, floralis, gouani, hirsutus, impar, indica, laevigatus, lineatus, lunata, lutea, maiolis, majalis, marci, marginata, maura, melanura, monoceros, necydalea, nigra, nitidulus, ocellata, ochroptera, octomaculatus, oculatus, pallasii, pedicularis, pensylvanica, phalerata, plagiata, proscarabaeus, punctata, pustulatus, quadrifasciatus, quadriguttatus, quadrimaculata, quadripunctata, quatuordecimpunctatus, rugosus, schaefferi, schreberi, sericea, sexdecimguttatus, sibirica, solonica, speciosa, splendidula, syriacus, tecta, tenuicollis, testaceus, trichrus, trifasciata, trifascis, trimaculata, tripunctatus, trivittis, tuccia, undatus, undulata, ungarus, uralensis, ursus, vahlii, variabilis, variegatus, vernalis, vesicatorius, viennensis, vittatus.

Meloides:—adamovichiana.

Melolontha:—abbreviata, abdominalis, aenea, aequinoctialis, aeruginosa, aestiva, agricola, alba, albomarginata, aloplex, alpina, americana, angulata, anketeri, aphodioides, araneoides, arbicola, arctos, argentea, arthritica, arvicola, assimilis, atra, atomaria, atrata, atriplicis, aulica, aureola, aurita, austriaca, barbata, berlinensis, bibens, bicolor, bimaculata, bipunctata, bisignata, bombylifformis, bombylius, brevipes, brunnea, caerulea, caeruleocephala, calcarata, campestris, cancroides, candida, capicola, capucina, cardeci, cardui, castanea, chalcis, chrysis, chrysomelina, ciliata, cincta, cinerea, commersonii, cornuta, crassipes, crenulata, crinita, crucifer, cuprea, cyanea, dentipes, devota, discolor,

dispar, doryci, dorsalis, druryana, dubia, duodecimpunctata, elata, elongata, ephippium, eremita, errans, erythrocephala, farinosa, fasciata, fastuosa, femoralis, ferruginea, fervida, festiva, floralis, floricola, frischii, fruticosa, fullo, fusca, gibba, glabrata, glacialis, glauca, globator, globosa, gonagra, gracilipes, gracilis, graminicola, haemorrhoidalis, hemiptera, hirsuta, hirta, hirticollis, hololeuca, holosericea, horticola, humeralis, ignea, immaculata, inanis, indus, innuba, irrorata, julii, laeta, leei, limbata, lineata, lineola, longicornis, longimana, longipes, lucicola, lurida, lutea, lynx, marginata, marginicola, mastrucata, maura, meles, minuta, mixta, moerens, monticola, morio, muscoides, mutabilis, nigrita, nigromarginata, nitidula, nobilis, notata, oblonga, obscura, occidentalis, octopunctata, pagana, pallens, pallida, pellocephala, pellucida, philanthus, picea, picipes, pilosa, pini, plebeia, podagrica, praticola, proboscidea, pubescens, pulverulenta, punctata, pygmaea, quadridens, quadrimaculata, quadri-punctata, rauca, reflexa, regia, rubicunda, rubra, rufa, ruficollis, ruficornis, rupicola, ruricola, rustica, segetum, semistriata, serrata, serratae, sibirica, signata, similis, solstitialis, speciosa, spilophthalma, spinipes, splendida, squamosa, stictica, stigma, striata, subspinosa, succincta, surinamensis, suturalis, sylvicola, tau-nigrum, testacea, tetradactyla, tibialis, tomentosa, tridentata, trigona, tristis, umbrosa, undata, unguiculata, unicolor, unungulus, ursus, valpes, variabilis, varians, variolosa, versicolor, villosa, violacea, virens, viridis, vitis, vittata, vividis, vulgaris, vulpes.

Melursus:—lybius.

Melyris:—abdominalis, aenea, ater, aulicus, bimaculatus, caerulea, ciliatus, cyaneus, dubius, erythrogaster, flavipes, floralis, lineatus, marginatus, niger, plumbeus, pubescens, quadrimaculatus, sericeus, sexpunctatus, testaceus, tomentosa, villosus, viridis.

Membracis:—aculeata, acuminata, alticollum, armata, auriculata, aurita, bimaculata, bipunctata, bonasia, bracteata, bupalus, capra, capricornus, clavata, convoluta, cornuta, crepido, crux, emarginata, fasciata, flexuosa, foliata, folium, fronditia, fuscata, galeata, genistae, gibbosa, hastata, horrida, hypozygia, inermis, inflata, lanceolata, longicollum, lunata, marginata, maculata, melanopetala, minuta, mutica, nigra, petalodes, planata, punctata, rhombea, rupicapra, siccifolia, sinuata, spinosa, squamigera, tarandus, taurus, tectigera, trifida, vitulus.

Meretrix:—meretrix.

Merganser:—aethiops, albellus, castor, cucullatus, furcifer, imperialis, minutus, niger, rancedula, serrator.

Mergus:—aethiops, albellus, albulus, arcticus, asiaticus, caeruleus, castor, cristatus, cucullatus, furcifer, fuscus, glacialis, gulo, immer, imperialis, leucomelanus, maculatus, merganser, minutus, mustelinus, naevius, pannonicus, rubricapilla, septentrionalis, serrator, serratus, sinensis, stellatus, striatus, tinus.

Merops:—aegyptius, americanus, angolensis, apiaster, badius, brasiliensis, bruneus, caeruleocephalus, cafer, carunculatus, castaneus, cayennensis, chrysocephalus, cinninatus, cinereus, congener, corniculatus, coromandelicus, coromandus, erythrocephalus, erythropterus, fasciculatus, flavicans, galilaeus, giganteus, gularis, hirundineus, maximus, minor, moluccensis, niger, novae seelandiae, nubicus, persica, philippensis, philippinus, phrygius, pusillus, rufus, spiza, superbus, superciliosus, surinamensis, viridis.

Microtus:—amphibius, gregarius, terrestris.

Millepora:—agariciformis, alga, alcornis, aspera, bifida, caerulea, calcarea, cardunculus, causia, cellulata, cellulosa, cervicornis, ceylonica, clathrata, compressa, conglomerata, coriacea, crustacea, crustulenta, cylindrica, damicornis, decussata, dichotoma, erosa, eschara, exaesa, fascialis, foliacea, foraminosa, forniculosa, frondipora, furcorum, islandica, lanuginosa, lichenoides, liliacea, lineata, lobata, miniaea, muricata, norvegica, ocracea, pinnata, polymorpha, pumicosa, pumila, recta, retepora, reticulata, reticulum, rubra, skenei, solida, spongites, taenialis, tarandicornis, tenella, tortuosa, truncata, tubipora, tubulifera, tubulosa, verrucaria, verrucosa, violacea.

Milvus, C. Nozeman in Nozeman & Houuttuyn, Ned. Vogel. I (177-), 15:—aeruginosus, falco:—the species attributed to Daudin should read **Falco milvus varr.**

Miris:—abietis, calens, cingulatus, dolabratus, ferus, gronovii, holsatus, laevigatus, lateralis, marginellus, modestus, pabulinus, pallens, spissicornis, striatus, ulmi, vagans, virens.

Mitra:—aurata, bernhardina, bivertex, caelata, cancellata, capucina, cardinalis, carmelita, castanea, cinnamomea, crenulata, denticulata, discolor, elata, elegantissima, episcopalis,

eremitorum, fasciata, flammeola, granularis, imperialis, inops, limosa, lutea, margaritacea, minuta, monachialis, nexilis, nivea, nobilis, papalis, perlata, pertusa, praestantissima, pulcherrima, rugata, sanguinea, sanguisuga, sphaerulata, staminea, stricta, tessellata, venosa, vermiculata, versicolor, vittata.

Modiolus :—modiolus.

Mola :—rotunda.

Molorchus :—abbreviator, dimidiata, longicornis, umbellatarum, variegata.

Monotus :—brasiliensis.

Monas :—atomus, lamellula, lens, mica, ocellus, pulvisculus, punctum, termo, tranquilla, uva.

Monedula :—pyrrhocorax.

Monoceros (G.) :—acutangulus, albus, duplicatus, exsoletus, imbricatus, obliquus, polymitus, striatus, terebra, unguinus, variegatus.

Monoculus :—apus, arcticus, argulus, armiger, bacchus, bispinosus, brachyurus, bracteatus, brevicornis, caeruleus, candidus, captivus, charon, chelifer, claviger, coarctatus, conchaceus, crangorum, crassicornis, crassus, crystallinus, curticornis, curvirostris, delphinus, detectus, elongatus, expinosus, fasciatus, faunus, finmarchicus, flavidus, foliaceus, gibber, gibbus, hemoris, infusorius, lacinulatus, laevigatus, laevis, lamellatus, lenticularis, longicornis, longirostris, longispinus, luteus, macrourus, maenas, marinus, minuticornis, minutus, monachus, mucronatus, oculus, ornatus, pediculus, pennigerus, pilosus, piscinus, pleuronectes, polyphemus, productus, pulex, quadrangularis, quadrangulus, quadricornis, rectirostris, rostratus, rubens, salmoneus, saltatorius, satyrus, setifer, setiferus, silenus, simus, socors, sphaericus, strigatus, telemus, testaceus, thyas, trigonellus, trixapus, truncatus, vidua, viduatus, viridis.

Monodon :—monoceros, narwhal, spurius.

Monodonta :—labio.

Monopterus :—gigas, javanensis.

Monostoma :—bombynae, mutabile, ocreatum, prismaticum, verrucosum.

Monotoma (Monotama, G. W. F. Panzer, Ins. Germ. I. 1792, no. 24) :—crenata, picipes, striata.

Mordella :—abdominalis, aculeata, atra, barbata, bicolor, biguttata, bimaculata, clavicornis, cuprea, dimidiata, dorsalis, duodecimpunctata, elegans, equiseti, erythrogaster, fasciata, fasciolata, ferruginea, flabellata, flava, flavipes, frontalis, fulva, fusca, gigantea, guttata, humeralis, triformis, larvata, lateralis, limbata, maculosa, melanopa, murina, nasuta, nebulosa, neuwaldeggiana, nigra, nigripennis, octopunctata, oxyacanthae, paradoxa, pectinata, perlata, picipes, pubescens, punctata, rosacea, ruficollis, rufipes, rustica, serraticornis, sexmaculata, sexpunctata, striata, testacea, thoracica, tricuspidata, ungarica, variegata, villosa.

Mormyrus :—anguilloides, caschive, cyprinoides, kannume.

Morum :—purpureum.

Moschus :—americanus, delicatulus, indicus, javanicus, meminna, moschiferus, pygmaeus, sibiricus, sinensis, surinamensis.

Motacilla :—acredula, aequinoctialis, aestiva, afra, africana, alba, albicapilla, albicollis, albidia, albifrons, alpestris, alpina, americana, aquatica, arundinacea, atrata, atricapilla, aurantia, aurata, auricollis, aurocapilla, aurorea, australis, awatcha, bananivora, blackburniae, boarula, bonariensis, borbonica, borealis, borin, caerulea, caerulescens, caffra, calendula, calidris, callida, calliope, campestris, cana, canadensis, cantillans, capensis, caprata, caryophyllacea, cayana, ceylonica, chloroleuca, chrysocephala, chrysoptera, cinclus, cincta, cinerea, cinnamomea, citreola, citrina, coromandelica, coronata, cristata, curruca, currucoides, cyane, cyanea, cyanocephala, cyanurus, dominica, dumetorum, emeria, eques, erithacus, erythrogastra, fasciata, ferruginea, fervida, ficedula, fitis, flammea, flava, flavescens, flavicauda, flavicollis, flavifrons, fruticeti, fulicata, fulva, furva, fusca, fuscata, fuscescens, fuscicollis, galeata, gibraltariensis, grisea, griseo-thorax, guianensis, guira, gularis, guttata, hippolais, hirundinacea, hispanica, hortensis, hotten-totta, hudsonica, hypoleuca, icterocephala, incana, indica, javensis, juncorum, kamtschatkensis, lanigera, lanugithorax, leucomelas, leucorrhoea, lineata, littorea, livida, longicauda, longipes, longirostris, lotharingica, ludoviciana, luscini, lutescens, luzonensis, macroura, maculata, maculosa, madagascariensis, maderaspatana, maderaspatensis,

magellanica, magna, massiliensis, maura, mauritiana, melanocephala, melanope, minuta, mitrata, modularis, montanella, moschita, multicolor, murina, naevia, nigricollis, nigri-frons, nigrirostris, nisoria, noveboracensis, obscura, ochruros, oenanthe, olivacea, palles-cens, palmarum, palustris, parva, passerina, patagonica, pendulinus, pensylvanica, pensilis, perspicillata, petechia, phillipensis, phillipina, philomena, phoenicurus, pileata, pinguis, plumbea, protonotarius, provincialis, pusilla, regulus, rubecula, rubetra, rubicola, rubricapilla, rufa, rufescens, ruficapilla, ruficauda, russeliana, ruticilla, salicaria, sama-misica, scalis, schoenobaenus, scolopacina, semitorquata, senegalensis, sialis, sibilla, sibilatrix, sinensis, singalensis, spinicauda, spiza, stapazina, striata, subflava, suecica, superba, superciliosa, sutoria, sylvia, tigrina, tiphia, titys, tricolora, trochilus, troglodytes, tschecantschia, tschutschensis, umbria, undata, viria, velia, vermivora, violacea, virens, viridis, yvica, zya.

Mugil :—albula, anged, cephalus, chanos, chilensis, cinereus, crenilabis, öür, plumieri, seheli, tang.

Mulio :—arcuatus, bicinctus, bicolor, conopseus, dentipes, devius, ichneumoneus, mutabilis, sphegeus.

Mullus :—auriflamma, barbatus, fasciatus, hispanicus, imberbis, japonicus, maculatus, surmuletus, vittatus.

Muraena :—alba, ambigua, anguilla, annulata, caeca, cinerea, colubrina, compressa, conger, echidna, fasciata, fusca, guttata, helena, meleagris, microphthalma, multicauda, myrus, nebulosa, nigricans, ophis, pista, serpens, siren, tota-cinerea.

Muraenoides :—sujef.

Muraenophis :—helena.

Murex :—accinctus, acuminatus, acus, afer, affinis, alatus, aluco, alucoides, amusus, antiquus, angulatus, angustus, annularis, ansatus, anus, arabicus, arausiacus, arenosus, argus, argutus, aruanus, asceta, asper, asperrimus, atratus, australis, babilonius, brandaris, bufo, bufonius, bulbus, callosus, campanicus, canaliculatus, cancellatus, candidus, cantj-lenosus, capitellum, carica, carinatus, cariosus, caudatus, ceramicus, cichoreum, cinctus, cingulatus, circumplicatus, clathratus, clava, clavis herculis, cochlidium, coffeus, columbarium, colus, conditus, conoides, consul, contracta, contrarius, conulus, corneus, cornutus, corona, coronatus, costatus, craticulatus, cutaceus, decollatus, decussatus, deformis, despectus, diaphanus, dolarium, ebraeus, eburneus, effosus, erinaceus, exortus, faba, fasciatus, femorale, ficellum, ficus, fiscellum, fluviatilis, foliatus, fornicatus, forskahlii, fossilis, fucus, fuscatus, fuscus, fusiformis, fusus, geniculatus, gibbosus, gibbulus, gigas, granosus, granularis, granulatus, granum, gyrimus, harpa, haustellum, hexagonus, hippo-castanum, hystrix, incassatus, infundibulum, innexus, intertextus, islandicus, javanicus, javanus, junceus, lacerus, laevigatus, lamellosus, lampas, lancea, lapponicus, larva, leptocaryon, lignarius, lignosus, lima, lineatus, litteratus, loco, longaevus, longissimus, lotorium, luteostoma, lyratus, macilentus, maculosus, magellanicus, mamilla, mancinella, marginellus, marocensis, melanamathos, melongena, memaecion, metallicus, miliaris, miliaris, minax, minimus, minutissimus, mitra, mitra episcopalis, moluccanus, monilis, morio, motacilla, mucronatus, musicus, nassa, neritaeus, neritoideus, nexilis, nigrinus, niveus, nodatus, nodulosus, nodus, nux seleri, oblatum, olearium, pacificus, pallidus, papalis, pardalis, parthenopeus, pauperculus, perron, persiculus, perversus, pileare, placida, plicarius, plicatulus, plicatus, polygonus, polytropus, pomum, porrectus, priscus, prismaticus, pugilinus, pungens, purpuroides, pusio, pyrulus, pyrum, pyrus, radix, radula, ramosus, rana, rapa, rapiformis, reticularis, reticulatus, ricinus, rimosus, rostratus, rubecula, ruffinus, rugosus, sacellum, sacrificator, santae luciae, sanguisugus, saxatilis, scaber, scabriculum, scala, scolopaceus, scolymus, scorpio, scriptus, scrobiculator, scrobilator, semilunaris, senegalensis, senticosus, sinensis, sjanko, sordidus, spirillus, stramineus, striatulus, striatus, strigilatus, strombiformis, succinctus, sulcatus, suspensus, syracusanus, telescopium, terebella, ternatanus, tomatis, torulosa, trapa, trapezium, triacanthus, tribulus, tricanthus, trigonius, trigonus, tripterus, triqueter, tritonis, truncatus, trunculus, tuba, tuberculatus, tulipa, turbidus, turbinellus, turgidus, turris, uncinatus, undatus, undulatus, urna, verrucosus, versicolor, vertagus, vespertilio, vetula, vexillum, vibicinus, vulpecula, vulpinus, zebrula.

Muriciformis :—armata, argus, aster, aulumniceus, bimuricatus, calcaratus, clava, cornutus, costatus, dolarium, fasciatus, ficus-ternatanus, geniculatus, granatus, haemastoma, hippo-

castanum, larix, luteus, mancinella, melongina, moschatus, nigrita, nycteris, patulus, persicus, pinus, planatus, prolescens, pyrus, radix, ricinus, rudolphus, rusticus, tarnatanus, trifoliata, tuberculatus, varicosus, violaceus.

Mus :—accedula, acredula, agrarius, agrestis, aguti, alactacha, alliarius, alpinus, americanus, amphibius, aperea, arctomys, arenarius, arvalis, aspalax, astrachanensis, avellanarius, bandicota, barabensis, barbarus, betulinus, bobak, bursarius, cabiai, cafer, canadensis, capensis, caraco, castoreus, circassianus, citellus, coypus, cricetus, cyanus, decumanus, empetra, fasciatus, furunculus, germanicus, glareolus, glacialis, glis, gondi, gregalis, gregarius, gundi, hudsonius, indicus, jaculus, kanguru, lagurus, laniger, lemmus, lenae, leporinus, longipes, maritimus, marmoti, maulinus, meridianus, messorius, mexicanus, micruros, migatorius, minimus, minutus, monax, moschatus, musculus, myospalax, nitedula, norvegicus, oeconomus, paca, paludosus, porcellanus, porcellus, phaeus, pilorides, pumilio, pylorus, quercinus, rattus, rutilus, sagitta, saliens, saxatilis, schleppsch, schljaepus, socialis, songarus, sorcinus, striatus, subtilis, suillus, sungorus, suslica, sylvaticus, talpinus, tamariscinus, tandrek, terrestris, torquatus, triticeus, tselhag, typhlus, vagus, virginianus, volans, vormela, zenik, zibethicus.

Musca :—ablectus, abrupta, acuminata, adspersus, adunata, aenea, aequinoctialis, aestiva, aestivationis, aestuans, aethiops, agilis, agilitas, agrorum, alata, albicincta, albifrons, albimana, albipes, albiseta, alceae, allevo, alni, alterabilis, alternata, ambulans, amentaria, americana, amica, amicula, angelicae, anilis, annexa, annonae, annulatus, anteambulus, anthrax, aphidioides, aphidivora, apiaria, apiformis, apivora, aquatica, aratoria, arbustorum, arctii, arcuata, argentata, argyrostoma, arnicae, arrogans, artemisiae, arborum, aselliformis, asiliformis, aterrima, atra, atratus, atropos, auctus, audaculus, augur, aurata, aurifrons, australasiae, australis, ausus, autumnalis, avarus, avenae, balteata, bardus, bicincta, bicolor, bidentata, bifasciata, bilineata, bimaculata, bipunctata, blandus, bohemica, bombylans, bombyliformis, bombylius, bombyloides, brachyptera, brassicaria, brevis, brunnea, buccata, buphthalmi, cadaverina, caeruleophthalmica, caeruleus, caesar, caesarina, caesia, caesio, calamitosa, calcitrans, canicularis, canina, cannabina, canus, capitata, capito, capucina, characteristic, carbonaria, cardui, carnaria, carnivora, casei, caudata, caudex, cautus, cellaris, celsus, centaureae, cephalotes, cerasi, cerinus, chaerophylli, chalybata, chalybeata, chamaeleon, chorea, chrysocephala, chrysopus, chrysothraea, chrysothoma, chrysozonias, cibaria, cicur, ciliata, cimicoides, cincta, cineraria, cinerascens, cinereus, cingulata, citrofasciata, clandestina, clauda, clavata, clavicornis, clavicus, claviformis, clavipes, claviventris, clemens, cloacaris, coalescens, coccinea, coemiteriorum, coeo, coleoptrata, colossus, colombaschensis, combinata, comio, comito, commoror, compressa, compunctor, comtus, conferta, conflu, confusus, conica, connexa, conopsea, conopsoides, consisto, conspersus, consenscis, constans, contigua, continua, convenio, convolo, corni, cornicina, cornuta, corrigiolata, corvina, corydon, coryletti, coryli, costalis, costata, cothurnata, crabroniformis, crassa, crassicornis, crassipennis, crassipes, cribrata, cristata, crocus, cruciata, crucis, cruentata, crux, cucularia, cupraria, cuprea, cursitans, cursoria, curvipes, cyanea, cyanophthalma, cylindracea, cylindrica, cylindricornis, cynipsea, cynophila, dauci, deceptor, decore, deduco, dejectus, delicate, demandata, denigrata, dentipes, depressa, despecta, devia, dexter, diabolus, diadema, diaphana, dimano, dimidiata, diophthalma, dirae, discoidea, discolor, divaricata, dizonias, doliata, domestica, domitor, doronic, dorsalis, duplicata, elata, elater, elegans, elephantopus, elongata, ephippium, equestris, ericetorum, erinaceus, errans, erratic, erro, erythrocephala, erythrothralma, evectus, exactus, excors, exilis, exinanita, extenuata, facultas, falcata, fallax, fasciata, fasciolata, felina, femorata, fenestralis, fera, ferruginea, festinans, festiva, fictor, filata, filiformis, fimetaria, fimetorum, flava, flaveola, flavescens, flavicans, flavicornis, flavifrons, flavipes, florea, florescentiae, florum, formosa, frit, frondescens, frutetorum, fucata, fulges, fulvipes, fulviventris, fulvus, fumigata, funebres, funebris, fungorum, furcata, furta, fuscata, fuscipes, fuscus, galeata, galpinus, gangraenosa, gastrodies, glaucia, glaucoptera, geniculata, geographica, germanica, germinationis, gibba, gibbosa, gigantea, glabrata, globosa, globulipes, graeca, graminum, granditarsa, grossa, grossificationis, grossipes, guttata, haemorrhoidalis, halterata, hebes, hederacea, helenii, helianthi, hemisphaerica, heraclii, hieracii, hirsuta, hirta, histrionica, hordei, hortensis, horticola, hortorum, hortulana, hottentota, hyalinata, hydroleon, hydrophila, hyoseyami, hypoleon, hystris, ichneumonea, ichneumonoides,

ignavus, illucens, illustratus, imbellis, impavida, inaequalis, inanis, inda, indicus, ingredior, ingruo, interpunctus, interrupta, intersecta, interventus, intricaria, investigator, invisito, iridata, irritans, jamaicensis, japonica, jejuna, joco, labiata, lacustris, lamed, lancifer, lanio, lappae, lappona, lar, lardaria, larvarum, larvata, lasciva, lateralis, lateritia, lateritaria, latipes, latrinarum, latro, lenio, lenis, leonina, leontodontis, lepidus, leporinus, leprae, leptogaster, leucocephala, leuconyx, leucopa, leucophaeus, leucopis, leucoptera, leucosticta, levidus, libatrix, limatus, limbata, lincensis, lineatus, lineolae, lineolata, linzensis, liturata, litus, livens, longero, longicornis, longipennis, longipes, longisco, lucida, lucifer, lucorum, ludeus, ludicrus, ludifica, lugens, lugubris, lunula, lupina, lupulina, lurida, lustrator, lutaria, lutea, luteola, lychnidis, lyra, macellaria, macrocephala, macroceras, macrophthalma, mactans, maculata, manicata, mano, mantes, mantis, marginalis, marginata, marginella, maritima, marmorata, martia, maura, medita-bunda, megacephala, melanius, melanochrysa, melanoptera, melanopyrrha, melanura, mellina, menthastri, merdaria, meridiana, merulina, mesoleuca, metallina, meteorica, meticulosa, metus, microleon, miliaria, minuta, minutissima, minutus, moerens, moesta, molio, molitus, monoculus, mortuorum, muliebris, mulsus, muraria, murina, mussitans, mutabilis, mystacea, naevia, naevosus, napo-brassicæ, nasuta, navus, nebulo, nebulosa, nectarea, nectarina, nemorum, nigra, nigricans, nigricornis, nigripennis, nigripes, nigripilis, nigrita, nitens, nivalis, nobilis, nobilitata, noctiluca, norwegica, notata, nova, novemmaculata, novempunctata, nugator, obesa, obscura, obsidianus, obfuscata, occidua, ochroleuca, ochroptera, octopunctata, oenopota, oestracea, oleae, olens, onopordinis, oppidana, orbiculata, orbiculus, orior, ornate, ornithovora, pacifica, pagana, pallida, pallipes, palmipes, palpator, palustris, pantherina, papatasi, paralleli, parallelus, parvus, paretina, parvulus, pedisequus, pedo, pellita, pellucens, pendula, pennipes, peragro, percussus, perelegand, perexilis, pernix, personatus, pervenio, petronella, picata, picea, picta, pigra, pilosa, pinastri, pinguis, pipiens, pipines, planifrons, plebeja, plombea, plumata, plumbea, plumipes, plumosa, pluvialis, podagrica, poeciloptera, polita, polyzonias, porcina, potens, praeceps, praedo, prasina, pratorum, princeps, procedo, prodeo, profuges, prolabor, prolapsa, promans, properans, prostata, provenio, pubera, pufefactus, pulchella, pulcariaria, pulla, pullata, pumilionis, punctata, punctifera, punctulata, punctum, pungens, puparum, purmundus, pusilla, putrida, putris, pyrastri, quadrata, quadricolor, quadrifasciata, quadrilineata, quadrimaculata, quadripunctata, quadripustulata, quinquefasciata, quinquelineata, quinquepunctata, radiata, radicum, rapax, rara, recumbo, recedans, recurro, redambulo, redeo, redians, reditus, relictus, remigro, repens, resinellae, restituo, reticulata, retusa, reverso, revertio, reviso, revolo, rex, ribesii, roralis, rosae, rosarum, rostrata, rotundata, rubiginosa, rubripes, rudis, rufa, ruficapilla, ruficauda, ruficaudis, ruficornis, rufifrons, rufipes, rufiventris, rufomaculata, rugosa, rustica, rutilans, rutilo, rutilus, sabaeus, sacalis, saltatrix, saltitans, saltuum, salviae, sandaracha, sannio, satyrus, scabiosae, scalaris, scitulus, scitus, scolopacea, scolopacina, scripta, scutata, scybalaria, secalis, seelandica, segnis, semiflava, semiluctifera, seminationis, semulotor, senilis, sepulchralis, sericea, serpo, serrata, serratae, seticornis, setosa, sexdentata, sexmaculata, sigmoidea, signata, silentis, similis, simulator, sinensis, singularius, smaragdina, socio, sollicitus, solivagus, solor, solstitialis, sonchi, sordida, spatula, speculifera, spehega, sphinx, spinifera, spinipes, splendens, spoliata, squalida, squamata, stellata, stercoraria, strictea, stigma, striata, strigosa, strigula, structus, strumosa, stygia, stylata, sublatus, subcoleoptrata, subcutanea, subsultans, subtomentosa, subulata, subventus, succincta, suilla, surinamensis, sylvanus, sylvorum, syngenesiae, taeniata, tahitiensis, tarda, tardigradus, tarditas, tau, temula, tenax, tenebricus, tener, tentaculata, tener, teres, terrestris, tessellata, testacea, tetragona, thymastri, tibialis, tigrina, timeo, timidus, tipulaea, tipularia, tipuliformis, torvus, totliana, tranquebarica, transfuga, tremula, tricolor, tridens, trifasciata, trilenva, trilineata, trimaculata, trinervis, tringaria, tripunctata, tristis, tristor, troglodyta, truncata, tuberculata, tuguriorum, turcica, tussilaginis, uliginosa, umbellatarum, umbelliferarum, umbraculata, umbrarum, unguicornis, ungulata, urbanus, urticae, vaccarum, vacua, vagans, vagus, valga, valens, valentina, validus, vallata, varia, variabilis, varicus, variegata, vecors, velox, ventito, vermileo, verna, vernicina, versicolor, versipellis, vespiformis, vespillo, vibrans, vicanus, viduata, vinulus, violacea, virens, virginienis, viridescens, viridi-caerulea, viridula, vitrata, vitreus, vittata, vivax, vivipara, volets, volito, volvulus, vomitoria, vorax, vulpina, zonaria.

Muscicapa:—*acadica*, *adsmilis*, *aedon*, *afra*, *agilis*, *alba*, *albifrons*, *arausiaca*, *atra*, *atricapilla*, *audax*, *aurantia*, *azurea*, *barbata*, *bicolor*, *borbonica*, *bourbonensis*, *caerulea*, *caeruleocephala*, *caledonica*, *cambayae*, *cambaiensis*, *cana*, *canadensis*, *cantatrix*, *capensis*, *carolinensis*, *caudata*, *cayanensis*, *chloropus*, *cinerea*, *cinnamomea*, *collaris*, *comata*, *coronata*, *crinita*, *cristata*, *cristatella*, *cruenta*, *cyanea*, *cianocephala*, *deserti*, *dichroa*, *emeria*, *erythrogastra*, *erythropis*, *fasciata*, *ferox*, *ferruginea*, *flabellifera*, *flammea*, *flavicollis*, *flavifrons*, *forficata*, *fuliginosa*, *furcata*, *fusca*, *fuscescens*, *goavier*, *grisea*, *grisola*, *haemorrhousa*, *I*, *javanica*, *leucocephala*, *leucura*, *ludoviciana*, *lutea*, *luzoniensis*, *madagascariensis*, *malabarica*, *malachura*, *manillensis*, *macroua*, *maculata*, *martinica*, *melanictera*, *melanocephala*, *melanoleuca*, *melanopsis*, *melanoptera*, *meloxantha*, *minuta*, *multicolor*, *muscipeta*, *mutata*, *naevia*, *nigra*, *nigrifrons*, *nitens*, *nitida*, *novae hollandiae*, *noveboracensis*, *nunciola*, *obscura*, *ochracea*, *ochrocephala*, *ochroleuca*, *olivacea*, *olivacea*, *panayensis*, *paradisi*, *parva*, *petechia*, *philippensis*, *phoebe*, *pileata*, *pondiceriana*, *porphyrobroncha*, *psidii*, *purpurata*, *pygmaea*, *rapax*, *rex*, *rubra*, *rubricollis*, *rufa*, *rufescens*, *rufiventris*, *ruticilla*, *sandwichensis*, *senegalensis*, *sibirica*, *sinensis*, *spadicea*, *spurca*, *striata*, *superciliosa*, *surinama*, *tectes*, *tessacourbe*, *torquata*, *tyrannulus*, *tyrannus*, *undulata*, *viriegata*, *violacea*, *virens*, *virgata*, *virginea*, *viridescens*, *viridis*.

Musculus:—*anatinus*, *compressus*, *cygneus*, *discors*, *modulaides*, *modulus*, *novae zeelandiae*, *papuanus*.

Musmon:—*aries*.

Musophaga:—*violacea*.

Mustela (Mamm.):—*barbara*, *boccamela*, *brasilensis*, *canadensis*, *cayennensis*, *chilensis*, *cuja*, *erminea*, *felina*, *flavigula*, *fogna*, *foina*, *frima*, *fulva*, *furo*, *galera*, *guianensis*, *gulo*, *iltis*, *javanica*, *lanata*, *laniger*, *leucotis*, *longidigitata*, *lutra*, *lutreola*, *lutris*, *madagascariensis*, *martes*, *melanorhyncha*, *melina*, *mephitis*, *mexicana*, *minor*, *minx*, *moschata*, *mems*, *nigra*, *nivalis*, *novae hollandiae*, *paraguensis*, *pennanti*, *peregusna*, *piscatoria*, *poliocephala*, *pottö*, *putida*, *putorius*, *quiqui*, *quoll*, *sarmatica*, *sibirica*, *tigrina*, *touan*, *vison*, *vulgaris*, *zibellina*, *zöbela*, *zorilla*.

Mustelus:—*laevis*.

Mutilla:—*acarorum*, *albeola*, *americana*, *arenaria*, *argentata*, *articulata*, *antiguensis*, *atrata*, *aurata*, *austriaca*, *barbara*, *bicolor*, *bifasciata*, *bipunctata*, *brutia*, *calva*, *catanensis*, *cephalotes*, *ciliata*, *coccinea*, *coronata*, *diadema*, *dimidiata*, *dorsata*, *ephippium*, *erythrocephala*, *europaea*, *exulans*, *formicaria*, *glabrata*, *guineensis*, *halensis*, *helvola*, *indica*, *interrupta*, *italica*, *laevis*, *litoralis*, *maura*, *melanocephala*, *nigra*, *nigripes*, *occidentalis*, *paedemontana*, *punctata*, *quinquemaculata*, *regalis*, *ruficollis*, *ruficornis*, *rufipes*, *saltatrix*, *scabra*, *scutellaris*, *sellata*, *sexmaculata*, *sexpunctata*, *sibirica*, *spinosa*, *stridula*, *sungora*, *ungarica*, *vagans*, *viduata*.—*Vide et. Ichneumon*.

Mya:—*anatifera*, *anatina*, *angulata*, *anserifera*, *arctica*, *arenaria*, *atlantica*, *australis*, *byssifera*, *corrugata*, *crispata*, *declivis*, *donacina*, *dubia*, *edentula*, *gaditana*, *glycimeris*, *guineensis*, *lactea*, *lutraria*, *margaritifera*, *membranacea*, *nicobarica*, *nitida*, *nodosa*, *norwegica*, *oblonga*, *orbiculata*, *ovalis*, *ovata*, *papyracea*, *perlata*, *perna*, *pictorum*, *praetenuis*, *pubescens*, *radiata*, *rostrata*, *rugosa*, *siliqua*, *spuria*, *syrmatophora*, *truncata*, *vulsella*.

Mycetophagus:—*atomarius*, *aurantius*, *bicolor*, *bifasciatus*, *brunneus*, *castaneus*, *dermestoides*, *fasciatus*, *fulvicollis*, *metallicus*, *multipunctatus*, *nigricornis*, *piceus*, *piceicornis*, *picipes*, *populi*, *punctatus*, *quadrimaculatus*, *sanguinicollis*, *signatus*, *spinipes*, *testaceus*, *variabilis*.—*Vide et. Ips*.

Mycteria:—*americana*, *asiatica*, *australis*, *indica*, *orientalis*, *senegalensis*.

Mycterus:—*griseus*.

Mydas:—*bilineata*, *filata*, *illucens*, *nitida*.

Mygalus:—*moschatus*.

Mylabris:—*affinis*, *africana*, *algirica*, *americana*, *anastomosis*, *argentata*, *atrata*, *bifasciata*, *capensis*, *cleroides*, *crassicornis*, *crocata*, *crucigera*, *decempunctata*, *duodecimmaculata*, *duodecimpunctata*, *elongata*, *fasciata*, *fueslini*, *fulva*, *fusca*, *geminata*, *hermanniae*, *immaculata*, *indica*, *irrorata*, *laticlavata*, *lunata*, *maculata*, *maculosa*, *manophoros*, *marginata*, *melanura*, *minuta*, *oculata*, *picta*, *praeusta*, *punctum*, *pustulata*, *quadripunctata*, *quattuordecimpunctata*, *ruficollis*, *ruficornis*, *sexguttata*, *sexmaculata*, *sericea*, *sidae*, *terminata*, *testacea*, *trifasciata*, *trigonalis*, *trimaculata*, *undulata*, *variabilis*.

Mylaris:—gibbosa, gigantea, speciosa, violacea.

Myopa:—annulata, atra, buccata, cincta, cinerea, cingulata, dorsalis, ferruginea, picta, punctata, testacea.

Myotalpa:—*vide* Mus.

Myoxus:—avellanarius, badius, chrysurus, degus, dryas, glis, inauris, inauritis, muscardinus, nitela, olivaceus, striatus.

Myrmecophaga (Mamm.):—aculeata, afra, capensis, didactyla, jubata, myosura, pentadactyla, sciura, striata, talgoi, tamandua, tetradactyla, tridactyla.

Myrmeleo, P. S. Pallas, Reise Russ. I. 1771, 469:—**Myrmeleon**, *q.v.*

Myrmeleon:—americanus, australis, barbarum, caninum, capense, catta, cayennensis, ermineum, felinum, flavicornis, formica-lynx, formicarium, immaculatum, kolywanense, libelluloides, lineatum, longicornis, lugdunense, luteum, lynceum, macaronius, maculatum, mustelinum, nemausiense, occitanicum, ocellatum, pantherinum, pardalis, pictum, punctatum, tigrinum, trigrammus, ursinum, viride.

Mystus:—anguillaris, ascita, bagre, clarius, costatus, cous, fasciatus.

Mytilus:—afer, albus, anatinus, argenteus, ater, azureus, barbatus, bicolor, bidens, bilocularis, camellii, canaliculus, candens, chorus, cinnamomeus, citrinus, cor, corallio-phagus, cordatus, cristagalli, curtus, curviroster, curvirostratus, cygneus, diluvianus, discors, donacinus, dubius, edulis, emicatrix, exustus, faba, fasciatus, flavus, fluviatilis, frons, fulgidus, fuscus, fuscus-undatus, gibber, hirundo, hyotis, ignifer, impactus, incurvatus, laevigatus, lineatus, lithophagus, magellanicus, magellanus, mammarius, margaritiferus, minimus, modiolus, murinus, nicobaricus, niger, niveus, pellucidus, persicus, phaseolus, pholadis, pictus, plicatus, pollex, polymorphus, pumicatus, punctatulus, puniceus, purpureus, radiatus, renitens, roseus, rostrum, ruber, rugosus, sagittatus, saxatilis, smaragdinus, smaragdylus, solen, stagnalis, striatulus, sulcatus, talaris, tessera, testaceus, tuber, umbilicatus, undatus, unguis, unguilatus, variegatus, versicolor, violacea, violaceus, virgatus, viridis, viridis-undatus, vulgaris, zellensis.

Myxine:—glutinosa.

Nais:—barbata, caeca, digitata, elinguis, furcata, litoralis, marina, proboscidea, quadricuspida, serpentina, vermicularis.

Naja:—brasiliensis, fasciata, lutescens, maculata, non-naja, siamensis.

Nassa:—argiolus, caesia, duplicata, flaveola, harpa, ligata, mutabile, picta, rudis, striata.

Natica:—canrena.

Natrix:—aesculapii, ahaetulla, argus, aulica, caerulescens, candida, coronilla, exoleta, filiformis, flagelliformis, gemonensis, gronoviana, hippocrepis, humana, lemniscata, longissima, lubrica, mucosa, mycterizans, punctata, saturnina, vittata, vulgaris.

Naucoris:—aestivalis, cimicoides, cursitans, maculata, nepaeformis, oculata.

Nauplius:—bracteatus, saltatorius.

Nautilites:—complanatus.

Nautilus (Gast.):—crista, lacustris.

Nautilus (Ceph.):—belemnita, crassus, papyraceus, pompilius, spicula, spirula.

Nautilus (Rhiz.):—acicula, acicularis, acutauricularis, aduncus, ambiguus, ammonoides, angulatus, arietinus, asterizans, auricula, balthicus, beccarii, calcar, carinatulus, cassis, comatus, conico-articulatus, costatus, crassulus, craticulatus, crepidula, crispus, depressulus, discors, faba, factus, fascia, galea, gazellicornis, gizensis, globiferus, granum, harpa, helicites, inaequalis, incrassatus, laevigatulus, legumen, leguminiformis, lenticularis, littoreus, lituus, lobatulus, macellus, major, mammilla, margaritiferus, melo, murex, navicularis, obliquatus, obliquus, orbiculus, orthoceras, papillosus, pennatula, pertusa, planatus, planci, pompilioides, radiatus, radicula, raphanistrum, raphanus, repandus, rugosus, scalaris, scapha, semi-lituous, sertum, sinuatus, sipunculus, spengleri, striot-punctata, strigilatus, subarcuatulus, tuberosus, umbilicatus, unguiculus, unguiculus, vaginaeformis, venosus, vertebralis, vortex.

Necrophorus, Hausmann, Entom. Bemerck. 1799, 33:—*vide* Nicrophorus.

Necydalis:—abdominalis, adusta, analis, atra, barbara, bicolor, bipartita, brevicornis, caerulea, caerulescens, cantharoides, ceramboides, clavipes, collaris, cyanea, exusta, fasciata, femorata, flavescens, flavicollis, flavipes, fulvicollis, fuscata, glauca, glaucescens,

humeralis, hybrida, ichneumonea, longipes, major, marginata, melanocephala, melanura, minima, minor, muralis, nigra, nigricornis, nitida, notata, opalina, podagrariae, praesta, praterana, punctata, quercus, rufa, ruficollis, sanguinicornis, scrophalariae, seladonia, simplex, striata, suturalis, testacea, thalassina, thoracica, tristis, ustulata, umbellatarum, variegata, virescens, viridis, viridissima.

Nemotelus:—aeneus, aequinoctialis, annulatus, asiloides, ater, auratus, aureus, cinctus, cuprarius, fasciatus, fenestralis, flavipes, flavo-geniculatus, fulvus, hirtus, hottentottus, illucens, maculatus, marginatus, maureus, rufus, niger, punctatus, pusillus, rufus, scolopaceus, sylvestris, tigrinus, tringarius, uliginosus, vermileo, villosus.

Nepa:—annulata, antiguensis, atra, cimicoides, cinerea, fusca, grandis, grossa, linearis, maculata, naucoris, notonecta, plana, rubra, rustica, striata, surinamensis.

Neptunea:—antiqua, canaliculata, cancellata, clathrus, contraria, corona mexicana, despecta, doliata, foliacea, fossilis, limbata, magellanica, muricina, nasata, neglecta, perversa, ponderosa, pusilla, reticulata, varicosa.

Nereis:—acustris, adriatica, alba, aphroditoides, aphroditois, armillaris, bifrons, caeca, caerulea, chrysocephala, ciliata, cincinnata, cirrosa, conchilega, corniculata, crassa, cylindrarum, diversicolor, ebranchiata, ferruginea, filicornis, fimbriata, flava, gigantea, incisa, lacustris, lamellifera, lamelligera, longa, lumbricoides, lutaria, maculata, mollis, noctilua, norvegica, pelagica, pellucida, pennata, pinnata, prismatica, punctata, pusilla, rosea, rubra, rufa, seticornis, stellifera, tubicola, verrucosa, versicolor, viridis.

Nerita:—aculeata, acupictus, ascensionis, affinis, alabastrina, ala-papilionis, alba, albicilla, albolineata, albumen, ampullacea, angularis, angulata, angulosa, antillarum, arachnoidea, arriaca, aspersa, aterrima, atra, atrata, aurtiaca, aurita, australis, bidens, bifasciata, cancellata, candidissima, canrena, cardinalis, carinata, carnea, chamaeleon, chrysothoma, cincta, cinerea, clathrata, conspurcata, contorta, cornea, corona, costata, crocea, cruenta, cruentata, deflorata, dendrites, diaphana, dissimilis, diversicolor, doliolum, dubia, eburnea, effusa, elegans, exuvia, fascia, fasciata, flammea, flava, fluctifera, fluviatilis, fulgurans, fulminea, fuscifasciata, gemmata, glaucina, granulosa, grisea, grossa, guttata, hians, histrio, imperfecta, islandica, jaculator, labeo, lactaria, lacustris, larva, latilinea, leucozonias, licinia, ligata, lineata, litterata, littoralis, littorea, livida, lunulata, lutea, maculata, maculosa, magdalenae, malaccensis, mammilla, mammillaris, marginata, marmorata, maroccana, marochiensis, maxima, melanoleucas, melanostoma, mille-punctata, minuta, monile, muricata, musica, mustelina, nebulosa, nigella, nigreola, nigrita, nigrocincta, nivea, nodosa, notata, nubecula, nux-castanea, oculata, oculis, olivacea, opaca, orientalis, pallida, pallidulus, papilio, papilla, parallela, patella, pecten, pellis-armeniana, pellucida, peloronta, pennata, perversa, petechialis, phrygia, phrygionia, pica, picta, pictata, piscinalis, plicata, plumbea, polita, prasina, prolifera, promontorii, pulchra, pullata, pulligera, punctata, punctulata, pupa, purpurata, pusilla, quadricolor, radula, ramosa, reticulata, rubella, rubra, rufa, rugosa, senegalensis, serpentina, spadicea, sphaerica, spinula, stellatus, stercus-muscarum, succinata, sulcata, tessellata, textilis, tigrina, trabalis, triangularis, tricolor, trochus, tuberculata, turrita, undata, undulata, urceus, usnea, valvata, varia, variegata, versicolor, violacea, virens, virgata, virginea, viridicata, viridis, vitellus, vittata, vivipara, zebra, ziczac.

Neritaformis:—albumen, cana, cinerea, fasciata, fusca, lemniscata, mammilla, nigella, pisum, pressa, punctata, putamen, striata, undata, vitellus.

Nicrophorus:—americanus, bifasciatus, carinata, germanicus, grandis, hirta, humator, mortuum, vespillo, vespilloides, virginicus, vulgaris.

Nitidula:—abbreviata, aenea, aestiva, aquatica, atrata, bicolor, biloba, bimaculata, bipunctata, bipustulata, brassicae, chrysomeloides, coccinelloides, colon, cylindricornis, decemguttata, depressa, dimidiata, discoidea, dorsalis, dulcamarae, elongata, fasciata, ferruginea, fervida, flavomaculata, flexuosa, floralis, fusca, germanica, guttalis, haemorrhoidalis, hemiptera, hirta, humeralis, immaculata, imperialis, indica, lata, limbata, litra, lunata, lutea, maculata, marginata, minuta, nebulosa, nubila, oblonga, obscura, obsoleta, pallida, pectoralis, pedicularia, pellionis, pilosa, psyllia, pubescens, pulicaria, punctata, punctatissima, pusilla, quadrata, quadriguttata, quadri-punctata, quadri-pustulata, rubicunda, rufipes, sanguinolenta, setacea, sexpustulata, silacea, solida, sordida, striata, strigata, sulcata, testacea, tripunctata, truncata, undata, unicolor, varia, variegata, verbasci, veris, villosa, viridescens.

Noctilio:—americanus, ferrum equinum, lepturus, noveboracensis.

Noctua:—abrotani, absinthii, acetosella, achatina, advena, aemula, aenea, affinis, albugo, albicollis, albipes, albiguncta, albula, alchymista, alepecurus, alienata, algae, algira, aluco, ambigua, ambusta, anceps, ancilla, angulata, anifurca, annulata, aprilina, aquilina, arbuti, arcuata, argentea, argentina, argyritis, arnicae, artemisiae, arundinis, asclepiadis, asteris, astra, atra, atratula, atriplicis, augur, aurago, aurantiomaculata, auricoma, aurita, avida, baja, bajularia, barbara, barbata, basilinea, batis, bengalensis, bicolor, bicolora, bifasciata, biren, birivia, blanda, boleti, bractea, brassicae, brassicaria, brunnea, bubo, caecimacula, caesia, calcatrippae, calvaria, candelisequa, candidula, canina, capreae, caprimulgus, capsincola, caricae, carna, carnea, centralis, cerago, cerasi, cespitis, chalcis, chamomillae, caracterea, chenopodiata, chenopodii, chi, chione, choninea, chrysis, chrysographa, ciliata, cincta, cinerea, cinerago, cinnamomea, citrigo, clavata, comma, communimacula, complana, compta, concha, conformis, conigera, conjuncta, consona, conspersa, contracta, contigua, convergens, convoluta, corchori, cordigera, coronata, corticea, cracciae, crepuscularis, cribraria, croceago, crucis, cruda, crux, cubicularis, cucubali, culta, cuprea, cursoria, cytherea, dama, deaurata, decora, degener, delia, delphinii, denressa, dentina, deperdita, deplana, depressa, depuncta, derasa, destituta, detersa, didyma, diffinis, diluta, dimidiata, dioscoreae, dipsacea, discolor, dissimilis, distincta, ditrapezium, divergens, dolichos, domestica, dominula, dorsalis, dotata, dysodea, eborea, eborina, egregia, elata, E-latinum, electa, electrica, elocata, emarginata, epione, equestris, eremita, erosa, erythrocephala, eugenia, euphorbiae, evidens, exclamationis, exsoleta, famula, fasciata, ferrago, ferruginea, ferrugo, festiva, festucae, ficus, fimbria, fixa, flamma, flammata, flammea, flava, flavago, flavescens, flavicincta, flavicornis, flina, forcipula, fortificata, formosa, fragariae, fraxini, frontis, frugalis, fuliginosa, fulminans, fulvago, fulvia, fumosa, funesta, furuncula, furva, fuscula, gamma, gemina, genistae, geographica, geometrica, geryon, gilvago, glabra, glandifera, grisea, griseocens, glyphica, gossypii, gothica, gracilis, hecta, heliaca, heliophila, hepatica, hera, herbida, hermelina, hieroglyphica, hippophae, hipposideros, hircus, histrio, histrionica, humilis, hybrida, hymenaea, hyperici, ianthina, I-cinctum, illibata, illustris, imbecilla, inclyta, inquinata, inscripta, instabilis, interrogationis, iota, iphianasse, irrorata, irrorea, italica, itynx, jacobaeae, jodutta, joviana, lacera, lactea, lactucae, laeta, l-album, lamda, lamina, lanceolata, lapponica, lateritia, latiuncula, leonina, leporina, leucographa, leucomelas, leucophaea, leucoptera, libatrix, lichenis, ligustri, limacoides, linariae, linea, linogrisea, lithoxylaea, litura, livida, lota, lubecula, lucifuga, lucipara, lucipeta, luctuosa, luculenta, ludifica, lumina, lunaris, lunata, lunus, lusca, luteago, luteola, lutosa, lutulenta, lyncea, lychnidis, madida, manlia, marginata, marginea, marmorea, masoreta, materna, matronula, maura, megacephala, melaleuca, melanopa, mendica, menthastri, menyanthidis, mercatoria, meretrix, meticulosa, mezenteria, mi, micacea, microrrhoea, millegrana, miniosa, minor, mixta, moneta, monilis, monolis, morpheus, munda, muscerda, musicalis, mutabilis, mycerina, myopa, myrtilli, narbonea, narcissus, nebulosa, nemorosa, nervosa, nictitans, nigricans, nigrofulva, nigrofusca, nitida, nivea, noctilio, notacula, notata, nubila, nun-atrum, nupta, nyctea, nymphaea, nymphagoga, obelisca, obducta, obscura, ocellina, ochrago, ochroleuca, octogena, octogenaria, oculea, odora, oleracea, olivacea, ononis, oo, or, orbona, orichalcea, orion, oxyacanthae, oxyptera, pacta, pagana, pallens, palliata, palliola, palmata, pancratii, pandrosa, panthea, panthorina, paphia, paphos, parallela, paranympa, parthenias, partita, patibulum, patroclus, pauperata, peltigera, peponis, perflua, perla, perplexa, persicariae, petrifilata, picta, pirithea, pisi, pistacina, plecta, polita, polluta, polygona, polygramma, polymita, polyodon, porphyrea, praecipis, praecox, praeduncula, prasina, promissa, pronuba, protea, protoplastes, pruni, psi, pteridis, pudorina, puella, pulchra, pulla, pulmonaris, pumila, punctum, pupilla, purpurascens, purpureo-fasciata, purpurina, pusilla, putris, pygarga, pyralina, pyramidea, pyrophila, quadra, quadri-punctata, quaestionis, quercus, radica, radiata, radicea, rapta, raptricula, ravidia, rectangula, rectilinea, rejecta, renata, repanda, respersa, reticulata, rhizolitha, rhomboidea, ridens, rivularis, roboris, roscida, rosida, rubi, rubicunda, rubiginea, rubicola, rubicollis, rubricosa, ruficollis, rumicis, runica, rupicola, rurea, rutilago, saga, sagitta, salamina, satellitia, satura, scolopacina, scrobiculata, scrophulariae, scutosa, segetis, setegum, seladonia, serena, serici, sericina, serva, setosa, sexmaculata, sidae, sigma, signata, signifera, signum, silene, simulans, sinuata, solani,

solaris, sordida, spadicea, spectrum, spinaciae, spiralis, spoliatricula, sponsa, spreta, squalida, stabilis, stichica, stictica, stigmatizans, stolidia, striata, strigosa, strigula, strix, stuposa, suasa, subsequa, subterranea, subtusa, succincta, suffusa, sulphurago, sulphurea, sylvina, tanaceti, templi, tenebrosa, terlineata, terrena, tersa, testacea, tetra, texta, thalassina, tigrina, tineodes, tirrhaea, tragopoginis, trapezina, triangularis, triangulum, tricesima, tridens, trigutta, trilinea, triplacia, triptera, tripterigia, triquetra, tristis, troglodyta, turbida, turca, turcica, typhae, typica, ulmae, ulmi, ulula, umbra, umbratica, umbrosa, umminia, unca, undata, undosa, unita, ursina, valligera, vampyrus, variabilis, variegata, verbasci, verna, verruca, versicolor, vespertilio, vesta, vestigialis, viminalis, virescens, viridi-obscura, vitis idaea, vitta, vittata, vulpina, xanthographa, ypsilon, zenobia.

Nomada:—agrestis, albilabris, cincta, cingulata, crucigera, duodecimmaculata, fabriciana, flava, flavicornis, fulvicornis, fucata, furva, gibba, hattorfiana, histrio, interrupta, lineata, lineola, nasuta, nigro-rufa, praecox, punctata, pusilla, rannunculi, riparia, rufa, rufescens, ruficornis, rufipes, scutellaris, sexfasciata, sexmaculata, squallida, striata, surinamensis, tibialis, vaga, varia, variegata, versicolor, zonata.

Notocanthus, M. E. Bloch, Abh. böhm. Ges. Wiss. 1787 (1788), 278:—chemnitzii, nasus.

Notonecta:—alba, americana, atomaria, ciliata, coleoprata, furcata, glauca, indica, lineata, lutea, maculata, marginata, minuta, minor, minutissima, nivea, noveboracensis, obliqua, octopunctata, striata.

Notopterus:—kpirat, squamosus.

Notoxus:—antherinus, ater, bicolor, bifasciatus, bipunctatus, caeruleus, calycinus, castaneus, cinctellus, cornutus, cucullatus, deustus, dubius, flavipes, flavus, floralis, formicarius, fulvus, gracilis, grandis, hirtellus, hispidulus, hispidus, indicus, limbatus, melanocephalus, melanurus, minutus, mollis, monoceros, myrmicocephalus, nectarinus, pedestris, populneus, porcatus, quadriguttatus, rhinoceros, ruficollis, schaedia, sellatus, serricornis, sinensis, tenuicollis, thoracicus, trifasciatus, unifasciatus, violaceus.

Nucella:—lapillus, macina, moschatellina, reticulata, theobroma.

Nucifraga:—caryocactates.

Nucula:—nucleus.

Numenius:—africanus, arquatus, borealis, dethardingii, guarauna, hudsonicus, ibis, igneus, leucocephalus, luzoniensis, madagascariensis, phaeopus, pygmaeus, tahitiensis, viridis.

Numida:—aegyptiaca, cristata, meleagris, mitrata.

Nyctemene, J. M. Bechstein in Pennant, Uebers. 4fuss. Thiere, II. 1800, 615 & 736:—cephalotes.

Nycteribia:—vespertilionis.

Nycteris:—lasiurus.

Nymphalis:—vide **Papilio**.

Nymphon:—grossipes.

Obisium:—cancroides, cimicoides.

Ochotona:—alpina, minor, pusillus.

Octopus:—cirrhosus, granulatus, moschatus, rugosus, vulgaris.

Oculus, N. G. Leske, Add. Klein. Nat. Disp. Ech. 1778, xvii & 97.—Ech.:—polyphemi.

Ocypode:—ceratophthalma, laevis, minuta, quadrata, rhombea.

Odocantha:—melanura.

Odontognathus:—mucronatus.

Oedemera:—abdominalis, aenea, caerulea, caerulescens, cyanea, femorata, lineata, livida, marginata, melanura, podagraria, ruficollis, sanguinicollis, simplex, subulatus, tristis, ustulata, viridissima, vittata.

Oestrus:—antilopae, antilopum, bovis, buccatus, cuniculi, curvicauda, elaphi, equi, fasciculosus, haemorrhoidalis, halensis, hominis, intestinalis, lineatus, nasalis, ovis, pecorum, tarandi, trompe, tsaltsalya, veterinus, vituli.

Oleacina:—volutata.

Oligopodus:—veliferus.

Oliva:—corticata, fenestrata, interpuncta, oliva, porphyrio, striata.

Olivaeformis:—nucleus, orches.

- Omalisus** :—fontis-bellaquaei, suturalis.
- Onchidium** :—typhae.
- Ondatra** :—coypus, zibethicus.
- Oniscus** :—abyssinus, aculeatus, agilis, albicornis, annulatus, aquaticus, arenarius, arenarius, armadillo, asellus, asilus, assimilis, balthicus, bicaudatus, bicolor, bidentatus, cancellus, caspius, ceti, chelipes, cicada, conglobator, convexus, corallinus, crenulatus, cruciger, cuspidatus, entomon, eremita, falcatus, fuscus, gammarellus, gibbosus, globator, hecticus, hypnorum, imbricatus, linearis, littoreus, locusta, lutosus, maculatus, marginatus, marinus, medusarum, murarius, muricatus, muscorum, oceanicus, oestrum, oniscus, paradoxus, physodes, psora, pulex, pustulatus, pysodes, quadricornis, ruderalis, scolopendroides, scopulorum, scorpoides, serratus, setiger, spinosus, stromianus, sylvarum, sylvestris, tinea, trachurus, tridentatus, umbricatus, unguilatus, variegatus, viridis, volutator, zonatus.—*Vide et. Cancer.*
- Onitis** :—apelles, aygulus, belial, clinias, flavipes, inuus, lophus, sphinx, unguiculatus, vandelli.
- Onocrotalus** :—onocrotalus.
- Opatrum** :—arenarium, agaricicola, agricola, armatum, bifurcum, bipunctatum, bipustulatus, brunneum, canaliculatum, cinereum, cinetium, clathratum, crenatum, depressum, femoratum, fuscum, gibbum, glabratum, granulatum, griseum, laevigatum, lithophilus, melinum, minutum, monilicorne, obscurum, orientale, planum, plumigerum, porcatum, pusillum, quisquiliarum, reticulatum, rufipes, rugosum, sabulosum, sericeum, silphoides, strigatum, subterraneum, sulcatum, testaceum, tibiale, unipunctatum, villosum.
- Ophicephalus** :—punctatus, striatus.
- Ophichthus** :—anguilla, cinereus, conger, myrus, ophis, serpens.
- Ophidion** :—aculeatum, barbatum, glesne, imberbe, macrophthalmum, mastacembelus, sinack, unermak, viride.
- Ophion** :—amictus, circumflexus, compensator, cultellator, cunctator, erigator, falcator, flagellator, flavifrons, flavus, foliator, glaucopterus, jocator, luteus, mercator, morio, obscuratus, pugillator, ramidulus, relictus, saltator.
- Ophisurus** :—ophis, serpens.
- Opilio** :—alpinus, bicolor, bilineatus, bimaculatus, carinatum, cornutus, diadema, fasciatus, grossipes, helwigii, hemisphaericus, hispidus, horridus, longipes, monocantha, morio, palpinalis, parietinus, quadridentatus, rupestris, scaber, spinosus, triangularis.
- Orbicula** :—anomala.
- Orbis**, P. L. S. Mueller, Del. Nat. II. 1767, 141 :—inermis, pinnatus.
- Orchestes** :—signifer.
- Oriolus** :—americanus, annulatus, aureus, baltimore, bonana, brasiliensis, caeruleus, capensis, castaneus, caudacutus, cayanensis, chenensis, chrysocephalus, citrius, costototi, cothurnix, cristatus, cuculatus, dominicensis, ferrugineus, flavus, fulvus, furcatus, fuscus, galbula, griseus, guianensis, haemorrhous, hudsonius, icterocephalus, icterus, jamaicai, japacani, leucocephalus, leucopterus, lineatus, ludovicianus, melaleucus, melancholicus, melanocephalus, mexicanus, minor, naevius, nidipendulus, niger, novae hispaniae, ocellatus, olivaceus, oryzivorus, persicus, phoeniceus, pictus, picus, radiatus, ruber, sinensis, spurius, textor, tricolor, trifasciatus, unalaskensis, varius, virescens, viridis, xanthorus.
- Orithya** :—mammillaris.
- “Ornitholithus”** :—nidi, ossium, partialis, plumarum, rostri, totalis.
- Ornithorhynchus** :—paradoxus.
- Orthezia** :—characias.
- Orthocera** (Rh.), A. Modeer, K. Vet. Ac. Nya Handl. XVII. 1796, 63 :—adunca, armilla, arietina, cingulata, crispata, culter, fascia, frondosa, granum, legumen, lituus, manubrium, obliqua, orbiculus, pupa, radicala, raphanistrum, raphanus, rapistrum, recurvata, semilittus, sipunculus, spirula, striata, sulcata, undata.
- Orthoceras** (Ceph.) :—gazellicornis.—*Vide et. Nautilus.*
- Orthoceras** (Dip.) :—cinereum, lacustris.
- Orussus** :—coronatus, vespertilio.
- Orycteropus**, G. Cuvier, Tabl. élém. 1798, 144 :—capensis.
- Oryctes** :—nasicornis.

Oscabrium:—gallicum.

Oscana:—astacaria.

Ostoma:—bipustulata, colon, discoidea, ferruginea, rubicunda.

Ostracion:—auritus, bicaudatus, alis, concatenatus, cornutus, cristatus, culicus, gibbosus, hexagonus, knorrii, meleagris, nasus, quadricornis, tricornis, trigonus, triqueter, tuberculatus, turritus.

Ostralega:—pica.

Ostrea:—aculeata, adscensionis, alata, amplexens, anatina, annulata, anonyma, arata, aurantia, bilineata, borealis, bullata, cinnabarina, citrifolia, citrina, clavata, cochlear, coarctata, conspersa, cornucopiae, corallina, crenata, crenulata, crista-galli, cristaramosa, cristata, crocea, cucullata, decemradiata, denticulata, depressa, diluviana, distorta, dubia, echinata, edulis, elegans, elongata, ephippium, exalbida, excavata, fasciata, flabellum, flammea, flavescens, flavicans, flexuosa, florida, foliata, folium, fornicata, forskahlii, fragilis, frons, fuci, fusca, gibba, gigantica, glabra, glacialis, glaciata, gubernacula, guttata, hians, histrionica, hyalina, hybrida, hyotis, imbricata, incarnata, innominata, inflata, inflexa, islandica, isognomum, isogonum, jacobaea, japonica, juba, laurentii, legumen, lima, lineata, lutea, maculata, maculosa, magellanica, malleus, maxillaris, maxima, media, miniata, minuta, modesta, multistriata, muricata, mustelina, mytiloides, nebulosa, nodosa, nodulosa, nucleus, obliterated, oblongata, obscura, ochroleuca, orbicularis, opercularis, ovalis, palliata, pallium, papyracea, parasitica, pecten, pedum, pellucens, perna, pes-felis, pes-lutreae, philanthrops, picta, placentia, plana, pleuronectes, plica, plicatula, porphyrea, praeadamitica, principalis, punctata, pusilla, pusio, pyxidata, radiata, radula, recondita, regia, regula, retusa, rhinantoides, rosea, rostrata, rustica, sanguinea, sanguinolenta, sauciata, scabra, semiaurita, seminuda, senatoria, senegalensis, septemradiata, sicala, sinensis, sinuosa, solaris, spinosa, spondylodes, spondyloidea, squamata, squamosa, stellata, striata, striatula, striatum, subrotunda, subrufa, sulcata, sulphurea, superficialis, tenuis, tiberina, torta, tranquebarica, transtra, triradiata, tuberculata, turgida, undata, valentini, valsella, varia, versicolor, violacea, virginiana, virginica, vitrea, vittata, vulgare, vulsella, zizac.

Otis (A.):—afra, arabs, aurita, bengalensis, cafra, chilensis, hobara, indica, oedienemus, passaragia, rhaad, secretarius, tarda, tetrax.

Otus, T. Pennant, Ind. Zool. [1769], 3:—bakkamoena. The species attributed to Daudin should read *Strix otus*, *varr.*

Ovis:—ammon, argali, aries, barbata, fera-sibirica, guineensis, orientalis, pudu, strepsicerus.

Oxyporus:—abdominalis, analis, bicolor, bimaculatus, bipustulatus, brunneus, cellaris, chrysomelinus, dimidiatus, erythropterus, flavipes, hypnorum, lunulatus, marginatus, marginellus, maxillosus, merdarius, minutus, obtusus, picipes, pygmaeus, rufipes, rufus, subterraneus, suturalis, testaceus, thoracicus, trimaculatus.

Paederus:—angustatus, austriacus, bicolor, brunripes, dimidiatus, elongatus, filiformis, flavipes, fracticornis, fulgidus, fulvipennis, impressus, melanocephalus, orbicularis, orbiculatus, proboscideus, riparius, ruficollis, testaceus, tricolor, verbasci.

Pagurus:—alatus, amplexens, aniculus, araneiformis, bernhardus, caput mortuum, clypeatus, custos, diaphanus, diogenes, eremita, gregarius, latro, miles, oculatus, ophthalmicus, rugosus, strigosus, tubularis, ungarus.

Palaemon:—brevimanus, carcinus, coromandelianus, fucorum, lar, locusta, longimanus, serratus, squilla, tranquebaricus.

Palamedea:—chavaria, cornuta, cristata.

Pallinurus:—fasciatus, homarus, ornatus, quadricornis.

Palmipes:—acutangula, coriacea, obtusangula, pentapetala.

Pandora:—inaequivalvis.

Panorpa:—alpestris, americana, capensis, coa, communis, fasciata, germanica, halterata, hiemalis, italica, japonica, lugubris, scorpio, tipularia, tipuloides.

Paphia:—ala-avis, ala-papilionis, decussata, edulis, guttulata, litterata, meroe, nebulosa, nocturna.

Papilio:—abacus, abaris, abebalus, abolla, absolon, acaciae, acamas, acantus, acastus, accius, aceris, aesta, achates, achatiades, acheronta, acheus, achilles, achine, acis,

acmon, aconthea, acontius, acreon, acrion, actaea, actaeon, actea, actorion, actoris, ada, adippe, adippes, admetus, adonia, adonis, adrastus, aedea, aegeria, aegon, aegle, aegyptius, acilus, aeneas, aeolus, aenippe, aeropa, aeropus, aesopus, aethiopa, aethiops, afer, affinis, agamemnon, agapenor, agatha, agathina, agave, agavus, agenor, agestis, agis, aglaja, aglauros, aglea, agnes, agrotera, agyrtus, ajax, alardus, alberganus, albomaculata, albopictus, albula, alcandor, alcanor, alceae, alcesta, alcibiades, alcidamas, alcidas, alcione, alciphron, alcippe, alcippus, alcithoe, alcmena, alcmeone, alcmon, alcon, alcyone, alexis, alimena, alicca, allionia, almana, alope, alphaea, alphenor, alpheus, alpicola, alsus, althaeae, althea, amabilis, amalia, amaryllis, amasene, amasia, amata, amathea, amathonte, amathusia, amelia, amesis, amestris, amiralis, ammon, amor, amosis, amphicede, amphidamas, amphimachus, amphimedon, amphinome, amphion, amphione, amphitron, amphysus, ampyx, amulia, amulius, amyntas, amyntor, amyclas, amycus, anacardii, anagnostes, anaphus, anaxarete,anaxibia, ancaea, ancaeus, anceps, anceta, anceus, anchises, anchisiades, ancilla, andremona, androgeus, andromacha, andromachus, andromeda, angelica, anius, annulus, antenor, antheus, anticlea, antigone, antigonus, antiochus, antilope, antimachus, antiochus, antiopa, antiphates, antiphus, antonoe, aonis, apastus, apelles, aphrodite, apidanus, apollinus, apollo, arachne, aracanthus, aranea, aratus, arbas, arbates, arcadia, arcalaus, arcania, arcas, arcensia, arcisilanus, archesia, archias, archippus, archytas, arcus, arctophonus, arctophylax, arctous, arduinna, areolatus, areta, arete, arethusa, argalus, argante, arge, argenissa, argenteus, argenthona, argenticollis, argester, argia, argiades, argiolus, argiphontes, argopoeus, argus, argynnis, argyra, argyrios, argyrius, argyrobolus, argyrocapelus, argyrocopus, argyroela, argyrognomon, argyrognomonis, argyrophalara, argyrophalax, argyrotoxis, ariadne, ariarathes, aricie, aries, arinas, arion, arionis, aristus, aristides, aristolochiae, aristus, arius, armata, arminius, arnaca, arne, arogeus, arsalte, arsilache, arsinoe, artaxerxes, artemides, artemis, artemisa, artemisia, artenice, arthemis, ascanius, asijs, aspasia, assarica, assaricus, assimilis, artarte, astenous, asterie, asterius, astina, astiniac, astinous, astrarche, astrea, astyagus, astyanax, astylos, asychis, atalanta, ater, athalia, athamas, athemon, athene, athulia, atlia, atlites, atrovenatus, atymnus, atys, auge, augias, aulestes, aunus, aurelius, aurinia, aurora, aurota, automedon, autonoe, aventina, avia, avitus, avius, betulae, bianor, bias, biblis, biclis, bicolor, bifasciatus, baldus, ballus, banksia, barbarus, basilea, basilia, basilissa, bates, bathseba, bathus, bathyllus, baton, battus, baucis, helemia, belia, belisama, belise, bella, belladona, bellargus, bellona, belmus, belus, beon, berecynthia, berenice, bernardus, beroe, bertolis, bipunctatus, bisaltide, bitias, biton, bixae, blandina, blasius, blomfieldia, bocchus, bochus, boeticus, bolina, bomilcar, bonasia, bramafama, brassicae, brassicaria, brassolis, brigitta, brino, briseis, bromius, bronte, brontes, broteas, brutus, bubastus, busirus, butes, byzas, byze, byzenus, cachrus, cacta, cadiga, cadma, cadmus, caecilia, caecus, caelus, caeneus, caenis, cajus, calais, c-album, calisto, calliope, callirhoe, callycopis, calypso, camaena, camerta, camilla, camillus, camoena, camulus, canace, candaon, candida, candidus, candiope, candybus, canicularis, canidia, canthus, capanea, capacinus, caranus, cardamines, carduelis, cardui, caricae, carinenta, cassiae, cassida, cassioides, cassiope, cassiopea, cassius, cassus, castalia, castor, cato, catilla, catillus, catullus, c-aureum, cavolina, cebrenus, ceculus, cedo-nulli, celaenus, celaeus, celeno, celerio, celia, celimene, celinde, celmus, celtis, cenea, ceneus, centaurus, cepha, cephalus, cepheus, cephus, cerasi, cercis, ceres, cereus, cerialis, ceronus, cethegus, cethosia, chalcas, chariclea, charithonia, charonia, chelys, chemnis, chione, chiron, chiton, chlorinaeus, chryseis, chrysippe, chrysippus, chloris, chorinaeus, chremes, chromus, chrysopterus, chrysotheme, chrysus, cicero, cicilia, cillene, cinaeus, cingulus, cinna, cinxia, cinyra, circe, circeis, cissia, clara, clarissa, clarus, claudia, claudina, claudius, clausius, claviger, clelia, cleobis, cleodoxa, cleon, cleona, cleonus, cleopatra, clerimon, climena, climene, clio, clito, cloanthe, clonius, clorimena, cluena, clueria, clymena, clytemnestra, clytia, clyton, clytus, cneora, cocala, cocalia, coccajus, cochrus, cocles, cocyta, cocytus, codomanus, codrus, coenobita, colon, columbanus, columbina, columella, colutea, coluteae, comes, cometes, comma, comus, constantia, constantius, coon, coras, corax, corbulo, cordula, core, coridon, cornelia, cornelius, coronea, coronis, cortinna, corus, corydon, coryta, corythallia, corytus, crantor, crataegi, crassus, creona, crespontes, crespontinus, cressida, creteus, criniscus, crino, crisia, crispus, crithea, crithon, crocale,

croceus, croesus, crolus, cronis, crotopus, cupavia, cupentus, cupido, curius, cyane, cyanea, cyanopterus, cyanus, cybele, cydippe, cyllarus, cymela, cymodoce, cynara, cynorta, cynthia, cynthia, cyparissa, cyparissias, cypraea, cypris, cyrene, cyrillus, cyrus, cytherea, cytheris, daedale, daedalus, damaetas, damocles, damoetes, damon, damone, dan, danae, danis, daphne, daphnis, daplidice, dardanus, dardus, darius, daunius, daunus, davus, decius, dedalus, deiphobus, dejanira, delia, delila, delius, demetrius, demodocus, demoleus, demolion, demophile, demophon, dia, diamina, diana, diaphanus, dice, dictynna, dido, didyma, didymaon, dimas, dimus, dindymus, diocippus, dioceletianus, diomedes, dion, dione, diphilus, dirce, dirtea, disa, discors, dissimilis, divaricatus, dolicaon, dolyas, dorantes, dorcas, doreus, doriclea, dorilis, dorimene, dorimond, doris, dorothea, dorus, dorylas, dromus, drusia, drusilla, drusius, drya, dryas, dryasis, dryope, dubius, durio, dycinna, dydimaeon, dyndima, dyndimene, eboea, ebusa, ebusus, echeria, echerius, echion, echo, eclypsis, edipus, edusa, egaea, egea, egeria, egesta, egialea, egina, egista, elathea, electro, electra, eleus, eleusina, eligius, elis, elongatus, elorea, emathion, embla, emilia, empedocles, emylius, encedon, encedonia, enceladus, endymion, enothrea, enotrea, enotrus, eos, epaea, epaphia, epaphus, epeus, ephestion, ephyne, epictetus, epiphron, epitus, epius, eponina, epopus, epulus, equicola, erato, erabus, eresimus, eribotes, erigone, erina, erinus, eriphile, erippus, erithonius, erminia, erosine, erota, erycinia, erymanthea, erymanthis, erymanthus, erysini, erythrea, erythus, eryx, esra, ethemon, etheocles, ethesia, ethlius, ethosea, ethus, etolus, eubule, eucharis, euclea, eudora, eudoxia, eudoxus, eugenia, euipe, eumea, eumedon, eumelia, eumelus, eumene, eumeus, eumolpus, eunomia, eupale, eupalemon, eupalus, eupheno, euphon, euphrosyne, euralius, euribates, eurilochus, eurimedeia, eurimedes, eurimone, euristeus, eurisus, eurita, euritea, euriteus, eurocilia, europa, europome, eurota, eurydice, eurypylus, eurytris, eurytus, eustachius, euterpe, eva, evadne, evadnes, evadrus, evagete, evalthe, evander, evarete, evelina, evippus, exadeus, excaecata, exclamacionis, exoticus, eycalia, fabia, fabius, fagi, F-album, fantasos, fascelis, fatima, fauna, faunus, favonius, fenestratus, feronia, ferula, festivus, fidia, fimbriatus, fimgal, flammaeus, flava, flavomaculatus, flegia, flegyas, flesus, flippantha, flirtea, flora, florella, florimel, florus, flyas, folus, forestan, formosus, fortunatus, francisca, freija, frejus, frigga, fritillarius, fritillum, frobenia, fucatus, fulgerator, fuliginosus, fulla, furcula, fusciofus, gabriela, gabrielis, galanthus, galanthus, galathea, galaxaera, G-album, gambrius, ganimedes, garbus, gardetta, gea, gefion, gelanor, generilla, genoveva, gentius, genutia, gerdrudtus, gerontes, geryon, getus, gilippus, glacialis, glaucippe, glaucus, gliciria, glycerie, glycerion, gnetus, gmidia, gnidus, gnoma, gonerilla, gordius, gorgias, grachus, griela, gripus, grispus, grogne, gronovii, groslope, gyas, halesus, halyma, hanno, haquinus, haraldus, harmodius, harmonia, harpalyce, harpax, harpyia, hassan, hebe, hebrus, hecabe, hecale, hecate, hector, hectorides, hecuba, hecuba, hedonia, hedyle, hegesia, hegisippus, helcita, helena, helenor, helenus, heliacon, helice, helicitia, helie, heliodore, helirius, helius, helle, helles, hellica, helops, hemes, hemon, heos, hera, herennius, hermes, hermione, hermioneus, hero, herodotus, herse, hersilia, hertha, hesione, hesperus, hexophthalmos, hiarba, hiarbas, hiera, hiera, hierta, hilaria, hilda, hille, hipolaste, hippia, hippo, hippoclus, hippocoon, hippodamia, hippolyte, hippona, hipponoe, hippothoe, hirce, hirlanda, hisbon, histrio, homerus, honorius, horatius, hordonia, horta, hostilia, huntera, huttuinus, hyacinthus, hyale, hyalinus, hydaspes, hygenius, hylactor, hylas, hylaspes, hylax, hyllus, hymen, hypanus, hyparete, hypatia, hyperanthus, hyperbius, hyperia, hypermnestra, hyphea, hypolitus, hyppason, hyppolite, hypsipyle, hystaspes, ianirula, ianthe, iarbas, iarbus, icarus, ida, ideoaus, idalia, idas, idea, idmone, idomeneus, ilea, ilia, incisa, ilione, ilioneus, ilithyia, illioneus, ilus, imperator, imperialis, inachus, inaria, inco, interrogationis, io, iole, iolus, iphicles, iphidamas, iphigenia, iphigenus, iphis, iphita, irene, irenea, iridis, iris, irius, isabella, isidora, isis, ismare, ismarus, ismene, isse, itea, itys, ixilion, ixion, iacchus, jacintha, jairus, janais, janassa, janassia, jania, janira, japetus, japygia, jasius, jason, jatrophae, java, jolaus, jodutta, jovianus, juba, judith, jugurtha, julettus, julia, juliana, junia, juno, jupiter, jurtina, justina, juvenalis, juventa, karschina, kollina, kolosvarensis, labdacus, lacedemon, laches, lachesis, lacteolus, ladon, laertes, lagus, L-album, laidon, lais, laja, lajus, lalage, lamia, lamina, lamis, lampetia, lampetie, langis, laodamia, laodice, laodocus, laomedia, laomedon, laothoe, lappona, lara, larra, larydas, lassus, lathonia, lavaterae, laudonius, laure, lausus, lavinia, lea, leander, leda,

leilus, lemonias, lena, lenea, leodice, leodorus, leonida, leonidas, lesbia, lethe, leucippe, leucomelanos, leucomelas, leucostictos, leucothea, leucothoe, levana, libanias, liberia, liberius, libye, libythea, licarsis, licea, licinia, licomedes, licursis, licus, ligea, liger, limniace, lina, linea, lingeus, lintingensis, linus, liria, lirioppe, lisandra, lisianassa, lisias, lisimon, lisus, lizetta, lotis, lubentina, lucagus, lucia, lucilla, lucille, lucina, lucinda, lucretia, lucretius, luctuosus, lucullus, ludovica, luna, lunulatus, lybia, lycabas, lycaon, lycaste, lycia, lycidas, lycimnia, lycurgus, lydia, lye, lynceus, lycinda, lysander, lysandra, lysidice, lysimnia, lysippus, macaria, macaronius, maccabaeus, machaon, machaonides, macra, macularia, maenas, maera, maerula, magus, maimon, maja, malvae, mamers, mamerta, mandana, mandane, manilia, manlius, manto, mantus, marcellina, marcellus, marcia, marcus, mardania, marginalis, marianne, marica, marinus, marius, marphisa, mars, marsyas, martha, marthesia, martius, matura, matutina, maurus, meander, medea, medon, medus, medusa, megacles, megera, melampus, melander, melaneus, melania, melanida, melanippe, melanippus, melantha, melas, meleager, meleagris, meleander, meliboëus, melicerta, melissa, melita, melite, melpomene, melusina, memnon, menalcas, menalcus, menander, menelaus, meneria, menes, menestheus, menetas, menetes, menetho, menippe, menippus, meolans, meone, mercurius, mergus, merione, meris, mermeria, merope, merops, mesenteria, mesentina, messalina, meta, metea, metellus, metis, meton, micalia, micylus, midamas, midamus, midas, miltiades, mimas, minereus, minerva, mineus, minimus, minna, minos, minutus, miriam, miris, mirtyllus, mirus, misenes, misippus, mneme, mnemosyne, molphea, momus, moncus, monima, monina, monoculus, montanus, monustus, mopsus, moraviana, morio, morna, morpheus, morvus, mulciber, murcia, musa, musarion, mutius, mycena, mygdon, mylitta, myncea, myops, myrina, myrmidone, myrti, myrtillus, mysis, naidon, nais, napi, narbal, narcissus, narica, narcosius, narva, nauplius, nausithoe, nausithous, nautes, neaerea, nedymond, nefte, neleus, nelo, nephele, nereis, nerina, nerissa, nero, nesaea, neste, nestor, niavices, niavius, nicaeus, nicias, nicippe, nigrina, nigronervosus, nileus, nina, niobe, niphe, nireus, nise, niso, nisus, nitocris, niveus, nobilis, nomius, norma, nothus, numata, numerius, numilia, numitor, nycetus, nysa, obrinus, obscuratus, occirhoe, oceanus, ocellatus, octavia, octavius, octoculatus, oculus, ocpete, odilia, odin, odites, odius, oedippus, oenone, oethon, oileus, oisis, olympia, omega, omphale, opalus, ophion, ophione, opis, optilete, orbitulus, orcas, orchamus, orcus, orestes, orfita, origines, orion, orithya, orontes, orphise, orsiera, orsilochus, orsis, orsita, ortygnus, orus, osinia, ossianus, otho, otis, otreia, otreus, ouranus, paedotrophos, palaemon, palaeno, palamedes, palatinus, palegon, pales, palinurus, palmus, pamela, pammon, pamphilus, pampholyge, pan, pandarus, pandion, pandora, pandrose, paniscus, pann, panope, panthera, pantheratus, pantheus, panthonus, panthous, paomedia, paphia, paphioides, parhassus, paris, parmenides, parrhasia, parsimon, pasithoe, parthenie, pasinuntia, pasiphae, passiflorae, patroclus, paulina, paulinus, paullus, peas, pegala, pelarga, pelagus, pelaus, pelea, peleides, peleus, pelias, pelion, pelopia, pelops, penenea, penelope, penthea, peranthus, periander, periboea, perimele, perion, perius, perseae, perseis, perseus, persiphone, pertinax, petalus, petavius, petreus, petrosus, phaedra, phaedrus, phaenareta, phaeusa, phaeton, phaetusa, phalantha, phalanthus, phalaris, phaleros, phareus, phedima, phegea, phereclus, pherecydes, pheridamas, phiale, phicomone, phidias, phidippus, phidon, philaedilis, philanthus, philaus, philea, philenor, phileta, philetetes, philemon, philene, philius, philippa, philippina, philis, philocles, philoctetes, philomela, philonome, philonomus, philoxenus, phineus, phleas, phlegia, phliasus, phobos, phobus, phocas, phocion, phocus, phoebe, phoebus, phoedon, pholeus, phorbanta, phorcus, phorcus, phorcys, phryne, phryxa, phyleus, phylleus, phyllis, phyllus, piera, pierus, pilosellae, pindarus, pinthaeus, pinthous, pipleis, piranthus, pirata, pireta, pirithous, pisorum, pitho, placidia, plexippus, plutargus, podalirius, polibete, polibetes, policenes, polinice, polixenes, pollux, polybe, polycaon, polycarnes, polychloros, polycletus, polydamas, polydecta, polydorus, polymeda, polymenus, polymnestor, polymnia, polynice, polynome, polyphemus, polysperchon, polytes, polyxena, polyxenes, pomona, pompadour, pompeius, pompeus, pompilius, poppea, populi, porphyria, porsenna, portia, portlandia, posthumus, postverta, pretus, priamus, priassus, princeps, principissa, probetor, procas, procida, procris, proclius, progne, pronoe, proprius, prorsa, prorsas, proserpina, prosope, protenor, proterpia, protesilaus, proteus, protogenia, protumnus,

pruni, psecas, pseudolus, pseudopandarus, psidii, psittacus, psyche, ptorsas, pulsus, pygmaeus, pigmalion, pylades, pyramus, pyranthe, pyrene, pyretus, pyrha, pyrhus, pythagoras, pythia, quercus, quirina, quiteria, radamanthus, rahel, ramusus, rapae, raphani, rebecca, regalis, reginae, regulus, renaldus, renata, remulia, remus, rex, rhamni, rhea, rhetenor, rhetus, rhexia, rhipheus, rhodope, ricini, rinaldus, rivularis, rohria, romulus, rosalia, rosimon, rosina, roxana, roxelana, rubi, rudolphina, rumina, rustan, ryphea, saba, sabaeus, sabina, sabinus, sagaris, salacia, salatis, salius, salmaccis, salmasis, salmonea, salmoneus, salome, salus, sao, sapho, sappho, sara, sarpedon, saturnus, satyrus, scolopaceus, scylla, sebaldus, sectator, sedi, selene, semele, semiargus, semire, sempronius, sennae, serena, sergestus, serina, sesia, sesonia, sesostris, sessionia, severina, severus, seyta, sicheus, sibilla, sidae, silene, silenissa, silenus, simaethis, similis, simplex, simplicius, sinapis, sinon, sirius, sisammus, sloanus, solandra, solon, sophia, sophonisba, sophorae, sophus, soranus, sosybius, speculifer, sphinx, spini, spio, statilinus, statira, stelenes, steropes, strephon, strigosus, strilidore, sulphitia, sultureus, superbus, susanna, suspirans, syllius, sylvana, sylvanus, sylvester, sylvestris, sylvia, sylvius, symethus, syncellus, syphax, syrictus, syrinx, sysiphus, tabitha, tages, talaus, tales, talus, taras, tarpeia, tarquinius, taumas, tede, telamon, teleclus, telegone, telegonus, teleius, telemachus, telemus, telephii, telephus, telicanus, terea, terminus, terpsicore, testudo, teucer, teutonia, thais, thales, thalia, thallo, thallus, thamyra, thamyras, tharos, thasus, thaumas, theanus, thelephus, themistocles, thermopylae, thero, thersamon, thersander, thersanon, thersites, theseus, thespis, thetys, thoas, thraso, thrax, thyastes, thyestes, thymetus, thyonneus, thyphon, thyra, thyrsis, thysbe, tiberina, tibullus, tigris, tilephus, timantes, timeus, timoleon, timon, tiphon, tiphus, tiphys, tircis, tiresia, tiridates, titania, tithonus, tityrus, tolumnia, tomyris, torquatinus, torquatus, triangulum, triarius, triopas, tristan, trite, triton, trivia, troglodyta, troilus, tros, trullus, tryxus, tulbaghia, tullia, tulliolus, tullius, tullus, turnus, tyndarus, tyndareus, typhis, tytia, tytius, ubaldus, udalrica, ulrica, ultramarinus, ulysses, umbra, undularis, unzerina, urania, ursula, urticae, V-album, valens, valentina, valeria, valesina, vanessa, vanillae, varanes, vau-album, velleda, vellida, venilia, venulius, venus, veronica, vertumnus, vesta, vesulus, vidua, villida, vincentiata, vindex, violae, virbius, virgaurea, virgaureae, virgilia, virgula, vitellia, vitellius, vitreus, vocula, vulcanus, W-album, W-latinum, xanthe, xanthomelas, xathus, xiphares, xiphia, xuthus, zachaeus, zacynthus, zangis, zeanger, zelima, zelmira, zenobia, zetes, zeuxippe, zeuxo, zilia, zingha, zitenius, zoilus.

Papio :—aethiops, apedia, faunus, maimon, mandril, mormon, nemestrina, sphinx, veter.

Paradisea :—alba, apoda, atra, aurea, chalybata, chalybea, cirrhata, cristata, furcata, gularis, leucoptera, magnifica, nigra, penicillata, regia, rex, sessilata, setacea, sexpennis, sexsetacea, speccosa, superba, tristis, viridis.

Paramaecium :—acutum, anceps, aurelia, caudatum, chrysalis, fasciola, histrio, marginatum, oviferum, versutum.

Parasitus :—coleopratorum.

Parnus :—acuminatus, auriculatus, obscurus, prolifericornis.

Parra :—africana, brasiliensis, cayennensis, chavaria, chilensis, cuprea, dominica, goensis, indica, jacana, ludoviciana, luzonensis, luzonia, nigra, senegala, sinensis, tranquebarica, variabilis, viridis.

Parthenope :—dubia, fornicata, giraffa, horrida, lar, longimana, maja, regina.

Parus :—afer, alpinus, amatorius, americanus, amarus, ater, aureola, barbatus, biarmicus, bicolor, caeruleus, capensis, caspicus, caudatus, cedrus, cela, coccineus, cristatus, cyanochlorus, cyanus, erectus, erythrocephalus, griseus, hudsonicus, hudsonius, ignotus, indicus, knjaescik, luteus, macrocephalus, major, malabaricus, narbonensis, novae seelandiae, palustris, pendulinus, peregrinus, pipra, regulus, saebyensis, sibiricus, sinensis, stromii, variegatus, virginianus.

Parvus :—nelicourvi.

Passalus :—assimilis, cruentatus, dentatus, interruptus, laevicollis, minutus, planus.

Passer :—arboreus, caelebs, campestris, canarius, chloris, cristatus, domesticus, linaria, montefringilla, palustris, passerculus, sylvestris, torquatus.

Patella :—aculeata, aenea, affinis, afra, africana, albogalerus, alboradiatus, ambigua, anceps, angulosa, angusta, anomala, antiquata, aponogetonis, appendiculata, aranea, areolata,

argentea, aspera, asteroides, astrolepas, atra, atrata, aurantia, auricula, aurora, avellana, badia, barbadensis, harbara, bicolor, bifurca, borniana, caeca, caerulata, caerulea, caffra, calyptra, canaliculata, cancellata, candicans, candida, candidissima, canescens, capensis, capillacea, capillaris, castrensis, caudata, cerata, cerea, cernua, chlorosticta, cinerea, cingulata, circumscripta, citrina, clavus, clypeus, cochlear, complanata, compressa, conchacea, conspersa, conspurcata, contaminata, contorta, conus, corbis, comea, cornucopiae, corrugata, corrusca, costata, craniolaris, craticulata, crenata, crenulata, crepida, crepidula, cristata, crocea, cruciata, cruentata, cuprea, cyathus, cylindrica, cymbeola, cypria, deaurata, decussata, deflexa, denticulata, depressa, diaphana, digitale, dimidiata, discus, dispar, echinata, effusa, electrica, elegans, equestris, erythrocephala, exalbida, exoleta, fasciata, ferruginea, ferula, fissura, fissurella, flammea, flaveola, flavescens, fluviatilis, fornicata, fulgur, fulva, fungoides, fusca, fuscata, fuscescens, galeata, gigas, glacialis, glauca, gondola, goreensis, graeca, granatina, granifera, granularis, grisea, guineensis, guttata, haematosticta, haliotoidea, hispida, hydatis, impressa, inaequalis, incurva, indica, infundibulum, interrupta, intertexta, intorta, islandica, jamaicensis, laciniosa, lacrymalis, lactea, lacustris, laevigata, laevis, lamellata, lepas, leucopleura, limbata, lugubris, lunaris, lusitanica, lutea, maculosa, magellanica, mammillaris, mammula, margaritacea, marmorea, medusae, melanogramma, melano-leuca, melano-sticta, melanozonias, mellea, micans, miliaris, miniata, minima, minuta, mitella, mitrula, modulus, monopus, morilles, morio, morionis-pileus, mucronata, munitialis, mytilina, mytiliformis, navicula, neritea, neritoidea, nigrita, nimbose, nivalis, nivea, noachina, nodosa, nodulosa, notata, nova seelandiae, nubecula, nubila, nucleus, nummularis, obliqua, oblonga, obscura, obsidionalis, ochroleuca, octoradiata, oculata, oculus, oculus cati, olivacea, ovalis, panonica, papillaris, papyracea, parva, patera, pecten, pectinata, pectunculus, pellucida, pentagona, perforata, personata, perversa, petasus, picta, plicaria, plicata, plumbea, polaris, porcellana, porphyrozonias, pulla, punctulata, punicea, purulenta, pusilla, pustula, pustulata, pyramidalis, radians, radiata, repanda, reticulata, revoluta, rosea, rota, rotundata, rubella, rubescens, rubicunda, rubra, rudicula, rudis, rufescens, rugosa, rustica, saccharina, sanguinea, sanguinolenta, scapha, scapula, scissa, scutellum, scutiformis, selas, senilis, sidus, silicina, sinensis, sinica, smaragdina, solaris, solea, spectabilis, specularis, sphaeroidea, spinetum, spinosa, spinulosa, spiralis, spirata, squalida, squamata, squamosa, stannea, stella, stellaris, stellata, stellifera, striata, striatula, stricta, subspiralis, succincta, surinamensis, symmetrica, taitensis, tectumchinense, tenuis, tessulata, testacea, testudinalis, testudinaria, testudinata, tigrina, transomerica, tranquebarica, tricarinata, tricostrata, trigona, triradiata, trochiformis, tuberculata, turcica, ungarica, ulna, ulyssiponensis, umbella, umbellata, umbracula, umbrosa, undulata, unguis, variabilis, variegata, ventricosa, verrucosa, virescens, virgata, virginea, viridana, viridis, vitellina, vulgaris, vulgata.

Pausus :—lineatus, microcephalus, ruber, sphaerocerus.

Pavo :—bicalcaratus, chinquis, cristatus, iris, japonensis, malacensis, muticus, phasianus, tibetanus.

Pecten, P. Osbeck, Reise Ost-Ind. China, 1765, 391 :—adscensionis, amusium, bombycinus, cilicinus, distortus, dubius, fasciatus, gibbus, glaber, islandicus, jacobaeus, lima, lineatus, marmoratus, maximus, monotis, nodosus, obliteratedus, obsoletus, opercularis, pallium, parvus, pictus, pleuronectes, plica, politus, pusio, radula, radulanus, ruber, rubidus, rutilis, schediarius, septemradiatus, striatus, subrufus, sulcatus, tigrinus, triradiatus, umbraculum, varius, venatrix, viginti-sulcatus, vulgaris, ziczac.

Pectunculus :—capillaceus, crassus, depressior, fasciatus, glaber, membranaceus, pectunculus, striatulus, strigatus, sulcatus, truncatus, vetula.

Pedicellaria :—globifera, tridens, triphylla.

Pediculus :—alaudae, albiventris, alcae-arcticae, anatis, andraenae, anseris, apis, aquaticus, ardeae, asini, auritus, bassani, bidentatus, bovis, bubali, bufali, buteonis, calcareus, cameli, canis-familiaris, caponis, caviae, cerambycinus, cervi, charadrii, chloridis, ciconiae, circi, citrinellae, clangulae, coarctatus, coccineus, columbae, colymbi-grylle, colymbinus, cornicis, corvi, crassicornis, cuculi, curuceae, curvirostrae, cuspidatus, cygni, dentatus, diomedae, dolichocephalus, emberizae, equi, fasciatus, fringillae, fulicae, gallinae, gruis, grylle, gryllotalpae, haematopi, haematopodis, haematopus, hiaticulae, hirci-jumoris, hirundinis, humanus, humanus-capitis, infausti, junceus, lagopi, lagopodis,

lanii, lari, maximus, meleagridis, mergi, moschatae, motacillae, murinus, muscoli, ocellatus, opilionis, orioli, ortyometrae, ovalis, ovis, pari, pari-palustris, passeris, pavonis, phasiani, picae, pici, pilosus, plataeae, ploti, porcelli, procellariae, pubis, pulsatorius, pyrrhulae, querquedulae, ralli, ramalium, recurvirostrae, ricinoides, rostratus, rubeculae, sternae, strigis, sturni, suis, tantali, tauri, tetraonis, tinnunculi, tringae, vagelli, vespertilionis, vituli, vulturis.

Pedum :—spondyloidea.

Pegasus :—draconis, lesiniformis, natans, volans, volitans.

Pelecanus :—africanus, aquilus, aristotelis, bassanus, bimaculatus, capensis, carbo, carolinensis, carunculatus, cirrhatus, cristatus, demersus, erythrorhynchus, fiber, fuscus, graculus, leucocephalus, leucogaster, maculatus, magellanicus, manillensis, minor, naevius, onocrotalus, palmerstoni, parvus, phalacrocorax, philippensis, piscator, punctatus, pygmaeus, roseus, rufescens, sinensis, sula, thagus, trachyrhynchus, urile, varius, violaceus.

Pelecinus :—polycerator.

Peloderma :—cochlear, cristatum, denticulatum, vulgare.

Peltis :—aestiva, aequatica, arborea, atrata, bipustulata, brunnea, cadaverina, complicata, depressa, dermestina, excavata, femorata, ferruginea, gibbosa, grossa, inaequalis, limbata, lineata, littoralis, maculata, obscura, opaca, padina, pedemontana, quadripunctata, sabulosa, scabra, scutellata, seminulum, testacea, thoracica, truncatella, villosa.

Penaes :—monocerus, monodon, planicornis.

Penelope :—cristata, cumanensis, jacupema, marail, pipile, satyra, vociferans.

Penicillus :—javanus, novae zelandiae, penis.

Pennatula :—antemina, argentea, arundinacea, britannica, coccinea, cynomorium, encrinus, filosa, grandis, grisea, italica, juncea, mirabilis, palmata, phalloides, phosphorea, quadrangularis, reniformis, rubra, sagitta, scirpea, spinosa, stellifera, stupata.

Pentaceros :—gibbus, planus.

Pentadactylus :—aster.

Pentagonaster :—regularis, semilunatus.

Perca :—acerina, adscensionis, aegyptiaca, alburnus, americana, annulatus, apoda, arabica, areolata, argentata, argentea, asper, atraria, aurata, bifasciata, bimaculata, blenuoides, brasiliensis, callyodon, cabrilla, cernua, chrysoptera, cirrosa, cottoides, diagramma, digramma, dorso, fario, fasciata, fiscellata, fluviatilis, formosa, furva, fusca, gibbosa, gigas, grammistes, guttata, immaculata, jagonis, japonica, juba, koelreuteri, labrax, lanceolata, lentiginosa, lineata, lophar, louti, lucioperca, lunariae, lunulata, luth, maculata, maculosa, manca, marina, mediterranea, melanura, miniaria, nigra, nilotica, nobilis, norvegica, ocellata, palpebrosa, pertusa, philadelphia, picta, polymna, punctata, punctulata, pusilla, radula, reticulata, rhomboidalis, rogaa, rufa, rupestris, saltatrix, saxatilis, schraetser, scribe, sectatrix, septemfasciata, sexlineata, sinensis, stellio, stigma, striata, sumatrensis, summana, tauvina, tessellata, tigrina, trifasciata, trifurca, trilineata, tysonis, undulata, unicolor, unimaculata, venenosa, vittata, volgensis, vulgaris, zingel.

Perdix :—afra, andalusica, aragonica, asiatica, barbara, bicalcarata, cambaiensis, capensis, caspia, cinerea, ceylonensis, coromandelica, coturnix, coyolcos, cristata, damascena, falklandica, ferruginea, francolinus, gibraltaria, gingica, grisea, guianensis, hudsonica, indica, javanica, kakelik, luzoniensis, madagascariensis, manillensis, marylanda, mexicana, montana, nigricollis, novae guineae, novae hispaniae, nudicollis, oocolin, perdix, perlata, petrosa, ponticeriana, rubra, rubricollis, rufa, rufo-alba, senegalensis, sinensis, spadicea, striata, suscitator, virginiana, viridis.

Perla :—bicaudata, cylindrica, flava, flavipes, fusca, nasuta, nebulosa.

Perna :—bilocularis, ephippium, isognomum, magellanica, marmorata, mediterranea, striatula, sulcata, unguina, viridis.

Peronaeoderma :—corneum, exiguum, fragile, gari, nitidum, planatum, politum, semistriatum, trunculus, venustum.

Petaurista :—hudsonia, sagitta, taguan, volans, volucella.

Petaurus :—australis.—*Vide et. Sciurus.*

Petromyzon :—argenteus, branchialis, fluviatilis, marinus, planeri, ruber, sanguisuga, variegatus.

Phacites :—fossilis.

Phaeton :—aethereus, demersus, melanorhyncos, phonicuro, rubricauda.

Phalacrus :—coruscus, millefolii.

Phalaena :—abas, abasia, abietaria, abietis, abjecta, abruptaria, absinthiata, absinthii, accipitrina, aceraria, aceris, acharia, achataea, achatalis, achatana, achatata, achatina, achatinata, achelous, aconyta, acrea, acron, adaequata, adansonella, adjutrix, admirabilis, admirella, adsociaria, adspersaria, adumbrata, adusta, advena, advenaria, adversata, aecas, aegina, aegisthus, aegistus, aemilia, aemula, aenea, aeneana, aeneella, aerata, aeralis, aerubescens, aeruginaria, aerugula, aesculi, aestivaria, aestuata, aethiopata, affnaria, affinata, affinis, afzeliana, agarista, agilis, agis, aglaura, agresta, agrippina, ain, alabastrina, alaudaria, alba, albana, albaria, albastrata, albata, albella, albeola, albeolata, albertina, albicillata, albicincta, albida, albidalis, albidaria, albifrons, albimacula, albina, albinella, albiocellaria, albipunctata, alboflava, albofulminata, albolinearia, albopunctata, albula, albulata, alchimiella, alchemillae, alchemillaria, alchemillata, alcinoe, alciphron, aldrovandella, aleella, aletta, algae, algira, alinda, allica, alligata, alnella, alni, alniaria, alope, alopecurus, alpestralis, alpea, alpicola, alpina, alpinaria, alpinata, alpium, alsines, alstromeriana, alstromiana, alsus, alterna, alternata, altica, altrix, amabilis, amalia, amanda, amando, amasia, amasis, amata, amataria, amatorio, ambusta, americana, amica, amilia, ammonia, amoenita, amphix, amynta, anastomosis, ancilla, andremona, androgea, anethana, anglica, anglicana, anguina, angulana, angularia, angulata, angulella, angulosa, angustalis, angustata, anilis, annularia, annularis, annulata, annulata, antennalis, antennella, anthracina, anthracinallis, anthracinaria, anthracinella, antiorum, antiqua, anubis, aphidula, apicalis, apicella, apiciana, apiciaria, apidania, apollonia, apparens, appellata, appendiculata, applana, aprilina, aprilis, apronia, aquilina, arabica, aranacea, arbustella, arbutella, arbuti, archada, archesia, arcualis, arcuana, arcuaria, arcuata, arcuella, arcuinna, area, areata, arenacea, arenaria, arenata, areola, areolata, areos, aresiaria, arge, argentalis, argentana, argentata, argentatella, argentea, argentella, argenteo-lineata, argentina, argentinella, argentomacularis, argentula, argulata, argyrata, argyrella, argyria, aristella, armida, arminia, arnea, arnobia, artemisia, artemisiae, artemisaria, artriosa, aruncella, arundinata, arvensis, asella, asinana, asparagi, asperalis, asperana, asperella, aspernata, assimulans, associata, asteris, astrea, astroites, astur, asylas, aterea, atlas, atomalis, atomana, atomaria, atomata, atomella, atomifera, atomosa, atra, atralis, atramentata, atrata, atratella, atriplicella, atriplicis, augusta, aulica, aura, aurana, aurantiaca, aurantiago, aurantiella, aurantiata, aurata, auratana, auratella, aurea, aureana, aureatella, aureo-argentea, aureofasciata, aureofasciata, auricularis, auriculata, auriflua, aurita, aurora, auroraria, aurota, ausonia, austera, austriaca, autumnalis, autumnata, avellana, avellanae, avellanella, aversata, avia, bajularia, balteata, bandevillaea, banksiana, barbalis, barbara, barbatella, basilinea, B-beta, batis, beatrix, begga, belgaria, bella, bellatrix, beltes, bergmanniana, betulana, betularia, betulifolia, betulinella, betuliperda, bibiana, bicaudata, bicincta, bicinctaria, bicolora, bicolorana, bicolorata, bicoloria, bicostella, bicurris, bicuspis, bidactyla, bidella, bidellana, bidentaria, bidentata, bifasciana, bifasciata, bifida, bifidalis, bifurca, bigramma, bigutta, biguttata, bilinearis, bilineata, biliniata, biliosata, bilunaria, bimacularis, bimaculata, bimaculosa, bimaculosella, binaria, binubeculosa, bipuncta, bipunctalis, bipunctana, bipunctaria, bipunctata, bipunctata, bipunctella, bipuncti-dactyla, bipustula, birivia, biriviata, biselata, bistigmata, bistrigalis, bistrigaria, bistrigata, bitia, biundularia, biundulata, blanda, boletella, bolina, boloniensis, bombycata, bombycella, bombycina, bonnetella, borealis, boreas, borkhausana, bornella, bostrigata, brachyura, bractea, bractella, branderiana, brassicae, brassicata, brecciaeformis, brenna, brocatella, bronte, brotea, brumaria, brumata, brunnea, brunneago, brunnearia, brunneata, brunneata, brunnichana, brunnichella, bucephala, burmaniana, byringerana, caecimacula, caelebs, caelestina, caenea, caerulata, caeruleocephala, caesia, cafra, caffraria, caja, cajeta, calabra, calabraria, C-album, calcar, calchas, caliginosa, caliginosata, calligrapha, calthella, calvaria, calvipalpis, calycanthata, camelina, campella, campestris, cana, canaliculata, canaria, candelisequa, candidata, candidula, canente, canescens, canini, canitia, canterius, capensis, capillitiana, capitalis, capitata, capitella, cappana, cappata, caprearia, caprifolii, caprotina, capsicola, capucina, caranea, cararia, carbonaria, cardui, carenea, carinenta, carmelita, carmelitella, carna, carnella, carneola, carpinata, carpini, carpophaga, carthesiana, cassandra, casta, castaneae, castrensis, catax, catenaria, catenata, catilina,

catilinaria, caudana, caudata, caudella, C-aureum, cecropia, cedica, cedonulli, celadon,
 celia, celsia, cembrella, cenaria, cenis, centralis, centrata, centumnotata, cephise, cerago,
 ceraria, cerasana, cerasata, cerata, cercana, cereana, cerefolii, ceretana, cerialis, cervana,
 cervina, cervicalis, cervinaria, cervinella, cespitis, chaerophyllata, chaerophylella, chal-
 ciptera, chalcites, chalsytis, chalybea, chamomillae, characterana, caracterea, caract-
 erella, charactera, charadria, charmione, chenopodiata, chenopodii, chephise, chera,
 chermesina, chi, chionanthi, chlora, chlorana, chlorea, chloris, chlorosata, chondrillae,
 chorebus, chorinea, christiemanua, chrysanthemi, chrysialis, chrysitina, chrysitis, chryso-
 ceras, chrysogastralis, chrysoglossa, chrysomelas, chryson, chrysonuchella, chrysopallida,
 chrysoprasaria, chrysorrhoea, chrysozona, cibriiformis, ciliatella, cincta, cinctella, cine-
 ralis, cinerana, cineraria, cinerataria, cinerata, cinerea, cinerella, cinerina, cingulana,
 cingulata, cippus, circaria, circe, circellaris, circulana, circularia, circulata, circulifera,
 circulus, circumdataria, circumflexa, circumscripta, circumvolutella, citrigo, citrata,
 citrella, citrinalis, citrinella, civica, clara, clarea, clarissa, clathrata, clathrea, claudia,
 claudicans, clavatella, clavellata, clavifera, clavipalpis, clavipes, clavis, clavus, clavia,
 clemataria, clerckella, clerckiana, clisthena, clöckneria, clotilda, cludialis, clymene,
 clytia, cnidalis, C-nigrum, coarctaria, coarctata, cocala, cocalus, coenobita, coenopta,
 cognata, coleta, collaris, collinita, collusoria, colon, colonella, coloraria, colorata, colum-
 bina, combinella, comella, comitata, comma, commelinae, communimacula, complana,
 concatenata, concava, concha, concinna, concubina, confinis, consfluella, conformis,
 confusa, congelatella, conigera, conjugata, conjunctio, connexa, conscripta, consobrina,
 consobrinaria, consocia, consolidata, consors, consortaria, conspersaria, conspersata, con-
 spicillaris, conspicator, conspiculum, conspicua, conspicuaria, conspurcata, constellata,
 contaminata, contigua, contiguaria, convergata, conversa, convexata, convoluta-plana,
 conwagana, coracina, corcinalis, corculata, cordigera, cordigerella, cordiaria, coriana,
 coriaria, corinna, corisandra, corneata, cornicalis, cornicella, cornutella, coronata, corope,
 corrigata, cortesianaria, corticalis, corticella, corticina, corusca, corvaria, corylana,
 corylata, coryli, corylina, cossus, costalis, costaria, costata, costella, cracca, cramerella,
 crameriana, crassa, crassalis, crassaria, crassicornella, crataegata, crataegella, crataegi,
 craterella, crenaria, crenata, crepuscularis, cresus, cretaria, cribellum, cribraria, cribrata,
 cribrum, cribrumalis, cribrumella, cristalana, cristalis, cristata, cristatula, crocata, croca-
 taria, crocea, croceago, croceata, crocinella, crocos, croesella, cruciana, cruciata, cruen-
 taria, cruentata, cucubalis, cucullata, cucullata, cucullatella, culiciformis, culmella, culta,
 cultraria, cuminella, cimini, cunea, cuneata, cuniculata, cuniculina, cunigunda, cunina,
 cupentia, cuprea, cupreella, curialis, cursoria, curtisella, curtula, curvana, curvata,
 curvella, cuspidata, cyane, cydonia, cydoniata, cyllaria, cynara, cynata, cynira, cynos-
 batella, Cynthia, cyparissiae, cythisaria, damascialis, damonia, dares, dealbata, decem-
 punctata, deceptoria, decimalis, decolorata, decora, decorata, decorticiaria, decussana,
 decussata, defloriana, defoliaria, degeerella, degener, deglupta, deliana, delicatula,
 delphinii, demandaria, demandata, demarriana, denigrata, denotata, densana, densata,
 dentalis, dentaria, dentata, dentella, denticularia, denticulata, denticulosa, dentilinearia,
 dentimacula, deolis, deplana, depressa, depressana, depuncta, derasa, derivata, derogata,
 designata, desolata, despecta, despectata, despicata, desponsata, detrita, devastaticula,
 dianaea, diaphana, diaphanata, dichroma, dictaea, dictaeoides, didactyla, didactylites,
 didyma, didymata, diffinis, dilatata, dilectaria, dilucidaria, diluta, dilutata, dimas, dime-
 ralis, dimidialis, dimidiata, dimidio-alba, dione, dioraria, diores, dipsacea, diptera,
 discana, discaria, discata, discolor, dispar, dissimilis, ditaria, divergens, diversana,
 diversaria, diversata, divisa, dodecadactyla, dodecella, dodonea, dolabraria, doliata,
 dolobrata, dolon, domestica, domesticella, domialla, domiduca, domina, dominia,
 dominica, dominula, donna, donzella, dorothea, dorsalis, dorsana, dotata, dragonalis,
 dromedarius, druryella, dryas, dubia, dubitata, dumeti, dumi, duplana, duplaris, dupli-
 calis, duplicata, dyndyma, dypterigia, ebalea, ebalus, eborina, echiella, echii, echo,
 eclipsella, edleriana, edusa, egeus, egle, egregia, ejectata, ekebladella, elatalis, electa,
 eleonora, eleuteria, eleuthera, elevata, elinguaria, elongalis, elongella, emargana, emar-
 ginaria, emarginata, emmedonia, emortalis, enclada, endiviae, ensalis, entella, ephip-
 pella, ephonia, ephora, epigena, epimenis, epimethea, epione, epopea, equestraria,
 equestrata, equitella, eratoalis, erechtea, erecta, eremita, eremitica, ericae, ericetaria,
 eridania, eridanus, erigalis, erinacea, erminea, ernestella, ernestina, erosalis, erosaria,

erosata, erota, erycata, erycina, erythrocephala, esperella, esperiana, eucharis, eugenia, eulalia, eumedide, eumela, euphemia, euphorbiae, euphrasiae, euristeia, eurocilia, eusebia, eutropia, everia, evergista, evonymella, exaltata, exanthemata, excisaria, exclamationis, excusa, exoleta, expectata, explanata, extimalis, extincta, extremata, exustata, ezea, fabia, fabiana, fabiella, fabriciana, fabriciella, fagana, fagi, faginaria, falcata, falcataria, falcata, falcularia, famula, farinalis, farinata, fascalis, fascelina, fascelis, fascia, fascialis, fasciana, fasciaria, fasciata, fasciataria, fasciculosa, fasciella, fasciola, fasciolaria, fasciolata, fasima, fatma, favillacea, feducia, felicia, fenestra, fenestralis, fenestaria, fenestrata, fenestrella, ferrugalis, ferrugaria, ferrugata, ferruginalis, ferruginata, ferruginea, ferruginea-fasciata, fervidaria, festiva, festivaria, festucae, festucaria, fibulata, ficariae, ficus, figurata, filia, filicella, filicis, filigrama, fimbria, fimbrialis, fimbriaria, fimbriata, fimbriatella, fimbriella, fimbriola, firmiana, flabellaria, flammata, flammata, flammata, flammae, flammalis, flammeola, flavalbata, flavalis, flavaria, flavastrigata, flavata, flavecolata, flavella, flavelata, flaveolata, flavescens, flavia, flavicauda, flavicornis, flavipes, flavofasciata, flavofusca, flegia, flexuata, flexula, flina, floccida, floccosa, foralris, florella, florentina, fluctualis, fluctuans, fluctuata, fluctuosa, focorum, focola, foederata, foenella, forficalis, forficella, formosa, formosana, formosante, forskaleana, forsterana, forsterella, fragariae, franciscana, franconica, fraterna, fraternaria, fraxini, frischella, frischii, frontaria, frosinaria, frugiperda, frumentalis, frumentata, fucata, fuesliniana, fueslinaria, fueslinella, fuliginaria, fuliginata, fuliginosa, fullonia, fullonica, fulminea, fullaria, fulva, fulvago, fulvalis, fulvaria, fulvata, fulvella, fulvia, fulvicans, fulvicornis, fulvolunaria, fulvularia, fulvulata, fumosa, funalis, funebris, funerana, funeraria, funerata, furcaria, furcata, furcifera, furcula, furuncula, furva, furvata, fusca, fusalis, fuscana, fuscaria, fuscata, fuscella, fuscellata, fusco-fasciata, fusco-nebulosa, fuscoptera, fuscosa, fuscula, galactodactyla, galiata, gamberina, gamma, gangis, gaurae, gelatella, gemmatella, gemina, geminalis, geminata, geminataria, geminia, gemmata, gemmella, gemmistae, genistaria, genistellae, geoffrella, geographica, geometrica, gerningiana, gibbosa, gilvata, glabralis, gladbaghiana, glandifera, glareosa, glauca, glaucata, glaucescens, glaucinalis, glaucofasciata, glaucopis, glyphica, gnomana, goedartella, goezella, gonostigma, gootenaria, gothica, gouana, gracilis, graecum, graminana, graminata, graminea, gramineana, graminella, graminis, grammea, grammica, grandaevella, granella, granulella, graphica, grataria, gravidata, grisaria, grisata, grisea, griseafasciata, grisealis, grisearia, griseata, griseola, griseo-reticulata, gronoviella, grossulariata, grotiana, grynea, guttalis, guttata, guttella, gyges, haematitidea, halterata, hamana, hamata, hamula, harparia, harpella, harrisella, hartmanniana, hastata, hastiana, hastulata, hastulifera, hattorfiana, haubrella, hebe, hebenstreitella, hecta, heiseana, heliaca, heliconia, helima, helladia, helops, helvola, hemerobiella, hepatica, hepatis, hepialica, hera, heraclei, heracliana, heraclitaea, herbacea, herbaria, herbariata, herycyna, hereditaria, herilia, hermannella, hermia, herminata, herminatella, hermonia, hesione, hesitans, hesparata, hesperia, hesperidea, hesperidis, hesperus, heteroclitia, heterodactyla, hexadactyla, hiemalis, hiemaria, hiemata, hieroglyphica, hilaris, hipparchia, hippia, hippodamia, hippophaes, hircia, hirsutaria, hirta, hirtaria, hirtata, hirtipennis, hirusinella, hispana, hispidata, hochenwarthi, hochenwartiana, hoffmanniana, holmiana, holthusiana, honesta, hordei, horologica, hortaria, hortulana, hortulata, hospita, houthuinialis, hubneriana, hunerialis, humerata, humuli, humiliata, humilis, hyalinaria, hylinata, hylea, hymenaea, hyperici, hypermnestra, hyphinoe, hypocastani, hyppassia, hyrtaca, ianthe, icasia, icilia, I-cinctum, icterata, icteritia, idonea, idriensis, igneata, ignialis, ignobilis, ilia, illicana, illicaria, illicifolia, illumina, illunaria, illustrata, illustris, ilus, ilyraria, ilyrias, immacularia, immacularia, immorata, immutata, imperatoria, imperialis, implicata, impluviata, impressa, inaequalis, inara, inaurata, incanata, incerta, inchoata, incinerata, incisa, incompta, inconspicua, incurvata, indicata, indigenata, inflammata, inflexa, infusca, innata, innotata, innotata, inordinata, inquilinus, inquinata, inquinataria, inscripta, insignata, insigniata, inspectata, inspersa, instilata, insulana, intaminata, intermediatella, interposita, interpressa, interrogationana, interrogationis, interrupta, interruptana, interruptella, intersecta, intricataria, inundata, inversa, inversella, io, iota, iphianasse, ipsilon, irene, irmina, irregularis, irrorata, irrorea, irrorella, isabella, isoscelata, jacobaeae, jacobaearia, jana, janata, janus, japeta, jaspidea, jaspoides, jatropharia, javana, joviana, jubata, jucunda, julialis, julianata, jungiella, juniperata, juniperella, justina, jutica, juturna, juvenina,

kaekeritziana, kermesina, kleemannella, kleemanni, kleemanniana, kleiniella, koenigiana, labda, labecula, labyrinthella, laccata, lacertina, lacertinaria, lacertula, lactana, lactea, lactearia, lacticinia, lactinea, lactucae, lactucina, laetata, laevigata, lagopus, l-album, lambergiana, lamda, lamdella, lamellatella, lamina, lamis, lanata, lancea, lancealis, lanestris, laocoon, lappella, laricis, lateraria, laterata, lateritia, lathamiana, latidactyla, latifolia, latona, lecheana, lectrix, lediana, leeana, lelex, lemnata, lemopicta, lemur, lentipes, leontia, lepida, lepidaria, leporina, lepus, leucataella, leucocerella, leucogaster, leucographa, leucomelana, leucomelas, leucophaea, leucophaeataria, leucorhoa, leucostigma, leuwenhoekella, levida, levina, levinia, libania, libaria, libatrix, liberia, libertina, liboria, lichenaria, lichenella, lidia, licornes, lignaria, ligula, ligulella, ligustri, ligustriaria, limacina, limacodes, limax, limbaria, limbata, limitata, limnata, linariae, liniaria, lincea, lincus, linea, lineana, linearis, lineata, lineola, lineolata, lingea, linneella, linogrisea, liriodendraria, liris, listerella, litea, literana, litterata, lithophila, lithoriza, lithoxyalea, littorea, litura, liturata, liturataria, livida, lividalis, lividata, L-nigrum, lobata, loeflingiana, logiana, lolii, longara, longicornella, longipalpis, lota, lothos, lotrix, lubricipeda, lubricipedina, lucella, lucerna, luciata, lucida, lucidata, lucifera, lucifuga, lucilla, lucina, luciola, lucipara, luctifera, luctiferella, luctinaria, luctualis, luctuata, luctuella, luctuosa, ludicra, ludifica, ludvigella, lugens, lugubris, luminosa, luna, lunalis, lunaria, lunaris, lunata, lundana, lunigera, lunula, lunula-lutea, lunulana, lunularia, lunularis, lunulata, lunus, lupinalis, lupulella, lupulina, luridaria, luridata, luridella, luscaria, luscata, lnsoria, lutarella, lutea, lutealis, lutearia, luteata, luteola, luteolante, luteolaria, luteolaris, luteolata, lutulenta, lychnidis, lyncea, lyonnetella, lythargyria, macarea, macaria, macrocephala, macrops, macrozonias, mactata, macula, maculana, maculania, macularia, macularis, maculata, maculatella, maculosa, maeniata, maestingella, magna, maia, majalis, mali, malletina, malletinaria, mandarina, manicata, manlia, mantata, manto, manturna, marcellina, margaritacea, margaritaria, margaritata, margaritella, marginalis, marginaria, marginata, marginea, marginella, marginosa, marina, marinata, marmoralis, marmoraria, marmorata, marmoratella, marmorides, marmorinaria, marmorosa, marriana, marthesia, martia, materna, matronaria, matronula, matura, maura, mauritia, medarda, media, medialis, mediana, mediata, melagona, melanaria, melanarla, melanea, melanogramma, melanosticta, melanozonias, melanthus, melata, melicerta, mellinata, mellonella, memblitaria, mendaria, mendica, menea, menete, meon, meona, mensurata, menthae, menthastrina, menyanthidis, mercurella, mercurialis, meretricula, merianana, merianella, meritalis, mesomella, metabus, metatalata, metallela, metallica, metea, meticulosa, metron, meyeriana, mezentia, mi, miana, miaria, miata, micacea, micantaria, micilia, microcosma, milete, miliata, miliataria, militaris, militta, millesima, mineus, minialis, miniana, miniata, miniosa, ministra, ministrana, minutalis, minutaria, minutata, minutella, mirabilis, miscellana, misera, mixtaria, moderiana, modesta, moeniata, moerens, moesta, moldavica, Molina, molinella, monacha, monedula, moneta, monilaria, moniliferella, monilis, monochroma, monodactyla, monoglypha, monographica, montana, montanata, monycha, mopsa, mori, moriata, morio, morpheus, motitalis, mouffetella, mucida, mucronata, mucronella, muellerella, multicolor, multifaria, multipunctata, mumetes, mummia, munda, mundana, mundata, mundataria, muralis, muricata, murina, murinata, murinella, muscerda, muscosella, mycalia, mycerina, myella, mygdonia, mylitta, myopata, myops, myrrha, myrtaea, myrtilla, myrtillata, myrtilli, nacarata, nacellaris, naevata, naevia, nais, nana, napelli, narbonea, narcissus, nassata, natalis, nausea, navicularis, nayas, nebulata, nebulosa, nebulosella, nemoralis, nemorata, nemorella, nemorosa, neogama, neonymphea, nepetae, neptis, nerina, nervosa, nervosella, nesea, netrata, netrix, neustria, neustriaria, niceta, nictitans, nigralis, nigrana, nigrata, nigrella, nigricans, nigricollis, nigricornis, nigritaria, nigrofulva, nigrofusca, nigropunctata, nigrum, nina, nisella, nitata, nitens, nitida, nitidalis, nitidaria, nitidula, nitidularia, nitidulata, nitocris, nivalis, nivea, nivealis, nivearia, niveata, niveella, nobilis, nobilitella, noctuana, nocturna, nominata, noema, notata, notataria, nubecularia, nubeculosa, nubila, nubilans, nubilata, nuda, nudula, nullaria, numana, numeria, numerata, nun-atrum, nundina, nupta, nutrix, nymphaeata, nymphagoga, nyseus, obducta, obeliscata, obfuscata, oblimita, obliqua, obliqualis, obliquana, obliquaria, obliqua, obliquella, obliterata, obscura, obscuraria, obscurata, obscurella, obsolescens, obsoleta, obsoletalis, obstipata, obumbrata, occidua,

oculta, occultella, ocellana, ocellaris, ocellata, ochracea, ochrata, ochreago, ochrearia, ochrella, ochroleuca, octogesima, octogesimea, octomaculata, octopunctata, ocularia, ocularis, oculata, oculatissima, oculate, odora, odorata, oleracea, olivacea, olivaceofasciata, olivata, olivea, oliviata, omega, omiata, omicata, omicraria, omicron, omicronaria, onytes, ononaria, ononis, onosmella, oo, opalaea, opalina, opercularis, ophiogramma, ophisa, opicata, opigena, oporana, oppositella, ora, orasia, orbiculosa, orbona, orentes, oriana, orientalis, origerella, oritheia, ornata, ornatrix, ornithopus, orodes, orontes, orosia, orsa, orsilochus, ortilia, osiris, osseana, ostentataria, γ -graecum, ovalis, ovata, oxyacanthae, oxyacanthella, oxyptera, pabulatricula, pacta, padella, pagaria, paleacea, palealis, paleana, pales, palladella, pallens, palliatella, pallida, pallidalis, pallidane, pallidaria, pallidata, pallidella, palliola, pallium, palmyra, palpalis, palpina, palpalis, paludata, paludis, palustrata, pamphilia, pandrosa, pandiona, pandularia, pantaria, panthera, pantherata, panthona, panzerella, paphia, papilionaria, papilionaris, papyratia, paradoxa, parallelalis, parallelaria, parallelo-lineata, paranympa, parasita, parenthesesella, pariana, parthenias, parthenii, parvula, pascuaria, pascuata, pascuella, pasinuntia, pasithea, pavoniana, pavonia, pavoniella, pavunculus, pectinataria, pedana, pedaria, pedella, pellex, pellicea, pellionella, pellucida, pendularia, penelope, pennis, pennaria, pennata, penniferana, pentadactyla, pentalineata, perdica, peregrina, perflua, peripheta, perithea, perlaria, perrella, permutataria, persicariae, persona, perspectata, perspicaria, perspicata, perspicellina, perspicilla, perspicillar, perspicua, petavia, petiverella, petosiris, petrificata, petronella, petrora, petulca, phadima, phaedusa, phalonia, phaseolata, phasis, phedonia, phenice, phidippe, phidonia, phileta, phoebe, phoenix, phoronea, phryganoides, phylira, phyllira, phytolaccae, picarella, piceana, picearia, piceella, picta, pictaria, pictoralis, pigra, pilicornis, pilumnia, pinastri, pinetata, pinella, pinetella, pinguedinis, pinguinalis, pini, piniaria, piniperda, pirina, piritoides, pisi, pithecium, pithyocampa, placenta, placida, plagiata, planata, plantaginis, platyptera, plebeia, plecta, ployeri, plumaria, plumata, plumbana, plumbaria, plumella, plummistaria, pluviana, pluviata, podaella, podana, policula, pollinata, polipori, polita, polita, politia, polybia, polydamia, polygona, polygramma, polygrammata, polymita, polyodon, polyphemus, pomicea, pomeranella, pomona, pomonaria, pomonella, pomula, populata, populella, populeti, populi, populifolia, poralis, porata, porcellanea, porcia, porphyria, porphyrozonella, porrectalis, porrectella, posticaria, posticata, potamogalis, potamogata, potatoria, potatorina, praeceps, praecox, praedatricula, praeduncula, praelata, praetexta, praetrepida, prasina, prasinana, prasinaria, pratana, pratella, pratensis, pratincola, pretiosa, pribeatia, primula, primulae, pritanis, priverna, priverra, proboscidalis, proboscidella, procellera, processionea, procopia, procus, profuga, prolella, prolifera, prolongata, promethea, promula, pronuba, prosapiaria, proserpina, prospicua, protea, prothyrallis, protoplastes, proximaria, pruinata, prunaria, prunata, pruni, pruniaria, pruniella, psamas, psi, pterodactyla, pterodactylella, puderina, pudica, pudibunda, pudorata, pudorella, pudorina, puella, puellina, puera, puerita, puerpera, pulchella, pulchellata, pulchra, pulchralis, pulla, pulmonaris, pulveraria, pulverata, pulverulenta, punctalis, punctaria, punctata, punctatissima, punctella, punctigera, punctillata, punctinialis, punctularia, punctulata, punctum-album, punica, pupillana, pupillaria, pupillata, purpuralis, purpuraria, purpurata, purpuratella, purpurea, purpurina, pusaria, pusilla, pusilla, pusillaria, pustulata, pustulataria, putata, putatoria, putris, pygarga, pygmaria, pygmeata, pylotis, pyraliana, pyramidea, pyramidina, pyramis, pyrana, pyrausta, pyrella, pyrgo, pyri, pyrina, pyralis, pyritoides, pyropella, pyrophila, pyxidifera, quadra, quadrifaria, quadrifasciaria, quadrifasciata, quadrilineata, quadrilunaria, quadrimaculata, quadrimaculella, quadripunctaria, quadripunctata, quadristriata, quadristrigata, quadristrigosa, quadrula, quatrilis, quercana, quercifolia, quercinaria, querceti, quercus, querna, quernaria, quinnatella, quinquefasciata, quinquestrigata, quinquezonata, rad-daella, radiata, radiatella, radica, radicea, radiata, radiosa, rajella, ramalis, ramella, ramosana, ramosaria, raphanalis, raptricula, rapuntica, ravidia, reamurella, rectangula, rectangulata, rectilinea, recurvalis, regenerata, regia, regina, reginalis, regulata, remigata, remutata, renaudalis, renselariana, repandalis, repandaria, repandata, resinana, resinella, respectabilis, resperaria, resistrix, retialis, reticularis, reticulata, retorta, retusa, revayana, revidata, rex, rhanis, rhanisaria, rhediella, rhexia, rhizolitia, rhizolithe, rhodope, rhombella, rhombeo-maculata, rhomboidea, rhomboidella, ribearia, ricini, ridens, riphea,

rivellana, rivosa, rivulana, rivulata, rivulosa, robertella, roboris, roesella, rolandriana, rondelaria, roraria, rorella, rosacea, rosalia, rosalis, rosana, rosaria, rosata, roscida, roscidella, rosea, rosella, rostralis, rostrella, rotaria, rubea, rubecula, rubellata, rubetra, rubi, rubiana, rubicaparia, rubidalis, rubiginaria, rubiginata, rubiginea, rubiginea, rubiginosa, rubralis, rubricans, rubricata, rubricollis, rubricosa, rubrofasciata, rufana, rufata, rufella, rufescens, ruffa, ruficollis, ruficornis, rufimitrella, rufina, rufofasciosa, rumicis, runica, rupestrata, rupicola, ruralis, rurea, rurimana, russata, russula, rusticata, rusticana, rusticella, rutilicilla, rutilago, S, saccharalis, sacraria, sagitta, sagittalis, sagittariae, sagittata, sagittella, sagittigera, salamina, salicalis, salicella, saliceti, salicis, salictaria, salmonea, sambucalis, sambucaria, sambucata, sambuci, sangarida, sanguiflua, sanguinalis, sanguinaria, sanguinolenta, sannio, saponariae, saracenicia, sarcitella, satellita, satura, saucia, saussuriana, scabiosa, scabiosella, scabrana, scabrella, scabriuscula, scalacella, scalaria, scalella, scalpella, scapularis, scapulatella, sceberiana, sceptica, schaefferella, schalleriana, schevenella, schiffermuelleriana, schlemmerella, schlugella, schneideriana, schoenobaena, schrankella, schrankiana, schreberiana, schulziana, scita, scolopacea, scolopacina, scopolella, scopularia, scotophila, scribaiana, scribonia, scripturata, scrophulariae, scutata, scutigera, scutulata, secalis, sectoralis, securata, securis, sedonia, sehediana, selenitica, semiargentella, semilutea, semiluctifera, semimaculana, semipunctinata, semiramis, semirubella, semitectaria, senatoria, separata, sepiaria, seppiana, sequella, serapis, serena, sergilia, sericata, sericea, sericealis, sericearia, sericella, serina, serotina, serpentata, serrata, serratella, serraticornis, servana, servia, servula, sesquiatriaria, sesquistriga, sesquitergata, sesquitergata, sesquitergata, sesquitergata, sesquitergata, severa, sexualata, sexualisata, sexguttata, sicheas, sicala, sicularia, signata, signatella, signifera, signum, silaceata, silene, silvandra, silveria, similana, similaria, similis, simois, simplex, simulans, singulariata, singularis, sinuata, sinuosa, sinuosata, sirecialis, siterata, smaragdaria, smeathmanniana, socia, sociata, sociella, socrus, solandriana, solaris, solina, somniculosa, sophialis, sordaria, sordens, sordiata, sordida, sordidalis, sordidata, soror, sororcula, sospeta, spadicea, spadicearia, spadiceata, spadix, sparmmanniana, spartiata, spartii, spaticeata, speciosa, spectrum, sphingiella, sphinx, spinaciae, spinifera, spinula, splendens, splendida, splendidalis, spoliatricula, sponsa, sponsata, spreta, squalida, squamana, squamulana, squamularis, stabilis, staechadis, stapella, staphylaeata, stellatella, stenelea, sterope, stichica, stictiata, sticticalis, sticticata, stigma, stigmata, stigmatalis, stigmatisata, stigmosa, stipella, stolata, stolliana, straminalis, straminea, straminearia, stramineata, strataria, stratiotata, stratiotes, stratonice, striata, striatalis, striataria, striatella, strigalis, strigana, strigaria, strigata, strigialis, strigillaria, strigilata, strigilis, strigosa, strigula, strigulata, strix, strobilata, strobilella, stromiana, sticticus, suasa, subarcuata, subcorticalis, suberaria, subflavaria, sublimis, sublustris, submarginalis, subnigra, subquadrata, subrufa, subrufescens, subsequa, substigmatisata, substrialis, subtusa, succenturiata, succinea, suero, suffusa, sulcatella, sulima, sulphuralis, sulphuraria, sulphurata, sulphurea-caudata, sulphurella, sulphureo-maculata, sultzella, sulzeriana, suspensa, swammerdamella, swederiana, sybaris, syerata, sylla, sylvata, sylvella, sylvestrata, sylviana, sylvina, sylvius, symbolica, syrene, syringa, syringaria, tabernacularia, taedella, taeniolata, tages, taminata, tan, tanais, tapetella, taraxaci, tarchon, tarquinia, tarsicrinalis, tasima, tau, tedea, tedella, telifera, temerata, temira, tenebrata, tenebrosa, tenella, tentacularia, tentacularis, tentata, tercingulata, terminaria, terminata, terrifica, tertialis, tertianella, tespis, tessella, tesselana, tessellaris, tessellata, tesseradactyla, tessulata, testacea, testacearia, testalis, testaria, testata, testudinaria, tetra, tetradactyla, tetralunaris, tetrapodella, teutonaria, texta, thalictri, thapsi, thari, tharops, thoracella, thrasonella, thunbergiana, thymaria, tibialana, tiburtia, tigerina, tigrina, tigris, tiliaria, timais, timolea, tincta, tineata, tineodes, tiresias, tirhaca, titea, togata, tomyris, topographica, torrefacta, tortuosa, toxea, trabealis, tragopoginis, translucens, transversa, transversalis, transversana, transversata, trapezina, trembleyella, tremula, trepida, triangulata, triangulum, trichroa, tricinaria, tricolor, tricolora, tricolorata, tricolorella, tricomma, tridactyla, tridactylion, tridens, tridentata, tridentella, trifasciaria, trifasciata, trifasciella, trifolii, trigonalis, trigonella, trigonotubulosa, trigrammica, trilinearia, trilineata, trilunata, trimaculata, trimaculosa, tripartita, triplasia, triplicata, triptera, tripunctaria, tripunctata, triquetra, tristalis, tristata, tristria, tristriaria, tristriata, tristrigalis, tristrigata, tritici, trivialis, trizonata, trofonia, tropicus, truncata,

truncataria, tubifex, tubulosa, tulipina, tullia, turbida, turca, turcaria, turcicella, turionella, tusciaria, tybris, tyMBER, typhae, typica, tyres, tyrhaea, uddmanniana, ufeus, uliginalis, uliginata, ulmaria, ulmata, ulmi, ultima, ulula, umber, umblicata, umbra, umbrata, umbratica, umbratilis, umbriana, umbrosa, umminia, uncana, uncula, undalis, undaria, undosa, undularis, undulata, undulataria, undulatella, undulosa, undulosata, unguicella, unicolor, unicolorata, unicoloria, unicornis, unifasciata, unigutta, unilunaria, unipunctaria, unita, urganda, ursula, urticalis, urticana, urticaria, urticata, usta, ustella, ustularia, ustulata, ustulataria, uxor, uxoria, vaccinae nigrae, vaccinii, vagula, vaillantina, valligera, vandelliella, vaninia, varia, variata, variegalis, variegata, variegataria, variella, vauaria, vau-punctatum, vayella, velata, velitans, velleda, velotata, velutatis, venaria, venatrix, venetaria, venosa, venosata, ventilabris, ventilata, venulata, venulia, venus, venusta, venustalis, venustula, verago, verberata, verbascata, verbasci, verecundans, vermicularia, vernalis, vernaria, verrucalis, verrucosa, versicolor, versicolora, verticalis, vespera, vespertaria, vestalis, vestialis, vestianella, vestigialis, vestita, vesulia, vetula, vibicaria, viciae, vicinalis, vidua, vidualis, viduana, viduaria, viduella, viginti-punctata, villica, viminalis, vinalis, vinosa, vinula, violacea, violata, virbia, virens, virgaria, virgata, virgatella, virginalis, virginaria, virginea, virginella, virginiaria, virginiensis, virgo, virgulata, viridana, viridaria, viridata, viridella, viridifasciosa, viridis, viridulata, viriplaca, vittella, vitisidaceae, vitrata, vitrea, vitrealis, vitriolata, vitta, vittaria, vittata, vittatella, V-nigrum, vocola, volupta, volutata, vorticella, vulpecula, vulpinaria, vutera, wahlbomiana, walchiana, wauaria, wedeliana, wiedemanella, wilkella, williana, W-latinum, wulfeniana, wulfii, xanthoceros, xerampelina, xi, xylosteania, xylostella, yeatina, ypsilon, zaida, zamis, zatima, zaeella, zelica, zemire, zenobia, zerbina, zerah, ziczac, ziliante, zoegana, zona, zonaria, zonata, zoolegella.

Phalanger:—orientalis, volans.

Phalangium:—acaroides, annulatum, araneoides, balaenae, balaenarum, bicolor, bilineatum, bimaculatum, cancriforme, cancroides, carinatum, caudatum, cornutum, cristatum, decemmaculatum, diadema, grossipes, hellwigii, hirsutum, hixtris, horridum, lugubre, lunatum, morio, medium, minutum, mucronatum, muscorum, opilio, palliatum, pallide-flavescens, palmatum, parietinum, pycnogonum, quadridentatum, reniforme, reticulatum, rostratum, rotundatum, rufescens, spinipes, spinosum, striatum, termaculatum, tricarinatum, tripunctatum, undecimpunctatum, virescens.

Phalaropus:—cancellatus, fulcarius, fuscus, glacialis, hyperborea, lobatus.

Pharetra:—monoculoides.

Phasianus:—africanus, albo-torquatus, argus, caracara, chacamel, colchicus, coloratus, cornutus, crispus, cristatus, curvirostris, domesticus, ecaudatus, gallus, hoazin, ignitus, impejanus, leucomelanos, leucomelas, marail, meleagris, mexicanus, morio, motmot, nyctemerus, parraka, patavinus, pentadactylus, phasianus, pictus, plumipes, pumilio, pusillus, rouloul, satyrus, superbus, turcicus, varius.

Phasma:—angulata, annulata, atrophica, aurita, bispinosa, calamus, cirrifolium, citrifolium, cornutum, dilatatum, dracunculus, edule, empusa, ferula, filiformis, gigas, hecticum, jamaicensis, lateralis, latipes, linearis, necydaloides, rosea, rossia, sceleton, spinosa, umbretta, valgum, variegata.

Philander:—dorsigera, murina.

Philanthus:—apivorus, arenarius, ater, auritus, coronatus, diadema, discolor, dissectus, emarginatus, flavipes, hortorum, interruptus, interstinctus, labiatus, laetus, ornatus, pictus, quadricinctus, quadrifasciatus, quinquecinctus, quinquemaculatus, ruficornis, rufipes, sabulosus, semicinctus, sexpunctatus, triangulum, ventilabris.

Philine:—quadripartita.

Phoca:—albiventer, aurita, australis, barbata, chelonocephala, chilensis, cinerea, cristata, elephantina, fasciata, foetida, groenlandica, hispida, jubata, laniger, leonia, leonina, leporina, longicollis, lupina, maculata, monachus, mutica, nigra, oceanica, porcina, punctata, pusilla, rosmarus, scont, sericea, testudo, ursina, variegata, vitulina.

Phoebea:—bomba.

Phoenicopterus:—chilensis, minor, ruber.

Pholas:—bifrons, campechiensis, candidus, chiloensis, conoides, cordata, costatus, crispata, crenulatus, dactylus, discors, explanatus, faba, hians, lignorum, muricatus, nanus,

navalis, nucivora, orientalis, papyraceus, parvus, pusillus, quadrizonatus, siamensis, striatus, teredo, teredula.

Pholidotus :—pentadactyla.

Phryganea :—alba, albicornis, albifrons, analis, annularis, annulata, argentata, atomaria, atra, atrata, azurea, bicaudata, bicolor, bifasciata, bilineata, bimaculata, binervosa, binotata, bipunctata, ciliaris, ciliata, collaris, cylindrica, digitata, discoidea, dubia, ecaudata, evitata, fasciata, fennica, ferruginea, filosa, flava, flavicornis, flavilatera, fuliginosa, funerea, fusca, gallata, gibbosa, grammatica, grandis, grisea, hirta, inconspicua, interrupta, intersecta, irrorata, laciniosa, lazuri, lineata, lineola, longicornis, luctuosa, lugubris, maculata, maculosa, marginata, martia, maxima, minuta, musci-formis, nebulosa, nervosa, nigra, nigrofasciata, nigrocaerulea, nigronervosa, nigropunctata, nitida, nivea, notata, obscura, obfusca, occulta, paleacea, pallipes, pectinicornis, pellucida, phalaenoides, pilosa, plumbea, plumosa, punctata, punctato-lineata, pusilla, pygmaea, pyralina, quadrifasciata, regelationis, reticulata, rhombica, ruficornis, saltatrix, sexpunctata, signata, striata, strigosa, testacea, tigiuriensis, tineiformis, tineoides, tripunctata, umbrosa, uncinata, unimaculata, varia, variegata, venosa, villosa, virescens, viridis, vulgata, waeneri, weneri.

Phtisica :—marina.

Phycis :—boleti, spissicornis.

Phyllidoce :—denudata, porpita, vellela.

Phylline :—laticeps.

Phyllium :—siccifolia.

Phyllostomus :—hastatus.

Physeter (Mamm.) :—albicans, andersoni, catodon, cylindricus, macrocephalus, maximus, microps, mular, novae angliae, trumpo, tursio.

Physis, J. A. Scopoli, Del. Insub. I. 1786, 46.—? Ver. :—intestinalis.

Physsophora :—filiformis, hydrostatica, physalis, rosacea, rosaica.

Phytospongius :—polymorphus.

Phytotoma :—rara, tridactyla.

Pica :—pica.

Picus :—aurantius, auratus, bengalensis, bicolor, cafer, canadensis, candidus, canus, capensis, cardinalis, carolinus, cayennensis, certhia, cinnamomeus, citrinus, chlorocephalus, cruentatus, elegans, erythrocephalus, exalbidus, fasciatus, festivus, flavescens, flavicans, flavipes, flavus, goensis, goertae, goertan, guineensis, hirundinaceus, icterocephalus, javanensis, kerella, leucomelas, lignarius, lineatus, lucidus, maculatus, major, malacensis, manillensis, marmartius, martius, medius, melanochloros, melanoleucos, menstruus, miniaceus, miniatus, minimus, minor, minutissimus, minutus, mixtus, moluccensis, multicolor, namaquus, nigroflavus, norvegicus, nubicus, obscurus, olivaceus, passerinus, persicus, philippinarum, pileatus, pitius, principalis, psarodes, pubescens, quadrimaculatus, ruber, rubricollis, rufus, sanguineus, semirostris, senegalensis, striatus, torquatus, tricolor, tridactylus, undatus, variegatus, varius, versicolor, villosus, viridis, zebra.

Pika :—alpinus.

Pila :—ampulacea, equestris, ignota, manetou, periscelis, sepulta.

Piillularius :—aeruginosus, belisama, cruoreus, longipes, lunus, nuchicornis, nutans, ovatus, schreberi, taurus, trituberculatus, vitulus.

Pimelia :—acuminata, aeruginosa, agricola, anglica, angulata, angustata, aranipes, armata, atra, aurata, barbata, bipunctata, bistriata, brunea, buparia, caerulea, canaliculata, carinata, caspica, cephalotes, chrysomeloides, ciliata, collaris, coronata, corrugata, costata, crenata, crinata, cristata, curculionoides, cursor, cyanea, dentata, dentipes, didyma, echinata, elongata, equestris, excavata, fasciata, femoralis, flavicollis, fornicata, gages, gemmata, gibba, gibbosa, gibbula, glabella, glabra, glabrata, globosa, globularis, granulata, gratilla, grisea, grossa, hirtipes, hispida, indica, inflata, intricata, laevigata, laevis, lanipes, laticollis, leucographa, leucophrys, linearis, lineata, longipes, maculata, mama, mamillata, marginata, maura, melanocephala, minuta, modesta, morio, mortisagus, muricata, nigrita, obscura, octostriata, orbiculata, ovata, pedestris, pilosa, planata, porcata, porosa, pubescens, punctata, pusilla, pustulata, pygmaea, quisquilia, reflexa, reticulata, ruficollis, rufipes, rugosa, rustica, sabulosa, scabra, scabriuscula, senegalensis, sericea, serrata, sexlineata, silphoides, speciosa, spinosa, striata, striatula, strigosa,

- subglobosa, subtomentosa, sulcata, tibialis, tomentosa, torulosa, tricuspidata, tuberculata, unicolor, variabilis, variolaris, variolosa, verrucosa, violacea, vittata.
- Pinctada**:—apus, brunnea, castanea, colymbus, foliacea, hirundo, imbricata, malleus, margaritifera, penguin, regula.
- Pinguinaria**:—antarctica, cirrhata, cristata, magellanica, patachonica.
- Pinguinus**:—chilensis, impennis, pica, torda.
- Pinna**:—alata, bicolor, bullata, cornea, digitiformis, elongata, exusta, ferruginea, fragilis, gigas, gubernaculum, incurva, incurvata, inflata, ingens, lobata, mucronata, muricata, nobilis, papyracea, pectinata, pennacea, pernula, picta, rotundata, rudis, saccata, sanguinea, squamosa, striata, vexillum, violacea, vitrea.
- Pipa**:—americana.
- Pipa**:—aegithalodes, albifrons, atricapilla, aureola, barbata, capensis, caudata, cinerea, cristata, erythrocephala, grisea, gutturalis, haemorrhoea, leucocapilla, leucocephalus, leucocilla, leucotis, manacus, melanocephala, miacatotot, minuta, musica, naevia, nigricollis, papuensis, pareola, peruviana, picicilli, plumata, punctata, purpurea, rubetra, rubra, rupicola, serena, striata, superba, torquata, tricolor.
- Pithecus**, Cuvier & Geoffroy, Mag. Encycl. III (12), 1795, 462:—cynomolgus, faunus, silenus, sinica, veter.
- Placenta** (L.):—ephippium, orbicularis, quadrangula.
- Placuna**:—placenta, sella.
- Planaria**:—alata, alba, angulata, atomata, auriculata, bicornis, bilis, brunnea, candida, capitata, caudata, ciliata, cornuta, crenata, dubia, filaris, flaccida, flexuosa, fulva, fusca, fuscescens, gesserensis, glauca, grisea, grossa, gulo, helluo, intestinalis, lactea, lagena, latiuscula, linearis, lineata, lingua, littoralis, marmorata, marmorosa, nigra, obscura, octopapillaris, operculata, pellucida, punctata, pusilla, quadrangularis, radiata, rosea, rostrata, rubra, rutilans, stagnalis, striata, strigata, subclavata, subulata, tentaculata, terrestris, tetragona, torva, tremellaris, truncata, uncinulata, ventricosa, viridata, viridis.
- Planorbis**:—albus, bilineatus, boltenianus, bulla, carinatus, cinctus, citrinus, contortus, contrarius, corneus, cornu arietis, effusus, gelatinus, imbricatus, jamaicensis, lacteus, lapicida, nitidus, pellis anguinea, pellucidus, purpurea, serpentinus, similis, spirorbis, turritus, umbilicatus, unguinus, verus, vortex, zonarius.
- Platalea**:—alba, ajaja, cristata, leucopodius, leucorodia, pygmaea.
- Platycerus**:—caraboides, cervus, parallelipedus, pygmaeus, spathula, striatus.
- Platypus** (Col.):—cylindrus.
- Platypus** (Mamm.):—anatinus.
- Platyrhinus**:—costirostris, fascirostris.
- Platystacus**:—anguillaris, cotylephorus, laevis, verrucosus.
- Plautus**:—columbarius.
- Plebejus**:—*vide* Papilio.
- Plecostomus**:—cataphracta, plecostomus.
- Plejona**:—arachnoidea, aurisiaca, bergamotta, chorea, confusa, cylindracea, ebraea, effosa, fossilis, incarnata, laevigata, lapponica, lineata, maculata, murina, muta, musica, persica, reticulata, rosea, suilla, turbata, vampyrus, variegata, vespertilio.
- Pleuronectes**:—achirus, americanus, annulatus, aramaca, argentea, argus, barbatus, bilineatus, cynoglossus, dentatus, flesoides, flesus, glacialis, hippoglossoides, hippoglossus, hirtus, japonicus, kitt, laterna, limanda, limandoides, limandula, lineatus, linguatula, lunatus, macrolepidotus, mancus, maximus, ocellatus, papillosus, passer, plagiosa, platessa, platessoides, punctatus, quadratulus, regius, rhombus, roseus, solea, stellatus, trichodactylus, whiff-iaonis, zebra.
- Pleurotoma**:—babylonius.
- Ploiaria**:—alata, domestica.
- Plotia**:—atra, dentata, dubia, filata, fossilis, fuscata, lineata, lurida, minuta, puellaris, punctata, tranquebarica, turrita, virginea, vittata.
- Plotus**:—anHINGA, claudicans, columbarius, ineptus, melanogaster, surinamensis, tupinambis.
- Pluvialis**:—aurea, hiaticula, morinellus, oedicnemus.
- Pneumora**:—immaculata, maculata, sexguttata.
- Podiceps**:—auritus, carolinensis, caspicus, cayanus, cornutus, cristatus, dominicus, hebr-

dalis, hebridicus, ludovicianus, minor, minutus, nigricans, obscurus, rubricollis, ruficollis, thomensis, urinator.

Podura :—ambulans, annularis, annulata, aquatica, aquatilis, arborea, atra, cincta, cinerea, communis, crassicornis, cristata, crystallina, fimetaria, fusca, gigas, helvola, humicola, hypnorum, lanuginosa, lignorum, livida, longicornis, macroura, maritima, minuta, monura, motitans, nemoralis, nivalis, palustris, plumbea, polyropa, polypus, pusilla, rufescens, signata, squamosa, sylvatica, termiformis, terrestris, vaga, viatica, villosa, violacea, viridis.

Polycephalus :—hominis.

Polynemus :—decadactylus, naso, paradiseus, plebeius, polydactylus, quinquarius, virginicus.

Polyphemus :—oculus.

Polystoma :—pinguicola, ranae, serratum.

Pomatia :—arvenis, atomaria, baltheus, cannata, cicatricosa, citrina, depressa, dimidiata, exotica, filata, flaveola, frondosa, hortensis, imbricata, lactea, nemorosa, nivea, paleacea, rhodia, ruteola, rutela, straminea, succinea, sylvestris, transparentis, usta.

Pomatias :—elegans, variegatus.

Pompilus :—amethystinus, analis, auratus, bifasciatus, biguttatus, bipunctatus, cinereus, cingulatus, exaltatus, fasciatus, fugax, fuscatus, fuscus, gibbus, guttata, hircana, hirtus, hyalinatus, labiatus, lunicornis, maculatus, maurus, mixtus, niger, nigricornis, nigripes, nitidus, pulcher, rufipes, sexpunctatus, similis, tricolor, ursus, variegatus, viaticus, villosus.

Pongo :—borneo.

Porcellana :—amarata, amethystea, amydala, annulus, arabica, argus, asellus, atheroma, caput serpentis, carneola, castanea, cincta, cinerea, cribraria, enervis, erosa, exantheme, gibber, globulus, granata, grisea, hiruodo, histrio, isabella, mappa, mauritiana, monita, montosa, morio, mus, nucleus, ocellata, oliva, petechizans, phasma, radiaris, salinator, staphylea, stolidia, succincta, talpa, testudinaria, tigreia, tigris, trifasciata, variolans, violascens, vitellus, zebra, ziczac.

Porcus (P.), P. L. S. Müller, Del. Nat. II. 1767, 142 :—aculeatus.

Porphyria :—amethystina, amoena, arachnoidea, aurata, bulbosa, caerulea, caesia, cingulata, coffea, conoidea, cornea, dealbata, fasciata, fenestrata, fimbriata, fulgurator, griseola, hepatica, isabella, ispida, labradoriensis, litterata, lutaria, mica, miniacea, oculata, oliva, ornata, paleacea, papyracea, porphyria, punctata, quercina, reticulata, rubicunda, ruffina, sepultura-princeps, sericea, spicata, staphylea, textilis, tigris, tuberosa, tumida, turbinata, turgida, umbrosa, undulata, urceus, utriculus, variabilis, variegata, vellus-aureum, vidua, ziczac.

Portunus :—affinis, annulatus, armiger, crucifer, defensor, depurator, feriatos, forceps, gladiator, hastatoides, hastatus, holosericeus, holsatus, lancifer, lucifer, pelagicus, ponticus, puber, sanguinolentus, tranquebaricus, truncatus, variegatus, vigil.

Posydon :—cylindrus, depressus.

Pratincola :—glareola.

Priapus :—albus, balæna, equinus, felinus, giganteus, humanus, judæicus, polypus, ruber, senilis, viridis.

Prionus :—accentifer, amboinensis, angulatus, arcuatus, armillatus, ater, attenuatus, barbatus, bifasciatus, bilineatus, braccatus, bulzanensis, buphthalmus, canaliculatus, capreolicornis, castaneus, cervicornis, cinereus, cinnamomeus, corarius, coriarius, corticinus, crenatus, cyanochrus, cylindricus, damicornis, deparius, exsertus, faber, forficatus, fuliginosus, giganteus, gigas, imbricornis, laticornis, lineatus, longimanus, luzonum, maculatus, maxillosus, melanopus, mucronatus, nitidus, obscurus, octangularis, orientalis, pallens, palmatus, pissotarsus, portitor, quadrilineatus, rostratus, sanguinolentus, scutellaris, senegalensis, sericeus, serrarius, serraticornis, serripes, sinensis, speciosus, spinibarbis, spinicornis, spinosus, subulo, sulcatus, tenuis, thomæ, timidus, tranquebaricus, trochlearis, tuberculatus, undatus, vittatus.

Pristis :—antiquorum, cirratus, cuspidatus, microdon, pectinatus, pristis.

Proboscidea :—alcae, bifida, gadi, marina, pleuronectes, rajæ, tubifera, versipellis.

Procellaria :—æquinoctialis, alba, antarctica, brasiliana, brasiliensis, caerulea, capensis, cinerea, desolata, diomedea, fasciata, forsteri, fregata, fuliginosa, furcata, gelida,

gigantea, glacialis, grisea, groenlandica, latirostris, marina, melanopus, melanura, nivea, obscura, pacifica, pelagica, puffinus, urinatrix, variegata, vittata.

Proscarabaeus:—majalis, ungarus, viennensis, vulgaris.

Prosimia:—catta, cinerea, macaco, minima, mongoz, spectrum, volans.

Proteus (R.):—anguinus, raninus, tritonius.

Proteus (Rh.):—diffluens, tenax.

Pselaphus:—dresdensis, heisei, hellwigii, hirticollis, niger, sanguineus.

Pseudoechinorhynchus:—haeruca.

Psilopoderma:—gryphoide.

Psittacus:—accipitrinus, adscitus, aeruginosus, aestivus, agilis, albifrons, albus, alexandri, amazonicus, amboinensis, anaca, aracanga, ararauna, arausiacus, articularius, asiaticus, ater, aterrimus, atricapillus, atropurpureus, augustus, aurantius, aureus, aurora, aurorae, australis, autumnalis, bandensis, banksii, barbadensis, batavensis, batavica, bengalensis, beryllinus, bimaculatus, bisetis, bontii, borneus, brasiliensis, bubalinus, caeruleus, caeruleocephalus, cafer, caica, caledonicus, canalicularis, canicularis, canus, capensis, carolinensis, caudacutus, cayennensis, cervicalis, ceylonensis, choraeus, chrysogaster, chrysopterus, cinereocephalus, cinereus, cingulatus, coccineocephalus, coccineus, cochinsinensis, collarius, coccinnus, cornutus, coronatus, cristatus, cubicularis, cubicularius, cyanalysis, cyaneus, cyanocephalus, cyanogula, cyanorhynchus, cyanurus, discolor, domicella, dominicensis, dubius, elegans, eques, erithacus, erythrocephalus, erythrochlorus, erythroleucus, erythropterus, erythropygius, eupatria, eximius, fasciatus, ferrugineus, festivus, formosus, fringillaceus, funereus, fuscus, gala, galeritus, galgulus, garrulus, gerini, gigas, ginginianus, gloriosus, gramineus, grandis, guarouba, guebiensis, guenbiensis, guianensis, guineensis, gutturalis, haematodes, haematotus, haematurropygius, havanensis, histrio, hollandicus, hyacinthinus, ianthinus, incarnatus, indicus, indus, inquinatus, jaguulma, jandaya, japonicus, javanicus, jugularis, krameri, leucocephalus, leucophthalmus, leverianus, lineatus, lory, lucionensis, ludovicianus, lunulatus, luteolus, luteus, lyanopterus, macao, macrorhynchus, maculatus, magnificus, magnus, makawuanna, malaccensis, manilatus, marginatus, masearinus, megalorhynchus, melanocephalus, melanopterus, menstruus, meridionalis, merulinus, mexicanus, militaris, minor, molluccensis, murinus, multicolor, nasutus, nestor, niger, nobilis, notatus, novae-guineae, novae-hollandiae, novae-zelandiae, obscurus, ochrocephalus, ochropterus, olivaceus, omnicolor, orientalis, ornatus, osbeckii, pacificus, pallidus, palmarum, papou, papuensis, paradisi, paraganus, passerinus, pectoralis, pennantii, peregrinus, pertinax, peruvianus, philippensis, philippinarum, pictus, pileatus, pipilans, plicatus, plumbeus, polychloros, pondicerianus, porphyrio, porphyrocephalus, porphyurus, pulchellus, pullarius, pulverulentus, pumilus, puniceus, purpuratus, purpureus, pusillus, pygmaeus, quianensis, robustus, rhodocephalus, roratus, rosa, rosaceus, ruber, rufirostris, sanctae thomae, sanguinolentus, semicollaris, senegalus, severus, signatus, sinensis, smaragdinus, solitarius, solstitialis, sonnerati, sordidus, sosove, splendidus, squamatus, squamosus, succineus, sulphureus, tabuanus, tabuensis, taitianus, taraba, terrestris, tiriacula, tirica, torquatus, tovi, tui, tuipara, ulietanus, variegatus, varius, ventralis, vernalis, versicolor, versicolorus, violaceus, virescens, viridis, vittatus, wallicus, zealandicae.

Psoa:—viennensis.

Psocus:—abdominalis, bifasciatus, bipunctatus, fasciatus, faticidus, flavicans, fuscopterus, lineatus, longicornis, picicornis, pilicornis, pulsatorius, quadrimaculatus, quadripunctatus, sexpunctatus, striatulus, variegatus.

Psophia:—cariama, crepitans, undulata.

Psylla:—abietis, alni, chermes-buxi, ficus, fraxini, fusca, juncorum, lapidum, lichenis, pini, rubra, ulmi.

Pteraclis:—pinnata.

Pterocera:—lambis.

Pteromalus:—aculeatus, amerinae, appendigaster, auratus, bedeguaris, bicolor, giguttatus, bimaculatus, bipunctatus, capreae, ciliatus, clavicornis, puparum, scutellatus, subulatus.

Pterophorus (Lep.):—albodactylus, albofasciatus, calodactylus, didactylus, fuscus, hexadactylus, leucodactylus, monodactylus, migadactylus, ochrodactylus, pentadactylus, pterodactylus, rhododactylus, tesseradactylus, tridactylus.

Pteropus:—hastatus, leporinus, perspicillatus, soricinus, spasma, spectrum, vampyrus.

Pterotrachea:—aculeata, coronata, hyalina, pulmonata.

Pterygia:—amoena, ancilla, conoidea, crassa, edentula, effossa, erminea, fossilis, fulgura, glabella, magellanica, nebulosa, nucella, peregrina, persicula, pruna, pyriformis, subterranea, turris, volva, vulgaris.

Ptilinus:—ater, bifasciatus, buprestoides, cornigera, cylindricus, dorcatoma, flabelliformis, flavescens, fuscus, muticus, mystacina, pectinatus, pectinicornis, serratus.

Ptinus:—abbreviatus, agarici, apterus, bidens, brunneus, capensis, chrysomeloides, crenatus, cyaneus, denticornis, domesticus, gigas, imperialis, irregularis, latro, lineatus, longicornis, longipes, maculatus, minutus, mollis, pannonicus, pectinicornis, pertinax, planus, pulsator, pubescens, punctatus, rapax, rufipes, rufo-villosus, rufus, rugosus, scotias, seminulum, serraticornis, serricornis, sexpunctatus, spinicornis, striatulus, striatus, sulcatus, testaceo-villosus, testaceus, unicolor, upsaliensis, variegatus.

Ptomaphagus:—agilis, fornicatus, rufescens.

Pulex:—aquaticus, auritus, fasciatus, irritans, penetrans, vulgaris.

Pullata:—citrius, funerosus, funestus, minimus, minusculus, parvus.

Pupa:—griselba, solidula.

Purpura:—acuta, alata, argyna, brandaris, brunnea, buccinulum, calcatrippa, cancellata, capucina, carneola, congener, cornu ceri, cornu cervi, cornu damae, cornuta, costata, crenulata, crispata, dama, despecta, draco, duplex, elongata, foliata, fuliginosa, fusiformis, gemella, grana punctulata, haustellum, hystrix, ignifer, incarnata, lactea, lactuca, lamellata, martineta, nodulosa, obliquata, onagrina, persicum, procer, quadricornis, ramosa, rosarium, rubicunda, saxatilis, scabra, sceleron, scorpio, senegalla, senticosa, spinula, spirillus, talaria, tribulus, truncata, trunculus, tuberosa, tubifer, tubulata, uncinata, variegata, ventricosa, virginea, volans, volatilis.

Pycnogonum:—balaenarum, ceti, grossipes, littorale, spinipes.

Pygmaeus:—edwardi.

Pyralis:—abbreviana, abietana, abildgaardana, achatalis, achatana, aenealis, aerealis, aeruginalis, albana, albidalis, albulalis, allionana, alpestralis, alpinalis, alstroemiana, americana, anguinalis, angularis, angustalis, anthracinalis, applana, approximana, arcualis, arcuana, asperana, atralis, aurana, auralis, avellana, aversalis, badierana, banksiana, barbalis, baumanniana, bergmanniana, bierkandrana, bipunctana, boeberana, bombycalis, borana, boscana, branderiana, brunnichana, buoliana, burmanniana, calvarialis, candidana, caprana, caudana, centonalis, centrana, ceretana, cespitalis, christiernana, ciliatis, cinalis, cinerana, cingulalis, clorana, coccinalis, communana, comparalis, composana, connectalis, conspersana, conwagana, corticalis, corylana, costalis, costana, crassalis, cribralis, cristana, cristulalis, crocealis, cruciana, curtalis, cuviana, cynosbana, daldorfana, decimalis, decimana, decussana, dentalis, depressana, derivalis, desfontainana, diversalis, dorsana, dubitalis, duplana, elatalis, elevana, elutalis, emargana, emortualis, ephippiana, erucalis, fabriciana, fagana, farionis, fascialis, fasciana, fenestralis, ferrugalis, fimbrialis, flammealis, flavalis, flavana, forficalis, formosissimalis, forskahleana, forsterana, francilana, fulvana, funeralis, furvalis, fuscalis, fusca, germingana, glabralis, glaucinalis, gnomana, govana, grisealis, griseana, grotiana, guttalis, hamalis, hartmanniana, hastiana, hattorfiana, heiseana, helwigiana, hepatica, heracleana, hercyniana, hermänniana, holmiana, holosericalis, hubnerana, hyalinalis, hybridalis, illicana, interpunctalis, inunda, insertana, jaquiniana, kaekritziana, koenigiana, lactana, laetana, laevigana, lancealis, laterana, latreillana, lecteana, lediana, leana, lemnalis, leucophaealis, liberana, limbalis, lipsiana, literalis, literana, lividalis, loeflingiana, logiana, lucernalis, luctualis, lunana, lunatralis, lundana, lusana, maculana, magnificalis, margana, margaritalis, marginalis, marmorana, mediana, minialis, ministrana, mitterbachiana, mixtana, moederiana, molitalis, mundana, mygindana, myllerana, nebulalis, nemoralis, nigralis, nigricana, nitidalis, nitidana, nivalis, nivealis, niveana, noctualis, normalis, nibulalis, nudalis, numeralis, nymphaealis, obliquana, obscurana, ocellana, ocellaris, ochrealis, olivalis, oporana, orbana, ostrinalis, papealis, pallidalis, pallidana, palliolalis, palpalis, palustralis, pariana, pasquagana, pavonana, paykulliana, pectitalis, penkleriana, perspectalis, pflugiana, phrygialis, pilleriana, plumbana, politalis, pollinalis, polygonalis, pomana, populana, porphyralis, posticana, potamogalis, prasinana, profanana, profundana, prunalis, pudoralis, pulchana, pulveralis, punctalis, punctulana, punicalis,

punicealis, pupillana, quadripunctalis, quercana, radiatalis, ramalis, regalis, repandalis, repandana, resinana, reticulana, rivagana, rivellana, roborana, rohmana, rolandiana, romanana, rosana, rossiana, rubidalis, rubiginalis, rufana, rufimitralis, rusticalis, rusticana, rutana, sacculana, sacralis, saldonana, salicalis, sambucalis, scabrana, schalleriana, schreberiana, schulziana, schumacherana, schwarzana, scopoliana, sehestediana, sepulcrana, sericalis, sericealis, servana, sexpunctata, silacealis, smeathmanniana, smidtiana, solandriana, sophialis, sordialis, sordidalis, sparmanniana, sponsana, squamana, steinkellnerana, sticticana, stratiotalis, strigana, strigulalis, strigulana, stroemiana, sulphuralis, sulphurana, sylvana, tapezana, tarsicrinalis, tarsiplumalis, tentaculalis, thunbergiana, tinealis, togatulis, trapezana, trauniana, triangulana, trifasciana, trinalis, tripunctana, triquetralis, tristana, tuberculana, udmanniana, umbellana, umbralis, uncana, undalis, undana, unguicana, unionalis, urticalis, vahlmana, variana, variegalis, variegana, verbascalis, vernana, viburniana, viridana, vitana, woerberana, xylosteanana, yeatiana, zoegana.—*Vide et. Phalaena.*

Pyramidella:—dolabratus.

Pyramis:—conoidea, crenulata, gallica, harpa, lucifer, striata, volutata.

Pyrene:—rhomboferum.

Pyrochroa:—aurora, bicolor, bimaculata, ceramboides, coccinea, decemmaculata, fasciata, flabellata, latissima, minuta, nigra, nigripes, nitida, palliata, pectinicornis, proboscidea, purpurata, reticulata, rostrata, rubens, ruberrima, rubra, rufa, sanguinea, satrapa, serraticornis, tormentosa.

Pyrhula:—rubicilla.

Pyrula:—ficus.

Pythia:—helicina.

Pyura:—chilensis.

Raja:—ajereba, altavela, aquila, arnak, aurita, banksiana, batis, birostris, capensis, clavata, djiddensis, eglanteria, fabroniana, fullonica, gallica, halavi, lymma, lymnia, machuelo, miraletus, monstrosa, mula, muricata, narinari, oculata, om-es-scherit, osbeckii, oxyrhinchus, pastinaca, percellens, rhinobatos, rostrata, rubus, scabra, schoukie, sephen, sloanii, squatinoraia, tajara, torpedo, tuberculata, vespertilio, vulgaris.

Rallus:—aquaticus, australis, barbaricus, bengalensis, caerulescens, capensis, carolinus, cayennensis, ceylanicus, crepitans, crex, dubius, ecaudatus, erythropus, ferrugineus, flaviventer, fulicula, fuscus, jamaicensis, lariformis, longirostris, melanopus, minutus, niger, obscurus, pacificus, parvus, philippensis, philippinus, phoenicurus, porzana, porzaria, pusillus, sandwicensis, striatus, tabuensis, tahitiensis, torquatus, troglodytes, variegatus, virginianus, viridis.

Ramphastos:—albus, anomalus, aracar, atricollis, byron, caeruleus, cassicus, dicolorus, discolor, dubius, erythrorhynchus, flavicollis, flavus, glaber, glaucus, indicus, luteus, momota, monilis, pavoninus, picatus, piperivorus, piscivorus, pulcher, toco, torquatus, tucanus, viridis.

Ramphus:—flavicornis.

Rana:—acephala, alpina, arborea, arunco, atra, australiaca, austrasiaca, bicolor, boans, bombina, brasiliensis, breviceps, bufina, bufo, bufoides, caerulea, campanisona, caspica, caudata, cornuta, cyanophlyctis, dorsigera, ecaudata, esculenta, fusca, gemmata, gibbosa, gigas, humeris-armata, hyla, ingens, jackie, lemnia, lemniscata, leucophyllata, lineata, lutea, margaritifera, marginata, marina, maxima, musica, muta, ocellata, ovalis, palmata, paradoxa, pentadactyla, persica, pipa, pipiens, pluvialis, portentosa, pulvinata, reticularis, ridibunda, rubeta, rubetra, rufa, salsa, sinensis, sitibunda, sonans, spinipes, squamigera, systema, temporaria, terrestris, tinctoria, typhonia, variabilis, variegata, ventricosa, venulosa, verrucosa, vespertina, virginica, vulgaris, wolgensis.

Ranatra:—elongata, filiformis, linearis.

Rapa:—globosa, pellucida, raphanus, striata, volema.

Raphidia:—communis, cornuta, immaculata, mantispa, notata, ophiopsis, styriaca.

Recurvirostra:—alba, americana, avosetta.

Reduvius:—acantharis, aegyptius, albipes, albofasciatus, annulatus, apterus, attelaboides, aurantius, barbicornis, bicolor, bifidus, biguttatus, bipunctatus, bipustulatus, bomby-

lius, bromeliae, carinatus, cinctus, cinereus, collaris, coronatus, cruentus, crux, diadema, elongatus, ephippium, erythromelas, fasciatus, flavicans, fornicatus, fuscipes, gigas, gossypinus, griseus, guttula, haemorrhoidalis, hamatus, hirticornis, hirtipes, iracundus, lacerosus, leucocephalus, lineola, litura, longicollis, longipes, maculatus, mantispus, marginatus, maurus, minutus, moestus, necydaloides, nigripennis, nigripes, nitidulus, nitidus, nycthemerus, olivaceus, personatus, phalangium, pilicornis, pilipes, punctum, quadridens, quadriguttatus, quadrinotatus, quadrispinosus, quinquespinosus, rufipes, sanctus, sanguineus, scutellaris, serratus, sexguttatus, squallidus, stria, stridulus, tessellatus, ululans, varius, venenatus, villosus.

Regalecus :—glesne, lanceolatus, remipes.

Regulus :—minor, rufus.

Remora :—neurates.

Rhagio :—ardea, atratus, bicolor, cinctus, colombaschensis, corrigiolatus, diadema, elegans, fasciatus, flavipes, fuscatus, ibis, lineata, lineola, longicornis, maculatus, morio, nebulosus, nigrita, punctatus, scolopaceus, tipuliformis, tomentosus, tringarius, vanellus, vermilio.

Rhagium :—bifasciatum, cantharinum, cinctum, clathratum, cursor, etruscum, fennicum, indagator, inquisitor, linnei, maculatum, mordax, minutum, muticum, nigrum, noctis, ornatum, schrankii, sycophanta.

Rhea :—americana.

Rhingia :—lineata, muscaria, rostrata, tinniens.

Rhinoceros (G.) :—achatina, acuminata, amarula, auris judae, auris midae, cannata, decollatus, depressa, fasciata, perversa, priamus, scarabaeus, stagnalis, tornatilis, virginea, zebra.

Rhinoceros (Mamm.) :—africanus, antiquitatis, asiaticus, bicornis, compositus, rugosus, tricornis, unicornis.

Rhinolophus :—ferrum-equinum.

Rhinomacer :—alni, antidontalgicus, attelaboides, auratus, avellanae, bacchus, betulae, bispinus, brentoides, caeruleus, campanulae, coccineus, coryli, cupreus, curculionoides, curculionoides, elongatus, flavipes, frumentarius, fulgidus, fulvipes, fulvus, gibbus, inermis, minutus, nemoralis, niger, oblongus, pisi, politus, populi, ruber, rufitarsis, schaefferi, seminudus, similis, striatus, testaceus, unispinus, varius, viridis.

Rhizophagus :—*vide* **Ryzophagus**.

Rhombea :—cicada.

Rhombus :—alepidotus.

Rhyncaenus :—populi, xylostei.

Rhynchites :—aequatus, angustatus, bachus, betulae, betuleti, bicolor, caeruleocephalus, cupreus, curculionoides, germanicus, malvae, minutus, populi, pubescens, punctatus, sericeus, ungaricus.

Rhynchophorus :—abbreviatus, analis, bituberculatus, cafer, cinereus, colossus, cruentatus, fasciatus, ferrugineus, gagates, gages, gigas, granarius, hemipterus, limbatus, linearis, longipes, oryzae, palmarum, piceus, quadripustulatus, sanguinolentus, tredecimpunctatus, variegatus.

Rhynchops :—fulva, madraspatanus, nigra.

Rhytelminthus :—anguillae, cyprini, lucii.

Ricinus :—canis, cornicis, emberizae, fringillae, gallinae, lari.

Riparia :—anatina, hirundo, isogoalata, isogonum, malleus, margaritifera.

Ripiphorus :—bicolor, bimaculatus, carinthiacus, dimidiatus, fennicus, ferrugineus, flabelatus, limbatus, lituratus, nasuta, paradoxus, pectinatus, populneus, punctatus, sexmaculatus, spinosus, subdipterus.

Rosmarus :—indicus, morsus.

Rostellaria :—fusus.

Rotula :—aster.

Rupicola :—crocea, peruviana.

Ruticilla, A. Bartram in Barton, N. H. Pennsylv. 1799, 19.—A. :—americana.

Ryzophagus :—bipunctatus, clavicornis, histeroides.

Sabella :—aculeata, aggregata, alveolata, ammonita, ammonoita, arundinacea, belgica, capensis, chryson, clavata, conchilega, conica, corticalis, dimidiata, fixa, flexilis,

frustulosa, granulata, helicina, indica, lumbricalis, marsupialis, miculata, nigra, norwegica, penicillus, ramosa, rectangula, ringens, sabulosa, scabra, scruposa, stagnalis, uncinata, vegetabilis.

Sacer :—the species attributed to Daudin should read *Falco sacer var.*

Sagouin :—iacchus.

Sagouinus :—*vide* Simia.

Sagra, J. F. W. Herbst in Jablonsky, Nat. Ins. (Käfer) VII. 1797, 265 :—purpurea, tristis.

Salamandra :—abdominalis, alpestris, americana, aquatica, aquaetice, atra, candida, carnifex, cincta, cristata, exigua, fusca, japonica, laticaudata, maculosa, marmorata, palmata, palmipes, palustris, pruinata, punctata, quadrilineata, sarroube, strumosa, taeniata, terdigitata, terrestris.

Salius :—alni, fagi, helicis, salicis, secalis, viminalis.

Salmo :—aegyptius, albulus, alpinus, anostomus, arcticus, argentinus, autumnalis, bimaculatus, caerulescens, carpio, cornubiense, curimata, cylindraceus, cyprinoides, dentex, edentulus, eperlanus, eriox, erythrinus, falcatus, fario, fasciatus, ferra, foetens, friderici, gastropelecus, gibber, gibbosus, goedenii, gorboscha, groenlandicus, gronovii, hisutch, hucho, illanca, immaculatus, inghaghithsh, kayko, keta, kundsha, lacustris, lavaretus, lenok, lepechini, leucichthys, leucomepoton, malma, maraena, maraenula, marggravi, melanurus, migratorius, milktshitsch, muelleri, namacush, nasus, nelma, nerka, niloticus, notatus, odoe, onisco-maycus, oxyrinchus, peled, pennanti, pidschian, pulverulentus, renke, rhombeus, rivalis, rivularis, salar, salmarinus, salmulus, salvelinus, saurus, schieffermulleri, schokur, silus, stagnalis, strömii, sylvaticus, taimen, thymallus, thymus, trutta, tshawyttscha, tumbil, umbra, unimaculatus, vario, villosus, vimba, wartmanni.

Salpa :—africana, confederata, democratica, fasciata, maxima, mucronata, pinnata, polycratica, punctata, siphon, solitaria.

Sanguinolaria :—sanguinolentus.

Sapajou :—panniscus.

Sapajus :—*vide* Simia.

Saperda :—albicollis, analis, angulata, annularis, annulata, argus, atomaria, atricornis, aurata, barbicornis, berbicea, bicolor, bicornis, bidentata, bimaculata, bipunctata, brunnea, bucephala, caelestis, caerulescens, canaliculata, candida, carbonaria, carcharis, cardui, chalybea, cinerea, clavicornis, cornuba, curculionoides, cyanea, cylindrica, detrita, discoidea, dubia, elegans, elongata, ephippium, erythrocephala, fasciata, fasciculata, femorata, ferrea, ferruginea, filiformis, filum, flavimana, fulva, gracilis, grisea, haemorrhoidalis, hirsutula, hirta, hirticollis, hirticornis, hirtipes, irrorata, janus, japonica, lateralis, latipes, linearis, lineata, lineola, livida, longicornis, longipes, lunaris, lutea, lyncea, maculata, marginata, melanocephala, micans, minuta, miunta, modesta, morbillosa, mucronata, myiocopros, nebulosa, necydalea, nigricornis, nigripes, oculata, pallipes, phoca, picea, pilicornis, plumbea, populnea, porcatus, praesta, punctata, pusilla, pustulata, quadriculata, rudolphi, ruficollis, rufimana, rufipes, scalaris, scutellata, sexnotata, sexpunctata, similis, spinipes, squalus, suturalis, testacea, thoracica, tiliæ, tremula, tricolor, tridentata, tripunctata, tristis, unicolor, violacea, virescens, vittata, volvulus.—*Vide et. Scarabaeus.*

Sargus (Dip.) :—aeneus, auratus, cuprarius, politus, scutellatus.

Sarrotrium :—muticum.

Satyrus :—tulpii.

Scaphidium :—agaricinum, bicolor, boleti, curvipes, immaculatum, longicorne, quadrimaculatum, quadriputulatum, scutellatum.

Scarabaeus :—abbreviatus, abdominalis, achates, actaeon, acuminatus, adiaphorus, aegaeon, aeneas, aeneus, aenobarbus, aeratus, aerugineus, aeruginosus, aesculapius, aethiopicus, afer, affinis, africanus, agenor, agricola, ajax, albellus, albpunctatus, albus, alces, alcides, alexandrinus, algerinus, allobrox, aloeus, alopecias, alopecus, alpinus, amazonus, ammon, amyntas, anachoreti, analis, anceus, antaeus, antenor, apelles, aquaticus, arator, arcas, arcetos, arcuatus, areatus, arenarius, arenosus, argenteus, aries, armiger, arthriticus, arvicola, asper, assimilis, astyanax, ater, aterrimus, atlas, atomarius, atratus, atricapillus, atriplicis, atrorubens, augias, aulicus, auratus, aureolus, aurichalceus, austriacus, autumnalis, aygulus, bacchus, balteatus, banksii, barbaricus, barbarossa, barbatus, bellicosus, belzebul, berbiceus, bias, bibens, bicolor, bicoloratus, bicornis,

bidens, bifasciatus, bifidus, biguttatus, bilobus, bimaculatus, bimucronatus, bipunctatus, bipustulatus, bison, bituberculatus, biungulatus, bivittatus, blackburnii, boas, bombyli-formis, bombylius, bonasus, boreus, brasilianus, brevicornis, brevipes, brunneus, brunus, bucephalus, buprestoides, cadmus, caelatus, caeruleus, caeruleus, caesus, cafer, calcaratus, calviger, camelus, candidae, canicularis, capensis, capicola, capitatus, capra, capreolus, capucinus, caraboides, carbonarius, cardui, caribaeus, carinatus, carmellita, carnifex, carolinus, catta, cavolina, centaurus, centrolineatus, cephalotes, cephus, ceratoniae, cerealis, cervus, chamaeleon, chiron, chorinaeus, chrysis, chryso-melinus, chryso-meloides, ciliata, cinctus, cinereonebulosus, cineta, claviger, clinias, coccinelloides, codrus, coenobita, coenosus, colon, conflagratus, conjugatus, conspurcatus, contaminatus, copris, coracinus, cordatus, cordiger, coriarius, cornutus, coronatus, coruscans, corydon, coryphaeus, crassipes, crenatus, cristatus, cruciatosulcatus, crucifer, cruentatus, cruentus, cupreus, cyaneus, cyanotus, cyclops, cylindricus, daedalus, daldorfii, decempunctatus, decipiens, delta, dentipes, depressus, deserti, diadema, dichotomus, dichrous, didymion, didymus, digitalia, dionysius, discoideus, dispar, distinctus, dorcas, dorsalis, dubius, ebenus, elegans, elephas, elevatus, emarginatus, endimion, enema, entellus, ephippium, equestris, eremita, eridanus, errans, erraticus, erythrocephalus, erythropus, eurytus, excavatus, falcatus, farctus, farinosus, fasciatus, fascicularis, faunus, femoratus, fenestralis, ferrugineus, fervidus, festus, fimetarius, fimosus, flagellatus, flavidus, flavipes, flexilis, floralis, floricola, florilegus, foetens, foetidus, foriorum, fossor, foveolatus, fracticornis, fricatio, frischii, fruticola, fuesslini, fulgidus, fuliginosus, fullo, fulvescens, fulvus, fumosus, funerarius, funestus, furcatus, furcifer, fuscescens, fuscus, gagates, gagatinus, gazella, gemellus, gelbinus, geoffroae, gergon, geryon, gibbosus, gibbulus, gibbus, gideon, gigas, glabratus, glacialis, glaucus, globator, globosus, goliathus, gonagricus, granarius, granulatus, gronovii, guineensis, guttatus, gyas, haemorrhoidalis, hamadryas, hastatus, hecate, hemipterus, hemisphaericus, hercules, hesperus, hircus, hirtellus, hirticollis, hirtus, hispanicus, hispanus, hispidulus, hispidus, histrio, hollandiae, hololeucus, holosericeus, horridus, horticola, hottentotus, hudsonias, humeralis, humerosus, hybneri, hydrochaeris, hylax, ianthinus, ibex, icarus, iacchus, ictericus, idiota, illyricus, impius, inanis, indus, innubus, inquinatus, insignitus, inter-punctatus, interruptus, inuus, invencus, ion, iphis, iris, irroratus, itys, jamaicensis, janus, jason, juvenicus, koenigii, laborator, laetus, laevigatus, laevipes, laevis, lamellatus, lamur, lancifer, laniger, lanigerus, lanius, lanugithorax, lar, laticollis, lazarus, leei, lemur, ligiceps, limbatus, limicola, lineatus, lineola, lividus, longicornis, longimanus, longipes, lugubris, lunaris, lundii, lunulatus, luridus, lutarius, lynx, macropus, maculatus, maimon, majalis, marginatus, marginellus, marianus, marsyas, maurus, medius, melampus, melanocephalus, meleagris, meliboeus, melolontha, menalcas, merdarius, metallicus, micans, midas, miliaris, miliarius, militaris, milo, milon, mimas, minimus, minutus, mobilicornis, moeris, moestus, molossus, momus, monoceros, monodon, monticola, mopus, morator, morbillosus, morio, morticinii, muricatus, mutabilis, naevius, nanus, nasicornis, natator, nebulosus, nemestrinus, nemoralis, nicanor, niger, nigripes, nigrita, nigrocephalus, nisus, nitens, nitidulus, nitidus, nobilis, novae hollandiae, novemmaculatus, nubilus, nuchicornis, nutans, obliquus, oblongus, obscurepurpureus, obscurus, occidentalis, octopunctatus, oculatus, oedipus, olivaceus, opacus, orichalcus, orientalis, orion, oromedon, orpheus, oryctes, oryx, ovatus, oxypterus, pactolus, palemo, pallens, pallidus, pallipes, pan, paniscus, parallelipedus, paramaribons, pecari, pectinatus, pedellus, pedipus, peleus, pellucidulus, pellucidus, pensylvanicus, perla, perseus, phidias, philanthus, philippensis, philoctetes, phorbanta, picatus, piceus, pictus, piger, pilosus, pilularius, pithecus, plagiatum, planicornis, plutus, podagricus, polyceros, polyphemus, porcatus, porcus, praticola, proboscideus, prodromus, profanus, pubescens, pulchellus, pulcher, pulverulentus, punctato-marginatus, punctatus, punctulatus, pusillus, putridus, pygmaeus, quadratus, quadricolor, quadridens, quadridentatus, quadriguttatus, quadrimaculatus, quadripunctatus, quadripustulatus, quadrispinosus, quadratuberculatus, quinque-lineatus, quisquilius, raucus, recticornis, reflexus, regius, retusus, rhadamistus, rhinoceros, roridus, rosalius, rossii, ruber, rubidus, rufescens, ruficollis, ruficornis, rufipes, rufus, rugosus, rupicola, ruricola, sabaeus, sabuleti, sabulosus, sacer, sagittarius, sancti francisci, sanguinolentus, satelles, satellitus, satyrus, scaber, scabratus, scabris-uscus, scabrosus, schaefferi, schreberi, scopoli, scorticorum, scriptus, scrofa, scrutator,

scybalarius, semicornis, semipunctatus, seniculus, sepicoli, septemmaculatus, serotinus, serratipes, serratus, sexpunctatus, signatus, silenus, silphoides, simson, sinensis, sinon, sinuatus, sinuosus, smaragdinus, smaragdulus, smaragdus, solstitialis, sordens, sordidus, sores, speciosissimus, sphacelatus, sphinx, spinicornis, spinifex, spiniger, spinipes, spiraea, splendens, splendidulus, splendidus, squalidus, squamosus, squamulatus, stercorearius, stercorator, sticticus, stictopterus, stigma, stolatus, striatus, subarator, suberosus, subfasciatus, subspinosus, subterraneus, succinctus, sulcator, sulcatus, sulzeri, superbus, surinamus, sus, suturalis, suturatus, sylvanus, sylvaticus, sylvestris, sylvicola, syphax, syriacus, syrichtus, tages, talpa, tarandus, tau-nigrum, taurus, tenebrioides, tenuicornis, teres, terrestris, tessellatus, testaceus, testudinarius, tetractylus, thebanus, thoracicus, thoraco-circularis, tibialis, titanus, tityus, tomentosus, torquata, tragus, triangularis, triangulatus, triangulum, tricolor, tricornis, tricornutus, tridens, tridentatus, tridentifer, triglochis, trilineatus, tristis, trivittatus, truncaticornis, truncatus, tuberosus, tuberculatus, typhoeus, typhon, undatus, ungaricus, unguiculatus, unicolor, unicornu, unifasciatus, unpunctatus, uralensis, ursus, vacca, vaccinarior, valgus, validus, variabilis, variegatus, variolosus, varius, veneres, vernalis, versicolor, verticicornis, vertumnus, vespertinus, veter, villosus, violaceus, virens, viridicollis, viridis, viridissimus, viridulus, vitis, vittatus, vitulus, volvens, vulcanus, vulpes, xantus, xiphias, zoilus.

Scarites:—arabs, arcticus, arenarius, bipustulatus, bucephalus, calydonius, cephalotes, clavicornis, clypeatus, crenatus, cursor, cyaneus, cylindrus, dama, depressus, fossor, gagates, gibbus, gigas, grandis, hottentotta, indus, laevigatus, longicollis, marginatus, piceus, picipes, porcatus, rufus, sabulosus, sphaerocephalus, subterraneus, sulcatus, testaceus, thoracicus.

Scarus:—cretensis, croicensis, ferrugineus, gallus, ghobban, harid, maxillosus, niger, psittacus, purpureus, rivulatus, schlosseri, siganus, sordidus, stellatus, viridis.

Scathopse:—buxi, nigra.

Scaurus:—atratus, calcaratus, ovatus, punctatus, striatus, sulcatus, tristis.

Schraitser:—ratisbonensium.

Sciaena:—abu-samf, abu-mgaterin, argentata, argentea, argenti-maculata, armata, ataja, bohar, cappa, cataphracta, cinerascens, cirrosa, coro, cylindrica, diacantha, discolor, factela, flexilinea, fulvisamma, gaterina, ghanam, gibba, grandoculis, hamrur, harak, jaculatrix, jarbua, kasmira, labrax, lepisma, lineata, macrolepidota, maculata, mahsena, mauritii, murdjan, nageb, nebulosa, nigra, obsoleta, plumieri, punctata, ramak, rubra, safgha, sammara, schotaf, sofaf, spinifera, stridens, tahmel, umbra, undecimalis, unimaculata.

Scincus:—algira, anguina, auratus, chalcides, guttatus, ocellatus, officinalis, sepiformis, stellio, stincus.

Sciurus:—abysynicus, aestuans, albipes, anomalus, ater, australis, ave, badjing, bancrofti, bicolor, bombayus, capensis, carolinensis, ceylanicus, ceylonensis, cinereus, cucullatus, degus, dschinschicus, erythraeus, felinus, flavus, fulvus, getulus, glis, guaianensis, hudsonius, inauris, indicus, leucopus, macrourus, madagascariensis, malabaricus, maximus, mexicanus, musae, namaquensis, niger, norfolcensis, notatus, novae hollandiae, palmarum, paradisiacus, persicus, petaurista, purpureus, sagitta, scrotalis, setosus, sibiricus, striatus, variegatus, varius, versicolor, virginianus, volans, volucella, vulgaris, vulpinus.

Scolex:—lavareti, lophii, pleuronectis.

Scolia:—annulata, atrata, aurea, bicincta, bifasciata, biguttata, bimaculata, bizonata, ciliata, cochleata, collaris, cooperta, cylindrica, erysibe, erythrocephala, ferruginea, fimbriata, flavifrons, globularis, haemorrhoidalis, histrionica, hortorum, interrupta, leucopis, mastrucator, maura, morio, mutabilis, neglecta, nigrita, notata, octopunctata, octoguttata, prisma, quadrifasciata, quadriguttata, quadrimaculata, quadripunctata, quadripustulata, quaternio, quinquecincta, quinquefasciata, quinquepunctata, radula, rubiginosa, ruficornis, scutellata, senilis, septemcincta, sexcincta, sexguttata, sexmaculata, sexpunctata, signata, tecta, thoracica, tricolor, tridens, unifasciata, variegata, verticalis, vespiformis, violaceus, volvulus.

Scolopax:—aegocephala, africana, alba, arquata, australis, avosetta, belgica, bengalensis, bicolor, borealis, cafra, calidris, candida, canescens, cantabrigiensis, capensis, caudatus, cayennensis, cineracea, cinerea, curonica, dethardingii, erythropus, falcinellus, fedoa,

flavipes, fusca, gallina, gallinago, gallinaria, gallinula, glottis, grisea, guarauna, haemastica, helias, hudsonica, incana, indica, jadreka, lapponica, leucocephala, leucophaea, leucoptera, limosa, luzoniensis, madagascariensis, maderaspatana, major, marmorata, media, melanoleuca, minima, minor, natans, nigra, noveboracensis, nutans, obscura, paludosa, phaeopus, pica, punctata, pusilla, pygmaea, rubra, rufa, rufipes, rusticola, semipalmata, sinensis, solaris, subarquata, tahitiensis, tatanus, terek, testacea, tetanus, totanus, undulata.

Scolopendra (Myr.):—adhaerens, aranea, clavicornis, clypeata, coleoprata, dorsalis, electrica, ferruginea, flava, forficata, fusca, gabrielis, gigantea, julacea, lagura, lineata, longicornis, marina, morsitans, nigricans, nivea, occidentalis, phosphorea, phosphorica, subterranea, violacea.

Scolopendra (Inf.):—microscopia.

Scolytus:—aeneus, bidens, chalcographus, crenatus, cylindricus, destructor, flavicornis, flexuosus, frontalis, impressus, ligniperda, limbatus, micrographus, niger, oleae, oleiperda, piniperda, pubescens, punctatus, pusillus, pygmaeus, quadridentatus, retusus, sexdentatus, spinosus, terebrans, typographus, varius.

Scomber:—aculeatus, adscensionis, alacunga, albacares, albicans, albus, amia, atun, auratus, aureus, calcar, carangus, chloris, chrysurus, colias, commerson, cordyla, crumenophthalmus, djedaba, ductor, edentulus, ehippiatus, equula, falcatus, fasciatus, ferdau, filamentosus, fulvoguttatus, germon, gladius, glaucus, gracharus, guara, hippos, ignobilis, japonicus, kirm, kleinii, lysan, minutus, niger, ocellatus, orcyus, pelagicus, pelamides, pelamis, plumieri, regalis, rhombeus, rottleri, ruber, saliens, sansun, sarda, scomber, scombrus, sinensis, speciosus, thazard, thynnus, trachurus.

Scopus:—umbretta.

Scorpaena:—americana, antennata, barbata, capensis, didactyla, gronovii, horrida, koenigii, plumieri, porcus, scrofa, spinosa, volitans.

Scorpio:—acaroides, afer, americanus, americus, australasiae, australis, cancroides, capensis, carpathicus, ceylonicus, chilensis, cimicoides, dentatus, europaeus, flavicaudis, germanicus, griseus, hottentotta, indicus, indus, italicus, junceus, longimanus, maculatus, maurus, mucronatus, occitanus, punctatus, tamulus, testaceus, tetrachelatus, tunetanus.

Scotias:—psylloides, seminulum.

Scutigera:—angulatus, fascicularis, punctatus, squamosus.

Scyllaea:—ghomfodensis, pelagica.

Scyllarus:—aequinoctialis, antarcticus, arctus, australis, guineensis, orientalis.

Scymnus:—ater, auritus, bimaculatus, bipunctatus, bipustulatus, collaris, didymus, haemorrhoidalis, nigrinus, pilosus, pubescens, pulchellus, pusillus, quadrimaculatus, quadrupustulatus, sericeus, suturalis.

Scytale:—scytale.

Scythrops:—novae hollandiae, psittacus.

Secretarius:—reptilivorus.

Semblis:—atrata, bicaudata, farinosa, fuscata, griseus, lutaria, marginata, nebulosa, pectinicornis, phalaenoides, planata, punctata, viridis.

Sepia:—argonautaea, exapdia, hexapodia, hexapus, loligo, media, octopodia, octopus, officinalis, rugosa, sepiola, tuberculata, tunicata, unguiculata.

Sepidium:—cristatum, elongatum, lacunosum, lineatum, marginatum, notatum, oblongatum, reticulatum, rugosum, striatum, tricuspidatum, vittatum.

Seps:—agilis, argus, caeruleus, caeruleus, ceylanicus, lemniscatus, lineatus, marmoratus, muralis, murinus, ruber, scincus, sericeus, stellatus, surinamensis, terrestris, varius, viridis.

Serpentarius:—serpentarius.

Serpula:—afra, anguina, angulata, arenaria, bicornis, cancellata, cannelletto, cereolus, cinerea, clava-herculis, colubrina, contortuplicata, coralloides, cornea, cornucopiae, decussata, denticulata, duodenalis, echinata, erecta, extensa, filograna, granulata, gigantea, glomerata, goreensis, ileacea, incurvata, infundibulum, intestinalis, intiotina, intricata, lactea, lamellata, lumbricalis, melitensis, merdaria, muricata, nautiloides, nereitea, norvegica, ocrea, ovalis, penicillus, penis, perforata, planorbis, polita, polythalamia, porosa, porrecta, proboscidea, protensa, pyramidalis, reflexa, retorta, ringens, seminulum, spirillum, spirorbis, stellaris, sulcata, teredo, tridentata, triquetra, vermicularis, verticillata, vitrea.

Serratula, C. F. Schulze, Dresdnisches Mag. II. 1765, 460.—Col. :—miniata, nigra.

Serrocercus :—glaber, striatus.

Serropalpus :—barbatus, bifasciatus, canaliculatus, caraboides, dubius, fasciatus, fuscus, humeralis, laevigatus, micans, striatus, quadrimaculatus, variegatus.

Sertularia :—abietina, acinaria, alicina, anguina, antennina, argentea, articulata, avicularia, bronchialis, bursaria, cedrina, cereoides, chelata, ciliata, cirrata, cornuta, crispa, cupressina, cupressoides, cuscuta, dichotoma, eburnea, echinata, ericoides, evansii, falcata, fastigiata, filicina, filicula, filiformis, flabellum, flexuosa, floccosa, frutescens, fruticans, fuscescens, gelatinosa, geniculata, gorgonia, halecina, hypnoides, imbricata, lendigera, lichenastrum, lonchitis, longissima, loricata, loriculata, misenensis, muricata, myriophyllum, neritina, nigellastrum, nigra, obscura, obsoleta, operculata, opuntioides, parasitica, penna, pennaria, pennatula, pilosa, pinaster, pinnata, pinus, pluma, poly pina, polyzonias, pumila, pupa, purpurea, pustulosa, quadridentata, racemosa, repens, reptans, rigida, rosa, rosacea, rugosa, scruposa, secundaria, sericea, setacea, speciosa, spicata, spinosa, spiralis, stipulata, syringa, tamarisca, ternata, thuja, tulipifera, uniflora, urneodes, usneoides, uva, verticillata, volubilis.

Sesia :—apiformis, aselliformis, bombylifformis, brunneus, chalciformis, crabroniformis, culiciformis, fadus, fuciformis, haemorrhoidalis, hylas, ixion, marica, melas, ocellata, octomaculata, pandora, sphegiformis, stellatarum, tantalus, thysbe, tipuliformis.

Sicus :—bicolor, buccatus, crucis, errans, ferrugineus, testacea.

Sigara :—coleoptera, lineata, minuta, striata.

Sigaretus :—haliotoidea.

Siliquaria :—anguina.

Silpha :—abscissa, aenea, aestiva, agaricina, agricola, americana, appendiculata, aquatica, atomaria, atrata, bicolor, bifasciata, biguttata, bimaculata, binotata, bipunctata, bipustulata, boleti, brunnea, cancellata, carinata, carnaria, carolina, cimicoides, clavipes, collaris, colon, contusa, crassa, crenata, cruentata, dentata, denticulata, depressa, dioscoidea, dispar, dorsalis, dyticoides, elongata, erxlebeniana, excavata, exilis, fasciata, ferruginea, fimetaria, flavifrons, fungorum, fusca, geoffroyana, germanica, gibba, glabra, glabrata, granulata, grisea, grossa, haemorrhoidalis, hemiptera, hirta, histeroides, humator, humeralis, impustulata, inaequalis, indica, insignita, laevicollis, laevigata, lapponica, limbata, lincensis, littoralis, litura, livida, lunata, lutea, maculata, marginalis, marginata, markovichiana, maura, melanocephalus, melanophthalma, micans, minuta, muelleriana, multicolor, multistriata, nebulosa, nigra, nigricans, nigricornis, nigrita, notata, noveboracensis, nubila, oblonga, obscura, opaca, orientalis, paedemontana, pallipes, paradoxa, parimariboa, pedicularia, pedicularis, philyreae, picea, polita, porcata, porcus, pubescens, pulicaria, punctata, punctulata, quadriguttata, quadrimaculata, quadri-punctata, quadripustulata, quattuor-punctata, reticulata, rubiginosa, rufa, ruficollis, ruficornis, rufifrons, rufipes, rufoclavata, rugosa, russica, sabulosa, sanguinicollis, scabra, scarabaeoides, seminulum, spidentata, sinuata, spadicea, speciosa, squalida, stercorea, stralsundica, striata, striatula, strigata, succincta, surinamensis, testacea, thoracica, tibialis, tomentosa, tormentosa, tricolor, trilineata, tristis, tyrolensis, undata, unicolor, uralensis, varia, veris, vespillo, villosa, viridescens.

Silphoides :—boleti.

Silurus :—asotus, anguillarum, ascita, aspredo, atherinoides, bagre, bajad, batrachus, bimaculatus, callichthys, carinatus, cataphractus, catus, chilensis, clarias, cornutus, costatus, cous, dauricus, docmak, electricus, erythropterus, fasciatus, felis, fossilis, galeatus, glanis, herzbegii, imberbis, inermis, lineatus, luvur, maculatus, militaris, mystus, nodosus, pelusius, quadrimaculatus, undecimalis, verrucosus, vittatus.

Simia :—aegyptica, aethiops, annulata, anomala, antiguana, apedia, apella, argentata, ascanius, atys, aygula, badia, barbata, belzebug, cafra, capistrata, capucina, cephalopteros, cephus, cinerea, cochinchina, cristata, cynocephala, cynomolgus, cynosuros, diana, entellus, exquima, fatuellas, fauna, ferox, flava, flavicans, focko, fulva, fusca, galerita, golok, hamadryas, hircina, hirsuta, iacchus, inuus, lar, latidens, leucocephala, livea, longicruris, longimana, longinasus, longirostris, luteola, madarogaster, maimon, maura, maurita, midas, minor, mitrata, moloch, mona, monea, mormon, morta, mulatta, muscatensis, nanodes, nasalis, nasua, nemaus, nemestrina, nictitans, nigra, oedipus, panisca, patas, petaurista, pithecia, platypygos, polykomos, porcaria, porphyrops, regalis,

rhesus, roloway, rosalia, rostrata, rubra, sabaea, satyrus, sciurea, sciurus, seniculus, silenus, sinica, sphinx, suilla, sylvanus, sylvatica, sylvestris, sylvicola, syrichta, talapoin, tetradactyla, trepida, troglodytes, ursina, variegata, veter, viridens.

Sinum:—fuscum, halioideum.

Sipunculus:—lendix, nudus, reticulatus, saccatus.

Siren:—anthropomorpha, bartholini, cynocephala, lacertina, operculata.

Sirene:—borealis.

Sirex:—albicornis, camelogigas, camelus, cinctus, columba, compressus, cyaneus, dromedarius, emarginatus, fantoma, flavicornis, fusciformis, gigas, juvenus, macilentus, magus, marisca, nanus, niger, nigricornis, nigrita, noctilio, pacca, pennsylvanicus, psyllius, pygmaeus, reflexus, similis, spectrum, struthiocamelus, tabidus, tardigradus, torvus, troglodyta, ungaricus, vespertilio.

Sitta:—caffra, canadensis, carolinensis, chloris, europaea, jamaicensis, longirostris, major, minor, naevia, peregrina, pusilla, sinensis, surinamensis.

Skua:—hoieri.

Smaris:—sambuci.

Sol:—marinus.

Solarium:—perspectivus.

Solen:—anatinus, antiquitatus, bidentatus, bullatus, callosus, castrensis, chama-solen, coarctatus, constrictus, crispus, cultellus, deliquiae, diphos, divisus, dolichos, emarginatus, ensis, fasciatus, ficus, fragilis, fucatus, gibbus, gladius, glycimeris, inaequalis, lacteus, legumen, lenticula, linearis, lineatus, macha, marginatus, maximus, minimus, minutus, nicobaricus, obliquus, occidens, pellucidus, pictus, radiatus, rhombus, roseus, rostratus, rotundatus, sanguinolentus, silicula, siliqua, spengleri, striatus, strigilatus, tellinata, vagina, vespertinus, vesperus, violaceus, virens.

Solenostomus:—sinensis, tabacaria.

Solpuga:—africana, arachnoides, chelicornis, fatalis, persica, scenica, tarda.

Sorex:—albipes, americanus, aquaticus, araneus, arcticus, auratus, brasiliensis, caecutiens, caeruleus, carinatus, constrictus, cristatus, cunicularis, cunicularius, daubentonii, exilis, fasciatus, fodiens, indri, lanatus, leucodon, liricaudatus, marinus, mexicanus, minutus, moschatus, murinus, musaraneus, myosurus, pilorides, pusillus, pygmaeus, quadricaudatus, rostratus, surinamensis, talpinus, tetragonurus, unicolor.

Spalax:—major, microphthalmus, minor, suillus, zemni.

Sparus:—abildgaardi, anchorago, annularis, anonymus, argentatus, argyrops, aurata, berda, biocellatus, bogaraveo, boops, brama, cantharus, capistratus, chilensis, chlorourus, chromis, chrysops, chrysurus, compressus, crenidens, cuning, cynodon, dentex, erythrinus, erythrourus, falcatus, fasciatus, formosus, fuscescens, galitaeus, haffara, honoratus, hurta, insidiator, japonicus, johnsoni, latus, lineatus, macrophthalmus, maena, maurosparus, melanurus, mormyrus, niloticus, nobilis, notatus, orientalis, orphus, pagrus, palpebratus, probatocephalus, puntazzo, radiatus, raii, rhomboides, salpa, sarba, sargus, saxatilis, scriptus, sinensis, smaris, spinifer, spinus, strongilus, subbrunus, surinamensis, synagris, tetracanthus, trivittatus, virgatus, virginicus, vittatus, volcanus, zebra.

Spatagus:—flavescens, pusillus, purpureus.

Spatangites:—bicordatus, carinatus, ovalis.

Spatangus:—ananchytis, bicordatus, brissoides, brissus, carinatus, cor-anguinum, depressus, lacunosus, minor, ovalis, ovatus, pusillus, purpureus, striato-radiatus, subglobosus.

Spectrum:—vampirus.

Sphaeridium:—abdominale, aeneum, armatum, assimile, atomarium, atrum, bicolor, bimaculatum, bipunctatum, bipustulatum, castaneum, clavipes, colon, crenatum, dispar, dytiscoides, fasciculare, ferrugineum, fimetarium, flavipes, fuscum, globosum, glabratum, globus, haemorrhoidale, humerale, immaculatum, inquinatum, ips, limbatum, lugubre, lunatum, luteum, marginatum, melanocephalum, minutum, morio, nigripenne, pellucidum, pilosum, plagiatum, pulicarium, punctiforme, quadrimaculatum, quadripustulatum, quinquemaculatum, rubrum, ruficollis, rufipenne, rufipes, scarabaeoides, seminulum, stercoreum, testaceum, testudineum, tritoma, unipunctatum, ustulatum, vaccarium, wintherae, xantopterus.

Sphagebranchus:—rostratus.

Spheg:—abdominalis, abietina, admirabilis, aegyptia, aequinoctialis, affinis, albicollis,

albifrons, albomaculata, americana, amethystina, analis, anathema, annularis, annulata, anomalipes, antaeus, antarctica, anthracina, apiaria, apifalco, appendigaster, arcuata, arenaria, arenosa, argentata, argillacea, argurometopa, argyrosticta, argyrostoma, armiger, arvensis, aselenos, asiatica, aspera, assimilis, aterrima, atra, atrata, atrox, attenuata, aurata, auripennis, auronitens, aurentata, australis, austriaca, azurea, bicincta, bicolor, bidens, bifasciata, bilocularis, bimaculata, binodis, bipunctatus, boops, brachyptera, brevipennis, caementaria, caerulea, caeruleana, campaniformis, canescens, capensis, carbonaria, caspia, chilon, chrysis, chrysoclypeata, chrysosticta, chrysostoma, ciliata, cincta, cinerea, cingulata, clavata, clavipes, clavus, clypearia, clypeata, coarctata, coccinea, colibri, collaris, colon, compressa, concinna, conica, coronata, corynetes, crabrona, crassicornis, cribraria, cruciata, cruenta, cursor, curva, cyanea, cyanipennis, depressa, dimidiata, discolor, disparis, domestica, dromedarius, elongata, emarginata, ephippia, erythraea, erythrocephala, evania, exaltata, fasciata, femorata, ferruginea, ferus, fervens, figulus, fissipes, flava, flavicornis, flavifrons, flavipennis, flavipes, flavomaculata, formicaria, fossoria, frontalis, fuciformis, fugax, fuliginosa, fulvipennis, fumicata, furcata, fusca, fuscata, gibba, gibbosa, gigas, gnatho, gregaria, grisea, grossa, guttata, haemorrhoidalis, hemiptera, heros, hesperus, hirsuta, hirtipes, holosericea, hortensis, hyalinata, ichneumonea, ignita, inda, indica, indostana, insubrica, interrupta, interrupte-fasciata, jamaicensis, labiata, lacertida, laevigata, lapidica, leucomelas, leucomellis, leucoptera, leucostoma, lineata, lobata, longicornis, lucida, lugubris, lunata, lutaria, maculata, maculosa, madraspatana, manduco, manticata, maura, mauritanica, maxillosa, melanochlora, mesomelaena, militaris, mirifex, mixta, monstrosa, morio, mutilliformis, myrifex, mystacea, naviculata, nigella, nigerrima, nigra, nigrata, nigricornis, nigripes, nigrita, nitida, nobilis, notata, ocellata, octomaculata, pallipes, palmaria, palmipes, paludosa, papiliopennis, papillaria, patellaria, pectinipes, pedestris, petaria, pensylvanica, petiolatus, perturbatur, plumbea, plumipes, profuga, pubescens, pumila, punctata, punctum, pygmaea, pyriformis, quadricincta, quadrifasciata, quadrimaculata, quadripunctata, quattuormaculata, quattuorpunctata, quinquecincta, quinqueguttata, radula, revo, rhombica, rubicunda, rubra, ruficollis, ruficornis, rufilumbis, rufipennis, rufipes, rufo-fasciata, rustica, ruybensis, sabulosa, samariensis, sanguigutta, sanguinea, sanguinolenta, scutellata, scutellaria, semiaurata, semicincta, septemcincta, serotina, serpentina, severus, sexcincta, sexmaculata, sexpunctata, sibirica, signata, simelis, sinensis, sispes, speciosus, spinipes, spinosa, spirifex, splendida, stellata, stigma, subterranea, tenthredoides, testacea, thomae, thoracica, tibialis, tinctor, tomentosa, triangulum, tricincta, tricolor, trifasciata, trimarginata, tripunctata, tropica, truncata, tuberculata, turcica, turrimurarius, umbrosa, unicolor, ursus, vaga, vagus, variabilis, variegata, variegator, versicolor, verticalis, vespiformis, vespoides, viatica, viduata, villosa, violacea, xanthocephala.

Sphinx:—abadonna, achemenides, achemon, achilleae, acteus, aeacus, aeas, affinis, alecto, alecton, almon, alope, amadis, amsteinii, anceus, anchemolus, antaeus, anthraciniformis, anubus, apiformis, appendiculata, apulus, archias, argentiflua, arontes, asiliformis, astragali, astreus, astylus, atereus, athamantae, atropos, auge, auratus, auxo, azaleae, belis, bellis, bibioniformis, bifasciata, boerhaviae, bombiciformis, bombiliformis, brennus, brizae, bromus, brontes, brunus, lubastus, butus, cacus, caffra, caicus, cajú, camertus, cana, capensis, caput-mortuum, capys, caricae, carniolica, carolina, cassandra, caunus, cecrops, celaeno, celerio, cephus, cerbera, cerberus, charon, chimaera, chionanthi, chiron, choerilus, chrysanthemum, chrysidiformis, chrysorrhoea, cinerea, cingulata, cleolia, clio, clorinda, clotho, cluentius, coarctata, coniferarum, conopiformis, convolvuli, coras, coronillae, crabroniformis, crantor, creusa, croatica, cruenta, culex, culiciformis, cyanea, cynara, cynipiformis, cyseus, cytisi, danum, dares, daucus, dentatus, didyma, drancus, drupiferarum, eacus, eagrus, echemus, egeon, ello, elpenor, empiformis, enagrus, ephialtes, equestris, erotus, eson, esulae, eumolphus, euphorbiae, evadnes, exulans, fadus, falcatae, faro, fasciatus, fausta, fegeus, fenestrata, fenestrina, ficus, filipendulae, fimbriata, flaveola, flavicans, flavida, florestan, formicaeformis, francofurtana, fuciformis, funebris, galii, gallii, gannascus, gaurae, globulariae, gnomae, gordius, gorgon, graminis, halys, hannibal, hasdrubal, heber, hedyari, helymus, hespera, lippotes, hydaspus, hylaeus, hylas, hylloeus, hypothous, hypparchus, ichneumoniformis, idrieus, imaoon, immaculata, inaurata, infausta, instribilis, irus, ixion, jania, japix, jatrophae, juglandis,

kalmiae, koechlini, labruscae, lachesis, lades, laeta, lavandulae, leneus, leucaspis, leucopsiformis, licaon, licastus, lichas, ligata, ligustri, lineata, livornica, loniceræ, loti, lucetius, lugubris, lusca, lycetus, lyctus, maculata, marica, medea, medicaginis, medor, medusa, megaera, melanthus, melas, meliloti, menephron, meones, meteus, millefolii, minceus, minos, minus, modesta, morpheus, musca, muscaeformis, myopaeformis, myron, necus, neoptolemus, nerii, nessus, nicea, nicobarensis, nycteus, obscura, occitanica, ocellata, octomaculata, octopunctata, ocypete, oenotrus, oenotherae, oestriformis, oiclus, oldenlandiae, onobrychis, onotherberina, opheltes, otus, pagana, pamphilius, pampinatrix, pan, pandion, panopus, paphus, parce, passalus, pectinata, pectinicornis, pelagus, penaeus, peucedani, phalaenoides, phalaris, phegea, pheres, phlegmon, pholus, phorbas, picus, pierus, pilosellae, pinastris, pinastrina, plebeja, plumipes, pluto, polidamon, polygalae, polymena, polymita, populi, porcellus, porcus, pratorum, pretus, prini, proserpina, pruni, psamas, psamos, pulchra, pugione, purpuralis, pylas, pyracmon, pyralidiformis, quercus, ratisbouica, rhadamanthus, rhadamistus, rhabus, rhingiaeformis, ruficollis, rustica, rutilus, sagitta, sagittata, salicis, salmachus, sanguinosa, sarpedon, satellitia, scabiosae, schaefferi, scoliaeformis, scopigera, scyron, scyton, sedi, semipavo, serpylli, sesia, sexta, sireciformis, spheciformis, sphegiformis, sperchius, spicae, spiraeae, statices, statios, stellarum, stellatarum, steropes, stomoxiformis, strigilis, sylvius, sypilus, syrphiformis, tabaniformis, tantalus, temenus, tenebrioniformis, tenthrediniformis, terpunctata, tersa, tetro, thallo, thelebas, thetis, theylia, thyelia, tibialis, tiburtus, tiliae, timesius, tineiformis, tipula, tipuliformis, tisiphone, titan, tityus, transalpina, trifolii, trigonellae, triptolemus, typhiaeformis, vampyrus, variegata, velox, veronicae, vespa, vespertilio, vespertillo, vespiformis, vicia, vinosa, virginea, vitis, zonata.

Spio, Koenig in O. F. Müller, Wurm. 1771, 188 :—cirrata, filicornis, seticornis.

Spiroglyphus :—annulatus, poli.

Spirorbis :—borealis, carinatus, planorbis, spirillum, transversus.

Spirula :—spirula.

Spondylis :—buprestoides, ceramoides, dentipes, femoratus, porcata.

Spondylus :—albus, aculeatus, americanus, antiquatus, arausiacus, aurantiacus, aurisiacus, cancellatus, citreus, citronius, coccineus, costatus, cristatus, croceus, cruentatus, depressus, dominicensis, ducalis, echinatus, fimbriatus, flavus, foliaceus, fulvus, gaedero-pus, hebes, hystrix, labrum, macis, maculatus, maris rubri, marmoratus, maximus, mediterraneus, muricatus, nicobaricus, oblongus, pes asininus, pictorum, plicatulus, plicatus, princeps, proboscideus, pseudo-chama, punctatus, purpureus, ramosus, ramulosus, regius, rhamnus, rubellus, rufus, senegalensis, sinensis, spinosus, squamosus, striatus, surculosus, taleolus, tenuis, variegatus, versicolor, virescens, xanthium.

Spongia :—aculeata, agaricina, alcornis, anhelans, arborescens, bacillaris, baikalensis, basta, bicolor, bombicina, botryoides, caliciformis, canalum, cancellata, cannabina, carnosae, cartilaginea, cavernosa, cellularioides, cellulosa, cervicornis, ciliata, clathrus, clavata, coalita, compressa, coronata, crateriformis, cratitia, crispata, cristata, cruciata, cylindrica, damicornis, dichotoma, digitata, echinata, elephantota, fasciculata, fastigiata, febriliosa, fibrillosa, ficiformis, fistularis, fistulosa, flabelliformis, flabellum, floccosa, floribunda, fluviatilis, foliacea, foliascens, folium quercus, friabilis, frondosa, frutescens, fruticosa, fucorum, fulva, gerdinia, grossa, ichthyobroma, infundibuliformis, infundibulum, labyrinthiformis, lactuca, lacustris, lamellosa, lanosa, lanuginosa, lichenoides, linteiformis, lobata, lycopodium, macida, manus, membranacea, membranosa, mucida, muricata, nigra, nodosa, oculata, officinalis, ossiformis, otahitica, palmata, panacea, panicea, papillaris, penicillata, pertusa, pilosa, plana, pocillum, polychotoma, proliferifera, reticulata, retinum, rigida, rubens, rubicunda, rubra, scyphiformis, scyphus, sinuosa, solida, stricta, strigosa, stiposa, suberosa, surculosus, tomentosa, tubularia, tubulosa, tupa, turbinata, urens, ventilabra, verrucosa, villosa, vulgaris.

Squalus :—acanthias, adscensionis, africanus, americanus, barbatus, brucus, canicula, caninus, canis-marinus, carcharias, catulus, centrina, cinereus, cirratus, cornubicus, edentulus, fasciatus, fernandinus, fullonicus, galeus, glaucus, griseus, indicus, isabella, jacksoni, kumal, licha, longicaudus, massasa, maximus, mustelus, nasus, ocellatus, pennanti, perlo, platyrinchus, portus-jacksoni, pristis, punctulatus, spathula, spinax,

spinus, squamosus, squatina, stellaris, tiburo, tigrinus, vanduffeli, vittatus, vulpes, watti, zygaena.

Squilla:—asellus, balaeni, chiragra, ciliata, entomon, ichneumon, lobata, maculata, mantis, marina, phalangium, pulex, quadrilobata, raphidia, scyllarus, trixapus, ventricosa, vitreus.

Staphylinus:—abdominalis, aeneocephalus, aeneus, affinis, agarici, alatus, alpinus, amoenus, analis, angularis, angustatus, arenarius, armatus, arnicae, assimilis, atricapillus, aureus, austriacus, balteatus, bicinctus, biclavatus, bicolor, bicornis, biguttatus, bimaculatus, binotatus, bipunctatus, bipustulatus, blattinus, boleti, bombilius, borealis, brachypterus, brassicae, brevicollis, brevipes, brunneus, brunnipes, buphthalmos, caeruleus, caesareus, canaliculatus, cantharellus, capensis, caraboides, carinatus, cellaris, cephalotes, chalcoccephalus, chloropterus, chrysocephalus, chrysomelinus, cicindeloides, cinctus, clavatus, clavicornis, collaris, compressus, conicus, crassicornis, crassipes, crenatus, cruentatus, cruentus, cupreus, cursor, curtulus, cyaneus, cyanipennis, cylindrus, depressus, dichrous, dilatatus, dispar, domicella, edentulus, elegans, elongatus, emarginatus, erythrocephalus, erythropterus, erythropus, fasciatus, ferrugineus, flavescens, flavicornis, flavipes, flavopterus, flavus, floralis, floreus, fodinarum, fornicarius, fossor, fracticornis, fulgens, fulgidus, fulsipes, fulvipes, fulvopterus, fulvus, fuscicornis, fuscipennis, fuscipes, fuscus, geometricus, glaber, glaberrimus, glaucus, globulifer, gracilis, gregarius, haemorrhoidalis, hellebori, hirtus, hypnorum, impressus, junco, lacunosus, laminatus, latus, lignorum, limbatus, linearis, littoreus, lituratus, lugubris, lunulatus, macroclyton, macropterus, maculatus, major, marginalis, marginatus, marginellus, marinus, martialis, maxillosus, melanocephalus, melanophthalmos, melanurus, merdarius, minimus, minor, minutus, mordax, morsitans, multipunctatus, murinus, nanus, nebulosus, nemoralis, niger, nigricollis, nigrofulvus, nigrophthalmus, nitens, nitidulus, nitidus, obscurus, obtusus, ochrocephalus, oculatus, olens, oleus, opacus, ophthalmicus, orbicularis, orbiculatus, pallidipennis, pallidus, parvus, penetrans, philanthus, picatus, piceus, picipennis, pilicornis, pilosus, plagiatus, planus, politus, porcatus, punctatostriatus, punctatus, punctulatus, pubescens, pygmaeus, quadratus, quentzeli, rhyssostomus, riparius, rivularis, rubellus, rubricollis, rufescens, ruficollis, rufipes, rufus, rugosus, sanguineus, saxatilis, serraticornis, silphoides, similis, socialis, spinipes, splendens, stercorarius, striatulus, striatus, strumosus, substriatus, subterraneus, sulcatus, tartaricus, tectus, tenuis, tessellatus, testaceus, tetracarinated, thoracicus, tricolor, tricornis, trilobus, tristis, tuberculatus, turfosus, ulmi, unicolor, varians, variegatus, vernalis, violaceus.

Stello:—bifurcifer, basilienis, fimbriatus, geitie, maculatus, perfoliatus, phyllurus, punctata, salvaquardia, salvator, saurus, saxatilis, sinensis, tessellatus, tetradactylus, thalassinus, viridis.

Stenocorus:—alni, annulatus, aquaticus, arcuatus, arietis, bicolor, bidens, calcaratus, caraboides, castiglionei, c-duplex, chrysogaster, cinctus, cinerea, circumflexus, clavipes, cursor, cyaneus, cylindricornis, decimmaculatus, dispar, drurii, farinosus, fasciatus, fenicus, festivus, fuliginosus, funereus, garganicus, geminatus, geniculatus, glabratus, humeralis, ignitus, indagator, inquisitor, irroratus, laevis, lamed, lineatus, lineola, lucidus, luridus, lutescens, maculosus, marylandicus, melanurus, meridianus, minutus, mordax, nanus, niger, noctis, pallens, parisinus, piceus, plebejus, pubescens, quadriguttatus, quadrimaculatus, quinquemaculatus, ruber, rubeus, rubroviolaceus, ruficollis, rufus, rusticus, semipunctatus, sericeus, sexmaculatus, spinicornis, strepens, suturalis, sylvestris, testaceus, trilineatus, truncatus, undatus, varius, villosus, violaceus.

Stenusis:—angustata, atra, orientalis, unicolor.

Stenus:—junco.

Stercorarius:—parasiticus.

Steridium:—punctatum.

Sterna:—africana, alba, albifrons, anaethetus, australis, boysii, candida, cantiaeca, caspia, caspica, cayana, cayennensis, cinerea, columbina, coronata, fissipes, fuliginosa, fusca, fuscata, hirundo, metopoleucos, minuta, multicolor, naevia, nigra, nigricans, nilotica, nubilosa, obscura, panaya, panayensis, paradisea, philippensis, philippine, pileata, sandvicensis, semialba, simplex, sinensis, spadicea, stolda, striata, stubberica, surinamensis, vittata.

Sternopyx:—diaphana.

Stomachida:—perebomii.

Stomatia:—imperforata, phymotis.

Stomoxys:—asiliformis, bombylans, calcitrans, dorsalis, grisea, irritans, lineata, longipes, morio, muscaria, parasita, pungens, rostrata, siberita, stylata, tessellata.

Stratiomys:—albipes, angulata, argentata, canina, chameleon, clavipes, coccinea, confusa, conica, crucis, cyanea, ephippium, errans, fasciata, felina, fenestralis, flavipes, flavissima, furcata, graeca, grandis, hottentotta, hydroleon, hypoleon, leonina, macroleon, maculata, major, marginata, microleon, minuta, morio, muscaria, mutabilis, mutica, nigroptera, olens, palatina, pallipes, plebeia, quadrilineata, schaefferi, sexdentata, splendens, strigata, testacea, tigrina, trilineata, uliginosus, unguiculata, villosa, viridula, vulpina.

Streber:—ratisbonensium.

Stribilita:—pastilla.

Strix:—acadica, acadensis, accipitrina, alba, albifrons, aluco, americana, arctica, asio, aurantiaca, bakkamuna, barbata, brachyotus, brasiliana, bubo, caparoch, camiolica, cayennensis, ceylonensis, chichictli, choricou, coromanda, coromandelica, cristata, cunicularia, dasyopus, deminuta, dominicensis, domingensis, flammea, fulva, funerea, giu, hudsonia, hulula, indica, javanensis, javanica, lapponica, liturata, maculata, mexicana, minuta, naevia, nebulosa, nigra, nisuella, nivea, noctua, novae seelandiae, nudipes, nyctea, orientalis, otus, palustris, passerina, personata, perspicillata, phalaenoides, pulchella, pusilla, rufa, scandiaca, scops, sibirica, sinensis, soloniensis, stridula, sylvestris, tengmalmi, tolchiquatli, torquata, tripennis, ulula, uralensis, varius, virginiana, wapacuthu, zona, zorca.

Stromateus:—argenteus, cinereus, cumarca, fiatola, sinensis, niger, paru.

Strombiformis:—albus, bicarinatus, cinctus, clathratus, costalus, glaber, perversus, reticulatus, terebra, torcular.

Strombus:—acanthinus, aculeatus, affinis, agnatus, alatus, aluco, ambiguus, amplus, annulatus, ater, athleta, auratus, auris-dianae, auritus, babylonicus, boletus, brunea, bryonia, bubo, canalicularis, canarium, cancellatus, carminatus, chiragra, clava herculis, clavus, coactus, columella, coronatus, costatus, crenulatus, dealbatus, dentatus, denticulatus, dimidiatus, discoideus, dubius, duplicatus, elongatus, epidromis, errans, fasciatus, fissurella, fluctuosus, fossilis, fuscatus, fuscus, fusus, gallus, gibberulus, gigas, glabratus, granulatus, granatius, guttatus, hexagonus, irregularis, laevis, lambis, lanceatus, latissimus, latus, lentiginosus, lineatus, lividus, lucifer, luctator, luhuanus, maculatus, mangos, marginatus, millepeda, minimus, muricatus, nasutus, nodosus, norwegicus, obtusus, oniscus, palustris, pellucidus, perlatus, pes-pellicani, picta, porcellanus, pugilis, punctatus, pyramidalis, raninus, reticulatus, rosea, scorpio, scorpius, semistriatus, sinister, spinosus, striatus, strigilatus, subulatus, succinctus, sulcatus, telescopium, testaceus, thymelus, tornatus, tortilis, tridentatus, tuberculatus, turricula, turritus, uccinctus, urceus, varicosus, varius, ventricosus, vertagus, vexillum, vibex, vittatus.

Strongylus (Col.):—abbreviatus, aestivus, ater, chrysomeloides, luteus, psyllius, quadri-punctatus, quinquepunctatus, strigatus, variegatus.

Strongylus (Ver.):—anseris, auricularis, equi, equinus, melinus, melis, ovinus, retortae-formis, striatus, tubaeformis, vanelli, vulpinus.

Struthio:—americanus, camelus, casuarius, cucullatus, novae hollandiae, rhea.

Sturnus:—aeneus, athhis, auratus, barita, bicolor, carunculatus, capensis, ceylanicus, cinclus, cinctus, collaris, contra, crispicollis, cristatella, curaeus, dauricus, fuscus, gallinaceus, jamaicensis, juncti, leucocephalus, loyca, ludovicianus, luteolus, mexicanus, militaris, montanus, morio, moritanus, nabouroup, nitens, obscurus, olivaceus, ornatus, praedatorius, quiscula, roseus, saularis, sericeus, splendens, stercorarius, sturninus, violaceus, viridis, vulgaris, zanoe.

Stylephorus:—chordatus.

Styrex:—holosericeus.

Sukotyryus:—indicus.

Sus:—aethiopicus, africanus, angalla, babyrussa, hydrochaeris, minerva, patira, pecari, porcus, scrofa, tajacu.

Sylvia:—acredula, aequinoctialis, aestiva, africana, albicapilla, albicollis, americana, aquatica, arundinacea, asiatica, atrata, atricapilla, aurantia, auricollis, aurea, awatcha, bananivora, blackburniae, bonariensis, borbonica, borealis, caerulea, caerulescens, caffra,

calendula, calidris, cambayensis, campestris, cana, canadensis, canescens, capensis, caprata, carolinensis, caryophyllacea, cayana, ceylonica, chloroleuca, chrysocephala, chrysoptera, cincta, cinerea, citrina, communis, coromandelica, coronata, cristata, cucullata, curucca, cyane, cyanea, cyanocephala, cyanura, dartfordiensis, dominica, dumetorum, elata, erithacus, erythrogastra, ferruginea, fervida, ficedula, flavescens, flavicollis, flavifrons, fulcata, fulva, furva, fusca, fuscata, fuscens, fuscicollis, gibraltariensis, grisea, guianensis, guira, gularis, guzurata, hippolais, hortensis, hottentotta, icterocephala, incana, juncorum, kamschatkensis, leucorrhoea, lineata, littorea, livida, locustella, longicauda, longipes, longirostris, ludoviciana, luscinia, lutea, lutescens, macroura, maculata, maculosa, madagascariensis, magellanica, magna, massiliensis, maura, mauritiana, mediterranea, melanocephala, minima, mitrata, modularis, montanella, moschita, muticolor, murina, muscipeta, naevia, noveboracensis, nigricollis, nigrirostris, ochrura, oenanthe, olivacea, palmarum, passerina, patagonica, pennsylvanica, pensilis, perspicillata, petechia, philippensis, phoenicurus, pileata, pinguis, pinus, platensis, plumbea, protonotarius, regulus, rubecula, rubetra, rubicola, rufa, ruficapilla, ruficauda, rufigastra, salicaria, schoenobaenus, semitorquata, senegalensis, sialis, simplex, sinensis, singalensis, sperata, spinicauda, stapazina, striata, subflava, sueciica, sunamisica, superciliosa, sutoria, sybilla, sylvatica, sylvicola, sylviella, tigrina, tithys, trichas, trivialis, trochilus, troglodytes, tschecantschia, umbria, undata, varia, velia, vermivora, virens, zya.

Sylvicola:—brevis, caelebs, caenosus, cursor, derelictus, divagor, informis, lentus, lugubris, melancholia, monachus, monos, monotropus, perpulcher, reconditus, secretus, solitaneus, solitarius, solivagus, unicus, versipellis.

Symethis:—variolosa.

Synbranchus:—immaculatus, marmoratus.

Synchita:—bipunctata, canaliculata, crenata, elongata, histeroides, juglandis, monilicornis, nitida, polita, thoracica, variegata.

Syngnathus:—aculeatus, acus, aequoreus, argenteus, barbarus, biaculeatus, chorda, cilo, clio, furcilla, fusiformis, hippocampus, inflator, marinus, maximus, ophidion, pelagicus, periscelis, sibbaldi, squarrosus, tetragonus, typhle.

Synodendron:—capucinus, cylindricum, dominicum, gibbum, muricatum, pusillum.

Synodus:—synodus.

Synioicum:—turgens.

Syrinx:—annulata, aruana, buccinoidea, clathrata, elongata, ficoidea, fossa, longissima, maculata, marmorata, maxima, nicobarica, parvulus, petiolata, producta, tabaccaria, tornata, venosa, viminalis.

Syrphus:—abdominalis, acanthodes, aeneus, affinis, agrorum, albimanus, alpinus, alternatus, ambulans, annulatus, apiarius, apiformis, arbustorum, arcuatus, arvorum, asiliformis, auratus, avidus, binctus, bicolor, bifasciatus, bombylans, bombyliformis, brachypterus, calcaratus, cinereus, cingulatus, clavatus, clavipes, coarctatus, coemitoriorum, conopseus, constans, corollae, crabroniformis, crassipennis, crassipes, crassus, cryptarum, cylindricus, deflagratus, dentipes, devius, dimidiatus, diophthalmus, dispar, elongatus, equestris, ericetorum, errans, esuriens, fallax, femoratus, festivus, flavicans, flavicornis, flavipes, floralis, florens, frutetorum, fuciformis, fugitivus, funestus, fuscatus, gibbosus, gibbus, gigas, glaucius, globosus, gravipes, hemipterus, hortorum, himantopus, ichneumoneus, impiger, ignavus, inanis, inflatus, intricarius, laetus, lappona, leucopus, lineola, lucorum, lugens, lugubris, lunatus, means, megacephalus, melancholicus, mellinus, menthastri, metallina, micans, mixtus, murorum, mussitans, mutabilis, mystacea, nanus, natans, nectareus, nemorum, nigrita, noctilucus, obesus, ocymi, oestraceus, orbiculus, pellucens, pendulus, pertinax, piger, pinguis, pipiens, piseus, podagricus, praecox, pratorum, pruni, pyrastris, quadrilineatus, quinquelineatus, quinquestriatus, ribesii, rosarum, ruficornis, ruffipes, rupestris, saltuum, salviae, scalaris, scriptus, segetum, segnis, semirufus, sepulchralis, setosus, speciosus, sphegeus, spinipes, splendidus, subcoleopratus, subsultans, sylvarum, tenax, thymastri, transfuga, tricinctus, tricolor, trifasciatus, trilineatus, tristis, umbellatarum, vacuus, valgus, variabilis, varus, versicolor, vesiculosus, vespiformis, victorum, volvulus, vulneratus, zonalis, zonarius, zonatus.—*Vide et. Musca.*

Tabanus:—aethiopicus, albipes, alpinus, americanus, antarcticus, arcticus, ater, atratus, autumnalis, barbatus, bidens, bidentatus, bifasciatus, bispinosus, borealis, bovinus, bromius, caeculus, caecutiens, calens, cayennensis, charopus, cinctus, costalis, costatus, cylindricus, dichotomus, dispar, equorum, exaestuans, fasciatus, fenestratus, ferrugineus, ferus, fervens, giganteus, graecus, griseus, groenlandicus, haustellatus, hirsutus, hottentottus, ignotus, inanis, intersectus, italicus, lanatus, lateralis, lineatus, lineola, longicornis, lugubris, lunatus, macularis, maculatus, maritimus, marmoratus, mauritanus, mexicanus, moerens, morio, nebulosus, nigrita, occidentalis, olivaceus, paganus, pellucens, plumbeus, pluvialis, proboscideus, pubescens, punctatus, rostratus, ruficornis, rufus, rusticus, salinarius, sanguisorba, sanguisuga, sepulchralis, singularis, striatus, tarandinus, testaceus, triangularis, tristis, tropicus, variegatus, viduatus, vittatus.

Taenia:—acutissima, albopunctata, alcae, anatis, anguillae, anseris, apri, avium, bacillaris, bovina, bufonis, candelabraria, canina, capraea, caprina, caryocactalis, cateniformis, caviae, cellulosa, cerebralis, cerebrina, cernuae, cingulum, claviceps, collaris, conoidea, cordata, cornicis, corollata, crassa, crataegaria, crateriformis, crenata, cucullanus, cucumerina, cucurbitina, cuneata, cyathiformis, cylindracea, cystica, dendritica, dentata, dispar, elliptica, equi, equina, erinacei, erythrini, farciminalis, farciminosus, fasciolaris, ferarum, filamentosa, filum, fimbriata, finna, flagellum, floribunda, froelichii, gasterostei, glanis, globifera, globosa, globulata, globulator, globulosa, granulosa, grisea, gulonis, haeruca, hirudinacea, hirundinis, hydatigena, hydatidis, hydatoidea, immerina, infundibuliformis, infundibulum, laevis, lanceola, lanceolata, lata, laticeps, linea, lineata, litterata, longicollis, longissima, lucii, lumbricalis, lupina, maculata, magna, malleus, marginata, membranacea, moniliformis, multiceps, murina, mustelae, nodosa, nodularis, nodulosa, nympha, omphalodes, orbicularis, osculata, ovilla, ovina, passeris, pectinata, percae, perfoliata, perlata, phocae, phocarum, piscium, pisiformis, proboscidea, psittaci, pusilla, putorii, quadriloba, rectangulum, rhinaris, rostellata, rugosa, sagittata, sagittiformis, salamandrae, salmonis, salvelini, scolopacis, scorpii, serpentiformis, serpentulus, serpentum, serrata, setigera, silicula, siluri, simiae, simplex, solida, solium, spirillum, squali, straminea, sturni, suis, tardae, tenella, tetragonoceps, tordae, torquata, torulosa, tricuspidata, truncata, truttae, undula, undula, urogalli, ursi, utricularis, vervecina, vespertilionis, villosa, visceralis, vulgaris, vulpis, vulpina.

Taenioides:—hermannii.

Talpa:—alba, americana, asiatica, aurea, caudata, canerea, cristata, europaea, flava, frisius, fusca, inaurata, longicauda, microphthalmia, myospalax, rubra, virginea, virginiana.

Talpoides:—typhlis.

Tamarindiformis:—arenarius, dendrites, fasciatus, lithophagus, modiolus, phyrropocilus, pileatus, rugosus, striatus, ziczac.

Tanagra:—aestiva, albifrons, albirostris, amboinensis, atra, atrata, atricapilla, bonariensis, brasilia, brasiliensis, caerulea, canora, capensis, capitalis, cayana, cayennensis, chlorotica, coccinea, cristata, cyanea, cyanocephala, dominica, dubia, elegans, episcopus, flava, foemina, fusca, grisea, guianensis, gularis, gyrola, humeralis, jacapa, jacarina, leucocephala, macroura, magna, maxima, melanictera, melanopsis, mexicana, militaris, mississippiensis, mitrata, nigerrima, nigra, nigricollis, olivacea, ornata, pileata, pompadura, punctata, rubra, rudis, ruficollis, sayaca, seledon, sibirica, silens, sinensis, striata, talao, tatao, tricolor, varia, variabilis, variegata, violacea, virens, viridis.

Tantalus:—aethiopicus, alber, albicollis, albus, bengalensis, cafrensis, calvus, castaneus, cayennensis, coco, curly, cristatus, falcinellus, fuscus, gangeticus, griseus, hagedash, ibis, igneus, leucocephalus, loculator, manillensis, melanocephalus, melanopsis, mexicanus, minutus, niger, pavoninus, pillus, ruber, rufus, variegatus, viridis.

Tapir, J. F. Blumenbach, Handb. Naturg. 1779, 129:—americanus, anta, suillus.

Tapirus:—americanus.

Tarantula:—caudata, cordata, lunata, reniformis.

Tardigradus:—coucang, loris, tridactylus.

Tarsius: daubentonii, pallasii.

Tatu:—novemcinctus.

Telephorus:—aeneus, arbustorum, ater, bidentatus, bifasciatus, biguttatus, bimaculatus, bipunctatus, bipustulatus, caeruleus, cardiaca, fasciatus, flavescens, flavipes, flavus, fuscicornis, fuscus, glaucescens, lateralis, lignosus, lividus, melanocephalus, melanurus,

minimus, niger, nigricans, obscura, opacus, pallidus, pallipes, parvulus, pennsylvanicus, plumbeus, podagrariae, pulcarius, pullus, quadripunctatus, rufescens, rufus, sanguineus, sericeus, simplex, smaragdulus, testaceus, thoracicus, virescens.

Tellina:—abildgaardiana, achatina, adansoni, adriatica, adumbrata, alata, alba, albicans, albida, amnica, amoenissima, angulata, angulosa, angusta, anomala, apelina, aspera, balaustina, balthica, barbata, bimaculata, bornii, brasiliana, calcarea, cancellata, candida, candidissima, canusina, carinata, carnaria, chrysostoma, cinnamea, cluniculus, coaxata, coccinea, complanata, cornea, cornubiensis, crassa, cruciata, cruentata, cristallina, cuneata, cuspidata, deaurata, depressa, digitaria, diphos, discors, distorta, divaricata, dolichus, donacina, edentula, ephippium, exigua, exillis, faba, fabula, fasciata, fausta, ferroensis, fervensis, fissa, flavescens, fluminalis, fluminea, fluviatilis, foliacea, fragilis, fucata, fusca, gallica, gargadia, gari, gibba, gibbosa, glabra, hyalina, iberica, inaequilatera, inaequalis, incarnata, inflata, jamaicensis, javana, knorrii, lactea, lacustris, laeta, laevigata, lanceolata, lata, lingua-felis, listeri, lutea, maculata, madagascariensis, maecandrata, magna, minima, multangula, muricata, mustelina, nebulosa, nitida, nucleus-acaciae, oblonga, opalina, operculata, ovata, pallidula, papyracea, pectinata, pellucida, pennsylvanica, perna, picta, pisiformis, planata, polita, polygona, porcellanea, proficua, punicea, purpurascens, purpurata, purpurea-radiata, pusilla, radiata, remies, reticulata, rhomboides, rigida, rivalis, rosacea, rosea, rostrata, rubescens, rubicunda, rubiginosa, rubra, rudis, rufescens, rugosa, sabulosa, scobinata, semiplanata, senegalensis, sinuata, sinuosa, solaris, solida, solidula, spengleri, squalida, striata, striatula, strigilata, strigosa, subrubicunda, succincta, sulcata, tectoriola, tenuis, togata, triangularis, trifasciata, trilatera, triquetra, truncata, undata, variabilis, variegata, vinacea, violacea, virgata, virginea, virginica, vitrea, zonata.

Tenebrio:—abbreviatus, acuminatus, aegyptius, aeneus, aestivus, affinis, agricola, alexandrinus, angulatus, angustatus, anomalus, arabs, arboreus, arenaria, arundinaceus, asper, asperimus, ater, atratus, auritus, barbarus, barbatus, bicolor, bimaculatus, boleti, brunneus, brunnipes, bucephalus, buparius, buprestoides, cadaverinus, caerulea, caeruleus, canaliculatus, capensis, capreae, caraboides, carinatus, caspicus, cavus, cephalotes, ceramboides, chalybeus, chrysolinus, chrysoloides, collaris, complanatus, cornifrons, cornutus, costatus, cothurnatus, cristatus, cruciatus, culinaris, cuprea, cursor, curvipes, cyaneus, cylindricus, dentipes, depressus, dermestoides, didymus, dispar, dubius, echinatus, elateroides, ellipticus, elongatus, erraticus, fagi, farinanus, femoralis, femoratus, ferrugineus, festinans, filiformis, flavus, fossor, fuscus, gages, gemellata, gibbosa, gibbus, giganteus, gigas, glaber, glabratus, glandiformis, globosus, globulosa, granulatus, grossus, hirticornis, hispidus, hypolithus, incurvatus, ingens, laevigatus, laevis, laminatus, lanipes, lardarius, laticollis, latipes, leucogrammus, leucographus, lignarius, linearis, longicornis, loripes, lucidus, luctuosus, lunatus, luridus, lusitanicus, lutea, marginatus, mauritanicus, maurus, maxillosum, minutus, molitor, molitoria, montanus, morio, mortisagus, muricatus, nigra, nitens, nomas, notoceros, obscurus, oryzae, ovatus, pallens, pedicularis, pellucidus, pennsylvanicus, piceus, picipes, pilipes, planus, plumosus, polychrestus, pomonae, porcatus, pterygotus, pubescens, punctulatus, purpureus, quadratus, quadrimaculata, quisquilius, reticulatus, rostratus, rufescens, rotundata, rufescens, rufibarbis, ruficollis, rufus, rugosus, sabulosus, sanguinipes, saperdoides, scaber, scaraboides, serrator, serratus, setosus, silphoides, spinimanus, spinosus, spondyloides, striatulus, striatus, subglobosus, subterraneus, subvillosus, sulcata, surinamensis, testudineus, thoracicus, tibialis, torulosus, tristis, tuberculatus, uncinus, variabilis, variegatus, variolosus, velikensis, ventricosus, villosus, violaceus, viridis, vulgaris.

Tenebroides:—complanatus.

Tenrec:—caudatus.

Tentacularia:—quadricornis.

Tenthredo:—abdominalis, abietina, abietis, aethiops, albicincta, albicornis, albipes, alces, alneti, alni, ambigua, americana, amerinae, analis, angusta, annalicornis, annularis, annulata, apicaris, arbustorum, arcuata, astroites, atra, atrata, betulae, bicincta, bicolor, bifasciata, bimaculata, bipunctata, blanda, braccata, caeruleipennis, caerulescens, campestris, canescens, caprae, carbonaria, centifoliae, cephalotes, cerasi, ciliaris, cincta, cingulata, clavicornis, colibri, connata, convolvuli, cordata, cordigera, costalis, crassa, crassicornis, crocea, crocipennis, cruciata, cyanocrocea, cynipiformis, cynosbati,

dactyli, dealbata, degener, depressa, difformis, diversipes, dorsata, dorsigera, dubia, dumetorum, duodecimpunctata, eleganteriae, enodis, ephippium, eques, erythrocephala, erythrona, erythropus, exalbida, fagi, fasciata, femorata, fera, ferruginea, ferruginosa, flava, flaveola, flaviceps, flavicornis, flavida, flavifasciata, flavipes, flaviventris, frutetorum, fuliginosa, fulva, fulvipes, fulvivenia, fulviventris, furcata, fuscata, fuscipes, geminata, geniculata, germanica, glaucopsis, gonagra, gossypina, haematodes, haemorrhoidalis, hebraica, hieroglyphica, hirsuta, hortorum, impura, inanita, incolorata, intercus, juniperi, labiata, laeta, largipes, lata, lateralis, leucomelas, leucopus, ligata, ligustrina, limacina, limbata, linearis, lineata, litterata, liturata, livida, longicollis, longicornis, loniceriae, lucorum, luctuosa, lutea, luteicornis, lutescens, maculata, marginata, marginella, maura, melanocephala, melanochra, melanoleuca, melanorhoea, mesomela, miliaris, minuta, montana, morio, mucronata, multicolor, multifasciata, nassata, nemoralis, nemorus, nigra, nigrata, nigricans, nigricincta, nigripes, nitens, notata, obscura, ochrogustes, ochroptera, ochropus, opaca, ovata, padi, pagana, pallescens, pallicornis, palmata, papillosa, paradoxa, pavida, pectinicornis, pellucida, perlata, picea, pilicornis, pini, pleiades, poecilechroa, polygona, populi, pratensis, prolongata, pruni, pulverata, pulverulenta, punctata, punctum-album, pusilla, quadrifasciata, quadrimaculata, rapae, reticulata, ribesii, ribis, rosae, rubi, rubiginosa, rufa, ruficapilla, rufipectus, rufipennis, rufipes, rufocincta, rumicis, rustica, salicis, saltuum, sanguinolenta, scripta, scrophulariae, scutellata, segmentaria, semiannularis, semicincta, septentrionalis, sericea, serotina, sertifera, serva, sulphurata, sylvarum, sylvatica, signata, sodomitica, solitaria, spinarum, stellata, stigma, straminea, strigosa, subulata, temula, thoracica, tibialis, tricincta, tricolor, trifasciata, tristis, ulmi, unifasciata, ustulata, vafra, vaga, varia, varicornis, variegata, velox, ventralis, vernalis, vespa, vespiformis, vidua, viennensis, viminalis, violacea, virgata, viridescens, viridi-dorsata, viridis, vitellina, vitellinae, zonata.

Terebella:—aphroditois, carunculata, cirrata, complanata, conchilega, bicornis, flava, lapidaria, rostrata, rubra, stellata, subuculus.

Terebellum:—lineatum, nebulosum, punctulatum, terebellum.

Terebra:—subulatum.

Terebratula:—caput serpentis, cor, cranium, dorsata, exos, gryphoides, hysterophorus, lacunosa, novemstriatus, nucleus, pecten, pectinata, pileus, plicata, plicatella, pubescens, reticularis, retusa, scobinata, terebratula, truncata, vitrea.

Teredo:—arenaria, batavus, chysosodon, clava, conchilega, lapidaria, melitensis, navalis, norvegicus, nucivorus, tubus-vernicularis, utriculus.

Termes:—arborum, arda, atrox, bellicosus, capensis, destructor, divinatorium, fatale, faticidum, flavicolle, florum, lignarium, lucifugum, mordax, morio, pulsatorium, sylvarum, testacea.

Testudo:—areolata, badia, boddaerti, brevi-caudata, calcarata, caouana, caretta, carinata, carolina, cartilaginea, caspica, cavanna, cephalo, chloronotos, cinerea, clausa, coriacea, denticulata, elegans, fasciata, ferox, fimbria, fimbriata, flava, galeata, geometrica, gigas, graeca, granulosa, guttata, hermanni, imbricata, incarcerationa, indica, japonica, javanica, longicollis, lutaria, lyra, macropus, marginata, marina, matamata, meleagris, membranacea, miniata, mollis, mydas, nasicornis, nigricans, orbicularis, palustris, pensylvanica, picta, planiceps, planitia, punctata, puncta, pusilla, rostrata, rubicunda, scabra, scorpioides, scripta, serpentina, signata, spengleri, squamata, striata, subnigra, subrubra, subrufa, sulcata, terrapen, terrestris, tessellata, tricarinata, triunguis, verucosa, viridis, viridi-squamosa.

Tethys:—fimbria, fimbriata, leporina, limacina.

Tethyum:—elegans, papillosum, sociabile.

Tetractis:—cruciata, falcata, petaloides.

Tetrao:—afer, albus, alchata, andalusicus, arenaria, betulinus, bicalcaratus, bonasia, cachinnans, californicus, canace, canadensis, canus, capensis, caspius, caudacutus, ceylonensis, cinereus, colenicui, colin, coromandelicus, coturnix, coylocos, cristatus, cupido, damascenus, dschindschicus, eremita, europaeus, falklandicus, fasciatus, ferrugineus, francolinus, gibraltarius, gingicus, griseus, guianensis, hybridus, indicus, israelitarum, javanensis, javanicus, kakelik, lagopus, lapponicus, luzoniensis, madagascariensis, madagascariensis, major, malouinus, manillensis, marylandicus, marylandus, mexicanus, montana, mutus, naevius, namaqua, nemesianus, nigricollis, novae guineae,

novae hispaniae, nudicollis, orientalis, paradoxa, perdix, perlatus, petrosus, phasianellus, pintadeanus, pondicerianus, porphyrio, rehusak, rubricollis, rufus, rupestris, scoticus, senegalus, sinensis, sovi, spadiceus, striatus, suscitator, sylvaticus, sylvestris, tetrix, togatus, umbellus, urogallus, variegatus, virginianus, viridis.

Tetraodon:—abu-kohhla, electricus, fahaka, hispidus, honckenii, laevigatus, lagocephalus, lineatus, mola, oblongus, ocellatus, rostratus, scleratus, spengleri, testudineus, truncatus.

Tetratoma:—ancora, armata, atra, castanea, cinnamomea, clavipes, dermestoides, ferruginea, fungorum, gazella, globosa, humerale, orbicularis, rubella, ruficollis.

Tettigonia (Hem.):—aestuans, atrata, brunnea, cantans, catena, cingulata, conspurcata, costalis, cruentata, dilatata, dominula, ephemera, fasciata, fidicina, flavescens, garrula, grisea, grossa, haematodes, hyalina, jejuna, kaempferi, leparga, limbata, livia, maculata, minuta, muta, nana, octoguttata, olivacea, orni, picta, plebeja, punctata, pustulata, querula, repanda, reticulata, sanguinolenta, sedecim, septendecim, speciosa, spinosa, splendidula, stridula, testacea, tibicen, tibialis, tympanistra, vaginata, variegata, villosa, violacea.

Tettigonia (Or.):—*vide Gryllus*.

Teuthis:—hepatus, javus.

Thais:—grisea, lena, meretricula, metallica, monoceros, nebulosa, panama, patula, persica, stellata.

Thalia:—linguatula, lingulata.

Thalis:—physalus, thalia.

Telephorus:—*vide Telephorus*.

Thereva:—affinis, analis, crassipennis, hemiptera, obesa, subcoleoptera.

Thiara:—amarula, cancellata, eximia, minuta, praestans.

Thrips:—aculeata, atra, corticis, fasciata, flava, fusca, griseo-fusca, juniperina, leucanthesi, melanopa, minutissima, obscura, paradoxa, physapus, rufa, ulmi, urticae, variegata.

Thynnus:—abdominalis, dentatus, emarginatus, integer.

Tibia:—clavus, fissurella, indiarum, insulae chorab.

Tillus:—ambulans, damicornis, elongatus, filiformis, serraticornis, weberi.

Tinamus:—brasiliana, brasiliensis, cinereus, soui, variegatus.

Tinea:—abietella, abruptella, accessella, acinacidella, adscitella, aemulella, aeneella, ahenella, ahorerella, alabastrella, albella, albidella, albinella, albinigrella, albipunctella, alcella, aleella, allionella, alnifoliella, alpella, alternella, alucitella, ambiguella, anatipennella, anella, angulella, angustella, angustipennella, annulifera, antennella, antennulata, anthracinella, apicella, apiella, applanella, aquella, aquarella, arbustella, arbutella, arcella, arenella, argentella, argentinella, argyrella, argyrodactyla, aridella, arlequinella, asinella, atomella, atratella, atrella, atropunctella, auriantica, aurella, aureopolita, auriferella, auropunctella, avellanella, axilella, badiella, barbella, bella, bergstraesserella, bernouilliella, betulinella, bicolorata, bicostella, bidella, bifasciella, bifissella, bimaculella, bimaculosa, binotella, bipunctella, bisissella, bjerkandrella, blancardella, blandella, blockiella, boletella, bombycella, bonnetella, bordella, borowskiella, bracteella, bractella, brongiardiella, brownella, caesiella, calthella, campella, canella, capitella, capucinella, carmelitella, carnella, centuriella, cerasifoliella, cerelia, cerella, cerusella, caespitella, chaerophilella, characterella, chocolatella, choragella, chrysonuchella, cicutella, ciliella, cincta, cinctella, cinerata, cinerella, circulella, circumvoluta, citrinella, clairvillella, clematella, clerkella, colonella, colutella, combinella, combrella, complanella, compositella, comptella, conchella, consortella, contaminella, contubernella, convolutella, coracipennella, coriacella, cornella, corniculata, cornutella, corylifoliella, cramerella, crassicornis, cribrella, criptella, cristella, crocella, cruciella, crucifera, cryptella, cuculata, culicipennella, culmella, cultrella, cuprella, cuspidella, cydoniella, cygnipennella, cylindrella, daphnella, daucella, dealbella, decemguttella, decuriella, degeerella, denisella, denticulella, depressella, derasella, dignella, dilutella, dimidiella, dodecella, dorsella, drurella, dubia, duplicella, eburnella, echiella, elongiella, elutella, enzenbergella, ephemerella, epilobella, equestris, erlebelliella, erythroductyla, esperella, evonymella, exiguella, exsoletella, fabricella, fagella, falcella, falsella, farinella, fasciculifera, fasciella, ferrugella, ferruginella, festicella, festivella, fibulella, fimbriella, fissella, flavella, flavifrontella, foenella, forficella, formosella, forsterella, frangutella, fraxinella, frischella,

fuesella, fuvella, funerella, fungella, funigera, fuscella, fuscorubella, gallipennella, gemmella, genistella, geoffrella, gleichenella, geodartella, gigantella, gilvella, graminella, graminifera, grandella, granella, grisella, gryphipennella, guttella, gyllenhalella, hamella, harpella, harrisella, helwigella, hemidactylella, hepaticella, heraclella, herbstella, hermannella, herminata, hesperidella, hesperidum, hironidella, hirsutella, histriella, histriella, hochenwartiella, hortella, hortuella, hubnerella, humerella, illustrella, inquinatella, insectella, intermediata, intermittens, interruptella, irella, inversella, irrorella, kleemannella, knockella, kochiella, kuhnella, lacteella, lactella, lactuella, laevigella, laichartingella, lamellifera, laminella, langiella, lapidella, lapidosa, laspeyrella, laterella, legatella, lentigenella, leucapennella, lichenella, lichenosa, lignella, ligulella, limbella, linetella, linnaeanella, linneella, lipsiella, listerella, lithargyrella, lithospermella, lituella, lobella, locupletella, loewenhoekella, lucidula, lugubrella, lutarella, luteella, lyonnetella, maculata, maculella, majorella, malifoliella, malletella, margaritella, marginatella, marginella, herminata, marmorella, masculella, maurella, mays, mazzotella, mediella, melanopis, meleagripennella, mellonella, membranella, mendicella, merianella, mesomella, metal-
 lella, micella, microdactylella, minimella, minutella, miscella, monachella, moniella, monilifera, mouffetella, mucosa, muscella, myella, myllerella, nanella, nebulella, nebulosella, nemorella, nervosa, nigrella, niponella, nitidella, nivella, noctuella, nyctemerella, obliquella, obscurella, obsoletella, obtusella, obviella, ochrella, ochrocephala, octopunctella, oculella, oehlmanniella, oleella, oliviella, opimella, oppositella, ornatella, ornatipennella, ornatricella, oxyacanthella, padella, paleatis, paleella, pallidula, palpella, palumbella, parallela, parasitella, parenthesesella, paripunctella, parvella, pascuella, pastulella, paykullella, pectinella, pedifera, pedisequella, pellionella, penicella, pennella, perlella, persicella, petiverella, petrificella, phantasmata, phryganella, pilella, pilosella, pinetella, plumbea, plumbella, plumella, plumistrella, podella, pontificella, populella, praelatella, pratella, proboscideella, procerella, pronubella, pseudobombycella, pterodactylella, puella, pulchella, pullana, pullatella, pumilella, punctella, punctulata, purpuratella, purpurella, pusiella, pustulella, putridella, pygmaella, pyralella, pyropella, quadratella, quadrella, quadriguttella, quadrillella, quadrioculata, quadripunctella, quercella, quinnata, raddella, radiata, radiatella, radiella, rajella, reaumurella, rediella, rejectella, reticulella, rhombella, rhomboidella, roborella, roesella, rorella, roscida, roscidella, roscipennella, rosella, rostellera, rubicella, rubidella, rubricella, rudolphella, rufipennella, rupella, rusticella, rutella, salicella, sanguinella, sarcitella, scalacella, scapulata, schaefferella, schemmerella, schellenbergella, schieffermullerella, schreberella, schulzella, schwarzella, scopolella, scriptella, seppella, sepulchrella, sequella, sexguttella, sexpunctella, signatella, signella, signiferella, signipennella, silacella, simiella, sinuella, sisymprella, sociella, sordidella, spadicella, sparganella, sparmannella, sparsella, sphingiella, spissicella, splendella, spretella, stannella, stellata, stigmatella, stipella, straminella, striatella, strigella, strigilella, strobilella, stroemella, struthiopennella, subsequella, sulphurella, sulzerella, syringella, tan, tapezella, taurella, tentaculella, ternatella, terrella, tersella, tessella, tesserella, tetrapunctella, tetricella, thapsiella, thoracella, thoracica, thunbergella, tinctella, tortricella, tremella, triangulella, tribunella, trifasciata, trigonella, trinitella, tripunctanella, tripunctella, tristella, turcica, turpella, umbellella, umbrella, uncilla, undella, undulatella, unguicella, univella, upupaepennella, ustalella, variella, verbascella, verrucella, verticella, vestianella, viagnella, viciella, viduella, viella, vinetella, violella, virgata, virgella, viridella, vitella, vittata, vulgella, wilkella, xylostella.—*Vide et. Phalaena.*

Tiphia:—abdominalis, annulata, brevicornis, ciliata, collaris, crassicornis, dorsata, ephippium, femorata, flavipes, glabrata, haemorrhoidalis, hemiptera, histronica, maculata, mixta, morio, nigra, pedestris, quinquecincta, radula, ruficornis, rufipes, rufiventris, stridula, thoracica, tricincta, trifasciata, tripunctata, variegata, vespiformis, villosa.

Tipula:—agarici, alba, albimana, albigennis, albipes, albomaculata, alpestris, amphibia, annotata (*in errata*), annularis, annulata, arundineti, atomaria, atomata, atra, atrata, aurea, augusti, barbicornis, berberina, bifasciata, bilineata, bimaculata, bipunctata, boleti, bombyciformis, brevicornis, brunnipes, buxi, calmariensis, cantans, caratteristica, carbonaria, chirothecata, chrysanthemii, ciliata, cimicoides, cinerea, cirsii, clavipes, conica, contaminata, convallium, cornicina, costalis, crocata, crucifixus, crystallina, culiciformis, cuprinervis, degener, depressa, devorator, dichroa, dilatata, diluta, discolor,

dorsalis, duplicata, eclipsis, ensicornis, ensiformis, erythrocephala, fasciata, fasciculata, febrilis, femorata, fenestralis, fenestrata, ferruginata, ferruginea, flabellicornis, flaveolata, flavescens, flavicans, flavicaudis, flavipes, flavofasciata, flavomaculata, flexilis, florilega, forcipata, fulgida, fulvipennis, fungorum, fur, fuscata, fuscipes, geniculata, gibba, gigantea, graminea, haemorrhoa, hafniensis, hemerobioides, hiemalis, hirta, histrio, hortorum, hortulana, ichneumonea, idriensis, immaculata, incarnata, inquieta, insularis, iris, johannis, juniperina, labacensis, lacustris, laeta, latrinarum, leucoptera, lineata, littoralis, longicornis, loti, lunata, lutea, lutescens, macrocephala, maculata, maculosa, marci, marginalis, marginata, marmorata, maxima, melanocephala, melanopsis, minuta, minutissima, monilis, monoptera, morio, moschifera, motatrix, motitatrix, multicolor, murina, mystica, nigra, nigrata, nigrocrocea, nitida, notata, nubilosus, ocellaris, ocreata, octopunctata, oleracea, pallescens, pallida, pallipes, paludosa, palustris, paradoxa, parisiensis, pectinata, pectinicornis, pedella, pendens, penicillata, pennicornis, persicariae, phalaenoides, phragmitidis, picta, pilicornis, pillipes, pini, pinnicornis, plicata, plumbea, plumicornis, plumipes, plumosa, polygama, pomonae, pratensis, pulchricornis, pulicaris, punctata, pusilla, putris, pyri, quadrifasciata, quadrimaculata, quadrinodia, regelationis, replicata, reticulata, riparia, rivosca, ruficollis, rufipes, salicina, saltator, sanguinaria, scathopse, secalis, seminigra, sericea, sexpunctata, sinuata, socialis, solstitialis, spinata, splendor, stellifera, stercoraria, stictica, striata, stricta, strictica, sylvestris, tarda, tendens, tenera, terrestris, tessellata, thomae, transversalis, tremula, triangularis, tricolor, trifasciata, tripunctata, tritici, turcica, typhae, typhina, umbratica, unifascis, varia, variegata, vegetationis, velata, venosa, veris, verna, vernans, versicolor, verticillata, vibratoria, vibratrix, villosa, virens, virginea, viridula, zonata.

Todus:—atricapillus, brachyurus, caeruleus, cinereus, cristatus, ferrugineus, flavigaster, fuscus, gularis, leucocephalus, macrorhynchos, nasutus, novus, obscurus, paradisaeus, pictus, platyrhynchos, plumbeus, regius, rostratus, superciliosus, varius, viridis.

Torquilla:—jynx.

Tortrix:—abietana, absinthiana, achariana, achatana, alniana, amplana, angustana, apiciana, applana, aquana, arcuana, argentana, argyrana, asinana, asperana, asseclana, aurana, badiana, baumanniana, beumanniana, bjerkanrana, blomiana, boeberana, borana, botrana, byringerana, buoliana, caecimaculana, campolitiana, ceretana, cerusana, cinctana, comitana, conspersana, coronana, corticana, corylana, costana, cristana, cruciana, daldorfiana, decimana, degenerana, dentana, dilutana, dorsana, dubitana, elevana, fagana, fahlbergiana, falcana, favillaceana, ferrugana, festivana, fimbriana, fluidana, fuligana, fulvana, furvana, gentianaeana, germmana, gemingana, groendaliana, grossana, grundiana, gyllenbahliana, halliana, harpana, helvolana, heparana, hermanniana, hirundana, hohenwartiana, holmiana, hypericana, inquinatana, inundana, irrorana, jacquiniana, lacunana, laevigana, lancealana, lecheana, lincana, lineana, lipsiana, litterana, ljungiana, logiana, lunana, lunulana, marmorana, mediana, metallicana, micana, minutana, mitterbachiana, montana, montiniana, musculana, mygindiana, naezeniana, nebulana, nemorana, niveana, ocellana, olivana, ophthalmicana, ornatana, osbeckiana, pariana, pasuana, pasquayana, paykulliana, penkleriana, penziana, permixtana, pflugiana, piceana, pilleriana, pinana, pinetana, politana, pomonana, populana, porphyrana, profundana, pruniana, punctana, punctulana, pupillana, purpurana, pusillana, pygmaeana, quercana, ramosana, resinana, retusana, revayana, rhenana, rhombana, rivagana, roborana, romanana, roseidana, rufana, rugosana, rusticana, scaldonana, salicana, salviana, scabrana, schreberiana, schumacherana, schwarzana, scopoliana, scriptana, scutulana, semimaculana, sequana, sericana, siculana, similana, sinuana, sparsana, splendana, squamulana, stagnana, steineriana, steinkellneriana, stickmanniana, strigulana, striana, strobilana, stroemiana, succedana, suttneriana, tenerana, tesserana, tibialana, tineana, trapezana, trauniana, treueriana, trigonana, tripunctana, tristrana, tumidana, umbrana, uncana, undana, undulana, urticana, vahliana, variana, variegana, vernana, viburnana, westriniana, woberiana, xylosteanana.—*Vide et. Phalaena.*

Trachelia:—pratinea.

Trachichthys:—australis.

Trachinus:—adscensionis, draco, osbeck, vividus.

Tragus:—americanus, meminna, moschus, pygmaeus.

Tragus:—aegagrus.

- Trichechus**:—americanus, antillarum, australis, borealis, dugong, manatus, rosmarus, senegalensis.
- Trichiurus**:—caudatus, indicus, lepturus.
- Trichius**:—auratus, bibens, biguttatus, bipunctatus, decempunctatus, delta, eremita, fasciatus, hemipterus, hirtus, indus, lineatus, lunulatus, maculatus, nigripes, nobilis, octopunctatus, piger, pilosus, quadriguttatus, succinctus, viridulus.
- Trichocephalus**:—anatis, apri, equi, hominis, lacertae, muris, suis, trichiura, vulpis.
- Trichoda**:—acarus, ambigua, anas, angulus, augur, aurantia, barbata, bilunis, bomba, bulla, calvitium, camelus, charon, cicada, ciliata, cimex, clava, cometa, cornuta, crinta, cuniculus, cursor, cyclidium, cypris, delphinus, delphis, diota, erosa, farcimen, felis, fimbriata, fixa, floccus, foeta, forceps, forfex, foveata, gallina, gibba, granata, grandinella, gyrinus, horrida, ignita, index, ingenua, innata, inquilinus, lagena, larus, lepus, linter, longicauda, ludio, lunaris, lynceaster, lynceus, melitea, musculus, mytilus, navicula, nigra, orbis, patella, patens, patula, paxillus, pelliella, piscis, pocillum, praecipus, prisma, proteus, pubes, pulex, pullaster, pupa, rattus, rostrata, s, sannio, semiluna, silurus, sinuata, sol, solaris, striata, succisa, sulcata, syncaster, tigris, tineia, transfuga, trigona, trochus, urinarium, urmula, ursula, uvula, vermicularis, versatilis.
- Trichodes**:—apiarius, bifasciatus, octopunctatus.
- Tricla**:—gioeni.
- Tricuspidaria**:—nodulosa.
- Tridacna**:—gigas.
- Tridachnes**:—arcinella, derasa, gigas, hippopus, umbricata, maxima, noae, ungula.
- Trigla**:—adriatica, alata, amboinensis, asiatica, carolina, cataphracta, chabrontera, cuculus, evolans, gurnardus, hirundo, lineata, lucerna, lyra, minuta, obscura, pini, punctata, rubicunda, tentabunda, volitans.
- Trigonella**:—gallina, plana, radiata, subtruncata, zonaria.
- Trilobus**:—caudatus, dilatatus, punctatus, truncatus, tuberculatus.
- Tringa**:—aegyptiaca, alba, alpina, arenaria, atra, australis, autumnalis, bengalensis, bononiensis, borealis, calidris, cancellata, candida, canutus, cayanensis, chirurgus, cinclus, cinclus, cinerea, eques, equestris, erythropus, fasciata, ferrugineus, fulcra, fusca, gambetta, glacialis, glareola, goana, goensis, gregaria, grenovicensis, grisea, helvetica, hudsonica, hyperborea, hypoleucoides, hypoleucos, icelandica, interpres, islandica, keptuschka, leucoptera, leucura, lincolniensis, littorea, lobata, ludoviciana, macularia, maculata, maritima, merula, morinella, naevia, nigricans, novae terrae, noveboracensis, ochropus, ocropus, perspicillata, pileata, porzana, pugnax, pusilla, raloides, ruficollis, senegalla, senegallensis, squatarola, striata, subtridactyla, tobata, torquatus, undata, uniformis, vanellus, varia, variegata, virgata.
- Triplax**:—quadrimaculata, rufipes, russica.
- Trisidos**:—tortuosa.
- Tritoma**:—bicolor, bimaculata, bipustulata, collaris, colon, connata, contracta, crenata, dubia, flavipes, fusca, glabra, incerta, marginata, minuta, morio, pallipes, picipes, pilosa, pulchella, pusilla, quadripustulata, ruffrons, rufipes, sericea, stercorea, succincta, sulcata, vittata.
- Triton (Cirr.)**:—auritus, lineatus, littoreus.
- Triton (R.)**:—alpestris, americanus, carnifex, ceylanicus, cristatus, gesneri, palustris, parisinus, salamandroides, utinensis, wurfbainii.
- Tritonium**:—accinctum, antiquum, argo, buccinum, buccinulum, bufo, candidatum, ciliatum, cingulatum, clathratum, craticulatum, despectum, filiforme, flaveola, fornicatum, glaciale, granulare, gyrinus, hector, hepaticum, incrassatum, jabick, labrum, lapillus, limbatum, lotorium, maculatum, minutum, natator, neptuni, nicobaricum, olearium, olfactorium, opis, pes-pellicani, reticularis, rubecula, rubeta, scrobiculator, simpulum, tritonis, truncatum, tuberosum, undatum, viridulum.
- Triurus**:—bougainvillianus.
- Trixagus**:—adstrictor, fumatus, fuscus, tomentosus.
- Trochilus**:—afer, albus, amboinensis, amethystinus, aurantius, auratus, auritus, bancrofti, bicolor, brasiliensis, caeruleus, campylopterus, capensis, carbunculus, cinereus, collaris, colubris, cristatus, cyaneus, cyanocephalus, cyanomelas, cyanurus, dominicus, elatus, elegantissimus, exilis, fimbriatus, flavifrons, forficatus, frontalis, fulvus, furcatus, galeritus,

guainumbi, guianensis, gularis, glaucopsis, gramineus, granatinus, hirsutus, holosericeus, hypophaeus, indicus, jugularis, largipennis, latipennis, leucogaster, leucurus, longicaudus, macrourus, maculatus, maculosus, mango, margaritaceus, maximus, mellisugus, mellivorus, minimus, mosquitos, multicolor, niger, nitidus, obscurus, ornatus, ourissa, paradiseus, pectoralis, pegasus, pella, pileatus, platurus, polytmus, porphyurus, punctulatus, puniceus, purpuratus, uber, rubineus, rufus, sapphirinus, smaragdulus, striatus, superciliosus, surinamensis, thaumantias, tobaci, tobagensis, tomineo, torquatus, varius, venustissimus, violaceus, viridissimus.

Trochus:—aegyptius, aeruginosus, afer, albidus, alveare, americanus, anilis, annulatus, antiquarius, apertus, ardens, areola, argyrostomus, asper, bullatus, caelatus, calcar, callosus, canaliculatus, candens, capensis, carneus, castaneus, castrensis, cinerarius, cinereus, citrinus, coloratus, communis, concavus, conchyliophorus, conspersus, conulus, conus, cookii, corallinus, costatus, crassus, crocatus, croceus, cruciatus, cylindricus, declivis, dentatus, depressus, diadema, diaphanus, distortus, divaricatus, dolabratus, elegans, erythroleucos, exasperatus, exiguus, fanulum, fasciatus, fenestralis, fenestratus, ferrugineus, filosus, flammeus, flumineus, forskahlii, foveolatus, fragilis, fuscatus, fuscus, glabella, globulus, gothicus, granatum, grandinatus, granosus, granularis, granulatus, griseus, groenlandicus, guineensis, guttatus, helicinus, heliotropium, hortensis, hybridus, imbricatus, imperialis, inaequalis, indicus, inermis, inflatus, infundibuliformis, interruptus, iris, jujubinus, labio, laevigatus, latus, lemniscatus, lineatus, litterata, lugubris, lunaris, lunatus, maculatus, maculosus, magus, mauritianus, melanostoma, modulus, muricatus, nanus, nasutus, neritoideus, nigerrimus, niloticus, nitens, nodosus, nodulosus, nodulus, notatus, novae zeelandiae, novus, obeliscus, obliquatus, ochroleucas, opercularis, pagodus, pantherinus, papillaris, papillosus, parvus, perlatus, perspectivus, perversus, petholatus, petrosus, pharaonius, pica, planus, plicatus, pulligo, punctatus, punctulatus, purpureus, pusillus, pyramida, pyramis, radiatus, ramosus, regius, roseus, rostratus, rugosus, rusticus, sarmaticus, scaber, schroeteri, sinensis, solaris, spengleri, spinosus, stellaris, stellatus, stramineus, striatellus, striatus, strigosus, sulcatus, taenia, tectum, telescopium, tentorialis, tentorium, terrestris, tessellatus, tessulatus, tranquebaricus, tigris, tornatus, trisulcatus, trochlea, tuber, tuberculatus, tumidus, turbiformis, turbinatus, turboidea, turris, turritus, umbilicalis, umbilicaris, undatus, undulatus, urbanus, variegatus, varius, vellicatus, venator, ventricosus, vernalis, vernus, verrucosus, vestiarius, virgatus, viridis, viridulus, vittatus, zizac, zizyphinus.

Trogiom:—pulsatorius.

Troglodyta:—bontii.

Troglodytes:—regulus.

Trogon:—asiaticus, curucui, cyanoparius, fasciatus, ferrugineus, flammeus, haemorrhoidalis, indicus, indus, leverianus, luzonensis, maculatus, rufus, strigilatus, violaceus, viridis.

Trogossita:—aenea, bicolor, bidens, caerulea, caraboides, cornuta, corticalis, cylindrica, ferruginea, gigas, mauritanica, picipes, striata, sulcata, thoracicus, virescens.

Trombidium:—abstergens, albator, aquaticum, calcareum, caudatum, complanatum, crassipes, ellipticum, extendens, geographicum, globator, globosum, holosericeum, impressum, integrator, liliaceum, lugubre, maculatum, musculus, nodatum, orbiculatum, ovale, papillator, pustulator, sinuator, spinipes, stellare, strigatum, tinctorium, torris, tricuspikator, trifurcale, trimaculatum, truncatum, undulatum, variator, vernale, versicolor.

Trox:—arenarius, barbosus, brunneus, cornutus, crenatus, crispans, denticulatus, dubius, gemmatus, gibbus, granulatus, hispidus, holosericeus, horridus, luridus, maurus, monachus, morticinii, niger, perlatus, sabulosus, scaber, serrata, silphoides, spinicornis, squalidus, suberosus, sulcatus, tuberculatus.

Trupanea:—radiata.

Truxalis:—brevicornis, conicus, crenulatus, ensifer, giganteus, naso, nasutus, ungaricus, vittatus.

Tubipora:—aculeata, adnata, arenosa, catenularia, catenulata, epitonium, fascicularis, flabellaris, infundibuliformis, musica, penicillata, penis, pinnata, purpurea, ramosa, repens, serpens, stellata, strues, urceus, verrucosa.

Tubularia:—acetabulum, affinis, calamaris, campanula, campanulata, caspia, cornucopiae, coryna, crystallina, fabricii, fistulosa, flabelliformis, fragilis, gelatinosa, indivisa, infundi-

buliformis, larynx, longicornis, magnifica, membranacea, multicornis, muscoides, papyracea, pectinata, penicillus, ramea, ramosa, repens, reptans, simplex, spallanzani, splachnea, stellaris, sultana, trichoides, vaga.

Tubulum :—aprinum, corneum, elephantinum, entale, politum.

Tuceta :—glycimeris, inflata, lentiginosa, mytiloides, pectunculus, pilosa, sinuata, undata.

Tudicla :—carinata, gutturnium.

Tulipa :—alba.

Turbinella :—pyrum.

Turbinis :—arion, chrysostomus, cochlus, delphinus, distortus, funiculatus, marmoratus, nodosus, olearius, petholatus, pincernatus.

Turbo :—aculeatus, acutangulus, adversus, aegyptiacus, aereus, aethiops, afer, agrestis, albidus, albus, albus, ambiguus, anguis, annulatus, argyrostomus, atratus, attenuatus, aurantiacus, auriscalpium, balaustinus, bidens, bidentatus, calcar, canaliculatus, cancellatus, carinatus, carinatus, castaneus, chrysostomus, cidaris, cimex, cinereus, clathratulus, clathrus, cochlus, corneus, cornutus, coronatus, costatus, crassus, crenatus, crenellus, crenulatus, crystallinus, cylindraceus, davidis, declivis, delphinus, dentatus, diadema, distortus, divergens, divinus, dubius, duplicatus, eburneus, echinatus, editus, elegans, exoletus, fasciatus, flammeus, foliaceus, fontinalis, fuscus, fusulus, fusus, galeatus, galerus, glaber, globulus, granulatus, groenlandicus, haemastomus, helicinus, helicoides, horticola, imbricatus, imperialis, interruptus, interstinctus, iris, irregularis, labellum, laqueo, lacteus, laevis, limbatus, lincina, lineatus, lineola, lithantrix, littoreus, lituus, ludus, lunulatus, marginellus, margaritaceus, marmoratus, membranaceus, merula, mespilus, moltkianus, multidentatus, muricatus, muscorum, nautilus, neapolitanus, nebulosus, neritoides, nicobaricus, nigerrimus, nitidus, niveus, nodulosus, nucleus, obsoletus, obtusatus, obtusus, olearius, ovalis, pagodus, papyraceus, parvus, patulus, pellucidus, perlatus, personatus, perversus, petholatus, pharaonicus, pica, pictus, planorbis, politus, porphyrites, potiphareus, principalis, pulcherrimus, pullus, punctatus, punctulatus, pustulatus, pyramidalis, quadridens, quinquentatus, radiatus, reflexus, replicatus, reticulatus, ruber, rudis, rugosus, rupium, sandvicensis, sanguineus, sarmaticus, saxatilis, scalaris, scriptus, senegalus, setosus, shepeianus, smaragdus, sparverius, spenglerianus, spinosus, stagnalis, stellaris, stellatus, striatulus, striatus, strigatus, subarcuatus, subluteus, subrufus, subula, sulcata, sylvestris, taiticus, tectum-persicum, terebra, thermalis, torcularis, tornatus, torquatus, trianfractus, tridens, trifasciata, trochiformis, tuberculata, tumidus, ulvae, umbilicatis, undulatus, unguinus, uva, vagus, variegatus, venosus, versicolor.

Turdus :—abyssinicus, aeneus, aethiopicus, africanus, alaphi, albifrons, amboinensis, americanus, arada, arcuatus, arundinaceus, ater, atricapilla, aurantius, auratus, auritus, aurocapillus, australis, bambla, barbaricus, barbatus, bengalensis, bicolor, borbonicus, brasiliensis, brevicauda, brunneus, bubil, caeruleus, cafer, calamoxenus, calliope, calvus, campanella, canadensis, canorus, cantans, cantor, capensis, carolinus, castaneus, caudatus, cayaneus, cayanus, cayennensis, ceylonicus, ceylonus, chaumi, chlorio, chrysocephalus, chrysoaster, cinclus, cinerascens, cinereus, cinnamomeus, cirrhatus, citreus, citrinus, cochinchinae, cochinchinensis, colma, columbinus, coraya, coronatus, cowl, crassirostris, crinitus, cristalus, curaeus, cyaneus, cyanus, cyanus, dauma, delubrorum, doliatus, dominicanus, dominicus, dschindschicus, dubius, eremita, erythropterus, europaeus, ferrugineus, flavus, formicivorus, fulvus, fuscipes, fuscus, galbula, garrulus, ginginianus, grallarius, grieseus, griseus, guajanus, guianensis, gutturalis, hispaniolensis, hudsonius, iliacus, indicus, infaustus, jamaicensis, jugularis, junco, kamtschatkensis, labradorius, leucocephalus, leucogaster, leucurus, lineatus, longicauda, longirostris, lugubris, macrourus, maculatus, madagascariensis, malabaricus, malacensis, manillensis, mauritanus, mauvis, melanocephalus, melanopsis, melanopyrrhus, melodes, merle, merula, migratorius, mindanensis, minor, minutus, moluccensis, monacha, montanus, morio, musicus, mustelinus, naevius, niger, nigerrimus, nigricollis, nitens, noveboracensis, novae hollandiae, obscurus, ochrogaster, ochrocephalus, olivaceus, orientalis, orpheus, pacificus, pagodarum, pallidus, palmarum, palmista, pectoralis, persicus, perspicillatus, philippensis, philippinus, phoenicurus, pilaris, plumbeus, podobe, polyglottos, prasinus, pulcher, punctatus, puniceus, purpureus, rex, roseus, rousserolle, ruficaudus, ruficollis, rufifrons, rufigula, rufus, sandwicensis, sauijala, saxatilis, schonhu, selearis, senegalensis,

senegallus, shanhu, sibiricus, sinensis, solitarius, sordidus, speciosus, striatus, superbus, suratensis, surinamus, thenca, thilius, tinniens, tintinnabulatus, torquatus, trichas, triostegus, tripolitanus, tristis, ulietensis, unalashkae, urovang, variegatus, violaceus, virens, virescens, viridis, viscivorus.

Turnix :—andalusica, gibraltaria, luzoniensis, nigricollis.

Turris :—alata, albida, babylonica, clathrata, excelsa, fossilis, gothica, imperfecta, indica, javana, nobilis, operosa, pulchra, regia, pyramidalis, rustica, st. mauritii, st. stephani, taxea, tornatum, vetusta, vitrea.

Turritella :—terebra.

Tyroglyphus :—siro.

Umbra :—catulus.

Uncinaria :—melis, vulpis.

Unio :—auricularius, conus, corrugatus, crassus, delphinus, gibbus, granosa, littoralis, margariferus, musivus, ovalis, pictorum, testudinarius, truncatus, tumidus, violaceus, vulsella.

Upis :—aenea, ceramoides, chrysops, cuprea, excavatus, fulvipes, gigas, glabra, rufipes, striata, unicolor, variolosa.

Upupa :—alaudipes, aurantia, caerulea, capensis, cristata, epops, eremita, erythrorhynchos, fusca, indica, madagascariensis, magna, mexicana, paradisea, papuensis, promerops, pyrrhocorax, rubrirostris, striata, superba, viridis.

Uranoscopus :—houttuyn, japonicus, mus, rastrum, scaber.

Uria :—albida, alga, balthica, grylle, grylloides, lacteola, lomvia, marmorata, nivea, ringvia, sinensis, striata, svarbag, troille.

Urocerus :—gigas.

Ursus :—albus, americanus, arctos, badius, cancrivorus, caudivolvulus, cayennensis, fuscus, gulo, ichneumon, indicus, labradorius, lotor, luscus, marinus, maritimus, meles, mellivora, narica, nasua, niger, novae hollandiae, polaris, rufus, spelaeus, taxus, tetradactylus.

Vaginalis :—alba.

Vaginella :—depressa.

Valgus :—hemipterus.

Valvata :—cristata.

Vanellus :—capella.

Vasum :—capitellum, castaneum, ceramicum, hippocastana, turbinellus, urna.

Venus :—aculeata, afra, affinis, albicans, albida, amethystina, argentea, aurantia, aurea, bajana, bengalensis, borealis, brasiliiana, buccardium, calipyga, caliste, campechiensis, cancellata, candida, cardioides, carnea, casina, casta, castrensis, cayanensis, chione, cincta, circinata, clathrata, coxans, compressa, concentrica, contenta, contraria, corbicularis, cordata, cornea, corrugata, costata, crassa, crenata, cruentata, dealbata, decussata, deflorata, diaphana, dione, discors, divaricata, divergens, donacina, dubia, dura, dysera, ebriosa, eburnea, edentula, edulis, erycina, excavata, fasciata, ferroensis, fimbriata, flammea, flexuosa, fragilis, fulminea, fulva, fusca, fugigata, gallina, gallus, geographica, gibbula, gigantea, globosa, granulata, gravida, guineensis, guttata, hermaphrodita, histrio, holosericea, imbricata, incrustata, islandica, italica, japonica, juvenilis, laeta, laevis, lamellata, lapicida, lincta, lineata, literata, lithophaga, longone, lucida, lupinus, lusitanica, lusoria, lutescens, macassarica, mactroides, maculata, maculosa, marica, matadoa, menstruata, mercenaria, meretrix, meroë, minuta, monstrosa, nebulosa, nivea, nodosa, nux, obscura, opima, orbicularis, ovata, pacifica, paphia, paradoxa, pectinata, pectunculus, pellucida, pensylvanica, petulca, phryne, pitar, plicata, polita, ponderosa, porcata, prostrata, protracta, puerpera, punctata, punctulata, purpurascens, purpurata, pusilla, reticulata, rivularis, rostrata, rotundata, rubra, rudis, rufescens, rugata, rugosa, sanguinolenta, scortum, scripta, senegalensis, sinuata, sinuosa, spadicea, spuma, spuria, squamosa, stellata, striata, stricta, sulcata, subviridis, succinata, textile, tigerina, tripla, triradiata, tuberculata, tumens, timidula, undata, undulata, varia, variegata,

verrucosa, versicolor, violacea, violascens, virens, virgata, virginea, virginica, wauaria, zizcac.

Vermetus:—adansonii, afer, arenarius, glomeratus, goreensis, indicus, intestinalis, porosus, quinquecostatus, tridentatus.

Vermicularia:—lumbricalis.

Vermiculus:—anguina, arenaria, cucurbitina, glomerata, iliacus, intricata, lumbricalis, penis, vermicularis.

Verpa:—penis.

Vertigo:—octodentata, pusilla, quinquedentata, sexdentata.

Vesicaria:—granulosa, ligulata, lobata, orbicularis, pisiformis, socialis, taeniaeformis, tetragona, truttae, utriculenta.

Vespa:—abbreviata, aeneipennis, aestuans, aethale, affinis, albifrons, albofasciata, americana, analis, annularis, annulata, antilope, apilinguaria, arbustorum, arcuata, arenaria, arenosa, argyrostoma, arietis, armata, aruensis, arvensis, assimilis, atra, atrata, atrophica, attenuata, aucta, aurata, australis, austriaca, azurea, bicincta, biclepeata, bicolor, bidens, bifasciata, biglumis, biguttata, bimaculata, binodes, bipunctata, bipustulata, braccata, brunnea, caeruleopennis, caffra, calida, campaniformis, campestris, canadensis, canaliculata, canescens, capensis, capitata, carbonaria, carbunculus, carnatica, carnifex, carolina, cayennensis, chrysogona, chrysoptera, chrysopus, chrysostoma, chrysothorax, ciliata, cincta, cinerascens, cinerea, cingulata, clavata, clypeata, coangustata, coarctata, coloboptera, communis, concinna, condigna, conica, conifera, conoidea, consimilis, cornigera, cornuta, coronata, crabro, crassicornis, crassipes, cribraria, cribriformis, crinita, crucigera, cuprea, curvipes, cyanea, cyanipennis, cylindrica, daedalea, dantic, dearticulata, dentata, diadema, dichroa, dimidiata, discincta, distincta, dominula, dorsalis, dorsigera, dumetorum, emarginata, ephippium, erythrocephala, esuriens, exoleta, exotica, exultus, fasciata, femoralis, femorata, ferruginata, flavescens, flavicans, flavicans, flavipes, florisequa, fossoria, fulva, fulvipes, fulvofasciata, fuscata, fusus, gaditana, galbula, gallica, gazella, germanica, gibbosa, glauca, globulosa, grisea, guineensis, guttata, haemorrhoidalis, hebraea, helvola, hirsutissima, hispanica, histrio, holsatica, horticola, humilis, ignita, immaculata, indicus, infundibuliformis, inimicus, insolens, integra, interrupta, intersecta, italica, jamaicensis, juncea, labiata, lanio, lapidaria, lateralis, leskii, leucostoma, ligata, limbata, linearis, lineata, longicornis, lunulata, lutea, macaensis, macilentata, macrocephala, macularis, maculata, maculosa, marginalis, marginata, marginella, maxillosa, media, melanocephala, melanochra, melanosticta, melanostoma, menstrua, mexicana, minima, minuta, morio, multicolor, muraria, myops, mystacea, nasuta, nestor, nidulans, nigerrima, nigra, nigricornis, nigripennis, nitidula, norwegica, nympa, occidentalis, ochreata, ochropus, ochropygos, ochrosticta, oculata, olivacea, ordinata, orientalis, pacecephala, pallescens, pallida, pallipes, palmaria, parietina, parietum, patellaria, pediculata, pedunculata, peltaria, petiolata, petulans, phalerata, phthisica, pomiformis, pratensis, pteropoda, pubescens, punctata, punctulata, pygmaea, pyriformis, quadrata, quadricincta, quadridens, quadrifasciata, quadripunctata, quadrum, quinquecincta, quinquefasciata, radula, recurvirostris, rejecta, reniformis, repanda, rostrata, rubra, rufa, rufescens, ruficeps, ruficornis, rufipes, rupestris, ruspatrix, sabulosa, saxonica, schach, scutata, scutellata, scutularia, seriata, sericea, serripes, sesquicincta, sessilis, sexcincta, sexfasciata, sexmaculata, sexpunctata, sexpustulata, signata, simplex, sinensis, sinuata, sphaerogaster, spinipes, spinosa, squamigera, squamosus, stigma, striata, subterranea, succincta, superbus, surinama, sylvestris, tabida, taenia, tahitiensis, tamula, tata, tecta, tenebricosa, tepida, tibialis, tinniens, tranquebarica, triangulum, tricincta, tricolor, tricuspudata, tridens, tridentata, trifasciata, triloba, tripunctata, tristrigata, trizonata, tropica, turcica, uncinata, undata, unguiculata, unicolor, unifasciata, uniglumis, usta, vaga, varia, variabilis, variegata, velox, versicolor, vexator, vinula, viridis, vulgaris.

Vespertilio:—aegyptiacus, altivolans, americanus, auritus, badius, barbastes, barbipes, borealis, canadensis, canis-volans, cephalotes, chalarotis, ferrum-equinum, gigantea, hastatus, hippocrepis, hispidus, kiriwoula, labialis, lascopterus, lasiurus, leporinus, lepturus, magnus, mastivus, microphyllus, molossus, murinus, myurus, noveboracensis, nigrita, noctula, perspicillatus, phalarhynchos, pictus, pipistrellus, plica-auris, plicatus, radiatus, serotinus, solea, soricinus, spasma, spectrum, sphinx, torosus, ungula, vam pyrus.

- Vexillum**:—caffrum, fossilis, gloriosum, laetum, lividum, plicatum, rufum, stercorarius, subdivisum, superbum, variegatum.
- Vibrio**:—aceti, acus, anas, anguillula, anser, bacillus, bipunctatus, coluber, columbus, colymbus, cygnus, falx, fasciola, fluviatilis, fusus, glutinis, gordius, intermedius, intestinum, lineola, linter, lunula, malleus, marinus, olor, paxillifer, proteus, rugula, sagitta, serpens, serpentulus, spirillum, strictus, tripunctatus, turifer, undula, utriculus, vermiculus, verminus.
- Vipera**:—acontia, annulata, atrox, bitis, caerulea, cobra, francisci redi, illyrica, maculata, madarensis, mosis-charas.
- Viverra**:—africana, annulata, aurita, cafra, cancrivora, capensis, caudivolvula, ceylonensis, chilensis, chinche, chinga, civetta, conepatl, cristata, fasciata, foetens, fossa, fossana, gallica, genetta, hermaphrodita, ichneumon, izquepatl, leveriana, lutra, lutreola, maculata, malaccensis, manguste, mapurito, mellivora, memphitis, mephitis, mexicana, mungo, napurita, narica, nasua, nems, prehensilis, putorius, quasje, semistriata, suricatta, tapoatafa, tetradactyla, tigrina, vengreniana, vittata, vulpecula, zenik, zibetha, zorilla.
- Volema**:—alouina, aromatica, consul, cotonea, curtangniona, glacialis, moschatellina, myristica, nux-moschata, paradisiaca, plicata, pyrum.
- Volucella (Dip.)**:—albifrons, atrata, aurata, bombylans, cadaverina, caesar, carmaria, domestica, fimetaria, flavescens, florea, lappona, maculata, meridiana, mortuorum, mystacea, nigra, pellucens, pullata, punctatus, sepulchralis, sonora, stellaris, superbiens, taciturna, tricineta, versicolor, vomitoria.
- Volucella (Mamm.)**:—macroua, pygmaea, sciurea.
- Voluta**:—acuminata, acus, aethiopica, alba, ampla, annulata, arabica, arausiaca, arenata, aurantia, auris-judae, auris-malchi, auris-sileni, barbadensis, bifasciata, biplicata, bullata, bullosa, caffra, cancellata, capitellum, cardinalis, carneolus, casta, ceramica, cingulum, citrina, clathrata, clathrus, coffea, conus, cornicula, coronata, cosmographicus, costata, craticulata, crenulata, cruentata, cymbiola, cymbium, dactylus, daedalea, decussata, discors, elegans, episcopalis, exasperata, exilis, faba, fagina, filaris, filosa, flammea, flava, flavicans, fossilis, fuscata, gibbosa, glabella, glabra, glans, granosa, hebraea, hiatula, indica, interpuncta, ispidula, jaspidea, jonensis, laevigata, lapponica, leucosticta, leucostoma, leucozonias, lineata, livida, maculosa, magellanica, marginata, marmorea, mendicaria, mendicatoria, mercatoria, miliaria, minuta, mitra, monilis, morio, mucronata, muricata, musica, musicalis, nassa, nasuta, navicula, neptuni, nigra, nitens, nivea, nodulosa, nubila, nucea, ocellata, oliva, olla, ovum, pallida, papalis, papillaris, patriarchalis, pauperula, perita, persicula, pertusa, plicaria, polygona, porcellana, porphyria, praeputium, prunum, pusilla, pyrum, reticulata, rhinoceros, ruffina, rugosa, rupestris, rustica, sanguisuga, scabricula, scapha, scutulata, solidiuscula, solidula, spadicea, spectabilis, spiralis, spuria, striata, strigosa, subdivisa, subpraeputium, sulcata, syracusana, tornatilis, tricolor, tringa, turbinellus, turricula, turrita, undata, utriculus, variegata, vespertilio, vexillum, virgata, virgo, volva, vulpecula, ziervogelii, zonaria.
- Volva**:—birostris, cygnea, hypenemium, ovum, perla, textoria.
- Volvox**:—beroe, bicaudatus, bulla, chaos, complanatus, confictor, dimidiatus, globator, globulus, grandinella, granulum, lunula, morum, oniscus, ovalis, pileus, pilula, proteus, punctum, socialis, sphaericula, sphaerula, terebella, torquilla, uva, vegetans, volutans, vorax.
- Volvoxis**:—armata, castanea, dubia, glabra, globosa, humeralis, morio, nigripennis, orbicularis, seminulum.
- Vorticella**:—acinosa, albina, ampulla, anastatica, annularis, auriculata, aurita, bellis, berberina, bolteni, bursata, campanulata, canaliculata, canicula, catulus, cineta, circularis, cirrata, citrina, conglomerata, constricta, convallaria, cornuta, crataegaria, crateriformis, cucullus, cyathina, digitalis, discina, encrinus, fasciculata, felis, flosculus, folliculata, fraxinina, fritillina, furcata, gemella, globularia, hamata, hians, hyacinthina, inclinans, lacinulata, larva, limacina, longiseta, lunaris, lunifera, macroua, multiformis, nasuta, nebulifera, nigra, nutans, ocreata, opercularia, operculata, ovifera, papillaris, patellina, polymorpha, polykina, punctata, putrida, putrina, pyraria, piriformis, racemosa, ringens, rotatoria, sacculus, scyphina, senta, socialis, sociata, sphaeroidea, sputarium,

stellata, stellina, stentorea, succollata, togata, tremula, truncatella, tuberosa, umbellaria, umbellata, urceolaris, utriculata, vaginator, valga, varia, vermicularis, versatilis, viridis.

Vulsella:—minor, vulsella.

Vultur:—albicilla, albiulla, albus, ambustus, angolensis, arrian, arrianus, aura, aureus, auricularis, barbarus, barbatus, bengalensis, californianus, calvus, chaugoun, cheriway, chincou, chrysocephalus, cinereus, coronatus, cristatus, cuntur, dschindschicus, fulvus, fuscus, ginginianus, gryphus, harpyja, indicus, indus, iota, kolbii, leucocephalus, magellanicus, monachus, niger, papa, perenopterus, plancus, ponticerianus, radiatus, secretarius, serpentarius, tracheliotus, vulgaris.

Xancus:—perversus, punctatus, pyrum.

Xanthornus:—decumanus, holosericus, maximus, virens.

Xenos:—vesparum.

Xiphias:—ensis, gladius, kleinii, platypterus.

Xiphosura:—polyphemus.

Xylita:—buprestoides, ferruginea.

Xylophagus:—navalis.

Yerbua:—*vide* Jerboa.

Ypsolophus:—alpinus, autumnalis, capitatus, cornutus, costatus, cylindricus, dentatus, dorsatus, elongatus, ephippium, harnatus, hemidactylus, lucorum, maculatus, nemorum, nyctemerus, oleae, sinuatus, sylvarum, unguiculatus, ustulatus, vittatus, xylostei.

Yunx:—*vide* Jynx.

Zeus:—aper, ciliaris, faber, gallus, guttatus, imperialis, insidiator, kleinii, luna, quadratus, stromii, triurus, vomer.

Zonitis:—angulata, chrysomelina, flava, fulvipennis, mahia, mutica, nigripennis, pallida, piazzata, praeusta, rostrata, viridipennis.

“**Zoolithus**”:—bovis, cervi, ebur-fossile, hominis, osteolithus, rosmari, simiae, soricis, turcosa.

Zygaena:—acharon, achemon, agrius, argynnis, andromacha, annulata, auge, bromus, butus, caffra, capistrata, capys, carniolica, cassandra, caudata, cerbera, collaris, colombina, coronillae, cruenta, diptera, egeon, ephialtes, ergotis, eriphia, erynnis, eryx, eunolophus, eurocilia, fausta, fenestrata, filipendulae, flabellicornis, flavicornis, fulvia, glaucopsis, guineensis, gyon, halterata, helymus, hypparchus, infausta, ladis, lavandulae, lethe, lichas, loti, maja, medusa, megaera, melissa, myrtea, nigricornis, octomaculata, onobrychis, panthalon, parthenii, passalis, pectinicornis, phegea, pholus, polymena, pruni, pugione, pylotis, pythia, quercus, scabiosae, scyton, sedi, sperbius, statices, styx, sypilus, thelebus, thetis, thoos, tibialis.

Zygia:—oblonga.

