

AC59279



Library
of the
University of Toronto



Digitized by the Internet Archive
in 2017 with funding from
University of Toronto

THE
ANIMAL KINGDOM,
ARRANGED ACCORDING TO ITS ORGANIZATION,
Serving as a Foundation for the
NATURAL HISTORY OF ANIMALS,
and an
Introduction to comparative Anatomy.
BY
BARON CUVIER,

Great Officer of the Legion of Honour, Commissaire of State, Member of the Royal Council of Public Instruction, Vice-President of the Society of the French Academy, President of the Societies of Comparative Anatomy, Member of the Academical Royal Societies of Sandusia, Berlin, Petersburg, Stockholm, Turin, Calais, Lilleburgh, Göttingen, Thessalonica, Modena, the other learned Societies &c. &c. of the German, Society of London &c. &c.

WITH FIGURES DESIGNED AFTER NATURE:
the
Crustacea, Arachnides & Insecta,
by Latreille,

Member of the Society of Honour, Member of the Institute, Royal Academy of Sciences, of the just reputation of their learned Societies in Europe, America &c.

Translated from the latest French Edition.

(with)
ADDITIONAL NOTES,
and
Illustrated by nearly 800 Coloured Plates.
IN FOUR VOLUMES.

VOL. III.
MOLLUSCA-ANNELIDES-CRUSTACEA-
AND ARACHNIDES.

LONDON.

G. Henderson, 2 Old Bailey, Ludgate Hill.

AND SOLD BY ALL BOOKSELLERS.

1837.

TABLE OF CONTENTS TO PLATES.

VOLUME III.

MOLLUSCA—ANNELIDES—CRUSTACEA— ARACHNIDES.

MOLLUSCA.	Vol. III.	Page
Plate 1. Fig. 1.— <i>OCTOPUS CUVIERII</i> , D'Orb.	7
Fig. 2.—Part of an arm of the <i>ELEDONE MOSCHATUS</i> , Lam.; Poulpe Musqué	10
Fig. 3.— <i>ARGONAUTA ARGO</i> , Lin. (<i>The Paper Nautilus</i>)	11
Fig. 4.— <i>SEPIA OFFICINALIS</i> , Lin.	13
Fig. 5.— <i>LOLIGO BROGNIARTII</i> , D'Orb; <i>Sepia media</i> , Lin.	12
Fig. 6.—The extremity of a great arm, and internal shape, of the <i>ONYCHOTEUTHIS ANGULATA</i> , Les.	12
Fig. 7.— <i>NAUTILUS POMPILIIUS</i> , Lin.	14
Fig. 8.— <i>SPIRULA AUSTRALIS</i> , Peron; <i>Nautilus spirula</i> , Lin.	14
 Plate 2. Fig. 1.— <i>SEPIA OCTOPODIA</i> , Lin. (<i>The Polypus of the Ancients</i>)	9
Fig. 2.— <i>ELEADON MOSCHATUS</i> , Leach; Poulpe musqué, Lam. See also Pl. 1. fig. 2.	10
Fig. 3.— <i>LOLIGO SAGGITATA</i> , Lam. (<i>The Great Calmar</i>)	12
 Plate 2. bis. Fig. 1.—Various views of the <i>SEPIA OCTOPODIA</i> , Lin. (<i>Polypus of the Ancients</i>). See also Pl. 2. fig. 1. a. View in the shell, of which the left side is broken, to shew the irregular position of the animal. b. In the entire shell, seen on the upper part, to shew that the body of the animal is not in the axe of the shell. The position of the tentacula branch right to left. c. Out of the shell, and to the right, to shew that the furrows of the latter are as well marked on the tentacula, as on the mantle, and are simple impressions	9
Fig. 2.— <i>OCTOPUS ARGONAUTÆ</i> , Lam.	10
 Plate 3. Fig. 1.— <i>BELEMNITES ACUTUS</i> , Blainv.	15
Fig. 2.— <i>AMMONITES DENTATUS</i> , Domn.	16
Fig. 3.— <i>SCAPHITES OBLIQUUS</i> , Sow.	16
Fig. 4.— <i>BACCULITES VERTEBRALIS</i> , Lam.	16
Fig. 5.— <i>TURRILITES BERGERI</i> , Brong.	17
Fig. 6.— <i>NUMMULINA DISCOIDALIS</i> , D'Orb.	17
Fig. 7.— <i>NONIONINA LÆVIGATA</i> , D'Orb.	17
Fig. 8.— <i>SIDEROLINA CALCITRAPOIDES</i> , D'Orb.	17
Fig. 9.— <i>PENEROPLIS PLANATUS</i> , D'Orb.	18
Fig. 10.— <i>PLATULINA DUBIA</i> , D'Orb.	18
Fig. 11.— <i>GIROIDINA CARINATA</i> , D'Orb.	18
Fig. 12.— <i>GLOBIGERINA BULLOIDES</i> , D'Orb.	18
Fig. 13.— <i>ROTALIA ROSEA</i> , D'Orb.	18
Fig. 14.— <i>VALVULINA COLUMNA-TORILIS</i> , D'Orb.	18
Fig. 15.— <i>VALVULINA TRIANGULARIS</i> , D'Orb.	18
Fig. 16.— <i>BULIMINA STRIATA</i> , D'Orb.	18
 Plate 4. Fig. 1.— <i>BELEMNITES PLENU</i> s, Blainv.	15
Fig. 2.— <i>BELEMNITES HASTATUS</i> , Blainv.	15
Fig. 3.— <i>BELEMNITES BICANALICULATUS</i> , Blainv.	15
Fig. 4.— <i>BELEMNITES GIGAS</i> , Blainv.	15
Fig. 5.— <i>BELEMNITES PENICILLATUS</i> , Blainv.	15
Fig. 6.— <i>ORTHOERCAS REGULARIS</i> , Blainv.	15
Fig. 7.— <i>CONILITES UNGULATUS</i> , Knorr.	15
Fig. 8.— <i>BELEMNITES MUCRONATUS</i> , Blainv.	15
Fig. 9.— <i>BELEMNITES SCANIE</i> , Blainv.	15

	MOLLUSCA.	Vol. III.	Page
Plate 4. bis.	Fig. 1.— <i>MILIOLA SAXORUM</i> , Ency. Meth.*	.	19
	Fig. 2.— <i>MELONIA SPHERICA</i> , Ency. Meth.	.	19
	Fig. 3.— <i>MELONIA SPHEROIDIA</i> , Ency. Meth.	.	19
	Fig. 4.— <i>ORBICULINA NUNISMALIS</i> , Ency. Meth.	.	18
	Fig. 5.— <i>PLACENTULA PULVINATA</i> , Ency. Meth.	.	18
	Fig. 6.— <i>VORTICIALIS CRATICULATA</i> , Ency. Meth.	.	18
	Fig. 7.— <i>LENTICULINA ROTULATA</i> Ann. of the F. Museum	.	18
	Fig. 8.— <i>POLYSTOMELLA PLANULATA</i> , Ficht.	.	18
Plate 4. ter.	Fig. 1.— <i>NUMMULITES LENTICULARIS</i> ; <i>Nautilus lenticularis</i>	.	17
	Fig. 2.— <i>MILIOLA TRIGONULA</i> , Ency. Meth.†	.	19
	Fig. 3.— <i>BACCULITES GIGAS</i>	.	16
	Fig. 3. a.—Portion of a <i>BACCULITES</i>	.	16
	Fig. 4.— <i>TURRILITES COSTULATA</i> , Bl.	.	16
	Fig. 5.— <i>AMMONITES COLUBINA</i> , Bl.	.	16
	Fig. 6.— <i>NAUTILUS TRIANGULARIS</i> , Bl.	.	17
	Fig. 7.— <i>NAUTILUS UMBILICATUS</i> , Bl.	.	17
	Fig. 8.— <i>NAUTILUS BISIPHITES</i> , Bl.	.	18
	Fig. 9.— <i>ORBULITES CRASSA</i> , Bl.	.	18
Plate 5.	Fig. 1.— <i>AMMONITES INTERRUPTUS</i> , Def. A young individual	.	16
	Fig. 1. a.—Front view	.	16
	Fig. 2.— <i>AMMONITES BROGNIARTII</i> , Sow.	.	16
	Fig. 2. a.—Front view	.	16
	Fig. 3.— <i>AMMONITES CRASSA</i> , Def.	.	16
	Fig. 3. a.—Front view	.	16
	Fig. 4.— <i>AMMONITES DESLONCHAMPII</i> , Def.	.	16
	Fig. 5.— <i>AMMONITES GERVILLII</i> , Sow.	.	16
	Fig. 5. a.—Front view	.	16
Plate 6.	Fig. 1.— <i>NODOSARIA FERUSSACII</i>	.	18
	Fig. 2.— <i>TEXTULARIA PYGMÆA</i>	.	19
	Fig. 3.— <i>POLYMORPHINA DIGITATA</i>	.	19
	Fig. 4.— <i>TRILOCULINA DIFFORMIS</i>	.	19
	Fig. 5.— <i>TRILOCULINA TRICARINATA</i>	.	19
	Fig. 6.— <i>SPIROLOCULINA PERFORATA</i>	.	19
	Fig. 7.— <i>SPIROLOCULINA DEPRESSA</i>	.	19
	Figs. 8, 9.— <i>ARTICULINA NITIDA</i>	.	19
	Fig. 10.— <i>QUINQUELOCULINA STRIATA</i>	.	19
	Fig. 11.— <i>AMPHISTEGINA LESSONII</i>	.	19
	Fig. 12.— <i>AVEOLINA BULLOIDES</i>	.	19
Plate 7.	Fig. 1.— <i>CLIO BOREALIS</i> , Lin. Cuv.	.	20
	Fig. 2.— <i>CYMBULIA PERONII</i> , Cuv.	.	21
	Fig. 3.— <i>PNEUMODERMON DIAPHANUM</i> , Quoy and Gaym.	.	21
	Fig. 4.— <i>PNEUMODERMON PERONII</i> , Cuv.	.	21
	Fig. 5.— <i>LIMACINA HELICINA</i> , Cuv.	.	21
	Fig. 6.— <i>HYALEA GLOBULOSA</i> , Rang.	.	22
	Fig. 7.— <i>HYALEA TRISPINOSA</i> , Les.	.	22
	Fig. 8.— <i>CLEODORA LANCEOLATA</i> , Les.	.	22
	Fig. 9.— <i>CRESEIS VIRGULA</i> , Rang.	.	22
	Fig. 10.— <i>CUVIERIA COLUMNELLA</i> , Rang.	.	22
	Fig. 11.— <i>PSYCHE GLOBULOSA</i> , Rang.	.	22
	Fig. 12.— <i>EURYBIA HEMISPHERICA</i> , Rang.	.	22
	Fig. 13.— <i>PYRGO LÆVIS</i> , Def. Cuv.	.	22
Plate 8.	Fig. 1.— <i>LENTICULITES PLANULARIS</i> , Lam.	.	17

* It belongs to the group of the Agathistegua of D'Orbigny.

† This belongs to genus Agathistegua of D'Orbigny.

TABLE OF THE PLATES.

iii

	MOLLUSCA.	Vol. III.	Page
Plate 8.	Fig. 2.—DISCORBITES VESICULARIS, Lam. Fig. 3.—ROTALITES TROCHIDIFORMIS, Lam. Fig. 4.—FRONDICULARIS COMPLANATA, Def. Fig. 5.—PLANULARIA AURIS, Def. Fig. 6.—PLANOSPRITES SOLITARIA, Def. Fig. 7.—SPIROLINITES CYLINDRACEA, Lam. Fig. 8.—SPIROLINITES COMPLANATA, Lam. Fig. 9.—NUMMULITES LÆVIGATA Fig. 10.—NODOSARIA FILIFORMIS	.	18
Plate 9.	Fig. 1.—HAMITE CYLINDRICUS, Def. Fig. 2.—SCAPHITES ÄQUALIS, Sow. Fig. 3.—ORTHOCEAS ANNELATUS, Bl. Fig. 4.—CONULARIA SOWERBII, Def.	.	16
Plate 10.	Fig. 1.—NOTARCHUS. A new genus of the GASTEROPODA TECTI-BRANCHIATA Fig. 2.—PLEUROBRANCHUS LUNICEPS. a. The penis. b. b. Tentacula. c. The anus. d. d. The foot which everywhere projects beyond the body Fig. 3.—Animal of the ANOMIA. a. Part of the muscle which is connected with the third valve. b. The foot. c. A portion of the mantle which unites the two large valves. d. d. The mantle. e. e. The shell Fig. 4.—Animal of the SIGARETUS, with its fleshy mantle enveloping and concealing its shell Fig. 5.—Animal of the TRIDACNA. a. A fibrous bundle analogous to the threads of the Muscle, by which the Tridacna attaches itself to rocks. b. Aperture for the entrance of water. c. Opening corresponding to the anus. d. Transverse muscle Fig. 6.—POLYCLINUM DIAZONA*	.	46
Plate 11.	Fig. 1.—ARION EMPIRICORUM, Fer. Fig. 2.—LIMAS VARIEGATUS, Fer. Drap. Fig. 3.—VITRINA PELLUCIDA, Drap. Fig. 4.—TESTACELLUS HALIOTIDEUS, Fer. Cuv. Fig. 5.—PARMACELLA OLIVIERI, Cuv. Fig. 6.—The head and interior rudimentary parts of the PARMACELLA PALLIOLUM, Fer. Fig. 7.—VAGINULA TAUNAYSI, Fer.	.	32
Plate 12.	Fig. 1.—HELIX CAROCOLLA, Lin. Cuv. Fig. 2.—HELIX GLOBULOSA, Lam. Fig. 3.—HELIX PERSONATA ; Helix sinnata, Lam. Fig. 4.—HELIX GUALTERIANA, Lin. Cuv. Fig. 5.—HELIX SARABINATA, Feruss. Fig. 6.—HELIX CONOIDEA, Drap. Cuv. Fig. 7.—HELIX MEMORALIS, Lin. Cuv. Fig. 8.—SUCCINEA RUBESCENS, Desh. encycl. Fig. 9.—CHONDRUS AVENACEUS, Cuv. Fig. 10.—CHONDRUS VARIABILIS, Cuv. Fig. 11.—BULIMUS GUADALUPENSIS, Fer. Fig. 12.—PUPA STRIATELLA, Fer. Fig. 13.—CLAUSILIA INFLATA, Lam. Fig. 14.—ACHATINA MULLERI, Fer.	.	33
Plate 13.	Fig. 1.—HELIX OBVOLUTA	.	33

* A reduced sketch of the beautiful *Polyclinum diazona*, discovered by M. de La Roche, and recognised by M. Savigny as one of the compound Ascidiae.

	MOLLUSCA.	Vol. III. Page
Plate 13.	Fig. 2.— <i>VITRINA PELLUCIDA</i> , Drap. Fig. 3.— <i>SUCCINEA CUCULLATA</i> , Drap.; <i>Amphilim. encapuchonni</i> , Lam. Fig. 4.— <i>SUCCINEA AMPHIBIA</i> , Drap. Fig. 5.— <i>CLAUSILIA RUGOSA</i> , Drap. Fig. 6.— <i>BULLA ZEBRA</i> , Lin. Fig. 7.— <i>BULIMUS GLANS</i> , Brug. Fig. 8.— <i>ACHATINA COLUMNARIS</i> , Brug.	34 36 36 36 36 36 36 36
Plate 14.	Fig. 1.— <i>PLANORBIS GUADELUPENSIS</i> , Fer. Fig. 2.— <i>PLANORBIS CORNEA</i> ; <i>H. cornea</i> , Lin. Fig. 3.— <i>LYMNÆUS PALLIDUS</i> , Guer. Fig. 4.— <i>LYMNÆUS STAGNALIS</i> ; <i>Helix stagnalis</i> , Lin. Fig. 5.— <i>PHYSA NOVÆ-HOLLANDIÆ</i> , Blainv. Fig. 6.— <i>SCARABUS IMBIUM</i> , Montf.; <i>H. scarabœus</i> , Lin. Fig. 7.— <i>AURICULA MIDÆ</i> , Lam. Fig. 8.— <i>CONOVULUS FASCIATUS</i> , Desh. Fig. 9.— <i>ONCHIDIUM PERONII</i> , Cuv.	37 37 38 38 38 39 39 39 37
Plate 15.	Fig. 1.— <i>DORIS ATROMARGINATA</i> , Cuv. Fig. 2.— <i>DORIS MAGNIFICA</i> , Quoy and Gaym. Fig. 3.—Eggs of the <i>Doris</i> Fig. 4.— <i>POLYCERA CORNUTA</i> , Mull.; <i>Doris cornuta</i> , Cuv. Fig. 5.— <i>TRITONIA ELEGANS</i> , Cuv. Fig. 6.— <i>THETHYS FIMBRIA</i> , Lin. Fig. 7.— <i>SCYLLÆA GHOMPHODENSIS</i> , Quoy and Gaym. Fig. 8.— <i>GLAUCUS FORSTERI</i> , Quoy and Gaym.	40 40 40 41 41 41 42 42
Plate 16.	Fig. 1.— <i>PLEUROBRANCHUS PUNCTATUS</i> , Quoy and Gaym. Fig. 2.— <i>PLEUROBRANCHIÆA MACULATA</i> , Quoy and Gaym. Fig. 3.— <i>APLYSIA PUNCTATA</i> , Cuv. Fig. 4.— <i>DOLABELLA RUMPHII</i> , Cuv Fig. 5.— <i>NOTARCHUS GELATINOSUS</i> , Cuv. Fig. 6.— <i>BURSATELLA LEACHII</i> , Blainv. Fig. 7.— <i>AKERA VIRIDIS</i> , Rang. Fig. 8.— <i>GASTEROPTERON MECKELII</i> , Cuv. Fig. 9.— <i>OMBRELLA INDICA</i> , Lam.	44 44 46 46 46 47 47 49 49
Plate 16. bis.	Fig. 1.— <i>PLEUROBRANCHUS LESSEUR</i> , Bl. Fig. 2.— <i>APLISIA DEPILANS</i> , Lin. Fig. 3.— <i>OMBRELLA INDICA</i> , Lam. See also Pl. 16. fig. 9.	44 46 49
Plate 16. ter.	Fig. 1.— <i>BULLÆA APERTA</i> , Lam. (<i>The Sea Wafer</i>) Fig. 2.— <i>BULLA HYDATIS</i> , Lin. (<i>The Water Drop</i>) Fig. 3.— <i>BULLA CARNOSA</i> , Cuv. Fig. 4.— <i>SORMETUS ADANSONI</i> Fig. 5.— <i>ATLAS PERONII</i> , Bl. Fig. 6.— <i>BULLA FRAGILIS</i> , Lam. Fig. 7.— <i>BULLA LIGNARIA</i> , Bl. (<i>The Wafer</i>) Fig. 8.— <i>BULLA JONKAIRII</i> , Bl. Fig. 9.— <i>BULLA APLUSTRE</i> , Ency. Meth. Fig. 10.— <i>BULLA NAUCUM</i> Fig. 11.— <i>BULLA AMPULLA</i> , Ency. Meth. (<i>The Nutmeg</i>)	47 48 48 47 47 47 48 48 48 48 48 48
Plate 17.	Fig. 1.— <i>CARINARIA CYMBIUM</i> , Lam. Fig. 2.— <i>ATLANTA KERAUDRENII</i> , Les. Fig. 3.— <i>FIROLA CAUDINA</i> , Rang. Fig. 4.— <i>TIMORIANA TRIANGULARIS</i> , Quoy and Gaym.	50 51 51 51

TABLE OF THE PLATES.

V

	MOLLUSCA.	Vol. III.	Page
Plate 17.	Fig. 5.— <i>MONOPHORA RUDIS</i> , Quoy and Gaym. Fig. 6.— <i>PHYLLIROE RUBRA</i> , Quoy and Gaym.	.	51 52
Plate 18.	Fig. 1.— <i>EOLIDIA CERULESCENS</i> , Laurillard Fig. 2.— <i>CAVOLINA PEREGRINA</i> , Gmel. Fig. 3.— <i>TERGIPES LACINULATUS</i> , Cuv. Fig. 4.— <i>BUSIRIS GRISEUS</i> , Risso Fig. 5.— <i>PLACOBRANCHUS OCCELLATUS</i> , Quoy and Gaym.; <i>Placobranchus Hasseltii</i>	.	42 42 43 43 43
	Fig. 6.— <i>PHYLLODIA TRILINEATA</i> , Cuv. Fig. 7.— <i>DIPHYLLIDIA LINEATA</i> , Otto	.	44 44
Plate 19.	Fig. 1.— <i>TROCHUS AGGLUTINANS</i> , Lin. Fig. 2.— <i>TROCHUS NILOTICUS</i> , Chem. Fig. 3.— <i>TROCHUS OBELISCUS</i> , Chem. Fig. 4.— <i>TURBO PICA</i> , Lin. Fig. 5.— <i>AMPULLARIA CARINATA</i> , Oliv. Fig. 6.— <i>HELICINA NERITELLA</i> , List. Fig. 7.— <i>MELANIA COARCTATA</i> , Lam.	.	54 54 54 55 59 60 60
Plate 20.	Fig. 1.— <i>TROCHUS PAGODUS</i> , Chem. Fig. 2.— <i>TROCHUS IMPERIALIS</i> , Chem. Fig. 3.— <i>ROTELIA MONILIFERA</i> , Lam. Fig. 4.— <i>TROCHUS IRIS</i> , Chem. Fig. 5.— <i>TROCHUS CONCAVUS</i> , Chem. Fig. 6.— <i>TROCHUS TELESCOPIUM</i> , Chem. Fig. 7.— <i>SOLARIUM PERSPECTIVUM</i> , Lam. Fig. 8.— <i>TURBO RUGOSUS</i> , Lam. Fig. 9.— <i>DELPHINULA DISTARTA</i> , Lam. Fig. 10.— <i>TURITELLA DUPLICATA</i> , Lam. Fig. 11.— <i>SCALARIA PRETIOSA</i> , Lam. Fig. 12.— <i>CYCLOSTOMA ELEGANS</i> , Lam. Fig. 13.— <i>VALVATA PLANORBIS</i> , Drap.	.	54 54 54 54 54 54 55 55 56 56 56 57 57
Plate 21.	Fig. 1.— <i>PALUDINA VIPIPARA</i> , Lin. Cuv. Fig. 2.— <i>LITTORINA LITTOREA</i> , Lin. Fig. 3.— <i>MONODON LABEO</i> , Adans. Fig. 4.— <i>PHASIANELLA FERUSSACII</i> , Payr. Fig. 5.— <i>AMPULLARIA GUYANENSIS</i> , Lam. Fig. 6.— <i>LANISTES CARINATA</i> , Oliv. Fig. 7.— <i>HELICINA NERITELLA</i> , List. Fig. 8.—Opercule of the <i>HELICINA STRIATA</i> , Blainv. Fig. 9.— <i>HELICINA PULCHELLA</i> , Gray. Fig. 10.— <i>MELANIA AMARULA</i> , Lam. Fig. 11.— <i>MELANIA TRUNCATA</i> , Lam. Fig. 12.— <i>RISSOA LACTEA</i> , Michaud. Fig. 13.— <i>MELANOPSIS BUCCINOIDES</i> , Fer. Fig. 14.— <i>PIRENA SPINOSA</i> , Lam.	.	58 58 58 59 59 59 60 59 59 60 60 60 60 60
Plate 22.	Fig. 1.— <i>TORNATELLA FLAMMEA</i> , Lam. Fig. 2.— <i>PYRAMIDELLA MACULOSA</i> , Lam. Fig. 3.— <i>JANTHINA COMMUNIS</i> , Lam. Fig. 4.— <i>NATICA PLUMBEA</i> , Lam. Fig. 5.— <i>NATICA ALBUMEN</i> , Lam. Fig. 6.— <i>NATICA PLICATA</i> , Lam. Fig. 7.— <i>VELATES PERVERSA</i> , Cuv. Fig. 8.— <i>NERITINA BÆTICA</i> , Lam. Fig. 9.— <i>CLITHON CORONA</i> , Cuv. Fig. 10.—Opercule of the <i>NERITINA LINEATA</i> , Bl.	.	61 61 61 62 62 62 62 61 62 62
Plate 22. bis.	Fig. 1.— <i>CONUS GENERALIS</i> Fig. 2.— <i>CONUS MUSHELIRUS</i> Fig. 3.— <i>CONUS NUTRATUS</i> Fig. 4.— <i>CONUS TEXTILE</i>	.	66 66 66 66

	MOLLUSCA.	Vol. III. Page
Plate 22. bis.	Fig. 5.— <i>CONUS IMPERIALIS</i>	66
	Fig. 6.— <i>TEREBELLUM CONVOLUTUM</i> , Lam.	67
	Fig. 7.— <i>VOLVARIA MONILIS</i> , Lin.	68
	Fig. 8.— <i>MARGINELLA FABA</i> , Bl.; <i>Voluta saba</i> , Adans.	68
	Fig. 9.— <i>MARGINELLA LINEATA</i> , Bl.; <i>Voluta Marginata</i>	68
Plate 22. ter.	Fig. 1.— <i>OLIVA LITTERATA</i>	67
	Fig. 2.— <i>OLIVA UNDATA</i>	67
	Fig. 3.— <i>OLIVA SUBULATA</i>	67
	Fig. 4.— <i>COLUMBELLIA STROMBIFORMIS</i>	68
	Fig. 5.— <i>MITRA TÆMATA</i> , Bl.	69
	Fig. 6.— <i>MITRA EPISCOPALIS</i> ; <i>Voluta episcopalis</i> , List.	69
	Fig. 7.— <i>MITRA MICROZONIAS</i>	69
	Fig. 8.— <i>MITRA DACTYLUS</i>	69
	Fig. 9.— <i>MITRA DECORATA</i> , Schum.	69
Plate 23.	Fig. 1.— <i>HIPPONIX CORNUCOPIA</i> , Lam.	63
	Fig. 2.— <i>CAPULUS HUNGARICUS</i> , List. Cuv.	63
	Fig. 3.— <i>CREPIDULA COSTATA</i> , Desh.	63
	Fig. 4.— <i>SEPTARIA ELLIPTICA</i> , Fer.	63
	Fig. 5.— <i>PILEOLUS NERITOIDES</i> , Desh.	63
	Fig. 6.— <i>CALYPTREA AUSTRALIS</i> , Desh.	64
	Fig. 7.— <i>CALYPTREA EQUESTRIS</i> , Cuv.; <i>P. equestus</i> , Lin.	64
	Fig. 8.— <i>CALYPTREA RUGOSA</i> , Desh.	64
	Fig. 9.— <i>CALYPTREA SQUAMULA</i> , Desh.	64
	Fig. 10.— <i>SIPHONARIA SOWERBEII</i> , Michelin	64
	Fig. 11.— <i>SIGARETUS HALIOTIDEUS</i> , Lam.	64
	Fig. 12.— <i>CORIOCELLA NIGRA</i> , Bl.	65
	Fig. 13.— <i>CRYPTOSTOMA LEACHII</i> , Bl.	65
Plate 23. bis.	Fig. 1.— <i>MITRA VULPECULA</i> , Lam.	69
	Fig. 2.— <i>CONÆLIX DACTYLUS</i> , Sow.; <i>Mitra dactylus</i>	69
	Fig. 3.— <i>CANCELLARIA ASPERULA</i> , Desh.	69
	Fig. 4.— <i>BUCCINUM GLANS</i> , Lam.	70
	Fig. 5.— <i>BUCCINUM LÆVISSIMUM</i> , Lam.	69
	Fig. 6.— <i>NASSA RETICULATA</i> , Lam.	70
	Fig. 7.— <i>EBURNA SPIRATA</i> , Lam.	70
	Fig. 8.— <i>ANCILLARIA CINNAMOMEA</i> , Bl.	70
	Fig. 9.— <i>DOLIUM POMMUM</i> , Lam.	70
	Fig. 10.— <i>DOLIUM PERDIX</i> , Lam.	70
Plate 23. ter.	Fig. 1.— <i>HIPPONIX CORNUCOPIA</i> , Def. See also Pl. 23 fig. 1.	63
	Fig. 2.— <i>HIPPONIX SOWERBEII</i> , Def.	63
	Fig. 3.— <i>HIPPONIX DILATA</i> , Def.	63
	Fig. 4.— <i>HIPPONIX MITRATA</i> , Def.	63
	Fig. 5.— <i>CREPIDULA SUBSPIRATA</i>	63
	Fig. 6.— <i>NAVICELLA ELLIPTICA</i> , Encyc. Method.	63
	Fig. 7.— <i>CALYPTREA EXTINCTORIUM</i>	63
Plate 23. quar.	Fig. 1.— <i>DOLIUM GALEA</i> , Bl.	70
	Fig. 2.— <i>BUCCINUM UNDATUM</i> , or <i>undulatum</i> , Bl.	69
	Fig. 3.— <i>BUCCINUM RETICULATUM</i> , Bl.	70
	Fig. 4.— <i>EBURNA ZEYLANICA</i> , Bl.	70
Plate 24.	Fig. 1.— <i>CONUS CALEDONICUS</i> , Lam.	66
	Fig. 2.—Animal of the <i>CONUS BANDANUS</i> , Lam.	66
	Fig. 3.— <i>CONUS TENDINEUS</i> , Lam.	66
	Fig. 4.— <i>CYPREA STOLIDA</i> , Lam.	66
	Fig. 5.—Animal of the <i>CYPREA PEDICULUS</i> , Lam. Taken from a drawing by MM. Audouin and Edwards	66
	Fig. 6.— <i>OVULA TRITICEA</i> , Lam.	67
	Fig. 7.— <i>OVULA VOLVA</i> , Lam.; <i>Bulla volva</i> , Lin.	67
	Fig. 8.— <i>CALPURNUS VERRUCOSUS</i> , Cuv.; <i>Bulla verrucosa</i> , Lin.	67
	Fig. 9.— <i>TEREBELLUM SUBULATUM</i> , Lam.	67

	MOLLUSCA.	Vol.	III.	Page
Plate 24. Fig. 10.—	<i>VOLUTA NIVOSA</i> ,	67
Fig. 11.—	Animal of the <i>VOLUTA AETHIOPICA</i> , Lam.	67
Fig. 12.—	<i>OLIVA ISPIDULA</i> , Lam.	67
Fig. 13.—	<i>OLIVA AURICULARIA</i> , Lam.	67
Fig. 14.—	<i>VOLVARIA PALLIDA</i> , Lam.	68
Fig. 15.—	<i>MARGINELLA NUBECULATA</i> , Lam.	68
Fig. 16.—	<i>MARGINELLA BULLATA</i> , Lam.	68
Plate 24. bis. Fig. 1.—	<i>PROTO TURRITELLA</i> , Def.	72
Fig. 2.—	<i>NERINEA TUBERCULOSA</i> , Def.	72
Fig. 3.—	<i>MELANOPSIS LÆVIS</i> , Bl.	61
Fig. 4.—	<i>TURRITELLA BIANGULATA</i> , Bl.	61
Fig. 5.—	<i>PYRAMIDELLA DOLABRATA</i> , Bl.	61
2nd Plate 24. bis. Fig. 1.—	<i>HARPA VENTRICOSA</i> , Lam.	71
Fig. 2.—	<i>PURPURA TROCHLEA</i> , Lam.	71
Fig. 3.—	<i>RICINULA ARACHNOIDES</i> , Lam.	71
Fig. 4.—	<i>CONCHOLEPAS PERUVIANUS</i> , D'Arg.	71
Fig. 5.—	<i>CASSIS DECUSSATA</i> , Lam.	72
Fig. 6.—	<i>CASSIDARIA ECHINOPHORA</i> . List.	72
Fig. 7.—	<i>TEREBRA MUSCARIA</i> , Lam.	72
Fig. 8.—	<i>POTAMIS PALUSTRE</i> . Brogn. Lam.	72
Fig. 9.—	<i>POTAMIS FRAGILIS</i> , Def.	72
Plate 24. ter. Fig. 1.—	<i>CASSIS TUBEROSA</i> , Bl.	72
Fig. 2.—	<i>PURPURA IMBRICATA</i> , Bl.	71
Fig. 3.—	<i>RICINULA HORRIDA</i> , Bl.	71
Fig. 4.—	<i>TEREBRA BUCCINOIDEA</i>	72
Fig. 5.—	<i>HARPA NOBILIS</i> , Lam.	72
Plate 25. Fig. 1.—	<i>MUREX BRANDARIS</i> , Lam.	73
Fig. 2.—	<i>MUREX HAUSTELLU</i>	73
Fig. 3.—	<i>TYPHIS PUNGENS</i> , Montf.	73
Fig. 4.—	<i>MUREX CUTACEUS</i>	73
Fig. 5.—	<i>MUREX LOTORIUM</i>	73
Fig. 6.—	<i>MUREX RUBECULA</i>	74
Fig. 7.—	<i>MUREX MAGELLANICUS</i>	74
Plate 25. bis. Fig. 1.—	<i>CERITHUM VERTAGUS</i> , Brug.	72
Fig. 2.—	<i>CERITHUM ALUCO</i> , Brug.	72
Fig. 3.—	<i>CERITHUM TRISTOMA</i> , Brug.	72
Fig. 4.—	<i>CERITHUM SULCATA</i> , Bl.	72
Fig. 5.—	<i>CERITHUM GOUMERII</i>	72
Fig. 6.—	<i>CERITHUM MADAGASCARIENSIS</i> , Bl.	72
Plate 25. ter. Fig. 1.—	<i>MUREX GYRINUS</i> , Lin.	74
Fig. 2.—	<i>MUREX LOTORIUM</i> , Lin.	73
Fig. 3.—	<i>MUREX ADUSTUS</i> , Bl.	73
Fig. 4.—	<i>MUREX SCOLYMUS</i> , Mar.	75
Fig. 5.—	<i>MUREX TULIPA</i> , Lin.	75
Fig. 6.—	<i>PYRULA MELONGENA</i> , Bl.	75
Plate 26. Fig. 1.—	<i>FUSUS MORIO</i> , Lam.	74
Fig. 2.—	<i>STRUTHIOLARIA NODULOSA</i> , Lam.	74
Fig. 3.—	<i>PLEUROTOMA BABYLONIA</i> , Lam.	74
Fig. 4.—	<i>PLEUROTOMA AURICULIFERA</i> , Bl.	75
Fig. 5.—	<i>PYRULA RAPA</i> , Lam.	75
Fig. 6.—	<i>PYRULA FICUS</i> , Lam.	75

	MOLLUSCA.	Vol. III.	Page
Plate 26. Fig. 7.— <i>PYRULA PERVERSA</i> , Lam.	.	.	75
Fig. 8.— <i>FASCIOLARIA TRAPEZIUM</i> , Lam.	.	.	75
Fig. 9.— <i>TURBINELLA PYRUM</i> , Lam.	.	.	75
Fig. 10.— <i>TURBINELLA CERAMICA</i> , Lam.	.	.	75
Plate 26. bis. Fig. 1.— <i>MUREX CRASSISPINA</i> , Bl.	.	.	73
Fig. 2.— <i>MUREX PUNGENS</i> , Bl.	.	.	73
Fig. 3.— <i>BUCCIN PAPILLOSUM</i> , Bl.	.	.	70
Fig. 4.— <i>BUCCIN ARCULARIA</i> , Bl.	.	.	70
Fig. 5.— <i>PTEROCEERA SCORPIO</i> , Lam. (first state) For another view, see Pl. 27. fig. 2.	.	.	76
Fig. 6.— <i>STROMBUS TRICORNIS</i> , Bl.	.	.	70
Fig. 7.— <i>FUSEAU TÆNIATA</i> , Bl.	.	.	76
Plate 26. ter. Fig. 1.— <i>TRITON LAMPUS</i> , Bl.	.	.	74
Fig. 2.— <i>RANELLA GRANULATA</i> , Bl.	.	.	74
Fig. 3.— <i>TRITON VARIEGATUM</i> , Bl.	.	.	74
Plate 27. Fig. 1.— <i>STROMBUS PAPILIO</i> , Lam.	.	.	76
Fig. 2.— <i>PTEROCEERA SCORPIO</i> , Lam.	.	.	76
Fig. 3.— <i>ROSTELLARIA PESPELECANI</i> , Lam.	.	.	76
Fig. 4.— <i>HIPPOCRENES MACROPTERA</i> , Lam.	.	.	76
Plate 28. Fig. 1.— <i>VERMETUS LUMBRICALIS</i> , Lin. Adans.	.	.	77
Fig. 2.— <i>VERMETUS ROSEUS</i> , Quoy and Gaym.	.	.	77
Fig. 3.— <i>VERMETUS CARINATUS</i> , Quoy and Gaym.	.	.	77
Fig. 4.— <i>MAGILUS ANTIQUUS</i> , Montf.	.	.	77
Fig. 5.— <i>SILIARIA MURICATA</i> , Lam.	.	.	77
Plate 29. Fig. 1.— <i>PATELLA VULGATA</i> , Martin	.	.	80
Fig. 2.— <i>PATELLA COMPRESSA</i> , Chem.	.	.	80
Fig. 3.— <i>PATELLA SCUTELLARIS</i> , Blainv.	.	.	80
Fig. 4.— <i>PATELLA COCHLEARIA</i> , Fab.	.	.	80
Fig. 5.— <i>PATELLA PECTINATA</i> , Blainv.	.	.	80
Fig. 6.— <i>PATELLA CYMBULARIA</i> , Blainv.	.	.	80
Fig. 7.— <i>PATELLA DEAURATA</i> , Chem.	.	.	80
Plate 30. Fig. 1.— <i>CHITON MARMORATUS</i> , Chem.	.	.	81
Fig. 2.— <i>CHITON PICEUS</i> , Chem.	.	.	81
Fig. 3.— <i>CHITON FASCICULARIS</i> , Blainv.	.	.	81
Fig. 4.— <i>CHITON LÆVIS</i> , Blainv.	.	.	81
Fig. 5.— <i>CHITON LARVÆFORMIS</i>	.	.	81
Fig. 6.— <i>CORIOCELLA NIGRA</i> , Blainv. For another view, see Pl. 23, fig. 12.	.	.	65
Fig. 7.— <i>CRYPTOSTOMA LEACHII</i> , Blainv. For another view, see Pl. 23, fig. 13.	.	.	65
Plate 31. Fig. 1.— <i>HALIOTIS CANALICULATA</i> , Lam.	.	.	78
Fig. 2.—Animal of the <i>HALIOTIDE</i> , Cuv.	.	.	78
Fig. 3.— <i>STOMATIA PHYMOSIS</i> , Lam.	.	.	79
Fig. 4.— <i>FISSURELLA ANNULATA</i> , Lam.	.	.	79
Fig. 5.—Animal of the <i>FISSURELLA</i> , Cuv.	.	.	79
Fig. 6.—Animal of the <i>EMARGINULE</i> , Cuv.	.	.	79
Fig. 7.—Animal of the <i>PATELLA</i> , Cuv.	.	.	79
Fig. 8.— <i>PATELLA LUGUBRIS</i> , Blainv.	.	.	79
Fig. 9.— <i>PARMOPHORUS AUSTRALIS</i> , Lam.	.	.	79
Fig. 10.— <i>CHITON SQUAMOSUS</i> , Lam.	.	.	80

TABLE OF THE PLATES.

ix

	MOLLUSCA.	Vol.	III.	Page
Plate 31. bis. Fig. 1.—	HINNITES DUBUSSONII, Bl.	.	.	86
Fig. 2.—	PLAGIOSTOMA PUNCTATA, Sow.	.	.	87
Fig. 3.—	PACHYTOS SPINOSUS, Cuv. Bl.	.	.	87
Fig. 4.—	DIANCHORA STRIATA, Sow.	.	.	87
Fig. 5.—	PODOPSIS TRUNCATA, Lam.	.	.	87
Fig. 6.—	ANOMIA EPHIPPUM, Lam.	.	.	87
Fig. 7.—	PLACUNA PLACENTA, Brug.	.	.	88
Fig. 8.—	SPONDYLUS AMERICANUS, Lam.	.	.	88
Fig. 9.—	PPLICATULA CRISTATA, Lam.	.	.	88
Fig. 10.—	VULSELLA LINGULATA, Lam.	.	.	89
Plate 32. Fig. 1.—	RADIOLITES TURBINATA, Lam.	.	.	83
Fig. 2.—	CALCEOLA SANDALINA, Lam.	.	.	84
Fig. 3.—	SPHERULITES JOUANNETII, Desm.	.	.	84
Fig. 4.—	SPHERULITES CRATERIFORMIS, Desm.	.	.	84
Fig. 5.—	HIPPURITES CORNU-PASTORIS, Desm.	.	.	84
Fig. 6.—	GRYPHÆA ARCUATA, Lam.	.	.	85
Fig. 7.—	OSTREA CRISTA-GALLI, Lam.	.	.	85
Fig. 8.—	OSTREA EDULIS, Lam.	.	.	84
Fig. 9.—	PEDUM SONDYLOIDEUM	.	.	86
Fig. 10.—	PECTEN GIBBOSUS, Lam.	.	.	86
Fig. 11.—	LIMA GLACIALIS, Lam.	.	.	86
2nd. Plate 32. Fig. 1.—	CARDITA CALYCULATA, Lam.	.	.	96
Fig. 2.—	Joint of the Shell of CYPRICARDIA GUINAICA, Lam.	.	.	96
Fig. 3.—	CORALLIOPHAGA CARDITOIDES, Bl.	.	.	96
Fig. 4.—	Joint of the Shell of VENERICARDIA SULCATA, Payr.	.	.	96
Fig. 5.—	CRASSATELLA SULCATA, Lam.	.	.	96
Fig. 6.—	TRIDACNA GIGAS, Lam.	.	.	98
Fig. 7.—	HIPPOPUS MACULATUS, Lam.	.	.	98
Fig. 8.—	CHAMA CROCEATA, Lam.	.	.	98
Plate 32. bis. Fig. 1.—	HIPPURITES CORNUCOPENIA, Def.	.	.	84
Fig. 2.—	HIPPURITES BILOCULARIS, Lam.	.	.	84
Fig. 3.—	HIPPURITES SULCATA, Def. Attached to a HIPPURITE BILOCULARIS	.	.	84
2nd Plate 32. bis. Fig. 1.—	MALLEUS VULGARIS, Lam.	.	.	88
Fig. 2.—	PERNA EPHIPPUM, Lam.	.	.	89
Fig. 3.—	CRENATULA AVICULARIS, Lam.	.	.	89
Fig. 4.—	GERVILIA SOLENOIDES, Def.	.	.	89
Fig. 5.—	INOCERAMUS SULCATUS, Cuv.	.	.	90
Fig. 6.—	CATILLUS CUVIERII, Brong.	.	.	90
Fig. 7.—	PULVINITES ADANSONII, Defr.	.	.	90
Fig. 8.—	ETHERIA ELLIPTICA, Lam.	.	.	90
3rd. Plate 32. bis. Fig. 1.—	STRYGOCEPHALA BURTINII, Def.	.	.	117
Fig. 2.—	STROPHOMENA RUGOSA, Rafin.	.	.	117
Fig. 3.—	SPIRIFERA TRIGONALIS, Sow.	.	.	117
Plate 32. ter. Fig. 1.—	SPHERULITES FOLIACIA, Lam.	.	.	84
Fig. 2.—	CALCEOLA HETEROCLITA, Def.	.	.	84
Fig. 3.—	OSTREA MARGARITACEA, Bl.	.	.	84
2nd. Plate 32. ter Fig. 1.—	TEREBRATULA DIGONA, Bl.	.	.	117
Fig. 2.—	TEREBRATULA GLOBOSA, Bl.	.	.	117
Fig. 3.—	TEREBRATULA DIFFORMIS, Bl.	.	.	117

MOLLUSCA.	Vol. III. Page
2nd. Plate 32. ter. Fig. 4.— <i>TEREBRATULA ALATA</i> , Bl.	. . . 117
Fig. 5.— <i>TEREBRATULA RUBRA</i> , Bl.	. . . 117
Fig. 6.— <i>TEREBRATULA CAPUT SERPENTIS</i> , Bl.	. . . 117
Fig. 7.— <i>TEREBRATULA LYRA</i> , Bl.	. . . 117
Fig. 8.— <i>TEREBRATULA CANALIFERA</i> , Bl.	. . . 117
Fig. 9.— <i>SPIRIFERA SOWERBEII</i> , Def.	. . . 117
 Plate 33. Fig. 1.— <i>AVICULA HETEROPTERA</i> , Lam.	. . . 91
Fig. 2.— <i>PINTADINA MARGARITIFERA</i> , Lam.; <i>Mytilus margaritaceous</i> , Lin.	. . . 90
Fig. 3.— <i>PINTADINA MARGARITIFERA</i> , Lam. Taken from a young subject.	. . . 90
Fig. 4.— <i>PINNA ANGUSTANA</i> , Lam.	. . . 91
Fig. 5.— <i>ARCA GRANOSA</i> , Lam.	. . . 92
Fig. 6.— <i>PECTUNCULUS PILOSUS</i> , Lam.	. . . 92
Fig. 7.— <i>NUCULA EMARGINATA</i> , Lam.	. . . 92
Fig. 8.— <i>TRIGONIA PECTINATA</i> , Lam.	. . . 93
 2nd. Plate 33. Fig. 1.— <i>DICERAS ARIETINA</i> , Lam.	. . . 98
Fig. 2.— <i>ISOCARDIA DUSSUMIERII</i> , Val. In the collection of the French Museum	. . . 98
Fig. 3.— <i>CARDIUM FIMBRIATUM</i> , Lam.	. . . 99
Fig. 4.— <i>DONAX HILAIREA</i> , Val. In the collection of the French Museum	. . . 100
Fig. 5.— <i>CYCLAS CORNEA</i> , Lam.	. . . 100
Fig. 6.— <i>CYRENA CEYLANICA</i> , Lam.	. . . 100
Fig. 7.— <i>CYPRINA GIGAS</i> , Lam.	. . . 101
Fig. 8.— <i>GALATHEA RADIATA</i> , Lam.	. . . 101
 Plate 33. bis. Fig. 1.— <i>PINNA NOBILIS</i> , Lin.	. . . 91
Fig. 2.— <i>ARCA NOÆ</i> , Chem.	. . . 92
Fig. 3.— <i>ARCA BARBATA</i> , Chem.	. . . 92
Fig. 4.— <i>ARCA TORTUOSA</i> , Chem.	. . . 92
Fig. 5.— <i>ARCA MARMORATA</i> , Chem.	. . . 92
Fig. 6.— <i>ARCA MYTILOIDEA</i> , Bl.	. . . 92
 Plate 34. Fig. 1.— <i>MYTILUS EDULIS</i> , Lin. (<i>The Common Muscle</i>)	. . . 94
Fig. 2.— <i>MYTILUS BILOCULARIS</i> , Lin.	. . . 94
Fig. 3.— <i>MODIOLUS PAPUENSIS</i> , Bl.	. . . 94
Fig. 4.— <i>LITHODOMUS LITHOPHAGUS</i> , Lin. Cuv.	. . . 94
Fig. 5.— <i>ANODONTA CYGNEA</i> , Lam.	. . . 95
Fig. 6.— <i>UNIO PICTORUM</i> , Lin.	. . . 95
Fig. 7.— <i>UNIO CARIDIACEA</i> , Say	. . . 95
Fig. 8.— <i>HYRIA AVICULARIA</i> , Lam.	. . . 96
Fig. 9.— <i>CASTALIA AMBIGUA</i> , Lam.	. . . 96
 Plate 34. bis. Fig. 1.— <i>DIANCHORA STRIATA</i> , Sow.	. . . 87
Fig. 2.— <i>PLAGIOSTOMA SPINOSA</i> , Bl.	. . . 87
Fig. 3.— <i>PODOPSIS TRUNCATA</i>	. . . 87
Fig. 4.— <i>ORBICULA LÆVIS</i> , Bl.; <i>Patella anomala</i> , Müll.	. . . 118
Fig. 5.— <i>HINNITES CORTESII</i> , Def.	. . . 86
 Plate 35. Fig. 1.— <i>CYPRINA ISLANDICA</i> , Chem.	. . . 101
Fig. 2.— <i>CHAMA GRYPHOIDES</i> , Chem.	. . . 98
Fig. 3.— <i>CHAMA GIGAS</i> , Chem.	. . . 98
Fig. 4.— <i>CARDIUM EDULE</i> , Lin.	. . . 99
Fig. 5.— <i>CARDIUM HEMICARDIUM</i> , Chem.	. . . 99
Fig. 6.— <i>ISOCARDIA COR</i> , Lam.	. . . 98

TABLE OF THE PLATES.

xi

	MOLLUSCA.	Vol.	III.	Page
Plate 35. bis. Fig. 1.— <i>DONAX SCORTUM</i> , Bl.	.	.	.	100
Fig. 2.— <i>DONAX ANATICUM</i> , Bl.	.	.	.	100
Fig. 3.— <i>DONAX BRASILIENSIS</i> , Bl.	.	.	.	100
Fig. 4.— <i>TELLINA RADIATA</i> , Bl.	.	.	.	101
Fig. 5.— <i>TELLINA CORNEA</i> , Lin.	.	.	.	100
Plate 36. Fig. 1.— <i>TELLINA TIMORENSIS</i> , Lam.	.	.	.	102
Fig. 2.— <i>CORBIS FIMBRIATA</i> , Lam.	.	.	.	101
Fig. 3.— <i>CYRENA CEYLONICA</i> , Lam.	.	.	.	100
Fig. 4.— <i>VENUS DECUSSATA</i> , Lam.	.	.	.	103
Fig. 5.— <i>VENUS CORBIS</i> , Lam.	.	.	.	103
Fig. 6.— <i>VENUS PUPERPA</i> , Encyc.	.	.	.	103
Plate 36. bis. Fig. 1.— <i>ANADONTA DIPSAS</i> , Lam. Lacep.	.	.	.	95
Fig. 2.— <i>UNIO SINUATA</i> , Lam.	.	.	.	95
Fig. 3.— <i>CASTALIA AMBIGUA</i> , Lam. For another view, see Pl. 34	.	Pl. 34	96	
Plate 37. Fig. 1.— <i>TELLINA LINGUA-FELIS</i> , Lam.	.	.	.	101
Fig. 2.—Joint of the Shell of <i>CORBIS FIMBRIATA</i> , Lam.	.	.	.	101
Fig. 3.— <i>LORIPES LACTEA</i> , Lam.	.	.	.	102
Fig. 4.— <i>LUCINA JAMAICENSIS</i> , Lam.	.	.	.	102
Fig. 5.— <i>VENUS DIONE</i> , Lin.	.	.	.	103
Fig. 6.—Joint of the Shell of <i>VENUS CHIONE</i> , Lam.	.	.	.	103
Fig. 7.— <i>VENUS DAMONIENSIS</i> , Lam.	.	.	.	103
Fig. 8.— <i>VENUS EXOLETA</i> , Lam.	.	.	.	103
Fig. 9.—Joint of the Shell of <i>CAPSIA BRASILIENSIS</i> , Lam.	.	.	.	104
Fig. 10.— <i>PETRICOLA LUCINALIS</i> , Lam.	.	.	.	104
Fig. 11.—Joint of the Shell of <i>CORBULA AUSTRALIS</i> , Lam.	.	.	.	104
Fig. 12.— <i>MACTRA BRASILIANA</i> , Lam.	.	.	.	104
Plate 37. bis. Fig. 1.— <i>VENUS CHIONE</i> , Lin.	.	.	.	103
Figs. 2, 3, 4, 5.—Various positions of the Shell of <i>VENUS CHIONE</i>	.			103
Plate 37. ter. Fig. 1.— <i>VENUS LÆTA</i> , Lam.	.	.	.	103
Fig. 2.— <i>VENUS TIGERRINA</i> , Lam.	.	.	.	104
Fig. 3.— <i>VENUS PECTINATA</i> , Lam.	.	.	.	104
Fig. 4.— <i>VENUS GRANULATA</i> , Lam.	.	.	.	104
Fig. 5.— <i>VENUS FLEXUOSA</i> , Lam.	.	.	.	104
Fig. 6.— <i>VENUS CASINA</i> , Chem.	.	.	.	104
Plate 38. Fig. 1.— <i>MYA TRUNCATA</i> , Lam.	.	.	.	106
Fig. 2.— <i>LUTRARIA ELLIPTICA</i> , Lam.	.	.	.	106
Fig. 3.— <i>ANATINA HISPIDULA</i>	.	.	.	106
Fig. 4.— <i>GLYCIMERIS SILIQUA</i> , Lin. Taken from an unpublished drawing by M. Audouin	.	.	.	106
Fig. 5.—Joint of the Shell of <i>PANOPÆA ALDROVANDI</i> , Lam.	.	.	.	107
Fig. 6.— <i>BYSSOMIA PHOLADIS</i> , Mull.	.	.	.	107
Fig. 7.— <i>HIALELLA ARCTICA</i> , Fab. Bosc.	.	.	.	107
Fig. 8.— <i>SOLEN VAGINA</i> , Lam.	.	.	.	108
Fig. 9.— <i>SANGUINOLARIA LIVIDA</i> , Lam.	.	.	.	108
Fig. 10.— <i>PSAMMOTHEA CANDIDA</i> , Lam.	.	.	.	108
Plate 39. Fig. 1.— <i>SOLEN CULTELLUS</i> , Chem.	.	.	.	108
Fig. 2.— <i>SOLEN STRIGILATUS</i> , Chem.	.	.	.	108
Fig. 3.— <i>SOLEN LEGUMEN</i> , Chem.	.	.	.	108
Fig. 4.— <i>PSAMMOBIA VIRGATA</i> , Lam.	.	.	.	108
Fig. 5.— <i>PSAMMOTHEA VIOLACEA</i> , Lam.	.	.	.	108
Fig. 6.— <i>PHOLAS COSTATA</i> , Lin.	.	.	.	109
Fig. 7.— <i>PHOLAS CRISPATA</i> , Lin	.	.	.	109

	MOLLUSCA.	Vol. III.	Page
Plate 40.	Fig. 1.— <i>SANGUINOLARIA RUGOSA</i>		108
	Fig. 2.— <i>SANGUINOLARIA OCCIDENTIS</i> , Lam.		108
	Fig. 3.— <i>SOLEMYA AUSTRALIS</i> , Lam.		106
	Fig. 4.— <i>GLYCIMERA INCRASSATA</i> , Chem. Lam.		106
	Fig. 5.— <i>ASPERGILLUM JAVANUM</i> , Chem.		111
	Fig. 6.— <i>FISTULANA CORNIFORMIS</i> , Lam.		110
	Fig. 7.— <i>CLAVAGELLA TIBIALIS</i> , Lam.		110
	Fig. 8.— <i>TEREDO PALMULATUS</i> , Lam.		109
	Fig. 9.— <i>GASTROCHÆNA CLAVA</i>		110
Plate 41.	Fig. 1.— <i>PHOLAS STRIATA</i> , Lam.		109
	Fig. 2.— <i>TEREDO NAVALIS</i> , Lin.		109
	Fig. 3.— <i>FISTULANA GREGATA</i> , Lam.		110
	Fig. 4.— <i>GASTROCHÆNA CUNEIFORMIS</i> , Lam.		110
	Fig. 5.— <i>TEREDINA PERSONATA</i> , Lam.		110
	Fig. 6.— <i>CLAVAGELLA CORONATA</i> , Desh.		110
	Fig. 7.— <i>ASPERGILLUM VAGINIFERUM</i> , Lam. Sav.; Arrosoir à Manchettes, Savigny's Egypt.		111
Plate 42.	Fig. 1.— <i>THALIA CRISTATA</i> , Cuv.		112
	Fig. 2.— <i>SALPA SCUTIGERA</i> , Cuv.		113
	Fig. 3.— <i>SALPA INFUNDIBULIFORMIS</i> , Quoy and Gaym.		113
	Fig. 4.— <i>SALPA TRICUSPIS</i> , Quoy and Gaym.		113
	Fig. 5.— <i>SALPA LONGICAUDA</i> , Quoy and Gaym.		113
	Fig. 6.— <i>SALPA FUSIFORMIS</i> , Cuv.		113
	Fig. 7.— <i>SALPA ZONARIA</i> , Bl.		113
	Fig. 8.— <i>SALPA CYLINDRICA</i> , Cuv.		113
	Fig. 9.— <i>SALPA PYRAMIDALIS</i> , Quoy and Gaym.		113
	Fig. 10.— <i>BOLTENIA OVIFERA</i> , Sav.		114
	Fig. 11.— <i>CYNTHIA MOMUS</i> , Sav.		114
	Fig. 12.— <i>PHALLUSIA NIGRA</i> , Sav.		114
	Fig. 13.— <i>CLAVELLINA BOREALIS</i> , Sav.		114
Plate 43.	Fig. 1.— <i>BOTRYLLUS POLYCYCLUS</i> , Sav.		114
	Fig. 2.— <i>PYROSOMA RUFUM</i> , Quoy and Gaym.		115
	Fig. 3.—Details of the <i>PYROSOMA GIGANTEUM</i> , Les.		115
	Fig. 4.— <i>POLYCLINUM CONSTELLATUM</i> , Sav.		115
	Fig. 5.— <i>EUCÆLIUM HOSPITIOLUM</i> , Sav.		115
	Fig. 6.— <i>APLIDIUM LOBATUM</i> , Sav.		115
2nd. Plate 43.	Fig. 1.— <i>ANATIFA LÆVIS</i> , Lam.		119
	Fig. 2.— <i>POLLICIPES CORNUCOPIA</i> , Lam.		120
	Fig. 3.— <i>POLLICIPES MITELLA</i> , Lam.		120
	Fig. 4.— <i>POLLICIPES SCALPELLUM</i> , Lam.		120
	Fig. 5.— <i>CINERAS VITTATA</i> , Leach.		120
	Fig. 6.— <i>OTION CUVIERII</i> , Leach.		120
	Fig. 7.— <i>TETRALEMIS HIRSUTUS</i> , Cuv.		120
	Fig. 8.— <i>TRITON ALEPSIS</i> , Rang.; <i>T. fasciculatus</i> , Lesson.		120
Plate 43. ter.	Fig. 1.— <i>ASCIDIA MICROSCOMUS</i>		113
	Fig. 2.— <i>ASCIDIA INTESTINALIS</i> , Bohatsch		114
	Fig. 3.— <i>DISTOMA VARIOLATUS</i>		115
	Fig. 4.— <i>BOTRYLLA STELLATUS</i> , Desm.		115
	Fig. 5.— <i>SYNOICUM FIGUS</i> , Ellis.		116
	Fig. 6.— <i>SYNOICUM TURGENS</i> , Desm.		116
	Fig. 7.— <i>SALPA POLOMORPHA</i> , Quoy and Gaym.		116
	Fig. 8.— <i>SALPA FIROLOIDEA</i>		116
	Fig. 9.— <i>SALPA BICORNIS</i> , Chem.		116

MOLLUSCA.

	Vol. III.	Page
Plate 44. Fig. 1.— <i>LINGULA ANATINA</i> , Cuv.	.	116
Fig. 2.— <i>TEREBRATULA GAUDICHAUDII</i> , Val. Col. Mus.	.	117
Fig. 3.— <i>SPIRIFER TRIGONALIS</i> , Sow.	.	117
Fig. 4.— <i>ORBICULA LÆVIGATA</i> , Bl.; <i>Patella anomala</i> , Müll. For another view see Pl. 34. bis. fig. 4.	.	118
Fig. 5.— <i>CRANIA PERSONATA</i> , Lam.	.	118
2nd. Plate 44. Fig. 1.— <i>BALANUS OVULARIS</i> , Lam.	.	120
Fig. 2.—Animal of the <i>BALANUS SULCATUS</i> , Lam.	.	120
Fig. 3.— <i>ACASTA SPINOSULA</i> , Desh.	.	120
Fig. 4.— <i>ACASTA MONTAGUII</i> , Leach.	.	121
Fig. 5.— <i>CONIA RADIATA</i> , Bl.	.	121
Fig. 6.— <i>ASEMUS POROSUS</i> ; <i>Lepas porosus</i> , Gm. Cuv.	.	121
Fig. 7.— <i>PYRGOMA CANCELLATA</i> , Leach.	.	121
Fig. 8.—The same from a drawing by M. Savigny	.	121
Fig. 9.— <i>CREUSIA SPINOSULA</i> , Leach.	.	121
Fig. 10.— <i>CHTHAMALUS STELLATUS</i> , Poli.	.	121
Fig. 11.—The same from a drawing by Blainville	.	121
Fig. 12.— <i>OCHTHOSIA STRÆMII</i> , Ranz.	.	121
Fig. 13.— <i>CORONULA BOLÆNARIS</i> , Lam.	.	121
Fig. 14.— <i>TUBICINELLA BALÆNARUM</i> , Lam.	.	121
Fig. 15.— <i>DIADEMA</i> , Ranz.; <i>Coronula diadema</i> , Lam.	.	122

Plate 44. ter. Fig. 1.— <i>BALANUS SPINOSUS</i>	.	121
Fig. 2.— <i>BALANUS GIGAS</i>	.	121
Fig. 3.— <i>BALANUS SPONGITES</i> ; <i>Acasta Montagui</i> , Leach.	.	121
Fig. 4.— <i>CORONULA TESTUDINARIA</i> , Chem.	.	121
Fig. 5.— <i>CORONULA BALANARUM</i> , Chemn.	.	121
Fig. 6.— <i>PENTALEPAS LÆVIS</i> , Bl.	.	121
Fig. 7.— <i>PENTALEPAS POLLICIPES</i> , Bl.	.	120
Fig. 8.— <i>POLYLEPAS VULGARIS</i> , Bl.	.	120
Fig. 9.— <i>LYTHOTRIAS SOWERBEII</i>	.	120



ANNELIDES.

ANNELIDES.

Vol. III. Page

Plate 1. Fig. 1.— <i>SERPULA CONTORTUPPLICATA</i> , Cuv.	.	128
Fig. 2.— <i>SERPULA COSTALIS</i> , Lam.; <i>Serpula vermicularis</i> , Gm.	.	128
Fig. 3.—The Operculum of <i>SERPULA STELLATA</i> , Cuv. Abildg.	.	129
Fig. 4.—The Operculum of <i>SERPULA BICORNIS</i> , Cuv. Abildg.	.	129
Fig. 5.— <i>SABELLA PROTULA</i> , Cuv.	.	129
Fig. 6.— <i>SPIORBIS NAUTILOIDES</i> , Lam.; <i>Serpula spirillum</i> , Pall.	.	129

Plate 2. Fig. 1.— <i>TEREBELLA VARIABILIS</i> , Risso	.	131
Fig. 2.— <i>TEREBELLA MEDUSA</i> , Sav.	.	130
Fig. 3.— <i>AMPHITRITE ÆGYPTIA</i> , Cuv. Sav.	.	132

Plate 3. Fig. 1.— <i>DENTALIUM ENTALIS</i> , Lin.	.	133
Fig. 2.— <i>SIPHOSTOMA DIPLOCHAITOS</i> , Otto	.	132
Fig. 3.—Anatomical details of the <i>SIPHOSTOMA UNCIATA</i> , Aud. & Ed.	132	

Plate 4. Fig. 5.— <i>ARENICOLA PISCATORUM</i> , Cuv.	.	133
Fig. 2.— <i>PLEYONE ALCYONIA</i> , Sav.	.	134

Plate 4. bis. Fig. 1.— <i>EUPHROSINE LAUREATA</i> , Sav. Cuv.	.	134
Fig. 2.—Branchiae of the <i>EUPHROSINE MIRTOSA</i> , Sav.	.	134
Fig. 3.— <i>HIPPONOE GAUDICHAUDII</i> , Aud. Cuv.	.	134

	ANNELEIDES.	Vol. III. Page
Plate 5. Fig. 1.— <i>EUNICE ANTENNATA</i> , Sav.; Leodice, Sav.	.	134
Fig. 2.— <i>EUNICE SANGUINEA</i> , Laur.	.	135
Fig. 3.— <i>EUNICE TUBICOLA</i> , Muller	.	135
Plate 6. Fig. 1.— <i>CENONE LUCIDA</i> , Sav.	.	135
Fig. 2.— <i>AGLAURA FULGIDA</i> , Sav.	.	135
Plate 7. Fig. 1.— <i>NEREIS NUNTIA</i> , Sav. With Anatomical details.	.	135
Plate 8. Fig. 1.— <i>SYLLIS MONILARIS</i> , Sav.	.	137
Fig. 2.— <i>LUMBRINERA ORBIGNYI</i> , Ed.; <i>Lumbricus fragilis</i> , Mull.	.	137
Fig. 3.— <i>HESIONE SPLENDIDA</i> , Sav.	.	138
Plate 9. Fig. 1.— <i>APHRODITA ACULEATA</i> , Baster, Lin.	.	139
Fig. 2.—Anatomical details of the <i>APHRODITA HISTRIX</i> , Sav.	.	139
Fig. 3.— <i>POLYNOE IMPATIENS</i> , Sav.	.	139
Fig. 4.— <i>POLYNOE LAEVIS</i> , Ed.	.	139
Plate 10. Fig. 1.— <i>CLYMENE AMPHISTOMA</i> , Sav.	.	142
Fig. 2.— <i>SANGUISUGA OFFICINALIS</i> , Sav.	.	142
Fig. 3.— <i>SANGUISUGA MEDICINALIS</i> , Lin. (<i>The Common Leach</i>)	.	143
Fig. 4.— <i>BDELLA NILOTICA</i> , Sav.	.	144
Fig. 5.—Mouth of the <i>HÆMOPIS SANGUISORBA</i> , Lin. (<i>The Horse-Leach</i>)	.	144



CRUSTACEA.

	CRUSTACEA.	Vol. III. Page
Plate I. Fig. 1.—Shell of the <i>CANCER MENAS</i> , Lin. a, a.—Region of the Stomach. b.—Genital region. c.—Region of the Heart. d.—Region of the posterior Hepatic. e, e.—Region of the Branchiæ. f, f.—Region of the anterior Hepatic	.	157
Fig. 2.—Interior of <i>CANCER MENAS</i> , Lin. a, a, a, a.—Stomach. b, b.—Organs of Generation. c.—Heart. d, d.—Branchiae. e, f, f.—Liver.	.	157
Fig. 3.— <i>The Crab-Fish</i> . a.—Region of the Stomach. b.—Genital region. c.—Region of the Heart. d.—Region of the posterior Hepatic. e, e.—Region of the Branchiæ	.	157
Fig. 4.—Interior of <i>The Crab-Fish</i> . a, a.—Stomach. b.—Organs of Generation. c.—Heart. d, d, d.—Liver. e, e.—Branchiae	.	157
Plate 2. Fig. 1.— <i>MUTATA PERONII</i> , Leach	.	163
Fig. 2.— <i>ORYTHIA MAMILLARIS</i> , Fab.	.	163
Fig. 3.— <i>PODOPHTALMUS VIGIL</i> , Latr. Fab.	.	164
Fig. 4.— <i>THALAMITES ADMETE</i> , Latr.	.	164
Plate 3. Fig. 1.— <i>MUTATA VICTOR</i> , Fab.	.	163
Fig. 2.— <i>CANCER HASTATA</i> , Herbst.	.	165
Fig. 3.— <i>POLYBIUS HENSLOWII</i> , Leach	.	163
Plate 4. Fig. 1.— <i>CANCER PUBER</i> , Lin.	.	165
Fig. 2.— <i>PORTUNUS MARMOREUS</i> , Leach	.	165
Fig. 3.— <i>PORTUNUS VARIEGATUS</i> , Leach	.	165
Plate 5. Fig. 1.— <i>CANCER PAGURUS</i> , Lin.	.	167
Fig. 2.— <i>XANTHA FLORIDUS</i> , Leach	.	167

CRUSTACEA.	Vol. III.	Page
Plate 6. Fig. 1.— <i>ATELECYCLUS SEPTEMDENTATUS</i> , Leach		168
Fig. 2.— <i>CANCER RURICOLA</i> , Lin.		176
Plate 7. Fig. 1.— <i>HEPATUS FASCIATUS</i> , Latr.		169
Fig. 2.— <i>MURSIA CRISTATA</i> , Des.		168
Fig. 3.— <i>OCTOPODE CERATHOPHTHALMUS</i> , Fab.		173
Fig. 4.— <i>PIRIMELA DENTICULATA</i> , Leach		167
Fig. 5.— <i>PILUMNUS HIRTELLUS</i> , Leach.		170
Plate 8. Fig. 1.— <i>CANCER RHUMPHII</i> , Latr.		167
Fig. 2.— <i>ATELECYCLUS CRUENTATUS</i> , Desm.		168
Fig. 3.— <i>THIA POLITA</i> , Leach		168
Plate 9. Fig. 1.— <i>MACROPHALMUS PARVIMANUS</i> , Latr.		172
Fig. 2.— <i>GONOPLAX RHOMBOIDES</i> , Lin.		171
Fig. 3.— <i>GELASIMUS CHLOROPHTHALMUS</i> , Latr.		173
Fig. 4.— <i>MICTYRIS LONGICARPIUS</i> , Latr.		174
Fig. 5.—Anatomical details of <i>MICTYRIS SULCATUS</i> , Aud.		174
Fig. 6.— <i>PINNOTHERES VILLOSULUS</i> , Guer.		174
Plate 10. Fig. 1.— <i>ERIPHIA LÆVIMANA</i> , Latr.		169
Fig. 2.— <i>PILUMNUS ACULEATUS</i> , Edw.		170
Fig. 3.— <i>THELPHUSA INDICA</i> , Latr.		170
Fig. 4.—Fore-part of <i>THELPHUSA FLUVIATILIS</i> , Latr.		170
Plate 11. Fig. 1.— <i>CANCER RHOMBOIDES</i> , Lin.		171
Fig. 2.— <i>GELASIMUS MARIONIS</i> , Cuv.		172
Fig. 3.— <i>PLAGUSIA CLAVIMANA</i> , Latr.		176
Plate 12. Fig. 1.— <i>THELPHUSA FLUVIATILIS</i> , Latr.		170
Fig. 2.—View of the Female <i>THELPHUSA FLUVIATILIS</i> with its tail spread out. <i>a, b, c, d, e</i> .—Sternal pieces. <i>f, g, h, i</i> .— Latero-sternal pieces. <i>k, k</i> .—Vulva. <i>l, l, l, l, l, l, l, l</i> .— False feet.		170
Fig. 3.—The right external foot jaw. <i>A</i> .—Its internal trunk. <i>a, b</i> , <i>c, d, e, f</i> .—Its various articulations. <i>B</i> .—Its flabelli- form palpi.		170
Fig. 4.—Shell plate of the Male with the organs of generation.		170
Fig. 5.—Foot jaw of the second pair.		170
Fig. 6.—Foot jaw of the third pair, with its Palpi		170
Fig. 7.—Foot jaw of the fourth pair, with its Palpi		170
Plate 13. Fig. 1.— <i>GRAPSUS PICTUS</i> , Lam.		177
Fig. 2.— <i>MAIA SQUINADO</i> , Herbst.		179
Plate 14. Fig. 1.— <i>GRAPSUS VARIEGATUS</i> , or Varius, Latr. (<i>The Variegated Crab-Fish</i>)		177
Fig. 2.—The anatomical peculiarities of the Crab-fish <i>PLAGUSIA</i>		176
Fig. 3.— <i>CORYSTES PERSONATIS</i> , Herbst. (<i>The Masked Crab</i>)		177
Fig. 4.— <i>LEUCOSIA URANIA</i> , Herbst. (<i>The Crab Leucosia</i>)		177
Plate 15. Fig. 1.— <i>CAMPOSCIA RETUJA</i> , Latr.		182
Fig. 2.— <i>HALIMUS ARIES</i> , Latr.		182
Fig. 3.— <i>LIBINIA SPINOSA</i> , Ed.		183
Plate 16. Fig. 1.— <i>EGERIA INDICA</i> , Leach		183
Fig. 2.— <i>PISA TETRAODON</i> , Leach		181
Plate 17. Fig. 1.— <i>INACHUS SCORPIO</i> , Fab.		184

	CRUSTACEA.	Vol. III. Page
Plate 17.	Fig. 2.— <i>INACHUS DORHYNCHUS</i> , Leach. Fig. 3.— <i>HYMENOSOMA ORBICULARIS</i> , Latr.	184 184
Plate 18.	Fig. 1.— <i>HOMOLA SPINIFRONS</i> Fig. 2.— <i>DORIPPE NODULOSA</i>	187 188
Plate 19.	Fig. 1.— <i>GRAPSUS PENICILLIGER</i> , Cuv. G. porte-pinceau, Cuv. (<i>The Hairy-fingered Crab</i>) Fig. 2.— <i>REMIPES TESTUDINARIUS</i> , Cuv. (<i>The Australian Crab</i>) Fig. 3.— <i>PAGURUS LATICAUDA</i> , Cuv. (<i>The Mauritius Broad-tailed Crab</i>)	177 192 193
Plate 20.	Fig. 5.— <i>GECARCINUS LATERALIS</i> , Frem. Fig. 2.—Mouth of the <i>CARDISOMA CARNIFEX</i> Fig. 3.— <i>UCA UNA</i> , Latr.; <i>Cancer uca</i> , Lin.	176 175 176
Plate 21.	Fig. 1.— <i>HOMOLA SPINIFRONS</i> , Leach Fig. 2.— <i>PACTOLUS BOSCII</i> , Leach Fig. 3.— <i>RANINA DORSIPES</i> , Lam.	187 185 189
Plate 22.	Fig. 1.— <i>ALBUNEA SYMNISTA</i> , Fab. Fig. 2.— <i>HIPPA EMERITA</i> , Fab. Fig. 3.— <i>REMIPES TESTUDINARIUS</i> (<i>The Brazilian Crab</i>). This drawing was taken from a specimen obtained from the coast of Brazil.	191 192 192
Plate 23.	Fig. 1.— <i>PARTHENOPE HORRIDA</i> , Fab. Fig. 2.—An outline figure of the <i>LAMBRUS MASSENA</i> , Roux. Fig. 3.—Anatomy of the <i>LAMBRUS MEDITERRANEUS</i> , Roux. Fig. 4.— <i>EURYNOME ASPERA</i> , Leach Fig. 5.— <i>MITHRAX SPININCTUS</i> , Latr. Young specimen.	180 180 180 180 180
Plate 24.	Fig. 1.— <i>ACANTHONYX LUNULATUS</i> , Latr.; <i>Libinia lunulata</i> , Desm. Fig. 2.— <i>PISA SERPULIFERA</i> , Ed. Fig. 3.— <i>PERICERA TRISPINOSA</i> , Ed.	181 181 181
Plate 24. bis.	Fig. 1.— <i>MICIPPE PHYLIRA</i> , Leach, Latr. Fig. 2.—Anatomical details of the <i>MICIPPE CRISTATA</i> , Leach, Latr. Fig. 3.— <i>STENOCIONOPS CERVICORNIS</i> , Leach Latr.	182 182 182
Plate 25.	Fig. 1.— <i>LITHODES ARCTICA</i> , Lin. Fig. 2.— <i>CALAPPA TUBERCULOSA</i> , Latr. Fab. Fig. 3.— <i>AETHRA DEPRESSA</i> , Lam.	186 186 187
Plate 25. bis.	Fig. 1.— <i>DROMIA NODIPES</i> (<i>The Death's-Head Crab</i>) Fig. 2.— <i>DRYNOMENE HISPIDA</i> , Desm. Fig. 3.— <i>RANINA SERRATA</i>	188 188 189
Plate 26.	Fig. 1.— <i>HYMENOSOMA LEACHII</i> , Guer. Fig. 2.— <i>INACHUS THORACICUS</i> , Roux. Fig. 3.— <i>LEPTOPUS LONGIPES</i> , Latr.; <i>Maia longipes</i> .	184 184 184
Plate 27.	Fig. 1.— <i>EURYPODIUS LATREILLII</i> , Cuv. Fig. 2.— <i>STENORMYNCHUS PHALANGIUM</i> , Leach Fig. 3.—Anatomical details of the <i>STENORMYNCHUS TENUIROSTRIS</i> , Leach Fig. 4.— <i>LEPTOPODIA SAGITTARIA</i> , Fab.	185 185 185 185
Plate 27. bis.	Fig. 1.— <i>LEUCOSIA CRANIOLARIS</i> , Fab.	178

CRUSTACEA.	Vol. III. Page
Plate 27. bis. Fig. 2.— <i>MYRA FUGAX</i> , Desm.	178
Fig. 3.— <i>EBALIA PENNANTII</i> , Leach	178
Fig. 4.— <i>IXIA CANALICULATA</i> , Leach	178
Fig. 5.— <i>ARCANIA ERINACEUS</i> , Leach	178
Fig. 6.— <i>ILIA NUCLEUS</i> , Leach	178
Plate 28. Fig. 1.— <i>DROMIA HIRSUTISSIMA</i> , Lam. Desm.	188
Fig. 2.— <i>IBACUS PERONII</i> , Leach	195
Plate 28. bis. Fig. 1.— <i>PALINURUS QUADRICORNIS</i> , Fab.	196
Plate 29. Fig. 1.— <i>BIRGUS LATRO</i> , Latr.; <i>Cancer latro</i> , Lin.	193
Fig. 2.— <i>PAGURUS GUTTATUS</i> , Oliv.	194
Fig. 3.—Antennæ of the <i>PAGURUS CLYPEATUS</i> , Oliv.; (genera <i>Cœnobita</i> Latr.)	193
Plate 29. bis. Fig. 1.— <i>SCYLLARUS LATUS</i> , Latr.	195
Fig. 2.— <i>PALINURUS RICORDI</i> , Guer.	196
Fig. 3.— <i>SCYLLARUS ORIENTALUS</i> , Fab.	195
Plate 30. Fig. 1.— <i>GALATHEA STRIGOSA</i> , Fab.	197
Fig. 2.— <i>CANCER PLATYCHELES</i> , Penn.	198
Fig. 3.— <i>ÆGLEA LÆVIS</i> , Leach	198
Plate 31. Fig. 1.— <i>THALASSINA SCORPIONIDES</i> , Latr.	200
Fig. 2.— <i>GEORIA STELLATA</i> , Leach	199
Fig. 3.— <i>MEGALOPUS MUTICA</i> , Desm.	199
Plate 31. bis. Fig. 1.— <i>CANCER GAMMARUS</i> , Lin. (<i>The Common Lobster</i>)	201
Fig. 2.— <i>ATIA SCABRA</i> , Leach	204
Fig. 3.— <i>PORCELLANA PUNCTATA</i> , Guer.	198
Fig. 4.— <i>AXIUS STYRHYNCHUS</i> , Leach	200
Plate 31. ter. Fig. 1.— <i>LYSMATA SETICAUDA</i> , Risso	208
Fig. 2.— <i>PONTONIA CUSTOS</i> , Guer. Forsk.	206
Fig. 3.— <i>ALPHEUS EDWARDSII</i> , Aud.	206
Fig. 4.— <i>HYPPOLINE LEACHII</i> , Guer.	206
2 nd . Plate 31. ter. Fig. 1.— <i>SQUILLA MANTIS</i> , Fab.	213
Fig. 2.— <i>ALIMA HYALINA</i> , Leach	214
Fig. 3.— <i>ERICTHUS VITREOUS</i> , Latr.	214
Fig. 4.— <i>ERICTHUS ARMATUS</i> , Latr.	214
Fig. 5.— <i>PHYLOSSOMA CLAVICORNA</i> , Leach	215
Fig. 6.— <i>PHYLOSSOMA LATCORNIA</i> , Leach	215
Fig. 7.— <i>JASSA PELAGICA</i> , Leach	222
Fig. 8.— <i>CERAPHUS TUBULARIS</i> , Th. Say	222
Fig. 9.— <i>PRANIZA MACULATA</i> , West	224
Plate 32. Fig. 1.— <i>PALÆMON SQUILLA</i> , Lin. (<i>The Common Prawn</i>)	208
Fig. 2.— <i>ATHANAS NITESCENS</i> , Leach	208
Fig. 3.— <i>PASIPHÆA SIVADO</i> , Risso	208
Plate 32. bis. Fig. 1.— <i>HIPPOLYTE SOWBREÆI</i> , Leach	206
Fig. 2.— <i>HIPPOLYTE VARIANS</i> , Leach	206
Fig. 3.— <i>NIKA CANALICULA</i> , Cuv.	205
Fig. 4.— <i>PANDALUS ANNULICORNIS</i> , Leach	206
Fig. 5.— <i>EGEON LORICATUS</i> , Risso	205
Plate 32. ter. Fig. 1.— <i>PENÆUS TRISULCATUS</i> , Leach	203

	CRUSTACEA.	Vol. III. Page
Plate 32. ter. Fig. 2.— <i>PALÆMON SERRATUS</i> , Leach		207
Fig. 3.— <i>NIBALIA HERBSTII</i> , Leach		241
Fig. 4.— <i>MYIS FABRICII</i> , Leach		208
Fig. 5.— <i>CRANGON VULGARIS</i> , Fab. (<i>The Common Shrimp</i>)		205
Plate 33. Fig. 1.— <i>NEPHROPS NORWEGICUS</i> , Lin.		201
Fig. 2.— <i>ASTACUS FLUVIATILIS</i> , Fab.		202
Fig. 3.— <i>ERYON CUVIERII</i> , Desm.		201
Fig. 4.— <i>CALLIANASSA SUBTERRANEA</i> , Leach		200
Plate 33. bis. Fig. 1.— <i>SQUILLA SCABRICAUDA</i> , Lam.		213
Fig. 2.— <i>SQUILLA CHIRAGRA</i> , Fab.		213
Plate 33. ter. Fig. 1.— <i>SQUILLA SCABRICAUDA</i> Lam. (underneath view). <i>a, a.</i> —Intermediary antennæ. <i>b, b.</i> —External antennæ. <i>c, c.</i> —Eyes. <i>d, d.</i> —First pair of Foot jaws. <i>e, e.</i> —Second pair of Foot jaws, or pincers. <i>f, f.</i> <i>g, g, h, h.</i> —Third, fourth, and fifth pair of Foot jaws. <i>i, i.</i> —Mandibulary palpi. <i>j.</i> —Shell. <i>k, k,</i> <i>l, l, m, m.</i> —Feet, properly so called. <i>n, n</i> —An appendage peculiar to the male. <i>o.</i> —Last seg- ment of the body. <i>p, p.</i> —Lateral fins. <i>q, q.</i> — Fin-feet.		213
Fig. 2.— <i>ATYA SCABRA</i> , Leach		204
Fig. 3.— <i>PROCESSA EDULIS</i> , Risso		205
Plate 34. Fig. 1.— <i>SQUILLA STYLIFERA</i> , Latr.		213
Fig. 2.— <i>CORONIS SCOLOPENDRA</i> , Latr.		214
Fig. 3.— <i>ERICTHUS DUVAUCELLII</i> , Guer.		214
Fig. 4.— <i>ALIMA LONGIROSTRIS</i> , Guer.		214
Fig. 5.—Anatomical details of <i>ALIMA TETRACANTHURA</i> , Latr.		214
Plate 34. bis. Fig. 1.— <i>CAPRELLA TUBERCULATA</i> , Guer.		226
Fig. 2.— <i>CAPRELLA LOBATA</i> , Latr.		226
Fig. 3.— <i>CYAMUS OVALIS</i> , Latr.		226
Fig. 4.— <i>PTERYGOCERA ARENARIA</i> , Latr.		223
Fig. 5.— <i>ANCEUS FORFICULARIS</i> , Risso		224
Fig. 6.— <i>TYPHIS FERUS</i> , Ed.		224
Fig. 7.— <i>COROPHIUM LONGICORNIS</i> , Latr. For an outline fig. of the same, see Pl. 35.		222
Fig. 8.— <i>TYPHIS FERUS</i> , Ed. A young individual.		224
Plate 35. Fig. 1.— <i>PHRONIMA SEDENTARIUS</i> , Latr.		218
Fig. 2.— <i>TALIORUS LOCUSTA</i> , Latr.		220
Fig. 3.— <i>ORCHESTIA LITTOREA</i> , Leach		220
Fig. 4.— <i>ATYLOUS CARINATUS</i> , Leach		220
Fig. 5.— <i>LEUCOTHOE ARTICULOSUS</i> , Leach		222
Fig. 6.— <i>DEXAMINE SPINOSUS</i> , Leach		221
Fig. 7.— <i>MELITA PALMATA</i> , Leach		221
Fig. 8.— <i>CANCER PULEX</i> , Lin.		221
Fig. 9.— <i>AMPHITHOE RUBRICATA</i> , Leach		221
Fig. 10.— <i>PERUSA FUCICOLA</i> , Leach		221
Fig. 11.— <i>CEROPHIUM LONGICORNIS</i> , Latr.		222
Fig. 12.— <i>CERAPUS TUBULARIS</i> , Say		222
Plate 35. bis. Fig. 1.— <i>PHYLLOSOMA COMMUNE</i> , Leach		215
Fig. 2.— <i>PHYLLOSOMA REYNAUDII</i> , Guer.		215
Fig. 3.—Anatomical details of the <i>PHYLLOSOMA BREVICORNE</i> , Leach		215

	CRUSTACEA.	Vol. III. Page
Plate 35. bis. Fig. 4.—	<i>PHRONIMA ATLANTICA</i> , Guer.	218
Fig. 5.—	<i>HYPERRIA LATREILLII</i> , Ed.	218
Fig. 6.—	<i>HYPERRIA PEDESTRIS</i> , Guer.	218
Fig. 7.—	<i>THEMISTO GAUDICHAUDII</i> , Guer.	218
Plate 35. ter. Figs. 1, 2.—	<i>IONE THORACICA</i> , Mont.	219
Fig. 3.—	<i>ORCHESTIA FISCHERII</i> , Ed.	220
Fig. 4.—	Mandible of the <i>ORCHESTIA</i>	220
Fig. 5.—	<i>TALITRUS PLATYCHELES</i> , Guer.	220
Fig. 6.—	<i>GAMMARUS LOCUSTA</i> , Latr.	221
Fig. 7.—	<i>LEUCOTHOE FURINA</i> , Sav.	221
Fig. 8.—	<i>AMPHITOE FILOSA</i> , Sav.	221
Plate 36. Fig. 1.—	<i>GAMMARUS PEDATUS</i> , Müll.	220
Fig. 2.—	<i>CYAMUS CETI</i> , Latr.; <i>Oniscus ceti</i> , Lin.	226
Fig. 3.—	<i>ONISCUS CÆRULATUS</i> , Mont.	224
Fig. 4.—	<i>APSEUDES TALPA</i> , Leach	223
Fig. 5.—	<i>IDOTEA TRICUSPIDATA</i> , Latr.	233
Fig. 6.—	<i>STENOSOMA LINEARIS</i> , Leach	233
Fig. 7.—	<i>ANTHURA GRACILIS</i> , Leach	232
Fig. 8.—	<i>NÆSA BIDENTATA</i> , Leach	232
Fig. 9.—	<i>ONISCUS SERRATUS</i> , Fab.	232
Figs. 10, 11.—	<i>ÆGA ÆMARGINATA</i> , Leach	230
Plate 36. bis. Fig. 1.—	<i>CYMOPODIA TRIGONOCEPHALA</i> , Leach	229
Fig. 2.—	<i>ICHTHYOPHILUS ORBIGNYI</i> , Guer.	229
Fig. 3.—	<i>CANOLIRA ÆGYPTIACA</i> , Guer.	229
Fig. 4.—	<i>CYAMUS DELPHINII</i> , Guer.	226
Plate 37. Figs. 1, 2.—	<i>CYMOPODIA ÆSTRUM</i> , Fab.	229
Fig. 3.—	<i>ANILOCRA CAPENSIS</i> , Leach	229
Fig. 4.—	<i>NELOCIRA SWAINSONI</i> , Leach	230
Fig. 5.—	<i>CILICÆA LATREILLII</i> , Leach	232
Fig. 6.—	<i>CYMOPODIA LAMARCKII</i> , Leach	232
Figs. 7, 8.—	<i>IDOTEA AQUATICA</i> , Fab.	234
Plate 38. Figs. 1, 2.—	<i>LIGIA OCEANICA</i> , Fab.	235
Fig. 3.—	<i>ONISCUS ASELLUS</i> , Lin.	236
Figs. 4, 5.—	<i>ARMADILLO PUSTULATUS</i> , Dumeril	236
Fig. 6.—	<i>BOPYRUS SQUILLARUM</i> , Latr. (female)	228
Fig. 7.—	Back view of <i>BOPYRUS SQUILLARUM</i>	228
Fig. 8.—	Side view of <i>BOPYRUS SQUILLARUM</i>	228
Fig. 9.—	Claw of <i>BOPYRUS SQUILLARUM</i>	228
Figs. 10, 11.—	Back and front view of an individual, supposed to be the male <i>BOPYRUS SQUILLARUM</i>	228
Fig. 12.—	Shield of the <i>PALEMONIS SQUILLARUM</i> , with the right side deformed by the presence of a <i>BOPYRUS</i>	228
Fig. 13.—	<i>ARGULUS FOLIACEUS</i> , Jurine, (male)	228
Fig. 13, a.—	Back view of <i>ARGULUS FOLIACEUS</i> , (female)	228
Plate 39. Fig. 1.—	<i>CYPRIS RELIGIOSA</i>	245
Fig. 2.—	<i>ANTHOSOMA SMITHII</i>	270
Fig. 3.—	<i>CY THEREA FULVA</i>	245
Fig. 4.—	<i>CYCLOPA COMMUNIS</i>	244
Fig. 5.—	<i>LYNCEUS ROSEUS</i>	253
Fig. 6.—	<i>PANDARUS BICOLOR</i>	269
Fig. 7.—	<i>DAPHNIA CLATHRATA</i>	250
Fig. 8.—	<i>CALIGUS MULLERI</i> , (<i>The Fish-Louse</i>)	269
Fig. 9.—	<i>DICHELESTIUM STURIONIS</i>	271

CRUSTACEA.	Vol. III. Page
Plate 39. bis. Fig. 1.— <i>CYCLOPA COMMUNIS</i> ; or, quadricornis. (var. 'rubri)	244
Fig. 2.— <i>CYCLOPA COMMUNIS</i> ; or, quadricornis. (female,) var. viridis	244
Fig. 3.— <i>CYCLOPA COMMUNIS</i> . A young subject	244
Fig. 4.— <i>CYCLOPA CASTOR</i> , (female)	244
Fig. 5.— <i>CYCLOPA STAPHILINUS</i>	244
Fig. 6.— <i>DAPHNIA PULEX</i> , Latr.	253
Plate 40. Fig. 1.— <i>APIS CANCIRIFORMIS</i> , Latr. (female) <i>a</i> .—Upper lip. <i>b</i> .— Shield. <i>c, c</i> .—Antennæ <i>i</i> .—Mandibles. <i>k, k</i> .—First pair of Branching feet. <i>l, l</i> .—Branchial feet. <i>m, m</i> .— Threads of the tail. <i>n</i> .—A jaw of the first pair, notched and ciliated along its margin. <i>o</i> .—A jaw of the second pair. <i>p</i> .—Tongue, bifid; on which is remarked a ciliated channel, that leads direct to the œsophagus.	260
Fig. 2.— <i>MONOCULUS APIS</i> , Lin.	260
Fig. 3.— <i>CYPRIS FUSCA</i> , Straus.	245
Figs. 4, 5.— <i>CYPRIS ORNATA</i> , Müll. Back and front view.	245
Fig. 6.— <i>CYPRIS VIDUA</i> , Müll.	245
Figs. 7, 8.— <i>CYPRIS UNIFASCIATA</i> , Cuv. A new species	245
Plate 41. Fig. 1.— <i>LIMNADIA HERMANI</i> , Ad. Brong.	254
Fig. 2.— <i>BRANCHIPUS PALUDOSUS</i> (male). <i>a, a</i> .—Eyes, on pedicles. <i>b</i> .—Horns. <i>c, c</i> .—Mandibuliform antennæ. <i>d, d</i> .— Tentacula, in the shape of a trunk, moveable and rolled in a spiral form. <i>e</i> .—Eye, simple rudiment. <i>f, f, f</i> .— —Natatory feet. <i>g</i> .—Gauntlet. <i>h, h</i> .—Tail. <i>i, i</i> .— Terminating threads of the tail.	257
Fig. 3.—Head of <i>BRANCHIPUS PALUDOSUS</i> , seen in front, and under- neath	257
Fig. 4.—Tail of <i>BRANCHIPUS PALUDOSUS</i> , (female). <i>k</i> .—Bag con- taining the eggs. <i>l</i> .—Valve	257
Fig. 5.— <i>BRANCHIPUS PALUDOSUS</i> . A young subject.	257
Plate 42. Fig. 1.— <i>LIMULUS POLYPHEMUS</i> , Fab.	264
Fig. 2.—Underneath view of <i>LIMULUS POLYPHEMUS</i>	264
Figs. 3, 4.— <i>POLYPHEMUS OCULUS</i> , Müll. Back and front view.	248
A R A C H N I D E S.	
ARACHNIDES.	Vol. III. Page.
Plate 1. Fig. 1.— <i>ERIODON OCCATORIUS</i> , Latr.	290
Fig. 2.— <i>MYGALE CEMENTARIA</i> , Latr. (male)	288
Fig. 3.— <i>SCYTHODES THORACICA</i> , Latr.	296
Fig. 4.— <i>THOMISUS HETEROGASTER</i> , Latr.	304
Fig. 5.—Claws of a mandible of <i>MYGALE AVICULARIA</i> , Latr.	287
Fig. 6.— <i>LYCOSA TARENTULA</i> , Latr.	307
Fig. 7.—Mouth of <i>DRASSUS MELANOGASTER</i> , Latr.	294
Plate 1. bis. Fig. 1.— <i>MYGALE FASCIATA</i> , Walck.	287
Plate 2. Fig. 1.— <i>MYGALE CANCERIDES</i> , Walck. (male)	287
Plate 2. bis. Fig. 1.— <i>MYGALE BLONDII</i> , Latr.	287
Plate 3. Fig. 1.— <i>MYGALE AVICULARIA</i> , Walck.	287
Fig. 2.— <i>ATYPUS SULZERI</i> , Latr.	289

ARACHNIDES.		Vol. III.	Page
Plate 3. bis.	Fig. 1.— <i>ARANEA NIGRITA</i> , Fab. Mas.	.	291
	Fig. 2.— <i>DRASSUS BICOLOR</i> , Hahn. Mas.	.	293
	Fig. 3.— <i>DISDERA ERYTHRINA</i> , Latr.	.	291
	Fig. 4.— <i>DRASSUS CINEREUS</i> , Hahn.	.	293
Plate 4.	Fig. 1.— <i>DRASSUS MELAGONASTER</i> , Latr. (female)	.	294
	Fig. 2.— <i>DRASSUS MONTANUS</i> , (female)	.	294
	Fig. 3.— <i>DRASSUS MURINUS</i>	.	294
	Fig. 4.— <i>DRASSUS ATER</i> , Latr.	.	294
	Fig. 5.— <i>DRASSUS FULGENS</i> , Walck.	.	294
Plate 5.	Fig. 1.— <i>CLUBIONA AMARANTHA</i> , Walck.	.	295
	Fig. 2.— <i>SEGESTRIA SENOCULATA</i> , Walck.	.	294
	Fig. 3.— <i>SEGESTRIA PERFIDA</i> , Walck.	.	294
	Fig. 4.— <i>CLUBIONA HOLOSERICA</i> , Walck. (stripped of its legs).	.	295
Plate 5. bis.	Fig. 1.— <i>CLUBIONA LAPIDICOLA</i> , Latr.	.	295
	Fig. 2.— <i>CLUBIONA PUNCTATA</i> , (female)	.	295
	Fig. 3.— <i>CLUBIONA PALLENS</i> , (stripped of its legs)	.	295
Plate 6.	Fig. 1.— <i>CLUBIONA CLAUSTRARIA</i> , (female)	.	295
	Fig. 2.— <i>CLUBIONA ATROX</i> , Walck. (female)	.	295
	Fig. 3.— <i>CLUBIONA NUTRIX</i> , Lat. (stripped of its legs and mandibles)	.	295
Plate 6. bis.	Fig. 1.— <i>ARANEA LABIRINTHICA</i> , Lat. (male)	.	295
	Fig. 2.— <i>ARANEA LABIRINTHICA</i> , (female)	.	295
	Fig. 3.— <i>ARGYRONETA AQUATICA</i>	.	295
Plate 7.	Fig. 1.— <i>THERIDION QUATUOR-GUTTATUM</i>	.	269
	Fig. 1. a.— <i>THERIDION QUATUOR-GUTTATUM</i> , (female)	.	296
	Fig. 2.— <i>THERIDION REDIMITUM</i> , Walck.	.	296
	Fig. 3.— <i>THERIDION BICOLOR</i>	.	296
	Fig. 4.— <i>THERIDION VARIANS</i>	.	296
Plate 7. bis.	Fig. 1.— <i>THERIDION QUATUOR-PUNCTATUM</i> , Walck. (male)	.	296
	Fig. 2.— <i>THERIDION MACULATUM</i> , Walck (female)	.	296
	Fig. 3.— <i>THERIDION QUATUOR-SIGMATUM</i> .	.	296
	Fig. 4.— <i>THERIDION DORSIGER</i>	.	296
	Fig. 5.— <i>THERIDION VARIANS</i>	.	296
Plate 8.	Fig. 1.— <i>PHRYNUS RENIFORMIS</i> , Lin.	.	311
	Fig. 2.— <i>SCORPIO AFER</i> , Lin. (<i>The African Scorpion</i>)	.	313
	Fig. 3.— <i>THELIPHONUS CAUDATUS</i> , Lin. ; <i>Phalangium caudatum</i>	.	311
	Fig. 4.— <i>GALBODES SPINIPALPIS</i> , Lat.	.	316
Plate 8. bis.	Fig. 1.— <i>THERIDION RUBRIPES</i>	.	296
	Fig. 2.— <i>THERIDION THORACICUM</i>	.	296
	Fig. 3.— <i>THERIDION MAXILLOSUM</i>	.	296
	Fig. 4.— <i>THERIDION SIGNATUM</i> , (female)	.	296
	Fig. 5.— <i>THERIDION TRISTE</i> , (female)	.	296
	Fig. 6.— <i>THERIDION SISIPHUM</i>	.	296
Plate 9.	Fig. 1.— <i>THERIDION MAXILLOSUM</i> , (female)	.	296
	Fig. 2.— <i>THERIDION OBSCURUM</i>	.	296
	Fig. 3.— <i>THERIDION RETICULATUM</i>	.	296
	Fig. 4.— <i>THERIDION BICOLOR</i> , (stripped of its legs and mandibles)	.	296
	Fig. 5.— <i>THERIDION NERVOSUM</i> , (stripped of its legs and mandibles)	.	296
Plate 9. bis.	Fig. 1.— <i>ARANEA LÆVIPES</i> , Lin. (female)	.	303
	Fig. 2.— <i>THOMISUS AUREOLUS</i> , Walck. (male)	.	304
	Fig. 3.— <i>THOMISUS GRICEUS</i> , (female)	.	304


ARACHNIDES.	Vol. III. Page
Plate 9. ter. Fig. 1.— <i>THOMISUS AUREOLUS</i> , Walck. (female) 304
Fig. 2.— <i>OXYOPES VARIEGATUS</i> , Lat. (female) 305
Fig. 3.— <i>ARANEA FIMBRIATUS</i> , Clerk 306
Plate 10. Fig. 1.— <i>THOMISUS PRATENSIS</i> , Hahn. 304
Fig. 2.— <i>THOMISUS DIADEMA</i> , Hahn, 304
Fig. 3.— <i>THOMISUS RHOMBOICUS</i> 304
Fig. 4.— <i>THOMISUS OBLONGUS</i> 304
Plate 10. bis. Fig. 1.— <i>THOMISUS PINI</i> 304
Fig. 2.— <i>THOMISUS ROBUSTUS</i> 304
Fig. 3.— <i>THOMISUS SABULOSUS</i> 304
Fig. 4.— <i>THOMISUS BREVIPES</i> 304
Fig. 5.— <i>THOMISUS ULMI</i> 304
Fig. 6.— <i>THOMISUS LATERALIS</i> 304
Plate 10. ter. Fig. 1.— <i>PHOLCUS PHALANGIOIDES</i> , Walck. 297
Fig. 2.— <i>EPEIRA CLAVIPES</i> , Walck 300
Plate 11. Fig. 1.— <i>EPEIRA STRUMII</i> , Hahn. 299
Fig. 2.— <i>EPEIRA HIRSUTA</i> , Hahn. 299
Fig. 3.— <i>EPEIRA ULLRICHII</i> , Hahn. 299
Plate 11. bis. Fig. 1.— <i>TETRAGNATHA EXTENSA</i> , Lat. 298
Plate 11. ter. Fig. 1.— <i>THOMISUS FLORICOLENS</i> , Walck. 304
Fig. 2.— <i>THOMISUS ROTUNDATUS</i> , Walck. 304
Fig. 3.— <i>THOMISUS CITREUS</i> , Walck. 304
Fig. 4.— <i>ARANEUS PLANTARIUS</i> , Clerk 295
Fig. 5.— <i>THOMISUS CRISTATUS</i> , Walck. 304
Plate 12. Fig. 1.— <i>EPEIRA SERICEA</i> , Walck. 299
Fig. 2.— <i>EPEIRA SCLOPETARIA</i> , Clerk 299
Fig. 3.— <i>EPEIRA CONICA</i> , Walck. 300
Plate 12. bis. Fig. 1.— <i>MICROMMATA SMARAGDINA</i> ; <i>M. smaragdula</i> , Lat. (male)	301
Fig. 2.— <i>MICROMMATA SMARAGDINA</i> , (female)	301
Fig. 3.— <i>ULOBORUS WALCKENAERIUS</i> , Lat. (female)	298
Plate 13. Fig. 1.— <i>EPEIRA SCALARIS</i> , Walck. 299
Fig. 2.— <i>EPEIRA APOCLISA</i> , Walck. 299
Plate 13. bis. Fig. 1.— <i>ACROSOMA FURCATA</i> , Hahn. (female)* 300
Fig. 2.— <i>ACROSOMA BIFURCATA</i> , Hahn. 300
Fig. 3.— <i>ACROSOMA HEXACANTHA</i> , Hahn.; <i>Aranea hexacantha</i> , Fab. (female) 300
Plate 14. Fig. 1.— <i>ARANEA FASCIATA</i> ; <i>Epeira fasciata</i> , Walck. (<i>The Fasciated or Barbary Spider</i>) 299
Plate 15. Fig. 1.— <i>LYCOSA LATREILLEII</i> 307
Fig. 2.— <i>EPEIRA ANGULATA</i> , Walck. 300
Fig. 3.— <i>EPEIRA GENISTÆ</i> 300
Fig. 4.— <i>EPEIRA HERII</i> , Hahn. 300
Plate 16. Fig. 1.— <i>EPEIRA DIADEMA</i> , (female) 299
Fig. 2.— <i>EPEIRA TUBULOSA</i> , Walck. 299
Fig. 3.— <i>EPEIRA AGALENA</i> , Hahn. Walck. 299

* The name given to a new subgenus, which includes all the Spiny Epeira.


ARACHNIDES.		Vol. III.	Page
Plate 16. bis.	Fig. 1.— <i>EPEIRA VULPINA</i>	.	299
	Fig. 2.— <i>EPEIRA VIRGATA</i> ; Aranea virgata, Clerk	.	299
	Fig. 3.—Body of <i>EPEIRA UMBRATICA</i> ; Aranea cicatricosa, Deg.	299	
	Fig. 4.—Body of <i>EPEIRA SCHREIBERSII</i> , (female)	.	299
Plate 16. ter.	Fig. 1.— <i>LYCOSA SILVICULTRIX</i> , (male)	.	307
	Fig. 2.— <i>LYCOSA SILVICULTRIX</i> , (female)	.	307
	Fig. 3.— <i>LYCOSA PRAEGRANDIS</i>	.	307
	Fig. 4.— <i>LYCOSA HELLENICA</i>	.	307
Plate 17. Fig.	1.— <i>LYCOSA SABULOSA</i> , Hahn.	.	307
	Fig. 2.— <i>LYCOSA CURSOR</i> , Hahn.	.	307
	Fig. 3.— <i>LYCOSA LUGUBRIS</i> , Hahn.	.	307
	Fig. 4.— <i>LYCOSA MERIDIANA</i> , Hahn.	.	307
Plate 17. bis.	Fig. 1.— <i>LYCOSA MELAGONASTER</i>	.	307
	Fig. 2.— <i>LYCOSA RURICOLA</i> , Lat.	.	307
	Fig. 3.— <i>LYCOSA VORAX</i> , Walck.	.	307
	Fig. 4.— <i>LYCOSA ALPINA</i>	.	307
Plate 17. ter.	Fig. 1.— <i>ERESUS OTENIZOIAES</i>	.	309
	Fig. 2.— <i>ERESUS LURIDUS</i>	.	309
	Fig. 3.— <i>PALPIMANUS HAEMATINUS</i> , (male)	.	309
	Fig. 4.— <i>PALPIMANUS HAEMATINUS</i> , (female)	.	309
	Fig. 5.— <i>OXYOPES LINEATUS</i> , Latr. (male)	.	306
	Fig. 6.— <i>OXYOPES LINEATUS</i> , Latr. (female)	.	306
Plate 18. Fig.	1.— <i>LYCOSA PICTA</i>	.	307
	Fig. 2.— <i>LYCOSA PIRATICA</i> , Walck.	.	307
	Fig. 3.— <i>LYCOSA SACCATA</i> , Latr. (male)	.	307
Plate 18. bis.	Fig. 1.— <i>LYCOSA LYNX</i> , (female)	.	307
	Fig. 2.— <i>LYCOSA PALUDOSA</i> , (female)	.	307
Plate 18. ter.	Fig. 1.— <i>DOLOMEDES LIMBATUS</i> , Hahn.	.	306
	Fig. 2.— <i>DOLOMEDES MIRABILIS</i> , Walck.	.	306
	Fig. 3.— <i>DOLOMEDES MARGINATUS</i> , Walck.	.	306
Plate 19. Fig.	1.— <i>ARANEA GROSSIPES</i> , Deg.	.	309
	Fig. 2.— <i>SALTICUS FASCIATUS</i> , Hahn.	.	309
	Fig. 3.— <i>SALTICUS TIGRINUS</i> , Hahn.	.	309
	Fig. 4.— <i>SALTICUS LITTORALIS</i>	.	310
	Fig. 5.— <i>ATTUS QUINQUEPARTIUS</i> , Walck.	.	310
Plate 20. Fig.	1.— <i>SALTICUS SLOANEI</i> , Latr.	.	309
	Fig. 2.— <i>SALTICUS CRUX</i>	.	309
	Fig. 3.— <i>SALTICUS GRACILIS</i>	.	309
	Fig. 4.— <i>SALTICUS BREVIPES</i>	.	310
	Fig. 5.— <i>SALTICUS AGILIS</i>	.	310
Plate 21. Fig.	1.— <i>ATTUS OHALYBEIUS</i> , Walck.	.	309
	Fig. 2.— <i>SALTICUS AENEUS</i>	.	310
	Fig. 3.— <i>SALTICUS PUBESCENS</i> , Fab.	.	310
	Fig. 4.— <i>SALTICUS FLAVIPES</i>	.	310
	Fig. 5.— <i>SALTICUS ABIETES</i>	.	310
	Fig. 6.— <i>SALTICUS PINI</i> , Deg.	.	310
Plate 22. Fig.	1.— <i>SALTICUS RHUMPFII</i> , Latr.	.	310
	Figs. 2, 3.— <i>SALTICUS SCENICUS</i> , Latr.; Aranea scenica, Lin.	.	310


ARACHNIDES.	Vol. III. Page
Plate 22. Fig. 3.— <i>ATTUS CUPREUS</i> , Walck.	310
Plate 23. Fig. 1.— <i>CHELIFER CANCROIDES</i> , Geoff. (<i>The Book-Scorpion</i>)	316
Fig. 2.— <i>CHELIFER IXOIDES</i> , Hahn.	316
Fig. 3.— <i>CHELIFER CORTICALIS</i> , Hahn.	316
Fig. 4.— <i>ERESUS CINNABERINUS</i> , Walck.	309
Fig. 5.— <i>ERESUS ANNULATUS</i> , Schaff.	309
Plate 24. Fig. 1.— <i>GALEODES ARANEOIDES</i> , (male)	316
Fig. 2.— <i>GALEODES ARANEOIDES</i> , (female)	316
Fig. 3.— <i>OPILIO TRIDENS</i> *	319
Plate 24. bis. Fig. 1.— <i>OPILIO LUCORUM</i> , (male)*	319
Fig. 2.— <i>OPILIO RUFIPES</i> *	319
Fig. 3.— <i>OPILIO LUCORUM</i> , (female)*	319
Plate 25. Fig. 1.— <i>OPILIO LONGIPES</i> , Herbst. (male)	318
Fig. 2.— <i>PHALANGIUM CORNUTUM</i> , (male)	319
Fig. 3.— <i>PHALANGIUM CORNUTUM</i> , Lin. (female)	319
Plate 26. Fig. 1.— <i>PHALANGIUM HELWIGII</i> , Panz.	319
Fig. 2.— <i>OPILIO HISPIDUS</i> , Herbst.*	319
Plate 27. Fig. 1.— <i>TROGULUS NEPIFORMIS</i> , Latr.	320
Fig. 2.— <i>TROMBIDIUM FASCICULATUM</i>	321
Fig. 3.— <i>TROMBIDIUM HOLOSERICEUM</i> , Fab.	321
Fig. 4.— <i>TROMBIDIUM FULIGINOSUM</i> , Herm.	321
Fig. 5.— <i>TROMBIDIUM TRIMACULATUM</i> , Herm.	321
Fig. 6.— <i>TROMBIDIUM MUSCOSUM</i>	321
Fig. 7.— <i>ERYTHRÆUS PHALANGIOIDES</i> , Latr.	321
Plate 28. Fig. 1.— <i>DOLOMEDES RIPARIUS</i>	306
Fig. 2.— <i>IXODES REDUVIUS</i> , Hahn.	324
Fig. 3.— <i>IXODES MARGINALIS</i> , Hahn.	324
Fig. 4.— <i>THERIDION BENIGNUM</i> , Walck. (male)	296
Fig. 5.— <i>THERIDION BENIGNUM</i> , (female)	296
Fig. 6.— <i>ARANEA LATENS</i> , Fab.	296
Fig. 7.— <i>DICTYNA VARIABILIS</i> , Hahn.	296
Plate 29. Fig. 1.— <i>HYDRACHNA GEOGRAPHICA</i> , Müll.	325
Fig. 2.— <i>HYDRACHNA HISTRIONICA</i> , Hahn.	325
Fig. 3.— <i>HYDRACHNA MINIATA</i> , Hahn.	325
Fig. 4.— <i>HYDRACHNA GLOBULUS</i> , Herm.; <i>Atax globata</i> , Fab.	325
Fig. 5.— <i>HYDRACHNA VARIPES</i> , Hahn.	325
Fig. 6.— <i>LIMNOCHARES HOLOSERICA</i> . Latr.	325

* New species belonging to the Genus *Phalangium*.




1. *Octopus Cuvieri*, d'Orb. 2. Part of an arm of the *Eledone moschatus*, Lam. 3. *Argonauta argo*, L. 4. *Sepia officinalis*, L. 5. *Loligo Brogniartii*, d'Orb. 6. The extremity of a great arm and internal shape of the *Dorychoteuthis angulata*, Lesueur. 7. *Nautilus pompilius*, L. 8. *Spirula australis*, Peron.


1. *Sepia octopus*, Linnaeus. The Polyp of the Ancients. 2. *Beledon murchisoni*, Leach.3. *Loligo squitata*, Linnæus. The Great Calamite.



x. a. b. c. various views of the *Sepia octopoda*. En. Polyops of the Inlets / see also Pl. 2, Fig. 1.

? *Octopus argonauta* Linn.





1. *Belemnites pennis*, Blainv. 2. *Belemnites hastatus*, Blainv. 3. *Belemnites biranalioulatus*, Blainv. 4. *Belemnites gigas*, Blainv. 5. *Belemnites penicillatus*, Blainv. 6. *Orthoceras regularis*, Blainv. 7. *Conilites uniplicatus*, Kner. 8. *Belemnites mucronatus*, Blainv. 9. *Belemnites Scutic*, Blainv.







1. *Miliola saccorum*, Enay Meth. 2. *Melonia sphaerica*, Enay. Meth. 3. *Melonia sphaeroides*, Enay. Meth. 4. *Olivancilla tumismalis*, Enay. Meth. 5. *Placentula pulvinata*, Enay. Meth. 6. *Vorticella rotula*, Enay. Meth. 7. *Lenticulina rotula*, Ann. of the F. Muscne. 8. *Polystomella planulata*, Ficht.




1. *Nanoolites lenticulus*. 2. *Miliola trigonula*. Ency. Meth. 3. *Baculites gigas*. 3. a. portion of a *Baculites*. 4. *Tiarilites costulatus*. Bl. 5. *Ammonites columba*. Bl. 6. *Nautilus triangularis*. Bl. 7. *Nautilus umbilicatus*. Bl. 8. *Nautilus bisiphites*. Bl. 9. *Orbulites crassa*. Bl.




1. *Ammonites interruptus*. Det. young individual. 1. a. front view. 2. *Ammonites Bagniartii*. Sow.
2. a. front view. 3. *Ammonites ericeti*. Det. 3. a. front view. 4. *Ammonites festuculariopsis*. Det.
5. *Ammonites terebellum*. Sow. 5. a. front view.






1. *Nodosaria Pirassutti*. 2. *Textularia pygmaea*. 3. *Polymorphina digitata*. 4. *Telloculina difformis*.
 5. *Telloculina trivarinata*. 6. *Spiraloculina perforata*. 7. *Spiraloculina depressa semper*. 8 & 9. *Articulina nitida*. 10. *Quinqueloculina striata*. 11. *Amphistreptina lessoni*. 12. *Alveolina bullata*.




1. *Clin. hirsutella*, Lin. Cuv. 2. *Cynthia Peroni*, inv. 3. *Pneumoderma diaphanum*, Cuvier & Gaim. Var. of *Proteo*. 4. *Pneumoderma Peroni*, inv. 5. *Linucina helicina*, inv. 6. *Hydrea globulosa*, Rang. 7. *Hydrea trispinosa*, Lessueur. 8. *Cleudora hirsutella*, Less.^r. 9. *Crescis virgata*, Rang. 10. *Cuvieria exstincta*, Rang. 11. *Pycæna globulosa*, Rang. 12. *Terebrin hemispherica*, Rang. 13. *Pycæna levigata*, Desmarest, inv.



1. *Lenticulites planularis*, Lam. 2. *Discorbites vesicularis*, Lam. 3. *Rotalites trochuliformis*, Lam. 4. *Spirulinellus complanata*, Def. 5. *Planularia aurita*, Def. 6. *Planosprites solitaria*, Def. 7. *Spirolinellus cylindraceus*, Lam. 8. *Spirolinellites complanata*, Lam. 9. *Nummulites levigata*. 10. *Nodosaria filiformis*.

1. *Hanite cylindricus*, Dif. 2. *Scephtes argialis*, Sow. 3. *Orthoceras annelatus* Bl.4. *Conularia Sowerbieri*, Dif.


1. *Hanites cylindricus*, Dif. 2. *Scaphites aquaticus* Sow. 3. *Orthoceras annelatum*, Bl.4. *Conularia Sowerbeii*, Dif.




1. *Notarchus*. 2. *Eurobrachius tunicatus*. 3. Animal of the *Anomia*.
4. Animal of the *Sigaretus*. 5. Animal of the *tridacna*. 6. *Polyclinum diamantina*




1. *Aclion eupirineum*, Feruss. 2. *Limus variegatus*, Fer. Drap. 3. *Vitrina pellucida*, Brard. 4. *Testacellus haliotidoides*, Fer. Guy. 5. *Parmacella Olivieri*, Guy. 6. The Head & anterior rudimentary parts of the *Parmacella palliolatum*, Fer. 7. *Vaginula Tumulifera*, Fer.





1. *Helix variolosa*, L. tay. 2. *Helix globulosa*, Lam. (3. *Anostoma*, Lam.) 3. *Helix personata*, Lam. 4. *Helix Gasteriana*, L. tay. 5. *Helix carbiniata*, Feruss. 6. *Helix cornicula*, Drap. Gov. 7. *Helix nemoralis*, L. tay. 8. *Succine rubescens*, Drap. eugyel. 9. *Chondrus avenaceus*, tay. 10. *Chondrus variabilis*, tay. 11. *Bulinus quadrangularis*, Fer. 12. *Pupa striatella*, Fer. 13. *Clausilia inflata*, Lam. 14. *Achatina Mulleri*, Feruss.


London, &c. Henderson & Old Bailey.




1. *Helix obvoluta*. 2. *Vitrina pellucida*, Drap. 3. *Succinea cencularis*, Drap. 4. *Succinea ampullaria*, Drap.
5. *Clausilia rugosa*, Drap. 6. *Bulla zebra*, L. 7. *Bulimus glans*, Brug. 8. *Arcuatina edentula varia*, Drap.



1. *Planorbis guadeloupensis*, Eer. 2. *Planorbis cornea*, L. 3. *Lymnaeus pallidus*, Guér. 4. *Lymnaeus stagnalis*, L. 5. *Physa novae-hollandiae*, Blainv. 6. *Scaphabis inhibitus*, Montf. 7. *Ancylula mediterranea*. 8. *Conovularia fasciatus*, Risch. 9. *Onchidium Peroni*, tay.



1. *Doris atromarginata* Cuv. 2. *Doris magnifica* Quoy & Gaim. 3. Edge of the *Doris*. 4. *Polycera cornuta* Mull. Cuv. 5. *Tritonia elegans* Cuv. 6. *Thethys simbria* L. 7. *Neotrypa goniophodensis* Quoy & Gaim. 8. *Glaucus Pursteri* Quoy & Gaim.




1. *Pleurobranchus punctatus*, Quoy & Gaim. 2. *Plenobranchia muculata*, Quoy & Gaim. 3. *Aplysia punctata*, Gmel. 4. *Dolabella Rumphii*, Gmel. 5. *Notarchus gelatinosus*, Gmel. 6. *Bursatella Leachii*, Blainv. 7. *Akera viridis*, Rumph. 8. *Gasteropteron Meckelii*, Gmel. 9. *Ombrella indica*, Lam.



1. *Pleurobranchus Lesnei*, Bl. 2. *Aplidium depilans*, Lin.


3. *Umbrinella indica*, Lankester, see also Pl. 16.



1. *Carinaria cymbium*, Lam. 2. *Atlanta heronensis*, Lesneur. 3. *Fivola caudina*, Rang. 4. *Tunio interius triangularis*, Quoy & Gaim. 5. *Monophora radis*, Quoy & Gaim. 6. *Phyllira rubra*, Quoy & Gaim.




1. *Trochus amphitrites*, L. 2. *Trochus niloticus*, Chem. 3. *Trochus obeliscus*, Chem. 4. *Turbo pecten*, L. 5. *Ampullaria curvata*, Oliv. 6. *Heliacina neritella*, Linn. 7. *Melania quadrata*, Lam.



1. *Trochus pagodus*, Chem. / S. G. lectaire / 2. *Trochus imperialis*, Chem. / S. G. calcar / 3. *Rotella monilifera*, Lam. 4. *Trochus iris*, Chem. / S. G. cantharide / 5. *Trochus concavus*, Chem. / S. G. entomoir / 6. *Trochus telescopium*, Chem. / S. G. telescope / 7. *Solarium perspectivum*, Lam. 8. *Turbo rugosus*, Lam. 9. *Delphinula distorta*, Lam. 10. *Turritella duplicata*, Lam. 11. *Scularia pretiosa*, Lam. 12. *Cyclostoma elegans*, Lam. 13. *Vulvata planaria*, Lam.




1. *Tornatella fluminea*, Lam. 2. *Pyramidella maculosa*, Lam. 3. *Janthina communis*, Linn. 4. *Natica plumbea*, Lam. 5. *Natica albumen*, Lam. 6. *Natica plicata*, Lam. 7. *Velates perversus*, Inv. 8. *Neritina batica*, Lam. 9. *Clithon cerasum*, Inv. 10. Opercule of the *Neritina lineata*.



1. *Conus generalis*. 2. *Conus murexarius*. 3. *Conus nitratius*. 4. *Conus tauritae*. 5. *Conus imperialis*. 6. *Terebellum convolutum*, Linn. 7. *Volutaria mollis*, Linn. 8. *Marginella tuba*, Bl. 9. *Marginella lineata*, Bl.




1. *Oliva litterata*. 2. *Oliva undata*. 3. *Oliva subulata*. 4. *Columbella strombiformis*. 5. *Mitra taurata*. Bl. 6. *Mitra episepalis*. 7. *Mitra microzonius*. 8. *Mitra dactylus*. 9. *Mitra decorata*. Schum.



1. *Hippopus verrucosus*, Lam. 2. *Cupula hongarensis*, Litt. 3. *Crepidula costata*, Bush. 4. *Septaria elliptica*, Linn. 5. *Pileolus nititoides*, Bush. 6. *Calyptera australis*, Bush. 7. *Calyptera equistriata*, Linn. 8. *Calyptera rugosa*, Bush. 9. *Calyptera squamula*, Bush. 10. *Siphonaria Seweri*, Michelin. 11. *Sigaretus halicoidens*, Lam. 12. *Cuvimella nigra*, Blainv. 13. *Cryptostoma leachii*, Blainv.



1. *Mitra vulpecula*, Lam. 2. *Conularia ductylus*, Sow. 3. *Cancellaria asperula*, Desh. 4. *Buccinum glans*, Lam. 5. *Buccinum levissimum*, Lam. 6. *Nassa reticulata*, Lam. 7. *Eburne spirata*, Lam. 8. *Ancillaria cinnamomea*, Bl. 9. *Dolium pomum*, Lam. 10. *Dolium perdicis*, Lam.



1. *Hipponix cornucopia*, Def. see also Pl. 23, Fig. 1. 2. *Hipponix Sowerbyi*, Def. 3. *Hipponix dilata*, Def. 4. *Hipponix mitrata*, Def. 5. *Crepidula subspirata*. 6. *Navicella elliptica*, Ency. Meth. 7. *Calyptena artificiorum*.



Fig. 1.



1. *Dolium galba*, Sp. 2. *Microcyma cuneata*, L. 3. *Buccinum undatum*, L.

4. *Litophora tenuis*, L.



1. *Proto turratella*, Def. 2. *Nerinea tuberculosa*, Def. 3. *Melanopsis levis*, Bl.

4. *Turritella biangulata*, Bl. 5. *Pyramidella dolabrata*, Bl.



1. *Harpa ventricosa*, Lam. 2. *Purpura trochlea*, Lam. 3. *Ricinula arachnoides*, Lam. 4. *Concholepas peruviana*, d'Hyg. 5. *Cassis decussata*, Lam. 6. *Cassidaria cibinophara*, Lam. 7. *Terebra nivaria*, Lam. 8. *Potamis palustris*, Brug. Lam. 9. *Potamis fragilis*, Brug.

1



2



2 - a



4



1 - a



5



2 - a




5 - a





1. *Cassis tuberosa* R. 2. *Turpula radicans* R. 3. *Ricinula* R.

4. *Terebra baculum* R. 5. *Bupa nobilis* R.






1. *Murex brandaris*, Lam. 2. *Murex haustellum*, (S. G. Brûste, Montf.) 3. *Typhis puniens*, Montf.
4. *Murex cutaneus*, (S. G. Aquille, Montf.) 5. *Murex lotorium*, (S. G. Lotaire, Montf.) 6. *Murex rubeula*, (S. G. Triton, Lam.) 7. *Murex magellanicus*, (S. G. trophène, Montf.)




3. a




1. *Cerithium vertagus*, Brug. 2. *Cerithium ulice*, Brug. 3. *Cerithium tristoma*, Brug. 4. *Cerithium sulcata*, Bl.
5. *Cerithium Gommerii*. 6. *Cerithium madagascariensis*, Bl.




1. *Murex gyrinus*, Lin. 2. *Murex lotorium*, Lin. 3. *Murex adustus*, Bl. 4. *Murex scolytus*, Mar.
5. *Murex tulipa*, Lin. 6. *Pyrula malengina*, Bl.







1. *Fusus maria*, Linn. 2. *Siphonaria undulosa*, Linn. 3. *Pleurotoma balystenia*, Linn. 4. *Pleurotoma muriculifera*, Linn. 5. *Pyrula rupa*, Linn. 6. *Pyrula siccus*, Linn. 7. *Pyrula perversa*, Linn. 8. *Faseiolaria trapezium*, Linn. 9. *Turbinella pyramis*, Linn. 10. *Turbinella erranica*, Linn.




1. *Murex crassispina*, Bl. 2. *Murex pungens*, Bl. 3. *Buccin papillosum*, Bl. 4. *Buccin arenarium*, Bl.
5. *Pterocera scarpia*, Lam. (first state) for a view of the perfect state see Pl. 27. 6. *Strombus tricornis*, Bl.
7. *Fusca tornata*, Bl.



1. *Triton lampetra*, Bl. 2. *Ranella granulata*, Bl. 3. *Triton variegatum*, Bl.



1. *Strombus papilio*. Lam. 2. *Pterocera scorpio*. Lam. 3. *Rostellaria pespelecani*. Lam.
4. *Hippocrenes macroptera*. Lam.




1. *Vermicularis lumbrioides*, Lin. Adams. 2. *Vermicularis rosaceus*, Chouy & Gaym. 3. *Vermicularis carinatus*, Chouy & Gaym.


4. *Magilus antiquus*, Menet. 5. *Siliaria muricata*, Linn.












1. *Patella vulgata*, Martin. 2. *Patella compressa*, Chem. 3. *Patella ventellaria*, Blainv. 4. *Patella cochlearia*, Tab. 5. *Patella pectinata*, Blainv. 6. *Patella cymbularia*, Blainv. 7. *Patella deaurata*, Chem.




Chiton nautilus, *lateral*. — 2. *Chiton nautilus*, *dorsal*. — 3. *Chiton marmoratus*, *Retic.* — 4. *Chiton m. Blaen.* — 5. *Chiton piceus*. — 6. *Chiton tauriformis*. — 7. *Chiton tauriformis*, *Blau.*






1. *Baliothis canaliculata*, Lam. 2. Animal of the *Littorina*, inv. 3. *Steromia physoides*, Lam. 4. *Fissurella annulata*, Lam. 5. Animal of the *Fixsurelle*, inv. 6. Apertural of the *Amarginula*, inv. 7. Animal of the *Patelle*, Cuv. 8. *Patella Inquadrata*, Blainv. 9. *Parmophorus australis*, Lam. 10. *Chiton squamosus*, Lam.



1. *Himites Dubuissonii*, Bl. 2. *Plagiostoma punctata*, Sow. 3. *Pachytos spinosus*, Cuv. & Br. 4. *Dianchorn striata*, Sow. 5. *Podopsis truncaata*, Lam. 6. *Anomia ephippium*, Lam. 7. *Placuna placenta*, Brug. 8. *Spondylus americanus*, Linn. 9. *Plicatula cristata*, Lam. 10. *Vulsella linguiatu*, Lam.





Bidolites turbinata, Lam. 2. *Calceola sandolina*, Lam. 3. *Spherulites sphaerulites*, Desm. *Spherulites crateriformis*, Desm. 5. *Hippurites cornuta-pasteris*, Desm. 6. *Gryphaea arata*, Lam. 7. *Ostrea crista-galli*, Lam. 8. *Ostrea edulis*, Lam. 9. *Pedum spondyleoides*. 10. *Ostrea gibba exs.*, Lam. 11. *Lima glacialis*, Lam.



Cardita calyculata, Lam. 2. Joint of the Shell of the Cypricardia quinaria, Lam. 3. Coralliophila carditoides, Mil. 4. Joint of the Shell of the Venexicardia sulcata, Payr. 5. Cardita calyculata, Lam. 6. Tellina gigas, Lam. 7. Hippopus maculatus, Lam. 8. Chama cancellata, Lam.



1. *Hippurites*



1. *Hippurites* *obsoletus* *Pfe* 2. *Hippurites* *bilocularis* *Lam*

3. *Hippurites* *succinus* *Pfe* attached to a *Hippoceraspis*.



1. *Malleus vulgaris*, Lam. 2. *Perna ephippium*, Lam. 3. *Crenatula avicularis*, Lam. 4. *Gervilia solenoides*, Desfr. 5. *Inoceramus sulcatus*, Cuv. 6. *Catillus Cuvierii*, Br. 7. *Pulvinites Adansonii*, Desfr. 8. *Etheria elliptica*, Lam.



1. *Syngaeophae burtoni*, Blm. 2. *Strophomena rugosa*, Röhr.

3. *Spiriferca tenuimilia*, new








1. *Sphaerulites foliatus* Lam. 2. *Caleola heteroclitia* Det.


3. *Ostrea marginata* Ill.




Terebratula *digona*, Bl. 2. Terebratula *gibba*, Bl. 3. Terebratula *lata*, Bl. 5. Terebratula *rubra*, Bl. 6. Terebratula *caeca*, Bl. 7. Terebratula *canalicula*, Bl. 9. Spirifer *convergens*, Bl.




1. *Arianta heteroptera*, Lam. 2. *Pintadina marginifera*, Lam. 3. Same as Fig. 2, but from young subject. 4. *Perna angustana*, Lam. 5. *Arcum granosa*, Lam. 6. *Pectenulus pilosus*, Lam. 7. *Nucula enarginata*, Lam. 8. *Trigonia pectinata*, Lam. (Var.)




1. *Buccinum arietina*, Lam. 2. *Isocardia Russuniensis*, Vol. in the collection of the French Museum. 3. *Cardium pharbitium*, Lam. 4. *Doxax Hilarella*, Vol. in the collection of the French Museum. 5. *Clas cornuta*, Lam. 6. *Cyprina reylanica*, Lam. 7. *Cyprina gigas*, L. 8. *Galathaea radiata*, Lam.




1. *Perna nobilis*, Lin. 2. *Arcu Noe*, Chem. 3. *Arcu barbata*. 4. *Arcu tortuosa*, Chem.
5. *Arcu marmorata*, 6. *Arcu mytiloidea*, Bl.




1. *Dianchura striata*. 2. *Plagiostoma spinosa*. Bl. 3. *Podopsis truncata*. 4. *Orbicula lavis*. Bl.
5. *Hinnites Cortesii*. Blf.





1 Cyprina islandica, thin. 2 Chama sp. thick. 3 Chama sp. thin. 4 Cardium hemicardium, thin. 5 Isocardia tenuis, thin.






1. *Donax scriptum*, Bl. 2. *Donax unaticum*, Bl. 3. *Donax brasiliensis*, Bl.

4. *Tellina radiata*, Bl. 5. *Tellina cornuta*, Lin.




1. *Tellina tinorensis*, Lam. 2. *Corbis simbriatus*, Lam. 3. *Cyrena cycloanea*, Lam. 4. *Venus decussata*, Lam. 5. *Venus corbis*, Lam. 6. *Venus puer-pera*, Lam.




1. *Anadonta sphaerica* Lam. — 2. *A. sphaerica* Lam.

3. *Castalia undulata* Lam. — 4. *C. undulata* Lam.

From C. P. Muller's "C. N. Baily."




Venus lingua-felis, Lam. 2. Joint of the Shell of the *Corbis fimbriata*, Lam. 3. *Loripes lactea*, Lam.
Venus jamaicensis, Lam. 5. *Venus*. 6. Joint of the Shell of the *Venus chione*, Lam. 7. *Venus consic*, Lam. 8. *Venus cretata*, Lam. 9. Joint of the Shell of the *Capsa brasiliensis*, Lam. 10. *Maetra bivalvis*, Lam. 11. Joint of the Shell of the *Corbicula australis*, Lam. 12. *Maetra brasiliiana*, Lam.




Venus chione. Fig. 2, 3, 4, 5, various positions of the Shell of the Venus chione.

London: G. Henderson, 2, Old Bailey.






1. *Venerupis decussata* (L.) 2. *Venerupis decussata* (L.) 3. *Venerupis decussata* (L.)
4. *Venerupis decussata* (L.) 5. *Venerupis decussata* (L.) 6. *Venerupis decussata* (L.)



1 *Mya truncata*, Zen. 2. *Lutraria elliptica*, Lam. 3. *Anatina hispidula*. 4. *Glycimeris siliqua*, L. taken from an unpublished drawing by Mons. Jodoin. 5. Joint of the Shell of the *Pinopaea adrovari*-*di*, Lam. 6. *Bessonina pholidis*, Moll. 7. *Hiatella arctica*, Fabr. Bosc. 8. *Solen vagina*, Lam. 9. *Sanguinularia livida*, Lam. 10. *Pسانيموثة candida*, Lam.




1. *Solen cultratus*, Chem. 2. *Solen strigilatus*, Chem. 3. *Solen legumen*, Chem. 4. *Psammobia virgata*, Lam. 5. *Psammothea violacea*, Lam. 6. *Pholas costata*, L. 7. *Pholas crispa*, L.



1. *Sanguinularia rugosa*. 2. *Sanguinularia cecili* n. sp. 3. *Solemya australis* Linn. 4. *Glycimeris setosa* (Linn.) 5. *Aspergillum javanicum* (Linn.). 6. *Festularia coniformis* (Linn.). 7. *Ctenoides* Linn. 8. *Teredo Polynotata*. 9. *Gasterula*.




1. Urodoa sericea, Lam. 2. Teredo navalis, L. 3. Fistulana gregata, Lam. 4. Gastrochena unicolor, Lam. 5. Teredinia personata, Lam. 6. Clavigella coronata, Röhr. 7. Aspergilus vaginiferum, Lam. Savigny.




1. *Thalia cristata*, Gmel. 2. *Salpa scutigera*, Gmel. 3. *Salpa infundibuliformis*. 4. *Salpa triuspis*, Quoy & Gaim. 5. *Salpa longicauda*, Quoy & Gaim. 6. *Salpa fusiformis*, Gmel. 7. *Salpa zonaria*, Ill. 8. *Salpa cylindrica*, Gmel. 9. *Salpa Pyramidalis*, Quoy & Gaim. 10. *Bulatina rufifera*, Swigg. 11. *Cynthia monna*, Sav. 12. *Phallusia nigra*, Sav. 13. *Clavellina borealis*, Sav.



1. *Bonellus polypodus*, Sav. 2. *Pyrosoma rufum*, Quoy et Gaim. 3. Details of the *Pyrosoma atlanticum* Lesueur. 4. *Polyolina constellatum* Sav. 5. *Eucalymnium hoytidium* Sq. 6. *Aplidium lebouini* Sav.







1. *Anatilia levix*, Lam. 2. *Policipes cornuta*, Lam. 3. *Policipes mitella*, Lam. 4. *Policipes scalpellum*, Lam. 5. *Cirrula vittata*, Brach. 6. *Otonia Cuvierii*, Leech. 7. *Tetralesmis hispida*, Sw. 8. *Triton alatus*, Rang. / *fasciatus*, Lesson.




1. *Ascidia microscopus.* 2. *Ascidia intestinalis.* 3. *Distoma variolatum.* 4. *Botrylla stellatus* Desm. 5. *Synoicum fuscum*, Ellis. 6. *Synoicum turgens*, Desm. 7. *Salpa poliomorpha*, Gray & Gym. 8. *Salpa troides*. 9. *Salpa bicornis*, Chemiss.



1. Lingula uncinata, var. 2. Terebratula Candollii, Pal. Col. Mus. 3. Spirula trispinosa, var. 4. Orbicula levigata Bl. 5. Crania perserrata, Lam.




1. *Balanus ovalis*, Lam. 2. Annulus of the *Balanus sulcatus*, Lam. 3. *Acasta spinosula*, Lesh. 4. *Acasta multistriata*, Leach. 5. *Conix radiata*, Bl. 6. *Aserinus porosus*, Gmel. 7. *Pyrgoma cancellata*, Leach. 8. The same from a drawing by M. Savigny. 9. *Crenularia spinosula*, Leach. 10. *Chthamalus stellatus*, Pol. II. The same from a drawing by Blainville. 11. *Tubicinella halimuraria*, Lam. 12. *Oithosia streenii*, Blainv. 13. *Coronula helicorisa*, Lam. 14. *Tubicinella halimuraria*, Lam. 15. *Binidens ceranula*, Diadema, Lam.





1. *Balanus spinosus*. 2. *Balanus gigas*. 3. *Balanus spongites*. 4. *Coronula testudinaria*. 5. *Coronula balanumini*. 6. *Pentalepas tenuis*, Bl. 7. *Pentalepas pollicipes*, Bl. 8. *Polyblepas vulgaris*, Bl. 9. *Lithotrius Sowerbyi*.


London: 6. Strudwick, 2. Old Bailey.




1. *Serpula contortuplicata*, var. 2. *Serpula costalis*, var. 3. The Opercule of the *Serpula contortuplicata* var. abidg. 4. The Opercule of the *Serpula bicornis* var. abidg. 5. *Spirorbis spirorbis*, var. 6. *Spirorhynchus nautichthys*, var.

1. *Terebella variabilis*, Riso. 2. *Terebella medusa*, Sav.3. *Amphitrite aegyptia*, inv. Sav.

1. *Dentalium ventalis*, Lin. 2. *Siphonostoma diplochaitox*, Otto.3. Anatomical details of the *Siphonostoma uncinata*, Audouin & Milne Edwards.




1. *Avenicola piscatorum* Cuv. 2. *Pleyone aleyonia*. Sav.





1. *Euphrosyne leucostoma*, Sow. & Cuv. 2. Branchia of the *Euphrosyne mirtosa*, Cuv.


3. *Hippomedon Gaudichaudii*, And. & Cuv.





1. *Ennies leucostoma*, Sw. / *antennata*, Savigny. 2. *Ennies sanguinea*, Lam. Notes of M'Crone
3. *Ennies tubicola*, Muller


1. *Oenone lucida*, Sav. 2. *Aglaura fulgida*, Sav.

*Nereis nuntia*. Smeagly.



1. *Syllis moniluris* Savigny. 2. *Lumbriculus orbignyi* Edwards.3. *Hesione splendidula* Savigny.


1. *Aphrodisia nucleata*, Baster. 2. Anatomical details of the *Aphrodisia histrix*, Sav.3. *Polynoe impariens*, Sav. 4. *Polynoe levis*, Edw.



Clytene amphistoma, Sav. 2. *Sanguisuga officinalis*, Sav. 3. *Sanguisuga medicinalis*, Lin. 4. *Bdella nilotica*, Sav. 5. Mouth of the *Hemopis sanguisuga*, Lin.



DESCRIPTION OF THE SISERA IN THE DEXYODOPS CRUSTACEA.



1. *Matuta Peroni*, Leach.

2. *Orythia mammillaris*, Fahr.

3. *Podophtalus vigil*, Latr.


4. *Thalamites Admete*, Latr.



1 *Mutala rictor*, Lub. 2 *Cancer hastatus*, Herbst.


3 *Polehtus Henslowii*, Lach.






1. *Cancer puber*, L. milde. 2. *Portunus marmoratus*, Leach.

3. *Portunus variegatus*, Leach.



1. *Cancer pagurus*, L. 2. *Xantho floridana*, L.






1. *Ateloceras septentrionalis*, male, Louch. 2. *Cancer japonicus*, L.



1. *Cancer lithophilus* Lat. 2. *Atelocarcinus orientatus*, Desm.

3. *Thin polita*, Leach.



1. *Macrobrachium parvimanus*, Latr. 2. *Gonopanax rhothoides*, Lin. 3. *Gelasimus chlorophthalmus*, Latr. 4. *Mictyris longicarpinus*, Latr. 5. Anatomical details of the *Mictyris sulcatus*. 6. *Pinnotheres villosulus*, Gmel.

1. *Eriphia levina*, Latr. 2. *Pilumnus aculeatus*, Edw. 3. *Thelphusa indica*, Latr.4. *Fore part of the Thelphusa fluviatilis*, Latr.




1. *Cancer rhomboides*, Lin. 2. *Gelasimus murionis*, Tol.

3. *Plagusia clavimanus*, Lat.




1. *Thelphusa flaviatilis*, Latr., with anatomical details.


London: G. Henderson, 2 Old Bailey.




1. *Grapsus pictus* Latr. 2. *Maja squinado* Herbst



1. *Grapsus variegatus*, Latr. (The variegated Crab-fish) / 2. The anatomical peculiarities of the Crab-Fish *Plaenius* / 3. *Corystes personatus*, Herbst. (The Masked Crab) / 4. *Leucosia urania*, Herbst. (The Crab *Leucosia*)

1. *Camposcia retusa*, Latr. 2. *Halimus uries*, Latr.3. *Libinia spinosa*, M. Edw.






1. *Egeria indica*, Lanch. 2. *Pisa tetradon*, Leach.



1. *Inachus scorpio*, Fab. 2. *Inachus dorvynchus*, Leach.


3. *Hymenosoma orbicularis*, Latr.




1. Homola.


2. Doroppe nodulosa.

London C. Henderson. 2. Old Bailey.






1





2





3

1 *Ceratoserolis penicilliger*. (The Hairy-Fingered Crab) 2 *Reimpes testudinarius*. (The Australian Crab)
3 *Pagurus laticauda*. (The Mauritius Broad-Tailed Crab)




1. *Gecarcinus lateralis*, Fremiuv. 2. Mouth of the *Cardisoma carnifex*, Latr.3. *Neomithrax*, Latr.






Ullomola spinifrons, Leach. — 2. Pectolus Boscii, Leach.

3. Renina dorsipes, Lam.




1. *Albunea synnista*. Fab. 2. *Hippa emerita*, L. 3. *Remipes testudinarium*. Brazilian crab
This Drawing was taken from a specimen obtained from the coast of Brazil.





1. *Parthenope horrida*, Fabr. 2. An outline figure of the *Lambrus Mississae*, Rom. 3. Anatomy of the *Lambrus Mediterraneus*, Rom. 4. *Eury nome aspera*, Leach. 5. *Mithrax spinicinetus*, Latr.

Living Specimens.


London: G. Henderson, 2 Old Bailey.



*1. Acanthonyx lunulatus, Latr. 2. Pisa serpulifera, M. Edw.**3. Pericera trispinosa, M. Edw.*




1. *Micippe Phyllata*, Leach. Lat. 2. Anatomical details of the *Micippe cristata*, Leach Lat.
3. *Stenocionops cervicornis*, Leach Lat.





1. *Lithodes artica*, Latr. 2. *Calappa tuberculosa*, Lat. Fab.

3. *Ethra depressa*, Linn.




1. *Dromia nodipes*. (The Deaths Head Crab) 2. *Drynomene hispida*.3. *Ranina serrata*.

1. *Hymenosoma Leachii*, Bur. 2. *Inachus theraceus*, Bur.3. *Leptopus longipes*, Latr.


1. *Eurypodius Lettreillii*, Guér. 2. *Stenorhynchus phalangium*, Leach.3. Anatomical details of the *Stenorhynchus tenuirostris*, Leach. 4. *Leptopodia Sagittaria*, Fab.





1. *Leucosia craniolaris*, Lab. 2. *Myra fuga*. 3. *Ebalia Pennantii*, Leach. 4. *Ixia canaliculata*, Leach. 5. *Arenaria erinacea*, Leach. 6. *Illa nucleus*, Leach.



1. *Dionia hirsutissima*, Lam. 2. *Ibacus serratus*, Leach.



1. *Palinurus quadricornis*. Fab.



1. *Birgus latreillei*, Latr. 2. *Pagurus guttatus*, Oliv.

3. Antennae of the *Pagurus clypeatus*, Oliv. genre *Cenobita*, Latr.



3


$\frac{1}{3}$ n.s.

1




1. *Scyllarus lateralis*, Zatr. 2. *Palinurus Ricordi*, Gmel.

3. *Scyllarus orientalis*, Gmel.




1. *Lithodes axillaris* Finsch. 2. *Cancer platyceroides* P. M.

3. *Palaemon elegans* Leach.




1. *Thalassina scorpionoides* Latr. 2. *Gebia stellata* Leach

3. *Megalopus mutica* Desm.




1. *Cancer gammarus*, Lin. / The Common Lobster / 2. *Atxia scabra*, Leach.


3. *Porcellana punctata*, Guer. 4. *Axius Styryynchus*, Leach.



1. *Lysmata antennata* Rhom. 2. *Pontonia rufosus* Guér. Forsk. 3. *Alpheus edwardsii* And.
4. *Hippolyte luciae* Guér.



1. *Squilla mantis*. Fab. 2. *Alticus hyalina*. Leach. 3. *Erichius vitreus*. Lat. 4. *Erichius armatus*. Lat. 5. *Phyllosoma chevrolati*. Leach. 6. *Phyllosoma lativentre*. Leach. 7. *Jassa pelagica*. Leach. 8. *Ceraphus tubularis*. Th. Spp. 9. *Pinnixa maculata*. West.


1. *Palaeomon aquilla*, Lin. 2. *Athanus nitescens*, Lanch.3. *Pasiphoea vivida*, Riso.




1. *Hippolyte sowerbii*, Leach. 2. *Hippolyte varians*, Leach. 3. *Nixa canalicula*, Noh.
4. *Pandalus armatus*, Leach. 5. *Egeon tereticatus*, Riso.



Penaeus trispinosus Leach. 2. Palamou serratus, Leach. 3. Xibalba Herbstii, Leach
4. Mysis Fabricii, Leach. 5. Crangon vulgaris. /The Common Shrimp/




2 n.s.





4 n.s.



3 n.s.

1. *Nephrops norvegicus*, Lin. 2. *Astacus fluviatilis* Fabr. (Varior.)3. *Eryx Cuvieri* Desm. 4. *Callianassa subterranea* Leach.






n. s.




2. n.




1. *Squilla scabricauda*, Linn. 2. *Squilla chiragra*, Fab.





1. *Squilla aeruginosa*, lame./underneath view, for an other view see Pl. 33. bis. 2. *Alya scabri*, Linn.
3. *Processa atlantica* Risso.

1. *Squilla stylifera*, Latr. 2. *Coronis scolopendra*, Latr. 3. *Erichtus Duvaucellii*, Guér.4. *Alimia longirostris*, Guér. 5. Anatomical details of the *Alimia tetricanthura*, Latr.





1. *Caprella tuberculata*, Bur. 2. *Caprella lobata*, Latr. 3. *Cyamites oralis*, Latr. 4. *Pterygocera arcuata*, Latr. 5. *Ancoenus forficularis*, Risso. 6. *Typhis ferox*, Edw. 7. *Corophium longicornis*, Latr. for certain figs of some see Pl. 35. 8. a young individual of fig. 6.






1. *Phronimus sedentarius*, Latr. 2. *Talitrus Locusta*, Latr. 3. *Orchestia littoralis*, Leach. 4. *Atylus circumnatus*, Leach. 5. *Leucothoe articolosus*, Leach. 6. *Dexaminus spinosus*, Leach. 7. *Melita palmata*, Leach. 8. *Cancer pular*, Lin. 9. *Amphithoe rubricata*, Leach. 10. *Pherusa juvencula*, Leach. 11. *Ceropagurus longimanus*, Latr. 12. *Ceropagurus tubularis*, Sow.


1. *Phyllosoma communis*, Lach. 2. *Phyllosoma Remoulti* Guér. 3. Anatomical details of the Phyllosoma(tritonyme) Lach. 4. *Phronimus atlanticus* Guér. 5. *Hyperia Latreillii* Edw. 6. *Hyperia pedestris* Guér.7. *Theamisto vaudichaudii* Guér.




1-2. *lone thoracica*. Mont. 3. *Orchestia Fischeri*, Edw. 4. Mandible of the *Orchestia*. 5. *Talitrus planiceps* Guér. 6. *Gammareus locusta*, Latr. 7. *Leucothoe furtiva*, Savigny. 8. *Amphitoe filosa*, Savigny.





1. Gammarus peratus. Mirl. 2. Cyamus ceti. Latr. 3. Oniscus curvulus. Mont. 4. Apsendes tulpa. Leach. 5. Idoten triuspida. Latr. 6. Stenosoma linearis. Louch. 7. Anthura gracilis. Leach
8. Nesa bidentata. Leach. 9. Oniscus serratus. Fab. 10. & 11. Egn emarginata. Leach.

1. *Cymothon trigocephala*, Leach. 2. *Ichthyophilus Orbignyi*, Guer.3. *Camolira egyptiaca*, Guér. 4. *Cyamus Delphinii*, Guer.




1 & 2 *Cyathura austrum* Fab. 3 *Aulacra capensis*, Leach. 4 *Neloria summae*, Leach. 5 *Clypeaster leachii*, Leach. 6 *Limniscus limnarcha*, Leach. 7 & 8 *Idotea aquatica*, Fab.







1 & 2. *Ligia oceanica*. Fab. front & back view. 3. *Oniscus asellus* Lin. 4 & 5. *Armadillo pusillus* Dumeril. 6. *Bopyrus squillarum* female. Latr. 7. back view of Fig. 6. 8. side view of Fig. 6. 9. draw. of the *Bopyrus squillarum*. 10 & 11. back & front view of an individual supposed to be the male *Bopyrus squillarum*. 12. shield of *Palemonis squillarum*. right side deformed by the presence of a *Bopyrus*. 13. *Argulus foliaceus*, male. Immature. Jun? 13. a. back view of the *Argulus foliaceus* female.




1. *Cyclops virens*. 2. *Tonnoaria smithii*. 3. *Cytherea fulva*. 4. *Cyclopa communis*.
5. *Oncaea rufa*. 6. *Pseudorathes hirsutus*. 7. *Dipinnia clathrata*. 8. *Caligus Mulleri*,
The Fish Louse. 9. *Dichelestium sturionis*.




Cyclops communis, var. *rubi*. 2. *Cyclops communis*, var. *viridis*. 3. An adult of the *C. communis*. 4. *Cyclops castor*, female. 5. *Cyclops setiferus*. 6. *Daphnia pulex*, later.




1. *Monocentrus apic. lute.* 2. *Monocentrus apic. lute.* 3. *Cypris fus.*
Cypris fus. 4. *Cypris fus.* 5. *Cypris fus.* 6. *Cypris fus.* 7. *Cypris fus.* 8. *Cypris fus.* 9. *Cypris fus.* 10. *Cypris fus.* 11. *Cypris fus.*



1. *Linnaea Hermanni*. 2. *Branchipus paludosus*. 3. The Head of Fig. 2. 4. Vent. of the *B. paludosus* female. 5. A young individual of the same species as Fig. 2.



1. *Lioculus polyphemus*. Tab. 2. underneath view of Fig. 1
3 & 4. *Polyphemus ventulus*, Mull. back & front view




1. *Eriopis noctivagans*, Latr. 2. *Mygale avicularia*, male, Latr. 3. *Scythodes thoracica*, Latr. 4. *Thymixis heteronotata*, Latr. 5. Claws of a mandible of the *Mygale avicularia*, Latr. 6. *Lycosa venustula*, Latr. 7. Mouth of the *Brachysus melanogaster*, Latr.



n. s.

Mygale fasciata. Walk.

London: G. Bendrey, 2, Old Bailey.




Mygale cancriides, Walck., male.

London: G. H. & J. Nichols, 2, Old Bailey,







Mygale *Blondii*. Latr.

LONDON: 6, Readerson 2, Old Bailey.




1. *Megale uvicularia*, Walck.

2. *Atypus Sulzeri*, Latr.




1. *Aranea nigrita*, Fab. Mas. 2. *Drassus bicolor*, Hahn. Mas. 3. *Disdera erythrina*.
4. *Drassus cinereus*, Hahn. fem.




1. *Drassus melagonaster*. Tem. Zatr. 2. *Drassus mentanus*. Tem. 3. *Drassus murinus*.

4. *Drassus ater*. Latr. 5. *Drassus fulgens*. Walck.




1. *Clubiona amarantha*, Walck. 2. *Segestria senoculata*, Walck. 3. *Segestria perfida*, Walck.
4. *Clubiona holoserica*, stripped of its legs, Walck.



1. *Clubiona lapidicola*, lat. 2. *Clubiona punctata*, fem.


3. *Clubiona pallens*, stripped of its legs.






1. *Clubiona claustraria*, fim. 2. *Clubiona utrix*, fim. Walek.

3. *Clubiona univix*, lat. stripped of its legs & mandibles.




1. *Aranea labyrinthica*, Lat. male. 2. *Aranea labyrinthica*, female.

3. *Argyroneta aquatica*.





1. Theridion *guttatum*. 1. a. female of Fig. 1. 2. Theridion *redimitum*, Walk. 3. Theridion *bicolor*.


4. Theridion *varium*, var.




1. *Theridion 4 punctatum*, male. Walck. 2. *Theridion maculatum*, Fons. Walck.
3. *Theridion 4 signatum*. 4. *Theridion dorsiger*. 5. *Theridion varium*.

1. *Phryxus reniformis*, Lin. 2. *Scorpio afer*, Lin. 3. *Theliphonus undulatus*, Lin.4. *Galeodes spinipalpis*, Lat.

1. *Theridion rubripes.* 2. *Theridion thoracicum.* 3. *Theridion maxillosum.*4. *Theridion signatum* - Female. 5. *Theridion tristes*. Fem. 6. *Theridion nervosum*, Walck.




1. *Theridion maxillosum*, female. 2. *Theridion obscurum*. 3. *Theridion reticulatum*. 4. *Theridion bicolor*, stripped of its legs & mandibles. 5. *Theridion nervosum*, stripped of its legs & mandibles.




1. *Aranea lucipes*, Lin. fam. 2. *Thomisus aureolus*, male, Walk.

3. *Thomisus grisescens*, fam.




1. *Thomisus aureolus*, fim., Walek. 2. *Oxyopes variegatus*, fom. lat.


3. *Aranea fimbriatus*, Clerk.




1. *Thomisus pratensis*, Hahn. 2. *Thomisus diademata*, Hahn. 3. *Thomisus rhomboidalis*.
4. *Thomisus oblongus*.



1. *Thomisus pini*. 2. *Thomisus robustus*. 3. *Thomisus sabulosus*. 4. *Thomisus brevipex*.
5. *Thomisus ultor*. 6. *Thomisus lateralis*.




1. *Pholcus phalangioides*, Wulck. 2. *Epeira clavigera*, Wulck.






1. *Epeira atunni*, Rahn. 2. *Epeira hirsuta*, Rahn.

3. *Epeira ulrichii*, Rahn.




Tetragnatha extensa lat.


1. *Thomisus florulentus*, Walsc. 2. *Thomisus rotundus*, Walsc. 3. *Thomisus citreola*, Walsc.4. *Thomisus florulentus*, Walsc. 5. *Thomisus cristatus*, Walsc.



1. *Epeira scrirea*, Walck. 2. *Epeira selopetaria* Clark.


3. *Epeira venosa*, Walck.

1. *Micrommata xanthogaster*, male. Lat. 2. *Micrommata xanthogaster*, fem.3. *Floborus Walkeri*, fem. Lat.




1 *Epeorus scutatus* Walk. 2 *Epeorus apertus* bei

1. *Aerosoma fureata*, fém. Rahn. — 2. *Aerosoma bifurcata*, Rahn.3. *Aerosoma heteromita*, fém. Rahn. *Aranea heteromita*, Fab.



Araea Fasciata (The Fascerated or Barbary Spider)



1. *Lycosa Latreillii*. 2. *Epeira angulata* Walk. 3. *Epeira geniculata*.


4. *Epeira Herii* Hahn.



1. *Epeira diadema*, Fonsc. 2. *Epeira tubulosa*, Walck.

3. *Epeira agathena*, Hahn.

*




1. *Epeira rufina*. 2. *Epeira nigra*. 3. Body of the *Epeira nubricata*.

4. Body of the *Epeira Schreberii*. Lin.





1. *Lycosa silvicultrix*, male. 2. *Lycosa silvicultrix*, female. 3. *Lycosa pratensis*.
4. *Lycosa hellvetica*.






1. *Lycosa subulosa*, Rahn. 2. *Lycosa cursor*, Rahn. 3. *Lycosa lugubris*, Rahn.
4. *Lycosa mirabilis*, Rahn.

1. *Lycosa melagonaster*. 2. *Lycosa ruricola*, Latr. 3. *Lycosa vorax*, Walk.4. *Lycosa alpina*.




1. *Eresus oterizonicus*. 2. *Eresus buridus*. 3. *Palpimanus huetmatinus* male. 4. *Palpimanus huetmatinus*, female.
5. *Oxyopes lineatus* male. 6. *Oxyopes lineatus*, female.




1. *Lycosa pieta*. — 2. *Lycosa piratica* d'Alc.


3. *Lycosa suetta* Latr. male.




1. *Lycosa lynce*. Fem. 2. *Lycosa paludosa*. Fem.





1. *Dolomedes tenebrosus*, Maha. 2. *Dolomedes mirabilis*, Walck.
3. *Dolomedes marginatus*, Walck.







1. *Aranea grossipes* de Geer. 2. *Salticus fasciatus* Hahn. 3. *Salticus tauricus* Hahn
4. *Salticus tutordis*. 5. *Atrys quinquopunctata* Walck.



1. *Salticus sloanei* Latr. 2. *Salticus erix*. 3. *Salticus gracilis*4. *Salticus brevipes*. 5. *Salticus agilis*.





1. *Attus chalybeus*. Walek. 2. *Salticus aeneus*. 3. *Salticus pubescens*. Fab. 4. *Salticus jlavipes*
5. *Salticus abietis*. 6. *Salticus pini*. de Geer.



1. *Salticus Rumpfii* Latr. 2 & 3. *Salticus scenicus* Latr. 4. *Atta cererina* Walck.

5. *Atta cyprea*, Walck.




1. *Chelifer cancrivorus*, Geff. 2. *Chelifer brevipes*, Hahn. 3. *Chelifer verticalis*, Hahn.4. *Eresus amarnerinus*, Hahn. 5. *Eresus ammophilatus*, Sch.


London: G. Bendtsen. 2. Old Bailey.




1. *Galeodes nuncoides*, male. 2. *Galeodes araneoides*, fem.

3. *Opilio robustus*.




1. *Opilio lucorum*, male. 2. *Opilio rufipes*.3. *Opilio lucorum*, fem.




1. *Opilio longipes* Phil., n. sp. 2. *Thalassinus* (n. sp.)


3. *Phelingtonia* (n. gen.) n. sp.




1. *Phalangium opilio* (Linn.). Opilio canestrinii




1. *Trombicula neopiniformis*, lat. 2. *Trombicula fasciulationis*. 3. *Trombicula holosericeum* Fab.
4. *Trombicula tulgrenseum* Herm. 5. *Trombicula triticeum latum* Herm. 6. *Trombicula rhesum*. 7. *Erythraeus phylangoides*, lat.





1. *Dolomedes rufus*. 2. *Ixodes reduvius*, Hahn. 3. *Ixodes marginatus*, Hahn. 4. *Theridion hirsutum*, male. Batek. 5. *Theridion benignum*, female. 6. *Aranea lotens*, Lat. 7. *Dictyna varia*, Batek.



1. *Hydrachna geographica*, Mull. 2. *Hydrachna kistromica*, Sch. 3. *Hydrachna* sp. 4. *Hydrachna* sp.
5. *Hydrachna globulus*, Herm. 6. *Hydrachna varipes*, Uder. 7. *Limacophyes* sp. 8. *Hydrachna* sp.



