## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



# Tobacco Stocks Report as of January 1, 1962 U. S. DEPARTMENT OF AGRICULTURE ACRICHITICAL MARKETING SERVICE

TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Agricultural Marketing Service.

> U. S. DE T. IF AGRICULTURE LIFERY

Stephen E. Wrather Director, Tobacco Division.

M-M12,952 CURRENT SERIAL RECORDS

Washington, D. C. February 16, 1962

#### CONTENTS

	Page
Discussion	3 <b>-</b> 5
Conversion factors for adjusting for losses in weight	6
Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent	7
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT)	8-11
Stocks of leaf tobacco, by types and groups of grades	12-15
Summary of tobacco leaf represented in inventories of tobacco sheet	16
Stocks of leaf tobacco, by types, showing separately quantitie owned by dealers and manufacturers	s 17
Stocks of leaf tobacco, summary by types	18

#### BRIEF CLASSIFICATION OF LEAF TOBACCO

(Covering classes and types)

#### CLASS 1, FLUE-CURED TYPES

Type 11: Old Belt flue-cured; produced in the Piedmont sections of Virginia and North Carolina.

Type 12: Eastern North Carolina flue-cured: produced in the coastal sections of North Carolina, north of the South River.

Type 13: South Carolina flue-cured; produced in the coastal sections of South Carolina and the southeastern counties of North Carolina, south of the South River.

Type 14: Georgia and Florida flue-cured; produced in southern Georgia and northern Florida.

#### CLASS 2, FIRE-CURED TYPES

Type 21: Virginia fire-cured; produced in the Piedmont and mountain sections of Virginia.

Type 22: Tennessee-Kentucky fire-cured, eastern district, Clarksville, Springfield, and Hopkinsville; produced in a section east of the Tennessee River, in southern Kentucky and northern Tennessee.

Type 23: Kentucky-Tennessee fire-cured, western district, Mayfield, and Murray; produced in a section between the Tennessee, Ohio, and Mississippi rivers in western Kentucky and northwestern Tennessee.

#### CLASS 3, AIR-CURED TYPES

#### LIGHT AIR-CURED (CLASS 3a)

Type 31: Burley; produced in Kentucky, Tennessee, Ohio, Indiana, West Virginia, Virginia, North Carolina, and Missouri.

Type 32: Southern Maryland; produced in five counties of southern Maryland -- Prince Georges, Anne Arundel, Calvert, Charles, and St. Marys.

#### DARK AIR-CURED (CLASS 3b)

Type 35: One Sucker; produced in north-central Tennessee and south-central Kentucky.

Type 36: Green River; produced in the northern part of Kentucky in the territory adjacent to Owensboro and Henderson.

Type 37: Virginia sun-cured; produced in central Virginia, north of the James River.

#### CLASS 4. CIGAR-FILLER TYPES

Type 41: Pennsylvania Seedleaf; produced in Lancas-

ter County, Pa., and the adjoining counties.
Type 42-44: Ohio filler; produced in the Miami Valley section of Ohio and extending into Indiana.

Type 46: Puerto Rican sun-grown, including primed (Deshojado) and stalk-cut (Mata); produced on the Island of Puerto Rico.

#### CLASS 5, CIGAR-BINDER TYPES

Type 51: Connecticut Broadleaf; produced in the Connecticut Valley sections of Connecticut and Massachusetts.

Type 52: Connecticut Havana Seed; produced in the Connecticut and Housatonic Valley sections of Connecticut and Massachusetts.

Type 53: New York and Pennsylvania Havana Seed; produced in the Big Flats and Onondaga sections of New York, and extending into Pennsylvania.

Type 54: Southern Wisconsin; produced in Wisconsin, south and east of the Wisconsin River.

Type 55: Northern Wisconsin; produced in Wisconsin, north and west of the Wisconsin River, and in eastern Minnesota.

#### CLASS 6. CIGAR-WRAPPER TYPES

Type 61: Connecticut Shade; produced in the Connecticut Valley sections of Connecticut and Massachusetts.

Type 62: Georgia and Florida Shade; produced in southwestern Georgia and north-central Florida.

#### MISCELLANEOUS TYPES OF DOMESTIC TOBACCO

Type 72: Louisiana Perique.

Type 73: All domestic types of tobacco not otherwise classified.

Type 77: Domestic Aromatic.

#### FOREIGN TYPES

Type 81: Cuba (Havana).

Type 82: Sumatra and Java.

Type 83: Philippine Islands (Manila).

Type 84: All foreign-grown cigar-leaf not otherwise classified.

Type 90: Foreign-grown cigarette and smoking tobacco (Turkish and other).

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/2/

#### Total stocks of leaf topacco slightly higher than a year ago

Leaf tobacco stocks in the United States and Puerto Rico totaled 4,843 million pounds (farm-sales weight) as of January 1, 1962, based on the quarterly reports of dealers and manufacturers. This is an increase of 59 million pounds in leaf inventories compared with the previous January 1, and about the same as 2 years ago. During the October-December quarter, marketings of the 1961 crop totaled around 840 million pounds. This brought total marketings of the 1961 crop to approximately 1,790 million, or about 86 percent of total production. (About the same percentage of the previous year's crop was sold in the corresponding period last year.)

Compared with the previous January 1, changes in holdings of most domestic types were relatively small. However, stocks of both foreign-grown cigar leaf and imported cigarette tobaccos were up considerably from a year earlier.

Stocks as of January 1 included about 544 million pounds (farm-sales weight) of leaf tobacco under Government loans, down 164 million pounds from a year ago. The peak loan holdings for the January quarter were 1,208 million pounds as of January 1, 1957. Loan stocks as of January 1, 1962, were divided as follows: Flue-cured, 449 million pounds; burley, 27 million; Maryland, 3.5 million; fire-cured, 28.0 million; dark air-cured, 15.9 million; and cigar leaf, 20.2 million.

2/ All Government loan stocks are reported by Grower Cooperatives, which are

considered dealers for stocks-reporting purposes.

<sup>1/</sup> Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. (See tables in body of report for reported weight basis.) This report is issued quarterly.

#### CIGARETTE-LEAF STOCKS

Flue-cured and burley stocks one percent above last January 1

Maryland slightly lower

Foreign-grown holdings larger

Stocks of flue-cured tobacco totaled 2,623 million pounds as of January 1, 1962--an increase of 14 million over those reported the previous January 1 (2,609 million), and 26 million above those reported 2 years ago. Marketing of the 1961 crop was completed by January 1, with producers' sales totaling 1,249 million pounds, about 2 million larger than the 1960 crop.

Burley tobacco holdings this January 1 were 1,415 million pounds--15 million above the stocks of a year ago (1,400 million). Sales of the 1961 crop of burley leaf on the auction markets prior to January 1 this year totaled about 500 million pounds, or 86 percent of the crop. (About 80 percent of the 1960 crop was marketed through the corresponding date a year earlier.)

Maryland stocks of January 1, 1962, were 60.6 million pounds--about 2 percent reduction from those reported a year earlier (61.7 million).

Stocks of foreign-grown cigarette and smoking tobacco (Turkish and other) were 244.8 million pounds--33.8 million pounds more than inventories of a year ago (211.0 million).

#### DARK TOBACCO STOCKS

### Holdings of fire-cured and dark air-cured smaller than on January 1, 1961

Fire-cured tobacco stocks, reported as 95.3 million pounds on January 1, 1962, were smaller than those of a year ago (109.6 million), decreases occurring in all types. Virginia fire-cured holdings on January 1, 1962, were 22.1 million pounds; Eastern District Kentucky and Tennessee fire-cured, 59.8 million; and Western District, 13.4 million. Sales of the 1961 crop of type 21 on the auction markets prior to January 1 totaled 5.3 million pounds (3.7 million up to the same date a year ago). Markets in types 22 and 23, as is customary, did not open until after January 1.

Holdings of dark air-cured tobacco totaled 64.5 million pounds on January 1, 1962-1.2 million less than were reported a year earlier (65.7 million), and 6.6 million below 2 years ago. Stocks of each of the types showed only slight changes from the previous January 1. One Sucker stocks on this January 1 were 38.9 million pounds; Green River, 20.2 million; and Virginia sun-cured, 5.4 million. Auction sales prior to January 1 totaled 11.8 million pounds (7.9 million the previous year for the same period).

#### CIGAR LEAF STOCKS

Filler stocks up slightly from a year ago, binder and wrapper holdings about the same

#### Imported cigar leaf stocks at record level

Holdings by dealers and manufacturers of all domestic types of cigar leaf tobacco were reported as 265.4 million pounds (farm-sales weight) on January 1, 1962 (259.0 million a year earlier). Stocks of foreign-grown cigar leaf totaled 71.2 million pounds (unstemmed equivalent) on this January 1 reporting date--6.3 million more than holdings on the same date a year earlier (64.9 million), and 28.6 million more than stocks reported 2 years earlier.

Cigar filler type stocks totaling 156.4 million pounds were 6.6 million larger than those of a year ago (149.8 million). Holdings of all types were higher. Pennsylvania Seedleaf stocks this January 1 were 102.5 million pounds; Ohio filler, 16.3 million; and Puerto Rican, 37.5 million.

Stocks of cigar binder types were 77.9 million pounds on January 1, 1962 (77.8 million on the previous January 1). Holdings of the Connecticut types were a little lower, and of the Wisconsin types a little higher, as compared with a year ago. Stocks of Connecticut Valley Broadleaf this January 1 were 18.6 million pounds; Connecticut Valley Havana Seed, 13.4 million; Southern Wisconsin, 21.5 million; and Northern Wisconsin, 24.5 million.

Shade-grown cigar wrapper stocks this January 1 were 31.0 million pounds-just under the figure reported a year earlier (31.4 million). Stocks of type 61 were lower, and of type 62, higher, as compared with the previous January 1. Stocks of Connecticut Valley Shade on January 1, 1962, were 19.0 million pounds, and of Georgia and Florida Shade, 12.0 million. It appears likely that all of the 1961 crop of 19.4 million pounds was in stocks on January 1, 1962.

Stocks of foreign-grown cigar leaf, as of January 1, 1962, were divided as follows: <u>Cuban</u>, 39.9 million pounds; Philippine Islands (Manila), 13.6 million; <u>Sumatra</u> and <u>Java</u>, 1.1 million pounds; and miscellaneous foreign-grown cigar leaf, 16.5 million.

LEAF REPRESENTED IN STOCKS OF TOBACCO SHEET (see table 5)

#### Stocks represented in tobacco sheet show increase

Stocks of leaf represented in inventories of "tobacco sheet" totaled 7.8 million pounds (reporting weight), compared with 5.6 million on the previous January 1. Of the total in "tobacco sheet" this January 1, 5.7 million pounds was for use in cigarettes and smoking tobacco; 2.0 million for cigar binder; and a very small quantity for wrappers for small cigars.

Table 1.--Average percentage of weight remaining after handling, sweating, drying, and stemming, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco  $\frac{1}{2}$ 

## AUCTION MARKET AREAS (TYPES 11-37)

	••	Y1e]	d realized from	Yield realized from farm-sales-weight to		: Factors to m	Factors to multiply by to convert:
	Type		Unstermed		••••		
	number	Packed	To	To the end of	Stermed	stocks to	:Unstermed stocks :to farm-sales-
		weight	: One year : in storage	: Two years		unstermed	:weight equivalent 2/
		Percent	Percent		Percent	Factor	Factor
Flue-cured	11-14	89.5	89.2	89.0	68.2	1.282	1.12
Virginia fire-cured	. 12.	81.0	80.5	80.0	62.0	1.299	1.23
Tenn. and Ky. fire-cured . :	22-23	96.8	93.0	91.5	69.5	1.316	おご
Burley	31 :	89.7	8	0.68	67.1	1.330	1.12
Southern Maryland	32 :	97 2	0.96	94.1	0.69	1.351	1.02
One Sucker	35 :	8,63	88.5	87.8	63.7	1.429	1.09
Green River	36 :	88.7	87.3	86.0	63.7	1.316	1.13
Virginia sun-cured	37 :	85.3	85.0	85.0	65.0	1.316	1.16
	••						
				CIGAR LEAF (TYPES 41-62)	11-62)		
Pennsylvania Seedleaf	41 :	97.3	0.43	82.0	58.0	1.387	3/
Obito	42-44		83.4	81.0	57.0	1.387	im
Puerto Rico	94	4°98	83.6	82.0	64.5	1.275	1.17
Connecticut Broadleaf	51 :	97.0	4.58	83.1	62.5	1.292	)Š
Connecticut Havana Seed . :	52 :	97.0	85.0	83.1	62.5	1.299	m
Southern Wisconsin	54 :	1	81.5	79.1	59.5	1.300	M
Northern Wisconsin		93.7	4° 28	9.080	59.0	1.333	m
Connecticut Shade	 2 &	%1.1 80 1	20 00 20 00	± 00	67.0	1.224	milm
		!					ો
			MISCELLANEO	MISCELLANEOUS DOMESTIC AND FOREIGN GROWN TYPES (31-V-90	GN GROWN TYPE	S (31-V-90)	
Total notine	31_V					1 351	61.1
Low-intention						1.282	1,12
Miscellaneous Domestic	72-77					1,333	1:03
Foreign-grown cigar leaf .	81-8					1.205	1
Foreign-grown cigarette	06					1.205	/4
- 1							<u></u>

1) Based on information from U. S. Department of Agriculture Circular 435, Tobacco Shrinhages and Losses in Weight in Bandling and Storage, issued in July 1937. 2/ Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating, and storage. 3/ See footnote 2 on page 7 for conversion factors to farm-sales-weight equivalent for eiger leaf except Type 46. 4/ Foreign-grown stocks not converted to farm-sales-weight equivalent.

Table E. -- Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, January 1, 1962, compared with other quarters 1/2/

#### FARM-SALES WEIGHT

	. U.S. :		January 1,				
Type name	type :	1962 :	1961 :	1900	October 1, :	July 1, 1961	April 1, 1961
	:	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	2,622,726	2,608,501	2,596,924	2,583,608	2,090,146	2,363,977
Virginia fire-cured Tennessee and Kentucky fire-cured (Eastern District)	21 :	22,124 59,800	22,795 71,225	24,682 72,716	20,938 74,010	22,867 81,224	24,309 88,473
Kentucky and Tennessee fire-cured (Western District)	23	13,425	15,616	15,198	18,794	20,963	22,199
Total Fire-cured	21-23		109,636	112,596	113,742	125,054	134,981
Burley Southern Maryland	31 32	1,415,438 60,566	1,400,140 61,668	1,469,393 64,171	1,127,337 70,030	1,277,656 74,332 1,351,988	1,404,623 53,002 1,457,625
Total Light Air-cured	31-32		1,461,808	1,533,564	1,197,367	1,351,988	1,457,625
One Sucker Green River Virginia sun-cured	35 : 36 : 37 :	20,229 5,304	39,975 20,542 5,220	43,265 22,311 5,551	37,884 19,281 5,036	41,877 20,908 5,647	45,912 22,098 6,301
Total Dark Air-cured	35-37	04,475	65,737	71,127	62,201	68,432	74,311
Pennsylvania Seedleaf Ohio Filler (Miami Valley) Puerto Rican:	41 42-44	102,497 16,346	97,5 <b>7</b> 3 15,223	93,144 15,892	114,863 17,632	122,034 20,018	130,823 21,374
In United States In Puerto Rico Total Cigar-filler	46 46 41-46	15,120 22,415 156,378	19,760 17,270 149,826	22,353 16,238 147,627	15,171 28,080 175,746	15,410 36,999 194,461	18,642 25,880 196,719
Connecticut Valley Broadleaf Connecticut Valley Havana Seed Southern Wisconsin Northern Wisconsin Total Cigar-binder	51 52 54 55 51-55	18,582 13,366	19,259 14,692 20,968 22,852 77,771	20,370 16,446 18,910 22,589 78,315	18,559 12,657 23,33 <sup>1</sup> 4 25,1 <sup>1</sup> 43 79,993	19,025 13,482 25,477 28,390 86,374	19,863 13,844 23,080 30,001 86,788
Connecticut shade Georgia and Florida shade	61 62 61-62	19,000 12,041	20,558 10,838	18,813 10,715	18,151 11,483 29,634	15,742 10,374	17,995 11,640 29,635
Total Cigar-wrapper  Low-nicotine Low-nicotine Perique Other Miscellaneous Domestic 3/ Domestic Aromatic Total Miscellaneous Domestic	31-V 70 72 73 77	2,27 <sup>4</sup>	31,396 38 62 531 2,488 400	29,528 71 85 484 2,568 435	20 50 681 2,072 323	26,116 25 55 716 2,253 193	29,635 29 59 796 2,278 279
	: 70-77 :	3,310	3,519	3,643	3,146	3,242	3,441
Cuba (Havana) ½/ Sumatra and Java ½/ Philippine Islands (Manila) Cther foreign-grown cigar-leaf ½/ Total Foreign-grown Cigar-leaf ½/	81 82 83 84 81-84	39,895 1,133 13,641 16,501	42,177 864 11,639 10,239 64,919	26,271 21 11,126 5,226 42,644	39,887 1,107 14,035 13,996 69,025	41,242 908 14,770 13,290 70,210	42,541 1,004 14,482 10,770 68,797
Foreign-grown cigarette & smoking tobacco (Turkish and other) 4/	90	244,760	211,021	229,000	222,269	254,193	-254,700
Total All Types	11-90	4,843,147	4,784,134	4,844,968	4,536,731	4,270,216	4,670,974

<sup>/</sup> Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.

<sup>1/</sup> Totals include stocks of leaf reported in tobacco sneet. See separate reporting in value 2/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstermed cigar-2/ For factor used in converting weights see table I except for eight leaf. The instructions for reporting unstemmed cight leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for January 1, 1962 are as follows: Type 41, 104; Types 42-44, 111; Type 51, 104; Type 52, 105; Type 54, 105; Type 55, 105; Type 61, 108; Type 62, 112. January 1, 1962 figures subject to revision.

3/ For explanation of stocks included in this classification, see footnote 5 on page 15.

4/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61  $\underline{1}/$ 

#### TOTAL ALL TYPES 11-62

Marketing:		Carry-over	2/		Pro-	Total	D	isappearanc	e	:Average
year	Manu- facturers	Under loan	Other	Total	duction	supply	Total	Export :	Other	to grower:
	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	2,839.2 2,959.9 2,735.4 2,638.5 2,708.4 2,689.3	947.9 1,026.9 999.7 955.8 725.0 665.5	382.2 422.3 420.3 367.5 398.0 390.5	4,169.3 4,409.1 4,155.4 3,961.8 3,831.4 3,745.3	2,199.4 1,694.1 1,761.9 1,823.9 1,970.9 3/4/2,077.7	6,368.7 6,103.2 5,917.3 5,785.7 5,802.3 4/5,823.0	1,959.6 1,947.8 1,955.5 1,954.3 2,057.0	556.7 527.5 535.8 503.8 566.6	1,402.9 1,420.3 1,419.7 1,450.5 1,490.4	53.5 55.7 59.5 57.9 60.5
					CURED, TYPES une Marketing					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	1,405.6	456.3 643.3 616.7 639.9 557.3 506.7	225.4 274.2 285.8 242.5 262.8 246.6	2,258.3 2,511.3 2,308.1 2,210.4 2,106.1 2,090.1	1,422.5 975.0 1,081.0 1,080.7 1,250.6 3/1,253.2	3,680.8 3,486.3 3,389.1 3,291.1 3,356.7 3,343.3	1,169.5 1,178.2 1,178.7 1,185.0 1,266.6	465.1 441.5 442.7 419.2 474.6	704.4 736.7 736.0 765.8 792.0	51.5 54.4 58.2 58.3 60.4
			(00		FIRE-CURED, I					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	12.4 12.9 11.5 11.0	8.4 7.9 7.7 8.2 7.9 5.0	4.3 4.5 3.2 2.8 3.3 3.2	24.4 24.8 23.8 22.5 22.2 20.9	10.7 8.6 9.4 10.0 8.9 <u>3</u> /10.1	35.1 33.4 33.2 32.5 31.1 31.0	10.3 9.6 10.7 10.3 10.2	5.5 5.4 5.4 5.4 6.2	4.8 4.2 5.3 4.9 4.0	39.5 38.7 36.9 37.6 39.4
•			(00		, TYPES 22-23 cember Market					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	56.9 52.5 48.4	37.3 37.9 38.6 37.3 35.6 26.8	20.1 26.0 18.3 13.5 17.6 18.1	113.2 120.8 109.4 99.2 101.2 92.8	59.9 41.9 33.9 43.0 36.5 <u>3</u> /43.7	173.1 162.7 143.3 142.2 137.7 136.5	52.3 53.3 44.1 41.0 44.9	24.8 23.8 19.5 18.6 21.0	27.5 29.5 24.6 22.4 23.9	36.1 36.4 38.1 38.3 43.3
					ENTUCKY FIRE- cember Market	, ,	22			
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	46.0	26.9 27.4 28.8 28.8 27.4 20.0	15.0 20.6 14.7 10.6 13.4 13.4	88.8 97.0 89.5 81.6 82.4 74.0	43.7 33.6 26.4 32.1 27.1 3/32.4	132.5 130.6 115.9 113.7 109.5 106.4	35.5 41.1 34.3 31.3 35.5			37·3 36.8 38.4 39·0 43·9
					NESSEE FIRE- ptember Marke		23			
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	7.9	10.4 10.5 9.8 8.5 8.2 6.8	5.1 5.4 3.6 2.9 4.2 4.7	24.4 23.8 19.9 17.6 18.8 18.8	16.2 8.3 7.5 10.9 9.4 3/11.3	40.6 32.1 27.4 28.5 28.2 30.1	16.8 12.2 9.8 9.7 9.4			32.7 34.8 37.0 36.2 41.4

Table 3.--Froduction, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61  $\underline{1}'$ --Continued

BURLEY, TYPE 31 (October-September Marketing Year)

					prember hark					
Marketing:		Carry-over	2/		: : Desc		Di	isappearanc	:е	Average
year	Manu- facturers	Under loan		: Total	Pro- duction	Total supply	Total	Exports :	Other	price to growers
	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1956 1957 1958 1959 1960 1961	884.8 981.4 960.2 954.8 1,050.0 989.2	376.1 277.4 276.3 229.7 89.2 88.0	37.9 35.9 40.0 39.8 52.4 50.1	1,298.8 1,294.7 1,276.5 1,224.3 1,191.4 1,127.3	506.4 488.1 465.5 502.3 484.7 <u>3</u> / <u>4</u> /575.0	1,805.2 1,782.8 1,742.0 1,726.6 1.676.1 4/1,702.3	510.5 506.3 517.7 535.2 548.8	28.2 28.1 34.8 36.3 41.3	482.3 478.2 482.9 498.9 507.5	63.6 60.3 66.1 60.6 64.3
					LAND, TYPE 3 ptember Mark					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	48.1	8.4 9.0 11.1 9.7 3.3 3.5	23.5 21.8 21.7 16.2 18.0 23.6	77.2 78.9 80.3 72.0 70.9	36.5 38.5 31.1 31.2 34.7 <u>3</u> /36.0	113.7 117.4 111.4 103.2 105.6 106.0	34.8 37.1 39.4 32.3 35.6	13.5 12.0 15.3 11.9 12.0	21.3 25.1 24.1 20.4 23.6	51.7 44.9 62.5 61.6 63.8
					L, TYPES 35- ptember Mark					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	38.3	37.7 31.5 30.2 18.1 17.7 15.6	8.6 7.7 6.1 4.5 6.7 5.0	80.8 77.5 72.5 63.6 60.9 57.2	30.7 19.8 16.1 19.3 18.2 <u>3</u> /20.4	111.5 97.3 88.6 82.9 79.1 77.6	34.0 24.8 25.0 22.0 21.9	10.6 6.3 7.5 5.5 4.7	23.4 18.5 17.5 16.5 17.2	34.0 36.1 38.4 34.5 37.4
					UCKER, TYPE ptember Mark					
1956 : 1957 : 1958 : 1959 : 1960 :	22.0	26.8 21.5 21.2 11.3 12.2 9.4	5.4 5.9 4.3 4.0 5.8 4.1	50.7 49.7 47.5 42.8 41.0 37.9	20.2 13.9 11.6 14.0 12.2 <u>3</u> /13.8	70.9 63.6 59.1 56.8 53.2 51.7	21.2 16.1 16.3 15.8 15.3	8.3 4.6 6.2 4.3 4.0	12.9 11.5 10.1 11.5 11.3	36.0 36.9 39.0 34.7 38.4
					RIVER, TYPE					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	14.2 13.5 13.5	10.9 10.0 9.0 6.8 5.5 6.2	3.2 1.8 1.8 .5 .9	30.1 27.8 25.0 20.8 19.9	10.5 5.9 4.5 5.3 6.0 3/6.6	40.6 33.7 29.5 26.1 25.9 25.9	12.8 8.7 8.7 6.2 6.6	2.3 1.7 1.3 1.2	10.5 7.0 7.4 5.0 5.9	34.4 36.7 34.0
					SUN-CURED,					
1956 : 1957 : 1958 : 1959 : 1960 :	4.5 4.7	0 0 0 0 0 0 0	.8 .8 .5 .4	4.6 5.3 5.5 4.9 5.2 5.0	3.2 2.7 1.9 2.2 1.8 3/2.3	7.8 8.0 7.4 7.1 7.0 7.3	2.5 2.5 2.5 1.9 2.0	.6 .6 .3 .3	1.9 1.9 2.2 1.6 1.7	34.0 36.8 34.4

Table 3.--Production, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61 1/--Continued

PENNSYLVANIA SEEDLEAF, TYFE 41 (October-September Marketing Year)

		arry-over			.podiact risti			cannoaron	20	· Arromo do
Marketing year	Manu-	Under	: Other :	Total	Pro- duction	Total supply				Average price to
	facturers :	loan Million	Million	Million	161114	M2172		Exports	:	growers
•	pounds	pounds	pounds	pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1956 1957 1958 1959 1960 1961	81.3 86.1 96.2	0 0 0 0 0 0 0	19.6 18.5 22.4 18.2 13.5 15.2	103.7 105.3 103.7 104.3 109.7 114.9	48.4 41.2 51.0 53.5 52.7 <u>3</u> /53.5	152.1 146.5 154.7 157.8 162.4 168.4	46.8 42.8 50.4 48.1 47.5	.2 .1 .3 .1	46.6 42.7 50.1 48.0 47.4	24.0 20.5 28.0 31.5 28.0
					OHIO) FILLER otember Marke		1111			
1956 : 1957 : 1958 : 1959 : 1960 : 1961 : .	19.2 19.4 16.6	1.9 2.2 0 0	2.0 1.7 1.1 .5 .6	23.2 23.1 20.5 17.1 17.5	6.3 4.6 2.5 6.9 6.6 <u>3</u> / 8.3	29.5 27.7 23.0 24.0 24.1 25.9	6.4 7.2 5.9 6.5 6.5		6.4 7.2 5.9 6.5 6.5	22.0 27.8 24.2 27.3 28.1
					RICAN FILLE September Man		-)			
1956 : 1957 : 1958 : 1959 : 1960 :	38.0 41.3 27.6 37.1	2.0 1.0 1.0 0	20.3 11 3 7.3 14.8 6.7 11.5	57.6 50.3 49.6 42.4 43.8 43.3	24.0 26.7 25.6 27.6 27.1 <u>3</u> /28.0	81.6 77.0 75.2 70.0 70.9 71.3	31.3 27.4 32.8 26.2 27.6	.4 .1 1.2 .5	30.9 27.3 31.6 25.7 27.5	30.8 27.5 30.0 32.2 34.2
					CUT BROADLE. September Ma		-)			
1956 1957 1958 1959 1960 1961	14.0	6.5 7.9 7.7 6.5 7.7 8.9	5.0 3.6 3.1 3.6 1.7	30.8 25.5 22.2 20.0 19.6 18.6	7.5 5.1 3.6 4.5 3.6 3/ 2.8	38.3 30.6 25.8 24.5 23.2 21.4	12.8 8.4 5.8 4.9 4.6	1.5 .7 .2 .2	11.3 7.7 5.6 4.7 4.3	59.0 50.0 54.0 45.0 44.0
					CUT HAVANA SI September Ma					
1956 1957 1958 1959 1960 1961	9.0	5.8 6.8 6.4 5.7 4.8 4.9	4.2 4.4 3.1 1.6 1.5	21.6 20.2 15.9 14.5 13.7 12.7	5.8 3.2 1.8 3.2 3.2 3/2.4	27.4 23.4 17.7 17.7 16.9 15.1	7.2 7.5 3.2 4.0 4.2	1.5 1.2 .6 .7 1.8	5.7 6.3 2.6 3.3 2.4	42.3 44.9 49.4 41.2 42.5
					ERN WISCONSI September Ma		r)			
1958 1959 1960 1961	20.3 19.2 19.5 17.0 15.8	4.2 •5 •5 0 •9 3.1	.7 .2 .3 1.4 4.3 4.4	25.4 21.0 20.0 20.9 22.2 23.3	6.8 7.7 8.8 9.3 8.6 <u>3</u> / 8.9	32.2 28.7 28.8 30.2 30.8 32.2	11.2 8.7 7.9 8.0 7.5	.2 .4 .4 .3	11.0 8.3 7.5 7.7 7.3	26.1 31.1 34.6 29.3 28.0
	<u> </u>									

Table 5.--Froduction, stocks, supply, disappearance on a farm-sales weight basis, and price of specified types, 1956-61 1/--Continued

#### NORTHERN WISCONSIN, TYPE 55 (October-September Marketing Year)

		Carry-over	2/		Pro-	Total	Di	sappearanc	e	Average price
Marketing year	Manu- facturers	Under loan	Other :	Total	duction	supply	Total :	Exports:	Other	to growers
:	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1950 : 1957 : 1958 : 1959 : 1960 : 1y61 :	23.7 21.9 21.1 21.0	3.3 1.5 1.5 .7 .6 3.0	4.9 6.4 3.2 3.5 2.8 1.4	31.8 31.6 26.6 25.3 24.4 25.4	13.4 12.2 13.0 11.6 12.2 3/13.7	45.2 43.8 39.6 36.9 36.6 39.1	13.6 17.2 14.3 12.5 11.2	.2 2.1 2.3 .9	13.4 15.1 12.0 11.6 10.8	30.9 33.5 35.2 37.1 30.6
			4		R WRAPPER, Tr une Marketing					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	13.5 14.9 14.8 16.7		4.7 5.0 5.7 5.5 6.0 7.2	17.0 18.5 20.6 20.3 22.7 26.1	17.1 18.9 16.5 18.5 21.3 <u>3</u> /19.4	34.1 37.4 37.1 38.8 44.0 45.5	15.6 16.8 16.8 16.1 17.9	4.5 5.3 5.3 3.9 3.5	11.1 11.5 11.5 12.2 14.4	186.0 199.0 215.8 204.0 194.0
					ECTICUT SHAL Ly-June Marke					
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	8.7		2.8 2.7 4.1 4.0 4.3 4.2	10.6 11.4 13.1 13.0 15.1 15.7	10.3 11.8 10.2 10.7 12.0 3/10.6	20.9 23.2 23.3 23.7 27.1 26.3	9.5 10.1 10.3 8.6 11.4	3.0 3.2 3.4 2.5 2.5	6.5 6.9 6.9 6.1 8.9	190.0 205.0 235.0 210.0 190.0
					AND FLORIDA ( -June Market		62.			
1956 : 1957 : 1958 : 1959 : 1960 : 1961 :	4.8 5.9 5.8		1.9 2.3 1.6 1.5 1.7 3.0	6.4 7.1 7.5 7.3 7.6 10.4	6.8 7.1 6.3 7.8 9.3 <u>3</u> / 8.8	13.2 14.2 13.8 15.1 16.9	6.1 6.7 6.5 7.5 6.5	1.5 2.1 1.9 1.4 1.0	4.6 4.6 4.6 6.1 5.5	180.0 190.0 185.0 195.0 200.0

<sup>1/</sup> Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

<sup>2/</sup> The carry-over stocks have been tabulated separately according to broad groupings of ownership, namely manufacturers, under loan, and all other. "Other" reflects stocks reported by tobacco dealers and stocks held in the United States by representatives of foreign manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export.

<sup>3/</sup> December 1 estimate, U. S. Crop Reporting Board.

<sup>4/</sup> Burley production and supply figures based on sales.

Table 4.--Stocks of leaf tobacco, including leaf in sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1962 compared with January 1, 1961, and October 1, 1961

#### REPORTED WEIGHT

TYPES 11-14 - FLUE-CURED

Type 11, Old a	and Middle Belt	flue-cured	T	MPES 11-14 -	FLUE-CURED				
Group		nuary 1, 1962	2/	Ja	nuary 1, 1961	:	Oc	tober 1, 1961	
	Unstermed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed :		Total
	1,000 lb.	1,000 lb.	1,000 lb.:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf	283,333	384,733	668,066	334,451	337,128	671,579	296,160	281,294	577,454
	ern North Carol	Lina flue-cure		000 070	105 053	(00 a) a			
Total Leaf :		421,033	648,587 :	282,978	405,271	688,249 :	279,144	397,599	676,743
Type 13, South	176,655	e-cured (inclu 286,936	ding southeas	stern North C	arolina) 239,717	443,485 :	211.054	284,764	1:05 B1B
TOTAL DEAL	110,0))	200,750	403,772 .	203,100	237,111	143,40) .	211,0)4	204, 704	495,818
	da and Florida		200 750	1.0 000	3.50 035	003 055			
Total Leaf :	39,727	163,035	202,762 :	42,822	158,235	201,057 :	52,755	177,759	230,514
	otal flue-cure								
Total Leaf :		1,255,737	1,983,006:	864,019	1,140,351	2,004,370 :	839,113	1,141,416	1,980,529
Other Leaf 1/: Total :		3,580 1,259,317	3,587 : 1,986,593 :	119 864,138	2,302	2,421 :	154 839,267	3,300	3,454
TOTAL :	121,210	1,2/2,311	1,900,093 :	004,130	1,142,055	2,000,191 :	039,201	1,144,716	1,983,983
			T	OPES 21-23 -	FIRE-CURED				
Type 21, Virgi	nia fire-cured		257.000	19 07/		19.020	36 (36	201	
Total Leaf :	17,614	287	17,901 :	18,076	236	18,312 :	16,636	298	16,934
Type 22, Tenne			d, (Eastern I	District)					
Total Leaf :	57,217	215	57,432 :	67,995	373	68,368 :	70,821	260	71,081
Type 23. Kentu	cky and Tennes	see fire-cure	d (Western D	istrict)					
Total Leaf :		26	12,901 :		4	15,014:	17,999	55	18,054
		,							
Types 21-23, Total Leaf :		528	88,234:	101,081	613	101,694:	105,456	613	106,069
	01,100	)20	00,2,54 :	101,001		101,07.	20/1/0		100,00)
				DD0 21 20	T TOTAL ATTO OU	TIND.			
Type 31, Burle	v		T	IPES 31-32 -	LIGHT AIR-CU	IKED			
Total Leaf :	319,924	708,077	1,028,001:	326,872	693,111	1,019,983 :	148,980	643,268	792,248
Other Leaf 1/:		1,592	1,592:		1,064	1,064:		1,522	1,522
Total :	319,924	709,669	1,029,593:	326,872	694,175	1,021,047:	148,980	644,790	793,770
Type 32, South	ern Maryland								
Total Leaf :	28,313	22,932	51,245:	26,284	25,259	51,543:	36,519	23,742	60,261
Other Leaf 1/:		62	62:		37	37 : 51,580 :		46	46
Total :	28,313	22,994	51,307:	26,284	25,296	51,580 :	36,519	23,788	60,307
M 25 0 0			7	TYPES 35-37	- DARK AIR-CU	RED			
Type 35, One S Total Leaf :		1,236	35,142:	34,756	1,342	36,098 :	32,887	1,308	34,195
10001 1001	11,900	1,200	3/,172.	3.7175			3=) = 1		3.1-77
Type 36, Green	River		35/22	35 00/	501	17.050	35 997	901	3/ 500
Total Leaf :	16,650	951	17,601 :	17,226	724	17,950 :	15,886	894	16,780
Type 37, Virgi	nia sun-cured								
Total Leaf :		120	4,586 :	4,341	121	4,462 :	4,166	133	4,299
Type 35-37, To	tal dark ein-	harin							
Total Leaf :	55,022	2,307	57,329:	56,323	2,187	58,510 :	52,939	2,335	55,274
	- diameter de la constante de								
			T	MPES 41-46 -	CIGAR LEAF F	ILLER			
Type 41, Penns			2 002	3 07/	3).	1 210	1 05%	20	1 100
В	972	29	1,001: 53,424:	1,276	34	1,310 : 55,028 :	1,064 56,161	38 1,872	1,102 58,033
C :	51,635 28,800	1,789 666	29,466:	53,096 21,528	1,932 731	22,259 :	31,051	748	31,799
Y :	6,703	476	7,179:	6,056	786	6,842 :	10,564	467	11,031
S :	25	4,170	4,195:	52	4,089	4,141 :	45	4,846	4,891
Total Leaf :	88,135	7,130	95,265:	82,008	7,572	89,580 :	98,885 42	7,971	106,856
Other Leaf 1/: Total :	7.5	7,380	434 : 95,699 :	80 82,088	243 7,815	323 : 89,903 :	98,927	333 8,304	375 107,231
10001	00,319	1,300	7/5077 .	02,000	1,01/		7597-1	3,50	

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1962 compared with January 1, 1961, and October 1, 1961--Continued

#### REPORTED WEIGHT

TYPES 41-46 - CIGAR LEAF FILLER--Continued

Types 42-44, 0	hio Filler (Mi	ami Valley)	TYPES	41-46 - C10	AR LEAF FILLE	RContinued			
:		uary 1, 1962	2/	Jan	uary 1, 1961	:	Oct	ober 1, 1961	
Group :	Unstermed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.:	1,000 lb.	1,000 lb.	1,000 lb.
:	1 051	20	:	1 501	104	1 635 :	2 220	26	0.065
C :	1,954 12,214	39 1	1,993 : 12,215 :	1,521 11,538	205	1,625 : 11,743 :	2,239 13,031	26 19	2,265 13,050
Y :	21	23	44:		17	17 :	61	87	148
S :	4	301	305:		55	55 :	. 3	251	254
Total Leaf :	14,193	364	14,557:	13,059	381	13,440 :	15,334	383	15,717
Other Leaf 1) · Total :		20 384	20:	13,059	3 384	3: 13,443:	15,334	14 397	15,731
TOTAL .	14, 173	304	14,011	13,077	304	139473 .	±7,557	371	10101
	o Rican (In Co								
C :	244	1,378	1,622:	646 5 660	3,785	4,431 : 6,216 :	631	1,605 324	2,236 3,829
X : Y :	3,286	3/1/+	3,630:	5,660 14	556 	14:	3,505	224	3,029
s :	140	5,521	5,661:	679	3,414	4,093:	195	4,832	5,027
Total Leaf :	3,670	7,243	10,913:	6,999	7,755	14,754:	4,331	6,761	11,092
Cther Leaf 1/:		14	14:		2 7.75	2 :		12	12
Total :	3,670	7,257	10,927:	6,999	7,757	14,756 :	4,331	6,773	11,104
Type 46, Puert	o Rican (In Pu	erto Rico)							
C :	8,224	393	8,617:	7,555	742	8,297 :	11,478	979	12,457
X :	9,144	23	9,167:	5,267	148	5,415:	10,149	28	10,177
Y :	321 117	644	321 : 761 :	142 96	1 443	143 : 539 :	256 231	472	256 703
Total Leaf :		1,060	18,866:	13,060	1,334	14,394 :	22,114	1,479	23,593
Type 46, Total	Fuerto Rican			9 003	1. 505	30.709	10 100	0.50.	11. (00
C :	8,468 12,430	1,771 367	10,239:	8,201 10,92 <b>7</b>	4,527 704	12,728 : 11,631 :	12,109	2,584 352	14,693 14,006
Y :	321	201	12,797 : 321 :	156	1	157 :	256	3/2	256
S :	257	6,165	6,422 :	775	3,857	4,632 :	426	5,304	5,730
Total Leaf :	21,476	8,303	29,779:	20,059	9,089	29,148 :	26,445	8,240	34,685
Other Leaf 1/:		8,317	14:	20.050	9,091	29,150:	26,445	8,252	34,697
Total :	21,4(0	0,311	29,793:	20,059	9,091	29,170 :	20,44)	0,2)2	34,091
				TYPES 51-55	- CIGAR LEAF	BINDER			
Type 51, Conne	cticut Valley	Broadleaf							
A :	1,281	2	1,283 :	870	2	872 :	1,152	1	1,153
B :	13,999	31	14,030 :	14,387	32	14,419 :	14,040	53	14,093
3 : X :	191 1,572	1 2	192 : 1,574 :	69 2,188	2	69 : 2,190 :	·55 1,600	4	59 1,600
s :	5	266	271 :	7	271	278 :	24	303	327
Total Leaf :	17,048	302	17,350:	17,521	307	17,828 :	16,871	361	17,232
Other Leaf 1/:	240	146	386 :	329	210	539 :	305	157	462
Total :	17,288	1448	17,736 :	17,850	517	18,367 :	17,176	518	17,694
Type 52, Connec	cticut Valley	Havana Seed							
A :	819	1	820 :	781	3	784 :		2	768
В:	8,415	20	8,435 :	9,215	13	9,228:	7,857	36	7,893
C :	62		62 :	40	750	40 :	2 021		2 021
S :	2,803	202	2,803 : 275 :	2,384	750 211	3,134 : 211 :	3,021 69	216	3,021 285
Total Leaf :	12,172	223	12,395 :	12,420	977	13,397 :	11,720	254	11,974
Other Leaf 1/:	268		268 :	171		171 :	120		120
Total :	12,440	223	12,663:	12,591	977	13,568 :	11,840	254	12,094
Type 54, South	ern Wisconsin								
B :		204	209 :	10	9	19 :	5	191	196
C :	1,134	64	1,198:	303	17	320 :	500	90	590
X :	18,382	435	18,817 :	19,210	195	19,405 :	20,748	425	21,173
S : Total Leaf :	5 19,526	33 736	38 : 20,262 :	35 19,558	93 314	128 : 19,872 :	26 21,279	18 724	22,003
Other Leaf 1/:	19,720	736	4:		3 3	3:		2	22,003
Total :		740	20,266 :	19,558	317	19,875 :	21,279	726	22,005

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1962 compared with January 1, 1961, and October 1, 1961--Continued

#### REPORTED WEIGHT

Type 55, Northern Wisconsin

Total Leaf

TYPES 51-55 - CIGAR LEAF BINDER--Continued

Group	:	Jan	uary 1, 1962	2/	:	Jan	uary 1, 1961	:	Oct	ober 1, 1961	
	:	Unstemmed:	Stemmed :	Total	:	Unstermed:	Stemmed :	Total :	Unstemmed :	Stemmed :	Total
	:	1,000 lb.	1,000 lb.	1,000 lb.	:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
	:				:			:			
В	:	2 <b>,7</b> 52	2	2,754	:	2,243	142	2,385 :	2,254	21	2,275
C	:	883	24	907	:	106	11	117:	189	29	218
X	:	18,768	347	19,115	:	18,218	460	18,678 :	21,051	431	21,482
S	:		152	152	:		104	104:		98	98
Total Leaf	:	22,403	525	22,928	:	20,567	717	21,284 :	23,494	579	24,073
Other Leaf 1	/:	205	1	206		199	32	231 :	192	5	197
Total	:_	22,608	526	23,134	:	20,766	749	21,515 :	23,686	584	24,270
						TYPES 61-62	- CIGAR LEA	AF WRAPPER			
Type 61, Con	nec										
A	:	12,991	661	13,652	:	14,482	363	14,845 :	11,918	742	12,660
В	:	1,005		1,005	:	1,243		1,243:	1,051		1,051
C	:	362	6	368	:	375		375 :	351	2	353
S	:	87	1,401	1,488	:	101	1,560	1,661 :	95	1,435	1,530
Total Leaf	:	14,445	2,068	16,513	:	16,201	1,923	18,124 :	13,415	2,179	15,594
Other Leaf 1	/:	59	456	515	:	40	360	400 :	94	389	483
Total	:	14,504	2,524	17,028	:	16,241	2,283	18,524 :	13,509	2,568	16,077
Type 62, Geo	rgi	a and Florida	Shade								
A	:	9,413	396	9,809	:	8,541	137	8,678 :		215	9,367
В	:	53		53	:	63		63 :	150		150
C	:	117	1	118	:	114	1	115 :	55	18	73
S	:	16	559	575	:	24	638	662 :	16	574	590

#### GROUP SUMMARY ALL CIGAR TOBACCO 3/

January 1, 1962

Class	·				roup		
CIASS	: A :	В:	C :	X :	Y :	S-N :	Total
	: 1,000 lb.	1,000 lb.					
Filler, Types 41-46 4/		1,001	65,656	54,478	7,544	10,922	139,601
Binder, Types 51-55	: 2,103	25,428	2,359	42,309	1,52	736	72,935
Vrapper, Types 61-62	: 23,461	1,058	486			2,063	27,068
Foreign, Types 81-84	: 2,615		46,915			15,775	65,305
Total Leaf	: 28,179	27,487	115,416	96,787	7,544	29,496	304,909
Other Leaf 1/		**			.,,	-, -	1,969
Total -							306,878
			January	1, 1961			
iller, Types 41-46 4/		1,310	69,381	45,633	7,016	8,828	132,168
inder, Types 51-55	: 1,656	26,051	546	43,407		721	72,38
rapper, Types 61-62	: 23,523	1,306	490			2,323	27,642
oreign, Types 81-84	: 1,720		46,755			12,273	60,74
Total Leaf	: 26,899	28,667	117,172	89,040	7,016	24,145	292,939
Other Leaf 1/	:						1,77
Total	:						294,71
	:		October	1, 1961			
Filler, Types 41-46 4/		1,102	74,991	58,855	11,435	10,875	157,258
Sinder, Types 51-55	: 1,921	24,457	874	47,276		754	75,28
Trapper, Types 61-62	: 22,027	1,201	426			2,120	25,77
Foreign, Types 81-84	: 2,579		47,356			13,820	63,755
Total Leaf	: 26,527	26,760	123,647	106,131	11,435	27,569	322,069
Other Leaf 1/	:						1,730
Total	•						323,799

See footnotes at end of table.

Continued --

10,180

Table 4.--Stocks of leaf tobacco, including leaf in tobacco sheet 1/, by types and, where applicable, by groups of grades, owned by dealers and manufacturers, January 1, 1962 compared with January 1, 1961, and October 1, 1961--Continued

#### REPORTED WEIGHT

TYPES 31-V and 70-77 - MISCELLANEOUS DOMESTIC

Group :		nuary 1, 1962	2/ :	Jar	uary 1, 1961	:	Oct	tober 1, 1961	
	Unstemmed:	Stemmed :	Total :	Unstermed:	Stemmed :	Total :	Unstemmed:	Stemmed :	Total
:	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb. :	1,000 lb.	1,000 lb.	1,000 lb.
Total Leaf :		10	10 :	===	25	25 :		13	13
Type 7C, Low N									
Total Leaf :		32	32 :		43	43:		35	35
Type 72, Perio	ue								
Total Leaf :		423	423 :		365	365 :		469	469
Type 75, Other									
Total Leaf ·		1,565	1,565 :		1,713	1,713 :	156	1,309	1,465
Type 77, Domest	tic Aromatic								
Total Leaf :			329 :	367		367 :	296		296
Types 31-V and	70-77, Total	miscellaneous	domestic						
Total Leaf :	329	2,030	2,359:	367	2,146	2,513:	452	1,826	2,278
			TY	PES 81-84 -	FOREIGN-GROW	N CIGAR-LEAF			
Type 81, Cuba (		17	2 612	1 717	2	1 710	2 563	7.5	0 570
C :	2,596 14,854	7,102	2,613 : 21,956 :	1,717 21,749	5,554	1,719 : 27,303 :	2,563 16,271	15 6 <b>,7</b> 82	2,578 23,053
S .	5,437	6,889	12,326 :	5,311	5,494	10,805 :	5,526	6,039	11,565
Total Leaf : Other Leaf 1/:	22,887 90	14,008	36,895 : 122 :	28,777 78	11,050	39,827 : 84 :	24,360	12,836	37 <b>,1</b> 96
Total :		14,040	37,017 :	28,855	11,056	39,911 :	24,399	12,853	37,252
Type 82, Sumati	and Town 6/	,							
A :	2		2 :	1		1:	1		1
C :	954	147	1,101 :	763	78	841 :	907	132	1,039
S: Total Leaf:	956	147	1,103:	6 770	78	848 :	908	33 165	1,073
				1,10	10	040 .		10)	1,0(3
Type 83, Philip	ppine Islands 1,079	(Manila) 6,960	8,039 :	2,921	5 769	8,689 :	2 020	7 72	0.80
S :	16	3,433	3,449 :	2,921	5,768 1,454	1,462 :	2,030 16	7,734 2,206	9,764 2,222
Total Leaf :	1,095	10,393	11,488 :	2,929	7,222	10,151 :	2,046	9,940	11,986
Other Leaf 1': Total :	1,095	19	19 : 11,507 :	2,929	7,228	10,157:	2.046	9,949	11,995
1000.	-1,0//	20,122			1,220	10,171 .	2,000	2,2-2	
Type 84, Other			15,819 :	8,451	1 1-771	0.000	11 091	0 1:10	12.500
Total Leaf : Other Leaf 1/:	12,490	3,329	15,019 :	0,451	1,471	9,922 : 13 :	11,081	2,419	13,500
Total :	12,490	3,329	15,819 :	8,451	1,484	9,935 :	11,081	2,419	13,500
			mmp 00	oppravi oper		COLORESTO CO.			
	01:2 05	721	TYPE 90 - F						200
M-4-1 T0			243,998 :	209,585	880	210,465 :	220,569	899	221,468
Total Leaf : Other Leaf 1/:	243,277 78	445	523 :	84	242	326 :	96	432	528

#### TYPES 11-90 - TOTAL ALL TYPES

Total Leaf : 1,718,265	2,040,816	3,759,081 :	1,835,593	1,906,424	3,742,017:	1,679,239	1,860,957	3,540,196
Other Leaf 1/: 1,131	6,621	7,752 :	1,100	4,523	5,623:	1,042	6,238	7,280
Total : 1,719,396	2,047,437	3,766,833 :	1,836,693	1,910,947	3,747,640 :	1,680,281	1,867,195	3,547,476

<sup>1/</sup> Represents leaf tobacco in stocks of reconstituted or processed tobacco sheet.

Type 31-V, Low Nicotine

<sup>4/</sup> Includes Fuerto Fican on the Island, Type 40.

5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.

6/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

Table 5.--Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and for cigarettes (including smoking tobacco), separately 1/

REPORTED WEIGHT

Cigar Binder

U.S.	:	:	Cigar B January 1,	ATTACE .		: :	
type number	•	1962	1961	1960	October 1, 1961	July 1, 1961	April 1 1961
iidibci	:	: 1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb
22.26	:	:	2	3			
11-14	: Unstemmed : Stemmed	: 7 : 14	3	1	5 5	7 18	2
	: Total	21	7	1	10	25	15 17
32	: : Stemmed	: : 33	11	40	17	15	11
	*	*					
41	: Unstemmed	: 184	80	110	42	47	49
	: Stemmed : Total	: 250 : 434	243	216	333	341	312
	: IOUAL	: 434	323	326	375	388	361
t5-ftft	: Stemmed	: 20	3	10	14	6	6
46	: Stemmed	14	2	1	12	12	2
51	: Unstemmed	240	329	319	205	286	255
)_	: Stemmed	: 146	210	196	305 157	157	355 292
	: Total	: 386	539	515	462	443	292 647
52	: Unstemmed	268	171	340	120	212	236
/_	: Stemmed	: -	-	-			130
	: Total	: 268	171	340	120	212	366
54	Stemmed	<u>1</u>	3	7	2	1	2
55	Unstemmed	: 205	199	101	192	202	185
//	: Stemmed	: 1	32	9	5	1	3
	: Total	: 206	231	110	197	203	188
61	: Unstemmed	: : 59	40	69	94	74	68
	: Stemmed	: 456	360	327	389	442	430
	: Total	: 515	400	396	483	516	498
81	: Unstemmed	: 90	78	13	39	43	90
01	: Stemmed	32	6	1	17	28	9
	: Total	: 122	84	14	56	71	99
83	Stemmed	: 19	6	9	9	7	8
	•	:					
84	Stemmed	: -	13	-	-	-	2
	Unstermed	: 1,053	900	953	797	871	985
otal	: Stemmed	: 989 : 2,042	893	953 816	969	1,028 1,899	1,222 2,207
	: Total	: 2,042	1,793	1,769	1,757	1,899	2,207
		C	igarettes (In	cluding smoki	ng tobacco)		
	: Unstemmed	: -	116	1	149	139	124
	: Stemmed	: 3,566	2,298	1,670	3,295	139 2,864	2,809
	Total	: 3,566	2,414	1,671	3,444	3,003	2,933
	Stemmed	: : 1,592 :	1,064	967	1,522	1,400	1,397
	Stemmed	: 29	26	5	29	27	26
		:					
	Unstermed	: 78	84	61	96	112	86
;		: 445	242	83	432	374	283
	Total Unstemmed	: 523 : 78	326 T	144 814	528 245	486 25 <b>1</b>	369 210
otal	: Stemmed	: 5,632	3,630	1,973	5,278	4,665	4,515
	Total	: 5,710	3,830	2,787	5,523	4,916	4,515 4,725
			G:	rand Total			
Total :		: 1,131	1,100	953	1,042	1,122	1,195
	Stemmed	: 6,621 : 7,752	4,523	814	6,238 7,280	5,693 6,815	5,737 6,932
types :	Total	. ()()<	5,623	4,556	1,200	0,01)	2,732

<sup>1/</sup> These stocks included in table 4 under respective type as "Other Leaf".

Table 6. -- Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, January 1, 1962 compared with January 1, 1961 1/2/

#### REPORTED WEIGHT

*	Design		her manufact	3/	: Panarta	armod besides 3	and (including )	oon stockel o/	
U.S. :_	Reported as owned by manufacturers 3/ January 1, 1962				Reported as owned by dealers (including loan stocks)  January 1, 1962				
type :_ number :	: :			January 1,	:	:		January 1,	
:	Unstemmed	Stemmed	Total	1961	Unstermed	Stemmed	Total	1961	
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	
11	39,263	345,677	38/1 0/10	365,831	244,070	39,056	283,126	308,162	
12	12,107	399,706	384,940 411,813	418.478	215,447	21,327	236,774	269,777	
13	31,299	268,449	299,748	258,876	145,356	18,487	163,843	184,609	
14	613	152,523	153,136	148,273	39,114	10,512	49,626	52,785	
11-14 1/	83,289	1,169,935	1,253,224	1,191,458	643,987	89,382	733,369	815,333	
21	10,446	282	10,728	9,456	7,168	5	7,173	8,856	
22	36,640	213	36,853	36,600	20,577	2	20,579	31,768	
23	5,164	6	5,170 52,751	5,675 51,731	7,711 35,456	20 27	7,731 35,483	9,339 49,963	
21-23	52,250	501	72, (7⊥	)±, 13±	37,470		37,403	49,903	
31	244,424	694,343	938,767	873,397	75,500	15,326	90,826	147,650	
32	13,224	22,984	36,208	38,053	15,089	10	15,099	13,527	
31-32	257,648	717,327	974,975	911,450	90,589	15,336	105,925	161,177	
35	21,671	1,200	22,871	19,778	12,235	36	12,271	16,320	
36	9.745	931	10,676	11,545	6,905	20	6,925	6,405	
37	3,922	120	4,042	4,167	544	-	544	295	
35-37	35,338	2,251	37,589	35,490	19,684	56	19,740	23,020	
41	74,905	6,333	81,238	80,130	13,414	1,047	14,461	9,773	
42-44	74,905 13,828	6,333 367	14,195	13,103	365	17	382	340	
46 4/	16,843	8,150 14,850	24,993 120,426	24,767 118,000	4,633 18,412	167 1,231	4,800 19,643	4,383 14,496	
41-40	105,570	14,070	120,420	110,000	10,412	1,251	19,043	14,430	
51	6,928	434	7,362	9,291	10,360	14	10,374	9,076	
52	5,094	218	5,312	6,786	7,346	5	7,351 6,655	6,782	
54 55	13,447 17,312	164 455	13,611	14,727 17,937	6,079 5,296	5 <b>7</b> 6 71	5,367	5,148 3,5 <b>7</b> 8	
51-55	42,781	1,271	44,052	48,741	29,081	666	29,747	24,584	
		1	1		- 110		- (-0		
61 62	9,056 5,832	2,354 665	11,410 6,547	11,584 5,499	5,448 3,71 <b>7</b>	170	5,618 4,008	6,930	
61-62	14,938	3,019	17,957	17,093	9,165	291 461	9,626	4,019	
31-V	-	10	10	25	-	~	~	-	
70 72	_	32 147	32 147	43 184	_	276	276	181	
73 5/	_	1,520	1,520	1,682	_	45	45	31	
77	93		93	172	236	-	236	195	
31-V & 70-77	93	1,709	1,802	2,106	236	321	557	407	
81	18,723	11,385	30,108	32,456	4,254	2,655	6,909	7,455	
82 6/	948	116	1,064	812	8	31	39	36	
83 -	430	4,678	5,108	4,297	665	5,734	6,399	5,860	
81-84	8,743 28,844	3,194	11,937 48,217	5,567 43,132	3,747 8,674	135 8,555	3,882 17,229	4,368 17,719	
01-04	20,074	-7,010		عرب ورب	0,0(4	<u> </u>		-1,1-7	
90	242,390	663	243,053	209,990	965	503	1,468	801	
11-90	863,147	1,930,899	2,794,046	2,629,191	856,249	116,538	972,787	1,118,449	

<sup>1/</sup> Total includes stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.
2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

<sup>3/</sup> This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. All Government loan stocks are included as dealer holdings.

<sup>4/</sup> Includes stocks on the Island of Puerto Rico.

 $<sup>\</sup>overline{5}/$  For explanation of stocks included in this classification see footnote 5 on page 15.

Table 7 .-- Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, January 1, 1962 compared with other quarters 1/2/

#### REPORTED WEIGHT

	U.S.	Ja	nuary 1, 196			October 1, 1960	
Type name	type number	Unstermed:	Stemmed : Total		January 1, 1961		October 1, 1961
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Old and Middle Belt flue-cured Eastern North Carolina flue-cured South Carolina flue-cured	11 12 13	: 283,333 227,554 176,655	384,733 421,033 286,936	668,066 648,587 463,591	671,579 688,249 443,485	577,454 676,743 495,818	581,570 664,989 444,458
(including Southeastern N. C.) Georgia and Florida flue-cured Total Flue-cured		39,727 727,276	163,035 1,259,317	202,762 1,986,593 <sup>1</sup> /	201,057 2,006,791 <u>1</u> /	230,514 1,983,983 <u>1</u> /	227,572 1,921,090
Virginia fire-cured Tennessee and Kentucky fire-cured (Eastern District)	21 22	17,614 57,217	287 215	17,901 57,432	18,312 68,368	16,934 71,081	17,823 <b>7</b> 9,113
Kentucky and Tennessee fire-cured (Western District)	23	12,875	26	12,901	15,014	18,054	18,070
Total Fire-cured		87,706	528	88,234	101,694	106,069	115,006
Burley Southern Maryland Total Light Air-cured	31	319,924 28,313 348,237	709,669 22,994 732,663	1,029,593 51,307 1,080,900	1,021,047 51,580 1,072,627	793,770 60,307 854,077	856,092 60,234 916,326
One Sucker Green River Virginia sun-cured	35 36 37	33,906 16,650 4,466	1,236 951 120	35,142 17,601 4,586	36,098 17,950 4,462	34,195 16,780 4,299	37,103 17,371 4,459
Total Dark Air-cured :	35-37	55,022	2,307	57,329	58,510	55,274	58,933
Pennsylvania Seedleaf Ohio Filler (Miami Valley) Puerto Rico:	745-777 747	88,319 14,193	7,380 384	95,699 14,577	89,903 13,443	107,231 15,731	101,360 15,454
In United States In Puerto Rico Total Cigar-filler	46 46 41-46	3,670 17,806 123,988	7,257 1,060 16,081	10,927 18,866 140,069	14,756 14,394 132,496	11,104 23,593 157,659	14,799 20,066 151,679
Connecticut Valley Broadleaf Connecticut Valley Havana Seed Southern Wisconsin Northern Wisconsin Total Cigar-binder	52 54 55	17,288 12,440 19,526 22,608 71,862	448 223 740 526 1,937	17,736 12,663 20,266 23,134 73,799	18,367 13,568 19,875 21,515 73,325	17,694 12,094 22,005 24,270 76,063	18,675 12,545 21,083 23,041 75,344
Connecticut shade : Georgia and Florida shade : Total Cigar-wrapper :	61 62 61-62	14,504 9,599 24,103	2,524 956 3,480	17,028 10,555 27,583	18,524 9,518 28,042	16,077 10,180 26,257	17,111 9,126 26,237
Low-nicotine Low-nicotine Perique Other Miscellaneous Domestic 4/ Domestic Aromatic	31-V 70 72 73	- - - - - - - - - - - - - - - - - -	10 32 423 1,565	10 32 423 1,565 329	25 43 365 1,713 367	13 35 469 1,465 296	28 46 337 1,460 344
Total Miscellaneous Domestic :	31-V & 70-77	329	2,030	2,359	2,513	2,278	2,215
Cuba (Havana)  Sumatra and Java 5/ Philippine Islands (Manila)  Other foreign-grown cigar-leaf	81 82 83 84	22,977 956 1,095 12,490	14,040 147 10,412 3,329	37,017 1,103 11,507 15,819	39,911 848 10,157 9,935	37,252 1,073 11,995 13,500	41,343 504 10,664 6,432
Total Foreign-grown Cigar-leaf :  Foreign-grown cigarette and smoking :	81-84		27,928	65,446	60,851	63,820	58,943
tobacco (Turkish and other) :	90 :	243,355	1,166	244,521	210,791	221,996	209,508

5/ Does not include Sumatra and Java leaf held for sale in the Free Trade Zone.

<sup>1/</sup> Totals include stocks of leaf reported in tobacco sheet. See separate reporting in tables 4 and 5.
2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1961, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

<sup>3/</sup> Subject to revision.
4/ For explanation of stocks included in this classification see footnote 5 on page 15. Subject to revision.



U. S. Department of Agriculture Washington 25, D. C.

January 1962

#### OFFICIAL BUSINESS

:	NOTICE
:	If you no longer need this
:	publication, check here
:	return this sheet, and your name
:	will be dropped from the mailing
:	list.
:	
:	If your address should be changed,
:	write the new address on this
:	sheet and return the whole sheet to:
:	
:	Tobacco Division,
:	Agricultural Marketing Service
:	U. S. Department of Agriculture
:	Washington 25, D. C.