

1 2 3 4 5 6 7 8 9 10 1 2 3 4 5

始



中央氣象臺月報

大正三年十一月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

NOVEMBER, 1914.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY,

TŌKYŌ.

1915.

緒言

本編ハ大正三年十一月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ擧タレハ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據ル但シ日照時數ハ真太陽時ヲ用フ

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サス但シ其更正數ハ本表ノ欄外ニ掲ク

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒス百ヨリ其度ヲ減シ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルカ如シ

雨雪霰雹ノ種類ニ拘ラス之ヲ一括シテ降水ト爲ス時ハ其全日ノ水量耗ノ十分一以上ニ達シタル日ノミヲ降水ノアリシ日トス但シ特ニ雪霰雹ヲ各別ニ計算スル時ハ其量ノ多少ニ拘ラス苟モ雪霰雹ノアリシ日ハ皆其日數ニ算入ス

平均雲量ニ未滿ナル日ヲ快晴トシハ

INTRODUCTION.

The present volume contains the meteorological observations made at the central meteorological observatory and all the stations in Japan during the month of November, 1914.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the central meteorological observatory. Among the instructions, the following are in particular to be noted.

Hours of Observations.—The Central Standard Time (mean time of the meridian 135° E.) is adopted in all localities, except in Taiwan and Manchuria, where the Western S. T. i. e. mean time of the meridian 120° E. is followed. For Sunshine duration the apparent solar time is used.

Pressure.—The barometric readings in millimetres are reduced only to freezing point, unless otherwise stated; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

Temperature.—The degrees are given in Centigrade; those below zero are shown by adding 100 to avoid the minus sign; thus 99° for -1°, 95° for -5°, etc.

Days with Precipitation.—The number of days with precipitation is counted only when the amount is 0.1 mm or more in a day; but for those days with either snow, hail or graupel, the amount is not taken into consideration.

Clear and Cloudy Days.—The mean amount of cloud for a clear day is less than 2 exclusive, and for a cloudy day is more than 8 inclusive.

以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ観測シタル日ヲ暴風日トス

現象ノ記號ハ總テ萬國普通ノ記號ヲ用フ

中央氣象臺長
理學博士 中村精男

Days with Gales. —As such are counted the days on which the maximum velocity reaches or exceeds 10 metres per second.

The occurrence of phenomena is recorded with international symbols.

K. NAKAMURA, *Rigakuhakushi,*
Director of the Central Meteorological Observatory.

萬國普通記號
ILLUSTRATION OF SYMBOLS.

雨	☉	Rain	吹雪	+	Snow drift	卷雲	C	Cirrus
雪	✱	Snow	細氷	+	Ice crystals	卷層雲	CS	Cirro-stratus
電雷	⚡	Thunder storm	地震	⊙	Earthquake	卷積雲	CK	Cirro-cumulus
雷聲	⚡	Thunder without lightning	日光環	⊕	Solar corona	積卷雲	KC	Cumulo-cirrus
電光	⚡	Lightning without thunder	日暈	○	Solar halo	層卷雲	SC	Strato-cirrus
霰	△	Graupel	月光環	∪	Lunar corona	層積雲	SK	Strato-cumulus
雹	▲	Hail	月暈	∪	Lunar halo	亂雲	N	Nimbus
霧	≡	Mist, fog	暴風	↙	Gales	積雲	K	Cumulus
霜	⌋	Hoar frost	虹	∩	Rainbow	積亂雲	KN	Cumulo-nimbus
露	⌋	Dew	極光	⚡	Aurora	層雲	S	Stratus
樹氷	∨	Silver thaw	烟霧	∞	Dust haze			
凝霜	~	Glazed frost						

大正三年十一月

測候所 LIST OF

Table listing meteorological stations in Japan with columns for Locality, Latitude, Longitude, Height of Barometer, Therm., and Raingauge, Director, and Date of Commencement.

*一等測候所 Stations, making hourly observations.

一覽表 STATIONS. NOVEMBER, 1914.

Table listing meteorological stations in China with columns for Locality, Latitude, Longitude, Height of Barometer, Therm., and Raingauge, Director, and Date of Commencement.

大正三年十一月 SUMMARY FOR

Table with columns for 地名 (Locality), 氣壓 (Air Pressure), 氣溫 (Air Temperature), 水蒸氣 (Water Vapor), 濕度 (Humidity), 雲量 (Cloud Amount), and 日照時數 (Sunshine Hours). It lists data for various locations like Kōsuyū, Taitō, Tainan, etc.

● 電力ノ更正井ニ海面ノ更正ヲ施シタルモノ

氣象一覽表 NOVEMBER, 1914.

Table with columns for 降水量 (Amount of Precipitation), 風速度 (Wind Velocity), and 天氣日數 (Number of Days with). It includes detailed weather data for November 1914, including wind direction, speed, and temperature variations.

大正三年十一月
SUMMARY FOR

地名 LOCALITY	氣壓 AIR PRESSURE		氣溫 AIR TEMPERATURE						水汽 張力 Tension of Vapour.	濕度 Relative Humidity	雲量 Amount of Cloud	日照時數 No. of Hours with Sunshine				
	水 點 ノ 度 0°C	海面ノ度* Reduced to standard gravity and mean sea level	平均 Mean			極度 Absolute						總計 Total	百分率 %			
			平均 Mean	異常 Normal	最高 Max.	最低 Min.	較差 Range	最高日 Max. Day						最低日 Min. Day		
前橋 Maebasi	764.9	764.6	11.1	9.1	17.2	6.3	10.8	23.4	17	98.2	29	7.3	71	4.9	185.9	61
熊谷 Kumagaya	762.4	764.7	10.8	9.1	16.9	6.1	10.8	23.4	6	97.0	30	7.8	79	5.0	152.8	59
筑波山 Tsukuba	689.2	764.7	8.5	6.3	12.6	5.3	7.3	18.2	7	96.4	29	7.0	80	5.3	148.3	48
宇都宮 Utsunomiya	753.9	764.7	10.2	8.0	16.9	4.2	12.7	22.5	7	94.1	29	7.5	78	4.1	165.2	51
足尾 Asio	696.8	764.8	8.4	6.3	14.8	3.1	11.7	21.8	4	94.3	29	6.0	70	5.6	141.4	46
那須 Hukusima	758.8	764.0	9.9	7.6	16.6	4.4	12.2	22.9	2	96.7	29,30	7.4	79	5.8	142.2	47
山形 Yamagata	750.9	764.7	8.5	6.3	15.0	2.9	12.1	26.9	4	95.5	28	6.8	81	5.9	112.1	47
水澤 Midusawa	758.9	764.4	7.9	5.1	13.2	2.7	10.6	21.9	4	91.2	29	6.7	80	6.3	120.3	37
濱田 Hamada	764.2	765.3	13.5	12.0	17.7	9.3	8.4	26.7	4	4.0	29	8.0	67	7.0	141.9	46
境 Sakai	765.4	765.0	12.7	11.2	17.1	8.2	8.9	26.5	4	0.9	29	9.0	81	6.7	92.2	30
宮津 Miyadu	765.6	765.2	12.5	10.3	17.7	7.5	10.2	23.2	4	0.3	29	8.8	80	7.0	103.2	34
舞鶴 Maizuru	763.0	765.2	12.2	10.1	17.8	7.6	10.2	26.6	4	1.2	29	8.6	80	6.7	109.4	36
敦賀 Tsuruga	764.7	764.9	13.2	10.6	17.8	9.2	8.5	24.4	4	1.5	29	8.6	75	6.7	131.8	43
福井 Fukui	764.5	764.9	12.2	9.4	18.0	7.6	10.4	26.0	4	99.5	29	8.9	83	6.4	136.9	44
金澤 Kanazawa	762.8	764.8	12.4	9.9	17.6	8.0	9.7	27.6	4	0.7	29	8.1	74	6.1	133.7	44
伏木 Hukui	764.0	764.7	11.9	10.0	17.0	7.6	9.4	27.2	4	99.1	29	7.9	75	6.0	133.9	44
相川 Aikawa	760.7	764.3	12.9	10.6	16.5	9.3	7.2	26.3	4	98.8	28	8.0	70	6.9	110.7	37
新潟 Niigata	762.7	764.5	11.6	9.4	15.8	7.6	8.2	26.1	4	1.2	28	7.8	75	6.7	95.9	32
加茂 Kamo	763.1	763.8	12.0	9.0	15.8	8.2	7.6	25.6	4	0.3	28	7.8	72	6.9	99.9	35
秋田 Akita	763.8	764.0	8.8	6.8	13.8	4.5	9.3	23.3	4	97.9	28,29	7.1	81	7.6	94.9	32
青森 Aomori	763.4	763.5	8.2	5.7	12.9	3.7	9.2	21.7	4	96.5	28	7.0	82	6.8	88.3	30
函館 Hakodate	765.1	763.2	8.0	5.3	12.1	3.4	8.8	20.2	1,15	96.3	28	6.2	74	6.9	95.6	33
釧路 Kurobe	761.1	762.5	6.7	4.7	10.0	3.0	7.0	19.3	15	93.5	28	5.5	70	8.9	52.8	18
札幌 Sapporo	761.0	762.4	5.2	2.8	9.5	1.9	8.5	20.0	15	92.5	28	5.5	78	7.5	80.6	28
旭川 Asahigawa	752.1	762.6	3.2	0.5	8.1	99.0	9.1	19.1	15	92.0	23	4.8	81	8.5	57.0	26
帯広 Obihiro	758.9	762.4	3.4	0.6	9.7	98.4	11.3	18.3	16	90.4	19	4.6	77	6.0	132.2	46
青森 Aomori	758.9	762.4	7.8	5.9	10.5	4.8	5.6	17.0	1	98.5	28,29	6.1	73	7.3	88.3	30
網走 Kushiro	759.1	762.2	5.5	10.0	0.4	9.6	15.4	4	92.7	29	5.4	77	6.0	139.3	45	
網走 Aburahi	758.3	761.8	4.4	2.5	9.2	0.2	9.0	20.9	4	90.1	29	4.9	75	6.6	137.8	48
根室 Nemuro	759.8	762.2	6.0	4.3	9.7	1.7	8.0	16.1	4	92.1	29	5.6	75	6.3	120.9	41
砂川 Sorachi	757.7	761.4	4.3	2.2	8.0	0.1	7.9	15.7	15	93.3	29	5.1	80	8.6	47.5	17
大沼 Oshima	757.0	760.6	0.2	98.7	3.7	95.9	7.8	13.0	1	83.5	28	3.8	77	8.1	73.6	26
真岡 Maoka	757.6	760.4	0.4	99.2	3.9	97.3	6.6	13.4	1	85.5	28	3.6	72	8.9	34.5	12
蕨合 Wera	759.7	760.5	98.5	97.1	2.2	94.3	7.9	13.3	1	81.2	28	3.4	78	8.2	72.3	26
敷香 Fushiro	759.7	760.4	94.3	94.3	98.5	89.3	9.3	14.4	1	70.2	28	2.5	76	6.0	116.0	43
釜山 Busan	765.2	765.8	11.0	9.8	15.1	6.5	8.6	22.9	3	98.7	28	6.1	57	3.0	194.4	63
大邱 Daegu	763.5	765.8	8.0	14.4	2.1	12.2	21.6	3	93.9	29	6.0	71	3.2	208.0	68	
木浦 Moppo	765.0	766.9	10.6	9.2	15.2	6.6	8.6	24.3	3	98.6	29	7.1	73	4.9	189.7	61
仁川 Incheon	761.0	766.7	6.9	5.5	11.2	3.0	8.2	21.5	2	93.6	28	5.3	66	5.2	162.6	54
京城 Keijo	764.2	766.7	6.1	4.3	11.2	1.5	9.8	21.1	3	93.0	28	5.4	71	5.2	167.8	55
平壤 Pyongyang	763.0	767.1	3.3	3.2	7.5	99.3	8.2	19.9	1	89.6	28	4.5	71	5.9	171.0	57
江陵 Kangryong	764.2	764.8	9.1	14.2	4.4	9.8	23.8	3	95.5	28	5.5	59	4.7	193.3	64	
元山 Wonsan	765.4	765.3	6.2	5.1	10.3	1.7	8.6	15.8	1	94.6	28	4.4	59	4.5	187.7	63
咸興 Hamhung	764.3	764.4	4.7	2.9	8.9	0.9	8.0	16.9	1	88.6	28	4.9	71	5.8	141.7	48
雄基 Yonki	765.2	765.5	0.1	4.6	95.9	8.6	15.3	1	86.6	27	3.1	62	5.7	114.6	39	
中江津 Chongchun	737.0	766.3	97.0	1.5	92.6	9.0	13.7	1	82.0	27	2.9	70	6.9	85.6	29	
龍慶洞 Ryongchon	767.0	767.2	1.3	1.2	5.4	97.5	7.8	17.7	1	89.0	28	3.8	68	4.4	150.2	50
大連 Dairen	766.9	767.8	4.6	4.8	9.2	99.8	9.4	19.0	1	92.7	26,27	4.5	65	4.8	157.2	52
旅順 Ryosyun	760.4	767.5	4.7	5.6	9.4	0.1	9.3	19.1	1	91.3	27	4.7	68	5.5	153.1	51
營口 Yingkou	768.0	768.1	99.0	0.4	2.9	94.7	8.2	15.0	1	87.9	27	3.4	74	4.5	158.9	54
奉天 Mukden	764.1	768.1	96.3	97.8	0.4	91.5	8.8	12.8	1	84.3	27	3.0	79	4.7	139.0	47
長春 Changchun	746.2	767.1	91.7	96.8	85.9	10.8	10.0	1	72.8	27	2.2	78	4.9	138.5	48	
天津 Tientsin	768.1	768.1	4.0	4.1	8.0	1.0	7.0	14.8	1	97.3	27	4.4	71	3.8	161.0	51
芝罘 Cheefoo	766.0	767.7	7.0	7.4	10.9	3.9	7.1	20.7	1	99.0	27	5.4	69	5.5	131.6	43
漢口 Hankow	767.3	767.2	12.9	11.5	18.7	7.8	10.8	30.5	3	99.5	27	9.0	79	6.1	146.3	46
南京 Nanking	766.3	768.3	10.9	10.2	16.2	6.9	9.3	27.2	2	99.0	27	7.9	78	5.7	141.8	45
漢口 Hankow	765.2	767.6	12.0	11.7	15.8	8.7	7.1	24.1	1	2.2	21	8.4	80	5.5	128.1	49
沙市 Shasi	764.3	767.9	11.8	11.7	15.3	8.9	6.4	22.2	1	4.1	21	8.6	82	5.9	106.0	33

* 重力ノ更正并ニ海面ノ更正ヲ施シタルモノ

氣象一覽表
NOVEMBER, 1914.

地名 LOCALITY	降水量 AMOUNT OF PRECIPITATION			風速度 WIND VELOCITY			天氣日數 NUMBER OF DAYS WITH																				
	總計 Total	異常 Normal	最大 Max. in 24h.	日 Day	平均 Mean	最大 Maximum	風速 Wind			雨 Rain	雪 Snow	霧 Fog	霰 Sleet	雹 Hail	雷 Thunder	電 Lightning	曇 Cloudy	不 照 Sunless	暴 風 Storm	雷 電 Thunder	氣溫 Air Temperature						
							速度 Vel.	方向 Dir.	日 Day												最高 Max.	最低 Min.	平均 Mean	最高 Max.	最低 Min.	平均 Mean	最高 Max.
前橋	12.0	26.0	4.3	18	5.0	22.1	NNW	10	5	1	0	0	0	0	0	0	7	5	4	11	9	3	0	0	0	0	0
熊谷	20.4	38.4	10.0	15	2.6	15.7	WNW	7	8	0	0	0	1	1	9	9	9	7	5	10	3	0	0	0	0	0	0
筑波山	60.9	50.2	27.9	15	8.5	28.6	ENE	18	9	1	2	0	0	17	8	8	5	21	4	2	0	0	0	0	0	0	0
宇都宮	30.5	69.2	14.1	9	1.7	8.7	NW	28	8	0	0	0	0	3	11	4	4	0	12	9	0	0	0	0	0	0	0
足尾	31.8	46.0	10.1	15	1.9	7.8	S	27	7	3	0	0	0	0	3	8	6	0	12	8	0	0	0	0	0	0	0
那須	30.5	60.4	7.6	9	2.7	15.0	NW	7	8	2	0	0	0	6	1	6	2	4	12	7	0	0	0	0	0	0	0
山形	26.9	86.0	10.9	28	2.6	10.7	WNW	10	13	3	0	0	0	4	3	9	5	1	11	7	1	0	0	0	0	0	0
水澤	48.2	80.2	22.8	27	3.1	15.8	NW	10	13	3	0	0	1	2	2	10	3	9	6	9	2	1	0	0	0	0	0
濱田	76.4	100.6	17.0	20	5.4	23.2	SW	5	16	0	3	0	0	0	3	16	1	14	0	0	0	0	0	0	0	0	2
境	190.3	157.8	38.5	22	3.4	14.6	W	5	18	0	4	0	2	1	2	13	9	3	6	0	0	0	0	0	0	0	1
宮津	131.2	139.5	40.5	22	2.9	14.7	N	10	17	0	1	0	1	1	0	14	7	3	3	0	0	0	0	0	0	0	2
舞鶴	127.6	119.1	29.9	28	2.2	9.5	N	10	16	0	1	0	1	2	0	12	2	0	1	0	0	0	0	0	0	0	2
敦賀	236.1	232.5	101.9	22	4.7	19.7	N	10	15	0	3	0	2	0	0	12	5	9	1	0	0	0	0	0	0	0	0
福井	158.3	229.4	28.9	22	3.0	10.3	SSE	14	17	1	4	0	0	1	3	10	3	3	4	1	0	0	0	0	0	0	3
金澤	290.5	259.7	52.4	21	4.4	20.5	S	24	18	1	4	0	2	0													

大正三年十一月 SUMMARY FOR

Table with columns for locality (地名), wind directions (北, 北北東, etc.), and wind frequency (回數). Includes a 'Resultant' column for direction and frequency.

氣象一覽表 NOVEMBER, 1914.

Table with columns for locality (地名), wind directions (北, 北北東, etc.), and wind frequency (回數). Includes a 'Resultant' column for direction and frequency.

* 一回缺測 obs. lost

NO. 1111
MAY 1911

每 時 觀 測

HOURLY OBSERVATIONS.

臺北 TAIHOKU. NOVEMBER, 1914. 大正三年十一月

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Mean. Title: 氣壓 (AIR PRESSURE) (700 mm +). Contains numerical data for each day and hour.

Table with columns for Day, Hour (1-11 AM, Noon, 1-11 PM), and Mean. Title: 氣溫 (AIR TEMPERATURE) (攝氏). Contains numerical data for each day and hour.

金鐘 重力ノ更正 Reduction to standard gravity - 1.27
Sudden Change. 海面ノ更正 Reduction to mean sea level + 0.82

臺北 TAIHOKU.

大正三年十一月

NOVEMBER, 1914.

風ノ方向 DIRECTION AND

Table with columns for Day, Direction (ENE, E, etc.), and Velocity (m/sec) for each hour of the day (1-11 AM and 1-2 PM).

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day, Cloud Amount (0-10) for each hour of the day, and a summary row for the month.

臺北 TAIHOKU.

大正三年十一月

NOVEMBER, 1914.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, Direction, and Velocity (m/sec) for each hour of the day (3-11 AM and 1-2 PM).

及雲形 FORMS OF CLOUDS.

Table with columns for Day, Cloud Form (sk, cs, etc.) for each hour of the day, and a summary row for the month.

Summary table for temperature extremes (最高, 最低, 範圍) and average temperature (平均) for each day and month.

臺北

臺北

大正三年十一月

TAIHOKU.

NOVEMBER, 1914.

Table with 12 columns for precipitation (mm) and 12 rows for days. Includes a summary row at the bottom.

濕度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 12 columns for relative humidity (%) and 12 rows for days. Includes a summary row at the bottom.

那霸

大正三年十一月

NAHA.

NOVEMBER, 1914.

Table with 12 columns for air pressure (mm) and 12 rows for days. Includes a summary row at the bottom.

氣溫 (攝氏)

AIR TEMPERATURE. (°C)

Table with 12 columns for air temperature (°C) and 12 rows for days. Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.21
海面へ更正 Reduction to mean sea level + 0.93

風ノ方向 DIRECTION AND

Table of wind directions and speeds for NAHA in November 1914. Columns include Day, time periods (午前, A.M., M., 正午, 午後), and wind direction/speed data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for NAHA in November 1914. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocity and extremes of air temperature for NAHA in November 1914. Columns include Day, time periods, wind velocity, and temperature extremes.

及雲形 FORMS OF CLOUD.

Table of cloud forms for NAHA in November 1914. Columns include Day, time periods, and cloud form data.

那覇

大正三年十一月

NAHA.

NOVEMBER, 1914.

Table with columns for Day, 午前 (1-11), 正午 (Noon), 午後 (1-11), P. M. (1-11), 夜半 (M.N.), 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Naha, showing daily measurements in mm and a monthly total of 483.7 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Naha, showing daily percentages and a monthly mean of 80.9%.

鹿兒島

大正三年十一月

KAGOSIMA.

NOVEMBER, 1914.

Table with columns for Day, 午前 (1-11), 正午 (Noon), 午後 (1-11), P. M. (1-11), 夜半 (M.N.), 平均 (Mean).

氣壓 (耗) AIR PRESSURE. (mm)

Table of air pressure data for Kagosima, showing daily measurements in mm and a monthly mean of 55.58 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Kagosima, showing daily measurements in °C and a monthly mean of 13.47°C.

重力ノ更正 Reduction to standard gravity - 0.89
海面ノ更正 Reduction to mean sea level + 10.78

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kagosima in November 1914. Columns include Day, time periods (午前, A., M., 正午), and wind direction/velocity data.

鹿兒島

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kagosima in November 1914. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kagosima in November 1914. Columns include Day, time periods, and wind velocity data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Kagosima in November 1914. Columns include Day, Max, Min, Range, and Mean.

鹿兒島

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kagosima in November 1914. Columns include Day, time periods, and cloud form data.

鹿兒島

KAGOSIMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (午前, 午後, 正午), and Total precipitation (M.N., Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Main precipitation data table for Kagosima, showing daily measurements from Day 1 to 30 and a summary row.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Main relative humidity data table for Kagosima, showing daily measurements from Day 1 to 30 and a summary row.

鹿兒島

熊本

KUMAMOTO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (午前, 午後, 正午), and Average air pressure (M.N., Mean).

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Main air pressure data table for Kumamoto, showing daily measurements from Day 1 to 30 and a summary row.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Main air temperature data table for Kumamoto, showing daily measurements from Day 1 to 30 and a summary row.

熊本

重力的修正 Reduction to standard gravity - 0.81
海面的修正 Reduction to mean sea level + 3.59

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kumamoto, Nov 1914. Columns include Day, direction (1-11), Noon, and average (平均). Rows list days 1-30 and monthly averages.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kumamoto, Nov 1914. Columns include Day, amount (1-11), Noon, and average (平均). Rows list days 1-30 and monthly averages.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table of wind velocities for Kumamoto, Nov 1914. Columns include Day, velocity (3-11), Noon, and average (平均). Rows list days 1-30 and monthly averages.

及雲形 CLOUD FORMS OF CLOUD.

Table of cloud forms for Kumamoto, Nov 1914. Columns include Day, cloud form (1-11), Noon, and average (平均). Rows list days 1-30 and monthly averages.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Kumamoto, Nov 1914. Columns include Day, Max, Min, Range, and average (平均). Rows list days 1-30 and monthly averages.

熊本

熊本

熊本

KUMAMOTO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Precipitation (mm), and Total. Includes a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%). Includes a summary row at the bottom.

長崎

NAGASAKI.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), and Average. Includes a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... 0.83 海面へ更正 Reduction to mean sea level..... +12.05

長崎 NAGASAKI.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour, and Precipitation (mm). Includes sub-headers for A.M., Noon, and P.M.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Main precipitation data table for Nagasaki, showing daily and hourly values from Day 1 to 30.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Main relative humidity data table for Nagasaki, showing daily and hourly values from Day 1 to 30.

福岡 HUKUOKA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour, and Air Pressure (mm). Includes sub-headers for A.M., Noon, and P.M.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Main air pressure data table for Fukuoka, showing daily and hourly values from Day 1 to 30.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Main air temperature data table for Fukuoka, showing daily and hourly values from Day 1 to 30.

重力ノ更正 Reduction to standard gravity - 0.77 海面へ更正 Reduction to mean sea level + 0.51

風ノ方向 DIRECTION AND

Table of wind directions and velocities for November 1914 in Fukuoka. Columns include Day, time periods (午前, A., M., 正午), and wind direction/velocity data.

雲量(0-10) AMOUNT (0-10) AND

Table of cloud amounts for November 1914 in Fukuoka. Columns include Day, time periods, and cloud amount data.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for November 1914 in Fukuoka. Columns include Day, time periods (午後, P., M.), and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for November 1914 in Fukuoka. Columns include Day, time periods, and cloud form data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for November 1914 in Fukuoka. Columns include Day, Max, Min, Range, and Mean.

福岡 HUKUOKA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Fukuoka, showing daily amounts in mm and a monthly total of 87.9 mm.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table of relative humidity data for Fukuoka, showing daily percentages and a monthly mean of 85.9%.

下關 SIMONOSEKI.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

氣壓 (耗) AIR PRESSURE. (mm)

Table of air pressure data for Simonoseki, showing daily readings in mm and a monthly mean of 62.05 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Simonoseki, showing daily readings in °C and a monthly mean of 12.39°C.

重力的修正 Reduction to standard gravity - 0.75
海面へ修正 Reduction to mean sea level..... + 4.35

下關 SIMONOSEKI.

大正三年十一月

NOVEMBER, 1914.

風ノ方向 DIRECTION AND

Table with columns for Day, Direction (A.M., Noon, P.M.), and Velocity (m/sec). Rows 1-30 with a Mean row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day, Amount (0-10), and Cloud Form (sk, cs, etc.). Rows 1-30 with a Mean row at the bottom.

下關 SIMONOSEKI.

NOVEMBER, 1914.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, Direction (A.M., Noon, P.M.), and Velocity (m/sec). Rows 1-30 with a Mean row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day, Max, Min, Range, and Mean. Rows 1-30 with a Mean row at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for Day, Cloud Form (sk, cs, etc.), and Amount (0-10). Rows 1-30 with a Mean row at the bottom.

下 關

SIMONOSEKI.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total). Rows 1-30.

降 水 量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for 30 days, including daily values and a summary row at the bottom.

濕 度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for 30 days, including hourly values and a summary row at the bottom.

廣 島

HIROSIMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

氣 壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table of air pressure data for 30 days, including hourly values and a summary row at the bottom.

氣 温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for 30 days, including hourly values and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.72 海面へ更正 Reduction to mean sea level + 0.30

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Hiroshima in November 1914. Columns include Day, time periods (午前, A, M, 正午, 午後), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Hiroshima in November 1914. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Hiroshima in November 1914. Columns include Day, time periods, and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Hiroshima in November 1914. Columns include Day, time periods, and cloud form data.

Table of air temperature extremes for Hiroshima in November 1914. Columns include Day, Max, Min, Range, and Mean.

廣島

HIROSIMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (午前, 午後, 夜半), and Total (M.N., Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Hiroshima, showing daily amounts in mm and a monthly total of 44.5 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Hiroshima, showing daily percentages and a monthly average of 81.2%.

松山

MATUYAMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (午前, 午後, 夜半), and Total (M.N., Mean).

氣壓 (耗) AIR PRESSURE. (mm)

Table of air pressure data for Matuyama, showing daily readings in mm and a monthly average of 63.29 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Matuyama, showing daily readings in °C and a monthly average of 12.53 °C.

重力的更正 Reduction to standard gravity - 0.75
海面へ更正 Reduction to mean sea level + 2.95

松山 MATUYAMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Direction (風ノ方向), and Velocity (速度). Includes sub-headers for '前' (Morning) and '後' (Afternoon) periods.

雲量(0-10) AMOUNT (0-10) AND

Table with columns for Day and Amount (雲量). Includes sub-headers for '前' (Morning) and '後' (Afternoon) periods.

松山 MATUYAMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Velocity (及速度), and Extremes of Air Temp. Includes sub-headers for '前' (Morning) and '後' (Afternoon) periods.

及雲形 FORMS OF CLOUD.

Table with columns for Day and Cloud Forms (及雲形). Includes sub-headers for '前' (Morning) and '後' (Afternoon) periods.

松山

大正三年十一月

MATUYAMA.

NOVEMBER, 1914.

Table with columns for Day, 午前 (1-11), 正午 (Noon), 午後 (1-11), P. M., 夜半 (M.N.), and 總計 (Total).

降水量 (耗)

AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Matuyama, showing daily amounts in mm from Day 1 to 30, with a total of 49.2 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Matuyama, showing daily percentages from Day 1 to 30, with an average of 81.1%.

多度津

大正三年十一月

TADOTU.

NOVEMBER, 1914.

Table with columns for Day, 午前 (1-11), 正午 (Noon), 午後 (1-11), P. M., 夜半 (M.N.), and 平均 (Mean).

氣壓 (耗)

AIR PRESSURE. (mm)

Table of air pressure data for Tadotu, showing daily readings in mm from Day 1 to 30, with an average of 75.7 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Tadotu, showing daily readings in °C from Day 1 to 30, with an average of 13.40 °C.

急變 重力ノ更正 Reduction to standard gravity - 0.3
Studen change. * 海面へ更正 Reduction to mean sea level + 0.4

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tadotsu, November 1914. Columns include Day, time of day (午前, 正午, 午後), and wind direction/velocity data for 11 days.

多度津

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tadotsu, November 1914. Columns include Day, time of day, and cloud amount data for 11 days.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table of wind velocities and extremes of air temperature for Tadotsu, November 1914. Columns include Day, time of day, wind velocity, and temperature extremes (Max, Min, Range, Mean).

多度津

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tadotsu, November 1914. Columns include Day, time of day, and cloud form data for 11 days.

多度津 TADOTU.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total). Rows show precipitation data for each day from 1 to 30, with a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and 1-24 hours. Rows show relative humidity data for each day from 1 to 30, with a summary row at the bottom.

徳島 TOKUSIMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean). Rows show air pressure data for each day from 1 to 30, with a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and 1-24 hours. Rows show air temperature data for each day from 1 to 30, with a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.74
海面へ更正 Reduction to mean sea level + 0.36

風ノ方向 DIRECTION AND

Table of wind direction and velocity for Tokushima, Nov 1914. Columns include Day, time periods (午前, A., M., 正午), and wind data (direction and velocity).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amount for Tokushima, Nov 1914. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocity for Tokushima, Nov 1914. Columns include Day, time periods, and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tokushima, Nov 1914. Columns include Day, time periods, and cloud form data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Tokushima, Nov 1914. Columns include Day, Max, Min, Range, and Mean.

大正三年十一月

Table with 24 columns (Day 1-24) and 12 rows (Hours 1-12). Includes precipitation data (降水量) and a summary row (合計) at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with 24 columns (Day 1-24) and 12 rows (Hours 1-12). Includes relative humidity data (湿度) and a summary row (平均) at the bottom.

徳島

大正三年十一月

Table with 24 columns (Day 1-24) and 12 rows (Hours 1-12). Includes air pressure (気圧) and air temperature (気温) data, and summary rows (平均) at the bottom.

気圧 (耗) AIR PRESSURE. (mm) (700 mm +)

気温 (攝氏)

AIR TEMPERATURE. (°C)

神戸

重力ノ更正 Reduction to standard gravity - 0.70 海面へ更正 Reduction to mean sea level + 5.28

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kobe, Nov 1914. Columns include Day, time periods (午前, A, M, 正午), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kobe, Nov 1914. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities and air temperature extremes for Kobe, Nov 1914. Columns include Day, time periods, wind velocity, and temperature data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kobe, Nov 1914. Columns include Day, time periods, and cloud form data.

神戸 KÔBE.

大正三年十一月

NOVEMBER, 1914.

Table for Kobe precipitation data. Columns include Day, 午前 (A.M.), 午後 (P.M.), 夜中 (M.N.), and 總計 (Total). Rows show daily precipitation amounts in mm.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY (%)

Table for Kobe relative humidity data. Columns include Day and 1-24 hours. Rows show daily relative humidity percentages.

大阪 OOSAKA.

大正三年十一月

NOVEMBER, 1914.

Table for Osaka air pressure data. Columns include Day, 午前 (A.M.), 午後 (P.M.), 夜中 (M.N.), and 平均 (Mean). Rows show daily air pressure readings in mm.

氣壓 (耗) AIR PRESSURE. (mm)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table for Osaka air temperature data. Columns include Day and 1-24 hours. Rows show daily air temperature readings in degrees Celsius.

重力ノ更正 Reduction to standard gravity..... - 0.70
海面へ更正 Reduction to mean sea level..... + 0.28

風ノ方向 DIRECTION AND

Table of wind directions and speeds for Osaka, Nov 1914. Columns include Day, time of day (午前, 正午, 午後), and wind direction/speed data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Osaka, Nov 1914. Columns include Day, time of day, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocity and extremes of air temperature for Osaka, Nov 1914. Columns include Day, time of day, wind velocity, and temperature extremes.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Osaka, Nov 1914. Columns include Day, time of day, and cloud form data.

大阪

大阪

大阪 OOSAKA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (午前, 午後), and Precipitation (mm). Includes a summary row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

大阪

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Hour, showing relative humidity percentages.

京都 KYŌTO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (午前, 午後), Air Pressure (mm), and Air Temperature (Celsius). Includes a summary row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (C)

京都

重力ノ更正 Reduction to standard gravity - 0.67 海面ノ更正 Reduction to mean sea level + 3.92

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kyoto, Nov 1914. Columns include Day, time periods (午前, A., M., 正午), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kyoto, Nov 1914. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kyoto, Nov 1914. Columns include Day, time periods (午後, P., M.), and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kyoto, Nov 1914. Columns include Day, time periods, and cloud form data.

Summary table for temperature extremes. Columns: 最高 (Max.), 最低 (Min.), 較差 (Range), 平均 (Mean), 日 (Day). Includes monthly and daily averages.

京都

京都

京都 KYŌTO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Precipitation (mm), and Total. Includes sub-headers for AMOUNT OF PRECIPITATION and 降水量 (mm).

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%) values.

名古屋 NAGOYA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), and Total. Includes sub-headers for AIR PRESSURE and 氣壓 (mm).

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C) values.

重力ノ更正 Reduction to standard gravity.....- 0.67
海面ノ更正 Reduction to mean sea level+ 1.39

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nagoya, Nov 1914. Columns include Day, time periods (午前, A., M., 正午), and wind direction/velocity data.

名古屋

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nagoya, Nov 1914. Columns include Day, time periods, and cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Nagoya, Nov 1914. Columns include Day, time periods (午後, P., M.), and wind velocity data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Nagoya, Nov 1914. Columns include Day, Max, Min, Range, and Mean.

名古屋

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nagoya, Nov 1914. Columns include Day, time periods, and cloud form data.

名古屋

NAGOYA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (1-11), 正午 (Noon), 午後 (1-11), 夜中 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Nagoya, showing daily amounts in mm from 1 to 30 days.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Nagoya, showing percentages from 1 to 30 days.

東京

TOKYO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (1-11), 正午 (Noon), 午後 (1-11), 夜中 (M.N.), and 平均 (Mean).

氣壓 (耗) AIR PRESSURE. (mm)

Table of air pressure data for Tokyo, showing values in mm from 1 to 30 days.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Tokyo, showing values in degrees Celsius from 1 to 30 days.

電力ノ更正 Reduction to standard gravity - 0.04
海面ノ更正 Reduction to mean sea level + 1.94

名古屋

東京

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Tokyo in November 1914. Columns include Day, direction (A, M), and velocity (1-11, Noon, 1-2). Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Tokyo in November 1914. Columns include Day, amount (1-11, Noon), and a summary row for '平均' (Average).

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Tokyo in November 1914. Columns include Day, velocity (3-11, Noon, 1-2), and a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms for Tokyo in November 1914. Columns include Day, cloud form (1-11, Noon), and a summary row for '平均' (Average).

Table of air temperature extremes for Tokyo in November 1914. Columns include Day, Max, Min, Range, and Mean. Summary row for '平均' (Average).

東京

東京 TOKYO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Precipitation (mm), and Total. Includes sub-headers for AM and PM periods.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

東京

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%) values.

銚子 TYÖSI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), and Mean. Includes sub-headers for AM and PM periods.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

銚子

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C) values.

重力ノ更正 Reduction to standard gravity - 0.63 海面へ更正 Reduction to mean sea level + 1.76

大正三年十一月

風ノ方向 DIRECTION AND

Table of wind direction and velocity (m/sec) for Työsi, November 1914. Columns include Day, time intervals (1-11), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amount (0-10) for Työsi, November 1914. Columns include Day, time intervals (1-11), and cloud amount data.

大正三年十一月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocity (m/sec) for Työsi, November 1914. Columns include Day, time intervals (3-11), and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Työsi, November 1914. Columns include Day, time intervals (1-11), and cloud form data.

Table of air temperature extremes (Max, Min, Range) and average temperature for Työsi, November 1914.

銚子

銚子 TYÔSI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 合計 (Total).

降水量 (mm) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Tyôsi, showing daily amounts in mm from day 1 to 30, with a total of 92.7 mm.

湿度 (%) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Tyôsi, showing daily percentages from day 1 to 30, with a mean of 80.5%.

水戸 MITO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Mean).

気圧 (mm) AIR PRESSURE. (mm)

Table of air pressure data for Mito, showing daily readings in mm from day 1 to 30, with a mean of 62.29 mm.

気温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Mito, showing daily readings in degrees Celsius from day 1 to 30, with a mean of 8.63°C.

重力ノ更正 Reduction to standard gravity - 0.59
海面ニ更正 Reduction to mean sea level + 2.85

風ノ方向 DIRECTION AND

Table of wind directions (DIRECTION AND) for November 1914. Columns include Day, time periods (午前, A., M., 正午), and wind direction codes. Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts (AMOUNT (0-10) AND) for November 1914. Columns include Day, time periods, and cloud amount codes. Includes a summary row for '平均' (Average).

及速度 (*/sec) VELOCITY (m/sec) OF WIND.

Table of wind velocity (VELOCITY (m/sec) OF WIND) for November 1914. Columns include Day, time periods, wind velocity codes, and average values. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table of cloud forms (FORMS OF CLOUD) for November 1914. Columns include Day, time periods, cloud form codes, and average values. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table of air temperature extremes (Extremes of Air Temp.) for November 1914. Columns include Day, Max, Min, Range, and Average.

水戸

水戸

水戸

MITO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Hour, and Precipitation (mm). Includes sub-headers for A.M., Noon, P.M., and Total.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Main precipitation data table for Mito, showing daily values from 1 to 30 and a total sum.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Main relative humidity data table for Mito, showing daily values from 1 to 30 and a total sum.

前橋

MAEBASI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Hour, and Air Pressure (mm). Includes sub-headers for A.M., Noon, P.M., and Mean.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Main air pressure data table for Maebasi, showing daily values from 1 to 30 and a total sum.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Main air temperature data table for Maebasi, showing daily values from 1 to 30 and a total sum.

重力ノ更正 Reduction to standard gravity - 0.59
海面へ更正 Reduction to mean sea level + 19.28

前橋 MAEBASI.

大正三年十一月

NOVEMBER, 1914.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Maebashi, Nov 1914. Columns include Day, time periods (午前, 正午, 午後), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Maebashi, Nov 1914. Columns include Day, time periods, and cloud amount data.

前橋 MAEBASI.

大正三年十一月

NOVEMBER, 1914.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table of wind velocities and extremes of air temperature for Maebashi, Nov 1914. Includes columns for Day, time periods, wind velocity, and temperature extremes.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Maebashi, Nov 1914. Columns include Day, time periods, and cloud form data.

前橋

前橋

前橋

MAEBASI.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (1-11), Noon, Hour (1-11), P.M., Night, and Total. Includes sub-headers for A.M. and P.M.

降水量 (耗)

AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Maebasi, showing daily amounts in mm from day 1 to 30, with a total sum of 12.0 mm.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Maebasi, showing daily percentages from day 1 to 30, with a mean of 71.2%.

筑波山

TUKUBASAN.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Hour (1-11), Noon, Hour (1-11), P.M., Night, and Mean. Includes sub-headers for A.M. and P.M.

氣壓 (耗)

AIR PRESSURE. (mm)

Table of air pressure data for Tukubasan, showing daily readings in mm from day 1 to 30, with a mean of 89.23 mm.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Tukubasan, showing daily readings in °C from day 1 to 30, with a mean of 8.51 °C.

重力ノ更正 Reduction to standard gravity - 0.56
海面ノ更正 Reduction to mean sea level + 76.00

前橋

筑波山

筑波山 TUKUBASAN.

大正三年十一月

NOVEMBER, 1914.

風ノ方向 DIRECTION AND

Table with columns for Day, 1-11, Noon, 1-2, and wind direction/velocity data for each day.

筑波山

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day, 1-11, Noon, and cloud amount data for each day.

筑波山 TUKUBASAN.

大正三年十一月

NOVEMBER, 1914.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day, 3-11, Noon, 1-2, and wind velocity data for each day.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day, Max, Min, Range, and Mean temperature data for each day.

筑波山

及雲形 FORMS OF CLOUD.

Table with columns for Day, 1-11, Noon, and cloud form data for each day.

筑波山

大正三年十一月

TUKUBASAN.

NOVEMBER, 1914.

Table with columns for Day, Precipitation (mm), and Total. Includes a vertical label '筑波山' on the left side.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%) values.

新潟

大正三年十一月

NIIGATA.

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), and Mean. Includes a vertical label '新潟' on the right side.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C) values.

* 重力ノ更正 Reduction to standard gravity - 0.45
海面ノ更正 Reduction to mean sea level + 2.34

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Niigata in November 1914. Columns include Day, 午前 (Morning), A., M., 正午 (Noon), and 午後 (Afternoon). Rows list days 1-30 with wind direction and velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Niigata in November 1914. Columns include Day, 午前 (Morning), A., M., 正午 (Noon), and 午後 (Afternoon). Rows list days 1-30 with cloud amount data.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Niigata in November 1914. Columns include Day, 午前 (Morning), 午後 (Afternoon), P., M., 夜 (Night), 平均 (Mean). Rows list days 1-30 with wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Niigata in November 1914. Columns include Day, 午前 (Morning), 午後 (Afternoon), P., M., 夜 (Night), 平均 (Mean). Rows list days 1-30 with cloud form data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Niigata in November 1914. Columns include 最高 (Max.), 最低 (Min.), 較差 (Range), and 日 (Day). Rows list days 1-30 with temperature data.

新潟

新潟 NIIGATA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Precipitation (mm), and Total. Includes sub-headers for AM, PM, Noon, and Night. Data rows 1-30 and a summary row.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with columns for Day and Relative Humidity (%) for each hour of the day. Data rows 1-30 and a summary row.

函館 HAKODATE.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), and Average. Includes sub-headers for AM, PM, Noon, and Night. Data rows 1-30 and a summary row.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with columns for Day and Air Temperature (°C) for each hour of the day. Data rows 1-30 and a summary row.

重力ノ更正 Reduction to standard gravity..... - 0.22
海面ノ更正 Reduction to mean sea level + 0.34

函館

大正三年十一月

HAKODATE.

NOVEMBER, 1914.

風ノ方向
DIRECTION AND

Table of wind directions and velocities for Hakodate, Nov 1914. Columns include Day, direction (SE, S, SW, W, NW, N, NE, E), and velocity (m/sec). Rows 1-30 show daily data, and a final row shows the monthly average (平均).

雲量 (0-10)
AMOUNT (0-10) AND

Table of cloud amounts for Hakodate, Nov 1914. Columns include Day, time of day (午前, A.M., M., 正午), and cloud amount (0-10). Rows 1-30 show daily data, and a final row shows the monthly average (平均).

函館

大正三年十一月

HAKODATE.

NOVEMBER, 1914.

及速度 (米/秒)
VELOCITY (m/sec) OF WIND.

Table of wind velocities for Hakodate, Nov 1914. Columns include Day, time of day (午前, P.M., 夜), and velocity (m/sec). Rows 1-30 show daily data, and a final row shows the monthly average (平均).

及雲形
FORMS OF CLOUD.

Table of cloud forms for Hakodate, Nov 1914. Columns include Day, time of day (午前, P.M., 夜), and cloud form (e.g., sk, c, n, s, kc, cs, etc.). Rows 1-30 show daily data, and a final row shows the monthly average (平均).

Summary table for temperature extremes. Columns: 最高 (Max.), 最低 (Min.), 較差 (Range), 平均 (Mean). Rows 1-30 show daily data, and a final row shows the monthly average (平均).

函館

函館

大正三年十一月

HAKODATE.

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (Midnight), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Hakodate, showing daily measurements and a total sum of 159.1 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Hakodate, showing daily percentages and a mean of 73.7%.

札幌

大正三年十一月

SAPPORO.

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (Midnight), and 平均 (Mean).

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table of air pressure data for Sapporo, showing daily measurements and a mean of 60.96 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Sapporo, showing daily measurements and a mean of 4.17°C.

重力ノ更正 Reduction to standard gravity..... - 0.14
海面ノ更正 Reduction to mean sea level..... + 1.57

札幌 SAPPORO.

大正三年十一月

NOVEMBER, 1914.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Sapporo, Nov 1914. Columns include Day, time periods (午前, A, M, 正午), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Sapporo, Nov 1914. Columns include Day, time periods, and cloud amount data.

札幌 SAPPORO.

大正三年十一月

NOVEMBER, 1914.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Sapporo, Nov 1914. Columns include Day, time periods (午後, P, M, 夜中, 平均), and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Sapporo, Nov 1914. Columns include Day, time periods, and cloud form data.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Sapporo, Nov 1914. Columns include Day, Max, Min, Range, and Mean.

札幌

札幌

札幌 SAPPORO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 總計 (Total).

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table of precipitation data for Sapporo, showing daily values from 1 to 30 and a total sum.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Sapporo, showing daily values from 1 to 30 and a total sum.

根室 NEMURO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, 午前 (A.M.), 正午 (Noon), 午後 (P.M.), 夜半 (M.N.), and 平均 (Average).

氣壓 (耗) AIR PRESSURE. (700 mm +) (mm)

Table of air pressure data for Nemuro, showing daily values from 1 to 30 and a total sum.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Nemuro, showing daily values from 1 to 30 and a total sum.

重力ノ更正 Reduction to standard gravity -0.12
海面ノ更正 Reduction to mean sea level +2.48

根室 NEMURO.

大正三年十一月

NOVEMBER, 1914.

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nemuro, Nov 1914. Columns include Day, time periods (午前, A.M., M., 正午, 午後), and wind direction/velocity data.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nemuro, Nov 1914. Columns include Day, time periods, and cloud amount data.

根室 NEMURO.

大正三年十一月

NOVEMBER, 1914.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Nemuro, Nov 1914. Columns include Day, time periods, and wind velocity data.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nemuro, Nov 1914. Columns include Day, time periods, and cloud form data.

Table of temperature extremes for Nemuro, Nov 1914. Columns include Day, Max, Min, Range, and Mean.

根室

大正三年十一月

恒春 KOSYUN.

NOVEMBER, 1914.

日 Day	氣 壓 (耗) AIR PRESSURE. (mm) (700 um+)				風ノ方向及速度 (米/秒) DIRECTION AND VELOCITY (m/sec) OF WIND.										降 水 量 (耗) AMOUNT OF PRECIPITATION. (mm)														
	午前 A.M.		午後 P.M.		午前 A. M.					午後 P. M.					午前 A.M.		午後 P.M.		總計 Total										
	2	6	10	平均	2	6	10	Mean	2	6	10	Mean	2	6	10	Mean	2-6	6-10		10-2	2-6	6-10							
1	63.4	63.8	64.3	62.8	63.2	63.5	63.5	NE	10.4	NE	8.3	NE	9.7	NE	9.6	NE	9.2	ENE	11.0	9.5	-	-	-	-	-	-			
2	62.4	62.1	63.4	62.2	62.5	62.1	62.4	ENE	10.4	E	8.4	ENE	10.1	ENE	7.0	ENE	11.7	E	5.7	9.0	-	0.2	0.1	0.0	0.0	0.0	0.3		
3	61.9	60.7	61.5	59.5	59.4	60.3	60.5	ENE	1.7	E	1.2	NE	7.0	E	6.9	E	6.2	E	5.6	5.2	-	-	-	-	-	-	-		
4	59.9	59.8	60.1	58.7	58.7	60.1	59.5	E	2.6	ENE	4.3	E	5.9	E	4.7	ENE	3.6	N	0.8	3.9	-	0.7	-	-	0.4	-	1.1		
5	59.2	59.6	60.2	59.6	60.0	61.1	59.9	E	1.5	NE	5.8	NE	14.0	NE	14.0	NE	12.7	NE	5.9	8.6	-	-	-	-	-	-	-		
6	60.4	59.8	61.2	59.7	60.0	61.3	60.4	NE	13.1	NE	7.9	NNE	10.9	NE	7.9	ENE	5.5	ENE	3.0	7.1	-	-	-	-	-	-	-		
7	60.6	60.9	61.7	59.8	60.3	60.8	60.7	N	6.1	NNE	5.1	NE	15.2	NE	12.3	NE	15.4	NE	18.9	11.6	-	-	-	-	-	-	-		
8	60.0	59.4	60.9	59.3	59.6	61.0	60.0	ENE	17.7	NE	15.7	NNE	12.4	NE	6.6	N	1.1	N	3.8	9.9	-	-	-	0.0	1.1	0.1	1.2		
9	60.5	59.8	60.4	59.3	60.7	61.4	60.3	NW	3.0	NE	2.9	NNE	8.5	NNE	9.6	NNE	6.4	E	3.6	5.2	2.2	3.2	-	-	0.0	0.4	5.8		
10	59.9	60.3	61.4	60.0	61.0	62.1	60.8	NE	10.6	NE	19.7	NE	21.2	NE	20.0	NE	20.4	NE	20.3	17.7	-	-	-	-	-	-	-		
11	60.9	61.2	62.2	60.8	61.4	61.7	61.4	NE	22.0	NE	18.7	NE	14.6	NNE	9.7	N	4.9	NNE	7.9	13.8	-	-	-	-	-	-	-		
12	60.6	61.0	61.5	59.5	60.2	61.0	60.6	NE	6.7	NNE	7.6	NE	11.6	NE	10.2	NE	3.9	NE	9.3	8.2	-	-	0.0	-	-	-	-		
13	59.5	59.8	60.5	58.4	58.8	60.0	59.5	NE	7.1	NE	3.7	ENE	8.4	E	7.0	ENE	3.2	E	4.4	6.2	-	-	0.0	0.2	0.4	-	0.0		
14	58.0	58.4	59.3	57.5	58.1	59.6	58.5	ENE	5.8	ENE	3.4	SW	4.7	SW	3.3	-	0.4	ENE	0.6	3.2	0.0	0.0	4.7	-	-	-	4.7		
15	58.5	59.1	60.2	58.8	59.5	60.7	59.5	NE	1.8	N	1.5	NE	12.1	NE	11.6	ENE	7.9	NE	7.7	7.1	-	-	-	-	0.0	0.0	0.0		
16	59.9	60.3	60.3	58.7	59.1	60.2	59.7	ENE	8.2	NE	15.5	NE	16.5	NNE	8.6	E	3.3	SNW	5.1	9.8	-	-	-	-	-	-	-		
17	59.2	59.0	60.0	58.6	59.0	59.8	59.3	NE	2.6	N	1.9	NE	9.4	NE	9.7	NE	11.9	NE	8.5	7.7	-	-	0.0	-	-	-	-		
18	59.0	59.2	60.2	58.9	59.6	60.4	59.5	NE	6.7	NE	9.7	NE	11.5	NE	8.8	NE	6.8	ENE	5.4	8.8	-	-	-	-	-	-	0.0		
19	60.0	60.6	61.3	59.4	59.7	60.0	60.2	NE	3.8	SE	0.7	NE	6.1	NE	6.6	E	3.3	N	1.6	4.2	-	-	-	-	-	-	-		
20	59.7	59.6	59.6	57.8	58.6	60.1	59.2	NW	0.9	-	0.4	NW	6.0	NW	8.3	SNW	4.8	N	3.2	4.5	-	-	-	-	-	-	-		
21	60.0	60.4	61.9	60.7	61.6	62.1	61.1	SNW	0.8	NE	15.1	NNE	14.1	NE	14.0	NE	10.3	NE	13.3	9.9	-	-	-	-	-	-	-		
22	61.7	62.6	62.5	60.5	61.6	62.6	61.9	NE	13.0	NE	14.7	NE	16.4	NE	13.6	NE	8.3	NNE	7.3	12.6	-	-	-	0.0	0.0	0.0	0.0		
23	61.0	60.7	62.0	58.2	58.6	60.0	60.1	ENE	9.2	E	11.0	NE	5.7	E	11.0	E	7.1	ENE	4.1	8.4	-	-	0.0	-	0.0	-	0.0		
24	58.3	58.0	59.9	59.0	59.5	60.9	59.3	ENE	4.1	E	3.2	NE	7.0	NE	9.4	NE	12.7	NE	12.9	7.8	0.8	28.2	-	-	-	-	29.0		
25	59.9	60.7	61.7	60.2	61.2	62.5	61.0	NE	10.7	N	3.7	NE	8.0	NE	3.7	NE	3.8	NE	4.2	6.9	-	-	-	-	-	-	-		
26	61.9	62.2	63.1	61.4	62.2	63.2	62.3	NNE	1.7	-	0.2	SE	2.2	NNE	4.2	ENE	4.2	NE	9.7	3.5	-	-	-	-	-	-	-		
27	63.3	63.5	64.6	63.1	64.8	65.6	64.1	NNE	3.1	NE	11.4	NE	18.4	NE	19.0	NE	20.6	NE	20.2	15.2	-	-	0.0	-	-	-	0.0		
28	64.6	65.3	66.2	64.5	65.1	64.6	65.0	NE	21.0	NE	22.0	NE	20.2	NE	18.2	NE	16.2	NE	18.4	19.9	-	-	-	0.1	0.1	0.2	0.4		
29	64.4	64.4	65.2	62.7	63.4	63.6	63.9	N	4.1	ENE	4.4	ENE	4.6	ENE	6.4	NE	4.5	NE	4.3	6.1	0.9	0.2	-	-	-	-	1.1		
30	62.4	62.2	63.0	61.8	61.8	62.6	62.2	NNE	3.2	NE	4.6	ENE	8.2	ENE	8.6	E	7.7	ENE	3.4	5.8	-	-	0.1	0.0	-	-	0.1		
平均 Mean	60.7	60.8	61.7	60.0	60.6	61.5	60.9		7.2		7.8		10.7		9.7		7.9		7.7	8.6			3.9	32.5	4.9	6.3	2.0	0.7	44.3

恒春

日 Day	氣 温 (攝氏) AIR TEMPERATURE. (°C)							濕 度 (百分率) REL. HUMIDITY. (%)					雲 量 (0-10) 及 雲 形 AMOUNT (0-10) AND FORMS OF CLOUD.																								
	午前 A.M.		午後 P.M.		平均 Mean	最高 Max.	最低 Min.	較差 Range	午前 A.M.		午後 P.M.		平均 Mean	午前 A. M.			午後 P. M.			平均 Mean																	
	2	6	10	2					6	10	2	6		10	2	6	10	2	6		10	2	6	10													
1	24	24	27	27	25	32	125.8	28.8	24.1	4.7	71	71	62	63	72	72	68	6	sc,sk	3	sk,sc	0	cs,sk	10	cs,sk	9	cs	8	cs	6.0							
2	25	23	24	22	26	25	024.8	27.4	22.6	4.8	71	82	74	65	73	64	71	10	sk,sc	10	cs,sk	10	n,sk	10	sk,n	10	sk	6	ke,sk	9.3							
3	23	5	23	28	27	28	025.8	29.8	22.1	7.7	77	75	54	60	79	82	71	0	sc	4	sc,sk	9	cs	9	cs,c	1	sk	0	0	3.8							
4	24	23	32	28	29	024.5	23.8	30.5	23.3	7.2	80	92	69	67	89	94	82	1	sk	3	sk,cs	5	sk,cs	10	sk	9	sk,n	8	sk	6.0							
5	23	12	23	25	26	023.6	23.2	26.9	21.9	5.0	89	80	64	60	72	77	74	0	sk	10	sk,n	1	sk	6	ke,sk	10	sk	10	cs,sc	6.2							
6	22	8	22	5	25	8	26.7	24.0	23.8	24.3	27.4	22.1	5.3	73	78	62	62	75	71	70	1	cs,sk	10	sk	10	cs,sk	10	cs,sk	10	cs,sk	8.5						
7	22	12	22	9	25	6	25.4	24.0	23.9	24.0	27.2	21.6	5.6	79	76	69	62	66	64	69	9	cs	10	cs,sk	10	sk,ke	10	sk,ke	10	sk,ke	9.7						
8	24	0	24	4	27	2	25.9	24.8	27.9	23.4	4.5	66	61	56	63	82	86	69	9	sc,sk	10	sk	10	sk,cs	10	sk,sc	10	sk,sc	10	sk	9.8						
9	22	7	23	1	25	6	26.7	24.0	23.4	24.2	27.3	22.2	5.1	94	83	71	67	76	80	78	10	n	10	sk,ke	10	sk	10	sk	10	n	10.0						
10	24	3	23	7	25	4	25	23.7	23.0	24.3	26.1	22.7	3.4	68	66	69	59	64	65	64	10	sk,sc	10	sk	0	sk	1	sk	0	sk	3.5						
11	22	5	22	2	25	7	26.9	23.6	23.3	24.0	27.2	21.9	5.3	69	64	51	55	73	73	64	2	sk	0	sk	2	sk	5	ke	7	sk	4	sk	3.3				
12	22	8	23	2	25	7	27.4	24.6	24.7	28.0	22.7	5.3	73	75	63	58	71	68	68	7	sk	8	sk,n	7	sk,ke	3	sk,ke	2	ke,sk	0	sk	4.5					
13	24	4	24	0	26	5	26	7	23	5	24.8	24.8	27.0	23.5	3.5	69	75	68	76	86	77	75	3	sk	10	sk,sc	10	sc,sk	10	sk,sc	7	sk,n	8.3				
14	24	1	24	1	28	1	27	24.5	21.9	25.0	29.9	21.7	8.2	83	89	77	72	87	93	83	2	sk	10	sk,n	5	sk,ke	6	sk,sc	0	sk	0	sk	3.8				
15	23	6	23	7	26	4	26	9	24	4	23	24.8	27.9	21.9	6.0	79	77	64	63	71	71	71	5	sk	10	sk	10	sk	9	cs,c	3	cs,sk	0	sk	6.2		
16	3	6	23	5	26	3	26	4	24	6	23	24.7	27.2	23.3	3.9	74	72	61	63	76	79	71	10	sk	4	sk	1	sk	8	sk,ke	3	sk	3	sk	4.8		
17	23	9	23	4	26	5	26	2	23	6	23	24.5	27.0	22.7	4.3	75	80	62	64	72	73	71	6	sk	10	sk	9	sk,ke	10	sk,sc	10	sk	8	sk	8.8		
18	23	1	23	8	25	6	26	5	23	4	23	3	24	1	26.8	22.6	4.2	71	72	63	60	71	68	67	10	sk	9	sk	1	sk	1	sk	3	sk	0	sk	4.0
19	22	4	20	7	27	3	27	2	23	3	22	23.8	28.0	20.3	7.7	71	80	55	58	75	79	70	0	sk	1	ke	1	ck,ke	6	cs,sk	0	sk	0	sk	1.3		
20	19	8	18	5	25	5	27	8	24	0	22	022.9	28.4	18.3	10.1	88	94	62	56	74	82	76	0	sk	4	ke,sk	7	ke,sk	5	ck,sk	1	sk	0	sk	2.8		
21	19	4	20	9	22																																

臺東 TAITŌ.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Air Pressure (氣壓), Wind Direction and Velocity (風ノ方向及速度), and Amount of Precipitation (降水量) for Taito. Includes daily data from 1 to 30 and a monthly average (平均).

Table with columns for Air Temperature (氣温), Relative Humidity (濕度), and Amount and Forms of Cloud (雲量及雲形) for Taito. Includes daily data from 1 to 30 and a monthly average (平均).

電力ノ更正 Reduction to standard gravity..... -1.4
海面ノ更正 Reduction to mean sea level..... + 0.9

臺南 TAINAN.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Air Pressure (氣壓), Wind Direction and Velocity (風ノ方向及速度), and Amount of Precipitation (降水量) for Tainan. Includes daily data from 1 to 30 and a monthly average (平均).

Table with columns for Air Temperature (氣温), Relative Humidity (濕度), and Amount and Forms of Cloud (雲量及雲形) for Tainan. Includes daily data from 1 to 30 and a monthly average (平均).

電力ノ更正 Reduction to standard gravity..... -1.4
海面ノ更正 Reduction to mean sea level..... +1.3

澎湖島 HOKOTŌ.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

澎湖島

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 1.0

臺中 TAITYŪ.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

臺中

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 6.9

基隆 KIRUN.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for A.M. and P.M. observations and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for A.M. and P.M. observations and a monthly summary.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 0.3

石垣島 ISIGAKIZIMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for A.M. and P.M. observations and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for A.M. and P.M. observations and a monthly summary.

重力ノ更正 Reduction to standard gravity - 1.3
海面ノ更正 Reduction to mean sea level + 0.5

基隆

石垣島

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

名瀬

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Rel. Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean).

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Rel. Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean).

重力ノ更正 Reduction to standard gravity - 1.1
海面ノ更正 Reduction to mean sea level + 0.4

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

宮崎

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Rel. Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean).

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Rel. Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean).

重力ノ更正 Reduction to standard gravity - 0.9
海面ノ更正 Reduction to mean sea level + 0.8

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 1.2

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 1.3

嚴原

大正三年十一月

ITUHARA.

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a total precipitation column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a total cloud amount column.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.8

大分

大正三年十一月

OITA.

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a total precipitation column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a total cloud amount column.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 0.5

大分

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.8

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 10.2

新居濱 NIIHAMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.5

別子 BESSI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row for the month.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row for the month.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 2.2

新居濱

別子

岡山 OKAYAMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Total column.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.6

味野 ADINO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Total column.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 0.4

和歌山 WAKAYAMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.3

高知 KŌTI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.8
海面ノ更正 Reduction to mean sea level + 3.8

和歌山

高知

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.8
海面ノ更正 Reduction to mean sea level..... + 6.7

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.4

濱松

HAMAMATU.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Forms (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level..... + 2.5

沼津

NUMADU.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Forms (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.7

沼津

横須賀

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a daily mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-tables for morning and afternoon data and a daily mean summary.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 4.0

横濱

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a daily mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-tables for morning and afternoon data and a daily mean summary.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.4

八丈島

HATIDYŌZIMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-30 and monthly averages.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-30 and monthly averages.

念變 Sudden change. 重力ノ更正 Reduction to standard gravity - 0.8. 海面へ更正 Reduction to mean sea level + 7.2.

父島

TITIZIMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-30 and monthly averages.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-30 and monthly averages.

重力ノ更正 Reduction to standard gravity - 1.2. 海面へ更正 Reduction to mean sea level + 0.3.

八丈島

父島

小名濱 ONAHAMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon readings and a summary row.

小名濱

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Clouds. Includes sub-tables for morning and afternoon readings and a summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面へ更正 Reduction to mean sea level..... + 0.4

金山 KANAYAMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon readings and a summary row.

金山

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Form of Clouds. Includes sub-tables for morning and afternoon readings and a summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面へ更正 Reduction to mean sea level..... + 2.3

石卷

大正三年十一月

ISINOMAKI.

NOVEMBER, 1914.

Table with columns for Date (日), Air Pressure (氣壓), Wind Direction and Velocity (風ノ方向及速度), and Precipitation (降水量). Includes sub-tables for morning and afternoon readings and a monthly summary (平均).

Table with columns for Date (日), Air Temperature (氣温), Relative Humidity (湿度), and Cloud Amount and Form (雲量及雲形). Includes sub-tables for morning and afternoon readings and a monthly summary (平均).

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 4.1

宮古

大正三年十一月

MIYAKO.

NOVEMBER, 1914.

Table with columns for Date (日), Air Pressure (氣壓), Wind Direction and Velocity (風ノ方向及速度), and Precipitation (降水量). Includes sub-tables for morning and afternoon readings and a monthly summary (平均).

Table with columns for Date (日), Air Temperature (氣温), Relative Humidity (湿度), and Cloud Amount and Form (雲量及雲形). Includes sub-tables for morning and afternoon readings and a monthly summary (平均).

急變 Sudden Change.
重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 2.8

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ修正 Reduction to standard gravity - 0.7
海面ノ修正 Reduction to mean sea level + 6.0

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ修正 Reduction to standard gravity - 0.7
海面ノ修正 Reduction to mean sea level + 8.1

八木

彦根

岐阜 GIHU.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity - 0.6 海面ノ更正 Reduction to mean sea level..... + 1.5

高山 TAKAYAMA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity - 0.6 海面ノ更正 Reduction to mean sea level..... + 50.3

飯田

IIDA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-30 and monthly averages.

飯田

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-30 and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level +45.5

甲府

KOHU.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes data for days 1-30 and monthly averages.

甲府

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes data for days 1-30 and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level +24.3

松本

MATUMOTO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. readings and a total sum.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes sub-columns for A.M. and P.M. readings and a total sum.

重力ノ更正 Reduction to standard gravity -0.6
海面ノ更正 Reduction to mean sea level +51.8

長野

NAGANO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. readings and a total sum.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes sub-columns for A.M. and P.M. readings and a total sum.

重力ノ更正 Reduction to standard gravity -0.6
海面ノ更正 Reduction to mean sea level +37.6

松本

長野

熊谷 KUMAGAYA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 2.9

宇都宮 UTUNOMIYA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 11.4

熊谷

宇都宮

足尾 ASIO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max., Min., Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 68.7

福島 HUKUSIMA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max., Min., Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 5.7

足尾

福島

山形

YAMAGATA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Mean column.

電力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 14.3

水澤

MIDUSAWA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a Total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a Mean column.

電力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 5.8

山形

水澤

濱田 HAMADA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.8

境 SAKAI.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.3

宮津 MIYADU.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Form (A.M., P.M., Mean). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 0.3

舞鶴 MAIDURU.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Precipitation (A.M., P.M., Total). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Cloud Amount and Form (A.M., P.M., Mean). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 2.9

舞鶴

敦賀 TURUGA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M.), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 0.8

福井 HUKUI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M.), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 1.0

敦賀

福井

金澤 KANAZAWA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 2.6

伏木 HUSIKI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes daily data from 1 to 30 and a monthly average row.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes daily data from 1 to 30 and a monthly average row.

重力ノ更正 Reduction to standard gravity - 0.6
海面ノ更正 Reduction to mean sea level + 1.2

金澤

伏木

相川

AIKAWA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a total sum.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a total sum.

重力ノ更正 Reduction to standard gravity - 0.5
海面へ更正 Reduction to mean sea level..... + 4.1

加茂

KAMO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a total sum.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a total sum.

重力ノ更正 Reduction to standard gravity - 0.4
海面へ更正 Reduction to mean sea level..... + 1.1

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

秋 田

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 0.5

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

青 森

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4

壽都 SUTTU.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a total row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes sub-tables for morning and afternoon data and a total row.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 1.5

旭川 ASAHIGAWA.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a total row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Forms of Cloud. Includes sub-tables for morning and afternoon data and a total row.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 10.6

廣 帶 OBIHIRO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力的更正 Reduction to standard gravity - 0.1
海面へ更正 Reduction to mean sea level + 3.7

裳 襟 ERIMO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Force (0-6), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a 'Total' column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M. and P.M. observations and a 'Mean' column.

重力的更正 Reduction to standard gravity - 0.1
海面へ更正 Reduction to mean sea level + 3.7

鋼路 KUSIRO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes daily data for 30 days and monthly averages.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes daily data for 30 days and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 3.2

網走 ABASIRI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes daily data for 30 days and monthly averages.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes daily data for 30 days and monthly averages.

重力ノ更正 Reduction to standard gravity - 0.1
海面ノ更正 Reduction to mean sea level + 3.6

鋼路

網走

紗那 SYANA.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon readings and a total sum.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for morning and afternoon readings and a total sum.

重力ノ更正 Reduction to standard gravity + 0.0
海面ノ更正 Reduction to mean sea level + 3.7

大泊 OOTOMARI.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon readings and a total sum.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for morning and afternoon readings and a total sum.

重力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 3.5

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 2.7
自記器ニ據テ By self-recorder.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for morning and afternoon readings and a total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for morning and afternoon readings and a total column.

重力ノ更正 Reduction to standard gravity + 0.2
海面ノ更正 Reduction to mean sea level + 0.6
自記器ニ據テ By self-recorder.

大正三年十一月

Table for SIKKA weather data: 氣壓 (AIR PRESSURE), 風ノ方向及速度 (DIRECTION AND VELOCITY OF WIND), 降水量 (AMOUNT OF PRECIPITATION). Includes daily data from 1 to 30 and a monthly average (平均).

敷香

Table for SIKKA weather data: 氣温 (AIR TEMPERATURE), 湿度 (REL. HUMIDITY), 雲量 (AMOUNT (0-10) AND FORMS OF CLOUD). Includes daily data from 1 to 30 and a monthly average (平均).

重力ノ更正 Reduction to standard gravity + 0.3
海面ノ更正 Reduction to mean sea level + 0.3

自記器ニ據ル By self-recorder.

大正三年十一月

Table for HUSAN weather data: 氣壓 (AIR PRESSURE), 風ノ方向及速度 (DIRECTION AND VELOCITY OF WIND), 降水量 (AMOUNT OF PRECIPITATION). Includes daily data from 1 to 30 and a monthly average (平均).

釜山

Table for HUSAN weather data: 氣温 (AIR TEMPERATURE), 湿度 (REL. HUMIDITY), 雲量 (AMOUNT (0-10) AND FORMS OF CLOUD). Includes daily data from 1 to 30 and a monthly average (平均).

重力ノ更正 Reduction to standard gravity - 0.7
海面ノ更正 Reduction to mean sea level + 1.4

自記器ニ據ル By self-recorder.

大邱 TAIKŪ.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily total.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily total.

重力ノ更正 Reduction to standard gravity..... - 0.6 自記器ニ據ル By self-recorder. 海面ニ更正 Reduction to mean sea level..... + 3.9

木浦 MOPPO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily total.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount (0-10) and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily total.

重力ノ更正 Reduction to standard gravity..... - 0.7 自記器ニ據ル By self-recorder. 海面ニ更正 Reduction to mean sea level..... + 2.6

木浦

仁川 ZINSEN.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for morning and afternoon data and a summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 6.3

京城 KEIZYO.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon data and a summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for morning and afternoon data and a summary row.

重力ノ更正 Reduction to standard gravity - 0.5
海面ノ更正 Reduction to mean sea level + 3.0
自記器ニ據ル By self-recorder.

大正三年十一月

平壤 HEIZYŌ.

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M., P.M., and Mean values.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M., P.M., and Mean values.

重力ノ更正 Reduction to standard gravity - 0.4 自記器ニ據ル By self-recorder.
海面ニ更正 Reduction to mean sea level + 4.5

江陵 KŌRYŌ.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M., P.M., and Mean values.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-columns for A.M., P.M., and Mean values.

重力ノ更正 Reduction to standard gravity - 0.5 自記器ニ據ル By self-recorder.
海面ニ更正 Reduction to mean sea level + 1.0

平壤

江陵

元山 GENSAN.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力的更正 Reduction to standard gravity ... 自記器 = 據 By self-recorder.

城津 ZYOSIN.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (A.M., P.M., Mean), Wind Direction and Velocity (A.M., P.M., Mean), and Amount of Precipitation (A.M., P.M., Total). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (A.M., P.M., Mean, Max, Min, Range), Relative Humidity (A.M., P.M., Mean), and Amount and Forms of Cloud (A.M., P.M., Mean). Includes a summary row at the bottom.

重力的更正 Reduction to standard gravity ... 自記器 = 據 By self-recorder.

元山

城津

雄基 YUKI.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily mean row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily mean row.

念變 重力ノ更正 Reduction to standard gravity - 0.2 自記器ニ據テ By self-recorder. 海面へ更正 Reduction to mean sea level..... + 0.5

中江鎮 TYŪKŌTIN.

大正三年十一月

NOVEMBER, 1914.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-columns for A.M. and P.M. observations and a daily mean row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-columns for A.M. and P.M. observations and a daily mean row.

重力ノ更正 Reduction to standard gravity..... - 0.3 自記器ニ據テ By self-recorder. 海面へ更正 Reduction to mean sea level..... + 29.6

中江鎮

龍巖浦

RYÜGANPO.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row.

龍巖浦

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row.

重力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.6

自記器ニ據テ By self-recorder.

大連

DAIREN.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row.

大連

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row.

重力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 1.3

旅順 RYOZYUN.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon readings and a monthly summary.

旅順

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for morning and afternoon readings and a monthly summary.

海力ノ更正 Reduction to standard gravity - 0.4
海面ノ更正 Reduction to mean sea level + 7.5

營口 YINKOW.

NOVEMBER, 1914.

大正三年十一月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for morning and afternoon readings and a monthly summary.

營口

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes sub-tables for morning and afternoon readings and a monthly summary.

海力ノ更正 Reduction to standard gravity - 0.3
海面ノ更正 Reduction to mean sea level + 0.4