

alpha



LOG BOOK

OF THE

U. S. S. PAPAGO

ATF-160
IDENTIFICATION NUMBER

COMMANDED BY

LT. W. E. PETTEE, U. S. N.

Attached to _____ Division,
SERVICE TWO _____ Squadron,
_____ Flotilla,
SERVICE FORCE ATLANTIC _____ Fleet,

Commencing 1 FEB, 1958,

at 0001R,

and ending 28 FEB, 1958,

at 2400R

DESK LOGS ARE MADE
MONTHLY BY THE LOGGERS



LOG BOOK

OF THE

U.S.S. *ALBATROSS*

THE LOGGERS

COMMANDER BY

W. E. PETERSON

Division

Squadron

Attached to

Station

Port

Commencing at *1200* on *15 Feb 1958*

and ending at *0001* on *16 Feb 1958*

at *SHORR*

15 Feb 1958

DECK LOG SHEET—TYPE B

USS Papago (ATF 160) ZONE DESCRIPTION + 5 DATE Saturday, February, 19 58
 (Day) (Date) (Month)

AT/PASSAGE FROM Guantanamo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	170	3	10	CLR	2989	72	69	-	-	-	-	-	-
02	170	3	10	CLR	2989	72	68	-	-	-	-	-	-
03	170	3	10	CLR	2989	73	69	-	-	-	-	-	-
04	-	-	12	CLR	2985	71	68	-	-	-	-	-	-
05	000	2	12	CLR	2986	70	67	-	-	-	-	-	-
06	000	2	12	CLR	2986	70	68	-	-	-	-	-	-
07	000	2	12	CLR	2989	71	68	-	-	-	-	-	-
08	060	2	12	SET	2990	81	75	2	10,000	Ac	71	0	0
09	060	2	12	SET	2990	78	72	2	10,000	Ac	71	0	0
10	060	2	12	SET	2991	86	76	2	10,000	Ac	71	0	0
11	060	2	12	SET	2990	83	76	2	10,000	Ac	71	0	0
12	050	3	10	SET	2989	84	77	4	10,000	Ac	-	-	-
13	050	3	10	BKN	2987	85	78	6	10,000	Ac	-	-	-
14	020	3	10	BKN	2986	84	78	6	10,000	Ac	-	-	-
15	020	3	10	BKN	2984	83	78	8	10,000	Ac	-	-	-
16	000	4	10	OVC	2982	81	79	9	10,000	Ac	-	-	-
17	000	4	10	OVC	2982	81	79	9	10,000	Ac	-	-	-
18	000	4	10	OVC	2982	81	79	9	10,000	Ac	-	-	-
19	000	4	10	OVC	2984	81	78	9	10,000	Ac	-	-	-
20	000	4	10	OVC	2986	79	76	9	10,000	Ac	-	-	-
21	000	4	10	OVC	2988	78	75	9	10,000	Ac	-	-	-
22	000	4	10	OVC	2990	77	74	9	10,000	Ac	-	-	-
23	000	4	10	OVC	2991	77	72	9	10,000	Ac	-	-	-
24	000	3	10	OVC	2989	76	71	9	10,000	Ac	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
35

FUEL CONSUMED
0000-2400
662

REMARKS

00-08 Monr standard side to North East Pier "V" Guantanamo Bay Cuba with standard mooring lines in use pulled up. Ship's present includes repairs under of the U.S. Atlantic Fleet plus various yard and district work. SOPA for ComNavBases. 0653 underway in accordance with ComFlt for Exp. Op. Order 4-58 with nos. 1, 2, 3 & 4 main engines on the line and target of 40-75 knots, steering various courses and speeds under the close harbor. 0716 took no. 1 main engine off the line. 0725 set new course 170°T. 0732 steamed to 600 yds speed 13 Kts.
S.R. Chatterman Com. U.S.N.R.

APPROVED: [Signature]
U. S. N. COMMANDING

EXAMINED: [Signature]
U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP _____

(Day)

(Date)

(Month)

, 19 _____

(The main body of the form is crossed out with a large blue 'X')

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP TAFACO ATF-160 SAT 1 Feb, 19 58
(Day) (Date) (Month)

²⁴
~~08-27~~ Under way as before. 0800 Held muster on station, no unauthorized absentees. 0820 C/S to 7 kts. 0823 C/S to 090° true. 0827 Steamed target to 1500 yds. 0831 C/S to 4 kts. 0906 C/S to 10 kts. 0910 Made daily inspection of magazines and explosive powder samples; conditions normal. 0925 Commenced scheduled gunnery exercises with U.S.S. Mills (DER-383) using various courses and speeds throughout the exercise. 1000 Completed gunnery exercises with U.S.S. Mills and set course 325° true, spd 7 kts. 1020 Heaved target in to 600 yds. 1057 C/S to 340° true. C/S to 14 kts. 1108 With Windward Point light abeam to starboard, distance 1000 yards commenced steering various courses at various speeds to conform with Guantanamo Bay channel. 1115 Heaved target in to short stay. 1135 Moved starboard side to the northeast side of Pier "V", U.S. Navy Base, Guantanamo Bay, Cuba with standard morning lines.

J. F. Hill, CHBO34, W-3, 434

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAAGO ATF-160 ZONE DESCRIPTION 45 DATE SUN 2 Feb, 19 58
(Day) (Date) (Month)

AT/PASSAGE FROM SYMO TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	000	3	10	OKC	2987	74	70	9	16,000	Ac	-	-	-
02	000	3	10	BRN	2986	73	70	8	16,000	Ac	-	-	-
03	000	3	10	BRN	2987	72	69	8	16,000	Ac	-	-	-
04	000	3	10	BRN	2986	71	69	6	16,000	Ac	-	-	-
05	000	3	10	SET	2986	69	67	5	16,000	Ac	-	-	-
06	000	3	10	SET	2986	69	67	4	16,000	Ac	-	-	-
07	000	3	10	CLR	2988	69	67	-	-	-	-	-	-
08	000	5	10	CLR	2992	72	69	-	-	-	-	-	-
09	000	5	10	CLR	2992	77	72	-	-	-	-	-	-
10	000	5	10	CLR	2992	77	72	-	-	-	-	-	-
11	000	5	10	CLR	2993	78	74	-	-	-	-	-	-
12	000	5	10	CLR	2989	78	75	-	-	-	-	-	-
13	010	5	10	CLR	2988	80	75	-	-	-	-	-	-
14	010	5	10	CLR	2988	78	76	-	-	-	-	-	-
15	010	5	10	CLR	2988	77	75	-	-	-	-	-	-
16	010	5	10	CLR	2990	74	72	-	-	-	-	-	-
17	010	5	10	CLR	2991	71	70	-	-	-	-	-	-
18	010	5	10	CLR	2992	70	69	-	-	-	-	-	-
19	010	5	10	CLR	2993	73	66	-	-	-	-	-	-
20	010	3	10	CLR	2995	72	65	-	-	-	-	-	-
21	010	3	10	CLR	2996	65	63	-	-	-	-	-	-
22	010	2	10	CLR	2997	65	63	-	-	-	-	-	-
23	010	2	10	CLR	2997	65	63	-	-	-	-	-	-
24	010	2	10	CLR	2997	65	63	-	-	-	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
0

FUEL CONSUMED
0000-2400
199

REMARKS

00-08 Moved starboard side to the north-west side of Pier "V", U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines. Ships present are various ships of the U.S. Atlantic Fleet and District Craft. SOPA in ComNav Base, Stone.

J.F. Helt, CHOSN, W-3, USN

APPROVED:

EXAMINED:

[Signature]

U. S. N. COMMANDING

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP DAPAGO ATF-160 SEN 2 Feb, 1958
(Day) (Date) (Month)

03-24 Moored as before. 0905 Muster on stations
no absentees. 0930 Made daily inspection of magazines
and smokeless powder samples, conditions normal

[Handwritten signature]

APPROVED:

[Handwritten signature]

U. S. N. COMMANDING

EXAMINED:

[Handwritten signature]

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS JAPAGO ATF-160 ZONE DESCRIPTION +5 DATE MON 3 Feb, 19 58
 (Day) (Date) (Month)

AT/PASSAGE FROM BYMO TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	010	2	10	SC	2998	62	61	4	1600	Cu	-	-	-
02	010	2	10	SC	2998	62	61	3	1600	Cu	-	-	-
03	010	2	10	SC	2998	62	60	2	1600	Cu	-	-	-
04	010	2	10	CL	3001	61	59	-	-	-	-	-	-
05	010	2	10	CL	3001	61	60	-	-	-	-	-	-
06	010	2	10	CL	3002	64	63	-	-	-	-	-	-
07	010	2	10	CL	3005	67	64	-	-	-	-	-	-
08	010	4	10	CL	3008	70	67	-	-	-	-	-	-
09	010	3	10	CL	3008	70	67	-	-	-	-	-	-
10	010	3	10	CL	3009	70	67	-	-	-	-	-	-
11	010	3	10	CL	3006	72	70	-	-	-	-	-	-
12	020	4	12	CL	3004	74	71	-	-	-	-	-	-
13	020	4	12	CL	3000	74	71	-	-	-	-	-	-
14	020	3	12	CL	2998	75	72	-	-	-	-	-	-
15	020	3	12	CL	2997	75	72	-	-	-	-	-	-
16	020	3	12	CL	2996	76	74	-	-	-	-	-	-
17	220	5	12	CL	2998	73	72	-	-	-	-	-	-
18	220	5	10	CL	3000	70	68	-	-	-	-	-	-
19	220	5	10	CL	3002	74	69	-	-	-	-	-	-
20	220	5	10	CL	3005	71	68	-	-	-	-	-	-
21	260	5	10	CL	3005	67	66	-	-	-	-	-	-
22	260	5	10	CL	3005	66	64	-	-	-	-	-	-
23	260	5	12	CL	3005	66	64	-	-	-	-	-	-
24	260	5	12	CL	3006	65	64	-	-	-	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
246

REMARKS

00-03 Monel shell side to Neptun "V" U.S. Naval Base, Guantanamo Bay
 Cuba. Ships present - numerous units, U.S. Atlantic
 Fleet and detatched craft. Staffs from Naval Base 0740.
 Muster at quarters, no exercises.

[Signature]

APPROVED: *[Signature]* U. S. N. COMMANDING

EXAMINED: *[Signature]* U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO ATF-160

MONDAY 3 FEBRUARY, 19 58
(Day) (Date) (Month)

08-24 moored as before; 1000 made daily inspection of magazines & smokeless powder samples; conditions normal.

E. H. Huxley Cdr. Mach. W-2 7644.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

DECK LOG SHEET-TYPE B

USS PAPAGO ATF-160 ZONE DESCRIPTION +5 DATE TUESDAY 4 FEBRUARY 1958
(Day) (Date) (Month)
 AT/PASSAGE FROM GUANTANAMO BAY, CUBA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	7	12	CLR	3006	65	64	-	-	-	-	-	-
02	000	7	12	CLR	3006	63	61	-	-	-	-	-	-
03	000	7	12	CLR	3006	63	61	-	-	-	-	-	-
04	000	7	12	CLR	3006	63	62	-	-	-	-	-	-
05	000	7	12	CLR	3008	63	62	-	-	-	-	-	-
06	000	7	12	CLR	3010	62	61	-	-	-	-	-	-
07	000	5	10	CLR	3012	65	64	-	-	-	-	-	-
08	000	3	10	CLR	3014	68	67	-	-	-	-	-	-
09	000	3	10	CLR	3017	71	69	-	-	-	-	-	-
10	000	3	10	CLR	3015	71	70	-	-	-	-	-	-
11	000	3	10	CLR	3014	72	71	-	-	-	-	-	-
12	000	5	10	CLR	3010	72	71	-	-	-	-	-	-
13	000	5	10	CLR	3007	75	74	-	-	-	-	-	-
14	000	5	10	CLR	3005	76	75	-	-	-	-	-	-
15	000	2	10	CLR	3006	75	74	-	-	-	-	-	-
16	000	2	10	CLR	3006	74	74	-	-	-	-	-	-
17	000	3	10	CLR	3008	72	72	-	-	-	-	-	-
18	000	3	10	CLR	3010	70	70	-	-	-	-	-	-
19	000	3	10	CLR	3011	69	69	-	-	-	-	-	-
20	000	3	10	CLR	3012	69	68	-	-	-	-	-	-
21	000	3	10	CLR	3013	67	63	-	-	-	-	-	-
22	000	3	10	CLR	3015	65	60	-	-	-	-	-	-
23	000	3	10	CLR	3014	64	62	-	-	-	-	-	-
24	000	3	10	CLR	3013	62	62	-	-	-	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
307

REMARKS

00-08-Moored starboard side to pier "Victor" U.S. Naval Base
 Guantanamo Bay Cuba; Ships present include various of the
 U.S. Atlantic Fleet & yardcraft; SPM is ComNavBase, 0740
 Quarters for muster of crew. No unauthorized ~~absentees~~ absentees
 SPM to CH. Mach. w-2 XPM

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO ATF-160

TUESDAY 4 February 1958
(Day) (Date) (Month)

08-24 *Maintenance* 0900 made daily routine inspection of magazines and (ammunition) powder samples - conditions normal.

S. B. Christensen U.S.N.

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION 75 DATE WEDNESDAY 5 FEB, 19 58
(Day) (Date) (Month)

AT/PASSAGE FROM GTMO BAY, CUBA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	000	3	10	CLR	3011	61	60	-	-	-	-	-	-
02	000	3	10	CLR	3011	61	60	-	-	-	-	-	-
03	000	3	10	CLR	3011	61	60	-	-	-	-	-	-
04	000	3	10	CLR	3011	59	59	-	-	-	-	-	-
05	000	3	10	CLR	3011	57	56	-	-	-	-	-	-
06	000	3	10	CLR	3012	57	56	-	-	-	-	-	-
07	000	3	10	CLR	3013	57	55	-	-	-	-	-	-
08	000	3	10	CLR	3012	60	58	-	-	-	-	-	-
09	000	3	10	CLR	3011	64	60	-	-	-	-	-	-
10	000	3	10	CLR	3010	68	64	-	-	-	-	-	-
11	000	3	10	CLR	3008	74	70	-	-	-	-	-	-
12	000	3	10	CLR	3006	76	74	-	-	-	-	-	-
13	000	3	10	CLR	3005	76	75	-	-	-	-	-	-
14	120	3	10	CLR	3003	76	75	-	-	-	-	-	-
15	120	4	10	CLR	3003	76	75	-	-	-	-	-	-
16	120	4	10	CLR	3004	76	75	-	-	-	-	-	-
17	120	4	10	CLR	3004	74	73	-	-	-	-	-	-
18	120	4	10	CLR	3003	74	73	-	-	-	-	-	-
19	120	4	10	CLR	3005	69	68	-	-	-	-	-	-
20	120	4	10	CLR	3007	68	67	-	-	-	-	-	-
21	120	4	10	CLR	3009	68	67	-	-	-	-	-	-
22	120	4	10	CLR	3009	65	65	-	-	-	-	-	-
23	150	3	10	CLR	3008	65	64	-	-	-	-	-	-
24	150	3	10	CLR	3008	64	63	-	-	-	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
339

REMARKS

10-08 Moved starboard astern to Pigeon "V" with standard mooring lines in use deployed up at U.S. Navy Station, Guantanamo Bay, Cuba. Ships present include various units of the U.S. Atlantic Fleet plus various yard and district craft. SOPA is ComNav Base, Guantanamo. 0740 held quarters for muster - no warrant foriff absentees.
SP Huntman Com. U.S.N.R.

APPROVED: [Signature] U. S. N. COMMANDING EXAMINED: [Signature] U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO (ATF-160) WED. 5 FEB, 19 58
(Day) (Date) (Month)

08-24 Moved as before. 0855 Made daily inspection of magazine and smelting powder samples: conditions normal.

J. T. Hill, CHBO3N, W-3, USN

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION 75 DATE THURSDAY 6 FEB, 1952
 (Day) (Date) (Month)

AT/PASSAGE FROM GTMO BAY, CUBA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	2	10	CLR	30.08	64	64.5	-	-	-	-	-	-
02	150	2	10	CLR	30.08	64	64.5	-	-	-	-	-	-
03	150	2	10	CLR	30.08	64	64.5	-	-	-	-	-	-
04	330	2	10	CLR	30.05	62	62	-	-	-	-	-	-
05	330	2	10	CLR	30.05	62.5	62.5	-	-	-	-	-	-
06	330	2	10	CLR	30.04	62	62	-	-	-	-	-	-
07	090	2	10	Sct	30.04	61	61	4	2000	Cu	72	090	2
08	080	15	15	BKN	30.03	74	72	6	1600	Sc	72	090	2
09	090	15	15	Sct	30.05	80.5	68	1	1600	Sc	72	090	2
10	090	15	15	Sct	30.04	78.5	67	1	1600	Sc	72	090	2
11	090	15	15	CLR	30.03	78	67.5	-	-	-	72	090	3
12	090	15	15	CLR	30.00	83	70	-	-	-	72	090	2
13	090	15	15	CLR	29.96	77	66	-	-	-	72	090	2
14	090	15	15	OK	29.95	80	68	-	-	-	72	090	2
15	090	15	15	CLR	29.96	77	66	-	-	-	72	090	2
16	100	10	10	CLR	29.93	79	67	-	-	-	-	-	-
17	100	9	10	CLR	29.94	78	67	-	-	-	-	-	-
18	100	9	10	CLR	29.94	77	67	-	-	-	-	-	-
19	100	9	10	CLR	29.95	76	68	-	-	-	-	-	-
20	100	10	10	CLR	29.94	75	67	-	-	-	-	-	-
21	100	3	10	CLR	29.94	73	66	-	-	-	-	-	-
22	-	-	12	CLR	29.95	71	66	-	-	-	-	-	-
23	330	3	12	CLR	29.95	71	66	-	-	-	-	-	-
24	330	3	12	CLR	29.95	70	65	-	-	-	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
84

FUEL CONSUMED 0000-2400
1064

REMARKS

00-08 Moved starboard side to the east side of Pier "V," U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines. Ships present are various ships of the U.S. Atlantic Fleet, U.S. Coast Guard, and District Craft. SOPA in ComNav Base, Stmo. 0515 Make all preparations for getting underway on four main generators. 0538 Underway in accordance with ComFltTrGru, Stmo Opord 5-58 steering various courses at various speeds to conform with Guantanamo Bay Channel. Captain at the Con, Navigator on the bridge. Series 40 target in tow at short stay. 0606 With Windward Point light abeam to port, distance 1,500 yds, set course 170° True. 0616 Steamed target to 600 yds. 0617 C/S to 12 hrs. 0727 Secured #2 main engine from the propulsion loop. 0740 Held muster on station; no unauthorized absences.

J. F. Hall, CHBOSN, USN

APPROVED: [Signature] U. S. N. COMMANDING

EXAMINED: [Signature] U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PARAGO ATF-160 thurs 6 FEB 1958
(Day) (Date) (Month)

08-12 Underway as before; 0805 0810 Commenced scheduled ^{8k} exercises with HMS Ceylon, steering various courses at various speeds; 1030 Completed exercise; 1110 Made daily inspection of magazines; 1138 Commenced exercise with USS Snyder DE 745; 1154 Base exercise 1158. c/c to 0900 POC. c/s to 1301.

E. J. Glavin

12-16 Underway as before; 1154 U.S.S. Snyder (DE 745) ceased firing; 1155 Commenced steering various courses at various speeds while conducting Summary Exercises with H.M.S. Ceylon; 1217 Completed exercises; 1235 Target streamed to 600 yards; 1236 Commenced steering various courses at various speeds while maneuvering prior to, entering and mooring at Guantanamo Bay Cuba; 1300 Moved starboard side to ^{8k} NE pier for "V" U.S. Naval Base, Cuba.

E. J. Glavin

~~SRL 7620~~

16-24 Moved as before

E. J. Glavin

APPROVED: *[Signature]*

U. S. N. COMMANDING

EXAMINED: *[Signature]*

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO ATF-160 ZONE DESCRIPTION 75 DATE FRI 7 Feb, 19 58
 AT/PASSAGE FROM OTMO TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	3	10	CLR	2994	68	64	-	-	-	-	-	-
02	330	3	10	CLR	2994	68	64	-	-	-	-	-	-
03	330	5	10	CLR	2991	65	63	-	-	-	-	-	-
04	330	5	10	CLR	2991	65	62	-	-	-	-	-	-
05	330	5	10	CLR	2992	65	62	-	-	-	-	-	-
06	330	5	10	CLR	2992	65	63	-	-	-	-	-	-
07	340	4	12	CLR	2994	70	67	-	-	-	72	350	1
08	350	8	12	CLR	2996	82	74	-	-	-	72	350	1
09	015	10	12	CLR	2995	80	71	-	-	-	72	000	1
10	015	10	12	CLR	2996	82	74	-	-	-	72	000	1
11	015	8	12	CLR	2995	80	73	-	-	-	72	000	1
12	015	7	15	CLR	2991	86.5	86	-	-	-	72	000	1
13	090	4	15	Sct	2988	87	77	2	2000	Cu	72	090	1
14	090	8	15	Sct	2984	84	74	2	1600	Ac	72	090	1
15	090	8	15	CLR	2983	80	72	-	-	-	72	090	1
16	090	8	15	CLR	2984	82	72	-	-	-	72	090	1
17	090	8	15	CLR	2985	82	73	-	-	-	72	090	1
18	090	8	15	CLR	2985	80	72.5	-	-	Clear	72	090	1
19	220	5	10	CLR	29.89	77	70	-	-	-	-	-	-
20	220	5	10	CLR	29.89	77	70	-	-	-	-	-	-
21	220	5	10	CLR	29.91	76	71	-	-	-	-	-	-
22	220	5	10	Sct	29.91	76	71	4	1600	Cu	-	-	-
23	220	5	10	Sct	29.90	75	70	5	1600	Cu	-	-	-
24	220	5	10	Sct	29.89	75	70	5	1600	Cu	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
 0000-2400
91

FUEL CONSUMED
 0000-2400
902

REMARKS

08-08 Moved 11th deck to NE pier "V" standard, U.S. Naval Base, Guantanamo Bay, Cuba. Ships present various units US Atlantic Fleet and district craft 50th Air Command Base. 0654 Underway cleaning various carriers at various speeds, leaving Guantanamo Bay anchorage area and entrance. 0730 c/c to 1730 PGC c/s to 14 hrs. 0740 Master on station no alterations.

E. Baloney

APPROVED: *[Signature]*

U. S. N. COMMANDING

EXAMINED: *[Signature]*

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO ATF-160

FRIDAY 7 FEBRUARY 1958
(Day) (Date) (Month)

08-12 Underway as before; 0810 Commenced streaming target to 1500 yds. A/E to 2/3; 0830 Target at 1500 yds. A/E to Standard, steering various courses at various speeds while enroute to operating area; 0855 Commenced scheduled Exercises with U. S. S. Rich (DDG-820 & U. S. S. New (DDG-818); 0918 Completed scheduled Exercises with U. S. S. Rich & U. S. S. New; ⁰⁹³⁰ Note: 0930 Made daily inspection of magazines & smokeless powder samples; Conditions normal; Continued steering various courses at various speeds while towing target in operating area;

E. H. Mueck Ch. Mach. W-2 USN.

12-16 Underway as before. 1318 commenced scheduled exercises with U. S. S. Fawn (DDG-830) steering various courses and speeds. 1428 completed scheduled exercises with the U. S. S. Fawn (DD 830). 1454 Commenced scheduled exercises with the U. S. S. Warrington DD-843 steering various courses and speeds in accordance with EXP-3. 1506 Completed scheduled exercises with the U. S. S. Warrington (DD 843). 1524 commenced scheduled exercises with the U. S. S. Lamp DER-251 steering various courses and speeds in accordance with EXP-3. 1557 completed scheduled exercises with the U. S. S. Lamp DER 251.

S. B. Huntman Com. U. S. S. R.

16-20 Underway as before. 1603 C/C to 290° True, speed 10 kts. 1614 C/S to 7 kts. 1624 Commenced scheduled gunnery exercises with U. S. S. Snyder (DE-745) using various courses and speeds. 1659 Completed gunnery exercises and set course 010° True, speed 7 kts. 1717 Heaved target in to 600 yds. C/S to 15.4 kts. 1801 C/C to 014° true. 1820 C/S to 010° 021° True. 1840 With Windward Point light abeam to starboard, distance 2,000 yds. Commenced steering various courses at various speeds to conform with Guantanamo Bay Channel. 1920 Moved starboard side to the port side to of U. S. S. Rockbridge (APA-228) at the east side of Pier "A", Guantanamo Bay, Cuba with Standard mooring lines.

J. G. Hill, CHBOSS, USN

20-24 Moved as before; 2000 Commenced supplying U. S. S. Rockbridge (APA-228) with Electric Power;

E. H. Mueck Ch. Mach. W-2 USN.

APPROVED:

EXAMINED:

[Signature]

[Signature]

U. S. N. COMMANDING

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE SATURDAY 8 FEB, 19 58
(Day) (Date) (Month)

AT/PASSAGE FROM Guantanamo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	220	2	10	Sct	29.88	75	69	4	1600	Cu	-	-	-
02	220	2	10	Sct	29.88	73	69	4	1600	Cu	-	-	-
03	220	2	10	Sct	29.88	72	68	4	2200	Cu	-	-	-
04	220	2	10	Sct	29.88	72	69	4	2200	Cu	-	-	-
05	220	2	10	Sct	29.90	72	68	4	2200	Cu	-	-	-
06	220	2	10	RN	29.91	72	68	4	2200	Cu	-	-	-
07	220	2	10	Sct	29.93	72	69	4	2200	Cu	-	-	-
08	220	2	10	Sct	29.93	73	70	4	2200	Cu	-	-	-
09	220	2	10	Sct	29.95	75	70	4	2200	Cu	-	-	-
10	220	2	5	Sct	29.95	79	72	4	2200	Cu	-	-	-
11	220	2	5	Sct	29.95	79	72	4	2200	Cu	-	-	-
12	-	-	12	Sct	29.91	84	74	4	2200	Cu	-	-	-
13	160	3	12	Sct	29.89	88	75	4	2200	Cu	-	-	-
14	160	2	12	Sct	29.86	87	75.5	4	2200	Cu	-	-	-
15	220	2	12	Sct	29.85	88.5	77	4	2200	Cu	-	-	-
16	180	3	12	BKN	29.87	88	77	9	1600	Sc	-	-	-
17	270	10	4	L	29.89	84	76	9	1000	Ns	-	-	-
18	330	5	4	R	29.92	75	72	10	1000	Ns	-	-	-
19	330	3	6	D	29.94	74	71	10	1000	Ns	-	-	-
20	330	3	6	D	29.94	74	71	10	1000	Ns	-	-	-
21	330	3	6	D	30.00	75	72	10	1000	Ns	-	-	-
22	330	3	6	D	30.00	75	72	10	1000	Ns	-	-	-
23	330	3	7	D	30.02	73	73	10	1000	Ns	-	-	-
24	340	4	5	D	29.95	70	69	10	1000	Ns	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
—

FUEL CONSUMED 0000-2400
230

REMARKS

00-08 Moved starboard side to port side of U. S. S. Rockbridge (APA 228) at pier Alfa; U. S. Naval Base Guantanamo Bay, Cuba. Ships present include various units of the U. S. Atlantic Fleet & Yardcraft; SCFA is ComNavBase; 0740 Mustered crew at quarters; No unauthorized absentees;

E. Balancer

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO ATF 160

SATURDAY 8 FEB 1958
(Day) (Date) (Month)

08-24 Monday before. 0820 made daily injection of magnesium
and potassium fructose samples - (and other names)
S. H. G. Hunter Cas. U.S.N.R.

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG SHEET-TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE SUNDAY 9 FEB., 19 58
 AT/PASSAGE FROM Stmo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	7	6	L	2994	70	67	10	1600	Ns	-	-	-
02	330	7	6	OVC	2993	68	65	10	1600	Ns	-	-	-
03	320	8	6	OVC	2992	68	65	10	1600	Ns	-	-	-
04	320	12	8	OVC	2991	68	65	10	1600	Cu/As	-	-	-
05	320	12	8	OVC	2991	68	65	10	1600	Cu/As	-	-	-
06	320	12	8	OVC	2991	68	65	9	1600	Cu/As	-	-	-
07	320	12	8	OVC	2992	68	65	9	1600	Cu/As	-	-	-
08	320	12	8	OVC	2994	69	66	9	1600	Cu/As	-	-	-
09	320	12	8	OVC	2999	73	67	9	1600	Cu/As	-	-	-
10	320	12	8	OVC	2999	75	68	9	1600	Cu/As	-	-	-
11	320	12	8	OVC	2994	79	70	9	1600	Cu/As	-	-	-
12	320	12	8	OVC	2994	79	70	9	1600	Cu/As	-	-	-
13	010	12	10	OVC	2991	77	69	9	1600	Cu/As	-	-	-
14	020	12	8	OVC	2989	77	70	9	1600	Cu/As	-	-	-
15	020	12	10	OVC	2989	76	69	9	1600	Cu/As	-	-	-
16	330	6	10	OVC	2990	73	69	9	1600	Cu/As	-	-	-
17	330	6	10	OVC	2991	71	69	9	1600	Cu/As	-	-	-
18	330	6	10	OVC	2992	74	67	9	1600	Cu/As	-	-	-
19	330	6	10	OVC	2994	74	66	9	1600	Cu/As	-	-	-
20	340	6	10	OVC	2996	72	65	7	1600	Cu/As	-	-	-
21	340	6	10	OVC	2996	72	65	7	1600	Cu/As	-	-	-
22	340	6	10	L	2997	71	66	7	1600	Ns	-	-	-
23	340	6	10	OVC	2996	71	66	7	1600	Ns	-	-	-
24	340	6	10	OVC	2995	71	66	7	1600	Cu/As	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	



MILES STEAMED
 0000-2400
 0

FUEL CONSUMED
 0000-2400
 100

REMARKS

00-08 Moved starboard side to Port side of the U.S.S. Rubidge (APA 228) at Naval Station, Stmo Bay, Cuba. Ships present include various units of the U.S. Atlantic, British Navy plus various units of the local district and yard craft. S of APA is from Star Board. Continued support by U.S.S. Rubidge APA 228. 0108 U.S.S. Rubidge shifted electrical load back to their own power plant.

S.R. Christensen Com. U.S.N.R.

APPROVED:  U. S. N. COMMANDING
 EXAMINED:  U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP DeLoop ATF-160 SUN 9 Feb, 1958
(Day) (Date) (Month)

08-24 Manned as before. 0805 Held muster on station; no unauthorized absentees. 0945 Made daily inspection of magazines and smokeless powder samples; conditions normal.

J. F. Webb, O-40054, W-3, USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION 15 DATE Monday 10 FEB., 19 58
(Day) (Date) (Month)

AT/PASSAGE FROM Stono Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	340	3	8	BKN	2994	71	66	7	1600	Cu/As	-	-	-
02	340	3	8	BKN	2990	71	66	7	1600	Cu/As	-	-	-
03	340	3	8	BKN	2988	70	66	7	1600	Cu/As	-	-	-
04	340	3	8	BKN	2989	70	65	7	1600	Cu/As	-	-	-
05	340	5	8	BKN	2990	70	66	7	1600	Cu/As	-	-	-
06	340	3	10	BKN	2993	70	66	8	1600	Sc	72	070	1
07	325	2	10	BKN	2994	72	66	8	1600	Sc	72	070	2
08	325	3	10	BKN	2994	72	69	8	1600	Sc	72	070	2
09	325	6	10	BKN	2995	78	70	8	1600	Sc	72	070	2
10	080	12	10	BKN	2994	77	70	8	1600	Sc	72	070	2
11	070	12	10	BKN	2993	78	70	8	1600	Sc	72	070	2
12	060	12	8	BKN	2990	82	74	8	1600	Cu/Sc	72	070	2
13	060	12	8	BKN	2986	80	72	8	1600	Cu/Sc	72	070	2
14	060	12	8	BKN	2984	80	73	6	1600	Cu/Sc	72	070	2
15	060	12	8	BKN	2984	85	75	3	6500	As	72	070	2
16	060	15	15	Sc	2983	86.5	75.5	2	1600	Cu	72	060	4
17	060	15	15	BKN	2983	84.5	75	6	1600	Sc/AC		060	5
18	120	4	10	BKN	2985	77	71	7	1600	Cu/As			
19	120	4	10	BKN	2987	77	71	7	1600	Cu/As			
20	120	4	10	BKN	2986	75	70	7	1600	Cu/As			
21	120	4	10	BKN	2986	74	70	7	1600	Cu/As			
22	120	4	10	BKN	2986	74	70	7	1600	Cu/As			
23	120	6	10	BKN	2985	75	71	9	1600	Sc			
24	150	6	10	BKN	2984	74	71	9	1600	Sc			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
78

FUEL CONSUMED
0000-2400
848

REMARKS

00-08 Moved starboard side to U.S.S. Rockbridge (APA-228) at east side of pier "A", U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines. Ships present are various ships of the U.S. Atlantic Fleet, U.S. Coast Guard, British and Dutch Craft. SOPA cor in ComNav Base, Stono.

0515 Made all preparations for getting under way on four main generators. 0550 Under way in accordance with Com Fleet Instructions, Stono OpOrd 6-58 steering various courses at various speeds to conform with Guantanamo Bay Channel. Captain at the Con, Navigator on the bridge. Series 40 target in tow at short stay. 0619 With Windward Point light abeam to port, distance 920 yds. set course 150° True, speed 7 kts. 0624 Streamed target to 600 yds. 0626 C/S to 13 kts. 0740 Held muster on station; no absences.

J. F. Webb, CH-605N, W 3, USA

APPROVED: *[Signature]* U. S. N. COMMANDING
EXAMINED: *[Signature]* U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO ATF-160 MON 10 Feb 1958
(Day) (Date) (Month)

08-12 Underway as before. Commenced cleaning
surveys sounds at various speeds to conform
with F.P. 3 and ComFltka Trump Ed. Regd. 0830 Made
daily inspection of magazines and smokeless powder
samples, conditions normal. 0943 c/c to 0900 PBC. 1115
c/c to 2500 PBC

E. Beloni ATJg.

~~12-16~~
~~16-20~~ Underway as before steering various courses at
various speeds while taking station for scheduled Exercise;
1245 On station; Ready to commence scheduled Exercise; 1337
Commenced scheduled Exercises with U.S. S. Perry (DDP-883 &
U.S. S. Goodrich (DDG-831); 1455 Completed scheduled Exercise;
Commenced steering various courses at various speeds while
proceeding to & mooring at Pier Victor Guantanamo Bay Cuba;

E. H. Shuyck Ch. Mach. W-2 Nsn.

16-24 Manned as before.

E. Beloni ATJg.

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS Papago (ATF 160) ZONE DESCRIPTION +5 DATE Tuesday 11 February 58
(Day) (Date) (Month)

AT/PASSAGE FROM Guantanamo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	120	4	6	R	2983	72	71	10	1000	Ns	-	-	-
02	120	4	5	R	2981	72	70	10	1000	Ns	-	-	-
03	120	6	5	R	2981	73	70	10	1000	Ns	-	-	-
04	120	6	5	R	2981	72	70	10	1000	Ns	-	-	-
05	120	4	7	BKN	2982	71	69	8	1600	Sc	-	-	-
06	120	4	10	ScT	2983	70	68	7	1600	Sc	-	-	-
07	000	4	15	ScT	2983	73	71	1	1600	Sc	72	-	-
08	000	2	15	BKN	2986	80	75	8	1600	Sc/As	72	-	-
09	000	2	15	BKN	2988	80	75	8	1600	Sc/As	72	-	-
10	000	2	15	BKN	2988	84	76	8	1600	Sc/As	72	-	-
11	000	2	15	BKN	2988	88	78	6	1600	Sc/As	72	-	-
12	130	3	15	BKN	2982	83.5	71	7	1600	Sc/As	72	-	-
13	130	3	15	BKN	2978	84	71	7	1600	Cu/As	72	-	-
14	130	4	15	BKN	2976	85	72.5	6	1600	Cu	72	-	-
15	195	10	15	ScT	2976	85	75.5	5	1600	Cu	72	195	1
16	180	12	12	ScT	2976	83	77	4	1600	Cu	72	180	3
17	180	12	12	BKN	2977	83.5	77	8	1600	Sc/Cu	72	180	3
18	180	10	8	BKN	2979	83	77	6	1600	Sc	72	180	3
19	150	8	8	BKN	2979	83	77	6	1600	Sc	-	-	-
20	150	8	8	BKN	2980	83	77	7	1600	Sc	-	-	-
21	150	6	8	BKN	2980	82	77	7	1600	Sc	-	-	-
22	150	6	8	BKN	2980	82	76	8	1600	Sc	-	-	-
23	150	5	8	BKN	2981	81	76	8	1600	Sc	-	-	-
24	160	5	8	OVC	2981	81	76	9	1600	Sc	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400
85

FUEL CONSUMED
0000-2400
1149

REMARKS

00-09 Moved starboard to NE pier "V", U.S. Naval Base, Guantanamo Bay, Cuba. SOTA pier Capitan Base. Ships present various units U.S. Atlantic fleet and aircraft carrier 0556 Underway Steaming remains underway at various speeds while loading/unloading area. 0637 Streamed target to oblong 0637 from 16 to 1800 T. C 13 to 15 H. 0740 Muster on stations no alterations. 0740 C to 2700 700 C/S to 2700

[Signature]

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO ATF-160

TUESDAY 11 FEBRUARY, 19 58
(Day) (Date) (Month)

08-12 Underway as before; 0745 steering various courses at various speeds while enroute to Exercise area; 0747 Took #15's main engines off the line; Commenced streaming target to 1500 yards; 0750 Target at 1500 yards on station ready to commence scheduled Exercise; 0811 Commenced scheduled Exercise with U.S.C.S. C. Humbolt (WAVP-372); 0825 Completed scheduled Exercise with Humbolt (WAVP-372); 0840 made daily inspection of magazines & smokeless powder samples; Conditions normal; 1010 On station ready to commence scheduled Exercise Exercise with U.S.S. Turner (DDR-834); 1016 Commenced scheduled Exercise with U.S.S. Turner; 1105 Completed scheduled exercise with U.S.S. Turner (DDR-834);

Estimate of Mach. W-2944.

12-16 Underway as before. 1237 C/o to 270° True. 1313 commenced scheduled exercises with the U.S.S. Bigelow DD 942 steering various courses and speeds in accordance with FXP 3. 1409 completed exercises with the U.S.S. Bigelow. 1428 commenced scheduled exercises with U.S.S. Jensen ATF 156. 1431 completed scheduled exercises with the U.S.S. Goodrich (DDR-831) Jensen ATF 156. 1512 commenced scheduled exercises with the U.S.S. Goodrich (DDR 831).

S.R. Christman Com. U.S.N.

16-24 Underway as before. 1625 Completed scheduled gunnery exercises with U.S.S. Goodrich. 1626 Put in #172 main generator on the propulsion loop. 1629 C/o to 006° True. 1638 Heaved target in to 600 yds. 1641 R/S to 15.4 kts. 1702 C/o to 011° True. 1725 C/o to 016° True. 1757 With Windward Point light abeam to starboard, distance 1200 yds. commenced steering various courses at various speeds to conform with Guantanamo Bay channel. 1804 Heaved target in to spot stay. 1821 Moved starboard side to the northeast side of Pair "V"; U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines.


J. E. Nett, CHOSN, W3, USN

APPROVED:

EXAMINED:



U. S. N. COMMANDING



U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS Papago (ATF 160) ZONE DESCRIPTION +5 DATE Wednesday 12 February, 19 58
(Day) (Date) (Month)
AT/PASSAGE FROM Guantanamo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	5	4	ovc	29.80	81	76	9	1600	Sc	-	-	-
02	180	3	4	ovc	29.77	80	75	9	1600	Sc	-	-	-
03	320	3	4	ovc	29.77	79	75	9	2000	Sc	-	-	-
04	360	3	4	R	29.79	75	72	8	1800	Sc	-	-	-
05	360	3	4	ovc	29.80	73	71	9	1600	Sc	-	-	-
06	360	3	8	ovc	29.82	72	70	9	1600	Sc	-	-	-
07	830	3	15	BKN	29.84	74	71.5	7	1600	Sc	72	-	-
08	830	3	15	BKN	29.87	83	72	7	1600	Sc	72	-	-
09	830	3	15	BKN	29.89	90	78	7	1600	cu/As	72	-	-
10	330	3	15	BKN	29.90	81	75	8	1600	cu/As	72	-	-
11	230	3	12	BKN	29.90	81.5	72	8	1600	cu/As	72	-	-
12	320	3	12	BKN	29.86	84	76	8	1600	Sc	72	-	-
13	320	2	12	ovc	29.83	85	77	9	1600	Sc	72	-	-
14	320	2	12	BKN	29.82	85	77	8	1600	Sc	72	-	-
15	320	2	12	BKN	29.81	86	77	7	1600	Sc	72	-	-
16	320	2	12	BKN	29.81	85	76	7	1600	Sc	72	-	-
17	320	2	14	BKN	29.81	81	75	7	1600	Sc	72	-	-
18	320	2	14	BKN	29.81	79	74	7	1600	Sc	72	-	-
19	270	5	12	BKN	29.84	80	75	8	1600	Sc	-	-	-
20	270	5	12	BKN	29.84	80	75	8	1600	Sc	-	-	-
21	270	5	12	BKN	29.87	80	74	8	1600	Sc	-	-	-
22	270	5	12	BKN	29.87	80	74	8	1600	Sc	-	-	-
23	270	5	12	SCT	29.86	79	74	4	1600	Sc	-	-	-
24	270	5	12	SCT	29.85	78	73	4	1600	Sc	-	-	-

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
70

FUEL CONSUMED
0000-2400
921

REMARKS

00-08 moored starboard northeast pier "Victor" U.S. Naval Base, Guantanamo Bay Cuba using standard mooring lines doubled up. Ships present include various units U.S. Atlantic Fleet, U.S. Coast Guard & British Navy S.O.P.A. is Com. Nav Base. 0515 left the special sea & anchor detail; 0526 underway in accordance with Com Fleetsra, Exp. Op. Sched. 6-58 with target 6-40-79 in tow; steering various at various speeds while enroute to ops. area with 4 main engines on the line; 0541 target streamed to 100ft; 0557 secured special sea & anchor detail, 0601 1/2 stop; took #1 main engine off the line; 0609 target streamed to 600 yds. 90 to 201°(P) at speed of 13 kts; 10 rpm.

E. B. Smyth Cdr. Mach. W-2 USA.

APPROVED: [Signature] U. S. N. COMMANDING
EXAMINED: [Signature] U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago (ATF 160) Wednesday 12 February 58
(Day) (Date) (Month) 19 58

08-12 Underway as before. 0823 commenced scheduled exercises with the U.S.S. Besibone (DDF-824) steering various courses and speeds according with FRP3. 0901 completed scheduled exercises with the U.S.S. Besibone (DDF 824). 0913 commenced scheduled exercises with the U.S.S. R.L. Wilson (DDE 847). 0926 completed scheduled exercises with the R.L. Wilson (DDE 847). 1000 commenced scheduled exercises with the U.S.S. Rockledge ADA 228. 1128 completed scheduled gunnery exercises with the U.S.S. Rockledge ADA 228. 1158 c/c to 295° true.

S.R. Chanters Ensign USN

12-16 Underway as before. 1245 c/c to 271° true. 1247 c/s to 10 kts. 1250 c/s to 13 kts. 1254 c/c to 116° true. 1257 c/c to 090° true. 1300 Commenced scheduled gunnery exercises with U.S.S. N.K. Perry (DDR-883) & U.S.S. Turner (DDR-834) using various courses and speeds throughout the exercise. 1428 completed gunnery exercises with Perry & Turner set course 270° true, speed 4 kts. 1450 Commenced scheduled gunnery exercises with U.S.S. K.D. Bailey (DDR-713) using various courses and speeds. 1543 Completed gunnery exercise with Bailey and set course 270° true, speed 13 kts.

J.F. Webb, C1B3USN, W3USN

16-24 Underway as before. 1615 c/c to 080° 1632 Commenced scheduled exercises with USS. Bigelow steering various courses at various speeds. 1650 Ceased firing. 1709 c/c to 010° P6C c/s to flank. 1820 Commenced steering various courses at various speeds in attempt to reach landing area. 1845 Meared 10th side to NE pier "V", U.S. Naval Base Guantanamo Bay, Cuba.

E. Brown

APPROVED: *[Signature]* U.S. N. COMMANDING EXAMINED: *[Signature]* U.S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO ATF 160 ZONE DESCRIPTION +5 DATE Thursday 13 February 1958
(Day) (Date) (Month)
 AT/PASSAGE FROM Guantanamo Bay Cuba TO —

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	5	12	Sct	29.84	78	78	4	1600	Sc			
02	330	5	12	Sct	29.83	77	72.5	4	1600	Sc			
03	330	5	12	Sct	29.82	76.5	72	4	1600	Sc			
04	330	3	12	BKN	29.83	74	71	6	1600	Sc			
05	330	5	12	BKN	29.83	74	71	8	1600	Sc			
06	330	5	12	L	29.85	74	71	10	1000	Ns			
07	330	2	2	R	29.89	74	71.5	10	1000	Ns			
08	330	2	2	R	29.90	75	71	10	1000	Ns			
09	330	2	2	OVC	29.91	79	74	10	1000	Ns			
10	330	2	2	OVC	29.91	84	77	10	1000	Ns			
11	330	2	2	OVC	29.92	84	77	10	1000	Ns			
12	—	—	5	OVC	29.88	84	76	10	1600	Ns			
13	330	5	5	OVC	29.86	86	76	10	1600	Ns			
14	330	5	8	OVC	29.86	86	76	10	1600	Ns			
15	330	5	8	OVC	29.86	85	76	10	1600	Ns			
16	330	5	8	OVC	29.86	85	76	10	1600	Ns			
17	330	5	8	OVC	29.86	85	76	10	1600	Ns			
18	330	5	8	OVC	29.87	83	75	10	1600	Ns			
19	330	5	8	OVC	29.88	80	73	10	1600	Ns			
20	330	5	8	R	29.91	78	75	10	1600	Ns			
21	330	5	8	OVC	29.94	73	69	10	1600	Ns			
22	330	5	8	OVC	29.95	73	68	10	1600	Ns			
23	330	5	8	OVC	29.95	71	67	10	1600	Ns			
24	330	5	8	OVC	29.95	70	66	10	1600	Ns			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.


CURRENT DATA	
FROM _____	(ZT) _____ (Date)
TO _____	(ZT) _____ (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	


MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
474

REMARKS

00-08 Moved starboard side to North East Pier "V" U.S. Naval Station Guantanamo Bay Cuba with standard measuring lines in use double-ship. Ship's present includes various items of the U.S. Atlantic Fleet plus various yard and district craft. SOPA of ComNav Base Guantanamo. 0740 led quarters for muster from unauthorised absence. S.B. Chuteaux Com. U.S. Navy.

APPROVED:  U. S. N. COMMANDING

EXAMINED:  U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Rafago ATF-160 thurs 13 Feb, 1958
(Day) (Date) (Month)

08-24 Moved as before. 0800 Am Examining Board met to conduct examinations for advancement in rating to pay grade E-6. 0930 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

J. F. Nett, CH005N, W-3, USN

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE FRIDAY 14 FEB., 19 58
 AT/PASSAGE FROM Stono Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	5	8	OVC	29.93	70	66	10	1600	NS			
02	330	5	8	OVC	29.92	70	66	10	1600	NS			
03	330	5	8	OVC	29.91	69	65	10	1600	NS			
04	330	5	8	OVC	29.90	68	65	10	1600	NS			
05	330	5	8	OVC	29.90	68	65	10	1600	NS			
06	330	5	8	OVC	29.91	68	65	10	1600	NS			
07	330	5	8	OVC	29.92	69	65	10	1600	NS			
08	330	2	10	BKN	29.95	71	65	8	1600	NS			
09	330	2	10	BKN	29.96	73	65	8	2000	NS			
10	330	2	10	OVC	29.97	75	67	9	2000	NS			
11	330	3	10	Sct	29.99	77	68	6	6500	As			
12	180	3	10	BKN	29.94	78	69	6	6000	Cu/ci			
13	180	4	10	BKN	29.91	79	70	6	6000	Cu/ci			
14	180	5	10	BKN	29.89	80	71	6	6000	Cu/ci			
15	145	4	10	BKN	29.86	80	70	6	6000	Cu Ci			
16	145	4	10	BKN	29.83	73	70	6	6000	Cu Ci			
17	145	4	10	BKN	29.83	73	70	6	6000	Cu Ci			
18	145	4	10	BKN	29.83	73	70	6	6000	Cu Ci			
19	145	4	10	BKN	29.83	73	70	6	6000	Cu Ci			
20	150	2	10	CLR	29.90	75	68	6	6000	Cu Ci			
21	150	2	10	CLR	29.91	73	68	-	-	-			
22	150	1	10	CLR	29.92	73	68	-	-	-			
23	150	1	10	CLR	29.92	72	68	-	-	-			
24	150	1	10	CLR	29.89	71	67.5	-	-	-			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
179

REMARKS

00-08 Moved starboard side to the south east side of Pier "V", U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines. Ships present are various ships of U.S. Atlantic Fleet and District Craft. SOPA in ComNav Base, Stono. 0740 Held quarters for muster; no unauthorized absentees.

J. T. Hall, CHIBSN, W-3, USN

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago ATF-160 Fri 14 Feb 19 58
(Day) (Date) (Month)

08-24 Moved as before. 0830 Made daily test of mag-
azines and smokeless powder samples, conditions normal.
Made weekly test of magazine sprinkler system test
satisfactory.

[Signature] LTJG USNR

APPROVED: *[Signature]* U. S. N. COMMANDING EXAMINED: *[Signature]* U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE Saturday 15 FEB., 19 58
 AT/PASSAGE FROM Stons Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	2	10	CLR	29.87	70	67	-	-	-			
02	270	2	10	CLR	29.85	70	67	-	-	-			
03	270	2	10	CLR	29.84	69.5	66.5	-	-	-			
04	270	2	10	CLR	29.85	69	67	-	-	-			
05	270	2	10	CLR	29.85	69	67	-	-	-			
06	270	2	10	Set	29.85	69	67	4	10,000	As			
07	100	2	10	BKN	29.88	70	67	6	10,000	As			
08	100	2	10	BKN	29.90	72	68	8	10,000	As			
09	100	2	10	BKN	29.90	78	71	7	1600	Sc/As			
10	100	3	10	BKN	29.89	81	72	8	1600	Sc/As			
11	100	3	10	BKN	29.88	85	76	8	1600	Sc/As			
12	120	3	15	BKN	29.87	85	77	6	1600	Sc/As			
13	120	5	15	BKN	29.85	88	77.5	9	1600	Sc			
14	120	5	15	BKN	29.90	88.5	77	9	1600	Sc			
15	160	3	25	L	29.88	88	77	9	1600	Ns			
16	160	3	15	BKN	29.88	87	77	9	1600	Ns			
17	160	3	25	BKN	29.87	83	77	9	1600	Ns			
18	160	3	15	BKN	29.87	83	76	9	1600	Ns			
19	160	3	25	BKN	29.89	81	75	9	1600	Ns			
20	160	3	10	BKN	29.91	80	75.5	9	1600	Ns			
21	160	3	10	BKN	29.92	79	75.5	9	1600	Ns			
22	160	3	10	BKN	29.92	78.5	75	9	1600	Ns			
23	160	3	10	BKN	29.93	78	75	9	1600	Ns			
24	160	3	10	BKN	29.93	78	75	8	1600	Sc			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
233

REMARKS

00-08 Monitored radar to NE, near "V" U.S. Naval Base
 Stons Bay, Cuba, ships present various units AS,
 Atlantic Fleet and aircraft. So far is Com Nav Base.
 0940 Weather on station no adventures

[Signature]

APPROVED: *[Signature]*

U. S. N. COMMANDING

EXAMINED: *[Signature]*

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP PAPAGO-ATF-160

SATURDAY 15 FEBRUARY, 19 58
(Day) (Date) (Month)

08-12 moored as before; 0815 made daily inspection of magazines & smokeless powder samples; conditions normal. 0900 Captain's personnel inspection; 0915 secured from Captain's personnel inspection.

E. W. Myck C. H. Mach. W-2 R. S. W.

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE SUNDAY 16 FEBRUARY, 1958
 (Day) (Date) (Month)

AT/PASSAGE FROM Stmo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	2	10	CLR	29.90	77	74	-	-	NS			
02	270	2	10	CLR	29.88	77	74	-	-	NS			
03	270	2	10	BKN	29.86	76	73	8	1600	Sc			
04	270	2	10	BKN	29.87	76	73	8	1600	Sc			
05	270	2	10	BKN	29.88	75.5	72.5	8	1600	NS			
06	270	2	10	BKN	29.89	75.5	72.5	8	1600	NS			
07	100	2	10	BKN	29.91	75	72.5	8	1600	NS			
08	100	2	10	R	29.93	75.5	72.5	10	1600	NS			
09	100	2	10	R	29.95	76	71	10	1600	NS			
10	100	3	10	R	29.95	76	71	10	1600	NS			
11	100	3	10	BKN	29.96	80	72	9	1600	Sc			
12	120	3	12	BKN	29.96	82	73.5	8	1600	Sc			
13	180	5	15	BKN	29.94	85	73.5	9	1600	Sc			
14	120	7	15	BKN	29.92	85	73.5	8	1600	Sc			
15	160	3	15	BKN	29.91	85.5	74.5	6	1600	Sc			
16	160	3	15	BKN	29.92	87	73	6	1600	Sc			
17	160	3	15	BKN	29.94	88	72	6	1600	Sc			
18	160	3	10	BKN	29.96	80	71	6	1600	Sc			
19	160	3	10	BKN	29.97	79	70	7	1600	Sc			
20	160	3	10	BKN	29.97	78	68	7	1600	Sc			
21	160	3	10	BKN	29.97	76	69	7	1600	Sc			
22	160	3	10	BKN	29.96	74	68	6	1600	Sc			
23	160	3	10	BKN	29.96	72	67	7	1600	Sc			
24	080	3	10	BKN	29.96	70	66	7	1600	Sc			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
 0000-2400

0

FUEL CONSUMED
 0000-2400

628

REMARKS

00-08 moored starboard side to pier "Victor" U.S. Naval Base, Guantanamo Bay, Cuba. Ships present include various units of U.S. Atlantic Fleet, District & Yardcraft. A.P.A. is ComNavBase Stmo. 0805

E. H. Hynck CH. Mack. W-2 USN

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago ATF-160 SUN 16 Feb 1958
(Day) (Date) (Month)

08-24 Mined as before. 0805 mustered crew on stations - no unauthorized absences. 0810 made daily inspection of magazines and magazines powder samples - conditions normal. 2340 in tow way empty. Guantanamo Bay, Cuba to San Salvador in accordance with ComNav Base Order 170012'7. Steering gear up rear and speeds to clear harbor. No. 1, 2, 3, 4 engines in the line.

[Handwritten signature]

APPROVED: *[Signature]* U. S. N. COMMANDING EXAMINED: *[Signature]* U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION 15 DATE Monday 17 FEB. 1958
 AT/PASSAGE FROM Stono Bay, Cuba TO Cockburn Town, San Salvador

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	050	10	10	BKN	29.96	70	66	8	1600	Ns	72	050	1
02	050	12	10	BKN	29.96	70.5	65	8	1600	Ns	72	050	1
03	050	15	10	BKN	29.93	71	65	8	1600	Ns	72	020	1
04	010	6	12	BKN	29.93	72	65	7	1600	Sc	71	010	1
05	010	12	12	BKN	29.93	71	65	8	1600	Sc	71	010	2
06	010	15	12	OVC	29.97	70	63	10	1600	Sc	71	010	3
07	010	20	15	BKN	30.00	69.5	62.5	9	1600	Sc	71	010	3
08	010	15	12	BKN	30.06	72	63	9	1600	Sc	71	010	3
09	010	15	12	BKN	30.09	73	63	9	1600	Sc	72	010	3
10	010	15	12	BKN	30.11	74	63	9	1600	Sc	72	010	3
11	005	15	12	BKN	30.11	74.5	63	8	1600	Sc	72	010	3
12	340	15	12	BKN	30.11	74.5	63	8	1600	Sc	72	010	2
13	340	15	12	BKN	30.09	75	63	7	1600	Sc	72	340	2
14	340	12	15	BKN	30.08	77	64	7	1600	cu/AS	72	340	1
15	340	9	15	ScT	30.06	81	65	5	2000	cu/AS	72	340	1
16	345	10	15	BKN	30.07	77.5	64	5	1600	cu/AS	72	345	1
17	345	10	15	BKN	30.08	73.5	62.5	6	1600	cu/AS	72	345	2
18	345	10	15	BKN	30.09	70	59	7	1600	cu	72	345	2
19	345	8	12	ScT	30.09	69	60	1	1600	Sc	72	345	2
20	345	8	12	ScT	30.11	68	60	2	1600	Sc	72	345	2
21	345	8	12	ScT	30.12	69	60	2	1600	Sc	72	345	2
22	345	8	12	ScT	30.12	68	60	2	1600	Sc	72	345	2
23	350	8	12	ScT	30.13	68	60	3	1600	Sc	72	350	2
24	350	8	12	ScT	30.12	68	60	3	1600	Sc	72	350	1

POSITION	ZONE	TIME
0800		
L <u>20°03.5' N</u>	BY <u>3</u>	
λ <u>74°12.5' W</u>	BY <u>3</u>	
1200		
L <u>20°21' N</u>	BY <u>3</u>	
λ <u>74°04.5' W</u>	BY <u>3</u>	
2000		
L <u>21°³⁷56' N</u>	BY <u>4</u>	
λ <u>74°¹⁸20.5' W</u>	BY <u>4</u>	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ. _____

MILES STEAMED
 0000-2400
197

FUEL CONSUMED
 0000-2400
2953

REMARKS

00-04 Underway in company with 2155 Y06-78 enroute Swan-
 Llanero, Cuba to Cockburn Town, San Salvador, BWI in
 accordance with ComNav Base, Stono dispatch 170012Z of
 Feb. Steering various courses at various speeds to
 conform with Guantanamo Bay channel. OTC in this
 vessel. 0007 With Windward Point Light abeam to port
 distance 1500 yds. set course 140° true, speed 7 kts with
 Y06-78 2,000 yds astern. 0037 @/c to 078° true.
 (T-1) Alt. 011005N/W 3.45W

04-08 Underway as before. 0740 Minutes on station
 no observations

[Signature]

APPROVED: *[Signature]* U. S. N. COMMANDING

EXAMINED: *[Signature]* U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Repage ATF-160 Mon 17 Feb 19 58
(Day) (Date) (Month)

08-12 Underway as before. 0815, made daily inspection of magazines and smokeless powder samples - conditions normal. 0945 c/o to 036°T. 1005 put no. 1-3 main engines on the line. 1100 took 40678 in tow. 1115 passed Cape Haze stern to port; 7200 yds at true course 356°T speed 13.
S.F. Brantner com d. 197

10-16 Under way as before.

J. F. Webb, com d. 0500, W-3, U.S.N.


16-20 Underway as before. 1629 c/o to 13.3 kts. 1700 c/o to 113 rpm 13.5 kts.

E. J. Blawie 11799

20-24 Underway as before. 2125 sighted lights. Delayed flight bearing 000°T, 17 miles. 2246 with lights. Delayed flight above bearing 020°T 3.3 mi c/o to 351°T. 2256 passed lights. Delayed flight above to star. 3880 yds. 2300 c/o to 353°T.
S.F. Brantner

APPROVED: 

U. S. N. COMMANDING

EXAMINED: 

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE Tuesday 18 FEB., 19 58
(Day) (Date) (Month)
AT/PASSAGE FROM Stmo Bay, Cuba TO Cockburn Town, San Salvador

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	350	10	12	Sct	30.12	68	60	3	1600	Sc	72	350	1
02	350	10	12	Sct	30.11	67	59	4	1600	Sc	72	350	1
03	350	10	12	Sct	30.11	66	58	4	1600	Sc	72	350	1
04	315	10	12	Sct	30.11	65	58	3	1600	Sc	71	315	2
05	315	12	12	Sct	30.12	65	58	3	1600	Sc	71	315	2
06	315	12	12	Sct	30.12	65	58	4	1600	Sc	71	315	2
07	315	15	15	BKN	30.13	66	59	8	1600	Sc	72	315	3
08	320	15	12	BKN	30.15	67	60	7	1600	Sc	72	315	3
09	320	15	12	BKN	30.17	67	58	7	1600	Sc	72	315	3
10	320	15	12	BKN	30.18	67	58	7	1600	Sc	72	315	5
11	320	15	12	BKN	30.18	68	60	9	1600	Sc	72	315	4
12	320	15	10	BKN	30.16	68	60	9	1600	Sc	72	315	4
13	320	12	10	BKN	30.13	70	61	9	1600	Sc	72	320	4
14	320	12	12	BKN	30.12	68	58	8	1600	Sc	72	320	2
15	280	15	15	Sct	30.10	70	60	5	1200	Cu			
16	280	15	15	Sct	30.10	68	59	5	1200	Cu			
17	280	15	15	Sct	30.11	67	57	5	1600	Cu			
18	275	15	12	Sct	30.11	65	58	5	1600	Cu			
19	270	10	12	Sct	30.11	64.5	63	4	1600	Cu			
20	340	10	12	Sct	30.12	64.5	64	5	1600	Cu			
21	340	10	12	CLR	30.14	64.5	64	-	-	-			
22	340	10	12	CLR	30.14	64	63.5	-	-	-			
23	340	10	12	CLR	30.13	63.5	63	-	-	-			
24	340	10	10	CLR	30.13	64	63	-	-	-			

POSITION	ZONE	TIME
0800		
L <u>23 34</u>	BY <u>2</u>	
λ <u>74 34</u>	BY <u>2</u>	
1200		
L <u>23° 59.5' N</u>	BY <u>3</u>	
λ <u>74° 36.5' W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date)
TO _____	(ZT) _____ (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>12.1</u>

FUEL CONSUMED 0000-2400
<u>1245</u>

REMARKS

00-04 Underway enroute Guantanamo, Cuba to Cockburn Town, San Salvador, BWI in company with U.S.S. Y06-78 in accordance with ComNavBase, Stmo dispatch 170012Z of Feb. Y06-78 in tow at 1000 yds with one (1") inch tow wire. Base course 353° true, speed 13.5 kts. OTC in this vessel. 0137 sighted Bird Rock light bearing 019° true, distance 16.3 miles. 0303 Passed Bird Rock light abeam to starboard, distance 7 1/4 miles.

J. F. Hill, CHBOSW, #3,457

04-08 Underway as before 0740 Muster on station no alerts

[Signature]

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago ATF 160 Tuesday 18 February 1958
(Day) (Date) (Month)

08-12 Underway as before. 0815 made daily inspection of magazine and supplies under present conditions. 0815 DP CON assumed by Com Sup on 12. 0939 c/s to 10 kts. 0940 sighted South West Point San Salvador Is. bearing 020°T range 12 mi. 1113 c/c to 0210T

S.B. Whitman USN 977

12-16 Underway as before. 1229 o/s to 7 kts. 1235 c/c to 195° true. 1257 c/s to 17 kts. 1358 Made preparations to release tow wire from 705-78. 1340 c/s to 7 kts and commenced steering various courses to anchorage in French Bay, San Salvador, B.W.I. 1410 Cast off tow wire to from 705-78. 1455 Anchored off Low Cay, San Salvador in 8 fathoms of water with 50 fathoms of chain to the port anchor and on the following bearings: right tangent Low Cay 012.5° true, left tangent of Low Cay 301° true, High Cay center 332° true.

J.F. Holt, CHBOSD, USN

16-24 Anchored as before.

J.F. Holt

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS Papago (ATF 160) ZONE DESCRIPTION + 5 DATE Wednesday 19 February 1958
 (Day) (Date) (Month)

AT/PASSAGE FROM San Salvador Is., B.H.S. TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	340	10	10	CLR	30.13	63	63	-	-	-			
02	340	10	10	CLR	30.13	63	63	-	-	-			
03	340	10	7	CLR	30.13	63	63	-	-	-			
04	340	12	4	CLR	30.10	63	60	-	-	-			
05	340	12	4	Sct	30.10	63	64	3	1600	Sc			
06	270	10	12	BKN	30.10	64	55	5	1600	Sc	68	270	3
07	220	12	15	BKN	30.14	64	58	6	1600	Sc	68	320	5
08	320	12	12	BKN	30.15	65	56	7	1600	Sc	68	310	3
09	320	12	12	BKN	30.16	67	58	7	1600	Sc	68	310	3
10	320	10	12	BKN	30.17	70	60	8	1600	Sc	68	310	3
11	320	10	12	BKN	30.16	71	61	7	1600	Sc	68	310	3
12	320	10	12	BKN	30.15	70	60	6	1600	Cu	68	310	3
13	320	10	10	BKN	30.12	72	61	7	1600	Sc	68	310	3
14	320	10	10	Sct	30.10	75	63	5	1600	Cu	68	310	2
15	320	10	10	Sct	30.10	79	65	5	1600	Cu	68	310	1
16	320	10	15	Sct	30.10	75	62	4	1600	Cu	66	320	2
17	320	8	15	BKN	30.10	73	62	5	1600	Cu/AS	66	320	2
18	320	8	15	BKN	30.10	68	59	6	1600	Cu/AS	66	320	3
19	325	10	12	BKN	30.10	65	56	5	1600	Cu/AS	66	325	4
20	325	8	12	BKN	30.12	68	59	5	1600	Cu/AS	66	325	3
21	325	8	12	Sct	30.12	67	59	4	1600	Cu/AS	66	325	3
22	325	8	12	Sct	30.12	66	59	4	1600	Cu/AS	66	325	3
23	325	8	12	BKN	30.13	64	59	6	1600	Sc	66	325	3
24	325	8	12	BKN	30.13	67	59	6	1600	Sc	66	325	3

POSITION	ZONE	TIME
0800 L 23-53.8	BY 3	
λ 74-32.8	BY 3	
1200 L 24-02.5 N	BY	
λ 74-33.5 W	BY	
2000 L 24-04.8	BY 3	
λ 74-38.0	BY 3	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400
59

FUEL CONSUMED
0000-2400
612

REMARKS

00-08 Anchored off low bay, San Salvador in 46 feet of water with 50 fathoms off port anchor chain out. Bearings right target 012.5° left target low bay 30° Dixon Hill light 003°. Ships present 406 78 also anchored in area.
 0502 Anchors away, underway course 170° speed 10 kts.
 0515 c/c to 270° P6C. 0610 c/c to 320° P6C 0640 c/c 120°
 0650 c/c to 140° c/s to 5.5 P6C kts, 0706 c/s to 4 kts.
 0740 Monitor on station, no alterations.

[Signature]

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago (ATF 160) Wednesday 19 February 58
(Day) (Date) (Month)

08-12 Underway as before, 0810, made duty routine inspection of magazines and ammunition stowage - conditions normal. 0830 c/c to 326°T. 0922 c/c to 0310T. 0935 A/E 1/3. 0938 starting engine courses and speed to hold position approximately 2 mi. off Cockburn Town, San Salvador. SP. Christman Com. U.S.N.R.

12-16 Underway as before. Manoeuvring with various amounts of rudder and speeds to hold position about 2000 yds east of Cockburn Town range marks. J. F. Hill, O-1805N, U-3, USN

16-20 Underway as before. 1900 set course 180° PGC speed 4 kts. 1920 c/c to 200° PGC 1925 c/c to 180° PGC. SP. Christman Com. U.S.N.R.

20-24 Underway as before. SP. Christman Com. U.S.N.R.

APPROVED: [Signature] U. S. N. COMMANDING EXAMINED: [Signature] U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO ATF-160 ZONE DESCRIPTION +5 DATE THURSDAY 20 FEB, 1958
(Day) (Date) (Month)

AT/PASSAGE FROM San Salvador Is. P.W.I. TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	325	8	12	BKN	30.12	65.5	58	6	1600	Sc	66	325	2
02	325	8	14	BKN	30.10	65.5	58	7	1600	Sc	66	325	2
03	330	8	12	BKN	30.11	65.5	59.5	7	1600	Sc	66	330	2
04	325	8	12	BKN	30.11	65.5	58	8	1600	Sc	66	325	3
05	325	8	12	OVC	30.10	65	58	10	1600	Sc	66	325	3
06	325	7	12	OVC	30.13	66.5	59	9+	1600	Sc	66	325	3
07	325	6	15	OVC	30.15	66.5	60	9+	1600	Sc	66	325	3
08	325	6	12	OVC	30.17	67	60	9+	1600	Sc	67	325	3
09	325	6	12	OVC	30.19	68	60	9+	1600	Sc	67	325	3
10	325	6	12	OVC	30.19	70	61	9+	1600	Sc	67	325	3
11	325	6	12	OVC	30.19	72	62	9+	1600	Sc	67	325	3
12	325	6	12	OVC	30.17	73	63	9+	1600	Sc	67	325	2
13	325	6	12	OVC	30.14	74	63	9+	1600	Sc	67	325	1
14	325	6	12	OVC	30.13	73	63	9+	1600	Sc	66	325	1
15	325	6	12	BKN	30.12	73.5	62	8	1600	Sc	66	325	1
16	325	6	12	BKN	30.14	70	60	8	1600	Sc	67	325	1
17	289	8	15	OVC	30.15	67	59	9+	1600	Sc	66	285	2
18	295	12	12	ScT	30.15	67	60	4	1600	Sc	66	295	2
19	295	12	12	ScT	30.16	67	60	3	1600	Sc	66	295	2
20	295	12	12	ScT	30.17	67	60	2	1600	Sc	66	295	2
21	295	12	12	ScT	30.18	67	60	2	1600	Sc	66	295	2
22	295	12	12	ScT	30.20	66	59	2	1600	Sc	66	295	2
23	295	10	12	ScT	30.20	66	59	2	1600	Sc	66	295	2
24	295	10	12	ScT	30.19	65	59	2	1600	Sc	66	295	2

POSITION	ZONE	TIME
0800		
L <u>24-01.8</u>	BY <u>3</u>	
λ <u>74-32.3</u>	BY <u>3</u>	
1200		
L <u>24°03'N</u>	BY <u>3</u>	
λ <u>74°33.9'W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
40

FUEL CONSUMED
0000-2400
963

REMARKS

00-04 Underway steaming independently off San Salvador, Butt near grounding of USS Guavina (SS(AO)-362) on #2 main engine. OTC in Com Sub Ron 12, leave course 180° PGC have speed 4 kts

[Signature]

04-08 Underway as before. 0502. 1650 PGC. 0644 kts to 2 kts 0701 kts to 4 kts 0711 kts. 1650 PGC. 0715 commenced steaming various courses at various speeds trying to pass off the side of submarine 0740 Master on station. No observations

[Signature]

APPROVED: *[Signature]* U. S. N. COMMANDING

EXAMINED: *[Signature]* U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago ~~ARS-160~~ ARS-160 Thurs 20 Feb, 1958
(Day) (Date) (Month)

08-12 Underway as before. 0930 made daily inspection of magazines and structure under way - conditions normal. 0949 put nos. 3 & 4 main engines to the test. S. B. Christensen Com. U.S.N.R.

12-16 Underway as before. 1412 Commenced maneuvering to pass tow wire to USS Escape (ARS-6). 1508 One (1") inch tow wire passed to bow of Escape to assist in positioning on grounded submarine. 1534 Cut off tow from Escape. 1535 Towing too. J. F. With, CHBOSN, W-3, USN

16-20 Underway as before. 1630 Commenced steering various courses at various speeds to anchor between USS Skatone and USS Petrel. 1744 Anchored at Cacklum town, San Salvador with 45 fathoms of chain to the 11th anchor. Moved port side to 11th side of USS Skatone, who is also anchored a 2" hull rope tow wire made fast to USS Quaying SS 362 who is aground. The Papago is moored on the following bearings, radio tower 0530T, R. T. of building 000.50T and Starboard Light on 110-08 40T. Numbers 3 & 4 on propulsion loop. S. B. Christensen

20-24 Moored as before. S. B. Christensen Com. U.S.N.R.

APPROVED: [Signature] U. S. N. COMMANDING EXAMINED: [Signature] U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE FRIDAY 21 FEB, 19 58
 (Day) (Date) (Month)

AT/PASSAGE FROM Cockburn Town, San Salvador B.W.I. TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	300	8	10	Sct	30.19	65	58	3	1600	Sc	66	295	2
02	300	8	10	Sct	30.18	65	59	4	1600	Sc	66	295	2
03	295	8	10	Sct	30.18	65	59	3	1600	Sc	66	295	2
04	295	12	10	Sct	30.17	65	58	2	1600	Sc	66	295	3
05	355	10	10	Sct	30.20	65	58	2	1600	Sc	66	325	3
06	355	8	12	Sct	30.21	65.5	58	4	1600	Sc	66	325	5
07	355	8	12	Sct	30.20	66	59	4	1600	Sc	66	325	3
08	355	8	12	Sct	30.21	67	59	5	1600	Sc	66	325	3
09	355	8	12	Sct	30.24	68	59	5	1600	Sc	66	325	3
10	355	8	12	Bkn	30.29	69	59	7	1600	Sc	66	325	3
11	355	8	12	Sct	30.28	68	57	4	1600	Sc	67	340	3
12	355	10	12	Sct	30.28	71	59	4	1600	Sc	67	340	3
13	030	8	12	Sct	30.25	68	59	4	1600	Cu	67	030	2
14	030	9	12	Sct	30.24	71	60	4	1600	Cu	67	030	2
15	030	9	12	Sct	30.22	70	59	5	1600	Cu	67	030	3
16	030	12	15	Bkn	30.24	67	58	6	1600	Cu/As	67	030	3
17	030	12	15	Bkn	30.23	67	58.5	8	1600	Cu/As	67	030	3
18	020	12	15	Bkn	30.24	67	58	7	1600	Cu/As	67	020	3
19	020	13	12	Bkn	30.24	67	60	6	1600	Cu/As	68	020	3
20	020	12	12	Bkn	30.25	68	58	6	1600	Cu/As	68	020	3
21	020	12	12	Bkn	30.26	68	59	6	1600	Cu/As	68	020	3
22	020	12	12	Bkn	30.26	68	60	6	1600	Cu/As	68	020	3
23	020	12	12	Bkn	30.24	68	60	6	1600	Cu/As	68	020	3
24	020	12	12	Bkn	30.22	68	60	6	1600	Cu	68	020	3

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>23° 55.1' N</u>	BY <u>3</u>	
λ <u>74° 36.2' W</u>	BY <u>3</u>	
2000		
L <u>23-10.5</u>	BY <u>2</u>	
λ <u>74-24.0</u>	BY <u>2</u>	

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
 0000-2400
124

FUEL CONSUMED
 0000-2400
2814

REMARKS

00-04 Moved port side to U.S.S. Shebani (ATF-162) with standard mooring lines and thirty fathoms of chain to the starboard anchor and main tow wire to the stern of grounded submarine Guemina in accordance with verbal orders of Com Sub Ron 17. Number 304 main generator on the propulsion loop.

J. F. Nett, CHROSN, USN

04-08 Made as before. 0708 All mooring lines clear of Shebani. 0716 Anchor away; commenced steering various courses at various speeds while paying out hull rope made up to submarine. 0740 USS Shebani AO (SS) 362 refloated 0751. Towed wire cast off submarine, commenced steering various courses at various speeds to clear from immediate area.

APPROVED: *[Signature]* U. S. N. COMMANDING
 EXAMINED: *[Signature]* U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP DePuey ATF-160 Fri 21 Feb 1958
(Day) (Date) (Month)

08-12 Underway as before. 0852 commenced making approach to
USS Guadalupe A055 362 in order to recover jacking gear.
0922 completed recovery of gear. 0930 made daily routine check
of magazines and supplies. 1000 made daily check of
magazine and supplies. 1030 made daily check of
magazine and supplies. 1130 received
by Com Sub Ron 12; speed assumed by Com Sub Fred Stone. 1150 c/o
to 1710T speed 13 kts.
S.B. Whistman Com. U.S.N.R.

12-16 Underway as before. 1203 c/o to 096° True. 1229 c/o to 091° True.
Made preparations to anchor off San Salvador, BWI. 1241 anchored
off Low Cay, San Salvador in 6 fathoms of water with 35
fathoms of chain to the starboard anchor and on the
following bearings: Dixon Hill Light bearing 008° True, right
tangent Low Cay 018° True, left tangent Low Cay 283° True. 1425
Made all preparations for getting under way on #1, 374 main
generator. 1440 Underway and commenced maneuvering to take
Y06-78 in tow. 1517 Y06-78 in tow with 3000 feet of one (1")
wire. 1540 Set course 172° True and took departure for
Guantanamo Bay Cuba in accordance with Com Sub Ron 12 Dispatch
211420 Z of 7st. Base speed 14 kts.
J.F. Hill, CHBOSN, W-3, USN

16-20 Underway as before. 1622 c/o 14.0 kts, 1635 c/o to 180° PGC
1658 c/o to 175° PGC 1827 c/o to 190° PGC 1830 c/o to 195° PGC 1842
c/o to 175° PGC, 1909 c/o to 180° PGC 1946 c/o to 186° PGC.
S.B. Whistman Com. U.S.N.R.

20-24 Underway as before. 2025 sighted Bird Rock light bearing
172°T. 15.8 miles. 2100 c/o to 191°T. 2152 with Bird Rock light
bearing 085°T, 9.720 yds. c/o to 185°T.
S.B. Whistman Com. U.S.N.R.

APPROVED: [Signature] U. S. N. COMMANDING
EXAMINED: [Signature] U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION 75 DATE SATURDAY 22 FEB., 19 58
(Day) (Date) (Month)

AT/PASSAGE FROM San Salvador Island TO Stmo Bay, Cuba

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	10	12	BKN	30.19	69.5	61	6	1600	Cu	68	140	2
02	140	10	12	BKN	30.18	68	60	7	1600	Sc	68	140	2
03	150	10	10	BKN	30.16	70	62	8	1600	Nc	68	150	2
04	090	8	12	BKN	30.13	70	61	8	1600	Sc	68	090	2
05	090	8	12	Sct	30.14	70	62	3	1600	Sc	68	090	2
06	090	7	12	Sct	30.14	70	62	4	1600	Sc/As	68	090	2
07	090	10	15	BKN	30.14	70	62.5	5	1600	Sc/As	68	090	2
08	090	8	12	BKN	30.18	73	65	7	1600	Sc/As	68	090	2
09	090	8	12	Sct	30.18	80	68	3	1600	Sc/As	68	090	2
10	090	10	12	Sct	30.18	80	69	3	1600	Sc/As	70	090	2
11	090	10	12	BKN	30.17	78	69	4	1600	Sc	70	090	2
12	090	10	12	Sct	30.13	80	70	5	1600	Sc	70	090	2
13	090	8	12	Sct	30.10	80	70	5	1600	Sc	70	090	2
14	090	10	12	Sct	30.06	82	75	4	1600	Sc	70	090	2
15	090	12	15	Sct	30.02	80	70	4	1600	Sc	70	090	2
16	090	12	15	Clr	30.00	78	71		clear		70	090	2
17	090	15	15	Clr	30.00	77	71		clear		70	090	2
18	090	15	15	Clr	30.00	76	70.5		clear		70	090	2
19	090	8	15	Sct	30.02	88	77	2	1600	Sc			
20	150	3	12	Clr	30.06	75	70		clear				
21	150	3	12	Clr	30.06	73	69		clear				
22	150	3	12	Clr	30.08	72	69		clear				
23	150	3	12	Clr	30.08	73	70		clear				
24	150	3	12	Clr	30.08	73	70		clear				

POSITION	ZONE	TIME
0800		
L <u>21-01.0</u>	BY <u>2</u>	
λ <u>74-11.5</u>	BY <u>2</u>	
1200		
L <u>20° 19' N</u>	BY <u>2</u>	
λ <u>74° 05' W</u>	BY <u>2</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400
209

FUEL CONSUMED
0000-2400
1959

REMARKS

00-04 Under way enroute San Salvador, BVI to Guantanamo Bay, Cuba with 2155 Y06-78 in tow with 3000 feet of one (1") inch wire in accordance with Com SubRon 12 dispatch 211420Z of Feb. Course 176° True, speed 14 kts. Number 2, 3 & 4 Main Generator on the propulsion loop. 0015 sighted Cattle Island light bearing 168° True, distance 16.7 miles. 0147 Cattle Island light abeam to port, distance 2 miles. 0215 c/c to 171° true.

J. F. Webb, CH0050, W-3, USA

04-08 Under way as before. 0440 c/c to 190° Pcc 0446 c/c to 19.0 kts 0517 c/c to 170° Pcc 0523 c/c to 19.0 kts. 0740 Number on station no alterations.

[Signature]

APPROVED:

EXAMINED:

[Signature] U. S. N. COMMANDING

[Signature] U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago ATF-160 Sept 22 Feb 19 58
(Day) (Date) (Month)

08-12 Underway as before. 0815 made daily injection of magnesium and produced powder samples - conditions normal
1120 sighted Cape Maysi light bearing 109 off 10 miles.
S.R. Whittman Com USNFR

12-16 Underway as before. 1210 Passed Cape Maysi light abeam to starboard, distance 3.7 miles. 1231 C/P to 217° True. 1300 Sighted Punta Caleta light bearing 257° True, distance 6.9 miles. 1316 With Punta Caleta light bearing 277° True, distance 6.6 miles C/P to 258° True. 1350 Punta Caleta light abeam to starboard, distance 3.5 miles. 1540 C/P to 266° True.

J.F. Webb, CH0034, U-2, USN

16-20 Underway as before. 1739 C/P to 270° PCC. 1814 Commenced steaming various courses at various speeds in order gain access to Istmo Bay, Cuba. 1828 C/P to 78 Cast off. 1835 Commenced steaming various courses at various speeds in attempt to reach Venetia area. 1900 Made abeam to port side USS Selward moored abeam side to 146 feet V, U.S. Naval Base Istmo Bay, Cuba.

J. Selover LTJG

20-24 Underway as before. S.R. Whittman Com USNFR

APPROVED: [Signature] U. S. N. COMMANDING EXAMINED: [Signature] U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS Papago (ATF 160) ZONE DESCRIPTION +5 DATE Sunday 23 February, 19 58
 (Day) (Date) (Month)

AT/PASSAGE FROM Guantanamo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	3	10	Clr	30.05	73	69	Clear					
02	150	3	10	Clr	30.02	72	68	Clear					
03	150	3	10	Clr	30.00	70	66	Clear					
04	150	3	10	Clr	30.01	68	66	Clear					
05	150	3	10	Clr	30.00	68	66	Clear					
06	150	3	10	Clr	30.02	69	66	Clear					
07	150	3	12	Clr	30.03	69	66	Clear					
08	150	5	12	Clr	30.03	72	67	Clear					
09	090	3	15	Clr	30.02	74	69	Clear					
10	090	3	15	Clr	30.01	75	70	Clear					
11	090	3	15	Clr	30.01	75	70	Clear					
12	090	8 ³	15	CLR SET	30.02	88	77	3	4000	sc	70	090	1
13	100	3	15	CLR	30.01	78	71	Clear					
14	100	5	15	CLR	30.01	79	72	Clear					
15	100	3	15	CLR	30.04	80	72	Clear					
16	100	3	15	CLR	30.04	80	72	Clear					
17	100	3	15	CLR	30.06	79	72	Clear					
18	100	3	15	CLR	30.06	78	72	Clear					
19	100	3	15	CLR	30.03	77	72	Clear					
20	100	3	15	CLR	30.03	77	71	Clear					
21	100	3	15	CLR	30.02	75	71	Clear					
22	100	3	15	CLR	30.02	73	67	Clear					
23	100	3	12	CLR	30.02	72	67	Clear					
24	100	3	12	CLR	30.00	72	67	Clear					

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L <u>19 35.5</u>		BY <u>3</u>
λ <u>75 14.5</u>		BY <u>3</u>
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
 2—ELECTRONIC
 3—VISUAL
 4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
 0000-2400

0

FUEL CONSUMED
 0000-2400

222

REMARKS

00-08, Moved starboard side to A. S. Salinan ATF 160 at Dept. SR with port pier "V" A. S. Naval Base, Guantanamo Bay, Cuba with standard mooring lines in use, doubled up. Ships present include various units of the U.S. Atlantic Fleet plus various yard and auxiliary craft. SOPA is on New Base. S. P. Johnston Com U.S. N. R.

APPROVED: [Signature] U. S. N. COMMANDING

EXAMINED: [Signature] U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Popoys (ATF 100) Sunday 23 February, 19 58
(Day) (Date) (Month)

08-24 Manned as before. 0810 Roll muster on stations; no unauthorized absentees. 0915 Make daily inspection of magazines and smokeless powder samples; conditions normal.

J. F. Webb, CHBO54W3, USN

APPROVED:

[Signature]

U. S. N. COMMANDING

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS PAPAGO (ATF-160) ZONE DESCRIPTION +5 DATE Mon. 24 FEB. 19 58
(Day) (Date) (Month)

AT/PASSAGE FROM GUANTANAMO BAY, CUBA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	3	12	CLR	30.00	72	67			Clear			
02	100	3	12	CLR	30.00	71	67			Clear			
03	100	3	12	CLR	30.00	70	66			Clear			
04	100	3	12	CLR	30.00	69	66			Clear			
05	100	3	12	CLR	30.00	67	65			Clear			
06	100	3	12	CLR	30.02	70	66			Clear			
07	100	3	12	CLR	30.04	72	67			Clear			
08	100	3	15	CLR	30.08	82	72			Clear			
09	100	3	15	CLR	30.08	82	72			Clear			
10	100	5	15	BKN	30.08	90	76	8	1600	cu			
11	100	5	15	BKN	30.08	96	82	6	1600	cu			
12	100	6	15	Sct	30.06	90	80	5	1600	cu			
13	100	6	15	Sct	30.00	80	71	5	1600	cu			
14	100	7	15	Sct	29.98	79	70	4	1600	cu			
15	100	7	15	Sct	29.98	78	70	4	1600	cu			
16	100	7	15	Sct	29.98	78	71	4	1600	cu			
17	100	7	15	Sct	30.00	78	71	4	1600	cu			
18	100	5	15	Sct	29.99	78	71	3	1600	cu			
19	100	3	12	Sct	30.01	77	73	3	1600	cu			
20	100	3	12	Sct	30.02	76	74	3	1600	cu			
21	100	3	12	Sct	30.02	74	72	3	1600	cu			
22	100	3	12	Sct	30.04	72	71	3	1600	cu			
23	100	3	12	Sct	30.04	71.5	70	4	1600	cu			
24	100	3	12	Sct	30.04	70	66	4	1600	cu			

POSITION	ZONE	TIME
0800		
L <u>19° 43' N</u>		BY <u>3</u>
λ <u>75° 08' W</u>		BY <u>30.1</u>
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT)	(Date)
TO _____ (ZT)	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
565

REMARKS

00-08 Moved starboard side the port side of U.S.S. Salween ATF-161 at southeast pier "V", U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines. Ships present all various ships of the U.S. Atlantic Fleet and District Craft. SOPA in ComNavBase, Stms. 0615. Made all preparations for getting underway on four main generators. 0627 Underway to shift berth to Fuel Pier. Steering various courses at various speeds with Capt. at the Conn, Navigator on the bridge. 0640 Moved port side to Fuel Pier. 0740 Held quarters for muster; no unauthorized absences.

J. F. Webb, CH0054403458

APPROVED: [Signature] U. S. N. COMMANDING EXAMINED: [Signature] U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papaogo ATF-160 Mon 24 Feb 19 58
(Day) (Date) (Month)

08-24 Mon as before. 0830 at daily test of engines and swabbed pump samples, conditions normal. 1015 Completed fueling. 1025 underway steering various courses at various speeds leaving fueling pier and making approach for pier "V" 1045 Made a 180 degree turn to W pier "V" US Naval Base, Guantanamo Bay, Cuba.

[Handwritten signature]

APPROVED: [Signature] U. S. N. COMMANDING EXAMINED: [Signature] U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS USS *Albatross* ACF-110 ZONE DESCRIPTION 75 DATE Yessou 25 Feb 58
(Day) (Date) (Month) 19 58
AT/PASSAGE FROM Alto TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	4	5 ⁰	Sct	3003	70	66	3	1600	cu			
02	100	4	5 ⁰	Sct	3001	68	66	3	1600	cu			
03	100	4	5 ⁰	Sct	3001	68	66	3	1600	cu			
04	100	4	10	Sct	3001	67	64	3	1600	cu			
05	100	4	10	Sct	3000	66	63	3	1600	cu			
06	100	4	10	Sct	3000	65	61.5	2	1600	cu			
07	000	5	10	clr	3001	67	65			clear			
08	000	7	15	Sct	3001	81	74	3	1600	sc	68	090	1
09	090	8	15	Sct	3002	80	73	3	1600	sc	68	090	1
10	090	8	15	Sct	3006	80	73	3	1600	sc	70	090	1
11	090	8	15	Sct	3004	87.5	76	3	1600	sc	70	090	1
12	090	8	15	SCT	3002	88	77	3	1600	Sc	70	090	1
13	090	8	15	SCT	3000	88	74	2	1600	Sc	70	090	1
14	090	8	15	SCT	2999	89	76	2	10,000	As	70	090	1
15	090	8	15	clr	2997	88	76	-	-	-	70	090	1
16	090	8	15	clr	2996	92	81.5			clear	70	090	1
17	090	10	15	clr	2996	86.5	74			clear		090	1
18	120	10	15	clr	2996	83	72			clear			
19	120	7	12	clr	2997	78	72			clear			
20	120	7	12	clr	2997	76	70			clear			
21	120	7	12	Clr	3000	74	69			clear			
22	120	7	12	Clr	3000	74	69			clear			
23	120	7	12	Clr	3001	72	68			clear			
24	120	7	12	Clr	3001	72	68			clear			

POSITION	ZONE	TIME
0800 L 19°43'N	BY 3	
λ 75°08'W	BY 3	
1200 L 19-35.5	BY 3	
λ 75-14.5	BY 3	
2000 L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400
76

FUEL CONSUMED
0000-2400
1219

REMARKS

00-08 Moved std tide He pier "V" U.S. Naval Base
Alto Bay, Cuba. Ships present, various units
U.S. Atlantic fleet and aircraft craft. SAH is Com
Nav Base Alto. 0625 underway with various 40 in
top sloping, various courses at various speeds
during berthing area, and heading for area.
0700 steamed target to cargo, etc to 1700 speed
12-14. 0740 Muster on station no activities.

[Signature]

APPROVED: *[Signature]* U. S. N. COMMANDING EXAMINED: *[Signature]* U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP *Papago* (ATF 160)

Tuesday 25 February 58
(Day) (Date) (Month)

08-12 Underway as before. 0841 commenced scheduled exercises with *U.S.S. R. L. Wilson* (DDF 847), *U.S.S. Demeter* (DD 4821) and *U.S.S. Basilone* (DDF 824). 0842 completed scheduled exercises. 0930 made daily inspection of magazines and (smokeless) powder samples - conditions normal. *1020 c/c to 270° T.*
S.B. Huston, Com. U.S.S. R.

12-16 Underway as before. 1232 c/c to 180° true, c/s to 10 kts. 1234 c/s to 13 kts. 1248 c/c to 090° true. 1250 c/s to 7 kts. 1250 commenced scheduled gunnery exercises with *U.S.S. Bigelow* (DD-942) using various courses and speeds throughout the exercise. 1404 completed gunnery exercises with *Bigelow* and set course 270° true, speed 7 kts. 1420 commenced scheduled gunnery exercises with *U.S.S. Zepher* (DDF-819) using various courses and speeds throughout the exercise. 1510 completed gunnery exercises with *U.S.S. Zepher* and set course 000° true, speed 10 kts. 1521 c/c to 335° true. 1530 c/c to 020° true. 1537 c/c to 310° true. 1556 commenced scheduled gunnery exercises with *U.S.S. Salomon* (ATF-161)

J.F. Webb, RA8034, WS, 454

16-24 Underway as before. 1603 c/c to 250° PGC 1618 target brought into 600 yds. c/s to 14.4 kts. 1636 c/c to 028° PGC 1640 commenced towing various commercial mine sweepers entering *Itina Bay* and making approach to landing area. 1749 made 1st landing to NE pier V, U.S. Naval Base, *Itina Bay, Cuba.*

[Signature]

APPROVED:

EXAMINED:

[Signature] U. S. N. COMMANDING

[Signature] U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS Papago (ATF 160) ZONE DESCRIPTION 75 DATE Wednesday 26 February, 1958
(Day) (Date) (Month)

AT/PASSAGE FROM Guantanamo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	120	7	12	Cl	3001	72	68						
02	120	7	12	Cl	3001	70	67						
03	120	7	12	Cl	2999	69	66						
04	120	6	12	Cl	2999	69	67						
05	120	6	12	Cl	2999	69	67						
06	090	5	15	Sct	2998	70	68	1	1600	Cu	68	090	1
07	090	8	12	SCT	2999	77	72	2	1600	Cu	68	090	2
08	090	8	12	CLR	2998	78	72	-	-	-	68	090	2
09	090	10	12	CLR	3000	78	73	-	-	-	70	090	2
10	090	10	12	CLR	2998	82	74	-	-	-	70	090	2
11	090	8	12	CLR	2997	87	76	-	-	-	70	090	2
12	090	8	12	CLR	2993	90	76.5	-	-	-	70	090	2
13	090	7	15	CLR	2993	83	74	-	-	-	70	090	2
14	090	5	15	Sct	2987	91	77	2	1600	Sc	70	090	2
15	090	5	15	Sct	2987	93.7	80	5	1600	Sc/cs	70	090	1
16	090	5	15	Sct	2987	93.5	80	5	1600	Sc/cs	70	090	1
17	090	5	15	Bkn	2987	89	76	7	1600	Sc		090	1
18	-	-	15	Bkn	2989	87	76	8	1600	Sc			
19	150	-	12	CLR	2990	82	75						
20	150	1	12	CLR	2990	77.5	73						
21	150	1	12	Cl	2992	76	71						
22	150	1	12	CLR	2991	75	71						
23	150	1	12	CLR	2990	75	71						
24	150	1	12	CLR	2992	74	72						

POSITION	ZONE	TIME
0800		
L <u>19° 38.7' N</u>	BY _____	
λ <u>75° 04.4' W</u>	BY _____	
1200		
L <u>19° 40.5' N</u>	BY _____	
λ <u>75° 08' W</u>	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

75

FUEL CONSUMED
0000-2400

1030

REMARKS

00-08 Mound starboard side pier "V" U.S. Naval Base Guantanamo Bay Cuba with standard mooring lines in place duffed up. Ships present include various units of U.S. Atlantic Fleet plus various yard and district craft. 5077 in New Base Store. 0458 underway in accordance with New Base Op Shed No. 8-58 with a series R2-40-65 target in tow; with nos. 1, 3 & 4 main engines on the line. 0530 with target streamed to 600 yds at heading 176°T speed 13. 0710 with target streamed to 1500 yds, etc to 090°T speed 5. 0718 commenced scheduled exercises with U.S.S. Demeter DDG 871 starting various exercises and speeds in accordance with EXP 3. 0740 mutual crew on stations - no unauthorized absences. 0755 completed exercise with U.S.S. Demeter DDG 871.

S.R. Christensen Com. U.S.S. Papago

APPROVED:

EXAMINED:

McBeth A

[Signature]

U. S. N. COMMANDING

U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago (ATF 160) Tuesday 26 February 19 58
(Day) (Date) (Month)

08-12 Under way as before. Conducting gunnery exercises with
USS Damato (DDF-571) U.S.S. Basilone (DDF-824) and using
various courses and speeds throughout the exercise. 0816
Completed gunnery exercises with Damato and Basilone. Set
course 040° true, speed 7 kts. 0830 Made daily inspection of
magazines and smokescreen powder samples; conditions normal.
0848 C/P to 090° true. 0910 C/P to 10 kts. 0917 C/P to 4 kts. C/P
to 270° true. 0953 C/P to 090° true, C/P to 10 kts. 1005 Commenced
scheduled gunnery exercises with U.S.S. Bailey (DDF-713) and
U.S.S. Goodrich (DDF-831) using various courses and speeds
throughout the exercise. 1150 Completed gunnery exercises
with Bailey & Goodrich. Course 270° true, speed 7 kts.

J. K. Webb, CHASO, W-3, USN

12-16 Under way as before, steaming various courses at
various speeds while performing target towing exercises
in Stimp Area in accordance with Fleet Order 68 U
OTMO Exchd 8-58.

J. K. Webb, CHASO, W-3, USN

16-24 Under way as before. 1613 commenced scheduled exercises with
U.S.S. Alderman AF10, steering various courses and speeds in
SR! accordance with FXP 3. 1622 completed scheduled exercises
with U.S.S. Alderman AF10. 1625 C/P 340° T. 1627 put on 1 & 2 main
engines on the line. 1639 brought target into 600 yds., C/P to 14 kts.
1711 commenced steering various courses and speeds in order to
enter Bay. 1716 passed Windward Pt. Light to starboard; range 1000 yds.
1743 Approached starboard side to Pier "V" U.S. Naval Base, Guantanamo
Bay, Cuba with standard mooring lines in use dished up.

S.R. Thurston, Com. U.S.P.R.

APPROVED:

EXAMINED:

[Signature]
U. S. N. COMMANDING

[Signature]
U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS Papago (ATF-160) ZONE DESCRIPTION +5 DATE Thursday 27 February, 19 58
(Day) (Date) (Month)

AT/PASSAGE FROM Guantanamo Bay, Cuba TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	1	12	CLR	2992	76	72			clear			
02	150	1	12	CLR	2992	76	72			Clear			
03	150	1	12	CLR	2992	76	72			Clear			
04	150	2	12	CLR	2985	75	71			Clear			
05	150	2	12	Sct	2985	74	71	2	1600	Sc			
06	150	1	15	Sct	2987	74	73	2	1600	Sc			
07	090	2	15	Sct	2987	73	70	3	1600	Sc	68	090	1
08	090	2	15	Sct	2986	83	76	3	1600	Sc	68	090	1
09	090	3	15	Sct	2987	80	74	2	1400	Sc	68	090	1
10	090	3	15	Sct	2989	87	77	2	1400	Sc	68	-	-
11	090	2	12	BKN	2989	92	78	7	1600	Sc	68	-	-
12	090	2	12	BKN	2989	86	76	7	1600	Sc	68	-	-
13	090	2	12	BKN	2986	90	79	7	1600	Sc	68	-	-
14	090	2	12	BKN	2984	92	79	7	1600	Sc	68	-	-
15	090	2	12	BKN	2983	89	78	7	1600	Sc	68	-	-
16	090	2	15	BKN	2981	85.5	76.5	7	1600	Sc	68	-	-
17	090	2	15	BKN	2983	83	76	7	1600	Sc	68	-	-
18	090	2	15	BKN	2984	83.5	75	6	1600	Sc			
19	-	-	12	Sct	2986	81	75	2	1600	Sc			
20	-	-	12	Sct	2986	87	75	2	1600	Sc			
21	-	-	12	Sct	2986	87	75	2	1600	Sc			
22	-	-	12	Sct	2989	78	73	2	1600	Sc			
23	-	-	12	Sct	2989	77	71	2	1600	Sc			
24	-	-	12	Sct	2988	73	71.5	2	1600	Sc			

POSITION	ZONE	TIME
0800		
L <u>19° 43' N</u>	BY _____	
λ <u>75° 08.5' W</u>	BY _____	
1200		
L <u>19-37 N</u>	BY <u>3</u>	
λ <u>75-17 W</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L. _____

MID. λ _____

MILES STEAMED
0000-2400
100

FUEL CONSUMED
0000-2400
1376

REMARKS

08
00-04 Moved starboard side the northeast side of Pier "V", U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines. Ships present are various ships of the U.S. Atlantic Fleet and District Craft. SOPA is ComNavBase Attn. 0630 Made all preparations for getting underway on #1, 3 & 4 main generators. 0638 Underway in accordance with ComFlt Tra Base, Attns Op Ord 8-58 steering various courses at various speeds to conform with Guantanamo Bay Channel. Series 40 target in tow at short stay. 0711 With Windward Point light abeam to port, distance one mile steamed 04-08 Target to 600 feet and set course 170° true, speed 13 kts. 0750 Held muster on stations; no unauthorized absentees.

J. F. Webb CHBOS14; W-3, 45N

APPROVED: [Signature] U. S. N. COMMANDING
EXAMINED: [Signature] U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP Papago (ATF-160) Thursday 27 February 1958
(Day) (Date) (Month)

08-12 Underway as before. Steering various courses at various speeds while providing target steering services in accordance with COMFLTOLDEX G-58. 0930 Made preliminary inspection of magazines and unboxed powder samples. Conditions normal.

E. E. Collier

12-16 Underway as before. 1232 commenced scheduled exercises with U.S.S. NK Perry DDR 883 steering various courses and speeds in accordance with EXP3. 1234 completed exercises with U.S.S. NK Perry (DDR 883). 1242 $\frac{1}{2}$ to 270° T speed 12. 1253 $\frac{1}{2}$ to 5. 1327 commenced scheduled exercises with U.S.S. Apolone (AO 56) course 270° T, speed 5. 1355 completed scheduled exercises with U.S.S. Apolone (AO 56). 1408 $\frac{1}{2}$ to 115° T speed 3. 1534 commenced scheduled exercises with U.S.S. Bigelow DD 942 steering 090° T speed 5.
S. B. Hunterman Com. U.S.S. 972

16-20 Underway as before. 1645 Completed gunnery exercises with U.S.S. Bigelow and set course 025° True, speed 7 kts. 1701 Reached target in to 600 feet. 0/5 to 14 kts. 1814 0/10 to 021° True. 1830 With Windward Point abeam to starboard, distance 1800 yds. Commenced steering various courses at various speeds to conform with Guantanamo Bay channel. 1857 Moved starboard side to the northeast side of Pier "V", U.S. Navy Base, Guantanamo Bay, Cuba with standard mooring lines.

J. F. Webb, 0430 SW, W-3, U.S.N.

20-24 Moved as before.
E. E. Collier

APPROVED: *E. E. Collier* U. S. N. COMMANDING
EXAMINED: *E. E. Collier* U. S. N. NAVIGATOR

DECK LOG SHEET—TYPE B

USS Porpoise ATF 160 ZONE DESCRIPTION 45 DATE Fri 28 Feb, 19 58
AT/PASSAGE FROM estimates TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	—	—	12	Sct	29.87	74	72	2	1600	Sc			
02	—	—	12	Sct	29.86	75	72.5	2	1600	Sc			
03	—	—	12	Sct	29.86	74	71.5	2	1600	Sc			
04	—	—	12	Clr	29.88	74	71			Clear			
05	—	—	12	Chr	29.90	73	71			Clear			
06	—	—	12	Chr	29.91	73	71			Clear			
07	—	—	12	Chr	29.94	73	70.5			Clear			
08	000	4	12	CLR	29.96	85	77	—	—	—	70	—	—
09	000	4	12	CLR	29.98	82	76	—	—	—	70	—	—
10	000	4	15	CLR	29.98	83	76	—	—	—	70	—	—
11	000	5	15	Sct	29.97	85	77	2	1600	Sc	70	—	—
12	000	5	15	Sct	29.94	83	76.6	2	1600	Sc	70	—	—
13	000	4	15	Sct	29.93	83	76	2	1600	Sc	70	—	—
14	000	4	15	CLR	29.89	82	76	—	—	—	70	—	—
15	000	4	15	CLR	29.90	90	82	—	—	—	70	—	—
16	000	4	15	CLR	29.90	91	82	—	—	—	70	—	—
17	000	4	15	CLR	29.90	95	82	—	—	—	70	—	—
18	105	4	15	CLR	29.90	88	79			Clear	70	—	—
19	150	2	12	CLR	29.94	83	77			Clear			
20	150	2	12	CLR	29.98	79	75			Clear			
21	150	2	12	CLR	29.99	79	75			Clear			
22	150	2	12	CLR	29.99	78	74			Clear			
23	150	2	12	CLR	29.99	76	74			Clear			
24	150	2	12	CLR	29.97	75	73			Clear			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L <u>19° 46' N</u>	BY _____	
λ <u>74° 55.5' W</u>	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____ (ZT) _____ (Date)	
TO _____ (ZT) _____ (Date)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400
105

FUEL CONSUMED
0000-2400
1052

REMARKS

00-08 Moored at the pier to NE pier "V", U.S. Naval Base
Alameda Bay, Cuba. Ship's present maneuvers under U.S.
Atlantic Fleet and Atlantic Command. SOA is ComNav
Base. 0649 Underway steaming various courses at
various speeds in attempt to leave operating area
into area and head into Cuba with series
140 target in low 0718 c/c to 1700260 0727 target
streamed to 6000 c/c to 1400. 0740 Under
on station no observations.

[Handwritten Signature]

APPROVED: *[Signature]* U. S. N. COMMANDING

EXAMINED: *[Signature]* U. S. N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Rapago ATF-160

FRI 28 Feb 58
(Day) (Date) (Month) 19

08-12 Underway as before 0835 c/c to 090°T. 0852 commenced scheduled exercises with U.S.S. *Jane* DD-763 starting 090°T speed 10. 0855 completed exercises. 0859 commenced scheduled exercises with U.S.S. *Glenn* DD840 starting 090°T speed 10. 0902 completed exercises. 0905 made daily position fixes by magnetic and celestial means, gunnery plus, with check of magnetic compass system - conditions normal. 0935 starting 070°T speed 10 commenced scheduled exercises with U.S.S. *Salinas* ATF-161. 0934 completed scheduled exercises. 1010 commenced surging ship to adjust compass. 1147 ceased surging ship. 1148 c/c to 132°T.
S.P. Christman Com. U.S.N.R.

12-16 Underway as before. 1237 c/c to 180°True, speed 5 kts. 1305 commenced scheduled gunnery exercises with U.S.S. *Macan* (CA-132). 1542 c/c to 000°True.
J. E. Nett, 01805N, W-345W

16-24 Underway as before 1604 completed exercises. 1607 c/c to 325° PGC. 1617 Target into 000 yds. 1620 c/c to 160° 1631 c/c to 330° PGC 1708 c/c to 333° PGC 1840 commenced steering various courses at various speeds to reach Iltua Bay landing area. 1918⁰⁰ Reached port side to N.E. of Iltua Bay, U.S. Naval Base Iltua Bay, Cuba.

[Signature]

APPROVED: *[Signature]* U. S. N. COMMANDING
EXAMINED: *[Signature]* U. S. N. NAVIGATOR

