DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Oil Furnace which is said to be made by Harima Oct. 1947, but it has no sort of marking on it.

Motor-11-5-(5)392 not in use. Haven't been cleaned in months.

Wire drawing machine-11-5-(5)-392 is not in use, but is in very bad condition.

There are between 70 to 80 clothing chests lying on the floor H-5 and are not being used and are in very bad condition.

Motor-11-5-(5)427 is marked use, but is not being used. It is in bad condition.

There are two grinders which are not in use and have no code numbers. There are in bad condition.

Cleaning stock tank has not been inventoried and is stated to be scrap, but is not marked scrap.

Machine 11-5-(5)423 is stated as being in use. It is marked with red use and not the white use. It apparently has been idle for quite sometime.

Electric Welder-11-5-(5)-46 is marked use, but is not in use.

Coal Furnace which is used sometime has no code number.

Steam Hammer 11-5-(5)414 is said to be used sometime but is not being used at present and is not marked authorized use.

Furnace is not in use and has no code number.

Electric hammer is seldom used and is marked exempt.

Furnace is not in use and has no code number.

Furnace which is being used has no code number and is not marked authorized use.

Oil furnace is not in use and has not been inventoried. It is said to have been made by Harima two months ago.

Furnace is not in use, and has no code number also furnace 11-5-(5)-393 is marked authorized use, but is not in use.

11-5-(5)-390 is marked authorized use, but is not in use.

Brenell Hardness Tester is not in use, and has no code number.

Hardning Oil Tank is not being used and has no code number.

Motor is stated as being scrao caused by water but it seems it is just plain rusty.

Turning Gear-11-5-(5)381 was broken during War and has not been repaired since.

There is a great deal of round bar located inside of building H-5.

There four boilers located inside building H-5. Two of these boilers have code number and are in use, but are not marked use. The other two boilers have no code number and are not in use . These boilers as it was stated are being used by BCOF.

Area Three: Building H-4

In Area three the following list is presented to you: (1) Air compressor-11-5-(5)289 is in authorized use, but is not marked authorized use.

Jib Hoist crane-11-5-(5) 2994 not in use, but in very bad condition and is located in front of building H-4.

Oil Filter for big tank which is located at cornner of building H-4 is in authorized and has no code number and is not marked authorized use.

Air compressor-11-5-(5)3275 which is in use, but not marked authorized use. They also use this compressor for BCOF when BCOF orders

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

them to do so.

Water tank in authorized use, but has no code number and not marked authorized use.

Motor Generaters-11-5-(5)112-113-114-115 and 116 are in very bad condition and are not using.

Pully-not in use and has no code number.

Overhead crane-is in use, not marked authorized use and has no code number and is very dirty and rusty.

Jib Hoist crane-11-5-(5)3098 is not in use and is very dirty and rusty.

Air compressor-is in use, and not marked with authorized use and has no code number. Very dirty and rusty.

Jib Hoist crane-11-5-(5)2993 is not in use, but is very dirty and rusty.

Two boiler cleaners, barrowed from Maritime Bureau no code number and very dirty and rusty and are not in use.

Switch Board - is in use, not marked use and has no code number.

Small pump-is not in authorised use and has no code number.

Machine 11-5-(5)250 is marked authorized use, but is not being used.

Lathe-11-5-(5)267 is in authorized and is marked but is very dirty and rusty.

Lathes-11-5-(5)260-258-257-259-261 are not in authorized use, but are dirty and rusty.

Slottering machine-11-5-(5)256 is marked authorized use but is not in use and is very dirty.

Lathe-11-5-(5)270 is marked authorized use, but is not being used and is very dirty and rusty.

Shaper-11-5-(5)271 is marked authorized use, but is not being used.

There are from 50 to 60 clothing lockers in bad condition and have tools and junk inside them instead of clothing.

Grinder-11-5-(5)277 is not being used and is very dirty and rusty.

Machine 11-5-(5)229 is not being used and is very dirty.

Air Compressor-11-5-(5)-284 is marked authorized use but is not being used.

Control Pump-11-5-(5)-283 is being used, but is not marked authorized use.

Control Pump-11-5-(5)-282 is being used, but is not marked authorized use.

Stable blower-11-5-(5)-281 is not being used, but is very dirty and rusty.

Switch board-is marked with old navy number, and is in use, but has no code number and is not marked authorized use.

Air Compressor-11-5-(5)-360 is marked authorized use, but is not being used.

Electric Register-is not in use, has no code number and is very dirty.

Machines-11-5-(5)-285 and 11-5-(5)286 are being used, but are not marked authorized use.

Air Compressor-11-5-(5)-289 is in use, but is not marked authorized use.

11-5-(5)360 accessory to Air Compressor-is being used and is not marked authorized use.

Switch board-11-5-(5)288-This code number has been marked through. It is in use, but is not marked authorized use.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Motor-No code No. very dirty and rusty and is not being used.

Oil separator-is in use,and not marked use, has no code number.

Switch board-has old many number, is being used and has no code number and is not marked authorized use.

11-5-(5)290 is in use and not marked authorized use.

Water Pump-11-5-(5) 498 is in use and is marked use, but is very rusty.

Jib Hoist crane is being used, has no authorized use marked and is very dirty and has no code number.

Two deisel engines-not in use, very dirty and rusty.

Air receiver is being used, has no code number, not marked use.

Jib Hoist crane-not in use and has no code number and is very rusty.

Jib Hoise crane is in use, not marked use and has no code number.

One (1) Chain block taken off Jib crane and being used on other Jib crane.

Electric Portable Grinder is being used and is not marked authorized use and has no code number.

Overhead crane-is in use, not marked use and has no code number.

Three (3) water tanks are in use, not marked use and have no code number.

Great deal of round bar located in H-4 building.

Electric Portable Grinder in use, not marked use and has no code number.

Three transformers-11-5-(5)296-297 and one other which has no code number.11-5-(5)296 is marked authorized use, the other two are not marked authorized use. All are in use.

Jib Hoist crane 3111 not in use, very dirty and rusty.

Machine 300 is not being used, but is very dirty.

Switch Board located in center of building H4 is being used, but is not marked use and has no code number.

Two motors are not being used and has no code number and is very dirty.

Oil tank is being used and is not marked use and has no code number.

Hydraulic Drill 11-5-(5)-318 is being used, but is not marked authorized use.

Drills 11-5-(5)-316 and 400 are very dirty.

Overhead crane is being used, but is not marked authorized use.

Five Deisel engines-no code number and are very dirty and rusty.

Jib crane is not in use and has no code number, also is very dirty and rusty.

Hydraulic drill is in use and is marked use, but is in very bad condition. Cirsular Table for drilling machines has no code number and is separated from the machine.

Motor 11-5-(5)-5608 is not being used,but is very dirty.

~~Boring~~ machine 11-5(5)3282 is not being used,bu t is in very bad condition.

Jib Hoist Crane 11-5-(5) 3106 is not in use,but is in very bad condition.

Turbine balancing machine is marked exempt and is located in building H-4.

Electric Steam Generater located in building H-4 has not been inventoried.

Motor in building H-4 has not been inventoried.

In building H-4 there are a great deal of motors that B C O F

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ordered Harima to repair.

Jib crane 3104 is not in use and another Jib crane have no code number and both are very dirty and rusty.

Bending machine 11-5-(5)-339 is in use, but is not marked authorised use.

Jib crane is not in use, has no code number and is very dirty and rusty.

Jib crane 11-5-(5)-3101 is not in use, but is very dirty and rusty.

Jib crane is being used, not marked authorized use and has no code number.

Oil tank is being used, but has not been inventoried.

Jib crane 11-5-(5)-3115 is not being used, but is very dirty and rusty.

Gas Tank has not been inventoried.

11-5-(5)3016 is marked authorized use, but is not being used.

Electric Hack Saw 11-5-(5)3283 is being used, but is not marked authorised use.

Portable Grinder is not in use and has not been inventoried.

Transformer 11-5-(5)348 is not being used, but is very bad condition.

Three switch boards have no inventory number.

Electric Winch 11-5-(5)-349 is being used but has not been marked authorized use.

Oil tank has not been inventoried.

Small grinder has not been inventoried.

There are two air receivers which have not been inventoried.

Motor has not been inventoried.

Two Jib cranes is not in use, has no code number and is very dirty and rusty.

Hydraulic Press is not in use, has no code number and is very rusty.

Overhead crane 11-5-(5)-344 is being used, but has not been marked authorized use.

Portable Grinder is in use, but has not been inventoried.

Jib crane 11-5-(5)3121 is not in use, but it is very dirty and rusty.

Portable grinder is not being use and has not been inventoried.

Hand Press has not been inventoried and is very rusty.

Two Air receivers is being used, but has not been inventoried.

Electric Welders 11-5-(5)14 and 1171 are in use, but are not marked authorized use.

Air receiver is in use, but has not been inventoried.

There are two chain blocks that are hanging from past which are not being used.

On switch board has not been inventoried.

Overhead crane is being used, but is not marked authorized use.

There are seven (7) electric welders that are not being used and do not have inventory number.

Jib crane 11-5-(5)3127 is not being, but is in very bad condition.

There are from 70 to 100 deisel engines to be repaired for ships located in H-4.

Jib crane 11-5-(5)3103 is not in use, but is in very condition.

Oil Tank has not been inventoried.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Blue printing machine 11-5-(5)1426 is being used but is not marked authorized use.

One booking machine and one hand press have not been inventoried.

Printing machine is not in use and has not been inventoried.

Photo drying machine has not been inventoried.

Blue printing machine 11-5-(5)1425 is being used, but is not marked authorized use.

Spring Testing machine 11-5-(5)1424 is marked authorized use but is not being used.

Hardness Testing machine is in use and has not been inventoried.

Carbon Testing machine measuring machine has not been inventoried.

Chemical Balancer has not been inventoried.

Electric Furnace is being used, but has not been inventoried.

Electric Dryer is being used, but has not been inventoried.

Electric Furnace is being used, but has not been inventoried.

Electric Furnace is being used, but has not been inventoried.

Photographic Apparatus is not in use, but has not been inventoried.

Three hand presses are in use, but have not been inventoried.

Jib crane 11-5-(5)2996 is not in use, but is in very bad condition.

Area Four: Building H-6

The following is the list of Jib cranes, Deisel engines, Hydraulic Presses, motors, boring machines, drills, Electric resisters, Lathes, Overhead cranes and etc. which are located in building H-6.

Jib crane 11-5-(5)3003 which is not being used but it is in very bad condition.

There two deisel engines which were stated as being salvaged about two months ago.

Hydraulic Press 11-5-(5)98 is not being used, but it is in very bad condition.

Motor 11-5-(5)2673 is not being used, but it is in very bad condition.

Shaft boring machine is not being used and has no inventory number and it is in very bad condition.

Shaft boring machine 11-5-(5)431 is in very bad condition.

Radiator boring machine 11-5-(5)2770 is in very bad condition.

Drilling machine 11-5-(5)2766 is in very bad condition.

Electric Resister is not in use, but has been separated from motor 11-5-(5)2057.

Lathe 11-5-(5)2692 is in very bad condition.

Overhead crane is in use, but has not been marked authorized use.

Electric Hoist crane 11-5-(5)2997 is being used, but has not been marked authorized use.

There are three deisel engines stored in building H-6.

Electric Generater is not being used. It was stated that this Generater was salvaged in June 1947.

There motors located in building H-6 which have not been inventoried.

Gas Pump has not been inventoried.

Overhead crane 11-5-(5)834 is being used, but has not been marked authorized use.

Machines 11-5-(5)477-504 are marked authorized use, but are not in use.

Transformer is not being used, and has no inventory number.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

AREA FIVE

Building H-1 and vicinity

D

In building H-1 and around it the condition of the machinery in that area.

Stationary crane 106 is being used,but has not been marked U.

Shearer is not being used and has not been inventoried.

Paper booking machine has not been inventoried and is in very bad condition.

Talking sound inspection machine 2793 is in very bad condition.

Drilling machine has not been inventoried and is in very bad condition.

Two paper cutting machines of which one is in use and neither machine has been inventoried.

Hand Press is being used,but has not been inventoried.

Letter cutting machine 2800 is being used,but is not marked U.

Paper cutting machine 2801 is being used,but has not been marked U.

Printin machine 2807-2804-2805-2803-2802 are being used,but are not marked U.

Grinder 2806 is being used,but is not marked U.

Name card printing machine is being used,but is not marked U.

Building H-2

Air receiver has not been inventoried.

Jib Hoist cranes 3154-3155-3156-3157-3158-3159-3160-3161-3162 are very rusty and these numbers are all written on post in the building.

Oil tank has not been inventoried.

Two overhead cranes are not in use and have no code number.

Jib cranes 64-65-66-67-68-69-70-71-72-73 are not in use and are in very bad condition and also these numbers are marked on post in the building.

Feed water tank has not been inventoried,but has old navy number Pa 24.

Jib cranes 74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-3200-3201-3202-3203-3204-3205-3206-3207-3208- 3209-3210-3211-3212-3213-3214-3206-3215-3216-3217-3218 are not in use and are invery bad condition and the number of these cranes are marked on post in the building.

Two transformers are not in use and have no code number.

Seven (7) air receivers are not in use and have not been inventoried.

Overhead crane is not in use and has no code number.

One oil tank and one water tank are not in use but has not been inventoried,but the oil tank

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

In building H-3 there is a great deal of electric wireing and equipment including a about 80 starter for D.C. motors, 4 crates of switches for marine ships and between 300 to 500 Kgs. of babric, switch board which has not been inventoried, two trolly cars in use, but have no code number, Shearer 11-5-(5)-9396 is being used, but is not marked authorized use, Bench drill is in use, but not marked use, 13 portable grinders have not been inventoried, about 100 to 150 Electric Hand Drills which have not been inventoried, Grinder 11-5-(5)-220 is in use, but not marked use.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Feed Pump for boiler 11-5-(5)-475 is in very bad condition.

Motors 11-5-(5)-621-232-233-1694 are in very bad condition. Apparently these motors haven't been maintained in months.

Jib Crane 11-5-(5)-3225 is not in use, but it is in very bad condition.

Transformers 11-5-(5)-5619-5616-5620-5617-5618 are in use but are not marked authorized use.

There are also seven (7) transformers which have not been inventoried.

Overhead Crane 11-5-(5)-235 is being used, but it has not been marked authorized use.

Surface Plate 11-5-(5)-3804 is being used, but it has not been marked authorized use.

Transformer is being used, and has no code number. It is stated as being made by Harima about two years ago, but it doesn't have any marking of any sort.

Two small motors are being used, but have no code number.

Hand Press 11-5-(5)-3025 is being use, but has not been marked authorized use.

Hydraulic Press 11-5-(5)-205 is marked authorized use, but hasn't been used in weeks.

Overhead Crane is being use,d has not been marked authorized use and has no inventory number.

Area SIX - building H-9

Motor is not being used and has no inventory number.

Transformer 11-5-(5)-2612 is marked authorized use, but is not in use.

Electric Trolley 11-5-(5)-3500 is being used, but has not been marked authorized use.

Electric Welder 11-5(5)-296 is being used, but has not been marked authorized use.

Hand Press 11-5-(5)-3024 - 3023 is being used, but is not marked authorized use.

Overhead Crane 11-5-(5)-827 is being used, but has not been marked authorized use.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

O D

Building H-10

In building H-10 is a transformer which is not in use and has not been inventoried. There are about eleven (11) tan of brass plates located in H-10. A Battery car which is listed as scrap. There are three chain blocks 11-5(5)-9584-9583 and one other. They are being used, but does not have U marked on them. One furnace is being used, but has not been inventoried. Medical Center located in back of H-10 has one boiler which is being used but has not been inventoried. Two circular saws located in back of H-10 which are in use, but it was stated that these saws were owned by a private company. There are two battery cars that are in use and have no code number.

Building H-11

In building H-11 and it's vicinity there are two hot water tanks that have not been inventoried. Two Acetylene tanks are being used, but have not been inventoried. Two water feed pumps and two oil pumps stated as received from 17 CRE BCOF for the purpose of being used in the supply depot. Two Hydraulic presses listed as being scrap. Revetting machine 1139 is being used, but has not been marked U. Two air receivers are being used, but has not been inventoried. Three motors have not been inventoried. Two friction press are not in use, but one has code number 1136 and both are in very bad condition. Riveting machine 3015 is being used, but has not been marked U. Punching machine 1486 is being used, but has not been marked U. Revetting machine 1130 is marked U, but is not being used. Four furnaces are in use, but have not been inventoried. Jib Hoist crane 3219 is being used, but has not been marked U..Air Hammer 1122 is marked U, but it has not been used in at least month. The grinders are being used, but have no code number. Lathe is not in use but is in very bad condition. Grinder 3028 is being used, but has not been marked U. Transformer has not been inventoried. Surface Plate 3825 is in use, but has not been marked U. Wireing machine is being used, but has not been inventoried. Grinder is being used, but has not been inventoried. Jib Hoist crane 3006 is being used but has not been marked U. Surface plate 2823 is being used, but has not been marked U. Shearer has not been inventoried. Chain blocks 9581-5956 are being used, but have not been marked U. Five electric welders are being used, but have no code number. Transformer 2359 is being used, but has not been marked U.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENT
3 June 48	Release of Former Japanese Military Property Part of Kirikushi Supply and Engine Dept. of 11th Air Arsenal-HPS 420	H.M.G.T. Basic
1 July 49	Releaseof Part of Ex-Kure Naval Arsenal in Hiroshima Prefedture.	H.M.G.T. Basic
1 Feb. 50	Petition for the Release of the Former Military Property.	H.P.L.O. Basic
23 Aug. 50	Release of Real Estate - Area 3/2A Point Camp.	CCAR Basic
1 Sept. 50	Relinquishment of Former Japanese Military and Naval Installations-Transit Camp KureDocks-Area 2/8A	BCOF Basic
21.Sept. 50	Relinquishmint of Real EState.	CCAR Basic

SECTION VI A - Release of Real Property

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 182

CCAR 386.3 (D-St)

21 September 1950

SUBJECT: Relinquishment of Real Estate

TO : General Officer, Commanding
British Commonwealth Occupation Forces
Kure, Honshu, Japan

1. Reference is your letter, QG/469.42/Maint, 15 Sep 50, Subject "Relinquishment of Real Estate - BCOF Area 2/8A Kure Docks".

2. In all cases, when enemy seized or surrendered property is relinquished, the area and the reparations equipment contained therein reverts to the custody of the Ministry of Finance. In this area the Chugoku Finance Bureau is the local representative of the Ministry of Finance.

3. It is requested that this headquarters be notified when custody of any enemy seized or surrendered property is relinquished to the Chugoku Finance Bureau by your headquarters.

C. N. BAILEY
Colonel Inf
Chief

11-5
Sec III a

Subject File

RSS
HEK

205

Ecan-1495

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BRITISH COMMONWEALTH FORCES

HEADQUARTERS
B.C.O.F.
QG/469.42/Maint
15 Sep 50

Subject: RELINQUISHMENT OF REAL ESTATE - BCOF AREA 2/8A KURE DOCKS

HQ Chugoku Civil Affairs Region

1. A portion of BCOF real estate - Area 2/8A Kure Docks, is in excess of requirements and is to be relinquished to the Japanese Government.

2. Attached hereto is a schedule of reparations equipment, as prepared by the Chugoku Finance Bureau, located within the area.

3. We assume that the responsibility for the custody of the area and equipment will now revert to the Chugoku Finance Bureau, Kure Branch.

/s/ C. Ferguson
/t/(C. FERGUSON) W/Cdr.
for Brigadier.
Principal Administrative Officer.

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH FORCES COMMONWEALTH

HEADQUARTERS
B.C.O.F.
QG/469.42/Maint
15 Sep 50.

Subject : RELINQUISHMENT OF REAL ESTATE - BCOF AREA 2/8A KURE DOCKS

HQ Chugoku Civil Affairs Region.

1. A portion of BCOF real estate - Area 2/8A Kure Docks, is in excess of requirements and is to be relinquished to the Japanese Government.

2. Attached hereto is a schedule of reparations equipment, as prepared by the Chugoku Finance Bureau, located within the area.

3. We assume that the responsibility for the custody of the area and equipment will now revert to the Chugoku Finance Bureau, Kure Branch.

C. Ferguson
(C. FERGUSON) W/Cdr.
for Brigadier.
Principal Administrative Officer.

7837

AEP/sys

19 Sept 50

ECON-1495

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DOCUMENT FOR
RELEASE OF FORMER JAPANESE MILITARY AND NAVAL
PROPERTY - PORTION OF 1ST DISTRICT OF KURE NAVY ARSENAL
- BCOF AREA 2/8A -

18 August 1950

Kure Reparations Branch,
Chugoku Finance Bureau

(d) List of reparation items:

Remarks:
Under the classified condition of machine it will be understood as follows:

1: Class 1. Good (Requires only maintenance)
2: Class 2. Good (But requires repairs)
3: Class 3. Unserviceable

K. Okahira
For. KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Chugoku Finance Bureau

Bldg. No.	Code No.	Name of machine	Name of maker	Condition of machine	Specification
72	11-5(5)-1425	Blue printing paper making machine	Peace peerless printe Co. U.S.A.	1	Capacity 270m/Hr Motor DC. 0.25HP,220V 2500RPM, 1.1A.
"	-1426	Blue printing machine	"	1	Capacity 45m/Hr. Motor DC ¼HP 220V, 1.5A,2500RPM " ¼HP,220V,1.45A,2500RPM
"	-1427	"	"	2	Capacity 45m/Hr Motor DC ¼HP.220V,1.4A,1500RPM " ¼HP,""OV,1.21A,2500RPM
"	-11564	Loud Speaker apparatus	Okajima	1,	DC, Ammeter 300---2. " " 150---1. " Voltmeter150---1. Microphon----------1. amplifyer----------1. elect source-------1. size 1560x350x1800mm.
"	-11884	Overhead Fan	Kawakita Motor Co.	2	Dia of propeller 1220mm. Mc or AC 0.16KW,100V,60cycle. 220RPM
"	-11886	"	"	2	"
"	-11890	"	"	2	"
"	-12161	Paper press	Japan	2	Capacity width 350mm. StroKe 120mm.
"	-12295	Fluores Cence copying press	Hatko shyokai	3	Capacity 515x728mm. size 1260x1000x845mm.
"	-12302	Paper press	Japan	2	Stroke 120mm. width 350mm. Size 470x170x370mm.
"	-12333	Paper cutter	Yoda	2	Capacity length of knife edge 550mm.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Code No.	Name of Machine	Name of Maker	Condition of machine	Specification
72	11-5(5)-12334	Paper cutter	Yoda	2	Capacity Length of knife edge 550mm
"	-12558	Motor generator	Meiden	2	Motor 10HP, 220/420V, 15/18A 685RPM Size 1000x550x540mm Generator 28KW, 220V, 42.5A Size 1850x600x680mm
"	-14125	Fan	Japan	2	Dia of propeller 1220mm Motor AC 100V 0.16KW, 60 cycle 220RPM
"	-14126	"	"	2	"
"	-14127	"	"	2	"
"	-14128	"	"	2	"
"	-14129	"	"	2	"
"	-14130	Electric Refrigerator	Shibaura	1	Capacity 0.5HP, 100V, 60 cycle Size 600x700x1700
73	- 3354	Transformer	Naigai Dennetuki	1	50KVA, 1pha, 60cycle, 22.7A Prim V 2200-2000V 2nd V 110-220V
"	- 3355	"	"	1	"
"	- 3356	"	"	1	"
"	- 3363	"	"	1	20KVA 1pha, 60 cycle, 91A Prim V 2000-2200 2nd V 110-220

Bldg. No.	Code No.	Name of Machine	Name of Maker	Condition of machine	Specification
73	11-5(5)-3364	Transformer	Naigai Dennetuki	1	20KVA 1pha, 60 cycle, 91A Prim V 2000-2200 2nd V 110-220
"	-3365	"	"	1	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DOCUMENT FOR
RELEASE OF FORMER JAPANESE MILITARY AND NAVAL
PROPERTY - PORTION OF 1ST DISTRICT OF KURE NAVY ARSENAL
- BCOF AREA 2/BA -

18 August 1950

Kure Reparations Branch,
Chugoku Finance Bureau

(d) List of reparation items:

Remarks:
Under the classified condition of machine it will be understood as follows:

1: Class 1. Good (Requires only maintenance)
2: Class 2. Good (But requires repairs)
3: Class 3. Unserviceable

K. Okahira
For, KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Chugoku Finance Bureau

Bldg. No.	Code No.	Name of machine	Name of maker	Condition of machine	Specification
72	11-5(5)-1425	Blue printing paper making machine	Peace peerless printe Co. U.S.A.	1	Capacity 270m/Hr Motor DC. 0.25HP,220V 2500RPM, 1.1A.
"	-1426	Blue printing machine	"	1	Capacity 45m/Hr. Motor DC ¼HP 220V, 1.5A,2500RPM " ¼HP,220V,1.45A,2500RPM
"	-1427	"	"	2	Capacity 45m/Hr Motor DC ¼HP.220V,1.4A,1500RPM " ¼HP,""OV,1.21A,2500RPM
"	-11564	Loud Speaker apparatus	Okajima	1,	DC, Ammeter 300---2. " " 150---1. " Voltmeter150---1. Microphon----------1. amplifyer----------1. elect source-------1. size 1560x350x1800mm.
"	-11884	Overhead Fan	Kawakita Motor Co.	2	Dia of propeller 1220mm. Motor AC 0.16Kw,100V,60cycle. 220RPM
"	-11886	"	"	2	"
"	-11890	"	"	2	"
"	-12161	Paper press	Japan	2	Capacity width 350mm. Stroke 120mm.
"	-12295	Fluores Cence copying press	Katko shyokai	3	Capacity 515x728mm. size 1260x1000x845mm.
"	-12302	Paper press	Japan	2	Stroke 120mm. width 350mm. Size 470x170x370mm.
"	-12333	Paper cutter	Yoda	2	Capacity length of knife edge 550mm.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Code No.	Name of Machine	Name of Maker	Condition of machine	Specification
72	11-5(5)-12334	Paper cutter	Yoda	2	Capacity Length of knife edge 550mm
"	-12558	Motor generator	Meiden	2	Motor 10HP, 220/420V, 15/18A 685RPM Size 1000x550x540mm Generator 28KW, 220V, 42.5A Size 1850x600x680mm
"	-14125	Fan	Japan	2	Dia of propeller 1220mm Motor AC 100V 0.16KW, 60 cycle 220RPM
"	-14126	"	"	2	"
"	-14127	"	"	2	"
"	-14128	"	"	2	"
"	-14129	"	"	2	"
"	-14130	Electric Refrigerator	Shibaura	1	Capacity 0.5HP, 100V, 60 cycle Size 600x700x1700
73	- 3354	Transformer	Naigai Dennetuki	1	50KVA, 1pha, 60cycle, 22.7A Prim V 2200-2000V 2nd V 110-220V
"	- 3355	"	"	1	"
"	- 3356	"	"	1	"
"	- 3363	"	"	1	20KVA 1pha, 60 cycle, 91A Prim V 2000-2200 2nd V 110-220

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Code No.	Name of Machine	Name of Maker	Condition of machine	Specification
73	11-5(5)-3364	Transformer	Naigai Dennetuki	1	20KVA 1pha, 60 cycle, 91A Prim V 2000-2200 2nd V 110-220
"	-3365	"	"	1	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DOCUMENT FOR
RELEASE OF FORMER JAPANESE MILITARY AND NAVAL
PROPERTY - PORTION OF 1ST DISTRICT OF KURE NAVY ARSENAL
- BCOF AREA 2/8A -

18 August 1950

Kure Reparations Branch,
Chugoku Finance Bureau

(d) List of reparation items:

Remarks:
Under the classified condition of machine it will be understood as follows:

1: Class 1. Good (Requires only maintenance)
2: Class 2. Good (But requires repairs)
3: Class 3. Unserviceable

K. Okabira
For KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Chugoku Finance Bureau

Bldg. No.	Code No.	Name of machine	Name of maker	Condition of machine	Specification
72	11-5(5)-1425	Blue printing paper making machine	Peace peerless printe Co. U.S.A.	1	Capacity 270m/Hr Motor DC. 0.25HP,220V 2500RPM, 1.1A.
"	-1426	Blue printing machine	"	1	Capacity 45m/Hr. Motor DC ¼HP 220V, 1.5A,2500RPM " ¼HP,220V,1.45A,2500RPM
"	-1427	"	"	2	Capacity 45m/Hr Motor DC ¼HP.220V,1.4A,1500RPM " ¼HP,""OV,1.21A,2500RPM
"	-11564	Loud Speaker apparatus	Okajima	1,	DC, Ammeter 300---2. " " 150---1. " Voltmeter150---1. Microphon----------1. amplifyer----------1. elect source-------1. size 1560x350x1800mm.
"	-11884	Overhead Fan	Kawakita Motor Co.	2	Dia of propeller 1220mm. Motor AC 0.16Kw,100V,60cycle. 220RPM
"	-11886	"	"	2	"
"	-11890	"	"	2	"
"	-12161	Paper press	Japan	2	Capacity width 350mm. StroNe 120mm.
"	-12295	Flucres Cence copying press	Hatko shyokai	3	Capacity 515x728mm. size 1260x1000x845mm.
"	-12302	Paper press	Japan	2	Stroke 120mm. width 350mm. Size 470x170x370mm.
"	-12333	Paper cutter	Yoda	2	Capacity length of knife edge 550mm.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Code No.	Name of Machine	Name of Maker	Condition of machine	Specification
72	11-5(5)-12334	Paper cutter	Yoda	2	Capacity Length of knife edge 550mm
"	-12558	Motor generator	Meiden	2	Motor 10HP, 220/420V, 15/18A 685RPM Size 1000x550x540mm Generator 28KW, 220V, 42.5A Size 1850x600x680mm
"	-14125	Fan	Japan	2	Dia of propeller 1220mm Motor AC 100V 0.16KW, 60 cycle 220RPM
"	-14126	"	"	2	"
"	-14127	"	"	2	"
"	-14128	"	"	2	"
"	-14129	"	"	2	"
"	-14130	Electric Refrigerator	Shibaura	1	Capacity 0.5HP, 100V, 60 cycle Size 600x700x1700
73	- 3354	Transformer	Naigai Dennetuki	1	50KVA, 1pha, 60cycle, 22.7A Prim V 2200-2000V 2nd V 110-220V
"	- 3355	"	"	1	"
"	- 3356	"	"	1	"
"	- 3363	"	"	1	20KVA 1pha, 60 cycle, 91A Prim V 2000-2200 2nd V 110-220

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Code No.	Name of Machine	Name of Maker	Condition of machine	Specification
73	11-5(5)-3364	Transformer	Naigai Dennetuki	1	20KVA 1pha, 60 cycle, 91A Prim V 2000-2200 2nd V 110-220
"	-3365	"	"	1	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 182
BUCK SLIP

SEP 6 1950

FROM: [illegible]

TO : (NUMERICALLY) (INITIAL THRU YOUR NUMBER)

1 [illegible] CHIEF	3 [illegible] ECON — I&D
2 [illegible] DEPUTY	I&G
HQ COMD	CI
4 ADM ASST	CE
PERS	PH
SP.O CLK	PW
SUP-IND LAB	TRANS
MC	MESS
APO 182	

FOR: ____ SEE ME

3 ACTION	1-2 INFORMATION
____ COMMENTS	____ APPROVAL
____ SIGNATURE	____ PROOF READING
____ FWDG IND	____ LTR REPLY
____ YOUR COPY	4 CENTRAL FILES

MIMEOGRAPH IN ____ COPIES

REMARKS:

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH FORCES COMMONWEALTH

HEADQUARTERS

QG 804/8/1 Acen

1 Sep 50

Subject: RELINQUISHMENT OF FORMER JAPANESE MILITARY AND NAVAL INSTALLATIONS - TRANSIT CAMP KURE DOCKS - AREA 2/8A

Ref : (a) HQ Eighth Army AGLC 601 (14 Jul 50) of 8 Aug 50.
(b) Conference Col.BAILEY (CHUGOKU Civil Affairs Region) Maj.THALER (G4 Sec HQ Eighth US Army) and Maj.BRUCE (HQ BCOF) of 3 Aug 50.

Commanding General
Eighth US Army
APO 343

Attention: Engineer Section

Copy to : Ministry of Finance
Bureau of State Property
Japanese Government (incl 1 copy of attachments)

Construction Ministry " " " " "

Headquarters CHUGOKU Civil Affairs Region

11-5
Sec IV A

... 1. Herewith the undermentioned documents in respect the relinquishment to the Japanese Government of portion of the former Japanese installation known as Transit Camp KURE Docks, Area 2/8A.

(a)	OGA Form 1	Copies 3
(b)	Statement of Improvements, etc.	" 3
(c)	"No Damage" Certificate	" 3
(d)	Plot plan RES 700/31	" 3
(e)	List of privately owned stores	" 3

2. Forwarded in accordance with release instructions contained in HQ Eighth Army Operational Directive 54 and conference referenced (b) above.

W F Bruce

Maj
(W.F. BRUCE) for Lieutenant General
Commander in Chief
British Commonwealth Occupation Force

Incls : as above

n 638

ECON-1435

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

RELINQUISHMENT
RELEASE OF FORMER JAPANESE MILITARY AND NAVY INSTALLATIONS

PAGE 1 OF 1 PAGES

RECEIVED FROM: Maj. W.F. BRUCE HQ BCOF KURE HIROSHIMA
NAME OF OFFICER ORGANIZATION LOCATION PREFECTURE

DATE RECEIVED: 31 Aug 50 (PARTIAL) (FINAL) RELEASE
(DELETE ONE)

Relinquished to the custody of the Japanese Government for storage of Reparations equipment.

(READ INSTRUCTIONS ON BACK OF THIS FORM)

LOCATION	INSTALLATIONS		ESTIMATED VALUE IN YEN OBTAINED FROM MINISTRY OF FINANCE, BUREAU OF STATE PROPERTY
Map Number: 16	Portion of 1st District of Kure Navy Arsenal		
Scale: 1/2,000	Land	42,650 sq. ft.	Y 74,211
Coordinates: 1323-341	8 Bldgs	44,851.3sq. ft.	Y 1,491,283
BCOF Area: 2/8A	Equip: (Electric & water works etc)		
Kure-shi			Y 150,000

Remaining part after relinquishment:
Land 6,559,040 sq. ft.
Bldg. 2,666,716.9 sq. ft.

IMPROVEMENT VALUATION IN DOLLARS $ 42,599

DROPPED FROM PROPERTY RECORDS OF HQ BCOF BY R.A.J. HOSKING Capt Aug 50
ORGANIZATION ACCOUNTABLE OFFICER RANK DATE

REMARKS: HPL 1797 19 August 1950

CERTIFIED CORRECT EXCEPT AS NOTED INITIALED:

BY W.F. BRUCE Maj. HQ BCOF 31 Aug 50
RELEASING OFFICER ORGANIZATION DATE

BY Renzo Mori Construction Ministry 19 August 1950
JAPANESE REPRESENTATIVE AGENCY DATE
of Construction Ministry

OGA FORM 1 AS AMENDED

INCL NO. 1 TO OD 28/14 FOR 1945
HQ. 8TH ARMY 27 FEBRUARY 1947

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

NO DAMAGE CERTIFICATE

~~RELEASE OF~~ ~~RELINQUISHMENT OF AREA 2/8A~~

PLOT PLAN RES 700/31

It is certified that no damage has been caused by BCOF or the Occupation Force to the above real estate, as defined on referenced plot plan.

It is also certified that there are no outstanding claims or pre-emptions associated with this real estate.

31 Aug 50

HQ BCOF

R Mori
Japanese Representative

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

STATEMENT OF IMPROVEMENTS, REHABILITATION AND

STRUCTURAL ALTERATIONS ON Former Transit Camp Bldg (Area 2/8A)
(Name of Property)

1. (a) Estimated dollar value of improvements made through use of Empire Stocks :-

ITEM	QUANTITY	VALUATION (DOLLARS)
	NIL	

(b) Carried out under procurement demand covering that work only :-

P.D.No.	SUMMARY OR WORK	AMOUNT OF PROCURED IMPROVEMENTS IN SQUARE FEET (IF APPLICABLE)	VALUATION (DOLLARS)
HRSG 88	As per Annexure No.1 attached		10,280.00

(c) Carried out under a blanket P rocurement Demand :-

P.D.No.	SUMMARY OF WORK	AMOUNT OF PROCURED IMPROVEMENTS IN SQUARE FEET (IF APPLICABLE)	VALUATION (DOLLARS)
JPNO 480	As per Annexure No.2 attached		9,025.00

(d) Carried out by any other means (such as day labour. labour requisitions etc) :-

METHOD BY WHICH CARRIED OUT	SUMMARY OF WORK	AMOUNT OF IMPROVEMENTS IN SQ.FT. (IF APPLICABLE)	VALUATION (DOLLARS)
Day Labour	As per Annexure No 3 attached		23,294.00

(e) Carried out under authority of rehabilitation clauses of real estate directive by which the property was obtained :-

REAL ESTATE DIRECTIVE	SUMMARY OF WORK	AMOUNT OF PROCURED IMPROVEMENTS IN SQ. FT.(IF APPLICABLE)	VALUATION (DOLLARS)

Nil

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

2. The above valuations are based on enclosure 2 to EIGHTH Army Circular 53 of 2 Aug 48, Subject: "Construction Policy for JAPAN". as amended.

3. Estimate in dollars of reduction in value resulting from changes which decrease the original value of the property during its occupation by BCOF. :- *
~~US Forces~~

(a) Procured property (estimate based on the entire property and improvements thereon) $.....Nil.....

(b) Seized property (estimate based on the improvements only) $.....Nil.....

4. The value of the following stores shown on the Register of Assets has been included in the above costings :-

ITEM	QUANTITY	PD No. (IF KNOWN)
	See Annexure No.4	HRSG 88 JPNO 480

5. The following stores, shown on the Register of Assets, are ~~[illegible]~~ transferred with the property but their value has not been included in the above costings for the following reasons :-

ITEM	QUANTITY	REASON NOT COSTED
	See Annexure No.5	Seized Property

6. This statement does not include any reparations items. Reparations items are being dealt with separately.

Date .....29 Dec '49.....

.....W.U. BONES.....
(Signature of Engineer)
4 (Wks) Tp. BCOF Engr Regt

* NOTE: Delete whichever not applicable.

CERTIFIED TRUE COPY

.....Capt
(H.A.J. HOSKING)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

ANNEXURE NO.1

STATEMENT OF IMPROVEMENT, REHABILITATION
AND STRUCTURAL, ALTERATION
ON
FORMER TRANSIT CAMP BUILDING AREA 2/8A
CONSTRUCTION PERFORMED UNDER PD HRSG 88

Sheet 1 of 1

Serial No.	Description	Size	Quantity	Rate in U.S.	Cost $ in U.S.	Remarks
1	Installation of steam heating and hot water	-	-	-	8,008.00	Estimated completed 10.4.47. Harima Ship-building Coy.
2	Water supply extn and re-hab.	-	-	-	1,225.00	Estimated completed 31.12.46 Harima Ship-building Coy.
3	Boiler rehab.	-	-	-	1,047.00	Estimated completed 31.12.46 Harima ship-building Coy.
	Total				10,280.00.	

CERTIFIED TRUE COPY

.....Capt
(H.A.J. HOSKING)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

ANNEXURE NO.2

STATEMENT OF IMPROVEMENT, REHABILITATION
AND STRUCTURAL ALTERATION
ON
FORMER TRANSIT CAMP BUILDING AREA 2/8A
CONSTRUCTION PERFORMED UNDER JPNO 480

Sheet 1 of 1

Serial No.	Description	Size	No	Rate in U.S.	Cost in U.S.	Remarks
1	Electrical installation rehab.	-	-	-	9,025.00	Estimated completed March '48. Harima ship-building Coy.
	Total				9,025.00	

CERTIFIED TRUE COPY

.....Capt
(H.A.J. HOSKING)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

Annexure No.3

STATEMENT OF IMPROVEMENT, REHABILITATION
AND STRUCTURAL ALTERATION
ON
FORMER TRANSIT CAMP BUILDING AREA 2/8A
CONSTRUCTION PERFORMED UNDER DAY LABOUR

Sheet 1 of 1

Serial No.	DESCRIPTION	Size	Quantity	Rate US	Cost US	Remarks
1	Bldg. No.1 Offices Qtrs & Store Erection of partitions		4,800 sq ft	0.05	2,400.00	GHQ F.E.C. Cire 30 8 June '49
2	Bldg. No.2 Kitchen	12'x15' x16'	182 sq ft	6.00	1,092.00	as above.demolished
3	Bldg No.3 Courthouse	30'x58' x14'	1,752 sq ft	3.50	8,132.00	as above.
4	Bldg No.6 Store	10'x10'	100 sq ft	4.00	400.00	as above.
5	Bldg.No.7 Ablution	15'x32' x6'	489 sq ft	9.75	4,767.75	as above
6	Bldg No.8 Latrine	12'x37' x6'	451 sq ft	5.25	2,367.75	as above rehabilited
7	Bldg No.9 Shed	12'x32' x5'	390 sq ft	1.50	585.00	as above
8	Septic Tanks	10 per sons	1	600.00	600.00	Estimated
9	Septic Tank	100 per sons	2	1475.00	2,950.00	GHQ F.E.C. Cire 30 8 June '49
	TOTAL				23,294.50	

CERTIFIED TRUE COPY

.....Capt
(H.A.J. HOSKING)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

Annexure No.4

STATEMENT OF IMPROVEMENTS, REHABILITATION
AND STRUCTURAL ALTERATIONS
ON
FORMER TRANSIT CAMP BUILDING AREA 2/8A

INSTALLED STORES

Sheet 1 of 1

Serial No.	Description	Size	Origin	Qty	Remarks
1	Hydrants, fire		Jap Procured	3	P.D. not known
2	Lavatories, vitreous china w/bracket & fitting	22"x36" x24"	Jap Procured	5	4-HRSG 88 1-Day labour
3	Tubs, bath, enamel	48"x36" x24"	Jap Procured	2	1-HRSG 88 1-Day Labour
4	Bowls, pedestal WC, vitreous china		Jap Procured	6	HRSG 88
5	Tanks, high closet, with fitting	3 Gal	Jap Procured	5	3-HRSG 88 2-Day Labour
6	Heaters, water electric	40 Gal	Jap Procured	1	JPNO 480
7	Heaters, water coal	200 Gal	Jap Procured	1	HRSG 88
8	Heaters, steam	60 Gal	Jap Procured	1	HRSG 88
9	Bells, fire electric		Jap Procured	4	JPNO 480
10	Transformers single phase	5 KVA 210/105V	Jap Procured	2	No.705406 41838 JPNO 480

CERTIFIED TRUE COPY

.....Capt
(H.A.J. HOSKING)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

Annexure No.5

STATEMENTS OF IMPROVEMENTS, REHABILITATION
AND STRUCTURAL ALTERATIONS
ON
FORMER TRANSIT CAMP BUILDING AREA a/8A

INSTALLED STORES — SEIZED PROPERTY

Sheet 1 of 1

Serial No.	Description	Size	Origin	Qty	Remarks
1	Bowls, squat WC vitreous china		Jap seized	2	
2	Troughs ablution		Jap seized	3	
3	Troughs urinal		Jap seized	2	
4	Sinks double		Jap seized	1	
5	Transformers single phase	50KVA 210/105V	Jap seized	3	No 3354, 3355, 3356. serviceable
6	Transformers single phase	20KVA 210/105V	Jap seized	3	No 104175, 104176, 104177. serviceable
7	Taps		Jap seized	54	
8	Heads shower		Jap seized	13	
9	Hydrant boxes		Jap seized	3	
10	Bibcocks		Jap seized	2	

CERTIFIED TRUE COPY

.....Capt
(H.A.J. HOSKING)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

INSTALLED STORES IN TRANSIT CAMP
(AREA 2/8A) TO BE ~~TRANSFERRED~~ PUSHED

Serial No.	Description	Size	Origin	Qty	Remarks
1	Hydrants, fire		Jap Procured	3	P.D. not known
2	Lavatories, vitreous china w/brackets & fitting	22"x16"	Jap Procured	5	4-HRSG 88 1-Day labour
3	Tubs, bath, enamel	48"x36" x24"	Jap Procured	2	1-HRSG 88 1-Day Labour
4	Bowls, pedestal WC, vitreous china		Jap Procured	6	HRSG 88
5	Tanks, high closet, with fitting	3 Gal	Jap Procured	5	3-HRSG 88 2-Day Labour
6	Heaters, water electric	40 Gal	Jap Procured	1	JPNO 480
7	Heaters, Water coal	200 Gal	Jap Procured	1	HRSG 88
8	Heaters, steam	60 Gal	Jap Procured	~~4~~ 1	HRSG 88
9	Bells, fire electric		Jap Procured	4	JPNO 480
10	Transformers single phase	5KVA 210/105V	Jap Procured	2	No 705406 41838 JPNO 480
11	Bowls, squat WC vitreous china		Jap seized	2	
12	Troughs ablution		Jap Seized	3	
13	Troughs urinal		Jap Seized	2	
14	Sinks double		Jap Seized	1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Serial No.	Description	Size	Origin	Qty	Remarks
15	Transformers single phase	50 KVA 210/105V	Jap seized	3	No 3354,3355, 3356 serviceable
16	Transformers single phase	20 KVA 210/105V	Jap seized	3	No 104175, 104176, 104177. serviceable
17	Taps		Jap seized	54	
18	Heads shower		Jap seized	13	
19	Hydrant boxes		Jap seized	3	
20	Bibcocks		Jap seized	2	

CERTIFIED TRUE COPY

.....Capt
(H.A.J. HOSKING)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DOCUMENT FOR
RELEASE OF FORMER JAPANESE MILITARY AND NAVAL
PROPERTY - PORTION OF 1ST DISTRICT OF KURE NAVY ARSENAL
- HOOF AREA 2/8A -

19 August 1950

Kure Reparations Branch,
Chugoku Finance Bureau

(e) List of privately owned items:

Remarks:
Under the classified condition of machine it will be understood as follows:

1. Class 1. Good (Requires only maintenance)
2. Class 2. Good (But requires repairs)
3. Class 3. Unserviceable

K. Okahira
for KATSUTOSHI YAMASHITA
Chief of Kure Reparations Branch,
Chugoku Finance Bureau.

Bldg. No.	Code No.	Name of Machine	Name of Maker	Condition of machine	Specification
72	11-5(5)- 214EX	Bicycle	Hiroshima Sangyo	2	Dia 26"
"	- 215EX	"	"	2	"
"	-13017EX	Telephone exchange	Okidenki Tokyo	1	For 35 lines Size: L x W x H 600x400x1750mm
"	-13018EX	"	"	1	For 60 lines Size: L X W x H 1000x400x1700
"	-13019EX	"	"	1	"
"	-11331EX	Transit	Japan	2	Size: L x W x H 300x300x200mm
"	-11332EX	"	"	2	"
"	-11333EX	"	"	2	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



LOCALITY PLAN
REF MAP KURE JAPAN
SCALE 1 : 12500
MAP REF 541. 415

MA
SHOP

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ARMY CANTEENS SERVICE FORMER TRANSIT CAMP 2/8A

BLDG No	USE	FLOOR AREA sq ft.	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	OFFICE QTRS & STORE	40842	SPR	3SCT	
2	(DEMOLISHED OCT. 49)				
3	EX. COURT OFFICE	1752	SPN	1W11	EMPTY
4	GUARD HOUSE	230	SPU	1WPT	
5	LATRINE	759	SPU	1SCC	
6	STORE	100	SPN	1W11	
7	ABLUTION	489	SPN	1W11	
8	LATRINE	451	SPR	1WPT	
9	SHED	390	SPN	1W11	
10	POWER HOUSE	100	SPU	1SCC	
11	(DEMOLISHED OCT. 49)				
12	STORE (EX. POWER HOUSE)	130	SPU	1SCC	

BCOF BOD TENNIS COURTS 2/8B

BLDG No	USE	FLOOR AREA sq ft	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	REST HUT	168	SPN	1W11	

ARMY CANTEENS SERVICE OFFICES & WARE HOUSES 2/8C

BLDG No	USE	FLOOR AREA sq ft	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	WARE HOUSE	61824	SPR	1S11	
2	HQ CANTEEN BULK STOR	78086	SPR	3S11	
3	WORK SHOP	18522	SPR	S11	
4	POWER HOUSE	215	SPU	1SCC	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

No 2 DRY DOCK

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013





DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LOCALITY PLAN
REF MAP KURE JAPAN
SCALE 1 : 12,500
MAP REF 541. 415



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

12	STORE (EX. POWER HOUSE)	130	SPU	1SCC	

BCOF BOD TENNIS COURTS 2/8B

BLDG No	USE	FLOOR AREA sq ft	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	REST HUT	168	SPN	1W11	

ARMY CANTEENS SERVICE OFFICES & WARE HOUSES 2/8C

BLDG No	USE	FLOOR AREA sq ft	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	WARE HOUSE	61824	SPR	1S11	
2	HQ CANTEEN BULK STOR	78086	SPR	3S11	
3	WORK SHOP	18522	SPR	S11	
4	POWER HOUSE	215	SPU	1SCC	

ARMY CANTEENS SERVICE BILLETS, YMCA & ROYAL THEATRE 2/8D

BLDG No	USE	FLOOR AREA sq ft	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	YMCA & ROYAL THEATRE	29064	SPR	2S11	ONLY 1ST FLOOR USED AS YMCA
2	ARMY CANTEENS SERVICE BILLETS	57233	SPR	3SCT	
3	LATRINE (JAP.)	64	SPN	1W1	NO ROOF
4	STORE	252	SPN	1S11	
5	BOILER HOUSE (H.W.)	130	SPN	1WP1	
6	BOILER HOUSE	1967	SPU	1S11	

TYPE OF CONSTRUCTION

No OF STOREYS	FRAME	WALL	ROOF
1 OR 2 OR 3 ETC.	W - WOOD S - STEEL REINF CONCRETE BRICK	P - STUCCO OR WEATHE BOARD C - CONCRETE BRICK MASONRY I - SHEET IRON OR ASBESTOS CEMENT	T - TILE SHINGLE SLATE C - CONCRETE I - SHEET IRON OR ASBESTOS CEMENT

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



ARM

BLDG No
1
2
3
4

AR

BL No
1
2
3
4
5
6

No 370

PL
PL
PL
SA
SA
SA

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ARMY CANTEENS SERVICE OFFICES & WARE HOUSES 2/8C

BLDG No	USE	FLOOR AREA sq ft	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	WARE HOUSE	61824	SPR	1S11	
2	HQ CANTEEN BULK STOR	78086	SPR	3S11	
3	WORK SHOP	18522	SPR	S11	
4	POWER HOUSE	215	SPU	1SCC	

ARMY CANTEENS SERVICE BILLETS, YMCA & ROYAL THEATRE 2/8D

BLDG No	USE	FLOOR AREA sq ft	CLASS OF BLDG	TYPE OF CONST	REMARKS
1	YMCA & ROYAL THEATRE	29064	SPR	2S11	ONLY 1ST FLOOR USED AS YMCA
2	ARMY CANTEENS SERVICE BILLETS	57233	SPR	3SCT	
3	LATRINE (JAP.)	64	SPN	1W1	NO ROOF
4	STORE	252	SPN	1S11	
5	BOILER HOUSE (H.W.)	130	SPN	1WP1	
6	BOILER HOUSE	1967	SPU	1S11	

TYPE OF CONSTRUCTION

No OF STOREYS	FRAME	WALL	ROOF
1 OR 2 OR 3 ETC.	W - WOOD S - STEEL REINF CONCRETE BRICK	P - STUCCO OR WEATHE BOARD C - CONCRETE BRICK MASONRY I - SHEET IRON OR ASBESTOS CEMENT	T - TILE SHINGLE SLATE C - CONCRETE I - SHEET IRON OR ASBESTOS CEMENT

CLASSIFICATION OF BUILDINGS

PDN =	PROCURED REAL ESTATE	: NEW CONSTRUCTION
PDR =	" " "	: REHABILITATED
PDU. =	" " "	: UNIMPROVED
SPN =	SEIZED PROPERTY	: NEW CONSTRUCTION
SPR =	" "	: REHABILITATED
SPU =	" "	: UNIMPROVED

LIST OF SYMBOLS

---(6)---	WATER MAIN OR BRANCH WITH SIZE
---⊼---	CONTROL VALVE
---///---	ELECTRICAL HIGH TENSION

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PDR =	"	"	: REHABILITATED
PDU. =	"	"	: UNIMPROVED
SPN =	SEIZED	PROPERTY	: NEW CONSTRUCTION
SPR =	"	"	: REHABILITATED
SPU =	"	"	: UNIMPROVED

LIST OF SYMBOLS	
---6---	WATER MAIN OR BRANCH WITH SIZE
---⊥---	CONTROL VALVE
---///	ELECTRICAL HIGH TENSION
---//	ELECTRICAL LOW TENSION
///(2/5 K.V.A.)//	TRANSFORMER WITH SIZE
——·——·—	STEAM
—)——)—	SEWERAGE
- - - - - -	OPEN DRAIN
———	COVER DRAIN
◎----	FIRE HYDRANT

/////// INDICATE BOUNDARY USED BY BCOF (PART OF SEIZED AREA)

LAND AREA

CANTEEN SERVICE FORMER TRANSIT CAMP (2/8A), AREA = 42650 sq ft

BCOF BOD TENNIS COURTS (2/8B) ------ AREA = 44830 sq ft.

CANTEEN SERVICE OFFICES & WARE HOUSE (2/8C) ------ AREA = 18309 sq ft.

" " BILLETS, YMCA & ROYAL THEATER (2/8D) AREA = 86500. sq ft

100' 50' 0 100' 200' 300'

SCALE 1 in. = 60 ft.

DATE	AMENDMENT
12. OCT. 49	2 BLDGS 2/8A DEMOLISHED

HQ BCOF ENGINEER REGIMENT

PROPERTY RECORDS PLOT PLAN 2/8A 2/8B 2/8C 2/8D

SCALE	1 in. = 60 ft.	SHEET 1 OF 1 SHEET
DRG BY	SHINNAKA	
DATE	19. 8. 49	DRG No RES 700/31
TRACED BY	TOGAME	
CHECKED BY		
APPROVED BY		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

R =	"	"	: REHABILITATED
U =	"	"	: UNIMPROVED
N =	SEIZED	PROPERTY	: NEW CONSTRUCTION
R =	"	"	: REHABILITATED
U =	"	"	: UNIMPROVED

LIST OF SYMBOLS

(5) ----	WATER MAIN OR BRANCH WITH SIZE
S ----	CONTROL VALVE
H ----	ELECTRICAL HIGH TENSION
----	ELECTRICAL LOW TENSION
(75) K.V.A. H ----	TRANSFORMER WITH SIZE
----	STEAM
----	SEWERAGE
----	OPEN DRAIN
----	COVER DRAIN
----	FIRE HYDRANT

INDICATE BOUNDARY USED BY BCOF (PART OF SEIZED AREA)
REA

EN SERVICE FORMER TRANSIT CAMP (2/8A), BILLETS AREA = 42 650 sq ft

BOD TENNIS COURTS (2/8B) ------ AREA = 44830 sq ft
VICE OFFICES & WARE HOUSE (2/8C) ------- AREA = 183090 sq ft
BILLETS, YMCA & ROYAL THEATER (2/8D) AREA = 86500. sq ft



SCALE 1 in. = 60 ft.

DATE	AMENDMENT
12. OCT. 49	2 BLDGS 2/8A DEMOLISHED

HQ BCOF ENGINEER REGIMENT

PROPERTY RECORDS PLOT PLAN 2/8A 2/8B 2/8C 2/8D

SCALE	1 in. = 60 ft.	SHEET 1 OF 1 SHEET
DRG BY	SHINNAKA	
DATE	19. 8. 49	DRG No RES 700/31
TRACED BY	TOGAME	
CHECKED BY	[illegible]	
APPROVED BY		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 182

CCAR 386.3 (D-St) 23 August 1950

SUBJECT: Release of Real Estate - Area 3/2A Point Camp

TO : General Officer Commanding
British Commonwealth Occupation Forces
Kure, Japan

1. References:

a. Your letter, QG/169/12/Maint, subject as above, 18 August 1950.

b. Paragraph 3 b (5), Operational Directive Number 11, Civil Affairs Section, GHQ, SCAP, subject: "Industry" 10 April 1950.

2. The area referred to in reference letter is not available for release to the Japanese Government since it is designated for reparations and therefore is required for custody of the reparations items contained therein.

C. N. BAILEY
Colonel, Inf
Chief

SUBJECT FILE

RSS 11-5 sec VI R

Zmar 1566

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

HQ BCOF
QG/469.42/Maint
18 AUG 50.

Subject : RELEASE OF REAL ESTATE - REPARATIONS EQUIPMENT

HQ Chugoku Civil Affairs Region

1. A portion of BCOF real estate, (area 3/2A Point Camp), is in excess of requirements and is to be released to the Japanese Government.

2. The following items of reparations equipment are installed in the area ;

Serial	Rep No.	Item	Description
1.	11-5(198)28	POWER BOILER LANCASHIRE FIVE TUBE, HIROZONTAL RETURN TUBULAR	ORDINARY PRESS 8.45Kg/Cm2 HEATING SURFACE 74.6 M2 AREA OF FIRE BED 3.2 M2 VAPOUR VOLUME 54 Kg/h BCOF No. 19
2.	11-5(198)29	POWER BOILER LANCASHIRE FIVE TUBE, HIROZONTAL RETURN TUBULAR TYPE	As for Serial 1 BCOF No. 18.
3.	11-5(6)5569	GAS STORAGE TANK	CAPACITY 300 M3
4.	11-5(6)5577	BOOM HOIST	5 Ton
5.	11-5(6)5579	BOOM HOIST	10 Ton

3. It is assumed that the responsibility for the custody of this equipment will now be accepted by the Japanese Government.

(L. I. HOPTON) Major.
for Brigadier.
Principal Administrative Officer.

Internal Dist.
FA (for USAS)
Q (Accn)
Engrs - Your RE 102.02N/10305 of 7 Aug 50 refers. Request you ensure that receipts be obtained and that two (2) copies are forwarded to this headquarters.

Copy to file QG/469.4/Maint

AMP/sys

7633

Econ 1366

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BRITISH COMMONWEALTH OCCUPATION FORCE

HQ BCOF
QG/469.42/Maint
18 AUG 50.

Subject : RELEASE OF REAL ESTATE - REPARATIONS EQUIPMENT
HQ Chugoku Civil Affairs Region

1. A portion of BCOF real estate, (area 3/2A Point Camp), is in excess of requirements and is to be released to the Japanese Government.

2. The following items of reparations equipment are installed in the area ;

Serial	Rep No.	Item	Description
1.	11-5(198)28	POWER BOILER LANCASHIRE FIVE TUBE, HIROZONTAL RETURN TUBULAR	ORDINARY PRESS 8.45Kg/Cm2 HEATING SURFACE 74.6 M2 AREA OF FIRE BED 3.2 M2 VAPOUR VOLUME 54 Kg/h BCOF No. 19
2.	11-5(198)29	POWER BOILER LANCASHIRE FIVE TUBE, HIROZONTAL RETURN TUBULAR TYPE	As for Serial 1 BCOF No. 18.
3.	11-5(6)5569	GAS STORAGE TANK	CAPACITY 300 M3
4.	11-5(6)5577	BOOM HOIST	5 Ton
5.	11-5(6)5579	BOOM HOIST	10 Ton

3. It is assumed that the responsibility for the custody of this equipment will now be accepted by the Japanese Government.

(L. I. HOPTON) Major.
for Brigadier.
Principal Administrative Officer.

Internal Dist.
FA (for USAS)
Q (Accn)
Engrs - Your RE 102.02N/10305 of 7 Aug 50 refers. Request you ensure that receipts be obtained and that two (2) copies are forwarded to this headquarters.

Copy to file QG/469.4/Maint

AMP/sys

Encl 1366

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

11-5(5)
Sec VI A

HIROSHIMA PREFECTURAL LIAISON OFFICE

Serial No. HPL-1729 Kure City

1 Feb. 1950

SUBJECT: Petition for the release of the Former Military Property

TO : ~~BCOF HQ (Accon & Proc.)~~
Chief, Chugoku Civil Affairs Region

We hereby cordially petition for the release of the former Military Property as named below;

(1) FORMER MILITARY PROPERTY:

Part of 1st District of Kure Navy Arsenal

(2) RELEASED TO:

(3) USE:

Besides the existing operation of the Amagasaki Seitetsu K.K. the following peace-time industry is proposed for invitation.
Warehouse & Manufacture of Mining & canning machinery by Foreign capital.
Rolling mill & warehouses by Japanese capital.

FOR THE PREFECTURAL GOVERNOR

Renzo Mori
Chief of
Hiroshima Prefectural
Liaison Office

4524

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

APPLICATION FOR RELEASE OF FORMER MILITARY INSTALLATIONS

1. LOCATION OF THE PROPERTY IN TERMS OF MAP NUMBER, MAP SCALE, AND MILITARY GRID COORDINATES AND THE CHOME — CHO — KU ADDRESS, IF KNOWN:
Location: As per attached sheet No. 1
Site: Kure-shi
Map Number: 1729

2. ACREAGE: Land 10,655,714 sq. ft. ¥ 18,568,132.00
Remaining part after release: 6,683,560 sq. ft.

3. NUMBER AND TYPE OF BUILDINGS:
179 Bldgs 3,467,145 sq. ft. ¥ 85,264,845.00
Equip: 1 set (Electricity arrangement, water works, etc.) ¥ 17,052,970.00
Remaining part after release: 1,691,355 sq. ft.
As per attached sheet No. 3

4. GENERAL DESCRIPTION OF THE WHOLE INSTALLATIONS:
As per attached sheet No. 2
Former Installation: Part of 1 st District of Kure Navy Arsenal

5. PROPOSED USE:

Besides the existing operation of the Amagasaki Seitetsu K.K. the following peace-time industry is proposed for invitation
Warehouse & Manufacture of Mining & canning machinery by foreign capital.
Rolling mill & warehouses by Japanese capital.

6. RECOMMENDATIONS:

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Location Map

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Location Map

No. 1



(Attached sheet No. 3)

Total bldgs area: 179 bldgs covering 3,467,145 sq. ft

Page: 1-A-1 - 1-A-11:

Amagasaki Seitetsu K.K. Area

150 bldgs covering 3,077,628.3 sq. ft.

Page: 1-M-1 - 1-M-3:

Mizuno Area

29 Bldgs covering 389,516.7 sq. ft.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDINGS LIST

Remarks: ( ): Indicate total floor Area

Plant: Amagaski Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	tsubo
214	Main entrance guard box of Amagasaki Plant	Steel framed flat	142.3	4
215	Latrine	-ditto-	106.7	3
216	Guard box of Finance Office for Amagasaki & Mizuno Area	-ditto-	160.1	4.5
227	Torpedo Inspection shop	Bricks, flat, tile-roofing	10,851.9	305
228	Foundry office of steel Dept.	Steel framed, bricks, 3-storied	8,396.8 (25,190.6)	236 (708)
229	Foundry	Steel framed, flat	94,642.8	2,660
230	Transformer Tower	Bricks, flat	71.1	2
231	Piping shop	-ditto-	6,439.9	181
232	West-side guard box	Wooden, flat	213.4	6
233	Secondary battery Plant	Steel-framed, flat	4,411.9	124
234	Laboratory for above	Concrete, 2-storied	5,052.3 (10,104.6)	142 (284)
235	Transformer tower	Bricks, flat	160.1	4.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	Acreage tsubo
236	Inspection shop	Steel-framed 2-storied	8,076.6 (24,229.9)	227 (681)
237	Tool Shop	Steel-framed, flat	34,761.6	977
238	Shell shop	-ditto-	28,962.1	814
239	Design shop	Bricks, 2-storied	2,134.8 (4,269.6)	60 (120)
240	-Ditto-	Steel-framed 3-storied	2,988.7 (8,966.16)	84 (252)
241	Office of Cannons Dept.	Steel-framed 2-storied	8,539.2 (17,078.6)	240 (480)
242	Transformer Tower	Bricks, flat	142.3	4
243	-Ditto-	-ditto-	249.0	7
244	Latrine	Wooden, flat	106.7	3
245	No.6 Sub-station	Steel-framed, bricks	1,067.4	30
246	Shell painting shop	Steel-framed, flat	6,439.9	181
247	Shell shop	-ditto-	59,560.9	1,674
248	Warehouse	-ditto-	1,280.8	36

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	Acreage tsubo
249	Yard for foundry	Steel-framed	9,642.1	271
250	Sand mixing shop	Steel-framed, bricks	1,707.8	48
251	Latrine	Wooden, flat	284.6	8
252	Power room	Bricks, flat	1,707.8	48
253	Drying room	Steel-concrete, flat	320.2	9
254	Cartridge Shop	Steel-framed, flat	30,314.1	852
255	Forging shop	-ditto-	57,461.7	1,615
256	No.2 Boiler house	-ditto-	5,372.5	151
257	Latrine	Wooden, flat	160.1	4.5
258	Lumber drying room	Bricks, flat	106.7	3
259	Transformer tower	-ditto-	71.1	2
260	Mould shop	Bricks, 2-storied	7,649.7 (15,299.4)	215 (430)
261	Guard - box	Wooden, flat	106.7	3
262	Gun turret, plating & piping, gun barrel machining shop	Steel-framed flat	436,388.7	12,265

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	Acreage tsubo
263	Guard-box	Wooden, flat	213.4	6
264	No.1 Boiler room	Steel-framed, flat	3,451.2	97
265	Guard boc	Wooden, flat	42.6	1.2
266	Latrine	-ditto-	213.4	6
267	Shell age plant	Steel-framed, flat	18,786.2	528
268	Gun mounting shop	-ditto-	155,733.6	4,377
269	Warehouse	Steel-framed 3-storied	21,098.9 (63,296.8)	593 (1,779)
270	Precision ordance shop	Steel-framed, flat	64,684.4	1,818
271	Transformer tower	Bricks, flat	142.3	4
272	Warehouse	-ditto-	355.8	10
273	Ingot forging shop	Steel-framed flat	130,116.0	3,657
274	Gas furnace for above	-ditto-	7,969,9	224
275	Yard for above	-ditto-	20,458.5	575

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	Acreage tsubo
276	No.3 Boiler house	Steel-framed, Bricks	6,439.9	181
277	Boiler house for steel ingot forging	-ditto-	18,110.2	509
278	Gas furnace for above	-ditto-	1,280.8	36
279	Power house for above	-ditto-	213.4	6
280	Guard box	Wooden, flat	106.7	3
281	Pump room	-ditto-	640.4	18
282	Water tank	Concrete, flat	1,440.9	40.5
283	Guard box	Wooden, flat	106.7	3
284	Latrine	-ditto-	213.4	6
285	Transformer tower	Bricks, flat	213.4	6
286	Plate machining shop	Steel-framed, flat	90,515.5	2,544
287	Shell hardening shop	Steel-framed, bricks	21,561.4	606
288	No.3 Shell shop	Steel-framed, 2-storied	48,068.5 (96,137.2)	1,351 (2,702)
289	Repair shop	Steel-framed, flat	50,274.5	1,413

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

BUILDING LIST

Plant : Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage S q. ft.	Acreage tsubo
290	Office of steel Dept.	Steel-concrete 2-storied	16,153.3 (18,572.7)	454 (522)
291	Latrine	Wooden, flat	160.1	4.5
292	Transformer tower	Bricks, flat	106.7	3
293	Gas furnace plant	Steel-framed, flat	9,962.4	280
294.	-Ditto-	-ditto-	3,558.3	100
295	Plate forging shop	Steel-framed, flat	172,918.8	4,860
296	Boiler house for above	-ditto-	11,527.9	324
297	Yard	-ditto-	44,830.8	1,260
298	No.1 Plating shop	Steel-framed, bricks, flat	105,814.9	29,74
299	Plate finishing shop	Steel-framed, flat	4,305.1	121
300	Boiler house	-ditto-	11,527.9	324
301	Elec. furnace shop	-ditto-	6,404.4	180
302	Gas furnace shop	-ditto-	6,119.7	172
303	Heat surveying shop	Steel-concrete, flat	320.2	9
304	Heat furnace	Steel-framed, flat	871.7	24.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	tsubo
305	Yard	Steel-framed, flat	1,067.0	30
306	Heating furnace	-ditto-	5,372.0	151
307	Repair shop	Steel-framed, 2-storied	7,792.0 (15,584)	219 (638)
308	Gas furnace shop	Steel-framed, flat	3,522.4	99
309	Sand blast shop	-ditto-	8,325.7	234
310	Cast steel shop	-ditto-	32,911.5	925
311	Open hearth shop	-ditto-	54,757.6	1,539
312	-Ditto-	-ditto-	51,199.6	1,439
313	Latrine	Wooden, flat	71.1	2
314	No. 10 Sub-station	steel-framed, 2 - storied	1,672.2 (3,344.5)	47 (94)
315	Latrine	Wooden, flat	160.1	4.5
316	-Ditto-	-ditto-	53.3	1.5
317	Steel analyze shop	Steel-framed, bricks	2,134.0	60
318	Office of steel Laboratory	Steel-framed, 2-storied	15,014.7 (30,029.5)	422 (844)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	Acreage tsubo
319	Repair shop	Steel-framed, flat	18,181.3	511
320	Wood shop	-ditto-	17,932.3	504
321	Forging shop	-ditto-	12,275.1	345
322	No.2 Open hearth shop	Steel-framed, 2-storied	23,909.7 (34,583.7)	672 (972)
323	Gas producting shop for above	-ditto-	5337.0 (10,674.0)	150 (300)
324	Torpedo Laboratory	Steel-framed, flat	5,906.2	166
325	Riping shop for above	-ditto-	1,067.4	30
326	Torpedo Laboratory	-ditto-	5,906.2	166
327	Office for torpedo Laboratory	Steel-concrete 2-storied	10,211.4 (20,422.9)	287 (574)
328	Latrine	Wooden, flat	160.1	4.5
329	Transformer tower	Bricks, flat	355.8	10
330	Guard box	Wooden, flat	106.7	3
331	Boiler house	Steel-frmaed, bricks	1,387.6	39
332	Transformer tower	Bricks, flat	106.7	3
333	Torpedo trimming shop	Steel-framed, flat	72,796.6	2,046

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	Acreage tsubo
334	Latrine	Wooden, flat	160.7	4.5
335	Torpedo shop	Steel-framed, flat	101,118.3	2,842
336	Warehouse	Bricks, flat	160.7	4.5
337	Latrine	Wooden, flat	160.7	4.5
338	Transformer tower	Bricks, flat	284.6	8
339	Warehouse	Wooden, flat	7,009.2	197
340	No.2 shell shop	Steel-fraed, flat	26,400.3	742
341	Work shop of steel Laboratory	Steel-frmed, bricks	1,067.4 (2,134.8)	30 (60)
342	Gun Barrels hardening shop	Steel-framed, flat	36,647.4	1,030
343	No.7 Sub-station	Steel-concete, 2-storied	10,069.1 (20,138.2)	283 (566)
344	Guard box	Wooden, flat	284.6	8
345	Gun Barrel rough Machining shop	Steel-frad , flat	117,520.7	3,303
346	Gun Bareel machining shop	-ditto-	151,997.7	4,272
347	Latrine	Wooden, flat	160.7	4.5

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acreage Sq. ft.	Acreage tsubo
348	No.3 Open hearth Shop	Steel-framed, 2-storied	57,070.3 (85,605.6)	1,604 (2,406)
349	Gas producting room	-ditto-	9,997.9 (19,995.9)	281 (562)
350	Boiler room for above	Steel-framed, flat	2,241.5	63
351	Office for No.5 Warehouse	Wooden, flat	106.7	3
352	No.5 Watehouse	Steel-framed, flat	3,202.2	90
353	Weighing Room	Wooden, flat	53.3	1.5
354	Latrine	-ditto-	213.4	6
355	Transfomer Tower	Bricks, flat	213.4	6
356	Oil storage of No.5 Warehouse	-ditto-	1,067.0	30
357	Paper mill	Steel-framed, flat	14,765.7 (15,477.3)	415 (638)
358	Scrap centre	Steel-framed, 2-storied	1,814.5 (3,627.0)	51 (102)
359	Coal Mfg. Plant	Steel-framed, flat	2,988.7	84
360	Storehouse for above	Wooden, flat	426.9	12

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDING LIST

Plant: Amagasaki Seitetsu K.K.

Bldg. No.	Former Status	Type of Bldg.	Acereage Sq. ft.	Acereage tsubo
361	Mess-room & Warehous	Steel-framed, flat Partially 2-storied	1,707.8 (2,349.6)	48 (70)
362	Storehouse of Coal	Wooden, flat	966.2	28
363	Latrine	-ditto-	160.7	4.5
364	Oil Storage	Bricks, flat	53.3	1.5
365	Oil Refinery	Steel-framed, flat	5,123.5	144
366	Scrap centre	-ditto-	1,779.0	50
367	Salt Mfg. Plat	-ditto-	2,561.7	72
368	Guard box	Wooden, flat	106.7	3
369	Metal melting shop	Steel-framed, flat	4,056.1	114
370	No.1 Storehouse of Medicines	-ditto-	533.0	15
371	No.2 ditto	-ditto-	533.0	15
372	Waiting room	Wooden, flat	213.4	6
373	Guard box	-ditto-	890.0	25
	Total No. of Bldg.	150	2,818,868.5 (~~3,086,926.2~~) (3,077,628.3)	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BUILDINGS LIST

Plant : Mizuno Area

Bldg. No.	Former Status	Type of Bldg.	Acreage sq.ft.		Tsubo	
181	Electric drawing shop	Brick two storied	13,235	(26,470)	372	(744)
183	Electric outdoor work shop	ditto	11,528	(23,056)	324	(648)
184	W. C.	Wooden flat	177.9	(177.9)	5	(5)
185	Unknown	Wooden flat	177.9	(177.9)	5	(5)
193	Electric Department Office	ditto	3,736	(7,472)	105	(210)
194	Large type Electric Construction shop	Steel framed flat	12,453	(12,453)	350	(350)
197	First Electric Machine shop	Ditto	28,393	(28,393)	798	(798)
198	Second Electric machine shop	ditto	8,966	(8,966)	252	(252)
199	Electric Operation Office	Steel framed two storied	10,282	(20,601)	289	(579)
200	Electric Wood Working shop	Steel framed flat t	3,522	(3,522)	99	(99)
201	Forging shop	Bricks flat	9,499	(9,499)	267	(267)
202	Unknown	Wooden flat	142.3	(142.3)	4	(4)
203	First Laboratory	Bricks, two storied	8,112	(16,224)	228	(456)

Bldg. No.	Former Status	Type of Bldg.	Acreage sq.ft.		Tsubo	
204	Electric Precision shop	Steel framed flat	7,258	(7,258)	204	(204)
205	Unknown	Wooden flat	1,138.5	(1,138.5)	32	(32)
~~206~~	~~In door Athletic room~~	~~Wooden flat~~	~~2,739.6~~	~~(2,739.~~	~~77~~	
207	Electric Coil shop	ditto	3,344	(3,344)	94	(94)
208	Second Torpedo Tube shop	Brick flat	31,133	(31,133)	875	(875)
210	Torpedo tool shop	Steel framed flat	8,570	(8,570)	240	(240)
211	Torpedo Finishing shop	Steel framed two storied storied	8,568	(17,136)	240	(480)
212	Torpedo Machine shop	Steel framed flat Partially two storied	56,643	(64,435)	1,592	(1,811)
213	Wood shop for torpedo	Steel framed flat	1,992	(1,992)	56	(56)
217	Torpedo finishing shop	Steel framed, brick siding flat	37,032	(37,032)	1,040	(1,040)

1-M-2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Former Status	Type of Bldg.	Acreage sq.ft.	Tsubo
220	Torpedo Tube shop	Steal framed flat	38,142 (38,142)	1,072 (1,072)
221	Voyage Arms shop	None	85.7 (85.7)	2.4 (2.4)
222	"	None	11,029.8 (11,029.8)	310 (310)
223	Chemical testing shop	Steel concrete two storied	5,337 (10,708)	150 (301)
224	Transformer room	Brick flat	145.2 (145.2)	4 (4)
225	Pump room	ditto	106.7 (106.7)	3 (3)
226	"	ditto	106.7 (106.7)	3 (3)

Total No. of Bldg. 29 320,855.7 (389,516.7)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Total land area in square feet:	10,655,714
Amagasaki area:	9,970,585
Mizuno area :	685,129

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SE

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SEA

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TOTAL AREA OF LAND 17,339,274. SQ. FT. (487,332 Tubo)
TOTAL AREA OF BUILDING [illegible] SQ. FT. (144,185 Tubo)

EX-NAVY AND ARMY PROPERTY	NO. OF BUILDING	FLOOR AREA OF BUILDING	SQ. FT. (Tubo)
PROPERTY CONSTRUCTED ANEW BY OCCUPATION FORCES	NO. OF BUILDING	FLOOR AREA OF BUILDING	SQ. FT. (Tubo)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LEGEND

Area covered with hatches indicates area previously released.

Area now requested for release

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013