

始



0 1 2 3 4 5 6 7 8 9 1 2 3 4

中央氣象臺月報

大正七年三月

全國氣象表

MONTHLY REPORT

OF THE

CENTRAL METEOROLOGICAL OBSERVATORY

OF JAPAN.

METEOROLOGICAL

OBSERVATIONS IN JAPAN

in the month of

MARCH, 1918.

PUBLISHED BY THE CENTRAL METEOROLOGICAL OBSERVATORY,

TÔKYÔ.

1918.



## 凡 例

本編ハ大正七年三月中本臺及各測候所ニ於ケル氣象觀測ノ成績ヲ編纂シタルモノナリ

觀測ノ時刻方法等ハ全國皆一定ノ式ニ據ル而シテ其要點ヲ擧ゲレバ

觀測時ハ中央標準時即チ東經百三十五度(臺灣及滿洲ニ於ケル分ハ西部標準時即チ東經百二十度)ノ地ノ平時ニ據リ夜半ヲ日界トスル二十四時制ヲ用フ但シ日照時數ハ真太陽時ニ據ル

氣壓ハ耗ヲ以テ示シ特ニ明記スルモノ、外ハ晴雨計示度ニ施スニ單ニ溫度ノ更正ノミヲ以テシ海面上高サノ更正及重力ノ更正ハ施サズ但シ其更正數ハ本表ノ欄外ニ掲グ

溫度ハ攝氏ノ度ニ據ル但シ氷點以下ノ度ハ負數ヲ用ヒズ百ヨリ其度ヲ減ジ其餘數ヲ以テ之ヲ示ス即チ氷點以下一度ハ九十九度氷點以下五度ハ九十五度ト記スルガ如シ

或ル觀測時ニ於ケル風速ハ其觀測時前二十分間ノ平均風速ヲ以テ之ヲ示ス

平均雲量ニ未滿ナル日ヲ快晴トシ八以上ナル日ヲ曇天トス

風ノ速度一秒時間十米以上ヲ觀測シタル日ヲ暴風日トス

## INTRODUCTION.

The present volume contains the meteorological observations made at the central meteorological observatory and all the stations in Japan during the month of March, 1918.

All observations and computations have been conducted uniformly throughout the empire, according to the instructions given by the central meteorological observatory. Among the instructions, the following are in particular to be noted.

*Hours of Observations.*—The Central Standard Time (civil mean time of the meridian 135° E.) is adopted in all localities, except in Taiwan and Manchuria, where the Western S. T. i. e. civil mean time of the meridian 120° E. is followed. For Sunshine duration the apparent solar time is used.

*Pressure.*—The barometric readings in millimetres are reduced only to freezing point, unless otherwise stated; the corrections to sea level and to standard gravity are given at the bottom of the respective pages.

*Temperature.*—The degrees are given in Centigrade; those below zero are shown by adding 100, to avoid the minus sign thus 99° for -1°, 95° for -5°, etc.

*Velocity of the Wind.*—As the velocity at any time is given the mean for the preceding 20 minutes.

*Clear and Cloudy Days.*—The mean amount of cloud for a clear day is less than 2 exclusive, and for a cloudy day is more than 8 inclusive.

*Days with Gales.*—As such are counted the days on which the maximum velocity reaches or exceeds 10 metres per second.



現象記號

ILLUSTRATION OF SYMBOLS

(1) 萬國共通記號 *International symbols*

雨	●	Rain	霜	⌒	Hoar frost	日暈	⊕	Solar halo
雪	✱	Snow	露	♁	Dew	日光環	⊙	Solar corona
電雷	⌒	Thunder storm	露水	∨	Silver thaw	月暈	⊕	Lunar halo
雷聲	⌒	Thunder without lightning	雨水	~	Glazed frost	月光環	⊙	Lunar corona
電光	<	Lightning without thunder	吹雪	+	Snow drift	虹	∩	Rainbow
霰	△	Graupel	細冰	←	Ice crystals	極光	☄	Aurora
雹	▲	Hail	積雪	⊗	Snow lying	烟霧	∞	Haze
霧	≡	Mist, fog	暴風	↙	Gales	黃道光	♌	Zodiacal light

(2) 其他記號 *Other symbols*

凍雨	⊖	Frozen rain	卷雲	C	Cirrus	層積雲	SK	Strato-cumulus
霜柱	⌒	Ice column in ground	卷層雲	CS	Cirro-stratus	亂雲	N	Nimbus
海鳴	≡	Oceanic noise	卷積雲	CK	Cirro-cumulus	積雲	K	Cumulus
波狀雲	~	Undulated cloud	積卷雲	KC	Alto-cumulus	積亂雲	KN	Cumulo-nimbus
地雪	○	Faithquake	層卷雲	SC	Alto-stratus	層雲	S	Stratus



測候所 LIST OF

大正七年三月

Table with columns: 地名 (Locality), 頁 (Page), 北緯 (N. Lat.), 東經 (E. Long.), 海面上ノ高さ (Height above Sea Level), 地上ノ高さ (Height above Ground), 長 (Director), 創立年號 (Year of Commencement). Includes entries for 恒春, 臺南, 臺中, etc.

\*一等測候所 Stations making hourly observations.

一覽表 STATIONS

MARCH, 1918

Table with columns: 地名 (Locality), 頁 (Page), 北緯 (N. Lat.), 東經 (E. Long.), 海面上ノ高さ (Height above Sea Level), 地上ノ高さ (Height above Ground), 長 (Director), 創立年號 (Year of Commencement). Includes entries for 前橋, 東京, 神戶, etc.



大正七年三月 SUMMARY FOR

氣象一覽表大 MARCH, 1918

Table with columns: 地名 (Locality), 氣壓 (Air Pressure), 氣溫 (Air Temperature), 濕度 (Humidity), 雲量 (Amount of Cloud), 日照時數 (No. of Hours with Sunshine). Rows include locations like Kōsuyū, Taitō, Tainan, etc.

Table with columns: 降水量 (Amount of Precipitation), 風速度 (Wind Velocity), 天氣日數 (Number of Days with). Rows include precipitation totals, wind directions, and weather conditions like Clear, Cloudy, Sunless, etc.



大正七年三月 SUMMARY FOR

Table with columns for Locality, Air Pressure, Air Temperature (Mean, Normal, Max, Min, Range, Abs. Max, Abs. Min), Wind Force, Humidity, Cloud Amount, and Sunshine (Total, %).

氣象一覽表大 MARCH, 1918.

Table with columns for Precipitation (Total, Normal, Max, Day), Wind Velocity (Mean, Max, Dir, Day), and Number of Days with various weather conditions (Clear, Cloudy, Sunless, Wind, etc.) and Air Temperature (Min, Mean, Max).



大正七年三月 SUMMARY FOR

Table with columns: 地名 (Locality), 各風向觀測回数 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回数 (Resultant Freq. %). Rows include various Japanese cities like Kōsuyun, Taiō, Tainan, etc.

氣象一覽表 MARCH, 1918.

Table with columns: 地名 (Locality), 各風向觀測回数 (Frequency of Wind from), 平均方向 (Resultant Direction), 平均方向ニ對スル回数 (Resultant Freq. %). Rows include various Japanese cities like Maebasi, Kumagaya, Tsubasani, etc.







大正七年三月

臺北

TAIHOKU.

MARCH, 1918.

日 Day	1 <sup>a</sup>	2 <sup>a</sup>	3 <sup>a</sup>	4 <sup>a</sup>	5 <sup>a</sup>	6 <sup>a</sup>	7 <sup>a</sup>	8 <sup>a</sup>	9 <sup>a</sup>	10 <sup>a</sup>	11 <sup>a</sup>	12 <sup>a</sup>	13 <sup>a</sup>	14 <sup>a</sup>	15 <sup>a</sup>	16 <sup>a</sup>	17 <sup>a</sup>	18 <sup>a</sup>	19 <sup>a</sup>	20 <sup>a</sup>	21 <sup>a</sup>	22 <sup>a</sup>	23 <sup>a</sup>	24 <sup>a</sup>	平均 Mean	
氣 壓 * (毫米)																										
AIR PRESSURE. (mm)																										
(700 mm +)																										
1	66.7	66.6	66.7	66.9	67.1	67.4	67.7	68.3	68.9	68.8	68.6	68.4	67.9	67.4	67.8	68.8	69.3	70.2	70.8	71.1	71.5	71.5	71.5	71.0	68.79	
2	70.9	70.5	70.5	70.6	70.7	71.2	71.7	71.8	72.0	71.4	70.9	70.2	69.5	69.4	69.7	69.7	70.0	70.1	70.2	70.6	70.9	71.0	70.7	70.2	70.60	
3	70.0	69.7	69.5	69.0	68.9	69.0	68.9	69.3	69.5	69.4	69.0	68.1	67.4	67.3	67.4	67.5	67.7	68.0	68.1	68.8	69.0	68.7	68.4	67.8	68.60	
4	67.4	66.9	66.9	66.9	67.0	67.2	67.4	67.7	67.9	67.9	67.3	66.0	65.1	64.8	64.9	65.2	65.7	66.0	66.7	67.3	67.4	67.3	67.3	67.3	66.71	
5	66.9	66.3	65.9	65.7	65.9	66.3	66.7	66.7	66.7	66.4	65.9	65.0	64.3	63.7	63.7	64.0	64.5	64.6	64.6	65.3	65.6	65.7	65.9	65.9	65.51	
6	65.7	65.5	65.3	65.5	66.1	66.5	66.8	67.0	67.4	67.5	67.0	65.9	65.3	64.9	65.0	65.3	65.9	66.2	66.5	66.9	67.1	67.2	67.2	67.3	66.29	
7	67.0	66.7	66.5	66.3	66.6	67.0	67.5	67.8	67.8	67.4	66.8	65.8	64.8	64.0	63.5	63.5	63.8	64.1	64.5	64.7	64.8	65.1	65.0	65.0	65.60	
8	64.5	64.3	64.0	63.9	64.1	64.3	64.5	64.7	64.8	64.6	64.0	63.5	62.8	62.4	61.8	61.6	61.8	62.4	63.0	63.7	63.8	64.1	64.0	63.8	63.59	
9	63.4	62.7	62.2	61.8	61.9	62.2	62.6	62.9	63.0	63.1	62.7	62.3	61.6	60.8	60.4	60.4	60.7	61.1	61.4	61.7	62.0	62.3	62.2	62.1	61.98	
10	62.1	61.7	61.7	61.9	62.6	63.0	64.0	64.6	65.3	65.1	65.8	65.5	65.8	65.5	65.8	65.9	66.6	66.9	67.5	68.2	68.4	68.4	68.0	65.28		
11	67.9	67.6	67.1	67.0	67.3	67.5	67.8	68.5	69.0	69.2	68.7	68.5	67.8	67.2	66.9	67.0	67.4	67.4	67.4	67.6	67.7	67.6	67.4	67.1	67.69	
12	66.6	66.5	66.7	66.5	66.5	66.7	66.4	66.7	66.9	66.8	66.2	65.5	65.2	64.6	64.4	64.4	64.5	64.7	65.2	65.6	65.9	65.7	64.9	64.9	65.58	
13	64.6	64.2	63.7	63.5	63.8	64.2	64.6	64.8	64.9	64.6	64.2	63.6	63.1	62.6	62.7	62.9	63.2	64.0	64.4	64.9	65.1	65.4	65.7	65.8	64.19	
14	65.8	65.4	65.2	65.3	65.5	65.6	65.9	66.5	67.0	67.0	67.1	66.6	66.1	65.7	65.5	65.7	65.5	65.9	66.3	66.5	66.9	67.0	66.8	66.4	66.14	
15	66.6	66.0	65.8	65.6	65.8	65.9	66.2	66.6	66.9	67.1	66.8	66.3	66.0	65.5	65.6	65.6	66.0	66.5	66.9	67.0	67.3	67.3	67.2	67.1	66.39	
16	66.8	66.6	66.3	66.0	66.2	66.5	66.7	66.9	66.8	66.7	66.4	65.7	64.9	64.4	63.9	63.9	64.0	64.5	64.8	64.9	65.2	65.1	64.8	64.7	65.53	
17	64.4	64.2	64.1	64.1	64.1	64.2	64.7	64.7	64.9	65.0	64.7	64.2	63.8	63.3	63.1	63.3	63.2	63.5	63.7	64.0	64.4	64.7	64.8	64.7	64.16	
18	64.6	64.5	64.3	64.1	64.4	64.6	64.9	65.4	65.3	65.2	64.9	64.1	63.3	62.4	62.1	62.2	62.4	62.8	63.0	63.2	63.7	63.5	63.7	63.5	63.83	
19	63.0	62.6	62.2	62.1	62.4	62.8	63.1	63.5	63.5	63.2	62.6	62.0	61.5	60.5	60.2	59.9	60.0	60.2	60.8	61.1	61.6	61.9	61.7	61.3	61.82	
20	61.0	60.8	60.3	60.0	60.4	60.7	61.2	61.6	61.9	62.0	62.1	61.5	61.2	61.1	61.2	61.6	62.0	62.3	62.2	62.3	62.7	62.6	62.1	61.53		
21	61.6	61.1	60.2	60.2	60.2	60.7	61.3	61.8	62.6	62.6	61.9	61.7	61.7	61.1	60.7	61.1	61.6	62.1	62.5	62.8	63.1	63.0	63.3	63.3	61.76	
22	63.4	63.1	62.8	63.0	63.4	64.1	64.7	65.2	65.3	65.1	64.8	64.2	63.6	63.0	62.5	62.1	62.1	62.3	62.3	62.3	62.3	62.2	61.5	61.1	63.18	
23	60.8	60.4	59.9	59.8	60.0	60.5	60.8	60.3	59.8	59.4	59.0	57.8	57.7	56.4	56.1	56.6	57.0	57.3	57.2	57.5	55.9	57.2	56.2	58.53		
24	55.1	54.8	54.9	55.7	55.5	55.3	55.5	56.0	56.3	56.5	55.9	55.3	54.3	53.7	53.7	53.7	53.7	54.2	54.7	54.0	53.9	54.5	54.4	54.1	54.82	
25	54.0	53.2	53.0	53.4	53.8	54.4	54.5	54.3	54.8	54.8	54.3	53.8	53.2	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.8	52.86	
26	61.9	62.3	61.9	62.0	62.4	63.0	63.8	64.3	64.4	64.6	64.5	64.3	64.1	64.0	64.0	63.9	64.2	64.4	64.6	64.8	65.1	65.3	65.5	65.5	63.95	
27	65.3	65.3	65.3	65.4	65.7	66.0	66.8	66.2	66.8	66.2	65.8	65.7	65.2	64.8	64.2	63.9	63.8	63.7	63.8	64.2	64.3	64.4	64.0	63.5	64.93	
28	63.2	62.9	62.8	62.5	62.7	63.0	63.3	63.3	63.2	63.0	62.6	61.9	61.4	60.9	60.7	60.8	60.9	61.1	61.6	62.0	62.3	63.0	62.3	62.2	62.25	
29	62.1	62.0	61.4	61.0	60.8	60.7	61.2	61.7	62.2	62.6	62.6	62.5	62.5	62.6	62.6	63.0	63.6	63.6	63.5	64.1	65.1	65.4	65.5	65.1	62.81	
30	65.1	65.1	64.9	65.2	65.4	65.8	66.3	66.5	66.5	66.5	66.2	65.5	64.8	64.3	64.3	64.1	64.3	64.5	65.0	65.5	65.8	65.8	65.8	65.2	65.28	
31	65.4	65.3	64.8	64.8	65.2	65.5	65.8	66.0	65.7	65.6	65.1	64.6	64.0	63.5	63.2	63.4	63.8	64.1	64.8	65.3	65.6	65.2	65.0	65.3	64.88	
平均 Mean	64.32	64.08	63.74	63.70	63.90	64.18	64.62	64.99	65.19	65.11	64.80	64.31	63.75	63.31	63.12	63.22	63.45	63.76	64.04	64.37	64.72	64.75	64.76	64.53	64.19	

氣 温 (攝氏)																										
AIR TEMPERATURE. (°C)																										
1	13.3	13.1	13.2	13.3	13.3	13.3	13.1	13.2	15.8	16.2	16.5	14.5	13.6	14.9	13.4	13.2	12.8	11.8	11.0	10.3	10.1	9.9	9.9	10.1	12.91	
2	10.3	10.6	10.6	10.6	10.3	10.3	10.5	11.1	11.4	13.4	14.7	15.3	16.2	15.7	14.7	14.3	13.4	12.8	12.7	12.9	13.1	13.2	13.1	13.2	12.68	
3	13.7	14.3	14.4	14.3	13.8	13.8	14.4	17.6	20.0	22.6	23.6	23.8	21.8	21.1	19.6	18.1	16.7	16.2	15.2	14.4	14.2	14.4	14.4	14.4	16.95	
4	14.4	14.4	14.2	14.0	13.8	13.9	14.2	15.1	15.8	16.9	18.0	18.5	20.5	22.1	23.7	23.1	21.7	18.2	15.7	14.3	14.2	14.1	14.3	14.2	16.64	
5	14.3	14.7	14.9	15.4	15.6	15.8	16.4	18.4	20.0	21.3	22.6	23.9	25.2	25.7	25.6	23.9	19.5	17.7	16.8	16.2	15.6	15.7	15.8	15.9	18.62	
6	16.0	16.0	15.6	15.4	15.0	15.0	15.1	15.7	16.5	18.3	19.8	21.2	23.0	21.2	20.1	18.5	17.6	17.0	16.4	16.7	16.7	16.6	16.4	16.3	17.34	
7	16.2	15.8	15.9	15.8	16.0	15.9	16.1	17.0	18.1	20.5	20.7	21.3	21.6	21.6	21.5	21.0	20.3	18.7	18.0	18.1	17.8	17.9	17.1	17.0	18.33	
8	16.8	16.6	16.3	16.4	16.0	16.0	16.4	17.0	17.0	18.6	19.7	20.7	21.4	22.5	23.2	24.1	21.7	19.4	17.2	16.3	15.9	15.6	15.4	15.4	18.15	
9	15.6	15.6	15.4	15.5	15.8	16.0	16.5	17.3	19.2	21.9	23.7	24.9	25.3	25.3	25.5	22.7	22.9	20.9	19.7	18.7	18.2	17.4	17.6	17.8	19.56	
10	18.0	18.0	17.8	17.6	17.4	17.4	17.6	17.9	17.5	19.0	17.5	16.4	16.2	16.0	15.6	15.0	14.0	13.3	12.8	12.7	12.4	12.3	12.3	12.7	15.73	
11	13.2	12.8	13.0	13.2	13.5	13.6	13.4	13.8	14.1	14.2	14.0	14.9	15.0	15.3	15.5	15.3	14.6	14.2	13.8	13.9	14.0	14.0	14.3	14.4	14.08	
12	14.5	14.6	14.6	14.5	14.6	14.8	15.0	15.6	16.3	16.9	18.0	17.7	17.6	17.6	17.4	17.0	16.6	15.6	15.5	15.4	15.2	14.5	14.6	15.1	15.80	
13	15.4	15.5	15.6	15.7	15.8	15.7	15.6	16.4	18.1	19.2	20.5	21.8	22.3	21.1	19.7	18.1	17.0	16.0	15.8	15.8	15.4	15.0	14.4	13.8	17.07	
14	13.4	13.5	13.0	12.8	12.8	12.8	12.7	12.9	13.1	13.2	13.2	13.6	13.7	13.4	13.0	12.8	12.3	12.2	12.2	12.1	12.1	12.0	11.7	11.4	12.75	
15	11.3	11.3	11.1	10.9	10.8	10.6	10.6	10.9	11.5	12.2	13.0	13.4	12.9	14.7	13.9	15.9	13.9	12.2	11.0	10.0	9.3	8.6	8.0	7.4	11.44	
16	7.4	7.0	6.2	5.8	5.5	4.8	5.5	9.5	13.9	16.6	18.1	18.7	19.4	19.4	19.3	18.0	16.0	14.1	12.7	11.5	11.0	10.4	9.7	8.5	12.04	
17	8.9	7.8	6.8	6.6	6.0	5.6	7.0	10.5	15.1	18.8	21.7	22.9	24.3	24.0	23.6	23.0	21.5	19.0	15.8	15.0	13.5	13.2	11.9	12.2	14.78	
18	11.8	10.7																								



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and average values, with numerical data.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average values, with numerical data.

氣溫ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day, with numerical data.



臺北

TAIHOKU.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes precipitation amounts for each day and a total of 122.3 mm.

濕度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 濕度 (百分率) RELATIVE HUMIDITY. (%). Data shows relative humidity percentages for each day, with an average of 88.5%.

那霸

NAHA.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Data includes air pressure readings for each day, with an average of 1013.8 mm.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row (Average). Title: 氣溫 (攝氏) AIR TEMPERATURE. (°C). Data shows air temperature in degrees Celsius for each day, with an average of 16.6°C.

電力ノ更正 Reduction to standard gravity ..... - 1.21
海面ノ更正 Reduction to mean sea level ..... + 0.94



大正七年三月

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind direction (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amount (1-12). Includes a summary row for '平均' (Average) at the bottom.

大正七年三月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and temperature extremes (最高, 最低, 較差). Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and a summary row for '平均' (Average) at the bottom.



那覇

NAHA.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-24) and 1 row for precipitation (降水量). Includes a 'Total' column and a 'Mean' row at the bottom.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

Table with 25 columns (Day 1-24) and 1 row for relative humidity (湿度). Includes a 'Mean' row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

鹿児島

KAGOSIMA.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-24) and 1 row for air pressure (氣壓). Includes a 'Mean' row at the bottom.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

Table with 25 columns (Day 1-24) and 1 row for air temperature (氣温). Includes a 'Mean' row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

重力ノ更正 Reduction to standard gravity ..... - 0.39
海面ノ更正 Reduction to mean sea level ..... + 0.50



鹿兒島 KAGOSIMA.

大正七年三月

MARCH, 1918.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a summary row for '平均' (Average) at the bottom.

鹿兒島 KAGOSIMA.

大正七年三月

MARCH, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with columns for wind velocities (15-24) and summary statistics (平均, 最高, 最低, 範圍). Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and summary statistics (平均). Includes a summary row for '平均' (Average) at the bottom.



鹿兒島

KAGOSIMA

MARCH, 1918.

大正七年三月

Table of precipitation data for Kagosima, March 1918. Columns include days 1-31 and total. Rows show daily precipitation amounts in mm.

降水量 (mm) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Kagosima, March 1918. Columns include days 1-31 and average. Rows show daily humidity percentages.

熊本

KUMAMOTO

MARCH, 1918.

大正七年三月

Table of air pressure data for Kumamoto, March 1918. Columns include days 1-31 and average. Rows show daily air pressure in mm.

氣壓 (mm) AIR PRESSURE. (mm) (700 mm +)

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Kumamoto, March 1918. Columns include days 1-31 and average. Rows show daily air temperature in degrees Celsius.

重力ノ更正 Reduction to standard gravity ..... - 0.81
海面へノ更正 Reduction to mean sea level ..... + 3.62



熊本 KUMAMOTO.

大正七年三月

MARCH, 1918.

Table with columns for Day, Direction (1-14), and Velocity (1-14). Includes a summary row for Mean and Max/Min values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day and cloud amount (1-12). Includes a summary row for Mean and Max/Min values.

熊本 KUMAMOTO.

大正七年三月

MARCH, 1918.

Table with columns for Day, Velocity (15-24), Mean, and Extremes of Air Temp. (Max, Min, Range). Includes a summary row for Mean and Max/Min values.

及雲形 FORMS OF CLOUD.

Table with columns for Day and cloud forms (13-24). Includes a summary row for Mean and Max/Min values.



熊本 KUMAMOTO.

MARCH, 1918.

大正七年三月

Table of precipitation data for Kumamoto, March 1918. Columns include days (1-31) and total precipitation (Total). Rows show daily precipitation amounts in mm.

降水量 (mm) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Kumamoto, March 1918. Columns include days (1-31) and average humidity (平均 Mean). Rows show daily relative humidity percentages.

長崎 NAGASAKI.

MARCH, 1918.

大正七年三月

Table of air pressure data for Nagasaki, March 1918. Columns include days (1-31) and average air pressure (平均 Mean). Rows show daily air pressure in mm at 700 mm +.

氣壓 (mm) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Nagasaki, March 1918. Columns include days (1-31) and average temperature (平均 Mean). Rows show daily air temperature in degrees Celsius.

重力ノ更正 Reduction to standard gravity ..... - 0.83 海面ノ更正 Reduction to mean sea level ..... +12.19



風ノ方向 DIRECTION AND

Table of wind directions and velocities for Nagasaki in March 1918. Columns include Day, 1st-14th, and Average. Rows list wind direction and velocity in m/sec.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Nagasaki in March 1918. Columns include Day, 1st-12th, and Average. Rows list cloud amount and type.

及速度 (米/秒) VELOCITY OF WIND.

Table of wind velocities for Nagasaki in March 1918. Columns include 15th-24th, Average, and Daily Mean. Rows list wind velocity in m/sec.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Nagasaki in March 1918. Columns include 13th-24th, Average, and Daily Mean. Rows list cloud form and amount.

氣温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Nagasaki in March 1918. Columns include Day, Highest, Lowest, Range, and Daily Mean.



長崎 NAGASAKI.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a 'Mean' column on the right.

福岡 HUKUOKA.

大正七年三月

MARCH, 1918.

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Includes a 'Mean' column on the right.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 25 rows (Day 1-25). Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Includes a 'Mean' column on the right.

重力ノ更正 Reduction to standard gravity..... - 0.76 海面ノ更正 Reduction to mean sea level..... + 0.50



風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing wind direction and velocity data. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14) showing cloud amount data. Includes a '平均' (Average) row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 15-28) and 14 rows (Day 15-28) showing wind velocity data. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 15-28) and 14 rows (Day 15-28) showing cloud forms data. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (Max, Min, Range, Day) and 14 rows (Day 1-14) showing extreme air temperature data.



福岡 HUKUOKA.

大正七年三月

MARCH, 1918.

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes sub-headers for '降水量 (耗)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 5.2.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for humidity data. Includes sub-headers for '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 61 to 100.

下關 SIMONOSEKI.

大正七年三月

MARCH, 1918.

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes sub-headers for '氣壓 (耗)' and 'AIR PRESSURE. (mm)'. Data values range from 60.92 to 63.95.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes sub-headers for '氣温 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 3.8 to 12.2.

重力ノ更正 Reduction to standard gravity ..... - 0.75
海面へノ更正 Reduction to mean sea level ..... + 4.42



大正七年三月

下關 SIMONOSEKI.

MARCH, 1918.

風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31). Columns contain wind direction and velocity data. Includes a '平均' (Average) row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31). Columns contain cloud amount data. Includes a '平均' (Average) row at the bottom.

大正七年三月

下關 SIMONOSEKI.

MARCH, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 14 columns (Day 15-28) and 31 rows (Day 15-31). Columns contain wind velocity data. Includes a '平均' (Average) row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 13-26) and 31 rows (Day 13-31). Columns contain cloud form data. Includes a '平均' (Average) row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max, 最低 Min, 較差 Range, 日 Day) and 31 rows (Day 1-31). Contains temperature extremes data.



下關 SIMONOSEKI.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row for precipitation (降水量). Includes a 'Total' column. Values range from 0.0 to 3.3 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity. Values range from 69 to 99%.

廣島 HIROSIMA.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row for air pressure (氣壓). Values range from 99.8 to 101.4 mm.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature. Values range from 4.8 to 11.4°C.

重力ノ更正 Reduction to standard gravity ..... - 0.72 海面ノ更正 Reduction to mean sea level ..... + 0.30



廣島 HIROSIMA.

大正七年三月

MARCH, 1918.

Table with columns for Day (1-31) and wind direction (1-14). Includes a summary row for '平均' (Average) at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amount (1-12). Includes a summary row for '平均' (Average) at the bottom.

廣島 HIROSIMA.

大正七年三月

MARCH, 1918.

Table with columns for Day (1-31) and wind velocity (15-24). Includes a summary row for '平均' (Average) at the bottom.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-31) and cloud forms (13-24). Includes a summary row for '平均' (Average) at the bottom.



廣島

HIROSIMA.

MARCH, 1918.

大正七年三月

Table of precipitation data for Hiroshima, March 1918. Columns include day, hours 1-24, and total (mm). Rows show daily precipitation amounts.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Hiroshima, March 1918. Columns include day, hours 1-24, and mean. Rows show hourly humidity percentages.

松山

MATUYAMA.

MARCH, 1918.

大正七年三月

Table of air pressure data for Matuyama, March 1918. Columns include day, hours 1-24, and mean. Rows show hourly air pressure in mm.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Matuyama, March 1918. Columns include day, hours 1-24, and mean. Rows show hourly air temperature in degrees Celsius.

重力ノ更正 Reduction to standard gravity ..... - 0.75 海面ノ更正 Reduction to mean sea level ..... + 2.99



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and average mean (平均時間平均) for 24 hours.

氣温ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day (1-31).

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average mean (平均).



松山 MATUYAMA.

MARCH, 1918.

大正七年三月

Table of precipitation data for Matuyama, March 1918. Columns include days 1-31 and total. Rows show daily precipitation in mm and monthly totals.

湿度 (百分率)

RELATIVE HUMIDITY. (%)

Table of relative humidity data for Matuyama, March 1918. Columns include days 1-31 and average. Rows show daily humidity percentages and monthly averages.

多度津 TADOTU.

MARCH, 1918.

大正七年三月

Table of air pressure data for Tadotsu, March 1918. Columns include days 1-31 and average. Rows show daily air pressure in mm and monthly averages.

氣温 (攝氏)

AIR TEMPERATURE. (°C)

Table of air temperature data for Tadotsu, March 1918. Columns include days 1-31 and average. Rows show daily air temperature in degrees Celsius and monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.72
海面ノ更正 Reduction to mean sea level ..... + 0.49



風ノ方向 DIRECTION AND

Table with 14 columns (1-14) and 31 rows (Day 1-31) showing wind direction and velocity data. Includes a '平均 Mean' row at the bottom.

雲量 (0-10) AMOUNT (0-10) AND

Table with 12 columns (1-12) and 31 rows (Day 1-31) showing cloud amount data. Includes a '平均 Mean' row at the bottom.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing wind velocity data. Includes a '平均 Mean' row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 24 columns (15-24) and 31 rows (Day 1-31) showing cloud forms data. Includes a '平均 Mean' row at the bottom.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 日 Day) and 31 rows (Day 1-31) showing temperature extremes.



多度津 TADOTU.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes precipitation amounts for each day and a total of 84.8 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row (Mean). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes relative humidity values for each day and a mean of 76.5%.

徳島 TOKUSIMA.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row (Mean). Title: 気圧 (耗) AIR PRESSURE. (mm). Data includes air pressure values for each day and a mean of 763.5 mm.

气温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row (Mean). Title: 气温 (攝氏) AIR TEMPERATURE. (°C). Data includes temperature values for each day and a mean of 11.5°C.

重力ノ更正 Reduction to standard gravity.....- 0.73 海面ノ更正 Reduction to mean sea level.....+ 0.36



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values representing wind speed and direction.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values representing cloud cover.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-31) and wind velocities (15-24) with numerical values representing wind speed in m/sec.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-31) and cloud forms (13-24) with numerical values representing cloud types.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-31) and temperature extremes (最高 Max., 最低 Min., 較差 Range) with numerical values.



徳島 TOKUSIMA.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 26 rows (Day 1-31). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 26 rows (Day 1-31). Title: 湿度 (百分率) RELATIVE HUMIDITY (%). Includes a 'Mean' column on the right.

神戸 KÔBE.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 26 rows (Day 1-31). Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Includes a 'Mean' column on the right.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 26 rows (Day 1-31). Title: 氣温 (攝氏) AIR TEMPERATURE (°C). Includes a 'Mean' column on the right.

重力ノ更正 Reduction to standard gravity..... - 0.70
海面ノ更正 Reduction to mean sea level..... + 5.41



風ノ方向 DIRECTION AND

Table of wind directions and velocities for Kobe, March 1918. Columns include Day, 15°-14° directions, and Mean. Rows show hourly data from 1 to 31.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Kobe, March 1918. Columns include Day, 15°-12° directions, and Mean. Rows show hourly data from 1 to 31.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Kobe, March 1918. Columns include 15°-24° directions, Mean, and Mean for 24h. Rows show hourly data from 1 to 31.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Kobe, March 1918. Columns include 13°-24° directions, and Mean. Rows show hourly data from 1 to 31.

極端ノ氣温 Extremes of Air Temp.

Table of extreme air temperatures for Kobe, March 1918. Columns include Day, Max, Min, Range, and Mean. Rows show daily data from 1 to 31.



神戸 KÖBE.

大正七年三月

MARCH, 1918.

Table with 25 columns (Day 1-24) and 1 row for precipitation (降水量). Includes a 'Total' column and a 'Mean' column. Values range from 0.0 to 3.5 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-24) and 1 row for relative humidity. Values range from 60.6 to 88.8%.

大阪 OOSAKA.

大正七年三月

MARCH, 1918.

Table with 25 columns (Day 1-24) and 1 row for air pressure (氣壓). Includes a 'Total' column and a 'Mean' column. Values range from 62.2 to 78.8 mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-24) and 1 row for air temperature. Values range from 1.4 to 10.8 °C.

重力ノ更正 Reduction to standard gravity ..... - 0.70
海面へノ更正 Reduction to mean sea level ..... + 0.28



大正七年三月

大阪 OOSAKA.

MARCH, 1918.

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14). Includes a summary row for '平均' (Average).

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12). Includes a summary row for '平均' (Average).

大正七年三月

大阪 OOSAKA.

MARCH, 1918.

及速度 (\* / 秒) VELOCITY (m/sec) OF WIND

Table with columns for wind velocity (15-24) and average velocity. Includes a summary row for '平均' (Average).

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average cloud form. Includes a summary row for '平均' (Average).

氣温ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day (1-31). Includes a summary row for '平均' (Average).



大阪 OOSAKA

MARCH, 1918.

大正七年三月

Table of precipitation data for Osaka, March 1918. Columns include days 1-24, total precipitation, and monthly sum. Values are in mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Osaka, March 1918. Columns include days 1-31 and monthly mean. Values are in percent.

京都 KYOTO

MARCH, 1918.

大正七年三月

Table of air pressure data for Kyoto, March 1918. Columns include days 1-24, total air pressure, and monthly sum. Values are in mm.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Kyoto, March 1918. Columns include days 1-31 and monthly mean. Values are in degrees Celsius.

電力ノ更正 Reduction to standard gravity ..... - 0.67
海面ノ更正 Reduction to mean sea level ..... + 4.00



風ノ方向 DIRECTION AND

Table with 15 columns (Day 1-15) and 14 rows (1-15) showing wind direction and velocity data for Kyoto in March 1918.

雲量(0-10) AMOUNT (0-10) AND

Table with 15 columns (Day 1-15) and 14 rows (1-15) showing cloud amount data for Kyoto in March 1918.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table with 15 columns (Day 1-15) and 14 rows (1-15) showing wind velocity data for Kyoto in March 1918.

及雲形 FORMS OF CLOUD.

Table with 15 columns (Day 1-15) and 14 rows (1-15) showing cloud form data for Kyoto in March 1918.

Table with 4 columns (Max, Min, Range, Day) and 14 rows showing temperature extremes for Kyoto in March 1918.



京都 KYŌTO

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Includes sub-headers for '降水量 (耗)' and 'AMOUNT OF PRECIPITATION. (mm)'. Data values range from 0.0 to 7.5.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for relative humidity data. Includes sub-headers for '湿度 (百分率)' and 'RELATIVE HUMIDITY. (%)'. Data values range from 70.3 to 99.9.

名古屋 NAGOYA

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Includes sub-headers for '氣壓 (耗)' and 'AIR PRESSURE. (mm)'. Data values range from 63.31 to 66.8.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Includes sub-headers for '氣温 (攝氏)' and 'AIR TEMPERATURE. (°C)'. Data values range from 4.45 to 13.3.

重力ノ更正 Reduction to standard gravity.....- 0.67 海面へノ更正 Reduction to mean sea level.....+ 1.41



風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14). Columns represent wind direction (NW, N, NE, E, SE, S, SW, W, NW) and rows represent wind velocity (m/sec) for each day.

雲量 (0-10) AMOUNT (0-10) AND

Table with 14 columns (Day 1-14) and 14 rows (Day 1-14). Columns represent cloud amount (0-10) and rows represent cloud type (c, sk, cs, etc.) for each day.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 15-28) and 14 rows (Day 15-28). Columns represent wind direction (NW, N, NE, E, SE, S, SW, W, NW) and rows represent wind velocity (m/sec) for each day.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 15-28) and 14 rows (Day 15-28). Columns represent cloud amount (0-10) and rows represent cloud type (c, sk, cs, etc.) for each day.

氣温ノ極 Extremes of Air Temp.

Table with 14 columns (Day 15-28) and 14 rows (Day 15-28). Columns represent temperature extremes (Max, Min, Range) and rows represent daily temperature data.



名古屋 NAGOYA.

大正七年三月

MARCH, 1918.

Table with 25 columns (Day 1-25) and 1 row (Total). Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Data includes precipitation amounts for each day and a total of 135.0 mm.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row (Mean). Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Data includes relative humidity percentages for each day and a mean of 74.1%.

東京 TOKYO.

大正七年三月

MARCH, 1918.

Table with 25 columns (Day 1-25) and 1 row (Mean). Title: 氣壓 (耗) AIR PRESSURE. (mm). Data includes air pressure readings for each day and a mean of 761.56 mm.

氣溫 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row (Mean). Title: 氣溫 (攝氏) AIR TEMPERATURE. (°C). Data includes temperature readings for each day and a mean of 12.15°C.

重力ノ更正 Reduction to standard gravity ..... - 0.63
海面へノ更正 Reduction to mean sea level ..... + 1.97



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15-24) and average mean, with numerical values.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and average mean, with numerical values.

氣温ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day, with numerical values.



東京 TOKYO.

MARCH, 1918.

大正七年三月

Table of precipitation data for Tokyo, March 1918. Columns: Day (1-31), Precipitation (mm), Total (mm). Includes a summary row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Tokyo, March 1918. Columns: Day (1-31), Humidity (%), Mean (%).

銚子 TYOSI.

MARCH, 1918.

大正七年三月

Table of air pressure and air temperature data for Tyosi, March 1918. Columns: Day (1-31), Air Pressure (mm), Air Temperature (°C), Mean.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Tyosi, March 1918. Columns: Day (1-31), Air Temperature (°C), Mean.

重力ノ更正 Reduction to standard gravity ..... - 0.63
海面へノ更正 Reduction to mean sea level ..... + 1.81



大正七年三月

風ノ方向 DIRECTION AND

Table of wind directions and velocities for March 1918 at Työsi. Columns include Day, 1st-14th hour, and Mean. Rows list wind direction and velocity in m/sec.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for March 1918 at Työsi. Columns include Day, 1st-12th hour, and Mean. Rows list cloud amount and type.

大正七年三月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for March 1918 at Työsi. Columns include 15th-24th hour, Mean, and Extremes of Air Temp. Rows list wind velocity and temperature extremes.

及雲形 FORMS OF CLOUD.

Table of cloud forms for March 1918 at Työsi. Columns include 13th-24th hour, Mean, and Extremes of Air Temp. Rows list cloud form and temperature extremes.



銚子 TYOSI

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 column (Total). Rows include precipitation amounts in mm and relative humidity percentages.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-25) and 1 column (Mean). Rows show relative humidity percentages for each day and a final mean row.

水戸 MITO

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 column (Mean). Rows include air pressure in mm and air temperature in degrees Celsius.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-25) and 1 column (Mean). Rows show air temperature in degrees Celsius for each day and a final mean row.

重力ノ更正 Reduction to standard gravity ..... - 0.59
海面ノ更正 Reduction to mean sea level ..... + 2.90



風ノ方向  
DIRECTION AND

Table with columns for Day (1-31) and wind directions (1°-14°) with corresponding velocity values.

雲量 (0-10)  
AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1°-12°) with corresponding cloud type codes.

及速度 (米/秒)  
VELOCITY (m/sec) OF WIND.

Table with columns for wind velocity (15°-24°) and average values (Mean, Max, Min, Range).

及雲形  
FORMS OF CLOUD.

Table with columns for cloud forms (13°-24°) and average values (Mean, Max, Min, Range).



水戸  
MITO.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row for precipitation data. Title: 降水量 (耗) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column at the end.

湿度 (百分率)  
RELATIVE HUMIDITY. (%)

Table with 25 columns (Day 1-25) and 1 row for humidity data. Title: 湿度 (百分率) RELATIVE HUMIDITY. (%). Includes a '平均 Mean' column at the end.

前橋

MAEBASI.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-25) and 1 row for air pressure data. Title: 氣壓 (耗) AIR PRESSURE. (mm) (700 mm +). Includes a '平均 Mean' column at the end.

氣温 (攝氏)  
AIR TEMPERATURE. (°C)

Table with 25 columns (Day 1-25) and 1 row for air temperature data. Title: 氣温 (攝氏) AIR TEMPERATURE. (°C). Includes a '平均 Mean' column at the end.

重力ノ更正 Reduction to standard gravity ..... - 0.59  
海面ノ更正 Reduction to mean sea level ..... +10.47



前橋 MAEBASI.

大正七年三月

MARCH, 1918.

風ノ方向 DIRECTION AND

Table with 15 columns (Day 1-15) and 14 rows (1-14) showing wind direction and speed data for Maebashi.

雲量 (0-10) AMOUNT (0-10) AND

Table with 15 columns (Day 1-15) and 14 rows (1-14) showing cloud amount data for Maebashi.

前橋 MAEBASI.

大正七年三月

MARCH, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND

Table with 15 columns (Day 1-15) and 14 rows (1-14) showing wind velocity data for Maebashi.

及雲形 FORMS OF CLOUD.

Table with 15 columns (Day 1-15) and 14 rows (1-14) showing cloud forms data for Maebashi.

氣温ノ極 Extremes of Air Temp.

Table with 4 columns (最高 Max, 最低 Min, 較差 Range, 日 Day) and 31 rows showing temperature extremes for Maebashi.



前橋 MAEBASI.

MARCH, 1918.

大正七年三月

Table with 31 columns (Day 1-31) and 24 rows (Precipitation in mm). Includes a 'Total' column and a 'Mean' column at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 31 columns (Day 1-31) and 24 rows (Relative Humidity in %). Includes a 'Mean' column at the bottom.

筑波山 TUKUBASAN.

MARCH, 1918.

大正七年三月

Table with 31 columns (Day 1-31) and 24 rows (Air Pressure in mm). Includes a 'Mean' column at the bottom.

气温 (攝氏) AIR TEMPERATURE. (°C)

Table with 31 columns (Day 1-31) and 24 rows (Air Temperature in °C). Includes a 'Mean' column at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.66
海面へノ更正 Reduction to mean sea level ..... +77.62



筑波山 TUKUBASAN.

MARCH, 1918.

大正七年三月

風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with corresponding velocity values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with corresponding cloud type codes.

筑波山 TUKUBASAN.

MARCH, 1918

大正七年三月

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for wind directions (15-24) and velocity values, including a sub-table for Mean and Range.

氣温ノ極 Extremes of Air Temp.

Table with columns for Max, Min, Range, and Day, showing temperature extremes.

及雲形 FORMS OF CLOUD.

Table with columns for cloud forms (13-24) and corresponding cloud type codes.



筑波山 TUKUBASAN.

MARCH, 1918.

大正七年三月

Table with 25 columns (Day 1-24) and 10 rows (1-31). Title: 降水量 (mm) AMOUNT OF PRECIPITATION. (mm). Includes a 'Total' column on the right.

湿度 (百分率) RELATIVE HUMIDITY (%)

Table with 25 columns (Day 1-24) and 10 rows (1-31). Title: 湿度 (百分率) RELATIVE HUMIDITY (%). Includes a 'Mean' column on the right.

新潟 NIIGATA.

大正七年三月

NIIGATA.

MARCH, 1918.

Table with 25 columns (Day 1-24) and 10 rows (1-31). Title: 氣壓 (mm) AIR PRESSURE. (mm). Includes a 'Mean' column on the right.

氣温 (攝氏) AIR TEMPERATURE (°C)

Table with 25 columns (Day 1-24) and 10 rows (1-31). Title: 氣温 (攝氏) AIR TEMPERATURE (°C). Includes a 'Mean' column on the right.

重力ノ更正 Reduction to standard gravity ..... - 0.48
海面へノ更正 Reduction to mean sea level ..... + 2.40



風ノ方向 DIRECTION AND

Table with 14 columns (Day 1-14) and 31 rows (Day 1-31) showing wind direction and velocity data. Includes a '平均 Mean' row at the bottom.

雲量(0-10) AMOUNT (0-10) AND

Table with 12 columns (Day 1-12) and 31 rows (Day 1-31) showing cloud amount data. Includes a '平均 Mean' row at the bottom.

及速度(米/秒) VELOCITY (m/sec) OF WIND.

Table with 14 columns (Day 15-28) and 31 rows (Day 15-31) showing wind velocity data. Includes a '平均 Mean' row at the bottom.

及雲形 FORMS OF CLOUD.

Table with 14 columns (Day 13-26) and 31 rows (Day 13-31) showing cloud forms data. Includes a '平均 Mean' row at the bottom.

Table with 4 columns (最高 Max., 最低 Min., 較差 Range, 平均 Mean) and 31 rows (Day 1-31) showing extremes of air temperature.



新潟 NIIGATA.

MARCH, 1918.

大正七年三月

Table with 25 columns for days (1-25) and Total. Rows show precipitation amounts in mm. Includes a '合計' (Total) row at the bottom.

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table with 25 columns for days (1-25) and Mean. Rows show relative humidity percentages. Includes a '平均' (Mean) row at the bottom.

函館 HAKODATE.

MARCH, 1918.

大正七年三月

Table with 25 columns for days (1-25) and Mean. Rows show air pressure in mm (700 mm +). Includes a '平均' (Mean) row at the bottom.

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table with 25 columns for days (1-25) and Mean. Rows show air temperature in degrees Celsius. Includes a '平均' (Mean) row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.22
海面ノ更正 Reduction to mean sea level ..... + 0.38



風ノ方向 DIRECTION AND

Table with columns for Day (1-31) and wind directions (1-14) with numerical values.

雲量 (0-10) AMOUNT (0-10) AND

Table with columns for Day (1-31) and cloud amounts (1-12) with numerical values.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table with columns for Day (1-31) and wind velocities (15-24) with numerical values.

及雲形 FORMS OF CLOUD.

Table with columns for Day (1-31) and cloud forms (13-24) with numerical values.

氣温ノ極 Extremes of Air Temp.

Table with columns for Day (1-31) and temperature extremes (Max, Min, Range, Mean) with numerical values.



函館 HAKODATE.

MARCH, 1918.

大正七年三月

Table of precipitation data for Hakodate, March 1918. Columns include day (日), hours (1-24), and total (Total). Rows show precipitation amounts in mm for each hour and daily totals.

降水量 (耗) AMOUNT OF PRECIPITATION. (mm)

湿度 (百分率) RELATIVE HUMIDITY. (%)

Table of relative humidity data for Hakodate, March 1918. Columns include day (日), hours (1-24), and total (Total). Rows show humidity percentages for each hour and daily averages.

札幌 SAPPORO.

MARCH, 1918.

大正七年三月

Table of air pressure data for Sapporo, March 1918. Columns include day (日), hours (1-24), and total (平均 Mean). Rows show air pressure in mm for each hour and daily averages.

氣壓 (耗) AIR PRESSURE. (mm) (700 mm +)

氣温 (攝氏) AIR TEMPERATURE. (°C)

Table of air temperature data for Sapporo, March 1918. Columns include day (日), hours (1-24), and total (平均 Mean). Rows show temperature in degrees Celsius for each hour and daily averages.

重力ノ更正 Reduction to standard gravity..... - 0.14 海面ノ更正 Reduction to mean sea level..... + 1.61



札幌 SAPPORO.

大正七年三月

MARCH, 1918

風ノ方向 DIRECTION AND

Table of wind directions and velocities for Sapporo in March 1918. Columns include Day, 1st-14th wind directions, and average values.

雲量 (0-10) AMOUNT (0-10) AND

Table of cloud amounts for Sapporo in March 1918. Columns include Day, 1st-12th cloud amounts, and average values.

札幌 SAPPORO.

大正七年三月

MARCH, 1918.

及速度 (米/秒) VELOCITY (m/sec) OF WIND.

Table of wind velocities for Sapporo in March 1918. Columns include 15th-24th wind velocities, average mean, and extremes of air temperature.

風温ノ極 Extremes of Air Temp.

Table of extreme air temperatures for Sapporo in March 1918. Columns include Max, Min, Range, and Day.

及雲形 FORMS OF CLOUD.

Table of cloud forms for Sapporo in March 1918. Columns include 13th-24th cloud forms, average mean, and extremes of air temperature.



札幌  
SAPPORO.

MARCH, 1918.

大正七年三月

日 Day	1°	2°	3°	4°	5°	6°	7°	8°	9°	10°	11°	12°	13°	14°	15°	16°	17°	18°	19°	20°	21°	22°	23°	24°	總計 Total
1	-	-	-	1.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.1	0.5	1.5
2	0.3	0.0	0.3	-	0.0	0.0	0.2	0.7	0.2	0.1	0.1	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	3.0
3	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0
4	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.3	-	-	-	-	-	-	-	-	-	0.3
5	-	-	-	-	-	-	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	0.0	0.0	-	0.0
6	-	-	-	-	0.0	0.3	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	0.3	0.0	0.0	1.4
7	-	-	-	-	-	-	-	-	-	-	0.0	0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	0.0
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.4	0.1	0.4	0.1	0.5	1.0	1.5	4.7
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5
11	0.1	0.4	0.0	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	0.0	0.0	0.0	0.0	-	-	-	-	-	-	0.0
12	-	-	-	-	-	-	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
13	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	0.4	0.4	-	-	-	-	-	-	-	-	-	-	0.8
14	-	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	-	0.0
17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
18	-	-	-	0.0	0.0	-	-	-	0.0	0.0	0.0	0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	0.1
19	0.0	0.1	0.0	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0	0.3	1.1	-	1.7
20	1.1	2.5	2.7	2.9	2.4	2.8	1.8	1.7	1.8	1.7	0.2	0.3	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.2	-	-	0.1	0.2	22.8
21	0.3	0.0	0.0	-	0.1	-	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	-	-	-	-	1.0
22	-	0.0	0.0	-	0.0	0.6	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.2	0.1	0.1	0.0	-	1.7
23	-	0.0	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	0.3
24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1	-	0.0	0.0	0.2	0.1	-	-	-	0.4
25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3
26	-	0.0	0.8	2.5	2.7	2.5	2.3	0.2	0.2	0.1	0.3	0.1	0.0	-	-	0.0	0.0	0.7	0.2	0.3	0.4	0.7	0.0	-	14.0
27	0.2	0.0	0.0	0.3	0.6	0.8	0.6	0.4	1.0	1.0	0.3	0.1	0.0	0.0	-	-	-	-	-	-	0.0	0.0	-	-	6.2
28	-	-	-	-	0.0	0.0	-	-	-	-	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	0.0
29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.0	-	-	0.0	0.1	0.1
31	0.3	0.6	1.7	1.6	1.1	0.1	0.7	1.0	2.4	0.4	2.1	2.9	0.9	1.4	0.7	0.4	0.5	0.6	0.6	0.5	0.1	0.0	-	-	20.6
合計 Sum	2.3	3.6	5.7	8.3	7.2	6.9	5.9	4.0	6.7	3.4	3.0	3.5	1.3	2.0	1.2	1.1	1.3	1.3	1.8	1.6	1.8	1.4	2.2	3.5	81.0

湿度 (百分率)  
RELATIVE HUMIDITY. (%)

日 Day	1°	2°	3°	4°	5°	6°	7°	8°	9°	10°	11°	12°	13°	14°	15°	16°	17°	18°	19°	20°	21°	22°	23°	24°	平均 Mean	
1	74	71	69	73	79	84	90	88	86	97	82	73	56	100	65	76	67	58	55	72	96	100	92	89	78.8	
2	79	89	85	92	67	67	85	80	54	81	97	56	62	84	82	82	76	83	66	60	72	69	72	64	63	75.3
3	52	69	65	70	72	73	81	69	68	59	69	54	74	59	62	55	58	66	68	69	75	72	64	63	69.0	
4	67	73	73	75	67	69	70	54	52	49	54	54	51	63	61	66	74	77	70	72	73	70	69	69	65.1	
5	78	67	62	62	70	80	89	68	66	62	68	69	53	66	64	50	44	57	52	59	53	53	56	65	63.0	
6	67	70	62	71	80	89	81	75	58	60	49	66	52	55	59	74	63	69	74	65	75	89	86	86	68.2	
7	94	90	87	89	92	86	63	58	44	46	53	57	48	76	61	74	68	77	72	78	89	91	88	82	74.1	
8	82	52	57	61	71	66	72	59	56	55	48	52	42	45	51	63	67	57	51	67	60	67	65	52	68.7	
9	63	66	62	69	68	77	63	60	70	58	44	41	31	31	49	49	53	52	61	66	65	63	58	76	63	69.4
10	68	76	63	63	68	73	73	68	69	69	70	73	74	83	88	88	90	94	88	88	88	89	89	89	92	78.8
11	96	94	62	57	62	74	76	86	69	59	62	66	54	52	61	75	71	68	66	59	50	50	55	58	65.7	
12	58	65	66	62	72	70	68	66	67	61	64	46	49	45	76	72	73	52	66	56	54	61	63	69	62.2	
13	68	71	74	89	75	78	67	55	52	55	75	93	77	62	46	61	69	78	82	77	82	82	85	79.7		
14	79	61	97	94	88	80	79	67	57	53	54	51	52	54	47	53	59	57	55	62	69	80	77	82	69.0	
15	80	91	82	88	80	97	90	74	58	62	55	56	52	50	59	55	62	73	80	84	94	92	94	76	74.0	
16	85	93	100	100	100	96	93	42	55	52	69	62	49	59	46	46	42	50	53	49	44	43	55	69	61.7	
17	60	74	83	97	100	100	100	67	74	80	82	83	81	77	73	69	71	64	59	61	69	56	54	49	73.8	
18	68	58	54	66	49	61	52	61	63	68	52	44	50	70	62	56	58	52	46	56	48	54	49	95	67.0	
19	84	62	54	64	67	65	57	61	54	63	55	54	54	57	49	49	61	62	61	55	57	67	92	97	62.2	
20	67	97	100	100	100	100	100	100	100	97	92	90	95	97	95	95	85	80	92	97	59	100	100	94.7		
21	100	100	69	72	65	84	74	60	61	68	54	75	64	89	84	77	58	70	80	66	64	62	69	54	71.8	
22	62	51	59	62	59	61	60	64	58	95	78	97	76	87	83	83	97	100	100	98	95	94	96	89	89.0	
23	88	98	97	100	90	88	83	73	65	68	65	63	64	70	70	65	68	77	63	68	76	75	73	73	73.0	
24	73	72	79	75	86	88	59	51	48	52	46	48	59	53	47	54	63	74	81	84	89	63	63	62	69.0	
25	69	80	79	80	56	85	74	63	63	53	61	56	57	55	63	65										



大正七年三月

恒春 KOSYUN.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom with '合計' and 'Sum'.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom with '合計' and 'Sum'.

重力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level..... + 2.1

欠



臺東 TAITŌ

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data for March 1918 in Taito.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data for March 1918 in Taito.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...

臺南 TAINAN

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data for March 1918 in Tainan.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data for March 1918 in Tainan.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for wind directions (2, 6, 10, 14, 18, 22) and precipitation hours (2-2, 2-6, 6-10, 10-14, 14-18, 18-22, Total).

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) and cloud forms. Includes sub-headers for temperature (2, 6, 10, 14, 18, 22, Mean, Max, Min, Range) and cloud forms (2, 6, 10, 14, 18, 22, Mean).

重力ノ更正 Reduction to standard gravity ..... - 1.4
海面ノ更正 Reduction to mean sea level ..... + 1.0

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for wind directions (2, 6, 10, 14, 18, 22) and precipitation hours (2-2, 2-6, 6-10, 10-14, 14-18, 18-22, Total).

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount (0-10) and Forms of Cloud. Includes sub-headers for temperature (2, 6, 10, 14, 18, 22, Mean, Max, Min, Range) and cloud forms (2, 6, 10, 14, 18, 22, Mean).

重力ノ更正 Reduction to standard gravity ..... - 1.3
海面ノ更正 Reduction to mean sea level ..... + 7.0



石垣島

ISIGAKIZIMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 1.3
海面ノ更正 Reduction to mean sea level..... + 0.6

名瀬

NAZE.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 1.1
海面ノ更正 Reduction to mean sea level..... + 0.4



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly summary.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.8

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly summary.

重力ノ更正 Reduction to standard gravity ..... 0.3
海面ノ更正 Reduction to mean sea level ..... + 1.2



佐世保 SASEBO.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes a summary row at the bottom.

電力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 1.3

嚴原 ITUHARA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes a summary row at the bottom.

電力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 2.1



大正七年三月

OOITA

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...

大正七年三月

KURE

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...



四 阪 島

SISAKAZIMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... -0.7
海面ノ更正 Reduction to mean sea level ..... +10.5

新 居 濱

NIHAMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity ..... -0.8
海面ノ更正 Reduction to mean sea level ..... +10.5



東平 TONARU.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 70.2

岡山 OKAYAMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.6



味野 ADINO.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 0.4

和歌山 WAKAYAMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.4



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力の更正 Reduction to standard gravity ..... - 0.8
海面への更正 Reduction to mean sea level ..... + 3.9

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力の更正 Reduction to standard gravity ..... - 0.8
海面への更正 Reduction to mean sea level ..... + 6.8



Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data for March 1918 in Tianjin.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Mean. Includes daily data for March 1918 in Tianjin.

電力ノ更正 Reduction to standard gravity ..... 0.7
海面ノ更正 Reduction to mean sea level ..... 0.4

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data for March 1918 in Hamamatsu.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Mean. Includes daily data for March 1918 in Hamamatsu.

電力ノ更正 Reduction to standard gravity ..... 0.7
海面ノ更正 Reduction to mean sea level ..... +2.5



大正七年三月

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind, and Amount of Precipitation (mm). Includes daily data and a monthly summary at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary at the bottom.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...

大正七年三月

Table with columns for Day, Air Pressure (mm), Direction and Velocity of Wind, and Amount of Precipitation (mm). Includes daily data and a monthly summary at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary at the bottom.

重力ノ更正 Reduction to standard gravity... 海面ノ更正 Reduction to mean sea level...



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 0.4

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.8
海面ノ更正 Reduction to mean sea level ..... + 7.4



父島 TITIZIMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

重力ノ更正 Reduction to standard gravity ..... - 1.2  
海面ノ更正 Reduction to mean sea level ..... + 0.4

小名濱 ONAHAMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

重力ノ更正 Reduction to standard gravity ..... - 0.5  
海面ノ更正 Reduction to mean sea level ..... + 0.4



金山 KANAYAMA

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Cloud Forms. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 2.3

石巻 ISINOMAKI

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Clouds (0-10) and Cloud Forms. Includes daily data from 1 to 31 and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 4.2



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount (0-10) and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 2.9

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount (0-10) and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 6.0



大正七年三月

彦根

HIKONE.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 8.2

大正七年三月

岐阜

GIHU.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly average row.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.4



高山 TAKAYAMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

補綴ノ上ニアル数字ニハ +600mm. 重力ノ更正 Reduction to standard gravity ..... 0.6 For the figures underlined +600mm. 海面ノ更正 Reduction to mean sea level ..... +51.3

飯田 HIDA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (C), Rel. Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... 0.7 海面ノ更正 Reduction to mean sea level ..... +17.3



甲府 KÔFU.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from March 1 to 31 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from March 1 to 31 and a monthly summary.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ヘノ更正 Reduction to mean sea level ..... +24.4

松本 MATUMOTO.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from March 1 to 31 and a monthly summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data from March 1 to 31 and a monthly summary.

横線ノ上ニアル数字ニハ +600mm. 重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ヘノ更正 Reduction to mean sea level ..... +52.9



大正七年三月

長野

NAGANO.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom with averages.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 3.5

熊谷

KUMAGAYA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), Amount of Precipitation (mm), Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes a summary row at the bottom with averages.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 3.0



宇都宮 UTUNOMIYA.

大正七年三月

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... +11.6

足尾 ASIO.

大正七年三月

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... +61.0



福島 HUKUSIMA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 5.8

山形 YAMAGATA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 14.6



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力的更正 Reduction to standard gravity ..... - 0.4
海面への更正 Reduction to mean sea level ..... + 5.9

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力的更正 Reduction to standard gravity ..... - 0.7
海面への更正 Reduction to mean sea level ..... + 1.9



大正七年三月

境 SAKAI.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.3

大正七年三月

宮津 MIYADU.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), Amount of Precipitation (mm), Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Cloud Form.

重力ノ更正 Reduction to standard gravity..... - 0.7
海面ノ更正 Reduction to mean sea level..... + 0.3



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 2.9

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 0.8



福井 HUKUI.

MARCH, 1918

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 1.0

金澤 KANAZAWA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level..... + 2.7



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 1.3

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 4.3



大正七年三月

Table for KAMO weather data, March 1918. Columns include Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Rows list daily data from 1 to 31, followed by monthly averages.

Table for KAMO weather data, March 1918. Columns include Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Rows list daily data from 1 to 31, followed by monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 1.2

大正七年三月

Table for AKITA weather data, March 1918. Columns include Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Rows list daily data from 1 to 31, followed by monthly averages.

Table for AKITA weather data, March 1918. Columns include Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Rows list daily data from 1 to 31, followed by monthly averages.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 0.6



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for Mean and Total values.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-tables for Mean and Total values.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.4

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for Mean and Total values.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-tables for Mean and Total values.

重力ノ更正 Reduction to standard gravity ..... - 0.2
海面ノ更正 Reduction to mean sea level ..... + 1.6



旭川 ASAHIGAWA.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 10.8

帯廣 OBIHIRO.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity..... - 0.2
海面ノ更正 Reduction to mean sea level..... + 3.9



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 3.3

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and monthly averages.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and monthly averages.

重力ノ更正 Reduction to standard gravity..... - 0.1
海面ノ更正 Reduction to mean sea level..... + 3.7



大正七年三月

紗那

SYANA.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.0
海面ノ更正 Reduction to mean sea level + 3.7

大正七年三月

大泊 OOTOMARI.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity + 0.1
海面ノ更正 Reduction to mean sea level + 3.5



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... + 0.1
海面ノ更正 Reduction to mean sea level ..... + 2.8

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... + 0.2
海面ノ更正 Reduction to mean sea level ..... + 0.6



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

重力ノ更正 Reduction to standard gravity ..... + 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.3

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

Table with columns for Day, Air Temperature (C), Relative Humidity (%), and Amount of Cloud (0-10) and Forms of Cloud. Includes sub-headers for 2, 6, 10, 14, 18, 22 hours and a Total column.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 1.4



大正七年三月

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data for March 1-31 and a monthly mean summary.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Average. Includes daily data for March 1-31 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 4.9

大正七年三月

Table with columns for Day, AIR PRESSURE (mm), DIRECTION AND VELOCITY OF WIND, AMOUNT OF PRECIPITATION (mm), and Total. Includes daily data for March 1-31 and a monthly mean summary.

Table with columns for Day, AIR TEMPERATURE (°C), REL. HUMIDITY (%), AMOUNT (0-10) AND FORMS OF CLOUD, and Average. Includes daily data for March 1-31 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity ..... - 0.7
海面ノ更正 Reduction to mean sea level ..... + 2.6



大正七年三月

仁川 ZINSEN.

MARCH, 1918.

Table for ZINSEN station with columns for Air Pressure, Wind Direction and Velocity, and Amount of Precipitation. Includes daily data from 1 to 31 and a monthly average row.

Table for ZINSEN station with columns for Air Temperature, Relative Humidity, and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 6.4

大正七年三月

京城 KEIZYO.

MARCH, 1918.

Table for KEIZYO station with columns for Air Pressure, Wind Direction and Velocity, and Amount of Precipitation. Includes daily data from 1 to 31 and a monthly average row.

Table for KEIZYO station with columns for Air Temperature, Relative Humidity, and Amount and Forms of Cloud. Includes daily data from 1 to 31 and a monthly average row.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 3.0



大正七年三月

平壤 HEIZYŌ.

MARCH, 1918.

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from March 1 to 31.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day from March 1 to 31.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 4.5

大正七年三月

江陵 KŌRYŌ.

MARCH, 1918.

Table with columns for Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm) for each day from March 1 to 31.

Table with columns for Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10) for each day from March 1 to 31.

重力ノ更正 Reduction to standard gravity ..... - 0.5
海面ノ更正 Reduction to mean sea level ..... + 1.1



大正七年三月

元山 GENSAN.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 3.5

大正七年三月

城津 ZYOSIN.

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud (0-10). Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.4



Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity ..... 0.2
海面ノ更正 Reduction to mean sea level ..... +6.3

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity ..... -0.3
海面ノ更正 Reduction to mean sea level ..... +29.6



龍巖浦 RYUGANPO.

大正七年三月

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 0.6

大連 DAIREN.

大正七年三月

MARCH, 1918.

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a summary row at the bottom.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a summary row at the bottom.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 0.2



旅順 RYOZYUN.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from 1 to 31 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity ..... - 0.4
海面ノ更正 Reduction to mean sea level ..... + 7.4

營口 YINKOW.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data from 1 to 31 and a monthly mean summary.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount (0-10) and Forms of Cloud. Includes daily data from 1 to 31 and a monthly mean summary.

重力ノ更正 Reduction to standard gravity ..... = 0.3
海面ノ更正 Reduction to mean sea level ..... + 0.4



大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.2
海面ノ更正 Reduction to mean sea level ..... + 4.2

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes daily data and a monthly summary row.

Table with columns for Day, Air Temperature (°C), Relative Humidity (%), and Amount and Forms of Cloud. Includes daily data and a monthly summary row.

重力ノ更正 Reduction to standard gravity ..... - 0.1
海面ノ更正 Reduction to mean sea level ..... + 20.4



天津 TIENTSIN.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2°, 6°, 10°, 14°, 18°, 22°, and Mean.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-headers for 2°, 6°, 10°, 14°, 18°, 22°, and Mean.

重力ノ更正 Reduction to standard gravity..... - 0.4
海面ノ更正 Reduction to mean sea level..... + 0.5

芝罘 CHEE-FOO.

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-headers for 2°, 6°, 10°, 14°, 18°, 22°, and Mean.

Table with columns for Day, Air Temperature (°C), Rel. Humidity (%), and Amount and Forms of Cloud (0-10). Includes sub-headers for 2°, 6°, 10°, 14°, 18°, 22°, and Mean.

重力ノ更正 Reduction to standard gravity..... - 0.5
海面ノ更正 Reduction to mean sea level..... + 2.1



青島 TSINGTAO

MARCH, 1918.

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity ..... - 0.6
海面ノ更正 Reduction to mean sea level ..... + 7.4

杭州 HANGCHOW

MARCH, 1918

大正七年三月

Table with columns for Day, Air Pressure (mm), Wind Direction and Velocity (m/sec), and Amount of Precipitation (mm). Includes sub-tables for temperature, humidity, and cloud amount.

重力ノ更正 Reduction to standard gravity ..... - 1.0
海面ノ更正 Reduction to mean sea level ..... + 0.9