


## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.




9  
752F  
FS



# FRUIT SITUATION

TFS 172

AUGUST 1969



## IN THIS ISSUE

Midsummer Fruit and Nut Review

Per Capita Consumption Tables

U. S. DEPT. OF AGRICULTURE  
NATIONAL AGRICULTURAL LIBRARY

SEP 16 1969

CURRENT SERIAL RECORDS

Published 4 times a year by  
ECONOMIC RESEARCH SERVICE

U.S. DEPARTMENT OF AGRICULTURE

Table 1.—Production and utilization of specified fruits, United States, crops of 1964-68 1/

| Commodity and crop year | Production 2/ | Farm home use | Sold      | Fresh sales | Utilization of sales |           |         |           |           |     | Total processed |  |
|-------------------------|---------------|---------------|-----------|-------------|----------------------|-----------|---------|-----------|-----------|-----|-----------------|--|
|                         |               |               |           |             | Canned               | Dried     | Frozen  | Crushed   | Other     |     |                 |  |
| ---Tons---              |               |               |           |             |                      |           |         |           |           |     |                 |  |
| <b>Apples</b>           |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 3,120,150     | 20,200        | 3,099,950 | 1,764,250   | 655,400              | 36,350    | 99,150  | ---       | 3/544,800 | --- | 1,335,700       |  |
| 1965                    | 2,986,650     | 19,450        | 2,977,200 | 1,668,000   | 654,300              | 32,100    | 109,100 | ---       | 3/513,700 | --- | 1,309,200       |  |
| 1966                    | 2,823,200     | 18,050        | 2,805,150 | 1,589,100   | 521,600              | 127,200   | 103,350 | ---       | 3/463,900 | --- | 1,216,050       |  |
| 1967                    | 2,697,450     | 16,650        | 2,680,800 | 1,567,600   | 553,000              | 79,800    | 126,950 | ---       | 3/351,450 | --- | 1,113,200       |  |
| 1968                    | 2,715,750     | 17,350        | 2,698,400 | 1,572,150   | 567,400              | 86,850    | 114,000 | ---       | 3/338,000 | --- | 1,126,250       |  |
| <b>Avocados</b>         |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 36,740        | 330           | 36,410    | 4/36,410    | ---                  | ---       | ---     | ---       | ---       | --- | ---             |  |
| 1965                    | 60,800        | 335           | 60,465    | 4/60,465    | ---                  | ---       | ---     | ---       | ---       | --- | ---             |  |
| 1966                    | 80,300        | 335           | 79,965    | 4/79,965    | ---                  | ---       | ---     | ---       | ---       | --- | ---             |  |
| 1967                    | 52,100        | 360           | 51,740    | 4/51,740    | ---                  | ---       | ---     | ---       | ---       | --- | ---             |  |
| 1968                    | 71,600        | 340           | 71,260    | 4/71,260    | ---                  | ---       | ---     | ---       | ---       | --- | ---             |  |
| <b>Cranberries</b>      |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 66,325        | ---           | 66,325    | 22,110      | ---                  | ---       | ---     | ---       | ---       | --- | 5/44,215        |  |
| 1965                    | 71,140        | ---           | 71,140    | 19,480      | ---                  | ---       | ---     | ---       | ---       | --- | 5/51,660        |  |
| 1966                    | 78,880        | ---           | 78,880    | 16,400      | ---                  | ---       | ---     | ---       | ---       | --- | 5/62,480        |  |
| 1967                    | 70,215        | ---           | 70,215    | 13,915      | ---                  | ---       | ---     | ---       | ---       | --- | 5/51,745        |  |
| 1968                    | 73,390        | ---           | 73,390    | 15,095      | ---                  | ---       | ---     | ---       | ---       | --- | 5/55,560        |  |
| <b>Grapes</b>           |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 3,478,000     | 5,940         | 3,472,060 | 545,943     | 60,000               | 1,034,800 | ---     | 1,831,317 | ---       | --- | 2,986,117       |  |
| 1965                    | 4,325,960     | 6,045         | 4,319,915 | 593,529     | 54,800               | 1,287,000 | ---     | 2,974,586 | ---       | --- | 3,726,386       |  |
| 1966                    | 3,733,340     | 5,706         | 3,727,634 | 591,644     | 62,000               | 1,185,700 | ---     | 1,888,290 | ---       | --- | 3,135,950       |  |
| 1967                    | 3,682,190     | 5,020         | 3,677,170 | 461,730     | 54,000               | 751,800   | ---     | 1,769,640 | ---       | --- | 2,595,440       |  |
| 1968                    | 3,549,040     | 5,104         | 3,543,936 | 552,863     | 64,000               | 1,111,100 | ---     | 1,815,973 | ---       | --- | 2,991,073       |  |
| <b>Nectarines</b>       |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 75,000        | 200           | 74,800    | 73,000      | ---                  | ---       | ---     | ---       | ---       | --- | 1,800           |  |
| 1965                    | 64,800        | 200           | 64,600    | 63,500      | ---                  | ---       | ---     | ---       | ---       | --- | 1,100           |  |
| 1966                    | 68,000        | 200           | 67,800    | 4/67,800    | ---                  | ---       | ---     | ---       | ---       | --- | ---             |  |
| 1967                    | 55,000        | 200           | 54,800    | 4/54,800    | ---                  | ---       | ---     | ---       | ---       | --- | ---             |  |
| 1968                    | 64,000        | 200           | 63,800    | 62,900      | ---                  | ---       | ---     | ---       | ---       | --- | 900             |  |
| <b>Olives</b>           |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 54,000        | 200           | 53,800    | 700         | 37,500               | ---       | ---     | ---       | 6/9,400   | --- | 53,100          |  |
| 1965                    | 50,000        | 200           | 49,800    | 700         | 37,800               | ---       | ---     | ---       | 6/7,500   | --- | 49,100          |  |
| 1966                    | 63,000        | 200           | 62,800    | 600         | 45,500               | ---       | ---     | ---       | 4,800     | --- | 62,200          |  |
| 1967                    | 14,000        | 100           | 13,900    | 200         | 10,230               | ---       | ---     | ---       | 1,470     | --- | 13,700          |  |
| 1968                    | 86,000        | 200           | 85,800    | 400         | 65,000               | ---       | ---     | ---       | 2,800     | --- | 85,400          |  |
| <b>Strawberries</b>     |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 274,446       | ---           | 274,446   | 148,662     | ---                  | ---       | ---     | ---       | ---       | --- | 125,784         |  |
| 1965                    | 214,572       | ---           | 214,572   | 135,679     | ---                  | ---       | ---     | ---       | ---       | --- | 78,693          |  |
| 1966                    | 232,071       | ---           | 232,071   | 128,713     | ---                  | ---       | ---     | ---       | ---       | --- | 103,358         |  |
| 1967                    | 236,813       | ---           | 236,813   | 139,079     | ---                  | ---       | ---     | ---       | ---       | --- | 97,734          |  |
| 1968                    | 261,470       | ---           | 261,470   | 167,225     | ---                  | ---       | ---     | ---       | ---       | --- | 94,245          |  |
| <b>Bush berries 7/</b>  |               |               |           |             |                      |           |         |           |           |     |                 |  |
| 1964                    | 36,153        | ---           | 36,153    | 1,394       | ---                  | ---       | ---     | ---       | ---       | --- | 34,759          |  |
| 1965                    | 41,541        | ---           | 41,541    | 1,437       | ---                  | ---       | ---     | ---       | ---       | --- | 40,104          |  |
| 1966                    | 49,026        | ---           | 49,026    | 1,402       | ---                  | ---       | ---     | ---       | ---       | --- | 47,624          |  |
| 1967                    | 41,982        | ---           | 41,982    | 1,907       | ---                  | ---       | ---     | ---       | ---       | --- | 40,075          |  |
| 1968                    | 37,500        | ---           | 37,500    | 1,927       | ---                  | ---       | ---     | ---       | ---       | --- | 35,573          |  |

1/ Production and utilization of apricots, cherries, peaches, pears, plums, and prunes, 1964-68 crops, published in the June 1969 Fruit Situation. 2/ Having value.  
 3/ Mostly crushed for vinegar, cider, and juice. 4/ Includes some quantities processed. 5/ Mostly canned. 6/ California Spanish Green, Sicilian Style, chopped, minced, brined and other cures. 7/ Washington and Oregon.





# The Fruit Situation

Approved by the Outlook and Situation Board, August 22, 1969

## CONTENTS

|                                       | Page |                                  | Page |
|---------------------------------------|------|----------------------------------|------|
| Summary .....                         | 3    | Strawberries .....               | 8    |
| Recent Developments and Outlook ..... | 4    | Oranges .....                    | 8    |
| Apples .....                          | 4    | Grapefruit .....                 | 8    |
| Pears .....                           | 5    | Lemons .....                     | 8    |
| Peaches .....                         | 6    | New Crop Citrus Conditions ..... | 9    |
| Cherries .....                        | 6    | Tree Nuts .....                  | 9    |
| Grapes .....                          | 7    | Processed Noncitrus Fruit .....  | 10   |
| Prunes and Plums .....                | 7    | Processed Citrus Fruit .....     | 12   |
| Cranberries .....                     | 7    | Per Capita Consumption .....     | 13   |
| Bananas .....                         | 8    | List of Tables .....             | 31   |

## SUMMARY\*

Supplies of most fresh and processed deciduous fruits are likely to be substantially larger in 1969/70 than they have been in several years. Citrus supplies through the summer will be much larger than a year ago. By fall the citrus outlook will depend largely on the size of the 1969/70 crop, which to date has developed well.

This season's projected tonnages of major noncitrus fruits--for fresh market and processing use--are as follows:

### NONCITRUS FRUIT

Fresh noncitrus fruit supplies this summer and fall are expected to be substantially above those of a year ago and sharply higher than in 1967. Production prospects for 7 major deciduous fruit crops are for a tonnage 11 percent above last year. The apple crop, limited the past 4 years by various weather problems, is expected to be up a fifth. Grape production might exceed the 1968 tonnage by 8 percent and be the biggest crop since 1965. The Nation's peach crop appears to be up 5 percent from last year and pear output is forecast 16 percent larger.

| Crop             | : Indicated :<br>: 1969 : | : 1969 as percentage of |                   |
|------------------|---------------------------|-------------------------|-------------------|
|                  |                           | : 1968 :                | : 1963-67 av. :   |
|                  |                           | : 1,000 tons            | : - - Percent - - |
| Apples           | : 3,272                   | 120                     | 113               |
| Cherries, sweet  | : 115                     | 127                     | 116               |
| Cherries, tart   | : 161                     | 117                     | 125               |
| Cranberries      | : 81                      | 111                     | 117               |
| Grapes           | : 3,846                   | 108                     | 105               |
| Peaches          | : 1,892                   | 105                     | 116               |
| Pears            | : 713                     | 116                     | 125               |
| Prunes and Plums | : 460                     | 87                      | 83                |
| Strawberries     | : 241                     | 92                      | 99                |

\*The summary of this report was released on August 22, 1969.

Canned fruit supplies in 1969/70 are expected to be large. This outlook is based on a sharp increase in carryover and prospects for a big pack. Supplies of peaches, fruit cocktail, and pears are likely to be considerably above the levels of recent years. Tart cherry supplies should rebound from the relatively light inventories of the last few seasons. Canned fruit prices generally are likely to average a little below last season's levels.

Dried fruit production prospects are mixed. A moderate increase in the grape crop provides potential for a larger raisin pack, but dried prune production in California is expected to be down substantially. Carryover stocks of both items are up, assuring plentiful supplies in 1969/70.

Frozen fruit stocks at the end of July totaled 515 million pounds. This was moderately more than the quantity on hand a year earlier and the 1963-67 average for the date. Processors' receipts indicate that this year's frozen strawberry pack may be the smallest since 1965.

But packs of most other items are likely to be up from a year ago.

## CITRUS

Fresh citrus shipments will originate principally in California until new crops become available this fall. Remaining supplies of oranges are much larger than a year ago and prices are sharply lower. Very little grapefruit remains for harvest.

Processed citrus supplies are ample for summer needs. Florida processors' frozen juice holdings are substantially above last year's levels, but their canned citrus stocks are lower.

## TREE NUTS

Production estimates to date for almonds, walnuts, and filberts suggest much larger supplies of tree nuts this season. The U.S. almond and walnut crops are up sharply, while filbert output is expected to be slightly higher.

# RECENT DEVELOPMENTS AND OUTLOOK

## APPLES

### Sharp Crop Increase Expected

The 1969 commercial apple crop is expected to total 156 million bushels (42 lb. equivalents) or 6.5 billion pounds. This would be a fifth larger than last year and the biggest crop since the late 1930's. Output by States is shown in table 12. Estimated regional production compares to recent years as follows:

| Area                 | Average<br>1963-67 | 1968 | Indicated<br>1969 |
|----------------------|--------------------|------|-------------------|
| -- Billion pounds -- |                    |      |                   |
| East                 | 2.56               | 2.49 | 2.84              |
| Central States       | 1.10               | 1.05 | 1.25              |
| West                 | 2.14               | 1.89 | 2.45              |
| Total U.S.           | 5.80               | 5.43 | 6.54              |

Biggest production gains are expected in the West, where a 30-percent increase is

forecast. In Washington--the Nation's leading producer--the crop is half again as large as in 1968. California's crop is likely to be down from last year's big output and New Mexico's production may be smaller too. But all other Western States expect increases.

Eastern production is forecast to be 14 percent larger than in 1968. July rains have helped crop sizing throughout the mid-Atlantic area. The biggest gain is expected in Pennsylvania where tonnage may be nearly a third larger than last year's. North Carolina also looks for a sharp increase. New York, second ranked in U.S. output, expects a moderately larger crop.

Output in the Central States is forecast nearly a fifth larger than in 1968. Michigan--by far the largest producer in the group--expects a 26-percent larger crop.

### Prices Lower

Markets for fresh apples were exceptionally strong during the first half of 1969, but prices have declined since then as new-crop supplies became available. Through early August, new-crop sales were predominantly

limited to early varieties, and general price levels had not been well established. While the crop increase extends throughout the major regions, large gains in the major storage States--particularly Washington--indicate that the supply increase will be evident through winter and early spring.

#### Export Balance Lost in 1968/69

For the first time in many years, U.S. imports of fresh apples exceeded exports. Relatively low domestic production, high prices for the 1968 crop, and strong competition from other world suppliers sharply reduced our exports. The approximately 1.8 million bushels exported last season was a 46-percent drop from a year earlier. At 2.4 million bushels, imports were off a little from 1967/68, but sharply above the decade's earlier years.

This year's larger crop should prompt some export gains. However, the ability to expand shipments to Western Europe--historically the major offshore market for U.S. apples--is tempered by the fact that this year's European crop closely approximates the burdensome level of last season.

#### Futures Trading Begun

Trading in futures contracts for apples began this August 4th on the New York Mercantile Exchange. Contract units are 840 cartons of U.S. Fancy or better grades of Red Del and Golden Delicious varieties. McIntosh may be substituted at a discount. Delivery months are November, December, January, March, and May.

Tables 10 and 11 show historical data on monthly cold storage holdings and production by varieties.

## PEARS

#### Crop Biggest Since 1966

As of August 1, the U.S. pear crop was estimated at 713,000 tons. This would be 16 percent larger than a year ago and the biggest crop since 1966 (table 13).

Prospects point to production increases in all major States except Washington, where winter injury is expected to reduce output by nearly a fourth. Oregon's crop is forecast nearly 80 percent above 1968 however, more than offsetting Washington's decline. In Cali-

fornia--which is expected to furnish over half the U.S. tonnage this year--a moderate increase is indicated.

Bartlett production, which makes up about 70 percent of the U.S. crop, is expected to be 6 percent larger than last year. Production of other pears in the Pacific Coast States, principally fall and winter varieties, is expected to be nearly 30 percent above a year ago. Pear output outside of the three big States is expected to be up sharply. Michigan's crop is likely to more than triple last year's small production. New York looks for a 78-percent increase.

#### Lower Prices Likely

California's harvest got a later start this year than last. But by late July, volume from the State had approached peak levels. Washington's Yakima Valley was shipping actively by early August, with f.o.b. prices running moderately below year-earlier levels. In mid-August, processing prices had not yet been established in California. But with a larger crop and carryover up sharply, growers there were reported to be offering tonnage at prices well below year-ago levels.

During July 1968-June 1969, U.S. exports of fresh pears dipped to around 36.7 million pounds--28 percent less than a year earlier and about 40 percent below the preceding 5-year average. Last season's short crop of winter pears in the Northwest was a major factor in the reduction, but foreign competition also contributed.

Our imports during the same period amounted to about 31 million pounds--up substantially from a year earlier and sharply above the average of the early 1960's. Most of the 1968-69 imports (nearly 90 percent) entered during the 4 months ended June 30, when domestic supplies were nearly depleted. Argentina was our leading supplier, followed closely by Australia. Substantial quantities also entered from Chile and South Africa.

In contrast to the large apple crop in Western Europe, pear output there is expected to be down sharply from last season. This should provide some export opportunities for U.S. pears.



## PEACHES

### Supplies Plentiful

The 1969 U.S. peach crop is estimated at 1.9 million tons. This would be 5 percent above last year's output and the largest tonnage in many years.

In the nine Southern States, where crops are nearly all harvested, production was estimated to be down about 5 percent from 1968's big output. And California's Freestone crop, also an early-market source, was down moderately.

Outside California and the South--where most late-season fresh supplies originate--output is expected to be up more than a third from last year. The sharpest gain is in the Midwest. The crop there is more than double that of 1968, when Michigan had an extremely short crop. Production in the Northeast may be up about 18 percent.

### Prices Below Year Ago

Through June and July, peach prices in most areas held above year-earlier levels. Some market weakness developed in mid-July, but prices recovered by the end of the month. In early August however, as the major sources of supply moved northward, f.o.b. prices fell below year-earlier levels and continued lower late in month.

### Large Canned Supply Seen

The 1969 California Clingstone peach crop --which accounts for most of the country's canning supplies--was estimated at 889,000 tons, as of August 1. This is 4 percent larger than last year's crop and 15 percent above the 1963-67 average. That potential, plus a heavy carryover, suggests plentiful supplies of canned peaches in 1969/70. The outlook for canned fruit cocktail is similar.

### Big Canned Peach Purchase Made by USDA

On August 22, USDA's Consumer and Marketing Service announced the purchase of nearly 1.2 million cases (basis 6 No. 10's) of canned peaches for use in schools participating in the National School Lunch Program. Earlier in the

month, USDA bought 461,000 cases (basis 24 No. 2-1/2's) of canned peaches for distribution to needy families.

In 1968, USDA's purchases of canned peaches for the School Lunch Program totaled 624,750 cases (basis 6 No. 10's). No canned peaches were bought for needy persons last year at the National level.

## CHERRIES

### Sweet Cherry Crop Up Sharply

The 1969 U.S. sweet cherry crop was estimated at 115,300 tons, 27 percent larger than last year's freeze-damaged crop. Production was up in all three West Coast States, which together produced about two-thirds of this year's crop. In three Great Lakes States--Michigan, New York, and Pennsylvania--production was second only to the record 1964 output.

Brining is the leading use of sweet cherries. Fresh marketing ranks a close second, and canning follows a distant third. With production sharply larger in Oregon, the leading brined cherry producer, the total brined pack is likely to be up this year. In California, however, the 1969 brined pack was substantially smaller than last year. U.S. shipments and unload data show that total fresh sales were up sharply from a year ago. And with a light carryover there was strong incentive to produce a larger canned pack.

### Tart Cherry Supplies Rebound

The 1969 tart cherry crop was an estimated 160,550 tons. After 3 years of abbreviated production this was a substantial increase in tonnage. Yet it was about 30 percent short of the 1964 record production having value.

Except for Ohio and Wisconsin, which had heavy storm damage in July, crops in all States were larger than in 1968. Michigan output, expected to account for 72 percent of the U.S. total this year, was up 15 percent.

Most tart cherries are processed, and the production gain indicates pack increases. However, with carryover stocks of both canned and frozen tart cherries well below the levels of the mid-1960's processor requirements are large.



## GRAPES

As of August 1, U.S. grape production was estimated at 3.8 million tons. This would be 8 percent more than last year's crop and 6 percent above the 1963-67 average.

California is expected to account for 3.5 million tons--more than 90 percent of the U.S. total. On a varietal basis, the California crop compares with earlier years as follows:

| Varietal type     | Average 1963-67 | 1968  | 1969  |
|-------------------|-----------------|-------|-------|
| - - 1,000 tons- - |                 |       |       |
| Wine              | 655             | 650   | 770   |
| Table             | 557             | 470   | 550   |
| Raisin            | 2,120           | 2,135 | 2,200 |
| Total             | 3,332           | 3,255 | 3,520 |

Arizona's crop like California's consists principally of European-type grapes. Grape growers in Arizona expect a 13,800-ton harvest, slightly more than a year ago.

American-type grapes predominate in all other States. In these areas, production is expected to be 11 percent above the 1968 level. Most grapes grown outside California-Arizona are crushed.

Harvesting in California's San Joaquin Valley was a little slower getting underway this year than last due to slower crop development. Though mid-August, movement of California grapes to fresh markets ran a little below that of a year earlier. Deliveries for crushing also lagged. In mid-August, fresh shipping point prices were moderately above year-earlier levels.

Most grapes are dried for raisins or crushed for wine, juice, and other products. Detailed utilization data for grapes in recent years are shown in table 1.

## PLUMS AND PRUNES

### California's Crops Down

California's 1969 prune crop is expected to be 130,000 tons (dried basis). This would be 15 percent below last year and about a fifth less than the 1967 crop. Trees set a light crop this spring and shedding was heavy. Despite the smaller crop, total supplies for 1969/70 are expected to be plentiful. Carryover supplies from last season are large.

The 1969 plum crop in California--shipped mainly to fresh markets--was estimated at 60,000 tons, a little more than half last year's output. By mid-August most of the crop had been shipped. Prices so far this summer are sharply above those of a year earlier.

### Output in Other States Up Sharply

Plum-prune production in Michigan, Idaho, Washington, and Oregon was forecast at 74,500 tons. This would be 85 percent more than last year's short output and slightly above the 1967 crop. All States expect increases, but the big gain is in the Northwest, which had harsh weather damage in 1968.

Most plums and prunes in the Northwest move to fresh markets, although canning is an important outlet. In Michigan canning use exceeds fresh market sales.

## CRANBERRIES

### Big Crop Gain Forecast

The 1969 U.S. cranberry crop is estimated at a record 1,623,000 barrels, based on August 15 conditions. This would be more than a tenth above last year's output and 17 percent larger than the 1963-67 average, (table 18).

The crop in Massachusetts--biggest producer among 5 cranberry States--is expected to total 800,000 barrels, more than a fifth larger than in 1968. Wisconsin--the No. 2 producer--expects to harvest 486,000 barrels, up 11 percent from a year ago. Oregon's crop is also likely to be larger.

Smaller crops are predicted for New Jersey and Washington, however. New Jersey's moderate reduction reflects heavy spring frost damage and some flood destruction in July.

Washington's crop--off a fifth from last year--was reduced by poor weather during pollination.

Harvesting will begin in a few weeks for both processing and fresh market. Last season about four-fifth of the crop moved to processors and the remainder to fresh markets.

## BANANAS

### Imports, Prices Stable

During first-half 1969, our net imports (imports minus re-exports) of bananas totaled 1,937 million pounds. This was about the same quantity as imported a year earlier. Retail prices during the period averaged about the same as in the first half of 1968. In June they averaged 15.8 cents per pound.

## STRAWBERRIES

The 1969 U.S. strawberry crop is now estimated at 481 million pounds, about 8 percent below last year's output. Tonnage reductions were recorded for all seasonal groups except the small winter crop. In California, which accounts for more than half the U.S. crop, output is estimated to be down proportionally, because of both lower acreage and yields. Except for light fresh market shipments from California, the 1969 season is virtually completed. Through early August, strawberry shipments to processors in major freezing States were running more than a tenth below last season. Unloads of fresh strawberries have also lagged substantially behind those of last year.

Imports of fresh strawberries have continued their sharp uptrend this year. During the first half they totaled 36 million pounds. This was nearly a fourth more than imported all last year. Most of our strawberry imports originate in Mexico.

## ORANGES

### Summer Supplies Up Sharply

Most remaining supplies of 1968/69 crop oranges are California Valencias. They will provide the bulk of fresh market supplies until new crops mature this fall. In early August, about 12 million boxes of western Valencias remained for late-season marketing--about 3 times the very short quantity available during the same period last summer.

F.o.b. prices for fresh market western oranges have been running considerably below last season's high levels, and are likely to continue lower. At retail, prices for fresh oranges have held below those of a year earlier since December. During the first 6 months of 1969, BLS-reported retail prices for oranges averaged about 83 cents per dozen, about 10 percent below a year earlier.

### Foreign Trade Balance Improved

U.S. fresh orange exports during November-1968-June 1969 totaled about 4.6 million boxes. This was about two-thirds more than during the same period last season, but below the levels of 1965/66 and 1966/67. Imports were just under a million boxes, down about a third from last season's relatively high level.

## GRAPEFRUIT

This season's U.S. grapefruit crop was up about a fourth from 1967/68 and prices were down sharply. At retail, prices during first-half 1969 averaged about a tenth below last year's high levels.

Marketing of grapefruit is seasonally light during late summer. Most fresh supplies originate in Southern California. In early August, western desert supplies were small, although considerably above last year's very light levels. Prices for the limited remaining supplies are expected to be at seasonally high levels.

### Exports Up

During the 10 months ended June 1969, U.S. exports of fresh grapefruit totaled about 2.8 million boxes. This was about 30 percent above a year earlier and the decade's second highest volume. As usual, imports of this item were nominal.

## LEMONS

The 1968-69 California-Arizona lemon crop--now largely harvested--is estimated at 16.6 million boxes, slightly below last season. Through early August, movement to domestic fresh markets was about the same as a year earlier. Volume to processors was down slightly, while fresh exports were off moderately. Prices for fresh lemons have averaged above year-earlier levels since January at both f.o.b. and retail levels. In mid-August, f.o.b. prices for shippers first grade 140-165's were quoted



at \$6.00 per carton, compared with \$4.50 a year earlier. In early August, a little more tonnage remained for marketing this year than last.

## NEW CROP CITRUS CONDITION

### Crop Outlook Good

Florida citrus groves were in excellent condition in early August. Plentiful moisture had contributed to heavy foliage growth, and fruit development was reported to be exceptionally good.


Prospects continue favorable in Texas; fruit set was good and the crop is sizing well. The crop outlook is also good in Arizona, although the lemon set is reportedly lighter than normal. In California--still harvesting its 1968/69 crop--it is a little too early to evaluate 1969/70 prospects.

## TREE NUTS

### Western Crops Up Sharply

Almond production in California this year is estimated at 108,000 tons (in shell). This would be 45 percent above a year ago and a new record.

This year's set has been good, and almonds are sizing well. But the sharp gain in production largely reflects an increase in bearing surface. As the following chart indicates, new acreages set in the early 1960's are now becoming productive.



Despite the larger supply, the industry is optimistic about marketing prospects. Carry-over from the 1968/69 season is down, domestic demand is strong, and export outlook is good. Foreign production (in Italy, Spain, Iran, Portugal and Morocco) is forecast to be down more than a third from last year.

U.S. exports of almonds in 1968/69 are likely to total well below the levels of the previous season and probably the lightest since 1962/63. In the August-June period, exports totaled about 7,700 tons shelled and about 830 tons in-shell. This compares with about 9,700 tons shelled and 727 tons in-shell exported during the same months in 1967/68. (These data exclude exports of blanched, salted, or roasted almonds which are reported in a group category with other items.)

Walnut output in California and Oregon is also expected to show a big gain in 1969. At 103,800 tons (in-shell), the U.S. crop would be 9 percent larger than last year and more than a third larger than in 1967. About 96 percent of the crop originates in California. Bearing acreage there is forecast at 143,000 acres in 1969, continuing a steady long-term uptrend.

Filbert production in Oregon and Washington is forecast at 7,750 tons, a little larger than in the past 2 seasons. Although the bloom was late, the set was good and growing conditions were favorable through June. However, Brown Stain, a physiological disorder, appeared in many orchards in July, and reduced earlier prospects by about 20 percent.

### Pecan Estimate Due In September

The first forecast of 1969 pecan production will be released in the September 10 issue of Crop Production.

### Cold Storage Stocks

The table on the following page compares the quantities of tree nuts in cold storage last June 30 with a year earlier. Note that in shell volume is down somewhat from the same period a year ago. In contrast, nutmeat volume is larger than on the same date last year.



| Kinds                  | 1968 | 1969 |
|------------------------|------|------|
| - - Million pounds - - |      |      |
| Almonds                |      |      |
| In-shell               | 1.3  | .7   |
| Nutmeats               | 22.3 | 16.6 |
| Filberts               |      |      |
| In-shell               | .7   | .9   |
| Nutmeats               | 1.9  | 1.5  |
| Walnuts                |      |      |
| In-shell               | 10.2 | 6.9  |
| Nutmeats               | 7.2  | 13.7 |
| Other tree nuts        |      |      |
| In-shell               | 47.9 | 43.3 |
| Nutmeats               | 24.7 | 27.4 |
| Total                  |      |      |
| In-shell               | 60.0 | 51.8 |
| Nutmeats               | 56.0 | 59.1 |

Note: Figures may not add to totals due to rounding.

## PROCESSED NONCITRUS FRUIT

Large supplies of canned fruits are in prospect for 1969/70. The outlook is based on a sharply increased carryin and the likelihood of a big pack.

### Carryover Large

Last season's pack of canned fruits was nearly a fifth larger than a year earlier. And despite a nearly 10-percent gain in movement, packers' stocks on June 1 this year were up more than a fourth. Stocks of cling peaches--at 5.6 million cases--were record large. June stocks of fruit cocktail and pears were sharply above average, although short of record levels. Inventories of most other items also exceeded those of a year earlier. Only a few minor items--sweet cherries, purple plums, and figs--were in light supply.

### Pack Gain Likely

The projected 11-percent increase in U.S. deciduous fruit output this year will likely be reflected in pack gains for most canned fruits. The estimated 889,000-ton cling peach crop would be record large. And Bartlett pear production is forecast at 16 percent above last

season's crop. This suggests larger packs of canned peaches, fruit cocktail, and pears, which together account for about half the U.S. deciduous fruit pack.

The Nation's tart cherry crop is projected to be 17 percent larger than last year. Apple and applesauce packs are likely to be larger too, in view of the expected 20 percent-crop increase. And the pack of purple plums is expected to rebound from last year's short output.

### Supplies Likely to Pressure Markets

Wholesale prices for canned fruits in the first half of 1969 were generally below the high levels of a year earlier. In July, the BLS wholesale price index for canned fruits was at 108.8 (1957-59=100). This was about 8 percent lower than in July 1968, but still above 1967 levels. Average wholesale prices recently reported by BLS for popular items are as follows:

| Item                     | Can size | July 1969 | Feb. 1969 | July 1968 |
|--------------------------|----------|-----------|-----------|-----------|
| - - Dollar per dozen - - |          |           |           |           |
| Applesauce               | 303      | 1.76      | 1.74      | 1.76      |
| Apricots                 | 2-1/2    | 4.60      | 4.48      | 4.25      |
| Tart Cherries            | 303      | 3.19      | 3.62      | 3.99      |
| Fruit cocktail           | 2-1/2    | 3.56      | 3.47      | 3.93      |
| Cling peaches            | 2-1/2    | 2.97      | 2.82      | 3.23      |
| Pears                    | 2-1/2    | 3.95      | 4.13      | 4.78      |
| Pineapple                | 2        | 3.28      | 3.29      | 3.22      |

Trade reports indicate reductions in opening prices for a number of new pack items. And in view of the generally increased supplies, prices for most major items are likely to be under pressure this fall and winter. This prospect, plus continued strength in consumer demand, is likely to result in an increased rate of domestic movement.

With larger supplies the potential also exists for gains in export shipments. With relatively light domestic supplies and high prices in 1967/68, our export trade fell sharply. Some

gains were made last season, but the recovery was disappointing. The following table compares recent export volume for three leading U.S. canned fruit items.

| Season                             | Peaches | Fruit cocktail | Pineapple |
|------------------------------------|---------|----------------|-----------|
| : Million cases (basis 24/2-1/2's) |         |                |           |
| 1962/63                            | 6.4     | 3.3            | 2.4       |
| 1963/64                            | 4.7     | 2.9            | 2.1       |
| 1964/65                            | 5.2     | 3.7            | 2.1       |
| 1965/66                            | 4.6     | 2.9            | 2.3       |
| 1966/67                            | 5.1     | 3.5            | 2.0       |
| 1967/68                            | 2.1     | 2.1            | 1.5       |
| 1968/69                            | 2.5     | 2.5            | 1.3       |

For both canned peaches and fruit cocktail, the percentage increase in 1968/69 exports failed to reflect the increase in total U.S. supplies. Pineapple exports fell and exports of canned apricots and pears were also well below the decades' early levels.

To a large degree, the erosion of our canned fruit export markets has been the result of sharply increased foreign competition. This has come from varied sources, including South Africa, Australia and Taiwan. With production growing in these areas, it will be increasingly difficult for the United States to regain its former position in export markets, despite increased domestic supplies.

#### Smaller Dried Fruit Output Likely

Total dried fruit production this season is expected to be below that of a year earlier. Current prospects point to a slight increase in raisin output. But production of dried prunes--the other major dried fruit item--is likely to be down 15 percent from last season. With carryovers of both raisins and dried prunes large, however, supplies are expected to be ample for 1969/70 marketing.

Other dried fruits are produced in much smaller quantities. They include apricots, apples, peaches, pears, figs, and dates. It is

too early to project dried packs of these items. But with output of most fruits up, generally larger packs are likely.

#### 1968/69 Exports

Through June of the 1968/69 marketing season, U.S. exports of raisins totaled about 58,100 tons. This was slightly above the year-earlier exports and substantially above the preceding 5-year average. During the same 10-month period, U.S. exports of dried prunes totaled 37,600 tons, slightly below those of a year earlier. Exports of other dried fruits were relatively small.

#### Lower Frozen Strawberry Pack Seen; Other Frozen Items May Gain

This season's pack of frozen strawberries is likely to be below last year's 213-million-pound output. Through late July, deliveries to processors in major areas showed the following comparisons to year-earlier levels:

| State                 | 1969  | 1968  |
|-----------------------|-------|-------|
| - - Million pounds- - |       |       |
| California            | 54.5  | 60.5  |
| Michigan              | 12.2  | 8.9   |
| Oregon                | 64.0  | 68.7  |
| Washington            | 19.4  | 33.4  |
| Total 4 States        | 150.1 | 171.5 |

Early-August deliveries of red tart cherries to freezers were also running behind year-earlier pace. But freezers' receipts of most bush berries have been above those of 1968, when packs of these items were relatively small.

Outlook for other frozen fruits is still uncertain. However, crop prospects for many items--including apples and peaches which are gaining in popularity in frozen form--carry a potential for pack increases.

### Frozen Berry Imports Hold Uptrend

Imports of frozen strawberries during the first 6 months of 1969 were at record levels. They continued the irregular but sharp uptrend which began in the early 1960's. Most strawberry imports come from Mexico. The following table compares recent first-half and calendar year imports of frozen strawberries.

| Year                   | Jan.- June | Total |
|------------------------|------------|-------|
| - - Million pounds - - |            |       |
| 1962                   | 28.0       | 33.5  |
| 1963                   | 29.5       | 35.7  |
| 1964                   | 35.0       | 40.8  |
| 1965                   | 41.3       | 53.9  |
| 1966                   | 67.0       | 85.7  |
| 1967                   | 52.5       | 74.7  |
| 1968                   | 55.7       | 75.2  |
| 1969                   | 70.0       |       |

Total stocks of frozen fruits (excluding juices) on July 31, 1968, were 515 million pounds. This was 5 percent above a year earlier and moderately above the 1963-67 average for the date. Strawberry stocks--at 191 million pounds--were below year earlier levels, but a sharp increase in cherry inventories was more than offsetting. Data by individual item are shown on table 24.

Inventories of most items are increasing seasonally. Stocks normally peak at the end of summer.

## PROCESSED CITRUS FRUIT

Florida packers' stocks of frozen orange juice concentrate (FCOJ) on August 2 were about 50 million gallons. This was 16 percent more than the quantity on hand a year earlier.

Although Florida's orange crop was 30 percent larger than in the preceding season, low juice yields per box kept the pack of FCOJ from making a proportionate gain. With the 1968/69 packing season concluded, Florida's net pack totaled about 103.7 million gallons. This was nearly a fourth above last year's pack but more than a fifth below 1966/67's record output.

The pack increase was sufficient to offset the light carryover at the start of the season; total supplies this season were moderately above those of 1967/68.

Total movement of FCOJ this season through August 2 was nearly 70 million gallons--a little more than a year earlier, but substantially below the record rate 2 years ago. With stocks up, it appears that carryover at the end of the current season will be moderate, but well above year-earlier levels.

F.o.b. prices for FCOJ this season have averaged above those of a year earlier, despite the larger supply. Early this season, quotations were at a moderate \$1.75 per dozen 6 oz. cans (unadvertised brands), but moved up to \$2.00 per dozen in late January. Prices held at this level until mid-May, when most packers returned quotations to the \$1.75 level. Last season per dozen prices were mostly in the \$1.55-\$1.75 range.

Retail prices have also averaged higher than last season. For the first 6 months of 1968, they averaged 24.1 cents per 6 ounce can, compared to 20.4 cents during the same months in 1968.

### Grapefruit Concentrate Supplies Large

Florida packers' supplies of frozen concentrate grapefruit juice in inventory on August 2 were 3.3 million gallons. This was more than 50 percent above that on the same date last year, but well below the heavy levels of August 1966. A record 5.9 million gallons of frozen grapefruit concentrate were packed in Florida this season, more than 3 times the 1967/68 output. So even though carryin was light, total supplies were also record large. With supplies up and prices lower, movement of frozen grapefruit juice concentrate has been up sharply from that of last season and ahead of the record 1966/67 rate.



Canned Citrus Supplies Down


Florida packers' stocks of four canned citrus juices (grapefruit, orange, blend, and tangerine) totaled about 8.2 million cases (basis 24/2's) in early August--nearly a tenth below a year earlier. Larger stocks of canned orange and tangerine juice were offset by reductions for grapefruit juice and blend. Shipments of canned grapefruit juice--spurred by lower prices through most of the season--have been much larger than a year ago. Stocks of canned citrus sections and salad are also down.

Chilled Orange Juice Prices Up--  
Movement Lags

Movement of chilled orange juice this season has lagged behind that of a year ago, apparently because of higher prices. According to the Bureau of Labor Statistics, retail prices per quart of chilled orange juice averaged 44.3¢ during the first half of 1969--more than 10 percent above a year earlier. Shipments of chilled grapefruit juice gained substantially, however.

**PER CAPITA CONSUMPTION**

Detailed per capita consumption data on individual and broad categories of fresh and processed fruit and tree nuts are presented in Tables 2-9 of this issue of the Fruit Situation.



:  
:  
:            The next issue of the Fruit Situation is    :  
: scheduled to be available November 5, 1969.        :  
:  
:  
:            The summary is scheduled to be released to    :  
: the press immediately after the Outlook and            :  
: Situation Board meeting October 30, 1969.            :  
:  
:

Table 2.--Fresh fruits: Per capita consumption, fresh weight basis, 1910-68 1/

| Year    | Citrus fruits |                     |                            |                     | Other fruits  |                    |                   |                |                      |                              |            |                        |                        |                | Total |              |                        |                     |                               |                          |
|---------|---------------|---------------------|----------------------------|---------------------|---------------|--------------------|-------------------|----------------|----------------------|------------------------------|------------|------------------------|------------------------|----------------|-------|--------------|------------------------|---------------------|-------------------------------|--------------------------|
|         | Oranges: 2/   | Range-<br>limes: 2/ | Lemons<br>and<br>limes: 3/ | Grape-<br>fruit: 3/ | Apples:<br>3/ | Apric-<br>cots: 3/ | Avo-<br>cados: 3/ | Bananas:<br>3/ | Cher-<br>ries:<br>3/ | Cran-<br>ber-<br>ries:<br>3/ | Fig:<br>3/ | Grape-<br>fruit:<br>3/ | Nectar-<br>ines:<br>3/ | Peaches:<br>3/ |       | Pears:<br>3/ | Pine-<br>apples:<br>3/ | Pa-<br>payas:<br>3/ | Plums<br>and<br>prunes:<br>3/ | Straw-<br>berries:<br>3/ |
| 1910    | 13.7          | 2/                  | 3.1                        | 1.0                 | 59.4          | 0.2                | ---               | 17.8           | 2.3                  | 0.6                          | 4/         | 5.3                    | ---                    | 18.5           | 5.3   | 5/0.8        | ---                    | 2.7                 | 4.0                           | 57.5                     |
| 1911    | 15.4          | 2/                  | 3.3                        | 1.1                 | 73.5          | -2                 | ---               | 19.8           | 3.4                  | .5                           | 4/         | 7.8                    | ---                    | 13.5           | 5.7   | 0.8          | ---                    | 3.8                 | 3.7                           | 59.3                     |
| 1912    | 14.3          | 2/                  | 3.1                        | 1.1                 | 74.6          | -2                 | ---               | 18.0           | 3.6                  | .5                           | 4/         | 6.7                    | ---                    | 20.3           | 5.9   | .9           | ---                    | 3.7                 | 3.6                           | 63.4                     |
| 1913    | 12.0          | 2/                  | 2.8                        | 1.8                 | 59.3          | -2                 | ---               | 19.4           | 2.1                  | .5                           | 4/         | 4.9                    | ---                    | 15.0           | 4.9   | .8           | ---                    | 2.8                 | 3.4                           | 54.3                     |
| 1914    | 17.6          | 2/                  | 3.2                        | 2.1                 | 71.8          | -2                 | ---               | 19.1           | 3.5                  | .7                           | 4/         | 7.5                    | ---                    | 19.6           | 5.7   | .9           | ---                    | 3.9                 | 3.4                           | 64.5                     |
| 1915    | 17.6          | 2/                  | 3.2                        | 2.3                 | 69.0          | -2                 | ---               | 15.3           | 3.0                  | .5                           | 4/         | 6.3                    | ---                    | 23.8           | 5.4   | .8           | ---                    | 3.4                 | 3.3                           | 62.4                     |
| 1916    | 16.5          | 2/                  | 3.2                        | 2.3                 | 63.9          | -2                 | ---               | 15.3           | 2.6                  | .6                           | 4/         | 5.5                    | ---                    | 12.9           | 5.8   | .6           | ---                    | 3.4                 | 3.1                           | 47.8                     |
| 1917    | 17.1          | 2/                  | 3.2                        | 2.4                 | 56.1          | -2                 | ---               | 13.7           | 2.1                  | .3                           | 4/         | 7.5                    | ---                    | 15.6           | 5.8   | .6           | ---                    | 2.9                 | 2.8                           | 129.2                    |
| 1918    | 10.5          | 2/                  | 2.9                        | 3.1                 | 65.5          | -2                 | ---               | 13.0           | 2.1                  | .4                           | 4/         | 8.2                    | ---                    | 13.1           | 5.5   | .4           | ---                    | 3.2                 | 2.8                           | 46.2                     |
| 1919    | 17.0          | 2/                  | 3.2                        | 3.1                 | 63.0          | -2                 | ---               | 14.9           | 1.8                  | .6                           | 4/         | 8.0                    | ---                    | 16.3           | 5.5   | .4           | ---                    | 2.2                 | 3.5                           | 53.6                     |
| 1920    | 16.7          | 2/                  | 3.8                        | 3.1                 | 36.1          | -2                 | ---               | 15.7           | 2.7                  | .4                           | 4/         | 6.5                    | ---                    | 14.0           | 6.7   | .7           | ---                    | 2.1                 | 3.2                           | 142.6                    |
| 1921    | 20.8          | 2/                  | 3.9                        | 3.1                 | 36.1          | -2                 | ---               | 16.9           | 1.2                  | .4                           | 4/         | 8.9                    | ---                    | 9.7            | 4.5   | .6           | ---                    | 2.4                 | 3.7                           | 112.8                    |
| 1922    | 15.2          | 2/                  | 3.7                        | 3.1                 | 57.5          | -2                 | ---               | 17.5           | 2.5                  | .5                           | 4/         | 8.9                    | ---                    | 18.1           | 7.1   | .9           | ---                    | 2.5                 | 4.7                           | 144.8                    |
| 1923    | 22.0          | 2/                  | 3.6                        | 3.1                 | 54.1          | -2                 | ---               | 16.7           | 2.3                  | .6                           | 4/         | 9.0                    | ---                    | 13.2           | 6.1   | 1.0          | ---                    | 3.7                 | 4.5                           | 57.3                     |
| 1924    | 23.0          | 2/                  | 3.7                        | 3.1                 | 46.3          | -2                 | 0.1               | 20.0           | 1.8                  | .5                           | 4/         | 8.3                    | ---                    | 16.5           | 6.4   | 1.0          | ---                    | 4.7                 | 6.0                           | 148.0                    |
| 1925    | 17.5          | 2/                  | 4.0                        | 3.1                 | 69.3          | -2                 | ---               | 19.5           | 2.5                  | .6                           | 4/         | 9.7                    | ---                    | 18.1           | 7.8   | 1.2          | ---                    | 5.5                 | 3.7                           | 57.0                     |
| 1926    | 20.6          | 2/                  | 4.2                        | 3.1                 | 37.4          | -2                 | ---               | 19.5           | 1.4                  | .4                           | 4/         | 9.1                    | ---                    | 18.1           | 7.8   | 1.2          | ---                    | 3.9                 | 4.4                           | 67.1                     |
| 1927    | 22.1          | 2/                  | 3.7                        | 3.1                 | 38.5          | -3                 | 1/                | 22.1           | 1.8                  | .4                           | 4/         | 10.9                   | ---                    | 18.5           | 5.8   | .8           | ---                    | 3.9                 | 4.4                           | 128.0                    |
| 1928    | 19.6          | 2/                  | 3.7                        | 3.1                 | 39.7          | -3                 | 1/                | 21.8           | 1.8                  | .4                           | 4/         | 10.9                   | ---                    | 18.5           | 5.8   | .8           | ---                    | 3.3                 | 4.4                           | 67.7                     |
| 1929    | 27.5          | 2/                  | 3.5                        | 3.1                 | 32.1          | -4                 | 1/                | 20.6           | 1.3                  | .4                           | 4/         | 8.1                    | ---                    | 13.0           | 6.7   | .9           | ---                    | 2.8                 | 4.4                           | 129.9                    |
| 1930    | 19.9          | 2/                  | 3.5                        | 3.1                 | 31.7          | -5                 | 1/                | 18.7           | 1.4                  | .4                           | 4/         | 8.4                    | ---                    | 10.3           | 6.7   | 1.0          | ---                    | 3.3                 | 3.3                           | 59.7                     |
| 1931    | 27.6          | 2/                  | 3.2                        | 3.1                 | 39.4          | -5                 | 1/                | 16.8           | 1.7                  | .4                           | 4/         | 7.8                    | ---                    | 21.5           | 7.2   | 1.1          | ---                    | 3.0                 | 3.3                           | 26.6                     |
| 1932    | 24.6          | 2/                  | 3.2                        | 3.1                 | 39.2          | -5                 | 1/                | 13.9           | 1.5                  | .5                           | 4/         | 6.9                    | ---                    | 9.3            | 5.3   | .9           | ---                    | 2.8                 | 4.0                           | 68.3                     |
| 1933    | 26.6          | 2/                  | 3.5                        | 3.1                 | 40.0          | -5                 | 1/                | 13.9           | 1.5                  | .5                           | 4/         | 6.9                    | ---                    | 10.0           | 5.1   | .6           | ---                    | 2.3                 | 4.3                           | 125.9                    |
| 1934    | 27.0          | 2/                  | 3.6                        | 3.1                 | 32.5          | -4                 | 2                 | 16.5           | 1.2                  | .3                           | 4/         | 7.4                    | ---                    | 11.3           | 6.8   | .6           | ---                    | 2.9                 | 3.5                           | 51.2                     |
| 1935    | 30.7          | 2/                  | 4.1                        | 3.1                 | 44.6          | -4                 | 2                 | 18.9           | 1.2                  | .3                           | 4/         | 7.4                    | ---                    | 14.5           | 6.2   | .8           | ---                    | 2.5                 | 3.5                           | 55.7                     |
| 1936    | 30.1          | 2/                  | 4.3                        | 3.1                 | 46.2          | -4                 | 2                 | 20.1           | 1.0                  | .3                           | 4/         | 6.3                    | 0.1                    | 10.9           | 6.0   | .8           | ---                    | 2.7                 | 2.9                           | 51.8                     |
| 1937    | 26.6          | 2/                  | 3.4                        | 3.1                 | 44.5          | -5                 | 2                 | 23.0           | 1.0                  | .4                           | 4/         | 7.4                    | ---                    | 14.2           | 6.6   | 1.0          | ---                    | 2.6                 | 3.4                           | 60.5                     |
| 1938    | 33.5          | 2/                  | 4.3                        | 3.1                 | 49.1          | -5                 | 3                 | 20.5           | 1.0                  | .3                           | 4/         | 5.6                    | ---                    | 13.1           | 6.4   | .9           | ---                    | 2.7                 | 2.9                           | 54.4                     |
| 1939    | 39.4          | 2/                  | 4.2                        | 3.1                 | 61.4          | -5                 | 3                 | 18.8           | 1.2                  | .4                           | 4/         | 6.0                    | ---                    | 15.3           | 6.5   | .9           | ---                    | 2.7                 | 3.3                           | 56.1                     |
| 1940    | 39.4          | 2/                  | 4.5                        | 3.1                 | 56.7          | -5                 | 3                 | 17.3           | 1.1                  | .3                           | 4/         | 6.3                    | ---                    | 13.1           | 7.1   | .8           | ---                    | 2.5                 | 3.3                           | 52.7                     |
| 1941    | 38.9          | 2/                  | 4.7                        | 3.1                 | 57.7          | -4                 | 3                 | 16.6           | 1.1                  | .4                           | 4/         | 6.2                    | ---                    | 18.6           | 6.4   | .8           | ---                    | 2.4                 | 3.1                           | 56.6                     |
| 1942    | 39.8          | 2/                  | 4.3                        | 3.1                 | 57.7          | -5                 | 3                 | 8.0            | 1.1                  | .3                           | 4/         | 6.2                    | ---                    | 8.4            | 5.4   | .8           | ---                    | 2.4                 | 3.4                           | 44.2                     |
| 1943    | 39.7          | 2/                  | 5.0                        | 3.1                 | 60.3          | -5                 | 3                 | 6.9            | .9                   | .3                           | 4/         | 5.6                    | ---                    | 8.4            | 5.4   | .5           | ---                    | 2.2                 | 1.8                           | 33.2                     |
| 1944    | 47.6          | 2/                  | 4.9                        | 3.1                 | 68.2          | -5                 | 3                 | 9.0            | 1.3                  | .2                           | 4/         | 5.2                    | ---                    | 17.9           | 7.1   | .6           | ---                    | 2.7                 | 1.2                           | 46.4                     |
| 1945    | 45.1          | 2/                  | 5.1                        | 3.1                 | 66.6          | -7                 | 4                 | 12.1           | 1.1                  | .2                           | 4/         | 5.7                    | ---                    | 16.6           | 6.8   | 1.2          | ---                    | 2.3                 | 1.3                           | 50.4                     |
| 1946    | 37.9          | 2/                  | 4.7                        | 3.1                 | 59.1          | -8                 | 3                 | 14.7           | 1.0                  | .2                           | 4/         | 5.7                    | ---                    | 14.8           | 5.9   | .9           | ---                    | 2.3                 | 1.6                           | 51.8                     |
| 1947    | 41.5          | 2/                  | 4.8                        | 3.1                 | 62.2          | -6                 | 3                 | 21.5           | .9                   | .2                           | 4/         | 6.6                    | ---                    | 11.3           | 4.4   | .8           | ---                    | 2.1                 | 1.8                           | 56.1                     |
| 1948    | 35.7          | 2/                  | 4.5                        | 3.1                 | 54.4          | -6                 | 3                 | 22.4           | .8                   | .3                           | 4/         | 5.8                    | ---                    | 11.6           | 5.5   | .6           | ---                    | 2.3                 | 1.9                           | 50.9                     |
| 1949    | 30.7          | 2/                  | 4.1                        | 3.1                 | 47.9          | -6                 | 3                 | 20.8           | 1.1                  | .4                           | 4/         | 5.4                    | ---                    | 7.8            | 4.1   | .7           | ---                    | 2.2                 | 1.6                           | 44.4                     |
| 1950    | 26.9          | 2/                  | 4.0                        | 3.1                 | 41.7          | -4                 | 5                 | 20.9           | .8                   | .4                           | 4/         | 5.4                    | ---                    | 10.8           | 4.4   | .6           | ---                    | 1.7                 | 1.6                           | 44.4                     |
| 1951    | 28.8          | 2/                  | 4.0                        | 3.1                 | 45.8          | -5                 | 5                 | 20.5           | .8                   | .2                           | 4/         | 5.9                    | ---                    | 9.4            | 4.1   | .5           | ---                    | 1.7                 | 1.6                           | 46.5                     |
| 1952    | 27.9          | 2/                  | 3.9                        | 3.1                 | 45.1          | -4                 | 5                 | 20.6           | .8                   | .2                           | 4/         | 6.0                    | ---                    | 10.8           | 4.4   | .5           | ---                    | 1.7                 | 1.6                           | 47.7                     |
| 1953    | 27.6          | 2/                  | 3.7                        | 3.1                 | 44.1          | -4                 | 5                 | 19.5           | .7                   | .3                           | 4/         | 4.8                    | ---                    | 10.3           | 3.9   | .4           | ---                    | 2.0                 | 1.4                           | 44.4                     |
| 1954    | 24.5          | 2/                  | 3.6                        | 3.1                 | 42.0          | -3                 | 8                 | 18.9           | .7                   | .3                           | 4/         | 5.1                    | ---                    | 10.0           | 3.7   | .5           | ---                    | 1.7                 | 1.2                           | 38.0                     |
| 1955    | 24.8          | 2/                  | 3.4                        | 3.1                 | 41.8          | -4                 | 4                 | 17.8           | .7                   | .3                           | 4/         | 5.0                    | ---                    | 6.1            | 3.4   | .7           | ---                    | 1.9                 | 1.5                           | 40.9                     |
| 1956    | 22.6          | 2/                  | 3.4                        | 3.1                 | 39.1          | -2                 | 3                 | 18.0           | .7                   | .3                           | 4/         | 4.7                    | ---                    | 9.0            | 3.7   | .6           | ---                    | 1.9                 | 1.5                           | 40.9                     |
| 1957    | 21.6          | 2/                  | 3.3                        | 3.1                 | 39.1          | -3                 | 3                 | 17.2           | .5                   | .3                           | 4/         | 3.9                    | ---                    | 8.6            | 3.7   | .6           | ---                    | 1.5                 | 1.5                           | 40.3                     |
| 1958    | 17.6          | 2/                  | 3.0                        | 3.1                 | 31.0          | -2                 | 7                 | 17.2           | .5                   | .3                           | 4/         | 4.1                    | ---                    | 10.5           | 3.5   | .6           | ---                    | 1.1                 | 1.5                           | 94.0                     |
| 1959    | 19.8          | 2/                  | 2.9                        | 3.1                 | 34.0          | -2                 | 3                 | 18.2           | .4                   | .2                           | 4/         | 3.8                    | ---                    | 9.7            | 3.2   | .5           | ---                    | 1.6                 | 1.4                           | 40.6                     |
| 1960    | 19.3          | 2/                  | 2.9                        | 3.1                 | 33.7          | -2                 | 6                 | 20.5           | .4                   | .2                           | 4/         | 3.9                    | ---                    | 9.5            | 2.6   | .4           | 0.1                    | 1.2                 | 1.3                           | 41.4                     |
| 1961    | 16.1          | 2/                  | 2.8                        | 3.1                 | 30.8          | -2                 | 6                 | 19.9           | .5                   | .3                           | 4/         | 4.0                    | ---                    | 8.1            | 2.6   | .4           | ---                    | 1.3                 | 1.6                           | 88.5                     |
| 1962    | 15.6          | 2/                  | 2.8                        | 3.1                 | 29.5          | -2                 | 6                 | 16.3           | .5                   | .3                           | 4/         | 4.0                    | ---                    | 7.6            | 2.4   | .4           | ---                    | 1.3                 | 1.6                           | 36.4                     |
| 1963    | 11.9          | 2/                  | 2.5                        | 3.1                 | 22.1          | -2                 | 6                 | 16.8           | .6                   | .2                           | 4/         | 4.0                    | ---                    | 6.0            | 2.4   | .5           | ---                    | 1.3                 | 1.6                           | 35.6                     |
| 1964    | 14.3          | 2/                  | 2.6                        | 3.1                 | 17.8          | -2                 | 4                 | 16.8           | .6                   | .2                           | 4/         | 3.6                    | ---                    | 6.9            | 2.4   | .5           | ---                    | 1.4                 | 1.6                           | 78.6                     |
| 1965    | 16.4          | 2/                  | 2.4                        | 3.1                 | 29.0          | -2                 | 6                 | 17.9           | .4                   | .2                           | 4/         | 3.8                    | ---                    | 6.3            | 1.8   | .5           | ---                    | 1.4                 | 1.3                           | 35.6                     |
| 1966    | 18.0          | 2/                  | 2.2                        | 3.1                 | 29.0          | -2                 | 6                 | 18.3           | .5                   | .2                           | 4/         | 3.8                    | ---                    | 6.9            | 2.4   | .5           | ---                    | 1.4                 | 1.3                           | 35.6                     |
| 1967    | 18.0          | 2/                  | 2.2                        | 3.1                 | 16.1          | -1                 | 5                 | 18.3           | .4                   | .2                           | 4/         | 3.1                    | ---                    | 4.8            | 1.8   | .5           | ---                    | 1.5                 | 1.5                           | 33.1                     |
| 1968 6/ | 14.1          | 2/                  | 2.2                        | 3.1                 | 15.6          | -1                 | 7                 | 18.5           | .5                   | .1                           | 4/         | 3.4                    | ---                    | 6.7            | 2.0   | .5           | ---                    | 1.2                 | 1.8                           | 36.2                     |

1/ All data on calendar-year basis with exception of citrus fruits, beginning 1941, which start October or November prior to year indicated. Civilian consumption only, beginning 1941. Beginning 1960, includes Alaska and Hawaii. 2/ Tangerines are included with oranges 1910-1919. 3/ Beginning 1934 includes only apples from commercial areas sold and used in farm households. 4/ Less than 0.05 pound. 5/ Estimated. 6/ Preliminary.

Table 3.--Canned and chilled fruits: Per capita consumption, product weight basis, 1910-68 <sup>1/</sup>

| Year               | Canned fruit           |          |         |          |               |               |                    |                            |       |            |                  |        | Total         | Chilled citrus sections <sup>2/</sup> |                 |
|--------------------|------------------------|----------|---------|----------|---------------|---------------|--------------------|----------------------------|-------|------------|------------------|--------|---------------|---------------------------------------|-----------------|
|                    | Apples and apple-sauce | Apricots | Berries | Cherries | Cranberries   | Figs          | Salad and cocktail | Peaches (including spiced) | Pears | Pine-apple | Plums and prunes | Olives |               |                                       | Citrus sections |
| -----Pounds-----   |                        |          |         |          |               |               |                    |                            |       |            |                  |        |               |                                       |                 |
| 1910               | 0.7                    | 0.4      | 0.3     | 0.1      | ---           | <sup>3/</sup> | ---                | 0.9                        | 0.4   | 0.5        | 0.1              | 0.2    | ---           | 3.6                                   | ---             |
| 1911               | .6                     | .5       | .3      | .2       | ---           | <sup>3/</sup> | ---                | .8                         | .4    | .6         | .1               | .4     | ---           | 3.9                                   | ---             |
| 1912               | .7                     | .5       | .3      | .2       | ---           | <sup>3/</sup> | ---                | .8                         | .5    | .8         | .1               | .3     | ---           | 4.2                                   | ---             |
| 1913               | .5                     | .4       | .3      | .1       | ---           | <sup>3/</sup> | ---                | .9                         | .5    | 1.1        | .1               | .3     | ---           | 4.2                                   | ---             |
| 1914               | .7                     | .6       | .4      | .2       | ---           | <sup>3/</sup> | ---                | 1.2                        | .5    | 1.7        | .1               | .3     | ---           | 5.7                                   | ---             |
| 1915               | .5                     | .4       | .4      | .2       | ---           | <sup>3/</sup> | ---                | 1.0                        | .6    | 2.0        | .1               | .4     | ---           | 5.6                                   | ---             |
| 1916               | 1.1                    | .6       | .4      | .2       | ---           | <sup>3/</sup> | ---                | 1.2                        | .7    | 2.3        | .2               | .4     | ---           | 7.1                                   | ---             |
| 1917               | 1.5                    | .9       | .5      | .3       | ---           | <sup>3/</sup> | ---                | 1.5                        | .8    | 1.8        | .2               | .2     | ---           | 7.7                                   | ---             |
| 1918               | 1.2                    | .9       | .5      | .3       | ---           | <sup>3/</sup> | ---                | 1.2                        | .9    | 2.0        | .2               | .3     | ---           | 7.5                                   | ---             |
| 1919               | 1.1                    | 1.8      | .7      | .4       | <sup>3/</sup> | <sup>3/</sup> | ---                | 2.1                        | 1.0   | 1.9        | .3               | .4     | ---           | 9.7                                   | ---             |
| 1920               | .9                     | .9       | .6      | .5       | <sup>3/</sup> | <sup>3/</sup> | ---                | 2.1                        | 1.1   | 2.8        | .2               | .3     | ---           | 9.4                                   | ---             |
| 1921               | 1.0                    | .7       | .6      | .2       | <sup>3/</sup> | <sup>3/</sup> | ---                | 1.9                        | .4    | 2.9        | .2               | .3     | <sup>3/</sup> | 8.2                                   | ---             |
| 1922               | .8                     | .6       | .6      | .5       | <sup>3/</sup> | <sup>3/</sup> | ---                | 2.0                        | .3    | 2.2        | .2               | .3     | <sup>3/</sup> | 7.5                                   | ---             |
| 1923               | 1.1                    | .5       | .6      | .6       | <sup>3/</sup> | 0.1           | 0.1                | 2.4                        | .4    | 2.5        | .1               | .5     | 0.1           | 9.0                                   | ---             |
| 1924               | .9                     | .5       | .8      | .6       | 0.1           | .1            | .2                 | 2.1                        | .3    | 2.7        | .1               | .4     | .1            | 8.9                                   | ---             |
| 1925               | .9                     | .7       | .6      | .6       | <sup>3/</sup> | .2            | .2                 | 3.2                        | .6    | 3.4        | .2               | .4     | .1            | 11.1                                  | ---             |
| 1926               | .9                     | .8       | .8      | .9       | .1            | .2            | .2                 | 3.2                        | .9    | 3.2        | .2               | .4     | .2            | 12.0                                  | ---             |
| 1927               | .8                     | .7       | .7      | .4       | .1            | .2            | .3                 | 4.2                        | .7    | 3.6        | .2               | .5     | .2            | 12.6                                  | ---             |
| 1928               | 1.0                    | .8       | .7      | .7       | .1            | .2            | .3                 | 3.7                        | .7    | 3.3        | .3               | .6     | .2            | 12.6                                  | ---             |
| 1929               | 1.1                    | .8       | .7      | .7       | .1            | .1            | .4                 | 2.9                        | .9    | 3.2        | .4               | .6     | .4            | 12.3                                  | ---             |
| 1930               | .8                     | .8       | .5      | .8       | .1            | .1            | .4                 | 3.2                        | .9    | 3.8        | .3               | .5     | .6            | 12.8                                  | ---             |
| 1931               | .7                     | .6       | .7      | .7       | .1            | .1            | .2                 | 2.0                        | .7    | 4.1        | .3               | .5     | .2            | 10.9                                  | ---             |
| 1932               | .8                     | .6       | .3      | .7       | .1            | <sup>3/</sup> | .3                 | 2.8                        | .9    | 2.7        | .2               | .4     | .4            | 10.2                                  | ---             |
| 1933               | .9                     | .7       | .4      | 1.0      | .1            | <sup>3/</sup> | .5                 | 2.6                        | 1.0   | 3.5        | .4               | .4     | .3            | 11.8                                  | ---             |
| 1934               | 1.0                    | .7       | .5      | .8       | .2            | .1            | .5                 | 2.6                        | 1.0   | 3.6        | .4               | .5     | .6            | 12.5                                  | ---             |
| 1935               | 1.0                    | .7       | .5      | 1.0      | .2            | <sup>3/</sup> | .7                 | 2.8                        | 1.0   | 3.9        | .6               | .5     | .5            | 13.4                                  | ---             |
| 1936               | 1.2                    | 1.0      | .5      | 1.1      | .3            | .1            | .9                 | 3.5                        | 1.3   | 4.9        | .7               | .5     | .7            | 16.7                                  | ---             |
| 1937               | 1.0                    | 1.0      | .3      | 1.0      | .3            | .1            | .9                 | 2.7                        | 1.1   | 3.5        | .6               | .4     | .6            | 13.5                                  | ---             |
| 1938               | 1.1                    | 1.0      | .5      | 1.0      | .4            | .1            | 1.1                | 3.5                        | 1.2   | 3.6        | .5               | .6     | .8            | 15.4                                  | ---             |
| 1939               | 1.2                    | .9       | .4      | 1.2      | .5            | .1            | 1.2                | 3.5                        | 1.1   | 4.3        | .6               | .5     | .6            | 16.1                                  | ---             |
| 1940               | 1.5                    | .9       | .4      | 1.4      | .6            | .1            | 1.6                | 4.4                        | 1.5   | 4.7        | .5               | .7     | .8            | 19.1                                  | ---             |
| 1941               | 1.4                    | 1.0      | .5      | 1.3      | .5            | .1            | 1.5                | 3.3                        | 1.5   | 4.4        | .6               | .6     | 1.1           | 17.8                                  | ---             |
| 1942               | 1.7                    | 1.1      | .6      | 1.1      | .6            | .3            | 1.9                | 4.4                        | 1.3   | 2.8        | .6               | .6     | .3            | 17.3                                  | ---             |
| 1943               | 1.6                    | .3       | .4      | .7       | .3            | .2            | 1.3                | 3.2                        | 1.4   | 2.0        | .6               | .6     | <sup>3/</sup> | 12.6                                  | ---             |
| 1944               | 1.0                    | 1.0      | .1      | .9       | .3            | .1            | 1.0                | 1.3                        | .4    | 2.0        | .5               | .7     | <sup>3/</sup> | 9.3                                   | ---             |
| 1945               | 1.1                    | 1.3      | .1      | .8       | .5            | .3            | 2.4                | 4.9                        | .9    | .8         | .7               | .6     | <sup>3/</sup> | 14.4                                  | ---             |
| 1946               | 1.4                    | 2.8      | .2      | 1.8      | .8            | .2            | 2.7                | 5.4                        | 1.7   | 3.4        | .7               | .7     | .5            | 22.3                                  | ---             |
| 1947               | 1.7                    | .9       | .3      | 1.0      | .8            | .3            | 2.1                | 4.5                        | 1.2   | 3.3        | .6               | .7     | .8            | 18.2                                  | ---             |
| 1948               | 1.9                    | 1.0      | .5      | 1.2      | .5            | .1            | 2.2                | 4.6                        | 1.2   | 3.4        | .5               | .8     | 1.0           | 18.9                                  | ---             |
| 1949               | 2.1                    | 1.1      | .6      | 1.5      | .5            | .1            | 2.3                | 4.9                        | 1.4   | 3.0        | .5               | .5     | .9            | 19.4                                  | ---             |
| 1950               | 2.4                    | 1.1      | .4      | 1.8      | .7            | .1            | 2.6                | 5.9                        | 1.6   | 3.0        | .4               | .8     | .8            | 21.6                                  | ---             |
| 1951               | 2.3                    | .9       | .4      | 1.4      | .8            | .2            | 2.0                | 4.8                        | 1.2   | 3.0        | .3               | .8     | .9            | 19.0                                  | ---             |
| 1952               | 2.7                    | .9       | .4      | 1.5      | .8            | .2            | 2.4                | 5.1                        | 1.7   | 3.1        | .4               | .9     | .7            | 20.8                                  | ---             |
| 1953               | 2.4                    | 1.1      | .4      | 1.5      | .8            | .1            | 2.1                | 5.3                        | 1.7   | 3.3        | .5               | .9     | .9            | 21.0                                  | ---             |
| 1954               | 2.5                    | 1.0      | .5      | 1.4      | .8            | .1            | 2.1                | 5.6                        | 1.7   | 3.4        | .4               | .7     | 1.0           | 21.2                                  | ---             |
| 1955               | 2.8                    | 1.1      | .3      | 1.5      | .9            | .1            | 2.4                | 5.5                        | 1.9   | 3.4        | .5               | .9     | 1.2           | 22.5                                  | ---             |
| 1956               | 3.1                    | 1.1      | .3      | 1.2      | .9            | .1            | 2.6                | 5.3                        | 1.6   | 3.3        | .5               | .6     | 1.1           | 21.7                                  | 0.2             |
| 1957               | 3.1                    | 1.0      | .3      | 1.3      | .8            | .1            | 2.6                | 5.8                        | 1.8   | 3.2        | .5               | 1.0    | .8            | 22.3                                  | .3              |
| 1958               | 3.3                    | .9       | .3      | 1.3      | .8            | .1            | 2.6                | 5.8                        | 2.0   | 3.3        | .4               | .8     | 1.1           | 22.7                                  | .2              |
| 1959               | 3.2                    | .9       | .3      | 1.3      | .8            | .1            | 2.7                | 5.9                        | 1.9   | 3.1        | .3               | .8     | .8            | 22.1                                  | .2              |
| 1960               | 3.4                    | 1.1      | .2      | 1.1      | .6            | .1            | 2.7                | 6.1                        | 2.0   | 3.2        | .3               | .8     | 1.0           | 22.6                                  | .4              |
| 1961               | 3.6                    | 1.2      | .2      | 1.2      | 1.0           | .1            | 2.7                | 6.2                        | 1.8   | 3.1        | .2               | 1.0    | .9            | 23.2                                  | .4              |
| 1962               | 3.4                    | .9       | .2      | 1.2      | .8            | .1            | 2.8                | 6.3                        | 2.1   | 2.8        | .4               | .8     | .9            | 22.7                                  | .4              |
| 1963               | 3.6                    | 1.1      | .1      | 1.0      | .8            | .1            | 2.8                | 6.5                        | 2.0   | 3.2        | .3               | .8     | .6            | 22.9                                  | .3              |
| 1964               | 3.7                    | 1.0      | .1      | 1.3      | .7            | .1            | 2.6                | 6.5                        | 1.6   | 3.2        | .3               | 1.0    | .8            | 22.9                                  | .4              |
| 1965               | 3.8                    | 1.1      | .1      | 1.1      | .8            | .1            | 2.9                | 6.6                        | 1.9   | 3.1        | .3               | .7     | .9            | 23.4                                  | .3              |
| 1966               | 3.2                    | 1.1      | .2      | 1.0      | .8            | .1            | 3.0                | 6.2                        | 1.9   | 3.1        | .4               | .8     | 1.0           | 22.8                                  | .5              |
| 1967               | 3.7                    | .9       | .2      | .8       | .8            | .1            | 2.7                | 6.0                        | 1.8   | 3.1        | .4               | .9     | 1.1           | 22.5                                  | .5              |
| 1968 <sup>4/</sup> | 3.8                    | .9       | .1      | .7       | .8            | .1            | 3.1                | 6.2                        | 1.5   | 3.7        | .3               | .7     | 1.1           | 23.0                                  | .4              |

<sup>1/</sup> Data on pack year, 1910-42; calendar-year basis, 1943 to date. Civilian consumption only beginning 1941. Beginning 1960, includes Alaska and Hawaii. <sup>2/</sup> Produced commercially in Florida. <sup>3/</sup> Less than 0.05 pound. <sup>4/</sup> Preliminary.



Table 4.—Canned and chilled fruit juices (excluding frozen): Per capita consumption, product weight basis, 1910-68 1/

| Year             | Canned |            |                               |                |           |                       |       |                |                 |                |       |          | Chilled 2/ |       |      |
|------------------|--------|------------|-------------------------------|----------------|-----------|-----------------------|-------|----------------|-----------------|----------------|-------|----------|------------|-------|------|
|                  | Citrus |            |                               |                |           |                       | Apple | Fruit nectars: | Pineapple       |                |       | Total 4/ | Grapefruit | Total |      |
|                  | Orange | Grapefruit | Blended orange and grapefruit | Lemon and lime | Tangerine | Citrus concentrate 3/ |       |                | Single strength | Concentrate 3/ | Prune |          |            |       |      |
| -----Pounds----- |        |            |                               |                |           |                       |       |                |                 |                |       |          |            |       |      |
| 1910             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | 0.47            | ---            | ---   | ---      | 0.47       | ---   | ---  |
| 1911             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .18             | ---            | ---   | ---      | .18        | ---   | ---  |
| 1912             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .45             | ---            | ---   | ---      | .45        | ---   | ---  |
| 1913             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .34             | ---            | ---   | ---      | .34        | ---   | ---  |
| 1914             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .12             | ---            | ---   | ---      | .12        | ---   | ---  |
| 1915             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .61             | ---            | ---   | ---      | .61        | ---   | ---  |
| 1916             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .44             | ---            | ---   | ---      | .44        | ---   | ---  |
| 1917             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .31             | ---            | ---   | ---      | .31        | ---   | ---  |
| 1918             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .45             | ---            | ---   | ---      | .45        | ---   | ---  |
| 1919             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .28             | ---            | ---   | ---      | .28        | ---   | ---  |
| 1920             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .59             | ---            | ---   | ---      | .59        | ---   | ---  |
| 1921             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .34             | ---            | ---   | ---      | .34        | ---   | ---  |
| 1922             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .16             | ---            | ---   | ---      | .16        | ---   | ---  |
| 1923             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .29             | ---            | ---   | ---      | .29        | ---   | ---  |
| 1924             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .12             | ---            | ---   | ---      | .12        | ---   | ---  |
| 1925             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .16             | ---            | ---   | ---      | .16        | ---   | ---  |
| 1926             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .17             | ---            | ---   | ---      | .17        | ---   | ---  |
| 1927             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .32             | ---            | ---   | ---      | .32        | ---   | ---  |
| 1928             | ---    | ---        | ---                           | ---            | ---       | ---                   | ---   | ---            | .13             | ---            | ---   | ---      | .13        | ---   | ---  |
| 1929             | ---    | 0.05       | ---                           | ---            | ---       | ---                   | 0.05  | ---            | .28             | ---            | ---   | ---      | .33        | ---   | ---  |
| 1930             | 0.01   | .05        | ---                           | ---            | ---       | ---                   | .06   | ---            | .27             | ---            | ---   | ---      | .33        | ---   | ---  |
| 1931             | .02    | .11        | ---                           | ---            | ---       | ---                   | .13   | ---            | .30             | ---            | ---   | ---      | .43        | ---   | ---  |
| 1932             | .01    | .11        | ---                           | ---            | ---       | ---                   | .12   | ---            | .31             | ---            | ---   | ---      | .43        | ---   | ---  |
| 1933             | .02    | .16        | ---                           | ---            | ---       | ---                   | .18   | ---            | .27             | ---            | ---   | ---      | .45        | ---   | ---  |
| 1934             | .07    | .21        | ---                           | ---            | ---       | ---                   | .28   | 0.01           | .22             | ---            | ---   | 0.01     | .52        | ---   | ---  |
| 1935             | .22    | .62        | ---                           | 0.01           | ---       | ---                   | .85   | ---            | .01             | .29            | 0.82  | ---      | .02        | 1.99  | ---  |
| 1936             | .20    | .56        | 0.02                          | .01            | ---       | ---                   | .79   | ---            | .05             | .35            | 1.17  | ---      | .04        | 2.40  | ---  |
| 1937             | .28    | 1.29       | .06                           | .04            | ---       | ---                   | 1.67  | ---            | .20             | .39            | 2.05  | ---      | .18        | 4.49  | ---  |
| 1938             | .19    | 1.55       | .12                           | .05            | ---       | ---                   | 1.91  | ---            | .26             | .42            | 1.85  | ---      | .20        | 4.64  | ---  |
| 1939             | .23    | 2.61       | .15                           | .03            | ---       | ---                   | 3.02  | 0.05           | .13             | .54            | 2.11  | ---      | .07        | 5.92  | ---  |
| 1940             | .68    | 2.34       | .25                           | .02            | ---       | ---                   | 3.29  | .10            | .24             | .65            | 2.52  | ---      | .06        | 7.23  | ---  |
| 1941             | .74    | 3.08       | .42                           | .04            | ---       | 0.42                  | 4.70  | .20            | .25             | .59            | 2.67  | ---      | .06        | 8.50  | ---  |
| 1942             | .94    | 2.63       | .48                           | .08            | ---       | .44                   | 4.57  | .37            | .34             | .64            | 2.14  | ---      | .43        | 8.54  | ---  |
| 1943             | .27    | 3.03       | .27                           | .02            | ---       | .43                   | 4.02  | .44            | .14             | .71            | 1.58  | ---      | .46        | 7.43  | ---  |
| 1944             | 1.46   | 4.80       | 1.11                          | .03            | ---       | .19                   | 7.59  | .62            | .21             | .33            | .94   | ---      | .57        | 10.33 | ---  |
| 1945             | 2.75   | 3.19       | 1.08                          | .06            | ---       | .76                   | 7.84  | .26            | .06             | .43            | 1.12  | ---      | .89        | 10.94 | ---  |
| 1946             | 4.15   | 4.93       | 2.36                          | .10            | 0.11      | .97                   | 12.62 | .35            | .19             | .49            | 2.36  | ---      | .90        | 17.77 | ---  |
| 1947             | 4.11   | 3.38       | 2.18                          | .07            | .21       | 1.09                  | 11.04 | .26            | .29             | .68            | 2.26  | ---      | .75        | 15.63 | ---  |
| 1948             | 5.03   | 3.83       | 2.28                          | .08            | .16       | 1.88                  | 13.26 | .20            | .37             | .65            | 1.85  | ---      | .74        | 17.07 | ---  |
| 1949             | 3.87   | 2.84       | 1.86                          | .10            | .22       | 1.82                  | 10.71 | .47            | .55             | .57            | 2.03  | ---      | .80        | 15.13 | ---  |
| 1950             | 3.37   | 2.02       | 1.01                          | .07            | .23       | 1.95                  | 8.65  | .56            | .92             | .50            | 1.89  | ---      | .93        | 13.45 | ---  |
| 1951             | 3.81   | 2.73       | 1.30                          | .08            | .20       | 1.86                  | 9.98  | .50            | .84             | .50            | 2.43  | ---      | .78        | 15.03 | ---  |
| 1952             | 3.58   | 2.05       | .95                           | .09            | .15       | 1.63                  | 8.45  | .54            | .62             | .82            | 2.82  | ---      | .87        | 14.12 | ---  |
| 1953             | 3.13   | 1.97       | .86                           | .09            | .13       | 1.65                  | 7.83  | .51            | .56             | .73            | 2.80  | ---      | .94        | 13.37 | ---  |
| 1954             | 3.08   | 2.28       | .89                           | .08            | .10       | 1.36                  | 7.79  | .71            | .57             | .73            | 2.41  | ---      | .97        | 13.18 | ---  |
| 1955             | 2.95   | 2.18       | .78                           | .11            | .09       | 1.16                  | 7.27  | .54            | .73             | .73            | 2.78  | ---      | 1.01       | 13.06 | 0.94 |
| 1956             | 2.42   | 2.12       | .66                           | .09            | .09       | 1.57                  | 6.95  | .66            | 1.27            | .85            | 2.69  | ---      | 1.26       | 13.68 | 1.05 |
| 1957             | 2.45   | 1.94       | .58                           | .12            | .09       | 1.66                  | 6.84  | .68            | 1.37            | .59            | 2.32  | 0.79     | 1.21       | 13.80 | 1.72 |
| 1958             | 2.66   | 1.74       | .72                           | .12            | .07       | 1.62                  | 6.93  | .77            | 1.24            | .84            | 2.38  | 1.29     | 1.05       | 14.50 | 1.60 |
| 1959             | 1.91   | 1.56       | .49                           | .15            | .08       | 1.07                  | 5.26  | .97            | 1.03            | .78            | 1.92  | 1.27     | .87        | 12.10 | 1.87 |
| 1960             | 2.12   | 1.51       | .51                           | .13            | .07       | 1.45                  | 5.79  | .89            | 1.06            | .76            | 2.15  | 1.25     | 1.06       | 12.96 | 2.10 |
| 1961             | 1.70   | 1.39       | .45                           | .13            | .06       | 1.52                  | 5.25  | .95            | .52             | .71            | 2.07  | 1.19     | 1.05       | 11.74 | 1.65 |
| 1962             | 1.92   | 1.48       | .47                           | .13            | .06       | 1.05                  | 5.11  | 1.05           | .52             | .65            | 2.09  | 1.18     | 1.06       | 11.66 | 2.19 |
| 1963             | 1.69   | 1.30       | .42                           | .13            | .04       | 1.70                  | 5.28  | 1.21           | .36             | .63            | 2.61  | 1.74     | 1.11       | 12.94 | 1.14 |
| 1964             | 1.17   | 1.09       | .30                           | .11            | .04       | 1.61                  | 4.32  | 1.49           | .28             | .65            | 1.97  | 1.64     | 1.11       | 11.46 | 1.29 |
| 1965             | 1.24   | 1.39       | .30                           | .10            | .02       | .97                   | 4.02  | 1.53           | .38             | .74            | 1.84  | 1.19     | 1.16       | 10.86 | 1.90 |
| 1966             | 1.53   | 1.73       | .34                           | .10            | .02       | .99                   | 4.71  | 1.17           | .40             | .63            | 1.92  | 1.73     | 1.10       | 11.66 | 3.04 |
| 1967             | 1.57   | 2.33       | .39                           | .10            | .02       | 1.08                  | 5.49  | 1.35           | .39             | .67            | 1.76  | .96      | 1.09       | 11.71 | 4.15 |
| 1968 5/          | 1.19   | 2.22       | .32                           | .10            | .01       | 1.35                  | 5.19  | 1.70           | .41             | .60            | 2.14  | 1.51     | 1.08       | 12.63 | 3.96 |

1/ Civilian consumption beginning 1941. Calendar-year basis except for citrus juices which are on a pack-year basis beginning in October or November of year prior to that indicated, and grape juice which in the years 1910-33 and 1948 to date begins November prior to year indicated. Beginning 1960, includes Alaska and Hawaii.

2/ Chilled fruit juice produced commercially from fresh fruit in Florida; does not include reconstituted frozen juice or fresh juice produced for local sale.

3/ Single-strength equivalent.

4/ Includes berry juice as follows: 1940—0.37; 1941—0.03; 1942—0.05; 1943—0.08; 1944—0.07; 1945—0.34; 1946—0.86; and 1947—0.35.

5/ Preliminary.

Table 5.—Frozen fruits: Per capita consumption, product weight basis, 1937-68 <sup>1/</sup>

| Year               | Black-berries    | Blue-berries | Rasp-berries | Straw-berries | Other berries | Apples | Apricots      | Cherries | Grapes and pulp | Peaches | Miscellaneous | Total |
|--------------------|------------------|--------------|--------------|---------------|---------------|--------|---------------|----------|-----------------|---------|---------------|-------|
|                    |                  |              |              |               |               |        |               |          |                 |         |               |       |
|                    | -----Pounds----- |              |              |               |               |        |               |          |                 |         |               |       |
| 1937               | 0.02             | 0.03         | 0.04         | 0.21          | 0.03          | 0.01   | ---           | 0.16     | 0.01            | ---     | 0.01          | 0.52  |
| 1938               | .11              | .04          | .18          | .29           | .03           | .04    | 0.01          | .19      | .05             | 0.01    | .07           | 1.02  |
| 1939               | .03              | .08          | .09          | .39           | .08           | .01    | <sup>3/</sup> | .29      | .05             | .03     | .08           | 1.13  |
| 1940               | .07              | .07          | .09          | .44           | .11           | .02    | <sup>3/</sup> | .32      | .07             | .06     | .03           | 1.28  |
| 1941               | .08              | .07          | .14          | .52           | .07           | .04    | <sup>3/</sup> | .24      | .08             | .04     | .06           | 1.34  |
| 1942               | .04              | .01          | .13          | .58           | .08           | .07    | .01           | .29      | .08             | .05     | .05           | 1.39  |
| 1943               | .03              | .02          | .14          | .32           | .01           | .12    | .17           | .27      | .04             | .10     | .27           | 1.13  |
| 1944               | .09              | .09          | .17          | .33           | .10           | .30    | .17           | .32      | <sup>3/</sup>   | .18     | .26           | 2.01  |
| 1945               | .05              | .01          | .09          | .24           | .15           | .49    | .40           | .26      | .04             | .20     | .20           | 2.31  |
| 1946               | .14              | .13          | .15          | .38           | .12           | .60    | .30           | .35      | .12             | .56     | .23           | 3.08  |
| 1947               | .11              | .09          | .21          | .73           | .13           | .34    | .14           | .56      | .10             | .31     | .42           | 3.14  |
| 1948               | .14              | .11          | .19          | .79           | .12           | .33    | .10           | .62      | .10             | .28     | .13           | 2.91  |
| 1949               | .08              | .04          | .16          | .98           | .15           | .28    | .06           | .51      | .06             | .17     | .10           | 2.59  |
| 1950               | .10              | .14          | .22          | .89           | .12           | .29    | .06           | .60      | .05             | .16     | .13           | 2.76  |
| 1951               | .06              | .04          | .21          | 1.03          | .10           | .21    | .04           | .60      | .03             | .16     | .09           | 2.57  |
| 1952               | .07              | .14          | .22          | 1.25          | .11           | .28    | .04           | .63      | .04             | .20     | .12           | 3.10  |
| 1953               | .08              | .11          | .14          | 1.28          | .09           | .24    | .03           | .58      | .08             | .22     | .14           | 2.99  |
| 1954               | .10              | .06          | .13          | 1.48          | .12           | .31    | .04           | .52      | <sup>3/</sup>   | .17     | .11           | 3.04  |
| 1955               | .12              | .19          | .24          | 1.51          | .10           | .41    | .04           | .66      | .10             | .26     | .15           | 3.78  |
| 1956               | .07              | .19          | .20          | 1.57          | .13           | .51    | .04           | .69      | .04             | .23     | .29           | 3.96  |
| 1957               | .05              | .11          | .14          | 1.61          | .06           | .34    | .05           | .66      | .13             | .24     | .27           | 3.66  |
| 1958               | .10              | .08          | .23          | 1.61          | .26           | .39    | .03           | .52      | .12             | .14     | .15           | 3.63  |
| 1959               | .10              | .12          | .20          | 1.37          | <sup>3/</sup> | .39    | .04           | .62      | .08             | .22     | .23           | 3.37  |
| 1960               | .14              | .10          | .21          | 1.28          | .12           | .40    | .07           | .71      | .03             | .24     | .20           | 3.50  |
| 1961               | .10              | .16          | .20          | 1.38          | .08           | .37    | .06           | .64      | .12             | .27     | .19           | 3.57  |
| 1962               | .14              | .19          | .17          | 1.42          | .11           | .32    | .06           | .74      | .08             | .30     | .23           | 3.76  |
| 1963               | .14              | .21          | .17          | 1.56          | .09           | .41    | .07           | .71      | .08             | .32     | .14           | 3.90  |
| 1964               | .12              | .18          | .17          | 1.31          | .07           | .44    | .06           | .62      | .12             | .24     | .26           | 3.59  |
| 1965               | .07              | .19          | .13          | 1.39          | .07           | .45    | .06           | .78      | .06             | .32     | .16           | 3.68  |
| 1966               | .07              | .15          | .15          | 1.40          | .03           | .39    | .10           | .74      | .05             | .30     | .17           | 3.55  |
| 1967               | .12              | .17          | .17          | 1.40          | .07           | .55    | .10           | .54      | .05             | .30     | .23           | 3.70  |
| 1968 <sup>4/</sup> | .17              | .25          | .18          | 1.42          | .12           | .49    | .08           | .53      | .12             | .29     | .19           | 3.84  |

<sup>1/</sup> Civilian consumption beginning 1941. Beginning 1960, includes Alaska and Hawaii.

<sup>2/</sup> Includes plums, prunes, pineapple, noncitrus purees, and miscellaneous fruits and berries; prior to 1946 includes small quantities of citrus juices.

<sup>3/</sup> Less than 0.005 pound.

<sup>4/</sup> Preliminary.

Table 6.--Frozen citrus juices: Per capita consumption, product weight and single strength basis, 1946-68 <sup>1/</sup>

| Year               | Orange         |                 | Grapefruit     |                 | Blend          |                 | Lemon          |                 |
|--------------------|----------------|-----------------|----------------|-----------------|----------------|-----------------|----------------|-----------------|
|                    | Product weight | Single strength | Product weight | Single strength | Product weight | Single strength | Product weight | Single strength |
| ----- Pounds ----- |                |                 |                |                 |                |                 |                |                 |
| 1946               | 0.06           | 0.11            | ---            | ---             | ---            | ---             | 0.01           | 0.01            |
| 1947               | .05            | .08             | ---            | ---             | ---            | ---             | .01            | .01             |
| 1948               | .08            | .21             | <u>2/</u>      | <u>2/</u>       | ---            | ---             | .01            | .01             |
| 1949               | .90            | 3.07            | <u>2/</u>      | <u>2/</u>       | <u>2/</u>      | <u>2/</u>       | .02            | .02             |
| 1950               | 1.36           | 4.74            | 0.05           | 0.18            | 0.04           | 0.14            | .03            | .03             |
| 1951               | 1.89           | 6.64            | .07            | .25             | .05            | .18             | .03            | .03             |
| 1952               | 3.06           | 10.76           | .04            | .14             | .03            | .11             | .06            | .11             |
| 1953               | 3.36           | 11.82           | .07            | .25             | .03            | .11             | .10            | .20             |
| 1954               | 3.59           | 12.65           | .08            | .28             | .04            | .14             | .11            | .26             |
| 1955               | 4.08           | 14.33           | .08            | .28             | .05            | .18             | .10            | .25             |
| 1956               | 3.96           | 13.96           | .10            | .35             | .04            | .14             | .10            | .23             |
| 1957               | 4.32           | 15.23           | .15            | .53             | .04            | .14             | .13            | .31             |
| 1958               | 3.31           | 11.67           | .16            | .56             | .03            | .11             | .05            | .18             |
| 1959               | 4.11           | 14.49           | .23            | .81             | .04            | .14             | .11            | .29             |
| 1960               | 4.43           | 15.62           | .16            | .56             | .03            | .11             | .12            | .35             |
| 1961               | 4.34           | 15.30           | .14            | .49             | .01            | .04             | .05            | .13             |
| 1962               | 5.10           | 17.98           | .16            | .56             | .01            | .04             | .05            | .13             |
| 1963               | 3.36           | 11.84           | .12            | .42             | .01            | .04             | .06            | .16             |
| 1964               | 3.00           | 10.58           | .13            | .46             | <u>2/</u>      | <u>2/</u>       | .05            | .15             |
| 1965               | 4.00           | 14.10           | .15            | .53             | .01            | .04             | .05            | .13             |
| 1966               | 3.82           | 13.47           | .16            | .56             | <u>2/</u>      | <u>2/</u>       | .04            | .09             |
| 1967               | 5.53           | 19.49           | .22            | .78             | <u>2/</u>      | <u>2/</u>       | .05            | .13             |
| 1968 <sup>3/</sup> | 4.83           | 17.03           | .15            | .53             | <u>2/</u>      | <u>2/</u>       | .04            | .09             |
| Year               | Lemonade base  |                 | Limeade        |                 | Tangerine      |                 | Total          |                 |
|                    | Product weight | Single strength | Product weight | Single strength | Product weight | Single strength | Product weight | Single strength |
| ----- Pounds ----- |                |                 |                |                 |                |                 |                |                 |
| 1946               | ---            | ---             | ---            | ---             | ---            | ---             | 0.07           | 0.12            |
| 1947               | ---            | ---             | ---            | ---             | ---            | ---             | .06            | .09             |
| 1948               | ---            | ---             | ---            | ---             | ---            | ---             | .09            | .22             |
| 1949               | ---            | ---             | ---            | ---             | ---            | ---             | .92            | 3.09            |
| 1950               | 0.04           | 0.03            | ---            | ---             | ---            | ---             | 1.52           | 5.12            |
| 1951               | .15            | .12             | ---            | ---             | ---            | ---             | 2.19           | 7.22            |
| 1952               | .33            | .28             | ---            | ---             | 0.01           | 0.04            | 3.53           | 11.44           |
| 1953               | .49            | .36             | ---            | ---             | .03            | .11             | 4.08           | 12.85           |
| 1954               | .52            | .38             | 0.03           | 0.11            | .03            | .11             | 4.40           | 13.93           |
| 1955               | .52            | .38             | .07            | .25             | .04            | .14             | 4.94           | 15.81           |
| 1956               | .55            | .41             | .07            | .25             | .04            | .14             | 4.86           | 15.48           |
| 1957               | .58            | .43             | .04            | .14             | .06            | .21             | 5.32           | 16.99           |
| 1958               | .71            | .53             | .03            | .11             | .03            | .11             | 4.32           | 13.27           |
| 1959               | .85            | .63             | .04            | .14             | .04            | .14             | 5.42           | 16.64           |
| 1960               | .76            | .56             | .04            | .14             | .04            | .14             | 5.58           | 17.48           |
| 1961               | .61            | .45             | .04            | .14             | .05            | .18             | 5.24           | 16.73           |
| 1962               | .48            | .36             | .04            | .14             | .08            | .28             | 5.92           | 19.49           |
| 1963               | .44            | .33             | .02            | .07             | .05            | .18             | 4.06           | 13.04           |
| 1964               | .51            | .38             | .06            | .21             | .05            | .18             | 3.80           | 11.96           |
| 1965               | .51            | .38             | .02            | .07             | .05            | .18             | 4.79           | 15.43           |
| 1966               | .44            | .33             | .02            | .07             | .05            | .18             | 4.53           | 14.70           |
| 1967               | .48            | .36             | .03            | .11             | .05            | .18             | 6.36           | 21.05           |
| 1968 <sup>3/</sup> | .41            | .30             | .02            | .07             | .04            | .14             | 5.49           | 18.16           |

<sup>1/</sup> Civilian consumption. Beginning 1960, includes Alaska and Hawaii. Product weight includes concentrated and single strength juices. Concentrated fruit juices converted to single strength on basis of 3.525 pounds to 1; lemonade base, 0.84 to 1 through 1952 and 0.74 beginning 1953. <sup>2/</sup> Less than 0.005 pound. <sup>3/</sup> Preliminary.



Table 7.—Dried fruits: Per capita consumption, product weight basis, pack years, 1910-68 <sup>1/</sup>

| Pack year          | Apples | Apricots | Dates <sup>2/</sup> | Figs | Peaches | Pears | Prunes <sup>3/</sup> | Raisins and currants | Total |
|--------------------|--------|----------|---------------------|------|---------|-------|----------------------|----------------------|-------|
| -----Pounds-----   |        |          |                     |      |         |       |                      |                      |       |
| 1910               | 0.3    | 0.1      | 0.3                 | 0.3  | 0.5     | 4/    | 0.6                  | 1.4                  | 3.5   |
| 1911               | .3     | .1       | .2                  | .3   | .3      | 0.1   | 1.6                  | 1.4                  | 4.3   |
| 1912               | .4     | .1       | .3                  | .3   | .6      | 4/    | 1.0                  | 1.8                  | 4.5   |
| 1913               | .2     | .1       | .3                  | .3   | .7      | 4/    | .6                   | 1.5                  | 3.7   |
| 1914               | .1     | .2       | .2                  | .3   | .6      | .1    | .8                   | 1.8                  | 4.1   |
| 1915               | .4     | .2       | .3                  | .2   | .6      | 4/    | 1.5                  | 1.8                  | 5.0   |
| 1916               | .5     | .1       | .2                  | .4   | .5      | 4/    | 1.4                  | 2.0                  | 5.1   |
| 1917               | .4     | .3       | .1                  | .3   | .7      | 4/    | 2.1                  | 2.4                  | 6.3   |
| 1918               | .4     | .1       | .2                  | .3   | .4      | 4/    | .9                   | 2.1                  | 4.4   |
| 1919               | .4     | .1       | .3                  | .5   | .6      | .1    | 2.0                  | 2.9                  | 6.9   |
| 1920               | .2     | .1       | .3                  | .4   | .5      | .1    | 1.7                  | 3.4                  | 6.7   |
| 1921               | .1     | .1       | .4                  | .6   | .4      | 4/    | 1.2                  | 2.7                  | 5.5   |
| 1922               | .3     | .2       | .5                  | .5   | .5      | .1    | 1.9                  | 2.6                  | 6.6   |
| 1923               | .1     | .2       | .4                  | .4   | .4      | 4/    | 1.4                  | 2.6                  | 5.5   |
| 1924               | .2     | .2       | .5                  | .5   | .4      | .1    | 1.5                  | 3.0                  | 6.4   |
| 1925               | .1     | .1       | .6                  | .5   | .3      | .1    | 1.8                  | 2.8                  | 6.3   |
| 1926               | .1     | .2       | .4                  | .5   | .4      | .1    | 1.6                  | 2.8                  | 6.1   |
| 1927               | .1     | .2       | .4                  | .4   | .2      | .1    | 2.3                  | 2.6                  | 6.3   |
| 1928               | .1     | .2       | .4                  | .4   | .4      | .1    | 1.7                  | 2.9                  | 6.2   |
| 1929               | .2     | .2       | .4                  | .4   | .2      | .1    | 1.3                  | 2.5                  | 5.3   |
| 1930               | .1     | .2       | .4                  | .3   | .4      | 0     | 1.9                  | 2.1                  | 5.4   |
| 1931               | .1     | .3       | .4                  | .2   | .2      | 4/    | 1.6                  | 1.9                  | 4.7   |
| 1932               | .1     | .3       | .4                  | .3   | .3      | 4/    | 1.7                  | 2.3                  | 5.4   |
| 1933               | .1     | .3       | .4                  | .3   | .3      | 4/    | 1.5                  | 2.3                  | 5.2   |
| 1934               | .1     | .2       | .5                  | .3   | .3      | 4/    | 1.6                  | 2.1                  | 5.1   |
| 1935               | .1     | .2       | .5                  | .3   | .3      | 4/    | 2.2                  | 2.3                  | 5.9   |
| 1936               | .2     | .3       | .5                  | .3   | .4      | 4/    | 1.8                  | 1.9                  | 5.4   |
| 1937               | .2     | .3       | .4                  | .4   | .3      | 0     | 2.2                  | 2.0                  | 5.8   |
| 1938               | .1     | .1       | .4                  | .4   | .3      | 4/    | 1.6                  | 2.6                  | 5.5   |
| 1939               | .3     | .4       | .4                  | .3   | .3      | .1    | 2.1                  | 2.5                  | 6.4   |
| 1940               | .1     | .1       | .4                  | .4   | .4      | 4/    | 2.0                  | 2.6                  | 6.0   |
| 1941               | 4/     | .2       | .2                  | .4   | .1      | 0     | 1.6                  | 1.8                  | 4.3   |
| 1942               | 0      | 0        | .2                  | .5   | 0       | 0     | 1.3                  | 2.2                  | 4.2   |
| 1943               | .1     | 4/       | .2                  | .4   | .1      | 4/    | 2.1                  | 3.0                  | 5.9   |
| 1944               | .1     | .2       | .4                  | .4   | .2      | 4/    | 1.8                  | 3.0                  | 6.1   |
| 1945               | .2     | .1       | .4                  | .4   | .3      | .1    | 2.0                  | 2.5                  | 6.0   |
| 1946               | .2     | .2       | .5                  | .3   | .1      | 4/    | 1.4                  | 1.8                  | 4.5   |
| 1947               | .2     | .1       | .3                  | .3   | .2      | 4/    | .9                   | 1.7                  | 3.7   |
| 1948               | .1     | .2       | .5                  | .3   | .1      | 4/    | .8                   | 1.9                  | 3.9   |
| 1949               | .2     | .2       | .4                  | .4   | .1      | 4/    | 1.0                  | 1.8                  | 4.1   |
| 1950               | .15    | .15      | .56                 | .34  | .11     | .01   | 1.06                 | 1.68                 | 4.06  |
| 1951               | .13    | .12      | .51                 | .32  | .12     | .01   | .81                  | 1.79                 | 3.81  |
| 1952               | .11    | .10      | .51                 | .30  | .10     | .01   | .96                  | 1.73                 | 3.82  |
| 1953               | .11    | .13      | .46                 | .31  | .10     | 5/    | .84                  | 1.80                 | 3.75  |
| 1954               | .12    | .10      | .51                 | .31  | .10     | .02   | .95                  | 1.76                 | 3.87  |
| 1955               | .11    | .14      | .51                 | .30  | .09     | .01   | .71                  | 1.73                 | 3.60  |
| 1956               | .09    | .09      | .53                 | .33  | .07     | 5/    | .82                  | 1.75                 | 3.68  |
| 1957               | .09    | .08      | .60                 | .33  | .07     | .01   | .87                  | 1.52                 | 3.57  |
| 1958               | .10    | .04      | .39                 | .35  | .06     | .01   | .66                  | 1.38                 | 2.99  |
| 1959               | .10    | .06      | .40                 | .31  | .07     | .01   | .71                  | 1.58                 | 3.24  |
| 1960               | .10    | .07      | .45                 | .34  | .06     | .01   | .62                  | 1.42                 | 3.07  |
| 1961               | .09    | .07      | .34                 | .33  | .05     | 5/    | .62                  | 1.60                 | 3.10  |
| 1962               | .12    | .05      | .36                 | .26  | .06     | 5/    | .68                  | 1.47                 | 3.00  |
| 1963               | .08    | .06      | .37                 | .30  | .05     | 5/    | .58                  | 1.49                 | 2.93  |
| 1964               | .09    | .06      | .31                 | .27  | .04     | 5/    | .66                  | 1.45                 | 2.88  |
| 1965               | .09    | .06      | .31                 | .33  | .05     | 5/    | .59                  | 1.53                 | 2.96  |
| 1966               | .15    | .05      | .31                 | .27  | .04     | 5/    | .54                  | 1.64                 | 3.00  |
| 1967               | .10    | .04      | .32                 | .20  | .03     | 5/    | .56                  | 1.52                 | 2.77  |
| 1968 <sup>6/</sup> | .12    | .05      | .29                 | .25  | .03     | 5/    | .36                  | 1.41                 | 2.51  |

<sup>1/</sup> Production begins midyear. Civilian consumption 1941 to date. Beginning 1959, includes Alaska and Hawaii.  
<sup>2/</sup> Pits-in basis. <sup>3/</sup> Excludes quantities used for juice. <sup>4/</sup> Less than 0.05 pounds <sup>5/</sup> Less than 0.005 pound.  
<sup>6/</sup> Preliminary.

Table 8.—Fruits, fresh-weight equivalent: Per capita consumption, 1910-68 1/2

| Year     | Citrus   |           |              | Apples    |        |              | Other fruit |        |              | All fruit 1/2 |       |
|----------|----------|-----------|--------------|-----------|--------|--------------|-------------|--------|--------------|---------------|-------|
|          | Fresh 2/ | Canned 3/ | Canned Juice | Fresh 1/2 | Canned | Canned Juice | Fresh       | Canned | Canned Juice |               |       |
| 1910     | 17.8     | ---       | ---          | 59.4      | 1.0    | ---          | 62.2        | 2.9    | 0.7          | 14.5          | 75.6  |
| 1911     | 19.1     | ---       | ---          | 73.5      | 1.0    | ---          | 76.5        | 3.5    | ---          | 12.9          | 82.0  |
| 1912     | 18.2     | ---       | ---          | 74.6      | 1.0    | ---          | 78.0        | 3.9    | ---          | 14.9          | 86.9  |
| 1913     | 16.6     | ---       | ---          | 59.3      | 1.0    | ---          | 62.8        | 4.3    | ---          | 15.5          | 74.6  |
| 1914     | 24.1     | ---       | ---          | 71.8      | 1.0    | ---          | 74.2        | 2.4    | ---          | 14.5          | 84.6  |
| 1915     | 23.1     | ---       | ---          | 69.0      | 1.0    | ---          | 71.8        | 6.4    | ---          | 16.1          | 85.8  |
| 1916     | 22.0     | ---       | ---          | 63.9      | 1.1    | ---          | 68.6        | 6.4    | ---          | 17.1          | 72.8  |
| 1917     | 22.0     | ---       | ---          | 56.1      | 1.9    | ---          | 61.8        | 7.6    | ---          | 19.3          | 79.1  |
| 1918     | 16.5     | ---       | ---          | 36.9      | 2.2    | ---          | 46.2        | 7.5    | ---          | 19.7          | 53.2  |
| 1919     | 23.5     | ---       | ---          | 45.2      | 1.8    | ---          | 50.3        | 8.9    | ---          | 18.4          | 81.3  |
| 1920     | 26.0     | ---       | ---          | 63.0      | 1.6    | ---          | 67.6        | 10.1   | ---          | 23.8          | 88.4  |
| 1921     | 30.5     | ---       | ---          | 36.1      | 1.4    | ---          | 39.1        | 9.7    | ---          | 22.8          | 79.2  |
| 1922     | 24.6     | ---       | ---          | 57.5      | 1.4    | ---          | 62.7        | 8.6    | ---          | 20.8          | 92.3  |
| 1923     | 32.5     | 0.1       | ---          | 54.7      | 1.4    | ---          | 57.3        | 8.8    | ---          | 21.6          | 88.1  |
| 1924     | 33.9     | ---       | ---          | 54.1      | 1.6    | ---          | 56.8        | 9.6    | ---          | 21.0          | 90.8  |
| 1925     | 28.9     | ---       | ---          | 46.3      | 1.4    | ---          | 49.4        | 11.1   | ---          | 22.0          | 80.5  |
| 1926     | 31.4     | ---       | ---          | 31.7      | 1.5    | ---          | 65.0        | 12.7   | 0.2          | 22.0          | 102.1 |
| 1927     | 32.2     | ---       | ---          | 37.4      | 1.4    | ---          | 39.9        | 13.6   | ---          | 21.9          | 94.5  |
| 1928     | 29.5     | ---       | ---          | 48.9      | 1.4    | ---          | 51.3        | 13.8   | ---          | 22.7          | 85.6  |
| 1929     | 39.8     | ---       | ---          | 39.7      | 1.6    | ---          | 67.7        | 13.2   | ---          | 20.7          | 177.7 |
| 1930     | 31.2     | ---       | ---          | 42.1      | 1.7    | ---          | 45.3        | 13.5   | ---          | 17.4          | 167.1 |
| 1931     | 42.3     | ---       | ---          | 39.2      | 1.2    | ---          | 53.7        | 13.3   | ---          | 17.8          | 195.8 |
| 1932     | 36.7     | ---       | ---          | 40.0      | 1.4    | ---          | 42.1        | 12.0   | ---          | 19.3          | 160.5 |
| 1933     | 39.4     | ---       | ---          | 29.3      | 1.5    | ---          | 27.7        | 13.2   | ---          | 18.5          | 152.7 |
| 1934     | 39.8     | ---       | ---          | 41.2      | 1.5    | ---          | 35.4        | 14.0   | ---          | 18.5          | 90.6  |
| 1935     | 44.6     | ---       | ---          | 32.9      | 1.5    | ---          | 36.9        | 16.2   | ---          | 17.0          | 170.7 |
| 1936     | 46.2     | ---       | ---          | 49.4      | 1.6    | ---          | 33.6        | 16.0   | ---          | 18.7          | 100.1 |
| 1937     | 44.5     | ---       | ---          | 50.6      | 2.0    | ---          | 31.3        | 16.5   | ---          | 18.1          | 181.6 |
| 1938     | 49.1     | ---       | ---          | 30.7      | 1.9    | ---          | 33.6        | 16.7   | ---          | 19.3          | 94.1  |
| 1939     | 61.4     | ---       | ---          | 29.7      | 2.2    | ---          | 33.8        | 18.5   | ---          | 20.7          | 99.0  |
| 1940     | 56.7     | ---       | ---          | 31.7      | 2.5    | ---          | 35.4        | 19.0   | ---          | 21.2          | 99.8  |
| 1941     | 57.7     | ---       | ---          | 28.1      | 2.6    | ---          | 31.7        | 17.7   | ---          | 18.6          | 101.2 |
| 1942     | 57.7     | ---       | ---          | 28.1      | 2.6    | ---          | 31.7        | 17.7   | ---          | 18.6          | 101.2 |
| 1943     | 60.3     | ---       | ---          | 24.9      | 2.3    | ---          | 28.2        | 12.6   | ---          | 16.9          | 83.1  |
| 1944     | 68.2     | ---       | ---          | 25.5      | 2.4    | ---          | 28.2        | 9.4    | ---          | 16.9          | 167.9 |
| 1945     | 66.6     | ---       | ---          | 22.9      | 1.7    | ---          | 26.6        | 4.4    | ---          | 21.3          | 68.1  |
| 1946     | 59.1     | ---       | ---          | 23.0      | 1.9    | ---          | 27.9        | 13.6   | ---          | 21.3          | 102.1 |
| 1947     | 62.2     | ---       | ---          | 25.4      | 2.4    | ---          | 30.1        | 22.4   | ---          | 18.3          | 225.3 |
| 1948     | 54.4     | ---       | ---          | 26.3      | 2.8    | ---          | 31.3        | 17.8   | ---          | 14.0          | 97.1  |
| 1949     | 47.9     | ---       | ---          | 24.7      | 2.9    | ---          | 29.9        | 18.3   | ---          | 13.1          | 214.4 |
| 1950     | 41.7     | ---       | ---          | 35.5      | 3.4    | ---          | 28.8        | 19.1   | ---          | 2.2           | 203.2 |
| 1951     | 45.8     | ---       | ---          | 25.7      | 3.5    | ---          | 31.5        | 20.6   | ---          | 5.9           | 86.6  |
| 1952     | 45.1     | ---       | ---          | 21.6      | 4.0    | ---          | 27.9        | 17.9   | ---          | 2.2           | 85.8  |
| 1953     | 44.1     | ---       | ---          | 21.6      | 4.0    | ---          | 27.9        | 19.6   | ---          | 12.5          | 202.9 |
| 1954     | 42.0     | ---       | ---          | 20.9      | 3.5    | ---          | 26.6        | 7.1    | ---          | 12.5          | 89.9  |
| 1955     | 41.8     | ---       | ---          | 19.6      | 4.0    | ---          | 26.6        | 20.0   | ---          | 7.3           | 86.8  |
| 1956     | 37.1     | ---       | ---          | 18.9      | 4.0    | ---          | 26.0        | 20.7   | ---          | 2.0           | 187.7 |
| 1957     | 37.1     | ---       | ---          | 19.3      | 4.4    | ---          | 26.0        | 19.4   | ---          | 7.7           | 189.3 |
| 1958     | 31.0     | ---       | ---          | 22.5      | 4.7    | ---          | 26.0        | 20.0   | ---          | 3.2           | 189.3 |
| 1959     | 34.7     | ---       | ---          | 18.2      | 4.5    | ---          | 26.0        | 19.5   | ---          | 11.9          | 100.8 |
| 1960     | 33.7     | ---       | ---          | 18.2      | 4.5    | ---          | 26.6        | 19.5   | ---          | 10.3          | 81.8  |
| 1961     | 30.8     | ---       | ---          | 16.4      | 4.8    | ---          | 25.9        | 19.3   | ---          | 3.1           | 193.3 |
| 1962     | 29.5     | ---       | ---          | 17.4      | 5.0    | ---          | 24.3        | 19.4   | ---          | 10.8          | 195.4 |
| 1963     | 22.1     | ---       | ---          | 16.7      | 4.6    | ---          | 25.1        | 18.8   | ---          | 3.2           | 182.3 |
| 1964     | 26.1     | ---       | ---          | 17.8      | 5.1    | ---          | 25.3        | 19.0   | ---          | 10.6          | 169.9 |
| 1965     | 29.0     | ---       | ---          | 16.3      | 5.4    | ---          | 26.6        | 18.6   | ---          | 3.3           | 165.1 |
| 1966     | 29.0     | ---       | ---          | 15.9      | 4.5    | ---          | 23.8        | 18.7   | ---          | 10.4          | 174.2 |
| 1967     | 31.5     | ---       | ---          | 16.1      | 5.1    | ---          | 25.3        | 18.7   | ---          | 3.2           | 176.6 |
| 1968     | 26.1     | ---       | ---          | 15.6      | 5.3    | ---          | 25.2        | 18.6   | ---          | 7.0           | 191.1 |
| 1968 1/2 | 26.1     | ---       | ---          | 15.6      | 5.3    | ---          | 25.2        | 18.6   | ---          | 9.6           | 181.5 |

1/ Excludes quantities consumed as baby food. Unless otherwise noted, data represent a calendar year, when necessary, were made by combining proportional parts of each pack year involved). Civilian consumption only, beginning 1941. Beginning 1960, includes Alaska and Hawaii. 2/ Beginning 1941, crop year beginning October or November prior to year indicated. 3/ Pack year beginning October or November prior to year indicated. 4/ Beginning 1934, includes only apples grown in commercial areas. 5/ Less than 0.05 pound. 6/ Includes chilled juice beginning 1955 and chilled fruit beginning 1956. 7/ Preliminary.

Table 9 .--Tree nuts (shelled basis): Per capita consumption, crop years, 1910-68 1/

| Year               | Almonds | Filberts | Pecans    | Walnuts | Macadamia | Other <u>2/</u> | Total |
|--------------------|---------|----------|-----------|---------|-----------|-----------------|-------|
| ----- Pounds ----- |         |          |           |         |           |                 |       |
| 1910               | 0.17    | 0.07     | 0.01      | 0.30    | ---       | 0.19            | 0.7   |
| 1911               | .15     | .05      | .01       | .31     | ---       | .26             | .8    |
| 1912               | .17     | .06      | .01       | .28     | ---       | .16             | .7    |
| 1913               | .16     | .07      | .01       | .31     | ---       | .29             | .8    |
| 1914               | .16     | .07      | .01       | .28     | ---       | .19             | .7    |
| 1915               | .17     | .05      | <u>3/</u> | .35     | ---       | .21             | .8    |
| 1916               | .22     | .07      | .01       | .35     | ---       | .13             | .8    |
| 1917               | .23     | .10      | <u>3/</u> | .28     | ---       | .18             | .8    |
| 1918               | .29     | .06      | <u>3/</u> | .25     | ---       | .16             | .8    |
| 1919               | .33     | .15      | .24       | .49     | ---       | .23             | 1.4   |
| 1920               | .20     | .07      | .04       | .31     | ---       | .36             | 1.0   |
| 1921               | .31     | .11      | .16       | .49     | ---       | .36             | 1.4   |
| 1922               | .29     | .11      | .05       | .44     | ---       | .34             | 1.2   |
| 1923               | .30     | .12      | .19       | .42     | ---       | .39             | 1.4   |
| 1924               | .26     | .07      | .13       | .48     | ---       | .35             | 1.3   |
| 1925               | .23     | .10      | .17       | .51     | ---       | .29             | 1.3   |
| 1926               | .26     | .08      | .30       | .37     | ---       | .35             | 1.4   |
| 1927               | .24     | .10      | .11       | .51     | ---       | .14             | 1.1   |
| 1928               | .26     | .09      | .21       | .38     | ---       | .30             | 1.2   |
| 1929               | .20     | .06      | .16       | .44     | ---       | .23             | 1.1   |
| 1930               | .21     | .06      | .17       | .33     | ---       | .29             | 1.1   |
| 1931               | .17     | .04      | .26       | .32     | ---       | .33             | 1.1   |
| 1932               | .14     | .05      | .20       | .36     | ---       | .27             | 1.0   |
| 1933               | .12     | .03      | .23       | .26     | ---       | .25             | .9    |
| 1934               | .11     | .03      | .17       | .33     | ---       | .35             | 1.0   |
| 1935               | .17     | .04      | .36       | .34     | ---       | .44             | 1.4   |
| 1936               | .16     | .05      | .17       | .28     | ---       | .47             | 1.1   |
| 1937               | .19     | .03      | .30       | .38     | ---       | .46             | 1.4   |
| 1938               | .14     | .03      | .21       | .32     | ---       | .49             | 1.2   |
| 1939               | .21     | .05      | .27       | .38     | ---       | .45             | 1.4   |
| 1940               | .12     | .03      | .35       | .32     | ---       | .55             | 1.4   |
| 1941               | .09     | .04      | .35       | .42     | ---       | .40             | 1.3   |
| 1942               | .22     | .03      | .23       | .35     | ---       | .14             | 1.0   |
| 1943               | .23     | .05      | .38       | .38     | ---       | .07             | 1.1   |
| 1944               | .35     | .10      | .41       | .42     | ---       | .16             | 1.4   |
| 1945               | .34     | .11      | .37       | .38     | ---       | .24             | 1.4   |
| 1946               | .36     | .14      | .20       | .38     | ---       | .40             | 1.5   |
| 1947               | .30     | .08      | .31       | .34     | ---       | .45             | 1.5   |
| 1948               | .29     | .08      | .44       | .39     | ---       | .50             | 1.7   |
| 1949               | .30     | .10      | .31       | .49     | ---       | .53             | 1.7   |
| 1950               | .32     | .06      | .30       | .37     | ---       | .57             | 1.6   |
| 1951               | .26     | .08      | .36       | .43     | ---       | .49             | 1.6   |
| 1952               | .28     | .09      | .38       | .46     | ---       | .50             | 1.7   |
| 1953               | .25     | .06      | .46       | .33     | ---       | .50             | 1.6   |
| 1954               | .24     | .07      | .33       | .39     | ---       | .58             | 1.6   |
| 1955               | .23     | .07      | .26       | .35     | ---       | .59             | 1.5   |
| 1956               | .19     | .05      | .35       | .33     | ---       | .49             | 1.4   |
| 1957               | .24     | .07      | .37       | .32     | ---       | .59             | 1.6   |
| 1958               | .20     | .07      | .37       | .36     | ---       | .57             | 1.6   |
| 1959               | .27     | .08      | .30       | .36     | 0.01      | .52             | 1.5   |
| 1960               | .30     | .07      | .36       | .32     | .01       | .52             | 1.6   |
| 1961               | .28     | .07      | .44       | .30     | .01       | .53             | 1.6   |
| 1962               | .27     | .05      | .27       | .32     | .01       | .56             | 1.5   |
| 1963               | .22     | .05      | .45       | .32     | .01       | .54             | 1.6   |
| 1964               | .27     | .05      | .43       | .32     | .01       | .54             | 1.6   |
| 1965               | .28     | .06      | .52       | .32     | .01       | .54             | 1.7   |
| 1966               | .30     | .07      | .39       | .35     | .01       | .53             | 1.7   |
| 1967               | .31     | .07      | .43       | .34     | .01       | .58             | 1.7   |
| 1968 <u>4/</u>     | .33     | .07      | .40       | .31     | .01       | .66             | 1.8   |

1/ Crop year beginning July of year indicated. Civilian per capita consumption beginning 1941. Beginning 1959, includes Alaska and Hawaii. 2/ Includes the following nuts: Brazil, pignolia, pistachios, chestnuts, cashews, and miscellaneous. 3/ Less than 0.005 pound. 4/ Preliminary.



Table 10.--Apples, commercial crops 1/: Production by varieties, United States, average 1962-66, annual 1967-68

| Variety              | Average<br>1962-66 | 1967  | 1968  | Variety              | Average<br>1962-66 | 1967    | 1968    |
|----------------------|--------------------|-------|-------|----------------------|--------------------|---------|---------|
| -- Million pounds -- |                    |       |       | -- Million pounds -- |                    |         |         |
| Summer:              |                    |       |       | Winter, cont'd:      |                    |         |         |
| Gravenstein          | 111.6              | 34.0  | 162.4 | Cortland             | 152.4              | 148.0   | 115.0   |
| Other summer         | 103.0              | 87.7  | 91.1  | Delicious            | 1,568.4            | 1,452.3 | 1,383.2 |
| Total                | 214.6              | 121.7 | 253.5 | Golden delicious     | 514.6              | 636.5   | 631.0   |
|                      |                    |       |       | McIntosh             | 709.4              | 691.4   | 645.2   |
| Fall:                |                    |       |       | Northern Spy         | 134.6              | 154.1   | 117.9   |
| Grimes Golden        | 38.8               | 25.0  | 26.2  | R. I. Greening       | 141.5              | 128.4   | 100.4   |
| Jonathan             | 406.7              | 327.0 | 359.6 | Rome Beauty          | 445.2              | 447.9   | 438.0   |
| Wealthy              | 48.4               | 36.8  | 42.7  | Stayman              | 283.5              | 197.8   | 234.2   |
| Other fall           | 74.0               | 64.9  | 61.7  | Winesap              | 348.2              | 249.0   | 262.9   |
| Total                | 567.9              | 453.7 | 490.2 | Yellow Newtown 2/    | 193.7              | 168.0   | 171.4   |
|                      |                    |       |       | York Imperial        | 292.2              | 271.3   | 312.3   |
| Winter:              |                    |       |       | Other winter         | 241.9              | 209.2   | 209.7   |
| Baldwin              | 84.7               | 66.2  | 69.6  | Total                | 5,147.6            | 4,849.7 | 4,710.1 |
| Ben Davis and Gano   | 37.5               | 29.6  | 19.3  | Total all varieties: | 5,930.1            | 5,425.1 | 5,453.8 |

1/ Estimates of commercial crop refer to the total production of apples in commercial orchards of 100 or more bearing age trees. Data include small quantities of mature fruit not harvested and excess cullage of harvested fruit not included in data in table 12. 2/ Albermarle Pippin.

Table 11. --Apples: End of month cold storage holdings, 1962 to date

| Year                  | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|-----------------------|------|------|------|------|-----|------|------|------|-------|------|------|------|
| -- Million bushels -- |      |      |      |      |     |      |      |      |       |      |      |      |
| 1962                  | 24.9 | 17.2 | 10.1 | 5.3  | 1.6 | .3   | .2   | .3   | 15.0  | 51.9 | 44.5 | 35.5 |
| 1963                  | 25.5 | 18.0 | 11.1 | 5.9  | 2.0 | .7   | .2   | .2   | 14.8  | 59.1 | 49.2 | 40.2 |
| 1964                  | 30.0 | 20.4 | 14.4 | 6.2  | 2.4 | .7   | .3   | .3   | 17.1  | 55.9 | 48.7 | 39.5 |
| 1965                  | 30.5 | 22.1 | 14.0 | 8.2  | 3.5 | 1.5  | .7   | .4   | 22.6  | 56.4 | 50.3 | 38.8 |
| 1966                  | 29.1 | 20.1 | 12.3 | 6.6  | 2.6 | .4   | .3   | .6   | 16.8  | 55.3 | 48.5 | 38.6 |
| 1962-66 av.           | 28.0 | 19.6 | 12.4 | 6.4  | 2.4 | .7   | .3   | .4   | 17.3  | 55.7 | 48.2 | 38.5 |
| -- Billion pounds --  |      |      |      |      |     |      |      |      |       |      |      |      |
| 1967                  | 1.26 | .97  | .66  | .39  | .19 | .05  | .02  | .01  | .60   | 2.35 | 2.00 | 1.54 |
| 1968                  | 1.11 | .81  | .50  | .28  | .11 | .03  | .01  | .01  | .91   | 2.30 | 1.98 | 1.57 |
| 1969                  | 1.19 | .85  | .55  | .31  | .14 | .04  | .01  |      |       |      |      |      |

Note: Prior to 1967, holdings were reported on bushel basis; net weight of bushel of apples ranges from 40-50 lbs.

Table 12.—Apples, commercial crop: Production, 1967, 1968, and indicated 1969

| State and area       | 1967    | 1968    | Indicated 1969 | State and area       | 1967    | 1968    | Indicated 1969 |
|----------------------|---------|---------|----------------|----------------------|---------|---------|----------------|
| -- Million pounds -- |         |         |                | -- Million pounds -- |         |         |                |
| Maine                | 67.3    | 66.0    | 70.0           | Wisconsin            | 49.8    | 63.0    | 62.0           |
| New Hampshire        | 55.4    | 46.0    | 42.0           | Minnesota            | 13.0    | 22.4    | 19.3           |
| Vermont              | 48.1    | 36.3    | 36.0           | Iowa                 | 10.3    | 15.4    | 15.0           |
| Massachusetts        | 98.0    | 89.3    | 90.0           | Missouri             | 29.8    | 59.2    | 59.2           |
| Rhode Island         | 4.5     | 4.8     | 4.2            | Kansas               | 6.8     | 15.9    | 16.0           |
| Connecticut          | 44.9    | 47.9    | 47.0           |                      |         |         |                |
| New York             | 950.2   | 830.0   | 880.0          | N. Central           | 946.1   | 1,015.5 | 1,211.5        |
| New Jersey           | 111.3   | 100.5   | 110.0          |                      |         |         |                |
| Pennsylvania         | 359.0   | 390.0   | 510.0          | Kentucky             | 16.4    | 19.1    | 21.5           |
|                      |         |         |                | Tennessee            | 7.3     | 10.4    | 8.9            |
| N. Atlantic          | 1,738.7 | 1,610.8 | 1,789.2        | Arkansas             | 8.5     | 7.1     | 8.3            |
|                      |         |         |                |                      |         |         |                |
| Delaware             | 13.5    | 10.8    | 14.0           | S. Central           | 32.2    | 36.6    | 38.7           |
| Maryland             | 71.3    | 57.5    | 72.0           |                      |         |         |                |
| Virginia             | 363.0   | 413.0   | 465.0          | Total Central        | 978.3   | 1,052.1 | 1,250.2        |
| West Virginia        | 228.4   | 220.8   | 240.0          |                      |         |         |                |
| North Carolina       | 166.1   | 169.8   | 250.0          | Idaho                | 70.6    | 28.0    | 105.0          |
| South Carolina       | 4.9     | 8.6     | 8.0            | Colorado             | 22.9    | 74.0    | 83.0           |
|                      |         |         |                | New Mexico           | 4.3     | 36.5    | 30.0           |
| S. Atlantic          | 847.2   | 880.5   | 1,049.0        | Utah                 | 20.9    | 17.6    | 22.0           |
|                      |         |         |                | Washington           | 1,240.0 | 1,025.0 | 1,550.0        |
| Total Eastern        | 2,585.9 | 2,491.3 | 2,838.2        | Oregon               | 124.0   | 87.0    | 146.0          |
|                      |         |         |                | California           | 348.0   | 620.0   | 520.0          |
| Ohio                 | 101.7   | 130.0   | 150.0          |                      |         |         |                |
| Indiana              | 74.8    | 58.0    | 85.0           | Western              | 1,830.7 | 1,888.1 | 2,456.0        |
| Illinois             | 104.9   | 96.6    | 105.0          |                      |         |         |                |
| Michigan             | 555.0   | 555.0   | 700.0          | United States        | 5,394.9 | 5,431.5 | 6,544.4        |

1/ Estimates of the commercial crop refer to the total production of apples in commercial orchards of 100 or more bearing age trees.

Table 13.—Pears: Production by States and Pacific Coast, variety composition, 1967, 1968, and indicated 1969

| State         | 1967    | 1968    | Indicated 1969 | Pacific Coast | 1967    | 1968    | Indicated 1969 |
|---------------|---------|---------|----------------|---------------|---------|---------|----------------|
| -- Tons --    |         |         |                | -- Tons --    |         |         |                |
| Connecticut   | 1,880   | 1,600   | 2,000          | Washington:   |         |         |                |
|               |         |         |                | Bartlett      | 90,800  | 97,500  | 74,000         |
| New York      | 17,200  | 9,300   | 16,500         | Other         | 42,970  | 44,040  | 35,000         |
|               |         |         |                | Total         | 133,770 | 141,540 | 109,000        |
| Pennsylvania  | 2,600   | 3,250   | 3,200          |               |         |         |                |
| Michigan      | 21,000  | 11,000  | 35,000         | Oregon:       |         |         |                |
|               |         |         |                | Bartlett      | 71,000  | 44,000  | 74,000         |
| Idaho         | 1,900   | 700     | 2,100          | Other         | 80,000  | 49,000  | 92,000         |
| Colorado      | 1,500   | 5,700   | 7,800          | Total         | 151,000 | 93,000  | 166,000        |
| Utah          | 4,130   | 6,300   | 5,400          |               |         |         |                |
|               |         |         |                | California:   |         |         |                |
| Washington    | 133,770 | 141,540 | 109,000        | Bartlett      | 104,000 | 322,000 | 345,000        |
|               |         |         |                | Other         | 13,000  | 22,000  | 21,000         |
| Oregon        | 151,000 | 93,000  | 166,000        | Total         | 117,000 | 344,000 | 366,000        |
| California    | 117,000 | 344,000 | 366,000        |               |         |         |                |
|               |         |         |                | 3 States:     |         |         |                |
| United States | 451,980 | 616,390 | 713,000        | Bartlett      | 265,800 | 463,500 | 493,000        |
|               |         |         |                | Other         | 135,970 | 115,040 | 148,000        |
|               |         |         |                | Total         | 401,770 | 578,540 | 641,000        |

Table 14.--Peaches: Production, 1967, 1968, and indicated 1969

| State                              | 1967           | 1968           | Indicated<br>1969 |
|------------------------------------|----------------|----------------|-------------------|
| - - - - - Million pounds - - - - - |                |                |                   |
| <b>9 Early States:</b>             |                |                |                   |
| North Carolina                     | 40.0           | 77.8           | 79.0              |
| South Carolina                     | 171.0          | 400.0          | 350.0             |
| Georgia                            | 145.1          | 234.5          | 210.0             |
| Alabama                            | 50.0           | 39.0           | 50.0              |
| Mississippi                        | 17.5           | 12.5           | 17.5              |
| Arkansas                           | 52.0           | 36.4           | 45.0              |
| Louisiana                          | 9.0            | 7.3            | 8.5               |
| Oklahoma                           | 10.1           | 10.0           | 12.0              |
| Texas                              | 28.8           | 30.2           | 30.0              |
| <b>Total 9 States</b>              | <b>523.5</b>   | <b>847.7</b>   | <b>802.0</b>      |
| <b>25 Late States:</b>             |                |                |                   |
| New Hampshire                      | 1/             | 0.8            | 0.1               |
| Massachusetts                      | 0.1            | 2.9            | 2.6               |
| Rhode Island                       | 1/             | .6             | .7                |
| Connecticut                        | .6             | 6.2            | 6.3               |
| New York                           | 8.0            | 18.0           | 21.6              |
| New Jersey                         | 50.0           | 100.5          | 125.0             |
| Pennsylvania                       | 38.4           | 106.1          | 120.0             |
| Ohio                               | 10.0           | 15.0           | 28.0              |
| Indiana                            | 7.2            | 5.5            | 15.0              |
| Illinois                           | 27.7           | 16.0           | 26.0              |
| Michigan                           | 68.5           | 34.5           | 125.0             |
| Missouri                           | 15.4           | 18.0           | 21.6              |
| Kansas                             | 3.6            | 6.2            | 9.5               |
| Delaware                           | 2.4            | 3.5            | 4.0               |
| Maryland                           | 8.2            | 20.5           | 22.0              |
| Virginia                           | 24.5           | 50.0           | 52.8              |
| West Virginia                      | 5.8            | 21.6           | 27.4              |
| Kentucky                           | 10.2           | 16.3           | 17.5              |
| Tennessee                          | 9.1            | 6.7            | 9.2               |
| Idaho                              | 12.1           | 6.5            | 15.0              |
| Colorado                           | 6.3            | 31.6           | 35.0              |
| Utah                               | 13.0           | 16.0           | 15.0              |
| Washington                         | 41.3           | 27.0           | 10.0              |
| Oregon                             | 11.0           | 5.0            | 14.0              |
| California:                        |                |                |                   |
| Clingstone                         | 1,376.0        | 1,708.0        | 1,778.0           |
| Freestone                          | 412.0          | 500.0          | 480.0             |
| <b>Total California</b>            | <b>1,788.0</b> | <b>2,208.0</b> | <b>2,258.0</b>    |
| <b>Total 25 States</b>             | <b>2,161.4</b> | <b>2,743.0</b> | <b>2,981.3</b>    |
| <b>United States</b>               | <b>2,684.9</b> | <b>3,590.7</b> | <b>3,783.3</b>    |

1/ Negligible.



Table 15.—Cherries: Production by types, 12 States, 1967, 1968, and indicated 1969

| State        | Sweet    |        |                        | Tart     |         |                        | All varieties |         |                        |
|--------------|----------|--------|------------------------|----------|---------|------------------------|---------------|---------|------------------------|
|              | 1967     | 1968   | Indi-<br>cated<br>1969 | 1967     | 1968    | Indi-<br>cated<br>1969 | 1967          | 1968    | Indi-<br>cated<br>1969 |
|              | --Tons-- |        |                        | --Tons-- |         |                        | --Tons--      |         |                        |
| New York     | 4,300    | 4,900  | 7,000                  | 22,100   | 14,300  | 15,500                 | 26,400        | 19,200  | 22,500                 |
| Pennsylvania | 200      | 1,089  | 1,100                  | 1,000    | 7,500   | 11,000                 | 1,200         | 8,589   | 12,100                 |
| Ohio         | ---      | ---    | ---                    | 500      | 1,300   | 800                    | 500           | 1,300   | 800                    |
| Michigan     | 17,500   | 22,000 | 23,000                 | 44,000   | 100,000 | 115,000                | 61,500        | 122,000 | 138,000                |
| Wisconsin    | ---      | ---    | ---                    | 6,800    | 6,000   | 2,500                  | 6,800         | 6,000   | 2,500                  |
| Montana      | 2,724    | 1,300  | 200                    | ---      | ---     | ---                    | 2,724         | 1,300   | 200                    |
| Idaho        | 2,619    | 1,100  | 2,700                  | 1,100    | 384     | 950                    | 3,719         | 1,484   | 3,650                  |
| Colorado     | 110      | 200    | 1,000                  | 690      | 1,800   | 1,900                  | 800           | 2,000   | 2,900                  |
| Utah         | 3,200    | 7,700  | 3,300                  | 7,100    | 4,700   | 6,700                  | 10,300        | 12,400  | 10,000                 |
| Washington   | 23,500   | 11,900 | 21,000                 | 1,100    | 320     | 700                    | 24,600        | 12,220  | 21,700                 |
| Oregon       | 39,000   | 15,700 | 28,000                 | 3,900    | 1,100   | 5,500                  | 42,900        | 16,800  | 33,500                 |
| California   | 17,000   | 25,000 | 28,000                 | ---      | ---     | ---                    | 17,000        | 25,000  | 28,000                 |
| 12 States    | 110,153  | 90,889 | 115,300                | 88,290   | 137,404 | 160,550                | 198,443       | 228,293 | 275,850                |

Table 16.—Grapes: Production in principal States, 1967, 1968, and indicated 1969

| State          | 1967     | 1968    | Indi-<br>cated<br>1969 | State and<br>variety              | 1967      | 1968      | Indi-<br>cated<br>1969 |
|----------------|----------|---------|------------------------|-----------------------------------|-----------|-----------|------------------------|
|                | --Tons-- |         |                        |                                   | --Tons--  |           |                        |
| New York       | 158,000  | 116,000 | 120,000                | Arkansas                          | 7,100     | 8,500     | 9,000                  |
| New Jersey     | 1,040    | 870     | 1,200                  | Arizona                           | 14,300    | 13,600    | 13,800                 |
| Pennsylvania   | 46,500   | 37,400  | 35,000                 | Washington                        | 73,600    | 73,500    | 70,000                 |
| Ohio           | 15,500   | 10,000  | 15,000                 | California:                       |           |           |                        |
| Michigan       | 39,000   | 23,000  | 50,000                 | Wine                              | 630,000   | 650,000   | 770,000                |
|                |          |         |                        | Table                             | 435,000   | 470,000   | 550,000                |
| Missouri       | 900      | 3,750   | 4,000                  | Raisin                            | 1,635,000 | 2,135,000 | 2,200,000              |
|                |          |         |                        | Dried <sup>2</sup> / <sub>1</sub> | 181,000   | 262,000   | ---                    |
| North Carolina | 1,600    | 2,000   | 2,300                  | Not dried                         | 884,000   | 1,025,000 | ---                    |
| South Carolina | 3,450    | 4,000   | 4,000                  | All                               | 2,700,000 | 3,255,000 | 3,520,000              |
|                |          |         |                        |                                   |           |           |                        |
| Georgia        | 1,200    | 1,420   | 1,300                  | United States                     | 3,062,190 | 3,549,040 | 3,845,600              |
|                |          |         |                        |                                   |           |           |                        |
|                |          |         |                        |                                   |           |           |                        |
|                |          |         |                        |                                   |           |           |                        |

<sup>1</sup>/ Dried Basis: 1 ton of raisins is equivalent to 4.24 tons of fresh grapes for 1968 and 4.15 tons for 1967.

Table 19.--Prunes and plums: Production in principal States, 1967, 1968, and indicated 1969

| Crop and State              | 1967           | 1968           | Indicated 1969 |
|-----------------------------|----------------|----------------|----------------|
|                             | -----Tons----- |                |                |
| Prunes and plums: <u>1/</u> |                |                |                |
| Michigan                    | 15,000         | 13,000         | 14,000         |
| Idaho                       | 16,172         | 6,480          | 18,000         |
| Washington                  | 11,300         | 9,800          | 19,000         |
| Oregon                      | 30,500         | 11,000         | 23,500         |
| Total 4 States              | <u>72,972</u>  | <u>40,280</u>  | <u>74,500</u>  |
| Dried prunes: <u>2/</u>     |                |                |                |
| California                  | <u>164,000</u> | <u>153,000</u> | <u>130,000</u> |
| Plums:                      |                |                |                |
| California                  | <u>95,000</u>  | <u>106,000</u> | <u>60,000</u>  |
| United States               | <u>577,972</u> | <u>528,780</u> | <u>459,500</u> |

1/ Mostly prunes, however, estimates include small quantities of plums in all States. 2/ In California the drying ratio is approximately 2½ pounds of fresh fruit to 1 pound dried.

Table 20.--Tree nuts: Production in principal States, 1967, 1968, and indicated 1969

| Crop and State               | 1967           | 1968          | Indicated 1969 <u>1/</u> | Crop and State    | 1967           | 1968          | Indicated 1969 |
|------------------------------|----------------|---------------|--------------------------|-------------------|----------------|---------------|----------------|
|                              | -----Tons----- |               |                          |                   | -----Tons----- |               |                |
| Pecans:                      |                |               |                          | Almonds:          |                |               |                |
| North Carolina               | 950            | 400           |                          | California        | 76,600         | 74,500        | 108,000        |
| South Carolina               | 2,850          | 800           |                          | Filberts:         |                |               |                |
| Georgia                      | 27,500         | 21,000        |                          | Oregon            | 7,000          | 7,000         | 7,200          |
| Florida                      | 1,950          | 3,100         |                          | Washington        | 540            | 600           | 550            |
| Alabama                      | 14,000         | 15,750        |                          | 2 States          | <u>7,540</u>   | <u>7,600</u>  | <u>7,750</u>   |
| Mississippi                  | 8,500          | 5,500         |                          | Walnuts:          |                |               |                |
| Arkansas                     | 4,500          | 1,200         |                          | English:          |                |               |                |
| Louisiana                    | 10,750         | 8,250         |                          | California        | 74,000         | 92,000        | 100,000        |
| Oklahoma                     | 26,500         | 750           |                          | Oregon            | 2,400          | 3,600         | 3,800          |
| Texas                        | 17,000         | 34,500        |                          | 2 States          | <u>76,400</u>  | <u>95,600</u> | <u>103,800</u> |
| New Mexico                   | 1,450          | 5,000         |                          | Macadamia nuts:   |                |               |                |
| Total                        | <u>115,950</u> | <u>96,250</u> |                          | Hawaii            | 3,986          | 5,224         | n.a.           |
| Improved varieties <u>2/</u> | 52,100         | 47,365        |                          | Total 5 tree nuts | 280,476        | 279,174       | ---            |
| Wild and seedling            | 63,850         | 48,885        |                          |                   |                |               |                |

1/ Available September 10. 2/ Budded, grafted, or topworked varieties.

Table 17.—Strawberries: Acreage, yield per acre, and production, 1967, 1968, and indicated 1969 <sup>1/</sup>

| Season         | Acreage           |      |                        | Yield per acre     |      |                        | Production           |       |                        |
|----------------|-------------------|------|------------------------|--------------------|------|------------------------|----------------------|-------|------------------------|
|                | 1967              | 1968 | Indi-<br>cated<br>1969 | 1967               | 1968 | Indi-<br>cated<br>1969 | 1967                 | 1968  | Indi-<br>cated<br>1969 |
|                | -- -1,000 acres-- |      |                        | -- -1,000 pounds-- |      |                        | -- -Million pounds-- |       |                        |
| Strawberries:  |                   |      |                        |                    |      |                        |                      |       |                        |
| Winter         | 2.0               | 1.9  | 1.7                    | 8.8                | 8.0  | 9.4                    | 17.6                 | 15.2  | 16.0                   |
| Spring         | 8.0               | 8.6  | 8.4                    | 26.1               | 33.7 | 32.0                   | 208.8                | 289.8 | 268.8                  |
| Early spring   | 4.4               | 4.0  | 3.3                    | 3.0                | 3.0  | 3.1                    | 13.3                 | 12.1  | 10.2                   |
| Mid-spring:    |                   |      |                        |                    |      |                        |                      |       |                        |
| Illinois       | 1.5               | 1.5  | 1.5                    | 2.7                | 2.2  | 2.7                    | 4.0                  | 3.3   | 4.0                    |
| Missouri       | .8                | .8   | .7                     | 2.6                | 2.5  | 2.7                    | 2.1                  | 1.9   | 1.9                    |
| Maryland       | .8                | .7   | .8                     | 2.9                | 4.0  | 3.0                    | 2.3                  | 2.8   | 2.2                    |
| Virginia       | 1.4               | 1.3  | 1.2                    | 3.0                | 3.4  | 2.8                    | 4.2                  | 4.4   | 3.4                    |
| North Carolina | 2.0               | 1.9  | 1.7                    | 2.0                | 3.1  | 2.5                    | 4.0                  | 5.9   | 4.2                    |
| Kentucky       | 1.0               | 1.0  | .9                     | 3.0                | 2.9  | 3.1                    | 3.0                  | 2.9   | 2.8                    |
| Tennessee      | 2.4               | 1.7  | 1.2                    | 2.8                | 2.5  | 2.5                    | 6.7                  | 4.2   | 3.0                    |
| Alabama        | .6                | .6   | 2/                     | 2.0                | 1.9  | 2/                     | 1.3                  | 1.1   | 2/                     |
| Arkansas       | 2.6               | 2.3  | 2.1                    | 3.0                | 2.5  | 2.9                    | 7.8                  | 5.8   | 6.1                    |
| Oklahoma       | .9                | .9   | .9                     | 4.0                | 4.0  | 4.8                    | 3.6                  | 3.6   | 4.3                    |
| Group total    | 14.0              | 12.6 | 11.0                   | 2.8                | 2.8  | 2.9                    | 39.1                 | 35.9  | 32.0                   |
| Late spring:   |                   |      |                        |                    |      |                        |                      |       |                        |
| Maine          | .4                | .3   | 2/                     | 3.3                | 2.8  | 2/                     | 1.2                  | .8    | 2/                     |
| Massachusetts  | .4                | .4   | .3                     | 4.3                | 2.9  | 3.7                    | 1.6                  | 1.0   | 1.2                    |
| Connecticut    | .4                | .3   | 2/                     | 3.0                | 2.5  | 2/                     | 1.0                  | .8    | 2/                     |
| New York       | 2.4               | 2.0  | 1.8                    | 2.7                | 3.0  | 3.0                    | 6.5                  | 6.0   | 5.4                    |
| New Jersey     | 2.4               | 2.1  | 2.0                    | 3.8                | 4.1  | 5.0                    | 9.1                  | 8.6   | 10.0                   |
| Pennsylvania   | 1.8               | 1.7  | 1.6                    | 2.8                | 2.8  | 2.6                    | 5.0                  | 4.8   | 4.2                    |
| Ohio           | 1.5               | 1.4  | 1.3                    | 3.2                | 2.5  | 3.3                    | 4.8                  | 3.5   | 4.3                    |
| Indiana        | 1.1               | 1.1  | 1.1                    | 4.2                | 4.3  | 3.3                    | 4.6                  | 4.7   | 3.6                    |
| Michigan       | 6.8               | 6.5  | 6.4                    | 4.3                | 4.1  | 4.7                    | 29.2                 | 26.6  | 30.1                   |
| Wisconsin      | 1.9               | 1.8  | 1.8                    | 2.6                | 2.4  | 2.7                    | 4.9                  | 4.3   | 4.9                    |
| Washington     | 5.6               | 5.3  | 4.2                    | 6.4                | 7.2  | 5.6                    | 35.8                 | 38.2  | 23.5                   |
| Oregon         | 14.0              | 12.6 | 12.7                   | 6.5                | 5.6  | 5.3                    | 91.0                 | 70.6  | 67.3                   |
| Group Total    | 38.6              | 35.4 | 33.2                   | 5.1                | 4.8  | 4.6                    | 194.9                | 169.9 | 154.5                  |
| All States     | 67.0              | 62.6 | 57.6                   | 7.1                | 8.4  | 8.4                    | 473.6                | 522.9 | 481.5                  |

<sup>1/</sup> Includes processing. <sup>2/</sup> Estimates discontinued. Note: Figures may not add to totals due to rounding.

Table 18.—Cranberries: Production in principal States, 1967, 1968, and preliminary 1969

| State         | 1967          | 1968      | Preliminary<br>1969 |
|---------------|---------------|-----------|---------------------|
|               | -- -Barrels-- |           |                     |
| Massachusetts | 573,000       | 660,000   | 800,000             |
| New Jersey    | 157,000       | 155,000   | 147,000             |
| Wisconsin     | 470,000       | 438,000   | 486,000             |
| Washington    | 139,000       | 163,000   | 130,000             |
| Oregon        | 65,300        | 51,800    | 60,000              |
| 5 States      | 1,404,300     | 1,467,800 | 1,623,000           |



Table 21 .--Citrus fruits: Production, average 1962-66, annual 1966, 1967 and indicated 1968 1/

| Crop and State                              | Average<br>1962-66 | 1966    | 1967    | Indicated<br>1968 |
|---|--------------------|---------|---------|-------------------|
| ----- -1,000 boxes 2/-----                  |                    |         |         |                   |
| <u>Oranges:</u>                             |                    |         |         |                   |
| Early, Midseason and<br>Navel varieties: 3/ |                    |         |         |                   |
| California                                  | 15,740             | 17,400  | 9,300   | 18,700            |
| Florida                                     | 46,140             | 73,200  | 51,400  | 69,700            |
| Texas                                       | 665                | 1,700   | 970     | 2,800             |
| Arizona                                     | 4/ 812             | 860     | 880     | 1,100             |
| Total                                       | 5/ 63,365          | 93,160  | 62,550  | 92,300            |
| Valencia:                                   |                    |         |         |                   |
| California                                  | 17,340             | 20,000  | 10,100  | 25,000            |
| Florida                                     | 42,900             | 66,300  | 49,100  | 61,000            |
| Texas                                       | 387                | 1,100   | 830     | 1,700             |
| Arizona                                     | 1,690              | 3,050   | 2,240   | 3,850             |
| Total                                       | 62,317             | 90,450  | 62,270  | 91,550            |
| All oranges:                                |                    |         |         |                   |
| California                                  | 33,080             | 37,400  | 19,400  | 43,700            |
| Florida                                     | 89,040             | 139,500 | 100,500 | 130,700           |
| Texas                                       | 1,052              | 2,800   | 1,800   | 4,500             |
| Arizona                                     | 2,502              | 3,910   | 3,120   | 4,950             |
| Total oranges                               | 5/ 125,682         | 183,610 | 124,820 | 183,850           |
| <u>Grapefruit:</u>                          |                    |         |         |                   |
| Florida, all                                | 33,340             | 43,600  | 32,900  | 40,200            |
| Seedless                                    | 23,040             | 30,100  | 23,700  | 28,000            |
| Pink  | 8,920              | 11,500  | 9,400   | 11,000            |
| White                                       | 14,120             | 18,600  | 14,300  | 17,000            |
| Other                                       | 10,300             | 13,500  | 9,200   | 12,200            |
| Texas                                       | 2,394              | 5,600   | 2,800   | 6,700             |
| Arizona                                     | 2,602              | 1,680   | 3,740   | 3,100             |
| California, all                             | 4,176              | 5,000   | 4,620   | 5,000             |
| Desert Valleys                              | 2,336              | 2,700   | 2,920   | 3,200             |
| Other areas                                 | 1,840              | 2,300   | 1,700   | 1,800             |
| Total grapefruit                            | 42,512             | 55,880  | 44,060  | 55,000            |
| <u>Lemons:</u>                              |                    |         |         |                   |
| California                                  | 14,360             | 15,100  | 13,600  | 13,000            |
| Arizona                                     | 1,624              | 2,810   | 3,250   | 3,600             |
| Total lemons                                | 15,984             | 17,910  | 16,850  | 16,600            |
| <u>Limes:</u>                               |                    |         |         |                   |
| Florida                                     | 449                | 420     | 720     | 700               |
| <u>Tangelos:</u>                            |                    |         |         |                   |
| Florida                                     | 1,130              | 1,800   | 1,700   | 1,800             |
| <u>Tangerines:</u>                          |                    |         |         |                   |
| Florida                                     | 3,740              | 5,600   | 2,800   | 4,300             |
| Arizona                                     | 104                | 200     | 150     | 320               |
| California                                  | 370                | 600     | 560     | 700               |
| Total tangerines                            | 4,214              | 6,400   | 3,510   | 5,320             |
| <u>Temples:</u>                             |                    |         |         |                   |
| Florida                                     | 3,740              | 5,000   | 4,500   | 4,500             |

1/ The crop year begins with the bloom of the year shown and ends with completion of harvest the following year. Includes quantities not harvested, or harvested but not utilized, on account of economic conditions, and quantities donated to charity. 2/ Net content of box varies. Approximate averages are as follows: Oranges - California and Arizona, 75 lbs.; other States, 90 lbs.; Grapefruit - California, Desert Valleys, and Arizona, 64 lbs.; other California areas, 67 lbs.; Florida 85 lbs. and Texas 80 lbs.; Lemons - 76 lbs.; Limes - 80 lbs.; Tangelos - 90 lbs.; Tangerines - California and Arizona, 75 lbs.; Florida, 95 lbs.; and Temples - 90 lbs. 3/ Navel and Miscellaneous varieties in California and Arizona. Early and Midseason varieties in Florida and Texas, including small quantities of tangerines in Texas. 4/ Includes small quantities of tangerines prior to the 1964-65 season. 5/ Includes small quantities from Louisiana crop no longer estimated.

Table 22.—Canned fruit: Pack and stocks, 1968/69 and earlier seasons

| Commodity             | Pack   |        |        | Stocks                  |              |              |                    |              |              |
|-----------------------|--------|--------|--------|-------------------------|--------------|--------------|--------------------|--------------|--------------|
|                       | 1966   | 1967   | 1968   | Canners                 |              |              | Distributors       |              |              |
|                       |        |        |        | June 1, 1968            | June 1, 1969 | July 1, 1969 | June 1, 1968       | June 1, 1969 | July 1, 1969 |
|                       |        |        |        | 1,000 cases—<br>24/2½'s |              |              | 1,000 actual cases |              |              |
| <b>Canned fruits:</b> |        |        |        |                         |              |              |                    |              |              |
| Apples                | 3,204  | 3,382  | 3,316  | 1,704                   | 1,919        | 1,728        | 440                | 415          | 377          |
| Applesauce            | 11,481 | 13,885 | 14,119 | 5,090                   | 5,664        | 4,722        | 1,528              | 1,617        | 1,550        |
| Apricots              | 5,018  | 4,213  | 4,513  | 2/970                   | 2/1,037      | n.a.         | 475                | n.a.         | n.a.         |
| Cherries, tart        | 992    | 784    | 1,132  | 32                      | 147          | 100          | 126                | 201          | 191          |
| Cherries, sweet       | 607    | 832    | 531    | 180                     | 112          | n.a.         | 165                | n.a.         | n.a.         |
| Citrus sections 1/    | 3,582  | 2,596  | 2,550  | 1,342                   | 1,163        | 821          | 3/324              | 3/333        | 3/340        |
| Cranberries           | 3,583  | 3,533  | 3,768  | n.a.                    | n.a.         | n.a.         | n.a.               | n.a.         | n.a.         |
| Mixed fruits 4/       | 17,121 | 14,319 | 17,877 | 3,129                   | 3,708        | n.a.         | 4,457              | n.a.         | n.a.         |
| <b>Peaches:</b>       |        |        |        |                         |              |              |                    |              |              |
| Total ex. spiced      | 36,194 | 26,543 | 35,855 | 4,133                   | 7,536        | n.a.         | 4,720              | n.a.         | n.a.         |
| California only       |        |        |        |                         |              |              |                    |              |              |
| Clingstone            | 30,348 | 22,566 | 29,867 | 3,051                   | 5,637        | n.a.         | n.a.               | n.a.         | n.a.         |
| Freestone             | 3,814  | 3,307  | 3,986  | 962                     | 1,562        | n.a.         | n.a.               | n.a.         | n.a.         |
| Pears                 | 11,040 | 5,756  | 10,262 | 1,440                   | 2,784        | n.a.         | 1,056              | n.a.         | n.a.         |
| Pineapples (Hawaii)   | 16,739 | 16,378 | 16,464 | 5,757                   | 5,864        |              | 1,783              | 1,896        | 1,915        |
| Plums and Prunes      | 1,488  | 1,858  | 731    | 518                     | 251          | n.a.         | 242                | n.a.         | n.a.         |

1/ Includes grapefruit sections, citrus salad and orange sections. 2/ California only. 3/ Grapefruit sections. 4/ Includes fruit cocktail, fruits for salad and mixed fruits. 5/ Purple plums only. n.a. means "not available."

Canners' stock and pack data from National Canners Association, Florida Canners Association, and Pineapple Growers Association of Hawaii. Distributors' stocks from Bureau of the Census.

Table 23.—Canned fruit juices: Pack and stocks, 1968/69 and earlier seasons

| Commodity                         | Pack    |         |          | Stocks                 |                |                |                    |              |              |
|-----------------------------------|---------|---------|----------|------------------------|----------------|----------------|--------------------|--------------|--------------|
|                                   | 1966/67 | 1967/68 | 1968/69  | Canner 1/              |                |                | Distributors       |              |              |
|                                   |         |         |          | August 1, 1967         | August 1, 1968 | August 1, 1969 | July 1, 1967       | July 1, 1968 | July 1, 1969 |
|                                   |         |         |          | 1,000 cases—<br>24/2's |                |                | 1,000 actual cases |              |              |
| <b>Canned juices:</b>             |         |         |          |                        |                |                |                    |              |              |
| Apple                             | 8,889   | 8,726   | 9,365    | n.a.                   | n.a.           | n.a.           | n.a.               | n.a.         | n.a.         |
| Blended orange and grapefruit     |         |         |          |                        |                |                |                    |              |              |
| Grapefruit                        | 3,738   | 2,187   | 2/2,295  | 1,187                  | 819            | 744            | 331                | 275          | 265          |
| Orange                            | 20,991  | 15,826  | 2/15,960 | 6,457                  | 5,778          | 4,233          | 959                | 882          | 1,132        |
| Tangerine                         | 16,341  | 10,414  | 2/11,386 | 3,832                  | 2,534          | 3,320          | 915                | 774          | 780          |
| Pineapple                         | 156     | 49      | 92       | 73                     | 18             | 41             | n.a.               | n.a.         | n.a.         |
| Pineapple concentrate, s.s. basis | 15,034  | 15,081  | 13,954   | 3/4,744                | 3/5,690        |                | 1,092              | 875          | 776          |
|                                   | 11,033  | 6,965   | 9,825    | 3/5,966                | 3/5,209        |                | n.a.               | n.a.         | n.a.         |

1/ Canners' stocks of citrus juices are Florida only. 2/ Florida pack only through August 2. 3/ July 1 stocks.

Canners' stock and pack from National Canners Association, Florida Canners Association, and Pineapple Growers Association of Hawaii. Distributors' stocks from Bureau of the Census.

Table 24.--Frozen fruits and berries: Packs and cold storage holdings, 1968 and earlier seasons

| Commodity                | Pack                   |         |         | Stocks  |         |         |
|--------------------------|------------------------|---------|---------|---------|---------|---------|
|                          |                        |         |         | July 31 |         |         |
|                          | 1966                   | 1967    | 1968    | 1967    | 1968    | 1969    |
|                          | -----1,000 pounds----- |         |         |         |         |         |
| Apples and applesauce    | 94,352                 | 97,634  | 117,218 | 41,092  | 51,843  | 67,194  |
| Apricots                 | 16,172                 | 13,349  | 14,293  | 17,602  | 17,033  | 15,589  |
| Cherries, tart           | 87,367                 | 97,792  | 141,515 |         |         |         |
| Cherries, sweet          | 3,278                  | 3,332   | 1,287   | 49,999  | 53,144  | 88,921  |
| Grapes                   | 6,712                  | 8,490   | 21,544  | 5,624   | 4,731   | 3,449   |
| Peaches                  | 65,190                 | 73,358  | 82,035  | 15,177  | 27,550  | 32,591  |
| Plums                    | 5,355                  | 9,939   | 7,371   | 1/      | 1/      | 1/      |
| Prunes                   | 259                    | 555     | —       | 1/      | 1/      | 1/      |
| Purees, noncitrus        | 20,264                 | 12,626  | 20,527  | 1/      | 1/      | 1/      |
| Blackberries 2/          | 25,875                 | 24,991  | 26,827  | 28,266  | 17,826  | 11,085  |
| Blueberries              | 35,403                 | 31,828  | 27,750  | 19,813  | 21,299  | 17,875  |
| Boysenberries            | 9,165                  | 8,433   | 8,953   | 16,746  | 13,818  | 9,795   |
| Raspberries, black       | 3,465                  | 3,711   | 2,966   | 5,298   | 3,089   | 4,757   |
| Raspberries, red         | 31,575                 | 27,394  | 23,078  | 42,241  | 31,513  | 26,746  |
| Strawberries             | 236,492                | 213,340 | 213,275 | 215,589 | 200,962 | 190,696 |
| Other fruits and berries | 22,646                 | 15,041  | 19,818  | 50,507  | 49,233  | 46,745  |
| Total                    | 663,570                | 641,813 | 728,457 | 507,954 | 492,041 | 515,443 |

1/ Included with "other fruits and berries."

2/ Include olallieberries.

Pack data from the National Association of Frozen Food Packers. Stocks from Statistical Reporting Service.

Table 25.--Frozen concentrated citrus juices: Florida packs and stocks, 1968/69 and earlier seasons

| Item       | Pack                    |         |                          |         |         | Packers' stocks  |                  |                  |
|------------|-------------------------|---------|--------------------------|---------|---------|------------------|------------------|------------------|
|            | Total season            |         | December through July 2/ |         |         | July 29,<br>1967 | July 27,<br>1968 | July 26,<br>1969 |
|            | 1966/67                 | 1967/68 | 1966/67                  | 1967/68 | 1968/69 |                  |                  |                  |
|            | -----1,000 gallons----- |         |                          |         |         |                  |                  |                  |
| Orange 1/  | 131,755                 | 83,697  | 131,738                  | 83,622  | 103,678 | 69,442           | 45,025           | 52,039           |
| Grapefruit | 5,485                   | 1,814   | 5,473                    | 1,805   | 5,884   | 3,936            | 2,133            | 3,424            |
| Blend      | 29                      | 10      | 29                       | 10      | 36      | —                | —                | —                |
| Tangerine  | 1,120                   | 582     | 1,120                    | 582     | 1,051   | 186              | 180              | 236              |
| Limeade    | 504                     | 983     | n.a.                     | n.a.    | n.a.    | n.a.             | n.a.             | n.a.             |

1/ Includes frozen concentrated orange juice for manufacture. 2/ Through date specified in columns headed "Packers' stocks."

Compiled from Florida Canners Association reports.



## LIST OF TABLES

| <u>Table</u> | <u>Title</u>  | <u>Page</u> |
|--------------|---|-------------|
| 1            | Production and utilization of specified fruits, United States, crops of 1964-68 .....                     | 2           |
| 2            | Fresh fruits: Per capita consumption, fresh weight, 1910-68 .....   | 14          |
| 3            | Canned and chilled fruits: Per capita consumption, product weight, 1910-68 .....                          | 15          |
| 4            | Canned and chilled fruit juices (excluding frozen): Per capita consumption, product weight, 1910-68 ..... | 16          |
| 5            | Frozen fruits: Per capita consumption, product weight, 1937-68 .....                                      | 17          |
| 6            | Frozen citrus juices: Per capita consumption, product weight and single strength, 1946-68 .....           | 18          |
| 7            | Dried fruits: Per capita consumption, product weight, pack years, 1910-68 .....                           | 19          |
| 8            | Fruits, fresh-weight equivalent: Per capita consumption, 1910-68 ...                                      | 20          |
| 9            | Tree nuts (shelled basis): Per capita consumption, crop years, 1910-68 .....                              | 21          |
| 10           | Apples, commercial crops: Production by varieties, United States, average 1962-66, annual 1967-68 .....   | 22          |
| 11           | Apples: End of month cold storage holdings, 1962 to date .....  | 22          |
| 12           | Apples, commercial crop: Production, 1967-68 and indicated 1969 ....                                      | 23          |
| 13           | Pears: Production by States and Pacific Coast, variety composition, 1967-68, and indicated 1969 .....     | 23          |
| 14           | Peaches: Production, 1967-68 and indicated 1969 .....   | 24          |
| 15           | Cherries: Production by types, 12 States, 1967-68 and indicated 1969 .....                                | 25          |
| 16           | Grapes: Production in principal States, 1967-68 and indicated 1969 .                                      | 25          |
| 17           | Strawberries: Acreage, yield per acre and production, 1967-68, and indicated 1969 .....                   | 26          |
| 18           | Cranberries: Production in principal States, 1967-68, and preliminary 1969 .....                          | 26          |
| 19           | Prunes and Plums: Production in principal States, 1967-68 and indicated 1969 .....                        | 27          |
| 20           | Tree nuts: Production in principal States, 1967-68 and indicated 1969 .....                               | 27          |
| 21           | Citrus fruits: Production, average 1962-66, annual 1966-67 and indicated 1968 .....                       | 28          |
| 22           | Canned fruit: Pack and stocks, 1968/69 and earlier seasons .....  | 29          |
| 23           | Canned fruit juices: Pack and stocks, 1968/69 and earlier seasons ..                                      | 29          |
| 24           | Frozen fruits and berries: Pack and cold storage holdings, 1968 and earlier seasons .....                 | 30          |
| 25           | Frozen concentrated citrus juices: Florida packs and stocks, 1968/69 and earlier seasons .....            | 30          |

OFFICIAL BUSINESS



POSTAGE & FEES PAID  
United States Department of Agriculture

NOTICE

If you no longer need this publication,  
check here  return this sheet,  
and your name will be dropped from  
the mailing list.

If your address should be changed,  
write the new address on this sheet  
and return the whole sheet to:

Automated Mailing List Section  
Office of Plant and Operations  
U.S. Department of Agriculture  
Washington, D.C. 20250

TFS-172

AUGUST 1969