



UNIVERSITY OF BRISTOL

MEDICAL
LIBRARY

Rush 02/26/2018

SHELF



Digitized by the Internet Archive
in 2015

<https://archive.org/details/b21441078>

MISCELLANEOUS
TRACTS AND COLLECTIONS

RELATING TO

NATURAL HISTORY,

SELECTED FROM THE

PRINCIPAL WRITERS OF ANTIQUITY ON THAT SUBJECT.

By W. FALCONER, M.D.

C A M B R I D G E,

Printed by J. ARCHDEACON and J. BURGES, Printers to the UNIVERSITY;
For J. & J. MERRILL, in Cambridge; T. CADELL, in the Strand, B. & J. WHITE, in Fleetstreet,
J. DEIGHTON, No. 325. High Holborn, G. & T. WILKIE, THOMAS EVANS, No. 46.
and JAMES EVANS, No. 32. Paternoster Row, London.

M D C C X C III.
R. D. 34




A D D E N D A E T C O R R I G E N D A.

Preface, P. i. l. 14. read taken mostly from Geminus. P. v. l. 15. Insert after the Period. "This is divided into two parts." l. 19. for Plantaurum, read Plantarum. P. 4. Insert between the 2d and 5th of July,

Orion rises	26
entirely	13
Gem.	4

P. 7. ad imum. The rising of Arcturus should be quoted from Ætius Tetr. I. c. 164. and be referred to September 17. P. 10. For ripening of the Chestnut. See Theoph. III. 6. not VI. 6. P. 14. In Column for the Weather, Jan. 3. insert, "South Wind blows." P. 22. For the Ash-tree and the Maple. See Theoph. III. 6. P. 27. In the 1st Col. for Jan. 3. add "Cancer sets. Col. XI. 2." P. 28. In the 1st Col. for Jan. 5. add "Lyra rises in the Morning. Col. XI. 2." P. 67. l. 10. for imbribas, read imbribus. P. 71. in Note (b) for onw, read now. P. 74. l. 12. read "The cosmical rise of Orion being mentioned to be on the 4th and 5th," &c. P. 102. l. 3. for Agusto, read Augusto. P. 114. Col. 1. l. 10. for Chamælon, read Chamæleon. Col. 2. l. 1. for Αχαρνα, read Αχαρνα. P. 116. Col. 2. l. 24. for cocruleo, read cœruleo. P. 119. Ad v. Αρκτιον. adde "Scribitur hæc vox et Αρκτιον et Αρκτειον." Col. 2. l. 18. for λεπτοφυλλα, read λεπτοφυλλος. P. 122. Col. 1. l. 28. after υψος, add εχων. P. 123. Col. 2. l. 8. read Plin. Hist. Nat. XXII. 22. P. 125. Col. 2. l. 21. for Δεπτοφυλλα, read Δεπτοφυλλος. l. 25. for πλατυφυλλα, read πλατυφυλλος. P. 133. Col. 1. l. 28. for μελα, read μελαι. P. 134. Col. 1. l. 30. dele Ang. P. 135. Col. 1. l. 4. for αεωματικος, read αεωματικος. P. 182. l. 7. for Laserpitum, read Laserpitium.



A D V E R T I S E M E N T.

THE following detached pieces were prepared many years ago, with a view to their being laid before a literary Society with which the Author was at that time connected. About three years since he accidentally mentioned in the presence of the Rev. Dr. Parr, that he had such a Collection in his possession; when the Doctor, always eager to promote any literary undertaking, suggested to the Author that such attempts, if properly executed, might contribute to forward the Interests of literature; and that he himself, should he on a perusal approve the Execution, would venture to recommend the Work to the Syndics of the Press in the University of Cambridge, to be printed by their Authority and at their Expence. This the Doctor very kindly performed, and that illustrious Seminary of Learning, with a Liberality almost peculiar to itself, immediately complied with so distinguished a Recommendation, and under their Auspices this Collection is now presented to the Public.

The kindness of Dr. Parr did not stop here, as he engaged one of his learned friends, the Rev. Mr. Maltby, of Pembroke Hall, not only to superintend the Press, but to correct any Errors that he might discover in the MS. itself.

Under the very respectable Patronage above-mentioned this Work now appears; and if it contributes to elucidate any parts of Ancient Literature, or to facilitate to those who visit the Countries which are the Seats of the Observations here collected, the Comparison of the Antient and Modern state of the Seasons, and other appearances of Nature, it can hardly fail of rendering such Excursions more useful, as it will probably point out some Sources of rational and literary Entertainment to the learned or the philosophical Traveller.

Bath, June 1, 1793.

WILLIAM FALCONER.

P R E F A C E.

SOME previous Account of the miscellaneous Pieces that are included under the foregoing Title will be necessary.—The first that offers itself is a Calendar of natural Occurrences, which are supposed to have taken place in Greece and most probably in the Latitude of Athens. This is taken nearly, but not altogether from Theophrastus's History of Plants. A similar Attempt was made some Years ago, and published by Mr. Stillingfleet in his Miscellaneous Tracts. That here inserted, though defective in point of Matter, is nevertheless more full and explicit than that given by the Gentleman mentioned above; and contains, in addition to what he has given, an account of the Weather and of the cosmical, achronical, and heliacal rising and setting of many of the Stars and Constellations, which have enabled the Author to fix with greater probability the time of the Year of many of the natural Events recorded by Theophrastus, and to adjust them to modern Computation. This part of the Calendar is taken from Geminus, an ancient Greek Writer whose date is not ascertained, some thinking him to be prior to ^aHipparchus, others bringing him later as to the time of ^bSylla, or even of ^cCicero. This Calendar is made to commence with the Summer Solstice, at which time the ^dGreeks began their Solar Year. It was first intended to have divided the Year according to the Greek Months, but several Reasons determined against such an attempt.

I. The Names and Order of the Greek Months are so much disputed, and so doubtful, that it would have required a long previous ^eDiscussion to settle their Places and Denominations, a thing inconsistent with a Work like the present. Moreover the Year to which these Months were adjusted was either of the Lunar kind, and consisting of 354 Days only, or else somewhat

a 2

between

^a Jackson's Chronological Antiquities.

^b Vide Notas in Geminum. p. 410. Petav. Uranologion.

^c Hoffmanni Lexicon.

^d ος δε ημεις ποιημεθα αεχας εναυτοις μεν, περι θεοντας τροπας, ως Αθηναιοι. —Simplicius.

^e The Names and Order of the Greek Months are both doubtful. The Lexicons give two and sometimes three Significations to each Month. Thus Επαρτομεσαιων is rendered by Budaeus, Aprilis vel Junius. Βονδηραιων, Junius, Augustus et September. Πινανεψιων, October et Julius; and so of the others. It is also doubted if Ελαρηζοιων be the name of a Month, or only an epithet of

between the Lunar and Solar Year, and containing 360 Days; and probably both of them were in use at ^a different periods of time. The Calendar however was so incorrectly managed, and the commencement of the Lunar Year so irregular (it beginning not at the time of the Summer Solstice but at the new ^b Moon succeeding it, or perhaps the nearest to it whether before or after) as to create great Error in calculating seasons, or dates of natural events.

Another reason of greater weight was, that the Lunar Year was not made use of in calculating such occurrences. Civil affairs^c, such as the celebration of ^d Festivals, the election of Magistrates, the payment of Salaries, interest of Money, and all civil contracts were indeed reckoned by the Lunar Year, but what regarded natural events, as the rise or setting of ^e Stars or Constellations, the works of ^f Agriculture, the ^g flowering of Plants, and the ^h gestation of Animals, together with all Transactions that regarded the laws of Nations,

of a time of Year. The order of the Greek Months that seems most agreeable to the ancient Greek Writers is that which is given in Spon and Wheler's Travels, and taken from an antique Marble preserved at Oxford; and is as follows.

Επατομεσσαν. Junius et Julius.

Μεταγειτηνων. Julius et Augustus.

Βονδοριων. Augustus et September.

Πιναιεψιων. September et October.

Μαινακτηριων. October et November.

Ποσειδεων. November et December.

Γαριπλιων. December et Januar.

Ανθεπηριων. Januarius et Februar.

Ελαφρησιων. Februar. et Mart.

Μενυχιων. Martius et Aprilis.

Θαργηλιων. Aprilis et Maius.

Συκιοφρεων. Maius et Junius.

^a Selden, Apparat. ad Græcor. Epochas Chronologicus.

^b Annus Lunaris à primâ Lunâ novâ post solstitium æstivum auspicabatur. Ward's Greek Grammar.

^c Civiles anni erant lunares, qui scilicet festis celebrandis, magistratibus ineundis, creditis, usuris, stipendiis, pensionibus solvendis, et id genus aliis, statim temporibus, perficiendis aptati. Selden. Apparat. ad Græcor. Epochas Chronologicus.

^d Aristophanes pleasantly tells us that these were so irregularly managed that the Gods themselves did not know them, and that they menaced the Moon with their resentment, because that by her uncertain notice of these convivial Meetings, they were disappointed of their Entertainment, and obliged to return hungry back to heaven.

επειδη φως Σεληνιανης καλον.

Αλλα τ' ειν δεῖν φυσιν· ύμᾶς δ' εἰν ἄγειν τὰς ἡμέρας

Οὐδὲν ερθως, αλλ' αὐτα τε καὶ κατα κυδιδόπαρη.

Ωστ' απειλειν φυσιν αυτῇ της θευς ἐκαροτε,

Ηνικ' αν φευσθωσι δειπνος, κάππιωσιν οικαδε,

Της ἰστης μη τυχοντες, κατα λογον των ἡμερων.

Aristophan. Nebulae. Act. I. Scen. ultim.

^e See Calendarium Gemini.—Petav. Uranologion.

^f Hesiod. Egy. καὶ Ημερων.

^g Χειν δι δηλονοτα τες μηνας ο προς σεληνην αριθμεισθαι, αλλα προς ηλιον. Galen. Comm. Epid. II.

^h Οι δε ἐπλανητοι γινονται εκ των ἑκατον ἡμερων και ουδονκοτα και δυω και προσοντος μορια. — Hippocr. de septimestri partu.

Ημουν τε ἑναντια και της ἡμερης τη μερης τω μερης ποσω γινομενω περιγυνονται ἡμεραι. Ibidem.

Ἐν γαρ ἔξικοντα, μηνις δεσμης ἡμερης, ογγυτατα δυω μηνες εκτελενται. Ibidem. See also Aristot. Hist.

Animal

Nations, as the duration of ^a Treaties, Truces, &c. were reckoned by the Solar Year. A Solar Year, or the term of 365 days, is also understood to be meant whenever the space of an entire ^b Year is mentioned or a series of Years. It has been the opinion of some ^c learned Persons, that the Solar Year was divided, as well as the Lunar, into twelve Months, each of which commenced at the entrance of the Sun into the several signs of the Zodiac, and this is confirmed by some ^d expressions of Geminus, and particularly by the Calendar of that Author above mentioned, which is actually divided in that manner, which division is preserved in the Calendar here exhibited.

The next piece that appears is a Calendar of the same kind adjusted to the Climate of Italy, and probably nearly to the Latitude of Rome; compiled from the ancient Roman Writers, those especially that treat on the Subject of Agriculture. This, as well as the other, has a Calendar of the Weather joined with it, which is mostly, but not altogether, taken from ^e Columella.

I have in this Calendar inserted such Passages from the ancient Roman Poets as appeared to be peculiarly descriptive either of the general appearance of Nature in several Seasons in that Country, or of any other natural events that occur at any particular time of the Year. To this Calendar are subjoined, an attempt towards a division of it into natural Months, according to the Plan proposed by Mr. Stillingfleet, and two small sketches of the Seasons at Aleppo in Syria, and at Nice in Italy, the former extract-

ed

Animal. L. VI. 20. It is remarkable that Hippocrates, who in divers parts of his Work, the Epidemics particularly, has so much occasion to particularise Times and Seasons of the Year, never makes use of any of the terms by which the Greek Months were distinguished, but expresses his meaning either by the Seasons as Summer, Winter, &c. or by the Equinoxes or Solstices, or by the rise or setting of the Stars or Constellations.

^a Induciae, foedera, et quæ sunt, id genus, aliæ temporum durationes. Selden Apparat.

^b Plato in his Timæus, after saying that a Month is measured by the Course of the Moon, adds επαύτος δὲ ὄποταν οὐλος τον εάντε περιελθοι κυκλον. Thucydides also, in speaking of the duration of the Peloponnesian War, uses the Words Αυτοδέκαετων διελθοντων, which the Scholiast interprets to mean ten compleat or Solar Years. Themistius likewise, speaking of the duration of the Trojan War, says Πλοσ χρονις δε το Ιλιον έαλω; δεκα ετεσιν. τετο δε εγιν τοσαιδε περιφοραι τε ηλιων. Themist. Physic. L. IV. Macrobius also speaks to the same purpose. Annum vetustissimi Græcorum Αυκαβαντα appellabant τον απο τε λυκη (id est sole) βανουμενον και μετεγμενον.

^c Antiqui Græci Annūm in duodecim Menses, pro totidem signis in Zodiaco, divisorunt; semperque novi mensis initium fuit, quando Sol in novum ingredieretur signum. Notæ in Theoph. à Bodæo à Stapel. p. 137.

^d Άλλος γαρ εγιν καθ' ήλιον επαύτος, και αλλος κατα σεληνην. ο μεν γαρ τε ηλιος, ιδ' ζωδιαν εχει περιδεσμην τε ηλιων. οπερ εισιν ημεραι τέξεται. ο δε σεληνης ιδ' μηνων περιεχει χρονον της σεληνης. οπερ εγιν ημεραι τιδ'. Gemin.

Cap. VI.—

^e L. IX. Cap. 2.

ed from Dr. Russel's History of the first mentioned Place, the latter from Dr. Smollett's Travels into Italy. To these are added a Table of the time of Wheat-harvest in different Parts of Italy, taken from Dr. Symonds on the Climate of Italy, and published in the fourth Volume of Mr. Young's Annals of Agriculture, and a table of the foliation of Trees in this country for several Years, taken from the Gentleman's Magazine.—Next come some Remarks on the leafing, flowering, &c. of some Trees and Plants in Italy, made in the Years 1768, 1769, by Dr. Symonds, and taken, as well as the foregoing, from Mr. Young's Annals of Agriculture.—Next follow some Remains of Antiquity, taken from Gruter's Inscriptions, being two rustic Calendars yet remaining engraven on Stone at Rome. These are often referred to in the Calendar I have given, and tend towards its illustration.—The next article is a table of hours for every Month in the Year, taken from Palladius.

The use of this is thought to have been to enable the labourer in the fields to guess at the time of the Day, by measuring with his foot the proportion which the length of that bears to the length of the shadow of his own Person. The rule on which this depends, will in a gross view, hold good in Men of different Stature, because, generally speaking, the length of a Man's foot bears nearly the same proportion to his height whether he be tall or middle sized.

As the proportion which the length of any upright Gnomon bears to that of its shadow at any certain hour, varies every Day, a table is here given exhibiting the proportion which the Gnomon and its shadow bear to one another, at a medium computation for each Month. The above tables, it is clear, were adjusted to show the unequal hours, or each 12th part of the time between ^bthe rise and setting of the Sun. Thus for example on the 21st of December, when the length of the foot was to that of the shadow of the body as 1 to 29, the peasant knew that $\frac{1}{2}$ part of

^a Calmasii Plinian. Exercit. Long's Astronomy.

^b The Romans called the time between the rising and setting of the Sun the natural Day, and the whole 24 hours the civil Day. The civil Day they began and ended at Midnight.

The coincidence of ancient with modern Hours at the Equinoxes was as follows,

Sunrise	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	Sunset
	6	7	8	9	10	11	12	1	2	3	4	5	6

The upper Column is of the ancient, the lower of the modern hours. Whatever difference there might be between the length of the hours at one Season of the Year or another, the time of Noon was always at the same hour, namely the sixth.

of the space of time between the rise and setting of the Sun had elapsed, which they denominated an hour, and this proportion of measurement served to denote the first hour of the Day, at that season of the Year. On the 21st of the Month of June on the other hand, when the length of the foot bore a proportion to that of the shadow of the person as 1 to 22, the peasant knew that $\frac{1}{22}$ part of the space between Sunrise and Sunset was past, which was by him denominated the end of the first hour, notwithstanding the real space of time in each of the intervals which he called hours varied considerably, an hour in the Month of December being to an hour in the Month of June as nine to fifteen.—Next follows a table of the Days on which the Sun enters into the different signs of the Zodiac according to the computation of different ages.—Next come some tables of the Weather in different countries, according to both ancient and modern accounts, intended for the purpose of comparing them together. The last and the largest of these pieces is an alphabetical table of the Greek plants. The former of these exhibits 1st the Greek name of the plant and the author who mentions it, 2d the name assigned to the same by Caspar Bauhin in his Pinax and other Works, 3d the corresponding name given by Linnæus in his Spec. Plantarum, 4th the modern English name where that could be found. The second part of this table exhibits the Linnæan names of the Greek plants placed in alphabetical order with the Greek names subjoined. The use of this is to enable the Reader to discover if any particular plant, the Linnæan name of which is known, be one of those with which the Greeks were acquainted.—An attempt of this kind, though sufficiently laborious to the compiler, must be liable to much error and uncertainty; but some Indulgence may be hoped to be given to the first attempt of this kind, at least in our own Country.

An Index to each of the Calendars is added at the end of the Work.

C A L E N D A R

O F

NATURAL OCCURRENCES IN ANCIENT GREECE,

COMMENCING WITH THE SUMMER SOLSTICE.

Extracted from ARISTOTLE, THEOPHRASTUS, GEMINUS, PLINY, and others;

CALCULATED PRINCIPALLY FOR

A T H E N S,

Lat. $37^{\circ} 25'$. N.L.

ADJUSTED TO THE ANCIENT SOLAR YEAR,

AND TO THE

MODERN COMPUTATIONS OF TIME.

C A L E N D A R, &c.

EXPLANATION OF THE MARKS.

F. Signifies the flowering of a Plant.

FR. Signifies Fruit ripe.

L. Signifies the leafing of a Plant.

Swed. Calendar. Denotes that made at Upsal, A.D. 1755, by Alex. Mal. Berger, and printed in the Amœnitates Academicæ, and translated by Mr. Stillingfleet in his Miscellaneous Tracts relating to Natural History.

Eng. Calendar. Denotes one made by Mr. Stillingfleet, at Stratton, in Norfolk, and published also in his Miscellaneous Tracts.

Καρνι- νος.	J U N E.
Sun ^a passes into Cancer.	26
Cancer begins to rise. Gemin.*	I 22
	SUMMER Solstice. Green-finches, <i>χλωριῶν</i> , seen about this time. Arist. Hist. Animal. Lib. IX. 22. Common Marjoram ^b , <i>օρυγάνος</i> . Theophr. VI. 2. F. Great Turnsole, <i>ηλιοτροπίου</i> . Theophr. VII. 14. F. Spanish Golden Thistle, <i>σκολυμός</i> . Theophr. VII. 14. F. See also Hesiod. Εργ. παι. Ημέρ. II. 200. Cornel tree, <i>ηρανεῖα</i> . Theophr. VI. 2. FR. The Olive, <i>ελαῖα</i> , The Lime tree, <i>φιλυρα</i> , the Elm, <i>ῳδεῖα</i> , and the white Poplar, <i>λευκη</i> , seem to invert their leaves. Theophr. I. 16. See the Notes on this Chapter by Bodæus a Stapel. Ever-green trees lose their leaves. Theophr. Lib. I. 15.

^a Cancer begins to rise cosmically about July 14.

^b July 11. Swed. Calendar.

* The first column in this calendar, is allotted for celestial observations taken from several authors, but principally from Geminus. The second column contains first the mark or symbol expressive of the Sign of the Zodiac in which the Sun then is, next, the day of the sign, and lastly, the day of the month according to the present reckoning. Thus the first article, column I. expresses the passage of the Sun into Cancer, and the rise of that Constellation. Column II. expresses farther, that the above events take place on the first day of the sign of Cancer, and the 22d day of June, New Style. The third column denotes the other natural events that happen on each day. Where no events are observed, no notice is taken of the day.

Kagri- nos.	J U N E.
25	Last Sprouting of Trees. Bark parts easily. Theophr. III. 6.
26	South Wind. Gemin
9	
30	
Kagri- nos.	J U L Y.
Orion ^a rises in the Morn. Gemin.	25
	11
	2
Orion rises en- tirely. Plin. xviii. 28.	26
	14
	5
Corona ^b begins to set in the Morn. Gemin.	26
	16
	7
Canis rises in the Morning. Gemin.	26
	25
	16
Canis rises. Cancer ^c sets. Gem.	26
	27
	18
Aquila ^d sets in the Morn. Gem.	26
	28
	19

^a Orion rises cosmically about July 10. ^b Corona sets cosmically about this time of year.^c Cancer sets achronically about August 21.^d Aquila sets cosmically, August 5.

J U L Y.

Kαρκίνος. νοσ.		
Leo begins to rise. Canis is seen rising. Gemin.	26 30 21	South Wind. Gemin.
Sun enters into Leo. Notæ in The- ophrast. p. 733.	26 31 22	South Wind. Gemin.
Sun passes into Leo. Gemin. Canis appears. Gem.	Λεων. Ω 1 23	Hot Weather. Time of gathering the Summer fruits, or οπωρα. Olympiodor. Peripat. Vid.. Jackson's Chron. An- tiquities. Vol. II. 12.—Galen. Comm. I. in Lib. I. Epid. Hippocr.
	Ω 2 24	Balsam-bearing trees to be cut to drain off the. Resin.
	Ω 4 26	Plants grow but little after this time. Aristot. de Plant. South Winds blow. Aristot. Probl. Sect. 26. §. 26.
Aquila sets in the Morn. Gemin.	Ω 5 27	
	Ω 9 31	Eteian Winds blow. Aristot. Meteorol. L. II. C. 5.

^a Leo begins to rise cosinically about July 30.

A U G U S T.

	Λεων.	
Corona sets. Gem.	Ω 10 1	Avigato Pear, <i>περσα Αιγυπτια.</i> Theophr. IV. 2. FR.
Half ^a of Leo rises. Gemin.	Ω 12 3	Very hot Weather. Gemin.
Lyra ^b sets. Pegasus ^c rises. Gemin.	Ω 17 8	Rainy Weather. Etesian Winds cease. Gemin.
Delphin ^d sets in the Morning. Vindemitor rises in the Even. Gem.	Ω 18 9	
Lyra sets in the Morn. Gemin.	Ω 22 13	End of Summer. Hesiod.
Virgo ^e rises. Gem.	Ω 29 20	
Sun passes into Virgo. Gem.	Παρθε- νον. Ω I 23	
Shoulders of Virgo appear. Gemin.	Ω 5 27	Great Storms of Wind and Thunder. Etesian Winds still blow. Gemin.

^a Half of Leo rises about August 21.^b Lyra sets cosmically, August 14.^c One of the last stars in Pegasus rises achronically about September 5.^d Delphin sets cosmically August 23.^e Virgo begins to rise cosmically about Sept. 11.

S E P-

Ηαρθε-		S E P T E M B E R.
νον.		
Vindemitor ^a ap-pears.	24	Storms at Sea, Rain with Thunder and high Wind. Gemin.
Arcturus rises.	10	
Sagitta sets in the Morn. Gemin.	1	Time of gathering the Summer fruits, or οπωρα, over. Galen. Comm. in Epidem. Hippocrat. I.
Arcturus ^b rises.	2	Green-finches departs. Aristot. Hist. Anim. IX. 22.
Sagitta ^c sets.	14	Figs and Grapes ripe in Attica. Athenaei XIV.
Plinii xviii. 31.	5	Platon. de Legib. L. VIII.
		Seeds of the Fir tree ripe. Galen. de Sanit. tuend. L. IV.
		Nightingale retires. Aristot. Hist. Animal. L. V. 9.
		Beginning of Autumn. Not. in Theophr. p. 1144.
		Grapes to be gathered for the Vintage. Hesiod. Egyp. II. 228.
Half ^d of Virgo rises.	2	Dogberry, θηλυκρανεια. Theophr. III. 6. FR.
Arcturus is seen rising. Gem.	17	Alder, πληθρα. Theophr. III. 6. FR.
	8	Walnut, παρνα. Theophr. III. 6. FR.
		Pear tree, (wild) αχρεας. Theophr. III. 6. FR.
		Quail departs, ορνυξ. Aristot. Hist. Anim. VIII. 12.
Arcturus rises in the Morn. Gem.	2	Windy, but clear for the next seven days. After that period Easterly Winds prevail.
	19	
	10	
Arcturus is seen. Capra rises, and the large star ^e in Auriga. Gem.	2	Beginning of Autumn. Gemin. and Galen. Comm. in Hipp. Epid. I.
	20	
	11	Stormy Weather at Sea. Gemin.
		Rainy with cold Winds. Galen ut supra.
Arcturus is visible. Aetii L. II. c. 164. Gemin.	2	Great sweet Flea-bane, νονυζα αργεην. Theophr. VI. 2. F.
	23	Small true Flea-bane, νονυζα θηλεια. Theophr. VI. 2. F.
	14	

^a Vindemitor rises cosmically, Sept. 24.^b Arcturus rises cosmically, October 4.^c Sagitta sets cosmically, August 13.^d Half of Virgo rises, October 3.^e A large star in Capella Aurigae rises about October 28.

Παρθενον.		S E P T E M B E R.
Spica Virginis rises. Gemin.	24 15	Some leaves of Trees fall. Theophr. I. 15. Vintage. Platon. de Leg. L. VIII.
Sun passes into Libra.	Zευγον.	Autumnal Equinox. Narrow-leaved Laurel, <i>κνευερόν</i> . Theophr. VI. 2. F.
Aries ^a begins to set. Gemin.	1 22	Yellow Autumnal Lily, <i>λεύριον</i> vel <i>ναρκισσός</i> . Theophr. VI. 6. F.
Hœdi ^b rise in the Evening. Gemin.	3 24	Stormy Weather. Gemin.
Capra ^c rises in the Even. Gemin.	4 25	
Pleiades ^d rise in the Evening. Virgo ceases to rise. Gemin.	5 26	Strawberry tree, <i>κομαρός</i> . Theophr. III. 16. F. Venice Sumach, <i>κοκκονιλεα</i> . Theophr. IV. 3. begins to flower.
	6 27	Fruits in general ripe, and Vintage going on. Plutarch. Life of Theseus.
Corona rises. Gemin.	7 28	Blotched Alaternus, <i>αφαρκη</i> . Theophr. III. 6. FR. Eastern Strawberry Tree, <i>ανδραχνη</i> . Theophr. III. 6. FR.
Pleiades rise. Gemin.	8 29	Stormy Weather. Geminus.
		Time of ploughing Land for Corn. Hesiod. <i>Eργα</i> . II. ad Initium.

^a Star *g* in Aries sets cosmically, October 25. ^b Hœdi rise achronically, November 9.
^c Capra rises achronically, December 22. ^d Pleiades rise achronically, November 12.

Zuyov.	O C T O B E R.
Corona ^a rises in the Morn. Gem. Plin. xviii. 31.	2 Crane, <i>γερανος</i> , departs. Arist. Hist. Anim. VIII. 12. 11 2
Scorpius ^b begins to set in the Even. Gemin.	12 Storms of Wind. Gemin. Apple tree, <i>μηλεα</i> . Theophr. III. 6. FR. 3
The whole of Scorpio, and of Capra set in the Evening. Chelæ begin to rise. Gemin.	17 8
	18 North and South Winds blow. Gemin. 19 20
Hyades ^c rise in the Evening. Gemin.	22 13
Tail of Taurus sets. Gemin.	28 19
	20 North and South Winds blow. Gemin.
	29 30
	31 Great Storms at Sea. Gemin.

^a Corona rises cosmically, October 3.

^c Hyades rise achronically, Nov. 3.

^b Scorpio begins to set achronically, October 24.

$\Sigma \kappa o \varphi -$ $\pi \iota o \varsigma .$	O C T O B E R.
Sun passes into Scorpio. Gemin.	m 1 22
	m 3 24
Pleiades set in the Morning. Front of Scorpio rises. Gemin.	m 4 25
Arcturus sets in the Evening. Gemin.	m 5 26
	m 7 28
Arcturus sets in the Morning. Gemin.	m 8 29
Head ^a of Taurus sets in the Morn: Gemin.	m 9 30
Lyra sets in the Morning. Gemin.	m 10 31

^a Head of Taurus sets cosmically, Nov. 27.

$\Sigma \kappa o \rho - \pi o \varsigma .$		N O V E M B E R.
Orion begins to rise in the Even. Gemin.	m 12 2	
Lyra ^a rises in the Morning. Gemin.	m 13 3	Stormy Weather.
	m 14 4	Rainy.
Pleiades set.	m 15 5	Stormy Weather towards the middle and latter end of the Month. Gemin. Beginning of Winter. Galeni Comm. in Epid. Hippocr. I. Cold Weather. Ibidem. White Beam tree, $\alpha \rho \mu \alpha$. Theophr. III. 6. FR.
Bright ^b star in Scorpio rises, and the Pleiades set. Gemin.	m 16 6	
Scorpio begins to rise in the Morn. Gemin.	m 18 8	
Pleiades set in the Morning. Orion ^c begins to set. Gemin.	m 19 9	Stormy Weather. Gemin. Beginning of Winter. Germanici Aratea Prognostic.

^a Lyra rises cosmically, Nov. 12.^c Orion begins to set cosmically, Nov. 18.

Σηκορ- πιος.		N O V E M B E R.
Lyra rises in the Morning. Gemin.	m 21 11	Narrow-leaved Spindle tree, <i>τελεαγωνια</i> . Theophr. III. 6. FR. Tree of Life, <i>Θυεια</i> . Theophr. III. 6. FR. Yew tree, <i>μιλος</i> . Theophr. III. 6. FR. Pear tree, (wild probably, but, as it seems, a different Variety from that mentioned, Sept. 8.) <i>αχρας</i> . Theophr. III. 6. FR.
Hyades set. Gemin.	m 27 17	Rainy. Gemin. Ivy, <i>κιττος</i> . Theophr. III. 6. FR. Silver fir, <i>ελατη</i> . Theophr. III. 6. FR.
Horns of Taurus set. Gemin.	m 28 18	Rainy.
Hyades ^a set. Gemin.	m 29 19	Very Stormy. Gemin.
Sun passes into Sagittarius. Gem.	Toξοης 1 1	Juniper tree, <i>αρκευθος</i> . Theophr. III. 6. FR. Staff tree, <i>κηλασφος</i> . Theophr. III. 6. FR. Holm Oak, <i>πρινος</i> . Theophr. III. 6. FR.
Canis ^b sets. Sagittarius ^c begins to rise, and Orion to set. Gem.	1 7 27	Stormy Weather. Gemin.
Orion sets in the Morning. Gemin.	1 8 28	
Sting of Scorpio rises. Gemin.	1 10 30	

^a Hyades set cosmically, Nov. 27.^b Canis sets cosmically, Dec. 6.^c Sagittarius begins to rise cosmically, Dec. 26.

To ξο- της.	D E C E M B E R.
Canis sets in the Morning. Gemin.	♀ 12 2 Stormy Weather. Gemin.
	♀ 14 4 Rainy. Gemin.
Aquila rises. Gemin.	♀ 15 5 South Wind blows. Gemin.
Aquila rises with the Sun. Canis rises in the Evening. Gemini ^a set. Gemin.	♀ 16 6 Storms of Thunder, Lightning, Wind and Rain. Gemin.
Scorpio rises in the Morning. Gemin.	♀ 21 11 Stormy.
Capra sets in the Morning. Gemin.	♀ 23 13
Aquila ^b rises in the Morning. Gemin.	♀ 26 16
Sun passes into Capricorn. Sagittarius ceases to rise. Gemin.	Autumn- ew. 1 20 Winter Solstice. Stormy Weather. Gemin. Halcyon days are the seven immediately preceding, and the same number immediately succeeding the Winter Solstice. Arist. Hist. Anim. V. 8.

^a Gemini set cosmically, Jan. 22.^b Star Altayr in Aquila rises cosmically, Dec. 20.

Aurone- pwv.	D E C E M B E R .			
Delphin rises. Gemin.	w 2 21	Stormy. Gemin.		
	w 4 23	Winter Solstice. Stormy. Gemin.		
	w 5 24	Halcyon lays about this Season. Aristot. Hist. Anim. V. 8.		
Aquila ^a sets in the Evening. Gemin.	w 7 26	Stormy. Gemin.		
Aquila sets in the Even. Plin. xviii. 26. Germ. Arat. Prog.	w 11 30			
	w 12 31	South Wind. Gemin. and Arist. Probl. Sect. 26. §. 13.		
		J A N U A R Y .		
	w 14 2	Middle of Winter. Storms at Sea from the South. Gemin.		
Capricorn ^b begins to rise. Gemin.	w 15 3			

^a Aquila sets achronically, Feb. 1.^b Capricorn begins to rise cosmically, Jan. 13.

Afroge- gw.	J A N U A R Y.
v ^r	Storms at Sea from the South Quarter. Gemin.
16	
4	
Perseus sets in the Evening, after the Sun. Gemin.	v ^r South Wind blows. Gemin. 18 6
Delphin sets in in the Evening. Cancer ceases to set. Gemin.	v ^r Stormy. 27 15
Sun in Aquarius. Gemin.	r̄δρο- χωος. ≡ I 18
Leo ^a begins to set. Gemin.	≡ Wintry Weather. Gemin. 2 19
Delphin sets in the Evening. Gemin.	≡ 4 21
Lyra ^b sets in the Evening. Gemin.	≡ Rainy Weather. Gemin. 11 28
	≡ Calm clear, Weather, sometimes with a Westerly Wind. Gemin. 14 31

^a Leo begins to set cosmically, Feb. 14.^b Lyra sets achronically, Feb. 11.

F E -

<i>Υδρο-</i> <i>χροος.</i>	F E B R U A R Y.
	The bulbous Violet ^a , or great Spring Snow-drop, <i>λευκοῖον.</i> Theophr. VI. 7. F.
15	
1	Cornel tree, <i>κραυγεῖα.</i> Theophr. III. 6. L., Dogberry, <i>Θηλυκραυγεῖα.</i> Theophr. III. 6. L.
	West Wind begins to blow. Gemin.
16	
2	
Half ^b of Aquarius rises. Gemin.	West Wind blows. Gemin.
17	Dog-tooth Violet ^c , <i>κρωνον πτοεφύρον.</i> Theophr. VI. 7. F.
3	Wall flower ^d , <i>φλογιον.</i> Theophr. F.
	Common Narcissus, <i>ναρκισσός.</i> Theophr. VI. 7. F.
19	Common white Lily, <i>λειριον.</i> Theophr. VI. 7. F.
5	Single Daffodil ^e , <i>βολεψικώδιον.</i> Theophr. VI. 7. F.
	Bay tree ^f , <i>δαφνη.</i> Theophr. III. 6. L.
25	Alder ^g , <i>ιληθρα.</i> Theophr. III. 6. L.
II	
	Lily ^h of the Valley, <i>ονανθη.</i> Theophr. VI. 7. F.
28	Violet ⁱ common, <i>μελανιον</i> (<i>ιον scilicet</i>). Theophr. VI. 7. F.
14	* White wood-anemone, <i>ανεμωνη λειμωνια.</i> Theophr. VI. 7. F.
	Bulbous-rooted Flower-de-Luce, <i>ξιφιον.</i> Theophr. VI. 7. F.
	Great Grape Hyacinth, <i>υακινθος.</i> Theophr. VI. 7. F.

^a April 13. Swed. Calendar.^c April 18. Eng. Calendar.^f May 1. Eng. Calendar.^h May 30. Swed. Calendar.

May 3. Eng. Calendar.

* At a medium of 18 years, this blew at Stratton, in Norfolk, nearly on March 26. Latitude 52°. 45'.

^b Half of Aquarius rises cosmically about February 9.^d April 21. Eng. Calendar.^g April 7. Eng. Calendar.ⁱ March 28. Eng. Calendar.

Υδρο- χροος.	F E B R U A R Y.
	White Poplar ^a , or Abele, <i>λευκη</i> . Theophr. III. 6. L.
30	Elm ^b , <i>ωλεα</i> . Theophr. III. 6. L.
16	Almond-leaved Willow, <i>ιτεα</i> . Theophr. III. 6. L.
	Black Poplar ^c , <i>αιγεαρος</i> . Theophr. III. 6. L.
Sun in Pisces. Gemin.	Ιχθυες. Plane tree ^d , <i>ωλατανος</i> . Theophr. III. 6. L.
	*
	I
17	
Leo ceases to set. Gemin.	*
2	Swallow ^e appears. Ornithian Winds blow. Gemin.
18	
	*
3	Walnut tree ^f , <i>καρπα</i> . Theophr. III. 6. L.
19	Oak tree ^g , <i>δρυς</i> . Theophr. III. 6. L.
	Elder tree, <i>ακτη</i> . Theophr. III. 6. L.
Arcturus ^h rises in the Even. Gemin.	*
4	Various Weather, called Halcyon days. Rain. Gem.
20	Swallow appears. Hesiodi <i>Epy.</i> II. 184. Gemin.
	Northerly Winds blow for thirty days successively, called Proornithiæ. Gemin.
	Season of Inflammatory complaints. Hippocr. Epid. I. Gal. Comm. in eundem.
	*
5	Greater Celandine ⁱ , <i>χελωδονιον</i> . Theophr. VII. 14. F.
21	
Arcturus rises in the Evening. Gemin.	*
12	Cold North Wind blows. Gemin.
28	

^a April 19. Swed. Calendar. April 17. Eng. Calendar. ^b April 10. Eng. Calendar.
May 15. Swed. Calendar.

^c April 21, Eng. Calendar. May 16. Swed. Calendar.

^d April 21. Eng. Calendar. ^e May 9. Swed. Calendar. April 6. Eng. Calendar.
On an average of 38 years, the swallow was seen at Stratton, in Norfolk, in the 10th of April.
Philos. Transf. Vol. 79. p. 1.

^f April 21. Eng. Calendar. ^g April 18. Eng. Calendar. May 21. Swed. Calendar.
On an average of 33 years, at Stratton, in Norfolk, the Oak was in leaf, May 2.

^h Arcturus rises achronically, April 1. ⁱ May 10. Eng. Calendar. May 27. Swed. Calendar.

Ιχθυες.	M A R C H.
Pegasus rises in the Morning. Gemin.	* Cold Winds, called Ornithian, blow for nine days successively. Gemin. 14 2 Fig tree ^a , (wild probably) <i>ερινεος</i> . Theophr. III. 6. L. Alaternus, <i>φιλυκη</i> . Theophr. III. 6. L. Hawthorn ^b , <i>οξυακανθος</i> . Theophr. III. 6. L. Christ's Thorn, <i>παλισθρος</i> . Theophr. III. 6. L. Turpentine tree, <i>τερμινθος</i> . Theophr. III. 6. L. Chesnut tree ^c , <i>Διος βαλανος</i> . Theophr. III. 6. L.
Milvus appears. Piscis australis rises. Gemin.	* Stormy Weather. North Wind ceases. Gemin. 17 Rose, <i>ροδον</i> . Theophr. VI. 7. F. 2
Corona rises in the Evening. Gemin.	* Ornithian Winds begin to blow. Gemin. 21 9
Milvus appears. Gemin.	* Ornithian Winds blow until the Equinox. Gemin. 22 10
Milvus appears. Plin. xviii. 26. Gemin.	* 27 15
Orion rises. Plin. xviii. 26. Gemin.	* Stormy. Plin. XVIII. 26. 28 16
The first stars in Scorpio set. Gem.	* Cold North Wind blows. Gemin. 29 Lime tree ^d , <i>φιλυρα</i> . Theophr. III. 6. L. 17 Maple ^e , <i>ζυγια</i> . Theophr. III. 6. L. South European Oak, <i>φηγος</i> . Theophr. III. 6. L. Fig tree ^f , <i>συκη</i> . Theophr. III. 6. L.

^a April 21. Eng. Calendar. ^b March 29. Eng. Calendar. May 15. Swed. Calendar.
This took place March 15, at Stratton, in Norfolk, on an average of 35 years.

^c April 18. Eng. Calendar. This took place at Stratton, in Norfolk, nearly on the 25th of April, on an average of 23 years. Phil. Trans. Vol. 79.

^d April 18. Eng. Calendar. This took place at Stratton, on April 17, on an average of 25 years. Phil. Trans. ^e April 18. Eng. Calendar. This took place at Stratton, nearly on the 21st of April, on an average of 23 years. ^f April 21. Eng. Calendar.

Iχθυες.		M A R C H.
Piscis borealis ceases to set.	26	Cold North Wind. Gemin.
Milvus appears. Gemin.	30 18	
Sun in Aries.	Kριος.	Vernal Equinox.
Vinculum Pif- cium rises. Gemin.	r. 1 19	Very Stormy with small Rain. Gemin. Pine, πιτυς. Theophr. III. 6. L. Fir tree, πευκη. Theophr. III. 6. FR.
		Flowers in full beauty. Gemin. El. Astr. I.
Aries ^a begins to rise. Gemin.	r 3 21	Rain or Snow. Gemin. Beginning of Spring. Gal. Comm. in Epid. Hipp. I. Dandelion ^b , αφανη. Theophr. VII. 8. L.
	r 3 21	Flea-wort, κυνοψ. Theophr. VII. 8. F. Succory ^c , κιχοφειον. Theophr. VII. 8. F.
	r 4 22	Plants in general in the vigour of flower. Gemin. El. Astr. Cap. I. Apple tree ^d , μηλεα. Theophr. III. 6. L.
	r 6 24	Vernal Equinox. Rainy Weather. Gemin. Nightingale ^e sings. Demetr. Phaler. §. 133.
Pleiades set in the Evening. Gemin.	r 10 28	

^a Aries rises cosmically about April 2. ^b April 3. Eng. Calendar. ^c June 28. Eng. Calendar.
^d April 14. Eng. Calendar. ^e The Nightingale began to sing at Stratton, in Norfolk,
nearly on the 22d of April, on an average of 42 years. Phil. Trans. Vol. 79.

Kρισ.	M A R C H.
Pleiades set in the Evening.	v. Ivy, <i>ψος</i> . Theophr. III. 6. L. 12 Beam tree ^b , <i>αρια</i> . Theophr. III. 6. L.
Orion ^a begins to set in the Evening.	30 Narrow-leaved ^c Spindle tree, <i>τελαγωνια</i> . Theophr. III. 6. L.
Gemin.	Tree of Life, or Arbor Vitæ, <i>Ωνια</i> . Theophr. III. 6. L.
	Yew tree ^d , <i>μιλος</i> . Theophr. III. 6. L. Rainy Weather.
	v Rainy Weather. Gemin.
	13 Cyperus Papyrus, <i>φλεως</i> . Theophr. VI. 5. L.
	31
A P R I L.	
* Pleiades ^e set in the Evening.	v Storms from the South. Theocrit. Idyll. 7. 18
Gemin.	5
Hyades ^f set in the Evening. Gemin.	v 21 8
Hyades set.	v West Wind blows. Gemin.
Libra ^g begins to set. Gemin.	23 19
Lyra ^h rises in the Evening. Gemin.	v 27 14

^a Orion sets achronically, May 16. ^b May 16. Swed. Calendar. ^c May 14. Swed. Calendar.
^d April 22. Eng. Calendar. * Pliny says on April 3. ^e Pleiades set achronically, May 10.
^f Hyades set achronically, May 25. ^g Libra begins to set cosmically, May 2.
^h Lyra rises achronically, May 19.

A P R I L.

	Kρίσις.	A P R I L.
Suculæ set in the Evening. Gemin.	v 29 16	
Sun in Taurus. Ταυρός.	Rain and much hail. Gemin.	
Orion ^a sets in the Evening.	♂ Trees, in general, in Leaf. Theophr. III. 6.	
Aries ceases to rise. Gemin.	i 19	
Canis ^b sets in the Even. Lyra rises. Tail of Taurus rises. Sun in Taurus. Gemin.	8 2 20	Hail and Rain. Gemin.
	8 7 25	Rainy. Gemin.
Capra rises in the Morning. Gemin.	8	Rainy with a South Wind, but calm. Gemin.
Canis sets in the Evening, and Fides rises in the Morning. Gemin. Plin. xviii. 26.	8 26	
Scorpio begins to set in the Morn. Gemin.	8 11 29	Rainy. Gemin.

^a Orion sets achronically, May 16.^b Canis sets achronically, June 6..

Γαυρος	M A Y.
Pleias rises.	8 Beginning of Summer. Gemin.
Head of Taurus rises. Gemin.	13 Wind mostly South. Galen. Comm. in Epid. Hippocr. I.
Scorpio sets entirely in the Morn. Gemin.	8 21 9
Pleiades rise. Gemin.	8 Beginning of Summer. Galen. Comm. in Epid. Hippocr. I. 22 10 Harvest begins. Hesiod. Egy. II. Turpentine tree, <i>τερμινθος</i> . Theophr. III. 6. FR. Scarlet Lychnis, <i>λυχνις</i> . Theophr. VI. 7. F. Rose Campion, <i>Διος ανθος</i> . Theophr. VI. 7. F. Yellow Asphodel, <i>αμαρακος</i> . Theophr. VI. 7. F. Ash tree, <i>μελια</i> . Theophr. VI. 7. FR. Maple, <i>σφενδαμνος</i> . Theophr. VI. 7. FR.
Aquila sets in the Evening. Gemin.	8 Virgins bower, <i>ποθος φρυγιος</i> . Theophr. VI. 7. F. 25 Greater Honeywort, <i>κηρινθος</i> . Theophr. VI. 7. F. 13
	8 Gypsophila Struthium, <i>στρεθιον</i> . Theophr. VI. 7. F. 26 14
Aquila ^a rises in the Evening. Gemin.	8 31 19
Arcturus ^b sets in the Morning. Taurus ceases to rise. Hyades rise in the Even. Gemin.	8 32 20

^a Aquila rises achronically, June 19.^b Arcturus sets cosmically, May 28.

$\Delta \delta v -$ mos.		M A Y.
Canis ^a sets in the Evening.	II I	
Sun in Gemini.	21	
Gemin.		
Gemini begin to rise. Canis sets in the Evening. Plin. xviii. 26.	II 2 22	Wet Weather. Gemin. Second Shoots of Trees. Theophr. III. 6.
Hyades rise in the Morning. Gemin.	II 5 25	
Aquila rises in the Evening. Gemin.	II 7 27	
	II 10 3°	Wet Weather. Gemin.
		J U N E.
Arcturus sets in the Morning.	II 13	
Gemin.	2	
Delphin ^b rises in the Evening.	II 18 7	

^a Canis sets achronically, June 6.^b Delphin rises achronically, June 28.

$\Delta\delta\mu-$ μοσ.		J U N E.
Shoulder of Orion rises.	II 24 13	
Orion ^a begins to rise. Gemin.	II 29 18	Silver Fir, $\varepsilon\lambda\alpha\tau\eta$. Theophr. III. 6. F. Yew tree, $\mu\bar{\imath}\lambda\sigma\varsigma$. Theophr. III. 6. F. Calm Weather from this time to the blowing of the Prodromi. Aris. Meteor. II. c. 5.
Orion rises entirely. Plin. xviii.	II 31 20	

^a Orion rises cosmically complete about July 10.

C A L E N D A R

C A L E N D A R

O F

N A T U R A L O C C U R R E N C E S,

COLLECTED FROM THE ANCIENT ROMAN AUTHORS,

THOSE PARTICULARLY THAT TREAT OF

A G R I C U L T U R E.

CALCULATED FOR THE CLIMATE OF

I T A L Y,

AND PARTICULARLY FOR THAT OF

R O M E,

Lat. $41^{\circ} 45'$.

ADJUSTED TO THE MODERN COMPUTATIONS OF TIME.

1. *Leucosia* *leucostoma* *leucostoma*

2. *Leucosia* *leucostoma* *leucostoma*

3. *Leucosia* *leucostoma* *leucostoma*

4. *Leucosia* *leucostoma* *leucostoma*

5. *Leucosia* *leucostoma* *leucostoma*

6. *Leucosia* *leucostoma* *leucostoma*

7. *Leucosia* *leucostoma* *leucostoma*

8. *Leucosia* *leucostoma* *leucostoma*

9. *Leucosia* *leucostoma* *leucostoma*

10. *Leucosia* *leucostoma* *leucostoma*

11. *Leucosia* *leucostoma* *leucostoma*

12. *Leucosia* *leucostoma* *leucostoma*

13. *Leucosia* *leucostoma* *leucostoma*

14. *Leucosia* *leucostoma* *leucostoma*

15. *Leucosia* *leucostoma* *leucostoma*

16. *Leucosia* *leucostoma* *leucostoma*

17. *Leucosia* *leucostoma* *leucostoma*

18. *Leucosia* *leucostoma* *leucostoma*

19. *Leucosia* *leucostoma* *leucostoma*

C A L E N D A R, &c.

LAUDAMUS VETERES, SED NOSTRIS UTIMUR ANNIS,
MOS TAMEN EST ÆQUE DIGNUS UTERQUE COLI.

OVID. FAST. I. 224.

J A N U A R Y. Tut. Deity, JUNO.

		missi tibi nubibus atris Signa dabunt imbræ, exorientе Lyrâ. Ovid. I. 315.
Delphin rises. Geop. I. 9. Calendæ*.	v 16 1	Uncertain Weather. Colum. XI. 2. Hens lay Eggs. Colum. VIII. 5.
IV. Non.	v 17 2	Weather milder. Colum. XI. 2.
Claws ^a of Cancer set. Ovid. I. 311. III. Non.	v 18 3	Variable Weather. Colum. XI. 2. Quinces, Services, and Plumbs to be sown from this time to February 13. Plin. XVII. 18. Almond flowers. Plin. XVI. 25.
Delphin ^b rises in the Morning. Plin. xviii. 26. Prid. Non.	v 19 4	Middle of Winter. Colum. XI. 2. Violent South-wind with Rain. Colum. XI. 2.

* The first column denotes the celestial events according to various authors, that happen each day, and also marks the day of the month according to the Roman computation; the second column marks the sign of the Zodiac in which the Sun then is, and the day of that sign which is expressed by the figures under the symbol. The lowest figures mark the day of the month, New Style.

^a Star π in the left claw sets cosmically, Jan. 29.

^b Delphin rises now cosmically about this season.

J A N U A R Y.

Lyra rises fully. Aquila sets in the Evening. Cal. Julii Cæf. Nonæ.	v 20 5	Dark, cloudy, and wet Weather. Ovid. I. 315. Variable Weather. Colum. XI. 2.
Delphin ^a sets in the Evening. Plin. xviii. 26. VI. Idus.	v 23 8	South, and sometimes Westerly Winds. Col. XI. 2. Cold Weather for some days successively. Plin. XVIII. 26.
Delphin ^b rises heliacally. Ovid. I. 457. V. Idus.	v 24 9	South Wind with Showers. Colum. XI. 2.
IV. Idus.	v 25 10	Middle of Winter. Ovid. I. 459.
Prid. Idus.	v 27 12	Uncertain Weather. Colum. XI. 2.
Idus.	v 28 13	Works of husbandry begin. Colum. XI. 2. — patitur cultus ager, et renovatur aratro. Ovid. Fast. I. 159. — redit Agricolis labor actus in orbem, Atque in se sua per vestigia volvitur annus. Virg. Georg. II. 401. Windy, uncertain Weather. Colum. XI. 2. Middle space between the depth of Winter, and the first blowing of the West Wind. Colum. XI. 2. Hens sit. Colum. VIII. 5. Hay fields to be cleared of Cattle. Colum. XI. 2.

^a Delphin sets achronically, Feb. 13.^b Delphin rises heliacally about this time.

J A N U A R Y.

XIX. Cal.	v ^o	If the Weather is mild, Barley may be sown. Colum. II. 9.
	29	Depressō incipiat jam tum mihi taurus aratro Ingemere, et fulco attritus splendescere vomer.
	14	Virg. Georg. I. 45. Vines to be planted. Geopon. III. 1.
Sun in Aquarius.	v ^o	Uncertain Weather. Colum. XI. 2.
German. Arat.	30	Almond tree blows. Plin. XVI. 26.
Prog.	15	
XVIII. Cal.		
Sun ^a in Aquarius.	≈≈	South West, and sometimes South Wind with
Leo ^b begins to set	1	Rain. Colum. XI. 2.
in the Morning.	16	— ingeminant Austri, et densissimus imber.
Col. xi. 2.		Virg. Georg. I. 333.
XVII. Cal.		
Cancer ceases to	≈≈	Cold wintry Weather. Colum. XI. 2..
set. Sun in Aquari-	2	
us. Plin. xviii. 26.	17	
XVI. Cal.		
Aquarius ^c begins	≈≈	South West Wind, with Storms. Colum. XI. 2.
to rise. Col. xi. 2.	3	End of Winter. Fragment of an Anc ^t . Calendar.
Sun in Aquarius.	18	Gruteri Inscript. P. CXXXVI.
Ptolemy.		
XV. Cal.		
XII. Cal.	≈≈	Chichlings (Cicercula) sowed this month, or the
	6	next. Colum. II. 10.
	21	
Fidicula sets in	≈≈	Rainy. Colum. XI. 2..
the Even. Col. xi. 2	7	
XI. Cal.	22	

^a According to modern calculation, Jan. 19.^c Aquarius rises cosmically about this time.^b Leo sets cosmically about Feb. 1.

J A N U A R Y.

Lyra ^a sets heliacally. Ovid. i. 654.	\approx	
	8	
Sun in Aquarius.	23	
Cal. Conft. Magn.		
X. Cal.		
Star ^b in the breast of Leo sets.	\approx	Stormy. Colum. XI. 2.
Ovid. i. 655.	9	
IX. Cal.	24	
Star in the breast of Leo, called Royal (regia) sets.	\approx	Geese lay Eggs about this time. Plin. X. 59.
Plin. xviii. 26.	10	Depth of Winter ends. Plin. XVIII. 25.
VIII. Cal.	25	
Star in the breast of Leo sets. Col. xi. 2.	\approx	Winter half spent. Colum. XI. 2.
VI. Cal.	12	Swallows seen in an early season. Plin. XVIII. 25.
	27	
V. Cal.	\approx	Cold Rainy Weather, with South, or South West Wind. Colum. XI. 2.
	13	
	28	
Delphin begins to set ^c . Fidicula sets.	\approx	
Colum. xi. 2.	15	
III. Cal.	30	
Prid. Calend.	\approx	Stormy. Colum. XI. 2.
	16	
	31	

^a Star α in Lyra sets heliacally, Feb. 6.^b Cor Leonis sets cosmically, Feb. 19.^c This refers to its achronical setting. It is entirely set by Feb. 21.

F E B R U A R Y . Tut. Deity, NEPTUNE.

		— ver aperit tunc omnia, densaque cedit Frigoris asperitas, fætaque terra parit. Ovid. IV. 87.
Fidis begins to set. Colum. xi. 2. Calendæ.	≈ 17 1	Heavy Rain, and deep Snow. Ovid. II. 72. East, and sometimes South Wind, with Hail. Col. XI. 2. Almonds (nux Græca) to be sown. Col. V. 10. Fœnugreek (fœnum Græcum) to be sown, when intended for Seed. Pallad. Mens. Januarius. Geese sit. Columell. Lib. VIII. 14.
Lyra ^a , and Terga Leonis set. Ovid. II. 76. IV. Non.	≈ 18 2	
Delphin sets. Ovid. II. 79. Fidis sets entirely, and half of Leo. Col. xi. 2. III. Non.	≈ 19 3	West, North West, or North, and sometimes West, Winds. Colum. XI. 2. Summer fallows to be broken up in rich Soils. ergo age, terræ Pingue solum primis extemplò a mensibus anni Fortes invertant tauri, glebasque jacentes. Pulverulenta coquat maturis solibus æstas. Virg. Georg. I. 63..
Fidicula sets in the Even. Plin. xviii. 26. Prid. Non.	≈ 20 4	
Half ^b of Aquarius rises. Col. xi. 2. Ovid. II. 145. Nonæ.	≈ 21 5	Air softer by the West Wind. a Zephyris mollior aura venit. Ovid. II. 148. Frigora jam Zephyri minuunt.— Ovid. III. 12.. Trist.

^a Star α sets achronically, Feb. 19. ^b At present nearly half the Constellation rises about Feb. 17..

F E B R U A R Y.

	≈	Jam puer Idæus medio tenus eminent alvo, Et liquidas, misto nectare, fundit aquas. Ovid. II. 145.
	21	Fields to be cleared of Weeds. Caton. Cap. L.
	5	Windy Weather. Colum. XI. 2.
VIII. Idus.	≈	Beginning of Spring. Anonym. Auct.
	22	End of Winter. Geopon. I. 1.
	6	West Winds blow. Aet. 164.
Callisto sets. Colum. XI. 2.	≈	West Winds begin to blow. Colum. XI. 2. and Geoponic. I. 28. Beginning of Spring. Varro. I. 28.
VII. Idus.	23	— hiems adoperta gelu nunc denique cedit, Et pereunt viætæ, Sole tepente, nives. Ovid. III. 535.
	7	Cattle to be turned into the fields and pastures. Virg. Georg. III. 322.
VI. Idus.	≈	West Winds blow. Plin. XVI. 25.
	24	Stormy. Colum. XI. 2.
	8	— referata viget genitalis Aura Favonî. Lucret. I. 11.
		Beginning of Vegetation. Cornel tree buds, and Oak*, Larch, and Fir trees shoot. Plin. XVI. 25.
V. Idus.	≈	Beginning of Spring. Ovid. II. 150.
	25	Ne fallare tamen, restant tibi frigora, restant, Magnaque discedens signa relinquit hyems. Ovid. II. 151.
	9	Nunc primum miti pelagus consternitur undâ, Et varios audet flores emittere Tellus. Manil. III. 652.
		White Violet (<i>viola alba</i>) blows. Plin. XXI. 11.
		Mergus Plin : or Diver, lays Eggs. Plin. X. 59.

* In the year 1769, the leaves of little oaks, were just making their appearance on Feb. 14.
Symonds on the Climate of Italy.

F E B R U A R Y.

IV. Idus.	≈ 26 10	Bay tree (<i>laurus</i>) buds. Plin. XVI. 25. Roots of Vines to be laid bare, and those parts cut off that rise above ground. Willows to be sown, and crops hoed, from hence to the vernal Equinox. Varron. de re rust. I. 29.
Feet ^a of Bootes rise. Ovid. II. 154.	≈ 27	Poplar, Elm ^b , Willow ^c , Alder and Hazel-nut trees bud. Plin. XVI. 25.
III. Idus.	11	Apple tree in blow. Plin. XVI. 25. East Wind. Colum. XI. 2. Fields to be cleared and laid down for hay in warm dry maritime situations. Colum. XI. 2.
Prid. Idus.	≈ 28 12	Lupines, and other Legumina to be sown. Col. II. 10. Mitior alternum Zephyri jam bruma teporem Senserat, et primi laxabant germina flores. Claud. in Eutrop. II. 95.
Sagittarius sets in the Evening. Colum. xi. 2.	≈ 29 13	Very cold Weather. Colum. XI. 2. Mulberry trees to be sown from this time to March 24. Colum. V. 10. Plin. XVII. 18. Ash and Poplar trees to be planted. Plin. XVII. 18. Violet, purple (<i>viola purpurea</i>) blows about this time. Plin. XXII. 2. Pea fowl lay. Pallad. I. 28. Pear tree in blow. Plin. XVI. 25.
Corvus, Anguis, and Crater rise. Ovid. II. 243. Crater rises in the Evening. Col. xi. 2. XVI. Cal.	≈ 30 14	Change of Wind. Colum. XI. 2. Plane tree buds. Plin. XVI. 25. Wet Weather. Virg. Georg. III. 304. West Wind blows. Colum. VIII. 11. Aura parit flores tepidi foecunda Favonî. Catull. de Nupt. Pelei et Thetidos. Parturit almus ager, Zephyrique tepentibus auris Laxant arva sinus.—Virg. Georg. III. 330.

^a The Feet of this Constellation now rise achronically about March 23.^b The Elm was in leaf at Stratton, in Norfolk, on April 2, on an average of 24 years.^c Willows in leaf between Evoli and Pesti in the kingdom of Naples on Feb. 28, 1769.

F E B R U A R Y.

Sun ^a in Pisces. Colum. xi. 2. XV. Cal.	15	Stormy Weather. Colum. XI. 2. Flame-coloured Violet, perhaps, the Hearts-ease Violet or Panfy, <i>viola flammea vel Phlox Plinii</i> , blows. Plin. XXI. 11. Beginning of Spring. Manil. II. 267 Cherry and Plumb trees in flower. Plin. XVI. 25.
Sun in Pisces. Ovid. II. 458. XIV. Cal.	16	Stormy Weather for six days successively. sex referata diebus Carceris Æolii janua laxa patet.—Ovid. II. 455.
XIII. Cal.	17	West or South Wind, with Hail or Storms. Col. XI. 2.
XII. Cal.	18	West or South Wind, with Hail or Storms. Col. XI. 2. The Holly (<i>aquifolium</i>), Turpentine tree (<i>terebinthus</i>), Thorn (<i>paliurus</i>), Chestnut and mast-bearing trees are in flower. Plin. XVI. 25.
Leo ceases to set. Col. xi. 2. Sun in Pisces. Cal. Constant. Magn. X. Cal.	20	Ornithian Winds blow, and Swallows arrive. Col. XI. 2. Veris et adventum nidis cantabit hirundo. Colum. Lib. X.
Arcturus begins to rise. Col. xi. 2. IX. Cal.	21	Cold Weather, with North or North-west Wind, and sometimes Rain. Colum. XI. 2.
Sagitta begins to rise. Col. xi. 2. VIII. Cal.	22	Various Weather (<i>halcyonei dies</i>). Colum. XI. 2. Spring shoots of the Oak. Larch and Fir trees at a stand. Plin. XVI. 25. pars acrior anni Exfulat. Claud. de Nupt. Honor. et Mariae. Swallows appear. Plin. XVIII. 26.

^a The Sun is now understood to enter Pisces, Feb. 19.

FEBRUARY.

Arcturus rises in the Evening. Plin. xviii. 26. VII. Cal.	* 9 23	Swallows appear. Col. XI. 2. Windy Weather. Col. XI. 2. Ornithian Winds blow. Plin. II. 47. Vines, and Fruit trees in general in warm situations, to be grafted. Colum. XI. 2.
Arcturus rises. Colum. II. 10. VI. Cal.	* 10 24	Swallows arrive. — veris prænuntia venit hirundo. — ignotaque prodit hirundo, Et luteum, celsâ sub trabe, fingit opus. Ovid. II. 853. Ovid. I. 157.
V. Cal.	* 11 25	Hemp sown. Colum. II. 10. Geop. II. 40. Swallows come. Compend. Cedreni P. 139. Nidum ponit, Ityn flebiliter gemens, Infelix avis. Horat. Carm. IV. Od. 12.
Arcturus rises in the Evening. Geop. I. 9. IV. Cal.	* 12 26	Jam nec prata rigent, nec fluvii strepunt Hybernâ nive turgidi. Hor. Carm. IV. Od. 12. Hemp sown until March 24. Gepon. II. 40.
III. Cal.	* 13 27	Hazel nuts, Walnuts, Pine Cones and Chesnuts to be sown. Colum. V. 10.
Pridie Calend.	* 14 28	Pomegranates to be sown until April 1st. Col. XI. 2. Vere tument terræ, et genitalia femina poscunt. Virg. Georg. I. 324.

^a Arcturus rises achronically, March 27.

M A R C H. Tut. Deity, MINERVA.

		— tunc est nova temporis ætas, Et nova de gravido palmite gemma tumet. Ovid. I. 151.
Calendæ.	* 15 1	South West or South Wind, with Hail. Col. XI. 2. Geese sit and hatch from this time to the Winter Solstice. Varron. III. 10. Colum. VIII. 14. Pallad. I. 30. Time for laying branches of trees to take root. Colum. V. 10. Walnuts, Hazel nuts, Chesnuts and Pine Cones to be sowed till March 15. Plin. XVII. 18. Seeds of the Broom and of the Willow sown. Plin. XVII. 18. Vines to be pruned till March 23. Col. XI. 2. madidum ver
		Incipit. Juvenal. Satyr. IX. 51.
Vindemitor ^a appears. Col. xi. 2. VI. Non.	* 16 2	Northerly Winds. Colum. XI. 2. Fruit of the Almond tree formed. Plin. XVI. 25. Pear tree in blow.
Austrinus piscis sets. Ovid. III. 400. V. Non.	* 17 3	Tempus ver hœdus petulans, et garrula hirundo Indicat. Ausonii Tetraastichon Mens.
IV. Non.	* 18 4	West, and sometimes South Wind, with cold Weather. Colum. XI. 2.
Vindemitor rises. Bootes sets. Ovid. III. 405. 407. III. Non.	* 19 5	Barley may be sown in cold heavy Land. Col. II. 9.
Pegasus ^b rises. Ovid. III. 450. Colum. xi. 2. Nonæ.	* 21 7	North Winds. Colum. XI. 2.

Vindemitor rises achronically about March 20. b Pegasus rises cosmically about this time.

M A R C H.

M A R C H.

Piscis Aquilonius rises.	*	
Plin. xviii. 26.	22	
Corona ^a rises.	8	
Ovid. iii. 459.		
Vindemitor rises.		
Plin. xviii. 26.		
VIII. Idus.		XIX
Orion rises.	*	
Plin. xviii. 26.	23	
VII. Idus.	9	
VI. Idus.	*	Olive trees to be pruned. Caton. Cap. XLIV.
	24	Navigation for Merchant ships commences. Veg.
	10	IV. 39.—Natalis Navigationis.
V. Idus.	*	Olive trees to be pruned. Plin. XVI. 18.
	25	
	11	
Piscis Aquilonius ceases to rise.	*	Northerly Winds. Colum. XI. 2.
Col. xi. 2.	27	
III. Idus.	13	
Argo ^b rises.	*	West, South, and sometimes North Winds.
Col. xi. 2.	28	Colum. XI. 2.
Prid. Idus.	14	Gardens to be put into order. Colum. XI. 2.
Nepa begins to set.	*	Stormy Weather. Colum. XI. 2.
Colum. xi. 2.	29	
Plin. xviii. 26.	15	
Piscis Aquilonius rises.		
Plin. xviii. 26.		
Idus.		

^a Corona rises achronically about April 4.^b This probably refers to its achronical rise. Star ^a rises, March 25.

M A R C H.

Orion rises.	x	Cold Weather. Colum. XI. 2.
Plin. xviii. 26.	30	Stormy.—nautis infestus Orion.
Nepa sets.	16	Horat. Epod. Od. 15. — fluctu assurgens nimbosus Orion.
Colum. xi. 2.		Virg. Æneid. I. 539.
First part of Scorpio rises ^a .		
Ovid. III. 712.		
XVII. Cal.		
Sun ^b in Aries.	r	West or North West Wind. Colum. XI. 2.
Colum. xi. 1.	1	Parturit almus ager, Zephyrique tepentibus auris
Calend. Conſt.	17	Laxant arva ſinus. Virg. Georg. II. 330. Solus ovantem Zephyrus Perdominatur Annum.
Magn.		
XVI. Cal.		Claudian. Fescennin. I. 85.
Sun in Aries.	r	— vernus ſequitur rubor, omnis in herbas
Ovid. III. 852.	2	Turget humus.
Milvus appears.	18	Claud. de raptu Proſerp. II. 90.
Plinii xviii. 26.		
XV. Cal.		
Pegasus ^c sets in the Morning.	r	North Winds. Colum. XI. 2.
Colum. xi. 2.	5	Lime tree (tilia), Maple (acer), bud about this
Plin. xviii. 26.	21	time. Plin. XVI. 25.
XII. Calend.		Vegetation moſt active about this time. Plin. XVIII. 26.
XI. Cal.	r	Vernal Equinox. Ovid. III. 878.
	6	Bees begin to leave their hives. Plin. XI. 16.
	22	Ground ploughed in warm ſituations. Plin. XVIII. 19. Violets ^d blow. Statut. Coll. Esculap. et Hygeiae.

^a Some Copies read *sets* (*occidit*). See Notes on this Paſſage. Edit. Variorum.^b The Sun is now understood to enter Aries, March 21.^c This seems more likely to refer to its achronical ſetting, which takes place about the end of March.^d N.B. Hæc Statuta ſervantur in marmore elegantissimo in hort. Barberiniſ. Vide Spon. Miscell. Antiq. Hic dies appellatur *dies violaris*.

M A R C H.

Aries begins to rise. Col. xi. 2.	v 7	Rain, and sometimes Snow or Sleet. Millet and Panic to be sown until April 13.
X. Cal.	23	Colum. XI. 2. Vernal Equinox. Aet. Lib. III. P. 164. Stormy.
IX. Cal.	v 8 24	This day and the next are the Vernal Equinox. Colum. XI. 2. Stormy. Ibidem. Olive trees to be grafted from this time until April 13. Colum. V. 10. Bees wander freely in search of food. Col. IX. 14. <i>Rure levis verno flores apis ingerit alveo,</i> <i>Compleat ut dulci, fedula, melle favos.</i>
		Tibull. II. Eleg. I. Beans in flower. Plin. XVIII. 27. Pistacia trees grafted and Pine Cones sown. Pallad. Mens. Mart.
		Quince and Medlar trees to be planted. Geop. X. 71.
VIII. Cal.	v 9 25	Olive trees to be sown and pruned from this time to May 7. Varron. I. 30. Vernal Equinox. Plin. XVIII. 26. Geop. I. 1. Olive trees to be grafted from hence to July 5. Pallad. Mens. Aprilis. Singing birds in general breed between the Autumnal and Vernal Equinoxes. Plin. X. 31. Vernal Equinox. Calendar. Rust. Farnesian. Thrush leaves Italy. Varr. III. Cap. 5.
VI. Cal.	v 11 27	Arboribus redeunt detonsæ frigore frondes, Vividaque e tenero palmite gemma tumet. Ovid. III. 237.
IV. Cal.	v 13 29	— nitidæ surgunt fruges, ramique virescunt Arboribus. Lucret. I. 253.

* Stars α and β in Aries rise cosmically, March 31.

M A R C H.

III. Cal.	v 14 30	Nunc fœcundus ager, pecoris nunc hora creandi, Nunc avis in ramo tecta, laremque parat. Ovid. III. 241.
Prid. Cal.	v 15 31	Nunc pecudum volucrumque genus per pabula læta In Venerem pastumque ruit, totumque canorâ. Voce nemus loquitur, frondemque virescit in omnem. Manilii III. 1. 654. Pheasants lay. Pallad. I. 29.
A P R I L. Tut. Deity, VENUS.		
		tibi suaves dædala Tellus Summittit flores, tibi rident æquora ponti; Placatumque nitet, diffuso lumine, cœlum. Lucret. I. 7.
Pleiades set in the Morning.	v 16	Stormy. Colum. XI. 2. Indomitas prope qualis undas
Plin. xviii. 26.	1	Exercet Auster, Pleïadum choro
Scorpio sets.		Scindente nubes. Hor. Carm. IV. Od. 14.
Ovid. iv. 164.		Asparagus fown. Pall. Mens. Mart.
Colum. xi. 2.		Pistacia nuts fown. Gepon. X. 12.
Calendæ.		Early roses in blow.
		Aurea siccato redimicula demite collo: Nunc alii flores, nunc nova danda rosa est.
		Ovid. Fast. Lib. IV. 1. 135.
Pleiades rise.	v	Flora quibus mater præspergus ante viai,
Ovid. iv. 169.	17	Cuncta coloribus egregiis, et odoribus opplet.
IV. Non.	2	Lucret. V. 738. Bees taken. Varron. Lib. III. Cap. 16.
Prid. Non.	v 19 4	West or South Wind, with Hail. Colum. XI. 2.

A P R I L.

Orion sets. Ovid. iv. 388. Nonæ.	r 20 5	West or South Wind with Hail. Col. XI. 2. — quanto trepidet tumultu Pronus Orion? Horat. Carm. III. Od. 27.
Pleiades ^a set in the Evening. Col. xi. 2. VIII. Idus.	r 21 6	Cold Weather. Colum. XI. 2.
VII. Idus.	r 22 7	Stormy Weather, with South, and South West Winds. Colum. XI. 2.
Libra ^b rises. Ovid. iv. 386. VI. Idus.	r 23 8	Rainy. Ovid. IV. 385. Plin. XVIII. 26. South, and South West Winds, with Storms. Colum. XI. 2.
V. Idus.	r 24 9	South, and South West Winds, with Storms. Colum. XI. 2.
Libra ^c begins to set at Sun rise. Colum. xi. 2. IV. Idus.	r 25 10	Stormy. Colum. XI. 2.
Sculæ set. Colum. xi. 2. Lyra sets. Colum. xi. 2. Prid. Idus.	r 27 12	Cold Weather. Colum. XI. 2.
Libra sets. Col. xi. 2. Idus.	r 28 13	Cold Weather. Colum. XI. 2.

^a Pleiades set achronically about May 20. ^b Libra rises achronically about May 2.^c Libra begins to set cosmically about April 30.

A P R I L.

XVIII. Cal.	v 29 14	Windy, with Hail. Ovid. IV. 626. Windy, but uncertain Weather, with Showers. Colum. XI. 2.
Hyades ^a set. Ovid. iv. 678. Sun ^b in Taurus. Col. xi. 2. XV. Cal.	8 1 17	Rainy. Colum. XI. 2. — Hyadas fævis auxerat Auster aquis. — nondum pluvias Hyadas poterat vitare ratis. Senecæ Medea.
Suculæ set in the Evening. Colum. xi. 2. Sun in Taurus. Cal. Conſt. Magn.	8 2 18	Rainy. Colum. XI. 2. Stormy. Plin. XVIII. 26.
XIV. Cal.		
XIII. Cal.	8 3 19	Mushrooms gathered. Ovid. IV. 697.
Sun in Taurus. Ovid. iv. 716.	8 4	Sidera jam Tyrius Phryxei respicit agni Taurus, et alternum Caſtora fugit hyems.
XII. Cal.	20	Martial.
XI. Cal.	8 5 21	Spring half over. Rain and Hail. Colum. XI. 2. Ridet ager; vestitur humus, vestitur et arbos; Ifsmarium pellex Attica plorat Ityn.
		Martial.
		Beginning of Summer. Fragment of an ancient Calend. Gruter. Inſcr. CXXXVI.
Pleiades ^c rise with the Sun. Col. xi. 2.	8 6 22	South West, or South Wind, with Rain. Colum. XI. 2. First ſeafon for the gathering of Honey.

^a Aldebaran sets achronically, May 24. ^b The Sun is at present understood to enter Taurus, April 20. ^c Pleiades rise coſmically about May 18.

A P R I L.

X. Cal.	8	Taygete simul os terris ostendit honestum
	6	Pleias, et oceani spretos pede reppulit amnes.
	22	Virg. Georgic. IV. 232. Vine and Olive bud. Plin. XVI. 25. Jam ver purpureum, jam versicoloribus anni Fœtibus alma parens cingi sua tempora gaudet. Colum. X. 256.
Fidicula appears. Col. xi. 2.	8	Stormy. Colum. XI. 2.
Pleiades rise at Sunrise. Geop. i. 9.	7	
IX. Cal.	23	
VIII. Cal.	8	Bees begin to come forth from their hives according to Plin. XI. 6.
	8	
	24	
Aries ^a sets. Ovid. iv. 903.	8	Middle of Spring. Ovid. IV. 902. — cum violis rosisque natum
Canis ^b rises. Ovid. iv. 904.	9	
Hædirise. Gassend.	25	Quo pars optima nuncupatur anni, Hyblam quod sapit, Atticosque flores. Martial IX. Epig. 12.
VII. Cal.		
Canis sets. Plin. xviii. 29.	8	South Wind, with Rain. Colum. XI. 2.
IV. Cal.	12	Stormy. Plin. XVIII. 29.
	28	
Capra rises in the Morn. Col. xi. 2.	8	South Wind, with Rain. Colum. XI. 2.
Orion sets in the Even. Geop. i. 9.	13	Lucerne (Medica) to be sown or planted. Colum. II. 11.
III. Cal.	29	Beans, Millet, and Lucerne to be sown. Virg. Georg. I. 215.

^a This probably refers to its achronical setting. Star ^a sets achronically, April 30.^b Qu. if it should not be *sets*?

A P R I L.

Canis ^a sets in the Even. Col. xi. 2. Suculæ rise at Sun- rise. Geop. i. 9. Prid. Calend.	8 14 30	Stormy. Colum. XI. 2. Manil. I. 403.
--	---------------	--------------------------------------

M A Y. Tut. Deity, APOLLO.

		Nunc frondent Sylvæ, nunc formosissimus annus. Virgil
--	--	--

Olenia ^b Capella rises. Ovid. v. 113. Calendæ.	8 15 1	— viridemque nitorem Terra dedit circum colles; camposque per omnes Florida fulserunt viridanti prata colore. Lucret. V. 781.
---	--------------	--

Sucula rises with the Sun. Col. xi. 2. Hyades ^c rise in the Even. Ovid. v. 164. Columella says in the Morning. Col. xi. 2. VI. Non.	8 16 2	The Westerly Wind, called Argestes, blows. Ovid. V. 161. Northerly Winds. Colum. XI. 2.
---	--------------	---

Chiron ^d rises. Ovid. v. 379. Colum. xi. 2. V. Non.	8 17 3	Stormy. Colum. XI. 2.
---	--------------	-----------------------

Lyra ^e rises in the Even. Ovid. v. 416. Colum. xi. 2. III. Non.	8 19 5	Rainy. Colum. XI. 2.
---	--------------	----------------------

^a Canis sets achronically about May 16.^c Aldebaran rises cosmically, June 4.^e Star λ rises achronically about May 12.^b Hædi rise cosmically now, about this time.^d This is meant of its achronical rise.

M A Y.

Half ^a of Scorpius sets. Ovid. v. 418. Colum. xi. 2. Prid. Non.	8 20 6	Stormy. Colum. XI. 2.
Pleiades ^b rise in the Morning. Colum. xi. 2. Gepon. i. 9. Nonæ.	8 21 7	West Wind. Colum. XI. 2. Vines and Olives getting their leaves. Plin. XVI. 25. Vines to be planted. Virg. Georg. II. 319. Vines to be pruned from hence to June 22. Varron. I. 31. Beginning of Summer. Plin. XVIII. 25. 29. Storks (<i>ciconiæ</i>) appear. Plin. X. 23. End of Spring. Gepon. I. 1. Cherries ripe. Plin. XV. 25.
Capella rises. Plin. xviii. 26. VIII. Idus.	8 22 8	Rainy. Plin. XVIII. 26. Beginning of Summer. Gepon. I. 1. Sea Gulls lay Eggs. Plin. X. 29.
VII. Idus.	8 23 9	Beginning of Summer. Colum. XI. 2. Varron. I. 28. West, or North West Winds, sometimes with Rain. Colum. XI. 2.
Pleiades rise entirely. Col. ix. 14. Plin. xviii. 26. VI. Idus.	8 24 10	Rainy. Colum. XI. 2. Bees breed, and swarm from this time to the Summer Solstice. Colum. IX. 14. Millet, Panic, and Sesamum, sown. Plin. XVII. 7. Vine and Olive in leaf. Germ. Arat. Progn.
Orion ^c sets. Ovid. v. 493. V. Idus.	8 25 11	Roses in blow. Spon. MisCELL. P. 53.
Arcturus ^d sets. Plin. viii. 47. Fidicula rises. Plin. xviii. 27.	8 27 13	Beginning of Summer. Ovid. V. 603. Plin. XVIII. 19. Stormy. Colum. XI. 2. Hay harvest. Colum. XI. 2.

^a Half of it sets cosmically about May 22.^b Pleiades rise cosmically about May 18.^c Orion sets totally, achronically, June 1.^d Arcturus sets cosmically, at present about June 4.

M A Y.

		M A Y.
Fidis rises in the Morning. Colum. xi. 2. All the Pleiades ^a rise. Ovid. v. 599. III. Idus.	8 27 13 14	
Head of Taurus ^b rises. Ovid. v. 603. Prid. Idus.	8 28 14	
Fidis rises in the Morning. Colum. xi. 2. Idus.	8 29 15	South, or South East Winds, with Rain. Col. XI. 2. Hay harvest this month. Pall. Mens. Maius. Second season for Honey. Plin. XI. 14. Seas open for Fleets. Veget. IV. 39.
XVII. Cal.	8 30 16	South, or South East Winds, with Rain. Col. XI. 2.
XVI. Cal.	8 31 17	South, or South East Winds, with Rain. Col. XI. 2. Cattle sometimes necessary to be foddered, the grass being burnt up. Colum. XI. 2.
XV. Cal.	8 32 18	South, or South East Winds, with Rain. Col. XI. 2.
Sun ^c in Gemini. Colum. xi. 2. XIV. Cal.	II I 19	Beginning of Summer. Manil. II. 266.
Sun in Gemini. Ovid. v. 694. Cal. Conſt. Magn. XIII. Cal.	II 2 20	Summer shoots of the Oak, Fir, and Larch trees. Plin. XVI. 25.

^a Pleiades rise cosmically now, about this time. ^b Star ε in the forehead of Taurus rises cosmically about May 31. ^c Modern calculations place it, May 21.

M A Y.

Capella sets in the Evening. Plin. xviii. 27. Suculæ rife. Col. xi. 2. XII. Cal.	11 3 21	North, and sometimes South Wind, with Rain, Colum. XI. 2.
Canis Erigoneius sets. Ovid. v. 723. Arcturus sets this day and the next. Colum. xi. 2. XI. Cal.	II 4 22	Stormy. Colum. XI. 2.
X. Cal.	II 5 23	Stormy. Colum. XI. 2.
Aquila, beak of, rises. Ovid. v. 732. Capra rifes in the Morn. this day and the next. Colum. xi. 2. VIII. Cal.	II 7 25	Northerly Winds. Colum. XI. 2.
Bootes ^a sets. Ovid. v. 733. VII. Cal.	II 8 26	
Orion ^b rises. Plin. xvii. 28. Hyades rise. Ovid. v. 734. VI. Cal.	II 9 27	Seas safe for Mariners. Veget. IV. 39.

^a This probably refers to its achronical setting. Star sets, June 22.

^b Orion rises cosmically about June 11.

J U N E. Tut. Deity, MERCURY.

		Solstitium pecori defendite, jam venit æstas Torrida..	Virg. Eclog. VII. 47.
Aquila ^a rises. Col. xi. 2, Ovid. vi. 196. Calendæ.	II 14 I	Windy, with Rain. Colum. XI. 2. Cattle sometimes fed upon leaves, from this time to the end of Autumn. Colum. XI. 2. Barley harvest at the beginning of this month. Pallad. Menf. Maius. Hay harvest. Plin. XVIII. 28.	
Aquila rises. Plin. xviii. 29. Hyades ^b rise heliacally. Ovid. vi. 197. IV. Non.	II 15 2	Windy, with Rain. Colum. XI. 2. Rainy. Ovid. VI. 198. Horat. Carm. I. Od. 3. Vine and Olive in flower. Plin. XVIII. 29.	
Aquila rises in the Evening. Plin. xviii. 27. The Sword of Orion begins to set. Plin. xviii. 27. III. Non.	II 16 3		
Arcturus ^c sets in the Morning. Plinii xvii. 27. VIII. Idus.	II 19 6		
Arcturus sets. Col. xi. 2. Geopon. I. 9. Bootes sets heliacally. Ovid. vi. 236. VII. Idus.	II 20 7	West, or North West Wind. Colum. XI. 2.	

^a This refers to its achronical rise. Star *Atiar* rises about June 15.^b Aldebaran rises heliacally June 18. ^c Arcturus sets cosmically about this time.

J U N E.

Delphin ^a rises in the Evening. Plin. xviii. 27. VI. Idus.	II 21 8	
Delphin rises. Ovid. vi. 471. Colum. xi. 2. Pleiades rise. Geopon. i. 1. IV. Idus.	II 23 10	West Wind, with small Rain. Colum. XI. 2. Pine, and Pitch Pine in flower. Plin. XVI. 26.
Idus.	II 26 13	Hot Weather begins. Colum. XI. 2.
Sword ^b of Orion rises. Plin. xvii. 27. Thyene (one of the Hyades) rises. Ovid. vi. 711. Sun ^c in Cancer. Cal. Conft. Magn. XVII. Cal.	II 28 15	
Orion rises cosmi- cally. Ovid. vi. 719. XVI. Cal.	II 29 16	West Winds blow. Ovid. VI. 716.
Delphin rises. Ovid. vi. 720. XV. Cal.	II 30 17	
Sun in Cancer. Ovid. vi. 727. XIV. Cal.	II 31 18	Galls formed on the Oak, and other mast-bearing trees. Plin. XV. 7.

^a Delphin rises achronically, about July 27. ^b Star δ in the belt of Orion rises cosmically, about July 3. ^c According to modern calculation, it is June 22.

J U N E.

Sun in Cancer. Colum. XI. 2. XIII. Cal.	5 1 19	Stormy. Colum. XI. 2. solares respicit horas Junius, ac Phœbum flectere monstrat iter. Idem maturas Cereris designat aristas; Floralesque fugas lilia fusa docent. Auson. Tetrast.
Ophiuchus rises. Ovid. vi. 735. XII. Cal.	5 2 20	— — — — — Orion begins to rise. Geop. I. 9. IX. Cal.
Ophiuchus ^a sets in the Morning. Colum. XI. 2. XI. Cal.	5 3 21	Stormy. Colum. XI. 2. Cretan Marjoram, Origanum Creticum. Plin. XXI. 10. F.
VIII. Cal.	5 6 24	This, or the following are Solstitial days. Col. II. 4. Chlorion (Green-finches) appears. Plin. X. 29. This and the two following are Solstitial days. West Wind, and great heat. Colum. XI. 2. Vine in flower. Plin. XVI. 25. Solstice. Plin. XVIII. 27, 28, 29. Geopon. I. 1. Sheep shorn. Plin. XVIII. 27. Vetches cut for Summer Fodder. Plin. XVIII. 28. Bean harvest. Plin. XVIII. 28. Vine and Thyme plant in flower. Plin. XI. 14. Honey collected principally at this season. Plin. XI. 14. Solstice. Calend. Farnesian.
VII. Cal.	5 7 25	West Wind, and great heat. Colum. XI. 2. Cornel tree (cornus mas) fruit ripe. Plin. XVI. 26. Stock dove sits. Plin. XVIII. 28.

^a It sets cosmically about the middle of July.

J U N E.

Belt of Orion rises. Ovid. vi. 788. Plin. xviii. 28. VI. Cal.	25 8 26	Summer Solstice. Ovid. VI. 790. Plin. XVIII. 20. West Wind, and great heat. Colum. XI. 2. Yellow flowering Fir (<i>abies croci colore</i>) in flower. Corn harvest from hence, to July 26. Varron. I. 32. Green-finches appear. Plin. XVIII. 28.
V. Cal.	25 9 27	Oak, Fir, and Larch trees shoot. Leaves of the Elm, Linden, Olive, white Poplar, and Willow, begin to fall. Plin. XVI. 23. Etesian Winds blow. Senec. Quæst. Natural. V. 10. Dogwood (<i>cornus fœmina</i>) fruit of, ripe. Plin. XVI. 26.
IV. Cal.	25 10 28	Olive tree in flower. Plin. XVI. 25. The Olive, white Poplar, and Willow, seem to in- vert their Leaves at this season. Varron. I. 46. Plin. XVIII. 28. Aul. Gell. VI. 7. Wood Pigeon sits. Plin. XVIII. 28.
		Bees swarm. Colum. IX. 14. Pall. Mens. Jun.
III. Cal.	25 11 29	Windy Weather. Colum. XI. 2. Honey taken until July 26. Colum. IX. 14. XI. 2. Wheat harvest. Poplar in blow. Pall. Mens. Junius.

J U L Y. Tut. Deity, JUPITER.

ubi gratiæ Aura
Leniat et rabiem Canis, et momenta Leonis,
Cum semel accepit Solem furibundus acutum?
Hor. Ep. Lib. I. 10.

Calendæ.	25 13 1	West, or South Wind, with great heat. Col. XI. 2. Nunc etiam pecudes umbras et frigora captant; Nunc virides etiam occultant spineta lacertos. Virg. Eclog. II. 8.
----------	---------------	---

J U L Y.

Corona sets in the Morn. Col. xi. 2. IV. Non.	8 Jam pastor umbras cum grege languido 16 Rivumque fessus quærit, et horridi 4 Dumeta Sylvani. Hor. Carm. Lib. III. 29.
Corona ^a sets in the Morning. Plin. xviii. 28. III. Non.	8 Sole sub ardenti resonant arbusta cicadis. 17 Virg. Eclog. II. 13. 5
Half ^b of Cancer sets. Col. xi. 2. Prid. Non.	8 Very hot Weather, and Earth cracked by the heat. 18 Colum. V. 9. XI. 2. 6 Wheat harvest over. Pall. Mens. Julius.
Nonæ.	8 Vines and Olives out of flower. Plin. XVI. 25. 19 — O, qui me gelidis in vallibus Hæmi 7 Sistat, et ingenti ramorum protegat umbra! Virg. Georg. II. 489.
Half ^c of Capri- corn sets. Colum. xi. 2. VII. Idus.	8 Very hot. Colum. XI. 2. 20 Rura mihi et rigui placeant in vallibus amnes; 8 Flumina amem silvasque. Virg. Georg. — dies medius flagrantibus æstuat horis. Lucan. I.
Cepheus ^d rises in the Evening. Colum. xi. 2. VII. Idus.	8 Stormy. Colum. XI. 2. Very hot Weather. 21 Jam clarus occultum Andromedæ pater 9 Ostendit ignem. Hor. Carm. Lib. III. 29.
Orion rises in the Morn. Geop. i. 9. VI. Idus.	8 Winds, called Prodromi, blow. Colum. XI. 2. 22 Summer fallows to be ploughed again. Colum. XI. 2. 10

^a Corona sets cosmically about July 7.^b Star π sets achronically about Aug. 3.^c It sets cosmically about August 3.^d No part of this constellation sets in the Latitude of Rome.

J U L Y.

V. Idus.	26	Winds, called Prodromi, blow. Plin. II. 47.
	23	Very stormy Weather at Sea, about this time. Polyb. Lib. I. c. 3.
Procyon rises in the Morning.	26	Service trees to be planted until Feb. 13. Colum.
Geop. I. 9.	25	Mulberries ripe.
III. Idus.	13	Morus sanguineos præbet gravidata racemos, <i>Quæ medio Cancri sidere læta viret.</i> Auson. Tetraistic.
Procyon rises in the Morning.	26	Stormy. Colum. XI. 2. Very dry Weather.
Colum. xi. 2.	27	jam Procyon furit,
Idus.	15	Et stella vesani Leonis, Sole dies referente siccis. Hor. Carm. III. Od. 29.
		Almonds ripe enough to gather. Pall. Mens. Julius.
Canis rises.	26	rubicunda Ceres medio succiditur æstu;
Plin. xviii. 28.	28	Et medio tostas æstu terit area fruges.
XVII. Cal.	16	Virg. Georg. I. 297.
		Very hot Weather. Plin. XVIII. 29.
Canicula rises.	26	Earth cracked by heat.
Plin. xviii. 29.	29	hiulca siti findit Canis æstifer arva.
Sun in Leo.	17	Virg. Georg. I. 353.
Cal. Conſt. Magn.		flagrantis atrox hora Caniculæ.
XVI. Cal.		Horat. Carm. Lib. III. 13.
		Cum Procyon fureret, cum Solis torridus ignis Flexilibus rimis fitientes scinderet agros.
		Sidon. Apollin.

* We must not suppose that when the Greek or Roman writers speak of heat, storms, or other changes of weather, being produced by the rise or setting of certain stars, that they seriously meant to ascribe such effects to their influence. Geminus (cap. 14) expressly says, that it is altogether absurd to think that they have any power over the weather, and that such expressions mean no more than, that the people, having by long observation found what weather most commonly took place at the seasons of the year that were distinguished by the rise and setting of particular stars, were thereby enabled to foretel what kind of weather might be expected in future years at the rise or setting of the same stars. To this he adds, that such predictions being founded on observation only were apt to be erroneous. It is the opinion of the learned Dr. Long, since the observations on which these prognostics were founded, must have been of a number of

years,

J U L Y.

J U L Y.

Canicula rises. Plin. II. 47. XV. Cal.	26 30 18	— Canis æstivus ortus sub umbrâ. Arboris, ad rivos prætereuntis aquæ. Meadows mowed a second time. Tibull. I. Eleg. I. Varro. I. 33.
Canicula rises. Pallad. Mens. Jun. Geop. II. 15. XIV. Cal.	26 31 19	Hottest time of Year. Ardentissimo æstatis tempore oritur Canicula fidus. Plin. II. 47. Venit enim tempus quo torridus æstuat aëris. Incipit et sicco fervere terra Cane. Propert. II. 27.
Aquila sets. Plin. XVIII. 29. Sun in Leo*. Colum. XI. 2. Canicula rises. Geop. I. 8. XIII. Cal.	21 1 20	West Wind. Colum. XI. 2. Etesian Winds blow. Plin. II. 47. Oenanthe retires. Plin. X. 29.
Aquila sets. Plin. VIII. 47. X. Cal.	21 4 23	Winds, called Prodromi, blow, according to Cæsar's calculation. Plin. XVIII. 28. End of Summer. Gruter. Inscr. P. CXXXVI. Third season for Bees gathering Honey. Plin. XI. 14.
Bright star in the breast of Leo rises. Colum. XI. 2. Canicula rises in the Morning. Geop. I. 9. IX. Cal.	21 5 24	Stormy. Colum. XI. 2. Sæpe ego, cùm flavis messore induceret arvis Agricola, et fragili jam stringeret hordea culmo, Omnia ventorum concurrere prælia vidi: Quæ gravidam latè segetem ab radicibus imis sublimè expulsam eruerent. Virg. Georg. I. 316. Very hot. Plin. II. 47.

years, that they took for that purpose, the Metonic Cycle of nineteen years; for, as within that time the Moon returns to the same aspects with the Sun, and that planet was thought to have a great influence upon the weather, they might imagine that an almanack of 19 years would be a perpetual one, not only to mark the days of their sacrifices, and other solemnities, but also to foretel the Weather. Long's Astron. Vol. II. §. 1333.

* According to Modern calculations, July 23.

J U L Y.

Aquarius begins to set. [Col. xi. 2. VIII. Cal.]	25	West or South Wind. Colum. XI. 2. Fruit of the Turpentine tree, the Maple, and the Ash tree, ripe. Plin. XVI. 26.
Canicula appears. Colum. xi. 2. VII. Cal.	26	Hot cloudy Weather (caligo æstuosa). Col. XI. 2. Summer shoots of Trees. Plin. XVI. 25. Corn harvest over. Colum. II. 21. Etesian Winds begin to blow. Geopon. I. 9. First crop of Figs of various kinds, and some sorts of Plumbs and Peaches, ripe. Colum. Lib. X.
Aquila rises. Colum. xi. 2. VI. Cal.	27	Stormy. Colum. XI. 2.
Bright star in the breast of Leo rises. Colum. xi. 2. IV. Cal.	29	Leaves to be cut Morning and Evening, this month and the next, for foddering of Cattle. Col. XI. 2. Very hot Weather. — Cleonæo fidere fervet ager. Martial.
Aquila sets. Colum. xi. 2. Bright star in the breast of Leo rises. Geop. I. 9. III. Cal.	30	Vines sometimes burnt up by the South East Wind. Colum. V. 5. Stormy. Corn harvest over, in maritime and temperate situations. Colum. XI. 2.

A U G U S T. Tut. Deity, CERES.

Calendæ.	2	Inde loci sequitur Calor aridus, et comes una Pulverulenta Ceres, et Etesia flabra Aquilonum. Lucret. V. 740.
	13	Etesian Winds blow. Colum. XI. 2. Fox-tail Amaranth (Amaranthus caudatus) blows. Plin. XXI. 8.
	1	Avigato Pear (Persea) ripe. Plin. XIII. 13.

A U G U S T.

A U G U S T.

			A U G U S T.
Half of Leo rises	Ω	Very hot Weather.	
Colum. xi. 2.	16	— rabidi Leonis æstus.	Sidon. Apoll.
Prid. Non.	4	Stormy.. Colum. XI. 2.	
Half of Arcturus sets. Plin. xv. iii. 28. VIII. Idus.	Ω 18 6		
VII. Idus.	Ω 19 7	End of Summer. Gepon. I. 1.	
Half of Aquarius sets. Col. xi. 2. Fidicula sets. Plin. xviii. 25. VI. Idus.	Ω 20 8	Beginning of Autumn. Plin. XVIII. 25, 28. Leaves to be collected for Winter fodder. Plin. XVIII. 31. Hot cloudy Weather (nebulosus æstus). Colum. XI. 2. Nuts, Apples, Pears, and the fruit of the South European Oak, (esculus) ripe. Plin. XVI. 26.	
Fidicula sets according to Cæsar. Plin. xviii. 28. III. Idus.	Ω 23 11	Beginning of Autumn. Plin. XVIII. 28. Varr. I. 28. Time of sowing Corn. Plin. XVIII. 25.	
Fidis sets in the Morn. Col. xi. 2. Prid. Idus.	Ω 24 12	Beginning of Autumn. Colum. XI. 2. Bees taken. Colum. XI. 2.	
Delphin sets. Col. xi. 2. Idus.	Ω 25 13	Stormy. Colum. XI. 2.	
Delphin sets in the Morn. Col. xi. 2. XIX. Cal.	Ω 26 14	Stormy. Colum. XI. 2.	
Sun in Virgo. Cal. Conft. Magn. XVI. Cal.	Ω 29 17		

A U G U S T.

Sun ^a in Virgo.	♍	Stormy, with Thunder. Colum. XI. 2.
Col. xi. 2. Fidis sets. Colum. xi. 2.	1	Beginning of Autumn. Manil. II. 266.
XIII. Cal.	20	Cool Weather. Aet. 164.
XII. Cal.	♍	Stormy, with Thunder. Colum. XI. 2.
	2	
Vindemitor rises in the Morning.	♍	
Plin. xviii. 31.	3	
XI. Cal.	22	
X. Cal.	♍	Stormy, with Rain. Colum. XI. 2.
	4	
Sagitta sets.	♍	
Geopon. I. 9.	6	
VIII. Cal.	25	
Arcturus begins to set. Vindemitor rises in the Morn.	♍	Rainy. Colum. XI. 2.
Colum. xi. 2.	7	Ripe Grapes. Plin. XVIII. 31.
VII. Cal.	26	
VI. Cal.	♍	Etesian Winds cease. Plin. II. 47.
	8	Dog days end on the 28 th . of August. Aet. 164.
	27	
Shoulders of Virgo appear. Col. xi. 2.	♍	Etesian Winds cease. Cool Weather. Col. XI. 2.
III. Cal.	11	Fig trees inoculated. Colum. XI. 2.
Andromeda rises in the Even. Col. xi. 2.	♍	Cool Weather. Colum. XI. 2.
Prid. Calend.	12	
	31	

* According to Modern calculation, Aug. 23.

S E P T E M B E R. Tut. Deity, VULCAN.

		varios ponit fetus Autumnus; et altè Mitis in apricis coquitur Vindemia faxis. Virg. Georg. II. 521.
Calendæ.	¶ 13 1	Hot Weather. Colum. XI. 2. Moist, flat, shallow Land sown. Pall. Mens. August.
Piscis austrinus ceases to set. Colum. xi. 2. IV. Non.	¶ 14 2	Hot Weather. Colum. XI. 2.
Arcturus rises. Colum. xi. 2. Nonæ.	¶ 17 5	West, or North West Wind. Colum. XI. 2. Autumnal shoots of Plants. Plin. XVI. 25. Stormy. Vehemens sum (Arcturus) exoriens. Plaut. Prol. in Rudentem. 71. Pliny thinks the oil in Olives is generated between this time, and Sept. 16. Plin. XV. 3. Bees taken. Varron. III. 16. Kite departs. Plin. X. 10. Swallows depart. Plin. XVIII. 31. ad terram gurgite ab alto Quam multæ glomerantur aves, ubi frigidus annus Trans pontum fugat, et terris immittit apricis. Virg. Æneid. VI. 310.
Piscis Aquilonius ceases to set. Capra rises. Colum. xi. 2. VII. Idus..	¶ 19 7	Stormy. Colum. XI. 2. Storms from the South. Ille notis actus ad Oricum, Post infana Capræ fidera. Horat. Carm. III. Od. 7. Beginning of Autumn. Varron. I. 28. Turbidus imber aquâ densisque nigerrimus Austris. Virg. Æneid. V. 696.
Half of Virgo rises. Col. xi. 2. VI. Idus.	¶ 20 8	West, or South West Wind. Colum. XI. 2. Vintage begun, in warm maritime situations. Col. XI. 2.

S E P T E M B E R.

	20	jam tibi lividos Distinguet Autumnus racemos,
	8	Purpureo varius colore. Hor. Carm. II. Od. 5. Annus in apricis maturat collibus uvas.
		Tibull. I. Eleg. IV.
Capella rises in the Even. Col. xi. 2. V. Idus.	21	Surgentes acinos varios, et præfecat uvas September, sub quo mitia poma jacent.
	9	Aufon. Tetraistic.
Virgo rises. Colum. xi. 2. III. Idus.	23	West, or North West Wind. Colum. XI. 2.
	11	
Half of Arcturus rises. Plin. XVIII. 31. Prid. Idus.	24	Very stormy Weather, for five days successively. Plin. XVIII. 31.
	12	Wild honey (mel Ericæum) gathered, and the heath or ling Plant in blow. Plin. XI. 16.
Idus.	25	Stormy. Colum. XI. 2.
	13	
Arcturus rises. Plin. II. 47. XVIII. Cal.	26	Stormy, with Hail. Plin. II. 39. Seas dangerous to sail on, from this time to Nov. 11th. Veget. IV. 39.
	14	
Arcturus rises. Geop. I. 9. XVII. Cal.	27	
	15	
Spica ^a Virginis rises in the Morn. Plin. XVIII. 31. XVI. Cal.	28	Etesian Winds cease. Plin. XVIII. 31.
	16	

^a Spica Virginis rises cosmically about October 13.

S E P T E M E R.

Arcturus rises heliacally. Col. xi. 2. See too Notes on Theophrastus. P. 579. XV. Cal.	ϖ 29 17	West, or South West Wind, and sometimes South East. Colum. XI. 2. Ground driest about this time, and Springs most defective. Colum. XI. 3. creberque procellis Africus.
Spica Virginis rises in the Morn. Colum. xi. 2. XIV. Cal.	ϖ 30 18	West, or North West Wind. Colum. XI. 2.
Sun in Libra ^a . Crater appears in the Morning. Colum. xi. 2. XIII. Cal.	\cong 1 19	Bees taken the second time. Colum. XI. 2. Fallows to be broken up in dry, barren grounds. At si non tellus fuerit fecundā, sub ipsum Arcturum tenui sat erit suspendere fulco. Virg. Georg. I. 67.
Sun in Libra. Cal. Const. Magn. XII. Cal.	\cong 2 20	Barley sown from this time, to the end of Winter. Virg. Georg. I. 210.
Aries ^b begins to set. Pisces ^c set in the Morn. Col. xi. 2. Plin. xviii. 31. XI. Cal.	\cong 3 21	West, or North West Wind, and sometimes South, with showers. Colum. XI. 2. Purple Lily (lilium purpureum Plini. XXI. 5.) blows.
Ship Argo sets. Colum. xi. 2. X. Cal.	\cong 4 22	Stormy, sometimes with Rain. Colum. XI. 2.
Centaurus ^d begins to rise in the Morn. Colum. xi. 2. IX. Cal.	\cong 5 23	Stormy, sometimes with Rain. Colum. XI. 2. Autumnal Equinox. Colum. II. 8.

^a According to Modern calculation, Sept. 23. ^b This alludes, I believe, to its cosmical setting, which begins about Oct. 27. ^c This refers to their cosmical setting.

^d It begins to rise cosmically about October 24.

S E P T E M B E R.

VIII. Cal.	2	Rainy. Colum. XI. 2. Great storm. Veg. IV. 39.
	6	Autumnal Equinox. Geopon. I. 1.
	24	Beginning of Barley sowing. Geopon. II. 14. Flax sown from this time, to January 4.
		Autumnal Equinox. Calend. Farnes.
VII. Cal.	2	This day and the two adjoining are the Autumnal Equinox. Col. XI. 2. Rainy Weather. Col. XI. 2.
	7	Barley, and Linseed sown about this time. Virg. Georg. I. 210. Stormy. Aet. 164.
	25	Grapes gathered, and vintage going on, until October 28. Varron. I. 34.
		Autumnal Equinox. Col. IX. 14. Bees taken. Ibid. Apples ripe enough to gather. Plin. XV. 16.
VI. Cal.	2	Rainy. Colum. XI. 2. Sesamum to be sown from hence to Oct. 15. Colum. II. 10. Vetches sown.
	8	Colum. II. 11. Wheat sown in cold moist Soils.
	26	Pallad. Mens. Septemb. Best time for the vintage, from hence to Nov. 6. Plin. XVIII. 31.
Hœdi ^a rife.	2	West, and sometimes South Wind, with Rain.
Colum. xi. 2.	9	Colum. XI. 2. Stormy. Horat. Carm. III. Od. I.
V. Cal.	27	Plin. XVIII. 28. Ovid. Trist. I. Eleg. X.
Virgo ceases to rife.	2	Vintage begun in most places. Weather, stormy.
Colum. xi. 2.	10	Colum. XI. 2. Panic and Millet reaped this month.
Capella rises in the Morning.	28	Pallad. Mens. Sept. — tibi pampineo gravidus Autumno Floret ager; spumat plenis Vindemia labris.
Plin. xviii. 31.		Virg. Georg. II. 5.
IV. Cal.		
Hœdi rife.	2	Pease sowed the latter end of the month. Pallad.
Plin. xviii. 31.	11	Mens. Sept. Vintage this month. Pall. Mens. Sept.
III. Cal.	29	Nunc Liber gravidâ descendit lenis ab ulmo, Pinguaque e pressis expumant musta racemis. Manil. III. 662.

^a This probably relates to their achronical rife, which is about October 26.

		S E P T E M B E R.
Hœdi set in the Evening. Plin. xviii. 31. Pridie Calend.	≈ 12 30	Cneorum (Daphne Cneorum) flowers. Plin. XXI. 9.
		O C T O B E R. Tut. Deity, MARS.
		quum rapidus Sol Nondum hiemem contingit equis, jam præterit æstas. Virg. Georg. II. 321.
Calendæ.	≈ 13 1	Stormy. Colum. XI. 2. Wheat sown in moist, cold situations. Col. II. 8. Linseed sown, from hence to Dec. 7. Col. II. 10.
VI. Non.	≈ 14 2	Stormy. Colum. XI. 2.
V. Non.	≈ 15 3	Seeds of Fruit trees to be sown. Colum. V. 10.
Auriga sets in the Morn. Virgo ceases to set. Col. xi. 2. Corona ^a rises in the Morn. Geop. I. 9.	≈ 16 4	Stormy. Colum. XI. 2.
IV. Non.		
Corona begins to rise. Col. xi. 2.	≈ 17	Stormy. Colum. XI. 2. Sowing time for Corn. Plin. XVIII. 25.
III. Non.	5	Mandant et fulcis Cererem, dum terra tepore Autumni resoluta patet. Manilii III. 664.

^a The bright star in Corona rises cosmically, October 5.

O C T O B E R.

Hœdi rise in the Even. Half of Aries rises. Col. xi. 2. Prid. Non.	≈ 18 6	North Wind. Colum. XI. 2. Stormy. Plin. XVIII. 28. Horat. Carm. III. Od. 1.
Bright star in Corona rises. Colum. xi. 2. Plin. xviii. 31. VIII. Idus.	≈ 20 8	
Pleiades ^a rise in the Even. Col. xi. 2. VI. Idus.	≈ 22 10	West, and sometimes South West Wind, with Rain. Colum. XI. 2.
Corona rises en- tirely on this, and the following days. Colum. xi. 2. Pleiades rise. Plin. xviii. 31. III. Idus.	≈ 25 13	South Wind, with Rain and cold Weather. Vintage going on in cold situations. Bread-corn in general to be sown. Colum. XI. 2.
Prid. Idus.	≈ 26 14	South Wind, with Rain and cold Weather. Col. XI. 2.
Corona rises en- tirely. Plin. xviii. 31. Idus.	≈ 27 15	Stormy, with small Rain. Beans sown, until Nov. 1. Colum. XI. 2.
XVII. Cal.	≈ 28 16	Stormy, with small Rain. Colum. XI. 2.

^a Pleiades rise achronically about Nov. 7.

O C T O B E R.

XVI. Cal.	m	Stormy, with small Rain. Colum. XI. 2.
	29	
	17	
Sun ^a in Scorpio. Colum. xi. 2. Cal. Const. Magn.	m	Wheat and Barley sown. Plin. XVIII. 7.
XIV. Cal.	19	
Pleiades ^b begin to set at Sun rise. Colum. xi. 2.	m 2 20	Stormy. Colum. XI. 2. Pine Cones in general, and mast of trees, ripe. Plin. XVI. 26.
XIII. Cal.		Pomifer autumnus fruges effuderit, et mox Bruma recurrit iners. Hor. Carm. IV. Od. 7.
XII. Cal.	m 3 21	Stormy. Colum. XI. 2. Wheat and Barley sown. Plin. XVIII. 7.
Tail of Taurus sets. Col. xi. 2.	m 4	South Wind, and sometimes Rain. Colum. XI. 2. truculentior Auster
XI. Cal.	22	Decutit arboribus frondes, aut nubibus imbræ Colligit. Claud. de Raptu Proserp. II. 308.
X. Cal.	m 5 23	Wheat sown, from this time to Dec. 8. Pallad. Mens. Octob. Virgil. Georg. I. 219. Beginning of Winter. Gruter. Inscr. P. CXXXVI.
Pleiades set at Sun rise. Geop. I. 9.	m 6	Quam cito purpureos deperdit terra colores! Quam cito formosas populus alta comas!
IX. Cal.	24	Tibull. I. Eleg. 4.
Centaurus ceases to rise in the Morn. Colum. xi. 2.	m 7 25	Stormy. Col. XI. 2. Leaves of trees fall. Plin. XVI. 22. Frigidus et sylvis Aquilo decussit honorem. Virg. Georg. II. 404.
VIII. Cal.		Quam multa in sylvis, Autumni frigore primo, Lapsa cadunt folia. Virg. Æneid. VI. 309. Bees taken. Varron. III. 16.

^a According to Modern calculation, Oct. 24.^b They set cosmically about Nov. 22.

O C T O B E R.

Front of Scorpio rises. Col. XI. 2. VII. Cal.	26	Stormy. Colum. XI. 2. 8
Suculæ rise in the Evening. Plin. XVIII. 31. VI. Cal.	27	—nemus omne suo viridi spoliatur honore. 9
Pleiades set. Colum. XI. 2. V. Cal.	28	Cold Weather, with Sleet. Colum. XI. 2. — calor extremus primo cum frigore mistus Volvitur. Lucret. VI. 370. Wheat sown. Plin. XVIII. 34. Virg. Georg. I. 219. Bees wander but little from their hives. Plin. XI. 6. Second season for the gathering Honey. Aut eadem fidus fugiens ubi Piscis aquosi Triflitor hybernas cœlo descendit in undas. Virg. Georg. IV. 234.
Arcturus ^a sets in the Evening. Colum. XI. 2. IV. Cal.	29	Windy. Colum. XI. 2. Stormy. Plin. XVIII. 28. Vehemens sum (Arcturus) exoriens, cum occido, vehementior. Plauti Prol. in Rudent. — fævus Arcturi cadentis Impetus. Horat. Carm. III. Od. 1. Almond trees sown. Plin. XVII. 18.
This day and the following, Cas- siope ^b begins to set. Col. XI. 2. III. Cal.	30	Stormy. Colum. XI. 2. Wheat sown in dry soils. Colum. II. 8. Olives ^c pressed for green oil (oleum viride). Colum. XI. 2.

^a Arcturus sets achronically, Dec. 4. ^b Only two stars, π and ε, of this constellation, set in the latitude of Rome; the former of these sets achronically, June 16, and cosmically, June 23.

^c This oil is expressed from the unripe and yet austere olive. It was called by the Greeks ὄμορφιας and ὄμφακινος, and by the Latins acerbum, æstivum, et viride. See Dioscor. Lib. I. 26. and Joann. Bauhini Hist. Plantar. Vol. I. Lib. VI.

O C T O B E R.

Suculæ rise with
the Sun. Arcturus
sets, according to
Cæsar.
Plin. xviii. 31.
Prid. Cal.

m
13
31

N O V E M B E R. Tut. Deity, DIANA.

Inde aliæ tempestates, ventique sequuntur
Altitonans Vulturnus, et Auster fulmine pollens^a.
Lucret. Lib. V.

Head of Taurus^b
sets this day, and
the next. Col. xi. 2.
Pleiades set in the
Morning.
Orion begins to
set. Geop. i. 9.
Calendæ.

m
14
1

Rainy. Colum. XI. 2.
Fruit of the Crab-tree ripe. Plin. XVI. 27.

Arcturus sets in
the Evening.
Plin. xviii. 31.
Pleiades set.
Gepon. i. 1.
IV. Non.

m
15
2

Rainy. Colum. XI. 2.
Vetches (vicia) and lentils (phaselus) to be sown.
Virg. Georg. I. 227.
Beginning of Wheat sowing. Gepon. II. 14.

Fidicula rises.
Colum. xi. 2.
III. Non.

m
16
3

Cold, rainy Weather. Colum. XI. 2.

^a The winters in Italy are, in the present age, generally ushered in by thunder and lightning. Horace alludes to this in Epod. II. v. 29. *Dr. Symonds on the Climate of Italy.* Annals of Agric. Vol. IV.

^b Star sets cosmically, November 27.

N O V E M B E R.

Nonæ.	m 18 5	Trees to be pruned. Pallad. Mens. Novemb.
Fidicula rises entirely. Col. xi. 2. VIII. Idus.	m 19 6	South, or West Wind, with cold Weather. Col. XI. 2.
Bright star in Scorpio rises. Pleiades set in the Morning. Colum. xi. 2. Geop. III. 13. VI. Idus.	m 21 8 Fruit of the Cork-tree ripe. Wheat and Barley sown. — largis Aquosus Eurus arva radat imbrisbas.	Cold wintry Weather, with a small Rain, and a South East Wind. Colum. XI. 2. Beginning of Winter. Plin. XVIII. 31. Plin. XVI. 26. Plin. XVIII. 7. Hor. Epod. XVI. 54.
Sword of Orion begins to set. Plin. xviii. 31. V. Idus.	m 22 9	Beginning of Winter. South or South East Wind, with small Rain. Colum. XI. 2. Varr. I. 28. — unde nigerrimus Auster Nascitur, et pluvio contristat frigore cœlum. Virg. Georg. III. 279. Apples and Pears ripe. Plin. XVI. 26. Stormy Weather in the Mediterranean sea, especially towards Carthage. Quā multi Lybico volvuntur marmore fluctus, Sævus ubi Orion hybernis conditum undis. Virg. Æneid. VII. 719. Nec fidus atrâ nocte amicum appareat, Quâ tristis Orion cadit. Hor. Epod. X.
IV. Idus.	m 23 10	Beginning of Winter. Geopon. I. 1.

^a Star α in Scorpio rises cosmically, Dec. 2.

N O V E M B E R.

Pleiades set.	m	Seas rendered dangerous to Mariners, by Storms.
Plinii xviii. 31. III. Idus.	24 11	Veget. de re militari. Winter fruits to be gathered. Plin. XVIII. 31. Beginning of Winter. Plin. II. 47. Varron. I. 27. Cranes appear. Plin. II. 23. Trees to be transplanted, from this time to the Winter Solstice. Gepon. X. 2.
Prid. Idus.	m 25 12	Jam breve decrescit lumen, languetque senili Segnis stella gelu. Claudian. Idyll. I. 36. Seeds of the Pine, and Pitch Pine, ripe. Plin. XVI. 26.
Idus.	m 26 13	Uncertain Weather, but mostly calm. Col. XI. 2. Wild honey taken. Plin. XI. 16.
Fidis rises in the Morn. Col. xi. 2. XVI. Cal.	m 29 16	South, and sometimes violent North Wind. Col. XI. 2.
XV. Cal.	m 30 17	North, or sometimes South Wind with Rain. Colum. XI. 2. —nunc mare, nunc filüæ Threïcio Aquilone sonant. Hor. Epod. XIII.
Sun ^a in Sagittarius. Suculæ rise in the Morning. Colum. xi. 2. XIV. Cal.	f 1 18	Stormy. Colum. XI. 2.
Sol in Sagittarius. Cal. Conſt. Magn. XIII. Cal.	f 2 19	

^a According to Modern computation, Nov. 22.

N O V E M B E R.

Horns ^a of Taurus set in the Even. Colum. xi. 2. XII. Cal.	♀ 3 20	Cold North Wind, and Rain. Colum. XI. 2.
Sucula ^b sets in the Morn. Col. xi. 2. XI. Cal.	♀ 4 21	Cold Weather. Colum. XI. 2.
Lepus sets in the Morn. Col. xi. 2. Canis sets in the Morn. Geop. i. 9. X. Cal.	♀ 5 22	Stormy. Colum. XI. 2.
Canicula ^c sets at Sun rise. Colum. xi. 2. IX. Cal.	♀ 6 23	Cold Weather. Colum. XI. 2.
Canicula sets at Sun rise. Colum. xi. 2. VII. Cal.	♀ 8 25	Cold Weather. Colum. XI. 2. Wheat sown. Gepon. II. 14.
V. Cal.	♀ 10 27	Pear trees to be sown. Colum. V. 10.
Suculæ set en- tirely. Col. xi. 2. Prid. Calend.	♀ 13 30	West, or South wind, with Rain. Colum. XI. 2.

^a The horns set cosmically now, about Dec. 17.^b It sets cosmically, Nov. 27.^c It sets cosmically, Nov. 27.

D E C E M B E R. Tut. Deity, VESTA.

		Tandem bruma nives adfert, pigrumque rigorem Reddit; hyems sequitur. Lucret. Lib. V.
Calendæ.	7 14 I	Uncertain Weather, but mostly calm. Col. XI. 2. Middle of Olive harvest. Colum. XII. 50.
Half ^a of Sagittarius sets. Scorpius ^b rises entirely in the Morn. Col. xi. 2. VIII. Idus.	7 19 6	Stormy. Colum. XI. 2.
Aquila ^c rises in the Morn. Col. xi. 2. VII. Idus.	7 20 7	South East, or South Wind with small Rain. Colum. XI. 2. Beans sown. Pallad. Mens. Decembris.
III. Idus.	7 24 11	North West, or North Wind, and sometimes South with Rain. Colum. XI. 2. Horridus ecce sonat Boreæ stridore December. Martial. tonantis annus hybernus Jovis Imbres nivesque comparat. Hor. Epod. 2.
Scorpio rises entirely in the Morn Colum. xi. 2. Idus.	7 26 13	Cold Weather. Colum. XI. 2. Rura gelu tum claudit hyems. Virg. Georg. II. 317.
Sun in Capricorn ^d . Colum. xi. 2.	7 1	Winter Solstice, according to Hipparchus's Calculation. Colum. XI. 2. Manili. II. 267. Stormy Weather. Ibidem.

^a About half the Constellation sets achronically, Dec. 27.^b Scorpius rises cosmically about Dec. 12.^c Aquila rises cosmically about Dec. 17.^d According to Modern calculation, Dec. 22.

D E C E M B E R.

XVI. Cal.	v ^o	tyrannus
	1	Hesperiæ Capricornus undæ. Hor. Carm. II. 17.
	17	Quid moveant Pisces, animosaque signa Leonis, Lotus et Hesperiâ quid Capricornus aquâ? Propert. IV. El. I. 107.
Sun in Capricorn. Cal. Const. Magn.	v ^o	Wind changeable. Colum. XI. 2.
XV. Cal.	2	Annua fulcatæ conjecta et semina terræ
	18	Pascit hyems; pluvio de Jove cuncta madent. Auson. Tetraistic.
Aquila rifes.	v ^o	Almond tree flowers. Plin. XVI. 25.
Plin. xviii. 29.	4	
XIII. Cal.	20	
Capra ^a sets in the Morn. Col. xi. 2.	v ^o	Stormy. Colum. XI. 2.
X. Cal.	7	Ground ploughed in warm situations. Plin.
	23	XVIII. 19. Winter Solstice. Aet. 164.
IX. Cal.	v ^o	Winter Solstice, according to the Chaldæan obser-
	8	vations. Colum. XI. 2.
	24	Calm for fourteen days together, called Halcyon days. Plin. XVIII. 26.
VIII. Cal.	v ^o	Winter Solstice. Gepon. I. 1. Colum. IX. 14.
	9	Bruma est, et riget horridus December.
	25	Martial.
Delphin ^b begins to rise in the Morn.	v ^o	Stormy. Colum. XI. 2.
Colum. xi. 2.	11	
VI. Cal.	27	

^a Capra sets cosmically, Jan. 22.^b It rises onw cosmically about Jan. 4.

D E C E M B E R

Aquila rises in the Even. Col. xi. 2. IV. Cal.	v ^o 13 29	Cold Weather. Colum. XI. 2. Bay trees fown, until Feb. 13. Plin.
Canicula sets in the Even. Col. xi. 2. Pliny says in the Morning ^a . Plin. xviii. 26. III. Cal.	v ^o 14 30	Stormy. Colum. XI. 2.
Prid. Cal.	v ^o 15 31	Windy Weather. Colum. XI. 2.

^a See too Germanici Aratæa Prognostica.

P O S T S C R I P T

POSTSCRIPT TO THE ROMAN CALENDAR:

IT may appear extraordinary to the reader, that so much stormy weather should be set down in the foregoing calendar, which is professedly adjusted to an Italian climate, generally described to us as particularly mild and benign. What adds to our surprise is, that these disturbances occur scarcely less frequently in the summer^a, than in the other seasons of the year. The word used by Columella and Pliny to express these changes of the atmosphere, is *tempes̄tas*, which is here rendered by the word *storm*, not that the ideas of each perhaps exactly correspond, but as the English word approaches nearer to the Latin than any other single word I could find in the language, a little enquiry into the meaning of the word, as here used, may not be unnecessary, as well as some confirmation of the fact from other authorities.

It appears from a passage in Cicero that showers of rain, rainy clouds agitated by the wind^b, storms at sea and whirlwinds, were all included under the word *tempes̄tas*. Hail is likewise added by Pliny^c to the description. I am inclined notwithstanding to believe, that nothing but wind was understood by this word in the calendar of Columella, as he mentions hail, rain, and thunder particularly, and inserts them as frequently as we could suppose them to happen. Windy weather, it must be owned, is often specified in the calendar, but I apprehend it means only an inferior degree of what was understood by *tempes̄tas*. That violent storms of this kind happen in hot climates in the summer months, we know generally from experience, and that such have taken place in the climate of Italy, and the parts

^a Six stormy days are marked in the calendar of Columella during the months of June and July.

^b Referendæ in Deos erunt Tempeſtates, quæ populi Romani ritibus conſecratæ ſunt; ergo Imbres, Nimbi, Procellæ, Turbines, Dii putandi ſunt. Ciceron. de Natur. Deor. L. III.

^c Unum, quod Tempeſtates vocamus, in quibus grandines, procellæ, cæteraque ſimilia intelliguntur: &c. Vid. Plin. L. XVIII. 28. See too Germanici Aratea Prognostica.

parts adjacent, is agreeable to the testimony both of ancient and modern writers. Polybius tells us, that in the first Punic war the Roman fleet was so far destroyed by a storm, that out of 364 ships only eighty escaped. This he attributes to the obstinacy of the Consuls in neglecting the advice of the pilots, who cautioned them against going along the southern coast of Sicily, as the shore was too deep for anchorage, and afforded no harbour; especially too as the season was then the most unfavourable for navigation, the constellation^a of Orion being not quite passed, and the Dog-star just ready to appear. If we compute this according to the calendar of Geminus, which is nearest to the date of the account, and also nearer to the latitude where this transaction happened, it must have taken place on some day between the fourth and seventeenth of July, the cosmical rise of Orion being mentioned on the 5th, and the rise of the Dog-star on the 16th. The calendar of Columella agrees nearly herewith; Orion being mentioned as rising cosmically as late as the 10th, and the Dog-star is put down as rising on the 17th. Geminus^b too in the calendar published in the present work remarks, that the 19th of July has been noted for tempestuous weather at sea. Virgil likewise mentions that he had often seen great storms or whirlwinds^c arise in the midst of corn harvest, which is just about this time, Varro placing it between the 26th of June and the 26th of July. These he represents as so violent as to tear up and lay waste every thing in their progress, even rooting up the corn itself, and attended with an immense deluge of rain. The storm likewise described by Virgil, which wrecked part of the fleet of Æneas, is related by him to have happened nearly in the same seas with that mentioned by Polybius, and much.

^a Polyb. L. I. § 37.

^b Χειμών κατὰ Δασσούν επιγίνεται. Gemin. Calendar.

^c Sæpe ego cum flavis messore induceret arvis
Agricola, et fragili jam stringeret hordea culmo,
Omnia ventorum concurrere prælia vidi,
Quæ gravidam latè segetem ab radicibus imis.
Sublime expulsa eruerent: ita turbine nigro
Ferret hyems culmumque levem, stipulasque volantes.
Sæpe etiam immensum cœlo venit agmen aquarum,
Et fœdum glomerant tempestatem imbris atris
Collectæ ex alto nubes: ruit arduus æther,
Et pluvia ingenti sata lœta bouisque labores
Diluit; implentur fossæ, et cava flumina crescunt
Cum sonitu; fervetque fretis spirantibus æquor.

VIRG. Georg. I. 316.

much resembles the hurricanes of hot climates, as being^a sudden in its rise^b, violent in its effects^c, and soon over. Modern information, at least what I have seen, agrees herein with the ancient. Abbè Toaldo^d, in a journal of the weather at Venice for the year 1755, mentions two whirlwinds, and a violent storm resembling that described by Virgil, that happened that year in the months of June and July. This is the only modern Italian journal of the weather that I have seen. It is probable that in the more southerly parts of Italy, these aërial disturbances happen more frequently, as they are observed to be more common, as well as violent, in hot climates.

^a ——venti, velut agmine facto,
Quà data porta, ruunt, et terras turbine perflant.

VIRG. Aeneid. L. I.

^b Eripiunt subito nubes cœlumque, diemque
Teucrorum ex oculis: ponto nox incubat atra.
Intonuere poli, et crebris micat ignibus æther;
Præsentemque viris intentant omnia mortem.

Ibid.

^c ——dicto citius tumida æquora plaçat:
Collectasque fugat nubes, solemque reducit.

Ibid.

From the description of it, it appears to have been of the nature of a whirlwind, many opposite winds being described as blowing at the same time.

Una Eurusque Notusque ruunt crêberque procellis
Africus. ————— Ibidem.

^d Saggio Meteorologico. Quarto, Padoua, 1770.

D I V I S I O N
OF THE YEAR INTO MONTHS,
MARKED OUT BY
N A T U R A L O C C U R R E N C E S.

R E V I V I N G W I N T E R M O N T H.

M O N T H I.

From the first laying of eggs by hens, to the blowing of the West wind; viz. from January the first, to February the fifth.

B U D D I N G M O N T H.

M O N T H II.

From the blowing of the West wind, to the appearance of the swallow; viz. from February the fifth, to February the twenty-third.

L E A F I N G M O N T H.

M O N T H III.

From the arrival of the swallow, to the free exit of bees from their hives; viz. from February the twenty-third, to March the twenty-fourth.

F L O W E R I N G M O N T H.

M O N T H IV.

From the free exit of bees from their hives, to the arrival of the stork; or from March the twenty-fourth, to May the seventh.

F R U I T-

* FRUITING MONTH.

M O N T H V.

From the arrival of the stork, to the summer shoots of the fir tree; or from May the seventh, to May the twentieth.

† RIPENING MONTH.

M O N T H VI.

From the summer shoots of the fir, to the flowering of the pitch pine; or from May the twentieth, to June the tenth.

REAPING MONTH.

M O N T H VII.

From the flowering of the pitch pine, to the blowing of the Etesian winds; or from June the tenth, to August the first.

SOWING MONTH.

M O N T H VIII.

From the blowing of the Etesian winds, to the departure of the swallow; or from August the first, to September the fifth.

MATURING MONTH.

M O N T H IX.

From the departure of the swallow, to the ripening of the grape; or from September the fifth, to September the twentieth.

SHEDDING MONTH.

M O N T H X.

From the ripening of the grape, to the confinement of bees to their hives; or from September the twentieth, to October the twenty-eighth.

DE-

* This refers to the forming of the pulpy fruits. † This refers to the ripening of the early fruits.

DECAYING WINTER MONTH.

MONTH XI.

From the confinement of bees to their hives, to the full ripening of the olive; or from October the twenty-eighth, to December the first.

DEAD WINTER MONTH.

MONTH XII.

From the ripening of the olive, to the laying of eggs by hens; or from the first of December, to January the first.

EXTRACT FROM DR. RUSSEL's HISTORY OF ALEPPO.
LATITUDE $36^{\circ}.$ $12'.$ N. L.

D E C E M B E R.	
12	Maarbanie, or depth of Winter begins. Narcissus flowers.
J A N U A R Y.	
15	Hyacinths and Violets flower.
20	Maarbanie ends.
F E B R U A R Y.	
5	Fields green.
12	Almond tree blows.
20	Apricot and Peach blow.
M A Y.	
5	Barley harvest begins..
15	Country burnt up.
20	Barley and Wheat harvest over.
S E P T E M B E R.	
15	First Rains.
25	Ploughing begins.
O C T O B E R.	
5	Cotton harvest.
10	Second Rains.
20	Early Wheat Sown.
N O V E M B E R.	
15	Leaves of trees fall.

OBSER.

OBSERVATIONS MADE AT NICE IN ITALY,
EXTRACTED FROM SMOLLET'S TRAVELS, VOL. II. ad finem.

LATITUDE OF NICE. $43^{\circ} 42'$.

A P R I L.	
20	Orange harvest
26	Ripe Strawberries.—Wheat in ear.
28	Rye seven or eight feet high. Strawberries in the market.
M A Y.	
3	Ripe Cherries.
4	Orange and Lemon trees in flower.
6	Ripe Figs.
20	Olive tree in blossom.
29	Silk Worm weaving.
J U N E.	
9	Pears and Plumbs in the market.
16	Ripe Figs and Apricots.
J U L Y.	
14	Ripe Peaches and Apples.
21	Ripe Water Melons.
30	Ripe Grapes.
O C T O B E R.	
8	Vintage begun.
31	Oil harvest begins.

T A B L E

T A B L E

of the Time of Wheat Harvest in different Parts of modern Italy.

From Dr. SYMONDS—Annals of Agriculture, Vol. IV.

Calabria citra.	Calabria oltre.	About Naples. Lat. $41^{\circ} 6'$.	Sulmona. K. of Naples. Lat. $42^{\circ} 6'$.	Aquino. K. of Naples. Lat. $41^{\circ} 35'$.
The 1st or 2d of June.	Latter end of May.	The 12th of June.	Beginning of July.	End of June.
Rome. Lat. $41^{\circ} 45'$.	Terni. Lat. 42° .	Camerino. Lat. $43^{\circ} 15'$.	Marc: of An- cona. Lat. $43^{\circ} 38'$.	Tuscany.
Middle of June.	Latter end of June, or begin- ning of July.	The very end of July.	Middle of July.	The 18th. of June.
About Ferrara.	Milan. Lat. $45^{\circ} 25'$.	Vercellæ and Novara. Lat. $45^{\circ} 15'$.	Vicenza. Rep. of Venice. Lat. $45^{\circ} 36'$.	Valdagno.
Latter end of June.	Latter end of June.	2d week in July.	Latter end of June.	Beginning of July.

L

O R D E R

ORDER of the compleat Expansion of the Flowers and Leaves of several Trees and Shrubs in Great Britain.
From the Gentleman's Magazine for April, 1785.

R E M A R K S

U P O N T H E

LEAFING, FLOWERING, &c. OF SOME TREES AND PLANTS:

Made in the Years 1768 and 1769, by Dr. SYMONDS.

From YOUNG's Annals of Agriculture, Vol. IV.

1768.

April 29. Poplars not yet in leaf, at Cafe Nuove in Umbria.

May 4. Few Oaks had any leaves, between Macerata and Loretto; yet the Mulberry-trees were so forward, that the leaves had already been gathered from the young ones planted this year.

May 8. The Mulberry-trees from Ancona to Senigallia, scarce in leaf; so that it was feared the worms would starve.

Dec. 23. Laurustinus, Viburnum-tinus of Linnæus, near Terni, beginning to flower.

N.B. The Laurustinus grows in so great abundance upon the coast of Genoa, and upon the hills about the convents of Camaldoli and Cava in the kingdom of Naples, that it is with good reason considered as a native of Italy. It may, by the way, be observed, that a species of the Phytolacea is found wild in the kingdom of Naples, which heretofore was not thought to be so.

1769.

Jan. 27. White spring Crocuses in flower in the Circus of Caracalla at Rome. Ariemone in flower every where about Rome.

Feb. 14. Leaves of little Oaks just making their appearance at St. Agatha in the kingdom of Naples.

28. Day-lily (*hemerocallis flava*) in flower in great abundance.
White and orange-coloured Narcissus in full blow.

Willows in leaf, between Evoli and Pesti in the kingdom of Naples.

- March 3. Crocus Sativus—Star-hyacinth (*scilla Italica*)—Grape-hyacinth (*hyacinthus botryoides*)—Day-lily—white, red, and purple Anemones.—Elm in flower, and White-thorn (*crataegus oxyacantha*) with young leaf, from Mola to Rome.
- 10. Cornelian Cherry in blow about Albano.
Plumb-tree in blow about Tivoli.
Hazle and Maple in leaf, between Albano and Tivoli.
- 17. Colts-foot and green Hellebore in flower between Radicofani and Sienna.
- 19. Alders and Hazle in young leaf about Lucca.
- 24. Elm in flower, between Piña and Leghorne.
- 25. Willow in young leaf, and Poplar just breaking into leaf, near Pietra Santa in Tuscany.
- April 3. Poplar not stirring, and Willows and Thorns but just beginning to leaf, between Tortona and Pavia.
- 4. Catkin of the Poplar, between Pavia and Firenzuola, scarce appearing, which I had seen full of down near Leghorne.
- 6. Thorn in full blow—Elm beginning to leaf—Willow not stirring in the Cremonese.
- 8. Hazle in young leaf—Apple-tree in leaf—Viburnum in leaf and flower about Varese, between Milan and the Lago Maggiore.
- 16. Poplar—Maple—Lime—Horse-chesnut in leaf, about the river Serio in the province of Bergamo.
- 17. Black-thorn (*prunus spinosus*) going off, and White-thorn not yet in flower from Palazzuolo to Brescia.
- 18. Elm in full leaf, about Brescia.
I observed for the first time in Lombardy many Tulips (*tulipa sylvestris*) in a field between Ospideletto and Brescia. I saw plenty of them in Apulia, particularly upon Monte Gargano in the kingdom of Naples.
- 19. Oaks just bursting into leaf, between Lonedo and Devenzano.
White-thorn and Marsh-elder (*viburnum opulus*) just coming into flower by the sides of the Lago di Garda.
Christ's Thorn (*Rhamnus paliurus*) not stirring about Verona.
N. B. This backwardness in the *paliurus*, which is frequently used for fences,

fences in Italy, shews that it is more improper for the purpose than the white or black Thorn.

April 20. Elm in full leaf—Mulberry-tree in young leaf, between Verona and Villafranca—Walnut in young leaf—Oak not yet, between Lovabella and Mantua.

N. B. I had seen but one Oak actually in young leaf in Lombardy.


21. Barley in the ear—many Poplars and Willows not stirring between Legnago and Bevilacqua.

Vines in young leaf, near Este.—Ash in young leaf—Whitethorn in flower, between Monflice and Padua.

May 1. Mountain Ash (*forbus aucuparia*) in flower. Horse-chesnut just in flower from Mestri to Sala.

19. Young poplars but just in leaf upon the Brenta.

These observations, imperfect as they are, will enable us to compare the state of vegetation in Lombardy and England, as well as in the northern and southern provinces of Italy. The circumstance of the poplars and willows not being in leaf upon the 21st of April, surprised me very much, and among other things convinced me, that our trees and plants are in general as forward as in Lombardy in the beginning of vegetation: the great difference lies in every thing ripening faster in that country than in ours.



K A L E N D A R I V M

A N T I Q V V M R V S T I C V M,

Q V O D I N

P A L A T I O N O V O F A R N E S I A N O, R O M Æ,

A D S E R V A T V R.

E X I N S C R I P T: A N T I Q V I S

I A N I G R V T E R I

D E S V M P T V M.

"In Ædibus *Bernardini della Valle*," inquit Gruterus, "alterum hujusmodi Kalendarium extat: ejusdem quidem exemplaris. — Scriptura autem in paucis differt, quorum præcipua hic subjeci." Hasce variationes nos fideliter è Grutero defumpsimus, et ad latus Kal. Farnes. apposuimus.

KALENDARIVM RVSTICVM

FARNESIAN: ROMÆ.

Var. Scrip. in Kal.
Bern. della Valle.

M E N S I S

MES. IAN.

I A N V A R.

D I E S X X X I .

^ N O N . Q V I N T

D I E S ^ H O R . V I I I I S .

N O X H O R . X I I I I

S O L

C A P R I C O R N O

T U T E L A

I V N O N I S

P A L V S

^ A Q V I T V R

^ S A L I X

H A R V N D O

C A E D I T V R

S A C R I F I C A N T

S A C R I F I C .

D I S

D'IS

P E N A T I B V S

M E N -

^a Nonæ Quintane ita dicebantur, quod quinto die Mensis essent; Septimanæ vero, septimo. Vid. Macrob. Saturn. Lib. I.

^b Liquidò patet, horas, quarum mentio facta sit in hoc Kalendario, pro paribus vel astronomicis horis accipi debere, non pro iis, in quas Romani diem naturalem diviserint, et quæ, pro diversis anni partibus, ipsæ fuerint diversæ. ^c A Q V I T V R pro ACVITVR. vetusta script. Vid. Col. XI. 2.

^d Caton. tit. 7. Varro. I. 30. Colum. XI. 2. IV. 32.

(90)

M E N S I S

M E S. F E B R.

F E B R V A R.

D I E S X X V I I I .

N O N. Q V I N T.

D I E S H O R. X S

N O X H O R. X I I I

S O L. A Q V A R I O

T V T E L. N E P T V N I

* S E G E T E S

S A R I V N T V R

^b V I N E A R V M

S V P E R F I C C O L I T

^c H A R V N D I N E S

I N C E N D V N T

P A R E N T A L I A

L V P E R C A L I A

C A R A. C O G N A T O

T E R M I N A L I A

S V P E R F I C I V M
C O L I T V R
H A R V N D O
I N C E N D I T
L V P E R C A L I A
P A R E N T A L I A
C A R A. C O G N A T

M E N-

^a Colum. XI. 2. Pallad. Mens. Jan. tit. 9.

^b Colum. XI. 2. Pallad. Mens. Febr. tit. 20.

^c Colum. IV. 32.

M E N S I S

MES. MAR.

M A R T I V S

D I E S . XXXI.

N O N . S E P T I M A N

D I E S H O R . XII.

N O X H O R . XII.

A E Q V I N O C T I V M

VIII K A L . A P R .

S O L P I S C I B V S

T V T E L . M I N E R V A E

* V I N E A E . P E D A M E N

VINEAE. ET
PEDAMINA

I N P A S T I N O

P V T A N T V R

* T R I M E S T R . S E R I T V R

I S I D A . A V I G I V M

ISIDIS. NAVIGIVM
SACRVM MAMV-
RIO

S A C R . M A M V R I O

L I B E R A L . Q V I N Q V A

T R I A . * L A V M I O

M E N -

^a Varron. de Re Rust. I. 8. Colum. IV. 26. et c. 15. et Lib. XI. 2. Pallad. Mens. Mart. tit. 1.^b Colum. II. 9. Pallad. III. 3. I. 6. Caton. 25.^c LAVATIO, alii legunt.

M E N S I S

MES. APR.

A P R I L I S

D I E S X X X

N O N A E

Q V I N T A N

D I E S

H O R . X I I S .

N O X

H O R . X S .

S O L A R I E T E

T V T E L A

V E N E R I S

^ O V E S

L V S T R A N T V R

S A C R V M

^ P H A R I A E

I T E M

^ S A R A P I A

M E N -

^ Ovid. Fast. IV.

^ Alii legunt, P R I A E.

^ Alii legunt, S A R I T I A E.

M E N S I S.

MES. MAI.

M A I V S

D I E S X X X I

N O N . S E P T I M

D I E S H O R . X I I I S .

N O X H O R . V I I I S .

S O L . T A V R O

T V T E L . A P O L L I N

^a S E G E T . R V N C A N TSEGETES
RVNCANTVRO V E S . ^b T V N D V N T

L A N A . L A V A T V R

I V V E N C I . D O M A N T

IVVENCI DO
MANTVR^c V I C E A . P A B V L A R

S E C A T V R

S E G E T E S

^e L V S T R A N T V R

S A C R V M . M E R C V R .

E T . F L O R A E

M E N -

^a Varro. I. 30. Colum. XI. 2.^b Ita scribebant antiqui pro TONDENT, quod positum est pro TONDENTVR. Tondebant enim oves hac tempestate. Vide Col. XI. 2. Pallad. Mens. Maius tit. 8.^c Varro I. 20.^d Colum. XI. 2. VICEA pro VICIA ponebant antiqui.^e Virg. Bucolic. I. Tibull. II. El. 1. Propert. IV. El. 1. Caton. tit. 141.

M E N S I S

MES. IVN.

I V N I V S

D I E S X X X .

N O N . Q V I N T

^ D I E S . H O R . X V .

N O X . H O R . V I I I

S O L I S I N S T I T I V M

SOLSTITIVM

V I I I . K A L . I V L .

S O L . G E M I N I S

T V T E L A

M E R C V R I

^ F A E N I S I C I V M

FAENISIC.

^ V I N I A E

O C C A N T V R

S A C R V M

H E R C V L I

S A C R V M

F O R T I S

F O R T V N A E

M E N -

^a Περὶ δὲ Ρωμανῶν, οἵ μεγιστὴν ἡλιαῖς αἴρουσι σημεῖαν τέ. — Gemin. El. Astron. Cap. V.^b Pallad. Mensis Junius.^c Pro VINEAE.—I et E invicem mutantur. De occatione Vinearum, Vide Colum. XI. 2. Liber de Arboribus C. 5. Pallad. in Maio, tit. 4.

M E N S I S

MES. IVL.

I V L I V S.

D I E S X X X I .

N O N Æ

S E P T I M A N

D I E S

H O R A R

X I I I .

N O X H O R .

V I I I S

S O L C A N C R

T V T E L A

I O V I S

M E S S E S

H O R D I A R

E T F A B A R

F A B A R I A E

A P O L L I N A R

N E P T V N A L

M E N -

^a Colum. XI. 2. Pallad. VII. 2, 3. HORDIAR pro HORDEAR.

(96)

M E N S I S

M E S. A V G.

A V G V S T

D I E S X X X I

N O N. Q V I N T.

D I E S. H O R. X I I I.

N O X. H O R. X I.

S O L. L E O N E

T V T E L. C E R E R

* P A L V S. P A R A T

P A R A T V R

M E S S E S

F R V M E N T A R

I T E M

^b T R I T I C A R

^c S T V P V L A E

S T V P L A E

I N C E N D V N T

S A C R V M. S P E I

S A L V T I D E A N A E

V O L C A N A L I A

V O L C A N O

M E N-

^a Colum. XI. 2.

^b Pallad. Lib. VIII. 1. Varro. I. 32.

^c Pallad. Mens. August.

M E N S I S .
S E P T E M B E R.

MES. SEPT.

D I E S X X X

N O N . Q V I N T .

D I E S H O R . X I I

N O X H O R . X I I

A E Q V I N O C T

V I I . K A L . O C T

S O L V I R G I N E

T V T E L A

V O L C A N I

^ D O L E A

P I C A N T V R

P O M A . L E G V N T

L E G V N T V R

A R B O R V M .

^ O B L A Q V I A T I O

O B L A Q V E A T I O

E P V L V M

M I N E R V A E

M E N -

^a D O L E A pro D O L I A . Colum. XI. 2. Pallad. Sept. tit. XI.^b Colum. XI. 2.

M E N S I S

MES. OCT.

O C T O B E R.

D I E S X X I

N O N A E

S E P T I M A N

D I E S

H O R . X S .

N O X

H O R . X H I S .

S O L

L I B R A

T V T E L A

M A R T I S

* V I N D E M I A E

S A C R V M

L I B E R O

M E N -

^a Colum. XI. 2. Varro. I. 27. 54. Pallad. September XI.

M E N S I S

MES. NOV.

N O V E M B E R.

D I E S . XXX

N O N . Q V I N T

D I E S * H O R . V I I I S

N O X H O R . X I I I S

S O L

S C O R P I O N E

T U T E L A

* D E A N A E

* S E M E N T E S T R I T I C A R

E T H O R D I A R

* S C R O B A T I O

A R B O R V M

I O V I S

E P V L V M

H E V R E S I S

M E N .

a Pro DIANAE.

b Pallad. XIII. 1.

c Caton. tit. 7. Col. XI. 2. V. 5. Pall. II. 10. 13.

M E N S I S

M E S . D E C .

D E C E M B .

D I E S . X X X I .

N O N . Q V I N T .

D I E S . H O R . V I I I

N O X . H O R . X V

S O L . S A G I T T

T V T E L V E S T A E

H I E M P S I N I T I V M

H I E M I S . I N I T .

S I V E T R O P A E

T R O P A E A E

C H I M E R I N

C H I M E R . V I N E A E
S T E R C O R A N T V R

* V I N E A S . S T E R C

^b F A B A S E R E N T E S

S E R I T V R

c M A T E R I A S

D E I C I E N T E S

D E C I E N T E S

O L I V A L E G E N T

I T E M V E N A N T

S A T V R N A L I A

T A B U L A

^a Caton, tit. 33. Colum. II. 2. 16.^b Pallad. XIII. 1.^c De cädendis Arboribus intelligendum est. Colum. XI. 2.—Plin. XVIII. 26.

TABULA HORARUM SINGULORM MENSIVM
EX PALLADIO. L. II. &c.

I A N V A R I V S.

Hic Mensis in horarum spatio cum Decembri Mense convenit, quarum sic Mensura colligitur. Pallad. L. II.

Hora	I	Pedes	XXIX
	II		XIX
	III		XV
	IIII		XI
	V		X
	VI		IX
	VII		X
	VIII		XII
	IX		XV
	X		XIX
	XI		XXIX

F E B R V A R I V S.

Hic Mensis in horarum Mensurâ cum Novembri Mense concordat, quas hâc numeri ratione colligimus. Pallad. L. III.

Hora	I	Pedes	XXVII
	II		XVII
	III		XIII
	IIII		X
	V		VIII
	VI		VII
	VII		VIII
	VIII		X
	IX		XIII
	X		XVII
	XI		XXVII

M A R T I V S.

Hic Mensis ad deprehendendas horas consentit Octobri. Pallad. L. IV. 16.

Hora	I	Pedes	XXV
	II		XV
	III		XI
	IIII		VIII
	V		VI
	VI		V
	VII		VI
	VIII		VIII
	IX		XI
	X		XV
	XI		XXV

A P R I L I S.

Hujus Mensis horæ, horis Mensis Septembri æquantur hoc genere. Pallad. L. V.

Hora	I	Pedes	XXIV
	II		XIII
	III		X
	IIII		VII
	V		V
	VI		III
	VII		V
	VIII		VII
	IX		X
	X		XIII
	XI		XXIV

M A I V S.

M A I V S.

In horarum mensuris, Maius respondet Agusto. Pallad. L. VI.

I V N I V S.

Junius ac Julius horarum sibi æqua spatio contulerunt. Pallad. L. VII.

Hora	I	Pedes	XXII
	II		XIII
	III	<th>IX</th>	IX
	III	<th>VI</th>	VI
	V	<th>III</th>	III
	VI	<th>III</th>	III
	VII	<th>III</th>	III
	VIII	<th>VI</th>	VI
	IX	<th>IX</th>	IX
	X	<th>XIII</th>	XIII
	XI		XXII

Hora	I	Pedes	XXII
	II	<th>XII</th>	XII
	III	<th>VIII</th>	VIII
	III	<th>V</th>	V
	V	<th>III</th>	III
	VI	<th>II</th>	II
	VII	<th>III</th>	III
	VIII	<th>V</th>	V
	IX	<th>VIII</th>	VIII
	X	<th>XII</th>	XII
	XI		XXII

I V L I V S.

Julii et Junii horas pari mensurâ Libra composuit.

A V G V S T V S.

Augustum Maius per Solis cursus æquavit.

Hora	I	Pedes	XXII
	II	<th>XII</th>	XII
	III	<th>VIII</th>	VIII
	III	<th>V</th>	V
	V	<th>III</th>	III
	VI	<th>II</th>	II
	VII	<th>III</th>	III
	VIII	<th>V</th>	V
	IX	<th>VIII</th>	VIII
	X	<th>XII</th>	XII
	XI		XXII

Hora	I	Pedes	XXII
	II	<th>XIII</th>	XIII
	III	<th>IX</th>	IX
	III	<th>VI</th>	VI
	V	<th>III</th>	III
	VI	<th>III</th>	III
	VII	<th>III</th>	III
	VIII	<th>VI</th>	VI
	IX	<th>IX</th>	IX
	X	<th>XIII</th>	XIII
	XI		XXII

S E P T E M.

S E P T E M B E R.

Septembris et Aprilis dies horis similibus conferuntur.

Hora	I	Pedes	XXIIII
II		XIIII	
III		X	
III		VII	
V		V	
VI		III	
VII		V	
VIII		VII	
IX		X	
X		XIIII	
XI		XXIIII	

O C T O B E R.

October Martium similibus umbris fibi fecit æquari.

Hora	I	Pedes	XXV
II		XV	
III		XI	
III		VIII	
V		VI	
VI		V	
VII		VII	
VIII		VIII	
IX		XI	
X		XV	
XI		XXV	

N O V E M B E R.

Novembrem et Februarium ratio temporis per horas dierum fecit æquales.

Hora	I	Pedes	XXVII
II		XVII	
III		XIII	
III		X	
V		VIII	
VI		VII	
VII		VIII	
VIII		X	
IX		XIII	
X		XVII	
XI		XXVII	

D E C E M B E R.

Decembrem Januario in horis causa dispar adjunxit, cùm linea simili ille augeatur, iste decrescat.—

Hora	I	Pedes	XXIX
II		XIX	
III		XV	
III		XII	
V		X	
VI		IX	
VII		X	
VIII		XII	
IX		XV	
X		XIX	
XI		XXIX	

T A B L E

TABLE OF THE DAYS ON WHICH THE SUN ENTERS INTO
THE DIFFERENT SIGNS OF THE ZODIAC.

SUN ENTERS INTO

			Roman	Greek	Constan.	Ptolemy	Modern
Aries	♈	Kριος	March 17—18	March 19	March 17	March 16	March 20
Taurus	♉	Tαυρος	April 17—20	April 19—20	April 18	April 17	April 19
Gemini	♊	Διδυμος	May 19—20	May 21	May 20	May 18	May 21
Cancer	♋	Καρκινος	June 18—19	June 22	June 15	June 18	June 21—22
Leo	♌	Λεων	July 20	July 23	July 17	July 20	July 23
Virgo	♍	Παρθενον	August 20	August 22—23	August 17	August 20	August 23
Libra	♎	Zυγον	Septem. 19	Septem. 22	Septem. 20	Septem. 19	Septem. 23
Scorpio	♏	Σκορπιος	October 19	October 22	October 19	October 19	October 23
Sagittarius	♐	Τοξοτης	Novem. 18	Novem. 21	Novem. 19	Novem. 18	Novem. 22
Capricornus	♑	Αιγακερων	Decem. 17	Decem. 20	Decem. 18	Decem. 17	Decem. 22
Aquarius	♒	Υδροχοος	January 16	January 18	January 23	January 16	January 19
Pisces	♓	Ιχθυες	February 15	February 17	February 20	February 15	February 18

COMPARATIVE TABLE

OF THE RAINY DAYS IN A YEAR IN DIFFERENT COUNTRIES.

Number of rainy Days in each Month	I	II	III	IV	V	VI	VII	VIII	IX	X
	Greece	Italy	Incér. Vide Petavii Uranolog. p. 92.	Ægypt Alexan.	Ægypt Shaw, &c.	Barbary Algier	Italy Nice	1755 Italy Venice	1752 Syria Aleppo	1753 Syria Aleppo
Latit.	38° 5	41° 53'		31° 11' Anc ^t .acct.	31° 11'	36° 49'	43° 42'	45° 26'	35° 45'	35° 45'
January	1	5	15	4	16	12	14	2	8	11
February	1	3	4	6	8	7	12	5	7	8
March	5	2	9	3		2	6	8	7	6
April	5	8	7	15		5	5	1	6	10
May	2	7	2	13			7	7	2	7
June			8	6			2	4		1
July	1		1	5			4	7		
August		2	1				1	7		
Septem.	1	8	10	10			4	10	1	2
October	2	8	2	4		6	5	5	3	2
Novem.	2	8	7	9		6	9	8	8	3
December	2	2	3—ad diem xxiii	11	14	10	10	5	5	11
Total	22	53	69	86	38	48	79	69	47	61

C O M-

Column I. taken from the Greek calendar in the present Work.

Column II. taken from the Roman calendar of Columella, Lib. XI. Cap. II.

Column III. taken from an ancient calendar in Petavius's Uranologion.

Column IV. taken from an ancient Ægyptian calendar in Petavius's Uranologion.

Column V. and VI. from Shaw's Travels into the East.

Column VII. from Smollet's Travels into Italy.

Column VIII. from the Saggio Meteorologico of the Abbè Toaldo, printed at Padua, 1770.

Column IX. and X. from Russel's account of Aleppo.

O

C O M P A R A T I V E T A B L E
O F T H E R A I N Y D A Y S I N A Y E A R I N D I F F E R E N T C O U N T R I E S.

	XI 1745 Minorca St. Philip's	XII 1746 Minorca St. Philip's	XIII 1747 Minorca St. Philip's	XIV 1783 G. Britain London	XV 1774 Lond.	XVI 1775 Lond.	XVII 1777 Lond.	XVIII 1779 Lond.	XIX 1780 Lond.	XX 1786 Lond.	XXI 1788 Lond.	
Number of rainy Days in each Month	40° 8'	40° 8'	40° 8'	51° 31'								
Latit.	4	6	5	12	12	7	3	6	10	16	3	
January	7	5	8	10	12	7	9		5	11	7	
Febr.	2	5	8	5	8	8	7	4	7	13		
March	5	9	2	6	7	4	5	6	12	9	2	
April	7	5	6	10	7	7	9	11	6	8	2	
May	2	1	1	11	5	4	4	5	3	3	6	
June	4	3	4	3	3	9	8	10	4	2	5	
July		4	7	8	2	9	1	8	3	13	8	
August	11	13	14	9	7	7		6	13	10	3	
Septem.	8	9	4	6	6	7	10	9	13	5	3	
October	11	10	1	9	10	17	4	13	4	10		
Novem.	8	5	8	5	9	3	3	14		10	2	
Decem.	Total	69	75	68	94	88	89	63	92	80	110	41

T A B L E

Column xi, xii, xiii. from Cleghorn's account of the Diseases of Minorca.

Column xiv. from the Gentleman's Magazine for 1784.

Column xv, xvi, xvii, xviii, xix. from the Philosophical Transactions.

Column xx. from a Diary of the Weather during the year 1786, by a Gardener twenty miles East from London—London, printed for T. Booker, No. 56. New Bond Street.

Column xxii. from the Philosophical Transactions, Vol. LXXIX. Part I. ad finem.

TABLE OF THE QUANTITY OF RAIN THAT FALLS IN SEVERAL
PARTS OF ITALY, COMPARED WITH GREAT BRITAIN.

Rome from 1732 to 1740 inclus.	Naples ten years Observations	Sienna from 1756 to 1760 inclus.	Pifa	Leghorne
* Inches 34	Inches 31. 5	Inches 41. 6	Inches 43. 6	Inches 37. 11
Padua from 1725 to 1730 inclus.	Milan from 1764 to 1766 inclus.	Modena from 1715 to 1724 inclus.	Forno-Vola- stro, for 1715 and 1716, at a medium yearly	Padua Medium quantity for 45 years
Inches 37	Inches 43. 1. $\frac{1}{2}$	Inches 50. 11	Inches 103. 8. $\frac{9}{25}$	Inches 34. 467
London 1775	London 1777	London 1779	London 1780	London 1776
Inches 24. 662 27. 111	Inches 24. 381	Inches 26. 785	Inches 17. 313	Inches 21. 364
Holme near Manchester	Barrowby near Leeds	Bristol 1775	Bristol 1777	Lyndon Rutland 1785
Average of 5 years. Inches 31. 90	Average of 5 years. Inches 27. 50	Inches 38. 597	Inches 23. 169	Inches 27. 207

T A B U L A

* The number of Inches of Rain that fall annually, are set down in this Table in the Compartment next under that which contains the name of the place.—The first nine observations are taken from Dr. Symonds's Account of the Climate of Italy, in the 4th Vol. of Mr. Arthur Young's Annals of Agriculture. The tenth is taken from the Saggio Meteorologico of Abbé Toaldo, printed at Padua, 1770. The remainder are all from the Philosophical Transactions. In the eleventh Compartment (for London 1775) two numbers are set down, the first denotes the number of Inches that fell from Jan. 1, to the beginning of the next Year, the other denotes the quantity that fell from March 25, 1775, to March 25, 1776. The remainder of the observations at London in this Table are computed in the same manner.

J

T A B U L A P L A N T A R U M.

IN PRISCIS SCRIPTORIBUS GRÆCIS

M A X I M E R E P E R T A R U M:

C U I

A D J I C I U N T U R S Y N O N Y M A

A R

I L L U S T R I C A S P A R O B A U H I N O,


E T

C A R O L O L I N N Æ O E D I T A.

E A P O R R O, Q U Ä I N V U L G A R I U S U,

L I N G U A V E R N A C U L A,

A C C I P I U N T U R.



T A B U L A P L A N T A R U M, &c.

Α Γ

Α ΒΛΗΧΡΗΣ. Vide Ηλιοτρό πιον.
Αέροκαρπον. Vid. Αέροτονον.

Αέρομον. Vid. Οριγανον.

Αέροτονον.—Diosc. et Theophrasti.

1. Θηλυ. Abrotanum fœmina foliis teretibus. C.B.P. 136. Santolina Chamæcyprissus. *Anglicè*. Lavender-Cotton.

Alii putant esse Abrotanum latifolium arborescens. C.B.P. 136. Artemisia arborescens. *Ang.* Tree Wormwood.

Alii autem esse Abrotanum fœmineum, flore majore, foliis villosis et incanis. C.B.P. 137. Santolina rosmarinifolia. *Ang.* Rosemary-leaved Lavender-Cotton.

2. Αρρεν. Abrotanum mas angustifolium majus. C.B.P. 136. Artemisia Abrotanum. *Ang.* Southern-Wood.

Αγαλλοχον. Diosc.

Agallochum officinarum. C.B.P. 393.—An Excæcaria Agallocha? *Ang.* Aloes Wood.

Α Γ

Αγαρικον. Diosc.
Agaricus, seu fungus laricis. C.B.P.

375.

Αγαστυλλις. Diosc. et Galeni.

Arbor, quæ Gummi Ammoniacum producit, adhuc incerta.

Αγερατον. Diosc.

Ageratum foliis ferratis. C.B.P.

221. Achillæa Ageratum. *Ang.* Sweet Milfoil, *sive*, Maudlin. Sed quære?

Αγλαοφωτις. Ælian. Vid. Παιονια Θηλεια.

Αγνος. Diosc. et Theoph.

Vitex foliis angustioribus Cannabis modo dispositis. C.B.P. 475.

Vitex agnus Castus. *Ang.* Chaste Tree^a.

Αγρια. Theoph. Vid. Πρινος αγρια.

Αγριελαια, et κοτινος, et Αιθιοπικη ελαια.

Diosc. Αγριελαια.—Hippoc. Olea sylvestris folio duro subtus incano.

C.B.P. 472. Olea Europæa. *Ang.* Common Olive^b.

Αγριοκαρδαμον. Diosc. Vid. Ιερις.

Αγριππος. Vid. Αγριελαια.

Αγρωσις.

^a Reperta à Whelero in Imbro, et à Tournefortio in Samo.

^b Hanc agrestem repperit Whelerus in Isthmo Corinthi.

Αγρωσις. Diosc.

Gramen caninum arvense. C.B.P.

1. Triticum repens. Ang. Common Wheat-Graſs, Dog's-Graſs, ſive, Couch Graſs.

Αγρωσις εν Παρναστω. Diosc.

Gramen Parnassii albo simplici flore.

C.B.P. 309. Parnassia palustris. Ang. Graſs of Parnassus.

Αγρωσις ποταμιος. Anonym.

Gramen aquaticum fluitans multiplici ſpicâ. C.B.P. 3.

Festuca fluitans. Ang. Flote-Fescue.

N.B. Vox Αγρωσις in Dioscoride interdum eandem habet significatiōnem atque Αμπελος λευκη.

Αγχινος. Theoph. Vid. Φοινιξ.

Αγχινωψ. Vid. Φοινιξ herba.

Αγχουσα. Dioscor.

1. Ονοκλεια. Anchusa lutea major.

C.B.P. 255. Onosma echoïdes.

Ang. Echium-like, ſive, hairy Onosma. Sed q?

2. Αλυκιαδιον, vel, ονοχειλες. Anchusa puniceis floribus. C.B.P. 255. Anchusa tinctoria. Ang. Dyers Bugloſs.

3. Eadem ac secunda.

Αδιαντον. Diosc. et Theoph.

1. Μελαν. — Adiantum foliis Coriantri.

C.B.P. 355. Adiantum Capillus Veneris. Ang. True Maiden-hair.—Forsan sit Adiantum foliis

longioribus pulverulentis, pediculo nigro. C.B.P. 355. Asplenium Adiantum nigrum. Ang. Black Maiden-hair. Sed q?

2. Λευκον.—Ruta muraria. C.B.P.

356. Asplenium Ruta muraria.

Ang. White Maiden-hair. Sed q?

N.B. Τριχομανες interdum vocatur αδιαντον.

Αδραχνη. Vid. Ανδραχνη.

Αδωνιης. Hesych. Forsan Anemones species. Salm. de Homonym: Hyles Iatricæ.

Αειζωον. Diosc. et Theoph.

1. Μεγα. — Forsan sit Sedum majus arboreſcens floribus candidis.

C.B.P. 282. Sempervivum arbo- reum. Ang. Tree Sedum. Aut for- san Sedum majus vulgare. C.B.P.

283. Sempervivum tectorum. Ang. House Leek?

2. Μικρον.—Sedum minus luteum ramulis reflexis. C.B.P. 282. Sedum reflexum. Ang. Yellow Stone Crop?

3. Επερον. Sempervivum minus vermiculatum acre. C.B.P. 283. Sedum acre. Ang. Wall Stone Crop.

Αθραγενη. Theoph. Vid. Κληματιτης.

Αιγειρος. Theoph.

Populus nigra. C.B.P. 429. Popu- lus nigra. Ang. Black Poplar.

Αιγιλωψ. (herba) Diosc. et Theoph. Festuca utriculis lanugine flaves- centibus. C.B.P. 10. Avena fatua. Ang: Wild Oat, ſive, bearded Oat- Graſs.

Αιγιλωψ. (arbor) Vid. Δρυς.

Αιγολεθρος. Orobanche radice dentata major. C.B.P. 88. Lathraea squa- maria: Ang. Tooth Wort. Sed q?

Αιγυλις.

Αιγυλις. Vid. *Αγνος.*

Αιγωνυχον. Diosc. Vid. *Λιθοσπερμον.*

Αιθιοπις. Diosc.

Æthiopis foliis sinuosif. C.B.P. 241.

• *Salvia* *Æthiopis.* *Ang.* *Æthiop* Sage.

Αιρα. Diosc. et Theoph.

Gramen loliaceum spicâ longiore.

C.B.P. 9. *Lolium temulentum.*

Ang. Annual Darnel.

Αιαναλις. Diosc.

Erica erecta baccis candidis. C.B.P.

486. *Empetrum album.* *Ang.*

White berry-bearing Heath. Sed q?

Αιανια. Diosc.

1. *Αιγυπτια.*—*Acacia* foliis Scorpioïdis leguminosæ. C.B.P. 392. Mi-

mosa Nilotica. *Anglicè.* Nilotic

Egyptian Acacia, *five*, Gum Ara-

bic Tree.

2. *Ποντιη.*—*Acacia trifolia.* C.B.P.

392. *Spartium spinosum.* *Ang.*

Thorny South European Broom.

Αιαλυφη. Diosc. vel *Αιαληφη.*

1. *Urtica urens* Pilulas ferens. C.B.P.

232. *Urtica pilulifera.* *Ang.* Ro-

man Nettle.

2. *Urtica urens* maxima. C.B.P.

232. *Urtica dioica.* *Ang.* Great-

est stinging Nettle.

Αιανθα. Diosc.

1. *Λευκη.* *Carduus Sphærocephalus*

latifolius. C.B.P. 381. *Echinops*

Sphærocephalus. *Ang.* Globe Thif-

tle.

2. *Αραβιη.* *Carduus tomentosus*

capitulo majore. C.B.P. 382. Car-

duus eriophorus. *Ang.* Woolly-headed Thistle. Sed q?

3. *Αιγρια.* *Acanthus aculeatus.*

C.B.P. 383. *Acanthus spinosus.*

Ang. Prickly Bear's-breech.

Αιανθα, et *Αιανθα Αιγυπτια.* Hippoc.

Αιανθος. Theoph.

Acacia foliis Scorpioïdis legumi-

nosæ. C.B.P. 392. *Mimosa Nilo-*

tica. *Ang.* Nilotic Egyptian Aca-

cia, *five*, Gum Arabic Tree. Ut

Salmasius putat, *Oenoplia spinosa.*

C.B.P. 477. *Rhamnus spina Christi.*

Αιανθα, *five,* *Ερπαιανθα.* Diosc.

Acanthus sativus, vel mollis Virgilii.

C.B.P. 382. *Acanthus mollis.*

Ang. Smooth-leaved Bear's-breech.

Alii putant plantam ad quam ref-

picit Dioscorides esse *Acanthum*

Dioscoridis, vel *sativum Rauwolff.*

Itin. 285. *Acanthus* *Dioscoridis.*

Ang. Bears-breech of Dioscorides.

Forsan hæc sit *Αιανθος* *ὑγρος* The-

ocriti.

Αιανθα διψας. Theoph. incert.

Αιανθον. Diosc.

Spina alba tomentosa latifolia syl-

vestris. C.B.P. 382. *Onopordium*

Acanthium. *Ang.* Cotton, *five*,

Woolly Thistle.

Αιανος. Theoph.

Carduus latifolius echinos obsoletæ

purpuræ ferens. C.B.P. 380. *Car-*

duus Syriacus. *Ang.* Syrian Thistle.

Ut aliī volunt, *Chamæleon albus*

Matthioli, vel *Carlina acaulos mag-*

no flore. C.B.P. 380. *Carlina acau-*

P lis.

lis. *Ang.* White Chamæleon Thistle.

Ακαρνα. Theoph.

Acarna major caule non folioso.

C.B.P. 379. *Carduus Casabonæ.*

Ut multipitant, herba quæ *Anglicè* dicitur, The Fish Thistle of Theophrastus. Forsitan sit Acarna major caule folioso. C.B.P. 379. *Cnicus Acarna.* Clusius. *Ang.* Chamælon Thistle of Salamanca.

Ακινος. Diosc.

Clinopodium arvense Ocyti facie.

C.B.P. 225. *Thymus Acinos.*

Ang. Wild Basil.

Ανηνησις. Vid. Σκιλλα.

Ακονιτον. Diosc. et Theoph.

1. **Παρδαλιαγχες.** *Aconitum pardalianches.* C.B.P. 184. *Ranunculus thora*; vel fortasse, *Aconitum violaceum.* C.B.P. 183. *Aconitum Cammarum.* *Ang.* Great violet-coloured Stirian Wolf's-bane.—*Annon* sit *Doronicum radice Scorpii.* C.B.P. 184. *Doronicum pardalianches?* *Ang.* Common Leopard's-bane. *Forsan* sit *Doronicum radice dulci.* C.B.P. 184. *Arnica Scorpicoides.*

2. **Λυκοντονον.** *Aconitum lycocotonum luteum.* C.B.P. 183. *Aconitum Lycocotonum.* *Ang.* Yellow Wolf's-bane.

Ακονος. Vid. Ακινος.

Ακοντιας. incert.

Ακοπος. Vid. Αναγυρις.

Ακορνα.

Nonnulli putant eandem esse atque

Ακαρνα. Alii autem esse *Cnicum sylvestrem spinosorem.* C.B.P. 378. *Carlina vulgaris.* *Ang.* Wild Carline. Vid. C.B.P. 379. et Notas in Theophrastum p. 616.—

Ακορος. Diosc. **Ακρος.** Theoph.

Acorus verus, sive *Calamus aromaticus officinarum.* C.B.P. 34. *Acorus Calamus.* *Ang.* Sweet Rush, sive, *Calamus aromaticus.*

N.B. Matthiolus putat **Ακορον** *Dioscor.* esse *Acorum adulterinum.* C.B.P. 34. *Iris pseudacorus.* *Ang.* Yellow Iris. Quæ sit **Ακορος** Theoph. dubium.

Ακτη. Diosc. et Theoph.

1. **Ακτη.** Theoph. **Ακτη δενδρωδης.** *Diosc.* *Sambucus fructu in umbellâ nigro.* C.B.P. 456. *Sambucus nigra.* *Ang.* Common Elder.

2. **Χαρμαιακτη.** Diosc.

Sambucus humilis, sive *Ebulus.* C.B.P. 456. *Sambucus Ebulus.* *Ang.* Dwarf Elder.

Αλθαια. Diosc. et Theoph.

1. *Althaea* *Dioscoridis*, et *Plinii.* C.B.P. 315. *Althaea officinalis.* *Ang.* Marsh-Mallow.

Bodæus a *Stapel* putat hanc esse **Αλθαιαν** Theoph.

2. *Althaea* *Theophrasti flore luteo.* C.B.P. 316. *Sida Abutilon.* *Ang.* Indian Mallow.

Αλιμος. Diosc. et *forsan* Theoph.

Halimus latifolius, sive *fruticosus.*

C.B.P. 120. *Atriplex halimus.*

Ang. Sea Purflane-Tree^a.

Αλιξ

^a Reperta in Cretâ à Tournefortio.

Αλιξ. Diosc. Vid. Πυρος.

Αλισμα. Diosc.

Sanicula Alpina lutea. C.B.P. 242.

Primula Auricula. *Ang.* Bear's Ear.

Secundum alios, est Plantago aquatica stellata. C.B.P. 190. Alisma

Damasonium. *Ang.* Star-headed Water-Plantain.

Αλκεα. Diosc.

Alcea vulgaris major. C.B.P. 316.

Malva Alcea. *Ang.* Common Verbain Mallow. N.B. Αλισμα interdum ita vocatur.

Αλκυειαδιον. Vid. Εχιον.

Αλκυονιον. Diosc.

1. Πυκνον. Alcyonium durum. C.B.P. 368. haud inter Species Plantar. Linnæi invenire queo.

2. Κουφον και πολυκενον.

Favago Australis. C.B.P. 368. haud inter Spec. Plant. Linn. inv.

3. Μιλησιον. Alcyonium vermiculare.

C.B.P. 368. Inter Spec. Linn. haud invenio.

4. Εριοις οιστυπεροις ομοιον. Diosc.

Dubium restat utrum sit Alcyonium molle. C.B.P. 368. An Alcyonium stuposum. C.B.P. 368. Cæfalpinus censet esse Bursam Marinam. C.B.P. 368. Sed horum neutrum in Linnæo invenio.

5. Ανοσμον και τραχυ.

Parùm constat utrum referri debat ad Alcyonium formâ fructus alicujus ficus. C.B.P. 368. An

Alcyonium ingens, sive rosam ma-

rinam. C.B.P. 368. Sed hæ omnes sunt incertæ.

Αλοη. Diosc.

Aloe vulgaris. C.B.P. 286. Aloe perfoliata. *Ang.* Stem-embracing leaved Tree Aloe, *sive*, Sword-shaped Aloe.

Αλσινη. Diosc.

Alfine media. C.B.P. 250. Alfine media. *Ang.* Common Chick-weed.

Αλυπον. Diosc.

Alypum Monspelienium, seu Thymelæa foliis acutis capitulo Succifæ. C.B.P. 463. Globularia Alypum. *Ang.* Shrubby blue Daisyl. Sed q?

Αλυσσον. Galeni.

Alysson verticillatum foliis profunde incisis. C.B.P. 232. Marrubium Alysson. *Ang.* Plaited-leaved white Horehound.

Αλυσσον. Diosc.

Leucoium Alyssoides clypeatum majus. C.B.P. 201. Alyssum clypeatum. *Ang.* Target-podded Madwort.

Αλωπεκουρος. Theop.

Gramen Alopecuroïdes spicâ rotundiore. C.B.P. 4. Lagurus ovatus. *Ang.* Greater bastard Fox-tail Grafs.

Αμαρηλις. Athenæi.

Alni effigie lanato folio minor.

C.B.P. 452. Mespilus Amelanchier. *Ang.* Helvetician Alpine Medlar.

Αμαρακος. Diosc. Vid. Παρθενιον.

Αμαρακος. Theoph.

Asphodelus luteus, et flore, et radice.

C.B.P. 28. Asphodelus luteus.

Ang. Yellow Asphodel.

Quidam putant esse Majoranam vulgarem. C.B.P. 224. Origanum Majorana. *Ang.* Sweet Marjoram.

N.B. Σαμψύχος interdum ita vocatur.

Αμαραντον. Vid. Ελιχωστον.

Αμεροσια. Diosc.

Ambrosia maritima. C.B.P. 138.

Ambrosia maritima. *Ang.* Sea Ambrosia, *sive*, Oak of Cappadocia.

Αμμι. Diosc.

Ammi parvum foliis fœniculi. C.B.P.

159. Sison Ammi. Species herbae quæ *Anglicè* dicitur, The bastard Stone Parsley.

Alii putant esse Cuminum femine rotundiore et minore. C.B.P. 146. Pimpinella Anisum. *Ang.* Anise. Vid. C.B.P. pag. 146. et 159. et Notas in Theoph. p. 753.

Αμπελοπρασον. Diosc. Vid. Πρασόν.

Αμπελοκαρπος. Diosc. Vid. Απαριη.

Αμπέλος. Diosc.

1. Οινοφορος, Vitis vinifera. C.B.P.

299. Vitis vinifera. *Ang.* Grape Vine.

2. Αγρια. Vitis sylvestris labrusca.

C.B.P. 299. Vitis labrusca. *Ang.*

Wild Vine, *sive*, Claret Grape.

Αμπέλος λευκη. Diosc. αγρια. Theoph.

Bryonia aspera, *sive* alba, baccis ru-

bris. C.B.P. 297. Bryonia alba.

Ang. White Bryony.

Αμπέλος μελας. Diosc.

Bryonia alba baccis nigris. C.B.P.

297. Bryonia alba. A Botanicis dicitur *Anglicè*, A variety of White Bryony.

Αμπελος παρα ιδης. Theoph.

Vitis Idæa foliis oblongis crenatis fructu nigricante. C.B.P. 470. Vaccinium Myrtillus. *Ang.* Bilberry. Sed q? Vid. Notas in Theoph. p. 258.

Αμυγδαλη, vel *Αμυγδαλεα.* Diosc. et Theoph.

Amygdalus sativa. C.B.P. 441.

Amygdalus communis. *Ang.* Common Almond Tree.

Αμωμις. Diosc.

Rosa Hierichuntea vulgo dicta. C.B.P. 484. Anastatica Hierichuntea. *Ang.* Rose of Jericho.

Αμωμον. Diosc.

Sison, quod Amomum officinis nostris. C.B.P. 154. Sison Amomum. *Ang.* Bastard Stone-Parsley.

Αναγαλλης. Diosc.

1. Θηλεια.—Anagallis coceruleo flore. C.B.P. 252. Anagallis Monelli. *Ang.* Blue Pimpernel.

2. Αρρην. Anagallis phœnicio flore. C.B.P. 252. Anagallis arvensis. *Ang.* Blue Field-Pimpernel.

Αναγυρις, vel, *Αναγυρος.* Diosc.

Anagyris foetida. C.B.P. 391. Anagyris foetida. *Ang.* Stinking Bean Trefoil.

Αναδευδρομαλαχη. Galen. Vid. Μαλαχη ημηπευτη.

Αναρρινον. Vid. Αντιρρινον.

Ανδραφαξις. Vid. Ατραφαξις.

- Ανδραχνη. Theoph.
Arbutus folio non ferrato. C.B.P.
460. Arbutus Andrachne. *Ang.*
Eastern Strawberry Tree^a.
- Ανδραχνη. Diosc.
Portulaca latifolia seu sativa. C.B.P.
288. Portulaca oleracea. *Ang.* Pur-
flane.
- Ανδραχνη αγρια. Diosc. Vid. Αειζων
ετερου. Sed q?
- Ανδροσαμον. Diosc.
Androsænum maximum frutescens.
C.B.P. 280. Hypericum Androsæ-
num. *Ang.* Tutsan St. John's Wort.
- Ανδροσακες. Diosc.
Androsace petræ innascens, vel ma-
jor. C.B.P. 367. Forfan, Agaricus
Androsaceus. *Ang.* Black-stalked
Agaric. Sed q?
- Forfan sit Cuscuta major. C.B.P. 219.
Cuscuta Europæa. *Ang.* Dodder.
- Ανδρυαλα. Theoph.
Sonchus asper laciniatus, et non
laciniatus. C.B.P. 124. Sonchus
oleraceus asper γ. *Ang.* Common
Sow-Thistle.
- Fortasse sit Andryala lanata. Linnæi
Sp. Pl. 1137. *Ang.* Downy Sow-
Thistle.
- Ανεμωνη. Diosc
1. Αγρια. Anemone syvestris alba
major. C.B.P. 176. Anemone syl-
vestris. *Ang.* White Wood Ane-
mone.
 2. Ημερος. Anemone Geranii Rober-
tiani folio cœrulea. C.B.P. 174.

- Anemone Appennina. *Ang.* Blue
Appennine Anemone^b.
- Ανεμωνη λειμωνια. Theoph.
Anemone nemorosa folio majore.
C.B.P. 176. Anemone nemorosa.
Ang. Wood Anemone.
- Secundum alios est Tulipa præcox
rubra. C.B.P. 57. Tulipa Gesne-
riana^b. *Ang.* A variety of the Tu-
lip kind.
- Ανηθον. Diosc. et Theoph.
Anethum hortense. C.B.P. 147.
Anethum graveolens. *Ang.* Dill.
- Ανησον. Vid. Ανισον.
- Ανθεμιον. Vid. Μελανθιον.
- Ανθεμις. Diosc. Ανθεμον. Theoph.
Chamæmelum vulgare. C.B.P. 135.
Matricaria Chamomilla. *Ang.* Cha-
mæmel.
- Ανθεριος. Theoph. Vid. Ασφοδελος.
- Αιθυλλις. Diosc.
1. Anthyllis maritima lentifolia
C.B.P. 282.
 2. Chamæpitys lutea vulgaris; sive
folio trifido. C.B.P. 249. Teu-
crium Chamæpitys. *Ang.* Tree
Germander, sive, Ground-Pine.
- Ανισον. Diosc.
- Anisum herbariis. C.B.P. 159. Pim-
pinella Anisum. *Ang.* Anise.
- Αντιθεσιον. Vid. Ξανθιον.
- Αντιμηλον. Vid. Μανδραγορη.
- Αντιρριον Αντιρριζον. Theoph.
- Antirrhinum arvense minus. C.B.P.
212. Antirrhinum minus. *Ang.*
Lesser Corn Toad-flax. Sed q?

^a Hanc Tournefortius repperit in Monte Idæo.

^b A Whelero reperta in Hymetto.

Ανωνις. Diosc. et Theoph.

Anonis spinosa flore purpureo.

C.B.P. 389. Ononis spinosa. *Ang.* Common Rest-harrow.

Nonnulli censent Anonin legitimam antiquorum esse Ononin antiquorum. Tournefort. Coroll. 28. *Vernaculae* dicunt, The Rest-harrow of the ancients.

Απαρινη. Diosc. et Theoph.

Aparine vulgaris. C.B.P. 334. Galium Aparine. *Ang.* Ladies Bedstraw, *sive*, Goose Grafs.

N.B. Σανθιον ita vocatur.

Απαλη. Theoph.

Chondrilla cærulea altera. C.B.P. 130. Lactuca perennis.

Απιος. Diosc. et Theoph. (herba.)

Tithymalus tuberosa pyriformi radice. C.B.P. 292. Euphorbia Apios. *Ang.* Tuberous-rooted Spurge.

Απιος. Diosc. et Theoph. (arbor.)

Pyrus sativa. C.B.P. 439. Pyrus communis. *Ang.* Common Pear-tree.

Αποκυνον. Diosc.

Apocynum folio subrotundo. C.B.P. 302. Cynanchum erectum. *Ang.* Erect Syrian Cynanchum, *sive*, Dog's-bane. Sed q?

Αραεις. Vid. Δραεη.

Αρανος. Theoph. Vid. οχρος. Vid. Not. in Theoph. p. 919.

Αραχος. Theoph.

Vicia femine rotundo nigro. C.B.P. 345. Vicia sativa nigra. *Ang.* Common black Vetch.

Αρανιδνα. Theoph.

Viciæ similis supra infraque terram fructum edens. C.B.P. 345. La-thyrus amphicarpos. *Ang.* All-fruit Chickling Vetch.

Alii putant esse Manihot Indorum, *sive* Yuccam foliis Cannabinis. C.B.P. 90. Iatropa Manihot. *Ang.* Cassada Plant.

Αργεμωνη. Diosc.

Argemone capitulo longiore. C.B.P. 172. Papaver Argemone. *Ang.* Bastard Wild-poppy.

Alii putant esse Tanacetum Africana num seu florem Africanum majorem. C.B.P. 133. Tagetes patula. *Ang.* French Marigold.

Αρια. Theoph.

Alni effigie lanato folio minor. C.B.P. 452. Crataegus Aria. *Ang.* White Beam-tree.

Αρις. Diosc. Vid. Εχιον.

Αρισαρον Diosc.

Arisarum latifolium majus. C.B.P. 196. Arum Arisarum. *Ang.* Friar's Cowl, *sive*, Broad heart-leaved Italian Arum^a.

Forsan sit Arisarum angustifolium.

C.B.P. 196. Arum tenuifolium. *Ang.* Grafs-leaved Arum.

Αρισολοχια. Diosc. et Theoph. *Αρισολοχιον.* Hippoc.

1. Στρογγυλη. Aristolochia rotunda flore ex purpura nigro. C.B.P. 307. Aristolochia rotunda. *Ang.* Round-leaved Birthwort, *sive*, round-rooted Birthwort. N.B. Hæc est Theoph.

2. Μαρρα.

^a Repertum à Whelero in Monte Hymetto.

2. Μακρα. *Aristolochia longa vera.*
C.B.P. 307. *Aristolochia longa.*
Ang. Long-rooted Spanish Birthwort.
3. Κληματιτις. *Aristolochia clematitis recta.* C.B.P. 307. *Aristolochia clematitis.* *Ang.* Upright Austrian Birthwort, *sive*, Creeping Birthwort^a.
- Αρπειον. Diosc.
Lappa major. C.B.P. 198. *Arctium Lappa.* *Ang.* Greater Burdock.
- Αρπτιον. Diosc.
Lappa major montana capitulis tomentosis. C.B.P. 198. *Arctium lappa β.* *Ang.* A Variety of the greater Burdock.
- Αρπευθος. Diosc. et Theoph.
1. Μεγαλη. *Juniperus vulgaris arbor.* C.B.P. 488. *Juniperus communis β.* *Ang.* Common Juniper.
2. Μικρα. *Juniperus vulgaris fruticosa.* C.B.P. 488. *Juniperus communis.* *Ang.* A Variety of the common Juniper.
- Αρπτοσαφυλος. Galen. Tournefortius credit Αρπτοσαφυλον. Galeni esse *Vaccinium Arctostaphylon.* *Ang.* Madeira Whortle-berry. Vid. Ιδαια φύζα.
- Αρπτουρος. Diosc. Vid. Αρπτιον.
- Αρμαλα. Vid. Πηγανον αγριον.
- Αρμηνιακη μηλεα. Diosc.
Mala armeniaca majora. C.B.P. 442. *Prunus Armeniaca.* *Ang.* Apricot-tree.

- Αρογλωσσον. Diosc. et Theoph.
1. Μικρον. *Plantago angustifolia major.* C.B.P. 189. *Plantago lanceolata.* *Ang.* Lancet-leaved Plantain.
2. Μειζον. *Plantago latifolia sinuata.* C.B.P. 189. *Plantago major.*
- Αρον. Diosc.
Arum venis albis. C.B.P. 195. *Arum maculatum.* *Ang.* Wake Robin.
- Αρον. Theoph.
Arum maximum Ægyptium; quod vulgo Colocasia. C.B.P. 195. *Arum Colocasia.* — *Ang.* Egyptian Arum^b.
- Αρτεμισια. Diosc. et Hippoc.
Artemisia vulgaris major. C.B.P. 137. *Artemisia vulgaris.* *Ang.* Mugwort.
- Αρτεμισια λεπτοφυλλα. Diosc.
Artemisia montana. C.B.P. 137. haud invenio in Linn. Sp. Pl.
- Αρχεζωσις. Diosc. Vid. Αρπελος λευκη.
- Αρωνια. Vid. Μεσπιλος.
- Ασαρον. Diosc.
Aesarum. C.B.P. 197. *Aesarum Europæum.* *Vernaculæ dicunt, Asara bacca.*
- Ασκληπιας. Veter. Δαφνη ita vocatur.
- Ασκληπιας. Diosc.
Asclepias albo flore: et Gerard. C.B.P. 303. *Asclepias Vincetoxicum.* *Ang.* Swallow-wort with white Flowers. Sed q? Apocyno herbam esse cognatam putat. Casp. Bauhin.
- Ασκληπειον. Theoph.
Panax. *Asclepium semine folioso.* C.B.P.

^a Reperta à Whelero in Hymetto, et Isthmo Corinthiaco.

^b Repertum in Cretâ à Tournefortio.

C.B.P. 158. *Thapsia* Asclepium.
Ang. Esculapius's All-heal.
Ασκυρον. Diosc.

Hypericum vulgare. C.B.P. 279.
Hypericum quadrangulum. *Ang.*
 Square-stalked St. John's Wort,
sive, St. Peter's Wort.—*Secundum*
 alios est *Aescyrum* magno flore.
 C.B.P. 280. *Hypericum Aescyrum.* *Ang.* Great-flowering St.
 John's Wort^a.

Ασπαλαθος. Diosc.

1. Πορφυρίων. *Aspalathus* cortice cinereo, ligno purpureo. C.B.P. 392. *Ang.* The Sweet *Aspalathus* of Dioscorides.
2. Λευκον. *Aspalathus albicans* torulo citreo. C.B.P. 392.—Sed horum neutrum inter Spec. Plantar. Linn. invenio.

Ασπαλαξ. Theoph. incert.

Ασπαραγος. Diosc. et Galen.

1. *Asparagus sativa.* C.B.P. 489. *Asparagus officinalis* altilis γ. *Ang.* Common *Asparagus*. Sed q.?
2. Πετραιος. *Asparagus* foliis acutis. C.B.P. 490. *Asparagus acutifolius.* *Ang.* Acute-leaved Portugal *Asparagus*.
3. Ελειος. *Asparagus maritimus*, crassiore folio. C.B.P. 490. *Asparagus officinalis* maritimus α. *Ang.* A Variety of the Common *Asparagus*.

Ασπαραγος. Theoph.

Idem est ac *πετραιος*. Aliis videtur esse *Asparagus aculeatus* alter, tribus aut quatuor spinis ad eundem exortum. C.B.P. 490. *Asparagus aphyllus.* *Ang.* Prickly *Asparagus*. Vid. Not. in Theoph. p. 604. Aliis autem, *Asparagus aculeatus* spinis horridis. C.B.P. 90. *Asparagus albus.* *Ang.* White *Asparagus*.

Ασπληνον. Diosc.

Ceterach officinarum. C.B.P. 354. *Asplenium Ceterach.* *Ang.* Spleen-wort.

Ασερισκος. Theoph.

Idem ac *Ασηρ Αττικος*.

Ασηρ Αττικος. Diosc.

Aster Atticus cæruleus vulgaris. C.B.P. 267. *Aster Amellus.* *Ang.* Italian Star-wort^b.

Aliis videtur esse *Aster luteus* foliis ad florem rigidis. C.B.P. 266. *Bupthalmum spinosum*.

Alii autem credunt esse *Orobium sylvaticum* purpureum vernum. C.B.P. 351. *Orobus vernus.* *Ang.* Spring Vetch. Vid. Not. in Theoph. 919.

Ασραγαλος. Diosc.

Astragalus Syriacus hirsutus. C.B.P. 351. *Astragalus Syriacus.* *Ang.* Milk Vetch, *sive*, *Astragalus*^c.

Ασφαλτιον. Vid. *Τριφυλλον.*

Ασφοδελος. Diosc. et Theoph..

Asphodelus albus ramosus mas. C.B.P.

^a Repertum à Whelero in Montibus, Olympo et Hymetto.

^b Repertus à Whelero in Hymetto Monte.

^c Repertus à Whelero in Monte Olympo, et propè Megaram.

C.B.P. 28. Asphodelus ramosus.
Ang. White King's Spear^a. Sed q?

Ατραχενη. Theoph.

Clematis sylvestris latifolia. C.B.P.
 300. Clematis Vitalba. *Ang.* Virgin's Bower, five, Traveller's Joy.

Ατρακτυλις. Diosc. et Theoph.

Cnicus sylvestris spinosior. C.B.P.
 378. Carlina vulgaris. *Ang.* Wild Carline?

Aliis videtur esse Cnicus sylvestris hirsutior, five Carduus benedictus.

C.B.P. 378. Centaurea benedicta.
Ang. Centaury. Sed q?

Bodæus a Stapel putat esse Atractylida luteam. C.B.P. 379. Carthamus lanatus. *Ang.* Woolly Carthamus. Vid. Not. in Theoph. p. 619.

Ατραφαξις. Diosc. et Theoph.

1. Αγριον. Diosc. Atriplex sylvestris folio finuato candidante. C.B.P. 119. Chenopodium album. *Ang.* Common Orach.

2. Κηπευτον. Diosc. Atriplex hortensis alba, seu pallide virens. C.B.P. 119. Atriplex hortensis. *Ang.* Garden Orach.

Αφαη. Diosc. et Galen.

Vix constat utrum sit Vicia sativa vulgaris femine nigro. C.B.P. 344. Vicia sativa. *Ang.* Common Vetch. An Vicia lutea foliis Convolvuli minoris. C.B.P. 345. Lathyrus Aphaca. *Ang.* Yellow Vetch.

Αφαη. Théoph.

Dens Leonis latiore folio. C.B.P.

126. Leontodon Taraxacum. *Ang.* Dandelion.

Αφαρη. Theoph.

Phylica elatior. C.B.P. 476. Rhamnus Alaternus. *Ang.* Blotched Alaternus.

Αφια. Theoph.

Caltha palustris flore simplici. C.B.P. 276. Caltha palustris. *Ang.* Marsh-Marygold. Vid. Not. in Theoph. p. 822.

Αχιλλειον. Diosc.

Tanacetum minus album flore Camphoræ. C.B.P. 132. Achillea nobilis. *Ang.* Noble Milfoil.

Αχρας. Theoph.

Pyrus sylvestris. C.B.P. 439. Pyrus communis. *Ang.* Common Pear-tree.

Αψιθιον. Diosc. et Theoph.

1. Absinthium Ponticum, seu Romanum officinarum. C.B.P. 138. Artemisia Absinthium. *Ang.* Common Wormwood.

2. Θαλασσιον. Absinthium Seriphium Germanicum. C.B.P. 139. Artemisia maritima. *Ang.* Sea Wormwood.

3. Σαντονιον. Absinthium Santonicum Gallicum. C.B.P. 139. *Ang.* French Wormwood. Haud invenio in Linnæo.

B

ΒΑΘΥΓΙΚΡΟΝ. Diosc. Vid. Αψιθιον.

Βακ-

^a Repertus à Whelero in Hymetto.

Βακχαρες. Diosc.

Horminum Sclarea dictum. C.B.P. 238. Slavia Sclarea. Ang. Clary? Ut alii putant, est Conyza major altera. C.B.P. 265. Baccharis Dioscoridis. Aliis autem placet esse Conyzam majorem vulgarem. C.B.P. 265. Conyza squarrosa. Ang. Great common Fleabane. Aliqui credunt esse Asterem Atticum foliis circa florem mollibus. C.B.P. 266. Carpesium cernuum. Ang. Drooping Carpesium.

Βαλανος μυρεψιη. Diosc.

Glans unguentaria. C.B.P. 402. Guilandina Moringa. Ang. Ben-nut-tree.

Βαλλωτη. Diosc.

Marrubium nigrum foetidum. C.B.P. 230. Ballota nigra. Ang. Stinking Horehound.

Βαλσαμον. Diosc. et Theoph.

Balsamum Syriacum Rutæ folio. C.B.P. 400.—Haud in Linnæo invenio.

Βαραθρον. Vid. Βραθυς.

Βατος. Diosc. et Theoph.

1. Ορθοφυης και υψος. Rubus vulgaris, sive Rubus fructu nigro. C.B.P. 479. Rubus fruticosus. Ang. Bramble.
2. Χαμαιεκτος. Rubus repens fructu cæsio. C.B.P. 479. Rubus cæsius. Ang. Dewberry.
3. Κυνοσεκτος. Theoph. Βατος Ιδαια. Diosc. Rubus Idæus spinosus. C.B.P. 479. Rubus Idæus. Ang. Red Raspberry.

Nonnulli putant κυνοσεκτον Theoph. eandem esse ac Dioscoridis. Not. in Theoph. 272.

Βατραχιον. Diosc.

1. Φυλλα οροια ποριω εχον. incert.
2. Σαρδον. Ranunculus palustris apii folio lævis. C.B.P. 180. Ranunculus sceleratus. Ang. Round-leaved Water Crow-foot.
3. Incert.
4. Incert.

Βεττονικη. Diosc.

Betonica purpurea. C.B.P. 235. Betonica officinalis. Ang. Common Betony of the Shops.

Βησσαρα. Vid. Πηγανον αγριον.

Βηχιον. Diosc.

Tussilago vulgaris. C.B.P. 197.

Tussilago farfara. Ang. Colts-foot,

Βικιον. Galen. Vid. Αφακη.

Βληχνον. Vid. Πτερις.

Βληχων. Vid. Γληχων.

Βλιτον. Diosc. et Theoph.

Blitum rubrum minus. C.B.P. 118. Amaranthus Blitum. Ang. Least Blite.

Βολβινη. Theoph.

Bulbus monophyllus flore albo. Joan. Bauh. Hist. II. 622. Scilla unifolia.

Βολβος Veterum. εδωδιμος Diosc.

Arum maximum Ægyptium, quod vulgo Colocasia. C.B.P. 195. Arum Colocasia. Sed q?

Βολβος εμετικος. Diosc.

Hyacinthus stellaris bifolius Germanicus. C.B.P. 45. Scilla bifolia,

Aut

Aut forsan, Narcissus juncifolius oblongo calice luteus major. C.B.P. 51. Narcissus Jonquilla. *Ang.* Jonquil. Vid. Notas in Theoph. p. 879.

Βολέος εριοφόρος. Theoph.

Bulbus eriophorus. C.B.P. 47. haud in Linnæo invenio. *Ang.* Woolly Hyacinth.

Βολέουκαδιον. Theoph.

Narcissus sylvestris pallidus calyce luteo. C.B.P. 52. Narcissus pseudonarcissus. *Ang.* Single Daffodill. Aut forsan Narcissus montanus alter flore fimbriato. C.B.P. 53. Narcissus bulbocodium. *Ang.* Hoop Petticoat Narcissus.

Βόρευς. Diosc.

Botrys ambrosioides vulgaris. C.B.P. 138. Chenopodium Botrys. *Ang.* Oak of Jerusalem.

Βουλεων. Diosc. Vid. Ασηρ ΑΤΤΙΚΟΣ.

Βεγλωσσον. Diosc.

Buglossum latifolium, Borago. C.B.P. 256. Borago officinalis^a. *Ang.* Borage.

Βεμελια. Theoph. Vid. Μελια υψηλη.

Βουνιας. Diosc.

Napus sylvestris. C.B.P. 95. Brassica Napus. *Ang.* Wild Navew.

Βενιον. Diosc.

Bulbocastanum majus folio Apii. C.B.P. 162. Bunium bulbocastanum. *Ang.* Earth-nut, *sive*, Pig-nut.

Βουπλευρον. Hippoc.

Bupleuron folio rigido. C.B.P. 278. Bupleurum rigidum. *Ang.* Stiff-leaved Hare's Ear.

Secundum Plinium esse videtur Valeriana campestris inodora major. C.B.P. 165. Valeriana locusta olitoria. *Ang.* Lamb Lettuce. Vid. Plin. Hist. Natur. I. 22.

Βεπηγητις. Theoph. incert.

Nonnulli putant esse Bupleurum folio rigido. C.B.P. 278. Bupleurum rigidum. *Ang.* Stiff-leaved Hare's Ear. Vid. C.B.P. 278.

Βουτομος. Theoph. incert.

Sparganium ramosum. C.B.P. 15. Sparganium erectum. *Ang.* Great Burweed.

Βουφθαλμον. Diosc.

Buphthalmum lanuginosum foliis Millefolii. C.B.P. 135. Anacyclus Valentinus. *Ang.* Valentine Anacyclus?

Alii putant esse Helleborum nigrum tenuifolium Buphthalmi flore. C.B.P. 186. Adonis vernalis. *Ang.* Perennial Pheasant's Eye. Vid. Not. in Theoph. p. 834.

Βραευλα. Theoc.

Pruna magna dulcia atro-cærulea. C.B.P. 443. Prunus domestica Damascena. *Ang.* Damascene Plumb-tree.

Βραθυς. Diosc.

i. Ομοιος κυπαρισσω. Sabina folio cæpressi. C.B.P. 487. Juniperus Sabina. *Ang.* Savine^b.

^a Repertum à Whelero in Monte Olympo.

^b Repertus à Whelero in Monte Parnasso, et Isthmo Corinthiaco.

2. Ομοιος μυριην. Sabina folio Tamariisci Dioscoridis. C.B.P. 487. Juniperus Sabina β. *Ang.* Striped Savine.

Βετανη. Diosc.

Betonica purpurea. C.B.P. 235.

Betonica officinalis. *Ang.* Common, *sive*, Wood Betony. Sed q? Βουνον. Diosc.

1. Επι δενδρων. Muscus arboreus. Usnea officinarum. C.B.P. 361. Lichen plicatus. *Ang.* Common hairy Liverwort.

2. Θαλασσιον. Muscus maritimus, *sive* Corallina officinarum. C.B.P. 363. Annon est. potius Muscus Marinus Laetucæ folio? C.B.P. 364. Ulva Labyrinthiformis.

Βρυωνια. Vid. Αμπελος λευκη.

Βρωμος. Diosc. II. 116.

Avena vulgaris seu alba. C.B.P. 23.

Avena sativa. *Ang.* Common Oat.

Βρωμος. Diosc. IV. 140.

Festuca Avenacea sterilis elatior.

C.B.P. 10. Bromus sterilis. *Ang.*

Barren Brome Grafs, *sive*, Wild

Oat?

Γ

ΓΑΛΑΤΙΟΝ. Diosc. Vid. Γαλλιον.

Γαλεοβδολον. Diosc. Vid. Γαλιοψις.

Γαλιοψις. Diosc.

Lamium purpureum foetidum folio subrotundo. C.B.P. 230. Lamium purpureum. *Ang.* Purple Archangel.

Forsan fit Lamium folio oblongo luteum. C.B.P. 231. Galeopsis Galeobdolon. *Ang.* Yellow Nettle-hemp.

Γαλλεριον. Diosc. Vid. Γαλλιον.

Γαλλιον. Diosc.

Gallium luteum. C.B.P. 335. Gallium verum. *Ang.* Yellow Ladies Bed-straw.

Γεντιανη. Diosc.

Gentiana major lutea. C.B.P. 187.

Gentiana lutea. *Ang.* Yellow Gentian.

Γερανιον. Diosc.

1. Φυλλον εχον ανεμωνης. Forfan, Geranium tuberosum majus. C.B.P. 318. Geranium tuberosum. *Ang.* Tuberous Crane's-bill.

2. Φυλλα μαλαχης εμφερον. Geranium folio malvæ rotundo. C.B.P. 318. Geranium rotundifolium. *Ang.* Round-leaved Crane's-bill.

Γηθυον. Theop.

Cepa sectilis. C.B.P. 72. In Linn. deest.

Γιγγιδιον. Diosc.

Gingidium folio fœniculi. C.B.P.

151. Artedia squamata. *Ang.*

Spanish Pick-tooth. Aut forsan, Gingidium folio chæreophylli. C.B.P. 151. Daucus Gingidium. *Ang.* Strange Chervil.

Γλαυξ. Diosc.

Glaux maritima. C.B.P. 215. Glaux maritima. *Ang.* Sea Milk-wort^a. Aut fortasse Ciceri sylvestri minori affinis.

^a Reperta à Whelcro in insulâ Zacyntho, hodiè Zante.

affinis. C.B.P. 347. Astragalus Glaux.

Γλυκχών. Diosc. Pulegium latifolium. C.B.P. 222. Mentha pulegium. Ang. Pennyroyal. Γλυκχων αγρια. Diosc. Vid. Δικταῖον. Γλυκυρρίζα. Diosc. Glycyrrhiza capitē echinato. C.B.P. 352. Glycyrrhiza echinata. Ang. Prickly Liquorice. Alii putant esse Glycyrrizam fili- quosam, vel Germanicam. C.B.P. 352. Glycyrrhiza glabra. Ang. Common Liquorice. Γλυκύσιδη. Vid. Παίονια. Gnaphalium. Γναφαλιον. Diosc. Gnaphalium vulgare majus. C.B.P. 263. Filago Germanica. Ang. Common Cud-weed. Γογγυλη. Diosc. Γογγυλις. Theoph. 1. Αρρεν. Rapa sativa rotunda. C.B.P. 89. Brassica Rapa. Ang. Turnip. 2. Θηλεια. Rapa sativa oblonga. C.B.P. 90. Brassica Rapa β. Anglice dici potest; A Variety of the former. Γεμπλον. Vid. Σμύρνιον.

Δ Δάμασον. ΔΑΜΑΣΟΝΙΟΝ. Vid. Αλισμα. Δαναι. Vid. Ιππογλωσσον. Δανκος. Diosc. 1. Κρητικος. Daucus foliis fœniculi tenuissimis. C.B.P. 150. Seseli elat-

tum. Ang. Lofty Hart-wort of Marseilles. Sed quære? Alii censent esse Daicum Alpinum multifido longoque folio. C.B.P. 150. Athamanta Cretensis. Ang. Cretan Spignel. Δαυκός. Daucus montanus apii folio major. C.B.P. 150. Athamanta cervaria. Ang. Parsley-leaved Mountain Carrot. Δαύπιον. Apium peregrinum foliis subro- tundis. C.B.P. 153. Pimpinella peregrina. Ang. Foreign Burnet. Saxifrage. Δαυνίος. Theoph. Pastinaca tenuifolia sativa. Radice atro-rubente. C.B.P. 151. Daucus Carota. Ang. Carrot. Δαυκος αγριος. Vid. Καυκαλις. Δαφνη. Diosc. et Theoph. 1. Λεπτοφυλλα. Diosc. et Theoph. Laurus vulgaris. C.B.P. 460. Lau- rus nobilis. Ang. Common Bay- tree. 2. πλατυτερα. Diosc. πλατυφυλλα. Theoph. Laurus latifolia. C.B.P. 460. Forsan Varietas prioris. 3. Αγρια. Theoph. Laurus sylvestris corniæ fœminæ foliis subhirsutis. C.B.P. 461. Viburnum Tinus. Ang. Laurustinus. Δαφνη Αλεξανδρεια. Diosc. Vid. Ιππο- γλωσσον. Δαφνη Ιδαια. Theoph. Vid. Ιππογλωσ- σον.

Δαφνοειδες. Diosc.

Lau-

* Reperta à Whelero in insulâ Coreyra.

Laureola semper virens flore viridi.
C.B.P. 462. Daphne Laureola.

Wood-Laurel, *sive*, Spurge-Laurel.
N.B. Κληροκατις ita vocatur.

Δελφινιον. Diosc.

1. Consolida regalis hortensis flore
majore et simplici. C.B.P. 142. Del-
phinium Ajacis. *Ang.* Upright
Larkspur?

2. Ετερον. Diosc. Consolida regalis
arvensis. C.B.P. 142. Delphinium
Consolida. *Ang.* Wild branching
Larkspur?

Δευδρον εριοφορον. Theoph.

Gossypium arboreum caule lævi.
C.B.P. 430. Gossypium arboreum.
Ang. Cotton-tree?

Δικταμνος, vel Δικταμος. Diosc. et
Theoph.

1. Κρητικος. Dictamnus Creticus.
C.B.P. 222. Origanum Dictam-
nus. *Ang.* Dittany of Crete^b.

2. Ψευδοδικταμνος. Pseuso-dictam-
nus verticillatus inodorus. C.B.P.
222. Marrubium pseuso-dictam-
nus. *Ang.* Bastard Dittany^c?

3. Κρητικος ετερος. incert.

Διος ανθος. Theoph. Vid. Λυχνις. Diosc.

Διος βαλανος. Theoph. Vid. Κασανα.

Διοσπερος. Vid. Λιθοσπερον.

Διοσπυρος. Theoph.

Lotus Africana latifolia. C.B.P.
447. Diospyros lotus. *Ang.* Bas-
tard Lotus, *sive*, Indian Date-
Plumb.

^a Repertum à Whelero in insulâ Zacyntho, hodie Zante.

^b Repertus in Cretâ à Tournefortio.

^c In Cretâ repertus à Whelero.

Διρκαιον. Vid. Δαυκος..

Διψανος. Diosc.

Dipsacus sativus. C.B.P. 385. Dip-
sacus fullonum. *Ang.* Fullers'
Teazle.

Δολιχος. Theoph. Vid. Συλλαξ κηπαια.

Δοναξ. Diosc, et Theoph.

Arundo sativa. C.B.P. 17. Arundo
donax. *Ang.* Striped Portugal-Reed.

Δραγκυνον. Diosc.

Jaceæ oleæ folio affinis. C.B.P. 272?
Nomen Linnaeanum deest.

Δραεη. Diosc.

Draba umbellata, vel Draba major
capitulis donata. C.B.P. 109.
Cochlearia Draba. *Ang.* Arabian
Mustard.

N.B. Αραεη, ita vocatur.

Δρακονιον. Diosc.

Dracunculus polyphyllus. C.B.P.
194. Arum Dracunculus. *Ang.*
Common Dragon's Arum, *sive*,
Many-leaved Dragon.

Δρυοπτερις. Diosc.

Filix ramosa minor pinnulis den-
tatis. C.B.P. 358. Polypodium
Dryopteris. *Ang.* Branching Poly-
pody.

Δρυπις. Theoph.

Spina umbella foliis vidua. C.B.P.
388. Drypis spinosa. Alii censem
esse Kali spinosum cochleatum.
C.B.P. 289. Salsola Tragus. *Ang.*
Prickly Salt-wort.

Δρυς.

Δρυς. Theoph.

1. Ήμερις et αγρια. *Quercus* cum longo pediculo. C.B.P. 420. *Quercus* robur. *Ang.* English Oak.
 2. Αιγιλοψ. *Quercus calyce echinato* glande majore. C.B.P. 420. *Quercus* Ἀgilops. *Ang.* Spanish Oak^a.
 3. πλατυφύλλος. *Quercus latifolia* mas, quæ brevipediculo est. C.B.P. 419. Haud invenio inter Spec. Pl. Linn.
 4. Φηγος. *Quercus parva*, sive *Phagos* Græcorum, et *Esculus* Plinii. C.B.P. 420. *Quercus Esculus*. *Ang.* South Europæan Oak.
 5. Αλιφλοιος. eadem ac αγρια. Vid. Johan. Bauhin Hist. Plant. Lib. VII.
 6. Η ε φυλλοβολει. *Quercus latifolia* perpetuo vires, C.B.P. 420. An sit *Quercus Suber*. *Ang.* The Cork-tree?
- N.B. Scholia in Theocritum quinque roboris genera facit.
1. Φηγος. 2. Κιμερις. 3. Ετυμοδος.
 4. Αλυφλος. 5. Αμυλος. Sed hæc vix fatis accurate describuntur. Vid. Theocrit. Idyll. IX. No. XX.

Δρυς εναλια. Theoph.

Fucus maritimus, sive *Quercus maritima* vesiculos habens. C.B.P. 365. *Fucus vesiculosus*. *Ang.* Common Fucus, sive, Sea Oak.

E

ΕΒΕΝΟΣ. Diosc. et Theoph.

Ebenus Theveto in Indiæ Insula Palmobotere præstantissima, et nigra. C.B.P. 448. *Ebenus Cretica*. *Ang.* Ebony of Crete^b.

Εξισκος. Galeni. Vid. Αλθαια.

Εισομυν. Vid. Ελλεῖορος μελας.

Ελαια. Diosc. et Theoph.

1. Ήμερος. *Olea sativa*. C.B.P. 472. *Olea Europæa*. *Ang.* Common Olive.

2. Ελαιαιγνος. Theophrasti. *Olea sylvestris* folio molli incano. C.B.P. 472. *Eleagnus angustifolia*^c. *Ang.* Narrow-leaved wild Olive.

Secundum alios est *Salix Syriaca* folio oleagineo argenteo. C.B.P. 474. *Salix Egyptiaca*. *Ang.* Egyptian Willow.

Ελαιοσελινον. Diosc.

Apium palustre et *Apium officinarum*. C.B.P. 154. *Apium graveolens*. *Ang.* Smallage.

Ελαιοφυλλον. Vid. Φυλλον.

Ελατη. Theoph.

1. Αρρην. *Abies conis fursum spectantibus*, sive mas. C.B.P. 505. *Pinus picea*. *Ang.* Silver Fir^d.

2. Θηλεια. *Abies alba*, sive fœmina. C.B.P.

^a Reperta à Tournefortio in insulâ Cæo, hodie Zea;

^b Reperta propè Smyrnam à Whelero.

^c Reperta à Whelero in Monte Olympos.

^b Repertus in Cretâ à Tournefortio;

- C.B.P. 505. *Pinus Abies.* *Ang.*
Spruce Fir.
Ελατινη. Diosc. ελατη nonnullorum.
 Elatine folio acuminato flore cærulo. C.B.P. 1253. Antirrhinum
 Elatine. *Ang.* Sharp pointed Fluerellin.
 Aliis videtur esse Elatine folio subrotundo. C.B.P. 253. Antirrhinum
 spurium.
Ελαφοσοσκον. Diosc.
 Pastinaca sativa latifolia. C.B.P. 155.
 Pastinaca sativa. *Ang.* Parsnep.
Ελεισφακον. Diosc.
 Salvia major. C.B.P. 237. Salvia officinalis. *Ang.* Common Sage.
 Interdum eandem significationem
 habet atque ελαφοσοσκον.
Ελενιον. Diosc.
 Helenium vulgare. C.B.P. 276. Inula helenium. *Ang.* Elecampane.
Ελενιον. Theoph.
 Sampsuchus, sive Marum Mastichen redolens. C.B.P. 224. Thymus Mastichina. *Ang.* Mastich Thyme?
 Ab aliis putatur esse Cistus ledon foliis thymi. C.B.P. 467. Cistus umbellatus, qui a Tournefortio in insula Zia repertus fuit.
Ελενιον Αιγυπτιον. Diosc.
 Forfitan Chamaecistus vulgaris flore albo majore. C.B.P. 466. Cistus Helianthemum. *Ang.* Dwarf Rock-rose. Sed q?
Ελιχρυσον. Diosc. **Ελειοχρυσον.** Theoph.

- Elichrysum, seu Stæchas citrina angustifolia. C.B.P. 264. Gnaphalium, Stæchas. *Ang.* Common Eternal Flower^a.
Ν.Β. Αμαράντον. Diosc. ita vocatur.
Ελλεβορινη. Vide Επιπάντις.
Ελλεβόρος. Diosc.
1. Λευκος. Helleborus albus flore subviridi. C.B.P. 186. Veratrum album. *Ang.* White Hellebore.
2. Μελας. Helleborus niger flore roseo. C.B.P. 186. Helleborus niger^b. *Ang.* Black Hellebore.
Ελλεβόρος Hippocratis fertur esse Adonis vernalis. Vid. Dispens. Brunsvicense.
Ελένη η εχει φυλλα ομοια πίσσω, ελαττωνα δε. Diosc. Lib. IV. Cap. 39. Convolvulus minor arvensis. C.B.P. 294. Convolvulus arvensis. *Ang.* A species of Bindweed.
Ελένη. Diosc. Lib. IV. Cap. 86. et Theoph.
 Parietaria officinarum. C.B.P. 121.
 Parietaria officinarum. *Ang.* Pelitory of the Wall.
Ελυμος. Diosc.
 Panicum Germanicum, sive paniculâ minore. C.B.P. 27. Panicum Italicum. *Ang.* Italian Panic.
Εμπετρον. Diosc.
 Thymelæa foliis acutis capitulo Succicæ, sive Alypum Monspeliensium. C.B.P. 463. Globularia Alypum. *Ang.* Shrubby blue Daisyl. Sed q?
Eὐθου

^a Repertum à Whelero in insulâ Cytherâ, hodie Cérigo, et in Delo insulâ, et Monte Olympo.

^b Repertus à Tournefortio propè Ancyram, hodiè Angora, et in Monte Olympo, et à Bellonio in insulâ Anticyrâ.

^c Hæc à Tournefortio reperta est in insulâ Samo.

- Ενθουσιον. Theoph.
Chærophyllo sativum. C.B.P. 152.
Scandix cerefolium. Ang. Garden
Chervil.
- Εξωνυχον. Vid. Λιθοσπερόμον.
- Επιθυμον. Diosc.
Epithymum, sive Cuscuta minor.
C.B.P. 219. Cuscuta Europæa
Epithymum β. Ang. Dodder.
- Επιμηδιον. Diosc.
Epimedium. C.B.P. 322. Epime-
dium Alpinum. Ang. Barren-wort.
- Επιμηλις. Vid. Μεσπιλος.
- Επιπακτις. Diosc.
Helleborine latifolia montana. C.B.P.
186. Serapias Helleborine latifolia.
Ang. Bastard Hellebore?
- Ερεβινθος. Diosc.
1. Ήμερος, vel νροιος. Cicer sativum.
C.B.P. 347. Cicer arietinum. Ang.
Garden Chiches.
2. Αγριος. Cicer sylvestre foliis ob-
longis hispidis majus. C.B.P. 347.
Astragalus Cicer. Ang. Bladder-
poddled milk Vetch.
- Ερεμη. Diosc. et Theoph.
Erica vulgaris glabra. C.B.P. 485.
Erica vulgaris. Ang. Common
Heath, sive, Ling.
- Ερεχθωσις. Hippoc. Vid. Αμπελος λευκη.
- Ερινεος. Theoph. Vid. Συκη αγρια.
- Ερινος. Diosc.
Erini, seu Ocimi aquatichi nomine a
Matthiolo. C.B.P. 224. Campan-
nula Erinus.
- Ερμον Βοτανιον. Vid. Λινοζωσις.
- Ερπακανθα. Vid. Ακανθα.
- Ερπυλλον αγριον. Vid. Σισυμβριον.
- Ερπυλλος. Diosc. et Theoph.
1. Κηπευτος. Serpyllum vulgare mi-
nus. C.B.P. 220. Thymus Serpyl-
lum. Ang. Mother of Thyme.
2. Αγριος, vel Ζυγις. Serpyllum folio
Thymi. C.B.P. 220. Thymus Zy-
gis. Ang. Narrow-leaved upright
Spanish Thyme.
- Ερυθροδανον, sive Ερευθροδανον. Diosc. et
Theoph.
1. Αγριον. Rubia sylvestris aspera.
C.B.P. 333. Rubia tinctorum. Ang.
Madder.
2. Σπαρτον. Rubia tinctorum sativa.
C.B.P. 333. Rubia tinctorum β.
Anglicè dici potest, a Variety of
the former.
- Ερυσιμον. Diosc.
Erysimum vulgare. C.B.P. 100. Ery-
simum officinale. Ang. Common
hedge-Mustard.
- Ερυσιμον. Theoph. et Galen.
Erysimum. C.B.P. 27. Polygonum
Fagopyrum. Ang. Buck-wheat.
Sunt qui credunt Ερυσιμον Galeni et
Theophrasti esse Myagrum siliquâ
longâ. C.B.P. 109. Erysimum chei-
ranthoides. Ang. Treacle Worm-
Seed.
- Ερυσισηπτον. Vid. Κυπειρος.
- Εσπερις. Theoph.
Hesperis hortensis. C.B.P. 202. Hef-
peris matronalis. Ang. Unfavourly
Dames Violet?

Ευζωμον. Diosc. et Theoph.

Eruca latifolia alba sativa Dioscoridis. C.B.P. 98. Brassica Eruca. *Ang.* Rocket.

Ευζωμον αγριον. Eruca sylvestris minor, luteo parvoque flore. C.B.P. 98. Sisymbrium sylvestre. *Ang.* Wild Marsh Rocket?

Ευνουχιας. Theoph.

Arundo farcta flava. C.B.P. 17. Apluda Zeugites.

Ευπατωριον. Diosc.

Eupatorium veterum, sive Agrimonia. C.B.P. 321. Agrimonia Eupatoria. *Ang.* Agrimony.

Ευπεταλον. Diosc. Vid. *Δαφνοειδες.*

Ευφορβιον. Diosc.

Euphorbium. C.B.P. 387. Euphorbia officinarum. *Ang.* Triangular Spurge.

Ευωνυμος. Theoph.

Euonymus vulgaris granis rubescens. C.B.P. 428. Euonymus Europaeus tenuifolius. *Ang.* Red-fruited Spindle-tree.

Εφημερον. Diosc.

Ephemerum Matthioli. C.B.P. 244. Lysimachia Ephemerum.

Alii censem esse Digitalem luteam magno flore. C.B.P. 244. Digitalis lutea. *Ang.* Yellow Fox-Glove.

N.B. κολχιον ita vocatur nonnunquam.

Εχιον. Diosc.

Echium vulgare. C.B.P. 254. Echium vulgare. *Ang.* Common Viper's Bugloss.

Z

ΖΑΛΕΙΑ. Vid. Ιππογλωσσον.

Ζεια απλη. Diosc.

Zea briza dicta, vel monococcus Germanica. C.B.P. 21. Triticum monococcum. *Ang.* One-grain Wheat.

Ζεια δικοκκος Diosc. *Ζεια* Theoph. et Galen.

Zea dicoccos, vel major. C.B.P. 22. Triticum Spelta.

Ζερνα. Gepon. Vid. Κυπειρος.

Ζευγιτης. Theoph.

Arundo farcta flava. C.B.P. 17. Apluda Zeugites.

Ζιγγιζερις. Diosc.

Zingiber. C.B.P. 35. Amomum Zingiber. *Ang.* Ginger Plant.

Ζιζανιον. Diosc.

Gramen loliaceum spicâ longiore. C.B.P. 9. Lolium temulentum. *Ang.* Annual Darnel.

Ζυγια. Vid. Σφενδαμνος.

Ζυγις. Diosc.

Serpyllum folio Thymi. C.B.P. 220. Thymus Zygis. *Ang.* Narrow-leaved upright Thyme.

H

ΗΔΥΟΣΜΟΣ. Diosc. et Theoph.

I. *Ημερος.* Mentha rotundifolia crispa

pa spicata. C.B.P. 227. *Mentha sativa*. *Ang.* Spear-Mint.

2. *Αγριος*. *Mentha sylvestris longiore folio*. C.B.P. 227. *Mentha sylvestris*. *Ang.* Horse-Mint, *sive*, Mentastrum.

Ηδυσταχον. Diosc.
Securidaca lutea major. C.B.P. 348.
Coronilla securidaca. *Ang.* Greater yellow Hatchet Vetch.

Ηλιοτρόπιον. Diosc. et Theoph.

1. *Μεγα*. *Heliotropium majus Dioſcoridis*. C.B.P. 253. *Heliotropium Europaeum*. *Ang.* The great Turnsole of Dioscorides.

2. *Μικρον*. *Heliotropium tricoccum*. C.B.P. 253. *Croton tinctorium*. *Ang.* Dyer's Tallow-tree, *sive*, bastard Ricinus.

Ημεροκαλες. Theoph.

Narcissus maritimus. C.B.P. 54. *Hemerocallis flava*. *Ang.* Yellow Day-Lily.

Ημεροκαλλες. Diosc.

Lilium rubrum Asphodeli radice. C.B.P. 80. *Hemerocallis fulva*. *Ang.* St. Bruno's Lily.

Ημιονιον. Theoph. Vid. *Ασπληνον*. Sed quære?

Ημιονιτις. Diosc.

Hemionitis vulgaris. C.B.P. 353.
Asplenium hemionitis. *Ang.* Moon-Fern, *sive potius*, Mule's-Fern.

Ηρακλεια. Vid. *Λιθοσπερμον*.

Ηρακλεμον. Diosc. Vid. *Ανθεμις*.

Ηεγερον. Diosc. et Theoph.

Senecio minor vulgaris. C.B.P. 131.
Senecio vulgaris. *Ang.* Common Groundsel.

Ηευγγιον. Diosc.

Eryngium vulgare. C.B.P. 386.
Eryngium campestre. *Ang.* Common Eryngo, *sive*, Sea-holly^a.

Θ

ΘΑΛΙΚΤΡΟΝ. Diosc.

Thalictrum majus siliquâ angulosâ, aut striatâ. C.B.P. 336. *Thalictrum flavum*. *Ang.* Meadow Rue-feathered Columbine, *sive*, Meadow-Rue.

Θαψια. Diosc. et Theoph.

Thapsia foeniculi folio. C.B.P. 148. *Seseli Turbith*. *Vernaculæ dicunt*, Wild Spignel, with the face of Giant-Fennel?

Θερμος. Diosc. et Galen.

1. *Ημερος*. *Lupinus sativus flore albo*. C.B.P. 347. *Lupinus albus*. *Ang.* White Garden Lupine.

2. *Αγριος*. *Lupinus sylvestris flore cæruleo*. C.B.P. 348. *Lupinus varius*. *Ang.* Smaller blue Lupine.

Θηλυκρανεια. Theoph.

Cornus fœmina. C.B.P. 447. *Cornus sanguinea*. *Ang.* Dog-wood, *sive*, Dog-berry.

^a Ηευγγιον à se repertum esse apud Marathonam in Phocide disertissimè testatur Tournefortius, qui tamen, cum ita scriberet, memoriam lapsus est, cum in Phocide nullus sit locus, qui isto nomine appellatus fuerit.

Θηλυπτερις. Diosc.

Filix ramosa major pinnulis obtusis non dentatis. C.B.P. 357. Pteris Aquilina. *Ang.* Brakes, *sive*, female Fern.

Θησειον. Theoph.

Rhei species esse censetur. Vid. Halleri Bibliothecam. Vol. I. p. 561. Θλασπι. Doiosc.

1. Thlaspi arvense siliquis latis. C.B.P. 105. Thlaspi arvense. *Ang.* Field Mithridate Mustard with broad Pods.
2. Ετερον. Raphanus rusticana. C.B.P. 96. Cochlearia Armoracia. *Ang.* Horse-Radish.

Θραυπαλος. Theoph.

Sambucus aquatica flore simplici. C.B.P. 456. Viburnum Opulus. *Ang.* Gueldre Rose?

Θριδανη. Galen. Vid. Θριδαξ αγρια.

Θριδαξ. Diosc.

1. Ημερος. Lactuca sativa. C.B.P. 122. Lactuca sativa. *Ang.* Common Lettuce.
2. Αγρια. Lactuca sylvestris costâ spinosâ. C.B.P. 123. Lactuca Scariola. *Ang.* Endive.

Θρυαλλις. Theoph.

Pimpinella sanguisorba minor hirsuta. C.B.P. 160. Poterium sanguisorba. *Ang.* Common Burnet. Sed q?

Θυια, vel Θυον. Theoph.

Thuia Theophrasti. C.B.P. 488.

Thuia occidentalis. *Ang.* Common Arbor Vitæ.

Θυμαλος. Vid. Σμιλαξ arbor.

Θυμερα. Diosc. et Theoph.

1. Σπαρτη. Satureia hortensis. C.B.P. 218. Satureia hortensis. *Ang.* Garden, *sive*, Summer Savoury.

2. Αγρια. Satureia Cretica. C.B.P. 218. Satureia Thymbra.

Θυμελαια. Diosc.

Thymelæa foliis lini. C.B.P. 463.

Daphne Gnidium. *Ang.* Spurge-Olive.

Aliqui censent esse Thymelæam foliis Polygalæ glabris. C.B.P. 463. Daphne Thymelæa.

Θυμος. Diosc.

Thymus capitatus. C.B.P. 219.

Satureia capitata.

Hoc est germanum Thiamum apud Veteres^a.

Θυον. Hippoc.

Sabina folio Cypressi. C.B.P. 487.

Juniperus Sabina. *Ang.* Savine.

Vid. Halleri Biblioth. Med. I. 561.

I

ΙΑΣΙΩΝΗ. Theoph. Vid. Ισοπυρον.

Ιερος. Diosc.

Iberis latiore folio. C.B.P. 97. Lepidium Iberis. *Ang.* Common broad-leaved Dittander.

Ιεσκος. Vid. Αλθαια.

Ιδαια.

^a Repertus à Whelero in Insulâ Corcyrà, hodie Corfu, in Insulâ Cytherâ, hodie Cerigo, et in Monte Hymetto.

Ιδαια. Diosc. Vid. Ιππογλωσσον.

Ιδαια γιζα. Diosc.

Vitis Idaea foliis carnosis, et veluti punctatis; sive Idaea radix Dioscoridis. C.B.P. 470. Arbutus Uva Ursi?

Ιερα Ροτανη. Diosc.

Verbena communis cæruleo flore.

C.B.P. 269. Verbena officinalis.

Ang. Common Vervain.

Ιερακιον. Diosc.

1. Μεγα. Hieracium majus erectum angustifolium caule lævi. C.B.P.

127. Crepis Dioscoridis. Ang.

Hawk-weed. Sed q?

2. Μιχον. Hieracium Chondrillæ folio glabro radice succisâ majus.

C.B.P. 127. Leontodon Autumnae.

Ang. Autumnal-flowering Meadow-Dandelion.

Ιημη. Theoph. incert.

Ιξια. Diosc. Vid. Χαμαιλεων.

Ιξια. Theoph. Vid. Ιξος.

Ιξιη. Theoph. Vid. Χαμαιλεων.

Ιξος. Diosc.

Viscum baccis albis. C.B.P. 423.

Viscum album. Ang. Mistletoe.

Ιον. Diosc. Ιον πορφυρον, μελα, μελανιον.

Theoph.

Viola Martia purpurea flore simplici odoro. C.B.P. 199. Viola odorata. Ang. Common Violet.

Ιον. Theoph. Vid. Λευκοιον.

Ιπνον. Theoph. L. IV. c. ii. V. Not.

Lenticula palustris. C.B.P. 362.

Haud inter Spec. Plant. Linn. reperio.

Ιππογλωσσον. Diosc.

Laurus Alexandrina fructu pediculo insidente. C.B.P. 304. Ruscus Hippoglossum. Ang. Broad-leaved Alexandrian Laurel.

Ιπποσελινον. Theoph. Vid. Σμυρνιον.

Ιπποσυρις. Diosc.

1. Equisetum palustre longioribus setis. C.B.P. 15. Equisetum fluviatile. Ang. River Horse-tail?

2. Equisetum pratense longissimis setis. C.B.P. 16? Vix à priore differt.

Ιπποφαες. Diosc.

Hippophaës quibusdam, seu spina purgatrix. C.B.P. 293. Forfan Hippophae Rhamnoïdes. Sed q? Alii censem esse Rhamnum catharticum folio oleæ. C.B.P. 478. Rhamnus oleoides. Sed q?

Ιπποφαισον. Diosc.

Carduus stellatus foliis papaveris erratici. C.B.P. 387. Centaurea calcitrapa. Ang. Common Star-Thistle?

Ιρις. Diosc.

1. Ιλλυρικη. Iris Illyrica. C.B.P. 31. Haud inter Spec. Plantar. Linnæi hujus Synonymum reperio.

2. Μακεδονικη incert.

3. Αιενικη. Iris alba florentina. C.B.P.

31. Iris florentina. Ang. White flowered flower De Luce.

Ιρις αγρια. Theoph.

Gladiolus foetidus. C.B.P. 30. Iris foetidissima. Ang. Stinking Gladwin.

N.B. Εφημερον ita vocatur.
Ιτατις. Diosc.

1. *Ifatis sativa*, vel *latifolia*. C.B.P.
113. *Ifatis tinctoria*. *Ang.* Woad.
2. *Aγρια*. *Ifatis sylvestris*, vel *angustifolia*. C.B.P. 113. *Ifatis tinctoria* β. *Ang.* A Variety of the former.

Ιτοπυρον. Diosc.

- Aquilegia sylvestris*. C.B.P. 144.
Aquilegia vulgaris. *Ang.* Common Columbine?

Ιτος. Theoph.

Grossularia simplici acino, vel *Spinosa sylvestris*. C.B.P. 455. *Ribes uva crispa*. *Ang.* Common Gooseberry.

Ιτχαιμος. Theoph.

Gramen dactylon angustifolium spicis villosis. C.B.P. 8. *Andropogon Ischænum*.

Ιτχιας. Diosc. Vid. Απιος (herba).

Ιτεα. Diosc. et Theoph.

1. *Λευκη*. *Salix alba vulgaris arborescens*. C.B.P. 473. *Salix alba*. *Ang.* White Willow.

2. *Μελαινα*. *Salix folio amygdalino utrinque virente aurito*. C.B.P. 473. *Salix amygdalina*. *Ang.* Almond-*Ang.* leaved Willow.

3. *Ελικη*. *Salix humilis capitulo squamoso*. C.B.P. 474. *Salix helix*. *Ang.* Rose Willow, *five*, Yellow dwarf Willow.

Ιφυον. Theoph.

Asphodelus luteus et flore et radice.

C.B.P. 28. *Asphodelus luteus*.
Ang. Yellow King's Spear?
Ιψος. Vid. Κισσος.

K

ΚΑΚΑΛΙΑ. Diosc.

- Cacalia tomentosa*. C.B.P. 198.
Tussilago frigida. *Ang.* Frigid Colt's-foot.

Κακτος. Diosc.

Cinara spinosa, cuius pediculi esitantur. C.B.P. 383. *Cinara Cardunculus*. *Ang.* Cardoon. Sed q?

Καλαμαγρωσις. Diosc.

Gramen arundinaceum spicâ multiplici. C.B.P. 6. *Festuca elatior*. *Ang.* Tall Fescue.

Alii censem esse *Gramen arundinaceum paniculâ molli spadiceâ majus*. C.B.P. 7. *Arundo Calamagrostis*. *Ang.* Woolly Reed-Grafs.

Καλαμινθη. Diosc. et Theoph.

1. *Ορενοτερα*. *Calamintha incana Ocymi foliis*. C.B.P. 228. *Melissa Cretica*. *Ang.* Cretan Balm.

2. Η γληγχωνι εοικε. *Calamintha pullegii odore*, *five Nepeta*. C.B.P. 228. *Melissa Nepeta*. *Ang.* Catmint-leaved Balm, *five*, field Calamint.

3. Η εοικεν ηδυστρω. *Calamintha vulgaris*. C.B.P. 228. *Melissa Calamintha*. *Ang.* Common Calamint^a.

Καλα-

^a Reperta à Whelero in Monte Olympo.

- Καλαμος, et Καλαμος μυρεψικος. Hippoc. et Galen.
- Καλαμος ευωδης. Theoph.
- Καλαμος αρωαμιτιος. Diosc.
- Καλαμος ερυθρειος. Dionys.
- Calamus aromaticus Indicus. C.B.P. 17. Andropogon Nardus.
- Καλαμος χαρωνιας. Theoph.
- Arundo vulgaris. C.B.P. 17. Arundo phragmites. Ang. Common Portugal Reed.
- Καλαμος Συργγιας. Diosc.
- Arundo scriptoria atro-rubens. C.B.P. 17.
- Haud in Linnæo invenio.
- Καλαμος ναισος. Diosc.
- Καλαμος τοξικος Theoph.
- Arundo farcta maxima atro-rubens. C.B.P. 17. In Linnæi oper. haud invenio.
- Καλλιας. Diosc. Vid. Ανθεμις.
- Καλυξ. Vid. Αγχουσα.
- Κανναβις αγρια. Diosc.
- Alcea Cannabina. C.B.P. 316. Althaea Cannabina. Ang. Hemp-leaved Marsh-Mallow.
- Κανναβις ιμερα. Diosc.
- Cannabis sativa. C.B.P. 320. Cannabis sativa. Ang. Hemp.
- Καπνος. Diosc.
- Fumaria officinarum, et Dioscoridis. C.B.P. 143. Fumaria officinalis. Ang. Common Fumitory.

- Καππαρις. Diosc. et Theoph.
- Capparis spinosa fructu minore, folio rotundo. C.B.P. 480. Capparis spinosa. Ang. Prickly Caper-tree.

- Καρδαμαντικη. Vid. Ιζερις.
- Καρδαμις. Vid. Καρδαμον.
- Καρδαμον. Diosc. et Theoph.
- Nasturtium hortense vulgatum. C.B.P. 103. Lepidium sativum. Ang. Common Garden Cresses?
- Καρδαμωμον. Diosc.
- Grana Paradisi officinarum. C.B.P. 413. Amomum Grana Paradisi. Ang. Greater Cardamom.
- Alii (inter quos est Casparus Hoffmannus) censem esse Cardamomum simpliciter in officinis dictum. C.B.P. 414. Amomum Cardamomum. Ang. Lesser Cardamom.
- Καρος. Diosc.
- Cuminum pratense, Carvi officinarum. C.B.P. 158. Carum Carvi. Ang. Caraway.
- Καρυα Theoph. Καρυα βασιλικη Diosc. Καρυα Περσικη Auctorum.
- Nux juglans, sive regia vulgaris. C.B.P. 417. Juglans regia. Ang. Walnut.
- Ut Johannes Bauhinus censem, καρυα, vel καρυον Theophrasti est Corylus sativa, fructu albo minore, sive vulgaris. C.B.P. 417. Corylus Avellana. Ang. Hazel-Nut.
- Καρυα Πουτικη, vel Λεπτοκαρυα. Diosc. Ηεσικλεωτικη Theoph.
- Corylus sativa fructu albo minore, sive vulgaris. C.B.P. 417. Corylus avellana. Ang. Hazel-Nut.
- Καρυον Ευβοικον, Theoph.
- Castanea sativa. C.B.P. 418. Fagus. Casta.

Castanea. Ang. Chesnut-tree.

Vide Notas à Bodæo à Stapel in *Theophrastum*. p. 525. Joh. Bauhinus censet esse Nucem juglandem, sive regiam vulgarem. C.B.P. 417. *Juglans regia. Ang.* Walnut. Vide Joh. Bauhini Hist. Plant. L. III.

Καστια. Diosc. Theoph. et Galen.

Cinnamomum, sive *Cannella Malabarica* et *Javanensis*. C.B.P. 409. *Laurus Cassia. Ang.* Woody Cassia.

Κασανα, vel *Κασανεια.* Diosc.

Castanea sativa. C.B.P. 418. *Fagus*
Castanea. Ang. Chesnut-tree.

Καταναιγχη. Diosc.

Holosteum, sive *Leontopodium Creticum. C.B.P. 190.* *Plantago Cretica. Ang.* Cretan Plantain. Sed q?

Secundum alios est *Luteola herba salicis folio. C.B.P. 100.* *Reseda Luteola. Ang.* Dyer's Weed, sive, Crimson Grass Vetch.

Forsitan est *Catananche Græca Linnaei* quæ in Insula Naxo à Tournefortio reperta fuit.

Καυκαλις. Diosc. et Theoph.

Caucalis arvensis echinata magno flore. C.B.P. 152. *Caucalis grandiflora. Ang.* Large flowering Bastard Parsley?

Καχλας. Vid. Βεφθαλμον.

Κεανωθος. Theoph.

Carduus vinearum repens folio Sonchi. C.B.P. 377. *Serratula arvensis. Ang.* Field Saw-wort.

Κεανωθος ακανθα Theoph. L. IV. c. xi. *Grossularia simplici acino, vel spinosa sylvestris. C.B.P. 455.* *Ribes uva crispa. Ang.* Gooseberry-tree.

Κεγχρος. Diosc. et Theoph.

Milium semine luteo, vel albo. C.B.P. 26. *Panicum miliaceum. Ang.* Millet.

Κεδρομηλα. Diosc. Vid. Μηλεα Μηδικη.

Κεδρος. Diosc. et Theoph.

1. *Φοινικη.* *Cedrus folio Cupressi major, fructu flavescente. C.B.P. 487.* *Juniperus Phœnicia. Ang.* Phœnician Cedar^a.

2. *Λυκια.* *Cedrus folio Cupressi media majoribus baccis. C.B.P. 487.* *Juniperus Lycia. Ang.* Cypress-leaved Cedar^b.

3. *Μεγαλη.* *Cupresso similis arbor in Syriâ. C.B.P. 488.* Haud invenio inter Species Plantarum Linnæi.

4. *Συρακη.* *Cedrus conifera foliis lacratis. C.B.P. 490.* *Pinus Cedrus. Ang.* Cedar of Lebanon.

Κεδρωσις. Vid. Αμπελος λευκη.

Κενταυριον μεγα. Diosc. et Theoph.

Centaurium majus folio in lacinias plures diviso. C.B.P. 117. *Centaura Centaurium. Ang.* Greater Centaury.

Kενταυ-

^a Reperta in Insulâ Amorgo à Tournefortio.

^b Whelerus hanc repperit in Peloponneso propè Patras, et in Monte Hymetto, et in Isthmo Corinthi; Tournefortius in Insulâ Naxo.

Κενταύριον τὸ μικρὸν καὶ λιμναῖον. Diosc.
Centaurium minus. C.B.P. 278.

Gentiana Centaurium. Ang. Lesser
Centaury.

Κερασός. Theoph.

Cerasa sativa, rotunda, rubra et aci-
da, quæ nobis Cerasa sativa. C.B.P.
449. Prunus Cerasus. Ang. Cherry-
tree^a.

Κερατία. Diosc.

Siliqua edulis. C.B.P. 402. Cerato-
nia siliqua. Ang. Carob-tree^b.

Κερατωνια. Vid. **Κερατία.**

Κερκίς. Theoph.

Populus tremula. C.B.P. 429. Po-
pulus tremula. Ang. Aspen-tree.
Alii censem esse siliquam fylvestrem,
rotundifoliā. C.B.P. 402. Cer-
cis Siliquastrum. Arbor Judæ. Ang.
Judas'-tree.

Κερωνια. Theoph.

Aliquando eandem significationem
habet ac **Κερατία.** Aliqui tamen
putant esse Cassiam fistulam Alex-
andrinam. C.B.P. 403. Cassia fistu-
la.

Κερόν. Diosc.

Betonica purpurea. C.B.P. 235. Be-
tonica officinalis. Ang. Common
Betony.

Κηλασρός. Theoph.

Celastrus Theophrasti. C.B.P. 477.
Hoc synonymum haud inter Spec.
Plantar. Linnæi reperitur. Ang.
Staff-tree.

Κηπαια. Diosc.

Cepaea. C.B.P. 218. Sedum Cepaea.
Κηρωθός. Theoph.

Cerinthe, seu Cynoglossum monta-
num majus. C.B.P. 258. An sit
Cynoglossum Appenninum? For-
san sit Cerinthe flore rubro pur-
purascente. C.B.P. 258. Cerinthe
major. Ang. Greater Honey-wort?

Κιεζωριον. Diosc. Vid. **Κυαμος Αιγυπτιος.**
Κικι. Diosc.

Ricinus vulgaris. C.B.P. 432. Ri-
cinus communis. Ang. Palma-
Christi Plant.

Κινάμωμον. Diosc. Theoph. et Galen.
Cinnamomum, sive Canella Zeyla-
nica. C.B.P. 408. Laurus Cinna-
momum. Ang. Cinnamon-tree.

Κιννα. Diosc.

Species Graminis in Ciliciâ nascen-
tis; incert.

Κιρκαια. Diosc.

Piper Indicum vulgatissimum. C.B.P.
102. Capsicum annum. Ang.
Guinea Pepper?

Alii putant **Κιρκαιαν** Diosc. L. IV.
Cap. 26. eandem esse ac Μανδραγορην.
Vid. C.B.P. 168.

Κιρσιον. Diosc.

Cirsium maximum Asphodeli ra-
dice. C.B.P. 377. Forsan sit Car-
duus diflectus. Ang. Gentle Thif-
tle?

N.B. Ut Hallero placet, Carduus est
caule criso. Joh. Bauhin. Hist.
Plantarum, Vol. III. p. 9. Car-
duus crispus. Ang. Thistle upon
S Thistle.

^a Reperta agrestis à Tournefortio propè Cerasunta.

^b Hanc Whelerus repperit in Monte Hymetto, et propè Megaram.

- Thistle. Vid. Halleri Bibliothec.
Botan. Vol. I. p. 560.
- Κιστανθεμον. Vid. Κυκλαμινος.
- Κισσος. Diosc. Κιττος. Theoph.
1. Λευκος. Hedera arborea. C.B.P.
 305. Hedera helix. Ang. Common Ivy.
 2. Μελας. Hedera poëtica. C.B.P.
 305. Hedera helix β .
 3. Ελιξ. Hedera major sterilis. C.B.P.
 305. Hedera helix γ .
- Κιστοφυλον. Vid. Κυκλαμινος.
- Κισος, vel Κισσος. Diosc. et Theoph.
1. Αρρην. Cistus mas folio rotundo hirsutissimo. C.B.P. 464. Cistus pilosus. Ang. Hairy-leaved Rock-Rose.
 2. Θηλεια. Cistus femina folio salviae. C.B.P. 464. Cistus salvifolius. Ang. Sage-leaved Rock-Rose.
 3. Ληδον. Cistus ladanifera Hispanica incana. C.B.P. 467. Cistus ladaniferus. Ang. Gum-Cistus Rock-Rose^a.
- Aliis videtur esse Cistus ledon Cretense. C.B.P. 467. Cistus Creticus.
- Κιτριον. Vid. Μηλεα Μηδικη.
- Κιχορειον. Theoph. Vid. Σερις.
- Κληθρα. Theoph.
- Alnus rotundifolia glutinosa viridis. C.B.P. 428. Betula Alnus glutinosa α . Ang. Glutinous round-leaved Alder.
- Κλημα. Diosc. Vid. Πιτουσα.
- Κληματις. Diosc.
- Clematis Daphnoïdes minor. C.B.P.

301. Vinea minor. Ang. Small Periwinkle.
- Κληματιτις. Diosc.
- Clematites sylvestris latifolia. C.B.P.
300. Clematis Vitalba. Ang. Virgin's Bower.
- Κλιεαδιον. Diosc. Vid. Ελιξιη.
- Κλινοποδιον. Diosc.
- Clinopodium Origano simile. C.B.P. 224. Clinopodium vulgare. Ang. Great Wild Basil?
- Κλυβατις. Theoph. Vid. Ελιξιη.
- Κλυμενον. Diosc. et Theoph.
- Caltha vulgaris. C.B.P. 275. Calendula officinalis. Ang. Common Marygold.
- N.B. Ut alii censem, Lathyrus est pedunculis bifloris cirrhis polyphyllis stipulis dentatis. Hort. Cliffort. 368. Lathyrus Clymenum. Vid. Theoph. p. 919. Not. Κυεωρον. Theoph.
1. Λευκον. Thymelææ affinis, facie externâ. C.B.P. 463. Daphne Cneorum. Ang. Narrow-leaved Daphne^b.
 2. Μελαν. incert.
- Κυκιον. Vid. Τριφυλλον.
- Κυκος, vel Κυκης. Diosc. et Theoph.
1. Ημερος. Diosc. et Theoph. Cnicus sativus, sive Carthamus officinarum. C.B.P. 378. Carthamus tinctorius. Ang. Bastard Saffron.
 2. Αγρια. Cnicus sylvestris hirsutior. C.B.P. 378. Centaurea Benedicta. Ang. Blessed, sive, Holy Thistle.

Κοιζ.

^a Reperta à Whelero in Montibus Olympo et Hymetto, et à Tournefortio in Monte Idâ.^b Repertum à Whelero in Monte Hymetto.

Κοιξ. Theoph.

Lithospermum arundinaceum. C.B.P.

258. Coix lacryma Jobi. Ang.
Job's Tears.

Κοκκος βαφικη. Diosc. Vid. Πρωος.

Κοκκυμηλεα. Diosc. et Theoph.

Prunus. C.B.P. 443. Prunus do-
mestica. Ang. Plumb-tree.

Sed de Κοκκυμηλεα Theophrasti non
satis liquet.

Κοκκυμηλεα. Theoph. III. 16.

Cotinus. C.B.P. 415. Rhus Coti-
nus. Ang. Venice Sumach. Sed
quære. Vide etiam Notas in Theo-
phrastum. p. 246.

N.B. Alii legunt Κοκκονηλεια. Vid.
Joh. Bauhin. Histor. Plant. Vol.
I. p. 494.

Κολοκυνθα. Diosc. L. II. C. 162.

Cucurbita major sessilis flore albo.
C.B.P. 312. Haud invenio inter
Linnæi Synonyma.

Κολοκυνθισ. Diosc. et Theoph.

Colocynthis fructu rotundo major.
C.B.P. 313. Cucumis Colocynthis.
Ang. Colocynth.

Κολουτεα περι την Ιδην. Theoph.

Berberis dumetorum. C.B.P. 454.
Berberis vulgaris. Ang. Bar-
berry?

Κολουτεα περι Διπαρων. Theoph.

Colutea vesicaria. C.B.P. 396. Co-
lutea arborescens. Ang. Bladder
Sena.

N.B. Ab aliis putatur esse siliqua
sylvestris rotundifolia. C.B.P. 402.

Cercis siliquastrum. Ang. Arbor
Judæ Plant.

Κολχικον. Diosc.

Colchicum commune. C.B.P. 67.

Colchicum Autumnale. Ang. Col-
chicum, sive, Meadow Saffron.

Κομαρος. Theoph.

Arbutus folio ferrato. C.B.P. 460.

Arbutus unedo. Ang. Strawberry-
tree^a.

Κονναρος. Athenæi.

Oenoplia non spinosa. C.B.P. 477.

Forsan Rhamni species? Vid. Clus.
Hist. Plant. rarior. p. 27.

Κονυζα. Diosc. et Theoph.

1. Αρρην. Theoph. μεζων. Diosc.

Conyza mas. C.B.P. 265. Erige-
ron viscosum. Ang. Great sweet
Flea-bane.

2. Θηλεια. Theoph. μικρα. Diosc.

Conyzafœmina Theophrasti, minor
Dioscoridis. C.B.P. 265. Erigeron
graveolens. Ang. Small true Flea-
bane.

3. Conyza media Asteris folio luteo,

vel tertia Dioscoridis. C.B.P. 265.

Inula dysenterica. Ang. Middle
Flea-bane.

Κοριον, vel Κοριαινον. Diosc.

Coriandrum majus. C.B.P. 158.

Coriandrum sativum. Ang. Cori-
ander.

Κοριον. Vid. Υπερικον.

Κορισ. Diosc.

Coris lutea. C.B.P. 285. Hypericum
Coris^b.

^a Reperta à Whelero in Monte Pentelico.

^b Reperta à Whelero in Insulâ Zaczyntho, hodie Zante, et in Monte Hymetto.

- Κορνοφόρος.** Diosc. et Theoph.
Anagallis phœnicio flore. C.B.P.
252. Anagallis arvensis. Ang. Blue
hardy Pimpernel?
N.B. Aliqui censem esse Speciem
Mercurialis.
Κορνανον. Theoph. Vid. **Κοριον.**
Κορωνοπός. Diosc. et Theoph.
Coronopus hortensis. C.B.P. 190.
Plantago Coronopus β. Ang.
Buck's-horn Plantain.
Κοσος Αραβικός. Diosc.
Costus Arabicus. C.B.P. 36. Cos-
tus Arabicus. Ang. Arabian Costus.
Κοσος Ινδικός. incert.
Κοσος Συριακός. incert.
Κοτινός. Theoph. Vid. **Αγριελαῖα.**
Κοτυληδών. Diosc.
1. Cotyledon major. C.B.P. 284.
Cotyledon umbilicus. Ang. Navel-
wort.
2. Ετερον. Cotyledon media foliis ob-
longis ferratis. C.B.P. 285. Saxi-
fraga Cotyledon. Ang. Pyramidal
Saxifrage.
Κραμβή. Diosc.
1. Ημέρος. Brassica capitata alba.
C.B.P. 111. Brassica oleracea ca-
pitata δ.
2. Αγρια. Brassica sylvestris Diosco-
ridis. C.B.P. 112. Haud inter Sy-
nonyma Linnæi invenio.
3. Θαλασσία. Soldanella, vel Brassica
maritima major. C.B.P. 295. Con-
volvulus Soldanella. Ang. Sea
Bind-weed.

- K P
- Κραταιγός.** Theoph.
Mespilus apii folio non spinosa,
seu Sorbus torminalis. C.P.B. 454.
Crataegus torminalis. Ang. Wild
Service-tree.
Κρανιά. Diosc. **Κρανεία.** Theoph.
Cornus sylvestris mas. C.B.P. 446.
Cornus mas. Ang. Cornelian Cher-
ry.
Κραταιογονον. Theoph. Vid. Πρινος-
αγρια.
Κραταιογονον, vel **Κραταιονον.** Diosc. Κρα-
ταιος. Theoph.
Melampyrum luteum latifolium.
C.B.P. 234. Melampyrum pra-
tense. Ang. Meadow Cow-Wheat.
Κριθη. Diosc.
Hordeum polystichon vernum.
C.B.P. 22. Hordeum vulgare.
Ang. Common Barley.
Κριθμον, vel **Κριταμον.** Diosc.
Crithmum, sive fœniculum mariti-
num minus. C.B.P. 288. Crith-
mum maritimum. Ang. Samphire^a.
Κρινον. Theoph. Vid. Λειριον.
Κρινον πορφυρον. Diosc.
Lilium purpureo-croceum majus.
C.B.P. 76. Lilium bulbiferum.
Ang. Great Orange-Lily.
Κρινον πορφυρον. Theoph.
Dens canis latiore rotundiore folio.
C.B.P. 87. Erythronium Dens ca-
nis. Ang. Common Dog's-tooth
Violet. Aut forsan, Viola Canina.
Ang. Dog's Violet.

Κροκο-

^a Κριθμον repertum à se in Insulâ Stenosa testatur Tournesortius. (Scribere, aut voluit Tour-
nesortius, aut certè debuit, Skinosa, quæ meridiem versùs è Naxo distat circiter leucam unam.)

Κροκοδίλιον. Diosc.

Carduus sphærocephalus latifolius vulgaris. C.B.P. 381. *Echinops sphærocephalus.* Ang. Globe Thistle. Sed q? Ab aliis censetur esse *Centaurea Crocodylium.* Ang. Great-headed Centaury.

Κροκός. Diosc. et Theoph.

Crocus sativus. C.B.P. 65. *Crocus sativus.* Ang. Saffron-Crocus^a. Sed q?

Κρομμυόν. Diosc. et Theoph.

Cepa vulgaris. C.B.P. 71. *Allium Cepa.* Ang. Onion.

Κρομμυὸν Ἀσκαλονίου, vel Σητανίου. Theoph.

Cepa sterilis. C.B.P. 72. *Allium Ascalonicum.* Ang. Scallion, five, Escallion.

Κροτων. Diosc. Vid. Καπ.

Κναμός. Galen.

Vicia sativa vulgaris semine nigro. C.B.P. 344. *Vicia sativa.* Ang. Common Vetch. Sed q?

Κναμός. Diosc.

1. Ελληνικός. *Faba.* C.B.P. 338. *Vicia Faba.* Ang. Common Garden Bean.

2. Αιγυπτίος. idem ac Ελληνικός.

Κναμός Αιγυπτίος. Theoph.

Colocasia, five Faba Ægyptia Veterum. C.B.P. 196. *Arum Colocasia.* Ang. Greater Arum.

Κυδωνία μηλεα. Diosc. Galen. et Theoph.

Malus cotonea sylvestris. C.B.P.

435. *Pyrus Cydonia.* Ang. Quince-tree.

Κυκλαμίνος. Diosc. et Theoph.

Omnes in Casp. Bauhini Pinace referunt ad Cyclamen Europæum, Ang. Autumnal Sow-bread^b.

Κυμβαλίον. Vid. Κοτυληδών.

Κυμινόν. Diosc. et Theoph.

1. Ημέρον. *Cuminum semine longiore.* C.B.P. 146. *Cuminum Cyminum.* Ang. Cummin. Sed q?

2. Αγριον. *Cuminum sylvestre capitulis globofis.* C.B.P. 294. *Lagoecia Cuminoïdes.*

N.B. Κυμινόν Αιθιοπικόν, a Dioscoride recensitum, quidam putant esse *Cuminum semine rotundiore et minore.* C.B.P. 146. *Pimpinella Anisum.* Ang. Anise.

Κυναγχόν. Vid. Αποκυνόν.

Κυνιά. Diosc. Vid. Κυνοκραμβή.

Κυνογλωσσον. Diosc.

Cynoglossum majus vulgare. C.B.P. 257. *Cynoglossum officinale.* Ang. Hound's Tongue.

Κυνοκραμβή. Diosc.

Cynocrambe Dioscoridis. C.B.P. 122. *Theligonum Cynocrambe.* Ang. Dog's Mercury.

N.B. Αποκυνόν aliquando ita vocatur.

Κυνομορόν. Vid. Αποκυνόν.

Κυνορόδον. Vid. Κυνοσεκτός.

Κυνοσεκτός. Diosc.

Rosa sylvestris vulgaris flore odorato incarnato. C.B.P. 483. *Rosa canina.* Ang. Dog-Rose.

Κυνοψόν.

^a Repertus à Whelero in Monte Parnasso.

^b Repert. à Whelero in Monte Hymetto.

Κυνοψ. Theoph.

Psyllium majus erectum. C.B.P.

191. Plantago Psyllium. Ang.

Flea-wort.

Alii censent esse Psyllium majus supinum. C.B.P. 191. Plantago Cygnops. Ang. Shrubby Plantain.

Κυπαρισσος. Diosc. et Theoph.

Cupressus. C.B.P. 488. Cupressus semper virens. Ang. Upright Cypress.

Κυπειρος. Diosc. et Theoph.

1. Diosc. et Theoph. Cyperus odoratus radice longâ, sive Cyperus officinalis. C.B.P. 14. Cyperus longus. Ang. Sweet Cyperus, vel, English Galingale.

2. Ινδικος. Diosc. Cyperi genus ex Indiâ. C.B.P. 37. Curcuma rotunda. Ang. Round Turmeric.

Κυπρος. Diosc.

Ligustrum Germanicum. C.B.P.

475. Ligustrum vulgare. Ang.

Common Privet?

Κυτισος. Diosc. et Theoph.

Barba Jovis linariæ folio, flore luteo parvo. Tournefort. Coroll. 44. Anthyllis hermania. Secundum alios est Cytisus incanus siliquis falcatis. C.B.P. 389. Medicago arborea. Ang. Shrubby Moon Trefoil, vel, Tree Lucerne.

Κωμανον. Theoph.

Nux moschata fructu rotundo.

C.B.P. 407. Myristica officinalis.

Ang. Nutmeg-tree. Vid. Joh. Bau-

hini Hist. Plantar. Lib. III. Sed q?

Ab aliis censetur esse Caryophyllum aromaticus fructu oblongo. C.B.P.

410. Caryophyllum aromaticus. Ang. Clove-tree?

Κωνειον. Diosc. et Theoph.

Cicuta major. C.B.P. 160. Conium maculatum. Ang. Hemlock.

Λ

ΛΑΓΩΠΟΥΣ. Diosc.

Trifolium arvense humile spicatum, sive Lagopus. C.B.P. 328. Trifolium arvense. Ang. Hare's-Foot Trefoil.

Λαγωπυρον. Hippoc. Vid. **Λαγωπον,**

Αεθυρις. Diosc.

Lathyris major. C.B.P. 293. Euphorbia Lathyris. Ang. Greater opposite-leaved biennial Spurge.

Λαθυρος. Theoph.

Lathyrus sativus flore fructuque albo. C.B.P. 343. Lathyrus sativus. Ang. Cultivated Chichling Vetch.

Λακαρη. Theoph.

Ceraso affinis. C.B.P. 451. Prunus Mahaleb. Ang. Perfumed Cherry.

Λαμψανη. Diosc.

Rapistrum flore luteo. C.B.P. 95. Sinapis arvensis. Ang. Field Mustard.

Alii censent esse Rapistrum flore albo lineis nigris depicto. C.B.P. 95.

Raphanus Raphanistrum. Ang. Bastard Radish.

Λαπάθον. Diosc. et Theoph.

1. Οξυλαπάθον. Diosc. Laphatum folio acuto plano. C.B.P. 115. Rumex acutus. *Ang.* Sharp-pointed Dock.
2. Κηπευτον. Diosc. Laphatum hortense folio oblongo. C.B.P. 114. Rumex patientia. *Ang.* Garden Patience.
3. Αγριον. Diosc. et Theoph. Acetosa rotundifolia hortensis. C.B.P. 114. Rumex scutatus. *Ang.* French Sorrel.

4. Οξαλις. Acetosa pratensis. C.B.P. 114. Rumex acetosa. *Ang.* Meadow Sorrel. Sed q?

5. Ιππολαπάθον. Diosc. vel

Λαπάθον ημερον. Theoph.

- Laphatum hortense latifolium. C.B.P. 115. Rumex Alpinus. *Ang.* Monk's Rhubarb.

- N.B. Alii censent esse Laphatum aquaticum folio cubitali. C.B.P. 116. Rumex aquaticus. *Ang.* Great Water Dock.

Λειμωνιον. Diosc.

- Limonium maritimum majus. C.B.P. 192. Statice Limonium. *Ang.* Common great Sea Lavender^a. Sed quære?

Λειμωδων. Theoph. Vid. Οροβαγχη.

Λειριον. Theoph.

- Lilium album flore erecto, et vulgare. C.B.P. 76. Lilium candidum. *Ang.* Common white Lily.

^a Repertum à Whelero in Insulâ Teno. Sed q?

Λειριον ετερον, vel **Ναρκισσος.** Theoph.

VI. 6.

- Colchicum luteum majus. C.B.P. 69. Amaryllis lutea. *Ang.* Yellow Autumnal Lily. Clusius censet esse Narcissum Persicum. Clusii Rar. Plantar. Hist. 163.

Λειχην. Diosc.

- Lichen petræus latifolius, seu Hepatica fontana. C.B.P. 362. Marchantia polymorpha. *Ang.* Common Marchantia.

Λεμνα. Theoph.

- Lenticula palustris quadrifolia. C.B.P. 362. Marsilea quadrifolia. *Ang.* Four-leaved Marsilea. Sed q?

Λεοντικη. Diosc. Vid. Κακαλια.

Λεοντοπεταλον. Diosc.

- Leontopetalon. C.B.P. 324. Leontice Leontopetalon. *Ang.* Decom-pound-leaved Leontice, vel, Lion's-Leaf^b.

Λεοντοποδιον. Diosc.

- Gnaphalium Alpinum, magno flore, folio oblongo. C.B.P. 264. Filago Leontopodium. *Ang.* Lion's-Foot.

Λεπιδιον. Diosc.

- Lepidium latifolium. C.B.P. 96.

- Lepidium latifolium. *Ang.* Broad-leaved Pepper-Wort.

Λευκανανθα. Diosc.

- Carduus stellatus luteus, foliis cyani.

- C.B.P. 387. Centaurea Solstitialis.

- Ang.* St. Barnaby's Thistle.

N.B. Φαλαγγιον ita vocatur.

ΛΕΥΚΑΝ-

^b Repertum à Whelero in Monte Hymetto.

- Λευκανθεμον. Vid. Παρθενιον et Ανθεμις.
Λευκανθον. Vid. Οινανθη.
Λευκαξ. Diosc.
Fragariae affinis sericea incana.
C.B.P. 327. et Prodromi. L. VII.
15. Potentilla subacaulis. Ang.
Nearly-stemless Cinquefoil.
Λευκη. Theoph.
Populus alba. C.B.P. 429. Populus
alba. Ang. White Poplar.
Λευκοιον. Theoph.
Leucoium Culbosum vulgare. C.B.P.
55. Leucoium vernum. Ang. Great
Spring Snow-drop.
Λευκοιον. Diosc.
Leucoium luteum vulgare. C.B.P.
202. Cheiranthus Cheiri. Ang.
Wall-Flower.
Λιβανος. Diosc.
Arbor thurifera Theveto. C.B.P.
399. Haud inter Species Plantar.
Linnæi invenio.
Λιβανωτις. Theoph.
1. Ακαρπος. Libanotis minor apii
folio. C.B.P. 157. Athamanta Li-
banotis. Ang. Mountain Stone
Parsley.
2. Καρπιμος. Ligusticum vulgare.
C.B.P. 157. Ligusticum Levisti-
cum. Ang. Common Lovage.
Λιβανωτις. Diosc. L. III. C. 87.
Καρπιμος. Libanotis ferulæ folio, se-
mine angulofo. C.B.P. 158. Ca-
chrys Libanotis.
Λιβανωτις. Diosc. L. III. C. 89.
Rosmarinus hortensis angustiore
folio. C.B.P. 217. Rosmarinus

- officinalis. Ang. Common Rose-
mary.
Λιγουσιον. Galeni. Λιγυσιον. Diosc.
Ligusticum, quod Seseli officinarum.
C.B.P. 162. Laferpitum Siler.
Ang. Common Hart-wort.
Λιθοσπερμον. Diosc.
Lithospermum arundinaceum.
C.B.P. 258. Coix Lacryma Jobi.
Ang. Job's Tears. Alii censent esse
Lithospermum majus erectum.
C.B.P. 258. Lithospermum offici-
nale. Ang. Gromwell.
Λιμναιον. Vid. Κενταυριον μικρον.
Λινοζωσις. Diosc.
1. Θηλεια. Mercurialis spicata, vel
fœmina. C.B.P. 121.
2. Αρρην. Mercurialis testiculata, five
mas. C.B.P. 121. Ambæ sunt,
Mercurialis annua. Ang. Spiked
French Mercury, vel, Dog's Mer-
cury.
Λινοδρυς. Vid. Χαραδρυς.
Λινον. Diosc.
Linum sativum. C.B.P. 214. Linum
usitatissimum. Ang. Common Flax.
Λινοσπαρτον. Theoph.
Gramen sparteum, particulâ comosâ.
C.B.P. 5. Stipa tenacissima. Ang.
Most tenacious Spanish Feather-
Grass.
Λοξος. Vid. Σμιλαξ ηπανα.
Λογχιτις. Diosc.
1. Lonchitis aspera. C.B.P. 359.
Polypodium Lonchitis. Ang. Gre-
ater rough Spleen-wort.
2. Ετερα. Lonchitis minor. C.B.P.

359. Osmunda spicans. *Ang.* Lesser rough Spleen-wort.
 Λουφα. Vid. Αρον.
 Λυγος. Vid. Αγνος.
 Λυκιον. Diosc.
 Lycium buxi folio. C.B.P. 478.
 Lycium barbarum. *Ang.* Box-Thorn.
 Λυκοψις. Diosc.
 Lycopsis. C.B.P. 255. Echium italicum. *Ang.* Italian, *sive*, Wall Viper's Bugloss.
 Λυρον. Vid. Αλσμα.
 Λυσιμαχιον. Diosc.
 Lysimachia lutea major. C.B.P. 245.
 Lysimachia vulgaris. *Ang.* Common yellow loose Strife, *sive*, Willow herb.
 Λυτρον. Vid. Λυσιμαχιον.
 Λυχνις. Theoph.
 Lychnis hirsuta flore coccineo, major. C.B.P. 203. Lychnis Chalcedonica. *Ang.* Scarlet Lychnis.
 Λυχνις. Diosc.
 1. Στεφανωματην. Lychnis coronaria. C.B.P. 203. Agrostemma corona-ria. *Ang.* Rose Campion.
 2. Αγρια. eadem ac Theoph.
 Λωτος. (herba) Diosc. et Theoph.
 1. Ημερος. Diosc. Lotus hortensis odora. C.B.P. 331. Trifolium cæruleum. *Ang.* Blue Trefoil.
 2. Αγριος. Diosc. Melilotus officinarum Germaniae. C.B.P. 331. Trifolium officinale. *Ang.* Common Melilot. Sed q? Ut Salmasio pla-

- cet, Arundo Saccharifera (C.B.P. 18. Saccharum officinarum. *Ang.* Sugar Cane) intelligitur per Λωτος αγρια. De Homonymis Hyles Iatricæ. p. 6.
 3. Αιγυπτιος. Diosc. et Theoph.
 Nymphaea albo major. C.B.P. 193. Nymphaea lotus.
 Λωτος. (arbor) Diosc. et Theoph.
 Lotus fructu cerasi. C.B.P. 447.
 Celtis australis. *Ang.* South European ovate-leaved Nettle Tree.
 Λωτος. (arbor) Athenæi. L. XIV. sub finem.
 Zizyphus rutila. Clusii Rar. Plant. Hist. pag. 28. Zizyphus sylvestris. *Ang.* Rhamnus Lotus.

M

- ΜΑΓΤΔΑΡΙΣ. Theoph.
 Incerta. sed Laserpitio affinis esse videtur.
 Μακερ. Diosc.
 Macer et Macir, Talisafar radicis Cortex. C.B.P. 408. Sed inter Spec. Plant. Linn. haud invenio.
 Μαλαζαθρον. Diosc.
 Cadegi Indi, id est folium Indum Arabibus. C.B.P. 410. incert.
 Μαλακοισσος. Geopon. incert.
 Μαλαχη. Diosc. et Theoph.
 1. Κηπευτη. Malva rosea folio subrotundo. C.B.P. 315. Alcea rosea. *Ang.* Common Holly-Hock.

T

2. Χερ-

2. Χερσαία. Diosc. et Theoph. Malva sylvestris folio rotundo. C.B.P. 314. Malva rotundifolia. Ang. Dwarf Mallow^a.
- Μαλιναθαλλη. Theoph.
- Cyperus rotundus esculentus angustifolius. C.B.P. 14. Cyperus esculentus.
- Μανδραγορος, vel Μανδραγορη. Diosc.
1. Μελας και Θριδακιας. Mandragora fructu pyri. C.B.P. 169.
 2. Λευκος και αρρην. Mandragora fructu rotundo. C.B.P. 169. Ambæ videntur esse Atropa Mandragora. Ang. Mandrake.
- Μανδραγορη. Theoph.
- Solanum melanocerasus. C.B.P. 166. Atropa Belladonna. Ang. Deadly Night-Shade^b.
- Μαραθον. Diosc.
1. Fœniculum vulgare Germanicum. C.B.P. 147. Anethum fœniculum γ. Ang. Common Fennel.
 2. Αγριον, vel Ιππομαραθον. Fœniculum sylvestre. C.B.P. 147. Anethum fœniculum δ. Ang. Another Variety of the Fennel kind.
- N.B. Alii putant esse Daucum montanum multifido brevique folio. C.B.P. 150. Seseli Hippomarathrum. Ang. Horse-Fennel.
- Μαρον. Diosc.
- Majorana vulgaris. C.B.P. 224. Origanum Majorana. Ang. Sweet Marjoram..

- Μαχαιρωνιον. Diosc. Vid. Ξιφιον.
- Μελαμποδιον. Vid. Ελλεζορος μελας.
- Μελαμπυρον. Theoph.
- Melampyrum purpurascens comâ. C.B.P. 234. Melampyrum arvensis. Ang. Cow-Wheat with purple Tops.
- Μελανθεμον. Vid. Ανθεμις.
- Μελανθιον. Diosc. et Theoph.
- Nigella arvensis cornuta. C.B.P. 145. Nigella arvensis. Ang. Devil in a Bush.
- Μελανοσπερμον. Hippoc. Vid. Μελανθιον.
- Μελια. Diosc. et Theoph.
1. Υψηλος. Fraxinus excelsior. C.B.P. 416. Fraxinus excelsior. Ang. Common Ash-tree.
 2. Ταπεινοτερα. Fraxinus humilior, sive altera Theophrasti minore et tenuiore folio. C.B.P. 416. Fraxinus Ornus. Ang. Dwarf European Ash-tree.
- Μελιλωτος. Diosc. Vid. Λωτος ημερος.
- Μελινος, vel Μελινη. Diosc. et Theoph.
- Panicum Germanicum, sive paniculâ minore. C.B.P. 27. Panicum Italicum. Ang. Italian Panic.
- Μελι σιτων. Vid. Λωτος ημερος.
- Μελισσοφυλλον. Diosc.
- Melissa hortensis. C.B.P. 229. Melissa officinalis. Ang. Common Balm.
- Μελιταια. Theoc. Vid. Μελισσοφυλλον.
- Μελιτεια. Theoc. Vid. Μελισσοφυλλον.
- Μεσπιλος, vel Μεσπιλη. Diosc. et Theoph..

I. Αρωνια.

^a Reperta à Whelero in Insulâ Corcyra.^b Reperta à Whelero propè Megaram. Sed q.

1. Αρωνια. Diosc. Mespilus apii folio laciniato. C.B.P. 453. Crataegus Azarolus. Ang. The Azarole, sive, Neapolitan Medlar^a.

2. Επιμηλις. Diosc. Mespilus Germanica folio laurino non ferrato. C.B.P. 453. Mespilus Germanica. Ang. Common Medlar.

Μεσπιλος. Theoph.

1. Ανθηδων. Eadem ac Αρωνια. Diosc.

2. Σατανειος, vel Σιτανιος, eadem ac Επιμηλις. Diosc.

3. Ανθηοειδης. Mespilus apii folio, sylvestris, spinosa, sive Oxyacantha. C.B.P. 454. Crataegus Oxyacantha. Ang. Common Hawthorn.

Μηδικη. Diosc. et Theoph.

Trifolium siliquâ cornutâ, sive Medicina. C.B.P. 330. Medicago sativa.

Ang. Lucerne, sive, Snail Trefoil^b.

Μηδικη μηλεα. Diosc. et Theoph.

Malus medica. C.B.P. 435. Citrus medica. Ang. Citron.

Μηδιον. Diosc.

Viola mariana laciniatis foliis peregrina. C.B.P. 94. Campanula Medium. Ang. Blue Canterbury Bell.

Μηκων. Diosc. et Theoph.

1. Ροιας. Papaver erraticum majus. C.B.P. 171. Papaver Rhœas. Ang. Double red Poppy.

2. Κηπευτη. Papaver hortense semine albo. C.B.P. 170. Papaver somni-

ferum. Ang. Double Carnation Poppy.

3. Αγρια. Papaver hortense nigro semine. C.B.P. 170. Papaver somniferum β. Ang. A Variety of the last mentioned.

4. Αγριωτερα. Papaver vulgare, cuius Capitula foraminibus hiant, semine incano. C.B.P. 170. Forfan, Papaver Rhœas.

5. Κερατιτης. Papaver corniculatum luteum. C.B.P. 171. Chelidonium Glaucium. Ang. Yellow horned Poppy^c.

6. Αφρωδης. incert.

Μηλεα. Diosc. et Theoph.

Malus sylvestris. C.B.P. 433. Pyrus malus. Ang. Apple-tree.

Μηλωθρος. Diosc. Vid. Αμπελος Λευκη.

Μηνυανθες. Vid. Τριφυλλον.

Μηον Αθαμαντικον. Diosc.

Meum foliis Anethi. C.B.P. 353. Athamanta Meum. Ang. Spignel, sive, Meu.

Μιλαξ. Vid. Σμιλαξ.

Μιλαξ. Hesych. Vid. Μιλος.

Μιλιον. Hesych. Vid. Μιλος.

Μιλος. Theoph.

Taxus. C.B.P. 505. Taxus baccata. Ang. Common Yew-tree.

Μινη. Vid. Ηδυοσμος.

Μορεα. Diosc.

Morus fructu nigro. C.B.P. 459. Morus nigra. Ang. Black Mulberry.

Μυαγρον.

^a Reperta à Tournefortio propè Ancyram, hodiè *Angora*.

^b Reperta à Whelero in Insulâ Salamine.

^c Reperta à Whelero in Insulâ Tenedo, et in Monte Hymetto.

Μυαγρον. Diosc.

Myagrum sativum. C.B.P. 109.

Myagrum sativum. Ang. Gold of Pleasure.

Μυακανθα. Vid. Ασπαραγος πετραιος.

Μυακανθος. Theoph.

Carduus stellatus foliis papaveris erratici: C.B.P. 387. Centaurea calcitrapa. Ang. Star Thistle.

Μυκης. Diosc. et Theoph.

Fungus in genere.

Μυος ωτα. Diosc.

Echium scorpioides arvense. C.B.P.

254. Myosotis scorpioides arvensis.

Ang. Scorpion-graſs.

N.B. Αλσινη ita vocatur.

Μυρικη. Diosc. et Theoph.

1. Αγρια. Tamarix altera folio tenuiore, sive Gallica. C.B.P. 484. Tamarix Gallica. Ang. French Tamarisc.

2: Ημερος. Rhus myrtifolia Belgica.

C.B.P. 414. Myrtus Gala. Ang.

Sweet Gale.

Μυριοφυλλον. Diosc.

Millefolium aquaticum pennatum

spicatum. C.B.P. 141. Myriophyl-

lum spicatum. Ang. Spiked, sive,

feathered Water-Milfoil.

Alii censent esse Millefolium aqua-

ticum umbellatum, Coriandri fo-

lio. C.B.P. 141. Phellandrium

aquaticum β. Ang. Water-hemlock.

Μυρρα, vel Μυρρις. Diosc.

Myrrhis major, vel Cicutaria odo-

rata. C.B.P. 160. Scandix odo-

rata. Ang. Sweet Cicely. Sed q?

Μυρσινη. Diosc. Μυρσινος. Theoph.

1. Ημερος. Diosc.

2. Μελαινα. Diosc.

3. Λευκη. Diosc.

4. Ορειη. Diosc.

Omnis nonnisi Varietates sunt Myrti communis. Ang. Common Myrtle.

5. Αχρια. Diosc. Ruscus. C.B.P. 470.

Ruscus aculeatus. Ang. Butcher's Broom.

Μυρσινοειδης. Diosc.

Κληματιτις ita vocatur.

Μωλυ. Diosc.

Moly angustifolium umbellatum.

C.B.P. 75. Allium subhirsutum.

Ang. White flowering Garlick..

Μωλυ. Theoph.

Moly latifolium liliflorum. C.B.P.

75. Allium magicum.

Alii putant esse Moly latifolium luteum, odore allii, primum. C.B.P.

75. Allium Moly. Ang. Yellow Moly.

Nonnulli putant Μωλυ Diosc. et Theophrasti esse Ornithogalum majus spicatum, flore albo. C.B.P. 70. Ornithogalum Narbonense.

Μωλυζα. Hippoc.

Allium sativum radice simplici.

C.B.P. 74. Allium sativum. Ang.

Common Garlick.

Ν

ΝΑΠΥ. Diosc. et Theoph. Vid. Συνηπι.

Ναρθεξ.

- Ναρδός.** Theoph. Ναρδός Γαγγήιος.
Diosc.
Nardus spuria Narbonensis. C.B.P.
13. Nardus Gangitis. Ang. Indian
Nard.
Ναρδός αχρια. Vid. Ασταρον et Φου.
Ναρδός Κελτικη. Diosc.
Nardus Celtica Dioscoridis. C.B.P.
165. Valeriana Celtica. Ang. Cel-
tic Nard.
Ναρδός οφεινη. Diosc.
Nardus montana radice olivari.
C.B.P. 165. Valeriana tuberosa.
Ναρθηνια. Theoph. Vid. Ναρθηξ.
Ναρθηξ. Diosc. et Theoph. item
Ναρθηκιον. Theoph.
Ferulago latiore folio. C.B.P. 148.
Ferula ferulago. Ang. Broad-
leaved Giant Fennel. Sed q?
Alii putant esse Ferulam, folio
glauco, semine lato, oblongo.
Bauhin. Hist. Plantar. Ferula
glauca^a.
Ναρηη. Vid. Κενταυριον μεγα.
Ναρκισσος. Diosc. et Theoph..
Narcissus albus, circulo croceo, vel
luteo. C.B.P. 49. Narcissus poë-
ticus. Ang. Common Narcissus.
Ναρκισσος. Theoph. Lib. VI. Cap. 6.
Vid. Λειριον. ετερον.
Νευρας. Vid. Ποτηριον..
Νευροειδης. Vid. Λειρωνιον..
Νηριον. Diosc.
Nerion floribus rubescentibus.

- C.B.P. 464. Nerium oleander.
Ang. Rose-Bay^b.
Νυμφαια. Diosc. et Theoph.
1. Nymphæa alba major. C.B.P. 193.
Nymphæa alba. Ang. White Wa-
ter-Lily.
2. Αλλη. Diosc. Nymphæa lutea
major. C.B.P. 193. Nymphæa
lutea. Ang. Yellow Water-Lily..

Ξ

ΞΑΝΘΙΟΝ. Diosc..

Lappa minor, sive Xanthium Di-
oscoridis. C.D.P. 198. Xanthium
strumarium. Ang. Lesser Bur-
dock.

Ξιφιον. Diosc.

Gladiolus utrinque floridus. C.B.P.
41. Gladiolus communis. Ang.
Corn-flag. Aliis videtur esse Iris
bulbofa latifolia caule donata.
C.B.P. 38. Iris Xiphium. Ang.
Bulbous-rooted Iris.

Ξυλον. Diosc..

Gossypium frutescens, semine albo.
C.B.P. 403. Gossypium herbace-
um. Ang. Herbaceous Cotton
Plant.

Ξυρις. Diosc.

Gladiolus foetidus. C.B.P. 30. Iris
foetidissima. Ang. Stinking Glad-
win.

OA,

^a Hæc in Insulâ Skinosa à Toufnefortio reperta est.

^b Repertum à Whelero in Insulâ Imbro, et in Monte Hymetto.

O

οα, vel οη, vel ουη. Diosc. Theoph. et Galen.

1. Αγριην. Sorbus sylvestris, foliis domesticæ similis. C.B.P. 415. Sorbus aucuparia. *Ang.* Mountain Ash. Sed q?

2. Θηλεια. Sorbus sativa. C.B.P. 415. Sorbus domestica. *Ang.* True Service Tree.

οθοννα. Diosc.

Tanacetum, sive Flos Africanus major, flore pleno. C.B.P. 132. Tagetes erecta. *Ang.* African Marigold.

ονανθη.

Flos Vitis ita vocatur. Hesych.

ονανθη. Diosc.

Oenanthe apii folio. C.B.P. 162. Oenanthe pimpinelloides. *Ang.* Pimpinell-like Water Drop-wort. Sed q?

ονανθη. Theoph.

Lilium convallium album. C.B.P. 304. Convallaria Maialis. *Ang.* Lily of the Valley.

ονοθερα. Vid. οναγρα.

οισος. Theoph.

Salix vulgaris rubens. C.B.P. 473. Salix pentandra. *Ang.* Sweet Willow. Sed q?

οισια. Geop. Vid. ιτεα.

ολόσεον. Diosc.

Holosteum hirsutum albicans minus. C.B.P. 190. Plantago albi-

cans. *Ang.* Hoary Plantain. Sed q?

ολοκωνιτης. Hippoc.

Cyperus rotundus esculentus angustifolius. C.B.P. 14. Cyperus esculentus. Sed q?

Aliis videtur esse Cicutaria bulbosa. C.B.P. 161. Chærophylloides bulbosum.

ολοσχονος. Theoph.

Juncus maximus, sive Scirpus major. C.B.P. 12. Scirpus lacustris.

Alii putant esse Juncum acutum maritimum, capitulis rotundis.

C.B.P. 11. Scirpus Holoschoenus. *Ang.* Round-headed Bulrush.

ολυρα. Diosc.

Secale hybernum, vel majus. C.B.P.

23. Secale cereale hybernum. *Ang.* Common Rye.

ομαραξις. Athenæi.

Sebestena Domestica. C.B.P. 446. Cordia Myxa.

ομορηλις. Athenæi. Vid. Αμαρηλις.

ομφαλοκαρπος. Vid. Απαριη.

οναγρα. Diosc.

Lysimachia, Chamænerion dicta, latifolia. C.B.P. 245. Epilobium angustifolium. *Ang.* Common French Willow, sive, Rosebay Willow-herb.

ονοβρυχις. Diosc.

Polygala vulgaris. C.B.P. 215. Polygala vulgaris β. *Ang.* White flowering Milk-wort. Aliis videtur esse Onobrychis foliis Viciæ, fructu echinato, major, C.B.P. 350. Hedy-

Hedysarum Onobrychis. *Ang.* St. Foin Gras. Aliis præterea videatur esse Onobrychis spicata, flore purpureo. C.B.P. 350. Astragalus Onobrychis.

Ονονις. Diosc. Vid. ονοσμα.

Ονοπυξος. Theoph.

Carduus spinosissimus latifolius sphærocephalus vulgaris. C.B.P. 385. Carduus nutans. *Ang.* Musk Thistle.

Ονοσμα. Diosc.

Anchusa lutea major. C.B.P. 197. Onosma echoïdes. *Ang.* Echium-like erect fruited Onosma, *vel*, Stone Bugloss.

Ονυρη. Vid. οναγρα.

Ονωνις. Theoph. Vid. Ανωνις.

Οξαλις. Vid. Λαπαθον.

Οξυα. Theoph.

Fagus. C.B.P. 419. Fagus sylvatica. *Ang.* Common Beech-tree.

Οξυακανθα. Diosc.

Oxyacantha Dioscoridis, sive Spina acuta pyrifolia. C.B.P. 454. Mespilus Pyracantha. *Ang.* Evergreen Thorn.

A nonnullis putatur Berberis dumetorum. C.B.P. 454. Berberis vulgaris. *Ang.* Barberry-tree.

Secundum alios est Mespilus apii folio, sylvestris, spinosa, seu Oxyacantha. C.B.P. 454. Crataegus Oxyacantha. *Ang.* Hawthorn.

Οξυακανθος. Theoph. Vid. Μεσπιλος ανθηνοειδης.

Οξυακανθος. Galen.

Berberis dumetorum. C.B.P. 454. Berberis vulgaris. *Ang.* Barberry-tree.

Οξυκεδρος. Theoph.

Juniperus major baccâ rufescente. C.B.P. 489. Juniperus Oxycedrus. *Ang.* Greater Spanish Juniper.

Οξυμυρσινη. Vid. Μυρσινη αγρια.

Οξυφυλλον. Vid. Τριφυλλαν.

Οξυσχοιος. Diosc.

Juncus acutus capitulus Sorghi. C.B.P. 11. Scirpus mucronatus. *Ang.* Dagger'd Rush-grass.

Ορεοσελινον. Diosc.

Apium montanum, folio ampliore. C.B.P. 153. Athamanta Oreoselinum.

Alii putant esse Chærophyllum sativum. C.B.P. 152. Scandix cerefolium. *Ang.* Garden Chervil.

Οργανος. Diosc.

1. Ηρακλειωτικη. Origanum Heracleoticum. C.B.P. 223. Origanum Heracleoticum. *Ang.* Greek Origanum, *vel*, Winter Marjoram^a.

2. Ονητις. Origanum Onites. C.B.P. 223. Origanum Onites. *Ang.* Pot Marjoram.

3. Αγρια. Origanum sylvestre. C.B.P. 223. Origanum vulgare. *Ang.* Common Marjoram, *sive*, Great wild Basil.

4. Τρεξ-

^a Reperta à Whelera in Insula Corcyra.

4. Τραγοριγανος. Tragoriganum serpyllifolium^a. C.B.P. 223. Annon est Thymus Serpyllum? *Ang.* Lemon Thyme, *sive*, Mother of Thyme.

Οριγανος. Theoph.

1. Λευκη.

2. Μελανω.

Ambæ forsitan sunt οριγανος αγρια Dioſcoridis.

Ορμινον. Dioſc.

1. Ημερον. Horminum sativum. C.B.P. 238. Salvia horminum. *Ang.* Red-topped Clary.

2. Αγριον. Horminum pratense, foliis ferratis. C.B.P. 238. Salvia pratensis. *Ang.* Meadow Clary?

Ορνιθογαλον. Dioſc.

Ornithogalum umbellatum maximum. C.B.P. 69. Ornithogalum Arabicum. *Ang.* Arabian Star of Bethlehem.

Annon potius est Ornithogalum angustifolium majus floribus ex albo virescentibus? C.B.P. 70. Ornithogalum Pyrenaicum. *Ang.* Spiked Star of Bethlehem.

Οροβαγχη. Dioſc. et Theoph.

Orobanche major garyophyllum olens. C.B.P. 87. Orobanche major. *Ang.* Greater Strangle-weed, *vel*, Broom-rape.

Οροβασ. Dioſc. et Theoph.

Orobus, filiquis articulatis, femine majore. C.B.P. 346. Ervum Ervi-

lia. *Ang.* Bitter Vetch.

Οροντιον. Galen.

Antirrhinum arvense majus. C.B.P.

212. Antirrhinum Orontium. *Ang.* Least Snap-dragon.

Ορυζα. Dioſc. ορυζον. Theoph.

Oryza Indiæ orientali peculiaris.

C.B.P. 24. Oryza sativa. *Ang.* Rice-plant.

Ορχις. Theoph. Κυνος ορχις. Dioſc.

1. Cynosorchis latifolia hiante cullo major. C.B.P. 80. Orchis militaris. *Ang.* Soldier, *sive*, Man Orchis.

2. Σερπαπιας. Orchis fucum referens major, foliolis superioribus candidis, et purpurascenscentibus. C.B.P. 83. Ophrys insectifera. *Ang.* Fly, *vel*, Bee Orchis. Sed q?

Οσμιας. Dioſc. Vid. ονοσμα.

Οσυρις. Dioſc.

Linaria scoparia. C.B.P. 212. Chenopodium Scoparia. *Ang.* Belvidere, *sive*, Summer-Cypress.

Aliis videtur esse Linaria vulgaris lutea, flore majore. C.B.P. 212. Antirrhinum Linaria. Sed q?

Οσρυς, vel οσρυα. Theoph.

Ostrya ulmo similis, fructu racemoso, lupulo simili. C.B.P. 427. Carpinus Ostrya. *Ang.* Hop Hornbeam. Secundum alios est Ostrya ulmo similis, fructu in umbilicis foliaceis. C.B.P. 427. Carpinus Betulus. *Ang.* Common Hornbeam.

Ουργιον,

^a Repert. à Whelero in Insulâ Cytherâ, hodiè Cerigo, et in Monte Hymetto.

Ουγγον, vel Ουττον. Theoph.

Rapum Americanum foliis Bryoniæ. C.B.P. 90. In Linn. deest.

Οφιοσαφυλον. Vid. Αμπελος λευκη.

Οχνη. Theoph. Vid. Αχρας.

Οχρος. Theoph.

1. Ημερος. Pisum arvense. C.B.P. 342. Pisum arvense. Ang. Field Pea.

2. Αγριος. Ochrus folio integro capite preolos emittente. C.B.P. 343. Pisum Ochrus. Ang. Lord Anson's Pea.

Π

ΠΑΓΚΡΑΤΙΟΝ. Diosc. Vid. Σκιλλα.

Παδος. Theoph.

Cerasus racemosa sylvestris fructu non eduli. C.B.P. 451. Prunus Padus. Ang. Common Bird Cherry.

Παιδερως. Pausaniæ.

Teucrium peregrinum folio sinuoso. C.B.P. 247. Teucrium fruticans.

Ang. Tree Germander. Sed q?

Παιονια. Diosc.

1. Αρρην. Pæonia folio nigricante splendido, quæ mas. C.B.P. 323. Pæonia officinalis mascula β. Ang. Common Pæony.

2. Θηλεια. Pæonia communis foemina. C.B.P. 323. Pæonia officinalis foeminea. Ang. Female Pæony.

Παλιουρος. Vid. Ραμνος. Spec. 3^{ta}.

Πανακες Χειρωνιον. Theoph.

Virga aurea major, vel Doria. C.B.P.

268. Senecio Doria. Ang. Sea Lavender-leaved oriental Groundsel. Sed q?

Παναξ. Theoph.

1. Συριακον. Panax pastinacæ folio.

C.B.P. 156. Laserpitium Chironium.

2. Χειρωνειον. Vid. Πανακες supra.

3. Ηρακλειον. Panax sphondylii folio.

C.B.P. 157. Heracleum Panacis^a.

4. Ασκληπειον. incert. Vid. Notas in Theophrastum. p. 1072.

Παναξ λεπτοφυλλον. Theoph.

Centaurium minus. C.B.P. 278.

Gentiana Centaurium. Ang. Lesser Centaury.

Παναξ. Diosc.

1. Ηρακλειον. Panax costinum. C.B.P.

156. Pastinaca Opopanax. Ang. Gum Parsnep.

2. Ασκληπειον. incert. Vid. C.B.P. 158.

3. Χειρωνειον. Vid. supra.

Παγκρατιον. Diosc. Vid. Σκιλλα.

Παπυρος. Diosc. et Theoph.

Papyrus Nilotica, sive Aegyptiaca.

C.B.P. 19. Cyperus Papyrus. Ang. Egyptian Papyrus.

Παραλιος. Diosc. Vid. Μηκων περατησ.

Παρθενιον. Diosc. III. 155

Matricaria vulgaris, seu, sativa. C.B.P.

133. Matricaria Parthenium. Ang. Feverfew.

U

Παρθε-

^a Repertum à Whelero in Monte Olympo.

- Παρθενιον. Diosc. IV. 191. Vid. Λιωτίσιον.
- Παρθενιον λεπτοφυλλον. Hippoc.
- Chamæmelum foetidum. C.B.P. 134.
- Anthemis Cotula. *Ang.* Stinking May-weed.
- Παρονυχια. Diosc.
- Anthyllis maritima alsinefolia. C.B.P. 282. Polycarpon tetraphyllum.
- Πασπαλος. Galen. Vid. Κεγχρος.
- Πελενικον. Vid. Ηδυταρον.
- Πενταπετον. Vid. Πενταφυλλον.
- Πενταφυλλον. Diosc. et Theoph.
- Quinquefolium majus repens. C.B.P. 325. Potentilla reptans. *Ang.* Common Cinquefoil.
- Πεντοζορον. Diosc. Vid. Παιονια.
- Πεπεροι. Diosc. Galen. et Theoph.
1. Μελανη. Piper rotundum nigrum. C.B.P. 411. Piper nigrum. *Ang.* Black Pepper Plant.
 2. Μακρον. Piper longum orientale. C.B.P. 412. Piper longum. *Ang.* Long Pepper.
 3. Λευκον. idem ac μελανη.
- Πεπλιον. Diosc. Vid. Δαφνοειδες.
- Πεπλιον. Hippoc. Vid. Πεπλις.
- Πεπλις. Diosc.
- Peplis maritima folio obtuso. C.B.P. 293. Euphorbia Peplis. *Ang.* Small purple Sea Spurge.
- Πεπλος. Diosc.
- Peplus, sive Esula rotunda. C.B.P. 292. Euphorbia Peplus. *Ang.* Petty Spurge.
- Πεπων. Diosc. et Theoph.
- Pepo oblongus. C.B.P. 311. Cu-

- curbita Pepo. *Ang.* Pompion. Secundum alios πεπων Dioscoridis est Anguria Citrullus dicta. C.B.P. 312. Cucurbita Citrullus. *Ang.* Common Water Melon.
- Περδικιον. Theoph.
- Chrondrilla bulbosa. C.B.P. 130.
- Leontodon bulbosum. *Ang.* Bulbous Dandelion. Sed q?
- Περικλυμενον. Diosc.
- Periclymenum non perfoliatum Germanicum. C.B.P. 302. Lonicera Periclymenum. *Ang.* Dutch Honeyfuckle.
- Περισσον. Vid. Ιερα Βοταιη.
- Περιζερεων. Vid. Ιερα Βοταιη.
- Περσεα. Diosc. et Theoph.
- Persea. C.B.P. 441. Laurus Persea. *Ang.* Avigato Pear. Sed q?
- Si nominatur cum Epitheto patriæ adiuncto, υποπται; Laurus Persea intelligi videtur: Sin Epitheton nullum additur, eandem significationem habere probabile est ac Περσικη Μηλεαν. Vid. Notas in Theophrastum, p. 125, 126. Sed q?
- Περσια. Vid. Περσικη μηλεα. Vid. J. Bauh. Hist. Plant. L. II.
- Περσικη μηλεα. Theoph.
- Perfica molli carne, et vulgaris. C.B.P. 440. Amygdalus Perfica. *Ang.* Peach-tree.
- N.B. Johannes Bauhinus putat Theophrastum, L. II. intellexisse, per Περσικη μηλεαν, Malum Medicam. C.B.P. 435. Citrum Medicam. *Ang.* Citron-tree.

Πετασίτης. Diosc.

Petasites major, et vulgaris. C.B.P. 197. Tussilago Petasites. *Ang.* Greater Common Butter-Bur.

Πετροσελινος. Diosc.

Apium Macedonicum. C.B.P. 154. Bubon Macedonicum. *Ang.* Macedonian Parsley.

Πευκεδάνος. Diosc. et Theoph.

Peucedanum Germanicum. C.B.P. 149. Peucedanum officinale α . *Ang.* Hog's-Fennel, Sulphur-wort, *vel*, Harestrong.

Πευκή. Theoph.

1. **Ημέρος.** Pinus sativa. C.B.P. 491. Pinus pinea. *Ang.* Italian Stone Pine.

2. **Αγρια.** 1. **Ιδαια.** Pinus sylvestris. C.B.P. 491. Pinus sylvestris. *Ang.* Wild Pine, *sive*, Pinaster^a. II. **Παραλια.** Pinus maritima altera. C.B.P. 492. Pinus sylvestris β . *Anglicè* dici potest, A Variety of the former.

Πηγανον. Diosc. et Theoph.

1. **Ορεινον καὶ αγριον.** Ruta sylvestris major. C.B.P. 336. Ruta graveolens. *Ang.* Rue^b.

2. **Ημέρον καὶ ηπειροτον.** Ruta hortensis latifolia. C.B.P. 336. *Ang.* A Variety of the former.

Πικρις. Diosc.

Cichorium sylvestre, *vel* officinale. C.B.P. 125. Cichorum Intybus. *Ang.* Wild Succory. N.B. Alii

putant esse Carduum stellatum foliis Papaveris erratici. C.B.P. 387. Centaurea calcitrapa. *Ang.* Star Thistle. Vid. Murray, Apparat. Medicamin. Vol. I. p. 99.

Πισος, *vel* **Πισον.** Theoph.

1. **Μεγα.** Pisum majus quadratum. C.B.P. 342. Pisum sativum. *Ang.* Garden Pea.

2. **Μικρον.** Pisum arvense. C.B.P. 342. Pisum arvense. *Ang.* Field Pea.

Πισανια. Diosc. et Theoph.

Pistacia peregrina fructu racemoso. C.B.P. 401. Pistacia vera. *Ang.* Pistacia Nut-tree.

Πιτυανθες. Vid. **οξυανανθα.**

Πιτυουσα. Diosc.

Tithymalus foliis brevibus aculeatis. C.B.P. 292. Euphorbia Pithyusa. N.B. Casparus Bauhinus opinari videtur, esse Tithymalum foliis Pini. C.B.P. 292. Sed inter Species Linn. haud invenio.

Πιτυς. Theoph.

Picea major prima, *sive* Abies rubra. C.B.P. 493. Pinus Abies. *Ang.* Spruce Fir.

Πιτυς κωνοφορος, *vel* **φθειροφορος.** Theoph. incert.

Πιτυς. Diosc. eadem ac **Πευκή.** Theoph.

Πλατανος. Diosc. et Theoph.

Platanus. C.B.P. 431. Platanus orientalis. *Ang.* Eastern Plane-tree.

^a Reperta à Whelero in Hymetto Monte, et in Isthmo Corinthiaco.

^b Repertum à Whelero in Monte Hymetto.

Ποα. Theoph.

Gramen pratense paniculatum majus, latiore folio. C.B.P. 2. Poa pratensis. *Ang.* Great Meadow-Grafs.

Ποθος. Theoph.

1. Hyacinthus comosus major purpureus. C.B.P. 42. Hyacinthus comosus. *Ang.* Great Grape-Hyacinth.

2. Ετερος. Lychnis hirsuta, flore coccineo, major. C.P.B. 203. Lychnis Chalcedonica. *Ang.* Scarlet Lychnis.

3. Φρυγιος. Clematis cærulea flore pleno. C.B.P. 300. Clematis Vi-ticella. *Ang.* Virgin's Bower.

Πολεμωνιον. Diosc.

Lychnis sylv. quæ Been album vulgo. C.B.P. 205. Cucubalus Behen.

Πολιον. Diosc.

1. Τευθριον. Polium montanum al-
bum. C.B.P. 221. Teucrium Po-
lium. *Ang.* Poley Mountain. Sed
quære?

2. Polium angustifolium Creticum.
C.B.P. 221. Polium Creticum^a.

Πολυγαλα. Diosc.

Polygala major. C.B.P. 215. Poly-
gala vulgaris. *Ang.* Common
Milk-wort.

Πολυγαλον. Diosc.

Polygala major Massiliotica. C.B.P.
349. Coronilla juncea. *Ang.* Rush-
leaved jointed podded Colutea.

Πολυγονατον. Diosc.

Polygonatum latifolium vulgare.
C.B.P. 303. Convallaria mul-
tiflora. *Ang.* True Solomon's
Seal.

N.B. Alii putant esse Polygonatum
latifolium flore majore odoro.
C.B.P. 303. Convallaria Polygo-
natum. *Ang.* Upright, *vel*, Sweet
scented Solomon's Seal.

Πολυγονοειδης. Vid. Κληματις.

Πολυγονον. Diosc.

1. Αρρεν. Polygonum latifolium.
C.B.P. 281. Polygonum aviculare.
Ang. Knot Grafs.

2. Θηλυ. Equisetum palustre bre-
vioribus foliis polyspermon. C.B.P.
15. Hippuris vulgaris. *Ang.* Fe-
male Horse-tail.

Πολυκνημον. Diosc.

Calamintha arvensis verticillata.
C.B.P. 229. Mentha arvensis. *Ang.*
Field Mint.

Πολυποδιον. Diosc.

Polypodium vulgare. C.B.P. 359.
Polypodium vulgare. *Ang.* Com-
mon Polypody.

Πολυρριζον. Diosc. Vid. Ελεφορος μελας,
et πτερις.

Πολυτριχον. Diosc. Vid. Αδιαντον.

Πολυωνυμον. Diosc. Vid. Ελξινη.

Ποταμογειτων. Diosc.

Potamogeton rotundifolium. C.B.P.
193. Potamogeton natans. *Ang.*
Broad-leaved Pond-weed.

Ποτη-

^a Repertum à Whelero in Insulâ Corcyrâ, et in Monte Hymetto.

Ποτηριον. Diosc.

Tragacanthæ affinis lanuginosa.
C.B.P. 388. Astragalus Traga-
cantha β. Ang. Goat's Thorn^a.
Sed q?

Πρασιον. Diosc. et Theoph.

1. Marrubium Cardiaca dictum.
C.B.P. 230. Leonurus Cardiaca.
Ang. Mother-wort.
2. Marrubium album vulgare.
Ang. Common Hore-hound.

Πρασιον. Diosc.

1. Κεφαλωτον. Porrum commune ca-
pitatum. C.B.P. 72. Allium Por-
rum. Ang. Leek.
2. Αμπελοπρασον. Porrum sylvestre
vinearum. C.B.P. 72. Porrum vi-
neale. Ang. Crow Garlick.

N.B. Fortasse sit, Allium sphæ-
rico capite, folio latiore, seu Scoro-
doprasum alterum. C.B.P. 74. Al-
lium Ampeloprasum. Ang. Great
round-headed Garlick.

Πρινος. Diosc. et Theoph.

1. Ilex aculeata cocciglandifera.
C.B.P. 425. Quercus coccifera^b.
Ang. Holm Oak.
2. Αγρια. Ilex aculeata baccifera fo-
lio finuato. C.B.P. 425. Forfan
eadem ac prima.

Προκοπιον. Vid. Μηλεα Αρμηνιανη.

Προσωπια. Vid. Αρκειον.

Πταρμικη. Diosc.

Dracunculus pratensis ferrato folio.
C.B.P. 98. Achillæa Ptarmica.

Ang. Bastadt Pellitory, five, Goose-
tongue.

Πτελεα. Diosc. et Theoph.

1. Ορεοπτελεα. Ulmus montana.
C.B.P. 427. Inter Spec. Linnæi.
haud invenio.
2. Ulmus campestris, et Theophrasti.
C.B.P. 427. Ulmus campestris.
Ang. English Elm.

Πτερις et πτεριον. Diosc.

Filix non ramosa dentata. C.B.P.
358. Polypodium mas. Ang.
Male Polypody.

Πτερις νυμφαια. Diosc. Vid. Θηλυπτερις.

Πυθιωνα. Diosc.

Incert. forsan Tulipa in genere.

Πυκνοκομον. Diosc.

Succisa glabra. C.B.P. 269. Scabi-
osa Succisa. Ang. Devil's Bit. Sed
q?

Πυξανανθα. Vid. Λυκιον.

Πυξος. Theoph.

Buxus arborescens. C.B.P. 47.I.
Buxus semper virens arborescens.
Ang. Box-tree.

Πυρεθρον. Diosc.

Pyrethrum flore bellidis. C.B.P.
148. Anthemis Pyrethrum. Ang.
Pellitory of Spain.

Πυρον αγριον. Vid. Χελιδονιον μικρον.

Πυρος. Diosc. et Theoph.

Triticum in genere. Species secun-
dum Theophrastum sunt,

1. Καγχυδιας, vel Καγχριδιας.

2. Στλεγγυς.

3. Αλε-

^a Repertum à Whelero in Monte Parnasso, et a Tournefortio in Monte Idâ.

^b Reperta à Whelero in Montibus Hyrcanno et Parnasso, et a Tournefortio in Insula Cretâ.

3. Αλεξανδρειος.

Sed haec distinctiones quænam fuerint, haud satis liquet.
Alia divisio est hujusmodi.

1. Διμηνος. Hæc forsan Tritici species sit in Moscovia notissima, et à Bodæo à Stapel in Notis in Theophrastum recognita, p. 934. Videtur esse Triticum Polonicum Linnaei Spec. Plant.

2. Τεμηνος. Triticum aestivum. C.B.P. 21. Triticum aestivum. Ang. Summer-Wheat.

N.B. Πυρος. Diosc. videtur esse Τεμηνος.

Πυρος αχυη, vel αχυντος. Diosc. Vid. Χαμελαια.

P

P A, vel Ρηον. Diosc.

Rhaponticum folio Lapathi majoris glabro. C.B.P. 116. Rheum Rha- ponticum. Ang. Monk's Rhubarb².

Ραμνος. Diosc. et Theoph.

1. Λευκη. Rhamnus spinis oblongis, flore candidante. C.B.P. 476. Sed inter Spec. Linn. non invenio.

2. Μελαινα. Rhamnus tertius flore herbaceo, baccis nigris. C.B.P. 477. Rhamnus lycioides. Ang. Clusius's third Buckthorn with an herbaceous flower and black berries.

3. Dioscoridis. Rhamnus folio subrotundo, fructu compresso. C.B.P. 477. Rhamnus Paliurus. Ang. Christ's Thorn.

Ραφανις. Theoph.

1. Κορινθια. incert.

2. Κλεωναια. Raphanus minor oblongus. C.B.P. 96. Raphanus sativus. Ang. Common Radish.

3. Δειοβαλαστια. incert.

4. Βοιωτια, vel Θρακια. incert. Vid. Notas in Theoph. p. 768.

Ραφανις. Diosc.

1. Eadem ac κλεωναια. Theoph.

2. Αγρια. Raphanus rusticana. C.B.P. 96. Cochlearia Armoracia. Ang. Horse Radish.

Ραφανος. Theoph.

1. Ουλοφυλλος, vel Ου λειοφυλλος.

Brassica alba crispa. C.B.P. 111. Brassica oleracea Sabauda ε. Ang. Savoy Cabbage.

2. Λειοφυλλος. Brassica alba, vel viridis. C.B.P. 111. Brassica oleracea viridis β. Ang. Cole-wort.

3. Αγριος. Brassica arvensis. C.B.P. 112. Haud in Linnæo reperio.

N.B. Altera species est Theophrasti, L. VII. C. 4. quæ nullum aut vix ullum semen proferre dicitur. C. Bauhinus putat esse Brassicam cau- liforam. C.B.P. 111. Brassica ole- racea botrytis. Ang. The Cauliflower.

Ροδια ριζα. Diosc.

Rhodia radix. C.B.P. 286. Rhodiola

² Repert. à Whelero in Monte Hymetto.

- diola rosea. *Ang.* Rose-scented Rhodiola, *sive*, Rose-root.
 Ρόδοδαφνη. Diosc. Vid. Νηριον.
 Ροδοδενδρον. Diosc. Vid. Νηριον.
 Ροδον. Diosc. et Theoph.
 1. Rosa rubra. C.B.P. 481. Rosa Gallica. *Ang.* Red, *sive*, Officinal Rose.
 2. Εκατονταφυλλον. Rosa multiplex media. C.B.P. 482. Rosa centifolia. *Ang.* Hundred-leaved Rose.
 Ροδωνια. Vid. Ροδον.
 Ροια. Diosc. Ροια. Theoph.
 Malus punica sativa. C.B.P. 438.
 Punica Granatus. *Ang.* Pomegranate-tree.
 Ροια απυρηνος. incert.
 Ροος et Ρους. Hippoc. et Theoph.
 Rhus folio Ulmi. C.B.P. 414.
 Rhus coriaria. *Ang.* Tanner's Sūmach.
 N.B. Φωιξ herba Dioscoridis ita vocatur.

Σ

- ΣΑΜΥΤΧΟΣ. Diosc. et Theoph.
 Sampsonius, *sive* Marum Mastichen redolens. C.B.P. 224. Thymus Mastichina. *Ang.* Mastich Thyme.
 Σαρι. Theoph.
 Papyrus Syriaca, vel Siciliana. C.B.P. 19. Cyperus Papyrus. *Ang.* Egyptian Papyrus.
 Σαρξιφαγον. Diosc.
 Serpyllum vulgare minus. C.B.P. 220. Thymus Serpyllum. *Ang.*

- Mother of Thyme. Sed quære utrum hæc Vox legitima Dioscoridi adscribi queat.
 Σατυριον τριφυλλον. Diosc.
 Tulipa præcox lutea. C.B.P. 57.
 Tulipa Gesneriana. *Ang.* A Variety of the Tulip kind.
 Σατυριον Ερυθρονιον. incert.
 Σελινον. Diosc. et Theoph.
 Apium hortense. C.B.P. 153. Apium petroselinum. *Ang.* Parsley.
 Σελινον αχριον. Vid. Βαεραχιον.
 Σερινη. Vid. Ναρδος Κελτικη.
 Σερις. Diosc.
 Intybus sativa latifolia. C.B.P. 125.
 Chichorium Endivia. *Ang.* Endive.
 Σερις αχρια. Diosc.
 Dens Leonis latiore folio. C.B.P. 126. Leontodon Taraxacum. *Ang.* Common Dandelion. Vid. Menthelium.
 Σεσελι. Diosc.
 1. Μασσαλεωτικον. Seseli Massiliense fœniculi folio. C.B.P. 161. Seseli tortuosum. *Ang.* Twisted Hart-wort of Marseilles.
 2. Αιθιοπικον. Seseli Æthiopum Salicis folio. C.B.P. 161. Bupleurum fruticosum. *Ang.* Shrubby Hart-wort of Æthiopia.
 3. Πελοποννησιακον. Seseli montanum, cicutæ folio, glabrum. C.B.P. 161. Vix liquet an hæc sit Ligusticum Austriacum. *Ang.* Austrian Lovage. Aut forsitan potius, Cicutaria latifolia fœtida. C.B.P. 161. Ligusticum

- ticum Peloponnesiacum. *Ang.* Pe-
loponnesian Lovage.
 4. Κρητικον. Seseli Creticum minus.
 C.B.P. 161. Tordylium officinale.
Ang. Hart-wort of Crete.
 Σευτλον. Vid. Τευτλον.
 Σημυδα. Theoph.
 Betula, C.B.P. 427. Betula alba.
Ang. White Birch-tree.
 Σηρια. Galen. Vid. Λωτος. Athenaei.
 Σησαμη, vel Σησαμον. Antiq.
 Sesamum veterum. C.B.P. 27. Se-
 samum orientale. *Ang.* Sesame,
sive, Oily Grain.
 Σησαμοιδες. Diosc. μικρον πας μεγα.
 An est Reseda Sesamoïdes?
 Σιδη. Theoph.
 Interdum eandem habet significa-
 tionem ac Ροια, in aliis autem locis
 Casparus Bauhinus putat signifi-
 cari Althæam palustrem. C.B.P.
 316. Hibiscum palustrem. *Ang.*
 Marsh Althæa.
 Σιδηριτις. Diosc.
 1. Ηρακλεια. Sideritis hirsuta procum-
 bens. C.B.P. 223. Sideritis hirsuta.
Ang. Hairy Iron-wort.
 2. Pimpinella sanguisorba minor
 hirsuta. C.B.P. 160. Poterium
 Sanguisorba. *Ang.* Common Bur-
 net.
 3. incert.
 Σινης. Diosc. et Theoph.
 1. Ημερος. Cucumis sativus vulgaris.
 C.B.P. 310. Cucumis sativus. *Ang.*
 Common Cucumber.
 2. Αγριος. Cucumis sylvestris afini-

- nus dictus. C.B.P. 314. Momor-
 dica Elaterium. *Ang.* Spurting
 Cucumber.
 Σιλιγνης. Theoph.
 Triticum filagineum. C.B.P. 21.
 Triticum hybernum. *Ang.* Win-
 ter Wheat.
 Σιλυσον. Diosc.
 Carduus albis maculis notatus vul-
 garis. C.B.P. 81. Carduus mari-
 anus. *Ang.* Milk Thistle.
 Σιλφιον. Diosc. et Theoph.
 Laferpitium veteranum. C.B.P. 156.
 Laferpitium Gallicum. *Ang.* French
 Laferwort. Forsan sit Ferula Afa
 fœtida. *Ang.* Afa fœtida Plant.
 Σινηπι. Diosc. et Theoph.
 Sinapi rapi folio. C.B.P. 19. Sina-
 pis nigra. *Ang.* Black Mustard.
 Σιον. Diosc.
 Sion, *sive* Apium palustre foliis ob-
 longis. C.B.P. 154. Sium latifo-
 lium β. *Ang.* Water Parsnep with
 oblong Leaves.
 Σισαρον. Diosc.
 Sifarum Germanorum. C.B.P. 155.
 Sium Sifarum. *Ang.* Skirret.
 Σισυμβριον. Diosc.
 1. Mentha rotundifolia palustris,
sive aquatica major. C.B.P. 227.
 Mentha aquatica. *Ang.* Water
 Mint.
 2. Ετερον. Nasturtium aquaticum
 supinum. C.B.P. 104. Sisymbrium
 Nasturtium. *Ang.* Water Cresses.
 Alii censem esse Nasturtium Al-
 pinum bellidis folio minus. C.B.P.

105. Cardamine bellidifolia. *Ang.*
Daifly-leaved Ladies' Smock. For-
tasse sit *Nasturtium pratense* mag-
no flore. C.B.P. 104. Cardamine
pratensis. *Ang.* Common Ladies'
Smock.

Σισυρίγχιον. Theoph.

Sisyrinchium minus angustifolium.
C.B.P. 41. *Ixia bulbocodium*. *Ang.*
Crocus-leaved Ixia.
Forsitan sit *Sisyrinchium majus*.
C.B.P. 40. *Iris Sisyrinchium*. *Ang.*
Crocus-rooted Iris.

Σιτων. Diosc.

Sison, quod Amomum officinarum
nostrarum. C.B.P. 154. *Sison*
Amomum. *Ang.* Bastard Stone-
Parsley.

Σκαμμωνία. Diosc.

Scammonia Syriaca. C.B.P. 294.
Convolvulus Scammonia. *Ang.*
Scammony^a.

Σκανδῖξ. Diosc. et Theoph.

Scandix femine rostrato vulgaris.
C.B.P. 152. *Scandix Pecten*. *Ang.*
Stork's-bill.

Σκιλλα. Diosc.

Scilla vulgaris, radice rubrâ. C.B.P.
73. *Scilla maritima*. *Ang.* Sea
Squill^b.

Σκιλλα Επιμενίδε. Theoph.

Scilla esculenta. C.B.P. 73.

Σκολοπενδριον. Vid. Ασπληνον.

Σκολυμος. Diosc.

Cinara hortensis aculeata. C.B.P.
383. *Cinara Scolymus*. *Ang.* Ar-
tichoke.

Σκολυμος. Theoph.

Scolymus chrysanthemos. C.B.P.
384. *Scolymus Hispanicus*. *Ang.*
Spanish Golden Thistle.

Σκορδιον. Diosc.

Scordium. C.B.P. 247. *Teucrium*
Scordium. *Ang.* Water Germander^c.

Σκορδον. Diosc. et Theoph.

1. Ημερον. *Allium sativum*. C.B.P.
73. *Allium sativum*. *Ang.* Gar-
lick.

2. Αγριον, vel οφιοσκορδον. *Allium*
montanum latifolium maculatum.
C.B.P. 74. *Allium Victorialis*. *Ang.*
Broad-leaved Garlick.

Σκορδοπρασον. Diosc.

Allioporum, five *Scorodoprasum*.
C.B.P. 74. *Allium Scorodopra-
sum*. *Ang.* Rocambole.

Σκορπιοειδης. Diosc.

Scorpioides Bupleuri folio. C.B.P.
287. *Scorpiurus fulcata*.

Σκορπιος. Theoph.

*Genista spinosa major, brevibus acu-
leis*. C.B.P. 394. *Ulex Europaeus*.
Ang. Common Furze^d.

Σκορπιουρος. Vid. Ηλιοτροπιον.

Σκυθικη Ριζα. Theoph.

Glycyrrhiza filiformis, vel Germanica.
X

^a Reperta à Whelero in Insulâ Corcyrà.

^b Reperta à Whelero in Insulâ Tenedo, et in Monte Hymetto.

^c Repertum à Whelero propè fluvium Caicum.

^d Repert. à Whelero in Monte Hymetto.

- nica. C.B.P. 352. *Glycyrrhiza glabra*. *Ang.* Common Liquorice.
Σκυταλιον. Diosc. *Vid.* Κοτυληδων.
Σμιλαξ. (arbor) Diosc.
Taxus. C.B.P. 505. *Taxus baccata*.
Ang. Common Yew-tree.
Σμιλαξ. (herba) Diosc.
1. *Τραχεια*. *Smilax aspera*, fructu rubente. C.B.P. 296. *Smilax aspera*: *Ang.* Rough Bind-weed.
2. *Λεια*. *Convolvulus major albus*. C.B.P. 294. *Convolvulus sepium*.
Ang. Great Bind-weed.
3. *Κηπαια*. Diosc. (L. II. C. 176.) *Smilax hortensis*, sive *Phaseolus major*. C.B.P. 339. *Phaseolus vulgaris*. *Ang.* Scarlet-flowering French-bean.
Σμιλαξ. (arbor) Theoph.
Ilex folio rotundo molli modicéque sinuato, sive *Smilax Theophrasti*. C.B.P. 425. *Forsitan Quercus coccifera*. *Ang.* The Kermes Oak.
Σμιλος. *Vid.* Μιλος.
Σμυρνον. Diosc.
Hippocelinum Theophrasti, vel *Smyrnium Diocoridis*. C.B.P. 154.
Smyrnium Olusatrum. *Ang.* Alexander.
Σογχος, vel *Σογχον*. Diosc. et Theoph.
1. *Αγριον και ακανθωδεις*. *Sonchus asper*, *laciniatus*, et non *laciniatus*. C.B.P. 124. *Sonchus oleraceus* γ. *Ang.* Sow Thistle.
2. *Τρυφερον και εδωδιμον*. *Sonchus levis laciniatus latifolius*. C.B.P.

124. *Sonchus oleraceus* α. *Ang.* A Variety of the former. Sed de utrisque q?
Σπαργανον. Diosc.
Sparganium ramosum. C.B.P. 15.
Sparganium erectum. *Ang.* Great Bur-weed.
Σπαρτιον. Diosc.
Spartium arborescens feminibus lenticilibus. C.B.P. 396. *Spartium junceum*. *Ang.* Spanish Broom^b.
Σπαρτον. *Vid.* Σπαρτιον..
Σπειραια. Theoph.
Frutex spicatus foliis ferratis salignis. C.B.P. 475. *Spiraea salicifolia*. *Ang.* Willow-leaved Spiraea.
Σπλαχνον. *Vid.* Βρυον.
Σπληνιον. Diosc. *Vid.* Ασπληνον. et Ημιονιτις.
Σποδιας. Theoph. *Vid.* Κοκκυμηλεα.
Σταφισαγρια. Diosc.
Staphisagria. C.B.P. 324. *Delphinium Staphisagria*. *Ang.* Staves-acre, sive, Palmated-leaved Istrian Larkspur.
Σταφυλη. Diosc.
Grossularia simplici acino, sive *spinosa sylvestris*. C.B.P. 455. *Ribes uva crispa*. *Ang.* Gooseberry. De hac interpretatione, *Vid.* *Mentzelium*. Sed q?
Σταφυλωσ. Galen. et Diosc.
1. *Αγριος*. *Pastinaca tenuifolia sylvestris*. C.B.P. 151. *Daucus Carota*. *Ang.* Common Carrot. Sed q?
2. *Κηπευ-*

^a Repertum à Whelero propè Smyrnam. ^b Repertum à Whelero in Insula Zacintho, hodiè Zante.

2. Κηπευτος. Pastinaca tenuifolia sativa, radice atrorubente. C.B.P. 151. Daucus Carota β . *Ang.* A Variety of the common Carrot.

Σταχυς. Diosc.

Stachys major Germanica. C.B.P. 236. Stachys Germanica. *Ang.* Base Horehound^a. Aliis videtur esse Stachys minor Italica. C.B.P. 236. Sideritis Syriaca. *Ang.* Woolly-stalked Base Horehound.

Στελεφουρος. Theoph.

Gramen typhoides maximum spicâ longissimâ. C.B.P. 4. Phleum pratense. *Ang.* Meadow Cat's-tail Grass.

Στεφανη. Diosc. Vid. Ιππογλωσσον.

Στιχας. Diosc.

Stoechas purpurea. C.B.P. 216. Lavandula Stoechas. *Ang.* French Lavender^b, *sive*, Cassidony.

Στοιβη. Diosc. et Theoph.

Stoebe major foliis cichoraceis molibus lanuginosis. C.B.P. 273. Centaurea Salmantica. *Ang.* Silver Knap-weed. Aliis videtur esse Poterio affinis foliis Pimpinellæ spinosa. C.B.P. 388. Poterium spinosum. *Ang.* Shrubby Burnet. Fortasse sit Stoebe incana cyano similis tenuifolia. C.B.P. 273. Centaurea Stoebe^c.

Στρατιωτης ποταμιος. Diosc.

Lenticula palustris $\ddot{\text{A}}$ gyptiaca.

C.B.P. 362. Pistia Stratiotes. *Ang.* Water Houseleek of Egypt.

Στρατιωτης χιλιοφυλλος. Diosc. Millefolium vulgare album. C.B.P. 140. Achillæa Millefolium. *Ang.* Yarrow, *sive*, Milfoil. Alii autem censem esse Millefolium tomentosum luteum. C.B.P. 140. Achillæa tomentosa.

Στρογγυλη. Vid. Γογγυλη.

Στρουθιον. Diosc.

Saponaria lychnidis folio flosculis albis. C.B.P. 206. Gypsophila Struthium.

Στρουχνος. Diosc. et Theoph.

1. Κηπαιος. Diosc. Ημερος. Theoph. Solanum pomiferum fructu oblongo. Solanum Melongena. *Ang.* Egg-Plant.

2. Αλικαναλος. Diosc. Solanum vesicarium. C.B.P. 166. Physalis Alkekengi. *Ang.* Winter Cherry.

3. Υπνωτιος. Diosc. et Theoph. Solanum somniferum bacciferum. C.B.P. 166. Physalis somnifera. *Ang.* Shrubby Winter Cherry.

4. Μανικος. Diosc. et Theoph. Solanum foetidum pomo spinoso oblongo. C.B.P. 168. Datura Stramonium. *Ang.* Thorn Apple. Ut nonnulli putant, Solanum est melancerasus. C.B.P. 166. Atropa Belladonna. *Ang.* Deadly Nightshade. Aliis autem videtur esse Solanum

^a Repert. à Whelero in Monte Parnasso.

^c Reperta à Tournefortio in Monte Idâ.

^b Reperta à Whelero in Monte Hymetto.

- Ianum pomo spinoso rotundo, longo flore. C.B.P. 168. Datura. *Ang.* Metel. Vid. Murray Appar. Med. 456.
Στυραξ. Diosc.
 Styrax folio malic cotonei. C.B.P. 452.
 Styrax officinalis. *Ang.* Officinal Storax-tree.
Συζωμον. Diosc. et Theoph.
 1. Eruca latifolia alba. C.B.P. 98.
 Brassica Eruca. *Ang.* Rocket, *sive*, Mustard Cole-wort.
 2. Αγριον. Eruca sylvestris major lutea, caule aspero. C.B.P. 98. Brassica Erucastrum. *Ang.* Wild Rocket.
Συκαμινεα. Diosc. et **Συκαμινος.** Theoph.
 Vid. *Μορεα.*
Συκη. Diosc. et Galen.
 1. Ημερος. Ficus communis. C.B.P. 457. Ficus Carica. *Ang.* Common Fig-tree.
 2. Αγρια και ερυνεος. Ficus sylvestris Dioscoridi. C.B.P. 457. Eadem forsan ac ημερος.
Συκη. Theoph.
 1. Αιγυπτια. incert.
 2. Ινδικη. Ficus Indica foliis mali cotonei similibus, fructu ficubus simili in Goâ. C.B.P. 458. Ficus Indica. *Ang.* Indian Fig.
 3. Εν Κυπρω. Ficus folio Sycomori, fructum non in caudice gerens. C.B.P. 459. Haud reperio inter Spec. Linn.
 N.B. πεπλος, et χαμαισυκη Diosc. ita vocantur.

- Συκη περι την Ιδην. Theoph.
 Chamæcerasus Alpina, fructu rubro geminato duobus punctis notato. C.B.P. 451. Lonicera Alpigena. *Ang.* Alpine Honeysuckle
Συκομορον, vel **Συκαμινον.** Diosc.
 Ficus folio Mori, fructum in caudice ferens. C.B.P. 459. Ficus Sycomorus. *Ang.* Mulberry-leaved Egyptian Fig-tree. Fortasse eadem sit ac **Συκη Αιγυπτια** Theophrasti.
Συμφυτον. Diosc.
 1. Πετραιον. Symphytum consolida major. C.B.P. 259. Symphytum officinale. *Ang.* Greater Comfrey. Alii putant esse Brunellam majorem, folio non dissecto. C.B.P. 26. Prunella vulgaris. *Ang.* Self-heal. Forsan sit Symphytum petraeum Cam. Epit. 699. Coris Monspeliensis. *Ang.* Heath low Pine of Montepelier.
 2. Ετερον. Symphytum majus, tuberosa radice. C.B.P. 259. Symphytum tuberosum. *Ang.* Tuberous-rooted Comfrey.
Συριγξ. Theoph.
 Arundo scriptoria atro-rubens. C.B.P. 17. Haud inter Species Plant. Linn. appetet.
Σφαγνον. Vid. Ελελισφανον.
Σφανελος. Theoph.
 Salvia major. C.B.P. 237. Salvia officinalis. *Ang.* Green Sage. Sed q? **Σφενδαμνος.** Theoph.
 1. Γλεινος. Acer campestre et minus. C.B.P.

1. C.B.P. 431. Acer campestre. *Ang.*
Common Maple.
 2. Ζυγια. Acer montanum. flavum,
sive crispum. C.B.P. 431. Forisan,
Acer platanoïdes. Aliis videtur
esse Ostrya ulmo similis, fructu in
umbilicis foliaceis. C.B.P. 427.
Carpinus betulus. *Ang.* Hornbeam.
Not. in Theoph. pag. 183.
 3. Κλινοτροχος. Acer montanum
candidum. C.B.P. 430. Acer
pseudo-platanus. *Ang.* Sycamore.
Nonnulli eandem esse putant ac
Γλεωνον.
 Σφονδυλιον. Diosc.
 Sphondylium hirsutum. vulgare.
 C.B.P. 157. Heracleum Sphondy-
lium. *Ang.* Cow-Parsnip.
 Σχινος. Athenæi.
 Scilla esculenta. C.B.P. 73.
 Σχινος. Diosc.
 Lentiscus vulgaris. C.B.P. 399.
 Pistacia lentiscus. *Ang.* Common
Spanish Lentisk, *sive*, Mastich-
tree^a.
 Σχινος. Diosc. L. I. 16.
 Juncus odoratus, *sive* aromaticus.
 C.B.P. 11. Andropogon Schœ-
nanthus. *Ang.* Sweet-scented Rush,
sive, Camel's Hay.
 Σχινος. Diosc. L. IV. 52.
 1. Λεια. Juncus laevis, paniculâ spar-
sâ, major. C.B.P. 12. Juncus ef-
fusus. *Ang.* Common Soft-Rush.

2. Οξυσχοινος. Juncus acutus capi-
tulis Sorghi. C.B.P. 11. Juncus
acutus. *Ang.* Hard Sea-Rush.
 3. Ολοσχοινος. Juncus maximus.
 C.B.P. 12. Scirpus lacustris. *Ang.*
Bull-Rush. Alii censent esse Jun-
cum acutum maritimum, capitulis
rotundis. C.B.P. 11. Scirpus Ho-
lochœnus. *Ang.* Round-headed
Bull-Rush.
 Σχινος. Theoph.
 1. Οξυς και ακαρπος. eadem ac οξυ-
σχοινος Diosc.
 2. Καρπημος. incert..
 3. Ολοσχοινος. eadem ac Dioscoridis.

T

- ΤΕΛΕΦΙΟΝ. Diosc. vel Τηλεφιον.
 Telephium Dioscoridis. C.B.P. 287.
 Ornithopus scorpioides. *Ang.*
True Orpine of Dioscorides. Alii
putant esse Telephium vulgare.
 C.B.P. 287. Sedum Telephium.
Ang. Orpine, *sive*, Live-long.
 Aliqui putant esse Sempervivum
minus vermiculatum acre. C.B.P.
 283. Sedum acre. *Ang.* Wall
Stone Crop.
 Τερμινθος. Diosc. et Theoph.
 Terebinthus vulgaris. C.B.P. 400.
 Pistacia Terebinthus. *Ang.* Tur-
pentine-tree^c.

Τερμιν-

^a Repertum à Tournefortio propè Heracleam.^b Repertus à Whelero in Insulis Delo et Chio, (hodiè *Scio*) et in Monte Hymetto.^c Repert. à Whelero in Ins. Chio, hodiè *Scio*, et Monte Hymetto.

Τερμινθος Βακτρα. Theoph. Vid. Πιγα-
κια.

Τετραγονον. Hippoc. Vid. Ελλεβορος
λευκος.

Τετραγωνια. Theoph.

Euonymus vulgaris, granis rubenti-
bus. C.B.P. 428. Euonymus Eu-
ropaeus tenuifolius. Ang. Narrow-
leaved Spindle-tree.

Τετραλιξ. Theoph.

Erica ex rubro nigricans scoparia.
C.B.P. 486. Erica tetralix. Ang.
Cross-leaved Heath.

Τετραπωγων. Vid. Τραχοπωγων.

Τευθρης. Vid. Πολιον.

Τευκριον. Diosc.

Teucrium. C.B.P. 246. Teucrium
flavum. Ang. Shrubby Germander.
Forsan sit Chamædrys spuria ma-
jor angustifolia. C.B.P. 248. Ve-
ronica Teucrium.

Τευτλον. Diosc. Τευτλιον. Theoph.

1. Μελαν. Beta rubra, radice rapae.
C.B.P. 118. Beta vulgaris rubra γ.
Ang. Red Beet.

2. Λευκον. Beta alba, vel pallescens.
C.B.P. 118. Beta vulgaris rubra
ζ. Ang. A Variety of the red Beet.

Τευτριον. Diosc. Vid. Ερυθροδανον.

Τευχιτης. Vid. Σχοινος.

Τηλις. Diosc.

Fœnugræcum sativum. C.B.P. 348.
Trigonella Fœnum græcum. Ang.
Fœnugreek.

Τιθυμαλος. Diosc.

1. Αρρην, χαρακιας, αμυγδαλοειδης. Ti-

thymalus Characias amygdaloïdes.
C.B.P. 290. Euphorbia amygda-
loïdes. Ang. Woody Spurge.

2. Θηλυς. Tithymalus myrsinites la-
tifolius. C.B.P. 290. Euphorbia
myrsinites. Ang. Dwarf Spurge.

3. Παραλιος. Tithymalus maritimus.
C.B.P. 291. Euphorbia paralias.
Ang. Sea Spurge.

4. Ηλιοσκοπιος. Tithymalus heliof-
copius. C.B.P. 291. Euphorbia
helioscopia. Ang. Sun Spurge,
five, Wart-wort.

5. Κυπαρισσιας. Tithymalus cypa-
rissias. C.B.P. 291. Euphorbia
cyparissias. Ang. Cypress-leaved
Spurge.

6. Δενδρωδης. Tithymalus myrtifolius
arboreus. C.B.P. 291. Euphorbia
dendroïdes. Ang. Tree-like Ita-
lian Spurge.

7. Πλατυφυλλος. Tithymalus arven-
sis latifolius Germanicus. C.B.P.
291. Euphorbia platyphylla. Ang.
Broad-leaved Spurge.

Τιθυμαλος. Theoph.

1. Παραλιος. eadem ac Dioscoridis.
2. Αρρην, φυλλον ελαιωδες εχων. eadem
ac prima Dioscoridis.

3. Μυρτιτης λευκος. eadem ac secunda
Dioscoridis.

Τιφιον. Theoph.

Colchium melino flore. C.B.P. 69.

Τορδυλιον. Vid. Σεσελι Κρητικον.

Τραχανανθα. Diosc. et Theoph.

Tragacantha. C.B.P. 388. Astra-
galus

galus Tragacantha. *Ang.* Goat's Thorn^a.

Τραγιον. Diosc.

1. *Pimpinella saxifraga minor.*
C.B.P. 160. *Forsan Seseli saxifragum.*
2. *Stachys serratæ affinis.* C.B.P. 216. *Inter Spec. Linn.* haud invenio.

Τραγοπάγων. Diosc. et Theoph.

Tragopogon pratense luteum majus.
C.B.P. 274. *Tragopogon pratense.*
Ang. Meadow, Greater, Yellow Goat's Beard.

Alii putant esse *Tragopogon purpureo-cæruleum crocifolium.* C.B.P. 275. *Tragopogon crocifolium.*
Ang. Saffron-leaved purple Goat's Beard.

Τραγός, vel Τραγάνος. Diosc.

Kali spinosum cochleatum. C.B.P. 289. *Salsola Tragus.*

Τραγός. Hippoc.

Triticum filagineum. C.B.P. 21.
Triticum hybernum. *Ang.* Winter Wheat.

Τριβολος. Diosc. et Theoph.

1. Ενυδρος. *Tribulus aquaticus.*
C.B.P. 194. *Trapa natans.*
2. *Tribulus terrestris, ciceris folio, fructu aculeato.* C.B.P. 350.
Tribulus terrestris. *Ang.* Land Calthrop with a Chich-leaf and prickly Fruit.

Τριμηναιον σιτον. Diosc. et Theoph.
Triticum æstivum. C.B.P. 21. Tri-

ticum æstivum. *Ang.* Summer Wheat.

Τριπολιον. Diosc.

Tripolium majus cæruleum. C.B.P. 266. *Aster Tripolium.* *Ang.* Sea Star-wort.

Τριφυλλον. Diosc.

Trifolium bitumen redolens. C.B.P. 327. *Pforalea bituminosa.* *Ang.* Three-leaved Pforalea.

N.B. Λωτος ημερος ita vocatur.

Τριχομανες. Diosc.

Trichomanes, five Polytrichum officinarum. C.B.P. 356. *Asplenium Trichomanes.* *Ang.* Common Maid-hair.

Τυφη. Diosc. et Theoph.

Typha palustris major. C.B.P. 20.
Typha latifolia. *Ang.* Great Cat's Trefoil.

Τύφη ετερα. Theoph.

Triticum typhinum. C.B.P. 21.
Triticum æstivum. *Ang.* Summer Wheat. Nonnulli putant esse *Secale hybernum, vel majus.* C.B.P. 23. *Secale cereale hybernum.* *Ang.* Common Rye.

N.B. Plures scribunt hoc vocabulum Τυφη.

Τ

ΤΑΚΙΝΘΟΣ. Diosc.

Hyacinthus comosus major purpureus. C.B.P. 42. *Hyacinthus comosus.* *Ang.* Great Grape Hyacinth.

N.B. Δελ-

^a Reperta à Whelero in Ins. Tenedo.

Ν.Β. Δελφινιον ετερον ita vocatur.

Τδνον. Dioſc.

Tubera. C.B.P. 376. Lycoperdon

Tuber. Ang. Truffle.

Τδροπεπερι. Dioſc.

Persicaria urens, seu Hydropiper.

C.B.P. 101. Polygonum Hydro-
piper. Ang. Water Pepper, five,
Arfsmart.

Τσικναμος. Dioſc.

1. Hyoscyamus vulgaris. C.B.P.

169. Hyoscyamus niger. Ang.

Black, five, Common Henbane.

2. Hyoscyamus Creticus luteus ma-
jor. C.B.P. 169. Hyoscyamus au-
reus. Ang. Yellow Spanish Hen-
bane.

3. Hyoscyamus albus major. C.B.P.

169. Hyoscyamus albus. Ang.
White Henbane.

Τπεριον. Dioſc.

Hypericum vulgare. C.B.P. 279.

Hypericum perforatum. Ang. Com-
mon St. John's-wort.

Τπηνον. Dioſc.

Hypocoum. C.B.P. 173. Hypoco-
um procumbens.

Τπνον. Vid. Βρυον.

Τποφεων. Vid. Τπηνον.

Τσοξιον. Vid. Μαρον.

Τσωπος. Dioſc. et Hippoc.

Hyssopus rotundifolia spicata. C.B.P.

218. Hyssopus officinalis. Ang.

Common Hyssop. Salmasius pu-
tat esse Eichrysum Orientale.

C.B.P. 264. Gnaphalium Ori-
entale.

Φ

ΦΑΚΟΕΙΔΕΣ. Dioſc. Vid. Ερπετφ.

Φακος. Dioſc.

Lens vulgaris. C.B.P. 346. Ervum
lens. Ang. Common Lentil.

Φακος δ επι των τελματων. Dioſc.

Lenticula palustris quadrifolia.

C.B.P. 362. Marsilea quadrifolia.

Φαλαγγιον. Dioſc.

Phalangium, parvo flore, ramosum.

C.B.P. 29. Anthericum ramosum.

Ang. Branching Spider-wort. Sed
q?

Φαλαγγιτιον. Vid. Φαλαγγιον.

Φαλαρις. Dioſc.

Phalaris major, semine albo. C.B.P.

28. Phalaris Canariensis. Ang.

Manured Canary Grafs. Sed q?

Φαγγανον. Vid. Ξιφιον; et Ξανθιον.

Φασιολος. Dioſc. Vid. Σμιλαξ ηηπαια, et
Ισοπυρον.

Φελλοδρυς. Theoph.

Arbor, cerro-suguardo (quasi cerri
suber) in Etruriā vocata. Vid. Mat-

thioli Notas in Dioſcoridem. p. 137.

Ilex oblongo ferrato folio. C.B.P.

424. Quercus Ilex. Ang. Ever-
green Oak.

Φελλος. Theoph.

Suber latifolium, folio deciduo.

C.B.P. 424. Quercus Suber. Ang.

Cork-tree.

Φεως. Vid. Στοξη. Vid. Notas in The-
ophrasti Lib. IV. C. 11.

Φηγος.

Φηγος. Vid. Δρυς.

Φιλανθρωπος. Vid. Απαρωη.

Φιλεταιρον. Diosc. Vid. Πολεμωνιον, et
Ωκιμοειδες.

Φιλλυρεα. Diosc.

Phillyrea latifolia laevis. C.B.P.
476. Phillyrea latifolia. Ang.
Broad-leaved Phillyrea.

Φιλυκη. Theoph.

Philyca elatior. C.B.P. 476. Rham-
nus alaternus. Ang. Blotched
Alaternus.

Φιλυρα. Theoph.

1. Αρρην.. Tilia montana, maximo
folio. C.B.P. 426. Tilia Europaea
β. Ang. Common Lime, *sive*, Lin-
den-tree.

2. Θηλεα. Tilia fœmina, folio ma-
jore. C.B.P. 426. Tilia Euro-
paea α. Ang. Another Variety of
the Lime-tree.

Φλεον. Diosc.

Sagitta aquatica minor angustifolia.
C.B.P. 194. Sagittaria Sagittifolia.
Ang. A species of Arrow-head.

Φλεως. Theoph.

Papyrus Syriaca, vel Siciliana. C.B.P.
19. Cyperus Papyrus. Ang. Egyp-
tian Papyrus.

Φλοιος. Diofc.

1. Λευκη. I. Θηλεα. Verbascum fœmi-
na, flore albo. C.B.P. 239. Forfan,
Verbascum Lychnitis. Ang. White
Mullein. II. Αρρην. Verbascum
mas, angustioribus foliis, floribus

pallidis. C.B.P. 239. Verbascum
Lychnitis. Ang. A Variety of the
former.

2. Μελαινα. I. Verbascum fœmina, flo-
re luteo, magno. C.B.P. 239. Ver-
bascum Phlomoïdes. II. Αγρια. Ver-
bascum latis Salviæ foliis. C.B.P.
240. Phlomis fruticosa. Ang.
Common Jerusalem Sage^a. III.
Λυχνιτις. Verbascum angustis Sal-
viæ foliis. C.B.P. 240. Phlomis
Lychnitis.

Φλοιτις. Vid. Ονοσμα.

Φλοξ, vel Φλογιον. Theoph.

Viola tricolor hortensis repens.
C.B.P. 199. Viola tricolor β.
Ang. Heart's-ease, *sive*, Pansey.
Aliis videtur esse Adonis sylvestris
flore phœnicio ejusque foliis lon-
gioribus. C.B.P. 178. Adonis æsti-
valis. Ang. Adonis Flower, *sive*,
Red-Maithes^b. Sed q?

Φοιξ. (herba) Diosc.

Gramen loliaceum, angustiore folio
et spicâ. C.B.P. 9. Lolium perenne.
Ang. Red, *sive*, Perennial Darnel
Grafs.

Salmasius putat esse Gramen hor-
deaceum minus et vulgare. C.B.P.
9. Hordeum murinum. Ang. Wall
Barley.

Φοιξ. (arbor) Diosc. et Theoph.

I. Καρπυρος. I. Αρρην. II. Θηλεα. Am-
bare sunt nonnisi Sexus differentes
ejusdem Arboris, scilicet, Palmæ
majoris

Y

majoris

^a Reperta in Cretâ à Tournesertio.

^b Reperta à Whelero in Monte Hymetto.

majoris. C.B.P. 506. Phœnix dac-tylifera. *Ang.* Date-bearing Palm-tree.

2. Χαροφίης. Theoph. Palma mi-nor. C.B.P. 506. Chamærops hu-milis. *Ang.* Dwarf Palm.

3. Κυκας. Theoph. Palma cujus fructus Cuci. C.B.P. 509. Cycas Circinalis. *Ang.* Sago Palm. Sed q?

4. Εν Κυπρῳ. Palma humilis, longis latisque foliis. C.B.P. 507. Musa Paradisiaca. Sed q?

Φε. Diosc.

1. Φυλλα ελαφοσοκη εχον. Valeriana sylvestris major. C.B.P. 164. Valeriana officinalis. *Ang.* Common Wild Valerian.

2. Φυλλα ιπποσελινε εχον. Valeriana hortensis. C.B.P. 164. Valeriana Phu. *Ang.* White Garden Vale-rian.

Φραγμιτης. Diosc.

Arundo vulgaris. C.B.P. 17. Arun-do phragmitis. *Ang.* Common Portugal Reed.

Φυκος θαλασσιον. Diosc. et Theoph.

1. πλατυ. Muscus marinus, lactucæ folio. C.B.P. 364. Ulva Labyrin-thiformis.

2. Φουισσον. Muscus maritimus, tenu-issimè dissectus, ruber. C.B.P. 363. Fucus Cartilagineus. *Ang.* Scar-let Fucus. Sed q? Forsan sit Fu-cus rubens. *Ang.* Red Fucus.

3. Κρητικον. Alga cornu cervi divi-surâ. C.B.P. 364. Lichen fuci-

formis. Sed q? De reliquis hujus generis vix liquet.

Φυλλανθα. Theoph.

Carduus stellatus, foliis papaveris erratici. C.B.P. 187. Centaurea calcitrapa. *Ang.* Star Thistle.

Φυλλιτις. Diosc.

Lingua cervina officinarum. C.B.P. 353. Asplenium Scolopendrium. *Ang.* Common Hart's Tongue.

Φυλλον. Diosc. et Theoph.

Phyllon spicatum. C.B.P. 122. Mercurialis tomentosa. *Ang.* Downy-leaved Mercury.

Φυτευμα. Vid. Αντιρριον.

Forfan sit Resedæ affinis Phyteuma. C.B.P. 100. Reseda Phyteuma.

X

ΧΑΛΚΑΣ. Diosc. Vid. Χρυσανθεμον.

Χαραιακτη. Vid. Ακτη.

Χαραιαλανος. Diosc. Vid. Απιος. herba.

Χαραιδαφη. Diosc.

Laureola, folio deciduo, flore purpu-reo. C.B.P. 462. Daphne Mez-ereum. *Ang.* Spurge-Olive.

Χαραιδρης. Diosc.

Chamædrys minor repens. C.B.P. 248. Veronica Chamædrys. *Ang.* Wild Germander. Sed q?

Aliis videtur esse Chamædrys minor repens. C.B.P. 248. Teucrium Chamædrys. *Ang.* Common Ger-mander. N.B. Τευκριον ita appellatur.

Χαρα-

Χαμαιδρώψ. Vid. **χαμαιδρός.**

Χαμαικισσος. Diosc.

Hedera terrestris vulgaris. C.B.P.

306. *Glecoma hederacea.* Ang.

Ground Ivy. Sed q?

Χαμαιλευκη. Diosc.

Cistus ledon foliis rorismarini ferrugineis. C.B.P. 467. *Ledum palustre.* Sed q?

Χαμαιλεων. Diosc. et Theoph.

1. **Λευκος.** *Carlina acaulos*, magno flore albo. C.B.P. 380. *Carlina acaulis.* Ang. Carline Thistle without Stalks and a large white Flower.

2. **Μελας.** *Chamæleon niger*, umbellatus, flore cœruleo, hyacinthino. C.B.P. 180. *Carthamus corymbosus.*

Χαμαιμηλον. Diosc. Vid. **Ανθεμις.**

Χαμαιπιτυς. Diosc.

1. *Chamaepitys moschata*, foliis serratis. C.B.P. 249. *Teucrium Iva.*

2. incert.

3. **Αργην.** *Chamaepitys lutea vulgaris*, five folio trifido. C.B.P. 249.

Teucrium Chamæpitys. Ang. Common Ground Pine.

N.B. τηπερικον aliquando ita vocatur.

Χαμαιρίφης. Vid. **Φοινιξ.**

Χαμαισυκη. Diosc.

Chamæsyce. C.B.P. 293. *Euphorbia Chamæsyce.*

Χαμελαια. Diosc.

Chamelæa tricoccos. C.B.P. 462.

Daphne Alpina. Ang. Alpine Wood Laurel. Sed q?

Χασκανον. Vid. **Ξανθιον.**

Χειρωνιος αμπελος. Diosc. Vid. **Αμπελος μελας.**

Χελιδονιον. Diosc. et Theoph.

1. **Μεγα.** Diosc. **χελιδονιον.** Theoph.

Chelidonium majus vulgare. C.B.P.

144. *Chelidonium majus.* Ang. Greater Celandine.

2. **Μικρον.** Diosc. *Chelidonia rotundifolia minor.* C.B.P. 309. *Ranunculus ficaria.* Ang. Pilewort. N.B. Αμπελος λευκη ita vocatur.

Χοιραδολεθρον. Vid. **Ξανθιον.**

Χονδριλλη. Diosc.

1. *Chondrilla juncea viscosa arvensis.*

C.B.P. 130. *Chondrilla juncea.*

Ang. Clammy Gum-Succory.

2. **Ετερα.** *Chondrilla bulbosa.* C.B.P. 130. *Leontodon bulbosum.*

Χρυσανθεμον. Diosc.

Chrysanthemum foliis Matricariæ.

C.B.P. 134. *Chrysanthemum coronarium.* Ang. A species of Corn Marygold. N.B. Ελιχρυσον ita vocatur.

Χρυσοβαλανος. Galen.

Nux moschata fructu rotundo.

C.B.P. 407. *Myristica officinalis.*

Ang. Nutmeg-tree.

Χρυσογονον. Diosc.

Leontopetalum affinis, foliis quernis.

C.B.P. 324. *Leontice Chrysogonium.* Ang. Oaken-leaved black Turnep.

Χρυσοκομη. Diosc.

Elichrysum orientale. C.B.P. 164.

Gnaphalium orientale. *Ang.* Eastern Eternal flower. N.B. Aliis videtur esse Linaria, folio capitulo luteo, major et minor. C.B.P. 213.
 Chrysocoma Linosyris. *Ang.* German Goldy-locks. N.B. Ανθεμις ita vocatur nonnunquam.
Χρυσολαχανον. Vid. Ατραφαξις.

Ψ

ΨΕΤΔΟΒΟΤΝΙΟΝ. Diosc.

Eruca lutea latifolia, sive Barbarea. C.B.P. 98. Erysimum Barbarea. *Ang.* Common Winter Cres? *Ψευδοδικταμνον.* Diosc.
 Pseudo-dictamnus verticillatus inodorus. C.B.P. 222. Marrubium pseudo-dictamnus. *Ang.* Bastard Dittany.

ΨΕΥΔΟΚΥΠΕΙΡΟΣ. Diosc.

Gramen cyperoides, spicâ pendulâ, breviore. C.B.P. 6. Carex pseudo-Cyperus. *Ang.* Bastard Carex.

Ψιλωθρον. Vid. Αρπελος λευκη.

Ψυλλιον. Diosc.

Psyllium Dioscoridis. C.B.P. 191.
 Plantago Afra.
 Annon potius sit Psyllium majus erectum? C.B.P. 191. Plantago psyllium. *Ang.* Flea-wort.

Ψυχοτροφον. Diosc. Vid. Κερρον.

Ω

ΩΚΙΜΟΕΙΔΕΣ. Diosc. incert.

Forsan fit Saponaria minor quibusdam. Johann. Bauhini Hist. III. p. 344. Lychnis, vel Ocymoides repens montanum. C.B.P. 206. Saponaria Ocymoides.

Ωκυμον. Diosc. et Theoph.

Ocimum latifolium maculatum, vel crispum. C.B.P. 225. Ocimum Basilicum. *Ang.* Sweet Basil.

Ωκυμον. incert.

Ωνωνις. Vid. Ανωνις.

TABULA

T A B U L A A L T E R A:

I N Q U A,

PLANTÆ GRÆCIS COGNITÆ ITERUM RECENSENTUR:

C U M N O M I N I B U S,

A C A R O L O L I N N Æ O

A S S I G N A T I S, P RÆ F I X I S;

E T

S Y N O N Y M I S G RÆ C I S A D J U N C T I S.

Л. А. Борисов

СОВЕТСКАЯ РАБОЧАЯ КЛЮЧАТА СОВЕТСКОЙ АРМЕИ

Л. А. Борисов

СОВЕТСКАЯ ОДНОДИНАЗНАЧНАЯ

СОВЕТСКАЯ ОДНОДИНАЗНАЧНАЯ

СОВЕТСКАЯ ОДНОДИНАЗНАЧНАЯ

Л. А.

СОВЕТСКАЯ ОДНОДИНАЗНАЧНАЯ

T A B U L A A L T E R A, &c.

A G

- A C A N T H U S** Dioscoridis.
Vide Ακανθα, ἡ Ερπακανθα.
- Acanthus mollis. Ακανθα, ἡ Ερπακανθα.
- Acanthus spinosus. Ακανθα αγρια.
- Acer campestre. Σφενδαμνος. Sp. 1.
- Acer platanoïdes. Σφενδαμνος ζυγια.
- Acer pseudo-platanus. Σφενδαμνος κλινοχος.
- Achillaea Ageratum. Αγηρατον.
- Achillaea millefolium. Στρατιωτης χιλιοφυλλος.
- Achillaea nobilis. Αχιλλειον.
- Achillaea Ptarmica. Πταρμικη.
- Achillaea tomentosa. Στρατιωτης χιλιοφυλλος.
- Aconitum Cammarum. Ακονιτον παρδαλιαγχες.
- Aconitum lycoëtonum. Ακονιτον λυκοκτονον.
- Acorus Calamus. Ακορος.
- Adiantum Capillus Veneris. Αδιαντον μελαιν.
- Adonis æstivalis. Φλοξ.
- Agaricus Androfaseus. Ανδροσακες.
- Agrimony Eupatoria. Ευπατωριον.

A M

- Agrostemma coronaria. Λυχνις σεφανωματικη.
- Alcea rosea. Μαλαχη κηπευτη.
- Alisma Damasonium. Αλισμα.
- Allium Ampeloprasum. Πρασον. Sp. 2.
- Allium Ascalonicum. Κρομμυον.
- Allium Cepa. Κρομμυον.
- Allium magicum. Μωλυ.
- Allium Moly. Μωλυ.
- Allium Porrum. Πρασον κεφαλωτον.
- Allium sativum. Μωλυζα.
- Allium sativum. Σκοροδον ημερον.
- Allium scorodoprasum. Σκοροδοπρασον.
- Allium subhirsutum. Μωλυ.
- Allium Victorialis. Σκοροδον αγριον.
- Aloë perfoliata. Αλοη.
- Alsine media. Αλσωη.
- Althaea cannabina. Καναβης αγρια.
- Althaea officinalis. Αλθαια.
- Alyssum clypeatum. Αλυσσον.
- Amaranthus Blitum. Βλιτον.
- Amaryllis lutea. Λειριον ετερον.
- Ambrosia maritima. Αμβροσια.
- Amomum Cardamomum. Καρδαμων.

Amo-

Amomum grana Paradisi. Καρδαμώ-
μον.
Amomum Zingiber. Ζιγγιζερίς.
Amygdalus communis. Αμυγδαλη.
Amygdalus Persica. Περσική μηλεα.
Anacyclus Valentinus. Βερθαλμον.
Anagallis arvensis. Κορνορος.
Anagallis Monelli. Αναγαλλις. Sp. I.
Anagyris foetida. Αναγυρίς.
Anastatica Hierochuntea. Αμωμις.
Anchusa tinctoria. Αγχεστα αλκιβια-
διον.
Andropogon Ischænum. Ισχαμος.
Andropogon Nardus. Καλαμος.
Andropogon Schoenanthus. Σχονως.
Anemone Appennina. Ανεμωνη πηρεος.
Anemone nemorosa. Ανεμωνη λευκωνια.
Anemone sylvestris. Ανεμωνη αγρια.
Anethum graveolens. Μαρούθρον.
Anthemis Cotula. Παρθενιον λεπτοφυλ-
λον.
Anthemis Pyrethrum. Πυρεθρον.
Anthericum ramosum. Φαλαγγιον.
Anthyllis hermania. Κυτισος.
Antirrhinum Elatine. Ελατινη.
Antirrhinum minus. Αντιρρινον.
Antirrhinum Orontium. Οροντιον.
Antirrhinum spurium. Ελατινη.
Antirrhinum linaria. Οσυρις.
Apium graveolens. Ελαιοσελινον.
Apium petroselinum. Σελινον.
Apluda Zeugites. Ζευγιτης.
Apluda Zeugites. Ευνεχιας.
Aquilegia vulgaris. Ισοπυρον.
Arbutus Andachne. Ανδραχνη.
Arbutus unedo. Κομαρος.

Arbutus Uva Ursi. Ιδαία ρίζα.
Arctium Lappa. Αρκτιον.
Aristolochia Clematitis. Αρισολοχια κλη-
ματιτις.
Aristolochia longa. Αρισολοχια μακρα.
Aristolochia rotunda. Αρισολοχια σφρυ-
γυλη.
Arnica scorpioides. Ακονιτον παρδαλι-
αγχες.
Artedia squamata. Γιγγιδιον.
Artemisia Abrotanum. Αγροτονον αρρεν.
Artemisia Absinthium. Αψινθιον. Sp. I.
Artemisia maritima. Αψινθιον θαλασ-
σιον.
Artemisia vulgaris. Αρτεμισια. Sp. I.
Arum Arisarum. Αρισαρον.
Arum Colocasia. Βολβος.
Arum Colocasia. Κυάμος Αιγυπτιος.
Arum dracunculus. Δρακοντιον.
Arum maculatum. Αρον.
Arundo Calamagrostis. Καλαμαγρο-
σιον.
Arundo donax. Δοναξ.
Arundo phragmites. Καλαμος χαρα-
κιας.
Arundo phragmites. Φραγμιτης.
Afarum Europaeum. Ασαρον.
Asclepias Vincetoxicum. Ασκληπιας.
Asparagus acutifolius. Ασπαραγος πε-
τραιος.
Asparagus officinalis altilis. Ασπαρα-
γος. Sp. I.
Asparagus officinalis maritimus. Ασ-
παραγος ελειος.
Asphodelus luteus. Αμαρανος.
Asphodelus luteus. Ιφιον.
Asphodelus ramosus. Ασφοδελος.
Asple-

Asplenium Adiantum nigrum. Αδιάντον
αυτὸν μελάν.

Asplenium Ceterach. Ασπλήνιον.

Asplenium Hemionitis. Ημιονίτις.

Asplenium Ruta muraria. Αδιάντον
λευκόν.

Asplenium Trichomanes. Τριχομάνες.

Asplenium Scolopendrium. Φύλλιτις.

Aster Amellus. Ασέριον.

Aster Tripolium. Τριπόλιον.

Astragalus Cicer. Ερεβίνθος αγριός.

Astragalus Glaux. Γλαυξ.

Astragalus Onobrychis. Ονοβρύχις.

Astragalus Syriacus. Ασραγαλός.

Astragalus Tragacantha. Ποτηρίον.

Astragalus Tragacantha. Τραγακανθά.

Athamanta cervaria. Δάσκος. Sp. 2.

Athamanta Cretensis. Δάσκος Κρητικός.

Athamanta Libanotis. Διεσανωτις ακαρ-
πος.

Athamanta Meum. Μην Αθαμαντικόν.

Athamanta Oreoselinum. Ορεοσελινόν.

Atriplex halimus. Αλιμός.

Atriplex hortensis. Ατραφαξις κηπευτον.

Atropa Belladonna. Στρυχνον μανικον.

Atropa Belladonna. Μανδραγορη.

Atropa Mandragora. Μανδραγορη.

Avena fatua. Αιγιλωψ.

Avena sativa. Βρωμός.

B

BALLOTA nigra. Βαλλωτή.

Berberis vulgaris. Κολουστεα τερι την Ιδην.

Berberis vulgaris. Οξυακανθά:

Berberis vulgaris. Οξυακανθος.

Beta vulgaris rubra. Τευτλον.

Betonica officinalis. Βετονικη.

Betonica officinalis. Κεσρον.

Betonica officinalis. Βρετανικη.

Betula alba. Σημυδα:

Betula Alnus. Κληθρα.

Borago officinalis. Βεγλωσσον.

Brassica Eruca. Ευζωμον.

Brassica Eructastrum. Ευζωμον αγριον.

Brassica Eruca. Ευζωμον. Sp. 1.

Brassica Napus. Βενιας.

Brassica oleracea. Ραφανος ρ λειοφυλλος.

Brassica oleracea capitata. Κραμβη ημε-
ρος.

Brassica oleracea Cotrytis. Ραφανος.
Theoph. Spec. 3^{ia}.

Brassica oleracea Sabauda. Ραφανος ρ
λειοφυλλος.

Brassica oleracea viridis β. Ραφανος
λειοφυλλος.

Brassica Rapa. Γογγυλη.

Bromus sterilis. Βρωμος.

Bryonia alba. Αμπελος λευκη.

Bubon Macedonicum. Πετροσελινον.

Bunium bulbocastanum. Βενιον.

Bupleurum fruticosum. Σεσελι Αιθιο-
πικον.

Bupleurum rigidum. Βεπλευρον.

Buxus sempervirens. Πύξος.

C

CACHRYS Libanotis. Διεσανωτις.

Calendula officinalis. Κλυμενον.

Caltha palustris. Αφία.

Z

Cam.

Campanula Erinus. Ερινος.
 Campanula Medium. Μηδιον.
 Cannabis sativa. Κανναβεις ημερα.
 Capparis spinosa. Καππαρις.
 Capsicum annum. Κιρκασια.
 Cardamine bellidifolia. Σισυμβριον ετερον.
 Cardamine pratensis. Σισυμβριον ετερον.
 Carduus Casabonae. Ακαρνα.
 Carduus crispus. Κιρσιον.
 Carduus dissectus. Κιρσιον.
 Carduus eriophorus. Ακανθα Αραξιη.
 Carduus Marianus. Σιλυζον.
 Carduus nutans. Ονοπυξος.
 Carduus Syriacus. Ακανος.
 Carex Pseudo-Cyperus. Ψευδοκυπερος.
 Carlina acaulis. Χαμαιλεων.
 Carlina vulgaris. Ακορνα.
 Carlina vulgaris. Ατρακτυλι.
 Carpinus betulus. Οσρυς.
 Carpinus Ostrya. Οσρυς.
 Carthamus corymbosus. Χαμαιλεων.
 Carthamus tinctorius. Κυνος ημερος.
 Carum Carvi. Καρος.
 Caryophyllus aromaticus. Κωμακον.
 Caucalis grandiflora. Καυκαλις.
 Celtis australis. Λωτος. (arbor.)
 Centaurea benedicta. Κυνος αγρια.
 Centaurea calcitrapa. Ιπποφαισον.
 Centauraea calcitrapa. Μυωπανθος.
 Centaurea calcitrapa. Πικρις.
 Centaurea calcitrapa. Φυλλακανθα.
 Centaurea Centaurium. Κενταυριον.
 Centaurea Crocodylium. Κροκοδιλιον.
 Centaurea Salmantica. Στοιβη.
 Centaurea Solstitialis. Λευκακανθα.
 Centaurea Stoebe. Στοιβη.

Ceratonia siliqua. Κερατια.
 Cercis siliquastrum. Κερκις.
 Cercis siliquastrum. Κολυτεα τερι Λιπαραν.
 Cerinthe major. Κηρωνθος.
 Chærophyllo bulbosum. Ολοκωνιτης.
 Chamærops humilis. Φοινιξ. Sp. 2.
 Cheiranthus Cheiri. Λευκοιον.
 Chelidonium glaucum. Μηκων κερατιτης.
 Chelidonium majus. Χελιδονιον.
 Chenopodium album. Ατραφαξις αγριον.
 Chenopodium Botrys. Βοτρυς.
 Chenopodium Scoparia. Οσυρις.
 Chondrilla juncea. Χονδριλλη.
 Chrysanthemum coronarium. Χρυσανθειον.
 Chrysocoma Linosyris. Οσυρις.
 Chrysocoma Linosyris. Χρυσοκομη.
 Cicer Arietinum. Ερεξιθος αγριος.
 Cichorium Endivia. Σερι.
 Cichorium Intybus. Πικρις.
 Cinara Cardunculus. Κακτος.
 Cinara Scolymus. Σκολυμος.
 Cistus Helianthemum. Ελευιον Αιγυπτιουν.
 Cistus ladaniferus. Κιζος ληδον.
 Cistus pilosus. Κιζος αρρον.
 Cistus salvifolius. Κιζος Θηλεια.
 Citrus Medica. Μηδικη μηλεα.
 Clematis Vitalba. Ατραχενη.
 Clematis Vitalba. Κληματιτης.
 Clematis Viticella. Ποθος Φρυγιος.
 Clinopodium vulgare. Κλιωποδιον.
 Cnicus Acarna. Ακαρνα.
 Cochlearia Armoracia. Θλασπι ετερον.
 Coch-

Cochlearia Armoracia. Ραφανις. Sp. 2.
 Cochlearia Draba. Δραβη.
 Coix lacryma Jobi. Κοϊξ.
 Coix lacryma Jobi. Λιθοσπερμον.
 Colchicum Autumnale. Κολχικον.
 Colutea arborescens. Κολυτεα ψερι Λι-
 παραν.
 Conium maculatum. Κωνιον.
 Convallaria Maialis. Οινανθη.
 Convallaria multiflora. Πολυγονον.
 Convallaria Polygonatum. Πολυγονο-
 νον.
 Convolvulus arvensis. Ελξινη.
 Convolvulus Soldanella. Κραμβη Θα-
 λασσια.
 Convolvulus Scammonia. Σκαμμωνια.
 Convolvulus sepium. Σμιλαξ λεια.
 Cordia Myxa. Ομαραξις.
 Coriandrum sativum. Κοριον.
 Coris Monspeliensis. Συμφυτον. Sp. 1.
 Cornus mas. Κρανεια.
 Cornus sanguinea. Θηλυκρανεια.
 Coronilla juncea. Πολυγαλον.
 Coronilla securidaca. Ηδυσαρον.
 Corylus avellana. Καρυα.
 Costus Arabicus. Κοζος.
 Cotyledon umbilicus. Κοτυληδων. Sp. 1.
 Crataegus Aria. Αρια.
 Crataegus Aronia. Μεσπιλος Αρωνια.
 Crataegus Azarolus. Μεσπιλος Αρωνια.
 Crataegus Oxyacantha. Μεσπιλος ανθη-
 δονοειδης.
 Crataegus Oxyacantha. Οξυακανθα.
 Crataegus terminalis. Κραταιγος.
 Crepis Dioscordis. Ιερακιον μεγα.
 Crithmum maritimum. Κριθρον.
 Crocus sativus. Κροκος.

Croton tinctorium. Ηλιοτροπιον μικρον.
 Cucumis C colocynthis. Κολοκυνθης.
 Cucumis sativus. Σικυς ημερος.
 Cucurbita Citrullus. Πεπων.
 Cucurbita Pepo. Πεπων.
 Cuminum Cyminum. Κυμιον.
 Curcuma rotunda. Κυπερος Ινδικος.
 Cupressus semper-virens. Κυπαρισσος.
 Cuscuta Europaea. Επιθυμον.
 Cycas Circinalis. Φεινη. Sp. 3.
 Cyclamen Europaeum. Κυκλαμινος.
 Cynanchum erectum. Αποκυνον.
 Cynoglossum Apenninum. Κηρινθος.
 Cynoglossum officinale. Κυνογλωσσον.
 Cyperus esculentus. Ολοκωνιτης.
 Cyperus esculentus. Μαλιναθαιλη.
 Cyperus longus. Κυπερος. Sp. 1.
 Cyperus Papyrus. Παπυρος.
 Cyperus Papyrus. Σαρι.
 Cyperus Papyrus. Φλεως.

D

DAPHNE Alpina. Χαμελαια.
 Daphne Cneorum. Κυεωρον λευκον.
 Daphne Gnidium. Θυμελαια.
 Daphne Laureola. Δαφνοειδης.
 Daphne Mezereum. Χαμαιδαφνη.
 Daphne Thymelaea. Θυμελαια.
 Datura Metel. Στρυχνος. Sp. 4.
 Datura Stramonium. Στρυχνος. Sp. 4.
 Daucus Carota. Δαυκος.
 Daucus Carota. Σταφυλινος.
 Daucus Gingidium. Γιγγιδιον.
 Delphinium Ajacis. Δελφινιον. Sp. 1.

- Delphinium Consolida.* Δελφινιον ετερον.
Delphinium Staphisagria. Σταφισαγρια.
Digitalis lutea. Εφημερον.
Diospyrus lotus. Διοσπιρος.
Dipsacus fullonum. Διψακος.
Doronicum pardalianches. Ακονιτον παρδαλιαγχες.
Drypis spinosa. Δρυπις.

E

- EBENUS Cretica.* Εβενος.
Echinops sphærocephalus. Ακανθα λευκη.
Echinops sphærocephalus. Κροκοδιλιον.
Echium Italicum. Λυκοψις.
Echium vulgare. Εχιον.
Eleagnus angustifolia. Ελαια Ελαιαιγνος.
Empetrum album. Ανακαλις.
Epilobium angustifolium. Οναγρα.
Epimedium Alpinum. Επιμηδιον.
Equisetum fluviatile. Ιππερις. Sp. 1.
Erica vulgaris. Ερεικη.
Erica tetralix. Τετραλιξ.
Erigeron graveolens. Κουζα Θηλεια.
Erigeron viscosum. Κουζα αρρην.
Ervum Erilia. Οροβοσ..
Ervum Lens. Φακος.
Eryngium campestre. Ηρυγγιον.
Erysimum Barbarea. Ψευδοευνιον.
Erysimum cheiranthus. Ερυσιμον.
Erysimum officinale. Ερυσιμον.

- Erythronium dens Canis.* Κρινον πορφυρον.
Euonymus Europaeus tenuifolius. Ευωνυμος.
Euonymus Europaeus tenuifolius. Τερραγωνια.
Euphorbia amygdaloïdes. Τιθυμαλλος. Sp. 1.
Euphorbia Apios. Απιος.
Euphorbia Chamaesyce. Χαμαισυκη.
Euphorbia cyparissias. Τιθυμαλλος. Sp. 5.
Euphorbia dendroides. Τιθυμαλλος. Sp. 6.
Euphorbia helioscopia. Τιθυμαλλος. Sp. 4.
Euphorbia Lathyris. Λαθυρις.
Euphorbia myrsinites. Τιθυμαλλος. Sp. 2.
Euphorbia officinarum. Ευφορβιον.
Euphorbia paralias. Τιθυμαλλος. Sp. 3.
Euphorbia Peplis. Πεπλις.
Euphorbia Peplus. Πεπλος.
Euphorbia Pithyusa. Πιτυσσα.
Euphorbia platyphylla. Τιθυμαλλος. Sp. 7.
Europaea Epithymum. Επιθυμον.
Excæcaria Agallocha. Αγαλλοχον.

F

- FAGUS Castanea.* Κασανα.
Fagus Castanea. Καρυον Ευβοικον.
Fagus sylvatica. Οξυα.
Ferula Assa foetida. Σιλφιον.
Ferula Ferulago. Ναρθηκον.

- Festuca elatior. Καλαμαγρωσις.
 Festuca fluitans. Αγρωσις ποταμιος.
 Ficus Carica. Συκη. Sp. 1.
 Ficus Indica. Συκη Ινδικη.
 Ficus Sycomorus. Συκομορον.
 Filago Germanica. Γναφαλιον.
 Filago Leontopodium. Λεοντοποδιον.
 Fraxinus excelsior. Μελια ψηλη.
 Fraxinus ormus. Μελια ταπεινοτερα.
 Fucus Cartilagineus. Φυκος θαλασσιον.
 Fucus vesiculosus. Δρυς εναλια.
 Fumaria officinalis. Καπνος.

G

- GALEOPSIS Galeobdolon. Γαλιοψις.
 Gallium Aparine. Απαρινη.
 Gallium verum. Γαλλιον.
 Gentiana Centaurium. Κενταυριον μικρον.
 Gentiana Centaurium. Παναξ λεπτοφυλλον.
 Gentiana lutea. Γεντιανη.
 Geranium rotundifolium. Γερανιον φυλλα μαλαχης εμφερον.
 Geranium tuberosum. Γερανιον φυλλον εχον ανεμωνης.
 Gladiolus communis. Ξιφιον.
 Glaux maritima. Γλαυξ.
 Glecoma hederacea. Χακαμιστος.
 Globularia Alypum. Αλυπον.
 Globularia Alypum. Εμπετρον.
 Glycyrrhiza echinata. Γλυκυρριζα.
 Glycyrrhiza glabra. Σκυθικη ριζα.
 Gnaphalium orientale. Χρυσοκομη.

- Gnaphalium Stoechas. Ελιχρυσον.
 Gossypium arboreum. Δευδρον εριοφορον.
 Gossypium herbaceum. Ξυλον.
 Guilandina Moringa. Βαλανος μυρεψικη.
 Gypsophila Struthium. Στρυθιον.

H

- HEDERA helix. Κισσος.
 Hedysarum Onobrychis. Ονοβρυχις.
 Heliotropium Europaeum. Ηλιοτροπιον μεγα.
 Helleborus niger. Ελλεβορος μελας.
 Hemerocallis flava. Ημεροκαλες.
 Hemerocallis fulva. Ημεροκαλλες.
 Heracleum Panacis. Παναξ Ηρακλειον.
 Heracleum Sphondylium. Σφονδυλιον.
 Hesperis matronalis. Εσπερις.
 Hibiscus palustris. Σιδη.
 Hippuris vulgaris. Πολυγονον Θηλυ.
 Hordeum vulgare. Κριθη.
 Hyacinthus comosus. Ποθος. Sp. 1.
 Hyacinthus comosus. Τακινθος.
 Hyoscyamus albus. Τοσκιαμος. Sp. 3.
 Hyoscyamus aureus. Τοσκιαμος. Sp. 2.
 Hyoscyamus niger. Τοσκιαμος. Sp. 1.
 Hypocotyl procumbens. Τπηκοον.
 Hypericum Androsaemum. Ανδροσαιμον.
 Hypericum Ascyrum. Ασκυρον.
 Hypericum Coris. Κορις.
 Hypericum perforatum. Τπερικον.
 Hypericum quadrangulum. Ασκυρον.
 Hyssopus officinalis. Τσσωπος.

IATRO-

I

- IATROPH A Manihot. Αρακιδόνα.
 Inula dysenterica. Κονυζά. Sp. 3.
 Inula helenium. Ελενιον.
 Iris foetidissima. Ιρις αγρια.
 Iris foetidissima. Ξυρις.
 Iris florentina. Ιρις λιένκη.
 Iris Sisyrinchium. Σισυριγχιον.
 Iris Xiphium. Ξιφιον.
 Isatis tinctoria. Ισατις. Sp. 1.
 Ixia bulbocodium. Σισυριγχιον.

J.

- JUGLANS regia. Καρυα.
 Juniperus regia. Καρυον Ευβοϊον.
 Juncus acutus. Σχοινος. Sp. 2.
 Juncus effusus. Σχοινος. Sp. 1.
 Juniperus communis. Αρκενθος μικρα,
 και μεγαλη.
 Juniperus Lycia. Κεδρος Λυκια.
 Juniperus Oxycedrus. Οξυκεδρος.
 Juniperus Phoenicea. Κεδρος φοινικη.
 Juniperus Sabina. Βραβις ομοιος κυπα-
 ρισσω.
 Juniperus Sabina β. Βραβις ομοιος
 μυρικη.
 Juniperus Sabina. Θυον.

L

- LACTUCA perennis. Απατη.
 Lactuca sativa. Θριδαξ ημερος.
 Lagoëcia Cuminoides. Κυμινον αγριον.

- Lactuca Scariola. Θριδαξ αγρια.
 Lagurus ovatus. Αλωπεκοφρος.
 Laminum purpureum. Γαλιοψις.
 Laferpitium Chironium. Παναξ Συρ-
 ακον.
 Laferpitium Gallicum. Σιλφιον.
 Laferpitium Siler. Λιγνεικον.
 Lathraea squamaria. Αιγολεθρος.
 Lathyrus amphicarpos. Αρακιδόνα.
 Lathyrus aphaca. Αφακη.
 Lathyrus Clymenum. Κλυμενον.
 Lathyrus sativus. Λαθυρος.
 Lavandula Stoechas. Στιχας.
 Laurus Cassia. Καστια.
 Laurus Cinnamomum. Κινναμωμον.
 Laurus nobilis. Δαφνη λεπτοφυλλος.
 Laurus Persea. Περσεα.
 Ledum palustre. Χαμαιλευκη.
 Leontice Chrysogonum. Χρυσογονον.
 Leontice Leontopetalon. Λεοντοπετα-
 λον.
 Leontodon Autumnale. Ιερακιον μικρον.
 Lootodon bulbosum. Περδικιον.
 Leontodon bulbosum. Χονδριλλη.
 Leontodon Taraxacum. Αφακη.
 Leontodon Taraxacum. Σερις αγρια.
 Leonurus Cardiaca. Πρασιον.
 Lepidium Iberis. Ιερεις.
 Lepidium latifolium. Λεπιδιον.
 Lepidium sativum. Καρδαμον.
 Leucoium vernum. Λευκοιον.
 Lichen plicatus. Βρυον επι δενδρων.
 Lichen fuciformis. Φυκος θαλασσιον.
 Ligusticum Austriacum. Σεσελι Πε-
 λοποννησιακον.
 Ligusticum Levisticum. Αθαμαντα
 καρπικος.
 Ligus-

- Ligusticum Pelopponesiaca. Σεσελι.
Πελοπονησιακον.
- Ligustrum vulgare. Κυπρος.
- Lilium bulbiferum. Κρινον τωρφυρον.
- Lilium candidum. Λειριον.
- Linum usitatissimum. Λινον.
- Lithospermum officinale. Λιθοσπερμον.
- Lolium perenne. Φουξι (herba.)
- Lolium temulentum. Αιρα.
- Lolium temulentum. Ζιζανιον.
- Lonicera Alpigena. Συκη αερι την Ιδην.
- Lonicera periclymenum. Περικλυμενον.
- Lupinus albus. Θερμος ημερος.
- Lupinus varius. Θερμος αγριος.
- Lycium barbarum. Λυκιον.
- Lychnis Chalcedonica. Λυχνις.
- Lychnis Chalcedonica. Ποθος ετερος.
- Lycoperdon Tuber. γδνον.
- Lysimachia Ephemerum. Εφημερον.
- Lysimachia vulgaris. Λυσιμαχιον.

Μ

- MALVA Alcea. Αλκεα.
- Malva rotundifolia. Μαλαχη χερσαια.
- Marchantia polymorpha. Λειχην.
- Marrubium Alysson. Αλυσσον.
- Marrubium pseudo-dictamnus. Δικταμνος ψευδοδικταμνος.
- Marrubium vulgare. Πρασιον. Sp. 2.
- Marsilea quadrifolia. Λεμνα.
- Marsilea quadrifolia. Φακος ὁ επι των τελματων.
- Matricaria Chamomilla. Ανθεμις.
- Matricaria Chamomilla. Ανθεμον.
- Matricaria Parthenium. Παρθενιον.

- Medicago arborea. Κυτισος.
- Medicago sativa. Μηδικη.
- Melampyrum arvense. Μελαμπυρον.
- Melampyrum pratense. Κραταιογονον.
- Melissa Calamintha. Καλαμινθη ή εοικεν Ηδυσσωμα.
- Melissa Cretica. Καλαμινθη ορεινοτερα.
- Melissa Nepeta. Καλαμινθη ή γληγχων εοικε.
- Melissa officinalis. Μελισσοφυλλον.
- Mentha aquatica. Σισυμβριον. Sp. 1.
- Mentha arvensis. Πολυκυνημον.
- Mentha pulegium. Γληγχων.
- Mentha sativa. Ηδυσμος ημερος.
- Mentha sylvestris. Ηδυσμος αγριος.
- Mercurialis annua. Λιοζωσις.
- Mercurialis tomentosa. Φυλλον.
- Mespilus Amelanchier. Αμαμηλις.
- Mespilus Germanica. Μεσπιλος Επικυηλις.
- Mespilus Pyracantha. Οξυακανθα.
- Mimosa Nilotica. Ακανθα Αιγυπτια-
Αικαια Αιγυπτια.
- Momordica Elaterium. Σικυς αγριος.
- Morus nigra. Μορεα.
- Musa paradisiaca. Φουξι. Sp. 4.
- Myagrum sativum. Μυαγρον.
- Myosotis scorpioides. Μυος ατω.
- Myristica officinalis. Κωμακον.
- Myristica officinalis. Χρυσοβαλανος.
- Myriophyllum spicatum. Μυριοφυλλον.
- Myrtus communis. Μυρσινη.
- Myrtus Gala. Μυριη ημερος.

Ν

- NARCISSUS Bulbocodium. Βολ-
εγκωδιον.

Narcissus

- Narcissus poëticus. Ναρκισσός.
 Narcissus Pseudo-Narcissus. Βολβεκωδίον.
 Nardus Gangitis. Ναρδός.
 Nerium Oleander. Νηρίου.
 Nigella arvensis. Μελανθίου.
 Nymphæa alba. Νυμφαία. Sp. 1.
 Nymphæa lotus. Λωτός Αιγυπτίος.
 Nymphæa lutea. Νυμφαία ετερός.

O

- O CYMUM Basilicum. Οκυμον.
 Oenanthe pimpinelloïdes. Οινανθή.
 Olea Europæa. Αιθιοπική Ελαιά.
 Olea Europæa. Ελαιά ημερος.
 Ononis Antiquorum. Ανωνίς.
 Ononis spinosa. Ανωνίς.
 Onopordium Acanthium. Ακανθίου.
 Onosma echoïdes. Αγχύστα ονοκλειά.
 Onosma echoïdes. Ονοσμά.
 Ophrys infectifera. Ορχής σεραπιώς.
 Orchis militaris. Ορχής. Sp. 1.
 Origanum Dictamnus. Δικταμνός Κρητικός.
 Origanum heracleoticum. Οριγανός Ηρακλειωτική.
 Origanum Majorana. Μαρού.
 Origanum Onites. Οριγανός Ονητίς.
 Origanum vulgare. Οριγανός αγρια.
 Ornithogalum Arabicum. Ορνιθογαλόν.

P

- PÆONIA offic: fœminea. Παιονία θηλειά.
 Pænia offic: mascula β. Παιονία αρρεν.
 Panicum Italicum. Ελυμός.
 Panicum Italicum. Μελινός.
 Panicum miliaceum. Κεγχρός.
 Papaver Argemone. Αργεμώνη.
 Papaver Rhœas. Μηκων αγριωτέρα.
 Papaver Rhœas. Μηκων Ροιας.
 Papaver somniferum. Μηκων κηπευτή.
 Parietaria officinalis. Ελξινή. Diosc.
 IV. 86.
 Parnassia palustris. Αγριωτής εν Παρνασσῷ.
 Pastinaca Oroponax. Παναξ Ηρακλειον.
 Pastinaca sativa. Ελαφοσοκον.
 Peucedanum officinale. Πευκεδάνον.
 Phellandrium aquaticum. Μυριοφυλλον.
 Phœnix dactylifera. Φοινίξ. Sp. 1.
 Phalaris Canariensis. Φαλαρίς.
 Phleum pratense. Στελεφύρος.
 Phaseolus vulgaris. Σμιλαξ κηπαία.
 Phlomis fruticosa. Φλομός. Sp. 2.
 Phlomis lychnitis. Φλομός. Sp. 3.
 Phillyrea latifolia. Φιλλυρέα.
 Physalis somnifera. Στρυχνός. Sp. 3.
 Physalis Alkekengi. Στρυχνός. Sp. 2.
 Pimpinella Anisum. Ανισον.
 Pimpinella peregrina. Δαυκός. Sp. 3.
 Pinus Abies. Ελατη θηλειά.
 Pinus Abies. Πιτυς.
 Pinus Cedrus. Κεδρός. Συριακή.
 Pinus

Pinus picea. Ελατη αρρην. *Pinus pinea.* Πευκη ημερος. *Pinus sylvestris.* Πευκη αγρια. *Pinus sylvestris β.* Πευκη ταραλια. *Piper nigrum.* Πεπερι μελαν. *Piper longum.* Πεπερι μακρον. *Pistacia vera.* Πισανια. *Pistacia lentiscus.* Σχινος. *Pistacia terebinthus.* Τερεβινθος. *Pistia Stratiotes.* Στρατιωτης ωταριος. *Pisum arvense.* Οχρος ημερος. *Pisum arvense.* Πισον μικρον. *Pisum Ochrus.* Οχρος αγριος. *Pisum sativum.* Πισον μεγα. *Plantago Afra.* Ψυλλιον. *Plantago albicans.* Ολεσιον. *Plantago Coronopus.* Κορωνοπεξ. *Plantago Cretica.* Καταναγχη. *Plantago Cynops.* Κυνοψ. *Plantago lanceolata.* Αρνολωσσον μικρον. *Plantago major.* Αρνογλωσσον μεζον. *Plantago psyllium.* Κυνοψ. *Plantago psyllium.* Ψυλλιον. *Platanus orientalis.* Πλατανος. *Poa pratensis.* Ποα. *Polycarpon tetraphyllum.* Παρωνυχια. *Polygala vulgaris.* Ονορουχις. *Polygala vulgaris.* Πολυγαλα. *Polygonum aviculare.* Πολυγονον. *Polygonum Fagopyrum.* Ερυσιμον. *Polygonum Hydropiper.* Γρόπεπερι. *Polypodium Dryopteris.* Δρυοπτερις. *Polypodium Lonchitis.* Λογχιτις. *Polypodium mas.* Πτερις. *Polypodium vulgare.* Πολυποδιον. *Populus alba.* Λευκη. *Populus nigra.* Αιγαιος.

Populus tremula. Κερκις. *Porrum vineale.* Πρασον Αμπελοπρασον. *Potamogeton natans.* Ποταμογετων. *Potentilla reptans.* Πενταφυλλον. *Potentilla subacaulis.* Λευκας. *Poterium sanguisorba.* Θρυαλλις. *Poterium sanguisorba.* Σιδηριτις. Sp. 2. *Poterium spinosum.* Στοιβη. *Primula Auricula.* Αλισμα. *Prunella vulgaris.* Συμφυτον. Sp. 1. *Prunus Armeniaca.* Αρμενιακη μηλεα. *Prunus Cerasus.* Κερασος. *Prunus domestica Damascena.* Βρα-
βιλα. *Prunus domestica.* Κοκκυμηλεα. *Prunus Mahaleb.* Λακαθη. *Prunus Padus.* Παδος. *Pforalea bituminosa.* Τριφυλλον. *Pteris Aquilina.* Θηλυπτερις. *Punica Granatus.* Ροια. *Pyrus communis.* Απιος. *Pyrus communis.* Αχρας. *Pyrus Cydonia.* Κυδωνια μηλεα. *Pyrus Malus.* Μηλεα.

Q

QUERCUS *Ægilops.* Δρυς Αιγιλωψ. *Quercus Esculus.* Δρυς Φηγος. *Quercus coccifera.* Πρινος. *Quercus coccifera.* Σμιλαξ (arbor.) *Quercus ilex.* Φελλοδρυς. *Quercus robur.* Δρυς ημερος. *Quercus robur.* Δρυς αγρια. *Quercus suber.* Φελλος. *Quercus suber.* Δρυς. Sp. 6.

R

- RANUNCULUS ficaria. Χελιδονιον.
 Ranunculus sceleratus. Βατραχιον Σαρ-
 δουν.
 Ranunculus thora. Ανονιτον παρδαλι-
 αγχες.
 Raphanus Raphanistrum. Λαμψανη.
 Raphanus sativus. Ραφανις.
 Reseda luteola. Καταναγκη.
 Reseda Phyteuma. Φυτευμα.
 Rhamnus Alaternus. Αφαρκη.
 Rhamnus Alaternus. Φιλικη.
 Rhamnus lotus. Λωτος.
 Rhamnus lycioides. Ραμνος μελαινα.
 Rhamnus oleoides. Ιπποφαες.
 Rhamnus paliurus. Ραμνος. Sp. 3.
 Rheum Rhaponticum. Ρα.
 Rhodiola rosea. Ροδια ριζα.
 Rhus coriaria. Ρεξ.
 Rhus Cotinus. Κοκκιμηλεα.
 Ribes uva crispa. Ισος.
 Ribes uva crispa. Σταφυλη.
 Ribes uva crispa. Κεανωθος απανθα.
 Ricinus communis. Κικι.
 Rosa canina. Κυνοσελατος.
 Rosa centifolia. Ροδον εκατοντοφυλλον.
 Rosa Gallica. Ροδον.
 Rosmarinus officinalis. Λιβανωτις.
 Rubia tinctorum. Ερυθροδανον.
 Rubus Cæsius. Βατος Χαμαιελατος.
 Rubus fruticosus. Βατος ορθοφυης και
 υψος εχων.
 Rubus Idæus. Βατος Κυνοσελατος.
 Rumex acetosa. Λαπαθον οξαλις.
 Rumex acutus. Λαπαθον οξυλαπαθον.

- Rumex Alpinus. Λαπαθον Ιππολαπαθον.
 Rumex aquaticus. Λαπαθον Ιππολα-
 παθον.
 Rumex patientia. Λαπαθον κηπευτον.
 Rumex scutatus. Λαπαθον αγριον.
 Ruscus aculeatus. Μυρσινη αγρια.
 Ruscus Hippoglossum. Ιππογλωσσον.
 Ruta graveolens. Πηγανον ορεινον.

S

- SAGITTARIA sagittifolia. Φλεον.
 Salix alba. Ιτεα λευκη.
 Salix Ægyptiaca. Ελαια Ελαιαγνος.
 Salix amygdalina. Ιτεα μελαινα.
 Salix helix. Ιτεα ελικη.
 Salix pentandra. Οισος.
 Salsola Tragus. Δρυπης.
 Salsola Tragus. Τραγος.
 Salvia Æthiopis. Αιθιοπις.
 Salvia horminum. Ορμινον ημερον.
 Salvia officinalis. Ελελισφανον.
 Salvia officinalis. Σφακελος.
 Salvia pratensis. Ορμινον αγριον.
 Salvia Sclarea. Βαυχαρις.
 Sambucus Ebulus. Ακτη Χαμαιακτη.
 Sambucus nigra. Ακτη δενδρωδης.
 Santolina Chamæcyparissus. Αεροτο-
 νον θηλυ.
 Saponaria Ocymoides. Ωμιφοειδες.
 Satureia capitata. Θυμος.
 Satureia hortensis. Θυμιρρα σπαρτη.
 Satureia thyinbra. Θυμιρρα αγρια.
 Saxifraga Cotyledon. Κοτυληδων ετερον.
 Scabiosa Succisa. Πυκνοκομον.

Scandix cerefolium. Ενθεσιον.
 Scandix cerefolium. Ορεοσελινον.
 Scandix odorata. Μυρσι.
 Scandix Peeteni. Σκανδινον.
 Scilla maritima. Σκιλλα.
 Scilla unifolia. Βολενη.
 Scirpus lacustris. Ολοσχονος.
 Scirpus holoschoenus. Σχονος. Sp. 3.
 Scirpus mucronatus. Οξυσχονος.
 Scirpus Oloschœnus. Ολοσχονος.
 Scolymus hispanicus. Σκολυμος.
 Scorpiurus fulcata. Σκορπιοειδη.
 Secale Cereale. Ολυρα.
 Secale cereale hybernum. Τυφη ετερα.
 Sedum acre. Αειζωον ετερον.
 Sedum Ceræa. Κηπαια.
 Sedum reflexum. Αειζωον μηρον.
 Sedum Telephium. Τηλεφιον.
 Sempervivum arboreum. Αειζωον μεγα.
 Sempervivum tectorum. Αειζωον μεγα.
 Senecio Doria. Πανακες Χειρωνιον.
 Senecio vulgaris. Ηριγερον.
 Serapias helleborine latifolia. Επιπαντια.
 Serratula arvensis. Κεανωθος.
 Sefamum orientale. Σησαμη.
 Seseli elatum. Δαυκος Κρητικος.
 Seseli Hippomarathrum. Μαραθρον αγριον.
 Seseli saxifragum. Τραχιον.
 Seseli tortuosum. Σεσελι Μασταλεωτικον.
 Seseli Turbith. Θαψια.
 Sida Abutilon. Αλθαια. Sp. 2.
 Sideritis hirsuta. Σιδηριτις Ηράκλεια.
 Sideritis Syriaca. Σταχυς.
 Sinapis arvensis. Λαμψανη.

Sinapis nigra. Σινηπη.
 Sison Ammi. Αρμι.
 Sison Amomum. Αμωμον.
 Sison Amomum. Σισων.
 Sisymbrium Nasturtium. Σισυμβιον.
 Sisymbrium sylvestre. Ευζωμον σιγριον.
 Sium latifolium. Σιον.
 Sium Sifarum. Σισαρον.
 Smilax aspera. Σμιλαξ τραχεια.
 Smyrnium olusatrum. Σμυρνιον.
 Solanum Melongena. Στρυχνος. Sp. 1.
 Sonchus oleraceus. Ανδρυαλα.
 Sonchus oleraceus. Σογχος.
 Sorbus aucuparia. Οη αρροη.
 Sorbus domestica. Οη θηλεια.
 Sparganium erectum. Βετομος.
 Sparganium erectum. Σπαργανιον.
 Spartium junceum. Σπαρτιον.
 Spartium spinosum. Ακανθια Ποντικη.
 Spiræa salicifolia. Σπειραια.
 Stachys Germanica. Σταχυς.
 Statice Limonium. Λειμωνιον.
 Stipa tenacissima. Λινοσπαρτον.
 Styrox officinalis. Στυραξ.
 Symphytum tuberosum. Συμφυτον.
 Sp. 2.
 Symphytum officinale. Συμφυτον. Sp. 1.

Τ

TAGETES erecta. Οθοννα.
 Tagetes patula. Αργεμωνη.
 Tamarix Gallica. Μυριη αγρια.
 Taxus baccata. Μιλος.

Taxus baccata. Σμιλαξ (arbor.)
 Teucrium Chamæpitys. Ανθυλλις.
 Teucrium Chamæpitys. Χαμαιπίτις.
 Teucrium fruticans. Παιδερως.
 Teucrium Chamædrys. Χαμαιδρυς.
 Teucrium Iva. Χαμαιπίτις.
 Teucrium Polium. Πολιον.
 Teucrium Scordium. Σκορδιον.
 Thalictrum flavum. Θαλικτρον.
 Thapsia Asclepium. Ασκληπειον.
 Theligonum Cynocrambe. Κυνοκραμβη.
 Thlaspi arvense. Θλασπι. Sp. 1.
 Thuia occidentalis. Θυια.
 Thymus Acinos. Ακινος.
 Thymus Mastichina. Ελενιον.
 Thymus Mastichina. Σαμψυχος.
 Thymus Serpyllum. Ερπιλλος κη-
 πευτος.
 Thymus Serpyllum. Οριγανος. Sp. 4.
 Thymus Zygis. Ερπιλλος αγριος, η Ζυγις.
 Thymus Zygis. Ζυγις.
 Tirlia Europaea. Φιλυρα. Sp. ambæ.
 Tordylium officinale. Σεσελι Κρητικον.
 Tragopogon crocifolium. Τραχυπω-
 χων.
 Tragopogon pratense. Τραχυπωχων.
 Tribulus aquaticus. Τριβολος. Sp. 1.
 Tribulus terrestris. Τριβολος. Sp. 2.
 Trifolium arvense. Λαγωπες.
 Trifolium cæruleum. Λωτος ημερος.
 Trifolium officinale. Λωτος αγριος.
 Trigonella foenum Græcum. Τηλι.
 Triticum æstivum. Πυρος τριμηνος.
 Triticum æstivum. Τριμηναιον σιτον.
 Triticum æstivum. Τυφη ετερω.
 Triticum hypernum. Σιλιγνις.

Triticum hypernum. Τριχυος.
 Triticum Pœlonicum. Πυρος διμηνος.
 Triticum repens. Αγρωσις.
 Triticum monosaccum. Ζεια απλη.
 Triticum Spelta. Ζεια δικοκκος.
 Tulipa Gefneriana. Ανεμωνη λειμωνια.
 Tulipa Gefneriana. Σατυριον τριφυλλον.
 Tussilago Farfara. Βηχιον.
 Tussilago frigida. Κακαλια.
 Tussilago Petasites. Πετασιτης.
 Typha latifolia. Τυφη.

U

ULE X. Europæus. Σκορπιος.
 Ulmus campestris. Πτελεα.
 Ulva Labyrinthiformis. Βρυον θαλασ-
 σιον.
 Ulva Labyrinthiformis. Φυκος θαλασ-
 σιον.
 Urtica dioica. Ακαλυφη. Sp. 2.
 Urtica pilulifera. Ακαλυφη. Sp. 1.

V

VACCINIUM Myrtillus. Αμπελος.
 παρα Ιδης.
 Valeriana Celtica. Ναρδος Κελτικη.
 Valeriana locusta olitoria α. Βεπλευρον.
 Valeriana officinalis. Φε. Sp. 1.
 Valeriana Phu. Φε. Sp. II. 2.
 Valeriana tuberosa. Ναρδος ορεινη.
 Vera-

- Veratrum album.* Ελλεῖορος λευκός.
Verbascum Lychnitis. Φλομός. Sp. I. 2.
Verbascum Phlomoïdes. Φλομός. Sp.
 II. I.
Verbena officinalis. Ιερα Βοτανη.
Veronica Chamædrys. Χαμαιδρις.
Veronica Teucrium. Τευκριον.
Viburnum Opulus. Θραυσταλός.
Viburnum Tinus. Δαφνη αγρια.
Vicia Faba. Κυαμος.
Vicia sativa. Αφακη.
Vicia sativa. Κυαμος.
Vicia sativa nigra. Αραχος.
Vinea minor. Κληματις.

- Viola odorata.* Ιον.
Viscum album. Ιξος.
Vitex agnus-castus. Αγνος.
Vitis labrusca. Αμπελος αγρια.
Vitis vinifera. Αμπελος οινοφορος.

X

XANTHIUM Strumarium. Ξανθιον.

Z

ZIZYPHUS sylvestris. Λωτος (arbor.).

EDITIONES LIBRORUM

IN HOC OPUSCULO MAXIME USITATÆ.

BAUHIN. Caspar. Pinax Theatr. Botan. c. Prodomo. Basileæ. 1671. quarto.
Bauhin. Johannes. Histor. Plantarum. Ebrodun. folio. 1650. Vol. III.
Clusius Carolus. Historia rarior. Plantarum. Antverpiæ. 1601. folio.
Dioscorides. Saraceni, folio.
 ——— Matthioli, folio. 1560. Venetiis.
Du Cange. Glos. med. et infimæ Græcitat. folio. Vol. II. Lugdun. 1688.
Galenus. Oper. Omnia. folio. Vol. IV. Venet. apud Juntas. 1565.
Geponica. Edit. a Needham. Cantabrig. 1704. octavo.
Hallerus. Enumeratio Plantarum Horti Regii Gottingæ. 1753. octavo.
 ——— Stirpes Helveticæ. Bernæ. 1768. folio. Vol. III.
 ——— Bibliotheca Botanica. Lond. 1771. quarto. Vol. II.
Hippocrates. Opera Omnia Edit. Vander Linden. Lugd. Batav. 1675. octavo. Vol. II.
Hortus Kewensis. Auct. Gul. Aiton Lond. 1789. Vol. III. octavo.
Linnæus Carolus. Philosoph. Botanic. Holmiæ. 1751. octavo.

Linnæus. Genera. Plant. Holm. 1754. octavo.
 ——— Spec. Plant. Holm. 1762. octavo. Vol. II.
Mentzel. Index Plantarum Nominum multilinguis. Berolin. 1682. folio.
Morand Joann. Baptif. Historia Botanica Practica. Mediolani. 1744. folio.
Murray Jo. Andreæ. Apparatus Medicaminum. Gottingæ. ab A.D. 1776. ad 1787. Vol. IV. sed adhuc imperfect.
Parkinson John. Theatrum Botanicum. folio. Lond. 1640.
Raius Johannes. Hist. Plant. Lond. 1686. folio. Vol. III.
 ——— Synopsis Anglica. Londin. 1724. octavo.
Rutty Johannes. Materia Medica. quarto. Roterodam. 1775.
Salmasius Claud. Homonym. Hyles Iatricæ ad Finem Plin. Exercit. Traject. ad Rhenum. 1689. folio. Vol. II.
Theophrastus. Hist. Plant. a Bodæo a Stapel. Edit. Amstelod. 1644. folio.
Tournefort Johannes Institut. rei herbariæ Edit. tertia Appendic. aucta ab Antonio de Jussieu. Lugduni juxta Exempl. Parisiis. 1719. Vol. III. quarto.

INDEX

I N D E X

OF THE

N A T U R A L O C C U R E N C E S

IN THE

A N C I E N T G R E E K C A L E N D A R.

A Q

ALATERNUS (blotched,) Fruit of, ripe Sept. 28.
Alaternus (common) Fruit of ripe Oct. 28.
Alaternus (common) leafs March 2.
Alder, Fruit of, ripe Sept. 8.
Alder leafs Feb. 11.
Anemone (white wood,) flowers Feb. 14.
Apple-tree, Fruit of, ripe Oct. 3.
Apple-tree leafs March 22.
Aquarius, Sun in, Jan. 18.
Aquarius, half of, rises Feb. 3.
Aquila sets in the Morn. July 19.
Aquila rises Dec. 5, 6.
Aquila rises in the Morn. Dec. 16.
Aquila sets in the Even. Dec. 26. 30.
May 14.

A U

Aquila rises in the Evening, May 19. 27.
Arcturus rises September 1. 5. 8. 10. 11.
Arcturus still visible Sept. 14.
Arcturus sets in the Even. Oct. 26.
Arcturus sets in the Morn. Oct. 29. May 20. June 2.
Arcturus rises in the Even. February 28.
Aries begins to set Sept. 22.
Aries, Sun in, March 19.
Aries ceases to rise April 19.
Asphodel (Yellow) flowers May 10.
Ash-tree, Fruit of, ripe May 10.
Avigato Pear, Fruit of, ripe August 1.
Auriga, large Star in, rises Sept. 11.
Autumn, beginning of, Sept. 5. 11.

BAL-

B

BALSAM-bearing trees drained of their resinous Juices, July 24.
 Bark of trees in general parts easily from the trunk and branches, July 25.
 Bay-tree leafs Feb. 11.
 Beam-tree (white) Fruit of, ripe Nov. 5.
 Beam-tree (white) leafs March 30.
 Box-tree, Fruit of, ripe Oct. 30.

C

CANCER, Sun in, June 22.
 Cancer begins to rise June 22.
 Cancer sets July 18.
 Cancer ceases to set Jan. 15.
 Canis rises in the Morn. July 16.
 Canis rises July 18.
 Canis is seen rising July 21.
 Canis appears July 23.
 Canis sets Nov. 27.
 Canis sets in the Morn. Dec. 2.
 Canis rises in the Even. Dec. 6.
 Canis sets in the Even. April 20. 26.
 May 21, 22.
 Capra rises Sept. 11.
 Capra rises in the Even. Sept. 25.
 Capra sets entirely in the Even. Oct. 8.
 Capra sets in the Morn. Dec. 13.
 Capra rises in the Morn. April 26.
 Capricorn, Sun in, Dec. 20.
 Capricorn begins to rise Jan. 3.
 Celandine (greater) flowers Feb. 21.

Chesnut-tree, Fruit of, ripe Oct. 25.
 Chesnut-tree leafs March 2.
 Christ's-Thorn, Fruit of, ripe Oct. 28.
 Christ's-Thorn leafs March 2.
 Corn, time of sowing, Oct. 25.
 Cornel-tree leafs Jan. 1.
 Corona begins to set in the Morn. July 7.
 Corona rises Sept. 28.
 Corona rises in the Morn. Oct. 2.
 Corona sets August. 1.
 Corona rises in the Even. March 9.
 Crane departs Oct. 2.
 Crocus (Autumnal) flowers Oct. 25.
 Cyperus Papyrus leafs March 31.

D

DAFFODIL (single) flowers Feb. 5.
 Dandelion leafs March 21.
 Delphin sets in the Morn. August. 9.
 Delphin rises Dec. 21.
 Delphin sets in the Even. Jan. 15. 21.
 Delphin rises in the Even. June 7.
 Dogberry, Fruit of, ripe Sept. 8.
 Dogberry leafs Feb. 1.

E

ELM inverts its leaves June 22.
 Elm in leaf Feb. 16.
 Equinox, vernal, March 19. 24.
 Equinox, autumnal, Sept. 22.
 Etesian winds blow July 18.
 Etesian winds cease August 8.
 Etesian winds still blow August 27.

FIDIS

F

FIDIS rises in the Morn. April 26.
 Figs ripe Sept. 5.
 Fig-tree leafs March 2. 17.
 Fir-trees, Seeds of, ripe Sept. 5.
 Fir-tree, Fruit of, ripe Oct. 29.
 Fir (Silver) Fruit of, ripe Nov. 17.
 Fir-tree leafs March 19.
 Fir (Silver) flowers June 18.
 Flea-bane (Great sweet) flowers Sept. 14.
 Flea-bane (Small true) flowers Sept. 14.
 Flea-wort flowers March 21.
 Flower de luce (Bulbous-rooted) flowers Feb. 14.
 Fruits, Summer, Time of gathering, July 23.
 Fruits in general ripe Sept. 27.

G

GEMINI, Sun in, May 21.
 Gemini begins to rise May 22.
 Grapes ripe Sept 5.
 Grapes gathered for Vintage Sept. 5.
 Green-finck seen June 22.
 Green-finck departs Sept. 5.
 Gypsophila Struthium flowers May 14.

H

HALCYON seen Oct. 25.
 Halcyon lays Dec. 24.

Harvest begins May 10.
 Hawthorn, Fruit of, ripe Oct. 28.
 Hawthorn leafs March 2.
 Hædi rise in the Even. Sept. 24.
 Honey-wort (Greater) flowers May 13.
 Hyacinth (Great Grape) flowers Feb. 14.
 Hyades rise in the Even. Oct. 13.
 May 20.
 Hyades set Nov. 17. 19.
 Hyades set in the Even. April 8. 10.
 Hyades rise in the Morn. May 25.

I

IV Y leafs March 30.

J

JUNIPER-tree, Fruit of, ripe Nov. 21.

L

LAND ploughed for Corn Sept. 29.
 Laurel (Narrow-leaved) flowers Sept. 22.
 Leaves of some trees begin to fall Sept. 15.
 Leaves in general fall Oct. 25.
 Leo begins to rise July 21.
 Leo, Sun in, July 22, 23.
 Leo, half of, rises August 23.
 Leo begins to set Jan. 19.
 Libra, Sun in, Sept. 22.
 Libra begins to set April 10.

B b

Lily

Lily (Yellow autumnal) flowers Sept. 22.
 Lily (Common white) flowers Feb. 5.
 Lily of the Valley flowers Feb. 14.
 Lime-tree inverts its leaves June 22.
 Lime-tree, Fruit of, ripe Oct. 30.
 Lime-tree in leaf March 17.
 Lychnis (Scarlet) flowers May 10.
 Lyra sets in the Morn. 13. Oct. 31.
 Lyra sets August 8.
 Lyra rises in the Morn. Oct. 3. Nov. 11.
 Lyra rises in the Even. April 14. 20.

MARJORAM (Common) flowers June 22.
 Maple-tree leafs March 17.
 Maple-tree, Fruit of, ripe May 10.
 Milvus appears March 2. 10. 15. 18.

NARCISSUS (Common) flowers Feb. 5.
 Nightingale retires Sept. 5.
 Nightingale sings March 24.

OAK-tree, Fruit of, ripe Oct. 25.
 Oak (Holm) Fruit of, ripe Nov. 21.
 Oak, South Europæan, leafs March 17.
 Olive inverts its leaves June 22.

Orion rises in the Morn. July 2.
 Orion rises entirely July 5. June 21.
 Orion begins to rise in the Even. Oct. 2.
 Orion begins to set Nov. 9. 27.
 Orion sets in the Morn. Nov. 28.
 Orion rises March 16.
 Orion begins to set in the Even. March 30.
 Orion sets in the Even. April 19.
 Orion, Shoulder of, rises June 13.
 Orion begins to rise June 18.
 Ornithian Winds blow March 2. 9.

PEAR-tree (Wild) Fruit of, ripe Sept. 8.
 Pear-tree (Common) Fruit of, ripe Nov. 11.
 Pegasus rises August 8.
 Pegasus rises in the Morn. March 2.
 Perseus sets in the Even. after the Sun Jan. 6.
 Pine (Common) Fruit of, ripe Oct. 29.
 Pine leafs March 19.
 Piscis australis rises March 2.
 Piscis borealis ceases to set March 18.
 Plants scarcely grow after July 26.
 Plants in vigour of flower March 22.
 Pleiades rise in the Even. Sep. 26. 29.
 Pleiades set in the Morn. Oct. 25. Nov. 9.
 Pleiades set Oct. 5. Nov. 6.
 Pleiades set in the Even. March. 28. 30. April 5.
 Pleias

Pleias rises May 1, 10.
 Poplar (White) inverts its leaves June 22.
 Poplar (White) leafs Feb. 16.
 Poplar (Black) leafs Feb. 16.

Q

QUAIL departs Sept. 8.

R

RICE harvest Oct. 26.
 Rose flowers March 2.
 Rose-campion flowers May 10.

S

SAGITTA sets in the Morn. Sept. 1.
 Sagitta sets Sept. 5.
 Sagittarius, Sun in, Nov. 21.
 Sagittarius begins to rise Nov. 27.
 Sagittarius ceases to rise Dec. 20.
 Scate-fish breeds Oct. 26.
 Scorpio sets entirely in the Even. Oct. 8.
 Scorpio, Sun in, Oct. 22.
 Scorpio, front of, rises Oct. 25.
 Scorpio, bright Star in, rises Nov. 6.
 Scorpio begins to rise in the Morn. Nov. 8.
 Scorpio, Sting of, sets Nov. 30.
 Scorpio rises in the Morn. Dec. 11.
 Scorpio, first Stars in, set March 17.
 Scorpio begins to set in the Morn. April 29.

Scorpio sets entirely in the Morn. May 9.
 Scorpius begins to set in the Even. Sept. 3.
 Shoots, second, of trees May 22.
 Solstice, Summer, June 22.
 Solstice, Winter, Dec. 23.
 Spica Virginis rises Sept. 15.
 Spindle-tree (Narrow-leaved) Fruit of, ripe Nov. 11.
 Spindle-tree (Narrow-leaved) leafs March 30.
 Spring, Beginning of, March 21.
 Sprouting, last, of trees June 22.
 Staff-tree, Fruit of, ripe Nov. 21.
 Strawberry-tree flowers Sept. 26.
 Strawberry-tree (Eastern) Fruit of, ripe Sept. 28.
 Succory flowers March 21.
 Suculæ set in the Even. April. 16.
 Sumach (Venice) flowers Sept. 26.
 Summer, End of, August 13.
 Summer, Beginning of, May 1. 10.

T

TAURUS, Tail of, sets Oct. 19.
 Taurus, Head of, sets in the Morn. Oct. 30.
 Taurus, Horns of, set Nov. 18.
 Taurus, Sun in, April 19, 20.
 Taurus, Tail of, rises April 20.
 Taurus, Head of, rises May 1.
 Taurus ceases to rise May 20.
 Thistle, (Spanish Golden,) flowers June 22.

Tree of Life, Fruit of, ripe Nov. 11.
 Tree of Life leafs March 30.
 Trees (Evergreen) lose their leaves
 June 22.
 Trees in general in leaf April 19.
 Turnsole (great) flowers June 22.
 Turpentine-tree leafs March 2.
 Turpentine-tree, Fruit of, ripe May
 10.

V

VINCULUM Piscium rises May 13.
 Vindemitor rises August 9.
 Vindemitor appears Sept. 1.
 Vintage begun Sept 15.
 Vintage going on, Sept 27.
 Violet (Bulbous) flowers Feb. 1.
 Violet (Dog-tooth) flowers Feb. 3.
 Violet (Common) flowers Feb. 14.
 Virgin's-bower flowers May 13.
 Virgo rises August 20.
 Virgo, Sun in, August 23.

Virgo, Shoulders of, appear August
 27.
 Virgo, Half of, rises Sept. 8.
 Virgo ceases to rise Sept. 26.

W

WALL-flower flowers Feb. 3.
 Walnut-tree, Fruit of, ripe Sept. 8.
 Weather at Sea, Tempestuous, July 19.
 West Wind begins to blow Feb. 2.
 West Wind blows Feb. 3.
 Willow (Almond-leaved) leafs Feb.
 16.
 Winter, Beginning of, Oct. 5.
 Winter, Middle of, Jan. 2.

Y

YE W-tree, Fruit of, ripe Nov. 11.
 Yew-tree leafs March 30.
 Yew-tree flowers June 18.

I N D E X
OF THE
N A T U R A L O C C U R R E N C E S
IN THE
A N C I E N T R O M A N C A L E N D A R.

AQ

A LDER buds Feb. 11.
Almond-tree blows Jan. 3.
15. Dec. 20.
Almonds sown Feb. 1. Oct. 29.
Almond-tree, Fruit of, formed Mar. 1.
—— ripe July 15.
Amaranth (Fox-tail) blows August 1.
Andromeda rises August 31.
Apple-tree blows Feb. 11.
Apples ripe August 8. Sept. 25.
Nov. 9.
Aquarius, Sun in, Jan. 16, 17, 18.
23.
—— rises Jan. 18. Feb. 5.
—— sets July 25.
Aquila sets Jan. 5. July 20. 23. 30.
Dec. 29.

AU

Aquila rises May 25. June 1. 3.
July 27. Dec. 7. 20.
Arctophylax rises Feb. 11.
—— sets March 5. June 7.
Arcturus rises Feb. 11. 21. 23. 26.
March 23. Sept. 5. 11, 12. 14, 15.
17.
—— sets May 13. 22. June 6, 7.
Aug. 26. Oct. 29. 31. Nov. 2.
Aries, Sun in, March 17, 18. 26.
—— rises March 23.
—— sets April 25. Sept. 21. Oct. 6.
Argo rises March 14.
—— sets Sept. 22.
Ash-tree, Fruit of, ripe July 25.
Asparagus sown April 1.
Auriga sets Oct. 11.

Autumn,

Autumn, Beginning of, August 8.
 11. 12. 20. Sept. 7.
 Autumnal shoots of Plants Sept. 5.
 Avigato Pear ripe August 1.

B

BARLEY sown Jan. 14. March 5.
 Sept. 24. Oct. 20. Nov. 8.
 Barley harvest June 1.
 Bay-tree buds Feb. 10.
 —— sown Dec. 29.
 Beans in flower March 24.
 Bean harvest June 24.
 Beans sown Oct. 15. April 29.
 Bees begin to leave their hives March
 22. April 8.
 —— wander in search of food March
 24.
 —— breed and swarm May 10.
 —— swarm June 28.
 —— taken April 1. August 12.
 —— confined to their hives Oct. 28.
 Birds, Singing, breed March 23.
 Broom-seeds sown March 1.
 Branches of trees laid March 1.

C

CABBAGES sown July 26.
 Callisto sets Feb. 7.
 Cancer sets Jan. 3. July 6.
 —— ceases to set Jan. 17.
 —— rises March 6.
 —— Sun in, June 15. 18, 19.

Canicula rises July 17, 18, 19, 20.
 —— sets Nov. 23. 25. Dec. 30.
 Canis rises April 25. July 16.
 —— sets April 28. 30. May 22.
 Nov. 22.
 Capella rises May 1. 8. Sept. 9. 28.
 —— sets May 21.
 Capra rises April 9. May 25.
 —— sets Dec. 23.
 Capricorn sets July 8.
 —— Sun in, Dec. 17.
 Cassiope sets Oct. 30.
 Cattle turned into the Pastures Feb. 7.
 —— foddered for want of Grass
 May 17.
 —— fed on Leaves June 1.
 Centaurus rises Sept. 23.
 —— ceases to rise Oct. 25.
 Cepheus rises July 9.
 Cherry-tree in flower Feb. 15.
 Chestnut buds Feb. 18.
 —— sown Feb. 27. March 1.
 Chichlings sown Jan. 21.
 Chiron rises May 3.
 Cork-tree, Fruit of, ripe Nov. 8.
 Corn harvest June 26.
 —— over July 30.
 —— sown August 11. Oct. 5.
 Cornel-tree buds Feb. 8.
 —— Fruit of, ripe June 25.
 Corona rises March 8. Oct. 4, 5. 8.
 13.
 —— sets July 4, 5.
 Corvus, Anguis and Crater rise Feb.
 14.
 Crab-tree, Fruit of, ripe Nov. 1.
 Cranes appear Nov. 11.

D

DELPHIN rises Jan. 1. 4. 9.
 June 8. 10. 13. 17. Dec. 27.
 —— sets Jan. 8. 30. Feb. 3.
 August 13. 14.
 Dog-wood, Fruit of, ripe June 27.

E

EARTH cracked by heat July 6. 17.
 Elm buds Feb. 11.
 —— Leaves of, begin to fall June 27.
 Equinox, Vernal, Mar. 22, 23, 24, 25.
 —— Autumnal, Sept. 24, 25, 26.
 Etesian Winds blow June 27. July
 20. 26. August 1.
 —— cease August 27. 30.
 Sept. 16.

F

FALLOWS broken up Feb. 3.
 —— Summer, plowed July 10.
 —— Winter, plowed Sept. 19.
 Fidicula sets Jan. 22. 30. Feb. 1. 4.
 August 11.
 —— rises April 23. May 13. 15.
 Fidis sets Feb. 1. 3. August 12. 20.
 —— rises Nov. 16.
 Field cleared of Cattle for Hay Jan.
 13. Feb. 11.
 Figs, first crop of, July 26.
 Fig-trees inoculated August 31.
 Fir-tree shoots Feb. 8.

Fir-tree, Spring shoots of, at a stand
 Feb. 22.
 —— Summer shoots of, May 20.
 June 27.
 Fir (Yellow flowering) flowers June
 26.
 —— Fruit of, ripe
 Oct. 20.
 Flax sown Sept. 24.
 Flowers in full beauty April 28.
 Fænugreek sown Feb. 1.
 Fruits, Winter, gathered Nov. 11.

G

GALLS, Oak, formed June 18.
 Gardens put into order March 14.
 Geese lay Jan. 26.
 Geese sit March 1.
 Gemini, Sun in, May 19, 20.
 Grapes ripe August 26.
 Grapes gathered Sept. 25.
 Grafs burnt up May 17.
 Green-finches seen June 26.
 Ground ploughed in warm situations
 March 22.
 Ground driest Sept. 17.
 Gulls, Sea, lay Eggs May 9.

H

HALCYON days Feb. 22. Dec. 24.
 Hay harvest May 13. 15. June 1.
 Hazel-nuts sown Feb. 27.
 Heat of the Weather begins June 13.
 Hemp

Hemp sown Feb. 25, 26.
 Hens lay Jan. 1.
 Hens sit Jan. 13.
 Hædi rise April 25. Sept. 27. 29,
 30. Oct. 6.
 Holly-tree buds Feb. 18.
 Honey, first season for the collection
 of, by bees, April 22.
 ——— second season for the collec-
 tion of, by bees May 15.
 ——— principally collected by bees
 about June 24.
 ——— taken June 29.
 ——— second season for taking
 Oct. 28.
 ——— Wild, taken Sept. 11.
 Husbandry, Works of, begin Jan. 13.
 Hyades set April 17.
 ——— rise May 2. 27.

K

KITE departs Sept. 5.

L

L A R C H-tree shoots Feb. 8.
 ——— Spring shoots of, at
 a stand Feb. 22.
 ——— Summer shoots of,
 June 27.
 Leaves of trees cut for Summer fod-
 der July 29.
 ——— collected for Winter
 fodder August 8.
 ——— fall Oct. 25.
 Lentils sown Nov. 2.

Leo sets Jan. 16. 24, 25.
 ——— ceases to set Feb. 20.
 ——— rises July 29, 30. August 4.
 ——— Sun in, July 17. 20.
 Lepus sets Nov. 22.
 Libra sets April 8. 10. 13.
 Libra, Sun in, Sept. 19, 20.
 Lily (Purple) blows Sept. 21.
 Linden-tree buds March 21.
 ——— Leaves of, begin to fall
 June 27.
 Linseed sown Oct. 1.
 Lucern sown or planted April 29.
 Lupines sown Feb. 12.
 Lyra rises Jan. 5. May 5.
 ——— sets Jan. 23. Feb. 2. April 12.

M

M A P L E-tree buds March 21.
 Maple-tree, Fruit of, ripe July 25.
 Mast-bearing trees in bud Feb. 18.
 Mast of tree ripe Oct. 20.
 Mergus (or Diver) lays Eggs Feb. 9.
 Medlars planted March 24.
 Millet sown March 23. Appril 29.
 ——— May 10.
 ——— reaped Sept. 28.
 Milvus rises March 18.
 Mulberries sown Feb. 13.
 Mushrooms gathered April 19.

N

N E P A sets March 15, 16. April 1.
 ——— rises Oct. 26.

Nut-tree

Nut-tree buds Feb. 11.
 Nuts ripe August 8.
 —— sown Feb. 27. March 1.
 Navigation commences March 10.

O

OAK-tree shoots Feb. 8.
 —— Spring shoots of, at a stand Feb. 22.
 —— Summer shoots of, June 27.
 Oak (South European) Fruit of, ripe August 8.
 Oil (in Olives) generated Sept. 5.
 Oil fresh (viride) expressed Oct. 30.
 Olive-tree pruned March 10, 11.
 —— grafted, sown and pruned March 24, 25.
 —— buds April 22.
 —— leafing May 7.
 —— Leaves of, begin to fall June 27.
 —— flowers June 2. 28.
 —— inverts its leaves June 28.
 Olive harvest Dec. 1.
 Ophiuchus rises June 20.
 —— sets June 21.
 Origanum flowers June 21.
 Orion rises March 9. 16. May 27.
 June 15, 16. 23. 26.
 —— sets April 5. 29. May 11.
 June 3. 24. Nov. 1.
 Ornithian winds blow Feb. 20. 23.

P

PANIC sown March 23.

Panic reaped Sept. 28.
 Peaches ripe July 26.
 Pea-fowl lay Feb. 13.
 Pear-tree blows Feb. 13. March 2.
 Pears ripe August 8. Nov. 9.
 Pear-trees sown Nov. 27.
 Pease sown Sept. 29.
 Pegasus rises March 7.
 —— sets March 21.
 Pheasants lay March 31.
 Pine cones sown Feb. 27. March 1. 24.
 —— in flower June 10.
 —— cones ripe Oct. 20. Nov. 12.
 Pisces, Sun in, Feb. 16. 20.
 —— set Sept. 21.
 Piscis Austrinus sets March 3. Sept. 2.
 —— Aquilonius rises March 8. 15.
 —— ceases to rise March 13.
 —— Aquilonius ceases to set Sept. 7.
 Pistacia-trees grafted March 24.
 —— nuts sown April 1.
 Pleiades rise April 1, 2. 22, 23. May 7. 13. 16. June 10. Oct. 10.
 —— set April 1. 6. Oct. 20. 24.
 28. Nov. 1, 2. 8. 11.
 Plumbs sown Jan. 3.
 Plumb-tree in blow Feb. 15.
 Plumbs ripe July 26.
 Pomegranates sown Feb. 28.
 Poplar buds Feb. 11.
 —— white leaves of, begin to fall June 27.
 —— inverts its leaves June 28.
 —— in blow June 29.
 Procyon rises July 13. 15.
 Prodromi (Winds) blow July 10.
 11. 23.

Q

QUINCES sown Jan. 3.
— planted March 24.

R

ROSES in blow May 11.
— early in blow April 1.

S

SAGITTĀ rises Feb. 22.
— sets Aug. 25.
Sagittarius sets Feb. 13.
— Sun in, Nov. 18, 19.
— sets Dec. 6.
Scorpio, Sun in, Oct. 19.
Scorpius rises March 16. Dec. 6. 13.
— sets April 1. May 6.
Seas dangerous by storms Sept. 14.
Nov. 11.
— safe to sail on March 10.
Seeds of fruit-trees sown Oct. 3.
Services sown Jan. 3.
Sesamum sown May 10. Sept. 26.
Sheep horn June 24.
Solstice, Summer, June 23, 24. 26.
— Winter, Dec. 17. 24, 25.
Spica Virginis rises Sept. 16, 18.
Spring, Beginning of, Jan. 19. Feb.
15.
— half over April 21. 25.
Stock-dove sits June 25.

Storks appear May 7.
Suculæ set April 12. 18. Nov. 21. 30.
— rise April 30. May 2. 19, 20.

Nov. 21.

Summer, Beginning of, April 21.
May 7, 8, 9. 13. 19.
— End of, July 23. Aug. 7.
Summer shoots of trees July 26.
Swallows seen in an early season.

Jan. 27.

— arrive Feb. 11. 20. 22, 23.
24.
— depart Sept. 5.

T

TAURUS, Sun in, April 17, 18.
20.
— rises May 14.
— sets Oct. 22. Nov. 1. 20.
Terga Leonis sets Feb. 2.
Thorn buds Feb. 18.
Thrush leaves Italy March 25.
— comes to Italy Sept. 25.
Thyene rises June 15.
Thyme plant flowers June 24.
Turpentine-tree buds Feb. 18.
— Fruit of, ripe July 25.
Trees transplanted Nov. 11.

— pruned Nov. 15.

V E G E T A T I O N, Beginning of,
Feb. 8.

— most active Mar.
21.
Vetches

Vetches cut for Summer fodder June 24.
 —— sown Sept. 26. Nov. 2.
 Vindemitor rises March 2. 5. 8. Aug. 22. 26.
 Vines planted Jan. 14.
 —— grafted Feb. 23.
 —— pruned March 1. May 7.
 —— budding April 22.
 —— leafing May 7.
 —— in flower June 2. 24.
 —— out of flower July 7.
 —— burnt up July 30.
 Vintage begun Sept. 8.
 —— going on Sept. 26. 28. Oct. 13.
 Violet, White, blows Feb. 9.
 —— Purple, blows Feb. 13. Mar. 22.
 —— Flame-coloured, blows Feb. 15.
 Virgo, Sun in, Aug. 17. 20.
 —— rises Aug. 30. Sept. 8. 11.
 —— ceases to rise Sept. 28.

Virgo ceases to set Oct. 4.

W

WALNUTS sown Feb. 27. Mar. 1.
 Weeds to be cleared away from fields Feb. 5.
 West wind blows Feb. 5, 6, 7, 8,
 Wheat harvest begins June 26.
 ——— over July 26. 30.
 —— sown Sept. 26. Oct. 1. 13.
 20. 23. 28. 30. Nov. 2. 25.
 Willows sown Feb. 10. Mar. 1.
 ——— buds Feb. 11.
 ——— inverts its leaves June 28.
 Winter, Middle of, Jan. 4. 10. 27.
 Winter, Middle Space between the Depth of, and the blowing of the West wind Jan. 12.
 ——— Depth of, ends Jan. 25.
 ——— End of, Feb. 6.
 ——— Beginning of, Oct. 23. Nov. 8, 9, 10, 11.

