DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

M1-1e 5(a)

RAS/ym

HEADQUARTERS
KINKI CIVIL AFFAIRS REGION
APO 15 c/o Postmaster, San Francisco

EC 600.3

26 January 1951

SUBJECT: Expenditureeof Funds for Maintenance of Machines and Repair of Buildings at the Terauchi Seisakusho, 35-13

THRU : Kinki Liaison & Coordination Office

TO : Governor
Shiga Prefecture
ATTN: Chief, Industry Section, Commerce and Industry Department

1. Refer to the inclosed two applications from subject plant, requesting reparations funds for repair of buildings and maintenance of machines.

2. Expenditure of ¥367,077 from reparations funds for the building repair work recommended by your office in Inclosure No. 1 is approved.

3. The maintenance work requested by Inclosure No.2, for which your office recommends expenditure of ¥129,050, is considered to be in excess of requirements. Survey of the plant's equipment by a member of this headquarters, accompanied by Mr. T. Yoshimura of your office, revealed that present maintenance is generally very good, and that only small spots of rust exist on some machines. Based on re-estimate of requirements by Mr. Yoshimura and representatives of the Terauchi Seisakusho, expenditure of ¥60,000 from reparations funds for maintenance of equipment is therefore authorized.

4. The building repairs listed in Inclosure No. 1 will not totally prevent rain leakage. Equipment in the buildings should therefore be periodically inspected to detect presence of rust or other deterioration, and corrective actio n taken as necessary. Indications of serious deterioration should be reported to this headquarters without delay.

FOR THE CHIEF:

STERLIN C. MOORE
Major Infantry
Deputy Chief

2 Incls:
Applications
1-Buildings repairs
2-Maintenance

0-680

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

9 Nov 0

"Tiranchi Seisakusho (3V—13)

1. Turned in after ~~correcting~~ expenditures for refitting glasses being corrected.

2. Prefectures figures selected.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

TS/ht

KINKI LIAISON & COORDINATION OFFICE
Prefectural Building
OSAKA

2 November 1950

KKLCO No. 708 ER

TO : Chief, Kinki Civil Affairs Region
(ATTN: Commerce & Industry, Economic Section)

SUBJECT: Application for Approval of Maintenance Work of Machines and Repair Work of Buildings in Reparations Plant: Terauchi Seisakusho K.K., Omatsu Plant (35-13)

For your approval.

S. Shima
Director

Incl: 2 letters from Shiga Prefectural Government, dated 27 October 1950

1-1435

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

COPY

27 Oct. 1950

TO: Chief of Kinki Civil Affairs Region.

FROM: Governor of Shiga Pref.

SUBJECT: Application of the budget for the expense repairing damage caused by the typhoon in the designated plant for reparations.

We submit you the application of the above subject from Omatsu plant of Terauchi Seisakusho under our jurisdiction and beg you to manage it properly.

I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, filed 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stock.

S Hattori
Governor of Shiga Pref.

Incl #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

Application for Maintenance Work

Kind of work Repair of Building

Project Number: Plant Number: 35-13

Plant Name: K.K. Terauchi Seisakusho Omatsu Factory.

Plant Address: 1040, Oaza-Minamikomatsu, Komatsu-Mura, Shiga-Gun, Shiga Prefecture.

Description of work for which funds are requested:

A. Repair of roof by bark	560 tsubo
B. Repair of roof by tile	200 tsubo
C. Repair of roof by slate	2 tsubo
~~D. Repair of window glass~~	~~38 m~~

Justification for request:

Owing to the Jane typhoon, the roof of A,B,D,J, buildings roofed by bark and the roof of E building roofed by tile was entirely broken. And the tile of I building and the slate of H building and the window glass of H, I buildings was partially broken as attached brue print.

Cost estimated:

	Custodian	District Office	Bureau of M.I.T.I.
Material Cost	271,844.00	~~¥271,844~~ ¥258,560	
Labour Cost	56,286.00	~~¥56,286~~ ¥53,038	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Transportation Cost	7,600.00	¥7.600.-
Miscellaneous Exp. (Tax)	33,573.00	~~¥33.573.00~~
(Cost for survey and preparing document)	16,786.00	~~¥16.786.00~~ ¥14.879.00
Total	386,089.00	~~¥386.089.00~~ ¥367.077.00

Estimated by (Custodian) S. Takeuchi Dated 27. oct. 1950.

Checked by (District Office) I. Hattori Dated 27 oct. 1950

Checked by (Osaka Bureau M.I.T.I.) _____ Dated _____

Approved by Civil Affairs Team _____ Dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Item of Cost Estimate

1) A. Building.

(a) Material Cost.

Kind of Material	Number	Unit Price	Price	Remarks
Roofing paper	55 roll	860.00	49,300.00	
Bamboo	10 bundle	250.00	2,500.00	
Lumber a.	1.25 koku	2,400.00	3,000.00	
Lumber b.	0.5 koku	1,720.00	860.00	
Nail	45 kgr	106.00	4,770.00	
Total			58,430.00	

(b) Labour Cost.

Occupation	Number of persons	Unit price	Price	Remarks
Carpenter	10	431.00	4,310.00	
Common Labour	10	206.00	2,060.00	
Total			6,370.00	

2) B. Building. " ditto

3) D. Building. " ditto

4) J. Building. ditto

5) E. Building.

(a) Material Cost.

Kind of Material	Number	Unit price	Price	Remarks
Tile	900	18.00	16,200.00	
Iron Wire	11	30.00	330.00	
total			16,530.00	

(b) Labour Cost.

Occupation	Number of persons	Unit price	Price	Remarks
Roof (tile) Worker	30	431.00	12,930.00	
Common Labour	30	250.00	7,500.00	
Total			20,430.00	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

6) H. Building.

(a) Material Cost.

Kind of Material	Number	Unit price	Price	Remarks
Slate	6 piece	465.00	2,790.00	
~~Glass~~	~~210 (shaku)~~	~~13.70~~	~~6,027.00~~	
~~Putty~~	~~21 kgr~~	~~37.00~~	~~777.00~~	
Total			~~9,594.00~~ 2,790.00	2790.-

(b) Labour Cost.

Occupation	Number of persons	Unit price	Price	Remarks
Roof Slater	0.5	431.00	215.00	
~~Glajior~~	~~4~~	~~406.00~~	~~1,624.00~~	
Common Labour	0.5	206.00	103.00	
Total			~~1,948.00~~ 318.00	318.-

7) I. Building.

(a) Material Cost.

Kind of Material	Number	Unit price	Price	Remarks
Tile	300 pieces	18.00	5,400.00	
Iron Wire	4 kgr	30.00	120.00	
~~Glass~~	~~200 (Shaku)~~	~~28.70~~	~~5,740.00~~	
~~Putty~~	~~20 kgr~~	~~37.00~~	~~740.00~~	
Total			~~18,000.00~~ 5,520.00	

(b) Labour Cost

Occupation	Number of persons	Unit price	Price	Remarks
Roof (tile) worker	10	431.00	4,310.00	
~~Glajior~~	~~4~~	~~406.00~~	~~1,624.00~~	
Common Labour	10	250.00	2,500.00	
Total			~~6,434.00~~ 6,810.00	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

8 #) Transportation Cost.

Kind of materials	Number	Distance	Kind of transportation	Unit price	Price
Roofing paper	220 roll	28 km	truck	2,250.00	4,500.00
Nail and iron wire	159 kg	25 km	auto-tricycle	850.00	850.00
Tile	1,200 pieces	40 km	truck	2,250.00	2,250.00
Total					7,600.00

9 #) Miscellaneous Expense.

Taxes and dues	37.040 = ~~33,573.00~~
Cost for survey and preparing document	14.879 = ~~16,786.00~~
Total	41.879 = ~~50,359.00~~
Grand Total	369.077 = ~~386,000.00~~

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

General Arrangement of Omatsu Factory

Address : 1040 Oaza-Minamikomatsu, Komatsu-Mura, Shiga-Gun, Shiga Prefecture,



Scale 1 : 1200

Bldg. No.	Name of Building	Number of Machine	Area m²
A	Machine Factory	54	330
B	"	54	330
D	"	50	330
E	"	21	330
H	"	98	330
I	"	151	330
J	"	57	330
K	Warehouse		330
L	Guard House		54
M	"		27.7
N	Office House		25

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

Iwauchi Seisaku-sho (35-13).

Type of maintenance jobs:

1. Partial overhaul

173 item 15,130 pts.

2. Surface cleaning

183 item 13,885 pts

Total 356 item 29,015 pts.

Cost.

1. Partial overhaul (8 man/hour per 100 pts.)

Labor.

$$\frac{430 \times 2 + 238}{3} \times \frac{15130}{100}$$

$$= 380 \times 151.3 = 57,494$$

Material.

$$256 \times \frac{15130}{100} = 38,732.8$$

Misc.

$$4 \times \frac{15130}{100} = 605.2$$

96,832

(over)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

2. Surface cleaning.

Labor.

$$\frac{410 \times 2 + 238}{3} \times \frac{1}{2} \times \frac{1388}{100}$$

$= 380 \times \frac{1}{2} \times 138.80 = 26,361.20$

Materials.

$216 \times \frac{1388}{100} = 3000 + 46 = 3046$

Misc.

$4 \times \frac{1388.80}{100} = 55.52$

Total. 62,462.

Grand total. 189,294.—

Plant- and Perpetual estimate

129,000.—

Ok.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

28 Nov. 1950

TO: Chief of Kinki Civil Affairs Region.

FROM: Governor of Shiga Pref.

SUBJECT: Application of budget for expense repairing damage caused by the typhoon in the designated plant for reparations.

We submit you the application of the above subject from Omatsu plant of Terauchi Seisakusho under our jurisdiction and beg you to manage it properly.

I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, filed 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deteroration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stock.

S. Okamoto

Vice-Governor of Shiga Pref.

Encl #2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77-0016

Application for Maintenance Work

Kind of work Maintenance

Project Number: Plant Number: 35-13

Plant Name: K.K. Terauchi Seisakusho Omatsu Factory.

Plant Address: 1040 Minamikomatsu, Komatsu-Mura, Shiga-Gun, Shiga Prefecture.

Description of work for which funds are requested:

Number of Machines	Number of Point
356	29,015

Justification for request:

A. We find some rust on slide way and inside parts.

B. The frame and feet of every machine became very dirty.

C. Owing to the Jane typhoon, the condition of the reparation machines became very bad.

Cost estimate:

	Custodian	District of Office	Bureau of M.I.T.I.
Material Cost	¥74,240.00	¥74,240.00	
Labour Cost	¥53,650.00	¥53,650.00	
Transportation Cost	¥ 0		
Miscellaneous Exp.			
(Cost for survey)	¥ 500.00	¥500.00	
(Cost for preparing document)	¥ 660.00	¥660.00	
Total	¥129,050.00	¥129,050.00	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 17-3-013

Estimated by (Custodian) S. Takenobu Dated 16 Nob. 1950

Checked by (District Office) S. Okamoto Dated Nov. 28. 1950

Checked by (Osaka Bureau of M.I.T.I.) _____ Dated _____

Approved by Civil Affairs Region _____ Dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Items of Cost Estimate

1). Material Cost

Kind of Material	Number	Unit Price	Price	Remarks
Kerosine	290 litters	16,35	4,741,50	
Machine Oil	290 "	55,58	16,118,20	
Grease	290 kg	114,08	33,083,20	
Waste Cloths	435 kg	31,42	13,667,70	
Soap & Other			6,629,40	
Total			74,240,00	

2) Labour Cost

Occupation	Number of Person	Unit Price	Price	Remarks
General Service-man	145	370,00	53,650,00	
Total			53,650,00	

3) Miscellaneous Expense

Cost for survey	500,00
Cost for preparing document	660,00
Total	1,160,00

Grant total 129,050,00

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

M1-/e5A/5 Commercial

HEADQUARTERS
KINKI CIVIL AFFAIRS REGION
APO 15 c/o Postmaster San Francisco

RAS/at

AG 600.3

26 January 1951

SUBJECT: Expenditure of Funds for Maintenance of Machines and Repair of Buildings at the Harada Loom Co., 32-44

THRU : Kinki Liaison & Coordination Office

TO : Governor
Osaka Prefecture
Attn: Chief, No. 1 Section Commerce & Industry Department

1. Expenditure from reparations funds of ¥43,045 for building repairs and ¥18,681 for maintenance of machines at subject plant, as recommended by your office in Inclosures 1 and 2, respectively, is approved.

2. It is requested that this headquarters be notified when the work is completed.

FOR THE CHIEF:

2 Incls:
Applications
1-Building repairs
2-Maintenance

STERLIN C. MOORE
Major Infantry
Deputy Chief

0-678

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date : 20 November 1950

: Hq Kinki Civil Affairs Region
ATTN: Economic Division

: Kinki Liaison & Coordination Office

: Application for Approval of Repair Work of Reparations Plant:

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings of Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration or loss by theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparation stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

Takaji Kono
For YOSHIHIKO KOROZUMI
Head of 1st Commerce &
Industry Section

Incl #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179015

Application for Maintenance Work

Kind of work **Repairing of Building**

Project Number: Plant Number 32 - 44

Plant Name : Amanokawa Plant, Harada's Loom Mfg. Co.,Ltd.

Plant Address : 881 Kisabe, Katanocho, Kitakawachigun, Osaka.

Descreiption of work for which funds are requested:

To repair the building which is broken by the Typhoon.

Justification for request:

It is necessary to repair the places of the building, the roof and wall broken to protect from invasion of the rain or the wind for the purpose of maintenance of the designated reparation machines.

Cost estimate:

	Custodian	~~Bureau of M.I.T.I.~~ O.P.G
Materials cost	¥ 73,220.00	¥ ~~24.940~~ 24.640
Labor Cost	¥ 29,895.00	¥ 9.291
Transportation cost	¥ 8,000.00	¥ 3.200
Miscellaneous expenses	¥ 38,400.00	¥ 5.614
Total	¥149,515.00	¥ 43.045-

Estimated by (Custodian) M. Sugimoto, dated October 10, 1950.

Checked by (~~Osaka Bureau of M.I.T.I.~~ O.P.G) Takaji Kono dated 20 November 1950

Approved by Kinki Civil Affairs Region

_____ dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

Details for Repairing of Main Plant

(1) Details of wages Required;

Kind of Repairing	Number of Works	Unit Cost	Total
Roofs (~~20~~ 10 tsubo)	~~8~~ 2	¥ 563.00	¥ 4,504.00 1,126.-
Rain-Pipes	~~20~~ 7	¥ 538.00	¥ 10,760.~~00~~ 3,766.-
Sundry Labourer	~~10~~ 11	¥ ~~238.00~~ 260.-	¥ 2,380.00 2,860.-
~~Plasterer~~ carpenter (~~20~~ 30 tsubo)	~~5~~ 3	¥ ~~538.00~~ 720.-	¥ 2,690.00 1,539.-
Grand Total;			¥ 20,330.00 9,291.-

(2) Details of Material Cost;

Kind of Heparing	Name of Materials	Quantity	Unit Cost	Total
Leak in the Roof	Tiles	~~1,500~~ 500 pcs.	¥ 15.00	¥ 22,500.00 7500.-
Rain-Pipes	Golvanized Steel sheets	28 sheets	¥380.00	¥ 10,640.00 10,640.-
"	Wire	2 KM.	¥250.00	¥ 500.00 500.-
window	Celotomeria board	2.5 KoKu	2,400	6,000.-
Total;				¥ ~~38,640.00~~ 24,640.-

(3) Details of Funds for Transportation of Materials;

Name of Material	Weight	Number of wagons	Unit Cost	Total
As totaled in (2) above	4,000 kgs.	1	~~¥4,000.00~~	¥ ~~4,000.00~~ 3,200.-

(4) Miscellaneous Expenses; 15% of amount

¥ 38,400.00 5,614.-

(5) Attached Documents;

(a) Brief Diagram No

(b) Map of our plant 1

(6) Percentage of Non-U Machines;

100 %

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Arrangement plan of Building at
Harada's Loom Mfg. Co.,Ltd.
Amanokawa Plant.



Remarks:

As the leaking of rain in our main plant and office was so severe, we have repaired it for the purpose of anticorrosive of the designated reparation machines.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 79-018

rrangement plan of Building at
arada's Loom Mfg. Co.,Ltd.
anokawa Plant.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178218

Terminates guard.
Prefectural connection
checked and found OK.
Repairing fence for 56 km
(Y 0-3, 145 registered) was
struck out.

Harada Loom Mfg Co. 32-44.

Release of land + bldgs.-

Recommend approval as follows:-

1. Retained area is suffient to store all reparations items

2. No repair fund to be requested over entire plant.

3. Field inspection requested for final decision

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 770016

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 0 2 1 8

Ltr Zimmerman
Mr Frazee 94

KINKI LIAISON & COORDINATION OFFICE TS/a1

Prefectural Building
OSAKA

2 December 1950

KKLCO No. 797 ER

TO : Chief, Kinki Civil Affairs Region
(ATTN: Commerce & Industry, Economic Section)

SUBJECT: Application for Release of Land and Buildings from Reparations Custody - Haradashiki Shoki K.K. (32-44)

For your consideration.

IN THE ABSENCE OF THE DIRECTOR:

S. Yamanaka

S. Yamanaka
Deputy-Director

I-1749

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77-3-12

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

30 November 1950

SUBJECT: Application for Release of Land and Buildings from Reparation Custody
Haradashiki Shoki K.K. (32 - 44)

TO : Chief, Kinki Civil Affairs Region
ATTN: Commerce & Industry Economic Section

THRU : Kinki Liaison & Coordination Office.

1. Attached herewith is an application submitted by Harada shiki Shoki K.K. (formerly, Daido Kogyo K.K.) in which they ask for release of land and building in Amanokawa Plant (32-44) of the company.

2. Itis deemed that their application is quite reasonable and correct, as our investigation has revealed that there is no reparations machines in the land and buildings in question.

3. The company is planning to make use of the land and buildings for a pilot plant of machines of various kinds manufactured by the company.

4. It is hoped that you will kindly give the matter your favourable consideration.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

KALCO
Received: 1/12/50 AM PM

YOSHIHIKO MOROZUMI
Head of 1st Commerce & Industry Section.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

Application for Exception of Institution including
in Designated reparation Plant and Site

Date: November 20, 1950.

To: Chubu Kinki Civil Affair Union.

From: Harada's Loom Mfg. Co., Ltd.
(formaly: The Daido Enterprising Co., Ltd.)

Address: 1155 Kisabe, Katanocho, Kitakawachigun, Osaka.

1) Name of Plant & Code No.

Amanokawa Plant, Harada's Loom Mfg. Co., Ltd. Code No. 32-44.
(formaly Amanokawa Plant, The Daido Enterprising Co., Ltd.)

2) Location of Plant

881 Kisabe, Katanocho, Kitakawachigun, Osaka.

3) A. Sites being applied for exception. Grand Total 4279.37 tsubo

B. List of Institution to be excepted from Designation for Reparation.

Item No.	Construction			Width	Remarkes
	Material	Roof	Storey		
1	Wood	Tile	1	152.132 tsubo	Works
3	Wood	Tile	1	2.12	W.C.
4	Wood	Galvanized Iron	1	1.18	Store room
5	Wood	Galvanized Iron	1	11.62	Passage
6	Wood	Tile	1	18.34	Office
7	Wood	Galvanized Iron	1	8.70	Dining room
8	Wood	Tile	1	10.35	Dining room
9	Wood	Galvanized Iron	1	2.26	Extra room
10	Wood	Tile	1	8.28	Passage
11	Wood	Tile	1	80.86	Works
12	Wood	Tile	1	10.17	Works
13	Wood	Tile	1	4.20	Engineer's Office
14	Wood	Galvanized Iron	1	9.65	Passage
15	Wood	Tile	1	97.63	Works
16	Wood	Galvanized Iron	1	18.65	Works
17	Wood	Slate	1	4.68	Store room

-to be cont.-

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

18	Wood	Galvanized Iron	1	1.12 tsubo	Works
19	Wood	Tile	1	2.23	Works
20	Wood	Slate	1	1.05	Works
21	Wood	Tile	1	3.15	Motor room
22	Wood	Galvanized Iron	1	1.07	Works
33	Wood	Galvanized Iron	1	21.03	Store house
35	Wood	Galvanized Iron	1	3,26	Store house
36	Wood	Tile	1	4.18	Pump room
37	Wood	Tile	3	63.59 tsubo	Office & Living room
38	Wood	Galvanized Iron	1	6.99	Store room & Kitchen

Total.....548.512 tsubo

Addition: Remaining Designated Reparation Institution,

A) Main Works (No.1) 214.516 tsubo (a part of Total 336.648 tsubo)

B) Distributing room (No.2) 2.53 tsubo.

The Institution being applied for exception is shown by Red oblique lines on our attached plan.

4) Reason to make application

Any designated reparation machinery and equipment is not taken in these institutions which are shown in the list (Third item)

By using of these institutions, we intend to have a weaving mill for the purpose of taking the test operation for various kind of Looms are made by us.

Harada's Loom Mfg. Co., Ltd.

H. Sugimoto

President.

1947 DEC 11 '30

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 17903

PLAN OF BUILDING ARRANGEMENT

IN HARADA'S LOOM MFG. CO., LTD. AMANOKAWA PLANT

CODE NO.32-44



Remark:
The sphere being applied for exception is shown by red oblique line.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 175613

AMANOKAWA PLANT CODE NO.32-44



Haiada Loan left. Amanokawa.
Perfection's correction
checked -
Recommend approval

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date : 20 November 1950

TO : Hq Kinki Civil Affairs Region
ATTN: Economic Division

CHRU : Kinki Liaison & Coordination Office

SUBJECT: Application for Approval of Repair Work of Reparations Plant:

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

Takeji Kono

Incl #2 For YOSHIHIKO ICHIZUMI
Head of 1st Commerce &
Industry Section

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 770818

Application for Maintenance work

Kind of work Maintenance of Machines

Project Number: Plant Number 52 - 44

Plant Name : Amanokawa Plant, Harada's Loom Mfg, Co., Ltd.

Plant Address : 881 Kisabe, Katanocho, Kitakawachigun, Osaka.

Descreption of work for which funds are requested:

To take the partial maintenance work of machines which were wet by the Typhoon.

Justification for request:

It is necessary to take maintenance work of the wet machines to keep their powers.

Cost estimate:

	Custodian	~~Bureau of M.I.T.I.~~ O.P.G
Materials Cost	¥ 8,007,89	¥ 8,162,00
Labor Cost	¥ 10,392,00	¥ 10,392,00
Transportation Cost	¥	¥
Miscellaneous Expenses	¥ 124.00	¥ ~~127.00~~ 127.00
Total	¥ 18,523,89	¥ ~~18,681.00~~ 18,681.00

Estimated by (Custodian) M. Sugimoto dated October 10, 1950.

Checked by (~~Osaka Bureau of M.I.T.I.~~ O.P.G) Takaji Kono dated 20 November 1950

Approved by Kinki Civil Affairs Region

_____ dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 778018

Maintance: Harada's Loom Mfg. Co., Ltd. Amanokawa Plant
Code No.32-44.

Partial overhaul 13 items 1,140 points

Lathe 32-44-1	1 item	80 points
" " -6	1 "	80 "
" " -7	1 "	80 "
" " -8	1 "	80 "
" " -9	1 "	80 "
" " -10	1 "	80 "
" " -11	1 "	80 "
" " -14	1 "	80 "
" " -15	1 "	80 "
" " -18	1 "	80 "
" " -20	1 "	80 "
" " -21	1 "	80 "
" " -30	1 "	80 "
	13 items	1,140 points

Surface cleaning 37 items 2,050 points

Lathe 32-44-2	1 item	80 points
" " -3	1 "	80 "
" " -4	1 "	80 "
" " -5	1 "	80 "
" " -12	1 "	80 "
" " -13	1 "	80 "
" " -16	1 "	80 "
" " -17	1 "	80 "
" " -19	1 "	80 "
" " -22	1 "	50 "
" " -23	1 "	50 "
" " -24	1 "	50 "
" " -25	1 "	50 "
" " -26	1 "	50 "
" " -27	1 "	50 "
" " -28	1 "	50 "
" " -29	1 "	50 "
" " -31	1 "	50 "
" " -32	1 "	50 "
" " -33	1 "	50 "
" " -34	1 "	50 "
" " -35	1 "	50 "
" " -36	1 "	50 "
" " -37	1 "	50 "
" " -38	1 "	50 "
" " -39	1 "	50 "
" " -40	1 "	50 "
" " -41	1 "	50 "
Milling " -42	1 "	70 "
Drilling Machine		
" -43	1 "	40 "
" " -44	1 "	40 "
" " -45	1 "	40 "
" " -46	1 "	40 "
Shaper " -47	1 "	100 "
Grinding Machine		
" -48	1 "	5 "
" " -49	1 "	5 "
Sawing Machine		
" -50	1 "	40 "
	37 items	2,050 points

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 779818

Total 3,190 points

O.P.G

Labor

Partial overhaul $\frac{1140}{100}$ = 11.4 men @¥ 480.00 ¥ 5,472.00 5472.—

Surface cleaning $\frac{2050}{200}$ = 10.25 men @¥ 480.00 ¥ 4,920.00 4920.—

Total labor cost ¥10,392.00 10.392—

Materials

Partial overhaul 13 items 1140 points

	Unit quant.	quant.	@¥	Amount	
Washing oil	1 litre	11 litres	16.35	¥ 179.85	186.—
Machine oil	1 "	11.5 "	55.59	639.28	633.—
Grease	1 kg.	12 kgs.	114.08	1,368.96	1300.—
Waste cloth	1.5 kg.	15 "	47.13	471.30	537.—
Soap, etc.			22.85	228.50	260.—
		Total		¥2,887.89	2916.—

Surface cleaning 37 items 2050 points

	Unit quant.	quant.	@¥	Amount	
Washing oil	1 litre	20 litres	16.35	¥ 327.00	335.—
Machine oil	1 "	20 "	55.59	1,111.80	1139.—
Grease	1 kg.	20.5 kgs.	114.08	2,281.60	2338.—
Waste cloth	1.5 kg.	30.5 "	47.13	942.60	966.—
Soap, etc.			22.85	457.00	468.—
				¥5,120.00	5246.—

Grand Total ¥8,007.89 8162

Miscellaneus expenses

Partial overhaul 13 items 1140 points

Technical leader	11	@¥3.50	¥ 38.50	39.—
Paper	11	0.50	5.50	6
		Total	¥ 44.00	45

Surface cleaning 37 items 2050 points

Technical leader	20	@¥3.50	¥ 70.00	72
Paper	20	0.50	10.00	10
		Total	¥ 80.00	82

Grand Total ¥ 124.00 127

Total estimated cost ¥ 18,523.89 ~~18,694~~ 18,681

Standard for materials ¥256 per 100 pts

$256 \times \frac{1140+2050}{100} = 8166.$

Standard for misc. expenses ¥4.— per 100 pts.

$4 \times \frac{1140+2050}{100} = ¥127.6$

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

BASE FOR COST ESTIMATE

1. Number of the machines applied for:

   59 sets

2. Total No. of point of machines applied for:

	Number	Point
4 man hours :	37	2,050
8 man hours :	13	1,140
32 man hours :		

3. Percentage of Non-U machines:

   100 %

M. Sugimoto.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

M1-1e 5(a)

HEADQUARTERS
KINKI CIVIL AFFAIRS REGION
APO 15 c/o Postmaster San Francisco

RAS/hn

EC 600.3

25 January 1951

SUBJECT: Expenditure of Funds for Maintenance of Machines and Repair of Buildings at the Nippon Tamatsu K.K., Daini Kojo, 32-37

THRU : Kinki Liaison & Coordination Office

TO : Governor
Osaka Prefecture
ATTN: Chief, No. 1 Section,
Commerce & Industry Department

Economics Section

1. Expenditure from reparations funds of ¥215,819 for building repairs and ¥11,296 for maintenance of machines at subject plant, as recommended by your office in Inclosures 1 and 2, respectively, is approved.

2. It is requested that this headquarters be notified when the building repair and maintenance work is completed.

FOR THE CHIEF:

STERLIN C. MOORE
Major Infantry
Deputy Chief

2 Incls:
Applications
1-Building repairs
2-Maintenance

1-682

Nippon Tanatsu Daini Kojo
Repairs of bldgs.
Maintenance

Recommend approval of Prof. estimate

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date : 13 November 1950

TO : Hq Kinki Civil Affairs Region
ATTN: Economic Division

THRU : Kinki Liaison & Coordination Office

SUBJECT: Application for Approval of Repair Work of Reparations
Plant: Nippon Tanatin Kogyo K.K. Daini Kojo

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

Incl #1 — for YOSHITARO MORIYAMA
Head of 1st Commerce &
Industry Section

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

APPLICATION FOR MAINTENANCE WORK

Kind of work: Repair of Buildings of the Reparation Designated Plant

Project Number: Plant Number 32-37

Plant Name: Nippon Tanatsu Kogyo K.K. Dainj Kojo.

Plant Address: 426, Beasho-sho, Kishiwada-shi, Osaka-fu.

Description of work for which funds are requested:

Rectification of Inclination of the plant building, and Repair the Leak of the Roofs and other damages of Window, Ceiling Glass etc. owing to the Jane Typhoon.

Justification for request:

To prevent the aggravation of the designated machines through the repair of the damages of the plant.

Cost estimate:

	Custodian	Osaka Prefecture
Materials Cost	¥ 235,360	¥ 131,622
Labor Cost	¥ 123,820	¥ 53,743.
Transportation Cost	¥ 12,200	¥ 10,100.
Miscellaneous Expenses	¥ 20,354	¥ 20,354.
Total	¥ 391,734	¥ 215,819.

Estimated by (Custodian)

K. Sakaue Dated 24 October 1950

Checked by (Osaka Prefecture)

Manejiro Yokota Dated 13 November 1950

Approved by Kinki Civil Affairs Region

_____ Dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 17803

(1) Details of Wages Required:
a. First Pressing Fadtory (Percentage of Non-U Machines 100 %)

Kind of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Rectification of Inclination	Carpenter 25 ~~25~~ 8	¥513	¥ 12,825	¥ 4,104
128 tsubo	"Tobi" 45 ~~45~~ 20	¥431	¥ 19,395	¥ 8,620
	Sundry Laboruer 80 ~~80~~ 40	¥~~238~~ 260	¥ 19,040	¥ 10,400
Roofs	Thatcher ~~37~~ 15	¥563	¥ 20,831	¥ 8,445 ~~5~~ 563
75.2 tsubo	Sundry Labourer ~~18.5~~ ~~15~~ 5	¥~~238~~ 260	¥ 4,403	¥ ~~3,330~~ 1,300
Boarding	Carpenter ~~15.5~~ 7	¥513	¥ 7,951	¥ 3,591
~~53.5~~ 50 tsubo	Sundry Labourer ~~7~~ 6	¥~~238~~ 260	¥ 1,666	¥ 1,560
Make of Window Frames 20 tsubo	Carpenter 10 ~~8~~ 2	¥513	¥ 5,130	¥ 1,026
Window Glass ~~276~~ 96 square shaku	Glass Worker 3	¥563 ~~488~~	¥ 1,689	¥ 488
	Total		¥ 92,930	¥ 42,004

B% Second Pressing Factory (Percentage of Non-U Machines 100 %)

King of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Roofs 25 tsubo	Thatcher ~~8~~ 4	¥563	¥ 4,~~8~~04	¥ 2,252
	Sundry Labourer 4	¥~~238~~ 260	¥ 952	¥ 1,040

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 17802

Kind of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Boarding 23 tsubo	Carpenter 7 2	¥513	¥ 3,591	7 1026
	Sundry Labourer 4 2	¥238	¥ 952	7 520
Make of Frames 2	Carpenter 1 0.5	¥513	¥ 513	7 256
Window Glass 27 square shaku	Glass Worker 0.3	¥563	¥ 169	
	Total		¥ 10,681	7 5,094

c. Machine Factory (Percentage of Non-U Machines 100 %)

Kind of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Roofs 7.3 tsubo	Thatcher ~~3.5~~ 15	¥563	¥ 1,970	7 ~~844~~ 281
	Sundry Labourer 2 1.5	¥238	¥ 476	7 390
Boarding ~~4.5~~ 20 tsubo	Carpenter ~~1.5~~ 3	¥513	¥ 769	7 1539
	Sundry Labourer 1 3	~~¥238~~ 260	¥ 238	7 780
~~Window &~~ Ceiling Glass 380 square shaku	~~Glass Worker~~ 5.3	~~¥563~~	~~¥ 2,984~~	
	Total		¥ 6,437	7 3553

~~n~~ Ware House (Percentage of Non-U Machines 100%)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

Kind of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Roofs 0.6 tsubo	Thatcher 0.3	¥563	¥169	
Leak in the Roofs 3 tsubo	Tinman 1	¥538	¥538	
Window Glass 14 square shaku	Glass Worker 0.2	¥563	¥113	
		Total	¥820	

e. Wooden Wall (Percentage of Non-U Machines 100%)

Kind of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Boarding 33 ken	Carpenter 22	¥513	¥ 11,286	¥2,052
	Sundry Labourer 7	¥238	¥ 1,666	¥1,040
		Total	¥ 12,952	¥3,092
		Grand Total	¥ 123,820	¥53,743

(2) Details of Material Cost
a. First Pressing Factory (Percentage of Non-U Machines 100%)

Kind of Repairing	Name of Materials	Quantity	Unit Cost	Total	Osaka Prefecture
Rectification of Inclination 128 tsubo	Pine	4 koku	¥1,500	¥ 6,000	2,700
	Cedar	24 koku	¥ 900	¥ 21,600	12,000
	Cramp	100 pcs.	¥ 30	¥ 3,000	360

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

Kind of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Roofs 0.6 tsubo	Thatcher 0.3	¥563	¥169	
Leak in the Roofs 3 tsubo	Tinman 1	¥538	¥538	
Window Glass 14 square shaku	Glass Worker 0.2	¥563	¥113	
		Total	¥820	

e. Wooden Wall (Percentage of Non-U Machines 100%)

Kind of Repairing	Number of Works	Unit Cost	Total	Osaka Prefecture
Boarding 33 ken	Carpenter 22	¥513	¥ 11,286	¥2,052
	Sundry Labourer 7	¥238	¥ 1,666	¥1,040
		Total	¥ 12,952	¥3,092
		Grand Total	¥ 123,820	¥53,743

(2) Details of Material Cost
a. First Pressing Factory (Percentage of Non-U Machines 100%)

Kind of Repairing	Name of Materials	Quantity	Unit Cost	Total	Osaka Prefecture
Rectification of Inclination 128 tsubo	Pine	4 koku	¥1,500	¥ 6,000	2,700
	Cedar	24 koku	¥ 900	¥ 21,600	12,000
	Cramp	100 pcs.	¥ 30	¥ 3,000	360

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

Kind of Repairing	Name of Materials	Quantity	Unit Cost	Total	Osaka Prefecture
	~~Rope~~	~~40 kgrs.~~	~~¥ 10~~	~~¥ 400~~	
Roofs 75.2 tsubo	Tile	~~4,873~~ 3341 pcs.	¥ 15	¥ 73,095	50,113
	Copper Wire	0.4 kan	~~¥ 550~~ 250	¥ 220	100
Boarding 53.5 tsubo	Cedar Plate	5.8 koku 16 kgrs.	¥ 2,400	¥ 13,920	13,920
	Steel Nail	~~5~~ kan	¥ ~~300~~ 55	¥ 1,500	880
Make of Window Frames 20	Pine	~~1,4~~ 2.5 koku	¥ 1,500	¥ 2,100	750
	~~Steel Nail~~	~~1 kan~~	~~¥ 300~~	~~¥ 300~~	
Window Glass ~~276~~ 48 square shaku	Glass	276 square shaku	¥ 50	¥ 13,800	1,036
	~~Putty~~	~~14 kgrs.~~	~~¥ 33~~	~~¥ 462~~	
			Total	¥136,397	81,861

b. Second Pressing Factory (Percentage of Non-U Machines 100%)

Kind of Repairing	Name of Materials	Quantity	Unit Cost	Total	Osaka Prefecture
Roofs 25 tsubo	Slate	~~50~~ 75 pcs.	~~¥ 900~~ 600	¥ 45,000	30,000
	Slate Nail	5 kgrs	¥ 40 ~~55~~	¥ 200	325
Boarding 23 tsubo	Cedar Plate	2.5 koku	¥2,400	¥ 6,000	6,000
	Steel Nail	~~2 kan~~ 7 kgrs.	¥ 300 ~~55~~	¥ 600	385
Make of Window Frames 2	Pine	~~0.14~~ 0.21 koku	¥1,500	¥ 210	300
~~Window Glass 27 square shaku~~	~~Glass~~	~~27 square shaku~~	~~¥ 50~~	¥ 1,350	
	~~Putty~~	~~1 kgrs~~	~~¥ 33~~	¥ 33	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 71903

			Total	¥ 53,393	36,910

c. Machine Factory (Percentage of Non-U Machines 100%)

Kind of Repairing	Name of Materials	Quantity	Unit Cost	Total	Osaka Prefecture
Roofs 7.3 tsubo	Tile	467 pcs.	¥ 15	¥ 7,005	7005.
	Copper Wire	~~0.5~~ 0.2 kan	¥ ~~550~~ 250	¥ 275	50
Boarding 4.5 tsubo	Cendar Plate	0.5 koku	¥2,400	¥ 1,200	1200
	Steel Nail	~~0.5~~ 1.3 kgrs	¥ ~~300~~ 55	¥ 150	71
Boarding 10 tsubo Window & Ceiling Glass 380 square shaku	Glass Cendar	~~380~~ 1.4 koku square shaku	¥ ~~50~~ 2400	¥ 19,000	3360
	Steel Nail	3 kgrs.	55		165
	~~Putty~~	~~19 kgrs.~~	¥ ~~33~~	¥ 627	
			Total	¥ 28,257	11,851

d. Ware House (Percentage of Non-U Machines 100%)

Kind of Repairing	Name of Materials	Quantity	Unit Cost	Total	Osaka Prefecture
~~Roofs 0.6 tsubo~~	~~Tile~~	~~38 pcs.~~	~~¥ 15~~	~~¥ 570~~	
~~Leak in the Roofs 3 tsubo~~	~~Galvanized Steel Sheet~~	~~6 pcs.~~	~~¥380~~	~~¥2,280~~	
	~~Slate Nail~~	~~0.5 kgr~~	~~¥ 40~~	~~¥ 20~~	
	~~Solder~~	~~1 kgr~~	~~¥240~~	~~¥ 240~~	
~~Window Glass 14 square shaku~~	~~Glass~~	~~14 square shaku~~	~~¥ 50~~	~~¥ 700~~	
	~~Putty~~	~~1 kgr~~	~~¥ 33~~	~~¥ 33~~	
			~~Total~~	~~¥3,843~~	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77-018

e. Wooden Wall (Percentage of Non-U Machines 100%)

Kind of Repairing	Name of Materials	Quantity	Unit Cost	Total	Osaka Prefecture
Boarding 33 tsubo	~~Gendar Plate~~	~~3.6 koku~~	~~¥2,400~~	~~¥ 8,640~~	
	~~Brace~~	~~0.7 koku~~	~~¥1,500~~	~~¥ 1,050~~	
	~~Gendar~~	~~3.2 koku~~	~~¥ 900~~	~~¥ 2,880~~	
	Steel Nail	3 kan	¥ 300	¥ 900	900
			Total	¥ 13,470	900
			Grand Total	¥235,360	131,522

(3) Details of Funds for Transportation of Materials:

Name of Material	Weight	Number of Wagons	Unit Cost	Total	Osaka Prefecture
As totaled in (2) above	7,793 kgrs.	2 /	¥ 500	¥ 1,000	500
	14,330 kgrs.	4 3	¥2,800	¥11,200	9,600
			Total	¥12,200	10,100
				¥20,354	20,354

(4) Miscellaneous Expenses:

(5) Attached Documents:

Brief Diagram 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

第一鍛造工場

正面





平面

機械工場

側面





道

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

第二鍛造工場

側　面



正　面



平　面



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

道

路

第二鍛造工場
425 坪

第一鍛造工場
128 坪

機械工場
115.26 坪

材料倉庫
9 坪

事務室

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77-0016

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date : 27 November 1950

TO : Hq Kinki Civil Affairs Region
ATTN: Economic Division

THRU : Kinki Liaison & Coordination Office

SUBJECT: Application for Approval of Repair Work of Reparations Plant:

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment: that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

Incl #2

YOSHIHIKO KOROZUMI
Head of 1st Commerce &
Industry Section

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

APPLICATION FOR MAINTENANCE WORK

Kind of work Disassembly and Surface Cleaning of Designated Machines.

Project Number: Plant Number: 32-37

Plant Name: Nippon Tanatsu Kogyo K.K. Daini Kojo.

Plant Address: 426, Bessho-Cho, Kishiwada-shi, Osaka-fu.

Description of work for which funds are requested:

Disassembly and Surface Cleaning, Polishing, Oiling etc. of Reparation Machines.

Justification for request:

To prevent deteriaration of designated machines consequent upon the typhoon "Jane".

Cost estimate:

	Custodian	Osaka Prefecture
Materials Cost	¥ 4,553	¥ 4,933.-
Labor Cost	¥ 3,797	¥ 6288.-
Miscellaneous Expenses	¥ 76	¥ 75.-
Total	¥ 8,426	¥ 11,296.-

Estimated by (Custodian)

K. Sakaue Dated 24 October 1950

Checked by (Osaka Prefecture)

[illegible] Dated 27 November 1950.

Approved by Kinki Civil Affairs Region

_____ Dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

BASE FOR COST ESTIMATE

1. Number of the machines applined for:

21 sets

2. Total No. of point of machines applied for:

	Number	Point
4 man hours:	16	1,480
8 man hours:	4	410
32 man hours:	1	40

3. Percentage of Non-U machines:

100 %

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

4. Details of miscellaneous expenses:

Suface cleaning and oiling:	¥	58	58
Partial overhauling:	¥	16	16
Perfect overhauling:	¥	1	1
Total.	¥	75	75

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

2. Details of labor cost:

Description.	No. of machine.	Point.	Worker's Name.	No.	Unit.	Price.	Checked by OPG.
Surface cleaning.	16	1480	Carer.	7.4	¥480.	3552	3552
Partial overhauling.	4	410	do.	4.1	480	1968	1968
Perfect overhauling.	1	40	do.	1.6	480	768	768
Total.							6288

3. Details of material cost:

a). Surface cleaning and oiling.

Name of material.	Quantity.	Unit.	Price.	Checked by OPG
Cleaning oil.	14.8 liter.	¥16.35	¥ 241	241
Machine oil.	" liter.	55.59	822	822
Grease.	" Kg.	114.08	1688	1688
Waste.	" Kg.	~~31.42~~ 42.13	697	697
Soap, etc.	"	22.85	338	338
Total.			¥ 3786	3786

b). Partial overhauling.

Name of material.	Quantity.	Unit.	Price.	by OPG
Cleaning oil.	4.1 liter.	¥16.35	67	67
Machine oil.	" liter.	55.59	227	227
Grease.	" Kg.	114.08	467	467
Waste.	" Kg.	~~31.42~~ 42.13	193	193
Soap, etc.	"	22.85	93	93
Total.			¥ 1047	1047

c) Perfect overhauling.

Cleaning oil.	0.4 liter	16.35	6.	6
Machine oil.	" liter	55.59	22	22
Grease.	" Kg.	114.08	45	45
Waste.	" Kg.	~~31.42~~ 42.13	18	18
Soap, etc.	"	22.85	9	9
Total.			¥ 100	100

Grand total of material cost: ¥ 4933 4933

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

M1-1e5(a)

HEADQUARTERS
KINKI CIVIL AFFAIRS REGION
APO 15 c/o Postmaster, San Francisco

JDF/ym

EC: 600.3

25 January 1951

SUBJECT: Application for Funds for Maintenance and Centralization of Machines and Repair of Buildings at the Ikeda Arsenal, 32-32E

THRU : Kinki Liaison and Coordination Office

TO : The Director
Kinki Finance Bureau

1. The inclosed application from your office requests reparations funds for maintenance, centralization of machines and repair of buildings at subject plant.

2. Expenditure of ¥20,131 for the maintenance and centralization work proposed by the application is approved.

3. The building repair work proposed by the application is not favorably considered. It was learned from inspection of the plant by a member of this headquarters, accompanied by Mr. F. Kino, plant custodian, that the proposed work is in excess of requirements. Although the application lists extensive roof repairs, the appearance of the interiors of the buildings indicated only very minor rain leakage. No evidence of deterioration due to exposure to the elements was found on any equipment stored in the buildings. Mr. Kino agreed that the proposed repair work is in excess of requirement.

4. It is therefore desired that an application for funds for building repairs be resubmitted, based on the minimum work necessary to protect equipment from exposure to the elements. Replacement of broken window-glass with wooden boards is recommended.

5. Use of reparations funds to repair external electric power lines, as proposed by inclosure, is also not favorably considered. It was learned from Mr. Kino that repair of the lines is desired for illumination

D-663

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

EC: 600.3

25 Jan 51

SUBJECT: Application for Funds for Maintenance and Centralization of Machines and Repair of Buildings at the Ikeda Arsenal, 32-32E

outside the plant area. It was further learned that the external lines, although damaged by the typhoon, have not been in operation since the end of the war, and are not essental for custody purposes.

FOR THE CHIEF:

1 Incl:
Application

STERLIN C. MOORE
Major Infantry
Deputy Chief

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

Mr. F. Kino

KINKI FINANCE BUREAU
(Osaka)

11 December 1950

KFB No. 137

TO : Chief,
Headquarters, Kinki Civil Affairs Region

THROUGH: Kinki Liaison and Coordination Office

SUBJECT: Application for Funds for Maintenance, Centralization of Machines and Repair of Buildings located at Tokyo 1st Army Arsenal, Ikeda Plant, 32-32(E)

1. Reference is made to memorandum for Reparations Agency, Japanese Government, 387.6 (2 Jun 50) CPC/EX, subject, "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants" dated 11 September 1950.

2. In compliance with instruction cited in above referenced memorandum, this Bureau wishes to submit the attached application for your favorable consideration.

Incl: Application

For M. Matsuda
KASHIMA, Juntaro
Director,
Kinki Finance Bureau

KN/ib/mk

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 773813

APPLICATION FOR FUNDS FOR MAINTENANCE, CENTRALIZATION OF MACHINES AND REPAIR OF BUILDINGS LOCATED AT TOKYO 1ST ARMY ARSENAL, IKEDA PLANT, 32-32(E)

1. Plant Code No. : 32 - 32 (E)
2. Name of Plant : Tokyo 1st Army Arsenal Ikeda Plant
3. Location : Shibuya, Ikeda-shi, Osaka Prefecture
4. Necessary Repairs:

   a. Buildings

Bldg No.	Structure	Extent of Damage	Estimated Cost of Repair
11	Wooden, 1-story, Slate Roofing	144 sq.ft. roof damaged 4 window glasses broken	6,260.00
5	" "	144 sq.ft. roof damaged, approx. 10 meters side-gutter, 432 sq.ft. glasses& 3 entrance doors damaged	20,475.00
4	" "	Roof slates and 25 meters side-gutters damaged. 2 entrance doors broken Lock for one door needs repair	1,046.00
30	" "	One entrance door needs repair. 36 sq.ft. of window glasses and frames damaged.	1,435.00
26	Steel-framed, 1-story, slate Roofing	648 sq.ft. of roofing slates, 7 entrance doors and 2160 sq.ft. of window glasses and frames damaged	61,140.00
29	"	180 sq.ft. of roof slates, one window frame and 4 sheets glasses damaged	8,063.00
27	"	180 sq.ft. of roof slates and 72 sq.ft. side-window damaged	8,385.00

- cont'd -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 779813

14	Wooden, 1-story	40 pcs. cement tiles broken	1,236.00
	External electric service lines	adjustment and repair	33,470.00
		Total Yen	141,510.00

b. Other facilities:

Repair of outer fence, urgently required for protection of of the plant property from theft was accomplished as an emergency measures, for which application for reinbursement had been submitted to KCAR under file No. KFB 114, dated 15 November, 1950.

c. Maintenance of Equipment:

Inventory No.	Name	Quantity	Point Value
32-32(E)-145 -146	Boiler	2	200
113	Balance	1	80
54(1)	Mixer	1	80
76, 214	Ventilator	2	60
" "	Conveyor	2	60
215	Bucket conveyor	1	230
	Total	10 items	830.

d. Transfer of Equipment:

Inventory No.	Name	Quantity	Weights	Transfered to
32-32(E)-54(1)	Mixer	1	1,200	From Bldg No. 32 to No. 5
" 76, 214	Ventilator	2	600	" No. 28 to No. 5
" "	Conveyor	2	800	"
107	Gas Dryer	1	1,500	Transfer within Bldg No. 4
" 111, 112	Dehydrator	2	2,000	" "
147 thru 154	Pole Transformer	8	640	Presently installed out door. To be centralized.
36 thru 41	Transformer	6	6,000	" "

- cont'd -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

Note: (i) Transfer of equipment is considered more economical than repairing buildings housing above equipment.

(ii) Estimated cost of transfer and maintenance of equipment cited in c and d above is yen 20,131.00.

5. Breakdown Cost Estimate:

	Buildings repairs	Maintenance and Transfer of equipment	Total
Materials Cost	85,976.80	1,302.40	87,279.20
Labor	19,590.00	12,975.00	32,565.00
Transportation	6,750.00	1,700.00	8,450.00
Miscellaneous	29,193.20	4,153.60	33,346.80
	141,510.00	20,131.00	161,641.00

6. Certification:

I certify that this application has been investigated by this office, and that investigation has revealed that the application is valied under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950: that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment: that the funds requested approximate the minimum amount necessary to accomplish the work: and that materials to be purchased are not available from reparations stocks.

M Matsuda

For KASHIMA, Juntaro
Director,
Kinki Finance Bureau

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

M1-1es1(a)

HEADQUARTERS
KINKI CIVIL AFFAIRS REGION
APO 15 c/o Postmaster San Francisco

RAS/sy

EC: 600.3

25 January 1951

SUBJECT: Expenditure of Funds for Maintenance of Machines and Repair of Buildings at the Matsushita Aircraft Co., No. 1 Plant, 32-06

THRU : Kinki Liaison & Coordination Office

TO : Governor
Osaka Prefecture
ATTN: Chief, No. 1 Section
Commerce & Industry Department

1. Expenditure from reparations funds of ¥386,630 for building repairs and ¥130,809 for maintenance of machines at subject plant, as recommended by your office in Inclosures 1 and 2, respectively, is approved.

2. It is requested that this headquarters be notified when the work is completed.

FOR THE CHIEF:

STERLIN C. MOORE
Major Infantry
Deputy Chief

2 Incls:
Applications
1 - Building repairs
2 - Maintenance

File

0-666

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 779818

Matsushita Airplane Co. #1. 32-08.

~~Construction~~

Recommend approval of Pref. estimate

Bldg Repairs
Maintenance.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date :

TO : Hq Kinki Civil Affairs Region
ATTN: Economic Division

THRU : Kinki Liaison & Coordination Office

SUBJECT: Application for Approval of Repair Work of Reparations
Plant: Matsushita Airplane Co., No. 1 Plant

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

for Masajiro Yokota
YOSHIYUKI KOIZUMI
Head of 1st Commerce &
Industry Section

Incl #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Application for Maintenance Work

Kind of work Repair-work of the plant

Project Number: Plant Number 32-08

Plant Name : Matsushita Airplane Co., No. 1 Plant

Plant Address : 84, Haizuka, Suminodo-cho, Kitakawachi-gun, Osaka pref.

Description of work for which funds are requested:

1. Repair-work of the roof.		930	tsubo
2. Repair-work of Windows and Doors.	Windows	27	
	Doors	30	
	Window-panes	1,990	sq.ft.
3. Plastering		103	tsubo
4. Electric works	Electric poles	10	
	High-pressure line	360	m.
	Service-wire	100	m.
	Electric heater	1	

Justification for request:

Due to the typhoon on 3 Sept, this plant, under reparation custody, were injured as the above deseriptions.

This plant is accordingly inconvenienced to guard and custody for rain. Under such circumstances, we request to repair early this plant.

Cost estimate:

	Custodian	Bureau of M.I.T.I. O.P.C.
Material Cost	¥ 700,190.00	¥ 258.345.—
Labor Cost	¥ 177,820.00	¥ 65.055.—
Transportation Cost	¥ 14,000.00	¥ 12.800.—
Miscellaneous Expenses	¥ 94,000.00	¥ 50.430.—
Total	¥ 986,010.00	¥ 386.630.—

Estimated by (Custodian)

Tsuneo Jinnai dated 20. Oct. 1950

Checked by (Osaka Bureau of M.I.T.I.) O.P.C.

Masajiro Yatsuka dated 13. Nov. 1950

Approved by Kinki Civil Affairs Region

_____ dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Total Cost Table

Building No.	Area (tsubo)	Detail of Cost				
		Material Cost	Labor Cost	Transport. Cost	Miscel. Cost	Amount
No. 1	~~408.37~~	~~¥ 298,560~~ 91,200 ✓	~~77,100~~ 24,270 ✓	~~6,000~~ 6400 ✓	45,000	~~¥426,660~~ 121870
No. 2	~~408.37~~	~~335,070~~ 125,650 ✓	~~83,670~~ 29,598 ✓	~~7,000~~ 6400 ✓	42,000	~~467,740~~ 161,648
No. 5	312.54	~~66,560~~ 41,495 ✓	~~17,050~~ 11,187 ✓	1,000	7,000	~~94,000~~ 52682
Total:		~~¥700,190~~ 258,345	~~177,820~~ 65,055	~~14,000~~ 12,800	94,000	~~¥966,010~~ 336200

15% 50,430

386630

(1) No. 1 Building

a. Details of Wages

Kind of Repairing	Area of Rep.	Kind of Labor	Nos of Labor	Unit Cost	Total	O.P.G.
Roofs	~~405.~~ 100 tsubo	Roofer	~~45~~ 24	~~¥500.~~ 563	¥22,500.	13513
		Sundry Laborer	~~45~~ 24	~~300.~~ 325	13,500.	7,800
Plaster	~~48~~ tsubo	Plasterer	20	530.	10,600.	
		Sundry Laborer	36	300.	10,800.	
Fixtures millwork	7 tsubo	Carpenter	~~16~~ 15	~~510.~~ 573	8,160.	765
		Sundry Labor	~~5~~ 2	~~300.~~ 325	1,500.	650
Window-Panes-wood	840 sq.ft. 24 tsubo	Joiner	~~4~~ 3	~~510.~~ 573	2,040.	1539
Electric Works		Electric Laborer	10	500.	5,000.	
		Sundry Laborer	10	300.	3,000.	
Total:					¥ 77,100.	24,270

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

b. Details of Materials

Kind of Repairing	Area of Rep.	Kind of Material	Unit	Quant.	Unit Cost	Amount	O.P.G.
Roofs	~~205.~~ 120 tsubo	Slate	ea.	~~13,120~~ 5400	¥ 13.	170,560.	70200
	~~180~~ 40 tsubo	Shingle	tsubo	~~180~~ 40	~~200.~~ 250	36,000.	10000
	~~350~~ 46	Special Slate	ea.	350	~~20.~~ 15	7,000.	5000
Plaster	48 tsubo	Sement	bgs.	30	280.	8,400.	
		Others				6,000.	
Windows & Doors (Fixtures)	4 tsubo	Sash-bars	Koku ea.	~~14~~ 1	~~350.~~ 2400	4,900.	2400
		Panes	sq.ft.	~~840~~ 120	30.	25,200.	3600
		~~Fittings~~				~~32,000.~~	
Electric Works		Electric fittings				9,500.	
Total:						¥298,560.	91200

c. Details of Transportation for Materials

Kind of Materials	Quantity	Weight	Distance	Unit Cost	Nos. of Trans.	Amount	O.P.G.
Slates & Others	~~13,120~~ 5400 pcs.	30,000. kg.	~~20~~ 16 km	¥1,000. 3200	6 2	¥6,000.	6000
Total:						¥6,000.	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

d. Details of Miscellaneous Expenses.

Kind of Works	Amount	Reasons	O.P.C.
Hire of appliance	10,000	Hire of settingu up a scaffolding	
Contract Expenses	35,000	Expenses of contractors	
Total:	45,000		

(2) No. 2 Building.

a. Details of Wages

Kind of Repairing	Area of Rep.	Kind of Labor	Nos. of Labor	Unit Cost.	Total	O.P.C.
Roofs	~~235.~~ 150 tsubo	Roofer	~~51~~ 30	~~¥500.~~ 563	¥25,500.	16890
	"	Sundry Laborer	~~51~~ 30	~~300.~~ 325	15,300.	9750
Plaster	35. tsubo	Plasterer	23	530.	12,190.	
		Sundry Laborer	41	300.	12,300.	
Fixtures	7 tsubo	Carpenter	12 15	510. 543	6,120.	769
		Sundry Laborer	4 2	300. 325	1,200.	650
Window-Panes	1,150 sq.ft. 30. tsubo	Joiner	6 3	510. 543	3,060.	1539
Electric Works		Electric Laborer	10	300.	3,000.	
		Sundry Laborer	10	300.	3,000.	
Total:					¥83,670.	29598

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

b. Details of Materials

Kind of Repairing	Area of Rep.	Kind of Material	Unit	Quant.	Unit Cost	Amount	O.P.C.
Roofs	~~235.~~ 150 tsubo	Slate	pcs.	~~15,040~~ 6750	¥ 13	¥195,510.	87750
	~~200.~~ 85 tsubo	Shingle	tsubo	~~200~~ 260	200.	40,000.	21,250
	40. ken	Special Slate	pcs.	310.	~~20.~~ 15	6,200.	4650
Plaster	55 tsubo	Sement	bgs.	35.	280.	9,800.	
		Others				7,000.	
Windows & Doors (Fixtures)	7 tsubo	Sash-bars	Koku ea.	~~13.~~ 1	2000 350.	4,550.	2400
	30 tsubo	Panes	Koku sq.ft.	~~1,150~~ 4	2,400 30.	34,500.	9600
		~~Fittings~~				25,000.	
Electric Works		~~Electric Fittings~~				~~9,500.~~	
Total:						¥335,070.	25,650

c. Details of Transportation for Materials

Kind of Materials	Quantity	Weight	Distance	Unit Cost	Nos. of Wagon	Amount	O.P.C.
Slate	15,000 6750 pcs.	34,000 kg.	~~20~~ 16 km	¥1,000. 3200	6 2	¥6,000.	6400
Others			"	1,000.	1	1,000.	
Total:						¥7,000.	6400

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

d. Details of Miscellanious Expenses.

Kind of Works	Amount	Reasons	O.P.G.
Hire of appliance	¥ 12,000.	Hire of setting up a scaffolding	
Contract Expenses	30,000.	Expenses of contractors	
Total:	¥ 42,000.		

(3) No. 5 Building

a. Details of Wages

Kind of Repairing	Area of Rep.	Kind of Labor	Nos. of Labor	Unit Cost	Total	O.P.G.
Roofs	55. tsubo	Roofer	~~17~~ 11	~~500.~~ 563	¥ 8,500.	6193
		Sundry Laborer	~~17~~ 11	~~300.~~ 325	¥ 5,100.	3575
Fixtures		Carpenter	5 1.5	510. 613	¥ 2,550.	769
		Sundry Laborer	~~5~~ 2	~~300.~~ 325	900.	650
Total:					¥17,050.	11,187

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

b. Details of Materials

Kind of Repairing	Area of Rep.	Kind of Material	Unit	Quant.	Unit Cost	Amount	O.P.G.
Roofs	55 tsubo	Slate	pcs.	~~3,520~~ 2475	¥ 13.	¥ 45,760.	32,175
		Shingle	tsubo	~~55~~ 20	200.	11,000.	4000
	30 ken	Special Slate	pcs.	230	20.	4,600.	4600
(Fixtures) Windows & Doors	20 tsubo	Boards (for panes)	tsubo	~~20~~ 03	2400 260.	5,200.	720
Total:						¥66,560.	41.495

c. Details of Transportation for Materials

Kind of Materials	Quantity	Weight	Distance	Unit Cost	Nos.of Wagon	Amount	O.P.G.
Slate	3,520 pcs.	7,000 kg	20 km	¥1,000	1	¥1,000.	
Total;						¥1,000.	

d. Details of Miscellanious Expenses.

Kind of Works	Amount	Reasons	O.P.G.
Contract Expenses	¥ 7,000.	Expenses of contractors	
Total:	¥ 7,000.		

Correction ~~366.00~~ 336.00 for 15% 50430 ~~50432~~

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

No. 5 BUILDING





DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

No. 5 BUILDING





DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

No. 1



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

No. I , No. II BUILDING





DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 779016



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179016



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 770818

Matsushita Hikoki 32-8.

Labor.			
Surface cleaning	$\frac{26195 \text{ ft}}{200} = 131 \text{ c } 480$		¥62,880.
Materials	$\frac{26195}{100} = 262. \text{ c } 256$		67,072
Misc. exp.	$\frac{26195}{100} = 262 \text{ c } 4$		1,048
			¥131,000

Recommend approval of Prefecture's estimate.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date : 13 November 1950

TO : Hq Kinki Civil Affairs Region
ATTN: Economic Division

THRU : Kinki Liaison & Coordination Office

SUBJECT: Application for Approval of Repair Work of Reparations
Plant; Matsushita Hikoki. K.K. No 1 plant

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

Incl #2

for Umejiro Hakata
YOSHIHIRO KOKUBUN
Head of 1st Commerce &
Industry Section

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 175613

Application for Maintenance Work

Kind of work Maintenance

Project Number :

Plant Number 32-8

Plant Name : Matsushita Hikoki K.K., No. 1 Plant

Plant Address : # 84, Haizuka, Suminodo-cho, Kitakawachi-gun, Osaka-fu.

Description of work for which funds are requested:

Working Surface Cleaning.

Justification for request:

Due to the typhoon on 3 Sept, this plant, under reparations custody, were injured as follows:
Tiles of 435 tsubo were blown off, 27 Sash-bars were damaged, 10 doors were collapsed, panes of 1,990 sq.ft. were broken, plaster of 153 tsubo were fallen off, and many wrapping papers covered reparations machinery were scattered.
Accordingly, some of items were wet by rain. When they are left uncleaned, may be gotten rusty.
This is the reason why we are to clean and grease the working surface of the said items.

Cost estimate:

	Custodian	O, P, G ~~Bureau of M.I.&T.I.~~
Material cost	¥ 67,059.00	¥ 66,898.—
Labor Cost	¥ 62,865.00	¥ 62,865.—
Transportation Cost	¥	¥
Miscellaneous Expenses	¥ 1,096.00	¥ 1,046.—
Total	¥131,020.00	¥ 130,809.—

Estimated by (Custodian)

Tsuneo Yimai dated 25 Oct 1950

Checked by (O.P.G ~~Osaka Bureau of M.I.&T.I.~~)

Masajiro Yokota dated 13 November 1950

Approved by Kinki Civil Affairs Region

_____ dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

BASE FOR COST ESTIMATE

1. Number of machine applied for:

   386 sets

2. Total No. of point of machines applied for:

	Number	Point
4 man hours	130.97	26,195

3. Percentage of Non-U machines:

   100 %

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

(1) Details of machinery to work surface cleaning:

Kind of Work	Name of Machine	Nos. of Machine	Point
Surface Cleaning	Lathe	179	14,065
"	Drilling machine	89	3,260
"	Milling machine	26	2,135
"	Grinding machine	13,	1,290
"	Sawing machine	12	480
"	Planer	2	370
"	Shaper	8	800
"	Siloter	4	620
"	Hobbing machine	3	260
"	Boring machine	2	360
"	Threading machine	1	85
"	Grinding, Tool	5	25
"	Shear	2	100
"	Thread-Miller	2	170
"	Punching machine	3	140
"	Gear-shaper	2	160
"	Milling	2	185
"	Tapping machine	2	90
"	Press	18	1,260
"	Others	11	340
Total:		386 sets	26,195

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

(2) Details of Labor Cost

Kind of Working	Nos. of Machine	Point	Kind of Laborer	Nos. of Man Hour	Unit Cost	Amount	O.P.G.
Surface Cleaning	386	26,195		130.97	¥480.	¥62,865.	62,865
Total						¥62,865.	62,865

(3) Details of Materials

Kind of Working	Nos. of Machine	Point	Kind of Material	Unit	Quant.	Unit Cost	Amount	O.P.G.
Surface Cleaning	386	26,195	Cleaning Oil	l.	261.95	¥ 16.35	¥ 4,282.88	4,282
			Machine Oil	l.	261.95	55.59	¥14,618.00	14,559
			Grease	kg.	261.95	114.08	¥29,883.25	29,883
			Waste	kg.	47.13	47.13	¥12,189.32	12,189
			Serp & Others			22.85	¥ 5,985.55	5,985
Total:							¥67,059.00	66,898

(4) Miscellaneious Expenses

Kind of Working	Nos. of machine	Point	Kind of Expense	Quant.	Unit Cost	Amount	O.P.G.
Surface Cleaning	386	26,195	Coaching	26,195	¥3.50	¥966.	916
			Papers	26,195	.50	130.	130
Total:						¥1,096.	1,046

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 719018

M1-1e5(A)

HEADQUARTERS
KINKI CIVIL AFFAIRS REGION
APO 15 c/o Postmaster San Francisco

RAS/sy

EC: 600.3

25 January 1951

SUBJECT: Expenditure of Funds for Maintenance of Machines and Repair of Buildings at the Kawasaki Zoki K.K.. 32-52

THRU : Kinki Liaison & Coordination Office

TO : Governor
Osaka Prefecture
ATTN: Chief, No. 1 Section,
Commerce and Industry Department

1. Reparations funds for maintenance of machines and repair of buildings at subject plant are requested by the inclosed applications from your office.

2. Based on inspection of the plant by a member of this headquarters and Mr. T. Nishikawa of your office, expenditures from reparations funds of ¥95,516 for maintenance of machines and ¥189,781 for building repairs, as recommended by your office in Inclosures 1 and 2 respectively, are approved with the exception of the repair work proposed for No. 8 Machine Shop. The inspector from this headquarters, Mr. Nishikawa and the Kawasaki Zoki custodian agreed that equipment in No. 8 Machine Shop should be consolidated into the central portion of the building, which requires only roof repairs, thereby eliminating repair of the whole building as proposed by Inclosure No. 2.

3. In addition to the work approved above, expenditure of ¥9,000 for erection of scaffolding in connection with repair of No. 1 Machine Shop is authorized. It was learned that this work was inadvertantly omitted from Inclosure No. 2.

4. Expenditure of reparations funds approved by this letter therefore amounts to ¥294,297.

FOR THE CHIEF:

STERLIN C. MOORE
Major Infantry
Deputy Chief

2 Incls:
1 - Maintenance
2 - Building repairs

0-664

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

Kawasaki Zoki.

Pref. Inspector - T. Nishikawa

Bldg repairs.

Bldg #1.

Scaffolds over looked.

Estimated addition ¥ 9000 -

Shop #8. -

Revise extent of work -

Repair roof over center half of shop.

Concentrate equipment in both ends to center.

Mr. Lavan's recommendation will cost more than original plan.

Approve as follows :-

1st Mac. Shop.	35,365 -	158627
2nd " "	9,810 -	31,156
3rd " "	6,231 -	189783
4th " "	19,097 -	
5th " "	1033 -	
Transformer House.	7423 -	
7th Mac Shop.	38496 -	
8th " "		
Tool House.	31,156	
Fence.	11139 -	
Clearing debris	2080 -	
Transportation	3200 -	
Misc Exp.	2475 -	
Total	→ ¥ 189,783	Scaffold + 9000 = ¥ 198,783.

Note :-

Mac Shop 8. - Pref estimate ¥31,156 has been omitted

To submit estimates on basis of concentration + repair to bldg.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

/Kawasaki Zoki.

Fence figured using board. Survey revealed that work involved will be limited to patching up short lengths of fence using available materials. Only a token of new lumber is to be purchased.

Approval recommended as submitted by Prof.

Sewer recommends consolidation of all equipment in Bldgs #1 thru 5.

(Repairs of Bldgs. Maintenance)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date : 20 November 1950

TO : Hq Kinki Civil Affairs Region
ATTN: Economic Division

THRU : Kinki Liaison & Coordination Office

SUBJECT: Application for Approval of Repair Work of Reparations Plant:

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

Takaji Kono
for YOSHIHIKO MOROZUMI
Head of 1st Commerce & Industry Section

Incl #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

Labor,

Surface cleaning	$\frac{14,625}{200}$ = 73.1 mm	
Partial overhauling	$\frac{1,510}{100}$ = 15.1 "	
Overhauling	$\frac{\$-15-}{25} = \frac{20.6}{108.8}$ mm @ 480	$2,224-
Materials	$\frac{16650}{100}$ = 166.5 @ 256	42,614-
Misc. Exp.	$\frac{16650}{100}$ = 166.5 @ 4.	666..

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

Application for Maintenance Work

Kind of work. Maintenance

Project Number: Plant Number: 32-52

Plant Name: Kawasaki Zoki K. K.

Plant Address: 28, OaZa Taishido, Yao city.

Description of work for which funds are requested:
Cleaning, oiling, greasing, overhauling inside and outside the reparations machines.

Justification for request:
Typhoon "Jane" has broken down the roofs and windows of our buildings which contain reparations machines and many of those machines were covered with rain, sand, & dust and woods, which has caused them much rusting. Cleaning, oiling, greasing and overhauling must be given to these machines lest they should be spoiled.

Cost estimate:

	Custodian	Bureau of M.I.T.
Materials Cost	¥ 42,617.00	¥ 42,617.00
Labour Cost	¥ 52,236.00	¥ 52,236.00
Transportation Cost	¥	¥
Miscellaneous Expenses	¥ 663.00	¥ 663.00
Total	¥ 95,516.00	¥ 95,516.00

Estimated by (Custodian) Masaharu Kawara dated Oct, 1950

Checked by (Osaka Bureau of M.I.T.I.) Takagi Kiyoo dated 20 November 1950

Approved by Kinki Civil Affairs Region

_____ dated _____

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

Base For Cost Estimate.

1. Number of the machines applied for:
   218 sets

2. Total number of point of machines applied for:

	Number	Point
4 man hours:	189	14,625
8 man hours:	23	1,510
32 man hours:	6	2,515
		16,650

3. Percentage of Non-U machines:

   100 %

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179018

2. Details of labor cost:

Description.	No. of machine.	Point.	Worker's Name.	No.	Unit.	Price.	Checked O.G.
Surface cleaning.	189	14.625	Carer.	73.125	¥480.	35.100	35.100
Partial overhauling.	23	1.510	do.	15.10	480	7.248	7.248
Perfect overhauling.	6	515	do.	15.45	480	7.416	9.888
Total.							

3. Details of material cost: 5-2236

a). Surface cleaning and oiling.

Name of material.	Quantity.	Unit.	Price.	Checked by O.G.
Cleaning oil.	14.625 liter.	¥16.35	¥ 2.391.19	2391
Machine oil.	14.625 liter.	55.59	8.130.04	8130
Grease.	14.625 Kg.	114.08	16.684.20	16.684
Waste.	14.625 Kg.	47.13 ~~31.42~~	6,892.76	6.892
Soap, etc.	14.625	22.85	3.341.81	3.341
Total.			¥ 37.438.00	37.438

b). Partial overhauling.

Name of material.	Quantity.	Unit.	Price.	by OPG
Cleaning oil.	15.10 liter.	¥16.35	246.88	246
Machine oil.	15.10 liter.	55.59	839.41	839
Grease.	15.10 Kg.	114.08	1.722.61	1722
Waste.	15.10 Kg.	47.13 ~~31.42~~	711.66	711
Soap, etc.	15.10	22.85	345.04	345
Total.			¥ 3.865.60	3863

c) Perfect overhauling.

Cleaning oil.	5.15 liter	16.35	84.20	84
Machine oil.	5.15 liter	55.59	286.29	286
Grease.	5.15 Kg.	114.08	587.51	587
Waste.	5.15 Kg.	47.13 ~~31.42~~	242.72	242
Soap, etc.	5.15	22.85	117.68	117
Total.			¥ 1318,40	1.316

Grand total of material cost: ¥ 42624,00 42617

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 179818

4. Details of miscellaneous expenses:

Suface cleaning and oiling:	¥ 585.00	584
Partial overhauling:	¥ 60.40	59
Perfect overhauling:	¥ 20.60	20
Total.	¥ 666.00	663

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 178018

OSAKA PREFECTURAL GOVERNMENT
THE FIRST COMMERCE AND
INDUSTRY SECTION

Date : 27 November 1950

TO : Hq Kinki Civil Affairs Region
ATTN: Economic Division

THRU : Kinki Liaison & Coordination Office

SUBJECT: Application for Approval of Repair Work of Reparations Plant:

1. Attached herewith is the subject application submitted by

2. I certify that this application has been investigated by this office, and that investigation has revealed that the application is valid under the provisions of memorandum from the Civil Property Custodian for the Japanese Government Reparations Agency, file 387.6 (2 Jun 50) CPC/EX, subject: "Expenditure of Funds for Maintenance, Centralization of Machines, and Repair of Buildings in Reparations Plants, dated 11 September 1950; that all of the work requested is necessary to prevent damage to, deterioration and/or theft of reparations equipment; that the funds requested approximate the minimum amount necessary to accomplish the work; and that materials to be purchased are not available from reparations stocks.

3. Forwarded for your approval.

FOR THE GOVERNOR OF OSAKA PREFECTURE:

YOSHIHIKO HOROZUMI
Head of 1st Commerce &
Industry Section

Incl #2

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. [illegible]

Application for Maintenance Work

Kind of work: Repairing of roofs and fences of Reparations Factory.

Project Number: Plant Number 32-52

Plant Name: Kawasaki Zoki K. K.

Plant Address: 28 Oaza Taishido, Yao city.

Description of work for which funds are requested:
Repairing of leaky places in the roofs and windows, doors walls of machine shops containing reperations machines. Repairing of damaged part of the board-fences of the same plant.

Justification for request:
Typhone "Jane" has broken down the roofs of some of our buildings and the tiles and slates of others and their windows, doors are also broken which have caused much rain-reak over Reparation machines, and these machines have got rusty.
These roofs, windows doors and board-fences must be repaired soon in order to protect those Reparations machines from rain and robbery.

Cost estimate:

	Custodian	Bureau of ~~K.I.C.I.~~ O.P.Q.
Materials Cost	¥ 647,915	¥ 130.249
Labour Cost	¥ 130,127	¥ 31.579
Transportation Cost	¥ 27,500	¥ 3.200
Miscellaneous Expenses	¥ 6,675	¥ 24.753
Total	¥ 812,217	¥ 189.781

Estimated by (Custodian)
Masaharu Kusuda dated Oct. 1950

Checked by (Osaka Bureau of ~~K.I.C.I.~~ O.P.Q.)
[signature] dated 27 November 1950

Approved by Kinki Civil Affairs Region
_____ dated _____

(1) Details of cost estimate:
Kind of repairing.

	Area	Cost	Details wages	Materials	Transportation	Mis. expenses	O.P.O
a. Roofs & windows etc.							
1st Machine shop	50tsubo	¥ 75,814	¥ ~~12,989~~	¥ ~~59,105~~	¥ 2,500	¥ 620	
2nd " "	24	31,150	~~7,001~~	~~22,344~~	950	255	
3rd " "	10	14,158	~~3,134~~	~~10,464~~	440	120	
4th " "	20	31,389	~~5,694~~	~~24,395~~	1,040	260	
5th " "	8	10,899	~~3,153~~	~~7,346~~	310	90	
Transformer house	12	9,440	~~1,344~~	~~7,686~~	330	80	
7th Machine shop	150	186,506	~~26,331~~	~~150,265~~	6,380	1,530	
8th " "	110	275,516	~~42,136~~	~~221,719~~	9,410	2,260	
Tools house	13	27,829	~~6,819~~	~~20,620~~	870	220	
b. Board fences	98	145,758	~~15,205~~	~~124,089~~	5,270	1,200	
c. Putting-in-order of blown down buildings	45	4,361	~~4,321~~			40	
Total	540	~~916,217~~	~~150,127~~	647,915	27,500	~~6,675~~	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.