

熊谷氣象四十年報

埼玉縣熊谷測候所編  
自明治三十年  
至昭和十一年

(其二)



始



14.6  
360

熊 谷  
氣 象 四 十 年 報  
(其 二)

自 明 治 三 十 年  
至 昭 和 十 一 年  
1 8 9 7 ——— 1 9 3 6

---

埼 玉 縣 熊 谷 測 候 所

14.6  
360




熊谷四十年報 (其二)

目次

月別最高氣壓ノ極 (氷点ノ度)..... 1頁  
月別最低氣壓ノ極 (氷点ノ度)..... 2頁  
月別最高氣温ノ極 ..... 3頁  
月別最低氣温ノ極 ..... 4頁  
月別最大水蒸氣張力ノ極 ..... 5頁  
月別最小濕度ノ極 ..... 6頁  
月別最大風速度 ..... 7頁  
月別降水量一日最多 ..... 8頁  
" 四時間最多 ..... 9頁  
月別最低地温ノ極 ..... 10頁  
月別最多蒸發量 ..... 11頁  
月別地面溫度ノ最高 ..... 12頁  
" 最低 ..... 13頁  
" 最高(深サ0.3米) ..... 14頁  
" 最低( " ) ..... 15頁  
" 最高(深サ1.0米) ..... 16頁  
" 最低( " ) ..... 17頁  
" 最高(深サ3.0米) ..... 18頁  
" 最低( " ) ..... 19頁



14.5  
360



		月 別 最 高 氣 壓 ノ 極 (水点ノ度) +700耗												
年次	月	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治	30 1897	71.6	72.7	72.0	70.4	65.5	65.6	59.6	61.9	69.2	69.9	70.4	69.3	72.7 II 14
	31 1898	70.8	69.9	70.1	70.4	63.8	60.5	61.0	63.4	67.2	67.0	75.3	69.8	75.3 XI 29
	32 1899	67.0	72.6	66.6	68.2	65.7	64.7	60.7	61.9	64.5	66.6	68.8	70.1	72.6 II 27
	33 1900	71.0	72.9	70.0	71.0	67.8	64.6	61.9	62.3	65.2	73.0	70.4	69.7	73.0 XI 19
	34 1901	69.5	65.5	70.5	71.4	64.7	62.3	59.4	61.8	65.2	71.4	71.6	68.5	71.6 XI 4
	35 1902	71.0	71.1	69.0	70.3	67.7	62.2	59.9	64.0	63.3	71.9	73.3	70.6	73.3 XI 27
	36 1903	72.0	71.7	72.1	75.5	68.1	59.2	61.2	61.7	66.1	69.6	71.5	67.7	75.5 III 19
	37 1904	74.0	69.9	70.0	69.8	65.6	61.2	61.1	61.0	67.4	68.3	69.8	63.4	74.0 I 27
	38 1905	71.6	71.7	72.2	71.5	71.0	60.3	60.6	65.9	66.3	69.3	72.3	73.5	73.5 XII 16
	39 1906	69.9	68.7	71.1	69.9	67.6	65.2	62.7	62.5	66.3	69.7	73.4	67.3	73.4 XI 14
	40 1907	70.7	67.3	70.8	74.7	65.5	67.0	61.0	60.0	64.9	67.3	74.6	71.7	74.7 III 4
	41 1908	72.5	69.3	70.0	71.1	71.2	61.1	62.9	63.1	65.6	68.5	66.4	72.9	72.9 XII 10
	42 1909	71.6	68.6	72.2	69.8	67.2	61.6	63.6	59.2	66.3	69.0	72.8	73.7	73.7 XII 27
	43 1910	70.1	69.0	72.1	69.4	70.3	61.7	60.2	61.8	67.4	68.3	68.9	68.2	72.1 III 26
	44 1911	70.5	74.0	72.1	69.3	67.6	62.9	61.7	63.1	66.2	69.6	74.3	74.5	74.5 XII 18
大正	1 1912	72.4	72.8	70.0	69.9	67.2	63.3	60.8	60.7	68.0	69.5	70.6	74.5	74.5 XII 26
	2 1913	74.8	69.7	65.8	68.7	64.0	63.7	60.7	58.6	66.1	68.8	76.5	74.8	76.5 XI 30
	3 1914	71.1	72.2	71.6	65.1	67.1	61.8	58.1	60.3	65.1	70.1	70.8	67.9	72.2 II 28
	4 1915	72.0	69.1	67.6	71.7	68.4	64.3	61.6	57.8	67.0	73.0	75.0	73.7	75.0 XI 15
	5 1916	70.9	69.6	64.9	68.0	67.7	61.2	59.4	58.5	66.4	73.2	73.0	71.3	73.2 X 28
	6 1917	71.2	65.2	72.1	65.2	62.7	63.6	62.7	64.0	65.4	72.2	68.7	65.7	72.2 X 23
	7 1918	67.8	70.4	73.0	69.0	65.3	61.9	60.6	61.3	66.8	73.2	75.0	69.8	75.0 XI 13
	8 1919	69.2	72.7	70.7	68.8	68.0	63.0	61.4	62.7	66.4	66.6	70.1	71.0	72.7 II 13
	9 1920	71.3	72.2	74.3	68.3	63.4	62.4	60.7	60.5	69.6	68.1	71.3	72.4	74.3 III 20
	10 1921	72.5	65.9	71.3	73.1	66.2	61.0	62.3	64.3	64.4	66.7	70.1	70.9	73.1 III 1
	11 1922	70.0	71.4	71.7	68.8	69.8	61.0	62.2	62.0	67.8	69.2	70.0	68.1	71.7 III 9
	12 1923	73.2	66.7	73.3	68.8	67.9	62.3	60.3	60.2	68.3	70.3	71.2	74.6	74.6 XII 12
	13 1924	67.9	67.7	69.6	67.4	64.3	62.8	63.1	60.0	64.2	70.2	71.2	68.0	71.2 XI 25
	14 1925	68.2	73.7	68.8	72.5	64.3	60.3	62.2	61.9	63.5	67.5	69.8	69.6	73.7 II 5
昭和	1 1926	71.2	72.5	67.9	66.4	68.4	66.6	61.2	61.7	63.6	68.1	71.4	70.1	72.5 II 22
	2 1927	72.1	69.2	73.1	69.2	63.9	61.6	61.7	61.0	67.6	72.3	71.4	74.9	74.9 XII 4
	3 1928	75.4	71.6	69.9	70.7	68.4	60.9	62.3	61.2	64.0	71.3	73.9	70.4	75.4 I 9
	4 1929	69.8	71.1	72.5	68.6	69.1	62.8	61.9	60.2	66.1	70.7	72.3	73.7	73.7 XII 6
	5 1930	70.7	69.1	75.3	69.3	67.8	64.6	59.1	63.2	64.9	68.1	76.8	73.0	76.8 XI 19
	6 1931	70.9	72.4	71.8	69.4	68.4	61.3	60.3	62.5	66.3	70.3	71.2	71.8	72.4 II 12
	7 1932	75.8	68.4	66.2	67.9	68.9	66.1	62.3	63.9	62.3	68.7	68.9	72.0	75.8 I 21
	8 1933	73.9	71.6	70.5	69.1	65.8	62.8	62.3	61.5	67.6	70.5	69.5	71.1	73.9 I 10
	9 1934	70.3	64.7	68.8	75.1	66.6	62.9	64.8	64.0	66.4	71.6	70.4	72.6	75.1 III 8
	10 1935	67.9	73.2	69.7	69.2	66.5	64.1	59.6	60.2	64.1	69.1	74.4	72.7	74.4 XI 30
	11 1936	70.8	65.5	74.8	69.8	67.7	60.9	63.9	59.7	66.1	70.9	74.3	77.6	77.6 XII 16
極		75.8	74.0	75.2	75.5	71.6	67.0	64.8	65.9	69.6	73.2	76.8	77.6	77.6 XII 16
		昭 7	明 44	昭 5	明 36	明 38	明 40	昭 9	明 38	大 9	大 5,7	昭 5	昭 11	昭 11

月 別 最 低 氣 壓 (水点ノ度) +700 極													
年次	一 月	二 月	三 月	四 月	五 月	六 月	七 月	八 月	九 月	十 月	十 一 月	十 二 月	年 極
明治 30 1897	46.3	49.2	45.4	41.5	45.6	46.3	46.0	50.4	36.6	45.2	48.8	51.1	36.6 K 9
31 1898	48.1	41.5	51.5	45.5	41.5	36.6	43.5	48.0	36.2	49.8	52.2	37.6	36.2 K 7
32 1899	46.6	47.9	47.0	47.7	48.3	42.7	38.8	46.3	48.3	29.0	45.6	46.0	29.0 X 7
33 1900	51.0	48.6	49.1	43.7	44.6	46.6	45.4	50.6	35.8	49.4	47.1	43.3	35.8 K 28
34 1901	51.1	44.6	43.9	51.7	45.9	46.5	48.6	51.4	43.9	44.9	46.6	43.0	43.0 VII 26
35 1902	47.0	49.7	41.5	43.6	42.7	41.7	46.0	47.3	20.0	49.1	52.4	46.1	20.0 K 28
36 1903	45.0	49.0	46.0	50.4	44.0	45.6	43.9	51.4	41.3	50.5	46.5	46.6	41.3 K 23
37 1904	49.2	50.1	46.4	48.1	45.1	45.1	46.5	49.9	43.2	44.5	43.4	47.6	43.2 K 21
38 1905	47.3	48.7	48.9	42.5	46.9	44.1	47.7	44.0	51.4	49.7	46.7	46.5	42.5 III 17
39 1906	42.5	46.8	45.7	41.8	39.7	47.0	42.7	46.6	47.1	46.9	46.1	42.8	39.7 V 28
40 1907	48.1	45.7	48.3	45.7	42.5	42.4	46.2	42.4	44.5	50.8	51.4	40.7	40.7 VII 21
41 1908	42.3	45.3	39.8	49.7	37.9	42.3	44.4	34.6	47.4	49.6	44.9	42.8	34.6 VII 7
42 1909	40.4	46.5	44.6	31.9	39.3	40.5	52.0	50.0	46.2	52.5	43.4	51.5	31.9 III 7
43 1910	45.3	45.6	46.2	48.5	41.3	46.1	47.9	42.1	47.9	53.0	43.6	48.1	41.3 V 11
44 1911	46.1	46.9	43.5	42.8	50.9	34.0	30.9	40.8	49.3	45.9	53.1	49.2	30.9 VII 26
大正 1 1912	48.7	45.9	40.2	47.3	40.9	44.4	46.4	50.0	34.3	47.6	51.1	49.1	34.3 K 23
2 1913	45.4	45.1	46.2	47.4	42.3	38.9	45.2	27.4	50.7	43.4	50.6	49.5	27.4 VII 27
3 1914	44.0	51.5	44.3	43.0	47.2	43.7	46.3	38.0	49.4	41.2	48.2	48.5	38.0 VII 13
4 1915	44.2	41.5	45.4	47.5	38.6	42.9	48.9	44.1	49.1	40.8	52.4	42.3	38.6 V 11
5 1916	48.4	41.0	40.9	43.8	39.6	45.6	47.1	46.4	50.2	52.2	47.1	41.6	39.6 V 7
6 1917	41.7	46.1	44.6	36.2	42.0	44.6	46.4	47.3	39.7	17.6	49.5	46.5	17.6 X 1
7 1918	47.0	52.2	39.1	45.2	45.1	45.1	44.6	41.9	29.7	52.5	51.4	50.1	29.7 K 24
8 1919	48.7	48.2	42.5	43.0	43.9	40.0	51.5	42.2	46.1	51.8	50.2	41.5	40.0 VI 22
9 1920	38.4	49.3	44.1	49.9	43.2	42.6	50.0	39.1	38.0	36.6	50.6	46.7	36.6 X 1
10 1921	38.7	39.6	42.4	43.4	44.7	45.8	48.3	47.5	47.8	44.8	45.4	46.3	33.7 I 20
11 1923	46.4	43.8	41.3	43.4	43.9	42.1	48.1	31.1	47.4	42.2	44.4	43.0	31.1 VII 24
12 1923	43.8	48.6	48.8	34.1	46.3	40.1	45.5	51.2	34.9	35.9	43.7	44.7	34.6 III 12
13 1924	51.6	42.4	46.8	45.6	41.7	44.0	52.5	47.2	49.4	47.0	44.3	46.4	41.7 V 25
14 1925	49.9	48.0	42.3	51.3	47.8	44.5	44.2	47.9	45.8	43.6	45.2	38.5	38.5 VII 21
昭和 1 1926	44.2	45.1	43.0	43.4	49.1	43.1	45.1	48.4	39.9	47.8	48.7	35.0	35.0 VII 8
2 1927	45.0	47.1	43.1	49.6	47.1	42.2	49.9	41.7	40.1	49.0	44.7	36.2	36.2 VII 24
3 1928	43.3	45.1	40.6	34.0	47.3	46.0	45.4	46.5	45.9	30.3	51.6	48.8	30.3 X 8
4 1929	42.6	46.8	40.1	32.5	38.5	41.9	47.6	46.7	42.1	46.5	45.7	47.8	32.5 III 21
5 1930	51.1	45.2	49.1	45.8	47.0	43.4	48.0	48.9	48.5	46.6	49.2	50.7	43.4 VI 2
6 1931	40.5	51.6	43.2	43.5	44.7	46.3	44.4	49.7	47.7	45.0	48.1	43.6	40.5 I 10
7 1932	48.0	47.4	49.1	41.8	44.9	46.9	48.9	45.1	52.7	44.3	33.9	46.5	33.9 VI 15
8 1933	50.1	44.7	44.8	47.4	43.1	44.1	52.5	49.8	35.2	42.4	46.4	44.2	35.2 K 5
9 1934	44.1	45.4	34.5	46.7	47.7	45.8	44.0	49.6	36.1	50.1	45.0	52.4	34.5 III 21
10 1935	40.6	50.2	41.3	42.8	46.5	45.9	45.6	39.5	33.1	47.9	53.5	45.6	38.1 K 26
11 1936	45.0	46.1	47.8	36.6	47.5	47.4	43.4	49.2	47.9	29.0	50.3	50.6	29.0 X 3
極	38.4	39.6	34.5	31.9	37.9	34.0	30.9	27.4	20.0	17.6	33.9	25.0	17.6 K 1
	大 9	大 10	昭 9	明 42	明 41	明 44	明 44	大 2	明 25	大 6	昭 7	昭 1	大 6

月 別 最 高 氣 温 (攝氏ノ度)													
年次	一 月	二 月	三 月	四 月	五 月	六 月	七 月	八 月	九 月	十 月	十 一 月	十 二 月	年 極
明治 30 1897	18.5	18.5	18.0	21.7	28.8	29.5	33.1	36.6	31.4	26.5	23.9	14.5	36.6 VII 4
31 1898	17.3	16.4	23.9	23.8	30.1	32.6	35.2	33.2	32.4	25.8	22.9	16.5	35.2 VII 1
32 1899	13.3	16.8	20.9	26.2	28.8	32.7	30.6	35.2	29.3	25.3	20.6	16.7	35.2 VII 22
33 1900	11.3	17.6	21.5	24.7	29.2	31.2	34.8	35.7	33.3	28.0	22.5	16.4	35.7 VII 27
34 1901	14.8	16.9	21.5	27.5	29.2	31.0	32.5	34.7	31.5	27.3	20.1	18.1	34.7 VII 5
35 1902	14.0	17.9	25.3	25.8	26.7	30.8	32.9	33.3	31.0	25.2	22.7	18.9	33.3 VII 30
36 1903	16.8	17.3	21.3	23.4	26.3	29.9	32.8	34.8	33.0	23.6	20.6	16.1	34.8 VII 6
37 1904	13.1	18.7	16.5	25.8	27.2	33.5	34.7	33.5	32.6	28.2	20.7	18.4	34.7 VII 1
38 1905	15.6	13.6	20.4	24.0	28.9	30.5	32.5	32.9	32.9	26.3	21.8	20.4	32.9 VII 10 K 5
39 1906	14.9	12.6	22.4	25.8	30.5	32.0	33.7	33.6	30.5	29.6	24.0	19.0	33.7 VII 29
40 1907	15.0	19.1	19.4	28.0	28.2	30.8	32.6	33.5	31.7	24.9	22.9	18.5	33.5 VII 10
41 1908	18.5	14.9	19.5	26.0	27.3	33.0	33.7	34.1	28.8	25.6	23.1	19.7	34.1 VII 1
42 1909	13.4	14.8	18.0	24.5	28.5	30.0	36.0	33.8	31.9	25.0	21.7	16.8	36.0 VII 15 18
43 1910	21.9	14.9	24.0	25.1	29.8	31.2	35.0	34.0	33.0	26.2	22.4	14.9	35.0 VII 21
44 1911	14.7	20.7	21.3	27.5	28.0	35.4	36.1	32.7	32.3	24.7	23.5	18.5	36.1 VII 26
大正 1 1912	14.9	16.5	21.8	28.4	28.0	28.6	24.7	34.4	32.3	28.1	22.4	14.4	34.7 VII 19
2 1913	11.4	16.1	21.5	25.9	28.2	31.0	32.9	33.2	29.9	26.0	20.4	17.8	33.2 VII 12
3 1914	14.6	15.8	25.2	29.2	27.6	32.8	36.4	34.8	32.6	26.3	23.4	18.5	36.4 VII 4
4 1915	14.5	14.6	17.8	25.3	29.2	34.0	36.3	33.4	31.1	32.9	23.3	18.2	36.3 VII 20
5 1916	20.6	14.6	20.4	28.0	28.7	33.8	31.8	33.3	32.8	26.2	22.5	18.4	33.8 VII 11
6 1917	13.5	19.4	17.0	23.5	28.5	34.0	36.0	34.9	33.4	29.7	18.7	16.5	36.0 VII 25 26
7 1918	11.5	16.0	21.4	25.4	28.3	33.2	36.2	34.5	33.4	24.8	24.6	14.8	36.2 VII 2
8 1919	11.4	17.0	22.7	25.8	30.0	32.7	34.0	33.5	32.7	29.4	22.0	18.0	34.0 VII 5
9 1920	15.2	12.0	22.4	24.0	27.0	32.0	34.5	32.5	33.8	25.6	25.2	19.0	34.5 VII 8
10 1921	15.0	22.0	17.5	25.2	27.5	28.0	33.6	34.6	30.1	28.3	20.9	17.4	34.6 VII 10
11 1922	10.4	22.6	19.0	30.7	30.5	32.6	34.3	36.2	34.7	27.8	23.8	14.4	36.2 VII 7
12 1923	16.0	13.6	25.0	28.9	28.2	30.0	34.7	38.4	33.0	27.0	27.6	18.5	38.4 VII 9
13 1924	15.7	20.8	17.2	26.5	27.0	30.2	37.8	35.9	32.5	25.2	20.5	16.3	37.8 VII 9
14 1925	13.7	14.2	20.2	25.2	30.9	31.8	32.5	33.7	33.5	30.2	20.5	16.9	33.7 VII 28
昭和 1 1926	15.0	18.1	22.1	24.8	28.0	32.5	35.0	38.4	32.9	24.3	21.9	18.8	38.4 VII 1
2 1927	18.0	15.0	22.3	26.7	27.5	31.5	36.0	34.0	32.7	28.8	23.5	19.4	36.0 VII 18
3 1928	18.4	15.1	26.3	28.5	31.2	29.7	32.4	33.1	33.0	26.8	22.7	16.9	33.1 VII 31
4 1929	18.4	20.0	22.5	27.4	26.6	30.5	36.0	37.5	31.3	28.5	19.9	20.8	37.5 VII 8
5 1930	14.3	24.6	25.8	28.3	31.5	31.4	35.7	33.4	31.8	27.0	20.4	16.0	35.7 VII 15
6 1931	16.8	16.0	23.3	24.9	30.0	31.0	30.5	34.7	32.0	30.5	24.0	18.6	34.7 VII 10
7 1932	17.4	16.9	19.9	24.4	29.5	26.9	38.0	36.0	32.7	27.4	22.6	18.0	38.0 VII 31
8 1933	14.2	16.2	23.2	22.7	29.5	35.5	37.0	33.3	33.5	26.0	23.0	17.3	37.0 VII 25
9 1934	10.3	15.2	20.8	23.5	27.3	33.3	35.9	34.1	30.2	26.5	25.0	17.9	35.9 VII 5
10 1935	14.4	17.5	23.1	27.2	29.8	33.6	36.6	35.9	32.4	28.5	23.5	17.5	36.6 VII 31
11 1936	12.2	14.7	18.5	25.2	29.4	34.7	37.3	34.9	33.7	26.4	19.0	17.7	37.3 VII 29
極	21.9	24.6	26.3	30.7	30.9	35.5	33.0	38.4	34.7	32.9	27.6	20.8	38.4 12 15 VII 9 1
	明 43	昭 5	昭 3	大 11	大 14	昭 8	昭 7	大 12, 15	大 11	大 4	大 12	昭 4	大 15

月別最低気温ノ極 (攝氏ノ度)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897	92.5	91.8	92.3	0.8	6.3	12.0	14.4	17.9	9.7	3.9	98.4	92.5	91.8 II 19
31 1898	92.4	95.0	93.6	0.0	4.8	10.2	18.4	19.9	12.4	5.3	99.5	92.3	92.3 VII 24
32 1899	92.4	92.7	96.4	99.1	4.0	12.9	15.8	19.8	11.0	3.4	96.8	95.0	92.4 I 2
33 1900	92.6	94.0	94.5	0.6	5.1	9.9	15.3	16.0	12.0	3.1	98.7	95.2	92.6 I 8
34 1901	93.8	91.0	95.2	99.2	5.8	11.4	15.2	16.3	11.1	3.1	96.0	94.4	91.0 II 3
35 1902	92.2	92.0	95.7	98.5	0.3	9.1	15.2	16.9	11.7	5.9	98.3	97.6	92.0 II 11
36 1903	95.8	95.4	99.0	99.1	5.6	10.0	15.3	16.9	10.9	4.7	97.9	93.7	93.7 VII 21
37 1904	90.3	92.4	95.0	1.8	6.2	10.3	15.3	17.4	8.4	0.9	97.7	95.4	90.3 I 27
38 1905	94.4	92.3	95.8	99.0	2.4	12.9	16.3	15.8	12.3	3.2	97.5	94.4	92.3 II 7
39 1906	91.5	93.2	96.2	0.1	4.0	7.8	15.8	15.7	9.7	5.7	97.1	94.6	91.5 I 22
40 1907	92.2	92.9	92.6	99.8	5.3	9.6	16.3	20.4	12.0	1.4	0.2	93.0	92.2 I 13
41 1908	91.3	92.2	96.1	0.2	2.6	12.2	14.2	19.3	9.4	3.7	96.6	92.6	91.3 I 24
42 1909	92.4	92.0	97.6	99.9	3.1	12.3	17.0	18.7	9.1	2.6	97.0	93.7	92.0 II 22
43 1910	93.4	92.1	91.4	99.2	2.1	11.3	16.3	13.0	12.9	7.4	98.5	93.9	91.4 III 6
44 1911	92.7	93.1	96.5	95.5	2.7	13.3	16.9	20.7	13.9	3.8	0.6	95.0	92.7 I 21
大正1 1912	92.2	94.0	98.0	98.1	4.2	8.8	15.4	15.4	12.2	5.4	99.5	94.2	92.2 I 15
2 1913	93.0	92.0	92.6	1.0	4.4	9.4	16.6	14.6	10.5	5.1	99.5	93.2	92.0 II 10
3 1914	93.5	95.6	97.6	98.0	4.0	14.7	17.9	19.8	12.0	4.5	97.0	94.0	93.5 I 23
4 1915	92.3	94.4	96.5	1.1	6.0	9.1	15.5	18.6	15.9	2.5	0.7	95.4	92.3 I 16
5 1916	94.8	94.7	92.9	99.1	5.4	11.1	17.4	19.0	8.4	3.8	0.8	95.8	92.9 III 18
6 1917	91.9	92.8	96.1	1.1	2.0	10.6	19.0	15.5	15.6	4.8	98.5	93.0	91.9 I 23
7 1918	92.0	92.8	95.2	2.3	4.2	12.6	19.5	17.9	12.3	0.5	98.2	90.2	90.2 VII 12
8 1919	93.6	88.4	97.2	99.3	6.0	10.4	16.4	16.5	11.9	8.0	98.4	97.5	88.4 II 9
9 1920	95.1	95.4	96.0	3.5	8.3	11.4	18.4	19.9	10.7	5.4	99.6	97.0	95.1 I 16
10 1921	91.9	95.0	94.5	0.8	6.3	7.8	16.8	18.1	12.0	6.3	96.6	92.7	91.9 I 1
11 1922	90.6	93.5	95.5	2.0	5.3	10.4	16.5	20.5	11.3	6.0	97.1	94.1	90.6 I 22
12 1923	90.2	92.5	95.5	97.5	8.4	11.6	15.7	19.9	9.6	7.1	1.4	92.5	90.2 I 26
13 1924	92.5	94.1	93.9	2.1	4.4	12.4	17.3	19.7	11.4	2.9	98.8	95.3	92.5 I 9
14 1925	89.6	93.8	94.8	99.2	3.4	11.9	15.1	19.9	10.3	3.4	99.0	95.6	89.6 I 31
昭和1 1926	92.4	92.6	94.6	98.1	3.1	9.9	14.9	16.9	11.4	2.0	98.5	94.2	92.4 I 24
2 1927	90.6	90.3	95.5	2.0	5.6	9.9	19.7	19.2	10.1	5.0	99.0	94.0	90.3 II 6
3 1928	91.8	93.2	95.5	0.5	8.3	13.5	16.7	17.2	10.8	6.5	0.5	95.1	91.8 I 23
4 1929	92.0	91.1	93.5	1.4	1.5	10.4	16.0	15.2	10.2	5.7	96.0	97.4	91.1 II 27
5 1930	94.0	95.6	96.1	1.3	5.8	14.2	18.8	20.3	11.2	5.3	93.2	95.3	94.0 I 8
6 1931	93.3	91.2	94.6	98.3	2.0	12.2	15.7	17.6	15.8	3.0	99.3	95.0	91.2 II 13
7 1932	94.8	94.2	96.1	99.2	7.7	12.5	17.6	19.2	10.1	3.8	0.1	94.8	94.2 II 11
8 1933	91.3	94.0	93.0	1.8	5.0	9.5	17.9	20.2	10.9	3.0	98.5	95.0	91.3 I 29
9 1934	93.3	93.9	91.6	97.9	3.3	11.7	16.4	16.8	10.5	3.9	97.8	95.8	91.6 III 4
10 1935	92.9	94.8	95.2	99.9	1.7	8.8	16.0	17.4	12.8	3.3	99.0	94.2	92.9 I 23
11 1936	90.8	93.1	91.3	98.1	4.3	8.6	14.4	17.6	12.0	1.3	99.2	96.6	90.8 I 31
極	89.6	88.4	91.3	95.5	0.3	7.8	14.2	13.0	8.4	0.5	96.0	90.2	88.4
	大 14	大 8	昭 11	明 44	明 35	明 39	明 41	明 43	明 34	大 7	明 34	大 7	大 8 II 9

月別最大水蒸気張力ノ極 (托)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897	6.7	8.8	8.6	11.1	16.2	18.0	24.0	26.6	24.4	15.7	11.4	6.8	26.6 VIII 11
31 1898	6.2	7.1	9.8	13.1	16.0	23.7	26.3	25.4	25.4	16.3	13.0	10.6	26.3 VII 5
32 1899	6.7	8.2	11.3	15.0	17.9	21.8	21.9	26.4	21.1	19.7	11.1	9.0	26.4 VIII 17
33 1900	6.5	6.3	9.0	12.7	17.6	17.7	24.3	26.6	24.6	17.0	17.2	10.1	26.6 VIII 26
34 1901	7.5	5.8	11.7	13.1	15.0	20.2	24.7	25.7	23.5	18.4	11.1	7.3	25.7 VIII 16
35 1902	5.5	6.3	9.3	14.5	16.1	19.4	26.1	25.0	23.9	16.5	12.9	10.4	26.1 VII 24
36 1903	8.3	7.2	10.7	14.1	18.6	18.0	25.1	27.2	22.0	17.4	10.9	6.9	27.2 VIII 7
37 1904	5.6	9.0	7.9	14.6	18.6	21.1	24.1	22.6	24.8	17.6	10.1	7.3	24.8 K 1
38 1905	6.9	6.5	12.0	12.9	15.3	20.5	23.5	21.8	24.7	15.4	12.1	11.1	24.7 K 5
39 1906	6.4	7.8	9.6	12.7	17.2	18.1	24.7	31.5	22.5	16.9	12.3	8.4	31.5 VIII 1
40 1907	6.5	4.9	8.5	12.7	17.1	20.9	23.2	27.5	24.7	14.1	16.6	6.3	27.5 VIII 8
41 1908	7.8	6.6	8.7	14.8	14.4	18.9	24.5	24.3	19.7	15.2	10.3	7.3	24.5 VII 20
42 1909	7.6	7.4	11.2	14.2	18.3	19.4	25.2	23.8	23.1	15.6	11.7	7.5	25.2 VII 15
43 1910	10.1	6.8	12.6	13.2	16.5	20.7	25.8	26.2	25.0	16.2	12.4	8.3	26.2 VIII 29
44 1911	7.2	8.1	9.8	15.7	15.1	20.8	24.5	26.9	24.4	16.7	16.5	7.4	26.9 VIII 23
大正1 1912	5.9	10.7	9.4	15.9	19.1	18.2	27.9	27.5	23.0	17.6	12.8	8.3	27.9 VII 19
2 1913	5.6	8.0	9.3	14.9	14.9	19.9	24.1	23.5	19.4	16.4	10.7	10.6	23.5 VIII 14
3 1914	7.6	6.8	11.6	14.1	17.1	22.4	25.7	25.3	24.6	15.4	14.5	8.2	25.7 VII 29
4 1915	7.4	7.2	8.5	13.5	16.4	22.8	24.6	26.4	23.6	22.3	13.2	8.1	26.4 VIII 11
5 1916	9.3	8.3	7.3	16.1	16.6	21.3	23.7	25.9	25.1	15.8	12.7	10.2	25.9 VIII 25
6 1917	5.8	6.9	8.1	13.9	15.2	28.1	32.6	25.3	23.7	21.1	10.0	6.8	32.6 VII 15
7 1918	4.8	7.1	11.1	11.8	15.1	22.6	25.8	25.3	22.0	16.9	12.9	7.4	25.8 VII 1
8 1919	7.8	8.8	12.3	15.1	16.1	18.5	26.3	24.9	22.3	16.5	13.6	9.0	24.9 VIII 30
9 1920	8.9	7.2	12.2	13.4	15.5	22.3	25.5	25.5	23.1	16.0	12.6	9.7	25.5 VII 24
10 1921	7.5	6.4	8.5	16.8	15.4	20.8	22.8	25.2	22.2	17.6	9.9	7.3	25.2 VIII 11
11 1922	5.9	11.1	7.9	15.8	15.3	20.4	25.8	26.1	23.1	16.8	13.0	6.2	26.1 VIII 9
12 1923	6.5	8.0	10.5	15.5	16.9	23.7	25.9	25.8	23.3	15.3	16.7	9.9	25.9 VII 19
13 1924	6.2	7.5	7.5	13.8	15.9	20.6	28.3	24.5	24.6	17.1	11.5	6.9	28.3 VII 8
14 1925	6.4	6.2	8.2	13.2	14.6	20.1	22.7	25.9	27.0	18.3	10.8	8.6	27.0 K 1
昭和1 1926	5.2	9.0	9.1	12.4	16.6	19.7	23.4	26.1	24.7	15.5	10.9	9.1	26.1 VIII 11
2 1927	6.9	7.2	10.0	12.8	14.5	19.8	25.6	26.7	24.2	16.2	13.0	7.5	26.7 VIII 10
3 1928	10.8	6.1	7.5	13.4	17.8	18.8	22.4	25.7	23.0	19.2	14.1	10.0	25.7 VIII 21
4 1929	5.6	5.8	12.3	13.8	15.0	18.2	27.4	29.0	24.7	16.8	12.5	11.9	29.0 VIII 27
5 1930	6.7	7.5	15.0	13.7	17.7	19.9	26.0	30.3	22.6	16.7	13.3	7.4	30.3 VIII 15
6 1931	6.6	6.4	12.2	15.7	15.6	21.1	21.6	24.8	23.3	19.0	12.0	8.3	24.8 VIII 27
7 1932	7.7	6.4	11.6	11.9	17.3	17.5	27.6	26.6	24.8	17.6	12.4	8.4	27.6 VII 26
8 1933	6.4	6.1	10.7	12.9	18.9	21.6	26.1	25.1	22.9	16.2	10.9	7.6	26.1 VII 24
9 1934	4.9	5.6	11.6	12.1	15.9	21.7	24.6	25.7	22.5	15.4	15.2	7.6	25.7 VIII 8
10 1935	7.0	8.1	10.7	13.2	15.5	20.0	26.8	23.9	24.4	18.1	10.2	8.1	26.8 VII 30
11 1936	6.2	5.9	9.2	13.9	16.6	21.3	25.8	28.2	24.9	13.8	10.3	9.8	28.2 VIII 6
極	10.8	11.1	15.0	16.8	19.1	28.1	32.6	31.5	27.0	22.3	16.7	11.9	32.6 VII 15
	昭 3	大 11	昭 5	大 10	明 45	大 6	大 6	明 39	大 14	大 4	大 12	昭 4	大 6 VII 15

月別最小湿度ノ極 (%)

年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897	29	5	24	27	24	28	54	55	43	35	34	22	5 II 18
31 1898	12	26	18	20	25	44	45	47	44	38	37	34	12 I 10
32 1899	10	22	16	28	35	37	52	44	43	35	30	29	10 I 17
33 1900	30	24	18	24	31	25	37	49	46	41	39	29	18 III 12
34 1901	39	27	15	27	29	37	46	52	37	43	28	22	15 III 13
25 1902	19	24	23	20	25	31	40	61	39	41	36	36	19 I 18
36 1903	27	24	25	33	24	30	42	41	50	37	30	27	24 { I 25 V 6
37 1904	19	33	24	28	40	28	51	48	45	37	28	30	19 I 25
38 1905	33	22	23	10	22	29	53	34	38	34	32	31	10 III 8
39 1906	18	26	23	23	25	40	56	48	42	33	26	28	18 I 23
40 1907	21	21	23	25	34	36	47	50	54	40	36	28	21 { I 18 II 14
41 1908	24	24	21	27	29	32	51	56	43	39	26	26	21 III 9
42 1909	33	20	31	33	31	39	39	50	36	42	33	34	20 I 23
43 1910	31	28	25	27	32	43	44	60	56	44	32	33	25 III 4
44 1911	30	25	26	19	31	36	48	54	45	39	37	31	19 III 7
大正1 1912	24	28	23	28	35	37	49	46	43	43	37	35	23 III 26
2 1913	37	22	24	27	33	30	51	40	43	37	31	19	19 XII 25
3 1914	22	28	27	28	30	34	41	41	46	36	44	33	22 I 3
4 1915	22	23	32	26	31	40	37	48	55	36	34	33	22 I 13
5 1916	22	29	25	21	28	34	37	44	44	31	45	20	20 XII 27
6 1917	23	20	31	30	27	26	43	37	52	37	30	20	20 { I 5 XII 26
7 1918	21	18	24	29	29	37	44	43	45	39	30	31	18 I 18
8 1919	30	28	22	19	31	31	44	34	39	35	30	33	19 III 20
9 1920	30	27	28	32	35	41	46	59	42	39	34	28	27 I 10
10 1921	29	24	25	28	34	40	50	51	43	42	31	21	21 XII 5
11 1922	22	27	22	23	32	23	48	47	39	37	28	25	22 { I 20, 31 II 19
12 1923	20	25	28	22	35	40	43	35	50	34	30	24	23 I 1
13 1924	20	21	19	30	26	39	37	33	40	26	34	29	19 III 16
14 1925	27	25	19	23	22	40	51	49	39	40	31	27	19 III 11
昭和1 1926	23	19	23	21	20	34	39	46	32	29	29	28	19 I 16
2 1927	23	28	25	21	32	30	52	53	42	35	35	29	21 III 18
3 1928	23	27	20	26	26	46	55	50	48	39	36	29	20 III 21
4 1929	13	17	20	28	36	29	46	43	41	35	36	40	13 I 2
5 1930	30	26	26	17	25	33	44	52	43	40	38	33	17 III 22
6 1931	32	35	25	21	22	32	56	45	40	31	24	33	21 III 19
7 1932	31	28	23	25	26	41	36	40	50	37	35	35	23 III 22
8 1933	35	26	30	27	28	27	45	55	33	32	31	33	26 I 26
9 1934	23	23	19	26	27	31	43	49	43	35	33	33	19 III 22
10 1935	29	33	28	29	29	29	43	49	49	36	32	26	26 XII 12
11 1936	16	29	25	28	35	34	40	49	48	37	35	30	16 I 17
極	10 明 32	5 明 30	15 明 34	10 明 38	20 大 15	26 大 6	36 昭 7	33 大 13	32 大 15	26 大 13	26 明 39 41	19 大 2	5 I 18 明 30

月別最大風速度 (米/秒)

年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897	NW 18.3	NW 12.5	NW 17.6	NW 18.6	NW 10.3	WNW 6.4	SE 5.5	SE 6.0	WNW 9.1	NW 11.2	NW 11.7	NW 15.7	NW 18.6 III 7
31 1898	NNW 14.4	NW 14.8	NW 15.8	NW 19.8	WNW 11.1	NE 8.9	NW 11.2	E 5.9	S 17.2	NW 9.0	NW 11.1	NW 10.6	NW 19.8 III 21
32 1899	WNW 14.5	WNW 16.5	NW 13.5	NW 11.6	NNW 12.3	W 5.5	NW 8.8	SE 10.9	SSE 10.1	NW 11.8	NW 12.0	NW 12.7	WNW 16.5 II 9
33 1900	NW 13.0	W 13.2	NW 13.3	NW 10.0	WNW 9.0	W 9.0	NW 7.3	SSE 11.6	W 31.7	NW 12.6	NW 16.2	NW 15.9	W 31.7 K 28
34 1901	NW 12.0	NW 14.1	NW 16.5	WNW 17.0	NW 11.2	NW 8.5	NW 5.4	NW 6.7	NW 7.3	NW 11.9	WNW 13.1	W 17.4	W 17.4 XII 26
35 1902	NNW 14.8	NW 16.6	NW 18.3	NNW 16.2	SSW 11.8	S 7.3	ESE 5.4	NW 4.2	NNE 16.0	WNW 10.0	NW 11.3	NW 12.9	NW 18.3 III 4
36 1903	WNW 11.8	NNW 12.8	NW 14.1	NNW 12.8	NW 9.9	NNW 14.1	SSE 15.2	ESE 4.7	NE 14.2	NW 9.0	NW 12.8	NW 10.0	SSE 15.2 VII 9
37 1904	NW 10.7	WNW 13.6	NW 13.8	NW 17.7	WNW 7.1	NW 8.9	SSE 17.0	ESE 7.0	SE 18.1	NW 9.9	NW 13.4	NW 13.7	SE 18.1 K 17
38 1905	NW 13.0	NW 16.2	NW 16.2	SE 12.5	NNW 12.2	SE 11.6	SSE 8.9	W 7.5	NW 10.3	WNW 9.9	NW 12.8	NW 14.4	NW 16.2 III 4 II 23
39 1906	NW 16.2	NW 17.4	NW 19.3	NW 19.4	NW 10.4	N 9.8	SE 9.5	NW 7.3	NW 6.6	WNW 13.0	NW 13.4	WNW 15.5	NW 19.4 III 5
40 1907	NNW 14.1	NW 18.7	NW 16.7	NW 15.2	W 10.5	W 14.1	S 7.1	S 12.3	SSE 8.5	NW 10.9	NW 11.6	NW 14.7	NW 20.1 II 28
41 1908	NW 15.9	NW 11.1	WNW 15.7	NNW 12.7	S 12.5	W 10.5	NNE 7.0	SSE 19.0	SE 5.3	WNW 7.9	WNW 16.6	NW 15.2	SSE 19.0 VIII 7
42 1909	WNW 13.2	WNW 16.9	WNW 15.2	SE 16.2	N 12.3	NW 14.8	NW 9.6	SSK 6.4	WNW 5.2	NW 10.3	NW 15.6	WNW 11.7	WNW 16.9 II 4
43 1910	NW 13.6	NW 19.3	NNW 19.1	NW 10.9	NW 16.9	SE 5.5	ENE 5.5	E 9.6	WNW 9.4	NW 6.7	NW 16.0	WNW 14.6	NW 19.3 II 18
44 1911	NW 20.0	NNW 12.6	NW 16.5	NW 16.7	NW 8.0	SSE 17.6	WNW 13.7	SSE 12.3	NW 8.4	NW 9.3	WNW 8.3	NW 12.1	NW 20.0 I 12
大正1 1912	NW 16.8	NW 12.4	NW 15.7	WNW 12.8	NW 12.0	WNW 9.4	NNW 4.8	E 8.9	SE 17.9	NNW 8.9	NW 11.5	NW 15.5	SE 17.9 K 23
2 1913	NW 12.5	WNW 13.4	NW 15.5	WNW 13.6	NNW 13.1	NW 9.8	SSE 5.5	W 16.4	WNW 7.1	WNW 13.8	NW 12.3	NW 12.9	W 16.4 VIII 27
3 1914	WNW 13.4	WNW 12.1	NW 15.5	NW 13.1	NW 9.5	S 7.4	SSW 10.5	SE 13.4	SSE 8.3	NNE 11.6	WNW 11.0	NW 13.6	NW 15.5 III 19
4 1915	NW 12.2	WNW 21.5	WNW 15.4	NW 11.6	WNW 8.9	W 5.7	SE 4.2	N 9.7	SE 8.4	WNW 15.4	NW 9.2	NW 14.0	WNW 21.5 II 4
5 1916	NW 12.7	NW 12.7	NW 15.8	NW 15.5	SE 8.5	SSE 13.3	NW 9.2	E 6.1	SE 10.4	NNW 7.9	WNW 12.5	WNW 15.3	NW 15.8 III 23
6 1917	WNW 13.5	W 14.1	WNW 14.4	WNW 14.3	WNW 16.7	W 6.9	SSK 9.9	NNE 13.8	SE 5.9	W 20.5	WNW 11.3	WNW 13.5	W 20.5 X 1
7 1918	NNW 15.9	NW 12.8	NW 15.3	NW 13.1	SE 9.5	SSE 4.8	SSE 13.3	SSE 12.2	SE 18.8	NNW 9.1	NW 9.7	NW 14.1	SE 18.8 K 24
8 1919	NW 13.5	NW 11.7	W 14.4	NNW 15.3	NNW 9.6	NW 8.1	S 3.9	NW 14.8	E 9.7	WNW 6.6	NW 12.7	WNW 14.1	NNW 15.3 III 12
9 1920	WNW 13.1	NW 17.2	NW 15.0	NNW 10.7	NW 9.2	WNW 6.0	NE 6.9	ESE 7.3	WNW 7.7	W 8.1	NW 11.3	W 11.1	NW 17.2 II 3
10 1921	W 15.2	NW 18.7	WNW 20.4	SSK 14.8	W 7.6	SSK 11.2	S 9.0	SE 6.4	WNW 10.1	W 6.7	WNW 9.9	WNW 11.6	WNW 20.4 III 2
11 1922	WNW 11.4	W 11.1	NNW 16.0	WNW 12.5	NW 9.2	NW 11.6	S 9.0	NW 11.4	NW 10.1	W 8.8	NW 13.2	WNW 12.5	NNW 16.0 III 28
12 1923	NW 12.3	NW 12.1	NW 13.4	NNW 12.3	NW 11.4	NNW 9.0	NNW 8.8	NNE 6.3	WNW 11.1	W 11.6	NW 9.9	NNW 9.2	NW 13.4 III 3
13 1924	NW 11.5	NW 12.8	NNW 11.8	SSE 8.3	NW 12.4	NNW 11.1	SSE 6.5	NW 5.8	NE 7.6	NW 11.4	NW 10.7	NNW 12.4	NW 12.8 I 13
14 1925	NW 12.8	NW 15.6	NNW 15.8	NNW 10.8	NNW 11.4	NW 7.1	SSE 5.5	SE 9.0	SSE 9.3	N 6.5	WNW 8.4	NNW 9.1	NNW 15.8 III 12
昭和1 1926	NW 13.0	NNW 12.8	W 14.1	NNW 15.3	WNW 7.6	NW 7.2	WNW 6.5	S 5.5	ESE 15.2	NNW 12.8	N 13.4	WNW 14.0	NNW 15.3 III 14
2 1927	NW 12.8	NNW 12.9	NW 14.8	NW 13.0	NNW 11.3	NNW 7.1	ENE 7.5	N 6.7	NNW 4.9	NW 9.5	N 9.8	NNW 14.2	NW 14.8 III 11
3 1928	NW 14.3	NNW 14.0	NNW 17.5	NW 15.8	SSE 9.2	N 8.1	NE 9.2	SE 7.1	NW 5.8	NW 12.5	NNE 11.7	NNW 11.8	NNW 17.5 III 13
4 1929	NNW 12.8	NW 15.7	WNW 12.0	W 12.3	NNW 12.3	N 8.5	SSW 5.9	SSE 7.7	NW 7.4	NNW 9.6	NW 9.0	NW 11.4	NW 15.7 II 19
5 1930	NNW 8.8	NW 12.0	NW 11.4	N 9.8	N 8.6	SSE 6.7	SSE 7.8	SSE 5.8	N 7.2	NW 9.4	NW 8.8	N 9.0	NW 12.0 II 13
6 1931	W 13.8	NNW 10.8	N 16.6	NNW 12.3	NNW 9.0	NW 6.3	NNW 6.6	S 5.2	ENE 8.8	NNW 6.5	NNW 11.3	NW 14.8	N 16.6 III 24
7 1932	N 9.6	N 10.4	NNW 10.0	NW 13.3	NW 11.7	NW 5.1	S 6.4	S 6.8	SSE 5.2	WNW 8.1	NW 14.8	NNW 10.6	NW 14.8 XII 15
8 1933	NNW 10.5	NW 10.8	NNW 16.8	NW 9.8	NNW 11.3	SSE 8.3	S 6.2	WNW 5.3	NNW 8.8	NNW 7.2	NNW 12.4	NW 11.3	NNW 16.8 III 21
9 1934	NW 12.4	NW 12.0	NW 12.9	NNW 13.1	N 9.7	SSE 6.4	N 5.4	NE 8.1	SSE 17.6	NW 8.5	NNW 10.5	NNW 9.6	SSE 17.6 K 21
10 1935	NNW 11.5	NW 15.6	WNW 15.0	NW 11.0	N 10.2	NNW 8.4	S 5.5	S 10.8	SSE 8.8	NW 8.6	N 8.5	NNW 12.8	NW 15.6 II 23
11 1936	NW 10.4	NNW 9.3	NNW 15.3	NNW 11.8	NW 8.5	NNW 10.1	SSE 6.0	SSE 4.9	NW 5.0	NW 13.3	NNW 10.1	N 9.0	NNW 15.3 III 18
極	NW 20.0 明 44	WNW 21.5 大 4	WNW 20.4 大 10	NW 19.8 明 31	NW 16.9 明 43	SSE 17.6 明 44	SSE 17.0 明 37	SSE 19.0 明 41	W 31.7 明 33	W 20.5 大 6	WNW 16.6 明 41	W 17.4 明 34	W 31.7 明 33 K 28

月別降水量一日最多 (耗)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897	15.4	23.0	11.8	39.3	43.1	33.6	31.5	47.7	76.4	49.8	26.4	0.0	76.4 K 9
31 1898	34.6	39.3	19.5	26.7	31.5	102.8	17.1	55.7	66.2	23.2	36.2	22.4	102.8 VI 5
32 1899	5.0	26.5	17.2	24.8	33.0	16.3	43.6	31.1	59.0	124.1	5.0	18.2	124.1 X 7
33 1900	12.9	14.1	17.3	38.8	36.3	30.5	34.9	71.3	35.0	17.8	51.4	12.8	71.3 VIII 18
34 1901	29.9	13.3	31.3	43.1	67.5	23.1	30.6	56.6	76.8	60.5	21.8	65.6	76.8 K 3
35 1902	10.3	5.0	8.5	21.1	50.8	22.4	40.5	162.2	71.3	37.3	23.4	31.7	162.2 VIII 8
36 1903	21.5	33.4	13.3	24.1	44.9	32.3	23.0	60.6	98.1	80.3	22.9	10.4	98.1 K 23
37 1904	2.3	8.5	13.8	22.6	25.0	20.5	77.5	28.8	111.7	57.2	10.8	29.4	111.7 K 21
38 1905	10.4	20.9	23.8	29.1	18.3	29.8	23.1	92.0	39.1	27.9	7.1	23.6	92.0 VIII 17
39 1906	10.1	28.0	13.5	7.5	12.6	21.4	105.2	118.1	70.2	73.2	9.5	12.6	118.1 VIII 24
40 1907	21.2	2.4	52.0	54.2	33.7	45.5	18.1	52.8	174.2	61.1	15.5	7.2	174.2 K 18
41 1908	2.8	17.6	50.8	63.8	38.6	37.2	32.4	58.5	48.3	29.8	4.9	6.4	63.8 III 9
42 1909	19.0	6.3	39.2	23.3	35.4	25.1	33.8	75.6	44.0	11.8	30.3	1.0	75.6 VIII 20
43 1910	13.6	14.5	20.3	12.3	75.2	34.4	70.1	126.0	69.6	61.3	21.2	5.9	126.0 VIII 10
44 1911	34.2	5.6	20.1	26.9	20.2	45.1	75.3	107.3	35.8	25.2	21.5	9.0	107.3 VIII 9
大正1 1912	24.0	35.8	36.0	12.7	20.4	76.3	27.8	12.9	50.3	28.7	14.8	39.1	76.3 VI 17
2 1913	42.9	15.6	14.3	12.1	60.8	43.0	14.5	144.0	41.8	84.1	24.0	10.5	144.0 VIII 27
3 1914	5.2	12.4	19.9	33.6	34.7	17.7	48.9	153.2	113.7	94.8	10.0	15.2	153.2 VIII 29
4 1915	24.4	34.8	26.5	40.6	32.9	37.0	25.0	49.0	84.3	105.6	14.0	4.3	165.6 X 7
5 1916	9.8	59.0	24.4	19.1	15.7	37.2	103.5	87.1	27.9	65.7	40.2	18.1	103.5 VII 30
6 1917	8.4	11.6	61.7	20.5	19.9	34.0	13.4	50.3	42.9	92.2	40.8	0.2	92.2 X 25
7 1918	3.3	14.6	33.3	26.2	20.6	31.0	31.4	23.8	117.4	15.3	21.9	10.9	117.4 K 24
8 1919	21.5	49.4	20.7	9.4	20.7	13.9	33.6	63.3	144.8	42.1	22.2	12.2	144.8 K 15
9 1920	19.7	17.2	15.7	33.4	72.3	34.4	115.4	53.8	104.5	43.6	16.7	26.4	115.4 VII 24
10 1921	13.9	21.0	27.9	42.6	67.8	49.0	49.6	13.3	108.5	42.3	7.4	19.8	108.5 K 8
11 1922	4.4	87.3	17.0	44.9	23.5	39.7	27.1	120.9	48.1	50.5	29.1	2.6	120.9 VIII 24
12 1923	10.9	45.0	18.8	20.6	37.5	94.1	41.9	58.5	69.9	39.8	31.5	6.9	94.1 VI 9
13 1924	1.7	15.0	13.3	20.5	25.7	48.2	15.8	74.4	65.8	48.6	16.9	3.0	74.4 VIII 26
14 1925	16.9	9.8	20.5	19.4	21.3	38.4	44.5	143.5	68.7	20.3	34.0	42.6	143.5 VIII 26
昭和1 1926	0.8	8.7	16.1	21.1	52.9	51.3	11.4	55.1	90.8	19.7	7.6	16.3	90.8 K 17
2 1927	2.8	12.5	48.3	74.2	23.5	45.3	94.5	44.0	52.2	38.5	32.4	6.2	94.5 VII 31
3 1928	15.7	53.3	27.8	74.2	42.1	58.6	70.1	21.0	51.3	91.2	8.2	7.3	91.2 X 8
4 1929	0.0	1.1	9.0	24.3	144.8	35.6	23.4	23.1	128.6	160.3	47.6	29.7	160.3 X 26
5 1930	11.8	17.1	32.3	25.3	12.6	37.1	74.7	43.6	47.4	43.3	32.1	17.9	74.7 VII 30
6 1931	16.3	14.6	16.8	9.6	49.7	26.3	31.3	29.1	69.2	124.8	23.2	15.2	124.8 X 13
7 1932	3.5	11.7	20.5	31.6	16.2	44.5	25.9	18.9	49.1	29.2	101.2	14.1	101.2 XI 14
8 1933	12.3	8.5	12.1	21.4	16.9	14.5	36.7	21.7	4.5	29.0	17.4	16.5	36.7 VII 30
9 1934	1.4	16.9	20.4	37.4	28.8	50.3	21.1	43.0	51.4	34.1	23.5	18.1	51.4 XI 1
10 1935	11.3	18.5	34.1	26.1	23.3	31.4	30.5	52.3	69.8	56.6	16.7	12.7	69.8 K 24
11 1936	28.8	37.5	8.8	43.2	36.4	62.9	41.0	25.6	82.8	46.4	9.7	19.6	82.8 K 27
極	42.9	87.3	61.7	74.2	144.8	102.8	115.4	162.2	174.2	165.6	101.2	65.6	174.2
	大 2	大 11	大 6	昭 2/3	昭 4	明 31	大 9	明 35	明 40	大 4	昭 7	明 34	明 40 K 18

月別降水量四時間最多 (耗)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897	7.8	6.1	4.0	17.6	30.0	17.7	11.2	19.8	52.5	26.7	14.0	0.0	52.5 K 30
31 1898	14.0	14.8	9.6	16.2	18.4	57.6	17.1	37.6	36.7	12.1	13.1	9.5	57.6 VI 5
32 1899	5.0	9.3	17.2	14.7	23.9	9.1	30.0	24.3	17.2	54.1	2.6	11.0	54.1 X 7
33 1900	7.8	4.9	11.3	14.6	16.8	14.8	42.8	32.4	28.5	13.4	19.3	7.6	32.4 VIII 18
34 1901	7.3	10.6	24.4	24.4	16.6	21.2	19.6	52.1	36.9	14.6	10.0	31.0	52.1 VIII 24
35 1902	4.9	2.2	4.6	18.3	29.0	15.9	21.8	95.3	49.1	15.8	12.7	11.5	95.3 VIII 8
36 1903	10.6	12.5	7.8	10.8	18.9	19.6	17.4	60.6	43.2	32.5	14.7	7.2	60.6 VIII 19
37 1904	1.8	8.5	4.7	15.0	16.9	17.2	32.5	22.3	39.2	20.1	5.9	9.0	39.2 K 21
38 1905	4.6	9.9	14.6	12.1	14.8	20.7	13.5	35.0	34.0	27.6	6.2	12.4	35.0 VIII 17
39 1906	6.5	10.9	7.5	6.5	10.3	11.9	44.2	52.8	19.3	21.7	4.0	6.9	52.8 VIII 24
40 1907	9.2	1.5	31.0	20.5	21.7	16.2	16.9	36.6	84.0	19.3	8.3	4.8	48.0 K 18
41 1908	2.6	7.4	26.6	28.4	16.6	25.1	28.2	28.0	47.0	13.7	2.5	4.1	47.0 K 30
42 1909	11.2	4.1	17.4	9.4	23.0	13.6	13.5	64.9	23.1	5.3	12.4	0.5	64.9 VIII 20
43 1910	5.6	12.8	8.5	7.5	42.6	17.5	31.7	67.4	32.1	18.3	10.8	4.0	67.4 VIII 11
44 1911	16.1	4.7	8.0	16.3	9.4	24.1	62.5	64.9	23.4	11.0	9.8	6.3	64.9 VIII 30
大正1 1912	13.6	10.7	11.0	11.2	15.2	49.0	24.3	7.9	25.9	18.8	7.2	12.0	49.0 VI 30
2 1913	20.0	8.8	6.0	6.3	21.3	23.7	9.8	60.9	24.9	32.1	17.6	5.3	60.9 VIII 13
3 1914	4.6	6.7	8.3	21.4	15.0	11.8	48.9	66.1	42.8	42.8	4.8	9.6	66.1 VIII 13
4 1915	13.6	25.1	9.8	16.0	18.2	18.7	25.0	32.5	46.1	78.6	5.9	4.1	78.6 X 7
5 1916	5.5	26.6	11.4	7.2	12.3	12.3	42.0	87.1	18.3	32.8	17.4	6.4	87.1 VIII 26
6 1917	3.9	4.7	22.5	10.1	7.6	30.1	9.5	20.7	40.0	47.3	19.5	0.2	47.3 X 25
7 1918	1.9	6.4	10.9	10.6	14.0	19.3	31.4	12.4	83.7	10.0	14.7	6.9	83.7 K 24
8 1919	12.5	14.7	15.0	8.9	12.1	11.0	25.5	32.7	108.4	21.7	11.8	9.5	108.4 K 15
9 1920	15.8	7.9	12.2	12.5	31.5	19.0	63.3	14.3	65.0	43.6	10.0	10.4	65.0 K 30
10 1921	6.7	9.2	14.3	17.3	21.2	28.3	48.1	6.4	60.2	24.0	7.3	8.7	60.2 K 8
11 1922	4.4	43.7	11.8	23.0	17.3	29.8	27.1	5.7	34.0	17.5	17.4	2.3	57.7 VIII 24
12 1923	4.5	19.5	10.3	7.1	22.2	24.2	16.4	55.2	37.7	36.4	14.8	6.0	55.2 VIII 24
13 1924	1.5	6.5	11.4	15.5	20.3	20.2	10.8	25.2	35.8	15.8	11.5	2.5	35.8 K 17
14 1925	9.5	4.3	11.9	10.4	10.3	21.5	16.3	74.6	24.7	15.7	10.0	18.8	74.6 VIII 26
昭和1 1926	0.8	8.7	11.0	12.3	24.8	16.6	10.8	34.0	44.6	12.6	6.2	16.3	44.6 K 17
2 1927	1.8	6.3	21.4	37.5	22.0	14.5	89.6	44.0	34.8	31.9	11.2	3.4	89.6 VII 31
3 1928	9.5	19.0	12.9	32.6	14.2	23.3	19.9	15.7	51.3	35.1	4.3	4.6	51.3 K 16
4 1929	0.0	1.0	5.8	13.4	64.2	15.7	23.0	15.5	42.2	48.9	24.3	11.9	64.2 V 23
5 1930	6.8	12.5	16.3	6.8	4.7	16.8	43.9	26.7	31.4	31.7	15.5	8.1	43.9 VIII 25
6 1931	8.5	9.5	8.0	9.6	15.1	16.1	14.0	25.1	35.5	80.6	12.5	8.6	80.6 X 13
7 1932	3.2	7.7	10.2	18.6	9.1	17.4	25.9	10.7	32.8	16.1	38.1	6.6	38.1 XI 15
8 1933	5.3	4.1	7.8	10.2	8.2	9.7	32.2	13.8	4.3	22.6	5.9	10.5	32.2 VII 30
9 1934	1.4	11.1	9.2	18.7	14.7	25.6	15.8	41.3	18.2	17.4	14.6	9.1	41.3 VIII 14
10 1935	6.2	14.2	19.8	10.1	22.4	14.9	13.1	36.9	33.8	20.7	6.9	5.3	36.9 VIII 29
11 1936	15.4	12.7	5.0	14.3	17.8	58.2	17.0	18.0	30.4	23.6	6.7	10.5	58.2 VI 26
極	20.0	43.7	31.0	37.5	64.2	58.2	89.6	95.3	108.4	80.6	38.1	31.0	108.4
	大 2	大 11	明 40	昭 2	昭 4	昭 11	昭 2	明 25	大 8	昭 6	昭 7	明 24	大 8 K 15



月 別 最 低 地 温ノ極 (攝氏度)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治													
30 1897										0.0	93.8	88.0	...
31 1898	87.8	89.9	88.7	96.4	0.0	6.4	15.7	18.5	9.4	1.5	95.2	86.5	86.5 VII 24
32 1899	86.9	88.9	92.2	95.0	0.0	10.5	14.5	18.2	11.0	98.8	91.8	89.8	86.9 I 23
33 1900	87.3	89.8	88.4	97.0	2.0	7.0	12.6	12.6	9.9	99.5	94.0	90.1	87.3 I 8
34 1901	88.6	83.4	83.9	95.3	1.5	8.9	10.3	13.6	7.1	99.2	91.4	88.1	83.4 II 4
35 1902	85.4	86.4	89.8	94.5	97.9	6.0	13.7	16.8	8.6	1.8	94.3	91.9	85.4 I 25
36 1903	90.5	89.7	94.0	95.0	1.8	6.4	13.6	13.4	7.0	0.8	92.8	88.9	88.9 VII 23
37 1904	84.4	87.6	89.3	98.1	3.2	7.3	13.6	14.1	5.0	97.9	93.0	89.7	84.4 I 26
38 1905	88.8	87.0	92.2	96.0	97.5	6.8	16.0	13.8	9.0	99.7	93.4	89.8	87.0 II 7
39 1906	85.7	88.8	91.2	96.3	0.7	3.9	13.4	13.1	5.8	1.8	92.4	89.4	85.7 I 22
40 1907	86.4	88.1	87.4	94.4	3.4	5.8	12.7	18.6	9.2	97.4	96.1	88.8	86.4 I 12
41 1908	86.9	87.3	90.8	97.0	98.7	9.9	13.6	17.5	6.0	97.9	91.3	87.8	86.9 I 24
42 1909	85.5	86.0	94.3	96.1	0.2	10.0	15.5	15.5	7.7	97.6	90.8	88.2	85.5 I 13
43 1910	87.9	86.4	86.4	94.6	93.6	8.1	13.8	15.3	10.8	3.5	94.2	88.4	86.4 II 2
44 1911	87.4	87.2	93.2	91.5	98.9	11.5	13.4	17.6	8.7	98.0	94.3	88.2	87.2 II 20
大正													
1 1912	84.9	86.8	91.6	91.8	0.0	3.8	12.1	11.3	8.9	0.2	92.4	87.0	84.9 I 27
2 1913	86.3	86.1	86.4	94.1	99.9	5.1	14.2	10.8	5.6	99.7	93.1	85.8	85.8 VII 19
3 1914	86.6	87.1	90.8	93.1	98.5	9.7	14.5	16.2	6.8	93.7	90.1	87.4	86.6 I 23
4 1915	85.7	87.4	90.2	95.2	0.0	4.6	13.0	15.3	11.9	97.6	95.3	87.8	85.7 I 16
5 1916	83.2	88.5	88.7	94.0	98.5	6.7	14.5	15.5	3.0	98.5	94.6	87.6	87.6 XII 27
6 1917	85.2	86.5	88.8	95.0	95.9	6.2	16.1	11.1	11.4	98.9	90.1	85.0	85.0 XII 29
7 1918	84.2	86.1	88.4	98.3	97.2	8.3	17.7	14.0	7.2	94.4	90.4	88.9	84.2 I 8
8 1919	86.1	80.3	90.4	93.1	0.3	4.6	11.7	15.0	6.7	2.1	92.0	88.3	80.3 II 9
9 1920	87.8	88.4	89.4	98.2	4.3	7.7	16.9	18.4	6.7	0.5	93.5	88.9	88.4 II 14
10 1921	87.7	87.1	88.0	95.6	0.4	2.4	15.6	15.6	7.4	99.7	88.3	84.9	84.9 XII 26
11 1922	83.8	85.8	89.1	96.2	0.3	5.6	12.1	13.6	6.9	1.2	91.8	86.7	83.8 I 22
12 1923	83.4	84.9	87.9	92.8	1.8	8.6	11.5	16.1	4.7	2.0	94.6	85.3	83.4 I 11
13 1924	82.2	87.1	87.1	96.8	99.0	8.9	15.3	15.6	6.7	96.7	92.0	87.4	82.2 I 6
14 1925	84.9	85.7	88.1	91.2	97.2	7.0	12.5	17.1	4.8	97.9	94.3	87.2	84.9 I 31
昭和													
1 1926	85.4	84.2	87.5	92.2	97.2	4.7	8.7	15.1	6.0	96.4	93.0	89.4	84.2 II 17
2 1927	84.7	85.3	90.4	97.0	2.4	5.3	16.8	14.5	5.8	0.5	94.3	87.2	84.7 I 22
3 1928	86.8	86.3	90.1	94.8	6.0	12.1	15.2	14.0	7.6	3.0	93.9	88.1	86.3 II 9
4 1929	84.5	84.8	85.8	95.6	95.8	5.5	12.2	12.7	6.0	1.1	89.0	89.6	84.5 I 3
5 1930	87.3	87.5	89.0	95.1	1.4	9.9	14.7	16.7	3.4	0.1	91.6	88.0	87.3 II 12
6 1931	85.7	85.4	85.9	92.0	95.8	9.6	14.9	15.4	10.8	97.6	93.7	88.2	85.4 II 13
7 1932	88.0	87.9	88.7	94.6	2.7	9.0	14.2	17.1	6.8	99.2	94.3	87.6	87.6 XII 26
8 1933	84.9	86.7	86.8	96.2	0.8	3.9	14.3	18.3	6.7	98.2	94.0	88.5	84.9 I 28
9 1934	86.6	87.5	84.9	91.9	93.6	8.2	16.4	14.3	7.6	99.4	90.8	83.7	84.9 III 10
10 1935	86.9	83.1	88.9	93.0	96.9	2.8	13.5	14.9	10.0	97.9	93.9	87.8	86.9 I 23
11 1936	84.1	86.1	86.1	92.3	99.0	4.2	14.5	15.2	8.1	96.4	93.9	89.6	84.1 I 17
極	82.2	80.3	84.9	91.2	15.8	2.8	8.7	10.8	3.0	94.4	88.3	84.9	80.3
	大 13	大 8	昭 9	大 14	昭 4	昭 10	大 15	大 2	大 5	大 7	大 10	大 10	大 8 II 9

月 別 最 多 蒸 發 量 (耗)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治													
30 1897													
31 1898													
32 1899													
33 1900													
34 1901													
35 1902													
36 1903													
37 1904													
38 1905													
39 1906	4.4	4.2	6.2	8.3	7.8	9.3	5.6	7.6	6.2	5.4	4.9	4.0	9.3 VI 5
40 1907	4.7	5.1	4.5	6.3	6.4	8.9	6.9	6.5	6.1	6.7	4.5	3.8	8.9 VI 14
41 1908	4.6	5.3	5.2	7.1	7.1	7.3	6.3	6.4	4.5	4.7	4.3	4.0	7.3 VI 24
42 1909	3.2	4.8	5.9	6.9	8.1	8.5	7.9	6.8	6.3	5.4	3.9	3.8	8.5 VI 10
43 1910	4.4	5.6	5.8	7.0	8.7	6.0	6.6	8.5	5.7	4.3	4.8	3.6	8.7 V 19
44 1911	4.1	4.4	8.2	9.1	6.1	7.4	7.6	6.4	5.3	4.9	6.0	3.9	9.1 III 6
大正													
1 1912	4.3	5.8	7.7	7.4	7.2	7.1	8.5	6.9	7.1	4.5	3.8	4.3	8.5 VII 20
2 1913	3.4	5.9	5.8	6.5	8.4	8.7	6.5	6.9	5.0	4.8	5.1	4.8	8.7 VI 20
3 1914	4.1	4.1	5.8	7.4	6.1	6.8	7.1	7.0	6.9	5.2	5.1	4.1	7.4 III 23
4 1915	3.0	5.2	5.9	6.6	7.6	7.0	7.8	6.8	5.0	5.1	3.9	4.7	7.8 VII 1
5 1916	5.0	4.6	5.7	6.0	7.6	7.4	7.5	5.9	4.4	4.8	3.9	3.4	7.6 V 10
6 1917	4.2	5.8	5.8	7.9	6.2	8.3	7.0	6.6	5.1	6.5	3.8	3.4	8.3 VI 2
7 1918	3.7	4.7	6.2	7.6	6.1	6.3	7.9	7.0	4.7	4.6	4.3	3.8	7.9 VII 13
8 1919	3.5	4.5	5.1	8.9	6.3	6.6	6.5	7.9	5.0	5.6	4.1	3.5	8.9 III 12
9 1920	3.5	4.4	7.0	6.4	7.3	6.6	6.8	5.6	5.9	4.8	5.3	3.6	7.3 V 25
10 1921	4.3	4.7	5.1	7.5	6.3	5.7	6.6	6.2	4.5	4.7	4.5	4.2	7.5 III 15
11 1922	4.1	5.4	6.1	8.1	6.7	7.1	7.3	7.5	5.8	5.4	4.7	3.3	8.1 III 5
12 1923	3.4	3.3	4.4	6.7	5.4	8.0	7.1	10.3	6.3	4.3	4.2	2.8	10.3 VIII 9
13 1924	3.4	5.1	4.8	5.0	7.5	8.1	7.5	9.2	6.3	4.3	3.7	3.5	9.2 VIII 23
14 1925	3.4	4.0	5.6	7.0	8.9	8.0	7.0	7.3	5.6	5.1	5.9	2.8	8.9 V 12
昭和													
1 1926	3.9	5.1	7.3	7.7	7.1	7.9	7.2	7.6	6.0	7.5	6.6	3.0	7.9 VI 10
2 1927	4.2	3.8	5.7	6.8	7.0	6.7	6.5	8.8	5.8	7.5	4.9	4.8	8.8 VIII 28
3 1928	4.4	5.1	8.2	9.7	7.2	6.9	6.7	8.8	5.8	4.4	4.2	4.2	9.7 III 4
4 1929	4.3	6.1	5.7	9.9	8.1	9.1	7.3	10.4	5.6	4.7	3.2	4.5	9.9 VIII 9
5 1930	3.0	4.9	5.7	7.2	8.6	7.5	7.8	6.8	6.4	4.4	3.5	3.2	8.6 V 23
6 1931	3.3	5.1	6.8	8.0	8.0	6.9	5.8	6.4	4.5	5.3	4.5	4.0	8.0 III 25
7 1932	3.9	5.1	6.1	8.0	10.0	5.6	7.3	7.3	5.0	5.0	3.8	3.4	10.0 V 6
8 1933	3.7	4.4	6.3	5.7	6.6	9.0	6.7	5.1	7.9	5.9	4.1	3.2	9.0 VI 10
9 1934	4.1	4.7	5.2	6.8	7.4	6.7	7.2	6.1	5.2	4.7	4.5	3.6	7.4 V 15
10 1935	3.3	4.3	7.3	7.9	9.0	10.0	6.6	7.4	4.0	5.2	4.2	4.7	10.0 VI 12
11 1936	3.4	4.3	6.0	7.1	6.6	8.6	8.6	6.5	5.7	4.9	4.4	2.8	8.6 VI 6
極	5.0	6.1	8.2	9.9	10.0	10.0	8.6	10.4	7.9	7.5	6.6	5.1	10.4 VIII 9
	大 5	昭 4	明 4	昭 4	昭 7	昭 10	昭 11	昭 4	昭 8	大 昭 2	大 15	大 2	昭 4

月別地面温度ノ最高

年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897													
31 1898													
32 1899													
33 1900													
34 1901													
35 1902													
36 1903													
37 1904	6.4	12.8	14.7	25.4	31.7	34.3	37.4	37.8	35.4	27.0	17.8	13.1	37.8 VII 25
38 1905	10.8	10.6	20.0	23.0	32.4	34.0	36.7	34.8	35.3	26.4	19.0	15.5	36.7 VII 4
39 1906	9.0	10.5	19.0	22.8	29.4	31.9	35.7	36.0	31.1	28.0	19.2	12.3	36.0 VIII 1
40 1907	10.2	12.7	16.8	26.8	29.7	31.7	39.5	37.1	33.6	24.6	18.0	9.2	39.5 VII 30
41 1908	7.7	10.6	16.9	27.3	30.9	33.0	37.4	37.8	29.1	26.0	19.1	12.8	37.8 VIII 5
42 1909	7.2	9.9	16.8	24.5	30.3	31.0	38.1	36.9	32.3	24.3	17.6	11.3	38.1 VII 18
43 1910	11.8	9.5	18.6	24.0	29.1	32.6	36.1	36.0	34.1	26.7	20.5	19.8	36.1 VII 23
44 1911	12.2	15.2	26.5	26.6	32.3	35.0	33.7	37.7	34.5	25.5	21.7	15.5	38.7 VII 10
大正1 1912	9.8	15.3	20.2	27.9	30.7	34.6	39.5	40.8	39.1	30.7	21.9	12.2	40.8 VIII 30
2 1913	8.2	13.1	20.8	25.7	33.6	33.2	38.0	37.9	31.4	25.6	16.0	15.4	38.0 VII 29
3 1914	10.3	12.7	21.0	27.2	31.8	37.2	40.1	40.6	36.2	26.7	22.1	14.5	40.6 VIII 11
4 1915	11.8	14.8	20.4	28.1	33.4	37.3	41.1	43.1	35.3	30.5	22.4	13.2	43.1 VII 1
5 1916	14.4	17.6	20.3	29.1	33.4	36.5	36.8	39.9	36.3	26.1	22.2	14.6	39.9 VIII 7
6 1917	10.0	15.7	20.6	25.8	36.1	38.2	41.9	39.8	36.0	28.3	19.7	12.3	41.9 VII 27
7 1918	9.5	15.0	20.8	32.4	34.8	35.1	43.7	47.3	41.7	25.3	22.1	12.4	47.3 VIII 1
8 1919	10.1	18.4	24.3	29.1	33.0	34.0	39.2	36.4	35.8	29.3	21.4	13.2	39.2 VII 27
9 1920	11.6	11.4	21.2	24.7	31.3	34.4	38.8	37.7	35.8	25.9	23.0	12.2	38.8 VII 17
10 1921	10.3	13.7	19.5	27.8	36.9	40.6	48.4	44.6	39.0	30.3	21.4	13.7	48.4 VII 21
11 1922	11.7	23.4	21.2	32.3	39.2	42.4	41.9	46.5	40.5	29.6	23.2	12.5	46.5 VIII 21
12 1923	10.3	15.7	27.7	27.4	31.7	34.0	41.0	45.8	37.8	29.9	27.1	15.7	45.8 VIII 9
13 1924	11.6	15.2	21.7	29.5	30.1	32.8	52.0	53.0	37.3	28.6	18.8	12.9	53.0 VIII 3
14 1925	12.4	13.1	21.8	28.7	33.6	36.9	39.0	38.7	36.9	29.8	20.1	13.8	39.0 VII 21
昭和1 1926	21.8	14.1	26.3	30.8	38.1	43.9	50.8	53.6	39.9	30.5	27.5	15.6	53.6 VII 2
2 1927	13.1	16.3	27.5	33.4	35.2	41.7	45.0	41.7	38.1	31.3	22.0	15.4	45.0 VII 22
3 1928	16.6	16.9	24.2	30.1	42.3	35.8	39.2	40.0	33.0	26.5	20.3	12.7	42.3 V 31
4 1929	9.4	17.3	22.8	28.4	30.4	33.3	39.1	46.1	33.8	26.8	18.7	16.1	46.1 VIII 8
5 1930	11.9	20.4	29.0	28.8	34.5	36.4	39.3	39.9	36.8	27.4	19.2	12.2	39.9 VIII 25
6 1931	9.9	12.5	20.2	25.3	32.7	36.3	35.4	40.9	34.9	29.4	18.5	13.1	40.9 VIII 22
7 1932	13.8	14.4	21.7	28.4	35.6	34.0	43.2	45.4	36.6	29.5	21.8	13.9	45.4 VIII 7
8 1933	11.5	13.2	20.9	26.6	32.4	37.7	40.8	37.7	37.0	27.9	20.4	12.7	40.8 VII 25
9 1934	7.1	12.2	17.7	24.1	32.1	35.1	38.6	38.0	31.5	23.6	21.0	10.7	38.6 VII 6
10 1935	8.7	15.0	19.9	26.7	29.8	34.5	38.2	40.3	34.4	28.6	16.0	11.5	40.3 VIII 2
11 1936	8.5	11.3	17.8	25.1	30.0	38.0	39.4	38.3	36.6	24.9	16.9	12.7	39.4 VII 29
極	21.8	23.4	29.0	33.4	42.3	43.9	52.0	53.6	41.7	31.3	27.5	19.8	53.6
	大 15	大 11	昭 5	昭 2	昭 3	大 15	大 13	大 15	大 7	昭 2	大 15	明 43	大 15 VII 2

月別地面温度ノ最低

年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年極
明治30 1897													
31 1898													
32 1899													
33 1900													
34 1901													
35 1902													
36 1903													
37 1904	0.0	0.1	2.4	7.1	12.6	16.1	22.7	22.0	15.3	8.0	1.5	99.6	99.6 XII 26
38 1905	99.1	98.6	99.5	5.4	8.7	15.8	21.7	20.0	14.1	10.4	4.8	96.8	96.8 VII 14
39 1906	99.8	0.1	1.0	7.0	11.7	16.4	20.7	22.3	15.9	11.0	3.7	0.5	99.8 I 22
40 1907	0.1	0.6	1.0	2.8	12.2	17.0	21.3	23.4	17.7	9.6	8.0	0.4	0.1 I 12
41 1908	0.2	0.3	1.3	3.5	7.9	17.2	18.1	23.7	14.9	10.5	0.9	0.0	0.0 XII 22
42 1909	0.0	99.8	0.9	5.3	9.7	18.3	20.5	23.7	15.6	9.8	3.9	0.1	99.8 II 14
43 1910	0.4	0.1	0.7	4.4	10.4	18.2	20.8	20.3	17.7	12.4	3.3	0.2	0.1 II 3
44 1911	0.0	0.4	1.5	2.5	9.0	18.6	20.3	23.0	17.3	10.2	5.3	99.9	99.9 XII 25
大正1 1912	99.5	99.9	1.6	2.7	11.8	15.5	20.2	21.3	16.6	11.0	1.4	99.9	99.5 I 17
2 1913	99.3	99.9	0.4	6.7	10.4	15.5	20.4	20.6	16.2	10.8	4.7	0.5	99.3 I 13
3 1914	0.3	0.3	2.4	3.5	9.6	19.0	20.6	23.2	16.4	9.9	1.8	0.1	0.1 XII 30
4 1915	99.6	98.7	99.3	3.4	8.7	13.8	19.2	23.3	19.9	8.5	4.0	99.9	98.7 II 6
5 1916	99.7	99.9	0.5	2.2	8.6	16.8	19.9	22.7	15.0	10.3	5.0	99.9	99.7 I 18
6 1917	98.9	99.1	0.3	5.8	9.8	14.4	24.0	21.4	19.5	11.0	2.6	99.9	98.9 I 31
7 1918	99.1	99.9	0.5	6.5	10.7	16.7	22.8	21.0	15.5	7.2	2.2	0.6	99.1 I 9
8 1919	0.0	0.1	1.2	3.6	10.8	16.7	21.8	22.7	18.3	13.5	5.3	1.1	0.0 I 8, 22
9 1920	0.4	0.4	1.4	9.0	12.8	15.3	23.3	24.8	19.3	12.3	5.3	0.8	0.4 I 16, 17, 12, 13
10 1921	0.5	0.5	1.3	6.0	12.7	12.7	20.0	21.0	15.0	8.4	99.5	98.0	98.0 XII 26
11 1922	96.9	97.9	99.7	3.2	9.4	12.5	20.6	22.1	14.0	10.3	1.4	98.5	96.9 I 26
12 1923	97.3	98.9	99.5	2.8	9.9	16.3	18.9	24.5	15.0	10.9	5.3	99.7	97.3 I 4
13 1924	99.3	99.7	99.9	2.8	11.5	17.0	20.6	22.0	16.0	8.2	2.4	0.0	99.3 I 26
14 1925	99.4	99.5	99.8	2.3	8.2	16.8	19.3	23.0	15.0	9.0	4.1	99.2	99.2 XII 19
昭和1 1926	98.8	98.1	99.5	1.4	7.2	13.5	18.4	22.0	14.8	6.7	2.2	98.8	98.1 II 3
2 1927	95.5	98.3	99.4	4.6	9.5	15.2	21.0	22.7	16.5	9.6	3.2	99.3	95.5 I 28
3 1928	97.8	99.6	0.1	4.4	13.0	17.7	19.6	21.0	16.5	12.3	4.2	99.4	97.8 I 8
4 1929	98.8	98.7	99.0	6.2	8.8	16.5	20.5	20.5	16.3	11.4	3.4	0.5	98.7 II 27
5 1930	99.3	99.5	0.8	5.5	11.0	15.5	21.4	24.0	16.0	9.9	4.8	0.8	99.3 I 10
6 1931	99.7	99.7	0.2	3.0	9.1	17.7	19.3	20.1	19.2	9.8	5.5	1.5	99.7 I 13, 13
7 1932	99.4	99.0	99.7	2.8	11.3	15.6	19.4	23.1	12.5	9.5	3.8	0.6	99.0 II 20
8 1933	99.3	99.6	0.5	5.0	11.4	13.7	21.7	24.1	16.0	9.1	4.3	0.2	99.3 I 29
9 1934	99.5	99.7	0.0	2.3	8.4	17.8	20.7	21.2	16.0	9.1	3.7	0.9	99.5 I 28, 27
10 1935	99.8	0.1	1.5	3.7	9.7	14.7	21.3	19.5	16.6	9.8	5.3	0.2	99.8 I 23, 29
11 1936	98.8	99.3	0.2	3.0	14.5	13.1	19.4	23.2	17.6	8.4	4.1	0.8	98.8 I 23
極	95.5	97.9	99.0	1.4	7.2	12.5	18.1	19.5	12.5	6.7	0.9	96.8	95.5
	昭 2	大 11	昭 4	大 15	大 15	大 11	明 41	昭 10	昭 7	大 15	明 41	明 38	昭 2 I 28

月別地中温度ノ最高 (深サ0.3米)

年次	月	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治30	1897													
31	1898													
32	1899													
33	1900													
34	1901													
35	1902													
36	1903													
37	1904	3.7	7.2	9.1	17.6	19.8	25.1	27.4	28.0	26.4	23.8	13.7	9.1	28.0 VIII 24
38	1905	6.1	5.1	10.8	13.9	20.6	24.1	26.8	25.7	26.0	20.4	16.7	10.8	26.8 VII 15
39	1906	5.3	6.7	10.8	15.3	21.1	23.1	27.8	28.5	27.3	21.3	16.2	8.1	28.5 VIII 4
40	1907	6.7	5.8	10.0	17.2	20.7	23.1	27.0	28.4	28.0	21.6	14.6	10.1	28.4 VIII 20
41	1908	5.7	6.1	9.7	16.9	20.6	24.5	28.4	28.9	26.1	21.3	15.1	7.2	28.9 VIII 2
42	1909	4.2	4.5	9.3	17.1	21.3	23.8	28.9	28.5	27.6	20.1	14.1	8.8	28.9 VIII 29
43	1910	7.2	5.5	10.6	15.3	19.6	24.1	26.7	28.1	28.3	21.4	17.2	9.8	28.3 IX 5
44	1911	5.7	8.1	11.6	17.4	20.2	23.3	27.6	28.2	26.9	24.0	15.4	10.9	28.2 VIII 28
大正1	1912	5.2	8.6	10.1	17.1	21.0	24.1	28.6	28.9	26.7	21.9	15.8	8.1	28.9 VIII 2
2	1913	4.7	7.2	9.9	16.2	19.6	24.1	28.1	27.6	25.4	21.1	15.2	11.4	28.1 VII 30
3	1914	5.4	6.2	11.6	16.8	21.0	25.3	28.2	28.7	28.1	20.7	17.1	10.0	28.7 VIII 1
4	1915	5.2	6.3	9.1	14.6	21.6	26.1	29.1	28.2	27.1	24.6	16.4	10.0	29.1 VII 19, 23
5	1916	8.1	7.2	9.6	16.7	21.1	24.6	27.4	28.7	28.6	23.6	16.4	11.6	28.7 VIII 8
6	1917	6.1	7.6	9.6	15.0	20.1	26.1	30.6	30.6	26.3	22.6	16.3	9.0	27 VIII 11
7	1918	4.7	7.8	11.6	20.1	22.4	26.6	30.6	30.9	29.1	22.3	16.7	9.5	30.9 VIII 3
8	1919	7.0	8.6	15.0	17.1	22.1	25.2	28.1	29.1	29.2	24.0	18.1	12.4	29.2 IX 2
9	1920	7.4	6.8	12.6	16.6	22.6	25.1	29.6	29.6	28.6	22.6	17.8	10.9	29.6 VII 17, VIII 18, 25
10	1921	6.6	7.1	10.6	19.1	21.6	23.3	28.6	29.8	27.6	23.1	16.3	9.6	29.8 VIII 12
11	1922	5.2	12.1	12.2	28.0	22.8	25.3	29.2	30.6	28.9	22.4	17.9	10.4	30.6 VIII 19, 20, 21
12	1923	4.7	7.2	14.6	17.9	21.6	24.2	29.9	31.5	29.1	23.8	20.2	11.7	31.5 VIII 15
13	1924	5.9	7.3	10.6	18.4	21.0	23.9	29.5	30.1	28.4	22.2	15.1	9.5	30.1 VIII 14
14	1925	7.5	6.0	10.1	16.1	19.9	24.8	27.1	28.8	28.6	23.1	17.0	10.6	28.8 VIII 31
昭和1	1926	6.7	7.3	10.6	15.0	20.8	24.1	28.1	29.8	29.2	21.9	15.1	9.6	29.8 VIII 14
2	1927	6.4	5.2	11.7	19.0	21.4	25.3	29.1	29.6	27.6	22.1	17.7	11.2	29.6 VIII 22
3	1928	7.1	6.5	11.1	17.4	23.1	23.7	27.1	27.4	28.2	22.4	16.6	10.7	28.2 IX 2
4	1929	5.2	6.7	13.4	17.8	21.1	23.8	28.6	29.4	26.8	21.1	16.6	13.1	29.4 VIII 9
5	1930	7.4	9.2	13.2	16.0	20.6	22.9	28.2	23.8	27.4	21.1	15.1	9.8	28.8 VIII 24-27
6	1931	5.9	5.7	9.8	15.3	19.5	23.7	25.0	28.2	25.9	22.0	15.3	10.2	28.2 VIII 18
7	1932	7.3	6.4	9.1	14.4	20.4	22.7	29.4	29.0	27.7	22.8	16.8	10.9	29.4 VIII 30
8	1933	6.8	5.6	10.2	14.9	20.6	25.3	29.0	28.5	28.3	22.1	16.0	10.7	29.0 VII 25
9	1934	6.4	5.7	10.2	14.4	21.3	26.9	27.7	28.1	25.3	21.9	16.0	9.5	28.1 VIII 15, 16
10	1935	6.4	8.2	10.9	16.9	20.2	24.1	27.8	28.5	26.0	22.6	16.1	10.5	28.5 VIII 2
11	1936	6.9	5.3	10.4	15.3	19.9	24.9	29.4	28.6	23.0	16.2	10.4	29.4 VII 29, 30, VIII 1	
極		8.1	12.1	14.6	28.0	23.1	26.9	30.6	31.5	29.2	24.6	20.3	13.1	31.5 大12 VIII 15
大		5	11	12	昭10	昭3	昭9	大6	大12	大8	大4	大12	昭4	大12 VIII 15

月別地中温度ノ最低 (深サ0.3米)

年次	月	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治30	1897													
31	1898													
32	1899													
33	1900													
34	1901													
35	1902													
36	1903													
37	1904	1.8	2.7	6.1	9.6	15.2	19.0	25.0	24.6	20.1	14.6	7.9	3.9	1.8 I 25
38	1905	3.7	2.4	4.0	10.8	13.3	19.8	22.6	21.9	21.3	15.7	9.6	5.0	2.4 II 8
39	1906	2.0	2.6	4.1	10.8	14.6	19.1	21.6	24.1	19.3	16.2	7.6	3.5	2.0 I 22, 23
40	1907	2.1	3.0	4.4	5.4	16.0	19.3	22.2	24.7	20.7	13.4	10.8	3.7	2.1 I 12
41	1908	2.7	2.7	4.3	7.2	13.2	20.6	19.9	25.6	19.6	16.6	6.7	3.3	2.7 I 4-6, 25, II 3
42	1909	2.2	2.3	4.3	9.4	14.7	20.6	21.6	26.4	19.4	13.6	8.6	3.2	2.2 I 17-19
43	1910	3.4	2.7	4.0	7.5	13.0	20.0	22.3	23.3	21.3	16.1	8.2	3.8	2.7 I 3-5
44	1911	2.5	3.8	6.2	8.6	14.4	20.8	21.6	25.1	21.6	15.5	11.1	4.4	2.5 I 18-20
大正1	1912	3.0	3.5	7.2	8.6	16.7	19.4	22.8	25.6	20.4	16.1	8.5	4.7	3.0 I 15
2	1913	1.9	2.7	4.2	10.4	14.9	18.6	22.0	23.2	20.3	15.6	9.6	4.9	1.9 I 28
3	1914	3.7	3.7	6.2	8.0	15.1	20.3	24.2	25.0	20.8	16.3	9.1	4.5	3.7 I 11, II 5, 6, 11-14
4	1915	2.7	3.7	4.3	9.5	14.4	18.5	22.6	26.6	23.1	15.4	10.8	4.9	2.7 I 16, 17
5	1916	4.0	4.2	5.7	8.6	15.8	21.2	22.6	26.1	22.0	16.4	11.1	5.2	4.0 I 18
6	1917	2.9	2.9	5.2	9.1	14.7	17.2	25.2	25.7	21.1	15.5	8.6	3.2	2.9 I 26, II 3
7	1918	1.7	3.0	4.7	9.5	14.6	19.1	25.0	26.0	20.0	15.1	9.2	5.0	1.7 I 12, II 23, 24
8	1919	3.2	3.2	6.7	9.1	15.3	19.3	23.1	24.7	22.3	17.7	10.5	5.7	3.3 I 9, II 16
9	1920	3.7	3.7	4.7	10.4	14.7	20.1	24.2	26.3	21.6	17.1	10.6	4.4	3.7 I 12, 13
10	1921	4.0	3.7	5.2	9.6	16.3	17.1	21.2	24.4	21.0	15.6	7.1	4.2	3.7 II 8
11	1922	1.8	1.8	7.0	9.2	15.4	19.6	24.0	25.7	22.2	16.8	9.5	4.1	1.8 I 24
12	1923	2.5	2.7	4.3	8.8	14.9	19.6	19.7	27.5	22.2	17.7	11.1	5.0	2.5 I 19, 20, 30
13	1924	3.5	3.4	5.9	9.8	16.6	18.7	22.5	24.6	20.6	14.3	9.1	5.3	3.4 II 4
14	1925	3.2	3.0	4.0	8.8	13.4	19.2	21.6	25.4	21.7	16.1	10.1	5.5	3.0 II 3
昭和1	1926	3.2	3.3	6.2	8.8	11.1	18.1	22.2	25.1	22.0	15.0	9.1	3.9	3.2 I 26
2	1927	2.2	2.2	3.7	8.2	16.3	17.8	23.6	22.1	20.0	16.6	10.2	4.9	2.2 I 30, 31, II 1
3	1928	3.5	3.7	5.2	9.1	15.1	20.1	21.1	24.0	22.4	16.9	9.6	4.7	3.5 I 15
4	1929	2.7	2.6	3.9	9.3	12.4	18.6	22.4	25.6	20.3	16.1	9.9	6.8	2.6 II 2
5	1930	4.1	3.7	5.8	10.0	14.1	19.2	22.7	25.9	20.9	15.3	9.3	5.1	3.7 II 3
6	1931	3.1	2.9	3.8	8.7	13.3	19.3	20.5	24.5	21.7	15.1	10.0	6.3	2.9 II 14
7	1932	4.6	4.3	4.4	8.3	14.1	18.4	21.6	24.8	21.7	16.0	9.9	5.6	4.3 II 22, 29
8	1933	3.5	3.4	5.0	9.1	14.8	19.7	24.0	26.3	21.7	15.6	10.2	5.3	3.4 II 1
9	1934	3.1	2.3	4.6	6.7	12.4	19.8	22.5	23.1	20.7	14.3	9.5	5.4	2.3 II 5
10	1935	3.3	3.5	6.1	7.7	14.2	18.5	22.6	22.2	18.9	15.5	10.7	5.1	3.3 I 24, 26
11	1936	1.9	1.6	3.1	8.1	14.6	16.7	21.1	25.3	21.8	15.0	9.2	5.3	1.6 II 7, 8
極		1.7	1.6	3.1	5.4	11.1	16.7	19.7	21.9	18.9	13.4	6.7	3.2	1.6 大6 昭11 II 7, 8
大		7	昭11	昭11	明40	大15	昭11	大12	明38	昭10	明40	明41	明42	昭11 II 7, 8

月別地中温度ノ最高 (深サ1.0米)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治30 1897													
31 1898													
32 1899													
33 1900													
34 1901													
35 1902													
36 1903													
37 1904	6.8	7.1	9.2	15.0	17.6	21.6	24.2	25.1	24.3	21.2	17.7	11.7	25.1 VIII 25,26
38 1905	7.5	7.3	9.5	13.0	17.3	20.5	23.3	25.3	23.4	21.8	17.9	12.7	25.3 VIII 18
39 1906	8.7	6.2	9.5	13.7	18.1	19.8	24.3	25.4	25.2	21.4	17.6	11.9	25.4 VIII 9
40 1907	7.5	7.0	8.6	13.7	18.1	20.1	23.1	25.2	25.6	22.1	17.1	13.3	25.6 K 6,9
41 1908	7.7	6.7	9.4	14.3	18.1	21.4	23.7	25.5	25.2	21.3	18.2	11.3	25.5 VIII 26-29
42 1909	7.4	5.8	9.3	15.2	18.5	20.7	25.0	25.3	24.9	21.3	16.4	13.1	25.3 VIII 10-13
43 1910	7.9	6.1	8.7	13.6	17.5	20.9	23.6	25.3	25.7	22.0	18.3	12.6	25.7 K 8,9
44 1911	7.9	7.5	10.5	15.1	18.1	20.8	23.9	25.3	25.2	23.1	18.1	14.5	25.3 VIII 16-19
大正1 1912	8.5	8.0	9.8	14.5	18.5	21.7	24.3	25.3	25.2	21.3	17.6	12.2	25.3 VIII 21-23
2 1913	7.7	7.1	9.4	14.4	17.9	21.4	24.0	24.6	23.9	21.2	17.4	12.6	24.6 VIII 18-23
3 1914	8.0	6.8	10.7	14.0	18.6	21.7	24.5	25.6	25.7	22.6	18.0	13.0	25.7 K 8
4 1915	7.7	6.6	9.0	13.0	17.8	23.1	25.4	25.9	25.6	24.7	18.2	13.9	25.9 VIII 21
5 1916	9.2	7.3	8.9	14.4	18.1	22.1	24.8	25.9	26.3	23.4	18.5	13.9	26.3 K 10
6 1917	9.2	7.7	9.5	14.0	17.9	21.6	25.2	26.1	24.8	22.5	18.5	12.4	26.1 VIII 12-16
7 1918	7.9	7.2	9.7	13.5	17.7	21.1	25.2	26.0	25.2	22.1	17.8	13.2	26.0 VIII 6,7
8 1919	8.4	7.8	11.1	14.5	17.6	20.6	24.2	25.2	25.6	23.2	19.1	14.0	25.6 K 5-8
9 1920	9.2	7.2	10.2	14.2	18.6	21.6	25.2	26.2	25.8	22.4	18.9	14.4	26.2 VIII 27
10 1921	8.9	7.3	8.7	15.2	18.6	20.6	24.2	26.1	24.8	22.4	18.0	11.7	26.1 VIII 26-28
11 1922	8.1	9.9	10.1	15.3	18.6	22.1	24.8	26.5	26.2	24.1	18.7	12.9	26.5 VIII 24
12 1923	7.6	6.6	11.1	13.9	18.2	21.2	24.6	26.7	26.6	23.6	19.6	14.0	26.7 VIII 17
13 1924	9.3	7.7	9.1	15.6	17.9	20.6	24.9	26.0	25.2	22.4	17.3	12.5	26.0 VIII 16
14 1925	8.9	6.6	8.7	13.5	16.7	20.8	23.1	25.6	25.8	22.8	18.4	13.5	25.8 K 3-5
昭和1 1926	9.4	7.2	8.9	12.5	17.6	20.4	23.6	25.5	25.3	23.1	17.4	12.0	25.5 VIII 18
2 1927	7.4	5.8	8.5	14.1	18.1	20.9	24.8	26.3	25.8	21.7	18.2	13.3	26.3 VIII 23,24
3 1928	8.7	7.4	9.7	13.8	18.8	21.1	23.6	24.6	25.4	23.3	19.1	13.4	25.4 K 6-18
4 1929	8.2	6.6	10.2	13.9	17.4	20.4	24.3	25.6	24.9	21.5	17.6	13.1	25.6 VIII 12,13
5 1930	10.5	8.5	11.1	14.5	18.1	20.8	24.8	26.3	25.6	22.3	18.3	12.8	26.3 VIII 27,28
6 1931	8.5	6.7	9.7	13.5	17.1	20.4	22.1	25.1	24.6	22.4	17.6	13.0	25.1 VIII 23-26
7 1932	9.2	7.7	9.1	12.7	17.7	20.2	25.1	25.7	25.2	22.1	17.7	12.0	25.7 VIII 8,17
8 1933	7.9	5.3	8.5	12.7	17.8	21.3	25.2	25.9	25.8	22.3	17.3	12.5	25.9 VIII 28,29
9 1934	7.7	5.8	8.7	12.4	18.2	21.7	23.7	25.0	24.5	21.3	16.0	12.0	25.0 VIII 19-21
10 1935	7.9	6.9	9.0	14.2	17.3	20.7	23.5	24.5	24.2	21.3	17.0	12.5	24.5 VIII 23,25
11 1936	7.8	4.8	8.3	12.9	16.6	21.3	25.2	25.7	25.8	22.7	16.7	12.3	25.8 K 14
極	10.5	8.5	11.1	15.1	18.8	23.1	25.2	26.7	26.6	24.7	19.6	14.4	26.7
	昭 5	昭 5	大 8,12 昭 5	明 44	昭 3	大 4	大 6,7,9 昭 8	大 12	大 12	大 4	大 12	大 9	大 12 VIII 17

月別地中温度ノ最低 (深サ1.0米)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治30 1897													
31 1898													
32 1899													
33 1900													
34 1901													
35 1902													
36 1903													
37 1904	4.6	4.6	7.3	9.2	15.1	17.6	21.8	24.1	21.3	17.9	11.6	7.8	4.6 I 28
38 1905	6.5	5.8	6.1	9.7	13.0	18.0	20.6	22.0	21.7	17.8	13.0	9.1	5.8 I 13
39 1906	5.3	5.3	6.1	9.9	13.8	18.2	2.02	24.3	21.1	17.8	11.9	7.7	5.3 I 30,31
40 1907	6.0	5.7	6.6	7.9	14.1	18.1	2.02	23.3	22.1	17.4	13.4	7.9	5.7 I 19
41 1908	6.2	5.9	6.7	9.6	14.1	17.9	2.02	24.2	21.4	18.5	11.6	7.4	6.2 I 30
42 1909	5.3	5.3	6.1	9.6	15.4	18.8	20.7	24.6	21.9	16.6	12.1	7.1	5.3 I 21
43 1910	6.1	5.2	5.8	8.7	13.8	17.6	20.9	23.8	22.1	18.5	12.9	7.9	5.2 I 20-22
44 1911	5.7	6.3	7.7	8.6	14.4	20.8	20.6	24.0	23.1	18.2	14.8	8.6	5.7 I 22-24
大正1 1912	6.3	6.1	8.2	10.1	14.7	18.6	21.7	24.5	21.4	17.6	12.6	7.9	6.1 I 4
2 1913	5.3	5.3	6.7	9.4	14.6	17.9	21.3	23.5	21.2	17.5	12.6	8.1	3.5 I 29-31
3 1914	6.6	5.9	7.1	10.2	14.1	18.6	22.1	24.7	22.5	18.0	13.4	8.0	5.9 I 4-16
4 1915	5.6	6.1	6.2	9.1	13.1	18.1	21.7	25.2	23.7	18.6	14.0	8.7	5.6 I 18
5 1916	7.0	6.3	7.1	9.2	13.5	18.4	21.3	24.2	24.1	18.5	14.1	9.5	6.3 I 19
6 1917	6.2	6.0	7.5	9.5	14.0	17.6	21.7	24.9	22.9	18.5	12.5	7.8	6.0 I 4
7 1918	5.9	6.0	7.0	9.7	13.8	18.1	21.3	25.1	22.1	18.4	13.5	8.7	5.9 I 22-26
8 1919	6.5	6.0	8.0	10.6	14.5	18.1	20.6	23.6	23.4	19.1	14.3	9.2	6.0 I 14
9 1920	7.1	6.4	6.6	10.2	13.9	18.6	21.5	25.1	23.1	19.1	14.6	8.9	6.4 I 16-23
10 1921	7.2	6.4	6.7	8.7	15.4	17.6	19.8	24.1	22.6	18.1	12.0	8.2	6.4 I 13
11 1922	5.1	5.1	8.8	10.0	15.5	17.9	22.0	24.7	23.4	18.9	13.0	7.6	5.1 I 31
12 1923	5.5	5.1	6.4	11.2	14.0	18.4	21.1	24.9	23.8	19.6	14.2	9.5	5.1 I 10
13 1924	6.5	6.3	7.4	9.2	15.7	18.1	20.5	24.5	22.6	17.6	12.8	8.7	6.3 I 7
14 1925	6.1	5.8	6.2	8.8	13.6	16.7	21.0	23.3	23.1	18.4	13.7	9.2	5.8 I 5
昭和1 1926	6.4	6.2	7.5	9.2	12.3	17.6	20.5	23.6	23.2	17.6	12.4	7.5	6.2 I 3,4
2 1927	5.6	4.9	5.8	8.8	14.5	18.1	21.1	25.1	22.1	18.2	13.4	9.0	4.9 I 12,13
3 1928	6.8	6.2	6.7	9.8	14.1	19.1	20.8	23.4	23.4	19.0	13.7	8.5	6.2 I 17
4 1929	5.8	5.4	6.2	10.3	13.9	17.6	20.6	24.4	21.5	17.6	13.2	8.0	5.4 I 3-5
5 1930	7.2	6.6	8.1	10.9	14.5	18.2	20.6	24.8	22.4	18.7	13.1	8.4	6.6 I 16
6 1931	6.1	5.8	6.3	9.7	13.5	17.3	20.4	22.1	22.6	17.6	13.3	9.2	5.8 I 22-28
7 1932	7.3	6.5	6.4	9.2	13.1	17.6	20.2	24.7	22.2	17.7	12.2	8.0	6.4 I 1-3
8 1933	5.7	6.0	5.8	8.7	13.2	17.8	21.4	24.7	22.5	17.4	12.8	7.6	5.7 I 31
9 1934	5.1	5.0	5.9	7.8	12.2	18.2	21.7	22.3	21.4	16.3	12.3	8.0	5.0 I 1
10 1935	5.3	5.2	7.2	8.3	13.8	17.4	20.7	22.5	20.2	17.3	12.5	7.2	5.2 I 9-11
11 1936	4.4	3.8	4.3	8.4	13.0	16.5	20.5	24.7	22.7	16.6	12.5	7.8	3.8 I 8-16
極	4.6	3.8	4.3	7.8	12.2	16.5	19.8	22.0	20.2	16.3	11.6	7.1	3.8
	明 37	昭 11	昭 11	昭 9	昭 9	昭 11	大 10	明 38	昭 10	昭 9	明 37	明 42	昭 11 I 8-16

月別地中温度ノ最高 (深サ3.0米)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治30 1897													
31 1898													
32 1899													
33 1900													
34 1901													
35 1902													
36 1903													
37 1904	12.7	11.2	11.3	12.7	14.7	16.2	17.5	17.8	18.4	18.2	17.4	15.4	18.4 K22,27
38 1905	13.0	11.8	11.3	12.5	13.9	15.7	17.5	18.2	18.3	18.3	17.4	15.6	18.3 K28, X1
39 1906	13.6	11.6	11.1	12.4	13.9	15.5	17.9	18.8	19.0	18.6	17.2	15.3	19.0 K14,17-19
40 1907	13.1	11.3	10.7	11.9	14.0	15.7	17.4	20.2	20.2	19.7	18.3	16.4	20.2 III31, K1
41 1908	14.2	12.7	12.1	12.9	14.6	16.2	17.4	18.8	18.8	18.7	17.7	15.6	18.8 III20-31, X1-19
42 1909	13.5	12.1	12.3	13.7	15.4	16.6	17.6	18.3	19.0	19.0	17.8	16.0	19.9 K29,30, X1-3
43 1910	13.2	11.9	10.2	11.1	13.3	16.0	18.1	20.5	20.1	19.8	18.6	16.6	20.5 III25
44 1911	14.0	12.0	11.4	12.6	14.4	16.0	18.2	19.3	20.0	20.0	18.8	16.9	20.0 K25-30, X1-5
大正1 1912	14.5	12.3	11.8	12.7	14.5	16.1	17.5	18.7	19.1	19.1	18.2	16.4	19.1 K18-X4
2 1913	14.0	11.9	11.3	12.7	14.3	15.8	17.0	18.6	18.9	18.3	16.3	18.9 K8-12, X1-12	
3 1914	13.9	12.0	11.5	12.1	14.0	15.6	16.8	18.4	19.2	19.2	17.9	16.1	19.2 K19-25, X2-6
4 1915	13.6	11.6	10.8	12.3	14.2	16.4	18.4	19.4	19.8	19.6	18.6	16.5	19.8 K19,20,23
5 1916	13.6	11.8	10.8	11.9	14.2	16.3	18.6	19.6	20.6	21.2	19.7	17.1	21.2 X5,6
6 1917	15.1	12.9	12.2	12.8	14.2	15.7	18.1	19.8	20.1	20.3	19.7	17.8	20.3 X3-6,9-17
7 1918	15.4	12.8	11.8	12.5	13.8	15.4	17.6	19.4	20.4	20.4	19.8	18.0	20.4 K30, X1,4,7
8 1919	15.4	13.1	12.1	12.7	14.4	16.0	18.0	19.6	20.9	21.0	20.1	19.1	21.0 K2
9 1920	15.6	13.7	12.2	13.3	15.2	17.0	19.2	20.6	21.1	20.7	19.3	17.2	21.1 K19,23
10 1921	14.7	12.9	11.8	12.7	14.9	16.7	18.6	20.1	20.6	21.6	19.6	17.1	20.6 K27, X5,8
11 1922	14.6	12.2	12.4	12.9	14.7	16.5	18.1	20.1	20.3	20.3	19.0	17.1	20.3 K14,15,18,19
12 1923	14.1	11.7	11.1	12.9	14.8	17.1	19.1	21.2	21.9	21.7	20.3	18.2	21.9 K26
13 1924	15.7	13.5	12.3	13.1	14.4	15.6	18.1	19.8	20.9	20.6	19.5	17.6	20.9 K29
14 1925	15.2	12.2	11.3	12.2	13.7	15.5	17.6	20.0	21.0	21.1	19.6	17.6	21.1 X8
昭和1 1926	15.2	13.1	12.0	12.2	13.7	15.4	17.5	19.4	20.6	20.5	19.3	17.2	26.0 III25,27
2 1927	14.8	12.5	11.2	12.3	13.7	15.3	17.4	19.6	20.5	20.4	19.6	17.8	20.5 K16-22
3 1928	15.5	13.4	12.0	12.8	14.4	16.2	18.3	19.7	20.8	20.4	19.6	17.8	20.8 K25-27
4 1929	15.2	12.9	11.6	12.2	13.7	15.2	17.3	19.4	20.3	19.9	19.2	17.6	20.3 K17
5 1930	15.6	13.2	12.1	12.6	13.7	15.1	17.6	19.6	20.6	20.6	19.8	17.9	20.6 K26-30, X1,2
6 1931	15.3	12.9	11.8	12.0	13.3	15.0	17.3	19.1	19.8	19.9	19.2	17.6	19.9 X4-6
7 1932	15.2	13.0	11.8	11.9	13.4	14.9	17.4	19.1	20.3	21.2	19.1	17.1	20.3 K21,25,27,30
8 1933	14.7	12.6	11.5	11.8	13.2	15.4	17.3	19.4	20.5	20.4	19.4	17.9	20.5 K30
9 1934	15.4	12.9	10.3	11.8	13.3	14.8	16.8	18.8	19.2	19.2	18.2	16.7	19.2 K20-30, X1-6
10 1935	14.6	12.4	11.3	11.8	13.1	14.8	16.7	18.3	19.7	20.3	18.8	17.2	20.3 K18
11 1936	14.7	12.3	10.7	11.2	12.8	14.3	17.2	19.1	20.0	20.1	18.8	17.0	20.1 X8,9
極	15.6	13.7	12.3	13.3	15.4	17.1	19.1	20.6	21.9	21.7	20.3	19.1	21.9
	昭 5	大 9	明 42	大 9	明 42	大 12	大 12	大 9	大 12	大 12	大 12	大 8	大 12 K 26

月別地中温度ノ最低 (深サ3.0米)													
年次	一月	二月	三月	四月	五月	六月	七月	八月	九月	十月	十一月	十二月	年 極
明治30 1897													
31 1898													
32 1899													
33 1900													
34 1901													
35 1902													
36 1903													
37 1904	11.2	10.6	10.8	11.4	12.8	14.7	16.3	17.6	17.7	17.4	15.5	13.2	10.6 III 18,20-25
38 1905	11.8	11.0	11.0	11.3	12.5	13.9	15.8	17.4	17.7	17.4	15.6	13.5	11.0 III 28, III 1-27
39 1906	11.9	10.6	10.5	11.1	12.3	14.0	15.5	17.9	18.6	17.2	15.3	13.3	10.5 III 6-19
40 1907	11.3	10.3	10.1	10.6	11.9	14.0	15.7	17.4	19.4	18.5	16.4	14.3	10.1 III 13
41 1908	12.7	11.9	11.9	12.1	12.9	14.7	16.3	17.5	18.7	17.7	15.7	13.5	11.9 III 26-29, III 1-8
42 1909	12.1	11.5	11.3	12.3	13.8	15.5	16.7	17.6	18.3	17.9	16.0	13.4	11.3 III 11-15
43 1910	12.0	10.3	9.3	9.3	11.2	13.5	16.2	18.1	19.7	18.6	16.7	14.1	9.3 III 28-31, III 1,2
44 1911	12.0	11.2	11.1	11.5	12.7	14.4	16.0	18.2	19.4	18.9	16.9	14.6	11.1 III 1-13
大正1 1912	12.3	11.6	11.6	11.8	12.8	14.5	16.2	17.6	18.6	18.3	16.5	14.1	11.6 III 14-29, III 1-17
2 1913	11.9	11.1	11.1	11.3	12.8	14.3	15.8	17.0	18.6	18.4	16.3	14.0	11.1 III 24-28, III 1-26
3 1914	12.0	11.0	11.0	11.5	12.2	14.1	15.7	16.9	18.4	17.9	16.2	13.7	11.0 III 28- III 1-15
4 1915	11.7	10.8	10.5	10.8	12.3	14.2	16.5	18.4	18.8	18.7	16.4	13.7	10.5 III 14-17
5 1916	11.8	10.6	10.5	10.8	12.0	14.2	16.3	18.6	19.6	19.6	17.2	15.2	10.5 III 2,3,6
6 1917	13.1	12.1	11.9	11.8	12.9	14.2	15.8	18.2	19.6	19.8	17.9	15.5	11.8 III 1
7 1918	13.0	11.6	11.3	11.8	12.6	13.7	15.5	17.6	19.4	19.9	18.0	15.6	11.3 III 11-14,18-22
8 1919	13.3	11.9	11.8	12.0	12.7	14.4	15.9	18.1	19.7	20.1	18.5	15.7	11.8 III 4,5
9 1920	13.4	12.2	11.8	12.0	13.3	15.1	16.9	19.1	20.3	19.6	17.3	14.7	11.8 III 10-25
10 1921	12.8	11.7	11.5	11.7	12.9	15.1	16.7	18.7	20.0	19.5	17.2	14.7	11.5 III 12,18-20,25,28
11 1922	12.2	11.4	11.8	12.2	13.1	14.7	16.6	18.0	20.0	19.1	17.1	14.2	11.4 III 14,18
12 1923	11.7	10.5	10.5	11.2	12.6	14.9	17.1	19.0	21.0	18.5	18.5	15.7	10.5 III 28, III 1
13 1924	13.6	12.3	11.5	11.6	13.1	14.4	15.5	18.1	19.9	19.5	17.6	14.9	11.5 III 18,29
14 1925	12.2	11.1	10.7	10.8	12.2	13.8	15.7	17.3	20.0	19.8	17.6	15.3	10.7 III 28
昭和1 1926	13.2	12.0	11.6	11.6	12.2	13.7	15.5	17.1	19.4	19.3	17.3	15.0	11.6 III 25,28
2 1927	12.7	11.2	10.5	10.8	12.3	13.7	15.3	17.5	19.6	19.4	17.9	15.7	10.5 III 24,25
3 1928	13.4	12.0	11.8	11.8	12.9	14.4	16.3	18.3	19.8	19.5	18.0	15.2	11.8 III 17-30, III 22
4 1929	13.0	11.6	11.1	11.3	12.2	13.7	15.2	17.4	19.4	19.3	17.6	15.7	11.1 III 22-28
5 1930	13.2	12.0	11.6	11.6	12.5	13.9	15.2	17.6	19.5	19.8	17.9	15.4	11.6 III 15-31, III 2
6 1931	13.0	11.8	11.3	11.4	12.0	13.4	15.1	17.3	19.1	19.3	17.6	15.2	11.3 III 19-21
7 1932	13.2	11.8	11.3	11.4	12.0	13.4	14.7	17.4	18.7	19.2	17.2	14.9	11.3 III 11-25
8 1933	12.7	11.5	10.9	11.0	11.8	13.2	15.4	17.4	19.5	19.6	17.9	15.5	10.9 III 30
9 1934	13.0	11.5	10.7	10.7	11.8	13.2	14.8	16.7	18.6	18.2	16.7	14.6	10.7 III 20-31, III 1
10 1935	12.6	11.3	11.2	11.2	11.8	13.2	14.8	16.7	18.5	19.0	17.2	14.8	11.2 III 18-21, III 7-11
11 1936	12.4	10.7	10.2	10.4	11.2	12.8	14.3	17.2	19.1	18.9	17.0	14.6	10.2 III 14-23
極	11.2	10.3	9.3	9.3	11.2	12.8	14.3	16.7	17.7	17.2	15.3	13.2	9.3
	明 37	明 40	明 43	明 43	明 43	昭 11	昭 11	昭 9	明 37	明 39	明 39	明 37	明 43 III 28, 31, III 1

昭和十四年三月廿五日印刷

昭和十四年三月三十日發行

埼玉縣熊谷測候所

熊谷市大字熊谷  
電話熊谷二一三番

埼玉縣熊谷市大字石原二二一四ノ三番地

印刷所 新武州社印刷所

埼玉縣熊谷市大字石原二二一四ノ三番地

印刷人 坂田茂平

14  
36

14. 6二-360



1200501223844

14.6二

60

終