

State of Connecticut
State Geological and Natural History Survey
BULLETIN No. 31

CHECK-LIST OF THE
INSECTS OF CONNECTICUT


By

WILTON EVERETT BRITTON, Ph.D.

State Entomologist and

Entomologist of the Agricultural Experiment Station, New Haven, Conn.

HARTFORD
PUBLISHED BY THE STATE
1920



EX LIBRIS

University Farm

QL475

C6

B8 Pt. 4

BULLETINS

OF THE

State Geological and Natural History Survey of Connecticut

1. First Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1903-1904.
2. A Preliminary Report on the Protozoa of the Fresh Waters of Connecticut: by Herbert William Conn. (Out of print. To be obtained only in Vol. I, containing Bulletins 1-5. Price \$1.50, postpaid.)
3. A Preliminary Report on the Hymeniales of Connecticut: by Edward Albert White.
4. The Clays and Clay Industries of Connecticut: by Gerald Francis Loughlin.
5. The Ustilagineæ, or Smuts, of Connecticut: by George Perkins Clinton.
6. Manual of the Geology of Connecticut: by William North Rice and Herbert Ernest Gregory. (Out of print. To be obtained only in Vol. II, containing Bulletins 6-12. Price \$2.45, postpaid.)
7. Preliminary Geological Map of Connecticut: by Herbert Ernest Gregory and Henry Hollister Robinson.
8. Bibliography of Connecticut Geology: by Herbert Ernest Gregory.
9. Second Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1905-1906.
10. A Preliminary Report on the Algæ of the Fresh Waters of Connecticut: by Herbert William Conn and Lucia Washburn (Hazen) Webster.
11. The Bryophytes of Connecticut: by Alexander William Evans and George Elwood Nichols.
12. Third Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1907-1908.
13. The Lithology of Connecticut: by Joseph Barrell and Gerald Francis Loughlin.
14. Catalogue of the Flowering Plants and Ferns of Connecticut growing without cultivation: by a Committee of the Connecticut Botanical Society.

15. Second Report on the Hymeniales of Connecticut: by Edward Albert White.
16. Guide to the Insects of Connecticut: prepared under the direction of Wilton Everett Britton. Part I. General Introduction: by Wilton Everett Britton. Part II. The Euplexoptera and Orthoptera of Connecticut: by Benjamin Hovey Walden.
17. Fourth Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1909-10.
18. Triassic Fishes of Connecticut: by Charles Rochester Eastman.
19. Echinoderms of Connecticut: by Wesley Roscoe Coe.
20. The Birds of Connecticut: by John Hall Sage and Louis Bennett Bishop, assisted by Walter Parks Bliss.
21. Fifth Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1911-1912.
22. Guide to the Insects of Connecticut: prepared under the direction of Wilton Everett Britton. Part III. The Hymenoptera, or Wasp-like Insects, of Connecticut: by Henry Lorenz Viereck, with the collaboration of Alexander Dyer MacGillivray, Charles Thomas Brues, William Morton Wheeler, and Sievert Allen Rohwer.
23. Central Connecticut in the Geologic Past: by Joseph Barrell.
24. Triassic Life of the Connecticut Valley: by Richard Swann Lull.
25. Sixth Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1913-1914.
26. The Arthrostraca of Connecticut: by Beverly Waugh Kunkel.
27. Seventh Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1915-1916.
28. Eighth Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1917-1918.
29. The Quaternary Geology of the New Haven Region, Connecticut: by Freeman Ward, Ph.D.
30. Drainage, Modification and Glaciation in the Danbury Region, Connecticut: by Ruth Sawyer Harvey, Ph.D.
31. Check List of the Insects of Connecticut: by Wilton Everett Britton, Ph.D.
32. Ninth Biennial Report of the Commissioners of the State Geological and Natural History Survey, 1919-1920.

Bulletins 1, 9, 12, 17, 21, 25, 27, 28 and 32 are merely administrative reports containing no scientific matter. The other bulletins may be classified as follows:

Geology: Bulletins 4, 6, 7, 8, 13, 18, 23, 24, 29, 30.

Botany: Bulletins 3, 5, 10, 11, 14, 15.

Zoölogy: Bulletins 2, 16, 19, 20, 22, 26, 31.

These bulletins are sold and otherwise distributed by the State Librarian. Postage, when bulletins are sent by mail, is as follows:

No. 1	\$0.01	No. 13	\$0.08	No. 23	\$0.03
3	.08	14	.08	24	.10
4	.06	15	.06	25	.02
5	.03	16	.07	26	.06
7	.06	17	.02	27	.02
8	.05	18	.07	28	.02
9	.02	19	.08	29	.03
10	.08	20	.14	30	.03
11	.07	21	.02	31	.06
12	.02	22	.08	32	.02

The prices when the bulletins are sold are as follows, post-paid:

No. 1	\$0.05	No. 13	\$0.40	No. 23	\$0.15
3	.40	14	.75	24	.65
4	.30	15	.35	25	.05
5	.15	16	.35	26	.80
7	.60	17	.05	27	.05
8	.20	18	.25	28	.05
9	.05	19	.45	29	.50
10	.35	20	.50	30	.45
11	.30	21	.05	31	1.50
12	.05	22	2.00	32	.05

A part of the edition of these Bulletins have been assembled in volumes substantially bound in cloth, plainly lettered, and sell for the following prices, postpaid:

Volume I,	containing Bulletins 1-5	\$1.50
Volume II,	containing Bulletins 6-12	2.45
Volume III,	containing Bulletins 13-15	2.50
Volume IV,	containing Bulletins 16-21	2.15
Volume V,	containing Bulletin 22	2.50

It is intended to follow a liberal policy in gratuitously distributing these publications to public libraries, colleges, and

scientific institutions, and to scientific men, teachers, and others who require particular bulletins for their work, especially to those who are citizens of Connecticut.

Applications or inquiries should be addressed to

GEORGE S. GODARD,
State Librarian,
Hartford, Conn.

In addition to the bulletins above named, published by the State survey, attention is called to three publications of the United States Geological Survey prepared in co-operation with the Geological and Natural History Survey of Connecticut. These are the following:

Bulletin 484. The Granites of Connecticut: by T. Nelson Dale and Herbert E. Gregory.

Water-Supply Paper 374. Ground Water in the Hartford, Stamford, Salisbury, Willimantic and Saybrook Areas, Connecticut: by Herbert E. Gregory and Arthur J. Ellis.

Water-Supply Paper 397. Ground Water in the Waterbury Area, Connecticut: by Arthur J. Ellis, under the direction of Herbert E. Gregory.

These papers may be obtained from the Director of the United States Geological Survey at Washington.

CATALOGUE SLIPS.

Connecticut. State geological and natural history survey.

Bulletin no. 31. Check-list of the insects of Connecticut. By Wilton Everett Britton. Hartford, 1920.

397 pp., 23^{cm}.

Britton, Wilton Everett.

Check-list of the insects of Connecticut. By Wilton Everett Britton. Hartford, 1920.

397 pp., 23^{cm}.

(Bulletin no. 31, Connecticut geological and natural history survey.)

CATALOGUE SLIPS.

Zoology.

Britton, W. E. Check-list of the insects of Connecticut. Hartford, 1920.

397 pp., 23^{cm}.

(Bulletin no. 31, Connecticut geological and natural history survey.)

Insects.

Britton, W. E. Check-list of the insects of Connecticut. Hartford, 1920.

397 pp., 23^{cm}.

(Bulletin no. 31, Connecticut geological and natural history survey.)

State of Connecticut
PUBLIC DOCUMENT No. 47

State Geological and Natural History Survey

HERBERT E. GREGORY, SUPERINTENDENT

BULLETIN NO. 31



HARTFORD
Printed for the State Geological and Natural History Survey
1920

State Geological and Natural History Survey

COMMISSIONERS

MARCUS H. HOLCOMB, Governor of Connecticut

ARTHUR TWINING HADLEY, President of Yale University

WILLIAM ARNOLD SHANKLIN, President of Wesleyan University

REMSEN BRINCKERHOFF OGILBY, President of Trinity College

CHARLES LEWIS BEACH, President of Connecticut Agricultural College

BENJAMIN TINKHAM MARSHALL, President of Connecticut College for Women

SUPERINTENDENT

HERBERT E. GREGORY

CHECK-LIST OF THE INSECTS OF CONNECTICUT

By

WILTON EVERETT BRITTON, Ph.D.

State Entomologist and

Entomologist of the Agricultural Experiment Station, New Haven, Conn.



HARTFORD

Printed for the State Geological and Natural History Survey

1920

2285

CONTENTS

Page

Preface	7
Statistics	9
Key to initials of authorities for occurrence of species	10
Key to references cited in this list	13
Order Thysanura	25
“ Isoptera	26
“ Corrodentia	26
“ Plecoptera	27
“ Ephemera	27
“ Mallophaga	28
“ Neuroptera	29
“ Mecoptera	30
“ Trichoptera	30
“ Odonata	33
“ Euplexoptera	37
“ Orthoptera	38
“ Thysanoptera	44
“ Hemiptera	45
“ Lepidoptera	85
“ Siphonaptera	160
“ Diptera	160
“ Coleoptera	211
“ Strepsiptera	290
“ Hymenoptera	291
Appendix	351
Index	363

PREFACE.

The purpose of this list is to stimulate an interest in the collection and study of insects in the state, as has been done in New Jersey, and to serve as a check-catalogue of the species in the collections of the institutions and amateur collectors. A work entitled "Guide to the Insects of Connecticut," containing keys to orders, families, genera, and species, and including much information about life-histories, habits, distribution, etc., is already in progress; two papers, the Euplexoptera and Orthoptera, by B. H. Walden, and the Hymenoptera, by Henry L. Viereck, having already been published as Bulletins 16 and 22 of this Survey. It will be many years at least before the Guide can be finished so as to include all orders of insects, and the usefulness of a check-list for service during this time seemed to warrant its preparation and publication.

Only such species are included as are known to occur within the boundaries of the state, and are represented by specimens or reliable records. The list is based on the material in the collection of the Agricultural Experiment Station at New Haven, which has been accumulated during the past twenty years, and is now by far the most important collection of Connecticut insects in existence. Many records have been obtained from the collections of various institutions both in and outside of the state, and from many private collectors. No localities are mentioned in the list, but these will be given in the Guide. Where possible, one or more references are given for each species. These are not references to the original descriptions except in a few cases, but are usually references to the most accessible accounts, sometimes popular and sometimes scientific, containing descriptions, figures, or studies of life-histories and injuries that will aid one in recognizing the species. Only the well-known common names and

synonyms are given, except where a different specific or generic name occurs in the work cited.

The arrangement of the orders, families, and genera is from the lowest to the highest, and in this respect is opposite to that of Dyar's List of Lepidoptera and Blatchley's Coleoptera of Indiana, but coincides with Aldrich's List of Diptera and Calvert's List of Odonata. These works have all been followed except where they have been shown to be in error or where new or additional genera and species were included. For convenient reference the species have been arranged alphabetically.

I wish to acknowledge here my obligations to the following collectors and specialists for furnishing records and identifying species listed in this work.

W. D. Kearfott, Montclair, N. J.; the late Professor John B. Smith, Agricultural Experiment Station, New Brunswick, N. J.; William Beutenmüller and the late John A. Grossbeck, formerly of the American Museum of Natural History, New York, N. Y.; Charles W. Johnson, Boston Society of Natural History, Boston, Mass.; E. P. Van Duzee, Berkeley, Calif., formerly of Buffalo, N. Y.; George Dimmock, Springfield, Mass.; Professors Herbert Osborn and J. S. Hine, Ohio State University, Columbus, Ohio; Dr. E. P. Felt, State Entomologist, Albany, N. Y.; Doctors Philip L. Calvert and Henry Skinner, Philadelphia, Pa.; Professor J. G. Needham, Cornell University, Ithaca, N. Y.; Messrs. Charles W. Leng, John D. Sherman, Jr., Fred Wintersteiner, New York, N. Y.; J. R. de la Torre Bueno, White Plains, N. Y.; William T. Davis, New Brighton, Staten Island, N. Y.; Charles Schaeffer, Brooklyn, N. Y.; Professor W. E. Hinds, Auburn, Ala.; Kenyon F. Chamberlain, Cornwall, Conn.; Arthur I. Bourne, Amherst, Mass.; R. R. Parker, Bozeman, Mont.; J. F. Abbott, St. Louis, Mo.; Professor A. P. Morse, Wellesley College, Wellesley, Mass.; C. A. Frost, Framingham, Mass.; L. W. Swett, Boston, Mass.; Thomas L. Casey, Washington, D. C.; Professors J. W. Folsom and Alexander D. MacGillivray, University of Illinois, Urbana, Ill.; Dr. Edith M. Patch, Agricultural Experiment Station, Orono, Me.; Professors William Morton

Wheeler and Charles T. Brues, Bussey Institution, Forest Hills, Mass.; Charles R. Ely, Washington, D. C.; B. H. Walden, New Haven, Conn.; Dr. L. O. Howard, Dr. H. G. Dyar, the late Otto Heidemann, Henry L. Viereck, Nathan Banks, W. Dwight Pierce, S. A. Rohwer, of Washington, D. C., and John J. Davis, Riverton, N. J., Harrison E. Smith, Arlington, Mass., and Alfred B. Champlain, Harrisburg, Pa., all now or formerly of the Bureau of Entomology; and finally to many collectors whose initials appear after the names of species in the list.

This list must necessarily be very incomplete, but it is believed to be accurate and reliable in regard to the species included. It is hoped that sometime a revised and enlarged edition may be issued, and the author requests that authentic records be sent him of any additional species taken within the state.

W. E. BRITTON.

Agricultural Experiment Station,
New Haven, Conn., April 6, 1920.

STATISTICS.

Statistics of the insects listed in this Bulletin are as follows:—

Order	Number of Families	Number of Genera	Number of Species and Varieties
Thysanura	5	10	16
Isoptera	1	1	1
Corrodentia	1	6	9
Plecoptera	1	9	11
Ephemera	1	7	11
Mallophaga	2	4	7
Neuroptera	5	10	16
Mecoptera	1	2	5
Trichoptera	7	17	30
Odonata	3	5	101
Euplexoptera	1	2	2
Orthoptera	6	50	106
Thysanoptera	3	9	12
Hemiptera	37	330	800
Lepidoptera	46	609	1452
Siphonaptera	1	1	1
Diptera	53	455	1111
Coleoptera	83	781	1825
Strepsiptera	2	3	3
Hymenoptera	74	635	1261
Total	333	2946	6781

KEY TO INITIALS OF AUTHORITIES FOR OCCURRENCE OF SPECIES.

- A. B. C. — Alfred B. Champlain, Bureau of Economic Zoology, Harrisburg, Pa., formerly of Washington, D. C., Lyme and New Haven, Conn.
- A. E. V. — Professor Addison E. Verrill, New Haven, Conn.
- A. H. Me. — Rev. A. H. Manee, Southern Pines, N. C., formerly of New Milford, Conn.
- A. H. Mn. — Dr. Anna H. Morgan, Mt. Holyoke College, South Hadley, Mass.
- A. I. B. — Arthur I. Bourne, Amherst, Mass., formerly of New Haven, Conn.
- Ald. Cat. — Aldrich's Catalogue of North American Diptera.
- A. P. M. — Professor Albert P. Morse, Wellesley, Mass.
- A. W. P. — A. W. Pearson, Norwich, Conn.
- B. H. W. — B. H. Walden, New Haven, Conn.
- C. C. — Rev. Charles Crozet, formerly of Hartford and Danielson, Conn., now of Rome, Italy.
- C. D. J. — Professor C. D. Jarvis, formerly of Storrs, Conn.
- C. H. Y. — Professor Clarence H. Young, New York City.
- C. R. E. — Charles R. Ely, Washington, D. C. (Summers at East River, Conn.)
- C. S. — Charles Schaeffer, Brooklyn, N. Y.
- C. W. J. — Charles W. Johnson, Boston, Mass.
- C. W. L. — Charles W. Leng, New York City.
- D. J. C. — Donald J. Caffrey, Bureau of Entomology, Washington, D. C., formerly of New Haven and Wallingford, Conn.
- D. W. C. — D. W. Coquillett, Washington, D. C. Died 1911.
- E. D. H. — Edward Doubleday Harris, New York City. Died 1919.
- E. F. — Ernst Frensch, Mystic, Conn.
- E. L. D. — Edgar L. Dickerson, Newark, N. J.
- E. N. — Edward Norton, Farmington, Conn. Died 1894.
- E. P. F. — Dr. E. P. Felt, State Entomologist, Albany, N. Y.
- E. P. V. D. — Edward P. Van Duzee, San Francisco, Calif., formerly of Buffalo, N. Y.

- F. K. — Frederick Knab, Washington, D. C. Died 1918.
- F. W. H. — F. W. Holms, Norwich, Conn.
- G. A. C. — G. A. Cromie, New Haven, Conn.
- G. D. — George Dimmock, Springfield, Mass.
- G. H. H. — George H. Hollister, Hartford, Conn.
- G. M. — Gustav Mayr, Vienna, Austria. Died 1908.
- H. B. — Henry Bird, Rye, N. Y.
- H. B. K. — Harry B. Kirk, Harrisburg, Pa., formerly of New Haven, Conn.
- H. F. B. — Homer F. Bassett, Waterbury, Conn. Died 1902.
- H. H. A. — H. H. Abeling, Torrington, Conn.
- H. J. G. — Henry J. Goodman, New Haven, Conn.
- H. L. J. — Harry L. Johnson, South Meriden, Conn.
- H. L. V. — Henry L. Viereck, Bureau of Biological Survey, Washington, D. C., formerly of New Haven, Conn.
- H. M. R. — H. M. Russell, Bureau of Entomology, Washington, D. C., formerly of Bridgeport, Conn. Died 1915.
- H. W. F. — Professor H. W. Foote, New Haven, Conn.
- H. W. W. — Rev. H. W. Winkley, formerly of Branford, Conn.
- J. A. H. — James A. Hyslop, Bureau of Entomology, Washington, D. C.
- J. K. L. — J. Kirby Lewis, New Haven, Conn.
- J. R. T. B. — J. R. de la Torre Bueno, White Plains, N. Y.
- J. S. H. — Professor J. S. Hine, Ohio State University, Columbus, Ohio.
- J. T. K. — J. T. Klein, Torrington, Conn. Died 1904.
- K. F. C. — Kenyon F. Chamberlain, Cornwall, Conn.
- L. B. W. — Lewis B. Woodruff, New York City.
- L. W. S. — L. W. Swett, Boston, Mass.
- O. H. — Otto Heidemann, Bureau of Entomology, Washington, D. C. Died 1916.
- P. L. B. — Philip L. Buttrick, New Haven, Conn.
- R. H. — Robert Hochstein, Torrington, Conn. Died 1920.
- R. Hd. — Roland Hayward, Milton, Mass. Died 1906.
- S. I. S. — Professor Sidney I. Smith, New Haven, Conn.
- S. N. D. — Stewart N. Dunning, Hartford, Conn.
- S. W. W. — Professor S. W. Williston, Chicago, Ill., formerly of New Haven, Conn. Died 1918.

- T. L. C. — Major Thomas L. Casey, Washington, D. C.
W. B. — William Beutenmüller, New York City.
W. C. W. — William C. Woods, Middletown, Conn.
W. E. B. — W. E. Britton, New Haven, Conn.
W. F. — William Fox, Philadelphia, Pa.
W. H. P. — William H. Patton, Hartford, Conn. Died, 1918.
W. M. W. — Professor William M. Wheeler, Forest Hills,
Mass.
W. S. B. — Professor W. S. Blatchley, Indianapolis, Ind.

KEY TO REFERENCES CITED IN THIS LIST.

- Act. Soc. Sci. Fenn.** — Acta Societatis Scientiarum Fennicæ, Helsingfors, Finland.
- Am. Ent.** — American Entomologist, 1868. St. Louis, Mo. ii volumes; American Entomologist and Botanist, 1870. 2nd ser. i volume, 1880. New York, N. Y.
- Am. Jour. Sci.** — American Journal of Science and Arts. New Haven, Conn. 1818 — date.
- Am. Mus. Jour.** — Journal of the American Museum of Natural History. New York, N. Y.
- Am. Nat.** — The American Naturalist. Now published at New York, N. Y. Begun in 1867.
- Annales** — A series of papers on Diptera by Jacques Bigot in Annales de la Société Entomologique de France, Paris. 1874-1892.
- Ann. Ent. Soc. Am.** — Annals of the Entomological Society of America. Columbus, Ohio. 1908-date.
- Ann. Lyc. Nat. Hist. N. Y.** — Annals of the Lyceum of Natural History of New York, N. Y. 8 vols. 1824-1867.
- Ann. Mus. Nat. Hung.** — Annals of the National Museum of Hungary.
- Ann. N. Y. Acad. Sci.** — Annals of the New York Academy of Science. New York, N. Y. Begun in 1877.
- Ann. Soc. Ent. France.** — Annales de la Société Entomologique de France. Paris. Begun in 1832.
- Aphid. Minn.** — Synopsis of the Aphididæ of Minnesota, by O. W. Cestlund, Bulletin 4, Geological and Natural History Survey of Minnesota. St. Paul, Minn. 1887.
- Berl. Ent. Zeit. or Zeitschr.** — Berliner Entomologische Zeitschrift. Berlin, Germany. Begun in 1857.
- Bomb. Moths.** — A Monograph of the Bombicine Moths of America North of Mexico, by A. S. Packard, Memoirs, National Academy of Sciences, Vol. vii, Part 1. Notodontidæ. Washington, D. C. 1895.
- Bost. Jour. Nat. Hist.** — Boston Journal of Natural History. Boston, Mass. 1834-1863.
- British Aphid.** — Monograph of the British Aphides, by G. B. Buckton. 4 vols. Ray Society. London, England. 1875-1883.

- Brit. Ent.** — British Entomology, by J. Curtis. London, England.
- Bull. Am. Mus. Nat. Hist.** — Bulletin of the American Museum of Natural History. New York, N. Y. Begun in 1881.
- Bull. Brook. Ent. Soc.** — Bulletin of the Brooklyn (N. Y.) Entomological Society. 7 vols. 1878-1885. Re-established in 1912.
- Bull. Buff. Soc. Nat. Sci.** — Bulletin of the Buffalo Society of Natural Sciences. Buffalo, N. Y. Begun in 1874.
- Bull. Geol. Geog. Surv. Terr.** — Bulletin of the United States Geological and Geographical Survey of the Territories. Washington, D. C.
- Bull. Ill. State Lab. Nat. Hist.** — Bulletin of the Illinois State Laboratory of Natural History. Urbana, Ill.
- Bull. Mosc.** — Bulletin de la Société Impériale des Naturalistes de Moscow, Moscow, Russia.
- Bull. Sci. Lab. Denison Univ.** — Bulletin of the Science Laboratories, Denison University. Granville, Ohio.
- Bull. Soc. Ent. Belg.** — Bulletin de la Société Entomologique de Belgique. Brussels, Belgium. Begun in 1860.
- Bull. Wis. Acad. Sci.** — Bulletin Wisconsin Academy of Sciences, Milwaukee, Wis. Begun in 1901.
- Bur. Ent.** — Bureau of Entomology (formerly Division), United States Department of Agriculture, Washington, D. C. Bulletins, new series. Technical series, Circulars.
- Butterfly Book.** — The Butterfly Book, by W. J. Holland. Doubleday, Page & Co., Garden City, N. Y.
- Can. Bark Beetles.** — Canadian Bark Beetles, by J. M. Swaine. Technical Bulletin, No. 14, Entomological Branch, Department of Agriculture, Dominion of Canada, Ottawa, Can. 1918.
- Can. Ent.** — Canadian Entomologist. London, Ontario, Canada. Begun in 1869.
- Cat. Brit. Mus.** — Catalogue of the British Museum, London, England.
- Cat. Brit. Tin.** — Catalogue of British Tineinæ.
- Cat. Homop. N. Y.** — Catalogue of New York Homoptera.

- Cat. Ins. N. Y.** — Catalogue of New York Insects, by Asa Fitch. Fourth Annual Report of the Regents of the University of the State of New York, 1851. Reprinted in 9th Report of the N. Y. State Entomologist, 1892.
- Cat. Lep. Eur.** — Catalogue Méthodique des Lépidoptères d'Europe, by P. A. J. Duponchel. Paris, France. 1844-1846.
- Cat. Noc.** — Catalogue of Noctuidæ, by J. B. Smith. Bulletin 44. United States National Museum. Washington, D. C. 1893.
- Cent.** — Diptera Americae Septentrionalis Indigena, by H. Loew. Originally published in 10 Centuries in Berliner Entomologische Zeitschrift, 1861-72. Berlin, Germany. (Usually cited as "Century.")
- Cin. Quart. Jour. Sci.** — Cincinnati Quarterly Journal of Science. Cincinnati, Ohio.
- Coleop. Can.** — Petite Faune Entomologique du Canada: Les Coleoptères, by L'Abbé L. Provancher, with two supplements. Quebec, Canada. 1877 and 1879.
- Coleop. Ind.** — Coleoptera of Indiana, by W. S. Blatchley. Nature Publishing Company, Indianapolis, Ind.
- Collem. Minn.** — Collembola of Minnesota, by Joseph E. Guthrie, Zoological Series IV, Geological and Natural History Survey of Minnesota.
- Compl. Writ.** — Complete Writings on the Entomology of North America, by Thomas Say. 2 vols.
- Comst. Butt.** — How to Know the Butterflies, by J. H. and A. B. Comstock. D. Appleton & Co., New York, N. Y.
- Conn. Geol. Nat. Hist. Surv.** — Connecticut Geological and Natural History Survey. Hartford, Conn. Begun in 1903.
- Cornell Agr. Expt. Sta.** — Cornell Agricultural Experiment Station. Ithaca, N. Y.
- Diag. N. A. Phyc.** — Diagnoses of North American Phycitidæ and Galleriidæ, by E. L. Ragonot. Paris, France. 1888.
- Dipt. Exot. (Suppl.)** — Diptères Exotiques Nouveaux ou Peu Connus, by J. Macquart. 2 vols. 5 supplements. 1838-1855. Paris, France.

- Dipt. Saund. — *Insecta Saundersiana*, Diptera, by Francis Walker. 5 parts, London, England. 1850-1856.
- Dipt. Scand. — *Diptera Scandinaviæ*, by J. W. Zetterstedt. London, England. 1842-1860.
- Encycl. Meth. — *Encyclopédie Méthodique*, by A. G. Olivier. 1789-1791 et 1825. Paris, France.
- Ent. Am. — *Entomologica Americana*. Brooklyn Entomological Society, Brooklyn, N. Y. 1885-1890.
- Ent. Cont. — *Entomological Contributions*, by J. A. Lintner. N. Y. State Museum of Natural History, Albany, N. Y.
- Ent. Monthl. Mag. — *The Entomologists' Monthly Magazine*. London, England. Begun in 1864.
- Ent. News. — *Entomological News*. Philadelphia, Pa. Begun in 1892.
- Ent. Rec. — *Entomologists' Record and Journal of Variation*. London, England. Begun in 1890.
- Ent. Syst. Suppl. — *Entomologia Systematica*. Supplement, by J. C. Fabricius.
- Enum. Hemip. — *Enumeratio Hemipterorum*, by C. Stål, Stockholm, Sweden, 1870-1876.
- Exot. Schmett. — *Lepidopterorum Exoticorum Species Novæ aut Minus Cognitæ*, by G. A. W. Herrich-Schæffer. Ratisbonæ. 1850-1858.
- Fauna Aust. — *Fauna Austriaca (Diptera)*, by J. R. Schiner. 2 vols. Vienna, Austria. 1862-1864.
- Faun. Bor. Am. — *Fauna Boreali-Americana*, by William Kirby. 4 vols. London, England. 1829-1837.
- Faun. Germ. — *Faunæ Insectorum Germanicæ Initia*.
- Gen. Ins. — *Genera Insectorum*. Fascicles 1-163. Edited by P. Wytsman. Brussels, Belgium. Begun in 1902.
- Geol. Geog. Surv. — *Bulletin of the United States Geological and Geographical Survey of the Territories*. Washington, D. C.
- Handb. Brit. Lep. — *Handbook of British Lepidoptera*, by E. Meyrick. London, England and New York, N. Y. 1895.
- Hayden's Geol. Surv. Mont. — *Hayden's Geological Survey of Montana*. Washington, D. C.

- Hemip. Col.** — A Preliminary List of the Hemiptera of Colorado, by C. P. Gillette and C. F. Baker. Colorado Agricultural Experiment Station, Bull. 31 (Technical series No. 1), Fort Collins, Col. 1895.
- Hemip. Gymn. Eur.** — Hemiptera Gymnocerata Europæ, by O. M. Reuter. 5 vols. Helsingfors, Finland. 1878-1896.
- Icon. Reg. An. Ins.** — Iconographie du Règne Animal. Insectes. vii, by F. E. Guérin-Méneville. Paris, France. 1829-1844.
- Ill. Exot. Ent.** — Illustrations of Exotic Entomology, by Drury, London, England. 1770-1775.
- Ill. Lep. Het. Brit. Mus.** — Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum, London, England. 1877-1893.
- Ins. Aff. Park and Woodl. Trees.** — Insects Affecting Park and Woodland Trees, by E. P. Felt, Memoir 8, N. Y. State Museum, Albany, N. Y.
- Insect Book.** — The Insect Book, by L. O. Howard, Doubleday, Page & Co., Garden City, N. Y. 1901.
- Ins. Galls Springfield.** — Insect Galls of Springfield, Mass. and Vicinity, by Fannie A. Stebbins. Bulletin No. 2, Springfield Museum of Natural History, Springfield, Mass. 1910.
- Ins. Ill.** — Reports of the State Entomologist on the Noxious and Beneficial Insects of the State of Illinois. Urbana, Ill. Begun in 1867.
- Ins. Inj. Veg.** — Insects Injurious to Vegetation, by T. W. Harris. (Flint Edition), Boston, Mass. 1863.
- Ins. Life.** — Insect Life. 7 vols. U. S. Department of Agriculture, Washington, D. C. 1888-1894.
- Ins. N. Y.** — Report on the Noxious and Beneficial Insects of New York, by Asa Fitch. 1-14. Albany, N. Y. 1855-1870.
- Insec. Insc. Menst.** — Insecutor Inscitiæ Menstruus. Washington, D. C. Begun in 1913.
- Insects and Insecticides.** — Insects and Insecticides, by C. M. Weed. Hanover, N. H. 1891.

- Isis.** — Encyclopädische Zeitschrift, Herausgegeben von Oken, Leipzig, Germany. 1817-1848.
- Jour. Acad. Nat. Sci.** — Journal of the Academy of Natural Sciences, Philadelphia, Pa.
- Jour. Cin. Soc. Nat. Hist.** — Journal Cincinnati (Ohio) Society of Natural History.
- Jour. Econ. Ent.** — Journal of Economic Entomology. Concord, N. H. Begun in 1908.
- Jour. Ent. Zool.** — Journal of Entomology and Zoology, Pomona College. Begun in 1909 as Pomona College Journal of Entomology, Claremont, Calif.
- Jour. N. Y. Ent. Soc.** — Journal of the New York Entomological Society. New York, N. Y. Begun in 1893.
- Kans. Acad. Sci.** — Transactions of the Kansas Academy of Sciences. Topeka, Kans. Begun in 1874.
- Kans. Univ. Quart.** — Kansas University Quarterly. Lawrence, Kans.
- La. Agr. Expt. Sta.** — Louisiana Agricultural Experiment Station. Baton Rouge, La.
- Lep. Brit.** — Lepidoptera Britannica, by A. H. Haworth, London, England. 1803-1812.
- Lep. Het. Brit. Mus.** — Lepidoptera Heterocera of British Museum, London, England.
- Lep. Ins. Ga.** — The Natural History of the Rarer Lepidopterous Insects of Georgia, by J. E. Smith and J. Abbott. London, England. 1797.
- Life Hist. Am. Insects.** — Life History of American Insects, by Clarence Moores Weed. The MacMillan Company, New York, N. Y. 1901.
- Linn. Ent.** — Linnæa Entomologica. Berlin, Germany. 1846-1866.
- List.** — A List of the Specimens of Insects in the Collection of the British Museum, by Francis Walker. Diptera. 4 parts and 3 supplements. 1848-1855. Lepidoptera Heterocera i-xxxv, 1854-1866. London, England.
- Mass. Agr. Expt. Sta.** — Massachusetts Agricultural Experiment Station. Amherst, Mass.
- Me. Agr. Expt. Sta.** — Maine Agricultural Experiment Station. Orono, Maine.

- Mem. Coleop.** — Memoirs on the Coleoptera, by Thomas L. Casey, New Era Printing Co., Lancaster, Pa. Begun in 1910.
- Mem. Ins.** — Memoires pour Servir à L'Histoire des Insectes, by Charles DeGeer. 7 vols. Stockholm, Sweden. 1752-1758.
- Mich. Agr. Expt. Sta.** — Michigan Agricultural Experiment Station. East Lansing, Mich.
- Minn. Agr. Expt. Sta.** — Minnesota Agricultural Experiment Station. St. Anthony Park, Minn.
- Mon. Geom.** — Monograph of Geometridæ, by A. S. Packard, vol. x, Rept. U. S. Geological Survey of the Territories, Washington, D. C. 1876.
- Mon. N. A. Dipt.** — Monographs of the Diptera of North America, by H. Loew and Baron Osten Sacken. Vols. 1-4. Smithsonian Miscellaneous Collections, Washington, D. C. 1862-1872.
- Mon. N. A. Ses.** — Monograph of the Sesiidæ of America North of Mexico, by William Beutenmüller. Memoirs of the American Museum of Natural History, Vol. 1. New York, N. Y.
- Mon. Oestriden.** — Monographie der Œstriden, by Fr. Brauer. Vienna, Austria. 1863.
- Mosq. N. A.** — Mosquitoes of North and Central America and the West Indies, by Howard, Dyar and Knab, Carnegie Institution, Washington, D. C. 1912-17.
- Moth Book.** — The Moth Book, by W. J. Holland. Doubleday, Page & Co., Garden City, N. Y.
- Myodaires.** — Essai sur les Myodaires, by J. B. Robineau-Desvoidy. Mémoires des Savants Étrangers de L'Académie des Sciences de Paris, Vol. iii, 390-413. Paris, France. 1827.
- Nat. Can.** — Le Naturaliste Canadien.
- N. A. Cramb.** — The Crambidæ of North America, by Charles H. Fernald. Report, Massachusetts Agricultural College, Amherst, Mass. 1896.
- N. A. Ent.** — North American Entomologist. Buffalo, N. Y. 1879-80.

- N. J. Agr. Expt. Sta.** — New Jersey Agricultural Experiment Station, New Brunswick, N. J.
- N. Y. Agr. Expt. Sta.** — New York Agricultural Experiment Station, Geneva, N. Y.
- N. Y. Agr. Rept.** — Report of the New York Department of Agriculture.
- N. Y. State Mus. Bull.** — Bulletin of the New York State Museum, Albany, N. Y.
- Ofv. Finsk. Vet. Soc. Förh.** — Öfversigt af Finska Vetenskaps-Societetens Förhandlingar-Helsingfors, Finland.
- Ofv. Vet. Akad. Förh.** — Ofversigt af Konglica Svenska Vetenskaps-Akademiens Förhandlingar. Stockholm, Sweden. Begun in 1844.
- Ohio Acad. Sci.** — Ohio Academy of Sciences. Columbus, Ohio.
- Ohio Nat.** — Ohio Naturalist. Columbus, Ohio.
- Ohio State Univ. Bull.** — Bulletin of the Ohio State University. Columbus, Ohio.
- Orthop. Ind.** — Orthoptera of Indiana, by W. S. Blatchley, Indianapolis, Ind.
- Pack. Guide.** — A Guide to the Study of Insects, by A. S. Packard. 9th edition. Henry Holt & Co., New York, N. Y. 1889.
- Papilio.** — Papilio. New York Entomological Club. 4 vols. 1881-1884.
- Proc. Acad. Nat. Sci. Phila.** — Proceedings of the Academy of Natural Sciences, Philadelphia, Pa. Begun in 1841.
- Proc. Am. Phil. Soc.** — Proceedings of the American Philosophical Society. Philadelphia, Pa. Begun in 1860.
- Proc. Bost. Soc. Nat. Hist.** — Proceedings of the Boston Society of Natural History. Boston, Mass. Begun in 1841.
- Proc. Cal. Acad. Sci.** — Proceedings of the California Academy of Sciences. San Francisco, Calif. Begun in 1854.
- Proc. Dav. Acad. Sci.** — Proceedings of the Davenport (Iowa) Academy of Natural Sciences. Davenport, Iowa.
- Proc. Iowa Acad. Sci.** — Proceedings of the Iowa Academy of Sciences. Des Moines, Ia. Begun in 1887.

- Proc. Phila. Ent. Soc.** — Proceedings of the Entomological Society of Philadelphia, Pa. 6 vols. 1861-1867.
- Proc. U. S. Nat. Mus.** — Proceedings of the United States National Museum. Washington, D. C. Begun in 1878.
- Proc. Wash. Acad. Sci.** — Proceedings of the Washington Academy of Science. Washington, D. C. Begun in 1899.
- Proc. Wash. Biol. Soc.** — Proceedings of the Washington Biological Society. Washington, D. C.
- Proc. Wash. Ent. Soc.** — Proceedings of the Entomological Society of Washington, D. C. Begun in 1884.
- Proc. Zool. Soc. Lond.** — Proceedings of the Zoological Society. London, England.
- Prodrome.** — Prodrome of a Monograph of the Tabanidæ of the United States, by C. R. Osten Sacken. Memoirs, Boston Society of Natural History, vol. II. Boston, Mass. 1875-78.
- Psyche.** — Psyche. Cambridge (Mass.) Entomological Club. Begun in 1874.
- Pteroph. N. A.** — The Pterophidæ of North America, by Charles H. Fernald. Massachusetts Agricultural Experiment Station, Special Bulletin. Revised edition, 1898.
- Rept. Conn. Agr. Expt. Sta.** — Report of the Connecticut Agricultural Experiment Station. New Haven, Conn.
- Rept. Geol. Ind.** — Report of the Geologist of Indiana. Indianapolis, Ind.
- Rept. Ill. State Ent.** — Report of the State Entomologist of Illinois. Urbana, Ill. Begun in 1867.
- Rept. Ins. Mass.** — Annual Report of the Injurious and Beneficial Insects of Massachusetts, by A. S. Packard, i-iii, Boston, Mass. 1871-1873.
- Rept. Ins. Mo.** — Annual Report of the State Entomologist of Missouri, by C. V. Riley, 1-9. Jefferson City, Mo. 1869-1877.
- Rept. N. Y. State Ent.** — Report of the State Entomologist of New York. Albany, N. Y. Begun in 1882.
- Rept. Peab. Acad. Sci.** — Report of the Peabody Academy of Science. Salem, Mass.

- Rept. U. S. Dept. Agr.** — Report of the United States Department of Agriculture. Washington, D. C.
- Rept. U. S. Ent. Com.** — Report of the United States Entomological Commission, U. S. Department of Agriculture. Washington, D. C.
- Rev. & Mag. Zool.** — Revue et Magasin de Zoologie Pure et Appliquée. Paris, France. 1849-1879.
- Revis. Tachinid.** — Revision of the Tachinidæ, by D. W. Coquillett. Technical Series No. 7, Bureau of Entomology, U. S. Department of Agriculture. Washington, D. C.
- Rhynchop. N. E. Am.** — Rhynchophora or Weevils of North Eastern America, by W. S. Blatchley and C. W. Leng. Nature Publishing Co., Indianapolis, Ind. 1916.
- Samml. Ausser. Schmett.** — Sammlung Neuer oder Wenig Bekannter Ausser-Europäischer Schmetterlinge. Regensburg, Germany. 1850-1858.
- Samml. Exot. Schmett.** — Sammlung Exotischer Schmetterlinge, by Jacob Hübner. Augsburg, Germany. 1806-1824.
- Schmett. Eur.** — Die Schmetterlinge von Europa, by F. Treitschke. Leipzig, Germany.
- Smith. Misc. Coll.** — Smithsonian Miscellaneous Collections. Smithsonian Institution, Washington, D. C. Begun 1862.
- Spec. Gén.** — Species Général des Lépidoptères, by A. Guénée. Paris, France. 1852-1857.
- Spec. Gyponæ.** — Species Gyponæ Generis Homopterorum, by J. Spangberg. Stockholm, Sweden. 1878.
- Stand. Nat. Hist.** — The Standard Natural History, edited by J. S. Kingsley. 6 vols. Boston, Mass. 1884-1885.
- Stett. Ent. Zeit.** — Stettiner Entomologische Zeitung. Stettin, Germany. Begun in 1840.
- Storrs Agr. Expt. Sta.** — Agricultural Experiment Station. Storrs, Conn.
- Syn. N. A. Syrph.** — Synopsis of the Syrphidæ of North America, by S. W. Williston, U. S. National Museum, Bull. No. 31. Washington, D. C. 1886.

- Syn. Neurop. N. A.** — Synopsis of the Neuroptera of North America, by H. A. Hagen, Smithsonian Miscellaneous Collections. Washington, D. C. 1861.
- Syst. Antl.** — Systema Antliatorum, by J. C. Fabricius. Brunsvigæ. 1805.
- Syst. Beschr.** — Systematische Beschreibung der Bekannten Europäischen Zweiflügeligen Insecten, by F. W. Meigen. 7 vols. Aachen und Hamm, Germany. 1818-1838.
- Syst. Nat.** — Systema Naturæ, by C. V. Linnæus. Stockholm, Sweden.
- Syst. Rhyng.** — Systema Rhyngotorum, by J. C. Fabricius. Brunsvigæ, 1803.
- Syst. Verz. Wien.** — Systematisches Verzeichniss der Schmetterlinge der Wiener Gegend, by I. Schiffermüller. Vienna, Austria. 1776.
- Tab. Ohio.** — Tabanidæ of Ohio, by J. S. Hine. Ohio Academy of Science, Special Papers. Columbus, Ohio.
- Tin. N. A.** — The Tineina of North America, by Brackenbridge Clemens. John Van Voorst, London, England. 1872.
- Trans. Am. Ent. Soc.** — Transactions of the American Entomological Society. Academy of Natural Sciences, Philadelphia, Pa. Begun in 1868.
- Trans. Conn. Acad. Sci.** — Transactions of the Connecticut Academy of Arts and Sciences. New Haven, Conn.
- Trans. Ent. Soc. Lond.** — Transactions of the Entomological Society of London, England. Begun in 1836. N. S.
- Trans. Linn. Soc. London.** — Transactions of the Linnean Society of London, England. Begun in 1791.
- Trans. Md. Acad.** — Transactions of the Maryland Academy of Science.
- Trans. N. Y. Agr. Soc.** — Transactions of the New York Agricultural Society, Albany, N. Y.
- Trans. St. Louis Acad. Sci.** — Transactions of the St. Louis Academy of Science. St. Louis, Mo. Begun in 1856.
- U. S. Dept. Agr.** — United States Department of Agriculture. Washington, D. C.
- U. S. Geol. Surv.** — United States Geological Survey. Washington, D. C.

- U. S. Nat. Mus. Bull.** — Bulletins of the United States National Museum. Washington, D. C.
- Verh. Zool-Bot. Ges. Wien.** — Verhandlungen der Zoologisch-Botanischen Gesellschaft in Wien. Vienna, Austria. Begun in 1852.
- Verz. bek. Schmett.** — Verzeichniss Bekannter Schmetterlinge, by Jacob Hübner. Augsburg, Germany. 1816.
- W. Va. Agr. Expt. Sta.** — West Virginia Agricultural Experiment Station. Morgantown, W. Va.
- West. Dipt.** — Western Diptera, by C. R. Osten Sacken, U. S. Geological and Geographical Survey of the Territories, iii, 1877. Washington, D. C.
- Wien. Ent. Mon.** — Wiener Entomologische Monatsschrift. Vienna, Austria.
- Yearbook U. S. D. A.** — Yearbook of the United States Department of Agriculture. Washington, D. C.
- Zeitsch. f. Ges. Naturwiss.** — Zeitschrift für die Gesammten Naturwissenschaften. Now Zeits. f. Naturwiss., pub. in Leipzig.
- Zool. Bull.** — Zoological Bulletin, Ginn & Co., Boston, Mass.
- Zutr. Exot. Schmett.** — Zuträge zur Sammlung Exotischer Schmetterlinge, by Jacob Hubner. Augsburg, Germany. 1818-1825.

Order **THYSANURA.**Suborder **CINURA.**Family **MACHILIDÆ.****Machilis** Latreille.

sp. probably **variabilis** Say. Pack. Guide, 9th Ed., pl. x,
figs. 8 and 9.

Family **LEPISMIDÆ.****Lepisma** Linnæus.

quadriseriata Packard. *Ctenolepisma*. Bristle-tail. Silver-
fish. Fish moth. Pack. Guide, 9th Ed., 623.

saccharina Linnæus. Bristle-tail. Silverfish. Bur. Ent.,
Bull. 4, new ser., 76.

Thermobia Bergroth.

domestica Packard. *Lepisma*. Silverfish. Bristle-tail. Fish
moth. Insect Book, 382; Bur. Ent., Bull. 4, new ser., 77.

Suborder **COLLEMBOLA.**Family **SMINTHURIDÆ.****Sminthurus** Latreille.

hortensis Fitch. *pruinus*. Garden flea. Rept. N. Y. State
Ent., ii, 207.

Family **ENTOMOBRYIDÆ.****Entomobrya** Rondani.

sp.

Seira Lubbock.

nigromaculata Lubbock. Collem. Minn., 36.

Isotoma Bourlet.

albella Packard. Rept. Peab. Acad. Sci., v, 32.

sp. near **palustris** Müller. Collem. Minn., 70.

sp.

sp.

Family PODURIDÆ.

Achorutes Templeton.

armatus Nicolet. Proc. U. S. Nat. Mus., 50, 491.

harveyi Folsom. *Ibid.*, 50, 486.

nivicola Fitch. Rept. N. Y. State Ent., ii, 203.

Neanura MacGillivray.

muscorum Templeton. Proc. U. S. Nat. Mus., 50, 508.

Onychiurus Gervais.

fimetarius Linnæus. Proc. U. S. Nat. Mus., 53, 649.

Order ISOPTERA.

Family TERMITIDÆ.

Termes Linnæus.

flavipes Kollar. White ant. Bur. Ent., Bull. 4, new ser., 70.

Order CORRODENTIA.

Family PSOCIDÆ.

Troctes Burmeister.

divinatorius Müller. *Atropos*. Book louse. Bur. Ent., Bull. 4, new ser., 79.

pulsatorius Linnæus. *Clothilla*. Rept. N. Y. State Ent., ii, 202.

Pterodela Kolbe.

pedicularis Linnæus. *Psocus salicis*. *Hemerobius*. Syn. Neurop. N. A., 13.

Cæcilius Curtis.

aurantiacus Hagen. *Psocus*. Syn. Neurop. N. A., 14.

Polypsocus Hagen.

corruptus Hagen. *Psocus*. Syn. Neurop. N. A., 13.

Psocus Latreille.

confraternus Banks. Trans. Am. Ent. Soc., xxxii, 2.

ieidyi Aarøn. Proc. Acad. Nat. Sci., Phila., 1886, 15.
sp.

Cerastipsocus Kolbe.

venosus Burmeister. *Psocus*. Syn. Neurop. N. A., 10.

Order PLECOPTERA.

Family PERLIDÆ.

Acroneuria Pictet.*abnormis* Newman. Syn. Neurop. N. A. 17.*Perla* Geoffrey.*postica* Walker. Syn. Neurop. N. A., 23.*Perlesta* Banks.*placida* Hagen. Syn. Neurop. N. A., 28.*virginica* Banks. Trans. Am. Ent. Soc., xxv, 199.*Isoperla* Banks.*bilineata* Say. Syn. Neurop. N. A., 30.*Alloperla* Banks.*imbecilla* Say. Syn. Neurop. N. A., 31.*lateralis* Banks. Trans. Am. Ent. Soc., xxxvii, 337.*Tæniopteryx* Pictet.*frigida* Hagen. Syn. Neurop. N. A., 35.*Nemoura* Latreille.*perfecta* Walker. Syn. Neurop. N. A. 37.*Leuctra* Stephens.*tenella* Provancher. N. Y. State Mus., Bull. 47, 416.*Capnia* Pictet.*necydaloides* Pictet. Syn. Neurop. N. A., 32.

Order EPHEMERIDA.

Family EPHEMERIDÆ.

Hexagenia Walsh.*bilineata* Say. *Bætis*. Compl. Writ., i, 203. (A.H.Mn.)*limbata* Pictet. *Bætis*. *Palingenia bilineata* Say. *variabilis*
Eaton. Syn. Neurop. N. A., 41.*Ephemera* Linnæus.*decora* Walker. *varia* Eaton. Insect Book, pl. xxvi, 6.*Leptophlebia* Westwood.*cupida* Say. *Bætis ignava*. Syn. Neurop. N. A., 47.

Ephemerella Walsh.

cornuta Morgan. Ann. Ent. Soc. Am., iv, 114. (A.H.Mn.)

Callibætis Eaton.

ferrugineus Walsh. Trans. Am. Ent. Soc., xxvi, 250.

Siphonurus Eaton.

aridus Say. *Bætis*. Syn. Neurop. N. A., 46.

mirus Eaton. Can. Ent., xlvii, 248.

typicus Eaton. *Ibid.*, xlvii, 253.

Heptagenia Walsh.

luridipennis Burmeister. Syn. Neurop. N. A., 49.

terminata Walsh. *Pentagenia*. Proc. Phila., Ent. Soc., ii, 203.

Order **MALLOPHAGA**.

Biting bird lice.

Family **PHILOPTERIDÆ**.**Goniocotes** Burmeister.

abdominalis Piaget. *gigas* Taschenberg. Bur. Ent., Bull. 7, 32; Storrs Agr. Expt. Sta., Bull. 86, 180.

hologaster Nitzsch. Bur. Ent., Bull. 7, 33; Bull. 5, new ser., 192.

Lipeurus Nitzsch.

heterographus Nitzsch. Chicken head louse. Bur. Ent., Bull. 5, new ser., 231; Storrs Agr. Expt. Sta., Bull. 86, 178.

variabilis Nitzsch. Variable chicken louse. Bur. Ent., Bull. 5, new ser., 202.

Family **LIOTHEIDÆ**.**Menopon** Nitzsch.

biseriatum Piaget. Large body hen louse. Bur. Ent., Bull. 5, new ser., 212; Storrs Agr. Expt. Sta., Bull. 86, 174.

pallidum Nitzsch. Small body hen louse. Common biting hen louse. Bur. Ent., Bull. 5, new ser., 210; Storrs Agr. Expt. Sta., Bull. 86, 174.

Nitzschia Denny.

pulicaris Nitzsch. Jour. N. Y. Ent. Soc., x, 225.

Order **NEUROPTERA**.Family **SIALIDÆ**.**Corydalis** Latreille.

cornuta Linnæus. Dobson. Hellgrammite. Insect Book, pl. xxiii, 15 and 16.

Chauliodes Latreille.

angusticollis Hagen. N. Y. State Mus., Bull. 68, 462.

pecticornis Linnæus. *Ibid.*, Bull. 68, 461: Insect Book, pl. xxxiii, 14.

rasticornis Rambur. N. Y. State Mus., Bull. 68, 460.

serricornis Say. *Ibid.*, Bull. 68, 459.

Sialis Latreille.

infumata Newman. N. Y. State Mus., Bull. 68, 448: Insect Book, pl. xxiii, 18.

Family **HEMEROBIIDÆ**.**Hemerobius** Linnæus.

humuli Linnæus. Syn. Neurop. N. A., 205.

stigmaterus Fitch. *Ibid.*, 202.

Symphorobius Banks.

amiculus Fitch. *Hemerobius*. Syn. Neurop. N. A., 200.

Micromus Rambur.

posticus Walker. *Hemerobius*. Syn. Neurop. N. A., 204.

Family **CHRYSOPIDÆ**.**Chrysopa** Leach.

harrisi Fitch. Trans. Am. Ent. Soc., xxix, 155.

nigricornis Burmeister. Insect Book, pl. xxvi, 2.

oculata Say. *Ibid.*, 223.

Family **MYRMELEONIDÆ**.**Myrmeleon** Linnæus.

immaculatus DeGeer. Insect Book, pl. xxv, 2.

Brachynemurus Hagen.

abdominalis Say. Insect Book, pl. xxvi, 11.

Family ASCALAPHIDÆ.

Colobopterus Rambur.

excisus Hagen. Can. Ent., xix, 153. (H. J. G.)

Order MECOPTERA.

Family PANORPIDÆ.

Panorpa Linnæus.

americana Swederus. Bull. Sci. Lab., Denison Univ., xi, 250.

confusa Westwood. *Ibid.*, xi, 251.

maculosa Hagen. *Ibid.*, xi, 247.

nebulosa Westwood. *Ibid.*, xi, 247.

rufescens Rambur. Insect Book, pl. xxiii, 10.

Bittacus Latreille.

stigmaterus Say. Bull. Sci. Lab., Denison Univ., xi, 260.

Order TRICHOPTERA.

Family PHRYGANEIDÆ.

Phryganea Linnæus.

cinerea Walker. Syn. Neurop. N. A., 252.

interrupta Say. Compl. Writ., i, 98.

Neuronia Leach.

angustipennis Hagen. Verh. Zool-Bot. Ges. Wien., 1873, 400.

concatenata Walker. *Phryganea irrorata*. Syn. Neurop.

N. A., 249.

postica Walker. *Ibid.*, 251.

stygipes Hagen. Verh. Zool-Bot. Ges. Wien., 1873, 388.

Family LIMNEPHILIDÆ.

Limnephilus Leach.

despectus Walker. Syn. Neurop. N. A., 259.

indivisus Walker. *Ibid.*, 260.

submonilifer Walker. *Ibid.*, 260.

Platycentropus Ulmer.

maculipennis Kolenati. *Hallesus hostis*. Syn. Neurop. N. A., 266.

Pycnopsyche Banks.

scabripennis Rambur. *Hallesus*. Syn. Neurop. N. A., 265.

Dicosmœcus McLachlan.

argus Harris. Entomological Correspondence, 333.

Stenophylax Kolenati.

divergens Walker. *Limnephilus*. Syn. Neurop. N. A., 255.

Chilostigma McLachlan.

difficilis Walker. *Limnephilus*. Syn. Neurop. N. A., 268.

Family RHYACOPHILIDÆ.

Chimarrhia Leach.

aterrima Hagen. Syn. Neurop. N. A., 297.

Family SERICOSTOMATIDÆ.

Helicopsyche Hagen.

borealis Hagen. *Notidobia*. Syn. Neurop. N. A., 271.

Family LEPTOCERIDÆ.

Leptocerus Leach.

sp.

Æcetina Banks.

avara Banks. Trans. Am. Ent. Soc. xxii, 316.

incerta Walker. *Leptocerus*. Syn. Neurop. N. A., 278.

sp. ?

Mystacides Latreille.

nigra Linnæus. *Leptocerus*. Syn. Neurop. N. A., 277.

sepulchralis Walk. *Leptocerus*. *Ibid.*, 277.

Setodes Rambur.

grandis Banks. Proc. Wash. Ent. Soc. viii, 128.

Family HYDROPSYCHIDÆ.

Macronema Pictet.

zebrata Hagen. Insect Book, pl. xxiii, 9.

Hydropsyche Pictet.

- alternans* Walker. *morosa*. Syn. Neurop. N. A., 288.
analis Banks. Jour. N. Y. Ent. Soc., 1903, 243.
scalaris Hagen. Syn. Neurop. N. A., 286.
sordida Hagen. *Ibid.*, 290.
sp.

Family HYDROPTILIDÆ.

Orthotrichia Eaton.

- pictipes* Banks. Trans. Am. Ent. Soc., xxxvii, 359.

Order **ODONATA.**

Dragonflies.

Family **AGRIONIDÆ.****Agrion** Fabricius.*Calopteryx* Leach.

æquabile Say. Insect Book, pl. xlvi, 14.

amatum Hagen. Psyche, 5, 244.

maculatum Beauvois. Insect Book, pl. xlvi, 12.

Hetærina Hagen.

americana Fabricius. Insect Book, pl. xlvi, 9, 11.

Lestes Leach.

congener Hagen. Trans. Am. Ent. Soc., xx, 229.

disjunctus Selys. *Ibid.*, xx, 231.

eurinus Say. Insect Book, pl. xlvii, 11.

forcipatus Rambur. *Ibid.*, pl. xlvi, 1, 5.

inæqualis Walsh. Rept. Geol. Ind., 260.

rectangularis Say. *Ibid.*, pl. xlvii, 9.

uncatus Kirby. *Ibid.*, pl. xlviii, 3.

unguiculatus Hagen. *Ibid.*, pl. xlvii, 15.

vigilax Hagen. *Ibid.*, pl. xlvii, 8.

Argia Rambur.*

mœsta Hagen var. *putrida* Hagen. Insect Book, pl. xlvii,
10, 13.

violacea Hagen. Trans. Am. Ent. Soc., xx, 233.

Nehalennia Selys.

irene Hagen. Insect Book, pl. xlvi, 3.

Amphiagrion Selys.

saucium Burmeister. Insect Book, pl. xlvi, 2.

Chromagrion Needham.

conditum Hagen. N. Y. State Mus., Bull. 68, pl. 13, 1 and 2.

Enallagma Charpentier.

aspersum Hagen. Trans. Am. Ent. Soc., xx, 237.

civile Hagen. Insect Book, pl. xlvii, 12, 14.

* See also appendix.

- carunculatum* Morse. *Psyche*, 7, 208.
cyathigerum Charpentier. *annexum*. *Ent. News*, xi, 154.
divagans Selys. *Trans. Am. Ent. Soc.*, xx, 238.
durum Hagen. *Insect Book*, pl. xlvi, 13.
ebrium Hagen. *Rept. Geol. Ind.*, xxiv, 270.
exsulans Hagen. *Insect Book*, pl. xlvi, 4, 8.
geminatum Kellicott. *Ent. News*, vi, 239.
signatum Hagen. *Insect Book*, pl. xlvi, 1.
traviatum Selys. *Rept. Geol. Ind.*, 1900, 271.
vesperum Calvert. *pollutum*. *Trans. Am. Ent. Soc.*, xlv, 381.

Ischnura Charpentier.

- posita* Hagen. *Insect Book*, pl. xlvi, 7.
verticalis Say. *Ibid.*, pl. xlvi, 2, 3, 5.

Anomalagrion Selys.

- hastatum* Say. *Insect Book*, pl. xlvi, 16, 18.

Family ÆSCHNIDÆ.

Hagenius Selys.

- brevistylus* Selys. *Trans. Am. Ent. Soc.*, xx, 241.

Ophiogomphus Selys.

- johannus* Needham. *Can. Ent.*, xxix, 182.
rupinsulensis Walsh. *Rept. Geol. Ind.*, xxiv, 298.

Lanthus Needham.

- albistylus* Hagen. *Gomphus navius*. *Trans. Am. Ent. Soc.*, xx, 242. (L. B. W.)

Gomphus Leach.

- abbreviatus* Hagen. *Trans. Am. Ent. Soc.*, xx, 243.
borealis Needham. *N. Y. State Mus.*, Bull. 68, 265.
brevis Hagen. *N. Y. State Mus.*, Bull., 47, 449.
exilis Selys. *Trans. Am. Ent. Soc.*, xx, 243.
sordidus Hagen. *lividus* Selys. *Ent. News*, xiv, 256.
spicatus Hagen. *Rept. Geol. Ind.*, 292, 1899.

Dromogomphus Selys.

- spinus* Selys. *N. Y. State Mus.*, Bull. 47, 462.

Cordulegaster Leach.

- diastotops* Selys. *lateralis*. *Proc. Bost. Soc. Nat. Hist.*, x, 211.

erroneus Hagen. Trans. Am. Ent. Soc., xx, 246.

maculatus Selys. Insect Book, pl. xlv, 7.

obliquus Say. Rept. Geol. Ind., xxiv, 300.

Anax Leach.

junius Drury. Insect Book, pl. xl, 15.

Æshna Fabricius.

canadensis Walker. Can. Ent., xl, 384.

clepsydra Say. *Ibid.*, xl, 383.

constricta Say. Insect Book, pl. xli, 4.

juncea Linnæus. Can. Ent., xl, 385.

tuberculifera Walker. Can. Ent., xl, 385.

umbrosa Walker. *Ibid.*, xl, 380.

verticalis Hagen. Trans. Am. Ent. Soc., xx, 248.

Epiæschna Selys.

heros Fabricius. Insect Book, pl. xli, 7.

Boyeria MacLachlan.

vinosa Say. *Fonscolombia*. Insect Book, pl. xlv, 4.

Basiæschna Selys.

janata Say. Insect Book, pl. xlv, 1.

Gomphæschna Selys.

furcillata Say. Rept. Geol. Ind., xxiv, 302.

Family LIBELLULIDÆ

Didymops Rambur.

transversa Say. Insect Book, pl. xlv, 9.

Epicordulia Selys.

princeps Hagen. Insect Book, pl. xiv, 8.

Helocordulia Needham.

uhleri Selys. N. Y. State Mus., Bull. 47, 496.

Tetragoneuria Hagen.

cynosura Say. Trans. Am. Ent. Soc., xx, 252.

cynosura var. *simulans* Muttkowski. Bull. Wis. Acad. Sci.,
95, 1911.

spinigera Selys. Rept. Geol. Ind., 311. 1899.

spinosa Hagen. N. Y. State Mus., Bull. 47, 495.

Somatochlora Selys.*

- elongata* Scudder, var. *minor* Calvert. Ent. News, ix, 87.
tenebrosa Say. Rept. Geol. Ind., 314. 1899.

Cordulia Leach.

- shurtleffi* Scudder. N. Y. State Mus., Bull. 47, 506.

Dorocordulia Needham.

- lepida* Hagen. N. Y. State Mus., Bull. 47, 506.
libera Selys. Rept. Geol. Ind., 314. 1899.

Libellula Linnæus.

- auripennis* Burmeister. Insect Book, pl. xlv, 6.
cyanea Fabricius. *Ibid.*, pl. xlv, 2, 3.
exusta Say. *Ibid.*, pl. xli, 5, 6.
incesta Hagen. Insect Book, pl. xliii, 3.
luctuosa Burmeister. *basalis*. *Ibid.*, pl. xliii, 2.
pulchella Drury. *Ibid.*, pl. xl, 7.
quadrifasciata Linnæus. *Ibid.*, pl. xl, 3.
semifasciata Burmeister. *Ibid.*, pl. xlv, 5.
vibrans Fabricius. *Ibid.*, pl. xl, 11.

Plathemis Hagen.

- lydia* Drury. *trimaculata*. Insect Book, pl. xl, 1, 5.

Erythrodiplax Brauer.

- berenice* Drury. *Micrathyria*. Insect Book, pl. xli, 1, 2, 3.

Nannothemis Brauer.

- bella* Uhler. Trans. Am. Ent. Soc., xx, 260.

Tramea Hagen.

- carolina* Linnæus. Insect Book, pl. xliii, 8.

Sympetrum Newman.

- corruptum* Hagen. *Diplax*. Insect Book, pl. xlii, 5.
costiferum Hagen. *Ibid.*, pl. xlv, 8, 9.
rubicundulum Say. *Diplax*. *Ibid.*, pl. xlii, 8, 9.
semicinctum Say. *Diplax*. *Ibid.*, pl. xliii, 7.
vicinum Hagen. *Diplax*. Trans. Am. Ent. Soc., xx, 264.

Leucorhinia Brittinger.

- frigida* Hagen. Trans. Am. Ent. Soc., xvii, 231. (L. B. W.)
glacialis Hagen. N. Y. State Mus., Bull. 47, 518.
intacta Hagen. Insect Book, pl. xlv, 5, 6.

* See also appendix.

Celethemis Hagen.

elisa Hagen. Insect Book, pl. xl, 14.

eponina Drury. *Ibid.*, pl. xliii, 4.

monomelæna Williamson. Ohio Nat., 10. 1910.

Perithemis Hagen.

domitia Drury. *tenera* Say. Insect Book, pl. xl, 4, 6.

Erythemis Hagen.

simplicicollis Say. *Mesothemis*. Insect Book, pl. xli, 8, 9.

Pachydiplax Brauer.

longipennis Burmeister. Trans. Am. Ent. Soc., xx, 265.

Order **EUPLEXOPTERA.**

Earwigs.

Family **FORFICULIDÆ.****Anisolabis** Fieber.

maritima Bonnel. Maritime earwig. Conn. Geol. Nat. Hist. Surv., Bull. 16, 45.

Labia Leach.

minor Linnæus. Conn. Geol. Nat. Hist. Surv., Bull. 16, 47.

Order ORTHOPTERA.

Grasshoppers, Crickets, and Cockroaches.

Family BLATTIDÆ.

Parcoblatta Hebard.

pennsylvanica DeGeer. Pennsylvania cockroach. Conn. Geol. Nat. Hist. Surv., Bull. 16, 54.

uhleriana Saussure. *Ibid.*, Bull. 16, 55.

virginica Brunner, *Ischnoptera borealis*. Proc. Acad. Nat. Sci., Phila., 44. 1910.

Blattella Caudell.

germanica Linnæus. *Ectobia. Phyllodromia*. Croton bug. German cockroach. Bur. Ent., Bull. 4, new ser., 92: Conn. Geol. Nat. Hist. Surv., Bull. 16, 56.

Blatta Linnæus.

orientalis Linnæus. Oriental cockroach. Bur. Ent., Bull. 4, new ser., 91: Conn. Geol. Nat. Hist. Surv., Bull. 16, 57.

Periplaneta Burmeister.

americana Linnæus. American cockroach. Bur. Ent., Bull. 4, new ser., 84: Conn. Geol. Nat. Hist. Surv., Bull. 16, 58.

australasiæ Fabricius. Australian cockroach. Bur. Ent., Bull. 4, new ser., 91. Conn. Geol. Nat. Hist. Surv., Bull. 16, 59.

Nyctibora Burmeister.

noctivaga Rehn. *mexicana* Saussure. In bananas. Conn. Geol. Nat. Hist. Surv., Bull. 16, 53.

Pycnoscelus Scudder.

surinamensis Linnæus. *Leucophæa*. In greenhouse. Rept. Conn. Agr. Expt. Sta., 307. 1917.

Panchlora Burmeister.

cubensis Saussure. *poeyi. viridis*. Green cockroach. In bunches of bananas. Conn. Geol. Nat. Hist. Surv., Bull. 16, 53.

Family PHASMIDÆ.

Diapheromera Gray.

femorata Say. Walking stick. Conn. Geol. Nat. Hist. Surv., Bull. 16, 62.

Family MANTIDÆ.

Tenodera Burmeister.

sinensis Saussure. *Paratenodera*. Chinese praying mantis.
Conn. Geol. Nat. Hist. Surv., Bull. 16, 60.

Manomera Rehn and Hebard.

blatchleyi Caudell. Proc. U. S. Nat. Mus., 44, 612. (A.P.M.)

Family ACRIDIDÆ.

Nomotettix Morse.

cristatus Scudder. Crested grouse locust. Conn. Geol. Nat.
Hist. Surv., Bull. 16, 66.

cristatus var. *carinatus* Scudder. *Ibid.*, Bull. 16, 67.

Tettix Charpentier.

angustus Hancock. Trans. Am. Ent. Soc., xxiii, 238. (A.P.M.)

granulatus Kirby. Conn. Geol. Nat. Hist. Surv., Bull. 16, 68.

ornatus Say. Ornate grouse locust. *Ibid.*, Bull. 16, 67.

Paratettix Bolivar.

cucullatus Burmeister. Hooded grouse locust. Conn. Geol.
Nat. Hist. Surv., Bull. 16, 69.

Tettigidea Scudder.

parvipennis Harris. Conn. Geol. Nat. Hist. Surv., Bull. 16, 70.

parvipennis var. *pennata* Morse. *Ibid.*, Bull. 16, 70.

Eritettix Bruner.

carinatus Scudder. Conn. Geol. Nat. Hist. Surv., Bull. 16, 75.

Orphulella Giglio-Tos.

olivacea Morse. Conn. Geol. Nat. Hist. Surv., Bull. 16, 81.

pelidna Burmeister. Smaller spotted-winged locust. *Ibid.*,
Bull. 16, 79.

speciosa Scudder. *Ibid.*, Bull. 16, 80.

Dicromorpha Morse.

viridis Scudder. Short-winged green locust. Conn. Geol. Nat.
Hist. Surv., Bull. 16, 76.

Chlœaltis Harris.

conspersa Harris. Sprinkled locust. Conn. Geol. Nat. Hist.
Surv., Bull. 16, 83.

Stenobothrus Fischer.

curtipennis Harris. Short-winged brown locust. Conn. Geol.
Nat. Hist. Surv., Bull. 16, 83.

Mecostethus Fieber.

lineatus Scudder. Conn. Geol. Nat. Hist. Surv., Bull. 16, 85.

platypterus Scudder. *Ibid.*, Bull. 16, 86. (A. P. M.)

Arphia Stål.

sulphurea Fabricius. Sulphur-winged locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 89.

xanthoptera Germar. *Ibid.*, Bull. 16, 90.

Chortophaga Saussure.

viridifasciata DeGeer. Green-striped locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 90.

Encoptolophus Scudder.

sordidus Burmeister. Clouded locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 92.

Camnula Stål.

pellucida Scudder. Clear-winged locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 92.

Hippiscus Saussure.

tuberculatus Beauvois. Coral-winged locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 94.

Dissosteira Scudder.

carolina Linnæus. Carolina locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 96.

Spharagemon Scudder.

bolli Scudder. Conn. Geol. Nat. Hist. Surv., Bull. 16, 99.

collare Scudder, var. **scudderi** Morse. *Ibid.*, Bull. 16, 98.

collare var. **wyomingianum** Thomas. Mottled sand locust. *Ibid.*, Bull. 16, 98.

saxatile Morse. *Ibid.*, Bull. 16, 100.

Scirtetica Saussure.

marmorata Harris. Conn. Geol. Nat. Hist. Surv., Bull. 16, 101.

Psinidia Stål.

fenestralis Serville. Long-horned locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 103.

Trimerotropis Stål.

maritima Harris. Maritime locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 104.

Circotettix Scudder.

verruculatus Kirby. Conn. Geol. Nat. Hist. Surv., Bull. 16, 105.

Pseudopomala Morse.

brachyptera Scudder. Conn. Geol. Nat. Hist. Surv., Bull. 16, 73.

Schistocerca Stål.

alutacea Harris. Leather-colored locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 108.

americana Drury. American locust. *Ibid.*, Bull. 16, 108.

rubiginosa Harris. Rusty locust. *Ibid.*, Bull. 16, 109.

Melanoplus Stål.

atlanis Riley. Lesser locust. Conn. Geol. Nat. Hist. Surv., Bull. 16, 117.

bivittatus Say. Yellow-striped locust. *Ibid.*, Bull. 16, 121.

fasciatus Walker and Barnston. *Ibid.*, Bull. 16, 119.

femur-rubrum DeGeer. Red-legged locust. *Ibid.*, Bull. 16, 118.

luridus Dodge. *Ibid.*, Bull. 16, 120.

mancus Smith. *Ibid.*, Bull. 16, 115.

minor Scudder. *Ibid.*, Bull. 16, 119.

punctulatus Uhler. Grizzly locust. *Ibid.*, Bull. 16, 122.

scudderi Uhler. Scudder's short-winged locust. *Ibid.*, Bull. 16, 116.

Paroxya Scudder.

floridana Thomas. Conn. Geol. Nat. Hist. Surv., Bull. 16, 123

Family LOCUSTIDÆ.

Scudderia Stål.

curvicauda DeGeer. Curve-tailed katydid. Conn. Geol. Nat. Hist. Surv., Bull. 16, 127.

furcata Bruner. Fork-tailed katydid. *Ibid.*, Bull. 16, 128.

pistillata Bruner. *Ibid.*, Bull. 16, 128.

septentrionalis Serville. *Ibid.*, Bull. 16, 129.

texensis Saussure-Pictet. *Ibid.*, Bull. 16, 126.

Amblycorypha Stål.

oblongifolia DeGeer. Oblong-winged katydid. Conn. Geol. Nat. Hist. Surv., Bull. 16, 130.

rotundifolia Scudder. Round-winged katydid. *Ibid.*, Bull. 16, 130.

Cyrtophyllus Burmeister.

perspicillatus Linnæus. *concauus*. True katydid. Conn. Geol. Nat. Hist. Surv., Bull. 16, 131.

Conocephalus Thunberg.

ensiger Harris. Sword-bearer. Conn. Geol. Nat. Hist. Surv., Bull. 16, 133.

exilis canorus Davis. *Ibid.*, Bull. 16, 134.

robustus Scudder. *Ibid.*, Bull. 16, 135.

triops Linnæus. *Ibid.*, Bull. 16, 135.

Orchelimum Serville.

concinnum Scudder. *herbaceum*. Conn. State Geol. Nat. Hist. Surv., Bull. 16, 139.

gladiator Bruner. Can. Ent., xxiii, 71.

vulgare Harris. Common meadow grasshopper. Conn. Geol. Nat. Hist. Surv., Bull. 16, 139.

Xiphidium Serville.

brevipenne Scudder. Short-winged meadow grasshopper. Conn. Geol. Nat. Hist. Serv., Bull. 16, 137.

ensiferum Scudder. *Ibid.*, Bull. 16, 137. (W. S. B.)

fasciatum DeGeer. Slender meadow grasshopper. *Ibid.*, Bull. 16, 137.

spartinae Fox. Ent. News, xxiii, 1111. (A.P.M.)

Atlanticus Scudder.

dorsalis Burmeister. Conn. Geol. Nat. Hist. Surv., Bull. 16, 141.

pachymerus Burmeister. *Ibid.*, Bull. 16, 141.

Ceutophilus Scudder.

brevipes Scudder. Conn. Geol. Nat. Hist. Surv., Bull. 16, 145.

gracilipes Haldeman. *Ibid.*, Bull. 16, 143.

grandis Scudder. *Ibid.*, Bull. 16, 144.

latens Scudder. *Ibid.*, Bull. 16, 146.

maculatus Harris. *Ibid.*, Bull. 16, 145.

neglectus Scudder. *Ibid.*, Bull. 16, 147.

pallidipes Walker. *Ibid.*, Bull. 16, 146.

terrestris Scudder. *Ibid.*, Bull. 16, 144.

Family GRYLLIDÆ.

Gryllotalpa Linnæus.

borealis Burmeister. Northern mole cricket. Conn. Geol. Nat. Hist. Surv., Bull. 16, 149.

Tridactylus Olivier.

terminalis Uhler. Conn. Geol. Nat. Hist. Surv., Bull. 16, 150.

Nemobius Serville.

carolinus Scudder. Conn. Geol. Nat. Hist. Surv., Bull. 16, 152.

fasciatus DeGeer. *vittatus*. Small black cricket. Striped ground cricket. *Ibid.*, Bull. 16, 151.

griseus Walker. Can. Ent., xxxiv, 182.

maculatus Blatchley. Orthop. Ind., 424.

palustris Blatchley. Marsh ground cricket. Conn. Geol. Nat. Hist. Surv., Bull. 16, 152.

Gryllus Linnæus.

abbreviatus Serville. Common field cricket. Conn. Geol. Nat. Hist. Surv., Bull. 16, 154.

domesticus Linnæus. House cricket. Conn. Geol. Nat. Hist. Surv., 16, 154.

pennsylvanicus Burmeister. Pennsylvania field cricket. *Ibid.*, Bull. 16, 154.

Œcanthus Serville.

angustipennis Fitch. Narrow-winged tree cricket. Conn. Geol. Nat. Hist. Surv., Bull. 16, 158.

exclamationis Davis. *Ibid.*, Bull. 16, 158.

nigricornis Walker. *fasciatus* Fitch. Striped tree cricket. *Ibid.*, Bull. 16, 159.

niveus DeGeer. Snowy tree cricket. *Ibid.*, Bull. 16, 157.

pini Beutenmüller. Pine tree cricket. *Ibid.*, Bull. 16, 160. (W. B.)

quadripunctatus Beutenmüller. Four-spotted tree cricket. *Ibid.*, Bull. 16, 159.

Anaxipha Saussure.

exigua Say. Conn. Geol. Nat. Hist. Surv., Bull. 16, 162.

Xabea Walker.

bipunctatus DeGeer. Two-spotted tree cricket. Conn. Geol. Nat. Hist. Surv., Bull. 16, 161.

Order THYSANOPTERA (PHYSOPODA).

Family ÆOLOTHRIPIDÆ.

Æolothrips Haliday.

fasciatus Linnæus. *Coleothrips trifasciata*. Proc. U. S. Nat. Mus., xxvi, 127.

Family THRIPIDÆ.

Euthrips Targioni-Tozzetti.

tritici Fitch. *Thrips*. Wheat thrips. Proc. U. S. Nat. Mus., xxvi, 148.

Anaphothrips Uzel.

striatus Osborn. Grass thrips. Proc. U. S. Nat. Mus., xxvi, 161.

Heliothrips Haliday.

femoralis Heeger. *cestri*. Proc. U. S. Nat. Mus., xxvi, 172.
hæmorrhoidalis Bouché. *Ibid.*, xxvi, 168.

Parthenothrips Uzel.

dracænæ Heeger. Proc. U. S. Nat. Mus., xxvi, 176.

Thrips Linnæus.

perplexus Beach. Proc. U. S. Nat. Mus., xxvi, 184.

tabaci Lindeman. Onion thrips, *Ibid.*, xxvi, 179: Rept. Conn. Agr. Expt. Sta., 1903, 266.

Family PHLÆOTHRIPIDÆ.

Anthothrips Uzel.

verbasci Osborn. Proc. U. S. Nat. Mus., xxvi, 189.
sp.

Liothrips Uzel.

citricornis Hood. Can. Ent., xl, 306.

Leptothrips Hood.

aspersus Hinds. *Cryptothrips*. Proc. U. S. Nat. Mus., xxvi, 265.

Order HEMIPTERA.

Bugs, Lice, Aphids, Scale Insects, etc.

Suborder PARASITICA.

Family PEDICULIDÆ.

Pediculus Linnæus.

corporis DeGeer. *vestimenti* Leach. Body-louse of man. Bur. Ent. Bull. 5, new series.

humanus Linnæus. *capitis*. Head-louse of man. *Ibid.*, 166.

Phthirus Leach.

pubis Linnæus. *inguinalis* Leach. Crab-louse of man. Bur. Ent., Bull. 5, new series, 165.

Hæmatopinus Leach.

eurysternus Nitzsch. Short-nosed ox-louse. Bur. Ent., Bull. 5, new series, 172.

Linognathus Enderlein.

piliferus Burmeister. Sucking dog-louse. Bur. Ent., Bull. 5, new series, 169.

vituli Linnæus. Long-nosed ox-louse. *Ibid.*, 176.

Suborder HOMOPTERA.

Family FULGORIDÆ.

Scolops Schaum.

angustatus Uhler. Bull. Geol. Geog. Surv., I, 350.

sulcipes Say. Compl. Writ., ii, 254.

Phylloscelis Germar.

atra Germar. Proc. Acad. Nat. Sci. Phila., 1907, 472.

atra var. *albovenosa* Millichar. *Ibid.*, 1907, 472.

Elidiptera Spinola.*Helicoptera* Amyot and Serville.

variegata Van Duzee. Proc. Acad. Nat. Sci. Phila., 1907, 479.
sp.

Catonia Uhler.

grisea Van Duzee. Proc. Acad. Nat. Sci. Phila., 1907, 480, 482.
impunctata Fitch. *Myndus*. *Ibid.*, 1907, 480, 482.

Oliarus Stål.

cinnamomeus Provancher. Proc. Acad. Nat. Sci. Phila., 1907,
 485, 488.
complectus Ball. *Ibid.*, 1907, 485, 488.
humilis Say. *Ibid.*, 1907, 485, 488.

Cixius Latreille.

basalis Van Duzee. Bull. Buff. Soc. Nat. Sci., v, 191.
colœpeum Fitch. Proc. Acad. Nat. Sci. Phila., 1907, 489, 490.
misellus Van Duzee. (erroneously *stigmaticus*) Can. Ent.,
 xxxviii, 408.
pini Fitch. *Ibid.*, xxxviii, 408.

Ceclæus Stål.

borealis Van Duzee. Bull. Buff. Soc. Nat. Sci., x, 495.
campestris Ball. Can. Ent., xxxiv, 156.
decens Stål. Berl. Ent., Zeitschr., vi, 307.

Myndus Stål.

fulvus Osborn. Ohio Nat., iv, (2) 46.

Bruchomorpha Newman.

oculata Newman. Can. Ent., xxi, 7.

Acanalonia Spinola.*Amphiscepa* Uhler.

bivittata Say. *Flata*. Insect Book, Pl. xxviii, 20. Compl.
 Writ., ii, 255.

Ormenis Stål.

pruinosa Say. *Flata*. Insect Book, Pl. xxvii, 28. Compl.
 Writ., ii, 373.

septentrionalis Spinola. Insect Book, Pl. xxvii, 24, 27; Ann.
 Soc. Ent. France, Ser. i, viii, 1839.

Lamenia Stål.

obscura Ball. Can. Ent. xxxiv, 262.
vulgaris Fitch. Cat. Ins. N. Y., 47, 1851.

Otiocerus Kirby.

amyoti Fitch. Ins. N. Y., iii, 394.
degeerii Kirby. Trans. Linn. Soc. London, xiii, 16.

Stenocranus Fieber.

dorsalis Fitch, var. *vittatus* Stål. (*lautus* Van Duzee.) Bull. Buff. Soc. Nat. Sci., v, 231.

Kelisia Fieber.

axialis Van Duzee. Bull. Buff. Soc. Nat. Sci., v, 191.

Prokelisia Osborn.

marginata Van Duzee. Bull. Buff. Soc. Nat. Sci., v, 235.

Pissonotus Van Duzee.

ater Van Duzee. Bull. Buff. Soc. Nat. Sci., v, 190.

Stobæra Stål.

tricarinata Say. *Delphax*. Compl. Writ., ii, 255.

Liburniella Crawford.

ornata Stål. Berl. Ent. Zeitschr., vi, 315.

Liburnia Stål.

campestris Van Duzee. Bull. Buff. Soc. Nat. Sci., v, 191.

laminalis Van Duzee. *Ibid.*, v, 251.

lateralis Van Duzee. *Ibid.*, v, 253.

lutulenta Van Duzee. *Ibid.*, v, 191.

pellucida Fabricius. *Ibid.*, v, 191.

puella Van Duzee. *Ibid.*, v, 191.

Family CICADELLIDÆ.*

Jassoidea.

Agallia Curtis.

constricta Van Duzee. Can. Ent., xxvi, 90.

novella Sav. Proc. Acad. Nat. Sci. Phila., 1831, 6, 309.

quadripunctata Provancher. Nat. Can., 1872, 4, 376.

sanguinolenta Provancher. *Ibid.*, 1872, 4, 376.

Idiocerus Lewis.

lachrymalis Fitch. Ohio State Univ., Bull. 22, 507, 1905.

pallidus Fitch. *Ibid.*, Bull. 22, 505, 1905.

fitchi Van Duzee. *maculipennis*. Proc. Dav. Acad. Sci., vii, 73, 127.

provancheri Van Duzee. Buff. Soc. Nat. Sci., Bull. 5, 194.

scurra Germar. *gemmisimulans* Leonard and Crosby. Jour. Econ. Ent., 8, 542.

sp.

* See also appendix.

Macropsis Lewis.*Pediopsis* Burmeister.

- trimaculata* Fitch. *insignis* Van Duzee. Ent. Amer., v, 172.
viridis Fitch. Rept. N. Y. State Ent., 9, 399.
virescens Gmelin, var. *graminea* Fabricius. Me. Agr. Expt.
 Sta., Bull. 239, 90.

Oncopsis Burmeister.

- cognatus* Van Duzee. Ent. Amer., vi, 225.
fitchi Van Duzee. *fenestratus* Fitch. Rept. N. Y. State Ent.,
 9, 400.
minor Fitch. Ent. Amer., vi, 228.
sobrius Walker. *Ibid.*, vi, 223.
variabilis Fitch. Ent. Amer., vi, 224.
 sp.

Oncometopia Stål.

- lateralis* Fabricius, var. *limbata* Say. Compl. Writ., ii, 258.

Cicadella Latreille.*Tettigoniella* Jacoby.

- gothica* Signoret, *Tettigonia*. Ohio State Univ. Bull., ser. 5,
 No. 21, 19.

Kolla Distant.

- bifida* Say. *Tettigonia*. Bull. Ill. State Lab. Nat. Hist., iii, 27.
tripunctata Fitch. *Tettigonia*. Ohio State Univ. Bull., Ser.
 5, No. 21, 26.

Helochara Fitch.

- communis* Fitch. Ohio State Univ. Bull., Ser. 5, No. 21, 28.

Graphocephala Van Duzee.*Diedrocephala* Ball.

- coccinea* Fœrster. *Tettigonia*. Bull. Ill. State Lab. Nat.
 Hist., iii, 23.
coccinea var. *teliformis* Walker. Bull. Buff. Soc. Nat. Sci., ix,
 214.

Dræculacephala Ball.

- angulifera* Walker. Ohio State Univ. Bull., Ser. 5, No. 21,
 33, 35.
minor Walker. Bull. Buff. Soc. Nat. Sci., ix, 214.

mollipes Say. *Tettigonia*. Bull. Ill. State Lab. Nat. Hist., iii, 24.
noveboracensis Fitch. *Tettigonia*. *Ibid.*, iii, 24.

Penthimia Germar.

americana Fitch. Rept. N. Y. State Ent., ix, 397.

Gypona Germar.

bipunctulata Woodworth. Bull. Ill. State Lab. Nat. Hist.,
 iii, 30.

cinerea Uhler. Bull. Geol. Geog. Surv., 3, 460.

geminata Osborn. Rept. N. Y. State Ent., xx, 513.

melanota Spangberg. Spec. Gyponæ, 1878, 23.

octolineata Say. *striata*. *flavilineata*. Bull. Ill. State Lab.
 Nat. Hist., iii, 30.

rugosa Spangberg. Rept. N. Y. State Ent., 20, 513.

scarlatina Fitch. *Ibid.*, ix, 397.

Stroggylocephalus Flor.

agrestis Fallen. Bull. Buff. Soc. Nat. Sci., v, 197.

Xerophlœa Germar.

major Baker. Psyche, viii, 285.

viridis Fabricius. Proc. Iowa Acad. Sci., iv, 179.

Acucephalus Germar.

albifrons Linnæus. *Tettigonia mixta*. Compl. Writ., ii, 258.

Parabolocratus Fieber.

viridis Uhler. Bull. Geol. Geog. Surv., 3, 462, 1877.

Mesamia Ball.

vitellina Fitch. *Paramesus*. Rept. N. Y. State Ent., 9, 399.

Scaphoideus Uhler.

auronitens Provancher. Jour. Cin. Soc. Nat. Hist., xix, 194.

carinatus Osborn. Ohio Nat., xi, 251.

consors Uhler. Jour. Cin. Soc. Nat. Hist., xix, 196.

immistus Say. *Ibid.*, xix, 204.

intricatus Uhler. *Ibid.*, xix, 202.

lobatus Van Duzee. Ohio Nat., xi, 250.

luteolus Van Duzee. Jour. Cin. Soc. Nat. Hist., xix, 203.

melanotus Osborn. Ohio Nat., xi, 251.

opalinus Osborn. Rept. N. Y. State Ent., 20, 525.

productus Osborn. Jour. Cin. Soc. Nat. Hist., xix, 200.

unicolor Osborn. *consors* var. *unicolor*. *Ibid.*, xix, 196.

sp.

Platymetopius Burmeister.

acutus Say. *Jassus*. Compl. Writ., ii, 382.

frontalis Van Duzee. Can. Ent., xxii, 112.

frontalis var.

hyalinus Osborn. Ent. News, xi, 501.

magdalensis Provancher. Tenn. State Bd. Ent., Bull. 17, 41.

Deltocephalus Burmeister.

apicatus Osborn. Me. Agr. Expt. Sta., Bull. 238, 120.

balli Van Duzee. *nigrifrons*. Bur. Ent., Bull., 198, 77.

configuratus Uhler. Bull. Geol. Geog. Surv., iv, 511, 1871.

flavicosta Stål. *flavocostatus*. Can. Ent., xxiv, 116.

inimicus Say. *Jassus*. Compl. Writ., ii, 382; Me. Agr. Expt. Sta., Bull. 238, 123.

littoralis Ball. Bull. Buff. Soc. Nat. Sci., ix, 221.

melsheimerii Fitch. Tenn. State Bd. Ent., Bull., 17, 48.

minimus Osborn and Ball. *Ibid.*, 17, 47.

pascuellus Fallen. *minki* Fieber. Me. Agri. Expa. Sat., Bull., 238, 118.

pictus Osborn. Tenn. State Bd. Ent., Bull. 17, 43.

sayi Fitch. *Ibid.*, Bull. 17, 46.

simplex Van Duzee. Trans. Am. Ent. Soc., xix, 304.

sylvestris Osborn and Ball. Tenn. State Bd. Ent., Bull., 17, 49.

Driotura Osborn and Ball.

gammaroides Van Duzee. Me. Agr. Expt. Sta., Bull. 238, 132.

Euscelis Brullé.*Athysanus* Burmeister.

anthracinus Van Duzee. Ohio Nat., ii, 241.

curtisii Fitch. *Ibid.*, ii, 251.

extrusus Van Duzee. *Ibid.*, ii, 237.

relativus Gillette and Baker. *obsoletus*. *Ibid.*, ii, 239.

striatulus Fallen. *plutonius* Uhler. *Ibid.*, ii, 240.

striolus Fallen. *Ibid.*, ii, 235.

uhleri Ball. Can. Ent., xliii, 200.

vaccini Van Duzee. Ohio Nat., ii, 242.

varus Ball. *Ibid.*, ii, 239.

Eutettix Van Duzee.

cinctus Osborn and Ball. Proc. Dav. Acad. Sci., xii, 64.

johnsoni Van Duzee. *Mesamia*. *Ibid.*, xii, 66.

- marmoratus* Van Duzee. *Ibid.*, xii, 35.
seminudus Say. *Athysanus*. *Ibid.*, xii, 42.
strobi Fitch. *Ibid.*, xii, 44.

Phlepsius Fieber.

- collitus* Ball. Can Ent., xxxv, 227.
fulvidorsum Fitch. Trans. Am. Ent. Soc., xix, 74.
fuscipennis Van Duzee. *Ibid.*, xix, 70.
incisus Van Duzee. *Ibid.*, xix, 73.
irroratus Say. *Ibid.*, xix, 71.
lobatus Osborn. Proc. Ia. Acad. Sci., v, 247.
majestus Osborn and Ball. Tenn. St. Bd. Ent., Bull. 17, 76.
nebulosus Van Duzee. Trans. Am. Ent. Soc., xix, 77.
solidaginis Walker. *humidus*. *Ibid.*, xix, 76.

Acinopterus Van Duzee.

- acuminatus* Van Duzee. Psyche, vi, 308.

Thamnottettix Zetterstedt.

- brittoni* Osborn. Proc. Dav. Acad. Sci., x, 166.
clitellarius Say. *Jassus*. Compl. Writ., ii, 384.
eburatus Van Duzee. Can. Ent., xxi, 10.
kennicotti Uhler. Proc. Ent. Soc. Phila., ii, 161.
melanogaster Provancher. Nat. Can., iv, 378.
nigrifrons Forbes. *perpunctata* Van Duzee. Ins. Ill., 14, 67.

Chlorotettix Van Duzee.

- balli* Osborn. Proc. Iowa Acad. Sci., v, 247.
galbanatus Van Duzee. Psyche, vi, 309.
lusorius Osborn and Ball. Proc. Iowa Acad. Sci., iv, 226.
tergatus Fitch. Psyche, vi, 309.
unicolor Fitch. *Ibid.*, vi, 308.
viridius Van Duzee. *Ibid.*, vi, 309.

Jassus Fabricius.

- olitorius* Say. *subbifasciatus*. Jour. Acad. Nat. Sci. Phila.,
 vi, 301, 1831.

Cicadula Zetterstedt.

- sexnotata* Fallen. Tenn. State Bd. Ent., Bull. 17, 94.
variata Fallen. *Ibid.*, Bull. 17, 95.

Balclutha Kirkaldy.

- impicta* Van Duzee. *Gnathodus*. Can. Ent., xxiv, 113.
punctata Thunberg. Me. Agr. Expt. Sta., Bull., 238, 149.

Alebra Fieber.

- albostriella* Fallen, var. *fulveola* Herrich-Schæffer. Proc. U. S. Nat. Mus., xx, 713.

Dicraneura Hardy.

- mali* Provancher. *communis* Gillette. Proc. U. S. Nat. Mus., xx, 718.

Empoasca Walsh.

- flavescens* Fabricius. Proc. U. S. Nat. Mus., xx, 745.
mali Le Baron. Apple leaf-hopper. Rept. Conn. Agr. Expt. Sta., 1904, 216.
smaragdula Fallen. Proc. U. S. Nat. Mus., xx, 725.
trifasciata Gillette. *Ibid.*, xx, 726.
unica Provancher. *splendida* Gillette. *Ibid.*, xx, 731.

Typhlocyba Germar.*Eupteryx* Curtis.

- flavoscuta* Gillette. Proc. U. S. Nat. Mus., xx, 749.
melissæ Curtis. *collina* Flor. Bull. Buff. Soc. Nat. Sci., x, 511.
nigra Osborn. Ohio State Univ., Bull. 22, 543.

Empoa Fitch.*Typhlocyba* Sahlberg.

- fabæ* Harris. Ins. Inj. Veg., 230.
lethierryi Edwards. Me. Agr. Expt. Sta., Bull., 238, 157.
querci Fitch. Proc. U. S. Nat. Mus., xx, 766.
querci Fitch, var. *gilletti* Van Duzee. *bifasciata*. Me. Agr. Expt. Sta., Bull., 238, 157.
rosæ Linnæus. Rose leaf-hopper, Proc. U. S. Nat. Mus., xx, 771.
ulmi Linnæus. Proc. U. S. Nat. Mus., xx, 769.

Erythroneura Fitch.

- comes* Say. Grape leaf-hopper. Proc. U. S. Nat. Mus., xx, 759.
comes var. *maculata* Gillette. *Ibid.*, xx, 764.
obliqua Say. *Ibid.*, xx, 756.
vulnerata Fitch. *Ibid.*, xx, 764.

Family MEMBRACIDÆ.

Campylenchia Stål.

latipes Say. *curvata* Stål. Bull. Buff. Soc. Nat. Sci., ix, 111.

Enchenopa Amyot and Serville.

binotata Say. Bull. Buff. Soc. Nat. Sci., ix, 112.

Ceresa Amyot and Serville.

albescens Van Duzee. Bull. Buff. Soc. Nat. Sci., ix, 35.
(W.E.B.)

basalis Walker. *turbida*. Bull. Buff. Soc. Nat. Sci., ix, 33, 39.

borealis Fairmaire. *Ibid.*, ix, 34, 38.

brevicornis Fitch. *Ibid.*, ix, 34, 40.

brevis Walker. *Ibid.*, ix, 34, 40.

bubalus Fabricius. Buffalo tree-hopper. Insect Book, Pl.
xxvii, 18; Bull. Buff. Soc. Nat. Sci., ix, 33, 36.

constans Walker. Bull. Buff. Soc. Nat. Sci., ix, 37. (L.B.W.)

diceros Say. *Ibid.*, ix, 33, 35.

palmeri Van Duzee. *Ibid.*, ix, 38. (L.B.W.)

taurina Fitch. *Ibid.*, ix, 34, 37.

Stictocephala Stål.

inermis Fabricius. Bull. Buff. Soc. Nat. Sci., ix, 44.

lutea Walker. *Ibid.*, ix, 43, 49.

Micrutalis Fowler.

calva Say. Bull. Buff. Soc. Nat. Sci., ix, 53.

dorsalis Fitch. *Ibid.*, ix, 53. (L.B.W.)

Carynota Fitch.

mera Say. Bull. Buff. Soc. Nat. Sci., ix, 55, 56.

porphyrea Fairmaire. *Ibid.*, ix, 56, 57.

stupida Walker. *muskokensis* Goding. *Ibid.*, ix, 56.

Thelia Amyot and Serville.

bimaculata Fabricius. Bull. Buff. Soc. Nat. Sci., ix, 57.

Glossonotus Butler.

acuminatus Fabricius. Bull. Buff. Soc. Nat. Sci., ix, 58, 59.

cratægi Fitch. *Ibid.*, ix, 58, 59.

godingi Van Duzee. *Ibid.*, ix, 58, 59.

univittata Harris. *Ibid.*, ix, 58.

Telamona Fitch.

- ampelopsidis Harris. Bull. Buff. Soc. Nat. Sci., ix, 63, 68.
 barbata Van Duzee. *Ibid.*, ix, 62, 65. (L.B.W.)
 coryli Fitch. *Ibid.*, ix, 63, 68.
 declivata Van Duzee. *Ibid.*, ix, 61, 64.
 decorata Ball. Proc. Wash. Biol. Soc., xvi, 179. (I.W.D.)
 dubiosa Van Duzee. *irrorata*. Bull. Ill. St. Lab. Nat. Hist., iii,
 418. (L.B.W.)
 extrema Ball. Bull. Buff. Soc. Nat. Sci., ix, 64, 71. (M.P.Z.)
 maculata Van Duzee. *Ibid.*, ix, 63, 72.
 querci Fitch. *Ibid.*, ix, 62, 67.
 reclivata Fitch. *Ibid.*, ix, 62, 67. (D.J.C.)
 sinuata Fowler. *Ibid.*, ix, 63, 69. (L.B.W.)
 subfalcata Van Duzee. *Ibid.*, x, 509. (L.B.W.)
 tristis Fitch. *coryli*. *Ibid.*, ix, 63, 68. (H.L.V.)
 unicolor. Fitch. *Ibid.*, ix, 64, 71.

Smilia Germar.

- camelus Fabricius. Bull. Buff. Soc. Nat. Sci., ix, 74.
 camelus var. *viridis* Goding. Bull. Ill. State Lab. Nat. Hist.,
 iii, 426.
 sp.

Cyrtolobus Goding.

- cinctus Van Duzee. Bull. Buff. Soc. Nat. Sci., ix, 80, 86.
 (L.B.W.)
 cinereus Emmons. *Ibid.*, ix, 81, 91.
 discoidalis Emmons. *Ibid.*, ix, 80, 90. (L.B.W.)
 fenestratus Fitch. *Ibid.*, ix, 79, 81.
 fuliginosus Emmons. *Ibid.*, ix, 79, 82.
 fuscipennis Van Duzee. *Ibid.*, ix, 81, 91. (L.B.W.)
 inermis Emmons. *Ibid.*, ix, 81, 90. (Q.S.L.)
 intermedius Emmons. *Ibid.*, ix, 80, 90. (L.B.W.)
 maculipennis Emmons. *Ibid.*, ix, 81, 89. (L.B.W.)
 muticus Fabricius. *trilineatus* Say. *Xantholobus*. *Ibid.*, ix, 96.
 ovatus Van Duzee. *Ibid.*, ix, 96.
 sculptus Fairmaire. *Ibid.*, ix, 79, 85. (L.B.W.)
 tuberosus Fairmaire. *Ibid.*, ix, 79, 84. (L.B.W.)
 vau Say. *Ibid.*, ix, 80, 87.

Atymna Stål.

castaneæ Fitch. Bull. Buff. Soc. Nat. Sci., ix, 92, 93.

inornata Say. *Ibid.*, ix, 92, 93. (L.B.W.)

querci Fitch. *Ibid.*, ix, 92, 93.

Xantholobus Van Duzee.

muticus Fabricius. *trilineatus* Say. Bull. Buff. Soc. Nat. Sci., ix, 96.

Ophiderma Fairmaire.

flava Goding. Bull. Buff. Soc. Nat. Sci., ix, 98, 100.

flavicephala Goding. Insect Life, v, 92. (M.P.Z.)

flaviguttula Goding. Bull. Ill. State Lab. Nat. Hist., iii, 438.

flaviguttula var. *definita* Woodruff. Jour. N. Y. Ent. Soc., xxvii, 259. (L.B.W.)

grisea Woodruff. *Ibid.*, xxvii, 254. (L.B.W.)

pubescens Emmons. Bull. Buff. Soc. Nat. Sci., ix, 99.

salamandra Fairmaire. *Ibid.*, ix, 98, 99.

Vanduzea Goding.

arcuata Say. Bull. Buff. Soc. Nat. Sci., ix, 102. (L.B.W.)

Entylia Germar.

bactriana Germar. *carinata*. Bull. Buff. Soc. Nat. Sci., ix, 105.

Publilia Stål.

concava Say. Bull. Buff. Soc. Nat. Sci., ix, 106.

Family CERCOPIDÆ.

Monecphora Amyot and Serville.*Tomaspis* Stål.

bicincta Say var. *ignipecta* Fitch. Ins. N. Y., iii, 71, in Rept. Agr. Soc., 389.

Aphrophora Germar.

parallela Say. *Cercopis*. Compl. Writ., i, 202.

quadrinotata Say. Compl. Writ., ii, 381.

saratogensis Fitch. Cat. Homop. N. Y., 53, 710.

Lepyronia Amyot and Serville.

quadrangularis Say. Compl. Writ., ii, 256.

Philænus Stål.

lineatus Linnæus. Rept. N. Y. State Ent., iv, 240.

Philaronia Ball.

bilineata Say. *americanus* Baker. Can. Ent., xxix, 112.

Clastoptera Germar.

obtusa Say var. *obtusa* Ball. Compl. Writ., ii, 256.

obtusa var. *achatina* Germar. Cat. Homop. N. Y., 53.

proteus Fitch. Cat. Homop. N. Y., 54, 722.

proteus var. *saint-cyri* Provancher. Nat. Can., iv, 351.

proteus var. *pini* Fitch. Cat. Homop. N. Y., 53.

Family CICADIDÆ.

Tibicen Latreille.

auletes Germar. Large dog day harvest fly, Jour. N. Y. Ent. Soc., xxiii, 2.

canicularis Harris. Dog day harvest fly, Ent. News, xviii, 126.

linnei Smith and Grossbeck. Ent. News, xviii, 127.

lyricen DeGeer. *fulvula* Osborn. *Ibid.*, xviii, 125.

lyricen var. *englehardti* Davis. *Ibid.*, xxi, 457.

sayi Smith and Grossbeck. *Ibid.*, xviii, 124.

Tibicina Kollar.

septendecim Linnæus. Seventeen year locust or periodical cicada. Bur. Ent., Bull. 71; Rept. Conn. Agr. Expt. Sta., 1911, 296.

Family PSYLLIDÆ.

Livia Latreille.

maculipennis Fitch. Psyche xix, 6.

marginata Patch. *Ibid.*, xix, 8.

vernalis Fitch. *Diraphia*. Rept. Ins. N. Y., iv, 53; Psyche, xix, 7.

Aphalara Fœrster.

veaziei Patch. Me. Agr. Expt. Sta., Bull. 187, 16.

Trioza Fœrster.

tripunctata Fitch. Rept. N. Y. State Ent., ix, 404.

Calophya Fr. Loew.

flavida Schwarz. Proc. Wash. Ent. Soc., vi, 243.

nigripennis Riley. *Ibid.*, vi, 244.

Pachypsylla Riley.

celtidis-gemma Riley. Proc. Wash. Biol. Soc., ii, 74.

celtidis-mamma Riley. *Ibid.*, ii, 73.

celtidis-vesiculum Riley. Am. Mus. Jour., iv, 35.

venusta Osten Sacken. Proc. Wash. Biol. Soc., ii, 72.

Spanioneura Fœrster.

fonscolombii Fœrster.¹ Verh. Zool-Bot. Ges. Wien., 1879, pl. ix, 26.

Psylla Geoffroy.

annulata Fitch. U. S. Nat. Mus., Bull. 85, 152. (W. C. W.)

buxi Linnæus. Verh. Zool-Bot. Ges. Wien., 1881, 169.

floccosa Patch. Can. Ent., xli, 301.

galeaformis Patch. Me. Agr. Expt. Sta., Bull. 187, 12.

pyricola Fœrster. *pyri*. Pear psylla. Rept. Conn. Agr. Expt. Sta., 1903, 262.

striata Patch. Me. Agr. Expt. Sta., Bull. 187, 14.

Psyllopsis Fr. Loew.

fraxinicola Fœrster. U. S. Nat. Mus., Bull. 85, 132: Rept. N. Y. State Ent., xxvi, 39.

¹This species on *Buxus sempervirens* has not been identified with certainty.

Family APHIDIDÆ.

Longistigma Wilson.

caryæ Harris. *Lachnus caryæ*, *L. longistigma* Monell, *L. platanicola* Riley. Can. Ent., 41, 385.

Anœcia Koch.

corni Fabricius. *Aphis. Schizoneura panicola* Thomas. U. S. Dept. Agr., Div. Ent., Bull. 22, 32.

Todolachnus Matsumura.

pinicola Kalténbach. *abietis*. Fitch. 5th Rept. U. S. Ent. Com., 853.

strobi Fitch. Me. Agr. Expt. Sta. Bull. 202, 167.

Calaphis Walsh.

betulæcolens Fitch. *Callipterus*. Aphid. Minn., 43.

castaneæ Fitch. *Ibid.*, 44.

Callipterinella van der Goot.

annulata Koch. *Chaitophorus*. Jour. Econ. Ent., 10, 427.

Euceraphis Walker.

betulæ Koch. *Callipterus*. Jour. Econ. Ent., 10, 425.

mucida Fitch. *Callipterus*. *Ibid.*, 425.

Monellia Oestlund.

caryæ Monell. *Callipterus*. U. S. Dept. Agr., Bull. 100, 19.

castalis Fitch. Jour. Econ. Ent., 10, 424.

Myzocallus Passerini.

discolor Monell. *Callipterus*. Aphid. Minn., 41.

punctatellus Fitch. *Aphis*. Jour. Econ. Ent., 10, 420.

ulmifolii Monell. *Callipterus*. Aphid. Minn., 42.

Therioaphis Walker.

tilliæ Linnæus. *Aphis*. Ann. Ent. Soc. Am., 2, 33.

Chaitophorus Koch.

nigræ Oestlund. *cordata* Williams. Jour. Econ. Ent., 429.

viminalis Monell. *stevensis* Sanborn. Aphid. Minn., 40.

Neothomasia Baker.

bruneri Williams. *Chaitophorus*. Univ. Studies, Lincoln, Neb.,
11, No. 3, reprint 6.

populicola Thomas. Me. Agr. Expt. Sta., Bull. 213, 78.

Periphyllus Van der Hoven.

americanus Baker. Jour. Econ. Ent., 10, 428.

lyropicta Kessler. *Ibid.*, 10, 428.

Drepanaphis Del Guercio.

acerifoliæ Thomas. *Siphonophora*. *Drepanosiphum*. Kan.
Univ. Sci., Bull., 3, 45.

Drepanosiphum Koch.

platanoides Schrank. *Aphis*. Jour. Econ. Ent., 2, 346.

Phyllaphis Koch.

fagi Linnæus. Beech aphid. Aphid. Minn., 32.

Melanoxantherium Schouteden.

media Baker. Jour. Econ. Ent., 10, 431.

smithiæ Monell. *Melanoxanthus*. Jour. Econ. Ent., 2, 387.

Aphis Linnæus.

cardui Linnæus. *pruni*. *prunifoliæ*. Me. Agr. Expt. Sta., Bull.
233, 263.

- cerasifoliæ* Fitch. Choke-cherry aphid. *Ibid.*, 262.
davisi Patch. Jour. Econ. Ent., 10, 418. (N. N. for *Aphis populifoliæ* Fitch of Davis, 1910.)
folsomi Davis. Ent. News, 19, 145.
gossypii Glover. *malvæ* Koch., *cucurbiti* Buckton. Melon aphid. Rept. Conn. Agr. Expt. Sta., 1908, 813.
laburni Kaltenbach. Afid. Ital., 125.
maidis Forbes. Corn root aphid. Bur. Ent., Bull. 85, 97.
maidis Fitch. Bur. Ent., Tech. Ser., 12, 144.
nerii Boyer. Oleander aphid. Pom. Jour. Ent., iii, 530.
persicæ-niger Smith. Black peach aphid. Jour. Econ. Ent., i, 308.
pomi DeGeer. Green apple aphid. Rept. Conn. Agr. Expt. Sta., 1903, 259.
pseudobrassicæ Davis. Turnip aphid. *Ibid.*, 1916. Texas Agr. Expt. Sta., Bull. 180; Rept. Conn. Agr. Expt. Sta., 1916, 98.
rumexicolens Patch. Jour. Econ. Ent., 10, 417.
rumicis Linnæus. Bean aphid. Aphid. Minn., 61.
saliceti Kaltenbach. Jour. Econ. Ent., 10, 417.
sanborni Patch. Me. Agr. Expt. Sta., Bull. 225, 52.
spiræcola Patch. *spirælla* Gillette. Me. Agr. Expt. Sta., 233, 270.
viburniphila Patch. Jour. Econ. Ent., 10, 416.
yuccæ Cowen. *yucciola* Williams. Yucca aphid. Hemip. Col., 122.

Anuraphis Del Guercio.

- malifoliæ* Fitch. *sorbi* Kaltenbach. Rosy apple aphid. Rept. Conn. Agr. Expt. Sta., 1909, 343; Thirteenth Rept. Del. Agr. Expt. Station, 1900, 149.
tulipæ Boyer. *Aphis gladioli* Felt. Rept. N. Y. State Ent., 24, 19.

Brevicoryne Das.

- brassicæ* Linnæus. Cabbage aphid. Ins. Life, iii, 289; Cornell Univ. Agr. Expt. Sta., Bull. 300.

Hyalopterus Koch.

- arundinis* Fabricius. *Aphis pruni*. Jour. Econ. Ent., 2, 354.

Rhopalosiphum Koch.

nymphææ Linnæus. *Aphis. butoni. aquaticus. prunorum.*

Science, 42, 164. Me. Agr. Expt. Sta., Bull. 233, 263.

prunifoliæ Fitch. (*avenæ* in part) *Aphid. Minn.*, 65.

serotinæ Oestlund. *Ibid.*, 76.

Siphocoryne Passerini.

xylostei Schrank. *Aphis. Afid. Ital.*, 142.

Amphorophora Buckton.

rhois Monell. *Aphid. Minn.*, 75.

Myzus Passerini.

braggii Gillette. *Capitophorus. Jour. Econ. Ent.*, 8, 375.

cerasi Fabricius. *Aphis. Cherry aphid. Aphid. Minn.*, 73;

Me. Agr. Expt. Sta., Bull. 233, 258.

persicæ Sulzer. Green peach aphid. *Ins. N. Y.*, iii, 359.

ribis Linnæus. Currant aphid. *Aphid. Minn.*, 74.

rosarum Kaltentbach. Me. Agr. Expt. Sta., Bull. 233, 269.

violæ Pergande. *Rhopalosiphum. Violet aphid. Can. Ent.*,
xxxii, 29.

Macrosiphum Passerini.

albifrons Essig. *Pom. Jour. Ent.*, 3, 543.

cratægi Monell. *Siphonophora cratægi. Me. Agr. Expt. Sta.*,
Bull. 233, 255.

granarium Kirby. *Jour. Econ. Biol.*, viii, 58.

illinoiensis Shimer. *Science* 41, 834.

lilii Monell. *Siphonophora. Rept. U. S. Entomologist*, 1879,
220.

liriodendri Monell. *Ins. Ill.*, 8, 189; *Jour. Econ. Ent.*, 4, 383.

luteola Williams. *Siphonophora. University Studies, Lincoln,*
Nebraska, 11, No. 3, reprint 31.

lisi Kaltentbach. *U. S. Rept. Agr.*, Bull. 276.

rosæ Linnæus, *Aphis rosæ. Me. Agr. Expt. Sta.*, Bull. 233, 268.

rudbeckiæ Fitch. *Nectarophora rudbeckiæ. Proc. Ent. Soc.*
Phila., i, 298; *Jour. Econ. Ent.*, 4, 383.

sanborni Gillette. *Siphonophora chrysanthemicolens Williams.*
Can. Ent., xl, 65.

solanifolii Ashmead. *Siphonophora. Can. Ent.*, xiv, 92; *Me.*
Agr. Expt. Sta., Bull. 242.

sonchi Linnæus. *Aphis sonchi*. Jour. Econ. Biol., viii, 64.

tanacetii Linnæus. *Aphis tanacetii*. Ins. Ill., viii, 68. Jour. Econ. Ent., 4, 382.

Eriosoma Leach.

americana Riley. *Schizoneura* Hartig. Me. Agr. Expt. Sta., Bull. 241; Bull. 256, 340 (Key). Jour. Agr. Research, 6, 359.

lanigera Hausman. Woolly apple aphid. Bur. Ent., U. S. Dept. Agr., Rept. No. 101; Me. Agr. Expt. Sta., Bull. 256.

lanuginosa Hartig. Me. Agr. Expt. Sta., Bull. 256, 340 (Key).

rileyi Thomas. Me. Agr. Expt. Sta., Bull. 256, 340 (Key).

ulmi Linnæus. Jour. Agr. Research, 6, 359; Me. Agr. Expt. Sta., Bull. 256, 340 (Key).

Tetraneura Hartig.

graminis Monell. *colophoidea* Howard. *ulmicola* Gillette.

Asiphum Koch.

pseudobyrsa Walsh. Ent. News, 25, 269.

Prociphilus Koch.

approximatus Patch. Jour. Econ. Ent., 10, 418.

corrugatans? Sirrene. Jour. Agr. Research, 5, 1117.

imbricator Fitch. Woolly beech aphid.

tessellata Fitch. *Schizoneura acerifolii*. "Alder blight." Jour. Econ. Ent., ii, 35.

Neoprociphilus Patch.

aceris Monell. Jour. Agr. Research, 5, 1117.

Thecabius Koch.

populi-condupliformis Cowen. *patchii* Gillette. Hemip. Col., 115.

Pemphigus Hartig.

populicaulis Fitch. Me. Agr. Expt. Sta., Bull. 213, 77.

Hormaphis Osten Sacken.

hamamelidis Fitch. Aphid. Minn., 24; Bur. Ent., Tech. Series, No. 9, 9.

Hamamelistes Shimer.

spinosus Shimer. *papyraceæ*. Aphid. Minn., 19; Bur. Ent., Tech. Series, No. 9, 25.

Chermes Linnæus.

- abietis* Kaltenbach. Spruce gall aphid. Rept. Conn. Agr. Expt. Sta., 1906, 302; Me. Agr. Expt. Sta., Bull. 173.
cooleyi Gillette. Proc. Acad. Nat. Sciences Phila., 1907, reprint, 3-14.
pinicorticis Fitch. Pine bark aphid. Ins. Aff. Park & Wood. Trees, 192.
pinifoliæ Fitch. *abieticolens*. Me. Agr. Expt. Sta., Bull. 173.
strobilobius Kaltenbach. Woolly larch aphid. Ins. Aff. Park & Wood. Trees, 187.

Phylloxera Boyer.

- caryæcaulis* Fitch. Hickory gall aphid. Ins. Aff. Park and Wood. Trees, 331; Proc. Davenport Acad. Sci., 9, 243.
castaneæ Haldeman. Proc. Davenport Acad. Sci., 9, 257.
foveola Pergande. *Ibid.*, 9, 188.
rimosalis Pergande. *Ibid.*, 9, 216.
vastatrix Planchon. Grape phylloxera. Insects and Insecticides, 1st ed. 109.

Family ALEYRODIDÆ.

Aleurochiton Tullgren.

- forbesii* Ashmead. *Aleurodes aceris* Forbes. Bur. Ent., Tech. Ser. 27, 88.

Aleyrodes Latreille.

- asarumis* Shimer. *actææ* Britton. Ent. News, xvi, 65.
fernaldi Morrill. Psyche, x, 83.

Trialeurodes Cockerell.*Asterochiton* Quaintance and Baker.*Aleyrodes*.

- coryli* Britton. Ent. News, xviii, 337.
morrilli Britton. *Ibid.*, xviii, 340.
packardi Morrill. Can. Ent., xxxv, 25.
vaporariorum Westwood. Greenhouse white fly. Rept. Conn. Agr. Expt. Sta., 1902, 148.
waldeni Britton. Ent. News, xviii, 339.

Tetraleurodes Cockerell.

- mori* Quaintance, var. *maculata* Morrill. Psyche, x, 81.

Family COCCIDÆ.

Orthezia Bosc d'Antic.

insignis Douglas. Greenhouse orthezia. Rept. Conn. Agr. Expt. Sta., 1905, 235.

Asterolecanium Targioni-Tozzetti.

variolosum Ratzeburg. Pit-making oak scale. Rept. Conn. Agr. Expt. Sta., 1905, 235.

Kermes Boitard.

kingii Cockerell. Ohio Acad. Sci., iv, part 2, 36.

pubescens Bogue. *Ibid.*, iv, part 2, 37.

sassceri King. Jour. Ent. Zool., vi, 48.

waldeni King. Jour. Econ. Ent., vii, 150.

Gossyparia Signoret.

spuria Modeer. *ulmi*. Elm scale. Rept. Conn. Agr. Expt. Sta., 1905, 235.

Eriococcus Targioni-Tozzetti.

azalæ Comstock. Cornell Agr. Expt. Sta., Bull. 372, 487.

Phenacoccus Cockerell.

acericola King. Woolly maple leaf scale. Rept. Conn. Agr. Expt. Sta., 1905, 226.

Pseudococcus Westwood.

adonidum Linnæus. *Dactylopius longispinus*. Long-tailed mealy bug. Jour. Econ. Ent., ii, 431.

citri Risso. *Dactylopius destructor*. Common or short-tailed mealy bug. Rept. Conn. Agr. Expt. Sta., 1905, 236.

Eriococcus Targioni-Tozzetti.

vitis Linnæus. *innúmerabilis*. Cottony maple scale. Jour. Econ. Ent., ii, 433.

Coccus Linnæus.

hesperidum Linnæus. *Lecanium*. Soft brown scale. In greenhouses. Jour. Econ. Ent., ii, 436.

Toumeyella Cockerell.

liriodendri Gmelin. *Eulecanium tulipifera*. Tulip tree scale. Rept. Conn. Agr. Expt. Sta., 1905, 239; Jour. Econ. Ent., ii, 447.

Lecanium Burmeister.

- caryæ* Fitch. Hickory Lecanium. Jour. Econ. Ent., ii, 442.
corni Bouché. *armeniacum*, *canadense*, *cerasifex*. European fruit lecanium. Jour. Econ. Ent., ii, 443; Rept. Conn. Agr. Expt. Sta., 1905, 237.
nigrofasciatum Pergande. Terrapin scale. Rept. Conn. Agr. Expt. Sta., 1905, 238.

Saissetia Deplanches.

- hemisphærica* Targioni-Tozzetti. *filicum*. Hemispherical scale. Rept. Conn. Agr. Expt. Sta., 1905, 239.

Physokermes Targioni-Tozzetti.

- piceæ* Schrank. Spruce scale. Can. Ent., 49, 317.

Chionaspis Signoret.

- americana* Johnson. White elm scale. Rept. Conn. Agr. Expt. Sta., 1905, 239.
caryæ Cooley. Mass. Agr. Expt. Sta., Spec. Bull., 1899, 40.
corni Cooley. *Ibid.*, Spec. Bull., 1899, 15.
euonymi Comstock. Euonymus scale. Rept. Conn. Agr. Expt. Sta., 1905, 240.
furfura Fitch. *harrisii*. Scurfy scale. *Ibid.*, 1903, 227.
lintneri Comstock. Mass. Agr. Expt. Sta., Spec. Bull., 1899, 22.
pinifoliæ Fitch. Pine leaf scale. Rept. Conn. Agr. Expt. Sta., 1905, 240.

Hemichionaspis Cockerell.

- aspidistræ* Signoret. In greenhouses. Mass. Agr. Expt. Sta., Spec. Bull., 1899, 45.

Diaspis Costa.

- boisduvalii* Signoret. In greenhouses. Ohio Acad. Sci., 1904, 52.
carueli Targioni-Tozzetti. Juniper scale. Rept. U. S. Dept. Agr., 1880, 310.
echinocacti Bouché, var. *cacti* Comstock. In greenhouses. Cornell Agr. Expt. Sta., Bull. 372, 552.
picicola Del Guercio. *Epidiaspis*. European pear scale. Ent. News, xi, 590.

Aulacaspis Cockerell.

- pentagona Targioni-Tozzetti. West Indian peach scale. Rept. Conn. Agr. Expt. Sta., 1913, 240.
 rosæ Bouché. *Diaspis*. Rose scale. *Ibid.*, 1905, 241.

Leucaspis Targioni-Tozzetti.

- japonica Cockerell. Psyche, viii, 53.

Aspidiotus Bouché.

- abietis Schrank. Hemlock leaf scale. 5th Rept. U. S. Ent. Com., 878.
 ancyclus Putnam. Putnam's scale. Ohio Acad. Sci., 1904, 57.
 cyanophylli Signoret. In greenhouses. *Ibid.*, 1904, 59.
 forbesi Johnson. Cherry scale. Bull. Ill. State Lab. Nat. Hist., iv, 380.
 hederæ Vallot. *nerii*. White scale. Oleander scale. In greenhouses. Rept. Conn. Agr. Expt. Sta., 1905, 242.
 osborni Newell and Cockerell. Proc. Iowa Acad. Sci., v, 229.
 ostreæformis Curtis. European fruit scale. Bur. Ent., Bull. 20, 76.
 perniciosus Comstock. San José scale. Conn. Agr. Expt. Sta., Bull. 165.
 ulmi Johnson. Elm aspidiotus. Bull. Ill. State Lab. Nat. Hist., iv, 388.

Chrysomphalus Ashmead.

- aonidium Linnæus. *ficus*. Circular scale. Fig scale. In greenhouses. Rept. Conn. Agr. Expt. Sta., 1905, 243.
 aurantii Maskell. Red orange scale. In greenhouses. Ohio Acad. Sci., 1904, 71.
 dictyospermi Morgan. Morgan's scale. In greenhouses. Rept. Conn. Agr. Expt. Sta., 1905, 244.
 obscurus Comstock. Report U. S. Dept. Agr., 1880, 303.

Lepidosaphes Shimer.

- beckii Newman. *Mytilaspis citricola*. Purple scale. In greenhouses. Ohio Acad. Sci., 1904, 73.
 newsteadii Sulc. Rept. Conn. Agr. Expt. Sta., 1915, 140.
 ulmi Linnæus. *Mytilaspis pomorum*. Oyster-shell scale. *Ibid.*, 1903, 229.

Ischnaspis Douglas.

longirostris Signoret. *filiformis*. Thread scale. In greenhouses. Rept. Conn. Agr. Expt. Sta., 1905, 245.

· **Parlatoria** Targioni-Tozzetti.

pergandii Comstock. Chaff scale. In greenhouses. Ohio Acad. Sci., 1904, 75.

Suborder **HETEROPTERA**.Family **CORIXIDÆ**.**Arctocorixa** Wallengren.

alternata Say. Compl. Writ., ii, 251.

compressa Abbott. Wash. Univ. Studies, ii, 81.

compressa var.

interrupta Say. Compl. Writ., ii, 250.

kennicottii Uhler. Trans. Md. Acad., i, 393.

lucida Abbott. Ent. News, xxvii, 341.

nitida Fieber. Bull. Brook. Ent. Soc., viii, 88, 89.

ornata Abbott. Ent. News, xxvii, 341.

scabra Abbott. Bull. Brook. Ent. Soc., viii, 88, 90.

seriata Abbott. Ent. News, xxvii, 342.

Corixa Geoffroy.

verticalis Fieber. Bull. Brook. Ent. Soc., viii, 89, 90.

Family **BELOSTOMATIDÆ**.**Benacus** Stål.

griseus Say. Insect Book, Pl. xxvii, 4.

Lethocerus Mayr.

americanus Leidy. *Belostoma*. Giant water bug. Life Hist. Amer. Insects, 4.

obscurus Dufour. *Belostoma*. Ann. Soc. Ent. France, 1863, 383.

Belostoma Latreille.

flumineum Say. Compl. Writ., i, 364.

Family NEPIDÆ.

Nepa Linnæus.

apiculata Uhler. Proc. Bos. Soc. Nat. Hist., xix, 140.

Ranatra Fabricius.

americana Montandon. *quadridentata* Uhler. Can. Ent., xxxvii, 187; Insect Book, Pl. xxvii, fig. 2 (as *fusca*).

Family NAUCORIDÆ.

Pelocoris Stål.

femoratus Beauvois. *Naucoris poeyi*. Stand. Nat. Hist., ii, 259.

Family NOTONECTIDÆ.

Notonecta Linnæus.

insulata Kirby. Jour. N. Y. Ent. Soc., xiii, 162. (J.R.T.B.)

irrorata Uhler. Insect Book, Pl. xxvii, 12; Jour. N. Y. Ent. Soc., xiii, 159.

undulata Say. Jour. N. Y. Ent. Soc., xiii, 152.

undulata var. *latona* Kirkaldy.

variabilis Fieber. Jour. N. Y. Ent. Soc., xiii, 155.

Plea Leach.

striola Fieber. Stand. Nat. Hist., ii, 253.

Family SALDIDÆ.

Pentacora Reuter.

hirta Say. *Salda*. Compl. Writ., i, 359.

ligata Say. *Salda*. *Ibid.*, i, 359.

Salda Fabricius.

coriacea Uhler. Bull. Geol. Geog. Surv. Terr., iii, (2) 436.

Saldula Van Duzee.

confluenta Say. Compl. Writ., i, 361.

interstitialis Say. *Salda*. Compl. Writ., ii, 248.

pallipes Fabricius. *Salda*. Bull. Geol. Geog. Surv. Terr., iii, (2) 446.

reperta Uhler. *Salda*. *Ibid.*, 446.

saltatoria Linnæus. Act. Soc. Sci. Fenn., xxi, (2) 15.

Family VELIIDÆ.

Microvelia Westwood.

americana Uhler. Hemip. Col., 61.

Family GERRIDÆ.

Gerris Fabricius.

buenoi Kirkaldy. Ent. News, xxii, 246.

canaliculatus Say. Compl. Writ., i, 363.

conformis Uhler. Trans. Am. Ent. Soc., xxxvii, 247.

marginatus Say. Insect Book, Pl. xxix, 38; Compl. Writ., i, 362.

remigis Say. *Ibid.*, Pl. xxvii, 6; Compl. Writ., i, 362.

rufoscutellatus Latreille. Gen. Ins., iii, 134.

Metrobates Uhler.

hesperius Uhler. Proc. Bost. Soc. Nat. Hist., xiv, 108.

Family MIRIDÆ (CAPSIDÆ).

Chlamydatus Curtis.

associatus Uhler. Hayden's Geol. Surv. Mont., 1872, 419.

Campylomma Reuter.

verbasci Meyer. Hemip. Gymn. Eur., I (2), 53.

Apocreminus Fieber.

ancorifer Fieber. *Psallus*. Hemip. Gymn. Eur., I, 104.

Plagiognathus Fieber.

annulatus Uhler. Hemip. Col., 51.

blatchleyi Reuter. Ofv. Finska. Vet. Soc. Forh., liv., Afd., A, No. 7, 61.

confusus Reuter. Act. Soc. Sci. Fenn., xxxvi, (2) 80.

fraternus Uhler. Hemip. Col., 51.

obscurus Uhler. Hayden's Geol. Surv. Mont., 1872, 418 (C.R.E.)

politus Uhler. Hemip. Col., 52 (C.R.E.)

Rhinocapsus Uhler.

vanduzeei Uhler. Trans. Md. Acad., 1890, 82 (E.L.D.).

Microphylellus Reuter.

modestus Reuter. Finsk. Vet. Soc. Forh., Bd. liv., 1912, 62.

Reuteroscopus Kirkaldy.

ornatus Reuter. *Episcopus*. Ofv. Vet. Akad. Forh., 1875, 90.

Lopus Hahn.

decolor Fallen *chrysanthemii*. Hemip. Gymn. Eur., 11, 287.

Macrotylus Fieber.

amœnus Reuter. Nearktische Capsiden, Act. Soc. Sci. Fenn.,
xxvi, (2) 75.

Halticus Hahn.

citri Ashmead. *uhleri* Gerard. Garden flea hopper. Ent.

Amer., iii, 155; Rept. Conn. Agr. Expt. Sta., 1904, 217.

intermedius Uhler. Proc. U. S. Nat. Mus., xxvii, 360.

Strongylocoris Blanchard.

stygicus Say. *Capsus*. *Stiphrosoma*. Compl. Writ., i, 344.

Pseudoxenetus Reuter.

scutellatus Uhler. *Xenetus*. Trans. Md. Acad., 1890, 80.

Sericophanes Reuter.

noctuans Knight. Ent. News, xxviii, 3; Proc. Iowa Acad.
Sci., V, 238.

Orectoderus Uhler.

obliquus Uhler. Bull. U. S. Geol. Sur. Terr., ii, 320.

Ceratocapsus Reuter.

fasciatus Uhler. Bull. U. S. Geol. Surv. Terr., viii, 421
(E.L.D.).

modestus Uhler. *Melinna*. Ent. Amer., iii, 69. (C.R.E.)

pumilus Uhler. *Melinna*. *Ibid.*, iii, 69. (C.R.E.)

Lopidea Uhler.

cæsar Reuter. Nearktische Capsiden Act. Soc. Sci. Fenn.,
xxxvi, (2) 72.

heidemanni Knight. Ent. News, xxviii, 456. (H.L.J.)

instabilis Reuter. *Ibid.*, xxxvi, (2) 72.

marginata Uhler. Proc. Cal. Acad. Sci., iv, 249.

media Say. Compl. Writ., i, 341.

reuteri Knight. Ent. News, xxviii, 459. (B.H.W.)

robiniaë Uhler. *Capsus*. Proc. Phila. Ent. Soc., i, 24.

staphyleæ Knight var. **sanguinea** Knight. Ent. News, xxviii,
461. (W.E.B.)

Orthotylus Fieber.

catulus Van Duzee. Proc. Cal. Acad. Sci., (4th ser) VI, 1916, 106.

chlorionis Say. *Ibid.*, 1916, 98.

cruciatus Van Duzee. *Ibid.*, 1916, 119.

flavosparsus Sahlberg. *Ibid.*, 1916, 97; Hemip. Gymn. Eur., 1883, 360.

uniformis Van Duzee. Proc. Calif. Acad. Sci., Ser. 4, vi, 99.

Ilnacora Reuter.

malina Uhler. Bull. U. S. Geol. Surv. Terr., iii, 419.

Hyaliodes Reuter.

vitripennis Say. *Capsus*. Compl. Writ., i, 345.

Dicyphus Fieber.

agilis Uhler. Bull. U. S. Geol. Surv., 1877, 425.

californicus Stål. Freg. Eugenies Resa, Hemip., 1859, 259.

vestitus Uhler. Hemip. Col., 46. (E.L.D.)

Macrolophus Fieber.

separatus Uhler. *Dicyphus*. Proc. Zool. Soc. London, 1893, 194. (C.R.E.)

Cylapus Say.

tenuicornis Say. Compl. Writ., i, 347.

Fulvius Stål.

brunneus Provancher. *Lygus*. *Pamerocoris anthocoroides*. U. S. Geol. Surv., Bull. iii, 1877, 425.

Monalocoris Dahlbom.

filicis Linnæus. *Cimex*. Syst. Nat., (10) 1758, 443.

Sixeonotus Reuter.

insignis Reuter. Ofv. Vet. Akad. Forh., 1875 (9) 78.

Cimatlan Distant.

catulum Uhler. Proc. Cal. Acad. Sci., (2) iv, 1894, 257.

venatorium Van Duzee. Bull. Buffalo Soc. Nat. Sci., X, 1912, 479.

Camptobrochis Fieber.

grandis Uhler. Ent. Amer., ii, 230.

nebulosus Uhler. Hayden's Geol. Surv. Mont., 1872, 417.

nitens Reuter. *Nearktische Capsiden*, Act. Soc. Sci. Fenn., xxxvi, (2) 1909, 56. (C.R.E.)

validus Reuter var. *cunealis* Reuter. *Nearktische Capsiden*, Act. Soc. Sci. Fenn., xxxvi, 59.

Deræocoris Kirschbaum.

ruber Linnæus. *Syst. Nat.* Ed. X, 1758, 446.

ruber var. *danicus* Fabricius. *Syst. Ent.*, iv, 181.

ruber var. *segusinus* Muller. *Hemip. Gymn. Eur.*, V, 32.

Garganus Stal.

fusiformis Say. *Capsus*. *Compl. Writ.*, i, 344, 1859.

Neurocolpus Reuter.

nubilus Say. *Capsus*. *Compl. Writ.*, i, 341, 1859.

Phytocoris Fallen.*

eximius Reuter. *Nearktische Capsiden*, Act. Soc. Sci. Fenn., xxvi, (2) 23, 1909.

fenestratus Reuter. *Ibid.*, xxvi, (2) 24, 1909.

infuscatus Reuter. *Ibid.*, xxvi, (2) 20. (C.R.E.)

puella Reuter. *Ibid.*, xxvi, (2) 20. (C.R.E.)

puella var. *confluens* Reuter. *Ibid.*, xxvi, (2) 20. (C.R.E.)

tibialis Reuter. *Ibid.*, xxvi, (2) 20.

Paracalocoris Distant.

scrupeus Say. *Capsus*. *Compl. Writ.*, i, 342, 1859; *Ann. Ent. Soc. Am.*, IX, 368.

Stenotus Jakolevsky.

hinotatus Fabricius. *Oncognathus*. *Ins. Life*, v, 90. (O.H.)

Adelphocoris Reuter.

rapidus (Say) Reuter. *Calocoris*. *Compl. Writ.*, i, 1859, 339.

Dichrooscytus Fieber.

suspectus Reuter. *Act. Soc. Sci. Fenn.*, xxxvi, (2) 37, 1909.

Pæciloscytus Fieber.

basalis Reuter. *sericeus*. *Bull. U. S. Geol. Surv.*, iii, 422, 1875.

venaticus Uhler, var.

* See also appendix.

Pœcilocapsus Reuter.

lineatus Fabricius. *Capsus 4-vittatus*. Four-lined leaf bug.
N. Y. (Cornell) Agr. Expt. Sta. Bull., 58; Compt. Writ.,
i, 339.

Horcias Distant.

dislocatus Say. *Het. New Harmony*, 21, 1832; Bull. Buffalo
Soc. Sci., X, 483.

dislocatus var. **affinis** Reuter. *Nearktische Capsiden*, Act. Soc.
Sci Fenn., 41.

dislocatus var. **goniphorus** Say. *Compl. Writ.*, i, 341.

dislocatus var. **limbatellus** Walker. *Nearktische Capsiden*,
Act. Soc. Sci. Fenn., xxxvi (2), 41.

dislocatus var. **nigrita** Reuter. *Ibid.*, 41.

dislocatus var. **scutellatus** Van Duzee. Bull. Buff. Soc. Nat.
Sci., x, 484.

Capsus Fabricius.

ater Linnæus. *Hemip. Gymn. Eur.*, v, 1896, 15.

ater var. **semiflavus** Linnæus. *Syst. Nat.*, Ed. 12, i, 725.

Coccobaphes Uhler.

sanguinarius Uhler. *Proc. Bos. Soc. Nat. Hist.*, xix, 401, 1878.

Tropidosteptes Uhler.

cardinalis Uhler. *Proc. Bos. Soc. Nat. Hist.*, xix, 404, 1878.

Neoborus Distant.

amœnus Reuter var. *Neoborus sareus*. *Proc. Cal. Acad. Sci.*
(2) iv.

geminus Say. *Capsus*. *Compl. Writ.*, i, 344.

palmeri Reuter. *Bemerk. u. Nearktische Capsiden*, 1909, 49.

Xenoborus Reuter.

pettiti Reuter. *Nearktische Capsiden*, Act. Soc. Sci. Fenn., 50

Lygidea Reuter.

mendax Reuter. N. Y. (Cornell) Agr. Expt. Sta., Bull. 291.

Lygus Hahn.

belfragei Reuter. *Ofv. Vet. Acad. Forh.*, 1875, 71.

caryæ Knight. N. Y. (Cornell) Agr. Expt. Sta., Bull. 391,
615. (B.H.W.)

caryæ var. **subfuscus** Knight. *Ibid.*, 616.

- campestris* Linnæus. *Orthops scutellatus*. Bull. U. S. Geol. Sur. Terr., iii, 420, 1877; Hemip. Gymn. Eur., v, 79.
- communis* Knight. Can. Ent. xlviii, 346.
- fasciatus* Reuter. Ofv. Vet. Akad. Forh., 1875, 72. (L.B.W.)
- hirticulus* Van Duzee. *tenellus*. N. Y. (Cornell) Agr. Expt. Sta., Bull. 391, 633.
- inconspicuus* Knight. *Ibid.*, 612. (B.H.W.)
- invitus* Say. *Capsus*. dark var. Compt. Writ., i, 1859, 345.
- johnsoni* Knight. N. Y. (Cornell) Agr. Expt. Sta., Bull. 391, 629. (C.W.J.)
- olivaceus* Reuter. Ofv. Finska Vet. Soc. Forh., lxix, 1907, 7.
- omnivagus* Knight. N. Y. (Cornell) Agr. Expt. Sta., Bull. 391, 627.
- nyssæ* Knight. Bull. Brook. Ent. Soc., xiii, 43.
- pabulinus* Linnæus. Hemip. Gymn. Eur., v, 114.
- pabulinus* var. *signifer* Reuter. Nearktische Capsiden, Act. Soc. Sci. Fenn., xxxvi, 1909, 42.
- pratensis* Linnæus. Tarnished plant bug. Rept. Conn. Agr. Expt. Sta., 1904, 218.
- pratensis* var. *oblineatus* Say. N. Y. (Cornell) Agr. Expt. Sta., Bull., 391, 564.
- rubicundus* (Uhler) Reuter. Hemip. Gymn. Eur., v, 72.
- tiliæ* Knight. N. Y. (Cornell) Agr. Expt. Sta., Bull. 391, 613. (H.L.V.)
- vanduzeei* Knight var. *rubroclarus* Knight. *Ibid.*, Bull. 391, 567.
- viburni* Knight. *Ibid.*, 609. (B.H.W.)
- vitticollis* Reuter. *monachus*. Bur. Ent., Bull. 13, old ser., 63.
- Platytylellus** Reuter.
- confraternus* Uhler. *Resthenia*. Hayden's Surv. Terr. Rept. for 1871, 411.
- insignis* Say. *Capsus*. Compl. Writ., i, 1859, 342.
- insitivus* Say. *Capsus*. *Ibid.*, i, 1859, 340.
- Trigonotylus** Fieber.
- brevipes* Jakolevsky. Act. Soc. Sci. Fenn., xxxvi, (2) 1909, 6. (C.R.E.)
- ruficornis* Fourcroy. Ent. Paris, 1785, 209; Fallen, Hem. Suec., 1829, 133.

tarsalis Reuter. *Callimiris*. Act. Soc. Sci. Fenn., xxxvi, (2)
1909, 6.

uhleri Reuter. *Callimiris*. Ofv. Vet. Akad. Forh., 1875, 60.

Stenodema Laporte.

trispinosum Reuter. *Brachytropis calcaratus*. Nearktische
Capsiden, Act. Soc. Fenn., xxxvi (2) 1909, 4.

vicinum Provancher. *Miris instabilis affinis*. Rept. Geol.
Geog. Surv., v, 1875, 836.

Miris Fabricius.

dolobratus Linnæus. Hayden's Geol. Surv. Mont., 1872, 409.

Mesomiris Reuter.

curtulus Reuter. Nearktische Capsiden, Act. Soc. Sci. Fenn.,
xxxvi, 5.

Collaria Provancher.

meilleurii Provancher. *Nabidea coracina*. Nat. Can., iv,
1872, 79.

oculata Reuter. *Trachelomiris*. Ofv. Vet. Akad. Forh.,
1875 (9) 61.

Family ANTHOCORIDÆ.

Xylocoris Dufour.

Piezostethus Fieber.

cursitans Fallen. Ofv. Vet. Akad. Forh., 1871, 411.

sordidus Reuter. *Ibid.*, 560. (J.R.T.B.)

Triphleps Fieber.

insidiosa Say. Compl. Writ., i, 357.

Family CIMICIDÆ.

Cimex Linnæus.

lectularius Linnæus. Bed bug. Bur. Ent., Bull. 4, new series,
32.

Œciacus Stål.

vicarius Horvath. Barn swallow bug. Insect Book, 288; Bur.
Ent., Bull. 5, new series, 161.

Family NABIDÆ.

Pagasa Stål.

fusca Stein. Berl. Ent. Zeit., i, 90.

Nabis Latreille.*Reduviolus* Kirby.

annulatus Reuter. Ofv. Vet. Akad. Forh., xxix, 86.

ferus Linnæus. *Coriscus*. Syst. Nat., Ed. 10, 449.

inscriptus? Kirby. *Coriscus*. Can. Ent., x, 213.

roseipennis Reuter. *Coriscus*. Ofv. Vet. Akad. Forh., 1872, 87. (H.W.W.)

rufusculus Reuter. *Coriscus*. *Ibid.*, 92.

subcoleoptratus Kirby. *Coriscus*. Insect Book, Pl. xxix, 30.

Family MESOVELIIDÆ.

Mesovelia Mulsant and Rey.

mulsanti White. *bisignata*. Stand. Nat. Hist., ii, 273 (H.L.V.)

Family HEBRIDÆ.

Hebrus Curtis.

concinus Uhler. *Naogeus*. Proc. Zool. Soc., Lond., 1894, 221.

Family REDUVIIDÆ.

Ploiariicola Reuter.

tuberculata Banks. *Ploiariodes*. Psyche, xvi, 46.

Emesa Fabricius.

brevipennis Say. (*longipes* DeGeer, preoccupied.) Compl. Writ., i, 106.

Barce Stål.

annulipes Stål. Enum. Hemip., iii, 127.

Pygolampis Germar.

pectoralis Say. *Reduvius*. Compl. Writ., i, 306.

Reduvius Fabricius.

personatus Linnæus. Bur. Ent., Bull. 22, 24. (D.J.C.)

Melanolestes Stål.

abdominalis Herrich-Schæffer. Insect Book, Pl. xxxi, 38.

picipes Herrich-Schæffer. *Ibid.*, Pl. xxxi, 39.

Apiomerus Hahn.

crassipes Fabricius. Insect Book, Pl. xxix, 20.

Zelus Fabricius.

audax Banks. Ent. News, xxi, 325.

exsanguis Stål. *luridus*. Insect Book, Pl. xxix, 22; Stett. Ent. Zeit., 1862, 452.

Pselliopus Bergroth.*Milyas* Stål.

cinctus Fabricius. Insect Book, Pl. xxxi, 43.

Fitchia Stål.

aptera Stål. Ofv. Vt. Akad. Forh., 1859, 371

Acholla Stål.

multispinosa DeGeer. Mem. Ins., iii, 23.

Sinea Amyot and Serville.

diadema Fabricius. Insect Book, Pl. xxxi, 44; Jour. N. Y. Ent. Soc. ix, 3.

spinipes Herrich-Schæffer. Enum. Hemip., ii, 71. (L.B.W.)

Family PHYMATIDÆ.

Phymata Latreille.

erosa Linnæus. Insect Book, 297.

erosa var. *fasciata* Gray. Griffith's Animal Kingdom, xv, 242. (E.L.D.)

erosa var. *wolfii* Stål. *pennsylvanica* Handlirsch. Insect Book, Pl. xxxi, 36.

vicina Handlirsch. Bull. Buff. Soc. Nat. Sci. ix, 174.

Family PIESMIDÆ.

Piesma Lepeletier and Serville.

cinera Say. *Tingis*. Compl. Writ., i, 349.

Family TINGIDÆ.

Corythucha Stål.

arcuata Say. *Tingis*. Insect Book, 299; Compl. Writ., i, 350.

ciliata Say. *Tingis*. Compl. Writ., i, 349.

cratægi Osborn and Drake. Bull. Ohio St. Univ., xx, 229.

juglandis Fitch. *Tingis*. Insects N. Y., iii, 466.

marmorata Uhler. *Tingis*. Proc. Bos. Soc. Nat. Hist., xix,
415.

pallipes Parshley. Trans. Am. Ent. Soc., xliv, 82. (H.M.P.)

pergandei Heidemann. Proc. Wash. Ent. Soc., viii, 10.

Leptobyrsa Stål.

rhododendri Horvath. *explanata* Heidemann. Proc. Wash.
Ent. Soc., x, 105.

Gargaphia Stål.

angulata Heidemann. Can. Ent., xli, 301.

tiliæ Walsh. Proc. Ent. Soc. Phila., iii, 408. (L.B.W.)

Leptostyla Stål.

clitoriaë Heidemann. *heidemanni* Osborn and Drake. Proc.
Wash. Ent. Soc., xiii, 137.

Physatocheila Fieber.

plexa Say. Compl. Writ., i, 349. (E. L. D.)

variegata Parshley. Psyche, xxiii, 166.

Leptoypha Stål.

mutica Say. Compl. Writ., i, 349.

Melanorhopala Stål.

clavata Stål. *Tingis*. Enum. Hemip., iii, 130.

Hesperotingis Parshley.

antennata Parshley. Psyche, xxiv, 21.

Family LYGÆIDÆ.

Oncopeltus Stål.

fasciatus Dallas. Enum. Hemip., iv, 103. (G.H.H.)

Lygæus Fabricius.

kalmii Stål. Enum. Hemip., iv, 107.

reclivatus Say. Compl. Writ., i, 329.

Ortholomus Stål.

longiceps Stål. Enum. Hemip., iv, 120.

Nysius Dallas.

californicus Stål. Enum. Hemip., iv, 120.

ericæ Schilling. *angustatus*. Insect Book, 311; Hayden's Geol. Surv. Mont., 406.

Ischnorrhynchus Fieber.

geminatus Say. *Lygæus*. Compl. Writ., i, 330.

Cymus Hahn.

angustatus Stål. Enum. Hemip., iv, 126.

luridus Stål. *Ibid.*, iv, 126.

Ischnodemus Fieber.

falicus Say. Compl. Writ., i, 331.

Blissus Burmeister.

hirtus Montandon. Ann. Soc. Ent. Belg., xxxvii, 405.

leucopterus Say. Chinch bug. Insect Book, 311; Bur. Ent., Bull. 69.

Geocoris Fallen.

bullatus Say. Compl. Writ., i, 336.

bullatus var. *discopterus* Stål. Enum. Hemip., iv, 136.

uliginosus Say var. *limbatus* Stål. *Ibid.*, iv, 136.

uliginosus var. *speculator* Montandon. Bull. Soc. Sci. Buc., xvi, 227.

Isthmocoris McAtee.

piceus Say. Compl. Writ., i, 336.

Phlegyas Stål.

abbreviatus Uhler. *Peliopelta*. *Phygadicus*. Bull. Geol. Geog. Surv. Terr., ii, 313.

Ædancala Amyot and Serville.

dorsalis Say. Compl. Writ., i, 335.

Crophius Stål.

disconotus Say. Compl. Writ., i, 330.

Myodocha Latreille.

serripes Olivier. Insect Book, Pl. xxix, 23.

Heræus Stål.

plebejus Stål. Enum. Hemip., iv, 147.

Ligyrocoris Stål.

diffusus Uhler. Proc. Bos. Soc. Nat. Hist., xiv, 101.

Perigenes Distant.

constrictus Say. *fallax* Heidemann. Compl. Writ., i, 332.

costalis Van Duzee. Can. Ent., xli, 373.

Orthæa Dallas.

basalis Dallas. List. Hemip., ii, 575.

Ptochiomera Say.

clavigera Uhler. Hemip. Col., 24.

Cnemodus Herrich-Schæffer.

mavortius Say. Compl. Writ., i, 337.

Pseudocnemodus Barber.

canadensis Provancher. *bruneri* Barber. Jour. N. Y. Ent. Soc.,
xix, 26.

Ozophora Uhler.

picturata Uhler. Proc. Bost. Soc. Nat. Hist., xiv, 102.

Rhyparochromus Curtis.

plenus Distant. Biol. Centr. Amer., Heterop., i, 216.

Sphragisticus Stål.

nebulosus Fallen. *Trapezonotus*. List. Hemip., ii, 564.

Aphanus Distant.

plenus Distant. Biol. Centr. Amer., Heterop., i, 409.

Emblethis Fieber.

vicarius Horvath. Ann. Mus. Nat. Hung., vi, 563.

Eremocoris Fieber.

ferus Say. *Pamera*. Compl. Writ., i, 333.

Xestocoris Van Duzee.

nitens Van Duzee. Ent. News, xvii, 390.

Cryphula Stål.

parallelogramma Stål. Enum. Hemip., iv, 165.

Scolopostethus Fieber.

atlanticus Horvath. Rev. d'Entom., xii, 239.

thomsoni Reuter. Ann. Soc. Ent. Fr., Ser. 5, ii, 562.

Family NEIDIDÆ.

Neides Latreille.

muticus Say. Compl. Writ., i, 328.

Jalysus Stål.

spinosus Say. *Berytus*. Compl. Writ., i, 28.

Family ARADIDÆ.

Aradus Fabricius.

abbas Bergroth. Bull. Soc. Ent. Belg., 1889. clxxx.

falleni Stål. Enum. Hemip., iii, 136. (M.P.Z.)

quadrilineatus Say. Compl. Writ., ii, 249.

robustus Uhler. Proc. Bos. Soc. Nat. Hist., xiv, 104.

similis Say. Compl. Writ., i, 351.

Aneurus Curtis.

fiskei Heidemann. Proc. Wash. Ent. Soc., vi, 164. (E.L.D.)

inconstans Uhler. Proc. Bost. Soc. Nat. Hist., xiv, 105.

Family COREIDÆ.

Merocoris Perty.*Corynocoris* Mayr.

typhæus Fabricius var. *distinctus* Dallas. Ent. Syst., Suppl. 537; List. Hemip., ii, 419. (L.B.W.)

Acanthocephala Laporte.

terminalis Dallas. *Metapodius*. Insect Book, Pl. xxxi, 19; Bull. Geol. Geog. Surv. Terr., ii, (5) 298.

Euthochtha Mayr.

galeator Fabricius. *Acanthocerus*. Insect Book, Pl. xxxi, 31; Syst Rhyng., 191.

Anasa Amyot and Serville.

armigera Say. Compl. Writ., ii, 244.

repetita Heidemann. Proc. Wash. Ent. Soc., vii, 11.

tristis DeGeer. Squash bug. Rept. Conn. Agr. Expt. Sta., 1908, 811; 1919, 44.

Family ALYDIDÆ.

Protenor Stål.

belfragei Haglund. Stett. Ent. Zeit., 1868, 162.

Megalotomus Fieber.

quinquespinosus Say. *Lygæus*. Insect Book, Pl. xxxi, 25;
Compl. Writ., ii, 247.

Alydus Fabricius.

eurinus Say. *Lygæus*. Insect Book, Pl. xxxi, 24; Compl.
Writ., ii, 247.

pilosulus Herrich-Schæffer. *Ibid.*, Pl. xxix, ii; Proc. U. S.
Nat. Mus., xvi, 50.

Family CORIZIDÆ.

Harmostes Burmeister.

reflexulus Say. Insect Book, Pl. xxix, 14; Compl. Writ., i,
323.

Corizus Fallen.

lateralis Say. Ann. Ent. Soc. Am., i, 140.

bohemani Signoret. *nigristernum*. *Ibid.*, i, 143.

Family PENTATOMIDÆ.

Podops Laporte.

cinctipes Say. Trans. Am. Ent. Soc., xxx, 22.

Brochymena Amyot and Serville.

carolinensis Westwood, *annulata* Fabricius. Trans. Am. Ent.
Soc., xxx, 27.

arborea Say. *Ibid.*, xxx, 27.

quadripustulata Fabricius. *Ibid.*, xxx, 28.

Peribalus Mulsant and Rey.

limbolarius Stål. *Holcostethus*. Trans. Am. Ent. Soc., xxx,
32.

Trichopepla Stål.

semivittata Say. Insect Book, Pl. xxx, 6; Trans. Am. Ent.
Soc., xxx, 34.

Rhytidolomia Stål.

saucia Say. *Lioderma*. Trans. Am. Ent. Soc., xxx, 36.

senilis Say. *Lioderma*. *Ibid.*, xxx, 37.

Chlorochroa Stål.

uhleri Stål. *persimilis* Horvath. *Pentatoma juniperina*. *Lioderma*. Trans. Am. Ent. Soc., xxx, 39.

Mormidea Amyot and Serville.

lugens Fabricius. Insect Book, Pl. xxxi, 3; Stett. Ent. Zeit. xxiii, 103.

Solubea Bergroth.

pugnax Fabricius. *Æbalus*. Enum. Hemip., ii, 22.

Euschistus Dallas.

euschistoides Vollenhoven. *fissilis* Uhler. Trans. Am. Ent. Soc., xxx, 44.

ictericus Linnæus. *Ibid.*, xxx, 47.

tristigmus Say. *Ibid.*, xxx, 47.

variolarius Beauvois. Spined tobacco bug. Rept. Conn. Agr. Expt. Sta., 1906, 274.

Cœnus Dallas.

delius Say. Insect Book, Pl. xxx, 11; Compl. Writ., i, 320.

Hymenarcys Amyot and Serville.

nervosa Say. *Pentatoma*. Compl. Writ., i, 321.

Neottiglossa Kirby.

undata Say. Trans. Am. Ent. Soc., xxx, 50.

Cosmopepla Stål.

bimaculata Thomas. *carnifex* Fabricius. Insect Book, Pl. xxxi, 6.

Meneclis Stål.

insertus Say. *Pentatoma*. Compl. Writ., i, 317.

Thyanta Stål.

calceata Say. *Pentatoma*. Compl. Writ., i, 320.

custator Fabricius. Insect Book, Pl. xxx, fig. 17.

Murgantia Stål.

histrionica Hahn. Harlequin cabbage bug. Bur. Ent., Circ. 103. (H.L.J.)

Acrosternum Fieber.

- hilare* Say. Insect Book, Pl. xxxi, 10; Trans. Am. Ent. Soc., xxx, 58.
pennsylvanicum DeGeer. *Ibid.*, xxx, 57.

Banasa Stål.

- calva* Say. Insect Book, Pl. xxx, 30; Trans. Am. Ent. Soc., xxx, 59.
dimidiata Say. *Ibid.*, xxx, 59.

Dendrocoris Bergroth.

- humeralis* Uhler. *Liotropis*. Bull. Geol. Geog. Surv., xxx, 400.

Meadorus Mulsant and Rey.

- lateralis* Say. *Elasmucha*. Trans. Am. Ent. Soc., xxx, 73.

Elasmostethus Fieber.

- cruciatus* Say. *borealis* Westwood. Compl. Writ., i, 311.
 (L.B.W.)

Stiretrus Laporte.

- anchorago* Fabricius. Spec. Ins., ii, 341.

Perillus Stål.

- circumcinctus* Stål. Trans. Am. Ent. Soc., xxx, 67.
exaptus Say. *Ibid.*, xxx, 65.

Mineus Stål.

- strigipes* Herrich-Schæffer. Trans. Am. Ent. Soc., xxx, 67.

Apateticus Dallas.

- bracteatus* Fitch. *Podisus*. Trans. Am. Ent. Soc., xxx, 70.
cynicus Say. *Podisus*. *Ibid.*, xxx, 68.

Podisus Herrich-Schæffer.

- maculiventris* Say. *spinosus*. Spined soldier bug. Rept. Conn. Agr. Expt. Sta., 1908, Pl. lv, d.
modestus Dallas. Trans. Am. Ent. Soc., xxx, 71.
placidus Uhler. *Ibid.*, xxx, 71.
serieiventris Uhler. *Ibid.*, xxx, 71.

Family CYDNIDÆ.

Thyreocoris Schrank.

- ater** Amyot and Serville. *Corimelæna unicolor* Beauvois. Trans. Am. Ent. Soc., xxx, 4.
lateralis Fabricius. *gilletti*. *Corimelæna*. *Ibid.*, xxx, 7.
nitiduloides Wolff. *Corimelæna*. *Ibid.*, xxx, 5.
pulicarius Germar. *Corimelæna*. *Ibid.*, xxx, 9.

Amnestus Dallas.

- pallidus** Zimmer. Can. Ent., xlii, 166.
pusillus Uhler. *subferrugineus*. Trans. Am. Ent. Soc., xxx, 25. (H.L.V.)
spinifrons Say. *Ibid.*, xxx, 25.

Sehirus Amyot and Serville.

- cinctus** Beauvois. *Canthophorus*. Bull. Geol. Geog. Surv., Terr. iii, 397.

Family SCUTELLERIDÆ.

Homæmus Dallas.

- æneifrons** Say. Trans. Am. Ent. Soc., xxx, 13.

Eurygaster Laporte.

- alternata** Say. Trans. Am. Ent. Soc., xxx, 18.

Order LEPIDOPTERA.

Butterflies and Moths.

Suborder HETEROCERA.

Moths.

Family MICROPTERYGIDÆ.

Eriocephala Curtis.*griseocapitella* Walsingham. Ent. Rec., x, 161.

Family HEPIALIDÆ.

Sthenopsis Packard.*argenteomaculatus* Harris. Silver-spotted ghost moth. Moth Book, 443.*quadriguttatus* Grote. Proc. Phila. Ent. Soc., iii, 73; Moth Book, 443.

Family TINEIDÆ.

Pseudanaphora Walsingham.*arcanella* Clemens. Proc. Acad. Nat. Sci. Phila., 1859, 262.**Acrolophus** Poey.*plumifrontellus* Clemens. Proc. Acad. Nat. Sci. Phila., 1859, 261; Moth Book, 443.**Pronuba** Riley.*yuccasella* Riley. Rept. Ins. Mo., v, 150; Ins. Life, iv, 360; Moth Book, 441.**Pitys** Chambers.*fasciella* Chambers. Can. Ent., v, iii. (C.R.E.)*miscocrisatella* Chambers. *Ibid.*, v, iii. (C.R.E.)**Hybroma** Clemens.*servulella* Clemens. Proc. Phila. Ent. Soc., i, 137. (C.R.E.)**Cyane** Chambers.*visaliella* Chambers. Can. Ent., v, 113. (C.R.E.)

Amadrya Clemens.

effrenatella Clemens. Proc. Acad. Nat. Sci. Phila., 1859, 260.
confusella Dietz. Trans. Am. Ent. Soc., xxxi, 8. (C.R.E.)

Homosetia Clemens.

costisignella Clemens. Trans. Am. Ent. Soc., xxxi, 83.
 (C.R.E.)

Tinea Linnæus.

acapnopennella Clemens. Trans. Am. Ent. Soc., xxxi, 63.
arcella Fabricius. *Ibid.*, xxxi, 62.
biflavimaculella Clemens. *Ibid.*, x, 170. (C.R.E.)
carnariella Clemens. Proc. Acad. Nat. Sci. Phila., 1859, 256.
 (C.R.E.)
dorsistrigella Clemens. *subjunctella*. *Ibid.*, 1859, 257.
fuscipunctella Haworth. *frigidella*. Trans. Am. Ent. Soc.,
 x, 171. (C.R.E.)
granella Linnæus. *variatella*. *Ibid.*, x, 171.
marginistrigella Chambers. Can. Ent., v, 88. (C.R.E.)
obscurostrigella Chambers. *Ibid.*, vi, 232. (C.R.E.)
pellionella Linnæus. Fur moth. Trans. Am. Ent. Soc., xxxi,
 51: Moth Book, 433. (C.R.E.)
rileyi Dietz. Trans. Am. Ent. Soc., xxxi, 59.

Monopsis Hübner.

ferruginella Hübner. *croicapitella*. Trans. Am. Ent. Soc., x,
 1, 170; xxxi, 33.

Tineola Herrich-Schæffer.

bisselliella Hummel. Clothes moth. Bur. Ent., Bull. 4, new
 ser., 66: Moth Book, 432.

Xylestia Clemens.

pruniramiella Clemens. Proc. Acad. Nat. Sci. Phila., 1859, 257.
 (C.R.E.)

Scardia Treitschke.

approximatella Dietz. Trans. Am. Ent. Soc., xxxi, 27.

Acrolepia Curtis.

incertella Chambers. *dorsimaculella*. Can. Ent., v, 174.
 (C.R.E.)

Argyresthia Hübner.

- andereggiella* Duponchel. *oreasella*. Tin. N. A., 93.
annettella Busck. Proc. U. S. Nat. Mus., xxxii, 12.
austerella Zeller. *undulatella* Chambers. *Ibid.*, xxxii, 22.
freyella Walsingham. *Ibid.*, xxxii, 11. (C.R.E.)
gœdartella Linnæus. *Ibid.*, xxxii, 12. (C.R.E.)

Swammerdamia Hübner.

- castanæ* Busck. Proc. Wash. Ent. Soc., xvi, 148. (C.R.E.)

Tischeria Zeller.

- citrinipennella* Clemens. Tin. N. A., 39. (C.R.E.)
malifoliella Clemens. Apple leaf-miner. Can. Ent., iii, 208;
 Storrs Agr. Expt. Sta., Bull. 45.
solidaginifoliella Clemens. Tin. N. A., 81. (C.R.E.)

Lyonetia Hübner.

- sp. (several species probably synonymous.)

Philonome Chambers.

- clemensella* Chambers. Can. Ent., vi, 97. (C.R.E.)

Proleucoptera Busck.

- albella* Chambers. Can. Ent., iii, 23. (C.R.E.)

Marmara Clemens.

- elotella* Busck. Jour. Econ. Ent., 10, 488.
salictella Clemens. Proc. Phila. Ent. Soc., ii, 7. (C.R.E.)

Leucanthiza Clemens.

- amphicarpeæfoliella* Clemens. Tin. N. A., 85. (C.R.E.)

Ornix Treitschke.

- cratægifoliella* Clemens. Can. Ent., v, 48: Trans. Am. Ent. Soc., xxxiii, 292. (C.R.E.)
kalmiella Dietz. Trans. Am. Ent. Soc., xxxiii, 291. (C.R.E.)
obliterella Dietz. *Ibid.*, xxxiii, 297. (C.R.E.)
præciosella Dietz. *Ibid.*, xxxiii, 291. (C.R.E.)
prunivorella Chambers. *Ibid.*, xxxiii, 294. (C.R.E.)
quadripunctella Clemens. Tin. N. A., 177. (C.R.E.)

Gracillaria Haworth.

- alchimiella* Scopoli. *superbifrontella*. Trans. Am. Ent. Soc., x, 191.

- belfrageella* Chambers. Can. Ent., vii, 92. (C.R.E.)
bimaculatella Ely. Insec. Insc. Menst., iii, 53. (C.R.E.)
blandella Clemens. Tin. N. A., 257. (C.R.E.)
burgessiella Zeller. Insec. Insc. Menst., iii, 51. (C.R.E.)
cornusella Ely. *Ibid.*, iii, 53. (C.R.E.)
coroniella Clemens. Tin. N. A., 243, (C.R.E.)
elongella Linnæus. Trans. Am. Ent. Soc., x, 193. (C.R.E.)
fasciella Chambers. *Ibid.*, x, 201. (C.R.E.)
flavella Ely. Insec. Insc. Menst., iii, 56. (C.R.E.)
flavimaculella Ely. *Ibid.*, iii, 57. (C.R.E.)
fraxinella Ely. *Ibid.*, iii, 58. (C.R.E.)
fulgidella Clemens. Tin. N. A., 92. (C.R.E.)
glutinella Ely. Insec. Insc. Menst., iii, 55. (C.R.E.)
juglandiella Chambers. Can. Ent., vii, 9. (C.R.E.)
lespedezæfoliella Clemens. *robiniella*. Tin. N. A., 144, 207.
 (C.R.E.)
minimella Ely. Insec. Insc. Menst., iii, 58. (C.R.E.)
ostryæella Chambers. Ent. News, xxiii, 167. (C.R.E.)
packardella Chambers. Can. Ent., iv, 27. (C.R.E.)
pennsylvaniella Engel. Ent. News, xviii, 276. (C.R.E.)
purpuriella Chambers. Can. Ent., ix, 126. (C.R.E.)
quercinigrella Ely. Insec. Insc. Menst., iii, 60. (C.R.E.)
rhoifoliella Chambers. Can. Ent., viii, 31. (C.R.E.)
sassafrasella Chambers. *Ibid.*, viii, 33. (C.R.E.)
serotinella Ely. *Coriscium*. Ent. News, xix, 57. (C.R.E.)
stigmatella Fabricius. Can. Ent. xi, 74. (C.R.E.)
strigifinitella Clemens. Tin. N. A., 92. (C.R.E.)
venustella Clemens. *eupatoriella*. *Ibid.*, 92. (C.R.E.)
violacella Clemens. *desmodifoliella*. *Ibid.*, 93, 268. (C.R.E.)

Lithocolletes Hübner.

- aceriella* Clemens. Tin. N. A., 65. (C.R.E.)
argentifimbriella Clemens. Trans. Am. Ent. Soc., xxxiv, 281.
 (C.R.E.)
basistrigella Clemens. *Ibid.*, xxxiv, 308. (C.R.E.)
bethuniella Chambers. Can. Ent., iii, 109. (C.R.E.)
betulivora Walsingham. Ins. Life, iii, 326. (C.R.E.)
caryæalbella Chambers. Can. Ent., iii, 58. (C.R.E.)
caryæfoliella Clemens. Tin. N. A., 65. (C.R.E.)

- cincinnatiella* Chambers. Trans. Am. Ent. Soc., xxxiv, 329.
(C.R.E.)
- corylisella* Chambers. *Ibid.*, xxxiv, 344. (C.R.E.)
- cratægella* Clemens. Tin. N. A., 76. (C.R.E.)
- desmodiella* Clemens. *Ibid.*, 68. (C.R.E.)
- fitchiella* Clemens. *Ibid.*, 139. (C.R.E.)
- guttifinitella* Clemens. *Ibid.*, 65. (C.R.E.)
- hamadryella* Clemens. White oak blotch leaf miner. Can.
Ent., iii, 55.
- lentella* Braun. Trans. Am. Ent. Soc., xxxiv, 326. (C.R.E.)
- lucidicostella* Clemens. *Ibid.*, xxxiv, 281. (C.R.E.)
- nemoris* Walsingham. Ins. Life, ii, 116. (C.R.E.)
- ostryarella* Chambers. Can. Ent., iii, 111. (C.R.E.)
- picturatella* Braun. Ent. News, xxvii, 84. (C.R.E.)
- saccharella* Braun. Trans. Am. Ent. Soc., xxxiv, 327. (C.R.E.)
- salicifoliella* Clemens. Tin. N. A., 169. (C.R.E.)
- ulmella* Chambers. Can. Ent., iii, 148. (C.R.E.)

Bucculatrix Zeller.

- canadensisella* Chambers. Birch leaf skeletonizer. Rept.
Conn. Agr. Expt. Sta., 1909-10, 701.
- magnella* Chambers. Can. Ent., vii, 54. (C.R.E.)
- nivella* Chambers. *Ibid.*, vii, 54. (C.R.E.)
- pomifoliella* Clemens. Apple Bucculatrix. Ribbed cocoon-
maker. Cornell Agr. Expt. Sta., Bull. 214: Moth Book,
431.
- sp.

Opostega Zeller.

- bosqueella* Chambers. Bull. Geol. Geog. Surv. Terr., iv, 106.
(C.R.E.)
- magnella* Chambers. Can. Ent., vii, 54. (C.R.E.)
- niveella* Chambers. *Ibid.*, vii, 54. (C.R.E.)
- quadristrigella* Chambers. Cin. Quart. Jour. Sci., ii, 106.
(C.R.E.)

Trifurcula Zeller.

- obrutella* Zeller. Verh. Zool.-Bot. Ges. Wien., xxiii, 316.
(C.R.E.)

Nepticula Von Heyden.*amelanchierella* Clemens. Tin. N. A., 174. (C.R.E.)*virginiella* Clemens. *Ibid.*, 172. (C.R.E.)

sp.

Family ELACHISTIDÆ.

Walshia Clemens.*amorphella* Clemens. Tin. N. A., 241. (C.R.E.)**Mompha** Hübner.*cephalonthiella* Chambers. Can. Ent., iii, 221. (C.R.E.)*eloisella* Clemens. Tin. N. A., 131.**Stagmatophora** Herrich-Schæffer.*ceanothiella* Cosens. Can. Ent., xl, 107.*sexnotella* Chambers. Jour. N. Y. Ent. Soc., x, 97.

sp.

Psacaphora Herrich-Schæffer.*passerella* Busck. Proc. Wash. Ent. Soc., xi, 95. (C.R.E.)

sp.

Theisoa Chambers.*constrictella* Zeller. *bifasciella*. Can. Ent., vi, 76. (C.R.E.)**Stilbosis** Clemens.*tesquella* Clemens. Tin. N. A., 129. (C.R.E.)**Antispila** Hübner.*cornifoliella* Clemens. Tin. N. A., 103. (C.R.E.)**Scythris** Hübner.*albapennella* Chambers. Can. Ent. vii, 11.*eboracensis* Zeller. Linn. Ent., x, 205.**Lymnæcia** Stainton.*phragmitiella* Stainton. Cat. Brit. Tin., Suppl., 4, 1851.**Elachista** Treitschke.*albapalpella* Chambers. Jour. Cin. Soc. Nat. Hist., viii, 240.

(C.R.E.)

curvilineella Chambers. Can. Ent., iv, 172. (C.R.E.)

sp.

Erineda Busck.

elyella Busck. Proc. Wash. Ent. Soc., xi, 94. (C.R.E.)

Cosmopteryx Hübner.

gemmiferella Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 10.

Batrachetra Stainton.

trichella Busck. Can. Ent., xl, 196. (C.R.E.)

Coleophora Hübner.

cratipennella Clemens. Proc. Phila. Ent. Soc., iii, 506.
(C.R.E.)

fletcherella Fernald. Can. Ent., iv, 122.

laricella Hübner. Ins. Aff. Park and Woodl. Trees, i, 170.

limosipennella Duponchel. *Ibid.*, i, 167.

spissicornis Haworth. *corruscipennella*. Tin. N. A., 88.
(C.R.E.)

sp.

Family BLASTOBASIDÆ.

Holcocera Clemens.

chalcofrontella Clemens. Proc. Phila. Ent. Soc., ii, 122.
(C.R.E.)

elyella Dietz. Trans. Am. Ent. Soc., xxxvi, 49. (C.R.E.)

melanostriatella Dietz. *Ibid.*, xxxvi, 66. (C.R.E.)

Valentina Walsingham.

modestella Clemens. *glandulella*. Trans. Am. Ent. Soc.,
xxxvi, 33. (C.R.E.)

Pseudopigritia Dietz.

equitella Dietz. Trans. Am. Ent. Soc., xxvii, 112.

Pigritia Clemens.

laticapitella Clemens. Trans. Am. Ent. Soc., xxvii, 106.

ornatella Dietz. *Ibid.*, xxvii, 107. (C.R.E.)

sp.

Family ŒCOPHORIDÆ.

Borkhausenia Hübner.

ascriptella Busck. Can. Ent., xl, 194.

shalleriella Chambers. *Œcophora*. Cin. Quart. Jour. Sci., ii,

Decantha Busck.

borkhauseni Zeller. Verh. Zool-Bot. Ges. Wien., xxiii, 290.
(C.R.E.)

Æcophora Latreille.

newmanella Clemens. *Dasycera*. Tin. N. A., 252.

Gerdana Busck.

caritella Busck. Pros. U. S. Nat. Mus., xxxv, 193. (C.R.E.)

Epicallima Dyar.

argenticinctella Clemens. Proc. Acad. Nat. Sci. Phila., 1860,
167.

Euclementia Grote.

bassettella Clemens. Proc. Phila. Ent. Soc., ii, 423: Rept.
Conn. Agr. Expt. Sta., 1916, 143.

Semioscopsis Hübner.

allenella Walsingham. Trans. Am. Ent. Soc., x, 174. (C.R.E.)

Depressaria Haworth.

atrodorsella Clemens. Proc. Acad. Nat. Sci. Phila., ii, 124.

betulella Busck. Proc. U. S. Nat. Mus., xxiv, 746. (C.R.E.)

fernaldella Walsingham. Ins. Life, i, 256.

gracilis Walsingham. *Ibid.*, i, 257. (C.R.E.)

heracliana DeGeer. *ontariella*. Can. Ent., ii, 3, 19. (C.R.E.)

pulvipennella Clemens. Proc. Phila. Ent. Soc., ii, 421.

robinella Packard. Pack. Guide, 349.

sp. near *pallidella* Busck.

Cryptolechia Zeller.

tentoriferella Clemens. *Machima*. Tin. N. A., 148. (C.R.E.)

Psilocorsis Clemens.

quercicella Clemens. Tin. N. A. 149. (C.R.E.)

Agnopteryx Hübner.

flavicomella Engel. Ent. News, xviii, 276. (C.R.E.)

lecontella Clemens. Tin. N. A., 137.

fernaldella Walsingham. *walsinghamiella* Busck. Ins. Life, i,
256.

Family XYLORICTIDÆ.

Brachyloma Clemens.

querciella Busck. Proc. Wash. Ent. Soc., x, 112. (C.R.E.)

Stenoma Zeller.

leucillana Zeller; Ins. Life, ii, 153.

schlægeri Zeller. *Ibid.*, ii, 152.

Family GELECHIIDÆ.

Gelechia Hübner.

argentipunctella Ely. Proc. Wash. Ent. Soc., xii, 70. (C.R.E.)

conclusella Walker. *crescentifasciella*. Can. Ent., vi, 237.
(C.R.E.)

disco-ocellella Chambers. *Ibid.*, iv, 194. (C.R.E.)

fluvialella Busck. *Ibid.*, xl, 194. (C.R.E.)

hibiscella Busck. Proc. U. S. Nat. Mus., xxv, 869. (C.R.E.)

maculimarginella Chambers. Can. Ent., vi, 241. (C.R.E.)

mediofuscella Clemens. Proc. Phila. Ent. Soc., ii, 11, 120.

nigrimaculella Busck. Proc. U. S. Nat. Mus., xxv, 880.
(C.R.E.)

pseudoacaciella Chambers. Can. Ent., iv, 107.

pseudofondella Busck. Proc. Wash. Ent. Soc., ix, 87. (C.R.E.)

rileyella Chambers. Can. Ent., iv, 106. (C.R.E.)

trialbamaculella Chambers. Cin. Quart. Jour. Sci., ii, 250.
(C.R.E.)

vernella Murtfeldt. *formosella*. Can. Ent., xiii, 243. (C.R.E.)

Anacamptis Curtis.

innocuella Zeller. Proc. U. S. Nat. Mus., xxv, 845. (C.R.E.)

rhoifruetella Clemens. Can. Ent., iii, 68. (C.R.E.)

tristrigella Walsingham. Trans. Am. Ent. Soc., x, 181.

Dichomeris Hübner.

herculeella Busck. Proc. Wash. Ent. Soc., xi, 89. (C.R.E.)

marginellus Fabricius. Juniper webworm. Rept. N. Y. State
Ent., 26, 35; Rept. Conn. Agr. Expt. Sta., 1915, 137.

Aproærema Durrant.

nigratomella Clemens. *apicilinella*. Proc. Phila. Ent. Soc., ii,
11, 120. (C.R.E.)

Anarsia Zeller.

lineatella Zeller. Peach twig borer. Rept. Conn. Agr. Expt. Sta., 1918, 306.

Ypsolophus Fabricius.

bipunctellus Walsingham. Trans. Am. Ent. Soc., x, 186. (C.R.E.)

ligulellus Hübner. *reedella*. Can. Ent. iv, 222.

ventrellus Fitch. Trans. N. Y. Agr. Soc., xiii, 254. (C.R.E.)

Anorthosia Clemens.

punctipennella Clemens. Can. Ent., iv, 225. (C.R.E.)

Glyphidocera Walsingham.

speratella Busck. Proc. Wash. Ent. Soc., ix, 88. (C.R.E.)

Trichotaphe Clemens.

alacella Clemens. Proc. Phila. Ent. Soc., i, 132. (C.R.E.)

flavocostella Clemens. *Ibid.*, i, 131.

inversella Zeller. Can. Ent., x, 54. (C.R.E.)

juncidella Clemens. *dubitella*. *Ibid.*, iv, 92. (C.R.E.)

serrativittella Zeller. *Ibid.*, ix, 24. (C.R.E.)

setosella Clemens. *costolutella*. *Ibid.*, iv, 209. (C.R.E.)

trimaculella Chambers. *Ibid.*, vi, 238. (C.R.E.)

trinitella Busck. *Ibid.*, xxxviii, 122. (C.R.E.)

Polyhymno Chambers.

luteostrigella Chambers. Can. Ent., vi, 247. (C.R.E.)

Gnorimoschema Busck.

artemisiella Kearfott. Jour. N. Y. Ent. Soc., xi, 160. (C.R.E.)

banksiella Busck. Proc. U. S. Nat. Mus., xxv, 832. (C.R.E.)

gallæasteriella Kellicott. Can. Ent., x, 203. (C.R.E.)

gallæsolidaginis Riley. Rept. Ins. Mo., i, 173.

saphirinella Chambers. Cin. Quart. Jour. Sci., ii, 250. (C.R.E.)

Trypanisma Clemens.

prudens Clemens. Tin. N. A., 125. (C.R.E.)

Epitheatia Meyrick.

attributella Walker. *difficilisella*. Can. Ent., iv, 66.

Recurvaria Haworth.

apicitripunctella Clemens. Trans. Am. Ent. Soc., x, 182.
(C.R.E.)

obliquestrigella Chambers. Can. Ent., iv, 65. (C.R.E.)

Aristotelia Hübner.

absconditella Walker. Trans. Am. Ent. Soc., x, 181. (C.R.E.)

fungivorella Clemens. Proc. Phila. Ent. Soc., iii, 507. (C.R.E.)

minimella Chambers. Can. Ent., vi, 243. (C.R.E.)

pudibundella Zeller. *intermediella*. Verh. Zool.-Bot. Ges.
Wien., xxiii, 273. (C.R.E.)

quinquepunctella Busck. Proc. U. S. Nat. Mus., xxv, 804.
(C.R.E.)

roseosuffusella Clemens. Proc. Phila. Ent. Soc., ii, 121.

rubidella Clemens. *Ibid.*, ii, 121. (C.R.E.)

Telphusa Chambers.

glandiferella Zeller. *sella*. Can. Ent., vi, 238. (C.R.E.)

latifasciella Chambers. Cin. Quart. Jour. Sci., ii, 251.

palliderosacella Chambers. Bull. Geol. Geog. Surv. Terr., iv,
90.

Sitotroga Heinemann.

cerealella Olivier. Angoumois grain moth. N. J. Agr. Expt.
Sta., Bull. 147.

Paltodora Meyrick.

anteliella Busck. Proc. U. S. Nat. Mus., xxv, 778. (C.R.E.)

cilialineella Chambers. Can. Ent., vi, 242. (C.R.E.)

similiella Chambers. *Ibid.*, iv, 193. (C.R.E.)

Ptyocerata Ely.

busckella Ely. Proc. Wash. Ent. Soc., xii, 69. (C.R.E.)

Metzneria Zeller.

lappella Linnæus. Syst. Nat., 1758, 537.

Family YPONOMEUTIDÆ.

Yponomeuta Latreille.

multipunctella Clemens. Tin. N. A., 95. (C.R.E.)

Martyringa Busck.

latipennis Walsingham. Trans. Am. Ent. Soc., x, 190.
(C.R.E.)

Harpipteryx Hübner.

xylostella Linnæus. Contr. Nat. Hist. Lepidop, iv, 246, pl. xxviii, fig. 12.

Plutella Schrank.

maculipennis Curtis. *cruciferarum. dubiosella.* Brit. Ent., 1832, pl. 420: Can. Ent., xxi, 27. (C.R.E.)

Choreutis Hübner.

inflatella Clemens. Proc. Phila. Ent. Soc., ii, 5.

Family TORTRICIDÆ.

Evetria Hübner.

comstockiana Fernald. Can. Ent., xi, 157.

Polychrosis Ragonot.

vernoniana Kearfott. Trans. Am. Ent. Soc., xxxiii, 7. (C.R.E.)

viteana Clemens. Grape berry moth. Cornell Agr. Expt. Sta., Bull. 223.

sp.

Bactra Stephens.

lanceolana Hübner. Schmett. Eur. Tort., f. 80. 1800. (C.R.E.)

Exartema Clemens.

concinnaum Clemens. Proc. Phila. Ent. Soc., v, 134. (C.R.E.)

fasciatanum Clemens. *Ibid.*, v, 134.

inornatanum Clemens. Proc. Phila. Ent. Soc., v, 134.

olivaceanum Fernald. Trans. Am. Ent. Soc., x, 71.

permundanum Clemens. Proc. Phila. Ent. Soc., v, 134.

punctanum Walsingham. Ill. Lep. Het. Brit. Mus., iv, 87. (C.R.E.)

sericoranum Walsingham. *Ibid.*, iv, 36.

versicoloranum Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 357. (C.R.E.)

zellerianum Fernald. *nitidanum.* Verh. Zool-Bot. Ges. Wein., xxv, 270. (C.R.E.)

Olethreutes Hübner.*

- abietana* Fernald. Can. Ent., xl, 349.
agilana Clemens. Proc. Acad. Nat. Sci. Phila., 1860. 359.
 (C.R.E.)
bipartitana Clemens. *Ibid.*, 1860. 346.
campestrana Zeller. Verh. Zool-Bot. Ges. Wien., xxv. 282.
corruscana Clemens. Proc. Phila. Acad. Sci., 1860. 346.
cyanana Murtfeldt. Am. Ent., III. 14.
dimidiana Sodoffsky. Bull. Mosc., 1830. 73. (C.R.E.)
griseoalbana Walsingham. Ill. Lep. Het., Brit. Mus., iv. 38.
 (C.R.E.)
hartmanniana Linnæus. Faun. Suec. 345. (C.R.E.)
hartmanniana var. *albeolana* Zeller. Verh. Zool-Bot. Ges.
 Wien., xxv. 262.
hebesana Walker. Ill. Lep. Het., Brit. Mus., iv. 31.
impudens Walsingham. Trans. Ent. Soc. Lond., 1884. 135
 (C.R.E.)
instrutana Clemens. Proc. Phila. Ent. Soc., v. 135. (C.R.E.)
interruptolineana Fernald. *Penthina*. Trans. Am. Ent. Soc., x.
 70. (C.R.E.)
nimbatana Clemens. Proc. Acad. Nat. Sci. Phila., 1860. 346.
ochromediana Kearfott. Trans. Am. Ent. Soc., xxxiii. 11.
 (C.R.E.)
separatana Kearfott. *Ibid.* xxxiii. 13. (C.R.E.)
 sp.

Pseudogalleria Ragonot.

- inimicella* Zeller. Verh. Zool-Bot. Ges. Wien., xxii. 559.
 (C.R.E.)

Eucosma Hübner.

- abbreviatana* Walsingham. Ill. Lep. Het., Brit. Mus., iv. 54.
agricolana Walsingham. *Ibid.* iv. 42. (C.R.E.)
albiguttana Zeller. Verh. Zool-Bot. Ges. Wien., xxv. 313.
 (C.R.E.)
boxcana Kearfott. Trans. Am. Ent. Soc., xxxiii. 87. (C.R.E.)
cataclystiana Walker. *Pædisca ochreana*. Proc. Phila. Ent. Soc.,
 III. 520.
confana Kearfott. Proc. U. S. Nat. Mus., xxviii. 355. (C.R.E.)
culminana Walsingham. Ill. Lep. Het., iv. 38.

* See also appendix.

- dorsisignatana* Clemens. Proc. Acad. Nat. Sci. Phila., 1860. 353:
Moth Book, 418.
- fulminana* Walsingham. Ill. Lep. Het., iv. 50. (C.R.E.)
- gracilana* Kearfott. Proc. U. S. Nat. Mus., xxviii. 352.
(C.R.E.)
- haracana* Kearfott. *Proteopteryx*. Trans. Am. Ent. Soc., xxxiii.
46. (C.R.E.)
- juncticiliana* Walsingham. Ill. Lep. Het., iv. 75. (C.R.E.)
- minutana* Kearfott. Proc. U. S. Nat. Mus., xxviii. 356.
- otiosana* Clemens. Proc. Acad. Nat. Sci. Phila., 1860. 354.
(C.R.E.)
- pergandeana* Fernald. Can. Ent. xxxvii. 399. (C.R.E.)
- perplexana* Fernald. *Epiblema*. Jour. N. Y. Ent. Soc., ix. 51.
(C.R.E.)
- scudderiana* Clemens. *Saligneana*. Proc. Phila. Ent. Soc., v.
141. (C.R.E.)
- solicitana* Walker. Cat. Brit. Mus., xxviii. 387. (C.R.E.)
- strenuana* Walker. Ill. Lep. Het., iv. 52.
- tomonana* Kearfott. Can. Ent., xxxix. 78. (C.R.E.)
- transmissana* Walker. Ill. Lep. Het., iv. 52.
- zomonana* Kearfott. Can. Ent., xxxix. 80. (C.R.E.)

Cydia Hübner.

- cinereodorsana* Kearfott. Trans. Am. Ent. Soc., xxxiii. 39.
(C.R.E.)
- raracana* Kearfott. *Ibid.*, xxxiii. 44. (C.R.E.)

Thiodia Hübner.

- essexana* Kearfott. Trans. Am. Ent. Soc., xxxiii. 39. (C.R.E.)
- formosana* Clemens. Proc. Acad. Nat. Sci. Phila., 1860. 360.
- imbridana* Fernald. Can. Ent., xxxvii. 400. (C.R.E.)
- ochrotermenana* Kearfott. *Ibid.*, xxxix. 57. (C.R.E.)
- olivaceana* Riley. Trans. St. Louis Acad. Sci., iv. 320. (C.R.E.)
- signatana* Clemens. Ins. Aff. Park and Woodl. trees, i, 168.
- striatana* Clemens. Proc. Acad. Nat. Sci. Phila., 1860. 349.

Episimus Walsingham.

- argutanus* Clemens. Proc. Acad. Nat. Sci. Phila., 1860. 358.
(C.R.E.)

Proteopteryx Walsingham.

- bolliana* Slingerland. Jour. N. Y. Ent. Soc., xvi, 173.
- cressoniana* Clemens. Proc. Phila. Ent. Soc., III. 514.

Epinotia Hübner.

crispata Clemens. Proc. Phila. Ent. Soc., v. 137.

fasciolata Clemens. *Ibid.*, III. 511. (C.R.E.)

illicifoliata Kearfott. Bull. Am. Mus. Nat. Hist., xxiii. 158.
(C.R.E.)

saliciana Clemens. Proc. Phila. Ent. Soc., III. 515. (C.R.E.)

Tmetocera Lederer.

ocellata Schiffermüller. Bud moth. Rept. Conn. Agr. Expt. Sta., 1909-10. 353.

Eudemis Hübner.

vacciniana Packard. Black-headed cranberry worm. N. J. Agr. Expt. Sta., Spec. Bull. K. (C.R.E.)

Cenopsis Zeller.

diluticostata Walsingham. *quercana*. Trans. Am. Ent. Soc., x, 69.

reticulatana Clemens. *Ibid.*, ii, 272. (C.R.E.)

testulana Zeller. Verh. Zool-Bot. Ges. Wien., xxv, 241.
(C.R.E.)

Cœlostathma Clemens.

discopunctata Clemens. *Amphisa*. Proc. Acad. Nat. Sci. Phila., 1860, 355.

Sparganothis Hübner.

inconditata Walsingham. Ill. Lep. Het. Brit. Mus., iv, 16.
(C.R.E.)

irrorea Robinson. Trans. Am. Ent. Soc., ii, 274.

xanthoides Walker. *brevioratana*. Proc. Phila. Ent. Soc., v, 140.

Archips Hübner.

argyrospila Walker. Cat. Brit. Mus., xxviii, 373: Moth Book, 422.

cerasivorana Fitch. Trans. Am. Ent. Soc., ii, 275: Moth Book, 422.

clemensiana Fernald. Can. Ent., xi, 155.

fervidana Clemens. *paludana*. Trans. Am. Ent. Soc., ii, 275.
(C.R.E.)

infumatana Zeller. Verh. Zool-Bot. Ges. Wien., xxv, 216.
(C.R.E.)

parallela Robinson. Trans. Am. Ent., Soc., ii, 267.

purpurana Clemens. Proc. Phila. Ent. Soc., v, 136: Moth Book, 422.

- rileyana Grote. Trans. Am. Ent. Soc., ii, 121. (F.W.H.)
 rosaceana Harris. Oblique banded leaf-roller. Jour. Econ.
 Ent. ii, 391: Moth Book, 422.
 rosana Linnæus. Rept. Conn. Agr. Expt. Sta., 1913, 223.
 semiferana Walker. *Tortrix flaccidana* Robinson. Trans. Am.
 Ent. Soc., ii, 277.
 virescana Clemens. Proc. Phila. Ent. Soc., v, 140.

Ancylis Hübner.

- angulifasciana Zeller. Verh. Zool-Bot. Ges. Wien., xxv, 256.
 (C.R.E.)
 burgessiana Zeller. *Ibid.*, xxv, 252.
 comptana Frölich. Strawberry leaf-roller. N. J. Agr. Expt.
 Sta., Bull. 149: Moth Book, 419.
 diminutana Kearfott. Proc. U. S. Nat. Mus., xxviii, 361.
 (C.R.E.)
 divisana Walker. Cat. Brit. Mus., xxviii, 385. (C.R.E.)
 dubiana Clemens. Proc. Phila. Ent. Soc., iii, 512.
 laciniana Zeller. Verh. Zool-Bot. Ges. Wien., xxv, 253.
 muricana Walsingham. Ill. Lep. Het. iv, 74.
 platanana Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 349.
 (C.R.E.)
 pulchellana Clemens. Proc. Phila. Ent. Soc., iii, 511. (C.R.E.)
 subæquana Zeller. Verh. Zool-Bot. Ges. Wien., xxv, 254.
 (C.R.E.)

Enarmonia Hübner.

- americana Walsingham. Ill. Lep. Het. Brit. Mus., iv, 67.
 caryana Fitch. N. Y. Agr. Rept., xvi, 459. (C.R.E.)
 interstinctana Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 351.
 prunivora Walsh. *Semasia*. Lesser apple worm. Rept. Ill.
 State Ent., i, 2d ed., 108.

Laspeyresia Hübner.

- gallæsaliciana Riley. *Enarmonia*. Trans. St. Louis Acad.
 Sci., iv, 320. (C.R.E.)
 molesta Busck. Oriental peach moth. Rept. Conn. Agr.
 Expt. Sta., 1918, 298.

Gymnandrosoma Dyar.

- punctidiscanum Dyar. Proc. Wash. Ent. Soc., vi, 60.

Ecdytolopha Zeller.

insiticiana Zeller. Verh. Zool-Bot. Ges. Wien., xxv, 266.

Carpocapsa Treitschke.

pomonella Linnæus. *Cydia*. Codling-moth. Apple worm.
Cornell Agr. Expt. Sta., Bull. 142; Moth Book, 419.

Phthinolophus Dyar.

indentanus Dyar. Proc. Wash. Ent. Soc., v, 307. (C.R.E.)

Acleris Hübner.

boscana Fabricius. Ent. Syst. Suppl., iii, 2, 269. (C.R.E.)

hastiana Linnæus. Trans. Am. Ent. Soc., ii, 280. (C.R.E.)

logiana Schiffermüller var. *viburnana* Clemens. *Ibid.*, ii, 281.

subnivana Walker. *deflectana*. *Ibid.*, ii, 283. (C.R.E.)

tresignana Robinson. *Ibid.*, ii, 282. (C.R.E.)

Peronea Curtis.

commandrana Fernald. Can. Ent., xxiv, 124. (C.R.E.)

ferrugana Schiffermüller. *gallicolana*. Proc. Phila. Ent. Soc.,
iii, 516. (C.R.E.)

heindelana Fernald. Am. Nat., xxxix, 170, 859, 873. (C.R.E.)

pulverosana Walker. Ill. Lep. Het. Brit. Mus., iv, 3. (C.R.E.)

tresignana Robinson. Trans. Am. Ent. Soc., ii, 282. (C.R.E.)

sp.

Epagoge Hübner.

sulfureana Clemens. Trans. Am. Ent. Soc., ii, 273.

virescana Clemens. Proc. Phila. Ent. Soc., v, 140.

Platynota Clemens.

flavedana Clemens. Trans. Am. Ent. Soc., ii, 278: Moth Book,
422.

Pandemis Hübner.

lamprosana Robinson. Trans. Am. Ent. Soc., ii, 264. (C.R.E.)

limitata Robinson. *Ibid.*, ii, 264.

Tortrix Linnæus.

albicomana Clemens. Proc. Phila. Ent. Soc., v, 137: Moth
Book, 423.

fumiferana Clemens. *Ibid.*, v, 139.

nervosana Kearfott. Trans. Am. Ent. Soc., xxxiii, 71.
(C.R.E.)

pallorana Robinson. *Ibid.*, ii, 266.

peritana Clemens. *Ibid.*, ii, 277. (C.R.E.)

quercifoliana Fitch. N. Y. Agr. Rept., 1858, 826.

Eulia Hübner.

alisellana Robinson. Trans. Am. Ent. Soc., ii, 267.

politana Haworth. Rept. U. S. Dept. Agr., 1880, 264. (C.R.E.)

quadrifasciana Fernald. Trans. Am. Ent. Soc., x, 67.

velutinana Walker. *triferana. incertana. lutosana.* Trans. Am. Ent. Soc., ii, 279.

Amorbia Clemens.

humerosana Clemens. Trans. Am. Ent. Soc., ii, 275: Moth Book, 423.

Phalonia Hübner.

angulatana Robinson. Trans. Am. Ent. Soc., ii, 286. (C.R.E.)

argenteimitana Robinson. *Ibid.*, ii, 287. (C.R.E.)

atmosana Busck. Jour. N. Y. Ent. Soc., xv, 22. (C.R.E.)

aurorana Kearfott. Trans. Am. Ent. Soc., xxxiii, 83. (C.R.E.)

biscana Kearfott. *Ibid.*, xxxiii, 75. (C.R.E.)

bunteana Robinson. *Ibid.*, ii, 288. (C.R.E.)

dorsimaculana Robinson. *Ibid.*, ii, 285.

hospes Walsingham. Trans. Ent. Soc. Lond., 1884, 131.

interruptofasciana Robinson. Trans. Am. Ent. Soc., ii, 287.
(C.R.E.)

maiana Kearfott. *Ibid.*, xxxiii, 82. (C.R.E.)

marloffiana Busck. Jour. N. Y. Ent. Soc., xv, 26. (C.R.E.)

nonlavana Kearfott. Trans. Am. Ent. Soc., xxxiii, 85. (C.R.E.)

cenotherana Riley. Trans. St. Louis Acad. Sci., iv, 316.

rana Busck. Jour. N. Y. Ent. Soc., xv, 22. (C.R.E.)

temerana Busck. *Ibid.*, xv, 28. (C.R.E.)

winniana Kearfott. Can. Ent., xxxvii, 10. (C.R.E.)

Commophila Hübner.

contrastana Kearfott. Can. Ent., xxxix, 160.

Pharmacis Hübner.

sartana Hübner. Zutr. Exot. Schmett., ii, 111. (C.R.E.)

Hysterosia Stephens.

- baracana* Busck. Jour. N. Y. Ent. Soc., xv, 33. (C.R.E.)
terminana Busck. *Ibid.*, xv, 33. (C.R.E.)

Family PTEROPHORIDÆ.

Oxyptilus Zeller.

- ningoris* Walsingham. Pteroph. N. A., 20. (C.R.E.)
periscelidactylus Fitch. Grape plume moth. *Ibid.*, 17.
tenuidactylus Fitch. *Ibid.*, 20.

Platyptilia Hübner.

- cosmodactyla* Hübner. Pteroph. N. A., 25.
marginidactyla Fitch. *Ibid.*, 34.

Pterophorus Geoffroy.

- cretidactylus* Fitch. Pteroph. N. A., 52.
elliottii Fernald. Can. Ent., xxv, 95.
homodactylus Walker. Pteroph. N. A., 41.
inquinatus Zeller. *Ibid.*, 56. (C.R.E.)
paleaceus Zeller. *Ibid.*, 45.
 sp.

Family PYRALIDÆ.

Glaphria Hübner.

- fulminalis* Lederer. Wien. Ent. Mon., vii, 487.
glaphyralis Guenée. *albolineata*. Trans. Am. Ent. Soc., i, 28.
invisalis Guenée. Spec. Gén., viii, 361. (C.R.E.)
sequistrialis Hübner. Zutr. Exot. Schmett., ii, 29. (C.R.E.)

Lipocosma Lederer.

- fuliginosalis* Fernald. Ent. Am., iv, 37.

Desmia Westwood.

- funeralis* Hübner. Schmett. Eur., f. 103, 1796: Moth Book,
 392.
funeralis var. *subdivisalis* Grote. Can. Ent., iii, 126.

Diastictis Hübner.

- argyralis* Hübner. Zutr. exot. Schmett., i, 21.
argyralis var. *ventralis* Grote and Robinson. Trans. Am. Ent.
 Soc., i, 21. (C.R.E.)

Blepharomastix Lederer.

ranalis Guenée. *Botys gracilis*. Trans. Am. Ent. Soc., i, 25.
(C.R.E.)

Pantographa Lederer.

limata Grote and Robinson. Can. Ent., xvi, 26: Moth Book,
393.

Diaphania Hübner.

hyalinata Linnæus. *Glyphodes*. Melon caterpillar. Rept. N.
Y. State Ent., xi, 134: Moth Book, 394.

nitidalis Stoll. *Glyphodes*. Pickle worm. Rept. N. Y. State.
Ent., xi, 126: Moth Book, 394. (A.H.Me.)

Evergestis Hübner.

simulatilis Grote. *brunneogrisea*. Ent. Am., ii, 171. (C.R.E.)

straminalis Hübner. Handb. Brit. Lep., 424.

Crocidophora Lederer.

tuberculalis Lederer. Wien. Ent. Mon., vii, 476. (C.R.E.)

Nomophila Hübner.

noctuella Denis and Schiffermüller. Can. Ent., xxv, 129.

Loxostege Hübner.

dasconalis Walker. Cat. Brit. Mus., xviii, 273.

helvialis Walker. *Ibid.*, xix, 981. (F.W.H.)

obliteralis Walker. Bur. Ent., Bull. 27, new ser., 102.

similalis Guenée. Spec. Gén., viii, 405.

Diasemia Hübner.

pisusalis Walker.

Tholeria Hübner.

reversalis Guenée. Spec. Gén., viii, 409. (F.W.H.)

Perispasta Zeller.

cæculalis Zeller. *immixtalis*. Can. Ent., xiii, 232.

Phlyctænia Hübner.

acutella Walker. Cat. Brit. Mus., xxxv, 1753.

ferrugalis Hübner. *rubigalis*. Greenhouse leaf-tyer. Rept.
Conn. Agr. Expt. Sta., 1909-10, 369.

terrealis Treitschke. Schm. Eur., vii, 110.

tertialis Guenée. *plectilis*. Trans. Am. Ent. Soc., i, 27: Moth
Book, 397.

Cindaphia Lederer.

bicoloralis Guenée. Spec. Gén., viii, 205: Moth Book, 397.

Pyrausta Schrank.

ainsliei Heinrich. Rept. Conn. Agr. Expt. Sta., 1919, 173.

acrionalis Walker. Cat. Brit. Mus., xix, 925.

æglealis Walker. *Ibid.*, xviii, 565.

chalybealis Fernald. (MS. name.) (C.R.E.)

fissalis Grote. Bull. Geol. Geog. Surv. Terr., vi, 273. (C.R.E.)

fumalis Guenée. Spec. Gén., viii, 358: Moth Book, 397.

funebri Ström. *octomaculata*. Moth Book, 398. (F.W.H.)

futilalis Lederer. *erectalis*. Can. Ent., viii, 99.

illibalis Hübner. Zutr. Exot. Schmett., i, 19.

insequalis Guenée. Spec. Gén., viii, 447: Moth Book, 398.

niveiciliaris Grote. Bull. Buff. Soc., Nat. Sci., ii, 232: Moth Book, 398 (F.W.H.)

orphisalis Walker. *adipaloides*. Trans. Am. Ent. Soc., i, 26. (C.R.E.)

oxydalis Guenée. Spec. Gén., viii, 328.

penitalis Grote. Can. Ent., viii, 98. (C.R.E.)

pertextalis Lederer. Wien. Ent. Mon., vii, 466: Moth Book, 397.

phœnicealis Hübner. Zutr. Exot. Schmett., i, 22.

rubricalis Hübner. *similalis*. Schmett. Eur., 22, pl. 16, f. 106. (F.W.H.)

signatalis Walker. *vinulenta* Grote and Robinson. Trans. Am. Ent. Soc., i, 16.

theseusalis Walker. Cat. Brit. Mus., xviii, 562.

thestealis Walker. *Ibid.*, xviii, 733.

sp. (Undescribed.)

Eustixia Hübner.

pupula Hübner. Moth Book, 398.

Nymphula Schrank.

allionealis Walker. Cat. Brit. Mus., xvii, 453.

badiusalis Walker. *Ibid.*, xix, 955.

icciusalis Walker. *Ibid.*, xix, 971.

maculalis Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 218.

obscuralis Grote. Papilio, i, 18: Moth Book, 399.

Geshna Dyar.

primordialis Dyar. Jour. N. Y. Ent. Soc., xiv, 97.

Elophila Hübner.

fulicalis Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 217.

Diathrausta Lederer.

reconditalis Walker. Cat. Brit. Mus., xix, 943.

Scoparia Haworth.

basalis Walker. Cat. Brit. Mus., xxxiv, 1497.

centuriella Denis and Schiffermüller. *ninguidalis*. Trans. Am. Ent. Soc., xiii, 147. (C.H.Y.)

rectilinea Zeller. Verh. Zool-Bot. Ges. Wien., xxiv, 5.

Aglossa Latreille.

cuprealis Hübner. Verz. bek. Schmett., 1826, 348.

Hypsopygia Hübner.

costalis Fabricius. Clover hay worm. Rept. Conn. Agr. Expt. Sta., 1900, 315: Moth Book, 399.

Pyralis Linnæus.

cuprina Zeller. Verh. Zool-Bot. Ges. Wien., xxii, 497. (C.R.E.)

farinalis Linnæus. Meal snout moth. Bur. Ent., Bull. 4, new ser., 119: Moth Book, 400.

Herculia Walker.

cohortalis Grote. Can. Ent., x, 233.

intermedialis Walker. Trans. Ent. Soc. Lond., i, 118.

olinalis Guenée. Spec. Gén., viii, 118: Moth Book, 401.

Omphalocera Lederer.

dentosa Grote. Bull. Geol. Geog. Surv. Terr., vi, 272.

Tosale Walker.

oviplagis Walker. *anthacioides*. Trans. Am. Ent. Soc., i, 15. (C.R.E.)

Arta Grote.

statalis Grote. Bull. Buff. Soc., Nat. Sci., ii, 230.

Condylolomia Grote.

participialis Grote. Bull. Buff. Soc., Nat. Sci., i, 177. (C.R.E.)

Galasa Walker.

rubidana Walker. Cat. Brit. Mus., xxxv, 1802.

Schoenobius Duponchel.

clemensellus Robinson. Ent. Am., iv, 138. (C.H.Y.)

forcicellus Thunberg. *longirostrellus*. *Ibid.*, iv, 139.

tripunctellus Robinson. *Ibid.*, iv, 136.

unipunctellus Robinson. *Ibid.*, iv, 136.

Crambus Fabricius.

agitatellus Clemens. N. A. Cramb., 37.

albellus Clemens. *Ibid.*, 38.

alboclavellus Zeller. *Ibid.*, 36: Moth Book, 402.

bidens Zeller. N. A. Cramb., 32. (C.R.E.)

caliginosellus Clemens. *Ibid.*, 61.

decorellus Zincken. *Ibid.*, 52.

elegans Clemens. *Ibid.*, 45.

girardellus Clemens. *Ibid.*, 28.

hortuellus Hübner. *Ibid.*, 40.

laqueatellus Clemens. *Ibid.*, 35: Moth Book, 402.

leachellus Zincken. N. A. Cramb., 29.

luteolellus Clemens. *Ibid.*, 64. (C.R.E.)

mutabilis Clemens. *Ibid.*, 57.

præfectellus Zincken. *Ibid.*, 31.

ruricolellus Zeller. *Ibid.*, 49.

teterrellus Zincken. *Ibid.*, 51. (C.R.E.)

trisectus Walker. *Ibid.*, 59: Moth Book, 403.

turbatellus Walker. N. A. Cramb., 44: Moth Book, 402.

vulgivagellus Clemens. N. A. Cramb., 47.

zeellus Fernald. *Ibid.*, 62. (C.R.E.)

Haimbachia Dyar.

placidellus Haimbach. Ent. News, xviii, 44.

Argyria Hübner.

auratella Clemens. N. A. Cramb., 72.

multilineatella Hulst. Ent. Am., iii, 134. (C.R.E.)

nivalis Drury. *Ibid.*, iii, 71.

Platytes Guenée.

vobisne Dyar. Insec. Insc. Menst., viii, 162.

Diatræa Guilding.*alleni* Fernald. Ent. Am., iv, 120. (C.R.E.)*differentialis* Fernald. *Ibid.*, iv, 120. (C.R.E.)**Chilo** Zincken.*densellus* Zeller. N. A. Cramb., 79.*plejadellus* Zincken. *Ibid.*, 78. (C.H.Y.)**Dicymolomia** Zeller.*julianalis* Walker. Cat. Brit. Mus., xvii, 438. (C.R.E.)**Galleria** Fabricius.*mellonella* Linnæus. Wax moth. Bee moth. Bur. Ent., Bull. 75, 19: Moth Book, 406.**Paralipsa** Butler.*fulminalis* Zeller. Verh. Zool-Bot. Ges. Wien., xxii, 560. (C.R.E.)*furellus* Zeller. *Ibid.*, xxxiii, 212. (C.R.E.)**Achroia** Haworth.*grisella* Fabricius. Cat. Lep. Eur., ii, No. 3.**Epipaschia** Clemens.*superatalis* Clemens. Ent. Am., v, 51.**Oneida** Hulst.*lunulalis* Hulst. Ent. Am., iii, 130. (C.R.E.)**Benta** Walker.*asperatella* Clemens. Proc. Acad. Nat. Sci., Phila., 1860, 207. (C.R.E.)**Lanthape** Clemens.*platanella* Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 207. (C.R.E.)**Wanda** Hulst.*baptisiella* Fernald. Ent. Am., iii, 128.**Tetralopha** Zeller.*asperatella* Clemens, form *nephelotella* Hulst. *clemensalis* Dyar. Ent. Am., v, 70.*militella* Zeller. *Ibid.*, v, 71.*robustella* Zeller. *diluculella*. *Ibid.*, v, 71.

Myelois Hübner.

obnupsella Hulst. Trans. Am. Ent. Soc., xvii, 118.

Acrobasis Zeller.*

angusella Grote. *eliello* Dyar. Proc. Wash. Ent. Soc., x, 43.

(C.R.E.)

aurorella Ely. *Ibid.*, xii, 67.

betulella Hulst. Trans. Am. Ent. Soc., xvii, 125. (C.R.E.)

caryalbella Ely. Insec. Insc. Menst., i, 52. (C.R.E.)

caryæ Grote. Walnut bud moth. Rept. Conn. Agr. Expt.

Sta., 1912, 253.

caryivorella Ragonot. Proc. Wash. Ent. Soc., x, 42.

comptoniella Hulst. *Ibid.*, x, 42.

coryliella Dyar. *Ibid.*, x, 47.

dyarella Ely. *Ibid.*, xii, 67. (C.R.E.)

feltella Dyar. *Ibid.*, xi, 214. (C.R.E.)

hebescella Hulst. *Ibid.*, x, 44. (C.R.E.)

irrubriella Ely. *Ibid.*, x, 161. (C.R.E.)

latifasciella Dyar. *Ibid.*, x, 45.

malipennella Dyar. *Ibid.*, x, 47. (C.R.E.)

nebulella Riley. *Mineola*. Rept. Ins. Mo., iv, 41. (C.R.E.)

normella Dyar. Proc. Wash. Ent. Soc., x, 46. (C.R.E.)

ostryella Ely. Insec. Insc. Menst., i, 54. (C.R.E.)

palliolella Ragonot. Trans. Am. Ent. Soc., xvii, 121. (C.R.E.)

rubrifasciella Packard. Ann. Lyc. Nat. Hist., N. Y., x, 267.

secundella Ely. Insec. Insc. Menst., i, 55. (C.R.E.)

stigmella Dyar. Proc. Wash. Ent. Soc., x, 43. (C.R.E.)

sylviella Ely. *Ibid.*, x, 48. (C.R.E.)

sp.?

Mineola Hulst.

indigenella Zeller. Apple leaf crumpler. Isis, 651: Moth Book, 409.

juglandis LeBaron. Ins. Ill., ii, 123. (C.R.E.)

vaccinii Riley. Cranberry fruit worm. Can. Ent., xvi, 237.

(C.R.E.)

Dioryctria Zeller.

abietella Denis and Schiffermüller. Syst. Verz. Wien., x, 138.

reniculella Grote. N. A. Ent., i, 67. (C.R.E.)

* See also appendix.

Pinipestis Grote.

zimmermani Grote. Pine tip moth. Rept. Conn. Agr. Expt. sta., 1916, 122.

Tacoma Hulst.

nyssæcolella Dyar. Proc. Wash. Ent. Soc., vi, 112. (C.R.E.)

Glyptocera Ragonot.

consobrinella Zeller. Verh. Zool-Bot. Ges. Wien., 528. (C.R.E.)

Ortholepis Ragonot.

jugosella Ragonot. Diag. N. A. Phyc., 6. (C.R.E.)

Ambesa Grote.

busckella Dyar. Proc. Wash. Ent. Soc., vi, 108. (C.R.E.)

Nephopteryx Hübner.

fasciolalis Hulst. Trans. Am. Ent. Soc., xiii, 162. (C.R.E.)

glibibasella Hulst. *Ibid.*, xvii, 145. (C.R.E.)

ovalis Packard. *latifasciella*. N. A. Ent., i, 11. (C.R.E.)

scobiella Grote. *Ibid.*, i, 51.

Meroptera Grote.

unicolorella Hulst. Ent. Am., iii, 136.

Salebria Zeller.

contatella Grote. N. A. Ent., i, 50.

Elasmopalpus Blanchard

lignosellus Zeller. Isis, 1848, 883.

Zophodia Hübner.

grossulariæ Riley. Gooseberry fruit worm. Trans. Am. Ent. Soc., xvii, 173.

Immyrta Dyar.

nigrovittella Dyar. Jour. N. Y. Ent. Soc., xiv, 108.

Euzophera Zeller.

ochrifrontella Zeller. Trans. Am. Ent. Soc., xvii, 177.

semifuneralis Walker. *Ibid.*, xvii, 175.

Vitula Ragonot.

edmandsii Packard. Trans. Am. Ent. Soc., xvii, 178. (C.R.E.)

Canarsia Hulst.

ulmiarrosorella Clemens. Trans. Am. Ent. Soc., xvii, 180.

Hulstea Ragonot.

undulatella Clemens. Trans. Am. Ent. Soc., xvii, 187.

Homœosoma Curtis.

mucidellum Ragonot. Trans. Am. Ent. Soc., xvii, 193.
(C.R.E.)

reliquella Dyar. Proc. Wash. Ent. Soc., vi, 112.

uncanale Hulst. *Ibid.*, xvii, 192. (C.R.E.)

Ephestia Guenée.

kuehniella Zeller. Mediterranean flour moth. Special Rept.
Minn. State Ent., 1904: Moth Book, 412.

Ephestiodes Ragonot.

infirmella Ragonot. Trans. Am. Ent. Soc., xvii, 194. (C.R.E.)

Varneria Dyar.

postremella Dyar. Proc. Wash. Ent. Soc., vi, 115. (C.R.E.)

Eurythmia Ragonot.

angulella Ely. Proc. Wash. Ent. Soc., xii, 202. (C.R.E.)

diffusella Ely. *Ibid.*, xii, 202. (C.R.E.)

furnella Ely. *Ibid.*, xii, 202. (C.R.E.)

parvulella Ely. *Ibid.*, xii, 202. (C.R.E.)

Moodna Hulst.

ostrinella Clemens. Proc. Acad. Nat. Sci. Phila., 1860, 206.

Plodia Guenée.

interpunctella Hübner. Indian meal moth. Rept. Conn. Agr.
Expt. Sta., 1905, 252: Moth Book, 415.

Atacosa Hulst.

glareosella Zeller. Trans. Am. Ent. Soc., xvii, 211.

Cayuga Hulst.

gemmatella Hulst. Ent. Am., iii, 134. (C.R.E.)

Peoria Ragonot.

approximella Walker. Cat. Brit. Mus., xxxv, 1722.

Bandera Ragonot.

binotella Zeller. Trans. Am. Ent. Soc., xvii, 202.

Family SESIIDÆ.

Sesia Fabricius.

- bolteri* Hy. Edwards. *Synanthedon*. Papilio, iii, 155.
scitula Harris. *Synanthedon*. Mon. N. A. Ses., 298: Moth Book, 387.
tipuliformis Clerck. *Synanthedon*. Mon. N. A. Ses., 285: Moth Book, 385.

Bembecia Hübner.

- marginata* Harris. Mon. N. A. Ses. 260: Moth Book, 383.
marginata var. *albicoma* Hulst. Mon. N. A. Ses., 262.

Synanthedon Hübner.

- exitiosa* Say. *Sanninoidea*. Peach borer. Rept. Conn. Agr. Expt. Sta., 1909-10, 359: Moth Book, 384.
pictipes Grote and Robinson. *Ægeria*. *Sesia*. Mon. N. A. Ses., 291.

Memythrus Newman.

- asilipennis* Boisduval. Mon. N. A. Ses., 252.
tricinctus Harris. *Ibid.*, 247.

Podosesia Mœschler.

- syringæ* Harris. Lilac borer. Mon. N. A. Ses., 244: Moth Book, 382.

Alcothoë Hy.-Edwards.

- caudata* Harris. Mon. N. A. Ses., 240: Moth Book, 382. (F.W.H.)

Melittia Hübner.

- satyriniformis* Hübner. Squash borer. Rept. Conn. Agr. Expt. Sta., 1907-08, 806: Moth Book, 380.

Family COSSIDÆ.

Prionoxystus Grote.

- macmurtrei* Guérin-Méneville. *Cossus*. *querciperda*. Ins. N. Y., Fourth Rept., Rept. N. Y. State Agr. Soc., 1857, 790.
robiniaë Peck. Carpenter worm. Ins. Aff. Park and Woodland Trees, 79: Moth Book, 378.

Zeuzera Latreille.

- pyrina* Linnæus. Leopard moth. Rept. Conn. Agr. Expt. Sta., 1911, 317: Moth Book, 376.

Family THYRIDÆ.

Thyris Laspeyres.

lugubris Boisduval. Spec. Gén. Pl. 14, f. 11, 1852: i, 490, 1874.

maculata Harris. Am. Jour. Sci., xxxvi, 313: Moth Book, 374.

Family PYROMORPHIDÆ.

Harrisina Packard.

americana Guérin-Méneville. Icon. Reg. An. Ins., 500: Moth Book, 372.

Pyromorpha Herrich-Schæffer.

dimidiata Herrich-Schæffer. Moth Book, 371.

Family MEGALOPYGIDÆ.

Lagoa Harris.

crispata Packard. Crinkled flannel moth. Proc. Phila. Ent. Soc., iii, 335: Moth Book, 369.

Family COCHLIDIIDÆ.

Tortricidia Packard.

flexuosa Grote. Jour. N. Y. Ent. Soc., vi, 94: Moth Book, 368.

Packardia Grote and Robinson.

elegans Packard. *nigripunctata*. Proc. Phila. Ent. Soc., iii, 342: Moth Book, 367. (C.R.E.)

elegans var. *fusca* Packard. Proc. Phila. Ent. Soc., iii, 343. (C.R.E.)

testacea Packard. *Ibid.*, iii, 348: Moth Book, 368. (C.R.E.)

Lithacodes Packard.

fasciola Herrich-Schæffer. Jour. N. Y. Ent. Soc., v, 1: Moth Book, 367.

fiskiana Dyar. Ent. News, xi, 333.

Cochlidion Hübner.

biguttata Packard. Jour. N. Y. Ent. Soc., v, 167: Moth Book, 367.

rectilinea Grote and Robinson var. *latomia* Harvey. Can. Ent. ix, 75: Moth Book, 367. (C.H.Y.)

Prolimacodes Schaus.

scapha Harris. Jour. N. Y. Ent. Soc., iv, 172: Moth Book, 367.

Phobetron Hübner.

pithecium Smith and Abbot. Hag-moth. Jour. N. Y. Ent. Soc., iv, 178: Moth Book, 366.

Sisyrosea Grote.

textula Herrich-Schäffer. *inornata*. Jour. N. Y. Ent. Soc., iv, 185: Moth Book, 366. (C.R.E.)

Adoneta Clemens.

spinuloides Herrich-Schäffer. Jour. N. Y. Ent. Soc., v, 5: Moth Book, 365.

Euclea Hübner.

chloris Herrich-Schäffer. *viridis*. Jour. N. Y. Ent. Soc., v, 61: Moth Book, 365.

delphinii Boisduval var. *interjecta* Dyar. Ent. News, ii, 61.

delphinii var. *querceti* Herrich-Schäffer. Samml. Ausser. Schmett., f. 174.

delphinii var. *viridiclava* Walker. Cat. Brit. Mus., v, 1154: Moth Book, 365. (C.H.Y.)

indeterminata Boisduval. *vernata*. Jour. N. Y. Ent. Soc., v, 10: Moth Book, 365. (C.H.Y.)

Sibine Herrich-Schäffer.

stimulea Clemens. *Empretia*. Saddle-back caterpillar. Jour. N. Y. Ent. Soc., iv, 1: Moth Book, 364.

Family PSYCHIDÆ.

Solenobia Zeller.

walshella Clemens. Proc. Phila. Ent. Soc., i, 132.

Eurycyttarus Hampson.

confederata Grote and Robinson. Trans. Am. Ent. Soc., ii, 191: Moth Book, 363.

Thyridopteryx Stephens.

ephemeræformis Haworth. Bag-worm. Bur. Ent., Circ. 97: Moth Book, 361.

Family LACOSOMIDÆ.

Lacosoma Grote.

chiridota Grote. Proc. Phila. Ent. Soc., iii, 78: Moth Book, 359.

Cicinnus Blanchard.

melsheimeri Harris. Ins. Inj. Veg., Flint Ed., 415: Moth Book, 359. (C.H.Y.)

Family EPIPLEMIDÆ.

Calledapteryx Grote.

dryopterata Grote. Trans. Am. Ent. Soc., ii, 120: Moth Book, 356. (C.R.E.)

Family GEOMETRIDÆ.

Brephos Ochsenheimer.

infans Mœschler. U. S. Nat. Mus., Bull., No. 44, 396: Moth Book, 355.

Abbotana Hulst.

clemataria Smith and Abbot. Mon. Geom., 561: Moth Book, 353. (F.W.H.)

Sabulodes Guenée.

arcasaria Walker. *depontanata*. Mon. Geom., 483: Moth Book, 353.

lorata Grote. Mon. Geom., 547: Moth Book, 353.

sulphurata Packard. Mon. Geom., 484: Moth Book, 353.

transversata Drury. Mon. Geom., 559: Moth Book, 353.

Tetracis Guenée.

crocallata Guenée. Mon. Geom., 548: Moth Book, 353.

Caberodes Guenée.

confusaria Hübner. Mon. Geom., 534: Moth Book, 352.

confusaria var. *metrocamparia* Guenée. Spec. Gén., ix, 137. (F.W.H.)

majoraria Guenée. Mon. Geom., 536: Moth Book, 352.

Syssaura Hübner.

infensata Guenée. Spec. Gén., ix, 67.

infensata var. *biclaria* Walker. *varus*. Mon. Geom., 538:
Moth Book, 352.

Azelina Guenée.

ancetaria Hübner. *hubnerata*. Mon. Geom., 520: Moth Book,
352.

Priocycla Guenée.

armataria Herrich-Schæffer. Mon. Geom., 510: Moth Book,
351.

Metanema Guenée.

determinata Walker. Cat. Brit. Mus., xxxv, 1551: Moth Book,
351.

inatomaria Guenée. Mon. Geom., 543.

Eutrapela Hübner.

alciphearia Walker. Cat. Brit. Mus., xx, 184. (H.W.F.)

kentaria Grote. Trans. Am. Ent. Soc., i, 359. (C.R.E.)

Euchlæna Hübner.

effectaria Walker. Mon. Geom., 514.

johnsonaria Fitch. *bilineararia*. *Ibid.*, 511.

marginata Minot. *Ibid.*, 505: Proc. Bost. Soc. Nat. Hist.,
xi, 169.

obtusaria Hübner. Mon. Geom., 516: Moth Book, 350.

serrata Drury. *serrataria*. Mon. Geom., 517: Moth Book, 350.

vinulentaria Grote and Robinson. Mon. Geom., 506. (C.R.E.)

Gonodontis Hübner.

duaria Guenée. Mon. Geom., 502: Moth Book, 350.

hypocharia Herrich-Schæffer. Mon. Geom., 504: Moth Book,
350.

obfirmaria Hübner. Mon. Geom., 499: Moth Book, 350.
(F.W.H.)

warneri Harvey. *apiciaria*. Mon. Geom., 502.

Ania Stephens.

limbata Haworth. *filamentaria*. Mon. Geom., 471: Moth
Book, 349.

Hyperitis Guenée.

amicaria Herrich-Schæffer. *nyssaria*. Mon. Geom., 461: Moth
Book, 349.

Plagodis Hübner.

- keutzingaria* Packard. Mon. Geom., 468: Moth Book, 349.
serinaria Herrich-Schäffer. Mon. Geom., 469: Moth Book,
 349.

Xanthotype Warren.

- crocataria* Fabricius. Mon. Geom., 474: Moth Book, 349.

Ennomos Treitschke.

- magnarius* Guenée. *alniaria*. Mon. Geom., 529: Moth Book,
 348.
subsignarius Hübner. *Eugonia*. Snow-white linden moth.
 Elm span-worm. Mon. Geom., 528: Moth Book, 348.

Eugonobapta Warren.

- nivosaria* Guenée. *nivosata*. Mon. Geom., 338: Moth Book,
 348.

Metrocampa Latreille.

- prægrandaria* Guenée. *perlaria*. Mon. Geom., 491: Moth
 Book, 348.

Therina Hübner.

- athasaria* Walker. *seminudaria*. Mon. Geom., 495: Moth
 Book, 348. (F.W.H.)
fervidaria Hübner. Mon. Geom., 493: Moth Book, 348.

Anagoga Hübner.

- pulveraria* Linnæus. Syst. Nat., 521.

Cingilia Walker.

- catenaria* Drury. Chain-dotted Geometer. Mon. Geom., 217:
 Moth Book, 347.

Erranis Hübner.

- tiliaria* Harris. *Hybernia*. Lime tree moth. Mon. Geom. 409:
 Moth Book, 347.

Phigalia Duponchel.

- titea* Cramer. Mon. Geom., 442: Moth Book, 347.

Nacophora Hulst.

- quernaria* Smith and Abbot. Mon. Geom., 411. (H.W.F.)

Lycia Hübner.

- cognataria* Guenée. Mon. Geom., 413: Moth Book, 345.
ursaria Walker. Mon. Geom., 414.

Epimecis Hübner.

virginaria Cramer. *hortaria*. Mon. Geom., 443: Moth Book, 344. (F.W.H.)

Ectropis Hübner.

crepuscularia Denis and Schiffermüller. Mon. Geom., 428: Moth Book, 344.

Æthaloptera Hulst.

intextata Walker. *anticaria*. Mon. Geom., 423. (C.R.E.)

Melanophia Hulst.

canadaria Guenée. *Tephrosia*. Mon. Geom., 425: Moth Book, 344.

Cleora Curtis.

larvaria Guenée. Mon. Geom., 437.

pampinaria Guenée. *Ibid.*, 432: Moth Book, 344.

takenaria Pearsall. Can. Ent., xli, 119.

Selidosema Hübner.

humarium Guenée. Mon. Geom., 435.

umbrosarium Hübner. *Ibid.*, 439. (H.W.F.)

Tornos Morrison.

scolopacinarius Guenée. Mon. Geom., 565. (C.R.E.)

Alcis Curtis.

multilineata Packard. Mon. Geom., 287.

Paraphia Guenée.

subatomaria Wood. Mon. Geom., 417.

Nepytia Hulst.

semiclusaria Walker. Cat. Brit. Mus., xxiv, 1506.

Catopyrrha Hübner.

coloraria Fabricius. Mon. Geom., 206: Moth Book, 342.

coloraria var. *dissimilaria* Hübner. Mon. Geom., 208: Moth Book, 342.

Apæcasia Hulst.

defluata Walker. Mon. Geom., 245: Moth Book, 342.

detersata Guenée. Mon. Geom., 243.

Homocloides Hulst.

fritillaria Guenée. Mon. Geom., 489.

Cymatophora Hübner.

ribearia Fitch. Mon. Geom., 248: Moth Book, 340.

Macaria Curtis.*æquiferaria* Walker. Mon. Geom., 295.*bisignata* Walker. *Ibid.*, 290.*minorata* Packard. *Ibid.*, 291. (C.R.E.)**Philobia** Duponchel.*enotata* Guenée. Mon. Geom., 288: Moth Book, 339. (F.W.H.)**Sciagraphia** Hulst.*continuata* Walker. *orillata*. Mon. Geom., 265. (C.R.E.)*granitata* Guenée. *Ibid.*, 285.*helioidata* Guenée. *ocellinata*. *Ibid.*, 283: Moth Book, 339.**Deilinea** Hübner.*erythremaria* Guenée. Mon. Geom., 306.*liberaria* Walker. *integraria*. *lintneraria*. *Ibid.*, 209. (C.R.E.)*variolaria* Guenée. *intentata*. *Ibid.*, 306: Moth Book, 338.**Gueneria** Packard.*basiaria* Walker. *basiata*. Mon. Geom., 308.**Psysostegania** Warren.*pustularia* Guenée. Mon. Geom., 310: Moth Book, 338.**Heliomata** Grote.*cycladata* Grote. Proc. Phila. Ent. Soc., vi, 30: Moth Book, 338. (F.W.H.)**Anaplodes** Packard.*iridaria* Guenée. Mon. Geom., 394. (H.W.F.)*remotaria* Walker. Cat. Brit. Mus., xxii, 530.**Aplodes** Guenée.*mimosaria* Guenée. Mon. Geom., 386, 388.*rubrifrontaria* Packard. *Ibid.*, 386.**Synchlora** Guenée.*ærata* Fabricius. *glaucaria*. Mon. Geom., 392.*denticulata* Walker. *excurvaria*. *Ibid.*, 381.**Eucrostis** Hübner.*incertata* Walker. *Nemoria gratata*. Mon. Geom., 372. (G.D.)**Nemoria** Hübner.*subcroceata* Walker. Mon. Geom., 372. (F.W.H.)

Chlorochlamys Hulst.

chloroleucaria Guenée. Mon. Geom., 370: Moth Book, 336.

Eois Hübner.

demissaria Hübner var. *russata* Hulst. Ent. Am., ii, 187.

inductata Guenée. Mon. Geom., 340: Moth Book, 335.

ossularia Hübner. *ossulata*. Mon. Geom. 329: Moth Book, 335.

Leptomeres Hübner.

quinquelinearia Packard. Mon. Geom., 348: Moth Book, 333.
(C.H.Y.)

Cinglis Guenée.

purata Guenée. Mon. Geom., 353.

similaria Walker. *quadrilineata*. *Ibid.*, 345.

Synelis Hulst.

ennucleata Guenée. *alabastaria*. Mon. Geom., 347: Moth Book, 333.

ennucleata var. *adornata* Prout. Can. Ent., xxxix, 412.

ennucleata var. *relevata* Swett. *Ibid.*, xxxix, 141.

Cosymbia Hübner.

lumenaria Hübner. Mon. Geom., 365: Moth Book, 333.

Pleuroprucha Moeschler.

insulsaria Guenée. *Deptalia*. Mon. Geom., 335.

Erastria Hübner.

amaturaria Walker. Mon. Geom., 317: Moth Book, 333.

Hæmatopsis Hübner.

grataria Fabricius. Mon. Geom., 219: Moth Book, 332.

Petrophora Hübner.

ferrugata Clerck. *Xanthorhoë ferrugaria*. Mon. Geom., 146.
(C.R.E.)

Gypsochroa Hübner.

designata Hufnagel. Mon. Geom., 144: Moth Book, 332.

Hydriomena Hübner.

latirupta Walker. Mon. Geom., 169: Moth Book, 331.

multiferata Walker. Mon. Geom., 81.

Mesoleuca Hübner.

- implicata* Guenée. *multilineata*. Mon. Geom., 71. (F.W.H.)
intermediata Guenée. Mon. Geom., 157: Moth Book, 330.
lacustrata Guenée. Mon. Geom., 158: Moth Book, 330.
ruficiliata Guenée. Mon. Geom., 153: Moth Book, 330.

Orthonama Hübner.*Percnoptilota* Hulst.

- obstipata* Fabricius. *fluviata* Hübner. Mon. Geom., 78: Moth Book, 330.

Rheumaptera Hübner.

- hastata* Linnæus. Mon. Geom., 164: Moth Book, 329.

Eustroma Hübner.

- diversilineata* Hübner. Mon. Geom., 126: Moth Book, 329.
diversilineata var. *gracilineata* Guenée. Spec. Gén., x, 476.

Hydria Hübner.

- undulata* Linnæus. *Calocalpe*. Mon. Geom., 172: Moth Book, 329.

Euchœca Hübner.

- albovittata* Guenée. Mon. Geom., 189: Moth Book, 328.

Venusia Curtis.

- comptaria* Walker. Cat. Brit. Mus., xxi, 406; Moth Book, 328.

Eucymatoge Hübner.

- intestinata* Guenée. Mon. Geom., 170: Moth Book, 328.

Eupithecia Curtis.

- conformata* Pearsall. *Tephroclystis*. Ent. News. xix, 128.
interruptofasciata Packard. Rept. Peab. Acad. Sci., v, 59.
miserulata Grote. Proc. Phila. Ent. Soc., ii, 32.
nebulosa Hulst. Trans. Am. Ent. Soc., xxiii, 266.
packardata Taylor. *absinthiata*. Mon. Geom., 49. (L.W.S.)

Heterophleps Herrich-Schæffer.

- triguttaria* Herrich-Schæffer. Mon. Geom., 193: Moth Book, 327.

Eudule Hübner.

- mendica* Walker. Beggars. Cat. Brit. Mus., ii, 576: Moth Book, 327.

Alsophila Hübner.

pometaria Harris. Fall canker worm. Rept. Conn. Agr. Expt. Sta., 1908, 783: Moth Book, 326.

Paleacrita Riley.

vernata Peck. Spring canker worm. Rept. Conn. Agr. Expt. Sta., 1908, 782: Moth Book, 324.

Nyctobia Hulst.

limitata Walker. Mon. Geom., 457: Moth Book, 324.

Dyspteris Hübner.

abortivaria Herrich-Schäffer. Mon. Geom., 368: Moth Book, 323.

Family PLATYPTERYGIDÆ.

Falcaria Haworth.

bilineata Packard. Proc. Phila. Ent. Soc., iii, 376: Moth Book, 321.

Drepana Schrank.

arcuata Walker. Cat. Brit. Mus., v, 1164: Moth Book, 321.

Oreta Walker.

irrorata Packard. Moth Book, 321.

rosea Walker. *Ibid.*, 321.

Eudeilinea Packard.

herminiata Guenée. Spec. Gén., x, 58.

Family LASIOCAMPIDÆ.

Epicnaptera Rambur.

americana Harris. *Gastropacha*. Moth Book, 314.

Malacosoma Hübner.

americana Fabricius. *Clisiocampa*. Tent-caterpillar. Conn. Agr. Expt. Sta., Rept. 1902, 142; 1913, 226; Bull. 177: Moth Book, 312.

disstria Hübner. *Clisiocampa sylvatica*. Forest tent-caterpillar. N. Y. Agr. Expt. Sta., Bull. 159: Moth Book, 313.

Tolype Hübner.

velleda Stoll. Moth Book, 312.

Family LIPARIDÆ.

Euproctis Hübner.

chrysorrhœa Linnæus. Brown-tail moth. Conn. Agr. Expt. Sta., Rept., 1907, 313; Bull. 182; Moth Book, 309.

Porthetria Hübner.

dispar Linnæus. *Ocneria*. Gipsy moth. Conn. Agr. Expt. Sta., Rept., 1905, 246; Bull. 186: Moth Book, 308.

Olene Hübner.

achatina Smith and Abbot. Lep. Ins. Ga., ii, 77: Moth Book, 308.

cinnamonea Grote. Proc. Phila. Ent. Soc., vi, 6.

atomaria Walker. *obliquata*. Contr. Nat. Hist. Lepidop., ii, 67; Proc. Phila. Ent. Soc., vi, 4.

atomaria var. **parallela** Grote and Robinson. Contr. Nat. Hist. Lepidop., ii, 69.

leucophæa Smith and Abbot. Lep. Ins. Ga., ii, 78: Moth Book, 308.

plagiata Walker. *pinicola* Dyar. Cat. Brit. Mus., iv, 109.

Hemerocampa Dyar.

definita Packard. *Orgyia*. Proc. Phila. Ent. Soc., iii, 332: Moth Book, 308. (C.R.E.)

leucostigma Smith and Abbot. *Orgyia*. White-marked tussock moth. Rept. Conn. Agr. Expt. Sta., 1905, 230: Moth Book, 306.

Notolophus Germar.

antiqua Linnæus. Rusty tussock moth. Moth Book, 306.

Family THYATIRIDÆ.

Pseudothyatira Grote.

cymatophoroides Guenée. Spec. Gén., v, 13: Moth Book, 304.

expultrix Grote. Proc. Phila. Ent. Soc., ii, 58: Moth Book, 304.

Habrosyne Hübner.

scripta Gosse. *Thyatira*. Cat. Noc., 27: Moth Book, 303.

Family NOTODONTIDÆ.

Ellida Grote.

caniplaga Walker. Bomb. Moths, 169: Moth Book, 300.

Gluphisia Boisduval.

septentrionalis Walker. Bomb. Moths, 90: Moth Book, 300.

Fentonia Butler.

marthesia Cramer. Bomb. Moths, 257: Moth Book, 300.

Harpyia Ochsenheimer.

borealis Boisduval. Bomb. Moths, 264: Moth Book, 299.

cinerea Walker. Bomb. Moths, 273: Moth Book, 299.

Cerura Schrank.

scitiscrupta Walker var. *multiscrupta* Riley. Bomb. Moths, 276: Moth Book, 299.

Hyparpax Hübner.

aurora Smith and Abbot. Bomb. Moths, 284: Moth Book, 299.

Schizura Doubleday.

badia Packard. Bomb. Moths, 208: Moth Book, 299.

concinna Smith and Abbot. Red-humped caterpillar. Bomb. Moths, 212: Moth Book, 298.

ipomœæ Doubleday. Bomb. Moths, 194: Moth Book, 298.

ipomœæ var. *cinereofrons* Packard. Proc. Phila. Ent. Soc., iii, 366.

leptinoides Grote. Bomb. Moths, 199: Moth Book, 299.

semirufescens Walker. *eximia*. Bomb. Moths, 210: Cat. Brit. Mus., xxxii, 450.

unicornis Smith and Abbot. Bomb. Moths, 203; Moth Book, 298.

Ianassa Walker.

lignicolor Walker. Bomb. Moths, 189: Moth Book, 298.

Misogada Walker.

unicolor Packard. *Heterocampa*. Bomb. Moths, 254: Moth Book, 297.

Heterocampa Doubleday.

- bilineata* Packard. Bomb. Moths, 218: Moth Book, 297.
biundata Walker. Bomb. Moths, 235: Moth Book, 297.
guttivitta Walker. Saddled prominent. Bomb. Moths, 230:
 Me. Agr. Expt. Sta., Bull. 161.
manteo Doubleday. Bomb. Moths, 224: Moth Book, 297.
 (C.R.E.)
obliqua Packard var. *trouvelottii* Packard. Proc. Phila. Ent.
 Soc., iii, 369.
umbrata Walker. Bomb. Moths, 249. (A.B.C.)

Symmerista Hübner.

- albifrons* Smith and Abbot. Bomb. Moths, 179: Moth Book,
 296.

Nerice Walker.

- bidentata* Walker. Bomb. Moths, 171: Moth Book, 296.

Nadata Walker.

- gibbosa* Smith and Abbot. Bomb. Moths, 142: Moth Book,
 296.

Lophodonta Packard.

- angulosa* Smith and Abbot. Bomb. Moths, 147: Moth Book,
 295.
ferruginea Packard. Bomb. Moths, 150: Moth Book, 295.
 (F.W.H.)

Hyperæschra Butler.

- georgica* Herrich-Schæffer. *Drymonia*. Bomb. Moths, 153:
 Moth Book, pl. xl, 7.
stragula Grote. *Notodonta*. Bomb. Moths, 165: Moth Book,
 pl. xl, 1.

Pheosia Hübner.

- rimosa* Packard. *dimidiata*. Bomb. Moths, 158: Moth Book,
 295.

Datana Walker.

- angusii* Grote and Robinson. Bomb. Moths, 110: Moth Book,
 293.
contracta Walker. Bomb. Moths, 122.
integerrima Grote and Robinson. Bomb. Moths, 120: Moth
 Book, 294.

- major Grote and Robinson. Bomb. Moths, 113.
 ministra Drury. Yellow-necked caterpillar. Bomb. Moths,
 106: Moth Book, 293.
 perspicua Grote and Robinson. Bomb. Moths, 117: Moth
 Book, 294.

Melalopha Hübner.

- albosigma Fitch. Bomb. Moths, 138: Moth Book, 293.
 albosigma var. *specifica* Dyar. Can. Ent., xxiv, 180.
 apicalis Walker. *vau.* Bomb. Moths, 125: Moth Book, 293.
 inclusa Hübner. *Ichthyura americana.* Bomb. Moths, 131:
 Moth Book, 293.
 inclusa var. *inversa* Packard. *palla.* Proc. Phila. Ent. Soc.,
 iii, 352. (H.W.F.)
 strigosa Grote. Bomb. Moths, 130. (H.W.F.)

Apatelodes Packard.

- angelica Grote. Bomb. Moths, 103: Moth Book, 293.
 torrefacta Smith and Abbot. Bomb. Moths, 100: Moth Book,
 292.

Family NOCTUIDÆ.

Hypena Schrank.

- humuli Harris. U. S. Nat. Mus. Bull. No. 48, 114: Moth Book,
 287.

Plathypena Grote.

- scabra Fabricius. Green clover worm. Rept. Conn. Agr.
 Expt. Sta., 1908-9, 828: 1919, 165: Moth Book, 287.

Bomolocha Hübner.

- abalinealis Walker. U. S. Nat. Mus. Bull., No. 48, 100: Moth
 Book, 286.
 atomaria Smith. Trans. Am. Ent. Soc., xxix, 216. (L.B.W.)
 baltimoralis Guenée. U. S. Nat. Mus. Bull., No. 48, 96: Moth
 Book, 286.
 bijugalis Walker. U. S. Nat. Mus. Bull., No. 48, 97: Moth
 Book, 286.
 madefactalis Guenée. *profecta.* U. S. Nat. Mus. Bull., No.
 48: 102: Moth Book, 286.
 manalis Walker. U. S. Nat. Mus. Bull., No. 48, 95: Moth
 Book, 286.

scutellaris Grote. U. S. Nat. Mus. Bull., No. 48, 98: Moth Book, 286.

toreuta Grote. U. S. Nat. Mus. Bull., No. 105; Moth Book, 286.

Lomanaltes Grote.

eductalis Walker. U. S. Nat. Mus. Bull., No. 48, 109: Moth Book, 285.

Salia Hübner.

interpuncta Grote. U. S. Nat. Mus. Bull., No. 48, 90: Trans. Am. Ent. Soc., iv, 93.

Capis Grote.

curvata Grote. Can. Ent., xiv, 20: Moth Book, 285.

Palthis Hübner.

angulalis Hübner. U. S. Nat. Mus. Bull., No. 48, 86: Moth Book, 285.

asopialis Guenée. U. S. Nat. Mus. Bull., No. 48, 87: Moth Book, 285.

Dircetis Grote.

vitrea Grote. Bull. Geol. Geog. Surv. Terr., iv, 186.

Gaberasa Walker.

ambigualis Walker. U. S. Nat. Mus., Bull. No. 48, 81: Moth Book, 284.

Heterogramma Guenée.

pyramusalis Walker. U. S. Nat. Mus. Bull., No. 48, 79: Moth Book, 284.

Menopsimus Dyar.

caducus Dyar. Jour. N. Y. Ent. Soc., xv, 110.

Tetanolita Grote.

floridana Smith. U. S. Nat. Mus. Bull., No. 48, 63.

Bleptina Guenée.

caradrinalis Guenée. U. S. Nat. Mus. Bull., No. 48, 58: Moth Book, 283.

Renia Guenée.

clitosalis Walker. U. S. Nat. Mus. Bull., No. 48, 72.

discoloralis Guenée. *Ibid.*, No. 48, 69: Moth Book, 283.

factiosalis Walker. U. S. Nat. Mus. Bull., No. 48, 73.

flavipunctalis Geyer. *Ibid.*, No. 48, 74.

Chytolita Grote.

morbidalis Guenée. U. S. Nat. Mus. Bull., No. 48, 56: Moth Book, 282.

Philometra Grote.

eumelusalis Walker. U. S. Nat. Mus. Bull., No. 48, 53.

hanhami Smith. Can. Ent., xxxi, 207. (C.R.E.)

Hormisa Walker.

absorptalis Walker. U. S. Nat. Mus. Bull., No. 48, 46: Moth Book, 282.

litophora Grote. U. S. Nat. Mus. Bull., No. 48, 48.

Zanclognatha Lederer.

cruralis Guenée. U. S. Nat. Mus. Bull., No. 48, 40.

lævigata Grote. *Ibid.*, No. 48, 36: Moth Book, 281.

lævigata var. **reversata** Dyar. U. S. Nat. Mus. Bull. No. 52, 241. (C.R.E.)

lituralis Hübner. U. S. Nat. Mus. Bull., No. 48, 32: Moth Book, 281.

marcidilinea Grote. U. S. Nat. Mus. Bull., No. 48, 43: Trans. Am. Ent. Soc., iv, 97.

ochreipennis Grote. U. S. Nat. Mus. Bull., No. 48, 44: Moth Book, 281.

pedipilalis Guenée. U. S. Nat. Mus. Bull., No. 48, 39.

Epizeuxis Hübner.

æmula Hübner. U. S. Nat. Mus. Bull., No. 48, 26: Moth Book, 281.

americalis Guenée. U. S. Nat. Mus. Bull., No. 48, 23: Moth Book, 281.

denticularis Harvey. U. S. Nat. Mus. Bull., No. 48, 19: Moth Book, 281.

diminuendis Barnes and McDunnough. *Camptylochila*. Contr. Nat. Hist. Lepidop., iv, 126.

humerata Smith. Ann. N. Y. Acad. Sci., xviii, 123. (C.R.E.)

julia Barnes and McDunnough. *Camptylochila*. Contr. Nat. Hist. Lepidop., iv, 126.

lubricalis Geyer. U. S. Nat. Mus. Bull., No. 48, 17: Moth Book, 281.

majoralis Smith. U. S. Nat. Mus. Bull., No. 48, 25. (C.R.E.)

merricki Smith. Can. Ent., xxxvii, 260.

rotundalis Walker. U. S. Nat. Mus. Bull., No. 48, 20.

scobialis Grote. *Ibid.*, No. 48, 21: Moth Book, 281.

Erebus Latreille.

odora Linnæus. Moth Book, 279.

Phæocyma Hübner.

æruginea Guenée. *Ypsia*. Proc. U. S. Nat. Mus., xxxv, 233.

cingulifera Walker *Homoptera*. *woodii*. *Ibid.*, xxxv, 261.

(H.W.F.)

halata Smith. Proc. U. S. Nat. Mus., xxxv, 252. (A.B.C.)

horrida Hübner. *Zale*. *Ibid.*, xxxv, 270: Moth Book, 277.

lunata Drury. *Homoptera*. *Edusa*. Proc. U. S. Nat. Mus., xxxv, 225: Moth Book, 278.

minerea Guenée. *Homoptera*. Proc. U. S. Nat. Mus., xxxv, 238. (H.W.F.)

undularis Drury. *Ypsia*. *Ibid.*, xxxv, 231: Moth Book, 278.

unilineata Grote. *Homoptera*. Proc. U. S. Nat. Mus., xxxv, 245: Moth Book, 278.

Strenoloma Grote.

lunilinea Grote. Bull. Buff. Soc. Nat. Sci., i, 127: Moth Book, 276. (C.R.E.)

Celiptera Guenée.

frustulum Guenée. Moth Book, 275.

Remigia Guenée.

repanda Fabricius. Moth Book, 274. (C.H.Y.)

Agnomonina Hübner.

analis Drury. Moth Book, 275. (C.R.E.)

Parallelia Hübner.

bistriaris Hübner. Moth Book, 273.

Panapoda Guenée.

rufimargo Hübner. Moth Book, 273.

rufimargo var. *carneicosta* Guenée. Moth Book, 273.

Phoberia Hübner.

atomaris Hübner. Moth Book, 273.

Euparthenos Grote.

nubilis Hübner. Moth Book, 272.

Allotria Hübner.

elonympha Hübner. Moth Book, 272.

Catocala Schrank.

- amatrix Hübner. Moth Book, 263.
amatrix var. *nurus* Walker. *Ibid.*, 263. (C.R.E.)
amica Hübner. *Ibid.*, 269.
amica var. *androphila* Guenée. Trans. Am. Ent. Soc., iv, 18.
(C.R.E.)
amica var. *lineella* Grote. *Ibid.*, iv, 18: Moth Book, 269.
amica var. *nerissa* Hy. Edwards. Bull. Brook. Ent. Soc., iii,
61: Moth Book, 269. (C.H.Y.)
antinymp^ha Hübner. Trans. Am. Ent. Soc., iv, 13: Moth
Book, 267.
badia Grote and Robinson. Proc. Phila. Ent. Soc., vi, 22:
Moth Book, 267.
blandula Hulst. *polygama*. Trans. Am. Ent. Soc., iv, 15.
briseis Edwards. Proc. Phila. Ent. Soc., ii, 508: Moth Book,
264.
cara Guenée. Trans. Am. Ent. Soc., iv, 7: Moth Book, 263.
cara var. *carissima* Hulst. Bull. Brook. Ent. Soc., ii, 97.
(C.R.E.)
cerogama Guenée. Trans. Am. Ent. Soc., iv, 9: Moth Book,
266.
coccinata Grote. Trans. Am. Ent. Soc., iv, 6: Moth Book, 265.
concombens Walker. Trans. Am. Ent. Soc., iv, 7: Moth Book,
263.
dejecta Strecker. Bull. Brook. Ent. Soc., ii, 97: Moth Book,
261.
epione Drury. Trans. Am. Ent. Soc., iv, 2: Moth Book, 260.
gracilis Edwards. Proc. Phila. Ent. Soc., ii, 511: Moth Book,
269.
grynea Cramer. Trans. Am. Ent. Soc., iv, 16: Moth Book, 269.
habilis Grote. Trans. Em. Ent. Soc., iv, 11: Moth Book, 268.
ilia Cramer. Trans. Am. Ent. Soc., iv, 8: Moth Book, 265.
ilia, var. *uxor* Guenée. Moth Book, 265.
innubens Guenée. Spec. Gén., vii, 98: Moth Book, 265.
(F.W.H.)
innubens var. *flavidalis* Grote. Trans. Am. Ent. Soc., v, 95.
(F.W.H.)
marmorata Edwards. Proc. Phila. Ent. Soc., ii, 508: Moth
Book, 263. (C.R.E.)

- micronympha* Guenée var. *fratercula* Grote and Robinson.
Proc. Phila. Ent. Soc., vi, 24: Moth Book, 269.
- micronympha* var. *gisela* Meyer. Bull. Brook. Ent. Soc., ii,
96: Moth Book, 269.
- neogama* Smith and Abbot. Trans. Am. Ent. Soc., iv, 9: Moth
Book, 266.
- paleogama* Guenée. Trans. Am. Ent. Soc., iv, 10: Moth Book,
266.
- paleogama* var. *annida* Fager. Can. Ent., xiv, 120.
- parta* Guenée. Trans. Am. Ent. Soc., iv, 6: Moth Book, 264.
- piatrix* Grote. Trans. Am. Ent. Soc., iv, 10: Moth Book, 266.
- præclara* Grote and Robinson. Proc. Phila. Ent. Soc., vi, 25:
Moth Book, 269.
- relicta* Walker. Trans. Am. Ent. Soc., iv, 4: Moth Book, 262.
(C.R.E.)
- relicta* var. *bianca* Hy. Edwards. Bull. Brook. Ent. Soc., iii,
54: Moth Book, 262.
- relicta* var. *clara* Beutenmüller. Bull. Am. Mus. Nat. Hist.,
xix, 506.
- relicta* var. *phrynia* Hy. Edwards. Bull. Brook. Ent. Soc.,
iii, 54. (C.R.E.)
- residua* Grote. Proc. Bost. Soc. Nat. Hist., xvi, 242.
- relecta* Grote. Trans. Am. Ent. Soc., iv, 4: Moth Book, 262.
- robinsonii* Grote. Trans. Am. Ent. Soc., iv, 20: Moth Book,
262.
- sancta* Hulst. *connubialis*. *amasia*. Trans. Am. Ent. Soc., iv,
16: Moth Book, 268.
- subnata* Grote. Trans. Am. Ent. Soc., iv, 9: Moth Book, 266.
(C.R.E.)
- tristis* Edwards. Proc. Phila. Ent. Soc., ii, 511: Moth Book,
262.
- ultronia* Hübner. Moth Book, 265.
- ultronia* var. *adriana* Hy. Edwards. Bull. Brook. Ent. Soc.,
iii, 57.
- unijuga* Walker. Trans. Am. Ent. Soc., iv, 5: Moth Book, 264.
- vidua* Smith and Abbot. *viduata*. Trans. Am. Ent. Soc., iv,
3: Moth Book, 261.
- Syneda** Guenée.
- graphica* Hübner. Moth Book, 259.

Meliopotis Hübner.

limbolaris Geyer. Moth Book, 258.

Euclidea Ochsenheimer.

cuspeida Hübner. Moth Book, 258.

Drasteria Hübner.

crassiuscula Haworth. Lep. Brit., 259: Moth Book, 257.
(C.H.Y.)

erechtea Cramer. Moth Book, 257.

Homopyralis Grote.

contracta Walker. *tactus*. Moth Book, 256.

discalis Grote. Can. Ent., viii, 206.

Melanomma Grote.

auricinctaria Grote. Trans. Am. Ent. Soc., v, 117.

Hyamia Walker.

perditalis Walker. *Spargoloma umbrifascia*. Moth Book, 254.

Pangrapta Hübner.

decoralis Hübner. Moth Book, 254.

Phalænostola Grote.

larentioides Grote. Trans. Am. Ent. Soc., iv, 302: Moth Book,
254.

Cydosia Westwood.

aurivitta Grote and Robinson. Trans. Am. Ent. Soc., ii, 186:
Moth Book, 253.

Euherrichia Grote.

mollissima Guenée. Moth Book, 253.

Metathorasa Moore.

monetifera Guenée. Spec. Gén., vi, 295: Moth Book, 252.
(F.W.H.)

Tarache Hübner.

candefacta Hübner. *Acontia*. Trans. Am. Ent. Soc., xxvii, 82.

delecta Walker. *Ibid.*, xxvii, 60: Moth Book, 251.

erastrioides Guenée. Trans. Am. Ent. Soc., xxvii, 71: Moth
Book, 251.

Characoma Walker.

nilotica Rogenhofer. *Nycteola proteella* Dyar. Jour. N. Y.
Ent. Soc., vi, 40.

Sarrothripus Curtis.

revayana Scopoli. *Nycteola revayana*. Ann. Hist. Nat., v, 116.

Chamyris Guenée.

cerintha Treitschke. Moth Book, 250.

Thalpochares Lederer.

fractilinea Smith. Ann. N. Y. Acad. Sci., xviii, 125.

Prothymia Hübner.

semipurpurea Walker. Moth Book, 248.

Lithacodia Hübner.

bellicula Hübner. Moth Book, 248.

Galgula Guenée.

hepara Guenée. Moth Book, 247.

hepara var. *partita* Guenée. Moth Book, 247.

Eustrotia Hübner.

æria Grote. Papilio, i, 11.

albidula Guenée. Moth Book, 247.

apicosa Haworth. *Ibid.*, 247.

carneola Guenée. *Ibid.*, 247.

includens Walker. Cat. Brit. Mus., xii, 813.

muscoscula Guenée. Moth Book, 247.

nigellus Strecker. *immuna*. Ann. N. Y. Acad. Sci., xviii, 124.

puncticosta Smith. *Ibid.*, xviii, 122.

synochitis Grote and Robinson. Trans. Am. Ent. Soc., i, 357:
Moth Book, 247.

Phiprosopus Grote.

callitrichoides Grote. Trans. Am. Ent. Soc., iv, 90: Moth
Book, 245.

Doryodes Guenée.

bistriaris Geyer. Moth Book, 245.

Rivula Guenée.

propinqualis Guenée. Moth Book, 245.

Amolita Grote.

fessa Grote. Bull. Buff. Soc. Nat. Sci., ii, 158: Moth Book, 244.

Eucalyptera Morrison.

humeralis Smith. Trans. Am. Ent. Soc., xxix, 220. (C.R.E.)

Scolecampa Guenée.

liburna Geyer. Moth Book, 244.

Alabama Grote.

argillacea Hübner. Cotton-worm moth. Moth Book, 243.

Marasmalus Grote.

inficita Walker. Moth Book, 242.

ventilator Grote. Trans. Am. Ent. Soc., iv, 89. (A.B.C.)

Pæctes Hübner.

abrostoloides Guenée. Moth Book, 241.

oculatrix Guenée. Moth Book, 241.

Ogdoconta Butler.

cinereola Guenée. Moth Book, 241.

Autographa Hübner.

basigera Walker. *Plusia*. Cat. Brit. Mus., xxxiii, 836: Moth Book, 240. (C.H.Y.)

biloba Stephens. *Plusia*. Moth Book, 238.

brassicæ Riley. *Plusia*. Cabbage looper. Cabbage *Plusia*. *Ibid.*, 238.

falcigera Kirby var. *simplex* Guenée. *Ibid.*, 240.

precationis Guenée. *Ibid.*, 238.

Eosphoropteryx.

thyatiroides Guenée. Moth Book, 237. (A.H.Me.)

Plusia Hübner.

ærea Hübner. Moth Book, 237.

balluca Geyer. *Ibid.*, 237. (H.H.A.)

Panchrysia Hübner.

purpurigera Walker. Moth Book, 236.

Calpe Treitschke.

canadensis Bethune. Proc. Phila. Ent. Soc., iv, 213: Moth Book, 236.

Euthisanotia Hübner.

grata Fabricius. *Eudryas*. Pearl wood-nymph. Jour. N. Y. Ent. Soc., ii, 25: Moth Book, 232.

unio Hübner. *Eudryas*. Beautiful wood-nymph. Jour. N. Y. Ent. Soc., ii, 24: Moth Book, 232.

Psychomorpha Harris.

epimenis Drury. Jour. N. Y. Ent. Soc., ii, 19: Moth Book, 232.

Schinia Hübner.

arcifera Guenée. Spec. Gén., vi, 184: Moth Book, 228.

brevis Grote. Proc. Phila. Ent. Soc., iii, 530: Moth Book, 228.

marginata Haworth. Lep. Brit., 374, 1810: Moth Book, 228.

nundina Drury. Ill. Exot. Ent., i, 36: Moth Book, 227.

Eupanychis Grote.

spinosa Guenée. *hirtella*. Spec. Gén., vi, 182: Moth Book, 226.

Rhodophora Guenée.

florida Guenée. *Alaria*. Spec. Gén., vi, 171: Moth Book, 224.

Derrima Walker.

stellata Walker. Cat. Brit. Mus., xxii, 770: Moth Book, 224.

Heliothis Ochsenheimer.

obsoleta Fabricius. *armiger*. Cotton boll-worm. Corn ear-worm. Moth Book, 222.

Chloridea Westwood.

virescens Fabricius. *rhexia*. Tobacco bud-worm. Rept. Conn. Agr. Expt. Sta., 1909, 367: Moth Book, 222.

Atethmia Hübner.

rectifascia Grote. Proc. Bost. Soc. Nat. Hist., xvi, 242. (H.W.F.)

Ipimorpha Hübner.

pleonectusa Grote. Bull. Buff. Soc. Nat. Sci., i, 191: Moth Book, 220.

Calymnia Hübner.

orina Guenée. Moth Book, 219.

Epiglæa Grote.

decliva Grote. Moth Book, 219. (J.T.K.)

Glæa Hübner.

inulta Grote. Rept. Peab. Acad. Sci., vi, 30: Moth Book, 218. (E.F.)

sericea Morrison. Proc. Bost. Soc. Nat. Hist., xvii, 151; Moth Book, 218. (E.F.)

Scopelosoma Curtis.

ceromatica Grote. Bull. Buff. Soc. Nat. Sci., ii, 70: Moth Book, 218.

devia Grote. Proc. Acad. Nat. Sci., Phila., 1874, 209.

morrisoni Grote. Bull. Buff. Soc. Nat. Sci., ii, 70.

sidus Guenée. Spec. Gén., v, 386.

tristigmata Grote. Can. Ent., ix, 156.

walkeri Grote. Proc. Phila. Ent. Soc., ii, 439: Moth Book, 218.

Orthosia Ochsenheimer.

bicolorago Guenée var. *ferruginoides* Guenée. Spec. Gén., v, 389.

helva Grote. Bull. Buff. Soc. Nat. Sci., ii, 310: Moth Book, 217.

inops Grote. Bull. Geol. Geog. Surv. Terr., vi, 270.

lutosa Andrews. Can. Ent., ix, 99.

ralla Grote and Robinson. Trans. Am. Ent. Soc., i, 346.

rubrescens Walker.

Cosmia Ochsenheimer.

paleacea Esper. Schmett. Eur., pl. 122, f. 504: Moth Book, 217. (C.R.E.)

Fagitana Walker.

littera Guenée. Moth Book, 217.

Tapinostola Lederer.

variana Morrison. Moth Book, 216.

Scoliopteryx Germar.

libatrix Linnæus. Moth Book, 215.

Eucirroëdia Grote.

pampina Guenée. Moth Book, 215.

Conservula Grote.

anodonta Guenée. Moth Book, 215.

Trigonophora Hübner.

periculosa Guenée. Spec. Gén., vi, 65.

periculosa var. *v-brunneum* Grote. Moth Book, 215.

Brotolomia Lederer.

iris Guenée. Moth Book, 215.

Jodia Hübner.

rufago Hübner. Moth Book, 215.

Pyrrhia Hübner.

umbra Hufnagel. Moth Book, 214.

Papaipema Smith.

astuta Bird. Can. Ent., xxxix, 272. (H.B.)

baptisiæ Bird. *Hydræcia*. *Ibid.*, xxxiv, 109.

cataphracta Grote. *Hydræcia*. Trans. Am. Ent. Soc., xxvi, 41: Moth Book, 214.

cerussata Grote. Trans. Am. Ent. Soc., xxvi, 38. (H.B.)

duovata Bird. Can. Ent., xxxiv, 115. (H.B.)

duplicata Bird. *Ibid.*, xl, 25. (H.B.)

frigida Smith. Trans. Am. Ent. Soc., xxvi, 39. (H.B.)

impecuniosa Grote. *Ibid.*, xxvi, 42. (H.B.)

inquæsita Grote and Robinson. *Ibid.*, i, 344: Moth Book, 213.

marginidens Guenée. *birdii*. Spec. Gén., v, 123.

maritima Bird. Can. Ent., xli, 59. (H.B.)

nitela Guenée. Trans. Am. Ent. Soc., xxvi, 34.

nitela var. *nebris* Guenée. *Ibid.*, xxvi, 34: Moth Book, 213.

pterisii Bird. Can. Ent. xxxix, 310. (H.B.)

purpurifascia Grote and Robinson. Trans. Am. Ent. Soc., xxvi, 33. (H.B.)

rigida Grote. Can. Ent., ix, 87. (C.R.E.)

rutila Guenée. Trans. Am. Ent. Soc., xxvi, 43.

sciata Bird. Can. Ent., xl, 28. (H.B.)

Gortyna Ochsheimer.

nictitans Borkhausen. Moth Book, 212.

nictitans var. *americana* Speyer. *atlantica*. Trans. Am. Ent. Soc., xxvi, 18.

velata Walker. *sera*. *Ibid.*, xxvi, 16: Moth Book, 212.

Achatodes Guenée.

zeæ Harris. Moth Book, 212.

Nonagria Ochsheimer.

oblonga Grote. *subcarnea*. Can. Ent., xv, 175.

Sphida Grote.

obliqua Walker. Moth Book, 211.

Cucullia Schrank.

- asteroides* Guenée. Moth Book, 208.
convexipennis Grote and Robinson. Trans. Am. Ent. Soc., ii,
 201: Moth Book, 208.
speyeri Lintner. Twenty-sixth Rept. N. Y. State Mus., 1872,
 168.

Calocampa Stephens.

- cineritia* Grote. Proc. Acad. Nat. Sci. Phila., 1874, 210.
curvimacula Morrison. Bull. Buff. Soc. Nat. Sci., ii, 191:
 Moth Book, 208.
nupera Lintner. Bull. Buff. Soc. Nat. Sci., ii, 188: Moth Book,
 208.

Xylina Ochsenheimer.

- antennata* Walker. *cinerea*. Cat. Brit. Mus., xiv, 1733: Moth
 Book, 206.
bethunei Grote and Robinson. Trans. Am. Ent. Soc., i, 354.
disposita Morrison. Bull. Buff. Soc. Nat. Sci., ii, 116: Moth
 Book, 206.
fagina Morrison. Bull. Buff. Soc. Nat. Sci., ii, 115.
ferrealis Grote. Rept. Peab. Acad. Sci., vi, 32.
grotei Riley. Papilio, ii, 102.
pexata Grote. Rept. Peab. Acad. Sci., vi, 35: Moth Book, 207.
thaxteri Grote. Bull. Buff. Soc. Nat. Sci., ii, 196: Moth Book,
 207.
unimoda Lintner. Ent. Cont., ix, 96: Moth Book, 207.

Tricholita Grote.

- signata* Walker. Moth Book, 205.

Graphiphora Hübner.

- alia* Guenée. Moth Book, 204.
furfurata Grote. Proc. Acad. Nat. Sci., Phila., 1874, 201.
oviducta Guenée. Spec. Gén., v, 357: Moth Book, 204.
 (C.R.E.)
revicta Morrison. Proc. Bost. Soc. Nat. Hist., xviii, 241.
subterminata Smith. Proc. U. S. Nat. Mus., x, 476.

Crocigrapha Grote.

- normani* Grote. Can. Ent., vi, 115: Moth Book, 204.

Orthodes Guenée.

- crenulata* Butler. Moth Book, 203.
cynica Guenée. Spec. Gén., v, 375: Moth Book, 203.
vecors Guenée. Spec. Gén., v, 376: Moth Book, 203.

Heliophila Hübner.*Leucania* Ochsenheimer.

- albilinea* Hübner. Moth Book, 201.
commoides Guenée. *Ibid.*, 203.
luteopallens Smith. Proc. U. S. Nat. Mus., xxv, 180.
multilinea Walker. Cat. Brit. Mus., ix, 97: Moth Book, 202.
phragmitidicola Guenée. Spec. Gén., v, 89.
pseudargyria Guenée. Moth Book, 201.
unipuncta Haworth. Army worm. Rept. Conn. Agr. Expt. Sta., 1914, 157: Moth Book, 200.

Nephelodes Guenée.

- minians* Guenée var. *violans* Guenée. Spec. Gén., v, 130.

Morrisonia Grote.

- confusa* Hübner. Proc. U. S. Nat. Mus., xv, 85: Moth Book, 197.
sectilis Guenée. *evicta*. Proc. U. S. Nat. Mus., xv, 83: Moth Book, 196.

Mamestra Ochsenheimer.

- adjuncta* Boisduval. Proc. U. S. Nat. Mus., xvi, 237: Moth Book, 194.
assimilis Morrison. Proc. U. S. Nat. Mus., xvi, 234. (C.R.E.)
congermana Morrison. *Ibid.*, xvi, 229: Moth Book, 193.
cristifera Walker. *lubens*. Proc. U. S. Nat. Mus., xvi, 233.
cuneata Grote. *Ibid.*, xvi, 261.
detracta Walker. *Ibid.*, xiv, 211: Moth Book, 192.
distincta Hübner. Proc. U. S. Nat. Mus., xiv, 212.
goodellii Grote. Can. Ent., vii, 223.
grandis Boisduval. Proc. U. S. Nat. Mus., xvi, 224: Moth Book, 193.
latex Guenée. Spec. Gén., vi, 78.
legitima Grote. Proc. Phila. Ent. Soc., iii, 82.
lilacina Harvey. Moth Book, 194. (H.W.F.)

- lorea* Guenée. Proc. U. S. Nat. Mus., xvi, 262: Moth Book, 195.
- meditata* Grote. Proc. U. S. Nat. Mus., xiv, 210: Moth Book, 192.
- picta* Harris. Proc. U. S. Nat. Mus., xvi, 231: Moth Book, 193.
- purpurissata* Grote. Proc. Phila. Ent. Soc., iii, 82: Moth Book, 192. (C.R.E.)
- renigera* Stephens. Proc. U. S. Nat. Mus., xvi, 250: Moth Book, 195.
- rosea* Harvey. Proc. U. S. Nat. Mus., xvi, 229: Moth Book, 193.
- subjuncta* Grote and Robinson. Proc. U. S. Nat. Mus., xvi, 223: Moth Book, 193.
- trifolii* Rottenburg. Proc. U. S. Nat. Mus., xvi, 226: Moth Book, 193.
- vicina* Grote. Moth Book, 195. (H.W.F.)

Anytus Grote.

- privatus* Walker. *sculptus*. Moth Book, 191.

Paragrotis Pratt.

- bostoniensis* Grote. Proc. Acad. Nat. Sci., Phila., 1874, 203.
- detersa* Walker. *pitychrous*. Cat. Brit. Mus., ix, 212: Moth Book, 188. (E.F.)
- insulsa* Walker. *Euxoa. Carneades*. Moth Book, 189.
- messoria* Harris. *Euxoa. Carneades*. U. S. Nat. Mus. Bull., 38, 169: Moth Book, 188.
- obeliscoides* Guenée. *Euxoa. Carneades*. U. S. Nat. Mus. Bull., 38, 199: Moth Book, 190. (C.R.E.)
- perpolita* Morrison. *Euxoa. Carneades*. U. S. Nat. Mus. Bull., 38, 151: Moth Book, 188.
- redimicula* Morrison. *Euxoa. Carneades*. U. S. Nat. Mus. Bull., 38, 202: Moth Book, 190.
- tessellata* Harris. *Euxoa. Carneades*. U. S. Nat. Mus. Bull., 38, 192: Moth Book, 189.
- velleripennis* Grote. *Euxoa. Carneades*. U. S. Nat. Mus. Bull., 38, 153: Moth Book, 188.

Porosagrotis Smith.

vetusta Walker. *muræmula*. U. S. Nat. Mus. Bull., 38, 212:
Moth Book, 187. (E.F.)

Feltia Walker.

annexa Treitschke. U. S. Nat. Mus. Bull., 38, 122: Moth
Book, 187.

gladiaria Morrison. U. S. Nat. Mus. Bull., 38, 117: Moth
Book, 186.

jaculifera Guenée. U. S. Nat. Mus. Bull., 38, 112.

jaculifera var. *herilis* Grote. *Ibid.*, 38, 113: Moth Book, 186.

subgothica Haworth. U. S. Nat. Mus. Bull., 38, 111: Moth
Book, 186.

venerabilis Walker. U. S. Nat. Mus. Bull., 38, 117: Moth
Book, 186.

volubilis Harvey. U. S. Nat. Mus. Bull., 38, 121: Moth Book,
186.

Noctua Linnæus.

bicarnea Guenée. U. S. Nat. Mus. Bull., 38, 81: Moth Book,
183.

clandestina Harris. U. S. Nat. Mus. Bull., 38, 94: Moth
Book, 184.

c-nigrum Linnæus. U. S. Nat. Mus. Bull., 38, 82: Moth Book,
183.

cynica Smith. Jour. N. Y. Ent. Soc., vi, 101. (C.R.E.)

haruspica Grote. Bull. Buff. Soc. Nat. Sci., ii, 212: Moth
Book, 184. (C.H.Y.)

lubricans Guenée. U. S. Nat. Mus. Bull., 38, 96: Moth Book,
185.

normaniana Grote. U. S. Nat. Mus. Bull., 38, 79: Moth Book,
183.

phyllophora Grote. U. S. Nat. Mus. Bull., 38, 85.

plecta Linnæus. *Ibid.*, 38, 89: Moth Book, 184.

smithii Snellen. *baja*. Jour. N. Y. Ent. Soc., vi, 99.

Peridroma Hübner.

incivis Guenée. U. S. Nat. Mus. Bull., 38, 72: Moth Book,
183. (F.W.H.)

margaritosa Haworth var. *saucia* Hübner. Variegated cut
worm. U. S. Nat. Mus. Bull., 38, 70: Moth Book, 182.

Agrotis Ochsenheimer.

badinodis Grote. Can. Ent., vi, 13: Moth Book, 181. (E.F.)

geniculata Grote and Robinson. U. S. Nat. Mus. Bull., 38, 64:
Moth Book, 182.

ypsilon Rottenburg. Black cut worm. Rept. Conn. Agr.
Expt. Sta., 1906, 265: Moth Book, 182.

Epipsilia Hübner.*Pachnobia* Guenée.

fishi Grote. Bull. Geol. Surv. Terr., iv, 175.

manifesta Morrison. U. S. Nat. Mus. Bull., 38, 55.

monochromatea Morrison. Ent. News, xxx, 61.

salicarum Walker. U. S. Nat. Mus. Bull., 38, 56: Moth Book,
180.

Semiophora Stephens.

elimata Guenée. U. S. Nat. Mus. Bull., 38, 51: Moth Book,
180. (F.W.H.)

opacifrons Grote. U. S. Nat. Mus. Bull., 38, 97: Moth Book,
180. (C.R.E.)

Eueretagrotis Smith.

sigmoides Guenée. U. S. Nat. Mus. Bull., 38, 48: Moth Book,
179.

Adelphagrotis Smith.

prasina Fabricius. *herbacea*. U. S. Nat. Mus. Bull., 38, 41:
Moth Book, 179.

Rhynchagrotis Smith.

alternata Grote. U. S. Nat. Mus. Bull., 38, 23; Moth Book,
179.

anchocelioides Guenée var. *brunneipennis* Grote. Can. Ent.,
vii, 187: Moth Book, 178.

placida Grote. U. S. Nat. Mus. Bull., 38, 21: Moth Book, 178.

Psaphidia Walker.

grotei Morrison. Bull. Buff. Soc. Nat. Sci., i, 274: Moth Book,
177.

resumens Walker. Cat. Brit. Mus., xxxii, 448: Moth Book,
177.

Eutolyte Grote.

bombyciformis Smith. Proc. U. S. Nat. Mus., xv, 59: Moth Book, 177.

rolandi Grote. *vernalis*. Proc. U. S. Nat. Mus., xv, 60.

Copipanolis Grote.

cubilis Grote. Proc. U. S. Nat. Mus., xv, 63: Moth Book, 177.

Adita Grote.

chionanthi Smith and Abbot. Lep. Ins. Ga., ii, 195: Moth Book, 177. (C.R.E.)

Lepipolys Guenée.

perscripta Guenée. Spec. Gen., vi, 174.

Magusa Walker.

dissidens Felder. *divaricata*. Proc. Wash. Ent. Soc., iv, 453: Moth Book, 175. (C.R.E.)

Laphygma Guenée.

frugiperda Smith and Abbot. Fall army worm. Rept. Conn. Agr. Expt. Sta., 1912, 284: Moth Book, 174.

Prodenia Guenée.

ornithogalli Guenée. *lineatella*. Spec. Gén., v, 163: Moth Book, 174.

ornithogalli var. *eudiopta* Guenée. Spec. Gén., v, 164. (E.F.)

Heliotropha Lederer.

reniformis Grote. Can. Ent., vi, 14: Moth Book, 173.

reniformis var. *atra* Grote. Proc. Acad. Nat. Sci., Phila., 1874, 200: Moth Book, 173.

Pyrophila Hübner.

pyramidoides Guenée. Spec. Gén., vi, 413: Moth Book, 173.

Actinotia Hübner.

ramosula Guenée. Spec. Gén., vi, 114: Moth Book, 172.

Dipterygia Stephens.

scabriuscula Linnæus. Syst. Nat., 516: Moth Book, 172.

Euplexia Stephens.

lucipara Linnæus. Syst. Nat., 518: Moth Book, 172.

Feralia Grote.

jocosa Guenée. Spec. Gén., v, 37: Moth Book, 171.

Hyppa Duponchel.

- xylinoides* Guenée. Spec. Gén., vi, 106: Moth Book, 171.
- Hadena Schrank.
- apamiformis* Guenée. Proc. U. S. Nat. Mus., xiii, 416.
(C.R.E.)
- arctica* Boisduval. *Ibid.*, xiii, 430: Moth Book, 169.
- bridghami* Grote and Robinson. Proc. Phila. Ent. Soc., vi, 17:
Moth Book, 166.
- burgessi* Morrison. Proc. U. S. Nat. Mus., xiii, 412: Moth
Book, 168.
- cariosa* Guenée. Proc. U. S. Nat. Mus., xiii, 438.
- cogitata* Smith. *Ibid.*, xiii, 421. (E.F.)
- devastatrix* Brace. *Ibid.*, xiii, 426: Moth Book, 169.
- diversicolor* Morrison. Proc. Bost. Soc. Nat. Hist., xvii, 132.
- dubitans* Walker. *sputatrix*. Proc. U. S. Nat. Mus., xiii, 422:
Moth Book, 169.
- finitima* Guenée. Proc. U. S. Nat. Mus., xiii, 419. (C.H.Y.)
- fractilinen* Grote var. *vulgivaga* Morrison. Can. Ent., vi, 15.
- impulsa* Guenée. *Ibid.*, xiii, 425. (H.W.F.)
- lignicolor* Guenée. *Ibid.*, xiii, 442: Moth Book, 169.
- mactata* Guenée. Spec. Gén., v, 207: Moth Book, 167.
(C.R.E.)
- miseloides* Guenée. Moth Book, 167.
- misera* Grote. Bull. Geol. Geog. Surv. Terr., vi, 582.
- modica* Guenée. Spec. Gén., v, 207: Moth Book, 167.
- nigrior* Smith. Proc. U. S. Nat. Mus., xiii, 437: Moth Book,
169. (C.R.E.)
- passer* Guenée. Proc. U. S. Nat. Mus., xiii, 411.
- remissa* Hübner. *Ibid.*, xiii, 414. (C.R.E.)
- semicana* Walker. Cat. Brit. Mus., xxxii, 675.
- semicana* var. *fractilinea* Grote. Can. Ent., vi, 15: Moth Book,
168.
- turbulenta* Hübner. Moth Book, 167.
- verbascoides* Guenée. Proc. U. S. Nat. Mus., xiii, 437: Moth
Book, 169.
- viridimusca* Smith. Can. Ent., xxxi, 264.
- vultuosa* Grote. Proc. U. S. Nat. Mus., xiii, 416: Moth Book,
168 (C.H.Y.)

Hillia Grote.

algens Grote. Can. Ent., x, 236.

discinigra Walker. Cat. Brit. Mus., ix, 27: Moth Book, 166.
(C.R.E.)

Oligia Hübner.

chalcedonica Hübner. Ent. Am., v, 148.

festivoides Guenée. Moth Book, 165: Ent. Am., v, 147.

nucicolora Guenée. Spec. Gén., v, 24.

Perigea Guenée.

sutor Guenée. Spec. Gén., v, 231.

vecors Guenée. *luxa*. *Ibid.*, v, 230: Moth Book, 165.

xanthoides Guenée. Spec. Gén., v, 227: Moth Book, 165.

Caradrina Ochsenheimer.

miranda Grote (?). Bull. Buff. Soc. Nat. Sci., i, 11.

Anorthodes Smith.

prima Smith. Trans. Am. Ent. Soc., xviii, 115: Moth Book,
164. (C.R.E.)

Balsa Walker.

malana Fitch. *Nolophana obliquifera*. Ins. N. Y., ii, 244.

tristigella Walker. *zelleri*. Cat. Brit. Mus., xxxv, 1734.

Platysenta Grote.

videns Guenée. Spec. Gén., v, 78: Moth Book, 163.

Catabena Walker.

lineolata Walker. Cat. Brit. Mus., xxxii, 631: Moth Book,
163.

Baileya Grote.

dormitans Guenée. Spec. Gén., v, 15.

doubledayi Guenée. *Ibid.*, v, 15: Moth Book, 162.

ophthalmica Guenée. Spec. Gén., v, 15: Moth Book, 162.

Chytonix Grote.

palliaticula Guenée. Spec. Gén., v, 26: Moth Book, 161.

Polygrammata Hübner.

hebraicum Hübner. Zutr. Exot. Schmett., f. 25: Moth Book,
160.

Dipthera Hübner.

fallax Herrich-Schäffer. Exot. Schmett., f. 211: Moth Book,
160.

Microcœlia Guenée.

dipteroïdes Guenée. Proc. Phila., Ent. Soc., iii, 78: Moth Book, 160.

dipteroïdes var. *obliterata* Grote. Proc. Phila. Ent. Soc., iii, 79.

Arsilonche Lederer.

albovenosa Goeze. Proc. U. S. Nat. Mus., xxi, 175: Moth Book, 159.

Apatela Hübner.*Acronycta* Ochsenheimer.

americana Harris. Proc. U. S. Nat. Mus., xxi, 44: Moth Book, 153.

clarescens Guenée. Proc. U. S. Nat. Mus., xxi, 140.

dactylina Grote. *Ibid.*, xxi, 51: Moth Book, 153.

distans Grote. Can. Ent., xi, 58. (C.R.E.)

furcifera Guenée. Proc. U. S. Nat. Mus., xxi, 85: Moth Book, 155.

hæsitata Grote. Proc. U. S. Nat. Mus., xxi, 140.

hamamelis Guenée. *Ibid.*, xxi, 141.

hasta Guenée. *Ibid.*, xxi, 87.

hastulifera Smith and Abbot. *Ibid.*, xxi, 47.

impleta Walker. *luteicoma*. Moth Book, 157.

impressa Walker. Proc. U. S. Nat. Mus., xxi, 159: Moth Book, 157.

innotata Guenée. Proc. U. S. Nat. Mus., xxi, 73: Moth Book, 155. (C.R.E.)

interrupta Guenée. *occidentalis*. Proc. U. S. Nat. Mus., xxi, 79: Moth Book, 155.

lobeliæ Guenée. Proc. U. S. Nat. Mus., xxi, 82: Moth Book, 155.

noctivaga Grote. Proc. U. S. Nat. Mus., xxi, 156: Moth Book, 157.

oblinita Smith and Abbot. Proc. U. S. Nat. Mus., xxi, 169: Moth Book, 157.

ovata Grote. Proc. U. S. Nat. Mus., xxi, 135. (C.R.E.)

pruni Harris. *Ibid.*, xxi, 123.

retardata Walker. *Ibid.*, xxi, 145.

sperata Grote. *Ibid.*, xxi, 154.

vinnula Grote. *Ibid.*, xxi, 93: Moth Book, 156.

xyliniformis Guenée. *longa*. Proc. U. S. Nat. Mus., xxi, 166.

Charadra Walker.

deridens Guenée. Proc. U. S. Nat. Mus., xxi, 25: Moth Book, 152.

Demas Stephens.

flavicornis Smith. Bull. Brook. Ent. Soc., vii, 3.

propinquilinea Grote. *Charadra*. Trans. Am. Ent. Soc., iv, 293.

Family AGARISTIDÆ.

Alypia Hübner.

octomaculata Fabricius. Eight-spotted forester. Bull. Am. Mus. Nat. Hist., x, 357: Moth Book, 144.

Family ARCTIIDÆ.

Halisidota Hübner.

caryæ Harris. Hickory tussock moth. Rept. Conn. Agr. Expt. Sta., 1907, 332: Moth Book, 138.

tessellaris Smith and Abbot. Bull. Am. Mus. Hist., x, 370: Moth Book, 137.

Euchætias Lyman.

egle Drury. Milk-weed moth. Bull. Am. Mus. Nat. Hist., x, 368: Moth Book, 135.

Ammalo Walker.

tenera Hübner. *collaris*. Bull. Am. Mus. Nat. Hist., x, 368.

Apantesis Walker.

anna Grote var. *persephone* Grote. Proc. Ent. Soc., Phila., ii, 433.

arge Drury. *Arctia*. Bull. Am. Mus. Nat. Hist., x, 379: Moth Book, 130.

figurata Drury. Moth Book, 132. (H.W.F.)

intermedia Stretch. Bull. Am. Mus. Nat. Hist., x, 379: Moth Book, 129. (C.H.Y.)

michabo Grote. *Arctia*. Bull. Am. Mus. Nat. Hist., x, 380: Moth Book, 130. (A.H.Me.)

nais Drury. *Arctia*. Bull. Am. Mus. Nat. Hist., x, 381.

parthenice Kirby. *Arctia*. *Ibid.*, x, 379: Moth Book, 129.

phyllira Drury. *Arctia*. Bull. Am. Mus. Nat. Hist., x, 380:
Moth Book, 132.

virgo Linnæus. *Arctia*. Bull. Am. Mus. Nat. Hist., x, 377:
Moth Book, 129.

virguncula Kirby. *Arctia*. Bull. Am. Mus. Nat. Hist., x, 378:
Moth Book, 131.

vittata Fabricius. *Arctia*. Hist., x, 381: Bull. Am. Mus. Nat.
Moth Book, 132. (A.H.Me.)

Diacrisia Hübner.

latipennis Stretch. *Spilosoma*. Bull. Am. Mus. Nat. Hist., x,
375: Moth Book, 128.

virginica Fabricius. Virgin tiger moth. Bull. Am. Mus. Nat.
Hist., x, 374: Moth Book, 127.

Phragmatobia Stephens.

fuliginosa Linnæus. *rubricosa*. Bull. Am. Mus. Nat. Hist.,
x, 373: Moth Book, 126.

Isia Walker.

isabella Smith and Abbot. *Pyrrharctia*. Isabella tiger moth.
Bull. Am. Mus. Nat. Hist., x, 373: Moth Book, 125.

Hyphantria Harris.

cunea Drury. Fall web worm. Bull. Am. Mus. Nat. Hist., x,
376: Moth Book, 123.

textor Harris. Rept. Ins. Mass., 255: Moth Book, 124.

Estigmene Hübner.

acræa Drury. *Leucarctia*. Salt march caterpillar. Bull. Am.
Mus. Nat. Hist., x, 372: Moth Book, 123.

congrua Walker. *antigone*. Cat. Brit. Mus., iii, 669: Moth
Book, 123. (C.H.Y.)

Ecpantheria Hübner.

deflorata Fabricius. *scribona*. *ocularia*. Bull. Am. Mus. Nat.
Hist., x, 372: Moth Book, 120.

Haploa Hübner.

clymene Brown. *Callimorpha*. Bull. Am. Mus. Nat. Hist., x,
366: Moth Book, 118.

lecontei Boisduval var. *militaris* Harris. Bull. Am. Mus. Nat.
Hist., x, 366: Moth Book, 118.

Utetheisa Hübner.

bella Linnæus. Bull. Am. Mus. Nat. Hist., x, 367: Moth Book, 117.

Eubaphe Hübner.

aurantiaca Hübner var. *ferruginosa* Walker. *Homomelina*.
Bull. Am. Mus. Nat. Hist., x, 365.

immaculata Reakirt. Proc. Phila. Ent. Soc., ii, 372.

immaculata var. *trimaculosa* Reakirt. Proc. Ent. Soc., Phila.,
ii, 372.

Rceselia Hübner.

minuscula Zeller var. *phylla* Dyar. Jour. N. Y. Ent. Soc., vi,
43.

Nigetia Walker.

formosalis Walker. *mclanopa*. Cat. Brit. Mus., xxxiv, 1506:
Moth Book, 358. (C.R.E.)

Celama Walker.

clethræ Dyar. *Nola*. Can. Ent., xxxi, 62.

ovilla Grote. *Nola*. *Ibid.*, vii, 221: Moth Book, 357.

pustulata Walker. *nigrofasciata*. Cat. Brit. Mus., xxxiii, 795:
Moth Book, 357. (C.R.E.)

triquetrana Fitch. Jour. N. Y. Ent. Soc., vi, 42.

Family LITHOSIIDÆ.

Illice Walker.

subjecta Walker. *Cisthene*. Bull. Am. Mus. Nat. Hist., x,
363: Moth Book, 109.

Clemensia Packard.

albata Packard. Bull. Am. Mus. Nat. Hist., x, 361: Moth Book,
108.

Hypoprepia Hübner.

fucosa Hübner. Bull. Am. Mus. Nat. Hist., x, 362: Moth
Book, 106.

miniata Kirby. Bull. Am. Mus. Nat. Hist., x, 362: Moth
Book, 106.

Crambidia Packard.

pallida Packard. Proc. Phila. Ent. Soc., iii, 99.

Family SYNTOMIDÆ.

Lycomorpha Harris.

pholus Drury. Bull. Am. Mus. Nat. Hist., x, 355: Moth Book, 101.

Scepsis Walker.

fulvicollis Hübner. Bull. Am. Mus. Nat. Hist., x, 353: Moth Book, 101.

Ctenucha Kirby.

virginica Charpentier. Moth Book, 102.

Family CERATOCAMPIDÆ.

Basilona Boisduval.

imperialis Drury. *Eacles*. Imperial moth. Bull. Am. Mus. Nat. Hist., x, 442: Moth Book, 97.

Citheronia Hübner.

regalis Fabricius. Regal moth. Bull. Am. Mus. Nat. Hist., x, 441: Moth Book, 97.

Anisota Hübner.

rubicunda Fabricius. *Dryocampa*. Green-striped maple worm. Bull. Am. Mus. Nat. Hist., x, 440: Moth Book, 95.

senatoria Smith and Abbot. Orange-striped oak worm. Senator moth. Bull. Am. Mus. Nat. Hist., x, 439.

stigma Fabricius. *Ibid.*, x, 439: Moth Book, 94.

virginiensis Drury. Bull. Am. Mus. Nat. Hist., x, 440: Moth Book, 95.

Family SATURNIIDÆ.

Hemileuca Walker.

maia Drury. Bull. Am. Mus. Nat. Hist., x, 438: Moth Book, 91. (A.W.P.)

Automeris Hübner.

io Fabricius. *Hyperchiria*. Io moth. Bull. Am. Mus. Nat. Hist., x, 438: Moth Book, 89.

Telea Hübner.

polyphemus Cramer. American silk-worm moth. Bull. Am. Mus. Nat. Hist., x, 436: Moth Book, 87.

Tropæa Hübner.

luna Linnæus. *Actias*. Luna moth. Bull. Am. Mus. Nat. Hist., x, 437: Moth Book, 87.

Callosamia Packard.

angulifera Walker. Tulip tree silk moth. Bull. Am. Mus. Nat. Hist., x, 436: Moth Book, 86.

promethea Drury. Promethea moth. Bull. Am. Mus. Nat. Hist., x, 435: Moth Book, 84.

Samia Hübner.

cecropia Linnæus. *Attacus*. Cecropia moth. Bull. Am. Mus. Nat. Hist., x, 435: Moth Book, 83.

Philosamia Grote.

cynthia Drury. Cynthia moth. Bull. Am. Mus. Nat. Hist., x, 434: Moth Book, 82.

Family SPHINGIDÆ.

Cressonia Grote and Robinson.

juglandis Smith and Abbot. Bull. Am. Mus. Nat. Hist., vii, 317: Moth Book, 57.

Paonias Hübner.

astylus Drury. *Calasymbolus*. Bull. Am. Mus. Nat. Hist., vii, 316: Moth Book, 56. (C.R.E.)

excæcatus Smith and Abbot. Bull. Am. Mus. Nat. Hist., vii, 314: Moth Book, 56.

myops Smith and Abbot. Bull. Am. Mus. Nat. Hist., vii, 315: Moth Book, 56.

Smerinthus Latreille.

jamaicensis Drury. *geminatus*. Bull. Am. Mus. Nat. Hist., vii, 313: Moth Book, 55.

Marumba Moore.

modesta Harris. *Triptogon*. *Pachysphinx*. Bull. Am. Mus. Nat. Hist., vii, 312: Moth Book, 57. (H.H.A.), (A.B.C.), (F.W.H.)

Lapara Walker.

bombycoides Walker. *Ellema harrisii*. Bull. Am. Mus. Nat. Hist., vii, 310: Moth Book, 53. (H.H.A.)

coniferarum Smith and Abbot. Moth Book, 53.

Ceratonia Harris.

amyntor Geyer. *quadricornis*. Bull. Am. Mus. Nat. Hist., vii, 307: Moth Book, 47.

undulosa Walker. Bull. Am. Mus. Nat. Hist., vii, 308: Moth Book, 48. (A.H.Me.)

Chlænogramma Smith.

jasminearum Boisduval. Bull. Am. Mus. Nat. Hist., 306: Moth Book, 46.

Dolba Walker.

hylæus Drury. Bull. Am. Mus. Nat. Hist., vii, 309: Moth Book, 46.

Sphinx Linnæus.

chersis Hübner. *Hyloicus*. Bull. Am. Mus. Nat. Hist., vii, 303: Moth Book, 50.

convolvuli Linnæus var. **cingulata** Fabricius. *Herse*. Bull. Am. Mus. Nat. Hist., vii, 298: Moth Book, 43. (H.H.A.)

drupiferarum Smith and Abbot. Bull. Am. Mus. Nat. Hist., vii, 300: Moth Book, 52.

eremitis Hübner. Bull. Am. Mus. Nat. Hist., vii, 304: Moth Book, 49. (A.H.Me.) (G.D.)

gordius Stoll. Bull. Am. Mus. Nat. Hist., vii, 302: Moth Book, 51.

kalmiæ Smith and Abbot. Bull. Am. Mus. Nat. Hist., vii, 301: Moth Book, 51.

luscitiosa Clemens. Bull. Am. Mus. Nat. Hist., vii, 302: Moth Book, 52.

Phlegethontius Hübner.

quinquemaculatus Haworth. *Protoparce celeus* Hübner. Northern tobacco or tomato worm. Rept. Conn. Agr. Expt. Sta., 1906, 269: Moth Book, 45.

sexta Johanssen. *Protoparce carolina* Linnæus. Southern tobacco or tomato worm. Rept. Conn. Agr. Expt. Sta., 1906, 269: Moth Book, 45.

Ampelophaga Bremer and Grey.

chœrilus Cramer. *Darapsa. Pholus*. Bull. Mus. Nat. Hist., vii, 291: Moth Book, 68.

myron Cramer. Bull. Am. Mus. Nat. Hist., vii, 292: Moth Book, 68.

versicolor Harris. Bull. Am. Mus. Nat. Hist., vii, 293: Moth Book, 69.

Pholus Hübner.

achemon Drury. Bull. Am. Mus. Nat. Hist., vii, 289: Moth Book, 66. (H.M.R.)

pandorus Hübner. Bull. Am. Mus. Nat. Hist., vii, 288: Moth Book, 65. (A.H.Me.)

Thereta Hübner.

tersa Linnæus. *Charocampa*. *Xylophanes*. Bull. Am. Mus. Nat. Hist., vii, 287: Moth Book, 75. (R.H.) (H.M.R.)

Deilephila Ochsenheimer.

lineata Fabricius. *Celerio*. White-lined sphinx. Bull. Am. Mus. Nat. Hist., vii, 285: Moth Book, 76.

Deidamia Clemens.

inscriptum Harris. Bull. Am. Mus. Nat. Hist., vii, 284: Moth Book, 71.

Sphecodina Blanchard.

abbotii Swainson. *Thyreus*. Abbot sphinx. Bull. Am. Mus. Nat. Hist., vii, 283: Moth Book, 70.

Amphion Hübner.

nessus Cramer. Bull. Am. Mus. Nat. Hist., vii, 282: Moth Book, 72.

Hemaris Dalman.

diffinis Boisduval. *Hæmorrhagia*. Bull. Am. Mus. Nat. Hist., vii, 278: Moth Book, 63.

gracilis Grote and Robinson. Bull. Am. Mus. Nat. Hist., vii, 278: Moth Book, 63.

thysbe Fabricius. Bull. Am. Mus. Nat. Hist., vii, 277: Moth Book, 62.

thysbe var. *ruficaudis* Kirby. Faun. Bor. Am., iv, 303.

Suborder RHOPALOCERA.

Butterflies.

Family HESPERIIDÆ.

Thanaos Boisduval.

icelus Lintner. Dreamy dusky-wing. Comst. Butt., 298.

juvenalis Fabricius. Juvenal's dusky-wing. *Ibid.*, 300.

martialis Scudder. Martial's dusky-wing. *Ibid.*, 299.

persius Scudder. Persius' dusky-wing. *Ibid.*, 299.

Pholisora Scudder.

catullus Fabricius. Sooty-wing. Comst. Butt., 297.

Thorybes Scudder.

bathyllus Smith and Abbot. *Eudamus*. Southern cloudy-wing.
Comst. Butt., 295.

pylades Scudder. Northern cloudy-wing. *Ibid.*, 296.

Achlarus Scudder.

lycidas Smith and Abbot. *Eudamus*. Hoary-edge. Comst.
Butt., 295.

Epargyreus Hübner.

tityrus Fabricius. *Eudamus*. Silver-spotted skipper. Comst.
Butt., 293.

Eudamus Swainson.

proteus Linnæus. Long-tailed skipper. Comst. Butt., 292.
(S.I.S.)

Phycanassa Scudder.

vitellius Fabricius. *delaware*. *logan*. Vitellius skipper.
Comst. Butt., 288. (C.H.Y.) (G.D.)

Limochroes Scudder.

bimacula Grote and Robinson. *Pamphila*. Ann. N. Y. Lyc.
Nat. Hist., viii, 433.

manataaqua Scudder. Cross-line skipper. Comst. Butt., 286.
(F.W.H.)

pontiac Edwards. Black-dash. *Ibid.*, 285.

Euphyes Scudder.

verna Edwards. *Pamphila*. Little glass-wing. Comst. Butt.,
283.

vestris Boisduval var. *metacomet* Harris. *Ibid.*, 283.

Polites Scudder.

peckius Kirby. *Pamphila*. Yellow spot. Comst. Butt., 282.

Thymelicus Hübner.

cernes Boisduval and LeConte. Tawny-edged skipper.
Comst. Butt., 281.

mystic Scudder. Long dash. *Ibid.*, 281.

otho Smith and Abbot. Otho skipper. *Ibid.*, 279.

Erynnis Schrank.

metea Scudder. Cobweb skipper. Comst. Butt., 277.
sassicus Harris. *Pamphila*. Indian skipper. *Ibid.*, 276.

Atrytone Scudder.

hobomok Harris. *Pamphila*. Mormon. Comst. Butt., 275.
hobomok var. *pocahontas* Scudder. *Ibid.*, 275.
zabulon Boisduval and Le Conte. Zabulon skipper. *Ibid.*, 274.

Poanes Scudder.

massasoit Scudder. *Pamphila*. Mulberry wing. Comst. Butt.,
 273.

Ancyloxypha Felder.

numitor Fabricius. Least skipper. Comst. Butt., 272.

Amblyscirtes Scudder.

vialis Edwards. Roadside skipper. Comst. Butt., 270.
 (F.W.H.)

Family LYCÆNIDÆ.

Everes Hübner.

comyntas Godart. Tailed blue. Comst. Butt., 204.

Cyaniris Dalman.

ladon Cramer. var. *lucia* Kirby. Spring azure. Comst. Butt.,
 249.

ladon var. *marginata* Edwards. *Ibid.*, 249.

ladon var. *neglecta* Edwards. *Ibid.*, 250.

Heodes Dalman.

hypophlæas Boisduval. *Chrysophanus*. American copper.
 Comst. Butt., 241.

hypophlæas var. *fasciata* Strecker.

Chrysophanus Hübner.

thoë Boisduval. Bronze copper. Comst. Butt., 239.

Feniseca Grote.

tarquinius Fabricius. Wanderer. Comst. Butt., 237.

Strymon Hübner.

titus Fabricius. *Thecla*. Coral hair-streak. Comst. Butt., 234.

Incisalia Minot.

irus Godart. Hoary elfin. Comst. Butt., 233. (J.T.K.)

niphon Hübner. Banded elfin. *Ibid.*, 234. (R.H.)

Mitoura Scudder.

damon Cramer. *smilacis*. Comst. Butt., 229.

Thecla Fabricius.

acadica Edwards. Acadian hair-streak. Comst. Butt., 224.
(R.H.)

calanus Hübner. Banded hair-streak. *Ibid.*, 226.

edwardsii Saunders. Edwards' hair-streak. Butterfly Book,
243. (J.T.K.)

liparops Boisduval and Le Conte. *strigosa*. Striped hair-streak.
Comst. Butt., 228. (R.H.)

Uranotes Scudder.

melinus Hübner. Gray hair-streak. Comst. Butt., 223.

Family LIBYTHEIDÆ.

Hypatus Hübner.

bachmani Kirtland. *Libythea*. Snout butterfly. Comst. Butt.,
210.

Family LYMNADIDÆ.

Anosia Hübner.

plexippus Linnæus. *Danais archippus*. Monarch. Milkweed
butterfly. Comst. Butt., 204.

Family AGAPETIDÆ.

Cissa Doubleday.

eurytus Fabricius. *Neonympha*. Little wood-satyr. Comst.
Butt., 197.

Satyrodes Scudder.

canthus Linnæus. *Neonympha*. Eyed brown. Comst. Butt.,
191.

Enodia Hübner.

portlandia Fabricius. *Debis*. Pearly eye. Comst. Butt., 189.
(H.H.A.)

Cercyonis Speyer.

alope Fabricius. *satyrus*. Blue-eyed grayling. Comst. Butt., 184.

alope var. **nephele** Kirby. Dull-eyed grayling. *Ibid.*, 185.

Family NYMPHALIDÆ.

Basilarchia Scudder.

archippus Cramer. *Limenitis dissippus*. Viceroy. Comst. Butt., 170.

arthemis Drury. Banded purple. *Ibid.*, 167. (H.H.A.)

arthemis var. **proserpina** Edwards. Hybrid purple. *Ibid.*, 170. (J.T.K.)

astyanax Fabricius. *ursula*. Red-spotted purple. *Ibid.*, 166.

Junonia Hübner.

cœnia Hübner. Buckeye. Comst. Butt., 160.

Vanessa Fabricius.

atalanta Linnæus. *Pyrameis*. Red admiral. Comst. Butt., 154.

cardui Linnæus. Thistle butterfly. Cosmopolite. *Ibid.*, 158.

huntera Fabricius. Painted beauty. *Ibid.*, 156.

Aglais Dalman.

milberti Godart. *Vanessa*. American tortoise-shell. Comst. Butt., 151.

Euvanessa Scudder.

antiopa Linnæus. *Vanessa*. Mourning cloak. Comst. Butt., 148.

Eugonia Hübner.

j-album Boisduval and Le Conte. *Grapta*. Compton tortoise. Comst. Butt., 146.

Polygonia Hübner.

comma Harris. *Grapta harrisii*. Hop-merchant. Comst. Butt., 140.

faunus Edwards. *Grapta*. Green comma. *Ibid.*, 138.

interrogationis Fabricius. *Grapta*. Violet-tip. *Ibid.*, 134.

interrogationis var. **umbrosa** Lintner. *Ibid.*, 135.

progne Cramer. *Grapta*. Gray comma. *Ibid.*, 143.

Phyciodes Hübner.

tharos Drury. Pearl crescent. Comst. Butt., 129.

tharos var. *morpheus* Fabricius. *Ibid.*, 129.

Charidryas Scudder.

nycteis Doubleday and Hewitson. Silver crescent. Comst. Butt., 127. (R.H.)

Cinclidia Hübner.

harrisii Scudder. Harris' butterfly. Comst. Butt., 126. (H.H.A.)

Euphydryas Scudder.

phaeton Drury. *Melitæa*. Baltimore. Comst. Butt., 125.

Brenthis Hübner.

bellona Fabricius. *Argynnis*. Meadow fritillary. Comst. Butt., 119.

myrina Cramer. *Argynnis*. Silver-bordered fritillary. *Ibid.*, 122.

Argynnis Fabricius.

aphrodite Fabricius. Silver-spot fritillary. Comst. Butt., 117.

atlantis Edwards. Mountain silver spot. *Ibid.*, 118. (F.W.H.)

cybele Fabricius. Great spangled fritillary. *Ibid.*, 114.

Speyeria Scudder.

idalia Drury. *Argynnis*. Regal fritillary. Comst. Butt., 112.

Euptoieta Doubleday.

claudia Cramer. Variegated fritillary. Comst. Butt., 109.

Family PIERIDÆ.

Eurema Hübner.

euterpe Méné. *Terias lisa*. Little sulphur. Comst. Butt., 98.

euterpe var. *alba* Strecker. Cat. Macrolep., 85.

Eurymus Swainson.

philodice Godart. *Colias*. Clouded sulphur. Comst. Butt., 92.

Zerene Hübner.

cæsonia Stoll. Dog's head butterfly. Comst. Butt., 90.

Callidryas Boisduval and LeConte.

eubule Linnæus. *Catopsilia*. Cloudless sulphur. Comst. Butt., 88.

Synchloë Hübner.

genutia Fabricius. *Anthocaris*. Falcate orange-tip. Comst. Butt., 82.

Pontia Fabricius.*Pieris* Schrank.

napi Linnæus var. **oleracea** Harris. Ins. Inj. Veg., 270.

napi var. **virginiensis** Edwards. Comst. Butt., 76. (H.L.J.)

protodice Boisduval and Le Conte. *Pieris*. Checkered white.

Southern cabbage butterfly. *Ibid.*, 73.

rapæ Linnæus. Imported cabbage butterfly. *Ibid.*, 78.

rapæ var. **immaculata** Skinner and Aaron. Can. Ent. xxi, 128.

Family PAPILIONIDÆ.

Laertias Hübner.

philenor Linnæus. *Papilio*. Blue swallow-tail. Comst. Butt., 66.

Papilio Linnæus.

glaucus Linnæus var. **turnus** Linnæus. Tiger swallow-tail. Comst. Butt., 51.

polyxenes Fabricius. *asterias*. Black swallow-tail. Celery butterfly. *Ibid.*, 62.

thoas Linnæus. *cresphontes*. Giant swallow-tail. Orange dog. *Ibid.*, 56.

troilus Linnæus. Green-clouded swallow-tail. *Ibid.*, 59.

Iphidicles Hübner.

ajax Linnæus. *Papilio*. Zebra swallow-tail. Comst. Butt., 49. (F.W.H.)

Order SIPHONAPTERA.

Fleas.

Family PULICIDÆ.

Ctenocephalus Kolenati.

canis Curtis. *Pulex serraticeps*. Common cat and dog flea.
Bur. Ent., Bull. 5, New ser., 150.

Order DIPTERA.

Flies, Mosquitoes, etc.

Family TIPULIDÆ.

Geranomyia Haliday.

canadensis Westwood. Mon. N. A. Dipt., iv, 80.

distincta Doane. Jour. N. Y. Ent. Soc., viii, 186.

rostrata Say. Compl. Writ., ii, 47. (C.W.J.)

Rhipidia Meigen.

domestica Osten Sacken. Mon. N. A. Dipt., iv, 84. (C.W.J.)

fidelis Osten Sacken. *Ibid.*, iv, 83.

maculata Meigen. *Ibid.*, iv, 82.

Discobola Osten Sacken.

argus Say. Compl. Writ., i, 243.

Dicranomyia Stephens.

badia Walker. Mon. N. A. Dipt., iv, 72. (Ald. Cat.)

hæretica Osten Sacken. *Ibid.*, iv, 70.

immodesta Osten Sacken. *Ibid.*, iv, 62.

liberta Osten Sacken. *Ibid.*, iv, 69.

longipennis Schummel. *Ibid.*, iv, 61.

simulans Walker. List., i, 45. (C.W.J.)

Limnobia Meigen.

immatura Osten Sacken. *Ibid.*, iv, 89. (H.L.J.)

indigena Osten Sacken. Mon. N. A. Dipt., iv, 94. (C.W.J.)

triozellata Osten Sacken. *Ibid.*, iv, 92. (C.W.J.)

Toxorhina Loew.

muliebris Osten Sacken. Mon. N. A. Dipt., iv, 115.

Rhamphidia Meigen.

flavipes Macquart. Dipt. Exot. (Suppl.), v, 17. (C.W.J.)

Elephantomyia Osten Sacken.

westwoodi Osten Sacken. Mon. N. A. Dipt., iv, 109. (C.W.J.)

Atarba Osten Sacken.

picticornis Osten Sacken. Mon. N. A. Dipt., iv, 128.

Teucholabis Osten Sacken.

complexa Osten Sacken. Mon. N. A. Dipt., iv, 132.

Antocha Osten Sacken.

saxicola Osten Sacken. *opalizans*. Mon. N. A. Dipt., iv, 126.
(C.W.J.)

Ormosia Rondani.

luteola Dietz. *Rhypholophus*. Trans. Am. Ent. Soc., xlii, 138.
(C.R.E.)

monticola Osten Sacken. *Rhypholophus*. Mon. N. A. Dipt., iv,
145.

pygmæa Alexander. *pilosa* Dietz. *Rhypholophus*. Trans. Am.
Ent. Soc., xlii, 138. (C.R.E.)

Erioptera Meigen.

armata Osten Sacken. Mon. N. A. Dipt., iv, 160. (C.W.J.)

armillaris Osten Sacken. *Ibid.*, iv, 158.

caloptera Say. Compl. Writ., ii, 44.

chlorophylla Osten Sacken. Mon. N. A. Dipt., iv, 157.
(C.W.J.)

dulcis Osten Sacken. West. Dipt. 198. (C.W.J.)

needhami Alexander. Can. Ent., 1, 383.

parva Osten Sacken. Mon. N. A. Dipt., iv, 162.

septemtrionalis Osten Sacken. *Ibid.*, iv, 162.

straminea Osten Sacken. *Ibid.*, iv, 157.

venusta Osten Sacken. *Ibid.*, iv, 158. (C.W.J.)

vespertina Osten Sacken. *Ibid.*, iv, 157.

Molophilus Curtis.

hirtipennis Osten Sacken. Mon. N. A. Dipt., iv, 163.

Gonomyia Osten Sacken.

- blanda* Osten Sacken. Mon. N. A. Dipt., iv, 182.
cognotella Osten Sacken. *Ibid.*, iv, 181.
subcinerea Osten Sacken. *Ibid.*, iv, 181. (C.W.J.)
sulphurella Osten Sacken. *Ibid.*, iv, 180. (C.W.J.)

Symplecta Meigen.

Helobia St. Fargeau.

- hybrida* Meigen. Syst. Besch., vi, 282. (H.L.J.)

Trichocera Meigen.

- bimacula* Walker. Mon. N. A. Dipt., iv, 236.
brumalis Fitch. Rept. N. Y. State Ent., ii, 243.

Epiphragma Osten Sacken.

- fascipennis* Say. *Limnobia*. Compl. Writ., ii, 45. (H.L.J.)

Limnophila Macquart.

- adusta* Osten Sacken. Mon. N. A. Dipt., iv, 215. (C.W.J.)
contempta Osten Sacken. *Ibid.*, iv, 218.
fuscovaria Osten Sacken. *Ibid.*, iv, 225. (C.W.J.)
lenta Osten Sacken. *Ibid.*, iv, 231.
macrocera Say. *Limnobia*. Compl. Writ., ii, 46.
marchandi Alexander. Jour. N. Y. Ent. Soc., xxiv, 118.
montana Osten Sacken. Mon. N. A. Dipt., iv, 227. (H.L.J.)
recondita Osten Sacken. Mon. N. A. Dipt., iv, 212.
rufibasis Osten Sacken. *Ibid.*, iv, 225. (C.W.J.)
ultima Osten Sacken. *Ibid.*, iv, 222. (H.L.J.)

Pseudolimnophila Alexander.

- luteipennis* Osten Sacken. *Limnophila*. Mon. N. A. Dipt., iv,
 217.

- noveboracensis* Alexander. *Limnophila*. Psyche, xviii, 196.

Eulimnophila Alexander.

- tenuipes* Say. Compl. Writ., ii, 46.

Hexatoma Latreille.

Anisomera Meigen.

- megacera* Osten Sacken. *Anisomera*. Mon. N. A. Dipt., iv,
 243.

Eriocera Macquart.

- longicornis* Walker. Mon. N. A. Dipt., iv, 253. (C.W.J.)

Pentoptera Schiner.

albitarsis Osten Sacken. Mon. N. A. Dipt., iv, 257. (Ald. Cat.)

Tricyphona Zetterstedt.

inconstans Osten Sacken. *Amalopsis*. Mon. N. A. Dipt., iv, 266.
(C.W.J.)

Pedicia Latreille.

albivitta Walker. Insect Book, pl. xvi, 12.

Liogma Osten Sacken.

nodicornis Osten Sacken. Mon. N. A. Dipt., iv, 301. (C.W.J.)

Bittacomorpha Westwood.

clavipes Fabricius. Insect Book, pl. xv, 8.

Ptychoptera Meigen.

rufocincta Osten Sacken. Mon. N. A. Dipt., iv, 313.

Oropeza Needham.

dorsalis Johnson. Proc. Bost. Soc. Nat. Hist., xxxiv, 119.

sayi Johnson. *annulata*. *Ibid.*, xxxiv, 118. (C.W.J.)

subalbipes Johnson. *Ibid.*, xxxiv, 121.

Tanyptera Latreille.*Xiphura* Brullé

frontalis Osten Sacken. Proc. Phila. Ent. Soc., iii, 48.

fumipennis Osten Sacken. *Ibid.*, iii, 47.

topazina Osten Sacken. *Ibid.*, iii, 47.

Ctenophora Meigen.

apicata Osten Sacken. Proc. Phila. Ent. Soc., iii, 46.

nubecula Osten Sacken. *Ibid.*, iii, 45. (C.W.J.)

Nephrotoma Meigen.*Pachyrhina* Macquart.

eucera Loew. Cent., iv, 39.

ferruginea Fabricius. Insect Book, pl. xv, 17.

incurva Loew. Cent., iv, 32.

lugens Loew. *Ibid.*, v, 26.

macrocera Say. Compl. Writ., ii, 350.

sodalis Loew. Cent., v, 29.

tenuis Loew. *Ibid.*, iv, 41.

virescens Loew. *Ibid.*, v, 25.

xanthostigma Loew. *Ibid.*, v, 31.

Tipula Linnæus.

- abdominalis* Say. Insect Book, pl. xvi, 4.
angustipennis Loew. Cent iv, 19. (H.L.J.)
annulicornis Say. Compl. Writ., ii, 350.
bella Loew. *Ibid.*, iv, 29.
caloptera Loew. *Ibid.*, iv, 30. (C.W.J.)
cunctans Say. *Ibid.*, ii, 48.
dejecta Walker. Dipt. Saund., 442. (C.W.J.)
eluta Loew. Cent., iv, 27.
fuliginosa Say. *speciosa* Loew. Compl. Writ., ii, 44.
hebes Loew. Cent., iv, 18. (Ald. Cat.)
hermannia Alexander. *fasciata* Loew. Cent., iv, 6; N. Y. (Cornell) Agr. Expt. Sta., Memoir 25, 946. (C.W.J.)
latipennis Loew. Cent., v, 20. (C.W.J.)
longiventris Loew. *Ibid.*, iv, 5. (C.W.J.)
oropezoides Johnson. Proc. Bost. Soc. Nat. Hist., xxxiv, 131.
pallida Loew. *Ibid.*, iv, 16. (C.W.J.)
sayi Alexander. *costalis* Say. Jour. Acad. Nat. Sci., iii, 23.
serta Loew. Cent., iv, 14.
strepens Loew. *Ibid.*, iv, 28. (C.W.J.)
submaculata Loew. *Ibid.*, iv, 23.
tephrocephala Loew. *Ibid.*, v, 23. (C.W.J.)
tricolor Fabricius. Dipt. Exot., i, 22.
trivittata Say. Compl. Writ., ii, 50.
ultima Alexander. *flavicans* Fabricius. Dipt. Exot. (Suppl.), i, 25; N. Y. (Cornell) Agr. Expt. Sta., Memoir 25, 944.
umbrosa Loew. *inermis*. Cent., iv, 31.
valida Loew. Cent., iv, 21. (C.W.J.)

Family DIXIDÆ

Dixa Meigen.

- clavulus* Williston. *modesta*. N. Y. State Mus. Bull., 68, 429. (C.W.J.)
fusca Loew. *Ibid.*, 68, 432. (C.W.J.)
notata Loew. *Ibid.*, 68, 432.

Family PSYCHODIDÆ.

Psychoda Latreille.

alternata Say. Can. Ent., xxvi, 330.

cinerea Banks. *Ibid.*, xxvi, 331.

marginalis Banks. *Ibid.*, xxvi, 333.

minuta Banks. *Ibid.*, xxvi, 331.

Family CHIRONOMIDÆ.

Ceratopogon Meigen.

fuscus Coquillett. Proc. U. S. Nat. Mus., xxiii, 605.

piceus Winnertz. Linn. Ent., vi, 21.

Palpomyia Meigen.

rufus Loew. Cent., i, 12. (C.W.J.)

tibialis Meigen. Fauna Aust., ii, 586.

trivialis Loew. Cent., i, 4. (C.W.J.)

Chironomus Meigen.

cristatus Fabricius. N. Y. State Mus. Bull., 86, 242.

dispar Meigen. *Ibid.*, 86, 213. (C.W.J.)

dorsalis Meigen. Syst. Besch., i, 25.

dux Johanssen. N. Y. State Mus. Bull. 86, 231. (C.W.J.)

festivus Say. Compl. Writ., ii, 41. (C.W.J.)

modestus Say. *Ibid.*, ii, 41: N. Y. State Mus. Bull., 86, 227.

nigricans Johanssen. N. Y. State Mus. Bull., 86, 219.

pulchripennis Coquillett. *Ibid.*, 86, 204. (C.W.J.)

tæniapennis Coquillett. *Ibid.*, 86, 203.

Orthocladus Van der Wulp.

sp.

Camptocladus Van der Wulp.

byssinus Schrank. Fauna Aust., ii, 612.

Cricotopus Van der Wulp.

sylvestris Fabricius. Fauna Aust., ii, 611.

Eurycnemus Van der Wulp.

scitulus Coquillett. Proc. U. S. Nat. Mus., xxiii, 608. (C.W.J.)

Tanypus Meigen.

- carnea* Fabricius. Syst. Antl., 41, 1805. (H.L.J.)
dyari Coquillett. Ent. News, xiii, 85.
johnsoni Coquillett. Proc. U. S. Nat. Mus., xxiii, 609.
monilis Linnæus. *annulatus*. Compl. Writ., ii, 43.

Psilotanypus Kieffer.

- thoracicus* Loew. *Tanypus*. Cent., vii, 3.

Chasmatonotus Loew.

- bimaculatus* Osten Sacken. West. Dipt., 191.

Family CULICIDÆ.

Wyeomyia Theobald.

- smithii* Coquillett. *Aedes smithii*. Mosq. N. A., iii, 94.

Culex Linnæus.

- dyari* Coquillett. *brittoni*. Mosq. N. A., iii, 457.
pipiens Linnæus. House or rain barrel mosquito. Rept. Conn.
 Agr. Sta., 1904, 266: Mosq. N. A., iii, 360.
salinarius Coquillett. Mosq. N. A., iii, 373.
territans Walker. *Ibid.*, iii, 293.

Mansonia Blanchard.

- perturbans* Walker. *Culex. Tæniorhynchus*. Mosq. N. A., iii,
 505.

Aedes Meigen.

- atropalpus* Coquillett. Mosq. N. A., iv, 638.
aurifer Coquillett. *Ibid.*, iv, 766.
canadensis Theobald. *Ibid.*, iv, 647.
cantator Coquillett. Brown salt marsh mosquito. *Ibid.*, iv,
 700.
fitchii Felt and Young, or *abfitchii* Felt., *Ibid.*, iv, 682, 688.*
fuscus Osten Sacken. *Ibid.*, iv, 729.
hirsuteron Theobald. *pretans*. *Ibid.*, iv, 743.
onondagensis Felt. *currei*. *Ibid.*, iv, 629.

* Several females formerly identified as *Culex cantans* have been taken in Connecticut. As it is said to be impossible to separate *fitchii* and *abfitchii* from captured females, the species cannot be definitely placed here.

sollicitans Walker. Banded salt marsh mosquito. *Ibid.*, 658.

Rept. Conn. Agr. Expt. Sta., 1904, 268.

sylvestris Theobald. Mosq. N. A., iv, 694.

tæniorhynchus Wiedeman. *Ibid.*, iv, 667.

triseriatus Say. *Ibid.*, iv, 762.

trivittatus Coquillett. *Ibid.*, iv, 773.

Psorophora Robineau-Desvoidy.

ciliata Fabricius. Gallinipper. Rept. Conn. Agr. Expt. Sta.,

1904, 271; Mosq. N. A., iv, 530.

Anopheles Meigen.

punctipennis Say. Rept. Conn. Agr. Expt. Sta., 1904, 271:

Mosq. N. A., iv, 1009.

quadrinaculatus Say. *maculipennis*. Malarial mosquito. Rept.

Conn. Agr. Expt. Sta., 1904, 271; Mosq. N. A., 1028.

Corethra Meigen.

cinctipes Coquillett. Can. Ent., xxxv, 190.

Sayomyia Coquillett.

americana Johanssen. *Corethra plumicornis* var. *americana*.

N. Y. State Mus. Bull., 68, 395.

Family MYCETOPHILIDÆ.

Mycomya Rondani.

Sciophila Meigen.

littoralis Say. Compl. Writ., i, 245.

Neoempheria Osten Sacken.

balioptera Loew. Cent., ix, 13.

Leia Meigen.

bivittata Say. *Neoglaphyoptera*. Compl. Writ., ii, 351.

opima Loew. Cent., ix, 29.

Rhymosia Winnertz.

filipes Loew. Cent., ix, 36.

Exechia Winnertz.

absoluta Johanssen. Me. Agr. Expt. Sta. Bull., 200, 72.

Mycetophila Meigen.

- contigua* Walker. List., i, 46.
discoidea Say. Compl. Writ., ii, 351.
obscura Walker. List, i, 101.
scalaris Loew. *Dynatosoma*. Cent., ix, 48.

Mycetobia Meigen.

- divergens* Walker. Dipt. Saund., 418.

Macrocera Meigen.

- clara* Loew. Cent., ix, 6. (C.W.J.)
formosa Loew. *Ibid.*, ix, 8. (C.W.J.)
hirsuta Loew. *Ibid.*, ix, 5. (C.W.J.)
inconcinna Loew. *Ibid.*, ix, 7. (C.W.J.)

Family SCIARIDÆ.

Sciara Meigen.

- actuosa* Johannsen. Me. Agr. Expt. Sta., Bull. 200, 134.
inconstans Fitch. *Ibid.*, Bull. 200, 139.
jucunda Johannsen. *Ibid.*, Bull. 200, 131.
mellea Johannsen. *Ibid.*, Bull. 200, 129.
ochrolabis Loew. *Ibid.*, Bull. 200, 125.
pauciseta Felt. *Ibid.*, Bull. 200, 130.
prolifera Felt. *Ibid.*, Bull. 200, 128.
sciaphila Loew. *Ibid.*, Bull. 200, 126.

Family CECIDOMYIDÆ (ITONIDIDÆ).*

Monardia Kieffer.

- modesta* Felt. Psyche, xx, 142.

Miastor Meinert.

- americanus* Felt. Rept. N. Y. State Ent., No. 26, 82.

Rhabdophaga Westwood.

- salicifoliæ* Felt. Rept. N. Y. State Ent., No. 29, 106.
strobiloides Walsh. *Cecidomyia*. Pine cone willow gall. Proc.
 Phila. Ent. Soc., iii, 580; Rept. N. Y. State Ent., No. 29,
 112.

* For additional species in this family see appendix.

Dasyneura Rondani.

communis Felt. Jour. Econ. Ent., iv, 478; Rept. N. Y. State Ent., No. 29, 181.

gleditschiæ Osten Sacken. Rept. Conn. Agr. Expt. Sta., 1904, 212; Rept. N. Y. State Ent., No. 29, 163.

serrulatæ Osten Sacken. Rept. N. Y. State Ent., No. 29, 186.

Cystiphora Kieffer.

viburnifolia Felt. Jour. Econ. Ent., iv, 480; Rept. N. Y. State Ent. No. 29, 201.

Phytophaga Rondani.

destructor Say. *Cecidomyia. Mayetiola.* Hessian fly. Bur. Ent., Circ. 70.

rigidæ Osten Sacken. *Cecidomyia.* Willow club gall. Rept. N. Y. State Ent., No. 23, 371.

Rhopalomyia Rubsaamen.

anthophili Osten Sacken. Ins. Galls Springfld., 50; Rept. N. Y. State Ent., No. 25, 364, 365. (G. D.)

asterifloræ Felt. Rept. N. Y. State Ent., No. 23, 366.

capitata Felt. *Ibid.*, No. 23, 364.

hirtipes Osten Sacken. Ins. Galls. Springfld., 52. (G.D.)

lateriflori Felt. Rept. N. Y. State Ent. No. 23, 364, 365.

pedicellata Felt. *Ibid.*, 30, 262.

Sackenomyia Felt.

viburnifolia Felt. Rept. N. Y. State Ent., No. 30, 280.

Cincticornia Felt.

connecta Felt. Rept. N. Y. State Ent., No. 23, 381.

globosa Felt. Jour. Econ. Ent., ii, 291.

majalis Osten Sacken. Ins. Galls. Springfld., 17. (G.D.)

pustulata Felt. Jour. Econ. Ent., ii, 291.

Asphondylia Loew.

conspicua Osten Sacken. Ins. Galls Springfld., 54.

monacha Osten Sacken. Rept. N. Y. State Ent., No. 23, 376.

Neolasioptera Felt.

perfoliata Felt. Ins. Galls, Springfld., 49. (G.D.)

ramuscula Beutenmüller. Rept. N. Y. State Ent., No. 23, 333.

sambuci Felt. Ins. Galls, Springfld., 48. (G.D.)

Lasioptera Meigen.

- corni* Felt. Rept. N. Y. State Ent., No. 23, 324.
impatentifolia Felt. Ins. Galls Springfld., 43; Rept. N. Y. State Ent., No. 23, 324. (G.D.)
querciperda Felt. Rept. N. Y. State Ent., No. 23, 324.
vitis Osten Sacken. *Ibid.*, No. 4, 183; No. 23, 324.

Asteromyia Felt.

- carbonifera* Felt. *Baldratia*. Rept. N. Y. State Ent., No. 23, 328.
divaricata Felt. *Baldratia*. *Ibid.*, No. 23, 330.
læviana Felt. *Baldratia*. *Ibid.*, No. 23, 330.
nigrina Felt. Jour. Econ. Ent., iv, 481.
reducta Felt. *Ibid.*, iv, 481.
rosea Felt. *Baldratia*. Rept. N. Y. State Ent., No. 23, 328.
rubra Felt. *Baldratia*. *Ibid.*, No. 23, 329.
sylvestris Felt. Can. Ent., xlvii, 228.
vesiculosa Felt. Jour. Econ. Ent., ii, 286.

Camptoneuromyia Felt.

- rubifolia* Felt. Rept. N. Y. State Ent., No. 23, 334.

Contarinia Rondani.

- canadensis* Felt. State Mus. Bull., 200, 178.
pyrivora Riley. Pear midge. Rept. Conn. Agr. Expt. Sta., 1913, 239.
tritici Kirby. Wheat midge. Jour. Econ. Ent., 5, 289.
violicola Coquillett. Violet Midge. Bur. Ent., N. S., Bull. 27, 47.
virginiana Felt. Ins. Galls Springfld., 40. (G.D.)

Thecodiplosis Kieffer.

- liriodendri* Osten Sacken. *Cecidomyia*. Mon. N. A. Dipt., i, 202.

Youngomyia Felt.

- umbellicola* Osten Sacken. Trans. Am. Ent. Soc., iii, 52.

Clinodiplosis Kieffer.

- florida* Felt. Rept. N. Y. State Ent., No. 23, 411.

Caryomyia Felt.

- caryæ* Osten Sacken. *Hormomyia*. Rept. N. Y. State Ent., No. 23, 388.
consobrina Felt. *Hormomyia*. *Ibid.*, No. 23, 387.
persicoides Beutenmüller. *Cecidomyia*. Mon. N. A. Dipt., i, 193.

sanguinolenta Osten Sacken. *Cecidomyia*. *Ibid.*, i, 192.
thompsoni Felt. *Hormomyia*. Rept. N. Y. State Ent., No.
 23, 388.

Hormomyia Loew.

modesta Felt. Psyche, xx, 145.

Itonida Meigen.

foliora Russell and Hooker. *Cecidomyia erubescens*. Ent.
 News, xix, 349.

Retinodiplosis Kieffer.

resinicola Osten Sacken. Trans. Am. Ent. Soc., iii, 345.

Cecidomyia Meigen.

deserta Patton. Can. Ent., xxix, 247. (Ald. Cat.)

eupatorifloræ Beutenmüller. Ins. Galls Springfld., 49 (G.D.)

impatiens Osten Sacken. *Ibid.*, 43. (G.D.)

ocellaris Osten Sacken. *Sciara*. Ocellate leaf gall. Rept.
 U. S. Dept. Agr., 1881-2, 202.

pudivunda Osten Sacken. Ins. Galls Springfld., 15. (G.D.)

squamulicola Stebbins. *Ibid.*, 16.

verrucicola Osten Sacken. Can. Ent., vii, 201.

Family BIBIONIDÆ.

Bibio Geoffroy.

albipennis Say. Insect Book, pl. xv, 18.

femoratus Weidemann. Dipt. Exot. (Suppl.), i, 87.

longipes Loew. Cent., v, 12.

pallipes Say. Compl. Writ., ii, 68.

xanthopus Wiedemann. Dipt. Exot. (Suppl.), i, 88.

Dilophus Meigen.

dimidiatus Loew. Cent., viii, 3. (C.W.J.)

Family SCATOPSIDÆ.*

Rhegmoclema Enderlein.

atrata Say. *Scatopse*. Wash. Agr. Expt. Sta., Bull. 130, 12.

Reichertella Enderlein.

femoralis Macquart. *Scatopse pulicaria* Loew. Wash. Agr.
 Expt. Sta., Bull. 130, 9.

* See also appendix.

Family SIMULIIDÆ.

Simulium Latreille.

- bracteatum* Coquillett. Bur. Ent. Bull., 10, New ser., 69.
pecuarum Riley. *invenustum*. Bur. Ent., Bull. 10, New ser.,
 68.

Family RYPHIDÆ.

Ryphus Latreille.

- alternatus* Say. Compl. Writ., ii, 51.
fenestralis Scopoli. Fauna Aust., ii, 495.
punctatus Fabricius. *marginatus*. Compl. Writ., ii, 50.

Family STRATIOMYIDÆ.

Allognosta Osten Sacken.

- fuscitarsis* Say. *Beris*. Compl. Writ., ii, 52.
obscuriventris Loew. Cent., iv, 45.

Ptecticus Loew.

- sackenii* Williston. Can. Ent., xvii, 124. (C.W.J.)
trivittatus Say. *Sargus*. Compl. Writ., ii, 355.

Macrosargus Bigot.*Sargus* Fabricius.

- cuprarius* Linnæus. Fauna Aust., i, 21; Psyche, xxii, 29.
decorus Say. Insect Book, pl. xvi, 11.
elegans Loew. Cent., vii, 10.
viridis Say. Compl. Writ., ii, 77.

Stratiomyia Geoffroy.

- badius* Walker. Trans. Am. Ent. Soc., xxii, 243. (A.B.C.)
discalis Loew. *Ibid.*, xxii, 240.
meigenii Wiedemann. *Ibid.*, xxii, 238.
normula Loew. *Ibid.*, xii, 255. (Ald. Cat.)
quaternaria Loew. *Ibid.*, xxii, 241. (Ald. Cat.)

Odontomyia Meigen.

- cincta* Olivier. Trans. Am. Ent. Soc., xxii, 253.
flavicornis Olivier. *Ibid.*, xxii, 269.
hydroleonoides Johnson. *Ibid.*, xxii, 261. (C.W.J.)
interrupta Olivier. *Ibid.*, xxii, 265.

microstoma Loew. *Ibid.*, xxii, 264.

pubescens Day. *Ibid.*, xxii, 264.

virgo Wiedemann. *Ibid.*, xxii, 262.

Euparyphus Gerstaecker.

bellus Loew. Cent., vii, 18. (C.W.J.)

Nemotelus Geoffroy.

carbonarius Loew. Psyche, x, 177.

unicolor Loew. *Ibid.*, x, 176. (C.W.J.)

Oxycera Meigen.

maculata Olivier. Encycl. Meth., viii, 600. (C.W.J.)

Family TABANIDÆ.

Pangonia Latreille.

rasa Loew. Tab. Ohio, 45.

Chrysops Meigen.

callidus Osten Sacken. Tab. Ohio, 35.

carbonarius Walker. Ohio Nat., v, 219.

celer Osten Sacken. Tab. Ohio, 36.

cuclux Whitney. Can. Ent., xi, 35.

cursim Whitney. *Ibid.*, xi, 36.

delicatulus Osten Sacken. Prodrôme, i, 380.

dimmocki Hine. Ohio Nat., vi, 393.

fallax Osten Sacken. Tab. Ohio, 36.

flavidus Wiedemann. *Ibid.*, 37.

frigidus Osten Sacken. Prodrôme, i, 384.

hilaris Osten Sacken. Insect Book, pl. xvi, 17.

indus Osten Sacken. Tab. Ohio, 33, 34.

lugens Wiedemann var. *morosus* Osten Sacken. Prodrôme, i, 377. (J.S.H.)

mœchus Osten Sacken. Tab. Ohio, 39.

montanus Osten Sacken. *Ibid.*, 40.

niger Macquart. Insect Book, pl. xv, 36.

obsoletus Wiedemann. Tab. Ohio, 42.

plangens Wiedemann. *fuliginosus*. Dipt. Exot. Suppl., i, 19.

pudicus Osten Sacken. Prodrôme, i, 381.

sackeni Hine. Tab. Ohio, 42.

univittatus Macquart. *Ibid.*, 44.

vittatus Wiedemann. Insect Book, pl. xv, 37.

Tabanus Linnæus.

- abdominalis* Fabricius. Prodrôme, ii, 434.
acteon Osten Sacken. *Ibid.*, ii, 443. (Ald. Cat.)
astutus Osten Sacken. *Ibid.*, ii, 471. (Ald. Cat.)
atratus Fabricius. Black horse fly. Insect Book, pl. xv, 42.
bicolor Wiedemann. *Ibid.*, pl. xvi, 13.
cinctus Fabricius. Prodrôme, ii 464.
coffeatus Macquart. *Ibid.*, ii, 441. (A.B.C.)
costalis Wiedemann. Insect Book, pl. xv, 38.
epistates Osten Sacken. Tab. Ohio, 50. (A.B.C.)
giganteus DeGeer. Prodrôme, ii, 464. (C.W.J.)
hinei Johnson. Psyche, xl, 15.
lasiophthalmus Macquart. Insect Book, pl. xv, 41.
lineola Fabricius. *Ibid.*, pl. xv, 35.
longus Osten Sacken. Tab. Ohio, 52.
microcephalus Osten Sacken. Prodrôme, ii, 470.
nigrescens Beauvois. *Ibid.*, ii, 453.
nigrovittatus Macquart. *Ibid.*, ii, 449.
nivosus Osten Sacken. Tab. Ohio, 52.
ohioensis Hine. *Ibid.*, 53.
orion Osten Sacken. Prodrôme, ii, 442.
pumilis Macquart. Tab. Ohio, 53. (A.B.C.)
recedens Walker. *catenatus*. Prodrôme, ii, 433.
sparus Whitney. Can. Ent., xi, 38. (Ald. Cat.)
stygius Say. Tab. Ohio, 54. (Ald. Cat.)
superjumentarius Whitney. Can. Ent., xi, 37.
trimaculatus Beauvois. Tab. Ohio, 55. (A.B.C.)
trispilus Wiedemann. Insect Book, pl. xvi, 5.
vivax Osten Sacken. Tab. Ohio, 56.

Merycomyia Hine.

- whitneyi* Johnson. *geminata* Hine. Psyche, xi, 15; Ohio Nat.,
 xii, 515.

Family LEPTIDÆ.

Cœnomyia Latreille.

- ferruginea* Scopoli. *cinereibarbis* Bigot. Can. Ent., xvii, 122.
Xylophagus Meigen.
lugens Loew. Cent., iii, 8.
perseus Walker. Dipt. Saund., i. (A.B.C.)

Solva Walker.*Xylomyia* Rondani.

pallipes Loew. Cent. iii, 122. (W.E.B.)

Dialysis Walker.

elongata Say. Compl. Writ., ii, 58. (C.W.J.)

Rhagio Fabricius.*Leptis* Fabricius.

mystacea Macquart. Insect Book, pl. xvi, 15.

punctipennis Say. Compl. Writ., ii, 55.

scapularis Loew. Cent., i, 22. (S.W.W.)

vertebrata Say. Compl. Writ., i, 27.

Chrysophila Macquart.

basilaris Say. Trans. Am. Ent. Soc., v, 285.

fasciata Say. Compl. Writ., i, 28.

ornata Say. Insect Book, pl. xv, 2.

propinqua Walker. List, i, 215.

proxima Walker. *Ibid.*, i, 214.quadrata Say. *Leptis*. Compl. Writ., ii, 55. (W.E.B.)

thoracica Fabricius. Insect Book, pl. xvi, 18.

Atherix Meigen.

variegata Walker. List, i, 218. (H.L.J.)

Symphoromyia Frauenfeld.

hirta Johnson. Ent. News, viii, 120.

Glutops Burgess.

singularis Burgess. Proc. Bost. Soc. Nat. Hist., 1878, 320.

(H.L.J.)

Family CYRTIDÆ.

Oncodes Latreille.

costatus Loew. Cent., ix, 67. (C.W.J.)

pallidipennis Loew. *Ibid.*, vi, 32.**Acrocera** Meigen.

nigrina Westwood. Trans. Ent. Soc., Lond., v, 98. (C.W.J.)

Family BOMBYLIIDÆ.

Spogostylum Macquart.

anale Say. Compl. Writ., ii, 60.

cædipus Fabricius. *Anthrax irrorata*. *Ibid.*, ii, 61. (S.W.W.)

simson Fabricius. Insect Book, pl. xvii, 11.

Exoprosopa Macquart.

fasciata Macquart. Insect Book, pl. xviii, 18.

fascipennis Say. *Ibid.*, pl. xvii, 5.

Villa Liroy.*Anthrax* Scopoli.

alternata Say. Trans. Am. Ent. Soc., xiv, 166.

fulvohirta Wiedemann. *Ibid.*, xiv, 174.

lateralis Say. *Ibid.*, xiv, 166; xix, 169.

lepidota Osten Sacken. Trans. Am. Ent. Soc., xix, 176.

(C.W.J.)

morio Linnæus. Trans. Am. Ent. Soc., xxi, 98. (C.W.J.)

sinuosa Wiedemann. Insect Book, pl. xvii, 7.

webberi Johnson. Psyche, xxvi, 11.

Bombylius Linnæus.

fraudulentus Johnson. Psyche, xiv, 99.

fulvibasis Macquart. *atriceps* Loew. Cent. iv, 49.

major Linnæus. Insect Book, pl. xvii, 6.

pulchellus Loew. Cent., iv, 47. (S.W.W.)

pygmæus Fabricius. Insect Book, pl. xviii, 19.

varius Fabricius. *Ibid.*, pl. xviii, 22. (A.B.C.)

Sparnopolius Loew.

fulvus Wiedemann. Insect Book, pl. xviii, 26.

Systropus Wiedemann.

macer Loew. Cent., iv, 56.

Geron Meigen.

senilis Fabricius. Cent., ix, 1908.

Family THEREVIDÆ.

Tabuda Walker.

fulvipes Walker. Proc. Phila. Ent. Soc., i, 217.

Psilocephala Zetterstedt.

- aldrichi* Coquillet. Can. Ent., xxv, 227.
hæmorrhoidalis Macquart. Insect Book, pl. xviii, 27.
melanoprocta Loew. Cent., viii, 15. (H.L.J.)
pictipennis Wiedemann. Dipt. Exot. Suppl., 113. (H.L.J.)

Thereva Latreille.

- albiceps* Loew. Cent., ix, 69. (C.W.J.)
candidata Loew. Can. Ent., xxv, 197.
frontalis Say. Compl. Writ., i, 252. (C.W.J.)

Family SCENOPINIDÆ.

Scenopinus Latreille.

- fenestralis* Linnæus. *palipes*. Compl. Writ., ii, 86. (C.W.J.)
glabrifrons Meigen. Fauna Aust., i, 160.

Family MYDAIDÆ.

Mydas Fabricius.

- clavatus* Drury. *filatus*. Dipt. Exot. Suppl., 116.

Family ASILIDÆ.

Leptogaster Meigen.

- badius* Loew. Trans. Am. Ent. Soc., xxxv, 160.
flavillaceus Loew. Cent., ii, 12.
flavipes Loew. Trans. Am. Ent. Soc., xxxv, 163.
loewi Banks. Psyche, xxi, 133. (C.W.J.)
testacea Loew. Cent., ii, 10. (C.W.J.)

Ceraturgus Wiedemann.

- cruciatus* Say. Insect Book, pl. xvi, 29.

Dioctria Meigen.

- albius* Walker. Insect Book, pl. xvii, 12.
baumhaueri Meigen. Syst. Besch., ii, 245.
brevis Banks. Psyche, xxiv, 117.

Cyrtopogon Loew.

- falto* Walker. *chrysofogon* Loew. Insect Book, pl. xix, 28.
marginalis Loew. Trans. Am. Ent. Soc., xxxv, 267.

Lasiopogon Loew.*Daulopogon* Loew.

opaculus Loew. Trans. Am. Ent. Soc., xxxv, 299. (C.W.J.)

terricola Johnson. Ent. News, xi, 326.

tetragrammus Loew. Trans. Am. Ent. Soc., xxxv, 301.
(C.W.J.)

Holcocephala Jænnicke.

abdominalis Say. Trans. Am. Ent. Soc., xxxv, 309.

Holopogon Loew.

guttula Wiedemann. Trans. Am. Ent. Soc., xxxv, 313.

Stichopogon Loew.

trifasciatus Say. Trans. Am. Ent. Soc., xxxv, 335.

Deromyia Philippi.

discolor Loew. Trans. Am. Ent. Soc., xxxv, 358.

umbrina Loew. *Ibid.*, xxxv, 367.

winthemi Wiedemann. *Ibid.*, xxxv, 371.

Taracticus Loew.

octopunctatus Say. Trans. Am. Ent. Soc., xxxv, 373.

Atomosia Macquart.

puella Wiedemann. Psyche, x, 114.

Lampria Macquart.

bicolor Wiedemann. Insect Book, pl. xvi, 27.

Dasyllis Loew.

champlainii Walton. Ent. News, xxi, 243. (A.B.C.)

flavicollis Say. *Laphria*. Compl. Writ., i, 255.

grossa Fabricius. *Laphria tergissa*. *Ibid.*, ii, 67.

posticata Say. *Laphria*. Compl. Writ., i, 255.

thoracica Fabricius. Insect Book, pl. xviii, 11.

Laphria Meigen.

canis Williston. Trans. Am. Ent. Soc., xi, 31: Insect Book,
pl. xvii, 10.

gilva Linnæus. *bilineata*. Trans. Am. Ent. Soc., xi, 30.
(D.J.C.)

Ommatius Wiedemann.

marginellus Fabricius. *tibialis*. Insect Book, pl. xvi, 25.

Proctacanthus Macquart.

brevipennis Wiedemann. Trans. Am. Ent. Soc., xii, 73.

philadelphicus Macquart. Insect Book, pl. xvii, 24.

Erax Scopoli.

æstuans Linnæus. *bastardii* Macquart. Insect Book, pl. xvii, 14.

albibarbis Macquart. *cinerascens*. *furax*. Trans. Am. Ent. Soc., xii, 67.

rufibarbis Macquart. Dipt. Exot. Suppl., 1, 2, 116; Psyche, xvi, 33. (C.W.J.)

Promachus Loew.

bastardii Macquart. Trans. Am. Ent. Soc., xii, 63.

fitchii Osten Sacken. *Ibid.*, xiii, 61. (H.L.J.)

Asilus Linnæus.

auricomus Hine. Ann. Ent. Soc. Am., ii, 148.

erythrocnemius Hine. *Ibid.*, ii, 163. (J.S.H.)

flavofemorata Hine. *flavipes*. *Ibid.*, ii, 153.

notatus Wiedemann. *Ibid.*, ii, 157.

novæ-scotiæ Macquart. *Ibid.*, ii, 157.

orphone Walker. *distinctus*. *Ibid.*, ii, 154.

paropus Walker. *Ibid.*, ii, 161. (J.S.H.)

sadyates Walker. *Ibid.*, ii, 156.

sericeus Say. Insect Book, pl. xvii, 20.

snowii Hine. *annulatus*. Ann. Ent. Soc. Am., ii, 160.

Family DOLICHOPODIDÆ.

Psilopus Meigen.

caudatus Wiedemann. *caudatulus*. Mon. N. A. Dipt., ii, 271.

filipes Loew. *Ibid.*, ii, 286. (S.W.W.)

pallens Wiedemann. *Ibid.*, ii, 275. (C.W.J.)

patibulatus Say. Compl. Writ., ii, 76.

scaber Loew. Mon. N. A. Dipt., ii, 250. (C.W.J.)

scobinator Loew. *Ibid.*, ii, 268. (C.W.J.)

sipho Say. Compl. Writ., ii, 75.

tener Loew. Cent., ii, 71.

unifasciatum Say. Compl. Writ., ii, 75. (C.W.J.)

Diaphorus Meigen.

- leucostoma Loew. Mon. N. A. Dipt., ii, 166. (C.W.J.)
 mundus Loew. *Ibid.*, ii, 161. (C.W.J.)
 sodalis Loew. *Ibid.*, ii, 163. (C.W.J.)
 spectabilis Loew. *Ibid.*, ii, 162. (C.W.J.)

Asyndetus Loew.

- johnsoni Van Duzee. Psyche, xxiii, 93. (C.W.J.)

Chrysotus Meigen.

- affinis Loew. Mon. N. A. Dipt., ii, 178. (C.W.J.)
 auratus Loew. *Ibid.*, ii, 183.
 discolor Loew. *Ibid.*, ii, 182.
 obliquus Loew. *Ibid.*, ii, 176.

Argyra Macquart.

- albicans Loew. Mon. N. A. Dipt., ii, 125. (C.W.J.)
 aldrichi Johnson. Psyche, x, 18.
 calcitrans Loew. Mon. N. A. Dipt., ii, 130.

Leucostola Macquart.

- cingulata Loew. Mon. N. A. Dipt., ii, 152. (C.W.J.)

Porphyrops Meigen.

- longipes Loew. Mon. N. A. Dipt., ii, 140. (C.W.J.)
 melampus Loew. *Ibid.*, ii, 141. (C.W.J.)
 nigricoxa Loew. *Ibid.*, ii, 145. (C.W.J.)

Syntormon Loew.

- cinereiventris Loew. Mon. N. A. Dipt., ii, 137. (S.W.W.)

Sympycnus Loew.

- lineatus Loew. Mon. N. A. Dipt., ii, 189.

Neurigona Rondani.

- carbonifer Loew. Cent., x, 84. (C.W.J.)
 rubella Loew. Mon. N. A. Dipt., ii, 227. (C.W.J.)
 tarsalis Van Duzee. Ann. Ent. Soc. Am., vi, 51.

Hydrophorus Fallen.

- intentus Aldrich. Psyche, xviii, 51.
 parvus Loew. Mon. N. A. Dipt., ii, 216. (C.W.J.)
 pirata Loew. *Ibid.*, ii, 214.

Rhaphium Meigen.

lugubre Loew. *Pelastoneura*. Mon. N. A. Dipt., ii, 105.
(C.W.J.)

Dolichopus Latreille.

albicoxa Aldrich. Kans. Univ. Quart., ii, 10. (Ald. Cat.)
brevimanus Loew. Mon. N. A. Dipt., ii, 39. (C.W.J.)
calcaratus Aldrich. Kans. Univ. Quart., ii, 8. (C.W.J.)
comatus Loew. Mon. N. A. Dipt., ii, 69.
cuprinus Wiedemann. *Ibid.*, ii, 55.
detersus Loew. Kans. Univ. Quart., ii, 8. (C.W.J.)
eudactylus Loew. Mon. N. A. Dipt., ii, 48. (C.W.J.)
incisuralis Loew. *Ibid.*, ii, 74. (C.W.J.)
laticornis Loew. *Ibid.*, ii, 29. (Ald. Cat.)
latipes Loew. *Ibid.*, ii, 17. (Ald. Cat.)
longipennis Loew. *Ibid.*, ii, 57. (C.W.J.)
marginatus Aldrich. Kans. Univ. Quart., ii, 17.
melanocerus Loew. Mon. N. A. Dipt., ii, 330.
palæstricus Loew. *Ibid.*, ii, 328. (C.W.J.)
præustus Loew. *Ibid.*, ii, 68. (C.W.J.)
quadrilamellatus Loew. *Ibid.*, ii, 331. (C.W.J.)
ramifer Loew. *Ibid.*, ii, 52. (C.W.J.)
setifer Loew. *Ibid.*, ii, 30. (C.W.J.)
variabilis Loew. *Ibid.*, ii, 50.
vittatus Loew. *Ibid.*, ii, 55.

Gymnopternus Loew.

barbatulus Loew. Mon. N. A. Dipt., ii, 82. (S.W.W.)
crassicauda Loew. *Ibid.*, ii, 95.
flavus Loew. *Ibid.*, ii, 80.
lævigatus Loew. *Ibid.*, ii, 87.
opacus Loew. *Ibid.*, ii, 93.
ventralis Loew. *Ibid.*, ii, 97.
sp.

Pelastoneurus Loew.

lætus Loew. Mon. N. A. Dipt., ii, 106.
lamellatus Loew. *Ibid.*, ii, 338.
vagans Loew. *Ibid.*, ii, 107. (C.W.J.)

Family EMPIDIDÆ.

Drapetis Meigen.

- gilvipes Loew. Trans. Am. Ent. Soc., xxviii, 212. (C.W.J.)
spectabilis Melander. *Ibid.*, xxviii, 212.

Platypalpus Macquart.

- æqualis Loew. Trans. Am. Ent. Soc., xxviii, 222.

Tachydromia Meigen.

- pusilla Loew. Trans. Am. Ent. Soc., xxviii, 229.

Hemerodromia Meigen.

- defecta Loew. Trans. Am. Ent. Soc., xxviii, 235. (C. W. J.)
empiformis Say. *Ibid.*, xxviii, 236.

Litanomyia Melander.

- elongata Melander. Trans. Am. Ent. Soc., xxviii, 232.

Clinocera Meigen.

- lineata Loew. Cent., ii, 250. (C.W.J.)
sp.

Syneches Walker.

- rufus Loew. Trans. Am. Ent. Soc., xxviii, 253.
simplex Walker. *Ibid.*, xxviii, 254.

Syndyas Loew.

- polita Loew. Trans. Am. Ent. Soc., xxviii, 254.

Hybos Meigen.

- electus Melander. Trans. Am. Ent. Soc., xxviii, 247.
(C.W.J.)

- slossonæ Coquillett. *Ibid.*, xxviii, 247.

- triplex Walker. *Ibid.*, xxviii, 248.

Leptopeza Macquart.

- compta Coquillett. Trans. Am. Ent. Soc., xxviii, 258.
(C.W.J.)

Empis Linnæus.

- distans Loew. Trans. Am. Ent. Soc., xxviii, 295.

- otiosa Coquillett. *Ibid.*, xxviii, 302. (A.B.C.)

- pœcilopectera Loew. *Ibid.*, xxviii, 298. (C.W.J.)

- sordida Loew. Cent., i, 29. (H.L.J.)

- spectabilis Loew. Trans. Am. Ent. Soc., xxviii, 311.

- tridentata Coquillett. *Ibid.*, xxviii, 301.

Hilara Meigen.

- leucoptera Loew. Trans. Am. Ent. Soc., xxviii, 266.
 mutabilis Loew. *Ibid.*, xxviii, 265. (C.W.J.)
 trivittata Loew. *Ibid.*, xxviii, 265. (C.W.J.)
 umbrosa Loew. *Ibid.*, xxviii, 264.
 velutina Loew. *Ibid.*, xxviii, 264. (C.W.J.)

Rhamphomyia Meigen.

- angustipennis Loew. Cent., i, 55.
 aperta Loew. *Ibid.*, ii, 27. (H.L.J.)
 brevis Loew. Proc. U. S. Nat. Mus., xviii, 414.
 fumosa Loew. Cent., i, 39.
 gilvipes Loew. *Ibid.*, i, 48. (C.W.J.)
 irregularis Loew. *Ibid.*, v, 60.
 longicauda Loew. Proc. U. S. Nat. Mus., xviii, 411.
 manca Coquillett. *Ibid.*, xviii, 415-427.
 mutabilis Loew. *Ibid.*, xviii, 411.
 nana Loew. *Ibid.*, xviii, 414.
 pulla Loew. *Ibid.*, xviii, 411-412. (Ald. Cat.)
 pusio Loew. *Ibid.*, xviii, 414.
 scolopacea Say. Compl. Writ., ii, 38. (C.W.J.)
 umbilicata Loew. Cent., i, 65. (C.W.J.)

Family LONCHOPTERIDÆ.

Lonchoptera Meigen.

- lutea Panzer. Faun. Germ., cviii, 20.
 riparia Meigen. Syst. Besch., iv, 108.

Family PHORIDÆ.

Paraspinophora Malloch.

- multiseriata Aldrich. Trans. Am. Ent. Soc., xxix, 345
 (C.W.J.)

Dohrniphora Dahlbom.

- concinna Meigen. *nitidifrons* Brues. Trans. Am. Ent. Soc.,
 xxix, 347.

Chætoneurophora Malloch.

- spinipes Coquillett. Can. Ent., xxvii, 105.

Aphiochæta Brues.

- approximata** Malloch. Proc. U. S. Nat. Mus., 43, 483.
epeiræ Brues. Trans. Am. Ent. Soc., xxix, 358.
nigriceps Loew. Cent., vii, 99. (G.A.C.)
rufipes Meigen. Trans. Am. Ent. Soc., xxix, 368: Rept. Conn.
 Agr. Expt. Sta., 1909-10, 693.

Phora Latreille.*Trineura* Meigen.

- aterrima** Fabricius. Trans. Am. Ent. Soc., xxix, 378. (C.W.J.)

Conocera Meigen.

- atra** Meigen. Trans. Am. Ent. Soc., xxix, 380.

Family PIPUNCULIDÆ.

Chalarus Walker.

- spurius** Fallen. Trans. Am. Ent. Soc., xxxvi, 274.

Pipunculus Latreille.

- atlanticus** Hough. Trans. Am. Ent. Soc., xxxvi, 294.
 (C.W.J.)
cingulatus Loew. *Ibid.*, xxxvi, 299.
minor Cresson. *Ibid.*, xxxvi, 293.
nitidiventris Loew. Proc. Bost. Soc. Nat. Hist., xxix, 82.
pallipes Johnson. Ent. News, xiv, 107. (C.W.J.)
similis Hough. Trans. Am. Ent. Soc., xxxvi, 315. (C.W.J.)
subvirescens Loew. Proc. Bost. Soc. Nat. Hist., xxix, 84.

Family SYRPHIDÆ.

Microdon Meigen.

- cothurnatus** Bigot. Syn. N. A. Syrph., 8. (C.W.J.)
fuscipennis Macquart. *Ibid.*, 4. (C.W.J.)
globosus Fabricius. *Ibid.*, 4.
megalogaster Snow. Kans. Univ. Quart., i, 34. (C.W.J.)
ruficrus Williston. Syn. N. A. Syrph. 7. (Ald. Cat.)
tristis Loew. *Ibid.*, 6. (A.B.C.)

Chrysotoxum Meigen.

- derivatum** Walker. Syn. N. A. Syrph., 16. (C.W.J.)
laterale Loew. *Ibid.*, 14.
pubescens Loew. *Ibid.*, 15. (A.B.C.)

Chrysogaster Loew.

- nigripes* Loew. Syn. N. A. Syrph., 33.
nitida Wiedemann. *Ibid.*, 35.
pictipennis Loew. *Ibid.*, 37.
pulchella Williston. *Ibid.*, 35.

Pipiza Fallén.

- albipilosa* Williston. Syn. N. A. Syrph., 28.
calcarata Loew. *Ibid.*, 24. (A.B.C.)
femoralis Loew. *Ibid.*, 26. (C.W.J.)
modesta Loew. *Ibid.*, 24.
pulchella Williston. Syn. N. A. Syrph., 29. (Ald. Cat.)
radicum Walsh and Riley. *pistica*. *Ibid.*, 29. (Ald. Cat.)

Paragus Latreille.

- bicolor* Fabricius. Syn. N. A. Syrph., 18.
tibialis Fallén. *Ibid.*, 19.

Chilosia Meigen.

- cyanescens* Loew. Syn. N. A. Syrph., 42. (Ald. Cat.)
pallipes Loew. *Ibid.*, 41.
tristis Loew. *Ibid.*, 293.

Myiolepta Newman.

- nigra* Loew. Cent. x, 52. (C.W.J.)

Baccha Fabricius.

- cognata* Loew. Syn. N. A. Syrph., 122.
fascipennis Wiedemann. *aurinota* Harris. *Ibid.*, 120.

Ocyptamus Macquart.

- fuscipennis* Say. *Baccha*. Syn. N. A. Syrph., 119. (Ald. Cat.)

Pyrophæna Schiner.

- granditarsus* Förster. *ocymi*. Syn. N. A. Syrph. 55. (C.W.J.)

Platychirus St. Fargeau and Serville.

- hyperboreus* Stæger. Syn. N. A. Syrph., 57.
peltatus Meigen. *Ibid.*, 58. (C.W.J.)
quadratus Say. *Ibid.*, 57.

Melanostoma Schiner.

- mellinum* Linnæus. Syn. N. A. Syrph., 49.
obscurum Say. *Ibid.*, 48.

Didea Macquart.

fasciata Macquart. Syn. N. A. Syrph., 89. (A.B.C.)

Syrphus Fabricius.

amalopis Osten Sacken. Syn. N. A. Syrph., 69. (S.W.W.)

americanus Wiedmann. *Ibid.*, 82.

arcuatus Fallen. *Ibid.*, 68.

grossulariæ Meigen. *lesueurii*. Syn. N. A. Syrph., 80.

latifasciatus Macquart. *abbreviatus* Zetterstedt. *Ibid.*, 81.

perplexus Osburn. Jour. N. Y. Ent. Soc., xviii, 155.

ribesii Linnæus. Syn. N. A. Syrph., 77.

torvus Osten Sacken. *Ibid.*, 79.

xanthostomus Williston. *Ibid.*, 86

Allograpta Osten Sacken.

obliqua Say. Syn. N. A. Syrph., 96.

Xanthogramma Schiner.

æqualis Loew. Syn. N. A. Syrph., 95. (A.B.C.)

emarginata Say. *Ibid.*, 93. (A.B.C.)

felix Osten Sacken. *Ibid.*, 91. (S.W.W.)

flavipes Loew. *Ibid.*, 94.

Mesogramma Loew.

geminata Say. *Mesograpta*. Syn. N. A. Syrph., 102.

marginata Say. *Mesograpta*. *Ibid.*, 100.

polita Say. *Mesograpta*. *Ibid.*, 98.

Sphærophoria St. Fargeau and Serville.

cylindrica Say. Syn. N. A. Syrph., 105.

Sphegina Meigen.

campanulata Robertson. Can. Ent., xxxiii, 284. (C.W.J.)

keeniana Williston. Syn. N. A. Syrph., 113. (C.W.J.)

lobata Loew. *Ibid.*, 115. (C.W.J.)

rufiventris Loew. *Ibid.*, 114. (H.W.W.)

Neoascia Williston.

distincta Williston. Syn. N. A. Syrph., 112. (C.W.J.)

globosa Walker. *Ibid.*, 111.

Rhingia Scopoli.

nasica Say. Syn. N. A. Syrph., 130.

Brachyopa Meigen.

media Williston. Syn. N. A. Syrph., 132.

Volucella Geoffroy.

evecata Walker. Syn. N. A. Syrph., 136. (A.B.C.)

vesiculosa Fabricius. *Ibid.*, 141. (Ald. Cat.)

Sericomyia Meigen.

chrysotoxoides Macquart. Syn. N. A. Syrph., 157.

militaris Walker. *Ibid.*, 155. (A.B.C.)

Eristalis Latreille.

æneus Scopoli. Syn. N. A. Syrph., 161.

arbustorum Linnæus. Jour. N. Y. Ent. Soc., xxiii, 139.

bastardii Macquart. Syn. N. A. Syrph., 168.

brousi Williston. *Ibid.*, 165.

compactus Walker. *Ibid.*, 169. (S.W.W.)

dimidiatus Wiedemann. *Ibid.*, 162.

flavipes Walker. *Ibid.*, 168.

saxorum Wiedemann. *Ibid.*, 163.

tenax Linnæus. *Ibid.*, 160.

transversus Wiedemann. *Ibid.*, 170.

Tropidia Meigen.

quadrata Say. Syn. N. A. Syrph., 207.

Helophilus Meigen.

chrysostomus Wiedemann. Syn. N. A. Syrph., 190.

conostoma Williston. *Ibid.*, 193.

distinctus Williston. *Ibid.*, 192.

hamatus Loew. *Ibid.*, 195.

integer Loew. *Ibid.*, 195.

lætus Loew. *Ibid.*, 189. (Ald. Cat.)

latifrons Loew. *Ibid.*, 188. (S.W.W.)

similis Macquart. *Ibid.*, 189.

Mallota Meigen.

cimbiciformis Fallen. Syn. N. A. Syrph., 202.

posticata Fabricius. *Ibid.*, 201. (A.B.C.)

Triodonta Williston.

curvipes Wiedemann. Syn. N. A., Syrph., 206.

Pterallastes Loew.

thoracicus Loew. Cent., iv, 80. (A.B.C.)

Teuchocnemis Osten Sacken.

lituratus Loew. Syn. N. A. Syrph., 200. (S.W.W.)

Syritta St. Fargeau and Serville.

pipiens Linnæus. Syn. N. A. Syrph., 240.

Xylota Meigen.*

angustipennis Loew. Syn. N. A. Syrph., 231.

bicolor Loew. *Ibid.*, 229. (A.B.C.)

chalybea Wiedemann. *Ibid.*, 233.

ejuncida Say. *Ibid.*, 229.

fraudulosa Loew. *Ibid.*, 230. (A.B.C.)

obscura Loew. *Ibid.*, 233. (C.W.J.)

Ferdinandea Rondani.

dives Osten Sacken. *Chrysochlamys*. West. Dipt., 340; Syn. N. A. Syrph., 241. (C.W.J.)

Brachypalpus Macquart.

frontosus Loew. Syn. N. A. Syrph., 221. (A.B.C.)

Criorhina Meigen.

analis Macquart. Syn. N. A. Syrph., 214. (A.B.C.)

badia Walker. *intersistens* Walker. *Ibid.*, 212.

decora Macquart. *Somula*. *Ibid.*, 216. (A.B.C.)

umbratilis Williston. *Cynorhina*. *Ibid.*, 212.

Milesia Latreille.

virginiensis Drury. *ornata*. Syn. N. A. Syrph., 255.

Spilomyia Meigen.

fusca Loew. Syn. N. A. Syrph., 246.

hamifera Loew. *Ibid.*, 247. (A.B.C.)

longicornis Loew. *Ibid.*, 245. (A.B.C.)

quadrifasciata Say. *Ibid.*, 248.

Sphecomyia.

vittata Wiedemann. Syn. N. A. Syrph., 257. (C.W.J.)

Temnostoma St. Fargeau and Serville.

alternans Loew. Syn. N. A. Syrph., 252.

bombylans Fabricius. *Ibid.*, 250. (Ald. Cat.)

* See also appendix.

Ceriodes Rondani.*Ceria* Fabricius.*abbreviata* Loew. Syn. N. A. Syrph., 261. (S.W.W.)**Eumerus Meigen.***strigatus* Fallen. Lunate onion fly. Rept. N. Y. State Ent., 27, 119.

Family CONOPIDÆ.

Conops Linnæus.*brachyrhynchus* Macquart. Trans. Conn. Acad. Sci., iv, 341.*sylvosus* Williston. *Ibid.*, iv, 329.*xanthopareus* Williston. Insect Book, pl. xxi, 37.**Physocephala Schiner.***sagittaria* Say. Trans. Conn. Acad. Sci., vi, 391. (C.W.J.)*tibialis* Say. Insect Book, pl. xv, 1.**Zodion Latreille.***fulvifrons* Say. Insect Book, pl. xxi, 35.**Stylogaster Macquart.***biannulata* Say. *Myopa*. Compl. Writ., ii, 72. (S.W.W.)*neglecta* Williston. Trans. Conn. Acad. Sci., vi, 91. (S.W.W.)**Dalmannia Robineau-Desvoidy.***nigriceps* Loew. Trans. Conn. Acad. Sci., vi, 94. (S.W.W.)**Oncomyia Robineau-Desvoidy.***abbreviata* Loew. Trans. Conn. Acad. Sci., vi, 97.*baroni* Williston. *Ibid.*, vi, 97. (C.W.J.)*loraria* Loew. *Ibid.*, vi, 98.*modesta* Williston var. *melanopoda* Williston. *Ibid.*, vi, 96, 393.**Myopa Fabricius.***clausa* Loew. Trans. Conn. Acad. Sci., vi, 385.*vesiculosa* Say. Compl. Writ., ii, 72.*vicaria* Walker. List, iii, 679. (H.L.J.)

Family CESTRIDÆ.

Gastrophilus Leach.

equi Clark. Horse bot fly. Bur. Ent., Bull. 5, 76.

Cæstrus Linnæus.

ovis Linnæus. Sheep bot fly. Bur. Ent., Bull. 5, 102.

Hypoderma Clark.

bovis DeGeer. Ox warble or bot fly. Bur. Ent., Bull. 5, 95.

lineata DeVilliers. Ent. News, iv, 299.

Cuterebra Clark.

buccata Fabricius. Mon. Cæstriden, 247. (C.W.J.)

cuniculi Clark. Bur. Ent., Bull. 5, 108.

Family TACHINIDÆ.

Gymnoclytia Brauer and Bergenstamm.

immaculata Macquart. *Cistogaster*. Revis. Tachinid., 42.

occidua Walker. *Cistogaster*. Smith. Misc. Coll., li, 127.

Gymnosoma Meigen.

fulginosa Desvoidy. Insect Book, pl. xxii, 2.

Phorantha Rondani.

occidentis Walker. Revis. Tachinid., 44.

Alophora Desvoidy.

ænoventris Williston. Revis. Tachinid., 45, 47.

fumosa Coquillett. *Ibid.*, 46. (C.W.J.)

Trichopoda Latreille.

pennipes Fabricius. Insect Book, pl. xv, 25.

plumipes Fabricius. Revis. Tachinid., 48. (A.B.C.)

Myiophasia Brauer and Bergenstamm.

ænea Wiedemann. Revis. Tachinid., 50. (A.B.C.)

Cryptomeigenia Brauer and Bergenstamm.

theutis Walker. Revis. Tachinid., 52.

Dichætoneura Johnson.

leucoptera Johnson. Psyche, xiv, 9.

Polychætoneura Walton.

elyii Walton. Proc. Wash. Ent. Soc., vi, 91.

Actia Desvoidy.

pilipennis Fallen. Revis. Tachinid., 59.

Chætophleps Coquillett.

setosa Coquillett. Revis. Tachinid., 59. (C.W.J.)

Celatoria Coquillett.

spinosa Coquillett. Revis. Tachinid., 60. (C.W.J.)

Hypostena Meigen.**Tachinophyto** Tower.

barbata Coquillett. Revis. Tachinid., 62. (C.W.J.)

dunningii Coquillett. *Ibid.*, 60.

flaveola Coquillett. *Ibid.*, 61.

floridensis Townsend. *Ibid.*, 62.

variabilis Coquillett. *Ibid.*, 62.

Macquartia Desvoidy.

pristis Walker. Revis. Tachinid., 64.

Polidea Macquart.

areos Walker. Revis. Tachinid., 64.

Leskia Desvoidy.

analis Say. Revis. Tachinid., 67. (A.B.C.)

thecata Coquillett. *Ibid.*, 67. (A.B.C.)

Leskiomima Brauer and Bergenstamm.

tenera Wiedemann. Revis. Tachinid., 67.

Leucostoma Meigen.

senilis Townsend. Revis. Tachinid., 69. (C.W.J.)

Hyalomyodes Townsend.

triangulifera Loew. Revis. Tachinid., 70.

Æstrophasia Brauer and Bergenstamm.

signifera Van der Wulp. Biol. Dipt., ii, 167. (H.L.J.)

Xanthomelanodes Townsend.

arcuata Say. *Xanthomelana*. Revis. Tachinid., 75. (H.L.V.)

Hemyda Desvoidy.

aurata Desvoidy. Revis. Tachinid., 73.

Eutrixa Coquillett.

exile Coquillett. Revis. Tachinid., 72. (C.W.J.)

Epigrymyia Townsend.

polita Townsend. Trans. Am. Ent. Soc., xviii, 376. (C.W.J.)

Siphona Meigen.

brevirostris Coquillett. Revis. Tachinid., 76. (C.W.J.)

geniculata DeGeer. *Ibid.*, 75.

Cyrtophlœba Rondani.

horrida Coquillett. Revis. Tachinid., 78.

Paraplagia Brauer and Bergenstamm.

spinosula Bigot. Revis. Tachinid., 77. (W.E.B.)

Senotainia Macquart.

trilineata Van der Wulp. Revis. Tachinid., 81.

Belvosia Desvoidy.

bifasciata Fabricius. Smith Misc. Coll., li, 104. (C.W.J.)

Goniomima Townsend.

unifasciata Desvoidy. Revis. Tachinid., 84. (A.B.C.)

Melanophrys Williston.

insolita Walker. Revis. Tachinid., 85. (C.W.J.)

Ocyptera Latreille.

carolinæ Desvoidy. Insect Book., pl. xv, 29.

dosiades Walker. Revis. Tachinid., 86.

Linnæmyia Desvoidy.

hæmorrhoidalis Fallen. *picta* Meigen. Revis. Tachinid., 87.

Bonnetia Desvoidy.

compta Fallen. Revis. Tachinid., 87.

Ernestia Desvoidy.*Panzeria.*

radicum Fabricius. Insect Book, pl. xv, 28.

ruficauda Brauer. *Hystericia. aldrichii* Townsend. Smith. Misc. Coll., li, 109. (H.E.S.)

Macromeigenia Brauer and Bergenstamm.

chrysoprocta Wiedemann. Revis. Tachinid., 89. (A.B.C.)

Gymnochæta Desvoidy.

alcedo Loew. Cent., viii, 61.

ruficornis Williston. Trans. Am. Ent. Soc., xiii, 302. (C.W.J.)

Exoristoides Coquillett.

slossonæ Coquillett. Revis. Tachinid., 90. (H.E.S.)

Exorista Meigen.

- boarmia* Coquillett. Revis. Tachinid., 95. (H.E.S.)
confinis Fallen. *Ibid.*, 97.
eudryæ Townsend. *Ibid.*, 100. (C.W.J.)
futilis Osten Sacken. *Ibid.*, 98. (S.W.W.)
petiolata Coquillett. *Ibid.*, 98.
chelonias Rondani. *Ibid.*, 92. (H.E.S.)
vulgaris Fallen. *Ibid.*, 93. (H.E.S.)
pyste Walker. *Ibid.*, 93.

Compsilura Bouché.

- concinata* Meigen. U. S. Dept. Agr., Bull. 204, fig. 2.

Phorocera Desvoidy.

- claripennis* Macquart. Insect Book, pl. xxii, 6.
erecta Coquillett. Proc. U. S. Nat. Mus., xxv, 112.

Neopales Coquillett.

- ainaris* Smith. Proc. Wash. Ent. Soc., xiv, 119.
slossonæ Townsend. Smith. Misc. Coll., li, 108. (H.E.S.)
leucanias Coquillett. Revis. Tachinid., 104. (C.W.J.)
tortricus Coquillett. *Ibid.*, 103. (A.B.C.)

Doryphorophaga Townsend.

- doryphoræ* Riley. Revis. Tachinid., 104.

Frontina Meigen.

- aberrans* Townsend. Ent. News., xxvii, 217.
aletias Riley. Can. Ent., xi, 162.
ancilla Walker. Revis. Tachinid., 106.
frenchii Williston. *Ibid.*, 107.

Sturmia Desvoidy.

- albifrons* Walker. Revis. Tachinid., 109.
nicicola Townsend. *Zygobothria*. Bur. Ent., Bull. 91, 289.
nigrita Townsend. Trans. Am. Ent. Soc., xviii, 358.
phyciodis Coquillett. Revis. Tachinid., 109. (C.W.J.)

Masicera Macquart.

- myoidea* Desvoidy. Revis. Tachinid., 114.
rutila Meigen. *Ibid.*, 114. (H.L.V.)

Acemyia Desvoidy.

- dentata* Coquillett. Revis. Tachinid., 116. (D.W.C.)

Tachina Meigen.*

mella Walker. Revis. Tachinid., 119.

robusta Townsend. *Ibid.*, 119.

rustica Fallen. *Ibid.*, 119.

Neofischeria Townsend.

flava Townsend. Taxonomy, 75. (C.W.J.)

Blepharipeza Macquart.

adusta Loew. Insect Book, pl. xxii, 18, 22. (A.B.C.)

leucophrys Wiedemann. Revis. Tachinid., 124.

Winthemia Desvoidy.

quadripustulata Fabricius. Insect Book, pl. xxii, 4.

Paradidyma Brauer and Bergenstamm.

singularis Townsend. Revis. Tachinid., 126.

Metachæta Coquillett.

helymus Walker. Revis. Tachinid., 126.

Phorichæta Rondani.

sequax Williston. Revis. Tachinid., 126. (B.H.W.)

Metopia Meigen.

lateralis Macquart. Revis. Tachinid., 127. (C.W.J.)

leucocephala Rossi. Can. Ent., xliii, 314; xlv, 170.

Araba Desvoidy.

tergata Coquillett. Jour. N. Y. Ent. Soc., iii, 103. (G.D.)

Opsidia Coquillett.

gonoides Coquillett. Revis. Tachinid., 128. (J.A.H.)

Hilarella Rondani.

fulvicornis Coquillett. Revis. Tachinid., 128. (H.L.V.)

polita Townsend. *Ibid.*, 129.

Brachycoma Rondani.

apicalis Coquillett. Revis. Tachinid., 131. (D.W.C.)

Gonia Meigen.

capitata DeGeer. Insect Book, pl. xv, 26, 31.

distincta H. E. Smith. Psyche, xxii, 99.

senilis Williston. Can. Ent., xix, 10.

Spallanzania Desvoidy.

bucephala Meigen. *hebes* Rondani. Revis. Tachinid., 135.
(C.W.J.)

hesperidarum Williston. *Ibid.*, 135.

* See also appendix.

Gædiopsis Brauer and Bergenstamm.**ocellaris** Coquillett. Proc. U. S. Nat. Mus., xxv, 118. (A.B.C.)**Microphthalma** Macquart.**disjuncta** Wiedemann. Revis. Tachinid., 138.**Tricophora** Macquart.**ruficauda** Van der Wulp. Revis. Tachinid., 139.**Cuphocera** Macquart.**fucata** Van der Wulp. Revis. Tachinid., 140.**prompta** Zetterstedt. *Ibid.*, 141.**Peleteria** Desvoidy.**robusta** Wiedemann. Revis. Tachinid., 141.**prompta** Zetterstedt. *Ibid.*, 141.**Archytas** Jænnicke.**analis** Fabricius. Insect Book, pl. xxii, 10.**aterrima** Desvoidy. *Ibid.*, pl. xv, 33.**hystrix** Fabricius. Revis. Tachinid., 142.**lateralis** Macquart. Insect Book, pl. xxii, 14.**Echinomyia** Dumeril.**algens** Wiedemann. Insect Book, pl. xv, 27.**decisa** Walker. Revis. Tachinid., 143. (S.W.W.)**florum** Walker. *Ibid.*, 144. (H.L.J.)**Epalpus** Rondani.**signifera** Walker. Insect Book., pl. xxii, 12.**Bombyliomyia** Brauer and Bergenstamm.**abrupta** Wiedemann. Insect Book, pl. xv, 22.**Jurinia** Desvoidy.**adusta** Van der Wulp. *metallica*. Insect Book, pl. xv, 27;
pl. xxii, 16, 27.

Family DEXIIDÆ.

Myiocera Desvoidy.**simplex** Bigot? Annales, 1888, 266.**Melanophora** Meigen.**roralis** Linnæus. Syst. Besch., iv, 284.

Ptilodexia Brauer and Bergenstamm.

harpasa Walker. *tibialis*. *Myiocera*. Myodaires, 306.

Thelaira Desvoidy.

leucozona Panzer. Insect Book., pl. xxii, 24.

Theresia Desvoidy.

tandrec Desvoidy. Myodaires, 326.

Family SARCOPHAGIDÆ.

Sarcophaga Meigen.

bullata Parker. Can. Ent., xlvi, 359.

cimbicis Townsend. *Ibid.*, xxiv, 126.

communis Parker. Proc. Bos. Soc. Nat. Hist., 35, 55.

fernaldi Parker. *Ibid.*, 35, 72.

hæmorrhoidalis Fallen. Sarcoph. N. A., 189.

helicis Townsend. *Ibid.*, 158.

latisetosa Parker. Proc. Bos. Soc. Nat. Hist., 35, 63.

latisterna Parker. *Ibid.*, 35, 67. (C.W.J.)

peniculata Parker. *Ibid.*, 35, 58.

quadrisetosa Coquillett. *Helicobia*. Ent. News, xii, 17.

scoparia Pandellé. Sarcoph. N. A., 214.

scoparia var. *nearctica* Parker. Can. Ent., xlvi, 422.

sinuata Meigen. Sarcoph. N. A., 67.

tuberosa Pandellé var. *sarracenioides* Aldrich. *Ibid.*, 227.

Sarcofahrtia Parker.

atlantica Parker. Ent. News. xxxiii, 203.

ravinia Parker. Psyche, xxiii, 131.

Family MUSCIDÆ.

Pollenia Desvoidy.

rudis Fabricius. Cluster fly. Insect Book, pl. xxii, 28.

Chrysomyia Desvoidy.

macellaria Fabricius. Screw worm fly. La. Agr. Expt. Sta.,
Bull. 2, Sec. ser.

Cynomyia Desvoidy.

cadaverina Desvoidy. Insect Book, pl. xv, 21.

Calliphora Desvoidy.

erythrocephala Meigen. Common blow fly. Insect Book, pl. xv, 16.

vomitorea Linnæus. Blue bottle fly. Minn. Agr. Expt. Sta., Bull. 48, 188.

Protocalliphora Hough.

azurea Fallen. Zool. Bull., ii, 289. (C.W.J.)

Lucilia Desvoidy.

cæsar Linnæus. Insect Book, pl. xv, 20.

sericata Meigen. *Musca*. Syst. Besch., v, 53.

sylvarum Meigen. *Ibid.*, v, 53.

Phormia Desvoidy.

regina Meigen. *Musca*. Syst. Besch., v, 58.

terræ-novæ Desvoidy. Zool. Bull., ii, 289.

Orthellia Desvoidy.

Pseudopyrellia Girschner.

cornicina Fabricius. Syst. Besch., v, 57.

Pyrellia Desvoidy.

serena Meigen. *cyanicolor* Zetterstedt. Dipt. Scand., iv, 1323.

Morellia Desvoidy.

micans Macquart. Insect Book., pl. xv, 11.

Musca Linnæus.

domestica Linnæus. House fly. Insect Book, pl. xv, 6.

Graphomyia Desvoidy.

maculata Scopoli. Syst. Besch., v, 78.

Stomoxys Geoffroy.

calcitrans Linnæus. Biting house fly. Proc. Bost. Soc. Nat. Hist., xvi, 136.

Hæmatobia St. Fargeau and Serville.

irritans Linnæus. *serrata*. *cornicola*. Horn fly. Rept. N. Y. State Ent., No. 5, 220.

Myiospila Rondani.

meditabunda Fabricius. Syst. Besch., v, 79.

Muscina Desvoidy.

assimilis Fallen. Syst. Besch., v, 76. (H.L.V.)

stabulans Fallen. Stable fly. Insect Book, pl. xxii, 33.

Family ANTHOMYIDÆ.

Hydrotæa Desvoidy.

armipes Fallen. Fauna Aust., i, 616. (H.L.V.)

Ophyra Desvoidy.

leucostoma Wiedemann. Syst. Besch., v, 160.

Fannia Desvoidy.

Homalomyia Bouché.

canicularis Linnæus, Fauna Aust., i, 654. (C.W.J.)

scalaris Fabricius. Syst. Besch., v, 141.

Hyetodesia Rondani.

deleta Stein. Berl. Ent. Zeitsch., xlii, 178. (C.W.J.)

lucorum Fallen. Syst. Besch., v, 85. (H.L.V.)

Spilogaster Macquart.

uniseta Stein. Berl. Ent. Zeitsch., vlil, 192. (H.L.J.)

urbana Meigen. *Ibid.*, xlii, 196.

Limnophora Desvoidy.

diaphana Wiedemann. Syst. Besch., v, 189.

narona Walker. *Cyrtoneurina*. Berl. Ent. Zeitsch., xvii, 203.

Anthomyia Meigen.

albicincta Fallen. Syst. Besch., v, 161.

pluvialis Linnæus. *Ibid.*, v, 163. (H.L.J.)

pratincta Panzer. *Ibid.*, v, 163.

radicum Linnæus. Rept. N. Y. State Ent., No. 1, 191.

Hylemyia Desvoidy.

alcathe Walker. List., iv, 937. (C.W.J.)

johnsoni Stein. Berl. Ent. Zeitsch., xvii, 215, 285. (C.W.J.)

Phorbia Desvoidy.

brassicæ Bouché. Cabbage maggot. Cornell Agr. Expt. Sta.,
Bull. 78; Rept. Conn. Agr. Expt. Sta., 1914, 142.

ceparum Meigen. Onion maggot. Rept. Conn. Agr. Expt.
Sta., 1911, 286.

cepetorum Meade. Ent. Monthl. Mag., 1882, 218. (C.W.J.)

cinerella Fallen. Proc. Wash. Acad. Sci., ii, 583.

fusciceps Zetterstedt. *cilicrura*. Seed-corn maggot. Bur.
Ent., Bull. 43, 68.

latipennis Zetterstedt. Dipt. Scand., iv, 1509. (C.W.J.)
rubivora Coquillett. Raspberry cane maggot. Rept. Conn.
 Agr. Expt. Sta., 1902, 167.

Pegomyia Desvoidy.

calyptrata Zetterstedt. Berl. Ent. Zeitschr., xlii, 237.
hyoscyami Panzer. *vicina* Lintner. Beet or spinach leaf-
 miner. Ins. Life, vii, 379.
vittiger Zetterstedt. Ins. Lapp., 1838, 164, 697.
winthemi Meigen. *latitarsis* Zetterstedt. Fauna Aust., i, 635.
 (C.W.J.)

Dialyta Meigen.

flavitibia Johannsen. Trans. Am. Ent. Soc., lxii, 394.

Caricea Desvoidy.

albicornis Meigen. Fauna Aust., i, 664. (C.W.J.)

Cœnosia Meigen.

ausoba Walker. Berl. Ent. Zeitschr., xlii, 260.
calopyga Loew. Cent., x, 71. (C.W.J.)
flavipes Stein. Berl. Ent. Zeitschr., xlii, 268.
lata Walker. Dipt. Saund., 368.
nivea Loew. Cent., x, 70.
tibialis Stein. Berl. Ent. Zeitschr., xlii, 275. (C.W.J.)

Dexiopsis Pokorný.

lacteipennis Zetterstedt. Dipt. Scand., iv, 1722.

Schœnomyza Halliday.

chrysostoma Loew. Cent., ix, 86.
dorsalis Loew. Cent., x, 73.

Lispa Latreille.

albitarsis Stein. Berl. Ent. Zeitschr., xlii, 277. (C.W.J.)
uliginosa Fallen. Fauna Aust., i, 661.

Fucellia Desvoidy.

marina Macquart. *fucorum*. Proc. Wash. Acad. Sci., ii, 453.

Family SCATOPHAGIDÆ.

Cordylura Fallen.

adusta Loew. Cent., iii, 41.
confusa Loew. *Ibid.*, iii, 43. (C.W.J.)
gilvipes Loew. *Ibid.*, iii, 49. (C.W.J.)
munda Loew. *Ibid.*, iii, 91.

pleuritica Loew. *Ibid.*, iii, 42. (A.B.C.)

setosa Loew. *Ibid.*, iii, 44.

slossonæ Coquillett. Jour. N. Y. Ent. Soc., vi, 164. (H.L.J.)

variabilis Loew. Zeitsch. f. Ges Naturwiss, 1876, 326.

Mosina Desvoidy.

variapes Walker. List. Dipt., 4, 1046. (H.L.J.)

Scatophaga Meigen.

furcata Say. Compl. Writ., ii, 85.

merdaria Fabricius. Dipt. Scand., v, 1970. (C.W.J.)

stercoraria Linnæus. Insect Book, pl. xv, 19.

Family HETERONEURIDÆ.

Clusia Halliday.

lateralis Walker. *spectabilis*. Cent., iv. 92.

Family HELOMYZIDÆ.

Helomyza Fallen.

quinquepunctata Say. Compl. Writ., ii, 86. (C.W.J.)

Scoliocentra Loew.

helvola Loew. Cent., ii, 80.

Æcothea Haliday.

fenestralis Fallen. Syst. Besch., vi, 56.

Tephrochlamys Loew.

rufiventris Meigen. Syst. Besch., vi, 58.

Family BORBORIDÆ.

Leptocera Olivier.

Limosina Macquart.

limosa Meigen. Syst. Besch., vi, 207.

Borborus Meigen.

equinus Fallen. Proc. Wash. Acad. Sci., ii, 594.

Sphærocera Latreille.

subsultans Fabricius. Proc. Wash. Acad. Sci., ii, 596.

Family DRYOMYZIDÆ.

Neuroctena Rondani.

anilis Fallen. *Dryomyza pallida* Day. Can. Ent., xiii, 89.
(S.W.W.)

Family SCIOMYZIDÆ.*

Sciomyza Fallen.

nana Fallen. Mon. N. A. Dipt., i, 104.
pubera Loew. *Ibid.*, i, 106. (H.L.V.)

Pœcilomyia Melander.

decora Loew. *Sapromyza*. Cent., v, 96.

Hedroneura Hendel.

rufa Panzer. *lineata* Day. Can. Ent., xiii, 88.

Tetanocera Dumeril.

arcuata Loew. Mon. N. A. Dipt., i, 115. (C.W.J.)

clara Loew. Insect Book, pl. xxii, 36. (A.B.C.)

combinata Loew. Can. Ent., xiii, 85.

pallida Loew. Mon. N. A. Dipt., i, 113.

plebeia Loew. *Ibid.*, i, 120.

plumosa Loew. Insect Book, pl. xv, 14.

saratogensis Fitch. Ins. N. Y., 68.

setosa Coquillett. Proc. U. S. Nat. Mus., xxiii, 615. (C.W.J.)

sparsa Loew. Mon. N. A. Dipt., i, 117. (S.W.W.)

umbrarum Linnæus. Can. Ent., xiii, 85.

valida Loew. Mon. N. A. Dipt., i, 110. (A.B.C.)

Sepedon Latreille.

armipes Loew. Mon. N. A. Dipt., i, 126. (C.W.J.)

fuscipennis Loew. Insect Book, pl. xxii, 41.

pusillus Loew. Mon. N. A. Dipt., i, 127.

Family SAPROMYZIDÆ.

Lonchæa Fallen.

polita Say. Compl. Writ., ii, 371. (A.B.C.)

rufitarsus Macquart. Dipt. Exot. (Suppl.), iv, 300.

Lauxania Latreille.

cylindriformis Fabricius. Proc. Wash. Acad. Sci., ii, 400.

gracilipes Loew. Cent., i, 84. (C.W.J.)

obscura Loew. *Ibid.*, i, 84.

* See also appendix.

Minettia Desvoidy.

- annulata* Melander. Psyche, xx, 73. (C.W.J.)
lupulina Fabricius. Proc. Wash. Acad. Sci., ii, 460.
quadrilineata Loew. Cent., i, 78.
valida Walker. *macula* Loew. *Ibid.*, x, 82. (C.W.J.)

Sapromyza Fallen.

- compedita* Loew. Cent., i, 76.
disjuncta Johnson. Psyche, xxi, 22. (C.W.J.)
fraterna Loew. Cent., i, 77. (C.W.J.)
houghii Coquillett. Can. Ent., xxx, 277.
notata Fallen. Psyche, xx, 68. (C.W.J.)
philadelphica Macquart. Dipt. Exot. (Suppl.), ii, 3, 191.

Camptoprosopella Hendel.

- vulgaris* Fitch. Ins. N. Y., i, 300.

Family ORTALIDÆ.

Pyrgota Wiedemann.

- chagnoni* Johnson. Can. Ent., xxxii, 246. (A.B.C.)
undata Wiedemann. Insect Book, pl. xv, 4.
valida Harris. *Ibid.*, pl. xv, 9.

Amphicnephes Loew.

- pulla* Wiedemann. *pertusus*. Mon. N. A. Dipt., iii, 84.

Rivellia Desvoidy.

- conjuncta* Loew. Mon. N. A. Dipt., iii, 88.
flavimanus Loew. *Ibid.*, iii, 92.
pallida Loew. *Ibid.*, iii, 95.
quadrifasciata Macquart. *Ibid.*, iii, 90.
viridulans Desvoidy. *Ibid.*, iii, 88.

Myrmecothea Hendel.**Myrmecomylia** Desvoidy.

- myrmecoides* Loew. Mon. N. A. Dipt., iii, 100. (A.B.C.)

Tritoxa Loew.

- flexa* Wiedemann. Mon. N. A. Dipt., iii, 102.
incurva Loew. Insect Book, pl. xxii, 40.

Camptoneura Macquart.

- picta* Fabricius. Insect Book, pl. xv, 10.

Idana Loew.

marginata Say. Compl. Writ., ii, 368. (A.B.C.)

Tephronota Loew.

narytia Walker. *ruficeps*. *humilis*. Mon. N. A. Dipt., iii, 123.
(C.W.J.)

Meliera Desvoidy.

similis Loew. Mon. N. A. Dipt., iii, 127. (C.W.J.)

Tetanops Fallen.

luridipennis Loew. Mon. N. A. Dipt., iii, 119. (C.W.J.)

Callopietria Loew.

annulipes Macquart. Mon. N. A. Dipt., iii, 141. (C.W.J.)

Pseudotephritis Johnson.

corticalis Loew. Mon. N. A. Dipt., iii, 136. (C.W.J.)

Chrysomyza Fallen.

demandata Fabricius. Fauna Aust., ii, 85.

Euxesta Loew.

notata Wiedemann. Mon. N. A. Dipt., iii, 156.

Chætopsis Loew.

ænea Wiedemann. Compl. Writ., ii, 368.

apicalis Johnson. Ent. News, xi, 326.

fulvifrons Macquart. Dipt. Exot. (Suppl.), v, 125. (C.W.J.)

Seoptera Kirby.

vibrans Linnæus. Mon. N. A. Dipt., ii, 153.

Stenomylia Loew.

tenuis Loew: Mon. N. A. Dipt., iii, 173.

Eumetopia Macquart.

rufipes Macquart. Mon. N. A. Dipt., iii, 175.

Family TRYPETIDÆ.

Straussia Desvoidy.

longipennis Wiedemann. Mon. N. A. Dipt., i, 65.

Stenopa Loew.

vulnerata Loew. Mon. N. A. Dipt., iii, 232. (Psyche.)

Acidia Desvoidy.

fratria Loew. Mon. N. A. Dipt., i, 67. (C.W.J.)

suaavis Loew. *Ibid.*, iii, 235. (C.W.J.)

Spilographa Loew.

electa Say. Compl. Writ., ii, 396. (Ald. Cat.)

Ædaspis Loew.

atra Loew. Cent., ii, 74.

polita Loew. Mon. N. A. Dipt., i, 77. (Ald. Cat.)

Rhagoletis Loew.

cingulata Loew. *Trypeta*. Cherry maggot. Cornell Agr. Expt. Sta., Bull. 172.

pomonella Walsh. Apple maggot. Railroad worm. Rept. Me. Agr. Expt. Sta., 1889, 190; Rept. Conn. Agr. Expt. Sta., 1909-10, 593.

Eutreta Loew.

sparsa Wiedemann. Compl. Writ., ii, 370.

Eurosta Loew.

comma Wiedemann. Mon. N. A. Dipt., i, 93.

conspurcata Doane. Jour. N. Y. Ent. Soc., vii, 186.

elsa Dæcke. Ent. News, xxi, 342.

latifrons Loew. Mon. N. A. Dipt., i, 89.

reticulata Snow. Kans. Univ. Quart., ii, 170.

solidaginis Fitch. Mon. N. A. Dipt., i, 82.

Aciura Desvoidy.

limata Coquillett. Jour. N. Y. Ent. Soc., vii, 263. (C.W.J.)

Ictericæ Loew.

seriata Loew. Mon. N. A. Dipt., i, 84.

Tephritis Latreille.

platyptera Loew. Mon. N. A. Dipt., iii, 306.

Neaspilota Osten Sacken.

albidipennis Loew. Cent., i, 73. (C.W.J.)

Euaresta Loew.

bella Loew. Mon. N. A. Dipt., ii, 88.

festiva Loew. *Ibid.*, i, 86.

pura Loew. *Ibid.*, iii, 320. (H.L.J.)

Family MICROPEZIDÆ.

Tæniaptera Macquart.

antennipes Say. Compl. Writ., ii, 83.

divaricata Cresson. Ent. News., xxv, 459. (C.W.J.)

Calobata Meigen.

- alesia* Walker. List. iv, 1048. (C.W.J.)
univitta Walker. *Ibid.*, iv, 1049. (C.W.J.)

Family SEPSIDÆ.

Sepsis Fallen.

- neocynipsea* Melander. Wash. Agr. Expt. Sta., Bull. 143, 28.
signifera Melander. *curvitibia* Melander. *Ibid.*, Bull. 143, 28.
violacea Meigen. *Ibid.*, Bull. 143, 20.

Nemopoda Desvoidy.

- cylindrica* Fabricius. Syst. Besch., v, 290.

Meroplius Rondani.

- stercoraria* Desvoidy. *Nemopoda minuta*. Myodaires, 745.

Themira Desvoidy.

- flavicoxa* Melander. Wash. Agr. Expt. Sta., Bull. 143, 46.

Piophila Fallen.

- casei* Linnæus. Cheese skipper. Rept. N. Y. State Ent., xii,
 229.

Family PSILIDÆ.

Loxocera Meigen.

- cylindrica* Say. Compl. Writ., ii, 84. (H.L.V.)
pectoralis Loew. Cent., viii, 64. (A.B.C.)
pleuritica Loew. *Ibid.*, viii, 65. (C.W.J.)
pleuritica var. *obsoleta* Johnson. Psyche, xxvii, 16.

Chyliza Fallen.

- apicalis* Loew. Cent., viii, 72. (C.W.J.)
notata Loew. *annulipes* Macquart. *Ibid.*, ix, 99. (A.B.C.)

Psila Meigen.

- bivittata* Loew. Cent., viii, 67. (Ald. Cat.)
collaris Loew. *Ibid.*, viii, 68. (Ald. Cat.)

Family DIOPSIDÆ.

Sphyracephala Say.

- brevicornis* Say. Compl. Writ., i, 116. (C.W.J.)

Family EPHYDRIDÆ.

Dichæta Meigen.

caudata Fallen. Mon. N. A. Dipt., i, 133.

Notiphila Fallen.

bella Loew. Mon. N. A. Dipt., i, 135. (C.W.J.)

bispinosa Cresson. Trans. Am. Ent. Soc., xliii, 58.

scalaris Loew. Mon. N. A. Dipt., i, 134.

olivacea Cresson. Trans. Am. Ent. Soc., xliii, 52.

Gastrops Williston.

nebulosa Coquillett. Can. Ent. xxxii, 34.

Typopsilopa Cresson.

atra Loew. Mon. N. A. Dipt., i, 142.

Hydrellia Desvoidy.

formosa Loew. Cent., i, 94.

Psilopa Fallen.

atrimanus Loew. Zeitsch. f. Ges. Naturwiss., 1878, 197.

flavida Coquillett. Can. Ent., xxxii, 33. (C.W.J.)

Ilythea Haliday.

spilota Curtis. Brit. Ent., 413. (C.W.J.)

Ochthera Latreille.

mantis DeGeer. Ent. News., vii, 123. (W.M.W.)

Parydra Stenhammar.

bituberculata Loew. Mon. N. A. Dipt., i, 165.

breviceps Loew. *Ibid.*, i, 167.

imitans Loew. Zeitsch. f. Ges., Naturwiss., 1878, 201.

Mosillus Latreille.

tibialis Cresson. Ent. News., xxvii, 149.

Ephydra Fallen.

atrovirens Loew. Mon. N. A. Dipt., i, 169.

subopaca Loew. Cent., v, 99.

Cirrula Cresson.

gigantea Cresson. Ent. News., xxvi, 71. (C.W.J.)

Scatella Desvoidy.

lugens Loew. Mon. N. A. Dipt., i, 171.

stagnalis Fallen. Proc. Wash. Acad. Sci., ii, 462.

Dimecænia Cresson.

spinosa Loew. Cent. v, 100.

Family CHLOROPIDÆ.

Meromyza Meigen.

americana Fitch. Greater wheat stem maggot. Bur. Ent., Bull. 42, New ser., 43.

flavipalpis Malloch. Can. Ent., xlvi, 117. (C.W.J.)

Chlorops Meigen.

abdominalis Coquillett. Proc. Acad. Nat. Sci. Phila., 1895, 318. (C.W.J.)

crocota Loew. Cent., iii, 89. (C.W.J.)

melanocera Loew. *Ibid.*, iii, 91.

rufescens Coquillett. Can. Ent., xlii, 45. (C.W.J.)

Chloropisca Loew.

glabra Meigen. *assimilis* Macquart. Jour. N. Y. Ent. Soc., vi, 47.

grata Loew. Cent., iii, 92. (C.W.J.)

variceps Loew. *Ibid.*, iii, 86. (H.L.V.)

Parectecephala Becker.

eucera Loew. Cent., iii, 85.

Cetema Hendel.

procera Loew. Cent., x, 92. (C.W.J.)

Anthracophaga Loew.

sanguinolenta Loew. Cent., iii, 84.

Diplotaxa Loew.

versicolor Loew. Cent., iii, 97.

Hippelates Loew.

flavipes Loew. Cent., vii, 95.

nobilis Loew. *Ibid.*, iii, 97.

pusio Loew. *Ibid.*, x, 87.

Crassiseta Von Roser.*Elachiptera* Macquart.

costata Loew. Cent., iii, 62.

Melanochæta Bezzi.

eunota Loew. *Ibid.*, x, 89. (C.W.J.)

longula Loew. *Ibid.*, iii, 84.

Siphonella Macquart.

cinerea Loew. Cent., iii, 81. (C.W.J.)

lævigata Fallen. Fauna Aust., ii, 229. (C.W.J.)

Botanobia Livy.

Oscinis Latreille.

coxendix Fitch. Ins. N. Y., 301.

soror Macquart. American frit-fly. Bur. Ent., Bull. 42, New ser., 57.

Family DROSOPHILIDÆ.

Phortica Schiner.

vittata Coquillett. Proc. U. S. Nat. Mus., xxiii, 618.
(C.W.J.)

Drosophila Fallen.

adusta Loew. *Scaptomyza*. Native cabbage leaf-miner. Bur. Ent., New ser., Bull. 33, 76.

amœna Loew. Pretty pomace fly. Rept. U. S. Dept. Agr., 1881-2, 201.

ampelophila Loew. *melanogaster* Meigen. Vine-loving pomace fly. *Ibid.*, 1881-2, 198.

busckii Coquillett. Ent. News, xii, 18. (C.W.J.)

flaveola Meigen. *Scaptomyza*. Imported turnip leaf-miner. Bur. Ent., New ser., Bull. 33, 75.

funebri Fabricius. Proc. U. S. Nat. Mus., xxii, 264.

graminum Fallen. *Scaptomyza*. Imported cabbage leaf-miner. Bur. Ent., New ser., Bull. 33, 76.

ordanaria Coquillett. Proc. Ent. Soc. Wash., vi, 190. (C.W.J.)

quinaria Loew. Cent., vi, 90.

Family GEOMYZIDÆ.

Diastata Meigen.

nebulosa Fallen. Syst. Besch., vi, 98.

Family AGROMYZIDÆ.

Phytomyza Fallen.

aquilegiæ Hardy. Columbine leaf-miner. Rept. Conn. Agr. Expt. Sta., 1894, 145.

diminuta Walker. Trans. Ent. Soc. Lond., New ser., iv, 232.

Napomyza Haliday.

chrysanthemi Kowarz. *Phytomyza*. *Chrysanthemum* leaf-miner.
Bur. Ent., Bull. 10, New ser., 79.

Cerodontha Rondani.

dorsalis Loew. *Odontocera*. *Ceratomyza*. Corn leaf-miner.
Rept. Conn. Agr. Expt. Sta., 1894, 143.

Agromyza Fallen.

æneiventris Fallen. Bur. Ent., Bull. 10, New ser., 78.

angulata Loew. Ann. Ent. Soc., Am., vi, 304.

longispinosa Malloch. *Ibid.*, vi, 276. (C.W.J.)

melampyga Loew. *Ibid.*, vi, 282. (C.W.J.)

parvicornis Loew. *Ibid.*, vi, 312.

platyptera Thomson. *coronata* Loew. *Ibid.*, vi, 293.

posticata Meigen. *terminalis* Coquillett. *Ibid.*, vi, 308.

pusilla Meigen. *dimidiata* Walker. *trifolii* Burgess. *Ibid.*, vi,
278.

simplex Loew. N. Y. Agr. Expt. Sta., Bull. 189; Ann. Ent.
Soc. Am., vi, 315.

Mallochiella Melander.

halteralis Coquillett. *Desmometopa*. Proc. U. S. Nat. Mus.,
xxii, 267.

Desmometopa Loew.

latipes Meigen. Jour. N. Y. Ent. Soc., xxi, 241.

m-nigrum Zetterstedt. *Ibid.*, xxi, 241.

Rhynchomilichia Hendel.

indecora Loew. *Milichia*. Proc. U. S. Nat. Mus., xxii, 263.

Odinia Desvoidy.

maculata Meigen. Jour. N. Y. Ent. Soc., xxi, 248. (A.B.C.)

picta Loew. Cent., i, 99; Jour. N. Y. Ent. Soc., xxi, 248.
(C.W.J.)

Leucopis Meigen.

nigricornis Egger. Jour. N. Y. Ent. Soc., xxi, 232. (C.W.J.)

Ochthiphila Fallen.

elegans Panzer. Jour. N. Y. Ent. Soc., xxi, 233. (C.W.J.)

polystigma Meigen. *Ibid.*, xxi, 233.

Family HIPPOBOSCIDÆ.

Olfersia Wiedemann.

americana Leach. *Hippobosca bubonis*. Pack. Guide, 417.

Melophagus Latreille.

ovinus Linnæus. Sheep tick. Bur. Ent., Bull. 5, New ser., 138.

Order COLEOPTERA.

Beetles.

Family CICINDELIDÆ.

Cicindela Linnæus.

- duodecimguttata Dejean. Coleop. Ind., 34. (E.D.H.)
 formosa Say var. **generosa** Dejean. *Ibid.*, 33.
 hirticollis Say. *Ibid.*, 35. (G.D.)
 punctulata Fabricius. *Ibid.*, 35.
 puritana Horn. Trans. Am. Ent. Soc., xxvii, 164.
 purpurea Olivier. Coleop. Ind., 33.
 purpurea var. **limbalis** Klug. *Ibid.*, 33.
 repanda Dejean. *Ibid.*, 34.
 sexguttata Fabricius. *Ibid.*, 32.
 sexguttata var. **harrisii** Leng. Trans. Am. Ent. Soc., xxviii,
 128. (E.D.H.)
 tranquebarica Herbst. *vulgaris*. Coleop. Ind., 33.

Family CARABIDÆ.

Cychrus Fabricius.

- elevatus Fabricius. Coleop. Ind., 43.
 lecontei Dejean. *Ibid.*, 43.
 viduus Dejean. *Ibid.*, 42.

Carabus Linnæus.

- limbatus Say. Coleop. Ind., 45.
 nemoralis Mulsant. Jour. N. Y. Ent. Soc., ii, 139.
 serratus Say. Coleop. Ind., 45.
 sylvosus Say. *Ibid.*, 45.
 vinctus Weber. *Ibid.*, 45.

Calosoma Weber.

- calidum Fabricius. Coleop. Ind., 47.
 externum Say. *Ibid.*, 46.

frigidum Fabricius. *Ibid.*, 47.

scrutator Fabricius. Caterpillar hunter. *Ibid.*, 47.

sycophanta Linnæus. Bur. Ent., Bull. 101.

willcoxi LeConte. Coleop. Ind., 47.

Elaphrus Fabricius.

cicatricosus LeConte. Coleop. Ind., 49. (C.S.)

fuliginosus Say. *Ibid.*, 49. (A.B.C.)

ruscarius Say. *Ibid.*, 49. (A.B.C.)

Notiophilus Dumeril.

æneus Herbst. Coleop. Ind., 51.

novemstriatus LeConte. *Ibid.*, 52.

semistriatus Say. *Ibid.*, 51.

Nebria Latreille.

pallipes Say. Coleop. Ind., 53.

Scarites Fabricius.

subterraneus Fabricius. Coleop. Ind., 56.

Dyschirius Bonelli.

globulosus Say. Coleop. Ind., 57. (A.B.C.) (C.C.)

hæmorrhoidalis Dejean. *Ibid.*, 58. (C.C.)

hispidus LeConte. *Ibid.*, 58. (A.B.C.)

sphæricollis Say. *Ibid.*, 58.

Clivina Latreille.

americana Dejean. Coleop. Ind., 61.

bipustulata Fabricius. *Ibid.*, 61.

impressifrons LeConte. *Ibid.*, 60.

rubicunda LeConte. *Ibid.*, 60.

Schizogenius Putzeys.

ferrugineus Putzeys. Coleop. Ind., 62. (C.C.)

lineolatus Say. *Ibid.*, 62. (C.C.)

Panageus Latreille.

fasciatus Say. Coleop. Ind., 66. (G.D.) (C.C.)

Bembidion Latreille.

americanum Dejean. Coleop. Ind., 72. (C.C.)

assimile Gyllenhal. *Ibid.*, 78. (A.B.C.)

contractum Say. Trans. Am. Ent. Soc., xxiv, 109.

coxendix Say. Coleop. Ind., 70. (C.C.)

fugax LeConte. *Ibid.*, 73.

- guexi* Chaudoir. Trans. Am. Ent. Soc., xxiv, 71. (R.Hd.)
graciliforme Hayward. Coleop. Ind., 76.
honestum Say. *Ibid.*, 72.
inæquale Say. *Ibid.*, 69. (C.C.)
nigrum Say. *Ibid.*, 73.
oberthuri Hayward. *Ibid.*, 74.
picipes Kirby. *Ibid.*, 73. (K.F.C.)
punctatostriatum Say. *Ibid.*, 70. (C.C.)
quadrifasciatum Linnæus. *Ibid.*, 78.
scopulinum Kirby. Trans. Am. Ent. Soc., xxiv, 82. (R.Hd.)
semistriatum Haldeman. Coleop. Ind., 79.
ustulatum Linnæus. *rupestre*. Trans. Am. Ent. Soc., xxiv, 80.
 (C.C.) (K.F.C.)
variegatum Say. Coleop. Ind., 77.
versicolor LeConte. *Ibid.*, 76. (C.C.)
 sp.

Tachys Schaum.

- corruscus* LeConte. Coleop. Ind., 86. (A.B.C.)
flavicauda Say. *Ibid.*, 82.
incurvus Say. *Ibid.*, 82.
lævus Say. *Ibid.*, 85. (C.C.)
nanus Gyllenhal. *Ibid.*, 82.
proximus Say. Compl. Writ., 502. (K.F.C.)
scitulus LeConte. Coleop. Ind., 85. (C.C.)
xanthopus Dejean. *Ibid.*, 83.

Patrobus Dejean.

- longicornis* Say. Coleop. Ind., 87.
rugicollis Randall. Jour. N. Y. Ent. Soc., iii, 75.

Trechus Clairville.

- chalybeus* Dejean. Coleop. Ind., 87. (A.B.C.)

Myas Dejean.

- coracinus* Say. Coleop. Ind., 89. (G.D.)
cyanescens Dejean. *Ibid.*, 89.

Pterostichus Bonelli.

- adoxus* Say. Coleop. Ind., 91.
apalachius Horn. *Ibid.*, 91.
caudicalis Say. *Ibid.*, 96.
convexicollis Say. Compl. Writ., ii, 475. (C.C.)

- coracinus* Newman. Coleop. Ind., 93.
corusculus LeConte. Proc. Acad. Nat. Sci. Phila., 1873, 314.
corvinus Dejean. Coleop. Ind., 97.
erythropus Dejean. *Ibid.*, 99.
honestus Say. *Ibid.*, 91.
lachrymosus Newman. *Ibid.*, 93.
luctuosus Dejean. *Ibid.*, 96.
lucublandus Say. *Ibid.*, 95.
lustrans LeConte. Am. Lyc. Nat. Hist., N. Y. v, 181. (G.D.)
mancus LeConte. Jour. Acad. Nat. Sci., Phila., ii, 234. (C.C.)
mutus Say. Coleop. Ind., 98.
patruelis Dejean. *Ibid.*, 99.
pennsylvanicus LeConte. *Ibid.*, 98. (K.F.C.)
rostratus Newman. *Ibid.*, 91. (K.F.C.)
sayi Brullé. *Ibid.*, 95.
scrutator LeConte. *Ibid.*, 97.
stygius Say. *Ibid.*, 93.
vitreus Dejean. Jour. N. Y. Ent. Soc., iii, 188.

Amara Bonelli.

- angustata* Say. Coleop. Ind., 105.
apricaria Paykull. Trans. Am. Ent. Soc., xxxiv, 41.
avida Say. Coleop. Ind., 103.
basillaris Say. *Ibid.*, 106. (C.C.)
chalcea Dejean. *Ibid.*, 109.
crassispina LeConte. *Ibid.*, 107.
cupreolata Putzeys. *Ibid.*, 106.
devincta Casey. Mem. Coleop., viii, 307. (T.L.C.)
exarata Dejean. Coleop. Ind., 104.
fallax LeConte. *Ibid.*, 106. (C.C.)
latior Kirby. *Ibid.*, 106.
impuncticollis Say. *Ibid.*, 106.
musculus Say. *Ibid.*, 109.
obesa Say. *Ibid.*, 108.
pennsylvanica Hayward. *Ibid.*, 103.
rubrica Haldeman. *Ibid.*, 109.

Diplochila Brullé.

- laticollis* LeConte. Coleop. Ind., 113.

Dicælus Bonelli.

elongatus Bonelli. Coleop. Ind., 116.

dilatatus Say. *Ibid.*, 116. (K.F.C.)

politus Dejean. *Ibid.*, 116.

purpuratus Bonelli. *Ibid.*, 115.

teter Bonelli. *Ibid.*, 116.

Badister Clairville.

micans LeConte. Coleop. Ind., 119.

pulchellus LeConte. *Ibid.*, 118.

Calathus Bonelli.

gregarius Say. Coleop. Ind., 120.

impunctatus Say. *Ibid.*, 121.

opaculus LeConte. *Ibid.*, 120.

Platynus Bonelli.

æruginosus Dejean. Coleop. Ind., 133.

affinis Kirby. *Ibid.*, 130.

anchomenoides Randall. Bost. Jour. Nat. Hist., ii, 2. (C.C.)

atratus LeConte. Coleop. Ind., 130. (C.C.)

bogemanni Gyllenhal. *Ibid.*, 133.

boopis Casey. Mem. Coleop., ix, 137.

carbo LeConte. Coleop. Ind., 128.

cincticollis Say. *Ibid.*, 125.

crenistriatus LeConte. *Ibid.*, 134.

cupripennis Say. *Ibid.*, 130.

decens Say. *Ibid.*, 124. (C.C.)

decorus Say. *Ibid.*, 126.

excavatus Dejean. *Ibid.*, 131. (A.B.C.)

extensicollis Say. *Ibid.*, 126.

ferreus Haldeman. *Ibid.*, 131.

frater LeConte. Proc. Acad. Nat. Sci. Phila., vii, 35-59. (C.C.)

lutulentus LeConte. *Ibid.*, 135.

melanarius Dejean. *Ibid.*, 130.

nutans Say. *Ibid.*, 131.

octopunctatus Fabricius. *Ibid.*, 132.

picipennis Kirby. *Ibid.*, 135.

placidus Say. *Ibid.*, 132.

punctiformis Say. Compl. Writ., ii, 481.

reflexus LeConte. Coleop. Ind., 125.

rubripes Zimmerman. *Ibid.*, 134. (A.B.C.)

ruficornis LeConte. *Ibid.*, 135.

sinuatus Dejean. *Ibid.*, 124.

tenuis LeConte. *Ibid.*, 129.

Olisthopus Dejean.

micans LeConte. Ann. Lyc. Nat. Hist. N. Y., iv, 230. (A.B.C.)
(H.B.K.)

parmatus Say. Coleop. Ind., 136.

Casnonia Latreille.

pennsylvanica Linnæus. Coleop. Ind., 139.

Galerita Fabricius.

bicolor Drury. Coleop. Ind. 140.

janus Fabricius. *Ibid.*, 140.

Tetragonoderus Dejean.

fasciatus Haldeman. Coleop. Ind., 142. (C.C.)

Lebia Latreille.

analis DeGeer. Coleop. Ind., 147.

atriventris Say. *Ibid.*, 144.

furcata LeConte. *Ibid.*, 148. (G.D.)

fuscata Dejean. *Ibid.*, 147.

grandis Hentz. *Ibid.*, 144.

ornata Say. *Ibid.*, 146.

pectita Horn. Trans. Am. Ent. Soc., xii, 133.

pulchella Dejean. Coleop. Ind., 145.

pumila Dejean. *Ibid.*, 146.

scapularis Dejean. *Ibid.*, 148.

viridipennis Dejean. *Ibid.*, 146.

viridis Say. *Ibid.*, 146.

vittata Fabricius. *Ibid.*, 148.

Dromius Bonelli.

piceus Dejean. Coleop. Ind., 149.

Apristus Chaudoir.

subsulcatus Dejean. Coleop. Ind., 150.

Metabletus Schmidt.

americanus Dejean. Coleop. Ind., 151.

Axinopalpus LeConte.

biplagiatus Dejean. Coleop. Ind., 151 (A.B.C.)

Pinacodera Schaum.

limbata Dejean. Coleop. Ind. 152.

platicollis Say. *Ibid.*, 153.

Cymindis Latreille.

- americana* Dejean. Coleop. Ind., 153.
neglecta Haldeman. Trans. Am. Ent. Soc., x, 155.
pilosa Say. Coleop. Ind., 153.

Apenes LeConte.

- lucidula* Dejean. Coleop. Ind., 154.
sinuata Say. *Ibid.*, 154.

Helluomorpha Laporte.

- bicolor* Harris. Coleop. Ind., 155.

Brachynus Weber.

- alternans* Dejean. Coleop. Ind., 159. (C.C.)
ballistarius LeConte. *Ibid.*, 160.
conformis Dejean. Ann. Lyc. Nat. Hist. N. Y., iv, 207.
cordicollis Dejean. Coleop. Ind., 160.
cyanipennis Say. *Ibid.*, 161. (C.C.)
fumans Fabricius. *Ibid.*, 161.
perplexus Dejean. *Ibid.*, 161.
tormentarius LeConte. *Ibid.*, 159.

Chlænienus Bonelli.

- æstivus* Say., Coleop. Ind., 165.
impunctifrons Say. *Ibid.*, 168.
laticollis Say. *Ibid.*, 166.
leucoscelis Chevrolat. *Ibid.*, 165. (C.C.)
nemoralis Say. *Ibid.*, 169.
pennsylvanicus Say. *Ibid.*, 168.
prasinus Dejean. *Ibid.*, 165.
purpuricollis Randall. *Ibid.*, 168. (C.C.)
sericeus Fœrster. *Ibid.*, 166.
solitarius Say. *Ibid.*, 165.
tomentosus Say. *Ibid.*, 167.
tricolor Dejean. *Ibid.*, 169.

Anomoglossus Chaudoir.

- emarginatus* Say. Coleop. Ind., 169.
pusillus Say. *Ibid.*, 170.

Brachylobus Chaudoir.

- lithophilus* Say. Coleop. Ind., 170. (C.C.)

Lachnocrepis LeConte.

- parallelus* Say. Coleop. Ind., 171. (H.L.J.)

Oödes Bonelli.

americanus Dejean. Coleop. Ind., 172. (A.B.C.)

Geopinus LeConte.

incrassatus Dejean. Coleop. Ind., 174.

Agonoderus Dejean.

lineola Fabricius. Coleop. Ind., 177.

pallipes Fabricius. *Ibid.*, 177.

partiaris Say. *Ibid.*, 177. (A.B.C.)

pauperculus Dejean. *Ibid.*, 177. (C.C.)

testaceus Dejean. *Ibid.*, 177.

Gynandropus Dejean.

hylacis Say. Coleop. Ind. 179.

Harpalus Latreille.

autumnalis Say. Coleop. Ind., 185.

caliginosus Fabricius. *Ibid.*, 181.

compar LeConte. *Ibid.*, 182.

convivus LeConte. *Ibid.*, 181. (C.C.)

dichrous Dejean. *Ibid.*, 184.

erraticus Say. *Ibid.*, 181.

erythropus Dejean. *Ibid.*, 183.

faunus Say. *Ibid.*, 181.

herbivagus Say. *Ibid.*, 185.

laticeps LeConte. *Ibid.*, 184.

lewisii LeConte. Proc. Acad. Nat. Sci., Phila., 1865, 103.

longior Kirby. *longicollis*. Coleop. Ind., 183.

megacephalus LeConte. Ann. Lyc. Nat. Hist. N. Y., iv, 397.

nitidulus Chaudoir. Coleop. Ind., 185. (C.C.)

pennsylvanicus Dejean. *Ibid.*, 182.

pleuriticus Kirby. *Ibid.*, 184.

spadiceus Dejean. Can. Ent., ii, 61.

vagans LeConte. Coleop. Ind., 182.

viduus LeConte. *Ibid.*, 186. (C.C.)

viridiæneus Beauvois. *Ibid.*, 181.

vulpeculus Say. *Ibid.*, 184.

Selenophorus Dejean.

gagatinus Dejean. Coleop. Ind., 187.

opalinus LeConte. *Ibid.*, 187.

pedicularis Dejean. *Ibid.*, 187.

Stenolophus Dejean.

- conjunctus Say. Coleop. Ind., 189.
 fuliginosus Dejean. *Ibid.*, 188.
 humilus Hamilton. Can. Ent., xxv, 306. (C.C.)
 ochropezus Say. Coleop. Ind., 188.
 plebius Dejean. *Ibid.*, 188.

Acupalpus Latreille.

- carus LeConte. Coleop. Ind., 190. (A.B.C.)
 hydropicus LeConte. *Ibid.*, 190. (A.B.C.)

Bradycellus Erichson.

- rupestris Say. Coleop. Ind., 192.

Tachycellus Morawitz.

- badiipennis Haldeman. Coleop. Ind., 193. (A.B.C.)
 kirbyi Horn. *Ibid.*, 193. (A.B.C.)
 nigrinus Dejean. *Ibid.*, 192. (A.B.C.)

Anisodactylis Dejean.

- baltimorensis Say. Coleop. Ind., 197.
 carbonarius Say. *Ibid.*, 195.
 discoideus Dejean. *Ibid.*, 197.
 harrisii LeConte. *Ibid.*, 196.
 interpunctatus Kirby. *Ibid.*, 196.
 interstitialis Say. *Ibid.*, 200.
 lugubris Dejean. *Ibid.*, 199.
 melanopus Haldeman. *Ibid.*, 197.
 nigerrimus Dejean. *Ibid.*, 196.
 nigrita Dejean. *Ibid.*, 197. (C.C.)
 nitidipennis LeConte. *Ibid.*, 199.
 rusticus Say. *Ibid.*, 194.
 sericeus Harris. *Ibid.*, 200.
 terminatus Say. *Ibid.*, 199.
 verticalis LeConte. *Ibid.*, 198.

Family OMOPHRONIDÆ.**Omophron** Latreille.

- americanum Dejean. Coleop. Ind., 40.
 labiatum Fabricius. *Ibid.*, 40. (K.F.C.)
 tessellatum Say. *Ibid.*, 41.

Family HALIPLIDÆ.

Haliplus Latreille.

- connexus** Matheson. Jour. N. Y. Ent. Soc., xx, 164. (K.F.C.)
cribrarius LeConte. *Ibid.*, xx, 170. (K.F.C.)
fasciatus Aubé. Coleop. Ind., 202. (C.C.)
leopardus Roberts. Jour. N. Y. Ent. Soc., xxi, 98. (K.F.C.)
ruficollis DeGeer. Coleop. Ind., 203. (C.C.)
triopsis Say. *punctatus*. *Ibid.*, 202.

Peltodytes Regimbart.*Cnemidotus* Illiger.

- duodecimpunctatus** Say. *12-punctatus*. Coleop. Ind., 204.
edentulus LeConte. *Ibid.*, 204. (K.F.C.)
muticus LeConte. *Ibid.*, 204. (K.F.C.)
shermani Roberts. Jour. N. Y. Ent. Soc., xxi, 116. (K.F.C.)

Family DYTISCIDÆ.

Hydrocanthus Say.

- iricolor** Say. Coleop. Ind., 208. (C.C.)

Laccophilus Leach.

- maculosus** Germar. Coleop. Ind., 209.
undatus Aubé. *Ibid.*, 210. (F.K.)

Desmopachria Babington.

- convexa** Aubé. Coleop. Ind., 212.

Bidessus Sharp.

- affinis** Say. Coleop. Ind., 213.
granarius Aubé. *Hydroporus*. Trans. Am. Ent. Soc., iv, 390.

Celina Aubé.

- angustata** Aubé. Coleop. Ind., 214.

Cœlambus Thomson.

- dispar** LeConte. *dissimilis*. Coleop. Ind., 215. (G.D.)
inæqualis Fabricius. *punctatus* Say. *Ibid.*, 215.

Deronectes Sharp.*

- catascopium** Say. Coleop. Ind., 216. (G.D.)

Hydroporus Clairville.*

- americanus** Aubé. Coleop. Ind., 220. (C.C.)
dimidiatus LeConte. *semirufus*. *Ibid.*, 219.

* See also appendix.

- niger Say. *modestus*. *Ibid.*, 220.
 pulcher LeConte. *Ibid.*, 218.
 signatus Mannerheim. Bull. Moscow, 1853, 161.
 solitarius Sharp. On Dytiscidæ, 443.
 stagnalis Gemminger and Harold. Coleop. Ind., 218.
 tenebrosus LeConte. *Ibid.*, 217.
 undulatus Say. *Ibid.*, 219. (C.C.)
 vitiosus Sharp. *blanchardi*. On Dytiscidæ, 443.

Ilybius Erichson.

- biguttulus Germar. Coleop. Ind., 222.
 confusus Aubé. *Ibid.*, 222. (A.B.C.)
 subæneus Erichson. *Ibid.*, 222. (K.F.C.)

Coptotomus Say.

- interrogatus Fabricius. Coleop. Ind., 223.

Copelatus Erichson.

- glyphicus Say. Coleop. Ind., 223.

Matus Aubé.

- bicarinatus Say. Coleop. Ind., 223.

Agabetes Crotch.

- acuctus Harris. Coleop. Ind., 224. (C.C.)

Agabus Leach.

- æruginosus Aubé. Species Gén., vi, 298. (C.C.)
 disintegratus Crotch. Coleop. Ind., 227.
 erythropterus Say. *Ibid.*, 226. (A.B.C.)
 gagates Aubé. *Ibid.*, 226.
 obtusatus Say. *Ibid.*, 226. (A.B.C.)
 punctatus Melsheimer. *Ibid.*, 226.
 reticulatus Aubé. *Ibid.*, 225. (K.F.C.)
 semipunctatus Kirby. *Ibid.*, 227.
 seriatus Say. *parallelus*. *Ibid.*, 226.
 stagninus Say. *Ibid.*, 226.

Rhantus Eschscholtz.

- binotatus Harris. Coleop. Ind., 228.
 bistriatus Bergstrasser. *Ibid.*, 228. (C.C.)

Colymbetes Clairville.

sculptilis Harris. Coleop. Ind., 229.

Dytiscus Linnæus.

fasciventris Say. Coleop. Ind., 231.

harrisii Kirby. *Ibid.*, 231.

hybridus Aubé. *Ibid.*, 231. (C.C.)

verticalis Say. *Ibid.*, 231.

Hydaticus Leach.

piceus LeConte. Coleop. Ind., 232.

stagnalis Fabricius. *Ibid.*, 232.

Acilius Leach.

fraternus Harris. Coleop. Ind., 234.

mediatus Say. *Ibid.*, 233.

semisulcatus Aubé. *Ibid.*, 233.

Thermonectes Eschscholtz.

ornaticollis Aubé. Coleop. Ind., 234. (C.C.)

Graphoderes Eschscholtz.

fasciatocollis Harris. *cinereus*. Coleop. Ind., 235.

liberus Say. *Ibid.*, 235. (C.C.)

Family GYRINIDÆ.**Gyrinus Linnæus.**

borealis Aubé. Coleop. Ind., 240.

limbatus Say. *Ibid.*, 239.

lugens LeConte. *Ibid.*, 240.

ventralis Kirby. *Ibid.*, 239.

sp.

Dineutes MacLeay.

assimilis Aubé. Coleop. Ind., 242.

discolor Aubé. *Ibid.*, 241.

emarginatus Say. *Ibid.*, 241. (H.L.J.)

hornii Roberts. *Ibid.*, 242.

nigrior Roberts. Trans. Am. Ent. Soc., xxii, 284.

vittatus Germar. Coleop. Ind., 241.

Family HYDROPHILIDÆ.

Hydræna Kugelan.

pennsylvanica Kiesenwetter. Coleop. Ind., 254. (C.C.)

Helophorus Fabricius.

lineatus Say. Coleop. Ind., 251.

Hydrochus Leach.

scabratus Mulsant. Coleop. Ind., 251.

subcupreus Randall. *Ibid.*, 252. (C. C.)

Berosus Leach.

infuscatus LeConte. Can. Ent., xxvii, 185. (C.C.)

peregrinus Herbst. Coleop. Ind., 258.

striatus Say. *Ibid.*, 259.

Hydrous Dahl.

ovalis Ziegler. Coleop. Ind., 255.

triangularis Say. *Ibid.*, 255.

Hydrophilus DeGeer.

obtusatus Say. Coleop. Ind., 257.

Tropisternus Solier.

glaber Herbst. Coleop. Ind., 256. (K.F.C.)

mixtus LeConte. *Hydrophilus*. *Ibid.*, 256.

nimbatus Say. *Ibid.*, 256.

Hydrobius Leach.*

fuscipes Linnæus. Coleop. Ind., 262.

globosus Say. *Ibid.*, 263.

Paracymus Thomson.**Creniphilus** Motschulsky.

despectus LeConte. Coleop. Ind., 264.

digestus LeConte. Trans. Am. Ent. Soc., xvii, 274.

infuscatus Motschulsky. Coleop. Ind., 264.

subcupreus Say. *Ibid.*, 264.

Enochrus Thomson.**Philhydrus** Solier.

cinctus Say. Coleop. Ind., 261.

hamiltoni Horn. *Ibid.*, 260.

ochraceus Melsheimer. *Ibid.*, 260.

perplexus LeConte. *Ibid.*, 261.

reflexipennis Zimmerman. *angustulus* Casey. Trans. Am. Ent. Soc., xvii., 250.

* See also appendix.

Laccobius Erichson.

agilis Randall. Coleop. Ind., 259.

Cymbiodyta Bedel.

fimbriata Melsheimer. Trans. Am. Ent. Soc., xvii., 258: Coleop. Ind., 262.

lacustris LeConte. Coleop. Ind., 262.

Chætarthria Stephens.

atra LeConte. Proc. Acad. Nat. Sci. Phila., vi, 24.

Cercyon Leach.

analis Paykull. Coleop. Ind., 269.

depressus Stephens. Trans. Am. Ent. Soc., vii, 293. (C.C.)

hæmorrhoidalis Fabricius. Coleop. Ind., 267.

indistinctus Horn. *Ibid.*, 267.

lateralis Marsham. Trans. Am. Ent. Soc., xvii, 297.

littoralis Gyllenhal. *Ibid.*, 291.

navicularis Zimmerman. Coleop. Ind., 269. (C.C.)

ocellatus Say. *Ibid.*, 269. (C.C.)

prætextatus Say. *Ibid.*, 268.

pygmæus Illiger. *Ibid.*, 268.

unpunctatus Linnæus. *Ibid.*, 268.

Sphæridium Fabricius.

bipustulatus Fabricius. Jour. N. Y. Ent. Soc., xx, 69.

scarabæoides Linnæus. Coleop. Ind., 265.

Cryptopleurum Mulsant.

minutum Fabricius. Coleop. Ind., 270.

Family SILPHIDÆ.

Necrophorus Fabricius.

americanus Olivier. Coleop. Ind., 274.

marginatus Fabricius. *Ibid.*, 275.

orbicollis Say. *Ibid.*, 275.

pustulatus Herschel. *Ibid.*, 275.

sayi Laporte. *Ibid.*, 274.

tomentosus Weber. *Ibid.*, 274.

vespilloides Herbst. Trans. Am. Ent. Soc., viii, 234.

Silpha Linnæus.*americana* Linnæus. Coleop. Ind., 277.*inæqualis* Fabricius. *Ibid.*, 276.*noveboracensis* Fœrster. *Ibid.*, 277.*surinamensis* Herbst. *Ibid.*, 276.**Choleva** Latreille.*clavicornis* LeConte. Coleop. Ind., 280.*terminans* LeConte. *Ibid.*, 280. (C.C.)**Prionochæta** Horn.*opaca* Say. Coleop. Ind., 280.**Ptomophagus** Illiger.*consobrinus* LeConte. Coleop. Ind., 281. (C.C.)*parasitus* LeConte. *Ibid.*, 282.*pusio* LeConte. *Ibid.*, 282. (C.C.)**Colon** Herbst.*bidentatum* Sahlberg. Trans. Am. Ent. Soc., viii, 269. (C.C.)**Anisõtoma** Illiger.*alternata* Melsheimer. Trans. Am. Ent. Soc., viii, 285.**Leiodes** Latreille.*discolor* Melsheimer. Coleop. Ind., 287. (C.C.)*globosa* LeConte. *Ibid.*, 287. (C.C.)**Agathidium** Illiger.*exiguum* Melsheimer. Coleop. Ind., 290.*oniscoides* Beauvois. *Ibid.*, 290.

Family SCYDMÆNIDÆ.

Euconnus Thomson.*bicolor* LeConte. Ann. N. Y. Acad. Sci., ix, 370.*salinator* LeConte. Coleop. Ind., 295. (C.C.)**Connophron** Casey.*fossiger* LeConte. Coleop. Ind., 298. (C.C.)*hirtellus* LeConte. Ann. N. Y. Acad. Sci., ix, 429.*lacunosum* Casey. *Ibid.*, ix, 459. (C.C.)*oreophilum* Casey. *Ibid.*, ix, 405.

sp.

Scydmaenus Latreille.*perforatus* Schaum. Coleop. Ind., 301. (C.C.)

Family CORYLOPHIDÆ.

Sericoderus Stephens.

flavidus LeConte. Coleop. Ind., 504.

Molamba Casey.

fasciata Say. *Sacium*. Coleop. Ind., 505. (C.C.)

lunata LeConte. *Sacium*. *Ibid.*, 505. (C.C.)

Rhyphobius LeConte.

marinus LeConte. Jour. N. Y. Ent. Soc., viii, 65. (C.W.L.)

Family STAPHYLINIDÆ.

Thoracophorus Motschulsky.*Glyptoma* Erichson.

costale Erichson. Coleop. Ind., 484.

Triga Fauvel.

picipennis LeConte. Coleop. Ind., 484.

Olisthærus Heer.

nitidus LeConte. Trans. Am. Ent. Soc., v, 50.

Anthobium Leach.

convexum Fauvel. Coleop. Ind., 481.

Olophrum Erichson.

obtectum Erichson. Coleop. Ind., 479.

Oxytelus Gravenhorst.

insignitus Gravenhorst. Coleop. Ind., 468.

sculptus Gravenhorst. *Ibid.*, 468.

Homalium Gravenhorst.

rivulare Paykull. Coleop. Neerland., i, 359.

Platystethus Mannerheim.

americanus Erichson. Coleop. Ind., 467.

Bledius Leach.

pallipennis Say. *mandibularis*. Coleop. Ind., 464.

Stenus Latreille.

colonus Erichson. Coleop. Ind., 408.

ingratus Casey. *Ibid.*, 406.

morio Gravenhorst. *subgriseus* Casey. *Ibid.*, 411.

stygius Say. Coleop. Ind., 409.

Areus Casey.

- annularis* Erichson. *Stenus*. Coleop. Ind., 413.
arculus Erichson. *Stenus*. *Ibid.*, 414.
cribratum LeConte. Smith Misc. Coll., 1865, 46.
flavicornis Erichson. *Stenus*. Coleop. Ind., 413.

Hesperobium Casey.

- pallipes* Gravenhorst. *flavicorne*. Can. Ent., xvii, 180.

Lathrotaxis Casey.

- longiusculum* Gravenhorst. *Lathrobium*. Coleop. Ind., 427.

Gasterolobium Casey.

- bicolor* Gravenhorst. *Cryptobium*. Coleop. Ind., 418.

Pæderus Gravenhorst.

- littorarius* Gravenhorst. Coleop. Ind., 437.

Lathrobium Gravenhorst.

- simile* LeConte. Coleop. Ind., 424.
simplex LeConte. *Ibid.*, 423.

Trachysectus Casey.

- confluentus* Say. *Lithocharis*. Coleop. Ind., 431.

Astenus Stephens.*Sunius* Erichson.

- discopunctatus* Say. *longiusculus*. Coleop. Ind., 439.

Gyrophypnus Mannerheim.*Xantholinus* Serville.

- emmesus* Gravenhorst. Coleop. Ind., 396.
hamatus Say. *obscurus*. *Ibid.*, 396.
obsidianus Melsheimer. *Ibid.*, 395.
pusillus Sachse. *Ibid.*, 398.
sanguinipennis LeConte. Trans. Am. Ent. Soc., viii, 174.

Nudobius Thomson.

- cephalus* Say. *Xantholinus*. Coleop. Ind., 395.

Neobisnius Ganglbauer.

- pæderoides* LeConte. Coleop. Ind., 393.

Philonthus Curtis.

- blandus* Gravenhorst. Coleop. Ind., 387.
brunneus Gravenhorst. *Ibid.*, 386.
cyanipennis Fabricius. *Ibid.*, 387.

debilis Gravenhorst. *Ibid.*, 383.

fusiformis Melsheimer. *Ibid.*, 385.

lomatus Erichson. *Ibid.*, 386.

longicornis Stephens. *Ibid.*, 383.

microphthalmus Horn. *Ibid.*, 388.

politus Linnæus. *æneus* Rossi. Trans. Am. Ent. Soc., xi, 181.

schwarzi Horn. *Ibid.*, 385.

sp.

Ocypus Kirby.

ater Gravenhorst. Coleop. Ind., 379.

Staphylinus Linnæus.

badipes LeConte. Coleop. Ind., 376.

cinnamopterus Gravenhorst. *Ibid.*, 377.

fossator Gravenhorst. *Ibid.*, 377.

maculosus Gravenhorst. *Ibid.*, 377.

mysticus Erichson. *Ibid.*, 377.

prælongus Mannerheim. Trans. Am. Ent. Soc., vii, 197.

(A.B.C.)

violaceus Gravenhorst. Coleop. Ind., 378.

vulpinus Nordmann. *Ibid.*, 376.

Ortholestes Ganglbauer.

Listotrophus Perty.

capitatus Bland. Proc. Phila. Ent. Soc., iii, 65. (K.F.C.)

cingulatus Gravenhorst. Coleop. Ind., 374.

Creophilus Mannerheim.

villosus Gravenhorst. Coleop. Ind., 374.

Acylophorus Nordmann.

pronus Erichson. Coleop. Ind., 368.

Quedius Stephens.

vernix LeConte. Coleop. Ind., 373.

Oxyporus Fabricius.

lateralis Gravenhorst. Coleop. Ind., 461.

major Gravenhorst. *Ibid.*, 459. (A.B.C.) (H.B.K.)

vittatus Gravenhorst. *Ibid.*, 460.

Habrocerus Erichson.

schwarzii Horn. Coleop. Ind., 457.

Tachinus Gravenhorst.

- fimbriatus* Gravenhorst. Coleop. Ind., 446.
fumipennis Say. Trans. Am. Ent. Soc., vi, 100.
limbatus Melsheimer. Coleop. Ind., 446.

Tachyporus Gravenhorst.

- chrysomelinus* Linnæus. Coleop. Ind., 448.
jocosus Say. *Ibid.*, 448.
maculipennis LeConte. *Ibid.*, 447.

Erchomus Motschulsky.

- ventriculus* Say. Coleop. Ind., 449.

Conosoma Kraatz.

- basale* Erichson. Coleop. Ind., 451.
crassum Gravenhorst. *Ibid.*, 450.
pubescens Paykull. *Ibid.*, 451.

Boletobius Stephens.

- cincticollis* Say. Coleop. Ind., 453.
cinctus Gravenhorst. *Ibid.*, 454.
intrusus Horn. *Ibid.*, 454.
niger Gravenhorst. *Ibid.*, 452.
trinotatus Erichson. *Ibid.*, 454.

Bryoporus Kraatz.

- rufescens* LeConte. Coleop. Ind., 457.

Hoplandria Kraatz.

- brittoni* Casey. Mem. Coleop., ii, 161.

Meronea Sharp.

- venustula* Erichson. Coleop. Ind., 349.

Atheta Thomson.

- irvingi* Casey. Mem. Coleop., i, 5.
vierecki Casey. *Ibid.*, ii, 103. (H.L.V.)

Datomicra Casey.

- mina* Casey. Mem. Coleop., ii, 145. (H.L.V.)

Sableta Casey.

- brittoni* Casey. Mem. Coleop., ii, 145. (W.E.B.)

Strigota Casey.

- recta* Casey. Mem. Coleop., ii, 165. (H.L.V.)

Falagria Mannerheim.

dissecta Erichson. Coleop. Ind., 347.

Gyrophæna Mannerheim.

dissimilis Erichson. Coleop. Ind., 341.

lobata Casey. *Ibid.*, 341.

Xenodusa Wasmann.

cava LeConte. *Lomechusa*. Coleop. Ind., 359.

cava var. *major* Wasmann. Deutsche Ent. Zeit., 1899, 410.
(C.W.L.)

Aleochara Gravenhorst.

bimaculata Gravenhorst. Coleop. Ind., 365.

lata Gravenhorst. *Ibid.*, 364.

marion Gravenhorst. Ent. News., xix, 64.

Homœusa Kraatz.

crinitula Casey. Jour. N. Y. Ent. Soc., xviii, 54.

Haploglossa Kraatz.

sp.

Family PSELAPHIDÆ.

Batrisodes Reitter.

fossicauda Casey. Ann. N. Y. Acad. Sci., ix, 575. (C.C.)

globosus LeConte. Coleop. Ind., 326.

harringtoni Casey. Ann. N. Y. Acad. Sci., ix, 578. (C.C.)

nigricans LeConte. Coleop. Ind., 328. (C.C.)

Nisaxis Casey.

tomentosa Aubé. Coleop. Ind., 317.

Brachygluta Thomson.*Bryaxis* Aubé

abdominalis Aubé. Coleop. Ind., 318. (A.B.C.)

terbrata Casey. *perforata*. *Ibid.*, 318. (C.C.)

Reichenbachia Leach.

puncticollis LeConte. Coleop. Ind., 322. (C.C.)

rubicunda Aubé. *Ibid.*, 321.

Decarthron Brendel.

abnorme LeConte. Coleop. Ind., 317. (C.C.)

longulum LeConte. *Ibid.*, 316. (C.C.)

stigmatosum Brendel. Proc. Phila. Ent. Soc., vi, 35.

Pselaphus Herbst.**bellax** Casey. Coleop. Ind., 314. (A.B.C.)**Tyrus** Aubé.**humeralis** Aubé. Coleop. Ind., 313.**Pilopius** Casey.*Ctenistes* Reichenbach.**lacustris** Casey. *piceus* LeConte. Coleop. Ind., 311. (C.C.)**Ceophyllus** LeConte.**monilis** LeConte. Coleop. Ind., 309. (C.W.L.)

Family CLAVIGERIDÆ.

Adranes LeConte.**lecontei** Brendel. Coleop. Ind., 307. (C.C.)

Family PTILIDÆ.

Trichopteryx Kirby.**haldemani** LeConte. Coleop. Ind., 489. (C.W.L.)

Family SCAPHIDIIDÆ.

Scaphidium Olivier.**quadriguttatum** Say. Coleop. Ind., 492. (C.C.)**quadriguttatum** var. *piceum* Melsheimer. *Ibid.*, 492.**Bæocera** Erichson.

sp.

Scaphisoma Leach.**convexa** Say. Coleop. Ind., 496. (C.C.)**suturalis** LeConte. *Ibid.*, 496. (C.C.)

Family HISTERIDÆ.

Hololepta Paykull.**fossularis** Say. Coleop. Ind., 601.

Hister Linnæus.

- abbreviatus Fabricius. Coleop. Ind., 607.
 americanus Paykull. *Ibid.*, 609.
 arcuatus Say. Compl. Writ., ii, 262. (C.C.)
 bimaculatus Linnæus. Coleop. Ind., 609.
 biplagiatus LeConte. *Ibid.*, 603.
 cognatus LeConte. *Ibid.*, 604.
 depurator Say. *Ibid.*, 607.
 egregius Casey. Mem. Coleop., vii, 288.
 fœdatus LeConte. Coleop. Ind., 606.
 furtivus LeConte. *Ibid.*, 608.
 immunis Erichson. *Ibid.*, 605.
 interruptus Beauvois. *Ibid.*, 605.
 lecontei Latreille. *Ibid.*, 612.
 merdarius Hoffman. *Ibid.*, 612.
 parallelus Say. *Ibid.*, 612.
 perplexus LeConte. *Ibid.*, 609. (C.C.)
 sedecimstriatus Say. *Ibid.*, 609.
 stygicus LeConte. *Ibid.*, 606.

Phelister Marseul.

- subrotundus Say. *Hister*. Coleop. Ind., 611.

Gnathoncus Duval.

- communis Marseul. *rotundatus*. Coleop. Ind., 619.

Psiloscelis Marseul.

- harrisii LeConte. *planipes*. Mem. Coleop., vii, 204. (C.C.)
 per punctatus LeConte. Trans. Am. Ent. Soc., viii, 190.

Platysoma Leach.

- carolinus Paykull. Coleop. Ind., 612.
 coartatus LeConte. *Ibid.*, 613. (A.B.C.) (H.B.K.)

Hetærius Erichson.

- blanchardi LeConte. Proc. Am. Phil. Soc., xvii, 609. (C.C.)
 brunneipennis Randall. Coleop. Ind., 615.

Dendrophilus Leach.

- punctulatus Say. Coleop. Ind., 615.

Paromalus Erichson.

- bistriatus Erichson. Coleop. Ind., 616.

Saprinus Erichson.

- assimilis* Paykull. Coleop. Ind., 620.
conformis LeConte. *Ibid.*, 620.
dimidiatipennis LeConte. *Ibid.*, 608.
fraternus Say. *Ibid.*, 623. (K.F.C.)
neglectus Marseul. Trans. Am. Phil. Soc., xiii, 335. (C.C.)
oregonensis LeConte var. *distinguendis* Marseul. Mon. Hister.,
 441.
patruelis LeConte. Coleop. Ind., 624.
pennsylvanicus Paykull. Coleop. Ind., 620.
posthumus Marseul. *Ibid.*, 619.

Plegaderus Erichson.

- transversus* Say. Coleop. Ind., 625. (C.C.)

Acritus LeConte.

- politus* LeConte. Coleop. Ind., 627. (C.C.)

Family LYCIDÆ.

Lycostomus Motschulsky.

- lateralis* Melsheimer. Coleop. Ind., 810.

Calopteron Guérin-Ménéville.

- reticulatum* Fabricius. Coleop. Ind., 811.
terminale Say. *Ibid.*, 810.

Cæniella Cockerell.*Cænia* Newman.

- dimidiata* Fabricius. Coleop. Ind., 811.

Celetes Newman.

- basalis* LeConte. Coleop. Ind., 811.

Lopheros LeConte.

- fraternus* Randall. Coleop. Ind., 811.

Eros Newman.

- aurora* Herbst. Coleop. Ind., 812.
trilineatus Melsheimer. *Ibid.*, 813.

Plateros Bourgeois.

- canaliculatus* Say. Coleop. Ind., 815.
modestus Say. *Ibid.*, 814.

Family LAMPYRIDÆ.

Lucidota Laporte.

- atra** Fabricius. *Coleop. Ind.*, 817.
corrusca Linnæus. *Ellychnia. Ibid.*, 818.
decipiens Harris. *Pyropyga. Ibid.*, 819.
fenestralis Melsheimer. *Pyropyga. Ibid.*, 819.
nigricans Say. *Ibid.*, 819.

Lecontea Olivier.

- augulata** Say. *Pyractonema. Coleop. Ind.*, 820.
lucifera Melsheimer. *Pyractonema. Coleop. Ind.*, 821.

Photinus Laporte.*

- scintillans** Say. *Coleop. Ind.*, 823. (H.L.J.)

Photuris LeConte.

- pennsylvanica** DeGeer. Common firefly. *Coleop. Ind.*, 823.

Family TELEPHORIDÆ.

Omethes LeConte.

- marginatus** LeConte. *Coleop. Ind.*, 825. (C.C.)

Chauliognathus Hentz.

- pennsylvanicus** DeGeer. Soldier beetle. *Coleop. Ind.*, 827.

Podabrus Fischer.

- basillaris** Say. *Coleop. Ind.*, 830.
frater LeConte. *Ibid.*, 830.
modestus Say. *Ibid.*, 830.
modestus var. **flavicollis** LeConte. *Ibid.*, 831.
protensus LeConte. *Ibid.*, 831. (C.C.)
rugulosus LeConte. *Ibid.*, 830.
tricostatus Say. *Ibid.*, 829.

Telephorus Schæffer.

- bilineatus** Say. *Coleop. Ind.*, 835.
carolinus Fabricius. *Ibid.*, 833.
collaris LeConte. *Proc. Acad. Nat. Sci., Phila.*, v. 540.
dentiger LeConte. *Coleop. Ind.*, 833.
excavatus LeConte. *Ibid.*, 833.
fraxini Say. *Compl. Writ.*, ii, 118.

* See also appendix.

- lineola* Fabricius. Coleop. Ind., 834.
nigritulus? LeConte. Trans. Am. Ent. Soc., ix, 52.
rectus Walsh. Coleop. Ind., 834.
rotundicollis Say. *Ibid.*, 835.
scitulus Say. *Ibid.*, 834.
tuberculatus LeConte. *Ibid.*, 835.

Polemius LeConte.

- laticornis* Say. Coleop. Ind., 836.

Ditemnus LeConte.

- bidentatus* Say. Coleop. Ind., 837.

Trypherus LeConte.

- latipennis* Germar. Coleop. Ind., 838.

Malthodes Kiesënwetter.

- concauus* LeConte. Coleop. Ind., 839.

Family PHENGODIDÆ.

Phengodes Illiger.

sp.

Family MELYRIDÆ (MALACHIDÆ).

Collops Erichson.

- nigriceps* Say. *eximius*. Trans. Am. Ent. Soc., iii, 80.
quadrimaculatus Fabricius. Coleop. Ind., 841.
tricolor Say. *Ibid.*, 841.
vittatus Say. Trans. Am. Ent. Soc., iii, 81.

Malachus Fabricius.

- æneus* Linnæus. Trans. Am. Ent. Soc., iv, 113.

Anthocomus Erichson.

- erichsoni* LeConte. Coleop. Ind., 842. (C.C.)

Pseudebæus Horn.

- oblitus* LeConte. Coleop. Ind., 842.

Attalus Erichson.

- morulus* LeConte. Coleop. Ind., 844.
otiosus Say. *Ibid.*, 845. (C.C.)
pallifrons Motschulsky. *Ibid.*, 844. (C.C.)
scincetus Say. *Ibid.*, 846.
terminalis Erichson. *Ibid.*, 844.

Family CLERIDÆ.

Monophylla Spinola.

terminatus Say. *Elasmocerus*. Coleop. Ind., 849. (E.P.F.)

Cymatodera Gray.

bicolor Say. Coleop. Ind., 850. (D.J.C.)

inornata Say. *Ibid.*, 850.

Thanasimus Latreille.

dubius Say. Coleop. Ind., 854.

Enoclerus Gahan.

analis LeConte. Coleop. Ind., 853. (F.K.)

nigrifrons Say. *Ibid.*, 853.

quadriguttatus Olivier. *nigripes*. *Ibid.*, 853.

rosmarus Say. *Ibid.*, 854.

Phlœopterus Wolcott.

thoracicus Olivier. *Enoclerus*. Coleop. Ind., 854.

Trichodes Herbst.

nuttalli Kirby. Coleop. Ind., 852.

Hydnocera Newman.

humeralis Say. Coleop. Ind., 856.

humeralis var. *difficilis* LeConte. *Ibid.*, 856.

pallipennis Say. *Ibid.*, 856.

tabida LeConte. *Ibid.*, 857. (A.B.C.)

unifasciata Say. *Ibid.*, 855.

verticalis Say. *Ibid.*, 857.

Zenodosus Wolcott.

sanguineus Say. Coleop. Ind., 855.

Phyllobænus Spinola.

dislocatus Say. Coleop. Ind., 858. (A.B.C.)

Neichnea Wolcott and Chapin.

laticornis Say. *Ichnea*. *Ellipotoma*. Coleop. Ind., 859.

Chariessa Perty.

pilosa Fœrster. Coleop. Ind., 859.

Corinthiscus Fairmaire.*Pelonium* Spinola.

leucophæum Klug. *Cregya vestusta* Spinola. Coleop. Ind., 860.

Necrobia Latreille.

ruficollis Fabricius. Coleop. Ind., 861.

rufipes DeGeer. *Ibid.*, 861.

violacea Linnæus. *Ibid.*, 862.

Family LYMEXYLIDÆ.

Hylecœtus Latreille.*lugubris* Say. Coleop. Ind., 894. (A.B.C.)**Melittomma** Murray.*sericeum* Harris. *Lymexylon*. Chestnut timber beetle. Coleop. Ind., 895.

Family CEPHALOIDÆ.

Cephaloön Newman.*lepturides* Newman. Ann. N. Y. Acad. Sci., ix, 650.

Family ŒDEMERIDÆ.

Nacerdes Schmidt.*melanura* Linnæus. Coleop. Ind., 1306.**Asclera** Schmidt.*ruficollis* Say. Coleop. Ind., 1307.

Family MORDELLIDÆ.

Anaspis Geoffroy.*flavipennis* Haldeman. Coleop. Ind., 1310.*rufa* Say. *Ibid.*, 1310.**Tomoxia** Costa.*bidentata* Say. Coleop. Ind., 1311.**Mordella** Linnæus.*marginata* Melsheimer. Coleop. Ind., 1313.*melæna* Germar. *Ibid.*, 1312.*oculata* Say. *Ibid.*, 1314.*scutellaris* Fabricius. *Ibid.*, 1313.*triloba* Say. *Ibid.*, 1314. (F.K.)**Glipodes** LeConte.*helva* LeConte. Proc. Acad. Nat. Sci., Phila., xiv, 48.**Mordellistena** Costa.*aspersa* Melsheimer. Coleop. Ind., 1319.*comata* LeConte. *Ibid.*, 1319.*comata* var. *cervicalis* LeConte. *Ibid.*, 1319.*grammica* LeConte var. *varians* LeConte. *Ibid.*, 1321. (F.K.)*pubescens* Fabricius. *Ibid.*, 1335.

Family RHIPIPHORIDÆ.

Rhipiphorus Bosc d'Antic.

fasciatus Say. *Myodites. walshii*. Coleop. Ind., 1367.

Macrosiagon. Hentz.

flavipennis LeConte. *Rhipiphorus*. Coleop. Ind., 1366.

limbatum Fabricius. *Ibid.*, 1367.

Family MELOIDÆ (or CANTHARIDÆ.)

Epicauta Redtenbacher.

cinerea Fœrster. Coleop. Ind, 1362.

cinerea var. **marginata** Fabricius. *Ibid.*, 1362.

pennsylvanica DeGeer. *Ibid.*, 1362.

vittata Fabricius. *Ibid.*, 1361.

Macrobasis LeConte.

unicolor Kirby. Coleop. Ind., 1359.

Pomphopæa LeConte.

ænea Say. Coleop. Ind., 1364.

sayi LeConte. *Ibid.*, 1364.

unguicularis LeConte. *Ibid.*, 1364.

Meloe Linnæus.

angusticollis Say. Coleop. Ind., 1353.

Zonitis Fabricius.

bilineata Say. Coleop. Ind., 1356.

Tricrania LeConte.

sanguinipennis Say. Coleop. Ind., 1354.

Family PYTHIDÆ.

Pytho Latreille.

niger Kirby. Trans. Am. Ent. Soc., xv, 46.

planus Herbst. *americanus* Kirby. Ins. Aff. Park and Woodl.
Trees, 368: Trans. Am. Ent. Soc., xv, 46.

Rhinosimus Latreille.

viridiæneus Randall. Coleop. Ind., 1304.

Family PYROCHROIDÆ.

Pyrochroa Geoffroy.

femorialis LeConte. Coleop. Ind., 1348.

flabellata Fabricius. *Ibid.*, 1348.**Schizotus** Newman.

cervicalis Newman. Coleop. Ind., 1349.

Dendroides Latreille.bicolor Newman. *canadensis*. Coleop. Ind., 1349. (G.D.)concolor Newman. *Ibid.*, 1349.

Family PEDILIDÆ.

Pedilus Fischer.*Corphyra* Say.

collaris Say. Coleop. Ind., 1331.

elegans Hentz. *Ibid.*, 1330.lugubris Say. *Ibid.*, 1331.**Macratia** Newman.

confusa LeConte. Coleop. Ind., 1332.

Family ANTHICIDÆ.

Notoxus Geoffroy.

anchora Hentz. Coleop. Ind., 1335.

bifasciatus LeConte. *Ibid.*, 1335.mondon Fabricius. *Ibid.*, 1336.**Malporus** Casey.

formicarius Laferté. Coleop. Ind., 1338. (A.B.C.) (H.B.K.)

Thicanus Casey.rejectus LeConte. Ann. N. Y. Acad. Sci., viii, 671. (A.B.C.)
(H.B.K.)**Lappus** Casey.sturni Laferté. *elegans*. Ann. N. Y. Acad. Sci., viii, 657.
(G.D.)**Hemantus** Casey.

floralis Linnæus. Ann. N. Y. Acad. Sci., viii, 683.

Anthicus Paykull.

cervinus Laferté. Coleop. Ind., 1341.

Sapintus Casey.

pubescens LeConte. Ann. N. Y. Acad. Sci., viii, 733.

Family ELATERIDÆ.

Tharops Castner.

ruficornis Say. Coleop. Ind., 703.

Adelocera Latreille.

discoidea Weber. Coleop. Ind., 715.

marmorata Fabricius. *Ibid.*, 714.

obtecta Say. *Ibid.*, 715.

Alaus Eschscholtz.

oculatus Linnæus. Eyed elater or click-beetle. Coleop. Ind., 717.

Monocrepidius Eschscholtz.

auritus Herbst. Coleop. Ind., 728.

bella Say. *Ibid.*, 728.

vespertinus Fabricius. *Ibid.*, 728.

Campylus Fischer.

denticornis Kirby. Coleop. Ind., 759.

Limonius Eschscholtz.

basillaris Say. Coleop. Ind., 758. (C.C.)

confusus LeConte. *Ibid.*, 758.

ectypus Say. *agonus*. *Ibid.*, 756.

griseus Beauvois. *Ibid.*, 757.

nimbatus Say. Ann. Lyc. Nat. Hist. N. Y., i, 255. (C.C.)

plebejus Say. Coleop. Ind., 758.

quercinus Say. *Ibid.*, 758.

stigma Herbst. Kafer, x, 286. (A.B.C.)

Leptoschema Horn.

discalceatum Say. Coleop. Ind., 761.

Athous Eschscholtz.

acanthus Say. Coleop. Ind., 760. (C.C.)

brightwelli Kirby. *Ibid.*, 759.

cucullatus Say. *Ibid.*, 870.

Ludius Eschscholtz.**Corymbites** Latreille.

æripennis Kirby. Trans. Am. Phil. Soc., x, 439.

æthiops Herbst. Coleop. Ind., 766.

cylindriformis Herbst. *Ibid.*, 765.

hieroglyphicus Say. *Ibid.*, 766.

inflatus Say. *Ibid.*, 767.

- nigricornis Panzer. *metallicus*. Faun. Germ., lxi, 5.
 pyrrhos Herbst. Coleop. Ind., 767.
 splendens Ziegler. *Ibid.*, 768.
 sulcicollis Say. *Ibid.*, 768. (C.C.)
 tarsalis Melsheimer. *Ibid.*, 765.
 tessellatus Linnæus. Syst. Nat., (Ed. 10) 406.
 triundulatus Randall. Trans. Am. Phil. Soc., x, 477.

Hemicrepidius Germar.

Asaphes Kirby.

- bilobatus Say. Coleop. Ind., 770.
 decoloratus Say. *Ibid.*, 770.
 memnonius Herbst. *Ibid.*, 770.

Cryptohypnus Eschscholtz

- abbreviatus Say. Coleop. Ind., 722.

Melanactes LeConte.

- morio Fabricius. Coleop. Ind., 772. (G.D.)
 piceus DeGeer. *Ibid.*, 771.

Æstodes LeConte.

- tenuicollis Randall. Trans. Am. Phil. Soc., x, 424.

Parallelosthetus Schwarz.

- attenuatus Say. *Ludius*. Coleop. Ind., 736.

Trichopherus Mulsant and Godart.

- abruptus Say. *Ludius*. Coleop. Ind., 737.

Agriotes Eschscholtz.

- oblongicollis Melsheimer. Coleop. Ind., 741.

Oxygonus LeConte.

- obesus Say. Coleop. Ind., 769.

Dolopius Eschscholtz.

- lateralis Eschscholtz. *Sericosomus*. Coleop. Ind., 742.

Sericus Eschscholtz.

- silaceus Say. *Sericosomus*. Coleop. Ind., 763. (C.C.)
 viridanus Say. *Sericosomus*. Compl. writ., ii, 603.

Glyphonyx Candeze.

- recticollis Say. Coleop. Ind., 743.
 testaceus Melsheimer. *Ibid.*, 743.

Æolus Eschscholtz.

- dorsalis Say. *Drasterius elegans*. Coleop. Ind., 735.

Elater Linnæus.

- areolatus Say. *obliquus*. Coleop. Ind., 734.
 collaris Say. *Ibid.*, 734.
 linteus Say. *Ibid.*, 732.
 manipularis Candeze. *Ibid.*, 732.
 militaris Harris. Trans. Am. Ent. Soc., xii, 10. (A.B.C.)
 mixtus Herbst. Trans. Am. Phil. Soc., x, 469.
 mixtus var. *fuscus* LeConte. *Ibid.*, 468.
 nigricans Germar. *Ibid.*, 468.
 nigricollis Herbst. Coleop. Ind., 732.
 nigrinus Paykull. Trans. Am. Ent. Soc., xii, 10. (F.K.)
 pullus Germar. *Ibid.*, xii, 10.
 rubricollis Herbst. Coleop. Ind., 733.
 rubricus Say. *Ibid.*, 733.
 sanguinipennis Say. *Ibid.*, 734.
 semicinctus Randall. Trans. Am. Phil. Soc., x, 465. (A.B.C.)
 vitiosus LeConte. *Ibid.*, 465.

Megapenthes Kiesenwetter.

- limbalis Herbst. Coleop. Ind., 736.

Melanotus Eschscholtz.*

- americanus Herbst. Coleop. Ind., 747.
 communis Gyllenhal. *Ibid.*, 750.
 cribulosus LeConte. Trans. Am. Phil. Soc., ser. 2, x, 479.
 decumanus Erichson. Coleop. Ind., 749.
 dubius LeConte. Trans. Am. Phil. Soc., Ser. 2, x, 479.
 exuberans LeConte. *Ibid.*, Ser. 2, x, 479.
 fissilis Say. Coleop. Ind., 750.
 insipiens Say. Compl. Writ., ii, 622.
 parumpunctatus Melsheimer. Coleop. Ind., 754
 pertinax Say. *Ibid.*, 755.
 sagittarius LeConte. *Ibid.*, 751.
 tenax Say. *Ibid.*, 755.
 trapezoideus LeConte. *Ibid.*, 752.
 verberans LeConte. *Ibid.*, 753.

Cardiophorus Eschscholtz.

- cardisce Say. Coleop. Ind., 720.
 convexus Say. *Ibid.*, 721.

* See also appendix.

gagates Erichson. *Ibid.*, 721.

robustus LeConte. *Ibid.*, 721.

sp.

Horistonotus Candeze.

curiatus Say. *Coleop. Ind.*, 721.

simplex Say. *Trans. Am. Ent. Soc.*, xii, 38.

Family MELASIDÆ.

(EUCNEMIDÆ.)

Melasis Olivier.

pecticornis Melsheimer. *Coleop. Ind.*, 703.

Isorhipis Lacordaire.

Tharops.

ruficornis Say. *Coleop. Ind.*, 703.

Deltometopus Bonvouloir.

amœnicornis Say. *Coleop. Ind.*, 704.

Entomophthalmus Bonvouloir.

rufiolus LeConte. *Coleop. Ind.*, 709.

Family THROSCIDÆ or TRIXAGIDÆ.

Throscus Latreille.

carinicollis Schæffer. *Trans. Am. Ent. Soc.*, xliii, 22.

chevrolati Bonvouloir. *Coleop. Ind.*, 776.

Family BUPRESTIDÆ.

Acmæodera Eschscholtz.

tubulus Fabricius. *culta*. *Coleop. Ind.*, 794.

Chalcophora Solier.

fortis LeConte. *Trans. Am. Phil. Soc.*, ii, 191.

liberta Germar. *Coleop. Ind.*, 780.

virginiensis Drury. *Ibid.*, 780.

Dicerca Eschscholtz.

americana Herbst. *Kafer*, ix, 107.

caudata LeConte. *Coleop. Ind.*, 781.

divaricata Say. *Ibid.*, 781.

lurida Fabricius. *Ibid.*, 782.

obscura Fabricius. *Ibid.*, 782.

prolongata LeConte. *Trans. Am. Phil. Soc.*, xii, 194.

pugionata Germar. *Coleop. Ind.*, 781.

punctulata Schonherr. Syn. Ins., 3, 123.

tenebrosa Kirby. Coleop. Can., 348.

Melanophila Eschscholtz.

acuminata DeGeer. *appendiculata. longipes.* Coleop. Ind., 786.

fulvoguttata Harris. Entomological Correspondence, 358.

Anthaxia Eschscholtz.

quercata Fabricius. *cyanella.* Coleop. Ind., 787. (F.K.)

viridifrons Laporte. *Ibid.*, 787.

Chrysobothris Eschscholtz.

azurea LeConte. Coleop. Ind., 791.

dentipes Germar. *Ibid.*, 788. (K.F.C.)

femorata Fabricius. Flat-headed apple borer. *Ibid.*, 789.

femorata var. *quadriimpressa.* Laporte and Gory. *iv-impressa.* Mon. Bupr., 2, 48.

floricola Gory. Coleop. Ind., 790.

harrisii Hentz. Jour. Acad. Nat. Sci. Phila., v, 373.

lesueuri Laporte and Gory. *misella.* Mon. Bupr., 2, 49.

pusilla Laporte and Gory. Coleop. Ind., 791.

scabripennis Laporte and Gory. Mon. Bupr., 2, 53. (K.F.C.)

sexsignata Say. Coleop. Ind., 791.

Actenodes Lacordaire.

acornis Say. Coleop. Ind., 792.

Eupristocerus Deyrolle.

cogitans Weber. Coleop. Ind., 796.

Agrilus Stephens.

acutipennis Mannerheim. Coleop. Ind., 800.

arcuatus Say. *Ibid.*, 799.

arcuatus var. *obliquus* LeConte. Trans. Am. Phil. Soc., ii, 243.

auricomus Frost. Can. Ent., xlv., 250. (A.B.C.)

bilineatus Weber. Coleop. Ind., 800.

cephalicus LeConte. Can., Ent., xlv., 249.

champlaini Frost. *Ibid.*, xlv., 245.

defectus LeConte. Trans. Am. Phil. Soc., ii, 234.

egenus Gory. Coleop. Ind., 804.

horni Kerremans. *blanchardi.* *Ibid.*, 801.

juglandis Knull. Ent. News, xxxi, 7.

lateralis Say. Coleop. Ind., 798.

masculus Horn. *Ibid.*, 799.

- obsoletoguttata Gory. *Ibid.*, 802.
 otiosus Say. *Ibid.*, 798.
 politus Say. *Ibid.*, 801.
 ruficollis Fabricius. *Ibid.*, 798.
 vittaticollis Randall. *Ibid.*, 800. (A.H.Me.)

Pachyscelus Solier.

- ovatus Say. *lævigatus*. Coleop. Ind., 807.
 purpureus Say. *Ibid.*, 807.

Brachys Solier.

- ærosa Melsheimer. Coleop. Ind., 806.
 æruginosa Gory. *Ibid.*, 806.
 ovata Weber. *Ibid.*, 806.

Taphrocerus Solier.

- gracilis Say. Coleop. Ind., 805.

Mastogenius Solier.

- subcyaneus LeConte. Coleop. Ind., 795.

Family PSEPHENIDÆ.

Psephenus Haldeman.

- lecontei LeConte. Coleop. Ind., 677.

Family DRYOPIDÆ.

Dryops Olivier.

- fastigiatus Say. Coleop. Ind., 679.
 lithophilus Germar. *Ibid.*, 678.
 productus LeConte. Trans. Am. Ent. Soc., iii, 32.

Family ELMIDÆ.

Macronychus Müller.

- glabratus Say. Coleop. Ind., 682.

Stenelmis Dufour.

- crenatus Say. Coleop. Ind., 681.

Elmis Latreille.

- elegans LeConte. Trans. Am. Ent. Soc., iii, 36.
 foveatus LeConte. *Ibid.*, v, 53.
 latusculus LeConte. *Ibid.*, iii, 37.
 quadrinotatus Say. Coleop. Ind., 679.
 sp.
 sp.

Family HETEROCERIDÆ.

Heterocerus Fabricius.**tristis** Mannerheim. Coleop. Ind., 685.**ventralis** Melsheimer. *Ibid.*, 684. (C.C.)

Family GEORYSSIDÆ

Georyssus Latreille.**pusillus** LeConte. Coleop. Ind., 675.

Family DASCILLIDÆ.

Eurypogon Motschulsky.**niger** Melsheimer. Coleop. Ind., 689.**Ptilodactyla** Latreille.**serricollis** Say. Coleop. Ind., 691.**Eucinetus** Germar.**terminalis** LeConte. Coleop. Ind., 692.**Ectopria** LeConte.**nervosa** Melsheimer. Coleop. Ind., 692. (C.C.)

Family HELODIDÆ (or CYPHONIDÆ.)

Helodes Latreille.**pulchella** Guérin-Ménéville. Coleop. Ind., 694. (C.C.)**thoracia** Guérin-Ménéville, *Ibid.*, 694.**Scirtes** Illiger.**orbiculatus** Fabricius. Coleop. Ind., 694.**tibialis** Guérin-Ménéville. *Ibid.*, 694. (F.K.)**Cyphon** Paykull.**collaris** Guérin-Ménéville. Coleop. Ind., 696. (C.C.)**obscurus** Guérin-Ménéville. *Ibid.*, 695.**ruficollis** Say. *Ibid.*, 695.**variabilis** Thunberg. *Ibid.*, 696.

Family BYTURIDÆ.

Byturus Latreille.**unicolor** Say. Raspberry fruit worm. Raspberry byturus
Coleop. Ind., 589.

Family DERMESTIDÆ.

Dermestes Linnæus.

- caninus* Germar. Coleop. Ind., 590.
lardarius Linnæus. Larder beetle. Ham beetle. Coleop. Ind., 591: Bur. Ent., Bull. 4 new ser. 107.
talpinus Mannerheim. Coleop. Ind., 591. (G.D.) (K.F.C.)
vulpinus Fabricius. *Ibid.*, 591.

Attagenus Latreille.

- pellio* Linnæus. Coleop. Can., 305. (C.C.)
piceus Olivier. Black carpet beetle. Coleop. Ind., 592: Bur. Ent., Bull. 4 new ser. 61.

Trogoderma Latreille.

- ornatum* Say. Coleop. Ind., 593. (C.C.)
tarsale Melsheimer. *Ibid.*, 593.

Cryptorophalum Guérin-Ménéville.

- triste* LeConte. Coleop. Ind., 594.

Anthrenus Geoffroy.

- scrophulariæ* Linnæus. Carpet Beetle. "Buffalo bug." Coleop. Ind., 595: Bur. Ent., Bull. 4 new ser. 59.
scrophulariæ var. *lepidus* LeConte. Jour. N. Y. Ent. Soc., viii, 160.
verbasci Linnæus. Coleop. Ind., 597.

Family BYRRHIDÆ.

Cytilus Erichson.

- alternatus* Say. *sericeus*. Coleop. Ind., 673.

Syncalypta Stephens.

- spinosa* Rossi. Mem. Coleop., iii, 17. (H. E. Smith.)

Percinolus Mulsant.

- undatus* Melsheimer. *murinus*. Coleop. Ind., 673.

Byrrhus Linnæus.

- americanus* LeConte. Coleop. Ind., 673.

Family OSTOMIDÆ.

(TROGOSITIDÆ.)

Nemosoma Latreille.

- parallelum* Melsheimer. Proc. Acad. Nat. Sci. Phila., ii, 108.

Tenebroides Piller and Mettacker.*americana* Kirby. Coleop. Ind., 665. (K.F.C.)*bimaculata* Melsheimer. *Ibid.*, 665. (C.S.)*corticalis* Melsheimer. *Ibid.*, 664.*mauritanica* Linnæus. *Ibid.*, 663.**Thymalus** Duftschmid.*fulgidus* Erichson. Coleop. Can., 733.

Family NOSODENDRONIDÆ.

Nosodendron Latreille.*unicolor* Say. Coleop. Ind., 672.

Family NITIDULIDÆ.

Brachypterus Erichson.*urticæ* Fabricius. Coleop. Ind., 630.**Cercus** Latreille.*abdominalis* Erichson. Coleop. Ind., 630.**Carpophilus** Stephens.*brachypterus* Say. Coleop. Ind., 633.*dimidiatus* Fabricius. *Ibid.*, 632.*hemipterus* Linnæus. *Ibid.*, 632.*niger* Say. *Ibid.*, 632.**Colopterus** Erichson.*Colastus*.*maculatus* Erichson. Trans. Am. Ent. Soc., vii, 282.*semitectus* Say. Coleop. Ind., 634.*trunctatus* Randall. *Ibid.*, 634.*unicolor* Say. *Ibid.*, 634.**Conotelus** Erichson.*obscurus* Erichson. Coleop. Ind., 635.**Epuræa** Erichson.*avara* Randall. Coleop. Ind., 638.*helvola* Erichson. *Ibid.*, 637.*labilis* Erichson. *Ibid.*, 640.

Nitidula Fabricius.

rufipes Linnæus. Coleop. Ind., 641.

ziczac Say. *Ibid.*, 641.

Stelidota Erichson.

geminata Say. Coleop. Ind., 641.

octomaculata Say. *Ibid.*, 641. (M.P.Z.)

Phenolia Erichson.

grossa Fabricius. Coleop. Ind., 642.

Osmosita Erichson.

colon Linnæus. Coleop. Ind., 643.

Lobiopa Erichson.

undulata Say. *Soronia*. Coleop. Ind., 643.

Oxycnemis Erichson.

histrina LeConte. *Psilopyga*. Coleop. Ind., 645. (A.B.C.)
(H.B.K.)

Meligethes Stephen.

æneus Fabricius. *brassica* Scopoli. Coleop. Ind., 644.

Pallodes Erichson.

silaceus Erichson. *pallidus*. Coleop. Ind., 646.

Cychramus Kugelan.

adustus Erichson. Coleop. Ind., 647. (C.C.)

Cryptarcha Shuckard.

ampla Erichson. Coleop. Ind., 648.

Glischrochilus Reitter.*Ips*.

confluentus Say. Coleop. Ind., 650.

quadriguttatus Fabricius. *fasciatus*. *Ibid.*, 649.

sanguinolentus Olivier. *Ibid.*, 649.

Family RHIZOPHAGIDÆ.

Rhizophagus Herbst.

approximatus LeConte? Trans. Am. Ent. Soc., vii, 330.

bipunctatus Say. Coleop. Ind., 651. (C.C.)

minutus Mannerheim. *Ibid.*, 651. (C.C.)

Family MONOTOMIDÆ.

Europs Wollaston.

pallipennis LeConte. Coleop. Ind., 669. (C.S.)

Bactridium LeConte.

hudsoni Casey. Mem. Coleop., vii, 99.

Family CUCUJIDÆ.

Silvanus Latreille.

bidentatus Fabricius. Coleop. Ind., 562.

imbellis LeConte. *Ibid.*, 563.

planatus Germar. Trans. Amt. Ent. Soc., xi 72. (F.K.)

Oryzæphilus Ganglbauer.

surinamensis Linnæus. Saw-toothed grain weevil. Coleop. Ind., 562; Bur. Ent., Bull iv. new ser. 121.

Catogenus Westwood.

rufus Fabricius. Coleop. Ind., 564.

Cucujus Fabricius.

clavipes Fabricius. Coleop. Ind., 565.

Læmophilæus Laporte.

adustus LeConte. Coleop. Ind., 567. (C.C.)

biguttatus Say. *Ibid.*, 567.

convexulus LeConte. *Ibid.*, 566.

fasciatus Melsheimer. *Ibid.*, 567.

pusillus Schonherr. Trans. Am. Ent. Soc., xi, 93.

testaceus Fabricius. Coleop. Ind., 567. (C.C.)

Lathropus Erichson.

vernalis LeConte. Coleop. Ind., 568. (C.C.)

Dendrophagus Schonherr.

glaber LeConte. Coleop. Ind., 566.

Brontes Fabricius.

debilis LeConte. Coleop. Ind., 568. (C.C.)

dubius Fabricius. *Ibid.*, 568. (G.D.)

Telephanus Erichson.

velox Haldeman. Coleop. Ind., 567.

Family EROTYLIDÆ.

Languria Latreille.*gracilis* Newman. Coleop. Ind., 543.*lecontei* Crotch. *Ibid.*, 543.*mozardi* Latreille. Clover stem borer. *Ibid.*, 542.*tædata* LeConte. Jour. N. Y. Ent. Soc., xii. 199. (H.B.K.)**Acropteroxys** Gorham.*lecontei* Crotch. Coleop. Ind., 543.**Megalodacne** Crotch.*fasciata* Fabricius. Coleop. Ind., 545.*heros* Say. *Ibid.*, 545.**Mycotretus** Lacordaire.**sanguinipennis* Say. Coleop. Ind., 546. (K.F.C.)**Tritoma** Fabricius.*angulata* Say. Coleop. Ind., 548.*biguttata* Say. *Ibid.*, 548.*flavicollis* LeConte. *Ibid.*, 549.*humeralis* Fabricius. *Ibid.*, 547.*thoracica* Say. *Ibid.*, 549.*unicolor* Say. *Ibid.*, 548.

Family DERODONTIDÆ.

Laricobius Rosenhauer.*erichsoni* Rosenhauer. *rubidus*. New Spec. N. A. Coleop., 99.

Family CRYPTOPHAGIDÆ.

Telmatophilus Heer.*americanus* LeConte. Coleop. Ind., 573.**Loberus** LeConte.*impressus* LeConte. Coleop. Ind., 573. (C.C.)**Tomarus** LeConte.*pulchellus* LeConte. Coleop. Ind., 574.**Antherophagus** Latreille.*ochraceus* Melsheimer. Coleop. Ind., 574.

* See also appendix.

Cryptophagus Herbst.

cellaris Scopoli. Coleop. Can., 295. (C.C.)

croceus Zimmerman. Coleop. Ind., 576.

nodangulus Zimmerman. *Ibid.*, 577.

Cænoscelis Thomson.

ferruginea Sahlberg. Coleop. Ind., 579.

Atomaria Stephens.

curtula Casey. Jour. N. Y. Ent. Soc., viii, 122.

ephippiata Zimmerman. Coleop. Ind., 581.

ovalis Casey. *Ibid.*, 581.

pusilla Paykull. *Ibid.*, 580. (C.W.L.)

Family MYCETOPHAGIDÆ.

Mycetophagus Hellwig.

bipustulatus Melsheimer. Coleop. Ind., 584. (C.C.)

flexuosus Say. *Ibid.*, 584.

melsheimeri LeConte. *Ibid.*, 584.

punctatus Say. *Ibid.*, 584.

Litargus Erichson.

didesmus Say. Coleop. Ind., 586.

tetraspilotus LeConte. *Ibid.*, 586. (A.B.C.)

Typhæa Stephens.

fumata Linnæus. Coleop. Ind., 587.

Family COLYDIIDÆ.

Synchita Hellwig.

fuliginosa Melsheimer. Coleop. Ind., 551.

Bitoma Herbst.

quadriguttata Say. Coleop. Ind., 552.

Colydium Fabricius.

lineola Say. Coleop. Ind., 555. (C.S.)

Cerylon Latreille.

castaneum Say. Coleop. Ind., 557.

sticticum Casey. Ann. N. Y. Acad. Sci., 1896, 336.

Philothermus Aubé.

glabriculus LeConte. Coleop. Ind., 557. (C.C.)

Family LATHRIDIIDÆ.

Lathridius Herbst.*liratus* LeConte. Coleop. Ind., 653.**Enicmus** Thomson.*minutus* Linnæus. *Lathridius*. Coleop. Ind., 655.**Cartodere** Thomson.*filiformis* Gyllenhal. Coleop. Ind., 656.*ruficollis* Marsham. *publicarius*. Trans. Am. Ent. Soc., xxvi,
137. (G.D.)**Corticaria** Marsham.*ferruginea* Marsham. *deleta*. Coleop. Ind., 658.*serrata* Paykull. *Ibid.*, 658.**Melanophthalma** Motschulsky*Corticaria*.*cavicollis* Mannerheim. Coleop. Ind., 661.*distinguenda* Comolli. *Ibid.*, 660.*picta* LeConte. *Ibid.*, 659. (C.C.)*pumila* LeConte. *Ibid.*, 660. (C.C.)

Family MYCETÆIDÆ.

Mycetæa Stephens.*hirta* Marsham. Trans. Am. Ent. Soc., iv, 362. (G.D.)

Family ENDOMYCHIDÆ.

Endomychus Panzer.*biguttatus* Say. Coleop. Ind., 537.**Lycoperdina** Latreille.*ferruginea* LeConte. Coleop. Ind., 538.**Aphorista** Gorham.*vittata* Fabricius. Coleop. Ind., 538.**Mycetina** Mulsant.*perpulchra* Newman. Coleop. Ind., 539. (C.C.)**Stenotarsus** Perty.*hispidus* Herbst. Coleop. Ind., 539. (C.C.)*testacea* Ziegler. *Mycetina*. Trans. Am. Ent. Soc., iv, 360.
(G.D.)

Family PHALACRIDÆ.

Acylomus Sharp.

ergoti Casey. Coleop. Ind., 500.

Olibrus Erichson.

consimilis Marsham. *Eustilbus apicalis*. Coleop. Ind., 500.
(C.C.)

pallipes Say. *Ibid.*, 499.

semistriatus LeConte. *Ibid.*, 499.

Phalacrus Paykull.

penicillatus Say. Compl. Writ., ii, 230.

politus Melsheimer. Coleop. Ind., 498.

pumilio LeConte. *Ibid.*, 499.

Family COCCINELLIDÆ.

Hyperaspis Redtenbacher.

fimbriolata Melsheimer. Coleop. Ind., 522.

signata Olivier var. *binotata* Say. *Ibid.*, 523: Conn. Agr.
Expt. Sta., Bull. 181, 8.

signata var. *proba* Say. Coleop. Ind., 523.

undulata Say. *Ibid.*, 522.

Brachyacantha Chevrolat.

ursina Fabricius. Coleop. Ind., 520: Conn. Agr. Expt. Sta.,
Bull. 181, 9.

Microweisia Cockerell.

misella LeConte. *Pentilia. Smilia.* Conn. Agr. Expt. Sta.,
Rept. 1902, 128, Bull. 181, 8: Coleop. Ind., 524.

Scymnus Kugelan.

americanus Mulsant. Coleop. Ind., 528.

brullei Mulsant. Trans. Am. Ent. Soc., xxii, 101.

collaris Melsheimer. Coleop. Ind., 530.

fraternus LeConte. *Ibid.*, 529.

puncticollis LeConte. *Ibid.*, 530.

tenebrosus Mulsant. *Ibid.*, 531.

Delphastus Casey.

pusillus LeConte. Coleop. Ind., 519: Conn. Agr. Expt. Sta.,
Bull. 181, 9.

Coccidula Kugelan.

lepida LeConte. Coleop. Ind., 533: Conn. Agr. Expt. Sta., Bull. 181, 6.

Psyllobora Chevrolat.

viginti-maculata Say. *20-maculata*. Twenty-spotted lady beetle. Coleop. Ind., 517: Conn. Agr. Expt. Sta., Bull. 181, 12.

Anisosticta Duponchel.

seriata Melsheimer. *Namia*. Jour. N. Y. Ent. Soc., vii, 75: Conn. Agr. Expt. Sta., Bull. 181, 22.

strigata Thunberg. Coleop. Ind., 510: Conn. Agr. Expt. Sta., Bull. 181, 23.

Ceratomegilla Crotch.

fuscilabris Mulsant, *Megilla*. Spotted lady beetle. Erroneously *maculata* DeGeer, a tropical species. Coleop. Ind., 510: Conn. Agr. Expt. Sta., Bull. 181, 21.

Hippodamia Mulsant.

convergens Guérin-Ménéville. Coleop. Ind., 512: Conn. Agr. Expt. Sta., Bull. 181, 18.

glacialis Fabricius. Coleop. Ind., 512: Conn. Agr. Expt. Sta., Bull. 181, 20.

parenthesis Say. Coleop. Ind., 511: Conn. Agr. Expt. Sta., Bull. 181, 20.

tredecimpunctata Linnæus. *13-punctata*. Thirteen-spotted lady beetle. Coleop. Ind., 511: Conn. Agr. Expt. Sta., Bull. 181, 20.

Coccinella Linnæus.

monticola Mulsant. Jour. N. Y. Ent. Soc., vii, 89.

novemnotata Herbst. *9-notata*. Nine-spotted lady beetle. Coleop. Ind., 514: Conn. Agr. Expt. Sta., Bull. 181, 15.

perplexa Melsheimer. *trifasciata*. Jour. N. Y. Ent. Soc., vii, 89: Conn. Agr. Expt. Sta., 181, 16.

transversoguttata Fabricius. *5-notata*. Five-spotted lady beetle. Jour. N. Y. Ent. Soc., vii, 89: Conn. Agr. Expt. Sta., Bull. 181, 16.

Cycloneda Crotch.

munda Say. Red lady beetle. Erroneously *Coccinella sanguinea*, a tropical species. Coleop. Ind., 515: Conn. Agr. Expt. Sta., Bull. 181, 17.

Adalia Mulsant.

bipunctata Linnæus. Two-spotted lady beetle. Coleop. Ind., 515: Conn. Agr. Expt. Sta., Bull. 181, 17.

frigida Schneider. Coleop. Ind., 516.

frigida var. *ophthalmica* Mulsant. *Ibid.*, 516. (K.F.C.)

humeralis Say. *bipunctata* (or *frigida*) var. *humeralis*. Jour. N. Y. Ent. Soc., vii, 85: Conn. Agr. Expt. Sta., Bull. 181, 18.

Anisocalvia Crotch.

duodecimmaculata Gebler. *12-maculata*. Jour. N. Y. Ent. Soc., vii, 97.

Anatis Mulsant.

quindecimpunctata Olivier. *15-punctata*. Fifteen-spotted lady beetle. Coleop. Ind., 516: Conn. Agr. Expt. Sta., Rept. 1909-10, 705. Bull. 181, 13.

quindecimpunctata var. *mali* Say. Coleop. Ind., 516. (K.F.C.)

Neomysia Casey.

pullata Say. *Mysia*. Jour. N. Y. Ent. Soc., vii, 99.

Chilocorus Leach.

bivulnerus Mulsant. Twice-stabbed lady beetle. Conn. Agr. Expt. Sta., Rept. 1902, 127: Bull. 165, 15: Bull. 181, 10: Coleop. Ind., 518.

Harmonia Authors not Mulsant.

picta Randall. *Cleis*. Jour. N. Y. Ent. Soc., xi, 205: Conn. Agr. Expt. Sta., Bull. 181, 14.

similis Randall. *Cleis*. *Anisocalvia*. Jour. N. Y. Ent. Soc., xi, 206.

Epilachna Chevrolat.

borealis Fabricius. Squash lady beetle. Conn. Agr. Expt. Sta., Rept. 1908, 810: Bull. 181, 11: Coleop. Ind., 532.

Family ALLECULIDÆ.

(CISTELIDÆ.)

Lobopoda Solier (or **Allecula** Fabricius).

atra Say. Ann. N. Y. Acad. Sci., vi, 82. (T.L.C.)

Hymenorus Mulsant.

niger Melsheimer. *nigrinus*. Coleop. Ind., 1274.

pilosus Melsheimer. *Ibid.*, 1274: Ann. N. Y. Acad. Sci., vi, 93.

Pseudocistela Crotch.**brevis** Say. Coleop. Ind., 1276.**Isomira** Mulsant.**quadriseriata** Couper. Coleop. Ind., 1277.**sericea** Say. *Cistela*. *Ibid.*, 1277.**Mycetochara** Berthold.**binotata** Say. *Mycetochares*. Coleop. Ind., 1281.**Chromatica** LeConte.**amœna** Say. Coleop. Ind., 1276. (A.B.C.) (H.B.K.)**Capnochroa** LeConte.**fuliginosa** Melsheimer. Coleop. Ind., 1282.**Androchirus** LeConte.**erythropus** Kirby. Coleop. Ind., 1283.

Family TENEBRIONIDÆ.*

Hopatrinus Latreille.**minimus** Beauvois. *notus*. Coleop. Ind., 1252.**Blapstinus** Latreille.**interruptus** Say. Coleop. Ind., 1253.**metallicus** Fabricius. *Ibid.*, 1253.**mœstus** Melsheimer. *Ibid.*, 1252.**Phaleria** Latreille.**testacea** Say. Long's Exp., ii, 280.**Bolitotherus** Candeze.**cornutus** Panzer. *bifurcus*. Coleop. Ind., 1267.**Bolitophagus** Illiger.**corticola** Say. Coleop. Ind., 1267.**Diaperis** Geoffroy.**maculata** Olivier. Coleop. Ind., 1261.**Hoplocephala** Laporte.**bicornis** Olivier. *Arrhenoplita*. Coleop. Ind., 1261.**Platydema** Laporte.**ellipticum** Fabricius. Coleop. Ind., 1263. (C.C.)**erythroceræ** Laporte. *Ibid.*, 1263.**excavatum** Say. *Ibid.*, 1262.**ruficorne** Sturm. *Ibid.*, 1263.**subcostatum** Laporte. *Ibid.*, 1264.

* See also appendix.

Tribolium MacLeay.

confusum Duval. Confused flour beetle. Coleop. Ind., 1255:
Bur. Ent., new ser., Bull. iv, 113.

Diœdus LeConte.

punctatus LeConte. Coleop. Ind., 1256.

Palorus Mulsant.

depressus Fabricius. *melinus*. Illus. Besttabl. Kaf. Deutsch. 741.

Uloma Leporte.

impressa Melsheimer. Coleop. Ind., 1257.

Alphitobius Stephens.

diaperinus Panzer. Coleop. Ind., 1257. (C.C.)

piceus Olivier. Illus. Besttabl. Kaf. Deutsch., 748.

Hypophlœus Fabricius.

parallelus Melsheimer. Coleop. Ind., 1266. (G.D.)

tenuis LeConte. Proc. Am. Phil. Soc., xvii, 422.

Scotobates Horn.

calcaratus Fabricius. Coleop. Ind., 1248.

Xylopinus LeConte.

ænescens LeConte. Coleop. Ind., 1249.

saperdioides Olivier. *Ibid.*, 1249. (G.D.)

Hoplandrus LeConte.

fulvipes Herbst. *femoratus*. Coleop. Ind., 1248

Iphthimus Truqui.

opacus LeConte. Coleop. Ind., 1247. (G.D.)

Alobates Motschulsky.

pennsylvanica DeGeer. *Nyctobates*. Coleop. Ind., 1247.

Upis Fabricius.

ceramboides Linnæus. Ent. Syst., ii, 515. (G.D.)

Tenebrio Linnæus.

molitor Linnæus. Yellow meal worm. Bur. Ent., new ser.
Bull. iv, 116: Coleop. Ind., 1250.

obscurus Fabricius. Dark meal worm. Bur. Ent., new ser. Bull.
iv, 117: Coleop. Ind., 1250.

picipes Herbst. *tenebroides*. Coleop. Ind., 1250.

Helops Fabricius.

æreus Germar. Coleop. Ind., 1268.

Tarpela Bates.

micans Fabricius. Coleop. Ind., 1268.

Meracantha Kirby.*contracta* Beauvois. Coleop. Ind., 1269.**Strongylium** Kirby.*tenuicolle* Say. Coleop. Ind., 1270.

Family LAGRIIDÆ.

Arthromacra Kirby.*ænea* Say. Coleop. Ind., 1284.**Statira** Latreille.*gagatina* Melsheimer. Coleop. Ind., 1285.

Family MELANDRYIDÆ.*

Penthe Newman.*obliquata* Fabricius. Coleop. Ind., 1290.*pimelia* Fabricius. *Ibid.*, 1290. (G.D.)**Synchroa** Newman.*punctata* Newman. Coleop. Ind., 1290.**Eustrophinus** Seidletz.**bicolor* Say. *Eustrophus*. Trans. Am. Ent. Soc., xv. 34;
Coleop. Ind., 1292.**Holostrophus** Horn.*bifasciatus* Say. Coleop. Ind., 1293. (G.D.)**Orchesia** Latreille.*castanea* Melsheimer. Coleop. Ind., 1294.*gracilis* Melsheimer. *Ibid.*, 1294. (F.K.)**Melandrya** Fabricius.*striata* Say. Coleop. Ind., 1296.**Emmesa** Newman.*connectens* Newman. Ent. Mag., 5, 376.*labiata* Say. Coleop. Ind., 1296.**Dircæa** Fabricius.*quadrimaculata* Say. *liturata*. Coleop. Ind., 1298.**Hypulus** Paykull.*concolor* LeConte. Coleop. Ind., 1298. (C.C.)

* See also appendix.

Symphora LeConte.

rugosa Haldeman. Coleop. Ind., 1299. (C.C.)

Canifa LeConte.

pallipes Melsheimer. Coleop. Ind., 1301.

Mycterus Clairville.

scaber Haldeman. Trans. Am. Ent. Soc., vii. 337.

Family PTINIDÆ.

Ptinus Linnæus.

fur Linnæus. Coleop. Ind., 865. (K.F.C.)

villiger Reitter. *Ibid.*, 865.

Family ANOBIIDÆ.

Xestobium Motschulsky.

rufovillosum DeGeer. *tessellatum*. Coleop. Ind., 868.

Ernobius Thomson.

mollis Linnæus. Coleop. Ind., 868.

Sitodrepa Thomson.

panicea Linnæus. Drug-store beetle. Coleop. Ind., 870.

Trichodesma LeConte.

gibbosa Say. Coleop. Ind., 871.

klagesi Fall. *Ibid.*, 871. (A.B.C.)

Hadrobregmus Thomson.

carinatus Say. Coleop. Ind., 872.

Trypopitys Redtenbacher.

sericeus Say. Coleop. Ind., 872.

Xyletinus Latreille.

peltatus Harris. Coleop. Ind., 874.

Lasioderma Stephens.

testaceum Duftschmid. *serricorne*. Cigarette beetle. Coleop. Ind., 875: Rept. Conn. Agr. Expt. Sta., 1906. 278.

Dorcatoma Herbst.

setulosum LeConte. Coleop. Ind., 883. (C.C.)

Cænocara Thomson.

oculata Say. Coleop. Ind., 884.

Family BOSTRICHIDÆ.

Endecatomus Mellié.

reticulatus Herbst. Coleop. Ind., 887.

rugosus Randall. *Ibid.*, 887.

Xylobiops Casey.

basilare Say. *Sinoxylon*. Coleop. Ind., 888.

Lichenophanes Lesne.

armiger LeConte. *Bostrichus*. Coleop. Ind., 888.

Bostrichus Geoffroy.

angustus Casey. Jour. N. Y. Ent. Soc., vi, 72.

bicornis Weber. Coleop. Ind., 889. (C.C.)

Dinoderus Stephens.

rugosus Oliver. *porcatus* LeConte. Coleop. Ind., 890.

punctatus Say. *Ibid.*, 890.

Family LYCTIDÆ.

Lyctus Fabricius.

opaculus LeConte. Coleop. Ind., 892.

linearis Goeze. *striatus*. *unipunctatus*. Powder post beetle.

Coleop. Ind., 891; Bur. Ent., Circ. 55.

Family SPHINDIDÆ.

Sphindus Chevrolat.

americanus LeConte. Coleop. Ind., 902. (C.C.)

Family CISIDÆ.

Orthocis Casey.

punctulatus Mellié. Coleop. Ind., 899.

Octotemnus Mellié.

denudatus Casey. Jour. N. Y. Ent. Soc., vi, 91.

Ceracis Mellié.

sallei Mellié. Coleop. Ind., 900.

Cis Latreille.

dubius Mellié. Ann. Soc. Ent. Fr., 2d. vi, 272.

fuscipes Mellié. Coleop. Ind., 898.

sp.

Xestocis Casey.

levettei Casey. Coleop. Ind., 899.

Ennearthron Mellié.

thoracicornis Ziegler. Coleop. Ind., 900.
sp.

Family SCARABÆIDÆ.

Canthon Hoffman.

lævis Drury. Coleop. Ind., 914.
nigricornis Say. *Ibid.*, 914. (G.D.)

Chœridium Lepeletier.

histeroides Weber. Coleop. Ind., 915.

Copris Geoffroy.

minutus Drury. Coleop. Ind., 916.
tullius Olivier. *anaglypticus*. *Ibid.*, 916.

Pinotus Erichson.

carolina Linnæus. *Copris*. Coleop. Ind., 916.

Phanæus MacLeay.

carnifex Linnæus. Coleop. Ind., 917.

Onthophagus Latreille.

hecate Panzer. Coleop. Ind., 918.
janus Panzer. *Ibid.*, 919.
janus var. *orpheus* Panzer. *Ibid.*, 919. (A.H.Me.)
janus var. *striatulus* Beauvois. *Ibid.*, 919.
pennsylvanicus Harold. *Ibid.*, 920.

Aphodius Illiger.*

congregatus Mann. Trans. Am. Ent. Soc., xiv. 12. (C.C.)
distinctus Müller. *inquinatus* Herbst. Coleop. Ind., 933.
femoralis Say. *Ibid.*, 934. (K.F.C.)
fimetarius Linnæus. *Ibid.*, 930.
fossor Linnæus. Trans. Am. Ent. Soc., xiv. 4.
granarius Linnæus. Coleop. Ind., 931.
terminalis Say? *Ibid.*, 933.
vittatus Say. *Ibid.*, 931.

Atænius Harold.

abditus Haldeman. Coleop. Ind., 926. (C.C.)
cognatus LeConte. *Ibid.*, 926.
gracilis Melsheimer. *Ibid.*, 925.

* See also appendix.

Eucanthus Westwood.lazerus Olivier. *Bolboceras*. Coleop. Ind., 937.**Bolbocerasoma** Schæffer.farctum Fabricius. *Bolboceras*. Coleop. Ind., 937.**Odontæus** Megerle.

cornigerus Melsheimer. Coleop. Ind., 938. (C.C.)

flicornis Say. *Ibid.*, 938. (C.C.)**Geotrupes** Fabricius.

balyi Jekel. Trans. Am. Ent. Soc., viii. 145.

blackburnii Fabricius. Coleop. Ind., 939.

egeriei Germar. Trans. Am. Ent. Soc., viii. 145.

hornii Blanchard. Psyche v. 107.

semiopacus Jekel. Coleop. Ind., 939.

splendidus Fabricius. *Ibid.*, 939.**Amphicoma** Latreille.

vulpina Hentz. Trans. Am. Ent. Soc., x. 120.

Trox Fabricius.

æqualis Say. Coleop. Ind., 946.

capillaris Say. *Ibid.*, 945.erinaceus LeConte. *Ibid.*, 944. (C.C.)

foveicollis Harris. Trans. Am. Ent. Soc., v, 10.

insularis Chevrolat. Coleop. Ind., 945.

scaber Linnæus. *Ibid.*, 946.sordidus LeConte. *Ibid.*, 945.terrestris Say. *Ibid.*, 946.unistriatus Beauvois. *Ibid.*, 945.**Serica** Mac Leay.

cucullata Dawson. Jour. N. Y. Ent. Soc., xxvii, 34.

sericea Illiger. Coleop. Ind., 958.

tristis LeConte. *Ibid.*, 958.trociformis Burmeister. *Ibid.*, 958.vespertina Gyllenhal. *Ibid.*, 956.**Diplotaxis** Kirby.

atlantis Fall. Trans. Am. Ent. Soc., xxxv. 44.

liberta Germar. Coleop. Ind., 954.

sordida Say. *Ibid.*, 955.tristis Kirby. *Ibid.*, 954. (F.K.)

Phyllophaga Harris.*Lachnosterna* Hope.

May or June Beetles.

anxia LeConte. *dubia. insperata.* Coleop. Ind., 970.

(J.K.L.)

crenulata Frohlich. *Ibid.*, 979.*drakei* Kirby. *grandis.* *Ibid.*, 970.*foersteri* Burmeister. *nova.* *Ibid.*, 972.*fraterna* Harris. *Ibid.*, 972.*fusca* Frohlich. *Ibid.*, 968.*gracilis* Burmeister. *Ibid.*, 964.*hirsuta* Knoch. *Ibid.*, 974. (A.B.C.)*hirticula* Knoch. *Ibid.*, 976.*ilicis* Knoch. *ciliata.* *Ibid.*, 978.*marginalis* LeConte. *Ibid.*, 970. (A.B.C.)*micans* Knoch. *Ibid.*, 967. (C. W. F. Wagner.)*tristis* Fabricius. *Ibid.*, 979.**Polyphylla Harris.***variolosa* Hentz. Trans. Am. Ent. Soc., ix, 75. (G.D.) (J.K.L.)**Dichelonyx Harris.***albicollis* Burmeister. Coleop. Ind., 953.*diluta* Fall. *Ibid.*, 952.*elongata* Fabricius. *Ibid.*, 952.*testacea* Kirby. *Ibid.*, 951. (K.F.C.)**Hoplia Illiger.***equina* LeConte. Trans. Am. Ent. Soc., viii, 193.*limbata* LeConte. *modesta.* Coleop. Ind., 950.*trifasciata* Say. *Ibid.*, 949.**Macroductylus Latreille.***subspinosus* Fabricius. Rose chafer. Rose beetle. Bur.
Ent., Circ. 11: Rept. Conn. Agr. Expt. Sta., 1916, 111.**Anomala Samouelle.***binotata* Gyllenhal. Coleop. Ind., 982: Rept. Conn. Agr. Expt.
Sta., 1902, 176.**Hemispilota Casey.***lucicola* Fabricius. *Anomala.* Coleop. Ind., 985.

Pelidnota MacLeay.

punctata Linnæus. Spotted grape-vine beetle. Coleop. Ind., 986.

Cotalpa Burmeister.

lanigera Linnæus. Goldsmith beetle. Coleop. Ind., 987.

Dyscinetus Harold.

trachypygus Burmeister. Coleop. Ind., 990.

Ligyрус Burmeister.

gibbosus DeGeer. Coleop. Ind., 991.

Ligyrodes Casey.

relictus Say. Coleop. Ind., 992.

Aphonus LeConte.

castaneus Melsheimer. Mem. Coleop., vi, 220.

tridentatus Say. Coleop. Ind., 992. (G.D.)

Xyloryctes Hope.

satyrus Fabricius. Coleop. Ind., 992.

Cotinis Burmeister.

nitida Linnæus. *Allorhina*. Coleop. Ind., 996.

Euphoria Burmeister.

fulgida Fabricius. Coleop. Ind., 998.

inda Linnæus. Bumble flower beetle. *Ibid.*, 998.

Stephanucha Burmeister.

areata Fabricius. Coleop. Ind., 997.

Cremastocheilus Knoch.

canaliculatus Kirby. Coleop. Ind., 1000.

castaneæ Knoch. *Ibid.*, 1000.

harrisii Kirby. *Ibid.*, 1000. (C.C.)

variolosus Kirby. *Ibid.*, 999.

Osmoderma Lepeletier.

eremicola Knoch. Coleop. Ind., 1001.

scabra Beauvois. *Ibid.*, 1002.

Gnorimella Casey.

maculosus Knoch. *Gnorimus*. Coleop. Ind., 1002.

Trichionotus Casey.

affinis Gory. Coleop. Ind., 1004.

piger Fabricius. *Ibid.*, 1003.

Valgus Scriba.

squamiger Beauvois. Coleop. Ind., 1005.

Family LUCANIDÆ.

Lucanus Linnæus.

capreolus Linnæus. *dama*. Stag beetle. Coleop. Ind., 905.

Dorcus MacLeay.

parallelus Say. Coleop. Ind., 906.

Platycerus Geoffroy.

quercus Weber. Coleop. Ind., 907.

Ceruchus MacLeay.

piceus Weber. Coleop. Ind., 907. (G.D.)

Family PASSALIDÆ.

Passalus Fabricius.

cornutus Fabricius. Coleop. Ind., 908.

Family CERAMBYCIDÆ.

Parandra Latreille.

brunnea Fabricius. Coleop. Ind., 1007.

Derobrachus Serville.

brunneum Færster. *Orthosoma*. Lesser Prionus. Coleop. Ind., 1011.

Prionus Geoffroy.

laticollis Drury. Broad-horned Prionus. Coleop. Ind., 1011.

pocularis Dalman. *Ibid.*, 1012. (A.H.Me.)

Distenia Serville.

undata Olivier. Coleop. Ind., 1043.

Smodicum Haldeman.

cucujiforme Say. Coleop. Ind., 1016.

Asemum Eschscholtz.

mœstum Haldeman. Coleop. Ind., 1014.

Tetropium Kirby.

cinnamopterum Kirby. Coleop. Ind., 1015.

Criocephalus Mulsant.

argestis Kirby. Coleop. Ind., 1015.

obsoletus Randall. *Ibid.*, 1015.

Ceme Newman.

rigida Say. Bull. Brook. Ent. Soc., vii, 116.

Tylonotus Haldeman.

bimaculatus Haldeman. Coleop. Ind., 1026.

Stromatium Serville.

pubescens Haldeman. Coleop. Ind., 1022.

Chion Newman.

cinctus Drury. Coleop. Ind., 1022. (A.H.Me.)

Romaleum White.

atomarium Drury. Coleop. Ind., 1023.

rufulum Haldeman. *Ibid.*, 1023.

Hypermallus Lacordaire.

villosum Fabricius. *parallelum*. Twig pruner. Coleop. Ind., 1025.

Elaphidion Serville.

mucronatum Say. Coleop. Ind., 1024.

Pseudibion Casey.

unicolor Randall. Coleop. Ind., 1026.

Heterachthes Newman.

ebenus Newman. Mem. Coleop., iii, 307.

quadrимaculatus Haldeman. Coleop. Ind., 1027.

Obrium Serville.

rufulum Gahan. *rubrum*. Coleop. Ind., 1028.

Rhagium Fabricius.

lineatum Olivier. Coleop. Ind., 1048.

Centrodera LeConte.

decolorata Harris. Coleop. Ind., 1048. (K.F.C.)

picta Haldeman. *Ibid.*, 1048.

Stenocorus Fabricius.

trivittatus Say. *Toxotus*. Coleop. Ind., 1047.

Hapalosalia Casey.

vibex Newman. *Leptura*. Coleop. Ind., 1059. (F.K.)

Acmæops LeConte.

directa Newman. Coleop. Ind., 1050.

thoracica Haldeman. Ent. Am., vi, 104.

Gaurotes LeConte.

cyanipennis Say. Coleop. Ind., 1050.

Anthophilax LeConte.

malachiticus Haldeman. Ent. Amer., vi, 98. (M.P.Z.)

Judolia Mulsant.

cordifera Olivier. Ent. Am., vi, 188.

Brachyleptura Casey.

rubrica Say. Coleop. Ind., 1057.

Parallelina Casey.

exigua Newman. Coleop. Ind., 1056.

Strongalepta Casey.

lineola Say. Coleop. Ind., 1055.

pubera Say. *Ibid.*, 1059.

vittata Germar. *Ibid.*, 1059.

vittata var. *Ibid.*, 1059.

Xestoleptura Casey.

octonotata Say. Coleop. Ind., 1058.

Strophiona Casey.

nitens Förster. *zebra*. Coleop. Ind., 1056.

Leptura Linnæus.

biforis Newman. Mem. Coleop., iv, 271. (E.L.D.)

canadensis Olivier. Coleop. Ind., 1057. (K.F.C.)

emarginata Fabricius. *Ibid.*, 1055. (A.B.C.)

hæmatites Newman. Entomologist, 73. (C.W.L.)

mutabilis Newman. Coleop. Can., 623.

vagans Olivier. Coleop. Ind., 1057. (K.F.C.)

Typocerus LeConte.

acuticauda Casey. Mem. Coleop., iv, 274. (H.L.J.)

velutinus Olivier. Coleop. Ind., 1053.

Ophistomis Thomson.*Strangalia*.

acuminata Olivier. Coleop. Ind., 1051.

famelica Newman. *Ibid.*, 1051.

luteicornis Fabricius. *Ibid.*, 1052.

Encyclops Fabricius.

cæruleus Say. Coleop. Ind., 1045. (G.D.)

Desmocerus Serville.

*palliatu*s Förster. Coleop. Ind., 1044.

Molorchus Fabricius.

bimaculatus Say. Coleop. Ind., 1028.

Merium Kirby.

proteus Kirby. Coleop. Ind., 1019. (C.C.)

Anacomis Casey.

ligneus Fabricius. *Hylotrupes*. Coleop. Ind., 1019.

Callidium Fabricius.

antennatum Newman. Coleop. Ind., 1019.

frigidum Casey. Mem. Coleop., viii, 289.

janthimum LeConte. Coleop. Ind., 1019.

Phymatodes Mulsant.

æreum Newman. Coleop. Ind., 1019.

amœnus Say. *Ibid.*, 1018.

dimidiatus Kirby. *Ibid.*, 1018.

variabilis Fabricius. *Ibid.*, 1018.

varius Fabricius. *Ibid.*, 1018.

Cyllene Newman.

caryæ Gahan. *pictus*. Hickory borer. Coleop. Ind., 1033.

robinæ Fœrster. Locust borer. *Ibid.*, 1034: Bur. Ent., Cir., 83.

Arhopalus Serville.

fulminans Fabricius. Coleop. Ind., 1035.

Glycobius LeConte.

speciosus Say. *Plagionotus*. Maple borer. Rept. Conn. Agr.

Expt. Sta., 1900. 337: 1907. 336: Coleop. Ind., 1034.

Calloides LeConte.

nobilis Harris. Coleop. Ind., 1035.

Xylotrechus Chevrolat.

aceris Fisher. Proc. Wash. Ent. Soc., xviii, 215.

colonus Fabricius. Coleop. Ind., 1037.

quadrimaculatus Haldeman. *Ibid.*, 1036. (A.B.C.)

sagittatus Germar. *Ibid.*, 1037. (A.B.C.)

undulatus Say. *Ibid.*, 1037.

undulatus var. *fuscus* Kirby. *Ibid.*, 1037.

Neoclytus Thomson.

acuminatus Fabricius. *erythrocephalus*. Coleop. Ind., 1038.

capræa Say. *Ibid.*, 1039.

muricatulus Kirby. *Ibid.*, 1038.

Anthoboscus Chevrolat.

ruricola Olivier. *Clytanthus*. Coleop. Ind., 1039.

Clytus Laichartig.

marginicollis Laporte. Coleop. Ind., 1040.

Cyrtophorus LeConte.

verrucosus Olivier. Coleop. Ind., 1040.

Tillomorpha Blanchard.

geminata Haldeman. Coleop. Ind., 1040. (A.B.C.)

Eudercus LeConte.

picipes Fabricius. Coleop. Ind., 1041.

Stenosphenus Haldeman.

notatus Olivier. Coleop. Ind., 1032.

Purpuricenus Serville.

axillaris Haldeman. Coleop. Ind., 1031. (A.B.C.)

humeralis Fabricius. *Ibid.*, 1030.

Batyleoma Casey.

suturalis Say. *Batyle.* Coleop. Ind., 1031.

Cyrtinus LeConte.

pygmæus Haldeman. Coleop. Ind., 1062. (A.B.C.)

Psenocerus LeConte.

supernotatus Say. Coleop. Ind., 1062.

Monohammus Serville.

notatus Drury. *confusor.* Trans. Am. Ent. Soc., xxiii, 109.

marmorator Kirby. *Ibid.*, xxiii, 109.

scutellatus Say. Coleop. Ind., 1065.

titillator Fabricius. *Ibid.*, 1064.

Dorcaschema LeConte.

nigrum Say. Coleop. Ind., 1066. (D.J.C.)

Hetæmis Haldeman.

cinerea Olivier. Coleop. Ind., 1066.

Cacoplia LeConte.

pullata Haldeman. Trans. Am. Ent. Soc., xxiii, 111.

Goes LeConte.

pulchra Haldeman. Coleop. Ind., 1067.

pulverulenta Haldeman. *Ibid.*, 1067.

tigrina DeGeer. Coleop. Ind., 1067.

Ægomorphus Haldeman.

decipiens Haldeman. *Acanthoderes.* Coleop. Ind., 1070.

Leptostylus LeConte.*

collaris Haldeman. Coleop. Ind., 1071.

guttata Say. *sexguttata.* *Ibid.*, 1072.

* See also appendix.

Astyloopsis Casey.

macula Say. Coleop. Ind., 1072.

Leiopus Serville.

alpha Say. Coleop. Ind., 1074.

punctatus Haldeman. *Ibid.*, 1074. (C.C.)

variegatus Haldeman. *Ibid.*, 1074.

Lepturges Bates.

querci Fitch. Coleop. Ind., 1077.

facetus Say. *Ibid.*, 1077.

signatus LeConte. *Ibid.*, 1076.

symmetricus Haldeman. *Ibid.*, 1076.

Hyperplatys Haldeman.

aspersus Say. Coleop. Ind., 1078.

maculatus Haldeman. *Ibid.*, 1078.

Urographis Horn.

fasciatus DeGeer. *Graphisurus*. Coleop. Ind., 1079.

Dectes LeConte.

spinusus Say. Coleop. Ind., 1075.

Hoplosia Mulsant.

nubila LeConte. Trans. Am. Ent. Soc., xxiii, 134.

Pogonocherus Latreille.

mixtus Haldeman. Coleop. Ind., 1081.

Encyrus LeConte.

dasycerus Say. Coleop. Ind., 1081.

Eupogonius LeConte.

vestitus Say. Coleop. Ind., 1082. (A.B.C.) (H.B.K.)

Oncideres Serville.

cingulata Say. Hickory twig-girdler. Fifth Rept. U. S. Ent. Com., 288.

Saperda Fabricius.

candida Fabricius. Round-headed apple borer. Rept. Conn.

Agr. Expt. Sta., 1907. 333: N. Y. State Mus., Bull. 74. 23.

calcarata Say. Poplar borer. Coleop. Ind., 1086. N. Y. State Mus. Bull. 74. 39.

concolor LeConte. var. unicolor Joutel. Willow Borer. N. Y. State Mus. Bull. 74. 74: Coleop. Ind., 1086.

- cretata* Newman. Spotted apple tree borer. Coleop. Ind., 1088. N. Y. State Mus., Bull. 74. 50. (C.C.)
- discoidea* Fabricius. Hickory borer. Coleop. Ind., 1089. N. Y. State Mus., Bull. 74. 52.
- lateralis* Fabricius. Red-edged Saperda. Coleop. Ind., 1088: N. Y. State Mus., Bull. 74, 59.
- mœsta* LeConte. Coleop. Ind., 1085. N. Y. State Mus., Bull. 74. 71. (C.C.)
- obliqua* Say. Alder borer. N. Y. State Mus., Bull. 74, 18.
- puncticollis* Say. Coleop. Ind., 1085. (A.B.C.)
- tridentata* Olivier. Elm borer. Coleop. Ind., 1087. N. Y. State Mus., Bull. 74, 44.
- vestita* Say. Linden borer. Coleop. Ind., 1089: N. Y. State Mus. Bull. 74. 54.

Oberea Mulsant.*

- bimaculata* Olivier var. *basalis*. LeConte. Coleop. Ind., 1092.
- ocellata* Haldeman. *Ibid.*, 1092.
- ruficollis* Fabricius. Trans. Am. Ent. Soc., vii. 47.
- schaumii* LeConte. Coleop. Ind., 1091. (F.K.)
- tripunctata* Swederus. *Ibid.*, 1092.
- tripunctata* var. *mandarina* Fabricius. Trans. Am. Ent. Soc., vii, 47.

Tetraopes Serville.

- canteriator* Drapiez. Coleop. Ind., 1094.
- tetraophthalmus* Fœrster. *Ibid.*, 1094.

Family CHRYSOMELIDÆ.

Donacia Fabricius.

- cincticornis* Newman. Coleop. Ind., 1102.
- dives* LeConte. Proc. Acad. Nat. Sci. Phila., v, 314.
- emarginata* Kirby. Coleop. Ind., 1106.
- flavipes* Kirby. *Ibid.*, 1106.
- hirticollis* Kirby. Trans. Am. Ent. Soc., xviii, 164.
- metallica* Ahrens. Coleop. Ind., 1106.
- palmata* Olivier. *Ibid.*, 1102.
- piscatrix* Lacordaire. *Ibid.*, 1103. (K.F.C.)
- rufa* Say. *Ibid.*, 1107.
- subtilis* Kunze. *Ibid.*, 1103.
- torosa* LeConte. *Ibid.*, 1102.

* See also appendix.

tuberculata Lacordaire. Trans. Am. Ent. Soc., xviii, 171.
harrisi LeConte. *Ibid.*, 172.

sp.

Orsodacna Latreille.

atra Ahrens. var. *hepatica* Say. Coleop. Ind., 1108.

atra Ahrens var. *vittata* Say. *Ibid.*, 1108.

Zeugophora Kunze.

consanguinea Crotch. Coleop. Ind., 1109.

scutellaris Suffrian. *Ibid.*, 1109.

Syneta Lacordaire.

ferruginea Germar. Coleop. Ind., 1110.

Lema Fabricius.

brunnicollis Lacordaire. Coleop. Ind., 1111. (A.B.C.)

conjuncta Lacordaire. Proc. Phila. Acad. Nat. Sci., 1873, 25.

trilineata Olivier. Old-fashioned potato beetle. Coleop. Ind.,
1111.

Crioceris Geoffroy.

asparagi Linnæus. Common asparagus beetle. Conn. Agr.
Expt. Sta., 1902, 172: Bur. Ent., Circ., 102.

duodecimpunctata Linnæus. Twelve-spotted asparagus beetle.
Bur. Ent., Circ. 102. 9.

Antipus DeGeer.

laticlavata Fœrster. *Anomœa*. Coleop. Ind., 1113.

Coscinoptera Lacordaire.

dominicana Fabricius. Coleop. Ind., 1113.

Babia Chevrolat.

quadriguttata Olivier. Coleop. Ind., 1114.

Saxinis Lacordaire.

omogera LeConte. Coleop. Ind., 1114. (G.D.)

Chlamys Knoch.

gibbosa Fabricius. *plicata*. Coleop. Ind., 1115.

Exema Lacordaire.

conspersa Mannerheim. Proc. U. S. Nat. Mus., xx, 480.

Bassareus Haldeman.

formosus Melsheimer. Coleop. Ind., 1119.

formosus var. *sulphuripennis* Melsheimer. *Ibid.*, 1119.

literatus Fabricius. *Ibid.*, 1120.

literatus var. *lativittus* Germar. *Ibid.*, 1120.

mammifer Newman. *Ibid.*, 1119. (G. D.)

sellatus Suffrian. *Ibid.*, 1119.

Cryptocephalus Geoffroy.

insertus Haldeman. *Coleop. Ind.*, 1123.

mutabilis Melsheimer. *Ibid.*, 1123.

notatus Fabricius var. *quadrimaculatus* Say. *Ibid.*, 1122.

ornatus Fabricius. *Trans. Am. Ent. Soc.*, xviii, 201. (H.L.J.)

quadruplex Newman. *Coleop. Ind.*, 1122. (A.B.C.)

trivittatus Olivier. *Ibid.*, 1123.

venustus Fabricius. *Ibid.*, 1123.

venustus var. *cinctipennis* Randall. *Ibid.*, 1123.

venustus var. *hamatus* Melsheimer. *Ibid.*, 1123. (A.B.C.)

venustus var. *ornatus* Fabricius. *Ibid.*, 1123. (H.L.J.)

Pachybrachys Chevrolat.

atomarius Melsheimer. *infaustus*. *Coleop. Ind.*, 1129.

carbonarius Haldeman. *Ibid.*, 1127.

confederatus Fall. *Trans. Am. Ent. Soc.*, xli, 387.

femoratus Olivier. *Coleop. Ind.*, 1131.

hepaticus Melsheimer. *Ibid.*, 1130.

luridus Fabricius. *Ibid.*, 1130.

m-nigrum Melsheimer. *intricatus*. *Trans. Am. Ent. Soc.*, viii,
207.

othonus Say. *Coleop. Ind.*, 1128.

pubescens Olivier. *morosus*. *Trans. Am. Ent. Soc.*, viii, 206.

subfasciatus LeConte. *Coleop. Ind.*, 1130.

tridens Melsheimer. *Ibid.*, 1129.

trinotatus Melsheimer. *Ibid.*, 1128.

Monachus Chevrolat.

saponatus Fabricius. *Coleop. Ind.*, 1133.

Diachus LeConte.

auratus LeConte. *Coleop. Ind.*, 1133.

pallidicornis Suffrian. *Ibid.*, 1133.

Triachus LeConte.

atomus Suffrian. *Coleop. Ind.*, 1134.

cerinus LeConte. *Trans. Am. Ent. Soc.*, viii, 197. (G.D.)

Chrysodina Baly.

globosa Say. *Trans. Am. Ent. Soc.*, xix, 233.

Nodonota Lefèvre.

puncticollis Say. Coleop. Ind., 1149: Trans. Am. Ent. Soc.,
xix, 232.

Colaspis Fabricius.

brunnea Fabricius. Brown Colaspis. Coleop. Ind., 1147.

Graphops LeConte.

pubescens Melsheimer. Coleop. Ind., 1144.

Xanthonia Baly.

decemnotata Say. Coleop. Ind., 1142.

villosula Melsheimer. *Ibid.*, 1142.

Fidia Baly.

viticida Walsh. Grape vine root worm. Coleop. Ind., 1143:
N. Y. State Mus., Bull. 72.

Metachroma LeConte.

pallida Say. Coleop. Ind., 1146.

Adoxus Kirby.

obscurus Linnæus. Coleop. Ind., 1136.

Tymnes Chapuis.

tricolor Fabricius. Coleop. Ind., 1141.

Glyptoscelis LeConte.

barbata Say. Coleop. Ind., 1137.

pubescens Fabricius. *Ibid.*, 1137.

Paria LeConte.*Typophorus.*

canellus Fabricius var. *aterrimus* Olivier. Coleop. Ind., 1139.

canellus var. *gilvipes* Horn. Trans. Am. Ent. Soc., xix, 208.

canellus var. *notatus* Say. Compl. Writ., ii, 213.

canellus var. *pumilis* LeConte. Coleop. Ind., 1139.

canellus var. *quadriguttatus* Horn. Coleop. Ind., 1140.

canellus var. *quadrinotatus* Say. *Ibid.*, 1139.

canellus var. *thoracicus* Melsheimer. *Ibid.*, 1139.

Chrysochus Chevrolat.

auratus Fabricius. Coleop. Ind., 1141.

Prasocuris Latreille.

phellandrii Linnæus. Coleop. Ind., 1151.

vittata Olivier. Coleop. Ind., 1151. (K.F.C.)

Labioderma Chevrolat.

clivicollis Kirby. Coleop. Ind., 1152: Jour. N. Y. Ent. Soc.,
iv, 195.

Leptinotarsa Stål.

decemlineata Say. *Doryphora. 10-lineata*. Colorado potato
beetle. Potato bug. Coleop. Ind., 1153: Conn. Agr. Expt.
Sta., Bull. 208, 106.

Zygogramma Chevrolat.

suturalis Fabricius. Coleop. Ind., 1154: Jour. N. Y. Ent. Soc.,
iv, 197.

Calligrapha Erichson.

elegans Olivier. *Chrysomela*. Coleop. Ind., 1156: Jour. N. Y.
Ent. Soc., iv, 198.

lunata Fabricius. *hybrida*. Jour. N. Y. Ent. Soc., iv, 198.

multipunctata Say. var. *bigbyana* Kirby. *Chrysomela*. Coleop.
Ind., 1158: Jour. N. Y. Ent. Soc., iv, 199.

philadelphica Linnæus. Coleop. Ind., 1158.

philadelphica var. *spireæ* Say. Jour. N. Y. Ent. Soc., xiv, 199.

rhoda Knab. Proc. Wash. Ent. Soc., xi, 83. (G.D.)

rowena Knab. *Ibid.*, xi, 85. (G.D.)

scalaris LeConte. *Chrysomela*. Coleop. Ind., 1157: Jour. N.
Y. Ent. Soc., iv, 199.

similis Rogers. Coleop. Ind., 1156.

Phædon Latreille.

armoraciæ Linnæus *cochleariæ* Gyllenhal. *Plagioderæ*. Can.
Ent., xxviii, 202.

Gastroidea Hope.

cyanea Melsheimer. Coleop. Ind., 1159.

polygoni Linnæus. *Ibid.*, 1159.

Lina Megerle.

lapponica Linnæus. *Melasoma. interrupta*. Coleop. Ind., 1160.

scripta Fabricius. Cottonwood leaf beetle. *Ibid.*, 1160. N.
Y. Agr. Expt. Sta., Bull. 143.

tremulæ Fabricius. Coleop. Ind., 1160.

Phyllodecta Kirby.

vulgatissima Linnæus. Can. Ent., xxviii, 203.

Cerotoma Chevrolat.

trifurcata Foerster. Coleop. Ind., 1163: Trans. Am. Ent. Soc.,
xx, 129: Rept. Conn. Agr. Expt. Sta., 1918, 327.

Trirhabda LeConte.*canadensis* Kirby. Coleop. Ind., 1165.*virgata* LeConte. *Ibid.*, 1166.**Agelasa** Motschulsky.*halensis* Linnæus. Coleop. Ind., 1164.**Galerucella** Crotch.*americana* Fabricius. Coleop. Ind., 1167.*cavicollis* LeConte. *Ibid.*, 1169.*decora* Say. *Ibid.*, 1170.*integra* LeConte. *Ibid.*, 1167.*luteola* Müller. Conn. Agr. Expt. Sta., Bull. 55 and Rept., 1908.*notata* Fabricius. Coleop. Ind., 1168.*nymphææ* Linnæus. *Ibid.*, 1169: Bur. Ent. Soc., Bull. 54, 58.**Monoxia** LeConte.*puncticollis* Say. *maritima*. Trans. Am. Ent. Soc., xx, 83.**Diabrotica** Chevrolat.**atripennis* Say var. *cristata* Harris. Trans. Am. Ent. Soc.,
xx, 95.*atripennis* var. *fossata* LeConte. *Ibid.*, xx, 95.*duodecimpunctata* Olivier. *12-punctata*. Coleop. Ind., 1172:
Rept. Conn. Agr. Expt. Sta., 1908, 809.*vittata* Fabricius. Striped cucumber beetle. Coleop. Ind., 1173:
Rept. Conn. Agr. Expt. Sta., 1908, 807: 1917, 262.**Phyllobrotica** Redtenbacher.*discoidea* Fabricius. Coleop. Ind., 1175.*limbata* Fabricius. *Ibid.*, 1175. Trans. Am. Ent. Soc., xx, 100.**Luperodes** Motschulsky.*meraca* Say. Coleop. Ind., 1176.**Blepharida** Rogers.*rhois* Fœrster. Coleop. Ind., 1208.**Ædionychis** Latreille.*fimbriata* Fœrster. Coleop. Ind., 1183.*limbalis* Melsheimer var. *subvittata* Horn. Trans. Am. Ent.
Soc., xvi, 193.*miniata* Fabricius. Coleop. Ind., 1183.*quercata* Fabricius. *Ibid.*, 1185. (G.D.)*sexmaculata* Illiger. *Ibid.*, 1184.*thoracica* Fabricius. *Ibid.*, 1182.*vians* Illiger. *Ibid.*, 1182.

* See also appendix.

Disonycha Chevrolat.

- caroliniana* Fabricius. Coleop. Ind., 1188.
collata Fabricius. *Ibid.*, 1191. (G.D.)
funerea Randall. Trans. Am. Ent. Soc., xvi, 208.
pennsylvanica Illiger. Coleop. Ind., 1187.
quinquevittata Say. *Ibid.*, 1188.
triangularis Say. *Ibid.*, 190.
xanthomelæna Dalman. *collaris*. *Ibid.*, 1190. (G.D.)

Luperaltica Crotch.

- fuscula* LeConte. Coleop. Ind., 1203.

Altica Geoffroy.

- bimarginata* Say. Alder flea beetle. Coleop. Ind., 1201.
corni Woods. Me. Agr. Expt. Sta., Bull., 273, 156.
chalybea Illiger. Coleop. Ind., 1201.
fuscoænea Melsheimer. *Ibid.*, 1202. (G.D.)
ignita Illiger. *Ibid.*, 1201.
marevagans Horn. Trans. Am. Ent. Soc., xvi, 226.
rosæ Woods. Me. Agr. Expt. Sta., Bull. 273, 174.
rufa Illiger. Coleop. Ind., 1200.
torquata LeConte. Me. Agr. Expt. Sta., Bull. 273, 194.
ulmi Woods. *Ibid.*, Bull. 273, 182.

Crepidodera Chevrolat.

- atriventris* Melsheimer. Coleop. Ind., 1214. (G.D.)
helxines Linnæus. *Ibid.*, 1214.
modeeri Linnæus. *Ibid.*, 1214.

Epitrix Foudras.

- cucumeris* Harris. Cucumber flea beetle. Coleop. Ind., 1217.
parvula Fabricius. *Ibid.*, 1218. (G.D.)

Orthaltica Crotch.

- copalina* Fabricius. Coleop. Ind., 1215.

Mantura Stephens.

- floridana* Crotch. Coleop. Ind., 1219. (G.D.)

Chætocnema Stephens.

- confinis* Crotch. Coleop. Ind., 1212.
denticulata Illiger. *Ibid.*, 1210.
minuta Melsheimer. *Ibid.*, 1210.
pulicaria Melsheimer. *Ibid.*, 1212.

Systema Clark.

- frontalis* Fabricius. Coleop. Ind., 1220.
hudsonias Fœrster. *Ibid.*, 1220.
marginalis Illiger. *Ibid.*, 1221.
tæniata Say. *Ibid.*, 1221.
tæniata var. *blanda* Melsheimer. *Ibid.*, 1221.

Longitarsus Latreille.

- insolens* Horn. Trans. Am. Ent. Soc., xvi, 286.
melanurus Melsheimer. Coleop. Ind., 1193.

Phyllotreta Foudras.

- armoriacæ* Koch. Coleop. Ind., 1198.
bipustulata Fabricius. *Ibid.*, 1198.
chalybeipennis Crotch. Trans. Am. Ent. Soc., xvi, 300.
sinuata Stephens. Coleop. Ind., 1197.
vittata Fabricius. *Ibid.*, 1197.

Dibolia Chevrolat.

- borealis* Chevrolat. *area*. Coleop. Ind., 1222.

Psylliodes Latreille.

- punctulata* Melsheimer. Coleop. Ind., 1222.

Stenispia Baly.

- metallica* Fabricius. Coleop. Ind., 1228.

Anoplitis Chapuis.

- nervosa* Panzer. *Chalepus*. *Odontota*. Coleop. Ind., 1228.

Chalepus Thunberg.

- bicolor* Olivier. *Odontota*. Coleop. Ind., 1226.
dorsalis Thunberg. *Ibid.*, 1227.
hornii Smith. *Odontota*. *Ibid.*, 1227.
notata Olivier. *Odontota*. Trans. Am. Ent. Soc., x, 296.
scapularis Olivier. *Odontota*. Coleop. Ind., 1226.

Baliosus Weise.

- rubra* Weber. *Chalepus*. *Odontota*. Coleop. Ind., 1227.

Uroplata Baly.

- porcata* Melsheimer. Trans. Am. Ent. Soc., x, 294.

Microrhopala Chevrolat.

- vittata* Fabricius. Coleop. Ind., 1224.
xerene Newman. *Ibid.*, 1225.

Chelymorpha Chevrolat.**cassidea** Fabricius. *argus*. Coleop. Ind., 1233.**Chirida** Chapuis.**guttata** Olivier. *Coptocyclus signifera*. Coleop. Ind., 1232.**Deloyala** Chevrolat.**clavata** Fabricius. *Coptocyclus*. Coleop. Ind., 1232: Rept. Conn. Agr. Expt. Sta., 1918, 110.**Metriona** Weise.**bicolor** Fabricius. *Coptocyclus aurichalcea*. Coleop. Ind., 1231.
purpurata Boheman. *Coptocyclus*. *Ibid.*, 1232. (K.F.C.)

Family MYLABRIDÆ.

(BRUCHIDÆ.)

Spermophagus Schonherr.**hoffmannseggi** Gyllenhal. *robinia* Fabricius. Coleop. Ind., 1235.**Bruchus** Linnæus.**calvus** Horn. Coleop. Ind., 1239.**nigrinus** Horn. Trans. Am. Ent. Soc., iv, 327.**obtectus** Say. Bean weevil. Coleop. Ind., 1240.**pisorum** Linnæus. Pea weevil. *Ibid.*, 1236.**quadrinaculatus** Fabricius. Trans. Am. Ent. Soc., iv, 318.**Zabrotes** Horn.**subnitens** Horn. Trans. Am. Ent. Soc., xii, 158.

Family BRENTIDÆ.

Eupsalis LeConte.**minuta** Drury. Oak timber worm. Ins. Aff. Park and Woodl. Trees, 261: Rhyn. N. E. Am., 20.

Family BELIDÆ.

Ithycerus Schonherr.**noveboracensis** Færster. New York weevil. Rept. Conn. Agr. Expt. Sta., 1908, 845: Rhyn. N. E. Am., 92.

Family PLATYSTOMIDÆ.

(ANTHRIBIDÆ.)

Eurymycter LeConte.**fasciatus** Olivier. Rhyn. N. E. Am., 30.**Euparius** Schonherr.**marmoreus** Olivier. *Cratoparis lunatus*. Rhyn. N. E. Am., 37;
Ins. Aff. Park and Woodl. Trees, 499.**Brachytarsus** Schonherr.**sticticus** Boheman. *variegatus*. Rhy. N. E. Am., 39.**tomentosus** Say. *Ibid.*, 40.**Anthribulus** LeConte.**rotundatus** LeConte. Rhyn. N. E. Am., 41.

Family CURCULIONIDÆ.

Auletes Schonherr.**albovestita** Blatchley. Rhyn. N. E. Am., 54.**ater** LeConte. *Ibid.*, 53.**Eugnamptus** Schonherr.**angustatus** Gyllenhal. Rhyn. N. E. Am., 56.**collaris** Fabricius var. **nigripes** Melsheimer. *Ibid.*, 56.**Rhynchites** Herbst.**ætatus** Say. Rhyn. N. E. Am., 59.**bicolor** Fabricius. Rose weevil. *Ibid.*, 58.**hirtus** Fabricius. *Ibid.*, 59.**Attelabus** Linnæus.**analisis** Illiger. Rhyn. N. E. Am., 62.**bipustulatus** Fabricius. *Ibid.*, 63. (A.B.C.) (H.B.K.)**nigripes** LeConte. *Ibid.*, 62.**rhois** Boheman. *Ibid.*, 64.**Pterocolus** Schonherr.**ovatus** Fabricius. Rhyn. N. E. Am., 65.

Apion Herbst.

coxale Fall. Rhyn. N. E. Am., 77.

griseum Smith. *Ibid.*, 80.

herculanum Smith. *Ibid.*, 89. (A.B.C.) (H.B.K.)

nigrum Herbst. *Ibid.*, 82.

patruela Smith. *Ibid.*, 78.

rostrum Say. *Ibid.*, 81.

Hormorus Horn.

undulatus Uhler. Rept. Conn. Agr. Expt. Sta., 1905, 259:
Rhyn. N. E. Am., 100.

Panscopus Schonherr.

erinaceus Say. *Barynotus*. Rhyn. N. E. Am., 104.

Phylexis Schonherr.

rigidus Say. *Barynotus*. Rhyn. N. E. Am., 107.

Otiorrhynchus Germar.

ovatus Linnæus. Strawberry crown girdler. Rept. Conn. Agr.
Expt. Sta., 1909, 370; Rhyn. N. E. Am., 111.

sulcatus Fabricius. Rept. Conn. Agr. Expt. Sta., 1913, 230:
Rhyn. N. E. Am., 111.

Pandeletejus Schonherr.

hilaris Herbst. Rhyn. N. E. Am., 120.

Aphrastus Schonherr.

tæniatus Gyllenhal. Rhyn. N. E. Am., 127.

Polydrusus Germar.

impressifrons Gyllenhal. Rhyn. N. E. Am., 130; N. Y.
(Geneva) Agr. Expt. Sta., Tech. Bull. 56.

Scythropus Schonherr.

elegans Couper. Rhyn. N. E. Am., 131.

Barypeithes Duval.

pellucidus Boheman. Rhyn. N. E. Am., 133.

Sitona Schonherr.

flavescens Marsham. Rhyn. N. E. Am., 142.

hispidula Germar. *Ibid.*, 141.

Hypera Germar.

punctatus Fabricius. Clover leaf beetle. Ins. Ill., xxv, 83:
Rhyn. N. E. Am., 146.

Phytonomus Schonherr.

meles Fabricius. Rhyn. N. E. Am., 150.

nigrirostris Fabricius. *Ibid.*, 150.

sp.

Listronotus Jekel.

inæqualipennis Boheman. Rhyn. N. E. Am., 156.

laticusculus Boheman. *Ibid.*, 161.tuberosus LeConte. *Ibid.*, 154.**Hyperodes** Jekel.

humilis Gyllenhal. Rhyn. N. E. Am., 176.

solutus Boheman. *Ibid.*, 166.

sp.

Pissodes Germar.

affinis Randall. Rhyn. N. E. Am., 183.

approximatus Hopkins. *Ibid.*, 181.strobi Peck. White Pine Weevil. *Ibid.*, 180. Rept. Conn. Agr.

Expt. Sta., 1919, 144.

Hylobius Germar.pales Herbst. Proc. Am. Phil. Soc., xv, 140: Rhyn. N. E. Am.
186.

confusus Kirby. Rhyn. N. E. Am., 187.

Dorytomus Stephens.

laticollis LeConte. Rhyn. N. E. Am., 195. (A.B.C.) (H.B.K.)

parvicollis Casey. *Ibid.*, 195.**Desmoris** LeConte.

constrictus Say. Rhyn. N. E. Am., 206.

Smicronyx Schonherr.

corniculatus Fabricius. Rhyn. N. E. Am., 211.

Brachybamus Germar.

electus Germar. Rhyn. N. E. Am., 222.

Endalus Laporte.

ovalis LeConte. Rhyn. N. E. Am., 224. (A.B.C.) (H.B.K.)

Onchylis LeConte.

nigrirostris Boheman. Rhyn. N. E. Am., 226.

Bagous Germar.

magister LeConte. Rhyn. N. E. Am., 231.

nebulosus LeConte. *Ibid.*, 237.pauillus Blatchley. *Ibid.*, 238.

Tychius Schonherr.

picrostris Fabricius. Rhyn. N. E. Am., 246.

Otidocephalus Chevrolat.

chevrolatii Horn. *myrmecodes*. Rhyn. N. E. Am., 251.

lævicollis Horn. *Ibid.*, 250.

myrmex Herbst. *myrmecodes* Say. *Ibid.*, 250.

Magdalis Germar.

alutacea LeConte. Rhyn. N. E. Am., 257.

armicollis Say. *Ibid.*, 258.

austera Fall var. **substrigata** Fall. *Ibid.*, 256.

barbita Say. *Ibid.*, 258.

olyra Herbst. Hickory snout borer. *Ibid.*, 259.

salicis Horn. Rhyn. N. E. Am., 260. (A.B.C.) (H.B.K.)

Balaninus Germar.

algonquinus Casey. Lesser chestnut weevil. Rhyn. N. E. Am.,
267.

baculi Chittenden. *uniformis*. *Ibid.*, 271.

caryæ Horn. Hickory nut weevil. *Ibid.*, 265.

confusor Hamilton. Confused acorn weevil. *Ibid.*, 270.

nasicus Say. Mottled acorn weevil. *Ibid.*, 269.

obtusus Blanchard. Hazelnut weevil. *Ibid.*, 272.

pardalis Chittenden. *Ibid.*, 270.

proboscideus Fabricius. Larger chestnut weevil. *Ibid.*, 264.

quercus Horn. Proc. Am. Phil. Soc., 1873, 458.

rectus Say. Common acorn weevil. Rhyn. N. E. Am., 266.

Orchestes Illiger.

canus Horn. Rhyn. N. E. Am., 281.

niger Horn. *Ibid.*, 280.

pallicornis Say. *Ibid.*, 280.

rufipes LeConte. *Ibid.*, 282.

Tachypterellus Cockerell.

quadrigibbus Say. *Anthonomus*. Apple curculio. Rhyn. N.
E. Am., 285.

Anthonomopsis Dietz.

mixtus LeConte. Rhyn. N. E. Am., 286.

Anthonomus Germar.

- elongatus* LeConte. Rhyn. N. E. Am., 315.
musculus Say. *Ibid.*, 302. (A.B.C.) (H.B.K.)
nubilus LeConte. *Ibid.*, 314.
pusillus LeConte. *Ibid.*, 289.
scutellaris LeConte. *Ibid.*, 287.
scutellatus Gyllenhal. *Ibid.*, 307.
signatus Say. Strawberry weevil. *Ibid.*, 300.
suturalis LeConte. *Ibid.*, 297.

Prionomerus Schonherr.

- calceatus* Say. Rhyn. N. E. Am., 322.

Piazorhinus Schonherr.

- scutellaris* Say. Rhyn. N. E. Am., 323.

Gymnetron Schonherr.

- teter* Fabricius. Rhyn. N. E. Am., 326.

Miarus Stephens.

- hispidulus* LeConte. Rhyn. N. E. Am., 326.
puritanus Casey. *Ibid.*, 327.

Stephanocleonus Motschulsky.

- plumbeus* LeConte. Rhyn. N. E. Am., 328.

Cleonus Schonherr.

- calandroides* Randall. Rhyn. N. E. Am., 330.

Lixus Fabricius.

- concavus* Say. Rhubarb weevil or curculio. Rhyn. N. E. Am., 337.
musculus Say. *Ibid.*, 336. (G.D.)
rubellus Randall. *Ibid.*, 334.

Læmosaccus Schonherr.

- plagiatus* Say. Rhyn. N. E. Am., 346. (A.B.C.) (H.B.K.)

Baris Germar.

- scolopacea* Germar. Rhyn. N. E. Am., 357.
umbilicata LeConte. *Ibid.*, 350.

Onychobaris LeConte.

- pectorosa* LeConte. Rhyn. N. E. Am., 366.

Note:—*Diorymellus laevimargo* Champion, a small black weevil, infests orchids in greenhouses.

Madarellus Casey.

undulatus Say. Rhyn. N. E. Am., 367.

Pseudobaris LeConte.

nigrina Say. Rhyn. N. E. Am., 374.

Centrinus Schonherr.

perscitus Herbst. Rhyn. N. E. Am., 383.

picumnus Herbst. *Ibid.*, 380.

Odontocorynus Schonherr.

salebrosus Casey. Rhyn. N. E. Am., 386.

scutellum-album Say. *Ibid.*, 385.

Nicentrus Casey.

linecollis Boheman. *Centrinus*. Rhyn. N. E. Am., 390.

Idiostethus Casey.

subcalvus LeConte. Rhyn. N. E. Am., 404.

tubulatus Say. *Stethobaris*. *Ibid.*, 404.

Stethobaris LeConte.

ovata LeConte. Rhyn. N. E. Am., 407.

Cylindrocopturus Heller.

binotatus LeConte. *Copturodes*. *Copturus*. Rhyn. N. E. Am.,
420.

quercus Say. *Copturodes*. *Copturus*. *Ibid.*, 421.

Acoptus LeConte.

suturalis LeConte. Rhyn. N. E. Am., 423. (A.B.C.) (H.B.K.)

Mononychus Germar.

vulpeculus Fabricius. Rhyn. N. E. Am., 426.

Acanthoscelis Dietz.*

acephalus Say. *Falciger*. *Cæliodes*. Rhyn. N. E. Am., 431.

Auleutes Dietz.

asper LeConte. Rhyn. N. E. Am., 432. (C.W.L.)

nebulosus LeConte. *Ibid.*, 435.

tenuipes LeConte. *Ibid.*, 433.

Acallodes LeConte.

ventricosus LeConte. Rhyn. N. E. Am., 437.

Cæliodes Schonherr.

acephalus Say. Proc. Am. Phil. Soc., xv, 269.

flavicaudis Boheman. Rhyn. N. E. Am., 438.

* See also appendix.

Ceutorhynchus Germar.*rapæ Gyllenhal. *affluentus*. Rhyn. N. E. Am., 442.septentrionalis Gyllenhal. *Ibid.*, 452.**Cælogaster** Schonherr.

zimmermanni Gyllenhal. Rhyn. N. E. Am., 455.

Pelenomus Thomson.

sulcicollis Fabricius. Rhyn. N. E. Am., 457.

Rhinonchus Schonherr.

pyrrhopus Boheman. Rhyn. N. E. Am., 461.

Conotrachelus Schonherr.

albicinctus LeConte. Rhyn. N. E. Am., 469. (A.B.C.) (H.B.K.)

anaglypticus Say. *Ibid.*, 480.aratus Germar. *Ibid.*, 473.cratægi Walsh. Quince curculio. *Ibid.*, 474: Cornell Agr. Expt. Sta., Bull. 148.

elegans Say. Rhyn. N. E. Am., 472.

geminatus LeConte. *Ibid.*, 478.juglandis LeConte. Walnut curculio. *Ibid.*, 468: Rept. Conn. Agr. Expt. Sta., 1912, 240.

nenuphar Herbst. Plum curculio. Rhyn. N. E. Am., 469: Rept. Conn. Agr. Expt. Sta., 1904, 219.

posticatus Boheman. Rhyn. N. E. Am., 477.

seniculus LeConte. *Ibid.*, 472. (A.B.C.) (H.B.K.)**Ryssematus** Chevrolat.

æqualis Horn. Rhyn. N. E. Am., 484.

lineaticollis Say. *Ibid.*, 484.**Tyloderma** Say.

ærea Say. Rhyn. N. E. Am., 493.

foveolata Say. *Ibid.*, 491.nigra Casey. *Ibid.*, 493.punctata Casey. *Ibid.*, 494.**Apteromechus** Faust.

ferratus Say. Rhyn. N. E. Am., 506.

Cryptorhynchus Illiger.bisignatus Say. *Eubulus*. Rhyn. N. E. Am., 509.fuscatus LeConte. *Ibid.*, 509.lapathi Linnæus. Poplar or willow curculio. *Ibid.*, 510.parochus Herbst. *Ibid.*, 508.tristis LeConte. *Ibid.*, 514. (A.B.C.)

* See also appendix.

Dryophthorus Schonherr.

americanus Bedel. *corticalis*. Rhyn. N. E. Am., 524.

Himatium Cockerell.

conicum LeConte. *Himatium*. Rhyn. N. E. Am., 527. (C.C.)

Cossonus Clairville.

concinnus Boheman. Rhyn. N. E. Am., 531. (G.D.)

corticola Say. *Ibid.*, 532.

impressifrons Boheman. *Ibid.*, 531. (H.L.J.)

platalea Say. *Ibid.*, 530.

Stenoscelis Wollaston.

brevis Boheman. Rhyn. N. E. Am., 545.

Rhodobænus LeConte.

tredecimpunctatus Illiger. Rhyn. N. E. Am., 550.

Sphenophorus Schonherr.

æqualis Gyllenhal. Rhyn. N. E. Am., 553.

callosus Olivier. *sculptilis*. *Ibid.*, 567.

parvulus Gyllenhal. *Ibid.*, 563.

pertinax Olivier. *Ibid.*, 556.

setiger Chittenden. *Ibid.*, 557.

venatus Say. *placidus*. *Ibid.*, 571.

zeæ Walsh. *Ibid.*, 566.

Calendra Clairville.

granaria Linnæus. Grain weevil. Rhyn. N. E. Am., 574.

oryzæ Linnæus. Rice weevil. *Ibid.*, 575.

Family SCOLYTIDÆ.

Scolytus Geoffroy.*Eccoptyogaster*.

quadrispinosus Say. Hickory bark beetle. Can. Bark Beetles, ii, 52.

rugulosus Ratzeburg. Fruit bark beetle. Shot-hole borer. *Ibid.*, 52.

Chramesus LeConte.

icoriæ LeConte. Hickory twig borer. Can. Bark Beetles, ii, 58.

Phthorophlæus Rey.

frontalis Zimmerman. Can. Bark Beetles, ii, 59.

Dendroctonus Erichson.

terebrans Olivier. Turpentine bark beetle. Can. Bark Beetles, ii, 64.

valens LeConte. *Ibid.*, 63.

Phlœosinus Chapuis.

dentatus Say. Red cedar bark beetle. Can. Bark Beetles, ii, 68.

Leperisinus Reitter.

aculeatus Say. *Hylesinus*. Ash timber beetle. Can. Bark Beetles, ii, 72.

Hylastinus Bedel.

obscurus Marsham. Can. Bark Beetles, ii, 73.

Hylurgopinus Swaine.

rufipes Eichhoff. *Hylastes*. Can. Bark Beetles, ii, 74.

Hylurgops LeConte.

pinifex Fitch. *Hylastes*. Can. Bark Beetles, ii, 81.

Micracis LeConte.

suturalis LeConte. Rhyn. N. E. Am., 647.

Ptercyclon Eichhoff.*Monarthrum*.

fasciatum Say. Can. Bark Beetles, ii, 86.

mali Fitch. *Ibid.*, 87.

Hypothenemus Westwood.

hispidulus LeConte. Rhyn. N. E. Am., 596.

Stephanoderes Eichhoff.

dissimilis Zimmerman. Rhyn. N. E. Am., 603.

sp.

Pityophthorus Eichhoff.

canadensis Swaine. Can. Bark Beetles, ii, 97.

puberulus LeConte. *Ibid.*, 95.

pulicarius Zimmerman. *Ibid.*, 95.

sp.

sp.

Pityogenes Bedel.

hopkinsi Swaine. Can. Bark Beetles, ii, 106.

Ips DeGeer.

grandicollis Eichhoff. Can. Bark Beetles, ii, 113. .

pini Say. *Ibid.*, 115.

sp.

Orthotomicus Ferrari.

cælatus Eichhoff. *Tomicus*. *Xyleborus*. Can. Bark Beetles,
ii, 121.

Pityokteines Fuchs.

sparsus LeConte. *Xyleborus*. *Tomicus*. *Pityogenes*. Can.
Bark Beetles, ii, 123.

Anisandrus Ferrari.

pyri Peck. *Xyleborus dispar*. Can. Bark Beetles, ii, 124.

sp.

Xyleborus Eichhoff.

celsus Eichhoff. Hickory timber beetle. Can. Bark Beetles,
ii, 126.

Order **STREPSIPTERA**.*Family **STYLOPIDÆ**.**Stylops** Kirby.

vicinæ Pierce. U. S. Nat. Mus., Bull. No. 66, 110.

Family **XENIDÆ**.**Acroschismus** Pierce.

wheeleri Pierce. *Xenos peckii* Brues. U. S. Nat. Mus., Bull.
No. 66, 129.

Schistosiphon Pierce.

peckii Kirby. *Xenos*. U. S. Nat. Mus., Bull. No. 66, 133.

* This order has usually been included in the Coleoptera, and is therefore not given in the table for the separation of the orders, Bulletin 16, page 34.

Order HYMENOPTERA.

Ants, bees, wasps, etc.

Suborder PHYTOPHAGA.

Family XYELIDÆ.

Macroxyela Kirby.*infuscata* Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 32.

Family PAMPHILIIDÆ.

Itycorsia Konow.*albomarginata* Cresson. *Lyda*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 35.*angulata* MacGillivray. *Ibid.*, Bull. 22, 34. (A.B.C.)*luteomaculata* Cresson. *Ibid.*, Bull. 22, 35. (R.H.)*ochrocera* Norton. *Ibid.*, Bull. 22, 34.*zappei* Rohwer. Proc. U. S. Nat. Mus., 57, 209.**Cænolyda** Konow.*semidea* Cresson. *Lyda*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 36.**Neurotoma** Konow.*fasciata* Norton. *Lyda*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 35. (E.N.)**Pamphilius** Latreille.*dentatus* MacGillivray. Conn. Geol. Nat. Hist. Surv., Bull. 22, 38.*ocreatus* Say. *Lyda*. *Ibid.*, Bull. 22, 37.*persicus* MacGillivray. Peach sawfly. *Ibid.*, Bull. 22, 38:
Rept. Conn. Agr. Expt. Sta., 1907, 285.*rileyi* Cresson. Trans. Am. Ent. Soc., viii, 32.**Anoplolyda** Costa.*luteicornis* Norton. *Lyda*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 40. (E.N.)*pallimacula* Norton. *Lyda*. *Ibid.*, Bull. 22, 40. (E.N.)*rufofasciatus* Norton. *Lyda*. *Ibid.*, Bull. 22, 41. (E.N.)*scripta* Say. *Lyda*. *Ibid.*, Bull. 22, 40.

Family TENTHREDINIDÆ.*

Diprion Schrank.

simile Hartig. *Lophyrus*. Jour. Econ. Ent., viii, 379: Conn. Geol. Nat. Hist. Surv., Bull. 22, 761.

Neodiprion Rohwer.

abietis Harris. *Lophyrus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 44.

lecontei Fitch. *Lophyrus*. *Ibid.*, Bull. 22, 44.

pinetum Norton. *abbotti*. *Lophyrus*. *Ibid.*, Bull., 22, 44.

pinus-rigida Norton. *Lophyrus*. *Ibid.*, Bull. 22, 44.

sp.

sp.

Hemitaxonus Ashmead.

dubitatus Norton. *Taxonus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 46.

Epitaxonus MacGillivray.

albidopictus Norton. *Taxonus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 46.

Taxonus Hartig.

nigrisomus Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 47.

Monostegia Costa.

martini MacGillivray. Conn. Geol. Nat. Hist. Surv., Bull. 22, 47.

Empria LePeletier.*Pacilostoma* Dahlbom.

calda MacGillivray. Conn. Geol. Nat. Hist. Surv., Bull. 22, 51.

candidula MacGillivray. *Ibid.*, Bull. 22, 54.

cariosa MacGillivray. *Ibid.*, Bull. 22, 54.

casca MacGillivray. *Ibid.*, Bull. 22, 53.

casta MacGillivray. *Ibid.*, Bull. 22, 52.

costata MacGillivray. *Ibid.*, Bull. 22, 51.

evecta MacGillivray. *Ibid.*, Bull. 22, 54.

ignota Norton. *Monostegia*. *Ibid.*, Bull. 22, 53.

maculata Norton. *Harpiophorus*. *Ibid.*, Bull. 22, 53.

sp.

* See also appendix.

Emphytus Klug.

apertus Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 56.

cinctipes Norton. *Ibid.*, Bull. 22, 56.

gilletii Mac Gillivray. *Ibid.*, Bull. 22, 57.

inornatus Say. *Ibid.*, Bull. 22, 56.

mellipes Norton. *Ibid.*, Bull. 22, 56.

Emphytina Rohwer.

vanduzeei Rohwer. Proc. U. S. Nat. Mus., 49, 205.

Parataxonus MacGillivray.

erythrogastra Rohwer. Proc. U. S. Nat. Mus., 41, 408.

multicolor Norton. *Taxonus*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 57.

Eriocampa Hartig.

rotunda Norton. *Sciapteryx*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 58.

Monosoma MacGillivray.

inferentia Norton. *Pacilostoma*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 59.

Macremphytus MacGillivray.

semicornis Say. *Emphytus*. *Harpiphorus*. Conn. Geol. Nat.
Hist. Surv., Bull. 22, 59.

tarsatus Say. *Emphytus*. *Harpiphorus*. *Ibid.*, Bull. 22, 61.

varianus Norton. *Emphytus*. *Harpiphorus*. *Ibid.*, Bull. 22, 60.

Strongylogastroidea Ashmead.

apicalis Norton. *Allantus*. *Strongylogaster*. Conn. Geol. Nat.
Hist. Surv., Bull. 22, 63.

epicera Say. *Allantus*. *Strongylogaster*. *Ibid.*, Bull. 22, 63.

mellosa Norton. *Allantus*. *Strongylogaster*. *Ibid.*, Bull. 22, 62.

rufocincta Norton. *Allantus*. *Strongylogaster*. *Ibid.*, Bull. 22,
63.

terminalis Say. *Allantus*. *Strongylogaster*. *Ibid.*, Bull. 22, 62.

unicincta Norton. *Taxonus*. *Ibid.*, Bull. 22, 64 (E.N.)

Dimorphopteryx Ashmead.

pinguis Norton. *Strongylogaster*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 64.

Selandria Leach.

flavipes Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 66.

Thrinax Konow.

impressatus Provancher. *Strongylogaster*. Conn. Geol. Nat.
Hist. Surv., Bull. 22, 67.

Strongylogaster Dahlbom.

- annulosus* Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 68.
longulus Norton. *Ibid.*, Bull. 22, 67.
luctuosus Provancher. Trans. Am. Ent. Soc., xxii, 310.
tacitus Say. *Allantus*. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 68.

sp.

Dolerus Jurine.

- abdominalis* Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 74.
apricus Norton. *Ibid.*, Bull. 22, 72.
aprilis Norton. *Ibid.*, Bull. 22, 74.
bicolor Beauvois. *Ibid.*, Bull. 22, 72.
collaris Say. *Ibid.*, Bull. 22, 73. (A.B.C.)
colosericeus MacGillivray. *Ibid.*, Bull. 22, 70.
conjugatus MacGillivray. *Ibid.*, Bull. 22, 73.
dysporus MacGillivray. *Ibid.*, Bull. 22, 73.
inspiratus MacGillivray. *Ibid.*, Bull. 22, 72.
luctatus MacGillivray. Can. Ent., xl, 127.
monosericeus MacGillivray. Conn. Geol. Nat. Hist. Surv., Bull.
 22, 70.
refugus MacGillivray. *Ibid.*, Bull. 22, 71.
sericeus Say. *Ibid.*, Bull. 22, 69.
similis Norton. *Ibid.*, Bull. 22, 74. (E.N.)
tectus MacGillivray. *Ibid.*, Bull. 22, 70.
unicolor Beauvois. *Ibid.*, Bull. 22, 73.
versus Norton. *Ibid.*, Bull. 22, 75. (A.E.V.)
 sp.

Loderus Konow.

- albifrons* Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 76.

Endelomyia Ashmead.

- æthiops* Fabricius. *Caliroa. Monostegia rosæ*. Rose sawfly.
 Conn. Geol. Nat. Hist. Surv., Bull. 22, 77.

Caliroa Costa.

- cerasi* Linnæus. *Eriocampoides limacina*. Pear and cherry slug.
 Conn. Geol. Nat. Hist. Surv., Bull. 22, 77.
fasciata Norton. *Ibid.*, Bull. 22, 79.
obsoleta Norton. *Ibid.*, Bull. 22, 78.
quercus-alba Norton. *Ibid.*, Bull. 22, 78. (E.N.)

Pachyprotasis Hartig.

rapæ Linnæus. *omega*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 81. (E.N.)

Lagium Konow.

atroviolaceum Norton. *Tenthredopsis*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 81.

atroviolaceum var. *tardum* Norton. *Ibid.*, Bull. 22, 81.

cinctulum Norton. *Ibid.*, Bull. 22, 81.

Tenthredopsis Costa.

semilutea Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 82. (E. N.)

Rhogogastera Konow.

evansii Harrington. Conn. Geol. Nat. Hist. Surv., Bull. 22, 83.

Tenthredo Linnæus.

angulifera Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 88. (E.N.)

flavomarginis Norton. *Ibid.*, Bull. 22, 90. (E.N.)

grandis Norton. *Ibid.*, Bull. 22, 84. (E.N.)

formosa Norton. *Ibid.*, Bull. 22, 87.

lobata Norton. *Ibid.*, Bull. 22, 88.

lobata var. *maculosa* Smulyan. Can. Ent., xlvii, 324. (W.E.B.)

rufipes Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 91. (A.B.C.)

rufopecta Norton. *Ibid.*, Bull. 22, 86.

verticalis Say. *Ibid.*, Bull. 22, 86.

sp.

Macrophya Dahlbom.

alba MacGillivray. Conn. Geol. Nat. Hist. Surv., Bull. 22, 94. (A.B.C.)

albomaculata Norton. *Ibid.*, Bull. 22, 97. (E.N.)

bilineata MacGillivray. *Ibid.*, Bull. 22, 96.

cassandra Kirby. List. Hym. Brit. Mus., i, 273, pl. 10, fig. 13.

epinota Say. *Ibid.*, Bull. 22, 93.

externa Say. *Ibid.*, Bull. 22, 96.

externiformis Rohwer. Proc. U. S. Nat. Mus., 43, 220.

fascialis Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 99.

flavicoxa Norton. *Ibid.*, Bull. 22, 95.

formosa Klug. *Ibid.*, Bull., 22, 98.

- fuliginea Norton. *Ibid.*, Bull. 22, 96.
 goniphora Say. *Ibid.*, Bull. 22, 98.
 incerta Norton. *Ibid.*, Bull. 22, 96 (E. N.)
 intermedia Norton. *Ibid.*, Bull. 22, 98. (E.N.)
 lineata Norton. *Ibid.*, Bull. 22, 95.
 minuta MacGillivray. *Ibid.*, Bull. 22, 97.
 nigra Norton. *Ibid.*, Bull. 22, 97.
 pannosa Say. *Ibid.*, Bull. 22, 95.
 proximata Norton. *Ibid.*, Bull. 22, 95. (E.N.)
 pulchella Klug. *Ibid.*, Bull. 22, 94. (E.N.)
 succincta Cresson. *Ibid.*, Bull. 22, 98.
 tibiator Norton. *Ibid.*, Bull. 22, 96.
 trisyllaba Say. *Ibid.*, Bull. 22, 98.
 trosula Norton. *Ibid.*, Bull. 22, 93.
 varia Norton. *Ibid.*, Bull. 22, 99. (E.N.)
 zabriskei Rohwer. Proc. U. S. Nat. Mus., 43, 218.

Allantus Jurine.

- basilaris Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 101.
 dubius Norton. *Ibid.*, Bull. 22, 102.

Abia Leach.

- inflata Norton. *Zaræa*. Conn. Geol. Nat. Hist. Surv., Bull.
 22, 102.

Trichiosoma Leach.

- crassum Kirby. Conn. Geol. Nat. Hist. Surv., Bull. 22, 103.
 (A.B.C.)
 triangulum Kirby. *Ibid.*, Bull. 22, 103.

Cimbex Olivier.

- americana Leach. Conn. Geol. Nat. Hist. Surv., Bull. 22, 104.
 americana var. decimaculata Norton. *Ibid.*, Bull. 22, 104.
 americana var. laportei LePeletier. *Ibid.*, Bull. 22; 104.
 americana var. nortoni MacGillivray. *Ibid.*, Bull. 22, 104.

Hoplocampa Hartig.

- halcyon Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 105.
 (A.B.C.)

Craterocercus Rohwer.

- quercivorus Rohwer. Proc. Wash. Ent. Soc., 20, 164.

Mesoneura Hartig.

- parva Norton. *Dineura*. Conn. Geol. Nat. Hist. Surv., Bull.
 22, 107. (E.N.)

Priophorus Dahlbom.

acericaulis MacGillivray. Maple leaf stem borer. Ent. News, xvii, 313; Conn. Geol. Nat. Hist. Surv., Bull. 22, 109.

æqualis Norton. *Cladius*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 109. (E.N.)

simplicicornis Norton. *Ibid.*, Bull. 22, 109.

Cladius Illiger.

pectinicornis Fourcroy. *isomerus*. Bristly rose slug. Conn. Geol. Nat. Hist. Surv., Bull. 22, 110.

Trichiocampus Hartig.

viminalis Fallen. Conn. Geol. Nat. Hist. Surv., Bull. 22, 110.

Diphadnus Hartig.

appendiculatus Hartig. *Pristiphora grossularia*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 112.

californicus Marlatt. *Ibid.*, Bull. 22, 113.

proximatus Norton. *Nematus*. *Ibid.*, Bull. 22, 113.

Pristiphora Latreille.

betulavora Rohwer. Proc. U. S. Nat. Hist. Mus., 57, 219.

bivittata Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 114.

luteola Norton. *Ibid.*, Bull. 22, 114.

sycophanta Walsh. *tibialis*. *Ibid.*, Bull. 22, 113.

Lygæonematus Konow.

erichsoni Hartig. Larch sawfly. Conn. Geol. Nat. Hist. Surv., Bull. 22, 115.

Pachynematus Konow.

affinis Marlatt. Conn. Geol. Nat. Hist. Surv., Bull. 22, 117.

corniger Norton. *Ibid.*, Bull. 22, 118.

extensicornis Norton. *Ibid.*, Bull. 22, 116.

nigritus Norton. *Ibid.*, Bull. 22, 111. (E.N.)

rufocinctus MacGillivray. *Ibid.*, Bull. 22, 117. (A.B.C.)

subalbatus Norton. *Ibid.*, Bull. 22, 118.

sp.

sp.

Nematus Jurine.

chloreus Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 121. (E.N.)

longicornis Say. *longulicornis* Norton. (*Pteronus*?) *Ibid.*, Bull. 22, 111. (E.N.)

Cræsus Leach.

latitarsus Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 121.

Amauronematus Konow.

concolor Norton. *Nematus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 122. (E.N.)

semirufus Kirby. *fulvipes* Norton. *Nematus*. *Ibid.*, Bull. 22, 123. (E.N.)

luteotergum Norton. *Nematus*. *Ibid.*, Bull. 22, 123. (E.N.)
sp.

Pteronidea Rohwer.*

amelanchieridis Rohwer. Proc. U. S. Nat. Mus., 57, 215.

carpini Marlatt. Conn. Geol. Nat. Hist. Surv., Bull. 22, 129.
(C.R.E.)

corylus Cresson. *Ibid.*, Bull. 22, 127. (C.R.E.)

integra Say. *Nematus integer*. *Ibid.*, Bull. 22, 131.

limbata Cresson. *Ibid.*, Bull. 22, 125.

longicornis Marlatt. *Ibid.*, Bull. 22, 132.

mendica Walsh. *Ibid.*, Bull. 22, 131.

populi Marlatt. *Ibid.*, Bull. 22, 128. (A.B.C.)

ribesi Scopoli. *Nematus ventricosus*. Currant worm. *Ibid.*,
Bull. 22, 128.

thoracica Harrington. *Ibid.*, Bull. 22, 129.

trilineata Norton. *Ibid.*, Bull. 22, 130.

ventralis Say. *Ibid.*, Bull. 22, 133.

vertebrata Say. *Ibid.*, Bull. 22, 131.

sp.

Pontania Costa.

desmodioides Walsh. Conn. Geol. Nat. Hist. Surv., Bull. 22, 140.

hyalina Norton. *Ibid.*, Bull. 22, 137.

pisum Walsh. *Ibid.*, Bull. 22, 139. (A.B.C.)

Euura Newman.

orbitalis Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 141.

salicicola Smith. *Ibid.*, Bull. 22, 141.

Hypargyricus MacGillivray.

fumipennis Norton. *Monophadnus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 145.

* See also appendix.

Isodyctium Ashmead.

atratum MacGillivray. Conn. Geol. Nat. Hist. Surv., Bull. 22, 146.

caryicola Dyar. *Ibid.*, Bull. 22, 145.

Periclista Konow.

plesia Rohwer. Proc. U. S. Nat. Mus. 57, 211.

Tomostethus Konow.

bardus Say. *Selandria*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 148.

inhabilis Norton. *Selandria*. *Ibid.*, Bull. 22, 148.

Monophadnus Hartig.

bipunctatus MacGillivray. Conn. Geol. Nat. Hist., Surv., Bull. 22, 149.

tiliæ Norton. *Selandria*. *Ibid.*, Bull. 22, 149. (E.N.)

Paracharactus MacGillivray.

rudis Norton. *Selandria*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 150. (E.N.)

Phymatocera Dahlbom.

rufula Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 150.

Monophadnoides Ashmead.

collaris MacGillivray. Conn. Geol. Nat. Hist. Surv., Bull. 22, 152.

consobrinus MacGillivray. *Ibid.*, Bull. 22, 152.

coracinus MacGillivray. *Ibid.*, Bull. 22, 152.

rubi Harris. *Selandria*. *Ibid.*, Bull. 22, 151.

Aphanisus MacGillivray.

odoratus MacGillivray. Conn. Geol. Nat. Hist., Surv., Bull. 22, 154.

Blennocampa Hartig.

sp.

Erythraspides Ashmead.

caryæ Norton. *Selandria*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 156.

pygmæus Say. *Selandria vitis*. *Ibid.*, Bull. 22, 156.

Metallus Forbes.

rubi Forbes. Conn. Geol. Nat. Hist. Surv., Bull. 22, 160. (H.L.V.)

Atomacera Say.

- debilis* Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 160.
decepta Rohwer. Proc. U. S. Nat. Mus., 41, 382.
ruficollis Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 160.

Arge Schrank.*Hylotoma* Latreille.

- abdominalis* Leach. Conn. Geol. Nat. Hist. Surv., Bull. 22, 161.
clavicornis Fabricius. *Ibid.*, Bull. 22, 161.
dulciliaria Say. *Ibid.*, Bull. 22, 161.
erythrosona Leach. Trans. Am. Ent. Soc., 1, 72.
humeralis Beauvois. Conn. Geol. Nat. Hist. Surv., Bull. 22, 162.
macleayi Leach. *Ibid.*, Bull. 22, 161.
rubiginosa Beauvois. *Ibid.*, Bull. 22, 162.
rubra Klug. *Ibid.*, Bull. 22, 163. (J.A.H.)
salicis Rohwer. *Hylotoma pectoralis*. Proc. U. S. Nat. Mus., 43, 206.
scapularis Klug. Conn. Geol. Nat. Hist. Surv., Bull. 22, 162.
sphinx Kirby. *Ibid.*, Bull. 22, 162.
virescens Klug. *Ibid.*, Bull. 22, 161.
xanthothorax Leach. List. Hym. Brit. Mus., 1, 69, pl. 6, fig. 1.
 sp.
 sp.

Sterictiphora Billberg.

- johnsoni* MacGillivray. Can. Ent., xl, 403.

Schizocerus LePeletier.

- privatus* Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 164. (J.A.H.)
zabriskei Ashmead. *Ibid.*, Bull. 22, 164.

Acordulecera Say.

- dorsalis* Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 166. (E.N.)
maura MacGillivray. *Ibid.*, Bull. 22, 166. (H.L.V.)
media MacGillivray. *Ibid.*, Bull. 22, 165.
mixta MacGillivray. *Ibid.*, Bull. 22, 166.
saginata Provancher. *Ibid.*, Bull. 22, 167.
 sp.
 sp.

Family XIPHYDRIIDÆ.

Xiphydria Latreille.

attenuata Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 168.
(W.H.P.)

maculata Say. *Ibid.*, Bull. 22, 168.

Family SIRICIDÆ.

Sirex Linnæus.

cyaneus Fabricius. Conn. Geol. Nat. Hist. Surv., Bull. 22, 170.
(E.N.)

Urocerus Geoffroy.

albicornis Fabricius. Conn. Geol. Nat. Hist. Surv., Bull. 22,
171.

cressoni Norton. *Ibid.*, Bull. 22, 171.

flavicornis Fabricius. *Ibid.*, Bull. 22, 171.

Tremex Jurine.

columba Linnæus. Pigeon horn-tail. Conn. Geol. Nat. Hist.
Surv., Bull. 22, 172.

Family CEPHIDÆ.

Janus Stephens.

abbreviatus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 173.

bimaculatus Norton. *Cephus*. *Phyllæcus*. *Ibid.*, Bull. 22, 173.

integer Norton. *flaviventris*. Currant stem girdler. *Ibid.*, Bull.
22, 173.

Adirus Konow.

trimaculatus Say. *Phyllæcus*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 173. (E.N.)

Family ORYSSIDÆ.

Oryssus Latreille.

sayi Westwood. Conn. Geol. Nat. Hist. Surv., Bull. 22, 175.

sayi var. *terminalis* Newman. *Ibid.*, Bull. 22, 175.

Suborder **HETEROPHAGA.**Family **VIPIONIDÆ.****Opius** Wesmael.

exareolatus Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 183.

novæangliæ Viereck. *Ibid.*, Bull. 22, 183.

pequodorum Viereck. *Ibid.*, Bull. 22, 183.

Cardiochiles Nees.

viator Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 183.
(A.B.C.)

Apanteles Fœrster.

agricola Viereck. (**Protapanteles**). Conn. Geol. Nat. Hist. Surv., Bull. 22, 186.

algonquorum Viereck. (**Protapanteles**). *Ibid.*, Bull. 22, 188.

augustus Viereck. (**Protapanteles**). *Ibid.*, Bull. 22, 187.

cacæciæ Riley. Trans. St. Louis Acad. Sci., iv, pt. 2, 306.

carpatus Say. (**Apanteles**). Conn. Geol. Nat. Hist. Surv., Bull. 22, 191.

clisiocampæ Ashmead. N. H. Agr. Expt. Sta., Tech. Bull. 6, 229.

conanchetorum Viereck. (**Apanteles**). Conn. Geol. Nat. Hist. Surv., Bull. 22, 191.

congregatus Say. (**Protapanteles**). *Ibid.*, Bull. 22, 188.

flaviconche Riley. (**Protapanteles**). *Ibid.*, Bull. 22, 186.

forbesi Viereck. (**Apanteles**). *Ibid.*, Bull. 22, 191.

gelechiæ Viereck. (**Apanteles**). *Ibid.*, Bull. 22, 190.

hesperidivorus Viereck. (**Protapanteles**). *Ibid.*, Bull. 22, 187.

houstatannuckorum Viereck. (**Apanteles**). *Ibid.*, Bull. 22, 189.

hyphantriæ Riley. *Ibid.*, Bull. 22, 193.

lacteicolor Viereck. (**Apanteles**). *Ibid.*, Bull. 22, 191.

læviceps Ashmead. (**Protapanteles**). *Ibid.*, Bull. 22, 188.

lanificus Viereck. (**Protapanteles**). *Ibid.*, Bull. 22, 188.

limenitidis Riley. (**Protapanteles**). *Ibid.*, Bull. 22, 186.

limenitidis var. (**Protapanteles**). *Ibid.*, Bull. 22, 187.

lunatus (Packard) Weed. (**Protapanteles**). *Ibid.*, Bull. 22, 186.

maquinnai Viereck. (**Apanteles**). *Ibid.*, Bull. 22, 190.

melanopus Viereck. (**Apanteles**). *Ibid.*, Bull. 22, 190.

miantonomoi Viereck. (**Apanteles**). *Ibid.*, Bull. 22, 190.

militaris Walsh. (**Protapanteles**). *Ibid.*, Bull. 22, 189.

memoriæ Ashmead. (**Protapanteles**). *Ibid.*, Bull. 22, 186.

- ninigretorum Viereck. (Apanteles). *Ibid.*, Bull. 22, 191.
 nipmuckorum Viereck. (Apanteles). *Ibid.*, Bull. 22, 191.
 obscuricornis Viereck. (Protapanteles). *Ibid.*, Bull. 22, 186.
 oxyacanthoidis Viereck. (Protapanteles). *Ibid.*, Bull. 22, 187.
 pequodorum Viereck. (Apanteles). *Ibid.*, Bull. 22, 190.
 podunkorum Viereck. (Stenopleura). *Ibid.*, Bull. 22, 188.

(D.J.C.)

- pyraustæ Viereck. (Protapanteles). *Ibid.*, Bull. 22, 188.
 radiatus Ashmead. (Protapanteles). *Ibid.*, Bull. 22, 189.
 recurvariæ Ashmead. (Apanteles). *Ibid.*, Bull. 22, 191.
 tischeriæ Viereck. *Ibid.*, Bull. 22, 191.
 trachynotus Viereck. (Apanteles). *Ibid.*, Bull. 22, 191.
 winkleyi Viereck. (Protapanteles). *Ibid.*, Bull. 22, 186.

Microgaster Latreille.

- brittoni Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 201.
 congregatiformis Viereck. *Ibid.*, Bull. 22, 201.
 gelechiæ Riley. *Ibid.*, Bull. 22, 201.
 solidaginis Viereck. *Ibid.*, Bull. 22, 201.

sp.

Microplitis Fœrster.

- melianæ Viereck var. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 203.
 quintilis Viereck. *Ibid.*, Bull. 22, 203.
 varicolor Viereck. *Ibid.*, Bull. 22, 203.
 waldeni Viereck. *Ibid.*, Bull. 22, 203.

Microbracon Ashmead.

- connecticutorum Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 205.
 dorsator Say var. æqualis Provancher. *Ibid.*, Bull. 22, 206.
 dorsator var. mellitor Say. *Ibid.*, Bull. 22, 205.
 hobomok Viereck. *Ibid.*, Bull. 22, 206.
 konkapoti Viereck. *Ibid.*, Bull. 22, 205.
 massasoit Viereck. *Ibid.*, Bull. 22, 205.
 matacomet Viereck. *Ibid.*, Bull. 22, 206.
 montowesei Viereck. *Ibid.*, Bull. 22, 206.
 nanus Provancher. Faun. Ent. Can. Hym., 504.
 nawaasorum Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 205.
 podunkorum Viereck. *Ibid.*, Bull. 22, 205.

quinnipiacorum Viereck. *Ibid.*, Bull. 22, 205.

sanninoideæ Gahan. Proc. U. S. Nat. Mus., liii, 196.

scanticorum Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
205.

sebequanash Viereck. *Ibid.*, Bull. 22, 204.

uncas Viereck. *Ibid.*, Bull. 22, 206.

wawequa Viereck. *Ibid.*, Bull. 22, 204.

Habrobracon (Ashmead) W. J. Johnson.

gelechiæ Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
209.

Habrobraconidea Viereck.

bicoloripes Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
764.

Iphiaulax Fœrster.

augustus Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
210.

eurygaster Brullé. *Ibid.*, Bull. 22, 210.

Cœloides Wesmæl.

pissodis Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
210.

Atanycolus Fœrster.

simplex Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 210.

Family **ALYSIIDÆ**.

Cœlinidea Viereck.

occom Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 212.

Ericœlinius Viereck.

mahackemoui Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
212.

Dacnusa Haliday.

sachemella Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
213.

Pentapleura Fœrster.

foveolata Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 213.

Aspilota Fœrster.

ephemera Viereck. Conn. Geol. Nat. Hist. Surv., Bull., 22,
213.

Asobara Fœrster.

lineata Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 213.

Aphæreta Fœrster.

muscæ Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22, 214.

Synaldis Fœrster.

incisa Gahan. Conn. Geol. Nat. Hist. Surv., Bull. 22, 214.

pygmæa Viereck. *Ibid.*, Bull. 22, 215.

quinnipiacorum Viereck. *Ibid.*, Bull. 22, 215.

Family BANCHIDÆ.

Banchus Fabricius.

ferrugineus Provancher. Conn. Geol. Nat. Hist. Surv., Bull. 22, 216.

pallescens Provancher. *Ibid.*, Bull. 22, 216.

Family BRACONIDÆ.

Macrocentrus Curtis.

cerasivorana Viereck. Proc. U. S. Nat. Mus., 42, 623.

delicatus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 220.

pyraustæ Viereck. *Ibid.*, Bull. 22, 220.

Ichneutidea Ashmead.

secunda Rohwer. Conn. Geol. Nat. Hist. Surv., Bull. 22, 221.

Eubadizon Nees.

lithocolletidis Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 221.

Meteorus Haliday.

communis Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 222.

dimidiatus Cresson. *Ibid.*, Bull. 22, 223.

exareolatus Viereck. *Ibid.*, Bull. 22, 223.

hyphantriæ Riley. *Ibid.*, Bull. 22, 223.

indagator Riley. *Ibid.*, Bull. 22, 222.

petiolariferus Viereck. *Ibid.*, Bull. 22, 223.

pretiosus Viereck. *Ibid.*, Bull. 22, 223.

triangularis Muesbeck. Can. Ent., li, 115.

versicolor Wesmael. *Ibid.*, Bull. 22, 223.

Euphorus Nees.

mellipes Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 224.

Dinocampus Fœrster.

pyri Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 225.

Perilitus Nees.

americanus Riley. Conn. Geol. Nat. Hist. Surv., Bull. 22, 218.

Orgilus Haliday.

detectiformis Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 226.

Bassus Fabricius.*Microdus* Authors.

agilis Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 227.

annulipes Cresson. *Ibid.*, Bull. 22, 227.

brittoni Viereck. *Ibid.*, Bull. 22, 227.

buttricki Viereck. *Ibid.*, Bull. 22, 228.

discolor Cresson. *Ibid.*, Bull. 22, 227.

erythrogaster Viereck. *Ibid.*, Bull. 22, 227.

pyrifolii Viereck. *Ibid.*, Bull. 22, 226.

rugareolatus Viereck. *Ibid.*, Bull. 22, 228.

sanctus Say. *Ibid.*, Bull. 22, 228.

waldeni Viereck. *Ibid.*, Bull. 22, 228.

winkleyi Viereck. *Ibid.*, Bull. 22, 227.

Bracon Panzer.*Agathis* Latreille.

branfordensis Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 230.

sassacus Viereck. *Ibid.*, Bull. 22, 230.

semirubra Viereck. *montrealensis* Morrison. *Ibid.*, Bull. 22, 230.

solidaginis Viereck. *Ibid.*, Bull. 22, 230.

Spathius Nees.

sp.

Ascogaster Wesmael.

provancheri Dalla Torre var. *pallidicornis* Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 231.

Chelonus Jurine.

fissus Provancher. Conn. Geol. Nat. Hist. Surv., Bull. 22, 232.

konkaputus Viereck. *Ibid.*, Bull. 22, 232.

mysticorum Viereck. *Ibid.*, Bull. 22, 232.

sassacus Viereck. *Ibid.*, Bull. 22, 232.

Sigalphus Latreille.*Sphæropyx* Illiger.

bicolor Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 233.

Urosigalphus Ashmead.mohawkorum Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
234.wampanoagorum Viereck. *Ibid.*, Bull. 22, 234.**Epirhyssalus** Ashmead.

atriceps Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22, 235.

Bucculatriplex Viereck.secundus Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 765.
sp. *Ibid.*, Bull. 22, 766.**Aleiodes** Wesmael.

burrus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 236.

ceruræ Ashmead. Proc. U. S. Nat. Mus., 1888, 634.

parasiticus Norton. *Ibid.*, Bull. 22, 235.terminalis Cresson. *Ibid.*, Bull. 22, 235.waldeni Viereck. *Ibid.*, Bull. 22, 235.**Hormius** Nees.completus Provancher. Conn. Geol. Nat. Hist. Surv., Bull. 22,
236.**Heterospilus** Halliday.

eurostæ Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 238.

Polystenidea Viereck.metacomet Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
238.

Family MYERSIIDÆ.

Thaumatotypidea Viereck.spinulata Strickland. Conn. Geol. Nat. Hist., Surv., Bull. 22,
238. (A.B.C.)

Family EVANIIDÆ.

Gasteruption Latreille.*Fanus* Fabricius.

micrurus Kieffer. Conn. Geol. Nat. Hist. Surv., Bull. 22, 240.

montanus Cresson var. incertus Cresson. *Ibid.*, Bull. 22, 240.tarsatorius Say. *Ibid.*, Bull. 22, 240.

Hyptia Illiger.

harpyoidea Bradley. Conn. Geol. Nat. Hist. Surv., Bull. 22, 240.

Family TRIGONALIDÆ.

Lycogaster Schuckard.

pullatus Schuckard var. **hollensis** Melander and Brues. Conn. Geol. Nat. Hist. Surv., Bull. 22, 243.

Family CAPITONIIDÆ.

Capitonus Brullé.

saperdæ Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22, 766.

Family ICHNEUMONIDÆ.

Praon Haliday.

alaskensis Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22, 259.

pequodorum Viereck. *Ibid.*, Bull. 22, 259.

Aphidius Nees.

avenaphis Fitch. *granariaphis*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 260.

exareolatus Viereck. *Ibid.*, Bull. 22, 260.

nigripes Ashmead. *Ibid.*, Bull. 22, 260.

polygonaphis Fitch. *Ibid.*, Bull. 22, 260.

rapæ Curtis. *Ibid.*, Bull. 22, 260.

rosæ Haliday. *Ibid.*, Bull. 22, 260.

testaceipes Cresson. *Ibid.*, Bull. 22, 259.

Cymodusa Holmgren.

distincta Cresson. Conn. Geol. Nat. Hist., Surv., Bull. 22, 262.

Sagaritis Holmgren.

aprilis Viereck. Conn. Geol. Nat. Hist., Surv., Bull. 22, 262.

conjunctiformis Viereck. *Ibid.*, Bull. 22, 262.

dubitatus Cresson. *provancheri*. *Ibid.*, Bull. 22, 262.

patsuiketorum Viereck. *Ibid.*, Bull. 22, 262.

Campoplex Gravenhorst.*

- amasecontorum Viereck. (Nepiera). Conn. Geol. Nat. Hist. Surv., Bull. 22, 266.
- clisiocampæ Weed. (Ameloctonus). *Ibid.*, Bull. 22, 266.
- diversicolor Viereck. (Hyposoter). *Ibid.*, Bull. 22, 267.
- elyi Viereck. (Hypothereutes). *Ibid.*, Bull. 22, 264.
- etemankiakorum Viereck. (Bathyplectes). *Ibid.*, Bull. 22, 263.
- fugitivus Say. (Ameloctonus). *Ibid.*, Bull. 22, 266.
- grossularifloræ Viereck. (Campoplex). *Ibid.*, Bull. 22, 263.
- kiehtani Viereck. (Angitia). *Ibid.*, Bull. 22, 265.
- macer Cresson. (Angitia). *Ibid.*, Bull. 22, 265.
- maquinnai Viereck. (Campoplex). *Ibid.*, Bull. 22, 263.
- metacomet Viereck. (Holocremnus). *Ibid.*, Bull. 22, 264.
- nolæ Ashmead. (Campoplex). *Ibid.*, Bull. 22, 263.
- œdemisiæ Ashmead. (Ameloctonus). *Ibid.*, Bull. 22, 266.
- œdemisiformis Viereck. (Angitia). *Ibid.*, Bull. 22, 265.
- openangorum Viereck. (Angitia). *Ibid.*, Bull. 22, 265.
- parviformis Viereck. (Angitia). *Ibid.*, Bull. 22, 265.
- pentagætorum Viereck. (Campoplex). *Ibid.*, Bull. 22, 263.
- pilosulus Provancher. (Ameloctonus). *Ibid.*, Bull. 22, 266.
- ruficoxa Provancher. (Angitia). *Ibid.*, Bull. 22, 265.
- vernalis Viereck. (Hypothereutes). *Ibid.*, Bull. 22, 264.
- woonandi Viereck. (Angitia). *Ibid.*, Bull. 22, 265.
- Casinaria Holmgren.
- argentea Norton. (Subgenus?). Conn. Geol. Nat. Hist. Surv., Bull. 22, 273.
- assita Norton. (Subgenus?) *Ibid.*, Bull. 22, 272.
- ceanothi Viereck. (Pseudocasinaria). *Ibid.*, Bull. 22, 270.
- diversa Norton. (Subgenus?). *Ibid.*, Bull. 22, 272.
- eupitheciæ Viereck. (Casinaria). *Ibid.*, Bull. 22, 270.
- genuina Norton. (Neonortonia). *Ibid.*, Bull. 22, 271.
- glauca Norton. (Subgenus?). *Ibid.*, Bull. 22, 272.
- porrecta Cresson. (Eripternoides). *Ibid.*, Bull. 22, 269.
- radiolata Provancher. (Eripternus). *Ibid.*, Bull. 22, 269.
- scabriformis Viereck. (Casinaria). *Ibid.*, Bull. 22, 270.
- sokanakiakorum Viereck. (Idechtis). *Ibid.*, Bull. 22, 270.
- villosa Norton. (Anisitsia). *Ibid.*, Bull. 22, 272.
- vitticollis Norton. (Anisitsia). *Ibid.*, Bull. 22, 271.

* See also appendix.

Paracania Viereck.

elyi Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 273.

Ceratogastra Ashmead.

fasciata Cresson. *ornata* Say. *Ceratosoma*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 273.

Pristomerus Curtis.

olamonus Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 274.

Porizon Fallen.

conotracheli Riley. *Thersilochus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 275.

Porizonidea Viereck.

sp.

Orthopelma Taschenberg.

diastrophii Ashmead. *Prædrus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 275.

luteolator Gravenhorst. Proc. U. S. Nat. Mus., 49, 226.

Plectiscidea Viereck.

contentionis Viereck. *Mesoleptus rufipes*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 276.

Cremaster Gravenhorst.

forbesii Weed. Proc. U. S. Nat. Mus., 53, 513.

Mesochorus Gravenhorst.

calais Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 280.

scitulus Cresson. *Ibid.*, Bull. 22, 279.

Paniscus Gravenhorst.

geminatus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 280.

Erigorgus (Fœrster) Brischke.*Anomalon* Authors.

anale Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 284.

ferrugineum Norton. *Ibid.*, Bull. 22, 285.

hyaline Norton. *Ibid.*, Bull. 22, 284.

luteopectum Norton. *Ibid.*, Bull. 22, 284.

prismaticum Norton. *Ibid.*, Bull. 22, 284.

rufulum Provancher. *Ibid.*, Bull. 22, 284.

Heteropelma Wesmæl.

flavicorne Brullé. Conn. Geol. Nat. Hist. Surv., Bull. 22, 285.

Therion Curtis.*Exochilum* Wesmael.

- morio Fabricius. Conn. Geol. Nat. Hist. Surv., Bull. 22, 286.
 sassacus Viereck. *Ibid.*, Bull. 22, 286.
 tenuipes Norton. *Ibid.*, Bull. 22, 286.
 waccagum Viereck. *Ibid.*, Bull. 22, 287.

Brachixiphosoma Viereck.

- pyralidis Ashmead. *Eiphosoma*. Trans. Am. Ent. Soc., xxiii,
 191.

Thyreodon Brullé.

- brullei Viereck. *morio*. Conn. Geol. Nat. Hist. Surv., Bull.
 22, 287.

Anomalon Panzer.*Nototrachys* Marshall.

- sp. Conn. Geol. Nat. Hist. Surv., Bull. 22, 766.

Ophion Fabricius.

- arcuatus Felt. Conn. Geol. Nat. Hist. Surv., Bull. 22, 288.
 bilineatus Say. *Ibid.*, Bull. 22, 287.
 macrurus Linnæus. *Ibid.*, Bull. 22, 287.
 purgatus Say. *Ibid.*, Bull. 22, 288.
 slossoni Davis. *Ibid.*, Bull. 22, 287.

Rogas Nees.

- honestus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 289.

Mesoleptidea Viereck.*Mesoleptus* Authors.

- albifrons Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 290.
 decens Cresson. *Ibid.*, Bull. 22, 290.

Catoglyptus Fœrster.

- fucatus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 291.

Spanotecnus Fœrster.

- concolor Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 292.
 obscurellus Davis. *Ibid.*, Bull. 22, 292.

Mesoleius Holmgren.

- scapularis Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 292.

Trematopygus Holmgren.

- sp.

Holmgrenia Føerster.

tarsalis Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 293.

Rhimphalea Føerster.

erythrogastra Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
296.

Polyblastus Hartig.

pedalis Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 297.

Erroromus Holmgren.

dimidiatus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
298.

Euceros Gravenhorst.

flavescens Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
299.

thoracicus Cresson. *Ibid.*, Bull. 22, 299.

Sympherta Føerster.

burra Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 299.

Rhorus Føerster.

bicolor Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 300.

Anecphysis Føerster.

ruficus Walsh. Conn. Geol. Nat. Hist. Surv., Bull. 22, 301.

Exenterus Hartig.

consors Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 301.

Syrphoctonus Føerster.

agilis Cresson. *Bassus*. Conn. Geol. Nat. Hist. Surv., Bull.
22, 302.

Diplazon (Nees) Gravenhorst.*Bassus* Authors.

antennatus Davis. (*Zootrephes*). Conn. Geol. Nat. Hist.
Surv., Bull. 22, 304.

bicapillaris Walsh. (*Homotropus*). *Ibid.*, Bull. 22, 304.

concinus Cresson. *Ibid.*, Bull. 22, 303.

frontalis Cresson. *Ibid.*, Bull. 22, 302.

lætatorius Fabricius. *Ibid.*, Bull. 22, 303.

sycophanta Walsh. *Ibid.*, Bull. 22, 303.

Brephoctonus (Føerster) Ashmead.

hygrotrecha Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
305.

Hyperacmus Holmgren.

ovatus Davis. Conn. Geol. Nat. Hist. Surv., Bull. 22, 305.

Exochus Gravenhorst.

pallipes Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 306.

propinquus Cresson. *Ibid.*, Bull. 22, 306.

semirufus Cresson. *Ibid.*, Bull. 22, 306.

Chorineus Holmgren.

carinatus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 308.

costatus Davis. *Ibid.*, Bull. 22, 308.

Metopius Panzer.

pollinatorius Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 309:

Grotea Cresson.

anguina Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 309.

Euxorides Cresson.

americanus Cresson. (*Calliclisis*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 309.

Odontomerus Gravenhorst.

mellipes Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 311.

Phytodietus Gravenhorst.

annulatus Provancher. Proc. U. S. Nat. Mus., 57, 466.

pulcherrimus Cresson. *Ibid.*, 57, 462.

vulgaris Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 312.

Meniscus Schiödte.

elegans Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 312.

pulcherrimus Cresson. *Ibid.*, Bull. 22, 312.

superbus Provancher. *Ibid.*, Bull. 22, 312.

Lissonota Gravenhorst.*Lampronota* Curtis.

americana Cresson. (*Alloplasta*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 314.

appalachia Viereck. (*Nadia*). *Ibid.*, Bull. 22, 314.

exilis Cresson. *Ibid.*, Bull. 22, 314.

frigida Cresson. *Ibid.*, Bull. 22, 314.

occidentalis Cresson. (*Alloplasta*). *Ibid.*, Bull. 22, 313.

philipi Viereck. *Ibid.*, Bull. 22, 314.

punctulata Cresson. *Ibid.*, Bull. 22, 314.

rubrica Cresson. *Ibid.*, Bull. 22, 314.

varia Cresson. (*Alloplasta*). *Ibid.*, Bull. 22, 314.

Cryptoideus Ashmead.*Xylophruridea* Viereck.

agrili Viereck. Proc. U. S. Nat. Mus., 55, 536.

luctuosus Provancher. *Ibid.*, 55, 536.**Glypta** Gravenhorst.rufiscutellaris Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
317.**Clistopyga** Gravenhorst.annulipes Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
317.**Polysphincta** Gravenhorst.

pontiaci Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 318.

rubricapensis Provancher. *Ibid.*, Bull. 22, 317.texana Cresson. *Ibid.*, Bull. 22, 318.**Scambus** Hartig.*Pimpla* Authors.cœlebs Walsh. (Iseropus.) Trans. St. Louis. Acad. Sci., iii,
141.conquisitor Say. (Itopectis). Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 319.grapholithæ Cresson. (Calliephialtes). *Ibid.*, Bull. 22, 320.inquisitoriellus Dalla Torre. (Iseropus). *inquisitor*. *Ibid.*,
Bull. 22, 320.inquisitoriellus var. investigator Walsh. *Ibid.*, Bull. 22, 319.marginatus Viereck. *Pimplidea æqualis*. Provancher. *Ibid.*,
Bull. 22, 319.notandus Cresson. (Epiurus). *Ibid.*, Bull. 22, 320.pedalis Cresson. (Pimplidea). *Ibid.*, Bull. 22, 319.pterelas Say. (Epiurus). *Ibid.*, Bull. 22, 320.rufopectus Cresson. (Tromatobia). *Ibid.*, Bull. 22, 320.tecumsehi Viereck. (Epiurus). *Ibid.*, Bull. 22, 320.tenuicornis Cresson. (Delomerista). *Ibid.*, Bull. 22, 319.viduiformis Viereck. (Iseropus). *Ibid.*, Bull. 22, 766.**Theronia** Holmgren.melanocephala Brullé. Conn. Geol. Nat. Hist. Surv., Bull. 22,
323.**Ichneumon** Linnæus.*Ephialtes* Gravenhorst.

irritator Fabricius. Conn. Geol. Nat. Hist. Surv., Bull. 22, 324.

Megarhyssa Ashmead.

atrata Fabricius. *Thalessa*. Black long-sting. Conn. Geol. Nat. Hist. Surv., Bull. 22, 325.

greenei Viereck. *Ibid.*, Bull. 22, 325. (A.I.B.)

lunator Fabricius. *Thalessa*. Lunate long-sting. *Ibid.*, Bull. 22, 325.

Rhyssa Gravenhorst.

lineolata Kirby. *nitida* merrill. *albomaculata* Cresson. Conn. Nat. Hist. Surv., Bull. 22, 325-6.

Rhyssella Rohwer.

humida Say. Proc. U. S. Nat. Mus., 57, 423.

Arotes Gravenhorst.*

amœnus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 326.

Coleocentrus Gravenhorst.

rufus Provancher. Conn. Geol. Nat. Hist. Surv., Bull. 22, 327.

Gelis Thunberg.*Pezomachus* Gravenhorst.

lymensis Strickland. (*Micromeson*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 327.

minimus Walsh. *Ibid.*, Bull. 22, 328.

ottawænsis Harrington. *Ibid.*, Bull. 22, 328.

Mesostenidea Viereck.

spinaria Brullé. (*Polyanus*.) Conn. Geol. Nat. Hist. Surv., Bull. 22, 329.

Acroricnus Ratzeburg.

junceus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 330.

Joppidium Walsh.

peregrinus Cresson. *Mesoleptus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 330.

Agrothereutes Fœrster.*Cryptus* Fabricius.

alacris Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 332.

americanus Cresson. *Ibid.*, Bull. 22, 332.

canadensis Provancher. *Ibid.*, Bull. 22, 332.

* See also appendix.

- cressoni* Viereck. *Ibid.*, Bull. 22, 331.
hirtifrons Ashmead. *Ibid.*, Bull. 22, 336.
hyslopi Viereck. *Ibid.*, Bull. 22, 332.
limatus Cresson. *Ibid.*, Bull. 22, 332.
lophyri Norton. *Ibid.*, Bull. 22, 331.
mundus Provancher. *Ibid.*, Bull. 22, 331.
nuncius Say. Compl. Writ., ii, 693.
rufus Provancher. *Ibid.*, Bull. 22, 330.

Phygadeuon Gravenhorst.

- auriculiferus* Viereck. (*Bachia*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 336.
brittoni Viereck. (*Bachia*). *Ibid.*, Bull. 22, 335.
melanocerus Viereck. (*Plesignathus*). *Ibid.*, Bull. 22, 335.
nortoni Viereck. (*Plesignathus*). *Ibid.*, Bull. 22, 335.
orbitaliformis Viereck. (*Scinacopus*). *Ibid.*, Bull. 22, 335.
quintilis Viereck. (*Plesignathus*). *Ibid.*, Bull. 22, 334.
ruficornis Provancher. *Ibid.*, Bull. 22, 334.
tæniatus Viereck. (*Plesignathus*). *Ibid.*, Bull. 22, 335.
tumidiformis Viereck. (*Bachia*). *Ibid.*, Bull. 22, 335.
vulgaris Cresson. *Ibid.*, Bull. 22, 334.

Ænoplex Fœrster.

- smithi* Packard. *Phygadeuon*. Proc. Bost. Nat. Hist., ix, 346.

Hemiteles Gravenhorst.

- algonquinus* Viereck. (*Rhadinocera*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 339.
areator tenellus Say. (*Orthizema*). *utilis*. *Ibid.*, Bull. 22, 337.
crassiformis Viereck. (*Idemum*). *Ibid.*, Bull. 22, 339.
eximius Cresson. *Mesoleptus*. *Ibid.*, Bull. 22, 337.
fulvipes Gravenhorst. (*Astomaspis*). *Ibid.*, Bull. 22, 338.
laticinctus Ashmead. *Ibid.*, Bull. 22, 339.
loniceræ Viereck. (*Ethelurgus*). *Ibid.*, Bull. 22, 338.
metacomet Viereck. (*Eriplanus*). Bull. 22, 338.
nigricaniformis Viereck. (*Zoophthorus*). *Ibid.*, Bull. 22, 338.
orbiformis Viereck. (*Zamicrotoridea*). *Ibid.*, Bull. 22, 339.
rileyi Ashmead. *cressoniformis* Viereck. (*Otacustes*). *Ibid.*, Bull. 22, 339.

Stilpnus Gravenhorst.

americanus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 341.

Phæogenes Wesmael.

fungor Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 341.

hebe Cresson. *Ibid.*, Bull. 22, 341.

hebrus Cresson. *Ibid.*, Bull. 22, 341.

helvolus Cresson. *Ibid.*, Bull. 22, 342.

quadriceps Cresson. *Ibid.*, Bull. 22, 341.

vincibilis Cresson. *Ibid.*, Bull. 22, 341.

Colpognathus Wesmael.

helvus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 342.

Trogus Gravenhorst.

brullei Cresson. (**Automalus**). Conn. Geol. Nat. Hist. Surv., Bull. 22, 343.

vulpinus Gravenhorst. (**Psilomastix**). *exesorius*. *Ibid.*, Bull. 22, 343.

Amblyteles Wesmael.*Ichneumon* Authors.

anceps Cresson. (**Ectopimorpha**). Conn. Geol. Nat. Hist. Surv., Bull. 22, 349.

apertus Cresson. (**Pterocormus?**). *Ibid.*, Bull. 22, 345.

brevicinctor Say. (**Pterocormus?**). *Ibid.*, Bull. 22, 351.

brittoni Viereck. (**Pterocormus**). *Ibid.*, Bull. 22, 348.

centrator Say. (**Stenichneumon?**). *Ibid.*, Bull. 22, 346.

cincticornis Cresson. (**Stenichneumon?**). *Ibid.*, Bull. 22, 344.

cinctitarsis Provancher. (**Stenichneumon?**). *Ibid.*, Bull. 22, 345.

citrifrons Cresson. (**Pterocormus?**). *Ibid.*, Bull. 22, 353.

comes Cresson. (**Craticheumon?**). *Ibid.*, Bull. 22, 352.

comes var. **aleatorius** Harris. (**Craticheumon?**). *Ibid.*, Bull. 22, 352.

comptus Say. (**Pterocormus?**). *Ibid.*, Bull. 22, 353.

disparilis Cresson. (**Pterocormus?**). *Ibid.*, Bull. 22, 348.

duplicatiformis Viereck. (**Barichneumon**). *Ibid.*, Bull. 22, 354.

electus Cresson. (**Amblyteles**). *Ibid.*, Bull. 22, 353.

- extrematatis Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 344.
 flavicornis Cresson. (*Stenichneumon?*). *Ibid.*, Bull. 22, 351.
 flavizonatus Cresson. (*Craticheumon?*). *Ibid.*, Bull. 22, 352.
 footei Viereck. (*Pterocormus*). *Ibid.*, Bull. 22, 353.
 galenus Cresson. (*Craticheumon?*). *Ibid.*, Bull. 22, 351.
 hospitus Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 353.
 infidelis Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 351.
 instabilis Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 353.
 jucundus Brullé. (*Pterocormus?*). *Ibid.*, Bull. 22, 346.
 lætus Brullé. *canadensis. funestus.* (*Craticheumon?*) *Ibid.*,
 Bull. 22, 352.
 leviculus Cresson. (*Craticheumon?*). *Ibid.*, Bull. 22, 353.
 lewisii Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 347.
 malacus Say. (*Stenichneumon?*). *Ibid.*, Bull. 22, 345.
 merus Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 351.
 mimicus Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 353.
 nigratoricolor Viereck. (*Chasmias?*). *Ibid.*, Bull. 22, 344.
 nortoni Cresson. (*Amblyteles*). *Ibid.*, Bull. 22, 349.
 ormenus Cresson. (*Stenichneumon?*). *Ibid.*, Bull. 22, 349.
 otiosus Say. (*Stenichneumon?*). *Ibid.*, Bull. 22, 346.
 parvus Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 352.
 pepticus Say. (*Craticheumon?*). *Ibid.*, Bull. 22, 351.
 pequoitorum Viereck. (*Chasmias?*). *Ibid.*, Bull. 22, 345.
 pulcher Brullé. (*Cœlicheumon*). *Ibid.*, Bull. 22, 350.
 putus Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 347.
 quadrizonatus Viereck. (*Pterocormus*). *Ibid.*, Bull. 22, 352.
 quintilis Viereck. (*Pterocormus*). *Ibid.*, Bull. 22, 354.
 sassacus Viereck. (*Cœlicheumon*). *Ibid.*, Bull. 22, 349.
 seminiger Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 348.
 signatipes Cresson. (*Pterocormus?*). *Ibid.*, Bull. 22, 348.
 soror Cresson. (*Baricheumon*). *Ibid.*, Bull. 22, 348.
 stadaconensis Provancher. (*Amblyteles*). *Ibid.*, Bull. 22, 351,
 355.
 subcyaneus Cresson. (*Craticheumon?*). *Ibid.*, Bull. 22, 351.
 succinctus Brullé. (*Craticheumon?*). *Ibid.*, Bull. 22, 354.
 suturalis Say. (*Amblyteles*). *Ibid.*, Bull. 22, 349.
 ultus Cresson. (*Amblyteles*). *Ibid.*, Bull. 22, 351.
 ultus var. *rogalis* Cresson. (*Amblyteles*). *Ibid.*, Bull. 22,
 351.

- unifasciatorius** Say. (*Pterocormus*?). *Ibid.*, Bull. 22, 351.
versabilis Cresson. (*Pterocormus*?). *Ibid.*, Bull. 22, 352.
vinnulus Cresson. (*Pterocormus*?). *Ibid.*, Bull. 22, 353.
w-album Cresson. (*Craticheumon*?). *Ibid.*, Bull. 22, 348,
 354.
winkleyi Viereck. (*Pterocormus*). *Ibid.*, Bull. 22, 348.

Family FIGITIDÆ.

Anacharis Dalman.

- sp. Conn. Geol. Nat. Hist. Surv., Bull. 22, 365.

Aspicera Dahlbom.

- sp. Conn. Geol. Nat. Hist. Surv., Bull. 22, 365.

Family CYNIPIDÆ.

Periclistus Fœrster.

- pirata** Osten Sacken. *Aulax. Rhodites globulus*. Conn. Geol.
 Nat. Hist. Surv., Bull. 22, 373.

Aylax Hartig.

- podagræ** Bassett. Conn. Geol. Nat. Hist. Surv., Bull. 22, 374.
tumida Bassett. Lettuce tumor gall. *Ibid.*, Bull. 22, 375.
 (W.B.)

Ceroptres Hartig.

- ficus** Fitch. Conn. Geol. Nat. Hist. Surv., Bull. 22, 377.
 (H.F.B.)

Synergus Hartig.

- lana** Fitch. Oak wool gall. Conn. Geol. Nat. Hist. Surv., Bull.
 380. (B.H.W.)

Philonyx Fitch.

- erinacei** Walsh. Oak hedghog gall. N. Y. St. Mus., Bull.
 200, 94.

Biorhiza Westwood.

- forticornis** Walsh. (*Xanthoteras*). Oak fig gall. Conn.
 Geol. Nat. Hist. Surv., Bull. 22, 384.

- hirta** Bassett. (*Xystoteras Philonix*). *Ibid.*, Bull. 22, 383.

Neuroterus Hartig.

- batatus** Fitch. Oak potato gall. Conn. Geol. Nat. Hist. Surv.,
 Bull. 22, 384.

- consimilis* Bassett. *Ibid.*, Bull. 22, 387.
distortus Bassett. *Ibid.*, Bull. 22, 388.
dubius Bassett. *Ibid.*, Bull. 22, 388.
exiguissimus Bassett. *Ibid.*, Bull. 22, 389.
exiguus Bassett. *Ibid.*, Bull. 22, 389.
floccosus Bassett. *Ibid.*, Bull. 22, 390.
majalis Bassett. *Ibid.*, Bull. 22, 385.
noxiosus Bassett. Noxious Oak Gall. *Ibid.*, Bull. 22, 391.
pallidus Bassett. *Ibid.*, Bull. 22, 386.
tectus Bassett. *Ibid.*, Bull. 22, 389.
umbilicatus Bassett. Oak button gall. *Ibid.*, Bull. 22, 390.

Dryophanta Fœrster.

- corrugis* Bassett. Conn. Geol. Nat. Hist. Surv., Bull. 22, 397.
ignota Bassett. *Ibid.*, Bull. 22, 398.
longicornis Bassett. *Ibid.*, Bull. 22, 397, 398.
pallipes Bassett. *Ibid.*, Bull. 22, 398.
papula Bassett. *Ibid.*, Bull. 22, 400.
parvula Bassett. *Ibid.*, Bull. 22, 396.
pedunculata Bassett. *Ibid.*, Bull. 22, 400.

Holcaspis Mayr.

- duricoria* Bassett. Pointed bullet gall. Conn. Geol. Nat. Hist. Surv., Bull. 22, 402.
fasciata Bassett. *Ibid.*, Bull. 22, 402.
globulus Fitch. Oak bullet gall. *Ibid.*, Bull. 22, 401.
rugosa Bassett. *Ibid.*, Bull. 22, 401.

Cynips Linnæus.

- confluens* Harris. Oak or May apple. Conn. Geol. Nat. Hist. Surv., Bull. 22, 404.
cristata Stebbins. *Ibid.*, Bull. 22, 768. (G.D.)
decidua Bassett. Ins. Galls Springfield, 20.
strobilana Osten Sacken. Pine cone oak gall. Conn. Geol. Nat. Hist. Surv., Bull. 22, 403.

Amphibolips Reinhard.

- badia* Bassett. Conn. Geol. Nat. Hist. Surv., Bull. 22, 405.
cœlebs Osten Sacken. Oak spindle gall. *Ibid.*, Bull. 22, 407.
cooki Gillette. *Ibid.*, Bull. 22, 768. (W.B.)
illicifoliæ Bassett. Scrub oak gall. *Ibid.*, Bull. 22, 405. (G.D.)
inanis Osten Sacken. Empty oak apple. *Ibid.*, Bull. 22, 407.

- nubilipennis Harris. *Ibid.*, Bull. 22, 408.
- prunus Walsh. Acorn plum gall. *Ibid.*, Bull. 22, 406. (G.D.)
- sculpta Bassett. *Ibid.*, Bull. 22, 408.
- tinctoriæ Ashmead. *Ibid.*, Bull. 22, 768. (G.D.)
- verna Bassett. *Ibid.*, Bull. 22, 404. (H.F.B.)
- Andricus** Hartig.
- ashmeadii Bassett. Conn. Geol. Nat. Hist. Surv., Bull. 22, 418.
(H.F.B.)
- ceropteroides Bassett. (**Callirhytis**). *Ibid.*, Bull. 22, 434.
- cicatricula Bassett. *Ibid.*, Bull. 22, 413. (H.F.B.)
- corniger Osten Sacken. Horned knot oak gall. *Ibid.*, Bull.
22, 414.
- exiguus Bassett. *Ibid.*, Bull. 22, 417. (H.F.B.)
- formosus Bassett. *Ibid.*, Bull. 22, 409. (H.F.B.)
- fruticola Ashmead. *Ibid.*, Bull. 22, 769.
- futilis Osten Sacken. (**Callirhytis**). *papillatus*. Oak wart gall.
Ibid., Bull. 22, 433.
- glandulus Beutenmüller. *Ibid.*, Bull. 22, 770.
- incertus Bassett. *Ibid.*, Bull. 22, 414. (H.F.B.)
- obtusilobæ Bassett. *Ibid.*, Bull. 22, 415. (H.F.B.)
- operatola Riley and Bassett. *Ibid.*, Bull. 22, 418. (H.F.B.)
- operator Osten Sacken. *Ibid.*, Bull. 22, 429.
- ostensackenii Bassett. *Ibid.*, Bull. 22, 412. (H.F.B.)
- palustris Osten Sacken. Succulent oak gall. *Ibid.*, Bull. 22,
419.
- patiens Bassett. *Ibid.*, Bull. 22, 416. (H.F.B.)
- pattoni Bassett. *Ibid.*, Bull. 22, 423. (H.F.B.)
- petiolicola Bassett. Oak petiole gall. *Ibid.*, Bull. 22, 412.
- piger Bassett. *Ibid.*, Bull. 22, 422. (H.F.B.)
- piperoides Bassett. *Ibid.*, Bull. 22, 415. (H.F.B.)
- pruinus Bassett. *Ibid.*, Bull. 22, 411. (H.F.B.)
- pulchellus Bassett. *Ibid.*, Bull. 22, 416. (H.F.B.)
- punctatus Bassett. (**Callirhytis**). Oak knot gall. *Ibid.*, Bull.
22, 431.
- pusulatoides Bassett. (**Callirhytis**). *Ibid.*, Bull. 22, 433.
(H.F.B.)
- saccularis Bassett. (**Callirhytis**). *Ibid.*, Bull. 22, 432. (H.F.B.)
- scitulus Bassett. (**Callirhytis**). *Ibid.*, Bull. 22, 429.

- seminator* Harris. (*Callirhytis*). Oak seed gall. *Ibid.*, Bull. 22, 430.
- similis* Bassett. (*Callirhytis*). Scrub oak club gall. *Ibid.*, Bull. 22, 428.
- singularis* Bassett. (*Callirhytis*). Small oak apple. *Ibid.*, Bull. 22, 431. (H.F.B.)
- tuberosus* Bassett. (*Callirhytis*). *Ibid.*, Bull. 22, 430. (H.F.B.)
- utriculus* Bassett. *Ibid.*, Bull. 22, 423.
- ventricosa* Bassett. *Ibid.*, Bull. 22, 409. (H.F.B.)

Solenozopheria Ashmead.

- vaccinii* Ashmead. Huckleberry gall. Conn. Geol. Nat. Hist. Surv., Bull. 22, 434.

Diastrophus Hartig.

- bassettii* Beutenmüller. Bassett's Blackberry gall. Conn. Geol. Nat. Hist. Surv., Bull. 22, 438.
- cuscutæformis* Osten Sacken. Blackberry seed gall. *Ibid.*, Bull. 22, 435.
- fragariæ* Beutenmüller. Can. Ent., xlvii, 353.
- minimus* Bassett. Conn. Geol. Nat. Hist. Surv., Bull. 22, 438.
- nebulosus* Osten Sacken. Blackberry knot gall. *Ibid.*, Bull. 22, 435.
- potentillæ* Bassett. *Gonaspis*. Cinquefoil axil gall. *Ibid.*, Bull. 22, 436.
- radicum* Bassett. Raspberry root gall. *Ibid.*, Bull. 22, 437.
- similis* Bassett. *Ibid.*, Bull. 22, 437.

Dipolepis Geoffroy.

Rhodites Hartig.

- bicolor* Harris. Spiny rose gall. Conn. Geol. Nat. Hist. Surv., Bull. 22, 440.
- dichlocerus* Harris. Long rose-gall. *Ibid.*, Bull. 22, 441.
- globuloides* Beutenmüller. Globular rose gall. *Ibid.*, Bull. 22, 771.
- gracilis* Ashmead. *Ibid.*, Bull. 22, 441, 771.
- ignotus* Osten Sacken. Mealy rose gall. *Ibid.*, Bull. 22, 441.
- radicum* Osten Sacken. Rose root gall. *Ibid.*, Bull. 22, 441.
- rosæ* Linnæus. Mossy rose gall. *Ibid.*, Bull. 22, 441.

Family IBALIIDÆ.

Ibalia Latreille.

maculipennis Haldeman. Conn. Geol. Nat. Hist. Surv., Bull. 22, 442.

Family MYRMARIDÆ.

Anaphes Haliday.

conotracheli Girault. *Anaphoidea*. Jour. N. Y. Ent. Soc. xviii, 246. Conn. Geol. Nat. Hist. Surv., Bull. 22, 447.
pratensis Fœrster. Can. Ent., 44, 88.

Family TETRASTICHIDÆ.

Tetrastichus Haliday.

malacosomæ Girault. Insec. Insc. Menstr. iv, 110.
 sp. reared from coccids.
 sp. reared from *Diastrophus cuscuteformis*.

Family ENTEDONTIDÆ.

Pleurotropis Fœrster.

lithocolletidis Ashmead. Proc. U. S. Nat. Mus., 43, 178.
tarsalis Ashmead. *Ibid.*, 43, 178.

Closterocerus Westwood.

tricinctus Ashmead. *Entedon* Dalman. Conn. Geol. Nat. Hist. Surv., Bull. 22, 458. (C.D.J.)

Family EULOPHIDÆ.*

Sympiesis Fœrster.

massasoit Crawford. Proc. U. S. Nat. Mus., 45, 258.
nigrifemora Ashmead. *Systemspiesis*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 461.

Eulophus Geoffroy.

sp.

Family ELASMIDÆ.

Elasmus Westwood.

atratus Howard. Conn. Geol. Nat. Hist. Surv., Bull. 22, 464.

* See also appendix.

Family ELACHERTIDÆ.

Cirrospilus Westwood.

- flavicinctus** Riley. Conn. Geol. Nat. Hist. Surv., Bull. 22, 465.
marylandi Girault. Descr. Hymenop. Chalcid., 4.

Family PTEROMALIDÆ.

Pteromalus Swederus.

- boucheanus** Ratzeburg. (Dibrachys). Conn. Geol. Nat. Hist. Surv., Bull. 22, 475.
nidulans (Førster) Thompson. *egregius* Førster. *Ibid.*, Bull. 22, 773.
tabacum Fitch. (Hypopteromalus). *Ibid.*, Bull. 22, 474.
verditer Norton. *Ibid.*, Bull. 22, 472.

Merisus Walker.

- isosomatis** Riley. Conn. Geol. Nat. Hist. Surv., Bull. 22, 478.

Pachyneuron Walker.

- nigrocyaneum** Norton. *Chiropachys nigrocyaneus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 481.

Sphegigaster Spinola.

sp.

Family APHELINIDÆ.

Encarsia Førster.

- luteola** Howard. Bur. Ent., Tech. ser., i, 29: Conn. Geol. Nat. Hist. Surv., Bull. 22, 489.

Aphelinus Dalman.

- mali** Haldeman. Conn. Geol. Nat. Hist. Surv., Bull. 22, 490.

Prospaltella Ashmead.

- perniciosi** Tower. Parasite of the San José scale. Ann. Ent. Soc. Am., vi, 125.

Family ENCYRTIDÆ.

Blastothrix Mayr.

- sericea** Dalman. Conn. Geol. Nat. Hist. Surv., Bull. 22, 502.

Family EUPELMIDÆ.

Anastatus Motschulsky.**bifasciatus** Fonscolombe. Bur. Ent., Bull. 91, 170.

Family CALLIMOMIDÆ.

Ormyrus Westwood.

sp.

Monodontomerus Westwood.**æreus** Walker. Conn. Geol. Nat. Hist. Surv., Bull. 22, 514.**dentipes** Boheman. Vet. Akad. Handl., 41, 23.**Syntomaspis** Færster.**lazulella** Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22, 514.**Callimome** Spinola.**brevicauda** Osten Sacken. *Torymus*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 515.**flavicoxa** Osten Sacken. *Torymus*. *Ibid.*, Bull. 22, 515.sp. *Torymus*.

Family MISCOGASTERIDÆ.

Megorismus Walker.**fletcheri** Crawford. Conn. Geol. Nat. Hist. Surv., Bull. 22, 773.

Family EURYTOMIDÆ.

Brucophagus Ashmead.**funnebris** Howard. Clover-seed Chalcis. Conn. Geol. Nat. Hist. Surv., Bull. 22, 520.**Eurytoma** Illiger.**diastrophi** Walsh. Conn. Geol. Nat. Hist. Surv., Bull. 22, 521.**pissodis** Girault. Bull. Brook. Ent. Soc., xii, 88.**Isosoma** Walker.

sp.

Evoxysoma Ashmead.**vitis** Saunders. Conn. Geol. Nat. Hist. Surv., Bull. 22, 523.

Family PERILAMPIDÆ.

Perilampus Latreille.

hyalinus Say. *Cyaneus*. Conn. Geol. Nat. Hist. Surv., Bull. 22,
524.

platygaster Say. *Ibid.*, Bull. 22, 524.

Family CHALCIDIDÆ.

Smicra Spinola.

rufofemorata Cresson. Conn. Geol. Nat. Hist. Surv., Bull.
22, 526.

Spilochalcis Thomson.

marizæ Riley. Conn. Geol. Nat. Hist. Surv., Bull. 22, 527.

torvina Cresson. *Ibid.*, Bull. 22, 527.

Eusayia Ashmead.

debilis Say. *Sayiella*. *Chalcis*. Compl. Writ., ii, 720.

Chalcis Fabricius.

ovata Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 528. (A.E.V.)

Family LEUCOSPIDÆ.

Leucospis Fabricius.

affinis Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 528.

Family PLATYGASTRIDÆ.

Anopedius Fœrster.

error Fitch. Conn. Geol. Nat. Hist. Surv., Bull. 22, 533.

Polygnotus Fœrster.

striaticeps Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
537.

Isocybus Fœrster.

pallipes Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 541.

Family SCELIONIDÆ.

Telenomus Haliday.

coloradensis Crawford. Proc. Wash. Ent. Soc., xi, 206.

Prosacantha Nees.

marylandica Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
552.

Teleas Latreille.

coxalis Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22, 553.

Caloteleia Westwood.

marlatti Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
554.

Idris Fœrster.

nigricornis Brues. Conn. Geol. Nat. Hist. Surv., Bull. 22,
555. (W.M.W.)

Scelio Latreille.

hyalinipennis Ashmead. Conn. Geol. Nat. Hist. Surv., Bull.
22, 556.

ovivorus Riley. *Ibid.*, Bull. 22, 556. (W.H.P.)

Family CERAPHRONIDÆ.

Conostigmus Dahlbom.*Megaspilus* Westwood.

schwarzi Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
559.

Eumegaspilus Ashmead.

erythrothorax Ashmead. Conn. Geol. Nat. Hist. Surv., Bull.
22, 559. (W.M.W.)

Family DIAPRIIDÆ.

Entomacis Fœrster.

ambigua Brues. *Hemilexodes*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 563.

Galesus Curtis.

vierecki Brues. Conn. Geol. Nat. Hist. Surv., Bull. 22, 564.

Diapria Latreille.

conica Fabricius. Conn. Geol. Nat. Hist. Surv., Bull. 22, 565.
(W.H.P.)

Family BELYTIDÆ.

Leptorhaptus Fœrster.

conicus Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22, 570.

Family SERPHIDÆ.

Disogmus Fœrster.

obsoletus Brues. Conn. Geol. Nat. Hist. Surv., Bull. 22, 573.

Serphus Schrank.

californicus Holmgren. *Proctotrypes*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 575.

carolinensis Ashmead. *Ibid.*, Bull. 22, 575.

caudatus Say. *Ibid.*, Bull. 22, 574.

melliventris Ashmead. *Ibid.*, Bull. 22, 575.

quadriceps Ashmead. *Ibid.*, Bull. 22, 576.

Exallonyx Kieffer.

pallidicornis Brues. Jour. N. Y. Ent. Soc., xxvii, 14.

Family HELORIDÆ.

Helorus Latreille.

paradoxus Provancher. Conn. Geol. Nat. Hist. Surv., Bull. 22, 576.

Family PELECINIDÆ.

Pelecinus Latreille.

polyurator Drury. Conn. Geol. Nat. Hist. Surv., Bull. 22, 576.

Family FORMICIDÆ.

Stigmatomma Roger.

pallipes Haldeman. Conn. Geol. Nat. Hist. Surv., Bull. 22, 581.

Ponera Latreille.

coarctata pennsylvanica (Buckley). Emery. Conn. Geol. Nat. Hist. Surv., Bull. 22, 581. (W.M.W.)

Myrmecina Curtis.

graminicola americana Emery var. **brevispinosa** Emery. Conn. Geol. Nat. Hist. Surv., Bull. 22, 584. (W.M.W.)

Monomorium Mayr.

minutum Mayr var. **minimum** (Buckley) Emery. Conn. Geol. Nat. Hist. Surv., Bull. 22, 584.

pharaonis Linnæus. Little red house ant. *Ibid.*, Bull. 22, 584.

Solenopsis Westwood.

molesta Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 584.

Pheidole Westwood.

pilifera Roger. Conn. Geol. Nat. Hist. Surv., Bull. 22, 584.

Crematogaster Lund.

lineolatus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 585.

lineolatus var. **cerasi** Fitch. *Ibid.*, Bull. 22, 585. (W.M.W.)

Stenamma Mayr.

brevicorne Mayr. Conn. Geol. Nat. Hist. Surv., Bull. 22, 585. (W.M.W.)

Aphænogaster Mayr.

fulva Roger. Conn. Geol. Nat. Hist. Surv., Bull. 22, 585. (W.M.W.)

fulva aquia (Buckley) Emery. *Ibid.*, Bull. 22, 586.

fulva aquia var. **picea** Emery. *Ibid.*, Bull. 22, 586. (W.M.W.)

marix Forel. *Ibid.*, Bull. 22, 585. (W.M.W.)

tennesseensis Mayr. *Ibid.*, Bull. 22, 585. (W.M.W.)

treatæ Forel. *Ibid.*, Bull. 22, 585.

Myrmica Latreille.

punctiventris Roger. Conn. Geol. Nat. Hist. Surv., Bull. 22, 587. (W.M.W.)

rubra brevinodis Emery var. **canadensis** Wheeler. *Ibid.*, Bull. 22, 587. (W.M.W.)

rubra scabrinodis Nylander var. **fracticornis** Emery. *Ibid.*, Bull. 22, 587.

rubra scabrinodis var. **sabuleti** Meinert. *Ibid.*, Bull. 22, 587.

rubra scabrinodis var. **schlencki** Emery. *Ibid.*, Bull. 22, 587.

Leptothorax Mayr.

- acervorum canadensis** Provancher. Conn. Geol. Nat. Hist. Surv., Bull. 22, 588. (W.M.W.)
curvispinosus Mayr. *Ibid.*, Bull. 22, 588.
curvispinosus var. **ambiguus** Emery. *Ibid.*, Bull. 22, 589.
emersoni Wheeler. *Ibid.*, Bull. 22, 588. (W.M.W.)
longispinosus Roger. *Ibid.*, Bull. 22, 558. (W.M.W.)

Dolichoderus Lund.

- mariae** Forel. Conn. Geol. Nat. Hist. Surv., Bull. 22, 589.
plagiatus Mayr. *Ibid.*, Bull. 22, 590.

Tapinoma Fœrster.

- sessile** Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 590.

Brachymyrmex Mayr.

- heeri depilis** Emery. Conn. Geol. Nat. Hist. Surv., Bull. 22, 591. (W.M.W.)

Prenolepis Mayr.

- imparis** Say. *Nylanderia*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 591.
imparis var. **minuta** Emery. *Nylanderia*. *Ibid.*, Bull. 22, 591.

Formicina Schuckard.*Lasius* Fabricius.

- brevicornis** Emery. Conn. Geol. Nat. Hist. Surv., Bull. 22, 593.
claviger Roger. (**Acanthomyops**). *Ibid.*, Bull. 22, 594. (W.M.W.)
flavus nearcticus Wheeler. *Ibid.*, Bull. 22, 593. (W.M.W.)
interjectus Mayr. (**Acanthomyops**). *Ibid.*, Bull. 22, 594. (W.M.W.)
latipes Walsh. (**Acanthomyops**). *Ibid.*, Bull. 22, 594.
niger Linnæus var. **americanus** Emery. Garden ant. *Ibid.*, Bull. 22, 592.
niger var. **neoniger** Emery. *Ibid.*, Bull. 22, 593.
umbratus mixtus Nylander var. **aphidicola** Walsh. *Ibid.*, Bull. 22, 593.
umbratus mixtus var. **speculiventris** Emery. *Ibid.*, Bull. 22, 593. (W.M.W.)

Formica Latreille.

- difficilis* Emery var. *consocians* Wheeler. Conn. Geol. Nat. Hist. Surv., Bull. 22, 595. (W.M.W.)
exsectoides Forel. *Ibid.*, Bull. 22, 595.
fusca Linnæus var. *subænescens* Emery. *Ibid.*, Bull. 22, 596. (W.M.W.)
fusca var. *subsericea* Say. Silky ant. *Ibid.*, Bull. 22, 596.
nepticula Wheeler. *Ibid.*, Bull. 22, 595. (W.M.W.)
pallide-fulva nitidiventris Emery. *Ibid.*, Bull. 22, 595.
pallide-fulva schaufussi Mayr. *Ibid.*, Bull. 22, 595.
pallide-fulva schaufussi var. *incerta* Emery. *Ibid.*, Bull. 22, 595.
rufa integra Nylander. *Ibid.*, Bull. 22, 595. (W.M.W.)
rufa obscuriventris Mayr. *Ibid.*, Bull. 22, 595. (W.M.W.)
sanguinea aserva Forel. *Ibid.*, Bull. 22, 595. (W.M.W.)
sanguinea rubicunda Emery. *Ibid.*, Bull. 22, 595. (W.M.W.)
sanguinea rubicunda var. *subintegra* Emery. *Ibid.*, Bull. 22, 595.
subpolita Mayr. *Ibid.*, Bull. 22, 596. (G.M.)
subpolita var. *neogagates* Emery. *Ibid.*, Bull. 22, 596.
truncicola Nylander, subspecies *obscuriventris* Mayr. *Ibid.*, Bull. 22, 595.

Polyergus Latreille.

- lucidus* Mayr. Conn. Geol. Nat. Hist. Surv., Bull. 22, 599. (G.M.)

Camponotus Mayr.

- castaneus* Latreille. Conn. Geol. Nat. Hist. Surv., Bull. 22, 600.
castaneus, subspecies *americanus* Mayr. *Ibid.*, Bull. 22, 600.
fallax Nylander var. *nearcticus* Emery. *Ibid.*, Bull. 22, 600.
herculeanus ligniperdus Latreille var. *novæboracensis* Fitch. *Ibid.*, Bull. 22, 600.
herculeanus pennsylvanicus DeGeer. Carpenter Ant. *Ibid.*, Bull. 22, 600.
herculeanus pennsylvanicus var. *ferrugineus* Fabricius. *Ibid.*, Bull. 22, 600.

Family CHRYSIDIDÆ.

Omalus Jurine.

- irridescens* Norton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 602.
sinuosus Say. *Ibid.*, Bull. 22, 602.

Notozus Fœrster.

- marginatus* Patton. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 603.

Hedychridium Latreille.

- dimidiatum* Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 603.

Hedychrum Latreille.

- obsoletum* Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 603,
violaceum Brullé. *Ibid.*, Bull. 22, 603.

Chrysis Linnæus.

- cærulans* Fabricius. (**Tetrachrysis**). Conn. Geol. Nat. Hist.
 Surv., Bull. 22, 604.
nitidula Fabricius. (**Tetrachrysis**). *Ibid.*, Bull. 22, 604.
parvula Fabricius. (**Trichrysis**). *Ibid.*, Bull. 22, 604.
verticalis Patton. (**Chrysogona**). *Ibid.*, Bull. 22, 604.

Family BETHYLIDÆ.

Pristocera Klug.

- armifera* Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 609.

Lælius Ashmead.

- tricarinatus* Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 610.

Paralælius Kieffer.

- pedatus* Say. *Bethylus*. Conn. Geol. Nat. Hist. Surv., Bull.
 22, 610.

Epyrus Westwood.

- rufipes* Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 611.

Rhabdepyris Kieffer.

- occidentalis* Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 612.

Parasierola Cameron.

- cellularis* Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 612.

Family DRYINIDÆ.

Gonatopus Ljungh.

contortulus Patton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 614.
(W.H.P.)

Aphelopus Dalman.

americanus Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
615.

Family SCOLIIDÆ.

Scolia Fabricius.

bicincta Fabricius. Conn. Geol. Nat. Hist. Surv., Bull. 22, 616.

Campsomeris LePeletier.

plumipes Drury. *Elis*. Conn. Geol. Nat. Hist. Surv., Bull. 22,
617.

Elis Fabricius.

interrupta Say. *Plesia*. *Myzine hamata*. Conn. Geol. Nat.
Hist Surv., Bull. 22, 617.

quinquecincta Fabricius. *Plesia*. *Myzine sexcincta*. *Ibid.*,
Bull. 22, 617.

Sierolomorpha Ashmead.

ambigua Ashmead. Conn. Geol. Nat. Hist. Surv., Bull. 22,
618.

Tiphia Fabricius.

brunneicornis Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
619.

egregia Viereck. *Ibid.*, Bull. 22, 619.

inornata Say. *Ibid.*, Bull. 22, 619.

punctata Robertson. *Ibid.*, Bull. 22, 619.

relativa Viereck. *Ibid.*, Bull. 22, 619.

waldeni Viereck. *Ibid.*, Bull. 22, 619.

Family SAPYRIDÆ.

Sapyga Latreille.

centrata Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 620.

Family METHOCIDÆ.

Methoca Latreille.

stygia Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 620.

Family MYRMOSIDÆ.

Myrmosa Latreille.

unicolor Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 621.

Family MUTILLIDÆ.

Pseudomethoca Ashmead.

canadensis Blake. Conn. Geol. Nat. Hist. Surv., Bull. 22, 622.

Nomiaephagus Ashmead.

simillimus Smith. *sanbornii*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 623.

Dasymutilla Ashmead.

cariniceps Fox. *scrobinata* Rohwer. *Ibid.*, Bull. 22, 623.

castor Blake. Conn. Geol. Nat. Hist. Surv., Bull. 22, 624.

cypris Blake. *Ibid.*, Bull. 22, 623.

ferrugata Fabricius. *Ibid.*, Bull. 22, 623.

gibbosa Say. *Ibid.*, Bull. 22, 624.

lepeletierii Fox *harmoniformis* Rohwer. *Ibid.*, Bull. 22, 624
(A.B.C.).

macra Cresson. *Ibid.*, Bull. 22, 624.

occidentalis Linnæus. *Ibid.*, Bull. 22, 624.

vesta Cresson var. *zella* Rohwer. *champlaini* Rohwer. *Ibid.*,
Bull. 22, 623.

Ephuta Say.

scrupea Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 625.

Timulla Ashmead.

hexagona Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 625.

ornativentris Cresson. *Ibid.*, Bull. 22, 625.

Family PSAMMOCHARIDÆ.

Ceropales Latreille.

- bipunctata Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 626.
fraterna Smith. *Ibid.*, Bull. 22, 626.
longipes Smith. *Ibid.*, Bull. 22, 626.
robinsoni Cresson. *Ibid.*, Bull. 22, 626.

Pseudagenia Kohl.

- architecta Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 627.

Ageniella Banks.

- calcarata Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
628.
iridipennis Cresson. *Ibid.*, Bull. 22, 628.

Priocnemis Schiödte.

- alienata Smith. Conn. Geol. Nat. Hist. Surv., Bull. 22, 628.
conica Say. *Ibid.*, Bull. 22, 628.
germana Cresson. *Ibid.*, Bull. 22, 628.
notha Cresson. *Ibid.*, Bull. 22, 628.

Planiceps.

- niger Cresson. Trans. Am. Ent. Soc., i, 136.

Episyron Schiödte.

- biguttatus Fabricius. Conn. Geol. Nat. Hist. Surv., Bull. 22,
631.
quinque-notatus Say. 5-notatus. *Ibid.*, Bull. 22, 631.

Aporinellus Banks.

- fasciatus Smith. Conn. Geol. Nat. Hist. Surv., Bull. 22, 631.

Pompiloides Radoszkowski.

- argenteus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
631.
cylindricus Cresson. *Ibid.*, Bull. 22, 631.
marginatus Say. *Ibid.*, Bull. 22, 631.
subviolaceus Cresson. *Ibid.*, Bull. 22, 631.
tropicus Linnæus. *Ibid.*, Bull. 22, 631.

Sericopompilus Ashmead.

- humilis Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 632.

Arachnoproctonus Ashmead.

interruptus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 632.

Psammochares Latreille.

æthiops Cresson. (**Lophopompilus**). Conn. Geol. Nat. Hist. Surv., Bull. 22, 633.

atrox Dahlbom. (**Lophopompilus**). *Ibid.*, Bull. 22, 633.

luctuosus Cresson. (**Psammochares**). *Ibid.*, Bull. 22, 633.

philadelphicus LePeletier. *Ibid.*, Bull. 22, 633.

relativus Fox. (**Psammochares**). *Ibid.*, Bull. 22, 633.
(H.W.W.)

scelestus Cresson. (**Psammochares**). *Ibid.*, Bull. 22, 633.

tenebrosus Cresson. (**Psammochares**). *Ibid.*, Bull. 22, 633.

virginiensis Cresson. (**Anoplius**). *Ibid.*, Bull. 22, 633.

Family EUMENIDÆ.

Zethus Fabricius.

spinipes Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 634.

Eumenes Fabricius.

fraternus Say. Potter wasp. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 634.

Monobia Saussure.

quadridens Linnæus. Conn. Geol. Nat. Hist. Surv., Bull. 22, 635.

Nortonia Saussure.

symmorpha Saussure. Conn. Geol. Nat. Hist. Surv., Bull. 22,
635.

Odynerus Latreille.

albomarginatus Saussure. (**Symmorphus**). Conn. Geol. Nat.
Hist Surv., Bull. 22, 636.

anormis Say. *Ibid.*, Bull. 22, 637. (H.W.W.)

birenimaculatus Saussure. (**Ancistrocerus**). *Ibid.*, Bull. 22,
636.

boscii LePeletier. *Ibid.*, Bull. 22, 637.

campestris Saussure. (**Ancistrocerus**). *Ibid.*, Bull. 22, 636.
(H.W.W.)

capra Saussure. (**Ancistrocerus**). *Ibid.*, Bull. 22, 636.

catskilli Saussure. (**Ancistrocerus**). *Ibid.*, Bull. 22, 636.

- collega* Saussure. *Ibid.*, Bull. 22, 637.
cristatus Saussure. (*Symmorphus*). *Ibid.*, Bull. 22, 636.
debilis Saussure. (*Symmorphus*). *Ibid.*, Bull. 22, 636.
dorsalis Fabricius. *Ibid.*, Bull. 22, 637.
foraminatus Saussure. *Ibid.*, Bull. 22, 637.
leucomelas Saussure. *Ibid.*, Bull. 22, 637.
nortonianus Saussure. *Ibid.*, Bull. 22, 637.
pedestris Saussure. *Ibid.*, Bull. 22, 637.
pennsylvanicus Saussure. *Ibid.*, Bull. 22, 637.
spinolæ Saussure. (*Ancistrocerus*). *Ibid.*, Bull. 22, 636.
tigris Saussure. (*Ancistrocerus*). *Ibid.*, Bull. 22, 636.
unifasciatus Saussure. (*Ancistrocerus*). *Ibid.*, Bull. 22, 636.
vagus Saussure. *Ibid.*, Bull. 22, 637.
waldeni Viereck. (*Ancistrocerus*). *Ibid.*, Bull. 22, 636.

Family VESPIDÆ.

Vespa Linnæus.

- crabro* Linnæus. Giant hornet. Conn. Geol. Nat. Hist. Surv.,
 Bull. 22, 641.

Vespula Thompson.

- consobrina* Saussure. (*Vespa*). Conn. Geol. Nat. Hist. Surv.,
 Bull. 22, 643.
diabolica Saussure. (*Dolichovespula*). *Vespa*. Common yellow
 jacket. *Ibid.*, Bull. 22, 642.
germanica Fabricius var. *pennsylvanica* Saussure. (*Vespa*).
 Common yellow jacket. *Ibid.*, Bull. 22, 643.
maculata Linnæus. (*Dolichovespula*). *Vespa*. White-faced
 hornet. *Ibid.*, Bull. 22, 642.
vulgaris Linnæus var. *communis* Saussure. *Vespa*. *Ibid.*, Bull.
 22, 643.

Polistes Latreille.

- annularis* Linnæus. Conn. Geol. Nat. Hist. Surv., Bull. 22, 644.
pallipes LePeletier. Common wasp. *Ibid.*, Bull. 22, 644.
variatus Cresson. *Ibid.*, Bull. 22, 644.

Family AMPULICIDÆ.

Rhinopsis Westwood.

- melanognathus* Rohwer. Conn. Geol. Nat. Hist. Surv., Bull.
 22, 652.

Family SPHECIDÆ.

Alyson Jurine.

oppositus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 654.

Nysson Latreille.

æqualis Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 655.

lateralis Packard. *Ibid.*, Bull. 22, 655.

tramosericus Viereck. *Ibid.*, Bull. 22, 655.

Paramellinus Rohwer.

bipunctatus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 656.

Hoplisus LePeletier.

costalis Cresson. *Gorytes*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 657.

fuscus Taschenberg. *Gorytes*. *Ibid.*, Bull. 22, 656.

gracilis Patton. *Gorytes*. *Ibid.*, Bull. 22, 656.

nebulosus Packard. *Gorytes*. *Ibid.*, Bull. 22, 656.

phaleratus Say. *Gorytes*. *Ibid.*, Bull. 22, 656.

Psen Latreille.

cressoni Packard. (*Mimesa*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 659.

pauper Packard. (*Mimesa*). *Ibid.*, Bull. 22, 659.

Oxybelus Latreille.

quadrinotatus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 659.

Notoglossa Dahlbom.

emarginata Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 660.

Anacrabro Packard.

ocellatus Packard. Conn. Geol. Nat. Hist. Surv., Bull. 22, 661.
(S.N.D.)

Lindenius LePeletier.

errans Fox. Conn. Geol. Nat. Hist. Surv., Bull. 22, 664.

Rhopalum Kirby.

pedicellatum Packard. Conn. Geol. Nat. Hist. Surv., Bull. 22, 664.

Solenius LePeletier.

bigeminus Packard. (*Protothyreopus*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 668.

- chrysargynus LePeletier. (*Hypocrabro*). *Ibid.*, Bull. 22, 669.
 decemmaculatus Say. (*Hypocrabro*). *Ibid.*, Bull. 22, 669.
 interruptus LePeletier. (*Solenius*). *Ibid.*, Bull. 22, 665.
 obscurus Smith. (*Clytochrysus*). *Ibid.*, Bull. 22, 665.
 producticollis Packard. (*Solenius*). *Ibid.*, Bull. 22, 666.
 ruffifemur Packard. (*Protothyreopus*). *Ibid.*, Bull. 22, 668.
 sayi Cockerell. (*Xestocrabro*). *sexmaculatus*. *Ibid.*, Bull. 22,
 667.
 singularis Smith. (*Lophocrabro*). *Ibid.*, Bull. 22, 667. (W.F.)
 stirpicola Packard. (*Hypocrabro*). *Ibid.*, Bull. 22, 668.

Crabro Fabricius.

- advenus Smith. (*Synothyreopus*). Conn. Geol. Nat. Hist.
 Surv., Bull. 22, 670.
 æqualis Fox. (*Crabro*). *Ibid.*, Bull. 22, 670.
 argus Packard. (*Crabro*). *Ibid.*, Bull. 22, 670.
 oblongus Packard. *Ibid.*, Bull. 22, 662.
 tumidus Packard. (*Synothreopus*). *Ibid.*, Bull. 22, 670.
 unicus Patton. *Ibid.*, Bull. 22, 663.

Aphilanthops Patton.

- frigidus Smith. Conn. Geol. Nat. Hist. Surv., Bull. 22, 672.

Philanthus Fabricius.

- bilunatus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 673.
 dubius Cresson. *Ibid.*, Bull. 22, 673.
 politus Say. *Ibid.*, Bull. 22, 673.
 punctatus Say. *Ibid.*, Bull. 22, 673.
 sanbornii Cresson. *Ibid.*, Bull. 22, 673.
 solivagus Say. *Ibid.*, Bull. 22, 673.

Trypoxylon Latreille.

- clavatum Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 676.
 excavatum Say. *Ibid.*, Bull. 22, 676.
 frigidum Smith. *Ibid.*, Bull. 22, 676.
 politum Say. *albitarse*. *Ibid.*, Bull. 22, 676.
 tridentatum Packard. *Ibid.*, Bull. 22, 676.

Chlorion Latreille.

- auripes Fernald. (*Isodontia*). Conn. Geol. Nat. Hist. Surv.,
 Bull. 22, 679.

bifoveolatum Taschenberg. (*Priononyx*). *Ibid.*, Bull. 22, 679.
cyaneum Dahlbom. var. *ærarium* Patton. (*Chlorion*). *Ibid.*,
 Bull. 22, 679.

harrisi Fernald. (*Isodontia*). *Ibid.*, Bull. 22, 679.

ichneumoneum Linnæus. (*Ammobia*). *Ibid.*, Bull. 22, 680.

pennsylvanicum Linnæus. (*Ammobia*). *Ibid.*, Bull. 22, 680.

Sphex Linnæus.

argentatus Hart. Bull. Ill. State Lab. Nat. Hist., vii, 266.

arvensis Dahlbom. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 682.

aureonotata Cameron. Biol. Centr. Amer., Hymenop., ii, 7.

nigricans Dahlbom. Psyche, x, 157.

procerus Dahlbom. Conn. Geol. Nat. Hist. Surv., Bull. 22, 682.

Sceliphron Klug.

cyaneum Klug. *Chalybion cæruleum*. Conn. Geol. Nat. Hist.
 Surv., Bull. 22, 682.

Pelopæus Latreille.

cæmentarius Drury. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 682.

Lyroda Say.

subita Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 683.

triloba Say. *Ibid.*, Bull. 22, 683. (H.W.W.)

Notogonidea Rohwer.

argentata Beauvois. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 684.

Larropsis Patton.

distincta Smith. Conn. Geol. Nat. Hist. Surv., Bull. 22, 684.

Tachytes Panzer.

breviventris Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
 686.

calcaratus Fox. *Ibid.*, Bull. 22, 686.

harpax Patton. *Ibid.*, Bull. 22, 686.

Tachysphex Kohl.

apicalis Fox. Conn. Geol. Nat. Hist. Surv., Bull. 22, 687.

Astata Latreille.

bicolor Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 688.

unicolor Say. *Ibid.*, Bull. 22, 688.

Stigmus Panzer.

americanus Packard. Conn. Geol. Nat. Hist. Surv., Bull. 22, 689.

Spilomena Shuckard.

pusilla Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 689.

Passalæcus Shuckard.

annulatus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 689.

Pemphredon Latreille.

inornatus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 690.

tenax Fox. *Ibid.*, Bull. 22, 690.

Plenoculus Fox.

atlanticus Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 691.

Family BEMBECIDÆ.

Sphæcius Dahlbom.

speciosus Drury. Conn. Geol. Nat. Hist. Surv., Bull. 22, 692.

Microbembex Patton.

monodonta Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 693.

Bicyrtes Le Peletier.*Bembidula* Burmeister.

quadrifasciata Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 693.

ventralis Say. *Ibid.*, Bull. 22, 693.

Bembix Fabricius.

spinolæ LePeletier. Conn. Geol. Nat. Hist. Surv., Bull. 22, 694.

Family CERCERIDÆ.

Eucerceris Cresson.

zonatus Say. Proc. Ent. Soc. Phila. v, 105.

Cerceris Latreille.

clypeata Dahlbom. Conn. Geol. Nat. Hist. Surv., Bull. 22, 695.

compar Cresson. *Ibid.*, Bull. 22, 695.

dentifrons Cresson. *Ibid.*, Bull. 22, 696. (J.A.H.)

deserta Say. *Ibid.*, Bull. 22, 695.

- fasciola* Cresson. *Ibid.*, Bull. 22, 695.
fulvipediculata Schletterer. *Ibid.*, Bull. 22, 695.
fumipennis Say. *Ibid.*, Bull. 22, 695.
imitatoria Schletterer. *Ibid.*, Bull. 22, 695.
robertsoni Fox. *Ibid.*, Bull. 22, 695. (S.N.D.)

Family HALICTIDAÆ.

Halictus Latreille.

- albipennis* Robertson. (*Chloralictus*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 702.
arcuatus Robertson. (*Evyllæus*). *Ibid.*, Bull. 22, 701.
cæruleus Robertson. (*Chloralictus*). *Ibid.*, Bull. 22, 702.
cephalicus Robertson. (*Paralictus*). *Ibid.*, Bull. 22, 701.
confusus Robertson. (*Oxystoglossa*). *Augochlora*. *Ibid.*, Bull. 22, 701.
coriaceus Smith. (*Lasioglossum*). *Ibid.*, Bull. 22, 700.
cressoni Robertson. (*Chloralictus*). *Ibid.*, Bull. 22, 702.
foxi Robertson. (*Evyllæus*). *Ibid.*, Bull. 22, 701.
lerouxi LePeletier. (*Halictus*). *Ibid.*, Bull. 22, 701.
ligatus Say. (*Halictus*). *Ibid.*, Bull. 22, 701.
marinus Crawford. (*Chloralictus*). Ent. News. 15, 99.
nymphæarum Robertson. (*Chloralictus*). *palustris*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 702.
obscurus Robertson. (*Chloralictus*). *Ibid.*, Bull. 22, 702.
pectoralis Smith. (*Evyllæus*). *Ibid.*, Bull. 22, 701.
persimilis Viereck. (*Oxystoglossa*). *Augochlora*. *similis*. *Ibid.*, Bull. 22, 703.
pilosus Smith. (*Chloralictus*). *Ibid.*, Bull. 22, 701.
provancheri Dalla Torre. (*Halictus*). *fasciatus*. *Ibid.*, Bull. 22, 701.
purus Say. (*Augochlora*). *Oxystoglossa*. *Ibid.*, Bull. 22, 701. (H.W.W.)
quadrifasciatus Robertson. (*Evyllæus*). *Ibid.*, Bull. 22, 701.
radiatus Say. (*Agapostemon*). *pulchra*. *Ibid.*, Bull. 22, 701.
sparsus Robertson. (*Chloralictus*). *Ibid.*, Bull. 22, 702.
splendens LePeletier. (*Agapostemon*). *Ibid.*, Bull. 22, 701.
tegularis Robertson. (*Chloralictus*). *Ibid.*, Bull. 22, 702.
truncatus Robertson. (*Evyllæus*). *Ibid.*, Bull. 22, 701.

- versatus Robertson. (*Chloralictus*). *Ibid.*, Bull. 22, 702.
- vierecki Crawford. (*Chloralictus*). *nymphalis*. *Ibid.*, Bull. 22, 702.
- virescens Fabricius. (*Agapostemon*). *nigricornis*. *viridulus* Authors. *Ibid.*, Bull. 22, 701.
- viridissimus Viereck. (*Augochlora*). *viridula*. *Ibid.*, Bull. 22, 700.
- zephyrus Smith. (*Chloralictus*). *Ibid.*, Bull. 22, 702.
- Sphecodes* Latreille.
- arvensis Patton. (*Drepanium*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 708.
- confertus Say. (*Drepanium*). *falcifer*. *Ibid.*, Bull. 22, 708.
- mandibularis Cresson. (*Sphecodium*). *Ibid.*, Bull. 22, 708.
- minor Robertson. (*Sphecodes*). *Ibid.*, Bull. 22, 708.

Family ANDRENIDÆ.

Andrena Fabricius.

- arabis Robertson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 712.
- asteris Robertson. *Ibid.*, Bull. 22, 713.
- barbarica Viereck. Trans. Am. Ent. Soc., xliii, 369.
- bisalicis Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22, 712.
- braccata Viereck. *Ibid.*, Bull. 22, 713.
- bradleyi Viereck. *Ibid.*, Bull. 22, 709.
- canadensis Dalla Torre. *Ibid.*, Bull. 22, 712.
- carlini Cockerell. *bicolor*. *Ibid.*, Bull. 22, 713.
- claytoniæ Robertson. *Ibid.*, Bull. 22, 776.
- cratægi Robertson. *Ibid.*, Bull. 22, 710.
- cressoni Robertson. *Ibid.*, Bull. 22, 713.
- erythrogastra Ashmead var. *rhodura* Cockerell. *Ibid.*, Bull. 22, 711.
- flavoclypeata Smith. *bipunctata*. *Ibid.*, Bull. 22, 712.
- forbesi Robertson. *Ibid.*, Bull. 22, 713.
- fragilis Smith. *platyparis*. *Ibid.*, Bull. 22, 712.
- geranii maculati Robertson. *Ibid.*, Bull. 22, 710.
- hilaris Smith. *Ibid.*, Bull. 22, 713.
- hippotes Robertson. *Ibid.*, Bull. 22, 713.
- hirticineta Provancher. *americana*. *fimbriata*. *Ibid.*, Bull. 22, 710.

- integra* Smith. *lineata*. *Ibid.*, Bull. 22, 712.
krigiana Robertson. *Ibid.*, Bull. 22, 777. (E.J.S.M.)
mariae Robertson var. *concolor* Robertson. *Ibid.*, Bull. 22, 713.
multiplicatiformis Viereck. *Ibid.*, Bull. 22, 714.
nasoni Robertson. *vestita hartfordensis*. *Ibid.*, Bull. 22, 711.
nivalis Smith. *Ibid.*, Bull. 22, 711.
novæ-angliæ Viereck. *Ibid.*, Bull. 22, 711.
nubecula Smith. *Ibid.*, Bull. 22, 712.
obscura Robertson. *Ibid.*, Bull. 22, 714.
perplexa Smith var. *viburnella* Grænicher. *Ibid.*, Bull. 22, 712.
placida Smith. *macgillivrayi*. *Ibid.*, Bull. 22, 711.
pruni Robertson. *dunningi*. *Ibid.*, Bull. 22, 712.
robertsoni Dalla Torre. *serotina*. *Ibid.*, Bull. 22, 712.
rugosa Robertson. *Ibid.*, Bull. 22, 714.
salictaria Robertson. *Ibid.*, Bull. 22, 711.
solidaginis Robertson. *Ibid.*, Bull. 22, 712.
spireana Robertson. *Ibid.*, Bull. 22, 714.
thaspisii Grænicher. *mandibularis*. *Ibid.*, Bull. 22, 713.
vicina Smith. *Ibid.*, Bull. 22, 713.
victima Smith. *Ibid.*, Bull. 22, 715.
weedi Viereck. *Ibid.*, Bull. 22, 714.
wilkella Kirby. *winkleyi* Viereck. *Ibid.*, Bull. 22, 712.
ziziæ Robertson. *Ibid.*, Bull. 22, 712.
ziziæformis Cockerell. Can. Ent., 49, 234.

Family DUFOUREIDÆ.

Halictoides Nylander.

- novæangliæ* Robertson. (Conohalictoides). Conn. Geol. Nat. Hist. Surv., Bull. 22, 720.

Family MACROPIDÆ.

Macropis Panzer.

- ciliata* Patton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 720.
patellata Patton. *Ibid.*, Bull. 22, 720.

Family PANURGIDÆ.

Perdita Smith.

novæangliæ Viereck. Conn. Geol. Nat. Hist. Surv., Bull. 22,
721.

octomaculata Say. *Cockerellia*. *Ibid.*, Bull. 22, 721.

Panurginus Nylander.

asteris Robertson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 721.

parvus Robertson. *Ibid.*, Bull. 22, 721.

Calliopsis Smith.

andreniformis Smith. Conn. Geol. Nat. Hist. Surv., Bull. 22,
722.

Family NOMADIDÆ.

Nomada Fabricius.

americana Kirby. (Centrias). Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 723.

cuneata Robertson. (Gnathias). *Ibid.*, Bull. 22, 726.

denticulata Robertson. *Ibid.*, Bull. 22, 725.

illinoiensis Robertson. *Ibid.*, Bull. 22, 724. (H.W.W.)

imbricata Smith. (Holonomada). *Ibid.*, Bull. 22, 724.

incerta Cresson. (Centrias). *Ibid.*, Bull. 22, 724.

obliterata Cresson. (Heminomada). *Ibid.*, Bull. 22, 725.

pygmæa Cresson. *Ibid.*, Bull. 22, 726.

sayi Robertson. *Ibid.*, Bull. 22, 725.

vicina Cresson. *Ibid.*, Bull. 22, 724.

Epeoloides Giraud.

Viereckella Swenk.

pilosula Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 727.
(E.L.D.)

Epeolus Latreille.

pusillus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 728.

Triepeolus Robertson.

donatus Smith. Conn. Geol. Nat. Hist. Surv., Bull. 22, 729.

lunatus Say. *Ibid.*, Bull. 22, 730.

Holcopasites Ashmead.*Neopasites* Ashmead.

illinoiensis Robertson. Conn. Geol. Nat. Hist. Surv., Bull. 22,
730.

Family EUCERIDÆ.

Mellissodes Latreille.

bimaculata LePeletier. Conn. Geol. Nat. Hist. Surv., Bull. 22,
731.

dentiventris Smith. *Ibid.*, Bull. 22, 732.

desponsa Smith. *Ibid.*, Bull. 22, 732.

perplexa Cresson. *Ibid.*, Bull. 22, 732.

rustica Say. *Ibid.*, Bull. 22, 731.

Tetralonia Spinola.

atriventris Smith. *Synhalonia*. Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 733.

Xenoglossa Smith.

pruinosa Say. (*Peponapis*). Conn. Geol. Nat. Hist. Surv.,
Bull. 22, 733.

Family ANTHOPHORIDÆ.

Anthophora Latreille.

floridana Smith. (*Emphoropsis*). Conn. Geol. Nat. Hist.
Surv., Bull. 22, 735.

terminalis Cresson. (*Clisodon*). *Ibid.*, Bull. 22, 736.

Family HYLÆIDÆ.

Hylæus Fabricius.*Prosopis* Fabricius.

ellipticus Cockerell. Conn. Geol. Nat. Hist. Surv., Bull. 22, 737.

modestus Say. *affinis*. *Ibid.*, Bull. 22, 738.

pygmæus Cockerell. *Ibid.*, Bull. 22, 737.

saniculæ Robertson. Can. Ent., xxxvi, 273.

ziziæ Robertson. *Ibid.*, Bull. 22, 737.

Family COLLETIDÆ.

Colletes Latreille.

æstivalis Patton. Conn. Geol. Nat. Hist. Surv., Bull. 22, 740.

compactus Cresson. *Ibid.*, Bull. 22, 739.

- inæqualis* Say. *Ibid.*, Bull. 22, 739.
validus Cresson. *Ibid.*, Bull. 22, 740.
 sp. *Ibid.*, Bull. 22, 741.

Family STELIDIDÆ.

Stelis Panzer.

- fœderalis* Smith. (*Microstelis*). *nitida*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 741.
lateralis Cresson. (*Microstelis*). *Ibid.*, Bull. 22, 741.

Family MEGACHILIDÆ.

Megachile Latreille.

- brevis* Say. (*Megachile*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 743.
exclamans Viereck. (*Xanthosarus*). *Ibid.*, Bull. 22, 743.
infragilis Cresson. (*Anthemois*). *Ibid.*, Bull. 22, 743.
latimana Say. (*Xanthosarus*). *femoratus*. *Ibid.*, Bull. 22, 744.
mendica Cresson. (*Megachile*). *Ibid.*, Bull. 22, 745.
vidua Smith. (*Delomegachile*). *frigida*. *Ibid.*, Bull. 22, 743.
 (H.W.W.)

Cœlioxys Latreille.

- dubitata* Smith. *rufitarsis*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 746.
dubitata var. *melanopoda* Viereck. *Ibid.*, Bull. 22, 747.
mœsta Cresson. *Ibid.*, Bull. 22, 746.
octodentata Say. *Ibid.*, Bull. 22, 747.
sayi Robertson. *Ibid.*, Bull. 22, 747.

Osmia Panzer.

- albiventris* Cresson. (*Leucosmia*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 749.
atriventris Cresson. (*Osmia*). *Ibid.*, Bull. 22, 749.
conjuncta Cresson. (*Diceratosmia*). *Ibid.*, Bull. 22, 748.
distincta Cresson. (*Nothosmia*). *Ibid.*, Bull. 22, 748.
lignaria Say. (*Ceratosmia*). *Ibid.*, Bull. 22, 748.
major Robertson. (*Osmia*). *Ibid.*, Bull. 22, 749.
pumila Cresson. (*Osmia*). *Ibid.*, Bull. 22, 749.
purpurea Cresson. (*Osmia*). *Ibid.*, Bull. 22, 748.
rustica Cresson. (*Osmia*). *Ibid.*, Bull. 22, 749. (H.W.W.)

Andronicus Cresson.

cylindricus Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 751.

pilosifrons Cresson. (*Alcidamea*). *Ibid.*, Bull. 22, 751.

productus Cresson. (*Alcidamea*). *Ibid.*, Bull. 22, 751.

truncatus Cresson. (*Alcidamia*). *Ibid.*, Bull. 22, 751.

Heriades Spinola.

carinatus Cresson. (*Trypetes*). Conn. Geol. Nat. Hist. Surv., Bull. 22, 751.

Dianthidium Cockerell.

notatum Latreille. Conn. Geol. Nat. Hist. Surv., Bull. 22, 752.

simile Cresson. *Ibid.*, Bull. 22, 752.

Family CERATINIDÆ.

Ceratina Latreille.

dupla Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 753.

metallica H. S. Smith. *Ibid.*, Bull. 22, 753.

Family XYLOCOPIDÆ.

Xylocopa Latreille.

virginica Drury. Conn. Geol. Nat. Hist. Surv., Bull. 22, 753.

Family APIDÆ.

Bremus Panzer.*Bombus* Latreille.

affinis Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 755.

bimaculatus Cresson. *Ibid.*, Bull. 22, 757.

fervidus Fabricius. *Ibid.*, Bull. 22, 755.

impatiens Harris. *virginicus*. *Ibid.*, Bull. 22, 756.

pennsylvanicus DeGeer. *americanorum* DeGeer. *Ibid.*, Bull. 22, 755.

perplexus Cresson. *Ibid.*, Bull. 22, 756.

ternarius Say. *Ibid.*, Bull. 22, 756.

terricola Kirby. *Ibid.*, Bull. 22, 755.

vagans Smith. *Ibid.*, Bull. 22, 755.

vagans var. *consimilis* Cresson. *Ibid.*, Bull. 22, 756.

Bombias Robertson.

auricomus Robertson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 758. (H.W.W.)

separatus Cresson. *Ibid.*, Bull. 22, 758.

Psithyrus LePeletier.

ashtoni Cresson. Conn. Geol. Nat. Hist. Surv., Bull. 22, 759.

laboriosus Fabricius. *citrinus*. *Ibid.*, Bull. 22, 759.

laboriosus var. *contiguus* Cresson. *Ibid.*, Bull. 22, 760.

variabilis Cresson. *Ibid.*, Bull. 22, 759.

Apis Linnæus.

mellifera Linnæus. *mellifica*. Honey bee. Conn. Geol. Nat. Hist. Surv., Bull. 22, 760.

APPENDIX

After the list was set up in type and arranged in the preceding pages, a number of additional genera and species were recognized or were reported from Connecticut material. Some of these additions have been included in the pages where they belong, but others cannot be inserted without entirely rearranging the matter on many pages. It has also seemed necessary to use certain references which are not explained in the Key on page 13; these references and the additional genera and species are given in the following pages:—

KEY TO ADDITIONAL REFERENCES

(See Page 13.)

- Afid. Ital.**—Prospetto dell' Afido fauna Italica, by Giacomo Del Guercio. Nuove Relazioni intorno ai lavori della R. Stazione di Entomologia Agraria di Firenze. Serie Prima—No. 2. Firenze, 1900.
- Ann. Hist. Nat.**—Annus Historico Naturalis, by J. A. Scopoli, 5 volumes, Lipsiæ, Hillscher, 1768-1772.
- Biol. Centr. Am. Heterop.**—Biologia Centrali-Americana, Heteroptera, volume i, by W. L. Distant, London, 1880-1893.
Hymenop. vol. ii, by P. Cameron, 1888.
- Bull. Soc. Sci. Buc.**—Bulletin de la Société des Sciences de Bucarest-Roumanie, Bucarest.
- Cat. Macrolep.**—Butterflies and Moths of North America. A complete synonymical catalogue of Macrolepidoptera, with full bibliography, by Herman Strecker, 1878.
- Coleop. Neerland.**—Coleoptera Neerlandica, De Schildvleengelige insecten van Nederland enhet aangrenzend gebied, by Ed. Everts, Gravenhage, 1898.
- Contr. Nat. Hist. Lepidop.**—Contributions to the Natural History of the Lepidoptera of North America, by William Barnes and J. H. McDunnough, Decatur, Ill. Begun in 1911.

- Descr. Hymenop. Chalcid.**—Descriptiones Hymenopterorum Chalcidoidicorum cum Observationibus, by A. A. Girault, *The Entomologist*, pages 36-38, London, 1917.
- Faun. Ent. Can. Hym.**—Petite Faune Entomologique du Canada, ii, Hymenopteres. By Abbé Leon Provancher, Quebec, 1883.
- Faun. Suec.**—Fauna Suecica Sistens animalia Sueciæ regni, by C. V. Linnæus, Stockholm, Sweden, 1746.
- Freg. Eugenies Resa. Hemip.**—Kongliga Svenska Fregattens Eugenies resa omkring Jorden, Hemiptera, Stockholm, 1859.
- Ichneumon. d. Forstins.**—Die Ichneumonen der Forstinsecten in forstlicher and entomologischer Beziehung, by J. T. C. Ratzeburg, 3 volumes, Berlin, 1844-1852.
- Illus. Besttabl. Kaf. Deutsch.**—Illustrierte Bestimmungstabellen der Käfer Deutschlands, by Paul Kuhnt, Stuttgart, 1912.
- Ins. Lapp.**—Insecta Lapponica descripta, by J. W. Zetterstedt, 6 volumes, Lipsiæ, Voss, 1840.
- Kafer.**—Natursystem aller bekannten in- und ausländischen insecten; nach dem System des Ritters Carl von Linné bearbeitet (von C. G. Jablonsky), fortgesetzt von J. F. W. Herbst, 21 volumes, Bd. 1-10, Kafer, Berlin, Pauli, Germany, 1785-1806.
- Long's Exp.**—Narrative of an Expedition to the Source of St. Peter's River, &c, 1824, Appendix. (Usually cited as Long's Expedition.)
- Mon. Bupr.**—Monograph of the Buprestidæ, from *Histoire Naturelle et Iconographie des Coleopteres*, by F. L. de Laporte and H. Gory, Paris, 1835-1841.
- Mon. Hister.**—Essai monographique sur la famille des Histerides, by S. A. de Marseul. *Annals de la Société Entomologique de France*, Series 3, 1853—Series 4, 1862, Paris.
- Penn. Bur. Pl. Ind.**—Pennsylvania Bureau of Plant Industry, Technical Series, Bulletin No. 1, by J. G. Sanders and D. M. DeLong. Harrisburg, Pa., 1920.

Spec. Ins.—Species Insectorum, by J. C. Fabricius, 2 volumes, 1781.

Syn. Ins.—Synonymia Insectorum, by C. J. Schoenherr, 4 parts and Supplement, Stockholm and Skara, 1806-1817.

Tenn. State Bd. Ent.—Tennessee State Board of Entomology, Bulletin 17, The Leafhoppers or Jassoidea of Tennessee, by Dwight M. DeLong, Knoxville, Tenn., 1916.

Zweiflüg. Ins.—Zweiflügeligen Insekten Systematische Beschreibung der bekannten Europäischen, by Johann Wilhelm Meigen, 7 volumes, Achen and Hamm, 1818-1838.

ADDITIONS TO CHECK LIST

The following species have been recorded from Connecticut and should be added to the list given on the foregoing pages:—

Order ODONATA.

Family AGRIONIDÆ.

(See page 33.)

Argia Rambur.

translata Hagen. Biol. Centr. Am., Neuroptera, 76, 1901.

Family LIBELLULIDÆ.

(See page 35)

Somatochlora Selys.

(See page 36)

linearis Hagen. Trans. Am. Ent. Soc., xx, 253.

Order HEMIPTERA.

Family CICADELLIDÆ.

(See page 47)

Idiocerus Lewis.

cognatus Fieber. Ent. Am., vi, 226.

duzeei Provancher. *perplexus* Gillette and Baker. Hemip. Col., 78.

Macropsis Lewis.

gleditschiæ Osborn and Ball. *Pediopsis*. Tenn. State Bd. Ent., Bull. 17, 16.

Oncopsis Burmeister.

pruni Provancher. Me. Agr. Expt. Sta., Bull. 238, 87.

Aucephalus Germar.

nervosus Schrank. *striatus* Linnæus. Me. Agr. Expt. Sta., Bull. 238, 107.

Xestocephalus Van Duzee.

- pulicarius* Van Duzee. Tenn. State Bd. Ent., Bull. 17, 35.
superbus Provancher. *fulvocapitatus* Van Duzee. *Ibid.*, Bull.
17, 35.

Parabolocratus Fieber.

- major* Osborn. Me. Agr. Expt. Sta., Bull. 238, 110.

Platymetopius Burmeister.

- fulvus* Osborn. Rept. N. Y. State Ent., 20, 519.

Deltocephalus Burmeister.

- areolatus* Ball. Can. Ent., xxxi, 188.

Euscelis Brullé.*Athysanus.*

- cuneatus* Sanders and DeLong. Penn. Bur. Pl. Ind., Tech. Bull.
1, 17.
parallelus Van Duzee. Can. Ent., xxiii, 169.

Gypona Germar.

- pectoralis* Spangberg. *albimarginata* Woodworth. *hullensis* Pro-
vancher. Proc. U. S. Nat. Mus., 56, 94.

Thamnotettix Zetterstedt.

- inornatus* Van Duzee. Tenn. State Bd. Ent., Bull. 17, 81.
morsei Osborn. Me. Agr. Expt. Sta., Bull. 238, 134.

Cicadula Zetterstedt.

- lepida* Van Duzee. Tenn. State Bd. Ent., Bull. 17, 94.
slossoni Van Duzee. Can. Ent., xxv, 281.

Empoasca Walsh.

- aureo-viridis* Uhler. Tenn. State Bd. Ent., Bull. 17, 100.
obtusa Walsh. *Ibid.*, Bull. 17, 100.

Erythroneura Fitch.

- obliqua* Say var. *dorsalis* Gillette. Tenn. State Bd. Ent., Bull.
17, 105.
trifasciata Say. *Ibid.*, Bull. 17, 106.
vitis Harris var. *stricta* McAtee. Trans. Am. Ent. Soc., xlv, 305.

Family MEMBRACIDÆ.

(See page 53)

Acutalis Fairmaire.**tartarea** Say. Bull. Buff. Soc. Nat. Sci., ix, 51.**Achasia** Stål.**belfragei** Stål. Bull. Buff. Soc. Nat. Sci., ix, 73.

Family MIRIDÆ.

Phytocoris Fallen.

(See page 71)

buenoi Knight. Bull. Brook. Ent. Soc., xv, 57.**conspurcatus** Knight. *Ibid.*, xv, 61.**corticeviventis** Knight. *Ibid.*, xv, 63.**penipectus** Knight. *Ibid.*, xv, 58.**salicis** Knight. *Ibid.*, xv, 56.**sulcatus** Knight. *Ibid.*, xv, 64.

Order LEPIDOPTERA.

Family GLYPHIPTERYGIDÆ.

(Belongs near Tortricidæ, see page 96)

Hemerophila Hubner.**pariana** Clerck. *Simæthis*. Apple and thorn skeletonizer. Rept. N. Y. State Ent., 33, 33.

Family TORTRICIDÆ.

(See page 96.)

Olethreutes Hübner.

(See page 97)

hemidesma Zeller. Rept. Conn. Agr. Expt. Sta., 1917, 364, Pl. xxxi, b.

Family PYRALIDÆ

(See page 103)

Acrobasis Zeller.

(See page 109)

demotella Grote. Wash. Ent. Soc., x, 41.

Order **DIPTERA**.Family **CECIDOMYIDÆ** (ITONIDIDÆ).

(See page 168)

Diarthronomyia Felt.**hypogæa** Loew. *Chrysanthemum* gall midge. Rept. Conn. Agr. Expt. Sta., 1919, 161, pl. xxxi.**Cincticornia** Felt.

(See page 169)

pillulæ Walsh and Riley. N. Y. State Mus. Bull., 200, 90.**Caryomyia** Felt.

(See page 169)

holotricha Osten Sacken. N. Y. State Mus. Bull., 200, 47.Family **SCATOPSIDÆ**.

(See page 171)

Ectætia Enderlein.**clavipes** Loew. *Scatopse*. Linn. Ent., i, 333. (H.L.J.)Family **SYRPHIDÆ**.

(See page 184)

Xylota Meigen.

(See page 188)

tuberans Williston. Syn. N. A. Syrph., 225.Family **TACHINIDÆ**.

(See page 190)

Tachina Meigen.

(See page 194)

simulans Meigen. *Zweiflüg. Ins.*, iv, 306.Family **SCIOMYZIDÆ**.

(See page 201)

Limnia Desvoidy.**boscii** Desvoidy. Ann. Ent. Soc. Am., xiii, 323.**Tetanocera** Dumeril**elata** Fabricius. Ann. Ent. Soc. Am., xiii, 328.**rotundicornis** Loew. *Ibid.*, xiii, 328.**vicina** Macquart. *Ibid.*, xiii, 327.

Order COLEOPTERA.

Family DYTISCIDÆ.

Deronectes Sharp.

(See page 220)

griseostriatus DeGeer. Coleop. Ind., 216. (K.F.C.)**Hydroporus** Clairville.

(See page 220)

spurius LeConte. Proc. Acad. Nat. Sci., 1855, 296. (K.F.C.)

Family HYDROPHILIDÆ.

Hydrobius Leach.

(See page 223)

tessellatus Ziegler. Coleop. Ind., 263. (K.F.C.)

Family LAMPYRIDÆ.

(See page 234)

Photinus Laporte.**marginellus** LeConte. Trans. Am. Ent. Soc., ix, 35.

Family ELATERIDÆ.

Melanotus Eschscholtz.

(See page 242)

castanipes Paykull. Coleop. Ind., 746.**depressus** Melsheimer. *Ibid.*, 755.sp. near **sagittarius** LeConte.

Family EROTYLIDÆ.

(See page 251)

Mycotretus Lacordaire.**pulchra** Say. Trans. Am. Ent. Soc., iv, 354.

Family TENEBRIONIDÆ.

(See page 257)

Scaphidema Redtenbacher.**æneolum** LeConte. Coleop. Ind., 1265.

Family MELANDRYIDÆ.

(See page 259)

Serropalpus Hellwig.**barbatus** Scholl. Illus. Bestabl. Kaf. Deutsch., 727.**Eustrophinus** Seidletz (See page 259)**tomentosus** Say. Coleop. Ind., 1293. (K. F. C.)

Family SCARABÆIDÆ.

Aphodius Illiger.

(See page 262)

hæmorrhoidalis Linnæus. Syst. Nat., 1, 348.

Family CERAMBYCIDÆ.

(See page 266)

Leptostylus LeConte.

(See page 270)

aculiferus Say. Trans. Am. Ent. Soc., viii, 121.**Oberea** Mulsant.

(See page 272)

tripunctata Swederus var. **myops** Haldeman. Trans. Am. Ent. Soc., vii, 47.

Family CHRYSOMELIDÆ.

Diabrotica Chevrolat.

(See page 277)

longicornis Say. Coleop. Ind., 1172. (K.F.C.)

Family CURCULIONIDÆ.

Acanthoscelis Dietz.

(See page 286)

curtus Say. Rhyn. N. E. Am., 431. (K.F.C.)**Ceutorhynchus** Germar (See page 287)**semirufus** LeConte. Rhyn. N. E. Am., 451. (K.F.C.)

Order **HYMENOPTERA.**Family **TENTHREDINIDÆ.**

(See page 292)

Hemichroa Stephens.**dyari** Rohwer. Proc. Wash. Ent. Soc., xx, 171**Trichiocampus** Hartig (See page 297.)**gregarius** Dyar. *Cladius gregarius*. Conn. Geol. Nat. Hist. Surv., Bull. 22, 110.**irregularis** Dyar. *Priophorus irregularis*. Journ. N. Y. Ent. Soc., viii, 28.**Pteronidea** Rohwer.

(See page 298)

alnivora Rohwer. Proc. U. S. Nat. Mus., lvii, 213.**Kaliofenusa** MacGillivray.(Belongs near **Erythraspides**, page 299)**ulmi** Sundewall. Elm leaf-miner. Conn. Geol. Nat. Hist. Surv., Bull. 22, 157.Family **BRACONIDÆ.**

(See page 305)

Cyanopterus Wesmael.

sp.

Family **ICHNEUMONIDÆ.****Campoplex** Gravenhorst.

(See page 309)

validus Cresson. *Limmerium validum*. *Mesoleptus*. Proc. Ent. Soc. Phila., iii, 258.**Arotes** Gravenhorst.

(See page 315)

decorus Say. Conn. Geol. Nat. Hist. Surv., Bull. 22, 326.Family **EULOPHIDÆ.**

(See page 323)

Dimmockia Ashmead.**incongrua** Ashmead. *Eulophus*. Proc. Wash. Ent. Soc., iv, 158.

Family CHALCIDIDÆ.

(See page 326)

Rhopalicus Færster.**suspensus** Ratzeburg. *Pteromalus*. Ichneumon. d. Forstins.,
i, 189.

INDEX.

- Abbotana, 115.
Abia, 296.
Acalloides, 286.
Acanalonia, 46.
Acanthocephala, 80.
Acanthocerus, 80.
Acanthoderes, 270.
Acanthomyops, 330.
Acanthocelis, 286, 359.
Acemyia, 193.
Achasia, 356.
Achatodes, 137.
Achlarus, 154.
Acholla, 76.
Achorutes, 26.
Achroia, 108.
Acidia, 203.
Acilius, 222.
Acinopterus, 51.
Aciura, 204.
Acleris, 101.
Actmæodera, 243.
Actmæops, 267.
Acontia, 132.
Acoptus, 286.
Acordulecera, 300.
Acrididæ, 39.
Acritus, 233.
Acrobasis, 109, 356.
Acrocera, 175.
Acrolepia, 86.
Acrolophus, 85.
Acroneuria, 27.
Acronycta, 146.
Acropteroxys, 251.
Acroricnus, 315.
Acroschismus, 290.
Acrosternum, 83.
Actenodes, 244.
Actia, 191.
Actias, 151.
Actinotia, 143.
Acucephalus, 49, 354.
Acupalpus, 219.
Acutalis, 356.
Acylomus, 254.
Acylophorus, 228.
Adalia, 256.
Adelocera, 240.
Adelphacorisis, 71.
Adelphagrotis, 142.
Adirus, 301.
Adita, 143.
Adoneta, 114.
Adoxus, 275.
Adranes, 231.
Aedes, 166.
Ægomorphus, 270.
Ænoplex, 316.
Æolothripidæ, 44.
Æolothrips, 44.
Æolus, 241.
Æschnidæ, 34.
Æshna, 35.
Æthaloptera, 118.
Agabetes, 221.
Agabus, 221.
Agallia, 47.
Agapetidæ, 156.
Agapostemon, 342, 343.
Agaristidæ, 147.
Agathidium, 225.
Agathis, 306.
Agelasa, 277.
Ageniella, 335.
Aglais, 157.
Agllossa, 106.
Agnomonina, 129.
Agonoderus, 218.
Agnopteryx, 92.
Agrilus, 244.
Agrion, 33.
Agrionidæ, 33, 354.
Agriotes, 241.
Agromyza, 209.
Agromyzidæ, 208.
Agrothereutes, 315.
Agrotis, 142.
Alabama, 134.
Alaria, 135.
Alaus, 240.
Alcidamea, 348.
Alcis, 118.
Alcothoë, 112.
Alder blight, 61.
Alebra, 52.
Aleiodes, 307.
Aleochara, 230.
Aleurochiton, 62.
Aleurodes, 62.

- Aleyrodes, 62.
 Aleyrodidæ, 62.
 Allantus, 293, 294, 296.
 Allecula, 256.
 Alleculidæ, 256.
 Allognosta, 172.
 Allograpta, 186.
 Alloperia, 27.
 Alloplasta, 313.
 Allorhina, 265.
 Allotria, 129.
 Alobates, 258.
 Alophora, 190.
 Alphitobius, 258.
 Alsophila, 122.
 Altica, 278.
 Alydidæ, 81.
 Alydus, 81.
 Alypia, 147.
 Alysiidæ, 304.
 Alyson, 338.
 Amadrya, 86.
 Amalopsis, 163.
 Amara, 214.
 Amauronematus, 298.
 Ambesa, 110.
 Amblycorypha, 41.
 Amblyscirtes, 155.
 Amblyteles, 317, 318.
 Ameloctonus, 309.
 American Copper, 155.
 Tortoise-Shell, 157.
 Ammalo, 147.
 Ammobia, 340.
 Amnestus, 84.
 Amolita, 133.
 Amorbia, 102.
 Ampelophaga, 152.
 Amphagiagrion, 33.
 Amphibolips, 320.
 Amphicnephes, 202.
 Amphicoma, 263.
 Amphion, 153.
 Amphisa, 99.
 Amphiscepa, 46.
 Amphorophora, 60.
 Ampulicidæ, 337.
 Anacamptis, 93.
 Anacharis, 319.
 Anacomis, 269.
 Anacrabro, 338.
 Anagoga, 117.
 Anaphes, 323.
 Anaphoidea, 323.
 Anaphothrips, 44.
 Anaplodes, 119.
 Anarsia, 94.
 Anasa, 80.
 Anaspis, 237.
 Anastatus, 325.
 Anatis, 256.
 Anax, 35.
 Anaxipha, 43.
 Ancistrocerus, 336, 337.
 Ancylic, 100.
 Ancyloxypha, 155.
 Andrena, 343.
 Andrenidæ, 343.
 Andricus, 321.
 Androchirus, 257.
 Andronicus, 348.
 Anecephysis, 312.
 Aneurus, 80.
 Angitia, 309.
 Ania, 116.
 Anisandrus, 290.
 Anisitsia, 209.
 Anisocalvia, 256.
 Anisodactylis, 219.
 Anisolabis, 37.
 Anisomera, 162.
 Anisosticta, 255.
 Anisota, 150.
 Anisotoma, 225.
 Anobiidæ, 260.
 Anœcia, 57.
 Anomala, 264.
 Anomalagrion, 34.
 Anomalon, 310, 311.
 Anomœa, 273.
 Anomoglossus, 217.
 Anopediis, 326.
 Anopheles, 167.
 Anoplitis, 279.
 Anopliis, 336.
 Anoplolyda, 291.
 Anorthodes, 145.
 Anorthosia, 94.
 Anosia, 156.
 Ant, Carpenter, 331.
 Garden, 330.
 Little red house, 329.
 Silky, 331.
 Anthaxia, 244.
 Anthemois, 347.
 Antherophagus, 251.
 Anthicidæ, 239.
 Anthicus, 239.
 Anthobium, 226.
 Anthoboscus, 269.
 Anthocaris, 159.
 Anthocomus, 235.
 Anthocoridæ, 74.
 Anthomyia, 198.
 Anthomyidæ, 198.
 Anthonomopsis, 284.
 Anthonomus, 284, 285.
 Anthophilax, 267.

- Anthophora, 346.
 Anthophoridae, 346.
 Anthothrips, 44.
 Anthracophaga, 207.
 Anthrax, 175.
 Anthrenus, 247.
 Anthribidae, 281.
 Anthribulus, 281.
 Antipus, 273.
 Antispila, 90.
 Antocha, 161.
 Anuraphis, 59.
 Anytus, 140.
 Apæcasia, 118.
 Apanteles, 302, 303.
 Apantesis, 147.
 Apatela, 146.
 Apatelodes, 126.
 Apateticus, 83.
 Apenes, 217.
 Aphalara, 56.
 Aphanisus, 299.
 Aphanus, 79.
 Aphænogaster, 329.
 Aphæreta, 305.
 Aphelinidae, 324.
 Aphelinus, 324.
 Aphelopus, 333.
 Aphid, Bean, 59.
 Beech, 58.
 Black peach, 59.
 Cabbage, 59.
 Cherry, 60.
 Choke-cherry, 59.
 Corn root, 59.
 Currant, 60.
 Green apple, 59.
 peach, 60.
 Hickory gall, 62.
 Melon, 59.
 Oleander, 59.
 Pine bark, 62.
 Rosy apple, 59.
 Spruce gall, 62.
 Turnip, 59.
 Yucca, 59.
 Violet, 59.
 Woolly apple, 61.
 beech, 61.
 larch, 62.
 Aphididae, 57.
 Aphidius, 308.
 Aphilanthops, 339.
 Aphiochaeta, 184.
 Aphis, 57, 58, 59, 60, 61.
 Aphodius, 262, 359.
 Aphonus, 265.
 Aphorista, 253.
 Aphrastus, 282.
 Aphrophora, 55.
 Apidae, 348.
 Apiomerus, 76.
 Apion, 282.
 Apis, 349.
 Aplodes, 119.
 Apteromechus, 287.
 Apocremnus, 69.
 Aporinellus, 335.
 Apple and thorn skeletonizer, 356.
 Bucculatrix, 89.
 Apristus, 216.
 Aproærema, 93.
 Araba, 194.
 Arachnophroctonus, 336.
 Aradidae, 80.
 Aradus, 80.
 Archips, 99.
 Archytas, 195.
 Arctia, 147, 148.
 Arctiidae, 147.
 Arctocorixa, 66.
 Areus, 227.
 Arge, 300.
 Argia, 33, 354.
 Argynnis, 158.
 Argyra, 180.
 Argyresthia, 87.
 Argyria, 107.
 Arhopalus, 269.
 Aristotelia, 95.
 Army worm, 139.
 Arotus, 315, 360.
 Arphia, 40.
 Arrhenoplita, 257.
 Arsilonche, 146.
 Arta, 106.
 Arthromacra, 259.
 Asaphes, 241.
 Ascalaphidae, 30.
 Asclera, 237.
 Ascogaster, 306.
 Asemum, 266.
 Asilidae, 177.
 Asilus, 179.
 Asiphum, 61.
 Asobara, 304.
 Asparagus beetles, 273.
 Asphondylia, 169.
 Aspicera, 319.
 Aspidiotus, 65.
 Aspilota, 304.
 Astata, 340.
 Astenus, 227.
 Asterochiton, 62.
 Asterolecanium, 63.
 Asteromyia, 170.

- Astomaspis, 316.
 Astylopsis, 271.
 Asyndetus, 180.
 Atacosa, 111.
 Atænius, 262.
 Atanycolus, 304.
 Atarba, 161.
 Atethmia, 135.
 Atherix, 175.
 Atheta, 229.
 Athous, 240.
 Athysanus, 50, 51, 355.
 Atlanticus, 42.
 Atomacera, 300.
 Atomaria, 252.
 Atomosia, 178.
 Atropos, 26.
 Atrytone, 155.
 Attacus, 151.
 Attagenus, 247.
 Attalus, 235.
 Attelabus, 281.
 Atymna, 55.
 Augochlora, 342, 343.
 Aulax, 319.
 Aulacaspis, 65.
 Auletes, 281.
 Auleutes, 286.
 Autographa, 134.
 Automalus, 317.
 Automeris, 150.
 Axinopalpus, 216.
 Aylax, 319.
 Azelina, 116.

 Babia, 273.
 Baccha, 185.
 Bachia, 316.
 Bactra, 96.
 Bactridium, 250.
 Badister, 215.
 Bæocera, 231.
 Bætis, 27, 28.
 Bagous, 283.
 Baileya, 145.
 Bag-worm, 114.
 Balaninus, 284.
 Balclutha, 52.
 Baldratia, 170.
 Baliosus, 279.
 Balsa, 145.
 Baltimore, 158.
 Banasa, 83.
 Banchidæ, 305.
 Banchus, 305.
 Bandera, 111.
 Barce, 75.
 Barichneumon, 317, 318.

 Baris, 285.
 Barynotus, 282.
 Barypeithes, 282.
 Basiæschna, 35.
 Basilarchia, 157.
 Basilona, 150.
 Bassareus, 273.
 Bassus, 306, 312.
 Bathyplectes, 309.
 Batrachetra, 91.
 Batrisodes, 230.
 Batyle, 270.
 Batyleoma, 270.
 Bed bug, 74.
 Beetle, Ash timber, 289.
 Black carpet, 247.
 Bumble flower, 265.
 Carpet, 247.
 Chestnut timber, 237.
 Cigarette, 260.
 Cloverleaf, 282.
 Confused flour, 258.
 Cottonwood leaf, 276.
 Drug-store, 260.
 Fruit bark, 288.
 Goldsmith, 265.
 Ham, 247.
 Hickory bark, 288.
 timber, 290.
 May or June, 264.
 Red cedar bark, 289.
 Rose, 264.
 Soldier, 234.
 Spotted grape-vine, 265.
 Stag, 266.
 Striped cucumber, 277.
 Turpentine bark, 289.

 Belidæ, 280.
 Belostoma, 66.
 Belostomatidæ, 66.
 Belvosia, 192.
 Belytidæ, 328.
 Bembecia, 112.
 Bembecidæ, 341.
 Bembidion, 212.
 Bembidula, 341.
 Bembix, 341.
 Benacus, 66.
 Benta, 108.
 Beris, 172.
 Berosus, 223.
 Berytus, 80.
 Bethylidæ, 332.
 Bethylus, 332.
 Bibio, 171.
 Bibionidæ, 171.
 Bicyrtes, 341.
 Bidessus, 220.

- Biorhiza, 319.
 Birch, leaf skeletonizer, 89.
 Bitoma, 252.
 Bittacomorpha, 163.
 Bittacus, 30.
 Black-dash, 154.
 Blapstinus, 257.
 Blastobasidæ, 91.
 Blastothrix, 324.
 Blatta, 38.
 Blattella, 38.
 Blattidæ, 38.
 Bledius, 226.
 Blennocampa, 299.
 Blepharida, 277.
 Blepharipeza, 194.
 Blepharomastrix, 104.
 Bleptina, 127.
 Blissus, 78.
 Body-louse, 45.
 Bolboceras, 263.
 Bolbocerasoma, 263.
 Boletobius, 229.
 Boll-worm, Cotton, 135.
 Bolithophagus, 257.
 Bolitotherus, 257.
 Bombias, 349.
 Bombus, 348.
 Bombyliidæ, 176.
 Bombyliomyia, 195.
 Bombylius, 176.
 Bomolocha, 126.
 Bonnetia, 192.
 Book louse, 26.
 Borboridæ, 200.
 Borborus, 200.
 Borer, Alder, 272.
 Clover stem, 251.
 Elm, 272.
 Flat-headed apple, 244.
 Hickory, 269.
 twig, 288.
 snout, 284.
 Lilac, 112.
 Linden, 272.
 Locust, 269.
 Maple, 269.
 leaf stem, 297.
 Peach, 112.
 twig, 94.
 Poplar, 271.
 Round-headed apple, 271.
 Shot-hole, 288.
 Spotted apple tree, 272.
 Squash, 112.
 Willow, 271.
 Borkhausenia, 91.
 Bostrichidæ, 261.
 Bostrichus, 261.
 Botanobia, 208.
 Bot flies, 190.
 Botys, 104.
 Boyeria, 35.
 Brachixiphosoma, 311.
 Brachyacantha, 254.
 Brachybamus, 283.
 Brachycoma, 194.
 Brachygluta, 230.
 Brachyleptura, 268.
 Brachylobus, 217.
 Brachyloma, 93.
 Brachymyrmex, 330.
 Brachynemurus, 29.
 Brachynus, 217.
 Brachyopa, 187.
 Brachypalpus, 188.
 Brachypterus, 248.
 Brachys, 245.
 Brachytarsus, 281.
 Brachytropis, 74.
 Bracon, 306.
 Braconidæ, 305, 360.
 Bradycellus, 219.
 Bremus, 348.
 Brenthis, 158.
 Brentidæ, 280.
 Brephoctonus, 312.
 Brephos, 115.
 Bristle-tail, 25.
 Brevicoryne, 59.
 Brochymena, 81.
 Brontes, 250.
 Brotolomia, 136.
 Bruchidæ, 280.
 Bruchomorpha, 46.
 Bruchus, 280.
 Brucophagus, 325.
 Bryaxis, 230.
 Bryoporus, 229.
 Bucculatriplex, 307.
 Bucculatrix, 89.
 Bud-worm, Tobacco, 135.
 Buffalo bug, 247.
 Bug, Barn swallow, 74.
 Chinch, 78.
 Four-lined leaf, 72.
 Giant water, 66.
 Harlequin cabbage, 82.
 Spined soldier, 83.
 tobacco, 82.
 Squash, 80.
 Tarnished plant, 73.
 Buprestidæ, 243.
 Byrrhidæ, 247.
 Byrrhus, 247.
 Byturidæ, 246.
 Byturus, 246.

- Cabbage butterfly, Imported, 159.
 Southern, 159.
 Looper, 134.
 Plusia, 134.
 Caberodes, 115.
 Cacoplia, 270.
 Cæcilius, 26.
 Cænia, 233.
 Cæniella, 233.
 Cænocara, 260.
 Cænolyda, 291.
 Cænoscelis, 252.
 Calaphis, 57.
 Calasymbolus, 151.
 Calathus, 215.
 Calendra, 288.
 Caliroa, 294.
 Calledapteryx, 115.
 Callibætis, 28.
 Calliclisis, 313.
 Callidium, 269.
 Callidryas, 159.
 Calliephialtes, 314.
 Calligrapha, 276.
 Callimiris, 74.
 Callimome, 325.
 Callimonidæ, 325.
 Callimorpha, 148.
 Calliopsis, 345.
 Calliphora, 197.
 Callipterus, 57, 58.
 Callipterinella, 57.
 Callirhytis, 321, 322.
 Calloides, 269.
 Callopietria, 203.
 Callosamia, 151.
 Calobata, 205.
 Calocalpe, 121.
 Calocampa, 138.
 Calocoris, 71.
 Calophya, 56.
 Calopteron, 233.
 Calopteryx, 33.
 Calosoma, 211.
 Caloteleia, 327.
 Calpe, 134.
 Calymnia, 135.
 Camnula, 40.
 Camponotus, 331.
 Campoplex, 309, 360.
 Campsomeris, 333.
 Camptobrochis, 70.
 Camptocladus, 165.
 Camptoneura, 202.
 Camptoneuromyia, 170.
 Camptoprosopella, 202.
 Camptylochila, 128.
 Campylenchia, 53.
 Campylomma, 68.
 Campylus, 240.
 Canarsia, 110.
 Canifa, 260.
 Canker worm, 'Fall, 122.
 Spring, 122.
 Cantharidæ, 238.
 Canthon, 262.
 Canthophorus, 84.
 Capis, 127.
 Capitoniidæ, 308.
 Capitonius, 308.
 Capitophorus, 60.
 Capnia, 27.
 Capnochroa, 257.
 Capsidæ, 68.
 Capsus, 69, 70, 71, 72, 73.
 Carabidæ, 211.
 Carabus, 211.
 Caradrina, 145.
 Caricoa, 199.
 Cardiochiles, 302.
 Cardiophorus, 242.
 Caricea, 199.
 Carneades, 140.
 Carpet beetle, 247.
 Carpocapsa, 101.
 Carpophilus, 248.
 Cartodere, 253.
 Carynota, 53.
 Caryomyia, 170, 357.
 Casinaria, 309.
 Casnonia, 216.
 Catabena, 145.
 Cat and dog flea, 160.
 Caterpillar hunter, 212.
 Melon, 104.
 Red-humped, 124.
 Saddle-back, 114.
 Salt marsh, 148.
 Yellow-necked, 126.
 Catocala, 130.
 Catogenus, 250.
 Catoglyptus, 311.
 Catonia, 46.
 Catopsilia, 159.
 Catopyrrha, 118.
 Cayuga, 111.
 Cecidomyia, 168, 169, 170, 171.
 Cecidomyidæ, 168, 357.
 Celama, 149.
 Celatoria, 191.
 Celerio, 153.
 Celetes, 233.
 Celethemis, 37.
 Celina, 220.
 Celiptera, 129.
 Cenopis, 99.

- Centrias, 345.
 Centrinus, 286.
 Centrodera, 267.
 Ceophyllus, 231.
 Cephaloidæ, 237.
 Cephaloön, 237.
 Cephidæ, 301.
 Cephus, 301.
 Ceracis, 261.
 Cerambycidæ, 266, 359.
 Ceraphronidæ, 327.
 Cerastipsocus, 26.
 Ceratina, 348.
 Ceratinidæ, 348.
 Ceratocampidæ, 150.
 Ceratocapsus, 69.
 Ceratogastra, 310.
 Ceratomegilla, 255.
 Ceratomia, 152.
 Ceratomyza, 209.
 Ceratopogon, 165.
 Ceratosmia, 347.
 Ceratosoma, 310.
 Ceraturgus, 177.
 Cerceridæ, 341.
 Cerceris, 341.
 Cercopidæ, 55.
 Cercopis, 55.
 Cercus, 248.
 Cercyon, 224.
 Ceresa, 53.
 Ceria, 189.
 Ceriodes, 189.
 Cerodontha, 209.
 Ceropales, 335.
 Ceroptres, 319.
 Cerotoma, 276.
 Ceruchus, 266.
 Cerura, 124.
 Cerylon, 252.
 Ceryonis, 157.
 Cetema, 207.
 Ceutophilus, 42.
 Ceutorhynchus, 287, 359.
 Chætarthria, 224.
 Chætoconema, 278.
 Chætoneurophora, 183.
 Chætophleps, 191.
 Chætopsis, 203.
 Chaitophorus, 57, 58.
 Chalarus, 184.
 Chalcididæ, 326, 361.
 Chalcis, 326.
 Chalcophora, 243.
 Chalepus, 279.
 Chalybion, 340.
 Chamyris, 133.
 Characoma, 132.
 Charadra, 147.
 Charidryas, 158.
 Chariessa, 82.
 Chasmatonotus, 166.
 Chasmias, 318.
 Chauliodes, 29.
 Chauliognathus, 234.
 Checkered white, 159.
 Cheese skipper, 205.
 Chelonus, 306.
 Chelymorpha, 280.
 Chermes, 62.
 Chilo, 108.
 Chilocorus, 256.
 Chilosia, 185.
 Chilostigma, 31.
 Chimarrhia, 31.
 Chinch bug, 78.
 Chion, 267.
 Chionaspis, 64.
 Chirida, 280.
 Chironomidæ, 165.
 Chironomus, 165.
 Chiropachys, 324.
 Chlænius, 217.
 Chlænogamma, 152.
 Chlamydatius, 68.
 Chlamys, 273.
 Chlœaltis, 39.
 Chloralictus, 342, 343.
 Chloridea, 135.
 Chloropidæ, 207.
 Chlorion, 339, 340.
 Chlorochroa, 82.
 Chlorochlamys, 120.
 Chloropisca, 207.
 Chlorops, 207.
 Chlorotettix, 51.
 Chœridium, 262.
 Chœrocampa, 153.
 Choleva, 225.
 Choreutis, 96.
 Chorineus, 313.
 Chortophaga, 40.
 Chramesus, 288.
 Chromagrion, 33.
 Chromatica, 257.
 Chrysididæ, 332.
 Chrysis, 332.
 Chrysobothris, 244.
 Chrysochlamys, 188.
 Chrysochus, 275.
 Chrysodina, 274.
 Chrysogaster, 185.
 Chrysogona, 332.
 Chrysomela, 276.
 Chrysomelidæ, 272, 359.
 Chrysomphalus, 65.

- Chrysomyia, 196.
 Chrysomyza, 203.
 Chrysopa, 29.
 Chrysophanus, 155.
 Chrysophila, 175.
 Chrysopidæ, 29.
 Chrysops, 173.
 Chrysotoxum, 184.
 Chrysotus, 180.
 Chyliza, 205.
 Chytolita, 128.
 Chytonix, 145.
 Cicadella, 48.
 Cicadellidæ, 47, 354.
 Cicadidæ, 56.
 Cicadula, 51, 355.
 Cicindela, 211.
 Cicindelidæ, 211.
 Cicinnus, 115.
 Cimatlan, 70.
 Cimbex, 296.
 Cimex, 70, 74.
 Cimicidæ, 74.
 Cinclidia, 158.
 Cincticornia, 169, 357.
 Cindaphia, 105.
 Cingilia, 117.
 Cinglis, 120.
 Cinura, 25.
 Circotettix, 40.
 Cirrospilus, 324.
 Cirrula, 206.
 Cis, 261.
 Cisidæ, 261.
 Cissa, 156.
 Cistela, 257.
 Cistelidæ, 256.
 Cisthene, 149.
 Cistogaster, 190.
 Citheronia, 150.
 Cixius, 46.
 Cladius, 297, 360.
 Clastoptera, 56.
 Clavigeridæ, 231.
 Cleis, 256.
 Clemensia, 149.
 Cleonus, 285.
 Cleora, 118.
 Cleridæ, 236.
 Click beetle, 240.
 Clinocera, 182.
 Clinodiplosis, 170.
 Clisiocampa, 122.
 Clisodon, 346.
 Clistopyga, 314.
 Clivina, 212.
 Closterocerus, 323.
 Clothilla, 26.
 Clover seed chalcis, 325.
 Clusia, 200.
 Clytanthus, 269.
 Clytochrysus, 339.
 Clytus, 269.
 Cnemidotus, 220.
 Cnemodus, 79.
 Coccidæ, 63.
 Coccidula, 255.
 Coccinella, 255.
 Coccinellidæ, 254.
 Coccobaphes, 72.
 Coccus, 63.
 Cochlidiidæ, 113.
 Cochlidion, 113.
 Cockerellia, 345.
 Cockroaches, 38.
 Cœlambus, 220.
 Cœlichneumon, 318.
 Cœlinidea, 304.
 Cœliodes, 286.
 Cœlioxys, 347.
 Cœlogaster, 287.
 Cœloides, 304.
 Cœlostathma, 99.
 Cœnomyia, 174.
 Cœnosia, 199.
 Cœnus, 82.
 Colaspis, 275.
 Colastus, 248.
 Coleocentrus, 315.
 Coleophora, 91.
 Coleoptera, 211, 358.
 Coleothrips, 44.
 Colias, 158.
 Collaria, 74.
 Collembola, 25.
 Colletes, 346.
 Colletidæ, 346.
 Collops, 235.
 Colobopterus, 30.
 Colon, 225.
 Colopterus, 248.
 Colpognathus, 317.
 Colydiidæ, 252.
 Colyidium, 252.
 Colymbetes, 222.
 Comma, Gray, 157.
 Green, 157.
 Gommophila, 102.
 Compsilura, 193.
 Compton tortoise, 157.
 Condylolomia, 106.
 Connophron, 225.
 Conocephalus, 42.
 Conocera, 184.
 Conohalictoides, 344.
 Conopidæ, 189.

- Conops, 189.
 Conosoma, 229.
 Conostigmus, 327.
 Conotelus, 248.
 Conotrachelus, 287.
 Conservula, 136.
 Contarinia, 170.
 Copelatus, 221.
 Copipanolis, 143.
 Copris, 262.
 Coptocycla, 280.
 Coptotomus, 221.
 Copturodes, 286.
 Copturus, 286.
 Cordulegaster, 34.
 Cordulia, 36.
 Cordylura, 199.
 Coreidæ, 80.
 Corethra, 167.
 Corimelæna, 84.
 Corinthiscus, 236.
 Coriscium, 88.
 Coriscus, 75.
 Corixa, 66.
 Corixidæ, 66.
 Corizidæ, 81.
 Corizus, 81.
 Corphyra, 239.
 Corrodentia, 26.
 Corticaria, 253.
 Corydalis, 29.
 Corylophidæ, 226.
 Corymbites, 240.
 Corynocoris, 80.
 Corythucha, 77.
 Coscinoptera, 273.
 Cosmia, 136.
 Cosmopepla, 82.
 Cosmopolite, 157.
 Cosmopteryx, 91.
 Cossidæ, 112.
 Cossonus, 288.
 Cossus, 112.
 Cosymbia, 120.
 Cotalpa, 265.
 Cotinis, 265.
 Crab-louse, 45.
 Crabro, 339.
 Crambidia, 149.
 Crambus, 107.
 Crassiseta, 207.
 Craterocercus, 296.
 Cratichneumon, 317, 318, 319.
 Cratoparis, 281.
 Cregya, 236.
 Cremaster, 310.
 Cremastocheilus, 265.
 Crematogaster, 329.
 Creniphilus, 223.
 Creophilus, 228.
 Crepidodera, 278.
 Crescent, Pearl, 158.
 Silver, 158.
 Cressonia, 151.
 Crickets, 43.
 Cricotopus, 165.
 Criocephalus, 266.
 Crioceris, 273.
 Criorhina, 188.
 Crocidophora, 104.
 Crocigrapha, 138.
 Cræsus, 298.
 Crophius, 78.
 Croton bug, 38.
 Cryphula, 79.
 Cryptarcha, 249.
 Cryptobium, 227.
 Cryptocephalus, 274.
 Cryptohypnus, 241.
 Cryptoideus, 314.
 Cryptolechia, 92.
 Cryptomeigenia, 190.
 Cryptophagus, 252.
 Cryptophagidæ, 251.
 Cryptopleurum, 224.
 Cryptorhynchus, 287.
 Cryptorophalum, 247.
 Cryptothrips, 44.
 Cryptus, 315.
 Ctenistes, 231.
 Ctenocephalus, 160.
 Ctenolepisma, 25.
 Ctenophora, 163.
 Ctenucha, 150.
 Cucujus, 250.
 Cucujidæ, 250.
 Cucullia, 138.
 Culex, 166.
 Culicidæ, 166.
 Cuphocera, 195.
 Curculio, Apple, 284.
 Plum, 287.
 Poplar or Willow, 287.
 Quince, 287.
 Rhubarb, 285.
 Walnut, 287.
 Curculionidæ, 281, 359.
 Cuterebra, 190.
 Cutworm, Black, 142.
 Variegated, 141.
 Cyane, 85.
 Cyaneus, 326.
 Cyaniris, 155.
 Cyanopterus, 360.
 Cychramus, 249.
 Cychrus, 211.

- Cycloneda, 255.
 Cydia, 98, 101.
 Cydnidæ, 84.
 Cydosia, 132.
 Cylapus, 70.
 Cyliandrocopturus, 286.
 Cyllene, 269.
 Cymatodera, 236.
 Cymatophora, 118.
 Cymbiodyta, 224.
 Cymindis, 217.
 Cymodusa, 308.
 Cymus, 78.
 Cynipidæ, 319.
 Cynips, 320.
 Cynomyia, 196.
 Cynorhina, 188.
 Cyphon, 246.
 Cyphonidæ, 246.
 Cyrtidæ, 175.
 Cyrtinus, 270.
 Cyrtolobus, 54.
 Cyrtoneurina, 198.
 Cyrtophlœbea, 192.
 Cyrtophorus, 270.
 Cyrtophyllus, 42.
 Cyrtopogon, 177.
 Cystiphora, 169.
 Cytillus, 247.
 Dacnusa, 304.
 Dactylopius, 63.
 Dalmannia, 189.
 Danais, 156.
 Darapsa, 152.
 Dascillidæ, 246.
 Dasycera, 92.
 Dasyllis, 178.
 Dasymutilla, 334.
 Dasyneura, 169.
 Datana, 125.
 Datomicra, 229.
 Daulopogon, 178.
 Debis, 156.
 Decantha, 92.
 Decarthron, 230.
 Dectes, 271.
 Deidamia, 153.
 Deilephila, 153.
 Deilinea, 119.
 Delomegachile, 347.
 Delomerista, 314.
 Deloyala, 280.
 Delphastus, 254.
 Delphax, 47.
 Deltoccephalus, 50, 355.
 Deltometopus, 243.
 Demas, 147.
 Dendrocoris, 83.
 Dendroctonus, 289.
 Dendroides, 239.
 Dendrophagus, 250.
 Dendrophilus, 232.
 Depressaria, 92.
 Deptalia, 120.
 Deræocoris, 71.
 Dermestes, 247.
 Dermestidæ, 247.
 Derobrachus, 266.
 Derodontidæ, 251.
 Deromyia, 178.
 Deronectes, 220, 358.
 Derrima, 135.
 Desmia, 103.
 Desmocerus, 268.
 Desmometopa, 209.
 Desmopachria, 220.
 Desmoris, 283.
 Dexiidæ, 195.
 Dexiopsis, 199.
 Diabrotica, 277, 359.
 Diachus, 274.
 Diacrisia, 148.
 Dialysis, 175.
 Dialyta, 199.
 Dianthidium, 348.
 Diaperis, 257.
 Diaphania, 104.
 Diapheromera, 38.
 Diphorus, 180.
 Diapria, 327.
 Diapriidæ, 327.
 Diapris, 257.
 Diarthronomyia, 357.
 Diasemia, 104.
 Diaspis, 64, 65.
 Diastata, 208.
 Diastictis, 103.
 Diatræa, 108.
 Diathrausta, 106.
 Diastrophus, 322.
 Dibolia, 279.
 Dibrachys, 324.
 Dicalus, 215.
 Diceratosmia, 347.
 Dicerca, 243.
 Dichæta, 206.
 Dichætoneura, 190.
 Dichelonyx, 264.
 Dichomeris, 93.
 Dichroöscytus, 71.
 Dicosmæcus, 31.
 Dicraneura, 52.
 Dicranomyia, 160.
 Dicromorpha, 39.
 Dicymolomia, 108.

- Dicyphus, 70.
 Didea, 186.
 Didymops, 35.
 Diedrocephala, 48.
 Dilophus, 171.
 Dimecænia, 206.
 Dimmockia, 360.
 Dimorphopteryx, 293.
 Dineura, 296.
 Dineutes, 222.
 Dinocampus, 306.
 Dinoderus, 261.
 Dioctria, 177.
 Dicedus, 258.
 Diopsidæ, 205.
 Dioryctria, 109.
 Diorymellus, 285.
 Diphadnus, 297.
 Diplax, 36.
 Diplazon, 312.
 Diplochila, 214.
 Diplotaxa, 207.
 Diplotaxis, 263.
 Dipolepis, 322.
 Diprion, 292.
 Diptera, 160, 357.
 Dipterygia, 143.
 Dipthera, 145.
 Diraphia, 56.
 Dircæa, 259.
 Dircetis, 127.
 Discobola, 160.
 Disogmus, 328.
 Disonycha, 278.
 Dissosteira, 40.
 Distenia, 266.
 Ditemnus, 235.
 Dixia, 164.
 Dixidæ, 164.
 Dobson, 29.
 Dog-louse, sucking, 45.
 Dog's head butterfly, 158.
 Dohrniphora, 183.
 Dolba, 152.
 Dolerus, 294.
 Dolichoderus, 330.
 Dolichopodidæ, 179.
 Dolichopus, 181.
 Dolichovespula, 337.
 Dolopius, 241.
 Donacia, 272.
 Dorcaschema, 270.
 Dorcatoma, 260.
 Dorcus, 266.
 Dorocordulia, 36.
 Doryodes, 133.
 Doryphora, 276.
 Doryphorophaga, 193.
 Dorytomus, 283.
 Dræculacephala, 48.
 Dragonflies, 33.
 Drapetis, 182.
 Drasteria, 132.
 Drasterius, 241.
 Drepana, 122.
 Drepanaphis, 58.
 Drepanium, 343.
 Drepanosiphum, 58.
 Driotura, 50.
 Dromius, 216.
 Dromogomphus, 34.
 Drosophila, 208.
 Drosophilidæ, 208.
 Dryinidæ, 333.
 Drymonia, 125.
 Dryocampa, 150.
 Dryomyza, 201.
 Dryomyzidæ, 201.
 Dryophanta, 320.
 Dryophthorus, 288.
 Dryopidæ, 245.
 Dryops, 245.
 Dufoureidæ, 344.
 Dynatosoma, 168.
 Dyschirius, 212.
 Dyscinetus, 265.
 Dyspteris, 122.
 Dytiscidæ, 220, 358.
 Dytiscus, 222.
 Eacles, 150.
 Earwig, Maritime, 37.
 Eccoptogaster, 288.
 Ecdytolopha, 101.
 Echinomyia, 195.
 Ecpantheria, 148.
 Ectætia, 357.
 Ectobia, 37.
 Ectopimorpha, 317.
 Ectopria, 246.
 Ectropis, 188.
 Eight-spotted forester, 147.
 Eiphosoma, 311.
 Elachertidæ, 324.
 Elachiptera, 207.
 Elachista, 90.
 Elachistidæ, 90.
 Elaphidion, 267.
 Elaphrus, 212.
 Elasmidæ, 323.
 Elasmocerus, 236.
 Elasmopalpus, 110.
 Elasmothethus, 83.
 Elasmucha, 83.
 Elasmus, 323.
 Elater, 242.

- Elateridæ, 240, 358.
 Elephantomyia, 161.
 Elfin, Banded, 156.
 Hoary, 156.
 Elidiptera, 45.
 Elis, 333.
 Ellema, 151.
 Ellida, 124.
 Ellipotoma, 236.
 Ellychnia, 234.
 Elm aspidiotus, 65.
 Elmidæ, 245.
 Elmis, 245.
 Elm leaf-miner, 360.
 Elophila, 106.
 Emblethis, 79.
 Emesa, 75.
 Emmesa, 259.
 Emphoropsis, 346.
 Emphytina, 293.
 Emphytus, 293.
 Empididæ, 182.
 Empis, 182.
 Empoa, 52.
 Empoasca, 52, 355.
 Empretia, 114.
 Empria, 292.
 Enallagma, 33.
 Enarmonia, 100.
 Encarsia, 324.
 Enchenopa, 53.
 Encoptolophus, 40.
 Encyclops, 268.
 Encyrtidæ, 324.
 Encyrus, 271.
 Endalus, 283.
 Endecatomus, 261.
 Endelomyia, 294.
 Endomychidæ, 253.
 Endomychus, 253.
 Enicemus, 253.
 Ennearthron, 262.
 Ennomos, 117.
 Enochrus, 223.
 Enoclerus, 236.
 Enodia, 156.
 Entedon, 323.
 Entedontidæ, 323.
 Entomacis, 327.
 Entomobrya, 25.
 Entomobryidæ, 25.
 Entomophthalmus, 243.
 Entylia, 55.
 Eois, 120.
 Eosphoropteryx, 134.
 Epagoge, 101.
 Epalpus, 195.
 Epargyreus, 154.
 Epeoloides, 345.
 Epeolus, 345.
 Ephemera, 27.
 Ephemerella, 28.
 Ephemerida, 27.
 Ephemeridæ, 27.
 Ephestia, 111.
 Ephestiodes, 111.
 Ephialtes, 314.
 Ephuta, 334.
 Ephydra, 206.
 Ephydridæ, 206.
 Epiæschna, 35.
 Epiblema, 98.
 Epicallima, 92.
 Epicauta, 238.
 Epicnaptera, 122.
 Epicordulia, 35.
 Epidiaspis, 64.
 Epiglæa, 135.
 Epigrymyia, 192.
 Epilachna, 256.
 Epimecis, 118.
 Epinotia, 99.
 Epipaschia, 108.
 Epiphragma, 162.
 Epiplemidæ, 115.
 Epipsilia, 142.
 Epirhyssalus, 307.
 Episcopus, 69.
 Episimus, 98.
 Episyron, 335.
 Epitaxonus, 292.
 Epitlectis, 94.
 Epitrix, 278.
 Epiurus, 314.
 Epizeuxis, 128.
 Epuræa, 248.
 Epyrus, 332.
 Erannis, 117.
 Erastria, 120.
 Erax, 179.
 Erchomus, 229.
 Erebus, 129.
 Eremocoris, 79.
 Ericælinius, 304.
 Erigorgus, 310.
 Erineda, 91.
 Eriocampa, 293.
 Eriocampoides, 294.
 Erioccephala, 85.
 Eriocera, 162.
 Eriococcus, 63.
 Erioptera, 161.
 Eriosoma, 61.
 Eriplanus, 316.
 Eripternoides, 309.
 Eripternus, 309.

- Eristalis, 187.
 Eritettix, 39.
 Ernestia, 192.
 Ernobius, 260.
 Eros, 233.
 Erotylidæ, 251, 358.
 Erranis, 117.
 Erromenus, 312.
 Erynnis, 155.
 Erythemis, 37.
 Erythraspides, 299.
 Erythrodiplax, 36.
 Erythroneura, 52, 355.
 Estigmene, 148.
 Ethelurgus, 316.
 Euaresta, 204.
 Eubadizon, 305.
 Eubaphe, 149.
 Eubulus, 287.
 Eucalyptera, 133.
 Eucanthus, 263.
 Euceraphis, 58.
 Eucerceris, 341.
 Euceridæ, 346.
 Euceros, 312.
 Euchætiæ, 147.
 Euchlæna, 116.
 Euchæca, 121.
 Eucinetus, 246.
 Eucirrœdia, 136.
 Euclea, 114.
 Euclementia, 92.
 Euclidean, 132.
 Eucnemidæ, 243.
 Euconnus, 225.
 Eucosma, 97.
 Eucrostis, 119.
 Eucymatoge, 121.
 Eudamus, 154.
 Eudeilinea, 122.
 Eudemis, 99.
 Euderces, 270.
 Eudryas, 134.
 Eudule, 121.
 Eueretagrotis, 142.
 Eugnamptus, 281.
 Eugonia, 117, 157.
 Eugonobapta, 117.
 Euherrichia, 132.
 Eulecanium, 63.
 Eulia, 102.
 Eulimnophila, 162.
 Eulophidæ, 323, 360.
 Eulophus, 323, 360.
 Eumegaspilus, 327.
 Eumenes, 336.
 Eumenidæ, 336.
 Eumerus, 189.
 Eumetopia, 203.
 Eupanychis, 135.
 Euparius, 281.
 Euparthenos, 129.
 Euparyphus, 173.
 Eupelmidæ, 325.
 Euphoria, 265.
 Euphorus, 305.
 Euphydryas, 158.
 Euphyes, 154.
 Eupithecia, 121.
 Euplexia, 143.
 Euplexoptera, 37.
 Eupogonius, 271.
 Eupristocerus, 244.
 Euproctis, 123.
 Eupsalis, 280.
 Eupteryx, 52.
 Euptoieta, 158.
 Eurema, 158.
 Europs, 250.
 Eurosta, 204.
 Eurycnemus, 165.
 Eurycyttarus, 114.
 Eurygaster, 84.
 Eurymus, 158.
 Eurymycter, 281.
 Eurypogon, 246.
 Eurythmia, 111.
 Eurytoma, 325.
 Eurytomidæ, 325.
 Eusayia, 326.
 Euscelis, 50, 355.
 Euschistus, 82.
 Eustilbus, 254.
 Eustixia, 105.
 Eustroma, 121.
 Eustrophinus, 259, 359.
 Eustrophus, 259.
 Eustrotia, 133.
 Eutettix, 50.
 Euthisanotia, 134.
 Euthochtha, 80.
 Euthrips, 44.
 Eutolype, 143.
 Eutrapela, 116.
 Eutreta, 204.
 Eutrixia, 191.
 Euura, 298.
 Euvanessa, 157.
 Euxesta, 203.
 Euxoa, 140.
 Euxorides, 313.
 Euzophera, 110.
 Evaniidæ, 307.
 Everes, 155.
 Evergestis, 104.
 Evetria, 96.

- Evoxysoma, 325.
 Evylæus, 342.
 Exallonyx, 328.
 Exartema, 96.
 Exechia, 167.
 Exema, 273.
 Exenterus, 312.
 Exochilum, 311.
 Exochus, 313.
 Exoprosopa, 176.
 Exorista, 193.
 Exoristoides, 192.
 Eyed brown, 156.
 Elater, 240.

 Fagitana, 136.
 Falagria, 230.
 Falcaria, 122.
 Falcate, orange-tip, 159.
 Falciger, 286.
 Fannia, 198.
 Feltia, 141.
 Feniseca, 155.
 Fentonia, 124.
 Feralia, 143.
 Ferdinandea, 188.
 Fidia, 275.
 Figitidæ, 319.
 Fish-moth, 25.
 Firefly, Common, 234.
 Fitchia, 76.
 Flata, 46.
 Flea, garden, 25.
 Fly, Biting House, 197.
 Black horse, 174.
 Blow, 197.
 Blue bottle, 197.
 Cluster, 196.
 Horn, 197.
 House, 197.
 Lunate onion, 189.
 Pretty pomace, 208.
 Screw worm, 196.
 Vine-loving pomace, 208.
 Fœnus, 307.
 Fonscolombia, 35.
 Forficulidæ, 37.
 Formica, 331.
 Formicidæ, 328.
 Formicina, 330.
 Frit-fly, American, 208.
 Fritillaries, 158.
 Frontina, 193.
 Fucellia, 199.
 Fulgoridæ, 45.
 Fulvius, 70.

 Gaberasa, 127.
 Gædiopsis, 195.

 Galasa, 107.
 Galerita, 216.
 Galerucella, 277.
 Galesus, 327.
 Galgula, 133.
 Gall, Blackberry, 321, 322.
 Cinquefoil axil, 322.
 Huckleberry, 322.
 Lettuce, tumor, 319.
 Oak, 319-322.
 Ocellate leaf, 170.
 Raspberry root, 322.
 Rose, 322.
 Willow club, 169.
 Pine cone, 168.
 Galleria, 108.
 Gallinipper, 167.
 Garganus, 71.
 Gargaphia, 77.
 Gasterolobium, 227.
 Gasteruption, 307.
 Gastroidea, 276.
 Gastropacha, 122.
 Gastrophilus, 190.
 Gastrops, 206.
 Gaurotes, 267.
 Gelechia, 93.
 Gelechiidæ, 93.
 Gelis, 315.
 Geocoris, 78.
 Geometer, Chain-dotted, 117.
 Geometridæ, 115.
 Geomyzidæ, 208.
 Geopinus, 218.
 Georyssidæ, 246.
 Georyssus, 246.
 Geotrupes, 263.
 Geranomyia, 160.
 Gerdana, 92.
 Geron, 176.
 Gerridæ, 68.
 Gerris, 68.
 Geshna, 106.
 Girdler, Currant Stem, 301.
 Strawberry Crown, 282.
 Glæa, 135.
 Glaphria, 103.
 Glipodes, 237.
 Glischrochilus, 249.
 Glossonotus, 53.
 Gluphisia, 124.
 Glutops, 175.
 Glycobius, 269.
 Glyphidocera, 94.
 Glyphipterygidæ, 356.
 Glyphonyx, 241.
 Glyphodes, 104.
 Glypta, 314.
 Glyptoma, 226.

- Glyptocera, 110.
 Glyptoscelis, 275.
 Gnathias, 345.
 Gnathodus, 52.
 Gnathoncus, 232.
 Gnorimoschema, 94.
 Gnorimella, 265.
 Gnorimus, 265.
 Goes, 270.
 Gomphæschna, 35.
 Gomphus, 34.
 Gonaspis, 322.
 Gonatopus, 333.
 Gonia, 194.
 Goniocotes, 28.
 Goniomina, 192.
 Gonodontis, 116.
 Gonomyia, 162.
 Gortyna, 137.
 Gorytes, 338.
 Gossyparia, 63.
 Gracillaria, 87.
 Grape phyloxera, 62.
 Graphiphora, 138.
 Graphisurus, 271.
 Graphocephala, 48.
 Graphoderes, 222.
 Graphomyia, 197.
 Graphops, 275.
 Grapta, 157.
 Grasshoppers, 42.
 Grayling, Blue-eyed, 157.
 Dull-eyed, 157.
 Greenhouse orthezia, 63.
 Grotea, 313.
 Grouse locusts, 39.
 Gryllidae, 43.
 Gryllotalpa, 43.
 Gryllus, 43.
 Guenaria, 119.
 Gymnandrosoma, 100.
 Gymnetron, 285.
 Gymnochæta, 192.
 Gymnoclytia, 190.
 Gymnopternus, 181.
 Gymnosoma, 190.
 Gynandropus, 218.
 Gypona, 49, 355.
 Gypsochroa, 120.
 Gyridæ, 222.
 Gyrimus, 222.
 Gyrohypnus, 227.
 Gyrophæna, 230.

 Habrobracon, 304.
 Habrobraconidea, 304.
 Habrocerus, 228.
 Habrosyne, 123.
 Hadenæ, 144.

 Hadrobregmus, 260.
 Hæmatobia, 197.
 Hæmatopinus, 45.
 Hæmorrhagia, 153.
 Hæmotopsis, 120.
 Hagenius, 34.
 Hag-moth, 114.
 Haimbachia, 107.
 Hair-streaks, 155, 156.
 Halictidæ, 342.
 Halictoides, 344.
 Halictus, 342.
 Haliplidæ, 220.
 Haliplus, 220.
 Halisidota, 147.
 Hallesus, 31.
 Halticus, 69.
 Hamamelistes, 61.
 Hapalosalia, 267.
 Haploa, 148.
 Haploglossa, 230.
 Harlequin Cabbage bug, 82.
 Harmonia, 256.
 Harmostes, 81.
 Harpalus, 218.
 Harpiphorus, 293.
 Harpipteryx, 96.
 Harpyia, 124.
 Harris' butterfly, 158.
 Harrisina, 113.
 Harvest fly, 56.
 Hebridæ, 75.
 Hebrus, 75.
 Head-louse, 45.
 Hedroneura, 201.
 Hedychridium, 332.
 Hedychrum, 332.
 Helicobia, 106.
 Helicopsyche, 31.
 Helicoptera, 45.
 Heliomata, 119.
 Heliophila, 139.
 Heliopsis, 135.
 Heliothrips, 44.
 Heliotropha, 143.
 Hellgrammite, 29.
 Helluomorpha, 217.
 Helobia, 162.
 Helochara, 48.
 Helocordulia, 35.
 Helodes, 246.
 Helodidæ, 246.
 Helomyza, 200.
 Helomyzidæ, 200.
 Helophilus, 187.
 Helophorus, 223.
 Helops, 258.
 Helorus, 328.
 Hemantus, 239.

- Hemaris, 153.
 Heloridae, 328.
 Hemerobiidae, 29.
 Hemerobius, 26, 29.
 Hemerocampa, 123, 124.
 Hemerodromia, 182.
 Hemerophila, 356.
 Hemichionaspis, 64.
 Hemichroa, 360.
 Hemicrepidius, 241.
 Hemileuca, 150.
 Hemilexodes, 327.
 Heminomada, 345.
 Hemiptera, 45, 354.
 Hemispilota, 264.
 Hemitaxonus, 292.
 Hemiteles, 316.
 Hemyda, 191.
 Heodes, 155.
 Hepialidae, 85.
 Heptagenia, 28.
 Heraeus, 78.
 Herculia, 106.
 Heriades, 348.
 Herse, 152.
 Hesperiidæ, 153.
 Hesperobium, 227.
 Hesperotingis, 77.
 Hessian fly, 169.
 Hætarina, 33.
 Hætarus, 232.
 Heterachthes, 267.
 Heterocampa, 125.
 Heterocera, 85.
 Heteroceridæ, 246.
 Heterocerus, 246.
 Heterogramma, 127.
 Heteroneuridæ, 200.
 Heteropelma, 310.
 Heterophaga, 302.
 Heterophleps, 121.
 Heteroptera, 66.
 Heterospilus, 307.
 Hetoemis, 270.
 Hexagenia, 27.
 Hexatoma, 162.
 Hilara, 183.
 Hिलarella, 194.
 Hillia, 145.
 Himatinum, 288.
 Himatium, 288.
 Hippelates, 207.
 Hippiscus, 40.
 Hippobosca, 210.
 Hippoboscidae, 210.
 Hippodamia, 255.
 Hister, 232.
 Histeridæ, 231.
 Hoary-edge, 154.
 Holcaspis, 320.
 Holcocephala, 178.
 Holcocera, 91.
 Holcopasites, 346.
 Holcostethus, 81.
 Holmgrenia, 312.
 Holocreminus, 309.
 Hololepta, 231.
 Holonomada, 345.
 Holopogon, 178.
 Holostrophus, 259.
 Homæmus, 84.
 Homalium, 226.
 Homalomyia, 198.
 Homœosoma, 111.
 Homocloides, 118.
 Homœusa, 230.
 Homomelina, 149.
 Homoptera, 45, 129.
 Homopyralis, 132.
 Homosetia, 86.
 Homotropus, 312.
 Honey bee, 349.
 Hopatrinus, 257.
 Hoplandria, 229.
 Hoplandrus, 258.
 Hoplia, 264.
 Hoplisus, 338.
 Hoplocephala, 296.
 Hoplocephala, 257.
 Hoplosia, 271.
 Hop-merchant, 157.
 Horcias, 72.
 Horistonotus, 243.
 Hormaphis, 61.
 Hormisa, 128.
 Hormius, 307.
 Hormomyia, 170, 171.
 Hormorus, 282.
 Hornet, Giant, 337.
 White-faced, 337.
 Horn-tail, Pigeon, 301.
 Hulstea, 110.
 Hyaliodes, 70.
 Hyalomyodes, 191.
 Hyalopterus, 59.
 Hyamia, 132.
 Hybernia, 117.
 Hybos, 182.
 Hybroma, 85.
 Hydaticus, 222.
 Hydnocera, 236.
 Hydræna, 223.
 Hydrellia, 206.
 Hydria, 121.
 Hydriomena, 120.
 Hydrobius, 223, 358.
 Hydrocanthus, 220.
 Hydrochus, 223.

- Hydroecia, 137.
 Hydrophilidæ, 223, 358.
 Hydrophilus, 223.
 Hydrophorus, 180.
 Hydroporus, 220, 358.
 Hydropsyche, 32.
 Hydropsychidæ, 31.
 Hydroptilidæ, 32.
 Hydrotæa, 198.
 Hydrous, 223.
 Hyetodesia, 198.
 Hylæidæ, 346.
 Hylæus, 346.
 Hylastes, 289.
 Hylastinus, 289.
 Hylecætus, 237.
 Hylemyia, 198.
 Hylesinus, 289.
 Hylobius, 283.
 Hyloicus, 152.
 Hylotoma, 300.
 Hylotrupes, 269.
 Hylurgopinus, 289.
 Hylurgops, 289.
 Hymenarcys, 82.
 Hymenoptera, 291, 360.
 Hymenorus, 256.
 Hypargyricus, 298.
 Hyparpax, 124.
 Hypatus, 156.
 Hypena, 126.
 Hypera, 282.
 Hyperacmus, 313.
 Hyperæschra, 125.
 Hyperaspis, 254.
 Hyperchiria, 150.
 Hyperitis, 116.
 Hypermallus, 267.
 Hyperodes, 283.
 Hyperplatys, 271.
 Hyphantria, 148.
 Hypocrabro, 339.
 Hypoderma, 190.
 Hypophlæus, 258.
 Hypoprepia, 149.
 Hypopteromalus, 324.
 Hypothereutes, 309.
 Hyposoter, 309.
 Hypostena, 191.
 Hypothenemus, 289.
 Hyppa, 144.
 Hypsopygia, 106.
 Hyptia, 308.
 Hypulus, 259.
 Hysterosia, 103.
 Ianassa, 124.
 Ibalia, 323.
 Iballidæ, 323.
 Ichnea, 236.
 Ichneumon, 314, 317.
 Ichneumonidæ, 308, 360.
 Ichneutidea, 305.
 Ichthyura, 126.
 Ictericæ, 204.
 Idana, 203.
 Idectis, 309.
 Idemum, 316.
 Idiocerus, 47, 354.
 Idiostethus, 286.
 Idris, 327.
 Illice, 149.
 Ilybius, 221.
 Inacora, 70.
 Ilythea, 206.
 Immyrta, 110.
 Incisalia, 156.
 Iphiaulax, 304.
 Iphidicles, 159.
 Ipthimus, 258.
 Ipimorpha, 135.
 Ips, 249, 290.
 Ischnaspis, 66.
 Ischnodemus, 78.
 Ischnoptera, 37.
 Ischnorrhynchus, 78.
 Ischnura, 34.
 Iseropus, 314.
 Isia, 148.
 Isocybus, 326.
 Isodontia, 339, 340.
 Isodyctium, 299.
 Isomira, 257.
 Isoperla, 27.
 Isoptera, 26.
 Isorhipis, 243.
 Isosoma, 325.
 Isotoma, 25.
 Isthmocoris, 78.
 Ithycerus, 280.
 Itonida, 171.
 Itonididæ, 168, 357.
 Itoplectis, 314.
 Itycorsia, 291.
 Jalysus, 80.
 Janus, 301.
 Jassoidea, 47.
 Jassus, 50, 51.
 Jodia, 137.
 Joppidium, 315.
 Judolia, 268.
 Junonia, 157.
 Jurinia, 195.
 Kaliofenusa, 360.
 Katydids, 41, 42.
 Kelisia, 47.

- Kermes, 63.
 Kolla, 48.
 Labia, 37.
 Labioderma, 276.
 Laccobius, 224.
 Laccophilus, 220.
 Lachnocrepis, 217.
 Lachnosterna, 264.
 Lachnus, 57.
 Lacosoma, 115.
 Lacosomidæ, 115.
 Lælius, 332.
 Læmophlæus, 250.
 Læmosaccus, 285.
 Laertias, 159.
 Lagium, 295.
 Lagoa, 113.
 Lagriidæ, 259.
 Lamenia, 46.
 Lampria, 178.
 Lampronota, 313.
 Lampyridæ, 234, 358.
 Languria, 251.
 Lanthape, 108.
 Lanthus, 34.
 Lapara, 151.
 Laphria, 178.
 Laphygma, 143.
 Lappus, 239.
 Laricobius, 251.
 Larropsis, 340.
 Lasicampidæ, 122.
 Lasioderma, 260.
 Lasioglossum, 342.
 Lasiopogon, 178.
 Lasioptera, 170.
 Lasius, 330.
 Laspeyresia, 100.
 Lathridius, 253.
 Lathridiidæ, 253.
 Lathrobium, 227.
 Lathropus, 250.
 Lathrotaxis, 227.
 Lauxania, 201.
 Leaf bug, Four-lined, 72.
 Crumpler, Apple, 109.
 Leaf-hopper, Apple, 109.
 Grape, 52.
 Rose, 52.
 Leaf-miner, Apple, 87.
 Beet, 199.
 Columbine, 208.
 Chrysanthemum, 209.
 Elm, 360.
 Imported Cabbage, 208.
 Turnip, 208.
 Spinach, 199.
 White oak blotch, 89.
 Leaf-roller, Oblique banded, 100.
 Strawberry, 100.
 Leaf-tyer, Greenhouse, 104.
 Lebia, 216.
 Lecanium, 63, 64.
 Lecontea, 234.
 Leia, 167.
 Leiodes, 225.
 Leiopus, 271.
 Lema, 273.
 Leperisinus, 289.
 Lepidoptera, 85, 356.
 Lepidosaphes, 65.
 Lepipolys, 143.
 Lepisma, 25.
 Lepismidæ, 25.
 Leptidæ, 174.
 Leptinotarsa, 276.
 Leptis, 175.
 Leptobrysa, 77.
 Leptocera, 200.
 Leptoceridæ, 31.
 Leptocerus, 31.
 Leptogaster, 177.
 Leptomeris, 120.
 Leptopeza, 182.
 Leptophlebia, 27.
 Leptorhaptus, 328.
 Leptoschema, 240.
 Leptostyla, 77.
 Leptostylus, 270, 359.
 Leptothorax, 330.
 Leptothrips, 44.
 Leptoypha, 77.
 Leptura, 257, 268.
 Lepturges, 271.
 Lepyronia, 55.
 Leskia, 191.
 Leskiomima, 191.
 Lestes, 33.
 Lethocerus, 66.
 Leucania, 139.
 Leucanthiza, 87.
 Leucarctia, 148.
 Leucaspis, 65.
 Leucophaea, 38.
 Leucopsis, 209.
 Leucorhinia, 36.
 Leucosmia, 347.
 Leucospidæ, 326.
 Leucospis, 326.
 Leucostola, 180.
 Leucostoma, 191.
 Leuctra, 27.
 Libellula, 36.
 Libellulidæ, 35, 354.
 Liburnia, 47.
 Liburniella, 47.
 Libythea, 156.

- Libytheidæ, 156.
 Lichenophanes, 261.
 Ligyrocoris, 79.
 Ligyrodes, 265.
 Ligyus, 265.
 Limenitis, 157.
 Linnephilidæ, 30.
 Linnephilus, 30, 31.
 Limnerium, 360.
 Limnia, 357.
 Limnobia, 160, 162.
 Limnophora, 198.
 Limochroes, 154.
 Limnophila, 162.
 Limonius, 240.
 Limosina, 200.
 Lina, 276.
 Lindenius, 338.
 Linnæmyia, 192.
 Linognathus, 45.
 Lioderma, 82.
 Liogma, 163.
 Liotheidæ, 28.
 Liothrips, 44.
 Liotropis, 83.
 Liparidæ, 123.
 Lipeurus, 28.
 Lipocosma, 103.
 Lisper, 199.
 Lissonota, 313.
 Listotrophus, 228.
 Listronotus, 283.
 Litanomyia, 182.
 Litargus, 252.
 Lithacodes, 113.
 Lithacodia, 133.
 Lithocharis, 227.
 Lithocolletes, 88.
 Lithosiidæ, 149.
 Little glass-wing, 154.
 Wood-satyr, 156.
 Livia, 56.
 Lixus, 285.
 Loberus, 251.
 Lobiopa, 249.
 Lobopoda, 256.
 Locustidæ, 41.
 Locusts, 39-41.
 Loderus, 294.
 Lomanaltes, 127.
 Lomechusa, 230.
 Lonchæa, 201.
 Lonchoptera, 183.
 Lonchopteridæ, 183.
 Longistigma, 57.
 Longitarsus, 279.
 Long-sting, Black, 315.
 Lunate, 315.
 Lophocnabro, 339.
 Lopheros, 233.
 Lophodonta, 125.
 Lophopompilus, 336.
 Lophyrus, 292.
 Lopidea, 69.
 Lopus, 69.
 Louise, chicken head, 28.
 Large body hen, 28.
 Small body hen, 28.
 Variable chicken, 28.
 Loxocera, 205.
 Loxostege, 104.
 Lucanidæ, 266.
 Lucanus, 266.
 Lucidota, 234.
 Lucilia, 197.
 Ludius, 240, 241.
 Luperaltica, 278.
 Luperodes, 277.
 Lycanidæ, 155.
 Lycia, 117.
 Lycidæ, 233.
 Lycogaster, 308.
 Lycopomorpha, 150.
 Lycoperdina, 253.
 Lycostomus, 233.
 Lyctidæ, 261.
 Lyctus, 261.
 Lyda, 291.
 Lygæidæ, 77.
 Lygæus, 77, 78, 81.
 Lygæonematus, 297.
 Lygidea, 72.
 Lygus, 70, 72.
 Lymexylidæ, 237.
 Lymexylon, 237.
 Lymnadidæ, 156.
 Lymnæcia, 90.
 Lyonetia, 87.
 Lyroda, 340.
 Macaria, 119.
 Machilidæ, 25.
 Machilis, 25.
 Machimia, 92.
 Macquartia, 191.
 Macratia, 239.
 Macremphytus, 293.
 Macrobasis, 238.
 Macrocentrus, 305.
 Macroceræ, 168.
 Macroductylus, 264.
 Macrolophus, 70.
 Macromeigenia, 192.
 Macronema, 31.
 Macronychus, 245.
 Macrophyta, 295.
 Macropidæ, 344.
 Macropis, 344.

- *Macropsis*, 48, 354.
- Macrosargus*, 172.
- Macrosiagon*, 238.
- Macrosiphum*, 60.
- Macrotylus*, 69.
- Macroxyela*, 291.
- Madarellus*, 286.
- Magdalis*, 284.
- Maggot*, apple, 204.
 - Cabbage, 198.
 - Cherry, 204.
 - Greater wheat stem, 207.
 - Onion, 198.
 - Raspberry cane, 199.
 - Seed corn, 198.
- Magusa*, 143.
- Malachidae*, 235.
- Malachus*, 235.
- Malacosoma*, 122.
- Mallochiella*, 209.
- Mallophaga*, 28.
- Mallota*, 187.
- Malporus*, 239.
- Malthodes*, 235.
- Mamestra*, 139.
- Manomera*, 39.
- Mansonia*, 166.
- Mantidæ*, 39.
- Mantis*, Chinese praying, 39.
- Mantura*, 278.
- Marasmalus*, 134.
- Marmara*, 87.
- Martyringa*, 95.
- Marumba*, 151.
- Masicera*, 193.
- Mastogenius*, 245.
- Matus*, 221.
- Mayetiola*, 169.
- Meadorus*, 83.
- Meal worm*, Dark, 258.
 - Yellow, 258.
- Mealy bugs*, 63.
- Mecoptera*, 30.
- Mecostethus*, 40.
- Megachile*, 347.
- Megachilidæ*, 347.
- Megalodacne*, 251.
- Megalopygidae*, 113.
- Megalotomus*, 81.
- Megapenthes*, 242.
- Megarhyssa*, 315.
- Megaspilus*, 327.
- Megilla*, 255.
- Megorismus*, 325.
- Melalopha*, 126.
- Melanactes*, 241.
- Melandrya*, 259.
- Melandryidæ*, 259, 359.
- Melanochæta*, 207.
- Melanolestes*, 76.
- Melanomma*, 132.
- Melanophia*, 118.
- Melanophila*, 244.
- Melanophora*, 195.
- Melanophrys*, 192.
- Melanophthalma*, 253.
- Melanoplus*, 41.
- Melanorhopala*, 77.
- Melanostoma*, 185.
- Melanotus*, 242, 358.
- Melanoxantherium*, 58.
- Melanoxanthus*, 58.
- Melasidæ*, 243.
- Melasis*, 243.
- Melasoma*, 276.
- Meliera*, 203.
- Meligethes*, 249.
- Melinna*, 69.
- Meliopotis*, 132.
- Melitæa*, 158.
- Melittia*, 112.
- Melittomma*, 237.
- Mellissodes*, 346.
- Meloe*, 238.
- Meloidæ*, 238.
- Melophagus*, 210.
- Melyridæ*, 235.
- Membracidæ*, 53, 356.
- Memythrus*, 112.
- Meneclæ*, 82.
- Meniscus*, 313.
- Menopon*, 28.
- Menopsimus*, 127.
- Meracantha*, 259.
- Merisus*, 324.
- Merium*, 269.
- Merocoris*, 80.
- Meromyza*, 207.
- Meronea*, 229.
- Meroplius*, 205.
- Meroptera*, 110.
- Merycomyia*, 174.
- Mesamia*, 49, 50.
- Mesochorus*, 310.
- Mesogramma*, 186.
- Mesograptæ*, 186.
- Mesoleius*, 311.
- Mesoleptidea*, 311.
- Mesoleptus*, 310, 311, 315, 316, 360.
- Mesoleuca*, 121.
- Mesomiris*, 74.
- Mesoneura*, 296.
- Mesostenidea*, 315.
- Mesothemis*, 37.
- Mesovelis*, 75.
- Mesoveliidæ*, 75.
- Metabletus*, 216.
- Metachæta*, 194.

- Metachroma, 275.
 Metallus, 299.
 Metanema, 116.
 Metapodius, 80.
 Metathorasa, 132.
 Meteorus, 305.
 Methoca, 334.
 Methocidæ, 334.
 Metopia, 194.
 Metopius, 313.
 Metriona, 280.
 Metrobates, 68.
 Metrocampa, 117.
 Metzneria, 95.
 Miarus, 285.
 Miastor, 168.
 Micracis, 289.
 Micrathyria, 36.
 Microbembex, 341.
 Microbracon, 303.
 Microcælia, 146.
 Microdon, 184.
 Microdus, 306.
 Microgaster, 303.
 Micromeson, 315.
 Micromus, 29.
 Micropezidæ, 204.
 Microphyllellus, 68.
 Microplitis, 303.
 Micropterygidæ, 85.
 Microphthalma, 195.
 Microrhopala, 279.
 Microstelis, 347.
 Microvelia, 68.
 Microweisia, 254.
 Micrutalis, 53.
 Midge, *Chrysanthemum* gall, 357.
 Pear, 170.
 Violet, 170.
 Wheat, 170.
 Milesia, 188.
 Milichia, 209.
 Milyas, 76.
 Mimesa, 338.
 Mineola, 109.
 Minettia, 202.
 Mineus, 83.
 Miridæ, 68, 356.
 Miris, 74.
 Miscogasteridæ, 325.
 Misogada, 124.
 Mitoura, 156.
 Molamba, 226.
 Mole cricket, Northern, 43.
 Molophilus, 161.
 Molorchus, 268.
 Mompha, 90.
 Monachus, 274.
 Monalocoris, 70.
 Monarch, 156.
 Monardia, 168.
 Monarthrum, 289.
 Monecphora, 55.
 Monellia, 58.
 Monobia, 336.
 Monocrepidius, 240.
 Monodontomerus, 325.
 Monohammus, 270.
 Monomorium, 329.
 Mononychus, 286.
 Monophadnoides, 299.
 Monophadnus, 298, 299.
 Monophylla, 236.
 Monopsis, 86.
 Monosoma, 293.
 Monostegia, 292, 294.
 Monotomidæ, 250.
 Monoxia, 277.
 Moodna, 111.
 Mordella, 237.
 Mordellidæ, 237.
 Mordellistena, 237.
 Morellia, 197.
 Mormidea, 82.
 Mormon, 155.
 Morrisonia, 139.
 Mosillus, 206.
 Mosina, 200.
 Mosquito, Banded salt marsh, 167.
 Brown salt marsh, 166.
 House, 166.
 Malarial, 167.
 Rainbarrel, 166.
 Moth, American silk worm, 150.
 Angoumois grain, 95.
 Bee, 108.
 Brown-tail, 123.
 Bud, 99.
 Cecropia, 151.
 Clothes, 86.
 Cotton-worm, 134.
 Cynthia, 151.
 Fur, 86.
 Gipsy, 123.
 Grape berry, 96.
 plume, 103.
 Hickory tussock, 147.
 Imperial, 150.
 Indian meal, 111.
 Io, 150.
 Isabel tiger, 148.
 Leopard, 112.
 Lime tree, 117.
 Luna, 150.
 Meal snout, 106.
 Mediterranean flour, 111.

- Milk-weed, 147.
 Oriental peach, 100.
 Pine tip, 109.
 Promethia, 151.
 Regal, 150.
 Rusty tussock, 123.
 Silver spotted ghost, 85.
 Snow white linden, 117.
 Tulip tree silk, 151.
 Virgin tiger, 148.
 Walnut bud, 109.
 Wax, 108.
 White-marked tussock, 123.
 Mountain silver spot, 158.
 Mourning cloak, 157.
 Murgantia, 82.
 Musca, 197.
 Muscidae, 196.
 Muscina, 197.
 Mutillidae, 334.
 Myas, 213.
 Mycetæa, 253.
 Mycetæidae, 253.
 Mycetina, 253.
 Mycetobia, 168.
 Mycetochara, 257.
 Mycetochares, 257.
 Mycetophagidae, 252.
 Mycetophagus, 252.
 Mycetophila, 168.
 Mycetophilidae, 167.
 Mycomya, 167.
 Mycotretus, 251, 358.
 Mycterus, 260.
 Mydaiidae, 177.
 Mydas, 177.
 Myélois, 109.
 Myersiidae, 307.
 Myiocera, 195, 196.
 Myiolepta, 185.
 Myiophasia, 190.
 Myiospila, 197.
 Mylabridae, 280.
 Myndus, 46.
 Myodites, 238.
 Myodocha, 78.
 Myopa, 189.
 Myrmaridae, 323.
 Myrmecina, 329.
 Myrmecomomyia, 202.
 Myrmecothea, 202.
 Myrmeleon, 29.
 Myrmeleonidae, 29.
 Myrmica, 329.
 Myrmosa, 334.
 Myrmosidae, 334.
 Mysia, 256.
 Mystacides, 31.
 Mytilaspis, 65.
 Myzine, 333.
 Myzocallus, 58.
 Myzus, 60.
 Næogeus, 75.
 Nabidae, 75.
 Nabidea, 74.
 Nabis, 75.
 Nacerdes, 237.
 Nacophora, 117.
 Nadata, 125.
 Nadia, 313.
 Næmia, 255.
 Nannothemis, 36.
 Napomyza, 209.
 Naucoridæ, 67.
 Naucoris, 67.
 Neanura, 26.
 Neaspilota, 204.
 Nebria, 212.
 Necrobia, 236.
 Necrophorus, 224.
 Nectarophora, 60.
 Nehalennia, 33.
 Neichnea, 236.
 Neides, 80.
 Neididae, 80.
 Nematus, 297, 298.
 Nemobius, 43.
 Nemopoda, 205.
 Nemoria, 119.
 Nemosoma, 247.
 Nemotelus, 173.
 Nemoura, 27.
 Neoascia, 186.
 Neobisnius, 227.
 Neoborus, 72.
 Neoclytus, 269.
 Neodiprion, 292.
 Neempheria, 167.
 Neofischeria, 194.
 Neoglaphyoptera, 167.
 Neolasioptera, 169.
 Neomysia, 256.
 Neonortonia, 309.
 Neonympha, 156.
 Neopales, 193.
 Neopasites, 346.
 Neoprociphilus, 61.
 Neothomasia, 58.
 Neottiglossa, 82.
 Nepa, 67.
 Nephelodes, 139.
 Nephopteryx, 110.
 Nephrotoma, 163.
 Nepidae, 67.
 Nepiera, 309.

- Nepticula, 90.
 Nepytia, 118.
 Nerice, 125.
 Neurigona, 180.
 Neurocolpus, 71.
 Neuroctena, 201.
 Neuronia, 30.
 Neuroptera, 29.
 Neuroterus, 319.
 Neurotoma, 291.
 Nicentrus, 286.
 Nigetia, 149.
 Nisaxis, 230.
 Nitidula, 249.
 Nitidulidæ, 248.
 Nitzschia, 28.
 Noctua, 141.
 Noctuidæ, 126.
 Nodonota, 275.
 Nola, 149.
 Nolophana, 145.
 Nomada, 345.
 Nomadidæ, 345.
 Nomæphagus, 334.
 Nomophila, 104.
 Nomotettix, 39.
 Nonagria, 137.
 Northern cloudy wing, 154.
 Nortonia, 336.
 Nosodendron, 248.
 Nosodendronidæ, 248.
 Notoglossa, 338.
 Nothosmia, 347.
 Notidobia, 31.
 Notiophilus, 212.
 Notiphila, 206.
 Notodonta, 125.
 Notodontidæ, 124.
 Notogonidea, 340.
 Notolophus, 123.
 Notonecta, 67.
 Notonectidæ, 67.
 Nototrachys, 311.
 Notoxus, 239.
 Notozus, 332.
 Nudobius, 227.
 Nycteola, 132, 133.
 Nyctibora, 38.
 Nyctobates, 258.
 Nyctobia, 122.
 Nylanderia, 330.
 Nymphalidæ, 157.
 Nymphula, 105.
 Nysius, 78.
 Nysson, 338.
 Oak apple, 320.
 Small, 322.
 Oberea, 272, 359.
 Obrium, 267.
 Ochthera, 206.
 Ochthiphila, 209.
 Ocneria, 123.
 Octotemnus, 261.
 Ocyptamus, 185.
 Ocyptera, 192.
 Ocypus, 228.
 Odinia, 209.
 Odonata, 33, 354.
 Odontæus, 263.
 Odontocera, 209.
 Odontocorynus, 286.
 Odontomerus, 313.
 Odontomyia, 172.
 Odontota, 279.
 Odynerus, 336.
 Œbalus, 82.
 Œcanthus, 43.
 Œcetina, 31.
 Œciacus, 74.
 Œcleus, 46.
 Œcophora, 91, 92.
 Œcophoridæ, 91.
 Œcothea, 200.
 Œdancala, 78.
 Œdaspis, 204.
 Œdemeridæ, 237.
 Œdionychis, 277.
 Œme, 266.
 Œstodes, 241.
 Œstridæ, 190.
 Œstrophasia, 191.
 Œstrus, 190.
 Ogdoconta, 134.
 Olene, 123.
 Olethreutes, 97, 356.
 Olfersia, 210.
 Oliarius, 46.
 Olibrus, 254.
 Oligia, 145.
 Olisthærus, 226.
 Olisthopus, 216.
 Olophrum, 226.
 Omalus, 332.
 Omethes, 234.
 Ommatius, 178.
 Omophron, 219.
 Omophronidæ, 219.
 Omphalocera, 106.
 Onchylis, 283.
 Oncideres, 271.
 Oncodes, 175.
 Oncognathus, 71.
 Oncometopia, 48.
 Oncomyia, 189.
 Oncopeltus, 77.

- Oncopsis, 48, 354.
 Oneida, 108.
 Onthophagus, 262.
 Onychiurus, 26.
 Oödes, 218.
 Onychobaris, 285.
 Ophiderma, 55.
 Ophiogomphus, 34.
 Ophion, 311.
 Ophistomis, 268.
 Ophyra, 198.
 Opius, 302.
 Opostega, 89.
 Opsidia, 194.
 Orchelimum, 42.
 Orchesia, 259.
 Orchestes, 284.
 Orectoderus, 69.
 Oreta, 122.
 Orgilus, 306.
 Orgyia, 123.
 Ormenis, 46.
 Ormosia, 161.
 Ormyrus, 325.
 Ornix, 87.
 Oropeza, 163.
 Orphulella, 39.
 Orsodacna, 273.
 Ortalidæ, 202.
 Orthæa, 79.
 Orthaltica, 278.
 Orthellia, 197.
 Orthezia, 63.
 Orthizema, 316.
 Orthocis, 261.
 Orthocladius, 165.
 Orthodes, 139.
 Ortholepis, 110.
 Ortholestes, 228.
 Ortholomus, 78.
 Orthonama, 121.
 Orthopelma, 310.
 Orthops, 73.
 Orthoptera, 38.
 Orthosia, 136.
 Orthosoma, 266.
 Orthotomicus, 290.
 Orthotrichia, 32.
 Orthotylus, 70.
 Oryssidæ, 301.
 Oryssus, 301.
 Oryzæphilus, 250.
 Oscinis, 208.
 Osmia, 347.
 Osmoderma, 265.
 Osmosita, 249.
 Ostomidæ, 247.
 Otacustes, 316.
 Otidocephalus, 284.
 Otiocerus, 46.
 Otiorhynchus, 282.
 Ox-louse, Long nosed, 45.
 Short nosed, 45.
 Oxybelus, 338.
 Oxcera, 172.
 Oxycnemis, 249.
 Oxygenus, 241.
 Oxyporus, 228.
 Oxyptilus, 103.
 Oxystoglossa, 342.
 Oxytelus, 226.
 Ozophora, 79.
 Pachnobia, 142.
 Pachybrachys, 274.
 Pachydiplax, 37.
 Pachynematus, 297.
 Pachyneuron, 324.
 Pachyprotasis, 295.
 Pachypsylla, 57.
 Pachyrhina, 163.
 Pachscelus, 245.
 Pachysphinx, 151.
 Packardia, 113.
 Pæctes, 134.
 Pæderus, 227.
 Pædisca, 97.
 Pagasa, 75.
 Painted beauty, 157.
 Paleacrita, 122.
 Palingenia, 27.
 Pallodes, 249.
 Palorus, 258.
 Palpomyia, 165.
 Palthis, 127.
 Paltodora, 95.
 Pamera, 79.
 Pamerocoris, 70.
 Pamphiliidæ, 291.
 Pamphila, 154, 155.
 Pamphilius, 291.
 Panageus, 212.
 Panapoda, 129.
 Panchlora, 38.
 Panchrysia, 134.
 Pandeletejus, 282.
 Pandemis, 101.
 Pangonia, 173.
 Pangrapta, 132.
 Paniscus, 310.
 Panorpa, 30.
 Panorpidæ, 30.
 Panscopus, 282.
 Pantographa, 104.
 Panurgidæ, 345.
 Panurginus, 345.

- Panzeria, 192.
 Paonias, 151.
 Papaipema, 137.
 Papilio, 159.
 Papilionidæ, 159.
 Parabolocratus, 49, 355.
 Paracalocoris, 71.
 Paracanidia, 310.
 Paracharactus, 299.
 Paracymus, 223.
 Paradidyma, 194.
 Paragrotis, 140.
 Paragus, 185.
 Paralælius, 332.
 Paralictus, 342.
 Paralipsa, 108.
 Parallelia, 129.
 Parallelina, 268.
 Parallelosthethus, 241.
 Paramellinus, 338.
 Paramesus, 49.
 Parandra, 266.
 Paraphia, 118.
 Paraplagia, 192.
 Parasierola, 332.
 Parasitica, 45.
 Paraspinophora, 183.
 Parataxonus, 293.
 Paratenodera, 38.
 Paratettix, 39.
 Parcoblatta, 38.
 Parectecephala, 207.
 Paria, 275.
 Parlatoria, 66.
 Paromalus, 232.
 Paroxya, 41.
 Parthenothrips, 44.
 Parydra, 206.
 Passalidæ, 266.
 Passalæcus, 341.
 Passalus, 266.
 Patrobus, 213.
 Pearly eye, 156.
 Pear psylla, 57.
 Pedicia, 163.
 Pediculidæ, 45.
 Pediculus, 45.
 Pedilidæ, 239.
 Pedilus, 239.
 Pediopsis, 48.
 Pegomyia, 199.
 Pelastoneurus, 181.
 Pelecinidæ, 328.
 Pelecinus, 328.
 Pelenomus, 287.
 Peleteria, 195.
 Pelidnota, 265.
 Peliopelta, 78.
 Pelocoris, 67.
 Pelonium, 236.
 Pelopæus, 340.
 Peltodytes, 220.
 Pemphigus, 61.
 Pemphredon, 341.
 Pentacora, 67.
 Pentagenia, 28.
 Pentapleura, 304.
 Pentatoma, 82.
 Pentatomidæ, 81.
 Penthe, 259.
 Penthimia, 49.
 Penthina, 97.
 Pentoptera, 163.
 Pentilia, 254.
 Peoria, 111.
 Peponapis, 346.
 Percinolus, 247.
 Percnoptilota, 121.
 Perdita, 345.
 Peribalus, 81.
 Periclista, 299.
 Periclistus, 319.
 Peridroma, 141.
 Perigea, 145.
 Perigenes, 79.
 Perilampidæ, 326.
 Perilampus, 326.
 Perilampus, 326.
 Perilitus, 306.
 Perillus, 83.
 Periodical cicada, 56.
 Periphyllus, 58.
 Periplaneta, 38.
 Perispasta, 104.
 Perithemis, 37.
 Perla, 27.
 Perlesta, 27.
 Perlidæ, 27.
 Peronea, 101.
 Petrophora, 120.
 Pezomachus, 315.
 Phædon, 276.
 Phæocyma, 129.
 Phæogenes, 317.
 Phalacridæ, 254.
 Phalacrus, 254.
 Phalænostola, 132.
 Phaleria, 257.
 Phalonia, 102.
 Phanæus, 262.
 Pharmacis, 102.
 Phasmidæ, 38.
 Pheidole, 329.
 Phelister, 232.
 Phenacoccus, 63.
 Phengodes, 235.

- Phengodidæ, 235.
 Phenolia, 249.
 Pheosia, 125.
 Phigalia, 117.
 Philænus, 55.
 Philanthus, 339.
 Philaronia, 56.
 Philhydrus, 223.
 Philobia, 119.
 Philometra, 128.
 Philyonx, 319.
 Philonome, 87.
 Philonthus, 227.
 Philopteridæ, 28.
 Philosamia, 151.
 Philothermus, 252.
 Phiprosopus, 133.
 Phlegyas, 78.
 Phlepsius, 51.
 Phlegethontius, 152.
 Phlæopterus, 236.
 Phlæosinus, 289.
 Phlæothripidæ, 44.
 Phlyctænia, 104.
 Phoberia, 129.
 Phobetron, 114.
 Pholisora, 154.
 Pholus, 152, 153.
 Phora, 184.
 Phorantha, 190.
 Phorbia, 198.
 Phorichæta, 194.
 Phoridaæ, 183.
 Phormia, 197.
 Phorocera, 193.
 Phortica, 208.
 Photinus, 234, 358.
 Photuris, 234.
 Phragmatobia, 148.
 Phryganea, 30.
 Phryganeidæ, 30.
 Phthinolophus, 101.
 Phthirus, 45.
 Phthorophlæus, 288.
 Phycanassa, 154.
 Phyciodes, 158.
 Phygadeuon, 316.
 Phygadicus, 78.
 Phylexis, 282.
 Phyllaphis, 58.
 Phyllobænus, 236.
 Phyllobrotica, 277.
 Phyllodromia, 37.
 Phyllæcus, 301.
 Phyllodecta, 276.
 Phyllophaga, 264.
 Phylloscelis, 45.
 Phyllotreta, 279.
 Phylloxera, 62.
 Phymata, 76.
 Phymatidæ, 76.
 Phymatocera, 299.
 Phymatodes, 269.
 Physatocheila, 77.
 Physocephala, 189.
 Physokermes, 64.
 Physopoda, 44.
 Phytocoris, 71, 356.
 Phytodietus, 313.
 Phytomyza, 208, 209.
 Phytomomus, 283.
 Phytophaga, 169, 291.
 Piazorhinus, 285.
 Pieridæ, 158.
 Pieris, 159.
 Piesma, 76.
 Piesmidæ, 76.
 Piezostethus, 74.
 Pigritia, 91.
 Pilopius, 231.
 Pimpla, 314.
 Pimplidea, 314.
 Pinacodera, 216.
 Pinipestis, 109.
 Pinotus, 262.
 Piophila, 205.
 Pipiza, 185.
 Pipunculidæ, 184.
 Pipunculus, 184.
 Pissodes, 283.
 Pissonotus, 47.
 Pityogenes, 289, 290.
 Pityokteines, 290.
 Pityophthorus, 289.
 Pitys, 85.
 Plagiodera, 276.
 Plagiognathus, 68.
 Plagionotus, 269.
 Plagodis, 117.
 Planiceps, 335.
 Plant bug, Tarnished, 73.
 Plateros, 233.
 Plathemis, 36.
 Platycentropus, 31.
 Platycerus, 266.
 Platychirus, 185.
 Platydema, 257.
 Platygastriidæ, 326.
 Platymetopius, 50, 355.
 Platynota, 101.
 Platynus, 215.
 Platypalpus, 182.
 Plathypena, 126.
 Platypterygidæ, 122.
 Platyptilia, 103.
 Platysenta, 145.

- Platysoma, 232.
 Platystethus, 226.
 Platystomidae, 281.
 Platytes, 107.
 Platytyellus, 73.
 Plea, 67.
 Plecoptera, 27.
 Plectiscidea, 310.
 Plegaderus, 233.
 Plenoculus, 341.
 Plesia, 333.
 Plesignathus, 316.
 Pleuroprucha, 120.
 Pleurotropis, 323.
 Plodia, 111.
 Ploiariocola, 75.
 Ploiariodes, 75.
 Plusia, 134.
 Plutella, 96.
 Poanes, 155.
 Podabrus, 234.
 Podisus, 83.
 Podops, 81.
 Podosesia, 112.
 Poduridae, 26.
 Pæcilocapsus, 72.
 Pæcilomyia, 201.
 Pæciloscytus, 71.
 Pæcilostoma, 292, 293.
 Pogonocherus, 271.
 Polemius, 235.
 Polidea, 191.
 Polistes, 337.
 Polites, 154.
 Pollenia, 196.
 Polyænus, 315.
 Polyblastus, 312.
 Polychætoneura, 190.
 Polychrosis, 96.
 Polydrusus, 282.
 Polyergus, 331.
 Polygnotus, 326.
 Polygonia, 157.
 Polygrammata, 145.
 Polyhymno, 94.
 Polyphylla, 264.
 Polypsocus, 26.
 Polyspincta, 314.
 Polystenidea, 307.
 Pomphopæa, 238.
 Pompiloides, 335.
 Ponera, 328.
 Pontania, 298.
 Pontia, 159.
 Porizon, 310.
 Porizonidea, 310.
 Porosagrotis, 141.
 Porphyrops, 180.
 Porthetria, 123.
 Potato beetle, Colorado, 276.
 Old-fashioned, 273.
 Praon, 308.
 Prasocuris, 275.
 Prenolepis, 330.
 Priocnemis, 335.
 Priocycla, 116.
 Prionochæta, 225.
 Prionomerus, 285.
 Priononyx, 340.
 Prionoxystus, 112.
 Prionus, 266.
 Priophorus, 297, 360.
 Pristiphora, 297.
 Pristocera, 332.
 Pristomerus, 310.
 Prociphilus, 61.
 Proctacanthus, 179.
 Proctotrypes, 328.
 Prodenia, 143.
 Prædrus, 310.
 Prokelisia, 47.
 Proleucoptera, 87.
 Prolimacodes, 114.
 Promachus, 179.
 Pronuba, 85.
 Prosacantha, 327.
 Prosopis, 346.
 Prospaltella, 324.
 Protapanteles, 302, 303.
 Protenor, 81.
 Proteopteryx, 98.
 Prothymia, 133.
 Protocalliphora, 197.
 Protoparce, 152.
 Protothyreopus, 338, 339.
 Psacaphora, 90.
 Psallus, 68.
 Psammochares, 336.
 Psammocharidæ, 335.
 Psaphidia, 142.
 Pselaphidæ, 230.
 Pselaphus, 231.
 Pselliopus, 76.
 Psen, 338.
 Psenocerus, 270.
 Psephenidæ, 245.
 Psephenus, 245.
 Pseudagenia, 335.
 Pseudanaphora, 85.
 Pseudebæus, 235.
 Pseudibion, 267.
 Pseudobaris, 286.
 Pseudocasinaria, 309.
 Pseudocistela, 257.
 Pseudocnemodius, 79.
 Pseudococcus, 63.

Pseudogalleria, 97.
 Pseudolimmophila, 162.
 Pseudomethoca, 334.
 Pseudopigritia, 91.
 Pseudopomala, 41.
 Pseudopyrellia, 197.
 Pseudotephritis, 203.
 Pseudothyatira, 123.
 Pseudoxenetus, 69.
 Psila, 205.
 Psilidæ, 205.
 Psilocephala, 177.
 Psilocorsis, 92.
 Psilomastix, 317.
 Psilopa, 206.
 Psilopus, 179.
 Psilopyga, 249.
 Psilocelis, 232.
 Psilotanypus, 166.
 Psinidia, 40.
 Psithyrus, 349.
 Psocidæ, 26.
 Psocus, 26.
 Psorophora, 167.
 Psychidæ, 114.
 Psychoda, 165.
 Psychodidæ, 165.
 Psychomorpha, 135.
 Psylla, 57.
 Psyllidæ, 56.
 Psylliodes, 279.
 Psyllobora, 255.
 Psyllopsis, 57.
 Psysostegania, 119.
 Ptecticus, 172.
 Pterallastes, 188.
 Pterocolus, 281.
 Pterocyclon, 289.
 Pterocormus, 317, 318, 319.
 Pterodela, 26.
 Pteromalidæ, 324.
 Pteromalus, 324, 361.
 Pteronidea, 298, 360.
 Pteronus, 297.
 Pterophoridæ, 103.
 Pterophorus, 103.
 Pterostichus, 213.
 Ptilidæ, 231.
 Ptilodactyla, 246.
 Ptilodexia, 196.
 Ptinidæ, 260.
 Ptinus, 260.
 Ptchiomera, 79.
 Ptomophagus, 225.
 Ptychoptera, 163.
 Ptyocerata, 95.
 Publilia, 55.
 Pulex, 160.

Pulicidæ, 160.
 Pulvinaria, 63.
 Purple, Banded, 157.
 Hybrid, 157.
 Red-spotted, 157.
 Purpuricenens, 270.
 Pycnopsyche, 31.
 Pycnoscelus, 38.
 Pygolampis, 75.
 Pyractonema, 234.
 Pyralidæ, 103, 356.
 Pyralis, 106.
 Pyrameis, 157.
 Pyrausta, 105.
 Pyrellia, 197.
 Pyrgota, 202.
 Pyrochroa, 239.
 Pyrochroidæ, 239.
 Pyromorpha, 113.
 Pyromorphidæ, 113.
 Pyrophæna, 185.
 Pyrophila, 143.
 Pyrrharctia, 148.
 Pyrrhia, 137.
 Pyropyga, 234.
 Pythidæ, 238.
 Pytho, 238.

 Quediis, 228.

 Ranatra, 67.
 Raspberry byturus, 246.
 Recurvaria, 95.
 Red admiral, 157.
 Reduviidæ, 75.
 Reduviolus, 75.
 Reduvius, 75.
 Reichenbachia, 230.
 Reichertella, 171.
 Remigia, 129.
 Renia, 127.
 Resthenia, 73.
 Retinodiplosis, 171.
 Reuteroscopus, 69.
 Rhabdepyris, 332.
 Rhabdophaga, 168.
 Rhadinocera, 316.
 Rhagio, 175.
 Rhagium, 267.
 Rhagoletis, 204.
 Rhamphidia, 161.
 Rhamphomyia, 183.
 Rhantus, 221.
 Rhaplum, 181.
 Rhegmoclema, 171.
 Rheumaptera, 121.
 Rhimphalea, 312.
 Rhingia, 186.

- Rhinocapsus, 68.
 Rhinonchus, 287.
 Rhinopsis, 337.
 Rhinosimus, 238.
 Rhipidia, 160.
 Rhipiphoridae, 238.
 Rhipiphorus, 238.
 Rhizophagidae, 249.
 Rhizophagus, 249.
 Rhodites, 319, 322.
 Rhodobænus, 288.
 Rhodophora, 135.
 Rhogogastera, 295.
 Rhopalicus, 361.
 Rhopalocera, 153.
 Rhopalomyia, 169.
 Rhopalosiphum, 60.
 Rhopalum, 338.
 Rhorus, 312.
 Rhyacophilidae, 31.
 Rhymosia, 167.
 Rhynchagrotis, 142.
 Rhynchites, 281.
 Rhynchomilichia, 209.
 Rhyparochromus, 79.
 Rhypholophus, 161.
 Rhyphobius, 226.
 Rhytidolomia, 82.
 Rhyssa, 315.
 Rhyssella, 315.
 Ribbed cocoon-maker, 87.
 Rivellia, 202.
 Rivula, 133.
 Roeselia, 149.
 Rogas, 311.
 Romaleum, 267.
 Rose chafer, 264.
 Ryphidae, 172.
 Ryphus, 172.
 Ryssematus, 287.
 Sableta, 229.
 Sabulodes, 115.
 Sacium, 226.
 Sackenomyia, 169.
 Saddled prominent, 125.
 Sagaritis, 308.
 Saissetia, 64.
 Salda, 67.
 Saldidae, 67.
 Saldula, 67.
 Salebria, 110.
 Salia, 127.
 Saligneana, 98.
 Samia, 151.
 Sanninoidea, 112.
 Saperda, 271.
 Sapintus, 239.
 Saprinus, 233.
 Sapromyza, 201, 202.
 Sapromyzidae, 201.
 Sapyga, 333.
 Sapygidae, 333.
 Sarcofahrtia, 196.
 Sarcophaga, 196.
 Sarcophagidae, 196.
 Sargus, 172.
 Sarrothripus, 133.
 Saturniidae, 150.
 Satyroides, 156.
 Sawfly, Peach, 291.
 Rose, 294.
 Saxinis, 273.
 Sayiella, 326.
 Sayomyia, 167.
 Scale insects, 63-66.
 Scambus, 314.
 Scaphidema, 358.
 Scaphidiidae, 231.
 Scaphidium, 231.
 Scaphisoma, 231.
 Scaphoideus, 49.
 Scaptomiza, 208.
 Scarabæidae, 262, 359.
 Scardia, 86.
 Scarites, 212.
 Scatella, 206.
 Scatophaga, 200.
 Scatophagidae, 199.
 Scatopse, 171, 357.
 Scatopsidae, 171, 357.
 Scelio, 327.
 Scelionidae, 326.
 Sceliphron, 340.
 Scenopinidae, 177.
 Scenopinus, 177.
 Scepisis, 150.
 Schinia, 135.
 Schistocera, 41.
 Schistosiphon, 290.
 Schizocerus, 300.
 Schizogenius, 212.
 Schizoneura, 57, 61.
 Schizotus, 239.
 Schizura, 124.
 Schœnobioides, 107.
 Schœnomyza, 199.
 Sciagraphia, 119.
 Sciapteryx, 293.
 Sciara, 168, 171.
 Sciaridae, 168.
 Scinacopus, 316.
 Sciomyza, 201.
 Sciomyzidae, 201, 257.
 Sciophila, 167.
 Scirtes, 246.

- Scirtetica, 40.
 Scoleocampa, 134.
 Scolia, 333.
 Scoliidae, 333.
 Scoliocentra, 200.
 Scoliopteryx, 136.
 Scolopostethus, 79.
 Scolops, 45.
 Scolytidae, 288.
 Scolytus, 288.
 Scoparia, 106.
 Scopelosoma, 136.
 Scotobates, 258.
 Scudderia, 41.
 Scutelleridae, 84.
 Scydmaenidae, 225.
 Scydmaenus, 225.
 Scymnus, 254.
 Scythris, 90.
 Scythropus, 282.
 Sehirus, 84.
 Seira, 25.
 Selandria, 293, 299.
 Selenophorus, 218.
 Selidosema, 118.
 Semasia, 100.
 Semiophora, 142.
 Semioscopsis, 92.
 Senotainia, 192.
 Seoptera, 203.
 Sepedon, 201.
 Sepsidae, 205.
 Sepsis, 205.
 Serica, 263.
 Sericoderus, 226.
 Sericomymia, 187.
 Sericophanes, 69.
 Sericopompilus, 335.
 Sericosomus, 241.
 Sericostomatidae, 31.
 Sericus, 241.
 Serphidae, 328.
 Serphus, 328.
 Serropalpus, 359.
 Sesia, 112.
 Sesiidae, 112.
 Setodes, 31.
 Seventen year locust, 56.
 Sheep tick, 210.
 Sialidae, 29.
 Sialis, 29.
 Sibine, 114.
 Sierolomorpha, 333.
 Sigalphus, 307.
 Silpha, 225.
 Silphidae, 224.
 Silvanus, 250.
 Silver-fish, 25.
 Simæthis, 356.
 Simuliidae, 172.
 Simulium, 172.
 Sinea, 76.
 Sinoxylon, 261.
 Siphonurus, 28.
 Siphocoryne, 60.
 Siphona, 192.
 Siphonaptera, 160.
 Siphonella, 207.
 Siphonophora, 58, 60.
 Sirex, 301.
 Siricidae, 301.
 Sisyrosea, 114.
 Sitodrepa, 260.
 Sitona, 282.
 Sitotroga, 95.
 Sixeonotus, 70.
 Skeletonizer, apple and thorn, 356.
 Skippers, 154, 155.
 Slug, Bristly rose, 297.
 Pear and Cherry, 294.
 Smerinthus, 151.
 Smicra, 326.
 Smicronyx, 283.
 Smilia, 54, 254.
 Sminthuridae, 25.
 Sminthurus, 25.
 Smodicum, 266.
 Snout butterfly, 156.
 Soldier bug, Spined, 83.
 Solenius, 338, 339.
 Solenobia, 114.
 Solenopsis, 329.
 Solenozopheria, 322.
 Solubea, 82.
 Solva, 175.
 Somatochlora, 36, 354.
 Somula, 188.
 Sooty-wing, 154.
 Soronia, 249.
 Spallanzania, 194.
 Spanioneura, 57.
 Spanotecnus, 311.
 Sparganthis, 99.
 Spargoloma, 132.
 Sparnopolius, 176.
 Spathius, 306.
 Spermophagus, 280.
 Speyeria, 158.
 Sphaeridium, 224.
 Sphærocera, 200.
 Sphæropyx, 307.
 Sphærophoria, 186.
 Spharagemon, 40.
 Sphecidae, 338.
 Sphecius, 341.
 Sphecodes, 343.

- Sphecodina, 153.
 Sphecodium, 343.
 Sphecomyia, 188.
 Sphegigaster, 324.
 Sphegina, 186.
 Sphenophorus, 288.
 Sphex, 340.
 Sphida, 137.
 Sphindidæ, 261.
 Sphindus, 261.
 Sphingidæ, 151.
 Sphinx, 152.
 Sphragisticus, 79.
 Sphyracephala, 205.
 Spilochalcis, 326.
 Spilogaster, 198.
 Spilographa, 204.
 Spilomena, 341.
 Spilomyia, 188.
 Spilosoma, 148.
 Spogostylum, 176.
 Spring azure, 155.
 Squash bug, 80.
 Stigmatophora, 90.
 Staphylinidæ, 226.
 Staphylinus, 228.
 Statira, 259.
 Stelididæ, 347.
 Stelidota, 249.
 Stelis, 347.
 Stenamma, 329.
 Stenelmis, 245.
 Stenichneumon, 317, 318.
 Stenispis, 279.
 Stenobothrus, 39.
 Stenocorus, 267.
 Stenocranus, 47.
 Stenodema, 74.
 Stenolophus, 219.
 Stenoma, 93.
 Stenomyia, 203.
 Stenopa, 203.
 Stenopleura, 303.
 Stenoscelis, 288.
 Stenosphenus, 270.
 Stenotarsus, 253.
 Stenotus, 71.
 Stenus, 226, 227.
 Stephanocleonus, 285.
 Stephanoderes, 289.
 Stephanucha, 265.
 Sterictiphora, 300.
 Stethobaris, 286.
 Sthenopsis, 85.
 Stichopogon, 178.
 Stictocephala, 53.
 Stigmatomma, 328.
 Stigmus, 341.
 Stilbosis, 90.
 Stilpnus, 317.
 Stiphrosoma, 69.
 Stiretrus, 83.
 Stobæra, 47.
 Stomoxys, 197.
 Strangalia, 268.
 Stratiomyia, 172.
 Stratiomyidæ, 172.
 Straussia, 203.
 Strenoloma, 129.
 Strepsiptera, 290.
 Strigota, 229.
 Stroggylocephalus, 49.
 Stromatium, 267.
 Strongalepta, 268.
 Strongylium, 259.
 Strongylocoris, 69.
 Strongylogaster, 293, 294.
 Strongylogastroidea, 293.
 Strophiona, 268.
 Strymon, 155.
 Sturmia, 193.
 Stylogaster, 189.
 Stylopidæ, 290.
 Stylops, 290.
 Sulphur, Clouded, 158.
 Cloudless, 159.
 Little, 158.
 Sunius, 227.
 Swallow-tails, 159.
 Swammerdamia, 87.
 Sword-bearer, 42.
 Symmerista, 125.
 Symmorphus, 336, 337.
 Sympetrum, 36.
 Sympherobius, 29.
 Sympherta, 312.
 Symphora, 260.
 Symphoromyia, 175.
 Sympiesis, 323.
 Symplecta, 162.
 Sympycnus, 180.
 Synaldis, 305.
 Synanthedon, 112.
 Syncalypta, 247.
 Synchrona, 259.
 Synchrona, 259.
 Synchloë, 159.
 Synchlora, 119.
 Synchrona, 259.
 Syndyas, 182.
 Syneches, 182.
 Syneda, 131.
 Synelis, 120.
 Synergus, 319.
 Syneta, 273.
 Synhalonia, 346.
 Synthyreopus, 339.

Syntomaspis, 325.
 Syntomidæ, 150.
 Syntormon, 180.
 Syritta, 188.
 Syrphidæ, 184, 357.
 Syrphoctonus, 312.
 Syrphus, 186.
 Syssaura, 116.
 Systema, 279.
 Systemspiesis, 323.
 Systropus, 176.

 Tabanidæ, 173.
 Tabanus, 174.
 Tabuda, 176.
 Tachina, 194, 357.
 Tachinidæ, 190, 357.
 Tachinophyto, 191.
 Tachinus, 229.
 Tachycellus, 219.
 Tachydromia, 182.
 Tachyporus, 229.
 Tachypterellus, 284.
 Tachys, 213.
 Tachysphex, 340.
 Tachytes, 340.
 Tacoma, 110.
 Tæniaptera, 204.
 Tæniopteryx, 27.
 Taeniorhynchus, 166.
 Tailed blue, 155.
 Tanyptera, 163.
 Tanypus, 166.
 Taphrocerus, 245.
 Tapinoma, 330.
 Tapinostola, 136.
 Tarache, 132.
 Taracticus, 178.
 Tarpela, 259.
 Taxonus, 292, 293.
 Telamona, 54.
 Telea, 150.
 Teleas, 327.
 Telenomus, 326.
 Telephanus, 250.
 Telephoridæ, 234.
 Telephorus, 234.
 Telmatophilus, 251.
 Telphusa, 95.
 Temnostoma, 188.
 Tenebrio, 258.
 Tenebrionidæ, 257, 358.
 Tenebroides, 248.
 Tenodera, 39.
 Tenthredinidæ, 292, 360.
 Tent caterpillar, 122.
 Tenthredo, 295.
 Tenthredopsis, 295.

Tephritis, 204.
 Tephrochlamys, 200.
 Tephroclystis, 121.
 Tephronota, 203.
 Tephrosia, 118.
 Terias, 158.
 Termes, 26.
 Termitidæ, 26.
 Tetanocera, 201, 357.
 Tetanolita, 127.
 Tetanops, 203.
 Tetrachrysis, 332.
 Tetracis, 115.
 Tetragoneuria, 35.
 Tetragonoderus, 216.
 Tetraleurodes, 62.
 Tetralonia, 346.
 Tetralopha, 108.
 Tetraneura, 61.
 Tetraopes, 272.
 Tetrastichidæ, 323.
 Tetrastichus, 323.
 Tetropium, 266.
 Tettigidea, 39.
 Tettigonia, 48, 49.
 Tettigoniella, 48.
 Tettix, 39.
 Teuchoenemis, 188.
 Teucholabis, 161.
 Thalesa, 315.
 Thalpochares, 133.
 Thamnotettix, 51, 355.
 Thanaos, 153.
 Thanasimus, 236.
 Tharops, 240, 243.
 Thaumatotypidea, 307.
 Thecabius, 61.
 Thecla, 155, 156.
 Thecodiplosis, 170.
 Theisoa, 90.
 Thelaira, 196.
 Thelia, 53.
 Themira, 205.
 Theresia, 196.
 Thereta, 153.
 Thereva, 177.
 Therevidæ, 176.
 Therina, 117.
 Therioaphis, 58.
 Therion, 311.
 Thermobia, 25.
 Thermonectes, 222.
 Theronia, 314.
 Thersilochus, 310.
 Thicanus, 239.
 Thiodia, 98.
 Thistle butterfly, 157.
 Tholeria, 104.

- Thoracophorus, 226.
Thorybes, 154.
Thrinax, 293.
Thripidæ, 44.
Thrips, 44.
Throscidæ, 243.
Throscus, 243.
Thyanta, 82.
Thyatira, 123.
Thyatiridæ, 123.
Thymalus, 248.
Thymelicus, 154.
Thyreocoris, 84.
Thyreodon, 311.
Thyreus, 153.
Thyridæ, 113.
Thyridopteryx, 114.
Thyris, 113.
Thysanoptera, 44.
Thysanura, 25.
Tibicen, 56.
Tibicina, 56.
Tillomorpha, 270.
Timulla, 334.
Tinea, 86.
Tineidæ, 85.
Tineola, 86.
Tingidæ, 77.
Tingis, 76, 77.
Tiphia, 333.
Tipula, 164.
Tipulidæ, 160.
Tischeria, 87.
Tmetocera, 99.
Todolachnus, 57.
Tolyte, 122.
Tomarus, 251.
Tomaspis, 55.
Tomicus, 290.
Tomostethus, 299.
Tomoxia, 237.
Tornos, 118.
Tortricidæ, 96, 356.
Tortricidia, 113.
Tortrix, 101.
Torymus, 325.
Tosale, 106.
Toumeyella, 63.
Toxorhina, 161.
Toxotus, 267.
Trachelomiris, 74.
Trachysectus, 227.
Tramea, 36.
Trapezonotus, 79.
Trechus, 213.
Tree crickets, 43.
Tree-hopper, Buffalo, 53.
Trematopygus, 311.
Tremex, 301.
Triachus, 274.
Trialeurodes, 62.
Tribolium, 258.
Trichiocampus, 397, 360.
Trichionotus, 265.
Trichiosoma, 296.
Trichocera, 162.
Trichodes, 236.
Trichodesma, 260.
Tricholita, 138.
Trichopepla, 81.
Trichopherus, 241.
Trichophora, 195.
Trichopoda, 190.
Trichoptera, 30.
Trichopteryx, 231.
Trichotaphe, 94.
Trichrysis, 332.
Tricrania, 238.
Tricyphona, 163.
Tridactylus, 43.
Triepeolus, 345.
Trifurcula, 89.
Triga, 226.
Trigonalidæ, 308.
Trigonophora, 136.
Trigonotylus, 73.
Trimerotropis, 40.
Trineura, 184.
Triodonta, 187.
Trioza, 56.
Triphleps, 74.
Triptogon, 151.
Trirhabda, 277.
Tritoma, 251.
Tritoxa, 202.
Trixagidæ, 243.
Troctes, 26.
Trogoderma, 247.
Trogositidæ, 247.
Trogus, 317.
Tromatobia, 314.
Tropæa, 151.
Tropidia, 187.
Tropidostepes, 72.
Tropisternus, 223.
Trox, 263.
Trypanisma, 94.
Trypeta, 204.
Trypetes, 348.
Trypetidæ, 203.
Trypherus, 235.
Trypopytis, 260.
Trypoxylon, 339.
Twig-girdler, Hickory, 271.
Twig pruner, 267.
Tychius, 284.

- Tyloderma, 287.
 Tylonotus, 267.
 Tymnes, 275.
 Typhæa, 252.
 Typhlocyba, 52.
 Typocerus, 268.
 Typophorus, 275.
 Typopsilopa, 206.
 Tyrus, 231.
- Uloma, 258.
 Upis, 258.
 Uranotes, 156.
 Urocerus, 301.
 Urographis, 271.
 Uroplata, 279.
 Urosigalphus, 307.
 Utetheisa, 149.
- Valentina, 91.
 Valgus, 265.
 Vanduzea, 55.
 Vanessa, 157.
 Varneria, 111.
 Veliidæ, 68.
 Venusia, 121.
 Vespa, 337.
 Vespidæ, 337.
 Vespula, 337.
 Viceroy, 157.
 Viereckella, 345.
 Villa, 176.
 Violet tip, 157.
 Vipionidæ, 302.
 Vitula, 110.
 Volucella, 187.
- Walshia, 90.
 Wanda, 108.
 Wasp, Common, 337.
 Potter, 336.
 Webworm, Juniper, 93.
 Weevil, Bean, 280.
 Grain, 288.
 New York, 280.
 Pea, 280.
 Rice, 288.
 Rhubarb, 285.
 Rose, 281.
 Sawtoothed grain, 250.
 Strawberry, 285.
 White pine, 283.
 White ant, 26.
 Fly, greenhouse, 62.
 Winthemia, 194.
 Wood-nymph, Beautiful, 134.
 Pearl, 134.
- Worm, Black-headed cranberry, 99.
 Carpenter, 112.
 Clover hay, 106.
 Cranberry fruit, 109.
 Fall web, 148.
 Green clover, 126.
 Grape vine root, 275.
 Green-stripped maple, 150.
 Lesser apple, 100.
 Orange-stripped oak, 150.
 Pickle, 104.
 Railroad, 204.
 Raspberry fruit, 246.
 Tobacco or tomato, 152.
 Wyeomyia, 166.
- Xabea, 43.
 Xanthogramma, 186.
 Xantholinus, 227.
 Xantholobus, 54, 55.
 Xanthomelana, 191.
 Xanthomelanodes, 191.
 Xanthonia, 275.
 Xanthorhoë, 120.
 Xanthosarus, 347.
 Xanthoteras, 319.
 Xanthotype, 117.
 Xenetus, 69.
 Xenidæ, 290.
 Xenoborus, 72.
 Xenodusa, 230.
 Xenoglossa, 346.
 Xenos, 290.
 Xerophlœa, 49.
 Xestobium, 260.
 Xestocephalus, 355.
 Xestocis, 262.
 Xestocoris, 79.
 Xestocrabro, 339.
 Xestoleptura, 268.
 Xiphidium, 42.
 Xiphura, 163.
 Xiphydria, 301.
 Xiphydriidæ, 301.
 Xyleborus, 290.
 Xyelidæ, 291.
 Xylestia, 86.
 Xyletinus, 260.
 Xylina, 138.
 Xylobiops, 261.
 Xylocopa, 348.
 Xylocopidæ, 348.
 Xylocoris, 74.
 Xylomyia, 175.
 Xylophagus, 174.
 Xylophanes, 153.
 Xylophuridea, 314.
 Xylopinus, 258.

- Xylorictidæ, 93.
Xyloryctes, 265.
Xylota, 188, 357.
Xylotrechus, 269.
Xystoteras, 319.
- Yellow jacket, 337.
 Spot, 154.
Youngomyia, 170.
Yponomeuta, 95.
Yponomeutidæ, 95.
Ypsia, 129.
Ypsolophus, 94.
- Zabrotes, 280.
Zale, 129.
- Zamicrotoridea, 316.
Zanclognatha, 128.
Zaræa, 296.
Zelus, 76.
Zenodosus, 236.
Zerene, 158.
Zethus, 336.
Zeugophora, 273.
Zeuzera, 112.
Zodion, 189.
Zonitis, 238.
Zoöphthorus, 316.
Zoötrepes, 312.
Zophodia, 110.
Zygogramma, 276.

UNIVERSITY OF CALIFORNIA LIBRARY

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

7555

5m-10,'22

UNIVERSITY OF CALIFORNIA LIBRARY

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

LU Oct 10

5m-10,'22

