DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO.

HIROSHIMA PREFECTURAL OFFICE

Serial No. : Bui 17

Hiroshima City
19 January, 1949

SUBJECT: Application for Move Within Workshop of Reparations-Designated Machinery

TO : Commanding Officer
Hiroshima Military Government Team

You are hereby cordially requested to approve the above given application made by the Hiroshima Plant of Asahi Sangyo K.K. as we are confirmed of its reality.

for governor

Tsuneo Yamahara

TSUNEI KUSUMOSE

Governor.

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO.

HIROSHIMA PLANT ASAHI SANGYO KABUSHIKI KAISHA
(OLD NAME: HIROSHIMA PLANT ASAHI HEIKI K.K.)
2760 Minamikannon-machi, Hiroshima-city

8 January, 1949

To: Commanding Officer,
Hiroshima Military Government Team

Subject: Application for permission to remove the reparation machines in the Plant

Sir:

At present No.2 workshop of our Hiroshima Plant includes the reparation machines. As we want to remove some parts of these machines from No.2 to No.I workshop as attached drawing and removing plan list, for the reason of the perfect repair and mentioned as follows. We entreat you for your permission to remove.

I. At present No.2 workshop includes about 70 reparation machines. This shop includes not only un-working machines but also working machines and exampted use machines, with which we carry our important productions.
(a) There is dusty by the production, and also in fear of fire by the wooden gas-generater for resting from electric power and smith's hearth.
(b) As the other operation beside manufacture and business require a large area, and counter-shafts are under custody near the reparation machines, the space of the machines under custody are very narrow.
(c) This shop and the casting factory are next door to door.
(d) The windows destroyed by bombing are boarded and lighting is bad.

2. The custody workshop now applicated includes only un-working machines and has a largre area and full spaces.
(a) The space of the machines are more suitable than NO.2 workshop by arrangement as these code number, class, kind and size, including the machines newly removed.
(b) The lighting and repair are also more sufficient and efficient than No.2 workshop, with mentioned (a) atiele.
(c) At No.I workshop, only employees to repair are permit to enter, so no accident will happen.
(d) As the guide house and office buildings are situated near, we shall be able to keep away and find early from any accident.
(e) There is a water-tank near.
(f) In the neighbourhood, there are no workshops using fire.

Yours faithfully,

I. Kuwahara
Ichio Kuwahara
Administrative of Plant

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO:

REPARATION MACHINE REMOVING PLAN LIST

REMOVING MACHINE

From No.2 To No. I Shop

Code No.	Class	Machine
II-IO-45	3	Lathe
" 46	3	"
" 62	3	"
II-5(73)- I	2	"
" 3	2	"
" 4	2	"
" 5	2	"
" 6	2	"
" 7	2	"
" 8	2	"
" II	2	"
" I2	2	"
" I3	2	"
" I4	2	"
" I5	2	"
" I8	2	Internal Thread Machine
" I9	I	Pump
" 2I	3	Lathe
" 34	3	"
" 35	3	"
" 36	3	"
" 39	3	"
" 40	3	"
" 43	3	"
" 44	3	"
" 45	3	"
" 53	3	"
" 54	3	"
" 55	3	"
" 56	3	"
" 60	3	"
" 62	2	"
" 63	2	"
" 67	3	"
" 68	3	"
Total 35		

Removing at No.I Shop

Code No.	Class	Machine
II-IO-3	2	Lathe
" 4	2	"
" 5	3	"
" 6	2	"
" 7	2	"
" 8	2	"
II-IO-9	2	Lathe
" IO	2	"
" II	3	"
" I2	3	"
" I3	2	"
" I4	3	"
" I5	3	"
" I7	3	"
" I8	3	"
" I9	3	"
" 20	3	"
" 21	3	"
" 22	3	"
" 23	3	"
" 24	3	"
" 25	3	"
" 26	3	"
" 27	3	"
" 28	3	"
" 29	3	"
" 30	2	"
" 31	3	"
" 32	2	"
" 33	3	"
" 34	3	"
" 35	3	"
" 36	3	"
" 37	3	"
" 38	3	"
" 39	3	"
" 40	3	"
" 41	3	"
" 42	3	"
" 43	3	"
" 44	3	"
" 49	3	"
" 50	3	"
" 52	2	"
" 58	3	"
" 63	3	"
" 64	3	"
" 65	3	"
" 66	3	"
" 67	3	"
" 68	3	"
" 69	3	"

DECLASSIFIED E.O. 12065 SECTION 3 402/MRS NO.

Removing at No.I Shop (cont.)

Code No.	Class	Machine
II-IO-70	3	Lathe
" 7I	3	"
" 72	3	"
" 73	3	"
" 74	3	"
" 75	3	"
" 76	3	"
" 77	3	"
" 78	3	"
" 79	3	"
" 80	3	"
" 8I	3	"
" 82	2	"
" 83	3	Milling Machine
" 87	3	"
" 89	3	Planer
" 9I	3	Drilling Machine
" 94	3	Grinding Machine
" 95	2	"
" 96	2	"
" I2I	2	Testing Machine
" I39		Surface Plate
" I40		"
" I7I		"
II-5(73)-2	2	Lathe
Total 77		

Machines and Equipment after Movement

No.I Shop	No.2 Shop
II7	84

DECLASSIFIED E.O. 12065 SECTION 3 (E)(2) NARS DATE

HIROSHIMA PLANT ASAHI INDUSTRIAL C

第二工場機械配置図 LAYOUT C



DECLASSIFIED E.O. 12065 SECTION 3 NLJ/RAC NO.

INDUSTRIAL CO. LT.D. (Former Name : HIROSHIMA PLANT ASAHI

配置図 LAYOUT OF 2ND SHOP (MACHINE) (At



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

HIMA PLANT ASAHI HEIKI CO. K.K.)

ACHINE) (At Present)

〔 〕八S.P./新面写

Note: The red lines show the machine that want to move from 2nd Shop to 1st shop. The cross line machines show the state-owned machines.



DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO:



DECLASSIFIED E.O. 12065 SECTION 3 402/MR85 #3



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

HIROSHIMA PLANT ASAHI

(Former Name : HIROSHIMA PLANT

NEW LAYOUT OF M

1st Sh



DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO:

ANT ASAHI INDUSTRIAL CO. LTD.

HIROSHIMA PLANT ASAHI HEIKI CO. K.K.)

T OF MACHINE & EQUIPMENT

1st Shop



































DECLASSIFIED E.O. 12065 SECTION 3 402/NNSG NS:



DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.



































DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.































































































DECLASSIFIED E.O. 12065 SECTION 3 402/MMD8 NO.





























DECLASSIFIED E.O. 12065 SECTION 3 402/MNBS NO:

HIROSHIMA PLANT ASAHI I

(Former Name : HIROSHIMA PLANT ASA

第一工場機械配置圖

LAYOUT
1ST SHOP
(At Present)



DECLASSIFIED E.O. 12065 SECTION 3 402/MNSC NO:

T ASAHI INDUSTRIAL CO. LTD.

HIMA PLANT ASAHI HEIKI CO. K.K.)

工場機械配置図

LAYOUT ST SHOP

At Present)

Note: The red lines show the machine that went to move in the same shop.

The cross line machine shows state-owned machine.













DECLASSIFIED E.O. 12065 SECTION 3 102/MRS NO.


































(82)


(5)


(6)


(91)


(52)


(76)


(69)

(65)


(14)


(64)


(72)


(13)

(67)

(77)


(83)

(S)


(7)


(3)

(9)


(18)

(140)

(5)


(68)

(17)

(36)


(39)

(43)


(15)

(22)

DECLASSIFIED E.O. 12065 SECTION 3 402/MNSC NSC



DECLASSIFIED E.O. 12065 SECTION 3 402/NNSC NO.





















DECLASSIFIED E.O. 12065 SECTION 3 NLJ/NND NO.

PLAN1

NAME OF PLANT : HIRO:

(NEW

ADRESS : NO. 2

100 %
Wooden

Ratio of Construction

Type of Building



No15

Switch

No. 14

DECLASSIFIED E.O. 12065 SECTION 3 102/MMB NO

II - 10

PLANT LAYOUT

DATE

PLANT : HIROSHIMA PLANT ASAHI HEIKI CO. K. K

(NEW NAME : ASAHI INDUSTRY CO.,

SS : NO. 2760, MINAMIKANNON-MACHI HIROSH



DECLASSIFIED E.O. 12065 SECTION 3 (E)/MR0 NO.

AYOUT

SCALE · 1/600

DATE 28 MARCH 1948

AHI HEIKI CO. K. K.

HI INDUSTRY CO., LTD.)

NON-MACHI HIROSHIMA-CITY.



DECLASSIFIED E.O. 12065 SECTION 3 102/MR0 NO.

No. 23
Abiliter Training School
(Suspension) 818 m²

No. 15
Switch and

No. 14 Tra

No. 24
Cement and
Slate Shop
(Suspension)
±94m²

W.C.

No. 10
Second Heat
treding (Suspension)
132m²

W.C.

DECLASSIFIED E.O. 11652 SECTION 3 (E)(2) NARS Date



DECLASSIFIED E.O. 12065 SECTION 3 102/NNSC NO.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
31 JAN. 1949	APPLICATION FOR REMOVAL OF REPARATION MACHINES, SO AS TO MAINTAIN A LARGER WORKING SPACE	H.M.G.T. BASIC
23 JUN. 1949	PERMISSION TO MOVE REPARATION MACHINES WITHIN THE REPARATION FACTORY	H.M.G.T. BASIC.

IVB

IV, B.- TRANSFERS OF EQUIPMENT OUT OF INSTALLATION

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.

HEADQUARTERS
HIROSHIMA MILITARY GOVERNMENT TEAM
APO 248

D/FMK/mn

File No: HMGT 386.3

23 June 1949

SUBJECT: Permission to Move Reparation Machines within the Reparation Factory

THROUGH: Director
Hiroshima Prefectural Liaison Office

TO : Governor
Hiroshima Prefecture

1. Reference: letter Hiroshima Prefectural Office, Hiro Shin Bai 71, 1 June 1949, subject, "Application for Permission to Move Reparation Machines at the Asahi Sangyo K. K."

2. Referenced application is approved.

JAMES R. TRUDEN
Lt Col TC
Commanding

1 Incl:
Referenced application

123

DECLASSIFIED E.O. 12065 SECTION 3 NSC MEMO

ASAHI SANGYO CO. LTD.
(OLD NAME: ASAHI HEIKI CO. K.K.)
No.2760, Minamikannon-machi, Hiroshima-city.

May 25, 1949.

TO :Headquarters,
Hiroshima Military Government Team.

THROUGH:Hiroshima Prefectural Office.

SUBJECT:Application for permission to move the reparation machines.

Sir:

We want to move the reparation machines as following, in our plant for production. We earnestly entreat your permission.

The mentioned machines are all Authorized Use (Dated May 5, 1948.).

Inventory No.	Name of Machine	Building No. Custody at present	Building No. Newly moved
II-IO-I20	Cupola	NO. 5	No. 4
II-IO-I34	Motor	No. 5	No. 4
II-IO-I93	Blower	No. 5	No. 4
II-IO- 92	Drilling Machine	No. 2	No. I8
II-IO-I06	Grinding Machine	No. 2	No. I8
II-IO-I75	Surface Plate	No. 2	No. I8
II-IO-I76	Surface Plate	No. 2	No. I8
II-IO-I78	Surface Plate	No. 2	No. I8
II-IO-I79	Surface Plate	No. 2	No. I8
II-IO-I81	Vice	No. 2	No. I8
II-IO-203	Surface Plate	No. 2	No. I8
II-IO-257	Surface Plate	No. 2	No. I8
II-IO-I77	Surface Plate	No. 22	No. I8

Youre faithfully

T. Kuwahara
Tchio Kuwahara
President & Director

DECLASSIFIED E.O. 12065 SECTION 3 102/MMB NLJ

HEADQUARTERS
HIROSHIMA MILITARY GOVERNMENT TEAM
APO 317

D/FMK/mn

File No: HMGT 386.3

31 January 1949

SUBJECT: Application for Removal of Reparation Machines, so as to Maintain a Larger Working Space

THROUGH: Director
Chugoku Liaison and Coordination Office
Kure, Japan

TO : Administrator of Plant
Hiroshima Plant
Asahi Sangyo Kabushiki Kaisha

The movement of one-hundred-twelve (112) reparation machines as listed in the inclosure, is approved.

FOR THE COMMANDING OFFICER:

WILLIAM BAKER
Major, Inf.
Executive-Adjutant

Incl:
Subject application, with plans for removal attached thereto.

26

DECLASSIFIED E.O. 12065 SECTION 3 402/MRS NO.

CHUGOKU LIAISON AND COORDINATION OFFICE

HRL No. 20 22 January 1949

SUBJECT: Application for Removal of Reparations Machines.

TO : Commanding Officer,
Hiroshima Military Government Team.

1. Application on above subject, dated 8 January 1949 from the Manager of Hiroshima Plant of Asaki Sangyo K.K. through Hiroshima Prefectural Office is submitted herewith enclosed.

2. Your high consideration on this regard will be greatly appreciated.

O. Itagaki,
Director,
Chugoku Liaison and Coordination Office.

Inclosure: as indicated above.

MY/yt.

689

DECLASSIFIED E.O. 12065 SECTION 3 102/MR3 NLS

HIROSHIMA PREFECTURAL OFFICE

Serial No. : Dai 17

Hiroshima City
19 January, 1949

SUBJECT: Application for Move Within Workshop of Reparations-Designated Machinery

TO : Commanding Officer
Hiroshima Military Government Team

You are hereby cordially requested to approve the above given application made by the Hiroshima Plant of Asahi Sangyo K.K. as we are confirmed of its reality.

for governor

Shuzo Yamahara,

TSUNEI KUSUNOSE

Governor.

DECLASSIFIED E.O. 12065 SECTION 3 (E)(2)(B) NLS #

HIROSHIMA PLANT ASAHI SANGYO KABUSHIKI KAISHA
(OLD NAME: HIROSHIMA PLANT ASAHI HEIKI K.K.)
2760 Minamikannon-machi, Hiroshima-city

8 January, 1949

To: Commanding Officer,
Hiroshima Military Government Team

Subject: Application for permission to remove the reparation machines in the Plant

Sir:

At present No.2 workshop of our Hiroshima Plant includes the reparation machines. As we want to remove some parts of these machines from No.2 to No.I workshop as attached drawing and removing plan list, for the reason of the perfect repair and mentioned as follows. We entreat you for your permission to remove.

I. At present No.2 workshop includes about 70 reparation machines. This shop includes not only un-working machines but also working machines and exampted use machines, with which we carry our important productions.
(a) There is dusty by the production, and also in fear of fire by the wooden gas-generater for resting from electric power and smith's hearth.
(b) As the other operation beside manufacture and business require a large area, and counter-shafts are under custody near the reparation machines, the space of the machines under custody are very narrow.
(c) This shop and the casting factory are next door to door.
(d) The windows destroyed by bombing are boarded and lighting is bad.

2. The custody workshop now applicated includes only un-working machines and has a largre area and full spaces.
(a) The space of the machines are more suitable than NO.2 workshop by arrangement as these code number, class, kind and size, including the machines newly removed.
(b) The lighting and repair are also more sufficient and efficient than No.2 workshop, with mentioned (a) aticle.
(c) At No.I workshop, only employees to repair are permit to enter, so no accident will happen.
(d) As the guide house and office buildings are situated near, we shall be able to keep away and find early from any accident.
(e) There is a water-tank near.
(f) In the neighbourhood, there are no workshops using fire.

Yours faithfully,

I. Kuwahara

Ichio Kuwahara
Administrative of Plant

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSG NO.

REMOVING MACHINE

From No.2 To No. I Shop

Code No.	Class	Machine
II-IO-45	3	Lathe
" 46	3	"
" 62	3	"
II-5(73)- I	2	"
" 3	2	"
" 4	2	"
" 5	2	"
" 6	2	"
" 7	2	"
" 8	2	"
" II	2	"
" I2	2	"
" I3	2	"
" I4	2	"
" I5	2	"
" I8	2	Internal Thread Machine
" I9	I	Pump
" 2I	3	Lathe
" 34	3	"
" 35	3	"
" 36	3	"
" 39	3	"
" 40	3	"
" 43	3	"
" 44	3	"
" 45	3	"
" 53	3	"
" 54	3	"
" 55	3	"
" 56	3	"
" 60	3	"
" 62	2	"
" 63	2	"
" 67	3	"
" 69	3	"
Total 35		

Removing at No.I Shop

II-IO-3	2	Lathe
" 4	2	"
" 5	3	"
" 6	2	"
" 7	2	"
" 8	2	"
II-IO-9	2	Lathe
" IO	2	"
" II	3	"
" I2	3	"
" I3	2	"
" I4	3	"
" I5	3	"
" I7	3	"
" I8	3	"
" I9	3	"
" 20	3	"
" 2I	3	"
" 22	3	"
" 23	3	"
" 24	3	"
" 25	3	"
" 26	3	"
" 27	3	"
" 28	3	"
" 29	3	"
" 30	2	"
" 3I	3	"
" 32	2	"
" 33	3	"
" 34	3	"
" 35	3	"
" 36	3	"
" 37	3	"
" 38	3	"
" 39	3	"
" 40	3	"
" 4I	3	"
" 42	3	"
" 43	3	"
" 44	3	"
" 49	3	"
" 50	3	"
" 52	2	"
" 58	2	"
" 63	3	"
" 64	3	"
" 65	3	"
" 66	3	"
" 67	3	"
" 68	3	"
" 69	3	"

DECLASSIFIED E.O. 12065 SECTION 3 402, MR&S NO.

Removing at No.I Shop (cont.)

Code No.	Class	Machine
II-I0-70	3	Lathe
" 7I	3	"
" 72	3	"
" 73	3	"
" 74	3	"
" 75	3	"
" 76.	3	"
" 77	3	"
" 78	3	"
" 79	3	"
" 80.	3	"
" 8I	3	"
" 82	2	"
" 83	3	Milling Machine
" 87	3	"
" 89	3	Planer
" 9I	3	Drilling Machine
" 94	3	Grinding Machine
" 95	2	"
" 96	2	"
" I2I	2	Testing Machine
" I39		Surface Plate
" I40		"
" I7I		"
II-5(73)-2	2	Lathe

Total - 77

Machines and Equipment after Movement

No.I Shop	No.2 Shop
II7	84

DECLASSIFIED E.O. 12065 SECTION 3 (E)/NNSC NO.

HIROSHIMA PLANT ASAH

(Former Name : HIROSHIMA PLAN

NEW LAYOUT OF

1st



DECLASSIFIED E.O. 12065 SECTION 3 402/MNSS NS

LANT ASAHI INDUSTRIAL CO. LTD.

HIROSHIMA PLANT ASAHI HEIKI CO. K.K.)

JT OF MACHINE & EQUIPMENT

1st Shop



DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.

















































DECLASSIFIED E.O. 12065 SECTION 3 402/NNSC NO.



DECLASSIFIED E.O. 12065 SECTION 3 402/NNSC NS





















DECLASSIFIED E.O. 12065 SECTION 3 (E)/NNBS MS



























DECLASSIFIED E.O. 12065 SECTION 3 NSC MEMO

HIROSHIMA PLANT ASAHI

(Former Name : HIROSHIMA PLANT ASA

第一工場機械配置

LAYOUT

1ST SHOP

(At Present)



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

ASAHI INDUSTRIAL CO. LTD.

MA PLANT ASAHI HEIKI CO. K.K.)

場機械配置図

LAYOUT
T SHOP
Present)

Note: The red lines show the machine that want to move in the same shop.
The cross line machine shows a state-owned machine.



DECLASSIFIED E.O. 12065 SECTION 3 NSC/MMB NO.



















































DECLASSIFIED E.O. 12065 SECTION 3 (E)/NNSS NO.


(82)


(5)


(6)

(91)


(52)


(76)


(69)


(65)


(14)

(64)


(78)


(13)

(67)


(77)

(83)

(5)


(19)


(3)

(7)

(55)

(5)


(140)


(68)

(17)

(36)


(39)

(43)


(5)

DECLASSIFIED E.O. 12065 SECTION 3 NSC/MR 98-1

DECLASSIFIED E.O. 12065 SECTION 3 NND/NARS NO.

























DECLASSIFIED E.O. 12065 SECTION 3 102/MRS NO.

PLANT

NAME OF PLANT : HIRO
(NEW

ADRESS : NO. 2

100 %
Wooden

Ratio of Construction

Type of Building

No. 23
Abiliter Training School
(Suspension) 8/8 m²

No 15
Switch

DECLASSIFIED E.O. 12065 SECTION 3 NLJ/NARS DATE

11 - 10

PLANT LAYOUT

DATE

PLANT : HIROSHIMA PLANT ASAHI HEIKI CO. K. K

(NEW NAME : ASAHI INDUSTRY CO.,

S : NO. 2760, MINAMIKANNON-MACHI HIROSH



DECLASSIFIED E.O. 12065 SECTION 3 (E)(1) NND 963218

LAYOUT

SCALE : 1/600

DATE 28 MARCH 1948

ASAHI HEIKI CO. K.K.

(ASAHI INDUSTRY CO., LTD.)

ANNON-MACHI HIROSHIMA-CITY.



DECLASSIFIED E.O. 12065 SECTION 3 NLJ/RAC NO.

No. 23
Abiliter Training School
(Suspension) 818 m²

No. 15
Switch an

No. 14 Tra

No. 24
Cement and
Slate Shop
(Suspension)
594m²

W.C.

No. 10
Second Heat
treding (Suspension)
132m²

W.C.

DECLASSIFIED E.O. 12065 SECTION 3 102/NNSC NO.



DECLASSIFIED E.O. 12065 SECTION 3 102/MR3 NO:



DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO.

HIROSHIMA PLANT ASAHI INDUSTRIAL CO.

第二工場機械配置図 LAYOUT OF

DECLASSIFIED E.O. 12065 SECTION 3 102/NNSS NO.

ASAHI INDUSTRIAL CO. LT.D. (Former Name : HIROSHIMA PLANT ASAH

配置図 LAYOUT OF 2ND SHOP (MACHINE) (At

DECLASSIFIED E.O. 12065 SECTION 3 (E)(1)(iii) NSC

SHIMA PLANT ASAHI HEIKI CO. K.K.)

Note: The red lines show the machine that want to move from 2nd shop to 1st shop.
The cross line machine show the state-owned machines.

MACHINE) (At Present)

〔 〕内S.P./新番号



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.



DECLASSIFIED E.O. 12065 SECTION 3 402/NNSG NO.



DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS

IV. C. DISPERSAL AREAS

IVC

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
12 MAR. 1949	REPARATION MACHINERY,-ASAHI SANGYO K.K.	H.M.G.T.
26 MAY 1949	CUSTODY AND MAINTENANCE OF REPARATION MACHINERY. -ASAHI SANGYO K.K.	H.M.G.T.
26 AUG 1949	CUSTODY AND MAINTENANCE OF REPARATION MACHINERY. -ASAHI SANGYO K.K.	H.C.A.T.
6-14 Dec. 49	Inspection of Reparations Plants in Hiroshima Prefecture	CCAR
31 March 1950	Inspection of Reparations Machinery at 11-10, 11-5(73) ASAHI SANGYO K.K.	CCAR
10 Aug. 1950	**Inspection of Asahi Sangyo Company, Code No. 11-10, 11-5(73).**	**CCAR**
3 Oct. 50	Inspection of Asahi Sangyo K.K. (11-10)	CCAR - Basic
8 Jan. 51	Inspection of Asahi Heiki K.K. (Mun. 11-10, 11-05(73)).	CCAR - Basic

V.- INSPECTION REPORTS.

V

DECLASSIFIED E.O. 11652 SECTION 3 (E)/NARS DATE

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
ECONOMICS SECTION

D/WFA/ftk

8 January 1951

CCAR 319.1

SUBJECT: Report of Field Trip, Hiroshima City, Hiroshima Prefecture, 5 January 1951

TO : Chief
Economics Section

PREPARED BY: W. F. Armstrong, Distribution and Industry Division

1. REFERENCE:

O. D. 11.

2. PURPOSE:

Inspection of Asahi Heiki K.K. (MUN. 11-10, 11-05(73)).

3. BACKGROUND:

Routine.

4. DISCUSSION:

There are 207 reparations machines coded under 11-10, of which 76 items are in use and 61 machines coded under 11-05(73), no one of which is in use.

5. CONCLUSIONS:

Maintenance of reparations machinery was found to be generally fair with the exception of a few items which are getting rusty.

6. RECOMMENDATIONS:

The company officials were requested to conduct proper maintenance especially on those items which were pointed out to them.

W. F. ARMSTRONG
Distribution & Industry Division

DECLASSIFIED E.O. 11652 SECTION 3(E) 5(D) OR (E), NARS DATE

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
ECONOMICS SECTION

CCAR 319.1 (D-St) 3 October 1950

SUBJECT: Report of Field Trip, Kannon-machi, Hiroshima City, Hiroshima Prefecture, 3 October 1950.

TO : Chief
Economics Section

PREPARED BY: E. Kawamura, Distribution & Industry Division.

1. REFERENCE:

O.D. 11.

2. PURPOSE:

Inspection of Asahi Sangyo K.K. (11-10)

3. BACKGROUND:

Application had been received regarding the release of No. 6 Building from Reparations custody.

4. DISCUSSION:

A surface plate (35 inch x 40 inch) bearing the code number 11-10-206 was revealed to possess another code number of 11-10-256 which is supposed to be a "planer double head" according to the application. After investigations, it was found that 11-10-206 is a surface plate and 11-10-256 is a shearing machine (EX item) which is being used by a certain Nagaoka , a subcontractor of the plant.

5. CONCLUSIONS:

Typhoon damage on the wooden wall has been repaired and the roof of No. 2 Building will be repaired starting from 4 October at the company's expense.

No reparations machines were physically present in No. 6 Building which is so dilapidated that no use will be made in the present condition. Verbal permission was granted for the release of No. 6 Building from reparations custody.

11-10 Sec V

DECLASSIFIED E.O. 12065 SECTION 3 (E)(1)(D) NSC

6. RECOMMENDATIONS:

It was recommended to the company officials that:

a. The company use the tile and other materials of the No. 6 Building to make necessary repairs to other buildings containing reparations machines.

b. They consolidate all machines (except those on scrap application) not in Authorized Use use to No. 2 Building and take "U" mark from idle motors and store them in a central warehouse to protect them from theft.

R. G. STRADLEY
Chief, Distribution and
Industry Division

D/RGS/fk

DECLASSIFIED E.O. 12065 SECTION 3 NLJ/NRS NR

FIELD TRIP REPORT

R. P. LORD

10 August 1950

1. Purpose:

Inspection of Asahi Sangyo Company, Code No. 11-10, 11-5(73).

2. Background:

Surveillance in accordance with O.D. 11, 10 April 1950.

3. Discussion:

This plant is manufacturing fire extinguishers and scales and have eighty-two (82) reparations machines in authorized use (written authority on hand) and nine (9) temporary use machines - application for authorized use of the latter was submitted in December but no reply received.

One building at this location is being used by the Hashimoto Kosan Company who are engaged in pressing scrap. This building is fenced off from the remainder of the plant and has an entrance so situated that the persons employed there need never enter through the main gate of the plant proper. The operations of the Hashimoto Kosan Company are not endangering the custody of reparations equipment in use and in storage at this plant.

4. Conclusion:

Equipment in use and storage inspected and found in need of maintenance.

5. Recommendations:

Plant manager advised to improve maintenance and code markings on machinery in use.

Check with Hiroshima Bureau of ITI for information regarding the application previously submitted for authorized use of nine (9) temporary use machines.

R. P. LORD
Distribution & Industry Division

D/RPL/fk

MANUFACTURING AND INDUSTRY
FILE 11-10 (73)
Sec 1

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.

INSPECTION REPORT

R.G. STRADLEY and N. NISHIDA
ECON. SECTION, C. C. A. R.

31 March 1950

1. Purpose:

Inspection of Reparations Machinery at 11-10, 11-5(73) ASAHI SANGYO K.K. located at 2760, MINAMI KANNON-MACHI, HIROSHIMA CITY.

2. Background:

Surveillance in accordance with C.D. 51, 27 September 1949.

3. Discussion:

a. Total No. of Reparations Machines - 267.

Plant Code No.	No. of Machines	A.U.	T.O.
11-10	206	82	3
11-5(73)	61	2	13
	267	84	16

b. Application has been made to G.H.Q, SCAP. on 8 February 1950 for the deletion of 2 items (11-5(73)-9, 11-5(73)-10) out of 84 items in A.U. as above which are surplus to present requirements.

c. Application for A.U. of 9 items (11-10 3 items, 11-5(73) 6 items) out of 16 items in T.O. as above has been submitted to G.H.Q, SCAP through Japanese Channel on 25 February 1950.

d. Company has lost a motor attached to 11-10-110 Shearing Machine by theft on 23-25 October 1949.

This was replaced by an EX. motor which went out of order and is presently temporarily replaced by a motor on reparations with Code No. 11-10-113 until the EX. motor is repaired.

4. Conclusion:

It was a good chance to check this plant due to the fact that it had been raining all day on 31 March. Several points of rain leak were found in the roof of the buildings storing reparations items. All items in Dead Storage and in use were inspected and found in Bad Condition. Especially, items in Dead Storage are dusty and getting rusty due to lack of grease and oil. Marking of machinery is in very poor condition generally.

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO:

Company was ordered to properly clean and preserve all of items without delay and a representative of C.C.A.R, ECON, SECTION will call at this plant after three weeks to see that this work is done. Moreover, an instruction was given to the director of this Company that this plant will be ordered to Shut Down if the work as above is not completed within three weeks.

5. Recommendations:

This company is in financial difficulties at present, due to poor management of the firm. Consequently, strict surveillance for this plant should be made frequently. The plant custodian expressed his desire of having the foundry shop released without removing the 4 reparations items as bellow out of the area. The land and building is to be rented to the HASHIMOTO KOZAI CO. for scrup pressing. It was recommended that they submit an application for an additional production item in their operation permit.

Items located in foundry building.

Code No. of items	Description
11-10-185	Furnace
11-10-190	Chimney
11-10-191	Dry furnace
11-10-192	Crane, accesory of cupola.

R.G. Stradley

DECLASSIFIED E.O. 12065 SECTION 3 (E), NARS NO.

SUBJECT: Inspection of Reparations Plants in Hiroshima Prefecture
6-7-9-12-13-14 December 1949

The Saka Electric Power Plant of Nippon Hassoden was visited on 6 December. This plant was not inventoried as it is not included on list in SCAPIN 1489, dated 27 January 1947. Plant seems to be run in an orderly and efficient manner.

Toyo Kogyo Kabushiki, 11-28. Plant inspected on 6 December. 176 machines in authorized use were checked and found to be well maintained. Entire plant was in excellent condition. This company now manufacturing three-wheel motorcycle trucks. Production is 800 monthly with ready market. Some export orders for India were being filled at time of inspection. Company officials displayed cooperative attitude throughout inspection.

Japan Steel Works, 11-14. Inspected on 7-9 December. 360 machines listed on Inventory Data Sheet as being in authorized use after evaluation are only temporary use items. None of these items were located on first day of inspection "because person in charge of these items was absent." Authorized use machinery was inspected and found in poor condition. Rust appeared on several machines in addition to most machinery being poorly marked. Two machines 11-5(71)-17 and 11-14-421 were found in use although there was no authority on record for their temporary or authorized use. Explanation was given that machines were needed so therefor they were placed in use. Motor 11-14-2825 was attached to authorized use machine 11-14-146. The motor originally attached to this machine was said to be under repair. Motor finally located lying on dirt floor, no effort made to repair. Two unidentifiable motors attached to 11-14-1766U. Motors formerly attached to this machine were located lying in corner of warehouse. No explanation given.

On 9 December plant officials were "prepared" to show me the 360 items added on evaluation and listed on their Inventory Data Sheet by code numbers which I had in my possession for checking purposes. Machines shown me (approximately 50) evidentally had code numbers painted on after my first visit as paint was still wet on them. The "man in charge" was never seen and all items seen were located in warehouses previously visited on 7 December. Compressor marked 11-14-3044 found to be 11-14-3024. Motor attached to 11-14-1309U had code number 11-14-2739 marked on. Motor was covered on front with machine oil. After wiping off the oil, code number 11-14-1309 appeared very prominently. Checking serial number of machine showed code number to be 11-14-1309. This was another effort on their part to cover up for items which they did not locate or properly code. Dead storage equipment also found in poor condition. Warehouses where machinery is stored are in need of repairs. Overall impression of plant is bad. Custodian is guilty of negligence and cover up tactics.

Shinko Godo inspected on 12 December. Four (4) machines are in temporary use here. The machines were dispersed from Toyo Seikan. All are in good condition. Code numbers are: 11-15-108, 111, 113, 114.

Toyo Seikan 11-15, inspected on 12 December. Dead storage area contains 124 machines. 31 machines from this location are in temporary use at Toyo Kikai by permission of HMGT letter dtd 6 December 1948. These 31 machines inspected and no discripancies noted. All dead storage equipment is in excellent condition.

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO. [illegible]

Asahi Sangyo 11-10, 11-5(73). Inspected on 12 December. 94 items were listed as being in authorized use. This figure should be 84 as ten machines listed as AU are in error. Machine numbers 11-5(73)-50, 11-5(73)-41 temporary use and 11-10-100, 11-10-113, 11-10-109, 11-10-116, 11-10-134, 11-10-137 authorized use were found in poor shape. 11-10-192U part of jib crane is lying outside building. Custodian says this cannot be used and should be scrapped. Motor marked "EX" found to be 11-10-138 authorized use machine. Marking of machinery is very poor as is maintenance. Custodian very sorry plant appeared in such condition.

Shinko Gomu 11-5(91) inspected on 13 December. Nine (9) machines are in authorized use by letter of HMGT. Five (5) machines are in temporary yse. Application was sent to HMGT in February 1948 asking authorized use of temporary use machinery. No answer was received. Machinery inspected and found in good condition.

Kurashiki Cotton Spinning Works 11-2. Dead storage area inspected on 13 December. 272 machines checked and found to be well stored and maintained in four warehouses.

Hagoromo Works 11-12. Inspected on 14 December. Dead storage area containing 78 machines. All machinery checked and found i n good condition.

Hiroshima Machine Tool Works 11-17
Mitsubishi Heavy Industries

Inspected on 14 December. All machinery in use and storage inspected and found in excellent condition. Stored machinery is well housed.

ROBERT P. LORD, DAC
Economics Section
Chugoku Civil Affairs Region

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO: [illegible]

REPORT ON INSPECTION

HIROSHIMA CIVIL AFFAIRS TEAM DATE: 29 August 1949

SECTION MAKING INSPECTION: Economics DATE OF INSPECTION: 26 August 1949

OFFICER OR E.M. MAKING INSPECTION: W.O. Souder, and N. Kishida

INSTALLATIONS INSPECTED: Asahi Sangyo K. K.

(Code No. 11-10, 11-5(73))

LOCATION: 2760, Minami Kannon-machi, Hiroshima City (B - 11)

TIME SPENT IN INSPECTION: 3 hours.

INSPECTION COVERED THE FOLLOWING: Custody and maintenance of reparation machinery.

REMARKS:

1. No. of reparation machines:

Total No. - 262 (Cl.I - 21, Cl.II - 80, Cl.III - 90)

A.U. - 84, T.O. - 15, D.S. -169

EK. - Priv. - 186 Other - 69

2. Date of the latest overhaul and adjustment of reparation machinery:

25 May 1949

3. No. of gates: 1

No. of guards: 4 (Shift of 12 hours each half)

4. Fire service arrangements:

Water tank - 2 (50t each) Hand pump - 4

Fire extinguisher - 20 Bucket - 40

5. Employees:

Total - 87 (26 August 1949)

Total No. of employees was 132 at the last inspection, while 45 employees got discharged in July 1949 to adjust this company's finances.

6. Custody and maintenance of reparation machinery was in good condition.

(Appx):-

37

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS No.

96

(1) % of attendance

93.0% (April 1949) 90.5% (May 1949)

92.0% (June 1949) 92.5% (July 1949)

(2) a. Average age of employees: 32.6 years

Oldest " " " : 59 "

Youngest " " " : 17 "

b. Average wages of employees: ¥ 6,650

Maximum " " " : ¥12,100

Minimum " " " : ¥ 3,500

(3) President: ICHIO KUWAHARA

Custodian: (Ditto)

Technician: KINJIRO WADA

(H. KIMURA, formal technician, got discharged in July 1949)

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO: [illegible]

REPORT ON INSPECTION

HIROSHIMA MILITARY GOVERNMENT TEAM DATE: 2 JUNE 1949

SECTION MAKING INSPECTION: Econ. DATE OF INSPECTION: 26 MAY 1949

OFFICER OR E.M. MAKING INSPECTION: Capt. Dugger, N. Nishida

INSTALLATIONS INSPECTED: Asahi Sangyō K.K.
Code No. 11-10, 11-5 (73)

LOCATION: 2760, Minami Kannon-Machi, Hiroshima. (B-11)

TIME SPENT IN INSPECTION: 3 hours

INSPECTION COVERED THE FOLLOWING: Custody and Maintenance of Reparation Machinery

REMARKS: 1. No. of Reparation Machines:
Total No. 268 (cl I 21, cl II 80, cl III 98)
A.V. 84 T.O. 15 D.S. 169
S.P. 8 (Partial destroyed and entered in D.S.)
EX. Priv 186 Other 69.

2. Date of the latest overhaul and adjustment of Reparation Machinery: 25 May 49.

3. No. of gates: 1
No. of guards: 11 (Shift of 8 hours each 6+5).

4. Fire service arrangements:
Hand Pump - 4 (Hose 10m x 4)
Fire extinguish ball - some
Water tank - 2 (40T each)

5. Employees:
Total - 132 (25 MAY 49)

(Cont'd)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO. 110036

REPORT ON INSPECTION

HIROSHIMA MILITARY GOVERNMENT TEAM DATE:

SECTION MAKING INSPECTION: DATE OF INSPECTION:

OFFICER OR E.M. MAKING INSPECTION:

INSTALLATIONS INSPECTED:

LOCATION:

TIME SPENT IN INSPECTION:

INSPECTION COVERED THE FOLLOWING:

(cont'd)

REMARKS: Workers engaged in maintenance of Reperation machinery: 6 (including 3 females)
% of attendance — 93.0 % (Apr. 49)
b. Custody and Maintenance of Reperation machinery was in excellent condition.
(Appx)
President: ICHIO KUWAHARA.
Custodian: (Ditto)
Technician: HIROSHI KIMURA.

DECLASSIFIED E.O. 12065 SECTION 3 102/MMB NO.

REPORT ON INSPECTION

HIROSHIMA MILITARY GOVERNMENT TEAM DATE: 18 Mar. 1949

SECTION MAKING INSPECTION: Economics DATE OF INSPECTION: 12 Mar. 1949

OFFICER OR E.M. MAKING INSPECTION: Capt. Dugger, N. Nishida

INSTALLATIONS INSPECTED: Asahi Sangyo K.K.

LOCATION: 2,760, Minami Kannon-Machi, Hiroshima. B, 14

TIME SPENT IN INSPECTION: 2 hours

INSPECTION COVERED THE FOLLOWING: Reparation Machinery

REMARKS: 1. Total number of machines
268 (Cl I 21, Cl II 80, Cl III 98)
A.V. 84, D.S. 184, EX. 102, Other 69
S.P. 8 (Partial destroyed and entered in D.S.)
2. Custody, Maintenance and Marking of Reparation Machinery was in excellent condition.

(Appx.) Workers engaged in maintenance of Reparation Machinery:
6 (including 3 females)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
23 JUN. 1949	PERMISSION TO DISPOSE OF LAND AND BUILDINGS AT A REPARATIONS FACTORY	H.M.G.T. BASIC.
25 Mar. 50	Release of Reparation Objects - Land and Buildings	Hiroshima prefectural Office - Basic
5 Oct. 50	Release of Building at Plant 11-10	CCAR - Basic

VI. A.- RELEASE OF REAL PROPERTY

VI A

DECLASSIFIED E.O. 11652 SECTION 3 (E)(1), NARS Date

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 182

CCAR 386.3 (D-Lo) 5 October 1950

MEMORANDUM FOR: Hiroshima Prefectural Government

THROUGH: Chugoku Liaison and Coordination Office

SUBJECT: Release of Building at Plant 11-10

1. Reference is application of Asahi Sangyo Company, Ltd., Hiroshima City, subject: " Application for Release of Building in Designated Reparation Plant", 15 September 1950 transmitted by Hiroshima Prefectural Office letter Serial No. Hiro-Shin-Ki 59, 22 September 1950.

2. Approval is granted for the release from reparations custody of building No. 6 as specified in referenced application.

3. The remaining land and buildings, with exception of that previously released, will remain under custody and control.

C. N. BAILEY
Colonel, Inf
Chief

Subject File 182
BSD
HCK

MANUFACTURING AND INDUSTRY FILE 11-10 SEC. IV A

5/10/50

Geow-1578

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.

Hiroshima Prefectural Office

Serial No : Hiro-Shin-Ki 59 Hiroshima City

22 September 1950

SUBJECT: Application for Release of Building in Designated Reparation Plant

TO : Chief
Chugoku Civil Affairs Region

You are cordially requested to be kind enough to approve the enclosed application from the Asahi Sangyo K.K. as our investigation has revealed the situation reasonable.

FOR THE PREFECTURAL GOVERNOR:

for T. Tajima

KAKUJI NAKABA
Chief
Commerce & Industry
Department

Encl: Application

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO: [illegible]

Hiroshima Prefectural Office

Serial No : Hiro-Shin-Ki 59 Hiroshima City

22 September 1950

SUBJECT: Application for Release of Building in Designated Reparation Plant

TO : Chief
Chugoku Civil Affairs Region

You are cordially requested to be kind enough to approve the enclosed application from the Asahi Sangyo K.K. as our investigation has revealed the situation reasonable.

FOR THE PREFECTURAL GOVERNOR:

for T. Tajima

KAKUJI NAKABA
Chief
Commerce & Industry
Department

Incl: Application

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO.

APPLICATION FOR RELEASE OF BUILDING IN DESIGNATED REPARATION PLANT

September 15th 1950

TO : Chief of Chugoku Civil Affairs Region.

THROUGH: Hiroshima Prefecture.

FROM : Ichio Kuwahara, President & Director of Asahi Sangyo Co., Ltd.
Address: No.2760 Minamikannon-machi Hiroshima City

1. Name of designated plant :

Asahi Heiki Kogyo Co., Ltd.
Present Name : Asahi Sangyo Co., Ltd., Hiroshima Plant.

2. Code No. of designated plant :

11 - 10
11 - 5 (73)

3. Location of designated plant :

No. 2760 Minamikannon-machi Hiroshima City

4. Building of which application for release is submitted :

Building No.6, Wood Work Plant.
Site area for the above ; 468 square meter.

(Refer to attached drawing)

5. Reason for application of release :

Since building No. 6 has been built from old lumber it is so siverely decayed and damaged as there is no way to repair it and going in and out the building is very dangerous. Naturally there occurs pressing anxiousness that the adjutant building in which reparation equipments have been taken custody of is threatened with harm influnce affected by the possible collaspe of the building No. 6.

Therefore, as I wish urgently to dismantle this building, you will appreciate the necessity of this application and approve the release from designation of reparation.

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO:

In addition, under listed designated reparation machinery has been transferred to and taken custody of in the building No. 1 and so ther is no designated reparation machinery in the said building No. 6.

List of Designated Reparation Machinery
Transferred from Building No. 6 to Building No. 1.

Inventory No.	Name of Items	Remarks
11-10-100	Turning Lathe	
11-10-101	Saw Mill-Wood-Band Mill	
11-10-103	Scroll Sawing Machine	
11-10-102	Planer-Wood-Hand Feed-Single	
11-10-204	Line Shaft	
11-10-205	Electric Motor	
11-10-206	~~Planer-Double Head~~ Surface Planer	

I. Kuwahara

Ichio Kuwabara
President & Director of
Asahi Sangyo Co.,Ltd.
No.2760 Minamikannon-
machi Hiroshima
City

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO:

PLANT LAYOUT

11-10/11-5(73)

ASAHI INDUSTRY CO., LTD

NO.2760, MINAMIKANNON-MACHI HIROS

N

1/800

Garage

No. 18
Weighing Machine Shop

No. I
(MISCELLANEOUS)
Machine Shop

No. 7
Ware House

Office

W.C.

No. 22
Stor Room

Reception Room

No. 9
First Heat-Treating (Suspension)

No 3
Sheet-Metal Shop

EX
Machine Shop

No. 2
Machine Shop

No. 6
Wood Shop

No. 4
Foundry Shop

No 5
Foundry Shop

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.

PLANT LAYOUT

11-10/11-5(73)

ASAHI INDUSTRY CO., LTD

NO.2760, MINAMIKANNON-MACHI HIROSHIMA-CITY



DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.

Hiroshima Prefectural Office

Serial No : Hiro-Shin-Sho Ko 24 Hiroshima City

25 March 1950

SUBJECT: Release of Reparation Objects-
Land and Buildings

TO : Chief
Chugoku Civil Affairs Region

We have received the attached application re the above subject from the Hiroshima Plant, Asahi Sangyo K.K., and we deemed that the rent-fee of those objects mentioned in the application has an important effect upon the operation of this plant and moreover the hirer of these objects will get the great convenience on his work and also on disposition of the products, therefore, we, cordially, herewith, ask your special consideration for giving them the permission by all means.

for Kakuji Kato
TSUNEI KUSUNOSE

Hiroshima Prefectural
Governor

Incl: Application for
permission to release
reparation objects-
from the Hiroshima
Plant, Asahi Sangyo
K.K.

This application was disapproved, but Co. submitted similar one to SCAP in April

SEC. III 0-10 4

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS No.

1. 1

APPLICATION FORR PERMISSION TO RELEASE REPARATION OBJECTS

TO : Commanding Officer,
Chugoku Civil Affairs Team.

THROUGH : Hiroshima Prefectural Office.

FROM : Hiroshima Plant, Asahi Sangyo Co, Ltd.
Plant Custodian,
Ichio Kuwahara.

Date : I8 March, I950.

Name of Plant : Hiroshima Plant Asahi Heiki Kogyo Co. Ltd.
Pressent Name : Hiroshima Plant,
Asahi Sangyo Co. Ltd.
Code No. : II-IO / II-5(73)

Location of Plant : No.2760 Minamikannon-machi, Hiroshima-city.

I have Nonour to make application for permission to release certain reparation objects, for in our plant, Iintend to lend our part of the land and building as follows:

Land :

Name	Area	Remarks
Land	I5I4.50sq.m	Guard plan of perfeace against the theft, construction barricadesalong the newborder.

Building :

No. of Bldg	Name of Bldg	Area
5	Iron Foundry	254.54sq.m

Remarks

The objects, Inventory No. II-IO-I89 Crucible Furnace-Insert Type and Inv. No. I9I Dry Furnace will be dissected (THE BRICKS BEING PILED UP NEAR THE BLDG NO.4) the objects, Inv. No.I92 jib crane and Inv.No.I90 Chimney, will be transtenred near the Bldg No.4 the latter being dissected.

Hirer : Kameichiro Hashimoto
Representative of the HASHIMOTO steel Material Co. Ltd.
No. Minamikannon-machi, Hiroshima-city.

Objective of Use : Concentraing and Press-moulding of Iron scrap.

I. Kuwahara

ICHIO KUWAHARA
Plant Custodian,
Hiroshima Plant
Asahi Sangyo Co. Ltd.

DECLASSIFIED E.O. 12065 SECTION 3 402/MRS NO.

N.

11-10 / 11-5(7

ASAHI HEIKI CO

NO.2760 MINAMIKANN-MACHI HI

1. The oblique line — Bulldings include Reparation Machines.

BLDG. NO. 18
weighing machin SHOP
HOUSE
EX.

BLDG. NO. 1
(MISCELLANEO
MACHINE SHOP
(NO. 1)

BLDG. NO. 23
ex-ABILITER TRAINING SCHOOL

BLDG. NO. 22

BLDG. NO. 29
ex-CEMENT & SLATE SHOP
EX.

BLDG. NO. 2
MACHINE SHOP
(NO. 2)
(U.)

BLDG. NO. 10
ex. HEAT TREATING SHOP

BLDG. NO. 6

WOOD WORKIN
SHO


11-10/11-5(73)
ASAHI HEIKI CO. K.K.
MIKANN-MACHI HIROSHIMA-CITY
1/800
...ngs include Reparation Machines.
SHRINE
BLDG. NO.18
Weighting Machine SHOP
HOUSE
EX.
BLDG. NO. 1
(MISCELLANEOUS) MACHINE SHOP
(NO. 1)
BLDG. NO. 7
WARE HOUSE
MAIN OFFICE
OTHER PLANT.
TENMARIVER
BLDG. NO.22
BLDG. NO.8
Tool Room
BLDG. NO.9
HEAT TREATING SHOP
BLDG. NO.3
SHEET METAL SHOP(U.)
EX. MACHINE SHOP
BLDG. NO. 2
MACHINE SHOP
(NO.2)
(U.)
BLDG. NO. 4
FOUNDRY SHOP1
(U)
BLDG. NO. 6
WOOD WORKING SHOP(U.)
BLDG. NO.
FOUNDRY SHOP2 (U)
P49.3.10.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS No: 1[illegible]

HEADQUARTERS
HIROSHIMA MILITARY GOVERNMENT TEAM
APO 248

D/FMK/mn

11-10
VI-a

File No: HMGT 386.3

23 June 1949

SUBJECT: Permission to Dispose of Land and Buildings at a Reparations Factory

THROUGH: Director
Hiroshima Prefectural Liaison Office

TO : Governor
Hiroshima Prefecture

1. Reference: letter Hiroshima Prefectural Office, Hiro-shin-bai 74, 20 June 1949, subject: "Application for permission to dispose of land and buildings at Asahi Sangyo K. K."

2. Referenced application is approved.

JAMES R. TRUDEN
Lt Col TC
Commanding

1 Incl:
Referenced application

124

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS No.

ASAHI SANGYO CO. LTD.
(OLD NAME : ASAHI HEIKI CO. K.K.)
No.2760, Minamikannon-machi, Hiroshima-city.

June 13, 1949.

TO : Headquarters,
Hiroshima Military Government Team.

THROUGH: Hiroshima Prefectural Office.

SUBJECT: Application for permission to dispose of the estate and the building in reparation factory.

Sir:

In order to execute our debts and repair the building which has held the reparation equipment, we intend to dispose of our estate and our buildings as attached sheet, to discharge our duty.

Therefore we earnestly your permission to dispose of the estate and the buildings.

Yours faithfully

I. Kuwahara.
Ichio Kuwahara
President & Director

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSG NO.

I. BUILDING

Building No.	Building Name	Formation	Area (Tubo)	Disposition Method	Remarks
8	Tool Room	Wooden, Second-storied, Tile-roofed house	286	Disposal by sale	To remove tool, Item 8,(All Authorized Use) to building No. 7 (Warehouse).
29	Old Cement & Slate Shop	Wooden, One-storied, Tile-roofed house.	I80	Ditto.	No reparation equipment.
IO	Old Heat Treating Shop	Ditto.	40	Ditto.	To remove oil crucible ,II-IO-I73,(Dead Storage) to building No. 9(Heat Treating Shop).
23	Old Abiliter Training School	Wooden, Second-storied, Tile-roofed House.	263.5	Ditto	No reparation equipment.
	Attached Small Building 4 Ridge	Wooden, One-storied, Tile-roofed house	35	After dissection use repair-ing material	Ditto. Lodging-house I Latrine 2 Distroyed building (Old bath-room) I

II.

II. Estate

Name	Area (Tubo)	Disposition Method	Cautioning Measure
Estate	4,000	Disposal by sale	To do burglary prevention by means of new establishment of the fence(board-fence, wire entanglement).

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS

VI B. RELEASE OF MATERIALS

VIB

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
18 Dec 1950	Release of Reparations Equipment Located in Hiroshima Prefecture	CPC
12 Feb. 51	Report of Disposal of Released Equipment as Melt-Down Scrap	Asahi Sangyo Co., Ltd.
28 March 51	Release of Reparations Equipment as Melt-Down Scrap	CCAR -Basic
7 May 51	Release of Reparations Equipment Located at Plant Code No. 11-10	CPC

VI C. RELEASE OF EQUIPMENT

VIC

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NS: 1 0 0 1

CHUGOKU
MAY - 2 1951
INFORMATION
O.D. 1 1

ECONOMICS
CHIEF
D.&I. 2
N.R.
LABOR 86
FI 2 3

CIVIL PROPERTY CUSTODIAN
APO 500

357.6(7 MAY1951)CPC/AD 7 MAY1951

MEMORANDUM FOR: Reparations Division, Reparations Agency, Japanese Government, Tokyo, Japan

SUBJECT: Release of Reparations Equipment Located at Plant Code No. 11-10

1. The following listed items of reparations equipment are released as melt down scrap:

Inventory No.	Description
11-10-160 thru 163	Furnace
165	Oil Crucible
166	Annealing Basket
168	Water-pot
169	Annealing Basket

2. Salvable components of items listed which can be used to rehabilitate equipment within the plant will be retained.

3. It is requested that a report be submitted to the Civil Property Custodian, General Headquarters, Supreme Commander for the Allied Powers within ninety (90) days from the date of this memorandum showing the disposition of the equipment released.

F. E. GILLETTE
Colonel, Infantry
Custodian

DISTR:
CHS (2)
ESS
CAS

CAS

3 MAY 1951
DECLASSIFIED

DATE RECEIVED MAY4 1951 ECONFILE 11-10 VII C LOG No 635

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO: [redacted]

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 182

D/TK/st

28 March 1951

CCAR 336.3

SUBJECT: Release of Reparations Equipment as Melt-Down Scrap

TO : SUPREME COMMANDER FOR THE ALLIED POWERS
Attention: Chief, Civil Affairs Section (Economics)
APO 500

1. Reference, inclosed application of Asahi Sangyo K.K. (11-10), subject: "Application for Release of Reparation Equipment for Melt-Down Purpose", 27 March 1951 as transmitted by Hiroshima Prefectural Office letter, Hiro-Shin-Ki, subject: "Application for Release of Reparation Equipment for Melt-Down Purpose," 27 March 1951.

2. Subject equipment has been inspected by a representative of this headquarters.

3. Recommend release of equipment specified in referenced application as melt-down scrap.

/s/ William M. Keane
WILLIAM M. KEANE
Colonel, Arty
Chief

1 Incl:
As indicated (in dup)

DECLASSIFIED E.O. 12065 SECTION 3 402/NNBS NO: [illegible]

HEADQUARTERS
CHUGOKU CIVIL AFFAIRS REGION
APO 182

D/TK/st

CCAR 386.3

28 March 1951

SUBJECT: Release of Reparations Equipment as Melt-Down Scrap

TO : SUPREME COMMANDER FOR THE ALLIED POWERS
Attention: Chief, Civil Affairs Section (Economics)
APO 500

1. Reference, inclosed application of Asahi Sangyo K.K. (11-10), subject: "Application for Release of Reparation Equipment for Melt-Down Purpose", 27 March 1951 as transmitted by Hiroshima Prefectural Office letter, Hiro-Shin-Ki 16, subject: "Application for Release of Reparation Equipment for Melt-Down Purpose", 27 March 1951.

2. Subject equipment has been inspected by a representative of this headquarters.

3. Recommend release of equipment specified in referenced application as melt-down scrap.

1 Incl:
As indicated(in dup)

WILLIAM M. KEANE
Colonel, Arty
Chief

Subject File RE: RSS
11-10
Sect VII C

MAR 28 1951

457

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSS NO.

HIROSHIMA PREFECTURAL OFFICE

Hiroshima City

Serial No: **Hiro-Shin-Ki 16** **27 March 1951**

SUBJECT: **Application for Release of Reparation Equipment for Melt-down Purpose**

TO : **Chief**
Chugoku Civil Affairs Region

You are cordially requested to be kind enough to take an appropriate action to approve the enclosed application from Asahi Sangyo K.K. as our investigation has found that the company's application be true and reasonable.

FOR THE PREFECTURAL GOVERNOR:

for T. Tajima

KAKUJI NAKABA
Chief, Commerce and
Industry Department

Incl: Application

Incl 1

DECLASSIFIED E.O. 12065 SECTION 3 402/NNSC NO.

Date: 27 Mar. 1951

To: Chugoku Civil Affairs Region

Name of Plant: Asahi Sangyo K.K.

Code No.: 11-10

Address: 2760 Minamikannon-machi, Hiroshima City.

Subject: Application for Release of Reparation Equipment for Melt-down Purpose.

It is requested that the undermentioned items released from reparations custody for melt-down scrap.

Name of Items	Inventory No.	Remarks
Furnace	160	Internal wreckage
Furnace	161	"
Furnace	162	"
Furnace	163	"
Oil Crucible	165	Oil leakage
Annealing Basket	166	Rusty
Water-pot	168	Not worthy being used
Annealing Basket	169	Rusty

P.S.

Our Company will not use the above-mentioned equipments in future. By that these equipments will be released, we will be able to utilize this building in which these equipments has been stored to enlarge the new producing plan.

Ichio Kuwahara

Ichio Kuwahara,
President of Asahi Sangyo K.K.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDS NO.

Copy

Report of Disposed of Released Equipment
as Melt-down Scrap.

Date : 12 February, 1951

Plant name : Asahi Sangyo Co., Ltd.
address : 2760 Minamikannon-machi,
Hiroshima city.

Code No. : 11-10

Reference : 387.6 (18 Dec. 1950) CPC/AD
Eeleasedef Reparations Equipment
Located in Hiroshima Prefecture.

Total No. of Equipment Disposed : 51

List of Equipment.

Inventory No.	Name of Equipment.
5	Lathe
7	"
11	"
12	"
14	"
15	"
17	"
18	"
19	"
20	"
21	"
23	"
24	"
26	"
27	"
28	"
29	"
31	"
33	"
35	"
36	"
37	"
38	"
39	"
40	"
41	"

11-1 P MANUFACTURING INDUSTRY Attached

DECLASSIFIED E.O. 12065 SECTION 3 402/NNDS NO. [illegible]

42	〃	
43	〃	
44	〃	
50	〃	
63	〃	
66	〃	
68	〃	
69	〃	
70	〃	
72	〃	
74	〃	
75	〃	
76	〃	
79	〃	
80	〃	
81	〃	
83	Milling	
87	〃	
45	Lathe	
46	〃	
62	〃	
167	Winch	
91	Drilling	
94	Grinder	
170	Crane	

The Equipment listed above were disposed as melt-down scrap on 5 February, 1951.

Name of Title of Custodian.

I. Kuwahara
Ichie Kuwahara,
President of Asahi Sangyo Co., Ltd.

I certify that above report has been found to be correct and true.

Name and Title of Responsible Official.

Hiromu Otani
Secretary in charge of Reparation
Enterprise Section
Hiroshima Prefecture