


CA20N
P531
-V37




REGISTRATION REPORT

ONTARIO.

1882



Digitized by the Internet Archive
in 2012 with funding from
University of Guelph, University of Windsor, York University and University of Toronto Libraries



REPORT

RELATING TO THE REGISTRATION OF

BIRTHS, MARRIAGES, AND DEATHS

IN THE

PROVINCE OF ONTARIO.

FOR THE YEAR ENDING 31ST DECEMBER,

1882.

Printed by Order of the Legislative Assembly.



Toronto:

PRINTED BY C. BLACKETT ROBINSON, 5 JORDAN STREET.

1883.



CONTENTS.

	PAGE.
Statement shewing the number of Births, Marriages and Deaths registered in 1882.....	1
Table 1.—Total number of Births, Marriages and Deaths in each County of the Province.	2
“ 2.— do do do in each County Town	4
“ 3.— do do do in the ten Cities, with causes of Death.....	6
Remarks on Tables 1, 2 and 3.....	7-9
 <i>Births :</i>	
Table 4.—By Months, with proportion of Males to Females.....	12
“ 5.— “ 1881 and 1882	12
“ 6.— “ in the ten Cities	13
“ 7.—Quarterly Return, 1881 and 1882	14
“ 8.—Within specified periods.....	14
“ 9.—Quarterly Return for nine years.....	15
“ 10.—Comparative Statement for the Cities during nine years.....	16
Remarks on Tables 4, 5, 6, 7, 8, 9 and 10.....	17
Table 11.—Illegitimate, Twins and Triplets.....	17
Remarks on the same.....	18
 <i>Marriages :</i>	
Table 12.—By Denominations.....	20
“ 13.—Classified by Months.....	20
“ 14.— “ “ Numerical Order	21
Remarks on Tables 12, 13 and 14.....	21
Table 15.—By Ages.....	22
“ 16.—Disparity of Ages	23
Remarks on Tables 15 and 16.....	24
 <i>Deaths :</i>	
Table 17.—At Different Ages.....	27
“ 18.—Quarterly Return.....	28
“ 19.—Monthly Return.....	28
Remarks on Tables 17, 18 and 19.....	28
The Death Wave of 1882	29
Table 20.—Ten highest causes of Death for eleven years.....	30-31
“ 21.— “ “ by Counties.....	32-33
“ 22.— “ “ in Cities and Towns.....	34-35
“ 23.— “ “ with percentages	36-37

Deaths—Continued.

	PAGE.
Classified causes, with remarks thereon	38-41
Mortality from Consumption.....	41
Remarks on classified causes continued.....	42-43
Table 24.—By Ages in the Counties.....	44
“ 25.— “ in the Cities and Towns.....	45
Remarks on Tables 24 and 25.....	46
Table 26.—List of Centenarians	47
“ 27.—By Nationalities, with remarks	48
“ 28.—By Occupations	48-49
“ 29.—Ten Occupations, giving the highest and lowest average age.....	50
Remarks on Table 29.....	51-52
Table 30.—Statistical Classification of Deaths by Occupations.....	53-54
“ 31.—Ten highest causes of Death, amongst those whose Occupations were given	56
“ 31.—Ten Occupations which returned the highest number of Deaths from Phthisis	56
Remarks on Table 31.....	57

APPENDIX.

TABLE A.—Births by Months	iv.
“ B.—Marriages by Denominations	xii.
“ C.— “ Months.....	xxii.
“ D.— “ Ages.....	xxviii.
“ E.—Deaths, Causes of, with Months' Ages.....	xxxiii.
“ E.—Recapitulation of Table E.	lxxii.
“ F.—Deaths by Counties—Causes of Death	lxxiv.
“ G.—Deaths in Cities and Towns—Causes of Death	cxlv.
“ H.—Deaths by Ages in the Counties	clxxxv.
“ I.— “ “ Cities and Towns	ccxvii.
“ J.— “ Occupations	ccxlix.
“ K.— “ “ —Causes of Death.....	cclxiii.

REGISTRAR-GENERAL'S OFFICE, ONTARIO,

TORONTO, December 23rd, 1883.

*To His Honour the Honourable John Beverley Robinson,
Lieutenant-Governor of the Province of Ontario.*

MAY IT PLEASE YOUR HONOUR:

In compliance with the Statute in that behalf, the undersigned respectfully presents to Your Honour the Annual Report of Births, Marriages and Deaths for the year ending 31st December, 1882.

Respectfully submitted,

ARTHUR S. HARDY,

Registrar-General.

REPORT

RELATING TO THE

Registration of Births, Marriages, and Deaths

IN THE

PROVINCE OF ONTARIO,

FOR THE YEAR ENDING 31ST DECEMBER, 1882.

PARLIAMENT BUILDINGS,

TORONTO, December 23rd, 1883.

To the Honourable A. S. HARDY,

Registrar-General, Province of Ontario.

SIR,—I have the honour to submit the Annual Report relating to the Registration of Births, Marriages and Deaths, in the Province during the year ending 31st December, 1882.

The total number of Births, Marriages and Deaths, registered during the year 1882, was 77,678, an increase of 1,037, or 1.3 per cent. over the number registered in 1881.

The number of Births registered was 42,429, as against 40,714 in 1881, shewing an increase of 1,715, or 4.2 per cent. 13,449 Marriages were solemnized in 1882, an increase of 343, or 2.6 per cent., over the number registered in 1881. The number of Deaths recorded during the year 1882 was 21,800. In 1881, the number returned was 22,821, shewing a decrease of 1,021, or 4.4 per cent.

TABLE I.—TABLE SHEWING THE TOTAL NUMBER OF BIRTHS, MARRIAGES, AND DEATHS IN EACH COUNTY OF THE PROVINCE OF ONTARIO IN 1882, WITH THE INCREASE AND DECREASE.

COUNTIES.	Number of Births.		Increase over 1881.		Decrease.		Number of Marriages, 1882.		Increase over 1881.		Decrease.		Total number of B. M. and D., 1882.		Total number of B. M. and D., 1881.		Increase.		Decrease.		BIRTHS.	MARRIAGES.	DEATHS.
	1882.	1881.	1881.	1882.	1881.	1882.	1881.	1882.	1881.	1882.	1881.	1882.	1881.	1882.	1881.	1882.	1881.	1882.	1881.	1882.	Ratio to 1,000 Population.	Ratio to 1,000 Population.	Ratio to 1,000 Population.
Algoma	332	2	21	136	16	578	543	35	543	578	16.3	5.4	6.7	
Brant	667	36	7	352	1249	1378	129	1378	1249	20.0	7.0	10.4	
Bruce	1554	161	14	525	410	2340	149	2340	2189	24.0	6.3	8.1	
Carleton	1805	537	95	1513	362	534	2858	994	2858	3352	28.1	8.3	23.6	
Dufferin	499	2	11	187	13	151	837	26	837	837	24.3	7.3	9.1	
Elgin	704	10	23	317	312	1444	111	1444	1333	16.6	7.3	7.5	
Essex	1374	11	37	677	338	2580	191	2580	2389	29.5	7.2	14.5	
Frontenac	842	44	16	628	23	296	1771	5	1771	1796	19.7	7.0	14.8	
Grey	1452	221	2	588	100	403	2120	323	2120	2443	20.6	5.7	8.3	
Haldimand	502	20	30	230	147	972	93	972	879	20.1	5.9	9.2	
Halton	499	15	7	257	132	897	9	897	888	22.7	6.4	11.7	
Hastings	941	19	52	587	441	1949	20	1949	1969	17.0	8.0	10.6	
Huron	1603	117	20	685	415	2919	216	2919	2703	20.9	5.4	8.9	
Kent	1142	161	38	595	16	433	1955	51	1955	2170	21.1	8.0	10.0	
Lambton	1096	79	15	428	314	1889	51	1889	1838	21.0	6.3	8.2	
Lanark	506	48	27	247	226	935	44	935	979	15.0	6.7	7.2	
Leeds and Grenville	1130	228	6	646	405	2003	178	2003	2181	18.7	6.7	10.7	
Lennox and Addington	453	5	19	263	213	965	36	965	929	17.1	7.1	10.0	

Lincoln	655	191	398	56	1244	1306	62	20.7	6.0	12.6
Middlesex	1924	749	1103	389	3776	4052	276	20.6	8.0	11.8
Muskoka and Parry Sound	848	171	285	52	1304	1151	153	31.2	6.3	10.5
Norfolk	773	242	345	49	1360	1390	30	23.0	7.2	10.2
Northumberland and Durham	1367	504	691	63	2562	2440	122	17.7	6.5	9.0
Ontario	1027	327	498	86	1852	2110	258	21.0	6.7	10.2
Oxford	1086	320	601	32	2007	2069	62	21.7	6.4	12.0
Peel	592	162	334	53	1088	1001	87	22.6	6.2	12.8
Perth	1176	284	511	55	1971	2018	47	21.9	5.3	9.5
Peterborough	801	222	359	39	1382	1465	83	23.1	6.4	10.4
Prescott and Russell	1178	271	485	57	1884	1688	196	31.0	7.1	11.4
Prince Edward	399	157	348	88	904	819	85	19.0	7.5	16.5
Renfrew	911	236	325	16	1472	1375	97	22.6	5.9	8.1
Simcoe	1402	498	620	3	2520	2467	53	18.7	6.6	8.3
Stormont, Dundas and Glengarry	1025	435	540	92	2000	1957	43	15.5	6.6	8.2
Victoria	740	245	334	20	1319	1307	12	21.0	7.0	9.5
Waterloo	1234	398	579	17	2211	2146	65	28.9	9.3	13.5
Welland	695	183	385	23	1263	1302	39	21.9	5.8	12.1
Wellington	1574	436	720	72	2730	2750	20	23.8	6.6	10.9
Wentworth	1692	592	1065	83	3349	3418	69	25.3	8.8	15.9
York	4229	1316	2463	53	8008	8081	73	27.6	8.6	16.1
Totals	42429	13449	21800	832	77678	76641	1860	22.1	7.0	11.3

Increase in Births,
1,715.

Increase in Mar-
riages, 343.

Decrease in Deaths,
1,021.

Total increase in B. M.
and D., 1,037.

TABLE 2.

Table shewing the Increase or Decrease (as the case may be) of Births, Marriages and Deaths in the County Towns of Ontario in 1882.

COUNTY TOWNS.	Population by Census,		BIRTHS.			MARRIAGES.			DEATHS.			TOTAL NUMBER OF BIRTHS, MARRIAGES AND DEATHS.			BIRTHS. Ratio per 1000 of population.	MAR- RIAGES. Ratio per 1000 of population.	DEATHS. Ratio per 1000 of population.			
	1881.	1882.	Increase.	Decrease.	1881.	1882.	Increase.	Decrease.	1881.	1882.	Increase.	Decrease.	1881.	1882.				Increase.	Decrease.	
Brantford	247	255	8	110	98	12	177	156	21	534	509	25	26.5	10.1	16.2
Walkerton	2604	67	2	33	44	11	23	19	4	121	130	9	25.7	16.9	7.3
Ottawa.....	27412	495	1042	547	308	389	81	843	1231	388	1646	2662	1016	38.0	14.2	44.9
Orangeville.....	2847	53	40	13	59	55	4	24	30	6	136	125	11	14.0	19.3	10.5
St. Thomas.....	8867	204	177	27	122	112	10	99	82	17	425	371	54	21.1	13.3	9.8
Sandwich	1143	28	20	8	13	18	5	36	12	24	77	50	27	17.5	15.7	10.6
Kingston	14091	363	329	34	160	152	8	283	313	30	806	794	12	23.3	10.7	22.2
Owen Sound.	4426	106	107	1	84	76	8	58	73	15	248	256	8	24.2	17.2	16.5
Cayuga	830	15	26	11	9	12	3	15	8	7	39	46	7	31.3	14.5	9.6
Milton.....	1302	30	44	14	11	16	5	13	15	2	54	75	21	33.8	12.3	11.5
Belleville.....	9516	210	190	20	98	129	31	169	171	2	477	490	13	20.0	13.5	18.0
Goderich	4564	111	85	26	31	34	3	73	48	25	215	167	48	18.6	7.5	10.5
Chatham	7873	167	138	29	153	147	6	124	84	40	444	369	75	17.5	18.7	10.7
Sarnia	3874	80	100	20	65	47	18	46	43	3	191	190	1	25.8	12.1	11.1
Perth	2467	62	45	17	47	58	11	40	36	4	149	139	10	18.3	23.5	14.6

Brockville	7609	219	155	64	88	51	153	168	37	168	153	15	475	359	116	20.4	6.7	20.1
Napanee	3680	58	103	45	70	84	14	69	64	69	64	5	197	251	54	28.0	22.8	17.4
St. Catharines.....	9631	172	192	20	70	63	195	156	195	156	39	437	411	26	20.0	6.5	16.2
London	19746	426	449	23	222	304	82	374	316	374	316	58	1022	1069	47	22.7	15.4	16.0
Simcoe	2645	54	60	6	27	29	2	40	31	40	31	9	121	120	1	22.7	11.0	11.7
Cobourg.....	4957	100	104	4	58	52	56	54	6	56	54	2	214	210	4	21.0	10.5	10.9
Whitby	3140	77	58	19	32	27	58	47	5	58	47	11	167	132	35	18.4	8.6	11.8
Woodstock.....	5373	145	132	13	70	63	86	63	7	86	63	23	301	258	43	24.6	11.7	11.7
Brampton	2920	82	100	18	42	56	14	80	88	80	88	8	204	244	40	34.2	19.1	30.1
Stratford.....	8239	159	165	6	60	53	105	71	7	105	71	34	324	289	35	20.0	6.4	8.6
Peterborough.....	6812	198	168	30	84	91	7	104	83	104	83	21	386	342	44	24.7	13.4	12.2
L'Original	853	7	10	3	1	1	6	6	6	6	14	17	3	11.7	1.2	7.0
Picton	2975	66	38	28	64	74	10	43	56	43	56	13	173	168	5	12.8	24.9	18.8
Pembroke	2820	77	130	53	61	45	16	49	16	49	54	5	187	229	42	46.1	15.9	19.1
Barrie	4854	119	107	12	101	76	25	60	25	60	63	3	280	246	34	22.0	15.7	13.0
Cornwall	4468	91	94	3	69	92	23	85	66	85	66	19	245	252	7	21.0	20.6	14.8
Lindsay	5080	96	81	15	86	74	12	72	12	72	48	24	254	203	51	16.0	14.6	9.4
Berlin.....	4054	125	132	7	76	84	8	77	78	1	77	78	1	278	294	16	32.6	20.7	19.2
Welland	1870	32	23	9	20	15	5	26	5	26	14	12	78	52	26	12.3	8.0	7.5
Guelph.....	9894	282	284	2	87	90	3	184	168	184	168	16	553	542	11	28.7	9.1	17.0
Hamilton	35961	957	948	9	396	398	2	648	637	648	637	11	2001	1983	18	26.3	11.6	17.7
Toronto.....	86415	2545	2600	55	883	950	67	1690	1730	1690	1730	40	5118	5280	162	30.0	11.0	20.0
Total.....	334928	8323	8798	848	373	3970	4159	382	193	6298	6367	513	444	18591	19324	1445	712	712	26.2	12.4	19.0
Increase.....				475	Increase.....	Increase.....	Increase.....	189	Increase.....	Increase.....	Increase.....	69	Total	Increase.....				733				

TABLE 3.

RETURN of BIRTHS, MARRIAGES and DEATHS in the Cities of Ontario, with their Population and Ratio per 1,000 persons living; also, the Causes of Death, by Classes.

CITIES.	Population by census of 1881.	BIRTHS.		MARRIAGES.		DEATHS.		CLASSES OF DISEASES.					
		Number returned.	Ratio to 1,000 of the population.	Number returned.	Ratio to 1,000 of the population.	Number returned.	Ratio to 1,000 of the population.	Class I.—Zymotic Diseases.	Class II.—Constitutional Diseases.	Class III.—Local Diseases.	Class IV.—Developmental Diseases.	Class V.—Violence Tending to sudden death.	Cause not stated.
Toronto	†86415	2600	30.0	950	11.0	1730	20.0	402	374	664	181	48	61
Hamilton.....	35961	948	26.3	398	11.6	637	17.7	138	144	239	71	21	24
Ottawa.....	27412	1042	38.0	389	14.2	1231	44.9	217	537	178	173	29	97
London	19746	449	22.7	304	15.4	316	16.0	80	86	80	34	21	15
Kingston	14091	329	23.3	152	10.7	313	22.2	55	79	117	32	17	13
Guelph.....	9894	284	28.7	90	9.1	168	17.0	35	47	45	29	3	9
St. Catharines..	9631	192	20.0	63	6.5	156	16.2	25	45	50	16	13	7
Brantford.....	9616	255	26.5	98	10.1	156	16.2	26	40	53	24	5	8
Belleville	9516	190	20.0	129	13.5	171	18.0	21	42	71	21	7	9
St. Thomas....	8367	177	21.1	112	13.3	82	9.8	27	10	32	11	2
Total....	231649	6466	28	2685	11.5	4960	21.4	1026	1404	1529	592	166	243

† Yorkville not included, as its incorporation with Toronto did not come into force until Jan. 1883.

REMARKS ON TABLES 1, 2, AND 3.

These tables contain the number of births, marriages, and deaths registered in Ontario in 1882; the full particulars will be found in the Appendix to this Report.

BIRTHS.

Increased returns of births over those of 1881 have been received from 25 of the 39 counties.

The ratio of births to 1,000 persons living is 22, and fifteen counties return a higher ratio and 24 a lower.

The State of Rhode Island, in which registration laws have been in operation for 28 years, shew by their reports a ratio of 24 births to 1,000 of the population.

In Vermont, registration laws have been in force since 1857; the birth rate of this State, according to their reports, is 21 per 1,000.

In Massachusetts, the registration of vital statistics has been carried on since 1850. Their reports shew a birth rate of 23 per 1,000, so it will be observed that the number of births registered in Ontario compares favourably with the numbers registered in these States, especially when it is considered that many of the counties in Ontario have been settled very recently, and it is found difficult to get returns from sparsely settled districts. The returns shew that there was in the whole Province one birth to every 45 of the population. In several counties this proportion was exceeded: thus Carleton returned one birth to every 35.5 of its population; Essex, Prescott and Russell, (united) and Waterloo, one in every 34; Wentworth, one in every 39.6; York, one in every 36.2. In some of the other counties the proportion was less. Elgin only returned one birth to every 60 of the population; Hastings, one in every 58.6; Northumberland and Durham (united), one in every 56.6; and Stormont, Dundas, and Glengarry (united), one in every 64.4 of the population.

The births registered in the cities and towns are much greater in proportion to population than in the whole Province.

The total number of births in these cities and towns was 8,323, or a ratio of 26.2 per 1,000 of the population, a ratio greater by 4.1 than that of the whole Province. This may be accounted for by the fact that registrations are generally more complete in cities and towns than in rural districts.

Much variation is observed in the birth rate even in the cities and towns; in some it was higher than the rate for the whole 26.2 per 1,000, and others lower. Ottawa, for instance, returned a ratio of 38.0 births per 1,000; Milton, a ratio of 33.8 per 1,000; Brampton, 34.2 per 1,000; Pembroke, 46.1 per 1,000; Berlin, 32.6 per 1,000; and Toronto, 30 per 1,000, while L'Orignal only returns 11.7 per 1,000, and Orangeville 14 per 1,000. Incomplete registration was doubtless the cause of this low birth rate in these towns.

MARRIAGES.

There is an increase in the number of marriages registered both in the cities and towns, as well as in the whole Province. Fairly good times doubtless tended to increase the marriage rate.

The careful registration of the marriages made by clergymen is, however, the principal cause of the now complete registration of this branch of vital statistics; and, if parents, physicians, and others were as conscientious in discharging their duties in reference to the registration of births and deaths as clergymen are to register marriages, the objects for which the Act was established would be attained.

The ratio to population of marriages in the whole Province was 7 per 1,000. In the cities and towns it was 12.4 per 1,000.

The cause for the higher ratio in the cities and towns has been explained in previous reports, viz., "That parties residing in the rural districts generally resort to the cities and towns to have their marriages solemnized."

In the counties, Waterloo returned the largest ratio, 9.3 per 1,000. Six counties—Carleton, Hastings, Kent, Middlesex, Wentworth, and York, return 8 per 1,000, all of them except Kent include large cities.

The lowest ratio in any county, 5.3 per 1,000, was returned from Perth. Seven counties had ratios between 5 and 6 per 1,000, viz., Algoma, 5.4; Grey, 5.7; Haldimand, 5.9; Huron, 5.4; Perth, 5.3; Renfrew, 5.9; and Welland, 5.8.

In the returns from the cities and towns, Picton returned the largest ratio of marriages, 24.9 per 1,000, and there are four other towns that returned a marriage rate of over 20 per 1,000, viz., Perth, 23 per 1,000; Napanee, 22.8 per 1,000; Cornwall, 20.6 per 1,000; and Berlin, 20.7 per 1,000. There was only one marriage returned from the town of L'Orignal for 1882. The next lowest returns were from Stratford, 6.4 per 1,000; Brockville, 6.7 per 1,000, and St. Catharines, 6.5 per 1,000.

DEATHS.

In 1881 the number of deaths returned was considerably in excess of the previous year (1880). In 1882 there were 1,021 less deaths registered than in 1881. Twelve counties returned an increase in the number of deaths registered, and twenty-seven a decrease. The largest increase returned from any county, 362, was from Carleton. The cause of this very large increase is explained further on in the report. The County of Grey returned an increase of 100 deaths, registered in 1882. Ten other counties also returned larger returns of deaths, although the increases were small. Middlesex returned 389 less deaths registered in 1882 than in 1881. This decrease is more apparent than real; the returns for 1881 were unusually large, owing (as stated in last year's report) "to the sad accident which occurred on the River Thames, near London, in that county, by the upsetting of the steamer 'Victoria,' when nearly 200 persons lost their lives." The death rate for 1882 having returned to its normal state, the decrease is fully accounted for. The following counties also returned fewer deaths in 1882 than in 1881, viz.: Essex, 165 less; Lambton, 115 less; Stormont, Dundas, and Glengarry, (united) 92 less; Ontario, 86 less; Brant, 86 less, and Wentworth, 83 less. The decreases in other counties were small. The ratio of deaths per 1,000 in the whole Province was therefore less in 1882, being 11.3 per 1,000, while in 1881 it was 12. per 1,000.

The returns from the State of Rhode Island shew a death rate of 18 per 1,000, Michigan 13.9 per 1,000, and Massachusetts, 19.3 per 1,000.

Carleton County returned the highest death rate, 23.6 per 1,000. The Counties of Prince Edward, York, and Wentworth, had an average death rate of 16 per 1,000. The lowest rate of mortality was returned from Algoma, 6.7 per 1,000, but many returns were not received from the unorganized portions of this district; Lanark returned only 7.2 per 1,000, and Elgin only 7.5. The Counties of Bruce, Grey, Lambton, Renfrew, Simcoe and Stormont, Dundas and Glengarry (united), averaged only 8 per 1,000, about one-half of what is supposed to be the actual death rate of Ontario. Turning to Table No. 2, "Return of Deaths from the County Towns," much more reliable data appear to have been furnished, although, in some instances, the death rate returned was unusually large, and in others remarkably low. The total increase in the number of deaths in these places was 69. The largest increase was from the City of Ottawa, 388, and was chiefly caused by the deaths of infants which took place in a lying-in hospital being registered in 1882, whereas, in former years, no returns of any deaths were received from this institution. This increase swelled the death rate to 44.9 per 1000, but as the mothers of these deceased children were only temporary residents of Ottawa it does not appear just that these deaths (which took place so soon after birth), should be taken into account when determining the death rate of the city.

Toronto and Kingston returned an increase in the number of deaths of 40 and 30 respectively, the other increases in the cities and towns were small in number—7 of the cities and 18 of the towns had less deaths in 1882 than in 1881. The ratio of deaths, to 1,000 of the population, was, in the cities and towns, 19 per 1,000; in 1881 it was 18.8 per 1,000.

The total number of deaths registered in the ten cities was 4,960, this gives a ratio of 21.4 per 1,000 of the population in these places; but this includes the very high ratio, 44.9 per 1,000 returned by Ottawa. Eliminating Ottawa from the list the ratio would shew 18.2 per 1,000. Brampton returned a very high death rate, 30.1 per 1,000.

There are three places where the ratio of deaths was between 20 and 23 per 1,000, viz.: Kingston, 22.2; Brockville, 20.1; Toronto, 20. Two towns, Pembroke and Berlin, had a ratio of 19 per 1,000. The lowest mortality was reported from the three towns L'Original, Walkerton and Welland, 7.0 per 1,000.

There was one death to every 88.2 of the population of the Province. Carleton County returned the largest proportion, one in every 42. Prince Edward and York were the next highest, the former 1 in 60 the latter 1 in 62. Lanark returned the lowest proportion, 1 in every 137.5. The Counties of Elgin, Bruce, Stormont, Dundas, Glengarry (united), Lambton, Grey, Simcoe, and Renfrew were also low, ranging from 1 in 133 to 1 in 120 of the population.

In the cities the proportion was much larger, shewing 1 death in every 52.6 of the population. In Ottawa it was extraordinarily large, 1 death in every 22 of the population; the cause of this has already been explained. Brampton was also high, 1 in every 33.2. L'Original only returns 1 in every 142, and Walkerton only 1 in 137, and Welland 1 in every 133.

BIRTHS.

BIRTHS.

TABLE 4.—BIRTHS BY MONTHS IN 1882.

SEX.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Males	1859	1839	2013	1806	1753	1625	1755	1954	1874	1875	1677	1871	21901
Females	1775	1718	1913	1719	1624	1505	1707	1794	1791	1771	1629	1582	20528
Total	3634	3557	3926	3525	3377	3130	3462	3748	3665	3646	3306	3453	42429
Male births to 100 female births	104.7	107.0	105.2	105.0	107.9	107.9	102.8	108.9	104.6	105.8	102.9	118.2	106.6

TABLE 5.—ORDER OF BIRTHS BY MONTHS IN 1881 AND 1882.

MONTHS.	1881.			MONTHS.	1882.		
	Males.	Females	Total.		Males.	Females	Total.
March	2004	1855	3859	March.....	2013	1913	3926
January	1885	1674	3559	August.....	1954	1794	3748
December.....	1795	1711	3506	September.....	1874	1791	3665
August.....	1819	1609	3428	October.....	1875	1771	3646
February.....	1783	1644	3427	January.....	1859	1775	3634
April.....	1759	1632	3391	February.....	1839	1718	3557
May.....	1763	1623	3386	April.....	1806	1719	3525
July.....	1754	1630	3384	July.....	1755	1707	3462
September.....	1728	1606	3334	December.....	1871	1582	3453
October.....	1688	1562	3250	May.....	1753	1624	3377
June.....	1587	1529	3116	November.....	1677	1629	3306
November.....	1582	1492	3074	June.....	1625	1505	3130
Total	21147	19567	40714	Total.	21901	20528	42429

TABLE 6.—BIRTHS BY MONTHS IN THE TEN CITIES—1882.

CITIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of Pairs of Twins.	Triplets.	Illegitimate.	Still Born.
Toronto :																	
Males.....	112	110	123	112	103	97	92	127	112	128	108	110	1334	75	10
Females.....	103	110	115	105	102	78	103	103	107	122	121	97	1266	55	13
Total.....	215	220	238	217	205	175	195	230	219	250	229	207	2600	36	130	23
Hamilton :																	
Males.....	47	39	44	42	35	49	36	53	52	42	33	49	521	25	6
Females.....	47	29	38	33	35	27	22	23	46	34	44	49	427	19	2
Total.....	94	68	82	75	70	76	58	76	98	76	77	98	948	10	44	8
Ottawa :																	
Males.....	43	41	55	45	38	42	37	46	45	33	48	60	533	146
Females.....	34	42	30	40	55	40	36	38	50	59	50	35	509	173
Total.....	77	83	85	85	93	82	73	84	95	92	98	95	1042	3	319
London :																	
Males.....	20	22	23	13	17	20	20	13	27	12	18	24	229	13	1
Females.....	16	15	22	13	19	9	22	22	22	23	17	20	220	19	1
Total.....	36	37	45	26	36	29	42	35	49	35	35	44	449	5	32	2
Kingston :																	
Males.....	5	15	9	18	10	15	15	20	14	13	15	19	168	10	2
Females.....	17	9	13	12	13	13	12	14	20	16	9	13	161	1
Total.....	22	24	22	30	23	28	27	34	34	29	24	32	329	2	10	3
St. Catharines :																	
Males.....	6	11	11	9	10	9	5	8	11	14	12	1	107	2
Females.....	11	9	5	6	7	6	7	9	11	6	4	4	85	1
Total.....	17	20	16	15	17	15	12	17	22	20	16	5	192	3	3
Belleville :																	
Males.....	8	8	10	11	7	5	8	7	10	7	9	7	97	1	3
Females.....	7	7	10	9	7	6	7	13	10	5	5	7	93	3
Total.....	15	15	20	20	14	11	15	20	20	12	14	14	190	1	1	6
Brantford :																	
Males.....	13	7	9	9	9	7	10	9	15	8	7	9	112	4	1
Females.....	19	10	14	8	10	12	7	10	9	16	12	16	143	4
Total.....	32	17	23	17	19	19	17	19	24	24	19	25	255	2	...	8	1
Guelph :																	
Males.....	12	15	12	12	11	21	15	15	11	11	15	12	162	2	3
Females.....	5	7	10	10	8	8	12	16	10	12	10	14	122	1
Total.....	17	22	22	22	19	29	27	31	21	23	25	26	284	2	2	4
St. Thomas :																	
Males.....	4	6	14	8	9	5	8	10	10	5	6	7	92
Females.....	10	9	2	4	7	7	10	6	10	6	9	5	85
Total.....	14	15	16	12	16	12	18	16	20	11	15	12	177	1
Total Males.....	270	274	310	279	249	270	246	308	307	273	271	298	3355	278	26
Total Females.....	269	247	259	240	263	206	238	254	295	299	281	260	3111	271	21
Grand Total ..	539	521	569	519	512	476	484	562	602	572	552	558	6466	65	549	47

TABLE 7.

Quarterly return of births in 1881 and 1882.

QUARTERS.	1881.			1882.		
	Males.	Females	Total.	Males.	Females	Total.
Quarter ending March 31st.....	5672	5173	10845	5711	5406	11117
“ “ June 30th.....	5109	4784	9893	5184	4848	10032
“ “ September 30th.....	5301	4845	10146	5583	5292	10875
“ “ Decembe 31st..... r	5065	4765	9830	5423	4982	10405
	21147	19567	40714	21901	20528	42429

TABLE 8.

The number of births within the several specified periods was as follows :—

For the year.....	42,429	—Males,	21,901	; Females,	20,528.
“ month.....	3,535	“	1,825	;	“ 1,710.
“ week.....	815	“	421	;	“ 394.
“ day.....	116	“	60	;	“ 56.

The difference between the male and female births reported in each year, for the last ten years, is shewn to have been as follows :—

In 1872 there were 1,027 more male than female births.

“ 1873	“	1,037	“	“
“ 1874	“	1,073	“	“
“ 1875	“	1,064	“	“
“ 1876	“	987	“	“
“ 1877	“	1,361	“	“
“ 1878	“	1,780	“	“
“ 1879	“	1,651	“	“
“ 1880	“	1,726	“	“
“ 1881	“	1,580	“	“
“ 1882	“	1,373	“	“

TABLE 9.

The following statement shews the total number of Births in each quarter for the last nine years, with the per centages.

QUARTER.	1874.	1875.	1876.	1877.	1878.	1879.	1880.	1881.	1882.	Total for nine years.	Percentage of the whole nine years.
January to March.....	7610	6998	10012	12580	10652	11333	11050	10845	11117	92197	27.1
April to June.....	7048	6481	9566	9899	9688	10484	10345	9893	10032	83436	24.6
July to September.....	7034	6474	9623	9854	10075	9944	10893	10146	10875	84918	25.0
October to December....	6546	6015	9257	7624	9821	9274	10024	9830	10405	78796	23.3
Total.....	28238	25968	38458	39957	40236	41035	42312	40714	42429	339347	100.00

TABLE 10.

COMPARATIVE STATEMENT of the Birth Rate in the Cities of Ontario for Seven Years.

CITIES.	1876.			1877.			1878.			1879.			1880.			1881.			1882.		
	Population as returned by the Assessors.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population.	Number of Births.	Birth rate per 1,000 living.	Population according to Census.	Number of Births.	Birth rate per 1,000 living.	Population according to Census, 1881.	Number of Births.	Birth rate per 1,000 living.	Population according to Census, 1881.	Number of Births.	Birth rate per 1,000 living.
Toronto	71673	1984	27	67386	2222	32	70867	2637	37	73813	2638	35	83410	2650	31.7	86445	2545	29.4	86415	2600	30.0
Hamilton.....	32641	644	19	32641	946	28	33511	1008	30	34268	994	29	35041	941	26.7	35965	957	26.6	35961	948	26.3
Ottawa.....	25000	458	18	24431	339	13	24000	474	19	24015	479	19	26830	667	24.8	27417	495	18.0	27412	1042	38.0
London.....	18196	456	25	18898	465	24	19186	521	27	19666	539	27	19370	487	24.6	19763	426	21.5	19746	449	22.7
St. Catharines...	12870	137	10	13143	164	12	11079	172	15	10475	186	17	9465	257	27.1	9642	172	17.8	9631	192	20.0
Kingston.....	12786	416	32	13253	349	26	14072	352	25	14358	889	27	13925	397	28.5	14093	363	25.7	14091	329	23.3
Belleville.....	9768	284	29	11192	321	28	9612	301	31	9789	330	33	9295	296	31.8	9516	210	22.0	9516	190	20.0
Brantford.....	9444	237	25	10631	278	26	10792	262	24	10587	254	24	9475	263	27.7	9626	247	25.6	9616	255	26.5
Guelph.....	9017	311	34	9677	341	35	10072	298	29	10072	298	29	9589	289	30.1	9890	282	28.5	9894	284	28.7
St. Thomas.....	5527	109	19	5954	123	20	6446	125	19	7217	154	21	7753	182	23.6	8370	204	24.3	8367	177	21.1

(Remarks on Tables 4, 5, 6, 7, 8, 9 and 10.)

The proportion between male and female births in the different months of the year was marked by variations, as in former years. In 1881, August returned the largest proportion of male to female births, 113 males to 100 females. In 1882 the births returned in December shew the greatest difference between the sexes, 118·2 male births to 100 female births. August comes next with 108·9 males to 100 females; there was no difference in the proportion in the months of May and June, 107·9 to 100 being the relation in each month. February is nearly the same 107·0 to 100.

The lowest proportion was in July, 102·8 male births to 100 female births.

For the whole year the difference was 6·6 in favour of the males, that is, of the whole number of births, 42,429, there was 106·6 male births to every 100 female births. March almost invariably returns the greatest number of births, and this year is no exception. June returned the lowest. March returned 3,926 births, and June, 3,130, a difference of 796 in favour of the former month.

November generally returns less births than any month in the year; in 1880 it had the lowest return but one; in 1881 the lowest, and in 1882 the lowest but one.

The difference between the number of male and female births in the ten cities of Ontario is rather more than in the whole Province, the proportion being 107·8 males to 100 females.

There was also an excess of male births in every month in the whole Province, but in the cities there were more female births than male births in the months of May, October and November. In May there were fourteen more female than male births, in October twenty-six more, and in November ten more.

September was the most prolific month, and June the least so, in the cities.

As usual, the first quarter of the year returned the largest number of births, and the second quarter the least.

The percentages of births in each quarter to the whole number were as follows:— First quarter, 26·2, second quarter, 23·6, third quarter 25·6, and fourth quarter 24·5.

TABLE 11.
ILLEGITIMATE BIRTHS, TWINS AND TRIPLETS.

YEAR.	ILLEGITIMATE BIRTHS.			No of Twins.	No of Triplets.
	No.	Proportion to the whole number of births.	Ratio in every 1,000		
1872.....	235	One in every 99 Births.	10.0	76	0
1873.....	229	“ 129 “	8.3	200	1
1874.....	196	“ 144 “	6.9	255	2
1875.....	198	“ 131 “	4.8	264	1
1876.....	392	“ 98 “	10.1	349	1
1877.....	529	“ 75 “	13.2	411	5
1878.....	575	“ 70 “	14.2	425	9
1879.....	524	“ 78 “	12.7	378	1
1880.....	671	“ 63 “	15.8	407	6
1881.....	748	“ 54 “	18.3	384	3
1882.....	966	“ 43 “	22.7	389	5
Average for the eleven years..	478	One in every 89 Births.	11.5	321	3

The very large number of illegitimate births registered in 1882, 966, may be attributed to the increased number returned from the city of Ottawa, there having been no less than 319 illegitimate births returned in 1882, whereas in 1881 only eight were so returned. Nearly all these illegitimate births took place in a public institution in Ottawa; had it not been for these returns, the illegitimate birth rate for the whole Province would have been lower than it has been for several years.

The number of pairs of twins reported in 1882 was 389, five more than in 1881, but still eighteen less than in 1880. Five cases of triplets were registered, one in each of the following counties:—Middlesex, Norfolk, Northumberland, and Durham (united), Oxford and Peterborough.

MARRIAGES.

MARRIAGES.

(See Appendix, page xii. to xxix).

TABLE 12.—MARRIAGES BY DENOMINATIONS.

Of the whole number of persons married in 1881, the percentage of those whose religious denominations were given were as follows :—

35.28	per cent.	(or 1 in every	2.83)	were	Methodists.
20.06	“	“	4.98)	“	Presbyterians.
17.71	“	“	5.64)	“	Episcopalians.
13.60	“	“	7.35)	“	Roman Catholics.
5.85	“	“	17.06)	“	Baptists.
2.22	“	“	44.85)	“	Lutherans.
2.16	“	“	46.21)	“	Bible Christians.
.80	“	“	111.26)	“	Congregationalists.
.58	“	“	170.55)	“	Mennonites.
.05	“	“	1728.33)	“	Quakers.
1.53	“	“	64.97)	“	of other denominations.

The percentages in 1882 were as follows :—

35.30	per cent.	(or 1 in every	2.83)	were	Methodists.
20.33	“	“	4.92)	“	Presbyterians.
17.37	“	“	5.75)	“	Episcopalians.
13.39	“	“	7.47)	“	Roman Catholics.
5.44	“	“	18.40)	“	Baptists.
1.93	“	“	51.73)	“	Bible Christians.
1.88	“	“	53.16)	“	Lutherans.
.88	“	“	113.50)	“	Congregationalists.
.58	“	“	171.27)	“	Evangelical Association.
.54	“	“	185.50)	“	Mennonites.
.03	“	“	2988.67)	“	Quakers.
1.33	“	“	75.00)	“	Other Denominations.

TABLE 13.—MARRIAGES CLASSIFIED BY MONTHS.

QUARTERLY RETURN OF MARRIAGES 1881 AND 1882.

QUARTERS.	1881.		1882.	
	Number of Marriages.	Per cent. of the whole Number.	Number of Marriages.	Per cent. of the whole Number.
Quarter ending 31st March.....	3357	25.6	3554	26.4
“ “ 30th June.....	2830	21.6	2805	20.9
“ “ 30th September.....	2705	20.7	2789	20.7
“ “ 31st December.....	4157	31.7	4243	31.6
Date of Marriages Omitted.....	57	.4	58	.4
	13106	100.00	13449	100.00

TABLE 14.

MARRIAGES BY MONTHS, IN NUMERICAL ORDER.

1881.		1882.	
December	1593	December	1573
October	1314	October	1340
November	1250	November	1330
September	1180	January	1232
March	1169	September	1202
January	1165	March	1164
February	1023	February	1158
June	1010	April	1004
April	918	May	921
May	902	June	880
August	801	July	834
July	724	August	753
No date given	57	No date given	58
Total	13106	Total	13449

The average number of marriages, per quarter, for 1882 was 3,362.
 " " " " month, " 1,121.
 " " " " week, " 258.
 " " " " day, " 37.

(Remarks on Tables 12, 13 and 14.)

There were 343 more marriages recorded in 1882 than in 1881; in all, 13,449 marriages or 26,898 persons married. Of this number, 9,496 (4,686 males and 4,810 females) 35.30 per cent. of the whole number married were Methodists; they far outnumbered any other denomination; Presbyterians come next with 5,469, or 20.33 per cent; Episcopalians follow with 4,673 or 17.37 per cent.; and then Roman Catholics with 3,602, or 13.39 per cent.

December and October maintain the same position, as in former years, of being the favourite months for marrying in Ontario—2,913, or 21.6 per cent. of all the marriages, were solemnized in these two months.

August and July alternately return the lowest number of marriages. In 1882 August was the lowest. In 1881, July held that position.

The ratio of marriages to 1,000 of the population for 1882, was 7.0.

As is generally the case, those counties in which the cities and towns are situated, returned a larger number of marriages, and a higher ratio than the average of the whole Province.

The Counties of York, Wentworth, Hastings, Middlesex and Carleton, containing the cities of Toronto, Hamilton, London, Belleville and Ottawa, shew a marriage rate of eight to nine per 1,000 of their population, while the Counties of Algoma, Renfrew, Haldimand, Welland and Grey, in which no cities or large towns are situated, returned only a marriage rate of from five to six per 1,000. (See Table 1.)

The cities returned the largest number of marriages, but have not as large a ratio to population as some of the towns. Toronto, Hamilton, London, Belleville and Ottawa, five of the principal cities, returned a ratio of from eleven to fifteen marriages per 1,000 of the population, while the towns of Picton, Perth, Napanee, Cornwall and Berlin shew a marriage rate of between twenty and twenty-four per 1,000. (See Tables 2 and 3.)

TABLE 15—MARRIAGES BY AGES.

The proportion of males to females married during the different quinquennial periods of life, for the years 1881-1882, to the whole number of marriages, is shewn in the appended table :—

QUINQUENNIAL PERIODS OF LIFE.	1881.				1882.			
	Whole number of Marriages, 13,106.				Whole number of Marriages, 13,449.			
	Males.		Females.		Males.		Females.	
	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.	Number Married.	Per cent. of whole.
Under 20 years	162	1·24	2793	21·31	175	1·30	2808	20·88
From 20 to 25 years.....	4859	37·07	6578	50·19	5072	37·72	6659	49·51
“ 25 “ 30 “	4493	34·28	2272	17·34	4578	35·38	2516	18·71
“ 30 “ 35 “	1738	13·26	652	4·98	1657	12·33	681	5·06
“ 35 “ 40 “	767	5·85	312	2·38	733	5·45	303	2·25
“ 40 “ 45 “	374	2·85	186	1·41	381	2·83	174	1·30
“ 45 “ 50 “	241	1·84	108	·83	207	1·54	96	·72
“ 50 “ 55 “	155	1·18	72	·55	149	1·12	72	·54
“ 55 “ 60 “	115	·88	38	·29	107	·79	35	·26
“ 60 “ 65 “	74	·56	29	·22	77	·58	22	·16
“ 65 “ 70 “	40	·31	12	·09	44	·32	6	·04
“ 70 “ 75 “	31	·24	5	·04	26	·19	7	·05
“ 75 “ 80 “	18	·14	1	·01	11	·08	2	·02
“ 80 and over	2	·02	0	·00	2	·02	0	·00
Ages not given	37	·28	48	·36	50	·35	68	·50
	13106	100·00	13106	100·00	13449	100·00	13449	100·00

TABLE 16.

The following taken from among the marriages, exhibit in some instances great disparity in the ages of the contracting parties.

COUNTIES.	BRIDEGROOM THE ELDER.						
	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.	COUNTIES.	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.
Brant.....	Tailor.....	70	58	Lincoln	Magistrate	76	70
Bruce.....	Shoemaker	70	30	Middlesex	Farmer	84	45
“	Farmer	76	60	“	“	75	30
“	“	75	62	Norfolk	“	80	64
Carleton	Hotel-keeper ..	78	48	“	“	74	64
Dufferin	Gentleman	70	23	Ontario	Minister	76	68
“	Farmer	73	60	“	Farmer	71	62
Elgin	“	72	49	“	“	75	68
Grey	“	76	55	Oxford	Labourer	70	21
Hastings	Yeoman.....	73	52	Perth	Gentleman	70	40
“	Farmer	72	45	Peterborough ..	“	70	59
“	Merchant	78	59	“	Farmer	72	21
“	Farmer	71	45	Wellington	“	73	42
Huron	Carpenter	73	72	Wentworth.....	Gentleman	73	52
“	Farmer	72	70	“	Merchant	70	52
Kent	“	73	51	York	Farmer	70	59
“	“	72	50	“	Wheelwright ..	74	73
Lambton.....	“	74	20				
“	“	72	63				
Leeds and Grenville	“	76	53				
“	Minister	72	65				

TABLE 16—Continued.

COUNTIES.	BRIDE THE ELDER.		
	Occupation of Bridegroom.	Age of Bridegroom.	Age of Bride.
Dufferin.....	Farmer	67	70
Elgin	“	64	76
Halton	“	60	72
Hastings	“	74	78
York	Blacksmith.....	66	74

MARRIAGES BY AGES.

(See Table 15.)

Only 175 youths were married under 20 years of age, while no less than 2,808 maidens were united at that early age.

Between 20 and 25 the same relative proportion between males and females continued but not to so great an extent. 6,659 females and 5,072 males were married at that period of life.

In the next period, between 25 and 30 years, the proportion is changed, and now it is found that more young men were married than females; the numbers being 4,758 males to 2,516 females.

Between 30 and 35 this proportion becomes larger—1,657 males to 681 females, and the relation continues the same, in all the remaining periods. The only two periods, therefore, in which the females outnumbered the males were under 20, and between 20 and 25.

(See Table 16).

In several instances men were married to women many years their juniors, but few instances occur where women married men more youthful than themselves.

Several cases are reported of persons having been married who had reached the allotted age of life—threescore years and ten. Two couples were married whose united ages in each case were 144. One was a farmer, aged 80, who took a wife aged 64; the other was a clergyman of 76 married to a lady aged 68 years. The greatest disparity in the ages of any one couple married was that of a farmer aged 74, who married a girl of 20 years.

Widowers seem to have been more fortunate in obtaining wives than widows were in finding husbands, as 1,434 widowers were married in 1882, and only 695 widows.

DEATHS.

DEATHS.

(See Appendix page xxxii to lxxii.)

TABLE 17.—DEATHS AT DIFFERENT AGES.

The death rate under one year, from one to five, from five to ten, and in each decennial period thereafter, for the years 1876, 1877, 1878, 1879, 1880, 1881 and 1882, is shewn in the following table:—

	1876.		1877.		1878.		1879.		1880.		1881.		1882.	
	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.	No.	Per cent. of the whole.
Total under 1 year.	3844	21.4	4704	34.1	3863	22.9	3869	22.1	4379	22.8	5246	23.6	4874	22.3
“ from 1 year to 5 years.	2471	13.7	2841	14.6	2321	13.4	2159	2.3	2795	14.6	3120	14.0	2952	13.6
Total under 5 years.	6315	35.1	7541	38.7	6284	36.3	6028	34.4	7174	37.4	8366	37.6	7826	35.9
Total from 5 to 10 years.	1012	5.6	1064	5.6	904	5.2	777	4.4	976	5.1	1144	5.2	1150	5.2
“ 10 “ 20 “	1341	7.5	1391	7.1	1187	6.8	1057	6.0	1197	6.2	1499	6.8	1449	6.6
“ 20 “ 30 “	1696	9.5	1687	8.6	1623	9.4	1622	9.4	1785	9.3	2027	9.1	1930	8.8
“ 30 “ 40 “	1316	7.4	1310	6.7	1201	7.0	1205	6.8	1192	6.2	1451	6.5	1359	6.3
“ 40 “ 50 “	1116	6.2	1444	5.8	1026	6.0	1112	6.3	1142	5.9	1302	5.8	1301	5.5
“ 50 “ 60 “	1099	6.1	1098	5.6	1067	6.1	1116	6.6	1119	5.8	1278	5.8	1257	5.8
“ 60 “ 70 “	1311	7.3	1389	7.1	1276	7.4	1486	8.5	1468	7.6	1549	6.9	1590	7.4
“ 70 “ 80 “	1595	9.0	1572	8.1	1551	9.0	1675	9.6	1803	9.4	2058	9.3	1952	8.9
“ 80 “ 90 “	917	5.1	1000	5.2	951	5.5	1071	6.2	1112	5.9	1269	5.7	1250	5.8
“ 90 “ 100 “ and over.	228	1.2	272	1.5	214	1.3	269	1.5	235	1.2	265	1.2	273	1.2
Age not given.	17946	100.00	19472	100.00	17284	100.00	17486	100.00	19203	100.00	22208	100.00	21237	97.4
	677	3.6	581	2.8	524	2.9	490	2.7	599	3.0	613	2.7	563	2.6
Whole number of deaths.	18623	20053	17808	17958	19802	22821	21800	100.0

TABLE 18.

QUARTERLY RETURN OF DEATHS.

Quarter ending		Males.	Females.	Total.	Per cent. of the whole.	
March 31st	3060	2870	5930	27.2	
“ “	June 30th	2856	2634	5490	25.2
“ “	September 30th	2712	2608	5320	24.4
“ “	December 31st	2607	2453	5060	23.2
		11235	10565	21800	100.0	

TABLE 19.

MONTHLY RETURN OF DEATHS IN 1882, IN ROTATION ACCORDING TO NUMBERS.

	Males.		Females.		Totals.
March	1135	March	1041	March	2176
April	1036	May	950	May	1970
May	1020	January	934	April	1939
January	995	August	915	January	1929
February	930	April	903	August	1839
August	924	February	895	February	1825
December	913	September	893	September	1793
September	900	December	861	December	1774
July	888	October	859	October	1747
October	888	July	800	July	1688
November	806	June	781	June	1581
June	800	November	733	November	1539
	11235		10565		21800

DEATHS AT DIFFERENT AGES AND MONTHS.

(See Table 17.)

As the number of deaths registered in the Province in 1882 was 1,021 less than in 1881, a decrease in the several periods of the year will be found, but not in all. Four periods, viz.: from five to ten years, fifteen to twenty, sixty to seventy years, and ninety to one hundred, and over, shew an increase; and it is gratifying to find that the decrease in the number of those who lived to be seventy and upwards, was very small. In 1882, 3,475 persons reached the age of 70, and upwards, against 3,592, in 1881. From eighty to ninety years 1,250 deaths were registered, as compared with 1,269 in 1881; and from ninety to one hundred years, and over, 273 deaths occurred in 1882, and 265 in 1881. The largest decrease in the different periods of the year was “at and under one year,” and from “one to five.”

(See Table 18 and 19.)

March is generally the most fatal month in the year. In 1880 it was highest in the list, in 1881 it was third, and in 1882 it has again resumed the highest place, the returned shewing that 1,135 males and 1,041 females, in all 2,176, nearly ten per cent. of all the deaths, were recorded in this month.

The least mortality in any month was in November. In 1881 it was in June.

The first quarter of the year, which includes the fatal month of March, returned more deaths than either of the other quarters. The number registered was 5,930, or 27.2 per cent. of all the deaths in the year. The last quarter recorded the fewest deaths. The difference between the number of deaths registered in the first and second half of the year was considerable; the first half exceeds the second half by 1,040. In 1881 the second half of the year exceeded the first half by 731.

THE DEATH WAVE OF THE YEAR.

In the years 1880 and 1881 the mortality was low in January ; in 1882 it was nearly the highest ; therefore, in noticing the death wave from month to month, we commence with the high point in January with a mortality of 1,929, (112 more than in the previous December). In February a fall in the wave appeared, the number of deaths being 104 less than in January ; but, if the difference in the length of the months is taken into consideration, the mortality would have been nearly the same in February as in January. A rapid rise in the wave took place in March, where it reached the highest point in the year, 2,176 deaths having been recorded in that month—247 more than in January, and 637 more than in November, the lowest month.

The wave then gradually descended through April and May. In June there was a very marked fall, 389 less deaths than in May, and only 42 more than in the lowest month—November.

In July the wave ascended, the returns shewing 107 more deaths than in June, and kept rising through August, the increase being 151 deaths in advance of July. The wave then descended gradually through September and October, but made a very rapid descent in November, reaching the lowest point in the year, only 1,539 deaths having been registered in this month—nearly thirty per cent. less than in March, the highest month. A change took place in December, and the wave rose rapidly, and 235 more deaths were reported than in November.

The two special features in the death wave in the year were, first, the high point maintained throughout the first five months of the year. These five months returned 9,839 deaths, or forty-five per cent. of the whole number of deaths ; and second, the low mortality in the month of November, only 1,539 deaths, or seven per cent. being reported during this month.

In 1881 the lowest month was June. It will be seen that in 1882 the greatest mortality in the year was during the wet months of spring. It has been so for several years, but there does not appear to have been a correspondingly high mortality in the fall months, which has usually been the case.

TABLE 20.

The following is a Record of the Ten Highest Causes of Death for the years 1871, 1872, 1873, 1874, 1876, 1877, 1878, 1879, 1880, 1881, and 1882.

1871.		1872.		1873.		1874.		1876.	
Whole number of Deaths registered..... 9182		Whole number of Deaths registered..... 10745		Whole number of Deaths registered..... 11063		Whole number of Deaths registered... .. 10352		Whole number of Deaths registered..... 18623	
Phthisis.....	1042	Phthisis.....	1120	Phthisis... ..	1217	Phthisis.....	1143	Phthisis.....	2259
Scarlatina.....	630	Scarlatina.....	642	Old Age.....	778	Pneumonia.....	642	Old Age.....	1405
Pneumonia.....	508	Old Age.....	545	Lung Disease.....	533	Old Age.....	536	Diphtheria..	864
Exhaustion.....	467	Pneumonia.....	514	Typhoid Fever.....	401	Typhoid Fever.....	369	Pneumonia.....	786
Old Age.....	414	Diarrhoea.....	407	Heart Disease.....	399	Heart Disease.....	351	Lung Disease.....	662
Heart Disease.....	333	Heart Disease.....	350	Cerebro-spinal Meningitis	324	Diarrhoea.....	334	Heart Disease.....	569
Typhoid Fever.....	261	Dysentery.....	342	Stomach Disease.....	321	Enteritis.....	283	Convulsions.....	644
Dropsy.....	241	Exhaustion.....	332	Brain Disease.....	278	Convulsions.....	267	Diarrhoea.....	539
Convulsions.....	209	Typhoid Fever.....	329	Pneumonia.....	276	Dropsy.....	239	Typhoid Fever.....	436
Diarrhoea.....	207	Brain Disease.....	318	Cholera Infantum.....	276	Lung Disease.....	231	Dropsy.....	381

No Report in 1875.

TABLE 20.—Continued.

1877.	1878.	1879.	1880.	1881.	1882.
Whole number of Deaths registered..... 20053	Whole number of Deaths registered... 17808	Whole number of Deaths registered..... 17958	Whole number of Deaths registered..... 19802	Whole number of Deaths registered..... 22821	Whole number of Deaths registered..... 21800
Phthisis..... 2157	Phthisis..... 1999	Phthisis..... 2065	Phthisis..... 2154	Phthisis..... 2397	Phthisis..... 2464
Old Age..... 1661	Old Age..... 1722	Old Age..... 1749	Old Age..... 1658	Old Age..... 1972	Anæmia..... 1895
Infantile Debility.. 1164	Infantile Debility.. 1100	Infantile Debility.. 955	Infantile Debility.. 1300	Infantile Debility. 1481	Old Age..... 1841
Pneumonia..... 1050	Diphtheria..... 986	Pneumonia..... 942	Pneumonia..... 1257	Diphtheria..... 1171	Pneumonia..... 1322
Diphtheria..... 964	Pneumonia..... 826	Heart Disease..... 784	Diphtheria..... 822	Pneumonia..... 1137	Diphtheria..... 1239
Scarlet Fever..... 717	Heart Disease..... 621	Diphtheria... 574	Heart Disease..... 760	Heart Disease..... 886	Heart Disease.... 753
Heart Disease..... 697	Convulsions..... 454	Convulsions..... 445	Convulsions..... 518	Diarrhœa... 818	Typhoid Fever.... 555
Diarrhœa..... 666	Enteritis..... 415	Dropsy..... 400	Bronchitis... 438	Typhoid Fever... 616	Scarlatina..... 543
Convulsions..... 573	Diarrhœa..... 401	Enteritis..... 393	Croup..... 429	Croup..... 533	Diarrhœa... 497
Enteritis..... 497	Typhoid Fever..... 379	Diarrhœa..... 340	Congestion of Lungs 419	Convulsions..... 509	Convulsions..... 492

(See Appendix, page lxxiv to clxxxiii.)

TABLE 21.—Shewing the number of deaths in each of the ten highest Causes of Death each County

COUNTIES.	Population per Census of 1881.	Total No. of Deaths.	Ratio per 1000.	PHTHISIS.		ANÆMIA.		OLD AGE.		PNEUMONIA.	
				No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.
Algoma and Thunder Bay.	20320	136	6.6	17	12.5	21	15.4	6	4.4	5	3.7
Brant	33869	352	10.3	38	10.8	13	3.6	38	10.8	21	6.0
Bruce	64774	525	8.1	59	11.2	58	11.0	51	9.7	23	4.3
Carleton	64103	1513	23.6	149	9.8	323	21.3	83	5.4	39	2.5
Dufferin	20536	187	9.1	19	10.1	9	4.8	21	11.2	6	3.2
Elgin	42361	317	7.4	31	9.8	13	4.1	26	8.2	14	4.4
Essex	46559	677	14.5	73	10.8	102	15.0	36	5.3	40	5.9
Frontenac	42555	628	14.7	72	11.4	47	7.4	65	10.3	37	5.9
Grey	70528	588	8.3	47	8.0	62	10.5	49	8.3	25	4.2
Haldimand	24991	230	9.2	37	16.0	12	5.2	27	11.7	8	3.4
Halton	21919	257	11.7	23	8.9	10	3.8	19	7.4	23	8.9
Hastings	55192	587	10.6	74	12.6	54	9.2	59	10.0	35	5.9
Huron	76525	685	8.9	90	13.1	43	6.2	66	9.7	44	6.4
Kent	54335	595	10.9	71	11.9	57	9.5	40	6.7	28	4.7
Lambton	52034	428	8.2	28	6.5	30	7.0	35	8.1	37	8.6
Lanark	33975	247	7.2	30	12.1	10	4.1	35	14.1	18	7.3
Leeds and Grenville	60164	646	11.4	96	14.8	46	7.1	74	11.4	26	4.0
Lennox and Addington ..	26484	263	9.9	40	15.2	26	9.9	29	11.0	12	4.5
Lincoln	31563	398	12.2	68	17.0	27	6.8	27	6.8	13	3.2
Middlesex	93081	1103	11.8	127	11.5	90	8.1	87	7.9	77	7.0
Muskoka and Parry Sound	27204	285	10.4	25	8.7	41	14.3	8	2.8	23	8.0
Norfolk	33527	345	10.2	40	11.6	27	7.8	32	9.2	34	9.8
Northumberland and Dur-											
ham	77390	691	8.9	103	14.9	34	4.9	82	11.8	53	7.6
Ontario	48812	498	10.2	53	10.6	29	5.8	59	11.8	33	6.6
Oxford	50159	601	11.9	56	9.3	38	6.3	63	10.4	52	8.6
Peel	26175	334	12.7	36	10.7	6	1.8	31	9.2	16	4.8
Perth	53686	511	9.5	39	7.6	47	9.2	53	10.3	39	7.6
Peterborough	34648	359	10.3	46	12.8	21	5.9	30	8.3	34	9.4
Prescott and Russell	38022	435	11.4	47	10.8	91	20.9	42	9.6	23	5.2
Prince Edward	21045	348	16.5	51	14.6	21	6.0	48	13.8	16	4.6
Renfrew	40246	325	8.0	19	5.8	30	9.2	36	11.0	14	4.3
Simcoe	74903	620	8.2	59	9.4	61	9.8	65	10.4	30	4.8
Stormont, Dundas and											
Glengarry	66017	540	8.1	90	16.7	56	10.3	79	14.6	23	4.2
Victoria	35163	334	9.5	44	13.1	29	8.6	37	11.0	24	7.1
Waterloo	42735	579	13.5	65	11.2	26	4.5	49	8.4	39	6.7
Welland	31771	385	12.1	49	12.7	22	5.7	31	8.0	30	7.8
Wellington	66189	720	10.8	66	9.1	51	7.1	71	9.8	53	7.3
Wentworth	66952	1065	15.9	120	11.2	65	6.1	54	5.0	92	8.6
York	153098	2463	16.1	267	10.8	147	5.9	98	3.9	163	6.2
Total	1923610	21800	11.3	2464	11.3	1895	8.7	1841	8.4	1322	6.0

in the Counties of the Province, with the percentage of the whole number of Deaths in for 1882.

DIPHTHERIA.		HEART DISEASE.		TYPHOID FEVER.		SCARLATINA.		DIARRHŒA.		CONVULSIONS.	
No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.
9	6.6	3	2.2	4	3.0	1	0.7	2	1.4	1	0.7
16	4.5	13	3.7	6	1.7	13	3.7	5	1.4	11	3.1
26	4.9	15	2.8	13	2.4	15	2.8	11	2.1	12	2.2
88	5.8	34	2.2	20	1.3	8	0.5	47	3.1	11	0.7
6	3.2	8	4.2	5	2.6	7	3.7	7	3.7	1	0.5
29	9.1	18	5.6	9	2.8	7	2.2	7	2.2	4	1.2
47	6.9	11	1.6	13	1.9	33	4.8	12	1.7	10	1.4
20	3.1	26	4.1	11	1.7	2	0.3	15	2.3	8	1.2
25	4.2	16	2.7	7	1.2	87	14.8	8	1.3	15	2.5
9	3.9	4	1.7	6	2.6	4	1.7	4	1.7	6	2.6
8	3.1	12	4.6	15	5.8	10	3.8	6	2.3	1	0.4
34	5.8	17	2.9	15	2.5	2	0.3	6	1.0	11	1.8
25	3.6	22	3.2	15	2.2	28	4.1	9	1.3	24	3.5
33	5.5	25	4.2	31	5.2	2	0.3	19	3.2	9	1.5
18	4.2	14	3.2	23	5.3	5	1.1	9	2.1	15	3.5
10	4.1	13	5.2	2	0.8	1	0.4	13	5.2	4	1.6
79	12.2	19	2.9	11	1.7	5	0.7	12	1.8	8	1.2
18	6.8	12	4.5	4	1.5	2	0.7	10	3.8	3	1.1
19	4.7	21	5.2	11	2.7	11	2.7	6	1.5	5	1.2
47	4.2	47	4.2	39	3.5	14	1.2	38	3.4	21	1.9
10	3.5	7	2.4	2	0.7	9	3.1	7	2.4	11	3.8
22	6.3	14	4.0	3	0.8	8	2.3	2	0.5	10	2.9
48	6.9	32	4.6	12	1.7	7	1.0	14	2.0	16	2.3
25	5.0	15	3.0	30	6.0	4	0.8	5	1.0	10	2.0
41	6.8	27	4.4	23	3.8	44	7.3	4	0.6	17	2.8
15	4.5	8	2.4	8	2.4	34	10.1	4	1.2	9	2.7
34	6.6	16	3.1	18	3.5	8	1.5	9	1.7	10	1.9
16	4.4	12	3.3	8	2.2	3	0.8	10	2.8
27	6.2	7	1.6	16	3.6	8	1.8	4	1.4	1	0.2
48	13.8	10	2.8	2	0.5	1	0.2	8	2.3	3	0.8
28	8.6	14	4.3	5	1.5	3	0.9	6	1.8	7	2.1
33	5.3	23	3.7	19	3.0	47	7.5	13	2.1	14	2.2
50	9.2	15	2.8	4	0.7	5	0.9	20	3.7	6	1.1
27	8.0	11	3.3	9	2.7	5	1.5	3	0.9	2	0.6
47	8.1	20	3.4	11	1.7	8	1.3	15	2.6	26	4.5
19	4.9	10	2.6	11	2.8	19	4.9	3	0.8	11	2.8
37	5.1	36	5.0	8	1.1	13	1.9	13	1.9	14	2.0
29	2.7	49	4.6	22	2.0	19	1.7	42	3.9	32	3.0
117	4.7	77	3.1	84	3.4	44	1.8	76	3.0	103	4.1
1239	5.6	753	3.4	555	2.5	543	2.4	497	2.3	492	2.2

TABLE 22.—TABLE shewing the number of Deaths in each of the ten highest causes whole number of deaths

CITIES AND TOWNS.	Population per Census of 1881.	Total No. of Deaths.	Ratio per 1000.	PHTHISIS.		ANÆMIA.		PNEUMONIA.		OLD AGE.	
				No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.
Toronto	86415	1730	20.0	208	12.0	99	5.7	107	6.1	46	2.6
Hamilton	35961	637	17.7	79	12.4	42	6.5	52	8.1	18	2.8
Ottawa	27412	1231	44.9	105	8.5	308	25.0	22	1.8	61	4.9
London	19746	316	16.0	36	11.4	36	11.3	15	4.7	12	3.8
Kingston	14091	313	22.2	42	13.4	20	6.3	24	7.6	24	7.6
Guelph	9894	168	17.0	26	15.4	14	8.3	6	3.5	18	10.7
St. Catharines	9631	156	16.2	23	14.7	8	5.1	4	2.5	7	4.4
Brantford	9616	156	19.3	24	15.3	8	5.1	6	3.8	19	12.5
Belleville	9516	171	18.0	21	12.2	15	8.7	12	7.0	7	4.0
St. Thomas	8367	82	9.8	5	6.1	3	3.6	4	4.8	4	4.8
Stratford	8239	71	8.6	5	7.0	2	2.8	2	2.8	3	4.2
Chatham	7873	84	10.6	13	15.4	7	8.3	10	11.9	2	2.3
Brockville	7609	155	20.3	25	16.1	8	5.1	8	5.1	8	5.1
Peterborough	6812	83	12.1	12	14.4	7	8.4	7	8.4
Windsor	6561	159	24.2	17	10.7	14	8.8	10	6.3	3	1.8
Woodstock	5373	63	11.7	5	7.9	4	6.3	6	9.5	5	7.9
Galt	5187	66	12.7	8	12.1	5	7.5	4	6.0	1	1.5
Lindsay	5080	48	9.4	7	14.5	3	6.2	5	10.4	1	2.0
Cobourg	4957	54	10.9	11	20.3	4	7.4	3	5.5	9	16.6
Barrie	4854	63	12.9	8	12.7	6	9.5	3	4.7	8	12.7
Goderich	4564	48	10.5	5	10.4	4	8.3	1	2.0	4	8.3
Cornwall	4468	66	14.9	16	24.2	10	15.1	3	4.5	4	6.0
Collingwood	4445	50	11.2	5	10.0	7	14.0	3	6.0	4	8.0
Owen Sound	4426	73	16.4	7	9.6	8	10.9	3	4.1	5	6.8
Berlin	4054	78	19.2	11	14.1	4	5.1	13	16.6
Sarnia	3874	43	11.1	2	4.6	9	20.9	2	4.6
Strathroy	3817	29	7.6	3	10.3	2	6.9	2	6.9	1	3.4
Napanee	3680	64	17.3	9	14.0	6	9.3	4	6.2	3	4.7
Bowmanville	3504	62	17.6	16	25.8	1	1.6	3	4.8	10	16.1
Petrolia	3465	43	12.4	3	6.9	1	2.2	5	11.6
Whitby	3140	47	14.9	7	14.8	4	8.5	4	8.5
Picton	2975	56	18.8	6	10.7	2	3.5	7	12.5
Brampton	2920	88	30.1	10	11.3	2	2.2	2	2.2	5	5.6
Orangeville	2847	30	10.5	4	13.3	2	6.6	3	10.0
Pembroke	2820	54	19.1	2	3.7	5	9.2	4	7.4	3	5.5
Simcoe	2645	31	11.7	6	19.3	2	6.4	3	9.6	5	16.1
Walkerton	2604	19	7.3	3	15.7	1	5.2	2	10.5
Perth	2467	36	14.6	9	25.0	1	2.7	2	5.5	3	8.3
Welland	1870	14	7.5	2	14.2
Milton	1302	15	11.5	2	13.3	3	20.0
Total	359081	6752	18.8	804	11.9	675	10.0	354	5.2	341	5.0

of Death in the following Cities and Towns of the Province, with the percentage to the in each place, for 1882.

DIPHThERIA.		DIARRHŒA.		HEART DISEASE.		CONVULSIONS.		BRONCHITIS.		TYPHOID FEVER.	
No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.
57	3.2	70	4.0	56	3.2	81	4.6	91	5.2	61	3.5
12	1.8	28	4.4	22	3.4	21	3.2	20	3.1	17	2.6
60	4.8	40	3.2	25	2.0	7	0.5	7	0.5	20	1.6
3	0.9	20	6.3	14	4.4	6	1.9	4	1.2	22	6.9
7	2.2	11	3.5	19	6.0	4	1.2	16	5.1	7	2.2
9	5.3	5	2.9	8	4.7	3	1.7	2	1.2	1	0.6
3	1.9	1	0.6	9	5.7	4	2.5	3	1.9
4	2.5	2	1.2	5	3.2	9	5.7	3	1.9
4	2.3	3	1.7	8	4.6	4	2.3	5	2.9	3	1.7
5	6.1	3	3.6	1	1.2	2	2.4	2	2.4	3	3.6
.....	2	2.8	4	5.6	7	9.8
2	2.3	1	1.1	5	5.9	5	5.9	2	2.3
25	16.1	7	4.5	4	2.5	3	1.9	1	0.6
1	1.2	1	1.2	4	4.8	3	3.6	4	4.8	5	6.0
10	6.3	6	3.7	5	3.1	4	2.5	3	1.8
1	1.6	1	1.5	1	1.6
2	3.0	3	4.5	6	9.0	1	1.5	3	4.5	4	6.0
1	2.0	3	6.2	2	4.1
2	3.7	3	5.5	1	1.8	1	1.8	1	1.8
.....	2	3.1	4	6.3	2	3.1	4	6.3	2	3.1
.....	1	2.0	2	4.1	2	4.1
1	1.5	4	6.0	1	1.5	2	3.0	1	1.5
.....	1	2.0	1	2.0	1	2.0
.....	5	6.8	1	1.3	4	5.4	2	2.7
7	8.9	5	6.4	1	1.2	4	5.1	2	2.5	1	1.2
.....	1	2.3	1	2.3	1	2.3	2	4.1	7	16.2
.....	3	10.3	1	3.4	3	10.3	1	3.4
5	7.8	3	4.6	4	6.2	2	3.1	2	3.1
4	6.4	1	1.6	1	1.6	1	1.6
2	4.7	1	2.3	1	2.3	3	7.0	1	2.3	3	7.0
3	16.2	2	4.2	2	4.2	6	12.7
16	28.5	1	1.7	2	3.5	2	3.5	2	3.5
1	1.1	4	4.5	3	3.4	5	5.6	1	1.1
.....	1	3.3	1	3.3	1	3.3	3	10.0
1	1.8	6	11.1	2	3.7	2	3.7	3	5.5	1	1.8
1	3.2	1	3.2	3	9.6	1	3.2
.....	1	5.2	1	5.2	2	10.5	1	5.2
2	5.5	3	8.3	3	8.3	1	2.7
2	14.2	1	7.1
.....	1	6.6	1	6.6	2	13.3
.....
253	3.7	236	3.5	232	3.4	195	2.9	197	2.9	191	2.8

TABLE 23.

Ten Highest Causes of Death, with their percentages of the whole number of Deaths from specified causes, for the years 1877, 1878.

1877.				1878.				1879.			
Whole number of Deaths from specified causes, 19,280				Whole number of Deaths from specified causes . 16,852				Whole number of Deaths from specified causes . 16,897			
DISEASES.	No. of Deaths.	Per cent of the Whole.		DISEASES.	No. of Deaths.	Per cent. of the Whole.		DISEASES.	No. of Deaths.	Per cent. of the Whole.	
Phthisis.....	2157	11.2		Phthisis.....	1999	11.8		Phthisis.....	2065	12.2	
Old Age.....	1661	8.6		Old Age.....	1722	10.2		Old Age.....	1749	10.3	
Infantile Debility.....	1164	6.0		Infantile Debility.....	1100	6.5		Infantile Debility.....	955	5.6	
Pneumonia.....	1050	5.4		Diphtheria.....	986	5.8		Pneumonia.....	942	5.5	
Diphtheria.....	964	5.0		Pneumonia.....	826	4.9		Heart Disease.....	784	4.6	
Scarlet Fever.....	717	3.7		Heart Disease.....	621	3.6		Diphtheria.....	574	3.4	
Heart Disease.....	697	3.6		Convulsions.....	454	2.1		Convulsions.....	445	2.6	
Diarrhoea.....	666	3.4		Enteritis.....	417	2.4		Dropsy.....	400	2.3	
Convulsions.....	573	2.9		Diarrhoea.....	401	2.3		Enteritis.....	393	2.3	
Enteritis.....	497	2.5		Typhoid Fever.....	379	2.1		Diarrhoea.....	340	2.0	

TABLE 23—Continued.

1879, 1880, 1881 and 1882.

1880.			1881.			1882.		
DISEASES.	No. of deaths.	Per cent. of the whole.	DISEASES.	No. of Deaths.	Per cent. of the whole.	DISEASES.	No. of Deaths.	Per cent. of the whole.
	Phthisis	2154		11.2	Phthisis		2397	10.8
Old Age.....	1658	8.6	Old Age.. . . .	1972	8.9	Anæmia	1895	8.9
Infantile Debility.....	1300	6.7	Infantile Debility.....	1481	6.7	Old Age.....	1841	8.7
Pneumonia.....	1257	6.5	Diphtheria	1171	5.3	Pneumonia .. .	1322	6.2
Diphtheria	822	4.2	Pneumonia	1137	5.1	Diphtheria	1239	5.8
Heart Disease	760	3.0	Heart Disease .. .	886	4.0	Heart Disease	753	3.5
Convulsions	518	2.7	Diarrhœa	818	3.7	Typhoid Fever	555	2.6
Bronchitis.....	438	2.3	Typhoid Fever	616	2.8	Scarlatina . . .	543	2.5
Croup.....	429	2.2	Croup	533	2.4	Diarrhœa	497	2.3
Congestion of lungs.....	419	2.1	Convulsions	509	2.3	Convulsions	492	2.3

CLASSIFIED CAUSES OF DEATH.

(See Appendix Page xxxii to lxxiii.)

In this report a new classification of diseases has been used ; it is similar to the one adopted by the Provincial Board of Health, and is divided into five classes with various sub-divisions.

The following Table shews the names of the different classes, also the number of deaths in each class with per centages :—

CLASSES.	Deaths, 1882.	Percent'ge to whole number of deaths.	Deaths to 1,000 of population
Class I.—Zymotic diseases	4670	21.4	2.42
Class II.—Constitutional diseases	5715	26.2	3.00
Class III.—Local diseases	7001	32.1	3.64
Class IV.—Developmental diseases	2842	13.1	1.48
Class V.—Violent Deaths.....	869	4.0	0.45
Cause not specified.....	703	3.2	0.36
Totals.....	21800	100.0	11.35

EXPLANATION OF THE DIFFERENT CLASSES.

CLASS I.—Zymotic diseases, a term proposed by Dr. Farr, and is usually employed as synonymous with preventible, and includes all those diseases such as Measles, Scarlatina, Diphtheria, Dysentery, Cholera Infantum, Bilious, Typhoid, and Typhus fevers and Smallpox, which occur as endemics or epidemics.

CLASS II.—Constitutional diseases, which include Anæmia, Cancer, Rheumatism, Dropsy, Gout, Abscess, Hydrocephalus, Scrofula and Phthisis or Consumption.

CLASS III.—Local diseases, under which are included all those diseases in which the functions of particular organs of the system are disturbed, such as Epilepsy, Apoplexy, Convulsions, Paralysis, Insanity, Heart Disease, Congestion of the Lungs, Bronchitis, Pleurisy, Pneumonia, Disease of the Stomach, Liver and Kidneys, etc.

CLASS IV.—Developmental diseases are those incidental to women, children, and old people.

CLASS V.—Violence, deaths which are caused by wounds, burns, drowning, poison, hanging, suicide, murder, etc.

REMARKS ON THE DEATHS IN CLASS I.

The deaths from the various diseases in this class numbered 4,670, or 21 per cent. of the total number of deaths.

Diphtheria returned the highest number, 1,239 (606 males and 633 females), an increase of 68 over 1881, and as the number of deaths returned in 1882 was less than in 1881, the increase was comparatively larger. In 1881 the percentage to all deaths was 5.3, in 1882 5.6 The month of January returned the highest mortality from this disease, 165. In 1881 November held that position with 182 deaths ; August was the lowest month in both years.

Respecting the ages of those who died from this disease, it is found that more died between the ages of 1 and 15 than in all the other periods of life combined. Five hundred and forty-eight (280 males and 268 females), or 44 per cent. died between 1

and 5 years; 350 (170 males and 180 females), or 28 per cent. died between 5 and 10 years, and 136 or 10 per cent. died between 10 and 15 years, in all, 1,034 or 83 per cent. died from Diphtheria between 1 and 15 years. In 1881 there were 1,171 deaths or 82 per cent. of the whole registered from this disease during the same period.

In the following counties this disease was prevalent:—Elgin returned 29 deaths, or 9.1 per cent. of all the deaths in this county; Leeds and Grenville (united), 79, or 12.2 per cent.; Prince Edward 48, or 13.8 per cent.; Stormont, Dundas and Glengarry, (united), 50 or 9.2 per cent. In the counties of Halton, Huron, Frontenac, Dufferin, and Haldimand, the percentage of deaths from Diphtheria was not quite 4 per cent.

The city of Toronto returned 57 deaths, or 3.2 per cent. from Diphtheria; Ottawa 60, or 4.8 per cent. The town of Picton 16, or 28.5 per cent.; Brockville 25, or 16.1 per cent.; Windsor 10, or 6.7 per cent., while there are several towns which have not returned any deaths from this disease. Diphtheria stands fifth in the ten highest causes of death in the Province; in 1881 it was fourth.

Typhoid Fever ranks next highest in this class with 555 deaths (318 males and 237 females). The most fatal month was October with 77 deaths, the least so June with only 13 deaths. More deaths from this disease occurred between the ages of 20 and 30 years than in any other period, numbering 148 (83 males and 65 females). The periods 15 to 20 years and 30 to 40 years also returned a high mortality, 74 and 67 respectively. It will thus be seen that the periods ranging from 15 to 40 years returned 289 deaths from this fever, which is 23 more than the total number of deaths in all the other periods.

The county of York returned 84 deaths, or 3.4 per cent. from Typhoid fever; Middlesex, 39 deaths or 3.5 per cent.; Kent, 31 deaths or 5.2 per cent.; Ontario, 30 deaths or 6.0 per cent.; Lambton, 23 or 5.3 per cent.; Oxford, 23 or 3.8 per cent. Although the county of York returned more deaths from this cause than any other county, it does not follow that the disease was more prevalent there, as the percentage was less than in many counties that returned fewer deaths from this cause. The counties of Lanark, Norfolk, Prince Edward, Stormont, Dundas and Glengarry, (united) and Renfrew reported few deaths from Typhoid fever.

The total number of deaths from this disease in the cities and towns was 191, or 2.8 per cent. of all the deaths. Toronto returned the highest number, 61, but not the highest percentage, being only 3.5, while the town of Sarnia returned only 7 deaths from this disease, but the percentage to the total deaths in that town was 16.2. The numbers returned from London was 22, or 6.9 per cent.; Ottawa, 20 deaths or 1.6 per cent.; Hamilton, 17 deaths or 2.6 per cent. Kingston and Stratford returned each 7 deaths, but the percentages were very different—in Kingston it was only 2.2 of the deaths, in Stratford it was 9.8 per cent. Two cities, St. Catharines and Brantford, and eight towns, Chatham, Brockville, Goderich, Collingwood, Simcoe, Walkerton, Welland, and Milton, do not report any cases of deaths from this fever. The town of Whitby returned 6 deaths with a percentage of 12.7.

The deaths were the most numerous in the months of October, November, December, combined, they numbered 202, or 36 per cent. of all the deaths. The disease stands seventh in the ten highest causes of death in the Province, but last in the list for the cities and towns.

Scarlet Fever follows Typhoid Fever very closely in numbers. The deaths from it numbered 543, or 2.4 per cent. of all the deaths in the Province. The month of March returned the highest number, 99, or 18 per cent. January also returned a large number—77, or 14 per cent. February, May, and June returned 57, 65, and 60 respectively. The first six months of the year was more fatal than the second, 410 deaths being returned for that period, and only 133 for the second half year. The first quarter returned 233 deaths, and the second 177, thus showing that this disease was chiefly confined to the early part of the year.

In noticing the ages of these decedents, it is found that the largest proportion of those who died of this disease were children, 47 died under the age of one year, 300 between the ages of one and five years, and 165 between the ages of five and fifteen years. Therefore, of the 543 deaths from Scarlatina, 512 died under fifteen years of age; none died over fifty years of age, and only 24 over the age of fifteen years.

This disease was very prevalent in the county of Grey, 87 deaths, or 14·8 per cent. were reported. It also prevailed to a large extent in the county of Oxford—44 deaths or 7·3 per cent. Essex returned 33 and Huron 28 deaths from this cause. It stands eighth in the ten highest causes of death, but does not appear at all in the lists for the cities and towns. More males than females died from this disease.

Diarrhœa caused the death of 497 persons (264 males and 233 females). July, August, and September, generally the hot months of the year, were the most fatal. These three months returned a mortality of 347, or 70 per cent., while October returned only 47 deaths from this cause. The number of deaths in the other months, with the exception of February, which only returned 6, ranged from 13 to 19. Two hundred and ninety-two, or 58 per cent. of these decedents were infants under the age of one year, and 108, or 21 per cent., were between the ages of one and five, so that 400 of the 497 deaths—80 per cent.—were children under five years of age. Of the remaining 97 deaths, 64 were of old people, whose ages were between 50 and 90 years and over.

The county of York returned 76 deaths from *Diarrhœa*, or 3 per cent. of all the deaths in the county; Wentworth 42, or 3·9 per cent.; Stormont, Dundas, and Glengarry, (United) 20, or 3·7 per cent.; Middlesex, 38, or 3·4 per cent.; Kent 19, or 3·2 per cent.; Carleton 47 or 3·1 per cent. The lowest returns were from the counties of Haldimand, 4, or 1·7 per cent.; Norfolk, 2, or 0·5 per cent.; Victoria, 3, or 0·9 per cent.; Welland, 3, or ·08 per cent. The per centage of all the deaths from this cause to the total deaths from all causes, was 2·3 per cent. In the cities and towns it was 3·5 per cent. This larger proportion of deaths from *Diarrhœa* in the cities and towns was no doubt caused to a great extent by the use of impure water and unripe fruit. Toronto returned 70 deaths, 4·0 per cent.; Hamilton, 28, or 4·4 per cent.; Ottawa, 40, or 3·2 per cent.; London, 20, or 6·3 per cent.; Kingston, 11, or 3·5 per cent.; while the towns of Strathroy and Pembroke returned 3 and 6 deaths respectively, or a per centage of 10·3, and 11·1 per cent. from this cause, so that the mortality from this disease was proportionally greater in these two towns than in the cities above mentioned.

This disease stands ninth in the list of the ten highest causes of death in the Province, and sixth in the list of the cities and towns.

Croup.—Four hundred and sixty-nine deaths from this disease were registered in 1882, (255 males and 214 females). The first four months returned 226 of these deaths, nearly one-half the whole number. In 1881 the last quarter of the year was the most fatal. Nearly all died young, 449 of the number were children between one and ten years. The deaths from this cause were not numerous enough to give it a place in the list of ten highest causes of death. More males died than females.

Cholera Infantum.—There were 363 deaths registered from this cause, 184 males and 179 females. The three months, July, August and September, together, returned more decedents than all the other months combined. July returned 65, August 133, and September 96—in all 294. All but 2 died under five years of age. The males numbered 5 more than the females. No other disease in this class calls for any particular notice.

CLASS II.—*Constitutional Diseases*.—The most important disease in this class is Phthisis or Consumption, it stands in 1882 at the head of the ten highest causes of death, as it has done for many years, and notwithstanding all the efforts to arrest its progress it seems to be on the increase. There were 67 more deaths from it in 1882 than in 1881, and, in consequence of the decrease in the total number of deaths returned, the rate per cent. was increased from 10·8 to 11·3 per cent. It affected both young and old, particularly the young, between 20 and 30 years of age. It spread through every month of the year, though with considerable variation. The spring months exceeded the other months to a small extent. March returned the highest number of deaths from this disease, 240, and August the lowest, 167, a difference of 73; 376 more females died than males. The highest number of deaths from Phthisis was returned from the county of York, 267, but its per centage to the total deaths in the county was only 10·8 per cent., not equal to the average; the next highest was Carleton, with 149 deaths, or a per centage of only 9·8. Middlesex follows, with 127 deaths, or 11·5 per cent.; a little above the average. Wentworth was nearly the same, 120, or 11·2 per cent. These counties

have large cities within their boundaries. The following counties come next in numerical order, several large towns are within their boundary, but no cities; their death rate from Phthisis was very high. Northumberland and Durham (united) registered 103 cases, 14.9 per cent. of all the deaths; it was 15 per cent in 1881. Leeds and Grenville, (united) 96, or 14.8 per cent.; 15 per cent. in 1881. Huron, 90, or 13.1 per cent.; it was only 9 per cent. in 1881. Stormont, Dundas and Glengarry (united), 90, or 16.7 per cent.; against 13 per cent in 1881. Lincoln returned the highest death rate from this cause, 68, or 17 per cent.; in 1881 it returned 66, or 14 per cent. Prince Edward also had a very high rate, 51, or 14.6 per cent.; it was the highest in 1881, with 17 per cent. The following counties returned a low mortality from this disease: Renfrew, 19 deaths, or 5.8 per cent. of all the deaths in that county; Lambton, 28, or 6.5 per cent.; Perth, 39, or 7.6 per cent.; Grey 47, or 8 per cent.; Muskoka and Parry Sound, 25, or 8.7 per cent., and Halton 23, or 8 per cent. All these counties returned similar low rates in 1881, except Renfrew, which numbered 42 deaths, or 12 per cent.

This scourge of human life is evidently on the increase, a steady rise is noticed in every year since 1878; in 1879 the number was 2,065, in 1880, 2,154, in 1881, 2,397, and in 1882, 2,464; an increase in four years of 465, or 23 per cent. The great mortality from Phthisis, both in this and other countries, has been for some years the thought and study of the greatest scientists of the day, but so far their efforts have not been successful in devising means for checking the growth of this insidious and distressing malady. There were 804 deaths, or 11.9 per cent. of all the deaths, (6,752) from Phthisis in the cities and towns. Twenty-three of these places returned a higher rate. As usual, Toronto returned the largest number of decedents from Phthisis—208, or 12 per cent.—but this rate was exceeded by several cities and towns with less number of deaths. Ottawa was next in numbers, with 105 deaths, or 8.5 per cent.; Kingston returned 42 deaths, or 13.4 per cent.; London 36, or 11.4 per cent.; Guelph and Brantford each returned a death rate of 15 per cent. from Phthisis; St. Thomas reported the fewest deaths of any city, 5 deaths, or 6.1 per cent. In many of the towns the rate was very high. Bowmanville had 16 deaths, or 25.8 per cent.; Perth 9 deaths, or 25 per cent.; Cornwall, 16, or 24.2 per cent.; Cobourg, 11, or 20.3 per cent.; Simcoe, 6, or 19.3 per cent. No deaths from this cause were returned from Milton or Welland, Pembroke and Sarnia only returned 2 each or 3.7 and 4.6 respectively; Whitby 3 or 6.9, and Napanee 3 or 10.3 per cent.

Females are more subject to Phthisis than males in nearly every period of life. In the following table this is plainly seen, as well as the prevalence of the disease in the various periods of life, and also the great mortality between the ages of 20 and 30 years.

MORTALITY FROM CONSUMPTION.

AGES.	Total deaths from all causes.	Deaths from Consumption.	Percentage at several ages to total deaths from consumption.	SEX.	
				Male.	Female.
Under 15 years.....	9559	269	10.9	121	148
From 15 to 20 years.....	856	246	10.0	72	174
“ 20 “ 30 “.....	1930	779	31.6	294	485
“ 30 “ 40 “.....	1359	440	17.8	196	244
“ 40 “ 50 “.....	1201	283	11.5	123	160
“ 50 “ 60 “.....	1257	192	7.8	104	88
“ 60 “ 70 “.....	1600	127	5.2	68	59
“ 70 “ 80 “.....	1952	56	2.3	36	20
“ 80 “ 90 “.....	1250	6	.2	3	3
“ 90 and over.....	273
Age not stated.....	563	66	2.7	27	39
Totals.....	21800	2464	100.0	1044	1420

Anæmia.—Under this heading are included all who died from Infant Debility, Atrophy, General Debility, and Degeneration. They were not so classed in the last Report; General Debility and Degeneration were, in many cases, included under Old Age. The deaths from Anæmia in 1882 numbered 1895, principally of children recorded as dying from Infantile Debility. 1,441, or 76 per cent., died under one year; and 202, or 10 per cent., died between one and five years of age; therefore, of the 1,895 deaths returned as dying from Anæmia 1,643, or 86 per cent., were children under five years. This was largely in excess of the number returned in 1881, and was chiefly caused by the large increase in the deaths from Infantile Debility returned from Ottawa. The three months, July, August, and September were the fatal periods to these infants, 199, 197, and 212, respectively having died in those months, making a total of 608, or 32 per cent. of all the deaths from that disease. The deaths in the other months did not vary to any great extent.

Dropsy and *Cancer* returned nearly the same number of cases—the first 393 and the second 397. Dropsy appears to be on the decrease, while Cancer seems to be advancing every year. These two diseases principally affect persons of middle and old age, 254 having died from Dropsy between the ages of 50 and 90—64 per cent. of all the deaths from this disease, while 266 died from Cancer during the same periods. Dropsy occupied the eighth place in the list of ten highest causes of death in 1879, since which time it does not appear on the list. Cancer in 1881 returned 313, in 1882; 397—an increase of 84, or 26 per cent. The mortality from these diseases was not very prominent in any one month of the year. More females than males died of Cancer, but in Dropsy the males and females were very nearly the same. No other disease in this class calls for any particular remarks.

CLASS III.—*Local Diseases*.—In this class are grouped many important diseases, in their various orders. In the first order (Nervous diseases), Apoplexy, and Convulsions are found very similar in their action. They caused the death of 803 persons—449 males and 354 females; about the same number as in 1881. More males than females died from these diseases. Meningitis and Encephalitis—both diseases of the brain—caused the death of 526 persons, 268 males and 258 females. The deaths from these two diseases appear to have been confined in a great measure to children under five years of age, as 260, or 50 per cent. were registered as dying of those diseases at that period of life. The months of May, June, and September returned a larger number of deaths from Meningitis than the other months; and so do February and April from Encephalitis. More males than females died from these two diseases.

In Order 2 of this class (*Diseases of the Circulatory System*) diseases of the heart are the most important. The deaths from them are increasing every year. 828 persons are recorded as having died from the various affections of this organ of the body in 1882—404 males and 424 females. The deaths from Valvular Disease of the Heart were most numerous in the months of March, October and December; they returned respectively 77, 71, and 74—altogether 222, or nearly 30 per cent of all deaths from this cause. September and February were the months most free from deaths of this kind; they numbered 55 and 54. Between 50 and 80 years of age there were 392 deaths from this affection of the heart, 52 per cent. of all; therefore it may be called a disease of old age, though 38 deaths were registered under five years of age. It is sixth in the ten highest causes of death.

Order 3.—Diseases affecting the lungs, chest, and throat, such as Pneumonia, Apoplexia pulmonalis, Bronchitis, and Laryngitis, are found to be the principal items of this order; together they returned 2,272 deaths—1,230 males and 1,042 females. March, April, and May, the three cold, wet, and windy months, proved very fatal to those affected with throat and lung complaints, no less than 893 persons having died of them in those months; while in the hot, dry months of July, August, and September only 289 deaths were recorded. 523 infants under one year, and 383 between one and five years died from these causes, while 596 died between the ages of 50 and 80. Therefore they are to a large extent diseases of childhood and old age; the least fatal period was between 5 and 20 years—only 186 deaths took place at that time of life.

Pneumonia, the principal lung disease, stands fourth on the list of ten highest causes of deaths. It has held the same position for many years.

Order 4.—(Diseases of the Digestive System).—Four of the principal diseases in this order are Dyspepsia, Enteritis, Gastritis, and Peritonitis, and are sometimes the results of inattention to proper dietary rules and conditions, therefore the number of deaths registered from these causes should act as a warning to those who neglect or infringe upon the demands of nature. There were 761 deaths, 412 males and 349 females registered in 1882 from these causes. The hot months of summer, returned the largest mortality, 225 having died in those months; October also returned as large a number—73. The deaths under one year were double those of any other period of age. The mortality was large between 20 and 30, being 79, and so also was it between 60 and 70, in which 76 died. The periods between 70 and 80, and between 10 and 15 appear to have been comparatively free from deaths of the digestive organs. Neither of these four diseases appear in the ten highest causes of death.

Order 5.—Diseases of the Urinary System.—Nephria and Nephritis, both affecting the kidneys, are the principal diseases in this order, they numbered 220, 141 males and 79 females, and were most prevalent in the fall and spring, they also attacked more old people than young. More males than females died of these diseases. Orders 6, 7, and 8 require no special comment.

CLASS IV.—*Developmental Diseases of Children.*—*Order 1.*—108 little ones lost their lives during the trying ordeal of dentition. There were 256 cases of still born, and 181 of premature birth, making a total of 437 who never really existed, or at least very temporarily.

Order 2 refers to *Diseases of Women*, and it is sad to find that 293 women died of diseases incidental to child bearing. The ages of these women were between 15 and 50 years.

Order 3.—Old Age.—General Debility and Degeneration, two causes of death heretofore entered under Old Age, are now, in accordance with the new classification, placed under Anæmia, consequently a less number of deaths were returned from Old Age, and it now stands third in the ten highest causes of death instead of retaining its usual place, second, a position it has held for ten years previous to 1882. Anæmia takes its place as second on the list. There were, however, 1,841 persons returned as dying from Old Age, 946 males, and 895 females. These deaths were of persons far advanced in life, who passed away apparently without any specific disease, and probably were not attended by a physician in their last illness, and therefore their friends registered them as dying of Old Age.

CLASS V.—*Violent Deaths.*—These were either caused by accident, negligence or wilfulness on the person's own part or that of others. The total number of these deaths was 869, 692 males, and 177 females. 74 were from suicide, 59 males and 15 females, which is to be regretted, but the number is comparatively small in proportion to other countries. As railways multiply throughout the Province so will accidents through them increase. The increase was very great in 1882. In 1881 only 55 persons were registered as having been killed by cars, in 1882, 102 persons were so returned—nearly double the number.

Respecting those diseases which have not been particularly noticed in these cursory remarks, it is hoped that all interested in observing the rise and fall of the various causes of death, will study the minute and lengthy details given of every disease in the classification found in the tables of this Report. They have been compiled with great care, and a very large amount of labour.

TABLE 24.—DEATHS BY AGES.

(See Appendix, page clxxxiv to cclxlvii.)

AVERAGE AGE AT DEATH of Males and Females in the Counties of Ontario, for
the Year 1882.

COUNTIES.	Including Deaths Under One Year.						Deducting all who died under One Year.					
	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
Brant.....	194	33.0	158	31.3	352	32.1	152	41.7	127	38.7	279	40.2
Bruce.....	289	32.2	236	27.0	525	29.6	231	40.1	185	34.1	416	37.1
Carleton.....	758	18.4	755	19.8	1513	19.1	447	30.6	486	30.4	933	30.5
Dufferin.....	101	33.3	86	26.7	187	30.0	87	38.5	68	33.5	155	36.0
Elgin.....	167	31.2	150	26.8	317	29.0	148	35.1	132	30.4	280	32.7
Essex.....	373	22.4	305	23.8	678	23.1	280	29.5	225	32.0	505	30.7
Frontenac.....	317	33.1	311	30.6	628	31.8	250	40.4	245	37.2	495	39.0
Grey.....	323	23.0	265	27.0	588	25.0	249	29.5	229	31.0	478	30.2
Haldimand.....	118	34.5	112	34.5	230	34.5	92	44.0	100	38.5	192	41.2
Halton.....	132	36.0	125	35.7	257	35.8	112	42.1	109	40.8	221	41.4
Hastings.....	314	34.3	273	32.7	587	33.5	261	41.1	230	38.6	491	39.8
Huron.....	371	32.7	314	27.7	685	30.2	309	39.1	263	34.0	572	36.6
Kent.....	296	26.8	299	25.5	595	26.1	236	34.2	247	29.5	483	31.8
Lambton.....	217	26.4	211	26.4	428	26.4	156	36.4	166	33.3	322	34.8
Lanark.....	134	38.1	113	36.8	247	37.4	111	44.2	98	41.2	209	42.7
Leeds and Grenville.....	345	35.7	301	32.6	646	34.1	306	40.2	261	37.5	567	38.8
Lennox & Addington.....	135	38.0	128	30.0	263	34.0	116	44.0	105	36.4	221	40.2
Lincoln.....	197	30.5	201	33.0	398	31.7	146	40.7	173	38.2	319	39.4
Middlesex.....	571	31.9	532	29.3	1103	30.6	447	40.4	405	38.2	852	34.3
Norfolk.....	190	35.8	155	28.5	345	32.1	147	46.0	117	37.4	264	41.7
Northumberland and Durham.....	347	34.8	344	35.6	691	35.2	282	42.0	289	40.7	571	41.3
Ontario.....	251	31.9	247	31.9	498	31.9	204	38.6	207	37.3	411	38.0
Oxford.....	311	32.3	290	32.2	601	32.2	258	38.7	245	37.9	503	38.3
Peel.....	168	35.8	166	29.1	334	32.5	144	41.6	142	33.8	286	37.7
Perth.....	265	30.9	246	32.6	511	31.8	209	38.9	204	39.1	413	39.0
Peterborough.....	191	30.0	168	30.2	359	30.1	144	39.4	141	35.8	285	37.6
Prescott and Russell.....	225	31.8	210	18.8	435	25.3	168	42.3	150	27.4	318	34.8
Prince Edward.....	186	33.8	162	33.8	348	33.8	167	37.6	145	37.7	312	37.6
Renfrew.....	168	28.1	157	28.8	325	28.5	137	35.1	126	35.9	263	35.5
Simcoe.....	307	28.2	312	25.2	619	26.7	234	36.7	240	31.6	474	34.2
Stormont, Dundas and Glengarry.....	253	35.3	287	32.0	540	33.7	206	43.2	231	37.9	437	40.5
Victoria.....	173	29.0	161	29.7	334	29.4	123	38.2	127	36.4	250	37.3
Waterloo.....	293	33.2	286	29.5	579	31.4	226	42.7	240	34.9	466	38.8
Welland.....	175	32.1	210	32.4	385	32.3	136	41.0	178	37.2	314	39.1
Wellington.....	367	31.9	353	32.0	720	31.9	284	41.0	288	38.4	572	39.7
Wentworth.....	541	30.7	524	29.0	1065	29.8	380	43.2	382	38.4	762	40.5
York.....	1241	24.0	1222	23.8	2463	23.9	848	34.1	876	32.0	1724	33.1
	11004	29.8	10375	28.3	21379	29.1	8433	38.9	8182	35.5	16615	36.9

TABLE 25.

AVERAGE AGE AT DEATH of Males and Females in the Cities and County Towns
of Ontario, for the Year 1882.

CITIES AND TOWNS.	Including Deaths Under One Year.					Deducting all who died under One Year.						
	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.	No. of Male Decedents.	Average Age at Death.	No. of Female Decedents.	Average Age at Death.	Total No. of Decedents.	Average Age at Death.
Brantford	83	30.6	73	28.7	156	29.7	63	39.5	58	36.0	121	37.8
Walkerton.....	11	17.6	8	35.5	19	26.5	8	23.9	6	47.0	14	35.4
Orangeville.....	15	28.7	15	18.1	30	23.4	12	35.6	11	24.3	23	30.0
St. Thomas.....	45	21.5	37	18.4	82	20.0	35	27.3	29	23.2	64	25.3
Sandwich.....	6	9.6	6	26.0	12	17.8	6	9.6	6	26.0	12	17.8
Kingston.....	146	28.7	167	28.8	313	28.8	123	33.8	137	35.0	260	34.4
Owen Sound.....	39	14.2	34	30.0	73	22.1	27	20.1	27	37.2	54	28.7
Cayuga.....	5	38.8	3	12.0	8	25.4	4	48.2	3	12.0	7	30.1
Milton.....	8	45.3	7	14.3	15	29.8	6	60.1	3	32.0	9	46.1
Belleville.....	91	32.9	80	26.0	171	29.4	70	42.4	61	33.8	131	38.1
Goderich.....	24	38.8	24	31.2	48	35.0	18	51.4	18	41.3	36	46.3
Chatham.....	41	21.1	43	27.5	84	24.3	26	32.7	33	35.6	59	34.2
Sarnia.....	23	17.9	20	23.9	43	20.9	14	28.8	15	31.5	29	30.2
Ottawa.....	617	14.6	614	16.8	1231	15.7	315	27.6	341	29.6	656	28.6
Brockville.....	81	28.1	72	24.3	153	26.2	68	33.2	60	28.9	128	31.1
Perth.....	18	20.0	18	36.3	36	28.2	15	23.8	16	40.7	31	32.3
Napanee.....	29	27.5	35	30.0	64	28.8	22	36.0	28	37.2	50	36.6
St. Catharines.....	75	29.8	81	37.1	156	33.5	52	42.5	72	41.6	124	42.1
London.....	178	24.1	138	25.8	316	25.0	120	35.3	90	39.1	210	37.2
Simcoe.....	19	40.5	12	30.6	31	35.6	16	48.0	11	33.4	27	40.7
Cobourg.....	28	47.1	26	37.0	54	42.1	26	50.6	23	41.7	49	46.2
Whitby.....	19	34.5	28	28.0	47	31.2	16	40.8	25	31.3	41	36.1
Woodstock.....	37	39.0	26	28.3	63	33.6	31	46.4	21	34.9	52	40.6
Brampton.....	47	39.4	41	25.7	88	32.6	38	48.5	28	37.1	66	42.8
Stratford.....	39	32.9	32	32.0	71	32.5	32	39.8	27	37.8	59	38.8
Peterborough.....	42	33.7	41	37.0	83	35.4	33	42.7	38	39.9	71	41.3
Picton.....	25	30.3	31	40.3	56	35.3	24	31.5	29	43.1	53	37.3
Pembroke.....	34	19.0	20	22.1	54	20.6	25	25.5	13	33.5	38	29.5
Barrie.....	36	41.1	27	27.6	63	34.4	27	54.5	23	32.3	50	43.4
Cornwall.....	31	19.8	35	26.6	66	23.2	18	33.3	31	29.9	49	31.6
Lindsay.....	28	27.1	20	33.4	48	30.3	23	32.8	15	44.2	38	38.5
Berlin.....	45	39.3	33	23.7	78	31.5	35	50.2	28	27.7	63	38.9
Guelph.....	88	19.4	80	31.4	168	25.4	58	29.0	64	39.0	122	34.0
Welland.....	4	25.0	10	31.6	14	28.3	3	33.0	8	39.2	11	36.1
Hamilton.....	319	25.0	318	24.3	637	24.7	197	39.9	225	34.0	422	37.0
Toronto.....	879	22.6	851	22.0	1730	21.3	619	31.7	581	31.9	1200	31.8
	3255	24.0	3106	24.1	6361	24.1	2225	34.6	2204	33.6	4429	34.1

 AVERAGE AGES AT DEATH.

See Tables 24 and 25.

The average age at death of all who died in 1882 was 29.1 years (of males 29.8 years, of females 28.3 years). This is an increase in the length of life in the Province of nearly one year over 1881. In the year 1880 it was 31.2 years.

The mortality of children, at and under one year of age, was not so great as in 1881, when 6,653 were reported as dying at those early periods of life, while in 1882 only 6,118 were so returned, a decrease of 535. This accounts, in a great measure, for the increase in the average length of life. The following counties exceeded the general average age of 29.1 years:—Halton averaged 35.8 years; Haldimand, 34.5 years; Lanark, 37.4 years; Leeds and Grenville, (united) 34.1 years; Lennox and Addington (united), 34.0 years; Northumberland and Durham (united), 35.2 years; but these counties returned a low death rate, some of them as low as 7 per 1,000; and further, none of them include large cities, where the deaths at and under one year of age are generally large, and which greatly influences the general length of life. In some counties on the contrary, where the average length of life was low, the death rate was large. Carleton, in which the average age was only 19.0 years, returned a death rate 23.6 per 1,000. Essex, with an average age of 23.1 years, had a death rate of 14.5. Wentworth, with an average age of 29.8 years, returned a death rate of 15.9, and the average age in the county of York was 23.9 years, with a death rate of 16.1 per 1,000.

In the cities and towns the length of life was less than the average of the whole Province, being only 24.1 years. In Ottawa the average was only 15.7 years, owing to very large mortality at and under one year of age, 694 deaths having occurred in those periods of life.

When those who died under one year are deducted from the whole number of deaths, the average length of life is largely increased. For the whole Province the average was raised from 29.1 to 36.9 years; in the cities and towns from 24.1 to 34.1 years. In some of the cities and towns the increase was much larger. In Ottawa, after deducting 575 deaths under one year, the length of life of the remainder was raised from 15.7 years to 28.6 years. Toronto, by the same means, increased from 21.3 years to 31.8 years, the number of deaths under one year being 530. London increased from 25.0 to 37.2 years, the deaths under one being 106, or nearly 34 per cent. The town of Milton had the largest increase, by this deduction; the average age rose from 29.8 years to 46.1 years, an increase of 16.3 years, although the deaths under one year were only 6, but these six deaths were 40 per cent. of all the deaths returned from this town. Other towns were similarly increased. Goderich from 35.0 to 46.3 years, Brampton from 32.6 to 42.8 years, Chatham from 24.3 to 34.2 years, Sarnia from 20.9 to 30.2 years, and Pembroke from 20.6 to 29.5 years. Sandwich reported no deaths under one year, therefore the average age remains the same, 17.8 years.

TABLE 26.
LIST OF CENTENARIANS, 1882.

No.	NAMES.	Sex.	Occupation.	Where born.	Age at Death.	Where Died.	Cause of Death.
1	George Hilliard	M.	Trader	Kerry, Ireland	100 years	Ottawa City, Carleton Co., Ontario.	Old age.
2	James King	M.	Gardener	Lanarkshire, Scotland	103	Tp. Nepean, "	"
3	George Griffith	M.	Farmer	Lincolnshire, England	100	" Maidstone, Essex "	"
4	Francis Bonchier	M.	"	Quebec	103	" St. Vincent, Grey "	"
5	Joseph Gibson	M.	"	Ireland	106	Collingwood Town, Simcoe Co., "	"
6	Mary Ann Forest	F.	Housewife	"	101	Tp. Sullivan, Grey "	"
7	John McLeod	M.	Labourer	Scotland	104	Tuckersmith, Huron "	"
8	Robert McCutcheon	M.	Weaver	Ireland	103	Town of Goderich, "	Dropsy.
9	Sarah Johnson	F.	Farmer's wife	North Carolina	105	Tp. Raleigh, Kent "	Old age.
10	Jane Clark	F.	Spinster	Scotland	102	Town of Perth, Lanark "	"
11	Mary A. McMahon	F.	Widow	Ireland	104	" " Simcoe, Norfolk "	"
12	Henry Thomas	M.	Labourer	England	100	" " Bowmanville, Durham, Co O. "	Paralysis.
13	Margaret Zwickley	F.	Widow	Ireland	101	Vil. of Port Perry, Ontario "	Old age.
14	Angus McDonald	M.	{ Trumpet Major } British Army.	Scotland	105	Tp. Uxbridge, "	"
15	David Daley	M.	Pauper	Quebec	100	Vil. Ashburnham, Peterboro "	"
16	Pierre Plouffe	M.	Farmer	"	101	Tp. N th Plantagenet Prescott "	Debility.
17	Jemima Clarke	F.	Not known	Not known	100	" Athol, Prince Edward "	Old age.
18	Ann Law	F.	Midwife	Ireland	104	" Ameliasburg, "	{ Senility (deceased was deaf, blind and helpless for three years.) }
19	Timothy Barnett	M.	Labourer	"	104	Vil. Arnprior, Renfrew "	Old age.
20	John McDonald	M.	Farmer	Scotland	100	Tp. Cornwall, Stormont "	"
21	Benjamin Little	M.	"	Ireland	109	" Fenelon, Victoria "	"
22	William Johnson	M.	"	Ireland	112	" Wellesley, Waterloo "	"
23	Jennie Green	F.	Farmer's wife	United States	102	" Salfleet, Wentworth "	Congestion of Lungs.
24	Eliza Champain	F.	Housewife	Quebec	103	" Scarborough, York "	Old age.
25	Bridget Cain	F.	Farmer's wife	Ireland	104	" Vaughan "	Purpura.
26	Roderick McQuag	M.	Farmer	Scotland	100	" Roxborough, Stormont "	Old Age.

TABLE 27.
Nationalities of Decedents over Sixty Years of Age.

	English.	Irish.	Scotch.	Canadian.	American.	German.	French.	Swiss.	Other Countries.	Not Known.	Total.
Deaths between 60 and 70....	332	487	220	361	75	65	3	1	6	40	1590
“ “ 70 “ 80....	389	589	301	410	127	78	10	5	43	1952
“ “ 80 “ 90....	215	428	204	188	114	54	5	3	2	37	1250
“ “ 90 “ 100....	30	98	60	26	22	5	2	1	1	2	247
“ “ 100 “ upw'rds	2	10	5	4	4	1	26
Total deaths over 60....	968	1612	790	989	342	202	20	5	14	123	5065

Every year a number of persons are reported to be 100 years, and over, at the time of their death. Twenty-six such cases were reported in 1882. Enquiries made respecting these centenarians have hitherto failed to establish satisfactorily the truth of these advanced ages. In the nationality of decedents over sixty years of age, in every period from that age to 100 years, the Irish largely predominated. They numbered 1,612 out of a total of 5,065, nearly 32 per cent. English and Canadians are nearly the same, 968 and 989 respectively. The Scotch followed, with 790, and those of American birth numbered 342. Out of 26 who were reported as being 100 years, and upwards, at the time of their death, 11 were born in Ireland.

TABLE 28.

DEATHS BY OCCUPATIONS (for General Table *see* Appendix, page cclxviii to cclxxvii.
Over the Average Age, 57 years.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Millwrights....	5	74.8	Undertakers.....	1	62.0
Volunteers, Soldiers and Pensioners.....	39	70.9	Farmers.....	2503	61.8
Dentists.....	1	70.0	Public Officials.....	84	61.4
Gentlemen.....	170	68.2	Plasterers.....	11	61.0
Weavers.....	23	65.1	Clergymen.....	38	60.5
Gardeners.....	38	64.8	Tanners and Curriers.....	7	60.4
Masons.....	28	64.4	Brewers and Distillers.....	6	59.5
Tailors.....	41	63.0	Pedlars.....	16	59.1
Hunters and Fishermen.....	6	62.8	Coopers.....	32	58.9

Under the Average Age.

OCCUPATIONS.	No. of Deaths.	Average Age at Death.	OCCUPATIONS.	No. of Deaths.	Average Age at Death.
Contractors and Builders	18	56.4	Cabinet Makers	21	44.8
Shoemakers	94	55.8	Agents	42	44.8
Miners	4	55.5	Teamsters	22	44.0
Bricklayers	10	54.9	Artists	7	43.5
Provincial Land Surveyors	9	54.6	Engineers	34	43.5
Carpenters	173	54.2	Saddle and Harness Makers	13	42.8
Manufacturers	22	54.2	Tinsmiths	18	42.5
Blacksmiths	81	53.2	Painters	21	41.3
Labourers	731	52.8	Machinists	28	41.2
Brickmakers	9	52.6	Editors	1	41.0
Merchants	119	52.6	Railroad Employees	56	38.8
Teachers, Male	33	52.2	Cooks	7	38.1
Physicians	36	52.1	Barbers	11	37.4
Bankers	7	51.4	Moulders	22	36.8
Millers	24	51.0	Chemists and Druggists	13	36.8
Lawyers	26	51.0	Milliners and Dressmakers	16	36.8
Carriage and Waggon Makers	22	50.4	Sawyers	4	36.7
Tavern Keepers	64	49.1	Domestic Servants	52	36.6
Watchmakers and Jewellers	6	49.1	Teachers, Females	18	36.0
Butchers	22	48.9	Book-keepers, Salesmen and Clerks	92	35.9
Bakers and Confectioners	24	48.6	Seamstresses	27	32.7
Other Mechanics	79	48.5	Printers	16	32.3
Stone Cutters	11	47.6	Tobacconists and Cigarmakers	4	30.7
Sailors	35	47.5	Telegraph Operators	6	28.1
Lumbermen	18	45.8	Students	7	26.0
Musicians	5	45.2			

REMARKS ON DEATHS BY OCCUPATIONS.

(See Table 28.)

The average age at death of those whose occupations were given was one year greater in 1882 than in 1881. The average for several years was as follows:—

For 1873 it was.....	52.8	years.
“ 1874 “	55.2	“
“ 1875 “	no	report.
“ 1876 “	55.7	years.
“ 1877 “	56.1	“
“ 1878 “	57.1	“
“ 1879 “	57.6	“
“ 1880 “	57.3	“
“ 1881 “	56	nearly.
“ 1882 “	57	years.

There were registered in 1882 the deaths of 5,289 persons, who at the time of their death were following some occupation. Three thousand and forty-nine, or more than one-half of them, lived to be over the average age, 57 years. Conspicuous amongst them were Pensioners, Gentlemen, Farmers, and Public Officials. They numbered 2,796, with an average age of 65.5 years; an enviable class to belong to. They are those who generally do not have to contend with the worries and cares of business, or with the hard struggles and heavy toil of those who work for a living in cities and towns. Clergymen alone in this list of persons dying above the average age were brain workers. Merchants and professional men, as a class, die before arriving at the average age of life.

TABLE 29.

TEN OCCUPATIONS, giving the Highest Average Age in 1882, compared with 1881.

1881.	No of Deaths.	Average Age at Death.	1882.	No of Deaths.	Average Age at Death.
Gentlemen	228	Years. 70	Millwrights	5	Years. 74.8
Soldiers and Pensioners	54	70	Volunteers, Soldiers and Pensioners	39	70.9
Masons	37	66	Dentists	1	70.0
Weavers	37	66	Gentlemen	170	68.2
Provincial Land Surveyors	5	65	Weavers	23	65.1
Gardeners	28	62	Gardeners	38	64.8
Clergymen	39	61	Masons	28	64.4
Farmers	2519	60	Tailors	41	63.0
Shoemakers	93	60	Hunters and Fishermen	6	62.8
Tanners and Curriers	10	59	Farmers	2503	61.8

TEN OCCUPATIONS, giving the Lowest Average at Death in 1882, compared with 1881.

1881.	No of Deaths.	Average Age at Death.	1882.	No of Deaths.	Average Age at Death.
		Years.			Years.
Telegraph Operators	3	25	Students	7	26.0
Tobacconists and Cigar Makers..	8	29	Telegraph operators	6	28.1
Milliners and Dressmakers	32	31	Tobacconists and Cigar Makers	4	30.7
Artists	4	31	Printers.....	16	32.3
Lumbermen	13	34	Seamstresses	27	32.7
Salesmen and Clerks	41	36	Book-keepers, Salesmen and Clerks	92	35.9
Printers	20	36	Teachers, Female	18	36.0
Sawyers	9	38	Domestic Servants.....	52	36.6
Editors	2	38	Sawyers.....	4	36.7
Seamstresses.....	16	40			

TEN OCCUPATIONS GIVING THE HIGHEST AVERAGE AGE AT DEATH.

(See Table 29.)

In this comparative list some changes have taken place since 1881, "gentlemen" held the highest place with an average age of 70 years in 1881. In 1882 millwrights took their place with an average age of 74.8 years, but only five of this occupation died, whereas the deaths of 170 gentlemen were recorded at an average age of 68.2 years; they are now fourth on the list. Masons are seventh with an average age of 64.4 years, they were third in 1881 with an average age of 66 years. Provincial Land Surveyors, who were fifth in 1881, have dropped out of the list altogether in 1882. Gardeners retain the same place, but with an increase of two years in their average age. Clergymen, Shoemakers and Tanners and Curriers, who held respectively in 1881, the seventh, ninth and tenth places in this list, do not appear in 1882; fewer of them died, and their average age was not as large as in 1881. Farmers have also retrograded to some extent, they formerly held the eighth place, but in 1882 they were last, their average age, however, was nearly two years longer.

TEN OCCUPATIONS GIVING THE LOWEST AVERAGE AGE AT DEATH.

The lowest average age of any calling in 1882 was that of Students, twenty-six years; in 1881 Telegraph Operators were the lowest. Students lose that appellation when they have finished their studies and entered their profession, therefore those who died while they were pursuing their studies died young. Milliners, Artists, Lumbermen and Editors do not appear on this list in 1882, their places have been taken by Students, Female Teachers and Domestic Servants. Printers were seventh on the list in 1881 with an average age of thirty-six years; in 1882 they were fourth, with only thirty-two years, a decrease of 4 years in their average ages. All these callings which exhibit so low an average length of life may be considered prejudicial to longevity. Over-study, it is well known, causes many deaths in early life, and that was probably one of the causes why Students appear in the list with so low an average age at their deaths. The length of the

lives of Female Teachers was shorter than that of Male Teachers. The hardships incidental to a life of teaching weigh more heavily on females than males, especially in cities and towns where they have to encounter more densely crowded rooms through a larger attendance of children, than their fellow Male Teachers, the younger ones being invariably placed under their charge and consequently their work is more wearing and exhausting. Their average age at the time of death was thirty-six, while that of Male Teachers was fifty-two years.

The occupation of a Seamstress is not thought to be conducive to good health, and consequently it is found that in every country their average length of life is low. In 1882 their average age was 32·7 years, in 1881 it was 40 years, a decrease of over seven years. This was probably caused by more being engaged in that work, as there were eleven more deaths in 1882 than in 1881.

TABLE 30.

A STATISTICAL CLASSIFICATION of the number of Deaths of persons whose Occupations were specified, giving the Number, Average and Aggregate Ages.

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASSES AND OCCUPATIONS	5289	299818	56.7
1. CULTIVATORS OF THE EARTH	2541	157297	61.9
2. MECHANICS	896	46623	52.0
3. LABOURERS	769	40525	52.7
4. MERCHANTS, FINANCIERS, AGENTS, ETC.	383	17594	45.9
5. PROFESSIONAL MEN	469	27423	58.5
6. OTHER EMPLOYMENTS	136	6983	51.3
7. FEMALES AT WORK	95	3373	35.5
CLASS I.—CULTIVATORS OF THE EARTH	2541	157297	61.9
Farmers	2503	154836	61.8
Gardeners	38	2461	64.8
CLASS II.—MECHANICS	896	46623	52.0
Blacksmiths	81	4309	53.2
Brickmakers	9	474	52.6
Brewers and Distillers	6	357	59.5
Bricklayers	10	549	54.9
Barbers	11	411	37.4
Butchers	22	1076	48.9
Bakers and Confectioners	24	1167	48.6
Carpenters	173	9374	54.2
Cabinetmakers	21	940	44.8
Coopers	32	1885	58.9
Cooks	7	267	38.1
Contractors and Builders	18	1016	56.4
Carriage and Waggonmakers	22	1109	50.4
Masons	28	1803	64.4
Machinists	28	1153	41.2
Moulders	22	810	36.8
Millers	24	1225	51.0
Millwrights	5	374	74.8
Miners	4	222	55.5
Other Mechanics	79	3833	48.5
Painters	21	868	41.3
Printers	16	517	32.3
Plasterers	11	671	61.0
Stonecutters	11	524	47.6
Shoemakers	94	5252	55.8
Saddlers and Harnessmakers	13	557	42.8
Sawyers	4	147	36.7
Tinsmiths	18	766	42.5
Tobacconists and Cigarmakers	4	123	30.7
Tailors	41	2584	63.0
Tanners and Curriers	7	423	60.4
Undertakers	1	62	62.0
Watchmakers and Jewellers	6	277	46.2
Weavers	23	1498	65.1

TABLE 30—Continued.

OCCUPATIONS.	NUMBER OF PERSONS.	AGES AT DEATH.	
		Aggregate.	Average.
CLASS III.—LABOURERS.....	769	40525	52.7
Labourers	731	38609	52.8
Peddlars	16	946	59.1
Teamsters	22	970	44.0
CLASS IV.—MERCHANTS, FINANCIERS, AGENTS, ETC..	383	17594	45.9
Agents	42	1855	44.1
Book-keepers, Salesmen and Clerks	92	3309	35.9
Bankers	7	360	51.4
Chemists and Druggists	13	479	36.8
Manufacturers	22	1193	54.2
Merchants	119	6262	52.6
Tavern-keepers	64	3143	49.1
Telegraph Operators	6	169	28.1
Lumbermen	18	824	45.8
CLASS V.—PROFESSIONAL MEN	469	27423	58.5
Artists	7	305	43.5
Clergymen	38	2299	60.5
Dentists	1	70	70.0
Engineers	34	1479	43.5
Editors	1	41	41.0
Lawyers	26	1325	51.0
Musicians	5	226	45.2
Physicians	36	1876	52.1
Public Officials	84	5158	61.4
Provincial Land Surveyors	9	492	54.6
Teachers, Male	33	1724	52.2
“ Female	18	649	36.0
Gentlemen	170	11597	68.2
Students	7	182	26.0
CLASS VI.—OTHER EMPLOYMENTS.....	136	6983	51.3
Hunters and Fishermen	6	377	62.8
Railroad Employees	56	2175	38.8
Sailors	35	1663	47.5
Volunteers, Soldiers and Pensioners	39	2768	70.9
CLASS VII.—FEMALES AT WORK	95	3373	35.5
Domestic Servants	52	1901	36.6
Milliners and Dressmakers	16	589	36.8
Seamstresses	27	883	32.7

This classification of Deaths from Occupations excludes farmers' wives and housewives, which lowers the average age slightly. Including all, the average age is 57 years, without these decedents it is 56.7 years.

Cultivators of the soil were six less in number in 1882 than in 1881, but their average age has increased from 60 to 61.9 years. Mechanics and Labourers' ages were the same as in 1881. Merchants were slightly less. Professional Men's average age was nearly the same. "Other employments," and "Females at work," returned a lower average age, particularly the latter, whose ages have decreased from 38 to 35.5 years.

CLASS I. *Farmers and Gardeners*.—They both returned increased average age at death, which shews how conducive to long life these outdoor employments are, and yet it is observed that the desire for leaving them for city employment is increasing.

CLASS II. *Mechanics*.—This list embraces 34 different trades. The most numerous are Carpenters, 173 having died at an average age of 54 years. 94 Shoemakers died, at 55.8 years. The four trades, Carpenters, Shoemakers, Blacksmiths, and Tailors together returned 389 deaths or 43 per cent. of all the mechanics who died in 1882; their average age was 55.3 years, a very fair length of life for those trades. Tailors were the longest lived, their average age in 1882, was 63 years, though in 1881 it was only 54 years.

The following Mechanics returned a low average age: Tobacconists, 30 years; Printers, 32 years; Barbers, 37 years; Moulders, 36 years; and Sawyers, 36.7 years.

16 out of the 34 Mechanical trades returned more than the average age of the whole class, 52.0 years, and 18 a less average age.

Masons and Weavers are long lived, they generally reach the highest age of any in this class. In 1882 their average age was nearly 70 years. Millwrights returned a higher age, 74 years, but it is exceptional, they are few in number, and their ages vary every year.

CLASS III. *Labourers* of which there were only three kinds viz.: Labourers, Pedlars, and Teamsters; they numbered 769 with an average of 52.7 years, somewhat larger than Mechanics. Teamsters are the shortest lived in this class, their average age was only 44 years.

CLASS IV. *Merchants, Financiers, Agents, &c.*—This class returned a low average age, 45.9 years, the lowest of any class, except females. Book-keepers, Salesmen, and Clerks, are included in this class, they had the lowest average age in this class: 35.9 years. The confinement attendant on these occupations no doubt tends to shorten life. The average age of manufacturers was over fifty-four years of age. They are not so much confined indoors as Book-keepers and Clerks, their work is not so much of a sedentary nature and it calls for considerable muscular action, which tends to lengthen life.

The average age of Telegraph operators is always low. In 1881 it was 25 years, in 1882 28 years, an increase of three years. Those who follow this occupation seldom continue at it many years.

CLASS V. *Professional Men*.—Their average was 58.5 years. With the exception of the cultivators of the soil, they are the only class that return an average age equal to, or greater than the general average, 56.7 years. The three professions (we might add a fourth, Teachers) Law, Divinity, and Medicine, are included in this class; they numbered together 100, exactly the same as in 1881, but their average age is higher—55 years. In 1881 it was 53.9. Clergymen seem to outlive the other professional gentlemen, their average age was 60.5 years.

CLASS VI. *Other employments*.—The persons included in this class are, with the exception of pensioners, those who are liable to violent deaths, and therefore their average age is comparatively low.

CLASS VII. *Females at work*.—This class returned the lowest average age of any class, 35.5 years. Two of the occupations in the class, Milliners and Seamstresses, always return a low average age at death; but why domestic servants should do so, is not easily explained.

TABLE 31.

DEATHS BY OCCUPATIONS.

Ten Highest Causes of Death amongst those whose Occupations are given.

1881.	No.	Per cent. of Deaths from all Causes.	1882.	No.	Per cent. of Deaths from all Causes.
Old Age	913	16.3	Old Age.....	877	16.5
Phthisis	831	14.8	Phthisis.....	751	14.1
Heart Disease	397	7.1	Pneumonia	435	8.2
Paralysis and Apoplexy.....	343	6.1	Violent Deaths	375	7.0
Lung Disease.....	286	5.1	Heart Disease	331	6.2
Fevers	263	4.7	Apoplexy	186	3.5
Pneumonia	233	4.1	Typhoid Fever	181	3.4
Accident	221	3.9	Cancer	176	3.3
Dropsy.....	162	2.9	Dropsy	168	3.1
Cancer	135	2.4	Enteritis	107	2.0

Ten Occupations which returned the Highest Number of Deaths from Phthisis.

1881.	Deaths from Phthisis.	Deaths from all Causes.	Rate per cent.	1882.	Deaths from Phthisis.	Deaths from all Causes.	Rate per cent.
Farmers	308	2519	12.2	Farmers	286	2503	11.4
Labourers	134	771	17.3	Labourers	115	731	15.7
Carpenters.....	31	159	19.4	Carpenters	34	173	19.6
Merchants.....	24	143	16.7	Bookkeepers, Salesmen and [Clerks]	28	92	30.4
Servants.....	24	90	26.6	Merchants	18	119	15.1
Teachers.....	22	68	32.3	Blacksmiths	18	81	22.2
Shoemakers	16	93	17.2	Shoemakers.....	18	94	19.1
Tavern-keepers	15	63	23.8	Seamstresses	16	27	59.2
Gentlemen.....	14	226	6.1	Gentlemen	15	170	8.8
Blacksmiths	13	82	15.8	Teachers	{ Males.. 4 } { Females 8 } 12	{ 33 } { 18 } 51	{ 12.1 } { 44.4 }

DEATHS BY OCCUPATIONS.—CAUSES OF DEATH.

This List contains the same diseases, with one exception, as in 1881. Enteritis took the place of Lung Disease. In 1881 a large number of persons were returned as dying from affection of the Lungs, and as no distinct form was given, they were included under the simple heading "Lung disease." In 1882 in consequence of the introduction of the new classification of diseases, they were registered under their appropriate headings, such as Pneumonia, Apoplexia Pulmonalis, etc, and this explains why the number of deaths from Pneumonia was so much larger in 1882, as a large number of deaths heretofore classified under Lung Disease being now included under Pneumonia. The total number of deaths in the whole Province in 1882 was considerably less than in 1881, a corresponding decrease is therefore observed in some of the diseases on this List. Heart disease and Apoplexy have fallen to 4th and 5th position instead of 3rd and 4th, which they formerly held. The decrease in the number of deaths from Apoplexy was caused by it being separated from Paralysis, with which it was formerly joined. Pneumonia and violent deaths took the place of those two diseases. All kinds of Fevers were enumerated under one head, "Fevers," in 1881; in 1882 they were separated into their various divisions, and only one kind, Typhoid Fever, takes a place on the List. Cancer has increased and it now occupies the 8th place instead of the last. Under the heading "Cancer" are included all the different varieties of this disease. Dropsy remains in the same position 9th on the list. It is pleasant to record that "Old Age" was the principal cause of death of these workers; but it is far from gratifying to find so many dying from Phthisis. Farmers, by far, outnumbered all other occupations and they also returned more deaths from consumption, 286 of them died from that disease, nearly the same number as in 1881; but it was only 11.4 per cent. of their deaths from all causes; while Seamstresses and Female Teachers returned 59.2 and 44.4 per cent. respectively. Bookkeepers and Clerks returned 30 per cent. and Blacksmiths, Carpenters, and Shoemakers over 20 per cent.; Merchants and Labourers had nearly the same, 15 per cent. Gentlemen returned the lowest death rate from this disease 8.8 per cent.; these persons, however, generally die at an advanced age; their average age at death in 1882 was 68.2 years; but the victims of Consumption generally die in early life. The ten occupations in this list returned in all, 560 deaths from this cause, which was 13.8 per cent. of the deaths from all causes.

I have the honour to be,

Sir,

Your obedient servant,

H. S. CREWE,

Inspector.

APPENDIX.

BIRTHS.

TABLE A.—BIRTHS BY MONTHS, 1882.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs of Twins.	Triplets.	Illegitimate.	Still Born.
	Alcona and Thunder Bay:																
Males.....	19	11	22	12	7	12	14	14	12	18	15	11	167	3	1
Females.....	12	12	16	16	13	14	18	11	16	9	18	10	165	4
Total.....	31	23	38	28	20	26	32	25	28	27	33	21	332	1	7	1
Brant:																	
Males.....	31	21	26	22	22	23	29	31	29	29	23	27	313	5	4
Females.....	41	23	30	26	18	25	31	28	29	42	33	28	354	5	3
Total.....	72	44	56	48	40	48	60	59	58	71	56	55	667	6	10	7
Bruce:																	
Males.....	69	76	73	77	71	54	55	83	69	60	63	59	809	7	3
Females.....	63	58	74	50	64	58	66	64	72	53	56	62	745	7	1
Total.....	132	134	147	127	135	112	121	147	141	118	119	121	1554	15	14	4
Carleton:																	
Males.....	95	81	105	74	60	69	64	76	71	65	80	97	937	228
Females.....	76	75	64	74	81	62	59	73	89	79	74	62	868	234
Total.....	171	156	169	148	141	131	123	149	160	144	154	159	1805	7	462
Dufferin:																	
Males.....	24	18	25	25	19	22	25	19	24	13	16	20	250	1	1
Females.....	26	17	23	23	13	22	19	33	16	15	23	19	249	2
Total.....	50	35	48	48	32	44	44	52	40	28	39	39	499	6	1	3
Elgin:																	
Males.....	28	18	34	32	32	24	31	30	30	30	28	29	346	1
Females.....	37	36	31	28	29	27	33	29	30	32	24	22	358	4
Total.....	65	54	65	60	61	51	64	59	60	62	52	51	704	3	5

Males	51	75	67	71	73	37	58	54	60	69	57	59	731	1	4
Females	47	69	58	54	46	44	50	54	62	66	54	39	643	4	4
Total	98	144	125	125	119	81	108	108	122	135	111	98	1374	5	8
Frontenac:																		
Males	33	36	34	42	27	33	36	48	33	26	40	47	435	13	2
Females	38	32	43	29	35	29	27	39	42	27	32	34	407	3	3
Total	71	68	77	71	62	62	63	87	75	53	72	81	842	16	5
Grey:																		
Males	78	63	85	55	46	47	62	64	75	50	49	75	749	7	2
Females	69	63	72	53	46	43	66	59	66	58	56	52	703	6	3
Total	147	126	157	108	92	90	128	123	141	108	105	127	1452	13	5
Haldimand:																		
Males	12	13	25	17	27	21	21	19	18	25	30	22	250	3
Females	20	17	16	28	19	20	17	20	25	20	22	28	252	3	2
Total	32	30	41	45	46	41	38	39	43	45	52	50	502	6	2
Halton:																		
Males	25	24	22	21	15	21	26	23	34	18	20	22	271	1
Females	23	23	17	19	18	13	31	18	24	11	10	21	228
Total	48	47	39	40	33	34	57	41	58	29	30	43	499
Hastings:																		
Males	45	38	47	49	36	29	38	32	41	32	48	45	480	8
Females	31	40	40	40	38	38	40	35	38	30	44	47	461
Total	76	78	87	89	74	67	78	67	79	62	92	92	941
Huron:																		
Males	74	61	76	65	65	70	67	79	64	57	64	78	820	4
Females	73	52	77	45	59	57	69	69	70	77	67	68	783
Total	147	113	153	110	124	127	136	148	134	134	131	146	1603
Kent:																		
Males	50	59	55	53	48	41	55	39	54	69	40	43	606	1
Females	52	44	50	39	53	30	51	52	43	50	38	34	536
Total	102	103	105	92	101	71	106	91	97	119	78	77	1142

TABLE A.—BIRTHS BY MONTHS, 1882—Continued.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	No. of pairs twins.	Triples.	Illegitimate.	Still Born.
Prescott and Russell :																	
Males	52	49	56	67	57	34	54	64	43	46	55	41	618	1	1
Females	49	55	56	41	50	45	54	55	41	36	32	46	560	4	2
Total	101	104	112	108	107	79	108	119	84	82	87	87	1178	24	5	3
Prince Edward :																	
Males	12	15	22	14	19	22	18	22	21	18	18	19	220	5	1
Females	15	23	14	20	16	11	16	13	19	12	18	2	179	1
Total	27	38	36	34	35	33	34	35	40	30	36	21	399	2	6	1
Renfrew :																	
Males	44	42	41	49	43	38	36	36	32	35	22	38	456	3	2
Females	44	47	44	56	37	36	32	35	35	23	36	30	455	5	3
Total	88	89	85	105	80	74	68	71	67	58	58	68	911	6	8	5
Simcoe :																	
Males	63	65	57	69	63	62	57	66	75	67	49	65	758	2
Females	56	46	59	68	60	52	62	55	55	45	41	45	644	7	3
Total	119	111	116	137	123	114	119	121	130	112	90	110	1402	8	7	5
Stormont, Dundas and Glengarry :																	
Males	45	58	50	39	37	36	34	43	42	43	40	45	512	4
Females	32	47	49	47	38	46	45	46	54	43	29	37	513	2	3
Total	77	105	99	86	75	82	79	89	96	86	69	82	1025	10	6	3
Victoria :																	
Males	46	37	30	30	36	31	23	38	28	37	22	25	383	3	2
Females	33	26	23	33	26	20	36	30	43	35	27	25	357	1	2
Total	79	63	53	63	62	51	59	68	71	72	49	50	740	17	4	4

Waterloo:	57	50	55	46	48	40	45	60	56	73	60	52	642	4	9
Males	46	43	69	43	49	39	50	55	51	48	55	44	592	4	4
Females	103	93	124	89	97	79	95	115	107	121	115	96	1234	12	8	13
Total																	
Wexford:	29	36	25	32	31	31	21	38	33	32	19	31	358	1
Males	32	28	39	22	33	22	25	32	22	23	19	40	337	4	3
Females	61	64	64	54	64	53	46	70	55	55	38	71	695	4	5	3
Total																	
Wellington:	62	76	79	75	72	61	68	77	65	67	66	67	835	11	6
Males	51	53	65	65	63	51	57	72	57	75	53	77	739	4	4
Females	113	129	144	140	135	112	125	149	122	142	119	144	1574	13	15	10
Total																	
Wentworth:	76	75	75	71	60	82	73	77	85	81	64	75	894	31	8
Males	78	69	74	58	51	51	50	66	75	69	80	77	798	23	6
Females	154	144	149	129	111	133	123	143	160	150	144	152	1692	20	54	14
Total																	
York:	182	176	182	171	166	153	170	209	176	216	164	192	2157	80	15
Males	162	196	190	156	165	129	139	179	186	193	190	167	2072	59	16
Females	344	372	372	327	331	282	329	388	362	409	354	359	4229	64	139	31
Total																	
Total Males	1859	1839	2013	1806	1753	1625	1755	1954	1874	1875	1677	1871	21901	389	488	102
Total Females	1775	1718	1913	1719	1624	1505	1707	1794	1791	1771	1629	1582	20528	5	478	106
Grand Total	3634	3557	3926	3525	3377	3130	3462	3748	3665	3646	3306	3453	42429	389	5	966	208

H. S. CREWE,
Inspector.

MARRIAGES.

TABLE B.—MARRIAGES BY DENOMINATIONS, 1882—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										Total	No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Evangelical Association.	Lutheran.	Quaker.	Mennonite.				Bible Christian.	Other Denominations.	License.	Banns.
Hastings:																	
Males.....	76	48	243	42	13	5	3	3	3	7	5	3	435				441
Females.....	63	47	268	41	8	2	3	3	3	2	2	2	438				441
Total.....	139	95	511	83	21	7	3	3	3	12	7	5	876	40		441	882
Huron:																	
Males.....	58	137	138	9	9	8	7	8	1	28	6	6	409				415
Females.....	51	146	137	10	6	5	8	13	1	31	5	5	413				415
Total.....	109	283	275	19	15	13	15	21	2	59	11	11	822	10	3	415	830
Kent:																	
Males.....	40	82	186	60	43	2	2	2	2	2	2	2	419				433
Females.....	46	65	200	62	40	2	1	1	2	2	4	4	422				433
Total.....	86	147	386	122	83	4	1	1	4	4	6	6	841	45	1	433	866
Lambton:																	
Males.....	59	80	121	18	23	6	3	2	1	1	1	1	309				314
Females.....	54	71	137	17	27	4	2	2	2	1	1	1	313				314
Total.....	113	151	258	35	50	10	2	2	1	2	2	2	622	9		314	628

TABLE B.—MARRIAGES BY DENOMINATIONS, 1882—Continued.

COUNTIES.	Religious Denomination of Bride and Bridegroom.										Total.	No Denomination given.	Grand Total.	How Married.			
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Evangelical Associa- tion.	Lutheran.	Quaker.	Mennonite.				Bible Christian.	Other Denominations.	License.	Banns.
Northumberland and Durham :																	
Males	79	68	248	28	8	2	1	57	7
Females	73	70	254	28	8	4	1	56	7
Total	152	138	502	56	16	6	2	113	14	504
Ontario :																	
Males	35	73	134	21	21	1	2	33	2
Females	42	69	132	21	20	2	34	3
Total	77	142	266	42	41	3	2	67	5	327
Oxford :																	
Males	43	80	118	5	43	5	5	8
Females	39	63	134	3	53	2	1	7	8
Total	82	143	252	8	96	7	3	12	16	320
Peel :																	
Males	33	29	82	12	3	2	1
Females	26	29	87	11	6	3
Total	59	58	169	23	9	5	1	162

TABLE B.—MARRIAGES BY DENOMINATIONS, 1882—*Concluded.*

COUNTIES.	Religious Denomination of Bride and Bridegroom.											Total.	No Denomination given.	Grand Total.	How Married.						
	Episcopalian.	Presbyterian.	Methodist.	Roman Catholic.	Baptist.	Congregationalist.	Evangelical Association.	Lutheran.	Quaker.	Mennonite.	Bible Christian.				Other Denominations.	License.	Banns.	Not stated.	Total Marriages.		
Victoria:																					
Males	55	51	85	19	4
Females	49	45	86	24	5	1
Total	104	96	171	43	9	1
Waterloo:																					
Males	20	73	53	38	16	1	23	105	41	13
Females	20	66	54	48	16	1	26	104	38	13
Total	40	139	107	86	32	2	49	209	79	26
Welland:																					
Males	31	28	69	19	5	3	10	3	9
Females	26	18	77	18	10	3	10	3	13
Total	57	46	146	37	15	6	20	6	22
Wellington:																					
Males	63	151	131	47	12	10	5	8	7
Females	64	142	127	48	13	10	7	11	11
Total	127	293	258	95	25	20	12	19	18

TABLE C.

MARRIAGES BY MONTHS.

TABLE C.—MARRIAGES BY MONTHS, 1882.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	No date given.	Total number of couples married.
Algonia and Thunder Bay	3	10	10	5	10	5	18	10	11	9	10	9	110
Brant	26	13	18	19	19	10	12	22	17	24	26	24	230
Bruce	43	55	39	21	36	30	18	11	24	43	45	45	410
Carleton	42	30	33	48	39	44	45	39	70	72	48	20	4	534
Dufferin	13	11	17	9	7	5	14	7	12	16	15	25	151
Elgin	26	44	23	29	19	14	15	9	29	39	26	37	2	312
Essex	33	27	20	36	29	21	24	17	30	31	44	26	338
Frontenac	32	28	22	28	10	20	8	28	38	32	24	23	3	296
Grey	50	47	46	35	28	22	21	21	32	32	28	39	2	403
Haldimand	10	20	12	7	7	11	5	5	10	16	14	30	147
Halton	12	17	16	12	11	9	4	2	10	8	15	15	1	132
Hastings	42	30	37	34	24	19	39	21	35	45	55	58	2	441
Huron	41	41	58	19	29	22	20	8	37	39	33	67	1	415
Kent	36	37	29	37	41	19	24	20	36	44	46	54	10	433
Lambton	29	23	30	23	22	25	22	11	28	30	26	44	1	314
Lanark	22	25	29	14	8	14	17	16	15	19	20	20	7	226
Leeds and Grenville	53	40	26	43	20	34	14	24	30	30	36	53	2	405

Lennox and Addington	14	13	22	14	17	13	13	10	22	20	28	26	1	213
Lincoln	16	15	10	14	14	16	9	8	21	21	15	31	1	191
Middlesex	55	46	55	48	55	60	35	45	60	78	82	128	2	749
Muskoka and Parry Sound	14	11	23	10	14	11	5	8	16	18	12	29	...	171
Norfolk	20	19	24	20	10	9	12	13	24	33	23	35	...	242
Northumberland and Durham	48	30	55	33	35	30	24	19	45	40	64	80	1	504
Ontario	26	25	29	20	23	10	28	14	34	30	36	51	1	327
Oxford	21	21	22	35	25	31	15	20	26	25	31	48	...	320
Peel	21	12	12	12	12	8	10	4	7	11	22	30	1	162
Perth	28	26	25	23	20	22	17	13	24	25	20	40	1	284
Peterborough	23	19	22	22	16	13	18	8	19	21	22	18	1	222
Prescott and Russell	21	34	7	13	20	28	25	29	29	29	27	9	...	271
Prince Edward	16	13	25	14	5	7	5	8	16	12	19	15	2	157
Renfrew	14	15	15	20	20	17	23	25	22	22	23	18	2	236
Simcoe	54	54	51	31	39	32	33	27	35	53	38	50	1	498
Stormont, Dundas and Glengarry	38	45	26	33	19	28	33	27	44	64	47	26	5	435
Victoria	22	20	30	25	14	6	12	10	21	25	38	22	...	245
Waterloo	44	46	36	19	31	26	18	21	37	39	37	43	1	398
Welland	12	16	7	9	15	7	16	16	15	20	25	23	2	183
Wellington	47	52	45	33	20	33	26	22	35	42	31	50	...	436
Wentworth	55	41	54	52	51	49	48	35	48	54	55	50	...	592
York	110	87	104	85	87	100	89	100	138	129	124	162	1	1316
Total	1232	1158	1164	1004	921	880	834	753	1202	1340	1330	1573	58	13449

DEATHS.

DEATHS.

of Deaths from various specified Causes (arranged in Classes) during the year 1882.

SEX.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Males							1		1						
Females															
Total							1		1						2
Males	146	36	2												184
Females	147	32													179
Total	293	68	2												363
Males	2	1	2		2	1	2	2	5	1	2	1		1	22
Females		3		1		2	3		1	2	3				15
Total	2	4	2	1	2	3	5	2	6	3	5	1		1	37
Males	58	146	36	8				1			1			5	255
Females	38	128	43	1	1			1	1					1	214
Total	96	274	79	9	1			2	1		1			6	469
Males	167	49	2	2		1	3	3	7	4	12	7	2	5	264
Females	125	59	4	2	1	3	3	2	3	9	13	6	1	2	233
Total	292	108	6	4	1	4	6	5	10	13	25	13	3	7	497
Males	1	1					1	1	1			1		1	7
Females	3									1					4
Total	4	1					1	1	1	1		1		1	11
Males	24	19	3		1	2	1	4		2	7	3		1	67
Females	28	21	1	1	1		2	1	2	6	7	3		1	74
Total	52	40	4	1	2	2	3	5	2	8	14	6		2	141
Males	51	280	170	57	22	10		1	3		1			11	606
Females	53	268	180	79	26	10	5		3			1		8	633
Total	104	548	350	136	48	20	5	1	6		1	1		19	1239
Males															
Females															
Total															

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Erysipelas (Erysipelas).....M	5	6	6	7	7	7	5	5	3	3	3	3	60
.....F	8	4	5	11	13	4	1	2	1	1	4	4	58
Total.....	13	10	11	18	20	11	6	7	4	4	7	7	118
Erythema.....M													
.....F													
Total ..													
Febris biliosa (Bilious Fever) ...M	1	1	2	3	2	1	1	2	3	1	1	3	12
.....F	1	1	2	3	2	1	1	2	3	2	1	3	19
Total .	1	2	2	4	3	1	2	2	6	3	2	3	31
Febris cerebro-spinalis (Spinal Fever).....M	4	4	8	11	4	6	4	6	1	1	1	2	52
.....F	2	5	11	9	3	6	2	9	2	2	4	5	53
Total.....	6	9	19	20	7	12	6	6	10	3	1	6	105
Febris congestiva (Congestive Fever).....M			1	1		3	1		2	1			9
.....F	1	1	1			1	1	1	1	1	1	1	8
Total	1	1	2	1		4	1	1	3	1	1	1	17
Febris intermittens (Intermittent Fever).....M		2	2	1	1	1	1	1		2		4	15
.....F	1	1	1	3	5	1	2	1	3	1	1	1	21
Total.....	1	3	3	4	6	2	3	2	3	3	1	5	36
Febris remittens (Remittent Fever).....M	1	2						1	1	3	1	1	10
.....F	2	1	1		1			1	3		3	3	12
Total.....	3	3	1		1			1	2	6	1	4	22
Febris typhoides (Typhoid Fever)M	32	23	30	22	20	8	24	15	30	41	34	39	318
.....F	23	23	19	22	12	5	5	20	20	36	30	22	237
Total	55	46	49	44	32	13	29	35	50	77	64	61	555
Febris typhus (Typhus Fever)M		1											1
.....F								1					1
Total		1						1					2
Influenza.....M	1	1	1							1			4
.....F	1		2		3				1	1	1		9
Total	2	1	3		3				1	2	1		13

DEATHS—Continued.

SEX.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Males	24	2	3	3	2	5	1	11	6	2	1	60
Females	22	6	1	1	4	3	1	5	5	4	4	2	58
Total	46	8	3	1	4	4	5	6	6	16	10	6	3	118
Males
Females
Total
Males	1	6	1	2	1	1	12
Females	1	3	3	2	1	2	4	2	1	19
Total	2	9	3	1	2	2	2	2	5	2	1	31
Males	12	15	4	7	3	2	1	2	1	5	52
Females	15	13	8	5	2	6	1	1	2	53
Total	27	28	12	12	5	8	2	2	2	7	105
Males	4	1	2	1	1	9
Females	2	1	1	1	1	1	1	8
Total	6	2	3	1	2	1	1	1	17
Males	2	1	5	2	2	1	1	1	15
Females	1	5	3	2	1	3	1	2	2	1	21
Total	3	6	8	2	4	2	4	1	2	2	1	1	36
Males	2	4	2	1	1	10
Females	1	2	1	1	1	3	1	1	1	12
Total	3	6	1	1	1	5	1	1	1	1	1	22
Males	19	19	12	15	37	83	41	33	9	22	6	7	15	318
Females	9	19	16	17	37	65	26	13	13	10	6	6	237
Total	28	38	28	32	74	148	67	46	22	32	12	7	21	555
Males	1	1
Females	1	1
Total	1	1	2
Males	3	1	4
Females	3	2	2	2	9
Total	6	2	3	2	13

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.		
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.			
Miliaria	M		1												1
“	F									1					1
Total			1							1					2
Morbilli (Measles)	M	2	1	5	6	5	6	5	4	2	2	1	2	41	
“	F	4	2	4	4	6	2	5	4	1	1	1	1	34	
Total		6	3	9	10	11	8	10	8	3	3	1	3	75	
Parotitis (Mumps)	M		1											1	
“	F											1		1	
Total			1									1		2	
Pertussis (Whooping Cough)	M	4	3	7	11	4	6	8	16	9	6	4	2	80	
“	F	4	8	10	7	11	7	9	11	15	12	4	5	103	
Total		8	11	17	18	15	13	17	27	24	18	8	7	183	
Pyæmia	M	4	1	2	3	7	1	1	3	1		5	4	32	
“	F	1	2	3	5	6	5	5	4	2		2		35	
Total		5	3	5	8	13	6	6	7	3		7	4	67	
Scarlatina (Scarlet Fever)	M	41	37	61	26	33	26	11	9	2	8	14	17	285	
“	F	36	20	38	26	32	34	16	7	3	10	15	21	258	
Total		77	57	99	52	65	60	27	16	5	18	29	38	543	
Tonsilitis (Quinsy)	M	1				2		1		1	1	1	1	8	
“	F			1				1		2				4	
Total		1		1		2		2		3	1	1	1	12	
Variola (Small Pox)	M		1	2	1	4	2	1						11	
“	F				1	2	1							4	
Total			1	2	2	6	3	1						15	
ORDER 2. ENTHETIC OR INOCULATED DISEASES. <i>Enthetici.</i>															
Equinia (Glanders)	M							1						1	
“	F														
Total								1						1	

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Morbus ossium syphiliticus	M		1										1
“ “	F												
Total			1										1
Syphilis	M	1	2				1		2	1			7
“ “	F	1				1		1		1	1	1	6
Total		2	2			1	1	1	2	2	1	1	13
ORDER 3. DIETIC DISEASES. <i>Dietici.</i>													
Alcoholismus (Alcoholism)	M	1	1	3	1	2	1	1	1	1	4	2	18
“ “	F					1			1		1		3
Total		1	1	3	1	3	1	1	2	1	5	2	21
Bronchocele (Bronchocele)	M		1										1
“ “	F												
Total			1										1
Delirium alcoholicum (Delirium Tremens) M				1									1
“ “	F												
Total				1									1
Ebriositas (Drunkenness)	M	1		5		1			1	1		2	11
“ “	F		1	1									2
Total		1	1	6		1			1	1		2	13
Purpura	M		1	1	1	2		1					6
“ “	F			1		1		1		1			4
Total			1	2	1	3		2		1			10
Rachitis (Rickets)	M												
“ “	F							1		1		1	3
Total								1		1		1	3
ORDER 4. PARASITIC DISEASES. <i>Parasitici.</i>													
Apthæ (Thrush)	M	1	1	2		2		2		3	2		14
“ “	F			1		1		2		3	3		10
Total		1	1	3		3		4		6	5		24
Ascarides (Ascarides)	M							1					1
“ “	F												
Total								1					1

DEATHS—Continued.

SEX.	AGES.													Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.	
Males				1												1
Females																
Total				1												1
Males	5					1	1									7
Females	2					1	1	2								6
Total	7					2	2	2								13
Males						2	2	6	3	3	1			1		18
Females							1	1						1		3
Total						2	3	7	3	3	1			2		21
Males		1														1
Females																
Total		1														1
Males														1		1
Females																
Total														1		1
Males						1	1	3	2	3	1					11
Females							1		1							2
Total						1	2	3	3	3	1					13
Males	2		1	1	1		1									6
Females	2					1							1			4
Total	4		1	1	1	1	1						1			10
Males	2															
Females	1															3
Total	2	1														3
Males	11	2	1													14
Females	9	1														10
Total	20	3	1													24
Males													1			1
Females																
Total													1			1

DEATHS—Continued.

SEX.	AGES.													Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.	
Males																
Females		1														
Total		1														1
Males		7	2													9
Females	2	11		1												14
Total	2	18	2	1												23
Males	624	811	320	112	85	117	70	65	40	52	43	22	2	54	2417	
Females	560	762	346	130	82	110	66	28	34	41	41	18	3	32	2253	
Total	1184	1573	666	242	167	227	136	93	74	93	84	40	5	86	4670	
Males	776	109	7	2		5	6	16	22	41		1		10	995	
Females	665	93	6	4	10	20	20	14	17	43		2		6	900	
Total	1441	202	13	6	10	25	26	30	39	84		3		16	1895	
Males	5	8	6	6	3	6	2	8	21	36	57	27	4	8	197	
Females	6	6	5	2	8	16	13	18	25	34	39	15	4	5	196	
Total	11	14	11	8	11	22	15	26	46	70	96	42	8	13	393	
Males	2	1		1	1	1		3	8	9	14	5	1	1	47	
Females	1			1		2	2	2	4	7	8	3	1	2	33	
Total	3	1		2	1	3	2	5	12	16	22	8	2	3	80	
Males		1	1		2	4	9	18	35	45	39	12		7	173	
Females	2	1		2		5	31	43	59	45	22	9	2	3	224	
Total	2	2	1	2	2	9	40	61	94	90	61	21	2	10	397	
Males																
Females																
Total																
Males				1				1		2					4	
Females	1				3	2	3	1	1	1					12	
Total	1			1	3	2	3	2	1	3					1	

DEATHS—Continued.

SEX.	AGES.											Total.			
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.		80 to 90.	90 and over.	Unknown.
Males						2		1	1	1		1			6
Females								1	1						2
Total						2		2	2	1		1			8
Males	2														2
Females															
Total	2														2
Males	1					2			1	1					5
Females	4	4	1			2				1		1			13
Total	5	4	1			4			1	2		1			18
Males															
Females										1				1	2
Total										1				1	2
Males		2	2	7	8	7	3	8	1	14	15	3			70
Females		3	5	6	5	5	5	7	9	9	13	1		3	71
Total		5	7	13	13	12	8	15	10	23	28	4		3	141
Males	57	27												1	85
Females	69	20	2			1								2	94
Total	126	47	2			1								3	179
Males	8	7	1	2		3	2							1	24
Females	8	11	1		1	2	2	1		1					27
Total	16	18	2	2	1	5	4	1		1				1	51
Males		1	1	1				1	1	2					7
Females							1	1	2						4
Total		1	1	1			1	2	3	2					11
Males	40	46	16	19	72	294	196	123	104	68	36	3		27	1044
Females	41	43	28	36	174	485	244	160	88	59	20	3		39	1420
Total	81	89	44	55	246	779	440	283	192	127	56	6		66	2464
Males	30	4	1			2	1	2				2			42
Females	11	2		2		1									16
Total	41	6	1	2		3	1	2				2			58

TABLE E.—

CAUSE OF DEATH.	MONTHS.													
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	
Hysteria (Hysteria)	M													
“ “	F				2								2	
Total					2								2	
Insania (Insanity)	M	2	2	2	1	2	2			1	3		15	
“ “	F	3	2	1	3	1	2		2	3		2	19	
Total		5	4	3	4	3	4		2	4	3	2	34	
Insolatio (Sunstroke)	M					1		1	2				4	
“ “	F							2		1			3	
Total					1		1	4		1			7	
Meningitis	M	14	15	19	23	32	22	12	12	23	16	12	14	214
“ “	F	19	16	21	17	13	23	16	15	23	16	5	19	203
Total		33	31	40	40	45	45	28	27	46	32	17	33	417
Myelitis (Inflammation of Spinal Cord)	M	6	6	3	3	4	2	2	5		2	2	1	36
“ “	F	3	7	2	3	5	1	2	4		3	2	3	35
Total		9	13	5	6	9	3	4	9		5	4	4	71
Necrencephalus (Softening of Brain)	M	3	3	2	2	6	2		3	2	2	4	2	31
“ “	F	2	2	2	3	1	2		1	2	2	3	1	21
Total		5	5	4	5	7	4		4	4	4	7	3	52
Paralysis (Palsy)	M	21	15	19	29	16	10	15	17	14	17	19	21	213
“ “	F	18	19	20	16	15	20	9	20	14	15	13	22	201
Total		39	34	39	45	31	30	24	37	28	32	32	43	414
Paraplegia (Palsy of Lower Extremities)	M													
“ “	F				2									2
Total					2									2
Tetanus (Lockjaw)	M			1	1	1	2	1	1		1	2		10
“ “	F							1				1		2
Total				1	1	1	2	2	1		1	3		12
Trismus nascentium	M			1						1				2
“ “	F													
Total				1						1				2

DEATHS—Continued.

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males								2	2	1					5
Females	1		1								1				3
Total	1		1					2	2	1	1				8
Males	1						1		2	1	3				8
Females		1								1	1				3
Total	1	1					1		2	2	4				11
Males										1					1
Females															
Total										1					1
Males															
Females															
Total															
Males									1						1
Females															
Total									1						1
Males						2	1			6	1			1	11
Females									2						2
Total						2	1		2	6	1			1	13
Males															
Females															
Total															
Males			1			1	1					1			4
Females		1	1			1				1					4
Total		1	2			2	1			1		1			8

DEATHS—Continued.

SEX.	SEX.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Males			1		3	2		2	1	5	2	1			17
Females						2	1		2	2	6	1			14
Total			1		3	4	1	2	3	7	8	2			31
Males			1	2			1						1		5
Females					1	1	1		2	2	1				8
Total			1	2	1	1	2		2	2	1		1		13
Males	14	7	7	5	17	27	23	36	54	70	65	25		11	361
Females	13	4	9	11	18	36	32	42	52	89	62	10	1	13	392
Total	27	11	16	16	35	63	55	78	106	159	127	35	1	24	753
Males			1				1		1					2	5
Females			1		1			1		1					4
Total			2		1		1	1	1	1				2	9
Males					1										1
Females										1					1
Total					1					1					2
Males	1		1							1	1			1	5
Females	1				1										2
Total	2		1		1					1	1			1	7
Males	62	26	10		7	15	14	17	17	28	24	9		9	238
Females	55	43	8	3	4	11	5	8	7	17	19	5		5	190
Total	117	69	18	3	11	26	19	25	24	45	43	14		14	428
Males	78	43	6	2	3	9	4	5	8	19	29	11	1	9	227
Females	71	44	8	5	3	8	8	6	16	26	29	10	1	6	241
Total	149	87	14	7	6	17	12	11	24	45	58	21	2	15	468
Males	7	3	2		1	1		1	1	1	3	2			22
Females	8	2		1					1	2	3	1			18
Total	15	5	2	1	1	1		1	2	3	6	3			40

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Empyema.....M													
.....F		1				1							2
Total		1				1							2
Gangrænum pulmonum (G. of Lungs).....M			1							1			2
.....F	1												1
Total	1		1							1			3
Hydrothorax (Dropsy of Chest).....M				1		1	1	1					4
.....F		1					2						3
Total		1		1		1	3	1					7
Laryngitis (Inflammation of Larynx).....M	4	5	3	1		4	3	2	4	1	1	2	30
.....F	3	5	3	1	2	2	1	1	1	2	1	3	24
Total	7	10	6	2	2	6	3	3	5	3	2	5	54
Œdema glottidis.....M			3		1	1				2			7
.....F					1	2						2	5
Total			3		2	3				2		2	12
Pleuritis (Pleurisy).....M	3	4	3	2	2	2	6	2	2	3	2	3	34
.....F	3	2	2	1		2	1	1	1	3	3	4	23
Total	6	6	5	3	2	4	7	3	3	6	5	7	57
Pneumonia (Inflammation of Lungs).....M	75	80	119	92	92	63	29	20	32	30	47	56	735
.....F	54	67	92	79	85	29	28	15	16	33	36	53	587
Total	129	147	211	171	177	92	57	35	48	63	83	109	1322
ORDER 4. DISEASES OF THE DIGESTIVE SYSTEM— <i>Enterici.</i>													
Ascites (Abdominal Dropsy).....M													
.....F			1		1	1	1						4
Total			1		1	1	1						4
Chololithus (Gallstones).....M			1										1
.....F									1				1
Total			1						1				2
Cirrhosis.....M	1	1			1		1	1		1	1	2	9
.....F		1						1		1	1		4
Total	1	2			1		1	2		2	2	2	13

DEATHS—Continued.

SEX.	AGES.												Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.		90 and over.	Unknown.
Males															
Females			1	1											
Total			1	1											2
Males								1		1					2
Females														1	1
Total								1		1				1	3
Males				1						1	1			1	4
Females			1	1							1				3
Total			1	2						1	2			1	7
Males	6	11	2	1	3	1	2	2	1				1		30
Females	2	8	4				1	2	2	2		3			24
Total	8	19	6	1	3	1	3	4	3	2		3	1		54
Males	5		1				1								7
Females	4								1						5
Total	9		1				1		1						12
Males	1			1	1	3	7	4	4	2	8	2	1		34
Females	1		1	1	1	3	5		2	5	3	1			23
Total	2		1	2	2	6	12	4	6	7	11	3	1		57
Males	139	106	27	11	24	57	58	75	71	78	42	18	1	28	735
Females	110	102	21	16	18	48	42	40	40	67	54	16		13	587
Total	249	208	48	27	42	105	100	115	111	145	96	34	1	41	1322
Males															
Females					1				2	1					4
Total					1				2	1					4
Males											1				1
Females										1					1
Total										1		1			2
Males					1			1	4	2	1				9
Females									1	1	1			1	4
Total					1			1	5	3	2			1	13

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Colica (Colic).....M													
“ “.....F	1										2		3
Total	1										2		3
Duodenitis (Inflammation of Duodenum) M													
“ “.....F											1		1
Total											1		1
Dyspepsia (Indigestion).....M	2	2	2	3	5	3	4	4	6	2	33
“ “.....F	1	2	1	1	1	3	7	3	1	20
Total	3	4	2	4	6	1	6	4	7	7	7	2	53
Enteritis (Inflammation of Bowels)M	15	14	23	19	20	25	21	29	30	25	22	19	262
“ “.....F	11	13	16	14	22	20	25	24	19	19	7	19	209
Total	26	27	39	33	42	45	46	53	49	44	29	38	471
Fistula in Ano (Fistula)M			1										1
“ “.....F													
Total			1										1
Gastritis (Inflammation of Stomach)M	3	5	8	7	3	5	5	3	6	4	2	3	54
“ “.....F	5	3	4	2	1	4	5	7	4	2	6	43
Total	8	8	12	9	4	9	10	3	13	8	4	9	97
Hæmatemesis (Blood-Vomit)M					1								1
“ “.....F			1					1	1				4
Total			1		1			1	1				5
Hæmorrhoids (Piles).....M							1						2
“ “.....F													
Total							1						2
Hepatitis (Inflammation of Liver).....M	10	11	16	5	14	15	6	8	5	7	8	8	113
“ “.....F	9	8	3	7	9	5	5	5	9	3	3	6	72
Total	19	19	19	12	23	20	11	13	14	10	11	14	185
Hydrothorax (Dropsy of Chest).....M	1	1	2	1	4	3	1	4	2	2	1	22
“ “.....F	2	2	2	1	1	1	3	2	14
Total	3	1	2	1	6	3	2	2	5	3	5	3	36

DEATHS—Continued.

SEX.	SEX.													Total.		
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.	
Males																
Females		1				1					1					3
Total		1				1					1					3
Males																
Females												1				1
Total												1				1
Males	4					1	1	3	5	7	9	2		1		33
Females	4		1	1		1		1	3	5	3	1				20
Total	8		1	1		2	1	4	8	12	12	3		1		53
Males	80	28	17	8	14	27	10	10	21	21	12	4		10		262
Females	46	23	9	10	16	20	21	19	14	15	13	5		7		209
Total	126	51	26	18	30	47	31	20	35	36	25	9		17		471
Males											1					1
Females																
Total											1					1
Males	9	5	1			2	3	8	11	6	7			2		54
Females	5	3		2	4	4	4	2	4	6	3	3		3		43
Total	14	8	1	2	4	6	7	10	15	12	10	3		5		97
Males											1					1
Females	1					1		1	1							4
Total	1					1		1	1	1						5
Males											2					2
Females																
Total											2					2
Males	6	4	4	1	3	7	9	15	23	23	11	2		5		113
Females	4	4	1	2	2	6	5	14	15	10	5	2		2		72
Total	10	8	5	3	5	13	14	29	38	33	16	4		7		185
Males	2	2				2	3	2	1	2	4				4	22
Females		3					3	1		5	1		1		14	
Total	2	5				2	6	3	1	7	5		1	4		36

TABLE E.—

CAUSE OF DEATH.	MONTHS.												Total.
	January,	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	
Icterus (Jaundice) M	5	2	2	3	4	2	2	2	3	4	4	3	36
“ “ F	3	1	2	2	5	1	1	4	1	1	1	3	25
Total	8	3	4	5	9	3	3	6	4	5	5		
Ileus (Ileus) M													
“ “ F													
Total													
Intus-susceptio (Invagination of Gut) M	1		4			1		1					7
“ “ F	1	1	1	1									4
Total	2	1	5	1		1		1					11
Obstipatio (Constipation) M	2	1			1			1		1			6
“ “ F					1	1	1						3
Total	2	1			2	1	1	1		1			9
Œsophagitis (Inflammation of Gullet) M						1	2						3
“ “ F		2											2
Total		2				1	2						5
Perforatio intestini (Per. of Intestines) M		1	1			1							3
“ “ F						1						1	2
Total		1	1			2						1	5
Peritonitis (Inflammation of Abdomen) M	5	9	6	4	7	3	7	5	5	7	1	4	63
“ “ F	7	4	11	4	5	5	4	8	5	7	7	10	77
Total	12	13	17	8	12	8	11	13	10	14	8	14	140
Pharyngitis (Inflammation of Pharynx) M													
“ “ F													
Total													
Splenitis (Inflammation of Spleen) M			1										1
“ “ F		1						1					2
Total		1	1					1					3
Stomatitis (Inflammation of Mouth) M				1			1			2	2		6
“ “ F									1				1
Total				1			1		3	2			7

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Stricture of IntestineM	1	1	1	1	1	5
F	1	1	3	5
Total	2	1	3	1	1	1	1	10
Ulceration of IntestineM	1	1	2	1	5
F	1	1	1	1	4
Total	1	1	1	2	1	2	1	9
Ulcer of StomachM	2	1	1	2	2	1	2	1	2	1	1	16
F	2	1	2	2	3	1	1	1	13
Total	2	2	1	2	4	4	1	2	4	3	2	2	29
ORDER 5. DISEASES OF THE URINARY SYSTEM— <i>Nephritici.</i>													
Calculus (Stone)M	1	1	1	3
F
Total	1	1	1	3
Cystitis (Inflammation of Bladder)M	2	3	5	2	7	2	2	3	2	1	5	3	37
F	1	2	2	1	1	1	1	9
Total	3	3	5	4	7	4	2	3	3	2	6	4	46
DiabetesM	5	5	2	1	3	2	1	2	4	3	4	4	36
F	1	1	2	4	3	2	1	1	4	4	23
Total	6	6	4	1	3	6	4	4	5	4	8	8	59
Ischuria (Retention of Urine)M	2	3	1	2	8
F	1	1	2
Total	2	4	1	2	1	10
Lithiasis (Gravel)M	1	2	2	2	4	4	1	2	2	1	3	24
F	1	1
Total	1	3	2	2	4	4	1	2	2	1	3	25
Morbus prostaticus (Diseased Prostrate)M	2	1	1	1	2	1	3	1	4	1	17
F
Total	2	1	1	1	2	1	3	1	4	1	17
Nephria (Bright's Disease)M	7	9	8	4	6	7	4	5	6	6	7	3	72
F	3	1	2	5	1	2	2	2	6	3	3	4	34
Total	10	10	40	9	7	9	6	7	12	9	10	7	106

DEATHS—Continued.

SEX.	AGES.												Total.			
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.		90 and over.	Unknown.	
Males							1		2	2						5
Females	1						1	1			2					5
Total	1						2	1	2	2	2					10
Males									2	1	2					5
Females						1		1		2						4
Total						1		1	2	3	2					9
Males			1				2	3	3	1	6					16
Females			2			3	1	1	3	1	2					13
Total			3			3	3	4	6	2	8					29
Males					1			1		1						3
Females																
Total					1			1		1						3
Males	2		1		1		1	1	4	10	10	5	1	1		37
Females		2					2	1	1		3					9
Total	2	3			1		3	2	5	10	13	5	1	1		46
Males		3	2		4	3	3	3	3	5	4	4		2		36
Females		2	1	4	2	2	3	2	2	1	3			1		23
Total		5	3	4	6	5	6	5	5	6	7	4		3		59
Males				1		1				2	2	2				8
Females	1				1											2
Total	1			1	1	1				2	2	2				10
Males		1								4	12	7				24
Females									1							1
Total		1							1	4	12	7				25
Males										4	8	3		2		17
Females																
Total										4	8	3		2		17
Males		1		2	3	10	5	9	8	15	15	2		2		72
Females		1		1		3	3	4	7	7	4			4		34
Total		2		3	3	13	8	13	15	22	19	2		6		106

DEATHS—Continued.

SEX.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	0 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Males	3	2	4	9	6	6	6	15	11	4	3	69
Females	3	4	2	2	1	7	4	2	7	7	4	2	45
Total	6	6	6	2	1	16	10	8	13	22	15	4	5	114
Males	1	1
Females
Total	1	1
Males	1	2	3
Females	1	1
Total	2	2	4
Females	1	1	1	1	4
Females	1	1	5	6	4	1	1	4	23
Females	1	4	2	6	2	15
Females	2	4	2	5	13
Females	1	2	2	2	2	9
Males
Females
Total
Males	1	1	1	1	4
Females	1	1	2
Total	1	1	1	1	1	1	6
Males
Females	1	1	2
Total	1	1	2

TABLE E.—

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Cyanosis			1	1	2	1						1	6
“		1	1					3					5
Total		1	2	1	2	1		3				1	11
Dentitio (Teething)	3	2	3	6	3	1	5	12	13	2	2	6	58
“	2	3	1	4	1	4	6	12	10	5	1	1	50
Total	5	5	4	10	4	5	11	24	23	7	3	7	108
Hæmorrhagia umbilicalis (Umbilical Hæmorrhage)			2	3	2		2	1					12
“	2		2	1	1		1	2	1				7
Total	2		4	3	3		3	1	2	1			19
Natus præter naturam (Preternat'l Birth)	1	1	2	3				1	2	2	1	1	14
“	1	1	1	1	2		2	2		2	2		9
Total	1	2	3	3	1	2	3	2	2	2	3	1	23
Partus emortuus (Still-Birth)	12	15	12	12	9	13	13	7	13	17	16	10	149
“	12	11	10	6	5	8	8	5	10	14	10	8	107
Total	24	26	22	18	14	21	21	12	23	31	26	18	256
Partus intempestivus (Premature Birth)	13	6	8	7	6	9	8	12	9	8	7	7	100
“	8	8	6	5	10	8	11	6	7	3	5	4	81
Total	21	14	14	12	16	17	19	18	16	11	12	11	181
Sclerema	1	1	1		1	1					1		6
“	1	1	2			3	2	1	1				11
Total	2	2	3		1	4	2	1	1		1		17
Spina Bifida													
“													
Total													
ORDER 2. DEVELOPMENTAL DISEASES OF WOMEN. <i>Gyniæci.</i>													
Abortus (Abortion, Miscarriage)	3		2				1						6
Climacteria (Turn of Life)							1	1	1				3

DEATHS—Continued.

SEX.	AGES.												Total.			
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.		90 and over.	Unknown.	
Males	6															6
Females	5															5
Total	11															11
Males	29	27	2													58
Females	25	25														50
Total	54	52	2													108
Males	10	2														12
Females	7															7
Total	17	2														19
Males	13	1														14
Females	9															9
Total	22	1														23
Males	149															149
Females	107															107
Total	256															256
Males	100															100
Females	81															81
Total	181															181
Males	6															6
Females	10	1														11
Total	16	1														17
Males																
Females																
Total																
Females						2	2	2								6
Females								3								3

DEATHS—Continued.

SEX.	AGES.													Total.	
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.		Unknown.
Females					2	15	6	3						1	27
Females					3	32	29	6						8	78
Females						2	5	3						4	14
Females					1	4	1								6
Females					14	66	59	22	1						162
Females						3	2		1						6
Males								1	1	7	7	4		1	21
Females										3	3	5			11
Total								1	1	10	10	9		1	32
Males										16	370	440	120		946
Females									2	13	382	386	112		895
Total									2	29	752	826	232		1841
Males	346	31	2					1	1	23	377	444	120	1	1346
Females	261	27			20	124	104	39	4	16	385	391	112	13	1496
Total	607	58	2		20	124	104	40	5	39	762	835	232	14	2842
Males		5	19	3	2	3	4	3	5	2	1	2		1	50
Females		3	17	7	1	1	1	4	2						36
Total		8	36	10	3	4	5	7	7	2	1	2		1	86
Males						2	1	1		3	1				8
Females							1	1		1					3
Total						2	2	2		4	1				11
Males					1	1	1	2	2	2	1				10
Females			2		1										3
Total			2		2	1	1	2	2	2	1				13

DEATHS—Continued.

SEX.	AGES.											Total.			
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.		80 to 90.	90 and over.	Unknown.
Males						3									3
Females															
Total						3									3
Males					1	3									4
Females									1						1
Total					1	3			1						5
Males		1		1	2	3	2	1	1	1	1	1	1	1	16
Females											2				2
Total		1		1	2	3	2	1	1	1	3	1	1	1	18
Males								3	4	1				1	9
Females					1										1
Total					1			3	4	1				1	10
Males						1									1
Females						1				1					2
Total						2				1					3
Males	4	1	5	1	2	1	2		2	2	2			1	23
Females	4	2												2	8
Total	8	3	5	1	2	1	2		2	2	2			3	31
Males	2	13	26	21	30	25	10	10	5	2				5	149
Females	1	4	7	5	4	3	4		2		2				32
Total	3	17	33	26	34	28	14	10	7	2	2			5	181
Males	1	3			1	1	1	5	1	1					14
Females	1	2	1		2	5			1		1			1	14
Total	2	5	1		3	6	1	5	2	1	1			1	28
Males		10	16	13	30	36	24	22	30	29	17	4		9	240
Females		3	3	7	1	10	1	3	2	6	11	2			49
Total		3	13	23	13	31	46	25	25	32	35	28	6	9	289
Males				5	5	5	21	15	16	14	9	5			97
Females					1			2	1			1			5
Total				5	6	5	21	17	17	14	9	5	1	2	102

DEATHS—*Concluded.*

SEX.	AGES.														
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	Total.
Males	1					2	2		1		1			1	8
Females					2	1	1		1					1	6
Total	1				2	3	3		2		1			2	14
Males						1	2	2	3	2	1				11
Females						1	1	1							3
Total						2	3	3	3	2	1				14
Males					1		1	4	3	3				1	13
Females						1									1
Total					1	1	1	4	3	3				1	14
Males						3	1	4	1	4					13
Females						2	1		1	1				1	6
Total						5	2	4	2	5				1	19
Males				1	1	4	4	4	4	3				1	22
Females						1	1		2	1					5
Total				1	1	5	5	4	6	4				1	27
Males									1						1
Females															
Total									1						1
Males	13	47	55	44	77	111	69	79	74	63	31	5	1	23	692
Females	12	30	22	7	12	26	16	8	10	10	16	3		5	177
Total	25	77	77	51	89	137	85	87	84	73	47	8	1	28	869
Males	10	42	20	15	25	40	15	20	25	30		3		50	295
Females	11	40	43	30	25	59	50	34	35	44	2	4	1	30	408
Total	21	82	63	45	50	99	65	54	60	74	2	7	1	80	703

H. S. CREWE,
Inspector.

TABLE E.—DEATHS BY

CAUSE OF DEATH.	MONTHS.												
	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
CLASS I.													
Total Zymotic Diseases—Males	217	197	245	207	182	134	206	249	253	200	157	170	2417
Females	218	155	204	174	182	141	170	270	238	189	142	170	2253
Total	435	352	449	381	364	275	376	519	491	389	299	340	4670
CLASS II.													
Total Constitutional Diseases—Males	240	200	232	249	242	176	240	221	227	224	198	252	2701
Females ..	251	249	296	254	243	249	246	250	277	243	228	228	3014
Total	491	449	528	503	485	425	486	471	504	467	426	480	5715
CLASS III.													
Total Local Diseases—Males	329	337	451	374	399	323	268	251	249	272	251	280	3784
Females	265	302	332	303	337	246	227	221	215	265	212	292	3217
Total	594	639	783	677	736	569	495	472	464	537	463	572	7001
CLASS IV.													
Total Developmental Diseases—Males....	129	113	153	129	115	90	80	104	98	103	110	127	1346
Females..	144	142	169	118	132	96	113	125	114	130	100	113	1496
Total.....	273	255	322	247	247	186	193	229	207	233	210	240	2842
CLASS V.													
Total Violent Deaths—Males	55	58	34	52	57	57	74	69	48	64	65	59	692
Females	20	14	10	14	14	12	13	22	21	9	15	13	177
Total	75	72	44	66	71	69	87	91	69	73	80	72	869
Total Deaths from Causes not specified													
M	25	25	20	25	25	20	20	30	30	25	25	25	295
F	36	33	30	40	42	37	31	27	28	23	36	45	408
Total	61	58	50	65	67	57	51	57	58	48	61	70	703
Total—Males													
Females	995	930	1135	1036	1020	800	888	924	900	888	806	913	11235
Females	934	895	1041	903	950	781	800	915	893	859	733	861	10565
Grand Total	1929	1825	2176	1939	1970	1581	1688	1839	1793	1747	1539	1774	21800

CLASSES.—RECAPITULATION.

SEX.	AGES.														Total.
	Under 1 year.	1 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 and over.	Unknown.	
Males	624	811	320	112	85	117	70	65	40	52	43	22	2	54	2417
Females	560	762	346	130	82	110	66	28	34	41	41	18	3	32	2253
Total	1184	1573	666	242	167	227	136	93	74	93	84	40	5	86	4670
Males	921	206	35	39	86	326	219	181	194	219	161	54	5	55	2701
Females	808	183	48	53	201	541	321	248	206	201	102	34	7	61	3014
Total	1729	389	83	92	287	867	540	429	400	420	263	88	12	116	5715
Males	716	370	140	77	129	242	220	285	358	482	444	172	13	136	3784
Females	592	393	119	86	114	234	209	213	276	419	350	160	9	103	3217
Total	1308	763	259	163	243	476	429	498	634	901	794	272	22	239	7001
Males	346	31	2	1	1	23	377	444	120	1	1346
Females	261	27	20	124	104	39	4	16	385	391	112	13	1496
Total	607	58	2	20	124	104	40	5	39	762	835	232	14	2842
Males	13	47	55	44	77	111	69	79	74	63	31	5	1	23	692
Females	12	30	22	7	12	26	16	8	10	10	16	3	5	177
Total	25	77	77	51	89	137	85	87	84	73	47	8	1	28	869
Males	10	42	20	15	25	40	15	20	25	30	3	50	295
Females	11	40	43	30	25	59	50	34	35	44	2	4	1	30	408
Total	21	82	63	45	50	99	65	54	60	74	2	7	1	80	703
Males	2630	1507	572	287	402	836	593	631	692	869	1056	700	141	319	11235
Females	2244	1435	578	306	454	1093	766	570	565	731	896	550	132	244	10565
Total	4874	2942	1150	593	856	1930	1359	1201	1257	1600	1952	1250	273	563	21800

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC															
	ORDER 1.—MIASMATIC DISEASES.—															
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membraneous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Entero-Colitis.	Febris Biliosa (Bilious Fever).	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).
Algoma :																
Males		1		1				5								2
Females		1		1	2			4						1		2
Total		2		2	2			9						1		4
Brant :																
Males		3		2	3	1	4	10				3	1			4
Females		3	1	4	2		4	6				2				2
Total		6	1	6	5	1	8	16				5	1			6
Bruce :																
Males		1		10	7			12	1			1				8
Females		3		8	4			14	2			1				5
Total		4		18	11			26	3			2				13
Carleton :																
Males		20		7	24		4	50	2		1				1	9
Females		24	1	6	23		8	38	1		1	1			2	11
Total		44	1	13	47		12	88	3		2	1			3	20
Dufferin :																
Males		1	1	2	1			5	2		1					4
Females				1	6		1	1			1					1
Total		1	1	3	7		1	6	2		2					5
Elgin :																
Males			3	8	3		2	13	2			3				5
Females		1		5	4			16	1			1				4
Total		1	3	13	7		2	29	3			4				9
Essex :																
Males		8		5	7		1	29	1		3		1	1		6
Females		10		6	5		1	18			1		1			7
Total		18		11	12		2	47	1		4		2	1		13
Frontenac :																
Males		2	2	5	5	1	1	9	2				1	3		6
Females		5	2	12	10	2	2	11	3				1			5
Total		7	4	17	15	3	3	20	5				2	3		11

CAUSES OF DEATHS, 1882—Continued.

CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici*.

ORDER 1.—DIATHETIC DISEASES.—*Diathetici*.

ORDER 2.—TUBERCULAR DISEASE.—*Phthisici*.

Anæmia.																							
Anæmia.	Atrophia.	Debilitas (Debility).	Degeneratio (Degeneration).	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Gangræna Senilis (Dry Gangrene).	Hydrops (Dropsy).	Leucocythæmia.	Mortificatio (Mortification).	Noma (Canker).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Ulcus ex Cubando (Bedsore).	Abscessus Psoasus.	Hæmoptysis (Spitting Blood).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).		
9				1			2																
12				1			2																
21				2			4																
5				4		2	3								2					2			
8				1			4								2								
13				5		2	7								4					2			
34				14		1	3				1	1			3								
24				2		2	3								2					2			
58				16		3	6				1	1			5					2			
165				11		3	12								4					17			
158				5		4	13													32			
323				16		7	25								4					49			
4				2			1																
5				2		1	2													2			
9				4		1	3													2			
5				5		1	5								1								1
8				3			2								1					1			
13				8		1	7								2					1			1
64				6		2	2								3					3			
38				11		2	6								1					2			
102				17		4	8								4					5			
28				4		2	7			1	1				2					2		1	
19				3			9			1					3					4			
47				7		2	16			2	1				5					6		1	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—LOCAL								
	ORDER 2.— <i>Continued.</i>				Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE								
	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.		Apoplexia (Apoplexy).	Atrophia, Musculorum Ingravitans (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance.)	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.	
Algoma :														
Males	9				21	1	1							
Females	8				23				1					
Total	17				44	1	1		1					
Brant :														
Males	10				28	5			8	1	1			
Females	28				43	2			3		1	1		
Total	38				71	7			11	1	2	1		
Bruce :														
Males	25		1	83	2			4						
Females	34		1	70	4			8		1				
Total	59		2	153	6			12		1				
Carleton :														
Males	63	32		307	3			9	1	2				
Females	86	11		309	6			2	1	1	1			
Total	149	43		616	9			11	2	3	1			
Dufferin :														
Males	9			16	3									
Females	10			22	1			1						
Total	19			38	4			1						
Elgin :														
Males	11			29	3	1		3	2	1	1			
Females	20			35	3			1	1	3				
Total	31			64	6	1		4	3	4	1			
Essex :														
Males	29	1		110	3			6	2	4				
Females	44	1		105	2			4	1					
Total	73	2		215	5			10	3	4				
Frontenac :														
Males	31			79	2	1		6						
Females	41			80	1			2	2	3				
Total	72			159	3	1		8	2	3				

CAUSES OF DEATH, 1882—Continued.

DISEASES.—*Monorganici.*

NERVOUS SYSTEM.—*Cephalici.*

ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.—*Cardiaci.*

Insania (Insanity).	Insolatio (Sunstroke).	Laryngismus Stridulus (False Croup).	Meningitis.	Myelitis (Inflammation of the Spinal Cord).	Necencephalus (Softening of Brain).	Paralysis (Palsy).	Paralysis Agitans (Shaking Palsy).	Paraplegia (Palsy of Lower Extremities).	Tetanus (Lockjaw).	Trismus Nascentium.	Aneurisma (Aneurism).	Angina Pectoris (Breast Pang).	Arteritis (Inflammation of Arteries).	Atheroma Arteriarum (Calcification of Artery).	Atrophia Cordis (Atrophy of Heart).	Carditis (Inflammation of Heart).	Degeneratio Cordis (Fatty Degeneration of Heart).	Endocarditis (Inflammation of Membrane lining Heart).	Epistaxis (Nosebleed).	Hydrops Pericardii (Dropsy of Heart).	Hypertrophia Cordis (Enlargement of Heart).	
1			1	1																		
1			1	1																		
			7	2	1	4																
			2			4																
			9	2	1	8																
			5	1	2	5			1													
			3			5																
			8	1	2	10			1													
2	1		13	1		6			2		1						1					1
			11			13																
2	1		24	1		19			2		1						1					1
			1																			
			1																			
			8	1	1	6												1				
			4			4																
			12	1	1	10												1				
			7		1	6																
			3	2		5			1												1	1
			10	2	1	11			1												1	1
2	1		9	1	2	11			1								1					1
2	1		5	2		5						1									4	
4	2		14	3	2	16			1			1					1				4	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.														
	ORDER 2.—Continued.						ORDER 3.—DISEASES OF THE RESPIRATORY SYS.								
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexy Pulmonalis (Congestion of Lungs).	Bronchitis.	Diaphragmitis (Inflammation of Diaphragm).	Emphysema.	Empyema.	Gangrænum Pulmonum (Gangrene of Lungs).	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Œdema Glottidis.	Pleuritis (Pleurisy).
Algoma :															
Males.....	3			1		3	2						2		
Females.....						1	3								
Total.....	3			1		4	5						2		
Brant :															
Males.....	9			1		5	3		1						
Females.....	4					1	5		1						
Total.....	13			1		6	8		2						
Bruce :															
Males.....	7					9	5		1			1		1	
Females.....	8					3	7								
Total.....	15					12	12		1			1		1	
Carleton :															
Males.....	17					8	6		3			1		1	
Females.....	17					3	9		1						
Total.....	34					11	15		4			1		1	
Dufferin :															
Males.....	5					2	6					1		2	
Females.....	3						1								
Total.....	8					2	7					1		2	
Elgin :															
Males.....	9						1					2			
Females.....	9					3	3							2	
Total.....	18					3	4					2		2	
Essex :															
Males.....	6					2	3								3
Females.....	5					2	4								1
Total.....	11					4	7								4
Frontenac :															
Males.....	15	1				13	8		1			1		2	
Females.....	11		1			9	9		1			1			
Total.....	26	1	1			22	17		2			2		2	

CAUSES OF DEATHS, 1882—Continued.

—Continued.

TEM.—Pneumonic.		ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.—Enterici.																			
Pleura-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Pneumothorax.	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Duodenitis (Inflammation of Duodenum).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Glossitis (Inflammation of Tongue).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Intus-susceptio (Invagination of Gut).	Melæna.	
.....	4	1
.....	1	1
.....	5	1	1
.....	14	4	3	1	1
.....	7	1	3	1
.....	21	2	7	4	1	1
.....	11	8	2	4
.....	12	1	3	1	3
.....	23	1	11	2	4	1	3
.....	22	1	16	1	2	1	2
.....	17	1	1	19	1	4	1	2
.....	39	1	2	35	2	6	2	4
.....	4	3
.....	2	5
.....	6	8
.....	7	3	3	1
.....	7	1
.....	14	4	3	1
.....	21	10	3	1	4	2
.....	19	2	7	2	1
.....	40	2	17	5	1	5	2
.....	22	6	4
.....	15	9	4	1
.....	37	15	4	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.											ORD. 5.—DISEASES		
	ORDER 4.—Continued.													
	Obstipatio (Constipation).	Esophagitis (Inflammation of Gullet).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Pharyngitis (Inflammation of Pharynx).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Stricture Intestina (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulceration of Stomach.	Other Diseases of the Digestive System.	Calculus (Stone).	Cystitis (Inflammation of Bladder).
Algoma :														
Males.....													1	
Females.....														
Total.....													1	
Brant :														
Males.....				2					1				3	2
Females.....				1										
Total.....				3					1				3	2
Bruce :														
Males.....			1	2										2
Females.....				1										1
Total.....			1	3										3
Carleton :														
Males.....													2	1
Females.....					3									
Total.....					3								2	1
Dufferin :														
Males.....				1										
Females.....														
Total.....				1										
Elgin :														
Males.....													1	
Females.....					2									
Total.....					2								1	
Essex :														
Males.....	2			4										1
Females.....				3										1
Total.....	2			7										2
Frontenac :														
Males.....								1						
Females.....			1	3										2
Total.....			1	3				1						2

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.										CLASS IV.—		
	ORDER 7.—Continued.				ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.—Chrotici.						ORDER 1.—		
	Osteo-Myelitis.	Ostitis (Inflammation of Bones).	Periostitis.	Synovitis.	Abscessus (Abscess).	Eczema.	Ecthyma.	Pemphigus.	Phlegmon.	Rupia.	Total Local Diseases.	Amantia Ingenerita (Idiocy).	Anus Imperforatus (Imperforate Anus).
Algoma :													
Males											21		
Females											9		
Total											30		
Brant :													
Males											85	1	
Females											42		
Total											127	1	
Bruce :													
Males											87		
Females					2						67		
Total					2						154		
Carleton :													
Males					4						137		12
Females					3						122		11
Total					7						259		23
Dufferin :													
Males											27		
Females					1						16		
Total					1						43		
Elgin :													
Males											57		
Females					1						45		
Total					1						102		
Essex :													
Males					1						95		1
Females											69		
Total					1						164		1
Frontenac :													
Males					3						121		1
Females											97		
Total					3						218		1

CAUSES OF DEATHS, 1882—Continued.

DEVELOPMENTAL DISEASES.—*Metamorphici.*

DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>		ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniaci.</i>										O. 3. DEV. DIS. OLD PEOPLE.— <i>Geratici.</i>									
Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Pretematural Birth).	Palatum Fissum (Cleft Palate).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Sclerema.	Abortus (Abortion, Miscarriage).	Chlorisis.	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Pelvis Deformis (Deformed Pelvis).	Phlegmasia Dolens (Milk Leg).	Chronic Pelvic Cellulitis.	Gangræna Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.
...	1	1	1	1	1	2	...	1	4	4
...	1	1	1	1	1	2	...	1	2	10
...	1	2	3	1	2	6	14
1	1	1	2	3	1	3	18	25
1	1	1	2	5	1	1	3	20	29
...	1	2	5	1	1	3	38	54
...	1	1	3	1	1	8	4	29	34
...	1	2	3	1	1	8	4	22	38	
...	1	3	3	1	1	8	4	51	72
1	32	2	9	5	10	1	43	105
...	19	2	9	2	1	10	40	94
1	51	4	18	7	1	10	1	83	199
...	1	2	13	14
...	1	2	8	10
...	1	2	21	24
...	2	2	13	15
1	1	1	1	1	1	...	2	2	13	13	23
1	1	3	1	1	1	...	2	2	26	26	38
1	1	3	7	1	5	19	31
...	1	3	4	5	17	32
1	2	6	11	1	5	36	63
...	1	1	6	26	29
...	2	3	2	2	1	1	...	6	39	39	56
...	2	4	3	2	1	1	...	6	65	65	85

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS V.—VIOLENCE TENDING								
	ORDER 1.—ACCIDENT								
	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezin).	Ictus Fulminis (Lightning).	Morsus Serpentis (Snake-bite).
Algoma :									
Males									1
Females	1								
Total	1								1
Brant :									
Males							1		1
Females						1			
Total						1	1		1
Bruce :									
Males	1	1				1			1
Females									
Total	1	1				1			1
Carleton :									
Males									7
Females	1					1			1
Total	1					1			8
Dufferin :									
Males			1						
Females									
Total			1						
Elgin :									
Males	1								1
Females	1								
Total	2								1
Essex :									
Males	9								
Females	1							1	
Total	10							1	
Frontenac :									
Males						1	1		
Females	1								
Total	1					1	1		

CAUSES OF DEATHS, 1882—Continued.

TO SUDDEN DEATH.—*Thanatici.*

AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE. <i>Autophonici.</i>				ORDER 4. EXECUT'N.	Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Causes of Violent Death.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).			
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).				
7			1						1		10	4	71
		4									5	3	65
7		4	1						1		15	7	136
1	1	7	2			1	1				15	4	194
											1	9	158
1	1	7	2			1	1				16	13	352
3		9	1				1	1	2		21	9	289
	1	1									2	9	236
3	1	10	1				1	1	2		23	18	525
6		13	8				1				35	34	758
2		4			1			1			11	81	755
8		17	8		1		1	1			46	115	1513
		2	3		1				1		8	12	101
		1									1	21	86
		3	3		1				1		9	33	187
		4	4				1				11	8	167
		1									2	10	150
		5	4				1				13	18	317
		4	4		1	3		2	4		27	14	373
1		2	1					2			8	20	304
1		6	5		1	3		4	4		35	34	677
6		6	3			4	1	1			23	18	317
3		2									6	13	311
9		8	3			4	1	1			29	31	628

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC															
	ORDER I.—MIASMATIC DISEASES.—															
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Entero-Colitis.	Febris Biliosa (Bilious Fever).	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).
Grey :																
Males	1	9	6	1	3	17	1	3	1	3	2	3	1	3	3	
Females	2	5	2	1	1	8	1	1	1	3	1	3	1	1	4	
Total	3	14	8	2	4	25	2	2	1	6	3	3	2	4	7	
Haldimand :																
Males	2	5	3	1	4	5	2	1	1	1	1	1	1	3		
Females	1	1	1	1	1	5	2	1	1	1	1	1	1	3		
Total	3	6	4	1	9	2	2	1	1	1	1	1	1	6		
Halton :																
Males	3	1	2	1	6	1	6	1	1	1	1	1	1	10		
Females	1	7	4	1	2	1	2	1	1	1	1	1	1	5		
Total	3	2	6	2	8	2	8	1	1	1	1	1	1	15		
Hastings :																
Males	1	1	8	4	2	19	3	3	3	3	3	3	3	10		
Females	1	10	2	2	3	15	1	1	1	2	2	2	2	5		
Total	2	1	6	2	3	34	4	4	4	2	2	2	2	15		
Huron :																
Males	2	14	7	3	13	1	13	1	1	4	1	1	1	6		
Females	3	7	2	1	12	1	12	1	1	6	1	1	1	9		
Total	5	1	9	4	25	1	25	1	1	10	2	2	2	15		
Kent :																
Males	1	3	11	6	17	3	17	3	3	5	1	1	1	15		
Females	9	8	8	6	16	1	16	1	1	1	1	1	1	16		
Total	10	11	19	12	33	4	33	4	4	6	2	2	2	31		
Lambton :																
Males	8	4	6	1	10	2	10	2	2	5	1	1	1	11		
Females	8	5	3	4	8	1	8	1	1	3	1	1	1	12		
Total	16	1	9	1	18	3	18	3	3	6	2	2	2	23		
Lanark :																
Males	2	4	8	3	2	3	2	2	2	3	1	1	1	2		
Females	4	3	5	7	1	7	1	1	1	2	1	1	1	2		
Total	6	7	13	10	3	10	3	3	3	5	2	2	2	2		

CAUSES OF DEATHS, 1882—Continued.

CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici.*

ORDER 1.—DIATHETIC DISEASES.—*Diathetici.*

ORDER 2.—TUBERCULAR DISEASE.—*Phthisici.*

Anæmia.				Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Gangræna Senilis (Dry Gangrene).	Hydrops (Dropsy).	Leucocythæmia.	Mortificatio (Mortification).	Noma.	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Ulcus ex Cubando (Bedsore).	Abscessus Psoasus.	Hæmoptysis (Spitting Blood).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).	
Anæmia.	Atrophia.	Debilitas (Debility).	Degeneratio (Degeneration).																			
33				6			2								1					5		
29				8			6				1					1						
62				14			8				1					2				5		
8				1			3									2						
4				4			7			1				1		1						
12				5			10			1				1		3						
5				4		1	4									2				1		
5				3			6			2										1		
10				7		1	10			2						2				2		
26				6		1	3									4				3		2
28				5			5									1				1		
54				11		1	8									5				4		2
20				8		1	8													2		
23				5			4									2				1		
43				13		1	12									2				3		
28				7		3	3									1						
29				4			2									1						
57				11		3	5									2						
16				2		1	2									1				2		1
14				6		1	5			2						2				1		
30				8		2	7			2						3				3		1
6				3			3									1				2		
4				4			4			1										1		
10				7			7			1						1				3		

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>				CLASS III.—LOCAL								
	ORDER 2.— <i>Continued.</i>				ORDER 1.—DISEASES OF THE								
	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phtihisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.	Total Constitutional Diseases.	Apoplexia (Apoplexy).	Atropia Musculorum Ingravitans (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Grey :													
Males	22				69	6			7				
Females	25				70	1			8	1	1		
Total	47				139	7			15	1	1		
Haldimand :													
Males	11	1			26	1			4				
Females	26				44	1			2	1			
Total	37	1			70	2			6	1			
Halton													
Males	11				28	1				2		1	
Females	12				29	3			1	1			
Total	23				57	4			1	3		1	
Hastings :													
Males	28	1			74	2			5	1	2		
Females	46				86	3			6	2	1		
Total	74	1			160	5			11	3	3		
Huron :													
Males	45	1			85	9			10	2			
Females	45	1			81	2			14				
Total	90	2			166	11			24	2			
Kent :													
Males	26	1			69	7			7	1			
Females	45	1	1		83	2			2	1			
Total	71	2	1		152	9			9	2			
Lambton :													
Males	13				38	4			8				
Females	15				46	3			7				
Total	28				84	7			15				
Lanark :													
Males	13				28	2			3				
Females	17				31	2			1		1		
Total	30				59	4			4		1		

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.														
	ORDER 2.—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-									
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Diaphragmitis (Inflammation of Diaphragm).	Emphysema.	Emphysema.	Gangrenum Pulmonum (Gangrene of Lungs).	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Oedema Glottidis.	Pleuritis (Pleurisy).
Grey :															
Males	7					5	1					1			
Females	9					6	6						2		
Total	16					11	7					1	2		
Haldimand :															
Males	4					3	2			1					
Females						2	3								
Total	4					5	5			1					
Halton :															
Males	4					6	4								
Females	8					3	2	1							
Total	12					9	6	1							
Hastings :															
Males	7					11	6	1							3
Females	10					3	4	1					1		2
Total	17					14	10	2					1		5
Huron :															
Males	11					5	3								2
Females	11	1				10	11	1					2		1
Total	22	1				15	14	1					2		3
Kent :															
Males	11					3	1								
Females	14					6	5								
Total	25					9	6								
Lambton :															
Males	7					2	5								1
Females	7					3	3	1							
Total	14					5	8	1							1
Lanark :															
Males	4					5	6					1			
Females	9					2	3					1			
Total	13					7	9					2			

CAUSES OF DEATHS, 1882—Continued.

—Continued.

TEM.— <i>Pneumonici.</i>		ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.— <i>Enterici.</i>																			
Pleuro-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Pneumothorax.	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Duodenitis (Inflammation of Duodenum).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Glossitis (Inflammation of Tongue).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Fles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Pleur.	Intus-susceptio (Invagination of Gut).	Melena.
.....	16	5	1	1	1	3
.....	9	4	4	4	1	1
.....	25	4	9	1	1	2	4
.....	4	1	3	2	1	1
.....	4	4	2
.....	8	1	7	4	1	1
.....	16	1	1	1	1
.....	7	3	1	2
.....	23	1	4	2	3
.....	19	1	13	2	5	1
.....	16	1	3	1	1	1	1
.....	35	2	16	3	6	2	1
.....	26	5	12	2	1	1	3
.....	18	1	12	4	2
.....	44	6	24	2	5	1	5
.....	18	2	7	1	2	1
.....	10	1	9	2
.....	28	3	16	1	4	1
.....	24
.....	13	1	5	2	5	1
.....	1	6	1	1
.....	37	2	11	2	6	1	1
.....	10	2
.....	8	1	2	1	1	1
.....	1	4	1	1	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.										CLASS IV.—		
	ORDER 7.—Continued.				ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.—Chrotici.						ORDER 1.—		
	Osteo-Myelitis.	Ostitis (Inflammation of Bones).	Periostitis.	Synovitis.	Abscessus (Abscess).	Eczema.	Ecthyma.	Pemphigus.	Phlegmon.	Rupia.	Total Local Diseases.	Amemia Ingenuita (Idiocy).	Annus Imperforatus (Imperforate Annus).
Grey :													
Males					2					75		1	
Females					1					72			
Total					3					147		1	
Haldimand :													
Males					1					32			
Females					1					27			
Total					2					59			
Halton :													
Males					2					53			
Females ..										44			
Total					2					97			
Hastings :													
Males		2			2					110			
Females					1					74			
Total		2			3					184			
Huron :													
Males					2					135			
Females					3					113			
Total					5					248			
Kent :													
Males					1					92			
Females					2					78			
Total					3					170			
Lambton :													
Males					1					84			
Females					6					71			
Total					7					155			
Lanark :													
Males					1					53			
Females										33			
Total					1					86			

CAUSES OF DEATHS, 1882—Continued.

DEVELOPMENTAL DISEASES.—*Metamorphici*.

DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici</i> .		ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniaki</i> .										O. 3. DEV. DIS. OLD PEOPLE.— <i>Geratici</i> .									
Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præternaturalis (Præternatural Birth).	Palatum Fissum (Cleft Palate).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Sclerema.	Abortus (Abortion, Miscarriage).	Chlorosis.	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Pelvis Deformis (Deformed Pelvis).	Phlegmasia Dolens (Milk Leg).	Chronic Pelvic Cellulitis.	Gangrana Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.
...	2	5	3	28	31
...	1	1	1	5	21	40
...	1	3	1	5	8	3	49	71
...	1	...	1	1	1	1	4	...	1	16	19
...	1	...	1	3	1	1	4	...	1	...	11	20	39
...	2	1	6	9
...	1	1	1	1	1	13	18	27
...	1	3	2	1	1	19	27	...
...	4	5	2	1	1	...	7	2	26	39
...	2	3	4	33	51	...
...	6	8	6	1	1	...	7	2	59	90
...	1	...	1	...	1	4	2	41	50
...	3	3	1	6	...	1	...	25	39	...
...	1	...	1	...	4	7	1	6	...	1	...	2	66	89
...	1	4	2	1	2	9	1	16	23
...	1	24	38	...
...	1	5	2	1	2	9	1	40	61
...	1	1	1	2	...	1	1	1	1	16	21
...	2	19	25	...
...	1	1	1	4	...	1	1	1	1	35	46
...	1	1	1	1	...	18	19	...
...	1	1	1	17	20	...
...	1	1	1	1	...	35	39	...

CAUSES OF DEATHS, 1882—Continued.

AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE. <i>Autophonici.</i>				ORDER 4. EXECUT' N.	Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Causes of Violent Death.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).			
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).			
10		9					1		3		25	15	323
1		1	1								4	15	265
11		10	1				1		3		29	30	588
1		2	1				1				7	7	118
1	1	1									3	4	112
2	1	3	1				1				10	11	230
		2	1								3	2	132
1	1										4	2	125
1	1	2	1								7	4	257
7	2	11	2								27	10	314
1											5	14	273
8	2	11	2								32	24	587
3	1	6	3					2	1		20	12	371
		1									1	12	314
3	1	7	3					2	1		21	24	685
8		11	1								26	20	296
2								1	1		7	23	299
10		11	1					1	1		33	43	595
4	1	4	4								17		217
2		1									5	8	211
6	1	5	4								22	8	428
4		2									7		134
		1									1	4	113
4		3									8	4	247

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC															
	ORDER 1.—MIASMATIC DISEASES.—															
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysenteria Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).
Leeds and Grenville :																
Males	1	1	11	4	...	3	49	1	1	7
Females	1	4	8	37	2	2	4
Total	2	2	15	12	...	3	79	3	3	11
Lennox and Addington :																
Males				6	8	4	2
Females			2	4	...	1	10	2	2
Total			2	10	...	1	18	4	2	4
Lincoln :																
Males	4	1	5	4	7	1	2	7
Females	4	...	6	2	12	1	1	1	4
Total	8	1	11	6	19	1	2	2	1	11
Middlesex :																
Males	1	10	2	11	23	...	8	16	...	4	1	1	21
Females	9	1	11	15	...	5	31	4	...	3	1	1	18
Total	1	19	3	22	38	...	13	47	4	4	3	1	2	39
Muskoka and Parry Sound :																
Males	5	...	2	5	...	2	6	2	1	1
Females	4	...	2	2	...	1	4	1	...	1	1	1
Total	9	...	4	7	...	3	10	3	...	1	1	...	1	2
Norfolk :																
Males	5	...	2	11	1	1	1
Females	3	...	2	2	...	1	11	1	2	1	2
Total	8	...	4	2	...	1	22	2	3	1	3
Northumberland and Durham.																
Males	3	...	9	5	...	3	26	4	7
Females	2	...	4	9	...	8	22	3	...	1	1	5
Total	5	...	13	14	...	11	48	7	...	1	1	12
Ontario :																
Males	3	...	6	1	15	1	1	15
Females	3	...	9	4	10	4	...	4	15
Total	6	...	15	5	25	5	...	5	30

CAUSES OF DEATHS, 1882—Continued.

CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici*.

ORDER 1.—DIATHETIC DISEASES.—*Diathetici*.

ORDER 2.—TUBERCULAR DISEASES.—*Phthisici*.

Anæmia.																		Anæmia.					
Anæmia.	Atrophia.	Debilitas (Debility).	Degeneratio (Degeneration).	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Gangrena Senilis (Dry Gangrene).	Hydrops (Dropsy).	Leucocythæmia.	Mortificatio (Mortification).	Noma.	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Ulcus ex Cubando (Bedsore).	Abscessus Psoasus.	Hæmoptysis (Spitting Blood).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip-Disease).		
20	9	1	8
26	10	2	5	10	1
46	19	3	13	15	1
15	2	1	2	1
11	2	1	1
26	4	2	3	1
19	6	5	2
8	4	10	3
27	10	15	5
46	9	5	10
44	15	1	7	1	2
90	24	6	17	1	1	1
23	5
18	3	4
41	8	4
18	7	1	5	1
9	3	1	1	1
27	10	2	6	1	1
21	7	6	1
13	5	2	9	4
34	12	2	15	5	1
13	4	2	1
16	3	4	2
29	7	6	6	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—LOCAL							
	ORDER 2.— <i>Continued.</i>					ORDER 1.—DISEASES OF THE							
	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phthisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.	Total Constitutional Diseases.	Apoplexia (Apoplexy).	Atrophia Musculorum Ingraviscens (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Leeds and Grenville :													
Males	49				101	10			3	1	1		
Females	47			1	98	2			5	1		1	
Total	96			1	199	12			8	2	3	1	
Lennox and Addington :													
Males	17				39	1			2	1			
Females	23				39				1	1			
Total	40				78	1			3	2			
Lincoln :													
Males	27		1	1	61	3			3	1			
Females	41				66	3			2	2			
Total	68		1	1	127	6			5	3			
Middlesex :													
Males	48				123	13	1		6	4	1		
Females	79			1	157	10			15	1	1	1	1
Total	127			1	280	23	1		21	5	2	1	1
Musköka and Parry Sound :													
Males	12				41	2			7				
Females	13			1	39				4		1		
Total	25			1	80	2			11		1		
Norfolk :													
Males	17				51	5			3	1			
Females	23				40	2			7	2			
Total	40				91	7			10	3			
Northumberland and Durham :													
Males	46		1		85	4			10	4	1		
Females	57			2	95	3			6	2	1	1	
Total	103		1	2	180	7			16	6	2	1	
Ontario :													
Males	20				46	4			5	1			
Females	33				63	7			5				
Total	53				109	11			10	1			

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.														
	ORDER 2.—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS									
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Diaphragmitis (Inflammation of Diaphragm).	Emphysema	Emphysema.	Gangrænum Pulmonum (Gangrene of Lungs).	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Edema Glottidis.	Pleuritis (Pleurisy).
Leeds and Grenville :															
Males	10					8	3		2				2		1
Females	9	1		1		7	6								
Total	19	1		1		15	9		2				2		1
Lennox and Addington :															
Males	7														1
Females	5					4	2								
Total	12					4	2								1
Lincoln :															
Males	6					5	2								
Females	15					4	4								
Total	21					9	6								
Middlesex :															
Males	22					12	12						1		
Females	25					13	12	1				2			
Total	47					25	24	1				3			
Muskoka and Parry Sound :															
Males	5					2		1							2
Females	2					4	1								1
Total	7					6	1	1							3
Norfolk :															
Males	8					7	5								1
Females	6					5	3								
Total	14					12	8								1
Northumberland and Durham :															
Males	14			1		9	7								1
Females	18					7	6					1			3
Total	32			1		16	13					1			4
Ontario :															
Males	2					6	9	2			1	2			1
Females	13					5	2	1							
Total	15					11	11	3			1	2			1

CAUSES OF DEATHS, 1882—Continued.

—Continued.

TEM.—Pneumonic.		ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.—Enterici.																			
Pleuro-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Pneumothorax.	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Duodenitis (Inflammation of Duodenum).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Glossitis (Inflammation of Tongue).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice)	Ileus.	Intus-susceptio (Invagination of Gut).	Melæna.
.....	13	1	11	1	1	2
.....	13	9	2	1	1
.....	26	1	20	3	2	1	2
.....	8	3	6
.....	4	6	6	1	1
.....	12	3	12	1	1
.....	7	2	5	2	2	1
.....	6	1	4	1
.....	13	1	2	9	3	2	1
.....	47	2	1	16	3	11	2
.....	30	1	6	4	5	5	1
.....	77	2	1	1	22	7	16	7	1	2
.....	12	2	1	2
.....	11	4	2
.....	23	6	2	1	2
.....	15	5	1	1	2
.....	19	4	2	1
.....	34	9	1	1	4	1
.....	26	1	10	1	6	1
.....	27	1	5	1	4	1
.....	53	2	15	2	10	2	1
.....	15	1	6	3	2	1	1
.....	18	8	1	3
.....	33	1	14	4	5	1	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.										CLASS IV.—		
	ORDER 7.—Continued.				ORDER 8.—DISEASES OF THE INTEGRUMENTARY SYSTEM.—Chrotici.						ORDER 1.—		
	Osteo-Myelitis.	Ostitis (Inflammation of Bones).	Periostitis.	Synovitis.	Abscessus (Abscess).	Eczema.	Ecthyma.	Pemphigus.	Phlegmon.	Rupia.	Total Local Diseases.	Amentia Ingentia (Idiocy).	Anus Imperforatus (Imperforate Anus).
Leeds and Grenville :													
Males					2						101		
Females					6						80		
Total					8						181		
Lennox and Addington :													
Males											44		
Females											36		
Total											80		
Lincoln :													
Males											55		
Females											64		
Total											119		
Middlesex :													
Males		2			3						215		1
Females					3						175		
Total		2			6						390		1
Muskoka and Parry Sound :													
Males					2						49		
Females											31		
Total					2						80		
Norfolk :													
Males					2						72		
Females					2						60		
Total					4						132		
Northumberland and Durham :													
Males											124		
Females					1						107		
Total					1						231		
Ontario :													
Males					2						88		1
Females					2						87		
Total					4						175		1

CAUSES OF DEATHS, 1882—Continued.

DEVELOPMENTAL DISEASES.—*Metamorphici.*

DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>										ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniaci.</i>			O. 3. DEV. DIS. OLD PEOPLE. <i>Geratici.</i>								
Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Preternatural Birth).	Palatum Fissum (Cleft Palate).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Sclerema.	Abortus (Abortion, Miscarriage).	Chlorosis.	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Pelvis Deformis (Deformed Pelvis).	Phlegmasia Dolens (Milk Leg).	Chronic Pelvic Cellulitis.	Gangræna Semilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.
...	1	...	1	...	1	1	2	2	6	1	40	42
...	34	47
...	1	...	1	...	1	1	2	2	6	1	74	89
...	1	1	2	16	17
...	13	16
...	1	1	2	29	33
...	1	...	1	3	1	12	18
...	3	...	1	1	1	15	21
...	1	...	4	3	1	1	1	1	27	39
...	2	...	2	...	7	8
...	1	...	1	...	5	6	1	1	1	10	1	42	63
...	2	45	73
...	3	...	3	...	12	14	1	1	1	10	3	87	136
...	...	1	1	...	2	1	2	7
...	1	1	...	1	8	6	17
...	...	1	2	...	2	2	...	1	8	8	24
...	1
...	2	...	1	1	4	...	1	...	1	20	22
...	12	21
...	1	...	2	...	1	1	4	...	1	...	1	32	43
...
...	1	1	36	38
...	1	2	3	8	2	46	62
...	2	1	2	3	8	2	82	100
...	2	4	1	1	2	29	36
...	2	4	1	1	50	41
...	2	6	4	1	1	2	59	77

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS V.—VIOLENCE TENDING									
	ORDER 1.—ACCIDENT									
	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).	Morsus Serpentis (Snake-bite).	Suffocatio (Suffocation).
Leeds and Grenville :										
Males	2	1	1			1				
Females										
Total	2	1	1			1				
Lennox and Addington :										
Males										
Females	1									
Total	1									
Lincoln :										
Males				1						
Females										1
Total				1						1
Middlesex :										
Males	1	2	1				1			1
Females	4	1	1		1					
Total	5	3	2		1		1			1
Muskoka and Parry Sound :										
Males										
Females										
Total										
Norfolk :										
Males						1				1
Females										
Total						1				1
Northumberland and Durham :										
Males						1	1			
Females	1									
Total	1					1	1			
Ontario :										
Males			1		2					1
Females										
Total			1		2					1

CAUSES OF DEATHS, 1882—Continued.

AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE. <i>Autophonici.</i>				ORDER 4. EXECUT'N.	Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Causes of Violent Death.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).			
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).			
1		8	5								19	6	345
1		2				1					4	5	301
2		10	5			1					23	11	646
	1	5									6	6	135
					1						2	9	128
	1	5			1						8	15	263
7		8	1			2					19	3	197
2		1									4	4	201
9		9	1			2					23	7	398
7	2	16	6					1	1		39	14	571
2	2	1	1		1						13	17	532
9	2	16	7		1			1	1		52	31	1103
12		9									21	11	160
6		1									7	6	125
18		10									28	17	285
3		8	1								14		190
												5	155
3		8	1								14	5	345
1	1	11	6				1				22	10	347
	3										4	10	344
1	4	11	6				1				26	20	691
2		7	2		1		1				17	9	251
												3	247
2		7	2		1		1				17	12	498

CAUSES OF DEATHS, 1882—*Continued.*

CLASS II.—CONSTITUTIONAL DISEASES—*Cachectici.*

ORDER 1.—DIATHETIC DISEASES.— <i>Diathetici.</i>											ORDER 2.—TUBERCULAR DISEASE.— <i>Phthisici.</i>												
Anæmia.																							
Anæmia.	Atrophia.	Debilitas (Debility).	Degeneratio (Degeneration).	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Gangrena Senilis (Dry Gangrene).	Hydrops (Dropsy).	Leucoythæmia.	Mortificatio (Mortification).	Noma.	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Ulcus ex Cubando (Bedsore).	Abscessus Psoasus.	Hæmoptysis (Spitting Blood).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).		
19				2			7					1			2								
19				5		1	6													2			
38				7		1	13					1			2					2			
2				4			2								1					1			
4				3			4																
6				7			6								1					1			
27				2		1	3			1					2					2		1	
20				8		1	6								1					3			
47				10		2	9			1					3					5		1	
11				1		1	2								2					3			
10				2			2								1					1			
21				3		1	4								3					4			
43				3		3	3								1								
48				2		1	2								2								
91				5		4	5								3								
13				2			4								1								1
8				2			7								2								
21				4			11								3								1
13				1		2	1								2					2			
17				4		4	3								1								
30				5		6	4								3					2			
34				4			4								1					1			
27				3			9								5					2		1	1
61				7			13								6					3		1	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—LOCAL							
	ORDER 2.— <i>Continued.</i>					ORDER 1.—DISEASES OF THE							
	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phtisis Pulmonalis (Consumption).	Scrofula.	Tabes Mesenterica.	Total Constitutional Diseases.	Apoplexia (Apoplexy).	Atrophia Musculorum Ingravitans (Progressive Locomotor Ataxia).	Chorea (St. Vitus Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Oxford :													
Males	29	2	62	6	10	1							
Females	27		60	7	7	1							
Total	56	2	122	13	17	1							
Peel :													
Males	15		25	1	5	1							
Females	21		32	4	4								
Total	36		57	5	9	1							
Perth :													
Males	14	2	55	3	6	3							
Females	25		64		4	2							
Total	39	2	119	3	10	5							
Peterborough :													
Males	21		43	1	8								
Females	25		42	1	2	1							
Total	46		85	2	10	1							
Prescott and Russell :													
Males	17		70	7		2							
Females	30	1	86	1	1	1							
Total	47	1	156	8	1	3							
Prince Edward :													
Males	23		44	3	1	3							
Females	28		47	1	2							1	
Total	51		91	4	3	3						1	
Renfrew :													
Males	9		31	1	6								
Females	10		39		1	2							
Total	19		70	1	7	2							
Simcoe :													
Males	28		73	5	6	2					4		
Females	31		79	1	8	2					3		
Total	59		152	6	14	4					7		

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.														
	ORDER 2.—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-									
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Diaphragmitis (Inflammation of Diaphragm).	Emphysema.	Emphysema.	Gangrenum Pulmonum (Gangrene of Lungs).	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Œdema Glottidis.	Pleuritis (Pleurisy).
Oxford :															
Males	15	1				6	7		2						
Females	12	1				1	3					1			
Total	27	2				7	10		2			1			
Peel :															
Males	4					5	2								4
Females	4					8	8			1					3
Total	8					13	10			1					7
Perth :															
Males	5					5	6		1			1			
Females	11					4	11								
Total	16					9	17		1			1			
Peterborough :															
Males	5					6	6			1				2	
Females	7					1	3		1						1
Total	12					7	9		1		1			2	1
Prescott and Russell :															
Males	3			1		4	1		1				2		2
Females	4					2							1		
Total	7			1		6	1		1				3		2
Prince Edward :															
Males	7					4	1						1		
Females	3					1	1		1				2		
Total	10					5	2		1				3		
Renfrew :															
Males	7					5	4		3				2	1	
Females	7					1	2		1				1		
Total	14					6	6		4				3	1	
Simcoe :															
Males	5					7	9		1						1
Females	18					6	7						1		
Total	23					13	16		1				1		1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.											ORD. 5.—DISEASES		
	ORDER 4.—Continued.													
	Obstipatio (Constipation).	Esophagitis (Inflammation of Gullet).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Pharyngitis (Inflammation of Pharynx).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Stricture Intestini (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulcer of Stomach.	Other diseases of the Digestive System.	Calculus (Stone.)	Cystitis (Inflammation of Bladder).
Oxford :														
Males				1			2						1	1
Females				3										2
Total				4			2						1	3
Peel :														
Males				1								1	1	
Females		1					1	2						
Total		1		1			1	2				1	1	
Perth :														
Males			2		4									1
Females					3								1	2
Total			2		7								1	3
Peterborough :														
Males					1			1					2	
Females					2									
Total					3			1					2	
Prescott and Russell :														
Males	1													
Females														
Total	1													
Prince Edward :														
Males					3						1			2
Females														1
Total					3						1			3
Renfrew :														
Males					1						1			
Females														
Total					1						1			
Simcoe :														
Males					1						1		1	
Females					2									1
Total					3						1		1	1

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.										CLASS IV.—		
	ORDER 7.—Continued.				ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.—Chrotici.						ORDER I.—		
	Osteo-Myelitis.	Ostitis (Inflammation of Bones).	Periostitis.	Synovitis.	Abscessus (Abscess).	Eczema.	Ecthyma.	Pemphigus.	Phlegmon.	Rupia.	Total Local Diseases.	Amantia Ingenita (Idiocy).	Anus Imperforatus (Imperforate Anus).
Oxford :													
Males					6					115			1
Females					2			1		97			
Total					8			1		212			1
Peel :													
Males					2					52			
Females										57			
Total					2					109			
Perth :													
Males					1					98			
Females										78			
Total					1					176			
Prescott and Russell :													
Males					3					75			1
Females					1					53			
Total					4					128			1
Peterborough :													
Males					1					56			1
Females					1					42			
Total					2					98			1
Prince Edward :													
Males										57			1
Females					2					35			
Total					2					92			1
Renfrew :													
Males										62			
Females					1					41			
Total					1					103			
Simcoe :													
Males					2					92			
Females		1								98			
Total		1			2					190			

CAUSES OF DEATH—Continued.

DEVELOPMENTAL DISEASES.—*Metamorphici.*

DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>				ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniæci.</i>								O. 3. DEV. DIS. OLD PEOPLE.— <i>Geratici.</i>									
Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Preter Naturam (Prenatural Birth).	Palatum Fissum (Cleft Palate).	Partus Intempestivus (Premature Birth).	Partus Emortuus (Still Birth).	Sclerema.	Abortus (Abortion, Miscarriage).	Chlorosis.	Climacteria (Turn of Life).	Eclampsia Parturii (Convulsions in Child-Birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Pelvis Deformis (Deformed Pelvis).	Phlegmasia Dolens (Milk Leg).	Chronic Pelvic Cellulitis.	Gangræna Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.
.....	1	5
.....	2	1	1	3	1	2	1	27	35
.....	36	46
.....	3	6	1	3	1	2	1	63	81
.....	7
.....	2	2	1	19	28
.....	1	12	19
.....	9	2	1	31	47
.....
.....	2	1	1	2	26	34
.....	1	2	8	1	6	27	46
.....	3	1	1	2	8	1	6	53	80
.....
.....	1	1	6	13	22
.....	4	1	6	17	28
.....	1	1	10	1	6	30	50
.....
.....	1	1	28	31
.....	1	3	1	2	14	22
.....	2	4	1	2	42	53
.....
.....
.....	1	2	28
.....	2	6	20	28
.....	2	6	48	60
.....	1	1
.....	1	19	22
.....	3	2	1	3	17	27
.....	1	1	3	2	1	3	36	49
.....
.....	1	3	36	41
.....	2	2	6	1	9	29	50
.....	2	1	5	6	1	1	9	65	91

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS V.—VIOLENCE TENDING									
	ORDER 1.—ACCIDENT									
	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).	Morsus Serpentis (Snake-bite).	Suffocatio (Suffocation).
Oxford :										
Males	2		1				1			1
Females	2									
Total	4		1				1			1
Peel :										
Males	2									1
Females	1									
Total	3									1
Perth :										
Males							1			
Females	1									
Total	1						1			
Peterborough :										
Males	4									
Females	2									
Total	6									
Prescott and Russell :										
Males			1			1				
Females										
Total			1			1				
Prince Edward :										
Males							1			
Females	3									
Total	3						1			
Renfrew :										
Males	4	2								
Females	1							1		
Total	5	2						1		
Simcoe :										
Males	2				1					
Females	1									
Total	3				1					

CAUSES OF DEATH, 1882—Continued.

AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE. <i>Autophonici.</i>				ORDER 4. EXECUT'N.	Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Causes of Violent Death.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).			
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).	Suspendium (Hanging).			
1	1	4	3	2	1	1	18	9	311
.....	1	5	1	9	7	290
1	2	9	3	2	1	2	27	16	601
.....	3	2	1	1	10	6	168
.....	2	1	4	7	166
.....	5	3	1	1	14	13	334
2	3	5	1	12	9	265
.....	1	2	4	246
2	4	5	1	14	13	511
8	8	1	1	22	3	191
.....	1	3	9	168
8	1	8	1	1	25	12	359
3	4	9	7	225
2	1	3	19	210
5	5	12	26	435
5	5	1	1	12	3	186
.....	4	8	7	162
5	9	1	1	20	10	348
2	4	1	1	14	3	168
.....	2	4	6	157
2	6	1	1	18	9	325
5	1	9	2	20	5	307
.....	1	2	4	4	313
5	2	11	2	24	9	620

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—ZYMOTIC															
	ORDER I.—MIASMATIC DISEASES.—															
	Anthrax (Carbuncle).	Cholera Infantum.	Cholera Morbus.	Cynanche Trachealis (Membranous Croup).	Diarrhoea Acuta (Acute Diarrhoea).	Diarrhoea Chronica (Chronic Diarrhoea).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Erysipelas.	Enterocolitis.	Febris Biliosa (Bilious Fever).	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermitiens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).
Stormont, Dundas and Glen-garry :																
Males	2	1	3	9	2	20	2	2	1	2	1	1	1	2	2	
Females	2	1	11	1	1	30	2	2	2	2	1	1	1	2	2	
Total	4	1	20	3	3	50	4	4	3	4	2	2	2	4	4	
Victoria :																
Males	5	5	1	14	1	13	1	14	1	1	1	1	1	4	4	
Females	2	2	3	1	1	13	1	13	1	1	1	1	1	5	5	
Total	7	7	3	1	1	27	1	27	1	1	1	1	1	9	9	
Waterloo :																
Males	7	14	7	2	16	1	1	16	1	1	1	1	1	7	7	
Females	6	13	8	3	31	1	1	31	1	3	1	1	1	4	4	
Total	13	27	15	5	47	1	1	47	1	4	1	1	1	11	11	
Welland :																
Males	7	2	1	5	3	1	1	5	3	1	1	1	1	8	8	
Females	7	2	2	14	1	22	1	14	1	1	1	1	1	3	3	
Total	14	2	3	19	4	27	2	19	4	2	2	2	2	11	11	
Wellington :																
Males	6	12	7	1	15	2	2	15	2	5	1	1	1	5	5	
Females	2	1	6	6	6	22	2	22	2	2	1	1	2	3	3	
Total	8	1	13	7	7	37	2	37	2	7	2	2	3	8	8	
Wentworth :																
Males	13	6	23	2	17	6	6	17	6	1	1	1	3	12	12	
Females	11	14	19	4	12	9	9	12	9	1	1	1	2	10	10	
Total	24	20	42	6	29	15	15	29	15	2	2	2	5	22	22	
York :																
Males	30	26	48	1	10	60	10	60	10	5	4	4	4	57	57	
Females	33	22	28	1	6	57	9	57	9	2	3	1	6	27	27	
Total	63	48	76	2	16	117	19	117	19	7	7	5	10	84	84	
Total Males	2 184	22 255	264	7	67	606	60	606	60	12	52	9	15	10	318	
Females	179	15 214	233	4	74	633	58	633	58	19	53	8	21	12	237	
Grand Total	2 363	37 469	497	11	141	1239	118	1239	118	31	105	17	36	22	555	

CAUSES OF DEATHS, 1882—Continued.

DISEASES.—Zymotici.

Miasmatici.										ORDER 2.—ENTHETIC OR INOCULATED DISEASES.— <i>Enthetici.</i>												
Febris Typhus (Typhus Fever).	Influenza.	Miliaria.	Morbilli (Measles).	Parotitis (Mumps).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Tonsillitis (Quinsy).	Varicella (Chicken Pox).	Variola (Small Pox).	Varioloides (Varioloid).	Erythema.	Equinia (Glanders).	Gonorrhœa.	Hydrophobia.	Morbus Ossium Syphiliticus.	Necrosis (Dissection Wound).	Ophthalmia Gonorrhœica.	Phagedæna Gangrenosa (Hospital Gangrene).	Fustula Maligna (Malignant Pustule).	Syphilis.	
...	...	1	1	...	2	1	...	1
...	...	1	1	...	4	1	5	1
...	1	3	2
...	2	3	3
...	1	6	1
...	1	1	2
...	1	1	8	1
...	1	12
...	4	...	3	1	7
...	5	...	3	1	19
...	1	...	5
1	...	1	2	2	8	1
1	...	1	3	2	13	1
...	1	1	...	8	2
...	1	4	7	11	2
...	2	5	7	19	4
...
...	8	...	21	1	21	1	3
...	8	...	20	2	23	1	...	1	3
...	16	...	41	3	44	1	...	2	6
...
1	4	1	41	1	80	32	285	8	...	11	1	1	7
1	9	1	34	1	103	35	258	4	...	4	6
2	13	2	75	2	183	67	543	12	...	15	1	1	13

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS I.—Continued.																	
	ORDER 3.—DIETIC DISEASES.— <i>Dietici.</i>							ORDER 4.—PARASITIC DISEASES.— <i>Parasitici.</i>										
	Alcoholism.	Bronchocele.	Cretinismus.	Delirium Alcoholicum (Delirium Tremens).	Ebriositas (Drunkeness).	Ergotismus.	Purpura.	Rachitis (Rickets.)	Scorbutus (Scurvy).	Apthæ (Thrush).	Ascariæ.	Hydatidæ.	Porriço (Scaldhead).	Scabies (Itch).	Tænia Solum (Tape-Worm).	Trichinosis.	Vermes (Worms).	Total Zymotic Diseases.
Stormont, Dundas and Glengarry :																		
Males																		1 48
Females																		60
Total																		1 108
Victoria :																		
Males									1									37
Females									1									34
Total									2									71
Waterloo :																		
Males																		62
Females																		75
Total																		137
Welland :																		
Males									1									42
Females																		50
Total									1									92
Wellington :																		
Males																	1	59
Females																		64
Total																	1	123
Wentworth :																		
Males	3									1								99
Females							1	2		1					1			112
Total	3						1	2		1	1				1			211
York :																		
Males	1	1		5	1		2											318
Females	1			1	2		1			2								262
Total	2	1		6	3		3			2								580
Total Males	9	1		10	11		6			14	1						9	2417
Total Females	2			1	2		4	3		10					1		14	2253
Grand Total	11	1		11	13		10	3		24	1				1		23	4670

CAUSES OF DEATHS, 1882—Continued.

CLASS II.—CONSTITUTIONAL DISEASES.—*Cachectici*.

ORDER 1.—DIATHETIC DISEASES.—*Diathetici*.

ORDER 2.—TUBERCULAR DISEASE.—*Phthisici*.

Anæmia.																						
Anæmia.	Atrophia.	Debilitas (Debility).	Degeneratio (Degeneration).	Anasarca (General Dropsy).	Arthritis (Articular Rheumatism).	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Gangræna Senilis (Dry Gangrene).	Hydrops (Dropsy).	Leucocythæmia.	Mortificatio (Mortification).	Noma.	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Ulcus ex Cubando (Bedsore).	Abscessus Psoasus.	Hæmoptysis (Spitting Blood).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Morbus Coxarius (Hip Disease).	
27				3		2	5								2					1	3	
29				9		1	7								1					1	1	
56				12		3	12								3					2	4	
13							2	2			1											
16				2			2								3					1		
29				2		2	4				1				4					2	2	
14				12		4	7								2						1	
12				10			7								6							
26				22		4	14								8						1	
12				3		3	2													2		
10				8			9							1						2		
22				11		3	11							1						4		
30				10			8								4					2	1	
21				6		1	8								3					2	1	
51				16		1	16								7					4	2	
37				7		1	6			2					1					2	7	
28				8		2	11			1					2					1	9	
65				15		3	17			3					3					3	16	
69				10		2	16				2				6					9	7	1
78				12		5	20			3	1				8					15	13	3
147				22		7	36			3	3				14					24	20	4
995				197		47	173			4	6	2			70					85	24	7
900				196		33	224			12	2			2	71					94	27	4
1895				393		80	397			16	8	2		2	141					179	51	11

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS II.— <i>Continued.</i>					CLASS III.—LOCAL							
	ORDER 2.— <i>Continued.</i>				Total Constitutional Diseases.	ORDER 1.—DISEASES OF THE							
	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phthisis Pulmonalis (Consumption).	Scrofula.	Tubes Mesenterica.		Apoplexia (Apoplexy).	Atrophia Musculorum Ingravitans (Progressive Locomotor Ataxia).	Chorea (St. Vitus' Dance).	Convulsio (Convulsions).	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Hemiplegia (Paralysis of one side of the body).	Hysteria.
Stormont, Dundas and Glengarry :													
Males.....	28				72	4	1		3				
Females.....	62		2		113	5			3	3			
Total	90		2		185	9	1		6	3			
Victoria :													
Males.....	16		1		40	1			1	1	1		
Females.....	28				53	1			1	3			
Total	44		1		93	2			2	4	1		
Waterloo :													
Males.....	25				65	10			18	2	2		
Females.....	40				75	4			8	1			
Total	65				140	14			26	3	2		
Welland :													
Males.....	21				44	2			8				
Females.....	28				58	2			3	1			
Total	49				102	4			11	1			
Wellington :													
Males.....	36				92	10		1	6	6		1	
Females.....	30	1			73	2			8	5	2		
Total	66	1			165	12		1	14	11	2	1	
Wentworth :													
Males.....	52				116	17			17	2	6		
Females.....	68		1		133	11			15	3	4		
Total	120		1		249	28			32	5	10		
York :													
Males.....	118	1			241	21		1	47	8	2	3	
Females.....	149	1	2		312	20			56	10	5	2	
Total	267	2	2		553	41		1	103	18	7	5	
Total Males ..	1044	42	5		2701	188	6	2	261	54	33	6	
Females ..	1420	16	13		3014	123			231	55	34	7	2
Grand Total ..	2464	58	18		5715	311	6	2	492	109	67	13	2

CAUSES OF DEATHS, 1882.—Continued.

DISEASES.—*Monorganici.*

NERVOUS SYSTEM.— <i>Cephalici.</i>										ORDER 2.—DISEASES OF THE CIRCULATORY SYSTEM.— <i>Cardiaci.</i>												
Insania (Insanity).	Insolatio (Sunstroke).	Laryngismus Stridulus (False Croup).	Meningitis.	Myelitis (Inflammation of the Spinal Cord).	Neurocephalus (Softening of Brain).	Paralysis (Palsy).	Paralysis Agitans (Shaking Palsy).	Paraplegia (Palsy of Lower Extremities).	Tetanus (Lockjaw).	Trismus Nascentium.	Aneurisma (Aneurism).	Angina Pectoris (Breast Pang).	Arteritis (Inflammation of Arteries).	Atheroma Arteriarum (Calcification of Artery).	Atrophia Cordis (Atrophy of Heart).	Carditis (Inflammation of Heart).	Degeneratio Cordis (Fatty Degeneration of Heart).	Endocarditis (Inflammation of Membrane lining Heart).	Epistaxis (Nosebleed).	Hydrops Pericardii (Dropsey of Heart).	Hypertrophia Cordis (Enlargement of Heart).	
...	5	2	1	7	1
...	5	4	1	11	...	1	1
...	2	6	1	1
...	4	11	1	1
...	2	1	...	7	1	3	...
...	9	2	1	9	1	3
...	3	5	...	1	1	...	2
1	5	...	1	6	1	1	...	2
1	8	...	1	11	1	1	...	2
1	11	2	...	3
...	9	2	5	7	1	1	1	...
1	20	4	5	10	1	1	1	...
6	11	3	1	10	1	1	...	1
3	16	3	1	12	1
9	27	6	2	22	1	1	...	2
1	34	6	3	24	2	2	2	1	3	3
3	32	2	4	27	1	2	1	1
4	66	8	7	51	2	2	3	3	4	4
15	4	...	214	36	31	213	10	2	5	8	1	11	4	...	17	5	
19	3	...	203	35	21	201	...	2	2	...	3	3	...	1	2	4	...	14	8	
34	7	...	417	71	52	414	...	2	12	2	8	11	...	1	...	1	13	8	...	31	13	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.														
	ORDER 2.—Continued.					ORDER 3.—DISEASES OF THE RESPIRATORY SYS-									
	Morbus Valvularum Cordis (Valvular Disease of Heart).	Pericarditis.	Phlebitis (Inflammation of Veins).	Syncope (Fainting).	Varices (Varicose Veins).	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Diaphragmitis (Inflammation of Diaphragm).	Emphysema.	Emphysema.	Gangrenum Pulmonum (Gangrene of Lungs).	Hydrothorax (Dropsey of Chest).	Laryngitis (Inflammation of Larynx).	Edema Glottidis.	Pleuritis (Pleurisy).
Stormont, Dundas and Glengarry :															
Males.....	8					6	2		1						
Females.....	7					4	2		1						
Total.....	15					10	4		2						
Victoria :															
Males.....	6					3	8					1			
Females.....	5					1	3					2	1	1	
Total.....	11					4	11					3	1	1	
Waterloo :															
Males.....	13					4	8								
Females.....	7					4	5		1			1	1	1	
Total.....	20					8	13		1			1	1	1	
Welland :															
Males.....	4					1	2								1
Females.....	6					6	3						1		
Total.....	10					7	5						1		1
Wellington :															
Males.....	13					9	7					1			1
Females.....	23					10	9		1			2	2		3
Total.....	36					19	16		1			3	2		4
Wentworth :															
Males.....	21					14	10		1			4	2		1
Females.....	28	1				7	20								
Total.....	49	1				21	30		1			4	2		1
York :															
Males.....	45	3	1	1		28	54					6	2		2
Females.....	32		1			28	50		5		1	5			4
Total.....	77	3	2	1		56	104		5		1	11	2		6
Total Males.....	361	5	1	5		238	227		22		2	4	7		34
Total Females.....	392	4	1	2		190	241		18	2	1	3	5		23
Grand Total.....	753	9	2	7		428	468		40	2	3	7	12		57

CAUSES OF DEATH, 1882—Continued.

—Continued.

TEM.—Pneumonia.				ORDER 4.—DISEASES OF THE DIGESTIVE SYSTEM.—Enterici.																		
Pleuro-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Pneumothorax.	Other Diseases of the Respiratory Organs.	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis.	Colica (Colic).	Duodentitis (Inflammation of Duodenum).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Fistula.	Gastritis (Inflammation of Stomach).	Glossitis (Inflammation of Tongue).	Hæmatemesis (Blood Vomit).	Hæmorrhoids (Piles).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Ileus.	Intus-susceptio (Invagination of Gut).	Melæna.	
.....	12	2	8	1
.....	11	3	1
.....	23	2	11	1	1
.....	12	3	2	1
.....	12	1	1	1	1
.....	24	1	4	3	2
.....	19	1	1	7	4	5
.....	20	1	7	4	1	2
.....	39	1	2	14	8	6	2
.....	14	3	2	3	1
.....	16	1	1	2	2	1
.....	30	1	1	5	4	4	1
.....	30	1	12	1	3	4	1	2	1
.....	23	10	1	1	5	1	1
.....	53	1	22	1	4	1	9	2	3	1
.....	60	1	1	14	5	3	1	2	2
.....	32	1	5	1	4	3	3	3
.....	92	1	2	19	6	7	1	5	5
.....	81	1	4	19	3	17	2	7
.....	82	3	2	1	15	6	9	2	1
.....	163	3	1	2	5	34	9	26	4	8
.....	735	1	9	33	262	1	54	1	2	113	22	36	7
.....	587	4	1	4	3	1	20	209	43	4	72	14	25	4
.....	1322	4	2	13	3	1	53	471	1	97	5	2	185	36	61	11

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.													
	ORDER 4.—Continued.									ORD. 5.—DISEASES				
	Obstipatio (Constipation).	Esophagitis (Inflammation of Gullet).	Perforatio Intestini (Perforation of Intestine).	Peritonitis (Inflammation of Abdomen).	Pharyngitis (Inflammation of Pharynx).	Splenitis (Inflammation of Spleen).	Stomatitis (Inflammation of Mouth).	Stricture Intestina (Stricture of Intestine).	Typhlitis.	Ulceratio Intestini (Ulceration of Intestines).	Ulcer of Stomach.	Other Diseases of the Digestive System.	Calculus (Stone).	Cystitis (Inflammation of Bladder).
Stormont, Dundas and Glengarry :														
Males										2			1	2
Females				6	1									1
Total				6	1					2			1	3
Victoria :														
Males			1						1	1				
Females				1										
Total			1	1					1	1				
Waterloo :														
Males				2					1				2	1
Females				3									1	
Total				5					1				3	1
Welland :														
Males						1								
Females				1										1
Total				1		1								1
Wellington :														
Males		1	1	1						1				1
Females				3					1	1				
Total		1	1	4					1	2				1
Wentworth :														
Males				2						1			3	1
Females				12				1						3
Total				14				1		1			3	4
York :														
Males	1			9			1	1		2		1	8	1
Females	2	1		10		1		2	1	4			1	1
Total	3	1		19		1	1	3	1	6		1	9	2
Total Males	6	3	3	63		1	6	5	5	16		3	37	36
Total Females	3	2	2	77		2	1	5	4	13			9	23
Grand Total	9	5	5	140		3	7	10	9	29		3	46	59

CAUSES OF DEATHS, 1882—Continued.

CLASS III.—Continued.

OF URINARY SYSTEM.— <i>Nephritici.</i>			ORDER 6.—DISEASES OF THE GENERATIVE SYSTEM.— <i>Genetici.</i>										ORDER 7.—DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Myostici.</i>										
Hæmaturia (Bloody Urine).	Ischuria (Retention of Urine).	Lithiasis (Gravel).	Morbus Prostaticus (Diseased Prostrate).	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Stricture of Urethra.	Hydrocele (Dropsy of Testicle).	Hydrops Ovarii (Ovarian Dropsy).	Metritis (Inflammation of Womb).	Morbus Uteri (Uterine Disease).	Polypus Uteri (Uterine Polypus).	Tumor Ovarii (Ovarian Tumor).	Tumor Uteri (Uterine Tumor).	Varicocele.	Arthritis (Inflammation of Joints).	Atrophia Musculorum (Muscular Atrophy).	Caries.	Exostitis (Tumor of Bone).	Mollities Ossium (Softening of the Bones).	Morbus Articulorum (Joint Disease).	Necrosia.		
...	...	1	...	1	1
...	...	1	...	2	3
...	1	1	1
...	1	1	1
...	1	...	1	1	4	2	2
...	1	...	1	1	7	2	2
...	1	1	1	...	2	...	1
...	1	2	3	1	2	...	1
...	1	1	1	2	7	1	1
...	1	1	1	5	9	1	1
...	1	1	1	...	1
...	1	4	2	2	1	1	1	1	...
...	2	5	3	...	1	2	1	1	1	1	...
...	...	2	3	11	9	2	4	...	1	4	1
...	12	7	1
...	...	2	3	23	16	2	4	...	1	4	1	1
...	8	24	17	72	69	1	3	4	3	...
...	2	1	...	34	45	...	1	4	23	15	...	13	9	2	2	2	...
...	10	25	17	106	114	1	4	4	23	15	...	13	9	6	2	5	...

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS III.—Continued.										CLASS IV.—		
	ORDER 7.—Continued.				ORDER 8.—DISEASES OF THE INTEGUMENTARY SYSTEM.—Chrotici.						ORDER 1.—		
	Osteo-Myelitis.	Ostitis (Inflammation of Bones).	Periostitis.	Synovitis.	Abscessus (Abscess).	Eczema.	Ecthyma.	Femphigus.	Phlegmon.	Rupia.	Total Local Diseases.	Amantia Ingentia (Idiocy).	Anus Imperforatus (Imperforate Anus).
Stormont, Dundas and Glengarry :													
Males										67	1	1	
Females										63			
Total										130	1	1	
Victoria :													
Males										53			
Females										47			
Total										100			
Waterloo :													
Males					1					119			
Females					2					93			
Total					3					212			
Welland :													
Males										55			
Females										69	1		
Total										124	1		
Wellington :													
Males					1					145	1	2	
Females		1			3					151			
Total		1			4					296	1	2	
Wentworth :													
Males					3					232	1	3	
Females					2					205	1	1	
Total					5					437	2	4	
York :													
Males					3				2	494		4	
Females					2					469	1	2	
Total					5				2	963	1	6	
Total Males		4			54				2	3784	5	29	
Total Females		2			51				1	3217	3	15	
Grand Total		6			105				3	7001	8	44	

CAUSES OF DEATHS, 1882—Continued.

DEVELOPMENTAL DISEASES.—*Metamorphici.*

DEVELOPMENTAL DISEASES OF CHILDREN.— <i>Paidici.</i>										ORDER 2.—DEVELOPMENTAL DISEASES OF WOMEN.— <i>Gyniaci.</i>										O. 3. DEV. DIS. OLD PEOPLE.— <i>Geratici.</i>		
Cyanosis.	Dentio (Teething).	Hæmorrhagia Umbilicalis (Umbilical Hæmorrhage).	Natus Præter Naturam (Prenatural Birth).	Palatum Fissum (Cleft Palate).	Partus Emortuus (Still Birth).	Partus Intempestivus (Premature Birth).	Sclerema.	Abortus (Abortion Miscarriage).	Chlorosis.	Climacteria (Turn of Life).	Eclampsia Parturi (Convulsions in Child-birth).	Febris Puerperalis (Puerperal Fever).	Hæmorrhagia Post Partum (Flooding).	Mania Puerperalis (Puerperal Mania).	Partus (Child-birth).	Pelvis Deformis (Deformed Pelvis).	Phlegmasia Dolens (Milk Leg).	Chronic Pelvic Cellulitis.	Gangræna Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	
...	1	1	1	1	1	1	...	6	2	45	50	
...	1	2	1	1	1	1	...	6	2	34	46	
...	1	2	1	1	1	1	...	6	2	79	96	
...	6	3	20	29	
...	1	3	1	1	1	1	...	2	1	17	28	
...	7	6	1	1	1	1	...	2	1	37	57	
...	3	2	1	25	31	
...	4	...	1	...	2	3	1	1	...	3	24	39	...	
...	4	...	1	...	5	5	1	1	1	...	3	49	70	
...	1	1	15	17
...	2	2	1	1	...	2	16	25	
...	3	2	1	1	...	2	1	31	42	
...	3	1	8	2	1	36	54	
...	3	3	3	3	2	...	6	1	35	56	
...	6	1	11	5	1	3	2	...	6	1	71	110	
1	2	22	12	1	2	28	72	
2	17	3	...	1	2	4	1	26	58	
3	2	39	15	1	1	2	4	1	2	54	130	
1	3	3	5	...	42	22	2	3	52	137	
2	7	4	1	...	24	27	4	1	2	9	2	1	2	2	46	137	
3	10	7	6	...	66	49	6	1	2	9	2	1	2	5	98	274	
6	58	12	14	...	149	100	6	21	946	1346	
5	50	7	9	...	107	81	11	6	...	3	27	78	14	6	162	...	6	...	11	895	1496	
11	108	19	23	...	256	181	17	6	...	3	27	78	14	6	162	...	6	...	32	1841	2842	

TABLE F.—DEATHS BY COUNTIES.—

COUNTIES.	CLASS V.—VIOLENCE TENDING								
	ORDER 1.—ACCIDENT								
	Ambusta (Burns and Scalds).	Amputatio (Amputation).	Concussio (Concussion of Spine).	Contusio (Contusion).	Explosio (Explosion).	Fractura (Fracture).	Gelatio (Freezing).	Ictus Fulminis (Lightning).	Morsus Serpentis (Snake-bite).
Stormont, Dundas and Glengarry :									
Males									
Females									1
Total									1
Victoria :									
Males	1								
Females									
Total	1								
Waterloo :									
Males	1					1			
Females	1								
Total	2					1			
Welland :									
Males			1				1		
Females									
Total			1				1		
Wellington :									
Males	3							1	
Females	1		1						
Total	4		1					1	
Wentworth :									
Males	1	1		1		1	1		1
Females	1	1							1
Total	2	2		1		1	1		2
York :									
Males	4	1	1	1		6			
Females	2	1	1						1
Total	6	2	2	1		6			1
Total Males	50	8	10	3	4	16	9	1	23
Total Females	36	3	3		1	2	1	2	8
Grand Total	86	11	13	3	5	18	10	3	31

CAUSES OF DEATHS, 1882—*Concluded.*

AND NEGLIGENCE.					ORDER 2. HOMICIDE.	ORDER 3.—SUICIDE. <i>Autophonici.</i>				ORDER 4. EXECUT'N.	Total Violent Deaths.	Cause not Specified.	Total Number of Deaths.
Submersio (Drowning).	Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Causes of Violent Death.	Murder and Manslaughter.	Suicide.				Suspendium (Hanging).			
						Submersio (Drowning).	Suspendium (Hanging).	Venenatio (Poison).	Vulnera (Wounds).				
2		5							1		8	9	253
											1	4	287
2		5							1		9	13	540
6	1	4	1								13	2	173
													161
6	1	4	1								13	2	334
1		5	4						1	1	14	2	293
		1									2	2	286
1		6	4						1	1	16	4	579
4	1	4	3						1		15	3	175
2			1								3	5	210
6	1	4	4						1		18	8	385
3		5	3					1			16	2	367
1	1	1						1	2		8	1	353
4	1	6	3					2	2		24	3	720
3		6	1		1			3	2		22	1	541
1		3			1	1		1			10	8	524
4		9	1		2	1		4	2		32	9	1065
11	1	7	11		2		1	2			48	2	1241
1	2	3			2	1	1		1		16	28	1222
12	3	10	11		4	1	2	2	1		64	30	2463
149	14	240	97		8	11	13	13	22	1	692	295	11235
32	14	49	5		6	3	1	6	5		177	408	10565
181	28	289	102		14	14	14	19	27	1	869	703	21800

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS I.—							
	Cholera Infantum.	Cholera Morbus.	Croup.	Diarrhoea Acute.	Dysentery Acute.	Diphtheria.	Erysipelas.	Febris Intermittens
Toronto (pop. 86,415) :								
Males	20	2	18	48	8	28	4
Females	28	2	15	22	3	29	9
Total	48	4	33	70	11	57	13
Hamilton (pop. 35,961) :								
Males	10	5	16	1	7	3
Females	7	14	12	3	5	7	2
Total	17	19	28	4	12	10	2
Ottawa (pop. 27,412) :								
Males	19	5	18	2	35	2	1
Females	20	5	22	8	25	1	1
Total	39	10	40	10	60	3	2
London (pop. 19,746) :								
Males	5	1	4	12	3	2
Females	7	2	8	1	1	1	1
Total	12	1	6	20	4	3	1	1
Kingston (pop. 14,091) :								
Males	2	1	4	4	3	4
Females	5	6	7	2	4
Total	7	1	10	11	2	7	4
Guelph (pop. 9,890) :								
Males	1	8	3	1	3
Females	1	2	1	6
Total	2	8	5	2	9
St. Catharines (pop. 9,631) :								
Males	2	4	1	1	3
Females	1	2	2	3
Total	3	6	1	3	6
Brantford (pop. 9,616) :								
Males	1	2	1	3	2
Females	1	1	1	2	2
Total	2	1	2	2	5	4
Belleville (pop. 9,516) :								
Males	1	1	2	2
Females	1	4	1	3	2
Total	2	5	3	3	4

TOWNS, WITH CAUSES OF DEATHS, 1882.

ZYMOTIC DISEASES.

Bilious Fever.	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Typhoides (Typhoid Fever).	Influenza.	Morbilli (Measles).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Variola (Small Pox).	Syphilis.	Ebriositas (Drunkenness).	Apthæ (Thrush).	Vermes (Worms).	Total Zymotic Diseases.
..... 1	4 1	34 27	10 7	11 17	1 1	19 18	1	3	6 4 1	217 185
1	5	61	17	28	2	37	1	3	10	1	402
.....	10 7	1 3 5	4 10	2 2	2	61 77
.....	17	4	5	14	4	2	138
1 1	10 10	7 2	5 6	1	2 5	1 1 1	109 108
2	20	9	11	1	7	1	1	1	217
.....	11 11	2 2 2	1	1	44 36
.....	1	22	1	4	2	1	1	80
.....	5 2	1 1	2	1 1	27 28
.....	7	2	2	2	55
..... 1	1	1 1	2 3	20 15
1	1	1	1	5	35
.....	1 1	2	2	16 9
.....	2	2	2	25
.....	2	4 3	1	16 10
.....	2	7	1	26
.....	3	1	10 11
.....	3	1	21

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS II.—CONSTITUTIONAL DISEASES.								Total Constitutional Diseases.
	Anaemia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Leucocythaemia.	Rheumatism.	Hydrocephalus.	Phthisis Pulmonalis.	
Toronto :									
Males	45	5	2	14	6	6	99	177
Females.....	54	7	2	11	3	5	6	109	197
Total	99	12	4	25	3	11	12	208	374
Hamilton :									
Males	26	2	1	2	2	2	39	74
Females.....	16	3	7	1	2	1	40	70
Total	42	5	1	9	3	2	3	79	144
Ottawa :									
Males	159	6	2	9	4	13	42	267
Females.....	149	4	3	10	30	63	270
Total	308	10	5	19	4	43	105	537
London :									
Males	21	1	2	2	20	46
Females.....	15	3	2	3	1	16	40
Total	36	4	2	4	3	1	36	86
Kingston :									
Males	8	1	1	1	1	2	17	31
Females	12	2	5	1	2	1	25	48
Total	20	3	1	6	1	3	3	42	79
Guelph :									
Males	10	1	2	2	15	30
Females	4	2	11	17
Total	14	1	4	2	26	47
St. Catharines :									
Males	4	1	2	1	7	15
Females	4	3	5	2	16	30
Total	8	4	7	3	23	45
Brantford :									
Males	2	2	1	2	2	6	15
Females.....	6	1	18	25
Total	8	2	1	3	2	24	40
Belleville :									
Males	7	1	9	17
Females.....	8	2	2	1	12	25
Total	15	3	2	1	21	42

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

CLASS III.—LOCAL DISEASES.

Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Insania (Insanity).	Meningitis.	Myelitis (Inflammation of Spinal Cord).	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Aneurism.	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis (Inflammation of Larynx).	Pleurisy.
10	38	3	3	28	3	3	16	2	33	22	45	4	1
15	43	4	4	1	26	1	3	10	1	23	17	46	4	1
25	81	7	7	1	54	4	6	26	3	56	39	91	8	2
10	11	1	1	7	2	1	4	1	10	8	8	3
5	10	3	13	1	1	7	12	5	12
15	21	4	1	20	3	2	11	1	22	13	20	3
2	7	1	12	1	5	1	15	6	3	1	1
6	1	1	1	7	11	10	2	4
8	7	2	1	1	19	1	16	1	25	8	7	1	1
.....	1	1	1	1	3	9	4	3
3	5	1	4	1	3	5	3	1
3	6	1	5	1	2	6	14	7	4
1	3	1	4	2	2	8	8	8	1
1	1	3	2	2	11	2	8	1
2	4	1	7	2	2	4	19	10	16	2
.....	1	4	1	1	2	1	1
.....	2	1	1	1	1	8	3	1	2
.....	3	1	5	1	1	2	8	5	2	1	2
.....	3	1	1	1	2	3	3	1
1	1	1	1	1	3	6	3	2
1	4	2	1	2	1	5	9	6	3
5	8	1	4	1	1	1	4	1
1	1	2	3	1	2	1
6	9	1	6	1	1	4	5	3	1
.....	2	1	1	5	2	4	4	3	1
.....	2	1	3	2	1	4	3	2	1	1
.....	4	1	2	8	4	1	8	7	5	1	2

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS III.—Continued.								
	Pneumonia (Inflammation of Lungs).	Scrofula.	Dyspepsia.	Enteritis.	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Peritonitis.
Toronto :									
Males	53	1	15	4	13	2	4	5
Females.....	54	1	13	5	5	2	1	12
Total	107	2	28	9	18	4	5	17
Hamilton :									
Males	32	1	7	3	2	1	4
Females	20	4	4	1	8
Total	52	1	11	3	6	2	12
Ottawa :									
Males	13	32	10	1	1	1	2
Females	9	11	1	18	1	1	1	2	1
Total	22	43	1	28	2	2	2	4	1
London :									
Males	9	7	2	2
Females	6	1	1	1
Total	15	8	1	2	1	2
Kingston :									
Males	13	4	1
Females	11	5	2	1	2
Total	24	9	3	1	2
Guelph :									
Males	2	1	2
Females	4	1	1
Total	6	1	2	1	1
St. Catharines :									
Males	3	1	1	1
Females	1	1
Total	4	1	2	1
Brantford :									
Males	3	2	1	1
Females	3	2	1	1
Total	6	4	2	1	1
Belleville :									
Males	7	4	2	1
Females	5	2	1	1
Total	12	6	3	1	1

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

CLASS III.—Continued.										CLASS IV.—DEVELOPMENTAL DISEASES.				
Stricture of Intestines.	Calculus (Stone).	Cystitis.	Diabetes.	Nephria (Bright's Disease).	Nephritis (Inflammation of Lungs).	Metritis.	Morbus Uteri (Uterine Disease).	Abscessus.	Total Local Diseases.	Atelectasis (Pulmonum).	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis.	Partus Emortuus (Still-birth).
2	1	7	1	10	12	3	344	3	1	2	34
2	1	13	6	1	4	1	320	2	1	7	4	21
4	1	8	1	23	18	1	4	4	664	5	2	9	4	55
.....	1	1	1	1	2	123	1	1	20
.....	1	2	3	2	2	116	14
.....	2	3	4	3	4	239	1	1	34
.....	2	1	4	3	4	97	12	1	32	2	9
.....	1	3	81	6	23	4	9
.....	2	1	4	3	1	7	178	18	1	55	6	18
.....	1	44	1	6
.....	1	36	2
.....	1	1	80	1	8
1	1	1	2	61	1
.....	2	1	1	56	1	1
1	2	2	2	2	117	1	2
.....	1	1	18	2	5
.....	1	27	1	2
.....	2	1	45	3	7
.....	1	2	1	25	1
.....	2	2	25	3
.....	3	2	3	50	4
.....	1	1	35
.....	18	1
.....	1	1	53	1
.....	1	1	1	1	41	1	4
.....	1	30	3
.....	1	1	1	1	71	1	7

TABLE G.—DEATHS IN THE CITIES AND TOWNS,

CITIES AND TOWNS.	CLASS IV.—Continued.						CLASS V.—		
	Partus Intempestivus (Premature Birth).	Eclampsia Parturi (Convulsions in Child-birth).	Puerperal Fever.	Partus (Child-birth).	Gangrana Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns, Scalds).	Submersio (Drowning).
Toronto :									
Males	21				1	16	78	3	8
Females	26	2	8		2	30	103	3	1
Total	47	2	8		3	46	181	6	9
Hamilton :									
Males	9					8	39		2
Females	3	2	2	1		10	32	1	1
Total	12	2	2	1		18	71	1	3
Ottawa :									
Males	4				1	25	86		5
Females	1			8		36	87	1	1
Total	5			8	1	61	173	1	6
London :									
Males	6				1	4	18	1	4
Females	3			1	2	8	16		1
Total	9			1	3	12	34	1	5
Kingston :									
Males						6	7		4
Females	2		1	2		18	25	1	
Total	2		1	2		24	32	1	4
Guelph :									
Males						5	12		
Females					1	13	17		1
Total					1	18	29		1
St. Catharines :									
Males	3					2	6		4
Females		1	1			5	10		2
Total	3	1	1			7	16		6
Brantford :									
Males	1					8	9		1
Females	1			2		11	15		
Total	2			2		19	24		1
Belleville :									
Males	1				1	6	13		2
Females	1		1	2		1	8		
Total	2		1	2	1	7	21		2

WITH CAUSES OF DEATHS, 1882—*Continued.*

VIOLENCE TENDING TO SUDDEN DEATH.													
Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Accidental Deaths.	Homicide, (Murder and Manslaughter).	Submersio (Drowning).	Suspendium (Hanging).	Vulnera (Wounds).	Venenatio (Poisoning).	Executio (Hanging).	Total Violent Deaths.	Cause not Specified.	Other Causes of Death.	Total Deaths.
1	1	10	11	1	1	1	37	26	879
1	1	1	2	1	1	11	2	33	851
2	2	11	13	1	1	2	1	48	2	59	1730
.....	5	1	1	1	2	1	13	9	319
.....	3	1	1	1	8	3	12	318
.....	8	1	1	2	1	2	2	21	3	21	637
.....	6	7	1	19	34	5	617
.....	2	6	10	50	8	614
.....	8	13	1	29	84	13	1231
.....	4	6	3	18	4	4	178
.....	2	3	3	4	198
.....	4	6	5	21	7	8	316
.....	2	2	2	3	1	14	1	5	146
.....	2	3	4	3	167
.....	4	2	2	3	1	17	5	8	313
.....	1	1	2	6	88
.....	1	3	80
.....	1	1	3	9	168
.....	4	1	9	3	74
.....	2	4	3	1	82
.....	4	3	13	3	4	156
.....	1	2	4	1	3	83
.....	1	1	2	2	73
.....	1	3	5	3	5	156
1	2	1	1	7	1	2	91
.....	1	5	80
1	2	1	1	7	2	7	171

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS I.—							
	Cholera Infantum.	Cholera Morbus.	Croup.	Diarrhoea Acute.	Dysentery Acute.	Diphtheria.	Erysipelas.	Febris Intermittens.
St. Thomas (pop. 8,367) :								
Males		1	6	1		2		
Females	1		1	2		3	1	
Total	1	1	7	3		5	1	
Stratford (pop. 8,239) :								
Males	1							
Females	2							
Total	3							
Chatham (pop. 7,873) :								
Males				1				
Females			1		1	2		
Total			1	1	1	2		
Brockville (pop. 7,609) :								
Males			4	2	1	11		
Females			2	5		14		
Total			6	7	1	25		
Peterborough (pop. 6,812) :								
Males	3							1
Females	1		2	1		1		
Total	4		2	1		1		1
Windsor (pop. 6,561) :								
Males	1					8	1	1
Females	2		1		1	2		1
Total	3		1		1	10	1	2
Woodstock (pop. 5,373) :								
Males	1					1		
Females	2							
Total	3					1		
Galt (pop. 5,187) :								
Males	2		1	1	3			
Females			1	2		2		
Total	2		2	3	3	2		
Lindsay (pop. 5,080) :								
Males	2					1		
Females	1							1
Total	3					1		1

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

ZYMOTIC DISEASES.

Bilious Fever.	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Typhoides (Typhoid Fever).	Influenza.	Morbilli (Measles).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Variola (Small Pox).	Syphilis.	Ebrietas (Drunkenness).	Apthæ (Thrush).	Vermes (Worms).	Total Zymotic Diseases.
.....	1	1	2	2	16
.....	2	1	11
.....	1	3	2	3	27
.....	5	1	1	8
.....	2	1	1	6
.....	7	1	2	1	14
.....	2	3
.....	4
.....	2	7
1	1	20
.....	2	23
1	3	43
.....	1	3	8
.....	1	2	1	9
.....	2	5	1	17
1	1	15	5	33
.....	2	7	1	17
1	3	22	6	50
.....	1	1	5	1	10
.....	1	4	7
.....	1	1	1	9	1	17
.....	2	9
.....	1	2	8
.....	1	4	17
.....	1	2	6
.....	1	1	1	5
.....	2	1	2	1	11

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS II.—CONSTITUTIONAL DISEASES.								
	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Leucocythæmia.	Rheumatism.	Hydrocephalus.	Phthisis Pulmonalis.	Total Constitutional Diseases.
St. Thomas :									
Males	1	1						2	4
Females	2					1		3	6
Total	3	1				1		5	10
Stratford :									
Males			1					3	4
Females	2	1		1			2	2	8
Total	2	1	1	1			2	5	12
Chatham :									
Males	2	1				1		5	9
Females	5	2						8	15
Total	7	3				1		13	24
Brockville :									
Males	3	3		2		1	6	16	31
Females	5	1		1		1	4	9	21
Total	8	4		3		2	10	25	52
Peterborough :									
Males				2				5	7
Females		1						7	8
Total		1		2				12	15
Windsor :									
Males	7	1						8	16
Females	7	1					1	9	18
Total	14	2					1	17	34
Woodstock :									
Males	3			1				2	6
Females	1			2				3	6
Total	4			3				5	12
Galt :									
Males	1							3	4
Females	4			2				5	11
Total	5			2				8	15
Lindsay :									
Males	3					1		2	6
Females		1						5	6
Total	3	1				1		7	12

TOWNS, WITH CAUSES OF DEATHS, 1882—*Continued.*

CLASS III.—LOCAL DISEASES.

Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Insania (Insanity).	Meningitis.	Mycelitis (Inflammation of Spinal Cord).	Necrencephalus (Softening of Brain).	Paralysis (Falsy).	Aneurism.	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis (Inflammation of Larynx).	Pleurisy.
1	2	2			4		1	1		1		1		
2			1	1	1			1				1		
3	2	2	1	1	5		1	2		1		2		
2		2	1		2			2		1	1	3		
					1			2		1		1		
2		2	1		3			4		2	1	4		
	3				1			2		3				
	2				2			2		2		2		
	5				3			4		5		2		
1					1		2	2		2	1			
	3	1	1							2		1		
1	3	1	1		1		2	2		4	1	1		
	2				4			1		1		2		
	1				2					3		2		
	3				6			1		4		4		
1	4						1			4		2		
	1	1			1			1		2	1	2		
1	5	1			1		1	1		6	1	4		
								1		1	1			
								1		1	2			
2	1		1					2		3		3		
2					2		1			3				
4	1		1		2		1	2		6		3		
		1			1			2		1	1			
								1		2	1			
		1			1			3		3	2			

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

CLASS III.—Continued.										CLASS IV.—DEVELOPMENTAL DISEASES.				
Stricture of Intestines.	Calculus (Stone).	Cystitis.	Diabetes.	Nephria (Bright's Disease).	Nephritis (Inflammation of Lungs).	Metritis.	Morbus Uteri (Uterine Disease).	Abscessus.	Total Local Diseases.	Atelectasis (Pulmonum).	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis.	Partus Emortuus (Still-birth).
					1				18		1			2
									12			1		1
					1				30		1	1		3
								1	17			1		
						1			8					
						1		1	25			1		
				1	1	1		1	22			1		
									19					
				1	1	1		1	41			1		
				1	1			1	21					
		1	1					1	18					1
		1	1	1	1			2	39					1
1		1							16	1		1		1
									13					2
1		1							29	1		1		3
				1					22					3
							1		22					2
				1			1		44					5
				1				2	9					1
					1				8					
				1	1			2	17					1
				1					16					
				1					13					
				2					29					
									8					
									7					
									15					

TABLE G.—DEATHS IN THE CITIES AND TOWNS,

CITIES AND TOWNS.	CLASS IV.—Continued.						CLASS V.—	
	Partus Intempestivus (Premature Birth).	Eclampsia Parturi (Convulsions in Child-birth).	Puerperal Fever.	Partus (Child-birth).	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns, Scalds).
St. Thomas :								
Males						2	5	
Females	1			1		2	6	1
Total	1			1		4	11	1
Stratford :								
Males							1	2
Females	1		1			3	5	
Total	1		1			3	6	2
Chatham :								
Males						1	2	2
Females		1		2		1	4	
Total		1		2		2	6	2
Brockville :								
Males						4	4	1
Females	1		2			4	8	
Total	1		2			4	12	1
Peterborough :								
Males						1	4	2
Females		1				6	9	1
Total		1				7	13	2
Windsor :								
Males						2	5	
Females	2			1		1	6	1
Total	2			1		3	11	1
Woodstock :								
Males						4	5	1
Females						1	1	
Total						5	6	1
Galt :								
Males						1	1	
Females								
Total						1	1	
Lindsay :								
Males						1	1	
Females					1		1	
Total					1	1	2	

WITH CAUSES OF DEATHS, 1882—Continued.

VIOLENCE TENDING TO SUDDEN DEATH.													
Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Accidental Deaths.	Homicide (Murder and Manslaughter).	Submersio (Drowning).	Suspendium (Hanging).	Vulnera (Wounds).	Venenatio (Poisoning).	Execution (Hanging).	Total Violent Deaths.	Causes not Specified.	Other Causes of Death.	Total Deaths.
1		1								2			45
1										2			37
2		1								4			82
		2	1			1				6	1	2	39
											3	2	32
		2	1			1				6	4	4	71
		1	2					1		5			41
										1			43
		1	2					1		6			84
	1	2								4		1	81
	1									1		3	74
	2	2								5		4	155
	1							1		4	1	2	42
										1			41
	1							1		5	2	2	83
1		1								2	10		88
1										2	6		71
2		1								4	16		159
	1									2		5	37
							1			1	1	2	26
	1						1			3	1	7	63
									1	1		1	32
												2	34
									1	1		3	66
	1									1	2	4	28
												1	20
	1									1	2	5	48

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS I.—							
	Cholera Infantum.	Cholera Morbus.	Croup.	Diarrhea Acute.	Dysentery Acute.	Diphtheria.	Erysipelas.	Febris Intermitiens.
Cobourg (pop. 4,957) :								
Males				1		1		
Females			1	2		1		
Total			1	3		2		
Barrie (pop. 4,854) :								
Males		1	2	2				
Females								
Total		1	2	2				
Goderich (pop. 4,564) :								
Males			2					
Females				1				
Total			2	1				
Cornwall (pop. 4,468) :								
Males			1	1				
Females				3		1		
Total			2	4		1		
Collingwood (pop. 4,445) :								
Males	2						1	
Females				1				
Total	2			1			1	
Owen Sound (pop. 4,426) :								
Males				4			1	
Females				1				1
Total				5			1	1
Berlin (pop. 4,054) :								
Males			3	3		2		
Females			3	2		5		
Total			6	5		7		
Sarnia (pop. 3,874) :								
Males			1					
Females	1					2		
Total	1		1			2		
Strathroy (pop. 3,817) :								
Males			2	1				
Females				2				
Total ..			2	3				

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

ZYMOTIC DISEASES.

Bilious Fever.	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Typhoides (Typhoid Fever).	Influenza.	Morbilli (Measles).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Varioia (Small Pox).	Syphilis.	Ebriositas (Drunkenness).	Apthæ (Thrush).	Vermes (Worms).	Total Zymotic Diseases.
		1											3
						1					1		6
		1				1					1		9
	1	2		1		1							7
	1	2		1		1							10
1					1								2
1					1								3
													5
		1											2
		1											5
													7
							4						7
							7						8
							11						15
	2	1		2			7						17
	2	1					2						7
	4	2		2			9						24
		1		1									10
													10
		1		1									20
		4											5
		3							1				7
		7							1				12
1		1					1						6
	1												3
1	1	1					1						9

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS II.—CONSTITUTIONAL DISEASES.								
	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Leucocythæmia.	Rheumatism.	Hydrocephalus.	Phthisis Pulmonalis.	Total Constitutional Diseases.
Cobourg :									
Males	3						7	10	
Females	1		1	1		1	4	8	
Total	4		1	1		1	11	18	
Barrie :									
Males	4	1		2			4	11	
Females	2			1			1	8	
Total	6	1		3			8	19	
Goderich :									
Males	2	2	1				1	6	
Females	2	1					4	7	
Total	4	3	1				5	13	
Cornwall :									
Males	10						6	16	
Females				2			10	12	
Total	10			2			16	28	
Collingwood :									
Males	3						3	6	
Females	4	2		2			2	10	
Total	7	2		2			5	16	
Owen Sound :									
Males	3					1	2	6	
Females	5	1				1	5	12	
Total	8	1				1	7	18	
Berlin :									
Males			2	4			5	11	
Females				1		1	6	8	
Total			2	5		1	11	19	
Sarnia :									
Males	5						1	6	
Females	4			1			1	6	
Total	9			1			2	12	
Strathroy :									
Males							1	1	
Females	2						2	4	
Total	2						3	5	

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

CLASS III.—LOCAL DISEASES.

Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Insania (Insanity).	Meningitis.	Myelitis (Inflammation of Spinal Cord).	Necrencephalus (Softening of Brain).	Paralysis (Palsy).	Aneurism.	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis (Inflammation of Larynx).	Pleurisy.
.....	1	1	2 1	1
.....	1	1	3	1
.....	2	1	2
.....	1	4	2
.....	2	1	1	4	4
1	2	1	1	1
.....	1	1	2
1	2	1	1	2	1	2
1	2	1
2	1	2
3	2	1	2
.....	1
.....	1	1	1	1	2	1
.....	1	1	1	1	3	1
.....	1
.....	4	2	1	2
.....	4	2	1	3
1	4	1	1
.....	1	2
1	4	1	1	1	2
.....	1	2	1	1
1	1	2	1	1	2
.....
1	1	1
.....	2	1
1	3	1	1

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS III.—Continued.								
	Pneumonia (Inflammation of Lungs).	Scrofula.	Dyspepsia.	Enteritis.	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Peritonitis.
Cobourg :									
Males	1			1		1			
Females	2								
Total	3			1		1			
Barrie :									
Males						1	1		
Females	3								
Total	3					1	1		
Goderich :									
Males				1					
Females	1			2					
Total	1			3					
Cornwall :									
Males	1			2					
Females	2			2					3
Total	3			4					3
Collingwood :									
Males						1			
Females	3								
Total	3					1			
Owen Sound :									
Males	2					1			
Females	1								
Total	3					1			
Berlin :									
Males	1			2		1			
Females	3			1					
Total	4			3		1			
Sarnia :									
Males									1
Females									
Total									1
Strathroy ;									
Males	1				1				1
Females	1								
Total	2				1				1

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

CLASS III.—Continued.

CLASS IV.—DEVELOPMENTAL DISEASES.

Stricture of Intestines.	Calculus (Stone).	Cystitis.	Diabetes.	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Metritis.	Morbus Uteri (Uterine Disease).	Abscessus.	Total Local Diseases.	Atelectasis (Pulmonum).	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis.	Partus Emortuus (Still-birth).
				1					6					
				1					6					
				1					12					
				1					8					
				1					10					1
				1					18					1
			1						7					
			1						8					2
			1						15					2
									7					
									12					1
									19					1
									2					
									10					
									12					
									4					1
									10					
									14					1
					1		1		12			3		
					1		1		20			3		
								1	7			1	1	
								1	4					1
								2	11			1	1	1
									6					
									4					
									10					

TABLE G.—DEATHS IN THE CITIES AND TOWNS,

CITIES AND TOWNS.	CLASS IV.—Continued.							CLASS V.—	
	Partus Intempestivus (Premature Birth).	Eclampsia Parturi (Convulsions in Child-birth).	Puerperal Fever.	Partus (Child-birth).	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns, Scalds).	Submersio (Drowning).
Cobourg :									
Males						4	4		
Females.....				1		5	6		
Total				1		9	10		
Barrie :									
Males	1					5	6		1
Females.....			1			3	5		
Total	1		1			8	11		1
Goderich :									
Males						2	2		1
Females.....				1		2	5		
Total				1		4	7		1
Cornwall :									
Males						2	2		1
Females.....				1		2	4		
Total				1		4	6		1
Collingwood :									
Males						1	1		
Females.....						3	3		
Total						4	4		
Owen Sound :									
Males							1	1	
Females.....							5	5	
Total							5	6	1
Berlin :									
Males						10	10		
Females.....						3	6		
Total						13	16		
Sarnia :									
Males						1	3		1
Females.....	1					1	3		
Total	1					2	6		1
Strathroy :									
Males						1	1		
Females.....									
Total						1	1		

WITH CAUSES OF DEATHS, 1882—Continued.

VIOLENCE TENDING TO SUDDEN DEATH.													
Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Accidental Deaths.	Homicide (Murder and Manslaughter).	SUICIDE.				Execution (Hanging).	Total Violent Deaths.	Cause not Specified.	Other Causes of Death.	Total Deaths.
					Submersio (Drowning).	Suspendium (Hanging).	Vulnera (Wounds).	Venenatio (Poisoning).					
		1	1						2	2	1	28	
												26	
		1	1						2	2	1	54	
	1								2	1	1	36	
	1								1			27	
		2							3	1	1	63	
	2	1						1	5	2		24	
											1	24	
	2	1						1	5	2	1	48	
									1	2	1	31	
											2	35	
									1	2	3	66	
1	1								2	1		19	
												31	
1	1								2	1		50	
2	1	2			1				7		4	39	
												34	
2	1	2			1				7		4	73	
		1							1		1	45	
											1	33	
		1							1		2	78	
									1			22	
											1	21	
									1		1	43	
	1	1							2			16	
	1								1		1	13	
	2	1							3		1	29	

TABLE G.—DEATHS IN THE CITIES AND TOWNS,

CITIES AND TOWNS.	CLASS I.							
	Cholera Infantum.	Cholera Morbus.	Croup.	Diarrhea Acute.	Dysentery Acute.	Diphtheria.	Erysipelas.	Febris Intermittens.
Napanee (pop. 3,680) :								
Males.....				3		1	1	
Females.....						4		
Total.....				3		5	1	
Bowmanville (pop. 3,504) :								
Males.....		1				2		
Females.....		1			3	2		
Total.....		2			3	4		
Petrolia (pop. 3,465) :								
Males.....	3	1	1	1		2		1
Females.....	3							
Total.....	6	1	1	1		2		1
Whitby (pop. 3,140) :								
Males.....						2		
Females.....			1			1	1	
Total.....			1			3	1	
Picton (pop. 2,975) :								
Males.....			1			7		1
Females.....				1	1	9		
Total.....			1	1	1	16		1
Brampton (pop. 2,920) :								
Males.....								
Females.....	1					1	1	
Total.....	1					1	1	
Orangeville (pop. 2,847) :								
Males.....				1				
Females.....								
Total.....				1				
Pembroke (pop. 2,820) :								
Males.....	3			1				
Females.....				5		1		
Total.....	3			6		1		
Simcoe (pop. 2,645) :								
Males.....								
Females.....		1		1		1		
Total.....		1		1		1		

WITH CAUSES OF DEATHS, 1882—Continued.

ZYMOTIC DISEASES.

Bilious Fever.	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Typhoides (Typhoid Fever).	Influenza.	Morbilli (Measles).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Variola (Small Pox).	Syphilis.	Ebriositas (Drunkenness).	Apthæ (Thrush).	Vermes (Worms).	Total Zymotic Diseases,
		1					1						7
		1			1		1						7
		2			1		2						14
		1			1								4
		1			1								7
		1			1								11
		3			1		1						13
		3			1		1						4
		3			1		1						17
		1			1	1							
		5			1								
		6			1	1							13
		1											10
		1											12
		2											22
	1	1					4			1			7
	1		2				4						10
	2	1	2				8			1			17
		2											2
		1					1						3
		3					1						5
		1											5
		1											6
		1											11
							1						4
							1						4

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

CLASS III.—LOCAL DISEASES.

Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Insania (Insanity).	Meningitis.	Myelitis (Inflammation of Spinal Cord).	Necrocephalus (Softening of Brain).	Paralysis (Palsy).	Aneurism.	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis (Inflammation of Larynx).	Pleurisy.
.....	1	1	2	3	1	2
.....	1	2	2	4	1	2
1	1	2	2	1
1	1	2	4	1	1
.....	3	1	1	1	1
.....	3	1	1	2	1
.....	1	1	1	1	2	1
.....	2	1	1	1	2	1
1	1	1	1	1	1
1	2	1	1	2	1
1	2	1	4	2	2	2
1	1	1	2	2	3	3
1	3	1	6	4	5	5
.....	1
.....	1
.....	2	2	2	2	3	1
.....	2	2	2	2	1
1	1	3	1	1
1	1	3	1	1	1

TOWNS, WITH CAUSES OF DEATHS—Continued.

CLASS III.—Continued.										CLASS IV.—DEVELOPMENTAL DISEASES.				
Stricture of Intestines.	Calculus (Stone).	Cystitis.	Diabetes.	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Metritis.	Morbus Uteri (Uterine Disease).	Abscessus.	Total Local Diseases.	Atelectasis (Pulmonum).	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis.	Partus Emortuus (Still-birth).
				1					10					
				1					13					
				2					23					
									8					1
									8					
									16					1
									7					
									6					
									13					
		1							4					1
									6					1
		1							10					2
					1				5					
									6					
					1				11					
					1			1	17					5
2				1					17					1
2				1	1			1	34					6
									1					
									1					
				1					15				1	
									7					
				1					22				1	
									9					
									2					
									11					

TABLE G.—DEATHS IN THE CITIES AND TOWNS,

CITIES AND TOWNS.	CLASS IV.—Continued.						CLASS V.—		
	Partus Intempestivus (Premature Birth).	Eclampsia Parturi (Convulsions in Child-birth).	Puerperal Fever.	Partus (Child-birth).	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns, Scalds).	Submersio (Drowning).
Napanee :									
Males						1	1		
Females			1	1		2	4		
Total			1	1		3	5		
Bowmanville :									
Males						4	5		
Females						6	6		
Total						10	11		
Petrolia :									
Males	1						1	1	
Females				1			1		
Total	1			1			2	1	
Whitby :									
Males						2	3		1
Females		1				2	4		
Total		1				4	7		1
Pictou :									
Males						2	2		1
Females						5	5		
Total						7	7		1
Brampton :									
Males						5	10	1	
Females	1			1	1		4		
Total	1			1	1	5	14	1	
Orangeville :									
Males						2	2		
Females						1	1		
Total						3	3		
Pembroke :									
Males						1	2	3	
Females			1			2	3		
Total			1			3	5	3	
Simcoe :									
Males						3	3		
Females						2	2		
Total						5	5		

WITH CAUSES OF DEATHS, 1882—Continued.

VIOLENCE TENDING TO SUDDEN DEATH.

Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Accidental Deaths.	Homicide (Murder and Manslaughter).	SUICIDE.				Execution (Hanging).	Total Violent Deaths.	Cause not specified.	Other Causes of Death.	Total Deaths.
					Submersio (Drowning).	Suspendium (Hanging).	Vulnera (Wounds).	Venenatio (Poisoning).					
	1			1					1				29
									1		1		35
	1			1					2		1		64
	1	1				1		1	4	1			38
													24
	1	1				1		1	4	1			62
									1				25
											1		18
									1		1		43
		2							3		1		19
													28
		2							3	1			47
	1								1	1			25
									1	1			31
	1								2	2			56
									1	2			47
	1								1	2	2		41
	1								2	4	2		88
		1							1	5			15
										8			15
		1							1	13			30
	1				1				5		1		34
											1		20
	1				1				5		2		54
		2							2	1			19
													12
		2							2	1			31

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS I.—							
	Cholera Infantum.	Cholera Morbus.	Croup.	Diarrhoea Acute.	Dysentery Acute.	Diphtheria.	Erysipelas.	Febris Intermittens
Walkerton (pop. 2,604):								
Males			1					
Females								
Total			1					
Perth (pop. 2,467):								
Males			3	2		2		
Females				1				
Total			3	3		2		
Welland (pop. 1,870):								
Males	1					1		
Females						1		
Total	1					2		
Milton (pop. 1,302):								
Males								
Females				1				
Total				1				
Gravenhurst (pop. 1,015):								
Males	1			2				
Females				2			1	1
Total	1			4			1	1
Total Males	81	8	79	131	22	126	13	12
Total Females	85	5	61	109	31	127	22	11
Grand Total	166	13	140	240	53	253	35	23

TOWNS, WITH CAUSES OF DEATHS, 1882—Continued.

ZYMOTIC DISEASES.

Bilious Fever.	Febris Cerebro-Spinalis (Cerebro Spinal Fever).	Febris Typhoides (Typhoid Fever).	Influenza.	Morbilli (Measles).	Pertussis (Whooping Cough).	Pyæmia.	Scarlatina (Scarlet Fever).	Variola (Small Pox).	Syphilis.	Ebriositas (Drunkenness).	Apthæ (Thrush).	Vermes (Worms).	Total Zymotic Diseases.
.....	1
.....	1
.....	1	1	9
.....	1	1	10
.....	2	2
.....	2	3
.....	5
.....	1
.....	1
.....	1	1	5
.....	1	5
.....	1	2	10
4	16	111	20	24	10	76	8	5	14	1	761
4	12	81	2	11	36	10	72	3	1	5	4	693
8	28	192	2	31	60	20	148	11	6	19	5	1	1454

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS II.—CONSTITUTIONAL DISEASES.								
	Anæmia.	Anasarca (General Dropsy).	Asthma.	Carcinoma (Cancer).	Leucocythæmia.	Rheumatism.	Hydrocephalus.	Phthisis Pulmonalis.	Total Constitutional Diseases.
Walkerton :									
Males	1							3	4
Females		1							1
Total	1	1						3	5
Perth :									
Males								5	5
Females	1	1			1			4	7
Total	1	1			1			9	12
Welland :									
Males				2					2
Females									
Total				2					2
Milton :									
Males									
Females	2								2
Total	2								2
Gravenhurst :									
Males	1							3	4
Females	5								5
Total	6							3	9
Total Males	353	35	15	47	2	15	37	373	909
 Females	328	39	7	65	6	19	51	434	960
 Grand Total	681	74	22	112	8	34	88	807	1869

TOWNS, WITH CAUSES OF DEATHS, 1882—*Continued.*

CLASS III.—LOCAL DISEASES.

	Apoplexy.	Convulsions.	Encephalitis (Inflammation of Brain).	Epilepsia (Epilepsy).	Insania (Insanity).	Meningitis.	Myelitis (Inflammation of Spinal Cord).	Neuroencephalus Softening of Brain).	Paralysis (Palsy).	Aneurism.	Valvular Disease of Heart.	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Laryngitis (Inflammation of Larynx).	Pleurisy.
.....		1											1		
.....		1									1				
.....		2									1		1		
.....						1			1		3	1			
.....						1			1		3	1			
.....	1	1													
.....	1	1													
.....		2								1	1				
.....		2								1	1				
.....	3					1					1				
.....	1										1	1			
.....	4					1					2	1			
42	114	14	7	3	87	10	12	59	5	118	74	95	11	4	
40	85	14	8	4	78	9	7	58	2	116	58	102	9	5	
82	199	28	15	7	165	19	19	117	7	234	132	197	20	9	

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS	CLASS III.—Continued.								
	Pneumonia (Inflammation of Lungs).	Scrofula.	Dyspepsia.	Enteritis.	Gastritis (Inflammation of Stomach).	Hepatitis (Inflammation of Liver).	Hernia (Rupture).	Icterus (Jaundice).	Peritonitis.
Walkerton :									
Males	1			1					
Females	1							1	
Total	2			1				1	
Perth :									
Males									1
Females	2								
Total	2								1
Welland :									
Males				1					
Females									
Total				1					
Milton :									
Males	3								
Females				1					
Total	3			1					
Gravenhurst :									
Males	2								
Females	1								
Total	3								
Total Males	184		4	71	15	31	5	8	21
Total Females	173		2	63	14	17	6	9	37
Grand Total	357		6	134	29	48	11	17	58

TOWNS, WITH CAUSES OF DEATHS.—Continued.

CLASS III.—Continued.										CLASS IV.—DEVELOPMENTAL DISEASES.				
Stricture of Intestines.	Calculus (Stone).	Cystitis.	Diabetes.	Nephria (Bright's Disease).	Nephritis (Inflammation of Kidneys).	Metritis.	Morbus Uteri (Uterine Disease).	Abscessus.	Total Local Diseases.	Atelectasis (Pulmonum).	Cyanosis.	Dentitio (Teething).	Hæmorrhagia Umbilicalis.	Partus Emortuus (Still-birth).
									4					
									4					1
									8					1
			1						3					
									7					
			1						10					
									1					
									2					
									3					
									7					
									1					
									8					
									7					
									4					
									11					
4	1	13	6	30	25	1	20	1094	18	4	41	4	95
4	5	6	22	12	3	7	984	8	1	36	9	69
8	1	18	12	52	37	4	7	2078	26	5	77	13	164

TABLE G.—DEATHS IN THE CITIES AND

CITIES AND TOWNS.	CLASS IV.— <i>Continued.</i>						CLASS V.—		
	Partus Intempestivus (Premature Birth).	Eclampsia Parturi (Convulsions in Child-birth).	Puerperal Fever.	Partus (Child-birth).	Gangrena Senilis (Senile Gangrene).	Senectus (Old Age).	Total Developmental Diseases.	Ambusta (Burns, Scalds).	Submersio (Drowning).
Walkerton :									
Males				1			2		
Females									
Total				1			2		
Parth :									
Males									
Females						3	3		
Total						3	3	1	
Welland :									
Males									
Females	1					2	3		
Total	1					2	3		
Milton :									
Males	1						1		
Females	1	1					2	1	
Total	2	1					3	1	
Gravenhurst :									
Males									
Females						2	2		
Total						2	2		
Total Males	48				4	142	356	10	45
Total Females	46	9	19	27	7	201	432	9	8
Grand Total	94	9	19	27	11	343	788	19	53

TOWNS, WITH CAUSES OF DEATHS—*Concluded.*

VIOLENCE TENDING TO SUDDEN DEATH.													
Venenatio (Poison).	Vulnera (Wounds).	Killed by Cars.	Other Accidental Deaths.	Homicide, (Murder and Manslaughter).	SUICIDE.				Execution (Hanging).	Total Violent Deaths.	Cause not specified.	Other Causes of Death.	Total Deaths.
					Submersio (Drowning).	Suspendium (Hanging).	Vulnera (Wounds).	Venenatio (Poisoning).					
1									1		2	11	
1									1		2	8	
									1			19	
									1			18	
									1			18	
									1			36	
	1								1			4	
	1								1			10	
									1			14	
									1			8	
									1			7	
									1			15	
	1								1			17	
									1			16	
	1								1			33	
7	40	41	32	2	5	4	3	5	1	195	73	89	3477
4	13	1	13	2	2	1	1	2	56	91	92	3308	
11	53	42	45	4	7	5	4	7	251	164	181	6785	

H. S. CREWE,

Inspector.

TABLE H.—DEATHS BY AGES

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Algoma :											
Males	11	4	3	1	1	1	5	1
Females	16	4	2	3	1	1	1	2	1
Total	27	8	5	4	2	1	2	5	3	1
Brant :											
Males	42	14	3	4	3	1	3	4	1	1	1
Females	31	13	4	3	5	2	3	2	1	1
Total	73	27	7	7	8	3	6	6	2	2	1
Bruce :											
Males	58	13	11	3	8	4	3	2	2	5
Females	51	15	13	6	3	5	1	2	5	1
Total	109	28	24	9	8	7	8	1	4	7	6
Carleton :											
Males	311	67	24	19	13	7	9	3	6	9	1
Females	269	74	17	13	14	15	9	6	5	2
Total	580	141	41	32	27	22	18	9	11	11	1
Dufferin :											
Males	14	5	5	3	1	3	3	1	1
Females	18	1	4	3	1	1	2	1	1	1
Total	32	6	9	6	2	4	5	1	2	2
Elgin :											
Males	19	12	5	5	2	4	2	3	7	2
Females	18	9	7	6	4	4	2	1	3
Total	37	21	12	11	6	8	4	4	10	2
Essex :											
Males	93	28	21	13	10	10	12	4	5	3	4
Females	80	20	13	9	7	5	3	2	2	4	2
Total	173	48	34	22	17	15	15	6	7	7	6
Frontenac :											
Males	67	12	6	2	3	6	2	2	1	2	1
Females	66	8	6	7	9	8	2	2	2
Total	133	20	12	9	12	14	2	4	3	4	1
Grey :											
Males	74	18	15	17	14	7	4	5	5	5	5
Females	36	23	17	7	8	5	5	2	1	1	4
Total	110	41	32	24	22	12	9	7	6	6	9
Haldimand :											
Males	26	6	4	1	2	4	1	1
Females	12	6	4	1	2	1	2
Total	38	12	8	1	3	4	3	1	1	2
Halton :											
Males	20	8	2	2	3	1	2	1	1
Females	16	8	3	3	3	1	1	3
Total	36	16	5	2	6	4	1	3	4	1

IN THE COUNTIES, 1882.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	1	2	1	1	2	1	1	1	1	2	3	2	3	
1	1	2	1	1	3	2	2	1	3	3	2	5		
2	1	1	1	3	2	3	3	1	1	3	4	1	2	
2	2	1	1	5	4	1	1	1	1	6	6	3	2	
1	2	1	3	4	3	6	4	5	3	3	2	1	2	
2	1	2	3	1	4	1	4	1	2	5	5	3	2	
3	3	3	6	4	4	10	4	6	5	8	7	4	2	
2	3	4	2	5	5	4	3	4	4	8	9	4	3	
4	4	3	1	3	2	2	11	6	4	5	6	7	11	9
2	7	7	1	5	7	7	15	9	8	9	14	16	15	12
2	1	1	1	1	2	2	3	1	2	1	1	1	1	2
2	1	1	1	3	2	4	3	1	3	1	1	1	1	2
1	1	2	2	2	2	2	1	2	2	1	4	3	1	3
3	3	1	3	1	3	2	2	2	1	3	3	3	3	3
1	4	3	5	3	2	3	2	3	4	4	4	3	4	
4	1	1	1	2	2	3	1	3	3	3	5	9	4	1
4	2	1	3	3	2	3	3	6	2	2	5	5	4	2
4	3	2	4	5	4	6	4	9	5	5	10	14	8	3
2	2	3	1	4	4	3	3	5	1	5	2	1	2	2
2	1	2	2	4	1	3	4	4	4	3	2	4	1	2
2	3	5	5	5	5	3	3	9	5	8	4	5	3	4
2	3	2	2	4	4	1	1	4	2	3	1	2	4	1
2	1	1	3	1	1	5	6	2	4	4	2	5	5	3
4	4	3	5	5	5	6	1	10	4	7	3	7	9	4
2	2	2	2	2	1	1	1	1	2	2	2	2	2	2
2	2	2	2	3	2	2	3	1	2	4	4	4	4	4
2	1	1	2	1	2	2	1	2	1	3	3	1	2	3
2	2	1	1	2	1	2	1	5	5	4	4	1	2	4

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Algoma :											
Males	2	2	2	1	1	1
Females			1	1	2
Total	2	2	3	1	2	3
Brant :											
Males	1	1	2
Females	2	4	1	1	1	1	2
Total	3	4	1	2	1	1	4
Bruce :											
Males	1	3	1	1	4	2	3	2	3	2
Females	1	2	2	1	3	1	3	2	4	2
Total	2	5	3	2	7	3	3	5	2	7	4
Carleton :											
Males	1	2	9	5	4	7	2	2	2	4
Females	7	4	7	3	4	4	7	4	3	2
Total	8	6	16	8	8	11	9	6	5	6
Dufferin :											
Males	1	1	1	2
Females	2	2	2	1	1	1	1
Total	2	3	3	1	1	1	1	3
Elgin :											
Males	3	2	2	3	2
Females	2	2	1	2	2	2	1	1	2	1
Total	2	3	2	1	4	2	2	3	1	5	3
Essex :											
Males	2	1	1	2	5	3	1	1	1	2
Females	1	3	5	3	4	3	3	2	1
Total	3	4	6	5	9	3	4	4	3	2	1
Frontenac :											
Males	2	4	3	1	5	1	5	2	1	2	4
Females	3	3	1	2	2	2	3	3	3	4
Total	5	7	4	3	7	3	8	5	1	5	8
Grey :											
Males	2	2	3	2	2	4	4	1
Females	6	1	2	2	2	2	1	2	2	2
Total	8	3	5	4	4	2	5	6	1	2	2
Haldimand :											
Males	1	2	1	1	2
Females	3	3	1	3	1	1	1	2	4	1	2
Total	3	3	2	3	1	3	1	2	5	2	4
Halton :											
Males	1	2	3	2	2	1
Females	1	1	2	1	1	2
Total	1	2	4	3	2	2	2	1	2

IN THE COUNTIES, 1882—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
1			2		1			4						
1					1	1		1						
2			2		2	1		5						
	1	1		1	3	1	2	2	1	1	1	1	2	
3	2	2		1	1		1	2					1	
3	3	3		2	4	1	3	4	1	1	2	3	3	
	1	1	2	1	2			3	3	3	1			1
2	1				2	3		1	2	1	2	2	2	2
2	2	1	2	1	4	3		4	5	4	3	2	2	3
3	2	3	6	2	8		1	2	3	2	3	3	5	
7	5	7	6		2		5	3	4	1	4	3	3	1
10	7	10	12	2	10		6	5	7	3	7	6	8	1
1	1		1	1	1	1			1	2		1	1	1
1	1	2			3					1		2		
2	2	2	1	1	4	1			1	3		3	1	1
	2			1		2		2	1		1		1	
1	1				1	1	1	1	1	1			1	1
1	3			1		3	1	3	2	1	2		1	1
		2	4	3	1	1	1	2	1		2	2	5	1
3	1		1	3		1	1	2		1	3		2	
3	1	2	5	6	1	2	2	4	1	1	5	2	7	1
2	1		1	2		2	1	4	3	4	3	1	3	
1	4	2	4	5		2		2	1	2	4	2	4	2
3	5	2	5	7		4	1	6	4	6	7	3	7	2
2			2				2	2	2		2	1	2	3
2	2	3	3	3	2		1	2	3	3	2		2	1
4	2	3	5	3	2		3	4	5	3	4	1	4	4
	1	1	1	3		1		1			1		1	
	3	1		1	1		1		1		1	1	1	1
	4	2	1	4	1	1	1	1	1		2	1	2	1
	1				1			1	2	1		1	1	2
			1				1	3	1	2	1		1	1
	1		1		1		1	4	3	3	1	1	2	3

TABLE G.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Algoma :											
Males							1	1	1		1
Females	1					1			2		
Total	1					1	1	1	3		1
Brant :											
Males	4		1	5		4	2	1	2		2
Females	2	1	1				1		2	1	2
Total	6	1	2	5		4	3	1	4	1	4
Bruce :											
Males	1	2	3	1	2	1	2	2	5	1	4
Females			2	1		1	2		2		
Total	1	2	5	2	2	2	4	2	7	1	4
Carleton :											
Males	2	4	1	2		4	3	3	8	1	4
Females	2	5	1	4	2	1	5	3	5	3	3
Total	4	9	2	6	2	5	8	6	13	4	7
Essex :											
Males		1	1	1							
Females	1	1							1	1	
Total	1	2	1	1					1	1	
Elgin :											
Males	1	1	4	1	1		2	2		1	3
Females	1		2	1		1	2	1		1	2
Total	2	1	6	2	1	1	4	3		2	5
Essex :											
Males	3	1	1	3		1	3	5		1	4
Females	1		1	3	2		1	2	4	1	
Total	4	1	2	6	2	1	4	7	4	2	4
Frontenac :											
Males	5	1	4	4	7	1			3	3	4
Females	1			3	4	1	4	1	3	2	2
Total	6	1	4	7	11	2	4	1	6	5	6
Grey :											
Males	2	2	1	3	1			1	3		1
Females	1			3	1			1	1	1	4
Total	3	2	1	6	2			2	4	1	5
Haldimand :											
Males	2			2	1	1			3		3
Females			1	2	1	1					
Total	2		1	4	2	2			3		3
Halton :											
Males	1	1	1	1	4	1	1		2		
Females	1	2	1		1	2			1	1	2
Total	2	3	2	1	5	3	1		3	1	2

IN THE COUNTIES, 1882—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
2	1	2	1	1			1					2		
2	1	2	1	1			1					2		
1	2 1	2 1	2 2	2 1	4 1	1 2	4 1	2 4	4 3	1 3	2 2	3 3	1 4	4 3
1	3	3	2	3	4	3	5	6	7	4	4	3	5	7
1 1	2	2 2	4 1	1 1	3 3	3 3	3 4	1	2 3	3 2	4	1 3	1 4	2 2
2	2	4	5	2	6	6	7	1	5	5	4	4	5	4
5 3	3 3	4 4	3 4	7 7 6	1 3	5 6	2 2	7 5	5 4	2 3	6 1	3 3	2 3
8	6	8	7	14	6	4	11	4	12	9	5	7	6	5
..... 1	2	2 2	1 1	3	2 1	3	1 1	4 1	2 1	1 1	2
1	2	4	2	3	3	3	1	1	5	3	2	2
3 2	2 2 2	3 3	1 1	3	1	3 -1	1 2	5 3	1	3 3
5	4	2	6	1	1	3	1	4	3	8	1	6
3 1	3 1	2 4	4 3	4 1	2 1	1 2	1 2	3	3 2	3 3	1 3	4 3	2 4
4	4	6	7	5	3	3	1	2	3	5	6	4	7	6
4 7	3 1	4 3	2 3	1 1 5	4 2	3 3	2	2 2	4	1 5	5	5 5	2 2
11	4	7	5	2	5	6	6	2	4	4	6	5	10	4
4 2	2 2	3 2	3 1	1 3	2 3	2 2	5 2 2	4 2	2 2	2 1 1	2 3	1 1
6	4	5	4	4	5	4	7	2	6	4	3	1	5	2
3 1	2 1 1	3 1 3	1	5 3	1 1	1 2	1 1	1	1
4	3	1	4	3	1	8	2	3	2	1	1
2	1 1	2 2	1 1	2 2	3 3	2 2	1 4	3 3	1 1	5 3 4
2	1	1	4	2	4	6	4	5	6	2	8	4

TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Algoma :											
Males			1			1					1
Females			1	1							
Total			2	1		1					1
Brant :											
Males	1	1		5			3		1		
Females	2	1			1	1	2		3	1	
Total	3	2	3	5	1	1	5		4	1	
Bruce :											
Males	5	3	4	1	6	3	5	3	3		1
Females	4	2		1	2		1	1		1	
Total	9	5	4	2	8	3	6	4	3	1	1
Carleton :											
Males	6	1	8	2	1		2		2	4	
Females	4	3	6		1	3	4	4	2	3	1
Total	10	4	14	2	2	3	6	4	4	7	1
Dufferin :											
Males	1	1		1	1		1	1			
Females			2		2			1			
Total	1	1	2	1	3		1	2			
Elgin :											
Males	1	2	1	2	2		2	1	1		1
Females	2		1		1	1			1	1	1
Total	3	2	2	2	3	1	2	1	2	1	2
Essex :											
Males	5		4		1	1	1	1		1	2
Females	2	1	3			1	1	4	3	2	
Total	7	1	7		1	2	2	5	3	3	2
Frontenac :											
Males	5	2	1	2	2	4	2	3	3		4
Females		1	7	4	1	1	2	3	1	2	1
Total	5	3	8	6	3	5	4	6	4	2	5
Grey :											
Males	2	3	1	1	2	3	1	3	1		1
Females	2	1	6	2							1
Total	4	4	7	3	2	3	1	3	1		2
Haldimand :											
Males	1	1	2	1	2		2	1	1	1	1
Females	6	1			1		1	2	1	1	
Total	7	2	2	1	3		3	3	2	2	1
Halton :											
Males	3	1	2		1	2	2	1			1
Females	1	2		1	1				1	1	2
Total	4	3	2	1	2	2	2	1	1	1	3

IN THE COUNTIES, 1882—Continued.

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
						1							2	71
				1		1								65
				1		1							2	136
			1	1									4	194
													2	158
	2		1	1									6	352
1	1			1		1			1				5	289
	1			1			1		1				7	236
1	2		1	1		1	1		2				12	525
2	4	1			1	1	3					2	23	758
	2			3	1		1		1				29	755
2	6	1		3	2	1	4		1			2	52	1513
				1									3	101
		1											5	86
		1		1									8	187
								1					7	167
													13	150
								1					20	317
1	1					1					1		10	373
								1					4	305
1	1					1		1			1		14	678
		1		1			2		1				16	317
	1		1	4		1							19	311
	1	1	1	5		1	2		1				35	628
						2						2	11	323
				1			2	1				1	6	265
				1		2	2	1				3	17	588
						1							3	118
													3	112
						1							6	230
1									1				6	132
				1		1							5	125
1				1		1			1				11	257

TABLE H.—DEATHS BY AGES

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Hastings :											
Males	53	13	7	7	8	9	6	5	2	4	3
Females	43	16	15	8	6	3	3	2	4	4
Total	96	29	22	15	14	12	9	7	6	8	3
Huron :											
Males	62	21	14	8	10	7	4	7	3	3	2
Females	51	25	17	10	6	1	1	4	2	3	1
Total	113	46	31	18	16	8	5	11	5	6	3
Kent :											
Males	60	20	13	5	2	4	3	3	2	3
Females	52	25	13	12	8	4	3	3	3	2	2
Total	112	45	26	17	10	8	6	3	6	4	5
Lambton :											
Males	61	19	5	4	2	1	4	2	3
Females	45	16	3	6	4	2	5	1	5	2
Total	106	35	8	10	6	3	5	5	7	5
Lanark :											
Males	23	5	3	4	4	3	3	3	4
Females	15	7	3	4	1	3	2	1	1	1
Total	38	12	6	8	5	6	5	4	1	5
Leeds and Grenville :											
Males	39	20	14	11	12	7	3	3	1	1	2
Females	40	14	10	6	7	5	6	2	2	1	2
Total	79	34	24	17	19	12	9	5	3	2	4
Lennox and Addington :											
Males	19	5	4	1	2	2	3	1	1	6
Females	23	6	4	1	3	1	1	3	3	1	1
Total	42	11	8	2	5	3	4	4	3	2	7
Lincoln :											
Males	51	8	2	4	2	3	2	1	1	2
Females	28	16	4	3	5	1	1	1	3	2
Total	79	24	6	7	7	4	3	2	4	2	2
Middlesex :											
Males	124	26	17	7	10	7	3	3	3	3	2
Females	127	20	19	10	7	4	8	1	6	1	7
Total	251	46	36	17	17	11	11	4	9	4	9
Muskoka and Parry Sound :											
Males	48	12	9	2	5	6	2	3	1	2
Females	35	7	4	4	1	1	2	1	2	2
Total	83	19	13	6	6	7	4	3	2	4	2
Norfolk :											
Males	43	6	7	3	5	1	1	1	1	1
Females	38	6	3	5	1	1	3	1	2
Total	81	12	10	8	6	2	4	2	3	1

IN THE COUNTIES, 1882—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	1	3	2	2	4	3	1	3	2	2	2	2	3	1
.....	1	2	3	2	3	1	2	1	2	1	2	2	5	2
1	2	5	5	4	7	4	3	4	4	3	4	4	8	3
2	2	2	3	4	1	6	3	3	2	7	5	2	3
.....	3	2	3	3	2	5	4	3	3	3	6	2	2	1
2	5	2	5	6	6	6	10	6	6	5	13	7	4	4
1	2	1	4	2	3	1	4	3	2	3	1	6
3	2	4	6	1	3	5	4	7	4	3	5	1	4
4	4	5	10	3	6	1	9	7	9	7	3	5	2	10
3	3	2	2	1	1	2	5	1	3
2	3	2	2	2	4	2	3	3	2	5	1	3	2	3
5	3	5	4	2	6	2	2	4	4	5	6	4	5	3
.....	1	1	2	2	1	1	1
.....	1	1	1	1	3	2	1	1	1
.....	1	1	2	1	2	3	3	3	2	1	2
3	2	2	2	3	1	2	4	4	3	3	2	1	1
1	5	2	4	1	3	2	2	2	5	10	3	4	3
4	7	4	6	4	4	4	2	6	4	8	13	5	5	4
.....	2	2	1	2	1	1	2	3	1	1
2	1	2	1	1	3	1	3	2	1	2	2	2
2	1	4	2	1	1	4	3	4	3	3	3	2	3	3
1	1	1	1	3	4	3	2	2	3	1	1
1	2	4	1	6	1	5	2	5	3	2
2	3	1	5	3	5	9	1	7	4	8	4	3
4	2	7	2	3	3	4	6	5	1	2	4	3	5	6
.....	5	1	5	2	5	6	7	6	6	5	9	8	5	6
4	7	8	7	5	8	10	13	11	7	7	13	11	10	12
2	1	3	1	2	1	4	1	3	2
1	1	3	1	1	1	1	2	2
3	2	6	2	3	2	1	6	1	3	4	3
.....	2	1	1	1	1	2	3	3	1	3
.....	2	2	1	1	3	4	1	2	5	1	2	2	3
.....	4	3	2	2	4	6	4	2	8	1	3	5	3

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Hastings :											
Males	3	4	4	3	2	2	2	1	1	3	1
Females	2	4	4	3	3	3	2	2	1	2	1
Total	5	4	4	3	2	5	4	3	2	5	1
Huron :											
Males	4	1	4	2	1	2	1	1	2	5	1
Females	1	2	6	3	4	3	4	4	1	2	1
Total	5	3	10	5	5	5	4	5	3	7	2
Kent :											
Males	4	3	2	1	1	1	2	1	1	3	3
Females	4	2	1	4	4	1	3	2	2	2	5
Total	8	5	3	4	5	2	4	4	1	3	8
Lambton :											
Males	1	4	2	3	1	1	1	1	2	2	1
Females	4	2	2	2	2	2	2	1	1	1	1
Total	5	6	4	5	3	3	2	2	1	2	2
Lanark :											
Males	1	1	1	1	1	1	1	1	1	1	1
Females	1	1	1	1	2	1	1	1	1	1	1
Total	2	2	2	2	3	2	2	2	2	2	2
Leeds and Grenville :											
Males	4	4	4	2	1	2	2	1	4	4	3
Females	4	1	3	1	4	3	3	2	2	4	3
Total	8	5	7	3	5	5	5	3	2	8	3
Lennox and Addington :											
Males	1	5	1	1	1	3	1	1	1	1	2
Females	2	2	2	2	2	2	2	2	2	2	2
Total	3	7	3	3	3	5	3	3	3	3	4
Lincoln :											
Males	1	4	2	2	2	1	1	1	4	4	1
Females	1	1	1	1	1	2	2	5	1	1	2
Total	2	5	3	3	3	3	3	6	5	5	3
Middlesex :											
Males	5	6	3	8	4	8	3	4	1	7	3
Females	1	5	6	5	4	3	5	3	8	4	3
Total	6	11	9	13	8	11	8	7	9	11	6
Muskoka and Parry Sound :											
Males	1	1	1	1	1	1	1	1	1	1	1
Females	2	1	2	1	1	2	3	1	1	1	2
Total	2	2	3	2	2	3	4	2	2	2	3
Norfolk :											
Males	1	1	3	3	1	1	1	1	2	2	1
Females	2	1	2	3	1	1	1	3	1	4	1
Total	3	2	5	6	2	2	2	4	3	6	2

IN THE COUNTIES, 1882—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
2	1	2	5	2	1	3	2	3	4	2	3	4	3	
2	1	2	2	1	5	3	2	2	3	4	3	1	2	3
4	2	4	7	3	6	3	4	3	4	5	4	6	3	
2	2	2	2	2	3	3	1	1	3	3	1	3	2	
2	2	2	3	4	3	3	1	1	3	3	1	1	1	
4	2	2	5	6	6	3	1	1	6	4	1	4	3	
3	2	5	2	3	3	1	1	2	3	1	1	1	3	
2	1	3	3	1	1	1	1	1	1	1	1	1	2	
5	3	3	5	5	4	1	1	3	3	2	2	2	5	
2	2	1	2	1	1	1	1	3	1	2	1	1	1	3
2	2	1	2	1	1	1	1	3	1	1	1	1	1	1
2	2	1	2	2	1	2	1	3	2	3	2	1	2	4
1	1	1	2	1	1	1	1	2	2	2	3	1	2	1
1	1	2	2	1	1	1	1	4	2	3	1	2	2	1
4	4	1	1	1	1	2	1	2	3	1	2	4	1	
2	2	4	1	4	4	2	4	2	3	2	2	2	2	
6	6	4	2	5	5	2	5	4	6	1	4	6	3	
1	1	1	2	5	2	1	2	2	2	1	1	1	1	
1	1	1	2	7	1	2	3	3	3	1	1	1	1	
1	2	1	4	1	1	1	1	1	2	1	3	2	2	
3	2	2	2	1	1	3	1	2	2	3	2	2	1	
4	2	1	6	2	1	3	1	1	2	1	3	2	4	1
5	3	1	3	5	3	3	5	6	3	6	4	5	7	4
3	4	6	1	4	3	3	2	4	8	3	4	4	2	2
8	7	7	4	9	3	6	7	10	11	9	8	9	9	4
2	1	1	2	1	2	1	1	2	2	2	1	2	1	2
2	2	1	1	2	1	2	1	2	2	2	1	2	3	2
1	1	1	2	2	2	2	2	2	2	1	1	2	1	1
1	2	2	4	2	3	2	2	2	1	1	2	1	1	1

TABLE H—DEATHS BY AGES.—

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Hastings :											
Males	1	3	2	2	1	4	1	1	2
Females	3	2	1	3	1	1	3	1	3	3	1
Total	4	5	1	5	3	2	7	2	4	3	3
Huron :											
Males	3	3	2	2	2	2	5	5	3	3	4
Females	1	1	3	3	1	1	2	2	3	1	3
Total	4	4	5	5	3	3	7	7	6	4	7
Kent :											
Males	2	2	1	3	4	2	1	3	1
Females	1	1	3	1	2	1	1	3	1	1	2
Total	1	3	5	2	5	5	3	4	4	1	3
Lambton :											
Males	4	1	1	2	2	1	3
Females	2	2	4	2	1	2	1	1
Total	6	2	5	2	2	4	3	1	4
Lanark :											
Males	3	1	1	1	2	1	1
Females	1	1	1	1	2
Total	4	1	1	1	1	1	3	1	3
Leeds and Grenville :											
Males	3	3	1	4	3	3	1	1	3	2	1
Females	1	1	1	2	2	2	3	1	4	4	3
Total	4	4	2	6	5	5	4	2	7	6	4
Lennox and Addington :											
Males	2	1	2	2	2	4	1	2	4
Females	1	1
Total	2	1	2	3	2	4	2	2	4
Lincoln :											
Males	1	4	1	1	4	2	2	4	1	2
Females	1	4	3	3	2	2	1
Total	1	4	2	5	3	7	4	2	6	1	3
Middlesex :											
Males	5	1	5	2	6	4	3	7	6	4	5
Females	4	3	3	2	2	2	4	6	6	3	3
Total	9	4	8	4	8	6	7	13	12	7	8
Muskoka and Parry Sound :											
Males	3
Females	2	2	1	2
Total	3	2	2	1	2
Norfolk :											
Males	2	4	2	1	1	2	2	4	2
Females	3	1	1	1	2	1	1
Total	2	7	3	2	2	4	2	5	3

IN THE COUNTIES, 1882—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
4	1	3	4	4	5	2	2	7	2	3	3	6	3	3
1	1	2	5	3	6	1	4	2	4	5	2	8
5	2	5	9	7	11	2	2	8	6	5	7	11	5	11
5	1	4	...	1	4	4	3	3	6	8	2	5	4	8
2	5	5	5	1	1	3	1	2	4	1	1	3
7	6	9	5	2	5	7	3	3	7	10	6	6	5	11
1	2	2	2	1	1	5	5	...	7	2	3	1	4	1
3	2	2	1	2	2	6	6	1	1	2	6	2	3
4	4	4	3	3	3	11	11	1	8	4	3	7	6	4
1	1	1	1	1	4	2	2	2	3	2	1
1	1	1	1	1	2	1	1	2	3	4	5	2
2	2	2	2	1	5	4	1	3	2	3	6	8	2	3
1	2	1	2	3	1	2	2	3	2	3	1
1	1	2	5	1	3	2	1	1	1
2	2	2	4	3	6	1	5	4	4	3	4	1
1	3	5	2	8	3	4	6	4	6	6	6	5	2
3	7	5	1	1	5	1	2	2	2	2	1	1
4	3	12	7	8	4	5	11	5	8	8	8	7	3	1
3	1	1	2	2	5	1	2	2	1	3
2	2	2	2	1	3	2	3	1	2
5	2	2	1	3	3	2	8	1	4	3	3	1	5
3	3	2	1	3	3	7	2	1	1	3	1
.....	5	4	1	2	1	2	3	1	1	7	4	2
3	5	7	2	2	5	4	9	5	2	1	8	7	3
6	9	7	6	3	7	4	6	5	3	8	8	4	5	2
7	1	3	4	2	2	4	5	5	8	4	3	4	4
13	9	8	9	7	9	6	10	10	8	16	12	7	9	6
2	1	1	3	1	2
1	1	3	2	1	1	1
3	2	3	1	5	2	2	1	1
3	4	1	1	4	1	5	5	3	3	5	3	5	2
2	1	1	1	1	2	1	3	1	1
5	4	2	1	5	2	6	7	3	1	6	6	3	6	2

TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Hastings :											
Males	4		4	3	8	1	7	1		1	1
Females	3	2		3	3	3	4			1	
Total	7	2	4	6	11	4	11	1		2	1
Huron :											
Males	3	2	3	1	4	5	2	3	3	1	2
Females	1	2	1		7	2	2	3	2	1	3
Total	4	4	4	1	11	7	4	6	5	2	5
Kent :											
Males	1		4	3	3	1	2	2	1		1
Females	2	1	2		2		1		2	1	
Total	3	1	6	3	5	1	3	2	3	1	1
Lambton :											
Males	4		1	2	1	2	2	1	1	1	
Females	2		2		3						
Total	6		3	2	4	2	2	1	1	1	
Lanark :											
Males					2		2	1	1	2	2
Females		1	3	2	3		1			2	2
Total		1	3	2	5		3	1	1	4	4
Leeds and Grenville :											
Males	8	3	5	5	6	3	2	4	3	3	1
Females	5	2	2	2	1	1	2	2	5	1	3
Total	13	5	7	7	7	4	4	6	8	4	4
Lenox and Addington :											
Males		1	1	3	3		1	1		2	
Females	3	1			1	1	1		1		2
Total	3	2	1	3	4	1	2	1	1	2	2
Lincoln :											
Males	3	1		2	1	1		3			
Females	2		4	2	1	2		2		1	
Total	5	1	4	4	2	3		5		1	
Middlesex :											
Males	7	5	4	4	4	2	1	1	3	3	
Females	6	6	7	1	4	7	4	4	3		
Total	13	11	11	5	8	9	5	5	6	3	
Muskoka and Parry Sound :											
Males		1			1						
Females	1	1	1								
Total	1	2	1		1						
Norfolk :											
Males	1	1	2		1	2	2	1	1		1
Females		2	1	3	2			2		1	1
Total	1	3	3	3	3	2	2	3	1	1	2

IN THE COUNTIES, 1882—Continued.

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
2	4		2										6	314
2	1			1	1				1				5	273
4	5		2	1	1				1				11	587
	3											2	9	371
		2								1			17	314
	3	2								1		2	26	685
	1				1								26	296
1	1											1	7	299
1	2				1							1	33	595
	1				1	1		1					6	217
	1	1		1	1	1		1					3	211
	2	1		1	1	2		2					9	428
1	1	3	3						2				4	134
	1							1		1			4	113
1	2	3	3					1	2	1			8	247
	2			1									13	345
	2	2	1	1									11	301
	4	2	1	2									24	646
2													3	135
	1												2	128
2	1												5	263
	1												4	197
1											1		7	201
1	1										1		11	398
4	1	2	2	2			1						17	571
2	1		1	1			1						9	532
6	2	2	3	3			2						26	1103
													20	160
	2												4	125
	2												24	285
3		1								1			3	190
		1										1		155
3		2								1		1	3	345

TABLE H.—DEATHS BY AGES

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Northumberland and Durham :											
Males	65	9	9	8	7	3	6	2	3	1	4
Females	55	16	12	3	6	4	2	2	2	3
Total	120	25	21	11	13	7	8	4	5	4	4
Ontario :											
Males	47	10	14	9	6	3	3	1	3	2	1
Females	40	10	7	12	4	1	1	1	2	1	2
Total	87	20	21	21	10	4	4	2	5	3	3
Oxford :											
Males	53	17	13	13	4	6	9	3	1	4	1
Females	45	14	13	7	6	7	4	1	5	2	4
Total	98	31	26	20	10	13	13	4	6	6	5
Peel :											
Males	24	9	12	5	3	1	2	1	1	1
Females	24	6	3	4	6	2	11	3	1	1	1
Total	48	15	15	9	9	3	13	4	2	1	2
Perth :											
Males	56	19	14	3	1	4	4	6	2	2	3
Females	42	16	4	7	3	6	3	2	1	2	2
Total	98	35	18	10	4	10	7	8	3	4	5
Peterborough :											
Males	47	6	4	4	4	3	1	2	2
Females	27	13	4	3	2	1	1	1	1	2
Total	74	19	8	7	6	3	2	3	3	1	2
Prescott and Russell :											
Males	57	15	8	5	4	5	1	3	3	1	2
Females	60	14	5	7	4	3	5	3	1	3	2
Total	117	29	13	12	8	8	6	6	4	4	4
Prince Edward :											
Males	19	7	6	6	5	5	1	7	3	3
Females	17	3	9	4	6	2	2	2	1	2
Total	36	10	15	10	11	7	3	9	1	5	3
Renfrew :											
Males	31	15	8	3	1	3	2	1	4	4
Females	31	5	7	7	4	1	6	4	1	2	2
Total	62	20	15	10	5	4	6	6	2	6	6
Simcoe :											
Males	73	13	17	10	5	3	5	1	5	1	2
Females	72	21	7	7	7	8	4	1	3	2	3
Total	145	34	24	17	12	11	9	2	8	3	5
Storm't, Dundas & Glengarry :											
Males	47	7	8	5	4	4	1	2	4	2	1
Females	56	16	12	6	3	6	1	4	2	1	1
Total	103	23	20	11	7	10	2	6	6	3	2

IN THE COUNTIES, 1882—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
.....	3	2	3	4	2	3	4	5	2	2	4	2
2	1	2	3	1	3	4	4	6	4	2	6	4	5	6
2	4	2	3	3	6	8	6	9	8	7	8	6	9	8
.....	1	1	1	2	1	2	3	2	3	1	1	1
.....	1	1	3	4	1	2	1	2	2	5	6	2	3
.....	2	2	3	4	2	4	2	4	5	7	9	3	1	4
...	2	1	2	1	2	5	1	2	2	1	1	2	1	1
1	3	2	..	1	2	1	4	3	4	2	3	1	1	4
1	5	3	2	2	4	6	5	5	6	3	4	3	2	5
2	2	1	1	2	4	2	1	1	2
1	2	1	1	2	2	1	1	1	3	2	2
3	4	1	1	2	2	4	5	1	3	4	1	4	2
1	1	2	1	1	2	1	2	1	1	2	2	1
.....	2	1	2	1	1	1	1	7	2	6	1	1
1	1	4	1	2	4	2	1	3	1	8	3	8	3	2
1	1	2	2	2	1	2	1	4	3	2	1
2	1	1	2	3	1	1	2	2	4	3	1	3	3	3
3	1	2	4	5	3	2	4	2	5	7	4	5	4	3
.....	1	4	3	1	3	1	1	2	1
1	1	2	1	2	4	2	3	1	2
1	1	1	2	1	4	3	3	7	3	1	3	3	3
.....	2	2	1	4	2	1	1	4	1	2	2
.....	3	5	2	3	6	3	1	1	3	3	3	1	1
.....	5	7	3	3	10	5	2	2	7	1	3	5	3	1
.....	3	3	1	2	2	3	2	1	5	5
3	2	2	3	1	1	1	3	5
3	3	3	3	4	5	4	1	3	1	3	5	10
.....	1	1	1	1	2	3	3	2	4	1	4	2	2
2	5	1	..	4	1	1	2	3	1	3	5	3	2
2	5	2	1	5	2	3	5	6	2	5	4	9	5	4
2	1	1	3	1	1	1	3	3	2	2	1
1	3	5	5	2	2	3	2	2	2	3	10	3	3
3	4	6	8	3	2	4	3	5	5	3	10	5	5	1

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Northumberland and Durham:											
Males	6	5	4	2	1	1	1	2	2	2	3
Females	10	3	5	4	2	3	4	2	3	3
Total	16	8	9	6	3	4	5	4	5	2	6
Ontario:											
Males	2	4	1	3	1	2
Females	2	1	3	2	3	2	3	1	1	4	3
Total	4	1	7	3	3	5	3	1	1	5	5
Oxford:											
Males	5	2	2	1	2	2	2	1	2	1
Females	3	6	4	2	1	1	1	3	2	5
Total	8	8	6	3	3	3	3	4	2	2	6
Peel:											
Males	1	1	1	1
Females	2	2	6	2	1	2	1	2	1	2
Total	2	2	6	3	2	2	2	2	1	1	2
Perth:											
Males	2	1	1	3	2	3	1	1	1
Females	3	4	2	1	4	1	2	2	1	3	4
Total	3	4	4	2	5	4	4	5	2	4	5
Peterborough:											
Males	1	2	2	1	2	2	1	4	2
Females	1	2	1	2	5	2	1	1
Total	1	3	4	1	3	2	7	3	1	4	3
Prescott and Russell:											
Males	1	2	1	3	3
Females	2	1	1	5	2	1	1	2	1	4
Total	3	3	1	6	2	4	1	5	1	4
Prince Edward:											
Males	3	1	2	3	2	3	3	1	3
Females	1	3	1	2	1	1	3
Total	3	2	5	4	4	4	4	3	1	3
Renfrew:											
Males	1	2	2	1
Females	1	2	2	1	2	2
Total	2	4	2	1	2	1	2	2
Simcoe:											
Males	3	1	1	1	1	1	1	2	2	1
Females	8	3	4	4	3	3	2	1	2	5	3
Total	11	4	5	5	4	4	3	1	4	7	4
Storn't, Dundas & Glengarry:											
Males	1	2	1	2	2	1	1	4
Females	1	4	2	2	2	2	3	4	1	5
Total	2	6	3	4	4	3	3	4	2	9

IN THE COUNTIES, 1882—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
2	2	...	3	...	2	3	4	2	2	6	1	4
4	2	2	1	3	2	3	...	3	1	2	1	3	2	1
6	4	2	4	3	4	3	...	6	5	4	3	9	3	5
2	4	1	3	2	...	3	...	4	2	1	3	3
1	1	3	2	3	2	2	2	1	2	1	2	...	1	1
3	5	4	5	3	2	4	2	4	2	5	4	1	4	4
2	3	1	4	1	3	...	4	2	1	2	2	2	4	2
1	1	1	...	1	3	1	2	2	2	1	3	2	1	...
3	4	2	4	2	6	1	6	4	3	3	5	4	5	2
...	2	...	1	...	1	1	...	1	...	1	2	3
3	1	2	2	3
3	2	...	1	...	2	1	...	3	2	4	2	3
2	4	2	1	2	5	3	...	1	5	2	1
4	1	1	2	2	1	1	2	1	2	1	4	2
6	5	3	3	2	1	1	4	6	5	...	1	6	6	3
...	1	1	4	1	3	1	1	2	3	3
3	2	2	...	1	1	1	1	1	1	1
3	1	1	6	2	...	2	4	2	1	1	2	3	3	3
...	...	1	2	...	2	2	1	3	1	1
1	1	2	3	...	2	2	1	1	1	2	2	1
1	1	3	5	...	4	2	1	3	2	2	2	3	1	2
1	2	1	3	1	1	1	1	1
1	3	2	1	1	...	3	2	1	1
2	5	3	3	1	1	2	2	1	3	2	1	1
1	...	1	1	1	1	...	1	3	2	2	1
...	1	...	2	1	1	1	1
1	1	1	3	1	1	1	2	3	2	2	1	...	1	1
1	1	4	3	...	4	2	1	1	1	1	4	3	3	1
2	7	3	7	2	3	1	1	4	1	1	3	1	1	...
3	8	7	10	2	7	3	2	5	2	2	7	4	4	1
1	1	2	...	2	1	1	2	2	...	1	2	1
1	2	1	...	2	4	1	1	3	...	1	...	1	...	1
2	3	3	...	4	5	2	3	5	...	2	...	1	2	2

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Northumberland and Durham :											
Males	6	3	3	1	2	3	3	3	6	1	1
Females	3	4	1	1	1	6	4	4
Total	9	3	7	1	3	4	9	7	6	1	5
Ontario :											
Males	1	3	4	1	1	1	3	2
Females	2	2	1	2	2	3	1
Total	3	2	3	5	3	3	1	6	3
Oxford :											
Males	2	1	3	3	2	2	1	2	2	2
Females	2	2	1	1	2	5	1	2	2	4
Total	4	3	4	1	5	7	3	3	4	6	2
Peel :											
Males	1	4	1	1	2	2	2	5	2
Females	2	2	1	2	2	2
Total	1	6	3	1	3	4	2	5	4	2
Perth :											
Males	1	1	2	1	4	2	3	3	2	3	2
Females	1	1	3	3	1	4	2	1
Total	1	2	3	4	7	3	7	5	3	3	2
Peterborough :											
Males	2	2	1	1	5	1	2
Females	1	2	1	1	1	2	2	2	3
Total	1	2	4	2	2	1	2	7	3	5
Prescott and Russell :											
Males	1	2	1	1	1	2	4	2	2
Females	2	2	2	1	1	1	1	2
Total	3	4	1	3	2	3	5	3	4
Prince Edward :											
Males	1	1	1	2	1	1	3	2	2
Females	1	1	1	1
Total	1	1	2	1	2	1	2	3	3	2
Renfrew :											
Males	3	1	1	4	3	5
Females	1	1	1	2	3	2
Total	1	4	1	1	1	6	6	7
Simcoe :											
Males	4	1	2	2	3
Females	1	1	2	1	1	1
Total	5	2	2	2	2	1	1	4
Storm't, Dundas & Glengarry :											
Males	1	1	1	3	1	3	3	2
Females	2	1	3	1	1	1	1	4	1	5
Total	3	1	4	2	1	1	4	1	7	4	7

IN THE COUNTIES, 1882—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
4 4	4 2	4 3	1 5	3 4	4 1	...	4 6	3 4	6 3	3 5	3 3	4 5	5 1	4 2
8	6	7	6	7	5	2	10	7	9	8	6	9	6	6
2 1 1	3	2	1 3	2 4	2 4	4 3	1 1	1 3	5 1	5 1	1 5 3	3 1
3	1	3	2	4	6	6	7	2	4	6	6	6	3	4
3 2	3 3	1 3	3 2	5 2	2 1	3 1	4 6	2 1	3 2	3 1	2 3	4 3	5 1	1 6
5	6	4	5	7	3	4	10	3	5	4	5	7	6	7
4 3	2 2 1	1 1	1 1	4	4 3	2 5	3 3	3	2 1	4	1 4
7	4	1	2	2	4	4	3	7	6	3	3	4	5
2 1	1	1 4	1	4 2	1 4 1	6 4 4	5 2	3 3	2 3	4 5	2 3	2 3
3	1	5	1	6	5	1	10	7	6	5	9	5	5
1 3	2 1	3 2	1 2	3	2 1	2 1	3	2	1 4	3 1	2 3	1 3
4	3	5	3	3	3	3	3	2	1	4	4	5	4
4	1	3 2	1	1	2 2 2	4	3 1	2	1	1	2	3 2	1 1
4	1	5	1	1	4	2	4	4	2	1	1	2	5	2
..... 1 2	2 2	3 2	3	2 1	3 2	2 1	1 1 1	2 3	3 3	1 1	2 2 2
1	2	4	5	3	3	5	3	2	1	5	6	2	4	2
1 1	1 3	1 1	1 1	1 2	1 2	1 1	2 2	4 1	1 3	3 2	2 2 1
2	4	2	2	3	3	2	4	5	4	5	4	1
3 4	2 1	1 4	2	4 2	4 2	2 3	2 2	3 1	1 2	1 1	7 4	3 3	1 4	6 4
7	3	5	2	6	6	5	4	4	3	2	11	6	5	10
1 3	2 1	5 5	1 1	1 2 3	2 3	5 1	2 2	1 4	3 3	4 3	2 1	5 3	3 1
4	3	10	2	3	3	5	6	4	5	6	7	3	8	4

TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Northumberland and Durham :											
Males	2	6	6	4	4	1	5	3	2	3	4
Females	2	3	3	5	5	1	3	6	3	2	4
Total	4	9	9	9	9	1	8	9	5	5	4
Ontario :											
Males	6	1	1	5			6	2	2	2	
Females	2	6		3	3	1	4	5	1		
Total	8	7	1	8	3	1	10	7	3	2	
Oxford :											
Males	4	6	4	8	4		5	1	1	2	
Females	2	3	6	2	5	3	3	1		1	2
Total	6	9	10	10	9	3	8	2	1	3	2
Peel :											
Males	1		6	3	4			2			
Females		2	2	1	3						1
Total	1	2	8	4	7			2			1
Perth :											
Males	2	2	2	1	7	2	1	3	1	1	
Females	3	3	3	3	1		1	3	2	1	
Total	5	5	5	4	8	2	2	6	3	2	
Peterborough :											
Males	2	1	1			1	3	1	1		
Females		2			2	2		1	1	1	
Total	2	3	1		2	3	3	2	2	1	
Prescott and Russell :											
Males	2	1	5	1	5		5	1	2	3	2
Females			2	1			2				
Total	2	1	7	2	5		7	1	2	3	2
Prince Edward :											
Males	4	2	1	3	2	1	2	2	2		1
Females	2		1	2	5	2	2	2		1	1
Total	6	2	2	5	7	3	4	4	2	1	2
Renfrew :											
Males	1		2	1	1	1		2	1	1	
Females	1	1	2	1	3		2				
Total	2	1	4	2	4	1	2	2	1	1	
Simcoe :											
Males	2	3	6	2	4	1	2	1	1		2
Females		1	3		2	1	1	1	2		1
Total	2	4	9	2	6	2	3	2	3		3
Storm't, Dundas & Glengarry :											
Males	2	2	7	2	8	1	2	1	4	3	2
Females	7	3	1	2	1	2	1	3	4	2	
Total	9	5	8	4	9	3	3	4	8	5	2

IN THE COUNTIES, 1882—Continued.

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
	2				1				1		1		11	347
	2			2		1			1					344
	4			2	1	1			2		1		11	691
1	1		2			1						1	13	251
	1		1			1							12	247
1	2		3			2						1	25	498
	1		1										9	311
	1					3			1				9	290
	2		1			3			1				18	601
	2	1											5	168
							2						7	166
	2	1					2						12	334
							3						7	265
		1			1	1				1			6	246
		1			1	1	3			1			13	511
		1	1					1					6	191
				1							1		5	168
		1		1				1					11	359
	3			1			1					1	3	225
										1			17	210
	3			1			1			1			20	435
	1	1							1				6	186
		2		1								1	3	162
1	1	3		1					1				9	348
		1										1	1	168
2	1												4	157
2	1	1											5	325
1	1						2		2				17	307
			1				1		1				10	312
1	1		1				3		3				27	619
2	2	1		1	1		1	1				1	21	253
1	1		2	1			1	1						287
3	3	1	2	2	1		2	2				1	21	540

TABLE H.—DEATHS BY AGES

COUNTIES.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Victoria :											
Males	50	6	5	7	2	1	3	4	1	1	3
Females	34	6	4	5	4	3	2	3	1	1
Total	84	12	9	12	6	4	5	4	4	2	4
Waterloo :											
Males	67	17	13	3	8	4	2	2	2	2
Females	46	21	13	15	3	4	9	5	2	4	3
Total	113	38	26	18	11	8	11	5	4	6	5
Welland :											
Males	39	7	5	5	1	2	1	3	3	1
Females	32	10	11	4	7	3	3	2	3	1	1
Total	71	17	16	9	8	5	4	5	6	2	1
Wellington :											
Males	83	12	16	13	9	3	4	1	5	4	1
Females	65	22	10	8	1	3	1	6	3	4	4
Total	148	34	26	21	10	6	5	7	8	8	5
Wentworth :											
Males	161	23	19	7	17	3	5	1	5	3	3
Females	142	20	14	10	10	8	6	2	1	6	2
Total	303	43	33	17	27	11	11	3	6	9	5
York :											
Males	393	82	44	34	13	14	8	5	11	6	2
Females	346	76	44	26	14	24	14	18	14	10	3
Total	749	158	88	60	27	48	22	23	25	16	5
Total Males	2630	616	409	266	216	163	126	104	98	81	72
" Females	2244	628	364	261	192	157	141	96	99	85	57
Grand Total.....	4874	1244	773	527	408	320	267	200	197	166	129

IN THE COUNTIES, 1882—*Continued.*

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1 2	1 1 1	2	1 1	... 1	1 1	3 5	1 2 4	4 2	2 1 2
3	2	1	2	2	1	2	8	3	4	6	3	2
1 3	1	3 3	2 2	2 4	1 3	5 1	3	3 2	2 4	2 2	3 3	2	2 3	1 2
4	1	6	4	6	4	6	3	5	6	4	6	2	5	3
2 1	2	1	1 1	1 1 2	2	2 2	2 2 5 5	1 2	2	1
3	2	1	1	1	2	2	2	4	4	5	5	3	2	1
1 2 2	3	3 2 3	3 3	1 5	1 1	1 2	3 5	4 5	4 5	5 5	2 4	3 4
3	2	3	5	3	6	6	2	3	8	9	9	10	6	7
1	3 2	4 2	2 3	2 3	2 2	5 1	3 4	6 6 3 4	4 10	3 8	4 8
1	3	2	6	5	5	4	6	7	12	3	4	14	11	12
9 4	6 10	3 2	6 10	5 8	6 13	14 13	7 13	10 13	5 11	17 13	8 9	16 12	15 4	9 7
13	16	5	16	13	19	27	20	23	16	30	17	28	19	16
46 46	54 69	58 54	57 80	55 79	81 85	79 89	90 93	97 108	74 105	96 114	91 131	95 126	86 100	69 103
92	123	112	137	134	166	168	183	205	179	210	222	221	186	172

TABLE H.—DEATHS BY AGES

COUNTIES.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Victoria :											
Males	1	1	1	3	1	1	1
Females	4	1	1	1	2	2	1	1
Total	5	1	1	1	1	4	3	3	2	1
Waterloo :											
Males	3	1	3	1	1	2	3	2
Females	2	3	1	2	3	1	2	3	2	1
Total	5	4	4	3	3	1	3	5	3	2	3
Welland :											
Males	1	1	2	4	2	2	2	1	2
Females	3	4	4	3	2	1	1	3	2	5
Total	4	5	6	7	4	2	3	2	3	2	7
Wellington :											
Males	1	4	3	2	1	4	1	3	1	3	2
Females	6	8	3	6	6	1	5	3	2	3
Total	7	12	6	8	7	5	6	6	3	6	2
Wentworth :											
Males	1	2	3	2	8	3	6	3	2	4	4
Females	8	8	8	4	4	3	4	7	5	6
Total	9	10	11	6	12	6	10	10	7	10	4
York :											
Males	15	15	16	9	7	7	9	5	6	11	10
Females	13	10	11	8	7	5	7	4	11	11	7
Total	23	25	27	17	14	12	16	9	17	22	17
Total Males	80	83	100	62	70	65	67	48	37	79	65
Total Females	119	99	111	86	90	63	85	80	71	81	79
Grand Total	190	182	211	148	160	128	152	128	108	160	144

IN THE COUNTIES, 1882—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
..... 3 4 1 1 1 1 1 2 1 1 1 1 1
3	4	1	2	3	1	1	2	4	1	1	4	1
1 1	1 3 1 3 2 3 2 1 3 2 3 1 3 1
2	4	1	3	3	6	3	2	7	3	4	2	3	5
1 1	1 3	1 1	2 1	2 1 1 3 2 1 1 2 2 3 2
2	4	2	3	2	1	1	3	3	1	1	5	3	3	2
1 3	1 2	1 6	3 1	2 6	1 3	3 2 1 2 2 3 1 2 1 5
4	3	7	4	8	4	5	1	4	3	6	1	3	2	5
3 5	2 2	6 6	3 4	2 2	2 1	1 5	5 3	6 4	2 1	5 4	6 3	6 5	5 6	5 3
8	4	12	7	4	3	6	8	10	3	9	9	11	11	8
8 4	9 9	10 5	15 5	5 4	6 8	4 5	6 2	18 12	5 4	6 7	12 4	7 7	3 13	3 6
12	18	15	20	9	14	9	8	30	9	13	16	14	16	9
55 73	60 73	47 71	89 60	47 68	62 65	39 52	49 39	91 68	58 61	67 48	65 60	64 49	77 70	63 38
128	133	118	149	115	127	91	88	159	119	115	125	113	147	101

TABLE H.—DEATHS BY AGES

COUNTIES.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Victoria :											
Males	2	1	3	2	3	1	1	3
Females.....	1	1	1	2	4	1	1	2	2	2
Total	3	1	1	4	4	4	4	2	3	2	5
Waterloo :											
Males	4	3	1	1	2	4	2	3
Females.....	1	1	2	2	4	2	1	3	3	3	1
Total	5	1	5	3	5	2	3	3	7	5	4
Welland :											
Males	1	1	1	2	2	2	1	1	2	1	1
Females.....	2	3	2	3	2	3	4	1	1
Total	3	4	3	5	4	2	4	1	6	2	2
Wellington :											
Males	3	2	3	2	2	1	4	2	1	7
Females	2	1	2	2	4	2	1	1
Total	5	3	5	2	2	1	6	4	4	2	8
Wentworth :											
Males	5	3	7	3	5	1	5	6	5	3	6
Females.....	3	2	4	4	3	2	4	5	4	6	5
Total	8	5	11	7	8	3	9	11	9	9	11
York :											
Males	4	7	8	9	7	4	5	4	8	8	8
Females.....	4	12	9	7	4	6	13	7	2	2	8
Total.....	8	19	17	16	11	10	18	11	10	10	16
Total Males.....	82	64	71	72	72	56	72	63	113	57	100
Total Females.....	51	50	56	68	52	48	78	54	77	54	71
Grand Total.....	133	114	127	140	124	104	150	117	190	111	171

IN THE COUNTIES, 1882—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
.....	1	2	2	1	1	3	2	3	2	1
3	1	1	1	2	1	2	1
3	2	3	2	1	1	3	3	1	2	5	2	2
3	2	4	3	2	1	4	3	8	5	3	8	5
2	1	2	1	1	3	3	3	4	2	3	7	3
5	3	6	1	4	5	4	7	7	10	8	3	15	3	5
3	1	6	1	2	2	1	4	1	1	1	1	4
1	2	1	4	1	1	3	1	1	1	2	6	1	2	2
4	3	7	5	3	3	4	5	1	2	3	7	2	6	2
4	2	4	3	3	6	3	7	3	4	4	4	6	6
6	5	4	1	5	4	7	1	4	3	4	4	1	4
10	2	9	7	4	11	7	14	4	8	7	4	5	7	10
3	4	4	6	8	3	7	5	4	5	7	3
2	3	3	4	3	6	2	5	2	4	5	3	8	8	4
5	7	3	8	9	6	2	13	5	11	10	7	13	15	7
4	3	11	9	7	18	7	13	7	17	9	4	5
4	8	6	7	2	4	2	10	7	15	7	18	9	13	7
8	11	17	16	9	4	2	28	14	28	14	35	18	17	12
100	74	99	77	99	87	63	150	72	124	105	117	111	110	85
82	55	95	79	59	83	66	101	50	92	89	106	100	93	91
182	129	194	156	158	170	139	251	122	216	194	223	211	203	176

TABLE H.—DEATHS BY AGES

COUNTIES.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Victoria :											
Males	5	2	2	1	1	1	1
Females.....	2	1	3	3	4	1
Total	7	2	2	1	4	1	3	5	2
Waterloo :											
Males	4	1	1	3	3	4	2	5	3	1	2
Females.....	5	2	3	1	3	3	3
Total	9	3	4	4	6	4	5	5	3	1	5
Welland :											
Males	1	1	2	2	4	1
Females.....	2	4	2	1	1	1
Total	1	2	5	4	3	5	1	1
Wellington :											
Males	2	3	5	1	5	7	4	4	1	2
Females.....	4	5	6	3	4	1	1	2	3	2
Total	6	8	11	4	9	8	5	6	4	4
Wentworth :											
Males	2	3	5	7	4	8	4	2	2	1	2
Females.....	4	4	4	4	3	4	2	1	2
Total	6	7	9	11	7	8	4	6	4	2	4
York :											
Males	11	6	14	6	13	7	2	2	6	5	2
Females.....	14	11	13	8	12	1	6	3	4	3	4
Total	25	17	27	14	25	8	8	5	10	8	6
Total Males	114	68	118	85	118	58	90	67	62	43	35
Females.....	96	78	99	59	96	36	60	63	48	35	38
Grand Total.....	210	146	217	144	214	94	150	130	110	78	73

IN THE COUNTIES, 1882—*Concluded.*

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
.....	1	1	1	1	2	1	2	173
.....	161
.....	1	1	1	1	2	1	2	334
.....
.....	2	1	1	1	293
1	1	286
1	2	2	1	1	579
.....
.....	1	1	1	175
2	1	1	210
2	1	1	2	1	385
.....	1	1	8	367
.....	2	2	2	353
.....	2	2	2	1	1	8	720
.....
1	1	1	7	541
.....	1	2	1	524
1	1	1	3	1	7	1065
.....
2	1	1	1	1	1241
3	4	2	1	2	3	2	1	1	2	9	1222
5	5	2	2	3	3	3	1	1	2	9	2463
.....
24	41	13	14	11	5	10	13	5	12	2	3	12	319	11235
16	26	16	12	23	7	14	10	5	7	4	1	7	244	10565
40	67	29	26	34	12	24	23	10	19	6	4	19	563	21800

H. S. CREWE,

Inspector.

THE CITIES AND TOWNS, 1882.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1		1			2						1	3		
		1	1	1	1		1				1		2	
1		2	1	1	3		1				2	3	2	
							2							
								2				1		
							2					1		
1					1		1				1			2
1					1		1				1	1		2
			1	1					1	1	2		1	1
			1	1					1	1	2		1	2
												2		
1								1						
1								1				2		
	1		2	1	3		2	3		3		1		3
		1	2	3		1		2	4	2	2	1		2
	1	1	4	4	3	1	2	5	4	5	2	2		5
		1												
		1						1					1	1
		1						1					1	1
							1							
							1				1			
		1	2	1			1	1		1	2		1	
	1	1	1	1		1	1		1			1	3	
	1	2	3	2		1	2	1	1	1	2	1	4	
					1									
					1	1	1				1			
					1	1	1				1			

TABLE I.—DEATHS BY AGES IN THE

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Brantford :											
Males										1	
Females			2						1		
Total			2						1	1	
Walkerton :											
Males											
Females			1								
Total			1								
Orangeville :											
Males										1	
Females											
Total										1	
St. Thomas :											
Males		1						1			
Females	1					1		1			
Total	1	1				1		2			
Sandwich :											
Males											
Females											
Total											
Kingston :											
Males	1	1	1	1	2		1	1		1	2
Females	1	1			2	2	1	3			3
Total	2	2	1	1	4	2	2	4		1	5
Owen Sound :											
Males			2								
Females			1			1	1				
Total			3			1	1				
Cayuga :											
Males											
Females			1								
Total			1								
Milton :											
Males											
Females											
Total											
Belleville :											
Males			2							1	
Females	1			2		2					
Total	1		2	2		2				1	
Goderich :											
Males						1				1	1
Females			1				1				
Total			1			1	1			1	1

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Brantford :											
Males	1			4		2		1	1		
Females	1						1		1	1	1
Total	2			4		2	1	1	2	1	1
Walkerton :											
Males											
Females											
Total											
Orangeville :											
Males											
Females											
Total											
St. Thomas :											
Males		1	1		1			1			
Females								1			1
Total		1	1		1			2			1
Sandwich :											
Males											
Females											
Total											
Kingston :											
Males	4		1	3	2				2	2	2
Females				1	1		3	1	2		2
Total	4		1	4	3		3	1	4	2	4
Owen Sound :											
Males				1							
Females											1
Total				1							1
Cayuga :											
Males						1					1
Females											
Total						1					1
Milton :											
Males					1						
Females											
Total					1						
Belleville :											
Males						1	2	1	1		
Females	2	1		1		1	2	1	2		
Total	2	1		1		2	4	2	3		
Belleville :											
Males								1			
Females								1		1	1
Total								2		1	1

THE CITIES AND TOWNS, 1882—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
1	1	1	1	2	1	1	2	1	1	3
.....	1	1	1	1	1	3	2
1	1	1	2	2	2	2	1	3	1	1	3	3	2
1	1	1
1	1	1
.....	1	1
1	1	1
1	1	1
.....
.....	1
.....	1
2	2	1	3	1	1	1	1	1	1	3	2	1
.....	1	1	1	2	2	1	2
2	3	2	1	3	1	3	1	3	1	2	3	3	3
.....	1	1
1	1	2	1	1
1	1	1	1	2	1	1
.....	1
.....	1
.....	2	1	1
.....	1
.....	2
.....
2	2	2	2	3	2	1	1
.....	1	3	1	2	1
2	3	5	2	4	2	2	1	2
.....	1	1
.....	1
.....	1	1	1

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Brantford :											
Males	1	1	1	1	1	1	1	2			
Females	1		1		1		1		2		
Total	2	1	1	1	1	2	2	2			
Walkerton :											
Males											
Females											
Total											
Orangeville :											
Males							1				
Females											
Total							1				
St. Thomas :											
Males									1		
Females											
Total									1		
Sandwich :											
Males											
Females											
Total											
Kingston :											
Males	2	1	1			2			1		2
Females		1	3		1	1	1	1	1	1	1
Total	2	2	4		1	3	1	1	2	1	3
Owen Sound :											
Males											
Females											
Total											
Cayuga :											
Males											
Females											
Total											
Milton :											
Males											
Females											
Total											
Belleville :											
Males	1		1		2		1				1
Females				2		2					
Total	1		1	2	2	2	1				1
Goderich :											
Males		1			1						1
Females			1			1			1		1
Total		1	1		1	1			1		2

THE CITIES AND TOWNS, 1882—Continued.

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
	1													83
														73
	1													156
														11
														8
														19
													2	15
		1											2	15
		1											4	30
								1					2	45
													3	37
								1					5	82
														6
														6
														12
	1	1		2									17	146
													22	167
	1	1		2									39	313
								1						39
														34
								1						73
														5
														3
														8
														8
														7
														15
	2		1											91
													1	80
	2		1										1	171
												1		24
														24
												1		48

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Chatham :											
Males	15	5			1						1
Females	10	2	1	1		1					
Total	25	7	1	1	1	1					1
Sarnia :											
Males	9	3									
Females	5	3								1	
Total	14	6								1	
Ottawa :											
Males	302	56	22	17	13	6	6	1	4	8	
Females	273	63	13	10	13	12	4	4	3		
Total	575	119	35	27	26	18	10	5	7	8	
Brockville :											
Males ..	13	4	7	2	6	1	1	1		1	1
Females	12	8	5	3	1	2	2	1	1		
Total	25	12	12	5	7	3	3	2	1	1	1
Perth :											
Males	3	2	2			1	1	1			
Females	2	2				1					
Total	5	4	2			2	1	1			
Napanee :											
Males	7	1		1	1						
Females	7	1	2		1		1	2		1	
Total	14	2	2	1	2		1	2		1	
St. Catharines :											
Males	23	2		2	1		2				1
Females	9	5	1		3		1	1	2	1	
Total	32	7	1	2	4		3	1	2	1	1
London :											
Males	58	8	4	2	3	4		1	1		
Females	48	2	2	3	1	1	2				2
Total	106	10	6	5	4	5	2	1	1		2
Simcoe :											
Males	3				2					1	
Females	1	2									
Total	4	2			2					1	
Cobourg :											
Males	2	1	1								1
Females	3	3		1						1	
Total	5	4	1	1						1	1
Whitby :											
Males	3		1		1						
Females	3	2		2							1
Total	6	2	1	2	1						1

THE CITIES AND TOWNS, 1882—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
.....	1	1	1	1	1	1
.....	1	1	1	2	2
.....	2	2	1	2	1	2	3
.....	1	1	1	1
.....	1	1	1	1	1
.....	2	3	1	4	4	4	2	4	4	5	8	3	2
1	4	3	1	3	2	2	8	5	3	3	5	7	6	7
1	6	6	1	4	6	6	12	7	7	7	10	15	9	9
1	1	1	1	1	1	1
.....	1	1	1	2	2	1
1	2	1	1	1	1	1	3	2	1	1
.....	1	1	1
.....	1	1	1
.....	1	1	1	1	1	1
1	1	1	1	2	1	1	1
1	1	1	1	1	2	2	1	1
1	2	1	1	1	1	3	3
1	2	1	1	3	1	1	1	3	3
.....	1	1	1	1	1	2	1	1	3	1	3	1
.....	1	1	3	1	2	3	2	3	1	1	1	4	1	1
.....	1	2	4	2	2	3	3	5	2	2	4	5	4	2
.....	1	1	1	1	1
.....	1	1	1	1	1
.....	1	1	1	1	2
.....	1	1	1	1	1	2
.....	1	1	1	1	1	2	1	1
.....	1	1	1	1	1	3	1	1

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Chatham :											
Males					1		1			1	1
Females	2										
Total	2				1		1			1	1
Sarnia :											
Males			1			1		1			
Females	1										
Total	1		1			1		1			
Ottawa :											
Males		2	7	4	3	6	2		2	2	3
Females	5	2	5	3	4	3	4		4	2	1
Total	5	4	12	7	7	9	6		6	4	4
Brockville :											
Males		2	1							2	1
Females	2		1	1	3		1		1	2	
Total	2	2	2	1	3		1		1	4	1
Perth :											
Males											
Females											
Total											
Napanee :											
Males					1		2				
Females			1						1		
Total			1		1		2		1		
St. Catharines :											
Males	1	1	1		2					1	
Females	1	1			1			3			
Total	2	2	1		3			3		1	
London :											
Males	2	2	1	3	1	2	1	1	1	2	1
Females		1		2	1			1	2		1
Total	2	3	1	5	2	2	1	2	3	2	2
Simcoe :											
Males	1										
Females										2	
Total	1									2	
Cobourg :											
Males			1	1		1				1	
Females			1								
Total			2	1		1				1	
Whitby :											
Males											
Females		1		1		1				1	1
Total		1		1		1				1	1

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Chatham :											
Males			1		1	1	1		1		
Females		1	1		2		1				
Total		1	2		3	1	2		1		
Sarnia :											
Males	1						1			1	
Females	1		2								
Total	2		2				1			1	
Ottawa :											
Males	1	3		2		3	2	1	8		4
Females	2	4	1	3	2	1	4	3	4	2	1
Total	3	7	1	5	2	4	6	4	12	2	5
Brockville :											
Males		2	1	1	2					1	1
Females		1				1			3	1	
Total		3	1	1	2	1			3	2	1
Perth :											
Males						1					
Females											1
Total						1					1
Napanee :											
Males					1			1			1
Females						1					
Total					1	1		1			1
St. Catharines :											
Males	1	1	1			2	1	2	2	1	1
Females				4	1	1	1				
Total	1	1	1	4	1	3	2	2	2	1	1
London :											
Males	1		3	1	2	1		4	2		1
Females	2		1			2	1	2	1		
Total	3		4	1	2	3	1	6	3		1
Simcoe :											
Males										1	
Females		1									
Total		1								1	
Cobourg :											
Males	1	1	1					1	1		1
Females			2								
Total	1	1	3					1	1		1
Whitby :											
Males									1		1
Females					1						
Total					1				1		1

THE CITIES AND TOWNS, 1882.—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
1	1						1			1			1	
1	1						1			1			1	
												1		
												1		
3	1	2	3	5			3	2	5	3	2	1	1	3
2	2	4	1	4	4	2	3	1	5	1	3		1	2
5	3	6	4	9	4	2	6	3	10	4	5	1	2	5
		1			1		2		1		2			
		2	1				1				1	1		
		3	1		1		3		1		3	1		
					1									
		1			1									
		1			2									
2			1							1				
1	1	2		1						2	1			1
3	1	2	1	1						3	1			1
2					1	2	4							
	1			1	2		2			1		4	2	1
2	1			1	3	2	6			1		4	2	1
3	1	2	2			1	1	1		2	2	3		
2		1		1	1		1	1	1	1	1	2	2	2
5	1	3	2	1	1	1	2	2	1	3	3	5	2	2
	1					1	1				1	2		
	1					1	1			1	1	2		
	1	1		1			1			1				
	1	2		1			2			1		1		
						1				2			1	1
						1					1		1	
				1						2				
						2				2	1		1	1

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Woodstock :											
Males	6	2	2	2	1
Females	5	1	1	1	2	1
Total	11	3	1	2	1	2	2	2
Brampton :											
Males	9	3	1	1
Females	13	3	2	2
Total	22	3	3	3	3
Stratford :											
Males	7	4	1	2	1
Females	5	3	1	2	1
Total	12	7	1	1	2	2	1	1
Peterborough :											
Males	9	1	1	1
Females	3	5	1	1
Total	12	6	1	1	1	1
Picton :											
Males	1	3	1	1	1	1	1	1
Females	2	1	2	2	2	1
Total	3	4	3	3	1	2	1	2	1
Pembroke :											
Males	9	7	1
Females	7	1	1	2
Total	16	8	1	2	1
Barrie :											
Males	9	1	1
Females	4	1	2	2	1	1
Total	13	1	3	2	2	1
Cornwall :											
Males	13	2	2	1
Females	4	5	1
Total	17	7	3	1
Lindsay :											
Males	5	2	1	1	1	1	1
Females	5	1	1
Total	10	3	1	1	1	1	1	1
Berlin :											
Males	10	2	1	1	1	1	1
Females	5	3	1	2	2	1	1	3
Total	15	5	2	2	1	3	2	2	3
Guelph :											
Males	36	7	7	1	1	1	2	1
Females	16	5	2	1	1	1	3	2
Total	46	12	7	3	1	1	3	1	1	3	3

THE CITIES AND TOWNS, 1882—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
									1				1	
									1					
									2				1	
								2		1		1		
							1	2	1	1	1			
							1	2	1	1	1	1		
										1				
										1				
		1	1	2	1			1			1		1	1
		1	1	2	2			1		1	1		1	1
									2				1	
		1		1		1						1		
		1		1		1			2			1	1	
		1	1				1		2				1	2
							1						1	2
	1				1	1					1	1		1
	1				2	1					1	1		1
	2	1	1	1		1	1				5	1	1	
	2	3	1	1		1	1	1			5	1	2	
1							1			2				
1							1		1	2				
1					1							1	1	1
1					1						1	1	1	1
1		1	2	1	1				1	1	2	1		2
1		1	3	1	2			1	4	2	2	2		3

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Woodstock :											
Males				1							
Females		1		1				1			1
Total		1		1				1			1
Brampton :											
Males					1						
Females		1		1		1					
Total		1		1	1	1					
Stratford :											
Males			2	1		2		1			
Females		2	1							1	
Total		2	3	1		2		1		1	
Peterborough :											
Males			1				1	1		3	2
Females		1				1		1			
Total		1	1			1	1	2		3	2
Picton :											
Males				2						1	
Females			1						1		
Total			1	2					1	1	
Pembroke :											
Males			1								
Females					1	1					
Total			1		1	1					
Barrie :											
Males				1						2	
Females											
Total				1						2	
Cornwall :											
Males		1								1	
Females											
Total		1								1	
Lindsay :											
Males							1				
Females								1			
Total							1	1			
Berlin :											
Males	1		1								
Females	1							1			
Total	2		1					1			
Guelph :											
Males			2	1						2	
Females	1	1		1			1			1	
Total	1	1	2	1			1			3	

THE CITIES AND TOWNS, 1882—Continued.

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
1			1				2	2					1	
1			1				2	3					1	
2	1				1					2	1	1		3
2	1				1					2	1	2		3
		1	1			1		3			1	1	1	
		1	1			1		3			1	1	1	
1	1	1	1			1	2				1		1	
1	1	1	2			1	3				1		1	
		1	1				1							
		1	1				1							
		1	1				1							
				1			1	2						
				1			1	2						
		1	2		2						1		1	1
		1	2		2						1		1	1
	1			1				1						
	1			1				1						
	1						1		1		1		1	
	1						1		2		1		2	
	1			1								1	1	1
	1			1								1	1	1
1	1	1		1	3	2	1	1	1			1		2
1	1	1		4	2	1	1	1	1			1		2

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Woodstock :											
Males	1		1		1					1	1
Females				1		2	1		1	1	
Total	1		1	1	1	2	1		1	2	1
Brampton :											
Males		3				1	2		3		
Females						1	1				
Total		3				2	3		3		
Stratford :											
Males			1					2		1	
Females			1	2			1				
Total			2	2			1	2		1	
Peterborough :											
Males				2						1	
Females								1		1	2
Total				2				1		2	2
Picton :											
Males	1										
Females											
Total	1										
Pembroke :											
Males										1	2
Females									1	1	
Total									1	2	2
Barrie :											
Males	2		1		1						
Females											
Total	2		1		1						
Cornwall :											
Males							1		1		
Females			1								1
Total			1				1		1		1
Lindsay :											
Males	1			1				1	1		
Females					1				1	1	1
Total	1			1	1			1	2	1	1
Berlin :											
Males	2		1						1		1
Females					1						
Total	2		1		1				1		1
Guelph :											
Males			2			1	1				1
Females	1										
Total	1		2			1	1				1

THE CITIES AND TOWNS, 1882—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
				1			1				1	1		1
1				1			1				1	1		1
1			1	1					1	2		2		2
1									2	2				2
2			1	1					1	4		2		2
1		1		2	1		1							1
				1	1		1			1		1		
1		1		3	2		2			1		1		1
		2	1	1					1				1	
1		1	1				1				1	1	1	3
1		3	2	1			1		1		1	1	2	3
								1					2	
		1				1	1	1	1				1	
		1				1	1	2	1				3	
												1		
												1		
	1		1		2						2	1		
1					1	1						1		
1	1		1		3	1					2	2		
		1			1				2				1	
		1			1				2				1	
			1	1						1				
1			1	1						1				
	1	1			1		1		2	1	1	3		1
		1						1		1		1		
	1	2			1		1	1	2	2	1	4		1
							3						1	1
2		3				1	2			1	1			
2		3				1	5			1	1		1	1

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Woodstock :											
Males			2	1	1		1		1		
Females											
Total			2	1	1		1		1		
Brampton :											
Males	1		2	1	1						
Females											1
Total	1		2	1	1						1
Stratford :											
Males	1										
Females		1		1							
Total	1	1		1							
Peterborough :											
Males		1				1					
Females					1				1		
Total		1			1	1			1		
Picton :											
Males	1								1		
Females	1			1	1	2					1
Total	2			1	1	2			1		1
Pembroke :											
Males					1						
Females						1					
Total					1	1					
Barrie :											
Males			1	1							
Females			1								
Total			2	1							
Cornwall :											
Males			1		1				1		
Females	1			1							
Total	1		1	1	1				1		
Lindsay :											
Males									1		
Females							1				
Total							1		1		
Berlin :											
Males						2			2		1
Females			1								
Total			1			2			2		1
Guelph :											
Males	1		1		1				1		
Females			4		1				1	2	
Total	1		5		2				2	2	

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 years.	6 years.	7 years.	8 years.	9 years.	10 years.
Welland :											
Males	1										
Females	2								1		1
Total	3								1		1
Hamilton :											
Males	122	15	8	3	4		3	3	3	3	3
Females	93	19	15	7	9	7	5	1	1	2	2
Total	215	34	23	10	13	7	8	4	4	5	5
Toronto :											
Males	260	68	45	28	16	11	8	6	5	4	2
Females	270	62	30	24	16	18	8	13	4	6	2
Total	530	130	72	52	32	29	16	19	9	10	4
Total Males	1030	234	116	69	62	34	35	22	19	22	15
Total Females	902	237	93	71	53	57	38	25	18	20	10
Grand Totals	1932	471	209	140	115	91	73	47	37	42	25

THE CITIES AND TOWNS, 1882—Continued.

11 years.	12 years.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 years.	21 years.	22 years.	23 years.	24 years.	25 years.
1	1
1	1
1	1	2	1	4	2	3	3	3	2
.....	1	2	2	1	4	3	2	6	3	3
1	1	3	3	2	5	6	6	2	9	6	5
4	5	5	5	3	3	3	6	8	1	11	6	11	11	7
.....	2	1	1	10	10	6	11	10	9	7	9	2	11
4	5	7	6	4	13	13	12	19	11	20	13	20	13	18
11	11	16	15	12	18	9	28	22	19	29	23	35	29	23
5	14	14	16	18	24	24	27	35	33	23	35	41	26	37
16	25	30	31	30	42	33	55	57	52	52	58	76	55	60

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	26 years.	27 years.	28 years.	29 years.	30 years.	31 years.	32 years.	33 years.	34 years.	35 years.	36 years.
Welland :											
Males						1					
Females											1
Total						1					1
Hamilton :											
Males	1	1	2	1	5	2	3	2		3	3
Females	5	5	5	3	2	1	1	5	3	4	
Total	6	6	7	4	7	3	4	7	3	7	3
Toronto :											
Males	6	7	6	6	6	6	11	5	6	9	8
Females	8	7	8	7	4	3	13	2	7	8	6
Total	14	14	14	13	10	9	24	7	13	17	14
Total Males	13	18	32	21	21	22	22	13	9	33	22
Total Females	29	24	29	23	19	17	24	19	20	23	14
Grand Totals	42	42	61	44	40	39	46	32	29	56	36

THE CITIES AND TOWNS, 1882—*Continued.*

37 years.	38 years.	39 years.	40 years.	41 years.	42 years.	43 years.	44 years.	45 years.	46 years.	47 years.	48 years.	49 years.	50 years.	51 years.
.....	1
.....	1
2 4	1 1	3 3	2 1	1 1	1 2	1 2	3 2	2 4	3 2	4 4	3 3	2 1
6	2	6	3	2	1	2	3	5	6	5	8	6	3
6 3	8 8	9 4	13 4	3 3	4 7	3 3	4 1	2 9	5 2	5 3	10 5	5 5	13 11	3 3
9	16	13	17	6	11	6	5	11	7	8	15	10	24	6
19 26	23 23	20 24	30 23	17 12	19 19	11 11	18 9	21 18	12 12	19 16	23 17	23 18	37 25	16 9
45	46	44	53	29	38	22	27	39	24	35	40	41	62	25

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	52 years.	53 years.	54 years.	55 years.	56 years.	57 years.	58 years.	59 years.	60 years.	61 years.	62 years.
Welland :											
Males						1					
Females											
Total						1					
Hamilton :											
Males	3	3	4	3	3	1	3	4	3	4
Females	1	1	1	2	3	1	2	3	1	2	3
Total	4	4	5	5	6	2	5	7	4	2	7
Toronto :											
Males	6	5	4	6	5	3	4	2	8	4	7
Females	3	10	7	7	1	4	1	2	8	4
Total	9	15	11	13	6	7	5	4	16	4	11
Total Males	26	19	23	24	20	19	18	22	36	14	29
Total Females	13	19	17	21	13	15	19	15	25	11	19
Grand Totals	39	38	40	45	33	34	37	37	61	25	48

THE CITIES AND TOWNS, 1882—Continued.

63 years.	64 years.	65 years.	66 years.	67 years.	68 years.	69 years.	70 years.	71 years.	72 years.	73 years.	74 years.	75 years.	76 years.	77 years.
1			1						1					
1			1						1					
2	2	3	2	5		4	2	1	1	5	3	1	2	1
.....	3	1	2	1	3	1	3	3	3	2	4	5	1
2	5	4	4	6	3	5	5	1	4	8	5	5	7	2
9	3	11	6	5	3	8	7	2	10	5	4	4	2	3
12	5	4	4	1	2	1	8	3	4	5	6	4	11	4
21	8	15	10	6	5	9	15	5	14	10	10	8	13	7
28	13	31	21	24	16	21	30	11	25	24	23	26	13	15
30	14	27	14	14	20	10	29	9	20	24	21	21	31	22
58	27	58	35	38	36	31	59	20	45	48	44	47	44	37

TABLE I.—DEATHS BY AGES IN

CITIES AND TOWNS.	78 years.	79 years.	80 years.	81 years.	82 years.	83 years.	84 years.	85 years.	86 years.	87 years.	88 years.
Welland :											
Males											
Females											
Total											
Hamilton :											
Males		2	3	2	1	3	1	1			1
Females	2	1	3	1	1			1	1	1	
Total	2	3	6	3	2	3	1	2	1	1	1
Toronto :											
Males	3	2	2	2	2	3	2		3	3	
Females	1	3	9	1	7		2	2	3		
Total	4	5	11	3	9	3	2	2	6	3	
Total Males	16	15	17	11	10	14	8	6	11	7	5
Total Females	11	11	32	8	20	8	11	11	15	4	6
Grand Totals	27	26	49	19	30	22	19	17	26	11	11

THE CITIES AND TOWNS, 1882—*Concluded.*

89 years.	90 years.	91 years.	92 years.	93 years.	94 years.	95 years.	96 years.	97 years.	98 years.	99 years.	100 years.	Over 100 years.	Unknown.	Total.
														4
														10
														14
						2							1	319
														318
						2							1	637
1			2			1							9	879
1	3	1	1				1						9	851
2	3	1	3			1	1						18	1730
1	6	1	5		1	1	5	1	1			2	48	3255
4	7	3	2	4	1	2	4	1			1	1	47	3106
5	13	4	7	4	2	3	9	2	1		1	3	95	6361

H. S. CREWE,
Inspector.

TABLE J.—DEATHS

COUNTIES.	Agents.		Artists.		Brickmakers.		Blacksmiths.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay							2	73
Brant	1	23					3	188
Bruce	1	30	1	22	1	32	1	84
Carleton	1	39					3	95
Dufferin	1	35						
Elgin	2	81					1	41
Essex	1	40					1	54
Frontenac	1	55	1	37			4	203
Grey	1	27					3	157
Haldimand								
Halton							1	82
Hastings	1	35			2	92	5	309
Huron	1	57					4	164
Kent							1	47
Lambton	1	61	1	27	1	76		
Lanark			1	46				
Leeds and Grenville							2	160
Lennox and Addington			1	28			1	32
Lincoln	1	35						
Middlesex	4	147			1	54	2	139
Muskoka and Parry Sound								
Norfolk							3	267
Northumberland and Durham	3	109					2	53
Ontario	1	38					1	70
Oxford	1	66			1	67	4	196
Peel							1	78
Perth	3	131			1	50	1	33
Peterborough							1	44
Prescott and Russell							3	175
Prince Edward	1	29	1	76			2	111
Renfrew	1	28					2	87
Simcoe	2	92					2	50
Stormont, Dundas and Glengarry							5	364
Victoria	1	44					1	72
Waterloo	2	90					3	132
Welland							3	139
Wellington	2	118					3	107
Wentworth	3	197	1	69			5	244
York	5	248			1	25	6	337
Totals	42	1855	7	305	9	474	81	4309

BY OCCUPATIONS, 1882.

Brewers and Distillers.		Bricklayers.		Barbers.		Butchers.		Bookkeepers, Salesmen, and Clerks.		Bankers.		Bakers, and Confectioners.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
								1	25			1	63
2	94							2	76				
							1	65	4	185			
										1	43		
				1	52			3	125				
						1	21	2	63			2	71
				1	24			3	104			2	104
								2	81				
								1	31			1	72
1	84	1	57			1	32	5	208				
		1	37					2	129			2	92
								1	25				
								2	50				
				1	35	1	82	3	137				
		1	67					1	21				
		1	49	3	146	3	127	3	68	1	68		
								7	328	1	40		
								1	36				
								1	31				
1	78						2	87	1	58		1	28
		1	42	1	27			2	53				
						1	29	1	27	1	57	1	27
				1	22	1	51	1	24			1	74
								1	50				
								2	79	1	21		
								1	42	1	68	1	41
								1	21			1	90
		1	25										
				1	32								
1	70											1	31
1	31	4	272	2	73	4	224	13	529			4	221
						4	180	27	832	1	63	6	253
6	357	10	549	11	411	22	1076	92	3309	7	360	24	1167

TABLE J.—DEATHS BY

COUNTIES.	Carpenters.		Cabinet-makers.		Coopers.		Cooks.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay								
Brant	4	234						
Bruce	8	501	4	186				
Carleton	7	409						
Dufferin								
Elgin					1	73		
Essex	5	159					2	46
Frontenac	9	575						
Grey	3	153	1	66				
Haldimand								
Halton	5	351						
Hastings	6	335	1	29				
Huron					1	24		
Kent	4	107	1	43				
Lambton	3	137	1	52			1	58
Lanark	2	126						
Leeds and Grenville	4	254			1	27		
Lennox and Addington	4	281	1	76				
Lincoln	6	289			3	180		
Middlesex	13	567	1	51	2	108		
Muskoka and Parry Sound								
Norfolk	6	327	2	92	1	60		
Northumberland and Durham	8	505	1	37	2	106		
Ontario	5	276			1	81		
Oxford	5	302			1	34		
Peel					1	74		
Perth	2	103						
Peterborough	1	65			2	75		
Prescott and Russell	1	63						
Prince Edward	2	124			2	98		
Renfrew	4	258						
Simcoe	5	244			3	182		
Stormont, Dundas and Glengarry	1	73						
Victoria	4	232						
Waterloo	2	131	1	26	6	401		
Welland	6	236						
Wellington	5	187						
Wentworth	7	411	1	59	2	171	1	29
York	26	1359	6	223	3	191	3	134
Totals	173	9374	21	940	32	1885	7	267

OCCUPATIONS, 1882—Continued.

Chemists and Druggists.		Clergymen.		Contractors and Builders.		Carriage and Waggon Makers.		Dentists.		Engineers.		Editors.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
											1	21	
		1	42	1	27	1	21						
		2	65	2	161								
		1	29							1	49		
1	45	1	81			2	134						
1	25	2	139			1	75			3	167	1	41
1	45	3	126	1	65								
1	60	2	102			1	49						
1	34	1	63	1	67					2	150		
						2	105						
						1	56			4	181		
2	111									3	95		
		1	58	1	46								
		1	71			3	149			2	82		
				1	49			1	70	2	73		
2	54	3	194	2	120	1	36			2	61		
										1	28		
1	28					1	35						
		1	85										
		1	84			2	86			1	56		
										1	51		
						1	45			1	50		
1	21					2	99						
		2	94							2	72		
		1	52										
		2	153			1	77						
				1	44					3	99		
		1	71			1	22						
		3	164			1	70			3	147		
2	56	9	626	8	437	1	50			2	97		
13	479	38	2299	18	1016	22	1109	1	70	34	1479	1	41

TABLE J.—DEATHS BY

COUNTIES.	Farmers.		Farmers' Wives.		Gardeners.		Gentlemen.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay	19	1126	16	754				
Brant	48	3120	23	1329			5	316
Bruce	92	5850	59	3482			3	141
Carleton	58	3668	42	1706	2	143	3	205
Dufferin	37	2253	26	1460			1	71
Elgin	47	3016	24	1437				
Essex	63	3818	46	2515			2	140
Frontenac	54	3361	23	1522			4	306
Grey	81	4805	64	3643	1	84	2	97
Haldimand	50	3123	50	2683				
Halton	27	1508	26	1755			7	498
Hastings	64	4432	45	3123	4	218	5	334
Huron	112	6709	68	4051	1	70	11	736
Kent	81	4912	53	2960	2	122	2	132
Lambton	59	3653	46	2514	1	45	1	63
Lanark	46	3075	28	1914	1	98	1	39
Leeds and Grenville	106	6706	68	4153	1	87	5	348
Lennox and Addington	51	2942	19	1216			3	232
Lincoln	36	2279	13	706			2	113
Middlesex	155	8922	108	6280	2	119	10	722
Muskoka and Parry Sound	20	1034	18	873			1	59
Norfolk	62	3995	46	2620			1	78
Northumberland and Durham	100	5828	84	5171			4	284
Ontario	48	2482	57	3616			10	743
Oxford	86	5324	77	4738			7	531
Peel	55	3541	38	2367			3	220
Perth	87	5409	47	2974			3	187
Peterborough	47	2730	39	2343			7	409
Prescott and Russell	66	4296	36	2064			3	220
Prince Edward	59	3619	32	1956	1	76	3	177
Renfrew	42	2632	39	2417	1	80		
Simcoe	76	4720	68	3657			1	42
Stormont, Dundas and Glengarry	90	6169	90	4531				
Victoria	41	2475	55	3205			5	334
Waterloo	54	3540	66	4233	1	51	12	853
Welland	40	2395	48	2805	1	70	2	141
Wellington	110	6904	93	5507			10	719
Wentworth	52	3528	43	2508	5	306	15	1019
York	82	4937	63	4115	14	892	16	1088
Totals	2503	154836	1886	110903	38	2461	170	11597

OCCUPATIONS, 1882.—Continued.

Hunters and Fishermen.		Housewives.		Labourers.		Lumbermen.		Lawyers.		Milliners and Dressmakers.		Masons.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
1	40	7	360	3	119								
		44	2585	15	921							1	55
1	66	14	608	5	319							1	89
		56	3119	54	2734	3	202	1	42			1	86
		8	332	1	68								
		22	1005	5	246								
		41	2253	27	1371							1	73
1	82	77	4121	22	1089			1	47			2	123
		32	1621	12	524							1	55
		11	532	6	294							1	82
		18	1017	9	473			1	31			1	46
1	69	61	3437	26	1366	3	91	1				1	66
1	31	23	1275	24	1343			1	69	1	42		
		11	552	18	905			1	42				
		23	1364	10	535			1					
		20	1263	6	325	1	61			1	21		
		58	2941	20	1070							2	125
		24	1343	7	377								
		38	2330	16	845					2	52	1	35
		94	5166	35	1584			1	47	3	116	1	66
		3	180	2	61	1	47					1	53
1	89	18	966	11	719			2	110				
		49	2802	29	1601			2	109	1	41	1	61
		49	2586	18	953			1	47			1	68
		22	1322	15	807	1	65			2	105	2	99
		32	1625	11	611					1	24		
		26	1402	15	867							1	81
		23	1269	15	614	1	39						
		8	484	17	900	1	32	1	51	1	25		
		27	1672	13	729								
		13	780	18	785	2	90					1	18
		40	2068	20	1091	3	112					1	55
		22	1145	14	889								
		20	966	14	765	2	85			2	92		
		42	2301	20	1120							1	73
		42	2301	20	1120							1	64
		47	2750	18	922			3	104			2	138
		124	7165	43	2566			6	370			2	129
		205	12248	97	4982			5	256	2	71		
6	377	1494	83256	731	38609	18	824	26	1325	16	589	28	1803

TABLE J.—DEATHS BY

COUNTIES.	Machinists.		Moulders.		Millers.		Millwrights.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay								
Brant	1	22	5	175	3	164		
Bruce					1	62		
Carleton								
Dufferin	1	32			1	64	1	76
Elgin							1	74
Essex					1	23		
Frontenac	2	82	1	45				
Grey					1	30		
Haldimand								
Halton					2	80		
Hastings					1	55	1	68
Huron					1	26		
Kent								
Lambton	1	22						
Lanark	1	50	1	49				
Leeds and Grenville	4	176	1	37	1	45		
Lennox and Addington					2	116		
Lincoln	1	47			1	70		
Middlesex	3	99			1	50		
Muskoka and Parry Sound								
Norfolk					1	77		
Northumberland and Durham								
Ontario					1	36		
Oxford	1	42	1	34				
Peel					1	60		
Perth	1	61	2	81				
Peterborough								
Prescott and Russell								
Prince Edward					2	124		
Renfrew								
Simcoe								
Stormont, Dundas and Glengarry								
Victoria							1	78
Waterloo	2	65	1	48			1	78
Welland					1	61		
Wellington	4	146			1	21		
Wentworth	5	239	3	91	1	61		
York	1	70	7	250				
Totals	28	1153	22	810	24	1225	5	374

OCCUPATIONS, 1882.—Continued.

Miners.		Musicians.		Manufacturers.		Merchants.		Other Occupations.		Other Mechanics.		Painters.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
1	45	1	24			3	131						
						4	190			2	73		
						1	70					1	24
						7	434	1	23	2	76	1	31
				1	68					1	33		
				1	42			1	26	2	72	1	66
1	73	1	32	2	142	4	218			4	217	3	150
				1	46					3	174		
						2	107						
				1	57	3	157			1	23		
						4	209						
						3	171			1	75		
				2	69	3	114			1	90		
						1	59	2	151	1	72		
				1	53	4	254			2	147	2	113
				1	42	1	52						
						6	344	1	59	2	70		
				3	118	2	54	1	56	2	68		
				1	73								
						1	70			1	73		
						5	276	3	190	3	164		
1	47					5	213	2	49	2	128	1	24
				4	244			1	38	2	69	1	70
						2	90						
						4	200			1	57	1	24
						3	160						
						1	26						
						1	73	1	37	5	277		
				1	54	2	61					2	61
						5	232			2	83	1	24
1	57							1	62				
						3	106			1	78		
						4	129			2	98		
						3	179	1	49	2	99	1	41
		1	39	1	60	12	731	2	70	12	503	3	153
		2	131	2	125	19	1085	8	319	22	1014	3	87
4	222	5	226	22	1193	119	6262	25	1129	79	3833	21	868

TABLE J.—DEATHS BY

COUNTIES.	Paupers.		Pedlars.		Physicians.		Plasterers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay							1	66
Brant			1	78	2	136		
Bruce			1	60	1	33		
Carleton					1	23		
Dufferin								
Elgin	4	282			2	145		
Essex	1	50			1	59		
Frontenac					3	176		
Grey	1	68			1	45		
Haldimand								
Halton	1	45					1	76
Hastings	3	228						
Huron	1	74						
Kent								
Lambton								
Lanark	1	73						
Leeds and Grenville					3	165	1	72
Lennox and Addington					1	59		
Lincoln							1	38
Middlesex	6	438	3	205	2	84	1	52
Muskoka and Parry Sound	1	82			1	40		
Norfolk			1	54	1	52		
Northumberland and Durham	1	76			2	115	2	145
Ontario	1	74			4	212		
Oxford							1	52
Peel			1	68				
Perth			2	111				
Peterborough	1	100			1	60		
Prescott and Russell	1	79						
Prince Edward								
Renfrew								
Simcoe			2	137			1	72
Stormont, Dundas and Glengarry								
Victoria	1	75			2	87		
Waterloo	14	1004	1	72	2	123		
Welland								
Wellington					1	43		
Wentworth	3	221	2	73	3	140		
York	3	240	2	88	2	74	2	98
Totals	44	3209	16	946	36	1876	11	671

OCCUPATIONS, 1882.—Continued.

Printers.		Provincial Land Surveyors.		Public Officials.		Railway Employees.		Sawyers.		Servants (Female).		Students.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
				1	45	1	26			1	22		
				2	99	1	23			2	110		
				3	189	4	51						
		1	35	10	597					2	74		
				1	58	1	65			1	29		
						2	47						
						4	146					1	29
				5	271					2	60		
										1	80		
						1	49						
1	21			3	77			1	41	1	50		
		1	71	3	213	2	64						
1	35					2	113						
						3	98			1	52		
				2	153	1	31						
				6	425	10	394	2	59	2	47		
1	32			2	132								
		1	27	1	48	1	40					1	21
		3	174	9	560	3	113			3	162	1	23
1	53							1	47				
						1	52						
1	21	1	73	1	63	1	38			1	38		
				2	138	1	54			1	21	1	26
						1	66			1	25	1	25
				3	195	1	31			3	68		
		2	112	4	206								
										2	76		
				2	136								
				1	91					1	70		
				2	98	2	72			1	65		
										2	83		
				4	269	3	157			1	22		
1	31			1	60								
				1	78	1	25						
1	33			3	222	4	157			6	251		
9	291			9	566	8	263			17	496	2	58
16	517	9	492	84	5158	56	2175	4	147	52	1901	7	182

TABLE J.—DEATHS BY

COUNTIES.	Stonecutters.		Shoemakers.		Sailors.		Saddlers and Harness- makers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay			2	62				
Brant			3	144				
Bruce			1	75				
Carleton			4	256	1	23		
Dufferin			1	42	1	30		
Elgin							2	62
Essex	1	28	3	181	2	106		
Frontenac.....			1	56	3	218	2	51
Grey.			1	88				
Haldimand			1	22				
Halton	1	56	3	178			2	85
Hastings			2	125				
Huron			1	63	2	123	1	41
Kent					3	113		
Lambton			1	68				
Lanark							1	74
Leeds and Grenville			5	319	3	187		
Lennox and Addington			1	82	1	25		
Lincoln			1	57	4	230		
Middlesex			5	264	2	60		
Muskoka and Parry Sound.....								
Norfolk					2	51		
Northumberland and Durham	1	49	4	224	1	21	1	45
Ontario			1	65				
Oxford			3	211	1	32		
Peel			7	443				
Perth								
Peterborough.....			3	131			1	55
Prescott and Russell.....	1	32						
Prince Edward			4	143	1	40		
Renfrew								
Simcoe.....			2	92				
Stormont, Dundas and Glengarry.....			1	73				
Victoria.....			2	109				
Waterloo.....	1	28	6	309				
Welland			2	92	2	66		
Wellington			5	303				
Wentworth.....	3	200	6	282	3	107	2	105
York.....	3	131	12	693	3	231	1	39
	11	524	94	5252	35	1663	13	557

OCCUPATIONS, 1882.—Continued.

Seamstresses.		Tinsmiths.		Teamsters.		Tavern-keepers.		Tobacconists and Cigar-makers.		Teachers.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
						2	107			M. 1	80
2	54					2	152			M. 2	63
1	51					3	129				
		1	39			1	70				
				1	22						
		1	30			2	120			M. 1	22
				2	52						
				2	90					{ M. 1	72
										{ F. 1	87
				1	29	3	120			{ M. 1	50
				1	74	2	85			{ F. 3	83
						1	74			{ F. 1	29
				1	59	2	93			{ M. 1	24
1	28			1	50	3	140			{ F. 2	50
										{ M. 5	227
1	21	1	48			1	73			F. 1	25
		1	26							M. 3	237
		2	92							M. 1	86
1	25										
2	47			2	104			1	24	{ M. 1	62
										{ M. 3	121
										{ F. 1	78
						1	53			F. 1	64
1	45					2	75			{ M. 1	22
										{ F. 1	27
		1	65			3	161			{ M. 2	102
1	26	1	42	2	78	1	26			{ M. 1	26
1	61										
2	44	1	49			3	114			M. 1	77
						1	56			M. 2	119
						1	65				
		1	32	1	60						
2	110					2	126				
						4	197				
		1	23			2	116			M. 2	64
2	51			2	83	1	38			{ M. 1	76
		2	48	1	46	3	165	1	21	{ F. 2	44
		1	52							{ F. 1	46
		1	62							F. 2	45
						4	196				
4	128			2	85	2	74	1	32	{ M. 1	84
										{ F. 1	32
6	192	3	158	3	138	12	518	1	46	{ M. 2	110
										{ F. 1	39
27	883	18	766	22	970	64	3143	4	123	{ M. 23	M. 1724
										{ F. 18	F. 649
										51	2373

TABLE J.—DEATHS BY

COUNTIES.	Telegraph Operators.		Tailors.		Tanners and Curriers.		Undertakers.	
	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.	No.	Total Ages.
Algoma and Thunder Bay ..								
Brant ..								
Bruce ..	2	49	1	60				
Carleton ..								
Dufferin ..			1	81				
Elgin ..			1	54				
Essex ..								
Frontenac ..								
Grey ..								
Haldimand ..			1	62				
Halton ..								
Hastings ..			3	193	1	48		
Huron ..			2	141				
Kent ..			2	128				
Lambton ..								
Lanark ..								
Leeds and Grenville ..			1	71				
Lennox and Addington ..			1	61				
Lincoln ..			1	58				
Middlesex ..	3	76						
Muskoka and Parry Sound ..								
Norfolk ..			1	24				
Northumberland and Durham ..								
Ontario ..								
Oxford ..	1	44			1	82		
Peel ..			3	203				
Perth ..			1	70				
Peterborough ..								
Prescott and Russell ..								
Prince Edward ..								
Renfrew ..					1	45		
Simcoe ..			1	73				
Stormont, Dundas and Glengarry ..			1	70	2	132		
Victoria ..					1	49		
Waterloo ..			1	88	1	67		
Welland ..			3	208				
Wellington ..			5	305				
Wentworth ..			2	95			1	62
York ..			9	539				
Totals ..	6	169	41	2584	7	423	1	62

OCCUPATIONS, 1882.—*Concluded.*

Volunteers, Soldiers and Pensioners.		Watchmakers and Jewellers.		Weavers.		Total Number of Deaths.	Total Ages.	
No.	Total Ages.	No.	Total Ages.	No.	Total Ages.		Aggregate.	Average.
						64	3165	50.0
						177	10278	58.0
1	98			1	71	217	12697	58.5
						272	14605	53.6
1	74			2	140	89	4995	56.1
1	61			1	65	131	7472	57.0
5	383					223	12082	54.2
5	380					257	14644	57.0
						222	12195	54.9
						128	7214	56.3
				1	76	115	6749	58.6
1	90			1	71	264	16037	60.7
1	65			3	251	288	16780	58.2
1	83					194	10839	55.8
		1	69			169	9448	55.9
						128	8194	64.0
						325	19001	58.4
						127	7379	58.1
3	217					153	8505	55.5
2	144			1	89	522	28506	54.6
		1	27			54	2693	49.8
1	91					167	10026	60.0
				2	142	326	18840	57.7
3	275					230	12923	56.1
1	50					261	15381	59.0
				3	158	163	9792	60.0
		1	72			218	12683	58.1
						160	8833	55.2
						141	8512	60.3
						168	9955	59.1
						130	7651	58.8
		1	45			247	13609	55.1
				1	21	243	14151	58.2
2	134			2	134	174	9834	56.5
				1	30	259	15695	60.5
				2	143	187	10340	55.2
1	60			1	51	328	19238	58.6
6	326					435	24852	57.1
4	237	2	64	1	56	782	42522	54.3
39	2768	6	277	23	1498	8738	498315	57.0

H. S. CREWE,

Inspector.

TABLE K.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS I.—ZYMOTIC													
	ORDER 1.—MIASMATIC													
	Cholera Morbus.	Diarrhœa Acuta (Acute Diarrhœa).	Diarrhœa Chronica (Chronic Diarrhœa).	Dysentery Acuta (Acute Dysentery).	Diphtheria.	Entero-Colitis.	Erysipelas.	Febris Biliosa (Bilious Fever).	Febris Cerebro-spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).
Agents													3	
Artists													1	
Brickmakers														
Blacksmiths			1										4	
Brewers														
Bricklayers														
Barbers														
Butchers				1			1						2	
Bookkeepers, Salesmen and Clerks					1								7	
Bankers													1	
Bakers and Confectioners													1	
Carpenters		1										1	10	
Cabinet-makers														
Coopers	1												3	
Cooks														
Chemists and Druggists														
Clergymen		1												
Contractors and Builders													1	
Carriage and Waggon Makers												1	1	
Dentists														
Engineers														
Editors														
Farmers	7	22		7	5		15	1	2		1	4	40	16
Gentlemen	1			3			1	1				1	3	
Gardeners		1											1	
Hunters and Fishermen														
Labourers	3	6		2	1		5		1		1		40	
Lumbermen														
Lawyers													1	
Milliners and Dressmakers														
Masons					1									
Machinists		1					1		1				3	1
Moulders													1	
Millers		1							1	1			5	
Millwrights							1							
Musicians														
Manufacturers														
Merchants		1		1									4	
Mechanics (kind not specified)												1	5	1
Other occupations														
Printers										1			2	
Painters													2	
Pedlars	1													
Plasterers	1													
Paupers	1	1											2	
Physicians		2								1			2	
Public Officials	1	2											4	1
Provincial Land Surveyors													1	
Pumpmakers														
Railroad Employees				1			1						3	

TABLE K.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS II.—Continued.							CLASS III.—					
	ORDER 1.—Continued.				ORD. 2.—TUBERCULAR DISEASES.— <i>Phthisici</i> .			ORDER 1.—					
	Asthma (Spasmodic Asthma).	Carcinoma (Cancer.)	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Abscessus Psoasus (Psoas. Abscess).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Peritontis Tuberculosis (Tubercular Peritontis).	Phthisis Pulmonalis (Consumption).	Apoplexia (Apoplexy).	Atrophia.	Encephalitis (Inflammation of Brain).
Agents		2							10	2		1	
Artists									3	1			
Brickmakers									3				
Blacksmiths	2	1			1				18	2	1	1	
Brewers					1								
Bricklayers									1				
Barbers									6				
Butchers									3	3			
Bookkeepers, Salesmen and Clerks					1				28				2
Bankers													
Bakers and Confectioners		1							8				
Carpenters	1	3			1				34	6			1
Cabinet-makers		1							5				
Coopers		2							5	1			
Cooks									2				
Chemists and Druggists		1							2	1			
Clergymen		2							3	2		1	
Contractors and Builders									1	1			
Carriage and Waggon Makers		1			1				4				2
Dentists													
Engineers		1							4	1			1
Editors									1				
Farmers	21	95			26		1	2	286	79		6	9
Gentlemen		1			2				15	17		1	2
Gardeners		3							2	1			
Hunters and Fishermen		1							1				
Labourers	4	27			8				115	22		4	2
Lumbermen									3				
Lawyers									4	1		1	2
Milliners and Dressmakers		1							5				
Masons		1			1				5	1		1	
Machinists		2							4	1			
Moulders									4				
Millers									2				
Millwrights					1				1			1	
Musicians									1				
Manufacturers									3	2			
Merchants	1	8						1	23	8			
Mechanics (kind not specified)					1				18				1
Other occupations													
Printers									5				
Painters		3							4				
Pedlars										1			
Plasterers									2	1		1	
Paupers	1	2							3	3			1
Physicians									3	1			
Public Officials	1	4							7	4			
Provincial Land Surveyors	1												
Pumpmakers													
Railroad Employees									6	1		1	

TABLE K.—DEATHS BY OCCUPATION.—

OCCUPATION.	CLASS III.—													
	ORDER 3.—DISEASES OF THE RESPIRATORY SYSTEM.— <i>Pneumonia</i> .					ORDER 4.—DISEASES OF THE								
	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Diaphragmitis (Inflammation of Diaphragm).	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).	Pleura-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis of Liver.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).
Agents	3						2						1	
Artists	1													
Brickmakers							2							
Blacksmiths							8						2	
Brewers							1							
Bricklayers							1							
Barbers	1													
Butchers							1							
Bookkeepers, Salesmen and Clerks.	2	1					7						2	1
Bankers	1													
Bakers and Confectioners		1				1								
Carpenters	2	3					18					1	4	2
Cabinet-makers	1						3							
Coopers	1						2						2	
Cooks														
Chemists and Druggists							3							
Clergymen		1					3						1	
Contractors and Builders	1						1							
Carriage and Waggon Makers	1	1					1							
Dentists														
Engineers		1					5						3	
Editors														
Farmers	35	39				21	217			2	1	11	58	16
Gentlemen	2	7					9						3	2
Gardiners	1	1					7						1	
Hunters and Fishermen				1			1							
Labourers	12	10			2	2	72			1		5	17	2
Lumbermen	1											1		
Lawyers	1	1								1				
Milliners and Dressmakers													1	
Masons							1							
Machinists	1					1	1						1	
Moulders							3							
Millers		1					2							
Millwrights														
Musicians							1							
Manufacturers							2					1		
Merchants	4				1		8			1		1		2
Mechanics (kind not specified)	2					1	9						1	1
Other occupations														
Printers							1							
Painters	1						1							
Pedlars							2							
Plasterers														
Paupers						1								
Physicians	3						4							
Public Officials	2	1					7						2	
Provincial Land Surveyors	1													
Pumpmakers														
Railroad Employees	1						1							3

TABLE K.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS I.—ZYMOTIC														
	ORDER 1.—MIASMATIC														
	Cholera Morbus.	Diarrhœa Acuta (Acute Diarrhœa).	Diarrhœa Chronica (Chronic Diarrhœa).	Dysenteria Acuta (Acute Dysentery).	Diphtheria.	Entero-Colitis.	Erysipelas.	Febris Biliosa (Bilious Fever).	Febris Cerebro-spinalis (Cerebro Spinal Fever).	Febris Congestiva (Congestive Fever).	Febris Intermittens (Intermittent Fever).	Febris Remittens (Remittent Fever).	Febris Typhoides (Typhoid Fever).	Febris Typhus (Typhus Fever).	
Sawyers															
Stonecutters															
Shoemakers	1	1													5
Sailors					1										4
Saddlers and Harness-makers															2
Seamstresses															12
Servants		1			1		1		1						2
Soldiers and Pensioners															4
Tinsmiths		1													4
Teamsters															4
Tavern-keepers				1	1										4
Teachers (Male)															3
Teachers (Female)												1			1
Telegraph Operators															2
Tailors								1							1
Tanners and Carriers															
Tobacconists and Cigar-makers															
Undertakers															
Weavers															1
Watchmakers and Jewellers															
Totals	16	42	1	16	11	26	2	6	3	2	9	181	19	

TABLE K.—DEATHS BY OCCUPATIONS.—

OCCUPATIONS.	CLASS II.—Continued.							CLASS III.—						
	ORDER 1.—Continued.				ORD. 2.—TUBERCULAR DISEASES.—Phthisici.			ORDER 1.—						
	Asthma (Spasmodic Asthma).	Carcinoma (Cancer).	Podagra (Gout).	Podagra Rheumatica (Rheumatic Gout).	Rheumatismus (Rheumatism).	Abscessus Psoasus (Psoas. Abscess).	Hydrocephalus.	Meningitis Tuberculosis (Tubercular Meningitis).	Peritonitis Tuberculosis (Tubercular Peritonitis).	Phthisis Pulmonalis (Consumption).	Apoplexia (Apoplexy).	Atrophia.	Encephalitis (Inflammation of Brain.)	Epilepsia (Epilepsy).
Sawyers									1					
Stonemasons									4					
Shoemakers	3	3			1				18	7				
Sailors	1	1							4	1				1
Saddlers and Harness-makers		1							4	1				
Seamstresses									16					
Servants (Female)		2						1	8	2		1		
Soldiers and Pensioners	1	2							3	1				
Tinsmiths									9					
Teamsters									6	1				
Tavern-keepers					2				6	6	1			2
Teachers (Male)		2							4	1	1			
Teachers (Female)									8					
Telegraph Operators									1					
Tailors									6	2				
Tanners and Curriers	1									1				
Tobacconists and Cigar-makers									3					
Undertakers														
Weavers	1	2			1				1					
Watchmakers and Jewellers									2					
Totals	39	176			48			2	3	751	186	3	20	26

TABLE K.—DEATHS BY OCCUAPTIONS.—

OCCUPATION.	CLASS III.—														
	ORDER 3.—DISEASES OF THE RESPIRATORY SYSTEM.— <i>Pneumonici.</i>							ORDER 4.—DISEASES OF THE							
	Apoplexia Pulmonalis (Congestion of Lungs).	Bronchitis.	Diaphragmitis (Inflammation of Diaphragm).	Hydrothorax (Dropsy of Chest).	Laryngitis (Inflammation of Larynx).	Pleuritis (Pleurisy).	Pleura-Pneumonia (Pleurisy and Inflammation of Lungs).	Pneumonia (Inflammation of Lungs).	Ascites (Abdominal Dropsy).	Chololithus (Gallstones).	Cirrhosis of Liver.	Colica (Colic).	Dyspepsia (Indigestion).	Enteritis (Inflammation of Bowels).	Gastritis (Inflammation of Stomach).
Sawyers							1								
Stonecutters	2						2								
Shoe-makers	2					1	3						1	1	1
Sailors							1						2		
Saddlers and Harness-makers	1	1					1								
Seamstresses							2								
Servants (Female)	2						1			1			1		
Soldiers and Pensioners	1	1					1								
Tinsmiths	1						2								
Teamsters							2								
Tavern-keepers	2					1	5						1	1	
Teachers (Male)							1						1		
Teachers (Female)							2						1		
Telegraph Operators															1
Tailors	2						2								1
Tanners and Curriers															1
Tobacconists and Cigar-makers															
Undertakers							1								
Weavers		1					1						1		
Watchmakers and Jewellers							1								
Totals	94	71			3	29	435			6	1	21	107	32	

TABLE K.—DEATHS BY OCCUPATIONS.—

OCCUPATION.	CLASS III.—Continued.											CLASS IV. DEV. DIS. <i>Metamorphici</i>			
	ORDER 5. — <i>Con.</i>		O. 6.—DIS. OF GEN. SYSTEM. — <i>Genetici.</i>		ORDER 7.—DISEASES OF THE LOCOMOTIVE SYSTEM.— <i>Myostici.</i>							O. 8.	O. 8. DEV. DIS. OLD PEOPLE. — <i>Geratici.</i>		
	Nephritis (Inflammation of Kidneys).	Stricture of Urethra.	Morbus Uteri (Uterine Disease).	Tumor Ovarii (Ovarian Tumor).	Tumor Uteri.	Arthritis (Inflammation of Joints.)	Caries.	Exostitis (Tumor of Bone).	Morbus Articulorum (Joint Disease).	Necrosis.	Ostitis (Inflammation of Bones).	Periostitis.	Abscessus (Abscess).	Gangrena, Semilis (Senile Gangrene).	Senectus (Old Age).
Sawyers.															1
Stonemasons.															11
Shoemakers.															2
Sailors.															
Saddlers and Harness-makers.															
Seamstresses.															1
Servants (Female).															4
Soldiers and Pensioners.												1	1		6
Tinsmiths.															
Teamsters.															1
Tavern-keepers.						1						1			7
Teachers (Male).															4
Teachers (Female).															1
Telegraph Operators.												1			
Tailors.															8
Tanners and Curriers.															2
Tobacconists and Cigar-makers.															
Undertakers.															
Weavers.															6
Watchmakers and Jewellers. .															
Totals.	35	1				3	2			1		34	5		877

ERRATUM.

Page liv.—Appendix.—*For* Hydrothorax (Dropsy of Chest), *read* Hernia (Rupture).

