

## GHQ/SCAP Records (RG 331, National Archives and Records Service)

## Description of contents

- (1) Box no. 2900
- (2) Folder title/number: (16)  
Toa Kinzoku Kogyo

- (3) Date: Jan. 1947

- (4) Subject:

Classification	Type of record
9230	c, k

- (5) Item description and comment:

Hyogo

- (6) Reproduction:  Yes  No

- (7) Film no.

Sheet no.

(Compiled by *National Diet Library*)



Pl 46

T.M.I.CO.LTD.  
20 Jan. 47.

## STATEMENT OF MATERIAL STOCKS (NOT INSTALLED)

## Remarks on list as

"Material for agricultural machines (in use)," mean that these materials were supplied from the Agriculture & Forest Dept. and are in use to make farm-implements (mostly stump-pullers) for their orders.

"Burnt by air-raid". mean that they were burnt by air-raid (25, June 45.) at the Kobe Plant, and were brought here.

"Requisites for motor-cars", mean that they are materials brought from the Tsuchiyama Plant, for our motor-car repairing section.

"In use", are things being used for producing essential civilian commodities.

---

(Nothing follows)

Toa metal Ind. Co., Ltd. Uozumi Plant  
1209 Shimizu, Uozumi-mura,  
Akashi-gun, Hyogo-ken.

*T. Higuchi*



## HYOGO LIAISON OFFICE

## REMARK

NAME OF PLANT: The Uozumi Factory, The Toa Kinzoku K.K.

1. This factory received the permission to reconvert itself into one of civilian commodity production by MG No.93, dated November 24, 1945 and is in operation. It is an important factory producing at present stumping machines for development purpose to fulfil the order placed by the Agriculture & Forestry Ministry.

2. The electric transformers, etc., that have been investigated are of considerably a large size and are indispensable as part of the factory. The steel materials were received from its main factory and being worked upon now.

3. The factory has filed a petition for the exemption from the Reparations selection list (the official action thereof pending). On account of these facts stated above, it should be a matter of considerable deliberation to have those items aforementioned taken apart and use them.

For reference, the condition of planned production at present and in the future may be shown as follows:

At present: (January 1947)

<u>Item prod'd</u>	<u>Monthly output</u>	<u>Working percentage of present installations</u>	<u>Raw material</u>
Stumping machine	100 sets	50%	Received from the Tsuchiyama main factory

Plan of Future:

Stumping machine	700 sets	
Viscose pump	3000 sets	100%
Repair of reeling machine	30 sets	

*K. Katuhara*

Local Liaison Officer



NAME OF PLANT, LABORATORY, OR ARSENAL: Toa Metal Ind. Co. Ltd.  
工場, 研究所又ハ兵器廠ノ名稱 Uozumi Plant.

REPARATIONS PLANTS MATERIALS

賠償工場ノ資材

DATE:

日附 20. Jan. 1947

LOCATION: 所在地 1209 Shimizu Uozumi-mura, Akashi-gun, Hyogo.

General Contractors Association of Japan  
Hyogo Prefecture Branch

*Kanzaki Gumis*  
*T. Yabe*  
*K. Katayama*

SIGNATURE OF OWNER OR CUSTODIAN:

所有者又ハ管理人ノ署名

*T. Higuchi*

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設=含マレザルモノ)

ITEM DESCRIPTION	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION	REMARKS
品目名稱	單位	數量	見積總重量	積込貨車數	狀態	摘要
Scraps	ton		4		good	Requisites for aeroplanes
Steel bar dia 25mm	piece	200	100kg		good	Material for agricultural machines (in use)
Vice 100mm	"	1	10kg		good	in use
Vice 127mm	"	1	12kg		good	- " -
Vice	"	20	200kg		peer	- " -
Emery-grinder dia. 19mm. length 25mm	piece	10,000	} 500kg		peer	Burnt by air-raid
Emery-grinder dia 13mm. length 27mm	"	1,000			peer	- " -
Connecting rod	"	2,240	1.5ton		peer	Requisites for motor-cars
Connecting rod cover	"	2,000	1.5ton		peer	- " -
Bar dia. 9mm	ton		1.5		good	Material for agricultural machines ( in use )
" " 16mm	kg.		400		good	- " -
" " 19mm	"		700		good	- " -
" " 32mm	ton		2		good	1 " -
" " 25mm	"		1		good	- " -
" " 32mm	"		2.5		good	- " -
" " 38 mm	piece	70	1.3ton		good	- " -
Vice dia. 64mm length 2mm	ton		1		good	- " -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



Steel bar dia 25mm	piece	200	100kg	good	Requisites for aeroplanes
Vice 100mm	"	1	10kg	good	Material for agricultural machines (in use)
Vice 127mm	"	1	12kg	good	in use
<del>Vice</del> Vice	"	20	200kg	peer	- " -
Emery-grinder dia. 19mm. length 25mm	piece	10,000	} 500kg	peer	Burnt by air-raid
Emery-grinder dia 13mm. length 27mm	"	1,000		peer	- " -
Connecting rod	"	2,240	1.5 <sup>ton</sup>	peer	Requisites for motor-cars
Connecting rod cover	"	2,000	1.5 <sup>ton</sup>	peer	- " -
Bar dia. 9mm	ton		1.5	good	Material for agricultural machines ( in use )
" " 16mm	kg.		400	good	- " -
" " 19mm	"		700	good	- " -
" " 32mm	ton		2	good	1 " -
" " 25mm	"		1	good	- " -
" " 32mm	"		2.5	good	- " -
" " 38 mm	piece	70	1.3 <sup>ton</sup>	good	- " -
Vice dia. 64mm length 2 <sup>m</sup>	ton		1	good	- " -
Flat bar 75 <sup>mm</sup> x 400 <sup>mm</sup> Thick 19 <sup>mm</sup>	piece	400	1.8 <sup>ton</sup>	good	- " -
Fan Dia. 154mm	"	1	10kg	good	- " -
Pipe dia. 13mm. length 430mm	"	50,000	27 <sup>ton</sup>	good	- " -
Chain-block max. 2 tons	"	4	60kg	peer	in use
Chain-block max. 5 tons	"	1	20kg	peer	- " -
Base of Drilling Machine 470mm X <sup>270</sup> mm. Thick. 38mm	"	1	40kg @ 15 <sup>ton</sup>	good	
Requisites of a sight	ton	10 <sup>1</sup>	10 <sup>ton</sup> 5.-	peer	for aeroplanes

Total 57,152kg

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



INSTALLED MATERIALS AND SUPPLIES 施設資材

ITEM DESCRIPTION 品目名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要
Motor for Grinder tool 1HP.3p. 60 cycles		4	240kg.		good, Prepared for reparations
Motor 2HP. 60 cycles 1730 r.p.m.		1	50kg.		poor, - " -
Motor 10HP. 60 cycles 1780 r.p.m. 3p.		2	240kg.		good, - " -
Motor 3HP. 60 cycles 1430-1720 r.p.m. 3p.		2	75kg.		good, - " -
Motor 10HP.60 cycles 1770 r.p.m. 3p.		1	120kg.		good, - " -
Motor 7 1/2HP. 60 cycles 1740 r.p.m. 3p.		1	100kg.		good, - " -
Motor 1/2HP. 60 cycles 1720 r.p.m. 3p.		3	140kg.		good, - " -
Switch Board, with Volt-meter (max. 150V), Amp-meter (max. 300a.) and five knife switchs (2p)		1	60kg.		good, - " -
Switch Board, with Voltmeter (max. 250V.), Amp-meter (max. 300A.) and three knife switchs (3p)		1	60kg.		poor, - " -
Switch Board, with Volt-meter(max. 4000V.),3.Amp-meter watt-hour-meter(P.T.3300/110-C.T.20.5A.) Inductive over load relay, oil-breaker and trip coil.		1	80kg.		good, - " -
Automatic oil breaker		1	60kg.		good, - " -
Oil Breaker		1	30kg.		good, - " -
2P watt@hour-meter(500-830Amp. with Ct. Pt.)		1	30kg.		good, - " -
3P watt@hour-meter (5Amp. 220V.)		1	2kg.		good, - " -
Disconnecting switch		6	20kg.		good, - " -
Choking coil		3	1.2kg.		good, - " -
Auto Valve alester		3	9kg.		good, - " -
Condenser 3P.		1	---		good, - " -
Drum insulator		40	40kg.		good, - " -
Motor siren (5")		1	2.7kg.		poor, * " -
2P Knife Switch with Max. 50A. Amp-meter.		7	1kg.		good, - " -

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO.

775013



Smoking coil	3	1.2kg.	good, - " -
Auto Valve alester	3	9kg.	good, - " -
Condenser 3P.	1	---	good, - " -
Drum insulator	40	40kg.	good, - " -
Motor siren (5")	1	2.7kg.	poor, * " -
3P. Knife Switch with Max. 50A. Amp <del>meter</del> .	7	14kg.	good, - " -
3P. 75A. Knife Switch	6	5kg.	poor, - " -
3P. Starting Switch (Star-delta type)	1	2kg.	poor, - " -
3P. 300A. Knife Switch	2	8kg.	good, - " -
2P. 250A. Knife Switch	1	3kg.	good, - " -
3P. 150A Knife Switch	3	2kg.	good, - " -
3P. 30A. Knife Switch	5	2kg.	good, - " -
2P. 200A. Knife Switch	2	3kg.	good, - " -
2P. Cabinet with 8 cut-out(2P), and 2P. 75A.K.S.	1	4kg.	good - " -
Electric Range 20K.V.A.	1	270kg.	good, Equipment of
Electric Range 12K.V.A.	1	150kg.	good, - " - Kakogawa Mill
Electric Range 6K.V.A.	2	150kg.	good, - " -
Electric Range 3K.V.A.	1	70kg.	good, - " -
Wooden Pipe Pendant (Glove-lamp)	5	- 30 kg	good, - " -
Open-air bracket lamp	15	- 30 "	poor - " -
Cord-Pendant lamp (for works)	10	- 30 "	poor, - " -
Cord-Pendant lamp (for general)	25	- 30 "	good, - " -
Tumbler Switch	10	- 3 "	good, in use
Switch board for telephone exchange	1	- 7.5 "	good, - " -
Electrochronograph, 60 cycles	1	---	good, - " -
Telephone	3	- 5 "	good, - " -
Conduite Tube (one is 3 meters) D:1/2"	10	- 8 "	good, - " -
Insulated electric cable W <sup>4</sup> 150 <sup>2</sup> 22/2		390 "	



Open-air bracket lamp		15	- 30 "	poor - " -
Cord-Pendant lamp (for works)		10	- 30 "	poor, - " -
Cord-Pendant lamp (for general)		25	- 30 "	good, - " -
Tumbler Switch		10	- 3 "	good, in use
Switch board for telephone exchange		1	- 75 "	good, - " -
Electrochronograph, 60 cycles		1	- - -	good, - " -
Telephone		3	- 5 "	good, - " -
Conduite Tube (one is 3 meters) D:1/2"		10	- 8 "	good, - " -
Insulated electric-cable W <sup>4</sup> 150mm <sup>2</sup> 37/2.3	meter	250	- 390 "	poor, - " -
Insulated electric-cable W <sup>4</sup> 80mm <sup>2</sup> 19/2.3	"	480	- 400 "	poor, - " -
Insulated electric-cable W <sup>4</sup> 22mm <sup>2</sup> 7/2.0	"	360	- 90 "	poor, - " -
Insulated electric-cable W <sup>4</sup> 80mm <sup>2</sup> 19/2.3	"	280	- 200 "	good, - " -
Insulated electric-cable W <sup>4</sup> 14mm <sup>2</sup> 7/16	"	36	- 50 "	poor, - " -
Electric-Wire W <sup>4</sup> dia. 2.0mm	"	150	- 60 "	poor, - " -
Electric-Wire W <sup>4</sup> dia. 1.6mm	"	300	- 1260 "	poor, - " -
Electric-Wire W <sup>4</sup> dia. 2.6mm	"	150	- 1200 "	good, - " -
Insulator (with strap and bolt)	pair	78	- 120 "	good, - " -
Insulator (Pine type)		300	- 60 "	good, - " -
Insulator (No. 296 type)		600	- 5 "	good, - " -
Cleat	pair	100	- 8 "	good, - " -
Naked copper wire for telephone (1.6dia)	meter	3256	- 120 "	good, - " -
Insulator (Pine type) for telephone		96	- 100 "	good, - " -
Bell (.5")		1	- 2 "	good, - " -
Battery (70Amp. *Hr.)		39	- 30 "	good, - " -
Lavatory	piece	5	- 20 "	good, - " -
Urinal	"	7	- 20 "	good, - " -
Sink	"	3	- 15 "	good, - " -
			<u>total 6.500 kg</u>	

@ 10. ton

1.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



地方府縣米軍軍政府係官專用欄 FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.

IS (NOT) AN ENEMY SURRENDERED FACILITY  
IS ( ) A REPARATION FACILITY.  
IS (NOT) PRODUCING FOR OCCUPATION FORCES.  
IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA  
REGARDING ORDERS FOR DEPENDENT HOUSING:

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY  
IS ( ) OPERATING.  
ANY OBJECTION TO REMOVAL OF ABOVE ITEMS: *No,  
other storage space is  
available for machinery.*

CORRESPONDENCE OR ACTION IS (NOT) PENDING TO REMOVE  
PLANT FROM REPARATIONS LIST.  
CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR ( )  
(CLOSING) THE PLANT.  
STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN  
PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:  
*No, other storage space is  
available.*

PLANT NO.: *13-46* SERIAL NO. OF FORM: *Hyge 37* DATE: *21 Jan 1947* MIL GOVT OFFICER: *Albert B. Holtz, Civ.* PREFECTURE: *Hyogo*