

Dr James A Zepp  
9th & North av 1 may 98

# MARYLAND MEDICAL JOURNAL

A WEEKLY JOURNAL OF  
**MEDICINE AND SURGERY**

OF SCHULZ BALTO

VOLUME XXXVI. No. 18  
WHOLE NO. 829

BALTIMORE, FEBRUARY 13, 1897.

\$3.00 A YEAR  
10 cts. A COPY

THIS JOURNAL IS ENTERED AT THE POSTOFFICE AT BALTIMORE, MARYLAND, AS SECOND-CLASS MATTER.

### CONTENTS.

#### ORIGINAL ARTICLES.

- The Treatment of Syphilis. By Henry Alfred Robbins, M. D., Washington, D. C. . . . . 311
- The Abuse of Surgery. Paris Doctors Under Arrest; Interposition of an English Jury in a Case of Ovariectomy. By C. W. Chancellor, M. D., Havre, France. . . . . 315
- An Interesting Case of Nervous Anaæidity. By Moses Savage, M. D., Baltimore. . . . . 318

#### MEDICAL PROGRESS.

- Report of Progress in Diseases of the Eye and Ear. By Hiram Woods, Jr., M. D., and E. E. Gibbons, M. D.—Fishbones in the Pharynx.—The Japanese Intestine. . . . . 319

#### EDITORIAL.

- The Sanitary Conference. . . . . 324
- The Faculty Library. . . . . 325
- The Craze for Operating. . . . . 325
- The Grippe Again. . . . . 325

#### MEDICAL ITEMS.

. 326

#### BOOK REVIEWS.

. 327

#### CURRENT EDITORIAL COMMENT.

. 327

#### PUBLISHERS' DEPARTMENT.

. 328

## CALCULI in the Bladder or Kidney.



AND ALL CONCRETIONS OF URIC ACID or other ORGANIC OBSTRUCTIONS in GOUT and RHEUMATISM can be

### DISSOLVED AND REMOVED BY SCHERING'S PIPERAZINE WATER

NON-TOXIC and NON-IRRITANT.

LEHN & FINK, 128 William Street, NEW YORK  
SOLE AGENTS FOR THE UNITED STATES.

SOLUTION  
**Salicylate of Iron.**

OF great value in obstinate cases of Rheumatism where other remedies have disappointed. Reports of cases showing remarkably satisfactory results will be mailed on request.

114 N. 18th St., PHILADELPHIA,  
 Sept. 11, 1896.

Dear Sirs:—Your preparation of Sol. Salicylate of Iron has been used by me for a number of years in hospital and private practice. I do not know of any other preparation of the kind so agreeable and efficient.

Truly yours,

ROBERT B. CRUCE, M. D.,  
 Pres. of Faculty, St. Joseph's Hospital.

JOHN C. BAKER & CO.,  
 131 N. 10th St., PHILADELPHIA.



ESTABLISHED 1830.

Why Disturb  
 The Stomach

with irritating mixtures, when in Tyree's Buchu and Hyoscyamus you have a preparation that goes direct to the glands before beginning work, and it works only upon diseased and never upon healthy glands, and the only glands it does work upon are the Genito-Urinary? If it's catarrhal mucus, it cleans it up. If it is uric acid calculi, it dissolves it. If it is painful inflammation, it relieves it by putting the organ to sleep, as it were. It contains Buchu, Hyoscyamus, Hops, Uva Ursi, Pareira Brava, Acetate of Potassa, Aetherial Spirits of Nitre and aromatics, forming a pleasant and palatable Elixir. Mixes with water without precipitating; contains no sugar of any kind. Two to four teaspoonfuls in water 3 or 4 times a day.

No samples sent.

In any case where relief fails to follow its use I will refund the purchase price.

J. S. TYREE, Chemist,  
 Washington, D. C.

Opium and its alkaloids are invaluable drugs, but have disadvantages. Papine serves a similar purpose, without the disadvantages. IODIA is an alterative in the true sense of the word. BROMIDIA has a host of users throughout the civilized world, many of whom stand high in professional renown. In prescribing these preparations always specify "*Battle's*," and see that the prescription goes to an honorable and reputable druggist who will not stultify or degrade his good name and reputation by *substitution*.

DEERING J. ROBERTS, M. D.,

in Southern Practitioner, Sept., 1896.

A preparation for the

# MODIFICATION OF FRESH COW'S MILK

after the method devised by

## Baron Justus Von Liebig.



Mellin's Food for Infants and Invalids.

DOLIBER-GOODALE COMPANY, BOSTON, MASS.

# Tongaline

(MELLIER.)

ANTI-RHEUMATIC.

ANTI-NEURALGIC.

A Thorough Elimivative.


Secures Immediate Relief.

Always Uniform.



SAMPLES AND LITERATURE ON APPLICATION.

MELLIER DRUG COMPANY, ST. LOUIS.



## BARTHOLOMAY BREWING CO.

ROCHESTER, N. Y.

ANALYSIS: —

By PROF. LATTIMORE,  
Professor of Chemistry at the University  
of Rochester, New York.

The result of the Analysis, expressed in percentages by weight,  
is as follows:

Specific Gravity	1011	Alcohol	5.30
Extract	3.95	Maltrose	0.51
Dextrine	2.70	Albuminoids	0.35
Lactic Acid	0.12	Ash	0.18
Phosphoric Acid	0.02	Water	90.76

The analysis gave no indication that in the manufacture of this Beer any other substances had been used than Malt, Hops, Yeast and Water.

S. A. LATTIMORE.

None Genuine unless having our  
Label and Trade Mark.

Baltimore Branch Office and Depot,

227 to 239 S. CENTRAL AVENUE, Baltimore, Md.

TELEPHONE 1060.

GEO. C. SUCRO, MANAGER.

## The Chas. Willms Surgical Instrument Co.,

MANUFACTURERS,  
IMPORTERS AND  
DEALERS IN

### FINE SURGICAL INSTRUMENTS.

ESTABLISHED 1869.

Deformity

Apparatus,

Elastic

Hostery,

Trusses,

Bandages, etc.



Physicians',  
Surgeons',  
Hospital and  
Invalid  
Supplies.

Fine  
Microscopes  
and  
Accessories.

All the Latest Novelties and Improvements Supplied upon Short Notice. Competent Ladies' Assistant

No. 300 N. HOWARD STREET, Baltimore, Md.

Illustrated Catalogue, over 500 pages, sent Free upon Application.

# Oakland Hydrogen Dioxide

is a pure, stable solution of  $H_2 O_2$ , made in accordance with U. S. Pharmacopoeial requirements, thoroughly reliable for all medicinal purposes.

An **ANTISEPTIC** and **GERMICIDE**, positive and powerful, yet non-irritating and harmless.

**EXTERNALLY**: For Wounds, Burns, Bruises and all inflammatory and suppurative processes.


**INTERNALLY**: It has been found highly efficacious in the treatment of Bronchitis, Cardiac Dyspnoea, Pertussis, Phthisis, stomach troubles and many other conditions.

In all cases where a non-irritating antiseptic is indicated, it is of surpassing value.

Sample and monograph containing full instructions for use, free on receipt of 15c. to prepay express charges.

**The Oakland Chemical Co.**

465 & 467 WEST BROADWAY,  
NEW YORK. \* \* \*



SIR ASTLEY COOPER.

## WHAT A SAMPLE OF UNGUENTINE DID

CONKLIN, MICH., Oct. 20, 1896.

*Norwich Pharmacal Company,*

GENTLEMEN—Sample received and employed in a case of protruding hemorrhoids of four years; a two weeks application made a cure. Half of same sample was employed on a carbuncle that was very painful: second application relieved the pain so patient rested easy for the first time in three nights. After lancing, two dressings healed the wound nicely. Lady remarked that the ointment was just splendid. She wanted a box to keep on hand and I ordered it from my druggist.

It is the best form of ointment I have ever employed and I make one I thought was hard to beat, but the Unguentine is cheaper than I make from my formula. I shall keep it on hand in the future.

Yours respectfully,

S. L. W. KNEPPER, M. D.

To every physician who reads this advertisement, and is not acquainted with the merits of Unguentine, we would like to send a sample. We simply ask a fair trial at our expense. Judge it by what it does—not by what is said about it. Drop us a postal card and we will send you sample, clinical reports and a short biography of Sir Astley Cooper, the originator of the working formula.

**NORWICH PHARMACAL CO., Norwich, N. Y.**

NEW YORK OFFICE, 140 William St., Cor. Fulton.  
BOSTON OFFICE, 620 Atlantic Avenue.

# Gray's Glycerine Tonic Comp.

(Glycerine, Sherry Wine, Gentian, Taraxacum, Phosphoric Acid, Carminatives.)

Formula DR. JOHN P. GRAY.

Neutralizes Acidity of the stomach and checks fermentation.

Promotes appetite, increases assimilation and does not constipate.

Indicated in Phthisis, Bronchitis, Anaemia, Malnutrition, Melancholia, Nervous Prostration, Catarrhal Conditions, General Malaise.

THE PURDUE FREDERICK CO.,

Write for Samples.

No. 52 West Broadway, New York.

# CELERINA

IN TEASPOONFUL DOSES FOUR TIMES A DAY,

Not only removes fatigue of both brain and body, but it is also of the greatest service to singers and speakers, for, whilst bracing the nerves, it strengthens the voice.

## PREVENT ACCIDENTS

Very many physicians make it a routine rule to administer ALETRIS CORDIAL in teaspoonful doses four times a day to all their pregnant patients for several weeks during the latter part of gestation. Experience has taught them that ALETRIS CORDIAL not only prevents miscarriage, but also facilitates parturition.

A FULL-SIZED BOTTLE SENT FREE TO ANY  
PHYSICIAN WHO WILL PAY EXPRESS CHARGES.

RIO CHEMICAL CO.,     ■   ■   ■     ST. LOUIS, MO.

## Some Good Reasons for Specifying Fairchild's Essence of Pepsine.

To give your patient the benefit of the best.

To avoid worthless stuff, which will cost the patient the same price as FAIRCHILD'S.

FAIRCHILD'S ESSENCE is the original and the best;—it sells because it is good. All the rest are made "to sell;"—they sell when they are substituted for FAIRCHILD'S. That is what they are made for;—to tempt the druggist to violate his legal and professional obligation to honor the physician's prescriptions.

FAIRCHILD'S ESSENCE OF PEPSINE is the only pepsin essence made direct from the fresh calf rennet and suitable for the delicate stomachs of infants and invalids.

**Fairchild Bros. & Foster,**  
New York.

# DANIEL'S Conct. Tinct. Passiflora Incarnata

Few remedies in the history of medicine have obtained such phenomenal popularity in the short space of a few years as **Passiflora Incarnata**. It first came into prominence as a remedy for tetanus in veterinary practice, for which, on investigation, it was found to be a specific. Many physicians began experimenting with the remedy in other cases. It was but a short step from tetanus to spasms and Passiflora again scored a signal success—5 to 15 drops four times daily. Further experiments along the line of nervous diseases demonstrated its wonderful value in the convulsions of children, in spinal meningitis and in chorea—5 to 30 drops. But Passiflora's great triumph was yet to come. As clinical reports of its use in various nervous maladies accumulated here and there, one could find it mentioned incidentally, that the patient had "passed a very restful night," "had slept soundly and was refreshed the next morning," etc. "A hint to the wise" being sufficient, physicians began using it for stubborn cases of sleeplessness, when, in teaspoonful doses, they invariably found that it brought a sweet, refreshing slumber; that the patient felt brighter the next day; that no untoward after-results were discernible; that it was not necessary to gradually increase the dose to obtain this result. This deep, quiet repose and refreshed feeling on awakening is vastly different from the heavy, lethargic stupor and dulled sensibilities and nausea on awakening, so characteristic of morphine and narcotics generally.

In several cases on record it has been shown that Passiflora, in teaspoonful doses, has power to quiet the delirium, to produce sleep and to check the intense craving for stimulants, incident to the different stages of delirium tremens. Many physicians have testified to its value in typhoid and other fevers, to control restlessness and induce a natural, restful sleep; also for the nervous disorders of infants during dentition.

**Passiflora** is usually employed in the Conct. Tinct. (**Daniel's**) 5 to 60 drops. One teaspoonful repeated in half an hour, if necessary, is the usual dose for sleeplessness.

Prepared by JNO. B. DANIEL, 34 Wall Street, Atlanta, Ga.

#### FOR SALE BY

PHILADELPHIA:

Smith, Kline & French Co.  
Shumaker & Busch.

NEW YORK:

C. N. Crittenton. Fuller & Fuller Co.  
McKesson & Robbins. Morrison, Plummer & Co.

CHICAGO:

Fuller & Fuller Co.  
Morrison, Plummer & Co.

BALTIMORE:

Gilpin, Langdon & Co.

RICHMOND: Purcell, Ladd & Co.

WRITE FOR LITERATURE.

## ANGIER'S PETROLEUM EMULSION

WITH  
HYPOPHOSPHITES

COUGH DISAPPEARS  
DIARRHOEA CEASES  
NIGHT SWEATS STOP  
APPETITE IMPROVES  
ENERGY RETURNS  
WEIGHT INCREASES  
HEALING  
ANTISEPTIC  
PALATABLE

Two Sizes—6 and 12 oz.

DOSE—Two teaspoonfuls four times a day in water, milk, wine or other vehicle.

ANGIER CHEMICAL CO., Boston, Mass.



# THREE NEW IODINE COMPOUNDS.

Are receiving the unqualified indorsement of leading medical authorities of America and Europe, and are being regularly used by them in preference to Iodoform and the many other substitutes for it.

**NOSOPHEN**  
(Tetraiodophenolphthalein)

## SUPERIOR IN EFFICACY TO IODOFORM.

Possess strong antiseptic properties,  
Do not liberate Iodine, and are non-poisonous, non-irritant, tasteless,

## AND ODORLESS.

Distinguished for its remarkable desiccative action, and does not cake or form crusts when applied to wounds. Possesses exceptional healing properties. Indicated as a dusting powder in wounds of all kinds. Is unequalled in abraded surfaces, like burns, etc.; in abscesses and ulcers of all kinds; in affections of the skin; venereal affections, etc. Being a very light and impalpable powder, it can be very finely diffused, whereby the article is rendered especially valuable for eye, ear, nose and throat practice.

**ANTINOSINE**  
(The Sodium Salt of Nosophen)

Is distinct from most antiseptic products in being readily soluble in water, by virtue of which it is especially adapted in solution as an antiseptic wash in all cases where such is indicated, and as a gargle; gives excellent results in ear, nose and throat practice; for irrigations of the bladder in cystitis, etc.; as an injection in gonorrhœa, etc. Is also employed very successfully as a dusting powder where very strong antiseptic action is desired.

**EUDOXINE**  
(The Bismuth Salt of Nosophen)

Is intended for internal use as a gastric and intestinal antiseptic, and as such has given better results than any other known remedy.

Free samples and literature on application, of any one or all of these products.

SOLE AGENTS FOR THE UNITED STATES AND CANADA.

STALLMAN & FULTON, 10 Gold Street, NEW YORK.

DR. JULIUS FEHR'S  
"COMPOUND TALGUM"  
"BABY POWDERS"  
THE "HYGIENIC DERMAL POWDER"  
— FOR —  
Infants and Adults.

Originally investigated and its therapeutic properties discovered in the year 1868 by Dr. Fehr, and introduced to the Medical and Pharmaceutical Professions in the year 1873.

COMPOSITION—Silicate of Magnesia with Carbolic and Salicylic Acids.

PROPERTIES—Antiseptic, Antizymotic and disinfectant.

Useful as a General Sprinkling Powder; with positive Hygienic, Prophylactic and Therapeutic properties.

Good in all affections of the Skin.

SOLD BY THE DRUG TRADE GENERALLY.

Per box, plain, 25c; per box perfumed, 50c. Per dozen, plain \$1.75; per dozen perfumed, \$3.50.

THE MANUFACTURER,

JULIUS FEHR, M. D., Ancient Pharmacist,  
HOBOKEN, N. J.

Only advertised in Medical and Pharmaceutical Prints.



Mention this Journal.

Highest Percentage Extract. \* Lowest Percentage Alcohol.  
A Mild Stimulant. \* An Effective Tonic.

Just what the physician will prescribe for nursing Mothers, Convalescents, and victims of Insomnia or Nervous Disorders resulting from impaired digestion and overwork.

**BRAUNSCHWEIGER MUMME**  
A PURE MALT EXTRACT—A SUBSTITUTE FOR SOLID FOOD.

Bottled for Sale and Delivered Anywhere.

**LONG ISLAND BOTTLING CO.**

A sample free to physicians who mention this journal.

**BROOKLYN, N. Y.**

## THE INEBRIATES' HOME, Fort Hamilton, N. Y.

INCORPORATED 1866.

A Hospital for the Treatment of Alcoholism and the Opium Habit.

PRESIDENT—JOHN NEVILLE.

VICE-PRESIDENT—M. J. KENNEDY.

TREASURER—Hon. JOHN COWENHOVEN.

SEC. AND SUPT.—SAMUEL A. AVILA.

AUDITOR—FRANKLIN COLEMAN.

PHYSICIAN—H. LEACH BENDER, M. D.

We are enabled to offer Board, Washing and Medical Attendance at rates varying from \$10 to \$35 per week.

Patients are received either on their application, or by due process of law.

For mode and terms of admission apply to the Superintendent at the "HOME," 89th Street and 2nd Avenue, Brooklyn, N. Y., or at the Office, No. 9 Court Square, Brooklyn, N. Y.

How to reach the Institution from New York.—Cross the East River to Brooklyn on Fulton Ferry boat or Bridge, and proceed by Third Avenue electric cars to Fort Hamilton; or, cross from South Ferry on Hamilton Avenue boat or by 39th Street Ferry to Brooklyn, and proceed by electric cars to Fort Hamilton Request the conductor to leave you at 89th Street and Third Avenue.

Telephone Connection.

P. O. Box 42, Station N, Brooklyn, N. Y.



PHYSICIANS  
Prescribe

WITH

BEST RESULTS



Only when a superior preparation like **TEUTONIC** is used—  
When a malt extract is indicated **TEUTONIC** will be found to stand all chemical tests as thousands of physicians affirm.

**S. LIEBMAN'S SONS BREWING CO.**  
36 FOREST ST. — BROOKLYN, N. Y.

## THE CROWNING DEVELOPMENT OF PRACTICAL MEDICINE

### IN HÆMATHERAPY, OR BLOOD TREATMENT.

*BLOOD, AND BLOOD ALONE*, is physiologically ascertained to be the essential and fundamental Principle of Healing, of Defense, and of Repair, in the human system; and this Principle is now proved, by constant clinical experience, to be practically available to the system in all cases, to any extent, and wherever needed, internally or externally.

And the same overwhelming clinical demonstrations have also proved that the Vitality and Power of Bovine Blood can be and are *PRESERVED*, unimpaired, in a portable and durable preparation, sold by all druggists, and known as Bovinine. Microscopic examination of a film of Bovinine will show the *LIVING BLOOD CORPUSCLES* filling the field, in all their integrity, fullness, and energy; ready for direct transfusion into the system by any and every mode of access known to medical and surgical practice; alimentary, rectal, hypodermical, or topical.

In short, it is now an established fact, that if Nature fails to *make* good blood, we *can introduce it*. Nothing of disease, so far, has seemed to stand before it.

Apart from private considerations, these facts are too momentous to mankind, and now too well established, to allow any further reserve or hesitation in asserting them to the fullest extent.

We have already duly waited, for three years; allowing professional experimentation to go on, far and near, through the disinterested enthusiasm which the subject had awakened in a number of able physicians and surgeons, and these daily reinforced by others, through correspondence, and by comparison and accumulation of their experiences in a single medical medium adopted for that provisional purpose.

It is now laid upon the conscience of every physician, surgeon, and medical instructor, to ascertain for himself whether these things are so; and if so, to develop, practise and propagate the great medical evangel, without reserve. They may use our Bovinine for their investigations, if they cannot do better, and we will cheerfully afford every assistance, through samples, together with a profusion of authentic clinical precedents, given in detail, for their instruction in the philosophy, methods and technique of the New Treatment of all kinds of disease by Bovine Blood, so far as now or hereafter developed.

☞ Among the formidable diseases overcome by the Blood Treatment, in cases hitherto desperate of cure, may be mentioned: Advanced Consumption; Typhoid Fever; Pernicious Anæmia; Cholera Infantum, Inanition, etc.; Hæmorrhagic Collapse; Ulcers of many years standing, all kinds; Abscesses; Fistulas; Gangrene; Gonorrhœa, etc.; Blood-poisoning; Crushed or Decayed Bones; Mangled Flesh, and great Burns, with Skin-propagation from 'points' of skin; etc., etc.

N. B. Bovinine is not intended to be, and cannot be made, an article of popular self-prescription. As it is not a stimulant, its extended employment in the past has been, and the universal employment to which it is destined will be, dependent altogether on the express authority of attending physicians. Address

THE BOVININE COMPANY, 495 WEST BROADWAY, NEW YORK,



Micro-photographed  
by Prof. R. R. Andrews, M.D.

"WELL PREPARED!! NUTRITIOUS!! EASILY DIGESTED!!"  
 HIGHEST AWARDS WHEREVER EXHIBITED THE WORLD'S COLUMBIAN COMMISSION.

# IMPERIAL GRANUM

THIS STANDARD PREPARED

# FOOD

IS EARNESTLY RECOMMENDED as a most reliable FOOD for INFANTS, CHILDREN and Nursing-Mothers;—for INVALIDS and Convalescents;—for Delicate and Aged persons. It is not a stimulant nor a chemical preparation; but a PURE, unsweetened FOOD carefully prepared from the finest growths of wheat, ON WHICH PHYSICIANS CAN DEPEND in FEVERS and in all gastric and enteric diseases. It is easily digested, nourishing and strengthening, assists nature, never interferes with the action of the medicines prescribed, and IS OFTEN THE ONLY FOOD THE STOMACH CAN RETAIN.

SEEMS TO HOLD FIRST PLACE IN THE ESTIMATION OF MEDICAL OBSERVERS.—*"The Feeding of Infants," in the New York Medical Record.*

A good and well made powder of pleasant flavour. CONTAINS NO TRACE OF ANY IMPURITY.—*The Lancet, London, Eng.*

A valuable aid to the physician in the treatment of all the graver forms of gastric and enteric diseases.—*The Prescription.*

As a food for patients recovering from shock attending surgical operations IMPERIAL GRANUM stands pre-eminent.—*The International Journal of Surgery, New York.*

Not only palatable, but very easily assimilated.—*The Trained Nurse, New York.*

IMPERIAL GRANUM is acceptable to the palate and also to the most delicate stomach at all periods of life.—*Annual of the Universal Medical Sciences, Philadelphia, Penna.*

Highly recommended and endorsed by the best medical authorities in this country.—*North American Practitioner, Chicago, Ills.*

It has acquired a high reputation, and is adapted to children as well as adults—in fact, we have used it successfully with children from birth.—*The Post Graduate Journal.*

The results attending its use have been very satisfactory.— \* \* \* M.D., in *New York State Medical Reporter.*

Especially valuable in fevers, and often the only food the stomach will tolerate in many gastric and enteric diseases.—*Dominion Medical Monthly, Toronto.*

IMPERIAL GRANUM has stood the test of many years, while many competing foods have come and gone, and have been missed by few or none. But it will have satisfactory results in nutrition far into the future, because it is based on merit and proven success in the past.—*The Pharmaceutical Record, N. Y.*

★ 'Physician's-samples' sent free, post-paid, to any physician—or as he may direct. ★  
 JOHN CARLE & SONS, Wholesale Druggists, 153 Water Street, NEW YORK CITY, N. Y.

# Hold Fast

To That Which Is Good!

WHEN a Physician learns by experience that a certain remedy produces positive results, he becomes familiar with its indications, limitations and therapy, and therefore wants no substitute or make-shift dispensed when he prescribes it.

When a Physician has for a long time prescribed

## Pepto-Mangan ("Gude")

AS A BLOOD BUILDER IN

Anæmia, Chlorosis, Rickets, Amenorrhœa, Dysmenorrhœa, Chorea, Bright's Disease, &c.,  
he knows by experience that it is a standard of therapeutic worth and wants no other.

**BUT SOMETIMES THE PATIENT DON'T GET IT, DOCTOR!**

To assure the proper filling of your prescriptions, order Pepto-Mangan "Gude" in original bottles.


**IT'S NEVER SOLD IN BULK.**

**M. J. BREITENBACH COMPANY,**

Sole Agents for United States and Canada,

56-58 WARREN ST., NEW YORK.

LABORATORY:  
 LEIPZIG, GERMANY



## The Necessity of Specifying-

**BECAUSE** only pure drugs are employed in their manufacture, no component being omitted or substituted, either for the sake of economy or on account of difficulty in manipulation.

**BECAUSE** every care is exercised to insure precision as to the weight and division of the ingredients.

**BECAUSE** an excipient is selected in each instance which will be compatible to the other ingredients and tend to preserve their activity.

**BECAUSE** the coating of these pills is adapted for their ready solution in the stomach, being thin, transparent, smooth and impervious to atmospheric influences.

No argument is required to convince the physician that purity, uniformity and conscientious adherence to acknowledged standards are necessary if manufactured medicaments are to be used, and experience has shown that

## -Schieffelin's Pills

completely fulfill all the requisites of this class of preparations.

We invite particular attention to

***Pil. Ferruginous (Blaud's), Cascaræ Sagradæ et Nucis Vomicae, "Schieffelin's."***

{	Ferri Sulphatis, - - -	2½ grs.
	Potassii Carbonatis, - -	2½ grs.
	Ext. Cascaræ Sagradæ, -	1 gr.
	Ext. Nucis Vomicae, - -	¼ gr.

With a view of obviating the constipation which is occasionally associated with anæmic conditions and which is apt to be enhanced by the prolonged use of iron preparations, we have recently added to our list of Soluble Pills a formula containing the above ingredients in combination with Extracts of Cascara and Nux Vomica.

The Extract of Cascara Sagrada, obtained from the rhamnus purshiana, is now recognized as one of our most valued laxatives, and in cases of habitual constipation has proved extremely useful, producing a mild action of the bowels, without any griping effect. The Extract of Nux Vomica also exerts a favorable action upon the gastro-intestinal tract, increasing the appetite, and, by stimulating intestinal peristalsis, relieving constipation. The general tonic effects of this drug upon the nervous system further render it of great value in cases where ferruginous preparations are indicated.

Send for Revised  
Formulæ List.

*Our list of Pills and Granules embraces those made according to the formulas of the United States Pharmacopœia; also most of those in common use among the profession.*

## Schieffelin & Co., New York.

# MARYLAND MEDICAL JOURNAL

A Weekly Journal of Medicine and Surgery.

VOL. XXXVI.—No. 18. BALTIMORE, FEBRUARY 13, 1897. WHOLE No. 829

## Original Articles.

### THE TREATMENT OF SYPHILIS.

*By Henry Alfred Robbins, M. D.,*

CLINICAL LECTURE DELIVERED AT THE SOUTH WASHINGTON (D. C.) FREE DISPENSARY, DECEMBER 7, 1896.

#### SECOND PAPER.

It seems as if material comes to us just when we want it. We were anxious to show you a case of maculo-papular syphiloderm and here you see it all over this quadroon girl, who is pretty and nineteen years old. There is a history of a sore on the genitals, which the girl says she noticed two months ago. Dr. Armine has called our attention to an indurated spot, located on the left labium externum. You feel also slight enlargement and hardness of the inguinal glands, just above Poupart's ligament. Feel above each elbow and you will find something that will roll under your fingers like little marbles. They are the epitrochlear glands. Her face alone seems not to blush with the eruption.

This patient reminds me very much of one that a brother practitioner sent me to see some years ago. He told me that he did not know what it was, unless it was a case of "erythema universale." It did itch, however, and very badly, too. That is not the case with a syphiloderm. There were no catarrhal symptoms and no typical tongue of scarlatina. I glanced around the room and saw on the washstand a black, shiny-looking thing, which had a very blunt-looking nozzle. Such an instrument is sometimes used for washing out ears. In close proximity there

was a six-ounce bottle. It occurred to me that it might contain that good, old-fashioned mixture named after Washington's most intimate friend, the Marquis de la Fayette. I suggested that the patient had an attack of gonorrhoea and that the eruption was a medicinal one, caused by the copaiba in the mixture. It turned out to be the case, and stopping the administration of the *Mistura la Fayette*, the patient made a rapid recovery, as far as the skin trouble was concerned.

The Marquis, however, is not responsible for the girl's eruption. Under specific treatment it will rapidly disappear. It is one of the most benign of the manifestations of syphilis.

We formally present to you for examination another girl, aged twenty years, whose skin is not so lily white. No white man's blood courses through her veins. In Vienna there is no mock modesty. It makes no difference as to the sex or age of the patient. When one appears a transformation act takes place and you behold a being as bereft of wearing apparel as *Venus* was, as she is represented on the big sea-shell, with nothing to cover her but her hair.

When I was in Paris I never missed going to the studio of an artist friend, which exactly resembled that of the studio of Du Maurier's friends "Taffy,

the Laird, and little Billee," when he was painting from "the altogether."

Now imagine that the girl is a black "Trilby." Do not look at her feet, because if you do the illusion is gone. Keep your eyes fastened on her arms and legs. You notice that there is a large collection of epidermic scales. They are dry and thick and of a dirty, grayish color. It is the papulo-squamous syphilide. There is only one skin eruption that you could possibly mistake it for and that is psoriasis. Some writers call it psoriasis syphilitica, but there is no such thing. Arsenic, in its effects, is magical in psoriasis. In this case you might give it in all its forms, but it would have no effect on this syphiloderm. Under specific treatment you will notice marked amelioration in a very short space of time. It belongs to the late secondary stage. You find a syphilitic history in this case, as far as enlarged glands are concerned, especially of the epitrochlear. The history of an initial lesion is sometimes very difficult or impossible to obtain, as you find in this case.

If hereafter you see much of this disease you will lose confidence in mankind.

We are not influenced by any false statements of any patient. Fortunately the disease is not in the air, as some would have you believe.

Then it makes no difference to us how any person was contaminated. We are here to recognize and treat diseases of the skin and to the best of our ability impart our knowledge to you.

How shall we begin treatment? That depends entirely upon the stage of the disease and the idiosyncrasies of the patient.

Let us give reasons for what we do and not go to work in a blindfolded, hap-hazard sort of way.

The two medicines that you have seen us prescribe so often are mercury and iodide of potassium.

The micro-organism of syphilis has not yet been discovered, but we know that the lymphatics have absorbed something, which, if left alone, goes on to multiply indefinitely, causing cell

accumulations and connective tissue deposits. The various syphiloderms are manifestations. If the disease is not arrested in the secondary stage this process goes on, resulting in changes of the arteries and formation of gummata, not only externally, but in the vital organs. Later on I will report examples, as I have taken the trouble to study the subject and some of my writings have found their way into print.

The diagnosis of visceral syphilis is made, not from any particular symptoms, but a combination of many, going back, if possible, to a history of a chancre, occurring years before.

The object of treatment is to give something that will hasten the destruction and elimination of the poison and its products and that corresponds to the properties ascribed to only one drug and that is named after one of the mythological gods—Mercury.

This reminds me that years ago when the old-fashioned stages used to run up and down Broadway, New York City, a well-known physician crawled into the rear end of one and found seated there "a maiden fair but frail." He was invited to spend half an hour with Venus. The physician sighed at the moral depravity of the invitation and replied that half an hour passed with Venus means many months passed with Mercury.

The answer contained "more truth than poetry." You find a good many here passing their time with mercury, but as yet we have not had any "*Nymphs de Pave*." The name venereal comes from Venus, "the goddess of love or pleasure." The sooner she is dethroned the better it will be for the world.

We do not propose, however, to take up the "social evil" question, only so far as to inform the public as to the danger of acquiring syphilis in an unmerited way.

Having decided to begin treatment with mercury, we at first think of the most convenient and acceptable way to give it to the patient and that is by the mouth. Before doing so we should make a careful examination of the buccal cavity and see if the teeth are in a



good condition. If not, send your patient to a dentist. Prescribe a tooth wash containing the tincture of myrrh. Forbid the chewing of tobacco. Remember that the favorite seat of mucous patches is in the mouth. Jullien says the history of an average case of syphilis may be summarized as follows: "A chancre, a transitory erythematous rash, and following this, mucous patches, relapses of mucous patches, more mucous patches." You know that the secretion of a mucous patch is in a high degree contagious. Next to the chancre it is the commonest source of infection.

I might as well state here, that nothing is equal to black wash (*lotio hydrargyri nigra*) either in full strength, or diluted with water, for the cure of mucous patches of the mouth, used as a gargle several times a day.

After attending to the cleanliness of the mouth, we give some form of mercurial pill. I am not going to burden your minds with a lot of formulae. Nearly every patient that you will have in private practice will show you several, which a physician or friend has given him I have had them presented to me for examination by former patients of physicians from Portland, Maine, to New Orleans, and across the continent to the Hot Springs of Arkansas, and San Diego, California.

Remember that in giving mercury it is your object to give the patient as much as can be absorbed, or as much as he can take, without injuring his general health. Look out for the symptoms of salivation, such as increased and thickened mucous saliva, pain felt on snapping the teeth together, a feeling as if the teeth were elongated, etc. Stop when the gums are slightly touched. If ptyalism does occur, give the saturated solution of the chlorate of potassium, every hour or two as a gargle, and a little to be swallowed.

You notice that we generally prescribe during the first year of syphilis the proto-iodide of mercury or the hydrargyrum cum creta; the latter is the form of mercury that is preferred by Jonathan Hutchinson.

We begin with one-fourth of a grain

of the proto-iodide three times a day; if we do not see almost immediate good results, we give four, then two in the morning, one at noon, then two at night, then six a day, and so on until we have slightly touched the gums. Sometimes you will find that the patient will not get along well, until you add iron to the prescription. Such a one is recommended by Dr. F. R. Sturgis of New York, which contains two grains of blue mass to one of iron. It has an excellent tonic effect.

Some people can not take the proto-iodide of mercury without its producing colicky pains and diarrhea. I had such a case, a short time ago. When I discontinued it, and gave in place of it the tannate of mercury in one grain doses three times a day, it agreed perfectly with the patient. Since then I have prescribed it for several and with satisfactory results. The dose is from one to five grains.

How long shall we keep up treatment by this method? Formerly I kept the patient on a mercurial pill for one year or eighteen months. Now acting on the published recommendation of Dr. R. W. Taylor, at the end of six months, I give the patient a period of rest. That is, I give the pills in as large doses as he can absorb for twenty days and stop ten. If all goes on well, then at the end of a year, and during six months, I give the drug for fifteen days, and stop fifteen. During the intervals I give freely of tonics. Lately I have alternated this treatment with the inunction method, which I will explain to you on another day.

At the end of a year and a half, I give what is called the "mixed treatment." That is a combination of mercury and iodide of potassium. There is a great difference of opinion in relation to the action of this combination. The object of treatment is to destroy and eliminate from the system the products of the syphilitic virus. Perhaps mercury is the destroyer, and the iodide of potassium removes the debris.

As good a prescription for the mixed treatment as you can find is the renowned "Sirop Gibert." Its value has

added to the reputation of a famous syphilographer, and it is still often prescribed at home and abroad.

R.—Hydg. biniodid. . . gr. j  
 Potass. iodid. . .  $\bar{5}$  j  
 Aquae . . . f  $\bar{3}$  j  
 Filter through paper and add  
 Syrupi Simplicis. . . f  $\bar{3}$  v

M. Sig. A tablespoonful three times a day.

The mixed treatment is also given in tablet triturate form. This treatment we continue for twenty days, and then give ten days' rest. During the third and fourth years of the disease we give the patient a rest from treatment of one, and sometimes two, months if there is no symptom of the disease present. Really, at this age of syphilis, you have to deal with the sequelae of the primary and secondary stages, and now it is the time when the iodide of potassium is your sheet anchor.

If syphilis had not been properly treated, there comes a day of reckoning, and the victims of the disease (and ignorance somewhere) are attacked with apoplexy, albuminuria, heart disease, etc., when in reality they are dying from the structural changes of syphilis, which proper treatment would have eliminated.

#### THE CAUSES OF APPENDICITIS.

SOME points of interest as recorded in the *Lancet* in connection with the pathogeny of appendicitis were discussed at a recent meeting of the French Société de Chirurgie. The view of M. Dieulafoy, that the disease is a consequence of constriction with closure of the appendix and the consequent retention of morbid material within it, did not find much favor.

On the contrary, several speakers referred to the frequent existence of this condition without appendicitis, and at the same time mentioned cases in which they had found a perfectly permeable appendix to be the seat of inflammation.

The general opinion of those who took part in the discussion was that appendicitis is usually only the local expression of a more or less general entero-

colitis. Many years ago I had the honor of walking the wards of Guy's Hospital, under the tutelage of that great physician Dr. Samuel Wilks, who still lives enjoying the honors of a long and distinguished career. In 1886, Dr. Wilks, in a lecture on "Medical Treatment," said: "I think I can show how an improved treatment has come about, not by the discovery of new drugs, but by a better knowledge of the nature of disease, and by clinical observation. Thousands of persons are now cured of epilepsy, paralysis and various other nerve disorders by means of iodide of potassium, and why? Because syphilis was found to attack the brain and internal organs, when a more extended and closer observation of morbid structures was begun to be made in the post-mortem room. Let me most emphatically dwell upon this point, that an improved treatment saving thousands of lives annually arose, not from the discovery of a new drug, but from work in the dead-house."

At the conclusion of our next service, I will continue the subject of iodide of potassium. How it should be prescribed with care. Its dangers as well as virtues. Then we will go on to other methods of treating syphilis.

The theory of M. Reclus is worth quoting as a more detailed statement of these opinions. According to him the problem of causation is capable of a double solution—(1) as being related to the presence of an actual foreign body in the appendix, a condition of course hostile to spontaneous recovery, and (2), as explained by a "theory of stagnation." This view regards the appendix and in a less degree the cecum as diverticula which readily allow the accumulation within them of organic fluids, these in turn becoming the seat of fermentative changes. Inflammation follows as a natural consequence. In this comprehensive and moderate statement we shall probably find the nearest approach to explanation of a malady the clinical aspect of which is, as a rule, sufficiently obscure.

## THE ABUSE OF SURGERY.

### PARIS DOCTORS UNDER ARREST ; INTERPOSITION OF AN ENGLISH JURY IN A CASE OF OVARIOTOMY.

By C. W. Chancellor, M. D.,

United States Consul at Havre, France.

IN an article published in the JOURNAL of the 3rd of October, 1896, on "The Abuse of Surgery," it was shown that recent exposures of Parisian ovariologists were only too well founded, and that filthy lucre proved the bane of not a few weak members of an honorable and honored profession ; but sufficient for the day are the sensations thereof.

Two well-known Paris physicians have just been charged with a crime of the most startling character. Dr. Bois-leux and Dr. de la Larrige are the two physicians. The former, a specialist in gynecology, performed and the latter assisted at an operation on Miss Thomson, a young unmarried English woman, who had been betrayed by a married man, Monsieur Mausey, president of "The Artistic and Literary Society of Paris," who has since committed suicide.

Dr. de la Larrige, whose brother is an officer of high rank in the French army, has made the following statement: "M. Mausey, whom I had known for some time past, came to me about five weeks ago, accompanied by Miss Thomson, whom he introduced as a person in whom he took great interest. He was, he told me, bringing a friend to a friend for advice. Miss Thomson complained of pains in the stomach. I examined her and judged that she was suffering from an endometritis which a very simple operation would suffice to cure.

"As I devote myself chiefly to diseases of the respiratory organs, I advised M. Mausey to take Miss Thomson to a specialist on gynecology, and gave him the address of Dr. Boisleux, 58 rue de l'Arcade. M. Mausey and Miss Thomson came again to see me on Sunday, November 21. They had been to see Dr. Boisleux, and now came to ask me

to obtain a special fee in their favor. I saw Dr. Boisleux, who agreed to perform the curetting operation required for five hundred francs. The next Monday Miss Thomson went to Dr. Boisleux's maternité, and at nine o'clock the same morning, the latter began the operation. Another doctor, an American, whose name I do not remember, and myself assisted him.

"In the course of the operation Dr. Boisleux discovered, with terror, that Miss Thomson was two months *enceinte*. Very naturally this aggravated the condition of the patient, and the ensuing Wednesday Dr. Boisleux performed laparotomy in the presence of his two colleagues. This difficult operation apparently succeeded, but on the following Friday, Miss Thomson succumbed to an inflammation which ensued."

It is worthy of note, especially in view of the foregoing declarations, which reduce the part played by Dr. de la Larrige in this sorry drama to slight importance, no warrant for his arrest has been issued, but he is simply "detained" *maintenu à la disposition du parquet*, to quote the French phrase. Dr. Boisleux was immediately placed under arrest but the American physician, spoken of by Dr. de la Larrige as being present, is unknown to the authorities or, at least, *non est inventus*. He was no doubt only "a looker-on in Vienna ;" but if it is all a mistake, and justice should have taken a wrong track, why does he not come forward and speak for the honor of his colleagues and profession ?

That "doctors differ" is an aphorism, but the extent to which they do so, apart altogether from diagnosis and prescriptions, is shown in a side-issue of this case, which has been so prolific in

developments. Dr. Boisieux belongs to the "Syndicat Général des Médecins de Paris et du Department de la Seine." This body met on Saturday last, December 6, and voted an order of the day defending, on scientific grounds, the imprisoned physician, expressing a high opinion of his disinterestedness and science, and refusing to believe in the possibility of his being guilty of the charge brought against him.

Thereupon another medical association, the "Syndicat des Médecins de la Seine," issued a note to the effect that it had no connection with the first mentioned organization, and that it had not discussed the case of Dr. Boisieux. To add to the embroglio, Dr. Cornet, president of the first named association, accuses the Paris faculty of being hostile to private clinics like that of Dr. Boisieux's, while Professor Brouardel, president of the other association who made the post-mortem in the case of Miss Thomson, denies emphatically that any such hostility exists.

#### THE ENGLISH CASE.

The verdict of a jury in a medical case which has just been decided in the Queen's Bench Division of the London courts, before Mr. Justice Hawkins and a special jury, seems to make very nearly absolute the discretion of doctors in the matter of ovariectomy. There was indeed some conflict of evidence in the case. The plaintiff alleged that she expressly objected to the more serious operation; the defendant that, tacitly by her own conduct and indirectly through another doctor, she consented to it. This much, however, seems to have been common ground—namely, that she did not desire, and did not expressly consent to, the operation which, in fact, was performed. She consented, it appears, to the milder operation; but did not wish the severer to be carried out.

The surgeon himself, in his own evidence, showed that he was well aware of this, for when in the course of the operation he found that the severer one would in his judgment be desirable, he stopped to consider, and after consideration decided on over-riding the patient's

wish in the interest of her health. The judge and jury felt no difficulty in deciding that he was right; from which decision it seems to follow that those who submit to the surgeon's knife must trust him all in all or not at all.

The case was an action in which the plaintiff, a professional nurse, claimed damages from the senior obstetric physician of St. Thomas Hospital, London, because, she alleged, he had performed a series of operations upon her contrary to her express direction. On the other hand, it was said that the operation was a necessary one, and that the patient placed herself entirely in the hands of the surgeon, and had, to an under officer of the hospital, consented to the operation being performed.

The plaintiff stated that she had only consented to the single operation (the removal of one ovary) being performed on condition that there should be no double operation, and that the surgeon consented to that. To this he replied: "I know your wish. You may be sure that I shall not remove anything that I can save." With this understanding she got on the operating table, lay down and took the anesthetic.

In reply to this the surgeon testified that the operation as performed was absolutely necessary in the interest of the plaintiff and for the preservation of her life. Continuing, he said: "When the operation had been partly performed he saw further the condition of the patient and said, 'Considering the patient's wish, this case involves serious complications and I shall have to consider a bit.'" One of the persons who were in the room suggested that as the plaintiff's sister was outside the room it might be a way out of the difficulty to speak to her, to which the surgeon replied: "No; I have taken the responsibility of this operation, and I must accept it wholly. I do not think it would be fair to put any part of it upon the patient's sister. I have been performing operations for twenty-five years, have performed some six hundred operations and two hundred and fifty of them were operations of this nature."

The surgeon further testified that he

attended the plaintiff for a week after the operation. She asked him what operation had been performed, and when he told her she became excited, lost control of herself, screamed and applied opprobrious names to him. She had to be removed into a ward where she would be by herself. This, he said, was for the sake of the other patients. He denied that he was, as alleged by the plaintiff, unkind to her during the week he attended upon her, and that he threatened to put her into a lunatic asylum.

Several physicians testified that from what they had heard of the case the operation was necessary for the good health of the patient, after which the jury interposed, saying they were agreed upon a verdict adverse to the plaintiff. Counsel for the plaintiff said: "All that I can say is that my client is very anxious that the case should continue until it shall come to its natural termination," to which the justice replied, "If the jury say that they have made up their minds, with all the experience I have had, I do not think it is likely you can change that. The cost of another day's trial is a very serious matter to the defendant; to the plaintiff it does not matter, for other people are paying her expenses." A verdict was thus given for the defendant.

As to the soundness of the verdict, it is quite in keeping with that rendered against the unfortunate Mrs. Castle by an English court a few weeks ago. Of course, there may have been exceptional circumstances in this particular case which inclined the jury to take the view they did. But looking at the general issue involved we do not find the question very simple. We can appreciate the surgeon's position.

His reputation may be at stake in such cases; and if he does not do what he believes necessary to the patient's health or life, then, and in the event of any untoward issue, he would feel himself to blame.

But, on the other hand, ought not a patient to have the right of deciding for himself or herself, "thus far and no farther?" After all, this patient's life

was her own affair and there is apparently no reason why she should be compelled by the surgeon's decree, "for the sake of life to lose what makes life worth living."

Perhaps, however, the case decided by Mr. Justice Hawkins and the English jury does not go quite so far as maintaining this proposition. But what seems clear is that any patient in similar circumstances will do well in future to set out precisely beforehand, in black and white, the conditions and limits of the operation to be performed. The uncertainty which admittedly enveloped the case in question is unfair to both patient and doctor.

#### PLAGUE IN BOMBAY. CHOLERA IN SINGAPORE.

European papers recently published important dispatches from Bombay and Singapore regarding the plague and cholera. At Singapore the plague has not yet made its appearance, but the cholera has broken out with considerable violence. At Bombay the plague has already killed eight hundred people and the situation is very alarming.

The outbreak of these two dreaded diseases in the east at this season and the almost certainty of their reaching Europe early in the spring has come with all the shock of surprise and naturally imposes heavy responsibilities upon the public authorities, both here and in our own country. The records of accurate and intelligent observations carried on in reference to the outbreaks and progress of cholera during the last few years offer invaluable data to the students of epidemics.

They do not, it is true, teach us anything which we did not know before, and that is, perhaps, not the least satisfactory feature about them. They simply confirm with a terrible impressiveness conclusions to which science had already come. They warn us that the neglect of certain rudimentary laws of sanitation may suddenly work wholesale destruction under unfavorable conditions and they show that it is still possible for the member of a community to persevere in such neglect until the time

for prevention has gone by and the enemy is already raging and doing harm in their midst.

But what is the use of interminable, wire-drawn disquisitions on this or that heroic operation, this or that bacillus, when communities fly persistently in the face of those all-important laws, the discovery of which constitutes the real advance in medicine made by our age.

Municipal authorities never do move in these matters until they are compelled, and to a certain extent they are right, for public money is involved and that should not be spent without a clear case. It must, therefore, be left to the press to supply the necessary compulsion in the public interest and in matters of sanitation that duty falls especially on the medical press.

## AN INTERESTING CASE OF NERVOUS ANACIDITY.

*By Moses Savage, M. D.,*

Attending Physician to the Department of Practice of Medicine, City Hospital Dispensary, Baltimore.

CASES of nervous anacidity are not unusual, but the occurrence in a lad of sixteen years is rather a curiosity. I therefore report this case as being of considerable interest.

H. E., aged sixteen years, whose mother and sister are very neurotic, had been complaining for three years with a train of nervous and dyspeptic symptoms, indefinite pains of a neuralgic character and general depression. Often he suffered from colicky pains in the hypogastrium, lasting about an hour and usually relieved by relaxing the abdominal muscles. He had a distaste for meat.

Two weeks before I first saw him he had been troubled with colicky pains, soreness in chest, bad taste in mouth, hawking and spitting in the morning, headaches and nervousness.

He had a chronic naso-pharyngitis; heart and lungs normal. He exhibited an extreme neurotic disposition and exaggerated his troubles. I put him under various stomachic tonics, changing from one to another, and have almost exhausted my knowledge of the *materia medica* for such cases, with the result of either partial, temporary relief or complete failure.

On the 5th of December there was practically no improvement. He complained of thoracic oppression, soreness in the chest (probably intercostal neuralgia), chilliness, flushes of heat and general depression. Whilst he told me that his appetite was poor, his parents

maintain that it was rather excessive and that he worries them considerably by claiming that he was seriously ill.

December 22. Patient claims that he does not feel any better, is troubled with oppression, cannot take a full breath and is low-spirited. Examination of his gastric contents showed entire absence of free hydrochloric acid; total acidity 2.0; contents badly digested and no mucus. He was given diluted hydrochloric acid, five drops, three times a day. For a whole week after he had profuse night sweats.

January 5. No improvement. Examination of the gastric contents again demonstrated the absence of free hydrochloric acid; total acidity only 1.5; no mucus.

January 24. Third examination: No free hydrochloric acid; total acidity 2.0; no lactic acid; pepsin ferment normal; rennet zymogen  $\frac{1}{100}$ ; no mucus.

The absence of mucus in the gastric contents and the manifold nervous symptoms leave no doubt but that this is a case of pure neurosis, gastric catarrh being entirely excluded. This case is of interest in showing how a nervous condition may entirely abolish the secretion of the hydrochloric acid of the gastric juice. In this condition, as has been shown by Boas and Julius Friedenwald, the rennet ferment and its zymogen are present in normal proportions.

It is also interesting from the fact, as has already been stated, that the condi-

tion was present in a lad of but sixteen years.

I am indebted to Dr. J. Friedenwald for his aid in the publication of this communication.

(Boas: "Allgemeine Diagnostik und Therapie," 3. Auflage, S. 190. Julius Friedenwald: "The Quantitative Estimation of the Rennet-Zymogen." *Medical News*, June 22, 1895.)

---

## Medical Progress.

---

### REPORT OF PROGRESS IN DISEASES OF THE EYE AND EAR.

*By Hiram Woods, Jr., M. D.,*

Clinical Professor of Eye and Ear Diseases, University of Maryland; Surgeon at the Presbyterian Eye, Ear and Throat Charity Hospital, Baltimore.

AND

*E. E. Gibbons, M. D.,*

Assistant Presbyterian Eye and Ear Hospital.

#### GLAUCOMA IN RELATION TO GENERAL PRACTICE.

THIS is the subject of a paper in the *Southern Medical Record* by Alexander W. Stirling of Atlanta, Ga. Glaucoma is to the ophthalmic specialist a most interesting disease. It is interesting to him because, from the remotest times into which the history of medicine can carry us, down to the present day, it has been a subject of difficulty and discussion; because there is probably no other ocular disease, a proper understanding of which has been so dependent upon a clear grasp of true physiological process within the eye, and whose development has followed so closely upon these; because it is a morbid process of such relentless nature that, once established, if uncombated, it seldom or never relinquishes its deadly progress until the eye and in the majority of cases, both eyes, are quite disorganized, and, as if not content with their destruction, it frequently continues to torment its victim with such pain that he urgently calls for removal of the globe.

As in all diseases whose progress is attended by unalterable organic change, the early period, that in which the general practitioner is usually consulted, is the hopeful one for treatment.

It is a common experience to meet with no inconsiderable number of cases of glaucoma in which its peculiar symptoms have led astray both patient and practitioner to such an extent that an eye has been either lost or been greatly damaged. It is also easy to diagnose glaucoma, if its possible existence be kept before the mind in the presence of certain symptoms which tend rather to draw the attention from, than to, the eye. The eye is less likely to be overlooked in the chronic forms than in the more acute.

The eye is an organ whose sensitive nerve supply constitutes a portion of a nervous trunk which sends branches to a great part of the same side of the head and face, and has close central relationship with other nerves proceeding to different parts of the body. Given a great irritation of the ocular portion of the trigeminus, its action is apt to be transferred to some or all of the remaining sensory fibers of the nerve, with the result that the pain originating in the interior of the eye is felt with equal severity elsewhere; teeth, forehead and ear. It is thought to be toothache, rheumatism, neuralgia or even erysipelas. When associated, as it not unfrequently is, with vomiting, it is called migraine. Such illusions are still more probable and the physician less likely to correct the patient, when the pain extends still further and is felt in the region of the shoulder.

In "simple" or very mild chronic cases a gradual diminution in visual acuity is the main cause of complaint, and the attention is not likely to be diverted from the eye as in acute cases. On the other hand, error may arise in diagnosis, first, on account of this mildness, for in an eye which presents to outward inspection little deviation from the normal, the proper appreciation of the case is not unlikely to be postponed or altogether overlooked. From the most insidious and quietest, with little or no sign of inflammation, and taking perhaps years to develop, there is an unbroken chain of connecting cases extending to the most sudden and severe form, attended by excruciating pains

and producing blindness in a time, limited to hours or even less. Though the chronic form should also be borne in mind, the typical symptoms of glaucoma for which we should be on the outlook are chiefly—besides impaired vision, pain in eye, head and face, halos or rainbows seen by the patient, round artificial lights, a variable amount of congestion of the eye and haziness of the cornea; a diminution in the distance between the cornea and the iris as compared with the healthy eye, an enlarged pupil, comparatively irresponsive to the stimulus of light, in which may often be observed the greenish coloration, not, however, peculiar to glaucoma, but from which the disease originally took its name and most important of all, a heightened tension of the globe, felt when it is palpated, through the upper lid, between a finger of either hand, the patient looking down.

Difference in eye tension is always pathological. Every medical man should make himself familiar—a simple matter—with normal, in order to appreciate abnormal, tension. It is the belief most generally accepted, that even in chronic cases in which it is sometimes hard to distinguish increase of intraocular pressure, the latter is yet the *fons et origo* of all that makes glaucoma. It is evident that just a certain quantity of fluid in the eye, no more and no less, will suffice to keep the tension normal; too little, and the eye will tend to become soft, wrinkled and collapsed; too much, and the delicate structure of its interior will be stretched, compressed and injured.

In considering the question of intraocular pressure it is at once evident that an excess of fluid may exist within the eye because too much has entered it, because too little has left it, or from a combination of these causes. Mackenzie of Glasgow was the first to observe increase of tension, and in 1830 he showed its connection with glaucoma in his famous work on diseases of the eye. Advanced age and smallness of the eye are separately predisposing causes of glaucoma and in a large majority of cases these are found combined. It will oc-

cupy only a moment to consider how fully an increase of intraocular pressure can account for all the symptoms. Pressure on the sensory nerves of the eye and transference of the sensation to other branches of the same nerve or to other nerves cause pain in the eye and elsewhere. Pressure produces the halos or rainbows through edema of the cornea, the result of interference with circulation, which corneal haze, along with the effects of pressure on the main trunk of the optic nerve, as well as on the nervous and vascular structure of the retina and choroid, accounts for the diminished visual acuity, acting upon the veins in their passage through the ocular walls the pressure produces the pink zone of enlarged, vicariously employed vessels, seen around the cornea.

We have noticed how the anterior chamber is shallowed, an explanation which holds good also for the large and more or less immobile pupil, while of the internal changes in the eye, the only one which need be mentioned is the well-known glaucomatous cupping of the optic disc, the weakest part of the walls and that which first or alone gives way and yields outwards before the pressure, from which ultimately results a true and incurable atrophy of the nervous filaments. As regards treatment, the author warns against the indiscriminate use of mydriatics, especially atropine and cocaine, in affections of the eye. Glaucoma has often resulted from the use of belladonna, and is almost always accentuated by it; in most ocular diseases it is harmful and the non-specialist would do well to cut this drug from his list in ophthalmic practice, except when convinced that he is dealing with an uncomplicated inflammation of the cornea or iris. On the other hand, he has in myotics, and notably in eserine and pilocarpine, a fairly certain means of temporarily benefiting many cases of glaucoma and so saving valuable time until the most suitable method of treatment can be decided on.

The author concludes with a few words about the differential diagnosis of glaucoma. The injection of the



white of the eye in ordinary uncomplicated conjunctivitis is limited to the conjunctiva, and the engorged vessels move along with that membrane when it is rubbed over the sclerotic. The pupil is also unaffected.

The glaucomatous corneal haze might, on a hurried examination, be mistaken for superficial or interstitial keratitis, but the real corneal difference, the normal tension and condition of the pupil, which is apt to be contracted in corneal inflammation, should be sufficient guides.

In iritis there may be slight increase of tension, but the pupil is contracted and the iris tissues are changed in color and texture, while the anterior chamber retains its normal depth. Evidences of adhesion between the lens capsule and iris on dilatation of pupil will confirm the diagnosis.

POST-NASAL ADENOID HYPERTROPHY, WITH ESPECIAL REFERENCE TO THE IMPORTANCE OF ITS EARLY RECOGNITION BY THE FAMILY PHYSICIAN.

In an interesting paper in the *Laryngoscope* for July, 1896, Dr. J. E. Schadle of St. Paul, Minnesota, discusses post-nasal adenoid hypertrophy. Post-nasal adenoid hypertrophy is a disease of the naso-pharynx, a cavity embodying important anatomical and physiological relations as the mechanism of respiration and audition. Communicating with the nose, throat and ears and contributing to their functional powers, the abnormal naso-pharynx exercises morbid influences over these associated cavities, which impair their usefulness and not infrequently produce organic changes. The disease is one peculiar to childhood. It prevails in all countries (Meyer). The physician who assists at the infant's birth and prescribes for it through its early life should especially be able to recognize this abnormal condition of the post-nasal space, for undoubtedly to adenoid vegetations are due many of the nervous and nutritive disturbances of the young.

During the past fifteen years nose and throat specialists have been the only contributors to the literature of the subject, and none will question the ben-

efit humanity is deriving from their work along these lines. In recognition of this fact a forcible argument is furnished in the present movement among laryngologists to raise funds for the purpose of erecting a monument to the memory of Dr. Wilhelm Meyer of Copenhagen, to whose investigations and teachings we are indebted for much of what is now known of the malady. Post-nasal adenoid hypertrophy is not infrequently attended by serious and formidable consequences. Prominent among these is obstruction of the nose. Through respiratory interference deficient oxygenation of the blood results, establishing a process of carbon dioxide poisoning, impairing nutrition and inducing anemic conditions from which recovery is sometimes protracted, even after the function of nose-breathing has been fully restored. The cause of chronic otorrhea in the child in the majority of cases can be found in the existence of adenoid vegetations. Inflammatory states of the tissue, brought on by exposure to temperature changes or to the exanthematous diseases, generally give rise to catarrhal disease of the middle ear, which may eventuate into a persistent otorrhea or mastoid complication. They also prevent perfect ventilation of the drum. Defective hearing in the young wholly depends on this condition.

Laryngismus stridulus, or spasm of the larynx, an affection which suddenly manifests itself in the night, causing alarm and disturbing the child, is, no doubt, an effect of the occlusion of the nose, the larynx becoming hyperemic, dry and irritable in consequence of mouth-breathing. Choreiform movements of the soft palate have been, in a few cases, a reflex phenomenon of the post-nasal vegetations. Alterations of the voice and laryngeal, bronchial and nasal catarrhal inflammations may arise from the same source and produce an infinite amount of annoyance. Atrophic rhinitis, I believe, is often superinduced by the disease when the systemic conditions are favorable. Thoracic deformity and imperfect pulmonary aeration are frequent damaging

consequences. Wry-neck has been traceable to its reflex cause to adenoids. Nocturnal incontinence of urine is an occasional accompanying occurrence. Not only the physical, but also the mental, growth of a child is retarded. Instances in which through the agency of inheritance the tuberculous or scrofulous taint is present, the consequences are serious and the struggle for existence difficult.

Children afflicted with adenoids and allowed to go on without obtaining relief are certain to fall below that measure of health and strength to which they would else have attained. They grow up sickly and feeble and the event is looked upon as a visitation of Providence. The severer forms will tell on their whole future existence—growth will be stunted, energy will be deficient, maturity will be less vigorous than it ought to have been and success and happiness in life will be hindered. Their ultimate physical powers and their efficiency as men and women will inevitably be more or less diminished by it.

Can all this consequent injury be obviated? It can by an early recognition and removal of the trouble. Due either to ignorance, negligence or prejudice, very generally the family physician himself is responsible for the development of the disease whose effects we see are mischievous and far-reaching. To advise that the child will outgrow the difficulty is criminal, though it be known that after the period of adolescence atrophy of the gland may take place. The lymphoid mass, also known as the pharyngeal or "third" tonsil, when microscopically examined, is found to be a retiform network of connective tissue, which is filled with lymph corpuscles. The growths are richly supplied with blood-vessels and are covered with ciliated epithelium, resembling more or less the mucous membrane from which they take their origin. The clinical signs or physiognomy of post-nasal vegetations are characteristic and unmistakable. The open mouth, the pinched nose, the drawn-down inner canthi, the elevated eye-

brow, the corrugated skin of the forehead, the distorted chest, the apparent mental deficiency, the altered or "dead" voice and the defective general development, evidence the presence of the trouble. Some one has said "It is babyhood that has made man what he is." This important period of life should then be respected and the infant struggling for existence should have all avoidable obstacles removed which may tend to interrupt the process of development. Occasions sometimes present themselves when the child at its mother's breast is unable to perform the function of taking food, in consequence of the embarrassed nasal respiration dependent upon the presence of post-nasal vegetations. The medical adviser, under such circumstances, should look beyond the frenum of the tongue for the cause of the impediment.

By posterior rhinoscopy, or by the insertion of the forefinger into the post-nasal space, the diagnosis is easily made. Seen by the aid of the mirror, various forms of the growths appear. Not infrequently they are observed to obscure the greater part of the posterior nares, septum and Eustachian tubes. A single growth or red lymphoid mass hanging down from the vault of the pharynx is all that can be seen in most cases, while others consist of excrescences, aggregated or separated, covering the roof. In the examination of children the employment of the mirror is not at all times practical. When this is the case, no better method than the use of the index finger presents itself.

When touched, the sensation has been described as that of a "bag of worms," which, on manipulation, is frequently followed by slight hemorrhage. The treatment is surgical, differing only in the methods employed. When feasible, excision should be done under illumination, because the outlines of the tumors are thus brought into view, whereby the operator is enabled to use his instrument with greater precision. Should it be a snare, the adjustment of the wire loop around the mass is made more easy; a post-nasal cutting forceps, the adjacent structures remain uninjured;

or a curette, the mucous membrane of the posterior wall of the naso-pharynx escapes being stripped from its attachment, a circumstance liable to occur when the operation is in the hands of a novice. Cocainizing the parts and drawing forward the soft palate with either hook or tape, the operation is made both easy and satisfactory. If, owing to nervousness or fear, the patient is not able to co-operate with the surgeon, then a general anesthetic (chloroform being preferable) should be administered. The anesthesia should not be carried to complete narcotization, for the reason that the laryngeal reflexes ought to be preserved in order to obviate serious trouble which might come from blood or other foreign matter finding its way into the larynx. The patient with gag in mouth is now placed on the operating table, face downward and head inclining over its edge.

This position allows gravity to take care of the blood, the flow of which for the moment is profuse, by causing it to escape from the nose and preventing its diversion toward the throat or stomach. Observing thorough asepsis of the hands and having the nail neatly trimmed to an oval point, hardened by previously immersing it for a few minutes in alcohol, the forefinger of the operator is introduced into the post-nasal space, care being exercised at the same time that the soft palate is not rolled up in front of the finger and bruised. Commencing in the median line of the vault at the septum, and gradually working to either side, the growths are detached and broken up. If thoroughness is practiced, relief is sure to follow. Occasionally it happens that a second attempt at removal with the finger nail is required, especially when the vegetations are largely composed of connective tissue. Infants whose sensibilities are not acute do not need an anesthetic, because the lymphoid nodules can be readily detached without producing much discomfort. But little after-treatment is necessary. It should be noted that in children in whom the adenoids are large and the accompanying symptoms pronounced, complete recovery may be slow. The open mouth

may remain so, or for an indefinite period at least, in consequence of the apparent paresis of the orbicularis oris muscle.

\* \* \*

FISHBONES IN THE PHARYNX. — Dr. M. F. Weyman gives in the *Medical Herald* the following directions for removing fishbones from the pharynx.

1. Fishbones, which become fixed in the pharynx, almost invariably insert themselves in the lateral walls of the pharynx, a little above the aryepiglottic fold.

2. They are usually thin short bones with sharp ends.

3. They are usually deeply driven into the tissues.

4. Inspection by means of the laryngoscopic mirror is not, as a rule, successful.

5. They should be located by digital examination, the throat having been rendered insensible by cocaine.

6. The easiest way of extraction is by means of a Toynee polypus forceps (or a forceps of a similar curvature), the point of which should be guided along the index of the exploring hand, the tip of that index to be in touch with the foreign body.

7. After extraction of the bone, the sensation of the presence of a foreign body may persist, but disappears usually after twenty-four hours.

8. The location of the bone can ordinarily be pointed out by the patient by a point of tenderness on the skin and opposite the injured internal area; this spot lies immediately below the angle of the lower jaw, the place indicating at once on what side the bone must be looked for.

\* \* \*

THE JAPANESE INTESTINE. — Finding rice was better utilized by the Jap than the European, says the *Medical Recorder*, it occurred to Dr. Scheube of Kioto that some radical difference in the intestinal anatomy might supply the explanation. Professor Taguchi, after measuring the intestines of twenty-five cadavers at Tokio, now asserts that, after making proper deductions for variations in stature, the Japanese intestine is one-half longer than that of the European.

MARYLAND  
**Medical Journal.**

PUBLISHED WEEKLY.

**TERMS OF SUBSCRIPTION, \$3.00 a year, payable in advance, including postage for the United States, Canada and Mexico. Subscriptions may begin with any date.**

**DATE OF PAYMENT.**—The date following the subscriber's name on the label shows the time to which payment has been made. Subscribers are earnestly requested to avoid arrearages.

**CHANGES OF ADDRESS.**—When a change of address is ordered, both the old and new address must be given. Notice should be sent a week in advance of the change desired.

**TO CORRESPONDENTS.**—Original articles are solicited from members of the profession throughout the world. Reprints will be furnished in payment of accepted articles if the author's wish is so stated at the time.

**CORRESPONDENCE** upon subjects of general or special interest, prompt intelligence of local matters of interest to the profession, items of news, etc., are respectfully solicited. Marked copies of other publications sent us should bear the notice "marked copy" on wrapper.

MARYLAND MEDICAL JOURNAL,  
 209 Park Ave., Baltimore, Md.

WASHINGTON OFFICE:  
 913 F Street, N. W.

---

BALTIMORE, FEBRUARY 13, 1897.

---

THE Conference of Health Officers from Baltimore and all parts of the State to be held next week promises *The Sanitary Conference*. to arouse general interest and to give practical results. The idea of this work grew out of the Committee of Hygiene, of which Dr. Edward M. Schaeffer is chairman, appointed by the Faculty, and the State Board of Health, which has done such active work of late.

The programme, which is full and varied, will attract a large number of persons, both lay and medical, and the discussions will probably enlighten the dense ignorance which still prevails in some parts of the rural districts and which has been the cause of the spread of such diseases, especially diphtheria and typhoid fever. The programme, which may possibly be slightly varied during the session, is about as follows:

Conference of Health Officers, February 17 and 18, 1897, in the Hall of the Medical and Chirurgical Faculty of Maryland, 847 North Eutaw Street, Baltimore.

Programme, Wednesday, February 17, 1897. Day Session, 11 A. M. to 3 P. M. His Excellency, the Honorable Lloyd Lowndes, Governor of Maryland, Honorary Chairman. Invocation, Most Reverend James Gibbons, Cardinal and Archbishop of Baltimore. Address of Welcome, Dr. Wm. Osler, President of the Medical and Chirurgical Faculty. Acknowledgement, Dr. S. Chase de Krafft, President of the State Board of Health.

Vital Statistics: 1. Paper, Dr. John S. Fulton, Baltimore; 2. Paper, Dr. Charles S. Mattfeldt, Catonsville; 3. Paper, Funeral Regulations for Rural Districts, Dr. Joseph R. Hunt, Laurel; 4. Should Physicians be Paid for Returns of Births, Deaths and Diseases? Dr. George H. Rohé, Sykesville. Discussion.

Evening Session, 8 P. M. to 10 P. M. Honorable Harry M. Clabaugh, Attorney General of Maryland, Presiding.

Diphtheria: 1. Bacteriological Demonstration of Diphtheria, Dr. William Royal Stokes, Baltimore; 2. Clinical and Bacteriological Diagnosis of Diphtheria, Dr. Wm. H. Welch; 3. Personal and Domestic Prophylaxis, Dr. John D. Blake; 4. Quarantine, Isolation and Disinfection, Dr. James F. McShane; 5. Relation of Schools to Spread of Diphtheria, Dr. John S. Fulton. Discussion.

Second Day Session, 11 A. M. to 3 P. M. Thursday, February 18, 1897. Dr. D. C. Gilman, President of Johns Hopkins University, Presiding.

Typhoid Fever: 1. Demonstration of the Pathology and Bacteriology of Typhoid Fever, Dr. Simon Flexner, Baltimore; 2. Demonstration of the Bacteriological Examination of Water, Dr. Wm. Royal Stokes, Baltimore; 3. Demonstration of the Chemical Examination of Drinking Water, Prof. W. B. D. Penniman, Baltimore; 4. The Diagnosis of Typhoid Fever, Dr. Wm. Osler, Baltimore; 5. Typhoid Fever in Chestertown, Dr. W. Frank Hines, Chestertown; 6. Sources and Spread of Typhoid Fever in the Country, Dr. Thomas B. Owings, Ellicott City; Sanitary Survey of Towns and Villages for the Prevention of Typhoid Fever, Dr. James H. McCormick, Gaithersburg; What the Country Doctor Can Do to Prevent Typhoid Fever, Dr. August Stabler, Brighton; 9. Water Supply and Sewerage, Dr. James F. McShane. Exhibition of Charts and Diagrams. Discussion.

The Members of the Conference are invited, after adjournment, to lunch at the Baltimore Medical College. The use of the laboratories and the services of the demonstrators are offered to those who wish to repeat any observations made at any session of the Conference.

\* \* \*

THE Frick and Johnson endowment of the Faculty Library has enabled the library committee of the Faculty *The Faculty Library*. to buy many new books and also to add complete sets of important works. The following have been put on the shelves in the past few weeks:

Musser, J. H., Medical Diagnosis; Wood, H. C., and Fitz, R. H., Practice of Medicine; Tyson, J., Practice of Medicine; Foster, F. P., Reference Book of Practical Therapeutics; Knight, G. D., Movable Kidney and Intermittent Hydronephrosis; Balley, J. B., Diary of a Resurrectionist, 1811-1812; Cabot, R. C., Clinical Examination of the Blood; Treves, F., and Lang, H., German-English Dictionary of Medical Terms; Brockbank, E. M., On Gall-Stones; or, Cholelithiasis; Dalby, Sir W. B., Aural Surgery; Foxwell, A., Enlarged Cirrhotic Liver; Goodall, E. W., and Washbourn, J. W., Manual of Infectious Diseases; West, C., Profession of Medicine; Its Study, Practice, etc.; Billroth, T., Briefe; Ziegler, Text-Book of Special Pathological Anatomy; Translated and Edited by D. MacAlister and H. W. Cattell; Ziegler, E., General Pathology; Twentieth Century Practice of Medicine, Vol. X. Diseases of the Nervous System; Busey, S. C., Souvenir, with Autobiographical Sketch of Early Life; Braithwaite's Retrospect of Medicine, Vol. CXIV, 1896; Albert, E., Diagnostik der Chirurgischen Krankheiten; Snell, E. H., Compressed Air Illness; Holt, L. E., Diseases of Infancy and Childhood.

\* \* \*

SOME surgeons think they are undeserving of their calling unless they can point with pride to case books filled with the records of operations and jars filled with various organs, while too often graves are filled with their patients.

It is not so much the technical skill and the modern instruments that make a surgeon celebrated as it is his good judgment and

ability to forecast a prognosis which shall stand after the operation. It is well-known everywhere that many unnecessary operations are done, organs removed and exploratory laparotomies performed partly for the patient's good and partly to add to the surgeon's statistics.

An item is going the rounds of the medical press to the effect that a man who is in constant fear of becoming unconscious on the street and being carried to a hospital and operated on before a diagnosis has been made, wears sewed in a conspicuous place on his underclothes the inscription: "My appendix has been cut out," thus insuring himself against an operation for appendicitis.

This is probably the invention of some witty newspaper man, but it has its moral. Operations for diagnosis should not be undertaken without the best counsel and then not without some deliberation.

\* \* \*

WHATEVER the nature of the influenza organism is, it most certainly flourishes when the vapor of melting snow fills the air and the sun is covered by clouds. The Health Department of Baltimore reports almost twice as many deaths for this past week as for the week before and this increase is found to be largely due to diseases of the air passages. Bronchial troubles of all kinds and pneumonias are rife, and consumptives find life slipping away from them in the days of chill and widely varying temperature.

Baltimore has always been the center of brick manufacture and as this commodity is rather cheaper here than elsewhere, it has been utilized to a large extent for sidewalk paving. Any one who has noticed the life of snow on a brick and a stone or concrete pavement may notice how long the bricks hold the snow and how the porous clay holds the moisture.

Snow melts rapidly on a stone and asphalt pavement and when the sun shines, that kind of pavement is soonest dry. When the rains and snows are not wetting the bricks the householder is allowing the servant to soak the bricks with water. Thus Baltimoreans have damp sidewalks a large part of the day.

A reform in sidewalk paving and washing is needed in a city where lung troubles add so materially to the mortality.

## Medical Items.

We are indebted to the Health Department of Baltimore for the following statement of cases and deaths reported for the week ending February 6, 1897.

Diseases.	Cases Reported	Deaths.
Smallpox.....		
Pneumonia.....		23
Phthisis Pulmonalis.....		29
Measles.....	1	
Whooping Cough.....	3	1
Pseudo-membranous Croup and Diphtheria. }	29	8
Mumps.....	7	
Scarlet fever.....	21	
Varioloid.....		
Varicella.....	1	
Typhoid fever.....	2	2

The Indian government has mounted nurses.

The Flint Club held its regular banquet last week.

Dr. W. D. Burfoot, a well-known Richmond physician, is dead.

Reading, Pa., physicians will have a new medical library.

Dr. H. O. Reik has removed his office to 5 West Preston Street.

The New York Polyclinic, lately destroyed by fire, will be rebuilt.

The International Congress of Psychologists will meet in Paris in 1900.

During the past ten years over 600 papers have been written on the tonsils.

The Hospital for Consumptives has re-elected its old staff for the ensuing year.

The Japanese intestine has been ascertained to be one-half longer than that of the European.

A coroner's jury censured the New York Board of Health for licensing midwives without an examination.

Two medical students have run foul of the law in attending two cases of diphtheria in Chicago, both children having died.

The American Society of Superintendents of Training Schools for Nurses had a successful meeting in Baltimore the past week.

Lister will be called Lord Lister. He may visit America to attend the British Medical Association at Montreal, next summer.

A German observer points out that by the use of the X rays, brick dust can be traced in Cayenne pepper sand in spices, and chalk in flour.

The fourth annual meeting of the Associated Health Authorities of Pennsylvania was held at Harrisburg on January 25 and 26.

New York boasts of a Flannel Shirt Club to clothe discharged patients. Baltimore has for years had a Cutting Out Club and Hospital Clothing Club.

The Queen of England has appointed Mr. Rickman John Godlie, F. R. C. S., Surgeon to the Household in Ordinary to her Majesty in place of Sir Spencer Wells, resigned.

Meeting of the Western Ophthalmological, Otological, Laryngological and Rhinological Association: Second Annual Meeting, St. Louis, Missouri, April 8, 9, 1897. Place of meeting, Planter's Hotel.

An exchange says that in over 200 operations for appendicitis only two fruit seeds were found in the appendix. Therefore, we may continue to swallow our peach stones, cherry pits and hickory nuts without fear.

The chairs of Anatomy, Clinical Surgery and Genito-Urinary Surgery are vacant at the Medico-Chirurgical College of Philadelphia. Only the chair of Anatomy is salaried. All applications should be addressed to Isaac Ott, dean.

Raleigh is to have the first free dispensary in the State of North Carolina. It will be opened at an early date in connection with the schools of medicine and pharmacy of Shaw University. It will furnish free advice and medicine to the needy and deserving colored people.

Electricity will serve to alleviate as well as to increase the horrors of war. The members of the ambulance corps in the French army have been provided with a means for the succor of the wounded at night on the battlefield. Each man of the relief corps will wear a little incandescent lamp in his hat, the current being produced by a small primary battery in his pocket. The wounded will be on the lookout for these electric Jack-o'-lanterns, and doubtless many lives will be saved by the quick assistance given.

**Book Reviews.**

**INTERNATIONAL CLINICS.** Edited by Judson Daland, M. D., J. Mitchell Bruce, M. D., F. R. C. P., David W. Finlay, M. D., F. R. C. P., etc. Volume III. Sixth series: 1896. Octavo, pp. xii—344. Philadelphia: J. B. Lippincott Co. 1896.

International Clinics contains a series of clinical lectures, some good and some very poor. They evidently found favor as the publication has continued for several years. There is nothing especial that can be said of this volume. It is attractive and contains a variety of matter, in places rather diffuse, but on the whole very good. Drs. Thomas S. Latimer and Wm. H. Welch of Baltimore unite in one lecture.

**BACTERIOLOGICAL AND ANATOMICAL STUDY OF THE SUMMER DIARRHEAS OF INFANTS.** By William D. Booker, M. D., Clinical Professor of Diseases of Children, Johns Hopkins University; Physician-in-charge of the Thomas Wilson Sanitarium for Sick Children. Reprint from the *Johns Hopkins Hospital Report*, Volume VI.

This is the second important publication of Booker on this subject and from it he has worked out a remarkable monograph. He tabulated and studied thoroughly all the cases of diarrhea and drew important conclusions as to the prevention and treatment. The author has worked long and faithfully on this subject and what he says should be received with the greatest confidence.

**REPRINTS, ETC., RECEIVED.**

A Clinical Study of Twenty-One Thousand Cases of Diseases of the Ear, Nose and Throat. By Seth S. Bishop, M. D., Chicago. Reprint from the *Journal of the American Medical Association*.

The Management and Treatment of Tuberculosis in the Asheville Climate. By James A. Burroughs, M. D., of Asheville, N. C. Reprint from the *North Carolina Medical Journal*.

\* Suspensio Uteri, with Reference to its Influence upon Pregnancy and Labor. By Charles P. Noble, M. D. Reprint from the *American Journal of Obstetrics*.

Prevention of Tuberculosis. By E. B. Borland, M. D. Reprint from the *Journal of the American Medical Association*.

**Current Editorial Comment.****TYPHOID FEVER NURSING.***Medical Fortnightly.*

THERE is perhaps no disease which requires more constant attention, patient watching and really hard work than nursing a typhoid patient. From experience as physician, nurse and patient, the writer believes that the nursing of the typhoid fever patient is the most important part of the battle. The many anxious days, the long hours of the night, and the protracted weeks, sometimes, of convalescence, require surveillance on the part of the nurse, which if assiduously carried out, give credit to a service which none can appreciate except those with experience.

**SECRET REMEDIES.***Medical Standard.*

IN all the wide realm of reputable medicine, there should be no shelter for a "remedy" which prates so loudly of its virtues while it conceals its identity under an assumed name and masquerades in a false disguise. Fanciful titles may be excused on the plea of commercial expediency or necessity in the identification of a given maker's products and in their protection against degrading substitutes or imitations, but no such plea can avail in justification of secrecy of composition. Superiority in quality is entitled to all possible protection, but secrecy of composition as certainly merits unqualified condemnation.

**THE GENERAL PRACTITIONER.***Medical Review.*

IT was rather a remarkable coincidence that two of the orators at the recent semi-centennial of the Academy of Medicine, in their efforts to touch upon subjects of vital interest to a general audience, should speak of the present and much-neglected claims of the general practitioner. President Cleveland, in sounding the praises of the old-school doctor who met all the emergencies of treatment in the last generation, implied a personal feeling of regret that the trustworthy and practical man, ready for every ordinary sickness, had virtually passed away with the times in which he had so usefully lived and had so prosperously thriven. Dr. Jacobi, in a more direct way, speaking for the actual needs of the medical practice of today and giving specialism its due meed of praise, expressed himself strongly in favor of reinstating the all-around man.

## Publishers' Department.

## Society Meetings.

## BALTIMORE.

BALTIMORE MEDICAL ASSOCIATION, 847 N. Eutaw St. Meets 2d and 4th Mondays of each month.

BOOK AND JOURNAL CLUB OF THE FACULTY. Meets 2d and 4th Wednesdays, 8 P. M.

CLINICAL SOCIETY, 847 N. Eutaw St. Meets 1st and 3d Fridays—October to June—8.30 P. M. S. K. MERRICK, M. D., President. H. O. REIK, M. D., Secretary.

GYNECOLOGICAL AND OBSTETRICAL SOCIETY OF BALTIMORE, 847 N. Eutaw St. Meets 2d Tuesday of each month—October to May (inclusive)—8.30 P. M. WILMER BRINTON, M. D., President. W. W. RUSSELL, M. D., Secretary.

MEDICAL AND SURGICAL SOCIETY OF BALTIMORE, 847 N. Eutaw St. Meets 2d and 4th Thursdays of each month—October to June—8.30 P. M. W. S. GARDNER, M. D., President. CHAS. F. BLAKE, M. D., Corresponding Secretary.

MEDICAL JOURNAL CLUB. Every other Saturday, 8 P. M. 847 N. Eutaw St.

THE JOHNS HOPKINS HOSPITAL HISTORICAL CLUB. Meets 2d Mondays of each month at 8 P. M.

THE JOHNS HOPKINS HOSPITAL MEDICAL SOCIETY. Meets 1st and 3d Mondays, 8 P. M.

THE JOHNS HOPKINS HOSPITAL JOURNAL CLUB. Meets 4th Monday, at 8.15 P. M.

MEDICAL SOCIETY OF WOMAN'S MEDICAL COLLEGE. SUE RADCLIFF, M. D., President. LOUISE ERICH, M. D., Corresponding Secretary. Meets 1st Tuesday in the Month.

UNIVERSITY OF MARYLAND MEDICAL SOCIETY. Meets 3d Tuesday in each month, 8.30 P. M. HIRAM WOODS, JR., M. D., President, dent. E. E. GIBBONS, M. D., Secretary.

## WASHINGTON.

CLINICO-PATHOLOGICAL SOCIETY. Meets at members' houses, 1st and 3d Tuesdays in each month. HENRY B. DEALE, M. D., President. R. M. ELLYSON, M. D., Corresponding Secretary. R. H. HOLDEN, M. D., Recording Secretary.

MEDICAL AND SURGICAL SOCIETY OF THE DISTRICT OF COLUMBIA. Meets 2d Monday each month at members' offices. FRANCIS B. BISHOP, M. D., President. LEWELLYN ELLIOT, M. D., Secretary and Treasurer.

MEDICAL ASSOCIATION OF THE DISTRICT OF COLUMBIA. Meets Georgetown University Law Building 1st Tuesday in April and October. W. P. CARR, M. D., President. J. R. WELLINGTON, M. D., Secretary.

MEDICAL SOCIETY OF THE DISTRICT OF COLUMBIA. Meets Wednesday, 8 P. M. Georgetown University Law Building. S. C. BUSEY, M. D., President. S. S. ADAMS, M. D., Recording Secretary.

WOMAN'S CLINIC. Meets at 1833 14th Street, N. W., bi-monthly. 1st Saturday Evenings. MRS. M. H. ANDERSON, 1st Vice-President. MRS. MARY F. CASE, Secretary.

WASHINGTON MEDICAL AND SURGICAL SOCIETY. Meets 1st Monday in each month. N. P. BARNES, M. D., President. W. F. BRADEN, M. D., Secretary.

WASHINGTON OBSTETRICAL AND GYNECOLOGICAL SOCIETY. Meets 1st and 3d Fridays of each month at members' offices. GEORGE BYRD HARRISON, M. D., President. W. S. BOWEN, M. D., Corresponding Secretary.

## PROGRESS IN MEDICAL SCIENCE.

THE quality of endorsements given to Tyree's Antiseptic Powder are such as to stamp it as a preparation of unquestionable merit for the various forms of leucorrhœa. Scarcely an article on this subject is being written or discussed in the medical societies but what reference is made to this preparation. Surely this is a commendable sign.

DIET is vital in diabetes. Bread from ordinary white flour aggravates the disease in spite of medicine, and bran bread and other substitutes are so unpalatable and expensive, patients cannot use them with satisfaction. Physicians find this a serious drawback in their practice. For this reason we are glad to remind the medical profession of the "Special Diabetic Flour" made by Farwell & Rhines, of Watertown, New York, which seems to have general and hearty endorsement wherever tried. The makers believe in their goods, hence their liberal offer of free baking samples. Write them for particulars regarding this and other valuable sanitary flours for dyspepsia, constipation and obesity, and the new diuretic "Barley Crystals."

It is both interesting and surprising to observe the skill and ingenuity displayed in the making of artificial limbs as seen in the products of some manufacturers in this line. In taking up the catalogue of the greatest artificial limb manufacturers in the world, that of A. A. Marks & Co., one may see illustrated and described all sorts of artificial devices which serve as most satisfactory substitutes to those who have by accident or other misfortune been deprived of hand, foot, arm or leg. For instance, no matter how short a man's stump may be, the new rubber foot, which has proved so pronounced a success, enables him to walk with little exertion and is helpful in every respect. Then there are the rubber hands with ductile fingers by means of which a fork, knife or brush can be held with firmness and the utility of the hand greatly enhanced. The subject of the importance of applying artificial limbs to young and growing children is treated in the publication, also much else of interest. Write to A. A. Marks of New York, for a copy, mentioning this JOURNAL.



**Physicians**

IN NEED OF

Letter Heads,  
Bill Heads,  
Note Heads,  
Cards,

CALL ON OR ADDRESS  
**Maryland Medical Journal,**  
209 PARK AVENUE,  
Baltimore

**GLOBE Nebulizer**



**Not an Experiment,**

but a practical and scientific instrument, the superior merits of which have been absolutely demonstrated in the hands of thousands of physicians.

**Can be Operated Successfully**

either with or without air condenser, in the office or at the bedside.

**The Globe Nebulizer** applies all classes of remedies to any part of the respiratory tract and middle ear with an effectiveness never before obtainable. Each instrument is fitted with our improved mask, WITH DETACHABLE PNEUMATIC RUBBER CUSHION, and our latest improved nebulizing tube which is WARRANTED NEVER TO BECOME CLOGGED with any sort of solution. Write for illustrated literature.

**The GLOBE MFG. CO., Battle Creek, Mich**

MANY Physicians have looked to Co-operative and Assessment organizations, lodges, camps, etc., for their life insurance, under the belief that a given amount of life insurance could be there purchased for less money than in a regular company. It is a mistake—a very grave mistake. A much better grade, certain in amount, backed by ample assets, dependent upon nothing except the payment of the premium is furnished by the

PENN MUTUAL LIFE OF PHILADELPHIA, at a much less cost than is incurred in many of the organizations referred to. Look at these rates :

Age.	Amount.	Cost per year for 10 years.
25	\$10,000	\$118.00
30	10,000	131.00
35	10,000	148.00
40	10,000	174.50
45	10,000	221.00
50	10,000	293.50

Correspondence solicited. No obligations imposed. No importunity. Address,  
PENN MUTUAL LIFE,  
Philadelphia, Pa.

**ELIXIR SIX IODIDES**

This Elixir is prepared from the Chemically Pure Salts, Results can be looked for from its administration that could not possibly be expected from the Commercial Salts. FORMULA—Each fluid drachm contains Arsenic Iodidum 1-125 grain, Ferri Iodidum 1-12 grain, Hydragryl Iodidum 1-125 grain, Manganesi Iodidum 1-10 grain, Potassii Iodidum c.c. grain, Sodii Iodidum one grain, with Aromatics. MEDICAL PROPERTIES—The greatest value of this combination is it relieves those obscure and chronic obstructions to gland action—the kidney, liver, pancreas, as well as the lymphatic system, which may exert so great an influence for evil on the economy. It enjoys the confidence of the Medical Profession, as its use is indicated in a wide range of diseases, particularly so in pernicious anæmia, skin diseases, both scaly and papular; has remarkable curative effects in specific diseases and other manifestations of systemic infection, chronic, uterine, and pelvic diseases, and in complaints where an alterative and tonic is indicated.

This combination proves that the united action of remedies is often requisite when, either, alone, is insufficient. Physicians, when prescribing, will please write: Iodidi Elix. Sex. (WALKER-GREEN'S).—One bottle.

The Druggist will please write directions on his own label. ELIXIR SIX IODIDES is always sold in eight oz. oval bottles and NEVER IN BULK.

Attention is also called to our ELIXIR SIX BROMIDES, ELIXIR SIX HYPOPHOSPHITES, and ELIXIR SIX APERIENS, which are unexcelled for clinical efficiency and palatability.

A liberal discount will be allowed Physicians who desire to prove their clinical efficiency. Wholesale price per dozen: Iodides, \$8.00; Hypophosphites, \$8.00; Bromides, \$8.00; Aperiens, \$8.00.

SEND FOR DESCRIPTIVE CIRCULAR. These Elixirs are kept in stock by Wholesale Druggists generally throughout the United States.

**The Walker-Green Pharmaceutical Co.**  
(INCORPORATED.)  
Head Office, 180 W. Regent St., Glasgow, Scotland.  
WESTERN DEPOT, U. S. A.,  
**17 W. Fifth St., Kansas City, Mo.**

## PROGRESS IN MEDICAL SCIENCE.

**SPERMATORRHEA.**—Having a case of spermatorrhea of several years' standing, which came under my care about nine months ago, I prescribed the usual remedies, in this case, viz. : bromide of potash, ergot, ferrum, digitalis, belladonna and cimicifuga, with very unsatisfactory results. Seeing your preparation, Celerina, recommended for this affection, I procured some, and administered it in this case with such marked results after the use of the first bottle, that I immediately ordered two more bottles, which have entirely cured him of this affliction.—H. E. RAUB, M. D., Quarryville, Pa.

**A PURE CHEMICAL MALT EXTRACT.**—There is made in the United States one scientific extract of malt. It is pure and absolutely free from alcohol. This is corroborated by the fact that it is the only malt extract admitted into the Dominion of Canada free of alcoholic duty. This genuine malt extract is a useful medicine—not a beverage. There is nothing like it to digest starchy foods and thus increase the flesh. Being a nutriment itself, it rapidly builds up the strength of the patient. For nursing mothers it is a perfectly safe and rapidly efficient galactagogue. Containing no alcohol or other objectionable drug, its use may be continued indefinitely without the danger of forming a habit. It may be used as long as desired to nourish, tone and build up the system, and then left off without any reaction, craving or any other deleterious effect. In all wasting diseases it proves exceedingly valuable, repairing the waste and helping the patient toward recovery. Taken in hot water or hot milk before retiring, it is very efficient in relieving insomnia. This malt extract is so concentrated and powerful that the full dose is only from one to two tablespoonfuls. Hence, its great economy. Being the pure extract of malt alone, it combines favorably with other remedial agents, making many very desirable combinations, as with cascara, the hypophosphites, cod liver oil, etc. This is the malt extract contemplated by the old chemists, when malt first won its reputation, before the various alcoholic preparations were put out under that name to pander to a perverted appetite and ruin the reputation of a useful digestive and reconstructive agent. If you

have been disappointed with the alcoholic and other impure malts, you are prepared to appreciate this one, Dukehart's Concentrated Extract of Malt and Hops.—*Medical Council*, January, 1897. [Any physician may receive a sample bottle by paying express charges. Mention MARYLAND MEDICAL JOURNAL.]

**CLEANLINESS IN CATARRH.**—Dr. Edwin Pynchon, in an article in the *Annals of Ophthalmology and Otology*, calls attention to the widely varying formulæ of Dobell's Solution given by different authors, and incidentally mentions what is a really practical question in the treatment of naso-pharyngeal catarrh. Numerous preparations are widely advertised as adapted for cleansing purposes in the nasal cavity, and are possibly of real merit, but the price asked for the product is so exorbitant, that to people of moderate means the expense is a serious factor, while to the poor it is beyond their purse, and in each case, after the prescription has, perhaps, been filled once, they cease its use and go back to the home remedy of salt and water of varying strength and usually with disastrous results. The Seiler's tablets, made by different manufacturers, also vary in strength and composition, and our experience has taught us that several of those on the market can not be used without causing great smarting and even pain. The fluid used in cleansing the nasal cavities in both atrophic and hypertrophic rhinitis should be of about the specific gravity of the serum of the blood, and this is acquired in the solution advised by Dr. Pynchon, which is as follows :

**R.**—Sodæ Bicarb. . . . 2 ounces.  
Sodæ Biborat. . . . 2 ounces.  
Listerine (Lambert's) 8 ounces.  
Glycerine . . . . 1½ pints.

One ounce of this formula added to a pint of water yields a bland and pleasant alkaline solution with a specific gravity of 1.015. The addition of the Listerine takes the place of the carbolic acid in the original formula and is a decided advantage, as it imparts a pleasant taste and is quite as efficacious as the acid. The common use of Listerine and water should be superseded by the addition of the alkaline solution given, and in the preparation thus made, we have all the advantages of any cleansing agent and it can be furnished at a price commensurate with all pockets.—*Atlantic Medical Weekly*.

The Trinity of Therapy.  
ANALGESIC · ABSORBENT · ASSIMILANT.



**RHEUMAGON**

A SPECIFIC FOR ALL RHEUMATIC CONDITIONS AND FIBROUS INFLAMMATIONS. LUMBAGO, ARTHRITIS, AND ALLIED DISEASES. ANTI SYPHILITIC ANTI-SCORBUTIC ANTISEPTIC.

**POWDER**  
LOCALLY  
IN LESIONS ULCERS  
SKIN DISEASES  
DUST OVER SURFACE,  
IN INFLAMMATIONS USE  
WARM POULTICES OVER  
AFFECTED SURFACE.



**MELACHOL**

PROMPT PAINLESS PLEASANT LAXATIVE  
STRONG NERVINE;  
ABSOLUTE ANESTHETIC  
ANTIDOTE TO MORPHINISM  
THE ONLY SUPPORTIVE ELIMINANT.

**TABLETS**  
THE MOST POWERFUL DIGESTANT  
OF ALL THE ELEMENTS ENTERING  
INTO THE ORGANISM. RELIEVES  
DYSPEPSIA FLATULENCE, COLIC  
AND INTESTINAL DISORDERS  
CONVERTS PROTEIDS INTO  
BLOOD PLASMA NOURISHES  
STRUCTURE CELLS AND FUNCTION.



**PHASELIN**

**FORMULAE**

**RHEUMAGON**, A COMBINATION OF THE IODIDES AND PHOSPHATES OF SODIUM.  
**MELACHOL**, A REDUCED CHEMICAL COMBINATION OF PHOSPHATES WITH NITRATES OF SODIUM.  
**PHASELIN**, THE DESSICATION OF PHASOLEUS THE EGYPTIAN AND MEXICAN VARIETY

OF THE GENUS PHASELUS

Described by HIPPOCRATES as Δολικος a Bean possessing strong digestive powers, a strong supporter of function a positive cure for the gastric catarrh of alcoholism A general healing remedy of all local lesions Ulcers and Eruptions A Specific as a poultice in all ophthalmic inflammations.

• RHEUMAGON • MELACHOL • PHASELIN •

THE THREE MOST VALUABLE CONTRIBUTIONS TO MODERN THERAPY COVERING MOST OF THE PATHOLOGIC CONDITIONS OF THE ORGANISM USED SUCCESSFULLY IN ALL HOSPITALS AND BY CLINICIANS GENERALLY. PHYSICIANS will be furnished full size bottle FREE on payment of Express or Mail charges PLEASE name Journal in which this card appears.

ALTA PHARMACAL CO. ST. LOUIS, U.S.A.

SEND FOR LITERATURE.



## It never irritates

if used with a clean needle

Dose: 5 to 20 minims.

## It never nauseates

when given by the mouth.

Dose: 5 to 30 minims.

50 Cents net per Bottle to Physicians.

SHARP & DOHME

BALTIMORE

CHICAGO

NEW YORK

Your Druggist has it or can get it for you.

# WHEELER'S TISSUE PHOSPHATES.

**Wheeler's Compound Elixir of Phosphates and Calisaya.** A Nerve Food and Nutritive Tonic for the treatment of Consumption, Bronchitis, Scrofula and all forms of Nervous Debility. This elegant preparation combines in an agreeable Aromatic Cordial, in the form of a Glycerite acceptable to the most irritable conditions of the stomach: Bone Calcium Phosphate  $Ca_2PO_4$ , Sodium Phosphate  $Na_2HPO_4$ , Ferrous Phosphate  $Fe_2PO_4$ , Trihydrogen Phosphate  $H_3PO_4$ , and the active principles of Calisaya and Wild Cherry.

The special indication of this combination of Phosphates in Spinal Affections, Caries, Necrosis, Ununited Fractures, Marasmus, Poorly Developed Children, Retarded Dentition, Alcohol, Opium and Tobacco Habit, Gestation and Lactation to promote Development, etc., and as a physiological restorative in Sexual Debility and all used-up conditions of the Nervous System should receive the careful attention of good therapeutists.


**Notable Properties:** As reliable in Dyspepsia as Quinine in Ague. Secures the largest percentage of Benefit in Consumption and all Wasting Diseases, "by determining the perfect digestion and assimilation of food." When using it, Cod Liver Oil may be taken without repugnance. It renders success possible in treating chronic diseases of Women and Children, who take it with pleasure for prolonged periods, a factor essential to maintain the good will of the patient. Being a Tissue Constructive, it is the best "general utility compound" for Tonic Restorative purposes we have, no mischievous effects resulting from exhibiting it in any possible morbid condition of the system. Phosphates being a natural food product, no substitute will do their work in the system.

**DOSE**—For an adult, one tablespoonful three times a day, after eating; from seven to twelve years of age, one dessertspoonful; from two to seven, one teaspoonful; for infants, from five to twenty drops, according to age.

Prepared at the Chemical Laboratory of T. B. WHEELER, M. D., Montreal, P. Q.

To prevent substitution, put up in pound bottles only and sold by all Druggists, at One Dollar.

Read the pamphlet on this subject sent you.



## CAPSULES

10 MINIMS CAPACITY.

PER DOZ.

List No. 53A	12 in Box,	. . . . .	\$2.25
" 53	24 " " " " " "	. . . . .	4.25
" 54	30 " " " " " "	. . . . .	6.25

"PERLOIDS," or Pearl-Shaped Capsules,  
5 Minims Capacity.

Cheaper and better than the imported Perles."

PER DOZ.

List No. 421A	40 in vial,	. . . . .	\$4.75
" 421B	80 " " " " " "	. . . . .	9.00

A Trial Bottle or Dozen sent prepaid on receipt of list price.

## H. PLANTEN & SON,

Manufacturers of Filled and Empty Gelatine Capsules,  
(ESTABLISHED 1836.) NEW YORK.

## THE RICHARD GUNDRY HOME CATONSVILLE, MD.

The Home is conducted by Mrs. Dr. Richard Gundry and Dr. R. F. Gundry. For further information, address DR. R. F. GUNDRY, Box 107 Catonsville, Md., or 1E. Centre St., Baltimore, Md.  
Consulting Physicians: Dr. Henry M. Hurd, Supt. Johns Hopkins Hospital; Professors Thomas Opie and Geo. J. Preston, Baltimore, Md.; Dr. C. G. W. Macgill, Catonsville; Professor G. H. Rohé, Maryland Hospital, Catonsville, Md. References: Dr. Wm. Osler, Physician in chief Johns Hopkins Hospital; Dr. John B. Chapin, Pennsylvania Hospital for Insane, Philadelphia, Pa.; Dr. W. W. Godding, Government Hospital, Washington. D. C.; Francis White, Esq., and Gilmor Meredith, Esq., Baltimore, Md.

## Western Pennsylvania Medical College. PITTSBURGH, PA.

MEDICAL DEPARTMENT OF THE WESTERN UNIVERSITY OF PENNSYLVANIA.

Sessions 1896-1897.

The REGULAR SESSION begins on third Tuesday of September, 1896, and continues six months. During this session, in addition to four Didactic Lectures, two or three hours are daily allotted to Clinical Instruction. Attendance upon four regular courses of Lectures is requisite for graduation. A four years' graded course is provided. The SPRING SESSION embraces recitations, clinical lectures and exercises, and didactic lectures on special subjects; this session begins the second Tuesday in April, 1897, and continues ten weeks. The laboratories are open during the collegiate year for instruction in chemistry, microscopy, practical demonstrations in medical and surgical pathology, and lessons in normal histology. Special importance attaches to "the superior clinical advantages possessed by this College." For particulars, see annual announcement and catalogue, for which address the Secretary of the Faculty, PROF. T. M. T. MCKENNAN, 810 Penn Ave., Pittsburgh, Pa. Business correspondence should be addressed to PROF. W. J. ASDALE, 5523 Ellsworth Ave., Pittsburgh, Pa.

# CHIONIA

THE HEPATIC STIMULANT

INDICATED IN

**Diseases Caused by Hepatic Torpor.**

Does not purge, per se, but under its use the Liver and Bowels gradually resume their normal functions.

DOSE—ONE TO TWO FLUID DRACHMS, THREE TIMES A DAY.

# PEACOCK'S BROMIDES

THE STANDARD SEDATIVE

INDICATED IN

**Congestive, Convulsive and Reflex Neuroses.**

Absolutely uniform in purity and therapeutic power, produces clinical results which can not be obtained from the use of commercial bromide substitutes.

DOSE—ONE TO TWO FLUID DRACHMS IN WATER, THREE TIMES PER DAY.

**PEACOCK CHEMICAL COMPANY, St. Louis, Mo.**

—AND—

36 BASINGHALL ST., LONDON, ENGLAND.

# SENG

FOR

**INDIGESTION, MALNUTRITION, PHTHISIS,  
AND ALL WASTING DISEASES.**

DOSE—One or more teaspoonfuls three times a day. For babies, ten to fifteen drops during each feeding.

# CACTINA PILLETS

FOR **ABNORMAL HEART ACTION.**

DOSE—One Pillet every hour, or less often as indicated.

**SULTAN DRUG CO., St. Louis and London.**

# Protonuclein

Is now recognized by those who have carefully studied its effects as the most important therapeutic agent known to the profession.

**METCHNIKOFF**, who discovered the nature and function of the leucocyte, stated that in his opinion,

**“The secret of health will have been discovered when science learns how to increase the number of white blood-corpuscles at will.”**

**Protonuclein** produces leucocytosis as soon as taken into the organism, and in this way becomes nature's tissue-builder and antitoxic principle. It is within the leucocyte that all proteid matter is converted into living substance, there that it receives the impress of life, is changed into a cellulized, vitalized pabulum ready for appropriation by the tissue-cells. Protonuclein is obtained from the lymphoid structures of healthy animals by a mechanical process which does not destroy its integrity.

**Protonuclein** is indicated in all forms of wasting diseases and asthenic conditions. It rapidly restores the vitality of all the tissues by stimulating and supporting assimilative nutrition. It is also indicated in all diseases due to toxic germs and in the treatment of Neoplasms, Ulcers, and all surface lesions, malignant or otherwise. It is also indicated as a prophylactic in exposure to contagion or infection.

**Protonuclein** is put up as follows: For Internal Use, Protonuclein Tablets (three grains), in Bottles of 100, 500, and 1000; Protonuclein Powder, in Ounces and Half Pounds. Protonuclein Special, for Local Application and Hypodermatic Use, in Bottles holding  $\frac{1}{3}$  Ounce, 1 Ounce, and 8 Ounces.

FOR SALE BY ALL DRUGGISTS

Samples, Clinical Reports, and other literature sent on request.

**REED & CARNRICK, New York**

# Peptenzyme

## A PERFECT DIGESTANT

**Peptenzyme** is a prompt and effective physiological remedy for all forms of Dyspepsia, Vomiting, Cholera Infantum, Malnutrition, etc., as it contains all the ferments furnished by nature for the perfect digestion of all kinds of food.

**Peptenzyme** also contains the *Osmogen* or *Embryo Ferments*, from which spring the matured or active ferments. By the appropriation of these undeveloped ferments the different organs of digestion are strengthened and stimulated to greater activity, so that they are afterwards able to supply the proper amount and quality of digestive secretions. The immediate effects noted are improvements in appetite as well as digestion.

Samples and literature mailed free to any physician, also our new edition of Diet Tables.

**REED & CARNRICK, New York**

# The Relief of Pain.

"H. V. C."

## HAYDEN'S VIBURNUM COMPOUND.

The most powerful and prompt

### ANTISPASMODIC

known to the Medical Profession. Free from all **narcotics and poisons** and perfectly safe in any and all cases. In the . . . .

## Ailments of Women

### AND IN **Obstetric Practice**

It is indispensable and without a rival in the **Materia Medica.** . . . .

Recommended and prescribed by the most eminent physicians in all parts of the Union for thirty-one years with the most decided satisfaction.

Send your address for our new illustrated **HAND-BOOK**, free.

**New York Pharmaceutical Company,**

**BEDFORD SPRINGS, MASS.**

*Beware of Substitutor!*



Regular School of Medicine.  
Co-educational.

**HARVEY MEDICAL COLLEGE,**

167-169-171 S. Clark St., Chicago.

Lectures 7 to 10 every week day evening. Clinics all day. Four years' graded course. Diplomas recognized by the Illinois State Board of Health. Tuition \$80; if paid in advance, \$65. For information, address

FRANCES DICKINSON, M. D.,  
Secretary.

**University of Pennsylvania  
DEPARTMENT OF MEDICINE.**

The 132nd ANNUAL SESSION will begin Friday October 1, 1897, at 12 M., and will end at Commencement, the second Thursday in June.

The Curriculum is graded, and attendance upon four Annual Sessions is required. College graduates in Arts or Science, who have pursued certain Biological studies, are admitted to advanced standing. Practical instruction, including laboratory work in Chemistry, Histology, Osteology, and Pathology, with Bedside Instruction in Medicine, Surgery, Gynecology, and Obstetrics, is a part of the regular course, and without additional expense.

For catalogue and announcement, containing particulars, apply to

DR. JOHN MARSHALL, DEAN,  
317 1/2 St. and Woodland Avenue, Philadelphia.

Established 1780.  
**Walter Baker & Co., Ltd.**

DORCHESTER, MASS.,

The Oldest and Largest Manufacturers  
.. of ..



**PURE, HIGH GRADE  
COCOAS  
AND  
CHOCOLATES**

on this Continent.

No Chemicals are used in their manufactures.

Baron von Liebig says Cocoa Preparations of good quality agree with dry temperaments and convalescents; with mothers who nurse their children; with those whose occupations oblige them to undergo severe mental strains; with public speakers, and with all those who give to work a portion of the time needed for sleep.

Buyers should ask for and be sure that they get the genuine

**Walter Baker & Co.'s**

goods, made at  
DORCHESTER, MASS.

**BELLEVUE HOSPITAL MEDICAL COLLEGE**

CITY OF NEW YORK. SESSIONS 1897-98.

The REGULAR SESSION begins on Monday, September 27, 1897, and continues for twenty-six weeks Attendance on four regular courses of lectures is required for graduation. Students who have attended one full regular course of lectures at another accredited Medical College are admitted as second-year students without examination. Students are admitted to advanced standing for the second, third or fourth years, either on approved credentials from other accredited Medical Colleges or after examination on the subjects embraced in the curriculum of this College.

Graduates of other accredited Medical Colleges are admitted as fourth-year students, but must pass examinations in normal and pathological histology and pathological anatomy.

The SPRING SESSION consists of daily recitations, clinical lectures and practical exercises. This session begins March 28, 1898, and continues for twelve weeks.

The annual circular for 1897-8, giving full details of the curriculum for the four years, requirements for graduation and other information, will be published in June, 1897. Address AUSTIN FLINT, Secretary Bellevue Hospital Medical College, foot of East 26th Street, New York City.

**HENRY B EGGERS,** Professional  
Masseur.

1626 Harford Ave., NEAR NORTH AVE.

Graduate of the University of Leipzig, Germany; Lecturer on Massage at the University of Vienna, Austria, and Hamburg City Hospital, Germany.

Scientific Massage Treatment,  
Swedish Movement.

15 Years' Hospital Experience. Lady Attendants.

References by Permission:—T. E. Shearer, M. D.

John N. Mackenzie, M. D., M. B  
Billingslea, M. D., Chas. G. Hill,  
M. D., Delano Ames, M. D., Theo.  
dore Cook, Sr., M. D., George J.  
Preston, M. D., W. T. Howard,  
M. D., James E. Dwinelle, M. D.

Patients Boarded  
and Treated  
at My Institute.

Registered at Directory for Nurses, - - -  
- - - Medical and Chirurgical Faculty of Md.

TRADE MARK REGISTERED.  
**DYSPEPSIA FLOUR.**

Also Special Diabetic Food, Barley Crystals,  
and Patent Biscuits, Cakes and Pastry Flour.

Unrivalled in America or Europe.  
Pamphlets and Baking Samples Free.  
Write Farwell & Thayer, Waretown, N. Y., U. S. A.

**PRINTING  
FOR PHYSICIANS**

Office of MARYLAND MEDICAL JOURNAL

# Yours for Health

The Salt River Valley  
of Arizona  
and the various  
health resorts in  
New Mexico

are unrivaled for the cure of chronic lung and throat diseases. Pure, dry air; an equable temperature; the right altitude; constant sunshine.

Descriptive pamphlets, issued by Passenger Department of Santa Fe Route, contain such complete information relative to these regions as invalids need.

The items of altitude, temperature, humidity, hot springs, sanatoriums, cost of living, medical attendance, social advantages, etc., are concisely treated.

Physicians are respectfully asked to place this literature in the hands of patients who seek a change of climate.

Address **G. T. NICHOLSON.**

CHICAGO.

G.P.A., A.T. & S.F.R.Y.

"AMERICA'S GREATEST RAILROAD."

# NEW YORK CENTRAL & HUDSON RIVER R. R.

## The Four-Track Trunk Line.

Trains leave Grand Central Station, Fourth Avenue and 42nd Street, New York, center of hotel, residence and theatre district, as follows:—

For Albany, Troy, Utica, Syracuse, Rochester, Buffalo, Niagara Falls and the West, week days: 8:30, 9:30, 10:30 A. M.; 1:00, 4:30, 6:00, 7:30, 9:15 P. M. 12:10 midnight; Sundays, 9:30 A. M., 1:00, 4:30, 6:00, 7:30, 9:15 P. M.

For Saranac Lake, Lake Placid and Montreal, via Adirondack Mountains; week days, 8:30 A. M., 6:00 P. M.: Sundays, 6:00 P. M.

For Montreal, via Saratoga, Lake George, Lake Champlain and via Burlington and Green Mountains; week days, 9:30 A. M., 6:25 P. M.: Sundays, 6:25 P. M.

For the Berkshire Hills—9:06 A. M., 3:35 P. M., daily, except Sunday.

# MEDICAL CONVENTIONS

1897.

Physicians and others attending the various Medical Conventions for 1897 should bear in mind that the B. & O. offers special inducements to conventions of this kind. The scenic attractions of this Route are unsurpassed in this country. All B. & O. trains between the East and West run via Washington, and sufficient time limit is given on tickets to allow stop-over at the National Capital.

For Rates and further Information, Address

**CHAS. O. SCULL, General Passenger Agent,**

Or **L. S. ALLEN, A. G. P. A., Chicago, Ill.**

**Baltimore, Md.,**

**Practical**  
**Notes on**  
**Urinary**  
**Analysis**



.....BY.....

**W. B. Canfield, M. D.**

The demand for Dr. Canfield's book has compelled the publication of a


**2d Edition, which is Now Ready.**

The author says in his Preface: "In this edition changes and additions have been made to bring the book up to modern requirements." The book is what its title indicates—*practical*. Its 100 pages are packed with information concerning the general character of the urine; its normal constituents, organic and inorganic; its abnormal constituents; sediment, organized and unorganized; the condition of the urine in simple fever, nephritis both acute and chronic, contracted and amyloid kidney, diabetes, uremia, typhoid fever, cystitis, etc.; with a full description of reagents and apparatus. The principal object of the author has been to exhibit all the various *tests for discovering urinary constituents*; these tests are described briefly, but distinctly, and illustrated where necessary. "Besides drawing largely from his own experience, the writer has unhesitatingly made use of the literature on the subject."

The book contains eighteen illustrations, and, so far as typographical work is concerned, is far ahead of the first edition. It is issued in embossed paper covers; also in cloth. The price in paper, **25 cents**; in cloth, **50 cents**. Postage prepaid.

**GEO. S. DAVIS, Medical Publisher,**  
 Box 470. - - - **DETROIT, MICH.**

**DUKEHART'S**  
**Pure Extract of Malt and Hops.**



**NON-ALCOHOLIC.**

This Malt is not a BEVERAGE, but a MEDICINE, a tablespoonful and a half being a dose; about 16 doses to the bottle. Is the best galactagogue known.

**THE DUKEHART COMPANY,**

**BALTIMORE, MD., U. S. A.**

## THE IMPROVED "YALE" SURGICAL CHAIR.

HIGHEST AWARD WORLD'S FAIR, OCT. 4TH, 1893.



Fig. V—Semi-Reclining.

- 1st. Raised by foot and lowered by automatic device.—Fig. I.
  - 2nd. Raising and lowering without revolving the upper part of the chair.—Fig. VII.
  - 3rd. Obtaining height of 39½ inches.—Fig. VII.
  - 4th. As strong in the highest, as when in the lowest position.—Fig. VII.
  - 5th. Raised, lowered, tilted or rotated without disturbing patient.
  - 6th. Heavy steel springs to balance the chair.
  - 7th. Arm Rests not dependent on the back for support.—Fig. VII—always ready for use; pushed back when using struts—Fig. XVII—may be placed at and away from side of chair, forming a side table for Sim's position.—Fig. XIII.
  - 8th. Quickest and easiest operated and most substantial! secured in positions.
- 9th. The leg and foot rests folded out of the operator's way at any time.—Figs. XI, XV and XVII.
  - 10th. Head Rest universal in adjustment, with a range of from 14 inches above seat to 12 inches above back of chair, furnishing a perfect support in Dorsal or Sim's position.—Figs. XIII and XV.
  - 11th. Affording unlimited modifications of positions.
  - 12th. Stability and firmness while being raised and rotated.
  - 13th. Only successful Dorsal position *without moving patient*.
  - 14th. Broad turntable upon which to rotate the chair, which cannot be bent or twisted.
  - 15th. Stands upon its own merits and not upon the reputation of others.




Fig. XVII—Dorsal Position.

Pronounced the *ne plus ultra* by the Surgeon, Gynæcologist, Oculist and Aurist.

MANUFACTURED EXCLUSIVELY BY

**CANTON SURGICAL AND DENTAL CHAIR CO.,**

38 to 54 East Eighth and 50 to 52 South Walnut Streets, CANTON, OHIO.

<p><b>COCAINE</b> C. P. ANHYDROUS CRYSTALS. STANDARD OF PURITY THE WORLD OVER.</p>		<p><b>MURIATE</b> BOEHRINGER—B. &amp; S. DISPENSED BY ALL DRUGGISTS</p>
--	--	---

## THE MEDICAL LAW

LAWS OF 1892

1894

1896

ENACTED BY THE MARYLAND LEGISLATURE.

Sent to any address on receipt of 15 cents.

**Maryland Medical Journal,**

209 Park Avenue.

BALTIMORE.

# Syr. Hypophos. Co., FELLOWS.

Contains The Essential Elements of the Animal Organization—Potash and Lime;

The Oxidising Agents—Iron and Manganese;

The Tonics—Quinine and Strychnine;

And the Vitalizing Constituent—Phosphorus; the whole combined in the form of a Syrup, with a Slightly Alkaline Reaction.

It Differs in Its Effects from All Analogous Preparations; and it possesses the important properties of being pleasant to the taste, easily borne by the stomach, and harmless under prolonged use.

It Has Gained a Wide Reputation, particularly in the treatment of Pulmonary Tuberculosis, Chronic Bronchitis, and other affections of the respiratory organs. It has also been employed with much success in various nervous and debilitating diseases.

Its Curative Power is largely attributable to its Stimulant, Tonic, and Nutritive properties, by means of which the energy of the system is recruited.

Its Action is Prompt; it stimulates the appetite and the digestion, it promotes assimilation, and it enters directly into the circulation with the food products.

The prescribed dose produces a feeling of buoyancy, and removes depression and melancholy; *hence the preparation is of great value in the treatment of mental and nervous affections.* From the fact, also, that it exerts a double tonic influence, and induces a healthy flow of the secretions, its use is indicated in a wide range of diseases.

---

## NOTICE—CAUTION.

The Success of Fellows' Syrup of Hypophosphites has tempted certain persons to offer imitations of it for sale. Mr. Fellows, who has examined samples of several of these, *finds that no two of them are identical*, and that all of them differ from the original in composition, in freedom from acid reaction, in susceptibility to the effects of oxygen when exposed to light or heat, *in the property of retaining the strychnine in solution*, and in the medicinal effects.

As these cheap and inefficient substitutes are frequently dispensed instead of the genuine preparation, physicians are earnestly requested, when prescribing the Syrup, to write "Syr. Hypophos. *Fellows*."

As a further precaution, it is advisable that the Syrup should be ordered in the original bottles; the distinguishing marks which the bottles (and the wrappers surrounding them) bear, can then be examined, and the genuineness—or otherwise—of the contents thereby proved.

*Medical Letters may be addressed to:*

**MR. FELLOWS, 48 Vesey St., New York City.**



# HYDROZONE

IS THE STRONGEST ANTISEPTIC KNOWN.

One ounce of this new Remedy is, for its Bactericide Power, equivalent to two ounces of Charles Marchand's Peroxide of Hydrogen (medicinal), which obtained the Highest Award at the World's Fair of Chicago, 1893, for its Stability, Strength, Purity and Excellency.

### CURES DISEASES CAUSED BY GERMS:

DIPHTHERIA, SORE THROAT, CATARRH, HAY FEVER, LA GRIPPE,—OPEN SORES: ABSCESSSES, CARBUNCLES, ULCERS,—INFECTIOUS DISEASES OF THE GENITO-URINARY ORGANS,—INFLAMMATORY AND CONTAGIOUS DISEASES OF THE ALIMENTARY TRACT: TYPHOID FEVER, TYPHUS, CHOLEKA, YELLOW FEVER,—WOMEN'S WEAKNESSES: WHITES, LEUCORRHOEA,—SKIN DISEASES: ECZEMA, ACNE, Etc.

SEND FOR FREE BOOK OF 152 PAGES GIVING FULL INFORMATION. PHYSICIANS REMITTING TWENTY-FIVE CENTS POSTAL ORDER WILL RECEIVE FREE SAMPLE BY MAIL.

AVOID IMITATIONS.

HYDROZONE is put up only in small, medium and large size bottles, bearing a red label, white letters, gold and blue border.

GLYCOZONE  
CURES  
DISEASES of the STOMACH.

PREPARED ONLY BY

*Charles Marchand*

Mention this publication.

Chemist and Graduate of the "Ecole Centrale des Arts et Manufactures de Paris" (France)

SOLD BY LEADING DRUGGISTS. Charles Marchand

28 Prince St., New York.

## RIGAUD & CHAPOTEAUT'S Preparations,

8 Rue Vivienne,

PARIS,  
FRANCE.

PURE

FREE FROM BARIUM SALTS.

**APIOLINE**

(Chapoteaut)

Energetic  
Emmenagogue

**SANTAL  
MIDY**

**STRONTIUM SALTS**

(Paraf-Javal)

STANDARD SOLUTIONS  
BROMIDE, IODIDE,  
LACTATE.

Active  
Principle of  
Cod Liver Oil with  
Creosote.

**MORRHUOL  
CREOSOTÉ**

(Chapoteaut)

RELIABLE AGENT IN  
TREATMENT OF  
TUBERCULOSIS.

Literature

and

Samples

sent on

Application to the

AGENTS.

AGENTS:

E. FOUGERA & CO.

30 N. William St.,

New York.