DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GHQ/SCAP Records(RG 331)
Description of contents

THE NATIONAL ARCHIVES OF THE UNITED STATES

(1) Box no. 2724

(2) Folder title/number: (17)
Reparations Installlations, Vacant Floor Spaces in - Saitama

(3) Date: ?

(4) Subject:

Classification	Type of record
9212, 9230	c, r

(5) Item description and comment:
Saitama

(6) Reproduction: (Yes) No

(7) Film no.

Sheet no.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

1/2000

Tokyo 造兵 Arsenal

Edogawa Plant

Code No. 34-91

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



Reparations area

Houses to be evacuated without difficulty

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

元東京第二造兵廠 深谷製造所 明戸工場配置圖
Aketo Factory of 2nd, Tokyo Military Arsenal



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

元東京第二陸軍造兵廠櫛挽製造所構内配置圖



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLAN OF FUKAYA FACTORY

2nd ARSENAL TOKYO

SCALE : 1/20000

D ..... THE AREA FOR PROTECTION

OW THE AREA TO BE CULTIVATED



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



Storage Space of Reparations Arsenals and Laboratories
in Kanto Region

Saitama Prefecture

1. Tokyo 1st Military Arsenal, Edogawa Plant

a. Code No. 34-31
b. Nearest Railway Station : Minami-Sakurai-Station
c. Distance to the Station : About 500 Meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
8	16,116	Wooden, One-story	8.5	Board	None	30	¥ 45,000	34.5	¥ 34,500
14	2,607	"	7	Concrete	"	0	0	1	1,000
18	1,245	"	7	Board	"	0	0	5	5,000
31	6,755	"	8.5	Concrete	"	0	0	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Storage Space of Reparations Arsenals and Laboratories
in Kanto Region

Saitama Prefecture

1. Tokyo 1st Military Arsenal, Edogawa Plant

a. Code No. 34-31
b. Nearest Railway Station : Minami-Sakurai-Station
c. Distance to the Station : About 500 Meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
8	16,116	Wooden, One-story	8.5	Board	None	30	¥ 45,000	34.5	¥ 34,500
14	2,607	"	7	Concrete	"	0	0	1	1,000
18	1,245	"	7	Board	"	0	0	5	5,000
31	6,755	"	8.5	Concrete	"	0	0	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

2. Tokyo 1st Military Arsenal, Akedo Plant

a. Code No. 34-34
b. Nearest Railway Station : Fukaya-Station
c. Distance to the Station : About 6,000 meter
d. List Buildings : as following.

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
56	750	Wooden One-story	7	Concrete	None	5	¥ 2,000	0	0
57	3,495	"	8.5	Board	"	35	35,000	0	0
58	3,495	"	8.5	"	"	35	35,000	0	0
62	3,495	"	8.5	"	"	35	35,000	0	0
65	3,495	"	8.5	"	"	35	35,000	0	0
66	3,495	"	8.5	"	"	15	15,000	0	0
67	3,495	"	8.5	"	"	15	15,000	0	0
74	892	"	8.5	"	"	35	25,000	0	0
77	2,844	"	10.0	Earth	"	20	10,000	5	¥ 3,000
78	2,844	"	10.0	"	"	20	10,000	7	4,200
136	500	"	10.0	Concrete	"	10	5,000	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

3. Tokyo 2nd Military Arsenal, Kushibiki Plant

a. Code No. 34-36
b. Nearest Railway Station : Fukaya-Station
c. Distance to the Station : About 7,000 meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
6	1,440	Wooden One-story	9	Board	None	10	¥ 6,500	0	0
10	1,467	"	8	"	"	35	40,000	0	0
50	1,152	"	9	Earth	"	45	52,000	0	0
389	703	"	7	Concrete	"	3	680	0	0
388	703	"	7	"	"	3	680	0	0
387	703	"	7	"	"	3	680	0	0
306	562	"	11	Earth	"	5	1,055	0	0
305	1,481	"	10	Concrete	"	5	3,200	0	0
304	665	"	10	"	"	7	1,640	0	0
303	2,108	"	10	"	"	2	1,250	0	0
302	1,208	"	10	"	"	6	1,835	0	0
301	1,296	"	9	"	"	10	2,420	0	0
5	703	"	7	"	"	3	670	0	0
34	1,648	"	10	"	"	8	2,225	0	0
33	1,156	"	10	"	"	6	1,835	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 745013

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	P/C in this Bldg (ton)	Est.Cost for Transfer
351	1,648	Wooden One-story	10	Concrete	None	8	Y 2,225	0	0
27	1,538	"	10	"	"	9	2,420	0	0
308	1,711	"	10	"	"	7	1,835	0	0
307	1,711	"	10	"	"	8	2,615	0	0
309	562	"	11	"	"	6	1,055	0	0
310	2,352	"	11	Earth	"	8	3,785	0	0
312	1,211	"	8	Concrete	"	6	1,640	0	0
311	1,592	"	9	"	"	5	1,835	0	0
313	1,618	"	10	"	"	4	1,325	0	0
404	1,800	"	9	Earth	"	4	1,055	0	0
405	1,152	"	8.5	"	"	7	2,225	0	0
442	656	"	7	Concrete	"	10	2,225	0	0
435	1,000	"	8	"	"	8	2,225	0	0
431	966	Concrete Two-story	10	"	"	10	3,000	0	0
436	1,115	Wooden One-story	15	"	"	9	2,420	0	0
430	1,781	"	15	"	"	8	3,785	0	0
426	2,004	"	15	"	"	7	3,000	0	0
440	841	"	9.5	"	"	4	1,325	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
438	1,134	Wooden One-story	7	Concrete	None	8	¥ 1,835	0	0
439	841	"	9.5	"	"	5	1,055	0	0
17	1,139	"	12	Board	"	3	800	0	0
[illegible]	4,058	Ferro-concrete Three-story	10	Concrete	"	30	30,000	0	0

4. Tokyo 2nd Military Arsenal, Fukaya Plant

a. Code No. 34-35
b. Nearest Railway Station : Hukaya Station
c. Distance to the Station : about 2,000 meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
92	1,872	Wooden One-story	8.5	Concrete	None	0	0	0	0
11	1,296	"	9	"	"	10	Y 2,000	0	0
13	2,340	"	10	Earth	"	10	3,000	0	0
4	1,721	Concrete One-story	8	Concrete	"	10	1,500	0	0
1	1,721	"	8	"	"	10	1,500	0	0
2	2,310	"	8	"	"	10	2,000	0	0
3	2,970	"	8	"	"	10	2,500	0	0
16	1,296	Wooden One-story	8.5	"	"	10	600	0	0
203	1,872	"	12.7	Board	"	10	2,500	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

5. Tokyo 1st Military Arsenal Kawagoe Plant (34-32).

There are many buildings unoccupied, but they are under application for release from reparations custody.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 75013

Storage Space of Reparations Arsenals and Laboratories in Kanto Region

Saitama Prefecture

1. Tokyo 1st Military Arsenal, Edogawa Plant

a. Code No. 34-31
b. Nearest Railway Station : Minami-Sakurai-Station
c. Distance to the Station : About 500 Meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
8	16,116	Wooden, One-story	8.5	Board	None	30	¥ 45,000	34.5	¥ 34,500
14	2,607	"	7	Concrete	"	0	0	1	1,000
18	1,245	"	7	Board	"	0	0	5	5,000
31	6,755	"	8.5	Concrete	"	0	0	0	0

2. Tokyo 1st Military Arsenal, Akedo Plant

a. Code No. 34-34
b. Nearest Railway Station : Fukaya-Station
c. Distance to the Station : About 6,000 meter
d. List Buildings : as following.

Bldg. No.	Floor Space (Sq/Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
56	750	Wooden One-story	7	Concrete	None	5	¥ 2,000	0	0
57	3,495	"	8.5	Board	"	35	35,000	0	0
58	3,495	"	8.5	"	"	35	35,000	0	0
62	3,495	"	8.5	"	"	35	35,000	0	0
65	3,495	"	8.5	"	"	35	35,000	0	0
66	3,495	"	8.5	"	"	15	15,000	0	0
67	3,495	"	8.5	"	"	15	15,000	0	0
74	892	"	8.5	"	"	35	25,000	0	0
77	2,844	"	10.0	Earth	"	20	10,000	5	¥ 3,000
78	2,844	"	10.0	"	"	20	10,000	7	4,200
136	500	"	10.0	Concrete	"	10	5,000	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

3. Tokyo 2nd Military Arsenal, Kushibiki Plant

a. Code No. 34-36
b. Nearest Railway Station : Fukaya-Station
c. Distance to the Station : About 7,000 meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
6	1,440	Wooden One-story	9	Board	None	10	Y 6,500	0	0
10	1,467	"	8	"	"	35	40,000	0	0
50	1,152	"	9	Earth	"	45	52,000	0	0
389	703	"	7	Concrete	"	3	680	0	0
388	703	"	7	"	"	3	680	0	0
387	703	"	7	"	"	3	680	0	0
306	562	"	11	Earth	"	5	1,055	0	0
305	1,481	"	10	Concrete	"	5	3,200	0	0
304	665	"	10	"	"	7	1,640	0	0
303	2,108	"	10	"	"	2	1,250	0	0
302	1,208	"	10	"	"	6	1,835	0	0
301	1,296	"	9	"	"	10	2,420	0	0
5	703	"	7	"	"	3	670	0	0
34	1,648	"	10	"	"	8	2,225	0	0
33	1,156	"	10	"	"	6	1,835	0	0

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
351	1,648	Wooden One-story	10	Concrete	None	8	Y 2,225	0	0
27	1,538	"	10	"	"	9	2,420	0	0
308	1,711	"	10	"	"	7	1,835	0	0
307	1,711	"	10	"	"	8	2,615	0	0
309	562	"	11	"	"	6	1,055	0	0
310	2,352	"	11	Earth	"	8	3,785	0	0
312	1,211	"	8	Concrete	"	6	1,640	0	0
311	1,592	"	9	"	"	5	1,835	0	0
313	1,618	"	10	"	"	4	1,325	0	0
404	1,800	"	9	Earth	"	4	1,055	0	0
405	1,152	"	8.5	"	"	7	2,225	0	0
442	656	"	7	Concrete	"	10	2,225	0	0
435	1,000	"	8	"	"	8	2,225	0	0
31	966	Concrete Two-story	10	"	"	10	3,000	0	0
436	1,115	Wooden One-story	15	"	"	9	2,420	0	0
430	1,781	"	15	"	"	8	3,785	0	0
426	2,004	"	15	"	"	7	3,000	0	0
440	841	"	9.5	"	"	4	1,325	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Base-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
438	1,138	Wooden One-story	7	Concrete	None	8	$ 1,835	0	0
438	841	"	9.5	"	"	5	1,055	0	0
1[illegible]	1,130	"	12	Board	"	3	800	0	0
1[illegible]	4,053	Ferro-concrete Three-story	10	Concrete	"	30	30,000	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 475013

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
438	1,134	Wooden One-story	7	Concrete	None	8	¥ 1,835	0	0
439	841	"	9.5	"	"	5	1,055	0	0
17	1,139	"	12	Board	"	3	800	0	0
377	4,058	Ferro-concrete Three-story	10	Concrete	"	30	30,000	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

4. Tokyo 2nd Military Arsenal, Fukaya Plant

a. Code No. 34-35
b. Nearest Railway Station : Hukaya Station
c. Distance to the Station : about 2,000 meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
92	1,872	Wooden One-story	8.5	Concrete	None	0	0	0	0
11	1,296	"	9	"	"	10	¥ 2,000	0	0
13	2,340	"	10	Earth	"	10	3,000	0	0
4	1,721	Concrete One-story	8	Concrete	"	10	1,500	0	0
1	1,721	"	8	"	"	10	1,500	0	0
2	2,310	"	8	"	"	10	2,000	0	0
3	2,970	"	8	"	"	10	2,500	0	0
16	1,296	Wooden One-story	8.5	"	"	10	600	0	0
203	1,872	"	12.7	Board	"	10	2,500	0	0

5. Tokyo 1st Military Arsenal Kawagoe Plant (34-32).

There are many buildings unoccupied, but they are under application for release from reparations custody.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Storage Space of Reparations Arsenals and Laboratories
in Kanto Region

Saitama Prefecture

1. Tokyo 1st Military Arsanal, Edogawa Plant

a. Code No. 34-31
b. Nearest Railway Station : Minami-Sakurai-Station
c. Distance to the Station : About 500 Meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
8	16,116	Wooden, One-story	8.5	Board	None	30	¥ 45,000	34.5	¥ 34,500
14	2,607	"	7	Concrete	"	0	0	1	1,000
18	1,245	"	7	Board	"	0	0	5	5,000
31	6,755	"	8.5	Concrete	"	0	0	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

2. Tokyo 1st Military Arsenal, Akedo Plant

a. Code No. 34-34
b. Nearest Railway Station : Fukaya-Station
c. Distance to the Station : About 6,000 meter
d. List Buildings : as following.

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
56	750	Wooden One-story	7	Concrete	None	5	¥ 2,000	0	0
57	3,495	"	8.5	Board	"	35	35,000	0	0
58	3,495	"	8.5	"	"	35	35,000	0	0
62	3,495	"	8.5	"	"	35	35,000	0	0
65	3,495	"	8.5	"	"	35	35,000	0	0
66	3,495	"	8.5	"	"	15	15,000	0	0
67	3,495	"	8.5	"	"	15	15,000	0	0
74	892	"	8.5	"	"	35	25,000	0	0
77	2,844	"	10.0	Earth	"	20	10,000	5	¥ 3,000
78	2,844	"	10.0	"	"	20	10,000	7	4,200
136	500	"	10.0	Concrete	"	10	5,000	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

3. Tokyo 2nd Military Arsenal, Kushibiki Plant

a. Code No. 34-36
b. Nearest Railway Station : Fukaya-Station
c. Distance to the Station : About 7,000 meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
6	1,440	Wooden One-story	9	Board	None	10	¥ 6,500	0	0
10	1,467	"	8	"	"	35	40,000	0	0
50	1,152	"	9	Earth	"	45	52,000	0	0
389	703	"	7	Concrete	"	3	680	0	0
388	703	"	7	"	"	3	680	0	0
387	703	"	7	"	"	3	680	0	0
306	562	"	11	Earth	"	5	1,055	0	0
305	1,481	"	10	Concrete	"	5	3,200	0	0
304	665	"	10	"	"	7	1,640	0	0
303	2,108	"	10	"	"	2	1,250	0	0
302	1,208	"	10	"	"	6	1,835	0	0
301	1,296	"	9	"	"	10	2,420	0	0
5	703	"	7	"	"	3	670	0	0
34	1,648	"	10	"	"	8	2,225	0	0
33	1,156	"	10	"	"	6	1,835	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
351	1,648	Wooden One-story	10	Concrete	None	8	Y 2,225	0	0
27	1,538	"	10	"	"	9	2,420	0	0
308	1,711	"	10	"	"	7	1,835	0	0
307	1,711	"	10	"	"	8	2,615	0	0
309	562	"	11	"	"	6	1,055	0	0
310	2,352	"	11	Earth	"	8	3,785	0	0
312	1,211	"	8	Concrete	"	6	1,640	0	0
311	1,592	"	9	"	"	5	1,835	0	0
313	1,618	"	10	"	"	4	1,325	0	0
404	1,800	"	9	Earth	"	4	1,055	0	0
405	1,152	"	8.5	"	"	7	2,225	0	0
442	656	"	7	Concrete	"	10	2,225	0	0
435	1,000	"	8	"	"	8	2,225	0	0
31	966	Concrete Two-story	10	"	"	10	3,000	0	0
436	1,115	Wooden One-story	15	"	"	9	2,420	0	0
430	1,781	"	15	"	"	8	3,785	0	0
426	2,004	"	15	"	"	7	3,000	0	0
440	841	"	9.5	"	"	4	1,325	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 455013

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est. Cost for Transfer
438	1,134	Wooden One-story	7	Concrete	None	8	Y 1,835	0	0
439	841	"	9.5	"	"	5	1,055	0	0
17	1,139	"	12	Board	"	3	800	0	0
377	4,058	Ferro-concrete Three-story	10	Concrete	"	30	30,000	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

4. Tokyo 2nd Military Arsenal, Fukaya Plant

a. Code No. 34-35
b. Nearest Railway Station : Hukaya Station
c. Distance to the Station : about 2,000 meter
d. List of Buildings : as following

Bldg. No.	Floor Space (Sq.Ft.)	Structure	Height Beam-Floor (Ft.)	Floor	Loading Equip.	Repair Required (%)	Estimated Cost for Repair	M/C in this Bldg (ton)	Est.Cost for Transfer
92	1,872	Wooden One-story	8.5	Concrete	None	0	0	0	0
11	1,296	"	9	"	"	10	¥ 2,000	0	0
13	2,340	"	10	Earth	"	10	3,000	0	0
4	1,721	Concrete One-story	8	Concrete	"	10	1,500	0	0
1	1,721	"	8	"	"	10	1,500	0	0
2	2,310	"	8	"	"	10	2,000	0	0
3	2,970	"	8	"	"	10	2,500	0	0
16	1,296	Wooden One-story	8.5	"	"	10	600	0	0
203	1,872	"	12.7	Board	"	10	2,500	0	0

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

5. Tokyo 1st Military Arsenal Kawagoe Plant (34-32).

There are many buildings unoccupied, but they are under application for release from reparations custody.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013