

UC-NRLF



B 4 620 248

LIBRARY
UNIVERSITY OF
CALIFORNIA
SANTA CRUZ

LIBRARY OF
Lick Observatory.
Meridian Circle



Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

524.8:0237a

- 777 -

OB 6
C 2
1840

THE CAPE CATALOGUE

OF

STARS,

DEDUCED FROM OBSERVATIONS

MADE AT THE

ROYAL OBSERVATORY, CAPE OF GOOD HOPE,

1834 TO 1840,

AND

REDUCED TO THE EPOCH

1840.

UNDER THE SUPERINTENDENCE OF

E. J. STONE, M.A., F.R.S., F.R.A.S.,

C. M. DE LA SOCIETE NATIONALE DES SCIENCES DE CHERBOURG,

HONORARY FELLOW OF QUEENS' COLLEGE, CAMBRIDGE,

AND

HER MAJESTY'S ASTRONOMER AT THE CAPE OF GOOD HOPE.

PUBLISHED BY ORDER OF THE BOARD OF ADMIRALTY IN OBEDIENCE TO HER MAJESTY'S COMMAND.

CAPE TOWN:

SAUL SOLOMON & Co., 40 AND 42, ST. GEORGE'S-STREET,

1878.

CAPE TOWN :

SAUL SOLOMON AND CO., PRINTERS,

40 AND 42, ST. GEORGE'S-STREET.

Lick
Obs
QB
6
C2
1840

INTRODUCTION

TO THE

CAPE CATALOGUE, 1840.

THE Royal Observatory, Cape of Good Hope, was established by an Order in Council, dated 1820, October 20. The Observatory buildings were completed, the instruments, similar to those at that time in use at Greenwich, mounted, and observations commenced in 1829.

The Rev. F. Fallows, the first director, died in July, 1831, and the observations made during his tenure of office will be found in the memoirs of the Royal Astronomical Society, Vol. xix., which was published in 1851. The Catalogue contains the Right Ascensions of 425 Stars and the North Polar Distances of 88.

Fallows was succeeded by Mr. Thos. Henderson, who however remained at the Cape but little more than a year, having resigned the appointment in 1833.

The declinations of 172 Stars, made during his tenure of office, were published at Edinburgh in 1835; and the Right Ascensions of 174 Stars were given in Vol. xv. of the memoirs of the Royal Astronomical Society, which was published in 1844.

Mr. Henderson was succeeded by Mr. (now Sir Thomas) Maclear, who arrived at the Cape on the 5th of January, 1834.

The present Catalogue contains the results of the Star-observing at the Royal Observatory, Cape of Good Hope, under the direction of Mr. (now Sir Thomas) Maclear, during the years 1834 to 1840, both inclusive.

The Right Ascensions were all made with the Dollond's Transit, which was mounted by Fallows in 1828, immediately after the erection of the Observatory buildings. The plates carrying the Y's rest upon substantial stone piers. There are screws for the adjustment of the instrument in level and azimuth. The focal length of the telescope is nearly ten feet, and the aperture of the object glass five inches. A power of 132 was generally used in making the transit observations. I can state from experience that the defining power of the telescope is exceedingly good, and that the stability of the mounting is satisfactory. For the determination of the error of collimation two lenses were fixed in pieces of teak-

wood, which passed across the openings of the northern and southern shutters of the Transit room, and were firmly screwed to the sides to prevent any slipping. The centres of these lenses were nearly in the line of collimation of the telescope when the instrument was horizontal. The focal lengths of the southern and northern lenses were 150 and 34 feet respectively. In the foci of the lenses were placed adjustable silver plates carrying \times marks. Substantial pillars were erected to support these marked plates. The error of collimation was found by reversing the instrument both upon the Northern and Southern marks and taking the mean of the readings, for coincidence of the centre wire and the marks, as the reading of the line of collimation.

The correction for diurnal aberration was incorporated with the correction for collimation error.

The level error was found by the use of a spirit level. In 1834, 1835, and 1836 the pivots appear to have been assumed to be of equal diameters. In the subsequent years a small correction was applied for an existing inequality in the pivots. The azimuthal errors were usually determined from consecutive transits of α , A, Z, σ , B, C, and τ Octantis, or of β and γ Hydri. When consecutive transits were not available the azimuthal errors were generally determined from absolute Right Ascensions of some of the above-mentioned Stars. The adopted tabular places were based upon Henderson's Right Ascensions. In the adoption of the instrumental corrections, whenever no well-marked change in the corrections appeared to have taken place in the interval, the mean of several determinations, sometimes made at intervals extending over considerable periods, has been taken in preference to individual results.

When I assumed the direction of the Observatory in the October of 1870 the whole of the observations included in the present Catalogue were reduced. I have generally accepted these results as satisfactory; but I have thought it proper to re-determine the azimuthal errors and re-reduce the observations of the close circumpolar Stars. It did not appear to me desirable, in the case of close circumpolar Stars, to trust to the unchangeableness of the instrumental errors longer than was absolutely necessary, and I have not finally retained observations of the closer polar Stars when the azimuthal errors adopted were based upon the assumed Right Ascensions of a single polar Star or upon the mean of two such determinations. I have also thought it better, on the whole, not to retain observations of α , A, Z, σ , B, C, and τ Octantis, when the adopted azimuthal errors have been determined from consecutive transits of β and γ Hydri. The effect of changes in the instrumental corrections, errors of adopted rate between the transits, as well as errors of observation, affect largely the Right Ascensions of close circumpolar Stars when reduced

with azimuths determined from Stars so far from the pole as γ or even β Hydri.

It will be understood, therefore, that the Right Ascensions of the close circumpolar Stars of the present Catalogue are perfectly independent determinations.

As bearing upon the Right Ascensions of these polar Stars it may be well to mention here that the day numbers used in the reduction of the observations contained in the present Catalogue were extracted from the Nautical Almanacs of the different years. The constants of nutation and aberration adopted in the present Catalogue are, therefore, $9''.25$ and $20''.36$ respectively.

I have not found any complete list of the mean Right Ascensions of the Stars used for the determination of clock-errors during the years 1834 to 1840; but I have been able to connect the epoch of the present Catalogue with the Greenwich Seven Year Catalogue for 1860 as follows: I find from an examination of the reductions that the Right Ascensions of the clock Stars used in 1840 differ from the corresponding Right Ascensions of the Nautical Almanac by certain small quantities which will be found in Table I.

I find also that the Right Ascensions used in 1839, 1838, and 1837 differ from the Nautical Almanac Right Ascensions for these years by exactly the same quantities when allowance is made for the changes introduced into the Nautical Almanac for 1840 and for the proper motions of the several Stars. The Right Ascensions of the Nautical Almanac were adopted unchanged for the reductions in the years 1834, 1835, and 1836; but the Right Ascensions of these years have been reduced by the quantities $-0''.047$, $-0''.033$, $-0''.037$ respectively, and these are the corrections which the Right Ascensions adopted for clock-error require to reduce them to those adopted in 1840. The Right Ascensions are thus all reduced to the same epoch, and it only remains to determine the correction required by the epoch adopted.

Table I. gives the corrections to the Right Ascensions of the Nautical Almanac, 1840, which have been adopted for clock-error, and the corresponding corrections deduced from the Right Ascensions of the Greenwich Catalogue for 1860, carried back to 1840, with the precessions, secular variations and proper motions of the Greenwich Catalogue. It will be found that the Greenwich Right Ascensions = Cape $-0''.002$. But the Greenwich Catalogue for 1860 requires a correction of $-0''.01$ for epoch. It appears, therefore, that the correction to the present Catalogue for epoch is $-0''.01$.

This correction, which is applicable to all the Right Ascensions contained in the Catalogue, has not been applied.

Corrections to the Right Ascensions of the N.A. 1840, deduced from the Greenwich Catalogue, 1860, and the Corrections adopted for the determination of Clock-error in the formation of the Cape Catalogue, 1840.

Star's Name.	Greenwich.	Adopted.	G.—A.	No. of Obs. Cape.
α Andromedæ	+0 ^s .06	+0 ^s .05	+0 ^s .01	63
γ Pegasi	-0 ^s .05	-0 ^s .02	-0 ^s .03	34
β Ceti	+0 ^s .04	+0 ^s .03	+0 ^s .01	65
θ^1 Ceti	-0 ^s .03	-0 ^s .02	-0 ^s .01	41
α Arietis	+0 ^s .11	+0 ^s .09	+0 ^s .02	114
γ Ceti	-0 ^s .03	-0 ^s .02	-0 ^s .01	33
α Ceti	-0 ^s .04	-0 ^s .01	-0 ^s .03	90
η Tauri.....	0 ^s .00	-0 ^s .02	+0 ^s .02	54
γ^1 Eridani.....	+0 ^s .02	0 ^s .00	+0 ^s .02	55
α Tauri	0 ^s .00	+0 ^s .03	-0 ^s .03	150
α Aurigæ.....	-0 ^s .01	+0 ^s .04	-0 ^s .05	27
β Orionis.....	-0 ^s .03	-0 ^s .01	-0 ^s .02	128
β Tauri.....	-0 ^s .03	-0 ^s .01	-0 ^s .02	67
δ Orionis	-0 ^s .07	+0 ^s .04	-0 ^s .11	87
α Leporis	-0 ^s .09	-0 ^s .02	-0 ^s .07	27
ϵ Orionis.....	-0 ^s .05	-0 ^s .03	-0 ^s .02	60
α Columbæ	-0 ^s .30	-0 ^s .08	-0 ^s .22	309
α Orionis	-0 ^s .03	-0 ^s .02	-0 ^s .01	338
μ Geminorum	-0 ^s .03	0 ^s .00	-0 ^s .03	62
α Canis Majoris	-0 ^s .18	-0 ^s .08	-0 ^s .10	184
ϵ Canis Majoris	-0 ^s .08	-0 ^s .05	-0 ^s .03	66
δ Geminorum	-0 ^s .12	-0 ^s .07	-0 ^s .05	53
α^2 Geminorum.....	-0 ^s .14	-0 ^s .07	-0 ^s .07	29
α Canis Minoris	+0 ^s .10	0 ^s .00	+0 ^s .10	143
β Geminorum	-0 ^s .04	-0 ^s .08	+0 ^s .04	63
ι Argûs	-0 ^s .22	-0 ^s .17	-0 ^s .05	97
ϵ Hydræ	-0 ^s .14	-0 ^s .08	-0 ^s .06	59
α Hydræ	-0 ^s .07	-0 ^s .10	+0 ^s .03	148
ϵ Leonis.....	-0 ^s .06	-0 ^s .05	-0 ^s .01	44
α Leonis	-0 ^s .08	-0 ^s .09	+0 ^s .01	132

Star's Name.	Greenwich.	Adopted.	G.—A.	No. of Obs. Cape.
δ Leonis.....	^s 0°00	^s 0°00	^s 0°00	53
δ Hydræ et Crateris	—0°16	—0°13	—0°03	82
β Leonis	—0°03	—0°05	+0°02	157
β Corvi.....	+0°08	—0°04	+0°12	110
ι^2 Canum Venaticorum	—0°01	—0°08	+0°07	20
α Virginis	—0°05	—0°04	—0°01	239
η Boötis	—0°04	—0°02	—0°02	50
α Boötis.....	—0°03	—0°04	+0°01	144
ϵ Boötis.....	+0°01	—0°03	+0°04	18
α^2 Libræ	—0°09	—0°01	—0°08	138
β Libræ	+0°04	—0°01	+0°05	79
α Coronæ Borealis	+0°06	+0°03	+0°03	43
α Serpentis	+0°02	+0°04	—0°02	86
β^1 Scorpii.....	+0°03	+0°01	+0°02	75
α Scorpii	—0°08	—0°04	—0°04	234
α Herculis	+0°01	—0°05	+0°06	26
α Ophiuchi... ..	+0°10	+0°02	+0°08	67
α Lyræ.....	+0°02	—0°01	+0°03	77
β Lyræ.....	+0°04	—0°03	+0°07	8
ζ Aquilæ	+0°09	+0°02	+0°07	31
δ Aquilæ	+0°13	+0°03	+0°10	9
γ Aquilæ	+0°03	+0°04	—0°01	7
α Aquilæ	—0°01	+0°03	—0°04	112
β Aquilæ	—0°04	—0°01	—0°03	11
α^2 Capricorni	+0°06	+0°04	+0°02	21
ζ Cygni.....	—0°01	—0°06	+0°05	2
β Aquarii.....	—0°02	—0°03	+0°01	25
ϵ Pegasi.....	—0°08	—0°05	—0°03	13
α Aquarii	+0°01	—0°01	+0°02	13
ζ Pegasi	+0°09	+0°04	+0°05	12
α Piscis Australis.....	+0°13	+0°15	—0°02	191
α Pegasi	—0°06	—0°03	—0°03	24
ϵ Piscium.....	+0°05	+0°07	—0°02	16

The following Table exhibits a direct comparison between the Right Ascensions of the present Catalogue and of the Greenwich Catalogue for 1860. It confirms the substantial identity of the adopted epochs :—

Star's Name.	No. of Observ. Green.	No. of Observ. Cape.	Mean R.A. Cape.	Seconds of R.A. Greenwich.	G.—C.
			h m s	s	s
α Andromedæ.....	59	63	0 0 7 ^h 76	7 ^h 78	+0 ^h 02
γ Pegasi.....	67	34	0 5 0 ^h 24	0 ^h 19	-0 ^h 05
β Ceti.....	49	65	0 35 33 ^h 30	33 ^h 32	+0 ^h 02
θ^1 Ceti.....	69	41	1 16 1 ^h 65	1 ^h 62	-0 ^h 03
α Arietis.....	75	114	1 58 10 ^h 04	10 ^h 05	+0 ^h 01
γ Ceti.....	56	33	2 35 1 ^h 00	0 ^h 97	-0 ^h 03
α Ceti.....	57	90	2 53 55 ^h 35	55 ^h 31	-0 ^h 04
η Tauri.....	67	54	3 37 59 ^h 11	59 ^h 13	+0 ^h 02
γ^1 Eridani.....	40	55	3 50 34 ^h 04	34 ^h 03	-0 ^h 01
α Tauri.....	123	150	4 26 44 ^h 79	44 ^h 77	-0 ^h 02
α Aurigæ.....	78	27	5 4 52 ^h 66	52 ^h 76	+0 ^h 10
β Orionis.....	101	128	5 6 51 ^h 08	51 ^h 06	-0 ^h 02
β Tauri.....	68	67	5 16 10 ^h 91	10 ^h 93	+0 ^h 02
δ Orionis.....	38	87	5 23 50 ^h 10	50 ^h 03	-0 ^h 07
α Leporis.....	15	27	5 25 40 ^h 46	40 ^h 47	+0 ^h 01
ϵ Orionis.....	28	60	5 28 5 ^h 84	5 ^h 81	-0 ^h 03
α Columbæ.....	21	309	5 33 51 ^h 44	51 ^h 22	-0 ^h 22
α Orionis.....	86	338	5 46 30 ^h 67	30 ^h 68	+0 ^h 01
μ Geminorum.....	48	62	6 13 16 ^h 85	16 ^h 79	-0 ^h 06
α Canis Majoris.....	78	184	6 38 5 ^h 89	5 ^h 74	-0 ^h 15
ϵ Canis Majoris.....	28	66	6 52 20 ^h 29	20 ^h 31	+0 ^h 02
δ Geminorum.....	59	53	7 10 33 ^h 74	33 ^h 71	-0 ^h 03
α^2 Geminorum.....	61	29	7 24 22 ^h 91	22 ^h 85	-0 ^h 06
α Canis Minoris.....	118	143	7 30 55 ^h 35	55 ^h 45	+0 ^h 10
β Geminorum.....	119	63	7 35 30 ^h 97	31 ^h 03	+0 ^h 06
ι Argûs.....	25	97	8 0 43 ^h 88	43 ^h 86	-0 ^h 02
ϵ Hydræ.....	57	59	8 38 17 ^h 94	17 ^h 88	-0 ^h 06
α Hydræ.....	49	148	9 19 43 ^h 49	43 ^h 50	+0 ^h 01
ϵ Leonis.....	49	44	9 36 45 ^h 45	45 ^h 47	+0 ^h 02
α Leonis.....	118	132	9 59 50 ^h 71	50 ^h 72	+0 ^h 01

Star's Name.	No. of Observ. Green.	No. of Observ. Cape.	Mean R.A. Cape.			Seconds of R.A. Greenwich.	G.—C.
			h	m	s	"	"
δ Leonis	54	53	11	5	35.39	35.42	+0.03
δ Hydræ et Crateris	33	82	11	11	20.78	20.74	-0.04
β Leonis	53	157	11	40	53.65	53.67	+0.02
β Corvi	30	110	12	25	59.64	59.78	+0.14
12 Canum Venaticorum.....	14	20	12	48	31.91	32.07	+0.16
α Virginis	223	239	13	16	46.29	46.31	+0.02
η Boötis	57	50	13	47	4.01	3.97	-0.04
α Boötis.....	130	144	14	8	21.92	21.94	+0.02
ε Boötis	72	18	14	37	59.95	60.01	+0.06
α ² Libræ	58	138	14	42	2.27	2.21	-0.06
β Libræ	63	79	15	8	24.29	24.32	+0.03
α Coronæ Borealis.....	92	43	15	27	54.89	54.93	+0.04
α Serpentis	86	86	15	36	23.46	23.45	-0.01
β ¹ Scorpii	40	75	15	56	8.63	8.61	-0.02
α Scorpii	50	234	16	19	36.44	36.41	-0.03
α Herculis	57	26	17	7	21.27	21.31	+0.04
α Ophiuchi.....	105	67	17	27	30.59	30.66	+0.07
α Lyræ	92	77	18	31	31.29	31.32	+0.03
β Lyræ	124	8	18	44	10.35	10.48	+0.13
ζ Aquilæ.....	117	31	18	58	3.44	3.48	+0.04
δ Aquilæ	61	9	19	17	25.84	25.93	+0.09
γ Aquilæ	115	7	19	38	39.11	39.16	+0.05
α Aquilæ.....	159	112	19	42	58.61	58.55	-0.06
β Aquilæ	85	11	19	47	27.26	27.18	-0.08
α ² Capricorni	32	21	20	9	10.35	10.36	+0.01
ζ Cygni	84	2	21	6	7.73	7.82	+0.09
β Aquarii	57	25	21	23	7.95	7.90	-0.05
ε Pegasi	66	13	21	36	19.71	19.64	-0.07
α Aquarii.....	70	13	21	57	33.84	33.87	+0.03
ζ Pegasi	49	12	22	33	29.03	29.09	+0.06
α Piscis Australis	59	191	22	48	47.75	47.74	-0.01
α Pegasi	54	24	22	56	47.75	47.69	-0.06
ε Piscium.....	69	16	23	31	43.40	43.32	-0.08

The following Table exhibits the mean discordances for every three hours of Right Ascension:—

h h	h h	h h	h h	h h	h h	h h	h h
0 to 3	3 to 6	6 to 9	9 to 12	12 to 15	15 to 18	18 to 21	21 to 24
-0.014	-0.017	-0.022	+0.008	+0.043	+0.016	+0.026	-0.011

The discordances, although systematic, are but small, and depend chiefly upon the results of one or two Stars unfavourably situated for observation at Greenwich or the Cape.

The observations of the Right Ascensions contained in the present Catalogue were made by the following observers:—In the year 1834 the transit observations were made by Lieut. Meadows, R.N., until the month of November. During the month of November they were made partly by Lieut. Meadows and partly by Mr. Thomas Bowler. From 1834, December 1, to 1835, October 8, the transit observations were made by Mr. Bowler. From 1835, October 9, to 1839, October 30, the observations were made by Mr. C. P. Smyth. From 1839, October 31, to the end of 1840, the observations were made by Mr. W. Mann.

The Circle observations, of which the results are included in the present volume, were all made with the six feet Mural Circles by Jones. The apertures of the object glasses were four inches. The first was mounted by Fallows in 1828-1829, and its errors of form of pivot and defective divisions have given rise to many time-consuming experiments, much discussion, great practical inconvenience, and to a loss of labour which, at the market price of such things, would have paid for a better instrument many times over. The mean readings of the six microscopes have been shown to be nearly sensibly correct, but the individual readings of the separate microscopes differed so wildly amongst themselves that it is extremely difficult, when the revolutions have been entered, as was usual at the Cape, for only one of the microscopes, to feel certain that the correct whole revolutions for each microscope have been adopted in taking the mean.

In the month of July, 1839, the old Mural Circle was dismantled and the new Mural Circle by Jones mounted in the same position.

The new Mural Circle was employed in making the Circle Observations during the remainder of the year 1839, and to August 12, 1840, when the Circle Observations were stopped, and but very few circle observations were made after that period until 1850, when a general re-observation of the Stars of the B.A. Catalogue was commenced. The observations up to 1839, October 30, were made by Mr. Thomas Maclear. From October

31, 1839, to 1840, August 12, by Mr. C. P. Smyth. The Circle Observations in 1840 were almost entirely made with the use of two microscopes.

The two Mural Circles occupied very nearly indeed the position of the present Transit Circle.

The latitude adopted in the present Catalogue is

$33^{\circ} 56' 3''.25$ South.

The zenith points of the Mural Circles were determined by direct and reflection observations of Stars at the Meridian passage. After 1834, November, both observations were made at the same transit.

The mean of the readings deduced from Stars observed to the South and North of the zenith were separately taken and the mean of these means adopted as the true zenith point reading. It has been usual to adopt mean results deduced from observations made at intervals extending from a week to a month, according to the stability of the instrument.

When the North Polar Distances were determined with these zenith point corrections, a discordance of a somewhat systematic character appeared between the results derived from the direct and reflection observations. A correction for this systematic discordance has been determined in a manner similar to that originally proposed by Professor (now Sir) G. B. Airy.

Points were laid down with the zenith distances as abscissæ and the discordances between the direct and reflection observations as ordinates, and a curve was swept boldly amongst these points. Corrections for each zenith distance were then read off the curve and a half of these corrections applied with reversed signs to all the direct and reflection observations.

The corrections thus deduced differed considerably from year to year, although there was a rough general agreement between the curves. This is probably as much as could have been expected. The systematic errors of division, flexure and other instrumental errors, which might be supposed to remain sensibly unchanged from year to year, must be presented mixed up not only with mere errors of observation but with errors arising from the assumption that the mean zenith point corrections are applicable to all the observations made in a group extending over such intervals as a month.

Fortunately, however, these discordances are not very great; the extreme corrections applied to direct observations being confined within the limits $\pm 1''$.

The refractions used in the reductions were those of Bessel's *Tabulæ Regiomontanæ*. The barometer was by Jones. Its errors appear to have been small.

The exterior thermometer was by Dollond and was placed to the south of the circle-room, screened in a small cylindrical case, which allowed free passage to the air from end to end.

The division errors of the Mural Circles do not appear to have been determined. The flexure was considered insensible. It was at first attempted to render the runs insensible by continual adjustments of the microscopes, but afterwards the runs were determined and allowed for as a correction to the mean readings of the circle.

The following Table exhibits a comparison, for the principal Nautical Almanac Stars, between the North Polar Distances of the present Catalogue and the Greenwich Catalogue for 1840.

Star's Name.	No. of Observ. Green.	No. of Observ. Cape.	Mean N.P.D. Cape.	Seconds of N.P.D. Greenwich.	G.—C.
			° ' "	"	"
α Andromedæ	60	4	61 47 34.89	34.95	+0.06
γ Pegasi	50	13	75 42 22.79	22.55	-0.24
β Ceti	37	29	108 51 57.87	58.04	+0.17
θ^1 Ceti	45	13	99 0 40.13	39.60	-0.53
α Arietis	72	30	67 17 50.38	50.81	+0.43
γ Ceti	56	2	87 26 32.78	32.47	-0.31
α Ceti	56	36	86 32 31.36	31.67	+0.31
η^1 Tauri	51	7	66 23 42.95	42.25	-0.70
γ^1 Eridani.....	46	26	103 58 5.72	5.78	+0.06
α Tauri.....	92	94	73 49 6.43	6.17	-0.26
α Aurigæ.....	189	30	44 10 21.46	22.52	+1.06
β Orionis.....	46	83	98 23 31.53	31.27	-0.26
β Tauri	76	15	61 32 4.14	5.30	+1.16
δ Orionis	34	13	90 25 24.52	24.04	-0.48
α Leporis	34	153	107 56 30.93	30.67	-0.26
α Columbæ	36	284	124 9 47.57	52.12	+4.55
α Orionis	68	244	82 37 44.11	44.73	+0.62
μ Geminorum	54	9	67 24 40.58	40.19	-0.39
α Canis Majoris	234	319	106 30 8.11	6.98	-1.13
ϵ Canis Majoris.....	45	82	118 45 30.64	32.37	+1.73
δ Geminorum	56	26	67 43 46.08	46.26	+0.18
α Canis Minoris.....	73	83	84 22 13.81	12.57	-1.24
β Geminorum	102	21	61 35 37.17	36.94	-0.23
ι^5 Argûs	36	41	113 50 49.39	50.52	+1.13
α Hydræ	46	54	97 58 7.58	6.79	-0.79

Star's Name.	No. of Observ. Green.	No. of Observ. Cape.	Mean N.P.D. Cape.	Seconds of N.P.D. Greenwich.	G.—C.
ϵ Leonis	58	3	65 29 31.16	32.86	+1.70
α Leonis	115	71	77 15 12.36	13.08	+0.72
δ Leonis.....	75	1	68 36 2.48	2.80	+0.32
δ Crateris.....	41	17	103 54 49.27	49.25	-0.02
β Leonis	86	37	74 32 1.17	1.85	+0.68
β Corvi	42	32	112 30 39.54	40.42	+0.88
ι Canum Venaticorum	61	37	50 48 57.53	58.38	+0.85
α Virginis.....	83	192	100 19 27.25	26.96	-0.29
α Boötis	236	48	69 58 52.86	54.48	+1.62
ϵ^2 Boötis.....	109	1	62 14 52.30	52.53	+0.23
α^2 Libræ.....	49	94	105 22 21.61	22.14	+0.53
β Libræ.....	52	10	98 47 16.88	16.68	-0.20
α Coronæ Borealis	128	18	62 44 33.00	34.84	+1.84
α Serpentis.....	69	21	83 3 58.44	59.46	+1.02
β^1 Scorpii.....	37	25	109 21 42.80	42.36	-0.44
α Scorpii	44	225	116 4 13.50	13.73	+0.23
α Herculis.....	74	1	75 25 20.00	20.25	+0.25
α Ophiuchi	99	1	77 19 4.30	6.06	+1.76
μ Sagittarii	59	8	111 5 38.33	38.38	+0.05
α Lyræ.....	462	7	51 21 40.46	41.34	+0.88
α Aquilæ	84	42	81 32 57.37	57.65	+0.28
α^2 Capricorni	48	53	103 2 8.67	8.59	-0.08
β Aquarii.....	58	29	96 16 17.53	17.60	+0.07
ϵ Pegasi	65	6	80 51 20.20	19.88	-0.32
α Aquarii	84	10	91 5 40.41	40.49	+0.08
ζ Pegasi	81	2	80 0 7.20	7.31	+0.11
α Piscis Australis.....	50	315	120 28 5.93	6.96	+1.03
ϵ Piscium.....	58	3	85 14 24.55	25.44	+0.89

The mean Right Ascensions and North Polar Distances given in the Catalogue have only been corrected for proper motions when proper motions have been assigned to the Star in the Catalogue, and in these cases the adopted proper motions have been used. The N.P.D. given in

the above table for α Boötis is derived from that of the Catalogue with an assumed proper motion $+ 1''\cdot93$.

Attention has already been called to the difficulties which have been experienced in the discussion of the results contained in the present Catalogue from irregularities in the readings of the microscopes of the Mural Circle used in the years 1834 to 1839. The errors in individual results which arise from this cause are never less than $10''$. Errors of this amount in results for well known Stars are of but little practical importance as their presence can be easily detected and they can be removed; but such is not the case when we are concerned with the observations of Stars whose positions are only very imperfectly known. The difficulties of the detection of such errors are also greatly increased when the Right Ascensions have been observed with another instrument and, as has been the case too generally in these Cape Observations, no indications of the magnitudes of the Stars have been given. Under these circumstances, with every care, it is almost inevitable that the observers should sometimes pick up different Stars with the two instruments. The observations thus made have been entered in the books for reduction under the same Star's name, and systematic errors of reduction, generally of a small amount and therefore troublesome to discover, have thus got mixed up in the results.

When I assumed the directorship in the October of 1870, the preparation of the work for this Catalogue was so far advanced that the mean places of most of the stars were determined. At first, I threw the whole force of the Observatory upon the work with the intention of completing it as rapidly as possible, but I found that very little of the work had been systematically examined, and I shrank from the responsibility which would have rested upon me of publishing a Catalogue of such results, without a revision and examination of the work which I was not, at the time, in a position to undertake. The work, however, has never been entirely laid aside. I have carried on the examination from time to time as opportunities presented themselves and much progress was made in the work during the comparative leisure enjoyed during my visit to England in the year 1875.

The publication of the "Cape Catalogue for 1860," and the observations of the stars in Lacaille's zones, which have been made here since 1870, have now furnished materials for a comparison between the places of the present Catalogue and results upon which reliance could be placed. This comparison has been systematically carried out. In all cases of discordance, or apparently large proper motions, I have examined the reductions for the present Catalogue *de novo*, and when no error could be detected in the reductions I have endeavoured to control the determinations

of proper motions by independent comparisons. I believe that in this way all, or very nearly all, the errors of reduction have been detected and removed, and that the results of the present Catalogue may be accepted with some confidence as correctly representing the observations and, so far as I can form an opinion upon the point, the observations themselves are good. For the fragmentary character of the Catalogue and the want of correspondence between the Stars observed in Right Ascension and North Polar Distance I am not, of course, answerable; but I have spared no personal labour to make the work as accurate as the materials and time at my disposal would permit, and I now dismiss it from my thoughts with the feeling that I have at least conscientiously performed a most anxious duty.

E. J. STONE.

Royal Observatory, Cape of Good Hope,
1878, March 18.

THE
CAPE CATALOGUE OF STARS

FOR

1840,

DEDUCED FROM OBSERVATIONS

MADE AT THE

ROYAL OBSERVATORY, CAPE OF GOOD HOPE,

1834—1840.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			"	"
1	4	1	21 Andromedæ..... <i>a</i>	0 0 7.76	37.27	63	+ 3.072	+ 0.009
2	9	6	Phœnicis.....	0 0 56.25	36.87	4	+ 3.064	..
3	10	6	Sculptoris.....	0 1 11.13	40.78	1	+ 3.068	..
4	11	4	Phœnicis..... <i>ε</i>	0 1 16
5	19	5	Octantis..... γ^3	0 2 38.64	35.82	19	+ 2.944	..
6	20	6	Octantis.....	0 2 43.48	36.83	4	+ 3.016	..
7	26	2	88 Pegasi..... γ	0 5 0.24	39.00	34	+ 3.079	0.000
8	27	6	Sculptoris.....	0 5 9
9	31	6	Phœnicis.....	0 6 16.99	36.93	2	+ 3.017	..
10	36	6	35 Piscium.....	0 6 44.64	40.77	1	+ 3.077	+ 0.004
11	43	6	Sculptoris.....	0 8 2.73	40.81	1	+ 3.042	..
12	56	5.6	Octantis.....	0 9 37.40	36.91	1	+ 2.763	..
13	61	6	Phœnicis.....	0 10 43.30	39.87	1	+ 3.011	..
14	64	5	Tucanæ..... ζ	0 11 41.29	34.87	9	+ 2.920	+ 0.265
15	66	5.6	41 Piscium..... <i>d</i>	0 12 22.22	39.88	2	+ 3.081	- 0.002
16	72	5	Sculptoris..... <i>ε</i>	0 13 28.30	39.05	5	+ 3.027	+ 0.001
17	71	6.7	Octantis..... <i>o</i>	0 14 17.88	37.83	58	- 3.319	..
18	74	6	Hydri.....	0 14 34.80	36.94	3	+ 2.661	..
19	85	Neb.	Tucanæ.....	0 16 54.55	36.85	3	+ 2.750	..
20	87	6	44 Piscium.....	0 17 12.12	38.39	5	+ 3.073	- 0.002
21	88	3	Hydri..... β	0 17 13.92	37.26	209	+ 2.593	+ 0.720
22	93	4	Phœnicis..... <i>κ</i>	0 18 19.03	36.94	2	+ 2.966	+ 0.008
23	94	2	Phœnicis..... <i>α</i>	0 18 21.38	37.97	1	+ 2.971	+ 0.022
24	104	6	Sculptoris.....	0 20 32.41	40.33	2	+ 2.968	..
25	108	5.6	Sculptoris.....	0 21 31.85	40.33	2	+ 2.960	..
26	115	6	Ceti.....	0 22 22.35	37.20	6	+ 3.012	..
27	117	5.6	Sculptoris.....	0 22 38.03	40.47	1	+ 2.954	..
28	119	5.6	Phœnicis.....	0 22 40.35	36.91	4	+ 2.919	..
29	127	4	Tucanæ..... β^1	0 24 11.00	35.99	13	+ 2.785	+ 0.008
30	128	4	Tucanæ..... β^2	0 24 11.42	36.09	12	+ 2.785	..
31	134	5	Tucanæ.....	0 25 24.43	36.42	11	+ 2.770	..
32	135	5.6	Sculptoris.....	0 25 45.67	40.78	1	+ 2.983	..
33	136	6	Sculptoris.....	0 25 52.47	39.90	2	+ 2.963	..
34	..	7	Phœnicis.....	0 25 58.59	36.58	4	+ 2.846	..
35	141	6	Phœnicis.....	0 26 32.79	36.86	4	+ 2.926	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 "			"	"						
61 47 34.89	34.72	4	- 20.06	+ 0.15	..	7384	1
144 53 36.10	35.88	2	- 20.06	..	9740	1	2
..	9741	2	3
136 37 49.41	35.73	2	- 20.06	+ 0.19	9742	3	2	1	..	4
173 6 50.18	36.66	50	- 20.06	..	9756	5	..	2	8	5
..	9755	6	6
75 42 22.79	35.59	13	- 20.05	+ 0.02	..	11	144	7
128 42 46.50	39.85	3	- 20.05	..	6	12	8
145 57 29.90	35.88	1	- 20.05	..	13	15	9
..	10
..	22	19	11
..	33	23	12
..	38	25	13
155 48 55.54	35.88	5	- 20.03	- 1.18	40	26	..	4	..	14
..	15
..	54	31	16
179 15 9.65	36.14	122	- 20.02	32	..	5	2	17
..	64	33	18
..	80	38	19
88 56 51.16	36.83	5	- 20.00	+ 0.02	20
168 9 20.75	36.07	97	- 20.00	- 0.32	74	40	5	6	14	21
134 34 5.49	39.85	1	- 19.99	- 0.09	89	43	..	7	..	22
133 10 30.75	37.46	62	- 19.99	+ 0.40	87	44	6	8	59	23
..	99	46	24
..	104	52	25
..	106	26
..	109	27
..	110	56	28
153 50 23.70	36.01	9	- 19.95	+ 0.03	119	58	9	10	..	29
153 50 50.27	35.27	7	- 19.95	..	120	59	..	11	..	30
153 54 49.51	37.33	4	- 19.93	..	123	61	..	12	..	31
120 26 26.00	39.85	3	- 19.93	..	125	62	32
..	127	63	33
..	130	64	34
..	133	65	35

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
36	140	5.6	Tucanæ.....	h m s 0 26 33.56	36.92	3	+ 2.591	..
37	143	5	Phœnicis.....	0 26 49.51	39.91	1	+ 2.862	+ 0.035
38	145	6	13 Ceti.....	0 27 1
39	150	5.6	Phœnicis.....	0 28 2.17	38.15	7	+ 2.885	..
40	151	6	Phœnicis.....	0 28 3.90	40.12	4	+ 2.832	..
41	153	4	17 Cassiopeiæ..... ζ	0 28 5
42	157	6	Tucanæ.....	0 28 39.88	36.92	4	+ 2.776	..
43	160	6	Ceti.....	0 29 6.90	37.51	11	+ 2.990	..
44	..	7	Tucanæ.....	0 29 32.38	35.83	2	+ 2.687	..
45	162	6	Phœnicis.....	0 29 49.53	39.89	3	+ 2.821	..
46	171	6	Phœnicis.....	0 32 13.39	36.88	4	+ 2.880	..
47	172	6	Tucanæ.....	0 32 21.89	36.77	4	+ 2.414	..
48	176	5	Tucanæ.....	0 32 53.81	36.92	2	+ 2.736	+ 0.120
49	179	6	Sculptoris.....	0 33 12.90	39.88	1	+ 2.901	..
50	188	5	Phœnicis..... ξ	0 34 27.31	37.51	5	+ 2.758	..
51	190	6	Ceti.....	0 34 42.51	37.90	6	+ 2.994	..
52	192	5	Sculptoris..... λ ¹	0 35 0.28	39.88	3	+ 2.905	..
53	196	2.3	16 Ceti..... β	0 35 33.30	37.02	65	+ 3.001	+ 0.013
54	195	5.6	Tucanæ..... ρ	0 35 36.27	37.86	4	+ 2.599	..
55	199	5	Phœnicis..... η	0 36 8
56	203	6	Ceti.....	0 36 48.88	39.86	1	+ 2.981	..
57	209	6	Phœnicis.....	0 37 37.32	39.90	1	+ 2.764	..
58	212	6.7	Phœnicis.....	0 38 14.23	36.84	3	+ 2.821	..
59	221	6	Piscium.....	0 39 59.75	38.59	5	+ 3.090	+ 0.047
60	222	5	63 Piscium..... δ	0 40 23.25	40.30	3	+ 3.099	+ 0.003
61	227	4	35 Andromedæ..... ν	0 41 1
62	231	6	Phœnicis.....	0 41 30.41	38.40	8	+ 2.808	..
63	234	6	Phœnicis.....	0 42 33.11	39.90	3	+ 2.831	..
64	236	5.6	Hydri..... λ	0 43 0.17	37.67	4	+ 2.086	..
65	238	5.6	Phœnicis..... ρ	0 43 23.09	38.10	7	+ 2.751	..
66	242	5	20 Ceti.....	0 44 50.11	36.52	7	+ 3.062	-- 0.004
67	241	6	Tucanæ.....	0 44 54.87	39.87	1	+ 2.271	..
68	246	5.6	Tucanæ.....	0 46 17.57	39.89	2	+ 2.319	..
69	..	7	Tucanæ.....	0 46 21.78	39.91	1	+ 2.318	..
70	251	6	Tucanæ..... λ ¹	0 46 56.99	38.36	6	+ 2.520	..

47. The large Proper Motion in N.P.D. given in the B.A.C. appears erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 #			#	#						
..	139	66	36
..	137	67	37
94 28 29'31	34'86	2	- 19'92	+ 0'04	38
138'52 38'60	35'91	1	- 19'91	..	143	69	39
..	144	70	40
36 59 0'30	36'83	9	- 19'91	41
..	146	71	42
..	147	72	43
156 0 20'50	35'83	1	- 19'89	..	151	44
..	152	77	45
135 40 32'80	35'90	2	- 19'86	..	166	79	46
164 1 8'10	35'88	1	- 19'86	..	173	80	47
150 21 14'54	39'88	3	- 19'85	- 0'50	172	81	48
131 24 37'10	39'84	1	- 19'85	..	174	82	49
147 22 54'80	35'88	2	- 19'83	..	180	87	50
..	51
..	183	89	52
108 51 57'87	34'79	29	- 19'82	- 0'02	13	14	95	53
156 20 52'50	35'83	1	- 19'82	..	188	54
148 20 28'13	36'60	10	- 19'81	..	190	92	..	16	..	55
..	193	56
..	201	97	57
..	207	100	58
85 32 35'64	37'63	1	- 19'75	+ 1'20	59
..	14	60
49 47 37'01	37'07	22	- 19'74	61
137 34 20'50	39'85	1	- 19'73	..	226	106	62
134 16 5'90	39'84	1	- 19'71	..	231	107	63
165 47 45'10	35'90	2	- 19'71	..	235	108	64
..	233	109	65
92 0 50'57	35'82	10	- 19'67	+ 0'01	15	17	..	66
..	244	112	67
..	250	114	68
..	116	69
..	253	118	70

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
71	265	6	Phœnicis.....	0 48 46.76	40.08	5	+2.682	+0.001
72	266	5.6	Tucanæ..... λ^2	0 49 0.30	37.87	6	+2.275	..
73	272	5	Sculptoris..... a	0 50 53.47	35.50	16	+2.900	+0.001
74	275	6	Tucanæ.....	0 51 39.90	39.93	1	+2.353	..
75	276	6	Tucanæ.....	0.51 41.81	37.64	6	+2.519	..
76	288	4	71 Piscium..... e	0 54 38.75	38.35	10	+3.110	-0.002
77	289	6	Sculptoris..... σ	0 54 47.45	39.88	2	+2.871	..
78	292	5.6	Phœnicis..... ω	0 55 14.74	39.88	3	+2.563	..
79	294	6	Phœnicis.....	0 55 35.84	38.95	8	+2.723	..
80	301	6	Tucanæ.....	0 56 33.83	39.90	3	+2.327	..
81	..	Neb.	Tucanæ.....	0 57 47.15	36.37	2	+2.062	..
82	317	3.4	Phœnicis..... β	0 58 55.96	36.58	34	+2.699	-0.006
83	328	5	80 Piscium..... e	1 0 7.97	36.38	5	+3.100	-0.021
84	329	6.7	Phœnicis.....	1 0 10.88	36.93	4	+2.753	..
85	331	5.6	Phœnicis..... v	1 0 28.69	39.87	3	+2.754	..
86	333	5	Tucanæ..... t	1 0 57.28	37.50	5	+2.392	+0.003
87	..	7	Hydri.....	1 1 27.71	36.85	4	+1.223	..
88	340	5	Phœnicis..... ζ	1 1 38.82	37.51	11	+2.543	..
89	344	6	33 Ceti.....	1 2 20
90	347	6	Phœnicis.....	1 2 41.63	40.19	3	+2.506	..
91	353	6	Phœnicis.....	1 3 34.64	39.90	2	+2.473	..
92	354	6	Phœnicis.....	1 3 40.65	39.89	3	+2.491	..
93	366	6	Sculptoris.....	1 5 20.41	39.90	4	+2.798	..
94	367	5.6	Phœnicis.....	1 5 22.66	39.89	3	+2.770	..
95	372	5.6	37 Ceti.....	1 6 20.36	39.88	1	+3.013	+0.004
96	380	4.5	Phœnicis..... v	1 7 57.02	39.87	1	+2.662	+0.070
97	..	7	Tucanæ.....	1 9 30
98	388	6	89 Piscium..... f	1 9 32
99	392	5	Tucanæ..... κ	1 10 19.59	35.87	8	+1.978	+0.081
100	396	6	Tucanæ.....	1 10 59.97	39.95	1	+2.048	..
101	398	5	Tucanæ.....	1 11 29.70	36.32	6	+2.093	+0.001
102	414	6	Phœnicis.....	1 15 21
103	418	6	Sculptoris.....	1 15 57.21	39.88	1	+2.867	..
104	..	6.7	Tucanæ.....	1 15 59.80	36.83	4	+1.594	..
105	420	3	45 Ceti..... θ	1 16 1.65	37.45	41	+3.002	-0.007

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 0	259	121	71
160 23 37'80	37'88	2	- 19'60	..	262	122	72
120 13 24'85	35'15	21	- 19'56	+ 0'03	266	125	16	18	..	73
157 25 33'70	39'84	1	- 19'55	..	272	128	74
151 33 44'65	35'88	2	- 19'55	..	271	127	75
82 58 22'30	37'06	7	- 19'50	0'00	76
..	282	133	77
..	288	136	78
137 15 25'70	35'89	2	- 19'47	..	289	137	79
..	298	141	80
161 42 34'00	35'89	1	- 19'42	..	306	142	81
137 34 36'08	35'22	18	- 19'40	+ 0'04	307	145	17	19	..	82
85 11 54'98	36'01	6	- 19'37	+ 0'19	308	83
132 36 2'90	35'90	1	- 19'37	..	311	149	84
132 20 37'20	39'85	1	- 19'36	..	312	153	85
152 37 52'26	35'91	1	- 19'35	- 0'01	316	155	86
..	322	154	87
146 6 7'50	39'98	2	- 19'34	..	318	156	18	21	..	88
88 24 28'21	34'48	2	- 19'32	+ 0'02	89
..	321	158	90
..	323	162	91
..	325	163	92
..	327	167	93
..	328	168	94
..	95
136 23 14'88	39'85	3	- 19'18	- 0'15	337	172	96
159 40 14'40	35'83	1	- 19'14	..	353	176	97
87 13 48'00	34'87	2	- 19'14	+ 0'02	19	98
159 43 36'80	35'86	6	- 19'12	- 0'12	356	178	99
..	359	179	100
157 14 33'97	37'04	7	- 19'09	- 0'01	361	180	101
134 26 34'40	39'88	3	- 18'98	..	378	188	102
..	381	103
..	393	194	104
99 0 40'13	34'87	13	- 18'97	+ 0'22	22	113	105

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
106	422	5	Tucanæ.....	1 16 27.09	39.96	2	+ 2.029	- 0.017
107	426	5	Phœnicis.....	1 17 35.40	37.33	19	+ 2.667	- 0.001
108	428	6	Phœnicis.....	1 17 44.48	36.92	4	+ 2.621	..
109	429	5	46 Ceti.....	1 17 45.19	35.79	1	+ 2.949	+ 0.004
110	436	6	Tucanæ.....	1 19 32.84	39.96	1	+ 2.087	..
111	..	7	Tucanæ.....	1 19 48.91	36.85	4	+ 1.564	..
112	447	3	Phœnicis..... γ	1 21 24.56	38.54	9	+ 2.620	- 0.004
113	448	4.5	98 Piscium..... μ	1 21 48.45	36.59	3	+ 3.115	+ 0.019
114	449	6	48 Ceti.....	1 21 55.35	39.89	3	+ 2.878	..
115	451	6	Sculptoris.....	1 22 8.88	37.97	1	+ 2.838	..
116	453	4	99 Piscium..... η	1 22 55.89	38.78	3	+ 3.194	0.000
117	...	7	Tucanæ.....	1 23 29.07	35.89	4	+ 1.557	..
118	461	4.	Phœnicis..... δ	1 24 34.88	36.68	41	+ 2.499	+ 0.009
119	463	6	Phœnicis.....	1 24 50.63	38.45	9	+ 2.564	..
120	466	5.6	Sculptoris.....	1 25 46.16	39.92	2	+ 2.694	..
121	467	5.6	Phœnicis.....	1 26 2.57	40.25	5	+ 2.476	..
122	..	7.8	Brisbane 223.....	1 26 38.39	36.82	4	+ 1.351	..
123	..	7	Sculptoris.....	1 27 36.20	39.90	1	+ 2.775	..
124	487	3.4	51 Andromedæ.....	1 28 12
125	486	6	Hydri.....	1 28 30.74	36.60	5	+ 2.071	..
126	483	6	Eridani.....	1 29 14.74	39.96	2	+ 2.228	..
127	...	7	Brisbane 230.....	1 29 25.46	36.85	4	+ 1.535	..
128	..	6.7	Sculptoris.....	1 29 31.43	39.88	1	+ 2.740	..
129	497	6	Eridani.....	1 30 52.75	39.96	1	+ 2.209	..
130	504	6	Sculptoris.....	1 31 19.65	39.97	1	+ 2.820	..
131	503	5.6	Sculptoris.....	1 31 20.88	40.80	1	+ 2.676	..
132	507	1	Eridani..... α	1 31 44.84	36.78	123	+ 2.236	+ 0.008
133	512	5.6	Hydri.....	1 32 40.40	36.86	4	+ 0.283	..
134	518	5	106 Piscium..... ν	1 33 6.69	36.96	2	+ 3.114	- 0.004
135	521	6	Eridani..... p^1	1 33 42.96	37.71	6	+ 2.253	..
136	521	6	Eridani..... p^2	1 33 43.63	36.60	4	+ 2.253	..
137	526	5.6	Phœnicis.....	1 34 25.59	40.34	2	+ 2.639	..
138	527	6	Sculptoris.....	1 34 55.05	39.90	1	+ 2.720	..
139	529	5.6	Phœnicis.....	1 35 18
140	531	5.6	Hydri.....	1 36 19.17	40.80	1	+ 2.063	..

126. The Right Ascension of the Star given in the B.A.C. and the large proper Motion are both in error; Taylor's Right Ascension is one minute too small.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows,	Johnson.	Henderson.	Catalogue.
0 1 #			#	#						
157 13 20'40	39'84	1	- 18'95	+ 0'03	391	196	106
132 19 36'27	35'51	12	- 18'92	+ 0'06	392	199	..	23	..	107
135 21 47'50	35'89	2	- 18'91	..	395	201	108
105 25 59'46	35'83	6	- 18'92	- 0'01	24	..	109
155 12 10'80	39'89	1	- 18'86	..	409	205	110
163 9 33'50	35'91	1	- 18'85	..	421	207	111
134 8 21'95	36'99	61	- 18'81	+ 0'20	419	209	22	25	58	112
84 41 1'34	35'51	3	- 18'79	+ 0'18	23	113
..	423	114
..	425	115
75 28 51'13	38'48	3	- 18'76	0'00	116
162 32 9'60	35'88	1	- 18'74	..	443	213	117
139 54 20'63	35'98	10	- 18'71	- 0'14	440	216	24	26	..	118
..	442	219	119
127 41 18'00	39'84	1	- 18'67	..	447	220	120
140 32 54'10	39'96	2	- 18'66	..	450	221	121
..	223	122
..	458	123
42 11 4'03	36'86	18	- 18'59	+ 0'14	124
..	467	228	125
148 57 28'30	39'91	3	- 18'56	..	468	229	126
..	230	127
..	466	128
149 5 17'30	39'95	2	- 18'50	..	479	235	129
..	475	130
..	476	237	131
148 3 4'29	36'07	117	- 18'47	+ 0'07	484	239	25	27	36	132
169 19 4'60	39'89	1	- 18'44	..	505	242	133
85 19 28'21	35'48	5	- 18'43	+ 0'04	27	134
147 0 29'10	35'88	3	- 18'40	..	495	243	135
147 0 31'40	35'88	1	- 18'40	..	495	243	136
128 56 45'50	39'98	1	- 18'38	..	496	245	137
..	500	246	138
140 50 52'00	39'96	2	- 18'35	..	502	248	139
..	507	250	140

111. Brisbane's N.P.D. appears to be 30" too small. The N.P.D. of this Catalogue agrees with the 1874 Observations.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
141	532	5.6	Eridani..... ϱ^1	1 36 20
142	536	3.4	52 Ceti..... τ	1 36 37
143	537	5	110 Piscium..... θ	1 36 57.16	37.57	7	+ 3.152	+ 0.006
144	541	5	Sculptoris..... ε	1 38 9.05	38.91	4	+ 2.803	+ 0.009
145	548	5.6	Phœnicis.....	1 39 49.14	39.89	1	+ 2.359	..
146	550	5	Eridani..... ϱ^2	1 39 59.82	39.88	3	+ 2.284	+ 0.012
147	553	6	Phœnicis.....	1 40 48.30	39.86	4	+ 2.627	..
148	554	5.6	Hydri.....	1 41 22.95	37.03	6	- 0.160	- 0.012
149	559	5	53 Ceti..... χ	1 41 43.65	37.85	18	+ 2.955	- 0.017
150	..	7	Hydri.....	1 42 33
151	557	6	Octantis.....	1 42 33.52	38.44	4	- 2.243	+ 0.091
152	563	6	Phœnicis.....	1 42 54.20	39.90	3	+ 2.599	..
153	567	6	Phœnicis.....	1 43 54.43	39.93	2	+ 2.407	..
154	570	6	Phœnicis.....	1 44 36.70	39.94	3	+ 2.566	..
155	571	6	Phœnicis.....	1.44 41.61	38.34	6	+ 2.343	..
156	572	4.5	5 Arietis..... γ^1	1.44 45.64	38.38	4	+ 3.269	+ 0.002
157	573	4.5	5 Arietis..... γ^2	1.44 45.91	37.93	2	+ 3.269	+ 0.002
158	574	5.6	111 Piscium..... ξ	1.45 16.74	36.11	3	+ 3.096	- 0.002
159	577	3	6 Arietis..... β	1.45 48.79	35.28	27	+ 3.289	+ 0.002
160	..	7	Hydri.....	1.46 24.40	36.81	4	+ 1.087	..
161	578	6	Phœnicis.....	1.46 29.64	39.91	3	+ 2.580	..
162	582	5	Phœnicis.....	1.47 13.61	37.50	8	+ 2.423	- 0.015
163	585	5	Phœnicis..... ϕ	1.47 43.41	36.67	5	+ 2.501	- 0.015
164	589	5	Hydri..... η^1	1.48 32.11	36.75	8	+ 1.505	..
165	594	6	56 Ceti.....	1.49 10.61	39.91	2	+ 2.807	..
166	591	5.6	Hydri.....	1.49 26.98	37.31	5	- 0.790	..
167	596	4	Eridani..... χ	1.49 43.45	38.87	2	+ 2.272	+ 0.067
168	604	5.6	Phœnicis.....	1.50 49.16	37.28	5	+ 2.377	..
169	603	4.5	Hydri..... η^2	1.50 53.21	35.84	1	+ 1.497	..
170	613	6	Phœnicis.....	1.51 46.83	40.34	2	+ 2.508	..
171	618	4.5	59 Ceti..... υ	1.52 27.84	37.77	1	+ 2.819	+ 0.006
172	621	6	Phœnicis.....	1.53 2.73	39.85	1	+ 2.485	..
173	623	3	Hydri..... α	1.53 44
174	622	6	Hydri.....	1.53 48.91	36.94	4	+ 0.001	..
175	627	6	Fornacis.....	1.54 5.95	39.88	2	+ 2.691	..

169. There is only one Observation of this Star on 1835, October 31. One of the microscope readings is clearly erroneous. It is entered as 55^h 1. I have altered it conjecturally to 15^h 1

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 2										
144 32 41'40	39'97	2	-18'31	..	506	249	141
106 46 58'08	36'82	17	-18'30	- 0'85	28	28	..	142
81 39 1'12	36'85	6	-18'29	- 0'01	29	143
115 51 16'63	35'83	1	-18'25	+ 0'08	511	..	30	29	..	144
141 37 5'50	39'92	3	-18'19	..	520	253	145
144 19 38'40	39'88	3	-18'18	- 0'04	523	254	146
..	526	257	147
169 57 15'38	35'87	1	-18'13	+ 0'02	551	259	148
..	30	109	149
164 21 10'70	35'88	1	-18'10	..	546	261	150
..	576	262	151
..	536	260	152
138 36 50'60	39'89	2	-18'03	..	542	263	153
..	543	265	154
..	547	266	155
71 29 35'53	37'93	2	-18'00	+ 0'11	156
71 29 27'33	37'93	2	-18'00	+ 0'11	157
87 36 17'33	35'91	1	-17'98	+ 0'08	158
69 58 37'66	34'87	11	-17'96	+ 0'11	159
163 12 21'50	35'89	1	-17'94	..	567	271	160
..	555	270	161
137 5 18'04	38'31	5	-17'90	+ 0'15	559	272	162
133 17 2'87	36'68	5	-17'88	+ 0'04	565	274	..	32	..	163
158 44 1'00	35'86	7	-17'85	..	577	276	164
..	568	165
..	606	279	166
142 24 24'90	39'96	2	-17'80	- 0'25	575	278	32	33	..	167
138 10 7'12	37'50	5	-17'76	..	585	281	168
158 26 10'64	35'83	1	-17'75	..	594	283	..	34	..	169
..	591	284	170
111 51 20'21	35'73	2	-17'69	- 0'02	35	..	171
132 48 16'80	39'85	1	-17'67	..	599	286	172
152 21 0'40	37'14	16	-17'64	- 0'01	605	287	33	36	25	173
168 16 31'60	35'90	1	-17'63	..	621	289	174
..	602	288	175

174. The large proper motions assigned to this Star in the B.A.C. are erroneous. The proper motions are small.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
176	628	2·3	57 Andromedæ..... γ^1	h m s 1 54 6
177	..	8	Andromedæ.....	1 54 7
178	632	6	Arietis.....	1 54 56·77	39·88	1	+ 3·274	+ 0·007
179	634	5	Phœnicis..... χ	1 55 17·25	36·67	10	+ 2·416	- 0·004
180	635	5	Hydri	1 55 29·38	36·52	3	+ 1·562	+ 0·014
181	638	5·6	Hydri.....	1 56 14·25	36·94	3	- 0·314	..
182	642	6	Eridani.....	1 57 10·55	39·89	1	+ 2·178	..
183	644	6	12 Arietis..... κ	1 57 37·65	39·86	2	+ 3·335	..
184	648	2	13 Arietis..... α	1 58 10·04	37·08	114	+ 3·347	+ 0·012
185	654	6	Hydri.....	2 0 18·12	36·85	4	+ 0·532	..
186	664	6	Phœnicis.....	2 1 34·90	39·85	1	+ 2·449	..
187	670	6	Phœnicis.....	2 2 45·88	39·87	1	+ 2·406	..
188	671	6	Hydri.....	2 3 0·08	36·89	6	+ 1·483	..
189	674	6	Phœnicis.....	2 3 14·45	39·89	2	+ 2·463	..
190	678	6	Phœnicis.....	2 3 41·94	39·85	1	+ 2·395	..
191	684	5	65 Ceti..... ξ^1	2 4 31·66	36·22	4	+ 3·169	- 0·004
192	688	5	Fornacis..... μ	2 5 51·62	39·90	4	+ 2·644	- 0·003
193	699	6	Phœnicis.....	2 8 3·29	39·88	2	+ 2·435	..
194	703	6	Hydri.....	2 8 57·05	40·40	2	+ 1·399	..
195	707	6	22 Arietis..... θ	2 9 14·27	40 18	3	+ 3·320	- 0·002
196	709	6	Hydri.....	2 10 12·34	35·87	2	+ 0·338	..
197	711	5·6	Hydri.....	2 10 25·17	35·98	1	- 0·146	..
198	717	4	Eridani..... ϕ	2 10 47·30	36·46	6	+ 2·138	+ 0·005
199	716	5·6	Hydri..... π^1	2 10 54·18	35·96	2	+ 1·228	..
200	2 12 29·29	39·93	1	+ 2·738	..
201	2 12 32·28	39·93	1	+ 2·738	..
202	726	6	Phœnicis.....	2 13 1·71	35·89	3	+ 2·398	..
203	..	7	Eridani.....	2 14 7·15	36·78	3	+ 2·338	..
204	730	5·6	Hydri.....	2 14 28·14	36·92	3	- 0·161	..
205	734	6	Horologii.....	2 14 43·11	39·90	2	+ 1·943	..
206	737	5·6	Fornacis..... κ	2 15 13·32	40·36	2	+ 2·732	..
207	739	5·6	Phœnicis.....	2 15 55·27	39·88	1	+ 2·352	..
208	748	5·6	Eridani.....	2 17 17·79	39·85	1	+ 2·113	..
209	751	6	Fornacis.....	2 18 7·26	39·88	4	+ 2·399	..
210	756	4	Hydri..... δ	2 18 55·30	37·09	4	+ 1·046	- 0·010

180. The large Proper Motion in N.P.D. assigned to this Star in the B.A.C. is erroneous. The Proper Motion is very small.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
0 1 "											
48 26 28.89	36.99	23	- 17.62	+ 0.06	176
48 26 24.01	36.92	16	- 17.62	177
..	290	178
135 29 8.98	35.88	2	- 17.57	+ 0.02	610	291	..	37	179
156 50 34.30	35.89	1	- 17.56	0.00	616	292	180
169 7 52.20	35.93	1	- 17.54	..	637	293	181
143 48 27.70	39.98	2	- 17.49	..	619	182
..	183
67 17 50.38	34.73	30	- 17.45	+ 0.15	..	295	184
165 12 52.20	35.91	1	- 17.36	..	652	300	185
..	641	303	186
134 16 26.30	39.98	2	- 17.25	..	647	307	187
156 42 24.00	35.90	1	- 17.24	..	664	309	188
..	653	308	189
134 34 21.70	39.97	2	- 17.21	..	659	310	190
81 54 24.87	36.71	5	- 17.17	+ 0.04	34	191
..	666	315	192
131 54 51.60	39.98	2	- 17.01	..	682	318	193
..	691	321	194
..	195
..	704	326	196
167 22 31.10	40.00	1	- 16.90	..	709	328	197
142 15 17.85	36.73	9	- 16.88	+ 0.05	693	327	35	38	198
158 35 22.50	35.90	1	- 16.87	..	701	330	199
114 33	200
114 33	201
132 35 15.20	35.88	3	- 16.77	..	703	334	202
134 47 44.70	35.89	2	- 16.72	..	707	335	203
..	734	338	204
146 40 54.00	39.94	2	- 16.69	..	717	337	205
114 32 45.90	35.91	3	- 16.67	..	712	206
..	721	341	207
141 49 28.10	40.00	1	- 16.57	..	729	346	208
..	731	209
159 23 19.51	37.06	10	- 16.49	- 0.01	747	351	39	41	210

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
211	760	4	73 Ceti.....	2 19 39.64	36.07	3	+ 3.175	+ 0.001
212	762	5.6	Horologii.....	2 20 25.61	35.88	5	+ 1.682	- 0.006
213	763	4.5	Eridani.....	2 21 7.11	38.00	15	+ 2.201	0.000
214	765	6	Fornacis.....	2 21 15.36	39.87	1	+ 2.540	..
215	767	6	Hydri.....	2 21 56.97	36.76	3	+ 0.296	..
216	771	6	27 Arietis.....	2 22 2.50	39.34	4	+ 3.309	0.000
217	770	6	Hydri.....	2 22 9
218	773	6	Fornacis.....	2 22 36.95	39.86	1	+ 2.734	..
219	774	6	Fornacis.....	2 23 2.09	39.94	2	+ 2.692	..
220	779	6	Horologii.....	2 24 20.83	37.57	6	+ 1.381	..
221	781	5	76 Ceti.....	2 24 30.56	37.96	5	+ 2.846	- 0.001
222	788	6	Fornacis.....	2 26 26.73	39.86	3	+ 2.506	..
223	790	6	Fornacis.....	2 26 50.26	39.89	3	+ 2.630	..
224	793	6.7	Piazzi 123.....	2 27 18.74	37.89	14	+ 3.158	..
225	794	4.5	78 Ceti.....	2 27 29
226	801	6	Horologii.....	2 28 27.52	39.85	1	+ 2.046	..
227	803	6	Fornacis.....	2 29 15.31	39.89	2	+ 2.590	..
228	805	6	Horologii.....	2 29 38.87	40.80	1	+ 1.457	..
229	808	5.6	32 Arietis.....	2 29 44.68	39.26	3	+ 3.388	- 0.002
230	809	6	Fornacis.....	2 30 19.89	40.78	1	+ 2.494	..
231	812	6	Fornacis.....	2 31 24.86	39.86	1	+ 2.581	..
232	817	7	Piazzi 148.....	2 31 50.01	37.92	4	+ 3.150	..
233	827	4	13 Persei.....	2 33 18
234	825	6	34 Arietis.....	2 33 21.41	37.77	17	+ 3.362	- 0.001
235	824	6	Hydri.....	2 33 50.26	35.92	3	+ 0.025	..
236	832	4	Eridani.....	2 34 21.30	37.46	2	+ 2.358	+ 0.003
237	837	3	86 Ceti.....	2 35 1.00	39.18	33	+ 3.109	- 0.011
238	833	6	Hydri.....	2 35 7
239	839	5.6	Horologii.....	2 35 40.84	36.71	5	+ 1.861	..
240	840	6	Fornacis.....	2 35 44.33	39.95	1	+ 2.390	..
241	841	6	Horologii.....	2 36 6.01	37.31	5	+ 1.268	..
242	844	5.6	38 Arietis.....	2 36 15
243	845	4	Arietis.....	2 36 18.04	35.91	1	+ 3.211	+ 0.017
244	843	6	Eridani.....	2 36 22.78	37.64	4	+ 2.161	..
245	847	4	89 Ceti.....	2 36 30

235. The N.P.D. given in the B.A.C. is 10' too large. Lacaille's N.P.D. has been adopted in the B.A.C. in preference to Brisbane's N.P.D. which appears from recent Observations to be correct.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
82 15 39 ^o 06	36 ^o 64	3	- 16 ^o 45	+ 0 ^o 02	211
151 1 47 ^o 82	35 ^o 88	2	- 16 ^o 41	+ 0 ^o 15	752	352	212
..	753	353	40	42	..	213
..	749	354	214
164 22 13 ^o 40	35 ^o 88	3	- 16 ^o 33	..	774	358	215
..	216
157 12 53 ^o 20	40 ^o 00	1	- 16 ^o 32	..	769	357	217
..	757	218
..	761	360	219
155 0 56 ^o 50	35 ^o 90	1	- 16 ^o 21	..	779	363	220
105 57 0 ^o 89	35 ^o 83	9	- 16 ^o 20	+ 0 ^o 07	42	43	..	221
..	781	366	222
..	783	368	223
..	224
85 6 31 ^o 45	34 ^o 94	1	- 16 ^o 05	+ 0 ^o 03	225
..	799	370	226
..	798	372	227
153 17 25 ^o 40	40 ^o 00	1	- 15 ^o 93	..	812	373	228
..	229
..	805	374	230
..	811	376	231
..	232
41 27 9 ^o 73	37 ^o 14	13	- 15 ^o 73	233
..	234
164 43 16 ^o 57	37 ^o 26	3	- 15 ^o 71	..	856	385	235
130 32 34 ^o 53	35 ^o 46	11	- 15 ^o 68	+ 0 ^o 06	831	384	..	47	..	236
87 26 32 ^o 78	35 ^o 87	2	- 15 ^o 64	+ 0 ^o 19	126	237
169 48 22 ^o 60	40 ^o 00	1	- 15 ^o 64	..	883	390	238
145 14 13 ^o 40	35 ^o 88	2	- 15 ^o 61	..	847	388	239
..	841	387	240
154 58 14 ^o 20	37 ^o 94	4	- 15 ^o 58	..	863	391	241
78 13 54 ^o 65	35 ^o 01	6	- 15 ^o 57	+ 0 ^o 10	46	242
80 33 57 ^o 47	35 ^o 42	4	- 15 ^o 57	+ 0 ^o 07	243
137 12 14 ^o 90	35 ^o 89	2	- 15 ^o 57	..	848	392	244
104 32 23 ^o 76	36 ^o 84	5	- 15 ^o 56	+ 0 ^o 02	47	48	..	245

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
246	846	6	Hydri.....	2 36 47.89	40.80	1	+ 1.017	..
247	848	6	Hydri.....	2 36 50.23	40.80	1	+ 1.100	..
248	853	6	Eridani.....	2 37 7.51	39.87	1	+ 2.330	..
249	849	5	Hydri..... ε	2 37 9.02	36.30	9	+ 0.871	+ 0.017
250	855	6	Fornacis.....	2 37 37.89	39.89	2	+ 2.516	..
251	856	4.5	1 Eridani..... τ ¹	2 37 38
252	862	6	Horologii.....	2 39 2.64	39.89	1	+ 1.926	..
253	864	6	Eridani.....	2 39 31.85	36.69	4	+ 2.258	- 0.002
254	865	6	Eridani.....	2 39 32.26	40.01	1	+ 2.153	..
255	870	5	42 Arietis..... π	2 40 22.43	36.59	5	+ 3.331	- 0.002
256	869	5.6	Hydri.....	2 40 39.94	36.71	5	+ 1.001	..
257	873	6	Fornacis.....	2 41 4.30	39.90	1	+ 2.439	..
258	874	6	Hydri.....	2 41 24.81	39.98	1	+ 0.713	..
259	876	5.6	Horologii..... γ	2 42 3.21	37.29	5	+ 1.260	..
260	878	5.6	Fornacis..... υ	2 42 14.58	39.92	3	+ 2.391	..
261	879	5	Fornacis..... β	2 42 23.67	38.07	14	+ 2.505	+ 0.008
262	880	5.6	Fornacis..... γ	2 42 45.71	39.88	1	+ 2.661	..
263	882	5	Hydri..... ζ	2 43 5.96	37.43	8	+ 0.878	+ 0.015
264	886	5.6	Fornacis.....	2 43 46.50	39.89	3	+ 2.423	..
265	887	4.5	2 Eridani..... τ ²	2 43 47
266	890	5.6	Fornacis.....	2 44 12.36	39.88	3	+ 2.426	..
267	889	6	Hydri.....	2 44 26.45	37.19	6	+ 0.380	..
268	893	6	Eridani.....	2 44 36.50	39.89	3	+ 2.318	..
269	894	6	Fornacis.....	2 45 9.71	39.95	2	+ 2.531	..
270	895	7	Horologii.....	2 45 30.44	40.01	1	+ 1.301	..
271	900	6	Eridani.....	2 46 39.90	35.90	6	+ 2.270	..
272	902	6	Fornacis.....	2 47 18.28	40.34	4	+ 2.347	..
273	906	6	Horologii.....	2 48 19.08	37.93	8	+ 1.218	..
274	907	5.6	Hydri.....	2 48 34.76	39.97	2	+ 0.830	..
275	911	6	Horologii.....	2 48 53.18	37.40	6	+ 1.265	+ 0.001
276	909	6	Hydri.....	2 48 59.81	40.02	1	- 0.170	..
277	921	5	48 Arietis..... ε	2 50 4.54	38.21	8	+ 3.413	- 0.001
278	919	6	Horologii.....	2 50 6.60	39.98	1	+ 1.031	..
279	922	5.6	4 Eridani.....	2 50 17.01	37.94	8	+ 2.659	..
280	925	6	Horologii.....	2 51 3.61	40.03	1	+ 1.074	..

253. The only Observation in N.P.D. is a reflexion Observation.

256, 259, 267. The large Proper Motions in N.P.D. assigned to these Stars in the B.A.C. are erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
o 1 "			"	"							
.. . "	867	396	246
.. . "	866	247
131 12 39'80	39'98	1	- 15'53	..	852	395	248
158 57 13'60	35'86	14	- 15'52	0'00	871	398	..	49	249
.. . "	855	399	250
109 15 13'78	35'92	2	- 15'50	- 0'03	48	251
.. . "	874	403	252
133 30 40'93	35'89	1	- 15'39	+ 0'07	875	406	253
.. . "	876	405	254
73 12 18'54	36'88	3	- 15'34	- 0'02	255
157 23 18'60	35'92	4	- 15'33	..	893	408	256
.. . "	879	409	257
159 50 19'60	40'00	1	- 15'28	..	898	411	258
154 22 37'60	39'98	1	- 15'25	..	896	414	259
.. . "	887	413	260
123 4 51'42	35'95	3	- 15'23	- 0'12	888	415	..	50	261
.. . "	890	417	262
158 17 24'89	37'24	3	- 15'19	- 0'03	907	420	..	51	263
.. . "	897	421	264
111 40 1'43	36'99	4	- 15'15	+ 0'01	50	52	265
.. . "	899	423	266
161 54 22'20	35'91	1	- 15'11	..	916	426	267
.. . "	902	424	268
.. . "	903	427	269
.. . "	270
132 2 56'50	35'89	3	- 14'98	..	912	428	271
.. . "	915	430	272
.. . "	934	432	273
158 10 46'10	40'00	1	- 14'87	..	943	433	274
.. . "	937	434	275
164 30 11'10	40'00	1	- 14'85	..	952	435	276
69 18 14'18	37'17	5	- 14'78	+ 0'02	277
.. . "	948	439	278
.. . "	933	279
.. . "	954	280

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
281	929	5.6	91 Ceti..... λ	2 51 9
282	930	6	Fornacis.....	2 51 18.31	40.03	1	+ 2.340	..
283	927	6	Horologii	2 51 19.69	40.02	1	+ 1.115	..
284	928	5.6	Hydri..... ν	2 51 35
285	934	6	5 Eridani.....	2 51 36.86	39.97	3	+ 3.022	..
286	937	3.4	Eridani..... θ	2 52 11.63	37.97	2	+ 2.280	- 0.008
287	938	5.6	Eridani.....	2 52 12.47	35.95	1	+ 2.280	..
288	942	6	Horologii.....	2 52 58.44	36.61	4	+ 1.731	..
289	944	6	Fornacis.....	2 53 2.73	39.99	1	+ 2.473	..
290	947	3.4	23 Persei..... γ	2 53 15
291	949	2.3	92 Ceti..... α	2 53 55.35	37.56	90	+ 3.127	- 0.002
292	951	6	Fornacis.....	2 54 44
293	..	6.7	Horologii.....	2 54 50.27	36.55	3	+ 1.773	..
294	954	4	11 Eridani..... τ^3	2 55 20
295	956	5	Horologii.....	2 55 47.34	36.85	3	+ 1.108	..
296	2 56 32
297	961	6	Eridani.....	2 57 27.78	38.64	3	+ 2.047	..
298	962	4	Persei..... ϵ	2 57 33.32	37.74	1	+ 4.148	+ 0.129
299	963	2.3	26 Persei..... β	2 57 47
300	964	6	Eridani.....	2 58 11.20	37.40	6	+ 2.149	..
301	972	5.6	Horologii.....	2 59 51.13	37.91	8	+ 1.411	..
302	978	6	Fornacis.....	3 1 0.79	38.53	10	+ 2.557	..
303	..	7	Fornacis.....	3 1 16.32	39.99	1	+ 2.502	..
304	982	5	Hydri..... θ	3 1 58.66	37.79	8	+ 0.042	+ 0.001
305	984	6	Fornacis.....	3 2 22.68	39.99	1	+ 2.377	..
306	986	4	57 Arietis..... δ	3 2 29.50	38.41	7	+ 3.403	+ 0.010
307	989	6	56 Arietis.....	3 2 43
308	997	3.4	12 Eridani.....	3 5 16.56	39.93	5	+ 2.522	+ 0.025
309	1000	6	Hydri.....	3 6 36.80	37.29	5	+ 0.418	..
310	1002	6	Horologii.....	3 6 39.34	39.90	1	+ 1.490	..
311	1003	6	Fornacis.....	3 6 45.45	40.11	4	+ 2.350	..
312	1004	6	Eridani.....	3 6 48.63	38.56	7	+ 2.097	..
313	1005	6	Eridani.....	3 6 57.68	39.92	3	+ 2.500	..
314	..	7	Brisbane 506.....	3 7 0.70	36.91	4	+ 1.164	..
315	..	6.7	Eridani.....	3 7 24.67	35.89	4	+ 2.194	..

304. The large proper motions assigned to this Star in the B.A.C. are erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
81 44 7'45	35'02	1	- 14'72	+ 0'03	281
..	945	443	282
..	957	444	283
165 43 12'30	40'00	1	- 14'69	..	972	447	284
..	285
130 56 55'12	38'48	4	- 14'66	- 0'05	950	446	..	54	67	286
..	287
145 39 29'80	35'89	2	- 14'61	..	960	452	288
..	953	451	289
37 7 31'90	37'18	11	- 14'59	+ 0'01	290
86 32 31'36	35'20	36	- 14'55	+ 0'11	..	453	52	..	129	291
118 42 25'60	35'82	2	- 14'51	..	963	457	292
144 32 49'00	35'89	5	- 14'50	..	971	458	293
114 15 19'79	36'98	8	- 14'47	+ 0'07	968	460	53	56	..	294
..	462	295
128 52 24'70	40'00	1	- 14'37	296
137 36 16'75	37'92	4	- 14'34	..	974	466	297
41 0 13'03	37'61	8	- 14'33	0'00	298
49 39 57'47	37'48	7	- 14'32	- 0'01	299
134 31 33'76	38'61	3	- 14'29	..	976	469	300
150 21 35'60	36'97	4	- 14'19	..	989	476	301
118 26 53'35	37'93	4	- 14'12	..	984	479	302
120 56	988	303
162 31 38'10	36'05	15	- 14'06	- 0'01	1001	482	..	58	..	304
..	993	481	305
70 52 59'10	36'85	2	- 14'03	0'00	306
63 21 5'23	35'12	11	- 14'01	307
119 37 18'16	37'10	31	- 13'85	- 0'62	1000	493	55	59	..	308
159 52 26'83	37'32	3	- 13'77	..	1035	504	309
148 24 55'80	39'95	2	- 13'77	..	1023	503	310
126 32 47'20	40'03	1	- 13'76	..	1014	500	311
135 1 21'23	37'27	3	- 13'76	..	1016	501	312
120 24 18'80	40'03	1	- 13'75	..	1015	502	313
..	506	314
131 58 51'60	35'90	2	- 13'72	..	1019	507	315

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
316	1012	6	Eridani.....	^h 3 ^m 8 ^s 7'47	39'93	3	+ 2'580	..
317	1015	6	Fornacis.....	3 8 22'69	39'97	3	+ 2'356	..
318	1014	6	Horologii.....	3 8 30'37	38'23	9	+ 1'508	..
319	1016	6	14 Eridani.....	3 8 50'71	37'95	8	+ 2'903	..
320	1021	6	Fornacis.....	3 10 16'75	39'98	3	+ 2'347	..
321	1027	6	Horologii.....	3 11 15'05	40'00	3	+ 1'348	..
322	1031	5'6	15 Eridani.....	3 11 17'89	39'95	2	+ 2'649	..
323	1033	6	Horologii.....	3 12 13'83	39'95	3	+ 1'954	..
324	1037	3'4	16 Eridani..... τ^4	3 12 24
325	1036	6	Reticuli.....	3 12 39'30	36'34	5	+ 0'932	..
326	1043	2'3	33 Persei..... α	3 12 55'86	37'14	8	+ 4'231	+ 0'002
327	1044	4'5	Eridani.....	3 13 31'69	38'10	15	+ 2'117	+ 0'270
328	..	6'7	Hydri.....	3 14 8'60	35'87	2	+ 0'262	..
329	1048	5'6	Reticuli..... ζ^1	3 14 18'09	37'77	7	+ 1'088	..
330	1051	5'6	Reticuli..... ζ^2	3 14 44'60	37'77	7	+ 1'090	..
331	1052	5'6	64 Arietis.....	3 14 52'40	39'29	7	+ 3'522	- 0'003
332	1056	5	Hydri.....	3 16 11'60	39'94	3	+ 0'632	+ 0'011
333	1068	4	2 Tauri..... ξ	3 18 30
334	..	7	Mensæ.....	3 19 38'60	39'98	3	- 2'403	..
335	1074	6	Fornacis..... χ^1	3 19 44'90	39'91	5	+ 2'315	..
336	..	7	Fornacis.....	3 19 48'29	39'93	1	+ 2'314	..
337	1070	5	Hydri..... ϵ	3 20 4'98	39'98	2	- 1'736	+ 0'040
338	1077	6	Eridani.....	3 20 28'76	40'02	2	+ 2'141	..
339	1082	6	Fornacis.....	3 21 21'64	40'08	6	+ 2'317	..
340	1084	6	4 Tauri..... δ	3 21 40'40	39'97	3	+ 3'268	..
341	1085	6	Fornacis..... χ^2	3 22 1'32	40'23	3	+ 2'311	..
342	1087	5'6	5 Tauri..... f	3 22 2
343	1086	6	Eridani.....	3 22 13'39	40'24	3	+ 2'060	..
344	1091	6	Hydri.....	3 23 23'64	36'32	10	+ 0'193	..
345	3 23 48'62	39'99	1	+ 2'309	..
346	1093	5'6	Eridani.....	3 24 31'68	36'59	6	+ 2'137	..
347	1094	6	Hydri.....	3 24 53'93	40'04	1	+ 0'224	..
348	1100	3'4	18 Eridani..... ϵ	3 25 24
349	1098	6	Horologii.....	3 25 29'04	37'22	3	+ 1'914	..
350	1103	6	Reticuli.....	3 26 36'18	39'98	2	+ 0'968	..

321. The large proper motions assigned to this Star in the B.A.C. are erroneous. The proper motions are small.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 "	1021	509	316
126 9 22'00	39'98	2	- 13'66	..	1020	510	317
147 55 20'90	35'91	1	- 13'65	..	1040	511	318
..	319
126 17 0'70	40'00	2	- 13'53	..	1045	518	320
150 6 25'10	40'00	1	- 13'47	..	1057	521	321
113 5 58'90	37'26	3	- 13'47	..	1051	520	322
138 20 25'90	40'04	1	- 13'41	..	1058	523	323
112 20 39'30	36'65	1	- 13'40	522	56	61	..	324
155 1 54'13	37'25	6	- 13'38	..	1069	529	325
40 42 49'75	37'44	32	- 13'36	+ 0'05	326
133 41 7'34	37'06	10	- 13'32	- 0'75	1060	530	..	62	..	327
..	1082	535	328
153 11 23'03	37'30	3	- 13'27	..	1074	536	329
153 7 7'60	40'00	1	- 13'24	..	1077	537	330
65 50 51'16	38'39	2	- 13'23	+ 0'07	331
157 30 29'30	40'00	1	- 13'15	+ 0'15	1092	540	332
80 49 49'06	34'91	2	- 12'99	+ 0'05	333
169 25	1133	334
126 29 5'40	40'02	1	- 12'91	..	1101	549	335
126 31 20'10	40'02	1	- 12'91	..	1103	550	336
167 58 12'50	40'00	1	- 12'89	- 0'05	1131	554	337
132 12 1'00	39'96	2	- 12'86	..	1107	552	338
126 14 26'60	39'98	2	- 12'80	..	1108	555	339
..	340
126 24 38'70	40'03	1	- 12'76	..	1111	556	341
77 36 59'67	35'92	2	- 12'75	+ 0'03	57	342
134 24 54'00	39'99	2	- 12'74	..	1117	557	343
160 11 13'04	37'55	5	- 12'67	..	1132	559	344
126 18	345
131 54 44'64	36'15	18	- 12'59	..	1125	561	346
159 53 44'80	40'00	1	- 12'56	..	1139	564	347
100 0 14'72	36'82	1	- 12'53	+ 0'04	64	..	348
137 55 27'40	36'92	4	- 12'52	..	1130	565	349
153 30 10'15	37'95	2	- 12'44	..	1143	566	350

329—330. These Stars have large proper motions: but at the time of passing these sheets through the press the recent observations for comparison with the places of this Catalogue are not accurately reduced.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
351	1104	4	19 Eridani..... τ^5	3 26 43.30	37.11	13	+ 2.644	- 0.003
352	1106	6	Horologii.....	3 27 48.73	38.68	5	+ 1.774	..
353	1108	6	Hydri.....	3 28 33
354	1112	4.5	10 Tauri.....	3 28 42.80	35.95	1	+ 3.069	- 0.015
355	1115	6	20 Eridani.....	3 29 0
356	1113	5.6	Reticuli.....	3 29 14.72	39.98	3	+ 0.575	..
357	1118	6	Horologii.....	3 30 23.38	39.94	3	+ 2.037	..
358	1125	5	Eridani.....	3 31 21.30	38.81	7	+ 2.152	0.000
359	1129	3	39 Persei..... δ	3 31 34
360	1130	5.6	Eridani.....	3 32 8.41	39.97	5	+ 2.492	..
361	1131	5.6	Reticuli.....	3 32 38
362	1136	6	Eridani.....	3 34 2.41	39.93	3	+ 2.141	..
363	1139	4	41 Persei..... ν	3 34 20.76	37.96	10	+ 4.043	- 0.006
364	1141	6	Reticuli.....	3 34 59
365	1147	4.5	17 Tauri.....	3 35 23.57	35.95	1	+ 3.543	0.000
366	1145	6	Eridani.....	3 35 30
367	1148	3.4	23 Eridani..... δ	3 35 35.23	39.97	3	+ 2.875	- 0.008
368	1150	5	Eridani.....	3 35 53.23	39.88	1	+ 2.384	- 0.004
369	1154	5	20 Tauri.....	3 36 19.07	39.87	1	+ 3.551	- 0.001
370	1161	5	23 Tauri.....	3 36 50.51	40.29	2	+ 3.542	+ 0.003
371	1159	5	Eridani..... ν^1	3 36 54.16	35.62	2	+ 2.229	- 0.006
372	1166	3	25 Tauri..... η	3 37 59.11	37.45	54	+ 3.547	- 0.001
373	1174	5	30 Tauri..... ϵ	3 39 30.13	34.94	14	+ 3.277	+ 0.002
374	1179	6	Eridani.....	3 39 56.12	39.92	3	+ 2.443	..
375	1181	4.5	27 Eridani..... τ^6	3 39 58.08	39.96	1	+ 2.590	- 0.007
376	1184	5.6	Horologii.....	3 40 17.86	39.95	1	+ 1.860	..
377	1185	6	Doradus.....	3 40 29.52	35.94	5	+ 1.518	..
378	1191	5	28 Eridani..... τ^7	3 40 46.99	38.74	5	+ 2.574	..
379	1194	6	Eridani.....	3 41 28.34	40.24	2	+ 2.420	..
380	1196	6	Eridani.....	3.41 48.58	40.00	4	+ 2.254	..
381	1197	4	Reticuli..... β	3 42 12.79	37.95	2	+ 0.673	+ 0.043
382	1199	6	Eridani.....	3 42 41.52	39.98	2	+ 2.205	+ 0.009
383	..	6	Eridani.....	3 42 42
384	1201	4	Eridani..... ν^3	3.43 28.13	40.00	2	+ 2.247	- 0.008
385	1213	6	Eridani.....	3.44 58.74	39.99	4	+ 2.156	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
112 10 24'60	35'88	9	- 12'44	59	65	..	351
140 55 26'95	37'92	4	- 12'36	..	1144	567	352
167 17 48'20	40'01	1	- 12'31	..	1185	571	353
..	66	..	354
108 0 3'10	36'24	5	- 12'28	355
157 1 54'10	40'00	1	- 12'26	..	1164	572	356
134 14 59'20	40'02	1	- 12'18	..	1154	573	357
130 48 9'13	37'93	2	- 12'12	+ 0'04	1161	578	61	67	..	358
42 43 49'29	37'17	11	- 12'10	359
118 28 11'40	40'02	1	- 12'06	..	1163	579	360
156 17 46'00	39'98	2	- 12'03	..	1188	582	361
..	1181	583	362
..	363
150 17 58'10	40'02	1	- 11'86	..	1197	586	364
..	365
131 17 3'90	39'99	2	- 11'83	..	1190	587	366
100 18 34'51	36'86	2	- 11'82	- 0'73	62	68	..	367
122 27 11'00	40'02	2	- 11'80	+ 0'02	1191	589	..	69	..	368
..	369
..	370
127 49 17'95	37'31	9	- 11'73	+ 0'09	1198	591	..	70	..	371
66 23 42'95	37'13	7	- 11'65	+ 0'06	372
79 21 15'96	34'93	16	- 11'54	+ 0'05	63	373
119 50 21'10	40'03	1	- 11'51	..	1224	598	374
113 43 33'99	40'02	1	- 11'51	+ 0'51	1220	597	64	72	..	375
137 51 39'60	39'96	4	- 11'48	..	1232	601	376
144 46 47'80	35'88	5	- 11'47	..	1237	602	377
114 22 28'40	37'28	34	- 11'45	..	1226	603	..	73	..	378
120 39 12'00	40'02	2	- 11'40	..	1234	608	379
126 36 7'10	40'00	2	- 11'37	..	1238	609	380
155 18 40'29	36'60	11	- 11'35	- 0'06	1253	74	..	381
128 6 40'90	40'04	1	- 11'31	+ 0'04	1244	610	65	75	..	382
128 6 44'50	40'04	1	- 11'31	383
..	1248	612	..	76	..	384
129 28 7'90	40'04	2	- 11'14	..	1256	616	385

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess in R.A. for 1840.	Annual Proper Motion in R.A.
386	1217	5	33 Eridani τ^8	h m s 3 46 54.34	39.94	4	+ 2.548	+ 0.009
387	1219	3.4	45 Persei ϵ	3 47 8
388	1220	5	Eridani..... ν^3	3 47 33.36	40.00	3	+ 2.281	- 0.003
389	1225	6	Horologii.....	3 48 36.27	39.95	1	+ 1.851	..
390	1227	6	Eridani.....	3 48 47.07	39.98	1	+ 2.100	..
391	1231	6	Eridani.....	3 49 30.88	39.97	2	+ 2.152	..
392	1232	6	Horologii.....	3 49 38.32	40.02	1	+ 1.868	..
393	1230	3	Hydri..... γ	3 49 47.66	37.88	28	- 1.057	+ 0.012
394	1233	6	Horologii.....	3 50 22.31	39.99	1	+ 1.565	..
395	1234	2.3	34 Eridani γ	3 50 34.04	37.85	55	+ 2.791	+ 0.002
396	1236	6	Eridani.....	3 50 45.85	39.96	1	+ 2.142	..
397	1243	5	36 Eridani τ^9	3 53 6.44	39.98	2	+ 2.554	+ 0.002
398	1246	6	Doradus.....	3 53 40.56	40.06	1	+ 1.711	..
399	1248	6	Reticuli.....	3 54 0
400	1249	6	Horologii.....	3 54 6.73	40.03	1	+ 1.956	..
401	1250	6	Eridani.....	3 54 17.89	40.04	2	+ 2.388	..
402	1257	5	37 Tauri..... A^1	3 55 14.76	38.94	5	+ 3.525	+ 0.004
403	1255	6	Reticuli.....	3 55 17.36	35.91	3	+ 1.272	..
404	1258	6	Reticuli.....	3 56 5
405	1259	5	Reticuli δ	3 56 13.66	38.13	13	+ 0.928	- 0.004
406	..	7	Brisbane 647	3 57 31.01	35.88	4	+ 1.653	..
407	..	7	3 57 56
408	1270	5	Reticuli..... γ	3 58 35.91	36.02	3	+ 0.845	(- 0.015)
409	1271	5	Reticuli ι	3 58 43.34	37.07	7	+ 0.943	+ 0.010
410	1273	6	Eridani.....	3 59 1.93	39.98	3	+ 2.455	..
411	1278	6	Hydri.....	4 1 42.97	36.02	5	- 0.427	..
412	1283	5.6	Doradus.....	4 2 20.68	40.02	1	+ 1.681	..
413	1288	6	Horologii.....	4 3 36.40	40.04	2	+ 1.849	..
414	1299	5	Horologii..... δ	4 5 27.47	37.43	8	+ 1.999	+ 0.013
415	1297	6	Reticuli.....	4 5 38.24	37.96	8	+ 0.590	..
416	1306	6	Horologii.....	4 7 26.36	39.98	4	+ 1.902	..
417	1311	5.6	50 Tauri..... ω^2	4 7 53.56	36.44	2	+ 3.505	- 0.004
418	1315	5	Horologii α	4 8 42.18	38.97	7	+ 1.981	- 0.001
419	1317	6	Horologii.....	4 9 15.02	39.95	3	+ 1.822	..
420	1319	6	Mensæ.....	4 10 9.36	40.07	1	- 3.065	..

411. The large Proper Motion in N.P.D. assigned to this Star in the B.A.C. is erroneous. The Proper Motions of the Star are very small.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
115 5 22'78	37'22	3	- 11'00	+ 0'09	1270	618	386
50 27 33'88	37'62	11	- 10'99	387
125 12 31'83	40'02	3	- 10'96	+ 0'05	1275	620	..	78	..	388
137 22 2'90	40'03	1	- 10'88	..	1287	624	389
130 49 49'91	40'02	1	- 10'87	..	1286	625	390
129 13 46'90	39'98	2	- 10'81	..	1293	626	391
136 53 17'50	40'04	1	- 10'80	..	1297	627	392
164 43 39'52	36'97	12	- 10'79	- 0'12	1322	629	68	79	15	393
143 9 33'50	40'04	1	- 10'75	..	1304	628	394
103 58 5'72	35'22	26	- 10'74	+ 0'12	69	80	105	395
129 25 42'30	40'03	1	- 10'72	..	1299	630	396
114 28 25'50	40'02	1	- 10'55	- 0'01	1312	632	..	81	..	397
140 4 14'40	39'96	2	- 10'51	..	1318	633	398
153 55 38'20	40'00	1	- 10'48	..	1327	399
134 22 24'80	39'99	2	- 10'47	..	1320	634	400
120 56 42'40	40'02	1	- 10'46	..	1316	635	401
68 21 40'32	39'01	3	- 10'39	+ 0'09	402
147 33 29'20	40'03	1	- 10'38	..	1330	639	403
146 55 37'30	40'03	1	- 10'32	..	1335	641	404
151 51 12'18	36'72	5	- 10'31	+ 0'02	1338	642	72	83	..	405
140 57 13'00	35'88	3	- 10'21	647	406
140 57 20'30	35'93	4	- 10'18	407
152 36 24'82	38'01	4	- 10'13	+ 0'01	1357	653	..	84	..	408
151 31 41'74	38'00	4	- 10'12	- 0'03	1355	654	409
118 5 34'60	40'03	1	- 10'10	..	1344	649	410
161 36 35'20	35'86	6	- 9'90	..	1380	660	411
140 3 31'80	40'02	1	- 9'85	..	1371	661	412
136 17 25'10	40'02	1	- 9'75	..	1376	663	413
132 24 50'53	38'61	3	- 9'61	0'00	1382	668	414
154 39 36'65	40'01	2	- 9'60	..	1392	669	415
134 46 47'90	40'02	3	- 9'46	..	1390	671	416
69 49 16'50	36'44	2	- 9'43	417
132 41 31'06	35'58	9	- 9'36	+ 0'23	1398	674	77	88	..	418
136 32 0'50	39'95	2	- 9'32	..	1402	675	419
169 3 25'70	40'01	1	- 9'25	..	1444	679	420

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
421	1328	3·4	54 Tauri	4 10 42
422	1331	4	Doradûs.....	4 11 50·40	36·71	10	+ 1·553	+ 0·004
423	1333	3·4	41 Eridani.....	4 11 50·56	39·36	9	+ 2·262	- 0·002
424	1336	3·4	Reticuli.....	4 12 22·62	35·84	2	+ 0·744	+ 0·005
425	..	6·7	Reticuli.....	4 12 42·66	40·05	3	+ 0·769	..
426	1340	6	Eridani	4 13 1·24	40·00	3	+ 2·504	..
427	1346	4	61 Tauri	4 13 42·95	36·00	2	+ 3·441	+ 0·004
428	1344	5	Reticuli.....	4 13 44·14	36·85	5	+ 1·026	..
429	1345	6	Reticuli.....	4 13 56·82	39·98	1	+ 0·882	..
430	1348	5	Horologii	4 14 13·12	37·75	7	+ 1·888	- 0·002
431	1354	6	Doradûs.....	4 14 43·65	40·00	2	+ 1·467	..
432	1358	5	Reticuli.....	4 15 53·93	40·05	2	+ 0·646	- 0·009
433	4 16 24·63	40·02	1	+ 2·503	..
434	1367	5	69 Tauri.....	4 16 44·60	39·90	6	+ 3·569	- 0·007
435	1369	5·6	71 Tauri	4 17 14·18	38·07	9	+ 3·400	+ 0·005
436	1368	5·6	Eridani.....	4 17 15·76	39·99	4	+ 2·199	..
437	1372	4	43 Eridani	4 18 1·76	39·98	3	+ 2·245	+ 0·005
438	1374	6	Eridani	4 19 1·08	40·01	2	+ 2·221	..
439	1376	3·4	74 Tauri.....	4 19 16·92	36·45	2	+ 3·484	+ 0·005
440	1385	5	Reticuli.....	4 20 10·49	37·47	8	+ 0·611	+ 0·013
441	1385	6	Horologii ..	4 20 17·65	40·01	4	+ 1·879	..
442	1387	7·8	Doradûs	4 21 5·04	37·04	4	+ 1·170	..
443	1387	7·8	Doradûs	4 21 5·64	36·05	3	+ 1·170	..
444	1392	5·6	81 Tauri	4 21 31
445	1396	6	Cæli.....	4 22 23·95	37·15	6	+ 1·752	..
446	1400	6	Reticuli.....	4 22 53
447	..	6·7	Reticuli.....	4 23 21·59	35·84	2	+ 0·182	..
448	1404	6	Eridani	4 24 7
449	1405	6	Cæli.....	4 24 37
450	1407	6	Eridani.....	4 24 51
451	1411	6	Cæli	4 25 34
452	1412	6	Reticuli	4 25 54
453	1413	5	Cæli	4 25 56·52	36·06	2	+ 1·833	- 0·006
454	1420	1	87 Tauri.....	4 26 44·79	36·91	150	+ 3·428	+ 0·004
455	1422	4·5	50 Eridani	4 27 14·19	40·10	1	+ 2·359	- 0·007

442, 443, Double Star.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
74 45 52'85	34'95	2	- 9'21	+ 0'03	79	..	27	421
141 53 33'43	36'71	5	- 9'12	- 0'10	1417	682	..	90	..	422
124 11 33'81	37'50	31	- 9'12	+ 0'01	1411	681	..	89	..	423
152 52 31'91	35'90	4	- 9'08	- 0'07	1423	683	80	91	24	424
152 35 38'80	40'05	2	- 9'05	..	1425	425
115 24 51'70	40'02	1	- 9'03	..	1415	684	426
72 50 20'04	35'27	3	- 8'97	+ 0'03	427
149 41 17'10	37'29	3	- 8'97	..	1428	685	..	92	..	428
151 20 33'50	40'01	1	- 8'95	..	1430	686	429
134 39 18'48	35'93	2	- 8'93	- 0'03	1424	687	430
143 15 5'10	40'04	1	- 8'89	..	1429	691	431
153 38 39'30	39'98	2	- 8'80	+ 0'05	1443	695	..	93	..	432
115 17	433
67 33 20'58	38'99	4	- 8'73	+ 0'05	434
..	435
125 55 15'00	39'98	2	- 8'69	..	1438	697	436
124 23 31'77	37'94	7	- 8'63	- 0'03	1441	699	..	94	..	437
125 7 20'80	40'03	2	- 8'55	..	1447	701	438
71 10 48'50	36'82	1	- 8'55	+ 0'03	439
153 46 0'75	36'64	6	- 8'46	- 0'17	1473	707	84	95	..	440
134 31 48'40	39'96	2	- 8'45	..	1458	706	441
147 26 11'70	39'96	2	- 8'39	..	1475	713	442
147 26 6'60	39'96	2	- 8'39	..	1475	713	443
74 39 42'52	37'99	1	- 8'36	+ 0'01	444
137 17 42'40	40'04	1	- 8'29	..	1479	714	445
151 36 4'00	40'01	1	- 8'25	..	1496	718	446
157 6 14'10	35'85	3	- 8'21	..	1511	447
120 47 43'50	39'95	2	- 8'15	..	1488	720	448
136 52 6'10	40'04	1	- 8'11	..	1498	722	449
126 0 13'70	40'03	1	- 8'09	..	1495	723	450
131 31 14'70	40'00	2	- 8'03	..	1508	726	451
152 52 23'90	40'01	1	- 8'01	..	1523	452
135 18 0'66	38'51	4	- 8'00	+ 0'04	1512	727	85	96	..	453
73 49 6'43	35'35	94	- 7'94	+ 0'17	..	730	87	..	148	454
120 5 38'30	40'04	1	- 7'90	+ 0'23	1513	732	455

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			''	''
456	1423	6	Eridani	4 27 39
457	1426	6	Mensæ δ	4 28 54
458	1430	6	Reticuli	4 28 54
459	1433	3·4	52 Eridani υ ⁷	4 29 19·99	40·01	1	+ 2'333	- 0·003
460	1438	3	Doradûs..... α	4 30 32·74	37·27	7	+ 1'280	+ 0·011
461	1439	6	Eridani.....	4 30 38·27	39·98	1	+ 2'327	..
462	1440	6	Eridani.....	4 30 52
463	1447	6	Cæli.....	4 32 6·87	40·00	3	+ 1'947	..
464	..	8	4 32 37
465	1449	5	94 Tauri τ	4 32 38·96	39·04	7	+ 3'589	0·000
466	1450	6	Eridani.....	4 33 27·74	39·99	3	+ 2'497	..
467	1451	4	54 Eridani.....	4 33 28
468	1455	6	Pictoris	4 35 7·00	39·98	3	+ 1'477	..
469	..	8	Brisbane 758.....	4 35 24·58	35·93	4	+ 0·099	..
470	1458	4·5	Cæli..... α	4 35 24·70	38·19	15	+ 1'942	- 0·016
471	1454	5·6	Mensæ.....	4 35 26·25	40·10	1	- 5'728	- 0·006
472	..	7	Brisbane 761.....	4 36 10·63	36·04	3	+ 1'642	..
473	1464	5	Cæli β	4 36 24·29	40·03	3	+ 2'114	- 0·006
474	1467	5·6	Cæli.....	4 36 58·40	40·01	4	+ 2'318	..
475	1466	6	Reticuli.....	4 37 2·84	36·91	3	+ 0·650	..
476	..	6·7	Brisbane 767.....	4 37 10·95	36·07	3	- 1'034	..
477	..	6·7	Brisbane 768.....	4 37 11·73	36·57	5	- 1'159	..
478	1472	5·6	Cæli.....	4 38 28·90	40·07	2	+ 1'968	..
479	1473	5	Pictoris..... λ	4 38 40·60	37·28	6	+ 1'537	+ 0·001
480	1479	6	Pictoris.....	4 39 53·76	40·06	3	+ 1'431	..
481	1480	6	Cæli.....	4 39 54·57	40·03	4	+ 2'215	..
482	1482	6	Eridani.....	4 40 2·66	38·83	7	+ 2'393	..
483	1484	6	58 Eridani.....	4 40 26
484	1483	5·6	Cæli.....	4 40 31·21	39·98	2	+ 2'029	- 0·007
485	1487	6	59 Eridani.....	4 41 21·72	38·02	1	+ 2'696	..
486	1488	6	Cæli.....	4 41 35·26	40·00	2	+ 2'335	..
487	1481	6	Mensæ.....	4 41 38
488	1489	5·6	Doradûs..... κ	4 41 57·04	37·36	6	+ 0·886	..
489	1498	6	60 Eridani.....	4 42 59·26	37·97	3	+ 2'698	..
490	1499	6	Cæli.....	4 43 38·63	39·97	5	+ 1'840	..

491. The large Proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
118 47 8 ^o 10	40 ^o 02	1	- 7 ^o 87	..	1516	735	456
170 34 53 ^o 70	40 ^o 03	2	- 7 ^o 76	..	1579	743	457
150 6 27 ^o 00	39 ^o 98	2	- 7 ^o 77	..	1535	739	458
120 53 38 ^o 97	37 ^o 92	3	- 7 ^o 73	+ 0 ^o 02	1529	740	88	99	83	459
145 22 39 ^o 33	37 ^o 38	3	- 7 ^o 63	+ 0 ^o 04	1539	744	89	100	41	460
121 2 40 ^o 20	40 ^o 08	1	- 7 ^o 62	..	1533	742	461
120 45 25 ^o 60	40 ^o 03	1	- 7 ^o 61	..	1534	462
132 11 56 ^o 20	39 ^o 96	2	- 7 ^o 50	..	1543	749	463
67 22 16 ^o 60	37 ^o 98	2	- 7 ^o 46	464
67 21 23 ^o 70	37 ^o 74	4	- 7 ^o 46	+ 0 ^o 02	465
114 47 58 ^o 70	40 ^o 02	1	- 7 ^o 39	..	1544	752	466
109 58 59 ^o 30	36 ^o 86	1	- 7 ^o 40	102	..	467
141 59 19 ^o 10	40 ^o 04	2	- 7 ^o 26	..	1558	756	468
157 13 52 ^o 70	36 ^o 00	2	- 7 ^o 23	758	469
132 10 18 ^o 80	39 ^o 98	2	- 7 ^o 24	+ 0 ^o 11	1556	757	90	103	..	470
171 56 0 ^o 40	40 ^o 03	2	- 7 ^o 23	- 0 ^o 17	1639	764	471
..	761	472
127 27 39 ^o 00	40 ^o 00	2	- 7 ^o 16	- 0 ^o 20	1559	762	..	104	..	473
121 4 1 ^o 40	40 ^o 03	1	- 7 ^o 11	..	1564	763	474
..	1582	765	475
..	767	476
..	768	477
131 21 57 ^o 20	40 ^o 00	2	- 6 ^o 99	..	1578	770	478
140 47 5 ^o 14	37 ^o 25	6	- 6 ^o 97	- 0 ^o 02	1585	772	479
142 33 47 ^o 90	39 ^o 96	2	- 6 ^o 87	..	1599	777	480
124 18 0 ^o 10	40 ^o 05	2	- 6 ^o 87	..	1587	775	481
118 22 51 ^o 40	40 ^o 04	1	- 6 ^o 86	..	1586	776	482
107 13 55 ^o 30	35 ^o 88	2	- 6 ^o 82	483
129 38 58 ^o 00	40 ^o 01	2	- 6 ^o 82	- 0 ^o 04	1594	779	484
..	485
120 18 43 ^o 60	40 ^o 07	2	- 6 ^o 73	..	1601	783	486
173 13 55 ^o 30	40 ^o 01	1	- 6 ^o 73	..	1707	795	487
150 1 39 ^o 55	38 ^o 01	2	- 6 ^o 70	..	1614	784	488
..	489
134 15 48 ^o 60	40 ^o 03	1	- 6 ^o 56	..	1616	791	490

524. The large proper motions assigned to this Star in the B.A.C. are erroneous.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
491	1502	6	Mensæ.....	4 44 41'85	37'10	7	-0'651	..
492	1506	5·6	Cæli.....	4 45 4'24	40'01	3	+1'947	-0'005
493	1511	6	Cæli.....	4 45 39'08	39'99	3	+2'178	..
494	..	7	Brisbane 804.....	4 45 41'82	36'04	3	+0'572	..
495	1520	4	3 Aurigæ.....	4 46 35'06	40'12	2	+3'893	-0'003
496	1521	5·6	Pictoris.....	4 47 21'47	37'28	6	+1'339	..
497	..	7	Brisbane 811.....	4 47 22'80	37'30	3	+1'339	..
498	1523	6	Pictoris.....	4 47 35'15	40'07	3	+1'445	..
499	1533	6	Cæli.....	4 49 33'57	40'00	4	+2'006	..
500	1540	4	7 Aurigæ.....	4 50 30
501	1541	4	8 Aurigæ.....	4 51 19
502	1543	6	Doradûs.....	4 52 16'13	40'03	4	+0'959	..
503	..	7·8	Brisbane 839.....	4 53 21'19	36'06	4	-0'384	..
504	1551	4·5	102 Tauri.....	4 53 32'26	38'63	8	+3'572	+0'004
505	..	7	Pictoris.....	4 55 19'57	36'04	3	+1'557	..
506	1558	4	10 Aurigæ.....	4 55 20
507	..	6·7	Doradûs.....	4 55 24'14	36'08	3	+0'980	..
508	1559	5	Leporis.....	4 55 39'54	39'75	8	+2'431	+0'005
509	1561	6	Cæli.....	4 56 15'07	39'97	4	+1'995	..
510	1568	5·6	104 Tauri.....	4 58 0
511	1570	5·6	106 Tauri.....	4 58 20'54	35'92	1	+3'546	-0'002
512	1569	5·6	Pictoris.....	4 58 37'88	37'99	6	+1'568	..
513	1573	5	Cæli.....	4 58 39'25	40'04	2	+2'145	+0'007
514	1575	4	2 Leporis.....	4 58 41'36	38'00	1	+2'535	0'000
515	1574	5·6	Cæli.....	4 58 43'60	40'07	4	+2'137	0'000
516	1578	6	Leporis.....	4 58 46'63	40'00	4	+2'432	..
517	1576	6	Cæli.....	4 58 47'42	38'19	5	+1'911	..
518	1580	6·7	Pictoris.....	4 59 6'99	40'10	1	+1'549	..
519	1589	5·6	Pictoris.....	5 0 49'63	38'64	11	+1'542	..
520	1595	6	Pictoris.....	5 1 39'95	40'13	2	+1'249	..
521	..	7	Doradûs.....	5 2 40'42	36'08	3	-0'435	..
522	1600	5	Doradûs.....	5 2 46'57	37'43	6	+1'023	..
523	1605	6	Pictoris.....	5 4 21'70	39'99	1	+1'204	..
524	1606	5·6	Mensæ.....	5 4 48'76	35'98	5	-0'817	..
525	1607	6	Pictoris.....	5 4 52'24	40'11	1	+1'794	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 0										
161 13 23'05	36'62	11	- 6'46	..	1654	801	491
131 36 1'50	39'96	2	- 6'44	- 0'10	1626	799	492
125 10 42'70	40'05	2	- 6'39	..	1628	802	493
..	804	494
57 5 39'10	40'12	2	- 6'32	+ 0'02	495
143 44 10'65	36'93	4	- 6'25	..	1650	810	496
143 44 2'65	37'98	2	- 6'25	811	497
141 59 44'10	40'07	3	- 6'23	..	1651	815	498
129 53 21'00	39'98	2	- 6'07	..	1658	825	499
46 25 13'70	36'91	5	- 5'99	0'00	500
49 9 54'85	37'59	11	- 5'92	501
148 48 18'60	40'03	2	- 5'84	..	1679	833	502
..	839	503
68 38 43'82	35'86	15	- 5'74	+ 0'06	504
139 41 53'50	35'95	2	- 5'59	..	1698	843	505
48 59 21'59	37'63	10	- 5'59	+ 0'09	506
..	1709	847	507
116 30 23'03	37'83	10	- 5'56	+ 0'10	1686	846	508
129 57 14'53	40'03	3	- 5'51	..	1700	849	509
71 34 35'40	34'95	1	- 5'36	- 0'02	94	510
..	511
139 22 50'30	39'98	2	- 5'31	..	1717	861	512
125 42 20'70	40'02	2	- 5'31	+ 0'09	1712	858	..	110	..	513
..	109	..	514
125 55 53'00	40'04	2	- 5'30	- 0'10	1713	860	515
116 22 21'03	40'01	3	- 5'29	..	1710	859	516
131 58 37'40	39'96	2	- 5'29	..	1715	862	517
..	1720	865	518
139 47 50'80	40'09	2	- 5'12	..	1728	870	519
144 37 30'80	40'02	1	- 5'05	..	1732	874	520
..	1755	880	521
147 41 33'70	40'07	2	- 4'96	..	1744	878	522
145 11 58'40	40'02	1	- 4'82	..	1751	885	523
161 31 53'80	40'10	1	- 4'78	..	1778	889	524
134 32 34'40	40'04	1	- 4'78	..	1749	887	525

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s				
526	1613	1	13 Aurigæ <i>a</i>	5 4 52.66	38.25	27	+ 4.408	+ 0.008
527	1612	5	Doradûs <i>μ</i>	5 5 30.99	39.98	1	+ 0.626	..
528	1621	6	Doradûs	5 6 19.73	36.10	2	+ 0.451	..
529	1623	1	19 Orionis <i>β</i>	5 6 51.08	35.73	128	+ 2.879	- 0.001
530	1633	6	Columbæ.....	5 8 49.45	40.00	1	+ 2.119	..
531	1634	6	Columbæ	5 8 59
532	1637	5.6	109 Tauri <i>π</i>	5 9 40.08	36.07	1	+ 3.597	+ 0.001
533	1641	6	Columbæ	5 10 2.48	39.98	1	+ 2.154	..
534	1640	6	Pictoris	5 10 10.76	36.72	4	+ 1.387	..
535	..	6.7	Pictoris	5 10 21.45	36.11	2	+ 1.154	..
536	1644	6	Columbæ	5 10 31.74	40.08	2	+ 2.200	..
537	1650	5	Columbæ	5 11 43.00	40.08	1	+ 2.154	+ 0.010
538	1655	6	Columbæ	5 13 1.22	40.10	1	+ 2.389	..
539	1660	5.6	22 Orionis..... <i>ο</i>	5 13 35.83	37.99	7	+ 3.059	+ 0.001
540	1659	5	Doradûs..... <i>θ</i>	5 13 53.60	35.96	6	- 0.071	+ 0.001
541	1664	6	Pictoris	5 14 27.10	36.10	3	+ 1.224	..
542	1666	6	Columbæ	5 14 35.06	40.00	1	+ 2.158	..
543	1670	6	Leporis	5 15 12.22	39.97	1	+ 2.462	..
544	1672	5	Pictoris..... <i>ζ</i>	5 15 26.93	38.01	6	+ 1.464	+ 0.003
545	1673	6	Columbæ	5 15 29.61	40.11	1	+ 2.170	..
546	1681	2	112 Tauri..... <i>β</i>	5 16 10.91	36.35	67	+ 3.783	+ 0.003
547	1686	6	Pictoris	5 16 45.01	40.13	1	+ 1.780	..
548	1675	6	Mensæ	5 17 19.15	39.96	1	- 7.148	..
549	1693	6	Columbæ	5 18 7.45	40.06	1	+ 1.975	..
550	1694	6	Columbæ	5 18 8
551	1697	6	Doradûs	5 18 34
552	1704	5	Pictoris <i>κ</i>	5 19 25.55	37.06	4	+ 1.099	- 0.004
553	1710	6	Pictoris	5 20 10.02	40.14	2	+ 1.783	..
554	..	7	Pictoris..... <i>θ</i> ¹	5 21 4.76	40.13	1	+ 1.357	..
555	1712	6	Pictoris..... <i>θ</i> ²	5 21 8.74	40.14	2	+ 1.356	..
556	1719	6	Columbæ	5 21 57.44	39.98	1	+ 1.922	..
557	1724	6	Columbæ	5 22 44.61	40.00	1	+ 2.064	..
558	1726	5.6	119 Tauri.....	5 22 50
559	1730	2	34 Orionis..... <i>δ</i>	5 23 50.10	37.62	87	+ 3.062	+ 0.001
560	1729	5.6	Doradûs..... <i>λ</i>	5 23 59.43	40.16	2	+ 0.869	..

Mean N.P.D. 1840, Jan 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
44 10 21'46	37'33	30	- 4'78	+ 0'43	..	883	526
..	1766	891	527
153 36 6'50	40'11	2	- 4'66	..	1772	894	528
98 23 31'53	35'06	83	- 4'61	+ 0'02	..	893	99	116	115	529
126 9 49'10	40'09	2	- 4'44	..	1773	899	530
117 7 35'70	40'03	1	- 4'43	..	1771	900	531
68 4 31'28	36'99	3	- 4'37	- 0'03	532
125 6 35'80	40'04	1	- 4'34	..	1783	904	533
..	1791	906	534
..	1794	908	535
123 43 1'00	40'10	3	- 4'30	..	1786	907	536
125 3 20'00	40'02	1	- 4'19	+ 0'32	1793	914	537
117 32 16'70	40'10	3	- 4'08	..	1796	919	538
..	539
157 21 54'68	36'91	4	- 4'01	- 0'04	1828	922	540
..	1817	925	541
124 51 47'20	40'09	2	- 3'95	..	1809	924	542
114 55 58'70	40'11	2	- 3'90	..	1810	543
140 46 49'90	40'08	1	- 3'87	- 0'14	1825	930	544
124 30 22'40	40'10	2	- 3'87	..	1813	929	545
61 32 4'14	36'02	15	- 3'81	+ 0'20	..	932	546
134 31 54'40	40'10	4	- 3'76	..	1830	937	547
172 40 16'20	40'13	1	- 3'71	..	1921	955	548
129 49 49'00	40'09	2	- 3'65	..	1834	549
127 29 17'20	40'12	1	- 3'64	..	1833	943	550
150 56 15'80	40'08	2	- 3'61	..	1851	949	551
146 17 12'50	40'11	3	- 3'53	- 0'09	1853	956	552
134 22 15'10	40'10	3	- 3'47	..	1850	958	553
142 27 17'50	40'08	1	- 3'39	961	554
142 27 28'90	40'08	1	- 3'38	+ 0'04	1863	962	555
131 5 6'30	40'04	1	- 3'31	..	1862	556
127 22 2'40	40'14	3	- 3'25	..	1868	966	557
71 31 55'15	35'03	2	- 3'24	+ 0'01	558
90 25 24'52	35'06	13	- 3'15	+ 0'04	..	968	105	122	125	559
149 2 54'30	40'09	2	- 3'14	..	1885	969	560

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
561	1734	6	120 Tauri.....	5 24 9
562	1738	6	Pictoris	5 25 26.23	40.14	1	+ 1.644	..
563	1739	4	Columbæ	5 25 32.06	38.67	10	+ 2.125	+ 0.002
564	1741	3.4	11 Leporis.....	5 25 40.46	35.03	27	+ 2.643	+ 0.001
565	1740	5.6	Pictoris	5 25 45.80	37.41	6	+ 1.644	..
566	1745	6	Pictoris	5 26 11.81	36.04	4	+ 1.863	..
567	1750	6	Pictoris	5 27 3.51	40.12	2	+ 1.699	..
568	1753	6	Columbæ	5 27 24.18	40.09	2	+ 2.136	..
569	1756	5	Columbæ	5 27 28.37	40.13	1	+ 2.014	..
570	1757	6	Columbæ	5 27 29.72	40.10	3	+ 2.165	..
571	1755	6	Doradûs	5 27 51.04	36.87	7	- 0.332	..
572	1767	3.4	123 Tauri.....	5 28 4.95	36.55	3	+ 3.580	0.000
573	1765	2.3	46 Orionis.....	5 28 5.84	37.22	60	+ 3.041	- 0.002
574	..	7	Doradûs	5 28 17.29	36.09	2	+ 0.155	..
575	1768	5	26 Aurigæ	5 28 21.83	38.97	6	+ 3.848	- 0.004
576	1769	6	Aurigæ.....	5 28 21.97	40.04	2	+ 4.856	+ 0.007
577	1770	5.6	Doradûs	5 29 18.52	37.59	5	+ 0.349	..
578	1775	6	Columbæ	5 29 54.94	40.04	1	+ 2.342	..
579	1779	6	Pictoris.....	5 30 34.27	37.45	6	+ 1.177	..
580	1783	6	Columbæ	5 30 57.39	39.98	1	+ 2.367	..
581	1787	6	Columbæ	5 31 30
582	1788	6	Pictoris.....	5 31 42.18	39.98	1	+ 1.628	..
583	1790	6	Doradûs.....	5 32 7.85	38.12	8	+ 0.310	..
584	1791	4	Doradûs	5 32 14.63	36.10	2	+ 0.511	- 0.003
585	1798	6	Columbæ	5 33 35.33	40.13	1	+ 1.925	..
586	1802	2	Columbæ	5 33 51.44	36.77	309	+ 2.170	+ 0.008
587	1803	6	Columbæ	5 33 54.99	40.14	1	+ 2.218	..
588	1809	6	Columbæ	5 35 35.97	40.15	2	+ 2.192	..
589	1812	6	Columbæ	5 36 5.99	40.14	1	+ 2.285	..
590	1814	6	Columbæ	5 36 31.25	40.14	1	+ 2.149	..
591	1815	6	Doradûs	5 36 55.35	40.14	1	- 0.010	..
592	1817	6	Columbæ	5 37 23.90	40.13	1	+ 2.191	..
593	1819	5.6	Mensæ.....	5 38 13
594	1825	6	Columbæ	5 38 13.39	40.09	4	+ 1.975	..
595	..	8	Brisbane 1028.....	5 39 7

577. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

591. The large proper motion in R.A. assigned to this Star in the B.A.C. is erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference,					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
71 31 53'00	37'88	1	- 3'12	561
137 12 3'10	40'11	2	- 3'02	..	1886	972	562
125 35 29'33	38'16	12	- 3'01	+ 0'07	1883	970	..	124	..	563
107 56 30'93	36'30	153	- 2'99	0'00	107	125	96	564
137 11 43'80	40'12	3	- 2'99	..	1888	973	565
..	1889	976	566
136 2 44'60	40'11	3	- 2'87	..	1896	978	567
125 15 11'00	40'10	2	- 2'84	..	1890	979	568
128 37 43'50	40'09	2	- 2'84	..	1895	569
124 25 8'70	40'08	2	- 2'84	..	1892	980	570
158 44 52'76	37'54	5	- 2'80	..	1920	983	571
68 57 43'24	36'79	8	- 2'78	+ 0'05	572
..	128	123	573
..	1917	984	574
59 36 34'87	39'34	3	- 2'76	0'00	575
..	576
154 2 49'00	40'12	2	- 2'68	..	1922	988	577
118 48 45'40	40'12	1	- 2'63	..	1905	990	578
145 0 38'10	40'12	5	- 2'57	..	1923	994	579
117 58 9'50	40'13	2	- 2'53	..	1911	996	580
118 47 25'10	40'14	2	- 2'49	..	1915	998	581
137 24 51'70	40'16	2	- 2'47	..	1930	999	582
154 20 0'40	40'15	1	- 2'43	..	1949	1002	583
..	1948	1003	..	131	..	584
130 48 2'80	40'14	1	- 2'31	..	1941	1007	585
124 9 47'57	36'80	284	- 2'28	0'00	1938	1010	114	133	81	586
122 43 3'90	40'15	4	- 2'28	..	1936	1011	587
123 29 2'80	40'13	4	- 2'13	..	1955	1015	588
120 37 1'30	40'16	2	- 2'09	..	1962	1017	589
124 45 0'30	40'09	1	- 2'05	..	1964	1019	590
156 39 1'70	40'14	3	- 2'02	..	1985	1023	591
123 30 5'70	40'16	1	- 1'98	..	1968	1022	592
166 27 2'60	40'04	1	- 1'90	- 0'31	2027	1032	593
129 28 52'70	40'12	3	- 1'90	..	1973	1026	594
135 41 36'50	40'15	1	- 1'83	595

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			"	"
596	1836	6	Pictoris	5 39 9 ¹¹	40 ¹¹	3	+ 1 ⁶ 97	..
597	1837	5	132 Tauri.....	5 39 11 ⁸ 7	36 ⁹ 8	1	+ 3 ⁶ 79	-- 0 ⁰ 03
598	1840	4 ⁵	14 Leporis.....ζ	5 39 42
599	1838	Neb.	Doradûs.....	5 39 49 ³ 8	35 ⁹ 3	2	- 0 ⁴ 31	..
600	1841	5 ⁶	Columbæ.....μ	5 40 3 ² 9	39 ⁶ 4	5	+ 2 ² 27	- 0 ⁰ 05
601	1855	5	Pictoris	5 42 1 ⁵ 2	40 ¹ 5	2	+ 1 ⁶ 59	- 0 ⁰ 01
602	..	7	Doradûs.....	5 42 13 ⁰ 4	36 ¹ 1	3	- 0 ³ 73	..
603	..	7	Pictoris	5 42 23 ⁹ 4	40 ¹ 3	1	+ 1 ⁷ 05	..
604	1858	6	Columbæ.....	5 42 27 ⁵ 5	40 ⁰ 4	3	+ 1 ⁸ 86	..
605	1860	6	Leporis.....	5 43 12 ⁶ 7	40 ⁰ 8	2	+ 2 ⁵ 05	..
606	1863	4 ⁵	136 Tauri.....	5 43 16 ³ 5	38 ⁵ 5	10	+ 3 ⁷ 68	- 0 ⁰ 01
607	1861	4 ⁵	Pictoris.....β	5 43 29 ⁸ 8	37 ³ 8	6	+ 1 ⁴ 17	..
608	1868	4 ⁵	Doradûs.....δ	5 44 29 ⁵ 9	36 ⁸ 5	5	+ 0 ¹ 04	- 0 ⁰ 02
609	1878	3	Columbæ.....β	5 45 19 ³ 8	38 ⁹ 8	9	+ 2 ¹ 08	+ 0 ⁰ 02
610	1870	5 ⁶	Mensæ.....ι	5 45 26 ³ 5	40 ¹ 0	1	- 3 ⁷ 28	..
611	1883	1	58 Orionis.....α	5 46 30 ⁶ 7	36 ⁵ 8	338	+ 3 ² 44	+ 0 ⁰ 01
612	1884	4 ⁵	Pictoris.....γ	5 46 55 ³ 4	36 ⁸ 8	5	+ 1 ⁰ 77	..
613	1886	6	Pictoris	5 46 58 ⁵ 6	40 ¹ 3	1	+ 1 ³ 12	..
614	1889	6	Columbæ.....	5 47 6 ⁰ 6	40 ⁰ 6	2	+ 2 ⁰ 41	..
615	1890	5	Pictoris	5 47 16	40 ¹ 9	1	+ 1 ³ 54	..
616	1891	5	Columbæ.....λ	5 47 18 ⁴ 6	40 ⁰ 9	2	+ 2 ¹ 77	..
617	1892	6	Columbæ.....	5 47 26 ¹ 5	40 ⁰ 6	1	+ 2 ⁰ 07	..
618	1895	2	34 Aurigæ.....β	5 47 47
619	..	7	Pictoris.....	5 48 55 ¹ 2	36 ⁰ 1	4	+ 1 ⁵ 89	..
620	1903	5 ⁶	Pictoris.....	5 49 39
621	1904	6	Columbæ.....	5 49 41
622	1898	5 ⁶	Mensæ.....	5 49 52
623	1906	5 ⁶	Columbæ.....	5 49 59 ⁸ 5	40 ⁰ 8	3	+ 2 ⁰ 59	..
624	1905	5	Doradûs.....ε	5 50 3 ⁷ 2	36 ⁸ 6	5	- 0 ⁰ 67	- 0 ⁰ 03
625	1910	6	Columbæ.....σ	5 50 19 ⁶ 7	37 ³ 4	5	+ 2 ² 56	..
626	1909	6	Doradûs.....	5 50 35
627	1912	6	Pictoris.....	5 50 41
628	1911	6	Mensæ.....	5 51 3 ⁶ 1	40 ¹ 2	2	- 1 ² 31	..
629	1917	6	Pictoris.....	5 51 18 ⁸ 5	37 ⁹ 2	7	+ 1 ³ 19	..
630	1922	4	Columbæ.....γ	5 51 52 ⁰ 0	38 ⁹ 8	9	+ 2 ¹ 25	- 0 ⁰ 05

604. The two Observations in N.P.D. differ 5¹. The mean has been taken.

610. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

613. The very large proper motion in N.P.D.—1⁵1 assigned to this Star in the B.A.C. does not appear to be correct.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
0 1 "			"	"							
..	1981	1029	596
..	1027	597
104 53 12'76	37'11	11	- 1'77	+ 0'01	135	598
..	2007	1038	599
122 22 16'80	38'94	7	- 1'74	+ 0'04	1982	1035	116	136	600
136 39 31'50	40'12	3	- 1'57	0'00	2003	1043	601
..	2037	1047	602
135 43	2006	603
131 38 50'37	40'12	2	- 1'53	..	2005	1048	604
113 1 30'80	40'16	2	- 1'47	..	2002	605
62 25 57'32	38'07	4	- 1'46	+ 0'07	606
141 7 36'87	38'44	5	- 1'44	- 0'06	2021	1051	607
155 47 43'60	40'16	2	- 1'36	+ 0'02	2045	1060	118	139	608
125 49 56'47	37'84	39	- 1'28	- 0'28	2029	1063	119	140	77	..	609
168 53 50'90	40'10	2	- 1'26	- 0'08	2097	1068	610
82 37 44'11	36'23	244	- 1'18	0'00	..	1064	120	..	136	..	611
146 12 30'70	40'15	1	- 1'14	..	2053	1071	612
142 48 42'70	39'96	2	- 1'14	(- 0'22)	2051	1072	613
127 40 9'10	40'06	3	- 1'13	..	2041	1069	614
142 8 51'20	40'15	1	- 1'11	..	2052	1074	615
123 50 26'90	40'14	2	- 1'11	..	2044	1073	616
128 33 51'20	40'15	1	- 1'10	..	2046	1075	617
45 4 36'56	37'12	12	- 1'07	+ 0'03	618
..	2064	1080	619
147 11 14'20	40'15	2	- 0'91	..	2080	1088	620
129 59 17'90	40'15	1	- 0'90	..	2067	1085	621
170 34 51'20	40'19	1	- 0'89	..	2138	1096	622
127 8 52'43	40'05	3	- 0'88	..	2069	1089	623
156 56 28'30	40'15	1	- 0'87	- 0'06	2093	1091	..	142	624
121 24 32'40	40'08	1	- 0'85	..	2070	1090	625
154 4 7'40	40'17	1	- 0'82	..	2091	1094	626
139 39 20'00	40'15	1	- 0'82	..	2082	1093	627
162 44 38'70	40'18	1	- 0'78	..	2111	1098	628
142 40 22'00	40'16	1	- 0'76	..	2087	1095	629
125 18 15'26	37'91	28	- 0'71	+ 0'01	2084	1097	121	143	630

622. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is sensibly correct. It is nearly $-1''$.

626. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
631	..	7	Puppis	5 52 9 ^h 21 ^m	40 15	2	+ 1'780	..
632	1926	5 [·] 6	Doradûs.....	5 52 52 [·] 88	38 [·] 25	9	+ 0'432	..
633	1927	6	Doradûs.....	5 53 28 [·] 64	40 [·] 12	4	+ 0'268	..
634	1929	6	Puppis	5 53 52 [·] 91	39 [·] 98	1	+ 1'779	..
635	1933	5	Puppis	5 54 15 [·] 00	37 [·] 99	6	+ 1'832	+ 0 [·] 001
636	1938	5	1 Geminorum.....	5 54 23 [·] 87	38 [·] 06	2	+ 3'646	- 0 [·] 002
637	1940	6	Pictoris.....	5 55 16 [·] 55	40 [·] 07	3	+ 1'407	..
638	1941	6	Columbæ.....	5 55 28 [·] 40	40 [·] 02	5	+ 2'173	..
639	1946	5 [·] 6	Leporis	5 56 48 [·] 93	40 [·] 05	4	+ 2'411	..
640	1948	6	Pictoris.....	5 57 4 [·] 24	40 [·] 15	2	+ 1'407	..
641	1954	6	Pictoris.....	5 58 7 [·] 59	40 [·] 12	3	+ 0'923	..
642	1959	4 [·] 5	18 Leporis..... θ	5 58 54 [·] 97	40 [·] 07	1	+ 2'715	0 [·] 000
643	..	8 [·] 9	Lalande 11627.....	5 59 25 [·] 16	35 [·] 11	2	+ 3'759	..
644	1965	6	Leporis	5 59 51 [·] 89	40 [·] 12	3	+ 2'501	..
645	1964	5 [·] 6	Puppis	5 59 52 [·] 22	37 [·] 32	9	+ 1'732	- 0 [·] 009
646	1968	6	Puppis	6 0 4 [·] 14	37 [·] 32	9	+ 1'730	..
647	..	6 [·] 7	Brisbane 1134	6 0 9 [·] 24	37 [·] 10	3	+ 0'747	..
648	6 0 11
649	1972	6	Pictoris.....	6 0 38 [·] 19	40 [·] 13	3	+ 1'563	..
650	1969	6	Mensæ.....	6 1 5 [·] 65	37 [·] 10	3	- 4'062	..
651	..	6	Mensæ.....	6 1 17 [·] 84	37 [·] 08	3	- 11'745	..
652	1976	6	Columbæ.....	6 1 18 [·] 01	40 [·] 17	2	+ 2'160	..
653	1977	6	Puppis	6 1 39 [·] 19	40 [·] 12	3	+ 1'697	..
654	1978	5 [·] 6	Columbæ..... π^1	6 1 44 [·] 51	40 [·] 08	5	+ 1'856	..
655	1982	5	Columbæ..... θ	6 2 2 [·] 66	40 [·] 08	3	+ 2'056	- 0 [·] 007
656	1988	5 [·] 6	Columbæ..... π^2	6 2 55
657	1991	6	Puppis.....	6 3 7
658	..	7	Doradûs	6 3 27 [·] 99	37 [·] 12	3	- 0'125	..
659	1993	5 [·] 6	Puppis.....	6 3 52 [·] 20	40 [·] 17	2	+ 1'766	..
660	1998	6	Columbæ.....	6 5 0 [·] 69	40 [·] 15	3	+ 1'937	..
661	2001	4	44 Aurigæ..... κ	6 5 10 [·] 93	39 [·] 67	8	+ 3'830	- 0 [·] 005
662	2002	4	7 Geminorum..... η	6 5 13
663	2003	6	Doradûs..... η^1	6 5 58 [·] 09	38 [·] 26	6	+ 0'067	..
664	2006	6	Puppis	6 6 4 [·] 10	40 [·] 11	4	+ 1'723	..
665	2013	5 [·] 6	Pictoris.....	6 7 11 [·] 03	39 [·] 26	10	+ 1'168	- 0 [·] 006

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
..	2088	631
153 8 19'50	40'12	1	- 0'62	..	2106	1102	632
154 30 31'60	40'16	2	- 0'57	..	2113	1104	633
134 2 58'40	40'13	2	- 0'54	..	2098	1105	634
132 49 38'40	40'15	1	- 0'50	+ 0'02	2099	1107	..	144	635
66 44 6'58	35'63	2	- 0'49	+ 0'11	..	1106	636
141 14 3'80	40'14	2	- 0'41	..	2114	1112	637
123 55 2'30	40'13	3	- 0'40	..	2108	1113	638
116 17 18'20	40'13	3	- 0'28	..	2115	1117	639
141 13 27'30	40'14	2	- 0'26	..	2123	1118	640
148 6 19'10	40'15	3	- 0'16	..	2133	1124	641
..	122	145	642
62 47 19'70	35'11	3	- 0'06	643
113 5 50'40	40'17	2	- 0'01	..	2128	644
135 2 19'98	39'10	4	- 0'01	- 0'22	2137	1131	645
135 4 51'78	39'10	4	0'00	..	2141	1132	646
..	647
113 4 45'40	40'19	1	+ 0'02	648
138 26 46'67	40'02	3	+ 0'06	..	2145	1137	649
169 22 50'10	40'16	1	+ 0'10	..	2210	1150	650
..	2296	1165	651
124 17 44'10	40'11	2	+ 0'11	..	2142	1139	652
135 47 52'00	40'18	1	+ 0'14	..	2156	1143	653
..	2154	1144	654
127 14 3'67	38'29	9	+ 0'18	- 0'01	2153	1145	..	146	655
132 7 55'30	40'02	2	+ 0'26	..	2164	1153	656
134 42 34'00	40'17	3	+ 0'27	..	2167	1156	657
..	2193	1159	658
134 19 56'60	40'13	4	+ 0'34	..	2174	1158	659
130 19'38'10	40'15	2	+ 0'44	..	2182	660
60 26 59'90	40'08	2	+ 0'45	+ 0'29	661
67 27 13'53	36'37	3	+ 0'46	1166	662
156 1 0'20	40'15	2	+ 0'52	..	2203	1174	663
135 14 58'50	40'14	3	+ 0'53	..	2191	1173	664
144 56 5'00	40'14	3	+ 0'63	+ 0'02	2201	1177	665

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
666	2022	6	75 Orionis..... <i>l</i>	6 8 17.54	38.00	6	+ 3.307	+ 0.001
667	2023	7	Aurigæ	6 8 19.10	35.07	6	+ 3.760	..
668	2025	5.6	Doradûs..... <i>v</i>	6 9 45.79	37.04	5	- 0.374	..
669	2034	4.5	Columbæ	6 10 51.76	39.69	8	+ 2.133	+ 0.001
670	2031	5.6	Doradûs	6 10 54.34	36.12	4	+ 0.134	..
671	2033	6	Pictoris	6 10 56.37	39.99	1	+ 1.025	..
672	2035	6	Columbæ	6 11 18.64	39.96	1	+ 1.982	..
673	2036	6	Columbæ	6 11 34.71	40.13	4	+ 2.040	..
674	2037	6	Columbæ	6 11 40.31	39.96	1	+ 2.058	..
675	..	7	Brisbane 1201	6 11 47.93	36.44	3	+ 0.143	..
676	..	8.9	6 13 8.21	35.06	3	+ 3.759	..
677	2047	3	13 Geminorum..... <i>μ</i>	6 13 16.85	38.07	62	+ 3.627	+ 0.005
678	..	8.7	6 13 29.16	35.07	1	+ 3.757	..
679	2050	5.6	Columbæ	6 13 55.28	40.79	1	+ 2.160	..
680	2051	2.3	1 Canis Majoris	6 14 10.44	38.54	2	+ 2.301	+ 0.002
681	2052	6	Puppis.....	6 14 20
682	2054	7	Columbæ.....	6 14 31.87	40.19	1	+ 1.975	..
683	..	8	Columbæ
684	2056	5.6	Columbæ	6 14 49.13	40.07	2	+ 2.169	..
685	2053	6	Mensæ	6 14 59
686	2061	2.3	2 Canis Majoris..... <i>β</i>	6 15 39
687	2066	4	3 Canis Majoris	6 16 16.11	39.51	6	+ 2.194	- 0.001
688	2068	6	Puppis	6 16 30.99	36.73	5	+ 1.753	..
689	2072	6	Canis Majoris	6 17 11.94	40.13	3	+ 2.275	..
690	2079	5.6	Canis Majoris	6 18 28.23	40.07	4	+ 2.081	..
691	..	7.8	Canis Majoris	6 18 33.45	40.10	3	+ 2.081	..
692	..	6	Pictoris	6 18 49.04	39.99	1	+ 1.076	..
693	..	7	6 18 55.05	35.10	2	+ 3.752	..
694	2089	6	Columbæ	6 19 33.19	40.05	3	+ 1.946	..
695	2092	6	Puppis	6 20 0.45	40.09	5	+ 1.361	..
696	2093	6	Pictoris	6 20 4.50	37.92	7	+ 1.076	..
697	2096	1	Argûs..... <i>α</i>	6 20 24.00	36.34	136	+ 1.329	- 0.002
698	2098	6	Columbæ	6 20 39.40	40.07	4	+ 1.919	..
699	2103	6	Columbæ	6 21 6.89	40.09	3	+ 1.892	..
700	2104	6	Pictoris	6 21 22.52	37.07	4	+ 0.903	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
..	666
62 44 4'75	35'07	8	+ 0'73	667
158 48 30'20	40'16	3	+ 0'85	..	2227	1187	668
125 5 27'68	38'43	16	+ 0'95	+ 0'03	2213	1191	..	148	..	669
155 33 4'60	40'12	1	+ 0'95	..	2230	1195	670
146 52 11'40	40'09	1	+ 0'96	..	2222	1193	671
129 12 33'80	40'07	3	+ 0'99	..	2214	1194	672
127 41 7'70	40'13	2	+ 1'01	..	2217	1196	673
127 11 47'10	40'15	1	+ 1'02	..	2218	1197	674
155 30	1201	675
62 44 23'00	35'06	4	+ 1'16	676
67 24 40'58	35'23	9	+ 1'16	+ 0'14	..	1202	677
62 48 35'30	35'08	3	+ 1'18	678
124 19 53'30	40'14	3	+ 1'22	..	2228	1205	679
119 59 48'13	39'14	2	+ 1'24	- 0'02	2229	1207	126	149	85	680
142 40 12'40	40'15	1	+ 1'25	..	2238	1213	681
129 25 9'50	40'18	2	+ 1'27	..	2233	682
129 24 43'70	40'18	2	+ 1'27	683
124 4 35'10	40'14	2	+ 1'30	..	2234	1214	684
164 41 40'40	40'18	1	+ 1'31	..	2283	1218	685
107 52 53'82	37'11	38	+ 1'37	1217	127	150	97	686
123 21 34'33	38'40	12	+ 1'42	+ 0'06	2244	1221	..	151	..	687
..	2253	1222	688
120 52 2'00	40'12	4	+ 1'50	..	2252	1224	689
126 37 39'40	40'09	4	+ 1'61	..	2265	1229	690
126 37 12'10	40'11	3	+ 1'62	691
146 16	2280	692
62 56 11'80	35'11	4	+ 1'65	693
130 11 51'60	40'14	3	+ 1'71	..	2276	1237	694
142 5 43'20	40'14	2	+ 1'75	..	2285	1238	695
146 17 8'00	40'17	2	+ 1'76	..	2292	1240	696
142 36 37'68	36'34	240	+ 1'78	- 0'03	2291	1241	128	152	46	697
130 53 5'70	40'15	3	+ 1'81	..	2284	698
131 32 42'90	40'11	3	+ 1'85	..	2290	1243	699
..	2303	1246	700

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
701	2106	5.6	Puppis G	h m s 6 21 29.54	40.09	3	+ 1.589	..
702	2085	6	Mensæ	6 21 50
703	2109	4.5	Canis Majoris.....	6 22 14.51	38.93	3	+ 2.224	+ 0.001
704	2112	6	Canis Majoris.....	6 22 42.12	40.07	4	+ 2.231	..
705	..	8	Brisbane 1253	6 23 39
706	2122	6	Columbæ	6 23 55.26	40.05	2	+ 1.945	..
707	2121	6	Pictoris	6 24 1
708	..	7	Columbæ.....	6 24 1.03	40.13	1	+ 1.945	..
709	2119	5.6	Doradûs..... π^1	6 24 3
710	2127	6	Canis Majoris	6 24 26
711	2124	6	Pictoris	6 24 32.19	38.28	7	+ 0.952	..
712	2133	6	49 Aurigæ	6 25 7
713	2132	5	4 Canis Majoris..... ξ^1	6 25 12
714	2135	6	Columbæ	6 25 29.73	40.18	3	+ 1.943	..
715	2138	6	Columbæ.....	6 25 52.03	40.08	3	+ 1.925	..
716	2137	5	Puppis..... Z	6 25 53.07	40.19	1	+ 1.481	- 0.010
717	2141	6	Canis Majoris	6 26 2.71	40.15	3	+ 2.077	..
718	..	7.8	Brisbane 1274.....	6 26 25.63	36.40	3	- 1.898	..
719	2147	5.6	Canis Majoris	6 26 39.39	39.97	1	+ 2.244	..
720	..	9	Canis Majoris
721	2146	5.6	Carinæ	6 26 41.99	37.06	5	+ 1.046	..
722	2145	5.6	Doradûs	6 26 49
723	2148	6	Canis Majoris	6 26 52.43	40.40	2	+ 2.050	..
724	2150	6	Puppis	6 27 34.19	37.09	4	+ 1.390	..
725	2154	6.7	Piazzî 165	6 27 38.69	40.11	8	+ 3.683	..
726	2158	5	Canis Majoris	6 28 13.08	40.04	1	+ 2.103	..
727	2160	5	5 Canis Majoris	6 28 21.14	37.98	5	+ 2.513	+ 0.010
728	..	7	6 28 32
729	2162	5.6	Canis Majoris	6 28 39.51	39.99	1	+ 2.223	..
730	2164	6	Canis Majoris	6 28 54.54	39.98	1	+ 2.181	..
731	2170	6	54 Aurigæ	6 29 28
732	2167	5.6	Pictoris..... μ	6 29 35.17	38.63	6	+ 0.896	..
733	..	7.6	6 29 49
734	2169	6	Puppis	6 29 49
735	2172	6	Canis Majoris	6 29 50.66	40.12	5	+ 2.085	..

702. The large Proper motions assigned to this Star in the B.A.C. are erroneous.
720. Small Star observed with B.A.C. 2147.

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.					
					Lacalle.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 ' "			"	"						
138 5 1'20	40'14	2	+ 1'88	..	2297	1245	701
175 54 38'70	40'14	1	+ 1'91	..	2512	1269	702
122 28 59'82	38'44	11	+ 1'94	- 0'08	2295	1247	..	153	..	703
122 16 19'10	40'15	1	+ 1'98	..	2300	1249	704
142 50 24'40	40'15	1	+ 2'07	1253	705
130 16 11'60	40'11	2	+ 2'09	..	2310	1254	706
153 44 0'60	40'16	1	+ 2'10	..	2329	1257	707
130 16 35'70	40'11	2	+ 2'10	1256	708
159 53 39'60	40'18	1	+ 2'10	- 0'08	2340	1259	709
117 39 47'20	40'15	2	+ 2'13	..	2309	710
147 54 3'00	40'16	1	+ 2'14	..	2328	1260	711
61 51 37'80	35'03	2	+ 2'19	+ 0'02	712
113 18 29'10	40'17	2	+ 2'20	- 0'01	2313	713
130 20 21'30	40'10	1	+ 2'23	..	2320	1263	714
130 48 24'40	40'15	1	+ 2'26	..	2326	1265	715
..	2333	1267	716
126 49 52'90	40'19	1	+ 2'28	..	2324	1268	717
.. -	1274	718
121 54 54'40	40'07	2	+ 2'33	..	2330	1270	719
121 55 1'40	40'07	1	+ 2'33	720
146 44 41'10	40'16	2	+ 2'33	..	2343	1273	721
159 35 48'80	40'18	1	+ 2'34	- 0'13	2368	1275	722
127 34 43'20	40'14	1	+ 2'35	..	2334	1272	723
141 42 57'60	40'14	3	+ 2'41	..	2349	1276	724
65 16 59'80	40'09	1	+ 2'42	725
126 6 58'00	40'01	2	+ 2'46	..	2341	1281	726
..	154	..	727
65 25 6'40	40'12	1	+ 2'50	728
122 35 39'00	40'10	2	+ 2'50	..	2347	1283	729
123 53 16'40	40'14	1	+ 2'52	..	2350	1285	730
61 36 16'30	35'03	1	+ 2'57	+ 0'04	731
148 38 2'40	40'17	1	+ 2'58	..	2373	1292	732
65 16 10'40	40'09	1	+ 2'60	733
142 12 28'90	40'13	2	+ 2'60	..	2369	1294	734
126 39 15'10	40'15	1	+ 2'61	..	2359	1291	735

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
736	2176	5	Carinæ	6 31 26.99	39.21	10	+ 1.324	0.000
737	2179	6	Canis Majoris	6 31 36.02	40.07	3	+ 2.036	..
738	2180	5.6	Canis Majoris	6 31 41.28	40.09	2	+ 2.079	..
739	..	7.8	6 31 42.72	35.04	2	+ 3.753	..
740	2181	6	Puppis	6 31 46.76	40.09	3	+ 1.903	..
741	2183	6	Canis Majoris	6 31 48.24	40.06	3	+ 2.237	..
742	2188	3	Argûs..... ν	6 32 52.02	40.12	3	+ 1.835	- 0.004
743	2194	3	27 Geminorum ϵ	6 34 5.08	37.95	13	+ 3.696	0.000
744	..	8.9	Puppis	6 34 20.84	37.02	6	+ 1.599	..
745	2193	6	Puppis..... V	6 34 21.75	38.27	10	+ 1.599	..
746	2195	6	Puppis	6 34 29.99	40.05	3	+ 2.038	..
747	2202	6	Puppis	6 36 1.25	40.09	4	+ 1.956	..
748	..	7	Brisbane 1329.....	6 36 3
749	2203	6	Pictoris	6 36 17.31	40.07	1	+ 0.650	..
750	2204	6	Puppis	6 36 26.37	40.08	2	+ 1.632	..
751	2205	6	Puppis	6 36 28.81	40.08	1	+ 1.630	..
752	2207	6	Puppis	6 36 51.59	40.07	3	+ 2.031	..
753	..	9	Puppis	6 36 52
754	2212	6	Puppis	6 38 2.98	40.09	3	+ 2.002	..
755	2213	1	9 Canis Majoris α	6 38 5.89	36.21	184	+ 2.681	- 0.035
756	6 38 8.43	40.18	1	+ 2.056	..
757	2214	5.6	10 Canis Majoris.....	6 38 23.23	40.10	3	+ 2.282	..
758	2215	6	Puppis	6 38 51.59	40.11	3	+ 1.484	..
759	2218	6	Canis Majoris	6 39 23.77	40.11	3	+ 2.261	..
760	2219	6	Canis Majoris	6 39 25.16	40.09	3	+ 2.287	..
761	..	8.9	6 40 3.29	35.04	2	+ 3.748	..
762	2225	6	Puppis	6 40 42.97	40.09	3	+ 2.058	..
763	2229	6	Mensæ	6 41 51.82	36.40	3	- 2.879	..
764	2231	5	Puppis..... α	6 41 53.03	40.11	3	+ 2.053	- 0.001
765	2234	6	Puppis	6 42 23.75	37.09	4	+ 1.631	..
766	2236	6	Volantis	6 42 48.56	37.86	4	- 0.129	..
767	2246	4	13 Canis Majoris κ	6 43 51.96	39.11	7	+ 2.241	- 0.002
768	2250	6	Carinæ..... O	6 44 11.66	40.12	4	+ 1.172	..
769	2251	6	Canis Majoris	6 44 20.64	40.07	5	+ 2.267	..
770	..	7	Brisbane 1374	6 44 23

753. Small Star observed with B.A.C. 2207.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
142 50 49'40	40'15	2	+ 2'74	+ 0'01	2383	1302	736
128 0 55'40	40'07	3	+ 2'76	..	2375	737
126 51 29'20	40'16	1	+ 2'77	..	2376	1303	738
62 46 34'90	35'04	4	+ 2'77	739
131 25 28'70	40'14	1	+ 2'77	..	2379	740
122 12 27'60	40'17	2	+ 2'77	..	2374	1304	741
133 3 31'58	37'56	21	+ 2'87	+ 0'01	2386	1310	132	156	60	742
64 43 2'58	37'42	9	+ 2'97	+ 0'02	..	1316	743
138 4 35'50	40'16	1	+ 3'00	1320	744
138 4 45'30	40'16	1	+ 3'00	..	2402	1321	745
128 0 48'80	40'17	3	+ 3'01	..	2397	1322	746
130 12 2'70	40'11	3	+ 3'14	..	2411	1328	747
130 8 34'00	40'14	1	+ 3'14	1329	748
151 23 35'00	40'13	2	+ 3'16	..	2432	1333	749
137 28 21'20	40'11	1	+ 3'18	1331	750
137 31 28'80	40'11	1	+ 3'18	..	2421	1332	751
128 14 45'10	40'15	3	+ 3'21	..	2418	1335	752
128 14 43'90	40'16	1	+ 3'21	753
129 2 6'70	40'16	2	+ 3'32	..	2430	1338	754
106 30 8'11	36'32	319	+ 3'32	+ 1'24	..	1337	133	157	100	755
127 36	756
120 54 38'40	40'15	1	+ 3'34	..	2429	757
140 17 40'30	39'96	2	+ 3'39	..	2444	1340	758
121 36 56'90	40'14	1	+ 3'43	..	2437	1341	759
120 47 6'20	40'12	2	+ 3'43	..	2438	760
62 49 21'80	35'04	6	+ 3'49	761
127 36 27'10	40'15	1	+ 3'55	..	2447	1345	762
..	2527	1364	763
127 45 23'20	40'09	4	+ 3'65	+ 0'06	2455	1359	764
..	2469	1361	765
157 40 50'00	40'16	3	+ 3'73	..	2495	1367	766
122 19 39'66	38'21	14	+ 3'82	+ 0'03	2474	1371	135	158	..	767
145 21 49'90	40'09	2	+ 3'84	..	2490	1376	768
121 31 25'27	40'01	3	+ 3'86	..	2479	1375	769
121 31 7'20	40'14	1	+ 3'86	1374	770

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
771	..	6.7	Puppis	6 44 52.94	40°10	1	+ 1.743	..
772	2252	5	Canis Majoris	6 45 3.22	40°07	4	+ 2.181	- 0.001
773	2253	5.6	Puppis..... X	6 45 23.94	37°72	7	+ 1.693	..
774	2256	4	Argûs r	6 45 57.90	40°07	3	+ 1.486	..
775	2258	5.6	Puppis..... u	6 46 4.09	40°09	4	+ 2.118	..
776	..	8	Brisbane 1386	6 46 4.44	37°10	3	+ 0.952	..
777	2259	5	Carinæ B	6 46 22.65	38°21	5	+ 1.306	..
778	2260	4	Pictoris..... a	6 46 32.71	39°63	5	+ 0.632	- 0.005
779	2266	6	Canis Majoris	6 47 11.86	40°09	2	+ 2.366	+ 0.028
780	2267	4	16 Canis Majoris..... o ¹	6 47 29.58	40°15	4	+ 2.489	- 0.001
781	2275	6.7	39 Geminorum	6 48 55
782	2277	6	Puppis	6 49 24.38	39°99	1	+ 1.889	..
783	2278	6.7	40 Geminorum	6 49 35
784	..	6.7	Carinæ	6 50 24.26	36°90	4	+ 0.887	..
785	2281	6	Canis Majoris	6 50 58
786	2289	6	Puppis.....	6 52 0.29	37°07	4	+ 1.598	..
787	2293	2.3	21 Canis Majoris ε	6 52 20.29	37°98	66	+ 2.357	0.000
788	2295	5	Puppis	6 52 33.74	39°96	1	+ 2.197	- 0.004
789	2299	6	42 Geminorum ω	6 52 39.18	37°95	1	+ 3.663	..
790	2290	5.6	Mensæ..... ζ	6 53 14.82	36°25	4	- 4.820	..
791	2297	5.6	Volantis..... ι	6 53 15.44	36°11	4	- 0.657	..
792	..	6.7	Brisbane 1436	6 54 4.14	36°40	3	- 2.409	..
793	2302	6	Puppis ..	6 54 4
794	2305	4	43 Geminorum ζ	6 54 36.79	34°13	1	+ 3.565	- 0.001
795	2309	3.4	22 Canis Majoris.....	6 55 20.77	40°17	3	+ 2.390	- 0.003
796	2308	6	Carinæ.....	6 55 32.16	36°91	4	+ 1.183	..
797	..	7	Brisbane 1449	6 56 13.32	36°94	2	- 0.187	..
798	2318	4	24 Canis Majoris o ²	6 56 20.61	40°09	3	+ 2.505	- 0.001
799	2321	6	Carinæ S	6 56 58.30	37°71	5	+ 1.461	..
800	2324	6	Puppis.....	6 57 18.57	40°03	1	+ 1.856	..
801	2325	6	Carinæ	6 58 36.26	40°13	2	+ 0.943	..
802	2327	5	Puppis..... C	6 58 58.55	40°10	6	+ 1.903	- 0.007
803	2328	6	Puppis.....	6 59 3.01	40°11	3	+ 1.849	..
804	..	7	Brisbane 1465	6 59 6
805	2332	5.6	Puppis..... H	6 59 44.09	40°13	3	+ 1.567	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
..	2489	771
124 10 55.72	38.62	4	+ 3.92	- 0.04	2486	1378	772
136 26 48.60	40.16	2	+ 3.95	..	2492	1379	773
..	2505	1383	..	159	..	774
126 2 20.60	40.16	1	+ 4.01	..	2493	1382	775
..	1386	776
143 26 17.60	40.15	1	+ 4.03	- 0.02	2511	1388	777
151 46 10.80	39.98	1	+ 4.05	- 0.18	2525	1389	..	161	..	778
118 19 33.04	40.15	2	+ 4.10	+ 0.43	2501	1390	779
..	2506	1393	..	162	..	780
63 42 55.20	34.99	2	+ 4.25	- 0.10	781
132 9 59.00	40.15	3	+ 4.29	..	2530	1400	782
63 52 33.20	34.99	2	+ 4.31	783
..	2552	1408	784
114 25 34.30	40.14	5	+ 4.42	..	2535	1410	785
138 30 45.40	40.16	3	+ 4.51	..	2557	1418	786
118 45 30.64	37.70	82	+ 4.54	+ 0.02	2550	1419	138	164	87	787
123 53 55.40	40.14	2	+ 4.56	- 0.07	2554	1421	788
65 33 49.77	37.95	1	+ 4.57	789
170 38 10.41	40.15	2	+ 4.62	- 0.12	2648	1435	790
160 45 46.60	40.15	1	+ 4.62	..	2597	1428	791
..	1436	792
135 32 59.90	40.16	3	+ 4.69	..	2576	1430	793
69 12 6.55	35.11	1	+ 4.74	+ 0.01	..	1431	794
117 42 35.42	38.43	5	+ 4.80	+ 0.01	2581	1437	139	165	..	795
..	2594	1439	796
..	1449	797
113 36 13.70	40.15	2	+ 4.88	+ 0.01	2588	1445	..	166	..	798
141 10 35.20	40.16	2	+ 4.93	..	2601	1451	799
133 10 25.20	40.12	2	+ 4.96	..	2600	1453	800
148 42 55.70	40.16	1	+ 5.07	..	2621	1461	801
132 6 14.51	40.15	1	+ 5.11	- 0.11	2607	1462	802
133 23 19.30	40.16	2	+ 5.11	..	2608	1464	803
133 23 30.00	40.16	2	+ 5.11	1465	804
139 21 10.50	40.15	2	+ 5.17	..	2624	1467	805

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
806	2333	6	Volantis	h m s 7 0 6'14	37'10	3	- 0'077	..
807	2336	6	Carinæ	7 0 47'20	37'12	3	+ 0'929	..
808	2336	7	Carinæ	7 0 47'79	37'12	3	+ 0'929	..
809	2337	6·7	Puppis	7 0 53'05	39'99	1	+ 1'906	..
810	2340	5	46 Geminorum	7 0 56'90	38'84	8	+ 3'832	- 0'003
811	..	9	Puppis	7 1 0
812	..	7	Mensæ	7 1 15'58	37'14	3	- 4'944	..
813	2339	5·6	Carinæ	7 1 19'23	37'55	3	+ 1'123	..
814	..	6·7	Brisbane 1476.	7 1 22
815	2343	6	47 Geminorum	7 1 27'22	35'01	1	+ 3'732	- 0'003
816	2344	5·6	Puppis	7 1 52'89	40'06	1	+ 1'965	..
817	2345	2	25 Canis Majoris	7 1 53'11	40'12	4	+ 2'439	0'000
818	2351	5·6	Canis Majoris	7 3 7'52	40'10	3	+ 2'472	..
819	Canis Majoris	7 3 11
820	2353	6	Carinæ	7 3 23'22	40'12	4	+ 1'442	..
821	2355	5	Puppis	7 3 28'82	40'08	4	+ 2'015	- 0'008
822	2358	4·5	22 Monocerotis	7 3 41'58	36'04	12	+ 3'066	..
823	2374	6	53 Geminorum	7 5 57
824	2375	6	Puppis	7 6 29'70	40'02	1	+ 1'614	..
825	2378	6	Puppis	7 6 44'88	36'27	3	+ 2'132	..
826	2384	6·7	Volantis	7 6 48'35	36'96	4	- 0'194	..
827	2380	5	Puppis	7 6 57'97	40'06	3	+ 1'988	- 0'010
828	..	6·7	Carinæ	7 7 8'80	37'12	3	+ 1'221	..
829	..	6·7	Carinæ	7 7 9'75	37'12	3	+ 1'221	..
830	..	6·7	Carinæ	7 7 10'99	37'04	5	+ 0'843	..
831	..	9'10	7 7 11
832	2385	6	Canis Majoris	7 7 37'89	40'12	3	+ 2'309	..
833	2388	4·5	27 Canis Majoris	7 7 43'90	40'10	3	+ 2'446	- 0'001
834	2389	5	Puppis	7 8 0'01	40'18	4	+ 1'724	..
835	2391	6	28 Canis Majoris	7 8 19'23	40'11	2	+ 2'434	..
836	2392	5	Puppis	7 8 26
837	2395	5·6	Puppis	7 8 39'37	39'96	1	+ 1'821	..
838	2396	6	Carinæ	7 8 46
839	2401	6	Puppis	7 9 44'14	40'11	3	+ 1'956	..
840	2400	5·6	Volantis	7 10 1

807, 808. Double : = Herschel 3003.
828, 829. Double : = Herschel 3056.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 2			"	"						
157 41 46'30	40'16	2	+ 5'20	..	2646	1472	806
148 56 24'20	40'13	1	+ 5'26	..	2640	1475	807
..	808
132 5 5'20	40'16	2	+ 5'27	..	2631	1473	809
59 29 57'43	37'37	3	+ 5'27	+ 0'05	810
132 4 8'30	40'16	1	+ 5'27	811
..	2724	1483	812
146 30 29'90	39'96	2	+ 5'30	..	2642	1477	813
133 21 57'10	40'15	1	+ 5'31	1476	814
62 53 16'38	35'00	6	+ 5'32	+ 0'03	815
130 38 44'80	40'15	1	+ 5'35	..	2638	1479	816
116 8 36'91	37'75	31	+ 5'35	- 0'01	2633	1478	143	168	..	817
114 58 36'10	40'14	2	+ 5'46	..	2641	1484	818
114 57 14'10	40'14	1	+ 5'46	819
141 43 9'20	40'12	2	+ 5'48	..	2651	1488	820
129 24 7'60	40'16	1	+ 5'49	+ 0'05	2649	1486	..	169	..	821
90 14 0'85	35'99	13	+ 5'50	170	..	822
61 49 55'10	35'00	1	+ 5'69	- 0'00	823
138 40 20'10	40'08	4	+ 5'74	..	2673	824
..	2668	1502	825
158 35	2704	1515	826
130 13 53'95	40'07	4	+ 5'78	+ 0'05	2672	1504	827
..	2685	1507	828
..	2685	1507	829
..	2692	1508	830
63 11 11'20	35'00	1	+ 5'82	831
120 48 46'80	40'10	3	+ 5'83	..	2676	832
116 4 52'40	40'16	3	+ 5'84	..	2674	171	..	833
136 29 40'90	40'14	3	+ 5'86	..	2687	1512	..	172	..	834
116 29 58'50	40'15	1	+ 5'89	..	2681	1514	835
134 54 26'60	40'15	1	+ 5'90	..	2690	1516	..	173	..	836
134 22 56'40	40'16	1	+ 5'92	..	2691	1520	837
145 53 16'20	40'13	1	+ 5'93	..	2702	1521	838
..	2700	1524	839
160 14 17'40	40'15	1	+ 6'04	..	2746	1530	..	174	..	840

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
841	..	8	Brisbane 1529.....	7 10 3
842	2403	6	Puppis	7 10 10 ^o 26	40 ^o 01	1	+ 1 ^o 725	..
843	2405	6	Canis Majoris.....	7 10 10 ^o 27	39 ^o 98	1	+ 2 ^o 405	..
844	..	7	Mensæ	7 10 11 ^o 92	36 ^o 10	3	- 8 ^o 607	..
845	2404	6	Puppis	7 10 13 ^o 47	40 ^o 13	1	+ 1 ^o 656	..
846	2410	3	55 Geminorum..... δ	7 10 33 ^o 74	36 ^o 05	53	+ 3 ^o 593	0 ^o 000
847	2412	6	Puppis	7 11 0 ^o 05	40 ^o 04	1	+ 2 ^o 075	..
848	2413	6	Puppis.....	7 11 8
849	..	9	Argûs	7 11 25
850	2414	3	Argûs..... π	7 11 29 ^o 62	38 ^o 68	7	+ 2 ^o 119	- 0 ^o 004
851	2415	6	Puppis.....	7 11 38 ^o 66	40 ^o 18	2	+ 1 ^o 731	..
852	2417	6	29 Canis Majoris.....	7 12 0 ^o 69	40 ^o 15	3	+ 2 ^o 498	..
853	..	7	Carinæ	7 12 36 ^o 98	36 ^o 90	5	+ 1 ^o 338	..
854	2422	5 ^o 6	Puppis	7 12 37 ^o 23	40 ^o 09	2	+ 2 ^o 133	..
855	2424	6	Puppis	7 12 55
856	2425	5 ^o 6	Puppis	7 12 57
857	2427	5	Puppis..... F	7 13 6 ^o 33	40 ^o 03	1	+ 2 ^o 046	- 0 ^o 018
858	2426	5 ^o 6	Puppis..... M	7 13 7 ^o 24	39 ^o 96	1	+ 1 ^o 858	..
859	2431	5 ^o 6	57 Geminorum..... A	7 13 43
860	2436	6	Canis Majoris.....	7 14 30 ^o 17	40 ^o 06	3	+ 2 ^o 465	..
861	2438	6	Puppis	7 14 52 ^o 38	40 ^o 10	2	+ 1 ^o 717	..
862	2442	4	60 Geminorum	7 15 46 ^o 94	37 ^o 79	8	+ 3 ^o 747	- 0 ^o 008
863	2445	6	Carinæ	7 16 29 ^o 73	37 ^o 05	5	+ 1 ^o 454	..
864	..	6 ^o 7	Carinæ	7 16 30 ^o 21	37 ^o 05	5	+ 1 ^o 454	..
865	2449	5 ^o 6	Puppis	7 16 53 ^o 59	39 ^o 98	2	+ 2 ^o 294	..
866	2451	6	2 Canis Minoris..... ε	7 16 55 ^o 22	35 ^o 20	1	+ 3 ^o 285	..
867	2450	5 ^o 6	Carinæ	7 17 12 ^o 02	40 ^o 14	4	+ 1 ^o 201	..
868	2452	6	Puppis	7 17 26 ^o 05	40 ^o 11	4	+ 2 ^o 287	..
869	2458	2	31 Canis Majoris..... η	7 17 46 ^o 00	39 ^o 04	11	+ 2 ^o 373	- 0 ^o 004
870	..	7	Puppis
871	2461	6	Puppis	7 18 36 ^o 08	40 ^o 01	3	+ 2 ^o 300	..
872	2466	6	Puppis	7 19 34 ^o 64	40 ^o 01	1	+ 2 ^o 303	..
873	..	6 ^o 7	Carinæ	7 19 37 ^o 89	36 ^o 77	5	+ 1 ^o 258	..
874	2471	6	Puppis	7 20 45 ^o 74	40 ^o 02	1	+ 2 ^o 231	..
875	2474	6	Carinæ	7 21 24 ^o 06	40 ^o 11	3	+ 1 ^o 051	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 14 8'00	40'15	1	+ 6'04	1529	841
136 34 20'60	40'16	2	+ 6'05	..	2710	1528	842
..	2697	1526	843
..	2845	1546	844
..	2711	845
67 43 46'08	36'09	26	+ 6'08	+ 0'02	152	846
..	2713	1534	847
126 18 36'50	40'16	2	+ 6'13	..	2714	1535	848
126 49 49'20	40'18	1	+ 6'16	849
126 48 50'21	37'50	59	+ 6'16	+ 0'02	2720	1536	145	175	76	850
136 29 35'70	40'16	2	+ 6'17	..	2732	1538	851
114 16 16'90	40'11	1	+ 6'20	..	2718	852
..	2744	1547	853
126 26 43'90	40'16	1	+ 6'25	..	2733	1544	854
136 43 4'70	40'12	2	+ 6'27	..	2740	1550	855
126 27 12'20	40'16	1	+ 6'28	..	2736	1548	856
128 55 14'20	40'15	1	+ 6'29	0'00	2739	1552	857
133 41 53'70	40'14	2	+ 6'29	..	2742	1553	858
64 38 56'00	34'93	5	+ 6'34	859
115 35 45'20	40'10	3	+ 6'41	..	2749	1561	860
136 55 35'50	40'13	3	+ 6'44	..	2761	1564	861
61 53 26'20	37'42	3	+ 6'51	+ 0'09	862
..	2779	1578	863
..	864
121 37 9'23	40'02	3	+ 6'60	..	2769	1581	865
..	866
145 59 46'90	40'16	2	+ 6'63	..	2798	1588	867
121 53 44'40	40'16	2	+ 6'65	..	2773	1585	868
118 59 42'91	37'78	38	+ 6'68	- 0'01	2777	1591	146	177	86	869
121 28 20'50	40'12	2	+ 6'75	870
121 29 54'90	40'12	2	+ 6'75	..	2793	1598	871
121 25 28'70	40'11	4	+ 6'83	..	2802	1601	872
..	2812	1602	873
123 49 20'40	40'17	2	+ 6'92	..	2810	1609	874
148 10 58'80	40'15	2	+ 6'98	..	2827	1616	875

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	"
876	2475	6	Puppis	7 21 38.27	40.06	2	+ 2.382	..
877	..	7	Brisbane 1632	7 21 58.06	36.40	3	- 7.896	..
878	2476	6	Carinæ..... R	7 22 15.53	37.51	8	+ 1.542	..
879	2477	7	Puppis.....	7 22 42.45	40.01	3	+ 2.304	..
880	..	8	Puppis.....	7 22 43.12	40.14	1	+ 2.304	..
881	2478	5	Puppis.....	7 22 54.39	40.06	3	+ 2.316	..
882	2479	6	Puppis..... <i>y</i>	7 23 33.50	40.12	3	+ 2.078	..
883	2482	4	Argûs..... σ	7 24 9.35	40.13	3	+ 1.908	0.000
884	2485	3	Geminorum..... α^1	7 24 22.37	34.26	23	+ 3.858	-- 0.013
885	2485	2	66 Geminorum..... α^2	7 24 22.91	34.43	29	+ 3.858	- 0.013
886	2484	5	Puppis.....	7 24 29.36	40.05	3	+ 2.330	..
887	2493	5	69 Geminorum..... <i>v</i>	7 26 3.48	38.03	2	+ 3.712	- 0.001
888	..	8	Brisbane 1641	7 26 3.94	36.74	5	+ 1.297	..
889	2492	6	Carinæ.....	7 26 16.88	40.23	1	+ 1.575	..
890	2496	6	Carinæ.....	7 26 54
891	2497	6	Puppis..... π^1	7 27 32.99	37.67	8	+ 2.542	..
892	2498	6	Puppis..... π^2	7 27 33.78	37.33	7	+ 2.542	..
893	..	4.5	Puppis.....	7 27 34
894	2500	5	Puppis..... <i>g</i>	7 27 53.41	40.15	2	+ 2.473	..
895	2502	6	Puppis..... <i>z</i>	7 28 3.78	40.17	3	+ 2.171	..
896	2508	5.6	Puppis..... <i>p</i>	7 28 57.51	40.11	3	+ 2.413	..
897	2510	6	Carinæ.....	7 29 14
898	..	7.8	Brisbane 1661	7 29 29.52	37.10	3	+ 1.317	..
899	..	7	Brisbane 1675	7 30 31.05	37.11	3	+ 3.188	..
900	2522	1	10 Canis Minoris..... <i>a</i>	7 30 55.35	36.14	143	+ 3.193	- 0.048
901	2523	6	Puppis..... <i>f</i>	7 31 27
902	2524	6	Carinæ..... <i>Q</i>	7 31 42.09	36.31	2	+ 1.485	..
903	2529	6	Puppis..... <i>Y</i> ¹	7 32 16
904	2530	4.5	Puppis..... k^1	7 32 16
905	2531	5	Puppis..... k^2	7 32 17
906	..	7	Puppis.....	7 32 55.51	37.13	3	+ 2.054	..
907	2536	6	Puppis..... <i>e</i>	7 32 57
908	2541	6	Puppis..... <i>Y</i> ²	7 33 47.09	36.34	2	+ 1.698	..
909	2543	5.6	Puppis..... d^1	7 33 49
910	2545	5.6	Puppis..... d^2	7 34 4.59	40.15	1	+ 2.122	..

879, 880. Double: = Herschel 3217.

893. The two Components seem to have been observed as one mass on the night of Feb. 25, 1840.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
0 1 0											
118 50 1'00	40'17	1	+ 6'99	..	2817	1614	876	
..	1632	877	
140 41 52'30	39'98	2	+ 7'05	..	2829	1619	878	
121 31 22'80	40'15	1	+ 7'08	..	2821	1622	879	
..	880	
121 7 48'40	40'10	1	+ 7'10	..	2823	1624	881	
..	2832	1628	882	
132 58 50'09	37'27	43	+ 7'20	- 0'18	2837	1631	147	178	..	883	
..	1630	884	
..	1630	885	
120 37 48'10	40'18	2	+ 7'23	..	2834	1634	886	
62 45 17'87	36'57	4	+ 7'36	+ 0'11	887	
..	1641	888	
140 16 27'70	40'12	2	+ 7'38	..	2850	1643	889	
144 3 52'10	40'15	2	+ 7'43	..	2861	1647	890	
113 7 46'67	36'20	3	+ 7'48	891	
113 7 46'33	38'18	3	+ 7'48	892	
113 7 45'40	40'16	1	+ 7'48	..	2849	1648	893	
115 46 13'70	40'07	2	+ 7'50	..	2854	1650	894	
125 59 37'60	40'17	3	+ 7'52	..	2860	1653	895	
118 1 12'00	40'17	2	+ 7'59	..	2867	1657	896	
140 14 17'40	40'16	1	+ 7'62	..	2880	1660	897	
..	1661	898	
..	1675	899	
84 22 13'81	35'14	83	+ 7'75	+ 1'08	..	1666	150	..	131	900	
124 36 44'90	40'09	1	+ 7'79	..	2890	1670	901	
142 10 43'30	40'16	2	+ 7'81	..	2902	1674	902	
138 28 23'40	40'14	2	+ 7'86	..	2904	1681	903	
116 26 31'60	40'17	2	+ 7'86	..	2896	1679	904	
116 26 38'70	40'17	2	+ 7'86	1680	905	
..	2907	1689	906	
126 8 6'00	40'18	1	+ 7'91	..	2903	1687	907	
138 14 18'80	40'16	1	+ 7'98	..	2918	1694	908	
127 56 37'00	40'15	3	+ 7'98	..	2909	1692	909	
..	2912	1696	910	

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
911	2546	6	Puppis d^3	7 34 10
912	2547	6	Puppis d^4	7 34 15
913	2539	5.6	Mensæ ϵ	7 34 17.69	36.94	4	- 3.092	..
914	2551	4	77 Geminorum κ	7 34 47
915	2550	6	Puppis	7 34 48.56	37.10	3	+ 1.679	..
916	2555	2	78 Geminorum β	7 35 30.97	35.68	63	+ 3.733	- 0.049
917	2554	6	Puppis	7 35 38.36	40.17	4	+ 2.111	..
918	Puppis
919	..	7	Brisbane 1734	7 36 55.79	37.20	3	- 8.826	..
920	2560	5.6	1 Puppis	7 37 4.89	40.08	3	+ 2.423	..
921	2561	6	Puppis	7 37 20.78	40.11	3	+ 2.197	..
922	2562	5	3 Puppis	7 37 23.20	40.07	5	+ 2.408	- 0.002
923	2566	5.6	Puppis T	7 38 1
924	2568	6	Puppis	7 38 2.97	40.15	3	+ 2.127	..
925	2570	4.5	Puppis W	7 38 15.10	40.18	1	+ 2.031	+ 0.011
926	2572	6	Puppis	7 38 19.03	40.11	4	+ 2.198	..
927	2571	6	Carinæ	7 38 26
928	2567	7	Volantis	7 38 34.26	36.41	3	- 1.142	..
929	2567	7	Volantis	7 38 35.00	36.42	2	- 1.142	..
930	2575	6.7	Puppis	7 38 52
931	2577	6	Carinæ	7 39 13.90	36.80	5	+ 1.110	..
932	2579	6	Carinæ	7 39 24.88	37.11	3	+ 1.108	..
933	2580	4.5	Puppis c	7 39 33.30	38.43	2	+ 2.138	0.000
934	2581	6	Puppis	7 39 36.69	37.07	3	+ 2.258	..
935	2582	6	Carinæ	7 39 53
936	2584	6	Puppis	7 39 54.33	37.13	3	+ 1.789	..
937	..	8	Brisbane 1752	7 41 18.41	37.24	3	+ 1.258	..
938	2594	5	Puppis o	7 41 26.29	40.08	3	+ 2.494	- 0.004
939	2595	6	Puppis	7 41 45.32	40.08	3	+ 2.124	..
940	2597	6	Puppis S	7 42 5.27	40.13	3	+ 1.744	..
941	2598	6	Carinæ	7 42 14.74	38.94	5	+ 1.261	..
942	2600	6.7	Puppis	7 42 28.09	39.99	1	+ 2.341	..
943	2602	3.4	Navis	7 42 34.07	39.98	1	+ 2.523	+ 0.001
944	2603	5.6	Puppis	7 42 41.46	40.04	1	+ 1.814	..
945	2608	6	Puppis	7 43 17.30	40.04	1	+ 2.234	..

931. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous. The proper motion is small.

928, 929. Close Double: = Herschel 3353.

Mean N.P.D. 1840, Jan. 1	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
0 1 "											
127 53 40'70	40'15	1	+ 8'01	..	2913	1697	911
127 12 46'50	40'18	2	+ 8'02	..	2914	1698	912
..	2993	1708	913
65 13 30'26	34'94	2	+ 8'06	+ 0'05	914
..	2920	1702	915
61 35 37'17	35'36	21	+ 8'12	+ 0'06	..	1704	916
128 9 46'40	40'13	2	+ 8'13	..	2924	1709	917
128 9 17'30	40'08	1	+ 8'13	918
..	1734	919
118 2 2'80	40'10	2	+ 8'25	..	2932	1715	920
125 40 22'40	40'15	1	+ 8'26	..	2939	1718	921
118 34 34'39	40'19	1	+ 8'27	+ 0'05	2938	1717	..	180	922
134 46 12'60	40'14	2	+ 8'32	..	2950	1722	923
127 49 20'20	40'16	1	+ 8'32	..	2943	1721	924
130 32 44'97	40'18	1	+ 8'34	+ 0'17	2945	1723	925
125 41 5'60	40'15	1	+ 8'34	..	2944	926
145 56 16'30	40'16	1	+ 8'35	..	2963	1724	927
..	3010	1731	928
..	929
127 33 38'70	40'16	1	+ 8'39	..	2954	1726	930
148 15 6'60	40'14	2	+ 8'42	..	2979	1732	931
148 17 24'10	40'14	2	+ 8'43	..	2982	1737	932
127 35 1'59	38'86	10	+ 8'44	+ 0'02	2958	1735	151	181	933
..	2957	1736	934
147 50 59'50	40'17	1	+ 8'47	..	2986	1742	935
..	2973	1739	936
..	1752	937
115 32 40'80	40'16	1	+ 8'59	0'00	2981	1750	938
128 7 6'60	39'98	2	+ 8'62	..	2991	1755	939
137 43 14'50	40'16	1	+ 8'64	..	2999	1759	940
..	3011	1762	941
121 13 19'70	40'07	2	+ 8'67	..	2995	942
114 27 45'17	37'91	12	+ 8'68	- 0'02	2994	1763	..	182	943
..	3003	1765	944
..	3002	1769	945

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
946	..	7	Volantis	7 43 22.49	37.14	3	+ 0.262	..
947	2611	5.6	Puppis Q	7 43 34
948	2617	5	83 Geminorum..... ϕ	7 43 41.79	35.31	6	+ 3.689	- 0.004
949	2610	6	Volantis	7 43 41.81	37.21	3	+ 0.410	..
950	2620	4.5	Puppis..... P	7 44 22
951	2621	6	Puppis.....	7 44 23
952	2618	6	Volantis	7 44 39.91	37.10	3	- 0.126	..
953	2623	6	Carinæ.....	7 44 54.23	40.12	2	+ 1.288	..
954	2626	5.6	Carinæ.....	7 45 40.26	37.59	3	+ 1.296	..
955	2629	5	Puppis.....	7 46 17.23	40.09	3	+ 2.256	- 0.019
956	2630	6	Carinæ.....	7 46 34.03	36.34	2	+ 1.011	..
957	2634	5	Puppis..... a	7 46 43.17	40.11	1	+ 2.063	..
958	2635	5	Puppis..... b	7 46 58.90	39.55	3	+ 2.123	..
959	2637	6	Puppis.....	7 47 10.65	40.04	1	+ 2.206	..
960	2633	6	Chamaeleontis.....	7 47 30.33	37.13	3	- 2.540	..
961	2640	6	Puppis.....	7 48 15.29	40.08	2	+ 2.223	..
962	2641	6	Volantis	7 48 35.97	36.40	2	+ 0.426	..
963	2646	6	Puppis.....	7 48 39.20	40.03	1	+ 2.256	..
964	2645	6	Carinæ.....	7 48 40.53	37.08	3	+ 1.437	..
965	2652	5.6	II Puppis.....	7 49 58.89	36.21	4	+ 2.581	- 0.004
966	2651	6	Puppis.....	7 50 0.17	39.98	1	+ 2.391	..
967	2655	6	Puppis.....	7 51 17.39	38.32	1	+ 2.391	+ 0.006
968	2656	6	Carinæ.....	7 51 34.04	36.82	5	+ 1.260	..
969	2661	6	Puppis..... N	7 52 7.47	40.13	4	+ 1.944	..
970	2665	4	Argûs..... χ	7 52 42.50	36.20	1	+ 1.533	+ 0.001
971	2667	6	Puppis..... O	7 52 52
972	2670	5	Velorum.....	7 53 38.36	40.11	2	+ 1.728	..
973	2672	5.6	6 Cancri.....	7 53 40.85	36.95	5	+ 3.703	- 0.005
974	2671	6	Puppis.....	7 53 49.63	40.09	3	+ 2.124	..
975	..	6.7	Velorum.....	7 54 41.30	37.06	4	+ 1.696	..
976	..	6.7	Velorum.....	7 54 42.55	37.06	4	+ 1.696	..
977	2678	6	Carinæ.....	7 54 50
978	..	7	Brisbane 1874.....	7 55 40.31	36.17	4	- 5.448	..
979	2700	6	9 Cancri..... μ^1	7 56 49.10	34.14	2	+ 3.569	- 0.005
980	2696	5.6	Carinæ.....	7 56 53.76	36.80	5	+ 1.482	..

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
o	3037	1774	946
136 40 35'50	40'17	2	+ 8'76	..	3017	1772	947
62 49 34'72	36'65	2	+ 8'77	+ 0'05	948
..	1777	949
135 58 22'70	37'31	3	+ 8'82	0'00	3022	1778	152	184	..	950
136 27 27'30	40'16	1	+ 8'82	..	3024	1780	951
159 25 45'60	40'11	1	+ 8'85	..	3057	1785	952
146 4 16'10	40'08	1	+ 8'86	..	3036	1784	953
..	3046	1788	954
124 18 25'96	40'18	1	+ 8'97	- 0'32	3035	1797	955
149 53 9'70	40'16	1	+ 8'99	..	3060	1800	956
130 9 58'90	40'14	2	+ 9'01	..	3044	1799	..	185	..	957
128 27 7'23	38'32	8	+ 9'03	..	3049	1801	..	186	..	958
125 57 6'80	40'17	2	+ 9'04	..	3052	1802	959
..	3107	1810	960
..	3059	1805	961
..	3083	1815	962
..	3063	1811	963
..	3074	1814	964
112 27 26'40	36'19	1	+ 9'26	965
..	3072	1819	966
119 54 29'61	38'53	10	+ 9'36	- 0'02	3081	1825	967
146 52 52'50	40'15	2	+ 9'38	..	3097	1829	968
133 40 57'10	40'17	1	+ 9'43	..	3089	1831	969
142 33 19'24	38'19	2	+ 9'47	+ 0'02	3102	1835	156	188	47	970
135 8 55'20	40'15	1	+ 9'48	..	3099	1836	971
138 48 47'40	40'32	1	+ 9'54	..	3105	1839	972
61 45 44'91	37'37	4	+ 9'55	+ 0'07	973
128 51 39'10	39'98	2	+ 9'56	..	3103	1841	974
..	3112	1848	975
..	976
149 52 31'90	40'14	3	+ 9'64	..	3122	1852	977
..	1874	978
..	979
143 42 36'70	40'16	1	+ 9'79	..	3135	1870	980

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
981	2709	6	Carinæ	7 57 49
982	2710	2·3	Argûs..... Z	7 57 58
983	2712	6	Puppis.....	7 58 2
984	2713	6	Carinæ..... D ¹	7 58 18·03	36·35	4	+ 0·777	..
985	..	7	Brisbane 1899.....	8 0 2·70	36·11	4	- 4·386	..
986	2721	6	Velorum	8 0 14
987	2728	3·4	15 Argûs	8 0 43·88	37·08	97	+ 2·561	- 0·007
988	2733	6	Puppis	8 1 32·26	36·80	5	+ 1·926	..
989	2738	6	Carinæ..... D ²	8 2 25
990	2747	6	15 Cancrî.....	8 3 13
991	..	7	Lalande 16053.....	8 4 12·35	39·37	8	+ 3·573	..
992	2753	6	Puppis..... K	8 4 22·25	40·16	3	+ 2·034	..
993	..	7	Brisbane 1919.....	8 4 27·98	37·05	4	+ 0·820	..
994	2754	5	Velorum.....	8 4 34
995	2755	2	Argûs..... γ	8 4 36·03	40·18	2	+ 1·850	+ 0·002
996	2756	6	Velorum	8 4 52
997	2760	6	Velorum.....	8 5 37·74	36·94	4	+ 1·769	..
998	2762	5·6	Puppis..... M ¹	8 5 39
999	2764	5·6	Carinæ.....	8 5 49·74	36·83	5	+ 1·405	..
1000	2767	5·6	Puppis.....	8 6 2
1001	2768	6	Carinæ..... D ³	8 6 17
1002	2773	5·6	Volantis..... ε	8 7 22·92	40·13	3	+ 0·239	- 0·015
1003	..	9	Volantis.....	8 7 23
1004	2774	5	Puppis..... r	8 7 27·19	37·48	5	+ 2·264	- 0·004
1005	2775	6	Puppis.....	8 7 51·51	40·08	3	+ 2·372	..
1006	2777	6	Puppis.....	8 7 57·86	36·93	4	+ 2·252	..
1007	..	7	Puppis.....	8 7 58·61	36·34	1	+ 2·252	..
1008	2780	6	Puppis..... M ²	8 8 22·02	40·18	2	+ 2·126	..
1009	..	7	Brisbane 1946.....	8 8 40·08	37·11	3	+ 1·142	..
1010	2783	6	Velorum	8 9 15·57	40·12	2	+ 1·928	..
1011	2789	6	19 Cancrî..... λ	8 11 0·69	37·53	5	+ 3·585	- 0·004
1012	2795	5	Puppis..... q	8 12 34·09	37·83	11	+ 2·253	- 0·017
1013	2796	5·6	Carinæ..... C	8 12 51
1014	..	7	Velorum.....	8 13 37·89	36·11	4	+ 1·973	..
1015	2797	6	Velorum.....	8 14 10·44	40·15	5	+ 1·847	..

986. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

1001. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 0 35'70	40'13	1	+ 9'86	..	3144	1877	981
129 33 19'50	37'24	22	+ 9'87	- 0'03	3136	1876	157	189	70	982
122 13 32'30	40'16	2	+ 9'88	..	3131	1878	983
153 7 28'70	40'32	1	+ 9'90	..	3154	1883	984
..	1899	985
140 8 10'50	40'14	2	+ 10'05	..	3156	1888	986
113 50 49'39	35'30	41	+ 10'08	- 0'06	3153	1892	..	190	90	987
134 48 24'40	40'15	1	+ 10'15	..	3163	1898	988
152 22 44'10	40'32	1	+ 10'21	..	3178	1906	989
59 52 14'00	38'01	1	+ 10'27	990
66 23 10'50	40'09	4	+ 10'35	991
132 10 17'80	40'17	1	+ 10'36	..	3179	1914	992
..	1919	993
136 52 34'63	36'60	6	+ 10'37	1916	..	191	..	994
136 52 3'29	36'92	53	+ 10'38	+ 0'04	3185	1917	158	192	55	995
137 28 1'10	40'13	1	+ 10'40	..	3187	1920	996
..	3195	1926	997
129 8 38'50	40'15	1	+ 10'45	..	3191	1925	998
145 36 54'70	40'32	1	+ 10'47	..	3208	1928	999
132 30 45'20	40'18	1	+ 10'48	..	3197	1929	1000
153 19 50'40	40'11	1	+ 10'50	..	3224	1935	1001
158 8 47'90	40'32	1	+ 10'58	0'00	3242	1940	..	194	..	1002
158 8 43'70	40'32	1	+ 10'58	1003
125 25 9'46	38'09	9	+ 10'59	+ 0'02	3212	1938	1004
121 39 30'40	40'07	2	+ 10'62	..	3217	1939	1005
..	3219	1941	1006
..	1942	1007
129 51 44'20	39'98	2	+ 10'66	..	3223	1943	1008
..	1946	1009
135 21 0'20	40'16	3	+ 10'72	..	3237	1948	1010
65 28 45'21	37'54	4	+ 10'85	1011
126 10 0'70	37'95	15	+ 10'97	- 0'11	3259	1968	159	195	..	1012
152 25 20'80	40'15	2	+ 10'99	..	3275	1971	1013
..	3273	1973	1014
137 41 50'00	40'22	2	+ 11'08	..	3276	1977	1015

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1016	..	8	Velorum	8 14 20
1017	2800	6	Carinæ	8 14 38.97	37.67	5	+ 1.244	..
1018	2802	5	Puppis..... <i>α</i>	8 15 4.96	40.05	2	+ 2.362	+ 0.004
1019	2805	6	Puppis.....	8 15 18.60	36.72	6	+ 2.265	..
1020	2811	6	Puppis.....	8 16 4.36	37.33	7	+ 2.535	..
1021	2812	6	Volantis	8 16 31
1022	8 16 43.17	40.12	1	+ 2.035	..
1023	2817	6	23 Cancri..... <i>φ</i> ²	8 17 6
1024	..	6.7	Cancri
1025	2823	5	Velorum	8 17 36.34	38.84	7	+ 1.847	- 0.007
1026	2821	6	Carinæ	8 17 38.42	38.57	5	+ 1.342	..
1027	2825	5.6	Hydræ.....	8 17 39.95	34.28	1	+ 3.006	..
1028	2827	6	Puppis	8 18 10
1029	2831	6	2 Hydræ.....	8 18 27.57	34.26	4	+ 3.005	..
1030	..	7	Chamæleontis	8 19 7.37	36.35	3	- 3.958	..
1031	2832	2	Argûs..... <i>ε</i>	8 19 13.39	38.47	6	+ 1.245	- 0.005
1032	2835	6	Volantis	8 20 14.22	37.14	3	- 0.109	..
1033	2838	6	Velorum	8 20 16.20	40.16	4	+ 2.099	..
1034	Velorum.....
1035	2837	6	Volantis	8 20 25.27	37.14	3	- 0.105	..
1036	..	7.8	Volantis	8 20 27
1037	2853	5.6	31 Cancri..... <i>θ</i>	8 22 28.05	40.17	3	+ 3.438	- 0.006
1038	2849	4.5	Chamæleontis..... <i>α</i>	8 22 33.26	36.21	4	- 1.424	+ 0.024
1039	2857	6	Velorum	8 23 13.33	40.10	4	+ 1.655	..
1040	2862	6	33 Cancri..... <i>η</i>	8 23 26.74	37.25	5	+ 3.487	- 0.005
1041	2856	5	Volantis..... <i>η</i>	8 23 27
1042	2863	5	Volantis..... <i>β</i>	8 23 59
1043	2865	6	Velorum..... <i>A</i>	8 24 1.64	36.36	3	+ 1.895	..
1044	2868	6	Monocrotis.....	8 24 20
1045	2869	6	Velorum.....	8 24 32.20	40.07	3	+ 1.961	..
1046	2873	6	Velorum..... <i>G</i>	8 25 13.59	40.16	2	+ 1.606	..
1047	2870	5	Chamæleontis..... <i>θ</i>	8 25 19
1048	2875	6	Carinæ.....	8 25 28.54	37.05	4	+ 1.553	..
1049	2879	6	Velorum.....	8 26 5.87	40.16	1	+ 1.906	..
1050	2885	6	Mali.....	8 26 43.23	37.11	3	+ 2.346	..

1021. From a comparison with Cape Observations, 1874, Brisbane's N.P.D. is about 10" too large. The proper motion assigned to this Star in the B.A.C. appears to be erroneous.

1039. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 2										
137 40 29'00	40'22	2	+ 11'08	1016
148 39 56'80	40'29	2	+ 11'12	..	3289	1978	1017
122 32 58'31	40'14	3	+ 11'15	- 0'08	3277	1979	1018
..	3281	1983	1019
115 50 21'34	39'29	5	+ 11'22	..	3283	1988	1020
155 6 40'40	40'23	2	+ 11'25	..	3313	1998	1021
133 9	1022
62 32 50'80	38'01	1	+ 11'30	1023
62 32 56'50	38'01	1	+ 11'30	1024
137 58 45'10	40'19	2	+ 11'33	- 0'01	3308	2003	1025
147 27 51'30	40'32	1	+ 11'33	..	3315	2005	1026
93 23 21'94	34'26	7	+ 11'33	1027
113 31 52'50	40'13	3	+ 11'37	..	3304	1028
..	1029
..	3404	2032	1030
148 59 45'46	36'58	14	+ 11'45	- 0'03	3327	2012	160	196	32	1031
161 0 18'70	40'26	2	+ 11'52	..	3355	2018	1032
131 37 57'20	40'14	3	+ 11'52	..	3323	2017	1033
131 36 55'90	40'14	3	+ 11'52	1034
160 59 41'60	40'26	2	+ 11'53	..	3357	2022	1035
160 59 10'30	40'17	1	+ 11'53	1036
71 22 11'99	37'58	2	+ 11'68	+ 0'06	1037
166 24 42'58	38'15	2	+ 11'69	- 0'12	3400	2048	..	197	..	1038
142 33 39'20	40'20	3	+ 11'73	..	3359	2047	1039
69 1 13'30	36'74	3	+ 11'75	+ 0'06	1040
162 52 50'91	40'32	1	+ 11'75	- 0'02	3396	2055	..	198	..	1041
155 36 11'41	37'41	3	+ 11'79	+ 0'12	3384	2057	162	199	..	1042
137 23 50'00	40'16	3	+ 11'79	..	3367	2056	1043
109 2 25'90	36'22	2	+ 11'81	1044
135 47 54'10	40'23	2	+ 11'83	..	3368	2058	1045
143 40 40'50	40'29	1	+ 11'88	..	3380	2065	1046
166 57 53'78	37'59	3	+ 11'88	- 0'01	3435	2073	..	200	..	1047
..	3387	2067	1048
..	3391	2072	1049
..	3389	2077	1050

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1051	2881	6	Volantis	8 26 53
1052	2895	7	Volantis	8 28 10.43	36.17	4	+ 0.605	..
1053	2903	6	Velorum	8 29 44.19	40.10	1	+ 1.782	..
1054	2904	5.6	Velorum C	8 29 50.50	40.07	3	+ 1.833	..
1055	2916	6	Mali	8 31 2.26	40.07	3	+ 2.563	..
1056	2915	5.6	Velorum E	8 31 5.52	40.09	1	+ 1.793	..
1057	2920	6	Carinæ..... e ¹	8 31 32
1058	2921	6	Carinæ..... e ²	8 31 32.57	40.20	2	+ 1.418	..
1059	2926	5	Velorum..... e	8 32 1
1060	..	7	Brisbane 2115.....	8 32 11.29	36.11	4	+ 1.866	..
1061	2878	7	Octantis A	8 32 16.14	37.38	53	- 34.386	- 0.014
1062	2929	5.6	6 Hydræ	8 32 26.75	34.16	1	+ 2.850	- 0.002
1063	2932	5.6	Mali f	8 33 4.19	40.08	1	+ 2.490	..
1064	2935	5	Mali b	8 33 50.45	38.75	4	+ 2.345	- 0.002
1065	2937	4.5	43 Cancrī..... γ	8 34 1.03	36.84	16	+ 3.495	- 0.011
1066	2936	6.7	Velorum	8 34 12
1067	2941	6	Velorum	8 34 26.92	40.22	1	+ 2.204	..
1068	2939	6	Carinæ	8 34 28
1069	2947	5	Velorum b	8 35 19
1070	2948	6	Velorum	8 35 24
1071	2949	6.	Carinæ.....	8 35 35
1072	2953	4.5	47 Cancrī..... δ	8 35 35.11	37.13	13	+ 3.425	..
1073	2950	4	Argūs..... o	8 35 42.66	36.23	3	+ 1.723	+ 0.001
1074	2955	6	Velorum	8 35 59
1075	2956	6	Velorum	8 36 1
1076	..	9	Carinæ.....	8 36 48.8
1077	2960	6	Carinæ.....	8 36 49.0
1078	2962	5	Carinæ..... d	8 37 5
1079	2963	6	Velorum	8 37 6
1080	2964	4.5	Mali a	8 37 9.74	38.32	2	+ 2.410	..
1081	2971	4	11 Hydræ..... ε	8 38 17.94	38.34	59	+ 3.198	- 0.013
1082	2969	5.6	Volantis..... θ	8 38 28
1083	2972	6	Velorum D	8 38 40
1084	2973	6	Velorum d	8 38 41
1085	2974	6	Mali.....	8 38 42.51	36.15	4	+ 2.308	..

1076, 1077. Double : = Herschel 3856.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
o i "			"	"							
159 33 42'30	40'17	2	+ 11'99	..	3424	2078	1051	
.. 	3432	2088	1052	
140 32 36'40	40'16	1	+ 12'19	..	3427	2097	1053	
139 23 44'00	40'24	3	+ 12'20	..	3428	2099	1054	
115 41 54'32	36'73	10	+ 12'28	..	3431	2105	1055	
140 24 58'10	40'17	2	+ 12'29	..	3443	2106	1056	
147 40 20'80	40'34	2	+ 12'32	..	3452	2113	1057	
147 27 25'00	40'32	1	+ 12'32	..	3451	2112	1058	
132 25 55'50	40'16	3	+ 12'35	+ 0'02	3446	2114	1059	
.. 	2115	1060	
178 23 24'63	36'44	96	+ 12'37	- 0'02	..	2298	5	1061	
.. 	1062	
118 59 42'57	40'06	3	+ 12'42	..	3450	2122	1063	
124 44 37'78	38'64	11	+ 12'47	+ 0'02	3462	2127	163	201	..	1064	
67 57 38'41	36'99	26	+ 12'49	- 0'01	1065	
142 31 44'40	40'16	1	+ 12'50	..	3467	2130	1066	
129 41 55'80	40'08	3	+ 12'52	..	3463	2132	1067	
152 17 30'00	40'17	1	+ 12'52	..	3475	2135	1068	
136 4 55'25	37'46	3	+ 12'58	+ 0'02	3470	2141	..	202	..	1069	
142 29 21'30	40'16	1	+ 12'58	..	3476	2143	1070	
152 16 44'30	40'17	1	+ 12'59	..	3491	2150	1071	
71 15 43'76	36'91	9	+ 12'59	+ 0'24	1072	
142 21 21'72	36'20	1	+ 12'60	- 0'02	3482	2148	..	203	..	1073	
136 44 55'20	40'34	1	+ 12'52	..	3478	2154	1074	
138 21 15'40	40'29	1	+ 12'62	..	3483	2155	1075	
146 58 39'40	40'32	1	+ 12'68	1076	
146 58 37'10	40'32	1	+ 12'68	..	3497	2159	1077	
149 11 28'80	40'16	1	+ 12'70	+ 0'02	3504	2163	..	205	..	1078	
137 31 38'80	39'98	2	+ 12'70	..	3492	2161	1079	
122 36 46'94	37'36	15	+ 12'70	..	3487	2160	165	204	..	1080	
.. 	135	1081	
159 48 56'10	40'34	1	+ 12'79	..	3536	2184	1082	
139 14 48'60	40'29	1	+ 12'80	..	3514	2180	1083	
132 4 21'20	40'34	1	+ 12'80	..	3508	2179	1084	
.. 	3506	2178	1085	

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1086	2979	3	Argûs <i>δ</i>	^{b m s} 8 40 17	^s ..	^s ..
1087	2981	5	Velorum <i>a</i>	8 40 37
1088	..	7	Velorum	8 40 48
1089	2986	6	Carinæ	8 41 18
1090	2993	6	Volantis	8 42 15.68	37.07	3	+ 0.868	..
1091	2998	5	Carinæ <i>f</i>	8 42 34
1092	3005	6	Mali	8 43 19.96	39.11	7	+ 2.514	..
1093	3006	6	Mali	8 43 21.56	40.11	4	+ 2.435	..
1094	3009	6	Velorum <i>h</i>	8 43 41.91	40.16	3	+ 2.232	..
1095	3010	6	Mali	8 43 44
1096	3012	6.7	Velorum	8 43 50.46	36.33	3	+ 2.267	..
1097	3014	5.6	Velorum <i>g</i>	8 44 15.88	40.20	2	+ 2.073	..
1098	3020	6	Velorum <i>f</i>	8 45 8.02	40.29	1	+ 2.034	..
1099	3023	5	Chamæleontis <i>η</i>	8 46 35.27	36.21	2	- 1.788	- 0.013
1100	3034	6	Velorum	8 47 23
1101	3036	6	Carinæ	8 47 31.45	40.20	2	+ 1.537	..
1102	..	8.9	8 48 13.07	37.19	1	+ 3.468	..
1103	3048	3.4	9 Ursæ Majoris..... <i>ε</i>	8 48 13.15	36.53	10	+ 4.200	..
1104	3045	6	Velorum	8 48 28.68	37.49	6	+ 2.011	..
1105	3040	5.6	Chamæleontis	8 48 30
1106	3051	6	Mali..... <i>d</i>	8 48 39.94	40.08	3	+ 2.565	..
1107	..	6.7	Chamæleontis	8 48 45.30	36.11	4	- 1.049	..
1108	3055	4	65 Cancrî..... <i>a</i>	8 49 43.79	40.20	1	+ 3.290	0.000
1109	..	7.8	8 49 44.12	37.21	3	+ 3.462	..
1110	3057	6	Carinæ.....	8 50 8.71	40.13	3	+ 1.383	..
1111	8 50 9.79	40.22	1	+ 1.615	..
1112	3061	6	Carinæ.....	8 50 51.59	40.11	3	+ 1.522	..
1113	3064	5.6	Carinæ <i>c</i>	8 51 25
1114	3066	6	Velorum. <i>H</i>	8 51 29.51	40.09	3	+ 1.812	..
1115	3063	6	Chamæleontis	8 51 37
1116	3073	4	Carinæ..... <i>b</i> ¹	8 53 3.29	35.72	11	+ 1.475	- 0.002
1117	..	9	8 53 5.66	37.21	1	+ 3.454	..
1118	..	7	Brisbane 2294.....	8 53 8.32	37.58	3	+ 1.476	..
1119	3077	6	Velorum	8 53 26.60	40.16	1	+ 2.043	..
1120	3081	6	Velorum	8 54 7.31	37.89	7	+ 2.240	..

1102, 1109. The magnitudes have been supplied from Argelander on the supposition that the Stars observed are Argelander, Zone 21° No. 1946 and 1952 respectively. The N.P.D. do not however agree very closely.

Mean N.P.D. 1840, Jan. -1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
144 7 28'25	38'25	2	+ 12'92	+ 0'09	3532	2194	167	206	44	1086
135 27 31'90	40'17	1	+ 12'93	- 0'04	3526	2198	..	207	..	1087
132 3 59'70	40'34	1	+ 12'95	1088
148 8 29'10	40'15	1	+ 12'98	..	3545	2206	1089
..	3562	2216	1090
146 11 0'30	40'09	1	+ 13'06	..	3554	2217	1091
118 52 15'82	38'42	6	+ 13'12	..	3548	2222	1092
122 11 9'80	40'36	1	+ 13'12	..	3549	2223	1093
..	3556	2228	1094
117 7 12'50	40'20	3	+ 13'14	..	3553	2227	1095
..	3557	2230	1096
134 42 54'80	40'37	1	+ 13'18	..	3565	2234	1097
135 55 59'70	40'15	1	+ 13'23	..	3572	2241	1098
168 22 47'25	37'25	4	+ 13'33	- 0'02	3623	2254	..	208	..	1099
137 45 24'70	40'36	1	+ 13'38	..	3584	2252	1100
147 2 1'10	40'34	1	+ 13'39	..	3594	2256	1101
68 2 17'70	37'18	9	+ 13'44	1102
41 20 4'60	37'36	7	+ 13'44	170	1103
136 54 50'80	40'17	3	+ 13'45	..	3596	2262	1104
168 28 51'97	37'58	3	+ 13'45	..	3644	2270	..	209	..	1105
117 4 10'17	38'76	3	+ 13'46	..	3589	2263	1106
..	3616	2269	1107
..	2268	168	1108
68 13 1'30	37'16	5	+ 13'53	1109
149 44 46'90	40'36	1	+ 13'56	..	3613	2274	1110
145 56	1111
147 37 48'00	40'37	1	+ 13'61	..	3618	2279	1112
150 2 6.80	40'37	2	+ 13'64	..	3626	2281	1113
142 6 37'67	40'08	3	+ 13'65	..	3620	2280	1114
168 54 33'80	40'36	1	+ 13'66	..	3669	2290	1115
148 36 48'19	34'69	8	+ 13'75	- 0'04	3639	2293	169	210	..	1116
68 23 3'20	37'21	1	+ 13'75	1117
..	2294	1118
136 37 3'80	40'35	3	+ 13'77	..	3635	2296	1119
130 38 0'40	40'21	4	+ 13'81	..	3638	2300	1120

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1121	3089	4	Carinæ <i>b</i> ²	h m s 8 55 28	s ..	s ..
1122	3098	6	Velorum	8 56 46.42	37.92	5	+1.864	..
1123	3101	6	Carinæ	8 57 5
1124	..	7	Carinæ	8 57 55.72	36.90	4	+0.772	..
1125	3110	5	Velorum <i>c</i>	8 58 38.42	40.23	4	+2.070	-0.018
1126	3114	4.5	Volantis..... <i>a</i>	8 59 54.27	36.22	5	+0.971	-0.000
1127	3117	5.6	77 Cancri <i>ξ</i>	9 0 8.93	36.59	10	+3.467	-0.002
1128	..	6.7	Carinæ	9 0 31.98	36.16	4	+1.607	..
1129	3119	6	Carinæ	9 0 45.18	36.12	4	-0.166	..
1130	3121	5.6	Mali	9 1 1.59	38.89	4	+2.628	..
1131	3126	3	Argûs..... <i>λ</i>	9 2 6.85	40.18	2	+2.204	-0.006
1132	3130	5.6	Mali	9 3 9.62	39.45	8	+2.539	..
1133	9 4 17.25	37.14	1	+3.434	..
1134	3134	5.6	Carinæ <i>E</i>	9 4 17.96	40.37	1	+0.537	..
1135	3136	5	Carinæ <i>G</i>	9 4 41
1136	3142	5.6	Velorum	9 5 16.28	40.20	3	+2.173	..
1137	3145	6	Velorum	9 5 53.91	36.22	4	+2.120	..
1138	3149	5	Carinæ <i>a</i>	9 6 45.19	40.27	2	+1.586	..
1139	..	7	Velorum	9 7 7.99	38.31	3	+2.358	..
1140	3152	5	Carinæ..... <i>i</i>	9 7 39
1141	3156	6	Velorum..... <i>z</i>	9 8 26.53	40.14	3	+2.236	..
1142	3158	6	Velorum <i>k</i> ¹	9 8 34.49	40.10	3	+2.388	..
1143	3159	6	Carinæ	9 8 44
1144	3163	5	Velorum <i>l</i>	9 9 18.58	35.94	13	+2.366	-0.015
1145	3165	5.6	Velorum <i>k</i> ²	9 9 21.12	40.29	3	+2.395	..
1146	9 9 29.98	37.14	1	+3.424	..
1147	3167	6	Velorum	9 9 33.17	36.16	4	+1.783	..
1148	3171	6	83 Cancri.....	9 10 2.51	39.10	5	+3.372	-0.012
1149	..	7.8	9 10 34.19	37.13	1	+3.417	..
1150	3175	6	Carinæ.....	9 10 55
1151	3177	1	Argûs..... <i>β</i>	9 11 24.96	35.64	12	+0.727	-0.032
1152	3179	5.6	Carinæ <i>g</i>	9 11 40.97	36.28	3	+1.698	..
1153	3187	5	Velorum <i>K</i>	9 12 46.67	37.85	7	+1.995	-0.006
1154	3186	2	Argûs <i>t</i>	9 12 48.40	34.55	24	+1.611	-0.003
1155	3192	6	Mali.....	9 13 58.07	40.20	5	+2.537	..

1149. The magnitude has been taken Argelander zone + 20°. No. 2014.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
148 28 22.13	38.66	5	+13.90	- 0.24	3661	2311	170	211	..	1121
141 33 40.30	40.23	4	+13.98	..	3667	2320	1122
150 20 11.50	40.34	3	+14.00	..	3673	2322	1123
..	3683	2325	1124
136 27 47.55	37.69	7	+14.10	- 0.07	3677	2326	..	212	..	1125
155 45 29.27	38.28	6	+14.18	+ 0.10	3696	2334	..	213	..	1126
67 18 42.45	36.09	10	+14.19	- 0.01	1127
..	3693	2337	1128
..	3709	2341	1129
115 12 58.10	40.27	4	+14.25	..	3685	2338	1130
132 47 21.24	36.98	52	+14.31	0.00	3699	2346	172	214	63	1131
119 42 56.04	38.31	15	+14.38	..	3702	2352	1132
68 26 14.70	37.14	1	+14.45	1133
159 53 41.10	40.37	2	+14.45	..	3730	2369	1134
161 57 31.21	40.34	2	+14.47	- 0.02	3736	2374	..	215	..	1135
134 12 57.70	40.24	3	+14.51	..	3723	2376	1136
..	3727	2380	1137
148 18 46.70	40.35	4	+14.59	..	3738	2388	..	216	..	1138
..	3731	1139
151 39 42.10	40.35	3	+14.65	0.00	3753	2394	..	217	..	1140
132 34 1.80	40.37	2	+14.70	..	3749	2400	1141
126 56 25.70	40.36	1	+14.70	..	3748	2401	1142
148 45 17.60	40.34	1	+14.71	..	3760	2404	1143
127 54 22.23	36.06	14	+14.75	+ 0.08	3756	2407	1144
126 44 57.60	40.38	2	+14.75	..	3755	2408	1145
68 30 58.70	37.14	1	+14.76	1146
144 54 28.70	40.38	1	+14.76	..	3762	2410	1147
71 37 13.61	38.67	5	+14.79	+ 0.16	1148
68 46 57.80	37.13	2	+14.82	1149
147 43 23.30	40.15	3	+14.84	..	3776	2418	1150
159 3 31.40	37.11	7	+14.87	- 0.09	3791	2425	174	218	16	1151
146 52 24.10	40.36	3	+14.89	..	3782	2424	1152
140 22 48.31	40.37	2	+14.95	- 0.02	3786	2428	1153
148 36 20.37	35.31	12	+14.95	+ 0.02	3792	2429	175	219	35	1154
121 5 3.40	40.38	2	+15.02	..	3790	2433	1155

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s				s
1156	3195	5	Mali	9 14 24.77	40.17	4	+2.654	-0.002
1157	..	7.8	9 14 45.06	37.12	1	+3.407	..
1158	3206	7	Leonis ...	9 15 45
1159	3207	5.6	Mali.....	9 16 16.93	40.31	3	+2.603	..
1160	3212	5.6	Carinæ	9 17 6
1161	3213	3	Argûs	9 17 10
1162	..	6.7	Argûs	9 17 19.27	36.30	4	+2.413	..
1163	3214	6	Carinæ.....	9 17 36
1164	3215	5.6	Carinæ.....	9 17 38.12	37.12	3	-0.007	..
1165	3211	5.6	Octantis.....	9 18 37.65	36.30	3	-6.846	-0.069
1166	3223	2	30 Hydræ	9 19 43.49	35.99	148	+2.951	-0.004
1167	3230	6	Velorum	9 20 10.82	40.29	1	+2.356	..
1168	..	8.7	Arg. Zone +20°, 2325	9 20 29.74	37.12	1	+3.394	..
1169	..	9.0	Arg. Zone +20°, 2326	9 21 0.47	37.12	1	+3.382	..
1170	3239	6	Carinæ.....	9 21 28
1171	3242	3	25 Ursæ Majoris	9 22 6
1172	3246	4.5	4 Leonis.....	9 22 34.86	37.22	12	+3.443	-0.004
1173	3244	5.6	Antliæ	9 22 39
1174	9 22 42.23	37.72	1	-0.788	..
1175	..	7	Mali.....	9 22 34
1176	..	7.5	Arg. Zone +26°, 2332	9 22 43.81	37.11	2	+3.388	..
1177	3248	6	Mali.....	9 22 49
1178	3249	5	Carinæ	9 23 16
1179	3254	6.7	Antliæ	9 23 55.31	40.09	3	+2.562	..
1180	..	7	Antliæ.....	9 23 55
1181	3257	4	Argûs	9 24 24.33	40.20	4	+2.373	-0.027
1182	3259	6	Velorum	9 24 38
1183	3262	6	Antliæ	9 24 41.78	40.11	3	+2.565	..
1184	3264	6	Carinæ.....	9 25 30
1185	3267	6	Velorum	9 25 58.53	40.29	2	+2.375	..
1186	3269	5	Velorum	9 26 21.71	40.38	2	+1.824	-0.015
1187	9 28 0.04	37.10	1	+3.373	..
1188	3276	5.6	Velorum ..	9 28 0.50	40.30	2	+2.148	..
1189	3280	5.6	Velorum	9 28 37
1190	..	8	Brisbane 2571	9 29 11.47	36.13	4	-4.629	..

1156. The adopted proper motion in N.P.D. differs from that of the Greenwich 1860 Catalogue, which was adopted in the Cape Catalogue, 1860.

1157. The magnitude has been taken from Argelauder, Zone 20°, No. 2314.

1163, 1164. The large proper motions in N.P.D. assigned to these Stars in the B.A.C. are erroneous.

1173. Brisbane's N.P.D. appears to be about 10" too large.

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 1										
115 17 15.86	36.75	7	+15.05	+ 0.08	3793	2436	176	220	..	1156
68 57 23.00	37.12	1	+15.07	1157
69 31 28.90	37.11	1	+15.12	1158
118 9 10.10	40.36	3	+15.15	..	3804	2451	1159
151 43 25.60	40.38	2	+15.20	..	3823	2461	1160
144 19 45.00	40.17	2	+15.20	- 0.01	3816	2459	177	221	43	1161
..	2460	1162
164 3 36 20	40.34	1	+15.23	..	3845	2469	1163
164 13 6.90	40.30	1	+15.23	..	3846	2470	1164
175 0 44.10	40.38	2	+15.29	- 0.01	3953	2491	1165
97 58 7.58	35.11	54	+15.35	- 0.03	..	2478	178	222	116	1166
129 48 39.60	40.20	4	+15.38	..	3836	2482	1167
69 10 3.30	37.12	1	+15.39	1168
69 50 27.80	37.10	2	+15.42	1169
151 15 41.30	40.27	3	+15.45	..	3866	2498	1170
37 35 43.90	37.30	21	+15.48	174	1171
66 19 47.96	35.62	8	+15.51	+ 0.04	1172
125 15 14.70	40.29	3	+15.51	..	3861	2504	1173
167 37	1174
115 53 42.90	40.38	1	+15.52	1175
69 17 20.50	37.11	1	+15.52	1176
115 53 28.70	40.38	1	+15.52	..	3860	2506	1177
154 14 11.05	38.30	2	+15.55	..	3890	2513	..	223	..	1178
121 11 22.60	40.37	1	+15.58	..	3880	2515	1179
121 11 16.10	40.37	1	+15.58	1180
129 46 7.21	35.76	8	+15.61	- 0.07	3885	2519	..	224	..	1181
140 49 0.10	40.38	1	+15.62	..	3894	2523	1182
121 10 5.10	40.38	1	+15.63	..	3884	2521	1183
160 54 25.70	40.39	1	+15.67	..	3914	2531	1184
129 56 38.30	40.31	3	+15.70	..	3900	2532	1185
146 19 49.56	37.95	7	+15.72	+ 0.01	3910	2535	..	225	..	1186
69 41 3.00	37.10	1	+15.81	1187
138 17 47.30	40.22	2	+15.81	..	3917	2546	1188
140 32 40.50	40.38	2	+15.84	..	3925	2555	1189
..	2571	1190

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1191	3279	6	Chamæleontis..... <i>t</i>	h m s 9 29 14.94	36.38	3	^s -1.609	^s -0.075
1192	3289	5	Carinæ..... <i>h</i>	9 29 48.28	34.27	8	+1.741	..
1193	3296	6	Antliæ.....	9 30 16.86	39.20	6	+2.574	..
1194	..	9	Brisbane 2580.....	9 30 21.82	36.13	4	-4.601	..
1195	3291	5.6	Carinæ..... <i>H</i>	9 30 21.98	36.24	4	+0.515	..
1196	3298	6	Velorum.....	9 30 38
1197	3300	4	Velorum..... <i>M</i>	9 31 6.22	40.24	3	+2.153	..
1198	..	8	Brisbane 2589.....	9 31 11.01	36.13	4	-4.578	..
1199	3302	5.6	Velorum..... <i>y</i>	9 31 46.94	40.31	2	+2.334	..
1200	3304	6	Velorum.....	9 31 52
1201	3312	4	14 Leonis..... <i>o</i>	9 32 36.42	38.90	3	+3.222	-0.013
1202	..	7	Brisbane 2599.....	9 34 13.76	36.32	3	+1.822	..
1203	3320	5	Carinæ..... <i>m</i>	9 34 55
1204	3321	6	16 Leonis..... <i>ψ</i>	9 35 0.73	37.81	2	+3.280	-0.002
1205	9 35 35.56	37.09	1	+3.333	..
1206	3326	6	Carinæ.....	9 35 47.16	40.31	3	+1.848	..
1207	3331	3	17 Leonis..... <i>ε</i>	9 36 45
1208	3332	5.6	Antliæ..... <i>θ</i>	9 37 4.43	37.37	7	+2.673	..
1209	3335	6	Velorum.....	9 37 46.47	40.24	4	+2.128	..
1210	3338	6	Velorum..... <i>O</i>	9 38 16.88	40.33	3	+2.037	..
1211	3334	5.6	Chamæleontis..... <i>ζ</i>	9 38 21.01	36.13	4	-1.424	+0.001
1212	Carinæ.....	9 38 43.78	36.24	4	+1.320	..
1213	9 40 14.83	37.07	1	+3.318	..
1214	3348	6	Velorum.....	9 40 16.69	40.39	1	+2.332	..
1215	3351	6	Velorum.....	9 40 35
1216	3353	..	Carinæ..... <i>l</i>	9 40 51.16	34.27	6	+1.651	-0.011
1217	3354	.6	Carinæ.....	9 41 2
1218	..	9	Brisbane 2685.....	9 42 31.52	36.28	4	-1.704	..
1219	3365	3	Argûs..... <i>v</i>	9 43 5.80	36.21	3	+1.507	0.000
1220	Argûs.....	9 43 6.91	36.21	3	+1.507	..
1221	3369	6	Velorum.....	9 43 24.71	37.06	3	+1.973	..
1222	..	7	Brisbane 2693.....	9 43 34.81	36.28	4	-1.650	..
1223	3370	6	Velorum..... <i>u</i>	9 43 44.83	40.24	3	+2.323	..
1224	3382	6	Velorum.....	9 45 30.19	37.15	3	+2.310	..
1225	3384	5.6	Chamæleontis..... <i>ν</i>	9 46 14

1195. The large proper motion in N.P.D. assigned to this Star in the B.A.C. appears erroneous.
 1215. The large proper motion in N.P.D. assigned to this Star in the B.A.C. appears erroneous.

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion, in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
170 5 35.84	40.35	2	+15.87	- 0.10	3981	2568	1191
148 31 6.00	34.26	6	+15.90	..	3949	2565	..	226	..	1192
121 27 43.76	39.04	7	+15.93	..	3939	2566	1193
..	2580	1194
162 22 16.60	40.38	2	+15.93	..	3968	2573	1195
138 2 5.60	40.27	2	+15.95	..	3950	2570	1196
..	3952	2577	1197
..	2589	1198
..	3956	2579	1199
142 57 0.90	40.37	3	+16.01	..	3961	2581	1200
79 23 1.41	37.28	1	+16.05	+ 0.04	..	2586	180	1201
..	2599	1202
150 36 19.00	40.26	3	+16.17	0.00	3987	2607	1203
75 14 57.57	36.31	2	+16.18	+ 0.02	1204
71 22 34.73	37.07	1	+16.21	1205
147 15 27.30	40.26	3	+16.22	..	3990	2615	1206
65 29 31.16	35.49	3	+16.27	+ 0.02	..	2620	156	1207
117 2 23.64	36.43	13	+16.28	..	3991	2628	1208
140 29 48.20	40.38	3	+16.32	..	3998	2633	1209
143 9 36.20	40.39	2	+16.34	..	4003	2637	1210
170 13 13.79	40.37	2	+16.35	+ 0.03	4048	2648	1211
..	4018	2644	1212
71 12 7.40	37.07	1	+16.44	1213
134 1 3.60	40.38	3	+16.44	..	4022	2659	1214
146.26 59.10	40.35	2	+16.46	..	4028	2660	1215
151 46 18.11	34.82	9	+16.47	- 0.03	4033	2664	..	229	..	1216
148 3 32.50	40.37	3	+16.48	..	4032	2665	1217
..	2685	1218
154 19 51.57	37.66	12	+16.58	+ 0.01	4051	2682	181	230	21	1219
154 19 54	1220
..	4049	2686	1221
..	2693	1222
134 59 16.50	40.20	3	+16.62	..	4047	2688	1223
..	4057	2704	1224
166 1 47.10	40.35	2	+16.74	..	4081	2711	1225

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s				s
1226	3389	6	Carinæ.....	9 46 25.78	40.34	2	+1.688	..
1227	3391	6	Hydræ.....	9 46 57.84	36.77	3	+2.727	..
1228	3395	6	Velorum.....	9 47 58.59	36.23	4	+2.191	..
1229	3396	6	Velorum.....	9 47 59.93	40.11	3	+2.355	..
1230	3400	6	Velorum.....	9 48 54.94	40.29	3	+2.225	..
1231	3406	5.6	27 Leonis..... ν	9 49 36.67	39.15	5	+3.241	-0.004
1232	3408	6	Velorum.....	9 50 28.85	40.34	4	+2.201	..
1233	3410	4	Argûs..... ϕ	9 51 15.15	35.31	3	+2.098	-0.007
1234	3411	6	Velorum.....	9 51 24
1235	3415	4.5	29 Leonis..... π	9 51 45.39	38.23	3	+3.182	-0.003
1236	3417	6	Antliæ..... η	9 52 0.82	40.15	3	+2.573	..
1237	3419	6	Chamæleontis.....	9 53 11.90	36.13	4	-0.649	..
1238	..	7	Brisbane 2791.....	9 54 48.13	36.24	4	+1.894	..
1239	3429	6	Velorum.....	9 54 56.81	40.29	1	+2.253	..
1240	3441	6	Carinæ.....	9 56 55.07	40.32	1	+1.903	..
1241	3448	6	Antliæ.....	9 58 27
1242	..	7	Velorum.....	9 58 29.19	36.94	4	+2.236	..
1243	3453	3.4	30 Leonis..... η	9 58 35.97	37.45	8	+3.285	-0.004
1244	3452	6.7	Antliæ.....	9 58 36.03	38.30	4	+2.680	..
1245	3455	6	Velorum.....	9 59 1
1246	3459	1	32 Leonis..... α	9 59 50.71	35.81	132	+3.223	-0.019
1247	..	Neb.	10 0 17.55	35.22	4	+2.516	..
1248	..	7	Antliæ.....	10 2 38.63	37.18	3	+2.612	..
1249	3472	5.6	Velorum..... Q	10 2 52.80	36.20	4	+2.263	..
1250	3479	7	Carinæ.....	10 4 10
1251	3480	5.6	Chamæleontis..... μ^1	10 4 43
1252	..	7	Brisbane 2874.....	10 4 52.14	36.94	4	+2.629	..
1253	3491	6	Carinæ.....	10 6 12.47	40.30	3	+2.080	..
1254	3494	6	Antliæ.....	10 6 21.09	40.14	3	+2.670	..
1255	3499	5.6	Velorum..... R	10 7 12.85	40.30	4	+2.307	..
1256	3505	3.4	33 Ursæ Majoris..... λ	10 7 25
1257	3502	7	Carinæ.....	10 8 2
1258	3509	4	Velorum..... q	10 8 17.75	36.14	6	+2.519	-0.017
1259	3512	6	Velorum.....	10 8 49
1260	3513	5.6	Carinæ..... M	10 9 1

1237. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous. The proper motions are very small.

1250. The N.P.D. of this Star given in the B.A.C. is about 20' too small.

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 " "			"	"						
151 59 47'20	40'39	2	+16'75	..	4066	2710	1226
..	4059	2715	1227
..	4070	2724	1228
134 31 47'30	40'28	2	+16'82	..	4068	2723	1229
139 29 19'00	40'39	2	+16'87	..	4075	2732	1230
76 47 41'62	38'03	1	+16'90	+ 0'01	1231
140 34 36'70	40'34	2	+16'94	..	4085	2745	1232
143 48 28'45	35'22	10	+16'97	+ 0'01	4093	2752	..	232	..	1233
141 52 41'60	40'39	2	+16'98	..	4094	2754	1234
81 11 27'48	37'23	3	+17'00	+ 0'03	..	2757	182	1235
125 7 37'70	40'16	1	+17'01	..	4095	2759	1236
169 18 20'00	40'32	3	+17'07	..	4139	2772	1237
..	2791	1238
..	4114	2783	1239
149 39 0'23	40'36	3	+17'23	..	4138	2806	1240
124 6 25'70	40'31	3	+17'30	..	4141	2821	1241
..	4147	2824	1242
72 27 34'85	36'52	12	+17'31	0'00	1243
120 6 54'23	38'43	6	+17'31	..	4143	2823	1244
140 32 17'50	40'37	2	+17'33	..	4152	2834	1245
77 15 12'36	35'60	71	+17'36	- 0'01	..	2838	184	..	142	1246
129 38	1247
..	4167	2857	1248
141 1 41'00	40'36	3	+17'50	..	4172	2860	1249
154 43 36'70	40'38	1	+17'55	..	4191	1250
171 26 18'30	40'33	3	+17'57	0'00	4232	2880	1251
..	2874	1252
147 16 21'50	40'36	1	+17'64	..	4201	2887	1253
122 14 39'10	40'11	2	+17'64	..	4196	2888	1254
140 26 26'50	40'38	2	+17'68	..	4206	2895	1255
46 17 22'77	37'23	17	+17'69	+ 0'06	1256
149 7 37'00	40'38	1	+17'69	..	4217	2899	1257
131 19 51'33	37'35	14	+17'71	- 0'05	4212	2904	..	234	..	1258
132 18 55'20	40'36	1	+17'74	..	4222	2914	1259
155 34 48'30	40'36	3	+17'75	..	4233	2918	1260

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1261	3516	4	Argûs..... ω	10 9 55.60	34.27	7	+1.441	-0.026
1262	3521	6	Antliæ.....	10 10 47.99	37.68	8	+2.743	..
1263	3523	2	41 Leonis..... γ	10 11 8.61	36.35	10	+3.302	+0.019
1264	..	8	W.B. 197.....	10 11 14.03	37.42	2	+2.980	..
1265	..	8	10 11 20.33	37.39	1	+2.973	..
1266	10 11 27
1267	3527	6.7	Velorum.....	10 11 39.98	36.15	4	+2.545	..
1268	3526	5	Carinæ..... q	10 11 44.88	40.32	4	+1.995	-0.014
1269	..	6.7	Antliæ.....	10 12 3.77	36.28	4	+2.665	..
1270	3524	6	Octantis.....	10 12 18
1271	..	9	10 12 33.08	37.41	1	+2.973	..
1272	3533	3	34 Ursæ Majoris..... μ	10 12 46
1273	3536	5	Velorum..... V	10 13 36.74	38.73	9	+2.241	-0.013
1274	..	7.8	W.B. 242.....	10 13 47.19	36.40	2	+2.977	..
1275	..	7.8	W.B. 258.....	10 14 44.74	37.39	4	+2.982	..
1276	3546	5	Velorum..... T	10 14 58
1277	..	7	Octantis.....	10 14 59.28	37.84	1	-5.665	..
1278	3552	5	Velorum..... r	10 15 28
1279	3557	6	Antliæ.....	10 16 30
1280	3558	5.6	Antliæ..... γ	10 16 34.71	40.22	2	+2.751	..
1281	..	Neb.	10 17 3.98	35.23	3	+2.881	..
1282	3564	5.6	Carinæ..... L	10 18 15
1283	3568	4	42 Hydræ..... μ	10 18 21
1284	3578	4.5	Antliæ..... α	10 19 50.25	36.85	14	+2.741	-0.005
1285	..	7.8	Brisbane 3019.....	10 20 58
1286	3585	4.5	Carinæ..... I	10 21 12.23	34.27	8	+1.219	-0.008
1287	3589	5	Velorum..... P	10 21 28
1288	3594	5	Carinæ..... s	10 22 1.00	40.29	2	+2.187	+0.003
1289	3596	5.6	Antliæ.....	10 22 5.96	40.20	3	+2.766	..
1290	3598	5.6	Antliæ..... δ	10 22 13.91	36.21	5	+2.755	..
1291	3599	6	Carinæ..... w	10 22 23.13	38.35	6	+1.893	..
1292	3606	6	46 Leonis..... i	10 23 39
1293	3605	6	Carinæ.....	10 23 50.99	40.38	1	+1.937	..
1294	3609	4	47 Leonis..... p	10 24 22.89	37.01	14	+3.168	0.000
1295	3613	6	Velorum..... s	10 25 7.31	40.34	2	+2.548	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
159 14 39'22	34'59	6	+17'79	+ 0'01	4243	2924	..	235	..	1261
118 11 39'22	38'59	5	+17'82	..	4234	2927	1262
69 21 6'78	35'99	11	+17'84	+ 0'15	..	2929	1263
98 32	1264
99 9 3'30	37'40	2	+17'84	1265
99 23 38'00	36'38	1	+17'85	1266
..	4244	2933	1267
150 32 3'41	40'37	3	+17'86	- 0'02	4249	2935	..	236	..	1268
..	4245	2936	1269
173 17 57'80	40'37	1	+17'88	..	4297	2950	1270
99 17 56'70	37'39	1	+17'89	1271
47 41 53'81	37'23	17	+17'90	1272
144 13 36'79	40'37	2	+17'94	+ 0'04	4263	2952	1273
98 58 6'80	36'37	1	+17'94	1274
98 35 24'50	37'40	3	+17'98	1275
145 14 20'59	38'30	4	+17'89	+ 0'05	4272	2972	..	237	..	1276
176 7 38'40	37'85	1	+17'98	..	4342	1277
130 50 48'57	35'70	12	+18'01	- 0'03	4271	2974	..	238	..	1278
127 11 59'30	40'37	1	+18'05	..	4278	2980	1279
118 50 31'30	40'34	1	+18'05	..	4277	2981	1280
107 49	1281
156 5 34'40	40'37	3	+18'11	..	4296	2999	1282
106 1 16'91	36'28	8	+18'12	+ 0'11	239	..	1283
120 15 18'11	36'84	17	+18'17	+ 0'05	4298	3011	..	240	..	1284
146 47 34'20	40'36	1	+18'23	3019	1285
163 13 5'28	35'79	4	+18'22	0'00	4319	3025	..	241	..	1286
146 49 26'51	40'38	3	+18'23	- 0'03	4310	3023	1287
147 55 26'19	40'38	1	+18'25	+ 0'03	4314	3031	1288
118 50 50'77	38'34	3	+18'26	..	4306	3030	1289
119 47 24'67	37'24	7	+18'26	..	4309	3032	1290
154 53 22'10	40'38	1	+18'27	..	4321	3034	1291
75 2 38'60	36'97	1	+18'31	1292
154 21 35'00	40'36	3	+18'32	..	4331	3044	1293
79 52 20'31	35'76	5	+18'34	+ 0'03	..	3046	1294
134 14 54'80	40'35	3	+18'36	..	4334	3058	1295

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1296	Velorum	10 25 8
1297	3614	6	VelorumY	10 25 9
1298	..	9	Velorum	10 25
1299	3615	6	Velorum	10 25 8 ¹ 6	40 ¹ 34	2	+2 ¹ 548	..
1300	..	7	10 25 20 ³ 2	36 ¹ 40	4	+2 ¹ 952	..
1301	3618	6	Veloruml	10 26 12
1302	3617	5 ⁶	CarinaeK	10 26 17 ⁸ 6	36 ¹ 22	4	+1 ¹ 513	..
1303	3619	..	Carinaep	10 26 21
1304	3620	6	44 Hydræ.....	10 26 24 ⁴ 8	35 ¹ 32	6	+2 ¹ 847	..
1305	3624	6	Carinae.....	10 27 17 ⁵ 6	37 ¹ 09	3	+1 ¹ 413	..
1306	..	8	10 27 45 ¹ 11	37 ¹ 39	4	+2 ¹ 959	..
1307	3630	..	Antliae	10 28 7 ¹ 18	36 ¹ 99	2	+2 ¹ 653	..
1308	..	7	Velorum	10 29 11 ¹ 38	36 ¹ 87	5	+2 ¹ 490	..
1309	3635	5 ⁶	Carinaer	10 29 27 ² 8	37 ¹ 21	3	+2 ¹ 286	..
1310	3638	6	Hydræ.....	10 29 43 ⁵ 6	40 ¹ 23	5	+2 ¹ 815	..
1311	3642	5 ⁶	Carinae ¹	10 30 22
1312	10 30 34
1313	3644	5	Velorum.....p	10 30 35 ² 0	35 ¹ 33	1	+2 ¹ 519	-0 ⁰ 17
1314	3646	5	Hydræ ³	10 30 47
1315	3648	6	Carinae.....	10 31 22
1316	10 ¹ 31 23 ⁸ 2	37 ¹ 39	4	+2 ¹ 949	..
1317	10 31 42 ⁸ 2	36 ¹ 30	1	+2 ¹ 965	..
1318	..	6 ⁷	Velorum	10 31 49 ⁴ 1	36 ¹ 64	4	+2 ¹ 621	..
1319	3654	5 ⁶	Chamaeleontis	10 32 26 ³ 9	37 ¹ 23	2	+1 ¹ 147	..
1320	3655	5	Carinae ²	10 32 40 ⁵ 3	40 ¹ 38	2	+2 ¹ 265	0 ⁰ 00
1321	..	7 ⁸	10 32 (41)
1322	..	7	Brisbane 3144.....	10 32 52 ⁵ 3	36 ¹ 11	3	+0 ⁰ 013	..
1323	3657	6	Carinae.....	10 32 54
1324	..	9	Carinae.....	10 32 54
1325	3658	5 ⁶	VelorumX	10 32 57 ¹ 5	38 ¹ 22	6	+2 ¹ 370	..
1326	..	7	Velorum	10 33 3 ⁰ 2	38 ¹ 48	7	+2 ¹ 370	..
1327	..	7	Cape Obs. 1871 (111)...	10 33 8 ² 7	37 ¹ 85	3	-3 ¹ 568	..
1328	3660	5	Chamaeleontisy	10 33 31
1329	..	8	10 33 53 ⁸ 8	36 ¹ 41	4	+2 ¹ 950	..
1330	..	8	10 34 13 ⁸ 8	36 ¹ 44	2	+2 ¹ 945	..

1305. A comparison between these Observations and others made at the Observatory in 1874 shows that the proper motions of this Star are very small, and that the values given in the B.A.C. are erroneous.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1331	3667	6	34 Sextantis.....	^{h m s} 10 34 21 ⁷ / ₄	40 ² / ₂₀	1	+3 ¹ / ₁₀₉	-0 ⁰ / ₀₀₈
1332	3673	6	Carinæ.....	10 35 11 ⁶ / ₈	40 ³ / ₃₈	3	+2 ² / ₂₇₂	..
1333	3677	6	Antliæ.....	10 35 18
1334	3675	6	Chamæleontis.....	10 35 28 ⁴ / ₂	37 ¹ / ₁₄	3	+1 ¹ / ₃₅₄	..
1335	3676	6	Chamæleontis.....	10 35 31
1336	3680	6	Carinæ.....	10 36 31
1337	3681	5 ⁶ / ₆	Carinæ.....	10 36 35
1338	3686	3	Argûs..... ^θ	10 37 15 ⁶ / ₇	35 ⁸ / ₂	9	+2 ² / ₁₂₂	-0 ⁰ / ₀₁₁
1339	10 37 16
1340	3688	5 ⁶ / ₆	Carinæ.....	10 37 28
1341	3693	6	52 Leonis..... ^k	10 37 56 ⁴ / ₅	36 ⁸ / ₄	3	+3 ¹ / ₁₉₈	-0 ⁰ / ₀₁₁
1342	3694	6	Carinæ.....	10 38 20 ⁵ / ₃	37 ³ / ₃₉	5	+2 ¹ / ₁₅₁	..
1343	3695	2	Argûs..... ^η	10 38 52 ⁰ / ₉	36 ⁰ / ₈	30	+2 ³ / ₃₀₅	-0 ⁰ / ₀₀₃
1344	3700	6	Velorum.....	10 39 31
1345	..	6 ⁷ / ₇	Octantis.....	10 39 40 ³ / ₀	37 ⁸ / ₄	3	-2 ⁴ / ₄₆₄	..
1346	10 39 49 ⁴ / ₅	36 ² / ₂₉	1	+2 ² / ₉₅₅	..
1347	3701	6	Chamæleontis.....	10 40 8
1348	3705	5 ⁶ / ₆	Velorum..... ^Z	10 40 31
1349	3708	6	53 Leonis..... ^l	10 40 50 ⁵ / ₈	37 ⁹ / ₂	7	+3 ¹ / ₁₆₃	-0 ⁰ / ₀₀₃
1350	3715	4	Hydræ..... ^ν	10 41 44
1351	..	Neb.	10 42 26 ⁰ / ₉	34 ³ / ₀	9
1352	3719	6	Antliæ.....	10 42 31 ⁰ / ₈	40 ³ / ₃₈	1	+2 ⁷ / ₇₈₁	..
1353	10 43 22 ² / ₆	37 ⁸ / ₅	1	-2 ⁵ / ₅₄₆	..
1354	3723	5 ⁶ / ₆	Chamæleontis..... ^δ ¹	10 43 41
1355	3724	5	Chamæleontis..... ^δ ²	10 44 13
1356	3733	5 ⁶ / ₆	Hydræ..... ^β ³	10 45 40
1357	3734	6	Carinæ.....	10 45 58 ⁷ / ₃	40 ³ / ₃₈	3	+2 ⁴ / ₄₃₃	..
1358	10 46 22 ¹ / ₃	36 ³ / ₀	1	+2 ⁹ / ₇₅	..
1359	3739	6	Carinæ.....	10 46 54 ⁵ / ₀	40 ³ / ₃₄	2	+2 ⁴ / ₄₀₀	..
1360	3740	5	Carinæ..... ^u	10 47 0 ⁷ / ₉	37 ⁸ / ₁	8	+2 ⁴ / ₄₀₁	0 ⁰ / ₀₀₀
1361	3746	6	Chamæleontis.....	10 47 27
1362	..	7	Centauri.....	10 48 14 ¹ / ₀	36 ² / ₂₁	4	+2 ⁶ / ₆₉₉	..
1363	3753	6	Carinæ.....	10 48 28 ² / ₇	36 ³ / ₀	4	+1 ¹ / ₉₅₁	..
1364	3755	5 ⁶ / ₆	Antliæ.....	10 49 16 ² / ₇	36 ⁶ / ₇	9	+2 ⁷ / ₇₇₃	-0 ⁰ / ₀₀₅
1365	3756	5 ⁶ / ₆	Chamæleontis.....	10 49 48

1332. The two observations of this Star consist of a direct and reflexion observation made on February 11th, 1840. An arbitrary alteration has been made in the reflexion observation by the observer apparently to make the two observations agree, but it appears doubtful whether the alteration made is correct. The N.P.D. is larger than Brisbane's determination by about 7" and is also larger than the results of recent observations by about the same quantity.

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion, in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
..	1331
148 50 (37'60)	40'11	2	+18'70	..	4422	3162	1332
121 52 47'60	40'38	2	+18'70	..	4415	3161	1333
164 19 24'10	40'38	1	+18'71	..	4441	3166	1334
163 39 34'70	40'45	1	+18'71	..	4439	3170	1335
148 22 43'20	40'34	3	+18'74	..	4435	3175	1336
153 37 50'04	35'31	2	+18'74	+ 0'05	..	3176	..	246	..	1337
153 33 26'80	36'23	12	+18'76	+ 0'02	4447	3184	192	247	22	1338
153 33 36'70	35'31	1	+18'76	1339
149 43 42'00	40'38	3	+18'77	..	4446	3185	1340
74 57 42'10	36'73	2	+18'79	1341
153 7 21'00	40'39	1	+18'80	..	4455	3195	1342
148 50 40'55	35'62	51	+18'81	+ 0'01	4457	3198	194	248	33	1343
132 20 55'70	40'38	3	+18'83	..	4459	3201	1344
175 15 30'40	37'86	2	+18'84	..	4510	1345
104 16 4'40	36'29	1	+18'84	1346
168 56 40'50	40'38	1	+18'85	..	4489	3212	1347
145 54 52'60	40'37	2	+18'86	..	4468	3211	1348
78 36 36'54	38'03	1	+18'87	+ 0'02	1349
105 21 28'50	38'22	3	+18'90	250	..	1350
123 45	1351
123 12 48'20	40'41	3	+18'92	..	4483	3237	1352
175 32 1'20	37'86	2	+18'95	1353
169 37 30'07	40'37	3	+18'96	+0'08	4509	3243	1354
169 41 47'70	40'38	2	+18'97	+0'01	4513	3247	..	251	..	1355
109 16 42'00	36'98	2	+19'01	1356
146 23 29'40	40'35	3	+19'02	..	4507	3263	1357
102 53	1358
..	3272	1359
148 0 15'30	36'55	8	+19'05	+ 0'02	4515	3274	..	252	..	1360
165 1 59'90	40'39	1	+19'06	..	4528	3280	1361
..	4520	3284	1362
159 52 7'40	40'38	3	+19'09	..	4531	3288	1363
126 16 44'38	37'34	13	+19'11	+ 0'20	4527	3293	1364
168 42 29'80	40'40	3	+19'12	..	4544	3298	1365

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1366	..	7	10 51 23.41	36.38	4	+2.953	..
1367	3763	6	Antliæ.....	10 51 41
1368	3766	4	7 Crateris..... <i>a</i>	10 51 59.03	36.34	4	+2.949	-0.033
1369	3769	5.6	59 Leonis..... <i>c</i>	10 52 27.09	37.10	4	+3.119	-0.005
1370	..	6.7	Chamæleonis.....	10 52 42.97	36.20	3	+1.700	..
1371	3772	6	Centauri.....	10 52 49.60	37.10	4	+2.731	..
1372	3774	6	Hydræ.....	10 53 6
1373	10 53 55.14	39.28	7	+3.133	..
1374	..	8	Brisbane 3339.....	10 54 23.30	37.22	3	+2.138	..
1375	3778	6	Hydræ.....	10 54 40.19	40.24	3	+2.889	..
1376	..	7	Hydræ.....	10 55 34.41	36.35	4	+2.885	..
1377	3783	6	Hydræ.....	10 55 39.15	38.31	3	+2.848	..
1378	3788	4.5	63 Leonis..... <i>χ</i>	10 56 45.69	38.13	18	+3.124	-0.024
1379	3789	6	Velorum.....	10 57 6
1380	3792	6	Antliæ.....	10 57 21.47	36.39	3	+2.819	..
1381	3793	5	Hydræ..... <i>χ</i> ¹	10 57 37.83	40.06	1	+2.893	-0.009
1382	3794	5	Hydræ..... <i>χ</i> ²	10 58 12.81	40.29	1	+2.895	+0.005
1383	..	7	Brisbane 3394.....	10 59 27.50	37.19	3	+2.618	..
1384	3804	6	Centauri.....	10 59 53
1385	3805	6	Carinæ..... <i>ξ</i> ¹	11 0 2
1386	3806	6	Carinæ.....	11 0 3.30	37.14	4	+2.363	..
1387	3803	6	Octantis..... <i>η</i>	11 0 12
1388	3815	5	Hydræ.....	11 0 59.79	40.34	2	+2.897	..
1389	..	7	11 1 2.81	36.35	4	+2.957	..
1390	3814	6	Carinæ.....	11 1 4.87	37.28	2	+2.137	..
1391	3818	5.6	Carinæ..... <i>ξ</i>	11 1 47
1392	3819	6	Carinæ.....	11 1 48.07	37.33	3	+2.570	..
1393	3820	6	Carinæ..... <i>ξ</i> ²	11 1 55
1394	11 3 19.85	39.24	1	3.121	..
1395	3826	4	11 Crateris..... <i>β</i>	11 3 47.92	36.26	4	+2.941	+0.002
1396	..	6.7	Hydræ.....	11 4 29
1397	3830	6	Centauri.....	11 5 17.00	36.39	3	+2.718	..
1398	3834	2.3	68 Leonis..... <i>δ</i>	11 5 35.39	35.51	53	+3.194	+0.011
1399	3837	6.7	Leonis.....	11 5 42.91	39.23	1	+3.119	..
1400	3835	6	Carinæ..... <i>γ</i>	11 5 45

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 "			"	"						
106 46 0'20	36'35	3	+19'17	1366
122 52 45'80	40'38	3	+19'17	..	4540	3312	1367
107 26 53'45	36'24	16	+19'18	3315	196	253	..	1368
83 2 23'92	36'44	3	+19'19	+ 0'06	197	1369
..	4564	3327	1370
131 22 9'10	40'40	3	+19'20	..	4550	3323	1371
120 59 11'00	40'40	3	+19'21	..	4552	3328	1372
80 16	1373
..	3339	1374
115 58 1'40	40'33	3	+19'25	..	4565	3340	1375
..	3348	1376
121 5 58'30	38'08	4	+19'27	..	4571	3350	1377
81 48 0'50	36'22	8	+19'30	+ 0'08	199	1378
143 20 9'70	40'33	3	+19'31	..	4581	3368	1379
..	4580	3372	1380
116 25 52'09	40'40	3	+19'32	+ 0'03	4583	3376	..	254	..	1381
116 25 27'89	40'42	2	+19'33	+ 0'03	4587	3382	1382
..	3394	1383
131 46 34'10	40'33	2	+19'37	..	4603	3400	1384
151 33 37'80	40'47	3	+19'38	..	4611	3402	1385
..	4613	3404	1386
173 43 57'17	40'38	1	+19'38	+ 0'08	4643	3409	1387
117 12 52'20	40'35	3	+19'40	..	4615	255	..	1388
108 33 3'40	36'35	2	+19'40	1389
160 0 46'30	40'47	2	+19'40	..	4625	3413	1390
148 6 33'50	40'46	2	+19'41	..	4627	3416	1391
..	4626	3417	1392
151 4 53'10	40'41	3	+19'42	..	4629	3419	1393
80 49	1394
111 57 11'83	36'69	12	+19'46	3436	201	256	..	1395
121 33 56'60	40'38	1	+19'47	..	4642	3443	1396
138 14 0'50	40'39	3	+19'49	..	4649	3452	1397
68 36 2'48	34'45	1	+19'50	+ 0'14	151	1398
..	1399
149 26 53'40	40'27	4	+19'50	..	4652	3462	1400

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1401	3839	6	Carinæ.....	11 6 8
1402	11 6 33.79	40.29	1	+2.881	..
1403	3841	6	Carinæ.....	11 6 36.64	40.29	1	+2.563	..
1404	11 7 22.51	36.26	1	+2.968	..
1405	3843	5.6	73 Leonis	11 7 29.36	36.69	2	+3.148	-0.001
1406	..	7	Octantis	11 8 1.17	37.85	1	-0.285	..
1407	3859	3.4	12 Crateris.....δ	11 11 20.78	36.70	82	+3.002	-0.009
1408	11 12 13.55	36.26	1	+2.977	..
1409	3860	6	Carinæ.....	11 12 36.70	37.00	4	+2.515	..
1410	3862	4	77 Leonis	11 12 53.03	38.20	13	+3.105	-0.009
1411	3866	4	Centauri	11 13 43.77	35.01	4	+2.708	-0.005
1412	3865	6	Chamæleontis	11 13 52
1413	3867	6	Chamæleontis	11 13 52.78	37.30	2	+2.123	..
1414	3874	6	13 Crateris.....λ	11 15 26.45	35.33	2	+2.988	..
1415	3875	5.6	Hydræ.....	11 15 28.59	40.28	1	+2.889	..
1416	3877	4	78 Leonis	11 15 34.88	38.05	22	+3.124	+0.007
1417	3876	Neb.	11 15 35
1418	3878	6	Centauri	11 15 53.64	40.40	2	+2.694	..
1419	11 15 54.13	36.24	1	+2.976	..
1420	3880	6	Carinæ.....	11 16 28
1421	..	7	Chamæleontis	11 16 35.31	37.33	3	+2.004	..
1422	..	7	Centauri	11 16 43.80	40.45	1	+2.847	..
1423	3883	4	15 Crateris.....γ	11 16 53.82	35.25	1	+2.996	-0.009
1424	3890	6	Hydræ.....	11 17 44.86	40.27	3	+2.899	..
1425	3891	6	Centauri	11 17 49.14	37.21	3	+2.888	..
1426	3889	6	Chamæleontis	11 17 50.65	37.31	3	+2.346	..
1427	..	8	11 18 17.06	36.36	4	+2.975	..
1428	11 18 36.28	36.24	1	+2.982	..
1429	3895	6	Centauri	11 18 49.43	39.08	7	+2.601	..
1430	3896	6	Chamæleontis	11 18 59.56	38.23	5	+2.305	..
1431	11 19 5.53	39.21	1	+3.101	..
1432	3898	6	Centauri	11 19 21.40	37.41	3	+2.767	..
1433	3900	4	84 Leonis	11 19 42.48	38.32	5	+3.087	-0.001
1434	3907	6	Centauri	11 20 53.76	40.42	3	+2.869	..
1435	..	8	Centauri	11 20 55

1426. The large proper motions of this Star given in the B.A.C. are erroneous.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1436	11 21 24.03	39.22	2	+3.101	..
1437	..	7	Chamæleontis	11 21 42.63	37.76	4	+2.057	..
1438	3912	6	Chamæleontis	11 21 48.09	37.28	3	+2.405	..
1439	..	8	Brisbane 3609.....	11 22 28.08	37.19	3	+2.767	..
1440	3921	6.7	Hydræ	11 24 20.91	37.94	7	+2.959	-0.005
1441	3922	5	Hydræ	11 24 21.34	37.57	6	+2.959	-0.005
1442	3924	6	Centauri.....	11 24 24.03	38.40	4	+2.734	..
1443	3923	6	Centauri	11 24 26.94	38.88	4	+2.732	..
1444	3926	5.6	Hydræ	11 25 0.16	40.47	1	+2.953	..
1445	3928	4	Hydræ	11 25 8.60	38.29	9	+2.950	-0.016
1446	..	8.9	11 25 32.70	36.35	3	+2.990	..
1447	3929	6	Centauri.....	11 25 50.51	40.47	1	+2.907	..
1448	11 26 52.82	36.23	1	+2.997	..
1449	3935	6	Centauri	11 27 12.04	38.02	4	+2.815	..
1450	3936	6	Centauri	11 27 31.57	40.40	3	+2.873	..
1451	11 27 41.88	39.20	1	+3.093	..
1452	3938	6	Centauri.....	11 28 11.55	40.43	1	+2.875	..
1453	3941	4	Centauri λ	11 28 25.98	40.38	4	+2.725	-0.010
1454	3945	6	Hydræ	11 28 39.61	40.27	3	+2.955	..
1455	3944	7	Centauri	11 28 41
1456	3946	4.5	91 Leonis..... υ	11 28 45.47	39.43	11	+3.072	-0.003
1457	..	7	Centauri.....	11 29 3.19	40.48	1	+2.754	..
1458	11 29 3.39	39.19	2	+3.091	..
1459	11 29 25.14	36.23	1	+2.999	..
1460	11 29 39.71	36.23	1	+2.997	..
1461	3951	6	Centauri	11 29 49.99	37.36	4	+2.884	..
1462	3957	6	Chamæleontis π ¹	11 30 42.93	37.28	3	+2.435	..
1463	..	7	Centauri	11 31 35.20	37.31	3	+2.818	..
1464	3960	6	Centauri	11 32 7.00	38.02	4	+2.731	..
1465	3963	5.6	Hydræ	11 32 16.74	40.17	3	+2.963	..
1466	11 32 29.47	36.24	1	+3.009	..
1467	..	6.7	Centauri.....	11 33 6.26	40.29	1	+2.782	..
1468	3967	6	Centauri	11 33 21.76	40.48	2	+2.790	..
1469	3969	6	Hydræ.....	11 33 45.32	40.35	3	+2.978	..
1470	..	10	Hydræ	11 33 48.87	40.40	1	+2.978	..

1438. The large proper motion of this Star in R.A. given in the B.A.C. is erroneous. The proper motion is about -0.010 .

1442, 1443. The very large proper motions assigned to these Stars in the B.A.C. are erroneous.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1471	11 33 55.49	37.39	4	+3.006	..
1472	3972	5.6	Chamæleontis π^2	11 35 14.48	36.98	5	+2.557	..
1473	3974	6	Centauri	11 35 30.05	36.35	2	+2.967	..
1474	11 35 33.54	36.34	4	+3.010	..
1475	3976	6	Centauri	11 35 55.42	40.29	4	+2.812	..
1476	3977	6	Chamæleontis	11 36 14
1477	11 36 33.60	36.23	1	+3.013	..
1478	3978	4	27 Crateris..... ζ	11 36 39.61	35.35	4	+3.029	0.000
1479	3979	5	2 Virginis ξ	11 37 1.93	35.28	2	+3.093	+0.002
1480	11 37 21.79	36.24	1	+3.020	..
1481	11 37 24.45	36.24	1	+3.020	..
1482	3981	4	63 Ursæ Majoris χ	11 37 34
1483	3982	4.5	3 Virginis ν	11 37 38.08	37.14	15	+3.089	+0.001
1484	3983	6	Centauri	11 37 50.20	40.42	2	+2.943	..
1485	3984	4.5	Musæ	11 38 5.94	37.19	3	+2.787	..
1486	11 38 18.48	36.32	3	+3.016	..
1487	3986	5.6	Centauri	11 38 48.52	37.25	3	+2.855	..
1488	..	6	Centauri	11 38 54.58	37.29	2	+2.970	..
1489	3993	6	Musæ	11 40 35.32	37.35	3	+2.818	..
1490	3994	6	Hydræ	11 40 41
1491	3995	2.3	94 Leonis β	11 40 53.65	36.58	157	+3.102	-0.036
1492	11 41 19.36	36.23	1	+3.023	..
1493	4000	6	Centauri	11 41 56.12	37.40	3	+2.866	..
1494	4001	6	Musæ	11 42 20.21	37.73	4	+2.799	..
1495	4002	3.4	5 Virginis β	11 42 21.66	37.73	19	+3.076	+0.048
1496	4004	6	Centauri	11 42 40
1497	11 43 9.63	36.23	1	+3.029	..
1498	4007	5.6	Centauri	11 43 10
1499	11 43 21.31	36.38	6	+3.030	..
1500	4009	6	Hydræ	11 43 36.98	37.26	3	+3.017	..
1501	..	9.10	W. B. 771	11 43 57.26	39.18	1	+3.079	..
1502	4011	6	Centauri	11 44 4.34	37.19	3	+2.879	..
1503	4013	5.6	Centauri	11 44 17.54	38.12	4	+2.935	..
1504	4015	4	Hydræ	11 44 50.40	37.55	12	+3.014	-0.008
1505	11 45 13.88	36.23	1	+3.034	..

1493. The large proper motion in N.P.D. assigned to this Star in the B.A.C. is erroneous.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1506	11 45 14 [·] 63	36 [·] 23	1	+3 [·] 034	..
1507	4016	..	Hydræ	11 45 23 [·] 01	40 [·] 34	4	+3 [·] 014	..
1508	4017	2	64 Ursæ Majoris	11 45 23
1509	11 45 52 [·] 00	39 [·] 16	1	+3 [·] 076	..
1510	4022	6	Centauri	11 46 14 [·] 24	40 [·] 38	1	+2 [·] 950	..
1511	4023	6	Centauri	11 46 25 [·] 38	37 [·] 31	3	+3 [·] 012	..
1512	4024	6	Hydræ	11 46 34 [·] 41	36 [·] 97	10	+3 [·] 035	..
1513	4032	6	Hydræ	11 47 32 [·] 43	35 [·] 30	1	+3 [·] 034	..
1514	4035	6	30 Crateris.....	11 47 52
1515	11 48 36 [·] 13	39 [·] 17	1	+3 [·] 075	..
1516	..	7 [·] 8	Hydræ	11 48 37 [·] 38	37 [·] 20	3	+3 [·] 031	..
1517	..	8	11 48 38 [·] 88	37 [·] 20	3	+3 [·] 031	..
1518	11 49 12 [·] 03	36 [·] 38	4	+3 [·] 042	..
1519	11 49 24 [·] 78	36 [·] 49	1	+3 [·] 044	..
1520	11 49 24 [·] 80	36 [·] 23	1	+3 [·] 045	..
1521	4039	7	Virginis	11 50 1 [·] 47	39 [·] 13	2	+3 [·] 076	..
1522	4040	6	Centauri	11 50 12 [·] 03	40 [·] 40	4	+2 [·] 989	..
1523	4042	6	Hydræ	11 50 45 [·] 41	36 [·] 82	6	+3 [·] 046	..
1524	4044	6	Centauri	11 51 5 [·] 12	40 [·] 25	4	+3 [·] 008	..
1525	4049	5 [·] 6	7 Virginis	11 51 45 [·] 24	39 [·] 44	14	+3 [·] 075	-0 [·] 002
1526	4048	5	Chamæleontis.....	11 51 46 [·] 68	40 [·] 47	1	+2 [·] 858	-0 [·] 018
1527	4051	7	Chamæleontis	11 52 12 [·] 00	40 [·] 47	1	+2 [·] 870	..
1528	4052	5	8 Virginis	11 52 40 [·] 32	34 [·] 37	1	+3 [·] 077	0 [·] 000
1529	4053	5 [·] 6	31 Crateris	11 52 40 [·] 80	35 [·] 25	1	+3 [·] 057	..
1530	Musæ	11 53 40
1531	..	7	Musæ	11 54 23 [·] 21	37 [·] 19	3	+2 [·] 979	..
1532	4060	6	Musæ	11 54 30 [·] 60	40 [·] 38	3	+2 [·] 991	..
1533	{4058	6	Octantis	11 54 32 [·] 07	71 [·] 47	7	+2 [·] 722	..
	{..	11 54 33 [·] 52	37 [·] 85	2	+2 [·] 726	..
1534	..	9	Octantis	11 54 42
1535	4061	7	Crucis	11 54 55 [·] 29	40 [·] 43	2	+3 [·] 015	-0 [·] 025
1536	4062	5 [·] 6	Centauri	11 55 23 [·] 75	40 [·] 26	3	+3 [·] 048	..
1537	4067	5 [·] 6	Crucis	11 56 7 [·] 46	40 [·] 38	3	+3 [·] 029	+0 [·] 002
1538	4068	6	Musæ	11 56 27 [·] 37	40 [·] 44	3	+3 [·] 022	..
1539	4071	5 [·] 6	Chamæleontis	11 56 35 [·] 66	37 [·] 71	6	+2 [·] 994	..
1540	4072	4 [·] 5	9 Virginis	11 57 3 [·] 46	37 [·] 16	10	+3 [·] 075	-0 [·] 013

1527. The large proper motions assigned to this Star in the B.A.C. are erroneous.

1533. The first R.A. is carried back from the Cape observations 1871. I think it probable that the R.A. following belongs to the same Star; but the N.P.D. given by the Transit observer, 1837 November 6th, and November 7th is 174° 45'. No magnitude is assigned to the Star by the observer on either night.

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 2	1506
124 10 31'60	40'47	3	+20'02	..	4926	3813	1507
35 24 47'56	37'15	2	+20'02	- 0'00	1508
84 14	1509
146 31 10'80	40'37	4	+20'02	..	4931	3819	1510
..	4932	3820	1511
114 49 38'33	37'02	6	+20'02	..	4933	3822	1512
..	4940	3832	1513
106 15 35'80	35'41	4	+20'03	1514
..	1515
121 22 37'30	36'38	1	+20'03	..	4942	3836	1516
..	1517
115 15 27'40	36'28	3	+20'04	1518
113 46 47'30	36'40	3	+20'04	1519
113 38	1520
..	1521
145 25 33'90	40'34	4	+20'04	..	4959	3849	1522
115 1 0'50	36'34	3	+20'04	..	4961	3853	1523
140 48 19'30	40'44	3	+20'04	..	4966	3856	1524
85 27 12'78	36'24	1	+20'04	+ 0'02	1525
167 19 49'99	36'50	9	+20'04	+ 0'02	4974	3865	..	268	..	1526
167 18 6'30	38'69	3	+20'05	..	4975	3871	1527
..	1528
108 46 6'40	35'61	6	+20'05	1529
158 18 22'20	40'39	2	+20'05	..	4980	1530
..	4984	3883	1531
158 18 2'00	40'42	5	+20'05	..	4985	3886	1532
174 44 26'56	39'38	5	+20'05	..	4991	3884	1533
174 46	
174 44 45'25	39'13	4	+20'05	1534
152 25 16'77	40'43	2	+20'05	+ 0'06	4990	3892	1535
131 32 15'90	40'51	2	+20'05	..	4992	3894	1536
152 16 28'68	40'43	2	+20'05	+ 0'05	4999	3901	1537
157 26 13'90	40'47	3	+20'06	..	5000	3902	1538
165 37 47'80	40'48	2	+20'06	..	5004	3907	1539
80 22 41'92	36'80	5	+20'06	1540

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1541	..	7	11 57 53.41	37.26	3	+3.064	..
1542	..	6.7	11 58 8.17	37.31	2	+3.048	..
1543	..	8.9	11 58 17.24	36.41	4	+3.067	..
1544	Centauri	11 58 24.86	37.35	3	+3.065	..
1545	4078	4.5	Crucis.....η	11 58 35.11	37.15	11	+3.055	..
1546	..	8	11 58 43.55	36.35	4	+3.068	..
1547	4082	6	Chamaeleontisλ	11 59 29.31	40.49	2	+3.061	..
1548	11 59 47.50	36.22	1	+3.071	..
1549	4085	6	Centauri	11 59 49.69	40.42	2	+3.071	-0.011
1550	4086	6	Centauri	11 59 59.19	38.01	4	+3.072	..
1551	4087	3	Centauri.....δ	12 0 5.65	40.28	5	+3.072	..
1552	4088	6.7	Hydrae	12 0 5.96	40.49	1	+3.072	..
1553	4090	4.5	1 Corviα	12 0 10.24	37.07	3	+3.071	+0.010
1554	12 0 10.95	36.49	1	+3.072	..
1555	12 0 31.45	39.12	1	+3.068	..
1556	4091	6	Centauri	12 0 38.42	40.47	1	+3.075	..
1557	4095	6	Hydrae	12 1 48
1558	4097	4	2 Corviε	12 1 54
1559	4098	6	Centauri	12 2 17.06	37.40	3	+3.082	..
1560	12 2 37.54	36.21	1	+3.079	..
1561	..	8	Brisbane 3950	12 2 55.50	37.25	3	+3.093	..
1562	12 3 18.47	36.21	1	+3.081	..
1563	4103	4	Centauri.....ρ	12 3 19.21	37.87	6	+3.096	..
1564	12 3 29.33	39.15	2	+3.066	..
1565	..	7	Muscae	12 4 14.28	37.31	2	+3.137	..
1566	12 4 43.84	36.37	4	+3.085	..
1567	4114	6	12 Virginis	12 5 16.96	36.21	15	+3.066	..
1568	12 5 24.72	36.36	4	+3.087	..
1569	..	6.7	Octantis	12 5 26.34	37.85	3	+3.805	..
1570	4115	5.6	Centauri	12 5 42.55	40.19	3	+3.105	..
1571	12 5 58.18	36.20	1	+3.090	..
1572	12 6 2.13	36.49	2	+3.088	..
1573	4120	3	Crucis.....δ	12 6 41.22	40.31	4	+3.134	-0.010
1574	..	7	Hydrae	12 6 49.45	37.20	3	+3.093	..
1575	12 7 11.81	36.21	1	+3.093	..

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1576	12 7 32
1577	4124	3	4 Corvi	12 7 35 ²¹	35 ⁴⁰	4	+3 ⁰⁸⁵	..
1578	..	7	Centauri	12 7 38 ⁰⁴	37 ³²	3	+3 ¹³¹	..
1579	12 8 1 ³²	36 ²¹	1	+3 ⁰⁹⁵	..
1580	4129	5.6	Musæ	12 8 59 ¹⁷	38 ⁸⁸	6	+3 ¹⁹⁶	..
1581	4131	5	Chamæleontis	12 9 6 ⁴³	34 ⁴⁰	23	+3 ³³¹	-0 ⁰¹⁷
1582	12 9 28 ⁹⁴	36 ²⁰	1	+3 ¹⁰⁰	..
1583	4133	5	Crucis.....	12 9 49 ¹¹	37 ²⁹	2	+3 ¹⁸⁵	..
1584	4137	6	13 Virginis	12 10 28 ⁴³	39 ¹³	2	+3 ⁰⁷²	..
1585	4138	6	Centauri	12 10 30 ¹⁵	37 ⁹⁵	5	+3 ¹⁵⁷	..
1586	12 11 8 ²⁸	36 ⁴⁹	2	+3 ¹⁰²	..
1587	..	8	12 11 40 ⁸⁶	36 ³²	4	+3 ¹⁰⁷	..
1588	4145	3.4	15 Virginis	12 11 43 ³⁴	37 ¹⁷	15	+3 ⁰⁷¹	-0 ⁰⁰⁷
1589	4151	5	16 Virginis.....	12 12 13 ⁶⁴	38 ¹⁷	3	+3 ⁰⁶⁶	-0 ⁰¹⁹
1590	4154	5.6	5 Corvi	12 12 17
1591	4158	4	Crucis'.....	12 12 46
1592	12 13 15 ⁸⁸	39 ¹¹	1	+3 ⁰⁶³	..
1593	4161	6	Musæ	12 13 19
1594	4162	6	Musæ	12 13 20
1595	4164	6	Octantis	12 13 25 ⁶³	37 ⁸⁵	1	+4 ⁰¹⁷	..
1596	4167	6	Crucis	12 14 11 ⁸⁶	37 ²⁵	3	+3 ¹⁹⁸	..
1597	4174	6	Centauri	12 15 11
1598	..	7	Hydræ	12 15 25 ⁷³	36 ³⁴	3	+3 ¹²²	..
1599	4183	6	Centauri	12 16 58
1600	12 17 17 ⁴⁸	36 ²⁰	1	+3 ¹²⁴	..
1601	4187	2.3	Crucis	12 17 44 ⁹⁸	34 ⁹⁸	21	+3 ²⁶⁹	-0 ⁰⁰⁷
1602	4187	3.2	Crucis	12 17 45 ⁶⁷	34 ⁹⁴	22	+3 ²⁶⁹	-0 ⁰⁰⁷
1603	4189	6	Centauri	12 17 55 ¹⁵	37 ³⁰	2	+3 ¹⁹⁹	-0 ⁰⁰²
1604	4190	6	Centauri	12 18 23 ¹³	40 ⁴³	1	+3 ¹⁹¹	..
1605	4192	6	Hydræ	12 18 26 ⁷⁹	40 ²¹	4	+3 ¹³⁹	..
1606	..	6.7	Crucis	12 18 31 ⁰⁸	37 ⁰⁸	4	+3 ²⁸³	..
1607	..	8	12 19 3 ⁷⁹	36 ³²	4	+3 ¹³⁰	..
1608	..	6.7	Crucis	12 19 23 ²⁴	37 ²⁵	3	+3 ²⁹⁸	..
1609	4197	4.5	Centauri.....	12 19 25
1610	4202	5	Centauri	12 19 53 ²³	39 ³⁴	8	+3 ¹⁶³	..

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
116 5 15'00	36'21	1	+20'05	1576
106 39 10'62	35'52	5	+20'05	219	275	99	1577
..	5078	3981	1578
..	1579
157 4 10'60	40'44	3	+20'04	..	5084	3985	1580
168 25 24'25	34'90	20	+20'04	- 0'02	5085	3986	220	276	13	1581
117 22 50'20	36'35	2	+20'04	1582
153 6 46'90	40'44	3	+20'04	..	5090	3994	1583
..	221	1584
144 15 9'20	40'36	3	+20'04	..	5092	3995	1585
115 12 49'80	36'35	2	+20'03	1586
117 38 7'30	36'33	3	+20'03	1587
89 46 39'37	37'38	6	+20'03	+ 0'03	1588
85 47 45'00	36'25	2	+20'03	1589
111 19 33'14	35'28	6	+20'03	+ 0'03	1590
149 30 58'36	38'82	5	+20'03	..	5110	4014	..	277	..	1591
86 23	1592
157 24 58'80	40'36	3	+20'02	..	5113	4019	1593
156 37 58'60	40'45	3	+20'02	..	5112	4017	1594
175 15 44'70	39'18	4	+20'02	..	5107	4018	1595
146 47 14'15	39'46	4	+20'02	..	5120	4023	1596
124 31 28'60	40'25	3	+20'01	..	5129	4035	1597
..	4038	1598
124 17 55'90	40'47	3	+20'00	..	5142	4046	1599
..	1600
152 12 40'42	35'07	15	+20'00	+ 0'02	5148	4050	223	279	27	1601
152 12 43'47	35'34	5	+20'00	+ 0'02	..	4051	26	1602
140 33 46'06	40'38	3	+20'00	+ 0'10	5150	4052	1603
138 1 21'80	40'44	1	+19'99	..	5153	4055	1604
121 56 30'10	40'48	2	+19'99	..	5154	4056	1605
..	5152	4057	1606
117 49 46'80	36'28	3	+19'99	1607
..	5160	4061	1608
139 20 36'70	40'46	3	+19'99	..	5162	4062	..	280	..	1609
128 9 16'00	38'68	22	+19'98	..	5164	4068	1610

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1611	4214	6	Corvi	12 21 56
1612	4215	2	Crucis.....γ	12 22 20
1613	4218	6	Virginis	12 22 26.00	36.18	5	+3.047	..
1614	4221	6	Crucis	12 22 46.98	40.44	3	+3.289	..
1615	12 22 47.76	36.38	4	+3.143	..
1616	4224	4	Muscae	12 23 0
1617	12 23 45.06	36.49	1	+3.141	..
1618	12 24 59.60	36.33	4	+3.148	..
1619	4230	5.6	21 Virginis.....γ	12 25 31.71	39.31	3	+3.094	-0.009
1620	4234	2.3	9 Corvi.....β	12 25 59.64	36.86	110	+3.134	-0.008
1621	4236	6	Centauri	12 26 4.49	37.25	3	+3.217	..
1622	4243	6	Centauri	12 27 11
1623	4245	4	Muscae	12 27 43
1624	4251	5	Centauri.....τ	12 28 59
1625	..	7	Chamaeleontis	12 29 6.21	37.29	3	+3.682	..
1626	4253	5.6	Hydrae	12 29 14.09	40.14	1	+3.155	..
1627	..	7	Muscae	12 29 27.07	37.33	3	+3.463	..
1628	4256	6	Hydrae	12 30 33.61	36.28	5	+3.172	..
1629	4262	5	Centauri	12 31 14.34	40.48	1	+3.219	..
1630	12 31 33.98	36.20	1	+3.170	..
1631	..	8.9	12 31 46.40	36.36	4	+3.174	..
1632	4263	6	Centauri	12 32 37.29	40.48	1	+3.263	..
1633	4264	3	Centauri.....γ	12 32 43.40	40.34	5	+3.283	..
1634	4265	6	Crucis	12 32 47.04	37.37	4	+3.386	..
1635	12 33 14.18	40.46	1	+3.408	..
1636	12 33 21.85	36.20	1	+3.175	..
1637	4268	4	29 Virginis	12 33 33.38	34.94	54	+3.073	-0.037
1638	4272	5.6	Centauri	12 33 45.79	40.39	1	+3.289	..
1639	4273	6	Crucis	12 33 47.13	40.42	4	+3.353	..
1640	4275	6	Crucis	12 34 5.53	40.37	4	+3.358	-0.004
1641	12 34 34.31	36.39	6	+3.185	..
1642	12 34 40.66	36.41	4	+3.185	..
1643	..	7	Centauri	12 34 44.15	37.34	3	+3.237	..
1644	4278	6	Hydrae	12 35 29.74	38.95	9	+3.179	..
1645	4279	5.6	Crucis.....t	12 36 16.77	40.48	1	+3.438	..

Mean N.P.D. 1840. Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion, in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
112 48 41'70	36'22	1	+19'97	1611.
146 12 58'23	37'47	4	+19'96	..	5180	4080	225	282	40	1612
79 23 49'65	35'11	2	+19'96	1613
148 32 19'40	40'37	3	+19'96	..	5185	4083	1614
118 13 54'70	36'26	2	+19'96	1615
161 14 51'90	40'49	3	+19'96	..	5184	4085	..	283	..	1616
116 40 51'70	36'35	2	+19'95	1617
117 33 50'20	36'27	3	+19'94	1618
..	1619
112 30 39'54	35'34	32	+19'93	227	285	..	1620
133 46 47'50	36'41	1	+19'93	..	5207	4105	1621
130 8 20'60	40'21	3	+19'92	..	5211	4110	1622
158 15 9'00	40'31	3	+19'91	..	5213	4113	..	286	..	1623
137 39 33'00	37'33	10	+19'90	..	5222	4120	..	287	..	1624
..	5221	4119	1625
116 15 12'67	38'63	6	+19'90	..	5225	4123	1626
..	5224	4126	1627
119 32 29'60	36'19	1	+19'88	..	5229	4133	1628
129 6 19'91	36'71	11	+19'87	..	5231	4135	1629
..	1630
119 2 10'90	36'27	5	+19'87	1631
135 16 6'30	40'39	5	+19'85	..	5242	4146	1632
138 4 47'27	36'50	12	+19'85	..	5243	4147	229	288	51	1633
148 48 22'18	39'31	4	+19'85	..	5241	4148	1634
..	1635
..	1636
90 34 15'94	35'62	17	+19'84	+ 0'05	..	4159	230	289	..	1637
137 55 57'70	40'48	2	+19'84	..	5250	4161	1638
145 4 1'70	40'46	3	+19'84	..	5249	4160	1639
145 17 48'87	40'42	3	+19'84	+ 0'07	5251	4163	1640
119 22 11'60	36'37	3	+19'83	1641
119 22 3'70	36'31	2	+19'83	1642
129 17 55'60	36'44	2	+19'83	4165	1643
117 26 40'11	37'25	8	+19'82	..	5263	4172	1644
150 6 3'50	40'45	3	+19'81	..	5256	4178	1645

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1646	4280	4	Musæβ	^{h m s} 12 36 33
1647	12 36 44.86	36.43	1	+3.185	..
1648	12 36 47.75	36.19	1	+3.190	..
1649	4284	6	Centauri	12 37 14.15	39.32	6	+3.388	..
1650	4289	2	Crucisβ	12 38 25.32	36.48	22	+3.440	-0.009
1651	..	9	12 38 47.23	36.40	4	+3.198	..
1652	4293	5	Octantist	12 38 52
1653	4292	6	34 Virginis	12 39 10
1654	4295	6	Musæ	12 39 28.89	36.32	4	+3.742	..
1655	4301	6	29 Comæ	12 40 53
1656	4307	6	Centauri	12 41 50.94	38.76	8	+3.381	..
1657	4308	6	Crucis	12 41 52.16	40.45	2	+3.483	..
1658	4309	6	Centauri	12 42 1.44	40.21	6	+3.231	..
1659	12 42 31.77	36.37	4	+3.205	..
1660	4312	6.7	Virginis	12 43 4
1661	4313	5.6	Centauri	12 43 9.75	37.32	3	+3.273	..
1662	..	7.8	12 43 13.14	36.35	4	+3.218	..
1663	4317	5.6	Centauri	12 44 5.81	40.42	5	+3.356	..
1664	4320	Neb.	Crucis.....κ	12 44 18.96	37.32	2	+3.508	..
1665	4321	5	Centauri	12 44 36.07	40.45	2	+3.283	-0.002
1666	12 44 40.08	36.41	4	+3.216	..
1667	12 44 41.72	36.19	1	+3.217	..
1668	Crucis	12 43 52.87	40.42	3	+3.503	..
1669	12 44 42.92	36.19	1	+3.217	..
1670	4324	6	Crucis.....λ	12 45 12.27	40.48	1	+3.496	..
1671	4325	5	Centauri	12 45 14.16	36.39	5	+3.465	+0.001
1672	4327	6	Centauri	12 45 15.28	35.31	1	+3.465	..
1673	..	6.7	Musæ	12 45 56.78	36.33	4	+3.859	..
1674	4330	5	40 Virginisψ	12 46 2.34	39.29	6	+3.112	-0.002
1675	4331	6	Centauri	12 46 5.39	37.55	1	+3.323	..
1676	4332	6	Centauri	12 46 25.27	40.52	1	+3.314	..
1677	4333	5.6	Centauri	12 46 34.20	40.38	3	+3.471	..
1678	12 46 53.78	36.36	4	+3.224	..
1679	4340	3	43 Virginis.....δ	12 47 32.85	35.73	7	+3.051	-0.030
1680	4344	6	Centauri	12 47 53.74	40.23	4	+3.406	..

1676. The N.P.D. appears too large by about 35"; but the observation is correctly reduced as entered by the observer. One revolution of the declination micrometer is equal to 40"; an alteration of one revolution would appear inadmissible.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
157 13 49'35	38'83	5	+19'80	+ 0'04	5267	4179	..	290	..	1646
117 53 19'90	36'26	2	+19'80	1647
..	1648
145 36 41'00	40'48	3	+19'79	..	5273	4182	1649
148 48 44'61	36'07	27	+19'78	+ 0'03	5277	4189	231	291	34	1650
119 20 10'00	36'28	3	+19'77	1651
174 15 5'77	40'48	3	+19'77	+ 0'07	5268	4187	1652
77 9 58'50	36'15	1	+19'77	1653
..	5279	4195	1654
75 0 6'30	34'50	1	+19'74	1655
141 54 49'20	40'37	3	+19'72	..	5294	4210	1656
149 27 24'30	40'50	2	+19'72	..	5293	4209	1657
123 7 31'60	40'16	3	+19'72	..	5296	4212	1658
118 18 18'90	36'26	2	+19'71	1659
99 27 57'50	39'18	2	+19'70	1660
..	5300	4217	1661
120 19 46'30	36'27	5	+19'70	1662
138 4 15'00	40'32	3	+19'69	..	5308	4225	1663
..	5306	4227	1664
129 18 24'82	36'57	8	+19'68	+ 0'08	5312	4232	..	292	..	1665
119 8 39'90	36'25	2	+19'68	1666
..	1667
..	5303	4223	1668
119 21	1669
148 16 32'30	40'37	3	+19'67	..	5316	4236	1670
146 18 25'23	40'50	2	+19'67	+ 0'16	5317	4237	..	293	..	1671
146 17 51'35	40'50	2	+19'67	4238	1672
..	5318	4239	1673
98 40 7'88	37'87	3	+19'65	+ 0'04	1674
..	5319	4240	1675
132 3 (19'12)	40'50	1	+19'65	..	5322	4242	1676
145 57 58'30	40'52	3	+19'65	..	5321	4244	1677
119 12 4'60	36'24	3	+19'64	1678
85 43 54'61	36'71	8	+19'63	+ 0'09	1679
140 19 47'30	40'29	3	+19'62	..	5331	4254	1680

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s				
1681	4345	7	Canum Ven.....	12 48 30
1682	4346	2·3	12 Canum Ven..... α	12 48 31·91	34·42	20	+2·842	-0·021
1683	12 49 10·38	36·46	4	+3·294	..
1684	4353	4	Muscae..... δ	12 51 22·61	39·92	5	+3·920	+0·042
1685	4359	7	Muscae.....	12 52 18·94	36·32	3	+3·932	..
1686	12 53 57·70	36·33	5	+3·249	..
1687	4368	5·6	Centauri..... ξ^1	12 54 19·76	38·72	6	+3·429	-0·002
1688	12 54 42·14	36·40	4	+3·256	..
1689	4369	6	Centauri.....	12 54 57·74	40·24	5	+3·281	..
1690	4370	6·7	Muscae.....	12 54 57·85	37·34	3	+3·711	..
1691	4375	6	Chamaeleontis.....	12 55 41·35	40·38	2	+4·533	..
1692	4374	6	Centauri.....	12 55 48·78	40·29	1	+3·345	..
1693	4377	5·6	Centauri.....	12 57 2·42	39·54	9	+3·432	..
1694	4380	6	Centauri.....	12 57 35·37	40·53	1	+3·625	..
1695	4379	5	Centauri..... ξ^2	12 57 36·45	40·48	3	+3·455	-0·016
1696	4381	5·6	Muscae..... θ	12 57 51·89	36·33	4	+3·770	..
1697	..	9	Muscae.....	12 57 52
1698	4382	6·7	Virginis.....	12 58 1
1699	4383	6	Centauri.....	12 58 1·18	36·46	4	+3·306	..
1700	4385	6	Centauri.....	12 58 10·40	38·41	5	+3·511	..
1701	4384	5	14 Canum Ven.....	12 58 15·18	39·29	2	+2·821	+0·001
1702	4391	5	49 Virginis..... γ	12 59 31·37	40·43	1	+3·131	+0·001
1703	4395	4·5	45 Hydrae..... ψ	13 0 27
1704	13 0 55·06	36·31	4	+3·991	..
1705	4398	6	Chamaeleontis.....	13 1 12·43	40·38	2	+4·676	..
1706	4400	6	Centauri.....	13 1 29·12	40·17	3	+3·521	..
1707	4401	4·5	51 Virginis..... θ	13 1 40·21	36·48	27	+3·101	-0·004
1708	4404	6	Centauri.....	13 1 53
1709	4405	6	Centauri.....	13 2 3·60	37·33	3	+3·387	..
1710	4409	5	Centauri.....	13 2 16·22	40·37	3	+3·400	-0·020
1711	4411	6	Muscae.....	13 2 18·27	37·41	3	+3·855	..
1712	4412	5·6	Centauri.....	13 2 21·45	40·53	1	+3·671	..
1713	..	7	Hydrae.....	13 2 58·02	36·52	2	+3·246	..
1714	4417	5·6	Centauri.....	13 3 9·29	40·45	4	+3·345	..
1715	4418	5	53 Virginis.....	13 3 33·30	40·29	2	+3·172	+0·003

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Bisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 / "			"	"						
50 49 12'00	37'28	18	+19'61	1681
50 48 57'53	36'20	37	+19'61	- 0'06	1682
..	1683
160 41 1'81	37'29	13	+19'56	0'00	5349	4280	..	294	..	1684
160 36 43'30	40'51	3	+19'60	..	5356	4286	1685
119 58 9'20	36'25	2	+19'52	1686
138 39 52'58	40'27	3	+19'50	+ 0'06	5370	4299	1687
120 18 2'20	36'25	2	+19'49	1688
123 23 19'30	40'12	3	+19'48	..	5376	4302	1689
..	5372	4301	1690
167 35 10'60	40'42	3	+19'47	..	5369	4306	1691
..	5380	4310	1692
137 36 11'20	40'45	4	+19'44	..	5390	4316	1693
..	5392	4319	1694
139 2 50'24	35'62	13	+19'43	+ 0'02	5396	4321	..	295	..	1695
154 26 52'20	40'45	3	+19'42	..	5394	4323	1696
154 26 56'50	40'45	1	+19'42	1697
104 3 29'40	36'42	2	+19'42	1698
..	5400	4324	1699
142 36 3'00	40'29	2	+19'42	..	5398	4325	1700
..	1701
99 53 0'45	37'45	2	+19'39	+ 0'02	..	4334	1702
112 15 35'83	36'15	2	+19'36	+ 0'06	234	296	..	1703
..	1704
167 35 40'00	40'52	2	+19'35	..	5406	4340	1705
141 42 41'60	40'43	3	+19'34	..	5413	4346	1706
94 40 59'27	35'89	27	+19'34	+ 0'04	297	..	1707
146 3 17'00	40'50	3	+19'33	..	5415	4350	1708
..	5420	4351	1709
132 30 50'17	36'45	9	+19'32	- 0'04	5422	4353	1710
155 22 26'40	40'43	2	+19'32	..	5416	4352	1711
149 3 59'40	40'46	1	+19'32	..	5418	4354	1712
..	5428	4359	1713
126 57 9'30	40'36	2	+19'30	..	5429	4361	1714
105 20 1'01	40'29	2	+19'29	+ 0'30	..	4362	..	298	..	1715

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1716	13 3 38.35	36.18	1	+3.286	..
1717	4419	6	Centauri	13 3 56.30	40.25	4	+3.508	..
1718	..	7.8	13 3 56.92	36.35	4	+3.293	..
1719	...	7	Hydræ	13 4 11
1720	4422	5.6	Centauri	13 4 23
1721	4421	4.5	43 Comæβ	13 4 24.29	38.13	1	+2.869	..
1722	4425	6	Muscæ	13 4 27.45	37.28	2	+4.030	..
1723	4426	5	Muscæη	13 4 29.68	40.47	1	+3.948	-0.018
1724	4429	6	Centauri	13 5 20.74	37.49	2	+3.491	..
1725	4430	6	55 Virginis	13 5 38
1726	4431	7	Virginis	13 5 48.84	34.27	1	+3.056	..
1727	4434	6	Muscæ	13 6 31.05	36.42	3	+3.929	..
1728	4437	5.6	Centauri	13 8 1.08	38.28	8	+3.303	..
1729	13 8 49.82	37.42	2	+3.443	..
1730	13 10 56.76	37.33	2	+3.878	..
1731	4454	6	Centauri	13 10 56.77	39.38	6	+3.591	..
1732	4458	3	Centaurit	13 11 37.51	39.19	12	+3.369	..
1733	4461	6	Centauri	13 12 19.05	40.52	3	+3.794	..
1734	4463	6	Centauri	13.12 21.28	40.52	1	+3.795	..
1735	4465	6	Muscæl	13.12 40.35	38.29	4	+4.530	..
1736	13 12 43.27	36.18	1	+3.316	..
1737	4469	6	Muscæ	13 13 19.68	37.88	3	+3.923	..
1738	4472	6	64 Virginis	13 14 5.64 ^m	35.26	6	+3.027	..
1739	4475	6	Muscæ	13.14 35.90	38.46	3	+3.935	..
1740	4476	6	Muscæl ²	13 14 45.34	38.35	4	+4.552	..
1741	4483	5	Octantis.....κ	13.16 17
1742	4480	1	67 Virginisα	13 16 46.29	36.72	239	+3.152	-0.005
1743	4482	6	Centauri	13 16 53
1744	13 19 16.40	36.18	1	+3.342	..
1745	4495	5.6	Centauri	13 19 40
1746	13 19 52.60	36.17	1	+3.347	..
1747	4501	Var.	Hydræ	13 20 59.11	36.30	4	+3.263	..
1748	4502	..	Virginis	13 21 2
1749	4507	4.5	Centauri	13.21 47.47	39.07	9	+3.444	-0.011
1750	..	8	13 22 34.62	36.32	5	+3.358	..

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1751	4514	6	73 Virginis	13 23 26
1752	4517	6	Hydræ	13 23 39.06	37.07	5	+3.333	..
1753	4516	6	74 Virginis	13 23 39.07	35.32	24	+3.117	-0.006
1754	..	6.7	Hydræ	13 23 42.32	36.55	4	+3.324	..
1755	13 24 17.77	36.40	4	+3.361	..
1756	4520	6	75 Virginis	13 24 19
1757	4528	7	Muscae	13 25 41.89	36.33	3	+4.877	..
1758	4529	6	78 Virginis	13 26 1.59	38.13	1	+3.033	-0.007
1759	..	7	Muscae	13 26 19.12	37.31	3	+4.085	..
1760	4532	4	79 Virginis.....	13 26 32.78	35.20	1	+3.070	-0.019
1761	13 26 43.09	36.44	3	+3.375	..
1762	4534	6	Muscae	13 26 44.42	37.26	3	+4.402	..
1763	13 27 42.68	36.40	4	+3.379	..
1764	4539	6	Centauri	13 27 45.11	36.56	3	+3.582	..
1765	4542	6	Muscae	13 27 50.69	40.48	2	+4.443	..
1766	13 27 54.19	34.54	1	+2.856	..
1767	4541	6	Hydræ	13 27 56.78	40.13	3	+3.312	..
1768	13 27 57
1769	..	8	Hydræ	13 29 23.92	40.22	4	+3.354	..
1770	4548	6	Hydræ	13 29 43.70	40.33	3	+3.351	..
1771	4549	3	Centauri	13 29 47.64	39.14	4	+3.740	-0.018
1772	4557	6	Centauri	13 31 27.86	40.45	3	+3.902	..
1773	4558	5.6	Centauri.. ..	13 31 32.82	40.50	2	+3.781	..
1774	..	6.7	Centauri	13 31 (33)
1775	..	6.7	Centauri	13 31 53
1776	4561	6	Centauri	13 32 31.68	37.76	6	+3.849	..
1777	4565	5.6	82 Virginis	13 33 13.23	36.06	3	+3.145	-0.010
1778	..	8	13 33 42.53	36.41	4	+3.402	..
1779	4573	6.7	Centauri	13 35 29.36	40.51	2	+4.094	..
1780	4580	5	Centauri	13 36 34.27	38.43	8	+3.738	..
1781	4579	5	1 Centauri	13 36 36.92	38.18	17	+3.417	-0.038
1782	4581	6	Hydræ	13 36 42.19	37.89	5	+3.331	..
1783	4582	6	85 Virginis	13 36 59
1784	4585	6	86 Virginis	13 37 25.49	39.36	2	+3.185	-0.004
1785	4586	6	Centauri	13 37 38.27	40.38	5	+3.465	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 54 5'40	36'42	2	+18'74	1751
118 44 23'38	38'75	4	+18'74	..	5578	4519	1752
95 25 39'61	35'61	4	+18'74	1753
..	5580	4521	1754
121 3 27'60	36'23	2	+18'72	1755
104 32 16'30	36'42	2	+18'72	1756
..	5577	4534	1757
..	1758
..	5588	4540	1759
89 46 32'90	37'27	17	+18'64	1760
121 33 5'20	36'32	2	+18'64	1761
..	5587	4546	1762
121 34 58'10	36'32	2	+18'61	1763
..	5600	4554	1764
159 58 10'10	40'48	2	+18'60	..	5595	4552	1765
66 41 4'50	34'47	5	+18'60	1766
115 40 35'70	40'28	2	+18'60	..	5608	4556	1767
115 40 46'60	40'29	1	+18'60	1768
119 1 20'30	40'26	4	+18'55	..	5610	1769
118 44 27'50	40'36	3	+18'54	..	5623	4571	1770
142 38 59'25	34'90	4	+18'54	+ 0'02	5618	4570	239	305	45	1771
..	5627	4580	1772
143 44 41'10	40'42	2	+18'48	..	5632	4582	1773
143 44 46'00	40'50	1	+18'48	1774
134 40 46'20	36'43	2	+18'47	..	5638	4587	1775
145 57 22'30	40'48	2	+18'44	..	5640	4591	1776
97 53 35'63	36'09	3	+18'42	1777
121 51 31'50	36'28	3	+18'40	1778
152 6 11'50	40'48	2	+18'34	..	5659	4611	1779
140 37 34'90	40'46	1	+18'30	..	5664	4618	1780
122 13 53'84	37'59	34	+18'30	..	5668	4619	..	306	..	1781
115 18 35'91	35'28	17	+18'30	..	5670	4620	1782
104 57 40'00	36'42	2	+18'29	4623	1783
101 37 19'10	37'45	2	+18'27	1784
125 26 51'20	40'50	1	+18'27	..	5676	4627	1785

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1786	..	7	Muscæ	h m s 13 38 9.68	36.31	3	+4.817	..
1787	4589	7	Virginis	13 38 40
1788	4590	6	87 Virginis	13 38 43.65	35.41	2	+3.243	+0.001
1789	4598	6.7	Muscæ	13 39 27.74	36.57	2	+4.506	..
1790	..	7	Muscæ	13 39 44.95	36.33	4	+4.857	..
1791	4601	3.4	Centauri..... <i>v</i>	13 39 56.24	40.46	2	+3.561	..
1792	4602	3.4	Centauri..... <i>μ</i>	13 40 0.34	40.37	2	+3.575	+0.001
1793	4603	5	2 Centauri..... <i>g</i>	13 40 11.82	40.14	3	+3.449	..
1794	4608	5.6	89 Virginis	13 41 11.38	40.00	3	+3.250	-0.009
1795	4607	2.3	85 Ursæ Majoris	13 41 13.46	34.48	12	+2.388	-0.012
1796	..	8	Centauri	13 41 47.12	37.29	3	+3.807	..
1797	4616	5.6	Centauri	13 41 48.99	38.53	5	+3.808	..
1798	4617	6	Centauri	13 41 54.60	40.50	3	+3.669	..
1799	4623	4.5	3 Centauri..... <i>k</i>	13 42 36.74	37.88	22	+3.436	-0.002
1800	4623	8'	Centauri	13 42 37.56	37.11	16	+3.436	-0.002
1801	13 42 51.35	36.39	4	+3.418	..
1802	4625	6	Centauri	13 43 22.51	40.40	2	+3.834	..
1803	4629	5	4 Centauri..... <i>h</i>	13 44 1.05	40.20	3	+3.426	..
1804	Centauri	13 44 (1.05)
1805	4631	6	Centauri	13 44 13
1806	4635	6	Centauri	13 44 55.66	40.35	3	+3.811	..
1807	4636	6	Hydræ	13 45 14.26	36.44	3	+3.384	..
1808	4638	3	Centauri..... <i>ζ</i>	13 45 35.66	35.70	5	+3.698	-0.012
1809	4641	6	Centauri	13 45 52.99	40.49	1	+3.873	..
1810	4642	6	Centauri	13 46 3.02	40.49	1	+3.890	..
1811	4644	6	Centauri	13 46 8.71	37.56	4	+4.239	..
1812	4645	6	90 Virginis..... <i>p</i>	13 46 30
1813	4648	3	8 Boötis..... <i>η</i>	13 47 4.01	37.99	50	+2.862	-0.004
1814	..	7.8	13 47 30.19	36.32	4	+3.871	..
1815	4653	4.5	Centauri..... <i>φ</i>	13 48 34.48	40.40	3	+3.608	..
1816	4654	5	Centauri..... <i>v</i> ¹	13 48 49.71	40.25	3	+3.662	..
1817	4668	5.	Centauri..... <i>v</i> ²	13 51 46.68	40.40	3	+3.696	-0.010
1818	4669	1	Centauri..... <i>β</i>	13 52 35.70	36.94	52	+4.147	-0.010
1819	4670	6	Centauri	13 52 41.09	40.50	1	+3.988	..
1820	4671	5.6	Hydræ	13 53 17.86	40.20	8	+3.390	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 "	5666	4628	1786
108 27 8'58	35'55	10	+18'23	1787
..	4635	1788
..	5678	4637	1789
..	5677	4639	1790
130 53 13'69	37'73	10	+18'18	..	5683	4644	..	307	..	1791
131 40 24'12	35'95	15	+18'18	- 0'02	5684	4645	..	308	..	1792
123 38 55'35	38'96	4	+18'17	..	5688	4647	..	309	..	1793
107 20 3'50	39'18	2	+18'13	4653	1794
39 53 4'36	34'77	10	+18'13	1795
142 0 46'40	40'50	1	+18'11	4655	1796
142 0 51'60	40'44	3	+18'11	..	5700	4656	1797
136 6 5'90	40'38	2	+18'11	..	5702	4657	1798
122 11 50'33	37'39	21	+18'08	..	5708	4662	..	310	..	1799
122 11 54'38	37'64	6	+18'08	..	5708	4662	..	310	..	1800
120 48 19'60	36'30	4	+18'07	..	5711	4665	1801
142 34 45'50	40'29	1	+18'05	..	5711	4665	1802
121 8 3'12	37'66	10	+18'03	..	5725	4669	..	311	..	1803
121 8 19'10	38'00	5	+18'03	1804
124 52 15'80	40'36	1	+18'02	..	5726	4671	1805
141 22 9'70	40'50	1	+17'99	..	5727	4677	1806
117 46 31'90	40'13	4	+17'98	..	5742	4681	1807
136 29 49'04	35'06	14	+17'97	+ 0'05	5737	4683	240	312	57	1808
143 20 34'30	40'46	1	+17'95	..	5741	4685	1809
143 54 23'50	40'29	1	+17'95	..	5744	4689	1810
..	5733	4687	1811
90 42 48'20	39'19	2	+17'93	1812
..	256	..	1813
..	4698	1814
131 18 55'58	40'52	1	+17'85	..	5768	4704	..	313	..	1815
134 1 8'34	36'08	14	+17'84	..	5770	4707	..	314	..	1816
134 49 27'90	37'48	7	+17'72	0'00	5782	4729	1817
149 35 47'89	35'58	59	+17'69	+ 0'05	5784	4733	243	315	31	1818
145 26 12'20	40'28	2	+17'68	..	5786	4735	1819
116 39 12'80	40'30	2	+17'66	..	5788	4738	1820

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			"	s
1821	13 54 54.85	36.42	4	+3.478	..
1822	4677	6	Centauri	13 55 6.70	40.37	3	+3.954	..
1823	..	7	Centauri	13 55 21.08	36.49	3	+4.320	..
1824	4681	5	Centauri.....χ	13 56 18.44	40.37	4	+3.625	-0.011
1825	4685	4.5	49 Hydræ	13 57 16.54	40.22	5	+3.390	..
1826	4686	2.3	5 Centauri.....θ	13 57 17.36	39.18	7	+3.540	..
1827	..	6.7	Apodis	13 57 18.94	37.38	3	+4.827	..
1828	..	7	Apodis	13 57 58.20	36.30	3	+4.783	..
1829	4692	5	Apodis	13 58 34.87	40.48	2	+6.920	..
1830	13 59 0.19	36.41	4	+3.491	..
1831	4693	6	Centauri	13 59 7.17	40.41	4	+3.884	..
1832	4695	6	Centauri	13 59 18.69	40.48	3	+3.944	..
1833	..	6.7	Apodis	14 0 19.17	37.44	3	+5.954	..
1834	14 1 10.80	36.44	4	+3.501	..
1835	..	7	14 1 42.55	37.30	2	+4.029	..
1836	4705	5	Octantis.....δ	14 2 4.57	35.50	47	+8.543	-0.063
1837	4704	6	Centauri	14 2 33.07	40.37	4	+3.973	..
1838	4712	5	Apodis	14 3 24.86	38.75	5	+6.723	-0.005
1839	4708	5	50 Hydræ.....	14 3 37.01	40.14	3	+3.414	..
1840	14 3 51.43	36.40	4	+3.514	..
1841	4709	5.6	Centauri	14 3 51.68	40.27	4	+4.105	..
1842	14 3 58.42	36.35	5	+3.515	..
1843	4716	4	98 Virginis.....κ	14 4 22.16	37.37	15	+3.187	+0.001
1844	..	7	Apodis	14 5 8.91	37.36	3	+5.375	..
1845	4719	6.7	Hydræ	14 5 46.45	36.46	2	+3.451	..
1846	..	7	14 6 51.52	36.35	4	+3.519	..
1847	4727	4	99 Virginis.....ι	14 7 38.00	35.32	2	+3.136	+0.001
1848	4729	1	16 Boötis	14 8 21.92	36.93	144	+2.813	-0.079
1849	..	6.7	Centauri	14 8 57.08	36.40	4	+3.526	..
1850	4734	4.5	Lupi.....ι	14 9 11.64	40.21	2	+3.794	..
1851	4735	6	Centauri	14 9 12.14	38.37	3	+4.117	..
1852	..	6.7	Centauri	14 9 44.86	37.34	3	+3.598	..
1853	4743	4	100 Virginis.....λ	14 10 27.56	38.19	10	+3.233	-0.002
1854	4744	6	Centauri	14 10 32.
1855	4745	5	Centauri	14 10 51

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion, in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
122 19 54'30	36'27	1	+17'59	1821
143 53 49'50	40'34	4	+17'58	..	5797	4746	1822
..	4751	1823
130 24 33'15	36 17	12	+17'53	- 0'02	5810	4757	..	316	..	1824
115 54 28'00	40'14	3	+17'49	..	5821	4765	..	318	..	1825
125 34 43'28	37'39	36	+17'49	..	5820	4766	245	317	79	1826
..	5804	4761	1827
..	5811	4771	1828
..	5792	4772	1829
122 17 15'90	36'29	1	+17'41	1830
140 44 26'60	40'44	2	+17'41	..	5825	4778	1831
142 40 19'80	40'31	2	+17'40	..	5827	4779	1832
..	5816	4780	1833
122 28 35'90	36'29	1	+17'32	1834
144 43 10'70	36'42	2	+17 30	4793	1835
172 55 29'88	35'46	25	+17'28	+ 0'01	5802	4790	..	319	11	1836
142 54 32'20	40'32	3	+17'26	..	5840	4798	1837
..	5828	4799	1838
116 30 15'90	40'46	3	+17'20	..	5856	4809	..	320	..	1839
122 45 13'90	36'32	2	+17'20	1840
146 19 57'80	40'49	3	+17'20	..	5850	4810	1841
122 45 46'10	36'26	3	+17'19	1842
99 31 33'12	37'60	5	+17'18	321	..	1843
163 13 21'90	36'42	1	+17'14	..	5847	4816	1844
118 31 49'20	36'46	2	+17'11	..	5869	4824	1845
122 29 35'70	36'29	4	+17'06	1846
95 14 1'80	35'50	4	+17'03	322	..	1847
69 58 42'86	34'82	48	+16'99	4840	150	1848
122 28 29'70	36'26	3	+16'97	..	5883	1849
135 18 55'61	35'78	14	+16'95	..	5881	4848	..	323	..	1850
145 38 39'90	40'49	3	+16'95	..	5879	4847	1851
..	4851	1852
102 37 52'27	37'66	20	+16'89	246	324	..	1853
134 26 38'50	40'50	3	+16'89	..	5891	4859	1854
127 8 42'70	40'30	3	+16'88	..	5895	4863	1855

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R. A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1856	4749	6	Centauri	h m s 14 11 13 ^o 03	38 ^o 49	3	+4 ^o 219	..
1857	..	7 ^o 8	Centauri	14 11 13 ^o 46	37 ^o 45	2	+4 ^o 219	..
1858	4748	6	102 Virginis.....v ¹	14 11 18
1859	4754	6	Apodis	14 11 56 ^o 92	36 ^o 34	1	+4 ^o 826	..
1860	4757	6	Centauri	14 12 46
1861	4761	6 ^o 7	Apodis	14 12 56 ^o 79	36 ^o 30	4	+6 ^o 011	..
1862	..	7	Centauri	14 12 57 ^o 97	37 ^o 41	3	+4 ^o 025	..
1863	4759	5	Centauri	14 13 12
1864	4762	6	103 Virginis.....v ²	14 13 44
1865	4763	6	51 Hydræ	14 13 53 ^o 58	40 ^o 23	3	+3 ^o 448	..
1866	4767	6	Libræ	14 15 41 ^o 71	39 ^o 31	2	+3 ^o 405	..
1867	4768	5	Lupi.....r ¹	14 15 53 ^o 98	37 ^o 40	4	+3 ^o 806	-0 ^o 004
1868	4770	5	Lupi.....r ²	14 15 56 ^o 02	34 ^o 50	2	+3 ^o 810	..
1869	4790	6 ^o 7	Octantis	Z 14 16 50 ^o 47	36 ^o 76	64	+20 ^o 113	-0 ^o 160
1870	4782	6	Cicini.....	14 18 1 ^o 50	37 ^o 30	2	+4 ^o 856	..
1871	4784	5 ^o 6	52 Hydræ	14 18 49 ^o 23	40 ^o 29	1	+3 ^o 490	-0 ^o 005
1872	4791	6	Lupi.....	14 19 43 ^o 82	38 ^o 82	6	+3 ^o 946	..
1873	4789	4	23 Boötis	θ 14 19 45
1874	4793	6	Lupi.....	14 19 51 ^o 45	40 ^o 52	2	+3 ^o 827	..
1875	4794	7	Libræ	14 20 0
1876	4796	6	Circini.....	14 20 32 ^o 73	40 ^o 47	1	+4 ^o 876	..
1877	14 20 37 ^o 74	36 ^o 35	4	+3 ^o 559	..
1878	..	6 ^o 7	Centauri	14 21 17 ^o 82	37 ^o 39	3	+3 ^o 679	..
1879	14 21 22 ^o 16	36 ^o 43	3	+3 ^o 561	..
1880	14 21 32 ^o 68	40 ^o 47	1	+4 ^o 884	..
1881	4801	5	Lupi.....σ	14 21 52 ^o 73	36 ^o 86	10	+3 ^o 988	..
1882	..	6 ^o 7	Centauri	14 22 31 ^o 62	37 ^o 44	3	+4 ^o 068	..
1883	4806	..	Centauri	14 23 43 ^o 56	39 ^o 03	5	+4 ^o 228	..
1884	14 23 52 ^o 09	36 ^o 35	5	+3 ^o 574	..
1885	..	7	Circini... ..	14 24 27 ^o 14	37 ^o 05	3	+4 ^o 948	..
1886	..	6 ^o 7	Apodis	14 24 29 ^o 87	36 ^o 30	4	+6 ^o 309	..
1887	4811	3	Centauri	η 14 25 22 ^o 49	36 ^o 52	3	+3 ^o 771	-0 ^o 009
1888	4812	3 ^o 4	27 Boötis	γ 14 25 38
1889	4814	7	Libræ	14 25 51
1890	4815	6	14 25 51 ^o 79	40 ^o 58	1	+3 ^o 882	..

1861. The N.P.D. appears at least 15" too great, but there does not appear to be anything wrong in the reductions.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
147 43 21'90	40'27	1	+16'86	..	5893	4864	1856
147 43 32'50	40'27	1	+16'86	1857
91 31 21'30	36'47	2	+16'86	1858
157 27 41'20	40'55	2	+16'82	..	5890	4869	1859
124 3 5'00	40'39	3	+16'79	..	5907	4879	1860
166 0 20'60	36'38	1	+16'78	..	5885	4874	1861
..	4881	1862
128 46 34'97	37'80	3	+16'76	..	5911	4883	..	326	..	1863
91 15 10'70	36'46	1	+16'74	1864
117 0 56'40	38'21	4	+16'73	..	5917	4887	1865
114 4 34'20	38'33	8	+16'64	..	5929	1866
134 29 34'84	35'27	10	+16'63	+ 0'09	5928	4902	..	328	..	1867
134 39 3'20	36'03	4	+16'63	..	5927	4903	..	329	..	1868
177 28 25'41	36'61	136	+16'59	+ 0'05	5823	4886	..	327	6	1869
156 59 41'40	36'38	1	+16'53	4918	1870
118 46 6'40	40'39	3	+16'49	..	5949	4925	1871
138 47 52'80	40'53	1	+16'44	..	5950	4928	1872
37 24 15'40	37'48	1	+16'44	1873
134 36 5'40	40'52	2	+16'44	..	5951	4930	1874
99 16 59'80	40'12	1	+16'43	1875
156 54 13'40	40'58	1	+16'40	..	5948	4933	1876
122 18 32'30	36'30	1	+16'40	1877
..	5963	4940	1878
122 19 41'50	36'30	1	+16'36	1879
..	1880
139 44 34'60	35'84	9	+16'34	..	5964	4945	..	331	..	1881
141 58 1'60	36'38	1	+16'30	..	5969	4950	1882
145 51 12'20	40'55	3	+16'24	..	5974	4957	1883
122 36 21'80	36'34	2	+16'23	1884
157 12 55'10	36'41	1	+16'20	..	5976	4962	1885
..	5957	4959	1886
131 27 2'05	38'18	7	+16'16	- 0'01	5993	4968	248	332	66	1887
50 59 21'80	37'39	7	+16'14	1888
109 43 59'27	36'12	3	+16'13	1889
135 32 30'97	40'56	2	+16'13	..	5995	4971	1890

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1891	h m s 14 26 5 ¹ 7	36 ³ 35	4	s +3 ⁵ 577	s ..
1892	..	7	Centauri	14 26 24
1893	4819	6	Lupi.....	14 26 52 ⁴ 44	40 ⁵ 58	1	+3 ⁸ 883	..
1894	4821	5	Lupi ρ	14 27 10
1895	..	8	14 27 27 ² 29	36 ⁴ 42	4	+3 ⁵ 82	..
1896	4833	4 ⁵	Apodis	14 28 19 ² 24	36 ³ 34	4	+6 ⁹ 84	..
1897	4829	6	Lupi.....	14 28 43
1898	4831	2 ³	Centauri..... α	14 28 46 ⁰ 09	39 ⁰ 09	180	+4 ⁴ 481	-0 ⁰ 470
1899	4832	1	Centauri	14 28 47 ⁴ 45	39 ⁰ 03	189	+4 ⁴ 481	-0 ⁰ 470
1900	14 29 38 ¹ 12	36 ² 29	6	+3 ⁵ 593	..
1901	4835	4	Circini	14 29 40
1902	4836	7	3 Libræ	14 30 9
1903	4838	6 ⁷	Hydræ	14 30 22
1904	4839	3	Lupi..... α	14 31 19 ² 27	35 ⁵ 54	1	+3 ⁹ 943	..
1905	4842	5	Centauri	14 32 2 ⁶ 67	40 ⁵ 53	1	+3 ⁶ 694	..
1906	..	7	Centauri	14 32 19 ⁸ 80	36 ⁴ 44	3	+3 ⁵ 552	..
1907	14 32 37 ¹ 12	36 ³ 30	6	+3 ⁵ 589	..
1908	4851	6 ⁷	Centauri	14 33 41 ⁸ 80	40 ⁵ 57	1	+4 ² 255	..
1909	..	8	Centauri	14 33 49 ³ 34	40 ⁵ 57	1	+4 ² 256	..
1910	4852	5	Centauri	14 33 53 ⁵ 59	38 ¹ 13	14	+3 ⁶ 643	..
1911	4854	6	4 Libræ	14 33 59 ⁶ 62	40 ⁴ 49	1	+3 ⁴ 448	..
1912	4855	4 ⁵	107 Virginis	14 34 38
1913	4858	5 ⁶	Centauri	14 35 11 ⁷ 78	40 ³ 31	2	+3 ⁶ 648	..
1914	14 35 13 ⁰ 03	36 ⁴ 43	4	+3 ⁶ 601	..
1915	4861	6	Lupi.....	14 35 49 ³ 31	40 ⁴ 43	1	+3 ⁹ 666	..
1916	4862	6	Lupi.....	14 35 52 ³ 33	40 ³ 37	3	+4 ¹ 136	..
1917	4860	6	Lupi.....	14 36 4 ⁴ 44	40 ³ 37	3	+4 ¹ 131	..
1918	4865	5 ⁶	54 Hydræ	14 36 45 ³ 38	34 ⁵ 51	6	+3 ⁴ 461	..
1919	Hydræ	14 36 46
1920	..	6 ⁷	Centauri	14 37 4 ⁴ 43	36 ⁴ 46	3	+3 ⁷ 724	..
1921	4868	6	5 Libræ	14 37 9
1922	..	8 ⁹	14 37 11 ⁷ 75	36 ³ 38	4	+3 ⁶ 608	..
1923	4875	6	Apodis	14 37 23 ¹ 18	36 ³ 30	4	+5 ⁷ 764	..
1924	4872	6	Centauri	14 37 27 ⁸ 82	40 ⁴ 45	2	+4 ³ 329	-0 ⁰ 023
1925	4876	3	36 Boötis	14 37 59 ⁹ 95	35 ⁵ 58	18	+2 ⁶ 624	-0 ⁰ 005

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1926	4877	5.6	55 Hydræ.....	14 38 5.04	39.75	5	+6.934	..
1927	4878	4	109 Virginis	14 38 10
1928	4880	5	56 Hydræ	14 38 25.36	40.19	1	+3.477	..
1929	4882	5	57 Hydræ	14 38 36.95	40.55	1	+3.487	..
1930	..	7	Centauri	14 38 40.77	37.34	3	+3.673	..
1931	14 38 (41)
1932	4884	7	Hydræ	14 39 14
1933	14 40 7.48	36.38	4	+3.616	..
1934	14 40 8.65	36.42	4	+3.625	..
1935	4890	5	7 Libræ μ	14 40 34
1936	..	7	Centauri	14 40 37.90	37.41	1	+3.852	..
1937	..	7	Centauri	14 40 44.56	36.50	1	+4.987	..
1938	..	7	Centauri	14 40 44.93	36.50	1	+4.987	..
1939	4891	5	58 Hydræ	14 40 54
1940	4892	5	Lupi	14 41 13.71	40.61	1	+3.876	..
1941	4893	6	Circini ζ	14 41 14.85	40.58	1	+4.955	..
1942	4894	6	8 Libræ	14 41 50.85	39.66	6	+3.309	-0.007
1943	4895	3	9 Libræ α	14 42 2.27	38.03	138	+3.310	-0.007
1944	14 42 41.17	36.31	5	+3.621	..
1945	4901	6	Lupi.....	14 42 50.18	36.46	3	+3.732	..
1946	Centauri	14 43 1
1947	4904	6	Circini.....	14 43 18.37	37.56	1	+4.553	..
1948	4908	6	Circini θ	14 43 55
1949	4911	6	Hydræ	14 44 54
1950	4914	6	Lupi.....	14 44 56.52	40.60	1	+4.206	..
1951	4913	6	12 Libræ	14 45 3
1952	14 45 41.96	37.37	3	+4.028	..
1953	..	6.7	Lupi.....	14 45 42.47	37.37	3	+4.028	..
1954	4916	5.6	Centauri ..	14 45 56.83	40.61	1	+3.651	..
1955	..	7	Apodis	14 46 11.98	36.30	4	+7.941	..
1956	..	7	Centauri	14 46 25
1957	..	6	Centauri	14 46 47.32	36.31	5	+3.627	..
1958	..	7	14 47 35.58	36.33	5	+3.634	..
1959	..	8	14 47 39.19	36.47	3	+3.691	..
1960	14 47 39.43	36.47	3	+3.691	..

1937, 1938. A double Star. It is not clear whether the N.P.D. belongs to the first or to the second Star.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 0 0										
114 56 52.30	40.55	2	+15.47	..	6097	1926
87 25 44.50	36.47	2	+15.47	1927
..	6102	5060	1928
115 58 18.00	40.56	2	+15.44	..	6104	5061	1929
125 10 3.20	36.41	1	+15.44	..	6100	5062	1930
125 10 12.90	36.41	1	+15.44	1931
114 49 16.80	40.52	1	+15.41	..	6107	1932
121 18 57.00	36.29	1	+15.36	1933
121 45 7.50	36.32	1	+15.36	1934
103 28 39.90	36.18	1	+15.33	5077	1935
..	6110	5074	1936
155 44 55.10	36.38	1	+15.32	5071	1937
..	5071	1938
117 17 22.00	38.07	5	+15.31	..	6116	5080	..	341	..	1939
132 54 28.40	36.49	13	+15.30	..	6114	5081	..	342	..	1940
155 19 39.60	40.53	3	+15.29	..	6106	5079	1941
105 19 39.80	34.42	2	+15.26	5084	104	1942
105 22 21.61	35.84	94	+15.25	251	343	103	1943
122 12 47.10	36.28	4	+15.21	1944
127 8 22.40	40.51	1	+15.20	..	6124	5090	1945
119 54 46.70	36.44	2	+15.19	..	6127	5091	1946
149 27 2.30	40.55	2	+15.18	..	6119	5092	1947
152 7 27.20	40.21	2	+15.14	..	6122	5096	1948
117 41 23.00	36.49	2	+15.09	..	6140	5105	1949
142 9 14.60	40.52	2	+15.08	..	6132	5103	1950
113 58 58.90	40.28	2	+15.08	..	6143	1951
..	1952
137 13 26.90	36.41	1	+15.04	..	6141	5112	1953
123 12 4.60	40.61	1	+15.03	..	6146	5115	1954
..	6108	5109	1955
128 45 41.90	36.46	2	+15.00	..	6149	5118	1956
121 58 57.40	36.26	3	+14.98	..	6153	1957
122 10 55.50	36.23	4	+14.93	1958
124 44 0.40	36.38	1	+14.93	5123	1959
..	5123	1960

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
1961	h m s 14 47 56.30	36.42	3	+3.635	..
1962	..	6.7	Lupi.....	14 48 4.80	36.34	3	+4.174	..
1963	4924	3	Lupiβ	14 48 4.90	36.45	9	+3.891	-0.014
1964	4922	5	15 Libræζ ²	14 48 5.76	34.89	7	+3.242	-0.001
1965	4923	6	Libræ	14 48 8.27	38.50	2	+3.410	..
1966	4928	3	Centauri.....κ	14 48 46.80	39.62	20	+3.865	-0.003
1967	4927	5.6	16 Libræ	14 48 50
1968	..	7	Lupi.....	14 49 9.32	37.45	4	+3.755	..
1969	4930	6	59 Hydræ.....	14 49 12.08	40.14	3	+3.530	..
1970	4938	6	Circiniη	14 51 30.36	39.52	7	+4.888	..
1971	4939	4.5	19 Libræδ	14 52 26
1972	..	6.7	14 53 13.03	36.31	5	+3.645	..
1973	4948	5	Lupiπ	14 54 15.39	36.02	13	+4.040	-0.009
1974	..	7.8	Apodis.....	14 54 15.89	37.40	3	+7.609	..
1975	4950	3.4	20 Libræ	14 54 43.19	38.45	17	+3.495	-0.007
1976	4951	5	110 Virginis	14 54 49
1977	4954	5.6	Lupi.....	14 54 56.86	40.24	4	+3.859	..
1978	..	7	Lupi.....	14 55 51.02	37.55	1	+3.606	..
1975	4958	3	42 Boötisβ	14 55 55
1980	..	7	Circini.....	14 56 29.61	36.37	3	+4.592	..
1981	..	8	14 57 0.38	36.42	4	+3.651	..
1982	14 57 24.50	36.34	5	+3.662	..
1983	4970	5	21 Libræν ¹	14 57 43
1984	..	8	Apodis.....	14 57 54.75	36.31	4	+7.429	..
1985	4973	5	Lupiλ	14 58 5.93	40.31	5	+3.998	-0.011
1986	4976	6	Trianguli Australis.....	14 59 5.18	38.20	7	+5.586	..
1987	4977	5.6	Lupi.....	14 59 23.17	38.06	5	+4.405	..
1988	..	8.9	14 59 58.70	36.44	3	+3.652	..
1989	..	7	Lupi.....	15 0 42.57	35.53	1	+4.263	..
1990	4987	4	Lupiζ	15 0 49.89	36.65	11	+4.264	..
1991	4986	5	Lupiκ	15 0 50.79	37.19	11	+4.130	-0.020
1992	4988	6	Lupi.....	15 0 52.30	40.49	1	+4.131	..
1993	15 1 44.39	36.42	4	+3.656	..
1994	15 1 45.13	36.42	4	+3.660	..
1995	4994	5.6	Lupi.....	15 2 6.56	40.34	4	+3.990	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
122 10 50.30	36.34	2	+14.91	1961
..	6156	5128	1962
132 29 2.41	35.82	13	+14.90	+ 0.03	6160	5129	..	344	64	1963
100 45 35.06	35.95	5	+14.90	345	..	1964
110 41 12.90	36.42	2	+14.90	1965
131 27 23.79	40.52	1	+14.86	+ 0.01	6170	5133	..	346	65	1966
93 41 26.20	36.46	2	+14.86	1967
..	6178	5136	1968
117 0 38.00	40.57	2	+14.84	..	6179	5137	1969
153 23 46.32	39.50	5	+14.70	..	6181	5149	1970
97 52 49.40	34.53	2	+14.64	347	..	1971
122 0 24.50	36.25	7	+14.60	1972
136 25 8.80	35.52	20	+14.53	+ 0.04	6201	5166	..	348	..	1973
168 31 7.70	36.41	1	+14.53	..	6174	5163	1974
114 38 54.04	38.14	13	+14.51	..	6212	5169	252	349	..	1975
87 16 35.10	36.47	2	+14.50	1976
130 26 14.20	40.30	4	+14.49	..	6209	5171	1977
..	6219	5177	1978
48 58 29.60	37.49	4	+14.43	1979
..	6214	5180	1980
121 49 33.50	36.32	4	+14.37	1981
122 17 9.20	36.47	3	+14.34	1982
105 37 54.55	36.98	8	+14.32	1983
167 51 52.40	36.41	1	+14.31	..	6194	5181	1984
134 39 30.30	40.17	4	+14.30	- 0.03	6232	5185	..	350	..	1985
159 28 3.23	37.81	3	+14.24	..	6222	5189	1986
144 43 48.06	38.07	5	+14.22	..	6236	5193	1987
121 31 50.90	36.34	4	+14.18	1988
..	5203	1989
141 29 2.85	35.80	12	+14.14	..	6245	5204	..	351	..	1990
138 7 23.58	40.38	2	+14.13	+ 0.06	6246	5205	..	352	..	1991
138 7 46.90	40.38	2	+14.13	5207	1992
121 30 35.30	36.32	1	+14.08	1993
121 31 10.70	36.32	1	+14.07	1994
133 53 25.00	40.47	3	+14.05	..	6257	5219	1995

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
1996	4995	5.6	24 Libræt ¹	15 3 6.79	37.37	7	+3.405	-0.002
1997	4999	6.7	Circini	15 3 45.13	37.18	5	+4.756	..
1998	5004	6	Circiniδ	15 4 4.29	37.18	5	+4.762	..
1999	5005	3	Trianguli Australis ...γ	15 4 4.65	40.14	3	+5.463	-0.018
2000	5007	6	Circiniε	15 4 12.39	38.16	4	+4.962	..
2001	5009	6	1 Lupi	15 4 50.30	37.50	10	+3.650	..
2002	5011	5	Circiniβ	15 5 2.47	38.07	2	+4.629	..
2003	5017	6	Lupi.....	15 5 34.10	40.39	2	+3.910	..
2004	..	Neb.	15 6 2.57	34.53	1	+3.848	..
2005	5028	5	Lupiμ	15 7 26.26	40.61	1	+4.128	-0.015
2006	5029	7	Lupi.....	15 7 28
2007	5037	6	Octantis.....ρ	15 7 28.83	36.60	3	+12.221	+0.078
2008	5032	4.5	2 Lupi	15 8 7
2009	5034	2.3	27 Libræβ	15 8 24.29	37.99	79	+3.223	-0.009
2010	5035	6	Lupi.....	15 8 28.55	40.48	1	+3.900	..
2011	15 8 53.93	36.36	5	+3.623	..
2012	..	7	Lupi.....	15 9 21.25	37.41	3	+3.799	..
2013	..	8	Lupi.....	15 9 41.43	40.50	2	+4.682	..
2014	5040	Neb.	Circini	15 9 57.45	40.50	2	+4.685	..
2015	..	9	15 10 13.78	36.48	3	+3.667	..
2016	5044	6	Circiniγ	15 10 41.32	37.17	5	+4.700	..
2017	5046	4	Lupiδ	15 10 53.62	34.96	7	+3.904	+0.001
2018	5049	5	Lupi.....ν ¹	15 11 1.59	40.49	1	+4.146	..
2019	5050	6	Lupi.....ν ²	15 11 3.26	37.61	1	+4.161	..
2020	5052	6	Trianguli Australis	15 11 15.75	40.61	1	+5.492	..
2021	..	7	Normæ.....	15 11 29.01	36.97	2	+4.584	..
2022	5054	5	Lupi.....φ ¹	15 11 40.48	40.59	1	+3.784	..
2023	5056	4.5	Lupi.....ε	15 11 50.76	38.88	3	+4.034	..
2024	5060	5	Lupi.....φ ²	15 12 57.31	37.55	14	+3.804	..
2025	15 13 34.29	36.43	4	+3.678	..
2026	5063	6	30 Libræo ²	15 14 7.01	35.56	1	+3.332	-0.003
2027	5068	6	Apodisκ ¹	15 14 14.05	36.30	3	+6.315	..
2028	5065	6	Lupi.....ν	15 14 19.46	40.14	3	+3.888	..
2029	5069	6	Lupi.....	15 14 59.12	40.34	3	+3.862	..
2030	..	8	15 16 36.54	36.31	5	+3.673	..

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
2031	5086	6	Lupi.....	h m s 15 18 18 [·] 15	36 [·] 50	4	+4 [·] 132	s ..
2032	5088	6	Apodis.....	15 18 19 [·] 54	37 [·] 35	3	+7 [·] 614	..
2033	15 18 45 [·] 59	36 [·] 43	3	+3 [·] 673	..
2034	..	7 [·] 8	15 18 52 [·] 38	36 [·] 35	4	+3 [·] 678	..
2035	15 18 54 [·] 04	36 [·] 37	6	+3 [·] 683	..
2036	5089	4	32 Libræζ ¹	15 19 14 [·] 57	35 [·] 06	14	+3 [·] 367	..
2037	5090	7	Libræ	15 19 16 [·] 74	37 [·] 42	3	+3 [·] 622	..
2038	15 20 11 [·] 15	36 [·] 53	4	+4 [·] 641	..
2039	..	7 [·] 8	Normæ.....	15 20 11 [·] 77	36 [·] 53	4	+4 [·] 641	..
2040	5100	6	34 Libræζ ³	15 21 39 [·] 41	35 [·] 53	2	+3 [·] 368	..
2041	5103	5	Trianguli Australis.....ε	15 22 9 [·] 72	37 [·] 09	7	+5 [·] 365	-0 [·] 002
2042	5107	6	Apodis.....	15 22 27 [·] 44	37 [·] 69	6	+7 [·] 081	..
2043	5108	6	Apodis.....κ ²	15 22 45 [·] 94	39 [·] 11	7	+6 [·] 436	..
2044	5112	6	35 Libræζ ⁴	15 23 54
2045	..	8	15 24 3 [·] 94	36 [·] 34	4	+3 [·] 683	..
2046	5118	3	Lupiγ	15 24 30 [·] 16	37 [·] 39	8	+3 [·] 964	-0 [·] 005
2047	5123	5 [·] 6	Lupi.....	15 24 53 [·] 80	40 [·] 45	2	+4 [·] 093	..
2048	5121	6	36 Libræ	15 24 56 [·] 23	40 [·] 14	3	+3 [·] 614	-0 [·] 004
2049	5131	4 [·] 5	4 Coronæ Borealis.....θ	15 26 28 [·] 69	37 [·] 53	1	+2 [·] 419	..
2050	5134	4 [·] 5	38 Libræ.....γ	15 26 35 [·] 11	35 [·] 32	5	+3 [·] 338	+0 [·] 002
2051	5137	6	Circini.....	15 26 54 [·] 72	36 [·] 52	4	+4 [·] 844	..
2052	5136	6	Normæ.....	15 26 58 [·] 44	40 [·] 39	2	+4 [·] 408	..
2053	..	7	Trianguli Australis.....	15 27 6
2054	5139	5	Lupi.....	15 27 18 [·] 07	40 [·] 48	3	+4 [·] 019	..
2055	5138	4	39 Libræ	15 27 19 [·] 45	39 [·] 04	5	+3 [·] 621	-0 [·] 002
2056	5143	2 [·] 3	5 Coronæ Borealis.....α	15 27 54 [·] 89	35 [·] 03	43	+2 [·] 529	+0 [·] 009
2057	15 27 57 [·] 77	36 [·] 34	4	+3 [·] 698	..
2058	5151	4 [·] 5	40 Libræ	15 28 50 [·] 72	38 [·] 05	17	+3 [·] 663	-0 [·] 007
2059	5160	5 [·] 6	3 Lupi	15 29 37 [·] 35	38 [·] 51	9	+3 [·] 783	..
2060	5161	6	41 Libræ	15 29 43
2061	5165	5 [·] 6	Lupi.....	15 30 13 [·] 04	37 [·] 38	6	+4 [·] 101	-0 [·] 018
2062	15 30 21 [·] 14	36 [·] 34	4	+3 [·] 702	..
2063	5166	5 [·] 6	42 Libræ	15 30 50 [·] 06	40 [·] 05	5	+3 [·] 530	-0 [·] 003
2064	5171	5 [·] 6	Lupi.....	15 32 15 [·] 70	40 [·] 51	4	+3 [·] 874	..
2065	5173	5 [·] 6	4 Lupi	15 32 30 [·] 43	40 [·] 46	6	+3 [·] 798	..

2065. The Observed N.P.D. has been increased 1[·]0[·]22 on the supposition that the Microscope readings have been entered by the observer one revolution too small.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
136 10 16.40	36.41	1	+13.01	..	6380	5344	2031
..	6348	5336	2032
120 32 7.10	36.34	2	+12.98	2033
120 44 4.00	36.35	2	+12.97	2034
120 54 50.50	36.35	5	+12.97	2035
106 9 13.60	34.53	4	+12.94	2036
118 18 13.40	36.49	2	+12.94	..	6395	5349	2037
..	2038
..	6389	5355	2039
..	2040
155 46 11.67	35.64	5	+12.75	+ 0.10	6398	5372	..	362	..	2041
165 32 39.37	40.61	1	+12.73	+ 0.05	6381	5368	2042
162 54 27.93	39.06	3	+12.71	..	6390	5373	2043
106 18 17.88	35.80	4	+12.63	2044
120 28 18.70	36.34	3	+12.62	2045
130 37 20.70	37.17	23	+12.59	+ 0.02	6422	5380	255	363	68	2046
134 24 56.30	40.14	1	+12.56	..	6424	5384	2047
117 30 7.70	40.60	2	+12.56	..	6430	5385	2048
..	2049
104 15 2.20	36.56	2	+12.45	365	..	2050
149 21 58.80	36.41	1	+12.42	..	6431	5394	2051
141 50 14.10	40.61	1	+12.42	..	6437	5396	2052
154 32 14.70	36.46	2	+12.41	..	6428	5395	2053
132 2 9.77	39.03	6	+12.40	..	6443	5399	2054
117 35 57.88	36.74	24	+12.40	..	6445	5400	..	366	..	2055
62 44 33.00	34.54	18	+12.35	2056
120 43 5.20	36.46	5	+12.35	2057
119 14 44.33	37.01	10	+12.29	..	6455	5406	..	367	..	2058
123 53 1.10	40.33	2	+12.24	..	6463	5410	2059
108 46 9.80	35.52	2	+12.23	2060
134 7 29.07	36.09	15	+12.19	+ 0.24	6464	5416	2061
120 41 10.90	36.32	1	+12.19	2062
113 17 32.30	38.55	3	+12.15	..	6479	5423	2063
126 34 19.80	40.59	1	+12.05	..	6486	5437	2064
124 11 32.47	40.59	1	+12.04	..	6489	5440	2065

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2066	5176	5	43 Libræ.....κ	15 32 44.32	38.22	4	+3.443	-0.003
2067	5179	6	Normæ.....	15 33 16.83	40.49	1	+4.362	..
2068	5182	7	Trianguli Australis.....	15 33 22.22	36.53	3	+5.365	..
2069	5182	7	15 33 22.84	36.53	3	+5.365	..
2070	..	7.8	15 33 33.06	36.46	4	+3.692	..
2071	5188	7	Libræ	15 34 27
2072	5190	4.5	44 Libræ	15 35 4.90	34.76	8	+3.364	..
2073	..	7.8	Scorpii	15 35 55.16	36.35	4	+3.684	..
2074	5196	2.3	24 Serpentis	15 36 23.46	37.89	86	+2.940	..
2075	5199	6	Lupi.....	15 36 32.14	40.27	3	+3.807	..
2076	..	6.7	Normæ.....	15 36 51.23	37.41	3	+4.457	..
2077	..	7	Apodis	15 37 11.98	36.31	4	+6.441	..
2078	Trianguli Australis.....	15 37 16
2079	5209	6	Normæ.....	15 38 1.10	40.52	1	+4.501	+0.013
2080	5213	6	Normæ.....	15 38 24.79	40.51	1	+4.300	..
2081	..	9	15 38 44.95	37.41	4	+3.689	..
2082	5218	6	Normæ.....	15 38 43.08	40.49	1	+4.605	..
2083	..	7	15 38 43.54	40.51	1	+4.307	..
2084	5222	6	Lupi.....	15 39 5.47	36.44	4	+4.160	..
2085	5224	5	Trianguli Australis ...κ	15 39 46.62	39.12	4	+5.797	-0.008
2086	15 40 35.45	35.55	1	+3.788	..
2087	5227	4	5 Lupi.....χ	15 40 48.52	37.21	17	+3.788	..
2088	5233	3	Trianguli Australis ...β	15 41 6.42	40.63	1	+5.222	-0.027
2089	..	8	15 41 10
2090	5232	5	1 Scorpii	15 41 22.19	39.11	7	+3.591	-0.005
2091	..	10	15 41 27.25	36.45	5	+3.686	..
2092	..	7	15 42 21.17	36.31	5	+3.693	..
2093	..	9.10	15 42 29.93	36.46	3	+3.684	..
2094	15 42 54.06	37.41	3	+3.687	..
2095	..	8	15 42 59.36	36.38	4	+3.694	..
2096	15 43 3.30	36.38	4	+3.693	..
2097	5250	5	2 Scorpii	15 44 1.08	40.36	3	+3.585	..
2098	5251	4	45 Libræ	15 44 3
2099	5253	6	Scorpii	15 44 21.19	40.36	4	+3.567	..
2100	5256	6	Trianguli Australis.....λ	15 44 21.95	40.48	1	+5.405	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 "	"	"	"	"						
109 9 20.50	37.61	1	+12.02	368	..	2066
140 16 13.80	40.23	2	+11.98	..	6488	5445	2067
154 55 53.10	36.41	1	+11.98	..	6477	5442	2068
..	2069
120 1 6.50	36.37	2	+11.96	2070
104 31 27.40	36.42	2	+11.90	2071
105 9 27.08	35.65	10	+11.85	369	..	2072
119 31 55.10	36.35	8	+11.80	..	6509	5462	2073
83 3 58.44	34.64	21	+11.76	5473	2074
..	6514	5468	2075
..	6506	5474	2076
..	6494	5470	2077
157 8 35.60	36.47	2	+11.70	..	6501	5477	2078
142 42 35.28	40.27	1	+11.65	+ 0.06	6520	5484	2079
138 24 50.60	40.40	2	+11.62	..	6525	5485	2080
119 30 51.10	37.43	1	+11.59	2081
..	6524	5486	2082
..	5487	2083
..	6529	5489	2084
158 6 57.25	37.84	3	+11.52	+ 0.04	6518	5491	2085
..	2086
123 8 1.11	38.60	7	+11.45	..	6548	5499	..	370	..	2087
152 55 40.74	40.59	1	+11.42	+ 0.43	6533	5497	256	371	23	2088
132 6 3.70	36.51	2	+11.42	5503	2089
115 15 32.46	37.73	11	+11.41	..	6557	373	..	2090
119 11 38.10	36.43	3	+11.40	2091
119 23 41.50	36.34	7	+11.34	2092
119 2 40.00	36.34	2	+11.33	2093
119 6	2094
119 22 40.90	36.43	2	+11.29	2095
119 21 22.70	36.39	3	+11.29	2096
114 50 36.05	37.57	2	+11.21	..	6574	5521	..	374	..	2097
109 40 58.00	35.37	8	+11.21	375	..	2098
114 3 2.10	40.23	2	+11.19	..	6576	2099
..	6559	5519	2100

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2101	5254	6	Scorpii	15 44 25.29	40.44	2	+3.554	..
2102	5257	4.5	46 Libræ	15 44 43.44	35.64	7	+3.395	..
2103	5264	7	47 Libræ	15 45 46
2104	5265	6	4 Scorpii	15 45 50.59	40.53	3	+3.610	-0.003
2105	5267	6	Scorpii	15 46 10.68	40.17	3	+3.750	..
2106	5268	6	Lupi	15 46 40.65	40.31	2	+3.811	..
2107	5269	6.7	Lupi	15 46 41.33	40.31	1	+3.811	..
2108	5272	4	5 Scorpii	15 47 1.20	35.90	12	+3.685	-0.004
2109	..	7.8	Normæ.....	15 47 14
2110	..	7.8	15 47 24
2111	5277	6	Normæ.....	15 47 33.80	40.55	2	+4.588	+0.019
2112	Normæ.....	15 48 13.39	36.31	4	+6.515	..
2113	5282	6	Lupi	15 48 37.78	37.36	3	+4.058	..
2114	5283	6	Normæ.....	15 48 40.84	36.60	2	+4.625	..
2115	5289	3.4	6 Scorpii	15 49 11.07	37.21	15	+3.612	-0.003
2116	5290	4.5	48 Libræ	15 49 14
2117	5292	4.5	Lupi	15 49 32.26	37.18	9	+3.949	-0.011
2118	..	9	Lupi.....	15 49 (33)
2119	..	8	15 49 54.28	36.53	4	+5.107	..
2120	5300	7	Trianguli Australis	15 50 11.10	37.84	6	+5.029	..
2121	5301	5.6	Normæ	15 50 33.82	40.47	1	+4.832	..
2122	5303	3	7 Scorpii.....	15 50 52.99	37.71	13	+3.532	-0.001
2123	5304	5.6	49 Libræ	15 51 21
2124	5305	5.6	Normæ	15 51 29.00	38.22	4	+4.364	..
2125	5306	6	50 Libræ	15 52 9.74	37.54	6	+3.230	..
2126	5311	5.6	Lupi.....	15 52 46.90	40.44	4	+3.964	..
2127	5314	6	Scorpii	15 53 41.24	40.21	3	+3.613	..
2128	..	7	Trianguli Australis	15 54 20.35	37.36	3	+5.268	..
2129	5323	5	Normæ	15 55 12.46	36.23	8	+4.205	..
2130	5327	6	Normæ.....	15 55 45.03	40.51	1	+4.343	..
2131	5328	6	Trianguli Australis	15 55 45.76	36.53	4	+5.275	..
2132	5331	4.5	Lupi	15 56 6.21	37.71	11	+3.915	..
2133	5329	2	8 Scorpii	15 56 8.63	37.45	75	+3.474	-0.002
2134	5330	5.6	Scorpii	15 56 9
2135	5332	5.6	Normæ	15 56 12.02	40.60	2	+4.871	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
113 29 43.30	40.61	1	+11.19	..	6579	2101
106 15 14.74	35.37	5	+11.16	257	376	..	2102
108 54 16.30	36.42	2	+11.09	2103
..	6586	2104
121 18 40.10	40.49	1	+11.06	..	6587	5533	2105
123 29 29.81	40.59	1	+11.02	..	6592	5535	2106
123 29 22.81	40.59	1	+11.02	5536	2107
118 44 26.43	36.50	28	+11.00	..	6601	5538	..	377	..	2108
134 3 11.60	36.43	2	+10.98	..	6594	5540	2109
153 56 8.60	36.46	2	+10.97	5539	2110
143 33 13.26	40.61	1	+10.96	+ 0.06	6589	5542	2111
..	5544	2112
..	6609	5548	2113
..	6602	5547	2114
115 38 50.70	38.01	13	+10.84	..	6622	378	..	2115
103 48 44.00	36.42	2	+10.83	379	..	2116
127 55 57.22	35.52	14	+10.81	+ 0.05	6619	5554	..	380	..	2117
127 55 43.30	36.22	4	+10.81	2118
..	5552	2119
..	6612	5557	2120
147 18 57.40	40.61	1	+10.74	..	6615	5559	2121
112 9 37.43	38.43	3	+10.71	5560	258	381	92	2122
106 3 22.70	36.54	2	+10.68	259	2123
138 46 31.30	40.32	3	+10.67	..	6632	5564	2124
..	2125
..	6644	5571	2126
115 24 46.80	40.43	3	+10.50	..	6659	2127
..	6642	5576	2128
134 43 53.52	36.06	6	+10.39	- 0.02	6664	5581	..	382	..	2129
..	6667	5585	2130
..	6652	5583	2131
126 21 35.58	36.90	29	+10.32	..	6678	5591	..	384	..	2132
109 21 42.80	35.68	25	+10.32	260	385	94	2133
109 21 31.47	35.02	13	+10.32	5596	261	2134
147 29 42.80	40.61	1	+10.32	..	6665	5590	2135

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2136	5339	5.6	Apodis..... δ^1	15 56 41.55	36.61	7	+8.605	..
2137	5337	4.5	9 Scorpii..... ω^1	15 57 27.45	35.21	3	+3.495	-0.001
2138	5342	4.5	10 Scorpii..... ω^2	15 58 1.86	34.46	3	+3.501	..
2139	5347	5	Scorpii.....	15 58 23.06	36.67	4	+3.631	..
2140	5358	6	Scorpii.....	15 59 38.05	40.26	3	+3.826	..
2141	5360	6	Normæ.....	16 0 0.17	40.54	2	+4.226	..
2142	5363	6.7	Lupi.....	16 0 24.64	40.54	2	+4.068	..
2143	5370	5.6	Normæ..... ζ	16 0 40.57	40.50	1	+4.736	..
2144	5373	5.6	Normæ..... κ	16 0 53.73	40.44	2	+4.681	..
2145	5375	4.5	Trianguli Australis..... δ	16 0 55.91	34.87	6	+5.376	..
2146	5374	6	Scorpii.....	16 1 6.50	40.25	2	+3.715	-0.013
2147	5377	6	Trianguli Australis.....	16 1 12.50	40.63	1	+5.879	..
2148	5380	6	12 Scorpii..... c^1	16 2 23.50	37.23	6	+3.691	..
2149	5381	5	13 Scorpii..... c^2	16 2 27.52	39.75	4	+3.678	+0.004
2150	5384	6	Normæ.....	16 2 38.84	38.02	5	+4.901	..
2151	5383	7	Scorpii.....	16 2 41.22	35.56	1	+3.474	..
2152	5382	4	14 Scorpii..... v	16 2 42.46	35.56	1	+3.474	-0.002
2153	5412	6.7	Octantis.....	16 2 57.53	38.82	5	+19.866	..
2154	5386	5	15 Scorpii..... ψ	16 3 16
2155	5390	5.6	Normæ..... θ	16 3 39.91	40.39	3	+4.323	..
2156	..	7	16 4 8
2157	..	7	Trianguli Australis.....	16 4 21
2158	5404	5.6	Normæ..... γ^1	16 5 3.87	40.31	2	+4.452	..
2159	..	8	16 5 10.91	36.53	1	+6.581	..
2160	..	7	16 6 37
2161	..	7	Trianguli Australis.....	16 7 6
2162	5425	5	Normæ..... γ^2	16 7 53.79	36.48	9	+4.466	-0.018
2163	5427	5.6	Normæ..... λ	16 8 10.81	40.53	3	+4.145	..
2164	5429	5.6	Scorpii.....	16 8 23.23	37.42	10	+3.705	..
2165	5439	5	Apodis..... γ	16 9 8.60	35.91	21	+8.901	-0.045
2166	..	8	Scorpii.....	16 9 25.58	39.61	1	+3.770	..
2167	5435	6	Scorpii.....	16 9 26.29	39.13	8	+3.770	..
2168	5438	6	Normæ.....	16 9 42.39	40.57	2	+4.379	..
2169	5442	6	Normæ.....	16 10 32.21	40.54	2	+4.447	..
2170	..	6.7	Trianguli Australis.....	16 10 53.03	36.32	4	+5.378	..

2165. The large proper motions assigned to this Star in the B.A.C are erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
0 1 "											
..	6623	5584	2136	
110 13 48'00	35'47	2	+10'22	386	..	2137	
..	387	..	2138	
115 53 31'60	40'21	3	+10'15	..	6702	5605	2139	
..	6711	5614	2140	
134 54 15'90	40'61	1	+10'03	..	6707	5617	2141	
130 41 18'60	40'49	1	+10'00	..	6715	5621	2142	
..	6705	5623	2143	
..	6712	5627	2144	
153 16 0'92	36'52	5	+9'96	..	6701	5624	..	389	..	2145	
118 59 15'22	39'64	18	+9'94	+0'10	6725	5629	2146	
..	6698	5628	2147	
117 59 41'50	38'45	4	+9'85	..	6729	5636	2148	
117 30 16'75	35'84	11	+9'84	..	6730	390	..	2149	
..	6722	5634	2150	
109 1 43'00	36'61	1	+9'83	2151	
109 2 20'88	35'72	5	+9'83	391	..	2152	
..	6545	5607	..	388	..	2153	
99 38 38'60	36'42	2	+9'78	392	..	2154	
136 57 22'70	40'44	4	+9'75	..	6734	5637	2155	
129 12 47'90	36'48	2	+9'71	5645	2156	
158 7 57'70	36'47	2	+9'70	..	6723	5640	2157	
139 39 35'50	40'35	3	+9'64	..	6746	5655	..	395	..	2158	
..	5650	2159	
139 0 18'10	36'42	2	+9'52	5665	2160	
159 45 1'50	36'46	2	+9'49	..	6737	5666	2161	
139 45 17'74	36'45	9	+9'42	+0'06	6764	5675	..	396	..	2162	
132 16 29'70	40'61	1	+9'40	..	6772	5680	2163	
118 12 34'30	40'18	2	+9'39	..	6777	5681	2164	
168 31 16'98	34'53	6	+9'33	+0'05	6727	5678	..	397	..	2165	
120 30 25'64	38'90	7	+9'31	2166	
120 30 42'68	39'03	9	+9'31	..	6788	5685	2167	
..	6783	5687	2168	
139 10 55'90	40'61	1	+9'22	..	6790	5692	2169	
..	6779	5693	2170	

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2171	5445	5.6	19 Scorpii.....	16 11 1.26	40.17	1	+3.595	..
2172	5446	6	Normæ.....	16 11 14
2173	5450	6	Trianguli Australis.....ζ	16 11 20.69	37.26	5	+6.290	..
2174	5447	4	20 Scorpiiσ	16 11 28.39	37.46	9	+3.631	-0.003
2175	Normæ.....	16 12 46.12	36.61	4	+4.104	..
2176	5454	5.6	Trianguli Australis.....ι	16 13 8.78	38.19	5	+5.487	+0.008
2177	5464	6	Scorpii	16 14 37.56	40.25	2	+3.745	..
2178	Scorpii	16 14 37.61	40.24	4	+3.745	..
2179	5467	5	4 Ophiuchiψ	16 14 45.03	35.60	1	+3.500	-0.004
2180	5469	6	Aræ	16 14 47.85	36.63	4	+5.007	..
2181	5463	4	22 Herculis	16 14 56
2182	..	9	Normæ.....	16 15 27.55	37.42	3	+4.367	..
2183	5472	6	Normæ	16 15 28.45	39.13	7	+4.367	..
2184	5477	5	5 Ophiuchi.....ρ	16 16 0.10	34.53	7	+3.584	..
2185	5486	6	Aræ	16 16 38.84	37.53	2	+5.267	..
2186	5492	6.7	Normæ.....	16 18 8.01	36.65	3	+4.317	..
2187	5498	1	21 Scorpiiα	16 19 36.44	36.74	234	+3.664	-0.001
2188	..	7	Scorpii	16 20 16
2189	5505	5.6	Trianguli Australis ...θ	16 20 23.78	37.41	5	+5.690	..
2190	5510	5	Apodis.....β	16 20 24.55	39.65	2	+8.397	-0.090
2191	5501	6	22 Scorpii	16 20 30
2192	5506	6.7	Scorpii	16 20 46.13	40.55	1	+3.890	..
2193	5508	4	Scorpii	16 20 56.36	38.52	5	+3.901	..
2194	5516	4.5	8 Ophiuchiφ	16 21 59.33	35.57	2	+3.426	..
2195	5519	5	9 Ophiuchiω	16 22 39.50	35.56	3	+3.542	..
2196	5521	5.6	Normæ	16 22 44
2197	..	7	16 23 23
2198	..	6.7	Aræ	16 24 46.13	36.65	3	+5.248	..
2199	5536	5	Trianguli Australis ...η ¹	16 25 3
2200	5533	6	Normæ.....	16 25 8.48	40.48	1	+4.194	..
2201	..	7	16 25 12
2202	5538	5	Scorpii	16 25 51.66	40.50	1	+3.927	-0.003
2203	5539	3.4	23 Scorpii	16 25 55.90	37.37	23	+3.720	-0.001
2204	16 26 45.99	36.58	4	+4.370	..
2205	5542	6	Normæ.....	16 27 8.26	40.48	2	+4.220	..

2201. Brisbane's N.P.D. appears to be several seconds too small.

2204. The right ascension of this Star exceeds that resulting from Brisbane's observation of the Star 5772 by more than 15^s, and as there is no observation of the Star in N.P.D., the identity of the Star with Brisbane 5772 is doubtful.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 2										
113 46 37.40	40.28	3	+ 9.18	..	6798	2171
133 31 25.40	36.43	2	+ 9.17	..	6793	5699	2172
..	6771	5695	2173
115 12 8.83	37.54	19	+ 9.15	..	6799	5703	..	399	..	2174
130 51 45.90	36.41	1	+ 9.05	..	6804	5708	2175
153 41 2.40	40.61	1	+ 9.02	0.00	6795	5709	2176
119 19 15.20	40.25	2	+ 8.90	..	6826	2177
119 19 22.90	40.25	2	+ 8.90	2178
..	265	400	..	2179
..	6812	5720	2180
43 18 6.73	37.23	6	+ 8.88	2181
137 10 33.30	40.40	2	+ 8.83	2182
137 10 53.90	40.40	2	+ 8.83	..	6825	5723	2183
..	401	..	2184
..	6824	5729	2185
..	6841	5738	2186
116 4 13.50	36.21	225	+ 8.51	..	6853	5743	267	404	89	2187
114 47 17.80	40.19	1	+ 8.46	2188
155 8 42.90	40.44	1	+ 8.45	..	6844	5744	2189
..	6817	5742	2190
114 45 24.30	40.19	1	+ 8.44	..	6858	2191
123 58 39.10	40.40	2	+ 8.42	..	6857	2192
124 20 55.90	37.54	5	+ 8.40	..	6859	5747	..	405	..	2193
..	268	406	..	2194
..	407	..	2195
133 41 53.80	40.36	5	+ 8.26	..	6867	5752	2196
139 2 59.00	36.42	2	+ 8.21	5753	2197
..	6873	5757	2198
157 57 56.55	38.44	4	+ 8.07	0.00	6865	5756	2199
132 31 12.40	40.32	3	+ 8.07	..	6885	5761	2200
160 15 7.30	36.46	2	+ 8.06	..	6861	5759	2201
..	6890	5767	..	408	..	2202
117 52 37.98	36.88	16	+ 8.00	..	6897	5768	269	409	..	2203
..	5772	2204
133 3 58.80	40.33	3	+ 7.91	..	6899	5777	2205

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R. A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
2206	5544	5.6	Trianguli Australis	h m s 16 27 14.06	38.59	4	s +5.983	s ..
2207	..	7	Scorpii	16 27 38
2208	5552	4	35 Herculis	16 28 57
2209	Aræ	16 29 21
2210	5558	6	Aræ	16 29 22.49	40.39	5	+4.464	..
2211	5565	6	Trianguli Australis ... η^2	16 30 28.39	40.57	2	+6.101	..
2212	5566	6	Trianguli Australis	16 30 37.27	40.54	2	+5.957	..
2213	5578	2	Trianguli Australis ... α	16 31 47.22	36.73	26	+6.254	..
2214	5573	7.8	Ophiuchi	16 32 1.98	34.48	5	+3.468	..
2215	5577	6	Aræ	16 32 2.41	36.48	4	+4.708	..
2216	5579	5	Ophiuchi	16 32 19.64	35.26	6	+3.461	+0.002
2217	5585	6.7	Aræ	16 32 43.77	36.51	3	+5.073	..
2218	5593	6	Scorpii	16 33 38.67	40.53	3	+4.135	..
2219	5603	6.7	Scorpii	16 35 0.37	35.58	3	+3.740	..
2220	..	7	16 35 24
2221	5610	6	Trianguli Australis	16 35 58.23	40.52	2	+6.069	..
2222	5609	4.5	Aræ	16 36 0.15	37.09	7	+5.128	0.000
2223	5613	6	Aræ	16 36 24.00	37.90	6	+5.761	..
2224	5614	6	25 Scorpii	16 37 4.03	40.18	3	+3.661	+0.001
2225	5617	3	44 Herculis	16 37 25
2226	5632	3	26 Scorpii	16 39 48.70	36.96	85	+3.919	-0.051
2227	5633	6	18 Ophiuchi	16 40 0
2228	..	7	Apodis	16 40 23.61	36.42	3	+7.225	..
2229	5635	6	Scorpii	16 40 25.22	40.35	3	+4.163	..
2230	5636	6	Aræ	16 40 31.36	36.54	4	+5.539	..
2231	5637	5	20 Ophiuchi	16 40 59
2232	5638	3	Scorpii	16 41 2.67	36.38	7	+4.047	-0.007
2233	5640	4	Scorpii	16 41 30.67	39.05	4	+4.046	..
2234	5649	6	Scorpii	16 42 21.99	36.59	4	+4.238	..
2235	5654	5.6	Trianguli Australis	16 42 26.74	37.49	3	+6.358	..
2236	5651	4.5	Scorpii	16 42 43.35	40.22	3	+4.211	+0.003
2237	5655	6.7	Scorpii	16 42 49.04	40.54	2	+4.189	..
2238	5660	5.6	Scorpii	16 43 9.90	40.48	2	+4.217	..
2239	5661	3	Scorpii	16 43 20.41	40.33	5	+4.212	-0.021
2240	..	8	16 43 23

Mean N.P.D 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
157 6 30 ^o 30	40 ^o 53	2	+ 7 ^o 90	..	6881	5775	2206
128 49 15 ^o 70	36 ^o 46	2	+ 7 ^o 87	..	6904	5779	2207
47 13 45 ^o 57	37 ^o 38	12	+ 7 ^o 76	2208
138 26 27 ^o 60	40 ^o 25	2	+ 7 ^o 73	2209
138 26 27 ^o 60	40 ^o 32	3	+ 7 ^o 73	..	6912	5792	2210
157 47 37 ^o 21	40 ^o 52	2	+ 7 ^o 64	- 0 ^o 01	6900	5797	2211
156 47 57 ^o 60	40 ^o 19	2	+ 7 ^o 63	..	6906	5798	2212
158 43 19 ^o 34	36 ^o 69	7	+ 7 ^o 53	..	6911	5804	270	412	17	2213
107 44 27 ^o 30	34 ^o 48	8	+ 7 ^o 51	2214
..	6927	5808	2215
107 25 35 ^o 27	35 ^o 50	4	+ 7 ^o 49	+ 0 ^o 06	271	413	..	2216
..	6928	5811	2217
130 31 50 ^o 10	40 ^o 26	5	+ 7 ^o 38	..	6949	5817	2218
..	6966	2219
131 18 33 ^o 80	36 ^o 53	2	+ 7 ^o 24	5824	2220
157 23 21 ^o 10	40 ^o 53	2	+ 7 ^o 19	..	6947	5826	2221
148 44 44 ^o 45	36 ^o 42	6	+ 7 ^o 19	+ 0 ^o 02	6956	5828	..	414	..	2222
155 5 5 ^o 90	40 ^o 56	2	+ 7 ^o 16	..	6954	5830	2223
115 13 49 ^o 33	39 ^o 04	3	+ 7 ^o 10	..	6981	2224
50 46 9 ^o 78	37 ^o 25	10	+ 7 ^o 07	2225
123 59 43 ^o 65	37 ^o 97	89	+ 6 ^o 88	..	6996	5851	272	415	82	2226
114 21 10 ^o 00	36 ^o 43	2	+ 6 ^o 86	..	7004	2227
..	5849	2228
130 56 52 ^o 20	40 ^o 44	4	+ 6 ^o 83	..	7000	5857	2229
152 59 34 ^o 60	36 ^o 46	2	+ 6 ^o 82	..	6983	5853	2230
100 29 38 ^o 00	36 ^o 42	2	+ 6 ^o 78	417	..	2231
127 45 54 ^o 82	36 ^o 67	12	+ 6 ^o 77	0 ^o 00	7006	5860	..	416	..	2232
127 44 13 ^o 46	35 ^o 73	10	+ 6 ^o 74	..	7009	5864	..	418	..	2233
132 46 27 ^o 20	36 ^o 41	2	+ 6 ^o 67	..	7014	5871	2234
159 0 10 ^o 80	37 ^o 85	3	+ 6 ^o 66	..	6989	5868	2235
132 5 15 ^o 22	40 ^o 42	3	+ 6 ^o 64	- 0 ^o 04	7016	5873	2236
..	7017	5876	2237
132 12 22 ^o 10	40 ^o 27	3	+ 6 ^o 60	..	7019	5879	2238
132 4 45 ^o 12	40 ^o 42	3	+ 6 ^o 59	+ 0 ^o 20	7025	5881	2239
156 56 11 ^o 20	40 ^o 55	1	+ 6 ^o 59	2240

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			"	"
2241	5664	6	Aræ ρ	16 43 49.60	40.49	1	+4.600	..
2242	5675	Neb.	Scorpii	16 44 38.78	40.53	2	+4.105	..
2243	5680	6.7	22 Ophiuchi	16 45 10.93	35.54	5	+3.615	..
2244	5683	3.4	Aræ ζ	16 45 24.26	37.30	8	+4.931	-0.013
2245	5689	6	Aræ	16 45 58.23	38.22	7	+4.603	..
2246	5697	4	Aræ ϵ^1	16 46 51.19	37.19	12	+4.751	-0.008
2247	Aræ	16 48 23
2248	5709	6	Ophiuchi	16 50 10.35	34.53	4	+3.662	..
2249	5711	6	26 Ophiuchi.....	16 50 22
2250	5713	5	Aræ ϵ^2	16 50 23.01	40.26	4	+4.764	-0.006
2251	5712	7	Ophiuchi	16 50 25.47	35.40	2	+3.486	..
2252	5715	6	Aræ	16 50 48.90	36.49	4	+5.073	..
2253	5718	6	Scorpii	16 51 32.38	40.52	4	+3.867	..
2254	..	8	Aræ	16 51 33.67	36.57	4	+4.641	..
2255	..	8	Aræ	16 51 35.45	36.57	4	+4.641	..
2256	5719	6	Aræ	16 51 39.96	40.50	2	+5.878	..
2257	16 52 7
2258	5727	6	Trianguli Australis.....	16 52 7.54	40.55	2	+6.338	..
2259	5723	6	29 Ophiuchi... ..	16 52 30.07	34.48	4	+3.503	..
2260	..	7	Apodis	16 54 17.74	36.48	4	+6.693	..
2261	5735	5	Scorpii	16 54 18.34	37.74	13	+3.933	..
2262	5746	7	Ophiuchi	16 55 16.88	37.92	5	+3.545	..
2263	5751	5.6	Aræ	16 55 32.03	37.87	6	+5.433	..
2264	5748	6	Ophiuchi.....	16 55 42
2265	..	6.7	16 55 58.18	37.49	3	+7.651	..
2266	5758	6	Ophiuchi	16 56 38.97	34.52	2	+3.574	..
2267	5761	5.6	Aræ	16 56 58.98	40.59	1	+6.101	..
2268	5760	6	Ophiuchi	16 57 17.74	39.62	1	+3.087	..
2269	5772	5.6	Scorpii	16 59 7.51	40.39	2	+4.333	..
2270	5778	3.4	Scorpii η	17 0 42.33	37.49	6	+4.278	-0.003
2271	5783	6	Aræ	17 1 6.55	40.54	2	+6.082	..
2272	5781	2.3	35 Ophiuchi η	17 1 12.47	36.22	5	+3.431	+0.001
2273	5782	6	Scorpii	17 1 13.93	36.63	2	+4.130	..
2274	5794	6	Apodis	17 1 42.48	37.65	4	+10.964	+0.011
2275	5800	6.7	Ophiuchi	17 4 16.80	36.70	7	+3.727	..

2256. The large proper motions assigned to this Star in the B.A.C. are erroneous.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No of Obs. of N.P.D.	Annual Precess. in N.P.D, for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
..	7024	5882	2241
129 14 14'05	38'50	4	+ 6'48	..	7038	5889	2242
..	7051	2243
145 43 40'65	36'00	9	+ 6'41	+ 0'08	7034	5892	..	419	..	2244
140 22 44'20	40'34	4	+ 6'37	..	7045	5897	2245
142 54 17'30	36'51	16	+ 6'29	0'00	7050	5900	..	421	..	2246
138 23 32'90	36'42	2	+ 6'17	..	7064	5914	2247
114 50 32'70	34'53	3	+ 6'02	..	7082	2248
114 44 17'20	34'52	1	+ 6'00	..	7085	2249
142 59 14'65	40'34	5	+ 6'00	+ 0'16	7073	5921	2250
..	274	2251
..	7072	5922	2252
121 53 53'00	40'42	2	+ 5'90	..	7089	5933	2253
..	7083	5931	2254
..	7083	5931	2255
155 30 44'00	40'61	1	+ 5'89	..	7071	5930	2256
111 12 39'80	34'51	1	+ 5'85	2257
158 37 0'00	40'39	3	+ 5'85	..	7069	5932	2258
108 38 36'60	34'48	9	+ 5'82	2259
..	7079	5947	2260
123 53 26'19	38'80	23	+ 5'67	..	7109	5950	..	422	..	2261
..	2262
151 27 17'30	40'28	4	+ 5'57	..	7102	5957	2263
100 51 27'90	36'53	2	+ 5'55	2264
..	5955	2265
111 20 8'50	34'52	3	+ 5'47	2266
156 58 52'50	40'61	1	+ 5'45	..	7107	5962	2267
..	2268
134 20 34'60	40'36	5	+ 5'26	..	7147	5975	2269
133 1 11'68	38'46	8	+ 5'13	+ 0'26	7155	5987	..	424	61	2270
156 44 56'00	40'40	1	+ 5'10	..	7142	5986	2271
105 31 13'14	36'31	8	+ 5'09	276	425	102	2272
..	7159	5990	2273
..	7088	5982	2274
116 47 8'10	34'53	6	+ 4'83	..	7178	2275

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2276	5803	5.6	Apodis.....t	17 4 17.68	38.30	4	+6.626	+0.007
2277	17 4 37.25	40.50	1	+2.734	..
2278	5804	6	Scorpii.....	17 4 49.53	40.49	1	+3.927	..
2279	5806	6	Aræ.....	17 5 4.24	37.49	2	+5.277	+0.015
2280	5810	4	Apodis.....z	17 5 18.46	37.40	3	+6.223	..
2281	5808	6	36 Ophiuchi.....A ¹	17 5 30.87	37.02	11	+3.715	-0.037
2282	5808	6	36 Ophiuchi.....A ²	17 5 31.21	36.95	4	+3.715	-0.037
2283	5817	5.6	Scorpii.....	17 6 39.63	39.11	7	+3.900	..
2284	17 6 42
2285	17 7 7.92	36.43	4	+3.421	..
2286	5821	3.4	64 Herculis.....α	17 7 21.27	38.98	26	+2.733	-0.003
2287	5824	6.7	17 7 56
2288	5832	6	Aræ.....	17 8 1
2289	5827	5.6	39 Ophiuchi.....	17 8 16
2290	5829	7	Ophiuchi.....	17 8 16
2291	5831	6	Ophiuchi.....	17 8 21.22	39.60	3	+3.649	..
2292	5828	4	65 Herculis.....δ	17 8 28
2293	17 9 51.46	36.46	4	+3.303	..
2294	5837	6	Aræ.....	17 9 54.26	37.54	3	+5.380	..
2295	5843	6	Aræ.....t	17 11 16
2296	5844	4.5	40 Ophiuchi.....ξ	17 11 25.08	34.87	5	+3.572	..
2297	5845	4.5	53 Serpentis.....ν	17 11 50.02	36.42	4	+3.366	+0.001
2298	5850	3	Aræ.....γ	17 11 56.51	36.13	7	+5.026	-0.004
2299	5852	3	Aræ.....β	17 12 0.79	37.44	3	+4.965	+0.002
2300	17 12 0.98	36.53	4	+3.315	..
2301	5851	3.4	42 Ophiuchi.....θ	17 12 11.30	36.42	25	+3.677	-0.003
2302	5959	6	Octantis.....σ	17 12 19.45	37.58	35	+104.893	+0.075
2303	..	7	Aræ.....	17 13 3.67	36.63	4	+5.628	..
2304	5857	6	43 Ophiuchi.....	17 13 17.75	40.48	1	+3.767	..
2305	5859	5	Aræ.....κ ¹	17 13 32
2306	17 14 7.82	36.46	4	+3.213	..
2307	17 14 26.51	36.59	4	+3.231	..
2308	5867	6	Aræ.....	17 15 4.05	40.50	1	+4.415	..
2309	17 15 8.07	36.58	4	+3.340	..
2310	17 15 12.17	36.43	4	+3.284	..

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2311	17 16 16.50	36.60	2	+3.281	..
2312	5876	5	44 Ophiuchi <i>b</i>	17 16 36.25	35.58	3	+3.657	-0.002
2313	5877	4	Aræ <i>δ</i>	17 16 40.41	34.54	5	+5.397	-0.009
2314	17 16 42.63	36.49	4	+3.272	..
2315	17 17 7.40	36.62	4	+3.268	..
2316	5881	4	45 Ophiuchi <i>d</i>	17 17 8.54	40.60	1	+3.822	..
2317	17 17 25.13	36.64	4	+3.323	..
2318	..	7	Scorpii.....	17 17 26.17	36.60	3	+4.333	..
2319	..	9	Scorpii.....	17 17 26.46	36.60	3	+4.333	..
2320	Ophiuchi.....	17 17 38
2321	17 17 58.67	36.55	8	+3.441	..
2322	17 18 51.09	36.43	4	+3.352	..
2323	17 19 21.41	36.58	4	+3.258	..
2324	5899	3	Aræ <i>α</i>	17 19 29.05	35.45	11	+4.626	-0.005
2325	17 19 42.23	36.68	2	+3.289	..
2326	5901	3.4	34 Scorpii.....	17 19 53.57	37.23	3	+4.070	-0.007
2327	5900	6	Herculis.....	17 19 54.89	39.60	3	+2.587	..
2328	17 20 27.76	36.55	4	+3.300	..
2329	17 20 55.29	36.50	4	+3.328	..
2330	17 21 40.26	36.46	4	+3.303	..
2331	5907	5	51 Ophiuchi <i>c</i> ²	17 21 39.46	36.43	9	+3.654	..
2332	5913	6	Aræ <i>ε</i>	17 22 24.25	36.63	4	+4.837	..
2333	17 22 25.26	36.42	4	+3.324	..
2334	5915	3	35 Scorpii <i>λ</i>	17 22 44.97	36.71	18	+4.065	-0.010
2335	5921	5.6	Aræ <i>σ</i>	17 23 45.40	37.82	6	+4.458	..
2336	17 23 54.69	36.51	4	+3.332	..
2337	5926	6	Apodis.....	17 23 56
2338	5930	6	Aræ..... <i>π</i>	17 24 57.80	40.55	1	+4.916	..
2339	5932	5.6	Scorpii.....	17 25 32.10	38.07	2	+4.124	..
2340	5933	7	52 Ophiuchi.....	17 25 41.15	35.46	15	+3.604	..
2341	5935	3	Scorpii <i>θ</i>	17 25 49.72	34.53	2	+4.300	+0.001
2342	17 25 52.91	36.43	4	+3.332	..
2343	5937	2.3	23 Draconis <i>β</i>	17 26 49.06	39.61	4	+1.352	-0.003
2344	5941	2	55 Ophiuchi <i>α</i>	17 27 30.59	37.07	67	+2.774	+0.004
2345	5947	6	Aræ <i>λ</i>	17 28 2.81	40.58	1	+4.612	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D., for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Bisbanc.	Fallows.	Johnson.	Henderson.	Catalogue.
99 3 15.20	36.52	2	+ 3.80	2311
114 1 16.40	40.44	2	+ 3.78	..	7289	2312
150 32 23.72	34.52	1	+ 3.77	+ 0.13	7271	6081	..	434	..	2313
98 40 42.30	36.56	2	+ 3.77	2314
98 31 22.00	36.57	2	+ 3.73	2315
119 42 51.88	39.03	4	+ 3.73	..	7293	435	..	2316
100 50 46.00	34.65	2	+ 3.71	2317
..	7288	6085	2318
..	7288	6085	2319
113 1 0.74	34.53	1	+ 3.69	2320
105 42 30.00	36.59	4	+ 3.66	2321
102 2 43.10	36.50	2	+ 3.58	2322
98 3 44.40	36.58	3	+ 3.54	2323
139 44 23.53	36.21	8	+ 3.53	+ 0.10	7301	6094	279	436	49	2324
99 21 38.70	36.68	2	+ 3.51	2325
127 9 35.18	36.90	5	+ 3.49	+ 0.04	7313	6098	..	437	..	2326
..	2327
..	2328
..	2329
..	2330
113 49 55.25	38.59	2	+ 3.34	..	7333	438	..	2331
..	7321	6114	2332
100 50 25.50	36.55	3	+ 3.27	2333
126 58 45.05	38.76	34	+ 3.25	+ 0.02	7336	6116	280	439	..	2334
..	7340	6121	2335
101 8 1.30	36.54	4	+ 3.15	2336
157 44 44.30	40.55	2	+ 3.14	..	7316	6119	2337
..	7342	6127	2338
128 30 50.10	40.40	1	+ 3.01	..	7350	6133	2339
111 55 44.00	35.44	4	+ 2.99	2340
132 53 13.99	35.51	6	+ 2.98	+ 0.02	7351	6134	281	440	62	2341
101 7 38.60	36.54	6	+ 2.98	2342
37 34 34.90	37.54	4	+ 2.89	2343
77 19 4.30	34.53	1	+ 2.83	6145	2344
139 18 27.81	40.47	2	+ 2.79	..	7363	6246	2345

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2346	5948	6·7	Serpentis	17 28 25·65	36·46	4	+3·438	..
2347	5949	5	55 Serpentis	17 28 25·73	36·43	4	+3·434	..
2348	5958	6	Aræ	17 29 17
2349	5960	Neb.	Scorpii	17 29 36
2350	5963	4·5	Pavonis	17 30 2·62	36·03	8	+5·869	..
2351	5965	6	Pavonis	17 30 15
2352	5970	3	Scorpii	17 31 25·34	35·05	6	+4·144	0·000
2353	5971	5·6	Aræ.....	17 31 26 92	40·55	1	+4·754	..
2354	5974	6	Scorpii	17 31 59·56	40·60	1	+4·067	-0·002
2355	5976	4·5	56 Serpentis.....	17 32 25·60	39·61	3	+3·373	-0·008
2356	..	7	Aræ.....	17 32 42·91	40·49	1	+4·527	..
2357	5979	6	Telescopii.....	17 32 47·68	40·61	1	+5·363	..
2358	5987	5	58 Ophiuchi.....	17 33 50·70	35·60	2	+3·597	-0·010
2359	5993	6	Pavonis	17 34 33·39	40·57	2	+5·825	..
2360	5992	7	Ophiuchi	17 34 45·20	35·63	4	+3·612	..
2361	5998	6	Aræ.....	17 35 18·11	40·53	2	+4·994	+0·016
2362	5996	3	69 Ophiuchi	17 35 34
2363	6004	3·4	Scorpii	17 36 23·90	36·21	9	+4·190	-0·003
2364	6007	6	Telescopii.....	17 37 12·31	37·24	5	+5·386	..
2365	6010	6	Pavonis	17 37 19·78	40·49	1	+5·982	-0·008
2366	6009	6	Aræ	17 37 27·56	40·54	2	+4·873	..
2367	6008	5	3 Sagittarii	17 37 29·55	38·20	6	+3·772	-0·006
2368	Telescopii	17 37 37·70	40·48	1	+5·366	..
2369	6014	6	Aræ	17 38 14·97	40·54	2	+4·843	..
2370	6016	5·6	Sagittarii	17 38 47·13	36·31	4	+3·892	..
2371	6018	4	Scorpii	17 38 58·22	36·75	19	+4·074	-0·003
2372	6017	7	Sagittarii	17 38 58·90	35·62	2	+3·857	..
2373	6019	5·6	Scorpii	17 39 0·06	40·54	2	+4·190	..
2374	..	Neb.	Scorpii.....	17 39 20·77	35·54	1	+4·070	..
2375	6025	6	Pavonis	17 40 17
2376	6026	17 40 54·86	39·60	5	+3·857	..
2377	6026	7	Sagittarii	17 40 55·01	38·10	8	+3·857	..
2378	6029	7	Scorpii	17 41 33·82	40·42	2	+3·996	..
2379	..	6	Scorpii	17 43 15
2380	6053	6·7	63 Ophiuchi.....	17 45 3·35	35·60	5	+3·689	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
105 27 58.70	36.60	6	+ 2.76	2346
105 17 28.20	36.54	6	+ 2.75	282	441	..	2347
136 49 29.90	40.53	2	+ 2.68	..	7374	6153	2348
122 6 11.10	40.41	2	+ 2.65	..	7382	6156	2349
154 38 6.70	36.26	7	+ 2.62	..	7364	6155	..	443	..	2350
154 14 11.70	40.61	1	+ 2.60	..	7366	6157	2351
128 56 21.52	38.12	32	+ 2.49	+ 0.01	7393	6169	283	444	..	2352
..	7385	6166	2353
126 51 22.86	40.44	1	+ 2.44	+ 0.10	7397	6174	2354
..	445	..	2355
137 38	7398	2356
..	7387	6175	2357
111 35 53.50	35.30	3	+ 2.28	446	..	2358
..	7396	6188	2359
..	2360
145 19 57.68	40.39	2	+ 2.16	+ 0.06	7413	6193	2361
85 21 38.90	35.29	1	+ 2.13	2362
130 3 27.43	37.58	2	+ 2.06	- 0.03	7425	6198	284	447	..	2363
..	7419	6200	2364
..	7416	6201	2365
..	7426	6204	2366
117 45 45.10	37.39	3	+ 1.97	..	7440	448	..	2367
..	2368
143 4 13.30	40.39	2	+ 1.90	..	7428	6208	2369
121 38 25.46	38.14	7	+ 1.85	..	7451	2370
126 59 2.42	37.88	42	+ 1.84	- 0.05	7449	6214	..	449	..	2371
..	7453	2372
130 1 48.17	40.61	1	+ 1.84	+ 0.05	7447	6213	2373
126 59	2374
155 39 41.61	40.53	2	+ 1.72	+ 0.38	7432	6219	2375
..	2376
..	7465	2377
..	6228	2378
124 42 28.30	40.50	3	+ 1.47	2379
..	7491	2380

2351, There appears to be something wrong in the observed N.P.D.

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2381	17 45 46.62	40.58	1	+4.271	..
2382	6061	5.6	Scorpii.....	17 46 25.81	40.55	3	+4.260	..
2383	6067	6	Pavonis.....	17 47 9.42	40.55	2	+6.145	-0.003
2384	..	7	Scorpii.....	17 48 20.98	36.57	4	+4.075	..
2385	..	9	17 48 21.65	36.57	4	+4.075	..
2386	6074	5	Sagittarii.....	17 48 48.96	39.05	7	+3.850	..
2387	..	7.8	17 48 51
2388	6077	5	4 Sagittarii.....	17 50 1.47	38.04	4	+3.661	-0.005
2389	..	7	17 50 21.68	36.47	4	+4.759	..
2390	6080	7	5 Sagittarii.....	17 50 23.10	35.61	4	+3.674	..
2391	6085	5	57 Serpenti.....ζ	17 52 2
2392	6086	7	6 Sagittarii.....	17 52 5
2393	6090	6	Pavonis.....	17 52 7.67	40.54	2	+5.880	..
2394	6088	6	Sagittarii.....	17 52 13
2395	6093	6	Telescopii.....	17 52 28.01	40.54	2	+5.258	..
2396	..	7	17 52 50.55	40.48	1	+3.675	..
2397	6091	2	33 Draconis.....γ	17 52 53.39	38.29	7	+1.391	..
2398	6097	6	7 Sagittarii.....	17 53 2.95	40.49	2	+3.674	-0.006
2399	6096	6	Ophiuchi.....	17 53 4.70	37.54	3	+2.925	..
2400	6100	5	Pavonis.....π	17 53 10.73	37.91	6	+5.772	-0.009
2401	..	7	Aræ.....	17 53 26.43	37.27	3	+4.767	..
2402	6102	6.7	9 Sagittarii.....	17 54 4
2403	6105	4	Aræ.....θ	17 54 10.59	36.11	14	+4.670	-0.007
2404	6107	4	Sagittarii.....γ ¹	17 54 48.04	36.44	6	+3.830	..
2405	6112	6	Coronæ Australis.....	17 55 15.86	37.92	6	+4.337	..
2406	6115	4	10 Sagittarii.....γ ²	17 55 31.92	38.33	16	+3.856	-0.004
2407	6118	6	Pavonis.....	17 55 33.74	36.57	4	+5.589	..
2408	..	6.7	17 55 49.75	37.50	3	+5.301	..
2409	6125	7	Sagittarii.....	17 57 35.75	39.61	6	+3.597	..
2410	6127	5	Sagittarii.....	17 57 57
2411	6128	6	Coronæ Australis.....	17 58 3
2412	6135	6	Telescopii.....	17 58 59.22	40.60	2	+4.532	..
2413	6140	4.5	Telescopii.....ε	17 59 21.23	35.10	9	+4.455	..
2414	..	Neb.	18 1 25.45	37.52	1	+3.965	..
2415	6161	6	Sagittarii.....	18 1 58

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 2	7488	6256	2381
131 41 5'40	40'45	4	+ 1'19	..	7497	6258	2382
156 31 5'65	40'48	1	+ 1'12	+ 0'10	7481	6260	2383
..	7516	6267	2384
..	7516	6267	2385
120 13 44'61	36'46	17	+ 0'98	..	7521	450	..	2386
120 13 47'80	40'44	2	2387
..	7526	451	..	2388
..	6279	2389
..	7530	2390
93 40 26'20	36'53	2	+ 0'70	453	..	2391
107 8 37'10	35'45	6	+ 0'69	2392
..	7523	6286	2393
112 46 6'50	39'59	1	+ 0'68	2394
148 34 2'70	40'48	1	+ 0'66	..	7528	6288	2395
114 14 48'40	40'33	1	+ 0'61	2396
38 29 16'62	37'35	13	+ 0'62	6294	286	2397
114 16 25'50	40'47	2	+ 0'63	..	7538	2398
..	2399
..	7527	6291	2400
..	7533	6292	2401
114 21 24'60	40'55	1	+ 0'52	..	7547	2402
140 5 30'69	36'69	12	+ 0'51	+ 0'04	7535	6296	287	454	..	2403
119 34 46'23	35'83	3	+ 0'46	..	7552	456	..	2404
..	7550	6302	2405
120 25 6'19	38'86	29	+ 0'39	..	7557	457	..	2406
..	6303	2407
..	6305	2408
..	2409
118 28 3'70	40'41	2	+ 0'18	..	7579	458	..	2410
134 57 30'90	40'48	1	+ 0'17	..	7575	6315	2411
..	7578	6325	2412
135 58 23'80	35'21	20	+ 0'06	..	7581	6326	..	459	..	2413
123 53	2414
113 43 36'30	34'53	2	- 0'17	..	7613	2415

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
2416	6164	5.6	Octantis	h m s 18 2 3.72	36.59	5	+8.095	s ..
2417	6167	6	Telescopii	18 3 38.83	38.53	3	+5.059	+0.014
2418	6168	3.4	13 Sagittarii	18 4 11.74	38.20	47	+3.587	-0.004
2419	..	7	Telescopii.....	18 4 17.92	37.49	3	+4.459	..
2420	6180	6	16 Sagittarii	18 5 41.77	34.50	4	+3.570	+0.006
2421	..	7	Telescopii.....	18 6 19.82	36.66	2	+4.783	..
2422	6186	4	Sagittarii	18 6 48.00	37.63	11	+4.072	-0.016
2423	6194	5.6	Sagittarii	18 8 2.29	37.76	5	+3.755	..
2424	6198	6	Pavonis	18 8 28.59	37.41	5	+5.518	..
2425	..	7.8	18 9 37.61	37.32	32	+7.149	..
2426	6209	3.4	19 Sagittarii	18 10 44.99	39.63	6	+3.839	-0.001
2427	6215	6	Coronæ Australis.....	18 11 16.76	40.45	2	+4.142	..
2428	6221	6	Sagittarii	18 12 2.45	40.52	2	+4.068	..
2429	6230	6	Octantis	18 12 20.96	37.71	2	+7.743	..
2430	6228	6	Coronæ Australis.....	18 12 39.76	40.49	1	+4.369	-0.007
2431	6226	6	Sagittarii	18 12 40.71	40.54	2	+4.053	..
2432	6233	3	20 Sagittarii	18 13 33.12	36.47	120	+3.987	-0.004
2433	..	7	Telescopii	18 14 8.18	37.45	4	+4.856	..
2434	6239	6	Sagittarii	18 14 44.48	40.57	1	+3.868	..
2435	6247	6	21 Sagittarii.....	18 15 49
2436	6240	4	Telescopii	18 16 6.19	34.55	1	+4.456	-0.014
2437	6253	5	Pavonis	18 16 25.24	38.59	6	+5.620	..
2438	6250	4.5	Telescopii	18 16 30.12	40.58	1	+4.614	+0.015
2439	6262	6	Telescopii	18 17 53.75	40.57	2	+4.517	..
2440	6263	4	22 Sagittarii.....	18 18 5.81	38.10	9	+3.708	-0.005
2441	6276	6	Telescopii.....	18 19 27.14	36.54	4	+5.272	..
2442	6274	..	Sagittarii	18 19 29.48	40.56	2	+3.957	..
2443	6277	6	Coronæ Australis.....	18 19 40.32	40.58	1	+4.272	..
2444	6278	5	Telescopii	18 19 54.07	40.48	1	+4.452	-0.002
2445	6279	5	Sagittarii	18 20 5
2446	6282	5	Telescopii.....	18 20 11.69	40.48	1	+4.444	..
2447	6285	5.6	Sagittarii	18 20 34.98	36.66	9	+3.939	-0.002
2448	6296	5	Coronæ Australis	18 22 4.50	40.46	2	+4.288	-0.019
2449	6298	6	Coronæ Australis.....	18 22 20.99	40.58	1	+4.143	..
2450	6304	7	Sagittarii	18 23 27.63	40.50	1	+3.670	..

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
2451	6305	5.6	Sagittarii	h m s 18 23 27.87	36.66	9	+3.940	0.000
2452	6306	6.7	Sagittarii	18 23 35.19	39.60	4	+3.427	..
2453	6307	6	61 Serpentis	18 23 41.61	37.69	1	+3.097	+0.002
2454	6309	7	Sagittarii	18 23 47.87	39.61	3	+3.516	..
2455	6315	4	Pavonis	18 24 18.54	36.05	18	+7.057	-0.004
2456	6313	6.7	Sagittarii	18 24 30.62	39.63	4	+3.427	..
2457	..	7	Telescopii	18 26 16
2458	6328	6	Pavonis	18 26 43.61	40.54	2	+5.891	-0.005
2459	6330	6.7	Telescopii	18 27 7.43	36.59	5	+4.548	..
2460	6337	6	Pavonis	18 28 0.11	40.54	2	+5.878	..
2461	6340	7	Sagittarii	18 28 34.02	+3.486	..
2462	6343	6	Sagittarii	18 28 46.82	39.63	3	+3.652	..
2463	6347	6.7	Sagittarii	18 29 21.11	39.61	3	+3.585	..
2464	18 29 32.03	36.54	4	+8.916	..
2465	6352	5	Pavonis	18 29 43.29	38.16	5	+5.916	-0.011
2466	6353	6	Pavonis	18 29 59.87	36.64	4	+7.449	..
2467	..	7	Pavonis	18 31 1.76	40.61	1	+5.966	..
2468	6355	1	3 Lyrae	18 31 31.29	36.64	77	+2.013	+0.017
2469	6356	6	26 Sagittarii	18 32 6.04	40.49	2	+3.660	+0.001
2470	6359	5.6	Coronae Australis	18 32 48.21	40.59	1	+4.123	..
2471	6360	5	Pavonis	18 32 52.53	38.89	5	+5.940	-0.005
2472	..	6.7	Telescopii	18 33 24
2473	6369	6	Sagittarii	18 34 59.33	40.57	3	+3.693	..
2474	6371	4.5	27 Sagittarii	18 35 39.48	37.36	16	+3.749	+0.004
2475	6378	6	Coronae Australis	18 36 33.17	40.55	1	+4.202	..
2476	6381	6	Coronae Australis	18 37 17.32	40.58	1	+4.339	..
2477	6383	5	Pavonis	18 37 22.28	35.24	8	+5.591	-0.008
2478	..	7	18 37 46.61	36.68	3	+8.201	..
2479	6385	6	Coronae Australis	18 38 3.98	40.53	2	+4.328	-0.007
2480	6398	5.6	Telescopii	18 39 57.35	40.59	1	+4.774	..
2481	6399	6	29 Sagittarii	18 40 10.36	38.95	6	+3.564	-0.002
2482	6405	5	Pavonis	18 40 25.12	37.39	5	+6.238	-0.011
2483	..	6.7	Telescopii	18 40 53
2484	..	7	18 41 39.63	36.64	4	+5.546	..
2485	6412	6	Telescopii	18 42 11.87	40.49	2	+4.642	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
0 1 "											
123 7 39'25	34'51	2	- 2'05	- 0'01	7761	2451
..	2452
..	2453
..	2454
161 33 6'30	35'43	1	- 2'12	+ 0'13	7736	6436	295	472	2455
..	2456
138 50 41'40	36'42	2	- 2'29	..	7775	6445	2457
..	7766	6446	2458
..	7780	6448	2459
..	7773	6451	2460
107 21 36'40	36'08	7	- 2'49	296	2461
113 38 3'50	39'61	7	- 2'51	..	7806	2462
..	2463
..	6453	2464
155 0 34'85	34'52	6	- 2'59	+ 0'10	7785	6458	..	473	2465
..	7771	6456	2466
155 24	7796	6463	2467
51 21 40'46	35'11	7	- 2'75	- 0'28	..	6466	166	..	2468
113 58 31'00	35'36	3	- 2'80	..	7825	2469
128 28 8'40	36'53	2	- 2'86	..	7827	6468	2470
155 13 53'86	35'02	5	- 2'87	+ 0'10	7813	6467	2471
138 25 0'80	36'65	2	- 2'91	..	7826	6472	2472
..	7842	2473
117 8 52'57	36'49	16	- 3'11	- 0'01	7844	6482	298	475	2474
..	7846	2475
..	7852	6491	2476
152 21 35'48	35'65	12	- 3'26	+ 0'04	7841	6489	..	476	2477
..	6487	2478
..	7859	6493	2479
..	7867	6502	2480
..	299	2481
..	7856	6503	2482
138 32 18'90	36'42	2	- 3'56	..	7876	6509	2483
..	6512	2484
..	7888	6516	2485

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2486	6425	6	Pavonis χ	18 43 5 ^o 69	40 ^o 59	1	+5 ^o 788	+0 ^o 004
2487	6429	3	10 Lyræ..... β	18 44 10 ^o 35	39 ^o 72	8	+2 ^o 213	-0 ^o 002
2488	6436	5 ^o 6	Pavonis ω	18 44 22 ^o 06	36 ^o 67	4	+5 ^o 382	..
2489	6434	5	32 Sagittarii..... γ^1	18 44 30 ^o 40	38 ^o 10	4	+3 ^o 627	-0 ^o 004
2490	6435	6	Coronæ Australis.....	18 44 32
2491	6440	3	34 Sagittarii σ	18 45 20 ^o 49	35 ^o 42	37	+3 ^o 725	0 ^o 000
2492	6441	5	35 Sagittarii..... γ^2	18 45 26 ^o 74	38 ^o 56	3	+3 ^o 625	..
2493	6443	6	Telescopii λ	18 45 38 ^o 96	40 ^o 61	1	+4 ^o 820	..
2494	6444	6	Coronæ Australis.....	18 45 49 ^o 26	40 ^o 59	2	+4 ^o 079	..
2495	6448	6	Sagittarii ν	18 46 19 ^o 41	40 ^o 61	1	+3 ^o 638	..
2496	6454	6	36 Sagittarii ξ^1	18 47 50
2497	6458	5 ^o 6	Coronæ Australis ϵ	18 47 54 ^o 49	40 ^o 48	1	+4 ^o 068	..
2498	..	7	Octantis δ	18 48 15 ^o 12	36 ^o 54	4	+8 ^o 572	..
2499	6471	6	64 Serpentis..... ν	18 49 13 ^o 88	39 ^o 61	4	+3 ^o 018	..
2500	6486	6	Pavonis θ	18 51 34 ^o 00	36 ^o 67	4	+7 ^o 032	..
2501	6484	6	Coronæ Australis ζ	18 51 46 ^o 67	40 ^o 57	2	+4 ^o 258	..
2502	6485	6 ^o 7	Sagittarii μ	18 51 58 ^o 77	35 ^o 62	3	+3 ^o 622	..
2503	6489	3 ^o 4	38 Sagittarii..... ν	18 52 25 ^o 63	36 ^o 82	7	+3 ^o 827	-0 ^o 005
2504	..	7	Sagittarii ν	18 52 33 ^o 98	40 ^o 61	1	+4 ^o 546	..
2505	6490	6 ^o 7	Sagittarii ν	18 52 39 ^o 88	40 ^o 58	2	+3 ^o 681	..
2506	6494	5 ^o 6	Pavonis θ	18 52 52 ^o 00	36 ^o 61	4	+6 ^o 403	..
2507	6498	6	Telescopii ρ	18 53 38 ^o 93	37 ^o 88	6	+4 ^o 771	..
2508	6499	6	Sagittarii ν	18 54 8 ^o 26	40 ^o 60	1	+3 ^o 861	..
2509	6507	4 ^o 5	39 Sagittarii θ	18 55 5 ^o 46	35 ^o 60	1	+3 ^o 595	+0 ^o 001
2510	6511	5	Coronæ Australis..... γ	18 55 35 ^o 63	34 ^o 51	6	+4 ^o 060	+0 ^o 004
2511	6521	4	40 Sagittarii τ	18 56 56 ^o 82	38 ^o 35	6	+3 ^o 758	-0 ^o 008
2512	6523	5	Coronæ Australis..... δ	18 57 12 ^o 03	35 ^o 06	2	+4 ^o 187	+0 ^o 002
2513	6524	6 ^o 7	Sagittarii ν	18 57 21
2514	6525	7	Sagittarii ν	18 57 26
2515	6528	3	17 Aquilæ ζ	18 58 3 ^o 44	39 ^o 83	31	+2 ^o 758	-0 ^o 006
2516	6535	4 ^o 5	Coronæ Australis α	18 58 34 ^o 70	34 ^o 52	6	+4 ^o 088	+0 ^o 007
2517	..	6 ^o 7 ν	18 58 39 ^o 51	36 ^o 54	4	+5 ^o 629	..
2518	6541	5	Coronæ Australis β	18 59 0 ^o 78	35 ^o 61	5	+4 ^o 141	-0 ^o 005
2519	6545	5 ^o 6	Pavonis τ	18 59 14 ^o 94	36 ^o 60	4	+6 ^o 520	..
2520	6548	4 ^o 5	41 Sagittarii..... π	19 0 14 ^o 70	37 ^o 92	5	+3 ^o 574	-0 ^o 004

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 "	7879	6518	2486
..	664	2487
..	7895	6522	2488
..	7912	477	..	2489
127 34 45.70	36.47	2	- 3.87	..	7908	6524	2490
116 29 17.77	36.19	33	- 3.94	+ 0.08	7918	6527	300	478	88	2491
..	479	..	2492
..	7910	6528	2493
..	7916	6532	2494
..	7927	2495
110 51 31.60	35.51	2	- 4.16	2496
127 18 30.60	36.50	1	- 4.16	..	7931	6542	2497
..	7890	6537	2498
..	2499
..	7928	6558	2500
..	7958	6561	2501
..	7965	2502
120 6 5.88	36.72	8	- 4.55	+ 0.03	7966	..	301	481	..	2503
138 38	7959	2504
115 3 37.50	40.33	2	- 4.57	..	7968	2505
..	7944	6563	2506
142 33 56.80	36.42	2	- 4.65	..	7963	6567	2507
..	7976	2508
..	6570	..	482	..	2509
127 17 7.09	34.51	6	- 4.82	+ 0.29	7988	6574	..	483	..	2510
117 53 49.94	37.53	12	- 4.93	+ 0.26	7994	..	302	484	..	2511
130 44 11.53	35.30	6	- 4.96	+ 0.07	7992	6578	..	485	..	2512
112 44 10.60	35.69	2	- 4.97	6580	2513
118 52 34.02	37.89	5	- 4.97	..	7996	2514
..	143	2515
128 8 44.51	35.22	8	- 5.07	+ 0.11	8002	6585	..	487	..	2516
..	6583	2517
..	8007	6587	..	488	..	2518
159 26 57.30	36.41	1	- 5.13	..	7986	6586	2519
111 16 17.11	36.18	9	- 5.21	+ 0.03	..	6594	304	489	..	2520

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			"	"
2521	6558	6	Pavonis.....	19 1 3'95	36'66	4	+6'100	..
2522	..	7	Sagittarii.....	19 2 52
2523	6570	6	Sagittarii.....	19 4 42'01	40'33	1	+4'389	..
2524	6575	5	42 Sagittarii..... ψ	19 5 43'50	38'11	2	+3'684	0'000
2525	6580	6	Pavonis.....	19 7 20'52	37'42	5	+6'347	..
2526	..	8	19 7 38'39	34'55	2	+2'572	..
2527	..	6'7	Pavonis.....	19 9 24'13	36'55	4	+5'609	..
2528	6592	6	Telescopii.....	19 9 55'22	40'59	1	+4'874	..
2529	6599	5	21 Lyræ..... θ	19 10 48'97	39'66	2	+2'082	-0'005
2530	6608	5	Sagittarii..... β^1	19 11 7'29	36'78	4	+4'334	-0'003
2531	..	7'8	19 11 32
2532	6610	4	Sagittarii..... β^2	19 11 38'68	40'49	1	+4'348	+0'004
2533	6615	6	28 Aquilæ..... <i>A</i>	19 12 11'46	39'63	3	+2'799	-0'003
2534	6616	7	Sagittarii.....	19 12 14'50	39'61	3	+3'523	..
2535	6618	6	27 Aquilæ..... <i>d</i>	19 12 20'33	39'61	3	+3'098	-0'002
2536	6622	4	Sagittarii..... <i>a</i>	19 12 47'66	40'61	1	+4'172	-0'011
2537	6623	4	1 Cygni..... <i>k</i>	19 13 24
2538	6630	6	Pavonis.....	19 14 28'64	36'62	4	+6'330	..
2539	6628	6	Sagittarii.....	19 14 31'46	40'60	1	+3'750	..
2540	6633	5'6	47 Sagittarii..... χ^1	19 15 31'99	40'25	3	+3'657	-0'001
2541	..	7	19 16 31
2542	6639	6	Sagittarii.....	19 16 49'32	37'29	3	+3'802	+0'004
2543	6646	3'4	30 Aquilæ..... δ	19 17 25'84	39'53	9	+3'010	+0'014
2544	6649	4	Telescopii..... μ	19 17 34'32	40'49	1	+4'902	-0'009
2545	6655	6	Pavonis.....	19 18 8'75	40'52	1	+5'307	..
2546	6654	6	4 Vulpeculæ.....	19 18 27'34	39'65	2	+2'626	+0'001
2547	6666	6	Sagittarii.....	19 19 57'98	35'61	4	+3'720	-0'006
2548	6669	6'7	Telescopii.....	19 20 14'40	36'57	4	+4'770	..
2549	6675	6	Sagittarii.....	19 21 48'88	40'60	1	+4'351	..
2550	6679	6	36 Aquilæ..... <i>e</i>	19 22 17'62	39'61	4	+3'140	+0'002
2551	6682	7	Sagittarii.....	19 22 41'56	35'62	3	+3'746	..
2552	6689	6	Sagittarii.....	19 23 19'68	40'61	1	+4'481	..
2553	6696	6	Pavonis.....	19 24 56'62	37'40	5	+5'092	..
2554	6705	6	Pavonis.....	19 26 3'83	36'56	4	+5'893	..
2555	6704	6	51 Sagittarii..... λ^1	19 26 18'46	40'32	2	+3'653	-0'002

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. N.P.D.	Annual Precess. in N.P.D., for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 1	7997	6595	2521
139 13 35.40	36.42	2	- 5.43	..	8027	6602	2522
..	8037	6607	2523
..	8052	2524
158 39 36.70	36.41	1	- 5.81	..	8034	6617	2525
III 20 53.10	34.50	5	- 5.84	2526
..	8057	6625	2527
..	8062	6629	2528
..	2529
134 45 4.80	36.34	33	- 6.13	+ 0.02	8075	..	306	492	..	2530
134 45 5.30	36.65	1	- 6.13	2531
135 5 33.04	35.60	17	- 6.17	+ 0.07	8079	2532
..	2533
..	2534
..	2535
..	8087	6650	310	494	..	2536
36 55 22.12	37.27	5	- 6.31	2537
..	8078	6653	2538
..	8097	2539
114. 48 43.60	40.61	2	- 6.49	..	8100	2540
138 11 43.00	36.42	2	- 6.57	6660	2541
120 3 9.18	35.31	2	- 6.60	+ 0.08	8107	2542
..	311	..	128	2543
..	8101	6666	2544
..	8102	6669	2545
..	2546
117 18 23.29	34.69	4	- 6.86	+ 0.13	8123	2547
143 30 49.70	36.42	2	- 6.88	..	8115	6672	2548
..	8129	2549
..	2550
..	8139	2551
..	8137	6689	2552
148 19 36.50	36.42	2	- 7.27	..	8142	6696	2553
..	8141	6699	2554
..	8162	2555

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
2556	6706	4.5	52 Sagittarii λ^2	h m s 19 26 57.87	37.25	7	+3.657	+0.002
2557	6707	7	Sagittarii	19 27 6.24	35.62	3	+3.504	..
2558	6710	7	Sagittarii	19 27 46.09	35.62	2	+3.488	..
2559	..	6.7	Telescopii.....	19 27 56.66	36.67	4	+4.814	..
2560	6732	6	Pavonis.....	19 30 51.52	36.69	2	+7.077	..
2561	6734	4	13 Cygni θ	19 32 9
2562	..	7.8	Pavonis.....	19 32 31.03	36.64	4	+7.139	..
2563	6743	6	Pavonis.....	19 33 12.98	36.56	4	+6.395	..
2564	6751	5.6	Telescopii..... ν	19 34 55.20	37.44	5	+4.938	..
2565	6753	6.7	Sagittarii	19 35 15.69	37.30	3	+3.815	-0.005
2566	6756	5.6	Pavonis.....	19 35 38.91	40.61	1	+5.815	..
2567	6755	5.6	Sagittarii	19 35 48.10	40.64	1	+3.844	..
2568	6757	6	Pavonis.....	19 36 19.23	36.74	4	+5.316	..
2569	..	7	Telescopii.....	19 36 26.68	36.70	4	+4.707	..
2570	6766	6	Pavonis	19 37 7.73	40.61	1	+5.148	..
2571	6772	3	50 Aquilæ γ	19 38 39.11	35.02	7	+2.852	+0.001
2572	..	7	Sagittarii	19 38 43.10	36.65	4	+4.320	..
2573	6782	6	Telescopii.....	19 39 50.80	40.61	1	+4.827	..
2574	6779	3.4	18 Cygni..... δ	19 39 58
2575	6787	6	Pavonis	19 40 40.29	37.55	3	+5.307	..
2576	6801	4	Pavonis	19 41 57.77	35.60	1	+7.100	+0.028
2577	6797	5.6	Pavonis	19 42 3.67	37.67	1	+6.312	..
2578	6804	6	Pavonis	19 42 27.51	37.74	3	+6.241	..
2579	6803	5.6	57 Sagittarii.....	19 42 53.77	39.49	1	+3.497	-0.003
2580	6802	1.2	53 Aquilæ α	19 42 58.61	36.80	112	+2.893	+0.036
2581	6807	6	Pavonis	19 43 37.36	37.66	4	+5.098	..
2582	6812	4.5	Sagittarii..... t	19 44 12.43	40.60	1	+4.164	-0.003
2583	6820	5.6	Pavonis..... μ^1	19 44 44.16	37.46	3	+5.949	..
2584	6816	6	Sagittarii	19 44 49.31	40.61	1	+3.864	..
2585	6828	5.6	Pavonis..... μ^2	19 46 13.53	37.46	3	+5.940	..
2586	6832	5	59 Sagittarii b	19 47 7.13	36.53	5	+3.695	-0.002
2587	6833	3.4	60 Aquilæ β	19 47 27.26	39.73	11	+2.946	+0.002
2588	6837	6	Pavonis	19 48 13.16	37.54	3	+5.118	..
2589	19 50 36
2590	7020	6.7	Octantis	19 52 46.87	38.77	36	+150.853	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 1 115 13 48.55	36.23	20	- 7.43	- 0.02	8166	497	..	2556
..	314	2557
..	2558
..	8160	6708	2559
..	8156	6714	2560
40 8 45.43	36.74	10	- 7.85	2561
163 3 32.10	36.41	1	- 7.88	..	8168	6717	2562
..	8177	6721	17	2563
..	8200	6725	2564
121 16 48.74	34.68	4	- 8.10	+ 0.12	8208	2565
..	8195	6727	2566
..	8211	2567
..	8201	6730	2568
143 16 17.50	36.42	2	- 8.19	..	8206	6732	2569
..	8207	6733	2570
..	6742	318	..	140	2571
..	8222	6740	2572
..	8227	6745	2573
45 15 22.89	36.73	10	- 8.47	2574
..	8226	6747	2575
163 19 12.89	35.51	4	- 8.63	+ 0.13	8219	6752	..	501	..	2576
..	8224	6751	2577
..	8229	6756	2578
..	319	2579
81 32 57.37	35.35	42	- 8.71	- 0.38	..	6758	320	..	137	2580
149 18 46.10	36.42	2	- 8.76	..	8245	6759	2581
..	8255	502	..	2582
..	8244	6764	2583
..	8260	2584
..	8251	6767	2585
117 35 15.72	37.61	2	- 9.04	+ 0.01	8277	..	321	503	..	2586
..	6774	322	..	132	2587
..	8269	6775	2588
93 58 48.00	34.47	3	- 9.31	2589
179 32 35.37	36.67	170	- 9.47	6644	..	496	..	2590

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
2591	6870	4.5	62 Sagittarii	h m s 19 52 48.61	38.75	10	s +3.702	s 0.000
2592	6873	4.	Pavonis	19 52 59
2593	6877	5.	Sagittarii	19 54 10.24	39.15	2	+3.820	+0.023
2594	6885	6	Pavonis	19 55 5.68	36.65	4	+4.646	..
2595	6893	5.6	63 Aquilæ	19 56 19.48	39.66	2	+2.932	+0.003
2596	6902	6	Pavonis	19 58 5.53	40.58	1	+4.932	..
2597	6909	6	Octantis	19 58 44.19	36.67	5	+9.303	0.000
2598	6907	7	Capricorni	19 59 27
2599	6921	6	Octantis	19 59 51.15	36.74	3	+9.342	+0.007
2600	6919	6	Pavonis	20 0 9.36	37.43	5	+5.433	..
2601	6929	6	Pavonis	20 1 36.49	40.61	1	+5.916	..
2602	6940	6	18 Vulpeculæ	20 3 52.90	39.66	2	+2.502	-0.001
2603	6945	6	Pavonis	20 4 52.37	40.61	1	+5.387	..
2604	6943	6	19 Vulpeculæ ..	20 5 6.90	39.62	3	+2.506	..
2605	6950	6	Pavonis	20 6 8.98	40.61	1	+5.865	..
2606	6951	6	Pavonis	20 6 20.08	40.64	2	+5.787	..
2607	6962	5.6	30 Cygni	20 8 16
2608	6965	4	31 Cygni	20 8 36
2609	6972	4	5 Capricorni.....	20 8 46.89	34.92	4	+3.333	-0.002
2610	6974	3	6 Capricorni.....	20 9 10.35	37.36	21	+3.333	+0.001
2611	6981	5.6	7 Capricorni	20 10 9.32	36.87	4	+3.473	0.000
2612	6995	3.4	9 Capricorni	20 12 1.05	40.35	2	+3.378	-0.001
2613	7004	2	Pavonis	20 12 56.79	36.13	19	+4.809	-0.003
2614	7010	6	Pavonis	20 14 24.60	36.61	4	+6.064	..
2615	7015	6.7	Sagittarii	20 15 5.37	36.66	3	+4.048	..
2616	7022	3	37 Cygni	20 16 29
2617	7031	5	10 Capricorni	20 18 9.32	36.93	6	+3.445	-0.002
2618	7038	6	Pavonis	20.18 24.66	40.59	1	+6.404	..
2619	7036	6	Sagittarii	20.18 30.00	40.61	1	+3.875	..
2620	7050	6	Pavonis	20 19 52.77	36.67	5	+6.106	..
2621	7052	6	Pavonis	20 19 58.89	40.59	1	+6.366	..
2622	7049	6	Capricorni	20 20 7.61	40.31	2	+3.535	..
2623	7053	7	Capricorni	20 20 41.73	35.67	1	+3.450	..
2624	7054	6	12 Capricorni.....	20 20 43.02	36.67	1	+3.450	..
2625	7056	6	Pavonis	20 20 48.01	37.42	5	+5.297	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
118 8 54 ^o 05	38 ^o 93	6	- 9 ^o 48	- 0 ^o 02	..	8315	323	505	..	2591
156 34 43 ^o 17	34 ^o 72	3	- 9 ^o 49	+ 1 ^o 15	8295	6787	..	504	..	2592
..	8322	506	..	2593
..	8321	6794	2594
..	2595
..	8337	6803	2596
..	8301	6802	2597
105 29 5 ^o 60	35 ^o 51	2	- 9 ^o 99	2598
..	8306	6804	2599
..	6809	2600
..	8353	2601
..	2602
..	8368	6819	2603
..	2604
..	8371	6822	2605
..	8374	6823	2606
43 39 54 ^o 70	36 ^o 63	2	-10 ^o 65	2607
43 44 25 ^o 38	36 ^o 93	4	-10 ^o 67	2608
..	508	108	2609
103 2 8 ^o 67	36 ^o 65	53	-10 ^o 72	0 ^o 00	326	509	107	2610
109 36 44 ^o 21	35 ^o 49	4	-10 ^o 79	- 0 ^o 02	327	2611
105 16 54 ^o 02	40 ^o 61	1	-10 ^o 93	- 0 ^o 03	328	511	..	2612
147 14 23 ^o 56	36 ^o 63	20	-11 ^o 00	+ 0 ^o 08	8416	6846	329	512	38	2613
..	8412	6849	2614
..	8426	6851	2615
50 15 7 ^o 74	36 ^o 66	7	-11 ^o 25	- 0 ^o 02	2616
108 43 52 ^o 10	37 ^o 62	4	-11 ^o 37	330	513	38	2617
..	8424	6857	2618
..	8453	2619
..	8437	6864	2620
..	8436	6865	2621
..	8463	2622
..	2623
..	2624
..	8456	6869	2625

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2626	7068	5.6	Octantis μ^1	20 22 2.67	37.40	4	+7.686	..
2627	7066	5.6	Pavonis ϕ^1	20 22 16.49	37.50	3	+5.043	..
2628	7077	6	Capricorni.....	20 23 20
2629	7082	6	Pavonis ρ	20 24 6.69	37.36	3	+5.112	..
2630	7096	3	Indi α	20 26 17.08	35.61	2	+4.257	0.000
2631	7099	5.6	Pavonis ϕ^2	20 26 43.87	36.67	5	+5.012	..
2632	7106	5	Pavonis ν	20 27 10.87	37.76	3	+5.633	+0.002
2633	7122	5	71 Aquilæ.....	20 30 4.52	37.69	1	+3.102	..
2634	7129	3	Pavonis β	20 30 27.29	35.67	1	+5.539	..
2635	7134	5	15 Capricorni..... ν	20 30 56.05	40.46	1	+3.430	-0.005
2636	7154	5.6	Indi η	20 32 15.29	38.21	4	+4.443	..
2637	7155	6.7	Microscopii	20 32 23.01	37.64	3	+3.959	..
2638	..	7.8	Pavonis.....	20 33 37.09	37.75	3	+5.854	..
2639	7175	6	Microscopii	20 35 53.29	38.87	5	+3.937	..
2640	7171	1	50 Cygni α	20 35 59
2641	7177	4.5	16 Capricorni ψ	20 36 36.69	38.28	7	+3.574	-0.007
2642	7191	6	Pavonis \dots	20 38 12.94	37.46	4	+5.096	..
2643	20 38 13.55	37.46	4	+5.096	..
2644	7192	6	Indi ζ	20 38 26.42	37.56	3	+4.169	..
2645	7206	5.6	13 Delphini.....	20 39 52.74	36.65	5	+2.974	-0.001
2646	7208	5.6	Indi..... \dots	20 39 53.81	37.39	3	+4.393	-0.001
2647	7207	4.5	Microscopii α	20 39 57.58	35.64	2	+3.772	+0.021
2648	7212	6	Microscopii	20 40 42.99	36.70	3	+3.884	..
2649	7213	5	54 Cygni λ	20 41 10.81	37.69	1	+2.333	..
2650	7226	6	Microscopii β	20 42 1.73	40.61	1	+3.752	..
2651	7228	4	Indi β	20 42 15.16	37.29	1	+4.766	-0.008
2652	7234	6	Microscopii	20 43 14.34	44.59	2	+3.933	..
2653	7239	4.5	6 Aquarii μ	20 44 1.19	40.61	1	+3.242	..
2654	7250	4.5	Octantis..... α	20 45 4.05	35.69	13	+7.651	..
2655	7251	6	Pavonis	20 46 42.68	36.67	2	+5.650	..
2656	7252	6	Capricorni	20 47 16.35	38.20	2	+3.577	..
2657	7258	6	17 Delphini \dots	20 48 2.21	36.61	9	+2.840	..
2658	7265	6.7	Indi	20 48 56.24	37.39	3	+4.334	..
2659	7267	6	Microscopii	20 49 20.38	36.74	4	+4.014	..
2660	7270	6	20 Capricorni	20 50 30.08	35.80	1	+3.423	+0.001

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D., for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
° ' "			"	"						
..	8435	6870	2626
..	8461	6873	2627
115 28 42·94	34·69	8	-11·74	+ 0·12	8480	2628
..	8470	6880	2629
137 50 33·75	35·85	10	-11·95	- 0·09	8494	6885	335	516	52	2630
..	8490	6886	2631
..	8488	6889	..	517	..	2632
..	519	..	2633
156 46 9·10	35·69	1	-12·24	..	8500	6897	338	518	19	2634
..	520	..	2635
142 29 6·80	36·42	2	-12·37	..	8524	6904	2636
..	8531	6905	2637
..	8519	6906	2638
..	8545	6911	2639
45 17 16·80	36·67	13	-12·62	0·00	..	6913	168	2640
115 50 27·09	36·86	9	-12·66	+ 0·17	8553	..	340	521	..	2641
..	8550	6917	2642
..	2643
136 48 42·90	40·61	2	-12·79	..	8564	6919	2644
..	2645
..	8567	6921	2646
124 21 58·43	35·76	1	-12·89	+ 0·15	8579	6922	342	524	..	2647
..	8582	6924	2648
..	2649
..	8593	6930	2650
149 3 2·27	36·60	1	-13·04	- 0·01	8584	6929	344	525	..	2651
..	8606	6934	2652
..	6939	..	526	..	2653
167 37 21·87	35·97	18	-13·23	..	8570	2654
..	8611	6944	2655
..	8621	2656
..	2657
..	8624	6949	2658
..	8628	6953	2659
..	2660

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2661	7277	4	58 Cygni	20 51 13
2662	7280	5.6	1 Piscis Australis.....	20 51 27.81	40.61	1	+3.705	-0.005
2663	7286	6.7	Microscopii	20 52 10.31	40.59	1	+3.867	..
2664	7287	6	Capricorni	20 52 14.73	40.77	1	+3.580	..
2665	7292	5.6	Microscopii.....	20 52 43.36	40.59	1	+3.868	-0.008
2666	7298	5.6	Indi	20 53 25.27	40.59	1	+4.479	..
2667	7304	6	Indi	20 54 50.27	37.80	4	+4.789	..
2668	7307	6	Pavonis	20 55 10.26	36.68	4	+5.101	..
2669	7305	5	22 Capricorni	20 55 17.47	37.92	6	+3.432	-0.006
2670	7314	5.6	Microscopii	20 55 59.38	40.60	1	+3.938	-0.002
2671	7318	6	3 Equulei.....	20 56 37
2672	7319	5.6	2 Piscis Australis	20 56 37.01	40.61	1	+3.694	..
2673	7322	5.6	23 Capricorni.....	20 56 57
2674	7324	6	4 Equulei	20 57 31
2675	7329	6	Indi	20 57 58.11	36.72	3	+4.727	..
2676	7331	5.6	Pavonis	20 58 12.54	37.39	3	+5.803	..
2677	7333	4	62 Cygni	20 59 7
2678	7335	5.6	25 Capricorni	20 59 23.23	38.94	3	+3.451	-0.001
2679	7336	5.6	61 Cygni	20 59 43.52	35.71	3	+2.333	+0.339
2680	7346	6	Octantis	21 0 36.64	36.61	4	+6.854	..
2681	7344	5	13 Aquarii.....	21 0 52.31	40.39	1	+3.272	+0.001
2682	7349	6.7	Microscopii	21 1 55.67	37.43	3	+3.884	..
2683	7353	6	Microscopii	21 2 47.66	40.60	2	+3.857	..
2684	7360	6.7	Indi.....	21 4 17.75	36.76	4	+4.345	..
2685	7364	6	Pavonis.....	21 4 40.46	40.79	1	+5.089	..
2686	7368	3	64 Cygni	21 6 7.73	35.67	2	+2.549	-0.003
2687	7376	6	Octantis	21 6 49.35	36.68	4	+7.107	..
2688	7374	5	29 Capricorni	21 6 53.27	39.64	1	+3.332	-0.001
2689	7386	5	4 Pisc' Australis.....	21 8 13.26	40.55	3	+3.660	+0.001
2690	7388	5.6	Indi	21 8 25.10	38.24	4	+4.330	..
2691	7395	6	Octantis	21 9 53.66	38.49	3	+5.934	0.000
2692	7396	7	Capricorni	21 10 21
2693	7397	5.6	Microscopii	21 10 30.23	40.79	1	+3.868	..
2694	7409	3	Pavonis	21 13 7.08	35.67	1	+5.078	..
2695	7407	5	32 Capricorni	21 13 19.73	38.56	2	+3.352	0.000

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Proccss. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 # 49 26 41'06	36'95	7	-13'63	- 0'01	2661
..	8639	6957	2662
..	8644	6961	2663
..	8652	2664
..	8653	6962	2665
..	8648	6964	2666
..	8656	6965	2667
..	8654	6967	2668
110 28 59'21	36'47	11	-13'89	+ 0'05	348	527	..	2669
..	8675	6970	2670
85 7 43'70	36'59	1	-13'97	2671
..	8685	6975	2672
107 51 50'61	35'76	2	-13'99	+ 0'05	..	6976	2673
84 40 12'20	37'77	4	-14'03	2674
..	8680	6978	2675
..	8668	6977	2676
46 42 26'77	36'80	11	-14'13	- 0'02	2677
111 49 54'83	35'75	4	-14'14	+ 0'03	2678
..	165	2679
..	8671	6983	2680
..	349	528	..	2681
..	8715	6986	2682
..	8719	6987	2683
..	8727	6992	2684
..	8721	6994	2685
..	162	2686
..	8713	6997	2687
..	350	529	..	2688
122 50 11'64	37'44	14	- 14'68	+ 0'04	8761	7002	..	530	..	2689
..	8753	7003	2690
..	8744	7006	2691
106 50 50'00	35'76	2	-14'81	2692
..	8773	7010	2693
156 5 5'00	34'68	5	-14'97	..	8778	7014	353	531	20	2694
..	532	..	2695

No	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2696	7412	6	Gruis	21 13 40 ^s 52	36 ^m 75	3	+4 ^s 033	..
2697	7413	6	Capricorni	21 13 49 ^s 56	40 ^m 62	2	+3 ^s 454	..
2698	7414	6	Microscopii	21 14 11 ^s 57	40 ^m 79	1	+3 ^s 860	..
2699	7420	6	Indi... ..	21 14 19 ^s 05	37 ^m 39	3	+5 ^s 528	..
2700	7419	7	Capricorni	21 14 37 ^s 54	35 ^m 80	1	+3 ^s 500	..
2701	7423	5	Indi	21 14 47 ^s 84	35 ^m 55	1	+4 ^s 348	-0 ^s 005
2702	21 15 50
2703	7432	6.7	Microscopii	21 16 21 ^s 52	36 ^m 63	3	+3 ^s 769	..
2704	7439	6	Microscopii	21 16 44 ^s 48	40 ^m 60	1	+3 ^s 893	..
2705	7445	4	34 Capricorni.....	21 17 31 ^s 26	37 ^m 52	8	+3 ^s 443	-0 ^s 002
2706	7470	7	Capricorni	21 21 54
2707	7478	3	22 Aquarii.....	21 23 7 ^s 95	35 ^m 97	25	+3 ^s 165	-0 ^s 001
2708	7479	6	Capricorni	21 23 19 ^s 53	40 ^m 60	1	+3 ^s 471	..
2709	7481	6	Octantis.....	21 23 23 ^s 83	37 ^m 45	5	+7 ^s 073	0 ^s 000
2710	7480	5	71 Cygni.....	21 23 33 ^s 08	37 ^m 78	6	+2 ^s 203	-0 ^s 002
2711	7486	6	Indi	21 25 11 ^s 70	40 ^m 80	2	+4 ^s 909	..
2712	7491	7	38 Capricorni	21 25 55
2713	7500	5.6	8 Piscis Australis	21 26 53 ^s 63	40 ^m 60	1	+3 ^s 492	..
2714	7506	5	39 Capricorni.....	21 28 6 ^s 90	35 ^m 68	2	+3 ^s 374	-0 ^s 002
2715	7513	6	Indi	21 29 1 ^s 88	36 ^m 58	4	+4 ^s 161	..
2716	7516	6	Indi	21 29 13 ^s 43	37 ^m 47	5	+4 ^s 305	..
2717	7529	6	Indi	21 31 9 ^s 04	36 ^m 80	3	+5 ^s 522	..
2718	7525	4	40 Capricorni.....	21 31 13 ^s 14	37 ^m 70	7	+3 ^s 325	+0 ^s 013
2719	7534	6	Indi	21 32 33 ^s 80	40 ^m 80	1
2720	7543	5	43 Capricorni.....	21 33 42 ^s 97	35 ^m 55	1	+3 ^s 355	+0 ^s 005
2721	7556	6	45 Capricorni	21 35 16
2722	7557	4.5	9 Piscis Australis... ..	21 35 24
2723	7561	2.3	8 Pegasi	21 36 19 ^s 71	37 ^m 17	13	+2 ^s 945	+0 ^s 003
2724	7572	5.6	Indi.....	21 37 7 ^s 69	36 ^m 82	3	+5 ^s 260	..
2725	7575	6	Indi	21 37 39 ^s 87	36 ^m 80	4	+4 ^s 270	..
2726	7578	6	Gruis	21 37 49 ^s 32	36 ^m 67	4	+3 ^s 936	..
2727	..	9	Gruis	21 37 50 ^s 14	36 ^m 67	4	+3 ^s 936	..
2728	7580	3.4	49 Capricorni.....	21 38 12 ^s 06	38 ^m 48	7	+3 ^s 306	+0 ^s 014
2729	..	6	21 40 52 ^s 79	36 ^m 72	4	+6 ^s 366	..
2730	7600	6	Indi	21 40 53 ^s 24	40 ^m 79	1	+4 ^s 177	..

2701. The observed right Ascension has been diminished ten seconds from supposed error of count.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
° ' "			"	"							
..	8788	7015	2696
..	8794	2697
..	8793	2698
..	8782	7016	2699
..	8800	2700
145 20 45.73	35.69	2	-15.07	- 0.04	8792	7017	..	533	2701
176 33 15.44	34.41	1	-15.13	2702
..	8808	7020	2703
..	8809	7021	2704
113 6 1.24	37.19	8	-15.22	- 0.02	8815	..	356	534	2705
104 59 16.00	35.74	2	-15.47	2706
96 16 17.53	35.09	29	-15.54	7040	357	535	117	..	2707
..	8843	2708
..	8817	2709
..	8818	7037	2710
..	2711
..	8842	7043	2711
110 57 28.00	35.81	1	-15.69	2712
..	8853	7047	2713
110 10 43.50	35.80	2	-15.81	0.00	536	2714
..	8859	7052	2715
..	8858	7054	2716
..	8860	7057	2717
107 22 53.19	36.56	45	-15.98	+ 0.03	359	538	2718
..	8877	7064	2719
..	540	2720
105 28 43.00	35.81	1	-16.19	2721
123 45 6.94	37.27	14	-16.20	+ 0.11	8901	7074	..	541	2722
80 51 20.20	35.37	6	-16.24	0.00	138	..	2723
..	8899	7077	2724
..	8908	7079	2725
..	8912	7080	2726
..	2727
106 50 59.92	36.45	7	-16.34	+ 0.28	364	542	2728
..	7086	2729
..	8928	7087	2730

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2731	7603	6	Indi	21 41 47.10	36.58	4	+5.257	..
2732	7604	6	Indi	21 41 54.96	36.58	4	+5.250	..
2733	7613	3	Gruis	21 44 13.22	37.53	12	+3.657	+0.002
2734	7625	6	Octantis.....	21 44 51.84	36.65	4	+6.700	..
2735	7624	6	Indi	21 45 7.95	37.39	3	+4.503	..
2736	7632	6	Gruis	21 46 43.93	40.80	2	+3.646	..
2737	7633	5	Indi	21 46 59
2738	7634	5	Indi	21 47 7.71	37.65	3	+4.329	+0.009
2739	..	6	Octantis.....	21 47 9.32	36.77	4	+6.213	..
2740	7645	6	Indi	21 49 25.84	37.41	4	+4.167	..
2741	7649	6.7	Aquarii.....	21 49 47.90	36.80	2	+3.362	..
2742	7656	5.6	Indi.....	21 51 2.36	36.74	4	+4.188	..
2743	7661	6	Indi	21 52 45.38	40.79	1	+4.146	..
2744	7669	5.6	Indi	21 54 33.02	36.67	4	+4.297	..
2745	7671	6	Indi	21 54 36.89	37.65	3	+5.099	..
2746	7682	6	Indi	21 56 3.27	37.59	6	+5.151	..
2747	7684	5	Gruis	21 56 27.11	40.81	1	+3.654	..
2748	7687	6	Octantis	21 56 35.07	37.81	3	+6.017	..
2749	7688	3	34 Aquarii.....	21 57 33.84	36.91	13	+3.085	-0.003
2750	7691	4.5	33 Aquarii	21 57 47.35	38.57	7	+3.249	-0.001
2751	..	7	21 57 52.14	37.57	2	+5.120	..
2752	7692	2	Gruis	21 58 7.11	34.84	26	+3.818	+0.011
2753	7713	6	Octantis.....	21 58 42.47	37.46	67	..	-0.030
2754	7701	5.6	14 Piscis Australis	21 59 1.92	40.82	1	+3.522	..
2755	7711	5.6	35 Aquarii	22 0 12.02	35.60	1	+3.395	..
2756	7725	5.6	Octantis	22 1 38.53	37.77	3	+7.352	+0.027
2757	7730	6	Octantis	22 1 59.22	37.61	2	+6.252	..
2758	7745	6	Aquarii.....	22 4 44.36	40.78	1	+3.386	..
2759	7748	6	Gruis	22 4 50.67	40.73	2	+3.654	+0.051
2760	7756	5	Gruis	22 5 57.15	40.75	3	+3.649	-0.001
2761	7763	5.6	Gruis	22 6 47.34	35.80	3	+3.651	-0.005
2762	7767	3	Tucanæ	22 7 28.70	36.30	22	+4.211	-0.007
2763	7768	6	Piscis Australis	22 7 37.38	40.46	1	+3.388	..
2764	7773	4.5	43 Aquarii.....	22 8 23.16	38.07	5	+3.666	+0.006
2765	7780	6	Tucanæ	22 9 53.58	40.78	1	+4.072	..

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
..	7088	2731
..	8925	7089	2732
128 6 48.87	36.59	45	-16.64	+ 0.02	8951	7094	365	544	72	2733
..	8927	7093	2734
..	8949	7096	2735
..	8964	7099	2736
145 44 56.14	35.72	2	-16.77	+ 0.01	8962	7100	..	546	..	2737
..	8959	7101	2738
..	8946	7098	2739
..	8973	7106	2740
..	2741
..	8975	7110	2742
..	8992	7114	2743
..	9001	7117	2744
..	8994	7116	2745
..	9002	7122	2746
..	9017	7126	..	548	..	2747
..	8996	7123	2748
91 5 40.41	34.71	10	-17.26	+ 0.02	..	7129	367	550	124	2749
104 38 34.68	37.42	6	-17.27	+ 0.07	368	551	..	2750
..	7128	2751
137 43 53.82	35.32	18	-17.29	+ 0.15	9021	7130	369	552	53	2752
176 46 14.77	36.75	96	..	- 0.08	8924	7119	..	549	7	2753
..	9029	7131	2754
..	2755
..	9010	7134	2756
..	9022	7137	2757
..	9063	7142	2758
..	9061	7144	..	553	..	2759
132 8 21.80	34.72	1	-17.63	+ 0.00	9069	7146	..	554	..	2760
..	9075	7148	2761
151 3 11.80	35.77	21	-17.69	+ 0.04	9074	7149	374	555	28	2762
..	9080	7150	2763
98 34 38.58	37.53	6	-17.73	+ 0.03	..	7151	376	556	..	2764
..	9092	2765

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R. A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2766	7783	5.6	Indi	22 10 42.72	36.64	4	+5.083	..
2767	7785	6	Octantis.....	22 11 45.60	36.58	4	+5.479	..
2768	Octantis	22 11 51.35	36.60	3	+5.477	..
2769	7791	6	Indi.....	22 12 32.13	36.68	4	+4.850	..
2770	7792	6.7	Gruis	22 12 55.59	40.81	1	+3.712	..
2771	7794	6	Gruis..... π	22 13 16.69	40.81	1	+3.709	..
2772	7801	6	Tucanæ	22 14 15.38	38.40	5	+4.046	..
2773	7808	5	Tucanæ	22 15 52.49	36.69	18	+4.376	+0.006
2774	7816	6	Indi	22 16 44.62	36.83	4	+4.535	..
2775	7815	4.5	3 Lacertæ	22 17 16
2776	7817	6	Aquarii	22 17 19.23	40.62	2	+3.335	..
2777	7818	6.7	Aquarii.....	22 17 52.21	35.80	3	+3.254	..
2778	7819	6.7	53 Aquarii.....	22 17 53.06	35.81	2	+3.254	..
2779	7826	6	Gruis	22 19 15.19	36.79	4	+3.548	..
2780	7828	4	Gruis..... δ^1	22 19 40.79	40.79	1	+3.625	-0.007
2781	7831	6	Octantis	22 19 52.90	36.84	2	+6.151	..
2782	7830	5	Gruis..... δ^2	22 20 10.42	40.81	1	+3.627	-0.006
2783	7835	6.7	Aquarii.....	22 21 27.73	35.55	1	+3.208	..
2784	7839	6	Piscis Australis	22 21 59.33	40.53	2	+3.353	..
2785	7841	5	Tucanæ	22 22 6.90	36.85	3	+4.149	..
2786	7840	5	57 Aquarii..... σ	22 22 10.48	37.11	41	+3.184	-0.004
2787	7842	4	17 Piscis Australis..... β	22 22 23.59	35.53	9	+3.432	+0.002
2788	..	8.9	Piscis Australis	22 22 41
2789	7855	4	7 Lacertæ	22 24 43
2790	7864	5	59 Aquarii	22 25 56.06	35.80	3	+3.282	+0.013
2791	7869	6	Gruis..... σ^1	22 27 7.57	40.81	1	+3.536	..
2792	7872	6	Piscis Australis	22 27 34.07	40.59	1	+3.406	..
2793	7873	6	Gruis..... σ^2	22 27 37.37	40.81	1	+3.534	..
2794	7886	5	Octantis..... β	22 29 14.14	35.82	25	+6.847	-0.034
2795	7890	6.7	64 Aquarii	22 30 50.66	36.64	14	+3.169	..
2796	7897	7	Aquarii.....	22 31 41.16	35.55	1	+3.162	..
2797	7898	4	18 Piscis Australis	22 31 48
2798	7903	6	Gruis	22 33 2.94	40.64	1	+3.622	..
2799	7904	3	Gruis	22 33 4.89	40.79	1	+3.616	+0.012
2800	7908	3	42 Pegasi	22 33 29.03	37.86	12	+2.985	+0.001

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion. in N.P.D.	No. for reference.						
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.	
0 1 2			"	"							
..	9082	7153	2766
..	9090	7154	2767
..	7155	2768
..	9099	7157	2769
..	9107	7158	2770
..	9108	7159	2771
..	9112	7161	2772
155 46 36.14	35.32	13	-18.02	- 0.03	9114	7163	..	559	2773
..	9117	7164	2774
38 34 6.95	37.26	6	-18.08	2775
114 29 34.00	35.79	2	-18.08	..	9132	7167	2776
..	2777
107 33 6.10	35.72	2	-18.10	2778
..	9136	7171	2779
134 18 36.30	36.91	12	-18.17	+ 0.01	9138	7172	..	560	2780
..	9122	7170	2781
134 33 52.99	35.76	1	-18.19	+ 0.07	9140	7173	..	561	2782
..	2783
..	9160	7175	2784
..	9153	7174	2785
101 29 40.44	34.78	1	-18.26	- 0.05	563	2786
123 9 50.45	35.81	9	-18.27	+ 0.07	9162	7176	..	564	2787
123 10 20.12	37.01	4	-18.27	2788
40 32 15.70	36.77	9	-18.35	2789
..	565	2790
..	9181	7183	2791
..	9184	7185	2792
..	9183	7184	2793
172 12 57.18	35.79	29	-18.50	0.00	9165	7186	..	567	12	..	2794
100 51 32.20	36.59	1	-18.56	2795
..	2796
117 52 33.39	36.78	15	-18.59	+ 0.06	9206	7193	..	568	2797
..	9210	7195	2798
137 43 5.82	36.99	2	-18.63	+ 0.04	9211	7194	384	569	54	..	2799
80 0 7.20	34.64	2	-18.65	0.00	139	..	2800

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2801	7925	5	Gruis.....η	22 35 46.16	34.87	7	+3.741	-0.004
2802	7928	6	Octantis	22 36 7.76	36.78	4	+5.302	..
2803	7926	6	Gruis	22 36 12.12	36.67	4	+3.591	..
2804	7938	6	Indi	22 37 44.43	36.82	4	+4.451	..
2805	7944	6	Gruis	22 38 40.30	36.72	4	+3.449	..
2806	7946	4	Gruis	22 38 51.30	38.27	6	+3.668	+0.003
2807	7949	6	69 Aquarii.....τ ¹	22 39 12.70	35.80	3	+3.194	..
2808	7954	5.6	71 Aquarii.....τ ²	22 41 6.85	36.75	3	+3.188	-0.004
2809	7955	6	Tucanæ.....	22 41 36.33	36.60	4	+3.872	..
2810	7956	6	Tucanæ.....	22 41 42.69	40.82	1	+3.991	..
2811	7957	6	Gruis.....	22 41 54.82	40.81	1	+3.447	..
2812	7965	5.6	Indi.....ρ	22 43 25.20	36.81	3	+4.340	..
2813	7966	5	22 Piscis Australis.....γ	22 43 36.98	34.87	8	+3.363	-0.004
2814	7969	6	Gruis.....τ ¹	22 44 7.52	40.82	1	+3.579	..
2815	7970	4	73 Aquarii.....λ	22 44 15.77	38.45	4	+3.136	-0.006
2816	7980	3	76 Aquarii.....δ	22 46 9.12	36.84	7	+3.198	-0.007
2817	7992	1	24 Piscis Australis.....α	22 48 47.75	36.35	191	+3.312	+0.022
2818	8021	6	Indi	22 54 12.06	36.71	4	+4.094	..
2819	8023	4	1 Andromedæ.....ο	22 54 34
2820	8025	5.6	Piscis Australis.....	22 54 37.77	40.81	1	+3.341	..
2821	8030	6	Octantis	22 55 4.11	37.78	3	+5.268	..
2822	8034	2	54 Pegasi	22 56 47.75	35.90	24	+2.978	+0.003
2823	22 57 36.72	40.82	1	+3.423	..
2824	8043	5	Gruis.....θ	22 57 50.38	40.82	1	+3.422	-0.003
2825	..	7.8	22 57 56.96	37.68	3	+3.522	..
2826	8046	6.7	Gruis.....	22 57 58.01	37.68	3	+3.522	..
2827	8047	5.6	86 Aquarii.....c ¹	22 58 4.66	40.82	1	+3.235	..
2828	8072	6	Octantis.....τ	23 0 17.57	37.41	74	+15.078	+0.037
2829	8066	6	Gruis.....	23 1 14.22	40.73	2	+3.371	..
2830	8081	6	Tucanæ.....	23 4 10.59	37.66	3	+3.720	..
2831	..	7	23 4 57.45	37.77	2	+4.933	..
2832	8085	5	90 Aquarii.....φ	23 6 2.10	37.65	8	+3.109	+0.001
2833	8090	6	Octantis	23 6 50.39	37.74	2	+4.879	..
2834	8092	6	Gruis.....	23 7 6.47	40.82	1	+3.532	..
2835	8093	5	Tucanæ.....	23 7 17.05	37.57	5	+3.667	+0.017

2823. Very small Star.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D., for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
144 20 21'15	35'30	8	-18'72	0'00	9223	7203	..	570	..	2801
..	9216	7202	2802
..	9229	7204	2803
..	9230	7209	2804
..	9251	7211	2805
142 9 21'42	35'10	8	-18'81	+ 0'11	9249	7212	386	571	..	2806
..	2807
104 26 7'66	36'80	2	-18'88	+ 0'02	2808
..	9267	7213	2809
..	9268	7214	2810
..	9275	7215	2811
..	9276	7217	2812
123 43 18'97	35'81	1	-18'95	+ 0'04	9287	7218	..	572	..	2813
..	9289	7219	2814
98 25 45'33	37'78	4	-18'97	- 0'03	388	573	..	2815
106 40 12'68	36'18	4	-19'03	0'00	389	574	98	2816
120 28 5'93	36'64	315	-19'10	+ 0'18	9314	7225	391	575	84	2817
..	9337	7234	2818
48 31 56'90	36'73	4	-19'25	2819
..	9350	7237	2820
..	9332	7236	2821
..	7239	145	2822
134 20	2823
134 22 57'01	35'37	3	-19'33	+ 0'11	9366	7244	..	577	..	2824
..	2825
..	9367	7246	2826
..	9371	2827
178 21 24'77	36'48	232	..	- 0'02	9225	7241	..	578	4	2828
..	9384	7251	2829
..	9396	7258	2830
..	7259	2831
96 54 38'93	36'73	2	-19'50	+ 0'19	399	582	..	2832
..	9399	7263	2833
..	9410	7264	2834
..	9412	7266	2835

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			"	"
2836	8095	5.6	91 Aquarii..... ψ^1	23 7 30.44	35.76	1	+3.125	+0.023
2837	8098	4	Tucanæ..... γ	23 8 2.72	36.17	20	+3.574	-0.012
2838	8102	5.6	92 Aquarii..... χ	23 8 33
2839	8108	6	Gruis..... ϕ	23 9 19.09	40.81	1	+3.333	..
2840	8112	6	Gruis.....	23 9 47.24	36.80	4	+3.398	..
2841	8113	5	Sculptoris..... γ	23 10 10.20	36.77	5	+3.262	..
2842	8116	5	95 Aquarii..... ψ^3	23 10 37.99	37.11	3	+3.124	-0.002
2843	..	9.10	Gruis.....	23 11 47.28	36.64	4	+3.419	..
2844	8121	6.7	Gruis.....	23 11 48.24	36.64	4	+3.419	..
2845	8143	6	Gruis.....	23 14 14.16	36.83	3	+3.471	..
2846	8142	6	97 Aquarii.....	23 14 15.55	39.87	1	+3.147	..
2847	8144	5	98 Aquarii..... δ^1	23 14 33.64	37.80	3	+3.173	..
2848	8150	6	Phœnicis.....	23 14 57.83	40.81	1	+3.324	..
2849	8155	6	Aquarii.....	23 15 37.85	37.16	3	+3.179	..
2850	8157	5.6	Tucanæ.....	23 16 9.29	40.82	1	+3.474	+0.005
2851	8163	6	Gruis.....	23 17 37.33	38.13	6	+3.405	..
2852	8167	6	Aquarii.....	23 18 8.94	36.31	8	+3.173	..
2853	8168	6	Gruis.....	23 18 14.79	36.70	4	+3.371	..
2854	8169	5.6	8 Piscium..... κ	23 18 43.91	39.31	2	+3.070	+0.005
2855	8172	6	Sculptoris.....	23 19 24.60	40.46	1	+3.245	..
2856	8176	6	Tucanæ.....	23 19 41.80	36.81	4	+3.551	..
2857	8189	6	Phœnicis.....	23 22 43.75	36.79	4	+3.294	..
2858	8192	6	Gruis.....	23 23 12.89	40.81	1	+3.268	..
2859	8200	6.7	Tucanæ.....	23 23 59.75	36.64	4	+3.832	..
2860	8202	5	101 Aquarii..... δ^4	23 24 53.79	38.09	8	+3.153	-0.004
2861	8210	5	Phœnicis..... ι	23 26 26.94	38.31	2	+3.257	-0.001
2862	8216	6	Aquarii.....	23 27 44.77	40.82	1	+3.170	..
2863	8219	6	Octantis.....	23 28 18.17	36.69	4	+3.921	..
2864	8220	6	Phœnicis.....	23 29 12.95	40.81	1	+3.260	..
2865	8228	6	Tucanæ.....	23 30 3.28	36.77	4	+3.663	..
2866	..	7	Phœnicis..... θ^1	23 30 50.65	37.80	3	+3.257	..
2867	8230	6	Phœnicis..... θ^2	23 30 51.31	37.80	3	+3.257	-0.017
2868	8233	4.5	17 Piscium..... ι	23 31 43.40	39.39	16	+3.058	+0.025
2869	8246	5.6	105 Aquarii..... ω^2	23 34 25.38	35.80	1	+3.113	..
2870	8249	6	Octantis.....	23 34 46.60	36.89	2	+3.878	..

8121. It is doubtful from the observations whether the brighter Star is the first or second Star in R.A.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D. for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
99 57 30.30	34.78	1	-19.53	2836
149 6 41.12	35.75	19	-19.54	- 0.04	9420	7267	400	583	..	2837
98 35 52.90	34.86	1	-19.55	2838
..	9432	7271	2839
..	9433	7273	2840
123 24 8.50	37.02	9	-19.59	..	9435	7274	..	585	..	2841
100 29 4.28	37.58	5	-19.59	-- 0.01	586	..	2842
..	2843
..	9446	7276	2844
..	9452	7278	2845
..	2846
..	404	587	..	2847
..	9456	7282	2848
..	2849
..	9463	7285	2850
..	9470	7287	2851
112 37 12.30	35.81	1	-19.72	..	9478	2852
..	9476	7291	2853
..	407	2854
..	9485	2855
..	9483	7293	2856
..	9502	7297	2857
..	9507	7298	2858
..	9505	7299	2859
..	590	..	2860
133 29 56.20	35.80	9	-19.84	..	9523	7304	..	591	..	2861
..	9529	2862
..	9525	7307	2863
..	9535	7309	2864
..	9537	7312	2865
..	7314	2866
137 31 29.90	35.74	2	-19.90	0.00	9543	7315	..	592	..	2867
85 14 24.55	34.55	3	-19.90	+ 0.45	130	2868
..	2869
..	9560	7319	2870

No.	No. in B.A.C.	Magnitude.	Star's Name.	Mean R.A. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of R.A.	Annual Precess. in R.A. for 1840.	Annual Proper Motion in R.A.
				h m s			s	s
2871	8251	6	Tucanæ	23 35 11.00	36.86	4	+3.501	..
2872	8253	6	Tucanæ	23 35 19.86	36.73	4	+3.384	..
2873	8258	6	Gruis	23 37 33.75	40.80	1	+3.186	..
2874	8264	6	Phœnicis	23 38 44.95	36.76	4	+3.225	..
2875	8271	5.6	20 Piscium	23 39 42.96	38.60	7	+3.079	+0.002
2876	8275	5	Sculptoris	23 40 34.84	39.87	2	+3.134	+0.009
2877	8286	6	Phœnicis	23 42 9.97	40.82	1	+3.188	..
2878	8288	6	Aquarii.....	23 42 17.96	38.50	3	+3.100	..
2879	8290	5	Octantis..... γ^1	23 42 28.90	35.57	22	+3.892	-0.038
2880	8292	6	108 Aquarii	23 43 5.27	39.88	1	+3.107	..
2881	8297	6	Aquarii.....	23 44 16.67	37.16	3	+3.096	..
2882	23 46 55.41	37.19	5	+3.079	..
2883	8319	5	Octantis	23 48 33.58	35.60	25	+3.620	-0.018
2884	8323	5	Tucanæ	23 49 8
2885	8328	5	27 Piscium	23 50 28.94	35.83	1	+3.076	-0.008
2886	8331	4.5	28 Piscium	23 51 5.95	39.88	2	+3.066	+0.010
2887	8334	5	Tucanæ	23 51 33
2888	8339	5.6	Phœnicis..... τ	23 52 50.01	40.45	2	+3.121	..
2889	8349	4.5	30 Piscium	23 53 45.36	36.98	4	+3.076	+0.002
2890	8358	4	2 Ceti	23 55 32.36	36.58	9	+3.080	-0.001
2891	8368	5	33 Piscium	23 57 8.74	36.08	3	+3.074	-0.002
2892	2	6	Sculptoris.....	23 59 54.81	40.45	1	+3.070	..

2884. Observed S.P.

Mean N.P.D. 1840, Jan. 1.	Mean Year and Fraction of Year.	No. of Obs. of N.P.D.	Annual Precess. in N.P.D., for 1840.	Annual Proper Motion in N.P.D.	No. for reference.					
					Lacaille.	Brisbane.	Fallows.	Johnson.	Henderson.	Catalogue.
0 1 "	"	"						
..	9566	7320	2871
..	9571	7321	2872
..	9582	7324	2873
..	9591	7326	2874
93 39 3'43	36'70	10	-19'98	+ 0'01	416	2875
119 0 53'50	37'61	18	-19'99	+ 0'10	9603	7330	417	597	..	2876
..	9613	7333	2877
..	2878
172 54 27'92	36'10	40	-20'00	+ 0'02	9607	7334	..	598	10	2879
109 47 55'80	35'79	2	-20'00	2880
..	2881
95 33 28'80	35'84	3	-20'02	2882
173 3 34'04	36'05	38	-20'03	+ 0'01	9651	7350	418	599	9	2883
155 11 5'64	37'34	1	-20'04	+ 0'02	9661	7352	..	600	..	2884
94 26 40'60	36'73	1	-20'04	+ 0'12	419	601	..	2885
..	2886
156 27 59'37	35'80	2	-20'04	- 0'03	9678	7360	420	602	..	2887
..	9689	7365	2888
96 54 12'13	37'01	7	-20'05	+ 0'04	604	..	2889
108 13 36'40	36'76	44	-20'05	422	605	..	2890
..	424	606	..	2891
..	9735	7383	2892

REFERENCE



