DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Use, accompanied by the encouragement of the Ministry of International Trade and Industry, which please note.

Tetsutaro Takayanagi
(Tetsutaro Takayanagi)
Managing Director,
Shimane Chemical Industry Co.,Ltd.

Attached List

List of Machinery and Equipment to be used.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

List of Facilities for Application

Code No : 36-1 (1)

Name of Plant : Iwami Plant of Former Osaka Army Arsenal

Address of Plant : 1,110, Gotsu-machi, Naka-gun, Shimane Prefecture

Machinery :

Inv. No.	Name of Machinery	Brief Specifications	Quantity	Remarks
898	Transformer	Out door-aircooled, Capacity 1500KVA, 60~ Voltage {Primary 66000V / Secondery 3300V Three phase	1	
899	Transformer	Out door-aircooled, Capacity 750KVA, 60~ Voltage {Primary 3300V / Secondery 440V Three phase	1	
900	Transformer	Out door-aircooled, Capacity 750KVA, 60~ Voltage {Primary 11000V / Secondery 3300V Three phase	1	
1158	Transformer	Out door-aircooled, Capacity 1500KVA, 60~ Voltage {Primary 66000V / Secondery 3300V Three phase	1	
1159	Transformer	" " " " "	1	
1160	Switch Gear	Size of panel W 600mm × H 2300mm × D 30mm Material; Steel, Control; Remote	1	
1161	Switch Gear	" " " " "	1	
1162	Switch Gear	" " " " "	1	
1163	Switch Gear	" " " " "	1	
1164	Transformer	Out door-aircooled, Capacity 750KVA, 60~ Voltage {Primary 11000V / Secondery 3300V Three phase	1	
1165	Switch Gear	Size of panel W 600mm × H 2300mm × D 30mm Material; Steel, Control; Remote	1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

1166	Swith Gear	" " " "	1
1167	Swith Gear	" " " "	1
1168	Swith Gear	" " " "	1
1169	Swith Gear	" " " "	1
1170	Swith Gear	" " " "	1
1171	Swith Gear	" " " "	1
1172	Arrester	Type; AEG Bendman 66000V Three phase	1
1173	Arrester	Type; AEG Bendman 33000V Three phase	1
1174	Wiring		1
1175	Iron Garter Frame	Weight; 54,000kg	1set
1176	Transfomer	Out door-aircooled Capacity 75KVA, 60~ Voltage {Primary 3300V {Secondery 210V Three phase	1
876	Pump-turbin-water	Capacity 4m³/min Total head 33m Revolution 1750r,p.m. Numberof stage 3	1
877	Pump-turbin-water	Capacity 4.55m³/min Total head 70m Revolution 1740r.p.m. Number of stage 3	1
878	Pump-turbin-water	Capacity 4m³/min Total head 33m Revolution 1750r.p.m. Number of stage 3	1
892	Piping for water		1set
894	Electric wiring out door		1set

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Gotu Property Custodian Branch,
Matsue Branch,
Hiroshima Finance Office.

Date 14 Feb. 1950

Use of Reparation Installations

a. Name and code number of reparations installations.

Former Iwami factory of Osaka Army Arsenal. 36-1(1) Sec. II

c. Address of installation.

No.1110 Gotu-machi Naka-gun Shimane Prefecture.

c. Copy of conversion or reconversion permit. None

d. List of items in actual production. None

e. An application for a new or change of present conversion or reconversion is pending. None

f. List, by code number and name, of reparation items in authorized use. None

g. List, by code number and name, of reparation items in use without permission for authorized use. None

h. List, by code number and name, of reparations items on application for authorized use permission. None

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE CIVIL AFFAIRS TEAM
APO 248

RCS None
RHM/ts
6 July 1949

SCAT-RCI-386.3

SUBJECT: Reports of Reparation Items in Temporary Use

TO : Chief
Chugoku Civil Affairs Region
APO 248

36-1
II

1. Reference letter, Headquarters Chugoku Civil Affairs Region, "Report of Reparation Items in Temporary Use", dated 21 June 1949.

2. The following report is submitted. There are no other items in temporary use outside of the six (6) below listed items.

(a) Iwami Plant, Osaka Arsenal, Gotsu, Shimane Prefecture Code # 36-1(1).

(1)	Lathe	36-1(1)-675
(2)	"	36-1(1)-667
(3)	Shaper	36-1(1)-634
(4)	Horz. Milling Machine	36-1(1)-621
(5)	Vert Boring Machine	36-1(1)-635
(6)	Grinder	36-1(1)-171

The above mentioned items are in temporary use in the plant by permission of this headquarters for the maintenance and upkeep of the plant.

C. B. MYERS
Major, Inf.
Commanding

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Econ Off Serf

HEADQUARTERS
CHUGOKU MILITARY GOVERNMENT REGION
APO 248, (Kure, Honshu)

21 June 1949

CMGR 386.3 (D-Kin)

SUBJECT: Reports of Reparations Items in Temporary Use

TO : Commanding Officer, Hiroshima Military Government Team, APO 248
Commanding Officer, Okayama Military Government Team, APO 248
Commanding Officer, Shimane Military Government Team, APO 248
Commanding Officer, Tottori Military Government Team, APO 248
Commanding Officer, Yamaguchi Military Government Team, APO 248

1. Telephone message 20 June 1949 from Major Berry, Headquarters, Eighth Army through I Corps requests that all teams submit without delay a complete report of reparations items in "temporary use" at all plants as provided by Operational Directive 21/1 dated 1 March 1949 paragraph 5g.

2. Lists will show both plant name, and itemized machine code and inventory numbers for the facility being reported on.

3. Reports will be forwarded to region headquarters for consolidation by 5 July 1949.

BY ORDER OF COLONEL TOOLE:

GEO. E. MAYER
Capt., FA
Adjutant

7929

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

File

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 248

28 May 1949

SUBJECT: Repairs to High Tension Electric Wiring

TO : Chief Official of Gotsu Branch of
The Hiroshima Finance Bureau

36-1
II

1. Reference letter dated 27 May 1949, file Hiro Gokan 132 approval is granted to repair the electrical wiring that was burnt by the short circuit.

2. This repair is to be done at the earlist date possible.

ROBERT H. MOORE
1st Lt. CE
Labor Officer

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

File

Stephen H. Condict, Capt. CMP ,
Commerce & Industry Officer,
Shimane Mil. Govt. Team .

Ref. File No. : Hiro Gokan 132

Date : 27th May 1949

SUBJECT: APPLICATION FOR REPAIRS TO HIGH TENTION ELECTRIC WIRING.

Sir,

I have to report you that at about 2.00 p.m. of 27 th April this year, the upper part of a wooden electric wiring pole at the northwest side of the substation in this compound was burnt off.

The investigation found that the cause of the accident had came from an act of God,i.e. the hard wwind,12 meters per second with heavy rain that day broke a corroded wooden arm of the pole when the broken arm touched to the wire currenting 3,300 volt hightention,therefrom the current escaped to wired stay of the pole throu the broken arm.

Having found smoking at the upper part of the pole, one of our guards, Tokuichi Inoue on his duty immediately rushed to the substation to ask to switch off,simultaneously put the smoke and flame out with other guards. His emergency action succeeded to check the accident within minimum - only upper part of the pole was burnt off.

It also is attributable to the hard wind that day to have many other arms of electric wiring poles broken.

The abovmentioned fact forced us to repair all the broken parts relative to electric wirings as soon as possible for the sake of the perfect maintenance and upkeep of reparation machinery in this plant.

As such repairing works differ from the ordinary maintenance works for the reparation machinery, I, herewith submit you this application and I should be much obliged if you would render me a written approval for the petition.

Encls. 2 sheets of sketches.

ok
Lt Rotmoore
18 may 49

Yours faithfully,

Signed Miyoshi Yamashita
(Miyoshi Yamashita)
Chief Official of Gotsu Branch
of the Hiroshima Finance Bureau.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



元大阪陸軍造兵廠石見製造所監守見張所配置圖

Layout of Guard Room and Watch Place
Iwami Plant, Ex-Osaka Army Arsenal

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHPC

Lt.Col. Clayton L Mausert,
Commanding Officer of Shimane Mil. Govt. Team

Via Capt. Stephan H. Condict,
Officer of the Commerce and Industry Section

Gotsu Branch of
the Hiroshima Finance
Bureau
April 1 ,49

Subject: Application for the Alteration to and the Usage of the Existing Buildings in the Compound of the Reparation Plant at Gotsu Town.

Sir,

I beg to submit the petition as per the above headings,describing the reason and details thereof as follows, and I should be much obliged if you would approve the same.

36.1
II

(1) Reason for the application.

Top officials working at the Gotsu Reparation Plant who almost had moved here from other city for the prevention of war damage during the war or were almost repatriates, are being claimed by their house-owners to evacuate their tenancies.The reason is that their families and kins repatriated or(and) came back from abroad have been desirous to take back the houses which our staffs have rented hitherto.

It was attributed to the housing shortage that during these few months our three top personnels abandoned their duties of the custody of the reparation plant.

Under the abovementioned circumstances, other eight personnels of this plant have nearly been put in the same fate as that of the above three ones.

Accordingly I have become to consider the housing problems for employees engaging this peculiar duty to make them security in dwelling situation,so that all our staffs can make their utmost for their duties.

(2) Kind of buildings applied for the alteration and type of the alteration.

1. As shown on the attached drawing, the existing garage(Bldg.No.42) is to be converted into dwelling houses,making six partitions inside the garage.

Store houses (Bldg.NOs. 38 and 50) are to be moved to the position as per the attached drawing to make dwelling houses.

Around the dwelling premises,wooden fence is to be set in order to divide it from the reparation plant.

A passage to lead the dwelling premises is to be set on as per the arrow mark on the drawing attached.

2. The all buildings concerned were already released by the Occupation Force to Japanese Govt. (Refer to Shimane Prefectual Govt. letter No. GAI 391 d/d May 14, 1947).

Yours truly,
Signed: Miyoshi Yamashita
(Miyoshi Yamashita)
Chief offical of Gotsu Brch.
Hiroshima Finance Bureau.

Encl. One copy of Drawing.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

ROAD TO BOILED DWELLING HOUSE

Japan Sea

shore

store house

Gotsu technical hige school

sand hill

the Seihuso apartment

(for returned from foreign)

pool

ground

middle school

ditch

Shimane Chmical Industry Co. Ltd.

bamboo wall (if possible)

pavement

office

store house

board wall

kichen

field

ground

dining room

Sin-Nippon Layon Co. Ltd.

to Station and main street

sand hill

Iwami Plant of EX-Osaka Army Arsenal

Note : * Building ; Store house is to be moved to the position marked (*) for making Dwelling house together with another building marked (A).

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

36-1
II

Jotsu Branch
of
Hiroshima Finance Bureau

Feb 15, 1949

To : Capt. Condict, Economic Officer SMGT.

Subject : Raparation Machines which Temporary Use was approved by Military Government Team

(1) In accordance with inquiry through RTO, we conducted investigation and found out that the following reparation machines in Iwami Factory of ex-Osaka Army Arsenal were authorized the temporary use for the purpose of preservation and improvement of raparation machines dated 17 March 1948

36—10)—675- 376. Portable Blast furnace 667. lathe 621. Milling Machine 695- 171 Engine lathe 1948 Tool Grinder

(2) There were other reparation machines which were approved to use temporarily, but they were released to Japanese Government dated 1st July 1948, as per attached letter.

There is no other reparation machine authorized for temporary use.

Sanmi Yamashita
Chief.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

江管第428號

昭和24年2月15日

広島財務局江津管財支所長

小下 三美

島根軍政部商工課々長コンデイクト大尉殿

MOの許可を受けてゐる一時使用許可機械について

1. 本日R.T.O.を経て連絡ありました上記の事について調査しましたる所 大阪陸軍造兵廠石見製造所の賠償機械の保全手入のために下記の機械(6台)が使用許可されて居ります。(17 March 1948 日付)

36-1(1)-675、376、667、621、635、171、

2. 上記の外に一時使用許可機械はありましたが 15. July. 1948 日付 別紙の通り~~返還な~~ 日本政府に返還なりました

以上の次第で現在では民間会社に一時使用許可されてゐる機械はありません。

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Haedquarters

Shimane Military Government Team

APO 317

SHC/cs
Matsue Honshu
15. July. 1948.

SMGT 386.3

Subject : Release of Certain Reparations Items to the Jananese Economy.

Thru : Japanese Liaison Section, Shimane Prefectural Government, Matsue Honshu.

To : Shimane Branch, " The Construction Board " of Japanese Central Government, Matsue Honshu. (Attention Mr. Fujiro Hara).

1. Reference : a. Wire Message DX99529 (MG-EM), Headquarters, Eighth Army, APO 317.

b. Lather this Headquaters, file SMGT 386.3, 11. May. 1948, Subject : "Release of Certain Reparation Items to the Japanese Economy."

2. In compliance with 1(a) above thecorrected copy of the release of "Certain Reparation Items" released to the Japanese Govt, "The Constration Board" and located as follows in Shimane Prefecture is here by submitted :

SMGT 386.3 Release of Certain Reparation Items to the Japanese Economy dtd. 15. July. 1948

(d). Gotsu Technical Schoole
1477 Goda, Gotsucho, Naka-Gun.
All Machines inventoried as 36 - 1(6) numbers 1 through 15 Total 15 Machines.

(j). Hamada Railway Engine Section.
Asai, Hamada City.
All Machines by inventoried as 36 - 1(12) Number 1 and 2 Total 2 Machines.

(k). Hamada Hosenku (Hamada Railway Maintenance)
Hamada City, Naka Gun.
One Machine inventoried as 36 - 1(15) - 1 Total 1 Machine .

copy - (1)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

(1). Iwami Metal Industrial Company Ltd.
1519 Goda, Gotsu-Machi, Naka-Gun.
One Machine inventoried as 36 - 1(13) - 1

Total 1 Machine.

(q). Eisaku Matsumori, (Food Problssing Plant)
Harai, Hamada City, Shimane Pref.
1 Machine inventoried as 36 - 1(1) - 481

Total 1 Machine.

(r). Nippon Rayon Mfg. Co. (Former Eiko Industrial Co.)
110 Gotsu Town, Naka-Gun.
All Machinery inventoried as followes :
36 - 1(1) -798, 799, 802, 803, 804, 805, 806, 807,808 &848.

Total 10 Machines.

3. Request all previous copies of release of Reparations Machinery be withdrawn from your files and destroyed and thisrelease substitutedtherefor.

4. Further request that the attached reciept be acknowlege and returend to this Headquarters immediately with the origine copy of this correspondence.

1.Incl

Copy of Blank Receipt for the return of 326 Reparation Machines to the Construction Board.

Clayton L. Mousert
Lt. Col, Tc.
Commanding

copy - (2)

copy - (2)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Request for temporary use of truck Reparations Number, 36-1(1)-930, "Ltr, Gotsu Reparation Branch of Hiroshima Property Bureau," (7 Apr 48)

SMGT-040 (RCI) 1st Ind.

Shimane Military Government Team, APO 317, Matsue, Honshu
19 April 1948.

THRU: Liaison Section, Prefectural Government, Matsue, Honshu.

TO: Iwami Plant, Osaka Arsenal, Gotsu Town.

1. Approval is hereby granted for the use of Reparations Truck Number 36-1(1)-930, for hauling oil and gasoline from Hamada and vicinity to Iwami Plant, Osaka Arsenal, for maintenance and upkeep of Reparations Machinery located in Iwami Plant, Osaka Arsenal.

36-1
II

2. Recommend that the Prefectural Government increase the monthly allocation of gasoline be increased by one-half (1/2) Kan for use in the above maintenance and that tires as required be made available.

STEPHEN H. CONDICT
Capt. CMP
Resources, Commerce
& Industry Officer

22

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

THE HEAD OFFICIAL OF GOTSU REPARATION
BRANCH OF THE HIROSHIMA STATE PROPERTY BUREAU.

Go. Kan, 1 th. 7, April, 1948.

SUBTECT : Permission petition of temporarity authorized use of the Code of Number 36-111-930 "Gasoline Power, Truck."

TO : Commanding Official of Shimane Military Government.
Capt, S, H, Condict.

1. 1 permission petition 1 shall temporarity authorized use of the Gasoline Power, Truck to transport with for the Materlal of the upkeep and maintance of the Reparation Machine.

2. It, "Gasoline Power, Truck" had been Inventory the ones Reparation Machines, 36-111-930, Code of Number have it.

3. Transport Bound of the Materlal, with to go and back the Gotsu-Town ——— Hamada-City 3 th in the Month, for Hiroshima State Property Bureau to go trasport of the oil and other of every kind Materlal 2 th in the Month.

4. If will you please permission have been get me the reply with your letter?

THE HEAD OFFICIAL OF GOTSU REPARATION
BRANCH OF THE HIROSHIMA STATE PROPERTY BUREAU.

Miyoshi Yamashita

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr Matsue Local Office, Hiroshima Finance Bureau, dtd 13 December 1947.

CMGR 386.3 2nd Ind. FCW/cs

Headquarters, Shimane Military Government Team, APO 317, Matsue, Honshu 19 December 1947.

THRU: Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu

TO: Commanding General, Headquarters Eighth Army APO 343, Att: Military Government Section.

36-1 II

1. The ninety-three (93) reparations machines listed in basic Communication, located at Iwami Plant Osaka Arsenal are used for the upkeep and maintainance of the total of 937 Reparations Machines located at that Plant.

2. There is no records of this office showing whether or not permission was ever granted for the temporary use of these machines by Hqs. Eighth Army.

3. Recommend continued temporary use of these machines.

Incl n/c

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

Dist:
1 copy central file
1 copy section file
3 copies forwarded

12

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHIMANE PREFECTURAL GOVERNMENT
LIAISON OFFICE

19 December 1947

SUBJECT: Approval for Continued Temporary Use of 93 Machines Located at Iwami Plant, Osaka Arsenal.

TO: Commanding General, Eighth Army APO 343,
Att: Military Government Section

1. The ninety-three machines at Iwami Plant, Osaka Arsenal are used for the maintenance of the total of 937 machines at same location.

2. Request and recommend continued temporary use.

36/1/II

Shigeru Ogawa

SHIGERU OGAWA
Liaison Officer

INCL-4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Reparations 01

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

FCW/cs

ZG-66 (Getsu Br.,Hiroshima Property Bureau) 24 November 1947

SUBJECT: Machinery of Ex Army & Navy Arsenal

THRU: Commanding Officer, Chugoku Mil Gov't Region,
APO 317

TO: Commanding General, Eighth Army APO 343
(Att: Mil Gov't Section)

361
II

1. Forwarded is attached list of thirty-three (33) Machines, formerly property of Army and Navy Arsenal, their present location and use, for your information and necessary action.

Encl:
1 copy of machinery list.

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

Dist:
1 copy Section file
1 copy Central file
3 copies forward.

(67)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

THE GOTSU BRANCH OFFICE
OF THE HIROSHIMA PROPERTY BUREAU

File : ZG 66

SUBJECT : The machines which are used temporarily in the fomer army and navy arsenal

TO : Shimane Military Government Team (Matsue)

1. Among the machineries which are under custody of this office, 33 machines which are shown in the annexed list are now being used temporarily with approval of the Military Government Team.

2. From L.O, we were informed of that we should make a detail list of these temporary used machines, and through M.G. should present this list to 8 A. and G.H.Q, and then me must anew be given admission.

3. As you will see in the enclosed, I will present the list. After inspecting it, would you please transmit it to the 8 A and the G H Q, and take proceedings for admission.

Miyoshi Yamashita

M. Yamashita
The chief of the Gotsu Branch Office
of the Hiroshima State Property Bureau

Inclosed :
The list of machines which are used temporarily in the former army and navy arsenal.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

THE LIST OF MACHINES W[illegible] ARE USED TEMPORARILY IN T

Name of Corporation	Address of Corporation	Responsible Person	Code of Number	Name of M
Gotsu Technical school	Gotsu-Machi Naka-Gun. Shimane-Pre	Atsushi. Yamada	36-1(6)-1	Wood drilling
〃	〃	〃	〃 -2	Wood sawing
〃	〃	〃	〃 -3	〃
〃	〃	〃	〃 -4	Wood tool grindin
〃	〃	〃	〃 -5.	Wood milling m
〃	〃.	〃	〃 -6	Wood turning
〃	〃	〃	〃 -7	Tool grinde
〃	〃	〃	〃 -8	Tool sawing m
〃	〃	〃	〃 -9	Wood turning
〃	〃	〃	〃 -10	Shaper
〃	〃	〃	〃 -11	Engin lathe
〃	〃	〃	〃 -12	Knee type horiz milling ma
〃	〃	〃	〃 -13	Engine lathe
〃	〃	〃	〃 -14	Electric blowing
〃	〃	〃	〃 -15	Bench griding
〃	〃	〃	〃 -16	Wood turning l
Naniwa Sangyo Co Ltd	〃	Matsujiro Fujita	36-1(13)-1	Transforme
Hiroshima Railway division office, Hamada maintenance office	Asahi-Machi. Hamada-city. Shimane-Pre	Kingo Shigemoto	36-1(15)-1	Engine lac
Hiroshima Railway division office, Hamada ~~ma~~ engin shed	〃	Jiro Miyake	36-1(12)-1	Shaper
〃	〃	〃	〃 -2	Bolling ma
Matsumori Shokuhin-Kogyosho	Harai. Hamada-City Shimane-Pre	Eisaku. Matsumori	36-1(1)-48	Transform

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

RARILY IN THE EORMER ARMY AND [redacted] ARSENAL

The Chief of the Gotsu Branch Office of the Hiroshima State Property Bureau

Name of Machine	Class	Operating Dimensions	Purpose of use	RemarKs
Wood drilling machine	/	Spindle dia. 40mm	Practical exercise for pupils	They had bee lent during the Wartime, and after the end of War they are also being used with approval of the M. G T.
Wood sawing machine	/	Width 25mm Dia of sow wheel 500mm	〃	
〃	/	〃 〃	〃	
Wood tool grinding machine	/	Width of band sow to be grind 50mm	〃	〃
Wood milling machine	/	Size of table 400mm x 700mm	〃	〃
Wood turning lathe	/	Swing dia 300mm Center to Center 700mm	〃	〃
Tool grinder	/	Dia of wheel 70mm ~ 200mm	〃	〃
Tool sawing machine	/	Dia. of saw 600mm	〃	〃
Wood turning lathe	/	Swing dia 540mm Center to Center 1.550mm	〃	〃
Shaper	2	Lgth of stroke 420mm	〃	〃
Engin lathe	1/	Swing dia 400mm Center to Center 800mm	〃	〃
Knee type horizontal milling machine	/	Table travel 550mm x 200mm x 300mm	〃	〃
Engine lathe	/	Swing dia, 500max. Center to Center 1.100mm	〃	〃
Electric blowing fan	/	Fan dia 50mm	〃	〃
Bench griding machine	/	Max size of work 150mm	〃	〃
Wood turning lathe	3	Swing dia 420mm Center to Center 850mm	〃	〃
Transformer	/	Cap 100K.V.A Vol 3450V/220V	Electric heat	〃
Engine lace	2	Swing dia 840mm Lgth of turning 1.100mm	Manufacturing of the parts tokeep rail good	〃
Shaper	2	Stroke 450mm	Manufacturing of the parts to repair the locomotive and the cars	〃
Bolling machine	3	Stroke of spindle 200mm Swing 330mm	〃	〃
Transformor	/	Cap 100K.V.A Vol 3450V/220V	Working of food	We were admmited to use then by the notes: HHO/hdj dated 19. Aug. 1946., received from the matsue M.G.T.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Eiko Sangyo Co.	Gotsu-Machi Naka-Gun Shimane-Pre	Shigeri Miura	36-III-798	Kneading ma
〃	〃	〃	〃 -799	Centrifugal water
〃	〃	〃	〃 -802	Steam boil
〃	〃	〃	〃 -803	〃
〃	〃	〃	〃 -804	Blawer
〃	〃	〃	〃 -805	Direct acting stea
〃	〃	〃	〃 -806	Feed pump
〃	〃	〃	〃 -807	〃
〃	〃	〃	〃 -808	Direct acting st
〃	〃	〃	〃 -848	Tool grinde
〃	〃	〃	〃 -904	Motor
〃	〃	〃	〃 -913	〃

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

798	Kneding machine	1	Dia of screw 190mm	Crushing of chrysalis and sevarel food	After the end of the war. simultaneously with restitution of the factory, they have been used with approval of the M.G.T.
799	Centrifugal water extractor	1	Size of pan 550mm×270mm	Refining of chrysalis oil separation of water from the oil	
802	Steam boiler	3	Cornish Horizontal type. Pressure 5.6 kg/cm²	Steam motive power and steam heat	〃
803	〃	1	Lancashire 〃 〃 〃 5.6 kg/cm²	〃	〃
804	Blawer	1	Size of discharge opening 250mm×200mm	Air-blast of the boiler	〃
805	Direct acting steam feed pump	1	Washington pump Dia of plunger 45mm	Pumping of water to be used a factory	〃
806	Feed pump	1	Volume of discharge water 18ft/min	〃	〃
807	〃	3	Dia of discharge opening 25mm	〃	〃
808	Direct acting steam feed pump	1	Washington pump Dia of plunger 40mm.	Anxialiary equipment for supplying watea in case of emergency	〃
848	Tool grinder	2	Dia of grinder 200mm	Repairing of the part of the machine.	〃
904	Motor	3	Cap 1 H.P	Electric motive power in the boiler room.	〃
913	〃	1	Cap 3 H.P	Electric motive power in silk mill	〃

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Reparation C/ file

BASIC: Ltr Hq Shimane Military Gov't Team, APO 317, dtd 24 Oct. 1947
Subject: "Retention of Installed Items.

AG 386.3 4th Ind. FCW/cs

Hq Shimane Mil Gov't Team APO 317, Shimane Honshu, 24 Nov. 1947 Att(NC)

THRU: Commanding Officer, Chugoku Mil Gov't Region,
APO 317, Kure, Honshu

TO: Commanding General, Eighth Army APO 343

36-1
II

1. Correct KVA rating of five (5), one (1) Phase Transformers located at Iwami Plant Osaka Arsenal, Gotsu-cho, Naka-gun are Seventy-Five (75) KVA, not Seven point Five (7.5).

2. There are no (7.5) Transformers in the Plant.

3. Three of the above mentioned transformers are installed at the plant and are absolutely required for operation and upkeep of the premises. The remaining Two (2), 75 KVA Transformers are now crated for shipment to consignee as is all other equipment called for on PD with the exception of:

a. (1) Transformer Single Phase
25 KVA unrepairable

b. (1) Transformer 3 Phase
90 KVA unrepairable

4. All other items on P/D will be shipped to consignee on 30 November 1947. The two above listed transformers will not be included as per previous instructions regarding unrepairable items.

5. Request the three (3) 75 KVA transformers be permitted to remain in plant as per basic communication.

Incl
(1) Copy of Pd in Dup.

Dist
√1-Section file
1-Central file
3-Forward.

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

69.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

C1

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

FCW/cs

24 October 1947

SUBJECT: Retention of Installed Items.

THRU: Commanding Officer, Chugoku Mil Gov't Region, APO 317

TO: Commanding General, Hdqs Eighth Army, APO 343.

1. Reference: (a) letter your Hdqs dated 30 July 1947, serial # AG 386.3 (MG-P), subject, "Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals & Naval Arsenals".

(b) letter your Hdqs dated 7 August 1947, serial # AG 386.3 (MG-Em), subject, Reparations Equipment Released to the Occupation Forces".

2. All items listed in inclosure to reference 1 a, with the exception of three (3) 1 Ph 75 KVA transformers, are being readied for shipment.

3. Temporary permission has been granted by this Hdqs, with the approval of Chugoku Mil Gov't Region, for the above mentioned items of equipment to be retained at the plant. These items are necessary for proper maintenance of reparation items.

4. Recommend that these items be permitted to remain in this plant.

S/Clayton L. Mausert
T/CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

Dist:
1-Section file
1-Central file
1-Chugoku Mil Gov't Region
2-Eighth Army

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr. Hq. Shimane Mil Govt Team, APO 317, dtd 24 October 1947
Subject: Retention of Installed Items.

CMGR 386.3 1st Ind D/WN/jya

Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu, 31 October 1947

TO: Commanding General, Eighth Army, APO 343

Reference para 3 basic letter, approval is requested for retention of three transformers for proper maintenance of reparation machinery.

S/Russell C. Snyder
T/RUSSELL C. SNYDER
Colonel, F.A.
Commanding

AG 386.3 (MG-P) 2nd Ind

Headquarters Eighth Army, APO 343 17 Nov 1947

TO: Commanding Officer, Chugoku Military Government Region, APO 317.

1. Letter, this headquarters, subject: "Stock Piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals," dated 30 July 1947 directs the temporary release of five (5) transformers, one (1) phase, 7.5 KVA and does not mention the release of transformers one (1) phase 75 KVA.

2. Recommendation as contained in basic communication is approved with the provision that the transformers mentioned are one (1) phase 7.5 KVA.

3. Request verification of the corrected KVA rating of these transformers so that a letter may be written to the Central Liaison Office, Tokyo, notifying them of the necessary changes.

BY COMMAND OF MAJOR GENERAL RYDER:

S/R. Schafer
T/R. SCHAFER
Lt. Col., AGD
Asst Adj General

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BASIC: Ltr Hq Shimane MG Team, APO 317 dtd 24 Oct 1947
SUBJECT: Retention of Installed Items

CMGR 386.3 3rd Ind D/CLB/ltn

Headquarters, Chugoku Military Government Region, APO 317,
Kure, Honshu, 21 November 1947

TO: Commanding Officer, Shimane Military Government Team,
APO 317

1. Forwarded for information and necessary action.

2. Request compliance with paragraph 3 of 2nd Ind.

BY ORDER OF COLONEL SNYDER:

S/Jerry W. Tom
T/JERRY W. TOM
1st Lt., AC
Adjutant

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

HEADQUARTERS EIGHTH ARMY
United States Army
Office of the Commanding General

AG 386.3 (MG-P-92)

SUBJECT : Stock-piled and Installed Materials and Supplies in Reparation Plants, Laboratories, Military Arsenals and Naval Arsenals.

TO : Central Liaison Office, Tokyo.
(Attn: General Contractors' Association of Japan).

1. Reference paragraph ten, letter this headquarters, dated 19 November 1946, subject: "Stock-piled and Installed Materials", file AG 386.3 (MG-P-12).

2. Review of the completed forms MGP 37 by this headquarters has been partially completed. The materials to be utilized from Military Arsenals and Naval Arsenals at this time are attached as inclosure one.

3. Materials are to be shipped to consignees indicated on the inclosure. Work should be in progress prior to 15 August 1947.

4. If necessary, the General Contractors will rewire the remaining transformer capacity to provide adequate current for custody and maintenance of remaining reparations items.

5. Reports called for in reference quoted in paragraph one above will include all available data on capacities or ratings, phases, horsepower and reparation inventory code numbers of all material repared for shipment.

BY COMMAND OF LIEUTENANT GENERAL EICHELBERGER:

1 Incl:
Material Lists, Shimane Pref.

R. SCHAFER
Lt. Col., AGD
Asst. Adj. Gen.

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

LOCATED AT: Osaka-Military Arsenal,
Iwai Factory-Gotsu-Machi
Shimane-Pref-65SHMG-1/b

NOMENCLATURE	UNIT	QUANTITY	WEIGHT KG	CONSIGNEE
Transformer, Single Phase 25 KVA	Pcs	1	600	BCOF
Transformer Single phase 50 KVA	Pcs	3	2,100	BCOF
Transformer 3 Phase 90 KVA	Pcs	1	800	BCOF
Motor 3 Phase 1/2 HP	Pcs	3	210	BCOF
Motor 3 Phase 3 HP	Pcs	4	360	BCOF
*Transformer 1 Phase 50 KVA	Pcs	11	8,700	BCOF
*Transformer 3 Phase 100 KVA	pcs	1	1,200	BCOF
*Transformer 1 Phase 100 KVA	pcs	3	2,700	BCOF
*Transformer 1 Phase 25 KVA	pcs	3	1,800	BCOF
*Transformer 1P, 150 KVA	pcs	3	3,000	BCOF
*Transformer 1P, 75 KVA	pcs	7 add	4,000	BCOF

CONSIGNEE CODE:

BCOF ENGINEER BASE STORES
DEPOT
BCOF
HIRO STATION, HIRO

* Installed.

Incl. #1

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

LOCATED AT: Osaka Military Arsenal
Iwai Factory, Gotsu-machi
Shimane-ken - 65-SHMG-1/c

NOMENCLATURE	UNIT	QUANTITY	WEIGHT KG	CONSIGNEE
Electric Motor 5 HP	pcs	6	480	YED
Electric Motor 7.5 HP	pcs	1	100	YED

CONSIGNEE CODE:

YED RECEIVING OFFICER
YOKOHAMA ENGINEER DEPOT
CHIWAKA STATION, YOKOHAMA

Incl. #1

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
20 JAN. 1947	PETITION TO EXCLUDE PRIVATE PROPERTY FROM REPARATIONS	SHIMANE CHEMICAL INDUSTRY CO. LTD. BASIC
20 DEC. 1947	REQUEST TO EXEMPT CERTAIN FACILITIES FROM REPARATION	GOTSU PLANT, YEIKO INDUSTRIAL CORP. LTD. BASIC
12 JUL. 1948	EXEMPTION OF REPARATION EQUIPMENT.	SHIMANE CHEMICAL IND. CO. LTD. BASIC.
30 SEP. 1948	EXEMPTION OF REPARATION EQUIPMENT	" " " " "

III. - EXEMPTION OF INSTALLATION AND/OR EQUIPMENT.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Shimane Chemical Company, L.T.D.
Gotsu-machi, Naka Gun.
Shimane Prefecture.

30 September 1948

SUBJECT: Exemption of Reparations Equipment

THRU: Channels

36-1
III

TO: Commanding General, Headquarters
Eighth Army
APO 343
(Attention Military Government Section)

We are hereby submitting our application again for exemption of personal property taken from us by the Japanese Government, in May, 1944 at the Iwami Plant Osaka Arsenal (formerly the new Nippon Rayon Company). This application was formerly submitted in January 1947 when inventory was being taken of the Plant.

Our factory was constructed in September 1937 for the purpose of manufacturing staple fibre and of its spinning. In May 1944 the spining mill of our factory was forcibly taken over by Osaka Army Arsenal and we were required to deliver the mill within twenty days. This imperative action obliged us to convert our fibre industry into chemical industry and at present we are mainly manufacturing carbolic acid as dyestuff intermediate and sodium alginate which is to be exported into U.S.A.

In the area of the spining mill which was coercively leased by the Arsenal as mentioned above there remain a substation which is being used for our chemical plant and other various machines as described in the attached sheets. These objects remained because some of them were inremovable and the others we had no time to remove, but never did we leased them.

Notwithstanding that the substation is situated in the area of the Arsenal, it has been under the administration of our company. The electric power coercively required by the Arsenal was only at the proportion of 21% of its capacity and the greater part of the power was used in our factory. This substation, being the sole electricity supplier of our factory, when taken away, our factory should entirely cease its operation and this is a problem of vital importance forour company.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

T.K.

In addition to the substation, Lines, Poles and transformers were switch gear, fittings and appliances, Steam Pipe, Water Boilers, Rice Cooking equipment, and various other machinery as listed in enclosed lists and certificates, some partly used by the Arsenal but other untouched and absolutely required to carry on the Rayon fiber spinning buisness.

We would like hereupon to have your full consideration and understanding over this situation of our company and would like to request your sympathetic treatment to exempt them from reparation.

Yours truly.

Toru Kikuchi

s/Toru Kikuchi
(Toru Kikuchi)

Superintendent
of Gotsu Factory
Shimane Chemical Industry Co., Ltd.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 1

Substation : 36-1 (1)-

Section of Evaluation	Type of Facility	Bldgs No.	Inventory No.	Name
Integrated facility	Substation No. 1	25	898	Transformer
"	"	"	1158	"
"	"	"	1159	"
"	"	"	1160	Switch Gear
"	"	"	1161	"
"	"	"	1162	"
"	"	"	1167	"
"	"	"	1168	"
"	"	"	1169	"
"	"	"	1170	"
"	"	"	1171	"
"	"	"	1172	Arrester
"	"	"	1174	Wiring
"	"	"	1175	Iron Gerter Fram

Note: Our company set up these above mentioned machines ~~belonging to~~ K.K. the 1938 for the purpose of supplying electricity to our staple fiber mill and its spinning mill as well as to our water source. In 1944 the spinning mill was taken over by Osaka Army Arsenal and the substation was forced to supply electricity to the arsenal. However the proportion of use was only 21% of the capacity of the plant. The greater part of electric power from the plant was supplied to our factory as the wiring diagram shows.

Note: The above mentioned outdoor electric wiring has been continuously in use in our factory throughout the war.

Encl 19

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Single wiring diagram of the Substation.

To Eiko Silk mill. To Arsenal. To our well pump. To our factory.

Dwd 1/6

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Machines

Code Number 36 - 1 (1)

Section of Evaluation	Type of Facility	Bldgs No.	Inventory No.	Name
Miscellaneous Equipment		33	879	Rice Boiler
"		33	880	"
"		33	881	Kitchin-Direct Firing Type
"		34	882	Conveyer for Rice
"		34	883	Rice-Milling Machine
"		34	884	Rice-Polishing Machine
"		33	885	Cutting Machine
"		Out door	891	Piping for steam Heating
"		1-7		
		Out door	892	Piping for Water
"		32	895	Dinning Table

dwel 2 a.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 2

Machines
Code Number 36-1 (1)

Section of evaluation	Type of facility	Bldgs No.	Inventory No.	Name
Miscellaneous Equipment		14	849	Blower
"		101	853	Motor-AC-induction
"		12	855	Blower
"		12	856	Air-heater
"		17	858	Blower
"		17	859	Pump
"		17	860	Pump
"		17	861	Pump
"		17	862	Pump
"		16	864	Blower
"		17	865	Air Heater by Steam
"		18	866	Blower
"		18	867	Blower
"		18	868	Pump
"		18	869	Compressed Air Reservoir
"		18	870	Air Heater by Steam
"		11	872	Blower
"		11	873	Blower
"		11	874	Air Heater by Steam
"		11	875	Compressed Air Reservoir
"		25	876	Pump-turbin-water
"		27	877	Pump "
"		28	878	Pump "
"		101	886	Pump "
"		102	887	Boiler for Bath
"		43	888	Steam Radiator
"		15	889	" "
Integrated facility		out door	894	Electric Wiring outdoor
"		"	1176	Transformer
Miscellaneous Equipment		13	1149	Switch Gear
"		16	1150	"
"		14	893	Water Boiling Kettle
"		3	896	Electric Clock
"		34	897	Ammonia Bombe

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

8 8

Section evaluation	Type of facility	Bldgs No.	Inventory No.	Name
Integrated Facility		25	899	Trans Former
"		25	1163	Switch Gear
"		25	900	Transformer
"		25	1164	"
"		25	1165	Switch Gear
"		25	1166	"
"		25	1173	Arrester

Encl 3a

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 3

Machines

Code Number 36-1 (1)

Section of Evaluation	Type of Facility	Bldgs No.	Inventory No.	Name
Integrated Facility		1-19	890	Elec. Supplied Plant
Integrationed Facility	Substation No 2	1	850	Transformer
	Press Working shop No 2	2	851	Switch Gear
	Substation No 2	2	852	Transformer
	Press Working shop No 3	3	857	Switch Gear
	Substation No 2	5	871	"
			1151	Private Track

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHIMANE CHEMICAL INDUSTRY CO., LTD.
GOTSU-MACHI NAKAGUN SHIMANE PREFECTURE

July 12, 1948

TO: Commanding General, 8th Army

THRU: Commanding Officer, Shimane Military Government

SUBJECT: Exemption of Reparation Equipment

36-1
III

We are hereby submitting again the following application for exemption of our objects from reparation remaining in Izumi Factory of Osaka Arsenal, in connection with which we petitioned in January 1947 and we have not yet received any acknowledgement hereto.

Our factory was constructed in September 1937 for the purpose of manufacturing staple fibre and of its spinning. In May 1944 the spinning mill of our factory was forcibly leased by Osaka Army Arsenal and we were required to deliver the mill within twenty days.
This imperative action obliged us to convert our fibre industry into chemical industry and at present we are mainly manufacturing carbolic acid as dyestuff intermediate and sodium alginate which is to be exported into U.S.A.

In the area of the spinning mill which was coercively leased by the Arsenal as mentioned above there remain a substation which is being used for our chemical plant and other various machines as described in the attached sheets. These objects were remained because some of them were irremovable and the others we had no time to remove, but never we leased them.

As to the objects mentioned in the attached sheets we are not well informed of the fact that theywere utilized by the Arsenal or not, but we are convinced that any of them was not available for the work of the Arsenal.

Notwithstanding that the substation is situated in the area of the Arsenal, it has been under the administration of our company. The electric power coercively required by the Arsenal was only at the proportion of 21% of its capacity and the greater part of the power was used in our factory. This substation, being the sole electricity supplier of our factory, when taken away, our factory should entirely cease its operation and this is a problem of vital importance for our company.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Moreover we would like to add that the other remining machines are also absolutely necessary for our future enterprise.

We would like hereupon to have your full consideration and understanding over this situation of our company and would like to request your sympathetic treatment to exempt them from reparation.

Yours truly.

s/Toru Kikuchi
(Toru Kikuchi)

Superintendent
of Cotem Factory
Shinnne Chemical Industry Co., Ltd.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 1

Substation
Code Number 36-(10)

Section of evalunation	Type of facility	Bldgs No	Inventory No	Name
Lutegrated facility	Substation No. 1	25	898	Trancsformer
" "	" "	"	1158	" "
" "	" "	"	1159	" "
" "	" "	"	1160	Switch Gear
" "	" "	"	1161	" "
" "	" "	"	1162	" "
" "	" "	"	899	Trans former
" "	" "	"	1163	Switch Gear
" "	" "	"	900	Trance former
" "	" "	"	1164	" "
" "	" "	"	1165	Switch Gear
" "	" "	"	1166	" "
" "	" "	"	1167	" "
" "	" "	"	1168	" "
" "	" "	"	1169	" "
" "	" "	"	1170	" "
" "	" "	"	1171	" "
" "	" "	"	1172	Arrester
" "	" "	"	1173	"
" "	" "	"	1174	Wiring
" "	" "	"	1175	Iron Gerter Fram
" "	" "	Out door	1176	Trans former
" "	" "	Out door	894	Electric Wiring out door

Note:

Our company set up thes above mentioned machines belonging to the substation in 1938 for the purpose of supplying electricity to our staple fibre mill and its spinning mill as well as to our water source.
In 1944 the spinning mill was taken over by Osaka Army Arsenal and the substation was forced to supply electricity to the arsenal.
However its proportion of use was being only 21% of the capacity. on the contrary the greater part of electric power has been supplied to our factory as mentioned in Single wiring diagram.

Note:

The above mentioned electric wiring outdoor has been continuously used in our factory through the war time.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 2

Machines
Code Number 3691(1)

Section of evaluation	Type of facility	Bldgs No	Inventory No.	Name
Miscellaneous Equipment		14	849	Blower
"		101	853	Motor-AC-induction
"		12	855	Blower
"		12	856	Air-heater
"		17	858	Blower
"		17	859	Pump
"		17	860	Pump
"		17	861	Pump
"		17	863	Pump
"		16	864	Blower
"		17	865	Air Heater by Steam
"		16	866	Blower
"		16	867	Blower
"		16	868	Pump
"		16	869	Compressed Air Reservoir
"		16	870	Air Heater by Steam
"		11	872	Blower
"		11	873	Blower
"		11	874	Air Heater by Steam
"		11	875	Compressed Air Reservoir
"		26	876	Pump-turbin-water
"		27	877	Pump "
"		28	878	Pump "
"		101	886	Pump "

Note: Those machines described above are accessary ones for spinning and we bilieve that they were not utilized for manufacture of arms.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 3

Machines

Code Number 36 - 1 (1)

Section of Evaluation	Type of Facility	Bldgs No.	Inventory No.	Name
Integrationed Facility	Substation No 2	1	850	Transformer
	Press Working shop No 2	2	851	Switch Gear
	Substation No 2	2	853	Transformer
Miscellaneous Equipment		13	1149	Switch Gear
Integration Facility	Press Working shop No 3	3	857	"
Miscellaneous Equipment		16	1150	"
Integration Facility	Substation No 2	5	871	"
Miscellaneous Equipment		33	879	Rice Boiler
"		33	880	"
"		33	881	Kitchin-Direct Firing Type
"		34	882	Conveyer for Rice
"		34	883	Rice-Milling Machine
"		34	884	Rice-Polishing Machine
"		33	885	Cutting Machine
"		102	887	Boiler for Bath
"		43	888	Steam Radiator
"		15	889	"
Integration Facility	Substation No 2	1- 9	890	Electric Supplied Plant
Miscellaneous Equipment		out door	891	Piping for steam Heating
"		1-7 out doors	892	Piping for Water
"		14	893	Water Boiling Kettle
"		32	895	Dinning Table
"		3	896	Electric Clock
"		34	897	Ammonier Bombe
"			1151	Private Truck

Note It is indistinct that those machines described above were available for manufacturing of arms or not.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Table 4

Buildings

Number	Name	Remarks
8	Factory	
25	Electric Substation	
26	Pump House	
27	Pump House	
28	Pump House	
29	Store	
30	Store	
32	Dining Room	
33	Kitchen	
34	Kitchen Store	
35	"	
43	Guard Room	
44	Office	
45	Office	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Certification

1. I certify that the substation described in the Table 1 attached to the petition for exemption of reparation equipment submitted by Shimmo Chemical Industry Co., Ltd. was used by Osaka Army Arsenal at the proportion of 31% of its capacity during the war.

2. I certify that the remaining machines described in the Table 2 attached to the same were not used for the manufacture of arms during the war.

3. I certify that the remaining machines described in the Table 3 attached to the same were forcibly used by the Arsenal during the war.

July 13, 1948

Certifier:

s/Tomoichiro Sahara
(Tomoichiro Sahara)
Chief of Engineering
Former Military Engineer

Iwami Branch
Former Osaka Army Arsenal

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Certification

1. I certify that the substation described in the Table 1 attached to the petition for exemption of reparation equipment submitted by Shimane Chemical Industry Co.,Ltd. was used by Osaka Army Arsenal at the proportion of 21% of its capacity during the war.

2. I certify that the remaining machines described in the Table 2 attached to the same were not used for the manufacture of arms during the war.

3. I certify that the remaining machines described inthe the Table 3 attached to the same were forcibly used by the Arsenal during the war.

July 12, 1948

Certifier:

s/Miyoshi Yamashita
(Miyoshi Yamashita)
In Charge of Engineering
Former Military Assistant-engineer

Iwami Branch
Former Osaka Army Arsenal

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Request
Release
Ref. —

GOTSU PLANT
YUIKO INDUSTRIAL CORPORATION, LTD.

Gotsu, Shimane ken
20 December 1947

SUBJECT: Request to Exempt Certain Facilities from Reparation
TO : Major F. C. Wiggins
Commerce & Industry Officer, SMGT

36-1
III

1. For reasons stated below may we ask you to exempt some of our facilities from reparation. Although our concern has changed its corporate title not infrequently we have steadfastly produced raw silk for export, which as you are undoubtedly aware is the most important commodity for the reconstruction of Japan. As such export raw silk is under the control of the National Government.

2. This plant absorbs majority of cocoons produced in Naka-gun, Ochi-gun, Nima-gun, and Anno-gun and is responsible to turn them into export raw silk. Geographically it is not possible to remove the plant elsewhere.

3. Machines and equipment of this plant designated as consideration for reparation, had always been used as facilities for manufacturing export raw silk. When this plant was taken over by the Army Osaka Arsenal during the wartime, the buildings and equipment were leased to the Iwami plant of the Arsenal.

4. Although the land and buildings were released by the Allied Forces after the cessation of hostilities, machines and equipment described below were designated as reparation consideration. This fact has hampered our operations not a little. The boilers and their accessories in particular are positively indispensable for turning out export raw silk. Under existing conditions it is absolutely impos ible to duplicate them anywhere. For this reason we ask for your special consideration so that we may be allowed to retain them.

5. Another point to which we wish to call your special attention is the fact that such machines and equipment as are designated as reparation, can be used as they are without undergoing the slightest alteration in the event we are permitted to retain them. Is this not worthy of your special consideration?

6. Our output is handled by the Japan Sericultural Association (Nippon Sanshigyo-kai) at No. 2 Kyobashi 3-chome, Kyobashi-ku, Tokyo and is exported to the United States, Australia, and other countries.

MORE

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Machines and Equipment Held in Custody

1. Place: Gotsu Plant, Yeiko Industrial Corporation, Ltd.

2. Location: No. 1110 Goda, Gotsu-machi, Naka-gun, Shimane ken

3. Description of Machines and Equipment

Inventory & registry No.	Items	Dimensions	Quantity	Remarks
36-1 (1)-803	Boiler	Lancashire model 6' x 32' x 6 a.p.	1	In boiler room
36-1 (1)-802	Boiler	Cornish model 5' x 28' x 2 a.p.	1	ditto
36-1 (1)-808	Boiler pump		1	ditto
36-1 (1)-804	Turbo fan	1 HP	1	ditto
36-1 (1)-904	Electric motor	¾ HP	1	ditto
36-1 (1)-807	Pump	Capacity 18'x3' per minute	1	in reservoir
36-1 (1)-805	Steam pump		1	ditto
36-1 (1)-749 36-1 (1)-847	Electric motor	5 HP	2	In East Electric Room
36-1 (1)-753	Electric motor	10 HP	1	ditto
36-1 (1)-764	ditto	10 HP	1	In West Eletric Room
36-1 (1)-757 36-1 (1)-659 36-1 (1)-758 36-1 (1)-760	ditto	5 HP	4	ditto
36-1 (1)-762	ditto	5 HP	1	ditto
36-1 (1)-759	ditto	5 KW	1	ditto
36-1 (1)-905	ditto	1 KW	1	
36-1 (1)-913	ditto	3 HP	1	
36-1 (1)-903	ditto	3 KW	1	
36-1 (1)-848	Grinding machine		1	
O-112 & O-113	Scales		2	
O-110, O-111, 80,785 79,765 & 71,816	Scales		5	

MORE

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

36-1 (1)-449	Lathe	With 6' motor	1	In No. 5 house
36-1 (1)-798	Mixer	With 5HP motor	1	In Chemical room
36-1 (1)-799	Separator	Inner diameter 22" depth 10¼"	1	ditto

1/31

Reserve Facilities

7 - 3	Foundry	670 sq. m. frame bldg with galvanized roof	1
7 - 3	Boiler room	630 sq. m. frame bldg with galvanized roof	1

Brief History of Plant

The forerunner of this plant was established in May 1926 as the Gotsu plant of the Katakura Silk Reeling Co. Ltd. and was engaged from the first in turning out raw silk for export. On 18 November 1941 the Yeiko Industrial Corporation bought out this plant. It continued thesame line of business under the changed ownership. Shortly afterward this plant was amalgamated by the Japan Filature Co. Ltd. (Nippon Sanshi Seizo Kabushiki Kaisha). In those days controlled fusion of leading industries was in general practice.

On 1 May 1944 this plant was compelled to lease all facilities to the IwaminPlant of the Army Osaka Arsenal and the concern was forced to suspend its operations. With the termination of war on 15 August 1945 the management took steps to apply for a permit to reconvert itself into a peaceful industry, determined to resume manufacturing raw silk for export so as to contribute to the reconstruction of Japan.

The commanding officer of the Shimane Military Government Team under date of 15 May 1946 granted us a permit to resume operations. We have since been endeavoring to put our facilities back in shape.

In the prewar days this plant averaged a monthly out of 20,000 pounds of raw silk for export. Since the plant was leased to the Arsenal some of the buildings were removed, compelling us to reduce our facilities and production. At present our monthly output amounts to approximately 7,000 pounds.

We are in the hopes of enlarging and improving facilities so as to increase the output to something like 10,000 pounds a month eventually. To that end we are installing 196 looms of latest model and accessories.

MORE

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

The foundry and the boiler room mentioned in the lowest part of the list are set aside for replenishing the buildings which were removed during the wartime conversion. In the event of ourcobtaining your permit we intend to utilize them to the best advantage.

We have laid before you all the facts and figures in the hope that you will see your way clear to granting our request.

Shigeru Miura
Superintendent,
Gotsu Plant,
Yeiko Industrial Corporation, Ltd.

SI:ek

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GOTSU PROPERTY CUSTODY OFFICE
HIROSHIMA FINANCE BUREAU

Gotsu, Naka-gun,
Shimane ken
20 January 1948

SUBJECT: Opinion on Request to Exempt Facilities From Reparation
TO : Major F.C. Wiggins,
RC & I Officer, SWNCC

1. With reference to the application of permit to exempt machines and equipment from reparation filed by the Gotsu plant of Yeiko Industrial Corporation, permit me to second the application by expressing my views on the machines and equipment.

2. As you are doubtless aware such machines and equipment as are designated as reparation facilities, had been taken over during the war by the Iwami Plant of Osaka Army Arsenal.

3. They have seen long years of service and in my opinion they are not likely to last much longer and seem to be of little value as reparation facilities.

4. For this reason may I suggest that the present owner be permitted to retain them so that they may be facilitated to continue their effort toward turning out export raw silk to the greater advantage of all concerned.

Miyoshi Yamashita

Chief,
Gotsu Property Custody Office,
Hiroshima Finance Bureau

EI: K

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

FABRIC SECTION
SHIKANO PREFECTURAL GOVERNMENT

Matsue
20 January 1948

SUBJECT: Opinion Expressed on Request
To Exempt Machines and Equipment
TO : Major F.C. Wiggins,
AG & I Officer, CMOT

1. We understand that Mr. Shigeru MIURA, superintendent of Gotsu Plant of Yeiko Industrial Corporation has recently filed an application to exempt certain machines and equipment of his plant from reparation designation.

2. The Yeiko Ind. Corp's Gotsu Plant after being taken over by the Osaka Army Arsenal at its Iwami Plant during the war, has resumed its prewar operations of turning out export raw silk since 1946.

3. The machines and equipment indispensable for producing superior raw silk have been designated as reparation facilities largely they were taken over during wartime by the Army Arsenal. For this reason the Yeiko people are much handicapped.

4. In consideration of importance of export raw silk to the postwar Japan may we ask that you exercise special consideration and permit the applicant to retain those facilities so that they may continue to strive fully to turn out export raw silk of high quality?

Shozaburo Hara

SHOZABURO HARA
Chief,
Fabric Section,
Economic Department, SIG

SI: K

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHIMANE CHEMICAL INDUSTRY CO LTD.
GOTSU PLANT

Gotsu, Naka-gun, Shimane Pref.
28 January 1947

SUBJECT: Petition to Exclude Private Property
from Reparations
TO WHOMEVER IT MAY CONCERN:

1. In accordance with the SCAP directive the Iwami Plant of the Osaka Army Arsenal has recently been investigated and inventoried simmultaneously with numerous other Army and Navy Arsenals and Laboratories set aside as consideration for reparations.

2. Inasmuch as the said Iwami Plant of the Osaka Army Arsenal contains considerable quantities of machines and equipment owned by the Shimane Chemical Industry Co.Ltd. We ask that such machines, equipment, and facilities as are our property be excepted from reparations.

3. We are herewith presenting facts in order to substantiate our claim as follows:

36
III

4. This plant was originally completed on 11 May 1939 as the spining mill of the Shin-Nippon Rayon Co. Ltd. (The corporate title has since been sharped to Gotsu Plant of the Shimane Chemical Co. Ltd.)

5. On 9 May 1944 the concern entered into a contract with the Osaka Army Arsenal whereby it lent all the buildings, equipment and facilities to the said Arsenal.

6. Shimane Military Government Team in April 1946 granted us as reconversion permit, allowing us to turn out civilian commodities. We intended to manufacture spun goods, sulphite pulp, machine paper, synthetic rosin, alcohol, fructose, penicillin, and other chemicals.

T. Takayanagi
TETSUTARO TAKAYANAGI
Superintendent, Gotsu Plant,
Shimane Chemical Industry Co.Ltd.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

LIST OF PROPERTIES
OF
SHIMANE CHEMICAL INDUSTRY CO. LTD.

The followings are the property of the Shimane Chemical Industry Co Ltd

REPARATIONS PLANTS MATERIALS

A27-1 Everything on this page
A27-2 Steel sheet, 12mm x 1350mm x 3000mm 52 sheets

INSTALLED MATERIALS AND SUPPLIES

B62-5 & 6 Everything on these pages
B62-9 to B62-34 Everything on these pages

B62-35 Bolt, for connecting flanged pipe, hexagon nut
½" x 3" 69 pcs
Ditto, 5/8" x 3½" 990 "
Expansion joint, cast iron, double flanged
2" 2 pcs
Ditto, 3" 1 "
Ditto, 6" 4 "

B62-36 Transformer, single phase, self-cooling,
75KVA 3450/2850 210/105 5 pcs

B62-37 Everything on this page

B62-38 Switchboard 2 pcs
5-A.C.Ammeter 0-150A
5-Current transformer 600V 150/5A
5-2 pole knife-switch 200A
Disconnecting Switch(single pole;single throw)
3500V . 400A 15 pcs

B62-40 Switchboard (iron) 1 "
1-Oil switch
3-Disconnecting switch(single pole;single throw)
3500V 100A
15-Pipe for frame 1½" 750mm
Hand oil switch 3450V 10 A 1 pc
Disconnecting switch (single pole;single throw) 6600V
100A 3 pcs

B62-46 High tention pin insulator,3.5KV,with straight pin
113 pcs
High ten. insulator,large,with stray bolt 53 "
Low ten. pin insulator,large,single,with straight pin
6 pcs
Low ten. insulator,large,with stray bolt 1[illegible] "
Ditto,(medium) 27 "
Ditto,(small) 35 "
Low ten. pin insulator,small,double,with straight pin
87 pcs

B62-47 Everything on this page
B62-48 "
B62-50 "
B62-51 Copper wire,coiled cotton covered,hard,5mm
1,519m
Ditto, 6mm 372"
Ditto, 10 mm 1,771"
B62-52 to B62-62
Everything on these pages

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 77 5013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHIMANE KAGAKUKOGYO K.K.
(Shimane Chemical Industry Co)
GOTSU FACTORY

Gotsu, Naka-gun
January 1947

To: Commanding Officer,
Shimane Military Government Team

Dear Sir:

We are hereby filing with your office our petition for the return of certain KK properties located at Iwami Plant of the former Osaka Army Arsenal. The land, buildings and part of spinning installations of the said plant, which used to belong to our Company, wasleased, under the pressure of wartime need, to the Japanese Army on May 9, 1944. After the termination of War, munitiend manufacturing equipments in the factory was designated by the Occupation Forces as properties to be taken away for destruction, reparations and other purposes. Now, in view of fulfilling our part in the postwar rehabilitation of our fatherland, we should like to use, with your permission, the land, buildings and a part of the spinning equipments, after the removal of those designated articles are [redacted] completed. As regards our project forvthe future use of these properties you will find them stated in full detail on papers attached hereto.

Awaiting your favorable reply, we remain,

yours most respectfully,

Manager, Gotsu Plant,
Shimane Chemical Industry
Company

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

STATEMENT OF OUR FUTURE PROJECTS AS TO USE OF PROPERTIES

1. A Plan:

Being originally built as a spinning-mill, this particular factory is best calculated for the reconversion to its former activities in view of the plan and structure of buildings, so long as the spinning installations are still in usable conditions. The following is our plan for installation in case our reconversion is authorized:

Ring Farms	80(35,000 spindles)
Twisting machines	30(13,800 ")
Weaving "	800(1,250 pieces per day)

2. B Plan:

We have another plan for the mass production of ~~MAGX~~ medical drugs as well as for the processing of kelp and other organic matters. A vast building space is expected to be necessary, as is shown in the list below, in order to carry out this particular plan. However, in the present state of affairs, such large scale construction work is next to impossible, so that it will suit best our convenience, if we are allowed to utilize our former spinning- mill as the site our new activity, in case its reconversion to its original function should be impracticable.

Items & monthly amount of products for B Plan together with respective floor spaces needed for their production

Items	Monthly Output(in kg)	Needed floor space(in sq ft)
Pulp sulphite	125,000	36,110
Machine-made paper	100,000	21,350
Tex	222,000 sq ft	14,630
Active carbon	5,000	16,560
Compound resin	10,000	8,640
Penicilin	1	59,240
Fructose injection	250 liters	7,320

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Sodium alginite	10,000		
Mannite	5,000		20,410
Alcohol	42,000	liters	40,839
TOTAL			224,613

Note: The floor space of the plant, the return of which is now being petitioned, amounts to 296,381.4 sq ft in total, so that it will more than satisfy our need with regard to B Plan.

3. For the detailed disposition of the respective equipments in our A Plan please refer to the Plan attached.

As regards the actual arrangement of necessary floor spaces for our B Plan please see the Plan attached.

In our adopting either A or B Plan, the rest of buildings in our compounds are requested for use as our attached facilities.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Incl. 1.

DETAILED LIST OF BUIDINGS

No.	Name	Structure	Floor Space (in sq ft)
1	1st Spinning-Mill	Ferro-concrete, one storied	154,915.32
2	Attached Mill, do.	Wooden, slate-roofed, with concrete lower structure	12,368.2186
3	2nd Spinning-Mill	Ferro-concrete, one storied	141,466.08
4	Attached Mill, do.	Wooden, slate-roofed, with concrete lower structure	9,560.7018
5	Well-pump Room	Wooden, sheet-iron roofed, one storied	80.055
6			
7	Wooden Pipe Storage	Ditto	1,607.40
8	Supply Storage	Wooden, slate-roofed, one storied	1,423.20
9	Dormitory, for mill-girls	Wooden, tile-roofed, two storied	215,566.767
10	Bathroom, do.	Wooden, iron-framed in part, slate-roofed, one storied	2,846.40
11	Washroom, do.	Wooden, slate-roofed, one storied	853.92
12	Bedding Storage, for mill-girls	Wooden, mortared, slate-roofed, one storied	2,661.76
13	Assembly-Hall	Iron-framed, mortared, slate-roofed, one-storied	4,429.71
14	Dining-Room	Wooden, mortared, slate-roofed, one storied	13,698.30
15	Kitchen	Iron-framed, mortared, slate-roofed, one-storied	2,846.40
16	Kitchen Storage	Wooden, slate-roofed, one storied	3,202.20
17	Pickles Storage	Ditto	1,067.40
18	Office & Dispensary	Wooden, tile-roofed, two storied	8,126.472
19	Latrine, attached to Assembly-Hall	Wooden, tile-roofed, one storied	176.8326
20	Young Girls' School	Wooden, tile-roofed, two storied	8,753.64066
21	Emergency-Pump Room	Wooden, slate-roofed, one storied	53.57
22	Porters' Station	Ditto	213.48
23	Boiling-pot Room, attached to Dormitory	Ditto	106.74
24	Oil Storage	Wooden, covered with sheet-iron, slate-roofed, one storied	213.48

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

(CONTINUED)

No.	Name	Structure	Floor Space (in sq ft)
25	Motor Pool	Wooden, covered with sheet-iron (corrugated), one storied	240.165
26	Fire-Hose Room	Wooden, slate-roofed, one storied	284.64
27	Corridor	Ditto	28,259.415
29	Corridor, to Girls' Dormitory		8,645.94
	Total Floor Space, including all other structures & buildings, such as Main Entrance, Pool Gate, etc.		623,528.00766

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Incl. 2.

Inventory of Machinery & Electric Appliances

Code Number	Name
36- (1)-849EX	Turbo Fan
36- (1)-850Ex	Transformer
36- (1)-851EX	Switchboard & its equipment cycle feeder circuit
36- (1)-852EX	Transformer
36- (1)-853EX	Induction Meter
36- (1)-854EX	Transformer equipment
36- (1)-855EX	Multi-blade Fan
36- (1)-856EX	Heating Arrangement
36- (1)-857EX	Switchboard
36- (1)-858EX	Multi-blade Fan
36- (1)-859EX	Turbine Pump
36- (1)-860EX	Ditto
36- (1)-861EX	Ditto
36- (1)-862EX	Ditto
36- (1)-863EX	Transformer equipment
36- (1)-864EX	Turbo Fan
36- (1)-865EX	Heating Arrangement
36- (1)-866EX	Multi-blade Fan
36- (1)-867EX	Rotary Fan
36- (1)-868EX	Turbine Pump
36- (1)-869EX	Air-receiver Tank
36- (1)-870EX	Heating Arrangement
36- (1)-871EX	Switchboard equipment
36- (1)-872EX	Multi-blade Fan
36- (1)-873EX	Rotary Fan
36- (1)-874EX	Heating Arrangement
36- (1)-875EX	Air-receiver Tank
36- (1)-876EX	Turbine Pump
36- (1)-877EX	Ditto
36- (1)-878EX	DITTO
36- (1)-879EX	Kitchen Appliances(Rotary Rice-boiler)
36- (1)-880EX	Ditto
36- (1)-881EX	Ditto(direct firing system)
36- (1)-882EX	Horizontal Conveyer(for rice-polishing appliances)
36- (1)-883EX	Rice-polishing Mill
36- (1)-884EX	Ditto
36- (1)-885EX	Vegetable Cutter
36- (1)-886EX	Turbine Pump
36- (1)-887EX	Vertical Boiler
36- (1)-888EX	Radiator(Aero-fin Heater)
36- (1)-889EX	Ditto(Unit Heater Cooler)
36- (1)-890EX	Indoor Transmission Equipment
36- (1)-891EX	Steam Piping
36- (1)-892EX	Water Piping
36- (1)-893EX	Electric Kettle
36- (1)-894EX	Outdoor Transmission Equipment
36- (1)-895EX	Dining Table
36- (1)-896EX	Electric Clock
36- (1)-897EX	Ammonia Tank

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

No. 268, Osaka Arsenal, Building Lease

CONTRACT FOR LEASE OF BUILDINGS

The contract for the lease of the buildings is hereby to be closed between Imada Akira, Chief of Treasury Section, Osaka Army Arsenal and Akashi Hisao, Managing Director of Shimane Chemical Industry Company in accordance with the conditions stated below. The former and the latter shall hereinafter styled A and B respectively.

Art. 1. The buildings to be leased are as listed on the attached inventory.

Art. 2. The term of contract shall be fixed as from 9 May 1944 to 31 March 1945. In case no manifestation of intention is made by either party~~s~~ by the expiation of the ~~contract~~ present contract, the same contract shall be considered to have been closed for another year.

Art. 3. The sum of the rental and the computation method thereof are as follows:

1. The monthly rental shall be Y-58,100 for all the buildings on the attached inventory referred to in Art. 1. above.
2. In case the lease of buildings is effected for only a certain number of days of a month, the rental shall be paid on the basis of daily rate, i.e. the rental shall be computed by multipying the stipulated sum by the number of days on which the buildings have been used by A and again dividing it by the axtual number of days of the particular month. The sum below 'sen' shall be omitted in that case.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Art. 4. The rental shall be paid monthly by A through due formalities usually not later than the fifteenth of each month at the request of B.

Art. 5. A shall not make any changes on a large scale with the buildings or structures without the consent of B.

Art. 6. The payment of sundry expenditures for lighting, water supply, sanitation, drainage, sewage, and other items of similar nature, shall fall on A.

Art. 7. This contract shall be rescinded unilaterally by A at any time and without any formalities in case A deems it necessary to do so. The cancellation of the contract, however, shall not be retroactive.

Art. 8. All the necessary repairs to the damage of the buildings caused by natural calamity or dilapidation shall be undertaken by B.

Art. 9. B shall not, without the consent of A, on any circumstances sell nor lend the buildings to the third party, neither shall B able to cancel the present contract for lease during the term of contract.

Art.10. Any dubious points on this contract shall be construed according to A's version.

This contract shall be made in duplicate, signed, sealed and preserved by the both party.

LESSEE: IMADA AKIRA, Chief of Treasury Section, Osaka Army Arsenal

LESSER: AKASHI HISAO, Managing Director, Shimano Chemical Industry Company
Address: 1-1, Muromachi 2-chome, Nihombashi, Tokyo

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

INVENTORY
(Attached to No. 268 Osaka Arsenal, Building Lease)

1. Location: Kakushi, Gotsu, Naka-gun, Shimane-ken
2. Area: 61,345.05 'tsubo'
3. With all facilities for lighting, water supply, heating and other attached installations as well as all fittings and fixtures

LIST OF BUILDINGS

Number	Name	Structure	Floor Space
1	1st Spinning Mill	One storied ferro-concrete	4,354.00 tsubo
2	Attached Mill, do.	Wooden, slate-roofed with concrete lower structure	361.67
3	2nd Spinning Mill	One storied ferro-concrete	3,976.67
4	Attached Mill, do.	Wooden, slate-roofed, with concrete lower structure	268.71
5	Well-pumping Room	Wooden, sheet-iron roofed, with concrete lower structure	2.00
6			
7	Wooden-pipe Storage	Wooden, sheet-iron roofed, one storied	30.00
8	Supply Storage	Wooden, slate-roofed, one storied	40.00
9	Dormitory, for mill-girls	Wooden, tile-roofed, one storied	6,058.65
10	Bathroom, do.	Wooden, iron-framed in part, slate-roofed, one-storied	80.00
11	Washhouse, do.	Wooden, slate-roofed, one storied	24.00
12	Bedding Storage, for mill-girls	Wooden & mortared, slate-roofed, one-storied	72.00
13	Assembly-Hall	Iron-framed & mortared, slate-roofed, one storied	124.50
14	Dining-Hall	Wooden & mortared, slate-roofed, one storied	385.00

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

15	Kitchen	Iron-framed & mortared, slate-roofed, one storied	80.00
16	Storage, do.	Wooden, slate-roofed, one storied	90.00
17	Pickles Storage	Ditto	30.00
18	Office & Dispensary	Wooden, tile-roofed, two storied	228.40
19	Latrine, attached to Assembly-Hall	Wooden, tile-roofed, one storied	4.97
20	Young Girls' School	Wooden, tile-roofed, two storied	246.027
21	Emergency-Pump Room	Wooden, slate-roofed, one storied	1.50
22	Porters' Station	Ditto	6.00
23	Boiling-pot Room for Dormitory	Ditto	3.00
24	Oil Storage	Wooden, covered with sheet-iron, slate-roofed, one storied	6.00
25	Motor Pool	Wooden frame, walled with corrugated iron sheets, one storied	6.75
26	Fire-Hose Room	Wooden, slate-roofed, one storied	8.00
27	Corridor	Ditto	794.25
28	Corridor, to Girls' Dormitory	Ditto	243.00

Total with all other buildings & structures, such as Main Entrance, Pool Gate, Fences, etc. 17,524.542

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

No. 348, Osaka Arsenal, Building Lease

CONTRACT FOR LEASE OF BUILDINGS

Art. 2. The term of contract shall be fixed as from 1 April 1945 to 31 March 1945.

(FOR THE REST NO AMENDMENT MADE WITH THE ORIGINAL CONTRACT)

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

SHIMANE KAGAKU KOGYO K.K.

1-1, Muromachi 2-chome,
Nihombashi, Tokyo

Date:

To: Osaka Army Arsenal

Written Claim

Payment of ~~¥¥¥¥~~ ¥624,106.45 requested as rentals of buildings located at Kakushi, Gotsu, Naka-gun, Shimane-ken for period from ~~¥¥¥¥¥¥~~ 9 May 1944 to 31 ~~¥¥¥¥~~ May 1945.

Items: 1. Structure--Ferro-concrete one storied building
2. Floor Space--19,313.41 tsubo
3. Area--61,345.05 tsubo

With all installations for power and water supply, heating arrangements and other fittings and fixtures included.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

WRITTEN CLAIM

Payment of ¥290,500 requested as rentals of buildings located at Kakushi, Getsu, Naka-gun, Shimane-ken for period from 1 April 1945 to 31 August 1945.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OSAKA ARMY ARSENAL

1 DEcember 1945

To: Akashi Hisao,
Shimane Chemical Industry Company

Subject: Transfer of Obligations regarding ~~EX~~ Building Lease Contract

We are hereby advising you that all obligations with respect to our Building Lease Contract(reference No. 348, Osaka Arsenal, Building Lease) for the buildings in your possession, have, with the termination of War, been taken over by the Treasury Section of Osaka Financial Bureau, Sanwa Building, Imahashi 3-chome, Higashi-ku, Osaka. As regards the payment of the rentals for the period from 1 December 1945 and onward you will please apply to the above-mentioned office. We should further like to add that the~~E~~ defrayment of the rentals for the period up to the end of November 1945, has duly been arranged for at the Winding-up Section of our Arsenal.

IMADA AKIRA
Chief of Treasury Section,
Winding-up Department,
Osaka Army Arsenal

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

AGREEMENT

Consumer: Shimane Chemical Industry Company
(to be hereinafter ~~XXXXX~~ styled A)

Supplier: Chugoku Power Distribution Company
(to be hereinafter ~~XXXXX~~ styled B)

The following agreement has been reached between A and B regarding the Electric Supply Contract(hereinafter to be styled Original Contract) closed in accordance with 'Shimane No. 22, dated 1 January 1944.

Art. 1. With a view to supplying necessary electric power to A and to Iwami Plant of Osaka Army Arsenal, B shall place those two installations undermentioned at B's service without any compensation as long as Iwami Plant of Osaka Army Arsenal is in operation.

~~XXXXX~~ 1. Power transmission line, 6000V, from the terminal of disconnecting switch on the put-out iron pole in B's Getsu Sub-station to the put-out way of Getsu Sub-station(styled B's New Getsu Sub-station in Original Contract) owned by A.
2. Sub-station

The equipment undermentioned are to be excluded from the above agreement, inasmuch as they have been installed and owned by B.

a. Transformer, single phase, 1000KVA 3
b. Integrating Watt-meter, three phase, unbalance circuit.....~~X~~2
c, Current Transformer, 66000V:.....4

Art. 2. The preservation and maintenance of the electric installations cited in Art. 1. above, shall be undertaken by B at the expense of A.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Art. 3. B consents to A's adding private electric constructions undermentioned between Iron Pole No. 1 and No. 7.

Electric wires and protective telephone lines belonging to Kawahira Service Wire

A shall however held wholly responsible for the particular installations.

As the evidence of the above agreement this document shall be drawn out in duplicate, A and B preserving each one of them.

NAKAHARA TAKAYUKI
For
Kikuchi Bungo,
President, Shimane Chemical
Industry Company
1-1, Muromachi 2-chome, Nihombashi, Tokyo

SHIZUKAWA KAN-ICHI
President, Chugoku Power
Distribution Company,
33, Komachi, Hiroshima-shi

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Shimane Kagaku Kogyo Co. Ltd.
Gotsu Factory

The Sea of Japan

N

Scale about 1/200

No	Item
1	1st. 2nd Spinning Mill
2	Attached mill. Etc
3	Supply Storage
4	Transformer Sub-station
5	Porters Station
6	Well-pumping Room
7	Well pumping Room

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

No	Item
1	1st. 2nd Spinning Mill
2	Attached mill ditto
3	Supply Storage
4	Transformer Sub-station
5	Porter's Station
6	Well-pumping Room
7	Well pumping Room
8	Dining Hall
9	Kitchen
10	Kitchen Storage
11	Pickles Storage
12	Fire Hose Room
13	Cycles pool
14	Oil Storage
15	Office
16	Assembly - Hall
17	Latrine Attached ditto
18	Young girls School
19	Dormitory for mill girls
20	Boiling pot Room ditto
21	Bedding Storage ditto
22	Bath Room ditto
23	Wash room
24	Emergency Pump room
25	Corridor to girls Dormitory
26	Temporary wire houses

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
17 NOV. 1948	RETURN OF REPARATIONS EQUIPMENT.	C.C.A.R. 1ST. IND.
10 JAN. 1949	RETURN OF REPARATIONS EQUIPMENT.	S.M.G.T. BASIC.

IV.A.- TRANSFERS OF EQUIPMENT INTO INSTALLATION.

IV A

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

File
9

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

RHM/ts

SMGT 386.3 (RCI)

10 January 1949

SUBJECT: Return of Reparations Equipment

THRU : Channels

36-1
IV A

TO : Commanding General
Headquarters, Eighth Army
APO 343
(Attention: Military Government Section)

1. The equipment listed in the inclosure, which was removed from reparation plants for use by Eighth Army Engineers, was shipped back to the Iwami Plant of the Osaka Arsenal to again be placed under custody and control.

2. The above mentioned equipment was received in good operating condition.

1 Incl:

As indicated

CLAYTON L. MAUSERT
Lt Col, TC
Commanding

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Name of Plant: Osaka Military Arsenal Iwami Factory (Code No. 36-1)

Shipping Address: Goteu-machi, Shimane-Pref. Request No. 65-SEMG-1

Shipping Station: Gozu Station

No. of Units	Nomenclature	Code No.	YED Location	Remark
3	Motor 5 HP, 3 ph, 50/60 cy, 200/220 V. 1440/1720 rpm	36-1,749, 758,762	Area G&H	MGP-92
1	Motor 5 HP, 3 ph, 50 cy, 200 V. 1440 rpm	36-1-757	"	"
1	Motor 5 HP, 3 ph, 60 cy, 220 V. 1720 rpm	36-1-760	"	"
2.	Motor 5 KW, 3 ph, 50/60 cy, 200/220 V. 1440/1720 rpm	36-1-759,761	"	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

RCx1

BASIC: Ltr, Hq Eighth Army, APO 343, AGMGEM 386.3, dtd 12 Nov 1948, subJ: "Return of Reparations Equipment."

CMGR 386.3 (D-E1) 1st Ind

Headquarters, Chugoku Military Government Region, APO 317, Kure, Honshu, 17 November 1948

TO: Commanding Officer, Hiroshima Military Government Team, APO 317
Commanding Officer, Shimane Military Government Team, APO 317

Forwarded for information and necessary action of team concerned.

BY ORDER OF COLONEL SNYDER:

JERRY [illegible] TCM
1st Lt, USAF
Adjutant

36-1
IV A

NOV 22

2677

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

HEADQUARTERS EIGHTH ARMY
United States Army
Office of the Commanding General
APO 343

AGMGEM 386.3 12 Nov 1948

SUBJECT: Return of Reparations Equipment

TO : Commanding Officer
Chugoku Military Government Region
APO 317

1. The equipment listed in the inclosure, which was removed from reparations plants for use by Eighth Army Engineers, has been determined to be no longer required. Consequently it is being shipped back to the several plants to again be placed under custody and control.

2. The 598th Engineer Base Depot is handling the shipment. Shipping documents will completely identify items by code number and nomenclature. An information copy of each shipping document will be forwarded to the appropriate military government team forrecording and planning purposes.

3. It is desired that this headquarters be notified when the equipment of each plant has been returned to custody and control.

BY COMMAND OF LIEUTENANT GENERAL WALKER:

/s/ S. R. Mohn
for /t/ R. SCHAFER
Lt. Col., AGD
Asst. Adjutant General

1 Incl:
As indicated

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Name of Plant: Osaka Military Arsenal Iwai Factory (Code No. 36-1)

Shipping Address: Cotsu-machi, Shimane-Pref. Request No. 65-SHMC-1

Shipping Station: Gozu Station

No. of Units	Nomenclature	Code No.	YED Location	Remark
3	Motor 5 HP, 3 ph, 50/60 cy, 200/220 V. 1440/1720 rpm	36-1, 749, 758, 762	Area G&H	MCP-92
1	Motor 5 HP, 3 ph 50 cy, 200 V. 1440 rpm	36-1-757	"	"
1	Motor 5 HP, 3 ph, 60 cy. 220 V. 1720 rpm	36-1-760	"	"
2	Motor 5 KW, 3 ph, 50/60 cy, 200/220 V, 1440/1720 rpm	36-1-759, 761	"	"

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DATE	SUBJECT	ISSUING HEADQUARTERS & INDORSEMENTS
25 OCT. 1947	REMOVAL OF INSTALLED ITEMS IN REPARATION PLANT.	SHIMANE M. G. T. BASIC
14 JAN. 1948	STOCKS PILED AND INSTALLED MATERIALS AND SUPPLIES IN REPARATIONS PLANTS	S. M. G. T. BASIC
12 AUG. 1948	REQUEST FOR PERMISSION TO REMOVE "CERTAIN RELEASED MATERIALS" FROM THE IWAMI PLANT, OSAKA ARSENAL, GOTSU.	S. M. G. T. BASIC
22 Jan. 48	Stocks Piles and Installed Materials and Supplies in Reparations Plants.	CMGR - 1st Ind.
31 Jan. 48	Shipment of Stocks Piled and Installed Material and Supplies in Reparations Plants.	SMGT - Basic
27 Sep. 50	Application for Authorized Use of Items Listed for Reparations.	SCAP/ESS
30 Dec. 50	Authorized Use of Reparations Equipment	CPC/SCAP

IV. B. - TRASFERS OF EQUIPMENT OUT OF INSTALLATION.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHUGOKU INFORMATION: JAN -3 1951 O.D. 11

I & D
analyst records
HLK

CIVIL PROPERTY CUSTODIAN
APO 500

387.6(30 Dec 1950)CPC/AD

MEMORANDUM FOR: Reparations Division, Reparations Agency, Japanese Government, Tokyo, Japan

SUBJECT: Authorized Use of Reparations Equipment

The following listed items of reparations equipment have been approved for authorized use by the Japanese National Police Reserves:

Inventory No.	Description
36-1(1)-717	Transformer, 50 KVA, Primary - 3450-3000V Secondary - 220-110V
36-1(1)-718	Transformer, 50 KVA, Primary - 3450-3000V Secondary - 220-110V

E.C. MILLER, Jr.
Colonel, Infantry
Deputy Custodian

DISTR:
CHS (2)
ESS
CAS

MANUFACTURING AND INDUSTRY FILE 36-1(1) dec. IV B

30.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
CAMP CADRE
CAMP YONAGO
APO 182

1 December 1950

SUBJECT: Request for Use of Reparations Equipment

TO: Chief
Chugoku Civil Affairs Region
APO 182

1. It is requested that the following equipment be placed in authorized use to Yonago NPR Camp:

Code Number	Item
36-1(1)-717	Transformer, 50 KVA, Primary - 3450-3000V Secondary - 220-110V
36-1(1)-718	Transformer, 50 KVA, Primary - 3450-3000V Secondary - 220-110V

2. Subject equipment is needed to support operations at Yonago NPR Camp and has been placed in temporary operation pursuant to telephone conversation of 1 December 1950 between Mr. Stradley, now on TDY in Tokyo, and Lt Col Keane, Chugoku Civil Affairs Region.

M. C. HIGGINS
Colonel, Inf
Exec Offr
Camp Cadre
Chugoku Region

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

BASIC: Ltr, Hq Camp Cadre, Camp Yonago, APO 182, subject: "Request for Use of Reparations Equipment", 1 Dec 50

CCAR 386.3 1st Ind D/RPL/fk

Headquarters, Chugoku Civil Affairs Region, APO 182, 4 December 1950

TO: Chief, Civil Affairs Section, GHQ, SCAP, APO 500

1. Recommend approval of request contained in basic communication.

2. Equipment requested is located in "Consolidation Warehouse", building A-17, Amagasaki storage area, Kure Naval Arsenal.

C. N. BAILEY
Colonel, Inf
Chief

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Mr. Lord
Just records
adjust file

CHUGOKU
INFORMATION:
O.D. // lott
OCT. - 5 1950

GENERAL HEADQUARTERS
SUPREME COMMANDER FOR THE ALLIED POWERS
Economic and Scientific Section
APO 500

387.6(27 Sep 50)ESS/IND

HBO/MWH/RAS/yy
27 September 1950

MEMORANDUM FOR: Reparations Agency, Tokyo

SUBJECT: Application for Authorized Use of Items Listed for Reparations.

1. Reference is attached R.A.R. No. 907 (MS), 10 August 1950, subject: Application for Authorized Use of Reparations Equipment of Iwami Plant, Osaka Military Arsenal (36-01 (1)) Filed by Shimane Chemical Industry Co., Ltd. (Non-Reparations Plant).

2. The application requesting permission for the authorized use of the 27 items of reparations machinery and equipment listed in reference 1, above, is approved.

3. A rental fee shall be established for the authorized use of the equipment listed in reference 1, above, based upon current valuation and comparable to rental charges assessed by private interests for the use of similar equipment.

4. This permit is issued subject to any and all directives affecting reparations plants which have been issued or may hereafter be issued by the Supreme Commander for the Allied Powers. Reports will be rendered as required by current directives and instructions.

FOR THE CHIEF, ECONOMIC AND SCIENTIFIC SECTION:

MANUFACTURING AND INDUSTRY
FILE 36-1 (1)
Sec. IV B

1 Incl
as indicated.
(dup)

PAUL S. FUJII
Acting Chief, Industry Division

Cys furnished:
CA Sec. (dup)
CPC

MEMO FOR RECORD:

The above ltr is self-explanatory.

Mr. R.A. Steele: P. S. F.
26-7842

CA Sec Copy

12/10

Econ-1616

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

-C-O-P-Y-

GENERAL HEADQUARTERS
SUPREME COMMANDER FOR THE ALLIED POWERS
Economic and Scientific Section
APO 500

387.6 (15 Jun 50) ESS/IND WT/ABW/MWH/RAS/bd

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

TO : GENERAL HEADQUARTERS, SUPREME COMMANDER FOR THE ALLIED POWERS.

FROM : Reparations Agency, Tokyo.

SUBJECT: Application for Authorized Use of Reparations Equipment of Iwami Plant, Osaka Military Arsenal (36-01 (1)) Filed by Shirane Chemical Industry Co., Ltd. (Non-Reparations Plant).

R.A.R. No. 907 (NS) 10 August 1950.

1. The Reparations Agency hereby submits to your Headquarters an application for authorized use of 27 items of reparations equipment now in "temporary operation" of the Iwami Plant, Osaka Military Arsenal (36-01 (1)) filed by the Shirane Chemical Industry Co., Ltd. (non-reparations plant), together with an application of the Ministry of Finance and a recommendation of the Ministry of International Trade and Industry as enclosed herewith.

2. The subject company, the spinning plant of which was forcibly leased by the Army during the war and, therefore, designated as reparations, wishes herein that authorized use be granted of TO reparations equipment, which, though being owned by the company, have been inventoried as reparations equipment because necessary measures for exemption were delayed.

3. Power supply facilities applied for herein are considered to be indispensable for the present operation of the plant.

4. It is requested that your most favorable consideration be given to this application at the earliest practicable date.

(Y. Katsumo)
Director, Reparations Division,
Reparations Agency.

Encls:
1. Application of the Ministry of Finance.
2. Recommendation of the Ministry of International Trade and Industry.
3. Application of the subject company.

Encl 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

List of Facilities for Application

Code No. : 36-1 (1)

Name of Plant : Iwami Plant of Former Osaka Army Arsenal

Address of Plant : 1,110, Gotsu-machi, Naka-gun, Shimane Prefecture.

Machinery :

Inv.No.	Name of Machinery	Brief Specification	Quantity	Remarks
898	Transformer	Out door-aircooled, Capacity 1500KVA 60~ Voltage(Primary 66000V (Secondery 3300V Three phase	1	
899	Transformer	Out door-aircooled, Capacity 750KVA, 60~ Voltage(Primary 3300V (Secondery 440V Three phase	1	
900	Transformer	Out door-aircooled, Capacity 750KVA, 60~ Voltage(Primary 11000V (Secondery 3300V Three phase	1	
1158	Transformer	Out door-aircooled, Capacity 1500KVA, 60~ Voltage(Primary 66000V (Secondery 3300V Three phase	1	
1159	Transformer	" " " "	1	
1160	Switch Gear	size of panel W 600mmxH 2300mm x D 30mm Material: Steel, Control: Remote	1	
1161	Switch Gear	" " " " "	1	
1162	Switch Gear	" " " " "	1	
1163	Switch Gear	" " " " "	1	
1164	Transformer	Out door-aircooled, Capacity 750KVA, 60~ Voltage(Primary 11000V (Secondery 3300V Three phase	1	
1165	Swich Gear	Size of panel W 600mm x H 2300mm x D 30mm Material: Steel, Control: Remote	1	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

1166	Switch Gear	Size of panel W 600mm x H 2300mm x D 30mm Material: Steel, Control: Remote	1
1167	Switch Gear	" " " " "	1
1168	Switch Gear	" " " " "	1
1169	Switch Gear	" " " " "	1
1170	Switch Gear	" " " " "	1
1171	Switch Gear	" " " " "	1
1172	Arrester	Type:AEG Bendman 66000V Three phase	1
1173	Arrester	Type: AEG Bend man 3300V Three phase	1
1174	Wiring		1
1175	Iron Garter Frame	Weight: 54,000 KG.	1 set
1176	Transformer	Out door-aircooled, Capacity 75 KVA 60~ Voltage(Primary 3300V (Secondery 210V Three pahse	1
876	Pump-turbin-water	Capacity 4.5 m^3/min. Total head 33m revolution 1750 r.p.m. Number of stage 3	1
877	Pump-turbin-water	Capacity 4.55 m^3/min. Total head 70m Revolution 1740 r.p.m. Number of stage 3	1
878	Pump-turbin-water	Capacity 4m^3/min. Total head 33m Revolution 1750 r.p.m. Number of stage 3	1
892	Piping for water		1 set
894	Electric wiring out door		1 set

Total 27 items

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317 JCS/cs

SMGT 386.3 31 January 1948

SUBJECT: Shipment of Stocks Piled and Installed Material and Supplies in Reparations Plants.

TO: Commanding Officer, Chugoku Military Government Region, APO 317, Kure Honshu. (Attention: C I & E Section)

Enclosed copies of Indorsements regarding above information for your information and file.

CLAYTON L. MAUSERT
Lt. Col., TC
Commanding

36-1
Sec IIB

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317

JCS/cs

SMGT 368.3

31 January 1948

SUBJECT: Shipment of Stocks Piled and Installed Materials and Supplies in Reparations Plants.

TO : Headquarters, SCOP, Etajima, Honshu. (Att: CRE)

1. In compliance with Operational Directive 89, dated 20 November 1946, as amended by Radio 8 Army, Cite DX 99854, submitted herewith list of Items shipped to your Headquarters in December 1947, from Iwami Plant, Osaka Arsenal.

2. The items listed in triplicate on shipping list were inventoried as complete units. Code Numbers 36-1(1)-98 and 36-1(1)-9. (See inventory sheet, Incl's 3 and 4.

4 Incl's
1. Shipping lists(P/D)
2. Correspondence file 386.3
3. Inventory Sheet (Copy) 36-1(1)-98
4. Inventory Sheet (Copy) 36-1(1)-9

CLAYTON L. MAUSERT
Lt Col, TC
Commanding

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
SHIMANE MILITARY GOVERNMENT TEAM
APO 317 JCS/cs

SMGT 386.3

SUBJECT: Shipment of Stocks Piled and Installed Materials and Supplies in Reparation Plants.

TO: Commanding General, Headquarters Eight Army, APO 343, (Attention: Military Government, Procurement Division).

1. In compliance with OD 89, dtd 20 November 1946, as amended by Radio, Hq 8 Army, Cite DX 99854, the list of Installed Materials as contained in Inclosure No 1, which was shipped to ECOF (Consignee) during the month of December 1947, is submitted.

2. The items listed in triplicate, on shipping list, Code Number 36 - 1(1)- 98 and 36 - 1 (1) - 9, were inventoried as complete power units, in compliance with memo. AG 386.3 (see Inventory sheets Ind nos 3 and 4 attached).

3 Copies of attached inclosure and notification has been furnished consignee.

4 Incl's
1. Shipping list (P/D)
2. Correspondence file 386.3
3. Inventory Sheet 36-1(1)-98
4. " " 36-1(1)-9

CLAYTON L. MAUSERT
Lt Col TC
Commanding

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT OF SHIPMENT

26 December 1947
1110 Gotsu-machi
Naka-gun, Shimane-Pref.

TO: Headquarters 8th Army Shimane Military Government

Name of Plant
Iwami Plant of Osaka Army Arsenal

MEMO: No AG 386.3 (MG-P92)
65-SHMG-1/6

SIR; Herewith we are submitting the Shipment Report as follow.

Inventory Code of No.	Item	Type	Quantity	Number of Package	Transp.	Date and RW Stating of Shipment	Distination.	Remark
36-1(1)-98	Transf.	Single phase 50 KVA	1	1	R.W.	Gotsu-Station 26 Nov.1947	Hiro-Station Hiro-City	
" -98	"	"	"	"	"	"		
" -97	"	25 KVA	"	"	"	"		
" -98	"	50 KVA	"	"	"	" 27 Nov.	"	
" -199	"	"	"	"	"	"	"	
" -203	"	"	"	"	"	"	"	
" -717	"	"	"	"	"	"	"	
" -202	"	"	"	"	"	"	"	
" -204	"	"	"	"	"	"	"	
" -95	"	25 KVA	"	"	"	"	"	
" -96	"	"	"	"	"	"	"	
" -200	"	50 KVA	"	"	"	" 28 Nov.	"	
" -201	"	"	"	"	"	"	"	
" -705	"	"	"	"	"	"	"	
" -706	"	"	"	"	"	"	"	
" -707	"	"	"	"	"	"	"	
" -718	"	"	"	"	"	"	"	
" -793	"	3 phase 100 KVA	"	"	"	" 6 Dec.	"	
" -794	"	Single phase 100 KVA	"	"	"	"	"	
" -29	"	"	"	"	"	"	"	
" -30	"	"	"	"	"	"	"	
" - 9	"	150 KVA	"	"	"	" 8 Dec.	"	
" - 9	"	"	"	"	"	" "	"	
" - 9	"	"	"	"	"	"	"	
" -854	"	75 KVA	"	"	"	"	"	
" -863	"	"	"	"	"	"	"	
" -755	Electric Motor	1/2 HP.	"	"	"	" 8 Dec.	"	
" -756	"	"	"	"	"	"	"	
" -29(S)	"	"	"	"	"	"	"	

Encl #1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Inventory Code of No.	Item	Type	Quantity	Number of Package	Transp.	Date and RW Stating of Shipment	Distination.	Remark
36-1(1)-13(S)	Elect. Motor	3 H.P. 3 phase	1	1	R.W.	Gotsu-Station 3 Dec. 1947	Hiro-Station Hiro-City	
" 14(S)	"	"	"	"	"	"	"	
" 15(S)	"	"	"	"	"	"	"	
" 30(S)	"	"	"	"	"	"	"	
" 757	"	5 H.P.	"	"	"	"	Yokohama-Station Yokohama-City	
" 758	"	"	"	"	"	"	"	
" 749	"	"	"	"	"	"	"	
" 760	"	"	"	"	"	"	"	
" 761	"	"	"	"	"	"	"	
" 762	"	"	"	"	"	"	"	
" 759	"	7½ H.P.	"	"	"	" 8 Dec.47	"	

The supply goods to deliver up the Nippon Express Co. Ltd., is end to packed up by the date to write upon is with regard to Memo AG-386.3(MG-P92)

It is writen "29(S)" to code of number the Scrap Machines to possible operation the motor that dependen it there.

The Head Offical the Gotsu Branch
of The Hiroshima State Property Bureaun.

S/ Miyoshi Yamashita

We hereby certify that the abovementioned cargo has been received.

28th December 1947
The Nippon Express Co. Ltd.
Iwami Gotsu Branch Office

K. Inoue, Manager

COPY

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COPY

BASIC: Ltr Hq Shimane Military Gov't Team, APO 317, dtd 24 Oct. 1947
Subject: "Retention of Installed Items.

AG 386.3 4th Ind. FCW/cs

Hq Shimane Mil Gov't Team APO 317, Shimane Honshu, 24 Nov. 1947 Att(MG)

THRU: Commanding Officer, Chugoku Mil Gov't Region,
APO 317, Kure, Honshu

TO: Commanding General, Eighth Army APO 343

1. Correct KVA rating of five (5), one (1) Phase Transformers located at Iwami Plant Osaka Arsenal, Gotsu-cho, Naka-gun are Seventy-Five (75) KVA, not Seven point Five (7.5).

2. There are no (7.5) Transformers in the Plant.

3. Three of the above mentioned transformers are installed at the plant and are absolutely required for operation and upkeep of the premises. The remaining Two (2), 75 KVA Transformers are now crated for shipment to consignee as is all other equipment called for on PD with the exception of:

a. (1) Transformer Single Phase
25 KVA unrepairable

b. (1) Transformer 3 Phase
90 KVA unrepairable

4. All lother items on P/D will be shipped to consignee on 30 November 1947. The two above listed transformers will not be included as per previous instructions regarding unrepairable items.

5. Request the three (3) 75 KVA transformers be permitted to remain in plant as per basic communication.

Incl
(1) Copy of Pd in Dup.

Dist
1-Section file
1-Central file
3-Forward.

CLAYTON L. MAUSERT
Lt. Col. TC
Commanding

COPY

Encl #2