THORBURN'S SEEDS

ттл

36 COI

. .

1900

J. M. THORBURN & CO. 36 cortlandt street • New York

FOR PRIVATE FAMILIES.

The second second second state day as the second state as were state as a second state as the second s

ND S Bidgens Barout Com-Second Eep-Ofino: Own Ontone E'v cenny Phrankie



NEW SALVIA SPLENDENS. "SILVERSPOT" ORIGINATED BY J.M. THORBURN & CO. NEW YORK. 1900

F. W. Bruggerhof, President E. E. Bruggerhof, Vice Pres't. L. N. Wyant, Treasurer R. R. Mackenzie, Secretary

J. M. THORBURN & CO.

Annual Catalogue High=Class Seeds

THIS is our Ninety-ninth Annual Catalogue. We are growers of and by dealers in HIGH-CLASS SEEDS only. Quality is our leading feature.

The removal of our Seed Warehouse from 15 John Street, where we had been for 65 years, is now generally known, although from force of habit many of our patrons still address us at the old place. Our new warehouse is at 36 Cortlandt Street.

Cultural Directions.—These are the result of years of experience. They are applicable to the conditions of climate in the vicinity of New York. For more northern or southern localities the necessary changes in time of sowing, etc., will readily suggest themselves to gardeners. Our descriptions and illustrations of the articles catalogued may be relied upon. *The Rural New-Yorker*, in a recent review, said there was "not an exaggeration from cover to cover."

Whenever our customers desire it, we will select an assortment of seasonable seeds suited to their wants. All such orders will receive especial care and attention. The only information we require is the size of the garden and the sum proposed to be expended for seeds. We would advise making an early test of seeds by sowing some of each variety in a flower pot, and keeping them warm and well watered.

Write orders upon a blank sheet, separate from letter. Orders from new customers should be accompanied by a remittance in the form of a Post Office or Express Money Order, if convenient, or bank bills, if the amount enclosed is not large. Address, always, J. M. THORBURN & CO., 36 CORTLANDT ST., NEW YORK.

Prices.—The prices quoted are those ruling at this date, and do not include free transit, except for flower seeds in packets. Please add for prepayment of postage or express, as below noted. All ordinary sorts of seeds can be had in 5-cent papers.

Seeds by Mail or Express.—8 cents per pound should be added for prepayment of postage, if wanted by mail or prepaid express. The express companies will generally be found the most economical mode of conveyance, especially when the freight is prepaid. In the absence of specific shipping directions, we shall send by the cheapest way. We do not guarantee the safe arrival of goods sent by mail; it is rarely, however, that seeds fail to reach their destination safely in that way.

It is very important that our customers send in their orders immediately on

receipt of this Catalogue, instead of waiting till the time when they wish to sow the seeds. To save time, seeds may be ordered by the numbers in the first column, if desired.

Name, Address, Etc.—We beg our correspondents to give us very exactly, on EACH of their orders, their name and address; also, to indicate very precisely the means of carriage which they prefer, whether by EXPRESS, FREIGHT, or MAIL, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we shall choose ourselves the most advantageous and convenient means, but entirely at the risk of the customer, avoiding ourselves all responsibility.

Shipments by Express, "C. O. D."—Unless otherwise instructed, we shall send all such goods as go by express C. O. D. Orders from unknown customers not desiring this mode of carriage should be accompanied by the cash.

Warranties.- Seeds of the best quality will often fail through improper treatment. Thus, if a small seed be sown so deeply that the young plant cannot reach the surface, the seed, however good, will fail. More failures result from a want of proper knowledge of conditions necessary to germination than from bad quality of seeds themselves. These conditions are: a proper temperature, sufficient moisture, and free access of air; besides these, the soil must be in proper condition, and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perish from this cause alone. Seeds differ greatly as to the temperature required for germination. Beets, Cress, Peas, etc., germinate rapidly at a temperature of 45°; but if Melons and other seeds of that family, bush or pole Beans, and other plants of sub-tropical origin, are sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60°. For this reason many seeds fail yearly from too early sowing. The second condition, proper moisture, is likely to be violated by an excess rather than by too little moisture. The proper amount is that which a well-drained soil will naturally hold. Free access of air is all-important, and this is interfered with by an excess of water in the soil. In germination complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it has formed roots below ground and leaves above, and is able to sustain itself. Besides these conditions, affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continuous drying wind, may check their growth, or destroy the young plants altogether. In addition, there are numerous insects, both below and above ground, that may attack the plants, some of these being so small that they often destroy a crop before they are discovered. We may also mention the well-known tendency of many vegetables to revert to their original types, notwithstanding the care of the seed-grower; the yellow-podded wax Beans becoming green, the yellow and white Celery becoming more or less green, dwarf Peas becoming running sorts, etc., etc.

Messrs. J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned. J. M. THORBURN & CO.

Directions for the Cultivation of Vegetables.

To secure a good crop of vegetables, three things at least are necessary ; viz., a suitable soil, pure seed, and clean culture ; to which may be added as equally necessary, an *abundant* supply of good barnyard manure, supplemented, when this runs short, by artificial fertilizers. The exposure for a vegetable garden should be perfectly south or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being among the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be under-drained, preferably by tile ; but if possible, a location should be selected naturally dry and free from surface water.

A dark colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or sub-soiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding more or less vegetable mould from the woods. To produce the best and most uniform results, the vegetable garden should have at least one foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, especially evergreens, sufficiently far off, afford a valuable protection on the north and west.

Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession. Potatoes, onions, and a few other things may form an exception to this rule, but it is nevertheless better to keep up rotation. Every year these beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. Grow everything in drills or straight lines. Larger crops from a given surface are grown in this way, and cultivation becomes simple and comparatively easy. The space between the drills, and other special information, is given in the body of the Catalogue; the least distance is named, in order to economize space; it might be increased in some cases with advantage.

The ground should be frequently hoed, to kill the weeds and keep the soil mellow; and the proper time to hoe is just when the weeds appear above ground. Briefly, the proper way to kill weeds is never to let them grow. If the weeding be done at the time suggested, it can be mostly and quickly done by the use of a sharp-toothed steel rake.

Where the material and conveniences are at hand, much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a very convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Egg-plants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be bought cheaply of the seedsmen at the proper time, the expense and labor of a hotbed can, in many cases, be dispensed with, especially on small places.

To Prepare a Coldframe.- The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the winter with salt hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 or 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the fall, and young Cabbage, Cauliflower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some 8 or 10 days later. The young plants will be ready to transplant in about 25 or 30 days. During cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more and closer protection than Cabbage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when spring comes the plants are in a forward state for setting out early crops. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a coldframe in the spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

Directions for Making a Hotbed.

In the vicinity of New York, from the first to the middle of March is quite early enough to make a hotbed, and even a little later will do well enough. The time must vary according to the latitude. Provide a quantity of fresh horse-manure from the stables, and add to this, if they can be had, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed, even in severely cold weather. In two or three days fermentation two or three days longer, or until the second fermentation commences. Make an excavation or pit $2\frac{1}{2}$ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be made in some dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 6 x 3 feet, and one or two sashes will generally give early plants enough for a small family. The frame for sashes should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Cross-pieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames. When everything is ready, the manure is placed in the pit and trodden down firmly in layers to the required depth, 2 to $2\frac{1}{2}$ feet. Then put on the solve on the sashes, and keep the pit closed until the heat. The the avelite to 90° or a little less, when the soil may be put on to the depth of 6 to 8 inches. The heat may be readily ascertained by plunging a thermometer in the manure. The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine, old manure, and in this the seeds may be sown thinly in drills 2 to 3 inches spart, and afterwards (as soon as out of the seed-leaf) either thinned out or else transplanted to another frame. Air must be given every mild day by raising the sashes at the back. Water with tepid water whenever necessary, and during cold nights and snow storms keep cov

New, Rare and Valuable Flower Seeds.

Lady Aster, Comet-flowered White with Rose.

In this new variety we have the habit of the Lady Aster, with the long-petaled flowers of the favorite Comet class. It is quite distinct by its narrow, lanceolate leaves and its luxuriance of bloom. The flowers are borne in great numbers on long stems, and no finer effect



CHRISTMAS-TREE ASTER.

luxuriance of bloom. The flowers are borne in great numbers on long stems, and no finer effect can be imagined than the contrast between the fresh light green foliage and the graceful chrysanthemum-like flowers. Per pkt., 25 cts.

Christmas-tree Aster.

The name of this novelty alludes to the branching habit of the plant, resembling the regular horizontal arrangements of the branches on a fir tree. The plants grow about 20 inches high, and measure 24 to 28 inches across at the base. It is early and exceedingly floriferous, many plants bearing 70 to 100 well-developed flowers, of which one always appears at the end of each stem. It is suitable for beds or for pot culture. Per pkt., 20 ets.

New Carnation, "Madame B. Chabaud."

A superb novelty of the Perpetual class, originated by Mr. Chabaud, and now offered for the first time. The plants have all the admirable features of the class, and the flowers are very large, with the background beautiful, clear yellow, shading to salmon and bright cherry red. Per pkt., 50 cts.

Carnation, New Giant Perpetual.

An improved giant-flowered strain of the Chaubaud Perpetual Carnation, which we introduced to America three years ago, and which is now so deservedly popular. The plants grow from 16 to 20 inches high, are closely branched, and the straight, vertical flower-stems are covered with very double flowers of perfect form and of enor-

mous size. They flower within seven months after being sown, and combine the perfection of form of the Perpetual with the earliness and hardiness of the Margaret Carnations. They are very fragrant, and excellent for cutting. We offer White, Yellow and Mixed. The yellow are reproduced 80 per cent true to color, and range from creamy yellow to golden yellow, both pure and striped.

	Perp	ET.
Giant	Pure White	50
Giant	Yellow	50
Giant	Mixed	50
Mixed	. same as offered last year	25

Carnation, New Giant Margaret.

A new very large-flowering strain of the popular Double Margaret Carnation, which begins blooming in four months from sowing, and produces its very sweet-scented flowers when other Carnations have ceased to bloom. They are perfectly hardy, in rich variety of colors, including yellow, and as high as 80 per cent come double from seed. Per pkt., 25 cts.

Cineraria hybrida grandiflora, Fin de Siècle. Rose Varieties.

Among the numerous varieties of large-flowered Cinerarias, the rose shade has hitherto been about the rarest. By continuous selection, however, the color of this section has at last, to a very large extent, been fixed. The seedlings bloom in various very pretty shades. ranging from light and dark rose to chamois and strawberry red. These are the colors most in demand by florists, by whom this novelty **G** will be especially welcomed. Per pkt., 35 ets.



LADY ASTER.

4

Thorburn's Improved Strains of Cockscomb.

(Celosia cristata.)

We have made a specialty of the Cockscomb for many years, and we invite attention to the following strains, which are great improvements over the ordinary, both in size and color.

NEW DWARF CRIMSON. Very dwarf plant, with enormous combs of the richest possible crimson color. Fine for specimen exhibition plants. Per pkt., 10 cts.

NEW DWARF FIERY RED. This resembles the above, except in the color, which is intense fiery red. It is a great improvement on "All-aglow," and makes a magnificent plant. Per pkt., 10 cts.

Butterfly Cyclamen, Cyclamen persicum papilio.

The new Butterfly Cyclamen may justly be called the most striking floral novelty of recent years. The object of the originator was to replace the rather narrow shape and somewhat stiff bearing of the flower by a more graceful habit. He has succeeded in enriching the genus Cyclamen by large-flowering varieties, which not only differ radically in form from those hitherto known, but also show a series of new colors of surprising beauty.

The form of the flowers and their finely curled or gracefully waved petals are shown by our cut. In color they exhibit all the variety of shades of the old class; that is, from pure white to dark red, but also such tints as creamy white, light yellow and greenish yellow. These mostly appear as bordering to other colors, producing most charming effects. The flowers are borne on long slender stems, and are thus suitable for bouquets. The plant flowers profusely and for a long time, and makes a most desirable pot-plant for room decoration. Awarded first-class certificate at the Ghent, London, Paris and Antwerp exhibitions. Per pkt. of 7 seeds, 50 cts.

Grand New Cactus Dahlia, "Monarch."

BUTTERFLY CYCLAMEN.

The flowers are very large, measuring from $5\frac{1}{2}$ to $6\frac{1}{2}$ inches across. The color is the deepest shade of red imaginable, a truly royal color, like rich velvet. The petals are very large, and are rather loosely arranged around a soft orange colored mossy center. Per pkt., 25 cts.

Dianthus Heddewigii Diadematus albus fl. pl., Double White Diadem Pink.

In this novelty we have the first variation from the popular Diadem Pink. It is distinguished from the type by the pure white ground color of its petals, from which stand out in beautiful contrast those delicate velvety and feathery lines in shield-like form, to which the Diadem Pink owes its name. Those tints are principally lilac, purple, carmine or blood-red. The flowers are very double, reminding one of the finest Scotch Pinks, and they will be found invaluable for bouquets. Per pkt., 25 cts.

New Fancy Dianthus, "Oriental Beauty."

A magnificent strain of a new large-flowering Dianthus from Japan. The flowers measure 3 to 4 inches across, with petals measuring 1½ inches in diameter. They are most exquisitely formed, the petals being full, overlapping, crinkled and laciniated. They range in color from pure white through shades of pink and crimson; the coloring and markings are rich beyond description; nothing could be more dainty and pretty than their charming ruffles and frills. Per pkt., 10 cts.

Eschscholtzia Californica caniculata rosea.

A new and quite distinct form of *E. Californica*, or California Poppy, one of the most popular and showy of our flowering annuals. The form of the flowers of this novelty is quite unlike that of any other Eschecholtzia

species, the petals being delicately channeled or fluted with tiny folds radiating from the center. The color is rosy white, exquisitely tinged with soft primrose yellow. Per pkt., 40 cts.

New Eschscholtzia, Hunnemania.

The plant develops into a herbaceous shrub, 2½ feet high, adorned with large jonquil-yellow flowers on stems 12 inches long. The blossoms are cup-shaped, with broad, overlapping crinkled petals. The bright orange stamens are in fine contrast with the clear yellow flowers. Seeds planted early, it blooms early and continues to flower for months, being especially fine during the winter. The flowers keep for two weeks in water. They measure 3 inches across. Per pkt., 10 cts.

Gloxinia hybrida grandiflora tricolor, "Princess Maud."

A new and most beautiful variety. The throat is light, shining crimson, shading upwards to a rich dark carmine, followed by an edging of pure violet. A narrow band of white, with violet spots, surrounds the whole of the blossoms. Per pkt., 30 cts.


DOUBLE WHITE DIADEM PINK.





Pillar-shaped Forget-me-not, "Royal Blue."

The form of this new class of *Myostis alpestris* is shown by our illustration. The flowers are very large, and of a splendid deep, dark blue color, and borne so profusely as to make a brilliant mass of rich color. They are equally suitable for bedding purposes or for growing in pots. Per pkt., 25 cts.



Helianthus cucumerifolius, "Diadem."

A lemon-colored variety of the handsome and now well-known Sun-flower, "Stella," introduced a few years ago. The flowers are a beautiful light lemon, with a black center. They are borne in great numbers and are very valuable for cut-flowers. Per pkt., 15 cts.

Mignonette, "Goliath."

The plants are of compact growth, candelabra habit, with rich green The plants are of compact growth, candenator habit, with fich green foliage. The flower-stalks are strong, stiff and stand erect, and the giant trusses of flowers ars sometimes 7 inches long, and with a diameter of 2 inches at the base. The color is a brilliant pure red, said to surpass in intensity even the Ruby Mignonette introduced last year. It is valu-able for garden or pot culture, but especially for cutting, as the flowers keep fresh in water for 8 or 10 days. Per pkt., 15 cts.

Imperial Japanese Morning-Glory.

A new class of Morning-Glory from Japan. The flowers are of exquisite beauty in form and coloring, and of enormous size, often 5 to 6 inches in diameter. They are easily cultivated, and grow rapidly to a height of 30 or 40 feet. The colors vary from pure white to rose, crim-son and carmine, through blues and purples to almost black, some being mottled, striped, penciled and bordered in infinite variety and diversity. The foliage also is often prettily variegated in coloring, and the leaves also vary much in form. Per pkt., 10 ets.

Petunia Double Lilliput, Rosa Bonheur.

This charming new double Petunia is the first self-color in the dwarf, compact Lilliput class. The flowers are of a most beautiful shade of pure, bright rose. It is an extremely showy and effective variety, and it is also remarkably free-blooming. It is claimed by the originator that no less than 50 per cent of the flowers come true from seed. Per pkt., 25 cts.

Poppy, "Maid of the Mist."

This new Poppy is of the pæony-flowered type, with very handsome crinkled foliage of bluish green, occasionally tinged with brown on the edges of the leaves. The flowers are pure FORGET-ME-NOT, "ROYAL BLUE." with silvery chasing, surrounded by numerous snowy white stamens. Per pkt., 10 cts.

Scabious, "Azure Fairy."

A pretty new tall, double, annual Scabious of a delicate mauve or rosy lilac color, almost exactly like that of the popular *Scabiosa Caucasica*. Its fine color, elegant shape, large size, and the length of its flower-stems make it a first-class flower for cutting, especially for the decoration of large vases, and we anticipate great popularity for it when its merits are realized. Per pkt., 15 cts.

Winter Stock, "Empress Elizabeth."

This splendid large-flowering Stock grows about 18 inches high, with a very strong main stem and many branches in candlebra form. Both main and side stems branches in candlebra form. Both main and side stems are covered with large, rose-shaped flowers of the brightest imaginable tints of carmine-rose. The whole plant forms a grand pyramidal-shaped bouquet, the charming effect of which is enhanced by the bright green foliage. It blooms early, stands unfavorable weather well, and produces about 70 per cent of double flowers. It is not only an excellent plant for nots and flowers. It is not only an excellent plant for pots and groups, but also a cut-flower of the first rank. Florists are coming to realize the value of these Stocks for furnishing a quantity of very useful flowers. This new Stock comes to us from a distinguished German grower. who highly recommends it as a novelty of unusual merit. Per pkt., 25 cts.



PETUNIA, ROSA BONHEUR,


Pansy, "Masterpiece."

This superb new Pansy is distinct from all others in the form of flowers, the border of every petal being conspicuously undulated and curled, as shown in our illustration. The flowers are extremely large and nearly all of them exhibit this peculiarity. The curled petals give the flowers a fuller and more

them exhibit this peculiarity. The curled petals give the flowers a fuller and more globular appearance than those of other classes of Pansy. This new class is remarkable also for the wonderful combinations of color which it shows, including some tints hitherto unknown in Pansies. The plants are very vigorous and bloom profusely. Per pkt., 25 cts.

Thorburn's New Salvia splendens, "Silverspot."

For many years we have grown Salvia splendens on a large scale, and have given much attention to its improvement. The well-known S. splendens nana compacta erecta (largely advertised as "Bonfire") was first introduced by us, and we are confident that the popularity which that variety has earned will be eclipsed by that of the splendid novelty which we now offer for the first time. Its most distinctive feature is its strikingly handsome spotted foliage. The leaves are rich, soft dark green, with light sulphur or creamcolored spots of various sizes liberally sprinkled over them. It is impossible to describe in writing the charming effect produced by these spots, but our colored plate is a faithful representation of it. The unique and elegant foliage is very burdent and burgen translet abundant, and has an extremely fresh and healthy appearance. The intense, bright scarlet flowers are very large, and the plants of neat, compact habit, and as floriferous as the ordinary sorts. In three years' trials we found that 85 per cent came true from seed. Per pkt. of 20 seeds, 25 cts.



Thorburn's Improved Strains of Salvia splendens.

- **NEW DARK ROSE.** The beautiful dark rose color of this variety is quite distinct from that of all other Salvias. The plants are of dwarf and compact habit, and the flower-spikes stand erect and well above the large, dark green foliage. It is a very desirable novelty, now offered for the first time. It comes true from seed. Per pkt., 25 cts.
- **TALL DEEP SCARLET BOUQUET.** A splendid plant, growing to a height of 3 feet, with very handsome dark green foliage, and large flowers of the most intense deep scarlet, standing in a mass well above the foliage, and presenting the appearance of a large bouquet. Per pkt., 25 cts.
- THORBURN DWARF BOUQUET (Bonfire). This is our well-known dwarf Salvia-the neatest, compactest and most floriferous of all, producing dense spikes of miniature flowers of a vivid dark scarlet. Per pkt., 25 cts. For other Salvias, see body of Catalogue.

Tecoma Smithi.

An exceedingly valuable addition to our autumn and early winter-flowering greenhouse plants. The handsome pinnate leaves, surmounted by large terminal corymbiform heads of orange colored blossoms, are most charming and effective. The seed may be sown at any time. It is as easily managed as a chrysanthemum, the flowers lasting in perfection upwards of a month. Cuttings should be made in early spring, and grown in sandy loam in a light position. By the end of June the plants should be strong enough to pot and should then be placed out of doors in the full sun, where they will form sturdy specimens by about the end of September, and be well set with heads of bloom. They should then be taken back to the greenhouse or the conservatory and placed in a light, airy position, where the flowers will develop and remain fresh and gay for many weeks.

As many as 100 flowers are sometimes produced from a single shoot, the total height of which is not more than 18 inches; the individual flowers are about 2 inches long, tubular, of a rich lemon and dark orange combined, the mouth of the tube being about 1 inch in diameter. Awarded a first-class certificate by the Royal Horticultural Society of England. Per pkt., 50 cts.

Tropæolum Lobbianum, "Princess Victoria Louise."

The Lobb's climbing Nasturtium is so popular that a new variety of it is always welcome. The one now introduced is very handsome and effective, the large, well-shaped flowers being creamy white, with conspicuous orangescarlet blotches at the base of the petals, and pure orange-red calyx and spur. Some of the flowers have also a red margin. It comes true from seed. Per pkt., 25 cts.

Specialties and Novelties in Vegetable Seeds.

Some Valuable New Beans.

FILLBASKET WAX. Fine, round-pod. stringless; thick-fleshed. tender and very productive. Per qt., 35 cts.
VIENNA FORCER. Extra-early, dwarf; very suitable for forcing; extra-long, flat, slender green pods; stringless. Per qt., 35 cts.

DWARF CHOCOLATE. Very early; long, slender, flat, green pods; small, chocolate-colored Beans. Per qt., 35c.
 VICTORIA DWARF FLACEOLET. Enormous leaves; very large, handsome beans, white, striped violet; extra-long, flat, slender, green pods. Per qt., 35 cts.

TALL JULY RUNNERS. This is the earliest of all Pole Beans. Small, white, kidney-shaped Beans; medium height; extremely free-bearing; round, green, stringless pods. A fine new variety. Per qt., 35 cts.

Cabbage, Thorburn Colossal.

Our Market-Gardeners' Private Stock Flat Dutch Cabbage, introduced several years ago, is the most popular sort with market-gardeners all over the country. Thorburn Colossal is a new strain of the Private Stock, which has been obtained by careful selection from immense heads only. It is an unfailing producer of heads of enormous size and of the finest quality. We recommend it as positively the finest winter Cabbage grown. Per pkt., 10 cts.; oz., 30 cts.; ½Ib., 85 cts.; 1b., \$3.

Thorburn's Specialties in Cauliflower.

- **THORBURN CILT-EDCE.** Large, heavy sort, maturing immediately after our SNOWBALL. It is, without any exception, the very best and surest of all the sorts now in cultivation. Per pkt., 25 cts.; oz., \$2.25.
- **THORBURN EARLY SNOWBALL.** Our strain of this popular variety is unequaled. It is one of the best for forcing under glass or for the open ground; it is a very sure header, but not so large as our GILT-EDGE. Per pkt., 25 cts.; oz., \$2.25.
- **EXTRA-EARLY DWARF ERFURT.** The very best and earliest for forcing under glass; very dwarf and compact, with short stem and small leaves. It should not be confounded with entirely different sorts advertised under the same name. Per pkt., 50 cts.; oz., \$6.

Celery, Thorburn Fin de Siecle.

This Celery is not a sport or hybrid, white or yellow, but a common green Celery of the old familiar kind. But it has a pedigree and breeding and traditions and a name which it must preserve. After growing to a great size, it lends itself readily to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. As to its more important qualities, we may mention that a large Celery-grower, who has had it for trial several years, pronounces it the very best for market purposes of all the sorts he grows. With ourselves it proved to be the largest, hardiest, solidest, crispest, best keeper and best shipping winter Celery we know of. Per pkt., 10 cts.; oz., 30 cts.; ¼lb., 85 cts.; lb., §3.

Thorburn's Specialties in Lettuce.

THORBURN MAXIMUM. The very handsome appearance of this new Lettuce is shown by our cut, which is




THORBURN MAXIMUM LETTUCE.

accurate is shown of our cut, which is accurately engraved from a photograph. Our crop inspector in France found it growing in one of the rural districts, recognized its exceptional merits, and procured for us some of the seed. It is wonderfully heat-resisting, remaining a long time, even in the hottest weather, without running up to seed. The outside color is light green, but it becomes more and more yellow toward the heart. It is the largest and solidest of all our Head Lettuces, and its table quality is simply perfect, both as to tenderness and crispness. Per oz., 25c.; ½4b., 75c.; lb., \$2.50.

- THORBURN YELLOW WINTER. This is by far the best of all Lettuces for growing in coldframes to set out early in the spring. It is extremely hardy, and the heads developed in early spring are of surprising size. The tightly folded leaves are very tender and crisp. Peroz., 20 cts.: 341b., 50 cts.: 1b., \$1.50.
- **IMPROVED EMPEROR FORCINC.** The earliest of all Lettuces. Specially adapted for growing in frames, and unsuitable for open ground culture. It forms fine yellow heads of the finest quality. Per oz., 20 ets.; ¼lb., 50 ets.; lb., §2.

Rocky Ford Musk Melon.

An improved strain of the Netted Gem type, which has been grown on a very large scale, and to a wonderful degree of perfection, in Rocky Ford, Colorado. From that section it has been shipped to every city in the country,



ROCKY FORD MUSK MELON.

In as been grown on a very migrescale, that is a womentry, and sold in the markets under the name of the town from which it came. The Rocky Ford Melon is, therefore, already well known. It is by far the most popular sort on the market, and commands higher prices than any other variety. The true type is shown by our illustration, the shape being oval and the average length about five inches. It is very sweet and most delicately flavored, with exceedingly fine and smooth-grained flesh of a light green color. Per oz., 15 ets.; $\frac{1}{2}$ (1b., $\frac{4}{10}$ ets.; 1b., $\frac{$1.25}{.}$

Valuable New Peas.

EXONIAN. An extra-early new wrinkled marrow Pea. It is not a selection from any existing variety, but an entirely new sort. The pods, which are produced in great abundance, contain 6 to 8, and many of them 9 good-sized Peas of a capital dark green color, and of excellent flavor. The Royal Horticultural Society of England recognized its merits by awarding it a firstclass certificate, after testing it against many other varieties. Per qt., 30 cts.

CRADUS. This splendid novelty cannot be too highly praised. It is without doubt the finest extra-early Pea

yet introduced, being as early as the earliest *round* varieties, and yet having pods as large as those of Telephone or Duke of Albany, well filled with large *wrinkled* Peas of a handsome deep green color and of the finest flavor and quality. Per qt., 50 cts.

- **DUKE OF YORK.** It is impossible to speak too highly of this splendid new wrinkled Pea. It is the most distinct and valuable that has been introduced for years. It has been well described as an earlier and dwarfer form of the "Duke of Albany," possessing all the good qualities of that standard variety, but maturing two or three weeks earlier, and producing an equally large crop on a plant growing only 3 feet high. It is of robust growth, very large, long and full podded, and of finest flavor. Per qt., 30 cts.
- **ST. DUTHUS.** A first-class, distinct, new wrinkled variety, growing about four feet high, with round, dark green pods measuring 4½ to 5 inches long, each containing 8 to 10 Peas of the very finest quality. It is very productive and free from mildew, and it can be highly recommended for a main-crop family variety. Per qt., 35 cts.

Two Valuable New Radishes.

- "TRIUMPH." A White and Scarlet Striped Forcing Radish. A very peculiar new Radish, with globe-shaped pure white roots, prettily striped horizontally with bright scarlet. The strain is not quite established, but a good percentage comes true from seed. Although it is suitable for open ground, it is best adapted for forcing, being quite short-leaved and of very rapid growth, and the hotbed cultivation renders its distinctive color more prominent. It is of the best table quality and of very ornamental appearance. Per oz., 30 cts.; ¼lb., 85 cts.; lb., \$3.
- "ICICLE." The name is given in allusion to the shape and the transparent whiteness of the root. The leaves are short, the flavor exceedingly fine, and it is about as early as the earliest *forcing* varieties. If well cultivated, it produces roots $3\frac{1}{2}$ to 4 inches long in twenty-two days from date of sowing. This is the first long white forcing Radish yet introduced. Per pkt., 10 cts.; oz., 40 cts.; $\frac{1}{2}$ h., \$1.25; lb., \$4.

Salsify, Thorburn Improved Thick-rooted.

A greatly improved strain of this most delicious vegetable. The roots are very large, thick and smooth. Per oz., 25 cts.; $\frac{1}{2}$ lb., 75 cts.; lb., \$2.50.

Golden Bronze Squash.

This was a cross, some years ago, of the *Bay State* and *Boston Marrow*. In form the same as the last named, with stem and blossom end precisely like that variety, also having that peculiar wrinkled appearance of the skin, like *Boston Marrow*. Size, averaging from 8 to 10 pounds; color a dark, grayish green; flesh an exceedingly bright golden yellow, fine-grained, very sweet, and of delicious flavor. Early in maturing, a good keeper, and yielding largely of Squashes of very uniform size and appearance. As a Squash combining the qualities desired for the table and pies, this has no superior. Specimens grown in 1897 were kept until June, 1898. Per oz., 25 cts.; ½ lb., 75 cts.; lb., \$2.50.

New Tomato, Thorburn "Rosalind."

A valuable novelty, combining with its distinctive *beautiful* rose color all the good qualities of the best standard varieties. It is large and of uniform round shape, strictly smooth and solid, and of fine, mild flavor; medium early, and very productive. It promises to become a standard main-crop Tomato of the highest class. Per pkt., 10 cts.; oz., 50 cts.



GOLDEN BRONZE SQUASH.

BOOKS FOR THE GARDEN.

We call attention to the fresh and valuable books included in the GARDEN-CRAFT SERIES and in the RURAL SCIENCE SERIES. These works are either written or edited by Professor L. H. Bailey, of Cornell University. Other volumes are being rapidly added; all are fully illustrated and attractively printed.

THE GARDEN-CRAFT SERIES.

Manuals of practice, giving in plain terms up-to-date information and experience on the subjects treated. All are fully illustrated, and bound uniformly in flexible cloth, so that they may be readily carried in the pocket and conveniently referred to by busy men. They are all written by Professor Bailey.

- **Carden-Making.** Suggestions for the utilizing of home grounds. A guide to daily practice in the garden, giving in simple language just the information wanted by every one who buys a single packet of seed or grows one plant. This is the one book every grower needs. Fully illustrated. Svo, cloth; \$1.
- The Amateur's Practical Carden-Book. Containing the simplest directions for growing the commonest plants of house and garden. Illustrated by many marginal "thumb-nail" sketches. 12mo, flexible cloth; \$1.
- The Horticulturist's Rule-Book. A compendium of useful knowledge for all who have to do with the garden, fruit-farm and glasshouse. Fourth edition. 12mo, flexible cloth, 312 pages ; 75 cents.
- The Nursery-Book. How to multiply plants, with complete details as to all forms of propagation, budding, grafting, seed-sowing, etc., and an extensive alphabetical nursery list of plants in both common and botanical names. Illustrated. Third edition. 12mo, flexible cloth, 365 pages ; \$1.
- Plant-Breeding. Concerning variation and improvement of plants and the production of varieties; treats of crossing, hybridizing, pollination, etc. A most interesting and valuable work for those interested in new varieties of plants. 12mo, flexible cloth, 293 pages; \$1.
- The Forcing-Book. How to grow vegetables under glass, with complete details as to construction and management of forcing-houses. Fully illustrated. 12mo, flexible cloth ; \$1.

The Pruning-Book. A thorough manual of pruning and training, as observed from the best American practice. Both principles and methods are presented, with copious illustration. 12mo, flexible cloth, 540 pages; \$1.50.

THE RURAL SCIENCE SERIES.

The main inquiry of this series is as to the scientific facts of each subject. The volumes are written by acknowledged authorities, edited by Professor Bailey, and have elicited wide commendation. Others are to follow.

- The Spraying of Plants. By Prof. E. C. Lodeman, of Cornell University. This important subject is exhaustively treated. It is, in fact, a complete manual for the application of fungicides and insecticides, and is invaluable in these days, when spraying is so necessary. Illustrated. 8vo, cloth, 399 pages; \$1.
- The Soll. By Prof. Franklin H. King, of the University of Wisconsin. In this work are fully discussed the nature, relations and fundamental principles of management of the soil, in a manner which will prove most helpful to intelligent farmers and gardeners. Illustrated. 8vo, cloth, 303 pages; 75 cents.
- Irrigation and Drainage. By F. H. King. A new book, which will be most helpful in building up a rational practice of irrigation culture and farm drainage. 500 pages, 163 illustrations; \$1.50.
- The Fertility of the Land. The relationship of farm-practice to the maintaining and increasing of the productiveness of the soil. By Prof. I. P. Roberts, Cornell University. A most interesting volume, full of practical experience. Commended especially to the intelligent farmer. Fully illustrated; \$1.25.
- Milk and its Products. A treatise upon the nature and qualities of dairy milk, and the manufacture of butter and cheese. By Prof. Henry H. Wing. A thorough statement of dairy work; up-to-date, bright and readable is just the book for the dairy farmer. 280 pages, 33 illustrations; \$1.
- The Principles of Fruit-Crowing. By L. H. Bailey. The whole story in regard to fruit, both as to growing and marketing. Necessary to every American fruit-grower. Illustrated. 8vo, cloth, 508 pages; \$1.25.
- The Survival of the Unlike. By L. H. Bailey. A collection of evolution essays suggested by the study of domestic plants. Extremely interesting to those who want to know the bottom facts. 8vo, cloth, 515 pages; \$2.
- Evolution of Our Native Fruits. By L. H. Bailey. Uniform with the preceding volume. Traces the origin and development of American fruits; very entertaining. Profusely illustrated. 8vo, cloth, 485 pages; \$2.

tilizers. By Prof. E. B. Voorhees. A very practical discussion of this important subject; plain, clear, un-technical – no confusing formulæ. Should be in the hands of every grower. 8vo, cloth, 335 pages; \$1. Fertilizers.

OTHER STANDARD BOOKS

cane sugar, beet

ASPARAGUS CULTURE. Barnes & Robinson\$0 50	SUGAR. The sugar industry of America, cane sugar, beet	
BOTANY: THE STORY OF PLANT LIFE. By Julia McNair	sugar, culture of the sugar beet\$0	50
Wright	PRACTICAL FORESTRY. By And. S. Fuller	50
BROOM CORN AND BROOMS	THE GARDEN. As considered in literature by cer-	00
FIRST LESSONS IN AGRICULTURE. By Prof. F. A.	tain polite writers. With a critical essay by	
Gulley, M.S. 100	Walter Howe	00
FLOWERS: HOW TO GROW THEM. By Eben E. Rexford. 50	THE LEAF-COLLECTOR'S HAND BOOK AND HERBA-	00
FOREST PLANTING. By H. N. Jarchow, LL.D 1 50	RIUM. By Charles S. Newhall. An aid in the	
FRUIT GARDEN. By P. Barry. New edition 2 00	classification of specimen leaves. Illustrated 2	
GRAPE CULTURIST. By A. S. Fuller. New edition 1 50	THE NEW ONION CULTURE. By T. Greiner	
How CROPS GROW. By Prof. S. W. Johnson 2 00	THE NEW POTATO CULTURE. By E. S. Carman	75
How to Destroy Insects 20	THE PRINCIPLES OF PLANT CULTURE. A first-class all-	
HOW TO PLAN THE HOME GARDEN. By Samuel Parsons,	round instruction book in horticulture. By Prof.	
Jr., late Superintendent of Parks, New York City 1 00	E. S. Goff 1	00
INSECTS AND INSECTICIDES. By Prof. C. M. Weed 1 50	THE SUGAR BEET. By Lewis S. Ware 4	00
LANDSCAPE GARDENING. By Samuel Parsons, Jr., late	THE TREES OF NORTHEASTERN AMERICA. By Chas.	
Superintendent of Parks, New York City	S. Newhall. With illustrations 2	50
LESSONS AND MANUAL IN BOTANY, By Prof. Asa Gray.	TOBACCO LEAF. Its culture and cure, marketing and	
800 pages. Illustrated	manufacture. By J. B. Killebrew, Ph. D., and Her-	
MUSHROOMS: HOW TO GROW. By William Falconer 1 50	bert Myrick, B.S.	00
ORNAMENTAL GARDENING FOR AMERICANS. Long 200	TOBACCO CULTURE. Full practical details	
PEACH CULTURE. By Hon. J. Alexander Fulton 1 50	TRUCK-FARMING AT THE SOUTH. By Dr. A. Oemler 1	
	IRUCATARAING AT THE SOUTH. Dy Dr. A. OEMIER I	50
SMALL-FRUIT CULTURIST. By And. S. Fuller 1 50		
All Books Sent Post	paid on Receipt of Price.	

10


VEGETABLE SEEDS.

Please notice that our prices are quoted at the lowest New York figures, and do not include the prepayment of express or postage charges. If postage is to be prepaid, add 8 cents per pound. If See inside front eover of this Catalogue for complete assortments of Vegetable Seeds of approved and

ASPARAGUS.

Asperge. Esparrago. Spargel.

CULTURE.- Sow the seed thinly in rows 1 foot apart in April or May (4 to 5 lbs. to the acre), and keep down



choice sorts for from \$5 to \$25.

apart in April or May (4 to 5 lbs. to the acre), and keep down all weeds. To secure strong, healthy plants, thin out the seedlings to 3 or 4 inches in the rows, saving only the strongest. The 1-year-old plants should be set out in spring, in a rich, sandy loam, dug 18 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sifted coal ashes to loosen it up, and also see that it is well under-drained. In planting for private use, set out in beds 5 feet wide, three rows in a bed, the outer being each 1 foot from the edge, and allow 12 inches in the rows; set the plants at least 6 inches below the surface. If set out in autumn, top-dress with 6 inches of manure. For market on a large scale, set out 4 by 1½ feet.

Every fall a good dressing of coarse manure should be applied after the tops have been cut, and in the spring forked in. Never cut too closely. The roots need the benefit of some foliage during the year, else they will weaken and die.

	ASPARAGUS. Per	oz.	¼lb.	Lb.
15	Colossal. The most approved and standard sort. The famous Argenteuil of the French			
	is identical with it	10	\$0 20	\$0 50
	Two-year-old roots			
16	Palmetto. Of southern origin; a very desirable bright green Asparagus	10	20	50
	Two-year-old rootsper 100, 75 cts.; per 1,000, \$6			
17	Barr Mammoth. Two-year-old roots. Has very large, tender stalks of a very light color.			
	per 100, 75 cts.; per 1,000, \$6			
18	Columbian Mammoth White. A variety producing large white shoots	10	25	75
	Two-year-old roots			

ARTICHOKE.

ARTICHAUT. Alcachofa. Artischode.


CULTURE.—Deep, rich, sandy loam, with plenty of wellrotted manure. Sow seeds in April and May, and when large enough transplant into rows 3 to 4 feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in bank the earth to the top, first cutting off and tying up the leaves so that they will occupy less space, and in spring fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbed during February and transplanting in May. The heads should be cut off and used as they get ready. If left to ripen on the plant they will exhaust it, and no more will be produced that season. Heads are unfit for culinary purposes after the flowers expand.

	Per oz.	¼lb.	Lb.
21	French Clobe. The standard and		
	best varietypkt., 10 cts\$0 35	\$1 00	\$3 5
22	Laon, or Paris Green		
	pkt., 10 cts 40	1 00	4 0
23	Early Purple, or Violet		
	pkt., 10 cts 40	1 00	4 0
24	Jerusalem Artichoke		
	qt., 20 cts.; bus., \$4		



BEANS.

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in impor-



THORBURN VALENTINE WAX BEAN.

tance to wheat. The modern varieties leave little to be desired; the great care given to their improvement has resulted in many superior sorts, greatly extending the season of use, as well as varying the quality of flavor.

CULTURE.—About the first of May select a warm, dry, sheltered spot; dig and manure slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the Beans 3 inches apart in the drills, and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession.

DWARF WAX BEANS.

- 30 Thorburn Valentine Wax. First in earliness, first in productiveness, and first in quality. A perfect Valentine Bean, with wax pods. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus, \$7.
- 31 Thorburn Refugee Wax. A perfect Refugee, with long, round, yellow wax pods. Suitable for early or late sowing, and an immense yielder. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.

32	Stringless Refugee Wax. A new strain of our celebrated Refugee Wax.	ı yı.	/2pk+	I A.	Dus.
	claimed to be absolutely stringless\$0	35	\$1 25	\$2 00	\$7 00
33	Black Wax, Improved Prolific. Very early and prolific. The pods are round,				
	full, stringless, and of fine quality	35	$1 \ 25$	2 00	7 00
34	" Challenge. An extra-early strain of the dwarf Black Wax	35	$1 \ 25$	$2 \ 00$	7 00
36	" Bismarck. Resembling in growth Wardwell Kidney Wax	35	$1 \ 25$	2 00	7 00
38	" Currie Rust-proof. Flat pods; very early and productive	35	$1 \ 25$	2 25	8 00
39	" Pencil-pod. Very slender, long pods	35	$1 \ 25$	2 25	8 00
44	Detroit Wax. Very much like Golden Wax	35	1 25	2 00	7 00
46	Flageolet Red Wax. Flat, yellow, stringless pods of great size; is highly es-				
	teemed by many growers	35	1 25	2 25	8 00
54	Improved Colden Wax. Very early; round golden pods, long and stringless; of				
	excellent quality	30	1 00	1 75	6 50
56	Colden-eyed Wax. Very hardy and prolific, with flat yellow pods; very early				
	and exceptionally free from rust; a very desirable and popular sort	30	1 00	1 75	6 50
62	Wardwell Kidney Wax. Early; long, flat, purely wax pods; fine shipper, and a				
	valuable sort	35	1 25	2 25	8 50
65	White Wax. Flat, yellow pods	30	1 00	1 75	6 50
68					
	productive	35	1 25	2 25	8 00
70	Roman Wax. Early, round, yellow-podded black wax	50	1 75	3 00	10 00

WF	HIT	E B	EAN	IS.
----	-----	-----	-----	-----

Per qt. ½pk. Pk. Bus. Thorburn Dwarf Lima (Kumerle Strain). The dwarf form of our famous Chal-71 lenger Lima-the finest of all Limas. It possesses the flavor of the genuine Challenger Lima, thus differing from all other Bush Limas. It is exceedingly \$1 50 \$2 50 \$9 00 Burpee Bush Lima. A bush form of the large flat Pole Lima, growing only 18 or 73 8 00 1 25 2 25 20 inches high; it is an immense yielder..... 35 74 30 1 00 1 75 6 50 Henderson Bush Lima, or Sieva. Productive Dwarf White Flageolet. Long white flageolet, with flat green pods, good as a 76 1 00 1 75 6 00 shell bean..... 30 20 60 1 00 3 50 78 White Kidney. Excellent, either green or ripe; for baking..... 3 50 79 White Marrow. Good either green or ripe; for baking..... 2060 1 00

CATALOGUE OF HIGH-CLASS SEEDS.

DWARF GREEN-PODDED SNAP BEANS.

HARICOTS NAINS. Frijoles. Rrup Bohnen. Per qt. ½pk. Pk. Bus.

- Thorburn Prolific Market Bean. Enormously productive, the light green pods being borne in thick clusters; pods long, perfectly round, solid-fleshed ... \$0 35 \$1 25 \$2 00 \$7 50
- Marvel of Paris. Long, slender, round 81 pods; early and remarkably productive. 81a New Everbearing, or Inexhaustible. A new and quite distinct variety, very
- prolific, and continuing to bear for a long time. It is the earliest of all the Dwarf Beans. The pods are green and flat, and the beans small white kidneyshaped.....
- green-seeded variety, which, by its 82 Triumph of the Frames. extreme earliness and small size, is the best of all for growing in frames.....
- Vienna Forcer. Extra early, dwarf, very suitable for forcing; extra long, flat, slender green pods; stringless
- 84 Ne Plus Ultra. An extra-early sort; green, full, flat pods; exceedingly productive; also suitable for forcing

85

86

87

88

89

99

92

93

94

95

96

99


35 1 25 2 25 8 00 1 25 2 25 35 8 00 2 00 1 2535 1 25 2 25 8 00

> 1 00 1 75 THORBURN PROLIFIC MARKET BEAN. 6.50

Extra-early Dun-colored. Very early; round, green pods; handsome dun-col-Per qt. 1/pk Pŀ ored Beans. An improvement on the old Dun-colored grown many years ago ... \$0 35 \$1 25 \$2 25 \$8 00 Best of All. Early and superior; round green, fleshy pods 2 25 35 1 25 8 00 Extra-early Valentine. Early strain of this popular round-pod Bean 35 1 25 2 25 8 50 Early Mohawk. Long, flat and straight pods; very hardy and productive 2 00 35 1 25 7 00 88a Early Warwick. Extra-early green bush Bean; fine market sort 30 1 00 $1 \ 75$ 6 00 Early China. White, with pink eye; early, continues long in bearing 25 5 50 85 1 50 Long Yellow Six Weeks. Early; the leading market sort; full, flat, green pods. 30 1 00 1 75 6 50 Dwarf Horticultural. Late and productive 91 35 1 25 2 00 7 50 91a Dwarf Chocolate. Very early; long, slender, flat green pods; small chocolatecolored Beans 2 00 35 1 25 7 00 Stringless Green Pod. Extra early; quite stringless; very prolific; fine quality. 2 25 1 25 35 8 00 Dwarf Lyonnaise. A fine sort, with very long, roundish, slender pods..... 35 1 25 2 00 7 50 Victoria Dwarf Flageolet. Enormous leaves; very large, handsome Beans, white, striped violet; extra long, flat, slender green pods 2 25 35 1 25 8 00 Wonder of France. Green flageolet, standard sort..... 30 1 00 1 75 6 00 Refugee, Thorburn Extra-early. Has all the superior qualities of the famous Refugee, and is fully two weeks earlier in podding 35 1 25 2 25 8 00 Late, or 1,000-to-1. Medium to late; very productive and tender; 64

30

largely grown for main crop; round pod..... 35 1 25 2 25 8 00 Colden. Has round pods of light green color; of strong growth, and 100 66 very productive. One of the best 35 1 25 2 00 7 00 Calega. An improved, large Late Refugee..... 101 35 1 25 2 00 7 00



ENGLISH DWARF BEANS.

FEVE DE MARAIS. Haba.

Große Bohnen.

CULTURE.-Sow in drills 2 feet apart, as early in the spring as the ground can be worked (these are as hardy as Peas), in order to get them into pod before the heat of summer. When in pod break off the top of the plant to check the growth. Plant and hoe same as for Dwarf Beans. A strong soil suits them best. These Beans are eaten shelled.

Per	qt.	½pk.	Pk.	Bus.
Early Mazagan. The ear-				
liest of this class\$0	25	\$0 75	\$1 25	\$4 50
Broad Windsor. The lar-				
gest and best of the class				
of English Dwarf Beans .	30	90	1 50	5 50
Sword Long Pod. A size				
smaller than Windsor	25	75	1 25	4 50
Green Windsor. A green				
"Long Pod "	30	90	1 50	5 50
Small Horse Bean. Half				
the size of Mazagan	20	60	1 00	3 50
	 Early Mazagan. The earliest of this class\$0 Broad Windsor. The largest and best of the class of English Dwarf Beans. Sword Long Pod. A size smaller than Windsor Creen Windsor. A green "Long Pod" Small Horse Bean. Half 	 Early Mazagan. The earliest of this class\$0 25 Broad Windsor. The largest and best of the class of English Dwarf Beans. 30 Sword Long Pod. A size smaller than Windsor 25 Creen Windsor. A green "Long Pod"	 Early Mazagan. The earliest of this class\$0 25 \$0 75 Broad Windsor. The largest and best of the class of English Dwarf Beans . 30 90 Sword Long Pod. A size smaller than Windsor 25 75 Creen Windsor. A green "Long Pod"	liest of this class\$0 25 \$0 75 \$1 25 Broad Windsor. The lar- gest and best of the class of English Dwarf Beans. 30 90 1 50 Sword Long Pod. A size smaller than Windsor 25 75 1 25 Green Windsor. A green "Long Pod"

OTO PHIL LOB A

Bus

DWARF LYONNAISE BEAN.

POLE OR RUNNING BEANS.

Stangen=Bohnen. HARICOTS A RAMES. Frijole de Bejuco.

CULTURE. - Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the latter part of May, in hills 4 feet apart each way. Limas should not be planted until warm weather has fairly set

in. One quart of Limas will plant about 100 hills, allowing four or five Beans to a hill, and of the smaller sorts about 200 hills. Poles 8 or 10 feet long should be firmly set in the center of the hills before putting in the seed.

- Lima, Challenger. Thick and productive; the best of all. Qt. 35 ets., ½pk. \$1.25, pk. \$2, bus. \$7.50. 114
- Large White. Largely grown and highly es-teemed. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.50. 66 115
- 120 King of the Garden. Large in pod and Bean. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 66 Dreer. Thick, and of fine quality. Qt. 35 cts., 124 1/2 pk. \$1.25, pk. \$2, bus. \$7.50.
- Early Jersey. Matures earlier than the large 44 126 Lima. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.50.
- Small White, or Sieva. Very productive sort. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.50. 129
- Horticultural, or Speckled Cranberry. 132 Good as a Snap or as a Shell Bean. Qt. 35 cts., 1/2 pk. \$1.25, pk. \$2, bus. \$7.
- Speckled Cut-Short, or Corn-Hill. Used for planting 133among Corn. Qt. 35 cts., 1/2 pk. \$1.25, pk. \$2, bus. \$7.
- Dutch Case-Knife. Pods long, green and flat; can be 134 either snapped or shelled. Qt. 30 cts., 1/2 pk. \$1, pk. \$1.75, bus. \$6.50.
- Southern Prolific. A continuous bearer; of good qual-135ity. Qt. 35 ets., 1/2 pk. \$1.25, pk. \$2, bus. \$7.
- Scarlet Runner. A popular English Pole Bean; very 136 ornamental. Qt. 30 cts., 1/2 pk. \$1, pk. \$1.75, bus. \$6.50.
- 138 Tall July Runner. Earliest of all Pole Beans; medium height, extremely free-bearing, round green-pods, stringless; small, white kidney-shaped Beans. Qt. 35 cts., 1/2 pk. \$1.25, pk. \$2, bus. \$7.
- 143 White Dutch Runner. Same habit as the Scarlet Runner. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- 144 Kentucky Wonder (Old Homestead). Pods green, very long; very prolific. Qt. 40 cts., ½pk. \$1.50, pk. \$2.50, bus. \$9.
- 162 Black Cerman Wax. Yellow pods. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.
- Flageolet Wax Pole. Large, yellow, stringless pods. Qt. 40 ets., ½pk. \$1.50, pk. \$2.50, bus. \$10. 165
- 173 Mont d'Or. Early, productive ; golden wax pods. Qt. 35 cts., ½pk. \$1.25, pk. \$2, bus. \$7.50.
- 179 French Yard Long. Pods sometimes grow from 2 to 3 feet long, and are very slender, like a pipe-stem; very curious ; should be grown on pea brush. Per 1/2 pt. 25 cts.

BURNET.



POLE LIMA BEANS.

BORAGE.

The young leaves of this annual, which smell somewhat like a Cucumber, are used as a salad, or boiled like Spinach. Should be sown at intervals, as the leaves are palatable only when young. Sow in the spring, in light soil ; transplant in shallow drills, a foot apart, when of six weeks' growth. Per oz. ¼1b. Lb. 183 Borage\$0 15 \$0 40 \$1 25

BURNET.

PIMPERNELLA PETITE.

Pimpinela. Bimpernell.

The leaves have a warm, piquant taste, and are useful for salads and soups. Sow early in the spring, half an inch deep, thinly in rows. Per oz. ¼lb. Lb

BEET.

BETTERAVE. Remolacha.

CULTURE.-Sow as early in the spring as the ground can be worked (5 to 6 lbs. to the acrs), and every two weeks after for a succession, up to the first week of July. For general crop sow about the middle of May.

The soil should be light, sandy loam, well enriched with stable manure, and plowed and harrowed until very fine. Sow in drills 1 foot to 15 inches apart, and when well up, thin from 4 to 6 inches. The young Beets pulled out of the row are excellent

Salatrübe.

- Early Flat Turin. Very early, round, deep blood color, tender. Oz. 10 cts., 1/1b. 25 cts., lb. 75 cts.
 - Detroit Dark Red Turnip. Fine round shape; skin dark blood red; flesh bright red, very tender and sweet. Oz. 10 cts., 3/4 lb. 20 cts., lb. 60 cts.
- 191 New Crimson Clobe. Fine globular shape; flesh rich deep purple, fine quality. Oz. 10 cts., 1/41b. 25 cts., 1b. 75 cts.
- 192 Extra-early Egyptian. Very early, and of dark blood color; rather flat in shape. Oz. 10c., 1/4lb. 20., lb. 50c.
 - Crosby Egyptian. Extra early, round, dark red. Oz. 10 cts., 1/41b. 20 cts., 1b. 50 cts.
- Extra-early Eclipse. Very early; round-rooted and bright red. Oz. 10 cts., 1/4 lb. 20 cts., lb 50 cts. 194
- 195 Electric. Extra early, nearly round variety; bright red color and fine table quality. Oz. 10c., 1/41b. 20c., 1b. 50c.
- 196 Lentz Extra-early Turnip. A large, small-top, round Beet; light red. Oz. 10 cts., ½1b. 20 cts., lb. 50 cts.
- 197 Dewing Early. Of fine form and flavor, and good for market. Oz. 10 cts., 1/4lb. 20 cts., lb. 50 cts.
- Bastian. An early, light-colored turnip Beet; good. Oz. 10 cts., ¼lb. 20 cts., lb. 50 cts. 198

		coz.	¼1b.	Lb.
199	Columbia. A round, smooth-skinned variety, with deep blood-red flesh; it is very early			
	and of the finest quality	0 10	\$0 20	\$0 50
213	Edmand Blood Turnip. A market-gardener's strain of great regularity in shape, and			
	very dark flesh of best quality	10	20	50
214	Early Blood Turnip. Dark red, and of fine flavor; good for winter	10	20	50
	Bassano. Early; light color	10	20	50
	Half-long Blood. Fine dark strain, for winter	10	20	50
	Black Queen. Very dark, half-long roots; leaves almost pure black	10	20	50
	Victoria. Metallic red foliage	15	35	1 25
	Dell. Black-leaved	15	35	1 25
234	Long Smooth Blood. A good late variety for winter	10	20	50

FOLIAGE BEETS.

Kinds of which the leaves only are used; very ornamental.

		Per oz.	1/41b.	Lb.
247	Scarlet-ribbed Chilian	\$0 20	\$0 35	\$1 25
248	Yellow-ribbed Chilian	20	35	1 25
249	Crimson-veined Brazilian	20	35	1 25
250	Colden-veined Brazilian	20	35	1 25
252	Scarlet-veined Brazilian	. 20	35	1 25
253	Dracæna-leaved	. 20	40	1 50


Grown exclusively for their handsome foliage.

MANGEL-WURZEL, SUGAR BEETS, ETC.

Runkelrüben.

CULTURE.—As all Mangels require a deep soil in order to grow well, plow and subsoil at least a foot to 18 inches, and apply plenty of rich stable or Thorburn's Complete Manure. Sow in May or June (5 to 8 pounds to the acre), in rows 18 inches to 2 feet apart, and thin to 8 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are 3 to 4 inches high, at the rate of 200 lbs. Complete Manure, 200 lbs. bone flour, and 400 lbs. salt per acre. As soon as frost occurs, dig the crop. But in order to be well preserved for gradual consumption during the winter, Mangel-Wurzels should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas, and as the cold increases this should be replaced by about 6 inches of either salt-hay, straw, sea-weed, or corn-stalks. Lest this covering be

GIANT VELLOW INTERMEDIATE





MANGEL-WURZEL, SUGAR BEETS, ETC .- continued.

displaced by the wind, a light layer of earth is necessary. As soon as this surface soil becomes frozen, about 6 cr



KLEIN WANZLEBEN IMPROVED SUGAR BEET.

In view of the increasing interest in the culture of the Sugar Beet, we have had grown for us, under the direction of men of long experience, a supply of the very choicest seeds of several highly improved varieties. On application we shall be pleased to mail circular giving directions for their culture. We recommend 20 to 25 lbs. of seed to the acre. We offer them, so long as unsold, at the foilowing prices:

					25 lbs. and over,
		per lb.	per lb.	per lb.	per lb.
280	Klein Wanzleben	. \$0 30	\$0 25	\$0 20	\$0 18
281	Klein Wanzleben Improved	. 40	35	30	20
282	Vilmorin	. 30	25	20	18
283	Vilmorin Improved		35	30	20
284	White Imperial (best for poor soil)		25	20	18
286	White French. Very large; for feeding stock	. 30	25	20	16

BROCCOLI.

BROCCOLI. Broculi.

Spargelfohl.

CULTURE.-Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate the same and Cabbage, in rich soil. Use the same remedics for insect attacks as are recommended for Cabbage.

The following are sorts best adapted to this climate, and the only ones which succeed generally; they are excellent, and deserve much wider culture than is usual in this country. We recommend No. 307 as the most certain to give satisfactory results.

Early White	\$0 30	\$0 85	\$3 00 -
White Cape	. 40	1 25	4 50 🖆
Mammoth White	. 40	1 25	4 00 =
Early Purple Cape	. 40	1 25	4 50 5
Purple Sprouting	. 25	75	2 50
Veltch Self-protecting	. 40	1 25	4 00
	Early White White Cape Mammoth White Early Purple Cape Purple Sprouting	Early White \$0 30 White Cape 40 Mammoth White 40 Early Purple Cape 40 Purple Sprouting 25	Per oz. ½1b. Early White \$0 \$0 \$0 \$5 White Cape 40 1 25 Mammoth White. 40 1 25 Early Purple Cape. 40 1 25 Purple Sprouting. 25 75 Veltch Self-protecting. 40 1 25



BROCCOLL

BRUSSELS SPROUTS.

CHOU DE BRUXELLES.

Berza de Brusels. Rosenkohl.

CULTURE.-Sow in May, in the same manner as Cauliflower, and transplant in July, 1 foot apart in the rows, which should be 11/2 feet apart. In gardens, both large and small, the Brussels Sprout is, without excep-

tion, the very best winter vegetable that can be grown. Not the least valuable point connected with the Brussels Sprout is that it is as hardy as the common Curled Greens. The common Cabbage is hardy enough in a young state, but when full grown and hearted, frost soon destroys the largest heads, which rot and fall to pieces. Not so the Brussels Sprout; being small and hard, it is not in the least affected by frost. The real Sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. These are the sorts which cooks prefer. They strip off the outer covering, cook them whole, and serve them up artistically in that fashion. When cooked through and no more, such Sprouts melt in the mouth, like the tenderest Cauliflower, and are equally as good. If more widely known, the Brussels Sprout would be as popular as it is valuable; few people appreciate it at its full worth.

318	Best French, or Roseberry. Very	e oz.	1/41b.	Lb.
	good\$0	20	\$0 50	\$1 75
319	Improved Half Dwarf. The very			
	best and surest strain	20	60	2 00
32 0	Improved Dwarf. Compact heads of			
	fine quality	20	60	2 00
321	Improved Long Island Grown,	40	1 25	4 00



CARROTS.

CAROTTE.

348 Long White. Very large; for stock.....

Möhren.

Zanahoria. CULTURE.-Sow No. 323 as early as the ground can be worked ; or, for late crop, until the latter part of July.



ROUND PARISIAN FORC CARROT. 340 Half Long Stun Half Long Dany

most popular so 344 St. Valery. A th 345 Long Orange. 346 Altringham. Lo White Vosges.

342

347

For main crop, sow from the middle of May to the first of July. Thin out early crop to 5 inches in the row, main crop 6 to 7 inches; the rows 10 inches apart for early crop, 14 for main crop. Hoe often and deeply between the rows. Soil light, sandy loam, richly manured and deeply dug. Sow at the rate of 2 pounds to the acre. Per oz 1/1h Lh

44	323	Early Round Parisian. Small and very tender ; for frames	04.	/410.	110.	
~	0.00	or open ground	15	\$0 30	\$1 00	
	324	Early Forcing. Tender and fine; best for early and late				
1		crops and frames	15°	30	1 00	
1	325	Bellot. Very early and tender French sort; valuable for				
		forcing or outdoors	15	30	1 00	
	326	Half Short Stump-rooted, Guerande Strain. Very thick				
		and short	15	30	1 00	
/	328	Early Scarlet Horn. Very thick roots	15	30	1 00	
	329	Half Long Pointed. A very well-known strain; pro-				
		ductive	10	25	75	
	330	Half Long Stump-rooted. An excellent sort, of good				
		quality	10	25	75	
	332	Half Long Stump-rooted, Nantes Strain. A popular				
		market sort	10	25	75	
	334					
		Nantes; broader shoulder	15	30	1 00	
CING	336	Carentan. Half long stump-rooted; coreless, red flesh;				
		fine quality	10	25	75	
np-roo	oted,	Luc. Useful main crop sort; early and productive	15	30	1 00	
		k; of good quality and exceedingly productive; one of the				
orts	• • • • • •		10	25	75	
hick, i	ntern	nediate long red	10	25	75	
Best i	for st	ock-feeding	10	20	65	
ong re	d; pi	roductive	10	20	65	
0	· · ·	ck, short	10	25	75	
0		for stock	10	20	45	

CABBAGE.

CHOU. Berza de repollo.

CULTURE. - Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an

Rohl.



EARLY JERSEY WAKEFIELD.

abundance of stable or Thorburn's Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall; not too early, or the plants are liable to bolt in the spring instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care, in planting, to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, Lettuce or Radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crops the seed is sown in May, and the plants set out in July. In this case they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. To destroy the green worm that is so

destructive to the leaves and heads of Cabbage and Cauliflower, an experienced grower says: "Take one ounce of saltpetre and dissolve it in 12 quarts of water; then take a short-handled whisk broom, dip it in the solution, and sprinkle the plants well. One application is sufficient, unless the stuff is washed off by heavy rains. The liquid, being perfectly clear, never colors the Cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above the ground.

-		Per oz.	1/11	Lb.
351	Early Spring. New, flat, extra early	.\$0 60	\$1 75	\$6 00
352	Early Sugar Loaf. Small, pointed; very early, fine quality		50	1 75
353	Etampes. A fine extra-early small French sort, with pointed heads	. 20	50	1 50
354	Early York. The standard English sort		40	1 25
355	Large Early York. Larger than the above	. 15	40	1 25
358	Early Jersey Wakefield. Well known, and most valuable for early	. 40	$1 \ 25$	4 00
359	Charleston Wakefield. Very large strain of the above	. 40	$1 \ 25$	4 00
360	Early Winnigstadt. A standard second-early variety		50	1 50
368	Stein Early Flat Dutch. A remarkably fine strain; a sure header, the heads weighin from 10 to 12 pounds. Most valuable for forcing, or for general crop		75	2 50
370	Improved Early Summer. A superior second-early sort; produces large and solid head	s. 25	75	2 50
371	Surehead Improved. Large, solid heads of fine quality	. 25	75	250
372	Selected All-Seasons. One of the finest for second-early or late, growing to a large size quickly and surely. The true <i>sure-header</i>		75	2 50
373	Succession Improved. An excellent second-early sort, on style of All-Seasons	. 30	85	3 00
374	Filder Kraut, or Pomeranian Pointed Head	. 20	50	$1 \ 75$
376	Fottler Brunswick. Good solid heads, either for second-early or late	. 20	50	$1 \ 75$
378	Large Late Drumhead. A standard winter Cabbage for main crop	. 20	60	2 00
380	Large Late Flat Dutch. Also a valuable main-crop sort for market	. 20	60	2 00
381	Vandergaw Quick-growing Flat Dutch. A sure-heading sort	. 25	75	2 50
382	Thorburn Market-Cardener's Private Stock Flat Dutch. Fine strain of the immense		07	0.00
000	winter Cabbage grown on Long Island for market		85	3 00
383	Thorburn Colossal. Largest and finest of all. (See Novelties.)		85	3 00
384	Autumn King. Extra-large solid winter Cabbage		85	
385 388	Danish Ball Head Winter, or Hollander. Very round, solid winter sort from Denmark		85	$ \begin{array}{c} 3 & 00 \\ 2 & 00 \end{array} $
	Creen Clazed. Glossy green; suitable for hot climates		60	
389	Thorburn Improved Red Stone-head. Very large, solid red heads; the finest strain.		85	3 00
390	Savoy, Early Dwarf. The earliest Savoy variety: fine quality		50	$175 \\ 175$
391	Early Verma Very small, delicate haver		50	
392	" Early Ulm. Small, round, deep green head; very early		50	1 75
393	"Thorburn Drumhead. Very fine, improved strain		60	2 00
394	Chinese Cabbage (Pe-Tsai). Grows like Cos Lettuce	. 20	60	2 00

CARDOON.

CARDOON. Cardo. Carbon.

CULTURE. - Sow early in spring, in rows where they are to stand, and thin them to 1 foot apart. When full size, bind the plants together with bast or raffia, and earth up like Celery to blanch. The stems of the leaves are used for salads, soups and stews. 480 Large Solid. Grows about 4 feet high: leaves nearly free from spines...per pkt., 10c...\$0 25 \$0.75 \$2 50

CAULIFLOWER.

CHOU-FLEUR. Coliflor. Blumenkohl.

CULTURE. - The same as for Cabbage, except that extra manure and plenty of water will pay upon Cauliflower.

If the soil be dry, water frequently, and if the plants could have a heavy mulch of hay or straw, it would keep the soil moist, and the plants would not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April; the late kinds may be planted out same time as for Cabbage. To destroy the Cauliflower-maggot, it is recommended to take 1 ounce of sulphuret of potassium and dissolve it in water. Heat the liquid to about 100 degr large spoon, or something that will hold part of a gallon, and pour the liquid stalk of the plant just above the ground.

- Extra-Early Dwarf Erfurt. The 482and earliest for forcing under dwarf and compact, with short small leaves. It should not be with entirely different sorts under the same name. Pkt. 50
- 483 Thorburn Early Snowball. Ou this popular variety is unequa one of the best for forcing un for the open ground; it is a header, but not so large as our Gi Pkt. 25 cts., oz. \$2.25, ¼lb. \$7.50, l

e r ounce or	
n 1 gallon of	
rees, take a	
old the 100th	
against the	
very best	
glass; very	
t stem and	
confounded advertised	
cts., oz. \$6.	
ir strain of	
aled. It is	
der glass or	
a very sure	COPYRIGHTED BY JM.THORBURN&CON
r <i>Gilt-Edge</i> . 50, 1b, \$30.	THORBURN GILT-EDGE CAULIFLOWER.

484	Thorburn Gilt-Edge. Large, heavy sort, Pei	r oz.	¼lb.	Lb.
	maturing immediately after our <i>Snowball</i> . It is, without any exception, the very best			
	and surest of all the sorts now in cultivationper pkt., 25 cts\$2	25	\$7 50	\$30 0 0
485	Large Early Dwarf Erfurt. Finest strainper pkt., 25 cts 2	25	7 50	30 00
486	Denmark. On the style of Large Erfurt; very fineper pkt., 10 cts 1	50	5 00	20 00
489	Extra-early Paris. Heads of medium size; first-class	75	$2 \ 00$	8 00
492	Lenormand Short Stem. Has very large heads; white and firmper pkt., 10 cts	75	$2 \ 00$	8 00
494	Large Algiers. Market-gardener's popular late sort; enormous sizeper pkt., 10 cts	60	1 75	6 00
497	Early London. Large and hardy	40	1 00	4 00
499	Thorburn Nonpareil. A standard sort for general useper pkt., 10 cts	70	$2 \ 00$	7 00
500	Walcheren. Very late, hardy variety	40	1 00	4 00
		40	1 00	4 00

TESTIMONIALS FROM LARGE CAULIFLOWER-GROWERS AND SEED MERCHANTS.

J. M. THORBURN & CO.

CUTCHOGUE, N. Y., July 13, 1898.

CUTCHOGUE, L. I., July 11, 1898.

WM. A. FLEET.

Gentlemen: I have used your Gilt-Edge, Snowball and Erfurt Cauliflowers for the last 16 years, and always with good success. I have also used other well-known kinds from other houses, but yours always came out ahead. I have also been selling different kinds of Cauliflower seeds for the three years past for the Southold Town Agricultural Society, and the demand is three to one in favor of yours.

Yours respectfully,

(Signed)

HENRY KAELIN. Purchasing Agent Southold Town Agricultural Society.

J. M. THORBURN & CO.

Gentlemen: In reply to your inquiry regarding the merits of your three popular varieties of Cauliflower, I beg to say that I have grown your Large Erfurt since 1876, and your Snowball and Gilt-Edge since they were introduced, and at this time I grow no other varieties. The Gilt-Edge produces very large, heavy heads, requires a long season, and is desirable for early setting to grow for pickling. It makes good heads in warm weather. The Large Erfurt has very fine white heads of large size. It is a sure header, but does not head all at one time, but follows along in succession. We consider it the best for setting from July 4 to 25. Your Snowball is a fine medium-sized variety, heads very clean and quickly, and nearly all at one time. It is, therefore, very valuable for late setting for storing for winter. We use it almost exclusively for the growing of winter Cauliflowers, taking up and storing small, half-grown heads in the latter part of November, in cool cellars or sheds, and holding for the good prices of Christmas and New Year.

Yours truly,

J. M. THORBURN & CO.

MATTITUCK, N. Y., July 13, 1898. Gentlemen: I have used your Gilt-Edge, Snowball and Large Erfurt Cauliflower seed for 20 years, and never had a poor ounce. You may use my name in support of your highest claims for them. Yours respectfully,

J. M. THORBURN & CO.

(Signed) GEO. C. COOPER. INTERLACHEN, FLA., July 21, 1898.

(Signed)

Gentlemen: In reply to your favor, we would state that, in our opinion, based on our sales of it for the past five years, your Gilt-Edge Cauliflower is by far the best variety for the lower South. and for the past 2 years we have sold more of it than of all other varieties combined.

We are so well satisfied with it that we have no desire to list other new introductions, for they have not proved to be its equal in actual field tests. Yours truly, (Signed) H. G. HASTINGS & Co., Seedsmen.

CELERY.

Celeri.

Apios. Sellerie.

CULTURE. - Sow the seed in a light, rich, dry border, as early as the ground can be worked, in drills 8 or 10 inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be



THORBURN SHUMACHER CELERY.

dry. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 or 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July at the north, a month or six weeks later in the southern states, is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow, for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench, or the trench may be made into a bed wide enough to hold two, three or four rows, and in this case the plants are in a compact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. When grown in beds in this way, the rows should be 1 foot apart, and the plants about 8 inches apart in the rows. A bed 4 feet wide will take 4 rows of plants, leaving 6 inches space on the outside of the first and last rows.

The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times; and in doing this, care should be taken not to let the earth get into the heart of the plant. In field culture the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a welldrained spot in the open ground, 1 foot wide, and of a depth a few inches less than the height of the Celery. The plants are then lifted and set close together. The edges of the trench should be made sloping from the tops of the plants. When severe cold weather comes on, cover gradually with leaves, hay or straw, and place boards on top. In such a trench the stalks will blanch perfectly, and may be taken out any time during the winter for use or sale as required. The turnip-rooted or "Knob" Celery needs no earthing up, and may be planted in rows 1 foot apart.

	Per	oz.	¼lb.	Lb.
512	Thorburn Fin de Siecle. We consider this the largest, hardiest, solidest, crispest, best	00	40.05	\$3 00
	keeping and best shipping winter Celery we know ofper pkt., 10 cts\$0	30	\$0. 85	\$3 UU
514	Improved White Plume. Naturally white or light foliage; requires but little banking up to blanch; very early, and extensively grown for market	30	85	3 00
516	Colden Self-blanching. A grand variety, on the style of White Plume, except that it is golden yellow where the Plume is whiteper pkt., 10 cts	40	1 25	4 00
517	Rose-ribbed Colden Self-blanching. This beautiful new Celery is a sport from the well-known Golden Self-blanching, differing from that variety only in the handsome rose-tinted ribs, from which its name is derived	4 0	1 25	4 00
518	Perfection Heartwell. One of the finest and largest of winter varieties, either for family or market-garden. The heart is golden yellow, and of superior quality	25	75	250
520	Thorburn's Shumacher. Immense size; solid and crisp; firm golden yellow heart; a fine keeper; highly recommended	30	85	3 00
521	Perle le Crand. A hightly recommended new variety. Full golden heart and rich flavor,			
	and an excellent keeper	25	75	250
522	Ciant Pascal. An easily bleached and fine keeping large late sort of good flavor	20	50	1 50
523	Large-ribbed Kalamazoo. A good half dwarf white solid Celery	20	50	1 50
528	Evans' Triumph. Fine, large, solid green variety	30	85	3 00
534	Crawford Half Dwarf, or Colden Heart. Of vigorous growth and excellent flavor	20	50	1 50
540	Sandringham Dwarf White. Small, white, solid	20	50	1 50
541	Pink Plume. The same as White Plume, except that the stalks are tinged with pink. It			
	is of very attractive appearance, and possesses the rich flavor and long-keeping quali- ties for which the red Celeries are noted	30	85	3 00
542	London Red Prize. A popular English red sort.	20	60	2 00
546	CELERIAC , or Turnip-rooted Celery . Has edible roots, used for soups and stews.	20	00	2 00
540	If boiled and served with white sauce, it makes an excellent dish	15	50	1 50
548		0"		0 50
	stews. The roots, when cooked and sliced like beets, make fine winter salad	25	75	2 50
550	Celeriac, Apple. Has small foliage and small, smooth roots; for soups	20	60	2 00

CHERVIL.

Perifollo. Benjenlauch. CERFEUIL.

CULTURE. -- Cultivate and use the curled variety of Chervil like Parsley. Sow at any time in the spring, in shallow drills, 1 foot apart, in well-prepared ground. The seed of the Tuberous Chervil should be sown in August or September, and treated like the Carrot. .

		41b.	Lb.	
552	Curled. The leaves of this are used			
	for flavoring soups and stews, and			1
	for garnishing, same as Parsley \$0 10	\$0 35	\$1 25	1
553	Tuberous. A variety which has edi-			1
	ble roots	75	2 50	

CHICORY.

555 **Common** or **Wild.** Used in *Barbe de Capucin*, a salad much made in France. Sown in June, the roots are transplanted in autumn into sand in a cellar. The young shoots form the *Barbe de*

Capucin Witloof. May be sown in May and June in drills. Transplanted or thinned to 6 inches,\$0 10 \$0 25 556 treat as Endive, except in the latter part of summer or fall it should be gradually



COEN-SALAD, OF FETTICUS.

561	La	rge-s	eedeo	۱.	 					
	-									

- Small-seeded 562
- 564 Green Cabbaging.....
- 565 Lettuce-leaved.....

CRESS.

Berro o Mastuerzo. CRESSON. Rreffe.

CULTURE .- Sow Nos. 569 and 571 thickly, in shallow drills, every two or three weeks. No. 569 should be cut often. and it will continue to grow. It is useful not only for salad, but for the breakfast table and for solity of salad, but for the breaklast table and for garnishing. Nos. 575 and 576 should be sown in damp soil; or if a stream of water can be utilized, they would be much finer. They will also thrive well in damp hotbeds. Rightly managed, their culture is very profitable. To obtain early salad, it is a good plan to only with water areas sould a string in horse wide on the sow with water-cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the frame, where it is always cool.

	Pe	r oz.	¼lb.	Lb.
569	Curled or Pepper Grass \$0) 10	\$0 20	\$0 50
571	Broad-leaved	10	20	50
573	Broad-leaved Winter	15	30	$1 \ 00$
575	Erfurt Sweet Water Cress			
	per pkt., 10 cts	75		
576	True Water Cress	40	1 25	4 00



CURLED CHERVIL.

Per oz. ¼1b. Lb.

\$0 80

banked up like Celery. The stalks when blanched make a delicious salad. It is also used by the French as a boiled vegetable, dressed in the same manner as Cauliflower 15 30 1 00 557 Large-rooted Magdeburg. Roots 25 75 are the Chicory of commerce 10

COLLARDS.

Blatterkohl. CHOU CABU. Cabu.

CULTURE.—Sow seed, as for Cabbage, in June, July and August, for succession. Transplant when one month old, in rows a foot apart each way, and hoe offen.

 559
 Ceorgia
 Lb

 559
 \$0 25
 \$0 90

CORN-SALAD, or FETTICUS.

Macha o Valerianilla. Stedfalat. MACHE.

CULTURE .- Sow during August, or early in September, in drills ¼ inch deep and 6 inches apart. If the weather is dry when the seed is sown, tread it lightly to insure germination. Keep down weeds with hoe. Just before the winter, cover thinly with straw or leaves.

 Per oz. .\$0 10	¹ / ₄ lb. \$0 20	Lb. \$0 60
 . 10	20	60
	30	1 00
	30	1 00





CORN, SWEET or SUGAR.

MAIZ. Maiz. Maiz.

CULTURE .- Plant in hills 3 feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stem; break off side shoots. Make the ground rich with well-rotted manure. Sown in drills, a greater yield from a given surface will be obtained. The best fertilizer is Thorburn's Complete Manure. By sowing successive lots and properly selecting varieties, the supply of Sweet Corn can be kept up until hard frosts kill the plants.

EXTRA EARLY.

		Per	Per	Per	Per	Pe	r
578	Early Cory. A very early variety, with good-sized ears and large grains.		qt.	½pk.	pk.	bu	
	This is excellent for market, and has attained wide popularity	\$0 05	\$0 20	\$0 60	\$1 00	\$3	50
579	White Cory. Resembles the ordinary Cory, but with white cobs	05	20	60	1 00	3	50
580	Mammoth White Cory. The ears are double the size of the old Cory	05	25	7.5	1 25	4	00
581	Metropolitan. Large, handsome ears of fine quality: very early	05	20	60	1 00	3	50
582	Marblehead. One of the earliest; dwarf, with short, thick ears: of good						
	quality for an early sort, which especially commends it	05	20	60	1~00	3	50
583	Minnesota. Nearly as early as Marblehead; of dwarf growth	05	20	60	1 00	3	50
584	Perry Hybrid. Very early and of large size; most valuable for market	05	20	60	1 00	3	50
585	Melrose. As early as the Perry Hybrid, and much larger; valuable	05	20	60	1 00	3	50
586	Burbank Early Maine. Large, pure white ears of fine quality: extra early.	05	20	60	1 00	3	50
590	Extra-early Adams. Not a Sugar Corn, but largely grown for early use	05	20	60	$1 \ 00$	3	00
591	Manhattan. The earliest Sweet Corn grown, but the ears are in conse-						
	quence very small		30				

SECOND EARLY, OR INTERMEDIATE.

592	Early Champion. Very large ears, considering its earliness	05	20	60	1 00	3 50
593	Shaker Early. Very large, white grain, and quite early	05	20	60	1 00	3 50
599	Crosby. Matures after Minnesota; fair-sized ears of good quality	05	20	60	1 00	3 50
608	Pee and Kay. Ears large and thick; a desirable variety	05	20	60	1 00	3 50
609	Stabler Pedigree. A good main crop sort	05	20	60	1 00	3 50
610	Potter Excelsior. Good size, and a week earlier than Large Excelsior	05	20	60	1 00	3 50
611	Moore Concord. Of strong growth; ears large and well filled	05	20	60	1 00	3 50
612	Early Evergreen Like the Stowell's Evergreen, but a week or ten days earlier.	05	20	60	1 00	3 50
617	Early Adams. Not a Sugar Corn, but grown extensively for market	05	20	60	1 00	3 00
	· ·					

GENERAL CROP.

618	Large Eight-rowed. Very productive, and of superior richness	05	20	60	$1 \ 00$	3 50	0
619	Asylum. Tnick, 12-rowed.	05	20	60	1 00	3 50	0
620	Triumph. Large ears, very white; productive	05	20	60	1 00	3 50	0
622	Hickox Improved. Handsome ears, very white and of rich flavor	05	20	60	1 00	3 50	0
624	Roslyn Hybrid. Large-growing variety of very fine quality	05	20	60	1 00	3 50	0
626	Stowell Evergreen. Remains green a long time, and is highly prized; one						
	of the most popular varieties	05	20	60	1 00	3 00	0
627		05	20	60	1 00	3 50	0
	LATE.						
	EATE:						
630	Black Mexican. Very sweet and of superior flavor; grains black	05	20	60	1 00	3 50	0
634	Ne Plus Ultra or Shoe Peg. Small, but one of the sweetest sorts grown.	05	20	60	1 00	3 50	0
640	Late Mammoth. Rank in growth; large ears, rich and sweet	05	20	60	1 00	3 50	0
644	Egyptian. Large and of superior quality; largely used for canning	05	20.	60	1 00	3 50	0
646	Country Centleman. Same as Ne Plus Ultra, but with large ears; of de-						
	licious quality	05	20	60	1 00	3 50	
650						2 00	0
	Sweet Fodder Corn. For soiling and ensilage					2 00	0

٠.

For FIELD CORN, see Cereals, page 55.



THORBURN EVERBEARING CUCUMBER.

CUCUMBER.

CONCOMBRE. Pepino. Gurfe.

CULTURE.—For very early, sow seeds in hotbeds upon pieces of sod, or in small pots, and they can be readily transplanted with a gain of about six weeks before they can be sown in the open ground. Plant out in rich soil when danger of frost is over, or they may be protected by hand glasses, or even by paper held down at the corners with a handful of earth. For general crops, sow in the open ground as soon as the weather is settled and warm, and again every two weeks for a succession. For pickles, sow from the middle of June to the first week in July. Sod land, turned over in the fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill.

wen	-lotted manufe in cach him.		1/11	T 1	
660	Thorburn 1896 Pickler. In size, symmetry, slimness, color and productiveness, a per-	er oz.	¼lb.	Lb.	
000		0 10	\$0 25	\$0 80	5
662	fect pickling strain	010	φ0 <u>2</u> 0	φυοι	'
002	dark green color long after pickling; very handsome	10	25	80	
663	Thorburn Everbearing. Small-sized; very early and enormously productive, and valu-	10	20	00	'
005					
	able as a green pickler. It continues to flower and produce fruit until killed by frost,	10	25	80	
CC2 ~	whether the ripe Cucumbers are picked off or not	10	20	80	,
0034	Fordhook Pickling. A first-class new pickling sort. It is wonderfully prolific, and con-				
	tinues to bear longer than all others. It is tender and crisp, and of the best size and	10	25	00	
0.04	shape for pickling Early Russian. Very early, short; is a valuable variety for small pickles	$\frac{10}{10}$	20	80 60	
664	Early Russian. Very early, short, is a valuable variety for small pickles	10	20	00	1
665	Cool and Crisp. Extra early and very prolific; long, straight, slender, and very dark	10	20	60	
667	green; good either for pickling or slicing.	10	20	60	
668	Early Short Green. Good for pickling; productive Early Green Cluster. Fruit small and in clusters; very prolific	10	20	60	
669	New Orleans Market. Very productive, a good keeper and shipper; good for forcing	10	20	00	'
009		10	25	80	
670	or open ground	10	20	00	
010	ductive, crisp and of fine flavor. This is the sort that is so largely				
	grown in the South for early shipping to the northern markets	10	20	60	
671	" Extra Long. A beautiful, large and well-shaped Cucumber, slightly	10	20	00	ſ
011	longer in maturing than the above	10	20	60	
671a	" Arlington. A fine strain of the Improved White Spine. It is fine either	10	20	00	
0110	for forcing or for outdoors	10	20	60	
672	" " Peerless. Very early strain.	10	20	60	
673	Evergreen. Very early and prolific; retains its fine, deep green color in all stages of	10	-0	00	
010	growth	10	20	60	
674	Long Green. Long and crisp; a popular and reliable variety for pickles	10	20	60	
675	Long Green Turkey. Fruit very long and rather slim	10	20	60	,
676	Ciant Pera. Very long, and one of the best for table use	15	30	1 00)
678	Green Prolific Pickling. One of the best for pickling; dark green, very productive and				
	of uniform small size	10	20	60	
679	Nichol Medium Creen. Most symmetrical, and a very fine table sort	10	20	50)
680	Boston Pickling. A favorite eastern sort, of fine quality	10	20	60	1
681	Tailby Hybrid. Very long, and superior for table use	10	20	60)
682	White Pearl. The best white sort; it ripens early and is very productive	10	20	60	J
683	Small Cherkin. Very small bur; used for pickles	10	30	1 00	J
684	Japan Climbing. Good for frames or open ground	10	30	1 00	

ENGLISH CUCUMBERS FOR FRAMES.

(Concombre especes Anglaise pour Couches.)

CULTURE.—The following are for growing in hotbeds, or houses particularly constructed for forcing, so that a supply can be furnished during the winter months, at which time the prices are very remunerative. Sow seeds in October, November or December, according to the time they are wanted, in small pots, in fibrous loam lightened and enriched with old manure, taking care to give plenty of air and water. Robustness of habit is especially valuable in winter, and therefore the soil should not be too light. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with a sheet of brown paper until the seeds

CUCUMBERS-continued.

germinate. Afterwards uncover and ventilate, to insure steadiness of habit. More seeds should be planted than the number of plants required, as some may fail to grow, and others that germinate may be weaklings. None but strong plants should be employed. It will be necessary to fertilize the pistillate flowers with the staminate, in order to render the vines productive, as owing to the absence of insects, they will not produce a crop under glass the same as in the open ground.

Packets contain from 5 to 15 seeds each, according to sort.

-				
Р	er	n	Ŀ.	ŧ.

699	Prescott Wonder. Rapid growing and	
	very prolific; long, dark green fruit, pro-	
	duced in clusters \$0	25
700	Duke of Edinburgh. Very large and	
	long; dull green; quite smooth	25
701	Giant of Arnstadt. Good bearer	25
709	Sutton's Prograce Rich dark groon	25


DANDELION.

PISSENLIT. Amargon. Pardeblum.

CULTURE.— The Dandelion is a hardy perennial plant, and one of the most desirable early spring salads. Sow in early spring, in drills $\frac{1}{2}$ inch deep and 18 inches apart; thin out the plants to 12 inches. Keep clear of weeds during the summer, and the ensuing spring the leaves will be fit to cut. They are best, however, when blanched, which makes them tender, and destroys to some extent their bitter taste, without in any way impairing the qualities which make them desirable as greens. The blanching may be done by placing a couple of boards over the rows thus: Λ This excludes the light and improves the greens, rendering them far superior to those found growing wild in the grass without cultivation, which are almost sure to be bitter, and are often unsightly and tough as well.

	re Pe	er oz.	7410.	Per ID.	
737	French Garden\$	20	\$0 60	\$2 00	
738	Improved Thick-leaved	40	1 25	4 50	

	Per	pĸt.
704	Noa's Forcing. Very productive \$	0 25
706	Goliath. Very prolific	25
708	Telegraph. Free-bearing, long and exten-	
	sively grown ; handsome	25
709	Lockie's Perfection. Fine color	25
711	Tender and True. Fine form; good color	25



1MPROVED THICK-LEAVED DANDELION.

EGG-PLANT.

AUBERGINE. Berengena. Cierpflanze.

CULTURE.-Sow in hotbeds very early in spring and transplant when 2 inches high into a second bed or into small pots. If this is not done, thin to 4 inches apart. Do not plant out until weather has become perfectly settled and warm. Cool nights or wet weather will check them. Keep some back in

> frames for a second planting, in case of weather changing unexpectedly. Keep plants watered for a few days, if the sun is hot when put out. Set out plants 3 feet by 2.

	P	er oz.	3	álb.	Lb.
740	Improved New York Spineless.			· ·	
	The standard, largest and best;				
	large, oval, deep purple; early				
	and productive; grown more ex-				
	tensively than any other sort\$	0 35	\$1	00	\$3 50
741	Early Dwarf Purple. Dwarf, very				
	early; small-sized, ovoid fruit				
	of good quality	35	1	00	3 50
742	Long Purple. Of distinct shape	~ ~			0.00
	and fine quality	20		60	2 00
743	Round French. Medium size,				
	pear-shaped, pale purple; good	07		75	0 50
	quality	25		19	2 50
744	Black Pekin. Round, blackish	30		85	3 00
744	purple fruit; has dark foliage.	50		00	5 00
144a	White Pearl. A large, very hand- some variety like the New York				
	Improved, but white. Pkt. 10c.	60	1	75	6 00
745		00	-	10	0 00
740	ornamental	30		85	3 00
746	Round White. Small and orna-				
110	mental	30		85	3 00
747	Long White. Small and orna-				
	mental	30		85	3 00
748					
	and white	40	1	25	4 00



IMPROVED NEW YORK EGG-PLANT.

24

ENDIVE.

CHICOREE. Escarola o Endivia. Endivie.

CULTURE.—Sow in June, July and August; cover lightly; when up, thin out to 8 inches apart, and water well afterward, if dry. When the leaves are 6 or 8 inches long, blanch by gathering in the hand and tying together

near the top with yarn or bast. This must be done when quite dry, or they will rot. At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar for use. They must be kept dry, and have plenty of air, or they will rot.

		r oz.	1/41b.	Lb.	
750	Green Curled Winter. Standard				
	sort for fall and winter crop\$	20	\$0 60	\$2 00	
751	White Curled. For early use	20	60	2 00	ALL N
752	Laciniated. A fine French sort	20	60	2 00	1100
753	Broad - leaved (Escarolle). A				0.10
	sweet variety: fall and winter	20	60	2 00	
754	Large Green Curled (de Ruffec).				
	Broad ribs; fine for fall and winter	20	60	2 00	
755	Savoy-leaved (Pancalier)	20	60	2 00	
756	Parisian Curled. Small, very fine				
	curled	20	60	2 00	



BROAD-LEAVED ENDIVE.

FENNEL, FLORENCE or NAPLES.

FENOUIL DE FLORENCE. Finocchio di Napoli.

CULTURE. - Sow in spring, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart, and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles Celery, but with a sweet taste and a more delicate odor. Per oz., 15 cts.; per ½1b., 50 cts.; per lb., \$1.50.

KALE, or BORECOLE.

CHOU VERT FRISE. Col. Araustohl.

CULTURE.—Nos. 759 to 773 are cultivated and grown exactly like Cabbage. No. 777 sow in September for early greens. Sow 780 early in the spring in a hotbed, and when from 1 to 2 inches high transplant into a bed or border that has been highly manured and deeply dug. The plants should stand 2 feet apart in rows 3 feet apart. The soil should be kept mellow and free from weeds. Cover with litter or leaves during the winter. Plants started and grown in this way should be fit to blanch the following spring. The seed may also be sown early, in the open border, and transplanted in rows (as directed above), as soon as out of the seed-leaf; but they will need to be a year older than the hotbed plants before being fit to blanch. Sea Kale is not fit to eat until it has been blanched, either under large pots, or by banking up with sand. The midribs are the parts eaten. They are cooked like Asparagus, and usually served with drawn butter.

	Per	oz.	1/41b.	Lb.
759	Curled Dwarf Green Scotch. Very dwarf and spreading; best strain) 10	\$0 20	\$0 60
760	" Tall Creen Scotch. A taller growth of the above	10	30	1 00
768	" Dwarf Brown. Very hardy	15	30	1 00
769	" Tall Brown. Very hardy	15	30	1 00
773	" Striped and Variegated. For garnishing	20	60	2 00
777	" Siberian, Thorburn Improved. Uniformly dwarf, green curled; hardy	10	25	75
780	Sea Kale. Very fine: resembles Celery in appearance	25	75	250
782	Pe-tsal. (The Chinese Cabbage.) Grows like Cos Lettuce; delicate cooked as Spinach			
	or raw for salad: best as a fall crop	20	60	2 00
783	Jersey Winter Kale, or Cow Cabbage. Said to be hardy from New Jersey southward.			
	The leaves make valuable winter cattle-feed	10	30	1 00



KOHLRABI.

CHOU-RAVE. Colinabo. Rohlrabi.


CULTURE.—This is an excellent vegetable, and should be grown in every garden. Sow in spring, in rows 18 inches apart, afterwards thinning the plants to 8 or 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weeds down, and when the thickened stems above ground are 2 or 3 inches through they are fit to eat, and should be used at once, being tough when old. They are cooked same as Turnips, and when well grown and used at the proper stage, are tender and very palatable.

	Pe	r oz.	1/41b.	Lb.
34	Early White Vienna. Handsome and			
	delicate; white ball\$0	25	\$0 75	\$2 50
55	Early White Vienna. For frames	35	1 00	3 50
39	Early Purple Vienna. Purple ball; a			
	very good sort	30	85	3 00
90	Early Purple Vienna. For frames	35	1 00	3 50
91	Large White, or Green. Forms a larger			
	ball; not so fine, but more productive.	15	50	150

LETTUCE.

LAITUE. Lechuga. Galat.

CULTURE. - Sow Nos. 799, 803, 806 and 807 in hotbeds in March, and in the open ground as soon as it can be



THORBURN MAMMOTH BUTTER LETTUCE.

worked, and transplant to rows 8 inches apart. Sow in two weeks' time same varieties again, as also Cos, for a succession. In August sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. Always sow thin, and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 or 8 inches apart. To have Cos in good order, they must be sown in a hotbed early in the year, and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. They require tying for a few days, when grown, to blanch. Lettuce requires good ground, enriched with thoroughly rotted manure and well pulverized. The afterculture should be close and careful, to secure the best results.

	THORBORN MAMMOTH BUTTER LETTUCE.		7 (22	
794	Thorburn Maximum. The largest, solidest, crispest and best\$	er oz. 30 25	⅓lb. \$0 75	Lb. \$2 50
795	Improved Emperor Forcing. Yellow, earliest of all; suited only for frames	20	¢0 10 50	2 00
797	Selected Buttercup. Yellow, solid, small heads; for forcing outdoors	15	40	$\frac{1}{1}25$
799	Thorburn Market-Gardener's Private Stock. A selected strain; solid, large heads,	20	10	1 20
100	resisting the sun for a long time before shooting up	20	60	1,75
800	Coldframe White Cabbage. For starting in coldframes and setting out early	20	50	1 50
801	Thorburn Yellow Winter. The finest of all coldframe sorts	20	50	1 50
802	Hubbard Market. A large, white Cabbage variety; for forcing or open ground	15	30	1 00
803	Big Boston. Fine for forcing in coldframes or for open ground	20	50	1 75
804	Large Boston. Very large, solid heads; fine for forcing	20	50	1 50
805	Prize Head. Large, loose heads, tinged with brown	15	30	1 00
806	Early Curled Simpson. A leading early sort; very tender; white seed	15	30	1 00
807	Black-seeded Simpson. A superior variety; large, and of light color	15	30	1 00
809	American Gathering. Twisted and curled leaves; fine for early or late sowing	15	40	1 25
810	Reichner. Large, white, solid heads; good for forcing or outside	15	30	1 00
811	Sensation. A fine, solid head variety; for forcing or open ground	15	30	1 00
812	Thorburn Glass-house. For forcing under glass	20	60	2 00
815	Tennisball White Seed. A well-known forcing variety	15^{-1}	30	1 00
817	Stone Tennisball Black Seed. Forms close, hard heads; for forcing	15	30	1 00
829	White Summer Cabbage. Close heads, of good size; fine for summer	15	30	1 00
831	New York Cabbage. Large, solid heads; dark green color	15	40	1 25
837	Colden Stone Head. A handsome Head Lettuce; small and solid; for forcing	20	50	1 50
838	Colden Queen. Medium size, golden yellow, solid heads; very early	20	50	1 50
839	Denver Market. Large, solid heads; good for forcing or outdoors	15	30	1 00
840	Improved Salamander. Fine, compact heads, which resist the summer heat admirably.	20	50	1 75
841	Thorburn Mammoth Butter, Black Seed. A selected strain, with large, solid yellow			0.00
0.10	heads. The favorite variety of New York market-gardeners	20	60	2 00
843	Large Crey-seeded Butter. One of the best; large head	15	30	1 00
845	Grand Rapids Forcing. Large, tender; one of the best for early forcing	15	30	1 00
846	Brown Dutch. Leaves tinged brown; large, solid heads; very hardy	15	40	1 25
847 848	Shotwell Brown Head. Large, handsome, tender heads; very hardy	25	75	2 50
848	Trocadero. Hardy and early; for spring or summer; green leaves, tinged russet	20	50	1 75
850	Hardy Creen Hammersmith	20 15	50 30	1 50
852	Improved Hanson. Very large and solid; withstands the hot sun well		30 40	$1 00 \\ 1 25$
853	Iceberg. Large, solid heads, very handsome; tender and crisp Mignonette. Distinct russet-colored; very solid and compact	$15 \\ 15$	40 40	$1 25 \\ 1 25$
860	White Cos Romaine. Fine, if sown very early; requires tving up to blanch	15 15	· 40	$125 \\ 125$
862	Trianon Self-closing Cos. The finest of all the Cos sorts, resisting warm weather	$\frac{15}{20}$	40 50	$1 20 \\ 1 50$
004	Thankin Self-Closing Cos. The mest of all the Cos sorts, resisting warm weather	20	90	1 90

ICE-PLANT.

CULTURE.—Sow in good garden soil as soon as the ground becomes warm in spring, in shallow drills 1 foot apart. Thrives well in hot, dry climates. Desirable for boiling like Spinach, or for garnishing. Pkt. 5c., oz. 40c.


LEEK.

POIREAU. Puerro. Porro.

CULTURE. -- Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When

about 7 inches high, transplant them in rows 12 inches apart, and as deep as possible, but do not cover the young center leaves. Water thoroughly, if dry when planted out. Draw earth up to them as they grow; rich soil is required. Take up and store in earth in a cool cellar before winter weather. The seeds may also be sown in September, and the young plants transplanted in spring to where they are to remain.

	I	Per oz.	$\frac{1}{4}$ lb.	Lb.
869	Best Large Flag Winter. Hardy and productive		\$0 60	\$2 00
872	Large Rouen Winter. A stand- ard sort; remains long in good condition		60	2 00
873	Large Carentan, or Mussel- burgh. A superior variety with distinct and dark-colored leaves;	;		
	stout in habit, and hardy	20	60	2 00
874	London Summer	15	50	1 50



MARTYNIA.

(For Pickles.) Gemfenhorn.

CULTURE.— Sow in May in the open ground, 3 feet apart in each direction, where the plants are to remain; or the seed may be sown in a hotbed, and the seedlings afterwards transplanted. These varieties are productive, and fine for pickles. Pick when small and tender, and preserve the same as Cucumbers.

 Per oz.
 ½1b.
 Lb.

 Craniolaria, Proboscidea, Lutea (three varieties).....each..\$0 30 \$0 \$5 \$3 00

MUSHROON SPAWN.

BLANC DE CHAMPIGNON. Seta. Champignonbrut.

CULTURE.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse-dung, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed of the required size. Three or 4 feet wide, 8 inches deep, and any length desired, are the proper proportions for a bed; but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a



few days, and as soon as the heat subsides to 90 degrees, make holes in the bed about a foot apart each way, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or 10 days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches, and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given, that it be at a temperature of about 100 degrees.

From experience with French and English Spawn we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the English; but if the bed is not in the right state, it will often rot. The English Spawn, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing its vitality. It is well to keep these points in mind in ordering spawn.

English Spawn. 15 cts. per lb., 10 lbs. for \$1, 100 lbs. for \$9.

French Spawn. Per 3-lb. box, \$1.20; in bulk, per lb., 45 cents.

MUSHROOMS.

MELON, MUSK.

MELON MUSCADE.

Melon Muscatel. Cantalupe.

CULTURE.-Select a light, sandy, rich soil and after all danger of frosts is over, and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, 6 to 12 seeds to a hill. When up, and all danger of insects

has passed, pull out all but 3 plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry road-dust, is excellent to sift over the young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds, on pieces of sod or in pots. The seed may also be started out of doors under hand frames or glasses.

It is quite important that proper soil be selected for growing Musk Melons, as on heavy soil the quality will be poor.

Part and the second s	07	1/1h	Per lb.
878 Long Island Beauty. On style of	. 02.	/41.01	1 01 10.
Hackensack. The earliest and finest			
in quality, and the most beautiful			
Musk Melon	10	\$0 25	\$0 80
879 Champion Market. Of large size,			
slightly elongated, densely netted;			
flesh light green and very sweet;			
early	10	20	60
880 Netted Cem Round. Very early;			
small and of fine flavor; green flesh.	10	20	60
LONG ISLAND BEAUFY MUSK MELON. 880a Netted Cem Oblong. Same as			
above save in shape	10	20	60
The Surprise. Early; oblong, with rich orange flesh of good quality	10	20	60
Melrose. Oval, dark green, densely netted; flesh thick, light green, shading to_salmon.	10	20	60
White Japan. Early, with light green flesh and white skin	10	20	60
Rocky Ford. For description, see Novelties	15	40	1 25
Nutmeg. Named from its shape; green flesh, sweet; good for main crop; early	10	20	60
Jenny Lind. Small, green-fleshed; very early; good quality	10	20	60
Hackensack. Large, round and of good quality; a popular variety; early	10	20	60
Extra-early Hackensack. Ripens 10 days earlier than the Hackensack; very early	10	20	60
Osage. Cocoanut-shaped; yellow flesh; light green, netted skin; good quality	10	20	60
Hybrid Bay View. Very prolific, and of great size, oblong; green flesh; late	10	20	60
French Perfection. Salmon flesh, very sweet; round, netted	10	25	75
Orange Christina. One of the finest orange sorts; round, very sweet, and very early	10	20	60
The Banquet. Beautifully netted, medium sized ; flesh rich salmon; fine quality	10	25	75
Ward Nectar. Small, finely netted; green flesh; fine flavor; early	10	20	60
Cosmopolitan. Round, densely netted; green flesh; very sweet	10	20	60
Baltimore Market. Oblong; orange flesh, of fine quality; intermediate	10	20	60
Newport. Extra early, small, round; green flesh, of fine flavor	15	30	1 00
Emerald Cem. Small, extra early; dark green skin, orange flesh; very sweet	15	30	1 00
Perfected Delmonico. Heavily netted, orange-pink flesh, fine flavor; small, round	15	30	1 00
Casaba. Green flesh, large size; good quality	10	20	60
Green Montreal. Large, round, netted; flesh thick and light green; late	10	20	60
Long Yellow Cantelope. Yellow flesh, late; well adapted to the North	10	20	60
Paul Rose. Handsome oval new variety; rich orange flesh, very sweet	15	30	1 00
Jersey Belle. Deeply ribbed, heavily netted green flesh, fine quality	10	20	60
Banana Citron. Cucumber-shaped, highly perfumed; of indifferent quality; late	10	20	60
Pomegranate. Ornamental; for perfume; late	15	40	1 25
Mango Melon, or "Vine Orange." (Also called "Vegetable Peach.") Size, shape and			
color of an orange; thick, meaty flesh. Fine for preserving or pickling	15	30	1 00
Pineapple. Medium sized, oval-shaped; flesh green; intermediate	10	20	60
Winter Pineapple. An extraordinary melon, which can be kept in splendid condition for			
months after being pulled. Suitable for the South only; very late	20	50	1 50
New Clant. Round-shaped; light green color; skin smooth, with little netting; flesh			
deep salmon color, thick, fine-grained, and not stringy; very late	10	25	75
, , , , , , , , , , , , , , , , , , , ,		_0	

IMPORTED VARIETIES.

ENGLISH FRAME SORTS.

FRENCH VARIETIES.

' Pkt. nge\$0 25 252525. . .

	Pkt.	These sorts ripen outdoors here, and are well
928	Invincible Scarlet\$0 25	I hese sorts ripen ontabors here, and are well
		Pkt.
930	Monroe's Little Heath	937 Red-fleshed Lyons. Almost solid, orange
931	Blenheim Orange 25	flesh of finest quality\$0 25
934	Cilbert's Green Flesh 25	938 Green-fleshed Provence 25
935	Lord Beaconsfield 25	939 Orange-fleshed Trevoux 25
936	Bishop's Favorite	940 Nevers Warted 25

881 Tł 882 M 883 W 884 R 885 N 886

887

888

893

894 w 895

896

897

898 Er 900

902

904

906

908

913

915

916 Po 917 Μ

918 Pi 919W

921 N

MELON, WATER.

MELON D'EAU. Zandia. Daffermelone.

CULTURE.-Treat the same as Musk Melon, except that they should be planted 8 or 10 feet apart, according to variety. Light soil is best.

- 950 Vau Cluse Red-seeded-Very early; shape elongated; flesh bright crimson. Per oz., 15 cts.; ¼lb., 30 cts.; lb., \$1.
- 966 Hungarian Honey. A very early sort. Fine for northern latitudes; perfectly round; flesh brilliant red. Per oz., 15 cts.; 24lb., 30 cts.; lb., \$1.
- 968 Jordan Cray Monarch. Largest grown; crimson flesh; late. Per oz., 10 ets.; ½1b., 20 ets.; lb., 50 ets.
- 970 Kolb Cem. Large, bright red flesh of fine quality, and a good shipper; intermediate. Per oz., 10 cts.; ¼lb., 20 cts.; lb., 50 cts.
- 970a Pride of Ceorgia. Round, large, crisp; bright red flesh; intermediate. Per oz., 10 cts.; ½1b., 20 cts.; lb., 50 cts.



	Ib., 50 cts.	Per oz	. ¼1b.	Lb.
971	The Boss. Oblong, dark green; flesh deep scarlet, and rind thin; intermediate			\$0 50
975	Dark Icing. Solid, with thin, dark green skin; of superior quality; white seed; early.	10	20	50
976	Light Icing. Round, pink flesh of fine quality	10	20	50
978	Mammoth Ironclad. Long, very large, late; red flesh; good shipper	10	20	50
979	White-seeded Ice Cream. Very early; red flesh	10	20	50
981	Phinney. Early, and of fine quality; red flesh	10	20	50
982	Scaly Bark. Thin, tough rind, flesh crimson, tender and sweet; ships well	10	20	50
983	Dixie. Excellent quality; very large and solid; flesh red; intermediate	10	20	50
984	Duke Jones. Large, handsome, dark green; red flesh of fine flavor	10	20	50
986	Seminole. Very large; quality first-rate; intermediate	10	20	50
987	Cuban Queen. Solid and heavy; skin marked regularly; excellent quality; early	10	20	50
990	Black Spanish. Large, roundish, nearly black; dark red flesh; early	10	20	50
996	Mountain Sweet. An old and reliable sort; flesh red; late	10	20	50
1000	Florida Favorite. A superior strain; improvement on Rattlesnake; intermediate	10	20	50
1003	Coodwin Imperial. Crimson flesh, fine quality; small, nearly round; extra early	10	25	75
1025	Southern Rattlesnake. Oblong, dark and striped; bright red flesh; late	10	20	50
1026	Cole Early. Medium size; red flesh; green skin	10	20	50
1027	Sweetheart. Very large; bright skin; fine quality	10	20	50
1028	Wonderful Sugar. Very sweet; handsome, oblong shape	10	20	50
1029	Apple Pie, or Colorado Citron. Used for preserves; green seed	10	20	50
1030	Citron. Round and handsome; for preserving; red seed	10	20	50

MUSTARD.

Senf.

MOUTARDE. Mostaza.

CULTURE. - Sow thickly during early spring, in shallow drills, and press the earth well down. For fall salad, sow in September, or in frames or boxes during winter. Per oz. ½1b. Lb. 1035 Black. These seeds form the mustard of commerce. \$0 05 \$0 10 \$0 25 1036 White London. Leaves used for salad while young; grows very rapidly. 05 10 \$25 1038 Giant Southern Curled. Very large leaves. 10 \$25 1039 Chinese Broad-leaved. Leaves of agreeable flavor when cooked like Spinach. 15 50 \$150

NASTURTIUM.

CAPUCINE. Maraneula. Nasturtium.


CULTURE.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitute for Capers.

			Per oz.	1/1b.	Lb.	1	Tall Mixed	Per oz.	1/1b.	Lb.
1041	Tall	Crimson	\$0 15	\$0 30	\$1 00	1043	Tail Mixed	\$0 10	\$0 25	\$0 75
1042	Tall	Yellow	15	30	1 00	1044	Dwarf Mixed	10	30	1 00

ONION.

OIGNON. Cebolla. Zwiebel.

CULTURE.-Sow in rich, sandy soil, in drills 1 foot apart, as soon as the ground can be worked in spring. Thin to 3 or 4 inches, using the rake and hoe frequently to keep down the weeds.



- 1045 White Early Barletta. A small white Italian sort; earliest of all. Oz. 25 cts., 3/4lb. 75 cts., lb. \$2.50.
- 1047 White Queen. Pure white; small; flat; extra early; fine for pickling. Oz. 25 cts., ¼1b. 75 cts., lb. \$2.50.
- 1049 White Pearl, Italian grown. Extra early; round; white; fine flavor. Oz. 25 cts., ¼1b. 75 cts., lb. \$2.50.
- 1053 White Victoria. Italian, white, globular sort; very large; mild flavor. Oz. 25 ets., ½1b. 75c., lb. \$2.50.
- 1054 White Large Portugal. The standard large flat sort. Oz. 30 cts., ¼lb. 85 cts., lb. \$3.
- 1055 White Large Clobe (Southport strain). Very large and handsome. Oz. 30 cts., ½1b. 85 cts., lb. \$3.

		-	1 /20	
1056	White Tripoli. Very large, white Italian variety	Per oz. \$0 20	\$0 60	Lb. \$2 25
1057	" Mammoth Carganus, or Silver King. Silvery white Italian		75	2 50
1058	" Bermuda (Teneriffe grown). Very early		85	3 00
1058a	" Bermuda White Wax. Snow white new Teneriffe sort		1 25	4 00
1059	" Dutch Round Hard. One of the best white pickling sorts		60	2 00
1060	" Thorburn Excelsior Pickling. One of the best whites for pickling		60	2 00
1060a	" Bunching		60	$2 \ 00$
1061	Yellow Danvers. A standard sort : early, and a good keeper		50	1 50
1062	" Clobe Danvers. Of more globular shape ; keeps well		50	1 50
1063	"Strasburg, or Dutch. Fine keeper; flat; yellow skin, white flesh	. 15	50	1 50
1064	" Large Clobe (Southport strain). The finest large yellow	. 20	60	2 00
1066	" Clobe Spanish, or Prizetaker. Immense size; globe-shaped; light yellow.		60	$2 \ 00$
1069	" Ciant Rocca. Productive and mild; of very large size	. 15	50	1 50
1072	Red Large Wethersfield. Half-early, and a good keeper; large size	. 15	50	1 50
1074	" Large Clobe (Southport strain). The finest large red sort	25	75	2 50
1075	" Early Clobe, Cregory's. Like above, but earlier, and not so large	. 20	60	1 75
1075a	" Early Flat. Medium size; very early; deep red; mild flavor	. 15	50	1 50
1076	" Ciant Rocca. Productive and mild; of very large size	. 15	50	1 50
1077	" Australian Brown. Medium size, hard, solid; very early	. 20	60	$2 \ 00$
1078	" Clobe Madeira. Light red	. 20	60	2 00
1079	" Bolton Brownish Pink. For Sets	20	50	1 75
1080	" Mammoth Carganus. Very large Italian sort	. 25	75	2 50
1081	" Victoria. Italian, red, globular sort; very large; mild flavor	. 20	60	2 00
1082	" Bermuda (Teneriffe grown). Very early	. 25	75	250
1084	" Ætna. A fine Italian variety	20	60	$2 \ 00$
1085	" Bassano. Dark blood-red Italian sort	. 20	60	$2 \ 00$
1086	Welsh. The leaves are used for salad early in spring. Sow early in fall		60	$2 \ 00$
1088	Imported Shallot Seedper pkt., 10 ets			
1089	Potato Onion Seed per pkt., 10 cts.	75		
1090	Chives Seedper pkt., 25 cts.			

ONION SETS, ETC.

Onion Sets and Tops should be planted near the surface, in drills about 12 inches apart and 4 inches in the rows. They must have high culture for the best results. They are valuable for early use, and where Onions from seed cannot be raised the first year, they are essential.

IF These are the prices ruling in January; later on they may be higher, owing to shrinkage and rotting.

Yellow Onion Sets	er qt.	½pk.	Pk.	Bus.
Yellow Onion Sets	0.20	\$0 60	\$1 00	\$3 50
White Onion Sets	25	75	1 25	4 00
Red Top Onions				
White Potato Onions	30	90	1 50	5 00
Yellow Potato Onions	25	75	1 25	4 50



keep down weeds.

1109

1108 Thorburn Hollow Crown.

1110 Abbott Improved. Smooth and quite large; fine sort...

1111 Maltese. One of the best sorts; quite

1112 Early Round.....

not

market - garden-

Long White. A

standard variety.

long as the Long

White

OKRA, or GUMBO.

Quimbombo. Gombaud. Safran.

CULTURE .- Sow late in the spring, after the ground has become warm, in drills 3 feet apart, where the plants are to remain. Thin out to from 9 to 12 inches. They should be well manured. They may also be raised in pots or a hotbed, and transplanted.

1000	Per	oz.	¼lb.	Lb.
1098	Long Green. Dwarf, very productive;			
	long, green pods\$0	10	\$0 20	\$050
1099	White Velvet. Tender white pods; smooth			
	and velvety in appearance	10	20	50

ORACH, or FRENCH SPINACH.


ARROCHE. Armuella.

CULTURE .- Sow early in spring; cultivate and use like Spinach. Per oz. 1/4lb. Lb.

Red. Distinct; dark red leaves\$0 15 \$0 30 \$1 00 1101 1103 White. Pale green leaves, almost yellow.. 15 30 1 00

PARSNIP.

PANAIS. Chirijia. Pastinake. CULTURE .- Sow as early in the spring as the ground can be worked, in rich soil, in drills 18 inches apart. The ground should



PARSLEY.

PERSIL. Perijil. Betersilie.



¼lb.

20

20

20

20

Per oz.

10

10

10

10

Α

er's strain.....\$0 10 \$0 20

as

EXTRA-CURLED PARSLEY.

CULTURE .- Soak the seeds a few hours in lukewarm water, and sow early in spring, and until the middle of July, in drills 1 foot apart. Thin out the plants to 4 inches. To preserve in winter, trans-plant to a light cellar or coldframe. No. 1122 should be thinned out while young, and managed in after cultivation the same as Carrots and Parsnips.

	-			
		oz.	¼lb.	Lb.
1115	Extra Curled.			
	Superior\$0	10	\$0 25	\$0 75
1116	Moss Curled.			
	Very pretty	10	25	75
1117	Fern-leaved.			
	Fine curled	10	25	75
1118	Plain. The or-			
	dinary form	10	20	50
1120	Beauty of the			
	Parterre.			
	Most beauti-			
	ful for edg-			
	ing, and			
	equally good			
	as a condi-			
	ment	15	40	1 25
1122	Hamburg, or			
1122				
	Rooted, Ed-			
	ible roots	10	20	60
	1010 10005	10	20	00

PEAS.

Pois. Chicharos o Guisantes. Erbjen.

CULTURE. - A week may be gained in earliness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early

as the ground can be worked, and again every ten days for succession. Peas may be sown in this vicinity as late as 20th of August. Sow in single or double rows, from 4 to 6 feet apart, according to the different heights, about an inch apart in the row (except such sorts as we note to sow thinly), and 4 inches deep. In this climate the O'Rourke Pea, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often, and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching-in. The dwarf varieties may be grown in beds like bush beans, with rows about the same distance apart. The holes which are sometimes found in Peas are caused by the pea weevil (Bruchus pisi). This insect is a native of this country, but, as usual with such pests, has spread rapidly, and is now found nearly all over the world. The beetles lay their eggs on the young pods, and the larvæ, as soon as hatched, make their way through the pods into the nearest Peas. They do not, as is sometimes supposed, destroy the germ, for Peas will grow if they are infested, but the plant is likely to be more feeble, and for this reason will not produce as large a crop as if free from the weevil.

EXTRA EARLY PEAS. Height 1141 Thorburn Extra-early Market. Our standard market-garden extra-early Pea: productive				Per bus.
and profitable to grow	0 25	\$0 75	\$1 25	\$4 00
1143 First-of-All. First-class se- lected strain of extra-earlies.2½	25	75	1 00	3 75
1144 Philadelphia. Resembling First-of-All	20	60	1 00	3 50
1145 Daniel O'Rourke Improved. Extra-early : favorite market- gardener sort	25	75	1 25	4 00
THORBURN EXTRA-EARLY MARKET. THORBURN EXTRA-EARLY MARKET. 1146 Alaska. One of the very ear- liest blue Peas; quite pro- ductive	25	75	1 25	4 00
finest extra-early Pea yet introduced; it is in condition to pick about four days after our Extra-early Market. The pods are very large, and well-filled with large <i>wrinkled</i> deep green Peas of the very finest quality	50	1 50	2 50	9 00
8 *Exonian. One of the finest extra-early wrinkled sorts	30	1 00	1 75	6 00
9 *American Wonder. Early and productive ; fine quality1	30		1 50	5 50
0 *Nott Excelsior. A splendid early wrinkled sort ; very prolific1	30	1 00	-	6 00
1 *Alpha. An extra-early wrinkled Pea ; sow thickly	30		1 50	5 00
2 *Premium Cem. Early; straight pods, well-filled1	25		1 25	4 75
3 *McLean Little Cem. Early; straight pods11/2	25		1 25	4 50
4 *Blue Beauty. Pods medium size ; Peas of fine flavor2	25	75	1 25	4 00
6 Cregory's Surprise. A fine wrinkled variety, and only four days later than our Extra-early Market	30	85	1 50	5 00
2 *Station. Extra-early wrinkled, very productive ; large pods. well-filled, and ripening but a few days later than the very earliest2	30	85	1 50	5 00
3 Claudit. (New.) Extra early, very productive, large sized Peas of finest quality	75			
4 *Duke of York. Very large, long, full pods, and Peas of the finest flavor; very early and productive; one of the finest Peas grown	30	85	1 50	5 50

EARLY AND MEDIUM PEAS.

1180 Dalsy. A dwarf wrinkled second-early variety, bearing large, well-filled pods,				
each containing 8 to 10 deep-colored Peas of the finest flavor	35	1 25	2 00	7 50
1186 *McLean Advancer. A fine standard sort, of excellent quality	25	75	1 25	4 00
1187 *Abundance. Long, round, well-filled pods; sow thinly	25	75	1 25	4 50
1188 *Horsford Market-Garden. On the style of Advancer; very prolific	25	75	1 25	4 50
1201 Pride of the Market. Very large pods, green Peas; sow thinly2	30	1 00	1 75	6 00
1203 *Prince of Wales. Heavy cropper; Peas of fine flavor	25	75	1 25	4 50

alleger of second in this putting to,

CATALOGUE OF HIGH-CLASS SEEDS.

EARLY AND MEDIUM PEAS-continued.

Heigh	t Per	Per Per ½pk. pk	r Per bus.
1206 *Champion of England. A well-known, standard variety; sow thickly5	\$0 20	\$0 60 \$1 00	\$3 50
1210 *Duke of Albany (American Champion). Immense pods on style of Tele-			
phone; very superior	30	85 1 50	5 50
1211 Alderman. Exceedingly productive; Peas blue, wrinkled, of fine quality5	30	85 1 50	5 00
1212 *Heroine. Large, full pods; enormously productive	30	85 1 50	5 00
1213 Improved Fillbasket. Of excellent flavor; one of the best	25	75 1 25	4 50
1214 *Shropshire Hero. Very productive; fine flavor: long, handsome pods	25	75 1 23	4 50
1216 Yorkshire Hero. A spreading variety; very productive; sow thinly	25	75 1 23	4 50

MAIN AND LATE CROP PEAS.

1235 St. Duthus. A fine new wrinkled main-crop variety; round, dark green pods, well filled with very sweetly and finely flavored Peas	35	1 00	1 75	6 00
1236 *Juno. Large straight pods; fine quality; very productive $1\frac{1}{2}$	25	75	1 25	4 50
1237 Profusion. Very large Peas of fine quality; very productive, bearing con-				
tinuously for several weeks; a splendid main-crop variety	30	85	1 50	5 50
1240 *Stratagem Improved. Very large, pods; Peas of first quality	30	85	1 50	5 00
1242 *Queen. Very large, handsome pods, filled with large, dark green Peas of				
finest flavor; first-class main-crop variety	25	75	$1 \ 25$	450
1246 Telegraph (L. I. Mammoth). Very large pods and Peas of excellent flavor4	30	85	1 50	5 00
1248 *Telephone. Enormous pods and Peas of first-class quality4	25	75	$1 \ 25$	450
1251 White Marrowfat. A favorite; heavy yielder4	20	50	75	250
1256 Black-eyed Marrowfat. Very hardy and prolific; for market	20	50	75	250

SUGAR PEAS. (EDIBLE PODS.)

Sugar Peas have edible pods, which are eaten when young.				
1260 Giant White. Very large; fine quality	5	30 1 00	1 75	6 50
1262 Tall Sugar	5	30 1 00	1.75	6 00
1266 Mammoth Crey-seeded Sugar. Immense pods	5	35 1 25	2 00	7 50

Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated, should be sown thicker than the round Peas, and not till the ground has become warm, as they are more liable to rot. They are the finest flavored of all Peas.

PUMPKIN.

Calabaza.

POTIRON.

Große Rürbiß.

CULTURE .- May be planted middle of spring, among the Indian corn or in the field or garden, in hills 8 or 10 feet apart each way, four seeds in a hill. In other respects, are cultivated in the same manner as melons and cucumbers. Avoid planting them near other vines.

	Per	· oz.	Lib.	Lb.
1300	Large Cheese. Flat; one of the best varieties for family use	10	\$0 20	\$0 50
1302	Early Sugar. Fine-grained, sweet and prolific; small yellow	10	20	50
1304	Quaker Pie. Fine for pies, very prolific and a good keeper	10	20	60
1305	Winter Luxury. A fine keeper and one of the best for pies	10	20	60
1306	Black Negro. New Hampshire Pumpkin	10	20	60
1308	Colden Oblong. Orange skin, light yellow flesh; fine quality, good keeper	10	20	60
1310	White Cushaw. A pure white, crookneck variety of excellent quality	10	20	60
1312	Striped Cushaw. Medium size, crookneck; very productive	10	20	60
1314	Red Etampes. Medium size, flat; fine for cooking	10	30	90
1316	Japan Crookneck. Fine keeper, of first quality; entirely distinct	10	20	60
1318	Jonathan. Large white crookneck; fine for pies	10	20	60

1320 Golden Marrow. Oblong shaped, Per oz slightly ribbed, skin golden orange color; flesh of fine flavor; one of	. ¼1b.	Lb.
the best for pies\$0 10	\$0 20	\$0 60
1322 Mammoth King. Grows to an enormous size	40	$1 \ 25$
1324 Calhoun. Very superior quality; yellow flesh; fine for pies 10	20	60
1326 Mammoth Tours. A very large French variety 10	25	75
1328 Tennessee Sweet Potato. Bell- shaped; thick, white flesh; fine for		
pies 10	20	60
1330 Connecticut Field. Grown for		
stock; productive	10	25



CHEESE PUMPKIN.


SEED POTATOES.

Grown Expressly for Seed.

POMME DE TERRE. Patatas.

. Rartoffeln.

CULTURE.-In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart, and the sets 1 foot in the rows. If



wood ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow

much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted, and then lift carefully and set out on fresh horse-dung, so that the heat will cause them to start at once. If the Colorado potato-beetle makes_its appearance, the vines must be dusted with Paris green mixed with about 80 parts of plaster; or, what is better, mix the Paris green in water, one small table spoonful to a pail, and apply with a small brush or broom. Take care to stir the mixture often, or else the Paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles. Three to 4 barrels to the acre.

These are the prices ruling in January; later on they may be higher.

EARLY VARIETIES.

Per ½pk. Pk. Bus. Bbl.

1349	The Thorburn. We recommend it as positively the best for first crop. It is the						
	earliest of all, and the best in quality; is also very productive and of good size						
	and form	50	\$0 85	\$2	50	\$1	50
1350	Thorburn's Beauty of Hebron. Slightly flesh-colored skin, with pure white flesh.						
	Very productive and of the finest quality; a first-class early variety	40	70	2	00	3	50
1351	Early Norther. Extra-early, very prolific; shape of the Early Rose; fine table						
	quality	40	70	2	00	3	75
1352	Early Puritan. Very early; white skin and flesh, finest quality	40	70	2	25	4	25
1354	Bovee. Extra-early, very productive, of fine quality; flesh white and very dry	50	85	2	50	5	50
1363	True Early Rose. The popular market sort; very early, fine quality; very pro-						
	ductive	40	70	2	00	3	50

INTERMEDIATE AND LATE VARIETIES.


1367	Thorburn New White Peach-blow. The flesh and skin are pure white and very				
	dry. One of the best for keeping for winter use	50	85	250	450
1368	Carman No. I. This most valuable Potato was introduced by us in 1894, and it is				
	now a recognized high-class standard sort the world over. It is in every respect				
	the finest second-early Potato ever offered ; enormous yielder, handsome and uni-				
	formly large; peculiarly white skin and flesh; perfect in quality and very dry	40	70	2 00	3 50
1369	Carman No 3. One of the best late Potatoes; the greatest yielder ever introduced;				
	very large tubers; of handsome form and few and shallow eyes	40	70	$2 \ 00$	3 50
1370	Sir Walter Raleigh. A fine new variety for main crop; very productive and uni-				
	form, all the tubers being of marketable size. Flesh white and of best quality	50	85	250	4 50
1372	Late Puritan. Resembles the Early Puritan in appearance and quality, but is more				
	productive ,	40	70	2 25	4 25
1384	State of Maine. Very productive; white skin and flesh; free from rot and of su-				
	perior quality; a fine late variety	40	70	$2 \ 00$	4 00
394	Delaware. Large, and of fine quality; in color white; an immense yielder	40	70	$2 \ 00$	4 00

PEPPER.

PIMENT. Pimiento.

Pfeffer.

CULTURE.-Sow in hotbeds in March, and when the soil has become warm, set in rows 2 feet apart and 18 inches in the rows; hoe frequently. The plants may also be forwarded in small pots.



Largely used for mango pickles	25	75	250
1430 Celestial. At first fruit is yellow, but when fully matured it becomes a deep scarlet	25	75	2 50



RAMPION.

RAIPONCE.

Reponche. Rapunzel=Rübe.

CULTURE.-Sow in the open ground early in May, either broadcast or in drills 10 inches apart. As the seed is very fine, it merely requires to be pressed firmly into the soil. Thin out the seedlings if they come out too thick, and water frequently during hot weather. The roots may be gathered for use from October onward throughout the winter.

Per oz. ¼1b. Lb.

ROQUETTE.

ROQUETTE. Jaramago.


CULTURE. - Sow early in spring, in rows, and thin out to 8 or 10 inches. If kept well scuffled and watered, the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange blossoms.

 Have very much the odd of of ange biossons.
 Per oz.
 ½1b.
 Lb.

 1439
 Roquette
 \$0
 10
 \$0
 30
 \$1
 00

RAMPION.

J. M. THORBURN & CO., 36 CORTLANDT ST., NEW YORK.



OLIVE-SHAPED GOLDEN YELLOW RADISH.

THORBURN IMPROVED BLACK SPANISH RADISH.

RADISH.

RADIS ET RAVE.

Rabanos y Rabanitos.

Radies und Rettig.

CULTURE. - Sow as soon as the ground is dry in the spring, in rows 8 to 12 inches apart, every week or ten days for a succession, up to the middle of June, after which they are but little used, unless a cool northern spot can be had, where the ground is shaded during part of the day. They should be sown in light, rich soil, as a crisp Radish cannot be produced in heavy soils. Sow also in early fall for late crops and winter use. Sow 8 to 10 pounds to the acre. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast.

Those marked with the asterisk (*) are best suited for market-gardeners.

1440	*Turnin Ea	rly French Scarlet. Very early	r oz.	¹ / ₄ lb. \$0 20	Lb. \$0 50
1442		" " " " " " " " " " " " " " " " " " "	10	25	70
1444	66 6	" *Deep Scarlet. Very early	10	20	60
1446		" " " Forcing. Crisp; matures in about twenty days.	10	25	75
1447		" "Scarlet White-tipped. Very early for frames or out-doors	10	20	50
1448	" "	6 66 66 Forcing	10	25	70
1449	66 6	' Triumph. Very prettily striped or mottled scarlet and white; fine forcer	30	85	3 00
1451	66 6	* *Prussian Scarlet Clobe-shaped. Fine for forcing or open ground	10	25	75
1454	" "	* *Non Plus Ultra. Extra early scarlet forcing; short-leaved	10	25	75
1456	" "	Deep Blood Red. Extra early forcing sort	10	25	75
1458	66 6	White or Box. Suitable for forcing; flesh pure white and sweet	10	20	50
1462		rge White Summer. Of large size and roundish form	10	20	60
1464		llow Summer. Dull yellow; fine flesh; popular in New York market	10	20	60
1466		Iden Summer. Smooth and bright skin	10	20	60
1468		arlet China. Fine for winter or summer; grows in six to eight weeks	10	30	1 00
		ed, French Breakfast. Pink and white; early	10	20	60
1471	66	Colden Yellow. A new sort of very fine quality	10	20	60
1472	66	White. Mild and fine for summer	10	20	60
1473	66	Deep Scarlet	10	20	60
1474	66	Delicacy. Snow-white, smooth and tender; fine for forcing	10	20	60
1475		Deep Scarlet. Flesh bright and crisp	10	20	60
		rlet Short Top. Very long and crisp; for frames or open ground	10	20	50
1477	_	htest Scarlet White Tipped	10	20	60
1478		rlet Chartier White Tipped	10	20	50
1480		de Early Frame. Long, red, crisp, and good for forcing	10	20	50
$1482 \\ 1484$		te Naples. Slender; for summer use te Vienna or Lady Finger. Crisp and tender in summer	10	20 20	60 50
1485		e. Pure white, fine flavor; suitable for forcing	10	$\frac{20}{1.25}$	50
1488		asburg Summer. Very large; the German's favorite	40 10	1 20 20	$\frac{4}{50}$
1400 1490		ttgart Summer. Very early and very large	10	20	50 60
		arlet Chinese. Very handsome and distinct, and keeps well	10	20	60
1494		ng Black Spanish. The popular winter sort	10	20	50
1495		orburn Improved Half-long Black Spanish. Very fine strain	10	25	75
1496		und Biack Spanish. Fine for winter	10	20	50
1502		rge White Spanish. Fine for winter	10	20	60
1504		lifornia White Mammoth. A very large white winter variety	10	20	60
1506		caudatus (Edible-pod Radish; Rat-tailed Radish). Has edible seed pods;			
		or pickledper pkt., 10 cts.	50		



WHITE STRASBURG SUMMER RADISH.



NON PLUS ULTRA RADISH.

RHUBARB.

Ruibarbo. Rhabarber. RHUBARB.

SALSIFY.

UCLTURE.-Sow seed in a coldframe, in a fine, rich, sandy loam, about the first of March, in drills 4 inches apart. Keep the frame covered during nights and cold days, so that the soil will not freeze, and in six to eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows 12 inches apart and 12 inches in the row. The following spring transplant again to 4 or 5 feet apart each way, and the next spring the stalks will be large enough to pull. When roots are set out, plant them 4 or 5 feet apart each way, and keep the weeds down. If roots are used, a crop may be had after one season, which is much better than sowing seeds where only a few plants for family use are needed. In the fall the bed should have a thick dressing of coarse manure, to be spaded under in spring.

	I e	02.	7410.	LD.
1514	Linnæus. The earliest\$(20	\$0 50	\$1 50
1515	Victoria	20	50	1 50
	Rootseach, 10 cts.; per doz., \$1.			

SALSIFY, or VEGETABLE OYSTER.

Ostion Vegetal. Haferwurgel. SALSIFIS.

CULTURE. - Sow as early as the ground can be worked in the spring, in drills 12 inches apart, 1 inch deep, and thin out to 6 inches in the row. Keep them free from weeds. Cultivate the same as for Carrots and Parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces $\frac{1}{2}$ inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like Parsnips, and have a sweet, agreeable flavor. Mashed and fried, the flavor is much like that of the oyster. Sow 8 to 10 lbs. to the acre.

	Per	oz.	41b.	Lb.
1528	Long White French	15	₹0 40	\$1 25
1529	Thorburn Improved Thick-rooted. Very thick and smooth.	25	75	2 50
1530	Mammoth Sandwich Island. Large and superior	15	50	1 50

SCOLYMUS.

A vegetable from Spain. The roots resemble a small Parsnip, and will keep through the winter like a Turnip. It is cultivated exactly like the Carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled, like Salsify.

 Per oz.
 24b.
 Lb.

 1535
 Scolymus
 \$0
 \$0
 \$5
 \$3
 00

SWISS CHARD, or SILVER BEET.

This is a Beet producing leaves only, of a superior quality to those of the ordinary Beet, and excel-

lent as greens. Cultivate about the same as Spinach, by sowing the seed in early spring, in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. Good cultivation will greatly increase the delicacy and tenderness of the leaves.

Per oz. ¼1b. Lb. 1536 Swiss Chard \$0 10 \$0 20 \$0 50

SPROUTS.

CHOUX VERTS NON POMMES.

CULTURE.-Sow No. 1537 very early in spring, and Winter Kale in September. Full directions for growing the latter will be found on page 25. under head of Kale.

- 1537 Spring Sprouts, or English Rape. Per Ib., 15 cts.; per 100 Ibs., \$7.
- 1538 Winter, or Siberian, Thorburn Improved. Per oz., 10 cts.; per 1/1b., 25 cts.; per lb., 75 cts.





SCORZONERA.

Scorgionmurgel. SCORZONERE. Escorzonera.

CULTURE.-Cultivate the same as Salsify. It is cooked in the same manner, but on account of it being some what more difficult to raise, is seldom seen in cultivation. Considered by many superior to Salsify. It is also called Black Salsify.

Per oz. ¹/₄lb. Lb. .\$0 25 \$0 75 \$2 50 1541 Scorzonera

SORREL.

Sauerampfer. OSEILLE. Acedera.

CULTURE.-Sow in spring in drills 18 inches apart, in a rich soil, and keep the flowerstems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. To be cut and cooked precisely like Spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds Spinach. It is also used for soups. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

Mammoth Lyons. Extra-large improved strain 20 1545 66 60 1 50

SKIRRET.

CHERVIS. Buckerwurzel.

CULTURE .- Sow in drills %inch deep, a foot apart; thin out to 8 inches in the row; keep down the weeds.

It is a plump, fleshy root, containing a quantity of sugar, and is eaten like Scorzonera or Salsify.

Take up the roots before winter, and store in sand or earth.

SPINACH.

EPINARD. Espinaca. Spinat.

CULTURE .- Sow in early spring, in drills a foot apart (10 to 12 lbs. to the acre), every two weeks, for a succession, and as it grows, thin out for use. For fall use sow in August, and for winter crop in September. Cover that which is left out over winter with straw or leaves, after the weather becomes quite cold. Keep clear of weeds. Sow the seed of New Zealand (which must be scalded and soaked in hot

water before sowing) in hills 3 feet apart each way, three or four seeds in a hill. This is fit for cutting all summer. nd Viroflay (Thick-leaved). Has very large thick dark green leaves, the form Lb. 1500 0


1900	Round vironay (Inick-leaved). Has very large, thick, dark green leaves; the lavor-			
	ite market-gardeners' sort for fall or spring sowing	10	\$0 15	\$0 35
1570	Round-leaved Flanders. A standard sort	10	15	35

1570 Round-leaved Flanders. A standard sort 1571 Lettuce-leaved. Popular French Per oz. 1/41b.

sort\$0 10 \$0 15 \$0 35 1573 Curled-leaved Savoy, or Bloomsdale. Large curled and wrinkled leaves; tender, and of the finest

SORREL.

- flavor 1575 Long-standing (Round Thick-
- leaved). Dark green ; leaves large and thick; very long-standing before running to seed. The best for spring growing.....
- 1576 Victoria (new). Extra dark black-green color. Two or three weeks later than the ordinary " Longstanding." A fine variety for spring sowing.....
- 1578 Prickly, or Winter. Vigorous and hardy, and recommended for fall sowing
- 1579 New Zealand Summer. Distinct; grows well during hot summer weather, when the ordinary Spinach cannot be had





SCORZONERA

SQUASH.

Calabaza,

COURGE.

Speije Kürbiß.

CULTURE.—Sow in hills in the same manner and at the same time as Cucumbers and Melons, the bush varieties 3 to 4 fest apart, and the running kinds from 6 to 9 feet apart.

BUSH VARIE	TI	ES.	
		⅓1b.	Lb.
White Bush\$	0 10	\$0 20	\$0 50
1584 Colden Custard. Mammoth strain of the Golden Bush. A valuable new bush variety; golden yel-			
low flesh; fine quality	10	20	60
1585 Early White Scallop Bush. A good early shipping variety	10	20	50
VARIOUS SQUASHES. TARIOUS SQUASHES.	10	20	00
quality	10	20	60
1588 Summer Crookneck. Yellow fruit; distinct; best for summer	10	20	50
1589 Ciant Summer Crookneck. Double the size of the above 1589a Ciant Summer Straightneck. Same as above, except that most of them are straight-	10	20	60
necked	10	20	60
1590 Egg-Plant Bush Squash. White flesh; suitable for frying, like egg-plant	10	25	75
1590a Cocozell Bush. A fine variety; oblong shape; skin smooth, dark green, marbled yellow or pale green	15	30	1 00

RUNNING VARIETIES.

1591 Early Orange Marrow. Quite distinct: very early, and of most delicate flavor; suitable			
for fall or winter		20	50
1592 Bay State. Hard, blue shell; for fall or winter	. 10	20	60
1593 Boston Marrow. Oval; bright orange; flesh yellow and fine	. 10	20	50
1594 Hubbard. Well known, and liked for late use; of superior quality; large size; color green, marked with orange; flesh dry, fine-grained, and of fine quality	. 10	20	60
1594a Mammoth Warted Hubbard. Immense size, and completely covered with warts. O			
fine table quality	. 10	25	75
1595 The Faxon. Medium size; very early and productive; orange flesh of fine quality	. 10	20	60
1596 Turban. Orange-yellow flesh; good flavor	. 10	25	75
1599 Pike's Peak. Thick, bright orange flesh; fine winter sort	. 10	20	60
1600 Essex Hybrid. A good fall and winter sort	. 10	20	60
1601 Marblehead. Resembling the Hubbard, but has gray skin; very productive, and a fin-	e		
keeper; dry, sweet, and of the finest flavor	. 10	25	75
1602 Perfect Gem. Round, white; very productive and of fine quality; for fall or winter	. 10	20	60
1604 Cocoanut. Of first-rate quality, and very prolific	. 10	25	75
1605 White Chestnut. Like the Hubbard; dry as a boiled chestnut	. 10	25	75
1606 Delicata. Orange-yellow, striped green; small size, but very prolific; it is extra early			
very solid, and a good keeper; flesh dry and of fine quality	10	20	60
1607 Fordhook. One of the best winter sorts; fine quality	. 10	25	75
1609 Pineapple. Peculiar shape, white skin and flesh; fine late sort	. 10	20	60
1610 Canada Crookneck. Small, well-known winter sort; green skin	. 10	20	60
1610a Winter Crookneck. One of the best winter sorts	. 10	20	60
1611 Der Wing. Light yellow flesh; very sweet; small, warty, winter sort	10	20	60
1612 The Warren. A new type of the Essex Hybrid; of superior quality	. 10	20	60
1613 Mammoth Chili. Grows to an enormous size; rich, orange-yellow	. 20	50	1 50

VEGETABLE MARROW.

1614	English. The true English strain; cream-color, merging into deep yellow; white flesh; about 9 inches long	10	25	75
1615	Italian (Cocozelle di Napoli). Grows about 20 inches long, with a diameter of 3 or 4 inches. Skin smooth, dark green, marbled yellow or paler green. In Italy it is eaten	15	20	1 00
	when quite young	19	30	1 00

TOMATO.

TOMATO. Tom

Liebesapfel.

CULTURE. - Sow in a hotbed in early spring, or the seed may be sown in shallow boxes and placed in a window, when one does not wish to have the trouble of making a hotbed. Transplant to the open ground when all danger of frost is past, setting the plants 3 or 4 feet apart each way. Some support should always be provided for the vines, to keep the fruit from touching the ground. Fruit may be had several weeks earlier by sowing seed quite early, and transplanting to small pots; when these are filled with roots, shift to a larger size. and transplant to open ground when the weather is warm and and transplant to open ground when the so. settled, shading from the sun for a day or so. Per oz. ¼lb. Lb. 1616 Thorburn "Rosalind." Beautiful rose color; large and of uniform, round shape, smooth, solid, fine flavor; me-\$5 00 dium early; very productive\$0 50 \$1 50 1616a Thorburn Novelty. Large, solid; deep scarlet; globular shape. For growing 1 00 3 50 35 under glass or outdoors..pkt., 10 cts... 1617 The Waldorf. (Thorburn.) Perfect shape, large, smooth, solid; rose color; medium early; very productive..... 85 3 00 30 1618 The Democrat. (Thorburn.) The finest large Tomato; bright rose .. pkt., 10c ... 40 1 25 4 00 1619 The Autocrat. (Thorburn.) Very large, solid and productive; color of 75 2 50 Acme 251621 Thorburn Terra Cotta. Quite distinct Per oz. lalb. Lb. in color, form, skin and flesh; pure terra cotta\$0 30 \$0 85 \$3.00 1622 Thorburn Lemon Blush. Skin and flesh bright lemon, with a faint rose blush; large.. 30 85 3 00 1623 Thorburn Long Keeper. Bright red, early, very productive; fine keeper..... 252 50 751624 Thorburn New Jersey. One of the finest sorts; large, solid, smooth, bright scarlet ... 25 752 50 1625 Freedom. Early, regular and uniform; bright scarlet 25752 50 Match!ess. Extra large; smooth and handsome; bright red; very solid 1626 30 85 3 00 1627 30 85 3 00 1628 40 1 254 00 1629 Crimson Cushion. Extra large; handsome; bright crimson......per pkt., 10 ets... 1 50 505 00 1630 Ignotum. Very prolific; earliest of the large, deep red, smooth varieties..... 25752 50 1631 Sutton's Best of All. Highly recommended for growing under glass.. per pkt., 10 cts... 50 1 50 5 00 1632 " Eclipse. Medium size, perfect shape and color; for forcing or open ground per pkt., 10 cts... Dwarf Champion. Quite distinct, early; resembles the Acme in appearance 1633 25 $\overline{75}$ 2 50 New Scarlet. Light scarlet color; prolific, early; good quality 1634 66 66 30 3 00 85 1635 Imperial. Early, large, smooth, solid; fine quality; color of Beauty..... 25 752 50 1636 Atlantic Prize. The earliest of all; smooth, bright red and of good size 25 752 50 1638 Perfection. Early, regular and productive; reddish scarlet..... 2 00 2060 1640 Favorite. Large, smooth, productive, and a good shipper 20 60 2 00 1641 Beauty. Large, smooth, dark, pinkish red; thick flesh; regular form 20 60 2 00 1642 2 00 Stone. Very large, perfectly smooth; fine bright scarlet 20 60 1643 Fordhook First. Extra early, fine, smooth, solid; medium size..... 30 85 3 00 1645 Acme. Medium size; smooth and good; purplish pink color 2060 2 00 1646 Paragon. Bright red; round; very productive..... 2060 2 00 1647
 Table Queen.
 Large, smooth, round, solid......
 35 1 00 3 50 Honor Bright. Rich, bright red; long keeper and fine shipping sort 1648 2 50 25751649 Royal Red. Intense bright red color; good main-crop variety..... 25 75 2 50 Fordhook Fancy. Bushy habit; fruits medium size, smooth and regular pkt. 10c.. 1650 505 00 1 50 1651 Mikado. Very large, smooth, solid; purplish red..... 75 2 50 251653 Trophy Improved. Very solid; standard late variety; fine for canning; dark scarlet ... 2575 2 50 Lorillard. Bright, glossy red, smooth; of fine flavor, and very early..... 165430 85 3 00 1656 Golden Queen. About size and form of Beauty; smooth, golden yellow..... 30 85 3 00 1657 25 Red Plum. Bright red, round, regular; for pickles..... 75 2 50 1659 25 2 50 Yellow Plum-shaped. Round and regular; bright yellow; used for pickles..... 75 1660 252 50 Yellow Pear-shaped. Handsome, yellow, pear-shaped fruits..... 751664Peach, Red. Resembling a peach; for preserves, pickles and exhibition; quality excellent. 25 752 50 2 50 1668 Yellow Peach. Very handsome in form and of a beautiful clear yellow color..... 251675Yellow Cherry. Similar to preceding, save in color..... 2575 2 50 25 1676 Red Cherry. Small fruits, used for pickles; very handsome 75 2 50 25 2 50 Red Pear-shaped. Fruit handsome and solid; fine for preserves..... 75 1678 1682 Red Currant. Very small and handsome; for preserves..... 30 85 3 00 1685 Strawberry. (Winter Cherry or Husk Tomato.) Small fruit; makes delicious sauce .. 30 85 3 00

TURNIP.

Nabo. Rübe. NAVET.

CULTURE.-For early Turnips sow as soon as ground opens in spring. Nos. 1766 to 1774 should be sown from any time in July to first of August; but the other kinds, for winter use, may be sown from middle of July to end

¼lb.

\$0 20

20

20

20

20

20

20


25

1733 White French, or Rock. Very


of August. Turnips are generally sown broadcast, but much larger crops are obtained (particularly of the Ruta-Bagas) by cultivating in drills 18 inches apart, and thinning to 6 inches in the drill. Sow in drills, one pound to the acre; broadcast, two to three pounds to the acre. Per oz. ¼1b. Lb. 1700 Early Milan Purple-top. Earliest of all, with

	purple top	10	\$0	20	\$0 60	
701	Early Milan Pure White. As early as the above;					
	beautiful, pure white	10		25	75	
705	Purple-top Munich. One of the earliest	10		20	60	
706	Scarlet Kashmyr. Small, flat, extra-early va-					
	riety, with pure white flesh of finest quality	10		25	75	
707	White Egg. Oval, handsome and sweet	10		20	50	
708	Early Snowball. Small, and of rapid growth;					
	pure white	10		20	50	
715	Early Dutch. Rather flat; good white early sort.	10		20	40	
718	German Teltow. Small, early, and of distinct					
	flavor; keeps well	10		25	75	
722	Red-top Strap-leaf. The popular fall flat sort	10		20	40	
724	Red-top Globe-shaped. A standard sort in the					
	New York market	10		20	40	
726	White Norfolk. Globular, late, solid	10		20	40	
728	White Strap-leaf Flat. A good early white flat					
	sort	.10		20	40	
pro	ductive and a fine keeper	10		20	50	
hoo	either for table or stock	10		20	40	

1738 Pomeranian White Globe. Good either for table or stock Cow Horn. Long white, in shape re- Per oz. 1739sembling a cow's horn...... Large White Clobe. Large English \$0 10 1740 variety 10 Green Globe. Very large white-fleshed, 1741 green top..... White Tankard..... 10 1746 10 Yellow Globe. Good and sweet; keeps 174710 fairly well..... 1748 Thorburn Yellow Stone. Fine, hard winter sort. Colden Ball. Very handsome; keeps 10 1749 10 fairly well..... 1750Yellow Malta. Early and of fine flavor 10 1752Yellow Finland. Small, early, flat; 1 distinct. 17




RUTA-BAGA



PURPLE-TOP MILAN.

10	25	85		Per	oz.	¼lb.	Lb.
753			Yellow, purple to		10	\$0 25	\$0 75
760			ieen. Hardy, pro				
			keeper		10	20	50
761	Yellow	 Tanka	ard		10	20	60
762	Black S	tone	Dark skin; very	solid	10	25	80
763			Solid and sweet				
					10	20	60
764	Seven 1	Гор.	The tops are u	sed for			
	greens	3			10	20	40
766			Fhorburn Family.				
			for family use. I				
			orts in its strap-lea				
	Ite ver	ry fine	owish and of finest top is not tinted,	the skin			
	is grav	vish a	nd very smooth, an	it has			
			ts		10	20	60
767	Ruta-B	aga,	Thorburn Im				
			Fine for table		10	0.0	50
			stock. Not ver		10	20	50
768	66		Champion		10	90	40
			top		10	20	40
769	"		Laing Improve		10	20	50
	"	•	of the earliest		10	20	50
774			White-fleshed. and productiv		10	20	40
			and productiv		10	20	



Seeds of Pot, Sweet and Medicinal Herbs.

Per	pkt.	Oz.	Lb.
Agrimony. For medicinal purposes	0 10	\$0 75	
Angelica, Garden. For flavoring wine and cakesArchangelica officinalis	05	15	\$1 25
Anise. Seeds aromatic and carminativePimpinella Anisum	05	10	80
Arnica. Tincture of Arnica is made from itArnica montana	10	$1 \ 25$	
Balm. For culinary purposes	05	30	
Basil, Dwarf or Bush. Culinary herbOcymum minimum	05	20	1 50
" Sweet. Culinary herb, used for flavoring soups, etcOcymum basilicum	05	20	1 25
Belladonna. Used in medicineAtropa Belladonna	10	60	
Bene. The seeds yield a good oil. The leaves are used for children for dysentery and diarrhœa	05	15	1 00
Boneset	05	60	1 00
Borage. Leaves used as a saladBorago officinalis	05	15	1 25
	05	10	1 20
Caraway. Used in flavoring liquors and breadCarum Carui Carui			
Catnip. Has medicinal qualities	10	40	4 00
ChamomileMatricaria Chamomilla	10	75	
Coriander. Seeds aromaticCoriandrum sativum	05	10	75
Dill. Seeds used for flavoring vinegarAnethum graveolens	05	10	60
" New Mammoth. Much larger than the above	05	20	1 50
Elecampane. Has tonic and expectorant qualitiesInula Helenium	10	75	
Fennel, Sweet. Seeds aromatic; for flavoringAnethum Fœniculum	05	10	75
" Florence. In flavor resembling celery	05	15	1 50
Foxglove, Purple. Has medicinal qualitiesDigitalis purpurea	05	20	1 50
Fumitory. A medicinal herb	10	75	
Gromwell. A medicinal herbLithospermum officinale	05	25	
Hemlock. Has medicinal qualitiesConium maculatum	10	75	
Henbane. Has medicinal qualities	05	20	$2 \ 00$
Horehound. Has medicinal qualitiesMarrubium vulgare	05	20	$2 \ 00$
Hyssop. Has medicinal qualities	05	20	$2 \ 00$
Lavender. For oil and distilled waterLavendula vera	05	20	1 50
Lovage. Has medicinal qualitiesLevisticum officinale	05	30	3 00
Marshmallow. Has medicinal qualitiesAlthæa officinalis	05	40	
Marigold, Pot. Used in soups	05	15	1 25
Marjoram, Pot. Used in seasoning	10	50	$5 \ 00$
" Sweet. Used in seasoningOriganum Majorana	05	20	1 50
Pæony officinalis. Has medicinal qualitiesPæonia officinalis	05	15	1 50
Pennyroyal. Has medicinal qualities	10	60	6 00
Peppermint	25		
Rosemary. Yields an aromatic oil and waterRosmarinus officinalis	05	30	3 00
Rue. Said to have medicinal qualitiesRuta graveolens	05	15	1 50
Saffron. Used in medicine, and also in dyeing	05	10	75
Sage, Common. A culinary herb; also used in medicine	05	15	1 25
" Red. Used as a culinary herb, and also in medicineSalvia Horminum	05	20	2 00
" Purple. Used as a culinary herb, and also in medicineSalvia Horminum	05	20	$2 \ 00$
Savory, Summer. Used as a culinary herbSatureja Hortensis	05	15	80
"Winter. Used as a culinary herbSatureja montana	05	20	2 00
Tansy. Generally used in bitters	05	35	3 50
Tarragon. True. Does not produce seed. Roots in fall and spring			
Thyme, Broad-leaved, English. Used as a seasoning	05	35	3 50
" French	05	30	$\frac{3}{2}\frac{50}{50}$
Wormwood. Has medicinal qualitiesArtemisia Absinthium	05	30	2 50

FRUIT SEEDS.

Apple Seed, American " " French Crab Apricot Pits Cherry Pits. Crop failed. " " Black Mazzard	Lb. \$0 30 30 25 20	100 lbs. \$20 00	Pear Seed, French\$0 20 " " Japan	\$1 50 4 00 25	100 lbs. \$18 00 18 00
"" Domestic Currants, Red Dutch	$\begin{array}{c} 20 \\ 20 \\ 2 & 00 \\ 2 & 00 \\ 4 & 00 \\ 2 & 00 \end{array}$	15 00	" " Myrobolan	30 20 2 00 2 00	25 00 15 00
Peach Pits (natural pits). Crop failed.			Wineberry Seed " 25c		

NATIVE GRAPE SEEDS.

Vitis	Æstivalis (Summer Grape)	z. Lb. 5 \$2 50	Vitis labrusca (Northern Fox Grane) \$0.25	\$2 50
	cinerea (Sweet Winter Grape) 2	5 2.50	" monticola (Texas Mountain Grane) 25	250 2 50
	Cognetiæ (from Japan)) 600	" indivisa 25	250
	cordifolia 23	5 250	" rotundifolia	250

SEEDS OF HEDGE PLANTS.

(See also Tree Seeds, pages 72 to 76.)

Per lb.	Per lb.
Arborvitæ, American. Crop failed.	Hemlock SpruceAbies Canadensis\$6 00
Balsam Fir\$1 25	
Datsamea\$1 20	Locust, Honey, or Three-
Barberry, CommonBerberis vulgaris 75	thorned AcaciaGleditschia triacanthos. 40
i dipie-leavedberberis 1010 - pur-	Locust, Yellow
purea 1 50 Broom, Scotch Genista scoparia 50	Norway Spruce Picea excelsa 1 00
Buckthorn	Osage Orange
Cornellan Cherry Cornus mascula 50	Privet, Japan or California. Ligustrum Japonicum. 1 00
Furze, or Gorse	Common Evergreen.Ligustrum vulgare 75
Hawthorn	Sheepberry (Black Haw)Viburnum prunifolium 1 00

VARIOUS VEGETABLES USED FOR PICKLES.

Directions for culture of each will be found under the proper heads. For prices, see body of Catalogue.

Beans, Refugee. "Lyonnaise. Beet, Blood Turnip. Brussels Sprouts, Best French. Cabbage, Red. Cucumber, Green Prolific. Cauliflower.

Cherkin. Melon, Vine Orange or Mango. Martynia, Nasturtium, Tall. Onion, White Portugal. "Queen, and others. Pepper, Chili. Pepper, Celestial. "Sweet Mountain. Tomato, Yellow Plum. "Red Cherry. "Strawberry. "Yellow Cherry. "Peach.

VARIOUS VEGETABLES USED FOR SALADS.

For prices and cultural directions for these vegetables, see body of Catalogue.

Amaranthus caudatus.	Corn Salad.	Escarolle.	Roquette.
Borage.	Curied Cress.	Lettuce.	Sorrel.
Burnet.	Dandelion.	Nasturtium, Tall.	Water Cress.
Ceiery.	Endive.	Pepper, Sweet Spanish.	Witloof.

PREPARE FOR THE CENSUS.

Enumerators will begin to take the Twelfth Census of the United States on June 1, 1900. The inquiries relative to agriculture will cover the crops and products of the calendar year 1899, but the enumeration of live stock, fowls, bees, etc., will embrace those "on hand June 1, 1900."

All farmers are urged to make written records of their farm operations during the year 1899, so that when the enumerator calls next June, the information to be gathered by him will be readily at hand. The law requires for each farm:

Acreage, Tenure and Race: Total acreage; acres improved; acres unimproved; acres irrigated.

Values: Value of whole farm; value of buildings and permanent improvements; value of all machinery, implements, vehicles, etc., thereon.

Acreage and quantity of all crops, such as Grains, Cotton, Tobacco, Vegetables, Potatoes, Corn, etc., raised in 1899.

Number and value of Live Stock, Fowls, Bees, etc., on hand June 1, 1900.

Quantity and value of Milk, Cheese, Eggs, etc., made in 1899.

The Farm: For census purposes, a farm is all the land cultivated under one management, whether in a single body or separate parcels.

Tenants: Tenants will be asked to give the size and value of farms rented or leased, and the value of the improvements thereon, the same as if they were owners.

For information concerning the Twelfth Census, please address V. R. MERRIAM, Director, Washington, D. C.

About Lawns and Lawn Grass Seed.

FORMATION OF LAWNS FROM SEED.

In the first place, see that the ground is thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but in preparing it for laying down, let the surface be as much alike in quality as possible.

If the ground is in condition to raise a good crop of potatoes, it will make a good lawn; add about half a ton of bone dust to the acre, harrowed in before sowing the seed. After sowing, the seed might be raked in very slightly or just covered with a brush harrow. The ground should then be rolled in order to press the seed firmly into the soil.

The proper time to sow grass seed depends, of course, upon the latitude. In the central and eastern states from the middle of March to the middle of April is the best time, just as the last frost is leaving the ground. If sown later, the grasses may not be strong enough to stand the hot, dry summer months. Seed may also be sown in the fall, provided it is done early enough to secure a good, strong growth before winter sets in. If the young plants are not well-rooted, they are liable to be killed by frost or thrown out of the ground by the action of alternate freezings and thawings. That is the objection to fall sowing. The advantage of it is that, if the grass comes safely through the winter, it has a good start in the spring. The sowing should be done when the ground is moist, or before an expected rain, and a subsequent rolling is always advisable.

Let the ground all have a surface of about six inches alike, for nothing looks worse than to see a lawn grow all in patches. One exception, however, may be mentioned, and that is, if there be any steep slopes facing the south, or other exposed places, let the earth on them be better and deeper than on the ground level, as they are more liable to burn out.

ROLLING.—As soon as the frost is out of the ground in the spring, the land should be gone over with a heavy roller. Winter frosts loosen the soil, and rolling is necessary to compress it again. If grass seed is to be sown, this should be done first and the rolling immediately afterwards. Frequent rollings are recommended.

Mowing.—All turf-forming grasses are improved, both in vigor of root-growth and in fineness of texture, by frequent mowings. It is impossible to say just how often the grass should be mown, as that depends upon the rate at which it grows. Too close cutting should be guarded against, however, especially during the hot summer months, when the roots require some top-growth to protect them from the burning sun. For the same reason it is as well not to rake off the cut grass, as it quickly settles about the roots and forms a valuable protective mulch. A good top-growth is also necessary to protect the roots from severe winter frosts. Mowing should therefore be discontinued in time to let the grass grow pretty long before winter sets in.

TO GRASS A BANK OR TERRACE.—For each square rod, take a pound of lawn grass seed and mix it thoroughly with 6 cubic feet of good, dry garden loam. Place in a tub, and add liquid manure, diluted with about two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied, and made as even and as thin as possible.

THE THORBURN LAWN GRASS.

For many years we sold our best lawn grass under the name of Thorburn's "Central Park Mixture," but we find that this name is now applied by many dealers to mixtures of their own, differing entirely from the article we have been furnishing. We therefore drop the name "Central Park," but we shall continue to put up the same seed under the name of "Thorburn Lawn Grass." This is distinctively our own mixture, composed exclusively of the grasses that our long experience has proved to be the most suitable for American lawns, making the most lasting turf of the richest color and finest texture. The Thorburn Lawn Grass should be sown at the rate of 4 to 5 bushels to the acre (15 lbs. to the bushel). Per quart, 25 cts.; ½ peck, 65 cts.; peck, \$1; bushel, \$3.50. (We can also make special good mixtures at lower prices.)

THORBURN'S LAWN-RESTORING GRASS SEED.

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out or burned spots. To restore a lawn that is partially worn-out or burned, the best time is very early in spring, as soon as the frost is entirely out of the ground. The bare spots should be well scratched or raked up, and this seed soom liberally. Cover the seed very thinly with earth, and then roll or press down firmly with the back of the spade. Some Lawn-restoring Grass Seed should be kept always on hand, and before every rain during the summer some of it should be sown on any part that may appear thinner than the rest. Seed may be sown in fall, as late as from 1st of September to 1st of October, according to the weather. Price per quart-box, 30 ets.; per bus. of 24 lbs., \$5.

PERMANENT GRASS SEED FOR GOLF LINKS.

On application we shall be pleased to send, free of charge, our well-known pamphlet on "The Seeding and Preservation of Golf Links" to interested parties. We invite correspondence on this subject, to which we have given much attention.

. Colf Links Mixture. For the grounds in general. Per bushel of 20 lbs., \$2.50.

Putting-green Mixture. A mixture of extra fine grasses, that will make a close, firm, green and lasting turf, which will improve the more it is tramped on. Per quart, 30 cts.; peck, \$1.50; bushel of 24 lbs., \$5.

SOME CELEBRATED LAWNS FROM THORBURN'S LAWN SEED.

GEO. W. VANDERBILT'S BILTMORE ESTATE.

MESSRS. J. M. THORBURN & Co.

Gentlemen: It is a most difficult thing to maintain a grass area in the south, but we have many acres of fine turf at Biltmore—the direct result of using your selected brands of Kentucky Blue Grass seed. Indeed, all of our purchases of seeds from your firm have been most satisfactory and our business relations most agreeable. You have a standing advertisement at Biltmore that is viewed by thou-sands of visitors every year—a splendid recommendation, but, unfortunately, an advertisement not openly bearing your name. Truly yours,

(Signed) C. D. BEADLE, Supt. Landscape Department, Biltmore Estate.

THE GREEN-WOOD CEMETERY.

MESSRS. J. M. THORBURN & CO.

Gentlemen: I take much pleasure in stating that for a number of years we have used here large quantities of your grass seed, and have found the various kinds used to be of the best quality and satisfactory in every respect. Yours truly,

(Signed) EUGENE CUSHMAN, Superintendent.

HON. JOSEPH H. CHOATE'S ESTATE.

Messrs, J. M. Thorburn & Co.

Gentlemen: The lawn grass seed I got from you last spring has proved itself of the highest quality, being good, clean and well mixed, and full of vitality. I think it is the finest grass seed I have ever used. (Signed) CHARLES R. RUSSELL,

Supt. to Hon. Joseph H. Choate.

STOCKBRIDGE, MASS., Feb. 20, 1899.

ESTATE OF JOHN SLOANE, ESQ., AT LENOX.

Messrs. J. M. Thorburn & Co.

Gentlemen: I am pleased to say that your grass seed has given me every satisfaction. I sowed down about seven acres (four bushels per acre), under very trying conditions of weather, and, contrary to my expectations, I now have a lawn marvelously free from weeds, which was the admiration of all who saw Yours respectfully, it last summer.

(Signed) ALFRED J. LOVELESS, Gardener to John Sloane, Esq.

NEWPORT. R. I., Jan. 28, 1899.

Gardener to T. M. Davis, Esq.

HON. WM. C. WHITNEY'S WESTBURY ESTATE.

MESSRS. J. M. THORBURN & Co.

Gentlemen: The fifty acres sown with your lawn grass seeds have turned out a great success. During a long experience I have used large quantities of lawn seed, supplied by many leading firms, both on this and the Furneer Continued form your your and the European Continent, and I certainly have never seen better results than those obtained from your seed. I have had many inquiries as to where I obtained the seed, and I have no doubt my reply will bring Yours respectfully, you many new customers. H. J. CORFIELD, (Signed)

ALLEN WINDEN FARM, LENOX, MASS.

Messrs. J. M. Thorburn & Co.

Gentlemen: I am particularly pleased with the lawn grass mixture supplied by you last year. It came up very quickly and was entirely free from weeds, and gave us better results than any other seed we ever bought. I am glad of the opportunity of giving you my opinion of it. Yours truly,

ESTATE OF GIRAUD FOSTER, ESQ., LENOX, MASS.

MESSRS. J. M. THORBURN & Co.

Dear Sirs: In the fall of 1897, I sowed some eight acres with your Central Park mixture of lawn grass, and I am pleased to state that the result was highly satisfactory. I cannot speak too highly of its growth and purity. Yours truly,

(Signed) E. JENKINS Gardener to Giraud Foster, Esq.

LENOX, MASS., Jan. 30, 1899.

Supt. to Hon. W. C. Whitney.

LENOX, MASS., Feb. 2, 1899.

A. H. WINGETT,

(Signed)

Supt. for Chas. Lanier, Esq.

THE REEF, NEWPORT.

MESSRS. J. M. THORBURN & Co.

Gentlemen: I have had splendid success with your special grass mixture, as well as your lawn-restor-ing grass seed, and I am satisfied that a cleaner or better mixture cannot be gotten anywhere. Yours truly,


(Signed) HERMAN LIPS,

WESTBURY, L. I., Jan. 14, 1899.

LENOX, MASS., Jan. 27, 1899.

BROOKLYN, N. Y., Feb. 24, 1899.

BILTMORE, N. C., Feb. 23, 1899.



GRASS SEED MIXTURES. FOR MEADOWS AND PASTURE.

For nearly a hundred years our house has made a specialty of grasses. We were probably the first to introduce to this country, for commercial distribution, the many valuable natural and cultivated foreign species that now take such an important part in our agricultural economy. The formation of permanent pastures and meadows has for many years been a subject of careful study with us, and the following formulæ for seeding grasslands have received universal recognition.

It is a well-ascertained fact, fully recognized by all successful agriculturists, that a thicker and more prolonged growth is produced by a mixture of many sorts of grasses than by only one or two, and that a combination of grasses may thrive on a piece of ground on which any one of them would succeed indifferently.

For every different kind and condition of soil there is a large number of grasses, either indigenous or introduced, which are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early, and others so late, that from the beginning of spring until winter sets in, there is no time when one species or another is not at its best. The quantities given are the minimum, and may often be increased to advantage.

MEADOW MIXTURES FOR ONE ACRE.

No. 1. On Good Land, neither Too	No. 2. For High and Dry Land.	No. 3. On Wet, Late Land.
Dry nor Too Wet.	3 lbs. Red Top.	5 lbs. Red Top.
3 lbs. Red Top.	4 " Tall Meadow Oat Grass.	2½ " Creeping Bent Grass.
1 " Meadow Foxtail.	2 " Meadow Brome Grass.	5 " Orchard Grass.
$\frac{1}{2}$ " Perennial Sweet Vernal.	1/2 " Crested Dog's-tail.	2 " Tall Meadow Oat Grass.
2 " Tall Meadow Oat Grass.	5 " Orchard Grass.	
3 " Orchard Grass.	2 "Hard Fescue.	2 " Meadow Fescue.
2 "Hard Fescue.	3 " Sheep's Fescue.	1 " Tall Fescue.
2 " Sheep's Fescue.	1 " Meadow Soft Grass.	1 " Meadow Soft Grass.
4 " Perennial Rye Grass.	12 " Timothy.	5 " Perennial Rye Grass.
16 " Timothy.	1 " Rough-stalk Meadow Grass.	10 " Timothy.
1 " Red Clover.	1 " Red Clover.	1 " Red Clover.
1/2 " Alsike Clover.	1/2 " White Clover.	1/2 " Alsike Clover.
35 lbs. Price per acre, \$4.25.	35 lbs. Price per acre, \$5.	35 lbs. Price per acre, \$4.75.
		-
DACTUD	E MINTURES FOR ON	E AODE
PASIUR	E MIXTURES FOR ON	E ACRE.

No. 4. On Good Land, neither Too Dry nor Too Wet.

2 lbs. Tall Meadow Oat Grass. $\frac{2}{\frac{1}{2}}$ 66 Red Top. 44 Perennial Sweet Vernal. 66 4 Orchard Grass. 3 66 Sheep's Fescue. 1 66 Hard Fescue.

- 1 66 Meadow Soft Grass. 66
- 5 Perennial Rye Grass. 46
- Meadow Foxtail. $\frac{1}{7}$ 66
- Kentucky Blue Grass. 6 66
- Timothy. Yellow Trefoil. 66
- ×2 66 Red Clover.
- 1 66 White Clover.
- 35 lbs. Price per acre, \$5.25.

No. 5. On Dry Land.

- 3 lbs. Creeping Bent Grass.
- 31/2 " Tall Meadow Oat Grass.
- 66 1 Meadow Brome Grass.
- 66 3 Orchard Grass.
- 66 Hard Fescue. 1
- 66 4 Sheep's Fescue.
- " Perennial Sweet Vernal. 1/2
- 66 6 Timothy.

5

- 66 Perennial Rye Grass.
- 66 2 Field Burnet.
- " Sainfoin. 4
- 1 66 Red Clover.
- 1 6.6 White Clover.
- 35 lbs. Price per acre, \$5.75.


No. 6. On Wet Land.

3 lbs. Red Top.

- Orchard Grass. 4 66 66 1
 - Meadow Fescue. 66 Tall Fescue.
- 1 66 Meadow Soft Grass. 1
 - 66
- 5 Perennial Rye Grass. 66 Meadow Foxtail.
- 1 6.6
- 8 Timothy. 66 1
 - Rough-stalk Meadow Grass. " Kentucky Blue Grass.
- 8 6.6 1
 - Alsike Clover.
- 1 " White Clover.

35 lbs. Price per acre, \$4.75.

47



AGROSTIS VULGARIS. (Red Top.)

GRASS SEEDS.

We desire to call particular attention to the fact that Grass Seeds are sold in the trade by sample, and each sort is divided into three or four grades of quality, according to purity, germination and weight. The price of the best grade is often double that of the ordinary. The [Grass Seeds here offered by us are in every case the VERY HIGHEST GRADES.

The prices of some varieties may change as the season advances.

ACROSTIS CANINA (*Rhode Island Bent Grass*). Resembles Red Top (*A. vulgaris*, described below), but is of dwarfer habit, with shorter and narrower leaves. It makes a beautiful, close, fine turf, and is one of the very best grasses for lawns. It adapts itself to almost any soil, rich and moist, or dry, sandy and sterile. It is a native of Europe, but has been cultivated in our eastern states for many years, being valuable for permanent pastures. Of late years we have been unable to obtain true and pure seed of it here, the meadows from which it is saved having run largely into the freer seeding Red Top. We now import it from Europe, where it has been more carefully cultivated. 50 pounds of seed to the acre is recommended for lawns. Height, 1 to 2 feet. (12 lbs. to the bushel.) Per lb., 30 cts.; 100 lbs., \$25.

ACROSTIS STOLONIFERA (*Creeping Bent*, or *Fiorin*). The distinctive feature of this species is, as the name implies, its compact, creeping, rooting stems. It prefers low bottom lands, especially if they are somewhat sandy. It is of rapid growth and spreading habit, and the


stoloniferous roots form a strong, enduring turf, that is positively improved by constant trampling. Being of fine texture, it is one of the most valuable of our lawn grasses. If sown alone, 50 lbs. to the acre should be used. Height, 1 to 2 feet. (15 lbs. to the bushel.) Per lb., 30 cts.; 100 lbs., \$25.

- ACROSTIS VULCARIS (Red Top; Herd's Grass). A very hardy native perennial grass, succeeding best on moist land. It accommodates itself to a variety of soils, however, even to quite dry situations, and stands our hot elimate admirably. It is, perhaps, the most permanent grass we have, and it enters largely into the composition of our best natural pastures. It remains green for the greater part of the year. and its long, trailing stems form a very close, matting turf, that is not affected by trampling. It grows well as far south as Tennessee. Height, 1 to 2 feet. The seed, as usually sold, weighs 14 pounds to a bushel. The bulk of this is, of course, chaff, and 4 bushels of it would be required to sow an acre. The absolutely clean or "fancy" seed offered below weighs over 30 lbs. to the measured bushel, and 30 lbs. of it is sufficient to sow an acre. Per lb., 15 ets.; 100 lbs., \$10.
 - Fancy Heavy Red-top Grass. Absolutely clean and free from chaff. 30 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$20.
- AIRA CÆSPITOSA (*Hassock Grass*). A coarse grass, preferring stiff and marshy bottoms, and thriving in moist and shady woodlands. In England door-mats are formed of it by the cottagers. 30 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$20.
- AIRA FLEXUOSA (*Wood Hair Grass*). Delights in high and rocky hills; is of little agricultural value, except for sheep pasture. 30 lbs. to the acre. Per lb., 20 cts.; 100 lbs., \$18.
- ALOPECURUS PRATENSIS (Meadow Foxtail). One of the best permanent pasture grasses for rich, moist lands. Its chie characteristics are its extreme earliness and its faculty of standing high summer heats without burning. Although it prefers moist, low grounds, yet it accepts drier situations, and makes an earlier spring verdure than any other variety. It should be sown only in connection with other grasses, 3 or 4 pounds to the acre. Height, 2 to 3 feet. (7 lbs. to the bus.) Per lb., 35 cts.; 100 lb., \$30.
- AMMOPHILA ARUNDINACEA (Beach Grass). Valuable on the sandy seashore, canal and railway banks, etc. Its strong creeping, matting roots bind the drifting sand into natural embankments against the action of wind and waves. This grass is usually propagated by transplanting in the fall. Where it is necessary to use seed, it should be sown in the spring, and the ground covered with brush to hold the seed in place until it has taken firm hold. Height, 2 to 3 feet. Per lb., 45 cts.; 100 lbs., \$40.



AVENA ELATIOR. (Tall Meadow Oat Grass.)

Please notice that our prices are quoted at the lowest New York figures, and do not include the payment of express charges or postage. If wanted by mail, add 8 cents per pound for postage.



County...... State.....

AMOUNT ENCLOSED, \$_____189

IT Messes. J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants they send out, and will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

QUANTITY	ARTICLES WANTED	PRICE
-		
		~~

Fro	m
-----	---

J. M. THORBURN & CO., 36 Cortlandt Street, P. O. Box 2449. New York, N. Y.

GRASS SEEDS-continued.

ANTHOXANTHUM ODORATUM (*True Perennial Sweet Vernal Grass*). For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also for continuing to throw up root foliage until late in the

autumn. For meadows, its chief merit is the fragrant odor which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment, rather than a grass of much nutritive value, and in mixtures for hay only a small proportion of it should be used. From 2 to 3 lbs. to the acre when mixed with other sorts. Per lb., 60 cts.; 100 lbs., \$55.


- ANTHOXANTHUM ODORATUM PUELLI (Annual Sweet Vernal Grass). Much smaller than the perennial, and of much less value, lasting one year only. 20 to 25 lbs. to the acre. Per lb., 20 cts.; 100 lbs., \$15.
- ARRHENATHERUM AVENACEUM (Tall Meadow Oat Grass). See Avena elatior.
- AVENA ELATIOR (*Tall Meadow Oat Grass*). Most valuable for pastures on account of its early and luxuriant growth; it produces an abundant supply of foliage, which is relished by cattle, early and late. For hay it may be cut twice a year, and for green soiling it may be cut four or five times in favorable seasons. It is very hardy, and withstands extreme drought and heat and cold. It is very valuable for our southern states, where it is extensively curtivated for winter grazing and for hay. Height, 2 to 4 feet. 50 lbs. to the acre. (13 lbs. to bushel.) Per lb., 25 cts.; 100 lbs., \$18.
- AVENA FLAVESCENS (Yellow Oat Grass). Will not thrive well when sown alone, but with other species it becomes desirable for dry meadows and pastures. About 25 lbs. to the acre. Per lb., \$1; 100 lbs., \$85.


BEACH GRASS. See Ammophila arundinacea.

- **BERMUDA GRASS** (Cynodon dactylon). A most valuable grass for our southern states, both for pasture and lawns. It is of dwarf habit, with long creeping stems, rooting at the joints and covering the ground with a matting of fine turf, which no amount of trampling will inpair. It is also useful for binding drifting sand and for steep embankments subject to wash. When once established it is difficult to eradicate, and is therefore unsuitable for temporary pastures. As it cannot endure frost, it is of no value north of Virginia. It thrives in the poorest and sandiest soil, and resists extreme drought and the most intense tropical heat. It should be sown at the rate of 15 lbs. to the acre. Per lb., 80 ets.; 100 lbs., \$70.
- BLUE GRASS, CANADA. See Poa compressa.
 - " " ENGLISH. See Festuca pratensis.
 - " " KENTUCKY. See Poa pratensis.
- **BROMUS INERMIS** (Awnless, or Smooth Brome Grass). An erect perennial, 3 to 5 feet high, native of Hungary, where it is considered one of the best hay grasses, yielding a good return in the arid and silicious soil. The nutritive quality of its hay, however, is much inferior to that of our standard native sorts, so that we should recommend it only for dry, arid soils, where the better and more delicate grasses would not grow. It has been found to do well in the semi-arid regions of the west and northwest on account of its remarkable drought-resisting powers, while its extreme hardiness recommends it for the colder sections of Canada. It is strongly stoloniferous, its creeping rootstocks spreading rapidly under ground and giving out new plants. It is on this account undesirable for temporary meadows, being difficult to eradicate when once established. Sow 35 or 40 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$18.
- **BROMUS MOLLIS** (Soft Chess). This annual grass is so called because its stems and leaves are downy and soft to the touch. In good soil it rapidly produces an abundant forage, but of poor quality, and little relished by cattle. It can be recommended only for poor, sandy soil, where grasses of better quality would not grow. 30 lbs. to the acre. Per lb., 20 cts; 100 lbs., \$15.
- **BROMUS PRATENSIS** (Meadow Brome Grass). A hardy perennial, 2 to 3½ feet high, much used in mixtures for meadows, both for mowing and pasture. It is not recommended to be sown alone except in poor soil, on dry and stony hillsides, where better grasses will not grow. It withstands extreme cold and drought, and if cut before flowering it makes a good hay. If left to grow older, it becomes very tough and indigestible. 30 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$20.
- **BROMUS SCHRADERI** (*Rescue Grass*). In good, rich soil several crops have been cut in a season. It cures into hay of fair nutritive quality, but heavy and difficult to eat. For pasture, or for cutting and feeding green, it is more suitable. When first introduced it was claimed to be enormously productive, yielding five heavy crops in a year, but this and other claims of superiority have not been borne out, and the grass is not now so largely grown. Height, 1 to 2 feet. 30 lbs. to the acre. Per lb., 30 ets.; 100 lbs., \$25.

CALAMACROSTIS ARENARIA. See Ammophila arundinacea.

CYNOSURUS CRISTATUS (Crested Dog's-tail). A stoloniferous perennial, forming a smooth, compact and lasting turf. It thrives best on rich, moist land, but it can accommodate itself to almost any soil. Its roots penetrate deeply into the ground, which enables it to stand severe droughts. It is, on this account, valuable for hilly situations. It makes a good bottom grass and is very nutritious, and is therefore valuable in mixtures for permanent pastures. It thrives well in the shade, and is valuable for shaded parts of lawns. If sown alone 30 pounds to the acre is none too much, but it is recommended only in mixture with other sorts. Height, 1 to 2 feet. Per lb., 40 cts.; 100 lbs., \$35.





DACTYLIS GLOMERATA (Orchard Grass).

best in moist, alluvial and strong clayey soils. It is very productive and of long duration, and is especially valuable for permanent pasture. Stock of all kinds eat it readily, and its nutritive value is said to be very great. On rich, moist lands it yields a large amount of hay of excellent quality. It is not suitable for lawns. Height, 3 to 4 feet. 40 lbs. to the acre. Per lb., 30 cts.; 100 lbs., \$25.

- FESTUCA FLUITANS (*Floating Fescue*). A perennial with long, creeping roots, and preferring a rich, muddy or alluvial soil. It is found in ditches, shallow ponds, sides of rivers and lakes, and in boggy and marshy ground. As trout and wild ducks are very fond of the seeds and tender shoots, it is often introduced on the margins of ponds and rivers with the view of affording them nourishment. Per lb., 35 cts.; 100 lbs., \$30.
- **FESTUCA HETEROPHYLLA** (Various-leaved Fescue). A very early hardy perennial, 2 to 3 feet high, thriving best in cold, moist soils that are rich in humus and potash. In such soils it yields heavily and is valuable in grass mixtures for permanent meadows, either for mowing or grazing. Its great production of root leaves makes it an excellent bottom grass. Its nutritive value is said to be very high. It grows very well in the shade, and it is highly recommended for shaded lawns and woodland parks. 40 lbs. to the acre. Per lb., 30 cts.; 100 lbs., \$25.
- FESTUCA OVINA (Sheep's Fescue). This grass is a native both of America and of Europe. In our northwestern states there are many varieties of it, some of which grow 2 to 3 feet high. It prefers dry uplands, and thrives in poor, shallow, gravelly soils where other grasses would fail. It is very hardy, resisting extremes of heat and cold. Though of dwarf growth, it grows thickly, yielding a large amount of very nutritious herbage, which is much relished by sheep. In grass mixtures for pasture on high and dry lands it is especially valuable. Though a " bunch grass," it may be included in lawn mixtures on account of its fine foliage and dwarf, dense growth. Height, ½ to 1½ feet. 35 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$18.


GRASS SEEDS-continued.

DACTYLIS CLOMERATA (Orchard Grass; Cockstoot). One of the grasses most employed in permanent meadows, either for pasture or for mowing. It is very hardy and succeeds well anywhere in the United States. It is very productive and makes excellent hay. If cut before it flowers it is less hard and the pith of the stem is soft and sweet. It blossoms about the same time as Red Clover, and is therefore desirable in mixture with that plant. Stock of all kinds are very fond of it, either dry or green, and it endures constant cropping better than any other grass. After being mown it grows up quicker and yields a heavier aftermath than any other variety. It can stand considerable shade, and is recommended as a pasture grass for woodlands. Its tendency to grow in tussocks is diminished if it is sown with other grasses, and also by heavy rolling in the spring. But it is quite unsuitable for lawns. Height, 3 feet. (14 lbs. to the bushel.) Sow 3 or 4 bushels to the acre. Per lb., 20 ets.; 100 lbs., \$16.

DOC'S-TAIL. See Cynosurus cristatus.

- ELYMUS ARENARIA (*Lime Grass*). Valuable on the sandy seashore, canal and railroad banks, etc. It tends, with its tough, wide-spreading and thickly matting roots, to form natural and permanent embankments, thus serving to prevent the drifting of the sand and to protect an exposed shore from wind and waves. It is of no agricultural value. Per lb., 45 cts.; 100 lbs., \$40.
- **FESTUCA DURIUSCULA** (*Hard Fescue*). This is a variety of *F. ovina*, dwarfer and less vigorous in growth, but possessing all the other valuable characteristics of that variety. It is emphatically a grass for dry lands, doing well on sandy and shallow silicious soils. It is exceedingly hardy and withstands extremes of heat and cold, and also long periods of drought. For permanent pastures on poor lands it is especially valuable, but it may also be used in meadow mixtures for well manured clayey lands. In the latter case it has been known to yield a good crop of excellent hay and a very large aftermath. On account of its stooling habit it is not recommended for lawns. Height, 1 to 2 feet. 30 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$18.

FESTUCA ELATIOR (*Tall Meadow Fescue*). This grass is a native of Europe, but was long ago introduced to this country and is now naturalized and widely grown here. It succeeds It is very productive and of long duration, and is especially



FESTUCA RUBRA. (See opposite page.)

GRASS SEEDS-continued.

- FESTUCA PRATENSIS (Meadow Fescue, or English Blue Grass). One of the grasses most used in perma-nent or temporary meadows for mowing or for pasture. It succeeds best in cold, moist, light soils, in well-drained meadows and in low valleys rich in organic matter. It should not be grown at all in warm, dry land. It does
 - not reach its full development till the second or third year, when it far exceeds most other sorts in the quantity of its when it far exceeds most other sorts in the quantity of its produce and nutritive matter. After being mown it grows again very quickly. The forage, either green or dried, is very nourishing and much relished by cattle, especially when it has been cut young. Height, 2 feet. 40 lbs. to the acre. Per lb., 18 cts.; 100 lbs., \$13.
- **FESTUCA RUBRA** (*Red*, or *Creeping Fescue*). A creeping-rooted species, forming a close and lasting turf, and spe-cially adapted for dry, sandy soils. It resists extreme drought, and thrives on very inferior soils, gravelly banks and exposed hillsides. It is also valuable for binding shifting sands on the seashore. As a lawn grass, its chief merit is for positions too shaded for better sorts. 25 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$20.
- **FESTUCA TENUIFOLIA** (Slender Fescue). This is read a variety of Festuca ovina, with much finer leaves. This is really will grow on very dry and inferior soil, and its dwarf habit of growth and fineness of leaf render it not unsuitable for dry slopes on lawns. It stands grazing well, is very hardy and lasts long, and may therefore be recommended permanent pasture on high and dry situations. 30 lbs. to the acre. Per lb., 40 cts.; 100 lbs., \$35.

FOX-TAIL. See Alopecurus pratensis.


HOLCUS LANATUS (Meadow Soft Grass; Velvet Grass). This grass is not of much agricultural value, except on peaty or sandy soil, where better sorts will not grow. It s perennial, very hardy and grows rapidly. As a forage plant it is not of the first order, its nutritive value being small; yet it makes a hay that is eaten readily by cattle, especially when it is sprinkled with salt. Height, 1 to 2 feet. 35 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$20.

HUNCARIAN CRASS. See Panicum Germanicum.

JOHNSON CRASS. See Sorghum Halepense, page 58.

LOLIUM PERENNE (Perennial Rye Grass). Although called a perennial, it seldom lasts more than three or four years. It is the most valuable grass of Great Britain, both

relative position of importance that Timothy holds here. The cool, moist climate of England seems to suit it best, yet it succeeds very well in our middle and eastern states, and adapts lisen to a great directly of the seed is large and heavy, and produces a strong, verdant growth in four or five weeks after sowing. It The seed is large and heavy, and produces a strong of flower, and much relished by cattle and horses. Its best, yet it succeeds very well in our middle and eastern states, and adapts itself to a great diversity of soils. cures into a hay that is rather hard, but having a sweet flavor, and much relished by cattle and horses.



LOLIUM PERENNE (Perennial Rye Grass).



FESTUCA PRATENSIS (Meadow Fescue).

in very great. It is excellent in mixture with Red Clover, is very great. It is excellent in mixtures for quick effects in lawns. Height, $1\frac{1}{2}$ to 2 feet. 60 lbs. to the acre. Per lb., 12 cts.; 100 lbs., \$7.

LOLIUM ITALICUM (Italian Rye Grass). Though lasting two or three years under very favorable circumstances, it is practically an annual. Like the Perennial Rye Grass, it is a remarkably rapid grower, and has, in addition, the advantage of standing extremes of temperature, remaining green throughout the winter, and retaining its freshness in the hottest summer months and during prolonged droughts. When sown very thickly, or in mixture with other sorts, it makes a good, dense turf, and it has been used with much satisfaction on lawns as far south as Jacksonville. On rich, moist soils it is exceedingly productive, yielding an abundant cutting in four or five weeks after sowing, and every six weeks after that until late in the fall. For temporary meadows, on soils that are neither too stiff nor too dry, it is one of our most valuable grasses. Height, 1½ to 2½ feet. 50 lbs. to the acre. Per lb., 12 cts.; 100 lbs., \$7.

OAT GRASS. See Avena elatior.

ORCHARD GRASS. See Dactylis glomerata.

PHALARIS ARUNDINACEA (Reed Canary Grass). A very hardy perennial, preferring stiff, wet land, but also doing fairly well in dry, sandy soils. It grows well in ditches and by river sides, where its strong, creeping rootstocks render it valuable for binding the banks. Its seed also affords food for front and the fowl. When young it may be cut for green forage for cattle, but in its more matured state it is too coarse Bankb. 75 cfs. 100 lbs. \$65. for this purpose. Per lb., 75 cts.; 100 lbs., \$65.

GRASS SEEDS-continued.

PANICUM CERMANICUM (Hungarian Grass). One of the most valuable annual soiling plants. It grows on any ordinary soil; withstands drought well. As it is of very rapid growth, being ready for cutting within sixty days, it may be sown in this latitude as late as mid-



PHLEUM PRATENSE (Timothy).

dle of July for hay, or middle of August for green fod-der. It should be cut just before blooming. Sow 1 to Sow 1 to $1\frac{1}{2}$ bushels to the acre. (50 lbs. to the bushel.) Price

- variable. PHLEUM PRATENSE (*Timothy*). A native of Europe, but long ago naturalized in America, where it ranks as by far the most important of hay grasses. Its popular name, by which it is now known the world over, refers to name, by which it is now known the world over, refers to Timothy Hanson, who did most to make it known and appreciated. On moist, loamy or clayey soil it produces a larger hay crop than any other grass. It is not so well suited for light, sandy soils. Though preferring a moist, temperate climate, it withstands droughts and extreme heat and cold. Its hay is very nourishing and can be preserved for a long time. It should be cut when flower-ing, as if left later the hay becomes hard and coarse. It is often sown along with Red Clover, and the nutritive ing, as if left later the hay becomes hard and coarse. It is often sown along with Red Clover, and the nutritive value of the hay is greatly increased by this mixture. Height, 2 to 3 feet. If sown alone, at least one-half bushel to the acre should be used. The seed weighs 45 lbs. to the bushel. Several grades are always on the market, differing in purity and vitality. It is always most eco-parate to huw the highest grade known as "Farmer" nomical to buy the highest grade, known as "Fancy." Market price.
- POA AQUATICA (Water Meadow Grass). This is an excellent pasture grass for very wet situations. It also does well in bogs and marshes, and is useful in the same way as *Festuca fluitans*. 20 lbs. to the acre. Per lb., 40 cts.; 100 lbs., \$35.
- **POA COMPRESSA** (*Canada Blue Grass*). A very hardy perennial grass, with creeping rootstocks, forming a close and durable turf of fine texture. It grows on the poorest and driest soils, sandy, gravelly or clayey, standing extremes of wetness or drought, and keeping green till the second fracts of winter. It is said to be corrected. till the severe frosts of whethes of the source of the severe frosts of winter. It is said to be especially valuable for dairy pastures, cows feeding on it yielding the richest milk and finest butter. It is distinguished from the Kentucky Blue Grass by its flattened, wiry stems and by its decidedly bluer color. Height, 6 to 18 inches. (14 bbs. to the bushel.) 3 bushels to the acre. Per lb., 18 cts.; 100 lbs., \$11.
- POA NEMORALIS (Wood Meadow Grass). The chief characteristic of this grass is its special fitness for shaded

grasses will not grow. It is very permanent and hardy, resisting extremes of heat and cold, and is one of the first grasses to show a rich green growth in the spring. The creeping roots are formed underground, and make a good turf. It is excellent for pasture, and in good soil grows tall enough for hay. 30 lbs. to the acre. make a good turf. It is excel Per lb., 40 cts.; 100 lbs., \$38.


POA PRATENSIS (*Kentucky Blue Grass; June Grass*). One of our most widely distributed and valuable native grasses. It combines more points of excellence than any other sort. It is a true perennial, lasting

indefinitely and improving every year. Its densely creeping rootstocks, spreading habit, and smooth, even growth, fine texture and rich green color render it one of the very best grasses for lawns. It forms a close turf, starts very early in the spring, and lasts till frost. It succeeds in almost any soil, dry, rocky, sandy or gravelly, and stands long-continued dry weather and hot suns. It takes, however, two or three years to become well established, and should, therefore, be sown only in connection with other grasses. If the soil is specially suitable it will eventually crowd these out, and make the finest possible sward. It is one of our most valuable pasture grasses, very produc-tive and nutritious. Height, 9 to 18 inches. (14 lbs. to the bushel.) 3 bushels to the acre. Per lb., 15 c.; 100 lbs., \$12.

- POA TRIVIALIS (Rough-stalked Meadow Grass). A spreading, thickly matting, stoloniferous-rooted species, forming a fine turf, and well adapted for the more shaded portions of lawns. It thrives on rich, moist soil, and in sheltered situations, but does not do well on dry land. It is very valuable for forming bottom grass in mixtures for permanent pastures. Height, 1 to 3 feet. 20 lbs. to the acre. Per lb., 40 cts.; 100 lbs., \$38.
- **RED TOP.** See Agrostis vulgaris.

RESCUE CRASS. See Bromus Schraderi.

RYE CRASS. See Lolium Italicum and Lolium perenne. RHODE ISLAND BENT CRASS. See Agrostis canina. SWEET VERNAL CRASS. See Anthoxanthum odoratum. TIMOTHY. See Phleum pratense.



POA NEMORALIS (Wood Meadow Grass).

CLOVERS.

IF Subject to change of price. Our guotations are those ruling at this time.

ALFALFA, or LUCERNE (Medicago sativa). One of the most valuable and largely grown forage plants. It requires a deep, rich, well-drained soil. It roots very deeply, the tap-root descending often to a depth of 10

- or 15 feet in loose soil. It is consequently capable of resisting great droughts. In the west it is the best crop for hay or for soiling. It should be sown alone. in throughly prepared deeply plowed soil, at rate of 15 to 25 lbs. to the acre. The crop should be cut when the plant is coming into bloom. In suitable soil the plant is perennial, and several crops may be cut every year. Height, 1 to 3 feet. Per lb., 20c.; 100 lbs., \$15.
- ALSIKE, or HYBRID CLOVER (Trifolium hybridum) A perennial 1 to 3 feet high, succeeding best in cold and stiff soils, and in marshy lands which are too wet for other species. It grows well in the far north and in high altitudes, and can withstand severe cold. It is recommended as a honey plant for bees. 12 lbs. to the acre. Per lb., 22 cts.; 100 lbs., \$18.
- **BOKHARA CLOVER** (*Metilotus alba*). A most valuable sort for soiling. It grows from 3 to 5 feet high, and if sown in rich soil may be cut three times; lasts two years or more if cut before flowering; good for ensi-lage and bees. 10 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$20.
- EGYPTIAN CLOVER (Trifolium Alexandrinum). Yields heavily in Egypt, and would likely do well on irrigable land in warm countries. It is as productive as Lucerne, and grows a little taller. 10 lbs. to the acre. Per lb., 35 cts.; 100 lbs., \$30.
- **CRIMSON, or SCARLET CLOVER** (*Trifolium incar-natum*). Erect annual, 1 to 2 feet high, with bright scarlet flowers. It is a native of southern Europe, and is now largely grown in our southern states for improving the soil by turning under. In Virginia and southwards it is sown in the autumn for winter and early spring forage. It will not stand severe frost and cannot be depended upon to stand the winter north of New Jersey. It makes a very valuable crop for soiling, pasturage or green manure. For hay it should be cut when in full bloom. Sow 20 lbs. to the acre. Price variable.

CRIMSON, Or SCARLET CLOVER (Trifolium incarnatum).

JAPAN CLOVER (Lespedeza striata). A perennial, growing about 12 inches high; valuable only in southern localities, where it thrives in any soil and in the driest season; it makes a fair hay, and stock eat it readily when green. It is also valuable for turning under as green manure. Sow in spring broadcast at rate of

- 30 lbs. to the acre. Per lb., 30 cts.; 100 lbs., \$25. KIDNEY VETCH, or SAND CLOVER (Anthyllis vulneraria). A deep-rooted, herbaceous hardy perennial plant, valuable for dry sands and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep, cattle and horses; useful in mixture for dry soil. Produces abundantly of hay and seed. Sow 20 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$22.
- **RED CLOVER, MEDIUM** (*Trifolium pratense*). One of the most valuable farm crops of the eastern states for pasture, soiling, hay, or for turning under for green manure. It requires a deep, rich soil, and yields two hay crops in the season. In this section it should



KIDNEY VETCH, OF SAND CLOVER (Anthyllis vulneraria).

be sown in the spring at rate of 12 to 15 lbs. to the acre. Price variable.

- MAMMOTH RED, or PEA VINE CLOVER (The Eng*lish Cow Grass*). Grows much larger and lasts longer than the common Red Clover; most valuable for plow-ing under. 10 lbs. to the acre. Price variable.
- WHITE CLOVER (Trifolium repens). Some White Clover is usually included in lawn grass mixtures. It makes an excellent turf that stands constant trampling. It is of dwarf habit, the stems creeping and rooting at the joints. It spreads rapidly, and is very hardy, resisting extremes of heat and cold, dryness and humidity, and accommodating itself to all kinds of soils. It is valuable in mix-tures for permanent pastures, its forage being very sweet and nutritious and much relished by cattle. The seed should be sown in the spring. In mixtures, 1 or 2 lbs.; if alone, 8 or 10 lbs. to the acre. Per lb., 25 cts.; 100 lbs., \$20.
- YELLOW SUCKLING CLOVER (Trifolium filiforme). Native of northern Europe. Prefers sandy clay soils; val-uable for sheep pastures; recommended in grass mixtures for wet, sandy meadows. Per lb., 35c.; 100 lbs., \$30.
- YELLOW TREFOIL (Medicago lupulina). An annual or biennial suitable for pasture in wet meadows or for stiff, clayey soils which are too poor for Red Clover. 15 lbs. to the acre. Per lb., 20 cts.; 100 lbs., \$12.

STRAWBERRY PLANTS.

E Layer plants can be had		yer, 100	gro	
Beder Wood. Very early and produc	tive; large, conical, bright red color, and of excellent quality\$	1 00	per \$3	00
Bismarck. Large, firm, brilliant scar	let berries of fine quality; vigorous, and very prolific	1 00) 3	00
1	Brandywine. Large, roundish conical, glossy crimson, firm and solid; of fine, aromatic flavor. Plant vigorous and pro-			
	ductive ; succeeds on any soil. Mid-season to late	1 00) 3	00
	Bubach No. 5. A very large berry of dark color. Productive; of fair flavor; largely grown for market. Mid-season	1 00	3	00
	Clyde. Very regular, bright scarlet berries; large, and of excel- lent flavor; firm, and a good shipper. Plant remarkably	1 00		
6901900	healthy, vigorous and productive. Season early	1 00) 3	00
1900000000	Excelsior. Very early, large, good color, firm and of fine quality. A vigorous grower and very productive	1 00) 3	00
1992 Ro 0 201 M	Cladstone. Large, early and of good quality. Color red, with red flesh, solid	1 00) 3	00
000000	Clen Mary. Of large size. Bright, glossy crimson, of fine flavor; plant is strong and healthy, very prolific and on good			
	soil the berries are large to the end of the season. Early	1 00) 3	50
13000000	Johnson's Early. A fine new extra-early, large size, deep red color; glossy, firm, sweet and of excellent flavor	1 00) 3	00
	Marshall. Large, dark crimson, good ; plant luxuriant, but needs rich soil and careful culture. Mid-season	1 00) 3	00
*. 900	Nick Ohmer. Very large size, dark glossy red, firm and of excellent flavor. Vigorous grower and very productive	1 00) 3	3 00
	Sharpless. Demands rich, strong soil; plant large and			
vigorous; berries very large, irre	gular in shape, crimson, moderately firm and of good quality.	1 00	۰ o	00

_			a los high	A		houten	a low a time -	1 00	9 00
Success.	Early, large	e, bright crimson	i color, high	i flavor and	continues	bearing	a long time	1 00	3 00

VEGETABLE PLANTS.

CABBACE, Coldframe plants. (Ready	in Mar	ch.)
	Per 100	
Early Jersey Wakefield		\$7 50
Stein Early Flat Dutch	1 00	7 50
Improved Early Summer		7 50
CAULIFLOWER, Thorburn Early Sn	owball,	Cold-
frame plants. (Ready in March.) 33	5 cts. per	doz.,
\$2 per 100, \$15 per 1,000.		
CELERY PLANTS. (Ready in June.)	Per 100	1,000

Golden Self-blanching\$0	50	\$4 00
Perfection Heartwell	50	4 00
White Plume	50	$4 \ 00$
ECC-PLANTS, Pot-grown. (Ready about		
Improved New York Purple. Large s	ize,	grown

in 3-inch pots. \$1 per doz., \$7.50 per 100.

- LETTUCE, Thorburn Market-Cardener's Private Stock, Transplanted plants, grown in Flats. 20c. per doz., \$1 per 100.
- PEPPER, Large Bell, or Bull Nose, Transplanted plants, grown in Flats. 25 cts. per doz., \$1.50 per 100.
- TOMATO PLANTS, Transplanted, grown in Flats. (Ready about May 1.)

	Per doz.	100	1,000
Beauty	.\$0 25	\$1 50	\$10 00
Thorburn Long Keeper	25	1 50	10 00
Perfection	25	1 50	$10 \ 00$
Acme	25	1 50	10 00
Trophy	25	1 50	10 00
Ponderosa	25	1 50	10 00

ESCULENT PLANTS AND ROOTS.

		Per doz.	
Asparagus	Roots.	Conover Colossal (2 years)per 1,000, \$6.	\$075
11	66	Palmetto	75
66		Barr Mammothper 1,000, \$6	75
66		Columbian Manmoth Whiteper 1,000, \$7	1 00
Chive Plan	+0	per bunch, 25 cts	
Chive Flan	Vine P	oots (Dioscorea Batatas, Chinese Yam), 4 to 7 inches long	3 50
Unnamon	b Beet	s. Cut in pieces	75
Horseraus	n Koot		
Jerusalem	Articho	each, 10 cts 1 00	
Rhubarb H	oots	and 25 ats 2 50	
		<i>Estragon</i>)each, 35 cts 3 50	
Onion Sets	s, etc.	See page 30.	

BIRD SEEDS, ETC.

Prices Variable.

Pe	rlb.	100 lbs. +			100 105.
Canary, best Sicily\$0	10	\$4 50	Rape, Cerman\$0	10	\$6 00
Mixed Canary Seed			Rib Grass	25	
Hemp		5 00	Rough Rice		8 00
Lettuce Seed			Vetches for Pigeons	10	5 50
Maw, Blue Poppy			Prepared Food for Mocking Birds		
Millet			per 1-lb. tin, 35 cts		
" White French		10 00	Gravel for Cagesper qt., 6 cts		
11 Red French	20		Cuttle-fish Bone	30	
Rape, English	15	7 00	Sunflower Seed for Parrots	10	6 00

CEREALS.

Grain in quantities of one-half bushel and upward should be shipped in canvas bags, which we can supply at following rates: One-half bushel, 8 cents; one bushel, 11 cents; two bushels, 17 cents. Customers will please add cost of bags to remittance when ordering.

The prices of some varieties may change as the season advances.

FIELD CORN.

All northern-raised sorts (56 lbs. to bushel)-			_
Early Yellow Canada. (Flint.)		Qt. 0 15	Bus. \$1 50
Farmer's Favorite, (Vellow Dent.)			1 50
	Colden Beauty. Large grain, small cob;		
5 0 II	very productive	15	1 50
	King Philip. Early, deep yellow, Flint	15	1 50
	Hickory King. Large grain and small cob; white Dent; late	15	1 50
A ALAN	King of the Earlies. Small cob; yellow Dent. Said to mature farther north than any other Dent variety	15	1 50
	Long White Flint, or Sanford	15	1 50
	-	10	1 30
	Longfellow. (Yellow Flint.) Small cob and large grain	15	1 50
	Pride of the North. Very large ears. (Dent.)	15	1 50
	Champion White Pearl	15	1 50
	Mastodon Dent. Very early, strong-growing	10	1 00
	Corn, with exceedingly large ears and grains.	15	1 50
	Leaming Early. Large, deep grains; bright vellow.	15	1 50
	Blunt's Prolific. Valuable for fodder	15	1 50
	Mammoth White Surprise. Very large,		
ANY	dented, deep grain	15	1 50
	Legal Tender. Large size, comparatively early.	15	1 50
	Angel of Midnight. Flint, eight-rowed, good	1."	1 50
- I Shirt Chin	size	15	1 50
	lowa Cold Mine. Dent, early; deep grain	15	1 50
Wisconsin White Dent. Very early. deep rooted ; st		15	1 50
Virginia Horse Tooth. For fodder			1 25
Sheep Tooth. For fodder		15	1 50
Sweet Fodder Corn. (Measured bushel.)			2 00
Thoroughbred White Flint. Of spreading habit; no in a hill. Its great suckering habit, breadth of bla	de and smallness of stalk recommend it as the	15	1 **
most valuable, both for fodder and ensilage		15	1 75
Pop Corn	ears, per 10., 10 cts		

N. B. We can supply selected specimen ears of many varieties of Field Corn at 5 cts. each. \$4 per 100.

MISCELLANEOUS CEREALS.

All subject to change in price.

BARLEY (48 lbs. to bushel). 2 bushels to the acre— Champion Vermont. An early and prolific varietyPrice variable ; about	Per qt. t \$0 10	
BUCKWHEAT (48 lbs. to bushel). 1 bushel to the acre— American Silver Hull. Earlier and more productive than the commonJapan. Enormously productive; the grains are much larger than those of any other variety		
 MILLETS (50 lbs. to bushel)— Japan Barn-Yard (Panicum Crus-galli). Excellent for fodder; very productive. Less harsh an woody than any other tall-growing Millet. In recent experiments it yielded 7,800 lbs. of well cure hay to the acre	d i- g	
OATS. All the approved sorts furnished. 2 to 3 bushels to the acre- RYE (56 lbs, to bushel). 1 to 1½ bushels to acre- Winter Excellence	15	1.95
 Winter Excelsior Spring. Price variable. WHEAT, WINTER (60 lbs. to bushel). About 1½ bushels to acre— Red Clawson	er bus., ''	\$1 75 2 00

Forage, Economical and Miscellaneous Seeds.

All subject to change in price.

ASPERULA odorata (*Waldmeister*). Perennial, about 6 inches high; very fragrant flower. In Germany it is thought much of as imparting a certain bouquet to Rhine wine, making the well-known *Maitrank*. Per pkt., 10 cts; per oz., 60 cts.



- AUSTRALIAN SALT-BUSH (Atriplex semibaccatum). A valuable forage plant recently introduced by the University of California. Experiments show that it thrives in soils on which nothing else will grow, and it is recommended highly for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of live stock. One pound of seed is sufficient for an acre. The soil should be well plowed and har-rowed. The seed may be sown in garden bed and the seedlings planted out when 2 inches high, 7 or 8 feet apart. Per oz., 15 cents; per lb., \$1.50. Special quota-tions for large quantities.
- BEANS-Common English Horse Bean. Per qt., 20 cts.; per bus., \$3.50. Soja Bean (Soja hispida; Glycine hispida). The haulm
 - is stiff, and the pods are produced in clusters of from two to five, and contain each four smooth, oval, nankeen colored seeds. Thrives well in hot and dry weather; to 3 feet apart, and cultivated about the same as Indian corn. It does not make very good hay, but is excellent as ensilage or green fodder. The feeding value of the Bean is very great. Per qt., 20 cts.; per bus., \$3. Velvet Bean (*Dolichos multitionus*). Used by the farmers
- in Florida and Louisiana as a forage plant, and also as a art lizer plant for turning under just in the same way as the Cow Pea. Stock readily eat the vines and leaves, and the Beans when ground with or without the pod, are used in place of oats or corn, and sometimes mixed with them. It is claimed that as a fertilizer for orange groves SOJA BEAN. soja BEAN. the Velvet Bean is unequaled. It is planted in rows 4 feet apart and 1 foot in the row, 2 or 3 beans in a place, as soon as danger of frost is past. The yield is from 20 to 35 bushels to the acre. Per qt., 20c.; per bus., \$3.
- BECCAR-WEED (Florida or Giant Beggar-weed; Desmodium tortuosum). An erect leguminous annual, growing from 3 to 8 feet high, with abundant foliage, valuable as forage or for soil renovation in subtropical regions. It is highly recommended for improving light, sterile, sandy soils by plowing under, and it also makes hay of a fine quality. It should be sown at the rate of 10 pounds of clean seed to the acre, after the ground is warm and moist. The seed should be but very lightly covered. If for hay, it should be cut just as it begins to bloom. Per lb., 50 cts.; per 100 lbs., \$40.
- BROOM CORN (12 quarts to the acre). Broom Corn succeeds in a good, deep soil, fresh but not damp; it is very sensitive to cold.
- Long-brush Evergreen. Per lb., 15 cts.; per 100 lbs., \$7. Improved Dwarf. Per lb., 15 cts.; per 100 lbs., \$8. Early Japan. Per lb., 15 cts.; per 100 lbs., \$8.

California Colden Long-brush. Grows from 12 to 14 feet high. Per lb., 15 cts.; per 100 lbs., \$7.

BROOM—Scotch (Genista scoparia). The young growth of this shrub is chiefly valuable as food for sheep and other animals in winter. It is also employed for the making of coarse brooms. Per oz., 10c.; per lb., 50c.

BURNET-Common Field (Poterium sanguisorba). Perennial; makes excellent pasture for sheep; grows on the poorest ground-on dry, sandy or calcareous soil; resists the extremes of heat or cold. Sow in April, and again in September, with Sainfoin, Clover, Rye Grass, etc., 30 lbs., to the acre. Per lb., 20c; per 100 lbs., \$12.

CANAICRE (Rumex hymenosepalus). Used in the tanning of leather. Per pkt., 10c.; per oz., 50c.; per lb., \$5. CAPER TREE (Capparis spinosa). Per paper, 15 cts.; per oz., 75 cts.

CATERPILLARS. A curious plant. Of interest only on account of the curious fruits, from which its name is derived. Amusement is caused by mixing them in salads. Per paper, 5 cts.; per oz., 30 cts.

- CHICORY-Large-rooted. A perennial, remaining five or six years in the same soil, if cut before flowering. It may be cut four or five times during the same season for green fodder. Sow broadcast in autumn or spring, either alone or with any kind of Clover. Sown in drills, the roots become well developed. When they are dried, roasted and ground they become the Chicory of commerce, and are used in adulterating coffee. Per oz., 10 cts.; per lb., 75 cts.
- COTTON—Sea Island. (40 lbs. to bushel.) Per lb., 15 cts.; per 100 lbs., \$7. Upland. (30 lbs. to bushel.) 25 lbs. to the acre. Per lb., 15 cts.; per 100 lbs., \$7.
- COW PEAS (Vigna Catjang). Specially adapted to warm countries; extensively grown in our southern states; also valuable in this latitude as a fodder plant, sheep being very fond of them when in flower; their chief value, however, is as a green crop to plant, sneep being very tond of them when in hower; their chief value, however, is as a green crop to plow under, as they gather large amounts of nitrogen from the air. They require a deep, rich, sandy soil for best results. The seed should not be sown till the ground has become well warmed. 1 bushel to the acre. Per qt., 15 cts.; per bus., \$2.25.
- **CYTISUS PROLIFERUS ALBUS** (*Tagasaste*). An African fodder plant of merit that has done well in Australia and in California. It is a leguminous shrub, growing well in dry soil and furnishing excellent "browse" for stock. Sow in boxes and transplant when the plants are a few inches high. The seed should be passed through boiling water and then steeped in cold water for 24 hours before sowing. Per oz., 20c.; per lb., \$2.50. DHOURA-Guinea Corn. See Sorghum.

MISCELLANEOUS SEEDS-continued.

ESPARTO CRASS (*Stipa tenacissima*). This is the true Esparto Grass, extensively grown in Spain and other parts of the Mediterranean countries for making ropes, etc. Per oz., \$1.50.

ESPARSETTE. See Onobrychis setiva.

FENUCREEK. Annual. The seed is often sought by hostlers to give a temporary fire and vigor to their horses. It is frequently given to oxen and pigs when fattening, causing them to drink and digest their food. Considered to be good for soiling when green. Per oz., 10 cts.; per lb., 30 cts.

FLAT PEA. See Lathyrus sylvestris.

FLAX SEED. 1½ bushels to acre. Price variable.

FURZE (Ulex Europea). Also known as Whin and Gorse. A perennial leguminous shrub, native of northern Europe. The crushed sprigs of one year's growth of this shrub furnish an excellent green fodder in winter. It grows well on dry, barren hillsides and in poor sandy soil, where it makes an excellent forage plant. Sheep are very fond of it. 25 lbs. to the acre. Per oz., 10 cts.; per lb., 75 cts.

CUINEA CRASS. This name is sometimes applied to Johnson Grass, but the real Guinea Grass does not mature seed in the United States.

GUIZOTIA oleifera. An annual from Abyssinia, from the seed of which oil is extracted. Per oz., 10c.; per lb., 75c. HEMP. One bushel to the acre. Price variable.

HOP SEED. Per pkt., 10 cts.; per oz., \$1.

- INDICO SEED (Indigofera tinctoria). Per oz., 20 cts.; per lb., \$1.50.
- IRIS pabularia. A forage plant, flourishing in the driest and most arid soil. The seeds should be sown in beds, and the young plants set out 10 inches apart each way, where they are to remain, very early the following spring. Per oz., 75 cts.

JAPAN CLOVER. See Lezpedeza striata.

JERUSALEM CORN. See Sorghum.

- JUTE. Annual. Thrives in any good corn ground. Sow in drills, about 8 inches apart, 4 pounds to the acre. Requires no cultivation, as it will outstrip in growth all weeds. May be also sown broadcast, 6 per acre. Per oz., 10 cts.; per lb., 75 cts. May be also sown broadcast, 6 to 7 pounds
- KAFFIR CORN. See Sorghum.
- KALE-Jersey Winter, or Cow Cabbage. Said to be hardy from New Jersey southward, where it will stand out all winter, the leaves making valuable winter cattle feed. Sow at same time as winter cabbage. Per oz., 10 cts.; per ib., \$1.

KIDNEY VETCH, or Sand Clover. See Clovers, page 53.

- LATHYRUS sylvestris (Flat Pea). A perennial forage plant. The vines when cut dry out readily and make a It grows well on very poor, unimproved, sandy soil, can withstand pretty severe frosts, and roots so deeply that it is not injured by severe drought. Valuable for plowing under in a green state as a soil renovator to supply nitrogen to poor soils. It is recommended to sow seeds in a small garden bed and transplant to the
- field when the plants are of suitable size. Per oz., 10 cts.; per lb., \$1. **LENTILS**—Best Imported (*Ervum lens*). Succeed best in dry, sandy soil. A leguminous annual, the seeds of which are valuable for pigeons, and are largely used for soups. The leafy stalks make good forage. Per lb., 30c.
- **ESPEDEZA** striata (Japan Clover). A perennial, growing about 12 inches high, valuable only in southern localities, where it thrives in any soil and in the driest seasons ; it makes a fair hay, and stock eat it readily when green. It is also very valuable for plowing under as green manure. It is usually sown in the spring, broadcast, at rate of 30 lbs. to the acre. Per lb., 30 cts.; per 100 lbs., \$25.

LIQUORICE (Glycyrrhiza glabra). Seed in pods, per oz., 25 cts.

- LOTUS corniculatus (Bird's-foot Trefoil). Perennial, used in pastures. Cattle and sheep eat it readily, and it is said to be quite nutritious. It grows on the lightest and most sterile soils, and can withstand severe droughts. It is excellent for sowing in mixtures for dry pastures. Per lb., 60 cts.
- LUPINS-Yellow. It succeeds well in the poorest soil, and is exceedingly valuable for plowing in to improve addition to hay. It should be sown in the spring when the ground has become warm, at rate of 90 pounds to the acre. Per lb., 20 cts.; per 100 lbs., \$8.
 - White. One of the best plants known for green manure, as it gathers large quantities of nitrogen from the air. It may be sown from April to July, and plowed under when in flower. The seed, when burned, is excellent manure for orange and olive trees. Per lb., 20 cts.; per 100 lbs., \$8. Blue. Used for the same purpose as the white variety. Per lb., 20 cts.; per 100 lbs., \$8.

- MADDER (Rubia tinctoria). A perennial, the roots of which, when dried and reduced to powder, furnish a red coloring matter. If cut the second year when in flower, it furnishes a good green folder. Per oz., 10c.; per lb., \$1.
- MADIA sativa. An annual plant, producing good sheep pasturage ; valuable in dry and warm soil. An excel-lent lubricating oil is extracted from the seeds. Per oz., 10 cts.; per lb., 60 cts.
- MILLETS, See Cereals, page 55.

MILLO MAIZE. See Sorghum, Branching.

ONOBRYCHIS sativa (Saintoin, French; Esparsette, German). A perennial leguminous plant, belonging to the same family as Clover and Lucerne. It is a valuable plant for growing on barren hillsides. When once well established it lasts for a great many years, yielding heavy hay crops of the highest nutritive value. It is sown in the spring, covering the seeds quite deeply, at rate of 80 lbs. or 100 lbs. to the acre. Per lb., 15 cts.; per 100 lbs., \$9.



SERADELLA. (See page 58.)

MISCELLANEOUS SEEDS-continued.

OSACE ORANCE (Maclura aurantiaca). Useful for hedges. See Hedge Plants, page 44.

PEARL MILLET (*Penicillaria spicata*). A valuable fodder plant for the south; is enormously productive. Sow the seed in drills 18 inches apart and 8 to 10 pounds to the acre. Per lb., 20 cts.; per 100 lbs., \$9.



- PEAS—Canadian Field. Valuable for northern climates, for cattle feeding, being especially valuable for milch cows. It also makes ensilage of fine quality. It is sown broadcast in the spring and harrowed in. Per qt., 15 cts.; per bus., \$1.50.
- **PYRETHRUM** roseum. The plant from which insect powder is made in Europe. Per oz., 75 cts.
- **POPPY—Opium.** The seed furnishes about 35 per cent of an agreeable sweet oil, used for the table, for painting and for illuminating. May be sown in spring either broadcast or in drills, covering with but little earth. Also cultivated for opium. Per oz., 20 cts.; per lb., \$1.
- **POLYCONUM Sachalinense** (*Sacaline*). Hardy perennial, native of the Island of Saghalin, between Japan and Siberia. It has been known to European and American nurserymen for many years, but its merits as a forage plant have only lately been pointed out. It grows well on the poorest soils, and endures the extremes of heat and cold. It grows to a height of 10 or 12 feet, and can be cut two or three times in the season. The stems and leaves, which are very nutritious, are said to be eaten either green or dry by cattle and sheep. Seed, per oz., 60 cts.; per lb., \$6.

RAMIE—Silver China Crass (Urtica nivea). Extensively cultivated for its fiber. The seed should be germinated on cotton floating in lukewarm water, and trans-

ferred to a bed, screened from the hot sun. When the plants are 4 inches high, transplant to a field in rows 4 feet apart each way, and when the plants are 3 feet high, turn them over and peg to the ground, after which cover them with earth, and they will start in every direction. Per oz.. \$1; per lb., \$12.

- **RAPE—Dwarf Essex, English.** Largely grown in the northern United States and in Canada. It is excellent for sheep pasture, and also for soiling. It may be sown in May, and will be ready for pasturing in July and August. Or it may be sown in June, or even up to the latter part of July, and yet furnish, under moderately favorable circumstances, a large amount of pasture or folder. It may even be sown after taking off a crop of early potatoes. In drills, sow 5 pounds to acre; broadcast, 10 pounds to acre. Per lb., 15 cts.; per 100 lbs., \$7.
- **REANA** luxurians (*Teosinte*). A valuable fodder plant from Central America, in growth resembling Indian corn. Well adapted to our southern states. Per oz., 15 cts.; per lb., 80 cts.

RIB CRASS (Plantago lanceolata). Per lb., 25 cts.

SAINFOIN. See Onobrychis.

SALT BUSH. See Australian Salt Bush.

SACALINE. See Polygonum Sachalinense.

SCURVY CRASS (Cochlearia officinalis). Used as a pepper grass. Per oz., 25 cts.

SERADELLA. A valuable forage plant, admitting of one, and sometimes two cuttings, in one season. It succeeds well in a dry, sandy soil, and furnishes a good pasture for sheep. It may also be cured for hay. Can be sown with winter rye. About 50 pounds to acre. Per lb., 20 cts.; per 100 lbs., \$9.

SNAILS. Used in the same way as Caterpillars. Per paper, 5 cts.; per oz., 35 cts.

SORCHUM (18 pounds to the acre)—

Early Amber Sugar Cane. Ripens wherever Indian corn matures. Per lb., 15 cts.; per 100 lbs., \$6.

Early Orange Sugar Cane. Ripens about ten days after Early Amber. Per lb., 15 cts.; per 100 lbs., \$6. . Brown Dhoura Corn. Per lb., 15 cts.; per 100 lbs., \$6.

- Yellow Branching (Yellow Millo Maize). This is non-saccharine; useful only for the large amount of foliage, green feed or cured fodder that it furnishes and for its grain. Per lb., 20 cts.; per 100 lbs., \$7.
- White Branching (White Millo Maize). The merit of this non-saccharine Sorghum is, that when cut for feeding it starts again from the remaining stumps with renewed strength and vigor; thrives in the hottest and driest localities. Per lb., 20 cts.; per 100 lbs., \$7.
- **Red Kaffir Corn** or **Sorghum.** Non-saccharine. The plant is low, stalky, perfectly erect. The whole stalk, as well as the blades, cures into excellent fodder, and in all stages it is available for green feed. Per lb., 15 cents; per 100 lbs., \$6.

White Kaffir Corn. Per lb., 15 cents; per 100 lbs., \$6.

White African Sorghum, African Millet, or White Dhoura. Per lb., 15 cents; per 100 lbs., \$6.

- **Halepense** (Johnson Grass). One of the most valuable southern fodder plants. On rich soils it may be cut three or four times in a season. Sow the seed in August and September, at the rate of 25 to 35 pounds to the acre. Per lb., 20 cents; per 100 lbs., \$9.
- **SPURRY** (Spergula arvensis). Annual. Grows well on poor, dry, sandy soils. It is in best condition for pasture in four to six weeks after sowing, and may be sown every month from March to August. Excellent pasture for cattle and sheep; also, as a fertilizer for light, sandy soil. 15 pounds to the acre. Per lb., 20 cents; 100 lbs., \$9.

Clant Spurry. Per lb., 20 cents; per 100 lbs., \$9.

SUNFLOWER-Large Russian. Per lb., 10 cts.; per 100 lbs., \$6 (price fluctuates).

MISCELLANEOUS SEEDS-continued.

- **TEASELS-Fullers'.** The heads, furnished with barbed spikes, are used for combing cloth. Teasels require a good, deep soil, and should be sown about April or May. The young leaves are often used for feeding silkworms. Per lb., 30 cts.
- TEOSINTE. See Reana luxurians.

VELVET BEAN. See under Beans, page 56.

- VETCHES-Spring Tares (*Vicia sativa*). Sown broadcast at rate of 1 to 1½ bushels to the acre, like wheat or barley, and sometimes mixed with oats for soiling. Used in France or Canada as a substitute for peas. Also ground up into flour, after which it is mixed with wheat flour for making bread. Per qt., 20 ets.; per bus., \$3.
 - Sand, Winter, or Hairy Vetch (*Vicia villosa*). This variety thrives on poor, arid, sandy soils. It is sown either in fall or in spring, and generally mixed with rye, which serves as a support to the plants. It grows to a height of from 3 to 4 feet, and can be cut twice for fodder, first as soon as the bloom appears, and then it can be again cut for the seed. The plant is perfectly hardy, and the produce is recommended as most nutritious. The seed is black and perfectly round, and should be sown at the rate of 1½ bushels to the acre. Per qt., 25 cts.; per bus., \$4.50.
 - **Tufted Vetch,** or **Bird's Tares** (*Vicia cracca*). Has creeping perennial roots, and affords provender of good quality. Per lb., 25 ets.
- WILD RICE (Zizania aquatica). A native of our northern and western states. Valuable as a forage plant for swamps and inundated lands, but it is chiefly valuable as an attraction for water fowl. The Indians of the lake regions of the northwest used to gather it by beating it off into their cances and then curing it for winter food. Before sowing, put the rice into coarse cotton bags, and sink them in water for 24 hours. Sow in water, which is from 6 inches to 5 feet deep, with soft mud bottom, or on low, marshy places which are covered with water the year round. In running water, sow as much out of the current as possible. Per lb., 25 cts.; per 100 lbs., \$15.
- WORMS. Used the same as Snails and Caterpillars. Per pkt., 5 cts; per oz., 35 cts.
- **YARROW** (Achillea Millefolium). On account of its creeping root it is considered a bad weed in pasture and arable lands, yet by many it is thought worthy of cultivation on light soils on account of its nutrient properties. Per lb., \$1.50.

TOBACCO SEEDS.

- Brazilian American. The finest Brazilian strain grown here; makes excellent cigars and delightful, aromatic pipesmoking tobacco. Per oz., 25 cts.; per lb., \$2.
- **Climax.** A cross between Burley and Sterling. Extra fine, bright variety. Per oz., 25 cts.; per lb., \$2.
- Connecticut Seed-Leaf. The popular sort, used for cigar wrappers. Per oz., 25 cts.; per lb., \$1.50.
- **Conqueror.** A superb, bright yellow, and a healthy, vigorous grower of the best form and finest texture. It ripens early, and is easily cured to the brightest color. Per oz., 25 cts.; per lb., \$2.50.
- Havana. Seed gathered for us from the celebrated plantations of the "Vuelto de Abajo." Per oz., 40 cts.; per lb., \$4.
- Honduras. A new mahogany variety, producing the very highest quality of tobacco of this type. A healthy and vigorous grower. Per oz., 25 cts.; per lb., \$2.50.
- Kentucky Burley, Per oz., 35 cts.; per lb., \$3.50.
- Kentucky Yellow. Per oz., 25 cents; per lb., \$2.50.
- **Oronoka Yellow.** A reliable old yellow variety, grown for more than fifty years and improved with reference to the production of yellow stock. Per oz., 25 cts.; per lb., \$2.
- Oronoka, White Stem. From the Yellow Oronoka, which it resembles. Per oz.. 25 cts.; per lb., \$2.
- **Pennsylvania Seed-Leaf.** Newest and best strain of this standard and popular variety. Per oz., 25 cts.; per lb., \$2.
- Persian Rose. Finer than the Muscatel, and may be relied upon to make the best cigar. Per oz., 25 cts.; per lb., \$2.50.



SPRING VETCHES (Vicia sativa).

- **Pryor, Yellow.** Preferred by many for brights, and succeeds where the other yellow sorts fail. The west is giving it preference as a main crop sort. Per oz., 25 cts.; per lb., \$2.
- Pryor, Blue. The genuine James River favorite. Per oz., 25 cts.; per lb., \$2.
- Safrano. Of a rich, saffron-yellow color, and possessing a soft, silky texture and a delightful flavor. Per oz., 25 cts.; per lb., \$2.
- Sterling. The newest and brightest of the yellow type and the earliest to ripen. Per oz., 25 cts.; per lb., \$2.

Sumatra. Expected.

- **Tuckahoe.** Preferable to most of the older varieties for possessing more body. Leaf long and extra fine; the perfection of a wrapper. Per oz., 25 cts.; per lb., \$2.
- Virginia Oak Hill Yellow. Resembles White Burley in color and Oronoka in shape and habit. Unsurpassed in delicacy of fiber. Per oz., 25 cts.; per Ib., \$2.50.
- Virginia "One Sucker." Large leaf; wide, lanceshaped; rather coarse than fine. Per oz., 25 cts.; per lb., \$2.50.
- Yellow Mammoth. A new western variety of the export type. Per oz., 25 cts.; per lb., \$2.
- Zimmer's Spanish. One of the most popular and extensively grown cigar varieties. Very early; finest quality. Per oz., 25 cts.; per lb., \$2.50.

I forticultural Im	plements	and Garden Requisites.
Asparagus Knives, Best English (Saw Bla " " American. Useful als ing docks, dandelion	Each ade)\$1 00 so for remov-	Calvanized Wire Stakes. For roses, etc. Each 3 feetper doz., 40 cts.; per 100, \$2.50 50 cts.; 3.00
ing docks, dandelion etc., from lawns	s, plantains, 	4 50 cts.; 3.00 Garden Lines, Finest Braided; 100 feet
Atomizers, Woodason's Liquid Bellows, Woodason's Powder. For He bacco Dust, etc. See cut, page 69	\$1.25 and 2 00 Ellebore, To-	" Pencils, Wolff's Indelible Black 15
Bill and Brush Hooks, for heavy pruning.		Clazing Points, Van Reyper's Perfect
Canes, Bamboo, 7 to 10 feet long \$1.25 per 100, \$1		Cloves, Cardeners' Goatskinper pair, \$1 Grafting Wax, in ¹ / ₄ , ¹ / ₂ and 1-lb. packages30c. per lb
Carnation Supports, Model Extension. this pageper doz., 50 cts.;	See cut on	Crass Border Shears
Dibbles, all iron. See cut, page 61 Flower Vases, for displaying cut-flowers		HOOKS, of Sickles, Dest English, weided back
indurated wood-fiber. See cut, page 61.		Hedge Shears, English, 8 to 10-inch blade\$1.50 to 3 00Hoes, Draw or Corn40 ets. to 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50 50 45 35	Grub 75 "Scuffle, Dutch or Push, 4 to 10-inch40e. to 80 "Triangular. Used also as Tree Scrapers
Flower Pot Saucers, Indurated Wood- light and durable. Not porous, and will p on which plants stand. See cut, page 61.	liber. Very	Hose Nozzle, "Bordeaux." The simplest and best spraying Nozzle made. For 4 inch pipe or 4 inch hose
6 inch per	doz., 95 cts 10 \$1.10 10	" " Child's "Rainmaker"
8 " 10 " 12 " 13 "		 " American Ball. With or without spike 50 Coupling and Stock. Has ¼-inch pipe thread which fits the Bordeaux Nozzle. Opposite end for ½-inch or %-inch
Flower Pot Rolling Stands, for heavy pl	ants. Plat-	hose, as ordered
forms are of indurated fiber ware; will rust. Castors have Ball Bearings. See c	not soak or ut, page 61.	Hose Menders. Useful articles for repairing rubber hose. 10 Hyacinth Glasses, various styles. (See Bulb Catalogue.)
13 inches, 3 castors 17 4 4		Knives, Asparagus. English (Saw Blade) 1 00 American
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 25 1 50	"Budding and Pruning, Best English\$1 to 2 00
Forks, Digging or Spading "Hay or Stable	75 cts. to 1 00 50 cts. to 75	" Grass Edging\$1.50 to 2 00 Labels, Wooden Pot and Garden-
" Ladies' Short-handled or Strawbe " Manure, Long and Short-handled	rry Forks 40	Per 100 1,000 Per 100 1,000
Fruit Pickers		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Fumigator, "Eureka." For fumigating v stemsNo. 1 holds ¹ / ₂ -peck	stems 1 50	
Fumigator, "Eureka." For funigating v stemsNo. 1 holds ½ peck No. 2 "1" No. 3 "½"bus.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
POLE PRUMI SHEARS. \$2.50 and \$3 CAENATION SUPPORTS. 50 cts.	NG	with the set of the set
NEW HAND WEEDER. 15 cts.	SCUFFLE HOP 40 to 80 ets.	EXCELSIOR WEEDER. 15 cts.

IMPLEMENTS AND GARDEN REQUISITES-continued.

IMI LLMLNIS AND GARDE	in neve
Labels, Wooden Notched Tree- Each	
Per 100 1,000 Per 100 1,000	Mole Tra
6 20 1 50 25 2 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Lawn Rakes, English or Daisy	66
" " The "Automatic." The only Rake that	Pincers,
will clear itself from grass. It is light	"Planet
and easily handled. A backward motion of the Rake from the operator will clean	Plant Sta
all the teeth at once. The teeth are made	
of the best hickory, and will not tear up	2 feet
the sod as most Rakes do. 26-teeth size, 80 cts. each: 38-teeth size, \$1 each.	3 "
" " The "Lawn King." Made with the teeth	5 "
very close together, and will not allow	6 ''
very close together, and will not allow the finest grass to pass between. It will not tear the sod as other Lawn Rakes	South
not tear the sod as other Lawn Rakes	Brunoro
do. 26-teeth size, 35 cts. each; 38-teeth	Pruners,
size, 50 cts. each. Steel Wire, for lawns	
" " Wooden, for lawns	
Lawn Sprinklers, Peck's Improved. Standard 4 feet	
high, surmounted with long arms,	Raffia, fo
which revolve, thus distributing	Rakes, A
the water in a fine shower over an	" L
area of 60 feet. See cut, page 63.	Rollers.
4-arm sprinkler	Saws, P
	Scissors
" Water Witch, No. 3	66
" " No. 4 1 25	66
Lawn Sweeper, "Model No. 1." (See cut, page 64) 10 00	
Mastica. For glazing greenhouses, sashes, etc	Scythes,
per qt., 40 c.; per ½-gal., 70c.; per gal., \$1.25	
Glazing Wachine. See cut, page 60 1 00	Scythe S
Mats, For Covering Sashes. Made of jute, stitched	Cautho E
through; hemmed with canvas and thickly padded; size 76 inches by 76 inches; one mat covers two sashes.	Scythe R Shears,
An excellent article, cheap and durable 1 50	Silcars
	131
	B
	2
DIBBLE.	2
35 cts.	2
	3
	6
	67675
did in the second se	
	0
	E
Y Y	
	75 0

FLOWER VASE. 35 cts. to 60 cts. each.




FLOWER POT SAUCER. See page 60.



ROLLING STAND FOR HEAVY PLANTS. See page 60. 80 cts. to \$1.50 each.





c

Fig. 1.

OLMSTED'S MOLE TRAP. \$1.50.

GRASS EDGING KNIFE. \$1.50 to \$2.



GARDEN REEL AND LINE. See page 60.

Each

....\$ 1 50

ENGLISH ASPARAGUS KNIFE. \$1.


75 ets

IMPLEMENTS AND GARDEN REQUISITES-continued.

	RDEN REQUISITES-continued.
Shears, Hand Pruning, Wiss' Solid Steel. Three	Sprinklers, Atlas Rubber
sizes. 9 inches	25 (See also Lawn Sprinklers, page 61.) 50 Syringes. See page 65.
10 2 11 2 11 2 11 3 Pole Pruning, Wiss'. Two sizes\$2.50 and 3	Tomato Supports. Galvanized iron 00
Ladies' Small Pruning	35 I roweis, Solid Snank, Cast Steel, very strong buc. to 00
"Perfection Pruning. See cut, page 63. The best made. No. 1, 7 inches	Watering Pots, French Model. Galvanized iron 00
The best made. No. 1, 7 inches 2 No. 2, 8 2 No. 3, 9 4 3 No. 4, 10 3	00 50 " For Greenhouse Use
"Watch-spring English Pruning	50 J
" Cerman Pruning " Waters' Long-handled Tree Pruner. See	75 two copper-faced roses
Pruners, on page 61. Spring Grass. For trimming grass.	Weeders, Excelsior
Wood's Perfection	75 can also be used as an Asparagus Knife 35
Shovels, Ames' Best Cast Steel. Square and dia-	the roots of docks, etc. See cut, page 63 50
mond-pointed; long or short handles\$1 to 1 Silkaleneper lb., \$1	Noyes'. See cut, page 63
Spades, Ames' Best Cast Steel\$1 and 1 Sprayers. See page 69.	 25 "New Hand. See cut, page 60
Sprinklers, Scollay's Rubber	00 Medium
	COLUMBIA FLOWER TUBS.
	s timber. Natural varnish finish on the wood: Each
12-in. diam. by 11-in. 15	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $
18 16½	
UNION FLC	OWERTUBS.
Made of cypress,	painted green, with and handles; per-
forated bottom; ver	y strong:
No. 1, 11-in. diam. b	y 13-in, high
No. 3, 15 " '	16
No. 5, 21 "	24 " 2 50 UNILIN MFG.CO.
CALVANIZ	ED WILDE
	ED WIRE SUPPORT.
TOMATO	SUPPORT.
not rust or rot out.	anized wire, that will Is easily set, and the NOL
the firmer the supp	e greater the pressure port. It takes up no
hung on a peg till wa	as it may simply be nted again next year.
COLUMBIA TUBS. most easily operate	ongest, most durable, d and cheapest sup- UNION FLOWER TUB.
port we have seen. per doz., \$1.50; per	rnce, each, 15 cts.;
0	NOT STATES
GRAPE SCISSORS. \$1 and \$1.25.	A State
	B-GATHERER. s. and \$1.50.
Re Shitting	
PAT	
	TOMATO SUP- PORT. TOMATO SUPPORT IN USE.
VAN REYPER'S GLAZING POINTS. (See page 60.)	
BORDER SHEARS. \$2.25 to \$2.7	5. WATCH-SPRING PRUNING SHEARS. \$1.50.
DORDER SHEARS, \$2.23 to \$2.1	

CATALOGUE OF HIGH-CLASS SEEDS.

IMPLEMENTS AND GARDEN REQUISITES-continued.



LAWN SWEEPER, "MODEL NO. 1."

Designed for use on ordinary lawns, small parks, tennis courts, etc. It is 25 inches wide over all, weighs 28 pounds, and carries a 21-inch brush. The brush is fan-shaped, and revolves very rapidly, in the same direction

as the drive wheels, throwing the litter backward from the under surface. Immediately behind the brush, and parallel with it, a thin shoe passes along over the ground, with its upper surface inclined.

The operation involves the principle of "Dust-pan and Broom." In addition to this, the fan-shaped brush creates a strong current of air, that blows the litter back into the rear of the hopper. If sticks or stones

> are encountered, the shoe does not allow them to pass under it, 'but provides a passage over it into the hopper. **Price**, **\$10**.


THE "PLANET JR." SEED DRILLS, ETC.

No. 4. Combined Hill and Drill Seeder. Single Wheel Hoe, Cultivator, Rake and Plow. Price, complete, \$12. As a Drill only, \$8.50.

No. 2. Drill Seeder. \$7.75.

No. 12. Double Wheel Hoe, Cultivator and Plow. \$7.25.

The "Planet Jr." Crass Edger. It will edge straight or curved paths, drives, borders or flower beds. \$6.



LAWN SWEEPER, " MODEL NO. 1."

SYRINGES.

No. 6.

No I, \$2.50.

Ladies' Syringe, with One Spray Rose. Length of barrel, 121/2 inches; diameter, 1 5-16 inches.

No. 2, \$4.

Ladies' Syringe, with Jet and Two Spray Roses ; the two roses, when not in use, are screwed on the sides of the barrel. Length of barrel, 141/2 inches; diameter, 1 5-16 inches.

No. 3, \$6.

Best Plate Valve Syringe, large size, with One Stream and Two Spray Roses, with side pieces on barrel. Length of barrel, 18 inches; diameter, 11/2 inches.

No. 4, \$6.50.

Best Conical Valve Syringe, large size, with One Stream and Two Spray Roses, which are placed, when not in use, in the handle of the syringe. The handle is strongly mounted with a solid brass cap and ring. When the finest spray is used the water should be very clean. Length of barrel, 18 inches; diameter, $1\frac{1}{2}$ inches.

No. 6, \$7.50.

RUBBER SPRINKLER. \$1.


Best Conical Valve Syringe, large size, with One Spray Rose and Gooseneck Angle Joint, turning in all directions, for washing the under surface of the leaves of plants and flowers, cleansing them from insects, etc. Length of barrel,

18 inches; diameter, 1½ inches. Scollay's Rubber Sprinkler. For florists' use and window gardening. \$1.

Scollay's Angle-neck Rubber Sprinkler. For spraying under leaves. \$1.

Atlas Rubber Sprinkler. 75 cts. Woodason's Atomizer. For the application of all liquid insecticides. \$1.25 and \$2.

Cyclone Sprayer (see illustration). 75 cts.



Pruning. Pruning. Pruning. No. 938. \$1.75. 196. 2 blades, \$2.25. 187. \$1.50.

312. \$1.50. Budding, No. 343. 2 blades, \$1.25.

Pruning. Pruning. 80. 85 cts.




400. \$1.

Budding. 401. \$1.

ROLLERS.

AND PRUNING KNIVES.

The style of these indispensable garden and lawn implements is sufficiently indicated by the cuts.




FIELD AND GARDEN ROLLERS.

GARDEN.

With weights to keep the handle erect; a convenient style.		
Diam. Weight,	Price.	
Two sections, 7%-in. face, each15 in. ab't lbs. 125		
··· 12 ··· ··· 20 300	\$6 00 13 00	
·· 12 ·· · ·	$15 \ 00$	
FIELD.		
Four sections, 12-in. face, with shafts and seat20 650	30 00	
poic and whime	40 00	








No. 3.

65



BALL BEARINGS. TRIPLE GEAR. EASIEST WORKING. FINEST FINISHED. LONGEST LASTING.

The Thorburn Ball-Bearing, made expressly for us, is in respect THE BEST every LAWN MOWER EVER MADE.

THE FOLLOWING ARE ITS SPECIAL FEATURES:

Ball Bearings, exact to $\frac{1}{1000}$ of an inch, which reduces the friction astonishingly, making it possible to use wider-cut machines. With this mower a lawn can be mown in a much shorter time, and with much greater ease, than with any other Mower made. Triple Gears, entirely closed, making it impossible for any dirt or cut grass to get into the pinions and clog them. A Solid Rectangular Frame, that cannot be twisted or jarred out of parallel, the two side frames being bound tightly together by means of two cold die-drawn steel bolts, which make the most rigid frame ever built, and permit of the mower being readily taken apart. A Removable Cutter Bar, which, by loosening four small screws, may be rolled out of the machine for sharpening, without disturbing the frame. Micrometer Adjustment for Cones and Ball Cups-The slight wear of the cones, balls and cases, consequent upon long continued use, is perfectly compensated for by two screws (other machines have six, and some ten to accomplish this in parallel bearings). Double Steel Ratchet, making the knives cut the instant you move the Mower, a delightful contrast from the old-style Mowers. Cold Die-drawn Steel Axies, hard and stiff, and true to within $\frac{1}{1000}$ of an inch, which, with the cast-iron hub of the wheels, bored and reamed to a perfect fit, make an ideal bearing-much superior to cast-iron axles in cast-iron hubs. Material-Knives of first-class high-grade steel, hardened and tempered. Spiders (to which the revolving knives are riveted) and roller brackets of very best malleable iron. Side frames and wheels of best gray iron. Shafts of cold die-drawn steel.

Prices of the Thorburn Ball-Bearing High-wheel Mower:

 14-inch cut.
 \$\$8 50
 18-inch cut.
 \$\$10 50
 22-inch cut.
 \$\$12 50

 16-inch cut.
 9 50
 20-inch cut.
 11 50
 24-inch cut.
 13 50

What Recognized Authorities say about THE THORBURN BALL-BEARING MOWER.

It should be noted that the subjoined letters are from those who give hard and constant use to the Lawn Mower, and who must have satisfactory work from the machines.

STAATSBURG, N. Y., Oct. 31, 1899. MESSRS. J. M. THORBURN & Co.

Gentlemen: The Ball-Bearing Mowers purchased from you last spring have given better satisfaction than any mower I ever used. They run easier, make a smoother cut and are less liable to get out of order. They have been in use daily since May, and are as good at this writing as when purchased. You can book my order for other two, to be delivered next May. Yours respectfully, Signed) THOS. EMERSON,

Gardener, estate of W. B. Dinsmore.

OPHIR FARM, WHITE PLAINS, N. Y., Oct. 30, 1899. MESSRS. J. M. THORBURN & Co.

Gentlemen : We last spring purchased from you two of the Thorburn New Ball-Bearing Lawn Mowers, which

we have used with great satisfaction continuously the past season. Slopes which heretofore we have had to cut with the scythe we have this season cut with ease with this new mower, so easy is its action. Our lawns never looked better. The cut was clean—not a sign of ridging-and less manual labor to accomplish these Yours very truly, (Signed) JOSEPH DEXTER, results.

Supt. for Hon. Whitelaw Reid.

MILLBROOK, N. Y., Oct. 27, 1899.

Messrs. J. M. Thorburn & Co.

Gentlemen: Your Thorburn Ball-Bearing Lawn Mower has done excellent work. I have found it entirely as represented.

Very y truly yours, (Signed) I. L. Powell, Supt. for Samuel Thorne, Esq.

THE THORBURN BALL-BEARING LAWN MOWER-Testimonials, continued.

MILLBROOK, N. Y., Nov. 24, 1899. MESSRS. J. M. THORBURN & CO.

Gentlemen: The Thorburn New Ball-Bearing Mower has given entire satisfaction. I used it for three months steady every working day, and it was never out of order, and cut more grass with less power than any machine I ever used.

Yours truly, (Signed) W. C. RUSSELL, Supt. for C. F. Dieterich, Esq.

SHADOW BROOK FARM, LENOX, MASS., Nov. 22, 1899. MESSRS. J. M. THORBURN & CO.

Gentlemen: I take pleasure in acknowledging that the 22-inch Thorburn New Ball-Bearing Lawn Mower which I bought from you last spring has pleased me very much, being more easily worked than any other of same cutting capacity that I know of. Having been in almost daily use from spring to late in fall, it has held hard trial. Yours very truly, (Signed) ERNST A. LUNDBERG,

Supt. for Anson Phelps Stokes, Esq.

NEWPORT, R. I., Oct. 30, 1899. MESSRS. J. M. THORBURN & CO.

Gentlemen: I have pleasure in stating that after seven months' trial, I am entirely satisfied with your New Ball-Bearing Mower. It runs easily and does better work, and it costs nothing during the season for repairs. I have used Excelsior, Philadelphia, New Model-all were good in their day. But give me Thorburn's Ball-Yours very truly, (Signed) ROBERT MCLEOD, Bearing now.

Gardener to D. B. Fearing, Esq.

BELVOIR TERRACE, LENOX, MASS., Oct. 27, 1899. MESSRS. J. M. THORBURN & CO.

*

hi.

.

-

.

Gentlemen: I have used your Ball-Bearing Hand Lawn Mower the past summer and find it equal, if not superior, both for long (that is, not over 4 inches) and short grass to any machine I have ever used. Yours respectfully, (Signed) P. J. DONOHUE.

Supt. for Moris K. Jesup, Esq.

ERSKINE PARK, LENOX, MASS., Nov. 1, 1899. MESSRS. J. M. THORBURN & Co.

Gentlemen: Your Ball-Bearing machine was in constant use here last summer and gave entire satisfaction. I consider it the best machine we ever had.

Yours very truly, (Signed) E. J. NORMAN, Supt. for Mrs. Westinghouse.

ALLEN WINDER FARM, LENOX, MASS., Oct. 31, 1899. MESSRS. J. M. THORBURN & Co.

Gentlemen: The Ball-Bearing machine I purchased last spring of you has given every satisfaction. It cuts beautifully and runs very easy.

Yours very truly, (Signed) A. H. WINGETT,

Supt. for Geo. E. Turnure, Esq.

GREENWICH, CONN., Oct. 28, 1899. MESSRS. J. M. THORBURN & CO.

Gentlemen: Your Ball-Bearing Lawn Mower has given splendid satisfaction this season. It has been used two days every week during the entire season, and is today in perfect running order, though it has never had any repairs. It is in every way a perfect machine and without doubt the lawn mower of the future.

Yours very truly, (Signed) JOHN W. DUNCAN, Gardener to W. H. S. Wood, Esq.

HARRISON, N. Y., Oct. 30, 1899. MESSRS. J. M. THORBURN & CO.

Gentlemen: The New Ball-Bearing Mower purchased of you last spring gave me good satisfaction. It is now at this date in good order for another season. I have used it on an average of three days a week, from May almost to the present time, without the slightest repair. I can highly recommend it.

Yours truly

(Signed) JOHN SHORE, Gardener to W. H. Macy, Esq.

"GRAYSTONE," IRVINGTON-ON-HUDSON, N. Y., October 31, 1899.

MESSRS. J. M. THORBURN & CO.

Gentlemen: Your New Ball-Bearing Mower has been fully tested and has given the utmost satisfaction. For five months it has been used every working day, for about ten hours daily, keeping over 15 acres of lawn in the best shape. The greater part of this consists of sidehill terraces that are hard on a machine. Yet it has required no repairs up to date. The adjustment is so perfect that the man using it had no trouble in keeping it right. It is the easiest and lightest running machine. doing its work in the best manner, that I have had ex-Yours truly, (Signed) THOS. COCKBURN, perience with so far.

Gardener to Louis Stern, Esq.

WEST CHESTER, N. Y., Nov. 8, 1899. MESSRS. J. M. THORBURN & CO.

MESSRS, J. M. THOREUX & CO. Gentlemen: It affords me the greatest pleasure to write and tell you how well I have been pleased with the Thorburn New Ball-Bearing Mower. In my opinion there is nothing to equal it in its line. In my experi-ence of eighteen years at gardening it is eway the best machine I ever handled. It runs light and does the work thoroughly, and has not once got out of order. It has been used on an average three days a week all sum-There are a set of an even of the set of the future the the the the set of th Thorburn Balt For remain, gentlemen, Yours (Signed)

(ned) JOHN U. PENNEY, Gardener to A. H. Morris, Esq.

RIVERDALE-ON-HUDSON, N. Y., Cct. 31, 1899. MESSRS. J. M. THORBURN & Co.

Gentlemen: My opinion of your Thorburn New Ball-Bearing Lawn Mower is very good, and I am well pleased with it. It deserves the highest praise-for your lawn mower is the joy of the mower's heart-for its lightness in draft. Yours truly, (Signed) CHAS. COYNE.

Gardener to G. P. Morosini, Esq.

DELFORD FARM AND GARDENS, OEADELL, N. J., October 31, 1899.

Messrs. J. M. THORBURN & CO.

Gentlemen: Allow me to compliment you upon the excellent qualities of the Thorburn Ball-Bearing Lawn Nower. It proves to be just what I have been wishing for, a light, durable, clean-cutting machine. I think you should be conceded the honor of having produced the right article at last.

Yours truly, (Signed) JOHN HEISER, Supt. for Hon. Hugh J. Grant.

MAMARONECK, N. Y., Nov. 8, 1899. MESSRS. J. M. THORBURN & CO.

Gentlemen: Your New Ball-Bearing Mower has given meentire satisfaction. It is very easy running, and I can do more work with it than with any other I have used. Yours truly,

(Signed) A ALIUS Gardener to W. G. Reade, Esq.

GLEN COVE, L. I., N. Y., Oct. 26, 1899. MESSRS. J. M. THORBURN & CO.

Gentlemen: The 20-inch Thorburn New Ball-Bearing Mower which I bought of you last spring I find **0. K. in** Yours truly, every respect.

WM. A. TROUB, (Signed)

Gardener to Percy Chubb, Esq.

Coldwell Improved Horse Lawn Mower.


This well-known standard Mower has side-draft attachment, to enable the horse to walk on the cut grass only, and caster rollers, which will not mark the lawn. Evenness of cut is assured by an adjustment which raises or lowers the two sides at the same time by means of a simple lever move-

manship perfect. Each Mower is guaranteed to give entire satisfaction to the purchaser.

NET PRICES,

free on board New York:

25-inch cut, no shafts.\$38 00 30-inch cut, complete. 65 00 35-inch cut, complete. 78 00 40-inch cut, complete. 95 00



COLDWELL IMPROVED HORSE LAWN MOWER.

The Imperial High Wheel Lawn Mower.


Combines the following points of excellence: The rigid frame; the positive lock adjustment; the arrangement for sharpening; the arrangement for mowing terraces; the six driving pawls, that will never wear out; the bottom knife, that will cut tenpenny nails in two; the gears, that will outwear the gears of any two lawn mowers on the market, as they do not turn when the machine is drawn backward; the unexcelled device for taking up all wear in the wiper journal; the general workmanship and finish of this Mower, which is equal to that of any lathe or other machine designed for good work and long life.

NET PRICES:	N	E	т	Ρ	R	IC	É	s	:	
-------------	---	---	---	---	---	----	---	---	---	--

High wheel.	High wheel.
14-inch cut\$8 00	
16-inch cut	20-inch cut

Chain Roller, or Golf Mower.

This Mower is made to meet the demand for a machine that will more per-This Movier is made to meet the demand for a machine that will more per-fectly cut borders, verges, etc., and yet retain all the other features necessary in a mower for general work. The great advantage of this Mower is the substitution of a bicycle chain for the gears generally used in this style of mower. This reduces the noise and friction to a minimum. The machine with 6 blades is highly recommended by most of the loading real of which is Answire the contributed of the loading the state of the state of the state of the loading the state of the loading the state of the loading the state of the state of the state of the loading the state of the state of the state of the loading the state of the loading the state of the loading the state of the st leading golf clubs in America for work on putting-greens.



GRASS CATCHER BOXES

For use on the above mowers	
12-inch\$1 50	18-inch\$2 00

12-mcn	50 18-inch
12-inch	60 20-inch
16-inch	oz i i i i i i i i i i i i i i i i i i i
10-111011	0J '

> cts. per foot. 1 inch, in any length, at 21 cts. per foot.

RUBBER HOSE.	HOSE REELS.
inest "Wallabout." Three-	Tubular Iron Hose Reel. Very light
ply	less, and the wheels so high that the
¾ inch, in any length, at 15	worked. They never break or wear
cts. per foot.	Prices-No. 10. for 100 feet 3/-ii

el. Very light weight, friction less, and the wheels so high that they are very easily Bess, and the wheels so there is no the there is a solution of the intervention of

NET PRICES,

	4 Blades.	6 Blades.
12-inch	\$11 00	\$12 00
14-inch	12 00	13 00
16-inch	13 00	$14 \ 00$
18-inch	15 00	16 00
20-inch	16 00	17 00



THE "SUCCESS" KNAPSACK SPRAYER.

A knapsack and bucket sprayer combined. 5-gallon copper tank. Brass pump with bronze ball valves. For spraying plants with Bordeaux mixture or other fungicides. The new improvements recently made to our Success Knapsack Sprayer entirely obviate all objections to the knapsack pattern. As now



THE "SUCCESS" KNAPSACK SPRAYER.

made this sprayer can be used either as a knapsack or bucket sprayer, the illustration as here given showing its use as a knapsack. To be used as a bucket sprayer, the handle and lever are removed, and the extra handle with which the outfit is provided is placed in position as shown by the dotted lines. It will be noticed that the straps used on this knapsack are made extra wide just where the weight comes upon the shoulders. This is a feature possessed by no other knapsack sprayer,

upon the shoulders. This is a feature possessed by no and relieves the unpleasantness formerly experienced in the use of outfits of this character. It is provided with a mechanical agitator. It is also provided with a handle at the center of the top of the tank. This greatly increases the convenience of the outfit, especially when used as a bucket sprayer, as it can be readily carried from place to place. The pump may be worked with either the right or left hand, and may be readily removed from the tank by unscrewing the drip cup. The drip-cup is just below the air chamber, and is made extra wide, so that any leakage around the plunger is raturned into the tank, and not allowed to run down the operator's back, as is so often the case with knapsack sprayers. We also furnish a special attachment, shown at A, for under-spraying. A wrench is provided for detaching pump from tank. Price, complete, as shown in cut, \$12.



THE "LENOX" SPRAYER.

Made of galvanized iron, that will not rust. Holds 6 gallons of liquid. The spray is forced out by simply pressing the rubber bulb. A first-class sprayer for applying such insecticides as Paris green to grape vines, shrubs and vegetables, but the spray is not fine enough for Bordeaux mixture. Price, with single sprinkling attach-ment as shown in cut, \$3.50.

MYERS' BUCKET BRASS SPRAY PUMP.

Being made of brass, it is not affected by the arsenites used for spraying. Easily operated; throws a solid stream 50 feet. It is provided with a combination nozzle, and also with a sprinkler for flowers. For spraying large trees, an 8-foot pipe extension is supplied for 60 cents extra. This pump is also valuable for washing windows. \$4.

LEGGETT'S CHAMPION POWDER GUN.

For distributing dry insecticides and fungicides, such as Paris For distributing dry insecticides and fungicides, such as fairs green, hellebore, sulphur, tobacco dust, fungicid. It is well made, and weighs only 5 pounds. The style of it is shown by our illustra-tion. Without the tubes it is 27 inches long, but when the four tubes are attached it is 10 feet long, and it throws the powder several feet beyond that. It holds one quart of powder, and is

LEGGETT'S CHAMPION POWDER GUN.

easily operated. An invaluable machine for use in orchard, garden or field. The length of it is such that the poison is kept at a safe distance from the operator. The regular outfit consists of six nozzles, two straps, oil can and four tubes. Price, complete, \$7.50.

WOODASON'S DOUBLE-CONE POWDER BELLOWS.

An excellent Bellows for applying powder insecticides in greenhouse, garden or field.

The powder can easily be evenly distributed in any direction, under or over the MYERS' BUCKET BRASS foliage, without waste. Price, \$3.


WOODASON'S SINGLE-CONE POWDER BELLOWS.

SPRAY PUMP.

The style of these is shown by our cut. They come in two sizes, the smaller one being most suitable for use in the conservatory. Price, large size, \$2; small size, \$1.

WOODASON'S ATOMIZER.

An excellent article for applying strong liquid insecticides, as it throws it out in a spray as fine as mist, and distributes it lightly, evenly, and without any waste. The small size is recom-mended for use in the house. Price, large size, \$2; small size, \$1.25.



WOODASON'S BELLOWS.

Insecticides and Remedies for Plant Diseases.

COPPERDINE.

A combined fungicide and insecticide, used simply by adding water in proportion of 1 pound of the paste to 16 gallons of water. As a fungicide it prevents black rot, downy mildew and anthracnose of the grape, pear leaf-blight, apple scab, mildew, apple rot, black spot, strawberry blight. As an insecticide it kills codlin moths, curculio, pear insects, peach and apple borers, currant worms, cabbage worms, potato bugs and caterpillars. 1-lb. box, 25 cts., makes 16 gallons spray. 5-lb. box, \$1, makes 80 gallons spray.

FIR-TREE OIL.

For greenhouse and house plants. It destroys all plant insects without injuring the plant. It is the best insecticide for scale, aphis, red spider, mealy bug, thrip and worms. Dilute in the proportion of 1 pint to 20 gallons of water. Apply with vaporizer or syringe. ½pt. 40 ets.; pt., 75 ets.; qt., \$1.25; ½gal., \$2,25; gal., \$4.

FIR-TREE OIL SOAP.

This is the same as the Fir-Tree Oil, but in soap form. It is useful for the same purposes. Mix at rate of 1 ounce to a gallon of water, and apply with bellows or syringe. $\frac{1}{2}$ -lb. tin, 25 cts.; 2-lb. tin, 75 cts.; 5-lb. tin, \$1.75.

DALMATIAN INSECT POWDER.

Effective against almost all kinds of insects. Per $\frac{1}{2}$ -lb. box, 30 cts.; per 1-lb. box, 50 cts.

GISHURST'S COMPOUND.

A certain remedy for greenfly, scale, mealy bug, etc. Excellent for greenhouse use. Full directions for use on each box. Per 1-lb. box, 50 cts.

HAMMOND'S GRAPE DUST.

For the prevention of mildew on roses, grapes, gooseberries, etc. Apply with bellows. 5-lb. package, 35 etc.; 10-lb. package, 60 cts.; 100-lb. keg, \$5.

HELLEBORE, POWDERED.

An excellent protection from currant worms, grape slugs, caterpillars, etc. May be applied dry or mixed in water—I oz. to 3 gallons. Per 2-lb. box, 35 cts.; per 1-lb. box, 20 cts.; $\frac{1}{2}$ -lb. box, 12 cts.

NIKOTEEN.

A powerful insecticide, specially prepared for use in greenhouses and conservatories. Per pint bottle, \$1.50.

PARAGRENE.

Said to be as effective as Paris green for killing every kind of insect, but does not scorch or burn the foliage. 3-lb. package, 40 cts.; 1-lb., 15 cts.; $\frac{1}{2}$ -lb., 10 cts.

PARIS GREEN.

Mixed at the rate of 1 lb. to 200 gallons of water, it will prove effective against all chewing insects. Per 1-lb. can, 35 cts.; $\frac{1}{2}$ -lb. can, 20 cts.; $\frac{1}{2}$ -lb. can, 15 cts. This article is liable to fluctuate in price.

LITTLE'S ANTIPEST.

A sure destroyer of all insect pests. It is non-poisonous and harmless to vegetation. Mixed with water as follows it is effectual against—greenfly, 1 pt. to 10 gals. of water; mealy bug, 1 pt. to $1\frac{1}{2}$ gals.; red spider, 1 pt. to 2 gals.; ants, wireworms and slugs, 1 pt. to 1 gal. $\frac{1}{2}$ -gal. can, \$1.50; gal. can, \$2.50.

SLUG SHOT (HAMMOND'S).

Excellent for destroying cabbage, turnip and beet fly, potato bugs, currant worms, etc. Prepared ready for use. 5-lb. package, 30 cents; 10-lb. package, 50 cts.; 100 lbs., \$4.

SULPHUR, POWDERED.

Valuable for protecting against mildew on grapes, roses, etc. Per lb., 10 cts.; 10 lbs., 60 cts.; 100 lbs., \$4.

SULPHO-TOBACCO SOAP.

Dissolve in proportion of 2 ounces to a gallon of water, and apply with a syringe or atomizer. It will destroy rose slugs, aphides, greenfly, bark-lice, etc. Per $\frac{1}{2}$ -lb. box, 25 cts.

TOBACCO DUST.

If dusted on *while the foliage is moist* it destroys rose lice, cabbage and turnip fleas, etc. Spread upon the ground, it keeps off all earth insects, and also acts as an excellent fertilizer. Per 1-lb. box, 10 cts.; 5-lb. package, 30 cts.; 10-lb. package, 50c.; per 100 lbs., \$2.50.

TOBACCO STEMS.

For fumigating plants infested with greenfly. Per bale of about 100 lbs., \$1.50; per bale of about 200 lbs., \$2.75; per bale of about 400 lbs., \$4.50.

"ROSE LEAF" TOBACCO EXTRACT.

A perfectly pure, highly concentrated extract of tobacco, most effective for destroying all insects and scale on plants. Our "Rose Leaf" pamphlet gives full directions for applying. Pint can, 30c.; qt., 50c.; gal., \$1.25.

WHALE-OIL SOAP.

For washing trees and destroying all insects on the bark. Mixed at the rate of 1 lb. to 4 gallons of water, it will rid cabbage, rose bushes, peach trees, etc., of the aphides that so often infest them. Per 1-lb. box, 18 cts.; 5 lbs., 50 cts.; 10 lbs., 90 cts.; 100-lb. keg, \$7.

BORDEAUX MIXTURE, or FUNGIROID.

For all fungous diseases, such as mildew and the various rots of the grape. Full directions on label. Dry, 1-lb. box, 20 cts.; 5 lbs. and over at 15 cts. per lb.; 50-lb. keg, \$6; liquid, 1 gallon, \$1.25.

"Jadoo" Fibre and "Jadoo" Liquid.

JADOO FIBRE is a new growing substance for plants of all kinds. It was invented by Col. Thompson, of the Royal Army and Fellow of the Royal Horticultural Society of England, and it is highly recommended by gatdening authorities there. It suits all kinds of plants, is only half as heavy as earth, and cleaner to handle; requires no soil to mix with it, and no manure. It increases the size and the brilliancy of flowers. Seeds germinate, and cuttings root in it, quicker than in earth. Owing to its spongy nature, it retains water much longer than earth. Plants transplanted in Jadoo Fibre do not flag, even if in full bloom.

JADOO LIQUID revives drooping plants and increases the size and profusion of bloom. It is both meat and drink to plants of all kinds. It can be used on plants that are grown in earth or in Jadoo Fibre.

Price of the Jadoo Fibre. 4-lb. box, 25 cts.; 25-lb. bag, \$1; per bag of 120 to 130 lbs., \$2.50; per ton, \$30.
Price of the Jadoo Liquid. Pint bottle, 25 cts.; 2-gallon can, \$1.50; 5-gallon can, \$3.75.

HIGH GRADE FERTILIZERS.

(NET CASH.)

These Fertilizers are specially manufactured for us, and are reliable and efficient for the purposes specified. Bone basis guaranteed. Great care should be taken that all Fertilizers are well incorporated with the soil, so as not to come in contact with and destroy the vitality of the seed sown.

Quantity required on soils not impoverished, about one-half ton per acre.

THORBURN'S COMPLETE MANURE

Guaranteed to contain ammonia, 3 to $3\frac{1}{2}$ per cent; phosphoric acid, all soluble, 8 to 10 per cent; sulphate of potash, 7 to $7\frac{1}{2}$ per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as corn, tomatoes, potatoes, peas, beans and early vegetables, and is especially suited for grain crops and for seeding down grass.

Price—In 167-lb. bags, per ton, \$38; single bags of 167 lbs., \$3.50; per bag of 100 lbs., \$2.25; 50 lbs., \$1.50; 25 lbs., \$1; 10 lbs., 50 cents.

THORBURN'S POTATO MANURE.

Guaranteed to contain ammonia, 4½ to 5 per cent; phosphoric acid, all soluble, 7 to 9 per cent; actual potash, 9 to 10 per cent; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the potato crop, and is also adapted for sweet potatoes, vines, and fruit trees, and all leguminous plants.

Price-In 167-1b. bags, per ton, \$45; single bags of 167 lbs., \$4; per bag of 100 lbs., \$3; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

THORBURN'S LAWN FERTILIZER.

Guaranteed to contain ammonia, 5 to 6 per cent; phosphoric acid, all soluble, 5½ to 7 per cent; actual potash, 7½ to 8½ per cent; lime, sulphate of magnesia, soda, sulphuric acid, etc. Specially prepared for lawns and meadows as a top-dressing, imparting to grass a rich green color and vigorous growth.

Price-In 167-1b. bags, per ton, \$48; single bags of 167 lbs., \$4.50; per bag of 100 lbs., \$3; 50 lbs., \$1.75; 25 lbs., \$1; 10 lbs., 50 cents.

CLAY'S CELEBRATED FERTILIZER.

On account of the high reputation which this Fertilizer has in England, and as we have had many inquiries for it by gardeners here, we have imported some from Messrs. Clay & Son, which we offer at the following prices. It is undoubtedly one of the best manures for all horticultural purposes, either in greenhouse or garden, and we believe its high reputation is well-deserved. It is productive and lasting, and notwithstanding its apparently high price, it is quite economical.

PRICES IN BAGS.

1 cwt.	(112 lbs.)\$7		1/4 cwt	. (28 lbs.)\$2	25
$\frac{1}{2}$ "	(56 lbs.) 4	00	1/8 "	(14 lbs.) 1	25

PULVERIZED SHEEP MANURE.

A very rich, pure natural manure. It is excellent as a top-dressing for lawns. Its effect is immediate and very lasting. There is nothing better for mixing with the soil for greenhouse plants — one part manure and six parts soil. It is recommended for use in the vegetable garden, promoting a rapid and steady growth. It makes a rich and safe liquid manure -1 pound to 5 gallons of water.

5-1b. package, 30 cts.; 10 lb., 50 cts.; 50 lbs., \$1.25; 100 lbs., \$2; ton, \$30.

BONE FERTILIZERS.

Pure Ground Bone Meal. This finely pulverized ground bone is excellent for rose culture. It decomposes very rapidly, and is more quickly effective than the coarser grade. It is excellent for mixing with the soil for potting. 5 lbs., 25 cts.; 50 lbs., \$1.25; 100 lbs., \$2; per ton, \$32.

Ground Bone No. 3. This is coarser than the above, and is suitable for general purposes, for top-dressing for lawns, and for garden and field crops. Per 100-lb. bag, \$2.25; per ton, \$38.

Cround Bone No. 4. A little coarser than No. 3. Per 100 lbs., \$2.50; per ton, \$40.

Crushed or Coarse Bone. Being much coarser, this takes effect more slowly, but is correspondingly more permanent. For orchards, small fruits, grape vines, etc., which require a lasting fertilizer, there is nothing better. Per 100-lb. bag, \$2.75; per ton, \$43.

BOWKER'S FOOD FOR FLOWERS.

A dressing made expressly for plants grown in the house, garden or conservatory; clean, odorless, and producing early and abundant blossoms, and healthy, luxuriant plants. One small package is enough for thirty plants for three months. Decidedly the best dressing for potted plants.

Small packages, 15 cts. each; large packages, 25 cts.

OTHER FERTILIZERS.

Blood and Bone Fertilizer......per 100-lb. bag, \$2.25; per 200-lb. bag, \$4; per ton, \$34. Nitrate of Soda. For stimulating growth of plants..5-lb. pkg., 30c.; 10-lb. pkg., 50c.; 50-lb. bag, \$2; 100 lbs., \$3.75. Unleached Wood Ashes...per bag of 100 lbs., \$1.50; per barrel of about 200 lbs. to 300 lbs., \$1.25 per 100 lbs.; per ton, \$20.

TREE AND SHRUB SEEDS.

HOW TO GROW THEM.

In order to preserve seeds of CONIFERS and other EVERGREEN TREEs, it is best to keep them in perfectly

dry sand until the time of sowing. For this latitude, the seeds should be sown thinly, as early in the spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes *soggy*. Some shade must be used to protect the young plants from the hot, drying sun and winds, and also to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes, the sashes should be shaded and the frames raised at the corners 3 to 4 inches, to allow the air to circulate freely. Keep the young plants well weeded, and

allow them to remain from one to two years before transplanting.

The propagation of DECIDUOUS TREES from seeds is less difficult than that of Evergreen species, a little attention only being required to sow at the proper season to insure success. ACORNS, HICKORY NUTS, CHESTNUTS and WALNUTS should be planted in autumn, or kept during the winter in sand or moss. They shrivel up by too long exposure to the air, and many of them lose their power of vegetating. Those seeds with hard shells, like the LOCUST, GYMNOCLADUS, etc., should be planted in autumn or placed in boxes with sand, and exposed to frost before planting. They may not vegetate till the second year after planting, but if these seeds are received too late in the spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. AMERICAN ELM, SILVER MAPLE, and a few other sorts ripen their seeds early in summer, and if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other DECIDUOUS TREES AND SHRUBS should be planted from

the middle of April to the middle of May, in drills about 2 feet apart, and covered about half an inch in depth, according to size.

The varieties here offered are on hand now, or are due from foreign countries, having been collected for us of the 1899 crop. As the season advances many sorts become worthless from various causes, or are sold out, and cannot be replaced until the new crop is ready next season.

EVERGREEN TREE SEEDS.

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

Abies	Per oz.	Perl	b.	Arctostaphylos Pe	er oz.	Per lb.
amabilis (Lovely Silver Fir)	\$0 50	\$5 (00	tomentosa. From California\$	0 40	\$4 00
balsamea (Balsam Fir)	20	1 2	25	uva-ursi (Bearberry)	40	4 00
brachyphylla (Short-leaved Japan Fir)	60	6 (00	Azalea		
Canadensis (Hemlock Spruce)	60	6 (00	calendulacea (Flame-colored Shrub)	50	G 00
Caroliniana. From North Carolina	60	7 (00	Vaseyi. From North Carolina	1 50-	
concolor (California White Silver Fir)	25	2	50 [°]	Buxus sempervirens (Evergreen Box)	20	1 50
firma (Japan Silver Fir)	40	4 (00	Cedrus		
grandis (Great Silver Fir of Oregon).	30	3 (00	Atlantica argentea (Mount Atlas Cedar).	40	4 00
magnifica (Superb Silver Fir)	50	5 (00	Deodara (Himalayan Cedar)	40	4 00
Mariesii (Japanese Silver Fir)	75	8 (00	Libani (Cedar of Lebanon)	40	4 00
Mertensiana (Califor. Hemlock Spruce) 75	8 (00	Chamæcyparis		
Nordmanniana (Nordmann's Fir)	20	1 ′	75	obtusa. From Japan	50	6 00
nobilis (Noble Fir)	50	5 (00	pisifera. From Japan	50	6 00
pectinata (European Silver Fir)	10	-	75	Cotoneaster buxifolia (Hardy Evergreen).	20	2 00
Pinsapo (Spanish Fir)	25	2 (00	Cryptomeria Japonica (Japan Cedar)	20	2 00
sachalinensis. From Japan	1 00	12 (00	Cupressus		
subalpina (Dwarf Mountain Spruce)	70	7 (00	horizontalis (Horizontal Cypress)	10	1 00
Veitchii. From Japan	75	8 (00	Guadalupensis. From California	50	5 00
Arborvitæ. See Thuja.				Goveniana (Goven's Cypress)	30	3 00
Arctostaphylos				Lawsoniana (Lawson's Cypress):	40	4 50
glauca (Great-berried Manzanita)	20	2 (00	MacNabiana. Dwarf	30	3 00
pungens (Erect Manzanita)	20	2 (00	macrocarpa (Monterey Cypress)	15	1 00

PICEA DOUGLASII.

EVERGREEN TREE SEEDS-continued.

E V BROREBRO	•••		OBEBO continued.		
Cupressus (continued)— Per oz.		1b.	Pinus (continued)— Per oz.	Per lb.	
sempervirens (Evergreen Cypress)\$0 15		00	Laricio (Corsican Pine)\$0 20	\$2 00	
Daphniphylium macropodon		50	maritima (Seaside Pine) 10	. 40	
Eurya Japonica. From Japan	6	00	Massoniana (Chinese Pine) 25	250	
Fir Tree. See Abies and Picea.			mitis (Short-leaved Pine) 50	5 00	
Juniperus			monophylla (California Nut Pine) 30	3 00	
communis (European Juniper) 10		40	muricata (Bishop's Pine) 50	5 00	
Hibernica (Irish Juniper) 15	1	75	Murrayana. A variety of P. contorta 75	8 00	
Oxycedrus (Sharp-leaved Cedar) 10	1	00	parviflora. Small size, dense foliage 60	6 00	
Phœnicia (Phœnician Cedar)	2	00	Pinea (Stone Pine) 10	50	
prostrata (Prostrate Cedar) 10		40	ponderosa (Heavy Pine) 25	250	
rigida. From Japan 20	2	00	rigida (Northern Pitch Pine) 30	3 00	
Sabina (Common Savin) 15	1	25	Sabiniana (Sabine's Nut Pine) 20	2 00	
Suecica (Swedish Juniper) 15	1	50	Strobus (White Pine) 20	1 75	
Virginiana (Red Cedar) 10		50	sylvestris (Scotch Pine)	1 50	
Virginiana glauca (Silver Cedar) 15	1	25	Taeda (Loblolly) 50	5 00	
Libocedrus decurrens (Cal. White Cedar). 35	3	50	Torreyana (Torrey's Pine) 35	3 50	
Norway Spruce. See Picea excelsa.			tuberculata (Tubercled Pine)	6 00	
Picea			Retinospora. See Chamæcyparis.		
Ajanensis. From Japan 80	10	0Ó	Sciadopitys verticillata (Umbrella Pine of		
Alcoquiana (Japan Fir)		00	Japan)	7 00	
Douglasii (Douglas' Spruce) 35		50	Scotch Fir. See Pinus sylvestris.		
Engelmannii (Englemann's Spruce)		00	Sequoia		
excelsa (Norway Spruce) 15		00	gigantea (Big Tree of California) 75	8 00	
Glehni. From Japan 1 25		00	sempervirens (California Redwood) 40	4 50	
Menziesii (Menzies' Fir) 40		00	Spruce Tree. See Abies and Picea.		
nigra (Black Spruce)	3	50	Taxus		
polita (Tiger's-tail Fir) 75	9	00	baccata (European Yew) 15	1 50	
pungens (Colorado Blue Spruce)	6	00	brevifolia (California Yew)	10 00	
taxifolia (Washington Silver Fir) 60	6	00	cuspidata (Japanese Yew)	9 00	
Williamsonii (Williamson's Spruce) 75	8	00	Thea viridis (Tea Plant of Japan), 15	1 50	
Yessoensis. From Japan 1 00	12	00	Thuja		
Pinus			aurea (Golden Arborvitæ) 15	1 50	
Australis (Yellow Pine)	3	50	occidentalis (American Arborvitæ). Crop fail	ed.	
Austriaca (Austrian Pine)		00	orientalis (Chinese Arborvitæ) 15	1 00	
Balfouriana (Fox-tail Pine) 75		00	compacta (Compact Arborvitæ)	1 75	
Banksiana (Northern Scrub Pine) 1 00		00	gigantea (Giant Oregon Arborvitæ) 40	4 00	
Canariensis (Canary Island Pine) 30		00	Thujopsis		
Cembra (Cembran Stone Pine) 10		50	dolobrata (Japanese Thuja) 60	6 00	
Cephalonica vera (Greek Silver Fir) 40		00	Standishii. From Japan 80	10 00	
contorta (Twisted Pine) 1 00		00	Torreya Californica (California Nutmeg) 20	2 00	
Coulteri (Coulter's Pine) 40		00	nucifera (Japanese Nutmeg) 30	3 00	
Cubensis (Cuban Red Pine)		00	Tsuga Sieboldii (Siebold's Japan Spruce). 75	8 00	
densiflora (Japan Pine) 30		50	Yucca		
excelsa (Bhotan Pine)		00	angustifolia (Narrow-leaved Yucca) 75	8 00	
halepensis (French Pine)		50	baccata (Berry-bearing Yucca) 1 00		
insignis (Oregon Pitch Pine) 25		50	brevifolia (Short-leaved Yucca) 50	5 00	
Jeffreyi (Jeffrey's Pine) 35		00	filamentosa (Adam's Needle) 40	4 00	
Koraiensis. From Japan 50		00 .	gloriosa (Mound Lily) 75	8 00	
Lambertiana (Sugar Pine) 25		50	Whipplei (Whipple's Yucca) 40	4 00	
, , , ,					

DECIDUOUS TREE AND SHRUB SEEDS.

For Fruit Tree Seeds, see page 44.

We do not sell Tree or Shrub seeds in quantities of less than one ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

Acer	Per oz.	Per lb.	Acer (continued) Per	oz.	Per lb.
campestre (European Field N	faple)\$0 10	\$0 40	pseudo-platanus (Sycamore Maple)\$0) 10	\$0 50
circinatum (Round-leaved M	aple) 25	2 50	saccharinum (Sugar Maple)	10	1 00
glabrum (Oregon Maple)		2 50	spicatum (Mountain Maple)	30	3 00
macrophyllum (Large-leaved	Maple) 10	75	palmatum. From Japan	50	6 00
rubrum (Scarlet Maple)		250	Japonicum (Japanese Maple)	50	6 00
Pennsylvanicum (Striped M	aple) 30	3 00	pictum. From Japan	50	6 00
platanoides (Norway Maple)		50	Actinidia arguta. A Japanese climber 2	2 00	

Per o	z.	Per	1b.
Allantus glandulosus (Tree of Heaven) \$0		\$0	
Ainus			
	10		50
	15		75
	30	3	00
		-	
Amelanchier	40	4	00
			00
	20	2	75
	10		10
Ampelopsis		-	~~
	15		00
(15	T	25
Amygdalus vulgaris dulcis (Sweet Almond)			40
Andromeda			
	20		50
	50		00
	15		50
1 00 /	15		50
racemosa (Pepper Bush)	30	3	00
Aralla			
	50	5	00
" variegata (Variegated Leaves). 1	00	12	00
Arbutus			
Menziesi (Madrona Tree)	30	3	00
	20	2	00
Ash. See Fraxinus.			
	10		60
	50	5	00
Berberis			
	15	1	50
	60	-	00
	10	0	75
	15	1	50
Betula	10	-	00
	20	9	00
	20 10	4	40
	10 30	9	40 00
	30 30		00
	30 30	-	00
	30 15		50
Birch. See Betula.	10	T	30
Boston Ivy. See Ampelopsis Veitchii.			
Brahea			=0
	15		50
	30 95		00
	25		50
	15	1	50
Calycanthus			
	10		00
	40	4	00
	15	1	50
· · · · ·	25	2	50
Carpinus Americana(Blue, or Water Beech)	10	1	00
Carya			
alba (Shellbark Hickory)			25
microcarpa			30
olivæformis (Pecan Nut)			30
sulcata (Western Shellbark)			30
	20	2	00
Castanea Japonica (Japan Chestnut)	10		75
Catalpa			
	15	1	00
Kæmpferi (Japanese Catalpa)	20	· 1	50

DECIDUOUS TREE AND SHRUB SEEDS-continued.

	er oz.	Perlb.
speciosa (Hardy Catalpa) Teas' Hybrid (Hybrid Catalpa)	\$0 10 20	\$0 75 1 50
Ceanothus	20	
Americanus (New Jersey Tea)	25	2 50
divaricatus (Branching Red-root) velutinus (Soft-leaved Red-root)	60 75	$\begin{array}{c} 6 & 00 \\ 8 & 00 \end{array}$
Celastrus scandens(Climbing Bittersweet)		1 50
Celtis		
australis (European Nettle Tree)		1 00
occidentalis (Hackberry)	15	1 00
Cephalotaxus drupacea. From Japan Ceratonia Siliqua (St. John's Bread)		$\begin{array}{c} 3 & 00 \\ 1 & 00 \end{array}$
Cercidiphyllum Japonicum		2 00
Cercis		
Canadensis (American Judas Tree)		2 00
occidentalis (California Judas Tree) Siliquastrum (European Judas Tree)		3 00 75
Cherry. See Prunus.	10	15
Chionanthus Virginica (Va. Fringe Tree)	. 20	2 00
Cinnamomum camphora (Camphor)		2 50
Citrus trifoliata (Hardy Japan Orange)		2 00
Cladrastis tinctoria (Yellow Wood)	40	4 00
Clematis flammula (White Virgin's Bower)	15	1 50
paniculata (Panicled Virgin's Bower)		6 00
Virginiana (Virgin's Bower)		3 00
vitalba (Traveler's Joy)		1 50
viticella (Purple Virgin's Bower) Clethra alnifolia (Sweet Pepper Bush)		$\begin{array}{c}1 50\\2 00\end{array}$
Colutea arborescens (Shrubby Bladder		2 00
Senna)	10	75
Cornus	15	1 50
alternifolia (Alternate-leaved Dogwood). brachypoda (Japanese Dogwood)		$\begin{array}{c}1 50\\2 50\end{array}$
circinata (Round-leaved Cornel)		2 00
florida (Flowering Dogwood)		50
mascula (Cornelian Cherry)		50
paniculata (Panicled Cornel) sanguinea (Scarlet Dogwood)		1 50 75
sericea (Silky Cornel)		1 50
stolonifera (Osier Dogwood)	10	1 00
stricta (Stiff Cornel)		1 25
Coronilla Emerus (Scorpion Senna)	50	5 00
Corylus Americana (American Hazel Nut)		40
Avellana (Hazel Nnt)		40
Cratægus		
coccinea (Scarlet-fruited Thorn)	10	80
Oxyacantha (Hawthorn)		50 75
pyracantha (Evergreen Thorn) Cytisus	10	10
alpinus (Scotch Laburnum)	20	1 50
Laburnum (Laburnum)	10	75
Daphne Mezereum (Mezereon)	40	
Deutzia	15	1 50
crenata scabra (White Deutzia)	15 25	$\begin{array}{c}1 50\\2 50\end{array}$
Diospyros	20	- 00
Kaki (Keg Fig of Japan)	15	1 50
Lotus (European Persimmon)	10	1 00
Virginiana (Wild Persimmon) Dirca palustris (Leatherwood)	10 30	60 3 00
Dogwood. See Cornus.	30	3 00

DECIDUOUS TREE AND SHRUB SEEDS-continued.

	er oz.	Per	lb.
Edgeworthia papyrifera (Indian Paper	0.00	d 0	~~
Tree)	\$0 30	\$3	00
Elæagnus			
angustifolia (Oleaster)	25	2	50
longipes crispa	40		00
pungens (Stinging Oleaster)	30	ð	00
Elm. See Ulmus.			
Eriobotrya Japonica (Japan Medlar)	15	1	50
Eucalyptus globulus (Tasmanian Blue			
Gum)	35	3	50
		0	00
calophylla	1 00		
corynocalyx	1 00		
cornuta, var. Lehmani	1 00		
diversicolor (The "Karri")	1 00		
rostrata	1 00		
10strata	1 00		
Euonymus			
alata. From Japan	25	2	50
atropurpurea (Burning Bush)	15	1	50
Europæa (European Burning Bush)	10		00
Japonica. From Japan	15	1	50
Fagus sylvatica (European Beech)	10		4 0
Fraxinus			
alba Americana (White American Ash)	10		40
excelsior (European Ash)	10		40
" pendula (Weeping Ash)	10		80
Ornus (Flowering Ash)	10		50
platycarpa (Carolina Water Ash)	30	3	00
quadrangulata (Blue Ash)	15		50
		T	
viridis (Green Ash)	10		80
Fremontia Californica (California Shrub).	$1 \ 00$		
Furze, See Ulex.			
Cardenia florida (Cape Jessamine)	40	4	00
Caultheria Shallon (Cal. Winterberry)	50	5	00
Caylussacia			
dumosa (Dwarf Huckleberry)	30	3	00
frondosa (Blue Dangleberry)	*30	3	00
resinosa (Black Huckleberry)	30		00
	50	0	00
Cenista			
juncea (Rush-leaved Broom)	10		75
scoparia (Scotch Broom)	10		50
tinctoria (Green Broom)	15	1	50
Cinkgo biloba. See Salisburia.	10	-	00
Cleditschia			
horrida (Horrid Thorn)	15	1	00
Japonica. From Japan	25	2	50
triacanthos (Honey Locust)	10		40
Cymnocladus Canadensis(Ky.Coffee Tree)	10		50
		~	00
Halesia tetraptera (Silver Bell)	25	2	50
Hamamelis			
Virginica (Witch-hazel)	25	2	50
Japonica (Japan Witch-hazel)	25		50
	-0	-	00
Hazel Nuts. See Corylus.			
Hedera Helix (English, or Hardy Ivy)	10		60
Hibiscus Syriacus fl. pl. (Double Rose of			
Sharon)	20	1	$\overline{50}$
Honey Locust. See Gleditschia.		-	- 0
	05	0	= 0
Hydrangea arborescens (Tree Hydrangea).	25	2	50
Idesia polycarpa. A new tree from Japan.	1 00	12	00
llex			
Aquifolium (European Holly)	10		60
glabra (Inkberry)	15	1	50
		T	
opaca (American Holly)	10		75
verticillata (Deciduous Holly)	10		75
Indigofera tinctoria (Indigo Tree)	20	1	50

-

		Per lb.
Itea Virginica (Virginian Willow)\$0	30	\$3 00
Juglans cordiformis. From Japan	10	60
cinerea (Butternuts)	10	00
per qt., 15c.; per bus., \$2.50		
nigra (Black Walnut)		
per qt., 15c.; per bus., \$2.50		
regia (English Walnut, or Madeira Nut).		50
Sieboldii. From Japan	10	60
Kalmia		
angustifolia (American Laurel)	20	2 00
latifolia (Calico Bush)	50	
Kcelreuteria paniculata (Chinese Bladder	10	
Nut) Laburnum. See Cytisus.	10	75
Larch. See Larix.		
Larix		
Europæa (European Larch)	20	1 50
leptolepis (Money Pine of Japan)	75	8 00
Laurus		
Benzoin (Spicewood)	10	1 00
nobilis (Sweet Bay)	10	50
Leiophyllum buxifolium (Sand Myrtle)	30	3 50
Ligustrum		
Japonicum (Japan, or California Privet).	15	1 00
vulgare (Common Privet)	10	75
Linden. See Tilia. Liquidambar styraciflua (Sweet Gum)	40	4 00
Liriodendron tulipifera (Tulip Tree)	40 10	4 00 75
Lonicera pubescens(Downy Honeysuckle).	20	2 00
Maclura aurantiaca (Osage Orange)	10	2 00 60
Magnolia	~0	00
acuminata (Cucumber Tree)	15	$1 \ 25$
Fraseri (Indian Physic)	40	4 00
glauca (Sweet Bay)	20	$2 \ 00$
grandifiora (Large-flowering Magnolia)	15	1 50
hypoleuca. From Japan	25	2 50
Kobus. From Japan	25	2 50
macrophylla (Great-leaved Magnolia)	25	2 50
tripetala (Umbrella Tree)	25	2 50
Maple, See Acer.	40	1 00
Menispermum Canadense (Moonseed) Morus	40	4 00
alba (White Mulberry)	20	2 00
nigra (Black Mulberry)	20	2 00
Mulberry. See Morus.		- •••
Myrica		
Californica (California Wax Myrtle)	35	3 50
cerifera (Candleberry Myrtle)	15	1 00
rubra. From Japan	60	6 00
Myrtus communis (Common Myrtle)	30	3 00
Negundo aceroides (Box Elder)	10	40
Nelumbium speciosum (Chinese Water Lily)	25	250
Nuttallia cerasiformis (Nuttall's Shrub)	40	2 00 4 00
Nyssa multiflora (Sour Gum Tree)	10	50
Oaks. See Quercus.		
Oreodaphne Californica (Cal. Laurel)	20	1 75
Osage Orange. See Maclura.		
Paliurus aculeata (Christ's Thorn)	10	40
Paper Mulberry. See Broussonetia.		
Paulownia imperialis (Paulownia)	15	$1 \ 25$
Platanus occidentalis (Buttonball, or Plane Tree)	10	50

DECIDUOUS TREE AND SHRUB SEEDS-continued.

	Per oz.	Perl	
Podocarpus macrophyllus. From Japan		\$8	00.
Poinciana Gilliesii(Crimson Thread-flw'r		9	00
Populus alba (Abele Tree)	20	2	00
Prunus (Will Disc)	1-	1	50
Americana (Wild Plum)		1 4	
Japonica (Japan Plum) Lusitanica (Portugal Laurel)		4	
maritima (Beach Plum)		1	
maritima (Beach Flum) mollis (Oregon Wild Cherry)		5	
Pennsylvanica (Wild Red Cherry)		2	
serotina (Wild Black Cherry)			75
Virginica (Choke Cherry)		1	25
Ptelea trifoliata (Hop Tree)	20	1	50
Pyrus			
Americana (American Mountain Ash).	10	1	00
arbutifolia (Chokeberry)		2	
Aucuparia (European Mountain Ash)			50
rivularis (Oregon Crab Tree)		5	00
Quercus—Oaks. Only a few sorts th season, from 25 cts. per lb. to \$6 per bu			
Rhamnus	10	1	
Alaternus (Barren Privet)		1	00 75
catharticus (Buckthorn) Carolinus (Alder Buckthorn)		1	
Purshianus. From Washington		3	
Rhododendron	00	Ū	
Californicum (California Rose Bay)	1 00	12	00
Catawbiense. From North Carolina		4	
maximum (Great Laurel)		6	
Washingtonianum(Washington Rose Ba			
Rhus			
aromatica (Fragrant Sumach)		3	
copallina (Dwarf Sumach)			75
cotinus (Smoke Tree)		2	
glabra (Smooth Sumach)		1	
succedanea (Tallow Sumach)	25	2	
typhina (Staghorn Sumach)		$\frac{1}{2}$	
venenata (Poison Sumach)	20	Z	00
Ribes bracteosum (California Black Currant)	75	8	00
cereum (Fuchsia-flowered)		6	
lacustre (Swamp Gooseberry)		6	
sanguineum (Missouri Currant)		3	
Robinia pseudacacia (Yellow Locust)			40
Rosa			
blanda (Early Wild Rose)	10	1	00
canina (Dog Rose). For stocks			35
Caroliniana (Swamp Rose)		1	50
hybrida. Hybrid Rose, Mixed		4	
lucida (Dwarf Wild Rose)		3	
rubiginosa (Sweetbrier)			75
rugosa (Ramanas Japan Rose) setigera (Prairie, or Climbing Rose)			00 50
	19	T	50
Rubus	60	C	00
leucodermis (White Raspberry)		6	00
spectabilis (Showy Raspberry) vitifolius. From Washington		6	50
		0	50
Salisburia adiantifolia (Maidenhair Tree or Ginkgo)			90
Salix			
alba (White Willow)	15	1	00
purpurea (Purple Osier)			00
viminalis (Osier)			00
•			

SHROB SEEDS—continued.		
Sambucus Per	r oz.	Per lb.
Canadensis (Common Elder)\$	0 15	\$1 50
glauca (California Elder)	40	4 00
racemosa (Scarlet-berried Elder)	40	4 00
Thunbergiana. From Japan	30	3 50
Sassafras officinale (Sassafras)	15	1 00
Schinus molle (Pepper Tree of Cal.)	15	1 25
Sophora		
Japonica (Japanese Sophora)	10	75
" pendula(Jap. Drooping Sophora).	15	1 00
speciosa. From Arizona	15	1 50
Sorbus. See Pyrus.		
Spiræa		
ariæfolia (Tall California Spiræa)	60	6 50
Douglasii (Douglas' Spiræa)	60	6 50
gigantea (Giant Meadow Sweet)	75	
Staphylea pinnata (European Bladdernut).	15	1 25
Sterculia platanifolia (Chinese Parasol)	15	1 50
Stuartia monadelpha. From Japan	50	5 00
		0 00
Styrax		
Japonica (Japanese Shrub)	25	250
obassia. From Japan	50	5 00
Symphoricarpus vulgaris (Indian Currant)	30	3 00
Syringa		
vulgaris (Lilac)	10	1 00
Japonica (Japan Lilac)	$1\ 25$	$16 \ 00$
Taxodium distichum (Deciduous Cypress)	10	75
Tilia		
	10	
Americana (American Linden)	10	75
argentea (Silvery Linden)	10	75
Europæa (European Linden)	10	75
grandiflora (Large-leaved Linden)	10	75
Ulmus		
campestris (Common Elm)	15	1 00
crassifolia (Ţexas Elm)	25	250
Americana (American Elm)	20	2 00
Montana (Large-leaved Elm)	15	1 00
Ulex Europæa (Furze, Gorse or Whin)	10	75
Vaccinium	10	10
corymbosum (Swamp Blueberry)	25	2 50
ovatum. From Washington	40	4 00
ovalifolium (Oval-leaved)	1 00	
Viburnum		
	15	1 50
acerifolium (Maple-leaved Arrow-wood).	15	1 50
cassinoides (Appalachian Tea Tree)	25	2 50
dentatum (Arrow-wood)	15	1 50
Lantanoides (Wayfaring Tree)	10	75
Lentago (Sweet Viburnum)	15	1 50
nudum (Withe-rod)	15	1 50
odoratissimum. From Japan	50	5 00
Opulus (Snowball)	15	1 00
prunifolium (Black Haw)	15	1 00
Tinus (Laurestinus)	10	75
Virgilia lutea. See Cladrastis tinctoria.		
Vitex agnus-castus (Chaste Tree)	10	1 00
	10	1 00
Walnuts. See Juglans.		
Wistaria		
frutescens (American Wistaria)	15	1 50
Sinensis (Chinese Wistaria)	35	3 50
" alba (White Wistaria)	75	8 00
	10	0.00
Yellow Lorust. See Robinia.		
Zonthoxylon fraxineum (Toothache Tree).	20	2 00
Zizyphus sativa (Cultivated Jujube)	15	1 25
•		

FLOWER SEEDS.

Practical Directions for Culture, Treatment, Etc.

HARDY ANNUALS (hA).-Sow in April or May, according to the latitude, in shallow boxes or pots placed in a warm window, a hotbed, or, if possible, in a greenhouse. A second sowing ought to be made from two to four weeks after, for a succession, as well as to provide against failure the first time. For sowing seeds in, there is nothing better than shallow boxes from 2 to 3 inches deep and of any convenient size. The most suitable soil in which to sow seeds of all the smaller kinds is a very fine, rich, sandy loam; if some fine charcoal can be mixed with it, it will be beneficial. The soil from old hotbeds is excellent, or sods from an old pasture, piled up and allowed to rot for two or three years, and then mixed with a little old stable-manure and sand. The selection of a proper soil in which to sow fine seeds is very important, as upon this depends the success or failure of them. After the seeds are up, care must be taken to give them plenty of

air and moisture, and yet not too much water, or they will "damp-off." When the young plants are well out of the seedleaf, they must be transplanted to new boxes. If pots 2 inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings along the edges of the pot, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. When the pots cannot be had, boxes, tin cans, etc., may be substituted; or a cheap and effective plan is to take out the inside of a potato or turnip, leaving a shell half an inch thick. After filling these with the compost above referred to, set out the seedlings in them, and place the whole in boxes, filling in the spaces between the potatoes or turnips with soil. When the plants are ready to set in the open ground, it is an easy matter to transplant them, and as the decay of the turnips or potatoes affords nourishment to the young plants, a double purpose is served in using them. Treated in this way, the seedlings receive no check in growth, and require none of the extra care in watering or shading necessary with other methods.

CENTAUREA ODORATA.

A common mistake in sowing flower, as well as other seeds, is covering too deep. As a general rule, cover only to the depth of the thickness of the seeds, or with medium-sized seeds, like Balsams, Zinnias, etc., half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but as a rule it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seed-lings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it, else the plants become weak and straggling, and do not make the show they otherwise would.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of Biennials and some Hardy Annuals may be sown in September in boxes, and placed in coldframes. They will make strong plants by spring, and come into flower early. Do not put on the sashes until heavy rains and frosts render this necessary, and then always remove during the day, and whenever the temperature is above freezing in winter.

HARDY BIENNIALS (hB) and PERENNIALS (hP).—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border in September; for if not sown until spring, the seeds of many Perennials require two years before they germinate. In this case it is a good plan, at the commencement of frost, to cover them lightly with straw, leaves or any dry litter, in order to afford some protection from the extreme severity of the winter. As soon as the frost is out in the spring, remove the covering and loosen the surface around the plants, which, when large enough, may then be transplanted to the flower garden where they are to remain.

HALF-HARDY ANNUALS (hhA).—These may be sown in shallow boxes, pots, or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible by partially or wholly removing the lights. After the end of May sow in the border, like Hardy Annuals.

HALF-HARDY BIENNIALS (hhB) and HALF-HARDY PERENNIALS (hhP) require the same treatment. Though plants and their bloom are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of hardy and half-hardy flower seeds may be sown in the open border in a warm and sunny spot, as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS and **PERENNIALS.**—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse, or plunging in a moderate hotbed, carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in very light, sandy compost, and the pots well drained by placing broken pots or bits of sods in the bottom. The finer seeds must not be covered more than an *eighth of an inch deep*, and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants are out of the seed-leaf, transplant into shallow boxes or small pots, and when they have acquired sufficient strength transplant into the flower beds; not, however, before the middle of May.

CREENHOUSE SEEDS (g) should be sown as directed for Tender Annuals, in pans, pots or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to germinate, unless great care be taken in the mode of sowing. Hence the supposition is produced that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mould or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top, so that the mould may not afterward sink materially with watering. Sow the seed very thin, and cover very lightly with a little compost, or with silver sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. By this method the difficulty of starting fine seeds will be removed. As soon as the young plants have two leaves, they should be transplanted into similar compost in another pan or box. To do this, do not pull them out of the seed pan, but break up the soil by running a stick or trowel under it, when the plants can be taken out with good roots. After transplanting they should be kept in a shady part of the greenhouse for a few days, and watered very sparingly, until they are somewhat established in the new soil, when they may be removed to the light.

There are many minute plants from the finer seeds killed by drenching with water while very young. One way to avoid this is to give the water by dipping a clothes-brush in water, shaking off the greater part of the water from the brush, and then (holding the brush over the seed-pan) drawing the hand over the bristles several times, which will cause the water to be thrown on the young plants almost like dew. Some of the vaporizers and atomizers (as used for perfumes) now in use are admirably adapted for watering tender young plants. In the first stage of their existence, plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are growing.

Primula Sinensis.—The Chinese Primrose is deservedly one of our most popular winter-blooming plants. For winter use it is easily grown from good seed, if sown at the right time and properly treated. Sow the seed in drills, in a light, rich soil, in shallow boxes, at any time from the middle of March to the middle of May; the earliest sown seed will naturally produce the earliest bloom. Cover the seeds about an eighth of an inch, and press the soil on them with a board or the bottom of a pot. Water moderately, avoid forcing the seed, and keep the young plants away from drip. The boxes may be placed in the greenhouse, or out of doors in a frame. As soon as the plants are well out of the seed-leaf, transplant them singly into 2 or 2½-inch pots, using a light, rich soil. The object now is to make good, stocky plants, and they must therefore be repotted as often as the pots become tolerably filled with roots, until they are in 5 or 6-inch pots, when they may be allowed to flower. Previous to this, any flower stalks that appear must be pinched out. In a suitable place the plants will do better out of doors than in the greenhouse during summer. They need a liberal supply of water. The plants will bloom continuously during the winter in either the greenhouse or a well-lighted sitting-room, not too warm; they should not be moved about often.

-

110

1.1

• •

2

...

121

loon

Mare:

cold

sandt

s mos

er fr

tras

fore

bors.

ku z

at la

11

¥1.1 (] 1 × 1

1

9.2

3

10

1

Cineraria .-- Years ago the Cineraria was a popular plant among florists. Bedding plants crowded it aside, but it is now fast taking its proper place again among choice winter-blooming plants. It is, to be sure, a rather difficult plant to grow and bloom well if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For winter blooming, sow the seed in April and May, in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, but be free from drip; water moderately and carefully. The treatment of the seedlings should be similar to that given to the Chinese Primrose. As soon as the plants are out of the seed-leaf, transplant singly into small pots, in a rich soil, with some vegetable mould in it. Repot as often as the pots become moderately filled with roots, or sufficiently often to prevent the roots from becoming pot-bound, and so avoid checking the growth. If specimen plants are wanted, the repotting should be continued until the plants are in pots from 8 to 10 inches in diameter. The last two pottings should be liberal ones, and drainage well provided for, as the plants will need copious waterings. When the flower stalks appear, manure water may be used once or twice a week. Aphis and red spider are the chief enemies to be guarded against; and this is best done by frequent syringings or sprinklings overhead. The plants will do best during the summer out of doors, in some place where they will not get too much sun, and be free from the drip of trees. In the fall the plants should be placed in a cool greenhouse, where the temperature can be kept low and the air moist. The plants should be placed on a table by themselves, and the pots always kept far enough apart to prevent the leaves in one pot from touching those in the next. In the winter it may be necessary to smoke the plants with tobacco occasionally, to keep down the "green fly," or aphis. This may easily be done with tobacco "stems," which can be had at slight cost; they can be burned on a shovel, or in a regular "fumigator," made for the purpose.


Calceolaria.—The herbaceous varieties of the Calceolaria are very beautiful and popular plants. They should be flowered in a cool greenhouse. The seeds are very small, and should be sown on the surface. Sow in shallow boxes, filled with a light, sandy soil, that has been sifted. Sow moderately thick in rows on the surface, and cover very lightly with sifted sphagnum moss, cocoanut waste or very light soil. Press the soil firmly on the seed. The watering should be done carefully; an atomizer or brush may be used to advantage. To retain the moisture, the box may be covered with panes of glass, which must be removed, however, as soon as the plants make their appearance. The box should have plenty of light, but not much sun. As soon as the plants can be handled, transplant singly into pots 2 to 2½ inches in diameter. The soil should be light and rich, and vegetable mould is an excellent addition. Repot as often as the pots are fairly filled with roots, and continue the repotting, if fine flowers are wanted, till the plants are in pots 8 inches in dia. eter. If the pots become root-bound the plants are apt to run prematurely into flower. Water regularly and abundantly, to prevent drooping. As the pots increase in size, drainage must be supplied to carry off the surplus water. Place in a *cool* greenhouse in the winter, as directed for Cinerarias, and keep the pots apart to prevent the leaves from touching. An occasional smoking with tobacco will keep down the green fly.

Pansy.—For spring blooming, the seed should be sown in August, September and October, in a coldframe with a southern aspect. Plenty of air and light is essential. During mild weather the sashes should be removed; when it is frosty, coverings are preferable to artificial heat. If wanted for winter bloom, sow in July, and as soon as large enough plant in beds or benches near the glass in the greenhouse, in a low and even temperature.

Ceraniums.—The Scarlet or Horseshoe Geranium (or, more properly, Pelargonium), now so extensively used for bedding, may be easily grown from seed at any season of the year. If during the summer, better out of doors than anywhere else; but in a greenhouse or sitting room during the winter. Sow the seeds in pots or shallow boxes, in any common soil; cover about an eighth of an inch, and press the soil on the seed. Transplant as soon as out of the seed-leaf, into small pots, in a soil only moderately rich; or, if the seeds were started out of doors, the plants may be put in the border. Seed sown indoors in the fall or early winter, and the plants grown in the greenhouse, will show flowers in June or July, while plants from those sown in March or later will not come into flower till August and September, and some even later. Much, however, depends upon the treatment, those receiving special care in pots blooming much sooner than those turned into a border or bed.

Petunias.—Fill shallow boxes with fine, light soil, say an even mixture of leaf-mould and sand, and wet thoroughly by pouring on boiling water, which kills insects and heats the soil. When the soil has cooled sufficiently but is still warm, sow the seeds very thinly in the boxes, so that the plants may be 1 inch apart; cover seeds very slightly with a little sifted sand, and place slate or glass on top of the boxes. If the white root-points of germination appear before the leaves, sift on more sand and replace slate, and watch closely. When the small leaves appear, remove slate and give plenty of light, to produce strong, stocky plants. The soil may now need water, which should be applied very gently, that the tiny seedlings may not be displaced. Later the larger plants may be transplanted from seed boxes into other boxes or pots. As the weakest plants frequently give the finest blossoms, care should be taken to preserve every plant until the blossoms appear.

J. M. THORBURN & CO., 36 CORTLANDT ST., NEW YORK.



NASTURTIUMS

Explanation of the Flower Seed Catalogue.

We have endeavored to make our flower seed department as complete in detail and easy of reference as possible, and, instead of the usual description, have adopted a system of classification in columns, using simple abbreviations to denote the various characteristics of the varieties in regard to color, time of flowering, hardiness, etc.

The first column gives the NUMBER, by which the different varieties may be ordered, without writing out the whole name.

The second column gives the BOTANICAL NAME, in Roman characters, and the following additional information :

The asterisk (*) designates ornamental-leaved plants; these plants are grown for their foliage. The dash (-) designates the repetition of the name above it as applied to the variety to which the dash is prefixed. in vars. designates in varieties, or in mixed colors. It, pl. designates flore pleno, or double-flowered.

The third column presents in figures the COMPARATIVE TIME OF FLOWERING. As it is impossible, in our varied extent of climate, to state the exact month any plant may flower in, we have adopted the simple plan of classing the different varieties into *early*, *intermediate* and *late*-flowering sorts. Thus:

1 designates *early*-blooming in spring and early summer. 2 designates *intermed* 3 designates *late*-blooming in late summer and autumn. 2 designates intermediate-blooming in midsummer.

The fourth column gives the DURATION or CHARACTER, and HARDINESS.

Α represents Annual-lasting but one year, and producing | S represents Shrubs-plants of bushy habit flowers and seed the same season.

greenhouse plants-such as do best when kept under glass. g ** roots.

bulbous plants-plants forming bulbs or bulbous

nowers and seed the same season. represents *Biennial* - lasting two years, and generally blooming during the second season. represents *Perennial*-lasting three or more years. *Evergreen*-retaining foliage the entire year.

E

в

.... designates, in every case, repetition. But as a large number of Biennials and Perennials, if sown early, flower the first season, this distinguishing mark (†) is affixed to such.

bu

The hardiness is denoted by the following abbreviations, but it should be understood that this is intended to apply to the climate of the Middle Atlantic states, and further north or south these designations apply only in a comparative way :

h represents hardy-plants for open border. hh represents half-hardy-plants that require to be forwarded in pots or frames. t represents tender-requiring protection.

The fifth column gives the COLOR in full, except as abbreviated below :

The sixth column gives the height in feet to which the plants grow under ordinary cultivation : trai. signifies trailing; cr. stands for creeping.

The seventh column shows the price per packet at which the flower seeds will be delivered by mail to any post office.

The eighth column gives brief observations respecting the various classes of plants catalogued, with special directions respecting their culture, where required. As these notes have been very carefully prepared, their suggestions are worthy of attention.

FLOWER SEEDS.

Tor Seeds of Running Vines, Gourds, Everlastings and Ornamental Grasses, see end of Flower Seeds. Fower Seeds delivered free by mail on receipt of the stated price. Fower Seeds delivered free and signs, on page 80.

NUMBER and NAME. NUMBER and NAME. NUMBER and NAME. Structure only on articles quoted at \$1 per oz. and over. St per oz. and over.										
		/	erin s	Tom			ack			
	NUMBER and NAME.	of	Seu 1	1 Jo 1	it in	per	General Observations.			
A S	² ⁴ voz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time o	Hardiness and n	Color of the Flore	Height in B	Price				
2065	Abronia umbellata	2	hA	rose	trai.	ets. 5) Elegant trailers. Do best in light,			
2066 2067	grandiflora arenaria			yel.		55	sandy scil. Sow in open ground in May.			
2078	Abutilon compactum "Fireball"		gS	d. red	4	25	Free-growing decorative shrubs,			
2079 2081 2082	Edouard Lagueillon Darwini Mixed			mixed	••••	25 25 25	with bright bell-shaped flowers. Suitable either for house, green- house or garden.			
2085	Acacia dealbata	1		yel.	6	10	Greenhouse shrubs, with graceful			
2086	armata			yeı.		10	branches, and fine racemes of			
$2087 \\ 2088$	decurrens Farnesiana				····· 10	10 5	yellow flowers, richly scented. 2092 is a very charming, florifer-			
2088	lophantha				6	5	ous and fragrant shrub. The			
2090	melanoxylon				••••	10	seeds should be soaked in hot			
$2091 \\ 2092$	cyanophylla mollissima floribunda				7	$ \begin{array}{c} 10 \\ 25 \end{array} $	water before sowing, then planted in sandy peat in a tem-			
2094	myrtifolia					10	perature of 55° to 60°, and potted			
2104	Fine Mixed	••••		mixed		10	J off when large enough.			
$\begin{array}{c} 2107 \\ 2108 \end{array}$	Acanthus mollisspinosus	$\frac{3}{2}$	hP 	white pur.	3	5 5	The leaves are ornamental and valuable for decorative purposes.			
2110	Aconitum Napellus (Monk's Hood)			blue ·	4	5	Hardy, popular plants, with pani-			
$\frac{2112}{2114}$	pyramidatum Mixed			mixed		5 5	cles of helmet-shaped flowers.			
2114	Adenophora liliifolia	2 3		l. blue	••••	10	{ Elegant hardy border perennial; fragrant.			
2120	Adonis autumnalisper oz., 25c.		hA	scar.	1	5				
2121	æstivalis '' 25c. vernalis	1		crim.		5	Attractive, bright flowers. 2120 is intensely red, with black center.			
2122 2124	Agapanthus umbellatus		hP tP	yel. blue	$1\frac{1}{2}$	5 10	African Lily. A beautiful tuber-			
2124	Agathæa cœlestis				$1\frac{1}{2}$	10) ous-rooted plant. ∫"Blue Daisy." For winter bloom-			
2129	Ageratum conspicuum	2 3	†tP	white	1	5	ing. Cult. same as for Cineraria.			
2130	Lasseauxi			rose		5	Free-flowering bedding plants of low growth, contrasting well with			
$\frac{2132}{2135}$	Mexicanumper oz., 40c.		hhA	blue	1½	5	Geraniums, Perillas and Dwarf			
2133	-album			white blue	3/4	5 5	Amaranths. "Little Dorrit" is a			
2140	-Dwarf White " 60c.			white		5	lovely azure blue, very florifer- ous and fine for bedding. "Swan-			
2141 2142	-Little Dorrit " 75c. -Swanley Blue " 75c.			blue	1	10 10	ley Blue" is a fine new large-flow-			
2143	-Mixed			mixed		5	ered variety.			
2144	Agrostemma Cœli-Rosa (Rose of			1						
2145	Heaven) —alba		hA	rose white	••••	55	The Rose of Heaven is very free- flowering and easily grown. It			
2146	coronaria (Rose Campion)		thP	rose		5	is fine for beds. The Rose Cam-			
2146	 Dark Blood Red. 			d. red		5	pion is a perennial species, free-			
2147 2147				white mixed		5	blooming and very pretty. Ex- cellent for naturalizing in dry			
2147				rose		5	situations.			
2148	Alonsoa grandiflora	1 3	hhA	scar.	2	5	Bright little annuals of fine habit;			
$2149 \\ 2150$	—alba linifolia			white		5 5	require some protection in cold			
2153	myrtifolia		••••	scar.	$\frac{1\frac{1}{2}}{2\frac{1}{2}}$	5	weather. Sow in hotbed, and			
2155	Warscewiczii				2	5] plant out early in May.			
	Althæa rosea				į .	1 .	See Hollyhock.			
$2157 \\ 2158$	Alstromeria pulchella	$1 \ 2$	gP	yel.&r.	3	10	2157 is a brilliant yellow, with red			
2198	Mixed		· · · · ·	mixed	1	10	∫ streaks.			

-

82



See page 83.

ANEMONE CORONARIA, SINGLE CAEN. See page 83.

49	NUMBER and NAME. - - - - - - - - - - - - -	Time of	Hardiness and D.	Color of the Flore	Height in Ford	Price per	General Ob
2159	Alyssum maritimumper oz., 40c.		hA	white	trai.	cts. 5	
2159	-compactum, Dwarf " 50c.		<u>п</u> д 		$\frac{1}{2}$	5	2159 is the well-kn sum, so much u
$\begin{array}{c} 2161 \\ 2162 \end{array}$	-Thorburn's Bouquet				¹ ⁄ ₄ trai.	$10 \\ 5$	"Thorburn's Bo
2162	"Little Gem" procumbens, "White Carpet"					10	dwarf and com the neatest hab
$\frac{2164}{2166}$	saxatile compactumper oz., 60c.		hP	yel.	$\frac{1}{\frac{1}{2}}$	5 5	for borders or p
	6,			 d. mod) Steens anomina
2167	*Amarantus Abyssinicus *bicolor ruber	2 3	tA 	d. red red	$\frac{3}{2}$	5 5	Strong - growing, mental plants.
2169	*cruentus (Prince's Feather)			d. red	3	5	rieties are ve
$2170 \\ 2170c$	*caudatus, "Love-Lies-Bleeding". * *coleifolius						bedding, havin mental foliage,
2171	*Henderi			er. & y.	4	5	son, yellow and
$2172 \\ 2173$	*melancholicus ruber *salicifolius			red pur.	$\frac{2\frac{1}{2}}{}$	5 5	also well adapte pots. For decor
2176	*sanguineus nanus			scar.		5	the finest mark
$2178 \\ 2179$	*tricolor (Joseph's Coat) *—giganteus			mixed	diff. 6	5 5	be selected, as the finest sorts
2180	*-splendens				3	5	very inferior
$\begin{array}{c} 2182 \\ 2183 \end{array}$	*atropurpureus *Fine Mixedper oz., 20c.			dk.&p'. mixed	2	5 5	easy culture, de loamy soil. For
2100	Collection of Amarantus, including			mixeu		J	in hotbed in Ap
	12 varieties, choicest sorts					50	J to the open at e
2100	Amethyst		1.1.4			-	See Browallia.
2186 2190	Anagallis, in variety Anchusa capensis	$ \begin{array}{c} 1 & 3 \\ 2 \end{array} $	hhA	pur.	$1\frac{1}{2}$	5 5	Plant in sunny si Very attractive.
2192	Barrelieri		hP	d. blue	2^{172}	25	flowers and bou
2194	Anemone coronaria, Single Caen	1		mixed		5	Very beautiful sp
2195	-"St. Brigid " Poppy-flowered					10	quiring rich, de large, pure whi
$2196 \\ 2198$	Japonica rosea —alba, "Honorine Jobert"	3		rose white		$\frac{10}{25}$	uable for cutti
2206	sylvestris				$1\frac{1}{2}$	10	the beautiful C gle Windflower
2210	Angelonia grandiflora		gP	pur.	1	25	Beautiful, sweet-s
	Antirrhinum						See Snapdragon.
2212	Aquilegia (Columbine)— caryophylloides	1 3	hP	strip.	11/2	25	(Columbine.) V
2214	chrysantha			yel.	$\frac{1/2}{3}$	10	free-blooming l
$2216 \\ 2217$	cœrulea flabellata nana alba			blue		25	suitable for b shrubberies; th
2218	Hybrids Canadensis and Blue sorts			white mixed	$1\frac{1}{1/2}$	$ 10 \\ 25 $	sunny situatio
$2219 \\ 2220$	Hybrids and species mixed					25	[Rocky mounta
2221	truncata (splendid) Skinneri			sc.&y. sc.&gr.	1	$ \begin{array}{c} 10 \\ 25 \end{array} $	bine, a most b No. 2218 is a mo
$2222 \\ 2224$	vulgaris Double White			white	2	5	strain of hybri
2224 2225	—Double Mixed —Single Mixed			mixed		5 5	and blue sorts
	Collection of Aquilegia, including						variety.
0000	12 choice varieties					50	("Rock Cress."
2228	Arabis alpina			white	3/4	10	1 trailer; fine for
$2230 \\ 2231$	Aralia Sieboldii	2	hhP		3	10 10	Handsome palm-
2232	spinosa				8	10	$\int 2232$ is the "An;
2235	Argemone grandiflora.per oz., 40c.	2 3	hA		2	5	In a large garde foliage and la
2236	—lutea " 40c.			yel.		5	flowers are very
2238	Arnebia cornuta	3	hhA		1	25	Rich yellow-maro
2240 2242	Asclepias Cornuti Curassavica	$1 \frac{2}{3}$	hP gP	pur. orange	$\frac{4}{3}$	5	Silkweed; sweet- Swallowwort; fre
2248	incarnata	2	ĥP	rose p.		5	Swamp Milkweed
$2250 \\ 2252$	Asperula setosa azurea		hhA	l. blue	1	5	} Sweet-scented, lo
2202	odorata (Woodruff) Asters, Chrysanthemum-flow'd—		hP	white	11/2	5	∫ borders or rock
2256	-Half Dwarf White	3	hhA		1	10]
$2257 \\ 2258$	Scarlet	••••		scar.		10	
2259	— — — —Lilac		••••	sc.& w. lilac		$10 \\ 10$	(Callistephus.)
$2260 \\ 2265$	— — — Lilac, White border — — — Rose			li.& w. rose		10 10	name is from allusion to th
2268	— — — Mixed			mixed		10	} flower-heads. !
2270	Truffaut's Pæony Perfection— Snow White			white	1%	10	large, containin cies, but we off

Snow White..... white 1½ 10


servations.

- nown Sweet Alysused for edgings. ouquet" is a very pact new sort. of oit; most suitable pots.
- , highly orna-The tricolor vaery valuable for ng elegant ornavariegated crimd green; they are ted for growing in rations. cf course, ked plants should seed saved from plants. Of very oing best in rich, r best results, sow pril and transplant end of May.

ituation.

- Fine for cutuquets.
- pring flowers, reeep soil. 2198 has hite flowers, inval-ting. No. 2194 is Caen strain of sinrs. See cut, p. 82. scented; for pots.
- Very elegant and hardy perennials, beds, borders or hey prefer a moist, on. 2216 is the ain blue Colum-beautiful species. ost beautiful new ids of the scarlet s. No. 2221 is a and quite distinct
- Hardy perennial r rockeries.
- -like shrubs. No. ngelica Tree."
- en their glaucous arge, poppy-like y effective. oon.
- -scented.
- ee bloomer.
- ong bloomers; for work.

The common Aster. a star, in he shape of the The genus is very large, containing over 200 spe-cies, but we offer here only the



		Time of	Hardiness and n.	or of the Flores	Height in Ford	Price per	-04
			Hardiness and D	Flo		/ 2 Å	
	NUMBER and NAME.	of	ine.	he c /	ht i	pe /	General Observations.
0001	(und Lud	lor	ig.	lice /	/
1:35- %	(oz. at oz. rate only on articles quoted at \$1 per oz. and over.	11	H _a	Color of the F	/ Ħ	A I	/
	Antere Truffort's Doufostion con					cts.	choicest double sorts. The spe-
2271	Asters, Truffaut's Perfection, con. —Crimson	3	hhA	crim.	$1\frac{1}{2}$	10	cial attention given of late to
2272	-Rose			pink		10	the cultivation of the Aster has
$2273 \\ 2275$	-Scarlet Black Blue			d. red blue	· · · · ·	10 10	resulted in the production of many truly magnificent varie-
2276	-Rose and White Striped			striped		10	ties. Among them we may men-
2278	-Light Blue			l. blue		10	tion the Victoria, which pro-
$\frac{2279}{2287}$	-Mixed Victoria, White			mixed white		$\begin{array}{c} 10\\10\end{array}$	duces the most beautiful and perfectly-formed flowers, and is
2289	-Rose	•		rose		10	also the best for pot culture.
$2290 \\ 2291$	-Peach Blossom			pink		$\begin{array}{c} 10\\10\end{array}$	For cutting and bunching, the
2291 2292	-Light Violet -Dark Scarlet			violet d. scar.		10	long-stalked, perfectly globular flowers of the <i>Jewel</i> are espe-
2294	Mixed			mixed		10	cially desirable. The Truffaut
$2295 \\ 2296$	Shakespeare, White			white crim.		10 10	class is remarkable for its large, incurved flowers and the bright-
2297	-Crimson -Dark Blue			d. blue		10	ness of the colors. The Japan-
2298				mixed		10	ese Tassel Aster is a very dis-
$2299 \\ 2300$	Comet, Rose			rose car.	· · · · ·	10 10	tinct new variety, with long, wavy petals and flowers of im-
2301	—Peach Blossom			rose		10	mense size. The Lady Aster is
2308	-Rose and White			ro.& w.		10	of most graceful habit, with light
$\frac{2309}{2309a}$	-Light Blue -Snow White			l.blue white	· · · · ·	$\begin{array}{c}10\\10\end{array}$	green distinct foliage. It is ex- tremely floriferous. The Ostrich
2310	-Mixed			mixed		10	Plume is a magnificent pure
$2311 \\ 2311a$	-Giant White			white		$\begin{array}{c c} 10\\ 10\end{array}$	white new variety, in style of the
2312	— — Rose. — — Azure Blue			rose 1. blue	· · · · ·	10	Giant Comet. In this latitude Asters should be sown from the
2312a	— — — Mixed			mixed		10	middle of March to the first part
$2313 \\ 2315$	Imbricated Pompon White 			white purple		$\begin{array}{c} 10\\10\end{array}$	of May, on a spent hotbed or in pots or shallow boxes, in a frame
2316	Blood Red			d. red		10	or in the house. When an inch
2318				mixed		10	high, they should be transplanted
$2320 \\ 2321$	Queen of the Market, White			white crim.		$\begin{array}{c} 10\\10\end{array}$	into fine soil spread over a dis- carded hotbed, whence they can
2322	——————————————————————————————————————			rose		10	be bedded out when 3 or 4 inches
$2323 \\ 2324$	Dark Blue			d. blue mixed		$\begin{array}{c} 10\\10\end{array}$	high. This should be done be-
2324 2325				white		10	fore or during showery weather. Asters do finely sown in the open
2326	-Rose			rose		10	ground from the middle to the
$2327 \\ 2328$	Triumph, Dark Scarlet Jewel, Apple Blossom			d. scar. l. pink	$1 \\ 1\frac{1}{2}$	$\begin{array}{c}10\\10\end{array}$	last of May, but bloom quite late. They can also be well grown in
2329	-Dark Blue			d. blue	1/2	10	pots; use fine and rich soil, and
2330	-Mixed			mixed		10	water well.
$2331 \\ 2334$	Ostrich Plume, White Japanese Tassel			white rose		$ 10 \\ 10 $	COLLECTIONS.
2335	Mignon			white		10	We invite careful attention to the
2336	Snowball			····		$\frac{25}{10}$	collections offered below. These
2337 2337a	Mixed Semple's Branching —Vick's Branching			mixed		10	are put up in Germany, and con- tain only seed saved from the
2338	-Washington					10	very finest plants. In each col-
$2339 \\ 2340$	-Victoria Needle				$1 \\ 1\frac{1}{2}$	10 10	lection the colors are separate;
$2340 \\ 2340a$	-Giant Emperor -Crown				172	10 5	for instance, the collection of 24 Truffaut's Pæony Perfection con-
2341	-Queen				1	10	tains 24 separate and distinct
$\frac{2342}{2343}$	-Single Annual		 hP		1-2	10 10	colors or varieties of the class.
2010	r or officiality		III		1	1 10	


COLLECTIONS OF CHOICE ASTERS.

24	Victoria P	rize		\$1	50 1	12 Giant Comet\$1 00)
18	4.4					8 " "	5
12	6.6				90	6 60)
6	6.6				50	12 Large Rose-flowered	5
24	Truffaut's			1		6 " " " 45	5
18	6.6	66		î		8 Giant Emperor 1 00)
12	6.6	66			75	6 Queen 45	5
6	6.6	66			45	6 Mignon 50)
6	Princess (new)			75	6 Lilliput 40)
18	Dwarf Chr	vsanth	emum-flowe	ered 1		12 Imbricated Pompon)
12		66			75	6)
- 6	66	6 6	"		50	6 White-centered Crown)
12	Pyramidal	Dwarf	Bouquet		75	6 Ball or Jewell 50)
8	66	66			50	6 Goliath 45	,
6	6.6	66			40	6 Washington)
						3	

For Asters by weight, see page 7.

		/	100	ion /	Get 0	3 /	
	NUMBER and NAME.	le of Flow-	Hardiness and D	Color of the Flower,	Height in Feet	Price per	General Observations.
\$ 37	¹ ¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of Flow	Hard	Color t	Heig	Price	
2346 2347 2348 2349 2350	Aubrietia deltoidea Græca Leichtlinii (rosy carmine) Auricula, finest Azalea hybrida Balsam Apple and Pear	$ \begin{array}{c} 1 \\ 1 \\ 3 \\ \dots \\ 1 \\ 2 \end{array} $	hP hS	pur. car. mixed	trai. ½ 2	ets. 10 10 25 25 25	Resembling Alyssum in character; fine for rockwork or bedding. {(<i>Primula auricula.</i>) Beautiful shades of color. Seeds from finest varieties. See Gourds, page 118.
$\begin{array}{c} 2352\\ 2354\\ 2355\\ 2356\\ 2362\\ 2362\\ 2380\\ 2380\\ 2381\\ 2398\\ 2400\\ 2401\\ 2402\\ 2403\\ \end{array}$	Balsams- Double Whiteper oz., \$1.00 -Peach Blossom '' 1.00 -Carmine '' 1.00 -Lavender '' 1.00 -Bright Scarlet '' 1.00 -Bright Scarlet '' 1.00 -Bright Scarlet '' 1.00 -White, Sp't'd Sc'l't '' 1.00 -Dark Blood Red '' 1.00 -Pale Yellow '' 1.00 -Camellia-fl'd White '' 1.00 -Finest Mixed '' 75 -Finest Mixed '' 75 -Collections of Balsams, including- 6 '' '' '' ''' '''''''''''''''''''''''	·····	hhA	white pink car. lav. rose scar. spot. d. red yel. white mixed 		$\begin{array}{c} 10\\ 10\\ 10\\ 10\\ 10\\ 10\\ 10\\ 10\\ 10\\ 10\\$	(Impatiens.) These are magnifi- cent and popular summer-flow- ering annuals, producing masses of most perfectly formed and brilliantly colored flowers in the greatest profusion. They pre- fer a rich, sandy soil, and must be kept well watered. Trans- planting two or three times has a tendency to dwarf them and make the flowers more double. The collections of Camellia- flowered and Rose-flowered are exceedingly fine. Sow in the open ground in May.
2418	Balloon Vine Banana Baptisia australis		hP	blue		5	See page 113. See Musa Ensete. (False Indigo.) It has beautiful
2419 2420 2421	leucantha Bartonia aureaper oz., 40c. —nana		hA	l. yel. yel.	1-2 3 $1\frac{1}{2}$	5 5 5	<pre>f light blue flowers. Golden yellow flowers; very fra- grant in the evening.</pre>
	*Beet— Brazilian,G'ld'n-veined,per oz., 20c. *—Scarlet-veined				····	5 5 5 5 5 5 5 5 5 5 5 5	Beets having no tubers, but with handsome ornamental foliage of very beautiful, rich colors. Very effective in center of beds, or anywhere in contrast with other plants.
$2434 \\ 2435 \\ 2438 \\ 2439 \\ 2440 \\ 2442 \\ 2443 \\ 2446$	Begonia, Single Tuberous-rooted Double Tuberous-rooted *Rex, Ornamental-leaved semperflorens alba Vernon, red, for borders ore Bijou," bright scarlet (new) fol. aureis, yellow-leaved Collections of Begonias, including- 12 vars. Tub'rous-root'd; fine col'rs 6 " " " " " "		gP 	mixed rose white red scar. 	····· 1 ····· ½ 1	25 75 25 25 25 25 25 25 25 25 81 75 1 00	Fine for growing in pots, being perfect in habit, with very hand- some foliage. 2439 and 2440 are very free-flowering, and fine for bedding. No. 2446 has scar- let flowers and beautiful golden yellow leaves; excellent for edging.
2448 2450 2452	Bellis perennis Bidens atrosanguinea Blue Bottle *Bocconia Japonica	2 3	hA	d. red	2	10	See Daisy. Showy, like the Calliopsis. See Centaurea Cyanus. Ornamental habit and foliage.
2452 2453 2454 2456 2458	Bouvardia Jacquini Brachycome iberidifolia —alba —Mixed	3	tP gP hhA 	white scar. pur. white mixed	2 1 	25 25 5 5 5	Handsome greenhouse evergreen. (Swan River Daisy.) For edging. Should be started in hotbed.
$\begin{array}{r} 2458\\ 2460\\ 2461\\ 2464\\ 2464\\ 2466\\ 2467\end{array}$		2	gA gP	blue white mixed white blue	2	$ \begin{array}{c} 10 \\ 10 \\ 10 \\ 25 \\ 25 \\ 25 \end{array} $	(Amethyst.) Elegant greenhouse annuals; fine for cutting. 2466 has large, lovely flowers, some white, some pale blue.
$2468 \\ 2470 \\ 2471$	Buphthalmum cordifolium Cacalia coccinea lutea		hP hA	yel. scar. orange	1 2	5 5 5	Very ornamental hardy perennial. (Tassel Flower.) Very pretty an- nuals; easily grown.
$2472 \\ 2473$	Mixed Cactus, Mixed		 hhP	mixed	vars	. 25	

			ha /	~ /	t. /	4	1 44
		Time of	Hardiness and n-	Color of the Flore	Height in F.	Price per	ke
			101	Tat /			a /
	NUMBER and NAME.	1 2 -	seg di	5/27			General Observations.
		/ 0 A	Hardiness and n	1 2 4	2pi	0	
AT	"4 oz. at oz. rate only on articles quoted at	1.1	ar	010	[ei	12	/ .
	\$1 per oz. and over.	1 1	/ 44	/ 0	/ 4	/ 4	1
2474	Calandrinia discolorper oz., 50c.		hA	rose		ets. 5	Brightly colored little plants, fine
2475	speciosa			pur.	$\frac{1}{2}$ $\frac{1}{4}$ $\frac{1}{2}$	5	for edgings; plant in sunny sit-
2480	umbellata		hhP	violet	$\frac{1}{2}$	10	J uations.
	Calceolaria hybrida-						Splendid greenhouse plants, with
2482	Large-flowered, self-colored		gP	mixed	2	25	flowers beautifully striped.
2484	-Tigered, or Spotted					25	blotched and variegated. Our
$\frac{2486}{2488}$	-Dwarf Tigered Tigered and Self-col'r'd, Mixed				$\frac{1}{2}$	$ 25 \\ 25 $	seeds are saved from the finest varieties. Special cultural di-
2490	rugosa (shrubby)				1	50	rections are given on page 79.
2491	Calceolaria pinnata		hA	yel.		10	\ Excellent bedding varieties. See
2492	scabiosæfolia					5	∫ also Calceolaria hybrida.
0.100	Calendula-					_	
$\begin{array}{c} 2493 \\ 2494 \end{array}$	officinalis, doubleper oz., 25c. — grand. sulphurea "40c.			orange		55	
2494 2497	grand. sulphurea " 40c Nankeen" 25c.			yel.		5	(Pot Marigolds.) Very showy,
2499	——Meteor					5	free-flowering, hardy annuals;
2500						5	very effective in backgrounds, beds or mixed borders. No.
$\begin{array}{c} 2502 \\ 2504 \end{array}$	— — La Reine '' 40c. suffruticosa '' 40c.		••••	••••		5 5	2494 is a very fine light yellow,
2504 2505	pluvialis			white		5	large-flowered, double sort.
2506	Pongei fl. pl " 40c.					5	J
2507	Calla Æthiopica	3	gP		$1\frac{1}{2}$	10	The popular Calla Lily.
2508	Calliopsis marmorataoz., 30c.		hA	r. & y.		5) (Concernie) . Were shown and
2510	cardaminifolia					5	(Coreopsis.) Very showy annual or perennial plants, easily culti-
$2514 \\ 2515$	Drummondiiper oz., 30c.	${2}$ 3		y.& br.	$\frac{1}{2}$	5 5	vated in ordinary soil. They are
$2515 \\ 2515a$	elegans picta '' 30c. grandiflora	4 ð 	 hP	yel.		10	abundant in bloom, and of bright.
2516	lanceolataper oz., \$1				1	10	attractive colors. C. lanceolata
2517	-"California Sunbeams"	••••		mixed		10	and C. grandiflora are fine for cutting. 2517 has very large flow-
$\begin{array}{c} 2518 \\ 2519 \end{array}$	trichosperma Mixedper oz., 30c.	2	hB hA	yel.	$\frac{3}{2}$	10 5	ers in great variety of beautiful
2010	Collection of Calliopsis, including		IIA		2	5	forms and various shades of yel-
	8 vars. choicest sorts					35	low and brown.
2520	Callirrhoe involucrata	1 3	hP	c. & w.	trai.	5	Free-flowering, of pretty colors.
2525	pedataper oz., 50c.		hA	V.& W.	2	5	Start in frame early.
2529	Camellia Japonicaper oz., 25c.		gP	mixed	3	10	Grand greenhouse plant.
2530	Campanula carpatica	1	hP	blue	$\frac{1}{2}$	5)
$2531 \\ 2532$	—alba —Mixed	1 3		white mixed		55	
2533	Medium Blue		thB	blue	2	5 5	(Canterbury Bells.) One of the
2534				white		5	best known plants grown in the garden. The hardy perennials.
2535	-Rose			rose		5	if sown early in good soil, will
$2536 \\ 2537$	—Mixed —Double Blue	2 3		blue		5 10	bloom early the next season.
2538				white		10	The first two on the list are very
2539	— — Rose			rose		10	fine for edgings and beds. All the varieties are fine old plants,
2540	— — Mixed	••••	 h D	_ mixed	••••	10 5	and should be grown exten-
$2541 \\ 2542$	—calycanthema — —alba		hB 	blue white		5	sively. C. macrostyla has large,
2542a	— — Mixed			mixed		5	lovely violet flowers. C. persici-
2543	-Double and Single Prize Mixed					10	folia, Blue and White, are splen- did perennials, with superb, large
$2543a \\ 2544$	macrostyla nobilis alba	3	hA hB	violet white		5 10	flowers. A fine effect is pro-
2544a	persicifolia grandiflora, Blue		hP	blue		25-	duced by planting the blue and
2544b	" " White			white		25	white varieties together. The dwarf varieties are excellent for
2545	pyramidalis		†hhP	blue	4	5	rockeries or the fronts of bor-
$2546 \\ 2546a$	-alba. rotundifolia (Scotch Blue-Bell)			white blue	····· 1	5 10	ders. They prefer rich, sandy
25466	Vidali		gP	white	2	10	soil with good drainage.
	Collection of Campanulas, includ-						
	ing 12 vars. choicest sorts					60	J
2547	Candytuft— Iberis affinis, Dwarf	1 9	hA		1/	5	2
2548	-amara	1 2	hA 		$\frac{\frac{1}{2}}{1}$	5 5	
2549	-coronaria, Rocket " 25c.					5	Showy annuals for beds or edg-
2550						5	ings; several are sweet-scented.
$\begin{array}{c} 2551 \\ 2553 \end{array}$	——"Little Prince" —odorataper oz., 25c.	••••				10 5	They can be sown at any time in the house or open ground
2555				pur.		5	The dwarf varieties are good
2557	——————————————————————————————————————			flesh		5	bedders, and useful for cutting
$\begin{array}{c} 2559 \\ 2561 \end{array}$	— — Dunnettii			d. cr.		5 5	as well; largely grown by flor-
2563	——————————————————————————————————————			lilac car.		5	ists, especially the white varie- ties, for floral work, for which
	1001						





CHRYSANTHEMUM TRICOLOR. See page 90.



DOUBLE BALSAM. See page 86. CALLIOPSIS ELEGANS PICTA. See page 87.

			ån /	=	4 /	4	*/
		Time of	Hardiness and n.	lor of the Flore	Height in F	Price per	acke /
	NUMBER and NAME.	12	Hardiness and n		t in	per '	General Observations.
		0	urdin d	Color of the F	igh	LC6	
#.#	"¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	/2	Ha	/ ઙ૽	/ H	14	1
	Candytuft, continued—	1				cts.	
2565	Iberis umbellata, Dwarf Hybridper oz., 75c.	1 2	hA	mixed	1	5	they are very well adapted. 2569 makes a magnificent show the
2567	-Mixed Annual " 25c.		 hP			5	second year from seed. No. 2551
$2569 \\ 2570$	-sempervirens -Gibraltarica	· · · · ·		white pink		10	is a fine new variety, very effec- tive for groups, borders or pots.
	Collection of Candytuft, including 6 vars. choicest sorts					30	
	*Canna, Dark-leavedper oz., 40c.	1 3	gP	mixed	4	5) Cannas, or Indian Shot, are very
$2572 \\ 2573$	*Green-leaved " 20c. *Queen Charlotte			 sc.&yel.		10 10	ornamental, and much employed in sub-tropical gardening for
2584	*Črozy's Finest Mixed per oz., 75c.		••••	mixed	31⁄2	10) groups and masses.
2590	Cannabis gigantea " 20c.	••••	hhA		10	5	{(Giant Hemp.) For backs of borders.
	Canterbury Bells						See Campanula.
2594	Carduus Benedictus	2	hA	yel.	2	5	(Blessed Thistle.) Pretty.
2597	Carnation (Dianthus caryophyllus) Margaret, White	2 3	†hhP	white	11/2	10	1
2598	" Yellow			yel.		25 10	
$2599 \\ 2599a$	" Hf. Dwf. Mxd." \$1 75			mixed	$\frac{2}{1\frac{1}{2}}$	10	Saved from the finest collections
$\frac{2600}{2604}$	" Very Dwarf Mixed Giant, Mixed		····		1	10 25	Saved from the finest collections of Germany and France. Grown
2608	Chabaud Perpetual, Mixed				$1\frac{1}{2}$	25 50	in pots and in good soil, no flowers can be finer or more
$2610 \\ 2611$	Dwarf Perpetual (à tige de fer) Comtesse de Paris. Very dwarf;		hhP		1	1	desirable. Are very fragrant, and present great diversity and
2612	yellow; comes true from seed Mme. B. Chabaud. A superb			yel.		50	brilliancy of coloring. The
	novelty of the Perpetual class. Yellow background, shading to						culture of seedlings is very interesting. The half dwarf
0.010	salmon and bright cherry red		†hhP			50	"Margaret" is especially adapted for outdoor culture, flowering in
$\frac{2613}{2615}$	Giant Perpetual, Pure White "Yellow			white yel.	$1\frac{1}{2}$	50 50	five months from time of sow-
$\frac{2616}{2617}$	" " Fine Mixed Rose-leaved	· · · · ·	hhP	mixed	····· 2	50 50	ing, and is remarkable for the richness and profusion of its
2618	Red Grenadine, Double			red		25 10	flowers, as well as for its vigor- ous growth. It is also suitable
$\frac{2619}{2620}$	Early Dwarf Viennaoz., \$1.25 Fine Double	$2 \frac{2}{3}$	••••	mixed	$\frac{1}{2}$	10	for pot-culture. flowering the
$\frac{2624}{2625}$	Common Doubleper oz., \$1 Ordinary Mixed '' 50c.					5 5	first season from seed. Our seed of these varieties is grown
	Choice Collections, including— 50 vars. Carnation and Picotee.					₹3 00	exclusively by Mr. Chabaud, in the famous Garden of Carna-
	25 ** ** ** **					1 75	tions, Provence, France.
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					1 25 1 00	
	6 *** *** **					50	[Omemorial plants, with boautiful
2630	Castilleia indivisa		†hhP	b. red	$1\frac{1}{2}$	25	{Ornamental plants, with beautiful bracts.
	Castor Oil Plant						See Ricinus.
$\frac{2631}{2632}$	Catananche alba		hA †hP	white blue	2	55	Everlasting flowers. Bright col- ors and free-flowering.
	Catchfly						See Silene.
2636	Cedronella cana		hP	pur.	3	5	Purplish crimson flowers.
2637	Celosia Huttoni (dark foliage)	3	tA	claret		5	Fine for vases: splendid foliage plants. Nos. 2640 and 2641 pro-
$\frac{2638}{2639}$	Golden Feathered Crimson Feathered	···· 2		yel. crim.		10 10	duce very large plumes, which
2639a 2639b	Thompson's Superb Feathered					10 10	are curved and curled in resem- blance of an ostrich feather.
2640	Ostrich Feather Crimson	 	· · · · ·	r. & sc. crim.	· · · · ·	10	They sometimes do not attain to full perfection till late in the
2641		••••		orange	••••	10	j autumn.
0010	Celosia cristata		0				See Cockscomb.
$2648 \\ 2650$	Centaurea Americanaoz 40c. *candidissima1,000 seeds, \$1	3	$^{hA}_{hhP}$	pur. white	$\frac{3}{1}$	5 10	
$2651 \\ 2652$	*Clementei '' 50c. *gymnocarpa per oz., 80c.	9 3				10 10	Nos. 2650, 2651 and 2652 are silver- leaved plants, fine for ribbon
2653	macrocephala		hP	yel.	3	10	borders and edging of beds.
$2654 \\ 2655$	odorata Chameleon	2		var. white		10 10	The "Victoria" is a new minia- ture Cornflower; very fine for

NUMBER and NAME. Image: Strength of the second se	
Centaurea, continued—ets.2656Cyanus (Cornflower), per oz., 30c.22657—Emperor William	
Centaurea, continued—ets.2656Cyanus (Cornflower), per oz., 30c.22657—Emperor William	
Centaurea, continued—ets.2656Cyanus (Cornflower), per oz., 30c.22657—Emperor William	
2656Cyanus (Cornflower), per oz., 30c.2hAblue1½5pots and edgings. "Chameled2657Emperor William"30c5and "Margaritæ" are superb n2658Victoria Dwarf Compact¾10sorts, with very large and f2658anana compacta hybrida; fine¾10	
2658 —Victoria Dwarf Compact 34 10 sorts, with very large and f 2658a —nana compacta hybrida; fine grant flowers; fine for cutti	
	fra-
for pots and edging mixed 10 The others are showy pla	
2659 Mixed 1½ 5 when in bloom. For other C 2660 Double Mixed 1½ 5 taureas, see Sweet Sultan.	Cen-
Collection of Centaurea, including	
6 vars. C. Cyanus (Cornflower):. 30	
2661 Centauridium Drummondii yel 5 Pretty little Composite.	
Centranthus- 2663 macrosiphonper oz., 30c. 1 3 red 1 5 Vorr pretty free formering	
2665 —albus " 30c white 5 very pretty inter-novering	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2673 Cerinthe retorta per oz., 40c hA yel. 1½ 5 Valuable for bees.	
2675 Chelone barbata coccinea	
2685 Chorizema varium	
Christmas Rose See Helleborus niger.	
Chrysanthemum, Annual- 2690 coronaria, Double White	s are
2002 Vallar (1, 40c, 2, 3) A white 1/2 3 showy, free bloomers, and sho	ould
2694 —	their
2695 — Mixed per oz., 40c 5 hardy and very desirable	
2696 tricolor, White 40c white 2 multicaule is a valuable bedd	lding
2698 — Scarlet	and
$2699 - Eclipse$ $50c.$ \cdots $br. kyl.$ 1 5 white and red flowers. No. 2	
2,00 -Burridgeanum 40c w, &r o did new yellow foliaged dou	ble
2703 —Double Golden " 60c yel 5 themums should not be c	
2/03a - White	ered.
2706 — Golden-leaved sorts, Mixed 25 are recential	rnien
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2713 inodorum, Double white 1 10 For bouquets or edgings.	
2721 frutescens (Paris Daisy) 10 C. frutescens is the Paris Dai Choice Collections including— 10 C. frutescens is the Paris Dai	arsy,
12 vars. Chrysanthemum, Annual 50 6 '' '' 35	
Chrysanthemum, Perennial—	
2730 Indicum grandifiorum	
2731 Japonicum 10 the autumn shows, that attr 2732 —From finest flowers 25 (so much attention; bloom	
2733 — Pompon $1\frac{1}{2}$ 10 j in fall.	
Cineraria hybrida-	
2735 White 1 tgP white 2 25 2737 Azure Blue blue 25 Among the most ornamental a	
2738 Crimson, Large-flowered crim 25 usery heautiful and showy	
2/39 Blood Red, Large-nowered d. red 25 colors being distinct and brig	ight.
2741 — —Large-flowered Half Dwarf, 1 25 from the finest panel flower	
2745 — — Prize 2 50 See a special note on page 79.	
2753 Cineraria maritima per oz., 40c. hhP yel. 5 C. maritima is the popular "Du Miller." 2755 candidissima	usty

		Time of	ring	tion	wer wer	Price per	CKOK
	NUMBER and NAME.	of	Hardiness and D	of It Flc	it in	per	General Observations.
AG.	T¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time	Hardiness and r	Color of the Flore	Height in E	Price	
	Clarkia—					cts.	
2758 27580 27580	-alba, Double " 40c.		hA 	rose white	$1\frac{1}{2}$	5 5 5	Very pretty, free-flowering, and of
$2759 \\ 2762 \\ 2763$				mixed rose		555	easy cultivation. A bed of these, especially the double varieties, is very beautiful. They are use-
$2764 \\ 2765 \\ 2766$				white bord.		5 5 5	ful for edging plants, or for vases and hanging baskets.
2768 2777	White Tom Thumb '' 40c. Mixed '' 30c.		 	white mixed	$\frac{3}{4}{1\frac{1}{2}}$	5 5	
2779 2779a 2780	Clary, Purple-top	1 2	· · · · · · · · · · · · · · · · · · ·	pur. red white	$2 \\ \dots \\ 1\frac{1}{2}$	5 5 5	(Salvia Horminum.) Odd but pretty flowers.
$\begin{array}{c} 2783 \\ 2784 \end{array}$	Cleome pungensspeciosa	$\begin{array}{ccc} 1 & 3 \\ \dots \end{array}$	${}^{\mathrm{tB}}_{\mathrm{hA}}$	pink pur.	2	$\begin{array}{c} 10\\ 10 \end{array}$	Curious; very ornamental, in Cas- tor Oil Plant style. Sandy soil suits them best.
$2785 \\ 2790$	Clianthus Dampieri puniceus	$\begin{array}{ccc} 1 & 2 \\ \dots \end{array}$	gS 	scar. crim.	$\frac{3}{6}$	$\begin{array}{c} 10\\ 10\end{array}$	Greenhouse plants, bearing showy, pea-shaped flowers. Soak seeds in hot water before sowing.
2792	Clintonia (Downingia) pulchella Cobæa scandens	2	hA	tri.	$\frac{1}{2}$	10	Very pretty for edgings. See page 113.
2794	Cockscomb— Empress, Dwarf Crimson	2 3		crim.	3/4	10	
$2797 \\ 2798 \\ 2799$	President Thiers (very dwarf) All-aglow (new) Queen of Dwarfs	· · · · · · · · · · · · · · · · · · ·		scar. rose	···· ···· 1/2	$ \begin{array}{c} 10 \\ 25 \\ 10 \end{array} $	(<i>Celosia cristata.</i>) If transplanted into rich soil at the time they show a disposition to form, the
$\begin{array}{c} 2800\\ 2802 \end{array}$	Glasgow Prize Dwarf Large Crimson (new; splendid)	••••		crim.	1	10 10	combs will be much larger. Fine for borders. Can be preserved for winter bouquets by cutting
2803 2813	Dwarf Fiery Scarlet (new; splen- did) Japan Crimson	···· ···· 3		scar.		10	off the heads before they are ripe, and drying in the house. "All-aglow" has very large, fiery
2823 2828	Mixed	$\frac{2}{3}$		crim. mixed	3 2 ~	10 5	Scarlet combs.
	*Coleus (Fine hybrids)		gS gP	white	5 2	50 25	White flowers, scarlet berries.
	Choice Collections, including— 12 varieties		51		-	\$1 25 75	Splendid bedding plants, with beautifully colored foliage. Very useful for decorative purposes.
2835 2838 2839	Collinsia Bartsiæfolia.per oz., 50c. bicolor	$\begin{smallmatrix}&2\\1&2\end{smallmatrix}$	hA 	pur. p.&w. white	$1 \\ 1\frac{1}{2}$	5 5 5	Free-flowering Annuals. If sown in autumn, will stand the win-
2840 2843 2845	candidissima '' 30c. grandiflora '' 30c. multicolor '' 25c.	2 	· · · · · · · · · · · · · · · · · · ·	blue	1 	5 5	ter, and flower early in spring. All the species are brightly col-
2847 2850 2852		$ \begin{array}{ccc} 2 & 3 \\ 1 & 3 \end{array} $	· · · · · · · · · · · · · · · · · · ·	w.& ro. bl.& p.	····· ···· ½	555	ored, and excellent for growing in patches or clumps; easily grown in any garden soil.
2854 2856	Mixed " 25c. Collomia coccinea " 25c. grandiflora " 25c.	2 3		mixed s.& y. yel.	2	5 5 5	<pre> Fine for bees; suitable for pot culture; very pretty. </pre>
	Columbine						See Aquilegia.
$2862 \\ 2865 \\ 2868$	Commelyna cœlestis —alba *—variegata	1	hh P 	blue white var.	1 2	5 5 5	Showy, favorite plants for pots and gardens, where they grow finely.
$2870 \\ 2872 \\ 2875$	Convolvulus tricolorper oz., 25c. —White	$\begin{array}{ccc} 1 & 3 \\ \dots \end{array}$	hA 	blue white	1	5 5	These are fine Dwarf Morning Glories for growing in clumps
$2876 \\ 2877$	Crimson-violet '' 25c. Rose '' 25c. 25c.		····	pur. crim. rose	···· ····	555	or beds, and well adapted for rockeries and hanging baskets; bloom for a long time. For
2878	Mixed			mixed		5 35	climbing sorts, see end of Flower Seeds, "Vines and Climbers."
2880 2882	*Cordyline australis *indivisa lineata	3	gS 	white	$3 \\ 10$	10 10	Beautiful foliage plants for vases or decorations.
	Coreopsis						See Calliopsis. See Centaures Cyanus.



			Hardiness and D.	Color of the Flows	Height in F.	Price per	ket
	NUMBER and NAME.	1	ess	Flor	in r		General Observations.
		0.4	din	the the	Sht	d e	
A DF	¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and D.	Colo	Hei	Pric	
2884	Corydalis nobilis	2 3	hP	yel.	3⁄4	ets. 10	Beautiful hardy perennial.
2885	Cosmidium Burridgeanum	2	hA	orange	2	5	Very showy.
2386	Cosmos, Large-flowered— Giant Fancy White	2 3		white	3	15	The Cosmos has been so much
2587	" " Red			red		15	improved in recent years that it
$2888 \\ 2889$	" " Pink " " Mixed			pink mixed		$\frac{15}{15}$	is now one of our finest and most popular autumn-blooming
2890	Tints of Dawn.					15	flowers. Start the seeds early
2891	Marguerite					25	inside and transplant to open
$\frac{2892}{2893}$	Single Dahlia-flowered Roseta			d. crim. pink		15 10	ground in May. The "Giant Fancy" strain produces flowers of
2894	Erlinda			white		10	immense size, often over 5 inches
$2895 \\ 2896$	Conchita Yellow		۰۰۰ ۰۰۰۰	crim. yel.	$\frac{\cdots}{2}$	$ \begin{array}{c} 10 \\ 25 \end{array} $	across, and in great diversity of form and coloring. "Tints of
2896a	Orange			orange		10	Dawn" are white ground, flushed
2896b	Klondyke (new)				••••	$ 10 \\ 5 $	pink, and exquisitely beautiful.
$2897 \\ 2898$	White Pearl per oz., 75c. Pink Pearl. '' 75c.			white pink	3	5	The "Marguerite" has deeply and irregularly fringed petals resem-
2809	Mixed '' 50c.			mixed		5	bling Marguerites.
2902	Cotton (Gossypium)		tA	yel.		5	Curious; for pots and gardens.
2903	Cowslip (Primula veris)	1	hP	mixed	$\frac{1}{2}$	10	Favorite spring flower.
2904	Crucianella stylosa	2		pur.		5	A handsome Crosswort.
$\frac{2905}{2906}$	Cuphea miniata platycentra		†hhP	crim. s. & w.	1	5 10	These are very pretty greenhouse
2907	purpurea	3		pur.		5	plants, and are also good for the border, being continually in
$\frac{2908}{2909}$	eminens Rœzlii	1 3		s. & y. yel. &r.	$\frac{1\frac{1}{2}}{1}$	10 10	bloom. No. 2906 is well known
2910	strigulosa			violet		10	as "Cigar Plant."
	Cyclamen giganteum-per 100 seeds					1	
$2911 \\ 2912$	-album "Mont Blanc"\$1.50	1	gBu	white	3⁄4	$\frac{25}{25}$	Sow the seed in small boxes or
2912				d. red w. & r.		25	seed pans, in a compost of well- rotted manure, leaf mould and
2914	robustum 1.50			w.&d.r.		25	sand. Cover lightly with moss,
$2914a \\ 2915$				c. & w. rose		$\frac{25}{25}$	which remove after the seed ger- minates. Prick out into small
2916	-Mixed 1.50			mixed		25	pots when the flowers have two
2917 2917a	Persicum			red	¹ ⁄ ₄	10 10	leaves. The plants flower in 10 or 12 months from time of sowing.
	Cyperus alternifolius		tP	apricot	2	25	∫ Perennial greenhouse or window
	Cypress Vine			1			l plant of elegant habit. See Ipomæa Quamoclit, page 113.
2918	Dahlia, Fine Doubleper oz., 75c.	3	$^{\rm thhP}$	mixed	6	10	All the varieties are fine. "Jules
$2919 \\ 2919a$	Double Dwarf Pompon Double				3	10 10	Chretien" is a new, very dwarf,
2919b	Monarch (new)					25	single strain, growing from 10 to 15 inches high, and flowering the
$2919c \\ 2920$	Cactus, Mixed					10	first season from seed. It is a
2920	Dwarf Single, fine strain, oz., \$1.25 Jules Chretien, very dw'f '' 1.50			scar.	$\frac{1\frac{1}{2}}{1}$	10 10	valuable bedding sort, flowering
	Choice Collections, including-						through the summer from June to October in great profusion.
	12 vars. beautiful Single Dahlia 6 '' '' ''					\$1 00 60	Also fine for pots.
2922	Daisy, Double White per oz., \$5	1	†hP	white	1⁄4	25	(Bellis perennis.) The poet's fa-
$2923 \\ 2924$	Double Rose (Longfellow) Double Snowball			rose	• • • • •	$\frac{25}{25}$	vorite; very popular flowers.
2925	Double Finest Collecper oz., \$5			white mixed		$\frac{23}{25}$	If in open ground, sow in May.
	Daisy, Paris						See Chrysanthemum frutescens.
2933	Daphne Mezereum		hS	pink	3	25	Early flowering and scented.
2935	Datura metelloides	1 2	hhA	w.&br.		5	Very showy and large, trumpet-
$2936 \\ 2937$	cornucopia Golden Queen			w.&pr. yel.		10 10	shaped flowers. No. 2936 has immense flowers, beautifully col-
2938	fastuosa, Double White			white		5	ored. "Golden Queen" is a splen-
$2939 \\ 2940$	-Double Violetper oz., 40c.			violet mixed	••••	5 5	did new, double, bright yellow and very showy variety.
2010	Delphinium (Larkspur)-			mixeu		0	Very ornamental, free-blooming
2941	Ajacis Dwarf Rocket p'r oz., 30c.		†hB		1	5	hardy plants, of erect, branch-
$2942 \\ 2942a$	-Tall Rocket " 30c. -Ranunculus-flowered " 30c.				2	5 5	ing habit; they are quite effec- tive in masses or mixed bor-
2942b	-Tall-branching				· · · · ·	5	} ders. being very rich and varied
294 3	Brunonianum (beautiful)		†hP	blue	3	25	in colors. The taller sorts are

	/	Hardiness and n	or of the Flower	Fant	100 -	Cket
NUMBER and NAME.	of	iness	of File	ht in	per b.	General Observations.
RF 402. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and n.	Color th	Height in H	Price per	
Delphinium (Larkspur)-contin'd.					cts.	fine for shrubberies, and the
2944 cardiopetalumper oz., 40c.	$\begin{array}{cc}2&3\\&2\end{array}$	hA hP	blue scar.	$\frac{1}{2}$	$\frac{5}{25}$	dwarf varieties for beds. They
2946 Cashmerianum	2 3	†hP	blue	3	25	are easily cultivated, but for special attention they return
2947 Chinese, Mixedper oz., 50c. 2948 elatum, Bee, Blue 50c.		$^{+hB}_{+hP}$	mixed blue	$\frac{2}{3}$	5 5	splendid results. The soil should be dug deep, and a liberal sup-
2949 — Mixed '' $50c.$			mixed		5	ply of well-rotted manure incor-
2950 Emperor, Branching Rose per oz., 60c.		hA	rose	2	5	porated, to obtain the best growth. D. Brunonianum is a
2950aWhite		 41 D	white blue			distinct sort, with lovely blue,
2951formosum" 75c.2952hybridum fl. pl. Finest d'ble sorts		†hP	mixed	3	25	musk-scented flowers. D. Men- ziesii is a beautiful native variety
2953 Menziesii 2954 nudicaule	••••		blue scar.	····· 1	$\begin{array}{c} 10\\10\end{array}$	} from the Pacific coast, with large,
Choice Collections, including-			scar.	T		deep blue flowers.
12 vars. Dwarf Rocket 6 '' '' ''					50 30	We invite special attention to the choice collections here offered.
12 '' Tall Rocket					50	
6 '' (' '' '' 6 '' Dwarf Candelabra					$\frac{30}{35}$	
6 '' Emperor 6 '' Ranunculus-flowered					35 30	
8 " Tall-branching					35	
6 " Hybridum Finest Double					$ \begin{array}{c} 25 \\ 75 \end{array} $	
Dianthus					10	See Pink, Carnation and Picotee.
2955 Dicentra eximia		hP	flesh	$1\frac{1}{2}$	10	Handsome native variety.
2956 Dictamnus Fraxinella 2958 —albus	1 2		red white	2	10 10	Fine dwarf herbaceous plants. The leaves, when rubbed, have
2960 —Mixed			mixed	····	10	a fine odor; flowers showy.
Digitalis						See Fozglove.
2964 * Dracæna Draco 2966 *indivisa lineata	2	gP	white	10	25	See Cordyline. Ornamental green-
100 seeds, 20c.; 1,000 seeds, \$1 2968 *rubra			red	 5	$\begin{array}{c} 10\\ 25\end{array}$	house plants, with elegant leaves; very rich and desirable.
2970 *Veitchii	 		white	3	25) leaves, very rich and desirable.
2972 Dracocephalum Moldavicum	3	†hP	blue	2	5	Ornamental. (Interesting greenhouse succulents,
2974 Echeveria secunda 2975 metallica	2	gP	yel.	1⁄4	$\frac{25}{25}$	which are largely used for "car-
2976 superba					25	pet" bedding. E. Purpusi is a new hardy species; flowers red,
2976a agavoides 2977 Purpusi (splendid ; new)		 hP	red	••••	$ \begin{array}{c} 25 \\ 25 \end{array} $	with orange center and foliage
2977a Elscholtzia cristata		hA	lilac	$1\frac{1}{2}$	5	White powdered. Fine for bees.
2978 Epacris hybrida superba	1 2	gS	mixed	div.	50	Free-blooming, like Heath.
2980 Erica (Heath), Finest Mixed 2983 Erinus alpinus		 L D	 blue	2	25	Charming evergreen shrub. Beautiful for baskets.
2983Erinus alpinus2984Eryngium cœlestinum	$\begin{array}{c} 2\\ 2 \end{array}$	hP	blue	$\frac{1}{4}$ $1\frac{1}{2}$	10 5	Beautiful sky-blue flowers.
2985 Erysimum Arkansanumoz., 30c.	1 2	hA	yel.		5	↓ Free flowering; of bright colors
2986Peroffskianum		gS	orange scar.	····· 4		\int and neat habit. $\uparrow E. \ crista-galli$ is the Coral Tree.
2988 Bogotensis		g.5			10	A splendid greenhouse shrub,
2989atropurpurea2989avespertilis			d. pur. scar.	6	$ \begin{array}{c} 10 \\ 25 \end{array} $	with large racemes of bright, deep scarlet flowers.
2990 Eschscholtzia Californica.oz., 40c.	1 3	hA	yel.	1	5	
2990 <i>a</i> —alba			white car.		5 5	Large, vase-shaped flowers of bright colors, continuing long
2992 croceaper oz., 40e. 2995 —Double Orange '' 75c.			orange		5 5	in bloom; excellent for borders
2996 —Double White			white		5	Are also fine when grown in
2997 "The Golden West" 2998 tenuifoliaper oz., 50c.			yel.&or. yel.	$2 \\ 1$	$\frac{25}{5}$	pots. E. maritima is a splendid
2999 maritima					10	new variety. "The Golden West" is a superb new variety, with
3000 Mandarinper oz., 50c. 3001 Hunnemania (new)			orange yel.	2	5 10	flowers 4 to 6 inches in diameter.
3002 Mixed per oz., 30c.			mixed	1	5	Very graceful little plants. Ex-
3003 Eucharidium grandiflorum 3004 Breweri			rose		5 10	{ tremely showy when grown
3010 Eupatorium Fraseri	3	+hP	white		5	among grass. No. 3010 is fine for cutting, form-
3011ageratoides3012perfoliatum		hP		3	5 10	∫ ing large clumps. "Boneset." A fine wild flower.
3013 purpureum			pink	5	10	"Joe-Pye-Weed."

	NUMBER and NAME.	Time of Flore	Hardiness and Dress	Color of the Flower	Height in Ford	Price per	General Observations.
L'S	⁻¹ / ₄ oz. at oz. rate only on articles quoted at \$1 per oz. and over.	lii I	Ha	3	He H	A I	/
	* Frankright				2	cts.	
3014 3020	*Euphorbia marginataperoz., 30c. Eutoca multiflora	3	hA hB	w.&gr. pink	1	5 5	Very pretty leaves; showy.
3020 3022	viscida	1 3	hA	blue		5	Are good, serviceable flowering } plants for bedding; free bloom-
3026	Wrangeliana				• • • •	5 5	ing.
3027	Mixed	••••		mixed		0	See page 119.
3030	Everlastings Fenzlia dianthiflora	1 2		rose	1/4	25	Pretty for ribbon gardening.
0000	Ferns-	1 -		1050	/1) Sow in pots half filled with crocks,
3031	Acrostichum crinitum		gP		•	25	the other half being filled with
$\frac{3032}{3033}$	Adiantum concinnum —gracillimum					50 25	fine sifted, sandy, peaty loam. The soil should be watered and
3034	—mundulum					50	allowed to drain before sowing,
$\frac{3035}{3036}$	Alsophila Australis Aspidium spinulosum					$ \begin{array}{c} 25 \\ 25 \end{array} $	as the spores might be washed away by watering afterwards.
3037	Asplenium Hookeri					25	Cover the pots with pieces of
3038	Blechnum bulbiferum					$ \begin{array}{c} 25 \\ 25 \end{array} $	glass, set them in saucers of
3039	Mixed Ferns Collection, including 12 of the					20	water and keep well shaded. When the little plants are formed
	finest sorts	•				\$1 25) prick off into separate pots.
	Feverfew						See Matricaria.
	Flax						See Linum.
3046	alpestrisper oz., 75c.		†hhP	blue	trai.	10	1
3047	-rosea			rose		10	
$3048 \\ 3049$	-albaper oz., 90c. -elegantissima			white blue	$\frac{1}{2}$	10 10 10	Very pretty and elegant hardy plants of easy cultivation. They
3050	-robusta grandiflora					10	do best in moist situations. Sow
3051						25	in spring in a warm, sunny bor-
$\frac{3052}{3053}$	—Mixed Azorica			d. blue		$ \begin{array}{c} 10 \\ 25 \end{array} $	der. The Myosotis palustris is the true "Forget-me-not" of
3054	-cœlestina			l. blue		25	Europe. All the species are
$\frac{3055}{3056}$	arvensis dissitiflora	1	hA $\dagger hhP$	blue		10 10	favorites, being early-flowering and easily grown.
3058	palustris	$1 \hat{2}$	hP	b. & w.	3/4	10	
3062	sylvaticaper oz., 75c.			blue	1	10	J
$\frac{3065}{3070}$	Foxglove (Digitalis), White Large-flowered	$\begin{array}{c} 2\\ 1 \end{array}$	••••	white l. y.	$\begin{array}{c c} 2 \\ 1\frac{1}{2} \end{array}$	5 5	
3072	Rose			rose		5	Digitalis—from <i>digitus</i> , a finger, referring to the shape of the
3075	Purple			pur.	div.	5	flowers. The Foxgloves are
$3076 \\ 3078$	Mixedper oz., 30c. Gloxinia-like, White			mixed white	3	55	showy for backgrounds and bor-
3079	-Purple		· • • • •	pur.		5	ders, and are beautiful when planted among shrubs. They
$\frac{3080}{3082}$				rose mixed		5 5	thrive in any ordinary garden
0002	Choice Collections, including			mineu			soil.
	12 varieties Foxglove					40	J
$3089 \\ 3090$	Four O'clock, Hybrid, per oz., 20c. longiflora alba '' 25c.		hA	white	2	55	(Mirabilis.) Called Four O'clocks
3091	Variegated-leaved " 20c.	2 3		mixed		5	because they open their blossoms at that hour in the afternoon.
3091a 3191b				white mixed	1	5 5	They are also known as "Marvel
51510	Choice Collections, including			mixeu		5	of Peru." Handsome, free-flow-
	10 vars. Four O'clock	-				45	ering, sweet-scented; blossoms variegated, striped and various
	8 '' '' '' Stripl'v'd					30 30	colors.
3092	Fragaria Indica	1 2	hP .	yel.	trai.	10	Beautiful scarlet fruit.
3093	Freesia refracta alba	3	gBu	white	2	10	Very sweet flowers.
3094	Fuchsia procumbens (for vases)	1 3	gS	blue	trai.	25]
3094a	triphylla (charming dark-leaved species)			scar.		50	("Ladies' Eardrop.") Well-known
3095	hybrida, Finest Mixed Single			mixed	div.	50	greenhouse plants. They require a firm, rich soil and a shady
3095a			•••••			50	location.
	Collection of Fuchsias, including 12 choice varieties					75	J
3096	Caillardia amblyodon		thhP	fine r.	2	5	1
3096a 3097	grandiflora maxima		 h A	golden		10 5	Showy and free bloomers. They
3098	-Lorenziana per oz., 50c.		hA	yel. mixed		. 5	are good bedders; very beau-
3099	-Aurora Borealis			sc.&y.		5	tiful; fine for bouquets, and should be more generally culti-
3102 3103	-Salmon-Redper oz., 40c.,			salmon mixed		55	vated. They do best in a good,
	Collection of Gaillardia, including			1			light soil.
	6 choice varieties	1	1			40)



LINUM GRANDIFLORUM RUBRUM. See page 99.

CUPID SWEET PEA. See page 117.

			6. I	~ /	. /	*** 1	
	NUMBER and NAME.	Time of	Hardiness and ress	Color of	Height in F.	Price per	General Observations.
AG.	F14oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Tim	Hal	Col	Hei	Pri	/
3106	Calactia glabella	3	hP	pur.	4	cts. 10	Handsome twining plant.
3108	Calega officinalis	1 2		blue	3	5	Tall, ornamental plants, suitable
3110	-alba	••••		white	••••	5	\int for borders or for cutting.
$3112 \\ 3114$	Gamolepis tagetes	1	hhA gS	yel. white	2	5	Fine for beds. Flowers very fragrant.
3114	Cardenia Thunbergii Cardoquia Betonicoides	···· 3	thhP	pur.	$\frac{4}{1\frac{1}{2}}$	25 5	Worthy of cultivation.
3118	Gaura Lindheimerianaoz., 40c.		hP	W. & r.	3	5	Very effective in clumps.
3119	Cenista Canariensis	2	tP	yellow	2	10	{ Very ornamental and free-flower- ing.
3120	Centiana acaulis	1		d. b.	1/4	10) Fine, showy hardy plants. Should
$3121 \\ 3124$	campestris cruciata	••••	$^{hA}_{hP}$	blue	$\frac{1}{2}$	25 10	be in every collection for the beauty of their flowers.
3124	Geranium (Zonale)per oz., \$1.25	1 3	gP	scar.	11/2	10	The most popular of bedding
3132	Double Scarlet		· · · · ·			50	plants. For cultural directions,
$\frac{3138}{3139}$	sanguineum		hP 	pur. pink	1	50 25	see page 79. See, also, Pelar- gonium.
3141	Cesneria macrantha	1	gP	scar.	$\frac{1}{2}$	50	Beautiful greenhouse plants, with
3143	Extra Mixed	2		mixed		50	∫ long-tubed flowers.
$3145 \\ 3146$	Geum Chiloense coccineum pl —atrosanguineum fl. pl		hP 	scar.	1½	5 5	Blooms freely for a long time. Fine for bouquets.
3147	Cilia Achilleæfolia	1 2	hA	blue	1	5	1
3148	—alba			white		5	
$\frac{3149}{3152}$	—rosea capitata	••••		rose blue		5 5	Free-blooming Annuals; fine for
3153	—alba			white		5	beds. Will bloom in any situa-
$3153a \\ 3154$	laciniata linifolia (for borders)				1/2 	55	tion, look well on lawns in beds, are good for rockeries, and can
3158	nivalis				1	5	be planted at any season.
$\frac{3160}{3167}$	tricolor rosea splendens			tri. rose		5 5	
3169	Mixedper oz., 20c.			mixed		5	
3171	Claucium luteum	2 3	†hP	yellow		5	{Horned Poppy.) Showy border plant, with gray foliage.
3173	Clobularia trichosantha	2	gP	blue	$\frac{1}{2}$	10	A very handsome plant.
3174	Cloxinia hybrida, Mixed	1 3		mixed		50	Beautiful greenhouse plants. They
$\frac{3176}{3177}$	—crassifolia erecta — —horizontalis					50 50	grow well in a light, rich soil. "Defiance" is of an intense, glow-
3178	-grandiflora "Defiance " (new)			scar.		50	ing scarlet, and one of the finest
3179	French Tigered and Spotted			spot.		50	J of recent introductions.
$\frac{3182}{3183}$	Codetia rubicunda splendens Princess of Wales		hA 	b. r. dr. cr.	$\frac{1}{1\frac{1}{2}}$	5 5	
3184	Lady Satin Rose			car.		5	All the varieties are fine, profuse blooming, hardy Annuals of
$\frac{3185}{3186}$	Fairy Queen (spotted carmine) grandifiora maculata, fine			white		$ 10 \\ 5 $	beautiful colors. Can be grown
3187	White Pearl					5	in pots. G. Whitneyi is a mag- nificent species of compact habit,
$\frac{3188}{3189}$	The Bride Duchess of Albany		· · · · ·	w. & c. white		5 5	with very large, rosy flowers
3190	Lady Albemarle			crim.		5	blotched with crimson; makes a good pot plant. "Duke of Fife"
3190a 3190b	Lindleyana Bijou		••••	blush	$\frac{1}{2}$	5 5	has very large flowers, intense
3190c	Whitneyi			d. rose	$1\frac{1}{2}$	5	red, with white spots at base of petals. "Duchess of Fife" is a
$\frac{3191}{3192}$	—Brilliant. —Duke of Fife			car. b. red		5 5	very beautiful variety, having
3193	-Duchess of Fife			w. & r.		5	white flowers with satiny flesh- colored spots, and bright red at
3195	Mixedper oz., 30c. Collection of Godetias, including		••••	mixed		5	base of petals.
	6 choicest varieties					30	J
	Golden Feather						See Pyrethrum, page 107.
	Gomphrena						See page 119.
9100	Courds	2	1.1. 4	neller	1/	10	See page 118.
5190	Crammanthes gentianoides Crasses, Ornamental	2	hhA	yellow	1/2	10	For edgings, pots or baskets. See page 120.
3197	Grevillea robustaper oz., 90c.	1 2	gS	orange	5	10	Elegant, gracéful foliage plant.
3198	Cunnera manicata		hP	red	6	25	Beautiful decorative lawn plants,
3199	scabra				4	25	\int with leaves 7 to 8 inches long.
$\frac{3206}{3207}$	Cypsophila elegans per oz., 30c. -rosea		hA	white rose	2	5 5	Fine for bouquets. Free bloomers
3211	muralis " 50c.			pink	$\frac{1}{2}$	5	for rockwork or shrubbery, and will grow in any soil.
3213	paniculata '' 40c.		hP	white	2	5)

	8	/	-20 /	10	Poor	10	
			diness diness	Flow		, A	Lach
	NUMBER and NAME.	of	Di Di	0 of	ht i	per (General Observations.
N.S.	\$4 oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and Dm.	Color of the Flower	Height in F	Price per	
3218	Hawkweed, Bearded	3	hA	yellow	2	cts. 5	1
$\frac{3220}{3222}$	Red White			red white		5 5	(Hieracium.) Showy plants, of free growth and varied colors.
3223	Mixedper oz., 40c.			mixed		5	J
$3224 \\ 3224a$	Hedysarum coronarium —album		†hB 	red white	3 	5 5	So-called "French Honeysuckle," but no relation to that vine. This is not a climber.
3225	Helenium Douglasii	2 3	hP	yel.	2	5	Free-flowering Composite, with yellow flowers.
3230	Helichrysum Heliotropium Peruvianum	1 3	gP	pur.		10	See page 119.
3232	Mad. de Blonay			white		10	(Heliotrope.) These well-known greenhouse and bedding favor-
3235 3236	Chieftain (dark) grandiflorum			d. pur.		10 10	ites are highly valued for their
3242	Voltaireanum					10	scented flowers. They should have light, rich soil. Mad. de
3244	Fine mixedper oz., \$1.50 Collections Heliotrope, including— 12 choicest varieties			mixed		10 90	Blonay is a splendid white- flowered variety, suitable for
	6 " "				_	50	bouquets.
$3248 \\ 3249$	Helleborus niger -New Hybrids	$ 1 2 \\ \dots $	hP 	pink mixed	1	10 25	(Christmas Rose.) Very desirable; spring-flowering.
0050	Hesperis						See Rocket. Nothing more beautiful for cut-
3250	Heuchera sanguinea			crim.		25	1 flowers.
$3252 \\ 3254$	Hibiscus Africanusper oz., 25c. Sabdariffa (Roselle)		hA gB	yl.&br. yel.	2	5 10	Showy annuals.
3260	Syriacus, Double per oz., 30c.		ĥS	w. & p.	6	5	The Rose of Sharon.
3262 3263	"Crimson Eye"		hA	w.&cr.		10	No. 3263 ("Golden Bowl") is a splendid new variety, with very large flowers, 5 inches in diam-
	"Golden Bowl"			l. yel.	4	10	eter; light sulphur color, with
3264	Moscheutos roseus		hP	rose	3	10	L purple center.
3264a 3265	Hieracium ramosum Hollyhock, D'ble Whiteoz., \$1.25		 †hP	yel. white	1-2 4	10 10	Fine green foliage.
3265a	Sulphur Yellow			l. yel.	т т	25	
3265b	Golden Yellow			golden		25	(Althæa rosea.) These magnifi- cent double varieties are grown
$3266 \\ 3266 a$	Crimsonper oz., \$1.00 Salmon '' 1.25			crim. salmon	••••	10 10	from Chater's celebrated collec-
3267	Salmon			scar.		25	tion, which is admitted to have
$3267a \\ 3268$	Lilac			lilac mag.		10 10	entirely revolutionized the popu- lar estimation of the Hollyhock.
3268a	Light Straw Color '" 1.25			straw		10	They are of the finest shades of
$3269 \\ 3270$	Mixed, very fine " 75 Mixed Allegheny, extra choice			mixed		10 25	color, and in every respect most desirable. May be sown as late
0210	Choice Collections, including-			••••			as August, to flower the follow-
	12 vars. Hollyhocks, D'ble Prize					\$1 00 75	ing year.
	6					60	1
3272	Honesty (Lunaria biennis)		†hB	pur.	2	5	Pretty plants, with curious silvery silicles.
$3274 \\ 3275$	Humea elegans —albida		$^{+hhP}$	rose white	5 	10 10	Sweet-scented. Should be kept in pots the first season.
3276	Hunnemannia fumariæfolia	2 3		yel.	1	5	Large, showy flowers.
3279	Hyacinthus candicans		hBu	white	2-3	10	A fine summer Hyacinth. (Bright green leaves; large, showy
3281	Hypericum elegans Iberis	3	hP	yel.	11/2	5	flower. See Candytuft.
3284	Ice Plant (Mesembryanthemum crystallinum)per oz., 50c.		tA	white	1/2	5	Covered with watery vesicles re- sembling pieces of ice.
3286	Impatiens glanduligera			pur.	11/2	5	(Touch me-not.) Beautiful; 3287 is
$3287 \\ 3288 \\ 3289$	Sultani, Scarlet —Queen Carola, Chamois —Mixed		gP 	scar. rose mixed	1	25 25 25	very desirable and free-blooming, especially for house culture.
	Ipomœa						See page 113.
3292	lonopsidium acaule	1 3	†hhP	blue	1/4	10	Exceedingly pretty little plant.
3294	Ipomopsis aurantiaca		†tB	orange	$1\frac{1}{2}$	5	Showy and beautiful; colors very
$3298 \\ 3299$	elegans sanguinea		hB	scar.	$\frac{3}{1\frac{1}{2}}$	5 5	bright. Seed should be started in the house.
3300	Mixed			mixed	3	5)
3302	Iris Kæmpferi		hP		2	5	The beautiful Japan Iris.
3305	Isotoma petræa	1	hhA	cream	1	10	Showy and beautiful.

		1	60 /	8	4 / 3	12 /	
			Hardiness and n.	Flom	I Food		ack /
	NUMBER and NAME.	Pla	lines	of of	ht i	bei	General Observations.
1.T	⁵ <mark>¼oz. at oz. rate only</mark> on articles quoted at 81 per oz. and over.	Time of	Hardiness and n	Color of the Flore.	Height in J	Price per	
3306	Jacaranda mimosæfolia alba	2 3	$_{\rm gP}$	white	10	ets. 25	Magnificent greenhouse shrub.
3308 3310	Jacob's Ladderper oz., 25c. White	2	hP	blue white	1	5 5) (Polemonium.) Beautiful, hardy,) old-fashioned flowers.
312	Jacobæa, White Senecio		hA			5	j
$316 \\ 320$	Purple Senecio Mixed Collection of Jacobæas, including	••••		pur. mixed	·····	5 5	The Senecios are all free-flower- ing plants, good for the border and for pots.
322	5 vars. Dwarf Double *Joseph's Coatper oz., 40c.	3	$^{\mathrm{tA}}$	tri.	2	35 5	See also Amarantus.
323	Justicia multiflora		gP	scar.	3	25	Splendid pot plant.
324	Kaulfussia amelloides	2	hA	blue	1	5	Fine for edging; good habit and
$325 \\ 326$	—atroviolacea —kermesina			d. v. v. red		5 5	} color. The high colors are best
327	-Mixedper oz., 50c.	••••		mixed		5	for pots.
334	Lantana, Fine Mixed	1 3	gS		. 2	5	<pre>{ Rapid - growing plants, forming } small, bushy shrubs. See Delphinium.</pre>
348	Lasthenia Californica	1	hA	yel.	1	5	A pretty yellow Composite.
	Lathyrus						See Sweet Peas, page 116.
$350 \\ 352$	Lavatera trimestris	2		red white	2	5 5	Showy and free-flowering. L. ar
352a	-Mixed per oz., 30c.			mixed		5	borea has beautifully mottled foliage.
353	arborea variegata Lemon Verbena	2 3	hhP	red	3	10)
354 356	Leontopodium alpinum	$ \begin{array}{c} 2 & 3 \\ 3 \end{array} $	$^{\rm gP}_{ m hP}$	white yel.	 1/2	10 25	Fine; lemon-scented foliage. Curious; the "Edelweiss."
357 358	Leptosyne maritima Stillmani		hhA	golden	2	10 25	Beautifully formed flowers and elegant foliage. 3358 has large
359	Leptosyphon aureus	2	hA	orange	$\frac{1}{2}$	5	golden flowers, fine for cutting.
360 361	androsaceus		••••	blue white	1	5 5	Fine for edging or rockeries
362	carmineus		····	car.		10	blooms in masses. L. carmin
365 366	densifiorus —albus			blue white		5 5	eus has very beautiful carmine flowers.
370	hybridus	1 3		mixed		5	100010
375	Mixedper oz., 40c.	••••			••••	5	Large white flowers; excellent for
378	Leucanthemum uliginosum		hP	white	11/2	10	Cutting.
$380 \\ 381$	Liatris scariosa	2 3	hhP hP	pur.	$\frac{2}{4}$	$10 \\ 10$	(Blazing Stars.) Pretty plants blooming in summer and autumn
388	Limnanthes Douglasii		hA	w. & y.	1	5	Free-flowering and fragrant.
390	Linaria bipartita alba	2	hP	white		5	Snapdragon-shaped flowers; de
390a 391	e —splendida Maroccana	2 3	hhA	pur. rose	$\frac{1}{2}$ $\frac{3}{4}$	5 5	sirable for edging, and very
393	Cymbalaria (Kenilworth Ivy)		hP	violet	trai.	5	good for rockwork.
394	Linum flavum		†hhP	yel.	3/4	10) (Flax.) Handsome, free - flower
394a 394l		$\frac{1}{1}$ 2	$\frac{hhA}{hP}$	crim. li. & w.		5 5	} ing plants. The tender kind make pretty pot plants.
395		2 3	gA	blue	$1\frac{1}{2}$	25	Fine; like the Gentians.
396	Loasa aurantiaca		hhA	orange	6	5	} Elegant foliage, and flowers o
398	tricolor		hA	tri.	2	5	f curious structure.
399 400	Lobelia cardinalis	2	hP 	scar.		10 10	
$\frac{401}{402}$	ramosa syphilitica	3		blue	1	10	All the Lobelias are suitable fo beds, edging and ribbon bor
403	Erinus (gracilis)		thhP		3 trai.	10 5	ders. L. gracilis is fine fo
404 406	—speciosa —alba				$\frac{1}{2}$	10	hanging baskets or vases. L. E speciosa and its varieties are the
407	—kermesina			white crim.	trai.	10 5	finest edging plants, and con trast beautifully with scarle
408 410,	—Lindleyana —Paxtoniana			rose b. & w.		5 -10	Geraniums. These should have
411	-grandiflora superba			blue		10	a rich, open soil, and be pro
$412 \\ 412 $	—erecta, "Crystal Palace" ——"Emperor William"			l. blue	1⁄2	$ \begin{array}{c} 25 \\ 10 \end{array} $	water when beginning to flower
4120	———"Golden Queen"			blue		25	3413 is a splendid new variety with deep blue flowers and dis
3413 3414	—Royal Purpleper oz., 60c.			pur. mixed	1	10 5	tinct white eye. "Golden Queen"
	Choice Collections, including-			iniacu			is also a fine new variety, with golden yellow <i>leaves</i> .
	12 vars. Lobelia		1			60	

.

			60 /	z /	× / ·	₩ /	1 4
A D	NUMBER and NAME. - Voz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and r	Color of the Flore	Height in Ford	Price per	General Observations.
$\begin{array}{c} 3428\\ 3429\\ 3431\\ 3432\\ 3435\\ 3436\\ 3438\\ 3439\\ 3440\\ 3450\\ 3454\\ 3456\\ 3456\\ 3460\\ 3462\\ 3465\\ 3460\\ 3465\\ 3470\\ 3472\\ 3472\\ 3472\\ 3479\\ 3480\\ \end{array}$	Lotus Jacobænsper oz., 20c. tetragonolobusper oz., 20c. Love-Lies-Bleedingper oz., 20c. Love-in-a-Mistper oz., 25c. White Double ⁴⁴ 25c. Blue Spanish ⁴⁵ 30c. White Spanish ⁴⁵ 30c.	1 2 1 2 3 1 3 	gA hA hP hA hA hA hA hP hA hP hA hP hA	d. & br. yel. ćrim. blue white blue white mixed var. b. & pk. white blue rose yel. cose yel.	$ \begin{array}{c} 2 \\ 3'4 \\ 3 \\ 1 \\ \cdots \\ 3 \\ \cdots \\ 2 \\ \vdots \\ 3 \\ 1'_{2} \\ 5 \\ \cdots \\ 5 \\ \end{array} $	្រុង ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ ទ	Pretty and interesting. (Winged Pea.) {(<i>Amarantus caudatus.</i>) Grace- ful, showy flowers, of tall habit. (Nigella.) Curious and ornamen- tal; Fennel-leaved; easily grown and hardy. A large genus of very ornamental annual or perennial plants. No. 3479 grows five or six feet high, and has immense racemes of lovely dark blue flowers. No. 3470 has very fragrant flowers, nearly white when first open, and at length with tinges of yellow and purple. Some varieties are especially charming, having spikes of highly colored flowers,
3484 3493 3498	subcarnosus tricolor elegansper oz., 20c. Mixed Annualper oz., 20c. Collection of Lupinus, including 12 choicest varieties	 	hA hP hA	white o. & ro. mixed	2 3 	5 5 5 40	silver foliage and good habit. A rich loam will produce the finest plants and flowers. The dwarf species make the best bedding plants. All the varieties are very free-flowering, bright, at- tractive and easily grown.
3500 3505 3506 3507 3509 3513	Lychnis Chalcedonica —alba —Mixed per oz., 40c. fulgens Haageana hybrida Madia elegans per oz., 40c.		hP tP hP hA	scar. white mixed scar. mixed yel.	$\begin{array}{c} 2\\ \cdots\\ 1\\ \cdots\\ 2 \end{array}$	$5 \\ 5 \\ 5 \\ 10 \\ 10 \\ 5 \\ 5$	Brilliantly colored border plants; 3507 is a superb variety, and the original of the beautiful Haage- ana hybrids, which include the choicest flowers. {Handsome flowers; should be in a shady position.
$3517 \\ 3520 \\ 3522$	Malope grandiflora —albaper oz., 20c.	2 3 	 	red white mixed	 	5 5 5	Mallow-like flowers; very pretty. Sow early.
3524	Malva miniata (Sphæralcea Mun- roana)		gP	scar.	4	5	Beautiful flowers; has been adver- tised as "Sunset Plant."
3528 3529 3531 3532 3533 3534 3535 3536 3537 3538	Marigold, African, per oz., 50e. —El Dorado	····· ····· ·····	hA 	lem. yel. gold yel. lem. mixed strip. orange yel.&br. mixed	$\begin{array}{c} 2\\ \cdots\\ 1\frac{1}{2}\\ \frac{1}{2}\\ \frac{1}{2}\\ \cdots\\ 1\\ \cdots\\ \end{array}$	$5 \\ 5 \\ 5 \\ 10 \\ 10 \\ 5 \\ 5 \\ 10 \\ 5 \\ 10 \\ 5 \\ 25 \\ 25 \\ 25 \\ 25 \\ 25 \\ 25 \\ 25$	(Tagetes.) Saved from finest double flowers. They are highly ornamental in the fall. The dwarf varieties are useful for bedding. "Pride of the Garden" is a new, very dwarf variety of regular, compact habit and extra large double flowers of a beauti- ful golden yellow color. "Legion of Honor" is a very pretty single dwarf yellow and brown French variety. See also Calendula.
$3547 \\ 3549 \\ 3550 \\ 3552$	Martynia Craniolaria proboscidea per oz., 30c. lutea formosa Marvel of Peru	····· ····	hhA 	w.& sp. vio. sp. yel. 	1½ 	5 5 5 5	Curious and very handsome plants for the border. { (Mirabilis.) See Four O'Clock, page 05
$3554 \\ 3555 \\ 3556$	Matricaria eximia plena capensis plena "Golden Ball" (very beautiful)	 	hA 	white yel.	$2 \\ \dots \\ 1\frac{1}{4}$	$5 \\ 5 \\ 25$	<pre>{ page 95. } (Feverfew.) Pretty and neat; small double flowers.</pre>
3557	Mathiola bicornis		hhA	white	$\frac{1}{2}$	5	{Very fragrant at night, but clos- ing during the day.
3560 3570 3573 3575 3576	Melilotus cœruleaper oz., 30c. Mesembryanthemum tricolor —album cordifolium variegatum		hΡ tA tP tA	blue tri. white yel. white	$1\frac{1}{2}$ $\frac{1}{2}$ 	5 5 25 5	Ornamental; like the Lotus. Beautiful dwarf edging plants, flowering profusely in dry and sunny situations. Fine for pots. 3576 is the "Ice Plant."


NUMBER and NAME.	Frenchman's scented and
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Frenchman's scented and
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	scented and
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	scented and
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	scented and
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	scented and
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	scented and
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Machet and
3587 Giant Pyramidal. " 20c red $1\frac{1}{2}$ 5 spikes of red flower	
	s. The lat-
acomposition behavior in the second s	dwarf and
3590 — Parsons' White 3590 white 3590 s are set of 32 s and 32 s are set of	pikes, and is
Choice Collection, including—	orcing under
10 vars. Mignonette	
3592 Mimosa pudica per oz., 75c tA pink 5 (Sensitive Plant.) Ve	ery odd.
3598 Mimulus cardinalis 1 2 thP scar. $1\frac{1}{2}$ 10 (Monkey Flower.) V 3603 hybridus cupreus 1 3 hA mixed 10 (Monkey Flower.) V	ery showy.
$\frac{1}{3610}$ Rezlii $\frac{1}{2}$ $\frac{3}{3}$ $\frac{1}{3}$ $\frac{1}{yel}$ $\frac{10}{25}$ musk-scented, and ing The heady ki	free-flower-
3611 ringens hP blue 2 10 fing. The hardy kh	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
3615 Molucella spinosa	-flower, with
very fine foliage.	·
Morning Clory See Climbers, page 11:	3.
Monk's-Hood See Aconitum.	
Mourning Bride See Scabiosa.	
3620 Musa enseteper 100 seeds, \$1.50 1 2 gP y.&br. 10 25 { (Abyssinian Banana.) tropical plant.) Splendid
	_
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5.
Myosotis See Forget-me-not, page	ge 95.
Nasturtium (Dw'f Tom Thumb)-	
3633 — Yellow :	
3639 —Spotted	
3647 —Bluish Rose "15c blue 5 they flower profusel	ly and for a
3648 —Crimson " 15c crim 5 forgram. Inc. the co	
3652 — Cloth of Gold "20e vel 5 The dwarf varieties	s should be
3654 — Cream-colored " 15c cream 5 planted so that the	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	age is also
3662 —Empress of India ' 20c, crim 5 beautiful, being get	
3663 —Aurora 20c. yar. 5 green. "Empress of splendid variety, with splendid variety, with splendid variety. 3664 —Golden King. 20c. golden 5 splendid variety, with splendid variety.	
3665 —Lady Bird "20c yel.&r 5 foliage and beautif	ful crimson
3666 —King of Tom Thumbs '' 25c scar 5 howers are small	
3671 — Champleon "20c var 5 "Tom Thumb," and	l is a most
2679 Mixed ((10a) mixed 5 Charining little plan	liage, and a
Collections of Nasturtiums-	ne brightest
12 vars. Dwarf Tom Thumb 40 40	
	-
Nasturtium, Tall	
3677 Nemesia compacta alba $\frac{1}{2}$ tA white $1\frac{1}{2}$ the second secon	
3679 strumosa Suttoni hA var 25] and very beautiful v	
3680 Nemophila atomariaoz., 20c. 1 3 w & pu. 1 5 3682 —oculata b. & w. b. & w. 5	
3684 discoidalis 5 m.	mount to the
3686 insignis per oz., 20c blue 5 This genus consists of	owth; they
3690 -alba	cultivation;
3698 maculata per oz., 20c spot. $\frac{1}{2}$ 5 dir goldaria or in the	
3700 Mixed "20c mixed div. 5 In Fockeries, of in the Choice Collection, including—	
8 vars. Nemophila	

102

J. M. THORBURN & CO., 36 CORTLANDT ST., NEW YORK.



PRIMULA SINENSIS FIMBRIATA. See page 106.



PAPAVER NUDICAULE. See page 105.




EVENING PRIMROSE. See page 106.



LAVATERA TRIMESTRIS. See page 99.



PHLOX DRUMMONDU. See page 104.



PAPAVER GLAUCUM (TULIP POPPY). See page 105.



DOUBLE RANUNCULUS-FLOWERING POPPY. See page 106.

		1	ing	Color of the Flor	Lewer P	Price per	ket
	NUMBER and NAME.	14	Hardiness and r	Color of the Flor	ii lii		General Observations.
	NUMBER and NAME.	10 m	din.	2 0 10 The	Sht	d e	
463	⁻ ¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hai	Col	Height in	Pri	
3701	Nerium Oleander	2 3	gS	red	10	ets. 10	Oleander. Ornamental shrub.
$3701a \\ 3702$	Nertera depressa Nicotiana affinis (fragrant)		gP hhA	white	cr. 3	25 5	Plant bearing coral berries.
3702a	colossea				10	25	Species of tobacco; valuable as decorative plants; deliciously
$3703 \\ 3704$	glauca sylvestris				3	5 10	fragrant flowers.
3705	Nierembergia gracilis		gP	w. & li.	1	10	Handsome flowers; fine for hang-
3706	frutescens Nigella		hP		2	10	∫ ing baskets or edgings. See Love-in-a Mist.
3707	Nolana atriplicifolia	2	hA	b.w.&y.	$\frac{1}{2}$	5]
$\begin{array}{c} 3710\\ 3713 \end{array}$	—alba lanceolata			b. & w.		5 5	Are very showy when in flower,
3716	paradoxa violacea			b. & v.	1	5	and should be planted in the border; fine trailing plants.
$3718 \\ 3719$	prostrataper oz., 20c.			blue mixed	trai. 1	5 5	,
3720	Nycterinia selaginoides	2 3	hhP	pink	3/4	5	Pretty dwarf plant.
$3721 \\ 3722$	Capensis Obeliscaria pulcherrima		+hP	w. b. r. & y.	 3	5 5	Showy bedding plants.
	Œnothera	-					See Evening Primrose.
$3727 \\ 3730$	Orobus lathyroides	2 3	hP	blue pur.	$\frac{1\frac{1}{2}}{3}$	5 5	These deserve a place in gardens; fine pea blossoms.
3733	Oxalis Valdiviana	2	tP	yel.	$\frac{1}{2}$	10	Charming little plants.
$\frac{3737}{3740}$	Oxyura chrysanthemoides	$\begin{array}{cc}2&3\\&2\end{array}$	hA hP	white	trai.	5	Showy Composite.
3744	Pæonia officinalis Sinensis	2	пг 	mixed	2	5 10	Beautiful hardy plants, with large,
3745	arborea (Tree Pæony)			 black	3	10	handsome flowers.
$3746 \\ 3750$	Palafoxia Hookeriana Palava flexuosa	${2}$ 3	hA hhA	blush rose	$1\frac{1}{2}$	55	Very good Everlasting. Pretty rose flowers.
3752	Pansy, *Black " Faust " oz., \$1.25	1 3	hA	black	$\frac{1}{2}$	10	
$3753 \\ 3754$	*Lord Beaconsfield " 1.25 quadricolor (Rainbow) " 1.25			violet 4-color		10 10	
3755	*Fire King '' 1.50			golden		10	
$3756 \\ 3757$	Meteor, bright brown '' 2.50 Peacock			brown b. & w.		$25 \\ 25$	(Viola tricolor; Heartsease.) Most
3758	*Emperor William " 1.25			blue		10	of the varieties are saved from
3759	Fawn Color " 1.00			fawn		10	fine, choice flowering plants.
$3760 \\ 3761$	*Light Blue			l. blue strip.		$10 \\ 10$	They cannot be surpassed in color or blooming qualities.
3762	Violet-margined '' 1.25			mar.		10	They should be carefully culti-
$\begin{array}{c} 3763 \\ 3764 \end{array}$	*Gold-margined			red		$\begin{array}{c}10\\25\end{array}$	vated, and will richly pay for good treatment in their large
3765	Odier, five-blotched " 5.00			spot.		25	flowers and foliage. The seeds
3765a 3766	-Yellow			yel. spot	••••	$\frac{25}{50}$	should be sown early in autumn. if large flowers are expected,
3766a	English Spotted on Yel-			-		70	and preferably in a frame. If
3767	low Ground			white		$\begin{array}{c} 10\\ 25\end{array}$	sown in spring, the flowers will not be as large as from seed
3768	*-Yellow (Golden Crest) " 3.00			yel.		25	sown in autumn. No. 3757 is a
$3768a \\ 3769$	Rosy Lilac			lilac strip.		$\frac{25}{25}$	new variety, with large peacock- blue flowers, edged with white.
3769a	*—Azure Blue '' 4.00			l. blue		25	No. 3766 has exceedingly beau-
$3769b \\ 3770$	*—Black Blue	· · · · ·		d. blue mixed		$\frac{25}{25}$	tiful, extra large flowers, with very broad blotches and upper
3771	*Black Blue " 1.00			bk.&bl.		10	petals finely lined. No. 3775 is
$\frac{3772}{3773}$	Bronze		·····	bronze white	. 	$\begin{array}{c c} 10\\ 10\end{array}$	a new French variety of a dis- tinct mauve color. "President
3774	*Azure Blue '' 1.00			blue		10	Carnot" has pure white petals
3775 3776	Coquette de Poissy " 2.00	····		mauve		10	each with a deep violet blotch.
$3776 \\ 3777$	Red Riding Hood " 2.00 *Yellow, black center " 1.25			red yel.		$\begin{array}{c} 10\\10\end{array}$	It is a strikingly beautiful new variety. No. 3786 is the richest
3778	Yellow Gem (pure) '' 1.50	••••				10	and most choicely varied mix- ture ever offered. It produces
$3781 \\ 3782$	Snow Queen			white w. & v.		$\begin{array}{c} 10\\ 25\end{array}$	only the handsomest colors and
3784	atropurpurea " 1.00			dk.pur.		10	finest forms, and these in great
$3785 \\ 3786$	—alba marginata " 1.25 *Thorburn's Superb Large		••••	pr.& w.		10	diversity. The collections here offered merit special attention,
	Strain '' 5.00			mixed		25	and are sure to give splendid
$3787 \\ 3788$	Cassier's Mixed					$\begin{array}{c} 25\\ 10\end{array}$	varieties marked thus (*) are best
3788a	Mixed English Reds ' 1.25			red		10	for bedding, but all the others
3789	*Common Mixed			mixed		5	also do well for this purpose if planted out early in the spring.
	24 vars. Pansy or Heartsease					\$1 25	planted out early in the spring.
						1 00	
	8					$\begin{array}{c} 75\\60\end{array}$	
	6 " "					50	J

A oz. at	oz. rate	only on	articles	quoted	αt
\$1 per	oz. and	over.			

104	J. M. THORBURN						
			Hardiness and D	lor of the Flower	La La	100 -	acket
	NUMBER and NAME.	of	iness I Dues	of he Fl	ht in	per	·/ ·
A D	⁻¹ / ₄ oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and D	Color of the F.	Height in For	Price per	/
	Paris Daisy					cts.	See C
$3790 \\ 3792$	Peas, Sweet Pelargonium, Fancy Odier (superb)	2 3	gP	mixed	2	$\frac{25}{50}$	See parts $Beaut \\ \begin{cases} Beaut \\ 3792 \\ tion \end{cases}$
3804	Pentstemon— Murrayanus		hР	scar.	$\frac{3}{2}$	10 10	Amon herl
$3813 \\ 3814$	spectabilis Mixed species and hybrids from Pacific coast			blue mixed	var.	10	sho beir erin
3824	Mixed Europeanper oz., 40c.					5	[ried
3830 - 3837 -	*Perilla Nankinensisper oz., 20c. *laciniata	2 	hhA 	pur. 	$1\frac{1}{2}$	5 5) Ornar } gare
3840	Persicaria, Red.	3	hP	red white		55	} Show
3842 3843	White Petunia hybrida— Large-flowered, White	····· 2 3	 †hhA			10)
3844	—intus aurea			yel.		25	These
$3845 \\ 3846$	—Crimson Giant "Midnight" —Purple			crim. pur.		$ \begin{array}{c} 25 \\ 25 \end{array} $	mer
3847 3848	-Rose			rose yel.		$25 \\ 50$	and frag
3849	—The Rainbow —Ring of Emerald	···· ····		pk. & g.		50	bloc
3852	-alba magnifica (new). Beauti- ful clematis-flowered			white		50	and
3853	-superbissima, tigered throat			mixed		50	sort
$3854 \\ 3855$	-Thorburn Superb Giant -Superb, single mixed	 				$\frac{25}{25}$	fine
3856	-Fringed White, "Snow Storm".			white		25	yell
3857 3858	— — Crimson — — Titania. Beautiful	····		crim. pur.		$\frac{25}{50}$	rald
3859	— — Ruffled Giants			mixed		50	flow The
$3860 \\ 3861$	— — Mixed — — — Perfection, finest					$\frac{25}{50}$	extr
3862	—Double Mixed					50	tifu 3867
$3863 \\ 3864$	— — Fringed Mixed — — — Lady-of-the-Lake	· · · · ·		white		$\begin{array}{c c}75\\75\end{array}$	with
3865	— — — Snowball					75	and mas
3866 3867	Countess of Ellesmere Inimitable Dwarf			pr.& w. mixed	···· 3⁄4	$\begin{array}{c} 10\\10\end{array}$	Sup
3868	venosa (veined)				11/2	10	gre ver
3870	Mixed Single per oz., \$1.25 Collections of Petunias, including—	••••				5	thre
	12 vars. Fine Large-flowering.						exq tifu
	12 " Double Fringed					1 50	of Fri
	12 " Double Large-flow'ng.					$\begin{array}{c c} 80\\ 1 50 \end{array}$	onl
0.070	6 " " · · · · · · ·					80	J
$3872 \\ 3873$	Phacelia congesta Parryi	2 	hA 	pur. bl. d. blue			Excel a b
3875	Phiox Drummondii— —atropurpurea striata	2 3		strip.	1	5	2
3880	-Black Warrior			d. red		5	
$3888 \\ 3893$	—variabilis atropurpurea —Leopoldi			pur. w.& cr.		5 5	
3900	-Radowitzii			white		5	
$3901 \\ 3903$	—rosea —oculata alba			rose w. & l.		5 5	The 1
3906 3917	—coccinea —cuspidata (Star of Quedlin-			scar.		5	allu of t
	burg)per oz., \$1			mixed		10	gan
$3923 \\ 3925$	-Dwarf White Snowball -Dwarf Fireball			white fire	1/2	$\frac{25}{25}$	bein P.
3926	-Dwarf Fancy Mixedoz., \$2			mixed		10	var
$3927 \\ 3931$	-Mixed per oz., 50c. -grandiflora, Chamois Rose			rose	1	5 10	bris wil
3932				blue	••••	10	hab
3933 3933a	— – Half-Dwarf Blood Red			d. red	3⁄4	10 10	rati All
3933 <i>a</i> 3934	— — — — Crimson Bouquet — — — — Black-brown			crim. d. br.		10	trai
$3935 \\ 3936$	— — coccinea			scar.	1	$\begin{array}{c} 10 \\ 10 \end{array}$	mor till
3936 3936a	— —alba — —kermesina			white crim.		10	ricl
3937	— — — splendens		L	sc. & w.		10	ple

Chrysanthemum frutescens. age 116. tiful greenhouse plants. No. 2 is from magnificent exhibin flowers. ng the most beautiful of our perennials, baceous and ould be grown extensively, ng very hardy and free-flow-ng; fine for bedding; as vad in color as gladioli. mental-leaved; for ribbon dening and beds. y for backgrounds. e are well-known, very orna-ntal plants, producing freely grant and beautiful flowers, d continuing a long time in som. They do well in the rden, house or conservatory, d will thrive in almost any rt of soil. The newer varie-s are of brilliant colors and e form. "The Rainbow" has best colorings with intense hest colorings, with intense llow throats. "Ring of Emed" has large pink and crimson wers, bordered with green. e "Ruffled Giants" are new, ra large-flowered sorts, beaually ruffled, fluted and fringed. 7 is a dwarf, bushy variety, th regularly striped flowers, d is very effective, either in asses or in pots. "Thorburn perb Giant" is a strain of eat merit. The flowers are ry large and extremely deepcoated; some of them are quisitely penciled and beaually fringed. The collections Large-flowering and Double inged here offered contain ly the finest varieties.

General Observations.

llent for bees. P. Parryi is eautiful rich, deep blue.

name is from phlox, flame, in usion to the general brilliancy the flowers. This is a very elent genus of flowering plants, ng highly colored, especially Drummondii, an annual, the rieties of which are of the ightest colors. A bed of these li be highly prized for good bit, richness of color and duion and profusion of bloom. tion and profusion of bloom. Il grow well in pots or as ailers. By making two or ore sowings, they will flower Il frost. Should be grown in ch, loamy soil, and given enty of water. Especially fine


CATALOGUE OF HIGH-CLASS SEEDS.

_							
			diness	Color of the Flore	n F.	Price per	racket
	NUMBER and NAME.	Time of	Hardiness and r	or of the 1	Height in 1	ce per	General Observations.
4.0	1/oz. at oz. rate only on articles guoted at \$1 per oz. and over.	T_{in}	Haj	Col	Hei	P_{Ti}	1
	Phiox Drummondii, continued-					cts.	
3939	-grandiflora stellata splendens	2 3	hA	crim.	1	10	effects may be had by planting
3940	 — Mixedper oz., 75c. Collection, including— 10 vars. Phlox Drummondii 			mixed	••••	10 50	masses of contrasting colors.
3943	Phlox (Perennial) hybrida superba.		hP		3	10	Perennial Phloxes. Seed from
3944	Finest New Hybrids Mixed					15	∫ brightest colored sorts.
$3945 \\ 3945a$	Phormium tenax —fol. variegatis		gP 	white	6 	10 25	(New Zealand Flax.) No. 3945 <i>a</i> has handsome variegated foliage.
3946	Physalis lobata		μP	violet	1	10	Ground or Winter Cherry. P.
3946a	Francheti	••••	†hP	scar.	2	15	<i>Francheti</i> is a most ornamental new variety from Japan.
$3947 \\ 3949$	Picotee, White Ground Yellow Ground		hhP	w:& sp. y.& sp.		50 50	From show varieties. Very rich
3951	Slate Ground			slate		50	and beautiful, and finely per- fumed; few flowers are more
$3956 \\ 3957$	Extra Fine Mixed Mixed	• • • •		mixed		$ 50 \\ 10 $	attractive.
3331	Pink (Dianthus)-					10	J
$3963 \\ 3965$	Chinensis Double Mixedoz.,40c. —Double White		†hB	white	1	5 5] .
3966	— — Dark Red			white d. red		5	
3967	dentosus hybridus			lilac		5 5	(Dianthus.) Beautiful and orna-
$3969 \\ 3969a$	Heddewigii, Singleper oz., 75c. —Eastern Queen	••••		mixed rose		10	mental genus; for beauty and
3970	Crimson Belle.			crim.		10	sweetness contains some of the
$3971 \\ 3972$	—Double Mixedper oz., 75c. —Double "Mourning Pink"			mixed dark		10 10	most prized flowers we possess. The leaves of the hardy peren-
3973	-diadematus, Doubleoz., \$1.25			mixed		10	nials are green all winter. Many
$3974 \\ 3974a$	—laciniatus, "Salmon Queen" — — "Oriental Beauty"			salmon mixed		$ 25 \\ 10 $	can be grown in pots and kept in the house. No garden should
3975	— — Single per oz., \$0.75	• • • •				5	be without some of the varieties
$3977 \\ 3979$	— — Double Mixed " 1.25 imperialis, Double Mixedoz.,50c.	••••				10 5	of the Dianthus family, which for color and fragrance cannot
3981	-Double Dark Red			red		5	be surpassed. They succeed
3983 3986	—Dwarf Double White — —Double Mixedper oz., 50c.	••••		white mixed	³ ⁄4	55	well in any fairly rich soil, but when the production of large
3987_	superbus, Dwarf Double White			white		5	flowers is aimed at, a bed of
3988	plumarius, "Pheasant's Eye," fringedper oz., 50c.				1	5	turfy loam, leaf-mould and well decomposed manure should be
3989	-Scoticus, Double Scotch Pink			mixed		25	specially prepared for them. No.
$3990 \\ 3991$	-semperflorens, Perpetual Pink. -Single Mixed Pinkper oz.,40c.					$ 10 \\ 5 $	3989 is the very finest strain of the double Scotch or Florists'
3995	-Semi-double Grass Pink					10	Pink.
	Collections of Pinks, including— 12 vars. Fine China					50	
	8 " " "					40	
4012	6 " " " Pittosporum undulatum	1 2	gP	white	3	30 5	
4013	nigricans			pur.		10	} Handsome greenhouse shrubs.
4016	Platystemon Californicum		hA	yel.	1	5	(California Poppy.)
$ \frac{4018}{4019} $	Platycodon grandiflorum		hP 	blue white	2	10 10	(Large Chinese Bell-flower.) Very fine flowering plants. P. Mariesi
4020	Mariesi			blue	1	10) is a fine dwarf, dark blue variety.
$4022 \\ 4023$	Podolepis chrysantha		hhA	yel.	$\frac{1}{2}$	5 5	Curious and pretty. Does well
4025	gracilis			red		5	\int exposed to the sun.
4030	Polemonium					10	See Jacob's Ladder.
4033	Polyanthus Finest	1 3	†hP	mixed		$\frac{10}{25}$	(Primula.) Fine varieties. From named varieties.
4034	Gold-Laced					25	
$ \frac{4035}{4036} $	Poppy, Papaver bracteatum —Mephisto	••••	hÅ	red vars.	3-4	5 5	
4036a	-Flag of Truce per oz., 75c.	· · · · ·		white		10	
$4037 \\ 4037a$	-Orientale -Thorburn's Giant White	 	†hP	d. red white	••••	$\begin{array}{c}10\\10\end{array}$	(Papaver.) Very showy and free-
4037b	-Maid of the Mist					10	flowering. For beds or borders,
$\frac{4037c}{4038}$	-The Shirleyoz., 75c. -glaucum (Tulip Poppy)	····	hA 	mixed scar.	$\frac{11}{14}$	$\begin{array}{c}10\\10\end{array}$	with a background of green, they are beautiful; admirable for nat-
4038a	-pavonium (Peacock)			sc.&b.	1/4 2	5	uralizing in woody spots. "The
$4039 \\ 4040$	$-$ nudicaule \left aurantiacum $\right $ Iceland \int		†hP	yel. orange	2	$\begin{array}{c} 10\\10\end{array}$	Shirley" is fine for cut-flower use, having long flower stems
4041	album Poppy]			white		10	and a not unpleasant odor. Seed
4041a 4042	— — Mixed J (hA	mixed crim.	$\frac{11}{12}$	10 5	should be kept from forming, to secure continuous flowering.
					-/ -		

		1	<u>80</u> /	HO	5 / 3		20
			Hardinoss and n.	lor of the Flower,		Pact	
	NUMBER and NAME.	of	in os	of he l	ht i	pel.	General Observations.
K.F	¥oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of Flow	Hardinoss and D.	Color of the F	Height in Fact	Price per	
	Poppy, continued-	1					They are easily cultivated, the
$\frac{4043}{4044}$	Papaver lævigatum —Danebrog		hA	scar. sc.&w.	$1\frac{1}{2}$	10 5	most suitable soil being a sandy loam. 4038 is called the "Tulip
4046	-Double White			white	••••	5	Poppy," on account of the in-
4048				scar.	• • • • •	õ	tensity and brilliancy of its
$4049 \\ 4050$	— — Mikado — — Cardinal			w.&cr. scar.	••••	5 10	flowers, resembling the scarlet Duc van Thol tulip. 4051 is
4051	- American Flag. per oz., 75c.			scr.&w.	••••	10	of compact and robust habit,
$4052 \\ 4054$	Carnation-flower'd · 20c. Pæony-flowered · 20c.			mixed	••••	5 5	and is brilliantly variegated in scarlet and white.
4055	Ranunculus-flow'd " 30c.					5	
	Collections of Poppies, including- 12 vars. Double Carnation					50	
	12 " Pæony-flowered					50	
	6 '' D'ble Dwf. Pæony-fl'd. 6 '' Ranunculus-flowered					30 30	
4067	Portulaca splendens		tA	crim.	$\frac{1}{2}$	5]
4069 4070	Rose Carnation-striped Thellusonii			strip. scar.		5 5	
4070	albifiora			white		5	These cannot be rivaled for the
4074	aurea, deep golden			golden		5	brilliancy and delicacy of their colors, and are very effective in
$4089 \\ 4090$	Thorburnirosea			yel. rose		5 5	beds, edgings or rock-work.
4092	Mixed			mixed		5	The last eight have double flowers, and are very beautiful,
4111 4112	Double Scarlet —Salmon		• • • • •	scar. salmon	••••	$\frac{25}{25}$	many of them resembling min-
4113	-Yellow			yel.		25	iature-roses. The seed of these
4114	-Orange			orange		25	always contains many single flowers, which bloom earlier
$\frac{4115}{4116}$	-Bright Rose Bright Red			rose red		25 25	than the double ones, and may
4117	-Dark Rose, Carnation-striped			ro.str.		25	in this way all be pulled out be- fore the double ones come into
$4118 \\ 4119$	—Rose —Golden		· · · · ·	rose golden		25 25	flower. Portulacas bloom best
4120	-White			white		25	in a light. sandy soil. They will not germinate till hot weather
4127	-Purple		••••	pur.		25	sets in, and seed should, there-
4130	-Mixedper oz., \$5 Collections, including-			mixed		10	fore, be sown late.
	12 vars. Portulaca, beautiful					60 60	
4133	6 " " double Potentilla atrosanguinea	1 3	hP	pur.	11/2	10	,
4135	Mixed			mixed		5	Showy and hardy border plants.
	Collection, including-					75	Chony and hardy border planes.
4140	6 vars. Potentilla, choicest Primula cortusoides	3		red		10	These are the hardy Primroses.
4141	Cashmeriana			rose	1/4	25	P. Japonica is called the "Queen
4143	Japonica			mixed	1	$ \begin{array}{c} 10 \\ 25 \end{array} $	<pre>of Primroses. P. Forbesi has pretty rosy lilac flowers, and is</pre>
$\frac{4144}{4145}$	Forbesi English Yellow Primrose		†hP hP	lilac yel,		10	fine for pots.
4156	Primula Sinensis fimbriata rubra		gP	fr. red	3/4	25) .
4157	— — coccinea			b. red		25 25	From <i>primus</i> , first, referring to their early flowering. The Chi-
$\frac{4158}{4159}$	— —alba — —punctata atropurpurea			white pur.sp.		20 25	nese Primroses (Primula Sinen-
4161	— — cœrulea			blue		30	sis) are fine for winter and
4161a 4161b				crim. mixed		25 25	spring blooming; they are free- flowering, and especially valua-
4163	— —filicifolia alba			white		25	ble for cut-flowers or for house
4169	— — — rubra			red		25	and window culture; a cool place suits them best. The seed
$4170 \\ 4171$	— — — Mixed — — globosa rubra			mixed red		$\frac{25}{25}$	is saved from the finest colors
4174	— — — alba			white		25	and largest flowers. The seed
$\frac{4176}{4190}$	— — —Mixed — —plena rubra			mixed red		25 75	should be sown in light soil, but for the final potting a richer soil
4193	— — —alba			white		75	is necessary, consisting of two
$\frac{4195}{4196}$	— — — Mixed		+gP	mixed white	1/2	75 23	parts loam to one each of well- decayed manure and leaf-mould.
*190	obconica grandiflora Collections of Primulas, including-		igr	white	. 2		They require to be well venti-
	12 vars. Chinese Fringed			1		\$1 50	lated, well watered and slightly
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$					$ \begin{array}{c} 1 & 25 \\ 1 & 00 \end{array} $	shaded throughout the summer. The collections here offered con-
	6 ** ** **			1		75	tain the finest varieties grown.
	6 " " Double					1 25	4
4203	Primrose, Evening— Œnothera bistorta	2 3	hA	pur.	2	5) The Enotheras are fine, free-
4205	-Drummondii	1 3		yel.	1	5	flowering plants, best for back-
4207	—grandiflora	2 3	hΒ		3	ō	grounds or shrubbery borders;

			ng ng	ion /	5 / 3	19 ₂	le f
			Hardiness and n-	f Flower	4		
	NUMBER and NAME.	Pof	d n	r of	sht ,	e pe	General Observations.
AG5	=¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and n	Color. of the Fl	Height in Ross	Price per	-
	Primrose, Evening, continued—					cts.	
$\frac{4210}{4220}$	Enothera Lamarckii —rosea Mexicanaper oz., 75c.	$\begin{array}{ccc} 2 & 3 \\ 1 & 3 \end{array}$	${}^{ m hB}_{ m tA}$	yel. rose	$\frac{1\frac{1}{2}}{\frac{1}{2}}$	5 5	<i>Œ. acaulis</i> has large, shining white flowers, quite transpa-
4222	-taraxacifolia alba or acaulis	$\frac{1}{2}$ 3	hA	white		5	rent. Œ. Drummondii is of
$\frac{4227}{4230}$	—tetraptera —Mixed Annualper oz., 30c.			mixed	div.	5 5	rich sulphur color ; profuse flow- ering.
4233	Pyrethrum atrosanguineum		hP	dk. sc.	1	5)
$\frac{4234}{4235}$	roseum, Double Tchihatchewii	1 3		mixed white		$\frac{25}{5}$	No. 4236, known as Golden Feather, is fine for edging, and makes a
4236	Parthenium aureum	$\frac{1}{2}$ $\frac{3}{3}$		yel.	$\frac{1}{2}$	5	moss-like tuft. 4237 is a beau-
4237 4238	— — selaginoides hybridum — — Golden Gem					$10 \\ 5$	j tiful fern-leaved sort.
4254	Rheum palmatum	1		white	3	5	(Ornamental Rhubarb.)
$\frac{4255}{4258}$	Collinianum Rhododendron arboreum	••••	 hS	 mixed	 10	$\frac{5}{25}$	Grand evergreen shrub.
4270	Ricinus Borboniensisper oz., 15c.	····· 2	hhA	violet		23 5)
$\frac{4272}{4275}$	Africanus Gibsoni			div. violet	8 5	5 5	The Castor Oil Plants are free-
4276	macrophyllus			d. pur.	6	5	growing, tender annuals; very ornamental and quite tropical
$4277 \\ 4278$	Cambodgensis (dark), per oz., 40c. cœruleus			blue	$\frac{5}{6}$	5 5	in appearance when planted
4280	macrocarpus			d.pur.	5	5	singly on lawns; also much used for centers of subtropical
$\frac{4282}{4284}$	Philippinensis			pur.	6	5 5	beds. 4277 is one of the hand- somest and most graceful of the
$\begin{array}{c} 4286 \\ 4288 \end{array}$	sanguineus			red var.		5 10	Ricinus, with foliage and stem
4289	Mixed " 15c.			mixed	6-8	10	nearly black. 4288 is a new variety, surpassing all other
	Collections, including— 12 vars. Ricinus, choicest sorts					50	sorts in size and beauty.
	6					30	Comemontal in fruit. Ten meen
4290	Rivina humilis	3	$^{\mathrm{gP}}$	white	2	10	Ornamental in fruit. For green- houses.
$\frac{4295}{4300}$	Rocket, Sweetper oz., 20c. White	2 3	†hP	w.&pur. white		5 5	(Hesperis.) Free-blooming and very sweet-scented.
4310	Romneya Coulteri		hhP			10	∫ (California Tree Matilija Poppy.)
4320	Rosa multiflora nana		hP	mixed		25	Fine flowers, resembling a poppy. Flowers first season from seed.
	Rose Campion Rose of Heaven						See Agrostemma coronaria. See Agrostemma Cæli-Rosa.
	Rose of Sharon						See Hibiscus Syriacus.
4350 4350 <i>a</i>	Rudbeckia amplexicaulis speciosa	2		yel.	3	5 5	Showy, large, yellow flowers, with brown cone.
4351	Sabbatia brachiata	$\frac{1}{2}$ 3		rose		10	American Centaury.
4352	Saintpaulia ionantha		†gP	blue	$\frac{1}{2}$	25	From Central Africa. Lovely violet-like flowers.
$\begin{array}{c} 4356 \\ 4360 \end{array}$	Salpiglossis azurea		hhA		1	5 5	These annuals have very showy,
4366	Dwarf Mixed per oz., 60c.			scar. mixed	$\frac{1}{2}$	5	large, funnel-shaped flowers,
4367	Tall Mixed " 60c. Collections, including—				1	5	mottled, veined and self-colored; fine for beds. They require a
	8 vars. Salpiglossis, Tall					40	rich soil, and will well repay
10.70	6 " " " "					40 35] liberal treatment.
$\frac{4370}{4372}$	Salvia argentea farinacea	1	thP	white 1. blue	3	5 5	
$\frac{4380}{4387}$	patens	2	hA †tP	blue		25	Most of the Salvias are well known for their brilliant colors, and no
4388	Rœmeriana. splendensper oz., \$1.50	3	hP †hhP	crim. scar.	$\frac{1}{2}$	5 10	plants can be finer for bedding,
$\frac{4389}{4390}$	—Tall Dark Scarlet (new) —grandiflora pendula			d. scar.		25	particularly the <i>splendens</i> varieties. They are easily grown,
4391	-Dwarf Dark Rose (new)			d.rose	$1\frac{1}{2}$	25 25	free-flowering and showy. For description of the three new
$\frac{4392}{4393}$	-compacta erecta "Bonfire" -erecta, long spikes			d. scar.	····· 1	25 10	sorts, see Novelties, at beginning
$\frac{4394}{4395}$	-Golden Foliage. -"Silverspot" (new)					25	of this Catalogue.
4397	Sanvitalia procumbens fl. pl	2 3	 h A	scar. yel.	$\frac{1}{1/2}$	25 5	Pretty Composite for beds ; excel-
4400	Saponaria Calabrica. per oz., 40c.		hA	red	$\frac{72}{1}$	5	<pre>lent for borders. Pretty dwarf bedding plants.</pre>
$\begin{array}{c} 4403 \\ 4405 \end{array}$	-alba. -Scarlet Queen (new)			white scar.		5 5	Should be cultivated for their
4406	ocymoides	1 2	hP	red	$\frac{1}{1/2}$	5	beauty and long blooming.
4408 4409	Sarracenia flava			yel. pur.		10 10	Pitcher Plant ; Indian Cup ; Trum- pet Leaf. Curious native plants,
4 410	variolaris.			yel.	$\frac{3}{4}{1}$	10	doing well in peaty soil.

108



SWEET WILLIAM. See page 111:

VERBENA HYBRIDA. See page 111.

	1	۵0 /	=	H / 1	120	
	/	Hardiness and n	atic	F.		ack.
NUMBER and NAME.	12	1ess	H L H	t in	Der	General Observations.
	92	rdin	the cr	[g.h	69	
\$\$ per oz. and over.	Time of	Hardiness and Dr.	Color of the Flower	Height in Fact	Price per	/
4414 Saxifraga Aizoon	2	hP	white	1	ets. 25	Curious little plants; especially
4417 Scabiosa candidissima	2 3	hA		$2\frac{1}{2}$	5	adapted for rockwork.
4418 —Double Snowball			 pu r.		5 5	
4418a Black Purple Main 4419 minor aurea fl. pl. (new) minor			golden		10	The Mourning Bride is a showy
4419a Caucasica (splendid)		$^{\rm hP}_{\rm hA}$	tilac mixed		$ 10 \\ 5 $	border plant, with beautifully variegated flowers. It succeeds
4420Mixed Tallper oz., 40c.4422Dwarf Double Mixed. '' 40c.		пA 		$\frac{11}{12}$	5	in ordinary garden soil. 4419 is
Collections of Scabiosa, including— 8 vars. Dwarf Double					35	a beautiful golden yellow, new variety.
6 " " "					30	variety.
8 " Tall Large-flowered 6 " " "	1				$ 35 \\ 30 $	
4425 Schizanthus Grahami		hhA	s. & 0.	2	5	Elegant and very free-blooming
4427pinnatus4430porrigens papilionaceus			p.v. bk.eyd.	1½	5 5	annuals. Large, beautiful flow- ers of many colors, blotched
4433 retusus			r. & 0.	2	5	dark purple and spotted with
4436 —albusper oz., 30c.			white mixed	div.	5	orange; fine for bedding. Grown in pots in early spring in green-
Collection, including			materia	uiv.		house, they become fine foliage
6 vars. Schizanthus	0	. 1. 1	white	3/	30	J plants, with masses of blossoms. Curious fringed, fragrant flowers.
4443 Schizopetalon Walkeri 4445 Schrankia uncinata	2	hA hP	red	$\frac{3}{4}$ 2	10 10	∫ Like Sensitive Plant, its leaves
4450 Sedum cœruleum		hA	blue	1/4	10	droop at the slightest touch. (Stone Crop.) Showy little plants,
4453 Maximowiczii		hP	yel.	1	10	} excellent for carpet beds. Plant
4454 Mixed			mixed	3⁄4	10	J in sandy soil. See Jacobæa.
4455 Sensitive Plantper oz., 75c	2 3	tA	pink		5	(Mimosa.) Pretty and curious.
4460 Silene Armeria		hA	red	1	5	
4461 —alba			white mixed		5	
4462 —Mixed		hP	rose	2	5 5	(Catchfly.) Bright colored, free- flowering annuals, suitable for
4464pendula, rose4465—Double Rose		hA	red	1	5	rockwork or open border. S.
4467 —ruberrima			rose		5 5	<i>pendula</i> is largely grown for spring flower gardening. They
4467a —Bonnetti, dark stems 4468 Mixedper oz., 20c			mixed		5 5	succeed in any light, loamy soil.
4470 Virginica		hP	pur.		10	
4471 Douglasii			rose		10	
4473 Sisyrinchium Bermudianum 4475 Smilax (Myrsiphyllum aspara-			blue		10	"Blue-eyed Grass." Very pretty. For table and house decoration.
goides)per oz., 75c	2 3	gP	white	6	10	Fine for florists.
Snapdragon — 4480 Delila, carmine and white	2	†hP	c. & w.	11/2	5	
4483 Galathee, crimson and white			cr.& w.	1/2	5	
4485Striped4488Firefly, scarlet and white			strip. s. & w.		5 5	The Antirrhinum is one of the finest border perennials. The
4492 White			white		5	Tom Thumb strain is admirably
4493 Yellow 4495 Mixed			yel. mixed		5 5	adapted for bedding, being very dwarf and free-flowering. Light
4497 Fine Dwarf Mixed " 50c.			••••	$\frac{1}{2}$	5	soil, well enriched with manure,
4498 Tom Thumb Mixed " \$1 Collections, including—	••••		••••	••••	5	is most suitable for them. Sow in May or in autumn.
12 vars. Snapdragon, Finest Tall.					50	
4500 Sphenogyne speciosa	3	hA	yel.	1	30 5	Pretty, showy annuals.
4502 Spiræa ariæfolia	2	hS	white	3	10	Beautiful shrubs; flower pro-
4504 aruncus		hP		3-4	10	fusely. Fine for rockwork or edges of
4507 Spraguea umbellata		hhA	rose	1/2	25	{ flower beds.
4508Stachys lanata4509Statice Bonduelli	3 2	hP + A	strip.	2	5	Silver-leaved, fine perennial.
4514 incana hybrida		tA hP	yel. m•xed	$1\frac{1}{2}$	5 5	(Sea Lavender.) Beautiful for
4515 sinuata 4516 candidissima	2 3	tA	blue white	1	5 5	winter bouquets. Pretty little flowers, which ought to be in all
4517 Suworowi, bright rose		$_{\rm hA}^{\rm \dots}$	rose		5	gardens.
4517a Perennial Sorts Mixed		hP	mixed	$1\frac{1}{2}$	5	J
4518 Stenactis speciosa	1		pur.	2	5	Showy purple Composite. (An acanthaceous plant, with
4520 Stephanophysum longifolium		hhP	scar.	$1\frac{1}{2}$	25	bright colored flowers.
4525 Stevia serrata	2	gP	flesh		10	Fine for bouquets ; scented.

			ha	~ /	~ / `		~ /
		Time of	Hardiness and n.	Color of the Flow	Height in For	Price per	1 cke
	NUMBER and NAME.	12	Hardiness and n		t in	Der D	General Observations.
		/ e	din di	1 2 4	8 h	/ 8	
NGS	¹ / ₄ oz. at oz. rate only on articles quoted at \$1 per oz. and over.	lin .	Hal	Col	Hei	Pri	/
	Stocks, German Ten Weeks-			<u></u>			•
4528	Dwarf Snowflake Forcing	1 2	hhA	white	1	25	1
4529	White Dresden Perpetual					25	
4530	"Cut-and-Come-Again"oz., \$3		••••	••••	••••	10	(Mathiola.) These seeds are
4531	Dwarf Large-flowering— — —Whiteper oz., \$4					10	saved from the finest double varieties. Unsurpassed for bed-
4532				yel.		10	ding, massing, edging or pot-
4533	——————————————————————————————————————			crim.	• • • •	10	culture, being very free and long
$\frac{4534}{4535}$	— — — Chestnut — — — Blood Red			brown blood	••••	$\begin{array}{c c} 10\\ 10\end{array}$	bloomers, and of much diversity and brilliancy of color. They
4536	——————————————————————————————————————			car.	••••	10	are also very attractive in form.
4537	— — Rose			rose		10	and richly fragrant. The couble
4538	Light Blue per oz., \$4			l. blue		10	white sorts are largely used in
$4539 \\ 4539a$	— — Shining Purple-carmine — — Mixedper oz., \$3			d. red mixed		10 10	summer for bouquets and floral work. In this latitude Stocks
4540	Giant Perfection, White			white	$1\frac{1}{2}$	25	should be sown from the middle
4541	— — Mixed per oz., \$3			mixed		10	of March to the first part of May,
4542	Wall-flower-leaved, White			white	···•	10	on a spent hotbed or in pots or
$\frac{4543}{4544}$	-Crimson			crim. mixed		10 10	shallow boxes, in a frame or in the house; and when an inch
4545	Dwarf German Bouquet				1	10	high, they should be trans-
4546	— — Mixed per oz., \$3					10	high, they should be trans- planted into fine soil, which
4547	Ordinary Mixed " 75c.				$1\frac{1}{2}$	5	should be spread over a dis-
4548	Stocks, Autumnal, etc.— Intermediate White	2 3	hhB	white		25	carded hotbed, whence they can be bedded out when three or
4549	-Crimson			crim.		25	four inches high : this should be
4550	-Mixed			mixed		25	done before or during showery weather. Transplanting sev-
$\frac{4551}{4552}$	Emperor Large-flowering White —Crimson			white crim.		$\frac{25}{25}$	eral times in the early stages of
4553	-Mixed			mixed		25	growth tends to give them a
4554	Brompton Scarlet Winter			scar.		25	more compact and dwarf habit.
4556	-White Winter			white		25	Stocks do well sown in the open
$\frac{4558}{4560}$	-Mixed Winter Dwarf Crimson Bouquet Winter			mixed crim.		$10 \\ 25$	ground from the middle to the last of May.
4562	Queen Purple			pur.	$1\frac{1}{1/2}$	5	last of Bray.
4564	-White			white		5	For choice collections of Stocks,
4567	-Scarlet			scar.		5 5	see below.
$4568 \\ 4570$	Mixed		 gP	mixed white	10	50) ("Pind of Ponedico Flower") Mag
4570	Strelitzia augusta Reginæ		g1 	o.& pur.	$ 10 \\ 5 $	25	<pre>("Bird of Paradise Flower.") Mag- ificent greenhouse perennials.</pre>
4572	Streptocarpus, Veitch's New Hy-		8	our part			1
	brids	1 2		mixed	2	50	Very ornamental, profuse bloom- ing greenhouse plants.
4572a	Wendlandi				· · · ·	50	Bell-shaped flowers, followed by
4573	Styrax Japonica	1	hS	white	6	10	white berries. Fine.
4574	Sultan, Sweet, Purple	2 3	hA	pur.	$1\frac{1}{2}$	5) (Centaurea.) Pretty border an-
4577	White			white		5	nuals, with long stems and fra-
$\frac{4580}{4582}$	Yellow Mixed			yel. mixed		5 5	grant flowers. Do not trans- plant. Fine for cutting.
1002	Sunflower (Helianthus)—			mizeu		0	, plant. The for cutting.
4583	Single Russian per oz., 10c.			yel.	5	5]
4584	"Henry Wilde" " 15c.					õ	Derives its name from the popu-
$4585 \\ 4586$	—Primrose-colored '' 20c. macrophyllus giganteus '' 15c.					5 5	lar supposition that its large heads of flowers follow the sun
4588	cucumerifolius (cucumber-l'v'd)				3	5	in its course. Showy for back-
4589	cucumerifolius (cucumber-l'v'd) argophyllus, "Texas Silver		1				grounds and shrubberies. Like
4590	Queen "	1 3			$\frac{4}{2-5}$	5	the Eucalyptus, good to absorb the miasma of low grounds.
4590	California Double '' 15c. Globe-flowered Double '' 15c.			d. y. yel.	2-0 3	5 5	The large flowers are very rich
4592	Green-centered Double " 15c.			y. & gr.		5	and effective. No. 4589 has sil-
4593	Dwarf Double	2 3		yel.	$2\frac{1}{2}$	5	very foliage and very handsome
$\begin{array}{c} 4594 \\ 4595 \end{array}$	Variegated foliage		hP	var. yel.			small flowers.
1000	stramosus			, yer.		- 10	

CHOICE COLLECTIONS OF STOCKS.

We invite special attention to the collections here offered ; they contain only the very choicest varieties.

						, .		
24 1		GERMAN TEN-WE Dwarf Large-flower			vars.	Large-flowering Emperor\$ Dwarf Bouquet	75	6 vars. Dwarf Perpetual\$0 40
$\frac{18}{12}$	* *		1 25	6	6.6	Victoria Bouquet	$\frac{40}{50}$	AUTUMNAL AND WINTER, ETC.
8	6.6	46 44	60	8	6.6	Tree, or Giant	60	8 vars. Intermediate German \$0 60
6	66		50	12	6.6	Giant Perfection	60 40	6
10		Pyramidal Dwarf flowering		8	6.6	Wallflower - leaved. Large-	40	12 "Fine Winter
6	6.6	Pyramidal Dwarf	Large -			flowered	60	6
12	6.6	flowering Large-flowering En				Wallflower - leaved, Large- flowered'	50	6 "Dwarf Bouquet Winter 50 6 "Cocardeau Winter 50


		1	ho /	91	2 1	H 1	4) /
		Time of	Hardiness and D	Color of the Flore	For	Price per	6ke
			ss ss	Elo Elo	Height in 1	1 4	e /
	NUMBER and NAME.	100		5/00	tt /	pe /	General Observations.
		197	rdi Trdi	the the	'igi	ice /	
A ST	=1/4 oz. at. oz. rate only on articles quoted at \$1 per oz. and over.	/ <u>ii</u>	Ha	13	He /	12	/
	With a With a					cts.	
$\frac{4596}{4597}$	Swainsonia alba grandiflora Ferrandi carminea		gP	white car.	2	50 50	Very elegant greenhouse plants, easily grown in sandy, peaty soil.
	Sweet Pea, Cupid, White		hA	white	$\frac{1}{1/2}$	5	New dwarf Sweet Peas. See also
4597b	—Pink			pink		5	∫ page 117.
	Sweet Sultan Sweet William—			1		-	See Sultan.
4598	White Single per oz., 40c.	2 3	hB	white	$1\frac{1}{2}$	5	1
4599	-Double					5 5	(Digesthus hawhatus) A mlandid
$\begin{array}{c} 4600\\ 4601 \end{array}$	Dark Crimson Single			erim.		5	(<i>Dianthus barbatus.</i>) A splendid old-fashioned plant, producing
4602	Auricula-floweredper oz., 40c.			mixed		5	} large heads of beautifully colored
$\begin{array}{c} 4603 \\ 4604 \end{array}$	Mixed Single '' 30c. —Double '' 75c.					5 5	flowers in great profusion. Very effective for bedding.
1001	Collection, including					_	Choose of bounding.
4007	6 vars. Sweet William		mD.		10	30	J Recutiful ansaulter a mine
$\frac{4605}{4606}$	Tacsonia Van VolxemiiTagetes lucida	····· 2	gP tP	scar. yel.	10 1	25 5	Beautiful greenhouse vine. Pretty, and fine for bedding. See
4607	signata pumila	$2 \frac{2}{3}$	hA	yeı.		5	Pretty, and fine for bedding. See also Marigold.
	Tassel Flower						See Cacalia.
4608	Tecoma Smithi (splendid)		gP	lemon	6	50	Large heads of rich lemon flowers,
			-			50	∫ flushed orange. ∫ Handsome greenhouse shrub from
4608a	Tethracea ericifolia	••••		pink	1	50	\ New Zealand.
4608b	Thryptomene Mitchelliana			white	3	25	{An elegant greenhouse shrub; very floriferous.
	Thunbergia						See page 115.
4609	Tommasinia verticillaris		hP	yel.	1	25	Splendid single lawn plant.
4610	Torenia Fournieri		tA	pur.		25	For borders and baskets. 4612 is
$\frac{4611}{4612}$	—"White Wings" Bailloni			white yel.		$ 25 \\ 25 $	golden yellow, with deep red throat; 4610 is fine for pots.
4616	Trachelium cœruleum	2	†hP	blue	11/2	5	Valuable for border or greenhouse.
$4616a \\ 4618$	Trachymene cœrulea (Didiscus) Trifolium suaveolens	••••	$_{\rm hP}^{\rm gA}$			5 5	Fine long-blooming annuals. An ornamental clover.
				pur.	trai.		(Red-Hot-Poker Plant.) Strong
$4619 \\ 4621$	Tritoma uvaria MacOwani	2 3	hhP 	or.red r.&yel.	$\frac{3}{1\frac{1}{2}}$	$ 10 \\ 25 $	flowering plants; have very
	Tropæolum						k showy spikes of bloom. See page 115.
4622	Tunica saxifraga	2		white	1	5	Pretty for rockwork.
$\begin{array}{c} 4623 \\ 4624 \end{array}$	Tydæa hybrida grandiflora Valeriana alba	1 9	gP †hB	mixed white		50 5	Popular greenhouse plant.
4626	rubra			red		5	Fine border plants; sweet-scented flowers.
$\begin{array}{c} 4627\\ 4628 \end{array}$	Mixed Venidium calendulaceum		 bb A	mixed		5 5	Beautiful for borders or pots.
4630	Venus' Looking-Glassoz., 25c.	$\begin{array}{ccc} 2 & 3 \\ 1 & 2 \end{array}$	hhA hA	orange blue	$\frac{1}{\frac{3}{4}}$	5	(Specularia.) Pretty; good edg-
4633	White			white		5	j ing plant.
4635	Venus' Navelwort (Omphalodes linifolia)	2			1	5	A handsome border flower, easily grown.
4636	Verbascum pannosum		hP	yel.	5	10	Fine decorative plant. Beautiful
$\begin{array}{c} 4637\\ 4638 \end{array}$	Blattaria Verbena hybrida, Scarlet		hhP	pink	4 1½-2	10 10	f white, woolly leaves.
4640	-Defiance.	2 3		scar.	1/2-4	10	
4641	Blue Black, White Eye			bl.& w.		10	All of this gapus and orthomoly
$4642 \\ 4642a$	Yellow Golden-leaved			yel.		10 10	All of this genus are extremely beautiful and ornamental, flow-
4643	candidissima (pure white)			white		10	ering profusely, either as pot
$\frac{4644}{4646}$	auriculæflora Italica striata			mixed strip.		10 10	plants or in the garden. Our seeds are saved from very fine
4648	cœrulea			b. b.		10	named varieties, and will pro-
4649	Mixedper oz., 75c.			mixed		5	duce healthy plants, with flow-
$\begin{array}{c} 4650 \\ 4651 \end{array}$	Finest Mixed					10 10	ers of fine color.
	Collection, including						
4652	6 vars. Verbena Verbena (Aloysia) citriodora		gP	white	3	50 10	(Lemon Verbena.) Scented leaves.
4652a	Veronica Virginica		hP			10	Pretty for border ; fine colors.
$4653 \\ 4654$	Mixed	2		mixed	1/2	10	3
$4654 \\ 4655$	Vicia Gerardii fulgens	2 3	hA 	violet d. red	4	10 10	Pretty pea-shaped flowers.
4657	Vinca alba (pure white)		tP	white		10	Fine for conservatory, parlor win-
$\frac{4662}{4663}$	rosea —alba			rose ro.&w.		10 10	dows and borders or beds; very
4664	—Mixed			mixed	····· 1/2	10	pretty.
$\begin{array}{c} 4665\\ 4667\end{array}$	Violets, Sweet-scented The Czar	1 2		blue		10 10	Viola.) All have great beauty and fragrance. The seed takes
4669	White			white		10	a long time to germinate.

		/	20	no	5 / 3	30	ti /
			s s	rati(1 4		
	NUMBER and NAME.	Flor	Hardiness and no.	r of	ht in	I ber	General Observations.
A.F	1/ oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and D.	Color of the Flower	Hoight in For	Price per	
673	Viola cornuta, Purple Queen		tP	pur.	1⁄2	ets. 10	Fine and early-flowering. See
674 675	—Mauve Queen —alba		· · · · ·	white	••••	10 10	Violets.
677	Virginian Stock per oz., 20c.		hA	red	1	5)
1678 1678a	White " 20c. Crimson King " 20c.	••••	••••	white	••••	5 5	(Malcolmia maritima.) Early
6785	Crimson King '' 20c. Mixed '' 20c.	••••		crim. mixed	· · · · ·	5	flowering and fine.
679	Viscaria elegans picta	$2 \ 3$		sc.&w.	$1\frac{1}{2}$	5	1
680 680a	oculata —cœrulea		••••	rose blue	³ /4	5 5	Abundant blooming, hardy an nuals, very effective in massing
681	-alba			white		5	They are easily grown, and suc
$681a \\ 681b$	Mixed Mixed			mixed		5 5	ceed best in light, rich loam.
682	Wallflower, Brown per oz., 40c.		hP	brown	11%	5)
683	Yellow			yel.		5	(Cheiranthus Cheiri.) Favorit
683a 684	Harbinger, Earlyper oz., 40c.			golden mixed	· · · · ·	5 5	sweet-scented flowers, of fin
686	German Double					10	colors; useful as spring bed ders. No. 4687 is one of th
687	Single Annual Collections of Wallflower, includ'g	••••	hA		••••	10	most valuable of recent intro
	12 vars. Double German					\$1 00	duction. flowering the first sea son from seed.
	8 · · · · · · · · · · · · · · · · · · ·					80 65	son from seed.
688	6 " " " Whitlavia grandiflora.per oz., 40c.			pur.		5	
689	-alba " 40c.			white		5	Pretty bell-shaped flowers; free flowering.
690	gloxinioides	••••		b. & W.	• • • •	õ	J nowering.
691	Worms (Scorpiurus)			scar.	1	5	Seeds are very curious.
692	Wigandia Vigieri		†tP	red	1	10	Fine tropical leaves.
000	Xeranthemum		11.0		0	10	See page 119.
$693 \\ 694$	Yucca baccatabrevifolia,		hhP	gr. wh.	3 15	10 10	
695	filamentosa				3	10	Very showy, attractive plants for the sub-tropical garden, wit
$696 \\ 697$	gloriosa				4 2	10 10	numerous large white flowers.
697a	Whipplei angustifolia				- 	10]
	Zinnia, Double-						
698 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699 - 699	Tall Carmine per oz., 40c. —Crimson		h.A.	car. crim.	••••	5 5]
700	-Flesh-colored " 40c.			flesh		5	
701 702				lilac		5 5	
703	-Rose			pur. rose		5	
704				scar.		5	
705 706				violet white	••••	5 5	Fine bedding and border plants blooming long and abundantly
707	-Yellow, Sulphur " 40c.			yel.		õ	Beds of these are greatly a
708				minad	••••	. 5 5	mired. The colors are varie and bright and the plants easil
710				mixed		5	grown. Should be more exten
712	Dwarf Crimsonper oz., 50c.			crim.	11/4	5	sively cultivated, as the varie
713 714				pur. salmon		5 5	ties have been much improve of late. 4721 and 4721 <i>a</i> are ver
714a	-Large Robust			b. scar.		5	dwarf double varieties, formin
$715 \\ 716$	-Scarlet "Fireball"per oz., 75c. -Bright Scarlet (fine) '' 75c.			scar.		10 5	compact. free-flowering bushes fine for edgings. 4714 <i>a</i> has mos
717	-White "Snowball". " 75c.		••••	b. scar. white		10	magnificent, extra large blo
718 719	-Yellow, Sulphur " 50c.	• • • •		yel.		5 5	soms of rich scarlet. 4723 is
720			• • • •	mixed		5	splendid new variety. most grac fully curled and crested. Th
720a	-Lilliput Scarlet Gem			scar.	3/4	10	collections here offered will b
720b 720c	— — White			white		$ 10 \\ 10 $	found very choice, and are sur to give satisfaction. Zinnia
721	-Tom Thumb Whiteper oz., \$1				1/2	10	succeed best in a rich. deep
721a 721b	Orange		••••	orange		$ 10 \\ 10 $	loamy soil and in a sunny situation.
1722	Mixedper oz. 75c. Haageana, Double '' \$1.25			wel.	1	10	
1723	-Curled and Crested Mixed			mixed		10	
	Collections of Zinnia, including- 10 vars. Beautiful Double					50	
	6 ** ** **			1		40	
	8 " Dwarf Double					50 40	
	6 ** ** **					40)

*

VINES AND CLIMBERS.


	- <u></u>		80/	# /	4 / 3	4	*/
			Hardiness and D	Color of the Flore	Food	Price per	cke
NUMBI	ER and NAME.	1	Sise Sise	HI LA		10	General Observations.
		00	din u	the the	g'ht	1 00	
\$1 per oz.	rate only on articles quoted at and over.	Time of	Hardiness and D.	Col	Height in P	Pri	/
		1			12	cts. 5	f"Prayer Bean." Very pretty green-
	ecatorius	. 2	gP	pur.			l house climber.
4726 Adlumia	eirrhosa		hB	pink	15	10	Beautiful climber.
	hia Sipho		hP gP	br.&yl. pu.& w.	30 20	$25 \\ 25$	} The "Dutchman's Pipe."
4729 Sprenge	s verticillatusoz., \$2 ri	1	hP gP	white	12 	10 25	Very beautiful fern-like foliage; fine for bouquets.
-	s nanus				1	50)
4730 Balloon \	/ineper oz., 20c.	2 3	hhA	w. & gr.	10	5	(Cardiospermum.) Very pretty.
4732 Calampel	is scabra	3	†hP	orange	6	10	Fine for trellis.
	ird Flowerper oz., 50c.		hhA	yel.	10	5	One of the best old favorites.
4738 Centrose	ma grandiflora	1 2	hP	var.	68	10	("Butterfly Pea.")
	flammula ta	2 3		white	$15 \\ 8-40$	5 5	(Virgin's Bower.) Very fragrant;
	ni and Lanuginosa			mixed	var.	10	\int for other sorts, see Tree Seeds.
	rnatea		hB	blue white	$15 \\ \dots$	10 10	Beautiful greenhouse and conser- vatory climber.
4768 Cobæa sc	andensper oz., 75c.		†tP	pur.	20	10)
4769 —alba	emma (new)			white violet		25 10	Rapid-growing; start in the house.
	us aureus superbus		hhA		5	10	Pretty, and fine for baskets. The
4776 major, M	forning Gloryoz., 15c.		hA	gold mixed	10	5	Morning Glory is good for screens. No. 4778 has very large
4777 —Double 4778 Imperial	e Morning Glory Japanese Morn'g Glory.				30•	10 10	flowers in great variety of most
4780 Mauritan	nicus		hP	blue	trai.	10	exquisite colorings, and hand- some variegated foliage.
Cypress \	/ine						See Ipomæa Quamoclit.
4782 Dolichos	Lablabper oz., 15c.		hA	pur.	10	5	(Hyacinth Bean.) Rapid-growing
4784 —alba 4786 —Mixed	······································			white mixed		55	} and free flowering; good for
4787 gigantea	•••••••••••••••••••••••••••••			white		5	screens.
	Japonicus	3	tA 	green	15-20	10 10	(Climbing Hop.) 4796 has beauti- ful variegated foliage.
4798 Ipomœa d	occinea per oz., 15c.	2 3	hA	scar.	10	5	
4801 chrysant	" 20c. ha	1	†gP	yel.		5 10	These are very beautiful, free- blooming plants of the Morning
4802 scarlatin 4804 Imperial	a Japanese			scar.		10 10	Glory family, and useful for covering verandas, trellis-work,
4806 Northern	n Light		hA 	mixed lav.	$30 \\ 15$	10	etc. No. 4816 is the so-called
4807 Horsfall 4808 hederace	iæ a grandiflora		tP tA	rose blue		25 5	"Moon-Flower." Nos. 4807, 4824, 4826 and 4828 are also beautiful
4810	orata		• • • •	mar.		5	greenhouse climbers. No. 4830
4814 limbata.	per oz., 20c.			pur. v.& w.	${5}$	5 5	is the beautiful "Brazilian Morn- ing Glory." "Northern Light"
4816 Mexican	a grand. alba. '' 75c. ybrida	3		white	15	10	is a cross between the Moon- Flower and the Brazilian Morn-
4820 bona noz	(Good Night)oz., 20c.	2 3				$ 10 \\ 5 $	ing Glory. It is very early, and
	"Heavenly Blue"		 gP	blue v. b.	$10 \\ 15$	$25 \\ 25$	the flowers are extra large and of a lovely pink-lavender color.
4826 rubro-ca	erulea			b. red	8	10	find to the find the childer color.
4830 setosa	· · · · · · · · · · · · · · · · · · ·		 tP	white red		10 10	
4835 Quamocl	it (Cypress Vine) per oz., 30c.		tA	scar.	10	5	I. Quamoclit is the well-known Cypress Vine; has very beauti-
4836 —White	····· 30c.			white		5	ful, bright flowers, and is de- servedly popular. I. Q. Kerberi
4836a —Kerber 4837 —Mixed	ri (new)per oz., 30c.			scar. mixed		$ 10 \\ 5 $	servedly popular. I. Q. Kerberi is a fine new late-flowering,
4838 Ivy-leav	ed Cypress Vineoz., 30c. including 12 varieties		hA	scar.		5 50	bright scarlet variety.
	cœrulea	1 2	gP	blue	12	25	These are fine, profuse bloomers
	tæ la			scar. d. red	4	$25 \\ 25$	<pre>for the greenhouse. Do best in sandy loam.</pre>
4860 Lapageria	a rosea	l		rose	15	50	Beautiful greenhouse climber.



CATALOGUE OF HIGH-CLASS SEEDS.

VINES AND CLIMBERS-continued.

NUMBER and NAME. NUMBER AND											
			ring	ttion	For For		cke /				
	NUMBER and NAME.	1 -	ess		Height in 1	61	General Observations.				
	TOMPEL AND THEFT.	0 0 I	din	the r	Sht	0 p					
45	4 oz. at oz. rate only on articles guoted at	Lim	Iar	010	Teif	ric	/				
	\$1 per oz. and over.	17	1	/ 0	/ 4	/ 4	1				
	Lathyrus-		1.0	1.4							
$\begin{array}{r} 4880\\ 4881 \end{array}$	Everlasting Pea, White — — Scarlet	2	hP	white scar.	8	10 5					
4882						10	See also Sweet Peas, page 116.				
$\frac{4883}{4883a}$	— — Mixed per oz., 50c. splendens (true)			mixed scar.		10	Handsome perennials, produc- ing beautiful flowers. For				
4884	Blue Lord Anson's Peaoz., 15c.	1 3	hA	blue	6	5	dwarf Sweet Pea "Cupid," see				
$\frac{4885}{4885a}$	White """"""" 15c. rotundifolius		hP	white red		55	page 117.				
4885b	tingitanus		hA			. 5					
$\frac{4886}{4886a}$	Lophospermum scandens	2 3	tP	d. rose scar.	8	$ 10 \\ 25 $	Trumpet-shaped flowers.				
4887	Mandevillea suaveolens		gP	white	10	10	{ Beautiful greenhouse climbers;				
4888	Maurandya antirrhiniflora	1 3	†gP	pur.		10	Very fragrant.				
4890	Barclayana			bl.& w.		10	Abundant bloomers, and very de-				
$\begin{array}{r} 4892 \\ 4894 \end{array}$	alba Emeryana rosea			white rose		10 10	sirable for the greenhouse and garden. Should be in every				
4895	purpurea grandiflora			pur.		10	collection.				
4900 4901	Mixed Mina lobata	· · · · ·	tA	mixed wh.&r.	 15	10 10	Curious; free-bloomers; fine.				
1001	Moon-Flower				10		See Ipomaa Mexicana grandi-				
	Nasturtium, Tall-						flora alba.				
4902	Blood-coloredper oz., 15c.	2 3	hA	d. red	5	õ)				
4903 4904	Orange			orange yel.		5 5					
4905	Scarlet '' 15c.			scar.		5					
$4906 \\ 4907$	Shillingi, bright yel '' 15c. Rose '' 15c.	.		o. yel. rose		5 5	(Tropæolum majus.) Very good				
4908	Striped '' 15c.			strip.		5	for screens or stone walls; all are very showy in flower, and				
$4910 \\ 4910a$	Schuerianum			spot. scar.		5 5	} desirable acquisitions to grow on				
4911	Schulzi '' 15c.					5	a trellis or fence. In light soil they flower profusely and for a				
4911 <i>a</i> 4912	Edward Otto '' 15c. hemisphericum '' 15c.			brown orange		5 5	long time.				
491 2a	Mixedper lb., 75c " 10c.			mixed		5					
	Collections, including— 12 vars. Nasturtium, Tall					50					
40195	8 " " · · · · · · · · · · · · · · · · ·			blass	10	40					
4913	edulis		hhA 	blue white	$\frac{10}{25}$	10 10	Called "Passion Flower" on ac-				
$4914 \\ 4914a$	gracilis incarnata				10	10	count of a fancied resemblance in the flower to the appearance				
49140	lutea			pink yel.	25	10 10	presented at Calvary.				
4915	Phaseolus Caracalla			lilac	5	10	Curious fragrant flowers.				
4917	Smilax (Myrsiphyllum aspara-		۳D	white	c	10	Extensively used for floral deco-				
4918	goides)per oz., 75c. Thunbergia alata		gP hhA	white bff.&d.	6 5	10 10	f rations; very pretty foliage.				
4919 4920	—alba			white		10	abundant bloomers. They are				
$4920 \\ 4922$	—aurantiaca —Bakeri			orange white		$10 \\ 10$	also very effective as bedding				
$\frac{4924}{4926}$	-Fryeri	• • • • •		orange		10	plants, if a little pains be taken with them. Thrive best in a				
$4926 \\ 4928$	—sulphurea —intus alba			sul. p. yel.		10 10	rich compost of fibrous loam and				
4930	-Mixed			mixed	• • • •	10	j sand.				
$\begin{array}{r} 4932\\ 4936 \end{array}$	Tropæolum Canarienseoz., 50c. Lobbianum Brilliant " 25c.			yel. d. scar.		5 5	The Canary-bird Flower.				
4938	-Crystal Palace " 25c.			br. red		5					
$4940 \\ 4944$	-Asa Gray			white scar.		$ 10 \\ 5 $	These are very beautiful improved				
4945	-fulgens " 30c.				••••	5	Nasturtiums, of most brilliant				
$\begin{array}{r} 4946 \\ 4948 \end{array}$	-Lucifer					5 5	colors. Fine for either the con- servatory or outdoor decoration.				
4949	-Crown Prince of Prussia " 30c.			blood	••••	5	} Thrive in light, rich soil. See				
$\begin{array}{c} 4950 \\ 4951 \end{array}$	-Lilli Smith			cr.& sc. mixed		5 5	also Nasturtium. No. 4954 and 4956 should be grown in pots.				
4952 4954	Mad. Gunter Hybrids					10	4952 is a new strain, with very				
4954	tricolor grandiflorum		†gP 	о. & у. о. & р.	5 	$ \begin{array}{c} 10 \\ 25 \end{array} $	dark foliage and a richness of color surpassing all other sorts,				
	Collections, including- 12 vars. Tropæolum Lobbianum					50					
	6 " " " "					30					



(Lathyrus odoratus.)

These exceedingly beautiful and fragrant hardy annuals are now most popular.

DIRECTIONS FOR CULTURE.—Sweet Peas succeed best in a deep, rich soil. The most approved method of cultivation is to sow in a trench 5 or 6 inches deep, covering them at first with only one inch of soil; then as the plants grow, fill in the earth about them one inch at a time. After the plants are well grown up, they should be watered copiously, and bone meal worked into the soil about the roots, is recommended. Proper trellis or other supports should be provided.

The first sowing of Sweet Peas may be made very early in the spring, as soon as the frost is out of the ground. For a succession, some should be sown every few weeks afterwards. For fall flowering, they may be sown as late as July. Then, again, they may be sown late in the fall for very early blooming the following spring, but in that case a dry situation is preferable, and they should be sown 4 or 5 inches deep, and not by the trench method.

THORBURN'S SELECTED SWEET PEAS. ASSORTMENTS CONTAINING-

1	6.6	6.6	20	 6.6	6.6	6.6	6.6	 80

EIGHTY NAMED VARIETIES.

An live cents per packet.	-	n 1/11	D 11
Alba magnificaPure white, very large flower	Per oz.	Per ¼1b. \$0 20	\$0 50
Alice Eckford	ry		
beautiful new variety	10	30	1 00
AmericaBright blood-red striped ; very distinct	10	25	75
Apple BlossomBright pink and blush, beautifully shaded	10	20	60
AuroraFlowers extra large ; standards and wings flaked and stripe	ed		
bright orange-salmon on white ground	10	25	75
Black KnightDeep maroon self-colored	15	45	1 50
Blanche BurpeeSuperb, pure white ; immense size, perfect form	10	20	60
Blanche FerryLarge pink and white flowers ; very early ; free flowering .	10	20	60
Blanche Ferry, Extra Early. Ten days earlier than any other Sweet Pea	10	20	60
Blushing Beauty	10	20	60
BoreattonCrimson-purple; very dark, large flowers	10	20	60
Bride of Niagara Pink and white, semi-double ; very fine	15	40	1 25
Butterfly Pale gray, with distinct porcelain edge	10	20	60
Captain of the BluesBright purple and pale blue	10	20	60
CaptivationLight magenta, self-colored	10	25	75
CardinalCrimson-scarlet	10	20	60
Carmen SylvaCarmine and lavender, shaded rose	10	20	60
ChancellorBright orange-pink	10	30	1 00
Colonist	15	45	1 50
Coquette Deep primrose, shaded fawn	10	20	60
Countess of Aberdeen White, margined with pale pink	10	20	60
Countess of RadnorStandards delicate lavender, wings dark mauve ; lovely	10	25	75
Countess of Shrewsbury White wings, rose standard	. 10	20	60
Countess of PowlsOrange, suffused with light purple	., 10	25	75

SWEET PEAS, NAMED VARIETIES-continued.

Sweel PEAS, NAMED VARIEITES—continued.			
Pector Crown JewelCreamy white, veined with violet-rose	r oz.	Per ¼1b. \$0 20	Per lb. \$0 60
Cupid, White	10	25	75
Cupid, PinkLike the above, but pink color	10	30	1 00
DaybreakCrimson-scarlet on white ground	10	25	75
Dolly VardenPurple-magenta, shaded white	10	30	1 00
Dorothy TennantStandard rosy mauve ; wings bluish mauve	10	20	60
Duchess of Sutherland Pearly white, suffused light pink	10	30	1 00
Duchess of York	10	20	60
Duke of YorkBright rosy pink standards; primrose wings, tinted white	10	30	1 00
Duke of Clarence	10	25	75
Emily EckfordPorcelain-blue, suffused with reddish mauve	10	25	75 .
Emily Henderson	10	20	60
Firefly	10	25	75
CaletyStandards white, striped rosy lilac; wings blush	10	20	60
Colden CleamBeautiful primrose ; the finest yellow	10	25	75
Gray FriarBeautiful grayish lavender, on white ground	10	25	75
Her MajestyBeautiful soft rosy pink ; very large flowers	10	20	60
IgneaFiery crimson-scarlet, slightly flushed with purple	10	25	75
Indigo KingMaroon-purple standards ; indigo-blue wings	10	20	60
Invincible ScarletIntense scarlet	10	20	60
JuanitaPure white, delicately lined and striped with pale lavender	10	25	75
Katherine TracySoft, brilliant pink	10	25	75
Lady BeaconsfieldSalmon standards, tinted rose; wings pale yellow	10	20	60
Lady Mary CurrieOrange-pink, shaded rosy lilac	15	45	1 50
Lady Nina BalfourVery beautiful mauve	10	25	75
Lady PenzanceBeautiful bright rose ; splendid form	10	20	60
Lemon QueenBlush pink and lemon ; very beautiful	10	20	60
Little DorritPink standards; white wings; beautiful	10	25	75
Lottie EckfordRose and white, edged with blue	10	20	60
MeteorBright orange-salmon standards ; wings light pink	10	25	75
MikadoOrange-cerise ground, striped white	10	20	60
Mrs. EckfordWhite, delicately shaded with primrose	10	20	60
Mrs. CladstoneDelicate soft pink, with rosy blush wings	10	20	60
Mrs. Jos. ChamberlainWhite, striped and flaked with bright rose	10	20	60
Mrs. Sankey	10	20	60
NoveltyScarlet, orange-tinted	10	25	75
OddityPale carmine, edged bright rose	10	25	75
Orange PrinceOrange-pink, flushed with scarlet	10	$\frac{20}{20}$	60 60
Ovid	10		
Peach Blossom	10	$\frac{20}{25}$	60 75
Prima DonnaLight blush pink; very beautiful; large flower Prince of WalesFine bright rose; self-colored	$10 \\ 15$	25 45	1 50
Princess Beatrice	10	40 20	1 50 60
Queen of the Isles	10	20	60
RamonaVery large flowers ; creamy white, shaded pale pink	10	20 25	75
Red Riding-HoodRosy pink, shading to blush white at the calyx	10	20	60
Royal RobeDelicate pink standards ; wings soft blush pink	10	20	60
Royal Rose	10	20	60
Salopian	10	25	75
Senator	10	20	60
SensationWhite, suffused with faint rose	10	20	60
ShahzadaDark maroon, shaded purple	10	30	1 00
StanleyDeep maroon self; large and of finest form	10	20	60
Stella MorsePrimrose, flushed pink; very beautiful	10	20	60
The BrideBeautiful pure white	10	. 25	75
The Queen	10	20	60
VenusSalmon-buff; standards delicately shaded with rosy pink VesuviusCarmine-rose, shading to velvety violet	$10 \\ 10$	$\frac{20}{20}$	60 60
Wawona	10	30	1 00
······································			


SWEET PEAS IN MIXTURE.

Per	oz.	Per ¼lb.	Per ½lb.	Per lb.
THORBURN'S SPECIAL MIXED. Comprising the finest Eckford and other				
new and choice large-flowering varieties\$0	10	\$0 25	\$0 40	\$0 75
Eckford's Mixed. Composed of Eckford's varieties only	10	20	30	50
	10		20	30

All five cents per packet.

ORNAMENTAL GOURDS and FRUIT-BEARING VINES and PLANTS.

		/	erin	atic	A A		General Observations
	NUMBER and NAME.	Flor	Hardiness and n	Jo Jo	ht in) per	General Observations.
A D	¹ / ₄ oz, at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and n.	Color of the From	Height in Food	Price per	
4964	Abobra viridiflora	2 3	tA	green	6	cts. 5	Pretty scarlet fruit.
4965	Ardisia crenulata Balsam Pear and Apple		gS	red	5	25	Splendid decorative plant, bearing bright coral berries. See Momordica, below.
4966	Benincasa cerifera		tA	yel.	6	10	Black, wax-like gourd.
1968	Bryonopsis laciniosa crythrocarpa	2		red	5	10	Very ornamental.
1970	Coccinia Indica	2 3			6	10	(Oblong fruit, marked with white
4972	Cucumis erinaceus (Hedge-hog	2 0			0	10	lines, turning scarlet.
	Gourd)		hhA	yel.	8	5	Of extremely rapid growth, and
4973 4974	acutangulus (Rag Gourd) flexuosus (Snake Cucumber)	$\begin{array}{c}2\\2&3\end{array}$			10	5 5	bears curious fruits. 4973 is the
1976	grossulariæformis (Gooseberry						Rag or Dish-cloth Gourd, the peculiar interior of which is use-
4978	Gourd) odoratissimus (Pomegranate Melon)	2			6	5 5	ful in the kitchen when prop- erly prepared.
1980	perennis (very fine)	2^{-3}	hhP		15	5	J
	Cucurbita						See Gourds.
4981	Cyclanthera explodens	2	hhA		8	10	Curious.
4981a	Echinocystis lobata			green	12	10	(Wild Cucumber.)
4 981 <i>b</i>	Eopepon vitifolius	3	hhP	white	10	25	Ornamental.
	Courds-						1
4982 4983	Mock Orange Egg-shaped	2	tA	yel.	15 10	5 5	
1984	Apple-shaped					5	
1986	Pear-shaped					5	Excellent for covering verandas
$ 4987 \\ 4988 $	Onion-shaped Hercules' Club				15	5 5	or trellis-work, and for training over arbors, fences, etc. Of
1989	Sugar Trough					5	very rapid growth, with curious
4990	lagenaria (Bottle Gourd)					5	fruits and highly ornamental
4991 4992	—Miniature Powder Horn					5 5	foliage. Cultivate the same as melons or squashes.
4993	Dipper					5	inclous of squasics.
4997	Mixed Collection, including 12 vars. Gourds, small				10–15	5 50	
5007	Melothria scabra	3	11.	1.1.	10	10	Tropical vine.
5007	Momordica balsamina		hhA	1. b.		10	The well-known Balsam Pear and
5010	Charantia	4 0		yel.		5	Balsam Apple.
5012	Elaterium				••••	$\frac{5}{25}$	(Squirting Cucumber.)
5013	involucrata	••••	••••	••••	••••		
5014	Mukia scabrella	3			••••	10	Fruit reddish when ripe.
5018	Phaseolus multiflorus	2 3	tA	scar.	15	5	(Scarlet Runner Bean.)
5020	Scotanthus tubiflorus	3	tP	white	• • • • •	25	Bears pretty fruit.
5022	Solanum, White Egg-plant		tA		1	5)
$5024 \\ 5025$	Scarlet Egg-plant Striped Egg-plant			scar. strip.	2	55	
5038	pseudo-capsicum nanum		gP	white	1	10	The Solanums are very ornamen
5040	Wetherill's Hybrid		ťA	bl.	2	10	tal fruit-bearing plants, and
$5042 \\ 5046$	robustum capsicastrum		gP	pur. yel.	$\begin{vmatrix} 3\\2 \end{vmatrix}$	10 10	thrive best in light, rich soil
5047	Hendersoni		81 	pur.		10	All are worth cultivating.
5047a	Warscewiczioides			white	3	10	
	Collection, including 6 vars. Solanum					45	J
	Squirting Cucumber			-			See Momordica Elaterium.
	Trichosanthes colubrina	3			4	10	
50/9	Then us an thes control ina	0			e 4		(Snake Gourd.) So called from
$5048 \\ 5050$	coccinea	$\frac{2}{3}$		yel.		10	the shape of its fruit.



ORNAMENTAL GRASSES.

Many of these Grasses, if cut before they are entirely ripe, will be found useful in the formation of winter bouquets, in connection with the Everlastings.

		······	فره /	51	<u>+</u> / a	7 /	7 6/
		1	diness diness	low	Faar		ack
	NUMBER and NAME.	of	ines	of H of	ht in	per	General Observations.
ŊŦ	=¼oz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of	Hardiness and D	Color of the Flore	Height in]	Price per	/
5128 5130 5132	*Agrostis nebulosa pulchella. minutiflora	2	hA 	apet. 	1	5 5 10	Very fine for vases and bouquets. The plumes of A. nebulosa are very delicate.
5136	*Andropogon argenteus	3	hP		3	5	Dense flowers, very silky, with bright white hairs.
$5138 \\ 5140$	Arundo Donax *—fol. variegatis					$5 \\ 10$	<pre>Fine subtropical plants of stately growth; ornamental in habit.</pre>
5144	Avena sterilis	2 3	hA		3	5	(Animated Oats.) Curious.
$5150 \\ 6152 \\ 5154$	Briza geniculata gracilis. maxima	2 		 	$1 \\ \dots \\ 1\frac{1}{2}$	5 5 5	(Quaking Grass.) No. 5154 is very pretty for bouquets.
5158	Bryzopyrum siculum				3⁄4	5	Dwarf species of Spike Grass.
$5160 \\ 5162 \\ 5164$	Bromus brizæformis macrostachys madritensis	 	hP 	 	3	5 5 5	No. 5160 is very fine for winter bouquets. To this genus belongs the Cheat Grass, a well-known
5165	Chloropsis Blanchardiana		tP			25	Dwarf; very fine for edgings.
$5166 \\ 5168$	Chloris barbata vera truncata				$\frac{1}{\frac{3}{4}}$	5 5	Elegant for groups, and also good for baskets.
5170	Chrysurus cynosuroides		hA		1	5	Pretty for edgings.
$5172 \\ 5174$	Coix lachrymaaurea zebrina	2 3			1½ 	$ \begin{array}{c} 5\\ 10 \end{array} $	{ (Job's Tears.) So called from the resemblance of the seed to a tear-drop.
5175	Cryptopyrum Richardsoni	2			2	10	Very fine grass.
5176 5176a 5176a		2 3			1	5 5 5	(Crab or Yard Grass.) E. Indica is the Wire Grass.
5178	Elymus hystrix		 hP		4	5	From the Crimea. Odd.
5180	Eragrostis elegans	2	hA		1	5	(Love Grass.) Pretty Grasses
5182 5183 5184 5185	amabilis. Abyssinica maxima suaveolens	1	····	••••	· · · · · · · · ·	5555	growing about a foot high, and characterized by their beauti ful dancing spikelets; fine for bouquets.
5188 5190	Erianthus Ravennæ *-foliis variegatis	2 3	 hP 	••••	10 	5 10	(Plume Grass.) A very fine and stately-looking grass.
5192	Eulalia Japonica				5	10	Among the most beautiful of the tall-growing grasses.
5196	Festuca glauca				2	10	(Fescue Grass.) Ornamental.
5198 5202	Cymnothrix (Pennisetum) caudata latifolia		tP 			10 10	Grown chiefly as curious and orna mental grasses.
5307	* Gynerium argenteum *—fol. variegatis					10	(Pampas Grass.) This is the no blest of the tall-growing grasses
5207a 5208	i *—roseum jubatum			••••		10 10	and bears magnificent plumes much used in floral decoration.
5212	Hordeum jubatum		hA		2	5	(Squirrel-tail Grass.)
5213	Isolepis gracilis				1/2	10	Very pretty rush-like grass.
5216	Lagurus ovatus				2	5	(Hare's-tail Grass.)
5218	Lasiagrostis argentea		hP		, 3	5	Fine for winter bouquets. ((Himalaya Fairy Grass.) Mos
5220	Miscanthus Nepalense				5	25	graceful, soft, feathery plumes
$5225 \\ 5226$	Panlcum virgatum		hA 		$\frac{4}{3}$	5 10	Very showy and hardy perennial grasses.

CATALOGUE OF HIGH-CLASS SEEDS.

83	NUMBER and NAME. Voz. at oz. rate only on articles quoted at \$1 per oz. and over.	Time of Flore	Hardiness and n	Color of the Flower	Height in Feat	Price per	General Observations.
5228	Pennisetum villosum	2 3	hA	apet.	$1\frac{1}{2}$	cts. 5	Ornamental grass.
5229	Poa amabilis				2	5	Pretty for bouquets.
$5230 \\ 5231$	Setaria macrochæta alopecuroides nigra			 	$1\frac{1}{2}$	5 ' 5	Ornamental grass. No. 5231 has graceful black spikes.
$5234 \\ 5235$	*Stipa pennata elegantissima		hP 	····	 	$\begin{array}{c} 5\\10\end{array}$) (Feather Grass.) Grown for their very graceful plumes.
5237	Tricholæna violacea	$2 \ 3$				10	A very pretty grass.
5242	Tripsacum dactyloides				4	5	(Sesame Grass.) Singular.
$5248 \\ 5255 \\ 5256 \\ 5258 $	Zea Japonica Miniature Maize Cuzko quadricolor. New; fine	· • • •		····· ····	3 	10 10 10 10 10 10	$\left. \begin{array}{l} \text{Ornamental varieties of Corn. } \textbf{Z}.\\ \textbf{Japonica has beautifully striped}\\ \text{leaves.} \end{array} \right.$

COLLECTIONS OF ORNAMENTAL GRASSES.

25	varieties	grasses,	Ornamental	al\$0	75
12	66	66	. 66		50

MIXED ANNUALS FOR WILD GARDEN.


Bright colored, summer flowering, easily grown hardy annuals in the greatest variety for sowing broadcast. Per oz., 10 cts.; ¼lb., 30 cts.; ½lb., 55 cts.; lb., \$1, postpaid.

PALM SEEDS.

The Palm seeds we offer are imported direct from approved sources in Australia, New Zealand, South America, Central America and the West Indies, and are unexcelled in quality and purity. Fresh seeds arrive throughout the year, as the various species mature, but the greater number come during the spring and summer.

	Pk	t.	100 seeds	Pkt.	100 seeds
Araucaria excelsa	\$0	25		Dracæna Veitchii	\$1 00
Areca Baueri12 s	seeds,	25	\$1 25	Elæis guineensis10 " 25	2 50
" lutescens	66	25	1 25	Euterpe edulis	2 00
" sapida 8	£ 6	10	1 00	Geonoma Schottiana	2 50
" Madagascariensis10	66	25	2 00	" gracilis	2 50
Brahea filifera (Washingtonia)25	4 6	10	30	Kentia Belmoreana	1 50
" robusta15		10	50	" Forsteriana	1 50
Caryota urens10		25	2 00	" Canterburyana (Um-	
Chamædorea elegans 8		25	2 50	brella Palm)12 " 50	3 00
Chamærops Canariensis 8		10	1 00	" Morei 10 " 50	4 00
" elegans argentea12		25	1 25	Latania Borbonica12 "10	50
" excelsa		10	30	Musa Ensete (Abyssinian Ba-	
" humilis20		10	40	nana)10 " 25	2 00
Cocos australis 8		25	2 50	" Martini 8 " 25	2 50
"Bonnettii	4 G 6 G	25	2 50	Oreodoxa regia (Royal Palm) 8 · 10	1 00
Cump03113		25	$\begin{array}{ccc} 2 & 25 \\ 2 & 25 \end{array}$	Pandanus utilis (Screw Pine)15 " 25	1 25
" plumosa 10 " flexuosa 10		25 25	2 25 2 25	Phœnix Canariensis	60
Weddeliana		25 25	$\frac{2}{2}\frac{25}{50}$	" dactylifera (Date Palm).12 " 10	50
" Yatai		25 25	$\frac{2}{3}$ 50	" reclinata	1 25
Corypha australis (Cabbage		20	0.00	" rupicola10 " 25	2 00
Palm)10		10	60	" tenuis 8 " 10	1 00
Dracæna australis		10	25	" Zanzibariensis 10 " 25	$2 \ 00$
" indivisa		10	25	Pritchardia filamentosa20 " 25	1 00
" " lineata		10	25	Ptychosperma Alexandræ12 " 25	1 50
" Draco15		25	1 50	Sabal Blackburniana	1 25
" rubra25		25	75	Seaforthia elegans 8 " 10	1 00

In April we shall have Cycas revoluta stems (Sago Palm) in various sizes direct from Japan.



GLADIOLUS.

VARIOUS MIXED GLADIOLI.

		JOZ.	100	1.000
lixed	Varieties of Red and Scarlet \$	0 35	\$1 50	\$10 00
"	White and Light. Standard selection.	45	2 25	18 00
"	White and Light. Extra fine for			
	florists' use	75	4 00	32 00
66	Striped and Variegated	50	2 75	$22 \ 00$
66	Pink	40	$2 \ 00$	$15 \ 00$
66	Yellow and Orange	60	$3 \cdot 25$	28 00
66	Hybrids. All colors	35	1 50	11 00
66	Finest Selected Seedlings. All			
	colors, in greatest variety	40	1.75	$12 \ 00$
66	Lemoine's. Fine. Bright colorings			
	and odd markings	40	2 00	$15 \ 00$
"	Childsii. Superb large-flowered	60	3 50	30 00

FINE NAMED HYBRID GLADIOLI.

			Doz.
	dison. Dark amaranth, with white stripes\$	0 10	\$0 75
S S S S S S S S S S S S S S S S S S S	ricain. Entirely distinct variety, slaty brown on scarlet ground, streaked with scarlet and pure white, with conspicuous white blotch. A dark col- ored variety of remarkable effect ; dense spike	25	2 50
	nalthee. Pure white; large violet-red blotch, round of the corolla velvety violet, the lower petals	17	1.0-
	lightly tinted with lilac	$15 \\ 10$	$\frac{1}{75}$
Ap	gele. White; showy and effective ollon. Rosy lilac, with a large, light rose blotch, inely striped white in the center	10	1 00
Art t	chiduchesse Marie-Christine. White, slightly inged with lilac, flamed rosy carmine; large flow-		
	ers of excellent form ; very handsome spike	10	1 00
1	iane. White ground, slightly tinged with rosy ilac, bordered and flamed carmine-rose; the lower betals pure white	10	1 00
e	tarte. Compact, finely shaped spike of large, well expanded flowers, pale rosy lilac streaked with rose; aint amaranth blotch	15	1 50
e	ucis. Handsome, compact spike, with large flow- ers of rose, slightly tinged with salmon; well oppened; blotch dark amaranth-red	10	1 00
Be	nvenuto. Brilliant light orange-red, white blotch.	10	1 00
Bicolore. Very distinct and striking variety, wi exception of the lower petals, which are ivory w	th large flowers of bright rosy salmon, with the white, suffused with rose at the edges	15	1 50
Brenchleyensis. Bright vermilion-scarlet	per 100, \$1.50	05	40
Cameleon. Fine, compact truss of large, slaty li	ilac flowers, flamed orange, white bands down the ch, streaked violet	10	1 00
Carnation. Large, well expanded flowers of a f with the richest carmine, the lower petals blot	deshy white color, profusely tinged at the edges ched purplish carmine; fine, long, well furnished	10	1 00
spike		10	1 00

Celimene. Light orange-red,

FINE NAMED HYBRID GLADIOLI-continued.

		GENEROLI continued.		
Ceres. Pure white, spotted with purplish Eac rose		Loredan. Compact, well-arranged spike, E with bright cherry-rose colored flowers,	ach	Doz.
Cervantes. Flowers very large, of bright		speckled creamy white and slightly shaded		
rose color, slightly tinged lilac and pro-		with slate color at the edges of the petals;		
fusely streaked and suffused with car-		pretty and very distinct\$0	10	\$0 75
mine and pure white band on each petal. 1	0 1 00	Madame Monneret. Delicate rose		
Conquete. Large and fine flower ; bright			05	40
cherry red, with a conspicuous pure white			00	70
blotch, upper petals striped with delicate		Maria Dumortier. White, slightly streaked	10	
rose	0 1 00	with rose; violet-purple blotch	10	75
Corinne. Tall and fine spike of large,		Napoleon III. Bright scarlet; white line		
rosy carmine flowers, streaked pure white		in each petalper 100, \$2	05	40
and penciled carmine at the edges; blotch		Octoroon. A beautiful salmon-pink; very		
creamy white striped violet	0 1 00	distinct	10	1 00
Crepuscule. Splendid spike, with large,	. 1.00	Ophir. Dark yellow, purple blotch	10	1 00
well expanded flowers of lilac - rose,	•	Reine Blanche. Pure white, dark carmine	10	1 00
slightly flushed with carmine and with		blotch ; very fine	10	1 00
violet on the edges of the petals 1	0 1 00	Reverend Berkeley. Light rose, tinged	10	1 00
Fatma. Very large flowers of ivory white,		with violet-carmine, feathered white		
profusely striped and suffused with		blotch	10	1 00
bright rosy salmon; violet blotch on			10	1 00
creamy ground 1	0 1 00	Romeo. Very large, well-opened and regularly arranged lilac flowers, with		
Flamboyant. Beautiful spike of large		large petals blotched and striped with		
flowers, fiery scarlet; very effective		darker lilac. Early flowering and very		
variety	75	distinct	10	1 00
Fra Diavolo. Long, compact spike of	. 10	Seduction. Splendid spike; rosy salmon	10	1 00
large, bright orange-rose flowers, flushed		colored flowers, very bright and open;		
violet-red at the edges of the sepals;		throat very clear, with large white blotch		
large, pale yellow blotch; fine variety 10	0 75	feathered carmine	10	1 00
Grand Rouge. Splendid spike of large		Shakespeare. White, very slightly suf-	10	1 00
flowers of bright scarlet, with small		fused with carmine-rose; large rosy		
violet blotch. Splendid variety of grand		blotch	15	1 50
effect 10	0 1 00			
Isaac Buchanan. Very fine yellow 10		Snow White. Superb pure white	20	2 00
John Bull. White, slightly tinged with	0 1 00	Sultana. Bright satin-rose, flamed with		
	0 75	carmine, purple-carmine blotch on white	10	
*	0 75	ground	10	75
Lamarck (de). Very long spike of large		Surprise. Rose-amaranth; very late-bloom-		~~
flowers, cherry colored, slightly tinted		ing variety	10	75
with orange, blazed with red, center well		Van Dyck. Crimson-amaranth, striped	-	
lighted; large, pure white stain; very fine plant 10	0 1 00	with white ; very fine	10	1 00
*		Virginalis. Pure white, bordered and		
Le Phare. Brilliant fiery red; very showy 1	0 1 00	flamed with carmine	10	1 00

NEW GIANT CHILDSI GLADIOLI.

These are much more vigorous than others. They are very tall and erect, often standing 4 or 5 feet high, with spikes of bloom over 2 feet long. The flowers are of great substance and of gigantic size, frequently 7 to 9 inches across. Every color known among Gladioli is represented, and many never before seen, particularly blues, smoky grays and purple blacks, all having beautifully mottled and spotted throats, made up of white, crim-son, pink, yellow, etc.

Brilliant. Beautiful orange-red, with car- Each I mine and white throat\$0 20 \$		Mrs. Beecher. Deep rosy crimson; pure Each white throat, marked bright carmine \$0 10	
Boston. Flaming orange-scarlet, with large, pure white, violet mottled throat 10	1 00	Nezinscott. Bright blood-scarlet, with deep, velvety crimson-black blotches,	
Columbia. Light orange-scarlet, freely	-	white mottling in throat 10	1 00
blotched and penciled with bluish purple. 05 Dr. Sellew. Large spike and very large	40	Savannah. Deep blood-red, with white mottled throat. Makes a splendid spike. 20	2 00
flowers of great substance. Deep, rich, rosy crimson, slightly penciled darker.		Sacramento. Deep, bright coral-scarlet, with clear and distinct white mottlings in	
	1 00		2 00
Hohokus. Large, flaming crimson, with bright magenta mottled throat 30	3 00	Splendor. Rose-magenta stain, with purple and white mottling	2 50
Livonia. Light red, with white mottled throat	1 00	Torch Light. Light flaming scarlet flow- ers. Throat mottled white and violet 10	1 00

MONTBRETIAS.

Hardy, summer-flowering, bulbous plants, with brightly colored flowers borne on long, graceful spikes. Valuable for cutting. They should be planted in groups and left undisturbed.

Each	Per doz.	. 100	Lach I	rer aoz.	100
Bouquet Parfait. Large, bright			Elegans. Bright yellow, outside		12 50
vermilion flowers, with deep yel-			streaked with vermilion; extra fine. \$0 05	\$0 40	\$2 30
low center\$0 08	\$0 75	\$ 1 00	Etoile de Feu. Bright vermilion,		
Crocosmiæflora. Large; bright			with deep yellow center; large		
orange, tinged scarlet 05	35	2 00	flowers	75	4 00
Drap d'Or. Rich yellow; very large,			Pottsil. Orange and scarlet; very		
handsome flowers 08	75	4 00		35	2 00
Eldorado. Large, golden yellow			Rosea. Distinct new variety from	75	1.00
flowers; very floriferous; dwarf. 08	75	4 00	South Africa. Salmon-rose color. 08	15	4 00

124

DWARF FRENCH CANNAS.

Price of all these Cannas, 15 cts. each, \$1.50 per doz., \$10 per 100.



QUEEN CHARLOTTE.

- Austria. Pure canary yellow ; fine large open flowers, with but few traces of the reddish brown in the center of the two inside petals.
- Alphonse Bouvier. Although introduced in 1891, it still stands at the head of tall crimson varieties. A strong grower, with bright green foliage. Very floriferous, and under fair conditions grows 6 to 7 feet high.
- Alsace. Pale sulphur-yellow, changing to creamy white. 41/2 feet.
- Beaute Poitevine. An excellent free-flowering crimson that is especially valuable in a hot, dry season, succeeding better under those conditions than any other variety. 15 cts. each, \$1.50 per doz.
- Charles Henderson. A grand variety of a fine crimson color that has become very popular. While it is not quite as rich in color as Alphonse Bouvier, its habit of growth is much more compact, rarely exceeding $3\frac{1}{2}$ feet in height, which makes it a desirable companion to such varieties as Florence Vaughan and Madame Crozy.
- **Egandale.** A most excellent variety, with bronzy foliage and soft currant-red flowers, which are thrown well above the foliage ; the best of its type ; attains a height of about 4 feet.
- Florence Vaughan. Undoubtedly one of the finest yellow spotted varieties yet sent out; in color it is of yenow spotted varieties yet sent out; in color if is of a bright rich golden yellow, spotted with bright red; the flowers, which are of the largest size, of great substance and of perfect form, are borne in large heads and in the greatest profusion; the foliage is massive and of a rich green color; the plants rarely exceed $3\frac{1}{2}$ to 4 feet in height.
- Furst Bismarck. Rich scarlet-crimson, but so distinct from all other crimsons that it can be planted along with them in perfect harmony of color. The flowers are of large size, with broad petals of good

- substance, and produced in immense trusses; of vigorous, compact, uni-form growth, about $3\frac{1}{2}$ feet high.
- F. Neuvesel. This is a splendid sort of a soft, pleasing shade of carmine; of good size and excellent habit, the foliage is dark green with bronzy mark-ings; it is of strong, robust habit, growing 4½ feet high. Very effective.
- Italia. Is of a bright orange-scarlet, with a very broad golden yellow border; the flowers, which are produced on massive stems about sixteen inches long, are set well above the foliage; the foliage is large and heavy, similar to that of Musa Ensete. One of the best sorts.
- Madame Crozy. The flowers of this well-known and popular variety are of a bright crimson-scarlet, bordered with golden yellow. The plant is of vigorous growth yet dwarf in habit, rarely exceeding 4 feet in height. Foliage bright green, and very massive. The flowers are produced on large, branching stems which are closely set with bloom, each stem being really a bouquet in itself.
- Mad. Leon Leclerc. Entirely distinct ground color, being a bright orange-scarlet with a heavy tip and narrow margin of yellow. 5 feet. Papa. A fine red, with large flowers and truss. 3½ feet.
- President McKinley. Color brilliant crimson, with bright scarlet shading. crimson, who oright scatter of shape, Truss large, compact, of good shape, held well above the foliage, and produced freely and evenly. Plant produced freely and evenly. Plant is dwarf, 3 feet; foliage deep green, with marked chocolate margin. It is

one of the earliest bloomers, coming into flower when from 14 to 18 inches high, and blooming continuously thereafter.

Queen Charlotte. The finest of all the gilt-edged varieties. The plant attains a height of about 3 feet and is furnished with heavy bluish green foliage; The plant attains a height of about 3 the enormous flower spikes, towering grandly above the foliage, bear a beautiful bouquet of large flowers of perfect form, with petals of a rich scarlet-crim-son, broadly banded with bright canary yellow. 3 feet high.

Souvenir du President Carnot. Bronze foliage. 5 ft.

- Sunray. An entirely distinct striped variety. The flowers are of large size, open out well, and are pro-duced very freely. The ground color is a rich bright yellow, with stripes and dashes of bright scarlet running through almost to the edge of the petals, producing a unique and bizarre effect.
- Sam. Trelease. The greatest merit of this variety is that the flowers open out flat, which, with its very broad petals, which are of good substance, makes a large, nearly perfectly circular flower, different from all other sorts. In color it is the nearest approach to a pure scarlet yet introduced. Very rich and glow-ing; the edges and center are marked with yellow, about the same as in Mme. Crozy. About 3 feet high.
- Souvenir d'Antoine Crozy. The richest gilt-edged variety yet introduced; the flowers are large, with well-rounded petals, which are of intense scarlet-crimson, rich and dazzling, and are bordered with a broad, rich golden yellow band; in habit the plant is all that could be desired, being of strong, vigorous, but dwarf habit, forming symmetrical compact plants about 3 feet high.
- Vice-President Luizet. Carmine, large flower. 31/2 ft.

FINE DOUBLE DAHLIAS.

large pu

a free b



	Each	Doz.
Oakfield	Each	Doz.
Large, dark		
glowing pur-		
ple	\$0 15	\$1 50
Penelope,		
Pure white.		
delicately		
flaked laven		
		1 50
der		1 50
Psyche. Prim-	•	
rose, shaded	l	
rose; dwarf,		
extremely		
profuse		
bloomer		1 50
IIIIII		1 50
Yellow Stan-	•	
dard. A fine		
re yellow	15	1 50
s. Yellow, tipped bright red		
,		1 50
wan. New. A fine pure white;		
oomer, with long stems	15	1 50

DECORATIVE DAHLIAS.

Most valuable for decorative purposes. ing are six of the finest in cultivation :	The	follo	ow-
Black Beauty. A grand dark variety, dis- tinct and effective			50
Clifford W. Bruton. Solid, clear, pure yel- low, large, full double flower	-		50
Grand Duke Alexis. A noble flower; very large, pure white, tinged pink, quilled or	7	, 1	00
fluted petals; a new and distinct type Nymphæa. Medium size; clear, distinct,	,	5 1	50
light pink, tinted lighter toward the cen- ter; strong grower, most profuse bloomer, graceful habit.	,	5 1	50
Oban. Very large; rosy lavender, suffused and overlaid silvery fawn		5 1	50
Wm. Agnew. Immense size, beautiful form, intense dazzling red		5 1	50
CACTUS DAHLIAS (Fine Cactus	For	ms).	
Tible always the second base of motion	Each	Do	oz.
Delicata. Light salmon at base of petals, shading to a lovely delicate pink	\$0 15	5 \$1	50
Ernest Classe. A rich purplish magenta, with long pointed petals	15	.1	50
Gloriosa. Bright scarlet; long, incurved, twisted petals	15	5 1	50
Kynerith. A magnificent bright red, shaded darker		5 1	50
John H. Roach. Medium size; soft, clear yellow, edged lighter		5 1	50

white; entirely distinct..... 15 1 50

POMPON, or BOUQUET DAHLIAS.

	ach	Doz.
Catherine. Best pure yellow; long stems \$0	15	\$1 50
Eleganta. Soft pink, tipped deep pink; best pink	15	1 50
Little Prince. Variegated white, carmine and maroon	15	1 50
Miss Lou Kramer. Yellow, heavily tip- ped bright crimson	15	1 50
Red Piper. Bright crimson; perfect form	15	1 50
Snowclad. Best white pompon; perfect form	15	1 50

MIXED DOUBLE DAHLIAS, \$1.25 per doz., \$10 per 100.

LILIES.

	Each	Doz.
Auratum (Gold-Banded Lily).		
7 to 9 in. circumference per 100, \$6.50	\$0 10	\$1 00
9 to 11 in. circumference per 100. \$10	15	1 50
11 to 13 in. circumferenceper 100. \$16	25	250
Auratum macranthum, or platyphyllum.	40	4 00
" rubro vittatum	75	8 00
" pictum	50	5 00
" Virginale. Very large, pure		
white		6 50
Batemanni. Bright apricot	15	1 50
Brownil. Most beautiful flowers of im-		
mense size, inside creamy white, outside		
shaded chocolate-purple	40	4 00
Chalcedonicum (The true Scarlet Turk's	5	
Cap Lily). Brilliant scarlet	60	6 00
Colchicum (Monadelphum). Clear citron	,	
black spots	1 00	
Krameri. White, slightly tinged with red.	15	1 50

1			ach	Doz.
	Speciosur	n album præcox. Pure white,		
		large size \$6) 20	\$2 00
	66	rubrum. White, shaded rose.	15	1 50
	66	Melpomene, Very		
		dark	20	2 00
	Thunberg	ianum aurantiacum. Orange-		
		red, with purple spots,		
		1 foot	15	1 50
	66	citrinum. Handsome,		
		lemon color; 1 foot	15	1 50
	66	Kikak	15	1 50
	66	Prince of Orange	15	1 50
	Tigrinum	(Tiger Lily). Orange-salmon,		
		spotted black	10	1 00
)	66	splendens. Rich scarlet, with		
		black spots	10	1 00
)	66	flore pleno. Double Tiger		
		Lily	12	1 25
	Umbellat	um Mixed	10	1 00
)		Rich orange, spotted maroon	15	1 50
		inon orange, sported maroon	10	2 00

SINGLE.

NEW LARGE-FLOWERED JAPAN IRIS. (IRIS KÆMPFERI.)

DOUBLE.

Ea	.ch P	er doz.	Ea
Beauty. Silvery lilac, veined purple\$0	20	\$2 00	Bluebird. Clear dark blue\$0
Blue Jay. Large, fine azure-blue		2 00	Como. Reddish amaranth, white center
Charmer. Light blue, white center		2 00	Exquisite. Fine porcelain-blue
Mahogany. Deep mahogany-red	20	$2 \ 00$	Shadow. Dark indigo-blue
Mt. Fell. Grayish white, veined sky-blue.	20	2 00	Snowbound. Large pure white
Orion. Pure white, bordered lilac	20	$2 \ 00$	Souvenir. Lovely rose-pink
Pyramid. Violet-blue, with white veins	20	$2 \ 00$	Neptune. Reddish gray, freely grained
Snow White. White, with gold center	20	$2 \ 00$	Quakeress. Light lavender, tinged rose
Mixed New Double. Large flowering	15	1 25	

MISCELLANEOUS BULBS AND ROOTS.

AMARYLLIS— Each	Per doz	. 100	Eac	h P	er doz.	. 100
Aulica (Lily-of-the-Palace)\$1 23	5		CYCLOBOTHRA flava	5 8	60 40	\$ 2 50
Belladonna. Violet and white 20			DICENTRA spectabilis(Dielytra). 2	20	2 00	12 00
Belladonna Major 30				2	1 25	7 00.
Equestris (Barbadoes Lily) 13			HELLEBORUS niger major	-	1 20	1 00,
Formosissima (Jacobæan Lily) 13 Johnsonii (Spice Lily)				0	3 00	
Longifolia rosea. Rose, hardy 30			(1.00
" alba. White				.0	75	4 00
ANEMONE-	000			.0	1 00	
Scarlet, Feu Superbe. Double. 0.	5 45	\$3 00	MILLA biflora. Pure waxy white. 0	5	40	250
Single Blue 0.		$^{\phi 5}_{1}$ 50	NERINE Japonica 1	5	1 50	
Mignonne. Double, rose 0.		3 00	OXALIS Mixed. 2 for 5 cts		20	1 00
Chrysanthemiflora Mixed 1		8 00	PÆONY-			
Japonica alba. Pure white 0		2 00		30	3 00	
" rosea. Rosy carmine. 0		3 00	" " Crimson 2	20	2 00	
Tubiai Daikieu		3 00		20	$2 \ 00$	
ANTHOLYZA Mixed 1	0 1 00	6 00	" "Mixed 1	5	1 50	
BECONIAS, TUBEROUS-			PHLOX decussata, Perennial			
Single Orange 1	0 1 00	6 00		5	1 25	9 00
" Scarlet 1	• 1 • • •	6 00	TICRIDIA (Tiger Flower)-			
" Rose 1		6 00		0	75	4 00
••••••••••••••••••••••••••••••••••••••		6 00		8	60	3 50
"Yellow		$\begin{array}{c} 6 & 00 \\ 5 & 00 \end{array}$		8 18		$\begin{array}{c} 3 & 50 \\ 4 & 00 \end{array}$
Double White		15 00	Lilacea. Carmine, variegated	0	00	÷ 00
"Yellow		15 00		8	60	4 00
" Scarlet 2		15 00	TRITOMA PFITZERI. Dwarf	Ŭ		
" Mixed 2	0 2 00	$14 \ 00$	habit ; large, compact orange-			
BESSERA elegans (Coral Drops). 0	5 50	3 50	scarlet spikes of bloom. A splen-			
CALADIUM esculentum 2	0 2 00		did plant, and by far the hand-			
CINNAMON Vine Roots	5 60	3 50		10	4 00	
COOPERIA-	50	0.00	TUBEROSES, Dwarf Double)5	35	1 50
	5 45	3 00)5	40	2 00
Pedunculata. White, fragrant 0	5 45	3 00	Variegated-leaved. Single)5	40	2 00
	5 45	3 00	ZEPHYRANTHES rosea. Rose.)5	5 0	3 00

INDEX.

Agrimony	
Agrimony	
Alfalfa 53 Amaryllis. 127 Anemone 127	
Anemone	
Angelica	1
Arnica	
Artichoke	
Asperula	
Asters, Choice Collections	
Bailm 43 Barley 55 Basil, Dwarf and Sweet. 43 Beans, Dwarf Wax 12 Dwarf Green-podded Snap. 13 English Dwarf. 13 Horse, Soja and Velvet. 56 Del or Running 14	
Beans, Dwarf Wax	
" Dwarf Green-podded Snap13	1
"Horse, Soja and Velvet	
"White	
Beggar-weed	İ
Begonias	
Bellows	
Bene	
Boneset	
Books	
Borecole	
Broccoli	ļ
Broom-corn	1
Brussels Sprouts	L
Bulbs. Miscellaneous	ſ
Brosels Sprouts	
Cabbage	L
Calendar for Seed-sowing4th page cover	L
Canaigre	L
Cannas	
Caper Tree	
Caraway	
Carnation Supports60	
Carrots	
Cathip	
Cauliflower(Plants, 54)19 Celeriac	
Celeria	
Census, Prepare for the	
Chamomile	
Chervil	
Chives	
Cinnamon Vine Roots	
Coldframe, Directions for Making 3	
Chives	
Coriander	
Coriander	
Coriander	
Coriander	
Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber. 23, 24	
Coriander. 43 Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber. 23, 24 Cytisus. 56 Dahlias. 126	
Conlards 24 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cytisus 56 Dahlias 126 Dandelion 24	
Coriander. 43 Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber 23, 24 Cytisus. 56 Dahlias. 126 Dandelion 24 Dehpuria. 93 Dhoura.or Sorphum. 58	
Coriander. 43 Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber 23, 24 Cytisus. 56 Dahlias. 126 Dandelion 24 Dehpuria. 93 Dhoura.or Sorphum. 58	
Conlards 24 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahlias 126 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56	
Conlards 24 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahlias 126 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56	
Coriander 43 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 28, 24 Cytisus 56 Dahlias 126 Dandelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56 Elecampane 43	
Coriander. 43 Coriander. 43 Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber 23, 24 Cytisus. 56 Dahlias. 126 Dandelion 24 Delphiniums. 93 Dhoura, or Sorghum. 58 Dibbles 60 Dill. 43 Economical Plants, Seeds of. 56 Elecampane 43 Elge_plant. (Plants, 54). 24 Endive 25 Esculent Plants and Roots. 54	
Coriander 43 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahdelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56 Elecampane 43 Endre 25 Essensette 57	
Coriandsr. 43 Coriander. 43 Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber 29, 24 Cytisus. 56 Dahlias. 126 Dandelion 24 Delphiniums. 93 Dhoura, or Sorghum 58 Dibbles 60 Dill. 43 Economical Plants, Seeds of. 56 Elgerplant. (Plants, 54). 94 Endive. 25 Esparsette. 57 Esparsette. 57 Everlastings. 119	
Coriandsr. 43 Coriander. 43 Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber 29, 24 Cytisus. 56 Dahlias. 126 Dandelion 24 Delphiniums. 93 Dhoura, or Sorghum 58 Dibbles 60 Dill. 43 Economical Plants, Seeds of. 56 Elgerplant. (Plants, 54). 94 Endive. 25 Esparsette. 57 Esparsette. 57 Everlastings. 119	
Coriander 43 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahlias 126 Dandelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56 Elecampane 43 Endive 25 Esparsette 57 Esparsette 57 Esparsette 57 Evenlastings 10 Fertilizers 71 Fennel, Florence or Naples 25, 43	
Conlards24Coriander43Corn, Field Varieties55"Sweet or Sugar22Corn Salad, or Fetticus21Cotton56Cress21Cucumber23, 24Cytisus56Dahlias126Delphiniums93Dhoura, or Sorghum58Dibbles60Dill43Elecampane43Egg-plant(Plants, 54)Esparsette57Eventarings11Fertilizers71Fennel, Florence or Naples25, 43Fettieus21	
Coriander 43 Coriander 43 Corin, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahlias 126 Dandelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Economical Plants, Seeds of 56 Elecampane 43 Egg plant (Plants, 54) Endires 57 Esparsette 57 Everlastings 119 Fertilizers 71 Fennel, Florence or Naples 25, 43 Flat Pea 57	
Coriander 43 Coriander 43 Corin, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahlias 126 Dandelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Economical Plants, Seeds of 56 Elecampane 43 Egg plant (Plants, 54) Endires 57 Esparsette 57 Everlastings 119 Fertilizers 71 Fennel, Florence or Naples 25, 43 Flat Pea 57	
Coriander. 43 Coriander. 43 Coriander. 43 Corn, Field Varieties. 55 "Sweet or Sugar. 22 Corn Salad, or Fetticus. 21 Cotton. 56 Cress. 21 Cucumber 23, 24 Cytisus 56 Dandelion. 24 Delphiniums. 93 Dhoura, or Sorghum. 58 Dibbles 60 Dill. 43 Economical Plants, Seeds of. 56 Elegaplant. (Plants, 54). 24 Endive 25 Escalent Plants and Roots. 54 Esparsette. 57 Everlastings. 119 Fertilizers 119 Fertilizers 119 Fertilizers 119 Flat Pea 57 Flax Seed. 57 Flower Seeds, Collec's of. 3d page cover "Diree'ns for Culture 77–79	
Conlards 24 Coriander 43 Coriander 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Polysis 56 Dahlias 126 Dandelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56 Elegaplant (Plants, 54) Esparsette 57 Esparsette 57 Everlastings 119 Fertilizers 71 Flat Pea 57 Flax Seed 57 Flax Seed 57 Flower Seeds, Collec's of .34 page over " Diree'ns for Culture .77-79 " " General List .81-122	
Conlards 24 Coriander 43 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahlias 126 Dandelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56 Elecampane 43 Egg plant (Plants, 54) Endive 25 Escalent Plants and Roots 54 Esparsette 57 Everlastings 119 Fertilizers 71 Fenugreek 57 Flat Pea 57 Flax Seed 57 Flower Seeds, Collec's of. 3d page cover " " " Direc'ns for Culture77-9 " " General List	
$\begin{array}{c} \mbox{Conlards} & \mbox$	
Conlards 24 Coriander 43 Coriander 43 Corn, Field Varieties 55 "Sweet or Sugar 22 Corn Salad, or Fetticus 21 Cotton 56 Cress 21 Cucumber 23, 24 Cytisus 56 Dahlias 126 Dandelion 24 Delphiniums 93 Dhoura, or Sorghum 58 Dibbles 60 Dill 43 Economical Plants, Seeds of 56 Elecampane 43 Egg plant (Plants, 54) Endive 25 Escalent Plants and Roots 54 Esparsette 57 Everlastings 119 Fertilizers 71 Fenugreek 57 Flat Pea 57 Flax Seed 57 Flower Seeds, Collec's of. 3d page cover " " " Direc'ns for Culture77-9 " " General List	

INDE	$\Lambda.$
Fruit-pickers Fruit-Seeds. Furze- Furze- Gladiolus. Glazing Points Gloxinias. Gourds, Ornamental. Grappe Seeds. Grafting Wax. Grass Catcher Boxes. "Knives, Shears, Sick Scrafting Wax. Grasses, Ornamental. Grass Catcher Boxes. "Knives, Shears, Sick Seeds. Grasses, Ornamental. Gromwell. Guizotia Gumbo. Hanging Baskets, Flowers Hedge Plant Seeds. Hedge Plant Seeds. Hempok. Hemp Henbane. Herb Seeds. Hooks, Bill and Brush. Hoos.	PAGE
Fruit-Seeds Furze	
Fumigator Gladiolus	
Glazing Points	
Gloxinias	
Golf Mowers Gourds, Ornamental	
Grape Seeds	
Grass Catcher Boxes	
" Seeds	
Grasses, Ornamental Gromwell	120, 121
Guizotia Gumbo	
Hanging Baskets, Flowers Hedge Plant Seeds	for.3d p. cov.
Hedge Shears	
Hemp	
Henbane Herb Seeds	
Hooks, Bill and Brush Hoes	60
Hop Seed	
Horseradish Roots	
Menders and Nozzles	
Hotbed, Directions for Mal Hyacinth Glasses	xing 3
Hyssop Ice Plant	
Indigo Seed	
Jadoo Fiber and Liquid	
Johnson Grass	
Kaffir Corn	
Kale Kidney Vetch	25, 57 53
Kitchen Garden Seeds Knives	2d page cover
Kohlrabi Labels	
Lathyrus sylvestris	
Lavender	
Lavender Lawn Grass Seed	
Lavender Lawn Grass Seed Mowers. Rakes, Sprinklers, S Lawns Formation of	57 43, 46 66, 67, 68 weepers.61, 64 45
Lavender Lawn Grass Seed " Mowers " Rakes, Sprinklers, S Lawns, Formation of Leek Leaptic	57 43 45, 46 , 66, 67, 68 weepers. 61, 64 45 57
Lavender Mowers Rakes, Sprinklers, S Lawns, Formation of Leeki Lentils Lespedeza	57 43 45, 46 57, 68 weepers.61, 64 27 57 57
Lavender Mowers Rakes, Sprinklers, S Lawns, Formation of Leekt Lentils Lespedeza Lettuce	$\begin{array}{c} & 57 \\ & 43 \\ & 45, 46 \\ & 66, 67, 68 \\ & eepers. 61, 64 \\ & 57 \\ & 57 \\ & 57 \\ & 57 \\ & 57 \\ & 57 \\ & 57 \\ & 1ts, 54)26, 54 \\ & 127 \end{array}$
Lavender	57
Lavender Lawn Grass Seed. " Nowers Rakes, Sprinklers, S Lawns, Formation of Leek. Lentils. Lestnee	57 -43 -45, 46 -66, 67, 68 weepers. 61, 64 weepers. 61, 64 -45 -57 -57 -57 -57 -57 -57 -57 -43 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57 -57
Lavender Lavn Grass Seed. "Mowers. "Rakes, Sprinklers, S Lawns, Formation of Leek. Lespedeza Lespedeza Lettuce	57
Lavender Lawn Grass Seed. "Mowers. "Rakes, Sprinklers, S Lawns, Formation of. Leek. Lespedeza Lespedeza Lettuce. Liguorice Lotus. Lovage Lugus. Madder Madia Mangel-Wurzel.	57
Lavender	57
Lavender	57
Lavender	$\begin{array}{c} & 5^{\prime} \\ & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & & &$
Lavender	57
Lavender	57
Lavender	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Lavender	57 -43 -45, 46 -66, 67, 68 weepers .61, 64 -45 -757 -57 -57 -15, 57 -15, 16 -43 -57 -57 -15, 16 -43 -43 -28 -28 -54 -55, 58 oots -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127 -127
Lavender	$\begin{array}{c} & 5^{\prime} \\ &$
Lavender	$\begin{array}{c} & 5^{\prime} \\ &$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Melon, Musk. Water. Miscellaneous Bulbs and R Mole traps. Montbretias Mushroom Spawn Mustard Nasturtium Oats Okra. Onion.	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$
Henbane. Herb Seeds	$\begin{array}{c} 28\\ 29\\ 20\\54, 55, 58\\ {\rm cots}. 127\\61\\ 124\\ 27\\ 29\\29\\29\\29\\29\\31\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\30\\$

	PAG	Е
Planet Jr. Tools	6	4
Plant Stakes	6	1
Polygonum Popyo, Opium Potato Manure Potatoes. Powder Gun and Bellows	5	ð Q
Potato Manure	7	1
Potatoes		4
Powder Gun and Bellows	6	9
Pruners	6	1
Pruners Pumpkin Pyrethrum roseum	5	8
Radish	.36.3	7
Raffia	6	1
Rakes	6	1
Rape	.54, 5	8
Reana		8
Rappon Rape Reana	61, 6	8
Rib Grass	54 5	8
Rice	.54. 5	9
Rollers Roguette Rosemary Rubber Hose and Reel Rue Rye	6	5
Roquette		5
Rubber Hose and Reel	4	5 8
Rue	4	3
Rye	5	5
Sacaline		8
Saintoin		80
Secon		2
Sage. Salads, Vegetables Used for	4	4
Salt-bush, Australian	· · · · · F	00
Saucers, Flower Pot		50
Savory, Winter and Summer	4	13
Saws	6	51
Scissors	· · · · · t	51
Scorzonera		39
Scurvy Grass		58
Scythes, Scythe Stones and Rifles.	e	51
Seed Drills	· · · · · ţ	54
Shears	. 62. 6	50 53
Shovels and Spades		32
Shrub Seeds	73-7	76
Silkalene	· · · · · • •	52
Shiver Beet		20 39
Snails		58
Soan Whale Oil and Tobacco		
Soup, mane on and roomotor	• • • • •]	10
Sorghum		10 58 20
Salads, Vegetables Used for Salads, Vegetables Used for Salsify Savory, Flower Pot Savory, Winter and Summer Saws Scolymus Scolymus Scory Grass Secury Grass Severy Grass Severy Grass Set Drills Seed Drills Shorels and Spades Shrub Seeds Silkalene Silkalene Silkaret Snails Soap, Whale Oil and Tobacco Sorghum Sorrel Spinach	.31.	(0 58 39 39
Sorghum Sorrel Spinach Sprayers	.31,	10 58 39 39 39
Sorghum Sorrel Spinach Sprayers Sprinklers	.31, .65, .62,	10 58 39 39 39 59 65
Sorghum Sorrel Spinach Sprach Sprinklers Sprouts	.31, .65, .62,	10 58 39 39 59 59 58
Sorghum Sorrel Spinach Sprayers Sprinklers. Sprouts. Spurry Souash	.31, .65, .62,	10 58 39 39 59 59 59 59 59 59 59 59 59 59 59 59 59
Sorghum Sorrel Spinach Sprayers Sprinklers Spouts Spouts Squash Stakes	.31, .65, .62,	10 58 39 59 59 59 59 59 59 59 59 59 59 59 59 59
Sorghum Sorrel Spinach Sprayers Sprinklers Sprouts Spurry Squash Stakes Stakes.	.31, .65, .62,	10 58 39 39 59 59 59 59 59 59 59 59 59 59 59 59 59
Sorghum Sorrel Spinach Sprach Spraklers. Sprouts. Squash Stakes. Stands, Flower-pot Rolling. Stocks, Choice Collections of. Strearbarry Plants	.31, .65, .62, .60,	10 58 39 59 59 59 59 59 59 59 59 59 59 59 59 59
Sorghum Sorrel Spinach Sprayers Sprouts Spurty Squash Stakes Stands, Flower-pot Rolling Stocks, Choice Collections of Strawberry Plants. Sunflower	.31, .65, .62, .60, .1	10 58 39 59 59 59 59 59 59 59 59 59 59 59 59 59
Sorghum Sorrel Spinach Sprayers Sprouts Spouts Squash Stakes Stands, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants Sunflower Sweet Peas	.31, .65, .62, .60, .1 .54, 16, 1	10 58 39 59 59 59 59 59 59 59 59 59 59 59 59 59
Sorghum Sorrel Spinach Spraklers Sprouts Spurty Stands, Flower-pot Rolling Stacks, Choice Collections of. Strawberry Plants. Sunflower Swreet Peas Sweet Peas Swis Chard	.31, .65, .62, .60, .1 .54, .16, 1	1058999558854010548557885540105485585655855401054855855655855655855565585556558555655855565585556556
Sorghum Sorrel Spinach Spraklers. Sprinklers. Spouts. Squash Stakes. Stands, Flower-pot Rolling. Stocks, Choice Collections of. Strawberry Plants. Sunflower Sweet Peas. Sweet Peas. Swringes. Tansy	.31, .65, .62, .62, .54, .16, 1	105839553895538955385400548517885538540054855855385540054855855385555555555
Spinach Sprayers Sprinklers. Sprouts. Spury. Squash Stakes. Stands, Flower-pot Rolling Stocks, Choice Collections of Strawberry Plants. Sunflower. Swreet Peas. Swreet Peas. Swreet Peas. Syringes. Tansy. Tarragon (Plants.)	$ \begin{array}{c} .31, \\ .65, \\ .62, \\ .60, \\ .1, \\ .54, \\ .16, 1 \end{array} $	393939538854055885405586543365543855435556554355555555555555
Spinach Sprayers Sprinklers. Sprouts. Spury. Squash Stakes. Stands, Flower-pot Rolling Stocks, Choice Collections of Strawberry Plants. Sunflower. Swreet Peas. Swreet Peas. Swreet Peas. Syringes. Tansy. Tarragon (Plants.)	$ \begin{array}{c} .31, \\ .65, \\ .62, \\ .60, \\ .1, \\ .54, \\ .16, 1 \end{array} $	393939538854055885405586543365543855435556554355555555555555
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 543 \\ 538 \\ 543 \\ 558 \\ 543 \\ 558 \\ 543 \\ 558 \\ 543 \\ 558 \\ 544 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 543 \\ 538 \\ 543 \\ 558 \\ 543 \\ 558 \\ 543 \\ 558 \\ 543 \\ 558 \\ 544 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 $
Sofiel Spinach Spraklers Sprouts. Spurry. Squash Stakes. Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swreet Peas Swreet Peas Swiss Chard Syringes Tarsy	.31, .65, .62, .62, 60, 1 .54, .16, 1	$539 \\ 539 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 538 \\ 543 \\ 538 \\ 543 \\ 558 \\ 543 \\ 558 \\ 543 \\ 558 \\ 543 \\ 558 \\ 544 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 \\ 558 $
Solifer Spinach Sprayers Sprinklers. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swiss Chard Syringes. Tarsy Tarsy Tarsy Teasels. Teosinte Thermometers Thermometers Thyme, English and French. Tigridia Tobacco. Tools. Tomato Supports Tree and Shrub Seeds Tritoma Towles. Tuberoses. Tubs, Flower. Turip. Twine, Green Smilax. Vases, Flower. Vaset	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c}$	5599995555555555555555555555555555555
Solifer Spinach Sprayers Sprinklers. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swiss Chard Syringes. Tarsy Tarsy Tarsy Teasels. Teosinte Thermometers Thermometers Thyme, English and French. Tigridia Tobacco. Tools. Tomato Supports Tree and Shrub Seeds Tritoma Towles. Tuberoses. Tubs, Flower. Turip. Twine, Green Smilax. Vases, Flower. Vaset	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c}$	5599995555555555555555555555555555555
Solifer Spinach Sprayers Sprinklers. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swiss Chard Syringes. Tarsy Tarsy Tarsy Teasels. Teosinte Thermometers Thermometers Thyme, English and French. Tigridia Tobacco. Tools. Tomato Supports Tree and Shrub Seeds Tritoma Towles. Tuberoses. Tubs, Flower. Turip. Twine, Green Smilax. Vases, Flower. Vaset	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c}$	5599995555555555555555555555555555555
Solifer Spinach Sprayers Sprinklers. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Swiss Chard Syringes. Tarsy Tarsy Tarsy Teasels. Teosinte Thermometers Thermometers Thyme, English and French. Tigridia Tobacco. Tools. Tomato Supports Tree and Shrub Seeds Tritoma Towles. Tuberoses. Tubs, Flower. Turip. Twine, Green Smilax. Vases, Flower. Vaset	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c}$	5599995555555555555555555555555555555
Solifer Spinach Sprayers Sprinklers. Sprouts. Spurry. Squash Stakes Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower Swiss Chard. Syringes. Tarsy. Tarsy. Tarsy. Tarsy. (Plants, i Teasels. Teosinte. Thermometers. Thermometers. Thermometers. Thermometers. Thermometers. Tobacco. Tools. Tomato Supports. Tree and Shrub Seeds. Tritoma. Trowels. Tuberoses. Tubs, Flower. Turnip. Twine, Green Smilax. Vases, Flower. Vegetable Seeds. "Marrow. "Plants. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince. Spince.	.31, (.65, (.62, (.62, (.62, (.64, (.54, (.5	53939333333333333333333333333333333333
Spinach Spinach Sprayers Sprouts. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Sweet Peas Swiss Chard. Syringes. Tarsy Tarsy Teasels Teosinte Thermometers Thyme, English and French. Tigridia Tobacco Tools. Toomato Supports Toomato Supports Trewels Trewels Trowels Tuberoses. Tubs, Flower. Turnip Twine, Green Smilax. Yases, Flower Vegetable Seeds " Marrow " Marrow " Marrow " Novelties in Vetches	.31, (60, 62, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60	53995555555555555555555555555555555555
Spinach Spinach Sprayers Sprouts. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Sweet Peas Swiss Chard. Syringes. Tarsy Tarsy Teasels Teosinte Thermometers Thyme, English and French. Tigridia Tobacco Tools. Toomato Supports Toomato Supports Trewels Trewels Trowels Tuberoses. Tubs, Flower. Turnip Twine, Green Smilax. Yases, Flower Vegetable Seeds " Marrow " Marrow " Marrow " Novelties in Vetches	.31, (60, 62, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60	53995555555555555555555555555555555555
Spinach Spinach Sprayers Sprouts. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Sweet Peas Swiss Chard. Syringes. Tarsy Tarsy Teasels Teosinte Thermometers Thyme, English and French. Tigridia Tobacco Tools. Toomato Supports Toomato Supports Trewels Trewels Trowels Tuberoses. Tubs, Flower. Turnip Twine, Green Smilax. Yases, Flower Vegetable Seeds " Marrow " Marrow " Marrow " Novelties in Vetches	.31, (60, 62, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60	53995555555555555555555555555555555555
Spinach Spinach Sprayers Sprouts. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Sweet Peas Swiss Chard. Syringes. Tarsy Tarsy Teasels Teosinte Thermometers Thyme, English and French. Tigridia Tobacco Tools. Toomato Supports Toomato Supports Trewels Trewels Trowels Tuberoses. Tubs, Flower. Turnip Twine, Green Smilax. Yases, Flower Vegetable Seeds " Marrow " Marrow " Marrow " Novelties in Vetches	.31, (60, 62, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60	53995555555555555555555555555555555555
Spinach Spinach Sprayers Sprouts. Sprouts. Spurry. Squash Stakes Stacks, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower. Sweet Peas Swiss Chard. Syringes. Tarsy Tarsy Teasels Teosinte Thermometers Thyme, English and French. Tigridia Tobacco Tools. Toomato Supports Toomato Supports Trewels Trewels Trowels Tuberoses. Tubs, Flower. Turnip Twine, Green Smilax. Yases, Flower Vegetable Seeds " Marrow " Marrow " Marrow " Novelties in Vetches	.31, (60, 62, 60, 60, 60, 60, 60, 60, 60, 60, 60, 60	53995555555555555555555555555555555555
Solier Spinach Sprayers Sprinklers. Sprouts. Spurry. Squash Stakes Stads, Flower-pot Rolling Stocks, Choice Collections of. Strawberry Plants. Sunflower Swiss Chard. Syringes. Tarsy. Tarsy. Tarsy. (Plants, i Teasels. Teosinte. Thermometers. Thermometers. Thermometers. Thermometers. Thermometers. Thermometers. Tomato Supports. Trobacco. Tools. Tromato Supports. Tree and Shrub Seeds. Tritoma. Trowels. Tuberoses. Tubs, Flower. Turnip. Twine, Green Smilax. Vases, Flower. Vegetable Seeds. "Marrow." "Marrow. "Solution Sports. Tuberoses. Tubs, Flower. States. States. Solutions. Twine, Green Smilax. Vases, Flower. States. "Marrow. "Plants. "Novelties in. Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutions. "Solutio	31, i 65, (62, (.60, (.1 .54). .54). .54). .72- .11. .12. .12. .12. .12. .11. .12. .11. .12. .11. .12. .11. .12. .11. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12. .12	5399396555666443556664435566666666666666

83734501129 J. HORACE MCFARLAND CO., HORTICULTURAL PRINTERS, HARRISBURG, PA.

COLLECTIONS OF FLOWER SEENS

Sten for Mail of Diane Artists.

the state to have

Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management
 Management

per all Shiell ont Oan Selections

LIST OF FLOWERS SUITABLE FOR BOUQUETS

 Antennis of study 1
 Antennis of study 1<

LIST OF FLOWERS SUITABLE FOR HANGING BASKETS

 Manual Algorithm
 SUITABLE FOR HANGING BASKET

 Manual Algorithm
 Mail

 Manual Algorithm
 Mail
 </

Logelia Editorianti control control control de la control

J. M. THORBURN & CO. · SEEDSMEN · NEW YORK

and Best		Are the Best		All Herbs	Early Turnip	Early Turnip	
Crispest		EXTRA EARLY	Squash	Early Turnin	Soinach	Boinach	Very Earliest
Solidest			Sninach	Sninach	Dodieh	Padieh	the
	Surest		Salsi ² v	Salaifo	Dotatoo	Datatage	Very Best and
	Largest	Ruta-Baga	Radieh	Potatoes	Parsnip	Union	is the
LETTUCE		White Fr. Turnip	Potatoes	Peas	Parsley	Teek	
MUNITAN	CATH IFI OWFR		Early Peas	Parsnip	Onion	Carrot	DULATU
MAVIMAN	AILI-ENGE	Spinach	Okra	Parsley	Lettuce	Beets	HOKBURN
THORBURN	DIT TENCE	Radish	Nasturtium	Onion	Kohlrabi	Bean, B. Windsor	
	THORBURN	Pumpkin	Melon	Melon	Cress	IN OPEN GROUND	THE
		Early Peas	Lettuce	Lettuce	Celery		
Sweet Peas		Okra.	Kohlrabi	Leek	Cauliflower	Tomato	
Turnip		Nasturtium	Kale	Kohlrabi	Garrot	Radish	
	and the state of t	Lettuce	Endive	Cucumber	Early Cabbage	Pepper	Tomato
Winter Radish	Turnip	Kohlrabi	Cucumber		ls Sprouts	Parsley _	Radish
Mustard	Spinach	Kale	Cress	Sweet Corn		Lettuce	Pepper
Lettuce	Radish	Gherkin	Sweet Corn	Celery	English Beans	Kohirabi	Parsley
Siberian Kale	Early Peas	Endive	Cauliflower	Cauliflower		Egg-Plant	Early Lettuce
Cress	Welsh Onion	Guoumber	Carrot		IN OPEN BROUND	Celery	
Corn Salad	Lettuce	Gress	Late Cabbage	Brussels Sprouts		Cauliflower	
Tuberous Chervil	Endive	Corn Salad	Brussels Sprouts			Foreing Carrot	
coldirames	Cucumber	Sweet Corn	Broccoli		Pepper		
Cauliflower for	Corn Salad						
	Tuberous Chervil			Asparagus	Egg-Plant		
Cabbage for cold-	Beans, Bush			Artichoke			
SEPTEMBER	AUGUST	ATOP	TONE	MAY	APRIL	MARCH	FEBRUARY

FHORBURN'S LIST OF VEGETABLE SEEDS