


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics
Tobacco Section.

Released
March 5, 1934.

STOCKS OF LEAF TOBACCO OWNED BY MANUFACTURERS AND DEALERS

JANUARY 1, 1934.

Stocks of leaf tobacco in the United States owned by dealers and manufacturers amounted to 2,131,119,000 pounds on January 1, 1934 compared with 2,144,733,000 pounds on January 1, 1933. This is an increase in the total stocks of 36,386,000 pounds over the stocks of a year ago January 1. From October 1, 1933 to January 1, 1934 total stocks increased 173,084,000 pounds. The increase during the same period of 1933, namely from October 1, 1932 to January 1, 1933, amounted to only 49,722,000 pounds.

Stocks of flue-cured tobacco on hand January 1, 1934 were 858,124,000 pounds, compared with 769,497,000 pounds on January 1, 1933, an increase of 88,627,000 pounds over the holdings of a year ago. During the fourth quarter of 1933 flue-cured stocks increased 252,414,000 pounds compared with an increase of only 48,989,000 pounds during the fourth quarter of 1932. The stocks of Type 11 on January 1, 1934 were reported as 348,966,000 pounds; Type 12 as 303,326,000 pounds; Type 13 as 146,713,000 pounds; and Type 14 as 59,119,000 pounds. The detailed report by groups of grades shows about the same proportion of tobacco in the various groups as previous reports have shown.

Stocks of fire-cured tobacco were reported as 170,761,000 pounds on January 1, 1934 compared with 187,422,000 pounds on January 1, 1933. Total fire-cured stocks were nearly 17 million pounds lower than they were a year ago January 1, and about 26 million pounds lower than on this previous quarter. Virginia Fire-cured, Type 21, stocks reported as 23,109,000 pounds on January 1 were about 8 million pounds lower than a year ago. Type 22, reported as 105,487,000 pounds also showed a decrease of about 8 million pounds under the January 1, 1933 stocks. Type 23 stocks reported as 38,574,000 pounds were only a little over a million pounds lower than on January 1, 1933 and showed an increase of 11,612,000 pounds over the previous quarter holdings. Stocks of Henderson Stemming, Type 24, were reported as 3,591,000 pounds on January 1, 1934.

Burley stocks were about 34½ million pounds lower on January 1, 1934 than they were at the beginning of 1933. The January 1, 1934 report shows 585,252,000 pounds of Burley on hand compared with 619,690,000 pounds on hand the previous year and 615,930,000 pounds on the previous quarter. Maryland tobacco stocks were slightly lower on January 1 than they were on October 1, 1933, at which time they reached a record high, but they are still considerably higher than the average stocks over a period of years. The January 1, 1934 report shows 37,909,000 pounds of Maryland tobacco on hand.

One-Sucker stocks on January 1, 1934 amounted to 27,384,000 pounds, 6,670,000 pounds lower than on January 1, 1933 and about 3 million pounds lower than the October 1 stocks. Green River stocks reported as 35,101,000 pounds on January 1, 1934 were slightly higher than a year ago. Virginia Sun-cured stocks totaled 2,284,000 pounds on January 1, about a million pounds lower than the previous years stocks. Miscellaneous Domestic stocks were reported as 2,184,000 pounds and foreign-grown other than cigar leaf as 74,034,000 pounds on January 1, 1934.

JANUARY 1 CIGAR LEAF TOBACCO STOCKS

Stocks of American-grown cigar filler types amounted to 167,953,000 pounds on January 1, 1934, compared with 177,083,000 pounds on January 1, 1933, a decrease of 9,130,000 pounds. Type 41, Penn. Seedleaf stocks on January 1, 1934 were 91,672,000 pounds; Type 42, Gebhardt, 21,367,000 pounds; Type 43, Zimmer, 25,585,000 pounds; Type 44, Dutch, 7,339,000 pounds; Type 45, Ga. and Fla. Sun-grown, 1,503,000 pounds; and Type 46, Porto Rican, 20,487,000 pounds. The detailed report shows about 75 per cent of the total filler type stocks in the C group, and about 23 per cent in the X group.

The cigar binder type stocks were a little over 4 million pounds higher on January 1, 1934 than they were on January 1, 1933. Total binder type stocks were reported as 194,179,000 pounds on January 1, 1934. Of this total 35,238,000 pounds were Type 51, Conn. Broadleaf; 34,486,000 pounds, Type 52, Havana Seed; 4,136,000 pounds Type 53, N. Y. and Pa. Havana Seed; 75,095,000 pounds Southern Wisconsin; and 45,224,000 pounds Northern Wisconsin. The detailed report by groups of grades shows that of the total binder type stocks reported 4,714,000 pounds are of wrapper quality, 69,850,000 pounds are binders, 11,442,000 pounds are fillers, and 107,889,000 pounds are stemming grade or X group tobacco.

Shade-grown wrapper type stocks were 1,324,000 pounds lower on January 1, 1934 than on January 1, 1933. The January 1 report of this year shows 14,779,000 pounds on hand. Conn. Valley Shade, Type 61, stocks were 10,821,000 pounds, and the Ga. and Fla. Shade, Type 62, stocks were 3,958,000 pounds. Of the total shade tobacco stocks reported 10,203,000 pounds are shown in the A group as being of actual wrapper quality.

Foreign cigar leaf tobacco stocks were reported as 11,095,000 pounds on January 1, 1934 compared with 11,879,000 pounds on January 1, 1933.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers
B-Heavy Leaf, Cutting Leaf, and Fillers
C-Thin Leaf or Cutters
X-Lugs and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 31:

A-Wrappers
B-Leaf or Fillers and Tips
C-Lugs, or Cutters
X-Trash, Flyings and Spods
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as Dull Crop
C-Thin Leaf, locally known as Bright Crop
X-Seconds and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 41:

B-Binders or Tops
C-Fillers, locally known as Wrappers or B's
X-Stemming, Farm Fillers, Ground Leaves, and crops unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers
X-Stemming, Farm Fillers; Ground Leaves and crops unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 45:

C-Fillers
X-Stemming, Ground Leaves, and crops unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 46:

C-Tripas or Fillers
X-Resagos, Terceros, Boliches, and crops unsuitable for sorting.
S-Scrap (Ficadura), as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers
B-Binders, locally known as Seconds
C-Fillers, locally known as Tips or B's.
X-Stemming, Sand-Leaf Fillers, Ground Leaves, and crops unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers, locally known as Tips or B's.
X-Stemming, Sand-Leaf Fillers, Bottom Leaves, and crops unsuitable for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Binders
C-Fillers, or Tips
X-Trashy Fillers or Loose Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

For definitions of Scrap and Nondescript see Service and Regulatory Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS BY GROUPS OF GRADES
JANUARY 1, 1934.

U. S. TYPE 11.-OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	NEW CROP		OLD CROP		January 1	October 1.
	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Group Totals : 1000 lbs.	Group Totals : 1000 lbs.
A	5,927	-	136	-	6,063	3,902
B	47,534	2,229	2,001	339	52,103	33,656
C	72,950	9,400	4,115	128	86,593	57,771
X	170,735	20,054	636	129	191,554	122,695
S	12,196	31	122	5	12,354	8,590
N	293	-	6	-	299	228
Total	309,635	31,714	7,016	601	348,966	226,842

U. S. TYPE 12.-EASTERN NORTH CAROLINA FLUE-CURED

A	161	-	-	-	161	522
B	51,670	524	411	299	52,904	24,432
C	74,061	16,109	6,709	299	97,178	63,666
X	117,071	22,096	3,405	17	142,589	91,370
S	9,705	41	45	11	9,802	4,648
N	692	-	-	-	692	264
Total	253,360	38,770	10,570	626	303,326	184,902

U. S. TYPE 13.-SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	1,129	-	-	-	1,129	2,369
B	22,077	519	116	63	22,775	16,848
C	36,433	3,120	386	-	39,939	40,138
X	64,488	11,585	793	-	76,866	66,913
S	5,759	-	12	16	5,787	1,707
N	217	-	-	-	217	124
Total	130,103	15,224	1,307	79	146,713	128,104

U. S. TYPE 14.-GEORGIA AND FLORIDA FLUE-CURED

A	40	-	-	-	40	849
B	6,782	2,939	499	-	10,220	11,374
C	2,337	22,467	1,274	-	26,078	28,866
X	10,204	11,315	460	59	22,038	24,086
S	634	8	-	-	692	650
N	51	-	-	-	51	37
Total	20,098	36,729	2,233	59	59,119	65,862

(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.--VIRGINIA FIRE-CURED

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Group Totals : 1000 lbs.	Group Totals : 1000 lbs.
A	486	1	29	-	516	589
B	2,622	166	2,115	3	4,906	6,110
C	1,097	32	-	-	1,129	1,424
X	13,149	185	2,739	2	16,075	18,211
S	450	2	6	-	458	523
N	25	-	-	-	25	49
Total	17,829	386	4,389	5	23,109	26,906

U. S. TYPE 22.--TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C.H. & S.)

A	1,741	-	63	-	1,804	10,211
B	68,124	34	473	-	68,631	79,726
C	8,024	28	19	-	8,071	15,221
X	24,566	1	148	-	24,715	30,409
S	1,738	13	169	-	1,920	2,661
N	346	-	-	-	346	337
Total	104,539	76	872	-	105,437	138,565

U. S. TYPE 23.--KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	154	1	34	-	189	206
B	21,194	39	4	114	21,351	17,082
C	5,416	-	9	-	6,425	3,591
X	9,357	-	37	-	9,394	5,367
S	956	5	16	-	977	473
N	238	-	-	-	238	243
Total	38,315	45	100	114	38,574	26,962

U. S. TYPE 24.--HENDERSON STEMMING OR NORTHERN FIRE-CURED

B	1,540	5	-	-	1,545	1,570
C	825	-	-	-	825	885
X	1,039	-	2	-	1,091	1,354
S	100	-	-	-	100	158
N	30	-	-	-	30	39
Total	3,584	5	2	-	3,591	4,006

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.-BURLEY

Group	NEW CROP		OLD CROP		January 1.	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,627	-	44	-	1,671	1,637
B	247,064	46,061	3,890	2,714	299,729	337,805
C	170,049	15,038	6,625	432	192,144	179,807
X	69,353	9,927	205	9	79,504	84,799
S	9,991	397	137	-	9,625	10,328
N	2,452	71	56	-	2,579	1,554
Total	499,646	71,494	10,957	3,155	585,252	615,930

U. S. TYPE 32.-SOUTHERN MARYLAND

B	13,685	16	-	-	13,701	15,337
C	15,292	399	-	-	15,691	16,552
X	8,254	90	3	-	8,347	8,195
S	41	1	-	-	42	38
N	208	-	-	-	208	366
Total	37,480	506	3	-	37,989	40,488

U. S. TYPE 35.-ONE SUCKER

A	1,070	-	108	-	1,178	1,100
B	9,885	-	454	-	10,339	11,465
C	7,888	-	39	-	7,927	9,142
X	5,673	112	63	-	5,848	6,897
S	936	-	-	-	936	870
N	1,102	7	37	-	1,146	937
Total	26,564	119	701	-	27,384	30,461

U. S. TYPE 36.-GREEN RIVER

A	216	-	-	-	216	255
B	13,760	197	1	2	13,961	14,715
C	1,182	-	57	-	1,239	1,415
X	18,412	305	433	-	19,150	19,345
S	489	16	25	1	531	840
N	4	-	-	-	4	4
Total	34,063	519	516	3	35,101	36,574

U. S. TYPE 37.-VIRGINIA SUN-CURED

A	34	-	-	-	34	263
B	243	50	64	30	387	416
C	135	-	-	-	135	629
X	653	856	16	29	1,554	1,848
S	106	-	-	68	174	85
Total	1,171	906	80	127	2,284	3,241

(Figures rounded to nearest thousand pounds)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals 1000 lbs.	Group Totals 1000 lbs.
B	508	8	9	-	525	416
C	64,006	2,044	3,422	485	69,957	76,061
X	17,384	1,569	634	1,097	20,684	22,569
S	11	494	-	1	506	266
Total	81,909	4,115	4,065	1,583	91,672	99,312

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	13,645	758	1,128	133	15,664	15,498
X	5,109	91	21	-	5,221	5,317
S	435	47	-	-	482	45
N	-	-	-	-	-	5
Total	19,189	896	1,149	133	21,367	20,865

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	14,949	864	1,307	57	17,177	19,064
X	7,850	302	-	8	8,170	6,585
S	126	106	1	2	235	123
N	3	-	-	-	3	-
Total	22,938	1,272	1,308	67	25,585	25,772

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	5,011	105	349	4	5,469	6,125
X	1,718	69	-	-	1,787	1,734
S	3	76	-	-	79	127
N	-	4	-	-	4	-
Total	6,732	254	349	4	7,339	7,986

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	300	1,192	-	-	1,492	1,716
X	1	4	-	-	5	1
S	-	5	1	-	6	5
Total	301	1,201	1	-	1,503	1,722

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	100	16,395	-	238	16,733	14,164
X	930	1,647	119	88	2,784	2,704
S	8	958	2	1	969	963
N	-	1	-	-	1	-
Total	1,038	19,001	121	327	20,487	17,831

(Figures rounded to nearest thousand pounds)

U. S. TYPE 51.-CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	2,126	3	271	1	2,401	1,987
B	23,118	204	1,209	23	24,554	26,112
C	1,773	194	555	67	2,589	3,487
X	3,121	2,230	1	180	5,532	5,760
S	5	157	-	-	162	102
N	-	-	-	-	-	2
Total	30,143	2,778	2,036	271	35,238	37,450

U. S. TYPE 52.-CONNECTICUT VALLEY HAVANA SEED

A	2,107	16	145	-	2,268	2,518
B	21,727	29	3,070	-	24,826	25,139
C	1,165	112	98	41	1,416	987
X	2,874	2,752	87	212	5,925	6,381
S	-	51	-	-	51	23
Total	27,873	2,950	3,400	253	34,486	35,048

U. S. TYPE 53.-NEW YORK AND PENNSYLVANIA HAVANA SEED

A	31	-	14	-	45	30
B	190	-	19	34	243	345
C	608	6	7	23	644	258
X	3,134	49	2	-	3,185	3,117
S	2	17	-	-	19	11
Total	3,965	72	42	57	4,136	3,761

U. S. TYPE 54.-SOUTHERN WISCONSIN

B	4,999	4	2,096	42	7,141	5,909
C	3,151	174	223	79	3,627	3,814
X	59,513	2,532	56	2,224	64,325	64,355
S	1	1	-	-	2	57
N	-	-	-	-	-	36
Total	67,664	2,711	2,375	2,345	75,095	74,171

U. S. TYPE 55.-NORTHERN WISCONSIN

B	10,867	96	2,103	15	13,086	15,388
C	2,995	161	10	-	3,166	3,957
X	26,776	2,146	-	-	28,922	30,492
S	6	15	-	-	21	152
N	29	-	-	-	29	32
Total	40,673	2,418	2,113	15	45,224	50,021

(Figures rounded to nearest thousand pounds)

U. S. TYPE 61.--CONNECTICUT VALLEY SHADE

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Total
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	6,394	17	189	-	6,600	5,811
B	2,866	88	563	1	3,518	3,545
C	154	86	245	25	510	1,106
X	25	-	60	-	85	114
S	9	98	-	1	108	154
Total	9,448	289	1,057	27	10,821	10,730

U. S. TYPE 62.--GEORGIA AND FLORIDA SHADE

A	3,447	1	155	-	3,603	4,142
B	226	6	14	-	246	358
C	26	7	-	-	33	76
X	50	-	1	-	51	53
S	25	-	-	-	25	4
N	-	-	-	-	-	1
Total	3,774	14	170	-	3,958	4,634

U. S. TYPE 70.--MISCELLANEOUS DOMESTIC

No Groups	1,374	558	172	80	2,184	2,065
-----------	-------	-----	-----	----	-------	-------

U. S. TYPE 80.--FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups	3,982	6,606	379	128	11,095	11,617
-----------	-------	-------	-----	-----	--------	--------

U. S. TYPE 90.--FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups	67,857	217	5,960	-	74,034	76,807
-----------	--------	-----	-------	---	--------	--------

GRAND TOTAL ALL TYPES

	NEW CROP		OLD CROP		Grand Total
	Unstemmed	Stemmed	Unstemmed	Stemmed	
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	
January 1, 1934	1,865,247	241,865	63,951	10,059	2,181,119
October 1, 1933	1,740,364	234,941	30,330	3,000	2,008,635

(Figures rounded to nearest thousand pounds)

(Figures are in thousands of pounds)

TYPE NAME	U.S. Type No.	NEW CROPS		OLD CROPS		TOTAL OF TYPE			
		Type of 1930, 1931, 1932 & 1933	Estimated	Crops prior to 1930	Estimated	January 1, 1934	October 1, 1933	January 1, 1933	October 1, 1932
Old Belt Flue-cured Va. & N. C.	11	1000 lbs.	31,724	7,016	601	348,966	226,842	343,193	294,097
Eastern N. C. Flue-cured	12	253,360	38,770	10,570	626	303,326	184,902	257,800	232,328
South Carolina Flue-cured (including Southeastern N.C.)	13	130,103	15,224	1,307	79	146,713	128,104	116,933	140,702
Ge. and Florida Flue-cured	14	20,098	36,729	2,273	59	59,119	65,862	51,571	53,181
Total Flue-cured	11-14	1,404,196	122,437	21,126	1,355	658,124	609,710	769,497	720,508
Virginia Flue-cured	21	17,829	386	4,889	5	23,109	26,906	31,369	32,216
Tenn. and Ky. Flue-cured (Eastern)	22	104,539	75	872	-	105,487	138,565	113,210	119,480
District C.H. and S.)	23	38,315	45	100	114	38,574	26,962	39,734	39,046
Ky. and Tenn. Flue-cured (Western District M. and P.)	24	3,584	5	2	-	3,591	4,006	3,109	4,147
Henderson Stemming or Northern Flue-cured	25	-	-	-	-	-	-	-	-
Total Flue-cured	21-25	164,267	512	5,863	119	170,761	196,439	187,422	194,889
Burley	31	499,646	71,494	10,957	3,155	585,252	615,930	619,690	586,560
Southern Maryland	32	37,480	506	3	-	37,989	40,488	31,125	30,670
Total Leaf Flue-cured	31-32	537,126	72,000	10,960	3,155	623,241	656,418	651,015	617,230
One Sucker	35	26,564	119	701	-	27,384	30,461	34,054	33,715
Green River	36	34,063	519	516	3	35,101	36,574	33,791	36,305
Va. Sun-cured	37	1,171	906	80	127	2,284	3,241	3,397	3,358
Total Dark Flue-cured	35-37	61,798	1,544	1,297	130	64,769	70,276	71,252	73,313
Pennsylvania Seedleaf	41	81,909	4,115	4,065	1,583	91,672	99,312	99,011	107,683
Gesherde (Ohio-Miam Valley)	42	19,189	896	1,149	133	21,367	20,665	21,010	19,146
Zimmer (Ohio-Miam Valley)	43	22,938	1,272	1,308	67	25,585	25,772	26,531	27,670
Dutch (Ohio-Miam Valley)	44	6,732	254	349	4	7,339	7,986	8,800	10,947
Ge. and Fla. Sun-grown	45	301	1,201	1	-	1,503	1,722	2,065	2,025
Porto Rican Sun-grown	46	1,038	19,001	121	327	20,487	17,831	19,668	20,316
Total Seed-leaf Types	41-46	132,107	26,779	6,993	2,114	167,953	173,488	177,083	187,807
Conn. Valley Broadleaf	51	30,113	2,788	2,036	271	35,238	37,490	35,099	36,647
Conn. Valley Havana Seed	52	27,873	2,960	3,400	253	34,486	35,018	35,618	37,092
W. Va. and Pa. Havana Seed	53	3,965	72	42	57	4,136	3,761	3,535	3,881
Southern Wisconsin	54	67,664	2,711	2,375	2,345	75,095	74,171	70,024	73,918
Northern Wisconsin	55	40,673	2,418	2,118	15	45,224	40,021	46,563	47,355
Total Cigar-Binder Types	51-55	170,318	10,949	9,972	2,941	194,179	200,451	189,819	198,893
Conn. Valley Shade	61	9,448	289	1,057	27	10,821	10,730	11,502	10,902
Ge. and Fla. Shade	62	3,774	14	170	-	3,958	4,634	4,801	5,152
Total Shade-grown	61-62	13,222	303	1,227	27	14,779	15,364	16,303	16,054
Miscellaneous Domestic	70	1,374	558	112	80	2,184	2,005	2,270	2,182
Foreign Clean-leaf	80	3,982	6,606	379	126	11,095	11,617	11,879	12,963
Foreign other than clean leaf	90	67,587	217	960	-	74,801	76,807	68,383	71,873
TOTAL ALL TYPES	11-90	1,365,217	241,865	63,951	10,059	2,181,119	2,008,637	2,144,733	2,095,011

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco, (b) manufacturers who in the first three quarters of 1933, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the first session of the 72nd Congress as H. R. 9590.

Milo A. Olsen, Chief
Bureau of Agricultural Economics.

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF AGRICULTURAL ECONOMICS
TOBACCO SECTION
WASHINGTON, D. C.



June 11, 1934

CORRECTION IN APRIL 1, 1934, TOBACCO STOCKS
REPORT - PENNSYLVANIA SEEDLEAF

Attention is called to an error in the April 1 Tobacco Stocks Report, issued on May 24, 1934. The stocks of Pennsylvania Seedleaf, Type 41, are shown as 103,405,000 pounds. The correct figure for the total stocks of this type is 96,162,000 pounds. In the detailed report the total of the B Group should be 4,309,000 pounds, and the total for the C Group should be 75,642,000 pounds.



