


# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.57

25% off.

JAN 20 1927

⇒ 1897 ←

# Palm and Conifer Seeds.

**PALM SEEDS** are imported direct from Australia, New Zealand, South and Central America, Africa, Asia and Europe.

Fresh seeds arrive all the year round, mainly in spring and summer, and should be sown as soon as possible after arrival, as Palm Seeds generally, with but few exceptions, lose their germinating power very soon or start into germination when favored by moisture and moderate temperature. As a rule, small seeded varieties from a tropical climate spoil very quickly, while large seeded ones keep a year, hard shelled Cocos two years and Washingtonias even five years in good condition.

When sowing Palm Seeds care should be taken to keep them in an evenly warm and moist temperature, a loose soil mixed with fine moss or sawdust is of great advantage. Some varieties germinate very quickly while others require several months.

As we do not keep any Palm Seeds on hand except in their season, it is advisable for our customers to place their orders for seeds as early as possible to enable us to ship the seeds directly after arrival and no time will be lost in correspondence.

**CONIFER SEEDS** have been added this year as a specialty to our business, and as we have been able to secure seeds from the most reliable collectors and dealers here and abroad, we are in a position to offer a line of very choice and fresh goods.

A trial of sowing Conifer Seeds, we are satisfied, would convince our patrons that considerable money would be saved by growing the plants from seed, instead of buying the plants from Europe.

The best time for sowing Conifer Seed is the early spring, as soon as the ground can be worked, in fine sandy loam. A shady position and moderate moisture will favor the conditions of germination.

As great care must be taken to keep Conifer Seed, we will not send out any orders before the latter part of February, which will insure our patrons to get the seeds in best condition and we would be pleased to receive orders as soon as possible.

**TERMS AND CONDITIONS OF SALE:** While we shall always endeavor to fill all orders strictly as entrusted to us, we desire it to be distinctly understood, that our prices are subject to our ability to deliver the quantities ordered, as shortage of crops or bad arrival may prevent us from doing so.

**TERMS:** Net cash within 30 days from date of invoice or 5 per cent. discount for cash with order; unknown parties will please send cash with their order. No complaints will be entertained unless made immediately upon receipt of goods.

We do not collect any of the seeds ourselves, but get same from reliable collectors and dealers, and can give no warranty express or implied as to the proper names of the varieties and will not be held responsible in respect to germination, but will assure our customers, that we will only send out seeds that look fresh and healthy to us. If the seeds are not accepted on these conditions they must be returned at once and the money paid will be refunded.

J. L. SCHILLER, Rutherford, N. J.

## Palm Seeds.

	Per 100	Per 1000	Per 5000	Per 100	Per 1000	Per 5000
Areca aurea . . . . .	\$1 50	\$12 50		Kentia Belmoreana . . . . .	\$1 00	\$7 50 \$35 00
Baueri . . . . .	1 50	12 50		Canterburyana . . . . .	1 75	
lutescens . . . . .	1 00	7 50	\$32 50	Forsteriana . . . . .	1 00	7 50 35 00
nobilis . . . . .	1 50	12 50		Latania aurea . . . . .	2 25	
rubra . . . . .	1 25	10 00		Commersonii . . . . .	(rubra) . . . . .	2 25
sapida . . . . .	1 50	12 50		borbonica . . . . .	50	2 50 10 00
Brahea dulcis (Corypha frigida) . . . . .	1 75	15 00		sinensis mau- ritiana . . . . .	1 00	8 50
edulis (Erythea edulis) . . . . .	1 50	12 50		Livistona rotundi- folia . . . . .	2 50	22 50 100 00
Rœzlíi (Erythea armata) . . . . .	1 50	12 50		Oreodoxa regia . . . . .	75	5 00
Chamærops excelsa . . . . .	50	3 50	15 00	Pandanus globiferus . . . . .	1 50	
Histrix . . . . .	1 25	10 00		obeliscus . . . . .	2 50	
humilis canari- ensis . . . . .	50	3 50	15 00	odoratis- simus . . . . .	2 50	
humilis argentea . . . . .	50	3 50	15 00	purpurascens . . . . .	2 50	
" elegans . . . . .	50	3 50	15 00	sativus . . . . .	2 25	
" elata . . . . .	50	3 50		spiralis . . . . .	2 00	
" nivea (glauca) . . . . .	75	5 00		utilis . . . . .	1 50	12 50 50 00
" robusta . . . . .	75	5 00		✓ Phœnix canariensis . . . . .	50	3 50 15 00
Chamædorea elegans . . . . .	75	5 00		dactylifera . . . . .	50	3 50 15 00
Ernesti Augusti . . . . .	75	5 00		leonensis . . . . .	1 00	7 50 32 50
graminifolia . . . . .	1 00	7 50		pumila . . . . .	1 00	7 50 32 50
Cocos acaulis . . . . .	1 25	10 00		reclinata . . . . .	1 00	7 50 30 00
australis . . . . .	1 00	7 50		rupicola . . . . .	1 00	7 50 32 50
flexuosa . . . . .	1 00	7 50		siamensis . . . . .	1 00	8 00 35 00
glaуca . . . . .	1 25	10 00		tenuis . . . . .	1 00	8 00 35 00
plumosa . . . . .	1 25	10 00		Sabal Adansonii . . . . .	75	5 00
Romanzoffiana . . . . .	1 50	12 50		Blackburniana . . . . .	1 00	8 50
Weddelliana . . . . .	1 25	10 00	45 00	Palmetto . . . . .	75	5 00
Corypha australis . . . . .	75	5 00		serrulata . . . . .	50	4 00
Cycas circinalis . . . . .	5 00			Thrinax argentea . . . . .	1 00	7 50
revoluta . . . . .	5 00			elegantissima . . . . .	1 00	7 50
Geonoma gracilis . . . . .	1 50	12 50		excelsa . . . . .	1 00	8 50
latifolia . . . . .	1 25			Washingtonia filifera . . . . .	50	2 50
Schottiana . . . . .	1 50	12 50		" filifera . . . . .		
				robusta . . . . .	50	3 00
				Zamia integrifolia . . . . .	10 00	

## Seeds of Decorative Plants.

Anthurium Scherzerianum . . . . .					per 100 seeds, \$1 50
Asparagus plumosus nanus . . . . .					per 100 seeds, \$1 50; per 1000, 12 50
Coffea arabica (Coffee plant) . . . . .				" "	I 50 " I 2 50
Cordyline (Dracæna), angustifolia . . . . .					per oz., 50
australis . . . . .					" 75
indivisa lineata . . . . .					" 50
" latifolia superba . . . . .					" 75
" Veitchii . . . . .					" 50
rubra . . . . .					per 100 seeds, 75
Dracæna Draco . . . . .					" "
Musa Ensete . . . . .					per 100 seeds, \$1 25; per 1000, 10 00
rosacea . . . . .					per 100 seeds, I 50
superba . . . . .					" " I 50
Phormium tenax . . . . .					" " I 00
" fol. var. . . . .					" " I 00
Yucca augustifolia . . . . .					per oz., 2 50
filamentosa . . . . .					" I 75

## Conifer Seeds.

			Per oz.	Per lb.
			\$0 50	\$5 50v
<b>Abies</b>	<i>amabilis</i>	Lovely silver Fir . . . . .	20	2 00 v
	<i>balsamea</i>	Balsam Fir . . . . .	60	7 50v
	<i>brachyphylla</i>	Short leaved Fir from Japan . . . . .	80	10 00v
	<i>bracteata</i>		20	2 00 v
	<i>concolor</i>	White silver Fir . . . . .	25	2 75v
	<i>firma</i>	Japan silver Fir . . . . .	25	2 50v
	<i>Fraseri</i>	Double Spruce . . . . .	40	4 00v
	<i>grandis</i>	Great silver Fir . . . . .	1 50	v
	<i>homolepis</i>		50	6 00 v
	<i>lasiocarpa</i>	Mountain white Fir . . . . .	60	7 00
	<i>Lowiana</i>	Superb silver Fir . . . . .	75	8 00v
	<i>magnifica</i>	New Japanese silver Fir. . . . .	50	5 00 v
	<i>Mariesii</i>	Noble Fir. . . . .	20	1 50v
	<i>nobilis</i>	Nordmanns Fir. . . . .	10	5 00v
	<i>Nordmanniana</i>	European silver Fir . . . . .	50	6 00
	<i>pectinata</i>	From Japan, tall, handsome . . . . .	75	8 00v
	<i>Veitchii</i>	Williamson's California Spruce . . . . .		
	<i>Williamsonii</i>	per 100 seeds, \$2.50		
<b>Araucaria</b>	<i>braziliensis</i>			
	<i>excelsa</i>	" " 2.50		
	<i>imbricata</i>	" " 2.50		
<b>Biota</b>	<i>orientalis</i> ( <i>Thuja</i> )	Chinese arbor-vitæ . . . . .	10	75
	" <i>aurea</i>	Golden arbor-vitæ . . . . .	15	1 00
	" <i>compacta</i>	Compact arbor-vitæ . . . . .	20	1 25
	" <i>elegantissima</i>	Elegant arbor-vitæ . . . . .	35	3 50
<b>Cedrus</b>	<i>atlantica</i>	Mount Atlas Cedar . . . . .	30	3 00
	<i>Deodora</i>	Himalayan Cedar . . . . .	30	3 00
	<i>libani</i>	Lebanon Cedar. . . . .	25	2 50
<b>Cephalotaxus</b>	<i>drupacea</i>	From Japan . . . . .	25	2 75
<b>Chamæcyparis</b>	<i>Lawsoniana</i>	Lawson's Cypress . . . . .	30	3 00
	<i>nutkaensis</i>	Tall, slender, very elegant . . . . .	2 75	
	<i>obtusa</i>	Japan Cypress . . . . .	50	5 00
	<i>pisifera</i>	" "	50	5 00
	<i>plumosa</i>		75	9 50
✓ <b>Cryptomeria</b>	<i>japonica</i>	Japan Cedar . . . . .	20	1 50
✓	<i>elegans</i>	Handsome Cedar . . . . .	25	2 50
✓ <b>Cupressus</b>	<i>Goveniana</i>	Goven's dwarf Cypress . . . . .	25	2 75
✓	<i>guadalupensis</i>		35	3 50
✓	<i>MacNabiana</i>	Fine pyramidal, dense in foliage . . . . .	35	3 50
✓	<i>macrocarpa</i>	Monterey Cypress . . . . .	15	1 00
✓	<i>sempervirens</i>	Evergreen Cypress . . . . .	15	1 00
<b>Juniperus</b>	<i>communis</i>	European Juniper. . . . .	10	50
✓	<i>occidentalis</i>	American Juniper . . . . .	50	5 00
	<i>taxifolia</i>		20	2 00
	<i>Virginiana</i>	Red Cedar. . . . .	10	1 00
<b>Larix</b>	<i>Americana</i>	American Larch . . . . .	1 25	15 00
	<i>Europæa</i>	European Larch . . . . .	10	75
✓	<i>leptolepis</i>		70	7 50
✓	<i>occidentalis</i>		1 50	
<b>Libocedrus</b>	<i>decurvens</i>	Californian white Cedar . . . . .	20	1 75
Picea	<i>ajanensis</i>	From Japan, magnificent . . . . .	1 75	

# J. L. SCHILLER, RUTHERFORD, N. J.

		Per oz.	Per lb.
<b>Picea</b> alba . . . . .	White Fir . . . . .	\$0 40	\$4 00
Alcoquiana . . . . .	Japan Fir . . . . .	80	10 00
Breweriana . . . . .	Brewer's Spruce . . . . .	1 50	17 50
Engelmanni . . . . .	Englemann's Spruce . . . . .	70	7 50
excelsa . . . . .	Norway Spruce . . . . .	10	1 00
Mariana . . . . .	Black Spruce . . . . .	75	8 00
nigra . . . . .	Black Spruce . . . . .	50	5 00
pungens . . . . .	Blue Spruce . . . . .	70	7 50
sitchensis . . . . .	Tide Land Spruce . . . . .	70	7 50
sabalpina . . . . .		90	12 00
<b>Pinus</b> albicaulis . . . . .	Mount Hood Nut Pine . . . . .	40	4 00
Austriaca . . . . .	Austrian Pine . . . . .	20	2 00
Balfouriana . . . . .	Balfour's Pine . . . . .	75	8 00
Benthamiana . . . . .	Williamette Valley Foot Hill Pine . . . . .	50	5 00
canariensis . . . . .	Canary Island Pine . . . . .	25	2 75
Cembra . . . . .	Cembran Stone Pine . . . . .	10	75
contorta . . . . .	Twisted Pine . . . . .	75	8 00
Coulteri . . . . .	Coulter's California Pine . . . . .	40	4 50
densiflora . . . . .	From Japan . . . . .	30	3 00
excelsa . . . . .	Himalayan Pine . . . . .	30	3 00
flexilis . . . . .		75	9 00
inops . . . . .		30	3 00 ✓
insignis . . . . .	Oregon Pitch Pine . . . . .	25	2 50
Jeffreyii . . . . .	Jeffrey's Pine . . . . .	45	4 75
Koraiensis . . . . .	From Japan . . . . .	80	10 00
Lambertiana . . . . .	Sugar Pine . . . . .	30	3 00
Laricio . . . . .	Corsican Pine . . . . .	15	1 50
Massoniana . . . . .	Chinese Pine . . . . .	25	2 50
mitis . . . . .		1 50	
monophylla . . . . .	California Nut Pine . . . . .	30	3 00
Montana . . . . .	Mountain Pine . . . . .	25	2 50
monticola . . . . .	White or Little Sugar Pine . . . . .	50	6 00
muricata . . . . .	Prickly Cone Pine . . . . .	60	7 00
Murrayana . . . . .	Lodge Pole Pine . . . . .	75	8 00
Parryana . . . . .		50	6 00
parviflora . . . . .	Small, dense foliage . . . . .	50	5 00
ponderosa . . . . .	Yellow Pine . . . . .	30	3 00
rigida . . . . .	Pitch Pine . . . . .	40	4 50
Sabiniana . . . . .	Nut Pine . . . . .	20	1 50
silvestris . . . . .	Scotch Pine . . . . .	20	2 00
strobiformis . . . . .	Alpine, or White Pine . . . . .	75	8 00
Strobus . . . . .	White Pine . . . . .	30	3 00
Torreya . . . . .	Torrey's Pine . . . . .	45	4 50
tuberculata . . . . .	Knob Cone Pine . . . . .	45	4 50
<b>Pseudotsuga</b> Douglasi (taxifolia). macrocarpa . . . . .	Douglas Fir . . . . .	45	4 50
		80	10 00
<b>Sciadipitys</b> verticillata . . . . .	Umbrella Pine of Japan . . . . .	2 00	
<b>Sequoia</b> gigantea . . . . .	Californian big tree . . . . .	75	8 00
sempervirens . . . . .	Californian red wood . . . . .	45	4 50
<b>Taxodium</b> distichum . . . . .	Bald Cypress . . . . .	10	1 25
<b>Taxus</b> baccata . . . . .	European Yew . . . . .	10	1 00
brevifolia . . . . .	Californian Yew . . . . .	75	8 00
cuspidata . . . . .	Japanese Yew . . . . .	75	8 00
<b>Thuya</b> gigantea . . . . .	Yellow or red Cedar . . . . .	50	6 00
occidentalis . . . . .	American arbor-vitæ . . . . .	20	2 00
<b>Torreya</b> Californica . . . . .	California Nutmeg . . . . .	15	1 50
<b>Tsuga</b> canadensis . . . . .	Hemlock Spruce . . . . .	25	2 50
Mertensiana . . . . .	Western Hemlock . . . . .	80	10 00

J. L. SCHILLER, RUTHERFORD, N. J.