

PATIENTS

in

MENTAL INSTITUTIONS

1955

Part II

PUBLIC HOSPITALS FOR THE MENTALLY ILL



RC
A43
A32
1955, pt.2

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

PATIENTS IN MENTAL INSTITUTIONS

1955

**Prepared by the Biometrics Branch
of
The National Institute of Mental Health**

Hospital Studies Section

RC443
A32
1955 p. 12

**U. S. DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
Public Health Service
National Institutes of Health**

RC 443
A35.
1950-51

SYMBOLS USED

Class or item not applicable (3 dots)----- ...
Data not available (3 dashes)----- ---
Quantity is zero (1 dash)----- -



Public Health Service Publication No. 574

Part II

For sale by the Superintendent of Documents, U. S. Government Printing Office,
Washington 25, D. C. - Price 35 cents

TABLE OF CONTENTS

SECTION I.--INTRODUCTION

	Page
Current Annual Report	II-5
Previous Reports	II-5

SECTION II.--SCOPE OF THE DATA

Purpose.....	II-5
Coverage	II-5
Mental Health Statistics--Current Reports.....	II-6
Table A.--Number of Public Prolonged-Care Mental Hospitals and Psychopathic Hospitals Reporting in 1955	II-6

SECTION III.--DEFINITIONS

Type of Hospital Included.....	II-7
Data on Movement of Patient Population	II-7
Patients on books at beginning and end of the year.....	II-7
Admissions other than transfers	II-7
Separations other than transfers	II-7
Transfers	II-7
Nomenclature	II-8
Characteristics of First Admissions and Resident Patients.....	II-8
Characteristics of Discharged Patients	II-8

SECTION IV.--LIMITATIONS OF THE DATA

Utility of Hospital Rates as a Measure of Prevalence and Incidence.....	II-8
Special Problems Relating to Hospitals Included in the Survey.....	II-9
Other Limitations.....	II-9

SECTION V.--DETAILED TABLES

MOVEMENT

Table	
1. Patients on Books of Public Prolonged-Care Hospitals for Mental Disease at Beginning and End of Year, by Sex and State: United States, 1955	II-10
2. Patients on Books of Psychopathic Hospitals at Beginning and End of Year, by Sex and State: United States, 1955.....	II-14
3. Admissions and Separations in Public Prolonged-Care Hospitals for Mental Disease, by Sex and State: United States, 1955.....	II-15
4. Admissions and Separations in Psychopathic Hospitals, by Sex and State: United States, 1955.....	II-19

FIRST ADMISSIONS

5. First Admissions to Public Prolonged-Care Hospitals for Mental Disease by Mental Disorder, Age and Sex: United States, 1955	II-20
6. First Admissions to Public Prolonged-Care Hospitals for Mental Disease by Mental Disorder, Sex and State: United States, 1955.....	II-24
7. First Admissions to Public Prolonged-Care Hospitals for Mental Disease, by Age, Sex and State: United States, 1955.....	II-32
8. First Admissions to Psychopathic Hospitals by Mental Disorder, Age and Sex: United States, 1955.....	II-36
9. First Admissions to Psychopathic Hospitals by Mental Disorder, Sex and State: United States, 1955.....	II-40
10. First Admissions to Psychopathic Hospitals by Age, Sex and State: United States, 1955.....	II-42

RESIDENT PATIENTS

Table	Page
11. Patients Resident in Public Prolonged-Care Hospitals for Mental Disease, by Mental Disorder, Age at End of Year, and Sex: United States, 1955.....	II-43
12. Patients Resident in Public Prolonged-Care Hospitals for Mental Disease, by Mental Disorder, Sex and State: United States, 1955.....	II-48
13. Patients Resident in Public Prolonged-Care Hospitals for Mental Disease, at End of Year, by Age, Sex and State: United States, 1955.....	II-56
14. Patients Resident in Psychopathic Hospitals, by Mental Disorder, Age at End of Year, and Sex: United States, 1955.....	II-60
15. Patients Resident in Psychopathic Hospitals at End of Year, by Mental disorder, Sex and State: United States, 1955.....	II-64
16. Patients Resident in Psychopathic Hospitals, by Age at End of Year, Sex and State: United States, 1955.....	II-66

ADMINISTRATIVE DATA

17. Personnel Employed Full and Part Time in Public Prolonged-Care Hospitals for Mental Disease, by Occupation: United States, 1955.....	II-67
18. Personnel Employed Full and Part Time in Psychopathic Hospitals, by Occupation: United States, 1955.....	II-68
19. Personnel Employed Full Time in Public Prolonged-Care Hospitals for Mental Disease, by Occupation and State: United States, 1955.....	II-69
20. Personnel Employed Full Time in Psychopathic Hospitals, by Occupation and State: United States, 1955.....	II-70
21. Expenditures of Public Prolonged-Care Hospitals for Mental Disease, by State: United States, 1955.....	II-71
22. Expenditures of Psychopathic Hospitals, by State: United States, 1955.....	II-71
23. Average Daily Resident-Patient Population of Public Prolonged-Care Hospitals for Mental Disease, by State: United States, 1955.....	II-71

SECTION I.--INTRODUCTION

Current Annual Report

This report presents statistics on patients in public hospitals for the mentally ill. Included are the following types of hospitals: the long-term State and county hospitals herein designated as public prolonged-care hospitals and the short-term State psychopathic hospitals.

No data are included for the Federal hospitals (including the Veterans Administration) or the territorial hospitals in this report.

The data are based on schedules received for the 30th Annual Census of Patients in Mental Institutions, the ninth such census to be conducted by the National Institute of Mental Health.

The tabulations made are comparable to those in earlier publications. They consist of a bookkeeping account of the flow of patients in and out of public hospitals, statistics on certain characteristics of first admissions, resident patients, discharges and on personnel and expenditures.

The generous cooperation of the various State governments and superintendents and staffs of the individual public hospitals is gratefully acknowledged. Without their assistance this report could not be made.

Previous Reports

A detailed historical account of the development of the Annual Census of Mental Patients can be found in "Patients in Mental Institutions: 1947" pp. 1--4 U. S. Government Printing Office, Washington 25, D. C.

The first census in essentially its present form was conducted in 1923 and covered all types of hospitals. The next succeeding census was in 1926. Between 1926 and 1930 the inquiry was confined to State mental hospitals. From 1931 to date the enumeration has covered the State, county and psychopathic hospitals.

Part I of Public Health Service Publication No. 574, dealing with public institutions for mental defectives and epileptics has been published. This is Part II. Three more parts, Part III dealing with private hospitals for mental disease and general hospitals accepting mentally ill patients; Part IV concerned with private institutions for mental defectives and epileptics; and Part V presenting trend tables for the period 1944 through 1955 and special tables based on 1955 data for all mental hospitals and institutions for mental defectives and epileptics will also be published.

SECTION II.--SCOPE OF THE DATA

Purpose

The survey is designed to provide information as to the extent of use of public hospital facilities for the mentally ill in each State; to furnish basic data on a national level for the characteristics of first admissions to, resident patients in, and discharges from, public mental hospitals. Administrative information on movement of patient population, expenditures, and personnel employed, are also presented.

Coverage

The period covered in this report is for the calendar year 1955 or fiscal year ending in 1955. Most of the data are reported for the year ending June 30th. However, certain hospitals report for the year ending March 31st, August 31st, October 31st or December 31st.

Reporting of movement of population data for the 217 State hospitals and the 48 county hospitals was not complete since one State and one county hospital did not report. Reporting of

movement for the 10 psychopathic hospitals was complete. (See Table A) Coverage was somewhat less for the remaining six schedules. The specific schedules requested were as follows;

Movement of Population

First admissions during the year by mental disorder, age and sex (two schedules--male and female)

Resident patients at end of year by mental disorder, age and sex (two schedules--male and female)

Personnel

Financial

A special coverage problem existed for the reports of the 22 State hospitals in New York. The State was able to report only limited data of the above described type. Data were completely reported for movement, personnel and finances. However, schedules pertaining to first admissions and resident patients were not available by mental disorder. However, the distribution of first admissions and resident patients by age and sex were supplied and will be shown as footnotes to the appropriate tables.

Mental Health Statistics--Current Reports

A special report dealing with provisional data from this survey and presenting rates for all admissions, first admissions, discharges, deaths, and average daily resident patient populations by State has been published. It is

entitled "Patients in Public Hospitals for the Prolonged Care of the Mentally Ill, 1953", Series MHB-H-2 and was published in December 1956. Copies of this report may be obtained by writing to the National Institute of Mental Health, National Institutes of Health, Bethesda 14, Maryland.

Table A. --NUMBER OF PUBLIC PROLONGED-CARE MENTAL HOSPITALS AND PSYCHOPATHIC HOSPITALS REPORTING IN 1955

State	Public pro- longed care	Psycho- pathic	State	Public pro- longed care	Psycho- pathic
Alabama-----	2	-	Nevada-----	1	-
Arizona-----	1	-	New Hampshire-----	1	-
Arkansas-----	1	-	New Jersey ¹ -----	11	-
California ¹ -----	11	1	New Mexico-----	1	-
Colorado-----	1	1	New York-----	22	1
Connecticut-----	3	-	North Carolina-----	4	-
Delaware-----	1	1	North Dakota-----	1	-
District of Columbia---	1	-	Ohio-----	21	-
Florida-----	2	-	Oklahoma-----	4	-
Georgia-----	1	-	Oregon-----	2	-
Idaho-----	2	-	Pennsylvania-----	17	-
Illinois-----	11	-	Rhode Island-----	1	-
Indiana-----	7	1	South Carolina-----	1	-
Iowa-----	5	1	South Dakota-----	1	-
Kansas-----	3	-	Tennessee ^{1 2} -----	5	1
Kentucky-----	4	-	Texas-----	9	-
Louisiana-----	3	-	Utah-----	1	-
Maine-----	2	-	Vermont-----	1	-
Maryland ^{1 2} -----	6	-	Virginia-----	4	-
Massachusetts-----	13	1	Washington-----	3	-
Michigan-----	8	-	West Virginia-----	5	-
Minnesota-----	8	-	Wisconsin ¹ -----	41	1
Mississippi-----	2	-	Wyoming-----	1	-
Missouri-----	5	-			
Montana-----	1	-	United States Total---	265	10
Nebraska-----	3	1			

¹ Public Prolonged-Care hospitals includes county as well as State operated hospitals.

² One of the State and one of the county hospitals did not report data for 1955. Therefore the percent return for the United States is 99.2, for Maryland 83.3, and for Tennessee 80.0. All other States had 100 percent returns.

The above data were based on the submission of a usable movement of patient population report. Receipt of other schedules had varying coverage.

SECTION III. --DEFINITIONS

Type of Hospital Included

Included in this survey are the State and county hospitals for mental disease which are essentially long term hospitals and the State psychopathic hospitals which are, in general, intensive treatment, teaching and research hospitals and where the patient is generally held for a short term only.

In making a comparison between States it is important that the psychopathic facilities of the States concerned be taken into account with the prolonged care hospitals so that adequate judgment as to size, provision of facilities, and rates of admission, release, death and retention can be made.

Data on Movement of Patient Population

Statistics on the movement of population present a formal accounting of the flow of patients into and out of mental hospitals during the year. The classification employed covers patients on the books at the beginning of the year, admissions, separations, and patients on the books at the end of the year. The reader should be aware that these data count transactions and not patients so that duplication of patients can exist. Each of the categories used, together with its subclasses, is listed and defined below.

1. Patients on the Books at the Beginning and End of the Year. All patients on the books of the hospital at the time stated, classified by actual location as follows:

(a) In hospital. Patients physically present or accounted present under the rules governing such matters in hospitals (that is, "resident patients").

(b) In extramural care. Patients on the books of the hospital but not in actual residence. (That is, subject to hospital control but residing in a location other than the hospital proper).

(i) In family care. Patients who have been placed in the community in private families other than their own, under State supervision.

The expense of maintenance may be borne by the State, the patient's estate, relatives, Old Age Assistance or some other person or agency.

(ii) In other extramural care. A majority of these patients are to be found on trial visit, usually to their homes, a type of care in which the ability of the patient to adjust to normal community life is tested. Since the patient is retained on the books of the hospital, he may be returned to the hospital for his own protection or for that of the community. The provisions under which patients are put on trial visit vary widely from State to State. Moreover, factors such as the degree of crowding of facilities, the development or extension of

methods of therapy and the number of social workers available for follow-up will affect the number on trial visit at any time. In addition to patients on trial visit, this category includes escaped patients and patients absent from the hospital for reasons not classified elsewhere.

2. Admissions other than Transfers. All patients who enter a mental hospital during the course of a year are designated as admissions. Admissions, other than transfers, are further classified as first admissions and readmissions.

(a) First admissions. Includes all patients admitted to a prolonged care mental hospital without a record of previous care (that is, a record of an admission and a formal discharge) in such a public or private hospital anywhere. The term is usually applied exclusively within a given type of hospital, that is, a patient going from a hospital for mental disease to an institution for mental defectives and epileptics, or vice versa, is considered a discharge from the first institution and a first admission to the second, not a transfer or a readmission. The psychopathic hospitals would also observe the above definition, except that patients who show a prior admission to the psychopathic hospital to which they are being admitted would be counted as readmissions.

(b) Readmissions. This category comprises patients admitted with record of previous treatment as indicated above.

3. Separations other than Transfers. All patients who are removed from the custody of the hospital are designated as separations. Separations, other than transfers, are the result of discharge or death. The nature of the classification of deaths and discharges is indicated below.

(a) Discharges. These represent patients who are formally removed from the custody of the hospital. Such patients may be discharged directly from the hospital or from extramural care. However, since practices with respect to placing patients on or removing them from extramural care vary so widely from hospital to hospital so as to introduce a serious lack of comparability within each of these classes, tables on the characteristics of discharged patients are presented for all discharges.

(b) Deaths. These represent patients who die while in the hospital or while in extramural care. No data are reported with respect to the age and diagnostic characteristics of patients who die in a given year.

4. Transfers. Those admissions and separations representing patients shifted within the same State from the supervision of one prolonged-care mental hospital to another, without a formal discharge, are designated as transfers. Since transfers do not represent additions

to the total patient population of hospitals within a given State and presumably have already appeared at some time in statistics on admissions, they are not given detailed consideration in this report. Psychopathic hospitals are instructed to consider such transfers as admissions and separations unless they are made to another psychopathic hospital within the State.

Nomenclature

In 1952 the American Psychiatric Association adopted and the American Medical Association approved a revision of the nomenclature for mental disorder. This report presents data in terms of the revised nomenclature as it appears in the Section on Diseases of the Psychobiologic Unit of the "Standard Nomenclature of Diseases and Operations", American Medical Association 1952. The nomenclature also appears in the "Diagnostic and Statistical Manual--Mental Disorders" American Psychiatric Association, 1952.

Characteristics of First Admissions and Resident Patients

Tables are presented for both of these patient categories for the United States and each State by mental disorder, age and sex. For first admissions age is computed as of the last birthday prior to admission. In the case of resident patients it is computed for

the last birthday as of the end of the reporting year.

Characteristics of Discharged Patients

Beginning with this report tables on discharge by condition on discharge and sex are neither presented in the annual report nor are they collected in the annual census for two main reasons:

1. Discharge from the books of a mental hospital is used by different hospitals in different ways. Some hospitals discharge a large proportion of patients directly while others use a period of trial visit, parole, convalescent leave, etc., prior to discharge in most cases. In most States this period is arbitrarily set by law and varies in length from 90 days up to three years. In many States discharge from trial visit, etc., is administrative and does not require a return to the hospital. Therefore, the adequacy of the determination of condition on discharge varies according to the length of time between last hospital examination and time of discharge from the hospital books.

2. The standards for determination of condition on discharge are not well defined and have been applied under varying administrative conditions, thus rendering comparisons between hospitals or State hospital systems difficult to interpret.

SECTION IV. --LIMITATIONS OF THE DATA

Utility of Hospital Rates as a Measure of Prevalence and Incidence

Variations in resident patient and first admission rates to the public mental hospitals provide, in theory, a basis for inference as to the variations in the prevalence and incidence of serious mental disease among the several States.

However, there are a number of reasons why such inferences cannot and should not be made for this purpose in our present state of knowledge. Some of these reasons are as follows:

1. The relationship between the number of mentally ill who are hospitalized and the number of persons with mental illness in the population who are not hospitalized is not known.
2. Not all persons who are seriously mentally ill are hospitalized. The inability to gain admittance may be related to the degree of overcrowding of existing facilities which, in turn, varies with the adequacy of facilities for the care of mental patients. Those States with more extensive facilities of various types or with regulations requiring admission of all patients without regard to available space

are more apt to show greater numbers of hospitalized patients.

In addition many persons with mental illness which is not too severe, may not seek help or be identified so as to obtain assistance. Also there have been developing a large number of alternative facilities to help such persons outside of the hospital, such as psychiatric clinics, specialized social agencies and other groups.

3. In a given State, either the expansion of facilities or a sudden increase in discharges will provide empty beds and thus permit an upswing in admission for patients, who, because of insufficient hospital space, were unable to gain admittance in previous years. This means that the increased admission rate does not reflect increased numbers of new mentally ill but rather an accumulation of patients who would have been included in the admission figures of previous years. Similar considerations also apply to the concept of resident patients as an indication of prevalence.

States also vary in their definitions of the terms used to measure hospital-based incidence and prevalence. The definitions of first

admission and resident patient are not standard and may vary so widely as to cause serious differences.

Special Problems Relating to Hospitals Included in the Survey

No comparable data are available on three groups of public mental hospitals: The Veterans Administration, the military, and the Public Health Service. The report is limited to the continental United States at this time, therefore, data are not presented on the territorial hospitals. Rates using civilian population as a base, computed for the continental United States for these data are understated to the extent that statistics on patients in the Veterans Administration or Public Health Service Hospitals are not available. However, with the use of civilian population the possibility of understating or overstating rates due to rapid shifts in the population between civilian and military status is created.

Another point to be considered is that most of these hospitals regardless of control or type are closely associated, in their functions as hospitals, either by operating as screening facilities or as treatment service for acute cases only with chronic cases going to other hospitals or serving as alternative facilities for all types of patients and must be considered as a group in any analysis of the data.

For example, the States of New Jersey and Wisconsin have large county hospital systems which care for patients who, in other States, are cared for in State hospitals. These county hospitals represent about one-third of the average daily resident patient population in New Jersey and about four-fifths in Wisconsin. Also in Ohio the receiving hospitals, here included with the psychopathic hospitals, serve as the receiving facilities of the State hospital system and should be included with them in analysis.

In order to avoid rigidity and to keep the number of categories of hospitals within reasonable limits, some hospitals have been classified in terms of parallel function rather than strictly by type of control. There are three such hospitals involved in this report.

1. St. Elizabeth's Hospital, Washington, D. C.

This hospital is operated by the Federal Government but has been classified with State hospitals, since it performs for residents of the District of Columbia the same functions a State hospital performs for the resident of a State and is largely supported financially by reimbursements from the District of Columbia for the services it offers to District residents.

However, non-residents of the District of Columbia are also cared for at the hospital under various Federal laws.

2. Wayne County General Hospital and Infirmary, Eloise, Michigan

This general hospital is operated by Wayne County. Its large psychiatric unit is classified by the State as a State mental hospital because it provides care for patients from Wayne County who normally would be cared for in the State mental hospitals of Michigan. Many of these patients, who are direct State responsibilities, are cared for under contract with the county.

3. The DeJarnette State Sanitarium, Staunton, Virginia

This State operated hospital is not included in the report. The hospital's funds for operation do not come from tax sources and in all of its aspects is operated as a private mental hospital. Therefore, data for this hospital are included with data for private hospitals reported in Part III of Publication No. 523.

Other Limitations

Data on overcrowding are not presented in this report. Variations in standards in determining the base, rated capacity, from which overcrowding is computed, are such that comparison among States in percent overcrowding may be misleading.

Data on personnel vacancies are presented but such data are available only for those hospitals with established tables of organization. Undoubtedly additional vacancies would have been reported by hospitals which do not budget for specific positions but which had unexpended funds for salaries and wages.

TABLE 1. --PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE; UNITED STATES, 1955

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
ALABAMA	MALE.....	3,822	3,406	320	96	3,780	3,397	302	89
	FEMALE.....	4,174	3,763	304	107	4,263	3,800	333	130
	TOTAL.....	7,996	7,169	624	203	8,051	7,197	635	219
ARIZONA	MALE.....	1,054	905	-	149	1,009	884	-	125
	FEMALE.....	1,068	850	-	218	968	806	-	162
	TOTAL.....	2,122	1,755	-	367	1,977	1,690	-	287
ARKANSAS	MALE.....	2,887	2,435	-	452	2,926	2,483	-	443
	FEMALE.....	3,137	2,582	-	555	3,146	2,603	-	543
	TOTAL.....	6,024	5,017	-	1,007	6,072	5,086	-	986
CALIFORNIA	MALE.....	22,188	17,637	246	4,305	22,112	18,031	290	3,791
	FEMALE.....	23,457	18,845	315	4,297	24,117	19,180	408	4,529
	TOTAL.....	45,645	36,482	561	8,602	46,229	37,211	698	8,320
COLORADO	MALE.....	3,240	2,805	-	435	3,352	2,914	-	438
	FEMALE.....	2,988	2,715	-	273	3,092	2,806	-	286
	TOTAL.....	6,228	5,520	-	708	6,444	5,720	-	724
CONNECTICUT	MALE.....	4,746	4,107	22	617	4,607	3,981	16	610
	FEMALE.....	5,659	4,837	24	798	5,600	4,687	35	878
	TOTAL.....	10,405	8,944	46	1,415	10,207	8,668	51	1,488
DELAWARE	MALE.....	959	683	-	276	925	652	-	273
	FEMALE.....	1,077	731	-	346	1,087	741	-	346
	TOTAL.....	2,036	1,414	-	622	2,012	1,393	-	619
DISTRICT OF COLUMBIA	MALE.....	3,752	3,679	-	73	3,747	3,693	-	54
	FEMALE.....	3,678	3,550	-	128	3,782	3,625	-	157
	TOTAL.....	7,430	7,229	-	201	7,529	7,318	-	211
FLORIDA	MALE.....	4,028	3,606	-	422	4,248	3,762	2	484
	FEMALE.....	4,627	4,112	-	515	4,787	4,264	-	523
	TOTAL.....	8,655	7,718	-	937	9,035	8,026	2	1,007
GEORGIA	MALE.....	6,374	5,199	-	1,175	6,479	5,351	-	1,128
	FEMALE.....	7,410	6,269	-	1,141	7,529	6,350	-	1,179
	TOTAL.....	13,784	11,468	-	2,316	14,008	11,701	-	2,307
IDAHO	MALE.....	852	674	-	178	814	653	-	161
	FEMALE.....	752	573	-	179	730	568	-	162
	TOTAL.....	1,604	1,247	-	357	1,544	1,221	-	323
ILLINOIS	MALE.....	20,861	19,141	221	1,499	20,496	18,915	237	1,344
	FEMALE.....	20,728	18,860	318	1,550	20,932	18,968	321	1,643
	TOTAL.....	41,589	38,001	539	3,049	41,428	37,883	558	2,987
INDIANA	MALE.....	5,378	4,979	-	399	5,863	5,247	-	616
	FEMALE.....	6,183	5,671	-	512	6,510	5,984	-	606
	TOTAL.....	11,561	10,650	-	911	12,373	11,231	-	1,222

TABLE 1. --PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE, UNITED STATES, 1955 - Continued

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals.)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS								
	BEGINNING OF YEAR				END OF YEAR				
	Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care	
IOWA	MALE.....	3,293	2,876	-	717	3,101	2,546	-	555
	FEMALE.....	3,446	2,818	-	628	3,374	2,790	-	584
	TOTAL.....	6,739	5,394	-	1,345	6,475	5,336	-	1,139
KANSAS	MALE.....	2,612	2,208	167	237	2,699	2,142	231	326
	FEMALE.....	3,018	2,343	311	364	3,063	2,278	323	462
	TOTAL.....	5,630	4,551	478	601	5,762	4,420	554	788
KENTUCKY	MALE.....	4,060	3,670	-	390	4,067	3,662	1	404
	FEMALE.....	4,487	3,983	-	504	4,548	4,038	-	510
	TOTAL.....	8,547	7,653	-	894	8,615	7,700	1	914
LOUISIANA	MALE.....	4,696	3,917	-	779	4,975	4,045	-	930
	FEMALE.....	5,409	4,238	-	1,171	5,562	4,226	-	1,336
	TOTAL.....	10,105	8,155	-	1,950	10,537	8,271	-	2,266
MAINE	MALE.....	1,379	1,261	48	70	1,404	1,276	5	123
	FEMALE.....	1,909	1,706	95	108	1,920	1,720	10	190
	TOTAL.....	3,288	2,967	143	178	3,324	2,996	15	313
MARYLAND	MALE.....	5,245	4,407	100	738	5,446	4,451	164	831
	FEMALE.....	5,789	4,773	132	884	5,940	4,822	186	932
	TOTAL.....	11,034	9,180	232	1,622	11,386	9,273	350	1,763
MASSACHUSETTS	MALE.....	11,832	10,568	24	1,240	11,477	10,346	32	1,099
	FEMALE.....	14,950	12,903	192	1,855	14,960	12,832	219	1,909
	TOTAL.....	26,782	23,471	216	3,095	26,437	23,178	251	3,008
MICHIGAN	MALE.....	13,354	10,864	514	1,976	13,768	11,196	537	2,035
	FEMALE.....	13,524	10,385	593	2,546	13,718	10,602	589	2,527
	TOTAL.....	26,878	21,249	1,107	4,522	27,486	21,798	1,126	4,562
MINNESOTA	MALE.....	6,967	5,883	-	1,084	7,150	5,835	-	1,315
	FEMALE.....	6,447	5,365	-	882	6,567	5,614	-	953
	TOTAL.....	13,414	11,448	-	1,966	13,717	11,449	-	2,268
MISSISSIPPI	MALE.....	3,235	2,408	-	827	3,711	2,463	-	1,248
	FEMALE.....	3,865	2,922	-	943	4,091	2,832	-	1,259
	TOTAL.....	7,100	5,330	-	1,770	7,802	5,295	-	2,507
MISSOURI	MALE.....	6,081	5,539	29	513	6,011	5,495	44	472
	FEMALE.....	7,310	6,585	51	674	7,249	6,526	77	646
	TOTAL.....	13,391	12,124	80	1,187	13,260	12,021	121	1,118
MONTANA	MALE.....	1,346	1,107	-	239	1,427	1,099	-	328
	FEMALE.....	953	851	-	102	991	820	-	171
	TOTAL.....	2,299	1,958	-	341	2,418	1,919	-	499
NEBRASKA	MALE.....	2,880	2,312	-	568	3,360	2,364	-	996
	FEMALE.....	2,828	2,364	-	464	3,069	2,424	-	645
	TOTAL.....	5,708	4,676	-	1,032	6,429	4,788	-	1,641

TABLE 1. --PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE, UNITED STATES, 1955-Continued

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS								
	BEGINNING OF YEAR				END OF YEAR				
	Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care	
NEVADA	MALE.....	310	242	-	68	291	252	-	39
	FEMALE.....	227	174	-	53	241	188	-	53
	TOTAL.....	537	416	-	121	532	440	-	92
NEW HAMPSHIRE	MALE.....	1,362	1,284	-	78	1,379	1,289	-	90
	FEMALE.....	1,558	1,436	-	122	1,584	1,444	-	140
	TOTAL.....	2,920	2,720	-	200	2,963	2,733	-	230
NEW JERSEY	MALE.....	11,322	10,021	-	1,301	11,334	10,046	-	1,288
	FEMALE.....	13,835	12,103	-	1,732	13,936	12,196	-	1,740
	TOTAL.....	25,157	22,124	-	3,033	25,270	22,262	-	3,008
NEW MEXICO	MALE.....	877	564	12	301	910	505	15	390
	FEMALE.....	820	495	10	315	864	445	10	409
	TOTAL.....	1,697	1,059	22	616	1,774	950	25	799
NEW YORK	MALE.....	48,803	44,478	430	3,895	50,242	45,605	386	4,251
	FEMALE.....	56,002	49,697	976	5,329	57,848	51,059	910	5,879
	TOTAL.....	104,805	94,175	1,406	9,224	108,090	96,664	1,296	10,130
NORTH CAROLINA	MALE.....	5,698	4,724	6	968	5,853	4,798	45	1,010
	FEMALE.....	6,166	5,139	20	1,007	6,272	5,162	23	1,087
	TOTAL.....	11,864	9,863	26	1,975	12,125	9,960	68	2,097
NORTH DAKOTA	MALE.....	1,290	1,103	-	187	1,298	1,047	-	251
	FEMALE.....	1,174	974	-	200	1,180	946	-	234
	TOTAL.....	2,464	2,077	-	387	2,478	1,993	-	485
OHIO	MALE.....	16,389	13,917	45	2,427	16,765	14,291	61	2,413
	FEMALE.....	16,960	14,199	94	2,667	17,150	14,372	100	2,678
	TOTAL.....	33,349	28,116	139	5,094	33,915	28,663	161	5,091
OKLAHOMA	MALE.....	4,380	4,025	-	355	4,534	4,120	-	414
	FEMALE.....	4,337	3,876	-	461	4,483	3,894	-	589
	TOTAL.....	8,717	7,901	-	816	9,017	8,014	-	1,003
OREGON	MALE.....	3,022	2,345	-	677	3,051	2,379	-	672
	FEMALE.....	3,083	2,394	-	689	3,140	2,507	-	633
	TOTAL.....	6,105	4,739	-	1,366	6,191	4,886	-	1,305
PENNSYLVANIA	MALE.....	22,417	19,087	-	3,330	22,924	19,566	-	3,358
	FEMALE.....	25,485	20,747	-	4,738	26,273	21,354	-	4,919
	TOTAL.....	47,902	39,834	-	8,068	49,197	40,920	-	8,277
RHODE ISLAND	MALE.....	1,975	1,686	71	218	2,020	1,694	80	246
	FEMALE.....	2,120	1,730	128	262	2,135	1,748	118	269
	TOTAL.....	4,095	3,416	199	480	4,155	3,442	198	515
SOUTH CAROLINA	MALE.....	3,388	2,887	-	501	3,507	3,012	-	495
	FEMALE.....	3,702	3,042	-	660	3,890	3,030	-	860
	TOTAL.....	7,090	5,929	-	1,161	7,397	6,042	-	1,355

TABLE 1. --PATIENTS ON BOOKS OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1955 (Continued)

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PATIENTS ON HOSPITAL BOOKS								
	BEGINNING OF YEAR				END OF YEAR				
	Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care	
SOUTH DAKOTA	MALE.....	847	823	23	1	857	824	30	3
	FEMALE....	793	772	18	3	822	779	43	-
	TOTAL.....	1,640	1,595	41	4	1,679	1,603	73	3
TENNESSEE	MALE.....	3,345	3,306	-	39	3,622	3,575	-	47
	FEMALE....	4,108	4,049	-	59	4,187	4,118	-	69
	TOTAL.....	7,653	7,355	-	98	7,809	7,693	-	116
TEXAS	MALE.....	9,290	7,812	-	1,478	9,352	7,781	-	1,571
	FEMALE....	10,966	8,741	-	2,225	10,887	8,664	-	2,223
	TOTAL.....	20,256	16,553	-	3,703	20,239	16,445	-	3,794
UTAH	MALE.....	744	644	-	100	744	621	-	123
	FEMALE....	818	715	-	103	860	716	-	144
	TOTAL.....	1,562	1,359	-	203	1,604	1,337	-	267
VERMONT	MALE.....	660	633	-	27	645	617	-	28
	FEMALE....	723	668	-	57	736	677	-	79
	TOTAL.....	1,383	1,301	-	84	1,401	1,294	-	107
VIRGINIA	MALE.....	6,278	5,331	-	947	6,621	5,579	2	1,040
	FEMALE....	6,546	5,525	6	1,015	6,801	5,724	3	1,076
	TOTAL.....	12,824	10,856	6	1,962	13,422	11,303	5	2,116
WASHINGTON	MALE.....	4,156	3,761	-	395	4,076	3,615	-	461
	FEMALE....	4,431	3,843	-	588	4,439	3,746	-	693
	TOTAL.....	8,587	7,604	-	983	8,515	7,361	-	1,154
WEST VIRGINIA	MALE.....	3,369	2,782	2	585	3,489	2,883	2	594
	FEMALE....	3,134	2,619	1	514	3,167	2,736	-	431
	TOTAL.....	6,503	5,401	3	1,099	6,656	5,619	2	985
WISCONSIN	MALE.....	8,074	7,549	-	525	8,113	7,538	-	575
	FEMALE....	8,035	7,367	-	668	8,150	7,443	-	707
	TOTAL.....	16,109	14,916	-	1,193	16,263	14,981	-	1,282
WYOMING	MALE.....	415	370	-	45	403	379	-	24
	FEMALE....	316	269	-	47	312	276	-	36
	TOTAL.....	731	639	-	92	715	655	-	60
UNITED STATES TOTAL	MALE.....	305,732	265,550	2,280	37,902	310,942	268,919	2,482	39,541
	FEMALE....	334,214	295,368	3,588	45,258	340,972	299,050	3,708	48,214
	TOTAL.....	639,946	550,918	5,868	83,160	651,914	557,969	6,190	87,755

TABLE 2. --PATIENTS ON BOOKS OF PSYCHOPATHIC HOSPITALS AT BEGINNING AND END OF YEAR, BY SEX AND STATE: UNITED STATES, 1955

(Statistics based on reports from the 10 psychopathic hospitals)

STATE AND SEX		PATIENTS ON HOSPITAL BOOKS							
		BEGINNING OF YEAR				END OF YEAR			
		Total	In hospital	In family care	In other extramural care	Total	In hospital	In family care	In other extramural care
CALIFORNIA	MALE.....	38	35	-	3	36	34	-	2
	FEMALE.....	44	42	-	2	33	32	-	1
	TOTAL.....	82	77	-	5	69	66	-	3
COLORADO	MALE.....	26	26	-	-	34	34	-	-
	FEMALE.....	30	30	-	-	32	32	-	-
	TOTAL.....	56	56	-	-	66	66	-	-
DELAWARE	MALE.....	205	189	-	16	220	176	-	44
	FEMALE.....	110	98	-	12	134	125	-	9
	TOTAL.....	315	287	-	28	354	301	-	53
INDIANA	MALE.....	76	76	-	-	81	81	-	-
	FEMALE.....	96	96	-	-	110	110	-	-
	TOTAL.....	172	172	-	-	191	191	-	-
IOWA	MALE.....	17	15	2	-	23	19	4	-
	FEMALE.....	32	24	8	-	23	19	3	1
	TOTAL.....	49	39	10	-	46	38	7	1
MASSACHUSETTS	MALE.....	124	57	-	67	133	62	-	71
	FEMALE.....	166	74	-	92	169	62	-	107
	TOTAL.....	290	131	-	159	302	124	-	178
NEBRASKA	MALE.....	11	11	-	-	17	17	-	-
	FEMALE.....	16	16	-	-	21	21	-	-
	TOTAL.....	27	27	-	-	38	38	-	-
NEW YORK	MALE.....	28	28	-	-	32	32	-	-
	FEMALE.....	30	30	-	-	33	33	-	-
	TOTAL.....	58	58	-	-	65	65	-	-
TENNESSEE	MALE.....	17	17	-	-	13	13	-	2
	FEMALE.....	19	19	-	-	24	24	-	2
	TOTAL.....	36	36	-	-	37	37	-	2
WISCONSIN	MALE.....	-	-	-	-	18	18	-	-
	FEMALE.....	-	-	-	-	9	9	-	-
	TOTAL.....	-	-	-	-	27	27	-	-
UNITED STATES TOTAL	MALE.....	542	454	2	86	609	486	4	119
	FEMALE.....	543	429	8	106	588	467	3	118
	TOTAL.....	1,085	883	10	192	1,197	953	7	237

TABLE 3. --ADMISSIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1955

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR								
	Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANSFERS OUT	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care	
ALABAMA	MALE	1,191	812	330	49	1,225	943	259	684	48	224	234	-
	FEMALE	1,078	690	347	41	989	713	17	696	41	235	235	-
	TOTAL	2,269	1,502	677	90	2,214	1,656	276	1,380	89	469	469	-
ARIZONA	MALE	503	368	135	-	548	445	357	88	-	102	99	4
	FEMALE	442	312	130	-	542	485	357	128	-	97	97	-
	TOTAL	945	680	265	-	1,090	930	714	216	-	160	156	4
ARKANSAS	MALE	1,370	969	401	-	1,331	1,119	667	452	-	212	212	-
	FEMALE	916	631	285	-	907	781	226	555	-	126	126	-
	TOTAL	2,286	1,600	686	-	2,238	1,900	893	1,007	-	338	338	-
CALIFORNIA	MALE	11,473	6,901	3,055	1,517	11,549	8,376	4,917	3,459	1,537	1,636	1,539	97
	FEMALE	8,295	5,006	2,427	862	7,635	5,362	2,153	3,209	875	1,898	1,327	71
	TOTAL	19,768	11,907	5,482	2,379	19,184	13,738	7,070	6,668	2,412	3,034	2,866	168
COLORADO	MALE	768	422	137	209	656	365	235	130	27	264	260	4
	FEMALE	558	262	72	224	454	196	105	91	-	258	257	1
	TOTAL	1,326	684	209	433	1,110	561	340	221	27	522	517	5
CONNECTICUT	MALE	2,113	1,328	761	24	2,252	1,748	1,300	448	24	480	464	16
	FEMALE	1,747	1,094	628	25	1,806	1,293	688	605	22	491	474	17
	TOTAL	3,860	2,422	1,389	49	4,058	3,041	1,988	1,053	46	971	938	33
DELAWARE	MALE	224	169	55	-	258	206	47	159	-	52	52	-
	FEMALE	247	183	64	-	237	183	70	123	-	44	44	-
	TOTAL	471	352	119	-	495	399	117	282	-	96	96	-
DISTRICT OF COLUMBIA	MALE	657	477	180	-	642	422	282	140	-	240	240	-
	FEMALE	692	544	148	-	568	326	148	178	-	262	262	-
	TOTAL	1,349	1,021	328	-	1,250	748	430	318	-	502	502	-
FLORIDA	MALE	970	762	202	6	750	440	117	323	5	305	302	2
	FEMALE	886	612	211	63	726	445	54	391	66	215	208	7
	TOTAL	1,856	1,374	413	69	1,476	885	171	714	71	520	511	9
GEORGIA	MALE	1,922	1,585	337	-	1,817	1,373	264	1,109	-	444	444	-
	FEMALE	1,640	1,293	347	-	1,521	1,107	85	1,022	-	414	414	-
	TOTAL	3,562	2,878	684	-	3,338	2,480	349	2,131	-	858	858	-
IDAHO	MALE	647	424	222	1	685	592	508	84	-	93	86	7
	FEMALE	400	242	155	3	422	372	299	73	-	90	48	2
	TOTAL	1,047	666	377	4	1,107	964	807	157	-	143	134	9
ILLINOIS	MALE	8,563	4,875	3,208	480	8,928	6,483	5,095	1,388	483	1,962	1,924	38
	FEMALE	5,172	3,415	1,495	262	4,968	3,185	1,861	1,324	235	1,548	1,512	36
	TOTAL	13,735	8,290	4,703	742	13,896	9,668	6,956	2,712	718	3,510	3,436	74
INDIANA	MALE	2,294	1,457	505	332	1,809	904	464	440	483	422	411	11
	FEMALE	1,451	893	469	89	1,124	690	223	467	61	373	364	9
	TOTAL	3,745	2,350	974	421	2,933	1,594	687	907	544	795	775	20

TABLE 3. --ADMISSIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1955-Continued

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR								
	Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANSFERS OUT	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care	
IOWA	MALE	1,447	775	672	-	1,639	1,334	785	549	-	305	277	28
	FEMALE	1,043	463	580	-	1,115	895	528	367	-	220	198	22
	TOTAL	2,490	1,238	1,252	-	2,754	2,229	1,313	916	-	525	475	50
KANSAS	MALE	918	605	242	71	831	560	370	190	70	201	178	23
	FEMALE	762	435	232	95	717	486	223	263	96	135	110	25
	TOTAL	1,680	1,040	474	166	1,548	1,046	593	453	166	336	288	48
KENTUCKY	MALE	1,411	825	522	64	1,404	979	666	313	64	361	355	6
	FEMALE	1,075	571	480	24	1,014	740	364	376	24	250	238	12
	TOTAL	2,486	1,396	1,002	88	2,418	1,719	1,030	689	88	611	593	18
LOUISIANA	MALE	1,492	1,062	425	5	1,213	958	403	555	21	234	228	6
	FEMALE	1,285	938	341	6	1,132	918	119	799	17	197	194	3
	TOTAL	2,777	2,000	766	11	2,345	1,876	522	1,354	38	431	422	9
MAINE	MALE	413	288	114	11	388	260	162	98	1	127	124	3
	FEMALE	387	245	140	2	376	242	74	168	-	134	134	-
	TOTAL	800	533	254	13	764	502	236	266	1	261	258	3
MARYLAND	MALE	2,052	1,317	645	90	1,851	1,366	771	595	135	350	334	16
	FEMALE	1,503	992	421	90	1,352	876	189	687	69	407	393	14
	TOTAL	3,555	2,309	1,066	180	3,203	2,242	960	1,282	204	757	727	30
MASSACHUSETTS	MALE	4,177	3,149	818	210	4,532	2,996	2,012	984	351	1,185	1,185	-
	FEMALE	3,985	2,791	910	284	3,975	2,507	1,089	1,418	263	1,205	1,205	-
	TOTAL	8,162	5,940	1,728	494	8,507	5,503	3,101	2,402	614	2,390	2,390	-
MICHIGAN	MALE	2,728	1,774	751	203	2,314	1,319	526	793	223	772	757	15
	FEMALE	2,439	1,324	779	336	2,245	1,204	327	877	335	706	694	12
	TOTAL	5,167	3,098	1,530	539	4,559	2,523	853	1,670	558	1,478	1,451	27
MINNESOTA	MALE	3,057	1,693	1,079	285	2,874	1,939	1,209	730	278	657	620	37
	FEMALE	1,751	847	760	144	1,631	1,079	492	587	145	407	382	25
	TOTAL	4,808	2,540	1,839	429	4,505	3,018	1,701	1,317	423	1,064	1,002	62
MISSISSIPPI	MALE	1,985	1,112	865	8	1,509	1,324	363	961	15	170	170	-
	FEMALE	1,496	793	695	8	1,270	1,082	191	891	12	176	176	-
	TOTAL	3,481	1,905	1,560	16	2,779	2,406	554	1,852	27	346	346	-
MISSOURI	MALE	968	734	224	10	1,038	630	165	465	-	408	401	7
	FEMALE	883	612	251	20	944	645	49	596	2	297	290	7
	TOTAL	1,851	1,346	475	30	1,982	1,275	214	1,061	2	705	691	14
MONTANA	MALE	391	455	129	7	510	359	333	26	27	124	116	8
	FEMALE	282	192	85	5	244	165	149	16	18	64	60	4
	TOTAL	673	647	214	12	754	524	482	42	42	188	176	12
NEBRASKA	MALE	1,195	572	529	94	718	385	102	283	91	239	237	2
	FEMALE	761	339	309	93	500	232	34	198	90	178	174	4
	TOTAL	1,956	911	838	187	1,218	617	136	481	181	417	411	6

TABLE 3. --ADMISSIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1955- Continued

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR								
	Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANSFERS OUT	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care	
NEVADA													
MALE	148	132	16	-	167	136	67	69	-	31	29	2	
FEMALE	89	75	14	-	75	56	22	34	-	19	18	1	
TOTAL	237	207	30	-	242	192	89	103	-	50	47	3	
NEW HAMPSHIRE													
MALE	489	366	123	-	472	320	124	196	-	152	152	-	
FEMALE	451	300	151	-	425	303	59	244	-	122	122	-	
TOTAL	940	666	274	-	897	623	183	440	-	274	274	-	
NEW JERSEY													
MALE	4,152	2,608	973	571	4,140	2,189	1,206	983	727	1,224	1,179	45	
FEMALE	4,320	2,481	1,095	744	4,219	2,087	761	1,326	775	1,357	1,323	34	
TOTAL	8,472	5,089	2,068	1,315	8,359	4,276	1,967	2,309	1,502	2,581	2,502	79	
NEW MEXICO													
MALE	300	251	49	-	267	200	154	46	-	67	61	6	
FEMALE	179	156	23	-	135	92	72	20	-	43	41	2	
TOTAL	479	407	72	-	402	292	226	66	-	110	102	8	
NEW YORK													
MALE	11,682	7,941	2,737	1,004	10,243	4,814	2,173	2,641	1,483	3,946	3,852	94	
FEMALE	11,911	8,014	3,203	694	10,065	5,020	1,198	3,822	662	4,383	4,301	82	
TOTAL	23,593	15,955	5,940	1,698	20,308	9,834	3,371	6,463	2,145	8,329	8,153	176	
NORTH CAROLINA													
MALE	1,779	1,292	447	40	1,624	1,316	482	834	46	262	256	6	
FEMALE	1,549	1,017	481	51	1,443	1,198	399	799	53	192	189	3	
TOTAL	3,328	2,309	928	91	3,067	2,514	881	1,633	99	454	445	9	
NORTH DAKOTA													
MALE	491	331	160	-	483	403	251	152	-	80	74	6	
FEMALE	284	182	102	-	278	221	86	135	-	53	54	3	
TOTAL	775	513	282	-	761	624	337	287	-	133	128	9	
OHIO													
MALE	6,206	3,892	1,341	973	5,830	3,899	1,913	1,986	766	1,165	1,107	58	
FEMALE	5,563	3,299	1,646	618	5,373	3,783	1,633	2,150	622	968	937	31	
TOTAL	11,769	7,191	2,987	1,591	11,203	7,682	3,546	4,136	1,388	2,133	2,044	89	
OKLAHOMA													
MALE	1,176	722	450	4	1,022	703	382	321	4	319	313	2	
FEMALE	932	516	411	5	786	570	171	399	5	211	207	4	
TOTAL	2,108	1,238	861	9	1,808	1,273	553	720	9	526	520	6	
OREGON													
MALE	1,992	1,148	437	7	1,563	1,113	885	260	86	362	337	25	
FEMALE	1,184	795	379	10	1,127	874	569	305	46	207	194	13	
TOTAL	2,776	1,943	816	17	2,690	1,989	1,424	565	132	569	531	38	
PENNSYLVANIA													
MALE	4,217	2,852	1,065	300	3,710	1,882	-	1,882	322	1,506	1,506	-	
FEMALE	4,147	2,647	1,144	356	3,399	1,737	-	1,737	295	1,307	1,307	-	
TOTAL	8,364	5,499	2,209	656	7,069	3,639	-	3,639	617	2,813	2,813	-	
RHODE ISLAND													
MALE	835	484	351	-	790	574	420	184	-	216	204	12	
FEMALE	851	414	137	-	836	335	131	204	-	201	196	5	
TOTAL	1,386	898	488	-	1,326	909	551	388	-	417	400	17	
SOUTH CAROLINA													
MALE	1,226	949	277	-	1,187	890	485	405	-	217	217	-	
FEMALE	1,057	778	279	-	869	704	184	520	-	163	163	-	
TOTAL	2,283	1,727	556	-	1,976	1,594	669	925	-	382	382	-	

TABLE 3. --ADMISSIONS AND SEPARATIONS IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY SEX AND STATE: UNITED STATES, 1955- Continued

(Statistics based on reports from 216 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR								
	Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANS-FERS OUT	DEATHS			
						Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care	
SOUTH DAKOTA													
MALE	403	287	116	-	393	320	294	26	-	73	73	-	
FEMALE	354	209	145	-	325	279	252	27	-	46	46	-	
TOTAL	757	496	261	-	718	599	546	53	-	119	119	-	
TENNESSEE													
MALE	1,282	799	482	1	1,205	967	506	461	-	238	237	1	
FEMALE	1,117	571	546	-	1,038	831	246	585	3	204	202	2	
TOTAL	2,399	1,370	1,028	1	2,243	1,798	752	1,046	3	442	439	3	
TEXAS													
MALE	3,421	2,162	720	539	3,359	2,193	1,352	841	574	592	570	22	
FEMALE	2,730	1,641	745	344	2,809	2,029	969	1,040	354	446	405	41	
TOTAL	6,151	3,803	1,465	883	6,168	4,222	2,341	1,881	908	1,038	975	63	
UTAH													
MALE	234	190	44	-	234	148	79	69	-	86	86	-	
FEMALE	237	169	68	-	195	133	59	74	-	62	62	-	
TOTAL	471	359	112	-	429	281	138	143	-	148	148	-	
VERMONT													
MALE	255	177	78	-	270	194	143	51	-	76	76	-	
FEMALE	260	171	87	2	229	180	59	121	-	49	49	-	
TOTAL	515	348	165	2	499	374	202	172	-	125	125	-	
VIRGINIA													
MALE	2,196	1,333	856	7	1,853	1,374	730	644	8	471	452	19	
FEMALE	1,633	961	669	3	1,378	1,002	303	699	3	373	361	12	
TOTAL	3,829	2,294	1,525	10	3,231	2,376	1,033	1,343	11	844	813	31	
WASHINGTON													
MALE	1,285	810	410	65	1,365	847	578	269	65	453	437	16	
FEMALE	1,286	682	477	47	1,198	837	359	478	47	314	307	7	
TOTAL	2,491	1,492	887	112	2,563	1,684	937	747	112	767	744	23	
WEST VIRGINIA													
MALE	1,381	964	315	102	1,311	933	660	273	112	266	261	5	
FEMALE	1,132	776	329	27	1,099	899	657	242	29	171	165	6	
TOTAL	2,513	1,740	644	129	2,410	1,832	1,317	515	141	437	426	11	
WISCONSIN													
MALE	3,259	1,726	810	723	3,220	1,787	1,303	484	720	713	686	27	
FEMALE	2,495	1,255	661	579	2,380	1,294	633	601	563	583	567	16	
TOTAL	5,754	2,981	1,471	1,302	5,600	3,021	1,936	1,085	1,283	1,296	1,253	43	
WYOMING													
MALE	156	118	38	-	168	121	74	47	9	38	38	-	
FEMALE	180	49	51	-	104	76	38	38	1	27	27	-	
TOTAL	256	167	89	-	272	197	112	85	10	65	65	-	
UNITED STATES TOTAL													
MALE	103,294	66,444	28,838	8,012	98,084	65,150	36,610	28,540	8,805	24,129	23,453	676	
FEMALE	84,637	52,877	25,604	6,156	77,879	50,719	18,994	31,725	5,806	21,354	20,821	533	
TOTAL	187,931	119,321	54,442	14,168	175,963	115,869	55,604	60,265	14,611	45,483	44,274	1,209	

TABLE 4. --ADMISSIONS AND SEPARATIONS IN PSYCHOPATHIC HOSPITALS, BY SEX AND STATE: UNITED STATES, 1955

(Statistics based on reports from the 10 psychopathic hospitals)

STATE AND SEX		ADMISSIONS DURING YEAR				SEPARATIONS DURING YEAR							
		Total	First admissions	Readmissions	Transfers in	TOTAL SEPARATIONS	DISCHARGES			TRANSFERS OUT	DEATHS		
							Total	From hospital	From extra-mural care		Total	In hospital	In extra-mural care
CALIFORNIA	MALE	98	59	39	-	100	98	90	8	-	2	2	-
	FEMALE	120	50	70	-	131	129	120	9	-	2	2	-
	TOTAL	218	109	109	-	231	227	210	17	-	4	4	-
COLORADO	MALE	390	277	113	-	382	301	301	-	80	1	1	-
	FEMALE	324	246	78	-	322	260	260	-	62	-	-	-
	TOTAL	714	523	191	-	704	561	561	-	142	1	1	-
DELAWARE	MALE	305	180	124	1	290	249	196	53	1	40	39	1
	FEMALE	153	121	32	-	129	77	63	14	-	52	49	3
	TOTAL	458	301	156	1	419	326	259	67	1	92	88	4
INDIANA	MALE	348	219	123	6	343	300	291	9	40	3	3	-
	FEMALE	398	251	143	4	384	350	346	4	32	2	2	-
	TOTAL	746	470	266	10	727	650	637	13	72	5	5	-
IOWA	MALE	157	135	22	-	151	139	136	3	11	1	1	-
	FEMALE	145	123	22	-	154	145	128	17	9	-	-	-
	TOTAL	302	258	44	-	305	284	264	20	20	1	1	-
MASSACHUSETTS	MALE	535	393	134	8	526	489	417	72	35	2	2	-
	FEMALE	306	182	89	35	303	252	175	77	50	1	1	-
	TOTAL	841	575	223	43	829	741	592	149	85	3	3	-
NEBRASKA	MALE	48	21	25	2	42	36	36	-	6	1	1	-
	FEMALE	67	30	34	3	62	56	55	1	6	-	-	-
	TOTAL	115	51	59	5	104	92	91	1	12	1	1	-
NEW YORK	MALE	241	160	79	2	237	231	231	-	-	6	6	-
	FEMALE	233	166	67	-	230	229	229	-	-	1	1	-
	TOTAL	474	326	146	2	467	460	460	-	-	7	7	-
TENNESSEE	MALE	146	112	34	-	148	130	130	-	18	-	-	-
	FEMALE	151	107	43	1	146	135	135	-	11	-	-	-
	TOTAL	297	219	77	1	294	265	265	-	29	-	-	-
WISCONSIN	MALE	104	96	3	5	86	74	74	-	12	-	-	-
	FEMALE	41	35	3	3	32	27	27	-	5	-	-	-
	TOTAL	145	131	6	8	118	101	101	-	17	-	-	-
UNITED STATES TOTAL	MALE	2,372	1,652	696	24	2,305	2,047	1,902	145	202	56	55	1
	FEMALE	1,938	1,311	581	46	1,893	1,660	1,538	122	175	58	55	3
	TOTAL	4,310	2,963	1,277	70	4,198	3,707	3,440	267	377	114	110	4

TABLE 5. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1955

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
ACUTE BRAIN SYNDROMES ASSOC. WITH											
ALCOHOL INTOXICATION											
MALE.....	1,922	-	49	423	685	514	164	72	7	1	7
FEMALE.....	326	2	11	86	130	63	28	5	-	-	1
TOTAL.....	2,248	2	60	509	815	577	192	77	7	1	8
DRUG OR POISON INTOXICATION											
MALE.....	132	-	6	16	31	45	21	9	3	-	1
FEMALE.....	175	1	13	33	52	38	22	12	3	-	1
TOTAL.....	307	1	19	49	83	83	43	21	6	-	2
CONVULSIVE DISORDER											
MALE.....	41	1	12	11	6	7	2	1	1	-	-
FEMALE.....	35	2	7	5	9	6	1	2	2	1	-
TOTAL.....	76	3	19	16	15	13	3	3	3	1	-
ALL OTHER CONDITIONS											
MALE.....	334	3	22	41	46	70	78	53	15	3	3
FEMALE.....	229	2	17	38	42	47	44	28	6	5	-
TOTAL.....	563	5	39	79	88	117	122	81	21	8	3
TOTAL											
MALE.....	2,429	4	89	491	768	636	265	135	26	4	11
FEMALE.....	765	7	48	162	233	154	95	47	11	6	2
TOTAL.....	3,194	11	137	653	1,001	790	360	182	37	10	13
CHRONIC BRAIN SYNDROMES ASSOC WITH											
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE											
MALE.....	76	13	16	16	9	16	4	1	-	-	1
FEMALE.....	52	9	8	15	11	4	3	1	1	-	-
TOTAL.....	128	22	24	31	20	20	7	2	1	-	1
MENINGOENCEPHALITIC SYPHILIS											
MALE.....	696	3	11	38	141	251	148	78	22	2	2
FEMALE.....	270	1	5	21	66	89	52	31	5	-	-
TOTAL.....	966	4	16	59	207	340	200	109	27	2	2
OTHER CNS SYPHILIS											
MALE.....	210	-	7	15	33	71	44	27	11	1	1
FEMALE.....	102	-	3	8	20	25	32	9	5	-	-
TOTAL.....	312	-	10	23	53	96	76	36	16	1	1
EPIDEMIC ENCEPHALITIS											
MALE.....	63	5	10	8	23	7	7	3	-	-	-
FEMALE.....	39	6	4	10	8	5	4	1	1	-	-
TOTAL.....	102	11	14	18	31	12	11	4	1	-	-
OTHER INTRACRANIAL INFECTIONS											
MALE.....	73	8	5	9	16	22	8	3	1	-	1
FEMALE.....	47	2	12	9	8	6	7	2	1	-	-
TOTAL.....	120	10	17	18	24	28	15	5	2	-	1
ALCOHOL INTOXICATION											
MALE.....	2,172	-	30	197	526	733	459	189	23	-	15
FEMALE.....	563	-	5	76	183	159	105	31	2	1	1
TOTAL.....	2,735	-	35	273	709	892	564	220	25	1	16
DRUG OR POISON INTOXICATION											
MALE.....	71	-	5	10	14	25	8	7	2	-	-
FEMALE.....	80	-	1	9	14	11	5	10	-	-	-
TOTAL.....	121	-	6	19	28	36	13	17	2	-	-
BIRTH TRAUMA											
MALE.....	140	19	36	34	23	20	6	1	1	-	-
FEMALE.....	52	9	11	12	10	7	-	3	-	-	-
TOTAL.....	192	28	47	46	33	27	6	4	1	-	-
OTHER TRAUMA											
MALE.....	401	6	57	68	91	79	64	27	7	-	2
FEMALE.....	84	2	13	10	29	12	10	7	1	-	-
TOTAL.....	485	8	70	78	120	91	74	34	8	-	2

TABLE 5. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX, UNITED STATES, 1955 - Continued

(Statistic based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
CEREBRAL ARTERIOSCLEROSIS												
MALE.....	8,060	-	1	2	28	271	1,285	3,188	2,522	614	49	
FEMALE.....	8,912	-	1	4	14	173	981	2,306	1,923	491	19	
TOTAL.....	13,972	-	2	6	42	444	2,266	5,494	4,445	1,105	68	
OTHER CIRCULATORY DISTURBANCE												
MALE.....	698	-	6	10	53	133	185	194	89	25	3	
FEMALE.....	571	-	7	15	48	100	142	153	81	9	16	
TOTAL.....	1,269	-	13	25	101	233	327	347	170	34	19	
COMPULSIVE DISORDER												
MALE.....	922	65	256	231	141	109	76	27	10	-	7	
FEMALE.....	719	34	159	207	138	99	56	19	5	-	2	
TOTAL.....	1,641	99	415	438	279	208	132	46	15	-	9	
SENILE BRAIN DISEASE												
MALE.....	4,611	-	1	4	5	15	100	1,219	2,292	775	20	
FEMALE.....	4,978	-	1	-	1	16	220	1,291	2,440	972	17	
TOTAL.....	9,589	-	2	4	6	31	400	2,610	4,732	1,747	37	
OTHER DISTURBANCE OF METABOLISM, GROWTH, AND NUTRITION												
MALE.....	216	1	7	8	22	33	92	34	8	11	-	
FEMALE.....	304	1	5	10	16	58	109	55	39	13	-	
TOTAL.....	520	2	12	18	38	91	201	87	47	24	-	
INTRACRANIAL NEOPLASM												
MALE.....	81	-	2	6	11	29	24	5	4	-	-	
FEMALE.....	58	1	2	4	12	11	16	7	2	-	-	
TOTAL.....	136	1	4	10	23	40	40	12	6	-	-	
DISEASES OF UNKNOWN CAUSE												
MALE.....	291	1	6	29	55	77	56	47	19	1	-	
FEMALE.....	236	1	7	23	41	63	62	34	2	2	1	
TOTAL.....	527	2	13	52	96	140	118	81	21	3	1	
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE												
MALE.....	350	16	21	22	41	76	116	47	6	2	3	
FEMALE.....	198	7	6	22	34	42	83	28	8	1	2	
TOTAL.....	548	23	27	42	75	118	171	67	14	3	5	
TOTAL												
MALE.....	19,131	137	477	707	1,232	1,967	2,862	5,197	5,017	1,431	104	
FEMALE.....	14,229	73	250	453	653	880	1,859	3,978	4,536	1,489	58	
TOTAL.....	33,360	210	727	1,160	1,885	2,847	4,721	9,175	9,553	2,920	162	
PSYCHOTIC DISORDERS												
INVOLUTIONAL PSYCHOTIC REACTION												
MALE.....	1,120	-	2	2	41	416	520	126	10	1	2	
FEMALE.....	2,647	-	4	14	366	1,299	811	140	12	-	1	
TOTAL.....	3,767	-	6	16	407	1,715	1,331	266	22	1	3	
MANIC-DEPRESSIVE REACTION												
MALE.....	1,138	-	62	180	246	289	209	91	31	15	15	
FEMALE.....	1,577	15	149	330	409	307	216	111	21	9	10	
TOTAL.....	2,715	15	211	510	655	596	425	202	52	24	25	
PSYCHOTIC DEPRESSIVE REACTION												
MALE.....	416	-	7	44	80	121	105	46	12	1	-	
FEMALE.....	635	-	44	104	163	109	146	60	8	-	1	
TOTAL.....	1,051	-	51	148	243	230	251	106	20	1	1	
SCHIZOPHRENIC REACTIONS												
MALE.....	10,341	104	2,105	3,389	2,591	1,209	451	134	38	-	40	
FEMALE.....	12,011	80	1,897	4,313	3,347	1,546	612	159	41	11	23	
TOTAL.....	22,352	184	4,002	7,704	5,938	2,835	1,063	273	79	11	63	
PARANOID REACTIONS												
MALE.....	373	-	8	40	89	106	76	43	9	1	1	
FEMALE.....	200	-	4	27	64	80	61	36	6	1	1	
TOTAL.....	653	-	12	67	153	186	137	79	15	2	2	

TABLE 5. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1955 - Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
OTHER	MALE.....	235	10	28	44	54	40	41	13	3	1	1
	FEMALE.....	202	3	25	39	52	35	23	17	6	2	-
	TOTAL.....	437	13	53	83	106	75	64	30	9	3	1
TOTAL	MALE.....	13,623	114	2,212	3,899	3,101	2,261	1,402	453	103	19	59
	FEMALE.....	17,352	98	2,123	4,829	4,401	3,376	1,869	503	94	23	36
	TOTAL.....	30,975	212	4,335	8,728	7,502	5,637	3,271	956	197	42	95
PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCERAL DISORDERS	MALE.....	65	3	2	13	17	11	13	5	1	-	-
	FEMALE.....	76	1	3	13	25	21	8	4	1	-	-
	TOTAL.....	141	4	5	26	42	32	21	9	2	-	-
PSYCHONEUROTIC REACTIONS	MALE.....	2,063	23	237	562	567	419	175	61	12	-	7
	FEMALE.....	2,945	16	371	898	754	455	326	116	7	-	2
	TOTAL.....	5,008	39	608	1,460	1,321	874	501	177	19	-	9
PERSONALITY DISORDERS	PERSONALITY PATTERN DISTURBANCE											
	MALE.....	946	44	245	273	202	128	41	10	2	-	1
	FEMALE.....	406	23	118	123	81	40	16	4	1	-	-
TOTAL.....	1,352	67	363	396	283	168	57	14	3	-	1	
PERSONALITY TRAIT DISTURBANCE												
MALE.....	1,117	42	303	308	266	137	49	12	-	-	-	
FEMALE.....	459	36	191	143	73	30	17	9	-	-	-	
TOTAL.....	1,616	78	494	451	339	167	66	21	-	-	-	
ANTISOCIAL REACTION	MALE.....	839	33	371	254	117	47	12	4	1	-	-
	FEMALE.....	189	12	88	54	20	13	2	-	-	-	-
	TOTAL.....	1,028	45	459	308	137	60	14	4	1	-	-
DYSSOCIAL REACTION	MALE.....	199	5	67	67	31	20	9	-	-	-	-
	FEMALE.....	84	6	33	26	11	5	2	-	-	-	1
	TOTAL.....	283	11	100	93	42	25	11	-	-	-	1
SEXUAL DEVIATION	MALE.....	497	4	123	159	117	61	16	15	2	-	-
	FEMALE.....	19	-	7	6	3	-	3	-	-	-	-
	TOTAL.....	516	4	130	165	120	61	19	15	2	-	-
ALCOHOLISM- ADDICTION	MALE.....	7,526	-	156	1,376	2,684	2,168	866	232	23	-	21
	FEMALE.....	1,238	1	32	285	524	279	88	23	3	-	3
	TOTAL.....	8,764	1	188	1,661	3,208	2,447	954	255	26	-	24
DRUG ADDICTION	MALE.....	444	-	94	136	79	73	45	13	1	-	3
	FEMALE.....	265	1	43	72	71	48	18	7	5	-	-
	TOTAL.....	709	1	137	208	150	121	63	20	6	-	3
SPECIAL SYMPTOM REACTION	MALE.....	14	5	2	3	2	1	-	1	-	-	-
	FEMALE.....	11	3	-	1	3	2	2	-	-	-	-
	TOTAL.....	25	8	2	4	5	3	2	1	-	-	-
TOTAL	MALE.....	11,582	133	1,361	2,576	3,498	2,635	1,038	287	29	-	25
	FEMALE.....	2,711	82	512	710	786	417	148	43	9	-	4
	TOTAL.....	14,293	215	1,873	3,286	4,284	3,052	1,186	330	38	-	29
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE	MALE.....	575	150	165	74	62	49	40	25	9	1	-
	FEMALE.....	394	56	135	59	49	38	28	21	6	1	1
	TOTAL.....	969	206	300	133	111	87	68	46	15	2	1

TABLE 5. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AND SEX:
UNITED STATES, 1955 - Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
MENTAL DEFICIENCY												
MALE.....	1,852	146	601	451	308	205	86	29	11	1	15	
FEMALE.....	1,157	96	311	277	223	149	62	17	-	-	11	
TOTAL.....	3,009	242	912	728	542	354	148	45	11	1	26	
MENTAL DISORDER, UNDIAGNOSED												
MALE.....	2,030	20	211	325	358	295	257	213	182	43	126	
FEMALE.....	1,333	18	125	261	224	200	125	126	105	35	114	
TOTAL.....	3,363	38	336	586	582	495	382	339	287	78	240	
WITHOUT MENTAL DISORDER												
MALE.....	1,188	18	260	305	283	154	81	40	28	3	16	
FEMALE.....	337	9	64	88	78	52	18	15	9	3	1	
TOTAL.....	1,525	27	324	393	361	206	99	55	37	6	17	
TOTAL ALL PATIENTS ¹												
MALE.....	54,538	748	5,615	9,403	10,194	8,632	6,219	6,444	5,418	1,502	363	
FEMALE.....	41,299	456	3,942	7,750	7,437	5,732	4,538	4,870	4,778	1,557	229	
TOTAL.....	95,837	1,204	9,557	17,153	17,631	14,374	10,757	11,314	10,196	3,059	592	

¹ Data do not include 23,484 first admissions, 11,906 males and 11,578 females.

TABLE 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes	
ALABAMA																
MALE	812	12	5	281	4	21	9	-	9	147	10	31	43	5	6	
FEMALE	690	-	4	193	-	3	1	-	-	84	12	15	36	6	16	
TOTAL	1,502	12	9	474	4	24	6	-	9	231	22	46	99	11	22	
ARIZONA																
MALE	368	27	4	130	3	1	18	-	-	40	6	14	39	3	6	
FEMALE	312	5	3	88	3	-	4	-	2	24	12	10	26	1	6	
TOTAL	680	32	9	218	6	1	22	-	2	64	18	24	65	4	12	
ARKANSAS																
MALE	969	15	16	255	14	2	4	1	7	155	7	16	37	2	10	
FEMALE	631	1	14	175	3	2	2	-	3	81	3	9	64	2	6	
TOTAL	1,600	16	30	430	17	4	6	1	10	236	10	25	101	4	16	
CALIFORNIA																
MALE	6,901	161	56	1,800	62	7	247	11	82	942	70	72	580	30	97	
FEMALE	3,006	46	56	1,474	14	4	107	9	18	402	54	81	676	40	69	
TOTAL	11,907	207	112	3,274	76	11	354	20	100	944	124	153	1,256	70	166	
COLORADO																
MALE	422	3	10	194	8	1	15	-	7	60	6	10	81	-	6	
FEMALE	262	-	9	172	2	-	1	-	1	73	1	5	83	3	3	
TOTAL	684	3	19	366	10	1	16	-	8	133	7	15	164	3	9	
CONNECTICUT																
MALE	1,328	223	23	471	15	1	45	1	5	158	17	12	189	8	20	
FEMALE	1,094	39	28	472	3	2	21	1	1	162	13	9	246	5	9	
TOTAL	2,422	262	51	943	18	3	66	2	6	320	30	21	435	13	29	
DELAWARE																
MALE	169	13	4	48	1	-	4	-	1	15	3	2	17	1	4	
FEMALE	183	6	1	56	2	-	2	-	1	7	4	2	31	-	7	
TOTAL	352	19	5	104	3	-	6	-	2	22	7	4	48	1	11	
FLORIDA																
MALE	762	18	1	372	7	22	54	4	13	214	11	21	19	1	6	
FEMALE	612	1	2	238	14	1	14	2	1	121	4	27	44	4	6	
TOTAL	1,374	19	3	610	21	23	68	6	14	335	15	48	63	5	12	
GEORGIA																
MALE	1,585	15	-	701	28	-	115	13	32	408	19	66	1	3	16	
FEMALE	1,293	14	-	523	10	-	32	1	6	143	46	43	233	2	7	
TOTAL	2,878	29	-	1,224	38	-	147	14	38	551	65	109	234	5	23	
IDAHO																
MALE	424	9	3	123	1	4	29	-	-	32	5	8	35	1	8	
FEMALE	242	-	-	74	-	-	1	2	2	25	1	4	32	2	5	
TOTAL	666	9	3	197	1	4	30	2	2	57	6	12	67	3	13	
ILLINOIS																
MALE	4,875	299	62	2,065	38	23	334	1	39	777	100	51	566	15	119	
FEMALE	3,415	34	62	1,370	18	18	59	1	11	578	69	53	474	12	77	
TOTAL	8,290	333	124	3,435	56	41	393	2	50	1,355	169	104	1,040	27	196	
INDIANA																
MALE	1,467	19	9	444	18	5	24	1	16	238	18	11	106	5	22	
FEMALE	893	3	5	306	14	4	6	-	-	167	14	7	146	8	20	
TOTAL	2,360	22	14	750	32	9	30	1	16	405	32	18	252	13	42	
IOWA																
MALE	775	23	7	286	7	2	23	2	7	127	8	15	76	3	16	
FEMALE	463	3	4	176	1	1	3	3	2	62	4	4	44	45	10	
TOTAL	1,238	26	11	462	8	3	26	2	9	189	12	19	120	48	26	
KANSAS																
MALE	605	6	2	263	7	6	27	1	19	100	5	32	41	6	19	
FEMALE	435	1	4	145	4	4	1	1	3	34	9	27	47	3	13	
TOTAL	1,040	7	6	408	11	10	28	1	22	134	14	59	88	9	32	

TABLE 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS													Mental disorder undiagnosed	Without mental disorder	
	TOTAL PSYCHOTIC DISORDERS	Involuntarily psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbances	Mental deficiency				
ALABAMA																
MALE	307	52	13	-	238	2	-	1	19	81	27	39	18	22		
FEMALE	417	71	47	-	296	3	-	-	16	14	9	14	13	10		
TOTAL	724	123	62	-	534	5	-	1	35	95	36	53	31	32		
ARIZONA																
MALE	159	10	5	2	141	1	-	1	6	22	2	12	1	4		
FEMALE	167	19	20	6	119	3	-	-	18	13	1	12	-	3		
TOTAL	326	29	25	8	260	4	-	1	24	35	3	24	1	7		
ARKANSAS																
MALE	220	26	11	11	166	5	1	1	26	195	5	40	86	110		
FEMALE	263	52	21	18	169	2	1	1	49	63	2	20	28	15		
TOTAL	483	78	32	29	335	7	2	2	75	258	7	60	114	125		
CALIFORNIA																
MALE	1,698	171	77	46	1,379	20	5	3	327	2,503	89	85	144	35		
FEMALE	2,249	409	84	69	1,661	23	3	8	382	622	45	42	71	11		
TOTAL	3,947	580	161	115	3,040	43	8	11	709	3,125	134	127	215	46		
COLORADO																
MALE	60	-	1	-	56	3	-	-	10	82	3	11	1	48		
FEMALE	48	-	3	4	29	12	-	-	7	12	1	5	7	1		
TOTAL	108	-	4	4	85	15	-	-	17	94	4	16	8	49		
CONNECTICUT																
MALE	357	29	23	27	256	19	3	1	58	160	6	20	9	-		
FEMALE	369	38	42	30	250	8	1	2	91	67	7	13	6	-		
TOTAL	726	67	65	57	506	27	4	3	149	227	13	33	15	-		
DELAWARE																
MALE	55	12	6	5	28	4	-	-	14	28	2	5	-	-		
FEMALE	80	24	6	13	31	5	1	1	18	15	-	6	-	-		
TOTAL	135	36	12	18	59	9	1	1	32	43	2	11	-	-		
FLORIDA																
MALE	235	11	27	-	194	2	1	-	8	44	-	65	18	1		
FEMALE	289	68	21	-	196	2	2	-	6	16	1	39	18	2		
TOTAL	524	79	48	-	390	4	3	-	14	60	1	104	36	3		
GEORGIA																
MALE	354	4	196	-	150	4	-	-	33	15	-	213	34	220		
FEMALE	530	79	141	-	306	4	-	-	73	11	-	76	14	50		
TOTAL	884	83	337	-	456	8	-	-	108	26	-	289	48	270		
IDAHO																
MALE	50	2	4	6	36	2	-	-	35	136	29	1	11	27		
FEMALE	67	10	6	2	43	6	-	-	56	19	11	1	6	8		
TOTAL	117	12	10	8	79	8	-	-	91	155	40	2	17	35		
ILLINOIS																
MALE	958	69	34	26	784	43	2	6	194	814	43	83	328	23		
FEMALE	1,182	221	59	33	837	30	2	10	223	103	39	62	237	11		
TOTAL	2,140	290	93	59	1,621	73	4	16	419	997	82	145	565	34		
INDIANA																
MALE	238	10	14	6	198	9	1	2	51	611	16	38	7	2		
FEMALE	321	46	22	10	235	8	-	-	43	83	14	35	3	-		
TOTAL	559	56	36	16	433	17	1	2	94	694	30	73	10	2		
IOWA																
MALE	143	19	20	4	95	5	-	3	33	235	12	24	7	2		
FEMALE	161	32	19	3	85	3	1	3	64	32	3	17	2	1		
TOTAL	304	51	39	7	180	8	1	6	97	267	15	41	9	3		
KANSAS																
MALE	149	22	12	4	127	4	-	-	18	117	5	21	3	1		
FEMALE	183	21	13	6	140	2	1	-	52	38	1	9	2	-		
TOTAL	332	43	25	10	267	6	1	-	70	155	6	30	5	1		

TABLE 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1955- Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes	
KENTUCKY																
MALE	825	42	12	360	17	1	22	1	9	179	12	22	84	3	10	
FEMALE	571	10	8	227	6	2	2	-	1	113	10	16	64	4	9	
TOTAL	1,396	52	20	587	23	3	24	1	10	292	22	38	148	7	19	
LOUISIANA																
MALE	1,062	44	5	257	22	7	34	4	10	112	7	16	32	2	11	
FEMALE	930	6	3	188	9	7	8	6	7	87	2	15	39	4	4	
TOTAL	2,000	50	8	445	31	14	42	10	17	199	9	31	71	6	15	
MAINE																
MALE	268	9	4	114	3	-	6	-	-	67	-	5	30	-	3	
FEMALE	245	1	3	95	2	1	1	1	-	72	-	2	12	2	2	
TOTAL	533	10	7	209	5	1	7	1	-	139	-	7	42	2	5	
MARYLAND																
MALE	978	89	14	370	15	5	69	-	10	128	6	18	95	5	19	
FEMALE	763	15	5	320	3	2	14	-	4	118	6	24	132	4	13	
TOTAL	1,741	104	19	690	18	7	83	-	14	246	12	42	227	9	32	
MICHIGAN																
MALE	1,774	32	14	660	34	7	75	3	19	202	20	34	129	10	47	
FEMALE	1,324	9	7	462	7	6	7	4	5	190	14	24	168	12	25	
TOTAL	3,098	41	21	1,122	41	13	82	7	24	472	34	58	297	22	72	
MINNESOTA																
MALE	1,693	2	8	462	2	-	15	-	8	135	33	8	221	5	35	
FEMALE	847	-	7	275	2	-	1	-	5	125	21	7	98	3	13	
TOTAL	2,540	2	15	737	4	-	16	-	13	260	54	15	319	8	48	
MISSISSIPPI																
MALE	1,112	30	9	170	-	1	13	-	10	81	5	17	25	1	17	
FEMALE	793	4	4	137	8	-	1	-	1	62	9	22	26	1	7	
TOTAL	1,905	34	13	307	8	1	14	-	11	143	14	39	51	2	24	
MISSOURI																
MALE	734	4	1	291	19	-	12	4	10	91	7	16	112	10	10	
FEMALE	612	-	4	204	8	-	5	-	1	70	8	17	78	8	9	
TOTAL	1,346	4	5	495	27	-	17	4	11	161	15	33	190	18	19	
MONTANA																
MALE	455	25	7	146	3	7	21	-	5	54	4	9	23	8	12	
FEMALE	192	5	1	60	-	1	3	-	-	12	11	5	14	1	11	
TOTAL	647	30	8	206	3	8	24	-	5	66	15	14	39	9	23	
NEBRASKA																
MALE	572	13	2	195	1	1	5	-	1	110	3	11	45	3	15	
FEMALE	339	2	-	171	-	-	6	-	1	91	12	4	49	5	3	
TOTAL	911	15	2	366	1	1	11	-	2	201	15	15	94	8	18	
NEVADA																
MALE	132	7	1	48	1	-	10	-	3	14	2	-	16	-	2	
FEMALE	75	1	-	21	2	-	4	-	-	7	-	-	8	-	-	
TOTAL	207	8	1	69	3	-	14	-	3	21	2	-	24	-	2	
NEW HAMPSHIRE																
MALE	366	46	9	134	4	2	4	1	2	60	9	6	42	2	2	
FEMALE	300	7	12	122	-	1	1	-	3	59	6	2	41	5	4	
TOTAL	666	53	21	256	4	3	5	1	5	119	15	8	83	7	6	
NEW JERSEY																
MALE	2,608	123	26	1,151	30	5	148	1	26	534	66	40	255	8	38	
FEMALE	2,431	19	16	1,200	8	3	48	3	1	601	44	30	439	8	15	
TOTAL	5,039	142	42	2,351	38	8	196	4	27	1,135	110	70	694	16	53	
NEW MEXICO																
MALE	251	36	2	55	3	-	2	-	8	22	-	9	10	-	1	
FEMALE	156	5	2	36	2	-	2	-	1	14	-	3	12	1	1	
TOTAL	407	41	4	91	5	-	4	-	9	36	-	12	22	1	2	

TABLE 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1955 - Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS							Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbances	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
KENTUCKY														
MALE	188	13	14	13	145	3	-	1	32	73	11	67	31	8
FEMALE	193	23	11	14	145	-	-	1	34	16	14	44	22	2
TOTAL	381	36	25	27	290	3	-	2	66	89	25	111	53	10
LOUISIANA														
MALE	293	18	22	2	245	3	3	1	29	176	12	47	195	3
FEMALE	514	67	58	6	381	2	-	3	52	51	11	36	73	1
TOTAL	807	85	80	8	626	5	3	4	81	227	23	83	268	4
MAINE														
MALE	68	3	9	1	50	3	2	-	20	41	3	10	-	19
FEMALE	100	3	6	6	82	3	-	-	36	9	-	-	-	1
TOTAL	168	6	15	7	132	6	2	-	56	50	3	10	-	20
MARYLAND														
MALE	244	19	9	32	179	5	-	-	29	213	5	13	1	-
FEMALE	297	35	13	31	218	5	-	1	39	65	7	14	-	-
TOTAL	541	54	22	63	392	10	-	1	68	278	12	27	1	-
MICHIGAN														
MALE	661	27	23	9	576	15	11	4	54	278	25	43	2	1
FEMALE	639	54	13	16	549	5	2	3	67	87	28	20	2	-
TOTAL	1,300	81	36	25	1,125	20	13	7	121	365	53	63	4	1
MINNESOTA														
MALE	253	29	31	18	164	8	3	5	51	801	16	56	22	17
FEMALE	328	99	29	34	159	6	1	6	70	110	9	38	3	1
TOTAL	581	128	60	52	323	14	4	11	121	911	25	94	25	18
MISSISSIPPI														
MALE	272	14	16	23	185	5	29	2	16	368	1	38	105	101
FEMALE	375	11	34	47	260	1	22	4	6	55	-	11	124	73
TOTAL	647	25	50	70	445	6	51	6	22	423	1	49	229	174
MISSOURI														
MALE	186	9	23	1	148	-	5	1	27	147	6	44	21	6
FEMALE	290	25	50	5	207	-	3	-	41	35	4	18	12	4
TOTAL	476	34	73	6	355	-	8	1	68	182	10	62	33	10
MONTANA														
MALE	77	4	7	4	60	2	-	1	7	164	3	20	4	1
FEMALE	52	2	4	4	40	2	-	-	25	35	2	11	1	-
TOTAL	129	6	11	8	100	4	-	1	32	199	5	31	5	1
NEBRASKA														
MALE	94	5	7	2	77	2	1	-	45	191	3	17	5	7
FEMALE	100	11	19	-	69	1	-	-	29	25	1	6	3	2
TOTAL	194	16	26	2	146	3	1	-	74	216	4	23	8	9
NEVADA														
MALE	45	4	4	4	28	5	-	-	-	13	-	11	7	-
FEMALE	29	6	4	3	16	-	-	-	3	10	-	3	8	-
TOTAL	74	10	8	7	44	5	-	-	3	23	-	14	15	-
NEW HAMPSHIRE														
MALE	82	22	6	6	48	-	-	1	27	22	8	14	4	19
FEMALE	108	35	10	5	56	2	-	1	33	4	2	8	1	2
TOTAL	190	57	16	11	104	2	-	2	60	26	10	22	5	21
NEW JERSEY														
MALE	795	88	72	17	493	25	100	-	121	298	13	56	21	4
FEMALE	961	167	114	30	531	22	97	2	125	71	15	51	18	3
TOTAL	1,756	255	186	47	1,024	47	197	2	246	369	28	107	39	7
NEW MEXICO														
MALE	77	-	5	-	69	3	-	-	16	19	12	10	11	13
FEMALE	61	4	11	1	43	2	-	2	6	8	4	14	9	9
TOTAL	138	4	16	1	112	5	-	2	22	27	16	24	20	22

TABLE 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1955 - Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes	
NORTH CAROLINA																
MALE	1,292	50	15	326	26	6	7	-	9	119	11	51	79	4	14	
FEMALE	1,017	4	13	178	3	3	1	-	2	69	6	17	64	4	9	
TOTAL	2,309	54	28	504	29	9	8	-	11	188	17	68	143	8	23	
NORTH DAKOTA																
MALE	331	12	2	88	-	-	-	-	2	34	2	7	34	2	7	
FEMALE	182	1	1	50	2	-	-	-	-	19	3	7	16	-	3	
TOTAL	513	13	3	138	2	-	-	-	2	53	5	14	50	2	10	
OHIO																
MALE	3,892	152	41	1,322	88	14	289	2	46	558	35	42	171	17	60	
FEMALE	3,299	28	37	894	39	11	92	4	11	403	35	50	177	28	44	
TOTAL	7,191	180	78	2,216	127	25	381	6	57	961	70	92	348	45	104	
OKLAHOMA																
MALE	722	16	7	291	14	1	20	-	2	125	10	13	94	2	10	
FEMALE	516	5	8	190	3	-	3	1	3	83	2	16	65	5	9	
TOTAL	1,238	21	15	481	17	1	23	1	5	208	12	29	159	7	19	
OREGON																
MALE	1,148	36	19	334	6	-	29	-	11	131	8	12	105	11	21	
FEMALE	795	2	10	232	3	-	7	1	4	113	8	13	67	4	12	
TOTAL	1,943	38	29	566	9	-	36	1	15	244	16	25	172	15	33	
PENNSYLVANIA																
MALE	2,852	62	30	1,211	44	11	70	2	22	697	27	61	205	11	61	
FEMALE	2,647	5	34	1,039	24	5	18	1	6	532	27	43	321	25	37	
TOTAL	5,499	67	64	2,250	68	16	88	3	28	1,229	54	104	526	36	98	
RHODE ISLAND																
MALE	484	21	7	188	2	1	14	-	3	68	1	6	87	-	6	
FEMALE	414	2	3	174	2	1	2	-	-	41	-	2	123	1	3	
TOTAL	898	23	10	362	4	2	16	-	3	109	1	8	210	1	9	
SOUTH CAROLINA																
MALE	949	23	8	365	32	3	35	9	5	212	14	30	16	1	8	
FEMALE	778	7	10	249	5	1	3	-	1	140	11	10	78	-	-	
TOTAL	1,727	30	18	614	37	4	38	9	6	352	25	40	94	1	8	
SOUTH DAKOTA																
MALE	287	14	7	97	2	1	5	-	4	23	4	4	44	1	9	
FEMALE	209	-	1	65	3	2	-	-	-	8	-	7	33	5	7	
TOTAL	496	14	8	162	5	3	5	-	4	31	4	11	77	6	16	
TENNESSEE																
MALE	799	10	9	312	11	8	20	-	10	127	10	17	90	1	18	
FEMALE	571	-	4	182	10	2	2	1	2	86	6	17	48	1	7	
TOTAL	1,370	10	13	494	21	10	22	1	12	213	16	34	138	2	25	
TEXAS																
MALE	2,162	15	4	784	38	12	180	6	24	305	34	-	104	15	66	
FEMALE	1,641	2	7	398	8	6	44	7	6	180	35	-	62	14	36	
TOTAL	3,803	17	11	1,182	46	18	224	13	30	485	69	-	166	29	102	
UTAH																
MALE	190	12	4	67	1	-	5	-	3	47	2	3	2	2	2	
FEMALE	169	3	-	44	1	-	2	-	-	32	-	1	5	3	-	
TOTAL	359	15	4	111	2	-	7	-	3	79	2	4	7	5	2	
VERMONT																
MALE	177	5	3	62	-	-	3	-	5	31	1	1	19	1	1	
FEMALE	171	3	4	56	-	-	1	-	2	19	1	2	27	-	4	
TOTAL	348	8	7	118	-	-	4	-	7	50	2	3	46	1	5	
VIRGINIA																
MALE	1,333	62	4	524	39	9	12	1	12	273	36	31	83	2	26	
FEMALE	961	17	7	386	12	4	3	-	7	213	12	16	86	8	25	
TOTAL	2,294	79	11	910	51	13	15	1	19	486	48	47	169	10	51	

TABLE 6. —FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - *Continued*

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS											Mental deficiency	Mental disorder undiagnosed	Without mental disorder		
	TOTAL PSYCHOTIC DISORDERS	Involuntarily psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance					
NORTH CAROLINA																
MALE	347	27	19	15	269	15	2	1	44	404	12	56	30	7		
FEMALE	535	90	44	32	357	12	-	3	103	94	5	49	23	10		
TOTAL	882	117	63	47	626	27	2	4	147	498	17	105	53	17		
NORTH DAKOTA																
MALE	66	19	6	3	36	2	-	2	16	130	-	8	7	-		
FEMALE	77	20	10	1	46	-	-	2	34	6	2	6	3	-		
TOTAL	143	39	16	4	82	2	-	4	50	136	2	14	10	-		
OHIO																
MALE	1,056	136	86	28	758	35	13	7	245	548	71	116	241	93		
FEMALE	1,599	257	126	78	1,038	34	6	10	372	126	35	65	169	24		
TOTAL	2,595	393	212	106	1,796	69	19	17	617	674	106	181	410	117		
OKLAHOMA																
MALE	189	16	8	4	154	7	-	2	27	113	9	45	1	22		
FEMALE	204	36	12	5	147	4	-	1	24	43	15	22	-	4		
TOTAL	393	52	20	9	301	11	-	3	51	156	24	67	1	26		
OREGON																
MALE	236	38	13	1	174	10	-	4	45	402	15	26	3	28		
FEMALE	296	48	29	7	210	2	-	2	111	87	23	23	2	7		
TOTAL	532	86	42	8	384	12	-	6	156	489	38	49	5	35		
PENNSYLVANIA																
MALE	946	68	73	15	728	41	21	3	91	294	33	106	14	62		
FEMALE	1,161	113	115	24	868	20	21	5	144	106	18	88	20	27		
TOTAL	2,107	181	188	39	1,596	61	42	8	235	400	51	194	34	89		
RHODE ISLAND																
MALE	92	11	11	1	69	-	-	-	11	133	1	19	12	-		
FEMALE	112	10	26	1	73	2	-	-	37	50	2	18	15	1		
TOTAL	204	21	37	2	142	2	-	-	48	183	3	37	27	1		
SOUTH CAROLINA																
MALE	240	5	27	-	207	1	-	2	33	151	9	31	-	87		
FEMALE	329	19	68	1	239	2	-	-	70	48	4	38	-	23		
TOTAL	569	24	95	1	446	3	-	2	103	199	13	69	-	110		
SOUTH DAKOTA																
MALE	65	3	4	4	49	5	-	-	14	82	4	4	-	-		
FEMALE	90	11	12	9	56	2	-	1	32	13	2	4	1	-		
TOTAL	155	14	16	13	105	7	-	1	46	95	6	8	1	-		
TENNESSEE																
MALE	217	8	15	5	181	5	3	4	16	107	2	53	9	60		
FEMALE	290	29	29	5	209	8	10	1	31	32	-	25	4	2		
TOTAL	507	37	44	10	390	13	13	5	47	139	2	78	13	62		
TEXAS																
MALE	633	20	82	15	512	-	4	1	64	242	9	32	378	-		
FEMALE	842	110	61	15	653	-	3	2	65	68	5	25	227	-		
TOTAL	1,475	130	143	30	1,165	-	7	3	129	310	14	57	605	-		
UTAH																
MALE	55	3	7	-	42	3	-	-	1	43	-	6	2	-		
FEMALE	74	8	9	-	57	-	-	-	21	16	-	6	5	-		
TOTAL	129	11	16	-	99	3	-	-	22	59	-	12	7	-		
VERMONT																
MALE	35	6	8	4	16	1	-	-	8	35	-	5	2	22		
FEMALE	66	3	15	5	41	2	-	-	18	17	4	2	-	1		
TOTAL	101	9	23	9	57	3	-	-	26	52	4	7	2	23		
VIRGINIA																
MALE	260	18	35	8	178	12	9	-	28	299	7	74	36	39		
FEMALE	330	58	46	9	211	2	4	4	48	75	17	52	34	11		
TOTAL	590	76	81	17	389	14	13	4	76	374	24	126	70	50		

TABLE 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE UNITED STATES, 1955 - Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes	
WASHINGTON																
MALE	810	15	14	334	3	3	11	1	14	130	15	18	114	1	16	
FEMALE	682	1	8	284	1	2	6	4	4	164	11	14	56	2	18	
TOTAL	1,492	16	22	618	4	5	17	5	18	302	26	32	172	3	34	
WEST VIRGINIA																
MALE	964	47	7	332	15	7	31	1	7	141	10	30	77	2	11	
FEMALE	776	9	17	213	6	4	7	-	5	104	4	15	55	7	6	
TOTAL	1,740	56	24	545	21	11	38	1	12	245	14	45	132	9	17	
WISCONSIN																
MALE	1,726	22	6	587	8	3	59	-	4	129	18	20	322	3	21	
FEMALE	1,255	-	8	511	3	-	15	1	2	111	21	21	298	5	34	
TOTAL	2,981	22	14	1,098	11	3	74	1	6	240	39	41	620	8	55	
WYOMING																
MALE	118	3	4	41	-	-	-	-	-	20	1	4	16	-	-	
FEMALE	49	-	1	24	-	-	-	-	-	11	-	1	11	1	-	
TOTAL	167	3	5	65	-	-	-	-	-	31	1	5	27	1	-	
U. S. TOTAL ¹																
MALE	54,538	1,922	507	19,131	696	210	2,172	71	541	8,060	698	922	4,611	216	934	
FEMALE	41,299	326	439	14,229	270	102	563	50	136	5,912	571	719	4,978	304	624	
TOTAL	95,837	2,248	946	33,360	966	312	2,735	121	677	13,972	1,269	1,641	9,589	520	1,558	

¹ Data do not include 23,484 first admissions, since some hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	23,484	11,906	11,578
District of Columbia...	1,021	477	544
Maryland.....	568	339	229
Massachusetts.....	5,940	3,149	2,791
New York.....	15,955	7,941	8,014

TABLE 6. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - *Continued*

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS							Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	TOTAL PSYCHOTIC DISORDERS	Involuntarily psychotic reaction	Manic depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
WASHINGTON														
MALE	249	18	28	6	183	14	-	1	32	85	24	32	3	21
FEMALE	302	74	31	1	190	6	-	-	32	21	19	17	1	1
TOTAL	551	92	59	7	373	20	-	1	64	106	39	49	4	22
WEST VIRGINIA														
MALE	185	14	12	12	142	5	-	3	35	194	7	88	31	15
FEMALE	309	76	46	22	160	5	-	-	66	45	8	57	47	9
TOTAL	494	90	58	34	302	10	-	3	101	239	15	145	98	20
WISCONSIN														
MALE	388	17	11	24	384	12	16	1	49	447	13	43	145	31
FEMALE	406	32	21	22	294	16	21	-	68	90	7	38	119	11
TOTAL	794	49	32	46	600	28	37	1	117	537	20	81	264	42
WYOMING														
MALE	26	1	-	-	22	3	-	-	4	26	2	3	-	7
FEMALE	17	1	1	-	14	1	-	-	1	5	1	-	-	-
TOTAL	43	2	1	-	36	4	-	-	5	31	3	3	-	7
UNITED STATES TOTAL														
MALE	13,623	1,120	1,138	416	10,341	373	235	65	2,063	11,582	575	1,852	2,030	1,188
FEMALE	17,352	2,647	1,577	635	12,011	280	202	76	2,945	2,711	394	1,157	1,333	337
TOTAL	30,975	3,767	2,715	1,051	22,352	653	437	141	5,008	14,293	969	3,009	3,363	1,525

Generated on 2018-08-01 14:56 GMT / http://hdl.handle.net/2027/osu.32435024776338
Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

TABLE 7. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE, UNITED STATES, 1955

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
ALABAMA	MALE.....	812	17	104	145	151	136	81	112	60	6	-
	FEMALE.....	690	17	73	139	123	106	80	83	50	19	-
	TOTAL.....	1,502	34	177	284	274	242	161	195	110	25	-
ARIZONA	MALE.....	368	2	43	70	80	51	42	48	26	6	-
	FEMALE.....	312	11	38	77	53	43	34	26	21	9	-
	TOTAL.....	680	13	81	147	133	94	76	74	47	15	-
ARKANSAS	MALE.....	969	8	127	176	193	164	94	112	65	26	4
	FEMALE.....	631	7	73	139	119	97	67	65	45	13	6
	TOTAL.....	1,600	15	200	315	312	261	161	177	110	39	10
CALIFORNIA	MALE.....	6,901	130	770	1,270	1,417	1,247	805	692	429	109	32
	FEMALE.....	5,006	70	495	994	1,065	728	545	497	460	146	6
	TOTAL.....	11,907	200	1,265	2,264	2,482	1,975	1,350	1,189	889	255	38
COLORADO	MALE.....	422	3	59	50	64	54	47	49	63	33	-
	FEMALE.....	262	3	15	16	30	23	19	50	68	38	-
	TOTAL.....	684	6	74	66	94	77	66	99	131	71	-
CONNECTICUT	MALE.....	1,328	13	115	226	226	196	153	183	153	63	-
	FEMALE.....	1,094	8	89	162	172	128	108	164	188	75	-
	TOTAL.....	2,422	21	204	388	398	324	261	347	341	138	-
DELAWARE	MALE.....	169	1	18	38	29	23	21	18	17	4	-
	FEMALE.....	183		22	30	43	26	18	22	16	6	-
	TOTAL.....	352	1	40	68	72	49	39	40	33	10	-
FLORIDA	MALE.....	762	3	95	129	138	109	80	110	83	12	3
	FEMALE.....	612	4	67	110	129	97	76	70	52	6	1
	TOTAL.....	1,374	7	162	239	267	206	156	180	135	18	4
GEORGIA	MALE.....	1,585	26	139	308	279	301	193	140	106	17	76
	FEMALE.....	1,293	22	110	253	225	196	177	152	95	18	45
	TOTAL.....	2,878	48	249	561	504	497	370	292	201	35	121
IDAHO	MALE.....	424	15	51	60	90	79	42	31	37	14	5
	FEMALE.....	242	6	28	54	39	29	21	31	29	2	3
	TOTAL.....	666	21	79	114	129	108	63	62	66	16	8
ILLINOIS	MALE.....	4,875	21	358	789	867	755	668	712	543	162	-
	FEMALE.....	3,415	22	267	597	562	445	406	511	459	146	-
	TOTAL.....	8,290	43	625	1,386	1,429	1,200	1,074	1,223	1,002	308	-
INDIANA	MALE.....	1,457	23	112	238	291	263	172	178	149	27	4
	FEMALE.....	895	13	65	124	148	122	101	146	137	37	-
	TOTAL.....	2,350	36	177	362	439	385	273	324	286	64	4
IOWA	MALE.....	775	7	67	122	127	122	86	100	112	32	-
	FEMALE.....	463	1	46	67	68	65	61	58	77	20	-
	TOTAL.....	1,238	8	113	189	195	187	147	158	189	52	-
KANSAS	MALE.....	605	7	67	95	112	96	67	72	76	13	-
	FEMALE.....	435	5	55	94	73	54	52	50	49	3	-
	TOTAL.....	1,040	12	122	189	185	150	119	122	125	16	-
KENTUCKY	MALE.....	825	11	82	138	121	110	76	134	121	32	-
	FEMALE.....	571	5	66	105	87	76	51	68	70	23	-
	TOTAL.....	1,396	16	148	243	208	186	127	222	191	55	-

TABLE 7. —FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE, UNITED STATES, 1955—Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
LOUISIANA	MALE.....	1,062	9	143	228	209	187	116	93	60	10	7
	FEMALE.....	938	6	108	231	196	167	105	75	43	5	2
	TOTAL.....	2,000	15	251	459	405	354	221	168	103	15	9
MAINE	MALE.....	288	3	38	46	44	29	28	45	44	11	—
	FEMALE.....	245	1	29	30	46	31	25	24	46	13	—
	TOTAL.....	533	4	67	76	90	60	53	69	90	24	—
MARYLAND	MALE.....	978	12	89	175	200	165	111	120	70	28	8
	FEMALE.....	763	7	53	133	133	89	84	101	114	40	9
	TOTAL.....	1,741	19	142	308	333	254	195	221	184	68	17
MICHIGAN	MALE.....	1,774	25	198	347	329	264	182	228	164	40	5
	FEMALE.....	1,324	7	149	262	230	177	132	150	155	57	5
	TOTAL.....	3,098	32	347	609	559	441	314	378	319	97	10
MINNESOTA	MALE.....	1,693	11	95	251	367	318	209	190	174	74	4
	FEMALE.....	847	5	64	113	157	144	97	108	114	43	2
	TOTAL.....	2,540	16	159	364	524	462	306	298	288	117	6
MISSISSIPPI	MALE.....	1,112	6	120	202	266	202	111	51	29	7	118
	FEMALE.....	793	—	97	190	164	120	69	25	22	3	103
	TOTAL.....	1,905	6	217	392	430	322	180	76	51	10	221
MISSOURI	MALE.....	734	13	85	109	113	118	85	104	89	18	—
	FEMALE.....	612	4	69	117	93	96	78	77	65	12	1
	TOTAL.....	1,346	17	154	226	206	214	163	181	154	30	1
MONTANA	MALE.....	455	15	26	61	107	66	52	40	27	10	51
	FEMALE.....	192	11	14	36	40	26	13	19	8	4	21
	TOTAL.....	647	26	40	97	147	92	65	59	35	14	72
NEBRASKA	MALE.....	372	4	45	89	106	90	57	66	91	23	1
	FEMALE.....	339	2	18	37	32	46	46	68	67	23	—
	TOTAL.....	911	6	63	126	138	136	103	134	158	46	1
NEVADA	MALE.....	132	6	13	14	29	26	13	17	14	—	—
	FEMALE.....	75	3	9	14	14	14	7	6	7	1	—
	TOTAL.....	207	9	22	28	43	40	20	23	21	1	—
NEW HAMPSHIRE	MALE.....	366	4	35	57	63	47	36	50	54	20	—
	FEMALE.....	300	1	24	48	36	43	33	38	50	27	—
	TOTAL.....	666	5	59	105	99	90	69	88	104	47	—
NEW JERSEY	MALE.....	2,608	36	212	415	424	368	334	384	324	111	—
	FEMALE.....	2,481	22	174	365	362	265	245	360	485	203	—
	TOTAL.....	5,089	58	386	780	786	633	579	744	809	314	—
NEW MEXICO	MALE.....	251	21	46	51	49	27	19	19	11	6	2
	FEMALE.....	156	6	24	32	35	19	13	16	6	2	3
	TOTAL.....	407	27	70	83	84	46	32	35	17	8	5
NORTH CAROLINA	MALE.....	1,292	21	152	272	324	198	132	106	75	6	6
	FEMALE.....	1,017	14	112	257	245	156	93	83	51	5	1
	TOTAL.....	2,309	35	264	529	569	354	225	189	126	11	7

TABLE 7. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:
UNITED STATES, 1955--Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX		ALL AGES	AGE (IN YEARS)									
			Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age not stated
NORTH DAKOTA	MALE.....	331	2	23	52	85	47	46	27	36	13	-
	FEMALE.....	182	1	22	30	32	30	25	21	18	3	-
	TOTAL.....	513	3	45	82	117	77	71	48	54	16	-
OHIO	MALE.....	3,892	64	442	772	765	592	455	408	329	65	-
	FEMALE.....	3,299	26	386	740	663	444	414	296	251	79	-
	TOTAL.....	7,191	90	828	1,512	1,428	1,036	869	704	580	144	-
OKLAHOMA	MALE.....	722	19	103	119	105	99	61	80	99	36	1
	FEMALE.....	516	9	72	99	80	71	45	64	62	14	-
	TOTAL.....	1,238	28	175	218	185	170	106	144	161	50	1
OREGON	MALE.....	1,148	4	112	161	242	235	130	115	110	37	2
	FEMALE.....	795	3	79	145	156	122	98	82	89	20	1
	TOTAL.....	1,943	7	191	306	398	357	228	197	199	57	3
PENNSYLVANIA	MALE.....	2,852	53	309	446	420	353	368	408	384	111	-
	FEMALE.....	2,647	36	198	488	420	328	274	360	401	141	1
	TOTAL.....	5,499	89	507	934	840	681	642	768	785	252	1
RHODE ISLAND	MALE.....	484	5	44	68	69	71	65	71	72	19	-
	FEMALE.....	414	3	28	56	65	56	44	54	69	39	-
	TOTAL.....	898	8	72	124	134	127	109	125	141	58	-
SOUTH CAROLINA	MALE.....	949	12	131	198	220	145	68	100	54	16	5
	FEMALE.....	778	9	86	170	176	101	82	82	57	12	3
	TOTAL.....	1,727	21	217	368	396	246	150	182	111	28	8
SOUTH DAKOTA	MALE.....	287	1	27	48	51	44	39	34	34	8	1
	FEMALE.....	209	-	21	37	41	29	25	28	21	6	1
	TOTAL.....	496	1	48	85	92	73	64	62	55	14	2
TENNESSEE	MALE.....	799	3	107	151	154	130	76	92	73	13	-
	FEMALE.....	571	3	64	119	113	95	64	67	41	5	-
	TOTAL.....	1,370	6	171	270	267	225	140	159	114	18	-
TEXAS	MALE.....	2,162	2	173	342	395	366	258	264	276	86	-
	FEMALE.....	1,641	7	125	314	350	306	198	170	119	52	-
	TOTAL.....	3,803	9	298	656	745	672	456	434	395	138	-
UTAH	MALE.....	190	-	15	25	44	35	18	24	24	5	-
	FEMALE.....	169	1	17	39	23	33	16	17	19	3	1
	TOTAL.....	359	1	32	64	67	68	34	41	43	8	1
VERMONT	MALE.....	177	2	16	30	25	27	17	19	31	9	1
	FEMALE.....	171	-	26	32	25	20	15	16	25	12	-
	TOTAL.....	348	2	42	62	50	47	32	35	56	21	1
VIRGINIA	MALE.....	1,339	31	184	239	248	166	119	150	171	25	-
	FEMALE.....	961	23	118	179	178	106	72	112	135	38	-
	TOTAL.....	2,294	54	302	418	426	272	191	262	306	63	-
WASHINGTON	MALE.....	810	25	147	130	88	84	67	123	112	34	-
	FEMALE.....	682	14	64	111	106	93	71	89	103	31	-
	TOTAL.....	1,492	39	211	241	194	177	138	212	215	65	-
WEST VIRGINIA	MALE.....	964	41	109	167	187	141	112	98	78	24	7
	FEMALE.....	776	30	75	187	133	116	84	72	63	14	2
	TOTAL.....	1,740	71	184	354	320	257	196	170	141	38	9

TABLE 7. --FIRST ADMISSIONS TO PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY AGE, SEX AND STATE:
UNITED STATES, 1955- Continued

(Statistics based on reports from 201 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX		ALL AGES	AGE (IN YEARS)									
			Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
WISCONSIN	MALE.....	1,726	8	153	265	267	268	193	226	252	75	19
	FEMALE.....	1,255	8	104	171	152	155	153	169	244	87	12
	TOTAL.....	2,981	16	257	436	419	423	346	395	496	162	31
WYOMING	MALE.....	118	3	16	19	14	18	15	9	17	6	1
	FEMALE.....	49	-	4	7	5	9	2	8	12	2	-
	TOTAL.....	167	3	20	26	19	27	17	17	29	8	1
UNITED STATES TOTAL ¹	MALE.....	54,538	748	5,615	9,403	10,194	8,632	6,219	6,444	5,418	1,502	363
	FEMALE.....	41,299	456	3,942	7,750	7,437	5,742	4,538	4,870	4,778	1,557	229
	TOTAL.....	95,837	1,204	9,557	17,153	17,631	14,374	10,757	11,314	10,196	3,059	592

¹ Data do not include 23,484 first admissions, since some hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	23,484	11,906	11,578
District of Columbia....	1,001	477	524
Maryland.....	568	339	229
Massachusetts.....	5,740	3,149	2,591
New York.....	15,955	7,741	8,214

The State of New York was able to provide the age distribution of its first admissions by sex although data on diagnosis was not available. In order to maintain agreement in totals between the tables by State and diagnosis and by State and age the age distribution of New York State patients was not included in the above table but is presented below.

MALE.....	7,941	146	967	1,273	956	860	1,016	1,203	1,051	424	45
FEMALE.....	8,014	46	568	1,107	1,118	913	898	1,166	1,430	694	74
TOTAL.....	15,955	192	1,535	2,380	2,074	1,773	1,914	2,369	2,481	1,118	119

TABLE 8. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1955

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
ACUTE BRAIN SYNDROMES ASSOC. WITH											
ALCOHOL INTOXICATION											
MALE.....	34	-	1	7	17	6	2	-	1	-	-
FEMALE.....	9	-	1	2	3	1	-	2	-	-	
TOTAL.....	43	-	2	9	20	7	2	2	1	-	
DRUG OR POISON INTOXICATION											
MALE.....	7	-	3	-	2	1	-	1	-	-	
FEMALE.....	11	-	1	1	6	1	2	-	-	-	
TOTAL.....	18	-	4	1	8	2	2	1	-	-	
CONVULSIVE DISORDER											
MALE.....	1	-	-	-	1	-	-	-	-	-	
FEMALE.....	1	-	1	-	-	-	-	-	-	-	
TOTAL.....	2	-	1	-	1	-	-	-	-	-	
ALL OTHER CONDITIONS											
MALE.....	12	1	-	4	1	-	1	2	3	-	
FEMALE.....	7	-	-	2	1	2	2	-	-	-	
TOTAL.....	19	1	-	6	2	2	3	2	3	-	
TOTAL											
MALE.....	54	1	4	11	21	7	3	3	4	-	
FEMALE.....	28	-	3	5	10	4	4	2	-	-	
TOTAL.....	82	1	7	16	31	11	7	5	4	-	
CHRONIC BRAIN SYNDROMES ASSOC. WITH											
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE											
MALE.....	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	1	1	-	-	-	-	-	-	-	-	
TOTAL.....	1	1	-	-	-	-	-	-	-	-	
MENINGOENCEPHALITIC SYPHILIS											
MALE.....	4	-	-	-	-	3	1	-	-	-	
FEMALE.....	2	-	-	-	1	1	-	-	-	-	
TOTAL.....	6	-	-	-	1	4	1	-	-	-	
OTHER CNS SYPHILIS											
MALE.....	1	-	-	-	-	1	-	-	-	-	
FEMALE.....	1	-	-	-	-	-	1	-	-	-	
TOTAL.....	2	-	-	-	-	1	1	-	-	-	
EPIDEMIC ENCEPHALITIS											
MALE.....	1	-	-	-	1	-	-	-	-	-	
FEMALE.....	-	-	-	-	-	-	-	-	-	-	
TOTAL.....	1	-	-	-	1	-	-	-	-	-	
OTHER INTRACRANIAL INFECTIONS											
MALE.....	3	1	1	-	-	-	-	-	-	1	
FEMALE.....	1	-	-	-	-	-	1	-	-	-	
TOTAL.....	4	1	1	-	-	-	1	-	-	1	
ALCOHOL INTOXICATION											
MALE.....	34	-	-	2	8	17	2	3	1	1	
FEMALE.....	7	-	-	1	-	5	1	-	-	-	
TOTAL.....	41	-	-	3	8	22	3	3	1	1	
DRUG OR POISON INTOXICATION											
MALE.....	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	1	-	-	-	-	1	-	-	-	-	
TOTAL.....	1	-	-	-	-	1	-	-	-	-	
BIRTH TRAUMA											
MALE.....	1	-	-	-	1	-	-	-	-	-	
FEMALE.....	1	-	1	-	-	-	-	-	-	-	
TOTAL.....	2	-	1	-	1	-	-	-	-	-	
OTHER TRAUMA											
MALE.....	9	1	-	-	3	2	3	-	-	-	
FEMALE.....	2	-	-	2	-	-	-	-	-	-	
TOTAL.....	11	1	-	2	3	2	3	-	-	-	

TABLE 8. —FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1955 - Cnt'd

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
CEREBRAL ARTERIOSCLEROSIS											
MALE.....	48	-	-	-	1	3	8	10	21	2	3
FEMALE.....	48	-	1	-	-	1	6	13	18	6	3
TOTAL.....	96	-	1	-	1	4	14	23	39	8	6
OTHER CIRCULATORY DISTURBANCE											
MALE.....	6	-	-	-	-	4	1	-	1	-	-
FEMALE.....	5	-	-	-	-	2	-	1	1	1	-
TOTAL.....	11	-	-	-	-	6	1	1	2	1	-
CONVULSIVE DISORDER											
MALE.....	16	2	3	8	1	-	1	-	-	-	1
FEMALE.....	8	1	3	1	1	1	1	-	-	-	-
TOTAL.....	24	3	6	9	2	1	2	-	-	-	1
SENILE BRAIN DISEASE											
MALE.....	12	-	-	-	-	-	-	3	8	1	-
FEMALE.....	15	-	-	-	-	-	1	5	4	5	-
TOTAL.....	27	-	-	-	-	-	1	8	12	6	-
OTHER DISTURBANCE OF METABOLISM, GROWTH, AND NUTRITION											
MALE.....	1	-	-	-	-	1	-	-	-	-	-
FEMALE.....	3	-	-	-	-	2	-	1	-	-	-
TOTAL.....	4	-	-	-	-	3	-	1	-	-	-
INTRACRANIAL NEOPLASM											
MALE.....	2	-	-	-	1	1	-	-	-	-	-
FEMALE.....	2	-	-	-	1	-	1	-	-	-	-
TOTAL.....	4	-	-	-	2	1	1	-	-	-	-
DISEASES OF UNKNOWN CAUSE											
MALE.....	4	-	1	1	1	-	1	-	-	-	-
FEMALE.....	3	-	-	1	1	1	-	-	-	-	-
TOTAL.....	7	-	1	2	2	1	1	-	-	-	-
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE											
MALE.....	9	2	1	-	3	1	-	2	-	-	-
FEMALE.....	3	1	-	1	-	4	-	2	-	-	-
TOTAL.....	17	3	1	1	3	5	-	4	-	-	-
TOTAL											
MALE.....	151	6	6	11	20	33	17	18	31	3	6
FEMALE.....	108	3	5	6	4	18	12	22	23	12	3
TOTAL.....	259	9	11	17	24	51	29	40	54	15	9
PSYCHOTIC DISORDERS											
INVOLUTIONAL PSYCHOTIC REACTION											
MALE.....	46	-	-	-	3	22	11	8	-	-	-
FEMALE.....	76	-	-	-	15	41	15	8	-	-	-
TOTAL.....	122	-	-	-	20	63	26	13	-	-	-
MANIC-DEPRESSIVE REACTION											
MALE.....	34	-	3	3	10	8	8	2	-	-	-
FEMALE.....	25	-	1	6	8	5	4	1	-	-	-
TOTAL.....	59	-	4	9	18	13	12	3	-	-	-
PSYCHOTIC DEPRESSIVE REACTION											
MALE.....	15	-	1	-	3	4	3	2	-	-	-
FEMALE.....	24	-	1	7	7	3	3	1	1	-	1
TOTAL.....	39	-	2	7	12	7	6	3	1	-	1
SCHIZOPHRENIC REACTIONS											
MALE.....	204	17	39	69	34	18	3	1	-	-	3
FEMALE.....	244	6	34	90	37	24	10	1	-	-	2
TOTAL.....	448	23	113	159	91	42	13	2	-	-	5
PARANOID REACTIONS											
MALE.....	12	-	-	-	3	5	2	2	-	-	-
FEMALE.....	15	-	-	1	3	6	3	1	-	-	1
TOTAL.....	27	-	-	1	6	11	5	3	-	-	1

TABLE 8. —FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1955 - Cont'd

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
OTHER												
MALE.....	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	2	-	1	1	-	-	-	-	-	-	-	-
TOTAL.....	2	-	1	1	-	-	-	-	-	-	-	-
TOTAL												
MALE.....	311	17	63	72	57	57	27	15	-	-	-	3
FEMALE.....	366	6	57	105	90	79	35	9	1	-	-	4
TOTAL.....	697	23	120	177	147	136	62	24	1	-	-	7
PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCERAL DISORDERS												
MALE.....	6	1	-	3	1	-	1	-	-	-	-	-
FEMALE.....	10	-	5	1	3	1	-	-	-	-	-	-
TOTAL.....	16	1	5	4	4	1	1	-	-	-	-	-
PSYCHONEUROTIC REACTIONS												
MALE.....	76	5	16	21	22	6	3	2	1	-	-	-
FEMALE.....	148	6	40	46	30	14	9	2	1	-	-	-
TOTAL.....	224	11	56	67	52	20	12	4	2	-	-	-
PERSONALITY DISORDERS												
PERSONALITY PATTERN DISTURBANCE												
MALE.....	43	3	9	11	11	7	2	-	-	-	-	-
FEMALE.....	25	-	11	4	7	3	-	-	-	-	-	-
TOTAL.....	68	3	20	15	18	10	2	-	-	-	-	-
PERSONALITY TRAIT DISTURBANCE												
MALE.....	107	6	30	25	21	19	4	-	-	-	-	2
FEMALE.....	96	1	16	14	18	9	1	1	-	-	-	2
TOTAL.....	163	7	46	39	39	24	5	1	-	-	-	2
ANTISOCIAL REACTION												
MALE.....	40	2	26	6	6	-	-	-	-	-	-	-
FEMALE.....	9	5	3	1	-	-	-	-	-	-	-	-
TOTAL.....	49	7	29	7	6	-	-	-	-	-	-	-
DYSSOCIAL REACTION												
MALE.....	5	-	3	1	-	1	-	-	-	-	-	-
FEMALE.....	5	1	3	1	-	-	-	-	-	-	-	-
TOTAL.....	10	1	6	2	-	1	-	-	-	-	-	-
SEXUAL DEVIATION												
MALE.....	21	-	8	8	1	2	1	-	-	-	-	1
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL.....	21	-	8	8	1	2	1	-	-	-	-	1
ALCOHOLISM- ADDICTION												
MALE.....	89	-	1	25	33	15	12	3	-	-	-	-
FEMALE.....	20	-	-	2	9	8	1	-	-	-	-	-
TOTAL.....	109	-	1	27	42	23	13	3	-	-	-	-
DRUG ADDICTION												
MALE.....	4	-	1	-	1	1	1	-	-	-	-	-
FEMALE.....	10	-	1	3	1	2	2	1	-	-	-	-
TOTAL.....	14	-	2	3	2	3	3	1	-	-	-	-
TOTAL												
MALE.....	309	11	78	76	73	45	20	3	-	-	-	3
FEMALE.....	125	7	34	25	35	18	4	2	-	-	-	4
TOTAL.....	434	18	112	101	108	63	24	5	-	-	-	7
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE												
MALE.....	94	65	21	5	1	2	-	-	-	-	-	-
FEMALE.....	57	28	20	6	3	-	-	-	-	-	-	-
TOTAL.....	151	93	41	11	4	2	-	-	-	-	-	-

TABLE 8. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AND SEX: UNITED STATES, 1955- Cnt'd

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
MENTAL DEFICIENCY												
MALE.....	20	6	7	4	-	2	1	-	-	-	-	-
FEMALE.....	19	4	10	2	1	2	-	-	-	-	-	-
TOTAL.....	39	10	17	6	1	4	1	-	-	-	-	-
MENTAL DISORDER, UNDIAGNOSED												
MALE.....	12	2	2	-	2	3	-	1	1	-	1	-
FEMALE.....	6	2	1	2	1	-	-	-	-	-	-	-
TOTAL.....	18	4	3	2	3	3	-	1	1	-	1	-
WITHOUT MENTAL DISORDER												
MALE.....	66	8	3	2	8	4	5	22	11	3	-	-
FEMALE.....	76	15	3	2	5	4	8	19	15	5	-	-
TOTAL.....	142	23	6	4	13	8	13	41	26	8	-	-
TOTAL ALL PATIENTS ¹												
MALE.....	1,099	122	200	205	205	159	77	64	48	6	13	-
FEMALE.....	963	71	178	200	182	140	72	56	40	17	7	-
TOTAL.....	2,062	193	378	405	387	299	149	120	88	23	20	-

¹ Data do not include 901 first admissions, 553 males and 348 females.

TABLE 9. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1955

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											
		Alcohol Intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol Intoxication	Drug or poison Intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes
CALIFORNIA															
MALE	59	-	3	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE	50	-	2	3	-	-	-	-	1	1	2	-	1	2	
TOTAL	109		5	7					1	1	2		1	2	
COLORADO															
MALE	277	8	12	67	-	-	23	-	2	25	9	6	1	3	
FEMALE	246	4	9	45	1	-	2	-	1	24	3	10	1	1	
TOTAL	523	12	21	112	1		25		3	49	5	16	2	4	
DELAWARE															
MALE	100	16	-	17	-	-	2	-	-	10	-	3	-	1	
FEMALE	121	4	-	18	-	1	2	-	-	12	-	3	-	1	
TOTAL	301	20		35		1	4			22		6		1	
INDIANA															
MALE	219	8	2	30	2	-	7	-	5	3	3	1	-	6	
FEMALE	251	-	3	9	1	-	1	-	-	1	1	-	1	3	
TOTAL	470	8	5	39	3		8		5	4	4	1	1	9	
IOWA															
MALE	135	2	2	10	-	1	-	-	1	3	-	1	-	4	
FEMALE	123	-	4	15	-	-	-	-	2	4	1	2	-	3	
TOTAL	258	2	6	25		1			3	7	1	2		7	
NEBRASKA															
MALE	21	-	1	3	-	-	-	-	-	1	-	2	-	-	
FEMALE	30	-	1	2	-	-	-	-	-	1	-	-	-	1	
TOTAL	51		2	5						2		2		1	
TENNESSEE															
MALE	112	-	-	20	2	-	2	-	2	6	1	2	1	4	
FEMALE	107	1	-	14	-	-	2	-	-	5	-	4	-	3	
TOTAL	219	1		34	2		4		2	11	1	6	1	7	
WISCONSIN															
MALE	96	-	-	2	-	-	-	-	-	-	-	1	-	1	
FEMALE	35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	131			2								1		1	
U. S. TOTAL ¹															
MALE	1,099	34	20	151	4	1	34	-	10	48	6	16	1	19	
FEMALE	963	9	19	108	2	1	7	1	3	48	5	8	3	15	
TOTAL	2,062	43	39	259	6	2	41	1	13	96	11	24	4	34	

¹ Data do not include 901 first admissions since some hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	901	553	348
Massachusetts.....	575	393	182
New York.....	326	160	166

TABLE 9. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - Cnt'd

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS							Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	TOTAL PSYCHOTIC DISORDERS	Involuntional psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
CALIFORNIA														
MALE	37	5	3	4	25	-	-	1	5	6	2	1	2	-
FEMALE	30	1	2	2	25	-	-	1	4	3	2	1	1	-
TOTAL	67	6	5	6	50	-	-	1	11	9	4	2	3	-
COLORADO														
MALE	73	1	9	3	52	8	-	3	15	79	3	4	4	9
FEMALE	102	3	8	9	71	11	-	1	37	29	11	7	-	1
TOTAL	175	4	17	12	123	19	-	4	52	108	14	11	4	10
DELAWARE														
MALE	2	-	-	-	2	-	-	1	3	49	34	2	2	54
FEMALE	1	-	-	-	1	-	-	-	1	13	11	1	1	71
TOTAL	3	-	-	-	3	-	-	1	4	62	45	3	3	125
INDIANA														
MALE	96	23	3	2	68	-	-	1	10	50	17	5	-	-
FEMALE	147	40	2	6	98	1	-	2	47	29	8	4	1	1
TOTAL	243	63	5	8	166	1	-	3	57	79	25	9	1	1
IOWA														
MALE	55	24	18	3	15	3	-	-	12	36	14	2	-	2
FEMALE	51	17	5	7	17	3	2	3	21	18	8	-	-	3
TOTAL	106	31	23	12	32	6	2	3	33	54	22	2	-	5
NEBRASKA														
MALE	4	1	-	1	2	-	-	-	7	6	-	-	-	-
FEMALE	12	5	-	-	7	-	-	-	10	4	-	1	-	-
TOTAL	16	6	-	1	9	-	-	-	17	10	-	1	-	-
TENNESSEE														
MALE	36	2	1	-	32	1	-	-	8	42	-	2	4	-
FEMALE	42	10	8	-	24	-	-	4	20	21	2	-	3	-
TOTAL	78	12	9	-	56	1	-	4	28	63	2	2	7	-
WISCONSIN														
MALE	8	-	-	-	8	-	-	-	16	41	24	4	-	1
FEMALE	1	-	-	-	1	-	-	-	4	8	15	5	-	-
TOTAL	9	-	-	-	9	-	-	-	22	49	39	9	-	1
U. S. TOTAL														
MALE	311	46	34	15	204	12	-	6	76	309	94	20	12	66
FEMALE	386	76	25	24	244	15	2	10	148	125	57	19	6	76
TOTAL	697	122	59	39	448	27	2	16	224	434	151	39	18	142

TABLE 10. --FIRST ADMISSIONS TO PSYCHOPATHIC HOSPITALS, BY AGE, SEX AND STATE: UNITED STATES, 1955

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
CALIFORNIA	MALE.....	59	11	11	12	6	12	5	1	-	-	1
	FEMALE.....	50	6	6	16	11	5	4	2	-	-	-
	TOTAL.....	109	17	17	28	17	17	9	3	-	-	1
COLORADO	MALE.....	277	3	47	52	64	38	14	22	24	1	12
	FEMALE.....	246	8	30	42	54	43	23	16	17	6	7
	TOTAL.....	523	11	77	94	118	81	37	38	41	7	19
DELAWARE	MALE.....	180	45	5	20	24	20	14	28	19	5	-
	FEMALE.....	121	26	3	5	12	13	9	22	20	11	-
	TOTAL.....	301	71	8	25	36	33	23	50	39	16	-
INDIANA	MALE.....	219	21	44	47	49	35	20	1	2	-	-
	FEMALE.....	251	10	64	72	50	42	11	-	2	-	-
	TOTAL.....	470	31	108	119	99	77	31	1	4	-	-
IOWA	MALE.....	135	6	40	23	26	20	9	9	2	-	-
	FEMALE.....	123	7	24	32	23	15	11	10	1	-	-
	TOTAL.....	258	13	64	55	49	35	20	19	3	-	-
NEBRASKA	MALE.....	21	-	8	3	7	1	1	1	-	-	-
	FEMALE.....	30	-	9	7	3	4	6	1	-	-	-
	TOTAL.....	51	-	17	10	10	5	7	2	-	-	-
TENNESSEE	MALE.....	112	1	15	31	23	28	12	1	1	-	-
	FEMALE.....	107	2	19	26	29	18	8	5	-	-	-
	TOTAL.....	219	3	34	57	52	46	20	6	1	-	-
WISCONSIN	MALE.....	96	35	30	17	6	5	2	1	-	-	-
	FEMALE.....	35	12	23	-	-	-	-	-	-	-	-
	TOTAL.....	131	47	53	17	6	5	2	1	-	-	-
UNITED STATES TOTAL ¹	MALE.....	1,099	122	200	205	205	159	77	64	48	6	13
	FEMALE.....	963	71	178	200	182	140	72	56	40	17	7
	TOTAL.....	2,062	193	378	405	387	299	149	120	88	23	20

¹ Data do not include 901 first admissions since some hospitals were unable to report the above information for their first admissions. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	901	553	348
Massachusetts.....	575	393	182
New York.....	326	140	166

The State of New York was able to provide the age distribution of its first admissions by sex although data on diagnosis was not available. In order to maintain agreement in totals between the tables by State and diagnosis and by State and age the age distribution of New York State patients was not included in the above table but is presented below.

MALE.....	160	5	26	39	32	23	17	13	4	1	-
FEMALE.....	166	4	30	48	31	25	12	10	4	2	-
TOTAL.....	326	9	56	87	63	48	29	23	8	3	-

TABLE 11. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1955

(Statistics based on reports from 146 of the 217 State and 47 of the 49 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
ACUTE BRAIN SYNDROMES ASSOC. WITH												
ALCOHOL INTOXICATION												
MALE.....	1,274	1	13	119	259	344	278	211	43	3	3	
FEMALE.....	236	-	4	28	70	61	43	21	6	2	1	
TOTAL.....	1,510	1	17	147	329	405	321	232	49	5	4	
DRUG OR POISON INTOXICATION												
MALE.....	82	-	3	6	18	23	13	14	5	-	-	
FEMALE.....	68	1	3	6	16	18	8	6	6	4	-	
TOTAL.....	150	1	6	12	34	41	21	20	11	4	-	
CONVULSIVE DISORDER												
MALE.....	382	2	16	77	112	96	44	25	9	-	1	
FEMALE.....	293	1	17	45	84	69	50	17	7	1	2	
TOTAL.....	675	3	33	122	196	165	94	42	16	1	3	
ALL OTHER CONDITIONS												
MALE.....	351	1	13	34	56	82	67	62	30	5	1	
FEMALE.....	264	1	13	35	54	48	43	41	19	9	1	
TOTAL.....	615	2	26	69	110	130	110	103	49	14	2	
TOTAL												
MALE.....	2,089	4	45	236	445	545	402	312	87	8	5	
FEMALE.....	861	3	37	114	224	196	144	85	38	16	4	
TOTAL.....	2,950	7	82	350	669	741	546	397	125	24	9	
CHRONIC BRAIN SYNDROMES ASSOC. WITH												
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE												
MALE.....	308	31	40	76	53	54	31	15	5	-	3	
FEMALE.....	220	25	32	46	47	24	32	7	3	-	4	
TOTAL.....	528	56	72	122	100	78	63	22	8	-	7	
MENINGOENCEPHALITIC SYPHILIS												
MALE.....	12,703	7	57	299	1,335	4,672	3,803	2,045	382	54	49	
FEMALE.....	6,058	4	52	244	948	2,131	1,639	804	184	31	21	
TOTAL.....	18,761	11	109	543	2,283	6,803	5,442	2,849	566	85	70	
OTHER CNS SYPHILIS												
MALE.....	1,582	1	17	61	174	525	442	274	70	9	9	
FEMALE.....	1,077	-	14	46	148	308	320	187	42	6	6	
TOTAL.....	2,659	1	31	107	322	833	762	461	112	15	15	
EPIDEMIC ENCEPHALITIS												
MALE.....	665	7	33	58	197	224	97	41	8	-	-	
FEMALE.....	404	6	21	37	115	133	56	30	5	1	-	
TOTAL.....	1,069	13	54	95	312	357	153	71	13	1	-	
OTHER INTRACRANIAL INFECTIONS												
MALE.....	307	9	24	40	82	67	47	33	5	-	-	
FEMALE.....	241	11	20	34	59	54	43	12	6	2	-	
TOTAL.....	548	20	44	74	141	121	90	45	11	2	-	
ALCOHOL INTOXICATION												
MALE.....	5,969	-	3	129	498	1,467	1,960	1,491	361	43	17	
FEMALE.....	1,524	-	3	37	231	441	480	254	65	10	3	
TOTAL.....	7,493	-	6	166	729	1,908	2,440	1,745	426	53	20	
DRUG OR POISON INTOXICATION												
MALE.....	159	-	3	11	13	36	55	28	10	1	2	
FEMALE.....	108	-	1	3	11	27	29	28	9	-	-	
TOTAL.....	267	-	4	14	24	63	84	56	19	1	2	
BIRTH TRAUMA												
MALE.....	383	23	59	77	64	74	59	24	5	-	2	
FEMALE.....	200	19	35	36	45	32	14	15	3	1	-	
TOTAL.....	583	42	90	113	109	106	73	39	8	1	2	
OTHER TRAUMA												
MALE.....	1,549	10	81	164	283	381	343	234	61	8	4	
FEMALE.....	323	2	20	46	84	74	47	34	12	3	1	
TOTAL.....	1,872	12	101	210	367	455	390	268	73	11	5	

TABLE 11. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX; UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
CEREBRAL ARTERIOSCLEROSIS												
MALE.....	15,981	-	1	19	62	448	2,455	6,587	5,189	1,156	64	
FEMALE.....	15,879	-	3	12	66	385	2,037	5,946	5,720	1,646	64	
TOTAL.....	31,860	-	4	31	128	833	4,492	12,533	10,909	2,802	128	
OTHER CIRCULATORY DISTURBANCE												
MALE.....	896	2	5	8	46	159	261	261	128	19	7	
FEMALE.....	790	2	6	10	46	144	216	223	119	20	4	
TOTAL.....	1,686	4	11	18	92	303	477	484	247	39	11	
CONVULSIVE DISORDER												
MALE.....	6,068	110	599	1,211	1,452	1,341	809	394	103	23	26	
FEMALE.....	5,260	62	352	898	1,255	1,219	841	425	148	40	20	
TOTAL.....	11,328	172	951	2,109	2,707	2,560	1,650	819	251	63	46	
SENILE BRAIN DISEASE												
MALE.....	9,028	1	-	2	21	43	308	2,531	4,478	1,598	46	
FEMALE.....	13,277	-	1	3	12	64	407	3,118	6,647	2,946	79	
TOTAL.....	22,305	1	1	5	33	107	715	5,649	11,125	4,544	125	
OTHER DISTURBANCE OF METABOLISM, GROWTH, AND NUTRITION												
MALE.....	626	1	16	29	51	123	224	139	26	15	2	
FEMALE.....	1,271	-	7	35	94	215	524	278	84	25	9	
TOTAL.....	1,897	1	23	64	145	338	748	417	110	40	11	
INTRACRANIAL NEOPLASM												
MALE.....	121	1	5	7	19	29	42	17	1	-	-	
FEMALE.....	110	-	2	12	20	23	32	17	4	-	-	
TOTAL.....	231	1	7	19	39	52	74	34	5	-	-	
DISEASES OF UNKNOWN CAUSE												
MALE.....	1,728	10	40	128	298	476	444	258	60	5	9	
FEMALE.....	1,468	4	24	101	321	368	385	204	45	10	6	
TOTAL.....	3,196	14	64	229	619	844	829	462	105	15	15	
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE												
MALE.....	932	26	30	73	102	206	273	158	55	7	2	
FEMALE.....	678	7	23	55	131	166	199	92	20	4	1	
TOTAL.....	1,610	33	53	128	213	372	472	250	75	11	3	
TOTAL												
MALE.....	59,025	239	1,009	2,392	4,750	10,325	11,653	14,530	10,947	2,938	242	
FEMALE.....	48,888	142	616	1,655	3,613	5,808	7,301	11,674	13,116	4,745	218	
TOTAL.....	107,913	381	1,625	4,047	8,363	16,133	18,954	26,204	24,063	7,683	460	
PSYCHOTIC DISORDERS												
INVOLUTIONAL PSYCHOTIC REACTION												
MALE.....	2,518	-	5	9	33	376	1,025	826	200	30	14	
FEMALE.....	8,494	1	4	12	246	1,871	3,476	2,195	541	114	34	
TOTAL.....	11,012	1	9	21	279	2,247	4,501	3,021	741	144	48	
MANIC-DEPRESSIVE REACTION												
MALE.....	8,575	3	49	253	956	1,806	2,095	2,374	865	125	49	
FEMALE.....	16,751	4	79	612	1,955	3,449	4,555	3,983	1,757	275	82	
TOTAL.....	25,326	7	128	865	2,911	5,255	6,650	6,357	2,622	400	131	
PSYCHOTIC DEPRESSIVE REACTION												
MALE.....	440	-	3	15	52	106	110	107	41	6	-	
FEMALE.....	638	1	15	64	101	101	180	122	44	6	2	
TOTAL.....	1,078	1	18	81	153	207	290	229	85	12	2	
SCHIZOPHRENIC REACTIONS												
MALE.....	90,843	152	3,337	13,171	21,662	23,583	15,187	9,975	2,769	470	537	
FEMALE.....	105,755	97	2,573	13,679	24,502	24,559	21,521	12,930	4,489	869	536	
TOTAL.....	196,598	249	5,910	26,850	46,164	48,142	36,708	22,905	7,258	1,339	1,073	
PARANOID REACTIONS												
MALE.....	3,060	2	6	55	212	519	855	945	401	55	10	
FEMALE.....	3,994	-	1	48	172	554	1,144	1,243	691	120	21	
TOTAL.....	7,054	2	7	103	384	1,073	1,999	2,188	1,092	175	31	

TABLE 11. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX, UNITED STATES, 1955 - Continued

(Statistics based on reports from 195 of the 217 State and 47 of the 48 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
OTHER												
MALE.....	1,916	15	115	228	375	387	395	268	93	7	33	
FEMALE.....	1,915	7	81	197	334	424	444	279	98	15	40	
TOTAL.....	3,831	22	196	425	709	811	839	543	191	22	73	
TOTAL												
MALE.....	1,073,352	172	3,515	13,731	23,290	26,777	19,667	14,495	4,369	693	643	
FEMALE.....	1,375,547	110	2,753	14,614	27,310	30,958	31,320	20,748	7,620	1,399	715	
TOTAL.....	2,448,899	282	6,268	28,345	50,600	57,735	50,987	35,243	11,989	2,092	1,358	
PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCERAL DISORDERS												
MALE.....	128	1	5	8	21	32	26	19	15	1	-	
FEMALE.....	148	1	2	8	15	37	44	28	9	4	-	
TOTAL.....	276	2	7	16	36	69	70	47	24	5	-	
PSYCHONEUROTIC REACTIONS												
MALE.....	1,536	13	90	259	327	368	265	161	43	5	5	
FEMALE.....	2,361	9	113	345	479	474	486	328	101	20	6	
TOTAL.....	3,897	22	203	604	806	842	751	489	144	25	11	
PERSONALITY DISORDERS												
PERSONALITY PATTERN DISTURBANCE												
MALE.....	817	24	154	208	163	142	70	43	10	3	-	
FEMALE.....	365	5	65	84	63	64	50	24	6	3	1	
TOTAL.....	1,182	29	219	292	226	206	120	67	16	6	1	
PERSONALITY TRAIT DISTURBANCE												
MALE.....	677	32	162	160	145	94	59	18	3	1	3	
FEMALE.....	361	20	118	78	66	32	27	13	5	1	1	
TOTAL.....	1,038	52	280	238	211	126	86	31	8	2	4	
ANTISOCIAL REACTION												
MALE.....	1,711	25	254	334	334	342	212	151	46	10	3	
FEMALE.....	822	9	92	104	139	174	133	103	47	13	8	
TOTAL.....	2,533	34	346	438	473	516	345	254	93	23	11	
DYSSOCIAL REACTION												
MALE.....	238	2	48	59	54	34	16	14	7	1	1	
FEMALE.....	99	4	18	26	18	15	14	1	-	2	1	
TOTAL.....	337	6	66	85	72	49	30	17	7	3	2	
SEXUAL DEVIATION												
MALE.....	710	1	90	228	158	118	64	44	7	-	-	
FEMALE.....	27	-	8	6	3	5	3	-	-	-	2	
TOTAL.....	737	1	98	234	161	123	67	44	7	-	2	
ALCOHOLISM- ADDICTION												
MALE.....	3,133	1	28	338	841	941	613	275	73	14	9	
FEMALE.....	585	-	11	81	218	158	71	32	15	-	2	
TOTAL.....	3,718	1	39	419	1,059	1,099	684	307	88	14	11	
DRUG ADDICTION												
MALE.....	201	-	39	52	30	33	31	13	2	1	-	
FEMALE.....	123	-	16	13	33	19	21	15	4	1	1	
TOTAL.....	324	-	55	65	63	52	52	28	6	2	1	
SPECIAL SYMPTOM REACTION												
MALE.....	46	2	1	8	7	12	10	5	-	1	-	
FEMALE.....	35	-	1	2	6	7	12	5	-	2	-	
TOTAL.....	81	2	2	10	13	19	22	10	-	3	-	
TOTAL												
MALE.....	7,593	87	776	1,987	1,732	1,716	1,075	565	148	31	16	
FEMALE.....	2,417	38	329	394	546	471	331	198	77	22	16	
TOTAL.....	9,990	125	1,105	1,781	2,278	2,187	1,406	758	225	53	32	
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE												
MALE.....	417	107	120	36	41	33	34	34	12	-	-	
FEMALE.....	273	31	86	29	29	32	26	21	13	4	2	
TOTAL.....	690	138	206	65	70	65	60	55	25	4	2	

TABLE 11. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
MENTAL DEFICIENCY												
MALE.....	19,152	195	1,686	3,844	4,351	4,083	2,822	1,577	413	59	122	
FEMALE.....	15,847	133	880	2,429	3,411	3,678	3,027	1,641	475	83	90	
TOTAL.....	34,999	328	2,566	6,273	7,762	7,761	5,849	3,218	888	142	212	
MENTAL DISORDER, UNDIAGNOSED												
MALE.....	2,225	28	198	358	336	326	314	276	168	37	184	
FEMALE.....	1,719	30	76	186	258	282	291	249	158	39	150	
TOTAL.....	3,944	58	274	544	594	608	605	525	326	76	334	
WITHOUT MENTAL DISORDER												
MALE.....	528	6	52	92	94	92	66	59	48	16	3	
FEMALE.....	313	2	19	30	51	62	44	53	41	11	-	
TOTAL.....	841	8	71	122	145	154	110	112	89	27	3	
TOTAL ALL PATIENTS ¹												
MALE.....	199,985	852	7,496	22,343	35,387	44,297	36,324	32,028	16,250	3,788	1220	
FEMALE.....	210,374	499	4,911	19,804	35,936	41,998	43,014	35,020	21,648	6,343	1201	
TOTAL.....	410,359	1,351	12,407	42,147	71,323	86,295	79,338	67,048	37,898	10,131	2421	

¹ Data do not include 147,610 resident patients, 68,934 males and 78,576 females.

TABLE 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH													
		Alcohol Intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol Intoxication	Drug or poison Intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes		
ARIZONA																	
MALE	884	3	3	334	24	45	16	-	11	108	9	57	40	2	22		
FEMALE	806	1	2	227	11	22	7	-	1	71	3	39	48	6	19		
TOTAL	1,690	4	5	561	35	67	23	-	12	179	12	96	88	8	41		
ARKANSAS																	
MALE	2,483	3	17	690	143	18	4	1	25	217	4	135	96	10	37		
FEMALE	2,603	1	12	621	77	27	3	-	10	140	5	118	163	40	38		
TOTAL	5,086	3	29	1,311	220	45	7	1	35	357	9	253	259	50	75		
CALIFORNIA																	
MALE	18,031	118	78	5,742	1,069	112	901	6	252	1,466	67	426	1,110	61	272		
FEMALE	19,180	33	60	4,839	459	54	353	5	49	1,370	81	407	1,738	95	228		
TOTAL	37,211	151	138	10,581	1,528	166	1,254	11	301	2,836	148	833	2,848	156	500		
COLORADO																	
MALE	2,914	6	27	986	174	9	56	17	40	238	7	115	281	13	36		
FEMALE	2,806	-	26	894	82	11	18	15	7	242	8	88	372	21	30		
TOTAL	5,720	6	53	1,880	256	20	74	32	47	480	15	203	653	34	66		
CONNECTICUT																	
MALE	3,981	36	9	1,072	136	6	199	1	32	376	48	109	80	11	74		
FEMALE	4,687	3	5	1,036	59	10	74	4	14	497	26	92	186	16	58		
TOTAL	8,668	39	14	2,108	195	16	273	5	46	873	74	201	266	27	132		
DELAWARE																	
MALE	652	11	6	219	63	2	24	-	11	31	7	29	34	3	15		
FEMALE	741	2	3	198	33	3	5	-	3	44	4	14	77	3	12		
TOTAL	1,393	13	9	417	96	5	29	-	14	75	11	43	111	6	27		
DISTRICT OF COLUMBIA																	
MALE	3,693	9	7	1,018	332	19	75	-	47	352	5	70	41	4	73		
FEMALE	3,625	9	7	1,008	147	13	58	1	11	520	8	74	115	6	55		
TOTAL	7,318	18	14	2,026	479	32	133	1	58	872	13	144	156	10	128		
FLORIDA																	
MALE	3,762	21	6	1,342	388	51	69	1	52	445	17	176	96	7	40		
FEMALE	4,264	3	7	1,164	207	31	22	2	7	500	9	161	184	19	22		
TOTAL	8,026	24	13	2,506	595	82	91	3	59	945	26	337	280	26	62		
IDAHO																	
MALE	653	5	4	209	20	13	11	-	6	48	4	15	69	7	16		
FEMALE	568	-	1	123	4	13	-	-	3	25	2	13	49	6	8		
TOTAL	1,221	5	5	332	24	26	11	-	9	73	6	28	118	13	24		
ILLINOIS																	
MALE	18,915	173	192	6,565	1,145	158	1,053	16	178	1,836	140	332	986	57	664		
FEMALE	18,968	30	147	4,707	552	123	235	6	31	1,540	110	311	1,253	101	445		
TOTAL	37,883	203	339	11,272	1,697	281	1,288	22	209	3,376	250	643	2,239	158	1,109		
INDIANA																	
MALE	5,247	11	6	1,742	560	24	89	1	46	486	31	93	300	15	97		
FEMALE	5,904	3	6	1,503	283	33	17	3	15	496	19	81	450	31	75		
TOTAL	11,151	14	12	3,245	843	57	106	4	61	982	50	174	750	46	172		
IOWA																	
MALE	2,546	14	30	726	108	10	50	-	23	168	6	83	130	9	139		
FEMALE	2,790	1	10	648	69	2	5	2	6	154	8	89	197	15	101		
TOTAL	5,336	15	40	1,374	177	12	55	2	29	322	14	172	327	24	240		
KANSAS																	
MALE	2,142	2	2	578	150	14	27	4	20	157	6	49	67	12	72		
FEMALE	2,278	1	4	429	59	5	3	1	8	145	6	36	104	8	54		
TOTAL	4,420	3	6	1,007	209	19	30	5	28	302	12	85	171	20	126		
KENTUCKY																	
MALE	3,662	6	10	1,081	270	29	57	-	25	267	14	166	184	12	57		
FEMALE	4,038	4	5	974	134	21	21	-	7	275	19	185	258	13	41		
TOTAL	7,700	10	15	2,055	404	50	78	-	32	542	33	351	442	25	98		

TABLE 12. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS											Total personality disorders	Transient situational personality disturbances	Mental deficiency	Mental disorder undiagnosed	Without mental disorder	
	TOTAL PSYCHOTIC DISORDERS	Involuntarily psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbances						
ARIZONA																	
MALE	382	7	20	-	347	8	-	-	4	11	-	145	2	-			
FEMALE	453	29	36	4	374	10	-	-	20	2	-	100	1	-			
TOTAL	835	36	56	4	721	18	-	-	24	13	-	245	3	-			
ARKANSAS																	
MALE	1,049	34	95	12	854	28	26	6	15	52	10	591	2	48			
FEMALE	1,334	112	205	21	948	33	15	6	36	27	3	542	2	20			
TOTAL	2,383	146	300	33	1,802	61	41	12	51	79	13	1,133	4	68			
CALIFORNIA																	
MALE	9,640	363	470	32	8,628	102	45	3	223	1,574	43	556	38	16			
FEMALE	13,113	1,259	807	44	10,866	106	31	4	224	286	20	573	21	7			
TOTAL	22,753	1,622	1,277	76	19,494	208	76	7	447	1,860	63	1,129	59	23			
COLORADO																	
MALE	1,296	21	41	-	1,210	24	-	-	10	178	1	370	13	27			
FEMALE	1,539	44	94	-	1,386	15	-	-	16	32	4	269	11	15			
TOTAL	2,835	65	135	-	2,596	39	-	-	26	210	5	639	24	42			
CONNECTICUT																	
MALE	2,499	54	131	20	2,226	68	-	-	30	69	-	224	42	-			
FEMALE	3,319	165	276	17	2,761	99	1	4	56	42	2	210	10	-			
TOTAL	5,818	219	407	37	4,987	167	1	4	86	111	2	434	52	-			
DELAWARE																	
MALE	324	11	27	2	263	21	-	-	7	20	2	63	-	-			
FEMALE	473	36	55	10	338	34	-	1	10	6	1	47	-	-			
TOTAL	797	47	82	12	601	55	-	1	17	26	3	110	-	-			
DISTRICT OF COLUMBIA																	
MALE	2,474	55	95	6	2,103	42	173	-	43	50	5	53	27	7			
FEMALE	2,507	186	126	1	1,962	44	188	1	30	10	-	41	4	8			
TOTAL	4,981	241	221	7	4,065	86	361	1	73	60	5	94	31	15			
FLORIDA																	
MALE	1,678	23	300	3	1,334	14	4	-	15	58	2	563	71	6			
FEMALE	2,482	164	444	5	1,824	38	7	-	11	38	1	533	25	-			
TOTAL	4,160	187	744	8	3,158	52	11	-	26	96	3	1,096	96	6			
IDAHO																	
MALE	298	5	26	1	255	11	-	-	15	70	13	34	1	4			
FEMALE	357	26	48	-	259	24	-	-	20	18	5	39	3	2			
TOTAL	655	31	74	1	514	35	-	-	35	88	18	73	4	6			
ILLINOIS																	
MALE	9,708	243	398	24	8,749	283	11	24	156	524	32	1,093	379	69			
FEMALE	12,198	946	839	41	9,966	392	14	14	216	130	22	1,068	358	78			
TOTAL	21,906	1,189	1,237	65	18,715	675	25	38	372	654	54	2,161	737	147			
INDIANA																	
MALE	2,809	86	197	10	2,462	48	6	7	31	319	19	297	3	3			
FEMALE	3,947	309	396	14	3,138	88	2	3	71	104	18	248	1	-			
TOTAL	6,756	395	593	24	5,600	136	8	10	102	423	37	545	4	3			
IOWA																	
MALE	1,478	43	156	1	1,229	47	2	1	18	139	54	84	1	1			
FEMALE	1,878	153	331	5	1,325	63	1	5	38	32	5	169	2	2			
TOTAL	3,356	196	487	6	2,554	110	3	6	56	171	59	253	3	3			
KANSAS																	
MALE	1,241	22	104	3	1,092	11	9	-	26	85	7	198	3	-			
FEMALE	1,585	68	188	11	1,296	12	10	1	58	41	3	152	4	-			
TOTAL	2,826	90	292	14	2,388	23	19	1	84	126	10	350	7	-			
KENTUCKY																	
MALE	1,752	20	163	9	1,542	18	-	1	7	35	4	757	2	7			
FEMALE	2,380	67	330	11	1,952	20	-	2	15	29	7	620	2	-			
TOTAL	4,132	87	493	20	3,494	38	-	3	22	64	11	1,377	4	7			

TABLE 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbances	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes
LOUISIANA															
MALE	4,045	5	21	966	317	43	54	5	26	238	8	151	81	11	32
FEMALE	4,226	4	20	744	157	26	7	2	7	260	2	112	128	24	19
TOTAL	8,271	9	41	1,710	474	69	61	7	33	498	10	263	209	35	51
MAINE															
MALE	1,276	4	2	372	64	2	59	-	5	121	2	60	48	4	7
FEMALE	1,720	-	3	380	40	3	10	2	1	176	-	52	71	6	19
TOTAL	2,996	4	5	752	104	5	69	2	6	297	2	112	119	10	26
MARYLAND															
MALE	3,203	45	4	982	162	20	135	2	25	233	7	153	164	13	68
FEMALE	3,758	5	5	968	79	9	34	-	7	252	13	162	337	25	50
TOTAL	6,961	50	9	1,950	241	29	169	2	32	485	20	315	501	38	118
MICHIGAN															
MALE	11,196	40	28	3,051	798	91	291	7	116	741	48	246	342	31	340
FEMALE	10,602	9	14	2,174	365	57	49	3	23	687	42	149	523	65	211
TOTAL	21,798	45	42	5,225	1,163	148	340	10	139	1,428	90	395	865	96	551
MINNESOTA															
MALE	5,835	35	24	1,654	185	19	138	3	42	497	24	106	495	7	138
FEMALE	5,614	1	27	1,328	80	18	18	3	14	451	35	82	519	38	70
TOTAL	11,449	36	51	2,982	265	37	156	6	56	948	59	188	1,014	45	208
MISSISSIPPI															
MALE	2,463	4	5	711	168	10	11	4	23	218	7	130	85	15	40
FEMALE	2,832	-	3	686	79	4	4	6	4	299	10	107	104	33	36
TOTAL	5,295	4	8	1,397	247	14	15	10	27	517	17	237	189	48	76
MISSOURI															
MALE	5,495	1	2	1,480	517	26	72	4	49	235	10	250	215	15	87
FEMALE	6,526	-	-	1,469	308	23	24	3	10	302	19	307	349	55	69
TOTAL	12,021	1	2	2,949	825	49	96	7	59	537	29	557	564	70	156
MONTANA															
MALE	1,099	13	2	334	32	16	20	-	15	89	8	38	68	1	47
FEMALE	820	2	1	190	12	4	3	-	11	43	2	28	49	3	35
TOTAL	1,919	15	3	524	44	20	23	-	26	132	10	66	117	4	82
NEBRASKA															
MALE	2,364	9	8	631	118	18	41	2	15	181	2	100	113	9	32
FEMALE	2,424	1	6	534	55	6	6	-	4	187	18	91	123	13	31
TOTAL	4,788	10	14	1,165	173	24	47	2	19	368	20	191	236	22	63
NEVADA															
MALE	252	3	-	72	9	-	17	-	1	7	1	4	32	-	1
FEMALE	188	-	-	43	2	1	6	-	1	11	1	5	16	-	-
TOTAL	440	3	-	115	11	1	23	-	2	18	2	9	48	-	1
NEW HAMPSHIRE															
MALE	1,289	12	17	388	42	6	41	1	11	141	9	45	69	6	17
FEMALE	1,444	2	5	369	25	2	3	-	5	145	8	38	123	7	13
TOTAL	2,733	14	22	757	67	8	44	1	16	286	17	83	192	13	30
NEW JERSEY															
MALE	10,066	56	18	3,074	440	113	422	4	94	931	64	381	427	35	163
FEMALE	12,196	10	20	3,174	189	71	133	1	61	1,244	62	232	934	59	188
TOTAL	22,262	66	38	6,248	629	184	555	5	155	2,175	126	613	1,361	94	351
NEW MEXICO															
MALE	505	14	1	143	52	2	1	-	12	19	1	31	16	1	8
FEMALE	445	1	1	120	24	-	2	-	3	24	2	24	28	2	11
TOTAL	950	15	2	263	76	2	3	-	15	43	3	55	44	3	19
NORTH CAROLINA															
MALE	4,040	6	4	1,202	221	92	27	1	21	241	14	422	106	12	45
FEMALE	4,161	2	6	991	61	118	6	1	2	155	7	395	176	37	33
TOTAL	8,201	8	10	2,193	282	210	33	2	23	396	21	817	282	49	78

TABLE 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE; UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS										Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder	
	TOTAL PSYCHOTIC DISORDERS	Involuntarily psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions							
LOUISIANA																
MALE	1,798	32	111	5	1,615	14	21	5	13	115	4	599	469	50		
FEMALE	2,571	125	249	4	2,155	18	20	5	32	62	7	434	332	15		
TOTAL	4,369	157	360	9	3,770	32	41	10	45	177	11	1,033	801	65		
MAINE																
MALE	742	11	122	-	584	24	1	-	22	21	2	105	-	6		
FEMALE	1,188	34	226	-	909	19	-	-	42	16	-	90	-	1		
TOTAL	1,930	45	348	-	1,493	43	1	-	64	37	2	195	-	7		
MARYLAND																
MALE	1,671	59	72	21	1,491	26	2	-	28	98	8	367	-	-		
FEMALE	2,301	134	164	21	1,933	48	1	1	51	62	6	359	-	-		
TOTAL	3,972	193	236	42	3,424	74	3	1	79	160	14	726	-	-		
MICHIGAN																
MALE	6,771	139	279	7	5,927	267	152	9	105	550	42	562	15	23		
FEMALE	7,642	311	514	23	6,442	218	134	12	133	141	11	433	18	19		
TOTAL	14,413	450	793	30	12,369	485	286	21	238	691	53	995	33	42		
MINNESOTA																
MALE	3,155	67	237	21	2,735	68	27	8	54	355	12	506	12	20		
FEMALE	3,687	310	459	48	2,755	71	44	9	75	87	9	387	1	3		
TOTAL	6,842	377	696	69	5,490	139	71	17	129	442	21	893	13	23		
MISSISSIPPI																
MALE	1,400	19	134	6	986	48	207	-	12	24	-	166	128	11		
FEMALE	1,854	64	314	9	1,212	79	176	2	25	20	-	114	115	13		
TOTAL	3,254	83	448	15	2,198	127	383	2	37	44	-	280	243	24		
MISSOURI																
MALE	2,891	33	164	40	2,478	30	146	6	28	228	7	782	70	-		
FEMALE	4,159	100	388	67	3,416	37	151	1	70	73	8	683	63	-		
TOTAL	7,050	133	552	107	5,894	67	297	7	98	301	15	1,465	133	-		
MONTANA																
MALE	532	6	17	1	494	14	-	-	4	117	1	77	19	-		
FEMALE	480	5	25	8	432	10	-	1	28	32	4	68	13	1		
TOTAL	1,012	11	42	9	926	24	-	1	32	149	5	145	32	1		
NEBRASKA																
MALE	1,230	17	100	2	1,064	40	7	5	35	169	3	255	10	9		
FEMALE	1,596	35	250	2	1,288	20	1	5	39	23	1	203	10	6		
TOTAL	2,826	52	350	4	2,352	60	8	10	74	192	4	458	20	15		
NEVADA																
MALE	135	7	13	-	104	11	-	-	-	2	-	40	-	-		
FEMALE	101	4	16	3	67	9	2	-	-	11	-	33	-	-		
TOTAL	236	11	29	3	171	20	2	-	-	13	-	73	-	-		
NEW HAMPSHIRE																
MALE	631	29	48	1	527	23	3	2	14	35	-	154	3	33		
FEMALE	908	98	83	1	671	50	5	1	34	7	2	104	4	8		
TOTAL	1,539	127	131	2	1,198	73	8	3	48	42	2	258	7	41		
NEW JERSEY																
MALE	5,616	156	456	13	4,623	230	138	7	102	340	14	784	23	32		
FEMALE	7,883	597	1,126	22	5,726	300	112	10	108	158	10	752	22	49		
TOTAL	13,499	753	1,582	35	10,349	530	250	17	210	498	24	1,536	45	81		
NEW MEXICO																
MALE	257	-	20	-	237	-	-	-	1	6	1	80	-	2		
FEMALE	241	2	36	2	201	-	-	-	1	7	-	70	4	-		
TOTAL	498	2	56	2	438	-	-	-	2	13	1	150	4	2		
NORTH CAROLINA																
MALE	2,134	30	225	11	1,836	26	6	1	13	98	1	573	7	1		
FEMALE	2,766	130	557	36	2,005	38	-	9	29	38	-	300	18	2		
TOTAL	4,900	160	782	47	3,841	64	6	10	42	136	1	873	25	3		

TABLE 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH												
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes	
NORTH DAKOTA																
MALE	1,047	4	8	208	27	3	4	-	5	42	1	69	42	4	11	
FEMALE	946	-	1	140	10	1	-	-	1	35	2	50	28	-	14	
TOTAL	1,993	4	9	348	37	4	4	-	6	77	3	119	70	4	25	
OHIO																
MALE	14,291	156	49	4,452	1,383	91	671	13	217	1,067	51	187	381	54	337	
FEMALE	14,372	29	27	3,336	714	72	153	8	75	1,100	44	182	604	83	301	
TOTAL	28,663	185	76	7,788	2,097	163	824	21	292	2,167	95	369	985	137	638	
OKLAHOMA																
MALE	4,120	12	13	1,194	305	78	37	6	31	267	20	124	205	22	99	
FEMALE	3,894	2	9	873	153	34	7	5	18	227	12	105	208	47	57	
TOTAL	8,014	14	22	2,067	458	112	44	11	49	494	32	229	413	69	156	
OREGON																
MALE	727	8	3	258	47	5	24	3	8	89	2	30	41	-	9	
FEMALE	791	-	3	179	15	-	3	2	3	64	-	31	49	2	10	
TOTAL	1,518	8	6	437	62	5	27	5	11	153	2	61	90	2	19	
PENNSYLVANIA																
MALE	19,566	238	116	4,627	1,153	129	519	7	82	1,363	58	448	541	47	280	
FEMALE	21,354	39	89	3,965	558	69	103	10	21	1,314	47	427	1,086	91	239	
TOTAL	40,920	277	205	8,592	1,711	198	622	17	103	2,677	105	875	1,627	138	519	
RHODE ISLAND																
MALE	1,694	25	6	463	63	3	106	2	12	86	1	47	111	5	27	
FEMALE	1,748	4	3	386	20	2	15	-	-	82	1	48	183	7	28	
TOTAL	3,442	29	9	849	83	5	121	2	12	168	2	95	294	12	55	
SOUTH CAROLINA																
MALE	3,012	16	5	893	211	6	26	5	30	332	24	182	41	10	26	
FEMALE	3,030	2	3	753	63	2	1	-	3	323	33	130	146	29	23	
TOTAL	6,042	18	8	1,646	274	8	27	5	33	655	57	312	187	39	49	
SOUTH DAKOTA																
MALE	824	2	4	192	28	3	12	1	7	53	4	24	47	1	12	
FEMALE	779	-	5	189	8	4	2	-	3	59	1	29	67	5	11	
TOTAL	1,603	2	9	381	36	7	14	1	10	112	5	53	114	6	23	
TENNESSEE																
MALE	3,575	8	7	1,119	186	36	32	2	34	364	14	167	211	6	67	
FEMALE	4,118	-	6	909	102	15	1	-	4	335	12	126	257	19	38	
TOTAL	7,693	8	13	2,028	288	51	33	2	38	699	26	293	468	25	105	
TEXAS																
MALE	7,781	12	8	2,331	617	97	144	22	81	577	36	119	354	41	243	
FEMALE	8,664	4	6	1,687	284	75	30	12	18	443	30	122	419	131	123	
TOTAL	16,445	16	14	4,018	901	172	174	34	99	1,020	66	241	773	172	366	
UTAH																
MALE	621	9	5	132	17	3	13	1	7	36	3	27	13	2	10	
FEMALE	716	4	4	133	9	-	2	-	2	49	1	24	25	9	12	
TOTAL	1,337	13	9	265	26	3	15	1	9	85	4	51	38	11	22	
VERMONT																
MALE	617	4	3	150	16	2	3	-	10	39	3	36	26	2	13	
FEMALE	677	1	1	196	10	2	2	-	6	56	3	29	72	1	15	
TOTAL	1,294	5	4	346	26	4	5	-	16	95	6	65	98	3	28	
VIRGINIA																
MALE	5,579	52	1	1,574	327	59	56	5	73	534	46	246	142	11	75	
FEMALE	5,724	14	3	1,345	150	47	9	3	15	540	27	162	261	36	95	
TOTAL	11,303	66	4	2,919	477	106	65	8	88	1,074	73	408	403	47	170	
WASHINGTON																
MALE	3,615	32	28	1,113	174	26	91	11	51	334	18	101	224	10	73	
FEMALE	3,746	5	33	897	85	8	24	5	10	370	16	81	232	17	49	
TOTAL	7,361	37	61	2,010	259	34	115	16	61	704	34	182	456	27	122	

TABLE 12. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS											Mental disorder undiagnosed	Without mental disorder		
	TOTAL PSYCHOTIC DISORDERS	Involuntarily psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance			Mental deficiency	
NORTH DAKOTA															
MALE	690	16	35	3	636	-	-	1	9	39	-	82	1	5	
FEMALE	698	24	40	1	631	1	1	2	31	7	1	62	1	3	
TOTAL	1,388	40	75	4	1,267	1	1	3	40	46	1	144	2	8	
OHIO															
MALE	7,362	228	622	16	5,970	456	70	15	114	354	33	1,369	365	22	
FEMALE	9,357	848	1,226	28	6,447	747	61	16	176	108	24	1,155	137	7	
TOTAL	16,719	1,076	1,848	44	12,417	1,203	131	31	290	462	57	2,524	502	29	
OKLAHOMA															
MALE	2,045	41	128	3	1,788	84	1	2	29	70	4	742	-	9	
FEMALE	2,449	132	253	10	1,920	134	-	3	36	53	8	458	-	3	
TOTAL	4,494	173	381	13	3,708	218	1	5	65	123	12	1,200	-	12	
OREGON															
MALE	369	18	24	1	295	31	-	-	3	25	-	58	2	1	
FEMALE	529	44	68	5	385	27	-	-	9	16	-	54	-	1	
TOTAL	898	62	92	6	680	58	-	-	12	41	-	112	2	2	
PENNSYLVANIA															
MALE	11,867	254	1,062	11	9,692	484	364	13	145	458	48	1,986	51	17	
FEMALE	15,002	748	1,968	17	11,240	525	504	17	212	208	38	1,729	48	7	
TOTAL	26,869	1,002	3,030	28	20,932	1,009	868	30	357	666	86	3,715	99	24	
RHODE ISLAND															
MALE	926	27	72	2	785	40	-	-	20	134	1	107	12	-	
FEMALE	1,164	50	139	3	918	54	-	-	34	42	2	102	11	-	
TOTAL	2,090	77	211	5	1,703	94	-	-	54	176	3	209	23	-	
SOUTH CAROLINA															
MALE	1,637	22	184	-	1,407	22	2	-	26	25	3	397	-	10	
FEMALE	1,935	32	300	-	1,536	65	2	-	48	11	-	276	-	2	
TOTAL	3,572	54	484	-	2,943	87	4	-	74	36	3	673	-	12	
SOUTH DAKOTA															
MALE	553	16	67	2	446	22	-	-	2	36	1	34	-	-	
FEMALE	534	41	66	8	407	12	-	-	15	11	1	24	-	-	
TOTAL	1,087	57	133	10	853	34	-	-	17	47	2	58	-	-	
TENNESSEE															
MALE	1,921	14	231	16	1,599	36	25	3	10	65	-	429	-	13	
FEMALE	2,812	53	567	8	2,107	62	15	1	40	36	5	305	1	3	
TOTAL	4,733	67	798	24	3,706	98	40	4	50	101	5	734	1	16	
TEXAS															
MALE	4,148	77	720	82	3,183	64	22	4	60	200	11	914	93	-	
FEMALE	5,801	243	1,335	80	4,016	99	28	1	80	153	22	744	166	-	
TOTAL	9,949	320	2,055	162	7,199	163	50	5	140	353	33	1,658	259	-	
UTAH															
MALE	386	11	38	-	329	7	1	-	1	22	-	66	-	-	
FEMALE	490	28	61	7	387	7	-	-	19	9	-	56	-	1	
TOTAL	876	39	99	7	716	14	1	-	20	31	-	122	-	1	
VERMONT															
MALE	320	8	37	2	264	9	-	-	3	23	-	110	-	4	
FEMALE	396	31	65	-	293	7	-	-	9	13	-	61	-	-	
TOTAL	716	39	102	2	557	16	-	-	12	36	-	171	-	4	
VIRGINIA															
MALE	2,686	66	605	10	1,938	55	12	2	25	253	8	884	58	36	
FEMALE	3,574	277	1,074	15	2,124	72	12	3	46	65	8	628	18	20	
TOTAL	6,260	343	1,679	25	4,062	127	24	5	71	318	16	1,512	76	56	
WASHINGTON															
MALE	2,035	40	168	6	1,749	72	-	-	18	141	12	227	4	5	
FEMALE	2,516	139	294	3	1,947	132	1	2	20	51	9	209	3	1	
TOTAL	4,551	179	462	9	3,696	204	1	2	38	192	21	436	7	6	

TABLE 12. --PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											
		Alcohol intoxication	All other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Meningo-encephalitic syphills	Other CNS syphills	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	All other chronic brain syndromes
WEST VIRGINIA															
MALE	2,306	8	11	730	184	34	49	1	34	142	12	95	130	10	39
FEMALE	1,882	2	12	506	87	20	7	-	11	140	9	49	141	18	28
TOTAL	4,188	10	23	1,236	271	54	56	1	45	282	17	144	271	28	67
WISCONSIN															
MALE	7,558	23	14	2,084	223	36	216	-	44	535	33	181	702	17	97
FEMALE	7,443	7	13	1,779	126	13	38	3	7	469	27	167	797	26	106
TOTAL	14,981	30	27	3,863	349	49	254	3	51	1,004	60	348	1,499	43	203
WYOMING															
MALE	379	-	1	141	35	3	6	-	3	34	-	13	42	1	4
FEMALE	276	-	1	74	12	3	1	-	2	18	-	6	28	3	1
TOTAL	655	-	2	215	47	6	7	-	5	52	-	19	70	4	5
UNITED STATES TOTAL¹															
MALE	199,985	1,274	815	59,025	12,703	1,582	5,969	159	1,952	15,981	896	6,068	9,828	626	4,061
FEMALE	210,374	236	625	48,888	6,058	1,077	1,524	108	523	15,879	790	5,260	13,277	1,271	3,121
TOTAL	410,359	1,510	1,440	107,913	18,761	2,659	7,493	267	2,475	31,860	1,686	11,328	22,305	1,897	7,182

¹ Data do not include 147,610 resident patients, since some hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

Total	State	Total	Male	Female
	Total	147,610	68,934	78,676
Alabama.....		7,127	3,397	3,800
Georgia.....		17,701	5,351	6,350
Maryland.....		2,312	1,248	1,064
Massachusetts.....		23,173	10,346	12,827
North Carolina.....		1,759	758	1,001
Oregon.....		3,368	1,652	1,716
West Virginia.....		1,431	577	854
New York.....		96,664	45,605	51,059

TABLE 12. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE: UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS							Psychophysiological autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Without mental disorder
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other							
WEST VIRGINIA														
MALE	986	24	152	6	742	26	36	—	12	74	5	443	25	12
FEMALE	962	90	224	11	592	19	26	3	31	21	2	326	8	7
TOTAL	1,948	114	376	17	1,334	45	62	3	43	95	7	769	33	19
VISCONSIN														
MALE	3,621	58	184	28	2,856	98	397	3	26	234	4	1,219	274	16
FEMALE	4,202	191	459	11	3,057	134	350	1	63	73	4	1,010	262	9
TOTAL	7,823	249	643	39	5,913	232	747	4	89	327	8	2,229	536	25
WYOMING														
MALE	209	6	25	1	169	8	—	—	2	16	—	7	—	3
FEMALE	184	10	30	1	141	2	—	—	4	6	—	7	—	—
TOTAL	393	16	55	2	310	10	—	—	6	22	—	14	—	3
UNITED STATES TOTAL														
MALE	107,352	2,518	8,575	440	90,843	3,060	1,916	128	1,536	7,533	417	19,152	2,225	528
FEMALE	137,547	8,494	16,751	638	105,755	3,994	1,915	148	2,361	2,417	273	15,847	1,719	313
TOTAL	244,899	11,012	25,326	1,078	196,598	7,054	3,831	276	3,897	9,950	690	34,999	3,944	841

TABLE 19. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE, UNITED STATES, 1955

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
ARIZONA	MALE.....	884	2	48	140	184	160	127	120	78	25	-
	FEMALE.....	806	2	34	95	168	144	150	123	71	19	-
	TOTAL.....	1,690	4	82	235	352	304	277	243	149	44	-
ARKANSAS	MALE.....	2,483	31	160	309	485	560	374	326	181	51	6
	FEMALE.....	2,603	25	104	269	462	621	496	386	186	48	6
	TOTAL.....	5,086	56	264	578	947	1,181	870	712	367	99	12
CALIFORNIA	MALE.....	18,031	84	700	2,124	3,025	3,935	3,331	2,981	1,470	328	53
	FEMALE.....	19,180	28	464	1,839	3,283	3,694	3,794	3,343	2,092	612	31
	TOTAL.....	37,211	112	1,164	3,963	6,308	7,629	7,125	6,324	3,562	940	84
COLORADO	MALE.....	2,914	3	131	268	444	548	575	249	540	154	-
	FEMALE.....	2,806	4	75	197	376	481	559	250	632	232	-
	TOTAL.....	5,720	7	206	465	822	1,029	1,134	499	1,172	386	-
CONNECTICUT	MALE.....	3,981	8	94	387	710	886	767	710	324	74	21
	FEMALE.....	4,687	5	84	358	707	844	1,003	911	550	185	40
	TOTAL.....	8,668	13	178	745	1,417	1,730	1,770	1,621	874	259	61
DELAWARE	MALE.....	652	1	23	78	110	145	120	110	54	11	-
	FEMALE.....	741	1	15	52	119	144	157	134	88	31	-
	TOTAL.....	1,393	2	38	130	229	289	277	244	142	42	-
DISTRICT OF COLUMBIA	MALE.....	3,693	6	111	466	654	843	749	542	271	51	-
	FEMALE.....	3,625	4	78	385	622	759	639	592	402	144	-
	TOTAL.....	7,318	10	189	851	1,276	1,602	1,388	1,134	673	195	-
FLORIDA	MALE.....	3,762	1	211	557	833	842	585	465	209	43	16
	FEMALE.....	4,264	1	148	516	922	904	829	583	301	60	-
	TOTAL.....	8,026	2	359	1,073	1,755	1,746	1,414	1,048	510	103	16
IDAHO	MALE.....	653	6	39	47	96	140	116	99	86	21	1
	FEMALE.....	568	4	11	41	100	116	122	86	67	18	3
	TOTAL.....	1,221	10	50	88	196	256	238	185	155	39	4
ILLINOIS	MALE.....	18,915	33	467	1,693	3,025	3,986	3,928	3,627	1,777	379	-
	FEMALE.....	18,968	22	259	1,490	2,963	3,765	4,258	3,518	2,095	598	-
	TOTAL.....	37,883	55	726	3,183	5,988	7,751	8,186	7,145	3,872	977	-
INDIANA	MALE.....	5,247	21	193	554	881	1,147	955	912	472	105	7
	FEMALE.....	5,904	11	133	530	999	1,131	1,201	1,056	675	165	3
	TOTAL.....	11,151	32	326	1,084	1,880	2,278	2,156	1,968	1,147	270	10
IOWA	MALE.....	2,546	9	84	259	432	575	440	439	244	57	7
	FEMALE.....	2,790	2	68	250	426	594	568	478	316	87	1
	TOTAL.....	5,336	11	152	509	858	1,169	1,008	917	560	144	8
KANSAS	MALE.....	2,142	8	85	190	315	550	377	356	220	41	-
	FEMALE.....	2,278	5	64	192	378	469	461	415	232	62	-
	TOTAL.....	4,420	13	149	382	693	1,019	838	771	452	103	-
KENTUCKY	MALE.....	3,662	13	136	434	675	848	613	577	313	49	4
	FEMALE.....	4,038	4	115	464	678	803	798	678	395	101	2
	TOTAL.....	7,700	17	251	898	1,353	1,651	1,411	1,255	708	150	6

TABLE 13. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE: UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)											
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age und. over		
LOUISIANA													
MALE.....	4,045	7	242	665	823	980	616	426	189	36	61		
FEMALE.....	4,226	6	108	476	858	997	895	554	234	48	50		
TOTAL.....	8,271	13	350	1,141	1,681	1,977	1,511	980	423	84	111		
MAINE													
MALE.....	1,276	-	48	126	188	295	251	219	128	21	-		
FEMALE.....	1,720	-	40	174	281	324	342	272	232	55	-		
TOTAL.....	2,996	-	88	300	469	619	593	491	360	76	-		
MARYLAND													
MALE.....	3,203	23	117	344	584	801	354	371	333	274	2		
FEMALE.....	3,758	6	77	343	611	794	457	538	553	374	5		
TOTAL.....	6,961	29	194	687	1,195	1,595	811	909	886	648	7		
MICHIGAN													
MALE.....	11,196	43	412	1,310	1,980	2,410	2,178	1,922	764	154	23		
FEMALE.....	10,602	21	254	1,036	1,899	2,067	2,213	1,761	1,019	309	23		
TOTAL.....	21,798	64	666	2,346	3,879	4,477	4,391	3,683	1,783	463	46		
MINNESOTA													
MALE.....	5,835	12	124	450	882	1,190	1,119	1,176	670	200	12		
FEMALE.....	5,614	3	85	384	809	982	1,210	1,084	782	268	7		
TOTAL.....	11,449	15	209	834	1,691	2,172	2,329	2,260	1,452	468	19		
MISSISSIPPI													
MALE.....	2,463	10	210	454	541	473	266	160	82	20	247		
FEMALE.....	2,832	-	256	547	603	465	357	207	119	21	257		
TOTAL.....	5,295	10	466	1,001	1,144	938	623	367	201	41	504		
MISSOURI													
MALE.....	5,495	10	178	542	1,041	1,443	1,011	844	337	66	23		
FEMALE.....	6,526	5	127	546	1,043	1,437	1,436	1,141	621	163	7		
TOTAL.....	12,021	15	305	1,088	2,084	2,880	2,447	1,985	958	229	30		
MONTANA													
MALE.....	1,099	42	42	79	179	181	158	145	76	25	172		
FEMALE.....	820	48	32	74	110	132	138	108	64	15	99		
TOTAL.....	1,919	90	74	153	289	313	296	253	140	40	271		
NEBRASKA													
MALE.....	2,364	3	51	154	357	546	509	422	260	61	1		
FEMALE.....	2,424	3	42	146	288	441	537	559	303	100	5		
TOTAL.....	4,788	6	93	300	645	987	1,046	981	563	161	6		
NEVADA													
MALE.....	252	6	9	12	42	39	73	43	26	2	-		
FEMALE.....	188	3	7	12	26	41	40	37	18	3	1		
TOTAL.....	440	9	16	24	68	80	113	80	44	5	1		
NEW HAMPSHIRE													
MALE.....	1,289	2	55	129	190	294	223	222	135	39	-		
FEMALE.....	1,444	2	39	128	169	264	300	267	199	76	-		
TOTAL.....	2,733	4	94	257	359	558	523	489	334	115	-		
NEW JERSEY													
MALE.....	10,066	116	357	1,163	1,841	2,121	1,805	1,658	808	197	-		
FEMALE.....	12,196	77	261	1,014	1,976	2,222	2,632	2,129	1,411	474	-		
TOTAL.....	22,262	193	618	2,177	3,817	4,343	4,437	3,787	2,219	671	-		
NEW MEXICO													
MALE.....	505	6	35	60	98	120	89	62	23	9	3		
FEMALE.....	445	5	21	50	82	106	78	69	23	8	3		
TOTAL.....	950	11	56	110	180	226	167	131	46	17	6		
NORTH CAROLINA													
MALE.....	4,040	57	261	694	978	894	548	399	145	39	31		
FEMALE.....	4,161	29	141	654	1,042	926	629	428	252	35	25		
TOTAL.....	8,201	86	402	1,348	2,020	1,820	1,177	827	397	68	56		

TABLE 13. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE, UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)												
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown			
NORTH DAKOTA														
MALE.....	1,047	-	18	73	203	274	183	174	92	29	1			
FEMALE.....	946	1	21	64	168	206	207	189	74	16	-			
TOTAL.....	1,993	1	39	137	371	480	390	363	166	45	1			
OHIO														
MALE.....	14,291	58	556	1,643	2,389	3,023	2,882	2,507	1,072	185	6			
FEMALE.....	14,372	20	311	1,295	2,359	2,820	3,140	2,627	1,453	342	5			
TOTAL.....	28,663	78	867	2,938	4,748	5,843	5,992	5,134	2,525	527	11			
OKLAHOMA														
MALE.....	4,120	30	174	437	782	1,090	742	534	267	63	1			
FEMALE.....	3,894	20	110	418	671	862	828	624	290	71	-			
TOTAL.....	8,014	50	284	855	1,453	1,952	1,570	1,158	557	134	1			
OREGON														
MALE.....	727	-	18	42	75	153	159	172	82	24	2			
FEMALE.....	791	-	7	49	112	137	187	173	99	25	2			
TOTAL.....	1,518	-	25	91	187	290	346	345	181	49	4			
PENNSYLVANIA														
MALE.....	19,566	68	548	2,208	3,759	4,365	3,602	2,994	1,376	279	367			
FEMALE.....	21,354	32	386	2,052	3,955	4,222	4,336	3,344	2,003	529	495			
TOTAL.....	40,920	100	934	4,260	7,714	8,587	7,938	6,338	3,379	808	862			
RHODE ISLAND														
MALE.....	1,694	2	46	151	237	379	366	307	151	29	6			
FEMALE.....	1,748	4	26	158	284	347	385	300	188	54	2			
TOTAL.....	3,442	6	72	309	541	726	751	607	339	83	8			
SOUTH CAROLINA														
MALE.....	3,012	18	244	590	708	586	412	300	113	15	26			
FEMALE.....	3,030	15	118	434	621	645	550	422	190	33	22			
TOTAL.....	6,042	33	362	1,024	1,329	1,231	962	722	303	48	48			
SOUTH DAKOTA														
MALE.....	824	1	13	48	106	187	167	188	92	19	3			
FEMALE.....	779	-	14	45	108	134	177	162	111	27	1			
TOTAL.....	1,603	1	27	93	214	321	344	350	203	46	4			
TENNESSEE														
MALE.....	3,575	4	174	464	732	859	570	487	248	37	-			
FEMALE.....	4,118	-	105	451	779	967	817	618	325	56	-			
TOTAL.....	7,693	4	279	915	1,511	1,826	1,387	1,105	573	93	-			
TEXAS														
MALE.....	7,781	14	292	859	1,370	1,992	1,359	1,121	619	195	-			
FEMALE.....	8,664	25	172	781	1,509	1,996	1,904	1,306	699	192	-			
TOTAL.....	16,445	39	464	1,640	2,879	3,988	3,263	2,427	1,318	387	-			
UTAH														
MALE.....	621	-	36	75	111	151	111	90	37	10	-			
FEMALE.....	716	1	22	69	131	161	131	120	64	17	-			
TOTAL.....	1,337	1	58	144	242	312	242	210	101	27	-			
VERMONT														
MALE.....	617	5	25	71	101	125	114	102	59	13	2			
FEMALE.....	677	1	24	50	96	123	128	114	86	53	2			
TOTAL.....	1,294	6	49	121	197	248	242	216	145	66	4			
VIRGINIA														
MALE.....	5,579	65	297	717	1,088	1,287	870	775	427	82	1			
FEMALE.....	5,724	34	160	582	1,017	1,159	1,113	913	586	160	-			
TOTAL.....	11,303	99	457	1,299	2,105	2,446	1,983	1,688	1,013	242	1			
WASHINGTON														
MALE.....	3,615	9	151	281	522	763	666	766	371	86	-			
FEMALE.....	3,746	11	98	327	587	706	789	673	447	106	2			
TOTAL.....	7,361	20	249	608	1,109	1,469	1,455	1,439	818	192	2			
WEST VIRGINIA														
MALE.....	2,306	12	86	318	409	540	427	315	158	23	21			
FEMALE.....	1,882	3	46	230	365	376	369	288	155	39	14			
TOTAL.....	4,188	15	132	548	774	916	796	603	313	62	35			

TABLE 13. —PATIENTS RESIDENT IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE AT END OF YEAR, BY AGE, SEX AND STATE: UNITED STATES, 1955 - Continued

(Statistics based on reports from 196 of the 217 State and 47 of the 48 county hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
WISCONSIN	MALE.....	7,538	3	184	656	1,139	1,504	1,397	1,534	821	207	93
	FEMALE.....	7,443	6	140	519	1,139	1,411	1,535	1,382	918	306	87
	TOTAL.....	14,981	9	324	1,175	2,278	2,915	2,932	2,916	1,739	513	180
WYOMING	MALE.....	379	-	11	22	41	97	70	80	51	6	1
	FEMALE.....	276	-	9	18	35	59	59	61	28	6	1
	TOTAL.....	655	-	20	40	76	156	129	141	79	12	2
UNITED STATES TOTAL ¹	MALE.....	199,985	852	7,496	22,343	35,387	44,297	36,324	32,028	16,250	3,788	1,220
	FEMALE.....	210,374	499	4,911	19,804	35,936	41,998	43,014	35,020	21,648	6,343	1,201
	TOTAL.....	410,359	1,351	12,407	42,147	71,323	86,295	79,338	67,048	37,898	10,131	2,421

¹ Data do not include 147,610 resident patients since some hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	147,610	68,934	78,676
Alabama.....	7,197	3,397	3,800
Georgia.....	11,701	5,351	6,350
Maryland.....	2,312	1,248	1,064
Massachusetts....	23,178	10,346	12,832
North Carolina...	1,759	758	1,001
Oregon.....	3,368	1,652	1,716
West Virginia....	1,431	577	854
New York.....	96,664	45,605	51,059

The State of New York was able to provide the age distribution of its resident patients by sex although data on diagnosis was not available. In order to maintain agreement in totals between the tables by State and diagnosis and by State and age the age distribution of New York State patients was not included in the above table but is presented below.

MALE.....	45,605	412	1,911	5,277	7,643	9,678	8,988	7,409	3,449	721	117
FEMALE.....	51,059	141	1,176	4,573	7,960	10,140	10,665	9,079	5,626	1,545	154
TOTAL.....	96,664	553	3,087	9,850	15,603	19,818	19,653	16,488	9,075	2,266	271

TABLE 14. --PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX, UNITED STATES, 1955

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
ACUTE BRAIN SYNDROMES ASSOC. WITH											
ALCOHOL INTOXICATION											
MALE.....	2	-	-	1	1	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	1	-	-	-
TOTAL.....	3	-	-	1	1	-	-	1	-	-	-
DRUG OR POISON INTOXICATION											
MALE.....	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	1	-	-	-	-	-	-	-
TOTAL.....	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER CONDITIONS											
MALE.....	2	-	-	1	1	-	-	-	-	-	-
FEMALE.....	1	-	-	-	1	-	-	-	-	-	-
TOTAL.....	3	-	-	1	2	-	-	-	-	-	-
TOTAL											
MALE.....	4	-	-	2	2	-	-	-	-	-	-
FEMALE.....	3	-	-	1	1	-	-	1	-	-	-
TOTAL.....	7	-	-	3	3	-	-	1	-	-	-
CHRONIC BRAIN SYNDROMES ASSOC. WITH											
DISEASES AND CONDITIONS DUE TO PRENATAL INFLUENCE											
MALE.....	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	1	-	-	-	-	-	-	-
TOTAL.....	1	-	-	1	-	-	-	-	-	-	-
MENINGOENCEPHALITIC SYPHILIS											
MALE.....	2	-	-	-	-	1	1	-	-	-	-
FEMALE.....	1	-	-	-	-	1	-	-	-	-	-
TOTAL.....	3	-	-	-	-	2	1	-	-	-	-
OTHER CNS SYPHILIS											
MALE.....	2	-	1	-	-	-	1	-	-	-	-
FEMALE.....	2	-	-	-	-	1	1	-	-	-	-
TOTAL.....	4	-	1	-	-	1	2	-	-	-	-
EPIDEMIC ENCEPHALITIS											
MALE.....	-	-	-	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	-	-	-	-	-
TOTAL.....	1	1	-	-	-	-	-	-	-	-	-
OTHER INTRACRANIAL INFECTIONS											
MALE.....	1	-	1	-	-	-	-	-	-	-	-
FEMALE.....	1	1	-	-	-	-	-	-	-	-	-
TOTAL.....	2	1	1	-	-	-	-	-	-	-	-
ALCOHOL INTOXICATION											
MALE.....	6	-	-	-	-	3	1	1	1	-	-
FEMALE.....	2	-	-	-	-	2	-	-	-	-	-
TOTAL.....	8	-	-	-	-	5	1	1	1	-	-
BIRTH TRAUMA											
MALE.....	1	1	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-	-
TOTAL.....	1	1	-	-	-	-	-	-	-	-	-
OTHER TRAUMA											
MALE.....	3	1	-	-	1	1	-	-	-	-	-
FEMALE.....	3	-	1	1	1	-	-	-	-	-	-
TOTAL.....	6	1	1	1	2	1	-	-	-	-	-

TABLE 14. —PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX:
UNITED STATES, 1955—Continued

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-74	85 and over	Age unknown	
CEREBRAL ARTERIOSCLEROSIS												
MALE.....	9	-	-	-	-	-	2	-	7	-	-	
FEMALE.....	21	-	-	-	-	-	1	4	10	6	-	
TOTAL.....	30	-	-	-	-	-	3	4	17	6	-	
OTHER CIRCULATORY DISTURBANCE												
MALE.....	3	-	-	-	-	2	1	-	-	-	-	
FEMALE.....	1	-	-	-	-	1	-	-	-	-	-	
TOTAL.....	4	-	-	-	-	3	1	-	-	-	-	
CONVULSIVE DISORDER												
MALE.....	7	2	3	1	1	-	-	-	-	-	-	
FEMALE.....	2	-	2	-	-	-	-	-	-	-	-	
TOTAL.....	9	2	5	1	1	-	-	-	-	-	-	
SENILE BRAIN DISEASE												
MALE.....	7	-	-	-	-	-	-	2	2	3	-	
FEMALE.....	6	-	-	-	-	-	-	1	1	4	-	
TOTAL.....	13	-	-	-	-	-	-	3	3	7	-	
INTRACRANIAL NEOPLASM												
MALE.....	1	-	-	-	-	1	-	-	-	-	-	
FEMALE.....	1	-	-	-	1	-	-	-	-	-	-	
TOTAL.....	2	-	-	-	1	1	-	-	-	-	-	
DISEASES OF UNKNOWN CAUSE												
MALE.....	-	-	-	-	-	-	-	-	-	-	-	
FEMALE.....	3	-	-	-	3	-	-	-	-	-	-	
TOTAL.....	3	-	-	-	3	-	-	-	-	-	-	
CHRONIC BRAIN SYNDROME OF UNKNOWN CAUSE												
MALE.....	1	-	-	-	1	-	-	-	-	-	-	
FEMALE.....	2	1	-	-	-	1	-	-	-	-	-	
TOTAL.....	3	1	-	-	1	1	-	-	-	-	-	
TOTAL												
MALE.....	43	4	5	1	3	8	6	3	10	3	-	
FEMALE.....	47	3	3	2	5	6	2	5	11	10	-	
TOTAL.....	90	7	8	3	8	14	8	8	21	13	-	
PSYCHOTIC DISORDERS												
INVOLUTIONAL PSYCHOTIC REACTION												
MALE.....	9	-	-	-	-	5	4	-	-	-	-	
FEMALE.....	23	-	-	-	3	17	3	-	-	-	-	
TOTAL.....	32	-	-	-	3	22	7	-	-	-	-	
MANIC-DEPRESSIVE REACTION												
MALE.....	11	-	1	-	1	3	6	-	-	-	-	
FEMALE.....	10	-	1	4	2	-	1	1	1	-	-	
TOTAL.....	21	-	2	4	3	3	7	1	1	-	-	
PSYCHOTIC DEPRESSIVE REACTION												
MALE.....	7	-	-	-	-	4	1	2	-	-	-	
FEMALE.....	12	-	1	1	5	2	3	-	-	-	-	
TOTAL.....	19	-	1	1	5	6	4	2	-	-	-	
SCHIZOPHRENIC REACTIONS												
MALE.....	99	16	32	23	16	9	3	-	-	-	-	
FEMALE.....	110	5	24	39	28	11	2	-	1	-	-	
TOTAL.....	209	21	56	62	44	20	5	-	1	-	-	
PARANOID REACTIONS												
MALE.....	1	-	-	1	-	-	-	-	-	-	-	
FEMALE.....	4	-	-	-	1	1	2	-	-	-	-	
TOTAL.....	5	-	-	1	1	1	2	-	-	-	-	

TABLE 14. —PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX: UNITED STATES, 1955 - Continued

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX		ALL AGES	AGE (IN YEARS)										
			Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
OTHER	MALE.....	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL.....	1	1	-	-	-	-	-	-	-	-	-	-
TOTAL	MALE.....	128	17	39	24	17	21	14	2	-	-	-	-
	FEMALE.....	159	5	26	44	39	31	11	1	2	-	-	-
	TOTAL.....	287	22	59	68	56	52	25	3	2	-	-	-
PSYCHOPHYSIOLOGIC AUTONOMIC AND VISCERAL DISORDERS	MALE.....	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE.....	2	-	2	-	-	-	-	-	-	-	-	-
	TOTAL.....	3	1	2	-	-	-	-	-	-	-	-	-
PSYCHONEUROTIC REACTIONS	MALE.....	10	-	2	1	4	1	1	1	-	-	-	-
	FEMALE.....	30	2	7	11	6	3	1	-	-	-	-	-
	TOTAL.....	40	2	9	12	10	4	2	1	-	-	-	-
PERSONALITY DISORDERS	PERSONALITY PATTERN DISTURBANCE												
	MALE.....	8	1	1	2	3	1	-	-	-	-	-	-
	FEMALE.....	7	-	4	1	1	-	-	1	-	-	-	-
	TOTAL.....	15	1	5	3	4	1	-	1	-	-	-	-
PERSONALITY TRAIT DISTURBANCE	MALE.....	11	2	1	9	2	1	-	-	-	-	-	-
	FEMALE.....	17	-	8	3	3	2	1	-	-	-	-	-
	TOTAL.....	28	2	9	8	5	3	1	-	-	-	-	-
ANTISOCIAL REACTION	MALE.....	2	-	-	1	1	-	-	-	-	-	-	-
	FEMALE.....	1	1	-	-	-	-	-	-	-	-	-	-
	TOTAL.....	3	1	-	1	1	-	-	-	-	-	-	-
DYSSOCIAL REACTION	MALE.....	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE.....	1	-	1	-	-	-	-	-	-	-	-	-
	TOTAL.....	1	-	1	-	-	-	-	-	-	-	-	-
SEXUAL DEVIATION	MALE.....	3	-	1	1	-	1	-	-	-	-	-	-
	FEMALE.....	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL.....	3	-	1	1	-	1	-	-	-	-	-	-
ALCOHOLISM- ADDICTION	MALE.....	35	-	-	3	13	11	6	2	-	-	-	-
	FEMALE.....	3	-	-	-	2	1	-	-	-	-	-	-
	TOTAL.....	38	-	-	3	15	12	6	2	-	-	-	-
DRUG ADDICTION	MALE.....	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE.....	2	-	-	1	-	-	1	-	-	-	-	-
	TOTAL.....	3	-	-	1	1	-	1	-	-	-	-	-
SPECIAL SYMPTOM REACTION	MALE.....	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE.....	1	1	-	-	-	-	-	-	-	-	-	-
	TOTAL.....	2	2	-	-	-	-	-	-	-	-	-	-
TOTAL	MALE.....	61	4	3	12	20	14	6	2	-	-	-	-
	FEMALE.....	32	2	13	9	6	3	2	1	-	-	-	-
	TOTAL.....	93	6	16	17	26	17	8	3	-	-	-	-
TRANSIENT SITUATIONAL PERSONALITY DISTURBANCE	MALE.....	64	54	9	1	-	-	-	-	-	-	-	-
	FEMALE.....	37	27	9	1	-	-	-	-	-	-	-	-
	TOTAL.....	101	81	18	2	-	-	-	-	-	-	-	-

TABLE 14. —PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY MENTAL DISORDER, AGE AT END OF YEAR, AND SEX;
UNITED STATES, 1955 - Continued

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

MENTAL DISORDER AND SEX	ALL AGES	AGE (IN YEARS)									
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown
MENTAL DEFICIENCY											
MALE.....	12	11	-	-	-	1	-	-	-	-	-
FEMALE.....	3	1	1	-	-	-	-	-	-	1	
TOTAL.....	15	12	1	-	-	1	-	-	-	1	
MENTAL DISORDER, UNDIAGNOSED											
MALE.....	8	4	-	-	-	-	2	-	-	-	
FEMALE.....	4	4	-	-	-	-	-	-	-	2	
TOTAL.....	12	8	-	-	-	-	2	-	-	2	
WITHOUT MENTAL DISORDER											
MALE.....	61	13	1	1	3	7	8	12	12	4	
FEMALE.....	85	9	4	1	2	6	9	10	9	3	
TOTAL.....	116	22	5	2	5	13	17	22	21	9	
TOTAL ALL PATIENTS ¹											
MALE.....	392	108	53	42	49	52	37	20	22	7	
FEMALE.....	372	53	65	65	59	49	25	18	22	16	
TOTAL.....	764	161	118	107	108	101	62	38	44	23	

¹ Data do not include 189 resident patients, 94 males and 95 females.

TABLE 15. —PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE, UNITED STATES, 1955

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

STATE AND SEX	TOTAL	ACUTE BRAIN SYNDROMES		CHRONIC BRAIN SYNDROMES ASSOCIATED WITH											
		alcohol intoxication	all other conditions	TOTAL CHRONIC BRAIN SYNDROMES	Endo-encephalitic syphilis	Other CNS syphilis	Alcohol intoxication	Drug or poison intoxication (except alcohol)	Trauma	Cerebral arterio-sclerosis	Other circulatory disturbance	Convulsive disorder	Senile brain disease	Other disturbance of metabolism, growth and nutrition	all other chronic brain syndromes
CALIFORNIA															
MALE	34	-	1	3	-	-	-	-	-	-	-	2	1	-	1
FEMALE	32	-	-	3	-	-	-	-	-	-	-	-	-	-	-
TOTAL	66	-	1	6	-	-	-	-	-	-	-	2	1	-	1
COLORADO															
MALE	34	2	-	4	-	-	2	-	-	-	-	1	1	-	-
FEMALE	32	1	-	3	1	-	1	-	-	-	-	-	-	-	-
TOTAL	66	3	-	7	1	-	3	-	-	-	-	1	1	-	-
DELAWARE															
MALE	176	-	-	21	1	1	3	-	2	7	-	3	4	-	-
FEMALE	125	-	1	29	-	2	-	1	1	18	-	-	6	-	-
TOTAL	301	-	1	50	1	3	3	3	3	25	-	3	10	-	2
INDIANA															
MALE	81	-	-	9	1	-	1	-	2	1	3	-	-	-	1
FEMALE	110	-	-	5	-	-	-	-	1	-	-	-	-	-	3
TOTAL	191	-	-	14	1	-	1	-	3	1	3	-	-	-	4
IOWA															
MALE	19	-	-	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE	19	-	1	4	-	-	-	-	-	1	-	-	-	-	3
TOTAL	38	-	1	6	-	-	-	-	-	1	-	-	-	-	5
NEBRASKA															
MALE	17	-	1	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE	21	-	-	-	-	-	-	-	-	1	-	-	-	-	-
TOTAL	38	-	1	2	-	-	-	-	-	1	-	1	-	-	-
TENNESSEE															
MALE	13	-	-	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE	24	-	-	3	-	-	1	-	-	1	-	1	-	-	-
TOTAL	37	-	-	5	-	1	1	-	-	1	-	1	1	-	-
WISCONSIN															
MALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNITED STATES¹															
MALE	392	2	2	43	2	2	6	-	4	9	3	7	7	-	3
FEMALE	372	1	2	47	1	2	2	-	3	21	1	2	6	-	9
TOTAL	764	3	4	90	3	4	8	-	7	30	4	9	13	-	12

¹ Data do not include 189 resident patients since some hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	189	94	95
Massachusetts.....	124	62	62
New York.....	65	32	33

TABLE 15. --PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS AT END OF YEAR, BY MENTAL DISORDER, SEX AND STATE:
UNITED STATES, 1955 - Continued

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

STATE AND SEX	PSYCHOTIC DISORDERS													
	TOTAL PSYCHOTIC DISORDERS	Involuntary psychotic reaction	Manic-depressive reaction	Psychotic depressive reaction	Schizophrenic reactions	Paranoid reactions	Other	Psychophysiologic autonomic and visceral disorders	Psychoneurotic reactions	Total personality disorders	Transient situational personality disturbance	Mental deficiency	Mental disorder undiagnosed	Mildest mental disorder
CALIFORNIA														
MALE	25	2	1	1	21	-	-	-	2	1	-	2	-	
FEMALE	24	1	2	1	21	-	-	-	2	2	-	1	-	
TOTAL	49	3	3	2	42	-	-	-	4	3	-	3	-	
COLORADO														
MALE	16	-	3	2	10	1	-	-	1	9	-	1	-	
FEMALE	21	3	2	2	12	2	-	-	3	1	2	1	-	
TOTAL	37	3	5	4	22	3	-	-	4	10	2	2	1	
DELAWARE														
MALE	3	-	-	-	3	-	-	1	-	32	45	10	4	
FEMALE	3	-	-	-	3	-	-	-	-	4	29	1	3	
TOTAL	6	-	-	-	6	-	-	1	-	36	74	11	7	
INDIANA														
MALE	58	5	4	2	46	-	1	-	2	3	9	-	-	
FEMALE	79	14	2	8	54	1	-	-	11	11	4	-	-	
TOTAL	137	19	6	10	100	1	1	-	13	14	13	-	-	
IOWA														
MALE	7	1	3	-	3	-	-	-	2	4	4	-	-	
FEMALE	6	2	-	-	4	-	-	1	3	4	-	-	-	
TOTAL	13	3	3	-	7	-	-	1	5	8	4	-	-	
NEBRASKA														
MALE	9	1	-	2	6	-	-	-	-	3	-	-	2	
FEMALE	12	1	1	1	9	-	-	-	3	3	-	1	-	
TOTAL	21	2	1	3	15	-	-	-	5	6	-	1	2	
TENNESSEE														
MALE	4	-	-	-	4	-	-	-	3	4	-	-	-	
FEMALE	13	3	3	-	6	1	-	1	4	3	-	-	-	
TOTAL	17	3	3	-	10	1	-	1	7	7	-	-	-	
WISCONSIN														
MALE	6	-	-	-	6	-	-	-	-	5	6	1	-	
FEMALE	1	-	-	-	1	-	-	-	2	4	2	-	-	
TOTAL	7	-	-	-	7	-	-	-	2	9	8	1	-	
UNITED STATES TOTAL														
MALE	128	9	11	7	99	1	1	1	10	61	64	12	8	
FEMALE	159	23	10	12	110	4	-	2	30	32	37	3	4	
TOTAL	287	32	21	19	209	5	1	3	40	93	101	15	12	

TABLE 16. --PATIENTS RESIDENT IN PSYCHOPATHIC HOSPITALS, BY AGE AT END OF YEAR, SEX AND STATE: UNITED STATES, 1955

(Statistics based on reports from 8 of the 10 psychopathic hospitals)

STATE AND SEX	ALL AGES	AGE (IN YEARS)										
		Under 15	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and over	Age unknown	
CALIFORNIA	MALE.....	34	7	9	7	3	2	3	-	-	1	2
	FEMALE.....	32	6	4	12	4	4	2	-	-	-	-
	TOTAL.....	66	13	13	19	7	6	5	-	-	1	2
COLORADO	MALE.....	34	1	2	8	8	8	4	2	1	-	-
	FEMALE.....	32	1	3	5	6	11	3	1	2	-	-
	TOTAL.....	66	2	5	13	14	19	7	3	3	-	-
DELAWARE	MALE.....	176	74	9	3	14	18	15	17	20	6	-
	FEMALE.....	125	39	9	2	7	8	11	14	19	16	-
	TOTAL.....	301	113	18	5	21	26	26	31	39	22	-
INDIANA	MALE.....	81	19	13	13	11	16	9	-	-	-	-
	FEMALE.....	110	4	26	29	29	19	7	-	-	-	-
	TOTAL.....	191	23	39	42	40	31	16	-	-	-	-
IOWA	MALE.....	19	2	8	2	2	3	2	-	-	-	-
	FEMALE.....	19	1	5	6	3	3	-	-	1	-	-
	TOTAL.....	38	3	13	8	5	6	2	-	1	-	-
NEBRASKA	MALE.....	17	-	4	3	3	3	3	1	-	-	-
	FEMALE.....	21	-	9	3	4	4	1	-	-	-	-
	TOTAL.....	38	-	13	6	7	7	4	1	-	-	-
TENNESSEE	MALE.....	13	-	1	3	6	1	1	-	1	-	-
	FEMALE.....	24	1	3	7	5	4	1	3	-	-	-
	TOTAL.....	37	1	4	10	11	5	2	3	1	-	-
WISCONSIN	MALE.....	18	5	7	3	2	1	-	-	-	-	-
	FEMALE.....	9	1	6	1	1	-	-	-	-	-	-
	TOTAL.....	27	6	13	4	3	1	-	-	-	-	-
UNITED STATES TOTAL ¹	MALE.....	392	108	53	42	49	52	37	20	22	7	2
	FEMALE.....	372	53	65	65	59	49	25	18	22	16	-
	TOTAL.....	764	161	118	107	108	101	62	38	44	23	2

¹ Data do not include 189 resident patients since some hospitals were unable to report the above information for their resident patients. The amount of such underreporting by State and sex is as follows:

State	Total	Male	Female
Total	189	94	95
Massachusetts.....	124	62	62
New York.....	65	32	33

The State of New York was able to provide the age distribution of its resident patients by sex although data on diagnosis was not available.

In order to maintain agreement in totals between the tables by State and diagnosis and by State and age the age distribution of New York State patients was not included in the above table but is presented below.

MALE.....	32	1	4	7	6	6	5	2	-	1	-
FEMALE.....	33	2	1	10	6	8	4	2	-	-	-
TOTAL.....	65	3	5	17	12	14	9	4	-	1	-

TABLE 17. —PERSONNEL EMPLOYED FULL AND PART TIME IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION, UNITED STATES, 1955

(Statistics based on reports from 215 of the 217 State and 47 of the 48 county hospitals)

OCCUPATION	NUMBER EMPLOYED
FULL TIME EMPLOYEES	
SUPERINTENDENTS AND PHYSICIANS	
SUPERINTENDENTS AND ASSISTANT SUPERINTENDENTS.....	363
CLINICAL DIRECTORS.....	151
PSYCHIATRISTS.....	710
OTHER STAFF PHYSICIANS.....	1,515
PSYCHIATRIC RESIDENTS.....	302
MEDICAL INTERNES.....	89
TOTAL.....	3,130
DENTISTS AND DENTAL ASSISTANTS.....	
PSYCHOLOGISTS AND PSYCHOMETRISTS.....	573
CLINICAL ASSISTANTS.....	619
GRADUATE NURSES.....	145
OTHER NURSES AND ATTENDANTS.....	6,695
TOTAL.....	80,241
THERAPISTS AND ASSISTANTS	
OCCUPATIONAL THERAPISTS AND ASSISTANTS.....	1,922
HYDROTHERAPISTS, PHYSIOTHERAPISTS AND ASSISTANTS.....	344
OTHER THERAPISTS AND ASSISTANTS.....	961
TOTAL.....	3,227
SOCIAL WORKERS	
PSYCHIATRIC SOCIAL WORKERS.....	1,063
OTHER SOCIAL WORKERS.....	245
TOTAL.....	1,308
ALL OTHER PROFESSIONALS.....	
BUSINESS MANAGERS, STEWARDS AND ASSISTANTS.....	1,837
CLERICAL EMPLOYEES.....	424
OTHER EMPLOYEES.....	7,009
TOTAL FULL TIME EMPLOYEES.....	39,607
TOTAL FULL TIME EMPLOYEES.....	144,815
PART TIME EMPLOYEES	
CONSULTING PHYSICIANS.....	1,109
OTHER PART TIME PHYSICIANS.....	272
OTHER PROFESSIONALS.....	372
OTHER EMPLOYEES.....	547
TOTAL PART TIME EMPLOYEES.....	2,300

Generated on 2018-08-01 14:59 GMT / http://hdl.handle.net/2027/osu.32435024776338
 Public Domain, Google-digitized / http://www.hathitrust.org/access_use#pd-google

TABLE 18. --PERSONNEL EMPLOYED FULL AND PART TIME IN PSYCHOPATHIC HOSPITALS, BY OCCUPATION; UNITED STATES, 1955

(Statistics based on reports from the 10 psychopathic hospitals)

OCCUPATION	NUMBER EMPLOYED
FULL TIME EMPLOYEES	
SUPERINTENDENTS AND PHYSICIANS	
SUPERINTENDENTS AND ASSISTANT SUPERINTENDENTS.....	11
CLINICAL DIRECTORS.....	7
PSYCHIATRISTS.....	33
OTHER STAFF PHYSICIANS.....	15
PSYCHIATRIC RESIDENTS.....	48
MEDICAL INTERNES.....	5
TOTAL.....	119
DENTISTS AND DENTAL ASSISTANTS.....	
PSYCHOLOGISTS AND PSYCHOMETRISTS.....	5
CLINICAL ASSISTANTS.....	30
GRADUATE NURSES.....	7
OTHER NURSES AND ATTENDANTS.....	173
TOTAL.....	492
THERAPISTS AND ASSISTANTS	
OCCUPATIONAL THERAPISTS AND ASSISTANTS.....	34
HYDROTHERAPISTS, PHYSIOTHERAPISTS AND ASSISTANTS.....	5
OTHER THERAPISTS AND ASSISTANTS.....	11
TOTAL.....	50
SOCIAL WORKERS	
PSYCHIATRIC SOCIAL WORKERS.....	43
OTHER SOCIAL WORKERS.....	6
TOTAL.....	49
ALL OTHER PROFESSIONALS.....	
BUSINESS MANAGERS, STEWARDS AND ASSISTANTS.....	87
CLERICAL EMPLOYEES.....	25
OTHER EMPLOYEES.....	191
TOTAL FULL TIME EMPLOYEES.....	349
TOTAL FULL TIME EMPLOYEES.....	1,577
PART TIME EMPLOYEES	
CONSULTING PHYSICIANS.....	77
OTHER PART TIME PHYSICIANS.....	17
OTHER PROFESSIONALS.....	30
OTHER EMPLOYEES.....	59
TOTAL PART TIME EMPLOYEES.....	183

TABLE 19. —PERSONNEL EMPLOYED FULL TIME IN PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY OCCUPATION AND STATE: UNITED STATES, 1955

(Statistics based on reports from 215 of the 217 State and 47 of the 48 county hospitals)

STATE	TOTAL	Superintendents and assistant superintendents	Clinical directors	Psychiatrists and psychiatric residents	Other staff physicians and residents	Dentists and dental assistants	Psychologists and psychometrists	Graduate nurses	Other nurses and attendants	Therapists and assistants	Social workers	All other professionals	Business managers, clerks, stewards and assistants	Other employees	AVERAGE DAILY RESIDENT-PATIENT POPULATION ¹
ALABAMA.....	1,269	3			15	8	2	19	826	27	2	5	34	328	7,136
ARIZONA.....	516	2		1	6	2	2	13	312	13	4	6	33	122	1,701
ARKANSAS.....	1,313	3		10	10	4	3	28	834	27	3	34	56	301	5,017
CALIFORNIA.....	9,596	22	9	36	155	57	55	308	6,036	131	233	85	599	1,850	36,428
COLORADO.....	1,612	2		14	18	4	3	33	834	39	3	15	81	566	5,649
CONNECTICUT.....	3,076	6	3	51	7	11	21	201	1,587	107	18	36	130	898	8,958
DELAWARE.....	426	1	1	11	4	3	5	35	242	23	7	1	29	64	1,400
DISTRICT OF COLUMBIA.....	2,556	3	3	41	22	10	5	214	1,252	30	9	36	191	740	7,216
FLORIDA.....	1,963	3	3	4	13	18	3	48	1,136	13	6	29	77	610	7,892
GEORGIA.....	1,946	2	5	1	36	21	4	65	1,144	25	5	22	101	515	11,582
IDaho.....	329	3	1	7	3	2	4	17	168	3	5	19	23	74	1,236
ILLINOIS.....	8,405	22		34	106	42	73	298	3,637	359	80	175	721	2,858	38,001
INDIANA.....	3,284	7	1	6	31	12	24	115	1,826	97	35	73	233	824	10,786
IOWA.....	1,715	6	2	3	28	5	12	30	884	26	13	28	91	587	5,330
KANSAS.....	2,092	3	2	43	19	8	21	57	958	81	32	62	135	671	4,462
KENTUCKY.....	1,529	4	4	4	24	6	5	45	921	45	11	39	74	347	7,689
LOUISIANA.....	1,891	3	3	20	8	10	10	41	934	36	17	34	118	657	8,184
MAINE.....	814	3		6	6	3	8	29	414	15	8	12	46	264	2,983
MARYLAND.....	2,480	6	4	28	19	8	22	64	1,425	73	43	33	155	600	9,192
MASSACHUSETTS.....	6,917	24	10	78	49	23	20	443	3,619	173	62	92	267	2,057	23,065
MICHIGAN.....	6,198	16	4	64	43	20	26	230	3,582	125	94	92	333	1,569	21,387
MINNESOTA.....	2,862	10	3	1	42	14	19	136	1,684	89	10	56	143	655	11,524
MISSISSIPPI.....	1,361	2	2	6	11	7	2	27	795	39	4	14	67	385	5,297
MISSOURI.....	3,015	8	1	25	9	1	4	38	1,815	37	9	21	86	961	12,017
MONTANA.....	446	2			6	2	3	11	277	9	3	3	23	107	1,956
NEBRASKA.....	1,772	6		10	13	4	11	69	1,119	62	9	18	59	392	4,837
NEVADA.....	91	2			1			5	51	3		1	5	23	429
NEW HAMPSHIRE.....	865	2	1	6	9	3	3	49	436	16	4	10	58	268	2,703
NEW JERSEY.....	6,911	18	7	96	30	13	24	353	3,511	134	62	97	447	2,119	22,280
NEW MEXICO.....	409	1	1	1	4	1	2	6	247	10		2	25	105	1,049
NEW YORK.....	24,791	28	31	184	333	133	31	1,669	13,877	556	184	262	1,054	6,449	95,734
NORTH CAROLINA.....	2,842	7	3	16	33	11	10	117	1,418	41	12	30	99	1,045	9,913
NORTH DAKOTA.....	469	2	1	3	8	3	8	18	273	16	3	5	13	116	2,023
OHIO.....	7,337	17		26	92	17	69	280	4,115	213	92	216	436	1,764	28,367
OKLAHOMA.....	2,119	4	2	11	37	8	12	54	1,261	25	15	19	71	600	7,919
OREGON.....	1,425	4	1	10	17	4	5	60	923	13	7	7	51	323	4,847
PENNSYLVANIA.....	11,290	25	20	66	63	31	25	965	6,021	199	77	144	454	3,200	40,447
RHODE ISLAND.....	793	2	1	10	13	2	2	35	506	17	6	6	55	138	3,422
SOUTH CAROLINA.....	1,257	1	1	6	14	3	3	45	623	3	6	32	60	460	5,966
SOUTH DAKOTA.....	436	2			7	2	3	23	190	8	4	6	25	166	1,603
TENNESSEE.....	1,009	7			22	4	8	30	630	25	4	10	34	235	7,623
TEXAS.....	3,592	8	5	5	46	9	11	72	2,073	81	30	32	191	1,029	16,466
UTAH.....	426	2	4	6	2	4	8	261	4	9	8	15	103	1,349	
VERMONT.....	359	2		3	6	1	1	9	202	6	1	6	14	108	1,290
VIRGINIA.....	2,455	4	3	5	32	9	14	79	1,391	55	15	25	117	706	11,063
WASHINGTON.....	1,997	4	3	13	14	7	5	34	1,322	29	15	28	109	414	7,496
WEST VIRGINIA.....	1,014	4	3	8	8	2	5	27	596	29	8	31	58	235	5,462
WISCONSIN.....	3,406	44	3	12	23	3	7	137	1,987	40	23	51	131	945	15,056
WYOMING.....	139	1			1			6	66		2	3	6	54	651
UNITED STATES TOTAL.....	144,815	363	151	1,012	1,515	573	619	6,695	80,241	3,227	1,308	2,071	7,433	39,607	554,083

¹ Includes only population of hospitals reporting personnel data.

TABLE 20. —PERSONNEL EMPLOYED FULL TIME IN PSYCHOPATHIC HOSPITALS, BY OCCUPATION AND STATE: UNITED STATES, 1955

(Statistics based on reports from the 10 psychopathic hospitals)

STATE	TOTAL	Superintendents and assistant superintendents	Clinical directors	Psychiatrists and psychiatric residents	Other staff physicians and residents	Dentists and dental assistants	Psychologists and psychometrists	Graduate nurses	Other nurses and attendants	Therapists and assistants	Social workers	All other professionals	Business managers, clerks, stewards and assistants	Other employees	AVERAGE DAILY RESIDENT-PATIENT POPULATION
CALIFORNIA.....	199	2	1	10	1	1	2	41	49	6	9	1	35	40	72
COLORADO.....	105	2	1	13	1	1	2	18	18	4	4	4	23	1	65
DELAWARE.....	191	1	1	1	1	1	2	11	31	3	2	31	12	34	312
INDIANA.....	372	1	1	16	1	2	2	33	130	13	10	15	36	60	172
IOWA.....	99	1	1	10	1	1	4	7	22	4	3	10	12	17	46
MASSACHUSETTS.....	203	2	3	3	9	1	3	18	47	4	9	12	34	57	126
NEBRASKA.....	142	1	1	3	1	1	2	14	39	3	1	1	22	34	27
NEW YORK.....	84	1	1	5	1	1	1	13	34	3	3	2	11	14	57
TENNESSEE.....	122	1	1	7	1	1	3	10	44	2	4	4	15	31	41
WISCONSIN.....	64	1	1	3	2	1	2	8	24	2	2	1	7	14	15
UNITED STATES TOTAL.	1,577	11	7	61	15	5	30	173	492	50	49	99	216	349	933

TABLE 21. --EXPENDITURES OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY STATE, UNITED STATES, 1955

(Statistics based on reports from 214 of the 217 State and 47 of the 48 county hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS, IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
ALABAMA.....	\$ 5,950,766	\$5,120,431	\$2,944,331	\$ 780,440	\$ 167,413	\$ 1,228,247	\$ 430,335	7,136
ARIZONA.....	2,163,674	2,090,357	1,291,452	246,270	96,247	456,388	73,317	1,701
ARKANSAS.....	4,481,491	4,828,186	2,858,422	888,573	155,338	625,853	(46,695) ¹	5,017
CALIFORNIA.....	54,942,609	44,666,501	33,247,106	6,115,676	1,336,090	3,967,629	10,276,108	36,428
COLORADO.....	7,593,487	6,690,811	5,121,878	628,674	211,474	728,785	842,676	5,649
CONNECTICUT.....	23,140,669	14,594,169	9,809,790	1,736,834	458,501	2,589,064	8,546,480	8,958
DELAWARE.....	1,901,927	1,810,960	1,215,651	310,827	87,054	197,428	90,967	1,400
DISTRICT OF COLUMBIA.....	13,743,306	13,634,354	9,321,603	1,933,560	318,184	2,061,207	108,752	7,216
FLORIDA.....	10,816,066	6,781,323	3,814,775	2,055,940	432,664	477,946	4,035,541	7,892
GEORGIA.....	9,514,590	8,494,743	4,419,611	1,317,069	331,521	2,426,542	1,019,847	11,582
IDAHO.....	1,573,363	1,479,800	823,654	317,832	106,359	231,955	93,583	1,236
ILLINOIS.....	38,426,711	37,715,661	22,766,630	7,167,146	1,562,708	6,219,177	711,050	38,001
INDIANA.....	15,236,519	12,136,898	7,739,132	2,295,522	722,206	1,380,038	3,099,621	10,786
IOWA.....	7,413,293	5,975,270	3,457,727	1,194,911	283,698	1,038,934	1,436,023	5,330
KANSAS.....	8,086,812	7,668,488	4,991,611	963,118	249,811	1,463,948	418,324	4,462
KENTUCKY.....	5,338,388	5,026,936	3,028,262	595,642	288,330	1,114,702	311,452	7,689
LOUISIANA.....	5,975,760	5,480,297	3,344,492	727,017	214,248	1,194,540	495,463	8,184
MAINE.....	3,892,985	3,184,342	2,173,854	564,381	123,623	322,484	708,643	2,983
MARYLAND.....	12,563,761	10,769,294	7,679,754	1,406,898	490,850	1,191,792	1,794,467	9,192
MASSACHUSETTS.....	30,409,064	30,351,554	21,620,109	3,562,464	1,691,584	3,477,397	57,510	23,065
MICHIGAN.....	36,380,849	29,421,565	22,617,946	3,080,035	1,062,081	2,661,503	6,959,284	19,921
MINNESOTA.....	12,688,145	12,598,456	8,341,365	2,071,291	616,295	1,569,505	89,689	11,524
MISSISSIPPI.....	4,161,849	3,739,184	1,588,356	1,110,384	148,232	892,212	422,665	5,297
MISSOURI.....	10,702,139	10,262,907	5,620,923	2,476,944	363,991	1,801,049	439,232	12,017
MONTANA.....	1,889,655	1,829,976	1,142,349	488,337	49,556	149,734	59,679	1,956
NEBRASKA.....	6,702,552	5,417,693	3,925,716	790,944	191,902	509,131	1,284,859	4,837
NEVADA.....	474,819	474,819	242,454	81,544	28,741	122,080		429
NEW HAMPSHIRE.....	3,840,950	3,592,863	2,508,993	489,611	198,291	395,968	248,087	2,703
NEW JERSEY.....	29,664,849	28,204,978	20,214,440	3,071,809	1,372,454	3,546,275	1,459,871	22,280
NEW MEXICO.....	1,643,184	1,378,817	819,340	186,696	27,049	345,732	264,367	1,049
NEW YORK.....	140,574,448	119,069,924	89,390,431	14,837,733	5,065,770	9,775,990	21,504,524	95,734
NORTH CAROLINA.....	15,359,461	10,374,256	5,977,107	1,580,349	543,189	2,273,611	4,985,205	9,913
NORTH DAKOTA.....	2,699,473	1,942,097	1,176,212	304,346	144,450	317,089	757,376	2,023
OHIO.....	33,595,182	29,468,688	20,294,309	4,793,783	1,289,704	3,090,892	4,126,494	28,367
OKLAHOMA.....	6,868,751	6,580,220	4,430,098	1,119,271	245,473	785,378	288,531	7,919
OREGON.....	6,558,735	5,141,288	3,549,698	607,337	246,642	737,611	1,417,447	4,847
PENNSYLVANIA.....	46,214,017	44,949,543	31,437,901	6,133,472	2,397,096	4,981,074	1,264,474	40,447
RHODE ISLAND.....	3,199,733	3,164,190	2,225,684	676,826	4,658	257,022	35,543	3,422
SOUTH CAROLINA.....	5,950,108	4,764,532	2,939,792	746,864	198,576	879,300	1,185,576	5,966
SOUTH DAKOTA.....	1,834,252	1,607,432	823,662	292,653	98,250	393,067	226,620	1,603
TENNESSEE.....	9,840,709	4,283,709	1,683,225	1,153,194	95,654	1,351,636	1,577,000	7,623
TEXAS.....	17,410,503	14,000,998	8,545,861	3,283,480	451,553	1,720,104	3,409,505	16,466
Vermont.....	1,639,969	1,580,899	1,035,411	166,051	58,680	320,757	59,070	1,349
VERMONT.....	1,387,096	1,387,096	967,896	113,496	88,033	217,671		1,290
VIRGINIA.....	10,781,082	9,257,022	5,779,099	1,771,846	296,920	1,409,187	1,524,060	11,063
WASHINGTON.....	9,653,155	7,827,415	5,016,039	1,504,105	483,274	823,997	1,825,740	7,496
WEST VIRGINIA.....	4,215,690	3,616,709	2,070,588	840,343	177,185	528,593	598,981	5,462
WISCONSIN.....	20,792,117	17,295,586	9,538,527	3,481,862	1,290,464	2,984,793	3,496,531	15,056
WYOMING.....	810,491	810,491	361,040	94,965	36,148	318,338		651
UNITED STATES TOTAL.....	\$706,260,024	\$12,244,150	\$415,934,306	\$92,158,365	\$26,598,214	\$77,553,265	\$94,015,874	552,617

¹ Net decrease due to change in inventory value, etc.

² Includes only population of hospitals reporting expenditures.

Generated on 2018-08-01 15:00 GMT / http://hdl.handle.net/2027/osu.32435024776338 Public Domain, Google-digitized / http://www.europeana.eu

TABLE 22. --EXPENDITURES OF PSYCHOPATHIC HOSPITALS, BY STATE: UNITED STATES, 1955

(Statistics based on reports from the 10 psychopathic hospitals)

STATE	TOTAL EXPENDITURES	EXPENDITURES FOR MAINTENANCE					ADDITIONS IMPROVEMENTS AND OTHER EXPENDITURES	AVERAGE DAILY RESIDENT-PATIENT POPULATION ¹
		Total	Salaries and wages	Purchased provisions	Fuel, light and water	Other maintenance		
CALIFORNIA.....	\$ 725,324	\$ 714,386	\$ 607,680	\$ 35,206	\$ 11,953	\$ 59,467	\$ 11,018	72
COLORADO.....	914,607	576,504	473,142	67,990	10,690	24,682	358,103	65
DELAWARE.....	642,977	642,977	448,960	89,884	37,835	66,298	-	312
INDIANA.....	1,384,655	1,376,648	1,088,699	106,887	47,101	133,961	8,007	172
IOWA.....	451,890	402,682	323,769	25,630	7,882	45,401	40,208	46
MASSACHUSETTS.....	929,799	929,799	761,350	33,150	22,073	113,226	-	126
NEBRASKA.....	1,800,146	299,744	249,852	18,400	4,354	27,138	1,500,402	27
NEW YORK.....	378,606	374,131	326,974	13,009	13,589	20,379	4,485	57
TENNESSEE.....	275,106	275,106	208,853	43,731	3,570	18,982	-	41
WISCONSIN.....	362,491	251,180	193,974	13,359	15,914	27,993	131,311	15
UNITED STATES TOTAL.....	\$ 7,885,601	\$ 5,843,097	\$ 4,683,253	\$ 447,246	\$ 174,961	\$ 537,637	\$ 2,042,504	933

¹ Includes only population of hospitals reporting expenditures.

TABLE 23. --AVERAGE DAILY RESIDENT-PATIENT POPULATION OF PUBLIC PROLONGED-CARE HOSPITALS FOR MENTAL DISEASE, BY STATE: UNITED STATES, 1955

STATE	Average Daily Resident-Patient Population	STATE	Average Daily Resident-Patient Population	STATE	Average Daily Resident-Patient Population
ALABAMA.....	7,136	MICHIGAN.....	21,387	TENNESSEE.....	7,623
ARIZONA.....	1,701	MINNESOTA.....	11,524	TEXAS.....	16,466
ARKANSAS.....	5,017	MISSISSIPPI.....	5,297	UTAH.....	1,349
CALIFORNIA.....	36,428	MISSOURI.....	12,017	VERMONT.....	1,290
COLORADO.....	5,649	MONTANA.....	1,956	VIRGINIA.....	11,063
CONNECTICUT.....	8,958	NEBRASKA.....	4,837	WASHINGTON.....	7,496
DELAWARE.....	1,400	NEVADA.....	429	WEST VIRGINIA.....	5,462
DISTRICT OF COLUMBIA..	7,216	NEW HAMPSHIRE.....	2,703	WISCONSIN.....	15,056
FLORIDA.....	7,892	NEW JERSEY.....	22,280	WYOMING.....	651
GEORGIA.....	11,582	NEW MEXICO.....	1,049	UNITED STATES TOTAL.....	554,100
IDAHO.....	1,236	NEW YORK.....	95,734		
ILLINOIS.....	38,001	NORTH CAROLINA.....	9,913		
INDIANA.....	10,803	NORTH DAKOTA.....	2,023		
IOWA.....	5,330	OHIO.....	28,367		
KANSAS.....	4,462	OKLAHOMA.....	7,919		
KENTUCKY.....	7,689	OREGON.....	4,847		
LOUISIANA.....	8,184	PENNSYLVANIA.....	40,447		
MAINE.....	2,983	RHODE ISLAND.....	3,422		
MARYLAND.....	9,192	SOUTH CAROLINA.....	5,966		
MASSACHUSETTS.....	23,065	SOUTH DAKOTA.....	1,603		