

CASE AND DEATH RATES OF COMMUNICABLE DISEASES  
FOR COMPARABLE PERIODS, 1948, 1949 AND 1950

Diseases	Week Ended			Cumulative Rates for First 5 Weeks		
	4 Feb 1950	29 Jan 1949	31 Jan 1948	1950	1949	1948
<b>Case Rates</b>						
Diphtheria	23.1	24.4	30.0	19.9	23.8	27.4
Dysentery	5.0	2.8	2.3	4.5	2.2	1.6
Typhoid fever	4.1	7.6	7.3	4.4	6.8	7.2
Paratyphoid fever	1.0	2.7	3.4	1.2	2.8	2.5
Smallpox	-	-	-	0.0	0.0	0.0
Typhus fever	1.2	0.3	0.8	0.5	0.4	1.0
Malaria	0.8	2.4	4.4	0.6	1.5	3.4
Japanese "B" encephalitis	-	0.1	-	-	0.0	-
Scarlet fever	5.8	7.0	4.4	5.9	6.7	3.8
Epidemic meningitis	1.2	1.5	3.1	1.3	1.4	2.1
Cholera	-	-	-	-	-	-
Plague	-	-	-	-	-	-
Measles	61.4	97.1	51.1	54.4	80.1	46.8
Whooping cough	204.8	90.6	58.5	167.2	70.2	51.0
Tuberculosis	496.2	479.3	385.1	427.4	390.7	292.4
Pneumonia	313.0	231.7	269.4	309.0	182.7	243.6
Influenza	137.0	2.1	6.5	51.1	2.3	6.6
Polio-myelitis	1.5	1.5	0.5	2.0	1.6	0.4
Yellow fever	-	-	-	-	-	-
Tetanus	1.5	2.1	2.6	1.7	2.2	1.7
Puerperal infection	0.7	1.8	1.8	1.1	1.4	1.8
Rabies	0.3	-	0.1	0.1	0.1	0.1
Anthrax	-	-	-	-	0.0	0.0
Glanders	-	-	-	-	-	-
Leprosy	0.4	0.6	0.7	0.5	0.6	0.3
Trachoma	121.3	114.6	164.7	111.7	105.0	126.1
Infectious diarrhea	0.1	-	N.A.	0.0	0.1	N.A.
Dengue fever	-	-	-	-	0.0	-
Tsutsugamushi disease	-	N.A.	N.A.	-	N.A.	N.A.
Schistosomiasis	0.8	N.A.	N.A.	0.2	N.A.	N.A.
Filariasis	0.1	N.A.	N.A.	0.1	N.A.	N.A.
<b>Death rates</b>						
Diphtheria	1.9	3.4	2.6	2.1	3.0	3.1
Dysentery	1.4	0.3	0.4	1.2	0.7	0.6
Typhoid fever	0.5	0.6	0.8	0.7	0.6	0.8
Paratyphoid fever	0.1	-	0.1	0.1	0.1	0.1
Smallpox	-	-	-	-	-	-
Typhus fever	0.3	-	-	0.1	-	0.1
Malaria	-	0.1	-	0.1	0.1	-
Japanese "B" encephalitis	-	-	-	-	-	-
Scarlet fever	0.2	-	-	0.1	0.1	0.0
Epidemic meningitis	0.2	0.3	1.0	0.3	0.3	0.5
Cholera	-	-	-	-	-	-
Plague	-	-	-	-	-	-

See footnotes at end of table



WEEKLY SUMMARY REPORT  
OF  
VENEREAL DISEASES IN JAPAN  
WEEK ENDED 4 FEB 1950

PREFECTURE	SYPHILIS		GONORRHEA	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	142	565	239	903
AOMORI	31	147	37	142
IWATE	25	105	15	93
MIYAGI	36	218	21	*205
AKITA	33	135	16	100
YAMAGATA	37	150	33	99
FUKUSHIMA	49	153	36	186
IBAFUKI	26	135	18	92
TOCHIGI	53	147	41	167
GUNMA	29	166	25	139
SAITAMA	34	176	24	161
CHIBA	46	230	37	168
TOKYO	143	617	212	1223
KANAGAWA	159	704	202	1574
NIIGATA	86	236	25	102
TOYAMA	55	131	83	221
ISHIKAWA	20	105	31	163
FUKUI	47	101	42	132
YAMANASHI	21	65	20	49
NAGANO	45	141	35	152
GIFU	27	88	89	332
SHIZUOKA	118	284	109	363
AICHI	102	508	105	479
MIE	40	196	19	133
SHIGA	116	104	24	119
KYOTO	68	269	119	319
OSAKA	182	803	113	532
HYOGO	118	510	126	611
NARA	11	81	17	157
WAKAYAMA	46	143	55	208
TOTTORI	42	116	38	101
SHIMANE	13	47	10	44
OKAYAMA	56	200	95	315
HIROSHIMA	83	295	225	716
YAMAGUCHI	145	263	132	501
TOKUSHIMA	18	76	9	54
KAGAWA	9	79	5	68
EHIME	31	101	18	102
KOCHI	30	105	26	113
FUKUOKA	323	1289	448	1987
SAGA	29	139	20	166
NAGASAKI	94	525	72	338
KUMAMOTO	67	195	29	170
OITA	53	*131	88	*148
MIYAZAKI	42	85	34	99
KAGOSHIMA	23	87	136	253
TOTAL	2,903	*11,146	3,353	*14,499
RATE				
Current	187.2	143.7	216.2	187.0
Previous	155.8		211.8	

See footnotes at end of table.



CASE AND DEATH RATES OF COMMUNICABLE DISEASES  
FOR COMPARABLE PERIODS, 1948, 1949 AND 1950

Diseases	Week Ended			Cumulative Rates for First 5 Weeks		
	4 Feb 1950	29 Jan 1949	31 Jan 1948	1950	1949	1948
<b>Case Rates</b>						
Diphtheria	23.1	24.4	30.0	19.9	23.8	27.4
Dysentery	5.0	2.8	2.3	4.5	2.2	1.6
Typhoid fever	4.1	7.6	7.3	4.4	6.8	7.2
Paratyphoid fever	1.0	2.7	3.4	1.2	2.8	2.5
Smallpox	-	-	-	0.0	0.0	0.0
Typhus fever	1.2	0.3	0.8	0.5	0.4	1.0
Malaria	0.8	2.4	4.4	0.6	1.5	3.4
Japanese "B" encephalitis	-	0.1	-	-	0.0	-
Scarlet fever	5.8	7.0	4.4	5.9	6.7	3.8
Epidemic meningitis	1.2	1.5	3.1	1.3	1.4	2.1
Cholera	-	-	-	-	-	-
Plague	-	-	-	-	-	-
Measles	61.4	97.1	51.1	54.4	80.1	46.8
Whooping cough	204.8	90.6	58.5	167.2	70.2	51.0
Tuberculosis	496.2	479.3	385.1	427.4	390.7	292.4
Pneumonia	313.0	231.7	269.4	309.0	182.7	243.6
Influenza	137.0	2.1	6.5	51.1	2.3	6.6
Polio-myelitis	1.5	1.5	0.5	2.0	1.6	0.4
Yellow fever	-	-	-	-	-	-
Tetanus	1.5	2.1	2.6	1.7	2.2	1.7
Puerperal infection	0.7	1.8	1.8	1.1	1.4	1.8
Rabies	0.3	-	0.1	0.1	0.1	0.1
Anthrax	-	-	-	-	0.0	0.0
Glanders	-	-	-	-	-	-
Leprosy	0.4	0.6	0.7	0.5	0.6	0.3
Trachoma	121.3	114.6	164.7	111.7	105.0	126.1
Infectious diarrhea	0.1	-	N.A.	0.0	0.1	N.A.
Dengue fever	-	-	-	-	0.0	-
Tsutsugamushi disease	-	N.A.	N.A.	-	N.A.	N.A.
Schistosomiasis	0.8	N.A.	N.A.	0.2	N.A.	N.A.
Filariasis	0.1	N.A.	N.A.	0.1	N.A.	N.A.
<b>Death rates</b>						
Diphtheria	1.9	3.4	2.6	2.1	3.0	3.1
Dysentery	1.4	0.3	0.4	1.2	0.7	0.6
Typhoid fever	0.5	0.6	0.8	0.7	0.6	0.8
Paratyphoid fever	0.1	-	0.1	0.1	0.1	0.1
Smallpox	-	-	-	-	-	-
Typhus fever	0.3	-	-	0.1	-	0.1
Malaria	-	0.1	-	0.1	0.1	-
Japanese "B" encephalitis	-	-	-	-	-	-
Scarlet fever	0.2	-	-	0.1	0.1	0.0
Epidemic meningitis	0.2	0.3	1.0	0.3	0.3	0.5
Cholera	-	-	-	-	-	-
Plague	-	-	-	-	-	-

See footnotes at end of table.



WEEKLY SUMMARY REPORT  
OF  
VENEREAL DISEASES IN JAPAN  
WEEK ENDED 4 FEB 1950

PREFECTURE	SYPHILIS		GONORRHEA	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	142	565	239	903
AOMORI	31	147	37	142
IWATE	25	105	15	93
MIYAGI	36	218	21	*205
AKITA	33	135	16	100
YAMAGATA	37	150	33	99
FUKUSHIMA	49	153	36	186
IBARA	26	135	18	92
TOCHIGI	53	147	41	167
GUNMA	29	166	25	139
SAITAMA	34	176	24	161
CHIBA	46	230	37	168
TOKYO	143	617	212	1223
KANAGAWA	159	704	202	1574
NIIGATA	86	236	25	102
TOYAMA	55	131	83	221
ISHIKAWA	20	105	31	163
FUKUI	47	101	42	132
YAMANASHI	21	65	20	49
NAGANO	45	141	35	152
GIFU	27	88	89	332
SHIZUOKA	118	284	109	363
AICHI	102	508	105	479
MIE	40	196	19	133
SHIGA	116	104	24	119
KYOTO	68	269	119	319
OSAKA	182	803	113	532
HYOGO	118	510	126	611
NARA	11	81	17	157
WAKAYAMA	46	143	55	208
TOTTORI	42	116	38	101
SHIMANE	13	47	10	44
OKAYAMA	56	200	95	315
HIROSHIMA	83	295	225	716
YAMAGUCHI	145	263	132	501
TOKUSHIMA	18	76	9	54
KAGAWA	9	79	5	68
EHIME	31	101	18	102
KOCHI	30	105	26	113
FUKUOKA	323	1289	448	1987
SAGA	29	139	20	166
NAGASAKI	94	525	72	338
KUMAMOTO	67	195	29	170
OITA	53	*131	88	*148
MIYAZAKI	42	85	34	99
KAGOSHIMA	23	87	136	253
TOTAL	2,903	*11,146	3,353	*14,499
RATE				
Current	187.2	143.7	216.2	187.0
Previous	155.8		211.8	

See footnotes at end of table.



Weekly Report - 4 February 1950  
 Continued

PREFECTURE	CHANCROID		LYMPHOGRANULOMA VENEREUM	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	13	83	1	1
AOMORI	1	11	-	-
IVATE	1	9	-	-
MIYAGI	-	12	-	-
AKITA	2	4	-	-
YAMAGATA	-	2	-	-
FUKUSHIMA	3	14	-	-
IBARAKI	2	14	-	-
TOCHIGI	3	9	-	-
GUNMA	3	17	1	2
SAITAMA	4	17	-	-
CHIBA	10	27	-	-
TOKYO	22	124	-	5
KANAGAWA	30	192	-	1
NIIGATA	2	7	-	-
TOYAMA	6	25	-	1
ISHIKAWA	1	27	-	4
FUKUI	3	10	-	1
YAMANASHI	4	8	-	-
NAGANO	1	3	-	-
GIFU	15	33	-	-
SHIZUOKA	4	23	-	-
AICHI	11	59	1	3
MIIE	2	15	1	1
SHIGA	5	28	-	1
KYOTO	31	85	2	9
OSAKA	25	139	4	7
HYOGO	14	85	2	6
NARA	5	34	-	-
WAKAYAMA	6	28	-	3
TOTTO	5	11	-	-
SHIMANE	-	2	-	-
OKAYAMA	19	63	-	-
HIFUSHIMA	26	82	-	2
YAMAGUCHI	3	22	-	2
TOKUSHIMA	-	5	-	*1
KAGAWA	1	3	-	1
EHIME	1	8	-	-
KOCHI	5	14	-	-
FUKUOKA	38	168	1	4
SAGA	1	9	-	-
NAGASAKI	3	23	1	1
KUMAMOTO	1	8	-	-
OITA	5	12	-	-
MIYAZAKI	2	3	-	-
KAGOSHIMA	2	5	-	-
TOTAL	341	1,582	14	*56
RATE				
Current	22.0	20.4	0.9	0.7
Previous	24.3		0.8	

See footnotes at end of table.



NUMBER OF CASES AND CASE RATES OF  
VENEREAL DISEASES IN JAPAN FOR  
COMPARABLE PERIODS, 1948, 1949 AND 1950

DISEASES	WEEK ENDED			CUMULATIVE NUMBER FOR		
	4 Feb 1950	29 Jan 1949	31 Jan 1948	1950	FIRST 5 WEEKS 1949	1948
<u>NUMBER</u>						
SYPHILIS	2903	3949	4098	11146	15607	14615
GONORRHEA	3353	3494	4471	14499	14992	18420
CHANCROID	341	539	832	1582	2482	3472
LYMPHOGRANULOMA VENEREUM	14	14	16	56	63	62
<u>RATE</u>						
SYPHILIS	187.2	254.6	267.2	143.7	201.3	190.6
GONORRHEA	216.2	225.3	291.5	187.0	193.3	240.2
CHANCROID	22.0	34.8	54.2	20.4	32.0	45.3
LYMPHOGRANULOMA VENEREUM	0.9	0.9	1.0	0.7	0.8	0.8

FOOTNOTES:

1. There were no cases or deaths reported for Japanese "B" encephalitis, cholera, or plague and also no cases of yellow fever, anthrax, glanders, dengue fever, or tsutsugamushi disease.
2. Rates are the number of cases or deaths per 100,000 population, estimated as of 1 July 1949, and are computed on an annual basis.
3. A dash (-) indicates that no cases or deaths were reported and that the case or death rate was zero.
4. A rate of 0.0 indicates that there were some cases or deaths but that the rate was less than 0.1.
5. "NA" indicates that data are not available.
6. "NR" indicates that no report was received.
7. \* Cumulative figures adjusted for delayed and corrected reports.



DIGEST OF WEEKLY REPORT OF COMMUNICABLE DISEASES  
IN JAPAN FOR THE WEEK ENDED 11 FEBRUARY 1950

During the sixth week, ended 11 February 1950, there were 24,287 cases of the 31 communicable diseases now being reported (exclusive of the four venereal diseases) compared with 21,420 cases reported for the same diseases last week.

Diphtheria cases this week (343) were somewhat fewer than in the preceding week (358). Deaths, on the other hand, increased from 30 to 38. The current number of cases was 13 percent less than in the same week of last year (394) and 21 percent below the figure (434) recorded for the corresponding 1948 period. Although the total number of cases decreased from last week, the majority (27) of the prefectures reported more cases this week than last week, while sixteen prefectures had fewer cases and the remaining three did not change. The two largest numeric changes were both decreases and occurred in Hokkaido (from 75 to 33 cases) and Tokyo-to (36 to 18). Prefectural case figures this week ranged from 1 to 33. The current and cumulative case rates were 22.1 and 20.2 respectively. Corresponding death rates were 2.5 and 2.1.

The numbers of dysentery cases (86) and deaths (22) this week were slightly higher than previously (78 and 21 respectively). Nearly all (82) of the present cases were bacillary dysentery while the other four cases were amebic dysentery. All deaths were from the former. Total cases this week were almost three and a half times those (25) in the same period of last year and two and a third times the number (37) recorded for the sixth week of 1948. A third (15) of the prefectures reported increases over last week while another third had decreases. Of the remaining sixteen prefectures, which did not change, most (14) have reported no cases for two or more weeks. All changes were numerically very small except in Tokyo-to where cases increased from 21 to 34. That prefecture had 40 percent of this week's cases, and 22 additional prefectures with from one to eight cases each accounted for the remainder. A half (23) of all prefectures reported no cases this week. The current and cumulative case rates were 5.5 and 4.7 respectively. Corresponding death rates were 1.4 and 1.2.

There were about a third fewer cases of typhoid fever this week (43) than in the preceding week (63). The number of deaths, however, increased from 7 to 8. Present cases were approximately 60 percent fewer than in the same weeks of either last year (107) or 1948 (110). Twenty of the prefectures decreased from last week, while nine increased and four remained the same. The other thirteen prefectures have reported no cases for at least two weeks. Cases in the current week were distributed among twenty prefectures having from one to nine each. The current and cumulative case rates were 2.8 and 4.1 respectively, while corresponding death rates were 0.5 and 0.7.

Nineteen cases of paratyphoid and no deaths were reported this week compared with fifteen cases and one death last week. There were 41 and 29 cases respectively recorded for the sixth weeks of 1949 and 1948. Two-thirds (30) of the prefectures have reported no cases for two weeks or longer. Cases increased over last week in seven prefectures and decreased in the same number, while there was no change in the remaining two. Tokyo-to reported eight of this week's cases, and eight other prefectures had from one to three cases each. The current and cumulative case rates were both 1.2. The cumulative death rate was 0.1.

There were no cases of smallpox reported either this week or last week. One death was reported currently by Akita Prefecture, and this was the first death from this disease to be reported this year. During the sixth week of last year there were two cases reported and in the same period of 1948 none. The cumulative case rate as of 11 February 1950 was less than 0.1. The current and cumulative death rates were 0.1 and less than 0.1 respectively.

Typhus fever cases this week numbered 104, nearly six times the number last week (18). There were six current deaths compared with five previously. During the sixth weeks of 1949 and 1948 there were five and fourteen cases respectively. The current figure represents the highest number of cases reported in any week since mid-April 1948 (See attached chart). All this week's cases were in Tokyo-to (46) and Kanagawa Prefecture (56) except for one each in Iwate and Osaka Prefectures. The current and



cumulative case rates were 6.7 and 1.5 respectively. The corresponding death rates were 0.4 and 0.1.

Eleven cases of malaria were reported this week compared with thirteen cases last week. There were three current deaths, whereas none were reported in the two preceding weeks. There were half as many cases this week as in the same period of last year (22) and less than a fourth as many as in the corresponding 1948 period (47). The majority (28) of the prefectures have reported no cases for two or more weeks, while ten prefectures had fewer cases this week than previously and eight others had more. Eight prefectures with from one to three cases each accounted for the present total. The current and cumulative case rates were both 0.7, and the corresponding death rates were 0.2 and 0.1 respectively.

The number of scarlet fever cases reported during the present week (78) was 13 percent less than in the preceding week (90). Deaths also decreased, from three to zero. The current case figure was slightly below that (83) recorded for the sixth week of last year but nearly 40 percent higher than in the same period of 1948 (56). About a third (16) of the prefectures reported fewer cases this week than last week, nine had more, and two did not change. The remaining nineteen prefectures have reported no cases for at least two weeks. Approximately 30 percent of the present cases occurred in Tokyo-to (23), while nineteen additional prefectures reported from one to eight each. The current and cumulative case rates were 5.0 and 5.8 respectively. The cumulative death rate was 0.1.

There were 31 cases of epidemic meningitis this week compared with only 18 last week. Deaths (4) remained nearly the same as previously (3). A slightly greater number of cases was reported this week than in the same period of last year (27), but cases were fewer than in the corresponding week of 1948 (37). About half (22) of the prefectures have reported no cases for two or more weeks. Thirteen, however, had increases over last week, seven decreases, and four no change. Tokyo-to reported eight cases currently. The rest were distributed among seventeen prefectures, each having from one to four cases. The current and cumulative case rates were 2.0 and 1.4 respectively, while the corresponding death rates were both 0.3.

There continued to be no Japanese "B" encephalitis, cholera, or plague.

Measles cases increased 12 percent this week, from 952 to 1,064. They were over 25 percent fewer than in the sixth week of last year (1,450) but 40 percent greater than in the same period of 1948 (766). Half (23) of the prefectures reported increases over last week while 17 had decreases and one did not change. Of the five prefectures, all in southern Japan, that reported having no cases during either period, one (Tottori) has reported no cases so far this year and the others (Wakayama, Shimane, Yamaguchi, and Oita) have had only a few each. The largest numeric increase this week occurred in Saitama Prefecture (from 103 to 169 cases) and there was a comparable decrease in Fukui Prefecture (from 70 to 2). Thirty percent of all current cases were in the two prefectures of Saitama (169) and Aichi (150), while there were from 1 to 92 cases in 37 additional prefectures and none in the remaining seven. The current and cumulative case rates were 68.6 and 56.7 respectively.

There was a slight increase in the number of whooping cough cases this week, from 3,176 to 3,211. The current figure was twice that (1,596) recorded for the same week of last year and more than three and a half times the number (873) in the corresponding 1948 period. (See attached chart). There were increases over last week in about half (24) of the prefectures and decreases in twenty, while two others did not change. Ehime, Toyama, and Niigata Prefectures had the largest numeric decreases, from 67 to 53 fewer cases this week than last week. Comparable increases occurred in Hyogo and Osaka Prefectures. Again, for the fifth consecutive week, the Kanto area has reported a large proportion of the total incidence of this disease. Tokyo-to (279 cases), Saitama (203), Shizuoka (185), Kanagawa (161), and Ibaraki (161) together continued to account for nearly a third of the total cases. The 41 other prefectures had cases ranging from 12 to 142 each. The current and cumulative case rates were 68.6 and 56.7 respectively.

The number of tuberculosis cases reported this week (8,483) was 10 percent higher than last week (7,696). Cases designated as respiratory tuberculosis (7,257) con-



tinued to account for about 85 percent of the total. There were 13 percent more cases (all forms) this week than in the same period of last year (7,530) and 50 percent more than in the corresponding week of 1948 (5,658). Most (28) of the prefectures reported increases over last week while seventeen had decreases and one remained the same. Prefectural case figures currently ranged from 46 to 1,014. The current and cumulative case rates were 547.0 and 447.3 respectively.

Pneumonia cases increased 11 percent, from 4,854 to 5,403. This week's figure was about 40 percent higher than in the sixth weeks of last year (3,762) and 1948 (3,956). The majority (28) of the prefectures reported more cases this week than last week while sixteen had fewer and the remaining two stayed the same. The largest numeric increases occurred in the two prefectures of Hokkaido (from 221 to 335 cases) and Aichi (214 to 320). Six other prefectures also had large increases from 88 to 52 more cases this week than previously. The only comparable decrease was in Ibaraki (from 235 cases to 118). A third of all cases this week were in six prefectures (Saitama, Hokkaido, Aichi, Tokyo-to, Gumma, and Nagano) having cases ranging from 408 down to 217. The remaining 40 prefectures had from 28 to 178 cases each. The current and cumulative case rates were 348.4 and 315.6 respectively.

Influenza continued to increase, with nearly 30 percent more cases this week (2,746) than there were in the preceding week (2,125). During this same week of last year there were only 37 cases, and in the like period of 1948 there were 106. Cases increased over last week in 28 of the prefectures and decreased in 8, while the remaining 10 have reported no cases for two or more weeks. The largest numeric increases were in Nara (from 52 to 225 cases) and in Kyoto (21 to 169), while somewhat lesser increases occurred in Chiba, Hyogo, and Aichi. The most outstanding numeric change this week was a decrease (from 224 to 17 cases) in Fukui Prefecture. Shiga and Wakayama also had fairly large decreases. Over 40 percent of all this week's cases were in the three prefectures of Hyogo (628), Aichi (305), and Nara (225). Thirty-three other prefectures had from 1 to 191 cases each and the remaining 10 reported none. There continued to be almost no incidence of this disease in northern Honshu and Hokkaido, and it has been fairly light in a few of the southern Honshu and most of the Kyushu and Shikoku Prefectures. Central and south central Honshu have thus been most seriously affected. The current and cumulative case rates were 177.1 and 72.1 respectively.

There were 36 cases of poliomyelitis reported this week compared with 23 last week. There were 30 cases in the sixth week of last year and only 4 during the comparable period of 1948. Cases increased over last week in fourteen of the prefectures and decreased in half that number (7), while four remained the same. Nearly half (21) of the prefectures have reported no cases for two weeks or longer. All cases this week occurred in nineteen prefectures and ranged from one to five in each. The current and cumulative case rates were 2.3 and 2.1 respectively.

About twice as many tetanus cases were reported this week (47) as in the preceding week (23). During the sixth weeks of last year and 1948 there were 30 and 28 cases respectively. Twenty of the prefectures have reported no cases for at least two weeks. Fifteen increased this week, nine decreased, and the remaining two did not change. Shizuoka Prefecture reported 21 cases this week, well over twice the total that had been previously reported by that prefecture this year, and nearly half of all cases reported in the present week. Seventeen other prefectures had from one to four cases each. The current and cumulative case rates were 3.0 and 2.0 respectively.

The number of puerperal infection cases this week (23) was twice the number last week (11). The present figure was about the same as that (24) recorded for the sixth week of last year and slightly higher than in the same period of 1948 (19). Over half (24) of the prefectures have reported no cases for two or more weeks, while changes from last week included sixteen increases and six decreases. Current cases were distributed among about a third (16) of the prefectures and ranged from one to three in each. The current and cumulative case rates were 1.5 and 1.2 respectively.

There were about the same number of rabies cases reported this week (3) as in the previous week (4). There were no cases recorded for the sixth week of last year but one during the corresponding 1948 period. Two of this week's cases were in u-



~~Fukuoka Prefecture~~ and the other in Kanagawa. The current and cumulative case rates were 0.2 and 0.1 respectively.

Leprosy cases numbered four this week compared with six last week. Records for the sixth weeks of last year and 1948 show ten and seven cases respectively. Kumamoto Prefecture reported two of the current cases and Tokyo-to and Yamagata one each. The current and cumulative case rates were 0.3 and 0.4 respectively.

The number of trachoma cases this week (2,544) was 35 percent higher than in the preceding week (1,881). It was 13 percent greater than the figure (2,261) recorded for the same week of last year and 17 percent above the corresponding 1948 total (2,176). Cases increased over last week in half (23) of the prefectures, decreased in 21, and remained the same in 2. Prefectural case figures ranged from 4 to 609. The current and cumulative case rates were 164.0 and 120.4 respectively.

No cases of infectious diarrhea were reported this week compared with one case last week and six in the sixth week of last year. The cumulative case rate as of 11 February 1950 was less than 0.1.

There were four schistosomiasis cases this week compared with thirteen last week. Data for last year and 1948 are not available. All four cases during the present period were in Yamanashi Prefecture. The current and cumulative case rates were 0.3 and 0.2 respectively.

Reports on filariasis for this week showed four cases whereas for last week there were two. There are no available data for 1949 or 1948. Saitama, Shizuoka, Nagasaki, and Kumamoto each reported one case. The current and cumulative case rates were 0.3 and 0.1 respectively.

There continued to be no yellow fever, anthrax, glanders, dengue fever, or tsutsugamushi disease. There were no cases recorded for any of these diseases during the sixth week of last year or 1948.

There were 6,987 cases of the four venereal diseases reported this week compared with 6,611 cases last week. The current and cumulative numbers of syphilis cases were 2,968 and 14,114 respectively; gonorrhea, 3,651 and 18,150; chancroid, 352 and 1,934; and lymphogranuloma venereum, 16 and 72. All present totals were higher than in the preceding week when syphilis cases numbered 2,903, gonorrhea cases 3,353, chancroid cases 341, and lymphogranuloma venereum 14. All were lower than the totals recorded for the sixth week of last year. At that time there were 4,120 cases of syphilis, 3,686 cases of gonorrhea, 628 cases of chancroid, and 20 cases of lymphogranuloma venereum.







SUMMARY REPORT OF CASES AND DEATHS FROM  
COMMUNICABLE DISEASES IN JAPAN  
WEEK ENDED 11 FEB 1950

PREFECTURE	DIPHTHERIA				DYSENTERY			
	Current		Cumulative		Current		Cumulative	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
HOKKAIDO	33	3	179	15	1	2	11	5
AOMORI	16	2	57	9	1	-	1	-
IWATE	10	2	45	10	-	-	4	2
MIYAGI	6	-	50	4	-	-	9	-
AKITA	11	-	56	5	1	-	6	3
YAMAGATA	3	1	15	2	2	1	3	1
FUKUSHIMA	9	2	40	8	-	-	-	-
IBARAKI	8	-	24	-	-	-	13	8
TOCHIGI	10	1	23	4	1	1	3	1
GUNMA	3	-	17	-	5	1	29	7
SAITAMA	11	3	33	3	8	2	30	11
CHIBA	4	2	28	7	2	1	8	7
TOKYO	18	4	138	14	34	7	125	27
KANAGAWA	10	-	61	5	3	1	15	3
NIIGATA	10	-	69	4	8	-	25	5
TOYAMA	6	1	33	4	-	-	2	1
ISHIKAWA	5	-	35	3	2	-	42	-
FUKUI	3	-	11	1	-	-	1	-
YAMANASHI	2	1	10	2	-	-	1	1
NAGANO	4	-	29	1	1	-	3	-
GIFU	5	1	16	4	2	-	10	4
S. IZUOKA	4	-	21	1	5	-	11	5
AICHI	3	1	30	2	1	1	7	1
MIE	6	-	18	1	-	-	7	3
SHIGA	2	-	8	1	-	-	1	-
KYOTO	2	1	25	4	-	-	12	3
OSAKA	8	1	64	14	1	-	8	-
HYOGO	16	1	66	6	-	-	13	4
NAHA	4	-	20	1	-	-	-	-
YAKAYAMA	2	-	13	-	-	-	-	-
TOTTORI	2	-	6	1	-	-	1	1
SHIMANE	2	-	36	3	-	-	1	-
OKAYAMA	4	-	17	-	-	-	-	-
HIFOSHIMA	4	-	46	1	2	1	4	2
YAMAGUCHI	11	4	65	7	-	-	1	2
TOKUSHIMA	2	-	12	2	-	-	1	-
KAGAWA	4	-	8	-	1	1	2	2
EHIME	3	-	27	3	1	1	2	1
KOCHI	1	-	8	3	1	-	1	-
FUKUOKA	26	5	149	14	2	2	16	4
SAGA	6	-	32	2	-	-	1	-
NAGASAKI	12	-	64	4	-	-	2	-
KUMAMOTO	6	-	24	1	-	-	2	2
OITA	4	1	40	7	1	-	1	-
MIYAZAKI	11	-	74	9	-	-	1	1
KAGOSHIMA	11	1	42	7	-	-	-	-
TOTAL	343	38	1,884	199	86	22	436	115
RATE								
Current	22.1	2.5	20.2	2.1	5.5	1.4	4.7	1.2
Previous	23.1	1.9			5.0	1.4		

See footnotes at end of table.



Weekly Report - 11 February 1950  
Continued

PREFECTURE	TYPHOID FEVER				PARATYPHOID FEVER			
	Current		Cumulative		Current		Cumulative	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
HOKKAIDO	-	1	12	4	3	-	4	1
AOMORI	1	-	3	-	-	-	3	-
IVATE	-	-	5	-	-	-	-	-
MIYAGI	-	-	6	-	1	-	9	-
AKITA	-	-	5	4	1	-	3	-
YAMAGATA	-	-	2	-	-	-	2	-
FUKUSHIMA	1	-	9	-	-	-	1	-
IBARA	1	-	6	2	-	-	-	2
TOCHIGI	-	-	5	1	-	-	1	-
GUMMA	-	-	7	-	-	-	3	-
SAITAMA	2	-	14	4	-	-	1	-
CHIBA	2	-	13	2	-	-	4	-
TOKYO	9	1	93	13	8	-	35	3
KANAGAWA	4	-	20	1	1	-	5	-
NIIGATA	4	-	12	2	-	-	2	-
TOYAMA	-	-	3	1	1	-	4	-
ISHIKAWA	1	-	3	1	-	-	-	-
FUKUI	-	-	3	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-	-
NAGANO	-	1	1	2	-	-	-	-
GIFU	-	-	11	3	-	-	2	-
SHIZUOKA	1	-	9	-	-	-	4	-
AICHI	1	2	10	4	1	-	3	-
MIE	1	1	6	3	-	-	-	-
SHIGA	-	-	2	-	-	-	1	-
KYOTO	-	1	9	4	-	-	3	-
OSAKA	6	1	18	2	-	-	1	-
HYOGO	1	-	16	1	-	-	3	-
NAHA	1	-	8	1	1	-	1	-
WAKAYAMA	-	-	2	-	-	-	2	-
TOTTORI	-	-	2	-	-	-	-	-
SHIMANE	-	-	7	1	-	-	-	-
OKAYAMA	1	-	4	1	-	-	-	-
HIROSHIMA	2	-	16	2	-	-	3	-
YAMAGUCHI	-	-	3	2	-	-	1	-
TOKUSHIMA	-	-	1	-	-	-	1	-
KAGAWA	-	-	-	-	-	-	-	-
EHIME	-	-	13	1	-	-	-	-
KOCHI	2	-	14	1	-	-	2	-
FUKUOKA	1	-	7	-	-	-	3	-
SAGA	-	-	2	-	-	-	1	-
NAGASAKI	1	-	8	-	-	-	1	-
KUMAMOTO	-	-	1	-	2	-	2	-
OITA	-	-	-	-	-	-	-	-
MIYAZAKI	-	-	3	-	-	-	3	-
KAGOSHIMA	-	-	-	-	-	-	-	-
<b>TOTAL</b>	<b>43</b>	<b>8</b>	<b>384</b>	<b>63</b>	<b>19</b>	<b>-</b>	<b>111</b>	<b>6</b>
<b>RATE</b>								
Current	2.8	0.5	4.1	0.7	1.2	-	1.2	0.1
Previous	4.1	0.5	-	-	1.0	0.1	-	-

See footnotes at end of table.



Weekly Report - 11 February 1950  
Continued

PREFECTURE	SMALLPOX				TYPHUS FEVER			
	Current Cases	Current Deaths	Cumulative Cases	Cumulative Deaths	Current Cases	Current Deaths	Cumulative Cases	Cumulative Deaths
HOKKAIDO	-	-	-	-	-	-	-	-
AOMORI	-	-	-	-	-	-	-	-
IWATE	-	-	-	-	1	-	1	-
MIYAGI	-	-	1	-	-	-	-	-
AKITA	-	1	1	1	-	-	-	-
YAMAGATA	-	-	-	-	-	-	-	-
FUKUSHIMA	-	-	1	-	-	-	1	-
IBARAKI	-	-	-	-	-	-	-	-
TOCHIGI	-	-	-	-	-	-	-	-
GUNMA	-	-	-	-	-	-	-	-
SAITAMA	-	-	-	-	-	-	2	2
CHIBA	-	-	-	-	-	-	-	-
TOKYO	-	-	-	-	46	5	76	10
KANAGAWA	-	-	-	-	56	1	56	1
NIIGATA	-	-	-	-	-	-	-	-
TOYAMA	-	-	-	-	-	-	-	-
ISHIKAWA	-	-	-	-	-	-	-	-
FUKUI	-	-	-	-	-	-	-	-
YAMANASHI	-	-	-	-	-	-	-	-
NAGANO	-	-	-	-	-	-	1	-
GIFU	-	-	-	-	-	-	-	-
SHIZUOKA	-	-	-	-	-	-	-	-
AICHI	-	-	-	-	-	-	-	-
MIE	-	-	-	-	-	-	-	-
SHIGA	-	-	-	-	-	-	-	-
KYOTO	-	-	-	-	-	-	-	-
OSAKA	-	-	-	-	1	-	2	-
HYOGO	-	-	-	-	-	-	1	-
NARA	-	-	-	-	-	-	-	-
WAKAYAMA	-	-	-	-	-	-	-	-
TOTTOPI	-	-	-	-	-	-	-	-
SHIMANE	-	-	-	-	-	-	-	-
OKAYAMA	-	-	-	-	-	-	-	-
HIROSHIMA	-	-	-	-	-	-	-	-
YAMAGUCHI	-	-	-	-	-	-	-	-
TOKUSHIMA	-	-	-	-	-	-	-	-
KAGAWA	-	-	-	-	-	-	-	-
EHIME	-	-	-	-	-	-	-	-
KOCHI	-	-	-	-	-	-	-	-
FUKUOKA	-	-	-	-	-	-	-	-
SAGA	-	-	-	-	-	-	-	-
KAGASAKI	-	-	-	-	-	-	-	-
KUMAMOTO	-	-	-	-	-	-	-	-
OITA	-	-	-	-	-	-	-	-
MIYAZAKI	-	-	-	-	-	-	-	-
KAGOSHIMA	-	-	-	-	-	-	-	-
TOTAL	-	1	3	1	104	6	140	13
RATE								
Current	-	0.1	0.0	0.0	6.7	0.4	1.5	0.1
Previous	-	-	-	-	1.2	0.3	-	-

See footnotes at end of table.



Weekly Report - 11 February 1950  
Continued

PREFECTURE	MALARIA			
	Current		Cumulative	
	Cases	Deaths	Cases	Deaths
HOKKAIDO	-	-	1	-
AOMORI	1	-	1	-
IFATE	-	-	-	-
MIYAGI	-	-	-	-
AKITA	-	-	2	1
YAMAGATA	-	-	1	-
FUKUSHIMA	-	-	2	-
IBAFUKI	-	-	2	-
TOCHIGI	-	-	-	-
GUMMA	-	-	2	-
SAITAMA	-	-	3	-
CHIBA	-	-	-	-
TOKYO	-	-	6	-
KANAGAWA	-	-	1	-
NIIGATA	-	-	-	-
TOYAMA	-	-	3	-
ISHIKAWA	1	1	1	1
FUKUI	-	-	1	-
YAMANASHI	1	-	2	-
NAGANO	-	-	2	1
GIFU	-	-	-	-
SHIZUOKA	-	-	-	-
AICHI	-	-	1	-
MIE	1	-	1	-
SHIGA	-	-	5	1
KYOTO	-	-	4	-
OSAKA	-	-	-	-
HYOGO	-	-	1	-
NARA	-	-	-	-
WAKAYAMA	-	-	1	-
TOTTORI	-	-	-	-
SHIMANE	-	-	1	-
OKAYAMA	-	-	-	-
HIROSHIMA	2	-	4	-
YAMAGUCHI	-	-	1	-
TOKUSHIMA	-	-	-	-
KAGAWA	-	-	-	-
EHIME	-	-	1	-
KOCHI	-	-	-	-
FUKUOKA	3	1	6	2
SAGA	1	-	1	-
NAGASAKI	-	-	1	-
KUMAMOTO	-	-	-	-
OITA	-	-	1	-
MIYAZAKI	1	-	1	-
KAGOSHIMA	-	1	1	4
TOTAL	11	3	61	10
FATE				
Current	0.7	0.2	0.7	0.1
Previous	0.8	-		

See footnotes at end of table.



Weekly Report 11 February 1950  
Continued

PREFECTURE	SCARLET FEVER				EPIDEMIC MENINGITIS			
	Current		Cumulative		Current		Cumulative	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
HOKKAIDO	5	-	29	-	-	-	9	2
AOMORI	1	-	4	-	1	-	1	-
IWATE	1	-	10	1	1	1	6	2
MIYAGI	2	-	8	-	4	-	8	1
AKITA	4	-	11	-	1	-	2	-
YAMAGATA	-	-	3	-	-	-	6	-
FUKUSHIMA	1	-	5	-	1	-	1	-
IBARAKI	-	-	1	-	-	-	2	-
TOCHIGI	-	-	1	-	-	-	4	-
GUMMA	3	-	7	-	-	-	2	-
SAITAMA	3	-	13	1	1	-	4	2
CHIBA	6	-	11	-	1	1	3	1
TOKYO	23	-	158	1	8	-	31	5
KANAGAWA	8	-	39	-	1	-	5	3
NIIGATA	1	-	3	-	-	-	2	-
TOYAMA	-	-	6	-	1	-	4	-
ISHIKAWA	-	-	1	-	-	-	2	-
FUKUI	-	-	2	-	-	-	-	1
YAMANASHI	-	-	2	-	1	-	1	1
NAGANO	7	-	35	1	1	-	3	-
GIFU	-	-	1	-	-	-	1	1
SHIZUOKA	-	-	6	-	3	-	4	-
AICHI	1	-	22	-	-	-	-	-
MIE	-	-	4	-	1	-	1	-
SHIGA	2	-	23	-	2	1	2	1
KYOTO	4	-	37	-	1	-	4	-
OSAKA	3	-	37	-	-	-	6	-
HYOGO	-	-	18	-	-	-	1	-
NARA	1	-	3	-	-	-	-	-
WAKAYAMA	-	-	1	-	1	-	1	-
TOTTORI	-	-	-	-	-	-	-	-
SHIMANE	1	-	9	-	-	-	-	-
OKAYAMA	-	-	8	-	-	-	1	-
HIROSHIMA	-	-	5	-	-	-	2	1
YAMAGUCHI	-	-	11	-	-	-	3	1
TOYUSHIMA	-	-	-	-	-	-	-	-
KAGAWA	-	-	1	-	-	-	-	-
EHIME	-	-	1	-	-	-	-	-
YOCHI	1	-	2	-	-	-	-	-
FUKUOKA	-	-	2	-	1	-	8	2
SAGA	-	-	1	1	-	-	-	-
NAGASAKI	-	-	3	-	-	-	1	-
KUMAMOTO	-	-	2	-	-	1	1	1
OTTA	-	-	-	-	-	-	1	-
MIYAZAKI	-	-	3	-	-	-	1	-
KAGOSHIMA	-	-	-	-	-	-	-	-
<b>TOTAL</b>	<b>78</b>	<b>-</b>	<b>539</b>	<b>5</b>	<b>31</b>	<b>4</b>	<b>134</b>	<b>25</b>
<b>RATE</b>								
Current	5.0	-	5.8	0.1	2.0	0.3	1.4	0.3
Previous	5.8	0.2			1.2	0.2		

See footnotes at end of table.



Weekly Report 11 February 1950  
 Continued

PREFECTURE	MEASLES		WHOOING COUGH	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	18	128	81	410
AOMORI	2	30	34	190
IWATE	4	70	27	232
MIYAGI	17	88	26	206
AKITA	7	39	36	246
YAMAGATA	12	43	24	128
FUKUSHIMA	39	160	84	478
IBARAKI	8	30	161	621
TOCHIGI	13	105	21	189
GUMMA	92	429	71	348
SAITAMA	169	571	203	1063
CHIBA	16	39	73	300
TOKYO	36	159	279	1420
KANAGAWA	7	98	161	827
NIIGATA	4	135	40	356
TOYAMA	8	70	96	649
ISHIKAWA	1	10	13	187
FUKUI	2	114	31	195
YAMANASHI	12	51	30	115
NAGANO	50	260	113	438
GIFU	42	137	14	133
SHIZUOKA	66	392	185	804
AICHI	150	639	87	488
MIE	10	83	60	286
SHIGA	3	10	34	215
KYOTO	-	12	96	345
OSAKA	6	17	128	464
HYOGO	4	43	126	452
NARA	2	2	24	82
WAKAYAMA	-	1	45	164
TOTTORI	-	-	12	55
SHIMANE	-	4	27	144
OKAYAMA	7	20	21	129
HIROSHIMA	28	84	97	540
YAMAGUCHI	-	6	24	156
TOKUSHIMA	42	180	54	272
KAGAWA	47	192	58	302
EHIME	15	205	24	297
KOCHI	67	174	37	168
FUKUOKA	16	131	142	736
SAGA	-	16	36	159
NAGASAKI	10	67	49	262
KUMAMOTO	17	99	89	425
OITA	-	4	73	230
MIYAZAKI	3	42	25	126
KAGOSHIMA	12	90	40	141
TOTAL	1064	5279	3211	16173
RATE				
Current	68.6	56.7	207.0	173.8
Previous	61.4		204.8	

See footnotes at end of table.



Weekly Report 11 February 1950  
Continued

PREFECTURE	TUBERCULOSIS		PNEUMONIA	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	1014	3578	335	1529
IOMORI	177	748	109	545
IWATE	174	693	68	594
MIYAGI	161	862	77	561
AKITA	161	705	89	454
YAMAGATA	96	496	67	315
FUKUSHIMA	101	609	85	627
IBARAKI	74	493	118	793
TOCHIGI	51	310	98	609
GUMMA	114	529	253	1124
SAITAMA	204	1330	408	2075
CHIBA	192	665	152	619
TOKYO	759	4167	295	1607
KANAGAWA	238	1369	139	1055
NIIGATA	174	946	123	791
TOYAMA	145	772	157	844
ISHIKAWA	118	715	28	290
FUKUI	54	393	53	348
YAMANASHI	46	203	53	236
NAGANO	193	976	217	1059
GIFU	155	636	143	530
SHIZUOKA	141	705	178	824
AICHI	540	2294	320	1555
MIE	128	887	85	525
SHIGA	75	377	68	498
KYOTO	291	1154	76	405
OSAKA	442	2026	82	619
HYOGO	295	1598	133	701
NARA	63	230	48	206
WAKAYAMA	57	396	32	272
TOTTORI	56	302	54	216
SHIMANE	83	491	56	391
OKAYAMA	78	656	107	663
HIROSHIMA	259	1206	147	675
YAMAGUCHI	153	684	37	301
TOKUSHIMA	68	285	74	369
KAGAWA	79	355	107	482
EHIME	63	566	123	684
TOCHI	60	383	52	269
FUKUOKA	441	2073	141	894
SAGA	103	621	49	306
NAGASAKI	143	810	89	440
KUMAMOTO	134	560	93	503
OITA	95	433	71	281
MIYAZAKI	96	640	73	371
KAGOSHIMA	139	696	41	307
TOTAL	8483	41623	5403	29367
RATE				
Current	547.0	447.3	348.4	315.6
Previous	496.2		313.0	

See footnotes at end of table.



Weekly Report 11 February 1950  
Continued

PREFECTURE	INFLUENZA		POLIOMYELITIS	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	2	16	3	5
AOMORI	-	-	-	-
IWATE	-	-	-	-
MIYAGI	-	1	2	19
AKITA	-	-	-	-
YAMAGATA	-	-	1	1
FUKUSHIMA	-	-	-	4
IBARAKI	2	2	-	4
TOCHIGI	-	-	1	2
GUMMA	23	60	-	3
SAITAMA	43	86	2	10
CHIBA	126	134	1	2
TOKYO	76	174	3	22
KANAGAWA	87	157	1	5
NIIGATA	37	63	-	1
TOYAMA	48	89	-	5
ISHIKAWA	6	26	-	3
FUKUI	17	283	-	-
YAMANASHI	29	40	-	1
NAGANO	3	4	1	4
GIFU	171	365	2	3
SHIZUOKA	56	94	3	11
AICHI	305	914	1	4
MIE	2	3	-	2
SHIGA	20	184	-	-
KYOTO	169	249	-	-
OSAKA	27	374	-	1
HYOGO	628	11278	3	4
NARA	225	367	-	-
WAKAYAMA	12	128	-	1
TOTTORI	44	85	-	1
SHIMANE	191	445	-	-
OKAYAMA	101	319	-	4
HIROSHIMA	34	40	-	1
YAMAGUCHI	6	65	-	-
TOKUSHIMA	14	34	-	-
KAGAWA	7	53	-	2
EHIME	8	109	-	4
KOCHI	-	4	-	1
FUKUOKA	160	373	1	7
SAGA	28	33	2	2
NAGASAKI	33	37	1	2
KUMAMOTO	-	2	1	7
OITA	1	9	2	4
MIYAZAKI	5	9	5	40
KAGOSHIMA	-	-	-	1
TOTAL	2746	6708	36	193
RATE				
Current	177.1	72.1	2.3	2.1
Previous	137.0		1.5	

See footnotes at end of table.



Weekly Report - 11 February 1950  
Continued

PREFECTURE	RABIES		TETANUS		PUERPERAL INFECTION	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	-	-	3	6	-	6
AOMORI	-	-	-	3	2	4
IWATE	-	-	1	1	1	2
MIYAGI	-	-	-	2	-	2
AKITA	-	-	-	1	1	8
YAMAGATA	-	-	-	-	-	2
FUKUSHIMA	-	-	1	2	1	3
IBAFUKI	-	-	-	10	1	1
TOCHIGI	-	-	-	2	-	3
GUMMA	-	1	1	15	1	2
SAITAMA	-	2	2	6	2	10
CHIBA	-	4	1	4	-	1
TOKYO	-	-	1	9	-	3
KANAGAWA	1	1	-	4	-	-
NIIGATA	-	-	-	2	1	1
TOYAMA	-	-	1	1	3	10
ISHIKAWA	-	-	-	-	-	1
FUKUI	-	-	-	-	-	-
YAMANASHI	-	-	-	1	-	-
NAGANO	-	-	2	6	-	3
GIFU	-	-	1	2	1	2
SHIZUOKA	-	-	21	30	-	5
AICHI	-	-	-	4	1	3
MIE	-	-	-	1	-	1
SHIGA	-	-	-	-	-	1
KYOTO	-	-	-	1	-	1
OSAKA	-	-	-	5	-	1
HYOGO	-	-	-	1	-	3
NARA	-	-	-	-	-	1
WAKAYAMA	-	-	-	1	-	-
TOTTORI	-	-	-	-	-	-
SHIMANE	-	-	-	3	1	3
OKAYAMA	-	-	-	2	1	2
HIROSHIMA	-	-	-	2	3	5
YAMAGUCHI	-	-	1	6	-	-
TOKUSHIMA	-	-	1	1	-	1
KAGAWA	-	-	2	5	-	-
EHIME	-	-	1	9	-	2
KOCHI	-	-	-	3	-	-
FUKUOKA	2	5	4	7	-	3
SGA	-	-	1	1	2	3
NAGASAKI	-	-	-	4	-	-
KUMAMOTO	-	-	-	6	-	4
OITA	-	-	-	1	1	1
MIYAZAKI	-	-	2	8	-	2
KAGOSHIMA	-	-	-	4	-	2
TOTAL	3	13	47	182	23	108
RATE						
Current	0.2	0.1	3.0	2.0	1.5	1.2
Previous	0.3		1.5		0.7	

See footnotes at end of table.



Weekly Report - 11 February 1950  
Continued

PREFECTURE	LEPROSY		TRACHOMA	
	Current Cases	Cumulative Cases	Current Cases	Cumulative Cases
HOKKAIDO	-	-	187	842
AOMORI	-	-	136	364
IVATE	-	2	609	1149
MIYAGI	-	-	74	412
AKITA	-	1	46	307
YAMAGATA	1	2	31	139
FUKUSHIMA	-	2	29	208
IBARAKI	-	-	27	283
TOCHIGI	-	5	13	421
GUMMA	-	7	42	169
SAITAMA	-	1	63	264
CHIBA	-	-	18	138
TOKYO	1	3	84	338
KANAGAWA	-	-	33	203
NIIGATA	-	-	17	141
TOYAMA	-	-	9	129
ISHIKAWA	-	-	17	101
FUKUI	-	1	10	133
YAMANASHI	-	-	33	110
NAAGANO	-	-	14	62
GIFU	-	1	27	106
SHIZUOKA	-	-	40	349
AICHI	-	-	91	523
MIE	-	-	9	122
SHIGA	-	-	4	47
KYOTO	-	-	22	114
OSAKA	-	-	84	492
HYOGO	-	-	94	609
NAHA	-	-	21	71
WAKAYAMA	-	-	29	187
TOTTORI	-	-	8	55
SHIMANE	-	-	6	33
OKAYAMA	-	2	42	217
HIFOSHIMA	-	-	35	310
YAMAGUCHI	-	3	6	68
TOKUSHIMA	-	1	15	71
KAGAWA	-	-	21	176
EHIME	-	1	14	102
KOCHI	-	-	23	93
FUKUOKA	-	2	187	734
SAGA	-	-	23	88
NAGASAKI	-	-	140	358
KUMAMOTO	2	2	45	150
OITA	-	1	12	45
MIYAZAKI	-	2	13	95
KAGOSHIMA	-	-	41	75
TOTAL	4	39	2,544	11,203
RATE				
Current	0.3	0.4	164.0	120.4
Previous	0.4		121.3	

See footnotes at end of table.