

82

July, 1949

AIC-241

235396

ALFALFA

A SELECTED BIBLIOGRAPHY OF ITS COMPOSITION,
PROCESSING, AND USE


1.93 n
A 12 Ag 8 '4
CP

Compiled by

Anne M. Avakian, Librarian

U. S. Department of Agriculture Library, Albany Branch
at

WESTERN REGIONAL RESEARCH LABORATORY
Albany 6, California



Bureau of Agricultural and Industrial Chemistry
Agricultural Research Administration
UNITED STATES DEPARTMENT OF AGRICULTURE

ACADEMIA
PONTIANACA
DIALECTICA
ANALOGIA
TOLKAY

ALFALFA
A Selected Bibliography of its Composition,
Processing, and Use

The following compilation of references has resulted from assistance given, over a period of two years, to the section of the Western Regional Research Laboratory that is concerned with research on alfalfa. Except for a few general works, the list contains no references on cultural or genetic phases of the subject. Articles on the value of alfalfa as a feed are limited to specialized studies related to composition.

Because of limitations in space, abstracts have not been included, but references to such journals as Chemical Abstracts, Experiment Station Record, and others have been added so that the reader can find abstracts readily. If reference to an abstract is not made, it can be assumed that there is no abstract of the article in any of the sources listed below. If an article has been abstracted in more than one place, preference is given to Chemical Abstracts. If no abstract was found and the title seemed inadequate, a few words of explanation were added. Unless otherwise noted, all references were verified by the original articles.

All references have serial numbers, in accord with the alphabetical arrangement by senior authors' names. An index, limited to subjects, follows. The following sources were consulted:

- Agricultural Index, Vol. 1-11 (1916-1948).
- Bibliography of Agriculture (U.S.D.A.) Vol. 1-12 (1942-1948).
- British Chemical Abstracts, Sec. A (1924-1939).
- British Chemical Abstracts, Sec. B (1923-1945).
- Chemical Abstracts, Vol. 1-41 (1907-1947).
- Chemical Society, London, Journal, (1849-1924).
- Chemische Zentralblatt (1830-1939, 1942).
- Experiment Station Record, Vol. 1-95 (1889-1946).
- Foodstuffs, Vol. 1-20 (1929-1948).
- Flour and Feed (1947-1948).
- Herbage Abstracts, Vol. 1-13 (1932-1943).
- Herbage Reviews, Vol. 1-8 (1933-1940).
- Index Medicus (later called Quarterly Cumulative Index Medicus) (1880-Je, 1947).
- Industrial Arts Index (1913-1947).
- Nutrition Abstracts and Reviews, Vol. 1-12 (1931-1943).
- Pharmaceutical Abstracts, Vol. 1-12 (1935-1946).
- Society of Chemical Industry, Abstracts, (1918-1923).
- U. S. Surgeon General's Office, Index Catalogue of the Library (1880-1936).
- Card catalogs of the University of California and the U. S. Department of Agriculture Library, Albany Branch.

Acknowledgment is made to many members of the staff of the Western Regional Research Laboratory for helpful suggestions and particularly to the Industrial Analysis Section for references on dehydration equipment and processes. Many of the original articles were consulted in the University of California. The library of the U. S. Department of Agriculture in Washington, D. C., has supplied photostats of articles not readily available here.

BIBLIOGRAPHY

1. ANONYMOUS. Alfalfa dehydrating. Farm Quarterly 3(2):42-45, 130-131. Summer 1948.
2. _____ Alfalfa dehydration. Fed. Reserve Bank of Kansas City. Mo. Rev. of Agr. and Business Conditions 32(7):1-3. July 31, 1947.
3. _____ Alfalfa dehydration may be new mountain area industry. West. Farm Life 49(9):15. May 1, 1947.
4. _____ Alfalfa flour for cooking. Rural New Yorker 75(4378):791. May 20, 1916.
5. _____ Alfalfa mill sale by Ralston Purina; new company being formed to take over Denver alfalfa milling and products division. Feedstuffs 18(19):65. May 11, 1946. About National Alfalfa Dehydrating and Milling Co.
6. _____ All year through dehydrators work on Yuma alfalfa. Ariz. Farmer 27(6):2. Mar. 20, 1948.
7. _____ Arisun's alfalfa dehydrator ready. Ariz. Farmer 26(3):11. Feb. 8, 1947. About Arizona Alfalfa Products Co.
8. _____ Artificial drying not injurious to nutrients of alfalfa hay. Wis. Agr. Expt. Sta. Bul. 425. p. 14-15. Madison, 1933. (Expt. Sta. Rec. 69:848)
9. _____ Carotene can be preserved. Flour and Feed 49(5):22. Oct. '48.
10. _____ Chlorophyll from alfalfa meal. Chemurgic Digest 5(14):247. July 31, 1946. About work of Midwest Extraction Co., Rockford, Ill.
11. _____ Curing alfalfa by steam. Milling and Grain News 16(13):19. Aug. 30, 1910. (Expt. Sta. Rec. 23:731)
12. _____ Crop drying; increasing use of electrical methods in Norfolk. Elect. Review - Lond. - 127(3274):145-146. Aug. 23, 1940. Apparatus described suitable for alfalfa also.
13. _____ Dehydrated alfalfa risk poses insurance problems. Natl. Underwriter 51:8. Oct. 16, 1947. Small pieces of metal wire binding which become very highly heated in the drying and baling process are embedded in bales and may start fires.
14. _____ Dehydrators back broad program of research for alfalfa meal. Feedstuffs 20(31):1, 53. July 31, 1948.
15. _____ Dehydrators fix rules; alfalfa association has overflow meeting in Chicago... Flour and Feed 48(9):11-14. Feb. 1948. Reports some of talks at 1948 meeting of American Dehydrators Assn.
16. _____ Destruction of carotene in alfalfa. Nutr. Reviews 5(7):223. July 1947.
17. _____ An egg, an orange and a carrot - also some alfalfa. A "health secret" and a food fad subjects of post office action. Amer. Med. Assoc. Jour. 116(9):888-889. Mar. 1, 1941. Al Morrison's alfalfa-kelp tablets and alfalfa-kelp cream described.
18. _____ Expanding dehydrating industry steps up alfalfa meal production. Feedstuffs 17(18):20-21. May 5, 1945. Includes alfalfa meal production figures for 1928-45.

19. ANONYMOUS. Five-minute alfalfa on this farm; Director George W. Slocum manufactures hundreds of tons of alfalfa meal using latest harvesting and curing equipment. The Dairymen's League News 29(19):3, 20. Sept. 11, 1945.
20. Further angles given on alfalfa drying hazard. Natl. Underwriter 51:29. Oct. 23, 1947. Magnets to remove metal from alfalfa meal stock before it enters mill, and observation of sacked meal before warehousing will reduce fire risks.
21. Glowing future predicted for alfalfa dehydrating industry. Feedstuffs 18(3):62. Jan. 19, 1946. Vitamin content of alfalfa meal from standpoint of money value. Storage also discussed.
22. Green, leafy alfalfa is best buy. Wash. Farmer 72(18):23. Sept. 18, 1947.
23. Green light for chlorophyll; extraction of leaves and fractionation of the extract is big business. Products include chlorophyll, xanthophyll, carotene and phytol. Chem. Indus. 63(4):590-591. Oct. 1948. Alfalfa as source of supply.
24. Grinding more alfalfa. Ariz. Farmer 26(19):3. Sept. 20, 1947. About alfalfa meal.
25. Hot weather, better demand strengthen alfalfa meal prices. Feedstuffs 19(32):8. Aug. 9, 1947.
26. Lowering costs while increasing production, by a dairyman who is supplying three towns with milk. System on the Farm 1:182-3. July 1917. Includes information on an alfalfa drier.
27. Lucerne meal. Food Manufacture 16(1):23. Jan. 3, 1941. Note on making alfalfa meal tablets; use of rice powder or starch suggested as binder.
28. Making hay while the sun shines is old-fashioned. Feedstuffs 2(28):12-14. July 12, 1930. Some tables on chemical analysis of natural vs. artificially cured alfalfa. Description of drier.
29. The manufacture of alfalfa meal. Breeder's Gaz. 69:272-273. Feb. 3, 1916.
30. Much south Gila alfalfa sold as dehydrated meal. Ariz. Farmer 26(1):35. Jan. 11, 1947.
31. New dehydrator fired up. Ariz. Farmer 26(4):14. Feb. 22, 1947. Western Milling Co. processing of alfalfa meal.
32. New uses for alfalfa. Flour and Feed 48(7):22. Dec. 1947. Pigment and protein extraction.
33. Nutritive value of alfalfa. Feedstuffs 8(3):14. Jan. 18 '36.
34. Proteins, pigments, from alfalfa. Chem. Indus. 61(6): 1016, 1046. Dec. 1947. Work at Western Res. Research Lab.
35. Research work at Canterbury Agricultural College, Lincoln, New Zealand. Dept. of Sci. and Indus. Res. Ann. Rept. 1936/37, p. 81-85. p. 85 about nutritive value of alfalfa juice. (CA 32:4673)
36. Selected references from the more recent literature on lucerne pollination, breeding and seed setting. Herbage Reviews 1(1):38-45. March 1933.

37. ANONYMOUS. The stability of carotene in dehydrated alfalfa and oat plant meal. Kansas. Agr. Expt. Sta. Biennial Rept. 1936/38.p.93. Manhattan, 1938.
38. Standards discussed for alfalfa meal; Department of Agriculture representative meets with alfalfa millers and feed manufacturers in conference at St.Louis. Feedstuffs 7(38):1.Sept.21'35.
39. The use of alfalfa as a vegetable. Science,n.s.86(2222): suppl.7. July 30,1937. Summary of work at South African Inst. of Med. Res. at Johannesburg. Fresh and dried alfalfa used.
40. Vitamin extraction. Chem. and Engin. News 25(42):3082. Oct.20,1947. Chlorophyll and carotene extraction from alfalfa meal at McAllen,Texas by Cabot, Inc.
41. ADAMS, J.C. Alfalfa in the bag; one hour process from field through dehydrator saves nutrients. Nebr. Farmer 85(22):4,33. Nov.20,1943.
42. ALQUIST, H.J., and LOSE, A.A. The antihemorrhagic activity of certain naphthoquinones. Amer. Chem. Soc. Jour. 61(7):1923-1924. July 1939. (C.A. 33:6922)
43. ALWAY, F.J., and NESCOM, G.H. Influence of phosphorus deficiency of the soil on the protein content of alfalfa. Amer. Soc. Agron. Jour. 37(7):555-569. July 1945. (C.A. 39:4182)
44. AMERICAN DRYDRATORS ASSOCIATION. Dehydrated alfalfa meal ... a must in all turkey feeds! Chicago 1948: 8 pp.
45. Report of annual meeting. Chicago. (Several of these issued but we have been able to obtain only 1944 issue)
46. AMES, J.W., and BOLTZ, G.F. Nitrogen and mineral constituents of the alfalfa plant. Ohio. Agr. Expt. Sta. Bul.247, p.755-773. Wooster,1912. (C.A. 7:2810)
47. ANDERSON, C.R. Contact dermatitis from alfalfa and bur clover. Arch. Dermat. and Syph. 50(9):201. Sept.1944.
48. ANDRFASI, F. Valor energético das forragens feno de alfalfa. Alfalfa (*Medicago sativa L.*) São Paulo,Brazil(City) Universidade. Faculdade de Medicina Veterinaria. Revista 2(4):247-252. 1944. (C.A.39:2826)
49. ANSBACHER, S. New observations on the vitamin K deficiency of the chick. Science(n.s.)88(2279):221. Sept.2,1938. (C.A.32:8499)
50. ARCHIBALD, J.G. Studies in the chemistry of grass silage. Jour. Agr. Res. 72(8):277-287. Apr. 15,1946. (C.A. 40:5165)
51. ARMSBY, H.P., and FRIES, J.A. Net energy values of alfalfa hay and starch. Jour. Agr. Res. 15(5):269-286. Nov.4,1918.(C.A.13:722)
52. ARNY, A.C., and THATCHER, R.W. The effect of different methods of inoculation on the yield and protein content of alfalfa and sweet clover. Amer. Soc. Agron. Jour. 7(4):172-185. (C.A.9:2559)
53. and THATCHER, R.W. The effect of different methods of inoculation on the yield and protein content of alfalfa and sweet clover - 2. Amer. Soc. Agron. Jour. 9(3):127-137. March 1917. (C.A. 11:1875)

54. BAILEY, L.F., and McHARGUE, J.S. Ashing procedures for the determination of copper in plant material. *Plant Physiol.* 20(1):79-85. Jan. 1945. (C.A. 39:2037)
55. _____ and McHARGUE, J.S. Effect of boron, copper, manganese, and zinc on the enzyme activity of tomato and alfalfa plants grown in the greenhouse. *Plant Physiol.* 19(1):105-116. Jan. 1944 (C.A. 39:3811)
56. BAKKE, A.L., and RENDLER, N.D. Presence of anti-hemorrhagic material in roots of European bindweed (*Convolvulus arvensis* L.) *Amer. Jour. Bot.* 29(5):353-354. May 1942. (Herb. Abs. 12:1758) Alfalfa meal extract also used in study.
57. BALL, C.E., and BARGER, F.L. Reconditioning overdried hay. *Agr. Engin.* 29(7):299-300. July 1948. Hay drying unit and air humidifier used at Iowa Agr. Expt. Sta. is described.
58. BARGER, E.S. Alfalfa: the alfalfa industry (agriculture and preparation for market)... prepared at the instance of American Dehydrators' Association suggesting that the alfalfa industry in all phases of the production of alfalfa meal is entitled to (1) General exemption by amendment or interpretation of the Fair Labor Standards Act; (2) Further relief under the Social Security laws; (3) an advantageous priority rating ... and (4) other relief. Toledo, O., 1942. 24 pp. "Addenda" attached to back cover.
59. BARNETT, H.M. Carotene - a source of vitamin A during our national emergency. *Amer. Chem. Soc. News Ed.* 19(14):778. July 25, 1941. (C.A. 35:6386)
60. BARR, H.T. Artificial drying of forage crops. *Agr. Engin.* 12(6): 243-244. June 1931. Types of driers suitable for alfalfa described.
61. BASSLER, E.M. Mechanical curing of alfalfa. *Amer. Soc. Heating and Ventilating Engin. Trans.* 23:561-569. 1917.
62. BEAR, F.E., and PRINCE, A.L. Cation-equivalent constancy in alfalfa. *Amer. Soc. Agron. Jour.* 37(3):217-222. Mar. 1945 (C.A. 39:2371)
63. BEAVENS, E.A., and JAMES, L.H. The microbial decomposition of successive cuttings of alfalfa hay under aerobic conditions. *Jour. Agr. Res.* 48(12):1121-1126. June 15, 1934. (C.A. 28:6496)
64. BECHDEL, S.I., CLYDE, A.W., CROMER, C.O., and WILLIAMS, P.S. Dehydrated and sun-cured hay. *Penn. Agr. Expt. Sta. Bul.* 396. 24 pp. State College. 1940. (C.A. 34:7473)
65. BECHTEL, H.T., SHAW, A.O., and ATKESON, F.W. Brown alfalfa hay - its chemical composition and nutritive value in dairy rations. *Jour. Dairy Sci.* 28(1):35-48. Jan. 1945. (C.A. 39:4359)
66. BECK, B.F. Vitamins in honey; alfalfa furnishes vitamin K. *Gleanings Bee Cult.* 68:487, 530. Aug. 1940.
67. BECKER, M., SCHLEINITZ, M.v., and LAGNEAU, E. Versuche über künstlich getrocknetes grünfutter. *Züchtungskunde* 14:51-58. 1939. (C.A. 33:4333)
68. BERNAYS, F.J. Die wurzel von *Medicago sativa*. *Buchners Repert.* 3. R. bd. 6:329-334...1851. (Chem. Zentr. 22:123)
69. BERTRAND, G., and BENZON, B. La teneur en zinc des aliments végétaux. *Paris Acad. des Sci. Compt. Rend.* 187(24):1098-1101. Dec. 10, 1928. (C.A. 23:1696)

70. BETHKE, R.M. Factors affecting the quality of alfalfa meal. Feedstuffs 9(52):22-23. Dec. 25, 1937. Naturity, curing and storage.
71. _____ and KECY, C.H. Vitamin-A content of alfalfa hay. Chic. Agr. Expt. Sta. Bul. 431(47th Ann.Rept. 1927/28) p.117-118. 1929. Loss of vitamin A when exposed to sun, rain, dew in seven days; slight loss after one year of storage.
72. _____, RECORD, P.R., and WILDER, O.H.M. The stability of carotene and vitamin A in a mixed ration. Poultry Sci. 18(3):179-187. May 1939. (C.A. 33:5894)
73. BETTINI, T.M. Sulla composizione chimica e sul valore nutritivo dell'erba medica a diversi stadi di vegetazione. Revista Zootecnia Buenos Aires, 12(10):425-438. Oct. 31, 1935. (C.A. 31:2698)
74. BICKOFF, E.M., BAILY, G.F., and ATKINS, M.E. Effect of moisture content on retention of carotene in alfalfa meal. Amer. Chem. Soc. Abs. of Papers 114th meeting, Sept. 1948, p.26-27A.
75. BEVENUE, A., and WILLIAMS, K.T. Alfalfa has a promising chemurgic future -- a novel processing method is described. Chemurgic Digest 6(14):213, 216-218. July 31, 1947. Also in: California Hay, Grain, and Feed Dealers Assoc. Bul. 18. 4 pp. Dec. 6, 1947.
76. BIELEFFELDT, JØRGEN. Studier over karotin med saerligt henblik paa hold-barheden i lucernmel. København, Det Danske Forlag. 1942. 134 pp. Afhandling - Danmarks tekniske højskole. Has English and German summaries. (C.A. 37:4779)
77. _____ Studies of carotene, with special reference to the keeping properties of alfalfa meal. Kemisk. Maanedssblad og Nordisk Handelsblad for Kemisk Industri 23:149-151. 1942. (C.A. 33:4058) (Original not seen)
78. BIRO, G. A lucernaliszt-kikészítése és jelentősége. The preparation of lucerne meal and its importance. Köztelek 44:213. 1934. (Herb. Abs. 4:1827) (Original not seen)
79. BISCHOFF, F., SANSU, W.D., LONG, M.L., and EVANS, R.D. A comparative study of rabbits maintained on barley or alfalfa. Jour. Nutr. 5:403-411. 1932. (C.A. 26:5616) Plasma pH and CO₂ of blood studied.
80. BOAS, F. The dynamic factors in some plants. Akademie der Wissenschaften, Munich. Mathematisch-naturwissenschaftliche abteilung. Sitzungsberichte p.149-164. 1941. (CA 37:5449) (Original not seen)
81. BOJKO, E.V. Content of boron in plants. Akademiiia nauk, Leningrad. Comptes Rendus 29(7):510-513. 1940. (CA. 35:4807)
82. BOLIN, D.W. The manganese content of grasses and alfalfa from grazed plots. Jour. Agr.Res. 48(7):657-663. Apr. 1, 1934. (Expt. Sta. Rec. 71:586)
83. _____ Stability of carotene in green grasses and alfalfa stored at five degrees Fahrenheit. Jour. Dairy Sci. 22(2):111-113. Feb. 1939. (C.A. 33:3478)
84. _____ and KHALAPUR, A.M. A precise method for the determination of carotene in forage. Indus. and Engin. Chem. Anal. Ed. 10(8): 417-418. Aug. 15, 1938. (C.A. 32:7597)
85. BONGER. Schwere futtervergiftungen durch grüne luzerne. Zeitschrift für Veterinärkunde 40:376-381. Oct. 1928.

104. CAMBURN, O.N., ELLENBERGER, H.B., JONES, C.H., and CROOKS, G.C. The conservation of alfalfa and timothy nutrients as silages and hays. III. Vermont. Agr.Expt.Sta. Bul.509. 32 pp. Burlington. 1944. (C.A. 40:2554).
105. CARMICHAEL, T.H. Our revised pharmacopoeia. Amer. Inst. of Homeopathy. Jour. 29(12):727-729. Dec.1936. (C.A.31:810)
106. CARTER, M.D., ORBISON, T.J., STEELE, E.H., WRIGHT,C.A., and WILLIAMS, E.H. The proteal treatment of drug addiction. Med. Jour. and Rec.. 126:282-284. Sept.7,1927.
107. CATRON, L. Raise more pigs with less feed(with emphasis on gestation-lactation feeding). Chic.,Amer. Dehydrators Assoc.,cl948. 13 pp. About use of alfalfa meal.
108. CHARKEY, L.W., and WILGUS, H.S.,jr. Chromatographic determination of carotene in alfalfa. Indus. and Engin.Chem. Anal.Ed.16(3):184-187. Mar.1944. (CA.38:2411).
109. CHIBNALL, A.C., and NOLAN, L.S. A protein from the leaves of the alfalfa plant. Jour. Biol.Chem. 62(1):173-178. May.1924.(C.A.19:841)
110. WILLIAMS, E.F., LATNER, A.L., and PIPER, S.H. The isolation of n-triacontanol from lucerne wax. Biochém.Jour.27:1885-1888. 1933. (C.A..28:3442)
111. CHOJARD, P. Les aliments de remplacement dans l'hygiène et dans l'économie domestiques. Paris Médical 31:185-195. March 30,1941. (C.A.40:6695)
112. CLARENS, J. Contribution à l'étude des oxydases. Société Chimique de France. Bulletin.ser.4,35:1198-1206. 1924. (C.A. 19:661)
113. CLARKE, M.F. The nitrogen distribution in alfalfa hay cut at different stages of growth. Canad.Jour. Res., Sec. C-16:339-346. 1938. (C.A. 33:258)
114. CLASSEN, H. Die trocknung von zuckerrüben.-blättern und -köpfen sowie eiweißhaltigen grünfutter. Centralblatt für die Zucker-industrie 47(32):801-802. 1939. (C.A. 34:826)
115. CLYDE, A.W. New developments in hay driers. Agri. Engin. 14(5): 127-129. May 1933. (Expt.Sta.Rec.69:773)
116. A season's test of a hay drier. Agri.Engin.: 13(3):61-63. Mar.1932. (Expt.Sta.Rec. 67:327)
117. COBURN, F.D. Alfalfa, lucerne, Spanish trefcil, Chilean clover, Brazilian clover, medic, purple medic (*Medicago sativa*). Practical information on its production, qualities, worth, and uses, especially in the United States and Canada. N.Y.,Orange Judd,1902. 163 pp.
118. The book of alfalfa; history, cultivation and merits. Its uses as a forage and fertilizer. New rev.ed., N.Y.,Orange Judd, c1907. 344 p.
119. COLORADO. AGRICULTURAL EXPERIMENT STATION. Alfalfa: its growth, composition, digestibility. (Its Bul.8. 24 pp. Fort Collins 1889. (Expt.Sta.Rec. 1:190)
120. Report of the chemist on "Deterioration of alfalfa hays resulting from rain.", (Its 45th Ann.Rept. 1931/32,p.32-35. Fort Collins,1932. (C.A. 27:1659)
121. COX, J.F., and MCGEE, C.R. Alfalfa. N.Y.,Wiley,1928. 101 pp.

86. BONNER, J. Riboflavin in isolated roots. Bot. Gaz. 103(3):581-585. Mar.1942. (Herb. Abs. 12:1899)
87. BORCHERS, R., ACKERSON, C.W., and MILLER, H. Studies on alfalfa juice. Nebr.Acad.Sci.Proc.57:6-7.1947(pub.1948)
88. BOTTINI, E. Sui processi biochmici che si verificano nei foraggi durante la fienagione richerche eseguite sull'erba medica e sul trifoglio pratense. Annali della Sperimentazione 26:25-39. 1937. (C.A.32:1803)
89. BOUSSER, R. Etude sur le sechage de la luzerne et la farine de luzerne. La Terre Marocaine 18(218):5-11. Jan.1948.
90. BOUSSINGAULT. Ueber die menge des in den verschiedenen arten von vie-futter enthaltenen stickstoffes. Journal für Praktische Chemie 10:118-120. 1837. (Chem. Zentr. 1837:344-5)
91. BROOKE, R.O., TYLER, S.W., and BAKER, W.S. Determination of Beta-carotene in alfalfa meals. Indus. and Engin. Chem. Anal.Ed. 11: 104-106. Feb.15,1939. (C.A. 33:3016)
92. BROWN, A., and TISDALL, F.F. The role of minerals and vitamins in growth and resistance to infection. Brit. Med. Jour. p.55-57. Jan.14,1933. (Nutr. Abs. 3:867)
93. BROWN, B.A., and HOLOWELL, E.A. The chemical composition of some pasture and hay plants as affected by soils and fertilizers. Soil Sci.Soc. Amer. Proc. 5:131-139. 1940. (Herb.Abs.12:781)
94. BROWN, O.K. Dehydrating alfalfa prevents loss of valuable feed quality. Idaho Farmer 66:437. June 3,1948.
95. BROWN, R. New way to dry alfalfa hay. West.Farm Life 49(24):4,18. Dec.15,1947.
96. BRÜNNER, E. Untersuchungen über die zweckmässigste kinservierungs-methode der luzerne. Biedermann's Zentralblatt für Agrikultur-chemie und Rationellen Landwirtschaftsbetrieb. Abt.B. Tierer-nährung 12:77-128. 1940. (C.A. 35:1535)
97. BRUNIUS, E., and HELLSTRÖM, V. On the stabilization of carotene in dehydrated alfalfa meal. Preliminary report. Svensk Kemisk Tidskrift 57:86-90. 1945. (C.A. 40:2511)
98. BUDGE, D.M. A bushel of alfalfa hay ... new manufacturing method creates alfalfa pellets. Utah Farmer 67(15):22. Mar.25.1948.
99. BUNZEL, H.H. On alfalfa laccase. Jour. Biol. Chem.20:697-706. 1915 (C.A. 9:1629)
100. BURKHART, B.A. Hemicellulose constituents in alfalfa roots. Plant Physiol. 11(2):421-428. Apr.1936. (C.A. 30:5261)
101. BURRELL, J.H. Alfalfa research; American Dehydrators Association plans fund for carrying out important program. Flour and Feed 49(4):10. Sept.1948.
102. BUTLER, L.I., and ALLEN, H.O. Report on copper and cobalt in plants. Assoc. Off. Agr.Chem. Jour. 25(3):567-572. 1942. (C.A.36:6435)
103. BUXTON,L.O., and DOMBROW, B.A. The carotenoids in forage. Indus.and Engin.Chem. Anal.Ed. 10(5):262-263. May 15,1938. (C.A.32:5095)

122. Cros Sarria, M. El problema de la alfalfa. Ganadería Madrid, 6:88-89. Feb.1948. Includes prices in Spain.
 123. CURTIS, O.F. Afternoon vs. morning cutting of alfalfa: comments on notes by Woodward, Shepherd, and Tysdal and by Willard. Amer. Soc. Agron. Jour. 36(11):943-952. Nov.1944.
 124. The food content of forage crops as influenced by the time of day at which they are cut. Amer. Soc. Agron.Jour. 36(5): 401-416. May 1944. (C.A. 38:4058)
 125. DAM, H., GEIGER, A., GLAVIND, J., KARRER, P., KARRER, W., ROTHSCHILD, E., and SALOMON, H. Isolierung des vitamins K in hochgereinigter form. Helvetica Chimica Acta 22(2):310-313. 1939. (C.A.33:5448)
 126. and LEWIS, L. The chemical concentration of vitamin K. Biochem. Jour. 31:17-21. 1937. (C.A. 31:3970)
 127. DANIEL, H.A., and HARPER, H.J. The relation between effective rainfall and total calcium and phosphorus in alfalfa and prairie hay. Amer. Soc. Agron. Jour. 27(8):644-652. Aug.1935. (Nutr. Abs. 5:2440)
 128. DANKERT, E.G. La alfalfa, su composicion quimica y sus vitaminas. Jornadas Agrón. y Vet. -Univ. Buenos Aires: p.477-519. 1941. (C.A. 41:2819)
 129. DAVIES, E.L. The proteins of green forage plants. 1. The proteins of some leguminous plants. Jour. Agri.Sci. 16(2):280-292. Apr.1926. (C.A. 20:2347)
 130. DAVIES, R.O. Some observations on carotene losses in storage. Chem. and Indus. 20(25):275-276.June 20,1942.(Brit.Abs.B-III:201)
 131. DAVIS, D.E., and BEACH, J.R. A study of the relative values of certain succulent feeds and alfalfa meal as sources of vitamin A for poultry. Calif.Agr.Expt.Sta. Bul.384. 14 pp. Berkeley, 1925. (C.A. 19:1883)
 132. DAWBAIN, W.C. The vitamin C content of dried lucerne (*Medicago sativa*); chemical and biological assays. Austral. Jour. of Expt. Biol. and Medical Sci. 23(4):289-293. Dec.1945.(C.A. 40:7448)
 133. DAWSON, J.R., KOPLAND, D.V., and GRAVES, R.R. Yield, chemical composition, and feeding value for milk production of alfalfa hay cut at three stages of maturity. U.S. Dept. Agr. Tech. Bul.739. 51 pp. Wash.,D.C. 1940. (Expt.Sta.Rec.84:807)
 134. DEELEN, T. Bevat davitamon K behalve vitamine K nog andere therapeutisch werkzame stoffen? Does "Davitamen K" contain a therapeutically active ingredient other than vitamin? Nederlandsch Tijdschrift voor Geneeskunde 84:1799-1805. 1940. German and Eng.summary p.1805. (C.A.35:775)
 135. DEXTER, S.T. The yield and sugar content of alfalfa cut at various times of day and the sugar content of the hay after various methods of drying. Amer.Soc. Agron.Jour. 37(5):394-399. May 1945. (C.A. 39:3090)
 136. and MOORE, L.A. Carotene (vitamin A) in alfalfa hay. Mich. Agr. Expt.Sta. Quarterly Bul.20(2):75-76. Nov.1937. (C.A.32:1005)
 137. DOAK, B.W. The mineral contents of lucerne. New Zeal. Jour. Sci. and Technol. 11:108-111. Aug.1929. (Brit.Abs.1929 A:1346)

138. DOUGLASS, E., TOBISKA, J.W., and VAIL, C.E. Studies on changes in vitamin content of alfalfa hay. Colo.Agr.Expt.Sta. Tech.Bul. 4. 68 pp. Fort Collins, 1933. (C.A. 28:3449)
139. DOWELL, C.T., and MENAUL, P. Nitrogen distribution of the proteins extracted by dilute alkali from pecans, peanuts, kafir, and alfalfa. Jour.Biol.Chem. 46(3):437-441. May 1921. (C.A. 15:2450)
140. DRAPER, C.I. Alfalfa meal in the diet of the chick; chickens thrive on lesser amounts than turkeys, but type of curing not important-cost of dehydrating not justified. Farm and Home Sci.(Utah.Agr. Expt.Sta. 9(3):3,18. Sept.1948.
141. ELLIS, N.R., ZELLER, J.H., and KING, J.X. Alfalfa meal tests. Flour and Feed 44(6):26. June 1943.
142. EREKY, K. Luzerneheumehl oder luzernegrünbrei? Deutsche Landwirtschaftliche Presse 60(23):295-6. June 10, 1933. (Nutr.Abs.3:2515)
143. ESCUDERO, P., and LANDABURE, P.B. La utilizacion de la alfalfa en la alimentacion humana. Asociacion Argentina Dietologia. Revista 1:143-147. Jan./Mar. 1943. (C.A. 39:2826)
144. ESPOSTI, A.D., ESPOSTI, G.D., and ROVITI, R. Le vitamine B₁, B₂ e PP dell' erba medica (*Medicago sativa*) appena falciata e dopo appassimento. Zootecnica e Veterinaria 2:297-301. Aug.1947.
145. ÉTARD, A. Les chlorophylles. Annales de Chimie et de Physique ser.7, v.13:556-574. 1898. (Chem.Soc.Jour.1898:381) Medicagol one of the extracts.
146. Pluralité des chlorophylles. Deuxième chlorophylle isolée dans le luzerne. Paris, Academie des Sciences. Comptes Rendus 120:328-331. 1895. (Chem.Soc. Jour. 1895,II:389)
147. EULER, H., and BOLIN, I. Zur kenntnis biologisch wichtiger oxydationen. I.Mitt. Hoppe-Seyler's Zeitschrift für Physiologische Chemie 57:80-98. 1908. (C.A. 3:2709)
148. and BCLIN, I. Zur kenntnis biologisch wichtiger oxydationen II. Mitt. Über die reindarstellung und die chemische konstitution der Medicago-laccase. Hoppe-Seyler's Zeitschrift für physiologische chemie 61:1-11. 1909. (C.A. 3:2709)
149. EVANS, E.V., YOUNG, D.M., and BRANION, H.D. Riboflavin content of Canadian feedstuffs. Sci. Agr. 25(9):542-545. May'45(C.A.39:4996)
150. EVANS, R.J., and GREAVES, J.E. Some factors influencing the sulfur content of alfalfa. Utah Acad. Sci., Arts and Letters. Proc. 14:17-22. 1937. (C.A. 32:2668)
151. FAIRBANKS, B.W. Alfalfa meal - its great importance in swine rations. Chic.,1946. c4, p. (Amer. Dehydrators Assoc. Dehydrated alfalfa meal, v.1,no.4) Also in: Feedstuffs 18(34):19-20,22-24. Aug.24, 1946 with the title "Importance of alfalfa meal in swine rations." Protein,mineral and vitamin values discussed.
152. FAVILLE, A.D. Alfalfa as human food. Country Gent. 81(28):1332. July 8,1916.
153. FEEDSTUFFS. This is a weekly magazine published by Miller Pub.Co., 118 So.6th St.,Minneapolis, Minn. Should be consulted for information on prices and markets.
154. FELLERS, C.R. Effect of processing on the vitamin A(carotene) content of foods. Inst. Food Technol. Proc. 1st,p.97-107. 1940. (C.A. 35:2617)

155. FERNHOLZ, E., and MOORE, M.L. The isolation of a-spinasterol from alfalfa. Amer. Chem. Soc. Jour. 61(9):2467-2468. Sept. 1939. (C.A. 33:8699)
156. FEUSTEL, I.C. Treatment of alfalfa. Flour and Feed 47(5):22. Oct. 1946. Ascorbic acid treatment.
157. FLORIDA AGRICULTURAL EXPERIMENT STATION. Determination of whether chlorophyll Alpha and Beta, the petroleum ether extracts of the yellow pigments of alfalfa can be used as a source of vitamin A in animal nutrition. In its: Ann.Rept., 1929, p.59-60; Ann.Rept. 1931, p.81; Ann.Rept. 1933, p.82-83. (C.A.24:5800; 27:1030; 30:3472)
158. FLOUR AND FEED. A monthly magazine published by Flour and Feed Pub. Co. at 407 E.Michigan St., Milwaukee, Wisconsin. One section is devoted to alfalfa meal, including information on production and marketing.
159. FORBES, E.B., FRIES, J.A., and BRAMAN, W.W. Net-energy values of alfalfa hay and alfalfa meal. Jour.Agr.Res.31(10):987-995. Nov.15, 1925. (Expt.Sta.Rec. 54:758)
160. FOSTER, L., and MERRILL, L.A. Alfalfa or lucern: The cutting time. Its feeding value. Utah Agr. Expt.Sta. Bul.61,p.155-214. Logan, 1899. (Expt.Sta.Rec. 11:663)
161. FOX, F.W., and WILSON, C. Lucerne as a food for human consumption (Laboratory report no.3 of an enquiry into native diets) Johannesburg, The South African Institute for Med. Research, 1935? 17 pp. and appendix 1 and 2. (Nutr. Abs. 6:818)
162. FRAPS, G.S. Report on crude fiber. Assoc. Off. Agr.Chem. Jour. 6(3):333-344. 1923. (C.A. 17:2020)
163. _____ and KEMMERER,A.R. Losses of vitamin A and carotene from feeds during storage. Texas Agr. Expt.Sta. Bul.557. 28pp. College Station, 1937. (C.A. 32:3044)
164. _____ and TREICHLER, R. Effect of storage on vitamin A in dried foods. Indus. and Engin.Chem. 25(4):465-466. Apr.1933. (C.A. 27:1958)
165. _____ and TREICHLER, R. Vitamin A content of foods and feeds. Texas Agr. Expt.Sta. Bul.477. 34 pp. College Station, 1933. (C.A. 28:1385)
166. _____ TREICHLER, R., and KEMMERER, A.R. Relation of the carotene content of certain feed materials to their vitamin A. potency. Jour. Agr.Res. 53(9):713-716. Nov.1,1936. (C.A. 31:1902)
167. FRATES,M.A. Capturing green gold for poultrymen. News for Farmer Cooperatives 13(11):5,19.Feb.1947. With slight change of title in: Nulaid News 25(1):11,21.May 1947; Calif.Cult.94:703. Oct.11, 1947. About alfalfa meal dehydration at Vorden, Calif.
168. FRATWIN,S.B., and ADAMS, G.A. Production and properties of 2,3-butanediol. IX. The effect of various nutrient materials on the fermentation of starch by Aerobacillus polymyxa. Canadian Jour. Res. 24 F(1):29-38. Jan.1946. (C.A.40:4846)
169. FRED, E.B., and LOOMIS, N.E. Influence of hydrogen-ion concentration of medium on the reproduction of alfalfa bacteria. Jour. Bact. 2:629-633. 1917. (C.A. 12:921)
170. FRIEDMAN,M.H., and FRIEDMAN, G.S. A gonad stimulating extract from alfalfa. Amer. Jour. Med.Sci. ser.2,187:865-866. June 1934. (C.A. 28:5890)
171. _____ and FRIEDMAN, G.S. A gonad-stimulating extract from alfalfa meal. Soc. Expt.Biol.and Med. Proc. 31(7):842-843. Apr.1934.

172. GANCHEV, N. Exchange cations and adsorption complex of plants. Sofia. Universitet. Agronomo-lesov'dski fakultet. Godishnik 20(1):239-281. 1911-42. (C.A. 39:3329) Original not seen.
- . 173. GANCHEV, Z. Opiti za opredelenie khranitelnata stoinost' na niekoi nashi furazhi. Composition, digestibility, and feeding value of lucerne hay. Sofia. Universitet. Agronomo-lesov'dski fakultet. Godishnik 10:167-169. 1931-32. German text p.169-70.(C.I.27:4856)
174. GARDNER,H.A. Alfalfa seed oil - hempseed oil, safflower seed oil. Paint Manufacturers Assoc. of the U.S. Circ.258. p.228-231. n.p., 1926. (C.A. 20:1330)
175. GELCHINSKAIA, R.B. Biokhimiia liutserny. Biochemistry of lucerne, Biokhimiia kul'turnykh rastenii 2:236-269. 1938. (C.A.34:795)
176. GIRAL,F., and TORRE, L.M. de la. Nuevas valoraciones de vitamina C en alimentos Mexicanos. Ciencia 5(9-12):252-254. 1945.(C.A.10:2540)
177. GOLDBERG,A., and BERTELLI, A.C. Grass drying - engineering aspects. Inst. Chem. Engin. Trans. 22:89-96.^ While this is not about alfalfa drying the methods are applicable. Drawings and pictures clarify processes.
178. GORDON, E.D., and HURST, W.M. Artificial drying of forage crops. U.S. Dept.Agr.Circ.443. 24 pp. Wash.,D.C.,1937.(Herb.Abs.8:192)
179. GRANDFIELD, C.O. The trend of organic food reserves in alfalfa roots as affected by cutting practices. Jour.Agr.Res. 50(8):697-709. Apr.15,1935. (C.A. 29:6623)
180. GRAY, R.B. Equipment for making hay. U.S. Dept. Agr. Yearbook of Agri. 1948. Grass. p.168-172.
181. GT. BRIT. MEDICAL RESEARCH COUNCIL. Vitamins: a survey of present knowledge. Its Spec.Rept. ser.no.167. 332 pp. Lond.,1932. Alfalfa and alfalfa seed included.
182. GRIFFITHS, F.P., ANTONSEN,R., DARWIN,R., and EDMISTER,J. Chemical utilization of alfalfa. Chemurgic Digest 5(16):281-284. Aug.31,1946. (C.A. 40:6186)
183. GRIMME,C. Ueber papilionaceenöle. Chemische Revue über die Fett- und Harz-Industrie 18(3):53-56; 18(4):77-82. 1911. (C.A.5:2341) Alfalfa seed oil,p.79
184. GRIZZARD, A.L. Effects of soil type and soil treatments on the chemical composition of alfalfa plants. Amer.Soc.Agron.Jour. 27(2):81-99. Feb.1935. (C.A. 29:3084)
185. GRUBBS, M.S. Farm-made alfalfa drier. Hoard's Dairyman 74(7): 348 Apr.10,1929.
186. GUILBERT, H.R. Determination of carotene as a means of estimating the vitamin A value of forage. Indus. and Engin.Chem. Anal.Ed. 6(6):452-454. Nov.15,1934. (C.A. 29:851)
187. Factors affecting the carotene content of alfalfa hay and meal. Jour. Nutr. 10(1):45-62. July 10,1935. (C.A. 29:8166)
188. H., A.L. Alfalfa not a balanced ration. Hoard's Dairyman 51(19): 776. June 2, 1916.
189. H., G. Alfalfa steaming box. Country Gent. 81(15):800-801.Apr.8'16.
190. HAAG, J.R. The physiological effect of rations restricted principally or solely to the alfalfa plant.II.Cystine as a limiting factor in the nutritive value of alfalfa proteins. Jour.Nutr. 4(3):363-370. Sept.1931. (Nutr.Abs. 1:1918)

191. HABERLANDT, G. Food value of alfalfa used as a table vegetable. German war foods that possess peacetime possibilities. *Sci.Amer.* Suppl. 88(2287):298,312. Nov.22,1919.
192. HALL, E.H. Sulphur and nitrogen content of alfalfa grown under various conditions. *Bot.Gaz.* 73:401-411. May 1922.(C.A.16:2185)
193. HALL, S.K. A report on alfalfa with clinical cases. *The Hahnemannian Monthly* 58:312-314. May 1923. (C.A. 17:2149)
194. HALL, W.L. Report on mechanical classification of alfalfa products. *Assoc. Off. Agr.Chem. Jour.* 19(4):602-604. 1936. (C.A.31:772)
195. HALLSWORTH, E.G. The analysis of the fibrous and carbohydrate constituents of feeding stuffs. I. The furfuraldehyde-yielding constituents. *Soc.Chem.Indus. Jour.* 58(12):357-363. Dec.1939. (C.A. 34:2487)
196. _____ The analysis of the fibrous and carbohydrate constituents of feeding stuffs. II. The determination of cellulose. *Soc. Chem. Indus. Jour.* 59(1):9-17. Jan.1940. (C.A. 34:2487)
197. HALVERSON, A.W., and HART, E.B. Further studies of the processes involved in the preservation of carotene in dehydrated alfalfa and cereal grasses. *Jour. Dairy Sci.* 30(10):763-768.Oct.1947.
198. _____ and HART, E.B. Moisture, air controls needed for retention of carotene alfalfa meal - a plan. *Feedstuffs* 19(33):26,28, 30,32-33. Aug.16,1947.
199. _____ and HART, E.B. The stabilization of carotene in dehydrated legumes(alfalfa) and cereal grasses. *Jour.Dairy Sci.*30(4):245-253. Apr.1947.
200. HAM, W.E., and TYSDAL, H.M. The carotene content of alfalfa strains and hybrids with different degrees of resistance to leafhopper injury. *Amer.Soc.Agron. Jour.* 38(1):68-74. Jan.1946.(C.A.40:1906)
201. HAMILTON, T.S., NEVENA,W.B., and GRINDLEY,H.S. The quantitative determination of amino-acids of feeds. *Jour. Biol. Chem.* 48(2): 249-272. Oct.1921. (C.A.16:300)
202. HAMMOND, J.C. Dried cow manure and dried rumen contents as a partial substitute for alfalfa leaf meal. *Poultry Sci.* 23(6):471-476. Nov.1944. (C.A. 39:2107)
203. HANKE, A.R., and PERKINS, A.T. Carotene and riboflavin in alfalfa. *Poultry Sci.* 21(3):195-199. May 1942. (C.A. 36:4215)
204. HARCOURT, R. Composition of lucerne as affected by maturity. Ontario(Province) Agr. Coll. and Experimental Farm. Rept.1898, p.23-29. (pub.1899) (Expt.Sta.Rec. 11:662)
205. HARDING, W.A. Vitamins from grass and alfalfa. Natl. Farm Chemurgic Council. Chemurgic paper 388. 7 pp. N.Y.,1945.
206. HART, E.B., and HALVERSON, A.W. Need of carotene in alfalfa. *Flour and Feed* 48(3):14-15. Aug.1947.
207. _____ KLINE, O.L., and HUMPHREY, G.C. The effect of artificial drying on the availability of the nutrients of alfalfa hay. *Jour.Agr.Res.* 45(8):507-511. Oct.15,1932. (C.A. 27:541)
208. _____ and TOTTINGHAM, W.E. The nature of the acid soluble phosphorus compounds of some important feeding materials. *Jour. Biol. Chem.* 6:431-441. 1909. (Expt.Sta.Rec. 21:608)
209. HARTMAN, A.M., KANE, F.A., and SHINN, L.A. Does the carotene in alfalfa hay account completely for its vitamin A activity? *Amer. Soc.Biol.Chemists. Proc.* 28:xxxvi. 1934. (Nutr.Abs. 4:1146)

210. HATHAWAY, I.L., DAVIS, H.P., and GRAVES, R.R. The vitamin A and the vitamin E content of field-cured and artificially cured alfalfa hay. Nebr. Agr. Expt. Sta. Res. Bul.62. 15 pp. Lincoln, 1932. (C.A. 27:2182)
211. HAUGE, S.M. Evidence of enzymatic destruction of the vitamin A value of alfalfa during the curing process. Jour. Biol. Chem. 108(2):331-336. Feb. 1935. (C.A. 29:4035)
212. Vitamin A value of alfalfa cut at different stages of maturity. Assoc. Off. Agr. Chem. Jour. 17(2):304-307. 1934. (C.A. 28:5508)
213. and AITKENHEAD, W. The effect of artificial drying upon the vitamin A content of alfalfa. Jour. Biol. Chem. 93:657-665. Oct. 1931. (C.A. 26:1014)
214. HEADDEN, W.P. Alfalfa. Colo. Agr. Expt. Sta. Bul.35. 95 pp. Fort Collins, 1896? (Expt. Sta. Rec. 8:768-71.)
215. A study of alfalfa and some other hays. Colo. Agr. Expt. Sta. Bul.39. 34 pp. Fort Collins, 1897. (Expt. Sta. Rec. 9:968)
216. Titanium, barium, strontium and lithium in certain plants. Colo. Agr. Expt. Sta. Bul.267. 20 pp. Fort Collins, 1921. (C.A. 16:1447)
217. HEADLEY, F.B., and CLAWSON, R.M. Factors affecting the cost of production of alfalfa hay in western Nevada. Nevada. Agr. Expt. Sta. Bul.117. 45 pp. Reno, 1929.
218. HEGSTED, D.M., PORTER, J.W., and PETERSON, W.H. Determination of carotene in silage. Indus. and Engin. Chem. Anal. Ed. 11(5):256-258. May 15, 1939. (C.A. 33:5084)
219. HEIMAN, V., CARVER, J.S., and COOK, J.W. The relative vitamin G content of alfalfa hay, stems, and leaves from 10 inch and 24 inch cuttings. Poultry Sci. 17(5):412-416. Sept. 1938. (C.A. 32:8494)
220. HEINRICH, E. Über eiweissbausteine und andere N-haltige stoffe in einigen futtermitteln. Bodenkunde und pflanzenernährung (n.s.) 23(1/2):91-97. 1941. (C.A. 36:4926)
221. HELLER, V.G., and HOOD, D. Nitrogen and carotene partition in the alfalfa plant. Okla. Acad. Sci. Proc. 22:65-67. 1941. (C.A. 37:4428)
222. HENDRICK, E. Making wholesale bread out of alfalfa hay. Sci. Amer. 116(18):441. May 5, 1917.
223. HENRICI, M. The assimilates of wilting and frosted lucerne. South African Jour. Sci. 42:119-121. June 1946. (C.A. 40:7308)
224. Data on the sugar and starch content of some fodder plants under different physiological conditions. Preliminary report. South African Jour. Sci. 40:157-161. Nov. 1943. (C.A. 38:2761)
225. The effect of wilting on the direct assimilates of lucerne and other fodder plants. South African Jour. Sci. 41:204-212. Feb. 1945. (C.A. 39:4917)
226. HENSON, E.R. Curing and storage of alfalfa hay. Iowa. Agr. Expt. Sta. Res. Bul.251. 46 pp. Ames, 1939.
227. HERZIG, J. Obsah zivin v listech, kvetech a stonich vojtesky. Ceskoslovenská Akademie Zemedelská, Sbornik 10(2):193-195. 1935. Nutritive value of leaves, flowers and stems of lucerne, German summary p.195. (Nutr. Abs. 5:3675)

228. HERZIG, J., and Zák, J. Obsah zivin a krmná hodnota vojteskového sena v zemi moravskoslevské. I. Obsah organických zivin. The content of nutrient substances and the feeding value of alfalfa hay in Moravia and Silesia. I. Content of organic nutrient substances, Ceskoslovenská Akademie Zemedelské. Sborník 11(4): 399-406. 1936. German summary p.406. (C.A. 31:1903)
229. _____ and Zák, J. II. Obsah nerostných zivin. (II. Mineral content.) Ceskoslovenská Akademie Zemedelska. Sborník 12(1):85-90. 1937. German summary p.90. (Nutr. Abs. 7:4580)
230. _____ and Zák, J. III. Obsah stravitelných zivin, stravitelných bílkovin a skrobových jednic. (III. Digestible nutrients, digestible protein and starch value.) Ceskoslovenská Akademie Zemedelska. Sborník 12(3):252-257. 1937. German summary p.257. (Nutr. Abs. 8:1264)
231. HESSEL, F. A feed manufacturer looks at alfalfa meal. Feedstuffs 19(6):38,40,42. Feb.8,1947. Need of quality control.
232. HEUPKE, W., and SCHÖLLER, R. How can alfalfa be utilized for human needs? Pharmazeutische Industrie 10:160-162. (C.A. 38:5607) (not seen)
233. _____ and SCHÖLLER,R. Über die verwendung der luzerne als menschliches nahrungsmittel. Die Ernährung 7(6):161-166. June 1942. (C.A. 38:2761)
234. HEYWANG, B.W., and MORGAN, R.B. Loss, during storage, of vitamin A from alfalfa leaf meal fed to chickens. U.S. Dept. Agr. Tech. Bul.632. 8 pp. Wash.,D.C.,1939. (Expt.Sta.Rec. 30:814)
235. _____ and TITUS, H.W. Alfalfa leaf meal as a source of vitamin A for growing chickens. Jour.Agr.Res. 54(8):559-569. Apr.15,1937. (C.A.31:6298)
236. HIENTON, T.E., and HILTON, J.H. Chopping and storing alfalfa hay. Indiana Agr.Expt.Sta. Circ.221. 4 pp. Lafayette,1936.
237. HIGGINS, F.H. 30-minute hay for hens. Country Gent. 111(1):54. Jan.1941. A quick dehydration method is described.
238. HILDITCH, T.P., SIME, I.C., ZAKY, Y.A.H., and MEARA, M.L. The component acids of various vegetable fats. Soc. Chem. Indus. Jour. 63(4):112-114. Apr.1944. (C.A. 38:5421) Alfalfa seed oil incl.
239. HILL, K. Über luzerne-emulsin. Sächsische Akademie der Wissenschaften zu Leipzig. Mathematisch-Physische Klasse. Berichte 86(2):115-128. 1934. (C.A. 28:5843)
240. HILTON, J.H., HAUGE, S.M., and WILBUR, J.W. The vitamin A activity of butter produced by cows fed alfalfa hay and soybean hay cut in different stages of maturity. Jour. Dairy Sci. 18(12):795-800. Dec.1935. (Expt.Sta.Rec. 75:244)
241. _____ WILBUR, J.W., WESTFALL, R.J., and HAUGE, S.M. The availability of carotene in alfalfa as compared with carotene in oil. Jour. Dairy Sci. 25(8):696. Aug.1942. (C.A. 38:3695)
242. HIRST, E.L., JONES, J.K.N., and WALDER, W.C. Galactomannan of the lucerne seed. Chem.Soc. Jour. p.1443-6. Nov.1947. (C.A. 42:2249)
243. HODGSON, R.E., DAVIS, R.E., HOSTERMAN, W.H., and HIENTON, T.E. Principles of hay making. U.S. Dept. Agr. Yearbook,1948. Grass, p.161-167.
244. HOFFMAN, E.J. Oxidation and gas formation in the spontaneous heating of hay. Jour. Agr. Res. 51(6):527-546. Sept.15,1935. (C.A. 30:2387)

245. HOFFMAN, E.J., and BRADSHAW, M.A. Losses of organic substance in the spontaneous heating of alfalfa hay. *Jour. Agr. Res.* 54(3): 159-184. Feb. 1, 1937. (C.A. 31:4739)
246. _____, LUM, F.G., and PITMAN, A.L. Retention of carotene in alfalfa stored in atmospheres of low oxygen content. *Jour. Agr. Res.* 71(8):361-373. Oct. 15, 1945. (C.A. 40:2905)
247. HOLMES, H.N., and LEICESTER, H.M. The isolation of carotene. *Amer. Chem. Soc. Jour.* 54(2):716-720. Feb. 1932. (C.A. 26:1611)
248. HOSTERMAN, W.H. Problems in alfalfa meal standardization. *Feedstuffs* 1(25):12. Nov. 2, 1929..
249. HOU, H.C. The variation of vitamin C content in certain fruits and vegetables. *Chinese Jour. Physiol.* 10(2):221-236. May 15, 1936. (C.A. 30:6074)
250. HOUTS, O. Alfalfa as a medicine. *Chicago Med. Times* 22:283. 1899.
251. HUDSON, W.E. Studies of barn-dried hay. *Agr. Engin.* 22(5):170,172. May 1941. Centrifugal type blower and system of air ducts laid on mow floor used to dry alfalfa to-20 per cent. moisture.
252. HUNI, K. Der vitamin C gehalt verschiedener wiesenpflanzen, des wachsenden emdes und des dürrfutters verschiedenen gärungszustandes. *Schweizerische Landwirtschaftliche Monatshefte* 19:81-92. 1941. (Herb. Abs. 11, p.183)
253. HUFFMAN, C.F., and DUNCAN, C.W. The nutritive value of alfalfa hay. I. Cystine as a supplement to an all alfalfa hay ration for milk production. *Jour. Dairy Sci.* 25(6):507-515. June 1942. (Nutr. Abs. 12:1741)
254. _____ and DUNCAN, C.W. The nutritive value of alfalfa hay. II. Starch and glucose as supplements to an all alfalfa hay ration. *Jour. Dairy Sci.* 27(10):821-833. Oct. 1944. (C.A. 39:362)
255. HULTBERG, C.N. Pellets a new outlet. *Grain and Feed Journals Consolidated* 100:114-115. Feb. 11, 1948. Alfalfa meal pellets reduce storage and shipment space; also lower carotene losses.
256. HUNT, C.E., and BETHKE, R.M. The riboflavin content of certain hays and grasses. *Jour. Nutr.* 20(2):175-180. Aug. 1940. (C.A. 34:7473)
257. _____, RECORD, P.R., WILDER, W., and BETHKE, R.M. Factors influencing the vitamin-B and vitamin-G content of hays. *Ohio Agr. Expt. Sta. Bimo. Bul.* 18(1):104-106. Jan-Feb. 1933. (C.A. 28:809)
258. _____, RECORD, P.R., and BETHKE, R.M. Effect of the stage of maturity and method of curing upon the vitamin B and vitamin G content of alfalfa, clover, and timothy hays. *Jour. Agr. Res.* 51(3):251-258. Aug. 1, 1935. (C.A. 30:2277)
259. HUNTER, J.H. Alfalfa meal - the wonder ingredient. Chic. 1946. 4 p. (Amer. Dehydrators Assoc. Dehydrated alfalfa meal v.1, no.3)
260. HUNTER, J.E. Nutritional value of good alfalfa meal exceeds by far current selling price. *Feed Bag* 22(4):43-44. Apr. 1946. Gives dollars and cents value of vitamins and other nutrients.
261. _____ Role of alfalfa meal in feeding picture given very high rating. *Feedstuffs*. 18(7):14-15. Feb. 16, 1946. Money value of vitamins
262. _____ and PECK, L. Alfalfa, one of mother nature's contributions to better feeding. Chic., 1945. 4 pp. (Amer. Dehydrators Assoc. Dehydrated Alfalfa Meal v.1, no.1) Also in: *Feedstuffs* 18(2):12-13 Jan. 12, 1946 with title "Dehydrated alfalfa meal ..."

263. HURST, W.M., and KIESSELBACH, T.A. Drying alfalfa hay by forced draft with heated air. *Agr. Engin.* 10(7):218-220. July 1929.
264. IRELAND, J.C. Seasonal sugar variations in alfalfa. *Plant Physiol.* 14(2):381-384. Apr. 1939. (C.A. 33:8683)
265. JACOBSON, C.A. Alfalfa saponin. *Alfalfa investigations VII.* Amer. Chem. Soc. Jour. 41(4):640-648. Apr. 1919. (C.A. 13:2025)
266. Alfalfone, a ketone of the formula $C_{21}H_{42}O$, obtained from alfalfa. *Alfalfa investigation II.* Amer. Chem. Soc. Jour. 34(3): 300-302. Mar. 1912. (C.A. 6:1159)
267. Enzymes present in alfalfa seeds, *Alfalfa investigations IV.* Amer. Chem. Soc. Jour. 34(12):1730-1740. Dec. 1912. (C.A. 7:627)
268. Myristone obtained from alfalfa. Amer. Chem. Soc. Jour. 33(12):2048-2051. Dec. 1911. (C.A. 6:782) Following this article author has a note (p.2051-2) describing special extractor for his alfalfa investigations.
269. On the coloring matters in alfalfa, *alfalfa investigation III.* Amer. Chem. Soc. Jour. 34(9):1263-1266. Sept. 1912. (C.A. 7:1036)
270. and HOLMES, A. Alfalfa seed oil. *Alfalfa investigations VI.* Amer. Chem. Soc. Jour. 38(2):480-485. Feb. 1916. (C.A. 10:698)
271. and HOLMES, A. Enzymes present in alfalfa. *Alfalfa investigations V.* Amer. Chem. Soc. Jour. 36(10):2170-2182. 1914. (C.A. 8:3827)
272. JARETZKY, R. Über saponinvorkommen bei arten der gattung *Medicago*. *Angewandte Botanik* 22:147-156. 1940. (C.A. 35:5153)
273. JEFFRIES, H.S. The lipid fraction of lucerne leaf. *Chem. and Indus.* 20(30):324-325. July 25, 1942.
274. JOHNSON, H.W. Effect of leaf-hopper yellowing upon the carotene content of alfalfa. *Phytopathology* 26(11):1061-1063. Nov. 1936. (C.A. 31:798)
275. Further investigations of the carbohydrate-nitrogen relationship and carotene in leaf-hopper-yellowed and green alfalfa. *Phytopathology* 28(4):273-277. Apr. 1938. (C.A. 32:7072)
276. JONES, D.B., GERSDORFF, C.E.F., and MOELLER, O. The tryptophane and cystine content of various proteins. *Jour. Biol. Chem.* 62(1):183-195. Nov. 1924. (C.A. 19:2062)
277. JONES, W.N. Meeting competition with quality. *Amer. Dehydrators Assoc. Rept. of ann. meeting 1944*, p. 3-5. Also in *Feedstuffs* 17(1):22, 24. Jan. 6, 1945. Better quality and standards urged.
278. JUKES, T.H. Biological assay of lactoflavin with chicks. *Jour. Nutr.* 14(3):223-233. Sept. 10, 1937. (C.A. 31:8620)
279. and BABCOCK, jr., S.H. Experiments with a factor promoting growth and preventing paralysis in chicks on a simplified diet. *Jour. Biol. Chem.* 125(1):169-181. Sept. 1938. (C.A. 32:169)
280. KAISER, E.R. The use of bituminous coal in the dehydration of alfalfa and other forage crops. Columbus, Ohio, Battelle Memorial Institute, Research Lab., 1939. 22 pp. (Bituminous Coal Res., Inc. Information Bul. no.3) (C.A. 33:3479)
281. KANE, E.A., WISEMAN, H.G., and CARY, C.A. The loss of carotene in hays and alfalfa meal during storage. *Jour. Agr. Res.* 55(11): 837-847. Dec. 1, 1946. (C.A. 32:3504)

282. KANSAS. AGRICULTURAL EXPERIMENT STATION. Alfalfa. (Its Bul. 155, p.183-345. Manhattan, 1908. (Expt. Sta. Rec. 20:437)
283. KARRER, P., and GEIGER, A. Vitamin K aus alfalfa. Helvetica Chim. Acta 22:945-948. 1939. (C.A. 33:8191)
284. _____, GEIGER, A., LEGLER, R., RÜEGGER, A., and SALOMON, H. Über die isolierung des a-phyllochinons (Vitamin K aus alfalfa) sowie über dessen entdeckungsgeschichte. Helvetica Chim. Acta 22:1464-1470. 1939. (C.A. 34:2004)
285. KELLERMAN, J.H. Further observations on the cystine deficiency of lucerne proteins and the effect of heat and incubation upon their growth-promoting value. Onderstepoort Journal of Veterinary Science and Animal Industry 4(2):437-452. Apr. 1935. (Nutr. Abs. 5:3138)
286. KEMMERER, A.R. Report on carotene. Assoc. Off. Agr. Chem. Jour. 25(4):886. 1942. (C.A. 37:693)
287. _____ Report on carotene. Assoc. Off. Agr. Chem. Jour. 28(3): 563-67. Aug. 15, 1945. (C.A. 40:621)
288. _____ Report on carotene. Assoc. Off. Agr. Chem. Jour. 29(1): 18-24. Feb. 15, 1946. (C.A. 40:3203)
289. _____ Report on carotene in feeding stuffs. Assoc. Off. Agr. Chem. Jour. 26(1):77-81. Feb. 15, 1943. (C.A. 37:2840)
290. _____ Report on riboflavin. Assoc. Off. Agr. Chem. Jour. 28(3): 560-563. Aug. 15, 1945. (C.A. 40:620)
291. _____ and FRAPS, G.S. Nature of carotenes in alfalfa. Amer. Chem. Soc. Jour. 66(2):305-306. Feb. 1944. (C.A. 36:1477)
292. KERNOHAN, G. The determination of carotene in alfalfa. Pacific Rural Press 129(7):181. Feb. 16, 1935.
293. KIEFER, H.E. Artificial drying of alfalfa and other crops. Agr. Engin. 8(12):329-333. Dec. 1927. (Expt. Sta. Rec. 58:681)
294. KIESSELBACH, T.A., and ANDERSON, A. Quality of alfalfa hay in relation to curing practice. U.S. Dept. Agr. Tech. Bul. 235. 26 pp. Wash., D.C., 1931. (C.A. 25:2780)
295. KING, L.C., and BALL, jr., C.D. The sterols of alfalfa seed oil. I. Amer. Chem. Soc. Jour. 61(10):2910-2912. Oct. 1939. (C.A. 34:653)
296. _____ and BALL, C.D. The sterols of alfalfa seed oil. II. Isolation of B-spinasterol and β -spinasterol. Amer. Chem. Soc. Jour. 64(10):2488-2492. Oct. 1942. (C.A. 37:135)
297. _____, BALL, C.D., RIEGEL, B., SCHWEITZER, C.E., SMITH, P.G., and MEYER, E.W. The isolation of B-amyrin from the leaves and seeds of alfalfa. Amer. Chem. Soc. Jour. 65(6):1168-1170. June 1943. (C.A. 37:4589)
298. KING, W.A., CAMPBELL, H.A., RUPEL, I.W., PHILLIPS, P.H., and BOHSTEDT, G. Jour. Dairy Sci. 24(1):1-8. Jan. 1941. (C.A. 35:2569)
299. KIRSANOVA, N.A. O soderzhanii vitamina C i karotina v liutsernakh uzbekskoi SSR. Vitamin C and carotene in lucerne varieties. Biokhimia 9(2-3):113-118. 1944. Eng. summ. p. 118. (C.A. 39:362)
300. KISHLAR, L. Present problems -- and the amazing feed-trade future of dehydrated alfalfa. Amer. Miller and Processor 76(3):60, 62. Mar. 1948.
301. _____ Comparative nutritional values of sun-cured and artificially-cured alfalfa hay. Agr. Engin. 14(5):129-130. May 1933. (C.A. 27:5788)

302. KLAPP. Ertrags- und eiweissleistung der luzerne bei verschiedenen schnittthäusigkeiten. Deutsche Landwirtschafts-Gesellschaft. Mitteilungen 48(19):413-415. May 13, 1933. (C.A. 27:5839)
303. KLAPP, F. Die eiweissleistung der luzerne. Deutsche Landwirtschafts-Gesellschaft. Mitteilungen 48(46):999-1001. 1933. (Herb. Abs. 4:p.79)
304. KLEIN, G., ed. Handbuch der pflanzenanalyse. Wien, J. Springer, 1931-1933. 4 v. in 6. Consult its index under *Medicago sativa* L.
305. KLINGEBEL, A.A., and BROWN, P.E. Effect of applications of fine limestone: I. The yield and nitrogen content of sweet clover and alfalfa grown on Shelby loam and Clinton silt loam. Amer. Soc. Agron. Jour. 29(11):944-959. Nov. 1937. (C.A. 32:705)
306. _____ and BROWN, P.E. Effect of applications of fine limestone: II. The yield and nitrogen content of alfalfa grown on Tama silt loam from different areas. Amer. Soc. Agron. Jour. 29(12):978-989. Dec. 1937. (C.A. 32:1842)
307. _____ and Brown, P.E. Effect of applications of fine limestone: III. The yield and nitrogen content of inoculated and non-inoculated alfalfa grown on Shelby loam. Amer. Soc. Agron. Jour. 30(1): 1-9. Jan. 1938. (C.A. 32:3879)
308. KLINKOWSKI, M. Chlorophyldefekte der luzerne als ausdrucksformen verschiedener physiologische störungen. Phytopathologische Zeitschrift 6(5):531-537. 1933. (C.A. 28:558)
309. KNOTT, J.C., MURER, H.K., HODGSON, R.E., and OVERHOLSER, E.L. The digestibility and feeding value of apple and apple-alfalfa silage. Wash. Agr. Expt. Sta. Bul. 362. 20 pp. Pullman, 1938.
310. KRIDER, J.L. Alfalfa: key to greater profits in swine feeding. Feedstuffs 19(10):34, 51-54. Mar. 8, 1947. Vitamin values discussed.
311. KÜHN, G., HAASE, A., and BASCHE, H. Versuche über die ausnutzung der luzerne in frischen zustände und als heu. Landwirtschaftliches Versuchs-Stationen 16:81-125. 1873. (Chem. Soc. Jour. 1873:1156-7)
312. KUZMESKI, J.W. Riboflavin content of various products. Mass. Agr. Expt. Sta., Bul. 113, Control Ser., p.8-11. Amherst, 1942.
313. _____ Carotene content of alfalfa products. Mass. Agr. Expt. Sta. Bul. 113, Control Ser., p.5-7. Amherst, 1942.
314. LARSON, L. Study of dehydrated alfalfa. Flour and Feed 48(4):24. Sept. 1947. Mostly about alfalfa meal.
315. LAVENIR, P. Composición de las alfalfas. Argentine Republic. Ministerio de Agricultura. Boletín 16(5-6):581-596. Nov.-Dec. 1913. (Expt. Sta. Rec. 31:524)
316. LEAVENWORTH, C.S., WAKEMAN, A.J., and OSBORNE, T.B. Some basic substances from the juice of the alfalfa plant. Jour. Biol. Chem. 58(1):209-214. Nov. 1923. (C.A. 18:703)
317. LECLERC, H. Emploi thérapeutique de la luzerne. Presse Médicale 46(59):1156. July 23, 1938. (C.A. 33:3891)
318. LENZ, E.J. Dehydrating alfalfa; new use for natural gas in Mississippi. Western Gas 8(6):21, 61. June 1932.
319. LEONARD, O.A. Carotene in hay conserved by care in curing process. Mississippi Farm Research 2(11):2, 7. Nov. 1939. (C.A. 34:6379)
320. LEVY, L.F., and FOX, F.W. Antiscorbutic value of lucerne. Biochem. Jour. 29:884-888. 1935. (C.A. 29:5897)

321. LILLIE, R.J., and BRIGGS, G.M. Biological assay of folic acid activity in common feedstuffs. *Poultry Sci.* 26(3):289-294. May 1947. (C.A. 41:5929)
322. LINDSEY, J.B., and BEALS, C.L. I. The composition, digestibility and feeding value of alfalfa. II. The value of corn bran for milk production. *Mass. Agr.Expt.Sta. Bul.* 186, p.105-153. Amherst, 1918. (Expt.Sta.Rec. 41:275)
323. LINEWEAVER, H., and BALLOU, G.A. The effect of cations on the activity of alfalfa pectinesterase (pectase) *Arch. Biochem.* 6(3):373-387. May 1945. (C.A. 39:4099)
324. LIPMAN, J.G., and BLAIR, A.W. Influence of lime upon the yield of dry matter and nitrogen content of alfalfa. *New Jersey. Agr. Expt.Sta. Bul.* 316. 13 pp. New Brunswick, 1917.
325. LUGG, J.W.H. The amide, tyrosine and tryptophan contents and the sulphur distributions (cystine plus cysteine and methionine contents) of some plant leaf protein preparations. *Biochem.Jour.* 32:2123-2128. 1938. (C.A. 33:3015)
326. Preparation of some protein samples from the fresh leaves of plants and the sulphur distribution of the preparations. *Biochem. Jour.* 32:2114-2122. 1938. (C.A. 33:3016)
327. LUND, H. Undersøgelser over karotin i frisk og tørret lucerne. Study of carotene in fresh and dry lucerne. *Tidsskrift for Planteavl* 46:675-685. 1942. (C.A. 38:2998)
328. McCLURE, H.B. The artificial curing of alfalfa hay. *U.S. Bur. Plant Indus. Circ.* 116, p.27-31. Wash., D.C., 1913. (Expt.Sta.Rec. 28:830)
329. McCONKEY, O. Yield and chemical composition of pure species, strains and mixtures of grasses, clovers and alfalfa. *Sci.Agr.* 21(3):117-120. Nov. 1940. (C.A. 35:2628)
330. McCOOL, M.M. The nitrogen content of alfalfa. *Mich. Agr.Expt.Sta. Quart.Bul.* 8(3):122-124. Feb. 1926. (Expt.Sta.Rec. 55:32)
331. McLARTY, J.C., WILCOX, J.C., and WOODBRIDGE, C.G. A yellowing of alfalfa due to boron deficiency. *Sci.Agr.* 17(8):515-517. Apr. 1937. (C.A. 31:6797)
332. MAKHIJANI, J.K., and BANERJEE, B.N. Some experiments on the carotene content of grasses and concentrates and the feeding of Guinea grass to dairy cows. *Indian Jour. Vet. Sci. and Animal Husb.* 8(1):13-28. Mar. 1938. (C.A. 32:7157)
333. MARSTON, H.R., QUINLAN-WATSON, F., and DEWEY, D.W. The dehydration of lucerne (*Medicago sativa*) and its potentialities as a concentrated source of ascorbic acid and of carotene for human consumption. Australia. Council Sci. and Indus. Res. Jour. 16(3):113-124. Aug. 1943. (C.A. 38:806)
334. MARTIN, T.L. Influence of chemical composition of organic matter on rate of decomposition. *Amer.Soc. Agron. Jour.* 25(5):341-346. May 1933. (C.A. 27:3547)
335. MAUME, L. Contribution à l'étude de la composition chimique des plantes fourragères. *Annales Agronomiques* 10:15-55. 1940. (C.A. 34:5957)
336. Luzernes et farines de luzernes dans l'alimentation du bétail. Académie d'Agriculture de France. *Comptes Rendus* 25(9): 396-402. Mar. 8, 1939. (C.A. 33:4692)

337. MAY, F., and SCHULZ, A.S. Untersuchungen über die reservepoly-saccharide der pflanzen und ihre bedeutung für den tierschen organismus. I. Chemischer teil: Untersuchungen über das d-galacto-mannan der luzerne (*Medicago L.*) Zeitschrift für Biologie 97(2):201-217. 1936. (C.A. 30:8254)
338. MILLER, H.G. Distribution of nitrogen in the alfalfa seed. Amer. Chem. Soc. Jour. 43(4):906-913. Apr. 1921. (C.A. 15:1742)
339. — Nitrogen compounds in alfalfa hay. Amer. Chem. Soc. Jour. 43(12):2656-2663. Dec. 1921. (C.A. 16:1284)
340. MILLER, M.W., and BEARSE, G.E. A comparison of some vitamin A supplements for chick feeding. Wash. Agr. Expt. Sta. Bul. 292. 19 pp. Pullman, 1934. (C.A. 28:6457)
341. MILLER, R.C., and SHIER, G.R. Drying hay with forced ventilation. Agr. Engin. 24(5):143-145. May 1943. Abstract summary also in: Heating and Ventilating 40(6):95. June 1943 with title "Forced ventilation improves hay-making methods."
342. MILLS, R.C., and HART, E.B. Further studies on the stabilization of carotene in dehydrated alfalfa and cereal grasses. Jour. Dairy Sci. 28(4):339. Apr. 1945. (C.A. 39:3375)
343. — and HART, E.B. Studies on the stabilization of carotene in dehydrated feeds and foods. Jour. Dairy Sci. 28(1):1-13. Jan. 1945. (C.A. 39:3374)
344. MITCHELL, H.L., and HAUGE, S.M. Enzymic nature of the carotene-destroying system of alfalfa. Jour. Biol. Chem. 163(1):7-14. Apr. 1946. (C.A. 40:3784)
345. — and HAUGE, S.M. Factors affecting the enzymic destruction of carotene in alfalfa. Jour. Biol. Chem. 164(2):543-550. Aug. 1946 (C.A. 40:6566)
346. — and KING, H.H. Determination of carotene in alfalfa and cereal grasses. Anal. Chem. 20(7):637-638. July 1948. (C.A. 42:6959)
347. — and KING, H.H. Effect of dehydration on enzymic destruction of carotene in alfalfa. Jour. Biol. Chem. 166(2):477-480. Dec. 1946. (C.A. 41:1351)
348. —, SCHRENK, W.G., and KING, H.H. Effect of high-moisture storage on preservation of carotene in dehydrated alfalfa meal. Arch. Biochem. 16(3):343-348. Mar. 1948. (C.A. 42:4691)
349. MOORE, L.A. Determination of carotene in plant material. Indus. and Engin. Chem. Anal. Ed. 12(12):726-729. Dec. 15, 1940. (C.A. 35:1079)
350. MORGAL, P.W., PETERING, H.G., and MILLER, E.J. Isolation of unsaponifiable constituents from green plant tissue; improvements in processing dehydrated alfalfa meal. Indus. and Engin. Chem. 33(10): 1298-1302. Oct. 1941. (C.A. 35:8137)
351. MORRIS, R.H., COLKER, D.A., and CHERNOFF, M.F. Vegetable wastes, availability and utilization. Phila., Eastern Regional Research Lab., 1944. 6 pp. 26 tables, 51 charts. (U.S. Bur. of Agr. and Indus. Chem. AIC-51) Processed. (C.A. 39:3601)
352. MORRISON, F.B. Feeds and feeding, a handbook for the student and stockman. 20th ed. Ithaca, N.Y., Morrison Pub. Co., 1939. 1050 pp.
353. MOYER, L.S., and FISHMAN, M.M. The chlorophyll-protein complex. II. Species relationships in certain legumes as shown by electric mobility curves. Bot. Gaz. 104(3):449-454. Mar. 1943. (C.A. 37:3127)

354. MOYER, T.D., and HILL, jr., G.R. Absorption of sulphur dioxide by alfalfa and its relation to leaf injury. *Plant Physiol.* 10(2): 291-307. Apr.1935. (C.A. 29:5479)
355. MUNSELL, R.I., and BROWN, B.A. The boron content of certain forage and vegetable crops. *Amer.Soc. Agron.Jour.* 35(5):401-408. May 1943. (Expt.Sta.Rec.89:428)
356. MUNTZ, A., and GIRARD, A.C. Recherches sur la valeur alimentaire de la luzerne. *Annales Agronomiques* 24:5-39. 1898.(Chem.Zentr. 1899:306-7)
357. MUSSEHL, F.E. Alfalfa in turkey rations. *Feedstuffs* 19(17):36-37. Apr.26, 1947. Also in: *Flour and Feed* 47(10):24,26.Mar.1947. Carotene value of dry alfalfa.
358. MYBURGH, S.J. The carotene content of some South African feeds. *Onderstepoort Journal of Veterinary Science and Animal Industry* 5(2):475-582. Oct.1935. (C.A. 30:3903)
359. NELSON, W.L., LCOSI, J.K., LOFGREEN, G., and YAGER, M. Carotene retention in alfalfa meal; effect of blanching, packaging, and storage temperature. *Indus. and Engin. Chem.* 40(11):2196-2198. Feb.1948.
360. NEW ZEALAND. DEPT. OF SCIENTIFIC AND INDUSTRIAL RESEARCH... Research work at Canterbury Agricultural College,Lincoln. (In its Ann. Rept. 1936/37, p.81-85. Nutritional value of lucerne juice on p.85)
361. NEWLANDER, J.A., ELLENBERGER, H.B., CAMBURN, C.N., and JONES,C.H. The conservation of alfalfa, timothy and soybean nutrients as silages and as hays. *Vermont Agr.Expt.Sta. Bul.*459. 42 pp. Burlington,1940.
362. NITZSCHE, M. Ueber das verdauliche eiweiss und sein verhalten bei der künstlichen trocknung von luzerne. *Die Deutsche Zucker-industrie* 64(20):539-540, 542, 544, 546, 548-549. May 20,1939. (C.A. 35:6346)
363. NUCCORINI, R., and GIACOMELLI, G. Germinabilità e catalasi dei semi. R. Istituto Superiore Agrario,Pisa. *Bollettino* 6:321-335. 1930. (C.A. 25:4020)
364. OAKLEY, R.A., and WESTOVER, H.L. Utilization of alfalfa. U.S. Dept.Agr. Farm.Bul.1229. 44 pp. Wash.,1921. (Expt.Sta.Rec.46:531)
365. OHIO. AGRICULTURAL EXPERIMENT STATION. Stage of maturity of hays, as it affects their biological and chemical analysis. (In its Ann.Rept. 1931/32, p.89-90. Wooster,1932. (C.A. 28:1385)
366. OSBORNE, T.B., and MENDEL, L.B. Nutritive factors in plant tissues. II. The distribution of water-soluble vitamine. *Jour. Biol. Chem.* 39:29-34. 1919. (C.A. 13:3214)
367. _____ and MENDEL, L.B. Nutritive factors in plant tissues. III. Further observations on the distribution of water-soluble vitamine. *Jour.Biol.Chem.* 41(3):451-468. Mar.1920. (C.A. 14:2364)
368. _____ and MENDEL, L.B. Nutritive factors in plant tissues. IV. Fat-soluble vitamine. *Jour.Biol.Chem.* 41(4):549-565. Apr.1920. (C.A. 14:1701)
369. _____ and MENDEL, L.B. The vitamines in green foods. *Jour. Biol.Chem.* 37(1):187-200. (C.A. 13:1488)

370. OSBORNE, T.B., WAKEMAN, A.J., and LEAVENWORTH, C.S. The proteins of the alfalfa plant. *Jour. Biol. Chem.* 49(1):63-91. Nov. 1921. (C.A. 16:724)
371. _____, WAKEMAN, A.J., and LEAVENWORTH, C.S. The water-soluble constituents of the alfalfa plant. *Jour. Biol. Chem.* 53(2):411-429. Aug. 1922. (C.A. 16:3682)
372. PARKER, E.C., and HOSTERMAN, W.H. High-grade alfalfa hay: methods of producing, baling, and loading for market. U.S. Dept. Agr. Farm. Bul. 1539. 30 pp. Wash., D.C., 1936.
373. PATRICK, H., and MORGAN, C.L. The comparative biological value of crystalline riboflavin, alfalfa leaf meal, and *Lespedeza* meals as sources of riboflavin for chicks. *Poultry Sci.* 23(2):142-145. Mar. 1941. (C.A. 38:5897)
374. PAYNE, L.F., and GISH, C.L. Grass and alfalfa as silage, forage and meal for poultry. Kansas. Agr. Expt. Sta. Bul. 320. 46 pp. Manhattan, 1943. (C.A. 40:4780)
375. PETERING, H.G., MORGAL, P.W., and MILLER, E.J. Isolation of carotene from green plant tissue. *Indus. and Engin. Chem.* 32(10):1407-1412. Oct. 1940. (C.A. 34:7331)
376. _____, MORGAL, P.W., and MILLER, E.J. Lipides isolated from alfalfa-leaf meal. *Indus. and Engin. Chem.* 33(11):1428-1432. Nov. 1941. (C.A. 36:183)
377. PETERS, M.F. Alfalfa dehydrating helps farmers. *Gas age* 90(6): 22-23. Sept. 10, 1942. Includes equipment information.
378. PETFRSON, E.E., and SCHØNHEYDER, F. Some remarks on the kinetics of the carotene loss in dried vegetables. *Acta Physiologica Scandinavica* 9:50-56. 1945. (C.A. 39:4994)
379. PHILLIPS, M., and DAVIS, B.L. Hemicelluloses of alfalfa hay. *Jour. Agr. Res.* 60(11):775-780. June 1, 1940. (C.A. 34:7473)
380. PHILLIPS, M., GOSS, M.J., BEAVFNS, F.A., and JAMES, L.H. A study of the microbiological decomposition of the constituents of alfalfa hay and its application to spontaneous heating. *Jour. Biol. Chem.* 29(1):83-84. Jan. 1935. (C.A. 29:1172)
381. PHILLIPS, R. Lucerne (alfalfa) a new food for your menu. *Organic gardening* 5(6):14-15. Nov. 1944. Use of fresh and dried alfalfa.
382. PITTMAN, D.W. Effect of manure and of phosphorus fertilizer on the yield and composition of alfalfa hay. *Utah. Agr. Expt. Sta. Bul.* 247. 12 pp. Logan, 1934. (C.A. 28:5164)
383. QUACKENBUSH, F.W., STEENBOCK, H., and PFTTERSON, L.H. The effect of acids on carotenoids. *Amer. Chem. Soc. Jour.* 60(12):2937-2941. Dec. 1938. (C.A. 33:1002)
384. QUICK, A.J. The coagulation defect in sweet clover disease and in the hemorrhagic chick disease of dietary origin. A consideration of the source of prothrombin. *Amer. Jour. Physiol.* 118(2):260-271. Feb. 1, 1937. (C.A. 31:2660)
385. RAMSAY, A.A. The lime and phosphoric acid content of lucerne. *Agr. Gaz. of New South Wales* 42(11):855-863. Nov. 1931. (Nutr. Abs. 1:2229)
386. RATHER, H.C., and HARRISON, C.M. Starch reserves in the roots of pastured alfalfa when grown alone and in mixtures. *Mich. Agr. Expt. Sta. Quart. Bul.* 21(4):281-291. May 1939. (C.A. 34:2415)

387. RECH, F.A. Preserving alfalfa meal nutrients. *Feedstuffs* 19(6): 22-24. Feb. 8, 1947. Vitamin value of dehydrated alfalfa meal.
388. RECORD, P.R., BETHKE, R.M., and WILDER, O.H.M. Observations on the stability of carotene and vitamin A in a mixed ration. *Ohio Agr.Expt.Sta. Bul.* 579., p.91. Wooster, 1937. (C.A. 31:8622)
389. REISER, R. A study of lipids in commercial feeds. *Amer.Oil Chemists' Society. Jour.* 24(6):199-201. June 1947. (C.A. 41:4869)
390. REWALD, B. Phosphatide in chlorophyllhaltigen organen. *Biochemische Zeitschrift* 289(1/2):73-75. 1937. (C.A. 31:2240)
391. RICHARDSON, H.E. The handling, processing and storing of legume crops for feed. *Agr. Engin.* 16(12):469-471. Dec. 1935. (Expt. Sta.Rec. 71:707)
392. RIEGEL, B., SCHNEITZER, C.F., and SMITH, P.G. The physiochemical concentration of vitamin K. *Jour.Biol.Chem.* 129(2):195-501. Aug. 1939. (C.A. 33:7855)
393. ROADHOUSE, C.L., and HENDFRESON, J.L. The relation of the soluble portion of alfalfa to the rapid absorption of feed flavor in milk. *Jour.Dairy Sci.* 15(4):299-302. July 1932. (Nutr.Abs.2:1766)
394. ROBERTS, E.J. The artificial drying of grass in Britain. *Herb. Reviews* 5(2):65-73. June 1937. Applicable to alfalfa also.
395. ROBERTS, W.L., and LINK, K.P. A precise method for the determination of coumarin, melilotic acid, and coumaric acid in plant tissue. *Jour. Biol.Chem.* 119(1):269-281. June 1937. (C.A. 31:6286)
396. ROCHE, B.H. Storing chopped alfalfa hay in ventilated containers. *Amer.Soc. of Animal Prod. Record of Proc.* 28:259-262. 1935. Pub. 1936. (Expt.Sta.Rec. 76:703)
397. ROCKWELL, G.E. Milk sensitization. *Jour.of Allergy* 13:404-406. May 1942. Alfalfa allergy
398. ROSS, W.F. The spectroscopic identification of phenylalanine in protein material. *Jour.Biol.Chem.* 104(3):531-532. Mar. 1934. (C.A. 28:3132)
399. ROSSIGNOLI, P. Studio del processo al solfato neutro per la fabbricazione di cellulosa da vegetali nazionali. *L'Industria della Carta* 5(12):451-456. Dec. 1938. (C.A. 33:1017)
400. RUSCHMANN, G., and BARTRAM, H. Einsäuerung von saft aus jungen, eiweißreichen grünfutter. II. Mitteilung. Einstäuerungsversuche mit Defulösung. *Zeitschrift für Tiernährung und Futtermittelkunde* 6:252-267. 1943. (C.A. 38:5609)
401. RUSSELL, W.C. The effect of the curing process upon the vitamin A and D content of alfalfa. *Jour.Biol.Chem.* 85(1):289-297. Dec. 1929. (C.A. 21:1140)
402. _____, TAYLOR, M.W., and CHICHESTER, D.F. The effect of the curing process upon the carotene and vitamin A content of alfalfa. *New Jersey.Agr.Expt.Sta. Bul.* 560. 8 pp. New Brunswick, 1934. (C.A. 28:6788)
403. ST. JOHN, J.L. Report on ash. *Assoc. Off. Agr.Chem. Jour.* 25(4): 857-864. 1942. (C.A. 37:692)
404. SARKAR, B.C.R., and SEN, K.C. A study of the vitamin A activity of carotene in green fodder. *Jour. Agr.Sci.* 36(2):95-99. Apr. 1946
405. SCHAEFER, H.C. Alfalfa as a source of carotene. *Flour and Feed* 49(6):16-17. Nov. 1948. Also in: *Feedstuffs* 20(46):31-38, 40. Nov. 13, 1948.

406. SCHAEFER, H.C. Effect of artificial and natural dehydration on nutritional value of alfalfa hay. Feedstuffs 4(25):14. June 18, 1932. No marked superiority in artificial drying.
407. SCHELLENBACH, O. Artificial drying of forage crops. Monthly Bul. Agr. Sci. and Practice (International Inst. of Agr.) 22(11):436-438T. 1931. (Herb.Abs. 2:8)
408. SCHEUNERT, A., and SCHIEBLICH, M. Über den einfluss künstlicher und natürlicher trocknung auf den vitamingehalt der luzerne. Biedermann's Zentralblatt für Agrikulturchemie und Rationellen Landwirtschaftsbetrieb. Abt.B. Tierernährung 6:112-132. 1934. (Nutr.Abs. 4:1142)
409. SCHMIDT, J., and KLIJESCH, J. Untersuchungen über die trocknungskosten und nährstoffverluste verschiedener grünfutterarten und zuckerrübenblätter bei künstlicher trocknung. Forschungsdienst 12:592-600. 1941. (C.A. 37:3849)
410. SCHNFIDER, B.H. Feeds of the world, their digestibility and composition. Morgantown, West Va., Agr.Expt.Sta.,1947. 299 pp.
411. SCHRENK, W.G., and KING, H.H. Vapor pressure of water adsorbed on dehydrated alfalfa. Indus. and Engin.Chem. 39(9):1165-1167. Sept.1947. (C.A. 41:6641)
412. SCHUETTE, H.A., and VOGEL, H.A. Does margaric acid occur in alfalfa seed oil. Oil and Soap 16(1):16-19. Jan.1939. (C.A. 33:1977)
413. _____ and VOGEL, H.A. Note on the detection of myristic acid in alfalfa seed oil. Oil and soap 16(11):223. Nov.1939. (C.A. 34:278)
414. _____ VOGEL, H.A., and MARTINEE, C.H. Alfalfa seed oil. Oil and soap 15(2):35-36. Feb.1938. (C.A. 32:2768)
415. SCHULZE, E., and STEIGER, E. Über das vorkommen eines unlöschen schleimsäuregebenden kohlenhydrate in rotklee- und luzerne-pflanzen. Landwirtschaftliches Versuchs-Stationen 36:9-13. 1889. (Chem. Soc.Jour. 1888,II:643)
416. SCHUNK de GOLDFIEM, J. Phytothérapie algérienne. Les luzernes. Revue de Pathologie Comparée et d'Hygiène Générale 46:303-306. Mar./Apr.1946. Therapeutic uses of alfalfa.
417. SCRIPTURE, P.N., and McHARGUE, J.S. Effect of boron deficiency on the soluble nitrogen and carbohydrate content of alfalfa. Amer. Soc.Agron.Jour. 35(11):988-992. Nov.1943. (C.A. 38:609)
418. SESHAN, P.A., and SEN, K.C. Studies on carotene in relation to animal nutrition. pt.I. The technique of carotene estimation in feeding stuffs. pt.II. The development and distribution of carotene in the plant and the carotene content of some common feeding stuffs. Jour. Agr. Sci. 32:194-201; 202-215. 1942. (Herb.Abs. 12:1140)
419. SHEPHERD, J.B., HODGSON, R.E., ELLIS, N.R., and McCALMONT, J.R. Ensiling hay and pasture crops. U.S.Dept.Agr. Yearbook of Agri. 1948, Grass, p.178-190.
420. _____ and WOODWARD, T.W. Further investigations in chopping alfalfa hay at the time of storage. Jour.Dairy Sci. 21(2):89-96. Feb.1938.
421. SHERMAN, W.C., ELVEHJEM, C.A., and HART,E.B. Further studies on the availability of iron in biological materials. Jour.Biol.Chem. 107(2):383-394. Nov.1934. (C.A. 29:497)

422. SHIER, G.R. Trends in hay curing and storage. *Agr. Engin.* 24(5): 150,159. May 1943. Forced air ventilation increasing.
423. SHUEY, R.C. An investigation of the diastase of alfalfa and the effect of rapid curing upon the food value of alfalfa. *Jour. Indus. and Engin. Chem.* 6(11):910-919. Nov. 1914. (C.A. 8:3827)
424. SIEGL, G. Investigation of alfalfa hay. I. *Mezőgazdasági Kutatások* 15:219-226. 1942. (C.A. 38:4715) Original not seen
425. SILKER, R.E., and KING, H.H. Handling fresh alfalfa before dehydration. *Indus. and Engin. Chem.* 39(9):1163-1165. Sept. 1947. (C.A. 41:6641)
426. _____, SCHRENK, W.G., and KING, H.H. Carotene content of alfalfa, retention on dehydration and storage. *Indus. and Engin. Chem.* 36(9):831-835. Sept. 1944. (C.A. 38:5607)
427. _____, SCHRENK, W.G., and KING, H.H. Determination of carotene in dehydrated alfalfa; a simplified method. *Indus. and Engin. Chem. Anal. Ed.* 16(8):513-515. Aug. 1944. (C.A. 38:5018)
428. _____, SCHRENK, W.G., and KING, H.H. Storage of commercial dehydrated alfalfa meal. *Indus. and Engin. Chem.* 39(9):1160-1162. Sept. 1947. (C.A. 41:6641)
429. SLUSHER, M.W., and FIELDER, V.B. Harvesting methods and costs for alfalfa and other hay crops in Mississippi county, Arkansas, 1945. Arkansas. *Agr. Expt. Sta. Bul.* 481. 35 pp. Fayetteville, 1948.
430. SMITH, F.M., SCHRENK, W.G., and KING, H.H. Survey of the boron content of Kansas-grown alfalfa. *Kansas Acad. Sci. Trans.* 50:342-348. 1947.
431. SMITH, H.J. Plant pigments and their purposes. *Flour and Feed* 47(9):14-15. Feb. 1947. Also in: *Feedstuffs* 19(9):50-54. Mar. 1, 1947.
432. SMITH, J.H.C., and MILNER, H.W. Carotene. VII. Physical properties of carotene from different plant sources. *Jour. Biol. Chem.* 104(2):437-447. Feb. 1934. (C.A. 28:3077)
433. SMITH, M.C. The effect of storage upon the vitamin A content of alfalfa hay. *Jour. Agr. Res.* 53(9):681-684. Nov. 1, 1936. (C.A. 31:1903)
434. _____ and BRIGGS, I.A. The antirachitic value of alfalfa as affected by exposure to sunshine in the curing process. *Jour. Agr. Res.* 46(3):235-240. Feb. 1, 1933. (C.A. 27:2988)
435. _____ and BRIGGS, I.A. The vitamin A content of alfalfa as affected by exposure to sunshine in the curing process. *Jour. Agr. Res.* 46(3):229-234. Feb. 1, 1933. (C.A. 27:2988)
436. SMITH, W.K. The alleged protective action of alfalfa against the hemorrhagic sweetclover disease. *Jour. Agr. Res.* 59(3):211-215. Aug. 1, 1939. (C.A. 33:9474)
437. _____ Failure of alfalfa to prevent the hemorrhagic sweetclover disease. *Science*, (n.s.) 87(2262):419. May 6, 1938. (C.A. 32:5043)
438. SNIDER, H.J. Alfalfa a superior hay. *Hoard's Dairyman* 88(9):284-285. May 10, 1943.
439. SNYDER, H., and HUMMEL, J.A. 1. Alfalfa, its chemical development, feeding value and digestibility. 2. The digestibility of hog millet. *Minn. Agr. Expt. Sta. Bul.* 80, p.119-180. St. Anthony Park, Minn., 1903. (Expt. Sta. Rec. 14:958)
440. SNYDER, H.W., and MOORE, L.A. The carotene content of several herbages during the growing season. *Jour. Dairy Sci.* 23(5):363-371. May 1940. (C.A. 34:4480)

441. SÖDERBAUM, H.G. Om den kemiska sammansättningen af några bal-jväxter under olika utvecklingsheden. K. Landtbruks-Akademien, Stockholm. Tidskrift 40(5-6):364-381. 1901. «Chemical composition of some leguminous plants at different stages of development, (Expt.Sta.Rec. 14:236)
442. SOTOLA, J. Biological values of the proteins, digestion coefficients of organic nutrients, and calcium and phosphorus balances of lamb rations consisting of alfalfa leaves and stems. Amer. Soc. of Animal Prod. Record of Proc. 25:200-204. 1932. pub.1933. (Nutr.Abs. 3:1201)
443. ————— The chemical composition and nutritive value of certain cereal hays as affected by plant maturity. Jour.Agr.Res. 54(6): 399-415. Mar.15,1937. (C.A. 31:6756)
444. ————— The nutritive value of alfalfa leaves and stems. Jour. Agr.Res. 47(12):919-945. Dec.15,1933. (C.A. 28:3774)
445. ————— Relation of maturity to the nutritive value of first, second, and third cuttings of irrigated alfalfa. Jour.Agr.Res. 35(4):361-383. Aug.15,1927.
446. SPRINGER, N. Alfalfa dehydrating plant is started in south New Mexico. Western Farm Life 49(2):32. Jan.15,1947.
447. SPUR, B Umelé susení zelené píce, zvkisté vojtesky Artificial drying of green fodder, especially of lucerne, Ceskoslovenske Akademie Zemedelski. Vestnik 14:322-329. 1938. German summary p.329. (Brit.Abs. 1938 B:1096)
448. STAMESI, P., and FALABELLA, E. Preparacion de platos con alfalfa. Asociacion Argentine Dietologia. Revista 1:148-151. Apr./June 1943. (Nutr.Abs. 14:2579)
449. STAMMER, F. Vegetable proteins. Gelatine, Leim, Klebstoffe 11:306 1943. (C.A. 38:5998) Original not seen.
450. STEENBOCK, H. Isolation and identification of stachydrin from alfalfa hay. Jour. Biol.Chem. 35(1):1-13. July 1918.(C.A.12:1993)
451. ————— The isolation of stachydrin from alfalfa hay. Amer.Soc. Biol.Chemists. Proc. 11th ann.meeting,p.xxvii. 1917 (In Jour. Biol.Chem. vol.29) (C.A. 11:3047)
452. ————— and BOUTWELL, P.W. Fat-soluble vitamine. V. Thermostability of the fat-soluble vitamine in plant materials. Jour. Biol. Chem. 41(2):163-171. Feb.1920. (C.A. 14:1362)
453. ————— and BOUTWELL, P.W. Fat-soluble vitamine. VI. The extractability of the fat-soluble vitamine from carrots, alfalfa, and yellow corn by fat solvents. Jour. Biol. Chem. 42(1):131-152. May 1920. (C.A. 14:3451)
454. ————— and GROSS, E.G. Fat-soluble vitamine. IV. The fat-soluble vitamine content of green plant tissues together with some observations on their water-soluble vitamine content. Jour.Biol. Chem. 41(2):149-162. Feb.1920. (C.A. 14:1361)
455. —————, NELSON, M.T., and BLACK, A. Fat-soluble vitamins. XX. A modified technique for the determination of vitamin A. Jour. Biol.Chem. 62(1):275-286. Dec.1924. (C.A. 19:2067)

456. STERE, J.B. Mow curing of partly cured hay. *Agr. Engin.* 24(6):188. June 1943. Forced air ventilation method at Leete Farm, Pa.
457. STEWART, R. El secamiento de la alfalfa. *La Hacienda* 24(4):150-152. Apr. 1929.
458. STEYN, D.G. Poisonous stockfeeds. *Farming in South Africa* 14(159):243-245. June 1939. (C.A. 33:9474)
459. Recent investigation into the toxicity of known and unknown plants in the Union of South Africa. VIII. *Onderstepoort Journal of Veterinary Science and Animal Industry* 9(2):573-583. Oct. 1937. p.578-9. *Medicago sativa L.* (C.A. 32:7572)
460. The toxicology of plants in South Africa. *South Africa Central News Agency*, 1934. 631 pp. p.97-100. *Medicago Sativa L.* Gives active principle, toxicity, treatment and prevention.
461. STITT, R.E. A comparison of the dry matter content of annual lespedezas, alfalfa, and soybeans. *Amer. Soc. Agron. Jour.* 26(6):533-535. June 1946. (C.A. 28:5095)
462. STOCKSTAD, E.L.R., and MANNING, P.D.V. Evidence of a new growth factor required by chicks. *Jour. Biol. Chem.* 125(2):687-696. Oct. 1938. (C.A. 32:9198)
463. STONE, R.W., BECHDEL, S.I., McAULIFFE, H.D., MURDOCK, F.R., and MALZAHN, R.C. The fermentation of alfalfa silage. *Penn. Agr. Expt. Sta. Bul.* 444. 17 pp. State College, 1943. (C.A. 37:6052)
464. STRATMAN-THOMAS, W.K. On the supposed antagonism between alfalfa and malaria. *Amer. Jour. Hyg.* 14(2):394-410. Sept. 1931. Plantings of alfalfa do not protect from malaria except to the extent that drainage needed for best cultivation of alfalfa, and the resulting coincidence in decline of malaria.
465. STUBBLEFIELD, F.M., and DETURK, E.E. Effect of ferric sulfate in shortening Kjeldahl digestion. *Indus. and Engin. Chem.* 12(7):396-399. July 15, 1940. (C.A. 34:5782)
466. SVOBODA, F. Biologická hodnota bilkoviny u některých důležitých krmivech s ohledem na jejího ulivu na uzrůst zvocesného organismu. Biological value of protein in various fodders from the viewpoint of its effect on growth. *Ceskoslovenska Akademie Zemědelská. Vestník* 8(9-10):747-750. 1932. (C.A. 28:3447)
467. SWANSON, C.O., CALL, L.E., and SALMON, S.C. Losses of organic matter in making brown and black alfalfa. *Jour. Agr. Res.* 18(6):299-304. Dec. 15, 1919. (C.A. 14:990)
468. and LATSHAW, W.L. Chemical composition of alfalfa as affected by stage of maturity, mechanical losses, and condition of drying. *Jour. Indus. and Engin. Chem.* 8(8):726-729. Aug. 1916. (C.A. 10:2252)
469. and TAGUE, E.L. Chemical studies in making alfalfa silage. *Jour. Agr. Res.* 10(6):275-292. Aug. 6, 1917. (Expt. Sta. Rec. 37:709)
470. and TAGUE, E.L. Chemistry of sweet-clover silage in comparison with alfalfa silage. *Jour. Agr. Res.* 15(2):113-132. Oct. 14, 1918. (C.A. 13:486)
471. TAYLOR, M.V. Stability of provitamin A in alfalfa and silage. *New Jersey Agr.* 16(6):3. Nov.-Dec. 1934. (C.A. 30:530)

472. TEST, W.H. The processing of alfalfa. Pacific Rural Press
 135(13):379. Mar.26,1938. Also in Feedstuffs 10(15):9.
 Apr.9,1938. Vitamin content discussed, also need of quality.
473. THAYER, S.A., MacCORQUODALE, D.W., BINKLEY, S.B., and DOISY, E.A.
 The isolation of a crystalline compound with vitamin K activity.
 Science (n.s.) 88(2280):243. Sept.9,1938. (C.A. 32:8499)
474. THOMAS, M.D. Automatic apparatus for determination of small con-
 centrations of sulfur dioxide in air.III. Indus. and Engin.
 Chem. 4(3):253-256. July 15,1932. (C.A. 26:4508)
475. _____, HENDRICKS, R.H., and HILL, G.R. Some chemical reactions
 of sulphur dioxide after absorption by alfalfa and sugar beets.
 Plant Physiol. 19(2):212-226. Apr.1944. (C.A. 38:5261)
476. THOMPSON, S.H., jr., and TOTTINGHAM, W.E. Hexose-phosphate in
 alfalfa hay. Plant Physiol.16(1):212-213. Jan.1941. (C.A.37:475)
477. TITUS, H.W. A current and postwar program for manufacturers of
 alfalfa products. Amer. Dehydrators Assoc. Report of Ann.
 Meeting 1944, p.5-8; Also issued in Feedstuffs 16(53):16-21.
 Dec.30,1948 with title "A program for manufacturers of alfalfa
 products". Better quality and standards; research program urged.
478. _____ Dehydrated alfalfa meal, a protective feed for poultry.
 Chic.,1946. 8 pp. (Amer.Dehydrators Assn. Dehydrated Alfalfa
 Meal,v.1 no.2) Also in Feedstuffs 18(19):30-32,34,36. May 11,
 1946. Vitamin content per pound of alfalfa meal given.
479. TOBISKA, J.W., VAIL, C.E., and DOUGLASS, E. Alfalfa hay, war-
 important feed, is shown to vary considerably in mineral makeup.
 Colo. Agr. Expt. Sta. Colo.Farm Bul. 4(3):24-26.July-Sept.1942.
480. TOWNSEND, T.H. Five minute alfalfa on this farm; Director George
 W.Slocum manufactures hundreds of tons of alfalfa meal using
 latest harvesting and curing equipment. Dairymen's League
 News 29(19):3,20. Sept.11,1945.
481. TRAMONTANO-GUERRITORES, M., and DE GORI, R. La composizione
 chimica ed il valore alimentare di alcuni foraggi della
 Tripolitania. L'Agricoltura Coloniale (Italy) 32(4):184-185.
 Apr.1938. (C.A. 32:6352)
482. TURK, K.L., MORRISON, F.B., and MAYNARD, L.A. The nutritive
 value of the proteins of alfalfa hay and clover hay when fed
 alone and in combination with the proteins of corn. Jour.
 Agr. Res. 48(6):555-570. Mar.15,1934. (C.A. 28:5509)
483. TURNER, W.A., and HARTMAN, A.M. The non-volatile organic acids
 of alfalfa. Amer.Chem.Soc. Jour. 47(7):2044-2047. July 1925
 (C.A. 19:2689)
484. U.S. AGRICULTURAL RESEARCH ADMINISTRATION. New industrial uses
 seen for alfalfa. Wash.,D.C.,1947. 2 pp. (Press release 2421-47)
485. URBANEK, L. Vizsgálatok a kolorimetriás foszformeghatározási
 módszer használhatóságáról. Examination of the reliability of
 phosphoric acid determinations by colorimetry. Mezőgazdasági
 kutatások 4:163-174. 1931. Ger.summary p.173-4.(C.A.26:2671)
486. URBÁNYI, L. Adatok a lucernaszéna összetélezhez, valamint a
 lucernaliszt etetésének kérdéséhez. Composition of alfalfa and
 feeding value of alfalfa meal. Mezőgazdasági kutatások 8(1):
 1-6. Jan.1935. Ger.summary p.6. (Nutr.Abs. 5:1234)
487. USUELLI, F., and BEBI, F. La vitamina antineuritica nelle foglie
 fresche di Hedysarum coronarium e di Medicago sativa. Società
 Italiana di Biologia Sperimentale.Bulletino 13(2):46-48.Feb.1938.
 (C.A. 32:4635)

488. VAIL, C.E., TOBISKA, J.W., and DOUGLASS, E. Further studies on vitamins in alfalfa hay. Colo. Agr.Expt.Sta. Tech.Bul.18. 19 pp. Fort Collins, 1936. (C.A. 31:6366)
489. VANCE, J.L. New industry calling for natural gas: alfalfa dehydration. Amer. Gas Jour. 133(6):37-38. Dec. 1930.
490. VANDECAYE, S.C., and BOND, L.V. Yield and composition of alfalfa as affected by various fertilizers and soil types. Amer.Soc. Agron. Jour. 28(7):491-505. July 1936.(C.A. 30:6111)
491. VICKERY, H.B. Some nitrogenous constituents of the juice of the alfalfa plant. I. The amide and amino acid nitrogen. Jour. Biol.Chem. 60(3):647-655. July 1924. (C.A. 18:3407)
492. Some nitrogenous constituents of the juice of the alfalfa plant. II. The basic nitrogen. Jour.Biol.Chem. 61(1):117-127. Aug.1924. (C.A. 18:3407)
493. Some nitrogenous constituents of the juice of the alfalfa plant. IV. The betaine fraction. Jour.Biol.Chem. 65(1):81-89. Aug.1925. (C.A. 19:3513)
494. Some nitrogenous constituents of the juice of the alfalfa plant. VI. Asparagine and amino acids in alfalfa. Jour.Biol. Chem. 65(3):657-664. Oct.1925 (C.A.20:615)
495. and LEAVENWORTH, C.S. Some nitrogenous constituents of the juice of the alfalfa plant. III. Adenine in alfalfa. Jour. Biol.Chem. 63(3):579-583. Apr.1925. (C.A. 19:2063)
496. and VINSON, C.G. Some nitrogenous constituents of the juice of the alfalfa plant. V. The basic lead acetate precipitate, Jour.Biol.Chem. 65(1):91-95. Aug.1925. (C.A. 19:3514)
497. VILLARD, F., and BOEUF, F. Recherches sur la végétation des herbes de prairies, leur rendement en poids et en principes immédiaux nutritifs aux divers degrés de leur développement. Annales Agronomiques 23:497-527. 1897. (Chem.Soc. Jour. 1898.II:181-2)
498. VIRTANEN, A.I., ARHIMO, A.A., SUNDMAN, J., and JANNEZ, L. Vorkommen und bedeutung der oxalessigsäure in grünen pflanzen. Journal für Praktische Chemie(n.f.)162(1-7):71-90. Feb.15, 1913. (C.A. 37:4770)
499. WALL, M.E., and KELLEY, F.G. Determination and nature of leaf sterols. Anal.Chem. 19(9):677-683. Sept.1947. (C.A. 41:7012)
500. WALL, R. The carotene (provitamin A) content of Oklahoma feeds. Okla. Agr.Expt.Sta. Bul.242. 15 pp. Stillwater, 1940.(C.A.35:7472)
501. WALLACE, A., TOTH, S.J., and BEAR, F.E. Further evidence supporting cation-equivalent constancy in alfalfa. Amer.Soc.Agron. Jour. 40(1):80-87. Jan.1948.
502. WALLIS, G.C. A comparison of the vitamin D potency of the stemmy and leafy proteins of alfalfa hay. Jour.Agr.Res. 57(5):393-396. Sept.1,1938. (Expt.Sta.Rec. 80:238)
503. Factors affecting the vitamin A and D potency of alfalfa hay. Jour.Dairy Sci. 25(8):685-687. Aug.1942. (C.A.38:3742)
504. The vitamin D of alfalfa and prairie hay and its utilization by dairy cows. Jour.Dairy Sci. 22(8):599-606. Aug.1939. (C.A. 33:8248)

505. WALLIS, G.C. Vitamins D and A in alfalfa hay. South Dakota. Agr.Expt.Sta. Circ.53. 11 pp. Brookings,1944. (Exp.Sta.Rec.91:726)
506. _____ and LARDY, H. The vitamin D content of some South Dakota roughages. South Dakota Acad. Sci. Proc. 18:46-49. 1938. (C.A. 33:1055)
507. WARTH, F.J., and KRISHMAN, T.S. The sulphur content of some Indian grasses. Indian Jour. Veterinary Sci. and Animal Indus. 7(1):54-58. Mar.1937. (C.A. 31:6695)
508. WATSON, S.J. Grass-drying-chemical aspects. Inst. of Chem. Engineers. Trans. 22:86-88. 1944.
509. _____ The nutritive value of silage and dried grass. Nutr. Abs. and Rev. 18(1):1-14. July 1948.
510. WEATFERS, E.K. Mineral and nitrogen content of lespedezas and other hay crops in Tennessee. Tenn. Agr.Expt.Sta. Bul.166. Knoxville,1938. (C.A. 33:7423)
511. WEHMER, C. Die pflanzenstoffe ... Jena, G.Fischer,1929-31. 2 v. and Suppl.(1935) See its index under Luzerne
512. WEISER, I., and KELP, I. A hazai lucernaszéna összetétele és táplálóértéke. Composition and nutritive value of Hungarian alfalfa hay. Kisérletügyi közlemenek 26(1-4):20-30. 1923. Ger. summary p.29-30. (C.A. 20:2032)
513. WERR, Fr. Ein verfahren zur serienmässigen bestimmung des eiweiss' in getreide. Landwirtschaftliche Jahrbücher 84(1):27-60. 1937. (C.A. 31:3578)
514. WESTOVER, H.L., and HOSTERMAN, W.H. The uses of alfalfa. (U.S. Dept.Agr. Farm.Bul.1839. 36 pp. Wash.,D.C.,1940.(Nutr.abs.11:1743)
515. WHEELER, W.A. Progress in alfalfa meal standardization. Feedstuffs 3(46):15. Nov.14,1931.
516. WIDTSOE, J.A. Alfalfa or lucern: its chemical life history. Utah Agr.Expt.Sta. Bul.48. 75 pp. Logan,1897. (Expt.Sta.Rec.9:164)
517. _____ and STEWART, J. The chemical life history of lucern. pt.II. Utah Agr.Expt.Sta. Bul.58. 90 pp. Logan,1898. (Expt. Sta.Rec,10:977)
518. WILDER, C.H.M., and BUTHKE, R.M. The loss of carotene in machine-dried alfalfa meal under variable conditions of storage. Poultry Sci. 20(4):304-312. July 1941. (C.A. 35:7569)
519. WILGUS, H.S.,jr., NORRIS, L.C., and HEUSER, G.F. The relative vitamin G content of alfalfa meal. Poultry Sci. 15(6):446-453. Nov.1936. (C.A. 31:435)
520. WILKES, J.B. Chromatographic determination of carotene, kieselguhr as a chromatographic adsorbent. Indus. and Engin.Chem. Anal.Ed. 18(11):702-707. Nov.1946. (C.A.41:171)
521. WILKINS, F.S., and HYLAND, H.L. The significance and technique of dry matter determinations in yield tests of alfalfa and red clover. Iowa Agr.Expt.Sta. Res.Bul.240. p.313-351. Ames,1938. (C.A. 33:5934)
522. WILLARD, C.J. Afternoon vs. morning cutting of alfalfa. Amer. Soc.Agron. Jour. 36(11):937-939. Nov.1944(Expt.Sta.Rec.93:143)
523. _____ The comparative protein content of alfalfa and red clover. Amer.Soc.Agron. Jour. 23(9):754-756. Sept.1931.
524. _____, THATCHER, L.E., and CUTLER, J.S. Alfalfa in Ohio. Ohio Agr.Expt.Sta. Bul.540. 146 pp. Wooster,1934(Nutr.Abs.5:1040)

525. WILLIAMS, E.H., and STEELE, E.H. A practical treatment of drug addiction. *Medical Rec.* 140:93-94. July 18, 1934. Use of alfalfa proteal for morphine addiction.
526. WILLIAMS, R., jr., and HIGHTOWER, J.V. Chromatography. *Chem. Engin.* 55(11):133-138. Nov. 1948. Plant pigments from alfalfa.
527. WILLIAMS, R.J., and CHRISTENSEN, B.E. A "growth substance". *Science(n.s.)* 82(2121):178. Aug. 23, 1935. (C.A.29:7413)
528. WILSON, D. The nutritive value and produce of grass and clover. pt.II. *Highland and Agr.Soc.of Scot. Trans. ser.5, v.1:1-45.* 1889. (Chem.Soc. Jour. 1888,pt.II:1077-84)
529. WING, J.E. Alfalfa farming in America. Chic., Sanders, 1912. 528 pp.
530. WISEMAN, H.G., KANE, E.A., SHINN, L.A., and CARY, C.A. The carotene content of market hays and corn silage. *Jour. Agr.Res.* 57(9):635-669. Nov. 1, 1938. (C.A. 33:1830)
531. WITTIG, H. Beobachtungen über die veränderung des nährstoffgehaltes der luzerne in den einzelnen wachstumsstufen. *Züchtungskunde* 14: 17-22. 1939. (C.A. 33:4338)
532. WITZEL, S.A. Chopped hay storage in ventilated containers. *Agr. Engin.* 18(6):251-252. June 1937. (C.A.31:7140)
533. WODICKA, V., and KISHLAR, L. Some carotene, protein and fiber values of dehydrated alfalfa meals. *Agric. Engin.* 20(3):109-110, 114. Mar. 1939. (C.A. 33:5083)
534. WOODMAN, H.E. The composition and feeding value of lucerne. *Gt. Brit. Min. Agr.and Fisheries. Jour.* 41(2):137-150. May 1934. (C.A. 28:4502)
535. _____ and EDFN, A. Nutritive value of lucerne. III. The composition, digestibility and nutritive value of lucerne hay, lucerne meal (English and American) and lucerne leaf meal (American). *Jour. Agr.Sci.* 25(1):50-70. Jan. 1935. (C.A.29:5890)
536. _____ and EVANS, R.E. Nutritive value of lucerne. IV. The leaf-stem ratio. *Jour. Agr. Sci.* 25(4):578-597. Oct. 1935. (C.A. 30:1889)
537. _____, EVANS, R.E., and NORMAN, D.B. Nutritive value of lucerne. I. Preliminary studies of yield, composition and nutritive value (season 1932). *Jour.Agr.Sci.* 23(3):419-458. July 1933. (C.A.27:5774)
538. _____, EVANS, R.E., and NORMAN, D.B. Nutritive value of lucerne. II. Investigations into the influence of systematic cutting at three different stages of growth on the yield, composition and nutritive value of lucerne. *Jour.Agr.Sci.* 24(2): 283-311. Apr. 1934. (C.A.28:4098)
539. WOODS, E., ATKESON, F.W., SHAW, A.C., SLATER, I.T., and JOHNSON, R.F. The vitamin A content of pasture plants. III. Alfalfa (*Medicago sativa* L.) and smooth brome (*Bromus inermis* Leyes.) under pasture conditions and fed green. *Jour. Dairy Sci.* 18(9):573-578. Sept. 1935. (C.A. 29:7520)
540. _____, ATKESON, F.W., WELLHOUSEN, H., and JOHNSON, R.F. Vitamin A activity of third cutting of alfalfa hay as affected by methods of curing. *Jour. Dairy Sci.* 19(9):581-596. Sept. 1936. (Expt.Sta. Rec. 76:680)
541. WOODWARD, T.E. The effect of certain factors upon the color and pigments of alfalfa hay in storage. *Jour.Dairy Sci.* 19(7):468-469. July 1936. (Nutr.Abs. 6:3078)

542. WOODWARD, T.E., and SHEPHERD, J.B. An experiment in chopping alfalfa hay at the time of storage: effect upon space required, temperature attained, color, feeding value, and losses of food constituents. *Jour.Dairy Sci.* 19(11):697-706. Nov.1936.
(Expt.Sta.Rec.76:842)
543. _____, SHEPHERD, J.B., and TYSDAL, H.M. Yield and chemical content of alfalfa cut at different times of the day and night. *Amer.Soc.Agron. Jour.* 36(11):940-943. Nov.1944. (C.A.39:955)
544. WOOLLEY, D.W. A method for the estimation of inositol. *Jour. Biol.Chem.* 140(2):453-459. Aug.1941. (C.A.35:6613)
545. WRIGHT, E. Reaping nutrition; the study of the manufacture of vitamin capsules from dehydrated alfalfa and cereal crops harvested on the Kansas plains. *Southern Food Processing* 1(6):27-29. Sept.1946.
546. ZAK, J. Die polarographische bestimmung und der gehalt der spuren-elemente Mn, Cu, Zn, Sb in der luzerne. *Biedermann's Zentralblatt für Agrikulturchemie und Rationellen Landwirtschaftsbetrieb. Abt.B. Tierernährung* 14:301-316. 1942. (C.A.38:3318)
547. ZINK, F.J. Equilibrium moistures of some hays. *Agr. Engin.* 16(11):451-452. Nov.1935. (Expt.Sta.Rec. 74:708)
548. _____ Moisture content at which alfalfa leaves shatter. *Agr. Engin.* 17(8):329-330. Aug.1936. (C.A. 31:474)
549. ZSCHEILE, F.P., and WHITMORE, R.A. Determination of carotene in alfalfa, studies on methods for meals and fresh leaves. *Anal. Chem.* 19(3):170-172. Mar.1947. (C.A. 41:2819).

PATENTS

British

550. 346,574. BRINCH, U., SPEHR, H., and SPEHR, C.E. Process for maintenance of the vitamins in the preservation of vegetable materials. Apr.16,1931. (C.A. 26:538)
551. 388,056. ARNOLD, G.D. Improvements in or relating to dehydrating or drying. Feb.15,1933. (C.A. 27:5841)
552. 418,364. BURR, W.F., and GRIGGS, V.H. Process for delaying fermentation and putrefaction in perishable organic matter. June 17,1933. (C.A. 29:2254)
553. 499,428. FRANCIS, E.L. Method of and apparatus for the pneumatic drying of materials. Jan.24,1939. (C.A. 33:4832)
554. 501,574. BÜTTNER-WERKE A.G. Improvements in or relating to methods of pneumatically drying heat sensitive materials. Mar.1,1939. (C.A. 33:6567)

French

555. 485,206. SCHIAPPAPIETRA, S. Procédé pour la production d'une pâte destinée à la fabrication du papier. Dec.20,1917. (C.A. 13:1929)

PATENTS (Continued)

- U.S.
556. 1,104,135. RICH, M.C. Manufacture of syrup. July 21, 1914. (C.A. 8:3084)
557. 1,104,136. _____ Manufacture of alfalfa products. July 21, 1914
(C.A. 3084)
558. 1,108,238. _____ Alfalfa product. Aug. 25, 1914. (C.A. 8:3477)
559. 1,341,991. LOTTERO, C.O. Proceeding for the production of a paste destined for the manufacture of paper, cardboard, and the like. June 1, 1920. (C.A. 14:2263)
560. 1,617,863. GALBRAITH, H.F. Apparatus and method for curing legume. Nov. 1, 1927. (C.A. 22:286)
561. 1,749,451. STRONG, W.M. Drying apparatus. Mar. 4, 1930. (C.A. 24:2213)
562. 1,988,677. ARNOLD, G.D. Dehydrating apparatus. Jan. 22, 1935.
(C.A. 29:1290)
563. 1,988,678. _____ Dehydrating process. Jan. 22, 1935. (C.A. 29:1290)
564. 2,013,476. PEEBLES, D.D. Method of manufacturing dried stock feed. Sept. 3, 1935. (C.A. 29:6972)
565. 2,054,441. _____ Method and apparatus for drying liquid containing materials. Sept. 15, 1936. (C.A. 30:7397)
566. 2,069,873. CHENAULT, E.A. Process for the preservation of organic material. Feb. 9, 1937.
567. 2,070,483. HURXTHAL, A.O. Double apron festoon drier. Feb. 9, 1937.
(C.A. 31:2052)
568. 2,077,346. VOSKAMP, J.B. Method and apparatus for drying material. Apr. 13, 1937. (C.A. 31:3748)
569. 2,140,827. BOAG, C.W. Separating system. Dec. 20, 1938. (C.A. 33:2378)
570. 2,152,939. WENTWORTH, H.B. Dehydrating apparatus. Apr. 4, 1939.
(C.A. 33:4832)
571. 2,198,214. MUSHER, S. Retaining carotene content of freshly cut grasses. Apr. 23, 1940. (C.A. 34:5690)
572. 2,227,246. CHUCK, F.Y. Dehydrating process. Dec. 31, 1940. (C.A. 35:2630)
573. 2,241,654. ARNOLD, G.D. Art of preserving valuable elements of organic materials. May 13, 1941. (C.A. 35:5208)
574. 2,282,796. MUSHER, S. Vitamin product. May 12, 1942. (C.A. 36:5957)
575. 2,282,969. KING, C.G. Biological product and method of obtaining same. May 12, 1942. (C.A. 36:6315)
576. 2,289,727. RANDOLPH, O.W. Feed mill and method of preparing animal fodder. July 14, 1942. (C.A. 37:478)
577. 2,295,129. RIEGEL, B., SMITH, P.G., SCHWEITZER, C.F., and FREE, V.C. Process of preparing vitamin K concentrates. Sep. 8, 1942. (C.A. 37:1230)
578. 2,369,041. GRAHAM, W.R., jr., and McCARTY, C.W. Composition for producing a dark colored brew from legumes. Feb. 6, 1945. (C.A. 3116)

SUBJECT INDEX

References are to item numbers

- Acids, amino 201, 491, 494
citric 483
coumaric 395
fatty 238
folic 321
malic 483
malonic 483
margaric 412
melilotic 395
myristic 413
oxalacetic 498
phosphoric 385, 485
Adenine 495
Adsorption 172
Alfalone 266
Allergy 397
Amide content 325, 491
Amyrin, B- 297
Antihemorrhagic activity 42, 56,
384, 436, 437
Antiparalytic factor 279
Antirachitic value 434
Arizona Alfalfa Products Co. 7
Ascorbic acid. SEE, Vitamin C
Asparagine 494
Assimilates 223, 225

Bacteria 169
Barium content 216
Betaine fraction 493
Beverage 578
Bibliography 36, 410
Biochemistry 88
Biotin action 80
Blanching 359
Boron content 81, 331, 355,
417, 430
Brown alfalfa 65

Cabot, Inc. 40
Calcium content 127
Caloric value 48
Carbohydrate content 195, 196,
415, 417
Carbohydrate-nitrogen relationship
275
Carotene 59, 76, 77, 136,
166, 200, 203, 206, 209,
221, 241, 274, 275, 291,
299, 319, 327, 332, 333,
357, 358, 402, 404, 405,
418, 432, 440, 471, 500,
518, 530, 533, 574
Carotene determination 84, 91,
97, 108, 186, 218, 286,
287, 288, 289, 292, 346,
349, 427, 520, 549
Carotene extraction 23, 37,
182, 247, 350, 375
Carotene stability and retention.
9, 16, 37, 69, 71, 74,
76, 77, 81, 97, 130, 154,
163, 197, 198, 199, 246,
342, 343, 344, 345, 347,
348, 359, 388, 426, 533,
571
Carotenoids 103, 383
Catalase 363
Cation-equivalent constancy 62,
501
Cations 172, 323
Cellulose 196, 399
Chlorophyll 10, 145, 146,
157, 308
Chlorophyll extraction 10, 23,
40, 182
Chlorophyll-protein complex 353
Classification of alfalfa products
194
Cobalt content 102
Composition 50, 51, 65, 68,
73, 93, 119, 128, 162, 173,
175, 182, 184, 194, 204,
215, 220, 227, 228, 229,
230, 245, 304, 311, 315,
322, 329, 334, 335, 382,
403, 410, 424, 438, 439,
441, 444, 461, 467, 468,
481, 486, 490, 497, 511,
512, 516, 517, 531, 534,
535, 537, 538

- Composition, effect of artificial vs. natural dried alfalfa 28, 207, 210
 Composition, effect of time of cutting 123, 124, 133, 135, 160, 204, 212, 443, 445, 522, 538, 543
 Copper content 54, 102
 Cost of drying 409
 Cost of production 217, 429
 Coumarin 395
 Cream, alfalfa kelp- 17
 Cysteine 325
 Cystine 190, 253, 276, 285, 325
 Decomposition 63, 334, 380
 Dehydration, artificial vs. natural 8, 28, 64, 67, 135, 140, 207, 294, 301, 310, 406, 508.
 Dehydration, effect on nutrients 8, 41, 213, 409, 468
 Dehydration, equipment and mills 5, 6, 7, 12, 19, 31, 60, 61, 115, 116, 167, 178, 180, 185, 251, 318, 341, 377, 407, 446, 480, 489, 551, 561, 562, 565, 567, 568, 569, 570, 576
 Dehydration industry 2, 3, 14, 18, 45, 300
 Dehydration methods 1, 41, 89, 94, 95, 177, 237, 243, 263, 280, 293, 323, 341, 362, 363, 394, 122, 425, 447, 456, 457, 553, 554, 562, 564, 565, 566, 568, 572, 576
 Dermatitis 47
 Diastase 423
 Drug addiction, alfalfa for 106, 525
 Dry matter 521, 522
 Emulsin 239
 Enzyme activity 55, 99, 112, 147, 148, 211, 239, 267, 271, 323, 341, 315, 317, 363, 423
 Fiber content 162, 533
 Fire risks 13, 20
 Flavor in milk 393
 Flour 4
 Furfuraldehyde 195
 Galactomannan 212, 337
 Gas formation 241
 General works 117, 118, 119, 211, 524, 529
 Glucose 254
 Gonad stimulating extract 170, 171
 Grading. SEE, Standards
 Growth factor 462, 527
 Hemicellulose 100, 379
 Hexose-phosphate 476
 Human consumption of alfalfa 4, 17, 27, 39, 111, 143, 152, 161, 191, 222, 232, 233, 249, 333, 381, 448, 557, 558
 Humidifier for reconditioning 57
 Inositol 544
 Insurance 13, 20
 Iron content 421
 Juice 35, 87, 316, 360, 371, 393, 400, 491, 492, 493, 494, 495, 496
 Kjeldahl digestion 465
 Laccase 99, 147, 148
 Lactoflavin 278
 Lead acetate precipitate 496
 Lime content 385
 Lipids .273, 298, 376, 389
 Lithium content 216
 Malaria and alfalfa 464
 Manganese content 82
 Marketing 30, 153, 158, 282, 372
 Meal 14, 24, 30, 37, 44, 58, 107, 141, 142, 158, 279, 314, 351, 352, 374, 429



