GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

(1) Box no. 3002

(2) Folder title/number: (5) (end)
Tokuyama 3rd Naval Fuel Depot

(3) Date: Aug. 1946

(4) Subject:

Classification	Type of record
9212, 9230	1

(5) Item description and comment:

Yamaguchi

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

(Compiled by *National Diet Library*)

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1 (1) (Machine) — B_k

B_p

C. Name of Machine: Steam pump (direct acting) — B_m

C

D. Manufacturer: Nigat Iron Works — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: Uncertain — F

G. Age of Machine in Years: 6 — G

H. Condition of Machine (Check one below): ..... — H

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of cylinder (steam) 2.5" — J_1

(2) " (oil) 2." — J_2

(3) Strok 3" — J_3

(4) — J_4

K. Power Source: ..... — K

(a) Motor Driven: AC | DC | HP | HP

(b) Belt Driven: Cone | Pulley

L. Weight: 200. Kgs. — Length: 0.7 Meters

Width: 0.2 Meters — Height: 0.3 Meters

M. Brief Description of Machine Characteristics: ..... — M

For oil transmission
Horizontal double acting & duplex type.

登　錄　票

附表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 1 (1)
(縣－工場－機械)

C. 機　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5年

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 2.5" × 2" × 3"

(2) （蒸気筒室）（水筒室）（行程）

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：200 瓲　長　サ：0.7 米　巾：0.2 米　高　サ：0.3 米

M. 械機ノ特徴：横置復動複筒式
油格送用

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 Mar 46 — Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1 (2) (Machine) — B_k

B_p

B_m

C. Name of Machine: Steam pump (Direct acting) — C

D. Manufacturer: Niigata Iron Works — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: Uncertain — F

G. Age of Machine in Years: 5 — G

H. Condition of Machine (Check one below): — H

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of Cylinder (steam) 4" — J_1

(2) " (oil) 3.5" — J_2

(3) Stroke 6" — J_3

(4) — J_4

K. Power Source: — K

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 2,000 Kgs.
Width: 0.21 Meters
Length: 0.96 Meters
Height: 0.43 Meters

M. Brief Description of Machine Characteristics: — M

For oil transmission horizontal simplx type.

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 1 (2)
(縣 — 工場 — 機械)

C. 機　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 4" × 2.5" × 6"

(2) (蒸気角全)　(水荷全)　(行程)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重　量：200 瓲　長　サ：0.96 米　巾：0.21 米　高　サ：0.43

M. 械機ノ特徴：横置レシプロ2型
2油移送用

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) — 7 Plant = 1 (3) Machine)

C. Name of Machine: Steam pump (Direct acting)

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia cylinder (steam) 5"

(2) " (oil) 4.5"

(3) Stroke 6"

(4) .....

K. Power Source: .....

(a) Motor Driven — AC | DC | ... HP | ... HP

(b) Belt Driven — Cone | ... ; Pulley | ...

L. Weight: 2.00 Kgs.

Width: 2.3 Meters

Length: 1.1 Meters

Height: 0.46 Meters

M. Brief Description of Machine Characteristics: .....

For oil transmission horizontal Simplex type.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 1 (3)
(縣 — 工場 — 機械)

C. 機　種：恵気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5 年

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 5" × 4.5" × 6"

(2) （気筒）（水筒）（行程）

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　DC　HP　HP

(b) ベルト掛　車式　單一調車式

L. 重量：300 瓩　長サ：1.1 米　巾：2.3 米　高サ：0.46

M. 械機ノ特徴：横置シンプレックス型
油移送用

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1 (Machine) (4)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Nigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 | ✓
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of cylinder (steam) 6"

(2) " (oil) 6"

(3) Strope 10"

(4)

K. Power Source:

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 400 Kgs.

Width: 0.4 Meters

Length: 0.3 Meters

Height: 1.3 Meters

M. Brief Description of Machine Characteristics:

for air Compressor Vertical Weir type

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 1 (4)
(縣 — 工場 — 機械)

C. 機　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5年

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 6" × 6" × 10"

(2) （氣筒）（水筒）（行程）

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　DC　HP　HP

(b) ベルト掛　車式　單一調車式

L. 重量：400 瓩　長サ：0.3 米　巾：0.4 米　高サ：1.3

M. 械機ノ特徴：竪型ウエヤー式
空気圧搾用

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 1 (Plant) – 1(5) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Niigat Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of cylinder (steam) 6"
(2) " (oil) 6"
(3) Stroke 12"
(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 700 Kgs.
Width: 0.4 Meters
Length: 1.7 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

For hot oil transmission
Horizontal simplex type

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 1 (5)
(縣 — 工場 — 機械)

C. 機　種：蒸気ポンプ（直動式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5年

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 6" × 6" × 12"

(2) （気筒）（水筒）（行程）

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

車式	
單一調車式	

L. 重　量：700 瓲　長　サ：1.7 米　巾：0.4 米　高　サ：0.5 米

M. 械機ノ特徴：横置レシプロクス型
熱油移送ポンプ。

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1 (6) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Niigata Iron works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of Cylinder (steam) 6"
(2) " (ail) 6"
(3) Stroke 12"
(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 700 Kgs.
Width: 0.4 Meters
Length: 1.7 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

For hot oil transmission Horizontal simplex type

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 1 (6)
（縣 — 工場 — 機械）

C. 機　　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製 造 國：日本

F. 型　　式：~~横置型~~ 不明

G. 設備經過年數：4年

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 6"×6"×12"

(2) （蒸筒）（水筒）（行程）

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：700 瓩　　長　サ：1.7 米　　巾：0.9 米　　高　サ：0.5 米

M. 械機ノ特徴：熱湯用移送用 横置レシプロクス型

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1(7) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of cylinder (steam) 4"

(2) " (Oil) 3½"

(3) Stroke 6"

(4) .....

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 200 Kgs.
Width: 0.2 Meters
Length: 1 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics: .....

For oil transmission

Horizontal simplex type

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 9 — 1(7)
（縣 — 工場 — 機械）

C. 機　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5年

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 4" X 3.5" X 6"

(2) （気筒）（水筒）（行程）

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重　量：200 瓲　長　サ：1.0 米　巾：0.2 米　高　サ：0.4 米

M. 械機ノ特徴：横置ミニプレックス型
油釣送用

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – ( ) 7 (Plant) – 1 (8) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of cylinder (steam) 4"
(2) " (Oil) 3.5"
(3) Stroke 6"
(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

HP
HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 200 Kgs.
Width: 0.2 Meters

Length: 1 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: .....

For oil transmission Horizontal simplex type

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 1(8)
（縣 — 工場 — 機械）

C. 機　　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：5年

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，共ノ他）：

(1) 4" × 3.5" × 6"

(2) （自筒）（水筒）（行程）

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：200 瓲　長　サ：1.0 米　巾：0.2 米　高　サ：0.4 米

M. 機械ノ特徴：横置シンプレックス型
油移送用

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1 (9) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5.

H. Condition of Machine (Check one below): .....

GOOD..... (Requires only Maintenance)	Class 1	✓
GOOD..... (But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia of cylinder (steam) 5.5"

(2) " (oil) 5"

(3) Stroke 9"

(4) .....

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 500 Kgs. Width: 0.9 Meters Length: 1.4 Meters Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

For hot oil transmission

Horizontal simplex type

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 1(1)
(縣 — 工場 — 機械)

C. 機　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5年

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 5.5" X 5" X 9"

(2) (汽筒)　(水筒)　(行程)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：500 瓲　長　サ：1.4 米　巾：0.3 米　高　サ：0.5 米

M. 械機ノ特徴：横置ニンプレックス型
熱油用移送ポンプ

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet.

B. Code Number: 45 (Prefecture) – 7 (Plant) – 1 (11) (Machine)

C. Name of Machine: Fractionating tower

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 0.8 m

(2) Height 15 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

HP

HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 5,000 Kgs.

~~Width~~ dia: 0.8 Meters

Length: Meters

Height: 15 Meters

M. Brief Description of Machine Characteristics: .....

Bubble tray type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K

M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 1(11)
（縣 — 工場 — 機械）

C. 機　種：精溜塔

D. 製造者名：新潟鉄工所

E. 製 造 國：日本

F. 型　式：不明

G. 設備經過年數：5年

H. 機械狀態：

使用可能	一 級	V
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直　径　0.8米

(2) 高　サ　15米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：5,000 瓩　長　サ：　米　巾：0.8 米　高　サ：15 米

M. 械機ノ特徴：バブルトレー型

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2(5) (Machine)

C. Name of Machine: Blower

D. Manufacturer: Nippon Champion Blower Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): no motor

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Uncertain

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 200 Kgs.
Width: 1 Meters
Length: 1.2 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　　錄　　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 2(5)
(縣 — 工場 — 機械)

C. 機　　種：送風機

D. 製造者名：日本ヤムピオン送風機製作所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：7

H. 機械狀態：運動機サシ

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 不明

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：200 瓩　長　サ：1.2 米　巾：1 米　高　サ：1 米

M. 械機ノ特徴：

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) — 9 Plant — 2(6) Machine)

C. Name of Machine: Gear pump

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): no motor

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Size 3 inches dia

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 1,000 Kgs.
Width: 1.2 Meters
Length: 1.5 Meters
Height: 1.0 Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 216)
（縣 — 工場 — 機械）

C. 機　種：ギヤー ポンプ

D. 製造者名：不　明

E. 製 造 國：不　明

F. 型　式：不　明

G. 設備經過年數：不　明

H. 機械狀態：電動機ナシ

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，共ノ他）：

(1) 口径 3吋

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

車 式	
單一調車式	

L. 重　量：1,000 瓩　長　サ：1.5 米　巾：1.2 米　高　サ：1. 米

M. 械機ノ特徴：

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2 (7) (Machine)

C. Name of Machine: Centrifugal pump

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): no motor

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Size 12 inches dia

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 1,500 Kgs.
Width: 1.2 Meters
Length: 2.0 Meters
Height: 1.2 Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(7)
（縣 — 工場 — 機械）

C. 機　種：旋転ポンプ

D. 製造者名：不　明

E. 製 造 國：不　明

F. 型　式：不　明

G. 設備經過年數：不　明

H. 機械狀態：運転機ナシ

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 12 吋　12吋

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：1,500 瓩　長　サ：2 米　巾：1.2 米　高　サ：1.2 米

M. 械機ノ特徴：

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2(8) (Machine)

C. Name of Machine: Steam engine

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Ability about 2 HP

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 500 Kgs.
Width: 1 Meters
Length: 1 Meters
Height: 1.5 Meters

M. Brief Description of Machine Characteristics: .....

Vertical type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — (8)7 — 2(8)
(縣 — 工場 — 機械)

C. 機　種：蒸氣機關

D. 製造者名：不明

E. 製 造 國：日本

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 能力約 4馬力

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車 式	
單一調車式	

L. 重　量：500 瓲　長　サ：1. 米　巾：1. 米　高　サ：1.5 米

M. 械機ノ特徴：蒸氣

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) — 7 (Plant) — 2(12-14) (Machine)

C. Name of Machine: Washing tank for mineral oil

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	✓

I. Brief Reasons Why Unserviceable: Corroded (in side plate)

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 2.8 m

(2) Height 3.5 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven AC | DC | | HP | | HP

(b) Belt Driven Cone | Pulley

L. Weight: 3,000 Kgs.

~~Width~~ dia: 2.8 Meters

Length: Meters

Height: 3.5 Meters

M. Brief Description of Machine Characteristics: .....

Cylindrical Type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2 (12-14)
(縣 — 工場 — 機械)

C. 機　種：石鹸油洗滌槽.

D. 製造者名：新潟鐵工所.

E. 製 造 國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	✓

I. 使用不能ノ理由：腐蝕（内面）

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　2.8 米

(2) 高サ　3.5 米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：3000 瓲　長　サ：　米　巾：2.8 米　高　サ：3.5 米

M. 械機ノ特徴：内筒型.

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2(21) (Machine)

C. Name of Machine: Oil tank

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 5.7m
(2) Height 4.5m
(3) Capacity 100 Kl
(4)

K. Power Source: .....

(a) Motor Driven AC DC ____ HP ____ HP

(b) Belt Driven Cone ____ Pulley ____

L. Weight: 9.000 Kgs.
Width: 6.5 Meters

Length: 3.0 Meters
Height: 0.3 Meters

M. Brief Description of Machine Characteristics: .....

For oil storage
Vertical cylindrical type

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　　錄　　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 2(21)
(縣 — 工場 — 機械)

C. 機　　種：油槽

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径 5.7米

(2) 高サ 4.5米

(3) 容量 100 ㎥

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：9,000 瓩　長サ：3.0 米　巾：1.5 米　高サ：0.3 米

M. 械機ノ特徴：油貯槽
型型円筒型

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 7 (22) (Machine)

C. Name of Machine: Oil tank

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 4.7 m
(2) Height 3 m
(3) Capacity 50 Kl
(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 6.000 Kgs.
Width: 45 Meters
Length: 3.0 Meters
Height: 0.2 Meters

M. Brief Description of Machine Characteristics:

For oil storage
Vertical cylindrical type

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(22)
（縣—工場—機械）

C. 機　種：油槽

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　4.7米

(2) 高サ　3.0米

(3) 容量　50立

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重　量：6000 瓲　長　サ：3,0 米　巾：1,5 米　高　サ：0,2 米

M. 械機ノ特徴：油貯槽
竪型円筒型

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION

(Metal Working Plants)

Nippon Seiro Co Ltd
Fukugawa Tokuyama city

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – (7 (Plant) – 2 (23) (Machine) –

C. Name of Machine: Screw Conveyer

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: Parts unsatisfactory

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) dia 250 m/m
(2) Length 7.000 "
(3)
(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 500 Kgs.
~~Width~~ dia: 0.25 Meters

Length: 7 Meters
Height: | | Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | | |
B_p | | | |
B_m | | | | | |
C | | | |
D | | | |
E | | |
F | | | | | |
G | | |
H | |
J_1 | | | | | |
J_2 | | | | | |
J_3 | | | | | |
J_4 | | | | | |
K | | | |
M | | | | | | |

現所在地

登　錄　票

徳山市福川
日本精鑛株式会社

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(23)
(縣 — 工場 — 機械)

C. 機　種：スクリュ — コンベヤー

D. 製造者名：不明

E. 製造國：不明

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：部品ナシ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径 250粍

(2) 長サ 7000粍

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：500 瓩　長サ：7 米　巾径：0.25 米　高サ：　米

M. 械機ノ特徴：

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2(29-32) (Machine)

C. Name of Machine: Oil tank

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 4.7 m

(2) Height 3.7 m

(3) Capacity 50 Kl

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 6.000 Kgs.
Width: 4.5 Meters
Length: 3.0 Meters
Height: 4.2 Meters

M. Brief Description of Machine Characteristics: .....

For oil storage
Vertical cylindrical type

B$_k$ | B$_p$ | B$_m$ | C | D | E | F | G | H | J$_1$ | J$_2$ | J$_3$ | J$_4$ | K | M

登　　錄　　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 2(29—32)
(縣—工場—機械)

C. 機　　種：油　槽

D. 製造者名：新潟鉄工所

E. 製造國：日　本

F. 型　　式：不　明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　4.7米

(2) 高サ　3.7米

(3) 容量　50 ㎥

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：6000 瓩　長サ：3 米　巾：1.5 米　高サ：0.2 米

M. 械機ノ特徴：油貯槽
竪型円筒型

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2(35) (Machine)

C. Name of Machine: Oil tank

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 5.7 m

(2) Height 4.0 m

(3) Capacity 100 Kl

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 9.000 Kgs.
Width: 45 Meters
Length: 3.0 Meters
Height: 9.3 Meters

M. Brief Description of Machine Characteristics: .....

For oil storage
Vertical cylindrical type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(35)
（縣 — 工場 — 機械）

C. 機　種：油　槽

D. 製造者名：新潟鉄工所

E. 製 造 國：日　本

F. 型　式：立　卧

G. 設備經過年數：6

H. 機械狀態：

使用可能	一 級	レ
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直　径　5.7米

(2) 高　サ　4.0米

(3) 容　量　100㎥

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：9,000瓲　長　サ：8 米　巾：1.5 米　高　サ：9.0 米

M. 械機ノ特徴：油貯槽
竪型円筒型

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION Nippon Soda Co Ltd Fukugawa Tokuyama city

(Metal Working Plants)

Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) - [redacted] - 7 (Plant) - 2 (44) (Machine)

C. Name of Machine: Air pump (direct acting)

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 10 m^3/Hr

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 400 Kgs.
Width: 0.4 Meters
Length: 1.8 Meters
Height: 0.7 Meters

M. Brief Description of Machine Characteristics: .....

Vertical Weir type
For Waste acid clay recovery plant

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

現所在地

他山市福川
日本精蝋株式会社

登錄票

附表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(44)
(縣—工場—機械)

C. 機　種：空気ポンプ(直働式)

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法(長サ，巾，其ノ他)：

(1) 力量 10 立/時

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：400 瓩　長サ：1.8 米　巾：0.4 米　高サ：0.7 米

M. 械機ノ特徴：竪型ウェヤー式
廢白土用

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION

(Metal Working Plants) Nippon Seiko Co Ltd Fukuyama Tokuyama city

Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2(45-47) (Machine)

C. Name of Machine: Screw Conveyer

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable: Parts unsatisfactory.

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 250 m/m

(2) Length 4.000 "

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC			
					HP
					HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 200 Kgs.

~~Width~~ dia: 0.25 Meters

Length: 4 Meters

Height: Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

現所在地

徳山市大字福川町
日本精蝋株式會社

登録票

附表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(45-47)
(縣 — 工場 — 機械)

C. 機　種：スクリュー コンベヤー

D. 製造者名：不明

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：部品ナシ

J. 主要寸法（長サ，巾，其ノ他）：

(1) 径　250粍

(2) 長　4,000粍

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：200 瓩　長サ：4 米　巾：0.25 米　高サ：　米

M. 械機ノ特徴：

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION

(Metal Working Plants) Nippon Seizo co Ltd Fukugawa Tokuyama city

Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2 (48-49) (Machine)

C. Name of Machine: Washing tank

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 10 Kl

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven AC DC ___ HP ___ HP

(b) Belt Driven Cone ___ Pulley ___

L. Weight: 1,500 Kgs.

~~Width~~ dia: 2.5 Meters

Length: 2,3 Meters

Height: ___ Meters

M. Brief Description of Machine Characteristics: .....

Vertical column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

現所在地

徳山市福川
日本精蝋株式会社

登　録　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(48-49)
(縣 — 工場 — 機械)

C. 機　種：三先 滌槽

D. 製造者名：不明

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量　10 立

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：1,500 瓩　長サ：2.3 米　巾：2.5 米　高サ：　米

M. 械機ノ特徴：竪型円筒型

(裏面＝日本語ノ説明アリ)

INVENTORY SHEET

PRESENT LOCATION

(Metal Working Plants)

Nippon seiro co Ltd
Fukugawa Tokuyama city

Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2(52) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Uncertain

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 2 kl/Hr

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

HP

HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 200 Kgs.
Width: 0.3 Meters
Length: 1.0 Meters
Height: 0.3 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal simplex single acting type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

現所在地

徳山市福川
日本精鑛株式会社
附表

登錄票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2 (52)
(縣 — 工場 — 機械)

C. 機　種：蒸気ポンプ (直働式)

D. 製造者名：不明

E. 製造國：不明

F. 型　式：不明

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法 (長サ, 巾, 其ノ他)：

(1) 力量　2 ㎥/時

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：200 瓩　長サ：1 米　巾：0.3 米　高サ：0.3

M. 械機ノ特徴：横置單筒單動式

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION

(Metal Working Plants) Nippon Seiko Co Ltd Fukugawa Tokugawa City

Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 2 (56) (Machine)

C. Name of Machine: Vacuum receiver

D. Manufacturer: Matsuo Kogyosho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 1.4 Kl

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven AC | DC | HP | HP

(b) Belt Driven Cone | Pulley

L. Weight: 1,000# Kgs.

~~Width~~ dia: 1.0 Meters

Length: Meters

Height: 1.8 Meters

M. Brief Description of Machine Characteristics: .....

Vertical column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

現所在地

徳山市福川
日本精鉱株式会社

附表

登録票

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(56)
(縣 — 工場 — 機械)

C. 機　種：眞空受槽

D. 製造者名：松尾工業所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：5

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 1.4 許

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重量：1.000 瓩　長サ：1.8 米　巾：1.0 米　高サ：

M. 械機ノ特徴：竪型円筒

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION

(Metal Working Plants) Nippon Seiro co Ltd Fukugawa Tokuyama city

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – Z(59-60) (Machine)

C. Name of Machine: Vacumn Receiver

D. Manufacturer: Matsuo Kogyosho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 5

H. Condition of Machine (Check one below):

GOOD	(Requires only Maintenance)	Class 1 ✓
GOOD	(But requires Repairs)	Class 2
UNSERVICEABLE.	(Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 2 Kl

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 1.000 Kgs. Length: 2.0 Meters

~~Width~~ dia: 1.2 Meters Height: Meters

M. Brief Description of Machine Characteristics:

Vertical column

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

現所在地
徳山市福川
日本精蠟株式会社

登　錄　票

附表

A. 日　　附：20 AUG 46

B. 符號番號：45 — [illegible] — 2 (59-60)
(縣 — 工場 — 機械)

C. 機　　種：真空受槽

D. 製造者名：松尾工業所

E. 製 造 國：日本

F. 型　　式：不明

G. 設備經過年數：5

H. 機械狀態：一

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容量 2 ㎥

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重　量：1,000 瓲　長　サ：2.0 米　巾：1.2 米　高　サ：

M. 械機ノ特徴：竪型円筒

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION

(Metal Working Plants) Nippon Seiro co ltd Fukugawa Tokuyama city

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) — 7 (Plant) — 2 (61-65) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturers Model Number: Uncertain

G. Age of Machine in Years: 2

H. Condition of Machine (Check one below)

GOOD (Requires only Maintenance)	Class 1 ✓
GOOD But requires Repairs)	Class 2
UNSERVICEABLE (Tell why in par I, below)	Class 3

I. Brief Reasons Why Unserviceable

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity about 20 KL/Hr

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven AC DC ___ HP ___ HP

(b) Belt Driven Cone ___ Pulley ___

L. Weight: 4.500 Kgs
Width: 0.7 Meters
Length: 2.4 Meters
Height: 1.1 Meters

M. Brief Deseription of Machine Characteristics:

Horizontal simplex single acting type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_K B_P B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

徳山市福川
日本精蝋株式会社
附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2(61-65)
（縣 — 工場 — 機械）

C. 機　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：2

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾、其ノ他）

(1) 力量 約20 ㎥/時

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：1,500 瓩　長　サ：2.4 米　巾：0.7 米　高　サ：1.1 米

M. 機械ノ特徴：横置単筒単働式

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

PRESENT LOCATION

Nippon Seiko co Ltd
Fukugawa Tokuyama
Attached sheet city

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 — B_K

B. Code Number: 45 (Prefecture) — 7 (Plant) — 2 (66) (Machine) — B_P

C. Name of Machine: Steam pump (direct acting) — B_m

C

D. Manufacturer: Niigata Iron Works — D

E. Country in Which Manufactured: Japan — E

F. Manufacturers Model Number: Uncertain — F

G. Age of Machine in Years: 2 — G

H. Condition of Machine (Check one below) ..... — H

GOOD ..... (Requires only Maintenance)	Class 1	✓
GOOD ..... But requires Repairs)	Class 2	
UNSERVICEABLE (Tell why in par I, below)	Class 3	

I. Brief Reasons Why Unserviceable

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity about 20 K/Hr — J_1

(2) — J_2

(3) — J_3

(4) — J_4

K. Power Source: ..... — K

(a) Motor Driven: AC | DC | HP | HP

(b) Belt Driven: Cone | Pulley

L. Weight: 1500 Kgs — Length: 2.4 Meters

Width: 1.0 Meters — Height: 1.0 Meters

M. Brief Description of Machine Characteristics: ..... — M

Horizontal duplex and double acting type

現所在地

德山市福川
日本精蝶株式會社

登錄票

附表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 2 (66)
（縣 — 工場 — 機械）

C. 機　種：蒸気ポンプ（直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G 設備經過年數：2

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）

(1) 力量　約 20 ㎥/時

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：1500 瓩　長　サ：2.4 米　巾：1 米　高　サ：1 米

M. 機械ノ特徴：横置複筒複動式

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) (5) 8 7 (Plant) — 8 (1) (Machine)

C. Name of Machine: small Compressor

D. Manufacturer: Nishi Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: S - 2 No. 321

G. Age of Machine in Years: 2

H. Condition of Machine (Check one below): ..... no motor .....

GOOD.....(Requires only Maintenance)	Class 1	√
GOOD.....(But requires Repairs)	Class 2	✗
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 330 kg/cm²

(2) R.P.M. 230

(3) Capacity 500 L/M

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 200 Kgs.
Width: 0.6 Meters
Length: 2.5 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票
附　表

A. 日　附：20 AUG 46

B. 符號番號：45 , 7 8(1)
(縣－工場－機械)

C. 機　種：小型圧縮機

D. 製造者名：西製作所

E. 製造國：日本

F. 型　式：B-2 No. 321

G. 設備經過年數：2

H. 機械狀態：モーター ナシ

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 圧力 330 Kg/cm².

(2) 回転数 230 ~~Kg/cm²~~ 毎分

(3) 能力 500 l/hr.

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車式	
單一調車式	

L. 重　量：200 瓩　長　サ：2.5 米　巾：0.6 米　高　サ：1. 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 8 (2) (Machine)

C. Name of Machine: Small Compressor

D. Manufacturer: Nishi Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: B - 2 No. 263

G. Age of Machine in Years: 2

H. Condition of Machine (Check one below): ..... Motor missing .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2 ✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pressure 350 kg/cm2

(2) R.P.M. 200

(3) Capacity 500 L/H

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 200 Kgs.
Width: 0.91 Meters
Length: 1.6 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 8(2)
（縣－工場－機械）

C. 機　　種：小型圧縮機

D. 製造者名：西部作所

E. 製 造 國：日本

F. 型　　式：B-2. No. 263

G. 設備經過年數：モーターナシ

H. 機械狀態：2

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 圧力 350 kg/cm²

(2) 回転数 200/毎分

(3) 能力 400 l/hr.

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

車 式	
單一調車式	

L. 重　量：200 瓩　　長　サ：1.6 米　　巾：0.91 米　　高　サ：0.5+ 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 8 (3) (Machine)

C. Name of Machine: Small Compressor

D. Manufacturer: Nishi Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: B - 31

G. Age of Machine in Years: 2

H. Condition of Machine (Check one below): No motor

GOOD.....(Requires only Maintenance)	Class 1 | V
GOOD.....(But requires Repairs)	Class 2 |
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 |

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Used Pressure 300 kg/cm²

(2) Capacity 100 l/hr.

(3) Revolution 800/min.

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 600 Kgs.
Width: 0.5 Meters
Length: 2 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparatio
has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　　附：20 AUG 46

B. 符號番號：45　7　8 (3)
（縣－工場－機械）

C. 機　　種：小型圧縮機

D. 製造者名：西製作所

E. 製 造 國：日本

F. 型　　式：B－3½

G. 設備經過年數：2

H. 機械狀態：モーター ナシ

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 常用圧力 300 kg/cm²

(2) 能　力 100 l/hr

(3) 廻転数 200/毎分

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	●

L. 重　量：500 瓩　長　サ：2 米　巾：0.5 米　高　サ：1. 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) — (1) — 7 (Plant) — 9 (4) (Machine)

C. Name of Machine: Induction motor

D. Manufacturer: Yasukawa Electric Machinery Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: L.S.O.

G Age of Machine in Years: 16

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ▼
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Electric source A.C. 220 V

(2) No. of phase 3

(3) No. of poles 4

(4) Horse power 7.5

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 100 Kgs.
Width: 0.6 Meters
Length: 0.6 Meters
Height: 0.6 Meters

M. Brief Description of Machine Characteristics: .....

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K

M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45　7　9 (1)(4)
(縣一工場一機械)

C. 機　種：誘導電動機

D. 製造者名：安川電機製作所

E. 製造國：日本

F. 型　式：LSO

G. 設備經過年數：16

H. 機械狀態：

使用可能	一級	V
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 220 ボルト

(2) 3 相

(3) 4 極

(4) 7.5 馬力

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：100 瓩　長　サ：0.6 米　巾：0.6 米　高　サ：0.5 米

M. 械機ノ特徴：

日本肥料株式會社ニ於テ賠償除外申請中

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 45

B. Code Number: 45 (Prefecture) – 7 (Plant) – 12 (Machine) — B_k | B_p | B_m

C. Name of Machine: gasoline ~~Gas~~ engine — C

D. Manufacturer: Nissan Jidosha Co.Ltd. — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: B — F

G. Age of Machine in Years: Uncertain — G

H. Condition of Machine (Check one below): — H

GOOD.....(Requires only Maintenance)	Class 1
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 ▼

I. Brief Reasons Why Unserviceable: seriously corrosioned and large parts imperfect.

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Uncertain — J_1

(2) — J_2

(3) — J_3

(4) — J_4

K. Power Source: — K

(a) Motor Driven: AC | DC | | HP | HP

(b) Belt Driven: Cone | | Pulley | |

L. Weight: 300 Kgs. — Length: 1.0 Meters

Width: 0.55 Meters — Height: 0.9 Meters

M. Brief Description of Machine Characteristics: — M

For automobile use.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

12

登　　錄　　票

A. 日　　附：20 AUG 46

B. 符號番號：45　　7　　12
(縣 — 工場 — 機械)

C. 機　　種：自動車用エンヂン

D. 製造者名：日産自動車株式会社

E. 製造國：日本

F. 型　　式：B

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	V

I. 使用不能ノ理由：稍鈍甚ダシク部分品殆ンド不足

J. 主要寸法（長サ，巾，其ノ他）：

(1) 不明

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重量：300 瓩　長サ：1.0 米　巾：0.55 米　高サ：0.7 米

M. 械機ノ特徴：自動車用

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

20 AUG 45

A. Date of Inventory: _____

B. Code Number: 45 (Prefecture) – 7 (Plant) – 13 (Machine)

C. Name of Machine: gasoline [redacted] Engine

D. Manufacturer: Nissan Jidosha Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: B

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: Seriously corroioned, and large parts imperfect.

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Uncertain

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 300 Kgs.
Width: 0.55 Meters
Length: 1.0 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: .....

For automobile use.

Application for exemption from Reparations has been made by Japan Fertilizer Co. Ltd.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　13
（縣－工場－機械）

C. 機　種：自動車用エンヂン

D. 製造者名：日產自動車株式会社

E. 製造國：日本

F. 型　式：B

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	V

I. 使用不能ノ理由：腐蝕甚ダシク部分品殆ンド不足

J. 主要寸法（長サ，巾，共ノ他）：

(1) 不明

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：300 瓲　長　サ：1.0 米　巾：0.55 米　高　サ：0.9 米

M. 械機ノ特徴：自動車用

日本肥料株式會社ニ於テ賠償除外申請中

（裏面＝日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 14 (Machine)

C. Name of Machine: gasoline Gas Engine

D. Manufacturer: Nissan Jidosha Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: B

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: Seriously corrosioned. and large parts imperfect.

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Uncertain

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | | DC | | — | | HP | | HP

(b) Belt Driven — Cone | | Pulley | |

L. Weight: 300 Kgs.
Width: 0.55 Meters
Length: 1.0 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: .....

For automobile use.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B$_k$ | B$_p$ | B$_m$ | C | D | E | F | G | H | J$_1$ | J$_2$ | J$_3$ | J$_4$ | K | M

14

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　14
(縣－工場－機械)

C. 機　種：自動車用エンヂン

D. 製造者名：日產自動車株式会社

E. 製造國：日本

F. 型　式：B

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	V

I. 使用不能ノ理由：腐蝕甚ダシク部分品殆ンド不足

J. 主要寸法（長サ，巾，其ノ他）：

(1) 不明

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：300 瓲　長　サ：1.0 米　巾：0.55 米　高　サ：0.9 米

M. 械機ノ特徴：自動車用

日本記錄株式会社ニ於テ賠償除外申請中

(裏面＝日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 – 7 – 15
(Prefecture – Plant – Machine)

C. Name of Machine: Gasoline Engine

D. Manufacturer: Nissan Jidosha Co.Ltd.

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: B

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	V

I. Brief Reasons Why Unserviceable: Seriously corrosioned and large parts imperfect.

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Uncertain

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven

AC		DC		HP
			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 300 Kgs.
Width: 0.55 Meters
Length: 1.0 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics:

For automobile use.

Application for exemption from Reparations has been made by Japan Fertilizer CO. Ltd.

B_s	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	(1)
J_2	(2)
J_3	(3)
J_4	(4)
K	
M	

15

登　錄　票

A. 日　附：20 AUG 46

B. 符號番號：45　7　15
（縣－工場－機械）

C. 機　種：自動車用エンヂン

D. 製造者名：日産自動車株式會社

E. 製造國：日本

F. 型　式：B

G. 設備經過年數：不明

H. 機械狀態：

使用可能	一級	
修理必要	二級	
使用不能	三級	✓

I. 使用不能ノ理由：腐蝕甚ダンク部分品殆ンド不足

J. 主要寸法（長サ，巾，其ノ他）：

(1) 不明

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重量：300 瓩　長サ：1.0 米　巾：0.55 米　高サ：0.9 米

M. 械機ノ特徴：自動車用

日本[illegible]

(裏面ニ日本語ノ說明アリ)

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 18 (1) (Machine) — B_k

B_p

C. Name of Machine: Centrifugal pump. — B_m

C

D. Manufacturer: Ebara seisakusho. — D

E. Country in Which Manufactured: Japan — E

F. Manufacturer's Model Number: S.V.X-2M. — F

G. Age of Machine in Years: 9 — G

H. Condition of Machine (Check one below): No motor — H

GOOD.....(Requires only Maintenance)	Class 1
GOOD.....(But requires Repairs)	Class 2 ✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 ✓

I. Brief Reasons Why Unserviceable: No motor.
Main parts are damaged

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pipe dia 0.1 m — J_1

(2) Capacity 0.8 m^3/min — J_2

(3) Head 110 m — J_3

(4) — J_4

K. Power Source: ..... — K

(a) Motor Driven: AC ____ DC ____ ____ HP ____ HP

(b) Belt Driven: Cone ____ Pulley ____

L. Weight: 800 Kgs.
Width: 1 Meters
Length: 1 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: ..... — M

For Foamite transmission.
"Inokuchi" type.

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 18 (1)
（廠 — 工場 — 機械）

C. 機　種：セントリフューガル　ポンプ

D. 製造者名：荏原製作所

E. 製造國：日本

F. 型　式：SYX. 2M

G. 設備經過年數：9

H. 機械狀態：電動機ナシ

使用可能	一　級	
修理必要	二　級	✓
使用不能	三　級	✓

I. 使用不能ノ理由：ポンプ（本体）一部破損ノ為

J. 主要寸法（長サ，巾，其ノ他）：

(1) 口径　0.1米

(2) 容量　0.8㎥/分

(3) 揚程　110米

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：800 瓲　長　サ：1 米　巾：1 米　高　サ：1 米

M. 機械ノ特徴：泳泥用　ねのぐち式

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7
These columns for use by Office Section, GHQ, only. MAKE NO ENTRIES							

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 18 (2) (Machine)

C. Name of Machine: Centrifugal pump

D. Manufacturer: Ebara Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: S.V.X. 2M.

G. Age of Machine in Years: 9

H. Condition of Machine (Check one below): No Motor

GOOD.....(Requires only Maintenance)	Class 1: V
GOOD.....(But requires Repairs)	Class 2: ✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3:

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Pipe dia 0.1 m

(2) Capacity 0.8 m³/min

(3) Head 110 m

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 800 Kgs.
Width: 1 Meters
Length: 1 Meters
Height: 1 Meters

M. Brief Description of Machine Characteristics: .....

For Toamite transmission. "Inoguchi" type

登　錄　票

A. 日　附：20 AUG 46　　附　表

B. 符號番號：45 — 7 — 18 (2)
(縣 — 工場 — 機械)

C. 機　種：セントリフューガル　ポンプ

D. 製造者名：在原製作所

E. 製造國：日　本

F. 型　式：SVX. 2M

G. 設備經過年數：9

H. 機械狀態：電動機ナシ

使用可能	一　級	✓
修理必要	二　級	
使用不能	三　級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 容　量　0.8 立方米/分

(2) 口　径　0.1 米

(3) 揚　程　110 米

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

腰車式	
單一調車式	

L. 重　量：800 瓲　長　サ：1 米　巾：1 米　高　サ：1 米

M. 機械ノ特徴：泡沫用、るのぐち式、

(裏面＝日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46 Attached sheet

B. Code Number: 45 (Prefecture) – 7 (Plant) – 19(3) (Machine)

C. Name of Machine: Cooler

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	✓

I. Brief Reasons Why Unserviceable: Portially damaged & disconnected

J. Operating Dimensions (Name each Najor Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 2.5 m

(2) Height 2.0 m

(3)

(4)

K. Power Source:

(a) Motor Driven

AC		DC			
					HP
					HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 2,000 Kgs.

~~Width~~ dia: 2.5 Meters

Length: Meters

Height: 2.1 Meters

M. Brief Description of Machine Characteristics:

Vertical cylindrical type

B_k	
B_p	
B_m	
C	
D	
E	
F	
G	
H	
J_1	
J_2	
J_3	
J_4	
K	
M	

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 ～ 7 ～ 19(3)
（縣－工場－機械）

C. 機　種：冷　却　器

D. 製造者名：新　潟　鉄　工　所

E. 製 造 國：日　本

F. 型　式：不　明

G. 設備經過年數：7　年

H. 機械狀態：

使用可能	一　級	
修理必要	二　級	
使用不能	三　級	レ

I. 使用不能ノ理由：一部解体

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　2.5米

(2) 高サ　2.0米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC			HP
					HP

(b) ベルト掛

車　式	
單一調車式	

L. 重　量：2.000 瓲　長　サ：　米　巾：2.5 米　高　サ：2.1 米

M. 械機ノ特徴：竪型円筒型

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 Aug 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (Machine) (10)

C. Name of Machine: Extracting tower

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2 ✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 1.9 m

(2) Height 22.0 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven	AC	DC	HP
			HP

(b) Belt Driven: Cone; Pulley

L. Weight: 28,000 Kgs.

~~Width~~ Dia: 1.9 Meters

Length: Meters

Height: 22.0 Meters

M. Brief Description of Machine Characteristics: .....

High pressure cylindrical type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H

J_1 J_2 J_3 J_4 K M

登　錄　票

附　放

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 20 (10)
(縣 — 工場 — 機械)

C. 機　種：抽出塔

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	✓
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　1.9米

(2) 高サ　2.2米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：28,000 瓩　長　サ：　米　~~巾~~ 径：1.9 米　高　サ：2.2 米

M. 械機ノ特徴：高圧円筒型.

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (18) (Machine)

C. Name of Machine: Evaporating tower

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7.

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2 ✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 2.0 m

(2) Height 6.5 m

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 8,000 Kgs.

~~Width~~ Dia: 2.0 Meters

Length: Meters

Height: 6.5 Meters

M. Brief Description of Machine Characteristics:

Vertical cylindrical type.

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

A. 日　　附：20-AUG 46　　附 公

B. 符號番號：45 — 7 — 20 (18)
（縣－工場－機械）

C. 機　　種：蒸 発 塔

D. 製造者名：新潟鉄工所

E. 製 造 國：日　本

F. 型　　式：不　明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	✓
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　2.0米

(2) 高サ　6.5米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式　AC　DC　HP　HP

(b) ベルト掛　段車式　単一調車式

L. 重　量：5,000 瓩　長　サ：　米　巾：2.0 米　高　サ：6.5 米

M. 械機ノ特徴：整型円筒型

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (19) (Machine)

C. Name of Machine: Evaporating Tower

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7.

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 1.4 m

(2) Hight 2.0 m

(3)

(4)

K. Power Source:

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 2,000 Kgs.
~~Width~~ Dia: 1.4 Meters

Length: Meters
Height: 2.0 Meters

M. Brief Description of Machine Characteristics:

Vertical cylindrical type

登　錄　票

A. 日　附：20 AUG 46　　附　表

B. 符號番號：45 — 7 — 20 (19)
（縣 — 工場 — 機械）

C. 機　種：基発塔

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	レ
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　1.4米

(2) 高サ　2.2米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：2,000 瓲　長サ：　米　巾：1.4 米　高サ：2.0 米

M. 械機ノ特徴：堅型 円筒型

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (20-22) (Machine)

C. Name of Machine: Middle tank

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7 years

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 2.0 m

(2) Height 4.7 m

(3)

(4)

K. Power Source: .....

(a) Motor Driven					(b) Belt Driven	
AC		DC		HP	Cone	
				HP	Pulley	

L. Weight: 6,000 Kgs.

~~Width~~ Dia: 2.0 Meters

Length: Meters

Height: 4.7 Meters

M. Brief Description of Machine Characteristics: .....

Vertical cylindrical Type

IBM CODE SECTION							
0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 20 (20-22)
(縣—工場—機械)

C. 機　種：中間槽

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	✓
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　2.0米

(2) 高サ　4.7米

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：6,000 瓩　長　サ：　米　巾：2.0 米　高　サ：4.7 米

M. 械機ノ特徴：竪型 円筒型

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (23) (Machine)

C. Name of Machine: Receiving Tank

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1 | ✓
GOOD.....(But requires Repairs)	Class 2 | ✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3 | •

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Dia 2.0 m

(2) Height 7.6 m

(3) Capacity 2K.0 K.L.

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 9,000 Kgs.
~~Width~~ Dia: 2.0 Meters

Length: Meters
Height: 7.6 Meters

M. Brief Description of Machine Characteristics: .....

high pressure cylinder

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k | B_p | B_m | C | D | E | F | G | H | J_1 | J_2 | J_3 | J_4 | K | M

登　錄　票

附　表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 20 (23)
(縣 — 工場 — 機械)

C. 機　種：受　槽

D. 製造者名：新　潟　鉄　工　所

E. 製造國：日　本

F. 型　式：不　明

G. 設備經過年數：7

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	✓
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 直径　2.0米

(2) 高サ　7.6米

(3) 容量　24斤

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：9,000 瓩　長　サ：　米　径巾：2.0 米　高　サ：7.6 米

M. 械機ノ特徴：高圧1筒

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (24) (Machine)

C. Name of Machine: Steam pump (direct acting)

D. Manufacturer: Uncertain

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: Uncertain

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	
GOOD.....(But requires Repairs)	Class 2	✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

Corroded and broken

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 2 KL/hr

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC | DC | HP | HP

(b) Belt Driven — Cone | Pulley

L. Weight: 500 Kgs.
Width: 0.5 Meters
Length: 1.5 Meters
Height: 0.5 Meters

M. Brief Description of Machine Characteristics: .....

Horizontal simplex double acting type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

Bk | Bp | Bm | C | D | E | F | G | H | J1 | J2 | J3 | J4 | K | M

登　錄　票

A. 日　附：20 AUG 46　　附　表

B. 符號番號：45 — 7 — 20 (24)
(縣 — 工場 — 機械)

C. 機　種：蒸気ポンプ（直動式）

D. 製造者名：不　明

E. 製 造 國：日　本

F. 型　式：不　明

G. 設備經過年數：不　明

H. 機械狀態：

使用可能	一 級	
修理必要	二 級	
使用不能	三 級	✓

I. 使用不能ノ理由：腐蝕及び破損多し

J. 主要寸法（長サ，巾，其ノ他）：

(1) Capacity 2 Ton/h

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：5·00 瓲　長　サ：1·5 米　巾：0·5 米　高　サ：0·5 米

M. 械機ノ特徴：横置單筒複動式

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

A. Date of Inventory: 20 Aug 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (25) (Machine)

C. Name of Machine: Air compressor
(Steam driven direct acting)

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 7

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable: .....

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 15 m³/Kg

(2)

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	HP
			HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 5-ton Kgs.
Width: 0.45 Meters
Length: 1.65 Meters
Height: 0.45 Meters

M. Brief Description of Machine Characteristics: .....

Vertical wein type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　　錄　　票

附　　放

A. 日　　附：20 AUG 46

B. 符號番號：45 — 7 — 20 (25)
(縣 — 工場 — 機械)

C. 機　　種：空気圧縮機（蒸気直働式）

D. 製造者名：新潟鉄工所

E. 製造國：日本

F. 型　　式：不明

G. 設備經過年數：約7年

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	✓
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) Capacity 15 m³/hr

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：500 瓩　長　サ：1.65 米　巾：0.45 米　高　サ：0.45 米

M. 械機ノ特徴：竪型ウエヤー式

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (26) (Machine)

C. Name of Machine: Induction motor

D. Manufacturer: Hitachi Seisakusho

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: TFOXX-KK 4

G. Age of Machine in Years:

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	✓
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 15 HP

(2) Revolution per minuite 485

(3)

(4)

K. Power Source: .....

(a) Motor Driven

AC		DC	

	HP
	HP

(b) Belt Driven

Cone	
Pulley	

L. Weight: 700 Kgs.
Width: 0.8 Meters

Length: 1.0 Meters
Height: 0.9 Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

24

登　錄　票

附 表

A. 日　附：20 AUG 46

B. 符號番號：45 — 7 — 20 (26)
（縣 — 工場 — 機械）

C. 機　種：誘導電動機

D. 製造者名：日立製作所

E. 製造國：日本

F. 型　式：TF0XX-KK
4

G. 設備經過年數：

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 馬力　15 HP

(2) 毎分回転数　1485

(3)

(4)

K. 傳動方式：

(a) 電動機直結式

AC	✓	DC	

15	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：800 瓩　長　サ：1.0 米　巾：0.8 米　高　サ：0.9 米

M. 械機ノ特徴：

（裏面ニ日本語ノ説明アリ）

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

A. Date of Inventory: 30 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (Machine) (27-28)

C. Name of Machine: Induction motor

D. Manufacturer: Yasukawa Electric machinery Co. Ltd. Tamagawa Factory

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: E.G.F.D

G. Age of Machine in Years: About 7.

H. Condition of Machine (Check one below): .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 15 KW

(2) 61 Amp

(3) Revolution per minute 1,150

(4) Voltage 220

K. Power Source: .....

(a) Motor Driven			HP	(b) Belt Driven	Cone	
AC		DC			Pulley	
			HP			

L. Weight: 500 Kgs. Length: 1.0 Meters

Width: 1.0 Meters Height: 1.0 Meters

M. Brief Description of Machine Characteristics: .....

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　　附：20 AUG 46　　附　表

B. 符號番號：45 — 7 — 20 (27-28)
(縣 — 工場 — 機械)

C. 機　　種：誘導電動機

D. 製造者名：安川電機製作所

E. 製 造 國：日本

F. 型　　式：EGFD

G. 設備經過年數：約7年

H. 機械狀態：

使用可能	一 級	✓
修理必要	二 級	
使用不能	三 級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 能力　15 KW

(2) 51 Amp

(3) 1150 R.P.M

(4) 220 Volts

K. 傳動方式：

(a) 電動機直結式

AC		DC	

	HP
	HP

(b) ベルト掛

段 車 式	
單一調車式	

L. 重　量：500 瓩　　長　サ：1.0 米　　巾：1.0 米　　高　サ：1.0 米

M. 械機ノ特徴：

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants)

Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 26 (29) (Machine)

C. Name of Machine: Exhauster

D. Manufacturer: Takagi Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: 4

H. Condition of Machine (Check one below):

GOOD.....(Requires only Maintenance)	Class 1 ✓
GOOD.....(But requires Repairs)	Class 2
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Revolution per minute 1,130

(2)

(3)

(4)

K. Power Source:

(a) Motor Driven ✓ — AC ✓ DC — 2 HP

(b) Belt Driven — Cone — Pulley

L. Weight: 5 ton Kgs.
Width: 0.9 Meters
Length: 1.0 Meters
Height: 0.8 Meters

M. Brief Description of Machine Characteristics:

Polystome Type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M

登　錄　票

A. 日　附：20 AUG 46　　附　表

B. 符號番號：45 — 7 — 20 (29)
（縣 — 工場 — 機械）

C. 機　種：排風機

D. 製造者名：高木鉄工所

E. 製造國：日本

F. 型　式：不明

G. 設備經過年數：4

H. 機械狀態：

使用可能	一級	✓
修理必要	二級	
使用不能	三級	

I. 使用不能ノ理由：

J. 主要寸法（長サ，巾，其ノ他）：

(1) 毎分 回転数 1,130

(2)

(3)

(4)

K. 傳動方式：

(a) 電動機直結式 ✓

AC	✓	DC	

2	HP
	HP

(b) ベルト掛

段車式	
單一調車式	

L. 重　量：500 瓩　長　サ：1.0 米　巾：0.8 米　高　サ：0.8 米

M. 械機ノ特徴：多辨式

(裏面ニ日本語ノ説明アリ)

INVENTORY SHEET

(Metal Working Plants) Attached sheet

A. Date of Inventory: 20 AUG 46

B. Code Number: 45 (Prefecture) – 7 (Plant) – 20 (30) (Machine)

C. Name of Machine: Motor pump

D. Manufacturer: Niigata Iron Works

E. Country in Which Manufactured: Japan

F. Manufacturer's Model Number: Uncertain

G. Age of Machine in Years: about 5

H. Condition of Machine (Check one below): ..... no motor .....

GOOD.....(Requires only Maintenance)	Class 1	✓
GOOD.....(But requires Repairs)	Class 2	
UNSERVICEABLE. (Tell why in Par. I, below)	Class 3	

I. Brief Reasons Why Unserviceable:

J. Operating Dimensions (Name each Major Dimension or Capacity and Name Unit of Measure which each is expressed in):

(1) Capacity 15 K.l./hr

(2) Derivery pressure 6 Kg/cm²

(3)

(4)

K. Power Source: .....

(a) Motor Driven — AC ✓ DC — 5 HP / HP

(b) Belt Driven — Cone / Pulley

L. Weight: 4000 Kgs.
Width: 1.0 Meters
Length: 1.0 Meters
Height: 1.0 Meters

M. Brief Description of Machine Characteristics: .....

Vertical triplex single acting type

IBM CODE SECTION

0	1	2	3	4	5	6	7

These columns for use by Office Section, GHQ, only.
MAKE NO ENTRIES

B_k B_p B_m C D E F G H J_1 J_2 J_3 J_4 K M