

## GHQ/SCAP Records (RG 331, National Archives and Records Service)

## Description of contents

- (1) Box no. 2933
- (2) Folder title/number: (22)  
Kamitsu Kokuki K.K. - Higashi & Nishi Kojo

(3) Date: Jan. 1947

(4) Subject:

Classification	Type of record
9230, 9621	c, k

(5) Item description and comment:

i) Hyogo

ii) Cover Title: Iwaya Branch Hospital Ex-Osaka  
Army Hospital

(6) Reproduction:  Yes  No

(7) Film no.

Sheet no.

(Compiled by *National Diet Library*)

## HYOGO LIAISON OFFICE

REMARKS

NAME OF PLANT: KAMITSU KOKU KOGYO K.K.

This factory was a sub-contractor for parts of aircrafts during the war. The factory has been permitted to convert to the production of civilian commodities and is at present producing materials required for the construction of airdromes for the Occupation Forces. Besides this, the factory is planning to manufacture packing materials of reparation machinery. It is also engaged in repairing parts of spinning machines and wood work machinery. The percentage of the operation of this factory is 60 percent.

This factory has already filed, through the Central Liaison Office, an application for exemption from the reparation list.

*K. Osling*  
LOCAL LIAISON OFFICER

The factory wants to use the material for water supply works and as condit tubes for wiring of the Kamitsu Homes which they have contracted with suffers.

*Tsutomu Furuchi*

MGP 37

NAME OF PLANT, LABORATORY, OR ARSENAL:

工場、研究所又ハ兵器廠ノ名稱 **KAMITSU FACTORY**

LOCATION:

所在地 **MORIMOTO KAMITSUMURA KAWABEGUN**

SIGNATURE OF OWNER OR CUSTODIAN:

所有者又ハ管理人ノ署名

*Tanaka*

**REPARATIONS PLANTS MATERIALS**

賠償工場ノ資材

**General Contractors Association of Japan**  
**Hyogo Prefecture Branch**

**ITAMI DOGEM KOGYO LMT CO**

*Yosio Seo,*

\*\* SIGNATURE OF LOCAL JAPANESE LIAISON OFFICER:

當該地區日本連絡官ノ署名

*K. Shimizu*

PAGE 1 OF 1 PAGES

頁中ノ第 一 頁

DATE:

日附

**JAN. 24, 1947**

**MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設ニ含マレザルモノ)**

ITEM DESCRIPTION	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION	REMARKS
品目						摘要
PIPE GAS	1" x 3"	ea 35	300 <sup>kg</sup>		POOR	
PIPE STEEL	20 <sup>mm</sup> x 2.40 <sup>m</sup>	" 2	3.4		GOOD	
DITTO	20" x 1.90"	" 23	35.8		"	
DITTO	20" x 1.80"	" 25	37.5		"	
DITTO	20" x 1.60"	" 39	52.2		"	
DITTO	20" x 1.40"	" 44	50		"	
DITTO	20" x 1.30"	" 21	15.7		"	
DITTO	20" x 1.20"	" 53	54.6		"	
ELBOW	3/4"	ea 17	1.1 <sup>kg</sup>		GOOD	
DITTO	1"	" 10	2.3		"	
DITTO	2"	" 11	8.4		"	
DITTO	1/2" (WITH BEAM)	" 40	9.4		"	
UNION	1/2"	ea 18	4.1 <sup>kg</sup>		GOOD	
PLUG	3/4"	ea 13	0.5 <sup>kg</sup>		GOOD	
DITTO	1/4"	" 24	2.6		"	
DITTO	3/4"	" 18	4.1		"	
NIPPLE	3/8"	ea 143	1.4 <sup>kg</sup>		GOOD	
BOLT	3/8" x 8"	ea 7000	700 <sup>kg</sup>		GOOD	For clamp

\* Owner or custodian to

所有者又ハ管理人ノ必

\*\*\* Describe as New, Good

状態欄ニハ新品、良品

DITTO	20" x 1.60"	"	39	522	"	
DITTO	20" x 1.40"	"	44	50	"	
DITTO	20" x 1.80"	"	21	157	"	
DITTO	20" x 1.20"	"	53	546	"	
ELBOW	3/4"	ea	17	1.1 <sup>kg</sup>	GOOD	
DITTO	1"	"	10	23	"	
DITTO	2"	"	11	8.4	"	
DITTO	1/2" (WITH BEAM)	"	40	9.4	"	
UNION	1/2"	ea	18	4.1 <sup>kg</sup>	GOOD	
PLUG	3/4"	ea	13	2.5 <sup>kg</sup>	GOOD	
DITTO	1/4"	"	24	2.6	"	
DITTO	3/4"	"	18	4.1	"	
NIPPLE	3/8"	ea	143	1.4 <sup>kg</sup>	GOOD	
BOLT	3/8" x 8"	ea	7000	700 <sup>kg</sup>	GOOD	For clamp
DITTO	5/8" x 2 1/2"	"	8000	1,708	"	"
BOLT NUT	1/2" x 12"	ea	100	15 <sup>kg</sup>	POOR	
DITTO	5/8" x 12"	"	500	135	"	
DITTO	5/8" x 11"	"	250	63	"	
CLAMP	3/8"	ea	500	50 <sup>kg</sup>	GOOD	
WASHER STEEL		pls	200	45 <sup>kg</sup>	GOOD	

TOTAL 1/5

\* Owner or custodian to  
所有者又ハ管理人ハ必  
\*\*\* Describe as New, Good  
状態欄 = ハ新品, 良品

Army Printing Plant Bangkok  
2700

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	REMARKS
要					

地方府縣米軍軍政府係官專用欄 FOR USE BY PREFECTURAL MILITARY GOVERNMENT TEAM ONLY. STRIKE OUT WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.

IS (NOT) AN ENEMY SURRENDERED FACILITY  
 IS ~~( )~~ A REPARATION FACILITY.  
 IS ~~( )~~ PRODUCING FOR OCCUPATION FORCES.  
 IF SO, GIVE PROCUREMENT DEMAND NUMBERS OR DATA REGARDING ORDERS FOR DEPENDENT HOUSING:

OSKE1833  
 LD107-39

HAS (NOT) BEEN TURNED BACK TO HOME MINISTRY  
 IS ~~( )~~ OPERATING.  
 ANY OBJECTION TO REMOVAL OF ABOVE ITEMS: *No.*

CORRESPONDENCE OR ACTION IS ~~( )~~ PENDING TO REMOVE PLANT FROM REPARATIONS LIST.  
 CORRESPONDENCE OR ACTION IS (NOT) PENDING FOR ~~( )~~ (CLOSING) THE PLANT.

STATEMENT AS TO WHETHER MACHINERY OR EQUIPMENT IN PLANT WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:  
*Removal of buildings prior to removal of reparations equipment will jeopardize machinery.*

PLANT NO.: *13-27* / *13-28* SERIAL NO. OF FORM: *Hyge 46* DATE: *31 Jan. 1947* MIL GOVT OFFICER: *Albert B. Holtz, Civ.* PREFECTURE: *Hyogo*

WOODEN SASH	1.70 x 1.20 <sup>m</sup>	ea	123	1/5
DITTO	1.70 x 0.48"	"	68	
DITTO	1.70 x 1.90"	"	10	
DITTO	1.70 x 1.70"	"	8	
DITTO	1.70 x 0.29"	"	3	
DITTO	1.20 x 1.20"	"	32	
WOODEN DOOR	1.85 x 1.72"	"	3	
DITTO	1.80 x 1.70"	"	5	
FRENCH SLATE		"	7,200	1/3

Material of the boarding  
house which is almost  
completed.

*Toutome Firmicki*

WOODEN SASH	1.70 x 1.20 <sup>m</sup>	ea	123	1/5	KAMITSU FACTORY are using
DITTO	1.70 x 0.48"	"	68		"
DITTO	1.70 x 1.90"	"	10		"
DITTO	1.70 x 1.70"	"	8		"
DITTO	1.70 x 0.29"	"	3		"
DITTO	1.20 x 1.20"	"	32		"
WOODEN DOOR	1.85 x 1.72"	"	3		"
DITTO	1.80 x 1.70"	"	5		"
FRENCH SLATE		"	7,200	1/3	"

1  
 subject of the report  
 should be left open  
 completed