DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GHQ/SCAP Records(RG 331)
Description of contents

THE NATIONAL ARCHIVES OF THE UNITED STATES

(1) Box no. 2722

(2) Folder title/number: (7)
Reduction of Custodial Personnel at Reaparation Plants - Saitama

(3) Date: July 1950 - Nov. 1950

(4) Subject:

Classification	Type of record
9230, 9621	a, c, r

(5) Item description and comment:
Saitam

(6) Reproduction: (Yes) No

(7) Film no. Sheet no.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

reduction custodial personnel
Santana

HEADQUARTERS
KANTO CIVIL AFFAIRS REGION
APO 500

PM/dp

KEDI 387.6

30 NOV 1950

MEMORANDUM THRU: Kanto Liaison and Coordination Office

FOR: The Governor
Saitama Prefecture

SUBJECT: Release of Reparations Installation (34-42)

1. Reference is made to inclosed memorandum, Kanto Liaison and Coordination Office, file KLO No 1,826, subject: "Request for Release from Reparations Custody of Land and Buildings (34-42)," dated 14 November 1950.

2. Reference request for release of all land and buildings of the Chugai Kakohin KK, Owada Plant (34-42) is approved.

PSK

3. This release does not in any way affect the status of the equipment inventoried for reparations under Code No 34-42.

4. The payment of guards from reparations funds is no longer authorized at this installation.

FOR THE CHIEF:

1 Incl
KLO No 1,826

GEO. B. NIBLOCK, Jr.
Lt Col, Infantry
Deputy Chief

Info copy in dupe w/incl
to CAS

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

34-30
PM/kn

HEADQUARTERS
KANTO CIVIL AFFAIRS REGION
APO 500

14 NOV 1950

KEDI 387.6

MEMORANDUM THRU: Kanto Liaison and Coordination Office

Reduction

FOR: The Governor
Saitama Prefecture

SUBJECT: Reduction of Custodial Personnel at Reparations Plants in Saitama Prefecture

1. Reference is made to memorandum this headquarters, file and subject same as above, dated 22 August 1950 and amendment thereto dated 19 October 1950.

2. Paragraph two of reference is amended to include:

a. "d. 34-30, Yokogawa Denki Seisakusho, Kawagoe Plant. The number of guards to be paid from reparations funds should be reduced to four."

FOR THE CHIEF:

GEO. B. NIBLOCK Jr.
Major, Infantry
Deputy Chief

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
KANTO CIVIL AFFAIRS REGION
APO 500

Repro PM/fk

KEDI 387.6

19 OCT 1950

MEMORANDUM THRU: Kanto Liaison & Coordination Office

FOR: The Governor
Saitama Prefecture

SUBJECT: Reduction of Custodial Personnel at Reparations Plants in Saitama Prefecture

1. Reference is made to memorandum this headquarters, file KEDI 386.3, subject same, dated 22 August 1950.

2. Paragraph 2 of reference is rescinded and the following is to be substituted: "2. Reference reports are approved with the following exceptions:

a. 34-11, Kosuge Sangyo K K. Only three guards are to be paid from reparations funds.

b. 34-13, Mitsuyasu Asbestos K K, Yono Plant. Inasmuch as major facilities are in authorized use, no guards are to be paid from reparations funds. Custody should be the responsibility of the Chubu Boshoku K K.

c. 34-65, Nippon Kogaku, Kawaguchi Plant. Only three guards are to be paid from reparations funds."

FOR THE CHIEF:

GEO. B. NIBLOCK Jr.
Major, Infantry
Deputy Chief

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
KANTO CIVIL AFFAIRS REGION
APO 500

PM/dp

22 AUG 1950

KEDI 586.3

MEMORANDUM THRU: Kanto Liaison and Coordination Office

FOR: The Governor
Saitama Prefecture

SUBJECT: Reduction of Custodial Personnel at Reparations Plants in Saitama Prefecture

1. Reference is made to inclosed memorandum, Kanto Liaison and Coordination Office, file KLO No 1,335, subject as above, dated 1 August 1950.

2. Reference reports are approved without exceptions.

FOR THE CHIEF:

1 Incl
KLO No 1,335

GEO. B. NIBLOCK
Major, Infantry
Deputy Chief

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HEADQUARTERS
KANTO CIVIL AFFAIRS REGION
APO 500

PM/dp

22 AUG 1950

KEDI 386.3

SUBJECT: Reduction of Custodial Personnel at Reparations Plants

TO: Chief
Civil Affairs Section
General Headquarters
Supreme Commander for the Allied Powers
APO 500

1. Reference is made to letter, Civil Affairs Section, General Headquarters, Supreme Commander for the Allied Powers, file 387.6 (2 June 1950)CAS-EM, subject as above, dated 8 June 1950.

2. Inclosed reports, memorandum Kanto Liaison and Coordination Office, file KLO No 1,335, subject: "Reduction of Custodial Personnel at Reparations Plants in Saitama Prefecture," dated 1 August 1950, have been reviewed and approved and are being forwarded in accordance with paragraph 3 of reference.

FOR THE CHIEF:

1 Incl
KLO No 1,335

GEO. B. NIBLOCK Jr.
Major, Infantry
Deputy Chief

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Mr Jones

Kanto Liaison & Coordination Office

Japanese Government

KLO No. 1,335 1 August 1950

TO : Chief, Kanto Civil Affairs Region

FROM : Kanto Liaison & Coordination Office

SUBJECT : Reduction of Custodial Personnel at Reparations Plants in Saitama Prefecture

1. Reference is made to the following:

a. Memorandum for Reparations Board, Japanese Government, 387.6 (2 Jun. 1950) CPC/RP, 2 Jun. 1950, subject: "Reports on the Reduction of Custodial Personnel at Reparations Plants".

b. Memorandum, your Headquarters, KEDI 386.3 dated 7 July 1950, subject: "Reports on the Reduction of Custodial Personnel at Reparations Plants".

2. Submitted herewith are reports as required in par. 8 of reference memorandum a. for each privately-owned plant in Saitama Prefecture accompanied by necessary information as required by reference memorandum b.

3. Reports for each reparations arsenal in the same prefecture will be submitted as soon as they have been prepared by the Kanto Finance Bureau.

KANTO
Liaison & Coordination Office

Katsushiro Narita

Director

Katsushiro Narita

(T. Takahashi, officer in charge)

1 Incl: Report of Saitama Prefectural Government of the number of guards at reparations plants in the prefecture

Incl 1

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

THE GOVERNMENT OF SAITAMA PREFECTURE
INDUSTRY SECTION

20 July, 1950.

E.D. No. 39

SUBJECT : CUSTODIAL PRESONNEL AT REPARATIONS PLANT.

THRU : KANTO LIAISON & COORDINATION OFFICE.

TO : KANTO CIVIL AFFAIRS REGION, APO 500.

We submit herewith above mentioned report of 26 plants in this Prefecture, as follows:-

A	B	C	D	E	F	G %
34 - 2	Chichibu Koku Kogyo K.K.	4 (4)	0	5	0	100
34 - 4	Chichibu Seiki K.K.	4 (4)	0	3	1	100
34 - 5	Shirako Seiki Plant of Chugai Kakohin K.K.	1 (1)	3	4	0	70
34 - 10	Kumagaya Koku Kogyo K.K.	6 (9)	3	12	0	93
34 - 11	Kosuge Sangyo K.K.	4 (4)	0	4	0	100
34 - 13	Yono plant of Mitsuyasu Asbestos K.K.	4 (4)	0	3	2	100
34 - 14	Musashi Kogyo K.K.	4 (4)	0	5	0	100
34 - 17	Fuji Industrial Co., Omiya Plant	6 (2)	5	13	8	85
34 - 20	Nippon Piston Ring Co., Kawaguchi Plant.	4 (8)	0	9	4	100
34 - 21	Nikko Koku Kogyo K.K.	4 (4)	0	7	0	100
34 - 22	Omiya Koku Kogyo K.K.	4 (4)	0	4	0	100
34 - 23	Kumagaya Plant Riken Kogyo K.K.	0 (0)	6	2	7	70
34 - 26	Toyooka Hikoki K.K.	0 (0)	4	0	4	64
34 - 30	Nokokawa Electric Works, Kawagoe Plant.	6 (7)	0	7	0	100
34 - 37	Research Institute of Light Metal for Aviation	5 (6)	0	6	0	100
34 - 39	Aoyagi Seisakusho K.K.	6 (6)	2	8	0	87
34 - 42	Owada Plant Chugai Kako	4 (4)	0	4	0	100
34 - 43	Chuo Kogyo K.K. Nikkura	8 (8)	0	12	0	100

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

A	B	C		D	E	F	G%
34 - 44	Fukaya Kogyo K.K.	4	(4)	0	3	1	100
34 - 48	Kanto Heiki K.K.	2	(2)	2	2	2	85
34 - 51	Niigata Engineering Co., Urawa Plant.	0	(0)	10	0	10	21
34 - 56	Chiba Seisakusho	0	(0)	6	0	6	67
34 - 57	Kagoyama Kikai Seisakusho	0	(0)	4	0	4	55
34 - 63	Nihon Kiko K.K. Omiya Plant of Nippon	0	(0)	4	0	4	52
34 - 64	Kosaku Kogyo K.K. Kawaguchi Plant,	0	(0)	4	0	4	67
34 - 65	Nippon Kosaku	4	(4)	0	4	0	100
	TOTAL :	83	(89)	62	117	57	

REMARKS:

A. Plant Code Number.

B. Name of Plant.

C. Number of guards paid from reperations funds, required by this office.

NOTE: Number in Bracket ( ) show number of guards, suggested by Ministry of International Trade and Industry, as of thirty days after the date of c.p.c. memorandum (2 June, 1950).

D. Number of guards paid by operating plant funds as of thirty days after the date of c.p.c. memorandum.

E. Number of guards paid from reparations funds as of 1 April, 1950.

F. Number of guards paid by operating plant funds as of 1 April, 1950.

G. Percentage of idle machinery.

N. Akimoto

NOBORU AKIMOTO,
Chief of Industry Section.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950

CODE NO. : 34 - 2

PLANT NAME : Chichibu Koku Kogyo K.K.

LOCATION : Kunikami-mura Chichibu-gun, Saitama Pref.

A. Total number of items mentioned, Machine Tools and Equipment.

Machine Tools 87

B. Total point value of A, above. 3,843

C. Total floor space of the plant (under custody) 527 tsubo

D. Nature and value of equipment.

Most equipments are old and simple type.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

4 wooden buildings

Condition is not good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area, 1,300 tsubo.

Strong bamboo and wooden inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

100%.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Sketch of plant

Code No. 34-2
Name of plant: Chichibu Koku Kogyō K.K.
Location; 175 Kanasaki, Kunikami-mura,
Chichibu-gun, Saitama pref.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Sketch of plant

4-2

: Chichibu Koku Kogyō K.K.

5 Kanasaki, Kunikami-mura,
Chichibu-gun, Saitama pref.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950

CODE NO. : 34 - 4

PLANT NAME : Chichibu Seiki K.K.

LOCATION : Chichibu-shi, Saitama Pref.

A. Total number of items mentioned, Machine tools and equipment.

Machine tools 66
Electric machines 2

B. Total point value of A, above. 2,101

C. Total floor space of the plant (under custody) 28 tsubo.

D. Nature and value of equipment.

Most equipments are old and simple type.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

One wooden building.

Condition is not good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area 42 tsubo.

Weak wooden inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of guard relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

100%.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Plant Lay out

Code No 32-a

Name of Plant. Chishibu Seiki Co.

Location. Nazaki Chichibu-shi Saitamaken



Explanation

Bldg No.	Name of Bldg.
	Workshop
	Preparation Storage
	Boarding house
	Guard post
	Store house
	"
	"
	"
	W. C.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT.

20 July, 1950.

CODE NO. : 34 - 5

PLANT NAME : Shirako Seiki Plant of Chugai Kaihin K.K.

LOCATION : Yamato-machi, Kita-adachi-gun, Saitama Pref.

A. Total number of items mentioned, machine tools and equipment.

Machine tools	216
Electric machines	14
General machines	2

B. Total point value of A, above. 13,102.

C. Total floor space of the plant (under costody) 769.5 tsubo.

D. Nature and value of equipment.

About 10% machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

8 wooden slate roofed buildings.

Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area, 7,243 tsubo

Strong concrete inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post. and one relief guard.

J. Percentage of [illegible]achinery.

79%.

K. Remarks: One guard will be paid from reparations funds, and three guards will be paid from the plant because of 21% operating.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CHŪGAI KAKŌHIN c
SHIRAKO SEIKI

PLAN VIEW

CODE NUMBER.

LOCATION. 1645, SHIMONIIKURA



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

HIN CO. LTD.

SEIKI FACTORY

N VIEW SIZE = 1 : 600

ER. 34 - 05.

645, SHIMONIIKURA, YAMATO-MACHI, KITAADACHI-GUN, SAITAMA.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

for ikebukuro



NO	
1	office
2	4th machine factory
3	guard post
4	garage
5	1st machine factory
6	2nd machine factory
7	W·C
8	W·C
9	oil store house
10	heat treatment
11	scrap depot
12	transformer room
13	dining room
14	lavatory
15	dressing room
16	coocking room
17	pumping room
18	bicycle depot
19	
20	dormitory
21	3rd machine factory
22	carpentry shop
23	lecture hall
24	W·C
25	casting work

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 10

PLANT NAME : Kumagaya Koku Kogyo K.K.

LOCATION : Tsukini-cho, Kumagaya-shi, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

Machine tools	477
Electric machines	45
General machines	12

B. Total point value of A, above. 33,578

C. Total floor space of the plant (under custody) 3,467 tsubo

D. Nature and value of Equipment.

About 20% machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

15 wooden slate-roofed buildings.

Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area 9,642 tsubo

Strong concrete inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

Two guards posts and one relief guard.

J. Percentage of idle machinery. 93%.

K. Remarks : We request two guard posts because of wide reparations area.

PLANT LAYOUT

Code No. 34-10

Name of Plant:
KUMAGAYA KOGYO CO;LTd.

Location:
No. 1, TSUKIMI-CHO KUMAGAYA
SAITAMA PREF.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950

CODE NO. : 34 - 11

PLANT NAME : Kosuge Sangyo K.K.

LOCATION : Ogawa-machi Hiki-gun Saitama Pref.

A. Total Number of items mentioned, Machine Tools and Equipment.

Machine Tools	116
Electric Machines	6
General Machines	2

B. Total point of A, above. 2,072

C. Total floor space of the plant (~~xxx~~ under custody) 122.5 tsubo

D. Nature and value of equipment.

Most equipments are press, shearing machines and etc.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

3 wooden slate roofed buildings.

Condition of buildings is not good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area. 200 tsubo.

Strong wooden inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

100%.

PLANT LAYOUT

Code No. 34-11

Kosuge Sangyo K.K.

1152, Otsuka, Ogawa-machi, Hiki-gun,

Saitama-ken.

Note

Rereased Buildings.

Housing Reparations machines

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 13

PLANT NAME : Yono Plant of Mitsuyasu Asbestos K.K.

LOCATION : Kami Ochiai Yono-machi, Kita-adachi-gun, Saitama Pref.

A. Total number of items mentioned, Machines Tools and Equipment.

Machine Tools	59
Electric Machines	11
General Machines	10

B. Total point value of A, above. 3,833

C. Total floor space of the plant (under custody) ~~115~~ 72 tsubo.

D. Nature and value of equipment.

Most machines are valuable.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

One ~~8~~ wooden slate roofed buildings.

Condition of buildings is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area ~~6,716~~ 80 tsubo

Strong concrete inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

100%.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT LAYOUT

Code No. : 34 - 13
Name of Plant: Yono Plant of Mitsuyasu Asbestos Industry Co., Ltd.
Location : No. 684, Kami-ochiai, Yono-machi, Kitaadachi-gun, Saitama Pref.



Note:
- ▨ Housing Reparations machines.
- □ Rereased Buildings.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 14

PLANT NAME : Musashi Kogyo K.K.

LOCATION : Saitado-machi Iruma-gun, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

Machine Tools 130
Electric Machines 21

B. Total point value of A, above. 8,394

C. Total floor space of the plant (under custody) 591 tsubo

D. Nature and value of equipment.

About 10% machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

4 wooden slate roofed buildings

Condition of buildings is not good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area. 1,100 tsubo

Weak wooden inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

100%

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Plant of The Sakado Plant Musashi Kogyo Co., Ltd

Code No. 34-14

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 17

PLANT NAME : Fuji Industrial Co., Omiya Plant.

LOCATION : Kamemiya, Omiya-shi, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

Machine tools	2,233
Electric machines	66
General machines	38

B. Total point value of A, above. 184,350

C. Total floor space of the plant (under custody) 16,165 tsubo.

D. Nature and value of equipment.

About 10% machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

One iron-framed, slate-roofed building.
15 wooden slate-roofed buildings. Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area 126,400 tsubo.

One side is concrete inclosure and other side is wired inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

Three (3) guards posts and two (2) relief guards.

J. Percentage of idle machinery. 85%.

K. Remarks : We request three guard posts because of wide reparation area as shown at the attached plant-layout.
Actual No. of guards are twelve (12).

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT LAYOUT

34-17

Code No.

Name of Plant : Fuji Industrial Co. Ltd. Omiya

Location : 1 - Kanonomiya-Machi, Omiya-S

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LAYOUT

34 - 17

dustrial Co. Ltd. Omiya Plant.

omiya-Machi, Omiya-Shi, Saitama



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

P

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 20

PLANT NAME : Nippon Piston Ring Co., Kawaguchi Plant.

LOCATION : Motogo-machi, Kawaguchi-shi, Saitama Pref.

A. Total number of items mentioned, Machine Tools and Equipment.

Machine Tools 837
Electric machines 45
General machines 14

B. Total point value of A, above. 44,779

C. Total floor space of the plant (under custody) 1,200 tsubo

D. Nature and value of equipment.

Most machines are special ones for piston-ring.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

4 wooden slate-roofed buildings.

Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area 2,000 tsubo

Bamboo inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

~~One~~ guard posts and one relief guard.

J. Percentage of idle machinery. 100%.

K. Remarks: Two guards posts.(one is for storage building, and the other is gate room at released area.)
Total No. of guards ; 15

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

日本ピスト

敷地

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

日本ピストンリング株式会社川口工場

敷地内建物配置図 S=1/1200

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 21

PLANT NAME : Nikko Koku Kogyo K.K.

LOCATION : Yamato-machi, Kita-adachi-gun, Saitama Pref.

A. Total number of items mentioned, Machine Tools and Equipment.

Machine Tools	172
Electric machines	21

B. Total point value of A, above. 12,506

C. Total floor space of the plant (under custody) 884 tsubo.

D. Nature and value of equipment.

About 20% machines are third class.

There are many simple type machines.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

Eight (8) wooden slate roofed buildings.

Condition is not good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area 3,529 tsubo.

Weak wooden inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

100%.

Plant Layout.

Code No. 34-21

Name of plant: Nikko Koku Kogyo K.K.

Location: 1719 Shirane, Yamato-Machi, Kitaadachi-gun, Saitama-Ken



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July 1950

CODE NO. : 34 - 22

PLANT NAME : Omiya Koku Kogyo K.K.

LOCATION : Oaza Joka Omiya-shi Saitama Pref.

A. Total Number of items mentioned, Machine Tools and Equipment.

Machine Tools	140
Electric machines	13
General machines	4

B. Total point value of A, above. 10,028

C. Total floor space of the plant (under custody) 234 tsubo

D. Nature and value of equipment.

About 20% machines are old and third class.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

2 wooden slate roofed buildings.

Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area. 350 tsubo.

Strong bamboo inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Code No, 34-22.

Name of plant;

Omiya Koku Kogyo K.K. Omiya plant

Location;

1372 Kamika Omiya saitama-Ken

Plant Layout



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Plant Layout



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL ON REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 23

PLANT NAME : Kumagaya Plant Riken Kogyo K.K.

LOCATION : Oaza Kumagaya, Kumagaya-shi, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

Machine Tools	455
Electric machines	45
General machines	12

B. Total point value of A, above. 15,756

C. Total floor space of the plant (under custody) 4,388 tsubo

D. Nature and value of equipment.

About 30% machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

13 wooden slate-roofed buildings.

Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant are 27,519 tsubo.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief.guards.

One guard posts and one relief guard.

J. Percentage of idle machinery.

70%.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL ON REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 26

PLANT NAME : Toyooka Hikoki K.K.

LOCATION : Irumagawa-machi, Iruma-gun, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

Machine Tools	330
Electric machines	35
General machines	6

B. Total point value of A, above. 23,140

C. Total floor space of the plant (under custody) 998 tsubo.

D. Nature and value of equipment.

Most machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

9 wooden slate-roofed buildings.

Condition is good.

F. Size and characteristics of plant area, & nature of protective inclosure.

Size of plant area 2,676 tsubo

Strong wooden inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

64%

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LAYOU

A. PLANT CODE No. 34 -

B. NAME OF PLANT. TOY(

C. ADDRESS. 4825 IRUM

D. INDUSTRIAL GROUP. AIR(

FIELD

FIELD

RELEASE

FI

Note. Ared granted release by Saitama Military Goverment 1 August 1948



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LAYOUT PLAN OF TOYOOKA

34 - 26.

TOYOOKA HIKOKI K.K. TOYOOKA-KOJO.

4825 IRUMAGAWA-MACHI IRUMA-GUN SAITAMA-KE

JP. AIRCRAFT PLANT.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OOKA PLANT.

DATE. 15 MAY 1948

SCALE 1/600

ITAMA-KEN.

L D

BLDG. No.	TYPE OF CONSTRUCTION	BLDG. AREA M²	LENGTH × BREADTH	CONSTRU
102	MACHINE SHOP PRESSING SHOP METAL SHEETING SHOP ECT.	1188	54.5 × 21.8	WOODEN ZINC & SH TITLE ROOFING HO
103	MACHINE SHOP	712	32.8 × 21.8	1-STORIED WOODE STRUCTURE WITH SL TITLE ROOF
110	MACHINE SHOP	712	32.8 × 21.8	1-STORIED WOOD STRUCTURE WITH G ROOFING ROOF
111	MACHINE SHOP PRESSING SHOP	318	21.8 × 14.5	1-STORIED WOOD STRUCTURE WITH TITLE ROOF
112	SUBSTION	33	7.2 × 4.5	1-STORIED WOOD STRUCTURE WITH TITLE ROOF BY MOR
113	REST ROOM METAL SHEETING SHOP	321	38.1 × 14.5	1-STORIED WOODE STRUCTURE WITH S TITLE ROOF
114	GUARD STATION	33	8 × 4.1	1-STORIED WOODE STRUCTURE WITH C TITLE ROOF
115	BOILER ROOM	39	7 × 5.5	1-STORIED WOOD STRUCTURE WITH TITLE ROOF
116	SMITHING SHOP	125	17.3 × 7.3	1-STORIED WOOD STRUCTURE WITH TITLE ROOF

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

MAY 1948.

1/600

TH DTH	CONSTRUCTION
	WOODEN ZINC & SREET
21.8	TITLE ROOFING HOUSE
21.8	1-STORIED WOODEN STRUCTURE WITH SLATE TITLE ROOF
21.8	1-STORIED WOODEN STRUCTURE WITH GALVANIZED ROOFING ROOF
14.5	1-STORIED WOODEN STRUCTURE WITH SLATE TITLE ROOF
14.5	1-STORIED WOODLY STRUCTURE WITH CONCRETE TITLE ROOF By MORTAL PAINT
14.5	1-STORIED WOODEN STRUCTURE WITH SLATE TITLE ROOF
4.1	1-STORIED WOODEN STRUCTURE WITH CONCRETE TITLE ROOF
5.5	1-STORIED WOODEN STRUCTURE WITH CONCRETE TITLE ROOF
7.3	1-STORIED WOODEN STRUCTURE WITH SLATE TITLE ROOF

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

COMPANY SITE 8295 M²

BUILDING FLOOR SPASE 3,48

TOTAL OF BUILDING 9

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 37

PLANT NAME : Research Institute of Light Metals for Aviation.

LOCATION : Shiki-machi, Kita-Adachi-gun, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

General machines 94

B. Total point value of A, above.

Point value is not decided because of chemical laboratory department.

C. Total floor of the plant (under custody) 556 tsubo.

D. Nature and value of equipment.

All equipments were used for a chemical laboratory.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

One concrete building.
5 wooden slate-roofed buildings.
Condition is good.

F. Size and characteristics of plat area, nature of protective inclosure.

Size of plant area 2,346 tsubo.
Weak bamboo inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relif guards.

One guard posts and ~~two~~ Four relief guard. TOTAL 5 GUARDS
~~This office requested four guards, according to the standard of C.P.C. Memorandum, but we desire your favorable consideration that six (6) guards be approved as described at "K" remarks.~~

K. Remarks : ~~One guard post,~~ but the plant is chemical laboratory ~~and 6 guards~~ are appointed specially by Ministry of Education, since April, 1950.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Plant Layout

Code No., 34-37

Name of Plant Research Institute of Light Metal for Aviation

Location, Saitama-ken, Kitaadachi-gun, Sikima-chi



* Bldg. No. 1 Reparation Storage
Bldg. No. 2 Ditto
Bldg. No. 3 Ditto
Bldg. No 4 Ditto
Bldg. No. 6 Ditto
Bldg. No. 7 Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 30

PLANT NAME : Yokokawa Electric Works, Kawagoe Plant.

LOCATION : Wakita Kawagoe-shi, Saitama Pref.

A. Total number of items mentioned, Machine Tools and Equipment.

Machine tools	473
Electric machines	33
General machines	41

B. Total point value of A, above. 26,086

C. Total floor space of the plant (under custody) 764 tsubo

D. Nature and value of equipment.

About 10% machines are third class.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

5 wooden slate-roofed buildings.
Condition is good.

F. Size and characteristics of plant area, nature protective inclosure.

Size of plant area 4,624 tsubo
Weak bamboo inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and three relief guards.

J. Percentage of idle machinery. 100%.

K. Remarks : One guard posts, but fences enclosing custodial area are not complete and surrounding condition of the plant is not good, and so we require 6 guards, 2 relief guards (additional) are for night guard Business, as ~~was~~ surrounding condition of the plant is vast and distant from streets.

Code No. 34-30.

Name of Plant : Kawagoe Plant of Yokogawa electric works.

Location : Wakita Kawagoe-shi Saitama Pref.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO# : 34 - 39

PLANT NAME : Aoyagi Seisakusho K.K.

LOCATION : Honjo-machi, Kodama-gun, Saitama Pref.

A. Total number of items mentioned, machine tools and equipment.

Machine tools	315
Electric machines	29
General machines	2

B. Total point value of A, above. 21,093

C. Total floor space of the plant (under custody) 2,803 tsubo.

D. Nature and value of equipment.

About 20% machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

10 wooden slate-roofed buildings at Honjo Plant.
2 wooden slate-roofed buildings at Shin-machi Plant.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area 8,000 tsubo at Honjo Plant.
31,000 tsubo at Shinmachi Plant.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

none.

H. Undesirable social condition.

~~None~~.

I. Number of guard posts and required number of relief guards.

Two guard posts (one is at Shin-machi Plant)

Two relief guards (one is at Shin-machi Plant)

J. Percentage of idle machinery.

37% at Honjo Plant
100% at Shinmachi Plant.

K. Remarks: One storage plant is dispersed and located at Shinmachi, Gunma Prefecture.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Plant Layout

:34-39

ant : Honjo Factory, Aoyagi Seisakusho, K.K.
Honjo-machi 1658, Saitama Pref.

Remark ; No. Scale

WOOD WARE HOUSE
WOOD WARE HOUSE
WOOD WARE HOUSE 32坪
W.C.
A SHED FOR
第七工場 160坪
7TH FACTORY
第四工場 (鍍金工場) 65坪
4TH FACTORY (GILDING FACTORY)
第三工場 100坪
3RD FACTORY
OFFICE
WELDING FACTORY
第二工場 150坪
2ND FACTORY
6TH FACTORY
便所 3坪
W.C.
TRANSFORMER SUB-STATION
第一工場 150坪
1TH FACTORY
塗装工場
32坪 PAINTING FACTORY
A SHED FOR BICYCLES
OFFICE
OFFICE
SHRINE
隣地
道

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

株式会社 青柳製作所 工場配置図

1/600

隣地

道路

COOKING ROOM

DINING HALL

池

崖

WOOD WARE HOUSE

W.C.

A SHED FOR BICYCLES

CARPENTING FACTORY

8TH FACTORY (CASTING FACTORY)

DINING HALL

OFFICE

8TH FACTORY (CASTING FACTORY)

2ND WARE HOUSE

6TH FACTORY

1TH WARE HOUSE

TRANSFORMER SUB-STATION

OFFICE

Guard HOUSE

GUARD HOUSE

GARAGE

WARE HOUSE

WARE HOUSE

9TH FACTORY

W.C.

ROAD

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

(株)青梛製作所新町製造所 工場配置図



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



actory, Aoyagi Seisakusho, K.K.
080, Tano-gun, Gumma Pref.

KETCH OF SHINMACHI FAC., AOYAGI SETSAKUSHO, K.K.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT.

20 July, 1950.

CODE NO. : 34 - 42

PLANT NAME: Osada Plant, Chugai Kakohin K.K.

LOCATION : Osada-machi Kita-adachi-gun, Saitama Pref.

A. Total number of items mentioned, machine tools and equipment.

Machine tools	122
Electric machines	23
General machines	3

B. Total point value of A, above. 2,292

C. Total floor space of the plant (under custody) 187.9 tsubo.

D. Nature and value of equipment.

About 40% machines are in bad condition.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

3 wooden slate roofed buildings.

Condition of buildings is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area 200 ~~187.9~~ tsubo.

Strong bamboo inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery. 100%.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



番号	名称	坪数	備考	番号	名称
1	事務所	50,000		17	事務所
2	守衛詰所	16,000		21	検査室

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

OWADA WORKS OF CHUGAI KAKOHIN CO., L

PLANT LAYOUT

SCALE : 1/1200



考	番号	名称	坪数	備考
	17	事務所	13,000	
	21	検査官室	21,996	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

ORKS OF
HIN CO., LTD.
LAYOUT
1/1200

中外火工品株式会社大和田作業
建物配置圖
縮尺 1:1200



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

土大和田作業所

置圖

1200



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

番号	名称	坪数	備考	番号	名称
1	事務所	50 000		17	事務所
2	守衛詰所	16 000		21	検査官室
3	変電所	6 000		23	揚水ポンプ室
4	倉庫	180 000		24	ポンプ室
5	仝上	68 000		25	工場
6	守衛室	3 000		26	仝上
7	工場	79 500		27	仝上
8	仝上	78 000		28	仝上
9	仝上	123 000		29	倉庫
10	仝上	129 000		30	工場
11	倉庫	35 374		31	仝上
12	仝上	25 166		34	便所
13	工場	24 000		35	工場
14	仝上	5 000		36	仝上
15	仝上	78 500		40	浴場
16	便所	5 000		41	管理官室

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013





備考	番号	名称	坪数	備考
	17	事務所	13,000	
	21	検査官室	21,996	
	23	揚水ポンプ室	1,500	
	24	ポンプ室	2,000	
	25	工場	1,500	
	26	仝上	1,000	
	27	仝上	63,000	
	28	仝上	1,000	
	29	倉庫	6,750	
	30	工場	78,000	
	31	仝上	63,900	
	34	便所	4,375	
	35	工場	78,000	
	36	仝上	78,000	
	40	浴場	28,000	
	41	管理官室	23,625	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950

CODE NO. : 34 - 43

PLANT NAME : Chuo Kogyo K.K., Niikura Plant.

LOCATION : Yamato-machi, Kita-adachi-gun, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

Machine tools	1,510
Electric machines	119
General machines	9

B. Total point value of A, above. 74,955

C. Total floor space of the plant (under costody) 6,075 tsubo

D. Nature and value of equipment.

About 30% machines are third class.

E. Number, dispesition, construction and condition of buildings, housing reparations equipment.

2 iron-framed buildings.
3 wooden slate-roofed buildings.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plat area 7,402 tsubo

Strong wired inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

Two guard posts and two relief guards.

J. Percentage of idle machinery. 100%.

K. Remarks : Each storage building is separated away, as shown as the attached plant-layout, and so we request two guard posts and two relief guards.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Bld.

No.	Name	
1	Office	(1st floor)
	Knitting shop	(2nd ")
	Ware house	(3rd ")
2	Machine shop	
3	Scrap iron yard	
9	Ammunition-magazine	
11	Scrap iron yard	
12	P.D. Ware house	
13	Vacant house	
15	Forging shop	
16	W.C. & Washing room	
17	50m Rifle trial range	
19	300m Rifle trial range	
22	Vacant house	
23	" "	
24	Residence	
25	Store house	
26	" "	
27	Vacant house	
28	" "	
30	Pump room	
31	Oil storage house	
32	Scrap iron yard	
35	Bath room	
36	Lodging house	
37	Boiler room	
38	W.C.	
39	Dining hall & Kitchen	
41	Domitory for employees	
43	" "	
44	Vacant house	
45	Switch station	
46	W.C.	
47	Vacant house	
48	Guard room and fire pump yard	
49	Hospital	
50	Ware house	
51	Garage	
52	Guard room	
53	Time recording room	
54	Domitory for employees	
55	3rd-Residence for employees	
56	1st-Residence for employees	

Remark; ☐ Confound of Repatriation Custody



JES B4

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

中央工業株式會社
CHUO KOGYO K.K.

LAYOUT

Name of Plant
Location

4500 NIIKURA, Y

JES 84

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

中央工業株式會社新倉工場 配置圖

CHUO KOGYO K.K. NIIKURA PLANT.
4500, NIIKURA, YAMATO-MACHI, KITAADACHI-GUN, SAITAMA.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 44

PLANT NAME: Fukaya Kogyo K.K.

LOCATION : Fukaya-machi, Osato-gun, Saitama Pref.

A. Total number of items mentioned, machine tools and equipment.

Machine tools 41

B. Total point value of A, above. 2,315

C. Total floor space of the plant (under custody) ~~169~~ 58 tsubo.

D. Nature and value of equipment.

Most equipments are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

One wooden building.

Condition is not good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area ~~200~~ 70 tsubo.

Strong wooden inclosure.

G. Existence of firms, institutions or installations adjecent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required of relief guards.

One guard post and one relief guard.

J. Percentage of idle machinery.

100%.

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

PLANT LAYOUT

Code No. ; 34 - 44

Name of plant ; Fukaya Kogyo K. K.

Location ; No. 1106, Nishijima, Fukaya machi, Osato gun, Saitama Pref.



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950.

CODE NO. : 34 - 48

PLANT NAME : Kanto Heiki K.K.

LOCATION : Yono-machi, Kita-adachi-gun, Saitama Pref.

A. Total number of items mentioned, Machine tools and Equipment.

Machine tools	83
Electric machines	12
General machines	4

B. Total point value of A, above. 6,324

C. Total floor space of the plant (under custody) ~~[illegible]~~ 92 tsubo

D. Nature and value of equipment.

About 10% machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

3 wooden zinc-roofed buildings

Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.

Size of plant area ~~[illegible]~~ 432 tsubo

Strong wooden inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None.

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

One guard post and one relief guard.

J. Percentage of idel machinery.

85%

Plant Layout

Code No. 34-48

Name of Plant. Kanto-Heiki K.K.

Location No. 1115. Kamiochiai-Yonomachi-Saitamaken



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

REPORT ON CUSTODIAL PERSONNEL AT REPARATIONS PLANT

20 July, 1950

CODE NOT. : 34 - 51

PLANT NAME : Niigata Engineering Co., Urawa Plant.

LOCATION : Harigaya, Urawa-shi, Saitama Pref.

A. Total number of items mentioned, Machine Tools and Equipment.

Machine Tools	502
Electric Machines	8
General Machines	20

B. Total point value of A, above. 47,373

C. Total floor space of the plant (under custody) 5,678 tsubo

D. Nature and value of equipment.

Few machines are old and worn out.

E. Number, disposition, construction and condition of buildings, housing reparations equipment.

6 iron-frame slate-roofed buildings.
2 wooden slate-roofed buildings.
Condition is good.

F. Size and characteristics of plant area, nature of protective inclosure.
Size of plant area 41,647 tsubo
Strong concrete inclosure.

G. Existence of firms, institutions or installations adjacent to the plant which constitute a fire hazard.

None

H. Undesirable social condition.

I. Number of guard posts and required number of relief guards.

Two guards posts and four relief guards.

J. Percentage of idle machinery.

21%

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

CODE NUMBER 34 - 51 · THE PLANT LAY



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

LANT LAYOUT OF THE NIIGATA ENGINEER

Material Yard

Office

B

Machine Shop (No.2)

3

W.C. 27

6 Heat-Treatment Shop

Hydrant

Gas-Producer Room

Chimney

9

Pool

Well

7 Boiler Room

Compressor Room

Service Station

Coal Yard

28 W.C.

Hydrant

Foundry Shop

8

Pattern Shop

Office

Hydrant

2

Guard

Office

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GINEERING CO. K.K. URAWA WORKS

165 4CHO
PRIVAT



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

GINEERING CO. K.K. URAWA WORKS

165 4CHO
PRIVAT



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

KS

Scale 1/600

0 10M 25M 50M

165 4CHOME, HARIGAYA-CHO, URAWA-SHI, SAITAMA-
PRIVATE MUNITIONS PLANT



Vegetable Garden

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Scale 1/600

0 10M 25M 50M

-CHO, URAWA-SHI, SAITAMA-KEN

ONS PLANT

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Hydrant

Office

31 W.C.

Office

14 Ware House

2

Machine Shop (No. 1)

4

Assembly Shop

29 W.C.

Tool Room (No. 1)

5

Frame Shop

35 Forge Shop

Tool Room (No. 2)

Water Pressure Pool

Office

Parts Store

Pool

Engine Testing Room

Hydrant

Well

E

Gasoline Tank

30 W.C.

17 Painting Room

16

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

Building Number	Name
1	Main Office
2	Machine Shop No.1
3	Machine Shop No.2
4	Assembly Shop
5	Frame Shop
6	Heat-Treatment Shop
7	Boiler Room
	Compressor Room
	Service Station
8	Foundry Shop
9	Gas Producer Room
10	Ware House
11	Design Dept. (2nd. Storied)
	Ware House (1st. Storied)
12	Ware House
13	Ware House
14	Ware House
15	Ware House
16	Ware House
17	Painting Room
18	Kitchen

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013



Building Nomber	Name	Structure	Area M × M	Area M²
1	Main Office	Wooden - Frame Tile Roofing (Two Storied House)	13.64 × 37.88	903.02
2	Machine Shop No.1	Ferro - Concrete Slate Roofing	47.43 × 126.23	5,922.0
3	Machine Shop No.2	Wooden - Frame Slate Roofing	18.18 × 111.44	2,027.54
4	Assembly Shop	Ferro - Concrete Slate Roofing	46.0 × 143.85	4,600.26
5	Frame Shop	Ferro - Concrete Slate Roofing	19.0 × 125.83	2,390.77
6	Heat-Treatment Shop	Ferro - Concrete Slate Roofing	140 × 42.0	598.00
7	Boiler Room Compressor Room Service Station	Wooden - Frame Mortar Coating Slate Roofing	12.0 × 30.0	270.00
8	Foundry Shop	Wooden - Frame Tile Roofing	21.82 × 92.72	2,562.07
9	Gas Producer Room	Wooden-Frame Mortar Coating Slate Roofing	4.55 × 3.67	16.52
10	Ware House	Wooden - Frame Tile Roofing	12.73 × 47.27	598.34
11	Design Dept. (2nd. Storied) Ware House (1st. Storied)	Wooden - Frame Slate Roofing (Two Storied House)	16.36 × 39.69	962.53
12	Ware House	Wooden - Frame Slate Roofing	16.36 × 38.78	634.69
13	Ware House	Wooden - Frame Slate Roofing	9.09 × 18.18	165.28
14	Ware House	Wooden - Frame Shingle Roofing	5.45 × 27.27	148.66
15	Ware House	Wooden - Frame Shingle Roofing	5.45 × 27.27	148.66
16	Ware House	Wooden - Frame Slate Roofing	14.54 × 59.99	852.89
17	Painting Room	Wooden - Frame Slate Roofing	10.81 × 7.27	79.33
18	Kitcken	Wooden - Frame Slate Roofing	7.27 × 9.09	

Building Nomber	Name	Structure
27	W. C.	Wooden - Frame Slate Roofing
28	W. C.	Wooden - Frame Slate Roofing
29	W. C.	Wooden - Frame Slate Roofing
30	W. C.	Wooden - Frame Slate Roofing
31	W. C.	Wooden - Frame Slate Roofing
32	W. C.	Wooden - Frame Slate Roofing
33	W. C.	Wooden - Frame Tile Roofing
34	Boiler Room	Wooden - Frame Tile Roofing
35	Forge Shop	Wooden - Frame Slate Roofing
	Coal Yard	
A	Tank	
	Hydrant	
	Money Safe	
	Pool	
B	Well	
	Hydrant	
	Hydrant	
	Hydrant	
	Hydrant	
C	Hydrant	
	Hydrant	

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

me	Structure	Area	
		M x M	M²
	Wooden - Frame Slate Roofing	2.73 x 5.98	17.35
	Wooden - Frame Slate Roofing	2.73 x 3.64	11.90
	Wooden - Frame Slate Roofing	2.73 x 4.55	14.87
	Wooden - Frame Slate Roofing	2.73 x 4.55	14.87
	Wooden - Frame Slate Roofing	2.73 x 4.55	14.87
	Wooden - Frame Slate Roofing	2.73 x 4.55	14.87
	Wooden - Frame Tile Roofing	3.03 x 9.99	30.27
r Room	Wooden - Frame Tile Roofing	2.73 x 3.54	9.91
Shop	Wooden - Frame Slate Roofing	5.45 x 13.64	74.38
Yard			
nt			
Safe			
nt			
nt			
nt			
nt			
nt			