Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

•





OR over 35 years the Elliott Nursery Company has been growing specialties, and has endeavored to grow such specialties very MUCH BETTER than they can be grown anywhere else in the world. In addition to our own specialties we offer the largest and best collection of trees, shrubs and plants to be found in the United States. It is the LARGEST COLLECTION, because it offers the products of the leading nurseries of the country. It is the BEST COLLECTION, because expert knowledge is used in propagating and growing our own specialties, as well as selecting the best material from the best American nurseries.

Our business is a unique one. As growers, we grow only specialties, and grow these better than they can be obtained elsewhere. When anything else is ordered, we buy it direct from the very best grower of that particular tree, shrub or plant, wherever he may be found. By combining the orders of a great many, we obtain very low prices, and give our customers the benefit of them, by charging only a moderate profit for our services.

At present we cannot offer imported stock, as a ruling of the Federal Horticultural Board prohibits the importation of trees, shrubs and plants. As a consequence, some material heretofore offered has been omitted from this catalogue, since it is not available in first-class quality.

All material listed in this catalogue is STRICTLY AMERICAN-GROWN. It is produced under the very best possible conditions, and will be entirely free from diseases and insect pests.

Furthermore, we have extensive grounds, where all novelties, rarities, and standard varieties are tested before we offer them to our customers. Because of the extreme care in handling stock, the thorough service rendered, and the reasonable prices quoted, we feel perfectly justified in soliciting your orders for the present season. We believe you will be so well pleased that your orders will be ours for all future seasons.

ELLIOTT NURSERY COMPANY 336 Fourth Avenue PITTSBURGH. PENNA.

Please Read Before Ordering

ORDERS. All orders are accepted by the Elliott Nursery Company subject to the following terms and conditions:

TERMS OF PAYMENT. Our terms of payment are invariably cash on delivery. This does not mean that we ship C. O. D., as we will not do so under any circumstances. We deliver the goods and mail bills at the same time, and expect payment within a few days. People unknown to us will please send cash or reference with their order.

PRICES AND PACKING. Prices in this catalogue are made subject to stock offered being unsold when ordered, and include all charges for packing trees, shrubs, plants, and bulbs.

Six plants of a kind will be furnished at the dozen rate; 50 or more at the 100 rate; 500 or more at the 1,000 rate. Less than 6 plants of one kind or variety will be sold only at the single rate.

All prices f. o. b. nursery.

FORWARDING. Shipments will be forwarded exactly as directed, but when without instructions we will use our best judgment and will forward by shortest and safest route. We recommend that all Herbaceous Plants be shipped by express.



RISK. All goods are at the customer's risk after they are delivered to the forwarding company and we receive their receipt for the shipment in good condition.

CLAIMS FOR DAMAGES WHILE IN TRANSIT must be made to the delivering Company. Have the delivery agent note the damaged condition on the freight bill and promptly present your claims to the transportation company. Send us copy of all papers so we can help secure prompt settlement.

PARCEL POST. Small shipments can be sent by Parcel Post. All such shipments will be sent insured, insurance and postage to be paid by the customer.

SHIPPING DIRECTIONS. Please give exact shipping directions, stating whether the stock is to be shipped by freight or express and by what route. Early orders for trees and bulbs can be shipped by freight.

INSPECTION AND FUMIGATION. Our stock is regularly inspected, and certificates will be sent with each shipment. Stock will be fumigated when requested or when the state laws require it.

IMPORT ORDERS are taken subject to failure of crops and to restrictions of quarantines promulgated by the Federal Horticultural Board.

NO AGENTS EMPLOYED. From time to time it has been reported to us that people have represented themselves as our agents in various parts of the country. We employ no agents whatever, but do an exclusive retail business direct with our customers.

GUARANTEE. We guarantee all nursery stock furnished by us to be first class, true to name. We do not guarantee the stock to grow, neither do we guarantee the result in any way. No complaint will be entertained that is not made immediately upon receipt of stock. There are so many causes for failure, over which we have no control, that we can assume no responsibility after the stock is delivered in good order to the transportation company. Poor soil, changeable weather, ignorant or careless culture—all contribute to failure. A catalogue as comprehensive as this must of necessity offer some varieties of difficult culture; when these are ordered we presume the people ordering have the knowledge needed for that culture. Successful gardening requires knowledge, enthusiasm, and perseverence, and these we cannot supply.

PLEASE PRINT YOUR NAME AND ADDRESS on your order. Many times it is extremely difficult to read these two important parts of an order, and the shipment may go astray.

ELLIOTT NURSERY COMPANY Magee Bldg., 336 Fourth Ave. PITTSBURGH, PENNSYLVANIA

Some Notable Hardy Plants

Anchusa

Italica, Dropmore Variety.

One of the most important hardy plants of recent introduction, and a grand improvement on the original type of A. Italica, or Italian Alkanet, and a plant which on account of its remarkable freedom of flowering and its beautiful hlue color, is sure to hecome one of our most popular hardy perennials. It attains a height of 5 to 6 feet, and produces its pretty hlue flowers, which are from 1 to 11/4 inches in diameter, throughout the entire summer. \$2.25 per 12; \$14.00 per 100.

Arabis

Alpina, fl. pl. Forms a dense carpet, completely covered with double pure white flowers in early spring. Fine for rockwork and edging. \$2.50 per 12; \$15.00 per 100.

Aubrietia Deltoides Purpurea

An evergreen trailing plant with silvery foliage. Many lovely purplish flowers in spring and early summer. \$2.50 per 12; \$15.00 per 100.

Campanula rhomboides fl. pl.

(Diamond Bellflower)

Trailing plant of proven merit. Double light blue flowers in profusion. Excellent for the rock garden or edging the perennial border. \$2.50 per 12; \$15.00 per 100.

Climbing Hydrangea We have at last succeeded in getting a stock of the rare Schizophragma Hydrangeoides, known as the Climbing Hydrangea. It is one of the rarest and most beautiful vines, having flowers similar to Hydrangea Hortensis. Fine strong, pot-grown plants \$1.00 each; \$10.00 per 12.



Aquilegia in Foreground, Digitalis in Background.



Anchusa Italica, Dropmore Variety.

Aquilegia

All of the single, long-spurred Aquilegias, or Columbines, are extremely beautiful, and a collection of them should be a feature in every garden. Foremost among these choice plants are our native Aquilegias. If these and other choice hardy plants were as well known as bedding plants, the day of geraniums, coleus, and other commonplace plants would soon he over. The flowers of these Aquilegias are most lovely and delicate, ranging from white to crimson, including shades of blue and yellow. The exquisite Recky Mountain Columbine, Aquilegia cœrulea, is one of the loveliest nowers in cultivation, and it and Aquilegia canadensis, which grows wild so plentifully in many localities, are both fine for naturalizing and will thrive if planted in the grass of meadows and allowed to take care of themselves. They are also fine for the formal garden. Assorted varieties, cur selection.

Per 12	100
Alpina superba. Blue and White\$2.25	\$14.00
Cærulea (Rocky Mountain Columbine). The most	
beautiful of all Columbines; one of the most	
charming hardy flowers in cultivation. H 11/2, F.	
4-5 2.50	15.00
Cærulea lutea. New; large, light yellow flowers. H	
1-2, F 4-5 2.25	14.00
†Californica. Large orange-yellow flowers 2.25	14.00
†Canadensis (native). Red and yellow. H 1, F 5 2.25	14.00
†Chrysantha. Beautiful golden yellow flowers;	
blooms for two months. H 3-4, F 5-6 2.50	15.00
†Chrysantha alba. A white variety of the above 2.25	14.00
†Glandulosa. Splendid dwarf variety, with lovely	
blue and white flowers 2.25	14.00
Olympica. Purplish flowers, white corolla 2.25	14.00
Skinneri. Scarlet, handsome and distinct 2.25	14.00
Long Spurred Hybrids. Beautiful; all shades 2.50	15.00
†Truncata. Scarlet and yellow; dwarf; very early 2.50	15.00
†Vulgaris. Old-fashioned double Columbine 2.00	13.00

Clematis Paniculata

This handsome hardy climber is one of the choicest and most satisfactory climbing flowering plants we know. The plant is of strong, rapid growth, with small, dense, cheerful green foliage, giving it a grace and elegance possessed by no other hardy climber, and, even did it not flower at all, it would be one of the most desirable vines. The flowers appear in the greatest profusion during August and continue until late in the fall, are of white color and most deliciously fragrant. The plant succeeds in almost any position; not only is it well adapted to run up all kinds of supports, but it is just as useful for planting among rockwork, sloping banks, or, in fact, in any position where a graceful vine is desired. Each Per 12 100

\$22.00



Old-fashioned Chrysanthemums

These have come to be regarded as the typical flowers for autumn, although this popularity has come to them during the past autumn, although this popularity has come to them during the past ten to fifteen years. No other class of plants gives such a wide range of color—white, yellow, bronze, scarlet, crimson, and deep dull red, with many intermediate softer tones. In masses they are particularly effective, while scattered clumps enliven the whole garden. Early spring planting is desirable. When the plants have grown a few inches, pinch off the tips and repeat this in late July. This tends to give larger and better formed blooms.

Pompon Varieties

Perfectly hardy; require little, if any, protectio winter, unless in exposed situations.	n duri	ng the
	Per 12	100
Baby. Golden yellow blooms, little more than 1/2	-er 12	100
		\$13.00
inch across. Late	\$2.00	\$13.00
Bob. Pale pink, center lighter; good cutting va-	0.00	40.00
	2.00	13.00
Delphine Dodge. Rose-pink when the flowers first		
open, but changing to a lighter shade as the		
bloom matures. Late October	2.00	13.00
Diana. Pure white; quite large. Late	2.00	13.00
Eagle d'Or. Rich yellow	2.00	13.00
Fairy Queen. Clear pink; of medium size. Mid-		
season	2.00	13.00
Flora. Yellow, very free	2.00	13.00
Golden Climax. Extra fine for cutting; free bloomer.		
Mid-November	2.00	13.00
Golden West. Blooms quite small, but of excellent		
color. Early November	2.00	13.00
Hilda Canning. Button type. Reddish bronze	2.00	13.00
Inga. A magnificent scarlet; blooms average larger		
than the type	2.00	13.00
Jeannette. Yellow, flecked with red, one week		
earlier than Golden Pheasant	2.00	13.00
Lillian Doty. Shell-pink; resembles a small dahlia		
and is an extra-fine variety	2.00	13.00
Mrs. Stout. Beautiful light pink, fading to white.	2.00	13.00
Ophelia. A beautiful shell-pink	2.00	13.00
Queen of Whites. Medium-sized white flowers.		
Early October	2.00	13.00
Rosinante. Deep pink; flowers quite large	2.00	13.00
St. Croate. Creamy white or dark sulphur-yellow,		
shaded with pink	2.00	13.00
Western Beauty. Medium-sized flower; deep rose-		
pink. Strong grower with erect stems. Mid-		
	2.00	13.00
White Doty. Globe shaped flower. Pure white, very	-100	
free	2.00	13.00
	2.00	

Large-flowering Varieties The blooms are 3 inches or more in diameter, shaped like an aster. Slight protection during the winter.

Per 12	100
White. Blooms sometimes slightly tinged with	
cream\$2.25	\$14.00
Blush. Tinged with rose and pink tones 2.25	14.00
Pink. Shaded from blush-pink to deeper tones 2.25	14.00
Yellow. Varying from lemon to orange-yellow 2.25	14.00

Chrysanthemum Maximum (Shasta Daisy Type)

Per 12	100
Alaska. A decided improvement. Flowers are 3	
to 4 inches in diameter, of pure white, very free	
and bloom nearly all summer\$2.00	\$12.00
King Ed vard VII. Snowy white, cup-shaped flow-	
ers on strong stems 2.00	12.00
Princess Henry. Probably the largest blooms in this	
class; clear white 2.00	12.00
Shasta Daisy. Splendid for growing in masses and	
valuable for cutting 2.00	12.00



Shasta Daisies are Deservedly Popular.

SPECIAL AND IMPORT PRICES FOR SPRING OF 1924

Tall English Delphiniums

We are tempted to say that the improved English Delphiniums are the most beautiful hardy plants in cultivation, but we are also tempted to say this of a score of other things, and, of course, it is impossible to say which is the most beautiful of hardy plants, for they have such an immense variety of beauty that the wonder grows that people continue to plant, by the million, bedding plants which have little or no beauty, are an annual expense, and cost quite as much as hardy plants whose first cost is their only cost and which increase in size. In heauty, and often in quantity, year after year. These Delphiniums may not be the most beautiful hardy plants, but they are among the most beautiful, and nothing can be more distinct and satisfactory. They are stately and picturesque, some varieties growing 8 feet high in rich soil; they have immense spikes of most beautiful flowers of every imaginable shade of blue, and their season is a long one

Culture of Delphiniums

The culture of Delphiniums is exceedingly simple, and the results out of all proportion to the slight amount of care necessary. They thrive in almost any position, and may be planted at any time of the year, provided that in summer the plants are not too forward. and that they be well watered if the weather be dry. The soil may be a rich, friable loam, which suits them finely; but any soil, even hot and sandy, if well watered and manured, will give If well watered and manured, will give excellent results. Dig deeply—trench-ing is better—add plenty of well-rot-ted manure, and plant about 2½ feet apart. Placed in lines, as a background to a border, or in groups of, say, three plants at intervals, the effect of the Delphinium is exceedingly fine. They look well in beds, also, arranged at the They same distance apart each way. are grand grown in masses of large groups of separate colors, and may be associated with shrubs with great advantage, succeeding well in shrubberies because of their robustness. A succession of flowers may be expected from spring to early autumn, especially if the spikes which have done flowering early he cut down to the ground; fresh growth will then be produced which will give blossom. Copious watering in summer will be attended by increased size of spike and flower: in fact, in

seasons of prolonged drought, water is absolutely a necessity on many soils if the varieties are to exhibit themselves in their true size and beauty of nower and spike. Top-dressing is greatly recommended on certain soils, instead of the bare surface of the ground heing left exposed to the sun. Some of the neater dwarf alpine and other hardy plants may be utilized to plant between and around Delphiniums. As we have intimated, any gardem soil suits the Delphiniums; it is, however, necessary to secure sorts such as are offered below in order to obtain an effect superior to that afforded by the old smaller-flowered varieties.

Special Offer Improved English Delphiniums

I want everyone who receives this list to try these improved English Delphiniums, and to that end offer them at extremely low prices. I guarantee that they will give unqualified satisfaction in every instance and will be a revelation of beauty to most people. Fine Mixed English, grown from seed of famous 12 100 named sorts\$2.50 \$15.00

Selected Varieties, selected from thousands of soodlings grown from choicest named sorts.... 3.50 23.00

Delphinium.

Standard Sorts

- Beliadonna. The freest and most continuous blooming of all, never being out of flower from the end of June until cut down by hard frost. The clear turquoise-blue of its flowers is not equaled for delicacy and beauty by any other flower. 25c each; \$2.50 per 12; \$15.00 per 100.
- Bellamosa. A dark blue of the type of Belladonna with the color of the old Formosum variety, but not liable to mildew like the latter and of stronger growth. \$2.50 per 12; \$15.00 per 100.
- Chinense. A very pretty variety, with fine, feathery foliage and intense gentian-blue flowers in open panicles. \$2.00 per 12; \$12.00 per 100.
- Chinense album. A pure white form of the above. \$2.00 per 12; \$12.00 per 100.
- Bellamosa (Improved Formosum). The old favorite dark blue with white center; 3 to 4 feet high. Very vigorous, freeflowering, and one of the best. \$2.00 per 12; \$12.00 per 100.





Dianthus Barbatus-Sweet William.

Dianthus Barbatus

(Sweet William)

That old-fashioned favorite, the Sweet William, has almost disappeared from our gardens; more's the pity, for its place has been taken by plants of far less beauty. The Sweet William is a fine old plant which produces great masses of bloom of extremely rich and varied colors. The flowers are very lasting and fine for cutting. The plants offered are grown from the finest strains to be obtained in England. We offer them in Pink, White, Crimson, Scarlet or Mixed Colors. Fine, large plants.

Pe	r 12	100
Newport Pink. One of the later introductions.		
Flowers are salmon-pink; free bloomer \$2	2.25	\$14.00
Rosea. Rose-crimson blooms with red or crimson		
eye 2	2.00	13.00
Scarlet Beauty. Fine scarlet blooms 2	2.00	13.00
Single Varieties Mixed. Contains varied varieties		
and colors 2	2.00	13.00
Double Varieties Mixed 2	2.00	13.00
Latifollus atroccoccineus fl. pl. Everblooming Hy-		
brid Sweet William. Bright, flery crimson flow-		
ers, through the entire summer. A bed of this	<	
variety will be one of the most striking sights		
in the garden 2	2.25	14.00

Hardy English Primrose

(Primula Vulgaris)

One of the loveliest sights in all England are the hardy primroses in bloom in orchard and meadows in early spring. In many cases the ground is carpeted with their lovely canary-yellow flowers which are delightfully fragrant. They are equally hardy here, and nothing can be more delightful, either for naturralizing in orchard, meadow, along a brook or planting in borders or along the edge of a shrubbery border. **\$2.00 per 12; \$13.00 per 100.**

Foxglove - Digitalis

In England the Foxglove grows wild, but, notwithstanding this, it is a great garden favorite, as it well deserves to be. For stately and picturesque beauty it is not to be surpassed and, planted in masses in the garden among shrubs or naturalized on the edge of woods, in the orchard or along brooks, it is extremely effective and satisfactory. Strictly speaking, it is a blennial, but, as it renews itself from self-sown seed, it may be treated as a perennial. Mr. Falconer has raturalized thousands of Foxgloves in Schenley Park, and nothing be has planted attracts more attention and admiration. Planted in the fall, Foxgloves will bloom well the following season. We offer a fine lot of strong plants, grown from the best strains obtainable in Europe.

P	er 12	100
urpurea gloxiniæfiora. The white blooms are spot-		
ted with shades of white, rose and purple	\$2.25	\$14.00
utea. Perennial. A rather dwarf variety with		
yellow flowers	2.50	15.00
aculata superba. A French introduction. Large		
flowers spotted with red, blue, purple, and sim-		
ilar sbades	2.25	14.00
urpurea. The old-fashioned purple Foxglove. The		
flower-spikes are from 4 to 7 feet tall, coming		
to perfection in July	2.00	12.00
urpurea alba. White form of Purpurea	2.00	12.00



Foxglove-Digitalis.

Improved Gaillardias

We consider the Gaillardia one of the most beautiful and desirable hardy plants in cultivation, and helieve our strain of these brilliantflowered plants to he the finest extant. We offer these plants for less than they have ever been sold for, either in this country or Europe. Though such an ornamental addition to the herbaceous border, the perennial Gaillardia is content with extremely simple treatment. Dig the soil deeply and enrich with well-rotted manure. We recommend the Gaillardia for bedding purposes as well as for horders. Give a moderate amount of room and peg down, and a grand effect is to be obtained. Every one will have noticed how grandly Gaillardias have thriven through the recent drought; they seem hardly to need water, but we recommend watering liberally to insure the finest flowers. The Gaillardia which Kelway & Son have been so successful in improving and popularizing is, of course, simply invaluable as a cut-ilower, on account of its being so lasting when gathered and so brilliant and beautiful. The gay blossoms are obtainable in perpetual profusion from June to Novemher, and the greater the drought and scarcity of other flowers the more the utility of the perennial Gaillardia is demonstrated. No more hrilliant and beautiful sight can be imagined than a large bed of Gaillardias, with their profusion of highly colored flowers of all shades. Some of the varieties of this improved strain measure fully 5 inches in diameter. Mr. Robinson, in the English Flower Garden recommends that they should he planted in bold groups, and remarks that no plants have finer effect in a hed by themselves, and we quite agree with him. Extra strong, fine plants, in a splendid assortment of colors, which will be sure to give complete satisfaction. \$2.25 per 12; \$14.00 per 100.

Hardy Garden Pinks

These pinks are very hardy, and bloom with wonderful freedom in May and June. The flowers are greatly varied in color and marking and are deliciously fragrant. They should he included in every garden. Care must be taken not to cover the foliage with manure or other mulching, in the fall, as it will cause them to rot.

Dianthus plumarius. A charming single Pink, with fringed petals. Flowers all of light colors, but greatly varied	100
in markings. Mixed colors\$2.00	\$12.00
Dianthus plumarius semperflorens. Similar to the above, but darker colors in a great variety of shades and mark-	
ings; charming. Mixed colors 2.00	12.00
Her Majesty. A fine hardy white pink 2.50	15.00



Gaillardia.

Ornamental Grasses Eulalias

The Eulalias are hardy grasses that are splendid for planting against a porch or tor groups in the shrubbery. They grow four to five feet high, have beautiful, graceful foliage, green or variegated, and in the fall it is surmounted with numerous graceful feathery plumes, creamy white in color. These are desirable for cutting for winter decoration, as they are everlasting. The plants are absolutely hardy and of the easiest culture.

Sinensis (Eulalia Japonica). Panicles are formed late in the season, on stems 4 to

- 9 ft. tall. \$2.00 per 12; \$13.00 per 100. Sinensis gracilimus. Similar to the preceding, but with much more graceful leaves. \$2.00 per 12; \$13.00 per 100.
- leaves. \$2.00 per 12; \$13.00 per 100. Sinensis variegatus (Eulalia Japonica varie-

gata). Green leaves marked with white stripes. \$2.00 per 12; \$13.00 per 100. Sinensis zebrina. \$2.00 per 12.

Eulalia.





Hollyhocks.

Liatris Pycnostachya

The popular name of this striking plant is Kansas Gay Feather. Nothing can be planted that will attract more attention on account of a very unusual appearance, but it is very heautiful as well as odd. It blooms in mid-summer and throws up long, narrow spikes of rich purple flowers which last a long time. A peculiarity of this plant is its great attraction for butterflies; when in bloom it is always surrounded with them. 20c each; \$2.00 per 12; \$12.00 per 100.

Oriental Poppies

I remember very well the first time I saw an Oriental Poppy. 1 was a boy then, and it excited me wonderfully, and 1 thought it the most remarkable flower in the world; and now, after fifty years have gone by and I have seen almost all the known flowers of the world, 1 am still of the opinion that it is mighty fine, striking and effective, and I have taken the trouble to gather and have grown a collection of several varietics. The foliage of Oriental Poppies dies away in the summer, and many think they are dead, but they will start into growth again in the fall. They are rather hard to establish, but once estal lished, prove the most persistent perennial Per 12 100 .00

Bracteata.	Red	flowers	of er	ormous	s size .		\$2	.50	\$15.
Cerise Be	auty.	Extra	large	bloom	s; cerí	se	pink,		
with c	rímson	center	and	black	blotch	at	base		

of petals ... 2.5015.00 Mrs. Perry. Orange-apricot-distinct and unusual

color 2.5015.00 Queen Alexandra. Rose-salmon, extremely clear and

2.50 brilliant 15.00 Silberblick. Salmon, with violet-blue blotchcs; white 15.00

anthers and stamens 2.50 Oriental Hybrids. An assortment of the best va-

rieties and colors 2.50 15.09

Hollyhocks

Have you ever noticed that painters choose single Hollyhocks as subjects for floral paintings oftener than any other flower. We suppose the reason for this is that artists have a keener appreciation of beauty than other people, and recognize that the common, and we fear sometimes despised, single Hollyhock, is one of the most stately, picturesque and beautiful plants in the world. Nothing can be more effective than a large group or mass of single Hollyhocks, and once planted they will literally take care of themselves, even if planted in the grass. We know of patches that have not been cultivated or disturbed in any way for twenty years. We are determined to have single Hollyhocks for our landscape gardening work, so we collected sced from old-fashioned (they will soon be new-fashioned) gardens and had thousands of plants grown for our customers. Some people think double Hollyhocks are more beautiful than single. They are mistaken, although the doubles are beautiful, but inclined to be top-heavy, often need staking and are liable to disease. Hollyhocks planted in the fall will bloom well the following summer.

Special Offer of Hollyhocks

Per 12 100

Best Large-flowered, Single, all colors, mixed.....\$2.00 Best Large-flowered, Double, mixed colors 2.50 \$13.00 15.00 Chater's Famous Strain. Best double grown. In

separate colors 2.00 13.00

New Allegheny. Immense seni-double flowers, with fringed edges; very beautiful. Each, 15c. 2.50 15.00 Our Hollyhocks are free from disease, and to insure this we are having them grown in Ohio in soil which is entirely free from the Hollyhock disease.

Lily-of-the-Valley

American pips. For outdoor planting only. \$1.00 per 25; \$3.50 per 100; \$30.00 per 1000. Large clumps. 50c each; \$5.00 per 12.

Lychnis

Splendens, Double Red (Ragged Robin). Forms a dense tuft of evergreen foliage, and in June it sends up tall spikes of handsome double, deep red itowers of exquisite fragrance, and remains in perfection six weeks. 20c each; \$2.00 per 12; \$13.00 per 100.



Oriental Poppies.

German Iris

Probably the Japaneso Iris rank first in beauty, but they cannot approach in popularity the German Iris. A great number of new varieties have been introduced in the last decade and many of them are far superior to the older sorts in beauty and size of flowers. Some of these recent introductions, however, are extremely delicate, and refuse to bloom except when conditions are "just so." These have been carefully eliminated from our list. The German Irises in our collection may be raised with success by anyone. Give them a good sunny situation and plant the tubers so that they are only about half buried. In the descriptions which follow, the upright petals are referred to as "Standards," while those which droop are known as "Falls."

	Per 12	100
Aurea. Both standards and falls are rich chrome yellow. The blooms are large and perfect in form	-	
Canary Bird. The general effect of the bloom is pall yellow; both standards and falls are about the same color	Э	10.00
Caprice. Rosy red standards; falls of a deeper red A large handsome bloom. 2 feet		12.00
Don Carlos. Blue standards; falls velvety reddish purple		10.00
Florentina. Sometimes known as Silver King. Fra- grant, creamy white blooms, slightly flushed with lavender, produced early in the season. 2 feet.	1	12.00
Florentina purpurea. Blue standards and velvety purple falls, together with a bright yellow beard make this blocm very attractive	,	12.00
Gracchus. Crimson falls veined with white, stand- ards yellow. An extra-fine early sort. 18 inches		15.00
Haifdan. Both standards and falls are creamy white; the blooms are quite large		12.00
Her Majesty. Standards and falls rose-pink. A va- iety of great distinction and beauty. 22 inches 35c each	3	
Ingeborg. Pure white blooms of great size. The petals of this variety are 2 inches wide. An ex-	ne	
tremely beautiful variety	1.50	10.00





Clump of German Iris, Pallida Dalmatica.

t 5 (r. 1	Per 12	100
Jeanne d'Arc. A splendid pure white sort 50c each.		
Lohengrin. Standards and falls are soft Cattleya rose; extremely large blooms35c each.		
Loreley. Falls are deep blue, bordered with crim- son; standards are light yellow35c each.		
Mme. Chereau. White, delicately frilled with a border of clear blue. A most beautiful variety 32 inches	•	i0.00
Mrs. Horace Darwin. General effect white, al- though the upper parts of the falls are veined wild gold and violet; golden beard. 24 inches.	1	14.00
Mrs. Alan Gray. Both standards and falls are a delicate pale rose-mauve		15.09
Niebelungen. Standards fawn-yellow; falls violet. purple. Extremely large blooms35c each		
Pallida Dalmatica. Lavender standards and clean deep lavender falls. Most effective when planted in masses; an excellent variety for cut-flowers 35c each.	1 •	
Princess Victoria Louise. Sulphury yellow standards falls plum color, bordered with cream. 35c each.		N
Queen of May. Soft rose-lilac, almost pink. 32 inches.		15.00
Rhein Nixe. White standards, falls violet-blue, with white border. Large blooms on tall stems 50c each		
Walhalla. Both standards and falls are blue and purple. Strong grower and free-bloomer		13.00
Unnamed Mixed Varieties. A great number of dif- ferent sorts of various colors and styles. Excel-		

lent for large plantings and landscape work 1.50 10.00

Iris Florentina.

Japanese Iris

Although Japanese lrises have been grown in this country for forty to fifty years, they have never attained the popularity of the German type. One reason for this is that they have been a little more expensive, and certainly an additional reason is that their beauty has never been adequately shown nor fully appreclated. Without doubt, the Japanese Irises are the most gorgeous of all the perennials.

The Irises of this class have no standards; the petals are borne at right angles to the stalk and droop most attractively at the tips of the petals. They will grow in any ordinary garden soil, but amply repay efforts to suit their dispositions. Extra-good soil, and daily watering for a month before and during the blooming season, will produce truly remarkable blooms. Some of them have been known to attain a diameter of 12 inches. Be sure to make your Iris bed in as sunny a spot as possible.

Our original importation of Japanese lrises has been added to each year, as new sorts have originated. We think that our present collection contains the finest and most beautiful varieties in the world. As most of the original Japanese names are impossible to remember and even more impossible to pronounce, we have renamed many of the varieties in our list.

- Alice Kiernan (Undine; Ondine). A single white variety with light blue sbadings. Unusually large
- Coerulea. (7). Double. Lavender-blue, delicate coloring; large and distinct35c each.. 3.50
- Frate. A silvery white double variety, veined and shaded with lilac, and with a pure lilac center. 35c each 3.50
- Gigantea. (53). Bluish purple, lightly striped white; vigorous grower and free bloomer ...35c each 3.50
- H. Von Siebold. Center pure white with violet red
- Hermione. (103). Single. White, maroon cen-
- ter, petals penciled with blue 25c each.. 2.50 Katherine. (2). Double white, striped and suf-
- fused with magenta, yellow base 35c each.. 3.50 Mahogany. Dark red, shaded with maroon, quite

double 60c each.. 6.00 Mont Blanc. (1). Double. Pure white; large and

fine. One of the finest of the white varieties. 35c each 3.50



Siberian Iris.



20.00 and fine 3.50 13.00

Siberian Iris

Narrow, grassy foliage and tall, flat stems make the Irises of this class the most delicate and ornamental of the whole family. They are especially desirable for borders, or for marking lines, etc., their slender graceful foliage and delicately poised blossoms holding a distinctive beauty that is peculiar to them. They are very persistent and will thrive even in blue-grass sod. Coming into bloom just at the close of the bearded lris season, they flower quite freely and are extensively used for naturalizing and water-side plantings.

Per 12	100
Alba. White shading to yellow at the base of the petals\$2.00	\$12.00
Distinction. Blue standards; white falls veined with blue 2.25	14.00
Orientalis. Sometimes known as lris sanguinea. Very brilliant blue flowers;	
the buds are enclosed in a crimson spathe and are decidedly ornamental 2.00	13.00
Orientalis, Blue King. Handsome, clear blue flowers with attractive mark-	
ings at the base	13.00
Orientalis, Snow Queen. Large ivory-white flowers produced in great abun-	
dance	15.00
Orientalis superba. Large violet-blue flowers; foliage extends almost to the	
height of the flowers 2.00	13.00





A Border of Avalanche Peonles. **Peonles**

Few flowers have become more popular in recent years than the Peonies. Even the common old-fashioned sorts possess unusual beauty and make excellent flowers for cutting because of their large blooms and vivid colors. The varieties which have been introduced in the past thirty years are much superior to those previously known. Some of them will attain a diameter of 8 inches or more, while in beauty of form and exquisite coloring they easily surpass any other perennial. Peonles possess another advantage which is important; they require no special care or attention—anyone can grow them successfully. We have long appreciated their possibilities, and our present collection

includes a large number of varieties which we have succeeded in gathering together only after years of effort.

Well-developed root clusters, if planted in August or September, will bloom the following season. We do not offer large undivided clumps as we find that they do not justify their cost. It must be remembered that Peonies seldom bloom satisfactorily the first season after planting; many of the finest double sorts will produce single flowers at this time. The second season after planting it is difficult to tell medium-sized plants from the large undivided clumps sometimes sold; for that reason ordinary size plants produce typical blooms just as soon as huge and expensive root clusters, yet cost much less.

Each	Per 12	Duke of Wellington. Quite large, sulphury white Each	Per 12
Avalanche. Large flowers of perfect shape; milk-		blooms, of medium fragrance. Makes a strong,	
white, with a creamy center having a few car-		vigorous growth and blooms freely\$0.50	\$5.00
mine stripes; late and very free-flowering;		Delachei. Large violet-crimson blooms perfectly	
splendid habit. A variety of great distinction		cup-shaped. Unusually good sort. Late mid-	
and beauty\$1.00	\$10.00	season	6.00
Anemonæfiora rubra. Medium-sized blooms of		Edulis Alba. White, center cream-white flecked	
brilliant red, with dark crimson carpels. Semi-		crimson	4.00
double. Midseason	6.00	Edulis Superba. This variety is largely grown to	
Baroness Schroeder. Flesh white fading to milk-		supply the demand for Decoration Day flowers;	
white; fragrant; large size 2.00		the blooms are bright, deep pink, with lighter	
Couronne d'Or. Pure white blooms with a circle		shadings. The plant makes a strong, upright	
of yellow stamens about the center tuft of		growth, and produces blooms very freely. One	
petals, which are tipped with carmine. They		of the best low-priced sorts	7.50
are quite large and flat, with petals of uniform		Felix Crousse. Extra-large blooms; quite fra-	
width throughout. This is one of the best white		grant. One of the most brilliant red varieties.	
variaties and an excellent sort for cutting	7.00	Strong, vigorous plants 1.25	12.00
Duchessa de Nemours. A beautiful, fragrant, cup-		Festiva. Creamy white blooms, with crimson flecks	
shaped flower, white and sulphur-white. Blooms		in the center. Flowers are nearly as large as	
very freely	6.00	Festiva Maxima, but the plant is of dwarf habit50	5.00

ELLIOTT NURSERY COMPANY, PITTSBURGH, PA.

Bach Per 12



Duchesse de Nemours.

PEONIES—Continued Each Per 12

Festiva Maxima. This is probably the best of the low-priced variaties. It produces extremely

low-priced varieties. It produces extremely		
large white flowers, flecked with crimson in the		
center. The plant makes a tall, strong growth,		
and produces its blooms early in the season.		
Some of the most recently introduced varieties,		
which sell for \$50 or more, are in no way super-		
for to this sort\$	0.75	\$ 7.00
Floral Treasure. Soft rose, ligules buff, with tufts		
of rose petals in center; carried on long stems;		
distinct and fine; fragrant	.60	6.00
Francis Ortegat. Large, handsome flowers of deep		
crimson, shaded with amaranth; brilliant yellow		
anthers	.75	7.50
Gloire de Charles Gombault. A pleasing combination		
of light rose and creamy white. The blooms are		
borne in midseason. Quite long, strong stems		
make it a good sort for cutting	1.50	15.00
Gubretae. Single blooms, with large carmine		
petals, which contrast strongly with the bright		
yellow stamens	.50	5.00
Grandifiora rosea. Blooms are rather flat, but quite		
large, with delicate fragrance. The color is		
an extremely light rose, almost white. Late	.60	6.00
John C. Slack. Broad pink guard petals. Petal-		0.00
olds which vary; dainty and charming	1.50	
Livingstone. Pale lilac-rose, turning to silver at the	1.00	
tips of the petals. Very large, compact flowers.	.75	7.5(
La Tulpe. Large lilac-white blooms, with crim-		
son stripings on the outer petals. Fragrant.		
Late midseason	.75	8.00
Lady Bramwell. Pale lilac-rose, the center petals		0.00
creamy white at the tips, and sometimes flecked		
with crimson. Grows vigorously and blooms		
freely. Early midseason	.60	6.00
Louis Van Houtte. Large flower of lively violet-	.00	0.00
red; very brilliant; a very beautiful variety	.30	3.00
Magnifica. Light pink blooms, quite fragrant.	.00	0.00
Dwarf habit. Late	.60	6.00
Marguerite Gerard. Lovely light pink; one of the	.00	0.00
most exquisitely beautiful Peonies in cultivation	1.50	
Marie Lemoine. This is a very popular commer-	1.00	
cial variety. It produces large, compact flowers,		
with crimson centers, occasionally tipped with		
carming: fragrant. Plants are of medium height		
and produce the blooms on extra strong stems.		
Very late	75	7 5
• • • · · · · · · · · · · · · · · · · ·		1.5

mme. Calot. Light pink, rose-type, with center		
slightly darker. Medium fragrance. Strong		
grower	0.75	\$7.50
Mme. Coste. A good early sort; light pink guard		
petals and crimson center	.60	6.00
Mme. Crousse, White, tinted pink, center carmine;	4.05	
bordered very lovely	1.30	
white center, tinted with pink when first open-		
ing, later fading to pure white, although it is		
frequently flecked with carmine. Slightly fra-		
grant. A variety which should be in every		
	.60	6.00
Mons. Jules Elie. An extra-fine early sort of med-		0.00
ium fragrance. The blooms are pale lilac-rose,		
shading to rich amber at the base. The plants		
make a strong growth, and are generally of med-		
ium size. One of the most popular varieties	2.00	
Officinalis. A single white sort of great beauty	.50	5.00
Officinalis mutabilis alba. The blooms are light pink		
on opening, graditally changing to white	.75	7.50
Petite Renee. Very large, semi-double type. The		
light magenta blooms are borne freely on plants		
of medium height. Midseason	1.50	
Prolifera tricolor. Medium size flowers, with loosely		
set petals. The guards are flesh white, with		
collar of sulphury-yellow; a pale rose crown en-		
closes white petals and red carpels. Fragrant.		
Late	.75	7.50
Prince d'Arensberg. Medium-sized, full double, dark		
red flowers. Midseason	.60	6.00
Peace Offering. An attractive, semi-double vari-		
ety, with light guard petals; light buff center	1.50	
Queen Victoria. Large, globular bloom, with milk-		
white guards and cream-white center. Mid-	.50	5.00
Rosea elegans. A splendid pale lilac-rose bloom,	.00	5.00
with a delicate cream-white collar	.50	5.00
Rosea piena superba. Full double blooms; soft pink,		0.00
OF FUSE	.75	7.50
Rubra superba. Deep crimson blossoms, large and		
	1.25	
Tricolor grandiflora. A popular garden variety.		
Center is pink, shaded with salmon	.60	6.00
Mixed Varieties. Double and single, all colors		3.50



Mme. de Verneville.



Phlox, Mrs. Jenkins.

Hardy Perennial Phloxes

The beauty and usefulness of these grand border plants give them a deservedly first place among hardy plants. For cutting, their large trusses go a long way in floral decoration. In color they range from pure white to the richest crimson and purple, and from soft rose and salmon to bright coral-red, all having a delicate fragrance. Perennial Phloxes succeed in almost any soil enriched with manure, but are

much benefited by a mulching of decomposed manure in spring, and in hot weather an occasional soaking of water. If the first spikes of bloom are removed as soon as over, and the plants given a good soaking of water, they will produce a second supply of flowers, thus continuing the display until late in autumn. These later blooms are often finer than the first.

Field-grown plants, 25c each; \$2.50 per 12; \$15.00 per 100, except where noted.

Albion. Pure white, with a faint red eye.

A. G. McKimmon. Early flowering; lilac; large trusses.

Athis. Salmon; a splendid tall variety.

Baron von Dedem. Intense scarlet or red; individual flowers and trusses are very large. One of the best varieties.

Duguesclin. Deep rose; liiac shading on edge.

Eclaireur. Purple-carmine biooms with a white center.

Elizabeth Campbell. A splendid variety for mass planting. Flowers are light salmon-pink with dark red eye. The best variety introduced in years, both in color of bloom and habit of plant. 35c each; \$3.50 per 12.

F. B. Waldeck. Splendid pure white.

Frau Antoine Buchner. Pure white, or slightly suffused with pink. Kossuth. Deep rose, maroon center.

Frau Buchner. One of the prettiest delicate shades of mauve with crimson eye.

Independence. Vigorous dwarf white.

Mrs. Jenkins. One of the earliest pure white varieties.

Miss Lingard. Early flowering; pure white biooms with a faint lilac eye. Splendid for mass planting, as it will bloom in June and again in September if the old flowers are cut. Not infested with red spider. 2; \$15.00 per 100, except where noted

N. Smith. Dark crimson.

Obergartner Wittig. Light rose, center lighter, with carmine eye,

Pearl. Pure white; a jate blooming sort.

Prof. Schliemann. Lilac-rose with carmine eye.

- Rhinelander. Salmon-pink; both flower and truss are immense in size, and the color is intensified by a brilliant carmine eye.
- Rynetroom. Rose-pink; flowers and trusses extremely large; possibly the finest Phlox of this color.

Riverton Jewel. Rose, with brilliant carmine or red eye.

R. P. Struthers. Rose-carmine or salmon with crimson eye.

- Rosenberg. Bright reddish violet with blood-red eye; individual flowers as large as a silver dollar.
- Sir Ed. Landseer. Carmine with crimson eye.
- Thor. Salmon pink, eye darker.
- W. C. Egan. Extra-fine variety; delicate lilac with solferino eye; 7 to 8 inches across.
- Widar. Reddish purple with large white center.
- Mixed Varieties. Contains many of the preceding named varieties. but of course they are sent out unlabeled. 200 each; \$2.00 per 12; \$12.00 per 100.



Physostegia Virginiana.

Physostegia Virginiana Alba

An American plant, and by no means a new one; yet it is a flower so unique in its make-up that it stands apart from all others and alone. For massing, planting in association with other appropriate varieties in the border, for planting with shrubbery or for cut-bloom, it is unrivaled. In value it is not equaled by the popular Golden Glow; and it possesses a constitution just as rugged. Its large, graceful spikes of white flowers are produced in greatest profusion from about the middle of June, and if kcpt cut (so as not to produce seed) it continues to flower in a perfect mass of bloom until frost. The flowers themselves are intensely interest-ing and attractive, resembling large heather. The stems are long, square, thick, rigid and strong, holding the flowers in a dignified and stately manner when upon the plant and when cut. The plants form large, dense clumps, 3 or 4 feet high, and require no petting, succeeding on all kinds of soil and in all situations.

20c each; \$2.00 per 12; \$12.00 per 100.

Physostegia Virginiana

False Dragonhead. An American plant forming large clumps, which in July and August are covered with light pink flowers. \$2.00 per 12; \$12.00 per 100.

Pentstemon Barbatus Torreyi (Beard Tongue)

An excellent variety of this American plant that is used chiefly for garden borders. The flowers, which are scarlet or crimson and orange, are produced freely in July and August. \$2.00 per 12; \$13.00 per 100.

Polyanthus, or Cowslip

This charming spring-blooming plant belongs to the Primrose family, the hardy varieties of which are so very popular in England, but are rarely seen in this country, owing partly to an impression that they cannot be grown in this climate. This is a mistake, as they do very well here. For the front of the borders and shrub-bery, for spring bedding, and for naturalizing in moist and partly shaded places nothing can be finer. The coloring in the flowers is especially rich and fine. At this writing we have a long border of these plants in bloom in our garden, and nothing gives us greater pleasure. They are so charming in habit, rich and varied in coloring, and so early to bloom, coming with the spring-flowering bulbs, that nothing can be more acceptable. We use them freely for decorating the dining-table and library windows, taking plants up from the border and putting them in fern-dishes and pots, where they go on blooming as if they had never been disturbed. Their hardiness has been pretty well settled by the severe winter of 1911 and 1912. The minimum temperature at severe winter of 1911 and 1912. The infinitiant temperature at our country place was 24 degrees below zero. Not a single Poly-anthus was injured, and they were planted in wet soil at that. Large-flowered White. An improved variety with very large flowers; very fine. 20c each; \$1.50 per 12; \$10.00 per 100. Large flowered, mixed, \$1.50 per 12; \$10.00 per 100.



Polyanthus, or Cowslip.

PYRETHRUMS

The Pyrethrums are so simply and easily cultivated that they may be recommended to all who possess a garden, whether small or large. They are perfectly hardy and absolutely invaluable for cut-flowers through the summer and autumn months. The flowers are bright and elegantly borne on long stems; most convenient for vase decoration. In form the double varieties are somewhat aster- or chrysanthemum-like, and as their chief heauty is in the months of May and June, they may well be designated Spring Chrysanthemums, possessing the advantage over the chrysanthemums of heing able to withstand the severest winter without protection. The single-flowered varieties are veritable colored marguerites and possess a range of color and hardiness that marguerites might envy in vain. Nothing can surpass the Pyrethrum for profusion of flowers in the season; flowers succeed flowers without stint, and the hlossoms are not injured hy storm or sun. Their position should be in the horder or in heds. The plants may, with advantage, he cut down after June, which will keep up a greater succession of bloom through the autumn. Pyrethrums grow freely in any ordinary garden soil; a good rich loam suits them, perhaps, best, and in order to secure size, brilliancy and number of flowers, plenty of ordinary well-rotted manure may he added to well-trenched, well-drained soil, and plenty of water may be given when they are in bud in the dry summer weather. A mulching may he applied in dry localities with advantage. The older varieties have been greatly improved upon during the past ten or lifteen years, which is the period during which Kelway & Son have made them a specialty, and the refined shape and hrilliant or soft shades of the newer sorts have caused the Pyrethrum to become deservedly popular. We offer a splendid lot of plants of the choicest single varieties grown from Kelway's famous strains. All Colors, Mixed, \$2.50 per 12; \$15.00 per 100.



Rudbeckia

Purpurea (Echinacea purpurea). Giant Purple Coneflower,

Flowers are reddish purple, with a cone-shaped center of delicate brown. 3 to 4 feet. July and August. \$2.25 per 12; \$14.00 per 100.

Hardy Salvia

Azurea. A Rocky Mountain species; grows 3 to 4 feet high, producing during August and September pretty sky-blue flowers in the greatest profusion. \$2.50 per 12; \$15.00 per 100.

Pyrethrums.

Scabiosa

Japonica. An introduction from Japan, with lavender or blue flower, 1 to 1½ inches in diameter, 2 to 3 feet. June to September. \$2.25 per 12; \$14.00 per 100.

Sedum

Spectabile (Showy Stonecrop). Glaucous foliage; flat clusters, about 4 inches across, of rose or light purple ficwers; 1 to 3 feet. September and October. \$2.25 per 12; \$14.00 per 100.



Sedum Spectabile.



Stokesla-Stokes Aster.

Tufted Pansies, or Bedding Violas

The Tufted Pansies are hybrids of Pansies and Viola cornuta, and are quite distinct from Pansies in habit and coloring, and we think far more heautiful. The flowers are smaller, but unique in coloring, and the plants spread from the roots like a violet, making them true perennials. They are perfectly hardy, enduring the extremely cold weather of 1898-99 in an open horder without protection. They are immensely popular in England and Scotland, where they are generally used for bedding and table decorations, and nothing can be more charming for either purpose. We have always admired these flowers in England, but were not certain that they would thrive in this climate, hut after testing them a year in our garden we are convinced that they will do as well here as they do abroad. We have had a splendid lot of plants grown from the best collections in Scotland. They can be planted in the summer, fall or spring.

Admiration. Dark. \$1.75 per 12; \$12.00 per 100.

- Blue Perfection. Blue. \$1.75 per 12; \$12.00 per 100.
- Grandiflora Lutea. Yellow. \$1.75 per 12; \$12.00 per 100.
- Papilis. Light hlue and white. \$1.75 per 12; \$12.00 per 100.

White Perfection. White. \$1.75 per 12; \$12.00 per 100.



Stenanthium Robustum (Mountain Feather Fleece)

This remarkably hardy perennial is, without doubt, one of our best new introductions, and may be classed with the showiest of all herbaceous plants. As the buds hegin to unfold, they are quite upright, and of a light green tinge, gradually becoming whiter until they burst forth into a veritable snow-bank of drooping, fleecy bloom of the purest white, the panicles often 2 to 3 feet long. After several weeks, the flowers, as they ripen, turn to shades of pink and purple. It is a vigorous perennial, attaining a height of from 5 to 8 feet, and is absolutely hardy throughout the United States and Canada.

The Mountain Feather Fleece is of easy cultivation, hut takes some time to become established, and, if given plenty of food, makes a wonderful show equaled by few plants of any description. It prefers a moist and partially shaded position. The wonderful effect of a large mass of Stenanthiums when in full bloom may be imagined—description can but inadequately convey the beauty of the delicate, feathered, drooping nowers. Strong plants, 35c each; \$3.50 per 12.

Thalictrum Aquilegifolium

This is undoubtedly one of the most desirable hardy plants in cultivation. Its fine habit, beautiful foliage and masses of lovely flowers, varying from white to purple through all intermediate shades, makes it one of the most handsome things that can be planted. A graceful plant of much charm and distinction. 2 to 3 feet hlgh; blooms in May and June. \$2.25 per 12; \$14.00 per 100.



Thalictrum Aquilegifolium-Meadow Rue.

Stokesia Cyanea

(The Cornflower, or Stokes Aster) A most charming and beautiful native hardy plant. The plant grows from 18 to 24 inches high, hearing freely, from early in July until late in October, its handsome lavenderhlue centaurea-like blossoms, which measure from 4 to 5 inches across. It is of the casiest culture, succeeding in any open sunny position, and not only is it desirable as a single plant in the hardy border, but it can also be used with fine effect in masses or beds of any size. 25c each; \$2.25 per 12; \$14.00 per 100. Alba. Pure white variety of above. 20c each; \$2.00 per 12; \$12.00 per 100.

SPECIAL AND IMPORT PRICES FOR SPRING OF 1924



Juniperus chinensis pfitzeriana in foreground.

Juniperus chinensis pfitzeriana


(Pfitzer Juniper)

This is unquestionably one of the finest evergreens in cultivation. It is particularly adapted for foundation plantings against the house, and for this purpose is better than almost any other evergreen. Planted by itself on the lawn it develops into a splendid specimen. It is an evergreen of the broad, bushy type with sweeping gray green branchlets, and its form and color make it unusually valuable for planting with other types of evergreens because of the contrast. More effects and better effects can be secured by using this Juniper than can be got from the use of any other similar hardy plant.

In addition to the artistic effects which the use of this plant makes possible, it has one advantage which makes it stand out from all the other evergreens; namely, it will thrive in city conditions where other evergreens cannot be grown. It is not appreciably affected by smoke, soot or dust. We know of plantings in Pittsburgh which have been in place fifteen years or more without injury to the plants, while other types of evergreens planted at the same time and in the same situations have had to be replaced from three to four times.

Heretofore, good plants of Juniperus chinensis pfltzeriana have been too scarce and too high priced to make it available for general use. Appreciating its great merit, we began, years ago, to propagate it extensively and have at last succeeded in building up adequate stocks which enable us, for the first time, to offer it at a price which will permit its being used in the quantities its unusual advantages recommend.

Fine bushy plants, 18-24 inches, \$4.00 each; \$40.00 per 12. 2-21/2 feet, \$6.00 each; \$65.00 per 12.



Euonymus radicans vegetus.

The Best Evergreen Vine for America—

Euonymus radicans vegetus

(Evergreen Bittersweet)

"Is the Ivy the best vine in the world? Doubtless every Englishman will cry 'Yes!' because the European or English Ivy (Hedera Helix) is the oldest evergreen vine in cultivation and has made the deepest impression in literature, art, and history. But if your standard is merit, not associations, there is another vine which seems to me inherently better, viz., the Climbing Euonymus, or, as I now propose to call it, the 'Evergreen Bittersweet.' True, the form of its leaf is not unique like that of ivy, but it has one overwhelming advantage in its gorgeous red berries, which are resplendent all winter against a noble hackground of evergreen foliage. And in many other ways it has greater value than ivy, even in regions where the ivy is hardy.

"The accompanying picture gives but a faint hint of the fivefold glories of the Evergreen Bittersweet. In the first place, it is evergreen, and therefore has an obvious advantage over deciduous vines in being beautiful 365 days of the year, instead of two weeks or seven months.

"Secondly, it is very accommodating as to soils, climate, exposures; is easy to grow; and will trail over the ground or climb to the noble height of 30 feet.

"Thirdly, it has immense advantage over ivy, in being much hardier, growing 20 feet high in New England where ivy can be grown only as a ground-cover.

"Fourthly, its superb red fruits, which closely resemble those of our common wild bittersweet, seem divinely appointed to redeem our American winters from their bleak, ugly and cheerless moods. "And, fifthly, it promises to develop a strong American character, becoming universal and dear to the American heart. If I had a million dollars to spare I should like to plant an Evergreen Bittersweet against every stone, brick and concrete wall in America. The effect would be electrical for it would add 100 per cent to the beauty of America and it would only be anticipating by a hundred years what will surely happen, for it is hardly possible that the world holds any plant with greater power to transform a house into a home. As in England every home and every church is enriched, dignified and ennobled hy ivy, so every American home will come to be connected so closely with the Evergreen Bittersweet that it will be impossible to think of one without the other."—WILHELM MILLER, in the Garden Magazire, November, 1912.

We have known for several years of the great mcrit of the vine, Euonymus radicans vegetus, so enthusiastically described by Professor Miller, and have been steadily getting up a large stock of lt, and now have several thousand plants. It is a sport from Euonymus radicans, but absolutely distinct from that vine.

Planted In rows and kept sheared, this vine makes a splendid evergreen hedge. It is also a splendid ground-cover plant for either sun or shade.

Perfectly hardy, but when planted in the fall should be protected with a mulching or 3 inches of stable manure, being careful not to cover the evergreen foliage. Very slow-growing at first, but when well established grows with great vigor.

Strong pot-plants, 40c each; \$4.00 per 12; \$30.00 per 100. Small plants, 25c each; \$2.50 per 12; \$18.00 per 100.



Regel's Privet Hedge, Slightly Trimmed.

The Best Hedges

Amoor River Privet

A more slender grower than the common Privet. Hardier than the California while the foliage is finer and of a lighter green, and retains better color during the winter. It makes a more satisfactory hedge than the California, and should be more extensively planted. We offer the true variety. The Privet generally sold in the South for Amoor River is Ligustrum chinense, and is not hardy in the north. **2-3** feet, **\$4.00 per 12; \$25 per 100.**

Regel's Privet

Regel's Privet, Ligustrum regelianum, is not only the best Privet, but is also one of the very best shrubs for many purposes that we know of. Is perfectly hardy, of most beautiful, pendulous habit and splendid foliage. It is of vigorous growth and will thrive in either sun or shade. In good soil it will attain a height of 8 to 10 feet, and spread almost as great. It is fine as a specimen or for planting is masses in shrubbery, but its greatest value is for hedging. As a hedge-plant it is unsurpassed. It can be kept closely trimmed or trimmed but little, when it will preserve its natural drooping character which is most graceful and beautiful. A partially trimmed hedge of this Privet on the grounds of Mr. Clarence Byrnes, Sewickly, Pa., we think one of the handsomest hedges we have ever seen. On account of its spreading habit this Privet makes a hedge solid to the ground whether it is sheared hard or not. We can not understand why people continue to plant California Privet, which is inferior in every respect and not reliably hardy. Regel's Privet is somewhat higher priced, but on

account of its spreading habit it requires only half the quantity that it does of the California Privet to plant a hedge. For a hedge, plant Regel's Privet 18 inches apart in a single row. **\$4.50 per 12; \$35.00 per 100.**

Japanese Barberry

We are frequently asked to recommend the best shrub for hedge planting, and, after many years' experience, we are decidedly of the opinion that the Japanese Barberry, Berberis thunbergi, is the best hedge plant in existence, and either as an ornamental, defensive, trimmed or untrimmed hedge, it is unsurpassed. As an ornamental hedge it is beautiful throughout the year, its abundant crop of bright red berries making it even more attractive in the winter than in the summer. Its compact growth and thorny branches make a defensive hedge that will turn cattle after five years' growth. As an untrimmed hedge, it requires no attention except an occasional cutting of a few straggling branches. The natural growth is so dense and even that it forms a perfect hedge without shearing, but if a formal hedge is desired, by shearing, it can be made as even as a stone wall. The Berberis is absolutely hardy, of the easiest culture, and will grow in any soil or situation. It will stand considerable shade and can be grown under trees if not planted too close to the trunks. It is of slow, compact growth, but will eventually attain a height of 5 or 6 feet. It is one of the very best of shrubs for general planting. For a hedge, plant a single row, 18 inches apart in the row. We have a very large stock of fine plants. 18-24 inch plants, \$4.50 per 12; \$35.00 per 100.

AD A GAD OF LINE OF LINE OF LINE OF LINE OF DETERMINED AND A CALLED A CALLED A CALLED A CALLED A CALLED A CALLED



Salix salamoni. From a Photograph Taken Ten Years After Planting.

Salix Salamoni

(Salamon Weeping Willow)

This is a variety of the Weeping Willow, but not nearly so pendulous as the common form, and we believe it to be the fastest-growing tree in the world, not excepting the eucalyptus, so much planted in California. We cut down one of these Willows in our nursery when it was seven years old, and it measured 13 inches

A FILE A ALAN AD A ADALAD AD A A ADALAD AD A A ADALAD A A ADALAD A A ADALAD A ADALAD A ADALAD A ADALAD A ADALAD

through the trunk. It makes a very goodlooking tree, as will be seen by the illustration above, and has the good qualities of leafing out very early in the spring, and of holding its foliage until late in the fall. This tree starts into growth quite early and should be planted as early as possible in the spring.

One-year-old trees, 75c each; \$8.00 per 12; \$45.00 per 100. Two-year-old trees, \$1.25 each; \$13.00 per 12; \$85.00 per 100. Trees older than this are really too large to handle.



Lilacs

New Lilacs on Their Own Roots

Of late years there has been a multitude of new varieties of Lilacs grown, and some of them have very great beauty; but unfortunately, almost all the stock offered, both in this country and Europe, has been budded on privet and is practically worthless, for Lilacs grown on this are certain to die in a few years.

Nurserymen bud Lilacs on privet because they can produce a large stock quickly and inexpensively; but one Lilac on its own roots is worth a score of budded plants.


Ten years ago we bought all the available stock of choice named Lilacs on their own roots in Europe, and since then we have been both growing and buying until we have a very large and fine stock, and the only stock of named Lilacs grown on their own roots in America. Starting into growth early in spring, Lilacs do best when planted in fall.

SPECIAL NOTICE

Because of a tremendous and entirely unanticipated demand for Named Lliacs Grown on Their Own Roots last autumn, we were forced to draw on stocks which we had not expected to send out until this spring. As a consequence we do not have enough plants of any one variety to list in a catalog as widely distributed as this one is. While the varieties and the plants are as fine as ever there are only a few plants of each variety.

While these fine plants last we will fill orders for Named Lilacs Grown on Their Own Roots provlded the selection of varieties is left entirely to us. Each plant will be tagged with its name and all orders will be filled strictly in rotation as received. When our limited stock has been disposed of there will be no more plants of fine Named Lilacs Grown on Their Own Roots available at any price this season.

> Price, \$1.75 each. Collection, 1 each of 6 varieties, our selection, \$9.00.



Roses

There are probably 2,000 varieties of Roses in the United States. Each year sees a number of new introductions added to the large list, so naturally it is a great task to select representative blooms from such a great assortment.

We have not tried to include in our list every beautiful Rose grown in this country, as many of the varieties differ so slightly that only an expert can distinguish between them. The varieties here given are quite distinct, and have established reputations as the best of their kind. You will find here also some new sorts which are very attractive. Because of our careful selection you can order any variety and be confident that it will be worthy of your garden.

Prices, except where noted, for strong 2-year field-grown plants, potted up last fall, \$1 each, \$10 per 12.

Teas and Hybrid Teas

- Betty. Noted for its long blooming period, which lasts from June until frost. Color is a rosy copper, flushed with golden yellow. Blooms are unusually large, and are quite full in form. Remarkebly fragrant.
- **Columbia.** One of the largest Roses among the recent introductions, flowers occasionally measuring 6 inches across. The color is a splendid pink, which becomes more intense as the blooms grow older. The flowers are borne on long stems that are usually thornless 10 inches below the flower.
- Dean Hole. Large, pointed, silver-carmine blooms, shaded with crimson, delicately fragrant. The bush produces great quantities of blooms.

Gruss an Teplitz The crimson-scarlet blooms are produced in great profusion from early June until the time of killing frosts. An excellent variety for mass plantings and for Rose hedges.

- Hadley. Deep velvety crimson, which retains its color. Both buds and flowers are beautifully formed.
- Jonkheer J. L. Mock. Practically a double-colored bloom, because of the bright cherry-red on the outside of the petals and the shiny, silvery white on the inside. Unusually large and wellformed.

- Kaiserin Augusta Victoria. An old sort which possesses so many perfections that it is still one of the most popular varieties. The creamy white blooms are quite large and full, and are produced in great numbers until late autumn.
- Killarney. The long, pointed buds are an exquisite pink, and are borne in great numbers. This is a favorite for cut-flowers and is still one of the most popular varieties, although it has been known for more than twenty years. Delicious perfume.
- Los Angeles. One of the prettlest of the recent introductions. Its color is a splendid fiame-pink, toned with coral, and shaded with translucent gold at the base of the petals. Exceptionally fragrant. The plant makes a vigorous growth and the beauty of the blooms is maintained from the bud until the last petals fall. \$1.50 each.
- Mme. Caroline Testout. Broad petals of bright satiny rose, slightly darker at the center and carmine-pink at the edges. Bushes are quite vigorous and produce great numbers of blooms.
- Mme. Edouard Herriot. Buds coral-red, opening to medium-sized blooms of coral-red, shaded with yellow and bright rose-scarlet, which still later change to shrimp-red. Winner of the Gold Cup offered by the London Daily Mail for the best new Rose at the International Exhibition in London.
- Mrs. Aaron Ward. Long, shapely buds of Indian-yellow, occasionally flushed with salmon-rose. Flowers freely all through the season.
- Mrs. Charles Russell. Large, globular, shapely blooms of rosy carmine, with scarlet center. The bush makes a strong growth and produces a multitude of specimen blooms.
- Ophelia. Light salmon-pink blooms which shade to yellow at the bases of the petals. Considered the best Rose of its color, as the blooms are large in size and very attractively formed. Blooms freely throughout the season and far into the autumn. Radiance. The strong plants produce hosts of handsome flowers,

which range in color from light silvery fiesh to salmon-pink, suffused with pink and yellowish coppery red.

- Sunburst. Large golden yellow flowers, with orange-yellow centers, borne on strong, upright stems; excellent for cutting.
- Willowmere. The buds are a combination of carmine-coral and red, but open to a rich shrimp-pink, shaded with yellow in the center and toning to carmine-pink at the edges of the petals.

Hybrid Perpetual Roses

- Prices for strong 2-year field-grown plants, \$1 each; \$10 per 12. Collection, 1 each of 6 named varieties, \$5.00.
- Anne de Diesbach. Large, pale rose blocms of superb shape, each set in a cup of lovely foliage. Delightfully fragrant.
- Captain Christy. The plump buds have backward curling petals, which show perfectly the contrast of light and dark pink. When open the blooms are darker toward the center. The plant is rather dwarf but is exceedingly vigorous and produces a great number of blooms annually.
- Captain Hayward. Bright crimson-carmine blooms of perfect form; exceedingly fragrant.
- Clio. The large globular flowers are borne on long stems, making this a valuable variety for cutting. The color is satiny flesh, with pink center.
- Frau Karl Druschki. One of the most popular white Roses. The blooms are quite large, sometimes exceeding 5 inches in diameter. The growth of the plant is unusually strong; it bears great quantities of blooms in June and occasionally will bloom in the autumn.
- General Jacqueminot. An old variety with large, full blossoms, brilliant scarlet-crimson, with deeper veinings near the petal bases. Often called the "Jack Rose" and considered one of the best of its color and class. No rose-collection is complete without it.
- George Arends. The plant makes a strong growth, and bears an abundance of well-formed pink flowers.
- Magna Charta. Noted for its fragrance and abundance of bloom3. The color of the flowers is a rosy pinkish carmine.
- Mme. Gabriel Luizet. Light, satiny pink blooms of splendid form. A variety which is not found in many collections.
- Mrs. John Laing. Soft pink blooms, extremely large and exceedingly fragrant. Most attractive when in bud, as the petals are quite long. The plant makes a strong growth.
- Uirich Brunner. The light red flowers are borne in profusion, on long stems. The color of this flower is quite distinct from other red varieties in this list.
- Paul Neyron. Dark rose; of enormous size; perhaps the largest of all.
- Prince Camille de Rohan. Very dark, velvety crimson, almost black. Many experts consider this to be the best dark Rose in existence.



Dorothy Perkins Rose.



Paui Neyron Rose.

Climbing Roses

- American Pillar. Produces a great abundance of rosy pink flowers. In blooming season the leaves are almost concealed. The foliage is leathery and practically insect proof. This may be grown as a climber or may be pruned down to bush form. **60c** each; \$6.00 per 12.
- Aviateur Bleriot (The New Yellow Rambler). We have discarded the old Yellow Rambler in favor of this new variety, in which we have a strong-growing plant with beautiful glossy, insectand disease-proof foliage, and bearing large clusters of medium-sized full double flowers of a saffron-yellow, deepening to an almost golden yellow at the center. 90c each; \$9.00 per 12.
- Climbing American Beauty. A cross between American Beauty and an unnamed scedling. Color and fragrance are similar to the popular parent flower. Plant makes a strong growth and is extremely hardy. Most of the blooms are produced in May and June, but there is a light crop of flowers throughout the growing season. 75c each; \$7.50 per 12.
- Crimson Rambler. Unsurpassed in this class because of its beautiful deep crimson blooms and its absolute hardiness. A good sort for hedges and trellises. 60c each; \$6.00 per 12.
- Dorothy Perkins. One of the most attractive Climbing Roses. Its beautiful shell-pink blooms literally cover the plant, being borne in huge clusters which frequently contain 30 to 40 individual flowers. Absolutely hardy. 60c each; \$6.00 per 12; \$40.00 per 100.
- **Dr. W. Van Fleet.** Notable for its buds, which are a delightful flesh-color. The full blown flowers will average 4 inches in diameter, and are borne on long, sturdy stems, which make it a good variety for cutting. The plant is remarkably hardy. **60c each; \$6.00 per 12.**
- Excelsa (Red Dorothy Perkins). The flowers are a clear bright crimson in color; the foliage is always green and grows with never a trace of mildew, which frequently disfigures Crimson Rambler. 50c each; \$5.00 per 12.
- Gardenia. Large golden yellow flowers which change, as they age, to creamy white. Bears a great number of hlooms and is extremely hardy. 60c each; \$6.00 per 12.
- Hiawatha. Deep crimson blooms, shading to snowy white at the base of the petals. The light, glossy green foliage forms a pretty background for the flowers. Single. 50c each; 5.00 per 12.

CLIMBING ROSES-Continued

- Lady Gay. Makes a very rapid growth and produces great quantities of blooms. When first open, the flowers are cherry-pink, but they gradually tone to soft white in a few days. Extremely hardy. 50c each; \$5.00 per 12.
- Newport Fairy. A strong, sturdy grower, with healthy, bright green foliage. Produces an abundance of lovely single flowers of deep pink (oler, shaded lighter in center. Charming. 75c each; \$7.50 per 12.
- Paul's Scarlet. The best of the newer scarlet climbers and a real improvement on the older sorts. \$1.00 each.
- Silver Moon. Long, well-shaped buds, quite creamy yellow and slightly Tea-scented when they first appear. When the blooms open they are truly immense, often attaining a diameter of 5 inches. They are semi-double in form, with pure waxy white petals to which the center of bright yellow stamens forms a brilliant contrast. The foliage seems to be immune to disease. **90c each; \$9.00 per 12.**
- Tausendschon. Beside being almost free from thorns, this variety is remarkable for the different colors which appear in the blooms. The opening flowers are pink but change to rosy carmine as they expand. Occasionally almost white flowers will be found upon the bush. 60c each; \$6.00 per 12.
- White Dorothy Perkins. Similar to well-known Dorothy Perkins. except in color. Just as free-flowering and productive. 50c each; \$5.00 per 12.

WICHURAIANA

Plant is literally covered in blooming season with beautiful single, white flowers, which are followed by an abundant crop of bright red berries. Plant is quite free from attacks of insects and diseases. **60c each; \$6.00 per 12.**


Rubra. A red form of R. Wichuraiana which is very beautiful. Not at all particular about soil or sunshine; grows practically anywhere. 60c each; \$6.00 per 12.

ROSA WICHURAIANA HYBRIDS

Universal Favorite. A free grower, producing long, branching shoots, with bright, shiny foliage in abundance, and soft, light pink double flowers two inches in diameter; strongly perfumed. 50c each; \$5.00 per doz.

Miscellaneous Varieties

- Bianc Double de Coubert. One of the best Rugosa types. The blooms are often 4 to 5 inches in diameter. Semi-double: pure white in color; attractively fragrant. 90c each; \$9.00 per 12.
- Conrad Meyer. When fully opened the blooms are clear silvery rose; they possess a fragrance which is deliciously penetrating. 90c each; \$9.00 per 12.
- Harison's Yellow. Bright golden yellow, semi-double flowers completely cover the sturdy plant in spring. A splendid variety. 90c each; \$9.00 per 12.
- Marechal Niel Rose. Extra strong. in 6-inch pots. \$1.00 each.
- Persian Yellow. An Austrian Briar Rose, which is very popular because of its splendid golden yellow color. Although the flowers are only medium in size they are extremely full. 90c each; \$9.00 per 12.
- **ROSA** rugosa. Forms an upright shrub, with spreading branches densely covered with spines and prickles. The leaves are wrinkled, dark lustrous green above, lighter beneath. The blooms are purple or white, and ordinarily 3 inches or more across. They are followed by bright red fruits which cing to the bush a long time. **750** each; **\$7.50** per 12.
- rugosa aiba. Originally imported from Japan. Pure white flowers with five petals, highly scented, followed later by pretty berries. 90c each; \$9.00 per 12.



Wichuraiana Roses.

- ROSA carolina. The well-known American Wild Rose which produces quantities of pink blooms in July. 50c each; \$5.00 per 12.
- lucida. A dwarf form of R. carolina. The attractive bright pink flowers are followed by brilliantly colored berries. 50c each; \$5.00 per 12.
- multifiora. A beautiful white Japanese Rose which is frequently used as a climber. 50c each; \$5.00 per 12.
- rubiginosa. The single bright pink flowers are borne in small clusters. The foliage is blue-green, tinged with purplish-red. 50c each; \$5.00 per 12.
- setigera. Prairie Rose. Valuable climbing sort, which attains a height of 6 feet. The single, deep rose flowers are borne in great abundance. 50c each; \$5.00 per 12.
- spinosissima. Scotch Rose. Flowers are borne singly but are closely arranged along the stems. Ordinarily white, they are occasionally a light pink or yellow. The blooms are followed by black fruit. This Rose is considered the best hardy substitute for the matchless Cherokee Rose of the South. Pot-plants, \$1.00 each.


Moss Roses

T.ese Roses are hardy and vigorous, thriving in almost any soil. Prune only the very old canes, as flowers are produced only on canes which are more than two years old.

- Blanche preau. Large, pure white flowers are borne in clusters. both flowers and buds are heavily mossed. 75c each; \$7.50 per 12.
- Crested Moss. Deep pink flowers of delightful fragrance. 75c oach, \$7.5C per 12.
- Salet. Rose-pink, with very double blooms. 75c each; \$7.50 per 12.

Hardy Climbing Plante

naruy chinoing Fie	11113	
	Each P	or 12
ACTINIDIA arguta. A Japanese climbing plant with attractive dark green foliage and a multi-		
tude of white flowers having purple centers		
Edible fruits follow the flowers	\$0.50	\$5.00.
AKEBIA quinata. Quite ornamental and graceful,		
with pretty dark leaves and numerous hunches of violet-brown flowers. Pleasing cinnamon		
	.50	5,00
fragrance. Prefers a sunny situation AMPELOPSIS quinquefolia. Virginia Creeper.		
Clings firmly to walls or any support and makes		
a dense covering because of its large, hand- some, green foliage. In the fall the leaves		
change to hrilliant scarlet. One of the most		
change to hrilliant scarlet. One of the most decorative native climbers. veitchi. Boston lyy. Grows very rapidly after	.35	3.50
veitchi. Boston lvy. Grows very rapidly after it is once established, and clings closely to any		
surface. The large, dark green leaves turn to		
surface. The large, dark green leaves turn to rich crimson in the fall. Standard Plants Extra-strong Plants	.30	3.00
	.50	5.00
ARISTOLOCHIA sipho. Dutchman's Pipe. Pro- duces numerous hunches of brownish colored		
flowers which bear a slight resemblance to		
small pipes. The leaves are large and round,		
hanging so that they overlap each other and thus make a dense screen.	1.00	
	1.00.	
BERCHEMIA racemosa. Hardy climbing vine with pretty leaves and greenish flowers followed hy		
purple-red berries which gradually turn to black.	.50	5.00
black	.50	5.00



Ampelopsis veitchi-Boston Ivy.

	Each	Per 12
BIGNONIA radicans. Scarlet Trumpet Vine. The		10112
BIGNONIA radicans. Scarlet Trunpet Vine. The rich, deep green shade of the foliage and the		
handsome crimson of the flowers make this one		
of the most ornamental climbing vines. It grows very rapidly.		\$5.00
grows very rapidly.	φ 0.30	\$9.09
CELASTRUS paniculatus. Japanese Bittersweet.		
Valuable because it grows in almost any soil		
and will succeed as well in shaded places as in		
sunny positions. The bright red fruits in or-		
range pods usually remain throughout the winter. This variety is not altogether hardy		
and should he planted in sheltered positions		
north of Pennsylvania	.50	5.00
scandens. American Bittersweet. Branches of this		
vine are often sold for Christmas decorations,		
because of the hright orange-scarlet pods and their attractive scarlet seeds. The vine		
makes a rapid growth.	.40	4.00
CLEMATIS coccinea. Scarlet Clematis. A hand-		
some, hardy sort, with attractive foliage; from June until late in the fall it is covered with		
bright coral flowers.		6.00
henryl. Large creamy-white flowers of remark-	.00	0.00
able beauty	1.00	10.00
jackmani. Great velvety purple flowers are borne		
in profusion. This is the large-flowered sort		
commonly planted	1.00	10.00
Probably the most beautiful of all		
paniculata Probably the most beautiful of all the hardy vines. Makes a strong, luxuriant growth, has delicate foliage, and		
luxuriant growth, has delicate foliage, and		
blooms profusely. In August or September the white flowers literally conceal the vine; when		
the petals have fallen they are followed by seed		
clusters and a profusion of feathery "styles"		
like drifted snow. Usually the vine is given		
a support, but this is not required for it is just as handsome when planted in rock-work		
or so arranged that its growth is made over		
sloping banks. 2-year-old	.30	3.00
3-year-old, extra heavy	.50	5.00
virginiana. Climbs from 12 to 15 feet, and bears		0.00
an abundance of white flowers	.40	3.50
EUONYMUS radicans. A hardy, dense-growing,		
climbing vine, which makes a rapid growth.		
Desirable for covering walls, as it clings closely		
to the surface. The leaves are dull green. \$15 per 100	.25	2.50
radicans reticulata. The leaves are small, varie-		2.50
gated green and white; the vine is quite hand-		
some and compact, with numerous clinging		
tendrils. Grows equally well in sunny or		
shady situations.	.25	2.50
HEDERA helix. English Ivy. The well-known va-	67	
riety with small leaves which has proved per-		
fectly hardy. Largely used for covering walls,		3.50
REISE FOUND. LEDUCES. OF LEBITISES	6.6.1	3.50

25

IOT NULTROUTDRY PA

10.00

10.00

26	ELLIU	II NORSERI	COMPANI, PILISE	SURGH, PA
CLIMBING PLANTS-Continued. Each	Per 12			
LONICERA halleana. Hall's Japanese Honeysuckle. A strong-growing variety, which is in almost continuous bloom. The fragrant flowers open white and gradually change to buff				
\$20 per 100\$0.30 Japonica aureo-reticulata (L. brachypoda reticu- lata). Golden Honeysuckle. Great quantities of white flowers are horne in pairs. The fol- iage remains green until late in the autumn,	\$3.00			
and in protected locations may be everyreen all winter	3.00			
its dark purplish green foliage, which is prac- tically evergreen	3.00			
vigorous growth; if desired, it may be trained a shrub	3.50		Star Sea	
Polygonum auberti (China Fleecevine). Per- fectly hardy plant which covers itself with a quantity of snowy white flowers, borne in long racemes. Remarkable effects can be obtained when this vine is allowed to twine about an old tree. This variety is an improve- ment on P. Baldschuanicum, as its flowers are bargen and it is free from the disease which				
are larger and it is free from the disease which causes so much injury to the other sort	7.50			a na shirt
		Polyge	onum Auberti-China Fleecevine.	Each Per 12
		pea-shaped flow a remarkably vis twining stems. vine, as it will o feet in a single and prefers a s dies down to the	rgiana (Kudzu Vine). Purple vers late in the season. Makes gorous growth of slender, hairy Probably the fastest growing often attain a height of 40 to 60 season. Likes well-drained soil unny situation. In the North i e ground in winter, but is ever-	9 5 7 5)) t
		Schizophragi means of aerial lent for covering The round bright ive, and the flow hydrangea. Mai the summer.	hydrangeoides. Climbing Hydrangea. Climbs by rootlets, like the ivy. Excel- t tree trunks, walls, or terraces t green leaves are quite attract- vers are similar to those of the kes a splendid appearance in Grows rather slowly. Strong	
		VITIS æstivalis. A climbing vine w The leaves are la dish brown fuzz	merican Wild Grape. A tall- which makes a strong growth- urge and distinguished hy a red- c on the under side. The ber- black, and exceedingly tough	
		skinned vulpina (V. odorat Grape. Vigorou sweet-scented fil	issima). River Bank, or Frost us, tall climbing plant, with owers. The berries are usual-	.50 5.00
		sour. WISTERIA sinensis. tall-growing cli	lf an inch in diameter; quite . Chinese Wisteria. A hardy, mber with pale green, com-	.35 3.50
		in clusters a foo	nd purplish pea-green flowers t long. Usually blooms in May, white flowers instead of pur-	1.00 10.00

Schizophragma Hydrangeoldes-Climbing Hydrangea.



Hardy Herbaceous Perennials



LL THE plants included in this section come under the general heading of Hardy Herbaceous Perennials. It may be a little clearer, however, to say that this title describes a class of plants which live outdoors during winter with little or no protection, producing foliage, flower-stems, and blooms the following summer.

Until hardy plants come into more general use, we cannot hope for the artistic, interesting, and beautiful gardens in this country that are found in the Old World. However, the individual beauty of most of the perennials is so great that the garden cannot fail to be interesting and lovable, if the cultural skill is such as to bring the plants to perfection. With the material offered in this list, the most beautiful and charming gardens can be made; gardens that change their aspect with every changing season; gardens that increase in value and beauty year after year.

One of the most effective ways of using perennials is to arrange them in a wide border in front of hedges or shrubs. The only objection to this arrangement is that the roots of the shrubs or hedge get into the border and rob the perennials of a large share of their food. This difficulty can be prevented by erecting a concrete wall between the perennials and the hedge or shrubbery. This wall should be about 2 feet deep and 4 inches thick, and may be inexpensively constructed of gravel and cement.

Another effective arrangement is a broad grass walk direct to the vegetable-garden, with the border on either side of the walk. Trellises erected back of the border and covered by climbing roses or flowering vines will add very much to the beauty of this arrangement.

CULTIVATION

Cultivation is of the simplest: Beginning with any good garden soil, dig it deeply and enrich with old rotted stable manure. The best time to plant hardy perennials is when they are just starting into growth in the spring or early in the fall. The soil should be comparatively dry when plants are set out; avoid wet planting. Do not make the mistake of planting too thickly. The nearest approach to a rule which may be followed in planting is to set plants to grow to a height of 2 feet or less, a foot apart, and all taller one-half their height. For example, Aquilegia and Coreopsis, which grow 2 feet high, may be planted a foot apart, while Delphinium Formosum and Japanese Iris, which grow 3 feet high, should be 1 ½ feet apart.

During the summer the soil about the plants should be frequently stirred and weeds kept down. During hot, dry weather, or when it is not convenient to water, a mulch of any loose, light material is very beneficial in retaining the moisture and preventing the ground from baking. Grass clippings from the lawn are excellent material for this purpose.

WINTER PROTECTION

About the middle of November, or later, when all soft growth has been killed and the plants are thoroughly ripened, the old hard-wooded stems should be removed and burned. Then cover the plants with 2 or 3 inches, not more, of loose, strawy stable manure. Care must be taken, however, not to cover the foliage of evergreen plants such as Phlox subulata, Hardy Pinks, and Candytuft, as such a covering would cause the foliage to rot and kill the plants. Most hardy mlants which flower during the spring or early

Most hardy plants which flower during the spring or early summer months—Peonies, Anthericums, Dielytras, Funkias, German Iris, etc., are better left undivided and undisturbed for several years, but they should be given a liberal dressing of stable manure or other fertilizer every spring. The lateflowering plants, like Phloxes, Helianthus, Rudbeckias, Asters, Boltonias, Physostegias, etc., are better for being replanted at least every two years. The Japanese Anemones are an exception; they should be allowed to remain undisturbed for several years. In the following list the height and time of bloom and

In the following list the height and time of bloom are stated, but it must be understood that these are only approximate, as both height and blooming period will vary with soil and season.

Plants suitable for growing in the shade are marked with a (*); for growing in partial shade are marked with a (†).

Special Offers of Hardy Plants in Variety

Plants in the following collections will be of the best and most desirable varieties and of the best quality, but in every instance the selection of varieties is to be made by us; but if purchasers will state the things they have, or don't wish, these will not be included in the selection. Sometimes people write asking for a list of the plants contained in these collections. This cannot be given, so please save us the unpleasantness of refusing by not asking for it.

	25 first class Hardy Plants in variety for\$ 4.00
OFFER NO. 2.	50 first-class Hardy Plants in variety for
	100 first-class Hardy Plants in varied assortment of best species and varieties 13.00
OFFER NO. 4.	500 Hardy Plants, same as above, but in larger variety, for
OFFER NO. 5.	1,000 Hardy Plants, same as above but in much larger variety, for

Price of Hardy Perennial Plants

Six plants of a kind will be furnished at the dozen rate; 50 or more at the 100 rate. Less than six plants of one kind or variety will be sold only at the single rate.

SINGLE PLANTS WILL BE FURNISHED AT THE FOLLOWING RATES: Plants priced at \$1.75 and \$2.00 per doz., 20c each; at \$2.50 per doz., 25c each; at \$3.00 per doz., 30c each; at \$4.00 per doz., 40c each; at \$5.00 per doz., 50c each, except where noted.

ACHILLER tourneford (A. BETTICH, EXPLINATIONMilloci, Nilloci, Pale yollow or subjury-globa, Policyalteror white four estima, Table yollow or subjury of the stand and the subject of the subject o	Per 12	100	ANEMONE Per 12	100
 The soft, silvery pick, combined with the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the bloom, makes this signance American and the substance of the s	ACHILLEA tourneforti (A. ægyptica). Egyptian Milfoil. Pale yellow or sulphur-yellow. Foliage silvery white. 1 to 3 feet. July to September.\$2.00		†Queen Chariotte. If roses and Anemones could bloom at the same time, this variety would be a strong rival of the pink La France rose, at	100
Getober.2.0014.00ptarmica, The Pearl. Small, pure while flowers in clusters, produced freely from July to Octo- bor. 2 fest.2.3514.00Cerise Queen, Flowers cerise, horne in large flat heads. Steenlag the culture, 16 is the for the steenlag the culture, 16 is the for the or oreal larger, that lose of the other varieties, the culture, 16 is the for the steenlag the culture, 16 is the for the or oreal larger, that lose of the other varieties, the culture, 16 is the for the or oreal larger, that lose of the other varieties, the culture, 16 is the for the steenlag the culture, 16 is the for the 	paratively little known here. The flowers are red or pink, borne in compact heads, and are		The soft, silvery pink, combined with the sub- stance of the bloom, makes this Japanese Ano- mone of superior value for cutting\$3.00	\$20.00
 Co-nice Queen. Provers certes, hormo in large flat heads. Streellest for outling. St in high 200 (14.00) *ACONITUM fisheri. A bright blue variety of the common Monkshood. Si feet. August 16 Octo- ber	October 2.00 ptarmica, The Pearl. Small, pure white flowers in clusters, produced freely from July to Octo-		the Anemone family, but has made a permanent place for itself. The flowers are fully as large, or even larger, than those of the other varieties,	
 Tready in late summer. It to 3 feet	Cerise Queen. Flowers cerise, borne in large flat		*canadensis (A. pennsylvanica). A native vari- ety found in open fields, and along the edges of	18.00
 mapping. Stems uppight, with deeply cleft laves. Flowers deep hile and quite show, 3 to 4 feet high. The to August. ACTEG. Public Risk and guite show with a stems from 6 to 10 inches flow with 2.50 is.00 ACTEG. Public Risk and guite show with a stems from 6 to 10 inches light for the stems are pure with cores are large stimes. And statum and kept in a stems from 6 to 10 inches light for the statum and kept in a stems from 6 to 10 inches light. ALSTCEMERIA aurantiaca. Should be protocted during winter, or lifted in the saturan and kept in a frost-proof caller. Flowers bright yet low, on stems from 2 to 4 feet high. The forwars are line and ward guites the ward with a stems from 6 to 10 inches light. All show ers are pure with a stems from 2 to 4 feet high. ALYSSUM statile compacture. Prevely used in took work, as the plants make a splendid mat the statum and kept in a frost-proof caller. Flowers bright yet low, on stems from 2 to 4 feet high. ACHOUSA angustifiela. Of easy culture in any good garden soil and a sunny position. Produces loose panleles of rather dark blue nowers, are planets and a sunny position. ANCHUSA angustifiela. Of easy culture in any good garden soil and a sunny position. Produces loose panleles of rather dark blue nowers are none of the south the bast with well. Anemenne Japonica. Japanese Anemone. These generating brands are built barbed at the base of the prost from August, wen until snow riles, they are a mass of white or plak blows. They are anow soft his yariety are susceed. Ato the fourty part of a sunny position produces loose panleles of rather dark blue nowers are there and they garden soil and a sunny position produces loose panleles of rather dark blue portex hyre for the books. They are are anos of this yariety are summer with a soft with a soft were from August with and they are an anow of the sy they are a mass of white or the books. They are an anow of this yariety are summer they with yarden and	common Monkshood. 3 feet. August to Octo-		freely in late summer. 1 to 3 feet 2.50	15.00
ACT ZEA rubra. Balablerty. Showy Spike of clustered white nowers from April to June, followed by 2.5015.00ACGOPOLIUM podgarenia variegatum. A fine bor- der plant for shrubbery or for covering waste grounds. Rapid growing, with green and yel- tow foliage. Thrives almost anywhere. I fool. 2.5015.00ACROSTEMMA. See Lyohnis.2.5015.00ACROSTEMMA. See Lyohnis.2.5015.00ACROSTEMMA. See Lyohnis.2.5015.00ACROSTEMMA. See Lyohnis.2.5015.00ACROSTEMMA. See Lyohnis.2.5015.00ACROSTEMMA. See Lyohnis.2.5015.00ACROSTEMMA. See Lyohnis.2.5015.00AUGA reptans atropurpures.2.5015.00AUGA reptans atropurpures.15.0015.00AUGA reptans atropurpures.15.0015.00AUGA reptans atropurpures.15.0015.00AUGA reptans atropurpures.15.0015.00ALYSSUM saxaile compactum. Freely used in rockwork, as the plants make a splendit mat. The flowers are golden yellow, horne very freely in small clusters in early pring. the sold sarden soll and a sunny position. poduces loose panicles of raiter dark blue. flowers see soldes of plate flowers see generally bracted at the base. generally bracted at the base. as and sof white or plak blooms. from August, even until snow fles, they are a sans of white or plak tholoms. from August, even until snow fles, they are a sans of white or plak tholoms. from they will grow from 4 to 5 feet high. having beautiful for shubber. tabe troost the foliage is prod, but the crowring glov comes when the plants are in holom. from August, even until snow fles, they	napelius. Stems upright, with deeply cleft leaves. Flowers deep blue and quite showy. 3 to 4 feet.		Marguerite. The foliage is quite finely cut, and the flowers are deep yellow, which con- trasts well with other flowers. It makes a	
 A GROPOD IUM podagramia variegatum. A fine border of a covering waste grounds. Rapid growing, with groen and yellow foliage. Thrives almost anywhere. 1 foot. 2.50 15.00 AGROSTEMMA. See Lychnis. ATHIONEMA grandiflorum. Much like the common Candytuit. Flowers in various shadeds of pink and purple. Plants thrive best on dry, sunny slopes. 1 to 2 feet. June to July 2.50 15.00 AUGA reptans atropurpurea. Purple Bugle. Creeping plant, excellent for shady places and for the rockery. The flowers are purplish blue, on stems from 6 to 10 inches high. May and June. 2.25 14.00 ALYSSUM saxatile compactum. Freely used in rockwork, as the plants make a splendid mat. The flowers of real the base	white flowers from April to June, followed by	15.00	der. 2 to 3 ft. June and July 2.25	14.00
ARENARIA montana. Creeping plant with dense, compact foldage. Thrives almost anywhere. I foot. 2.50 ARENARIA montana. Creeping plant with dense, compact foldage. Thrives in dry, sunny places. ARENARIA montana. Creeping plant with dense, compact foldage. Thrives in dry, sunny places. ARENARIA montana. Creeping plant with dense, compact foldage. Thrives in dry, sunny places. ARENARIA montana. Creeping plant with dense, compact foldage. Thrives in dry, sunny places. ARENARIA montana. Creeping plant with dense, compact foldage. Thrives in dry, sunny places. ARENARIA montana. Creeping plant with dense, compact foldage. Thrives in dry, sunny places. ARENARIA montana. Creeping plant with dense, compact foldage. Thrives in dry, sunny places. ARENARIA montana. Creeping plant with dense. Spring	ÆGOPODIUM podagraria variegatum. A fine bor- der plant for shrubbery or for covering waste	10.00	are completely covered with snowy white flow-	15.00
 ATHIONEMA grandiforum. Much like the common chadytinft. Flowers in various shades of pink and purple. Plants thrive best on dry, sunny slopes. It to 2 feet. June to July 2.50 15.00 AUGA reptans atrop purpues. Purple Bigle Creeping plant, excellent for shady places and for the rockery. The flowers are purplish blue, on stems from 6 to 10 inches high. May and June. 2.25 14.00 ALSTCEMERIA aurantiaca. Should be protected during whiter, or lifted in the autumn and kept in rockwork, as the plants make a splendid mat. The flowers are golden yellow, borne very freely in small clusters in early spring	low foliage. Thrives almost anywhere. 1 foot. 2.50	15.00	ARENARIA montana. Creeping plant with dense, compact foliage. Thrives in dry, sunny places.	
 sumy slopes. I to 2 feet. June to July 2.50 15.00 AJUGA reptans atropurpurea. Purple Bugle. Creep- ing plant, excellent for shady places and for the rockery. The flowers are purples bulle, on the protected during winter, or lifted in the autumn and kept in a frost-proof cellar. Flowers bright yel- low, on stems from 2 to 4 feet high 3.50 ALSTGEMERIA aurantiaca. Should be protected during winter, or lifted in the autumn and kept in a frost-proof cellar. Flowers bright yel- low, on stems from 2 to 4 feet high 3.50 ALYSGUM saxatile compactum. Freely used in rockwork, as the plants make a splendid mat. The flowers are golden yellow, borne very freely in small clusters in early spring 2.50 ANCHUSA angustifelia. Of easy culture in any god garden solf and a sump position. Pro- duces loose panicles of rather dark blue flowers	ÆTHIONEMA grandiflorum. Much like the com- mon Candytuft. Flowers in various shades of		spring 2.50	15.00
 ing plant, excellent for shady places and for the pockery. The flowers are purplish blue, on stems from 6 to 10 inches high. May and June 2.25 14.00 ALSTCEMERIA aurantiaca. Should be protected during winter, or lifted in the autumn and kept in a frost-proof cellar. Flowers bright yellow, on stems from 2 to 4 feet high 3.50 ALYSSUM saxatile compactum. Freely used in rockwork, as the plants make a splendid mat. The flowers are golden yellow, borne very freely in small clusters in early spring 2.50 15.00 argenteum. (Madwort)	sunny slopes. 1 to 2 feet. June to July 2.50	15.00	tractive because of its evergreen leaves and heads of light pink flowers 2.50	15.00
 ALSTCEMERIA aurantiaca. Should be protected during winter, or lifted in the autumn and kept in a frost-proof cellar. Flowers bright yellow, on stems from 2 to 4 feet high	ing plant, excellent for shady places and for the rockery. The flowers are purplish blue, on	14.00	pink to white 2.25 vulgaris splendens. (A. maritima splendens).	
ALYSSUM saxatile compactum. Freely used in rockwork, as the plants make a splendid mat. The flowers are golden yellow, borne very freely in small clusters in early spring	ALSTCEMERIA aurantiaca. Should be protected during winter, or lifted in the autumn and kept in a frost-proof cellar. Flowers bright yel-		ARRHENATHERUM elatius tuberosum (A. bulbo- sum variegatum). A rather low-growing vari- egated grass, used chiefly in rock-gardens, or	
freely in small clusters in early spring.2.5015.00argenteum. (Madwort)2.2514.00ANCHUSA angustifolia. Of easy culture in any good garden soll and a sunny position. Pro- duces loose panicles of rather dark blue nowers2.2514.00sempervirens. Short racemes of blue flowers generally bracted at the base2.2514.00Anemone late frost the foliage is good, but the crowning glory comes when the plants are in bloom. From August, even until snow flies, they are a mass of white or pink blooms. They are perfectly hardy, and, given reasonably good care, they will grow from 4 us to 5 feet high. faiba. The blooms of this variety are snow- white, and are borne from August until well15.00Itactific white 3 to 5 feet2.5015.00Anemone are amass of white or pink blooms. They are a mass of white or pink blooms. They are a mass of this variety are snow- white, and are borne from August until well2.5015.00table. The blooms of this variety are snow- white, and are borne from August until well15.0015.00table. The blooms of this variety are snow- white, and are borne from August until well2.5015.00table. The blooms of this variety are snow- white, and are borne from August until well2.5015.00table. The blooms of this variety are snow- white, and are borne from August until well2.5015.00table. The blooms of this variety are snow- white, and are borne from August until well2.5015.00	ALYSSUM saxatile compactum. Freely used in rockwork, as the plants make a splendid mat.		ARTEMISIA abrotanum. Old Man. Grown chiefly for the foliage, which is dark green and finely	14.00
 ANCHUSA angustifolia. Of easy culture in any good garden soil and a sunny position. Produces loose panicles of rather dark blue flowers	freely in small clusters in early spring 2.50		white 3 to 5 feet 2.50 absinthium. Wormwood. A native of Europe,	15.00
semperate basis of the base	good garden soil and a sunny position. Pro-		2 to 4 feet 2.25	14.00
Anemole are among the most beautiful hardy plants in the perennial garden. From spring to late frost the foliage is good, but the crowning glory comes when the plants are in bloom. From August, even until snow files, they are a mass of white or pink blooms. They are perfectly hardy, and, given reasonably good care, they will grow from 4 to 5 feet high. faiba. The blooms of this variety are snow- white, and are borne from August until wellbearing feathery spikes, 3 to 4 feet long, of the purest white, sweetly fragrant, and flower- ing in late autumn	flowers 2.25	14.00	Joanse of Hobie appearance, e se o rees might,	
plants in the personnal garden. From spring to late frost the foliage is good, but the crowning glory comes when the plants are in bloom. From August, even until snow files, they are a mass of white or pink blooms. They are perfectly hardy, and, given reasonably good care, they will grow from 4 to 5 feet high. falba. The blooms of this variety are snow- white, and are borns from August until wellIng in late autumin	Anemone Japonica, Japanese Anemone, These	13.00	bearing feathery spikes, 3 to 4 feet long, of	
glory comes when the plants are in bloom.1½ to 2 feet	plants in the perennial garden. From spring to late frost the foliage is good, but the crowning		ing in late autumn	15.00
perfectly hardy, and, given reasonably good feet. The leaves are tapered, a foot long, care, they will grow from 4 to 5 feet high. smooth and shiny on the upper side. Recommended for city planting because of its hardy taiba. The blooms of this variety are snow- mended for city planting because of its hardy white, and are borns from August until well character. It makes fine clumps when sheltered	giory comes when the plants are in bloom. From August, even until snow files, they are a mass of white or pink blooms. They are		1 1/2 to 2 feet 2.25 ARUNDINARIA japonica. A hardy garden Bam-	14.00
white, and are borne from August until well character. It makes fine clumps when sheltered	perfectly hardy, and, given reasonably good care, they will grow from 4 to 5 feet high.		feet. The leaves are tapered, a foot long, smooth and shiny on the upper side. Recom-	
	white, and are borne from August until well	18.00	character. It makes fine clumps when sheltered	

SPECIAL AND IMPORT PRICES FOR SPRING OF 1924

and the second	-		
	PE	RENNIALS	Continued
P			ASTER-
ASCLEPIAS incarnata. A native plant hest			Purity.
adapted to moist ground. The flowers vary in			Robert P
color from rosy pink to rose-purple, and are			pronou
extremely effective in masses. 2 to 3 feet.			Snowflak
July to September	2.00	\$13.00	tatarious
uberosa. Butterfly Weed. An extremely hand-			Bloom
some and showy plant, growing well on dry banks and in sunny places. Flowers are or-			to 7 f trinerviu
ange-scarlet. 1 to 2 feet. July to October	2 50	15.00	rounde
	4.00	10.00	feet.
ASTER. Michaelmas Daisy. This is a native of			turbinell
North America, although some have been			to 3 f
brought from the Old World. They are en- tirely hardy and will grow readily in ordi-			*ASTILBE
nary soil and exposure.			in the
Beauty of Twyerdreath. New. White petals			tities
surround a golden disc which changes to red.	2.25	14.00	are qu
Climax. A late introduction. Plants are heavily	2120		ing to
branched and covered with light lavender-blue			arendsi.
flowers. 5 feet. August to October		18.00	the ol
Harvardi. Flowers are light blue	2.25	14.00	Japane
Mrs. F. W. Raynor. Large, deep crimson blooms.			orous
4 feet. September and October	2.50	15.00	flowers will su
novæ-angliæ Rubra. A showy American variety.	0.05	44.00	from h
flowers deep red. 3 to 4 feet. Early autumn novæ-angliæ, Ryecroft Pink. Dainty rose-pink	2.25	14.00	arendsi,
flowers in September. 4 feet	2.50		flushed
novæ-angliæ, Wm. Bowman. Rosy purple petals	2.00	1	arendsi,
surround the deep golden bronze disc. Ex-			strong,
tremely showy. 4 to 5 feet. August to Octo-			arendsi,
ber novi-belgi, Ella. Extra-fine variety, with mauve	2.50	15.00	extrem
novi-belgi, Ella. Extra-fine variety, with mauve			arendsi,
flowers, marked hy pronounced golden center.	2.25	14.00	arendsi, lilac-ro
novi-belgi, Enchantress. Flowers shaded pink-	0.05		and ar
ish lavender to deep hlue novi-belgi, Esme. Flowers clear white. 2 feet	2.25	14.00 14.00	thunberg
novi-belgi, St. Egwin. A soft pink, very free-	2.20	14.00	duced
flowering.	2.25		ly larg
flowering. ptarmicoides. A dwarf variety; probably the			pure w
earliest flowering of the class. Flowers are			BAMBUSA
pure white. July to August	2.25	14.00	BAPTISIA
- An -			vania
a state of the sta			while
Stand Standing Maria	and an inclusion of	24	feet ta
See 11 Prover and a lot of the first of the			digo-bl
A VALENCE AND A SHA			BELAMCA
	la	1	Blackb
111 BERTANDALS	1		and ful
	123	Star 1	long.
	128	The	by seed
	- Carline	St. 2	BELLIS pe
	- de la		hardy
			early a
	10000	State of the second sec	July.
and the second sec	1.3	and a start	again i
		190	plant fo Snowbaii.
	2.2	I	Longfelio
			the pre
			-
and the second sec			BERGAMO
			BLEEDING
	Star .		BOCCONIA
NOVER NYER	All and		garden,

ASTER	Per 12	100 %5
Purity. Pure white	\$2.50	\$15.00
pronounced yellow center. 4 feet. September		14.00
Snowflake. Very free, pure white. 18 inches tatarious. A hlue or purple variety from Siberia Blooms from late September to November.	2.50	
to 7 feet	2.25	14.00
trinervius. White or delicate blue petais, sur- rounded hy a purple and yellow disc. 3 to 4		14.00
feet. August to September	2.25	14.00
to 3 feet. September and October	2.25	14.00
*ASTILBE. These hardy plants are easily grown in the perennial border, and should give quan-	6	
tities of blooms all summer. In general they		
are quite tall, varying from 3 to 5 feet, accord-		
ing to the soil conditions and location. arendsi. A new type obtained hy crossing one of		
the older varieties with some of the new		
Japanese introductions. The plants are of vig- orous growth, and produce feathery heads of		
flowers on many-branched stems. This variety		
will succeed in ordinary garden soils, if shaded	l	
from hot sun and given plenty of moisture. arendsi, Ceres. Feathery panicles of light rose.		
flushed with a delicate silvery sheen. 50c each.	5.00	
arendsi, Juno. Deep violet-rose, blooms on strong, upright stems50c each		
arendsi, Pink Pearl. Panicles quite small but		
extremely dense: color a dainty pearl-pink		
arendsi, Pyramidalis. Pure white50c each arendsi, Vesta. Exceedingly graceful plumes of	5.00	
lilac-rose. The plants make a strong growth		
and are vigorcus bloomers	5.00	
thunbergi Moerheimi. A new variety intro- duced from Europe. The panicles are extreme-		
ly large, but the flowers are quite small and		
pure white. July	5.00	s (
BAPTISIA australis. Grows wild from Pennsyl-		
vania to Texas. The foliage is hluish green,		
while the flower-stems, which are 3 to 4		
feet tall, hear long racemes of pea-shaped, in- digo-blue flowers. 2 feet. June and July	2.25	14.00
BELAMCANDA chinensis (Pardanthus chinensis).	2.20	. 1.00
Blackberry Lily. Grows readily in sandy loam		
and full sun. The leaves are 12 to 18 inches long. The flowers are orange and red, followed		
by seeds which resemble blackberries		13.00
BELLIS perennis. English Daisy. An extremely		
hardy little plant, often showing hlooms as early as March and continuing until the first of		
July. In cool weather, it frequently blooms		
again in the autumn. It is a splendid edging plant for cool soils.		
Snowbaii. Pure white, full double blooms	2.00	12.00
Longfeliow. Pink. Desirable in combination with	9.00	12.00
the preceding variety BERGAMOT. See Monarda.	2.00	1 4.00
BLEEDING-HEART. See Dicentra.		
BOCCONIA cordata. Worthy of a place in every		
garden, on account of its bold and picturesque		
appearance. The leaves are large and hroad,		
giving a semi-tropical effect. Flower-stems, which reach a height of 9 feet, terminate in		
delicate flowers, shading from cream-white to	0.50	15.00
reddish brown. July to September giralda. Foliage silvery gray; flower-spikes milky	2.50	15.00
white.	2.50	15.00
miorocarpa. Larger than B. cordata. The flow- ers have a bronzy tint	2.00	13.00
BOLTONIA asteroides. False Chamomile. Rather		
upright in habit of growth; flowers are pure white, on stems from 4 to 8 feet high. Stems		
white, on stems from 4 to 8 feet high. Stems	2.00	13.00
quite stiff. iatisquama. Very desirable for the hardy border.		-
Flowers vary from pink to pinkish lavender and hlue. 2 to 4 feet. September to November.	9.95	14.00
	2120	1 2.0 0
CALIMERIS incisa. Grows readily in any good soll, and is an extremely dainty little perennial. The		
flowers are white or slightly tinged with purple		
and have a hronzy yellow center. 1 to 2 feet. July and August	9.00	13.00

Bellis Perennis.

29

ELLIOTT NURSERY COMPANY, PITTSBURGH, PA.

		SContinued	
 CALLIRHOE involucrata. Poppy Mallow. A droop- ing or trailing plant, native to the central part of United States. The flowers are crimson, cherry-red, or even lighter. 9 to 12 inches. All summer. CAMPANULA. Bellflower. The fact that blue pre- dominates in the Campanula makes it of par- 	\$3.00	Per 12 Coreopsis lanceolata grandiflora. A very excellent plant for massing, be- cause of the profusion of blooms. Flowers rich golden yellow. 2 feet. June and July\$2.00 rosea. A compact plant bearing many light pink flowers. 1 foot. June to September 2.00 verticillata. Fine foliage and small yellow flow-	\$12.00 12.00
ticular value, as it will give the desired blue color in almost any situation—moist or dry, sunny or shady. The varieties here listed are probably the best of the entire family.		ers. 2 feet. July and August 2.00 CORONILLA varia. A trailing plant useful for massing in dry situations. Rose-pink, pea- shaped flowers all summer 2.25	12.00
 carpatica. Harebell. A charming little plant, growing from 6 to 12 inches high, producing the bell-like blue flowers all summer. Especially useful in rockwork	2.50 15.00 2.50 - 2.50 15.00	 †CYPRIPEDIUM acaule. Found in moist places from Maine to North Carolina and west to Indiana	14.0
and grown as a pot-plant. The open bells are colored deep blue. 4 to 5 feet. June and July.	2.50 15.00	to 4 feet	14.00
 CANDYTUFT. See Iberis. CANTERBURY BELLS. See Campanula medium. CARDINAL FLOWER. See Lobelia. CASSIA marylandica. American Senna. A beauthful plant with foliage resembling the acacta. Grows best in strong sun. Bright yellow flowers in July and August. 3 to 4 feet 	2.50 15.00	 son eye	14.00
 CATANANCHE cærulea. Blue Cupidone. Fine border plant about 2 feet high, flowering in summer. Blue, and grows easily in any good soil. cærulea alba. White, as easy to grow as the blue form CENTAUREA macrocephala. Large thistle-like yel- 	2.50	give a note of stateliness and dignity to the garden. They can be grown in full sun and should be permitted to remain undisturbed ycar after year. albus. Flowers white	
low flowers; useful for cutting montana. Cornflower. Blue flowers; very much like the annual cornflower. 2 feet. June to September	2.50 15.00	July	14.00
CERASTIUM biebersteini. A low-growing plant which bears a multitude of small white flow- ers. The foliage is silvery white and the en- tire plant makes a desirable edging or carpet- ing for borders and beds; it is attractive throughout the entire season	2.50 15.00	plish blue or deep purple. A native of Si- beria. 2 feet. June and July	15.00
tomentosum. Vigorous growing varlety with gray foliage		siderably. 2 to 3 feet	14.00
 wort.) A perennial growing from 6 to 12 Inches high. Flowers during September and early October, and produces masses of deep blue flowers which literally cover the ground. Plants should be protected during the north- ern winters. CHEIRANTHUS cheiri. Wallflower. Flowers are 	2.50 15.00	purple. 1 to 2 feet. Midsummer 2.25 ERIANTHUS ravennæ. Plume Grass. A hardy ornamental grass which is effective when planted alone or in combination with other grasses. Leaves are long, with white rib in center. From the center of the plant, long, distinct plumes arise, which may be dried and	14.00
quite large, in varying shades of yellow. An old garden plant blooming in spring. 1 to 2 feet.	2.00 14.00	kept for winter decorations. 8 to 12 feet. August to October	
 CIMICIFUGA racemosa. Black Snakeroot. Suitable for borders or for shaded places. It will succeed well in sun. White flowers. June and July. 4 to 5 feet. CLEMATIS recta. Dense panicles of white flow- 	3.00 20.00	EUPATORIUM purpureum. Joe-Pye Weed. A common plant which grows in low grounds and hears many heads of purple to flesh-colored flowers. One of our best native plants for naturalizing along streams and ponds and	
ers, similar to the Japanese Clematls. 2 to 3 feet. June and July. heracleæfolia davidiana. Iavender-blue flowers, produced in clustered heads. 3 to 4 feet.		planting among shrubbery. 7 to 9 feet 2.25 fraseri. Dense heads of small white flowers 2.50 EUPHORBIA corollata. Flowering Spurge. Grows naturally in the eastern part of the United States and is used for cutting and for bed- ding is hear macroscie Whether white on charge	14.00 15.00
integrifolia. Flowers dark blue on outside, light blue within; 1 to 2 inches long. 2 feet. June to October.		ding in large masses. Flowers white on stems. 2 to 3 feet high. July to October 2.25 EVENING PRIMROSE. See CEnothera.	14.00

	PERENNIALS	-Continued
	Hardy Ferns Varieties marked (*) require shade; those marked (†) suc-	HELIANT
	eed in open border.	of the mon s
	Adiantum pedatum. Maidenhair Fern.	that th
	Aspidium acrostichoides Wood Fern.	not be
	Aspidium marginale.	replace
	Aspidium goldieana. Shield Fern. Asplenium fiilix-fœmina. Lady Fern.	the so
	Dennstædtia (Dicksonia) punctilobula. Gossamer Fern.	fine fo
	Matteuccia (onoclea) struthiopteris. Ostrich Fern.	yellow
	Onoclea sensibilis. Sensitive Fern.	lætiflorus
ŧ	Osmunda gracilis. Flowering Fern.	low, s
1	Osmunda claytoniana. Flowering Fern. Osmunda cinnamomea. Cinnamon Fern.	feet.
		maximili issippi
	Osmunda regalis. Royal Fern.	long.
*	Woodsia obtusa. \$2.50 per 12; \$18.00 per 100. Per 12 100	orgyalis.
	\$2.50 per 12; \$18.00 per 100. Per 12 100	like o
F	ESTUCA glauca. Blue Fescue Grass. Deep silvery	quentl
Ī	hlue leaves which are quite narrow. Desirable	July.
	in ornamental groups or for hedges. Also	scaberri
	used in hanging-haskets, window-boxes, and	orange Augus
	rockeries\$2.50 \$15.00	flower
†	FUNKIA. Day Lily; Plantain Lily. Among the	tuberosu
	hardiest and most easily grown perennial plants. Particularly effective when used as a	tubers
	border for a walk or path. Will bloom all	the pla
	summer.	HEMEROO
	aoki. Large bluish-green foliage 2.50 15.00	ennial
	aurea maculata. In early spring the foliage is a	ers.
	bright vellow: flowers white	Apricot.
	cærulea. Blue Day Lily. Light blue flowers	shade. aurantia
	rise 12 to 18 inches above the broad green	sweet
	leaves	Augus
	major pallida. A plant similar in habit to Sie-	dumortie
	holdiana, with large leaves and light blue flowers 2.50 15.00	June.
	*sieboldiana. The flowers rise only a few inches	flava. I
	above the metallic blue foliage and are pale	colore
	blue Late June 925 1400	fulva kv
	subcordata grandiflora. White Day Lily. Tall spikes of small white flowers. Extremely de-	marke
	spikes of small white flowers. Extremely de-	July minor ()
	sirable for cutting	HERACLE
	*undulata variegata. The margin of the leaves is deep green, while the center is creamy	Parsni
	white. Flowers pure white	able f
G	ALEGA officinalis. Goat Rue. European plant	HESPERI
	which thrives well in this country. Flowers	are va
	are purplish blue. 2 to 3 feet 2.50 14.00 ENTIANA andrewsi. Blue Gentian. One of the	effecti June
C		matronal
	most fascinating native American plants. The	ing va
	flowers, which are tightly closed, are borne at the top of a stem from 6 to 8 lncbes long,	HEUCHER
	and are an intense deep blue. Blooms hest	Dwarf
	in moist places. July and Octoher 2.25 14.00	Flowe
G	EUM atrosanguineum. An orange-scarlet vari-	sanguine
	ety, harmonizing well with the preceding sort. 2.50 15.00	bright brizoides
	coccineum. For rockeries and for borders. Brill-	preced
	iant scarlet flowers are borne the greater part	HIBISCUS
<i>c</i>	of the summer. 1½ to 2 feet 2.50 15.00 YPSOPHILA paniculata. Baby's Breatb. One of	tested
c	the daintiest flowers imaginable. The indi-	very
	vidual blooms are extremely small, but are	It is
	borne in such large clusters that they look like	Mosch
	one immense pure white bloom. Grows read-	ly gro
	ily in dry places and is desirable for rock-	ness of the
	work as well as a filler among shrubbery 2.50 15.00	duces
	paniculata fi. pl. A double-flowering form of the preceding. Grown from best strain of	from
	the preceding. Grown from best strain of seed obtainable 3.00	rieties
	perfoliata (G. scorzonerifolia). Rose-pink blooms. 2.50 15.00	of Hi
	repens. Excullent for rock garden 2.50 15.00	Crimson
ł	ELENIUM autumnale superbum. Sneezeweed.	and h
	A showy perennial with crimson, yellow, or or-	feet. Pink. H
	ange petals surrounding a vellow disc. Used	FIIK. I
	for the background of borders	White.
	hoopesi. Flowers and disc orange-yellow; long stems make the plant valuable for cutting. 1	ter.
	to 3 feet. May to September 2.50 15.09	Mixed.
ŀ	IELIOPSIS, B. Ladhams. Possibly the best of	moschei
ĺ	this class of plants, because of the size of the	with
	brilliant yellow flowers and the general good habit of the plant. 3 feet. August and	Septe
	habit of the plant. 3 feet. August and	moschei
	September. 2.25 14.00 pitcheriana. A rather dwarf form which pro-	flowe crims
	piccheriana. A rather dwarf form which pro-	
	duces quantities of deep yellow flowers. Suc- ceeds well in dry places. 2 to 3 feet. Au-	HIERACI
	gust to October 2.25 14.09	ing b
	11.03	0

-continued	Per 12	100
HELIANTHUS. Under this name are included all	0112	100
of the hardy Sunflowers, even the most com-		
mon sorts. The family is so large, however,		
that the old-fashioned common Sunflower need		
not be conspicuous in the garden, but can be		
replaced by far more beautiful varieties. All the sorts here listed are extremely decorative,		
fine for cutting, and produce an abundance of		
yellow flowers.		
lætiflorus. Showy Sunflower. Petals light yel-		
low, surrounding a dark yellow disc. 4 to 8		
feet. July and August	\$2.00	\$12.00
maximiliani. Found naturally west of the Miss- issippi River. The rays are about 1½ inches		
long. A deep rich yellow. 2 to 4 feet	2.25	13.00
orgyalis. Distinct foliage, which is not coarse	~.~0	10100
like other varieties. Flower stems are fre-		
quently 3 feet or more in length. June and		
July.	2.25	13.00
scaberrimus, Miss Mellish. Very large, bright orange-yellow flowers are produced freely in		
August and September. One of the best Sun-		
flowers for cutting. 5 feet	2.00	12.00
tuberosus. Jerusalem Artichoke. Grown for the		
tubers as well as for the decorative effect of		
the plant and blooms. 8 to 12 feet high	2.25	13.00
HEMEROCALLIS. Yellow Day Lily. Hardy per-		
ennial plants with quantities of fragrant flow-		
ers. Apricot. A distinct coloring of a rich apricot		
shade. 2 to 3 feet. June and July	2.25	14.00
aurantiaca. Deep orange flowers which are	2120	
aurantiaca. Deep orange flowers which are sweetly scented. 2½ to 3 feet. July and		
August	3.50	
dumortieri. Orange-yellow. 2 feet. May and		
June	2.25	14.00
flava. Lemon Day Lily. Sweetly scented lemon- colored flowers. 3 feet. May	0.95	14.00
fulva kwanso fl. pl. Flowers double: orange		14.00
marked with deeper shadings. 4 to 5 feet.		
July and August	2.50	15.00
minor (H. graminea). Bright yellow. Charming.	2.25	14.00
HERACLEUM villosum (H. giganteum). Giant Parsnip. Extremely large perennial. Valu-		
able for background and screens35c each	2 . 0.0	
HESPERIS matronalis. Sweet Rocket. Flowers	3.00	
are various shades of purple and particularly		
are various shades of purple and particularly effective when planted in masses. 2 to 3 feet.		
June and September	2.00	12.00
matronalis nana candidissima. Like the preced-		
ing variety, except that the blooms are white.	2.00	12.00
HEUCHERA sanguinea gracillima. Alum Root. Dwarf plants for the border or rockeries.		
Flowers produced from June to September	2.50	15.09
sanguinea. Coralbells. Flowers extra large,		15.05
bright crimson. 1 to 2 fcet	2.50	15.00
brizoides, Pinkbells. Not quite so tall as the preceding variety. Intense crimson flowers		
preceding variety. Intense crimson flowers	2.50	15.00
HIBISCUS. Mallow Marvels. We have thoroughly tested this new Hibiscus and have found it		
very beautiful and desirable in every respect.		
It is a hybrid of the well-known Hihiscus		
Moscheutos and the tropical Hibiscus so large-		
ly grown in FlorIda, and combines the hardi- ness of the former with the brilliant colors		
ness of the former with the brilliant colors		
of the latter. It makes a large bush and pro-		
duces Its immense, brilliant flowers freely	·	
from July until frost. The white-flowered va- rieties are very nearly like the white varlety		
of Hibiscus Moscheutos.		
Crimson. Flowers are gorgeous in their coloring		
and borne from June to late autumn. 6 to 7	·	
feet 35c each		
Pink. Flowers vary from flesh to deep plnk		
35c each White. White petals surround the crimson cen		
ter		
Mixed. All colors	2.25	14.00
moscheutos. Swamp Rose Mallow. Light rose with dark eye. 5 to 6 feet. August and	9	
with dark eye. 5 to 6 feet. August and	1	
September. moscheutos, Crimson Eye. Immense pure white	2.25	14.00
flowers which have a large spot of velvet	9 7	
crimson in the center		15.00
HIERACIUM aurantiacum. Hawkweed. A showy		10.00
orange flower. This plant is useful for cover		
ing banks or dry and sandy places	2.00	12.00

ELLIOTT NURSERY COMPANY, PITTSBURGH, PA.

	PE	RENNIALS	-Continued
	Per 12		LYCHNIS-
IBERIS saxatilis corifolia. Candytuft. A large snow-white flower. 8 to 10 inches. May			coronaria
sempervirens. Hardy Candytuft. The flowers	\$2.50	\$15.00	cepting coronaria
are white, borne with great freedom, while the		1	family,
foliage may remain green all winter. Ahout			coronaria
1 foot. April to Jung		15.00	red m
sempervirens nana. A dwarf form of the pre-			LYSIMACI
ceding	2.50	15.00	did pla
INULA helenium. Elecampane. Grows naturally in			ers ar
the Old World, hut has been brought to this country where it thrives in damp places. Flow-			thus a July t
ers are bright yellow. 2 feet. June to Oc-			nummula
toher.			carpeti
Native Iris			vases
Pseudacorus. Bright yellow flowers, extremely			nummula
valuable for planting along the edge of ponds.			liage o whole
valuable for planting along the edge of ponds. This and the other two natives are the only			punctata.
ones which may he safely planted in wet places.	2.50	15.00	are mo
Pseudacorus variegata. Same as above, except that		45.00	3 feet.
the foliage is variegated Versicolor. Showy violet-blue flowers, which appear	2.50	15.00	LYTHRUN
in June and July. The common Blue Flag of the			Grown
meadows.		15.00	hery. July a
			MERTENS
LIATRIS graminifolia rubra. Blazing Star; Button			slip.
Snakeroot. A hardy plant native to the eastern part of the United States. Stems are rather			part o
slender. 2 to 3 feet high, with many deep		1	large,
red hlooms		14.00	of blu
callilepsis. A valuable new variety. Similar to			MYOSOTI tris).
the preceding, but blooms a month earlier.			ioned
Flower-stems from 11/2 to 2 feet high	2.25	14.00	a rath
LINUM perenne. Flax. An erect growing peren-			are bri
nlal with rather small blue flowers nearly all summer.		14.00	MONARDA
perenne album. Flowers white		14.00	of the intense
LOBELIA cardinalia. Flowers are Indian pink.			mass
The most showy of all our native plants; no			July t
other flower compares with the brilliancy of			Cambridg
the blooms, which are a rich cardinal color.			and al
The blooms are rather loosely clustered at the end of flower-stems from 2 to 4 feet long.		1	where July to
July to September		15.00	ENOTHE
syphilitica. Grows freely in rather moist places.			plants
The flowers, which are borne in long ra-			the gai
cemes, are hlue or purple. 2 to 3 fcet. July	0 50	15.00	deners
to September	2.50	13.00	that a of the
Pea. An extremely hardy and easily cultivated			flowers
climber. It may be trained on trellises,			the gro
porches, fences, or on stumps, and when permit-		1	fruticosa
ted to ramble uncontrolled it will take posses- sion of bushes and stones. Notwithstanding		1	bright
its vigorous growth, it is a charming plant.			about glauca fr
Flowers pure white, or in some cases slightly			and ho
flushed with rose, produced freely from late			mer.
July to the first of September latifollus splendens, Pride of California. Grows		13.00	lamarckia
best in a shaded situation and should be pro-			produc heyond
tected in winter, as it is a native of California.			rosea.
The flowers are pale rose or bright pink		13.00	Plants
latifolius. Red	2.00	13.00	mer.
LAVANDULA vera. Lavender. An old garden favorite because of the pleasing odor. The			ONOPORD
flowers are blue or variegated and the plant			white
is reasonably hardy, but it is wise to give it			purple, ticular
protection during northern winters	2.25	14.00	colored
LYCHNIS chalcedonica. Jerusalem Cross; Scarlet Lightning. An old-fashioned flower. The			PACHYSA
blooms vary from dull red to bright scarlet. 2			coverin
to 3 feet. May to August	2.25	14.00	to gro
flos-cuculi. Flowers in clusters, vary in color			hright more
from pink to deep red. 1 to 2 feet. May to	9.00	12.00	flowers
August	2.00	13.00	and Ju
or scarlet, 11% to 2 inches in diameter	2.50	15.00	PARDANT
viscaria spiendens fl. pl. German Catchfly. Blooms			PENNISET
profusely in sunny places. Flowers are bright	0.50	15.00	hardy and sh
red and almost double coronaria. Mullein Pink; Dusty Miller; Rose	2.50	15.00	inches
Campion. A hiennial or perennial. Flowers			Austral
quite large, borne on the ends of long branches:			PENTSTE
rose-crimson or tipped crimson. A common			high, a flowers
plant in old-fashloned gardens. 1 to 2 feet. All summer.	2.25	14.00	with d

coronaria alba. Like the preceding variety ex-	Per 12	100
cepting that the flowers are white	\$2.25	\$14.00
coronaria atrosanguinea. Another form of the family, carrying dark crimson blooms	2.25	14.00
coronaria bicolor. Distinguished by the white and		
red markings of the flowers	2.25	14.00
did plant for moist or wet places. The flow-		
ers are clear white, horne on long stems and thus are well adapted for cutting. 2 to 3 feet.		
July to September	2.50	15.00
nummularia. Moneywort. A splendid plant for carpeting the ground in shaded places, or for		
vases and baskets. Foliage dark green	2.50	15.00
nummularia aurea. Golden Moneywort. The fo- liage of this variety is bright yellow, either in		
whole or in part	2.25	14.00
punctata. The flowers are yellow and the plants are most effective when grown in clumps. 2 to		
3 feet. July to September	2.00	13.00
YTHRUM roseum superbum. Rose Loosestrife. Grown readily in moist soil or among shrub-		
hery. Flowers are rose-colored, borne freely in		
July and August. 3 to 5 feet IERTENSIA virginica. Blue Bells; Virginia Cow-	2.25	14.00
slip. Found naturally in moist soil in eastern		
part of the United States. Flowers are fairly large, borne in clusters, and a heautiful shade		
of blue. 2 feet	2.50	15.00
IYOSOTIS scorpioides semperflorens (M. palus- tris). An improved variety of the old-fash-		
ioned true Forget-me-not. The plants require a rather damp and shaded place. The flowers		
a rather damp and shaded place. The flowers are bright blue and borne all summer. 8 inches.	2.25	14.00
IONARDA didyma. Oswego Tea; Bee-Balm. One		
of the most hrilliant red flowers, almost as intense in color as the cardinal flower. For		
mass planting, it has no superior. 2 feet.		
July to September Cambridge Scarlet. Grows best in moist places	2.25	14.00
and along the hank of streams: most effective		
where it has a background of greenery. 3 feet. July to September.	2.25	14.00
ENOTHERA. Evening Primrose. This family of		1 1100
plants contains many that are of little value in the garden, but careful selection by expert gar-		
deners has resulted in producing one or two		
that are of extreme value. The chief feature of the plant is the evening-blooming habit. The		
flowers open in early evening and remain open		
the greater part of the night. fruticosa youngi. Extremely profuse bloomer,		
bright lemon-yellow flowers. Plant hranching,		
about 2 feet high glauca fraseri. Flowers are yellow, quite large,	2.25	14.00
and horne in clusters. 2 to 3 feet. Midsum-		14.00
mer. lamarckiana. Biennial growing four to five feet		14.00
producing large sulphur yellow flowers. Lovely		14.00
negond description	2.20	14.00
Plants rarely more than 2 feet high. Midsum- mer.	2 50	15.09
NORORDON acanthium. Scotch Thistle Greenish		10.00
white follage, rather spiny. Flowers are pale purple, borne singly on long branches. Par-		
ticularly effective when planted against dark-		
colored shrubbery	2.00	13.00
ACHYSANDRA terminalis. A valuable plant for covering the ground in shady places, but seems		
covering the ground in shady places, but seems to grow well in the sun. The foliage is a brickt closey graen while the plant is rarely		
hright glossy green, while the plant is rarely more than 6 inches high. Small spikes of flowers are borne during the months of May		
flowers are borne during the months of May	2.50	15.00
and June. ARDANTHUS. See Belamcanda.	2.00	
ENNISETUM Japonicum. Fountain Grass. A hardy ornamental grass with slender foliage		
and showy plumes, which sometimes reach 18 inches in length. A new introduction from		
inches in length. A new introduction from Australia	2.50	15.00
Australla		
high, and is largely used as a horder plant. The flowers are white, although sometimes tinged		
with delicate pink	2.50	15.00

killed by frost.

PERENNIALS-Continued PENTSTEMON-Per 12 100 tiful spikes of light blue or lavender flowers...\$2.25 \$14.00 hirsutus (P. pubescens). Grows wild from On-tario to the Gulf, but is a desirable plant in the perennial garden. Flowers are drooping and vary from flesh-pink to light purple-violet.... 2.25 14.00 >HLOX subulata, Daisy Hill. Creeping Phiox; Moss Pink. Rose-pink. Fine for covering banks; thrives in hot, dry situations, and blooms profusely. 2.25 14.00 Bridesmaid 2.25 atropurpurea. Deep rosy purple 2.25 14.00 14.00 reptans. A native of the Southern States, worthy of a place in any garden. Creeping or trailing plant, produces myriads of pink flowers in 13.00 May. 2.00

Phlox Divaricata Canadensis		
One of our native varieties that is but rarely met with, and which has been introduced into		
Europe the past few years as a novelty. A		
plant that is certain to meet with much favor when better known, as nothing can produce		
when better known, as nothing can produce such a cheerful corner in the garden in very early spring. Frequently beginning to bloom		
early in April, it continues until about the mid-		
dle of June, with large, bright lilac-colored flowers, which are produced on stems about 10		
inches high, in large, showy heads, and are		
very fragrant. Extremely fine for naturalizing in the woods and shady places. Although this		
Phlox is usually found growing wild in shady		
places, it will do better if it is planted where it has full exposure to the sun and will bloom		
more freely. divaricata alba. A white sport of P. divaricata	2.00	13.00
canadensis.	2.50	15.00
divaricata: cærulea	2.50	15.00
stelleriana. Lovely light blue; distinct arendsi. A new strain of hardy Phlox, blooming	2.25	14.00
the latter part of May. Plants are from 1 to 2		
feet high. Grete. Pure white; some nowers may be slightly		
tinted with lilac. Helene. Of a beautiful lavender-blue color, similar	2.50	15.00
to divaricata. Shapely plants	2.50	15.00
PLATYCODON grandiflorum (Wahlenbergia		
grandifiora). Balloon Flower. Bluish white or pale blue flowers, borne in June and July.		
1 to 2 feet. grandiflorum album. A white-flowering form of	2.00	14.00
the preceding.	2.00	14.09
the preceding. grandiflorum mariesi. Chinese Bellflower. A Chinese introduction and possibly the most day		
Chinese introduction and possibly the most de- sirable of the dwarf varieties. The flowers,		
which are exceptionally large, are white, shad- ing to purple.	2.00	14.00
PLUMBAGO larpentæ. See Ceratostigma.		
POLEMONIUM cæruleum. Jacob's Ladder. Takes		
the leaflets are arranged. The flowers are		
its common name from the manner in which the leaflets are arranged. The flowers are bell-shaped, blue or white, and about an inch across. 1 to 3 feet. May and June humile (P. Richardsoni). Sky-blue flowers, with golden yellow anthers, are borne on rather long stams 12 to 15 inches. Lune and July	2.25	14.00
humile (P. Richardsoni). Sky-blue flowers, with	4.20	14.00
long stems. 12 to 15 inches. June and July.	2.25	14.00
reptans. In April and May many light blue flow-		
ers are produced in loose sprays	2.50	15.00
POLYGONUM sieboldi (P. Cuspidatum). Knot- weed. Splendid for massing and is perfectly hardy in the North. Flowers rather small and		
borne very profusely. 3 to 5 feet	2.00	13.00
PRIMULA auricula. A well known favorite of		
great beauty cashmeriana. Large leaved variety, as hardy as it is handsome and when planted in moist rich	2.50	
is handsome and when planted in moist rich loam grows as vigorously as a cabbage	9.50	
PYRETHRUM uliginosum (Giant Daisy). White	2.50	
Daisylike flowers, 3 inches in diameter. July. RANUNCULUS acris fl. pl. Bachelor Buttons.	2.50	15.00
Found growing wild in the eastern part of the		
from Europe. The flowers are glossy golden		
yellow. 2 to 3 feet. May to September	2.25	14.00

Phlox Divaricata Canadensis,

Per 12 100

- RHEUM collinianum. Foliage broad and deeply
 - copper. Flowers dark purple....40c each.. 3.50 palmatum tanguticum. Leaves not so deeply cut as in the other sorts. All the varieties of Rheum are valuable for their striking foliage and are used to the best advantage against a heavy background. 40c each.. 4.00
- RODGERSIA podophylla. Foliage is often 18 inches in diameter and borne on stems 3 feet or more in length. In early spring the foliage is a light green, but as the season advances it takes on bronzy tones. The blooms are borne in midsummer, on stems 4 to 5 feet high, and much resemble the flowers of Astilbe; the feathery panicles are especially effective against the broad foliage 7.50
 - esculifolia. A new introduction from Siberia, and one which is extremely rare in American gardens. The foliage is extremely large, sometimes reaching a diameter of 3 feet. The white flowers are borne in the spring, on stems 6 feet or more in height.....\$1.00 each. 10.00
- RUDBECKIA, herbstonne. Coneflower; Autumn Sun. Blooms in September and October, producing a multitude of large golden yellow flowers on long stems. 2.25 14.00 laciniata. Golden Giow. A double-flowering form, and one of the most showy plants in American gardens. Flowers are double and bright yellow in color. Under normal conditions the plants will attain a height of 12 feet, and when well established will produce "bushels of flowers" from June to September..... 2.00 13.00 speciosa. Grows in moist soil along the Great Lakes Region. It is one of the very best native plants for border and general garden use. 1 to 3 feet. All summer. 2.00 13.00 If the three varieties of Rudbeckia here noted are planted in large clumps in the garden, it will be entirely practicable to secure blooms, as well as a display of color in June and until the plants are

ELLIOTT NURSERY COMPANY, PITTSBURGH, PA.

	PEREN	INIALS-C	Continued
Pe	er 12		EDUM, The
ROSMARINUS officinalis. Rosemary. A shrubby		3	Acre. Golden
perennial from 2 to 4 feet high, with many			yellow flow
small light blue flowers. Familiar In old-fash-			long
ioned gardens\$	2.00 \$	12.00	Reflexum. S
RUTA graveolens. Rue. Probably came from			flowers ma
southern Europe. The plants are from 1 to 2			across. Ju
feet high, with sharply cut foliage which has			
a peculiar pleasing odor. Bright yellow flow-			Sexangulare.
ers are borne in July	2.00	13.00	golden yel growth is
Hardy Salvias argentea The Silvery			
Glary. Excellent border	0 50		Album. Sma
plant with silvery leaves twelve inches long	2.50	Ì	
greggi. Partakes of the nature of a shrub			
rather than a herbaceous perennial. Flowers		S	IDALCEA, Ro
are red and produced in such freedom that the plant looks like one immense bloom	2.50	18.00	ored flower
-	2.00	10.00	feet high.
turkestanica. Showy white flowers surrounded by pale pink. Extremely decorative	950	15.00 S	ILENE schaft
	2.00	10.00 3	with rose-
virgata nemorosa. A new and interesting plant for the hardy border, forming a rosette of large			edging and
foliage, from which the flower-spikes arise,			ber
bearing many-flowered whorls of dark blue			
blossoms; the unexpanded buds are light violet-		S	ILPHIUM pe
blue, forming a harmonious and pleasing color			full sunlig
combination. It continues in flower for about			moisture. inches acr
six weeks during the early summer months.			gnst
Grows 18 inches high	3.00	18.00	,
virgata nemorosa alba. With the exception of		SI	PIREA arunc
white flowers the growth and character of the			of white f
plant is identical with Nemorosa blue S	2.50 1	5.00	filipendula (1
SAGE (Salvia officinalis). A familiar herb used			Meadowswe
for flavoring. The flowers are quite small			foliage; gr
and vary from pure white to deep purple	1.75 1	2.00	June. The
SAPONARIA ocymoides splendens. Soapwort.			2 to 2 1/2
Handsome, small-leaved border and rockery			filipendula fl.
plant; will thrive in soil too poor for best de-			is similar t
velopment of flowering plants. Flowers rosy			fuil double
plnk. May and June. 8 to 12 inches	2.50 1	5.00	height
officinalis fl. pl. Bouncing Bet. A double-flow-			kampahatian m
ering form of the old-fashioned perennial. Flow- ers are light pink. 2 to 3 feet. July and Au-			kamschatica r
gust.	9 9 5 1	4.00	taining a h
Babt		4.00	which are
SAXIFRAGA ligulata leichtlini. Excellent for			early Augu
front of border or shrubbery, forming masses			nalmata /E 1
of handsome, broad, deep green foliage, which			palmata (F.] crimson flo
alone renders them useful, while the pretty			2 to 3 fee
red flowers in May make them doubly effect- lve. 1 foot	0 5 0 4	= 0.0	
1ve. 1 1001	2.00 1	5.00	palmata elega
SCABIOSA caucasica. Meurning Bride. Soft			variety wit
lavender-biue flowers, excellent for cutting, are			ulmaria fl. pl.
borne from June to September. 2 to 3 feet 5	2.50 1	5.00	Double wh
caucasica alba. White-flowering form of prc-			are produce
ceding	2.50 1	5.00	
Sedum — Stonecrop		\$1	TACHYS lana
			white or v
A showy group of hardy perennials which any-			quite small, of thirty or
one can grow, and which we have divided into two classes;			or entry of
THE CREEPING STONECROPS		ST	TATICE latif
Are seldom over 6 lnches high; excellent for			leaved Sea
edging perennial beds and carpeting the ground be-			succeeds be
tween shrubs.			tion. Laver
Spurlum. Spreading Stonecrop. Bright crimson			mer
flowers.	2.25 1	4.00	
Sieboldi. Slebold's Stonecrop. This Japanese va-		T/	ANACETUM
riety, with its exquisite glaucous leaves, is con-			herb with
sidered the best foliage plant in the Sedum			The flower: topped clus
family. Flowers rosy pink.	2.50 1	5.90	ber
Stoloniferum. Runner-bearing Stonecrop. Pink flowers in June and July		2 0 0	
	c.00 I	3.00 TI	EUCRIUM ch
THE MOSSY STONECROPS			border plan
Grow about 1 to 4 lnches high, bear diminutive			bright, shi
flowers between May and July, and make an ex-			evergreen.
quisite carpet of evergreen foliage which is par-			pie, and ma
ticularly attractive in winter when some of them			2 feet. M
assume tones of bronze. Uses for which they are			
recommended: (1) To convert stretches of sand and rock into carpets of verdant green; (2) to car-			HALICTRUM
Det rose- and bulb-beds: (3) to soften the lines			Thalictrum. of the mai
pet rose- and bulb-beds; (3) to soften the lines and to take away the "new look" in rock and			low flowers
formal gardens.			to 2 feet .

Acre. Golden Moss. Grows 2 to 3 inches high;	Per 12	100
Acre. Golden Moss. Grows 2 to 3 inches high; yellow flowers in July; leaves are only ¼ inch long.	L	\$13.00
Reflexum. Stone Orpine. Small, bright yellow flowers making up a flat cluster 1 to 1 ½ inches		
across. July		15.00
golden yellow. The reddish cast of the new growth is charming. July.	2.50	15.00
Album. Small white flowers		15.00
BALCEA, Rosy Gem. India Mallow. Bright col- ored flowers are carried on erect stems, 2 to 3 feet high. June and July		14.00
SILENE schafta. Catchfly. A low-growing plant with rose-pink flowers in clusters. Useful for edging and the rock-garden. June to Septem- ber.		15.00
SILPHIUM perfoliatum. Cup Plant. Requires full sunlight and a reasonable amount of moisture. The flowers are yellow, from 2 to 3 inches across 4 to 6 feet July and Au-		
inches across. 4 to 6 feet. July and Au- gust.		13.00
FIREA aruncus. A native sort, with large heads of white flowers in June or July	2.50	15.00
filipendula (filipendula hexapetala). Herbaceous Meadowsweet. Handsome dark green fern-likke foliage; great showy heads of white flowers in June. The buds look like dark pink jewels. 2 to 2 ¹ / ₂ feet		14.00
filipendula fi. pl. In general habit this variety is similar to the preceding, but the flowers are full double. The plant rarely exceeds 2 feet in		
height	2.50	15.00
of the tallest in growth of the entire species, at- taining a height of 5 to 7 feet. The flowers, which are clear rose, are produced in July and early August		15.00
palmata (F. purpurea). Large plumes of bright crimson flowers are carried in June and July. 2 to 3 feet.		15.00
palmata elegans (F. purpurea elegans). A new variety with silvery pink flowers		15.00
ulmaria fl. pl. (F. ulmaria fl. pl.). Meadowsweet. Double white flowers in large, thick clusters are produced in June and July. 3 feet	0.05	11.00
		14.00
TACHYS lanata. Woundwort. Foliage woolly, white or very light green. The flowers are quite small, fight purple, and carried in clusters of thirty or more. 1 to 2 feet		14.00
TATICE latifolia (Limonium latifolium). Broad- leaved Sea Lavender. A native of Russia which succeeds best in deep soil and in a sunny posi-		
tion. Lavender-blue flowers. 2 feet. Midsum- mer	2.50	15.00
ANACETUM vulgare. Tansy. Familiar garden herb with a pronounced odor to the foliage. The flowers are yellow, borne in dense, flat- topped clusters. 2 to 3 feet. July to Septem-		
topped clusters. 2 to 3 feet. July to September.	2.00	13.00
EUCRIUM chamædrys. Germander. A desirable border plant of European origin The foliage is bright, shiny green, in fact, it is almost an evergreen. The flowers are rose, shaded to pur- pie, and may have red and white spots. f to	0.50	4.0 00
 2 feet. Midsummer HALICTRUM minus adiantifolium. Maidenhair Thalictrum. The foliage is very much like that 	2.50	18.00
of the maidenhalr fern and the greenish yel- low flowers are produced in June and July. 1 to 2 feet	9 50	15.00
00 £ 1000	2.00	

SPECIAL AND IMPORT PRICES FOR SPRING OF 1924

PERENNIALS-Continued

	1 Etternin Loss Committee		
Т	HALICTRUM— P dipterocarpum. A new variety with lilac-mauve nowers, yellow stamens and anthers. 4 feet.	er 12	100
	August and September 40c each\$ glaucum. Flowers yellow, borne on erect stems;	4.00	\$30.00
	bluish green foliage. 3 to 5 feet. June and July.	2.50	15.00
T	HYMUS serpyllum lanuginosus. Woolly Thyme. Is pleasing at all seasons, forming cushions in any soil thoroughly exposed to the sun	2.50	15.00
т	RADESCANTIA virginiana. Spiderwort. Plant		
	seldom more than 3 feet high. The violet-blue nowers, about 1 inch across, are produced freely from June to September	2.00	13.00
T	RITOMA pfitzeri (Kniphofia uvaria grandis). Red- hot Poker. Long spikes of orange-yellow		
	flowers, which are striking in their brillance when the plant is grown in masses. 2 to 3 feet.		
	August to October	2.50	18.09
т	ROLLIUS. Globe Flower. A family of plants which succeeds well in borders where they may be shaded during the middle of the day. They prefer a light soil and a goodly amount of molsture.		
	asiaticus. Flowers are rich orange color and well adapted for cutting. Foliage bronze-green. 2 feet. May40c each	4.00	
	europæus. Lemon-colored flowers, formed vcry much like buttercups. 1 to 2 feet. May to August 40c each	4.00	
	japonicus fl. pl. Orange-yellow flowers, borne	4.00	
	Orange Globe, A strong-growing variety with		
	deep orange flowers, resembling a yellow ball. 2 feet. June to August	4.00	
т	UNICA saxifraga. A tufted or spreading plant		
	which is admirably suited for use as an edging or for rock gardens. The light rose-colored flowers, similar to those of a forget-me-not, give a delightful soft effect. 6 to 10 Inches.		
	July and August.	2.50	15.00
U	NIOLA latifolia. Spike Grass. A native orna- mental grass with broad, flat leaves and tall,		
	fcathery spikes. 2 to 4 feet	2.00	13.00
v	ERBASCUM olympicum. Greek Mulleln, The showlest of the entire family of more than thirty varieties. The foliage is silvery white, with leaves often 3 feet long. The flowers are yellow, and are produced in quantity for about three weeks in midsummer. The chief value of the plant, however, is the foliage. Succeeds		
	best in a dry situation. 3 to 5 feet phœniceum. Distinct and probably the only pur- ple-flowered sort in cultivation. Should be		15.00
v	planted in shade and moist situations. 5 feet. ERBENA venosa. Hardy Verbena. The plants	2.50	14.00
	will grow about 8 inches bigh, but can be used as a ground-cover by pegging down. The flowers are lilac or bluish purple, and are pro- duced freely all summer. Should be planted in well-drained soil.	2.50	15.00
v	ERONICA longifolia subsessilis. Japanesc Speed- well. The deep azure-blue flowers are valu-		
	able for cutting. Beautiful foliage. 2½ feet. July and September	2.50	15.09
	repens. Low growing perennial with light blue flowers. Useful in rockeries		
	rupestris. A trailing variety used in rockwork and for carpeting in semi-shaded places. Flow- ers blue	2.50	15.00
	spicata. Spike-flowered Speedwell. Grows best		
	in sunny locations. Blue, with long purple stamens. 2 to 3 feet. June and July	2.25	14.00



Native and American Grown Lilies

Of all the hardy plants about the garden, none give greater returns of beauty and color for the slight amount of trouble involved. While Lilies prefer a partiy shaded situation, where the soil is cool and moist, they are almost as successful if planted behind borders of Irises, in the dry, hot soil tiose plants prefer. Their blooms are always large and symmetrical; their colors brilliant and illuminating. Inexperienced gardeners plant them because they are easy to grow; experts retain them because of their beauty. Our list contains practically all the favorite varieties.

cause they are easy to grow; experts retain them because of their
beauty. Our list contains practically all the favorite varieties.
Per 12 100
Canadense flavum. The beautiful native Lily, with
graceful, charming yeilow flowers\$2.25 \$14.00
Canadense rubrum. Similar in all respects to the
preceding variety, save that the flowers are red. 2.50 15.00
Canadense Mixed. Flowers of various shades of yel-
low, orange, and red, spotted with hlack and
brown. Excelient for mass plantings or shrub-
bery borders 2.00 12.00
Davuricum. Makes a strong growth from 2 to 3
feet high and is exceedingly easy to grow. The
blooms are in umbels of three to five upright,
scariet flowers, attractively dotted with black 1.75 11.00
Elegans, Leonard Joerg. Rich apricot biooms, at-
tractively spotted and dotted
Elegans, Mixed Colors. An attractive variety of
colors suitable for a group planting 2.25 14.00
Hansoni. Bright orange flowers spotted with
brownish purple. Occasionally the bulbs remain
dormant the first year after planting, but they
will come up vigorously the following season
75c each 7.50
Henryi. The flowers are dark reddish yellow,
marked with smail brown spots75c each., 7.50
Philadelphicum. The plant usually bears two or

 five upright flowers which are pale yeliow, spotted maroon and tipped with bright scarlet..... 1.75
 12.00

 Tigrinum splendens.
 Weil-known single Tiger Lily.

 Attractive reddish orange blooms spotted with black.
 2.25

 Tigrinum splendens fi. pl. Douhle Tiger Lily.
 14.00

 Tigrinum splendens, weil-known single Tiger Lily.
 14.00

 Tigrinum splendens fi. pl. Douhle Tiger Lily.
 14.00

 Tigrinum splendens, spotted with black.
 2.25

 14.00
 14.00



Lilium Auratum.



Lilium Superbum.

Special Offer of Superbum Lilies

We make an annual contract to have 25,000 builts of this grand Lily grown for us. This enables us to offer it at low prices, which make it available for naturalizing in quantity. It is unquestionably one of the most satisfactory Lilies that can be planted either in the garden or in meadows, on the edge of woods or in any rough or wild parts of the grounds, where it will take care of itself without any attention whatever after planting. If will also thrive in wet or swampy places. It is a grand Lily, often growing over 8 feet high, and produces twenty to thirty beautiful orange-red flowers in July, when flowers are apt to be rather scarce.

Prices of extra-selected bulbs, \$2.00 per 12; \$3.50 per 25: \$13.00 per 100; \$30 for 250.

Japanese Lilies

Each	Per 12	100
Auratum. Gold-banded Lily of Japan. Large		
and graceful flowers of delicate ivory-		
white, closely dotted with chocolate-crim-		
son spots; the center striped golden yel-		
low. 3 to 4 feet. July and August.		
8 to 9 in\$0.35	\$3.50	\$25.00
9 to 11 in	5.00	35.00
11 to 13 in	6.00	
Formosum. Japanese Easter Lily. Excellent		
for forcing or planting outdoors. Large,		
white, trumpet-shaped blooms, 7 to 9 in50	5.00	
Longiflorum. Pure white, trumpet-shaped		
flowers, similar to the Bermuda Easter		
Lily. Excellent for cutting. June and		
July. 6 to 8 in	2.50	16.00
7 to 9 in	3.50	23.00
Speciosum album. Large, pure white biooms;		
extremely attractive. 7 to 9 in	3.50	
9 to 11 in	5.00	
Speciosum Melpomene. White blooms heavily		
spotted and overlaid with crimson.		
7 to 9 in	3.50	
9 to 11 in	4.00	
Speciosum rubrum, or roseum. Aimost		
like L. speciosum Melpomene. 7 to 9 in35	3.50	
9 to 11 in	4.00	
11 to 13 in	6.00	



Flowering Shrubs and Low-growing Trees

Wouldn't you like a garden with flowers from spring to fall? Or almost from "frost to frost"? Well, you can have a garden like that if you make it with flowering shruhs—but, of course, varieties that bloom in sequence must be selected. First, the golden yellow Forsythias, as hrilliant as spring sunshine; Red-Buds and Dogwoods, Spireas and Weigelas, Lilacs and Mock Oranges, Snowhalls and Roses of Sharon. Then there are climbers, like the Honeysuckles, Wistarias, Clematis, which help to round out the "frost to frost" shrub collection.

But in addition to the wonderful hlooms, flowering shrubs invariably form a background for every landscape plan. They are usually planted in masses, as most kinds are far more effective this way. Some particular varieties, however, are well adapted to specimen plantings, and those have been so noted in the descriptions. Our stock of shrubs is unsurpassed in quality, hut our prices will be found much lower than those made hy most nurserymen. As a rule, sbruhs are much more effective when planted in masses, and our low prices permit them to he used freely in this way.

There is practically no difficulty in arranging a planting of flowering shrubs. The only care need be that the dwarf types are not entirely shaded by those which make a taller growth. For your convenience we have indicated in each description the height, spread, and blooming period. For example, "H 3-4, S 3-4, June," may be interpreted "height 3 to 4 feet, spread 3 to 4 feet, flowers in June." It is understood that the sizes given are only approximate, and will vary considerably according to soils and climate.

Shrubs marked * can be grown in partial shade, but they will also thrive in full exposure to the sun.

Special Offer of Shrubs

We want to encourage the planting of shrubs. To be effective they should be planted in masses, but when dealers or nurserymen ask 75 cents each for easily grown shrubs there is not much encouragement to plant them freely. We have made arrangements by which we can supply our customers with well-grown shrubs in the best varieties at the extremely low prices quoted below, but in every instance the selection of varieties must be left to us. But in ordering, if it is stated that certain shruhs are not wanted they will not be sent. We guarantee these shruhs to be satisfactory in both quality and variety. We can not give in advance of filling the order a list of varieties contained in these collections.

	Per 12	AMELANCHIER— Each	Per 12
ALMOND, Flowering. See Amygdalus.		the first former of the direct of the short	
ALTHÆA, Rose of Sharon.		canadensis. Common Shadbush. A large shruh,	
Jeanne d'Arc. New double variety with pure		or small tree, with spreading branches, and	
white flowers. It is far superior to the so-		oval shining leaves. Pure white flowers are	
called double white varieties now on the mar-		followed by hlue herries. Excellent as a	
ket, as it is entirely without the purple blem-		border plant. H 12-15, S 12, April, May\$0.50	\$5.00
ish in the center\$0.60	\$6.00	AMORPHA fruticosa. False Indigo. Compound.	
anemonaeflora. Double pink	6.00	leathery foliage and violet-purple flowers. Pre-	
Boule de Feu. Douhle; deep violet-pink hlooms	6.00	fers a sunny situation in well-drained soil. H	
cœlestis. Single blooms of clear blue	6.00	6-8, S 8, June	5.00
Duchesse de Brabant. Large, double, reddish lilac	0.00		
flowers. Produces many blooms	6.00	AMYGDALUS chinensis rosea plena (Prunus japon-	
grandiflora superba. Double; white, flushed with	0.00	ica). Dwarf Double-flowering Pink Almond.	
pink and carmine	6.00	The double flowers are borne in great pro-	
Snowdrift. Well-formed flowers of pure white60	6.00	fusion in early spring. A native of China and	
totus albus. Extra fine, single flowers; pure white .60	6.00	Japan. H 3-5, S 4, May 1.00	11.00
	0.00	alks means. Similar to the preceding veriety save	
AMELANCHIER botryapium. Dwarf Juneherry.		alba plena. Similar to the preceding variety, save that the flowers are white	11.00
Fine, early-blooming shrub, with showy white		that the nowers are white	11.00
flowers, followed later in the season by small		ARALIA Japonica. Angelica Tree. Bears showy	
purple fruits. When the leaves first come out		spikes of white blooms in late autumn. Has	
they are covered with white hairs. H 8-10,		large pinnate leaves and prickly stems. H	
S 6-8, May	5.00		6,00

22.00



- iant color and profusion of bloom, the Azaleas are absolutely unrivalled; in blooming-time the bushes are literally covered with flowers. On large estates, in particular, Azaleas should be planted in great quantities, for few shrubs offer such delightful possibilities. They are unsurable specimens. Hardy Azaleas are our specialty, and we have the largest collection and the best stock in America. arborescens. Smooth Azalea. The foliage of this
- variety is considered the best of all the Azaleas, the leaves retaining their luster all summer and bronzing beautifully in the fall. Flowers white, with red stamens; very fragrant. Middle of June. In cultivation, a spreading shruh
- 3 to 6 feet wide. H 6-10, 1½ to 2 ft. calendulacea. Flame Azalea. This gorgeous na-2.50tive of the Appalachians is perfectly bardy in New England. Dominant color is orange, but occasionally one finds lemon, gold, orange-red, and even crimson. Early June. H 4-6, 11/2 to 2 ft.
- 22.00 canescens. Fragrant Mountain Azalea. This variety and A. nudifiora are next to A. vaseyi in earliness of bloom. The bright rosy pink flowers are borne in greatest profusion. H 22.00 4-6. 11/2 to 2 ft. 2.50

Continued		
AZALEAS-	Each	Per 12
*nudiflora. Pinxter Flower; Wild Honeysuckle.		
The deep pink flowers appear in early spring		
before the leaves open and are borne in great- est profusion. H 6. 1½ to 2 ft	.\$2.50	\$22.00
occidentalis. California Azalea. A western vari-		
ety which is hardy in New England. Flowers		
white or tinged rose; very fragrant. H 2-6. 2½ ft.	3.00	
1 1/2 to 2 ft vaseyi. Carolina Azalea. The only pure pink	2.50	
vaseyi. Carolina Azalea. The only pure pink		
Azalea; earliest to flower of American species. The whole bush is covered with flowers before		
the leaves appear. The leaves turn deep crim-		
son in the fall. H 6-8. 11/2 ft	2.50	22.00
viscosa. Swamp Azalea. This Azalea like A. arborescens, blooms after the leaves appear and		
though it produces fewer flowers they have a		
better background. Plant in front of A. arbor-		
escens. Flowers white. H 4-8. 1 1/2 to 2 ft	2.50	22.00
BERBERIS thunbergi. See page 19.		
BUDDLEIA. Summer Lilac. An attractive new introduction from China. It is considered a		
herhaceous shrub because part of the tops are		
winter-killed; however, vigorous new growth		
is made in the spring from the living stems and		
from the roots. Plants of this family are par-		
ticularly valuable in that they furnish a pro- fusion of bloom in August and September. The		
long, narrow panicles of bloom are sometimes		
a foot or more in length. In general color and effect it resembles the common lilac. H 4-5,		
S 4-5.		
amplissima. Lilac. Extra fine. Fine pot plants.	.50	4.00
veitchiana. Light purple; fragrant. Fine pot	.50	4.00
plants. davidi magnifica. Attractive light blue. Fine		4.00
pot plants. *CALYCANTHUS floridus. Sweet-scented Shrub;	.50	4.00
*CALYCANTHUS floridus. Sweet-scented Shrub; Strawberry Shrub. Very desirable on account		
of its reddish hrown, fragrant flowers, which		
are produced in abundance during the late		
spring and early summer. Especially suited for		
planting near trees where it is difficult to grow other shrubs. H 5-6, S 4-5	.60	6.00
CARAGANA arborescens. Siberian Pea Shrub.		
Yellow blooms appear in numerous small clusters late in the spring. The bright green		
leaves are compound, and are produced in		
clusters of eight and twelve leaflets. Will thrive in almost any well-drained soil. H 8-10, S		
in almost any well-drained soil. H 8-10, S 8. May and June.	.50	5.00
CARYOPTERIS incana (C. mastacanthus). Blue		5.00
Spirea. Produces a great number of lavender-		
blue flowers in summer and early autumn. Al-		
though it is quite desirable on account of its blooms, it should not be planted except in pro-		
tected situations as it is not very hardy. H		
2-3, S 2-3	.35	3.50
*CEANOTHUS americanus. Jersey Tea. In mid-		
summer produces a great number of white flowers, horne in compact panicles. It is a		
rather dwarf shrub, which makes it particu-		
larly suited to planting along the edge of		
taller massed varieties. Its profusion of deli- cate blooms has long made it a garden favorite.		
H 2-3, S 3. July, September	.60	6.00
CEPHALANTHUS occidentalis. Button Bush. The		
creamy white, fragrant flowers are borne in		
dense, round heads. The foliage is large and quite glossy. Considered good for waterside		
planting, and does particularly well when fully		
exposed to the sun. H 6-8, S 6. July	.50	5.00
CERASUS virginiana. Choke Cherry. Produces		
short dense racemes of flowers in abundance, which are later followed by dark purple fruits.		
The dark green leaves turn yellow before they		
fall. H 10-12, S 6-8	.50	5.00
CERCIS canadensis. American Red-Bud; Judas		
Tree. Early in the spring beautiful rose-pink flowers are borne in clusters of four to eight, al-		
most concealing the branches. The deep green		
leaves are heart-shaped and fade to tones of		
bright yellow. Effective as a specimen, al- though extremely valuable when grouped with		

S	HRUBS-C	ontinued		
CHIONANTHUS virginica. White Fringe. In June	Per 12	DEUTZIA scabra candidissima. Snowflake Deut-	Each Pe	er 12
this small tree produces great numbers of showy racemes of white, feathery flowers. The foliage is dark green and quite large, forming		zia. Produces an abundance of pure white, double flowers. Branches make a strong growth and are borne quite upright. H 6-8,		
an excellent background for the beautiful		S 6, May and June. 3 to 4 ft\$	0.50 \$	4.50
blooms. One of the best flowering shrubs; a variety which will be more widely planted as it		scabra, Pride of Rochester. Large-flowered Deutzia. A robust form with very handsome		
becomes better known. H 10-12, S 6-8\$1.50		double white flowers tinged rose. Excellent for		
*CLETHRA alnifolia. Sweet Pepper Bush. Makes		use as a specimen plant. One of the best va-	5.0	
a sturdy, compact growth, with dark green leaves; the fragrant, creamy white flowers are		ricties. H 6-8, S 5, June. 3 to 4 ft scabra crenata. Very like D. scabra candidissima	.50	4.50
borne in erect racemes. H 3-5, S 4. July to	- 00	in habit of growth, but the blooms are pink		
September	5.00	or rose-pink. H 6-8, S 6. 3 to 4 ft	.50	4.50
COLUTEA arborescens. Bladder Senna. Bears ra- cemes of yellow flowers, 3 to 6 inches long,		gracilis. Slender Deutzia. This is the best sort for a low hedge, as it forms a rather compact		
about as large as the bloom of a small-sized		mass, and makes a dwarf growth. The snowy		
garden pea. Thrives in a variety of soils and gives good results in poor sand and gravel. Con-		white blooms come in June. It can also be used for forcing by bringing the branches into the		
spicuous inflated pods appear after the flowers	5.00	house at intervals before the blooming period.		
are over. H 5-12, S 6-8	5.00	H 2-3, S 3	.50	5.00
CORNUS alba sibirica. Red-twigged Dogwood.		lemoinei. Lemoine's Deutzia. Resembles D. gracilis, but talier and broader and has larger,		
Creamy white flowers are borne in numerous		pure white flowers. H 4-5, S 4, May	.60	6.00
flat-topped clusters, but it has additional at- tractions beside the blooms for the limbs are		DIERVILLA florida (D. rosea). Numerous spread-		
bright blood-red, particularly in early spring,		ing branches, dark green leaves. The large and showy rose-colored flowers are produced in		
and make a bright spot in the shrubbery planting even in the dead of winter. H 6-8, S 6	4.00	great profusion.	.50	5.00
alba spaethi. Golden-leaved Dogwood. The leaves		florida nana. The dwarf form, having leaves vari-		
are broad and have handsome irregular margins of deep gold. H 3-4, S 4	7.50	egated with white. The flowers are white and slightly tinged with rose	.50	5.00
kousa. Japanese Dogwood. A small, flat-topped	1.00	hybrida candida (Weigela candida). Covered		
tree; abundant white flowers. Three to four weeks later than C. florida		in May and early June with large, white, trumpet-shaped flowers. This shrub is very		
*mas. Cornelian Cherry. The first showy spring		graceful in form and makes a strong growth		
shrub. The leafless branches are covered by its compact, many-flowered clusters of small,		if planted in moist, loamy soil. H 6-8, S 8. hybrida, Eva Rathke. Large crimson or carmine-	.60	6.00
bright yellow flowers which are never injured		red flowers of dazzling brilliancy. This is the		
by frosts. It is a large and shapely shrub with large, dark green, lustrous leaves and		favorite red variety because of its almost con- tinuous bloom. H 4-5, S 5. 2 to 2 ¹ / ₂ ft	.60	6.00
bright, showy scarlet fruits. H 8-10, S 6-8 1.00	10.00	hybrida, Floreal. Very unusual flowers of pale	.00	0.00
paniculata (C. racemosa). Gray Dogwood. A round-headed shrub with a profusion of creamy		rose, shaded with mauve, and with bright car-		
white flowers followed by white fruits borne on		mine throats. This shrub is remarkably hand- some, both in bloom and in habit	.60	6.00
bright red stems. The leaves turn dark red in fall. Use this Cornus with Rosa lucida; the		hybrida, Gracieux. White blooms with sulphur-		
flowers harmonize beautifully. H 4-8, S 4-6.	c 00	yellow throats, the outside of the blooms and the buds are salmon-pink. This variety of		
July	6.00	colors, when presented on the single plant, is	.60	6.00
and upright	4.50	distinctly unusual	.00	0.00
because of its creamy white flowers and white		suckle. Yellow flowers are borne in terminal clusters. The branches are quite spreading		
berries. The leaves are dark green above and rather whitish on the under side. Branches		and give the bush a pleasing appearance, will		
bright reddish purple. H 4-5, S 5	4.00	stand dense shade and is one of the best shrubs for planting under trees	.50	5.00
stolonifera pendula. Like the preceding variety in its fruit and flowers, but the branches are				0.00
quite pendulous and give the shrub a remark-		ELÆAGNUS longipes. Cherry Elæagnus. Bears a profusion of yellowish white flowers, followed		
ably graceful appearance	5.00	by oblong, scarlet, lustrous fruit which hangs gracefully on long, slender stems and is covered		
CORYLUS americana. American Hazelnut. See Nut- trees.		with small white dots; attracts birds. H 5-6,		
		S 5, May	.60	6.00
Crataegus coccinea. Scarlet Hawthorn. Splen- did native variety with single		umbellata. Japanese Oleaster. Fragrant yellow- ish white flowers and berries that are silvery		
white howers in spring and scarlet fruits in the autumn. It is a large shrub and in time		white when young, but change to scatlet as		
attains the size of a small tree, but the growth		they ripen. Many berries are often massed at one point on the branch. Fruit attracts birds.		
is rather slow. H 10-20, S 10-20 1.25 cordata. Washington Thorn. Brilliant foliage in	10.00	H 10-12, S 8, June	.50	5.00
autumn, and scarlet fruit which hangs all win-		EUONYMUS alatus. Winged Burning Bush. In		
ter. 3 to 4 feet 1.50 oxyacantha. English Hawthorn. Single white	15.00	autumn the oval, bright green leaves of this shrub fade to gorgeous tones of red and crim-		
flowers, with remarkably pretty foliage. An		son. Throughout the year its branches are		
excellent sort for hedges 1.00 Double-flowered rose. Quite like the type in	10.00	covered with corky wings or projections from the bark. Splendid for specimen planting. H		
most respects, save that the flowers are rose-		6-8, S 6	1.00	8.00
colored and quite double 2.50 Double-flowered scarlet. Brilliant scarlet flow-		americanus. Strawberry Bush, An erect grower		
ers; quite double 2.50		that is attractive at all seasons of the year be- cause of its slender green branches. The pe-		
Double-flowered white. Exactly like C. coccinea, except that the flowers are distinctly double. 2.50		culiar, rose-colored fruits, with scarlet pods, make this shrub extremely decorative	.50	5.00
CYDONIA Japonica (Chænomeles lagenaria).		europæus. European Spindle Tree. Shrub or		0.00
Japan Quince. Vivid scarlet blooms before the		small tree; fruit dull red with orange seeds. Leaves remain green until fruit has colored.		
foliage appears. Fine as a hedge plant. H 4-5, S 5	6.00	H 10-12, S 4-5, May	.60	6.00

6.00

8.00

EXOCHORDA grandifiora. Pearl Bush. Dazzling Each Per 12 white flowers in numerous terminal racemes.	111222 1.9832
A narrow, upright sbrub which prefers a moist fertile soil. H 6-8, S 4, May\$0.75 \$7.50	
FORSYTHIA intermedia. Hybrid Golden Bell. This varlety is a hybrid between F. suspensa for-	
tunei and F. suspensa, and is considered more handsome than either of its parents. Produces great quantities of golden yellow flowers on its slender, arching branches before the foliage	
appears. H 6-8, S 6, April	200
Best Forsythia for specimen plant. H 6, April50 5.00 suspensa fortunei. Fortune Golden Bell. An upright form of the above species. Some of	
the branches droop like its parent, thus giving us both the upright and the drooping type of bush in one plant. H 6-8, S 5, April	
viridissima. Dark Green Golden Bell. A shrub of upright habit with green twigs whereas the twigs of the other Forsythias are yellowish brown. Use this variety for the South, and in	
protected situations North. H 6-8, S 6, April .50 5.00 GENISTA tinctoria virgata (G. elata). Dyers Greenweed. A low-spreading shrub, with slen-	
der green branches and yellow flowers, borne in upright racemes. Fine for the rock-gar- dens or for planting in front of tall varieties. H	
3-4, S 4, June. Fine pot-plants50 5.00 HALESIA tetraptera. Silver Bell; Snowdrop Tree.	HYDRANGEA-
Bears a profusion of pearly white bells which are as showy as the dogwood. Use in back- ground of borders. 11 10-15, S 6. May	paniculata. P flowers are inches long
*HAMAMELIS virginiana. Witch Hazel. Bears blooms in late fall and early winter at a time when all other shrubs are dormant. The heart-	older chang some, dark H. paniculat
shaped leaves give it a decorative appearance but the chief attraction is the bright yellow flowers, which seem to be so out of season.	HYPERICUM duces gree blooms, 2
H 6-8, S 650 5.00	dwarf, it i planting in
HIPPOPHAE rhamnoides. Sea Buckthorn. Be- cause of the numerous spines, this is con-	1-2.
sidered excellent for hedges. Bears clusters of	yellow flow
yellowish flowers in May, and later in the sea- son has a crop of orange-colored berries. The	clusters. I
foliage is quite attractive. H 8-10, S 860 6.00	cover the n
Hydrangea arborescens grandifiora (Hills of Snow). Quite	S 2-3, July ITEA virginica.
ball as it produces large clusters of white blooms not far	cause of
above the ground. Especially adapted for border plantings,	change in a and also be
and if placed in large masses it produces a literal sea of bloom in late summer and early fall. The bright green leaves	which are
add much to its decorative form. Prefers a moist, fertile soil,	Very free-1
with full or partial exposure to the sun. It will even make a fairly strong growth in complete shade, but it is not par-	4-5, S 4. KERRIA Japoni
ticularly recommended for shade planting. H 3, S 3. 2 10 3	Flower. Va
feet. 65c each; \$6.00 per 12.	winter; brig yellow flow
paniculata grandiflora No more popular plant cr	front of Con
out than Hydrangea paniculata grandifiora, and we take great pleasure in offering our customers a large stock of splendid	color contra S 4,
vigorous plants at such extremely low prices as will enable	Japonica arge
them to plant this effective shrub in quantity. People who have only seen this Hydrangea grown singly as specimens.	with delicat
when planted in masses. They are planted in this way at	Bears a pro 3-4, S 3.
Newport, R. I., which is famous for its fine gardens, and al-	LILAC, See Sy
have only seen and any analysis for a singly as specificity, have no conception of how beautiful and effective they are when planted in masses. They are planted in this way at Newport, R. I., which is famous for its fine gardens, and al- most as famous for its Hydrangeas. These Hydrangeas can be planted in connection with other shrubbery or in isolated bade in the same memory or connection.	LIGUSTRUM 4
beus, in the same indimet as Gaimas, Gaiaununs, Or Other strong	a strong, u of large Si
growing bedding plants. They are perfectly hardy, and, once planted, they are a permanent addition to the lawn or garden. When grown in heds or groups, they should he planted about	winter
two feet apart, in very rich soil, which should he liberally	ovalifolium.
enriched annually with rotten stable manure; and in the early	with glossy monly used
spring, before they commence to grow, cut back so as to ieave only two or three inches of the new growth of the	in extreme
previous season, and, if extremely large flowers are desired,	the ground. foliage three
cut out some of the weaker shoots after growth has com- menced. Treated in this manner they will produce enormous	recommend
panicles of flowers, and the beds will he a solid mass of	and Dixon 1
bloom. They bloom profusely the same season planted. Try them. You will find them more than satisfactory. Prices	1 year 2-year
good until stock is exbausted. Fall or spring delivery.	polishi. Polis
Each Per 12	growing pla
18 to 24 inches \$36.00 per 100\$0.50 \$5.00 2 to 3 feet \$48.00 per 100\$65 6.50	sired height ers, followe
quercifolia (Oakleaved Hydrangea). Excellent for	vulgaris, com
partial shade 1.00 10.00	hardler than



Hydrangea Paniculata Grandiflora.	
HYDRANGEA-	_
paniculata. Panicled Hydrangea. Creamy white Each flowers are borne in large panicles, 6 to 12 inches long; the sterile flowers as they grow older change to tones of rose and purple. Hand- some, dark green foliage. Quite distinct from H. paniculata grandiflora. H 5-6, S 5\$0.60	
	φ0.00
HYPERICUM moserianum. Gold Flower. Pro- duces great quantities of golden yellow blooms, 2 inches across. As the growth is dwarf, it is most effective in groups or for planting in connection with taller shrubs. H 1-2.	5.00
prolificum. Shrubby St. John's-Wort. Bright yellow flowers are borne in branching terminal clusters. Narrow, lustrous dark green leaves cover the numerous compact branches. H 2-3, S 2-3, July	5.00
ITEA virginica. Virginian Willow. Attractive be-	
cause of its lustrous green leaves, which change in autumn to brilliant shades of red, and also because of its fragrant white howers, which are borne in erect terminal racemes. Very free-flowering. Prefers moist soil. H	5.50
	5.50
KERRIA Japonica (Corchorus japonicus). Globe Flower. Valuable for stender green stems in winter; bright green foliage in summer. Single yellow flowers in May. Plant this shrub in front of Cornus alba sibirica. You will like the color contrast of the twigs in winter. H 4-5,	
S 4,75	6.00
Japonica argenteo-variegata. A dwarf shrub with delicate green foliage edged with white. Bears a profusion of bright yellow flowers. If	
$3-4$, S 3. $1\frac{1}{2}$ to 2 ft	6.00
LILAC, See Syringa.	
LIGUSTRUM acuminatum (L. medium). Makes a strong, upright growth and bears quantities of large suming black berries well into the	-
	5.00
ovalifolium. California Privet. A vigorous shrub with glossy, dark green follage, most com- monly used as a hedge plant. Fairly hardy, but in extreme cold weather is sometimes killed to the ground. South of Maryland it retains its follage throughout the winter. We do not recommend this for planting north of the Mason and Dixon line.	
1 year	
2-year\$12.00 per 10035	3.50
polishi. Polish Privet. A very hardy, erect- growing plant which can be clipped to any de- sired height. Blue-green foliage; white flow-	
ers, followed by black berries	5.00
vulgaris, common. Desirable for hedging and hardier than California Privet\$20.00 per 100	3.00

			_
		SHRUBS-	-C
NICERA. The Bush or Upright Honeysuckle family. The following species and varietles are the best. Do not confuse these with the vining or climbing Honeysuckles—these are shrubs. bella albida. Slender branches with bluish follage. In the spring it produces quantities of	Each	Per 12	
small white flowers. Later in the season the bush is covered with bright fruits, which are quite persistent. H 8-10, S 6-8. 3 to 4 ft	\$0.50	\$5.00	
cella rosea. Exactly like L. bella candida in all respects, save that the flowers are pink. 3 to 4 ft ragrantissima. Early Fragrant Honeysuckle. Small, deliciously fragrant, white flowers tinged with yellow in the early spring hefore	.50	. 5.00	
the leaves appear. Holds its green foliage until midwinter. H 6, S 4-5, April	.50	5.00	
in the spring the wide-spreading branches are covered with pure white flowers, which turn to shades of yellow as the season advances. These are followed by bright red berries which ripen in midsummer. H 4-6	.50	5.00	
ruprechtiana. Manchurian Honeysuckle. Makes a stronger growth than the rest of the related sorts. The dark green leaves are whitened be- neath with fine down. Pure white flowers, which later change to yellow, appear in late spring, and are followed by red and yellow			
berries. tatarica. Tatarlan Honeysuckle. Pink flowers produced in abundance late in the spring. In midsummer red and orange fruits appear and	.50	4.50	
cling until late autumn H 8-10. 3 to 4 ft atarica alba. In all respects similar to the pre- ceding variety, except that it has white flowers.	.50	4.50	and a second
ylosteum. Fly Honeysuckle. Yellowish white nowers frequently tinged with red, and slightly halry on the outside, are produced in late spring. The berries which follow are dark	.50	4.50	
red and scarlet. H 8-10 (RICA cerifera. Wax Myrtle; Bayberry. A large shrub which occasionally reaches a height of 8 feet. Has bright green leaves and bluish	.50	5.00	
white berries which are coated with wax. It is from these berries that the fragrant Bay- berry candles are made. H 4-6, S 5	.75	6.00	
ILADELPHUS coronarius. Common Mock Or- ange. Produces an abundance of creamy white, deliciously fragrant flowers, which make a splendid display in the blooming season. Up- right in growth, with horizontal branches which			
are often arching. H 6-8, S 4-6 pronarius aureis. Golden Syringa. Quite similar to the preceding form, except follage is yel- low which gives it added decorative effect.	.50	5.00	200

LO

M

*P}

- lemoinei. Hybrid Mock Orange. A choice and graceful variety with large clusters of fragrant, pure white flowers in June. It blooms so profusely that the branches are literally covered. H 4, S 3....
- lemoinel, Mont Blanc. Slender ascending branches;
 bears a wealth of pure white flowers of exceeding fragrance. H 4-5, S 3, June......
 sutzmanni. Flowers white, and quite fragrant.

.50

.60

10.00

- sutzmanni. Flowers white, and quite fragrant. Slightly taller in growth than other varieties. 3 to 4 ft.



New Hybrid Philadelphus Mer de Glace.

New Hybrid Philadelphus Mer de Glace (Sea of Ice)

Undoubtedly one of the most beautiful shrubs introduced in recentyears. Everyone is familiar with the so-called Syringa or Mock Orange but Lemoine, the great French Hybridizer, has improved this old favorite wonderfully. The flowers are globular, semidouble, of a glistening pure white and deliciously sweet scented. It would be impossible for a shrub to hear more flowers and the smallest plants are covered. People who have seen it flower on our trial ground have been delighted with this shrub. **\$1.25 each; \$12.00 per 12.** Each Per 12

- 6.00 *PHYSOCARPUS opulifolius aureus. Golden Ninebark. Tall shrub with spreading branches and lustrous leaves, which are yellow when they first appear in the spring. The whitish flow-ers appear in numerous clusters along the branches in early summer and are followed by bright red pods which form a strong contrast to the foliage. Plant near large trees where 5.00 it is difficult to grow other shruhs. H 8-10, S 6, 3 to 4 ft....\$0.50 \$5.00 *PIERIS mariana (Andromeda mariana). Stagger Bush. The nodding white or pink flowers are 5.00 produced in clusters on the naked shoots of 6.00 7.50 PRUNUS pissardi. Purple-leaved Plum. See 5.00 page 46. PYRUS. See Aronia; Cydonia. RHAMNUS cathartica. Buckthorn. Valuable

4.50

			Continued		
*RHODORA canadensis. One of those interesting shrubs which produce its flowers before the leaves come out. The blooms are various shades of rose and purple, borne in many	Each	Per 12	callosa froebeli. The bluish green leaves are pur- ple when young. Deep rosy blooms are borne in abundance in the middle of summer, and the plant continues to bloom over a long period.	Each	Per 12
clusters. Prefers moist, loamy soil. H 1-2, S 2	81.50	\$12.00	H 3-4, S 4	0.50	\$5.00
*RHODOTYPOS kerricides. White Kerria. In late spring produces a multitude of pure white	,		callosa alba. Similar to the preceding variety, but with white flowers. 1 ½ to 2 ft douglasi. Deep pink spikes of flowers in July	.50	5.00
flowers an inch or more across. The ovate leaves have long, slender points and are bright green and lustrous. Some time after the			and August, which form a delightful contrast against the white, downy leaves. H 5-6, S 5.	.50	5.00
flowers fall there is a large crop of black berries which cling to the branches throughout the winter. This makes a very showy shrub, excellent for planting in the border with other types, and decidedly useful as a specimen			opulifolia aurea (Ninebark). See Physocarpus. reevesiana fl. pl. The limbs of this shrub are slightly drooping, and in May are literally cov- ered with clusters of double white flowers. The fine leaves remain dark green late into the winter. H 5-6, S 5	.50	5.00
plant. It is a native of Japan. H 4-5, S 5	.50	5.00	thunbergi. Snow Garland. First of the Spireas		5.00
RHUS canadensis (R. aromatica). Sweet-scented Sumac. A dwarf shrub with yellow flowers carried in snort spikes along the branches. The bright red fruits which appear later are clothed with short sliky hairs. Beautiful autumn fol-			to bloom in the spring. Has slender, droop- ing branches, and fine, bright green leaves, which give the plant an exceedingly graceful appearance. The blooms are pure white	.50	5.00
iage. There are few shrubs better adapted to			van houttei Van Houtte's Bridal Wreath. A		
rock-gardens. H 3-4, S 4 copallina. Shining - leaved Sumac. Pretty, glossy foliage, very brilliant in the fall, and winged-leaved stems which give it an appear-	.60	6.00	numerous arching branches, which are almost concealed by compact umbels of pure white		
ance distinct from other sorts. H 4-6, S 5 cotinus. Purple Fringe. The leaves are bright pea-green and satiny smooth. Forms a marked contrast with other foliage, even when it is not	.50	5.00	flowers in late spring. The leaves are dark green, with incised edges, and are pale, bluish green on the under side. They cling to the plant until late autumn. This is easily the most beautiful of all the Spireas, as it possesses		
in bloom, and when the featurery flowers appear it has the appearance of a cloud of smoke.			beautiful foliage at all times, and the wealth		
Makes a strong growth. H 8-10, S 8	.75	7.50	of beauty in May and June is unsurpassed by any shrub in existence. As a flowering hedge		
typhina. Staghorn Sumac. One of the most brilliant plants in autumn, when the green foliage turns to red, and the showy red fruit			it is delightful, and it is equally adapted to specimen planting. H 6-8, S 6	.50	5.00
is borne high above surrounding shrubs. H 10-12, S 6	.50	5.00	STEPHANANDRA flexuosa. Lace Shrub. This shrub is most useful as a background for per-		
*RIBES aureum. Missouri Currant. Splendid, fra- grant yellow flowers, followed by black fruits,			ennial borders or for edging. The leaves are finely cut and the creamy white flowers are produced in abundance. Foliage very at-		
with a bluish bloom. Smooth, shining leaves. H 4-5, S 5. For Pennsylvania sales only	.50	5.00	tractively colored in fall. H 3-5, S 4	.50	5.00
ROBINIA hispida. Rose-flowered Acacia. Late in the spring or early in the summer the bristly branches are covered with showy rose-colored flowers, which hang in pendulous racemes. H			STYRAX Japonica. Japanese Styrax. A most graceful shrub, with spreading branches and numerous drooping racemes of white flowers. This is decidedly a favorite for specimen planting, as in addition to the fragrant, showy		
 4-5, S 5. *RUBUS odoratus. Thimbleberry. Rose-purple flowers are followed by light red berries. The shruh makes an upright growth, and has stems 		5.00	blooms the spreading branches are covered with pleasing bright green foliage. It makes a tall growth and occasionally win exceed 12 feet in height. This should certainly be included in		
clothed with shreddy bark. H 4-6, S 5, July.	.40	4.00	every mass planting of shrubs. H 12-15, S 10. 3		
SAMBUCUS canadensis. Common Elderberry. White flowers are borne in large, flat-topped clusters, which open in early summer. In Au- gust and September there are many black fruits,			to 4 ft.	1.00	10.00
which are commonly used for pies and pre- serves. H 6-8, S 5, June	.40	4.00		and the second	
nigra aurea. Golden-leaved Elderberry. Bright yellow foliage, commonly used in massed				1	
planting to avoid monotony in the green effects. *racemosa. Red-berried Elder. Distinguished by its warty leaves and large cymes of white flowers. Showy red berries ripen in early mid- summer. A splendid sort to plant with S. nigra aurea, as the former variety often has ripe fruits when the latter is blooming. H 6-8,		5.00			
S 5-6, May		5.00			4
SPIRÆA arguta. Hybrid Snow Garland. Hybrid between S. Van Houttei and S. Thunbergi, Bears a profusion of pure white flowers in early spring. The narrow bright green leaves fade to tones of yellow and orange in the fall.					
H. 5-6, S 5 bumalda, Anthony Waterer. A dwarf shrub with dense corymbs, or meads, of pinkish red flowers. These appear first about July, and if removed the plant will continue to produce blooms until frost. Valuable because the blooming period comes when much of the shrub		5.00			
border is past the flowering stage. H 2-3, S 3.		5.00	Spirea Van Houttei.		

SPECIAL AND IMPORT PRICES FOR SPRING OF 1924

SHRUBS---Continued Each Per 12 *SYMPHORICARPOS orbiculatus (S. vulgaris). Indian Currant. Although this produces green-ish red flowers in summer, the chief beauty is found in the wealth of red or purplish berries which follow the blooms and cling to the branches in winter. H 3-4, S...\$30 per 100..\$0.40 \$4.00 vulgaris variegata. The golden foliage adds color to any shrub border with full exposure to the sun.50 5.00 Snowberry. Racemes 01 *racemosus pear in summer and are followed by white berries which are produced in great numbers, the limbs often bending under the weight of the immense crop. This is well adapted to shade planting, as it will succeed where no other shrub will keep alive. H 4-5, S 5. \$33.00 per 100.. 4.00 .40 SYRINGA vulgaris. Common Purpie Lilac, which, with its companion, the white variety, is one of the most familiar flowering shrubs in American gardens. Dense panicles of handsome purple flowers in May; very fragrant50 5.00 vulgaris alba. Common White Lilac. Has the bright green heart-shaped leaves and remarkably fragrant blooms of the preceding variety, the only difference being in the colors of the flowers; which are pure white50 5.00 persica. Persian Lilac. More graceful and more delicate than the preceding variety. The flowers are pale lilac, in panicles 3 to 4 inches broad, and open in late spring. 3 to 4 ft.... 1.00 10.00 persica alba. White Persian Lilac. Small white flowers; similar in other respects to the type. 3 to 4 ft. 1.00 10.00 Japonica. Bears its blooms a month later than the other Lilacs, and for this reason is desirable. The creamy white flowers are produced in large panicles, but are without fragrance. VIBURNUM----This species becomes quite large, and in some instances attains the height of a tree 1.00 10.00 villosa. Stout, warty branches, carried almost upright, and dull green leaves give this variety quite a distinctive appearance. The pinkish opulus sterile. Snowball. flowers are borne in broad panicles, 3 to 6 inches long, in late spring. One of the best of the Lilac species. .75 7.50 TAMARIX africana. Slender, light green foliage and small pink flowers. The branches droop very gracefully. H 8-10, S 6...... favorites. .50 5.00 juniperina (T. plumosa). Japanese Tamarix. A. and pinkish flowers. H 10-12, S 6..... .60 6.00 pentandra (T. hispida æstivalis). A shrub of most vigorous habit, the branches often growing 5 to 7 feet in one season. In July they are covered with light carmine flowers. The foliage has a bluish tinge. H 8-10, S 6..... .50 5.00 *VIBURNUM acerifolium. Maple-leaved Viburnum. Creamy or yellowish white flowers are produced in flat-topped clusters late in the spring; later they are followed by black ber-ries. The foliage is quite maple-like, bright green in summer, and fading to handsome tones of purple in the fall 5.00 .50 cassinoides (Withe Rod). Creamy white flowers. producing black fruit. Useful for planting along ravines or shrub borders..... .60 6.00 *dentatum. Arrowwood. The heart-shaped, green leaves, coarsely cut about the edges, turn to rich purple and red tones in autumn. The creamy white corymbs of bloom are produced in profusion in early summer, and are followed by blue-black berries. H 6-8, S 6. 3 to 4 ft.. .50 5.00 WEIGELA. See Diervilla. lantana. ntana. Wayfaring Tree. A good specimen plant, as the white flowers in flat-topped clusters are followed by bright red berries which in their turn change to black. H 8-10, S 660 6.00 lentago. Sheepberry. Bright green leaves and fragrant yellowish white flowers. The black, oval fruits are produced in abundance. H 8-10.

.50

5.00

S 6.



particularly adapted. 11/2 to 2 ft.

.40

Per 12

2.50

7.50

35.00 50.00

50.00 60.00

15.00

Evergreen Shrubs Evergreen shrubs should be planted early in the spring, except from Maryland southward, where they may be planted in Sep-tember. When planted late in the fall they do not have a chance to establish themselves before freezing weather arrives.

	Each	Per 12		
ANDROMEDA floribunda. Mountain Fetter Bush.	Lacis	101 14	Carry and an and a second s	
A dense, evergreen shrub which attains a height				
of 2 to 4 feet. The leaves are dark green				
above and black dotted heneath. Bears showy			and the second	18
white flowers, well above the foliage, very			and the second	Q.,
early in the spring. Plant in partial shade, if				
possible. 1 to 2 ft			and the second	
AZALEA amœna. A low, bushy shruh with small	0 0.00			
green leaves, which change in winter to a rich				
hronze. Great quantities of claret-purple				
			and the second	
flowers cover the plant in spring for a period of two to three weeks. Pot-plants	4.95	12.00		
	1.20	13.00		
hinodigiri. Similar to A. amona save that the	4.07	40.00		
flowers are hright crimson. Pot-plants	1.25	13.00		
BERBERIS neuberti. Holly-shaped, dark grayish				
green leaves; spineless hranches. Quite ever-				-
green in the South, but only partially so in the			TT-1 1 T-11 AT AT A T A	
North. $1\frac{1}{2}$ to 2 ft	.75	7.50	Kalmia Latifolia-Mountain Laurel.	
BUXUS sempervirens suffruticosa. Dwarf; Box-				-
wood. Quite extensively used for low hedges,				Eacl
as it is a dwarf, compact shruh with evergreen			PACHYSANDRA terminalis. Japanese Spurge. A	
foliage. The leaves are a pleasing, hright,			trailing plant which forms a hroad mat 6 to 8	
lustrous green. 5 to 7 in\$25 per 100		3.00	inches high. Follage glossy green; small spikes	
DAPHNE cneorum. Garland Flower. The leaves			of flowers are produced during May and June.	
are dark green and glossy above, glaucous he-			Excellent for a cover plant in sunny or shady	
neath. A dwarf shrub of trailing habit. Bears			situations. Valuable for places that the lawn-	
small, pink, fragrant blooms in numerous pan-			mower cannot conveniently reach. \$15 per 100	
lcles.	1.50		DVD&05NTH& sessions island. Deserves should	
ILEX opaca. American Holly. Hardier than English			PYRACANTHA ococinea lalandi. Evergreen shruh	
Holly and of easy culture. This is the sort			varying in height from 10 to 15 feet. The	
commonly used in Christmas wreaths	.75	7.50	flowers, which are horne in May and June, are	
crenata. Japanese Holly. Occasionally used as a			pure white, rather small, and horne in flat	
substitute for boxwood in cold situations, as it			corymbs or heads. Bright orange-red fruit	
can stand temperatures helow zero. Has dark.			follows the flowers and may remain on the	
rich green leaves, and in late fall is covered			hranches the greater part of the winter	.7
with quantities of shiny hlack herries. It is			Rhododondron maximum. Grows natur-	
a slow grower, hut eventually attains a height			Rhododendron maximum. Grows natur- ally from Canada to	
	1 = 0		Georgia. The pinkish white flowers are pro-	
of several feet.		5 0.0	duced in magnificently large clusters early in	
glabra. Inkberry. Small plants	.50	5.00	the summer. The ohlong, dark green leaves	
Kalmia latifolia. Mountain Laurel, sometimes known as Calleo Bush. This is one			vary from 6 to 10 inches in length. Besides	
known as Calico Bush. This is one			heing perfectly hardy, they will thrive in either	
			sun or shade; therefore Rhododendrons are	
because of its splendid glossy green follage			possibly our most valuable evergreen shruhs	
and its masses of showy pink or rose-colored			for mass plantings in parks, country estates,	
flowers, which appear in profusion early in			and even on the small home grounds. In July,	
the summer. Although this shruh has heen ad-			when the large heads of white flowers ap-	
mired and widely planted in Europe for a			pear, R. maximum is most effective, although	
number of years, it is only recently that Amer-			the handsome evergreen foliage looks well at	
ican people have appreciated it to a marked			all times of the year. Where large quantities	
degree. The plants prefer a light, loose soil,			are desired, we recommend that collected	
free from lime, and will grow in either shade			plants he used as they can be supplied at lower	
or sun, but flower more freely in the sunlight.			rates than nursery-grown stock. Where car-	
Mulch the soil well with oak leaves in the fall			load lots are required, this is easily the most	
and dig them under in the spring. 1 to 11/2 ft.	1.50	15.00	satisfactory way to obtain them, and we should	
1 1/2 to 2 ft.		25.00	he glad to furnish quotations on collected	
2 to 3 ft. specimens	3.00	30.00	plants which we can supply in quantity. If	
3 to 4 ft.			smaller lots are desired, we recommend the	
Prices on larger sizes or carload lots on appli-			nursery grown stock, which has received culti-	
cation.			vation and will probably endure the pains of	
			transplanting better than the wild sorts.	
*LEUCOTHCE catesbæi. Drooping Andromeda.			Specimen grade 2 to 3 ft.	3.50
Like the Kalmias, or Mountain Laurels, these			Specimens 3 to 4 ft	5.00
plants prefer moist soil which contains leaf				
mold and which is free from lime. Plant pre-			catawbiense. The leaves are oval or oblong,	
ferably in shade, and keep the ground moist.			hright green above and glaucous beneath.	
The leaves are dark, shiny green, and change			Large rose-purple flowers are borne in great	
in winter to various shades of bronze and red.			numbers late in the spring. Small plants	
The creamy white flowers are fragrant and		l l	Specimen graue 21/2 to 3 ft	
showy. 15 to 18 in	1.50	15.00	Specimens 3 to 4 ft	6.00
1 1/2 to 2 ft		20.00	Prices on carload lots on application.	
			MIDIIDAILIM shutidanhuilim t tall	
MAHONIA aquifolium. Oregon Grape. A hand-			VIBURNUM rhytidophyilum. A tall evergreen	
some, ornamental shrub with dark lustrous			shruh with long, broadly lanceolate leaves, the	
green, spiny leaves, which in winter assume			upper surface heing dark green and much	
a bronze hue. Dense clusters of hright yellow			channeled, the under side covered with a	
flowers, which appear in spring, are followed			whitish tomentum. Large heads of yellowish	
hy bluish black herries. Fairly hardy but may			flowers, glving place to red herries in Septem-	
require some protection in cold sections. Be-			ber. This is a new shruh of great rarity and	
cause of quarantine restrictions we are not		1	distinction. Tested in our nursery, it has	
permitted to ship plants out of Pennsylvania.	D'E	7.50	proven perfectly hardy	4 - 0

Ornamental Deciduous Trees

It is possible to transplant trees of any size, from those which are 1 foot tall up to those 1 to 2 feet in diameter. The trees in our list, however, embrace no range like this; we supply them only in sizes which are most suitable for transplanting. If quick results are desired, a medium-sized tree should be planted in an especially prepared hole about 3 feet deep and 5 feet in diameter. If this hole is then filled with good surface soil and mixed with a quarter of its bulk of rotted manure, a medium-sized tree will make an exceedingly fast growth. The cost of such a planting is never greater than the cost of large trees, which almost invariably fail.

Cilmer Marla Milda anned	Each	Per 12	0
ACER dasycarpum. Silver Maple. Wide, spread- ing branches, with deeply iobed leaves, which are bright green above and silvery white on the under side. The fruits ripen before the leaves appear. Great tree for landscape planting. 8			c
to 10 ft	\$1.75	\$17.50	
platanoides. Norway Maple. Large, handsome trees with spreading branches and a compact,			c
round head. Spiendid for edging avenues, as the trees make a uniform growth. The leaves			c
are bright green and in the fall fade to shades			*
of yellow and gold. One of the most popular shade trees. 10 to 12 ft.	2.75	30.00	
platanoides schwedleri. Schwedier Purple Maple.	4.00		
10 to 12 ftrubrum. Red or Scariet Maple. 10 to 12 ft	3.50		
saccharum. Sugar or Hard Maple. 8 to 10 ft saccharinum wieri. Wier Cut-Leaved Maple. A spreading form of the Silver Mapie with	2.75	25.00	
deeply cieft and divided leaves. The pendulous branches often sweep the ground and give the			F
tree a most graceful appearance. One of the			
most popular ornamental trees. 8 to 10 ft	2.25	1	
ÆSCULUS hippocastanum. European or Common Horse-chestnut. The white blooms, tinged			F
with red, are borne in showy clusters 8 to 12 inches long. A prickly green "overcoat" en-			0
closes the large, brown attractive buts so			
much sought for by children. Forms a large tree, quite commonly used for a shade tree or			G
for edging avenues. 6 to 8 ft	2.50		H
	2.00	19.00	L
AMYGDALUS persica. Double-flowering Peach.		10	L
Double-flowering forms of the common Peach. Excellent for garden decoration, and exceed-			
ingly useful for cut-flowers. Pink	1.00	10.00	
R(d	1.00	10.00	
BETULA. Birch. All of the Birches are extremely	1.00	10.00	L
graceful and many of them have pendulous			n
brancbes. Those with white bark are particu- lariy attractive in the winter when grouped			
before evergreens. Birches should be planted in the spring if the best results are desired.			
The trees grow rapidly in molst, loamy soils.		10.00	
alba. European White Birch. 6 to 8 feet alba laciniata pendula. Cut-leaved Weeping Bircb.	1.50	16.00	
The gracefully pendulous branches, the deeply cut foliage, and the light-colored bark, which			
cut foliage, and the light-colored bark, which is nearly white when the tree is several years			
old, distinguish this variety. Much planted for iawn specimens. 6 to 8 ft	3.50		
papyrifera. Paper or Canoe Birch. 6 to 8 ft populifolia. American White Birch. 8 to 10 ft	2.00	17.50	
BUTTONWOOD. See Sycamore.			
CATALPA bungei. Umbrelia Tree. The straight,			
upright trunk and the round head of large, green leaves, makes this form exceedingly use-			
ful in formai landscape plantings. i year head			
2 year head Particularly large specimens may be ob- tained for \$5, \$7.50, and \$10 each, according	3.00		
tained for \$5, \$7.50, and \$10 each, according			0

tained for \$5, \$7.50, and \$10 each, according to size.

Specimens of this tree, grafted at the ground, form splendid green mounds frequently used for formal effects. Because of the different styles of root systems, some kinds of trees may be safely planted in larger sizes than others. Magnolias, Beeches, Tulip Trees, and Birches, because of their long tap-roots, are difficult to transplant. Medlum-sized, or small trees of these special varieties should always be preferred.

While most shade trees can be planted either in spring or fall, certain varieties seem to prefer their particular season. We shall be glad to advise our customers concerning this point and other cultural preferences. By long experience we know about what treatment trees require to keep them healthy. Do not hesitate to write to us at any time.


1	write to us at any time.		
2	CATALPA-	Each	Per 12
	speciosa. Western Catalpa. White flowers, 2 inches across, with yellow and purple spots. 8 to 10 ft		\$15.00
	CERASUS. Double Flowering Cherry.		
50	Pink White		
	CERCIS canadensis. See Shrub Department.		
	CLADRASTIS lutea (C. tinctoria). Yellow-wood.	3.50	
0	*CORNUS florida. White-flowering Dogwood. Tree is small and bushy, with upright; spreading branches. The large white flowers in spring are often suffused with pink and are followed by		
0	bright scarlet fruits. 3 to 4 ft florida rubra. Red-flowering Dogwood. Splen- did flowering tree with bright pink blooms. Ex- ceptionally valuable when planted with white- flowered type\$.75	7.50
11	FAGUS americana. American Beech. 3 to 4 ft		22.00
	sylvatica. European Beech. 3 to 4 ft sylvatica riversi. Rivers Purple Beech. 3 to 4	2.50	23.00
1	ft FRAXINUS quadrangulata. Blue Ash. 10 to 12 ft.		
	GINKGO biloba. Maidenhair Tree. 8 to 10 ft		
	GLEDITSIA triacanthos. American Honey Locust.		
	6 to 8 ft	1.25	
	GYMNOCLADUS canadensis. Kentucky Coffee Tree. 4 to 5 ft.	2.00	
	KCELREUTERIA paniculata. Varnish Tree. 4		
0	to 5 ft LARIX europæa. European Larch		
	LIRIODENDRON tulipifera. Tulip Tree. The conspicuous yellow flowers resemble greenish yellow tulips. Their unusual shape gives you the impression of having the top cut off. A		
0	handsome tree for lawn and landscape. Should		
00 00	be transpianted in the spring. 6 to 8 ft	2.00	
	LIQUIDAMBAR styraciflua. Sweet Gum. 6 to 8 ft.	2.50	
	MAGNOLIA acuminata Cucumber Tree. 4 to 5 ft	2.00	
00	glauca. Sweet Bay. Small tree or large shrub which is evergreen in the South. Fragrant, creamy white flowers, 2 and 3 inches across, remain on the tree for several weeks in spring		
	or early summer. Later the tree bears dark red fruits with scarlet seeds stellata (M. halleana). Starry Magnoila. The earliest conspicuous flowering sbrub or tree. The showy white flowers, which open before the leaves unfold, cover the plant making it appear almost like a snowbank. Low, slow-	2.50	
50	growing, bush variety which commences to bloom when but 2 feet bigh	2.50	
	MORUS alba tatarica. Russian Mulberry. 4 to 5 ft.	1.00	8.00
	alba pendula. Teas Weeping Mulberry. A weep- ing form of Mulherry grafted on a straight trunk; the long, slender branches droop to the	1.00	0.00
	ground	3.00	
	OXYDENDRUM arboreum (Andromeda arborea). Bears a great number of panicles of pure white, slightly fragrant flowers, which closely resemble lilles-of-the-valley. Leaves bright		
	green turning to brilliant tones of scarlet in autumn Slender spreading branches	1.00	10.00

autumn. Slender spreading branches..... 1.00



H Contraction of the second	lach	Per 18
UERCUS. Oak. Although Oaks have long been considered handsome, symmetrical trees, and have even been featured in stories and songs because of their robust growth, many people have fought shy of them because of their seemingly slow development. In reality, the Oaks grow as rapidly as other deciduous trees, and the Pin Oak in particular makes a very rapid growth.		
alba. White Oak. 6 to 8 ft	3.50	
coccinea. Scarlet Oak. 6 to 8 ft		25.00
macrocarpa. Burr or Mossy Cup Oak. 8 to 10 ft.	4.00	
palustris. Pin Oak. Grows as fast as any of the Oaks and forms a handsome tree with drooping branches. The crown is broad and shapely. Produces quantities of light brown acorns. 6 to 8 ft.	1.75	15.00
8 to 10 ft		25.00
ALIX babylonica. Weeping Willow, 6 to 8 ft	1.50	12.00
caprea. Pussy Willow. A small tree with up- right branches. The leaves are relatively large and broad, green on the upper side and whitish below. Numerous catkins appear in early spring before the leaves start, and can be forced indoors with great readiness in the dead		
of winter.	1.50	15.00
pentandra. Laurel-leaved Willow. Forms a small tree or large shrub, with large, dark green leaves, having a fragrance like the leaves of the bay tree when bruised. The bark is		
light chestnut-brown. 6 to 8 ft	1.00	10.00
vitellina aurea pendula. Golden-barked Willow. Golden yellow branches, intensely colored in the spring before the leaves appear. Should be planted in groups before evergreens to obtain		
the most contrasting effect.	1.50	15.00
vitellina britzensis. Flame-colored Willow. The bark of the branches is red, or bronze, in early spring. 6 to 8 ft	1.00	10.00
CORBUS aucuparia. European Mountain Ash. A small tree with symmetrical, round-topped crown. In late spring or early summer great corymbs of white flowers make the tree ex- tremely attractive. In fall there are large clusters of bright red berries which may re- main the greater part of the winter. 6 to 8 ft.	1.75	
THORNS. See Cratægus, under Hardy Shrubs.		
FILIA americana. American Linden, 10 to 12 ft	4 0.0	
silver Linden. 10 to 12 ft vulgaris (T. europæa). European Linden. 8 to	4.00	
10 ft.	2.50	
JLMUS americana. American Elm. A large, stately tree with long, graceful branches. The limbs often turn abruptly down from the trunk and form a very graceful vase-like effect. Lives to a great age and is one of the most desirable trees for a lawn and street planting. 8 to 10		
ft	2.00	18.00
campestris. English Elm. 8 to 10 ft	2.50	
glabra pendula (U. scabra pendula). Camper- down Weeping Elm. 2-yr, heads	3.50	
YELLOW-WOOD. See Cladrastis.		
Nut Trees	Each	Den 40
CHESTNUT, American (Castanea dentata)		Per 12 \$15.00
CHESTNUT, American (Castanea dentata)		
the individual nuts are often more than an		

inch wide		20.00
FILBERT, English (Corylus avellana)	1.00	10.00
HAZELNUT (C. americana). 3 to 4 ft	1.00	10.00
WALNUT, English (Juglans regia). 3 to 4 ft	1.50	15.00



ELLIOTT NURSERY CO. NURSERYMEN AND SEEDSMEN

506 MAGEE BUILDING

PITTSBURGH, PA.

It is our desire to give you the best service obtainable anywhere. Please help us do this by *printing your name and address plainly*.

ERR PLEASE CIVE APPR MER PLEASE FILL IN RE BLANK CANNOT BE AN CHARGES E PLEASE LIST EACH V	ARIETY W	Strect R, F, D, and Pest Office County and Send by: Freight Office State and Ir extrementate force once on used extrementate towner once on used extrementation once on used extrementation of used extrementation on used extrementation on used extrementation of used extrementation on used extrementation of used extrementation of used extrementation of used extrementation on used extrementation of use
--	----------	--

	•		-											
Dollars Cents			 	 										
Dollar				 				 			-	 	 	
	ARTICLES AMOUNT BROT. FOR'D.													
	Quantity									•				
	Shipper's Check					-								

G

20.00

30.00

Evergreens

If Evergreens are to grow properly when you transplant them into the home-grounds, they should have been moved several times in the nursery. Then in place of the few coarse roots they would naturally have, there will he a small, compact cluster of fine rootlets, which are easily dug without injury, and which enable the tree to adapt itself readily when it has been moved. The best time for transplanting Evergreens is in the spring, before the new growth starts. They may he moved all summer and fall, too, hut much more care and attention are required than if they are moved early in the year.

The prices quoted in the list helow are for small quantitles; if large lots of a hundred or over are required, we can make attractive discounts on our prices hecause of the saving in handling. Each Per 12

- ABIES concolor. White Fir. About the most de-pendable Fir in cultivation. Cones 3 to 5 inches long; light bluish green leaves. 2½ ft.. 5.00 homolepis (A. hrachyphylla). Nikko Fir. Light green foliage; a Japanese variety. 3 to 4 ft... 6.00
- JUNIPERUS aurea. Golden Juniper. A low form with yellow foliage, seemingly solid. Prohably 2.00
 - the hest yellow Evergreen. 1½ ft........ communis depressa. Prostrate Juniper. The native Juniper of New England. Good for low screen or hedge planting, and for corner nooks. 2.00
 - 15 to 18 in. spread communis hibernica. Irish Juniper. A slender, compact form, much used in formal landscape plantings. Blulsh green foliage. Makes a regu-
 - lar growth. 3 to 3¹/₂ ft. virginiana. Red Cedar. Usually distinguished hy its great number of hranches densely covered with bronze-green foliage. Forms a tall tree 3.00
 - of great heauty and hardiness. 2½ to 3 ft... virginiana glauca. Blue Virginia Cedar. A vigorous variety with slivery gray follage, makes a splendld specimen tree. 3 to 4 ft..... 6.00
- PICEA excelsa. Norway Spruce. A tall, picturesque
- tree, with sweeping, pendulous hranches. Has light hrown cones, 5 to 7 ln. long. 3 to 4 ft... \$.00 ba. White Spruce. Compact, pyramidal form, of moderate growth. The leaves are aromatic, alba. and sllvery gray in color. The tree attains a
- height of 25 to 50 feet. 2 to 3 ft..... 2.50 **pungens** Colorado Spruce. A heautiful, hardy tree, native to the Rocky Mountains.
- Very decorative hecause of its sea-green foliage and abundant brown cones. 2 to 3 ft... 4.00
- pungens glauca. Colorado Blue Spruce. Silvery gray foliage; preferred by most people to the Colorado Spruce. 2 to 3 ft. 6.00
- pungens kosteri. Koster's Blue Spruce. This is the hluest form obtainable. It makes a strong, symmetrical growth and is much used for specimen trees, although it is more effective when used is combined for First when used in comhination with other Ever-
- - dwarf specimen is particularly desired 3.00 nigra austriaca. Austrian Pine. A rohust tree, which makes a rapid growth. The long, stiff needles are horne in pairs. The general effect
 - is dark green, like most of the Pines.... 3.00 resinosa. Red or Norway Pine. A tall tree with horizontal and sometimes pendulous hranches, forming a broad conical head. The needles are long, dark, and shiny; the cones are about 2 inches long. Some Evergreen experts consider this the hest Pine for landscape plantings.... 3.50
- **PSEUDOTSUGA** douglasi. Douglas Flr; Douglas Spruce. A well-known giant forest tree of the Spruce. A well-known giant forest tree of the Pacific Northwest. Foliage is dark bluish green; hears pendulous cones 3 to 4 inches long. 2¹/₂ to 3 ft. 3.00
- RETINISPORA pisifera. Pea-fruited Cypress. Horizontal hranches, sometimes pendulous, completely covered with hright green follage. A very hardy Japanese evergreen. 3 to 4 ft.... plumosa. Plumed Cypress. A small, dense tree 5.00
 - of conical outline, with hright green foliage ... 3.50 lumosa aurea. Golden Plumed Cypress. The terminal growth and foliage is hright golden yellow. 21/2 to 3 ft. 4.00

Tsuga Canadensis—Canadian Hemlock.		
RETINISPORA	Each	Per 12
Cypress. Similar in some respects to R. plu- mosa aurea, except that the foliage is not quite so yellow. 4 to 5 ft		
Very ornamental for specimen planting. 3 ft	5.00	
THUYA occidentalis. American Arhorvitæ. Much used for hedges. Makes a fairly rapid growth and presents an attractive appearance. The leaves are bright green, with yellow surfaces		
on under sides. 21/2 to 3 ft	2.00	
occidentalis aurea. George Peabody's Golden Arhorvitæ. A golden form of the American	1	
Arborvitæ. Very attractive. 2½ ft	3.00	
compact form, with dense foliage. The		
hranches form a symmetrical globe. 15 in occidentalis pyramidalis. Pyramidal Arhorvitæ. A compact, pyramidal tree; the hranches are short and densely covered with hright green		
foliage. 3 ft. occidentalis wareana. Siberian Arhorvitzs. The foliage is a beautiful dark, grayish green, tip- ped with warm hronze. The tree makes a		
pleasing, symmetrical growth. 18 ln	2.00	
*Tsuga canadensis. Canadian Hemlock. A tall, graceful tree with spreading branches which form a pyramidal crown. The foliage is dark green and glossy, with dim- inutive cones. Excellent for a hedge; will stand		
trimming. 21/2 to 3 ft	3.00	30.00
3 to 31/2 ft	4.00	40.00
TAXUS cuspidata. Japanese Yew. A dense shruh with dark, shiny green follage, tawny yellow on the under side. Bright scarlet fruits crna-		
ment the tree each year. Strong pot plants cuspidata brevifolia. This excellent Yew has spreading hranches and short, deep green leaves. An evergreen hedge plant without rival for hardiness and color and a favorite for city plantings, as it is almost unaffected hy		25.00
smoke and ras Strong pot plants	6 00	

smoke and gas. Strong pot plants..... 6.00

Competent Landscape Gardening Advice

The vast majority of our American suburban and country places are made without the aid of professional advice. Indeed, it would appear that most persons do not know that such advice is either available or desirable. The result is what might be expected; around every city one will see a hundred or more layouts, mediocre or worse, before one will meet one that is at all worth while.

Competent Landscape Gardening advice is available, and an hour's ride about any of our cities will prove its desirability. In addition to the worth while results he gets for his clients, it is usually less expensive to employ a landscape architect than to dispense with him. The landscape architect who knows his business is first of all a practical engineer; he builds no roads that have to be moved; he makes no grades that the first rain will wash away. He is also a practical horticulturist; he specifies no plants that are not likely to thrive in a given situation. He wastes none of his client's money because of lack of knowledge of the problem or of the best thing to do. Finally, and most important, he is an artist, and his finished work will not only be convenient in its arrangement, but beautiful in its appearance.

We do Landscape Gardening. In thirty years of continuous practice, we have met and successfully solved every possible landscape problem. We can not only solve your problem successfully, but we can in addition, probably save for you the very modest fee we charge for our work, because we will not make the mistakes that the amateur invariably makes. It is seldom, indeed, that our finished work requires changes or alterations.

ELLIOTT & LEONARD ARCHITECTS 506 MAGEE BUILDING PITTSBURGH, PENNSYLVANIA

