

# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when  
filled out)

## CONFIDENTIAL

### I. GENERAL

(a) Unit Reporting VT-24 (b) Based on or at USS SALTER (CVE-29) (c) Report No. 4  
 (d) Take off: Date 9 April 1945 Time (LZT) 1600 (I) (Zone); Lat. 25° 28' N Long. 128° 25' E  
 (e) Mission Direct Support - Southern Okinawa (f) Time of Return 1845 (I) (Zone)

### II. OWN AIRCRAFT OFFICIALLY COVERED BY THIS REPORT.

(a) TYPE	(b) SQUADRON	NUMBER			(f) BOMBS AND TORPEDOES CARRIED (PER PLANE)	(g) FUZE, SETTING
		(c) TAKING OFF	(d) ENGAGING ENEMY A/C	(e) ATTACKING TARGET		
<u>TBM-3</u>	<u>VT-24</u>	<u>4</u>	<u>None</u>	<u>4</u>	<u>10 - 100/0/7 Bombs</u> <u>8 - 5" H.E. Rockets</u>	<u>Instantaneous</u> <u>None fuse.</u> <u>.025 delay</u> <u>base fuse.</u>

### III. OTHER U. S. OR ALLIED AIRCRAFT EMPLOYED IN THIS OPERATION.

TYPE	SQUADRON	NUMBER	BASE	TYPE	SQUADRON	NUMBER	BASE
<u>TBM-3</u>	<u>VT-24</u>	<u>4</u>	<u>USS SALTER</u>				

### IV. ENEMY AIRCRAFT OBSERVED OR ENGAGED (By Own Aircraft Listed in II Only).

(a) TYPE	(b) NO. OBSERVED	(c) NO. ENGAGING OWN A/C	(d) TIME ENCOUNTERED	(e) LOCATION OF ENCOUNTER	(f) BOMBS, TORPEDOES CARRIED; GUNS OBSERVED	(g) CAMOUFLAGE AND MARKING
<u>None</u>			<u>(ZONE)</u>			
			<u>(ZONE)</u>			
			<u>(ZONE)</u>			

(h) Apparent Enemy Mission(s) \_\_\_\_\_  
 Did Any Part of  
 (i) Encounter(s) Occur in Clouds? \_\_\_\_\_ If so, Describe Clouds \_\_\_\_\_ (BASE IN FEET, TYPE AND TENTHS OF COVER)  
 Time of Day and Brilliance  
 (j) of Sun or Moon \_\_\_\_\_ (NIGHT, BRIGHT MOON; DAY, OVERCAST; ETC.) (k) Visibility \_\_\_\_\_ (MILES)

### V. ENEMY AIRCRAFT DESTROYED OR DAMAGED IN AIR (By Own Aircraft Listed in II Only).

(a) TYPE ENEMY A/C	(b) DESTROYED OR DAMAGED BY:				(c) WHERE HIT, ANGLE	(d) DAMAGE CLAIMED
	TYPE A/C	SQUADRON	PILOT OR GUNNER	GUNS USED		
<u>None</u>						

# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when  
filled out)

**CONFIDENTIAL**  
REPORT No. \_\_\_\_\_

## VI. LOSS OR DAMAGE, COMBAT OR OPERATIONAL, OF OWN AIRCRAFT (of those listed in II only).

(a) TYPE OWN A/C	(b) SQUADRON	(c) CAUSE: TYPE ENEMY A/C, TYPE GUN, OR OPERATIONAL CAUSE	(d) WHERE HIT, ANGLE (List armor, self-sealing tanks, equipment hit)	(e) EXTENT OF LOSS OR DAMAGE, (Give Bureau serial number of planes destroyed)
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				

## VII. PERSONNEL CASUALTIES (in aircraft listed in II only; identify with planes listed in VI by Nos. at left).

(a) NO.	(b) SQUADRON	(c) NAME, RANK OR RATING	(d) CAUSE	(e) CONDITION OR STATUS

## VIII. RANGE, FUEL, AND AMMUNITION DATA FOR PLANES RETURNING

(a) TYPE A/C	(b) MILES OUT	(c) MILES RETURN	(d) AV. HOURS IN AIR	(e) AV. FUEL LOADED	(f) AV. FUEL CONSUMED	(g) TOTAL AMMUNITION EXPENDED				(h) NO. OF PLANES RETURNING
						.30	.50	20MM	MM	
<b>33-3</b>	<b>85</b>	<b>85</b>	<b>2 3/4</b>	<b>390</b>	<b>190</b>	<b>500</b>	<b>2500</b>			<b>4</b>

## IX. ENEMY ANTI-AIRCRAFT ENCOUNTERED (Check one block on each line).

CALIBER	NONE	MEAGER	MODERATE	INTENSE
HEAVY — Time-fused shells, 75mm and over	<input checked="" type="checkbox"/>			
MEDIUM — Impact-fused shells, 20mm-50mm	<input checked="" type="checkbox"/>			
LIGHT — Machine gun bullets, 6.5mm-13.2mm	<input checked="" type="checkbox"/>			

## X. COMPARATIVE PERFORMANCE, OWN AND ENEMY AIRCRAFT (use check list at left).

- SPEED, CLIMB,  
at various altitudes
- TURNING
- DIVES
- CEILINGS
- RANGE
- PROTECTION
- ARMAMENT

# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when filled out)

(OMIT THIS SHEET IF NO ATTACK WAS MADE)

**CONFIDENTIAL**  
REPORT No. 4

## XI. ATTACK ON ENEMY SHIPS OR GROUND OBJECTIVES (By Own Aircraft Listed in II Only).

- (a) Target(s) and Location(s) Artillery & Housing Area - Okinawa (b) Time Over Target(s) 1720 (1) (Zone)  
(FOR SHIPS INCLUDE ALL IN AREA UNDER ATTACK)
- (c) Clouds Over Target 1500' Cumulus 1  
(BASE IN FEET, TYPE AND TENTHS OF COVER)
- (d) Visibility of Target Clear (e) Visibility 20  
(CLEAR, HAZY, PARTIALLY OBSCURED BY CLOUDS, ETC.) (MILES)
- (f) Bombing Tactics: Type Gliding Bomb Sight Used None  
(LEVEL, GLIDE OR DIVE) (TYPE)
- Bombs Dropped per Run All Spacing --- Altitude of Bomb Release 2000'  
(NUMBER) (FEET) (FEET)
- (g) Number of Enemy Aircraft Hit on Ground: Destroyed None Probably Destroyed None Damaged None

(h) AIMING POINT	(i) DIMENSIONS OR TONNAGE	(j) NO A/C ATTACKING (k) SQUADRON	(l) BOMBS AND AMMUNITION EXPENDED EACH AIMING POINT	(m) NO HITS On Aiming Point	(n) DAMAGE (None, slight, serious, destroyed or sunk)
1 <b>Two artillery emplacements</b>	<b>100 yards square</b>	<b>4 VT-24</b>	<b>40 - 100# G/P Bombs</b>	<b>4</b>	<b>Serious</b>
2			<b>32 - 5" H.E. Rockets</b>		
3			<b>strafing .50 cal w/g.</b>		
4					
5					
6					
7					
8					

(o) RESULTS: (For all hits claimed on ship targets and for land targets of special interest, draw diagram, top or side view or both, as appropriate, showing type and location of hits. For all targets give location and effect of hits, and identify by numbers above. Use additional sheets if necessary).

**4 Rockets were observed to hit the artillery emplacements. Between the two emplacements were a group of houses, possibly personnel shelters, in which many hits were scored with both bombs and rockets. These houses were set afire.**

(p) Were Photographs Taken? No Photographs of Damage, When Taken, Should Be Attached By Staple.

# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when  
filled out)

**CONFIDENTIAL**  
REPORT No. \_\_\_\_\_

## XII. TACTICAL AND OPERATIONAL DATA. (Narrative and comment. Describe action fully and comment freely,

following applicable items in check list at left. Use additional sheets if necessary.)

### ENGAGEMENT WITH ENEMY

#### OWN AIRCRAFT

Disposition  
Altitudes  
Speeds  
Approach Tactics  
Use of Cover, Deception  
Angles of Attack and  
Their Effectiveness  
Distance of Opening Fire  
Defense Tactics and  
Their Effectiveness

#### ENEMY AIRCRAFT

Method of Locating, Distance  
Disposition  
Altitudes  
Speeds  
Approach Tactics  
Use of Cover, Deception  
Angles of Attack  
Distance of Opening Fire  
Defensive Tactics

#### COMMENTS AND RECOMMENDATIONS

Own Weaknesses  
Enemy Weaknesses  
Offensive Tactics, Own  
" " , Enemy  
Defensive Tactics, Own  
" " , Enemy  
Flexible Gunnery, Own  
Escort Tactics  
Fighter Direction  
Use of Radar  
Night Fighting  
• Recognition, Aircraft

### ATTACK

#### OWN TACTICS

Method of Locating Target  
Approach to Target  
Altitudes, Speeds,  
Approach  
Dive  
Pull-Out  
Dive Angle  
Strafing  
Retirement  
Defensive Tactics  
Use of Jamming

#### DEFENSE, ENEMY

Evasive Tactics, Ships  
Concealment  
Searchlights  
Night Fighter Tactics  
Use of Jamming

#### COMMENTS AND RECOMMENDATIONS

Bombing Tactics  
Torpedo Tactics  
Effectiveness of  
Bombs, Torpedoes  
Selection of Targets  
Fuzing  
Strafing Tactics  
Defensive Tactics  
Use of Radar  
Reconnaissance  
Photography  
Briefing

### OPERATIONAL

Navigation  
Homing  
Rendezvous  
Recognition, Ships  
Communications  
Flight Operations  
Search and Tracking  
Base Operations  
Maintenance

The target designated by Commander Air Support Control Unit consisted of two artillery emplacements separated from each other by about 200 yards. Between the two emplacements was a group of houses, possibly personnel shelters. Four runs were made by each attacking plane. Runs were begun at approximately 6500' and releases made at 2000'. Rockets were released at 40° and 1500 yards slant range. No enemy aircraft were encountered.

# AIRCRAFT ACTION REPORT

RESTRICTED  
(Reclassify when  
filled out)  
**CONFIDENTIAL**  
REPORT No. \_\_\_\_\_

**XIII. MATERIAL DATA.** (Comment freely on performance or suitability, following check list at left.  
Use additional sheets if necessary).

## ARMAMENT

Guns, Gunsights  
Turrets  
Ammunition  
Bombs, Torpedoes  
Bomb Sights  
Bomb Releases

## COMMUNICATIONS

Radio, Radar  
Homing Devices  
Visual Signals  
Codes, Ciphers

## RECOGNITION

IFF  
Signals  
Battle Lights  
Procedures

## PROTECTION

Armor, Points and Angles  
of Fire Needing Further  
Protection  
Leak Proofing

## EMERGENCY EQUIPMENT

Parachutes  
Life Belts, Life Rafts  
Safety Belts  
Emergency Kits  
Rations, First Aid

## NAVIGATIONAL EQUIPMENT

Compasses  
Driftsights  
Octants  
Automatic Pilots  
Charts  
Field Lighting

## INSTRUMENTS

Flight  
Power Plant

## OXYGEN SYSTEM

## CAMOUFLAGE AND DECEPTION DEVICES

## STRUCTURE

Airframe  
Control Surfaces  
Control System  
Dive Flaps  
Landing Gear  
Heating System  
Flight Characteristics  
At Various Loadings

## POWER PLANT

Engines  
Engine Accessories  
Propellers  
Lubricating System  
Starters  
Exhaust Dampers

## HYDRAULIC SYSTEM

## ELECTRICAL SYSTEM

Auxiliary Plant  
Lights

## FUEL SYSTEM

## FLIGHT CLOTHING

## MAINTENANCE

## BASE FACILITIES

Plane Servicing Equipment  
Personnel Facilities

REPORT PREPARED BY:

APPROVED BY:

**W. A. BALDWIN, Lieut(3rd), S(A), USNR**  
SIGNATURE **AGI Officer.** RANK AND DUTY

**D. W. COOPER, Lieutenant, U.S. Navy,**  
SIGNATURE **Commanding** RANK AND DUTY

**30 APR 1945**  
DATE