

GHQ/SCAP Records (RG 331, National Archives and Records Service)

Description of contents

- (1) Box no. 2900
- (2) Folder title/number: (27)
Dainichi Kinzoku
- (3) Date: May 1946 - Jan. 1947

(4) Subject:

Classification	Type of record
9230	a, c, k

(5) Item description and comment:

Hyogo

- (6) Reproduction: Yes No
- (7) Film no. Sheet no.

(Compiled by National Diet Library)

HYOGO LIAISON OFFICE

REMARK

NAME OF PLANT: The Dainichi Kinzoku K. K.

What may be considered as the idle commodity in this factory is, excepting the minimum amount of equipments necessary for the supervision and safekeeping of reparations objectives among the installations, the dormitory for the factory hands.

What may be pointed out as materials are a small amount of scrap and an iron bridge for which, having been cut into small pieces, no way of utility could be found. There are some wiring equipments; even these, however, seem to have been borrowed from the electric power company.

In view of the large number of reparations objectives compared with the small size of its factory, there is no other than what is stated above as to what may be considered the idle equipments.

The remarks on the part of the plant is deemed appropriate.

Kanji Fujita
Local Liaison Officer

January 15th, 1947

Commanding Officer,
Eighth Army.

Sir:

P e t i t i o n

With reference to your recent inspection of stock of materials held at our factory effected in accordance with inspection of materials at factories on reparations list, we beg to state that our factory has been granted reconversion permit (as per copy of permit attached hereto), and, moreover, an application for removal of our factory from reparations list has been filed with military authorities.

Our factory is now engaged in authorized production of such civilian commodities as special signal apparatuses, (for Dept. of Communication), pumps, parts of rolling stock, etc.

It is also planned that our factory will exclusively engage in still enlarged production of such civilian commodities as stated above in future, too.

In view of the above, the materials we hold at present are all indispensable for the manufacture of such items as mentioned above. The offering of any of our materials, therefore, will inflict great hardship upon our business.

Under the circumstances, we would appreciate it very much if you could kindly consider our situation and leave all materials intact.

Yours very truly,

S. Koyama

S. Koyama

President, Dainichi Kinzoku
Kogyo Kabushiki Kaisha,
3, Maruta, Hama, Amagasaki
City, Hyogo-ken.

-C-o-p-y-

HEADQUARTERS
94TH HQ & HQ DET MIL GOVT GP
APO 660 (Osaka, Japan)

File: 107 ok - 182

8 May 46

Subject: APPLICATION FOR OPERATION

TO : Dainichi Kinzoku Kogyo Kabushiki Kaisha (Dainichi
Kinzoku Metal Industrial Co., Ltd.), No. 3, Maruta,
Hama, Amagasaki, Hyogo Prefecture.
(Name & Address of Firm)

1. a. In accord with paragraph 3, b, Directive Number Three (3) from the Supreme Commander to the Imperial Japanese Government, dated 22 Sept 45, the Dainichi Kinzoku Kogyo K.K.

(Name of Firm)

is permitted to immediately start production of flour mills: parts
(Name of items)
of rolling stock: rice cleaning machines: printing machines: pumps.

b. Maximum production currently authorized is flour mills - 30: parts of rolling stock worth Y30,000: rice cleaning machines, printing machines, etc. - 20: pumps - 50.

2. The acquisition of material, parts and sub-assemblies as well as the disposition of finished products, and the establishment of sales prices will be in accord with the regulations of the Imperial Japanese Government.

3. Until otherwise directed by this headquarters, a monthly report in English of each item, by name, type and quantity produced by each factory, sub-contractor subsidiary within this factory's control will be delivered to this office by the fifteenth (15) day of the following month.

4. It is understood that this permit for reconversion is issued subject to any and all directives affecting reconversion, ultimate disposition or otherwise, which have been issued or may hereafter be issued by the Supreme Commander for the Allied Powers or by this headquarters.

By order of Lieutenant Colonel ATWOOD,

BEN LOCKE
Maj, AC
Res & Ind O

Info copy to:

SCAP (Attn: ESS) (1)
SCAP (Attn: G-2) (1)
CG Eighth Army (Attn: Mil Govt) (1)
CG I Corps (Attn: Mil Govt) (1)
Kobe Liaison Office (1)
Governor of Prefecture concerned (1)

Incl. No. 2

NAME OF PLANT, LABORATORY, OR ARSENAL:

工場、研究所又ハ兵器廠ノ名稱

LOCATION: *The Dainichi Kogyo Kogyo, Ltd.*

所在地 *Marata, Hama, Amagasaki-shi, Hyogo-Ken*

SIGNATURE OF OWNER OR CUSTODIAN:

所有者又ハ管理人ノ署名

G. Koyama

REPARATIONS PLANTS MATERIALS

賠償工場ノ資材

General Contractors Association of Japan
Hyogo Prefecture Branch

當該地區日本連絡官ノ署名

Kanji Fujita

MATERIAL STOCKS (NOT INSTALLED) 在庫資材表 (施設=含マレザルモノ)

DATE: *Jan 20, 1947*

日附

Tomijima Jumi R. Nakano
Haruna Jumi M. Ishii
Igumi S. Sakano

ITEM DESCRIPTION	UNIT	QUANTITY	TOTAL ESTIMATED WEIGHT	NUMBER OF CARLOADS	CONDITION ***	REMARKS
品 目 名 稱	単 位	數 量	見 積 總 重 量	積 込 貨 車 數	狀 態	摘 要
Steel Bar (Round)	ea	5	22.68	(15 ton)	Good	Are using as reinforcement material as the civil material.
Ditto	ea	5	28		"	
Ditto	"	9	400	"	"	Ditto
Ditto	"	12	100	"	"	Ditto
Ditto	"	84	800	"	"	Ditto
Ditto	"	17	2,000	"	"	Ditto
Ditto	"	3	150	"	"	Ditto
Ditto	"	1	40	"	"	Ditto
Ditto	"	17	3,000	1/5	"	Ditto
Ditto	"	1	100		"	Ditto
Ditto	"	1	100	"	"	Ditto
Ditto	"	1	150	"	"	Ditto
Ditto	"	3	500	"	"	Ditto
Ditto	"	10	1,800	"	"	Ditto
Ditto	"	1	200	"	"	Ditto
Ditto	"	2	400	"	"	Ditto
Ditto	"	1	400	"	"	Ditto
Ditto	"	8	9,800	3/5	"	Ditto
Ditto	"	232	400		"	Ditto

None or inclusion to attach statement if he desires.
 所有資材ノ管理ハ本表ニ照シテ説明書ヲ添付ノコト。
 "Ditto" be as New, Good, or Poor. "Good" will indicate "not suitable for general use." "Poor" will indicate "not suitable for use."
 状態ハ新品、良品、不良品ト記載ノコト。良品ハ一般使用ニ適スルモノ、不良品ハ再使用ニ適サズルモノトス。

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 775013

Ditto	1/2" x 1 1/4"	"	50	"	Ditto
Ditto	1/2" x 1 3/4"	"	9	"	Ditto
Ditto	1/2" x 2"	"	10	"	Ditto
Ditto	1/2" x 2 1/4"	"	3	"	Ditto
Ditto	5" x 1 1/4"	"	7	"	Ditto
Ditto	1/2" x 1 1/8"	"	5 35	"	Ditto
Nut, Hexagon (polished)	1/2"	"	7-9	"	Ditto
Ditto	5/16"	"	35	"	Ditto
Ditto	3/8"	"	9	"	Ditto
Ditto	7/16"	"	20	"	Ditto
Ditto	1/2"	"		"	Ditto

Ditto	5"	pes		60kg	good	Are using at Dainichi Kinzoku. Ltd. as the part of the machine to produce the civil material.
Washer (spring)	1/2" and 5/8"	"		5	"	Ditto
Cutting oil	180 liter	drum	3	550		
Ditto	18 "	"	12	150	new	Period can be used: 3 months Are using at Dainichi Kinzoku. Ltd. for cleaning and using the civil or reparative machine.
Boiled oil	18 "	"	2	30	"	period can be used---20 days Are using at Dainichi Kinzoku. Ltd. for cleaning and washing the civil or reparative machine.
Paint (gray)		"	1	5	"	Ditto
" (red)		"	1	5	"	Ditto
Light oil	18 liter	"	3	50	"	Ditto
Cylinder oil	18 "	"	2	27	"	Ditto
Machine oil	18 "	"	2	27	"	Ditto
Ditto	40 "	"	1	50	"	Ditto

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 775013

Washer (spring)	2" and 5/8"	"		5		are using at Dainichi Kinzoku. Ltd. as the part of the machine to produce the civil material.
Cutting oil	180 liter	drum	3	550	"	Ditto
Ditto	18 "	"	12	150	new	period can be used: 3 months Are using at Dainichi Kinzoku. Ltd. for cleaning and using the civil or reparative machine.
Boiled oil	18 "	"	2	30	"	period can be used---20 days Are using at Dainichi Kinzoku. Ltd. for cleaning and washing the civil or reparative machine.
Paint (grey)		"	1	5	"	Ditto
" (red)		"	1	5	"	Ditto
Light oil	18 liter	"	3	50	"	Ditto
Cylinder oil	18 "	"	2	27	"	Ditto
Machine oil	18 "	"	2	27	"	Ditto
Ditto	45 "	"	1	50	"	Ditto
Mobile oil	18 "	"	1	14	"	Ditto
Spindle	18 "	"	1	14	"	Ditto
Grease putty		barrel	3	45	"	Ditto
Pi Grease		barrel	1	30	"	are using at Dainichi Kinzoku. Ltd. to produce the civil material.
Plate Iron (Round)	32cm x 6mm	sheet	150	500	"	Ditto
Plate Iron (Square)	36cm x 36cm x 6mm	"	21	120	"	Ditto
Brass, Bar	19mm	"		104	good	Are using at Dainichi Kinzoku. Ltd. as a equipment.
Chain (for chain block)	6mm x 15mm	ea	1		"	Ditto
Ditto	12mm x 20m	"	1		poor	Ditto
Special lathe (half-made)		set	30	25,000		

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDG NO. 775013

INSTALLED MATERIALS AND SUPPLIES 施設濟ノ資材

ITEM DESCRIPTION 品目・名稱	UNIT 單位	QUANTITY 數量	TOTAL ESTIMATED WEIGHT 見積總重量	NUMBER OF CARLOADS 積込貨車數	REMARKS 摘要
Induction Motor 3-phase, 15HP, 220volt, 4pole, Cage rotor type.	ea	2	120Kg		Using at the Dainichi Kinzoku. Ltd.
Transformer Single-phase 30KVA, P.V. 3450, 3300, 3150, 3000, 2850volt, S.V. 220, 110volt, Oil filled, Selfcooled, Outdoor type.	ea	3	930		EX: borrowed from the Kansaihaidan. Ltd. Using at the Dainichi Kinzoku. Ltd.
Ditto 3KVA Ditto	ea	2	116		Ditto
Copper Wire, Rubber covered, Class 4, Section 50mm ²	Mtr	50	11.4		Using at the Dainichi Kinzoku. Ltd.
Ditto Dia, 2mm	Mtr	50	2.5		Ditto
Ditto Dia, 1.6mm	Mtr	300	10.1		Ditto
Copper Wire, cotton Covered, Class 2, Dia, 1.6mm	Mtr	20	0.5		Ditto
Metallic Conduit Thickness $\frac{1}{16}$ " Dia, $\frac{1}{2}$ "	Mtr	10	6.9		Ditto
Ditto Dia, $1\frac{1}{2}$ "	Mtr	3	4.5		Ditto
Insulstor Double	ea	5			Ditto
Ditto Knob	ea	500			Ditto
Insulating tube	ea	20			Ditto
Switch 3-pole, Single throw, 100A	ea	2			Ditto
Ditto 50A	ea	2			Ditto

FOR USE BY PRESENT MILITARY GOVERNMENT TEAM ONLY. STRIKE OFF WORDS NOT APPLICABLE AND FILL IN BLANK SPACES.

DO NOT REMOVE THIS FROM THE HOME MINISTRY OPERATING LIST.

ANY OBJECTION TO REMOVAL OF ABOVE ITEMS SHOULD BE MADE TO THE MILITARY GOVERNMENT TEAM.

HOWEVER, NO OBJECTION TO REMOVAL OF ABOVE ITEMS FROM THE HOME MINISTRY OPERATING LIST.

part of this

WILL BE JEOPARDIZED BY REMOVAL OF ABOVE ITEM:

DECLASSIFIED E.O. 12065 SECTION 3-402/NNDC NO. 775013

